Topic: Scalar multiplication and zero matrices

Question: Use scalar multiplication to simplify the expression.

$$4\begin{bmatrix} 5 & 2 & 1 \\ -2 & 4 & 7 \end{bmatrix}$$

Answer choices:

$$\begin{bmatrix} 20 & 8 & 4 \\ -2 & 4 & 7 \end{bmatrix}$$

D
$$\begin{bmatrix} 20 & 8 & 4 \\ -8 & 16 & 28 \end{bmatrix}$$

Solution: D

In this problem, 4 is the scalar. We distribute the scalar across every entry in the matrix, and the result of the scalar multiplication is

$$4\begin{bmatrix} 5 & 2 & 1 \\ -2 & 4 & 7 \end{bmatrix}$$

$$\begin{bmatrix} 4(5) & 4(2) & 4(1) \\ 4(-2) & 4(4) & 4(7) \end{bmatrix}$$

$$\begin{bmatrix} 20 & 8 & 4 \\ -8 & 16 & 28 \end{bmatrix}$$



Topic: Scalar multiplication and zero matrices

Question: Solve for x.

$$3\begin{bmatrix} 7 & 1 \\ 8 & 3 \end{bmatrix} + x = -4\begin{bmatrix} 0 & -5 \\ -2 & 3 \end{bmatrix}$$

Answer choices:

$$A \qquad x = \begin{bmatrix} -21 & 17 \\ -16 & -21 \end{bmatrix}$$

$$B \qquad x = \begin{bmatrix} 21 & 23 \\ 32 & -3 \end{bmatrix}$$

$$C \qquad x = \begin{bmatrix} 21 & -17 \\ 16 & 21 \end{bmatrix}$$

$$D \qquad x = \begin{bmatrix} -21 & -23 \\ -32 & 3 \end{bmatrix}$$



Solution: A

Apply the scalars to the matrices.

$$\begin{bmatrix} 3(7) & 3(1) \\ 3(8) & 3(3) \end{bmatrix} + x = \begin{bmatrix} -4(0) & -4(-5) \\ -4(-2) & -4(3) \end{bmatrix}$$

$$\begin{bmatrix} 21 & 3 \\ 24 & 9 \end{bmatrix} + x = \begin{bmatrix} 0 & 20 \\ 8 & -12 \end{bmatrix}$$

Subtract the matrix on the left from both sides of the equation in order to isolate x.

$$x = \begin{bmatrix} 0 & 20 \\ 8 & -12 \end{bmatrix} - \begin{bmatrix} 21 & 3 \\ 24 & 9 \end{bmatrix}$$

$$x = \begin{bmatrix} 0 - 21 & 20 - 3 \\ 8 - 24 & -12 - 9 \end{bmatrix}$$

$$x = \begin{bmatrix} -21 & 17 \\ -16 & -21 \end{bmatrix}$$



Topic: Scalar multiplication and zero matrices

Question: Choose the O_{4x2} matrix.

Answer choices:

$$\mathbf{A} \qquad \begin{vmatrix} 0 & 0 \\ 0 & 0 \end{vmatrix}$$

$$\mathsf{B} \qquad \begin{bmatrix} 0 & 0 \\ 0 & 0 \\ 0 & 0 \\ 0 & 0 \end{bmatrix}$$

$$\begin{bmatrix}
0 & 0 & 0 & 0 \\
0 & 0 & 0 & 0 \\
0 & 0 & 0 & 0
\end{bmatrix}$$

$$D \qquad \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix}$$

Solution: B

We always name the zero matrix with a capital O. And optionally, you can add a subscript with the dimensions of the zero matrix. Since the values in a zero matrix are all zeros, just having the dimensions of the zero matrix tells you what the entire matrix looks like. So O_{4x2} is

$$\begin{bmatrix} 0 & 0 \\ 0 & 0 \\ 0 & 0 \\ 0 & 0 \end{bmatrix}$$

