Brand Standards

Palette, type, logo and layout rules

Edition: October 19, 2026. This PDF is a printed snapshot of the Er-Con Brand Standards page; the page is the live version. Set in Archivo, Source Sans 3 and IBM Plex Mono.

Er-Con Technologies is an erosion-control engineering and installation company. It assesses the site, uses engineering judgment to pick the right system, handles permitting, manages the project and installs the work with its own crews. The brand should read as **established, precise and field-proven**.

The palette is drawn from where the work happens: dirt, clay, sand, water, trees, grass, streams, pipelines, open grassy fields, yellow iron — and concrete. Navy carries the authority, Signal is the same blue lifted, and the neutrals are concrete. Every value here is custom to Er-Con. Do not substitute preset colors from Tailwind, Material, Office defaults or similar libraries.

Name

- Write **Er-Con Technologies** on letterhead, templates, footers and first mention in copy, and **Er-Con** after that. Use title case with the hyphen.
- **The brand is Er-Con Technologies. It is never "Er-Con Technologies, LLC."** LLC is a registration detail, not part of the name, and it does not belong on anything a client, a candidate or the public sees.
- Use the registered name **Er-Con Technologies, LLC** only where a document has legal force and the entity must be identified: contracts and subcontracts, agreements, bids and bonds, insurance certificates, lien and permit filings, tax and payroll documents, and legal notices.
- Even on those documents, the entity name belongs in the body and the signature block — not in the letterhead, the logo lockup or the footer. A contract printed on Er-Con letterhead still says **Er-Con Technologies** at the top and **Er-Con Technologies, LLC** where the parties are named. Never add LLC to the logo.
- **ER•CON** with the dot exists only inside the logo artwork. Never type the dot, never write "ERCON", "Er Con" or "ER-CON" in text.
- Logo alt text is "Er-Con Technologies". Page titles and metadata use the hyphenated name.

Contact

- Website **www.er-contech.com**
- General inquiries **info@er-contech.com**
- 6715 Theall Road, Houston, TX 77066 · (713) 460-4601

Where to start


Company templates live in the Er-Con Templates folder: **Er-Con Template.potx** (PowerPoint) and **Er-Con Letterhead.dotx** (Word). Start every deck and letter from them — the palette, the type and the logo are already set.

The logo files themselves are in the **Logos** asset set on this page, and on the brand site, where every file has a download link and the whole set comes as one zip.

The guidelines follow in this order: color (core three, reverse partners, earth accents, neutrals, proportion), logo color recipes, type, charts and data, PowerPoint and Word, web, shape and spacing, imagery, and logo files. Every color value is also listed, copyable, in the Tokens section.

Color: the core three

The logo and the brand are built on three colors. Everything else supports them.



These three are the mark itself. Signal is the navy's own hue, lifted — not a second colour. Fog replaced a navy-tinted slate that sat ΔE 13 from the accent. Measured concrete, across forty Er-Con site photographs, carries a chroma of 0.4–0.9. This one is 0.7.


Navy is the authority and carries most of the surface area.

Signal is the same blue, lifted. Navy sits at hue −77 and so does Signal. It is not a second colour standing beside the brand; it is the brand turned up. Keep it that way — an accent drawn from a different hue family will not read as belonging to the mark.

Fog is concrete, and it is a true neutral. Chroma 0.7, matching poured concrete as it photographs across Er-Con's own project work. The shield of the logo is this colour. Do not tint it toward navy.

Color: reverse partners

Every brand and accent color has a partner for navy grounds. Use the partner whenever the ground is `brand-navy`, `brand-navy-deep` or `brand-navy-lift`. The switch is automatic in the Reverse theme.



PARTNER	HEX	ON NAVY	ON WHITE
Signal Light	#4794FF	4.51	3.09
Silver	#ABAAA9	5.88	2.32
Signal Amber	#EAA21A	6.28	2.17
Clay Light	#D87D52	4.53	3.01
Sprout	#67A35F	4.53	3.01
Hazard Light	#F26A4F	4.51	3.02


Dark grounds take the loud accent; light grounds take the quiet one. This is the rule that was backwards for three rounds of review. Never put a light partner on white — every one falls below 3.1:1 there.

Dark grounds take the loud accent; light grounds take the quiet one. Both are Er-Con Navy's hue — Signal `#0067D0` on white, Signal Light `#4794FF` on navy. One family, two lightnesses.

Never put a light partner on white. Every one of them lands near or below 3.1:1 there, which is under the threshold for text and marginal even for a graphical mark.

Color: earth accents

These come from the ground Er-Con works in.



Drawn from where Er-Con works: dirt, clay, sand, water, trees, grass, streams, open field — and concrete. **They are not decoration.** Their job is data: a chart in navy and blue alone is unreadable to a colour-blind viewer, and these are what fix it. Amber, Green and Hazard Red carry fixed meanings, so spending them on an arbitrary series spends the signal. **Never use Red Clay and Hazard Red together** — ΔE 9.4, and 3.6 to a colour-blind reader. They are the same colour.

The brand is wrapped around dirt, clay, sand, water, trees, grass, streams, pipelines, open grassy fields, yellow iron — and concrete. These are the environments the company works in, and the palette reflects them.

Their primary job is data, not decoration. See the Charts section.


- **Red Clay** is exposed ground and the second chart series.
- **Slate** is wet silt and weathered timber — followed links, quiet text.
- **Straw** is the installed material: straw, coir, jute. Panels and photo mats. On it, set text only in navy, ink or graphite.
- **Signal Amber**, **Regrowth Green** and **Hazard Red** carry fixed meanings. Using them for an arbitrary series spends the signal.

Two hard limits:

- **Never use Red Clay and Hazard Red in the same chart or layout.** They measure ΔE 9.4, and 3.6 to a reader with deuteranopia. They are the same color.
- **Signal Amber is a fill on light grounds, never a line or a thin mark.** It is 2.2:1 on white. Use Amber Deep when amber must be text.

On the website, the earth accents are deliberately **not** deployed as page furniture. The photography is already dirt, clay and water; a clay swatch beside a photograph of eroded clay decorates a thing with a picture of itself.

Color: neutrals



These are true neutrals, and that is a correction. The previous set was tinted toward navy on the theory it would read as chosen rather than default. It read as muddy instead. Er-Con's grounds are concrete and gravel, which photograph at a chroma under 1 — every neutral here is under 1.5.

These are true neutrals. Er-Con's grounds are concrete and gravel, which photograph at a chroma under 1. Every neutral here is under 1.5.

Do not tint them toward navy. A tinted grey reads as muddy against the mark and fights the accent.

Proportion

On a typical page or slide, aim for roughly **60% white or mist, 25% navy, 10% fog and signal, and no more than 5% accent**. A title slide or footer can flip this and use navy as the ground in the Reverse theme.

The earth accents sit outside this budget because they are not page furniture. In a chart they can hold half the ink on the page and still be right.

Logo color recipes

The logo has three color parts: the word (ER•CON plus the upper shield stroke), the shield (the lower stroke) and the dot (plus TECHNOLOGIES). Use only these combinations:

FULL COLOUR — ON WHITE, MIST, STRAW

Word + upper shield	Navy #0B2D5B
Lower shield	Fog #8C8B8A
Dot + TECHNOLOGIES	Signal #0067D0

REVERSE — ON NAVY, DEEP NAVY, NAVY LIFT

Word + upper shield	White
Lower shield	Silver #ABAAA9
Dot + TECHNOLOGIES	Signal Light #4794FF

The icon's full-colour variant carries no Signal at all — navy and concrete only. The accent lives in the wordmark, and at icon scale there is not enough of it to register. At 16 and 32px use the small-size variant, which lifts the concrete to #D8D7D6 and tightens the crop.

Never recolour the parts with the earth accents. Never put the full-colour logo on navy, or directly on a photograph.

- **In Signal Amber zones, use the one-color navy logo.**
- **On photos**, use the one-color white logo over the darkest calm area, or place the logo on a solid navy or white band. Never put the full-color logo directly on a photo.
- **Never recolor the logo parts with the earth accents**, and never put the full-color version on a navy ground.
- **The icon's full-color variant carries no Signal at all** — navy and concrete only. The accent lives in the wordmark, and at icon scale there is not enough of it to register. This is deliberate, not an omission.
- **At 16 and 32px, use the small-size variant** (`ErCon-Icon-AppTile-Small.svg`). It tightens the crop and lifts the concrete to `#D8D7D6` so the lower geometry still reads. Below 32px the master tile mushes.

Type

Three faces, three jobs. Nothing crosses over.

- **Headings:** Archivo Bold (`display` family). A grotesque — squared, tightly drawn, and built to hold its shape at size.
- **Body:** Source Sans 3 Regular, with Bold for emphasis (`body` family). A humanist text face, chosen for reading rather than for display.
- **Values:** IBM Plex Mono (`data` family).

The split

If it is a value, it is set in Plex Mono. If it is language, it is not.

Money, dates, proposal and job numbers, percentages, quantities, durations and status chips take the mono. Headings, sentences, names and captions do not. The reader separates data from prose before reading a word — with no rules, no colour and no bold doing the work.

The split holds inside a table, a stat panel, a chart label, a job register or a dashboard. It does not reach into running prose: a date in the middle of a sentence stays in the body face, as does a figure written out in words.

Capitalised labels are the one thing that looks like data and is not. An eyebrow or a column header is a word, so it takes the `label` style in the display family — see Rules.

Rules

- **Install all three, and embed them.** Office must carry the fonts inside the file, or a reader without them sees a substitution and the text reflows. Word and PowerPoint: Preferences (Mac) or File ▸ Options (Windows) ▸ Save ▸ Embed fonts in the file. **Embed the whole font, not only the characters used** — a subset breaks the moment the recipient types a character the document did not already contain.
- **Separate heading from body with the family and the weight, not with size alone.** Archivo Bold at heading sizes, Source Sans 3 Regular at body.
- **The display face is squared; the body face is not.** That contrast is deliberate and is the whole reason two faces exist. Do not replace Archivo with another humanist face, and do not set body copy in Archivo.
- **A fourth face is never added.** Three jobs, three faces. Anything that needs distinguishing further is distinguished by weight, size or colour.
- **The logo is never typeset.** The ER•CON wordmark stays vector artwork. Don't retype it in Archivo or any other font.
- Use sentence case for headings, and capitals only for `label` eyebrows.
- **Keep headlines out of the logo's clear space.** Leave at least twice the dot's diameter between the logo and any text.
- **Never set the company name in large capitals near the logo.** Two versions of the name side by side read as a mismatch. Write "Er-Con Technologies" or "Er-Con" in normal case, or let the logo carry the name.
- **The approved title lockup.** When a title must sit beside the logo: logo, clear space, a thin `border` hairline, then the title. The title's capitals are no taller than the wordmark's, and it never repeats the company name. Write "Brand Standards", not "Er-Con Brand Standards".
- The theme-fonts file **Er-Con Theme Fonts.xml** sets Archivo and Source Sans 3 as the two theme slots in PowerPoint and Word. Office has two slots and not three, so figure runs name Plex Mono outright.

- **Nothing else in a template names a font.** Every other run resolves through the theme, so changing a brand face is one edit rather than a thousand.

Numerals

Er-Con's documents are mostly numbers — linear feet, dollars, days, job counts. Setting them in Plex Mono does most of the work, and the rest is discipline.

- **Plex Mono is fixed-width, so a column aligns on the decimal without hand-spacing.** In CSS, `font-variant-numeric: tabular-nums` as well, for the rare figure set in the body face. A proportional figure in a column of numbers is a defect.
- **A hero figure takes Plex Mono too.** Consistency beats the small gain from proportional digits: a reader should never have to decide whether a large number is the same kind of thing as the small ones.
- **A figure is not a word.** Never letterspace numerals, and never set them in the `label` style — capitals-with-tracking is for words.
- Use the same thousands separator and the same number of decimal places down a whole column. Mixed precision reads as a mistake before it reads as detail.
- Dates in a data context are `2026-10-08` or `Oct 2026`, in Plex Mono, and the same shape down a whole column. A date in a sentence is written out.

Er-Con's distinctiveness is carried by the mark, the palette, the flush-line layout discipline — and by the fact that a number always looks like a number.

Charts and data





Navy ramp — any single measure.



Signal ramp — water: flow, depth, discharge.



Clay ramp — ground: loss, scour, volume removed.



Diverging — loss, no change, gain. Eroded ground at one end, water at the other.

Navy and Red Clay before anything else. Navy against Signal collapses to ΔE 14 under deuteranopia — the weakest pair in the palette, and the one people reach for first. Navy against Red Clay measures ΔE 43 normally and **66** under deuteranopia. That is why the earth colours sit in the chart sequence: they are what makes the data legible.

Assign in this order

#	Color	Hex	Role
1	Navy	`#0B2D5B`	Primary series, always
2	Red Clay	`#A5522A`	Comparison series — carries the contrast
3	Signal	`#0067D0`	Third series
4	Fog	`#8C8B8A`	Context, baseline, "all others"
5	Signal Amber	`#EAA21A`	Fills only; dark outline on white
6	Regrowth Green	`#3F7A3A`	Last

Worst pair across normal vision and all three forms of colour blindness: 2 series ΔE 43.4 · 3 to 5 series ΔE 14.0 · 6 series ΔE 10.5.

Magnitude, not category

When the number *is* the point — depth, flow, cost, severity — use one hue and let lightness carry the value. Each step is an even interval in perceived lightness, so the middle of the scale is genuinely the middle.

- **Navy ramp** — any single measure.
- **Signal ramp** — anything measured in water: flow, depth, discharge.

- **Clay ramp** — anything measured in ground: loss, scour, volume removed.
- **Diverging** — loss, no change, gain. Eroded ground at one end, water at the other, with a genuinely colorless zero.

One series is one colour


A bar chart of a single measure broken out by category — spend by gate, jobs by owner, value by stage — is **one series**. Every bar takes the same colour. The sequence above is for *series*: different things measured against each other on the same plot. Colouring each bar a different accent spends the palette on information the bar lengths already carry, and leaves nothing to say with.

The accent order is also what Office cycles for chart series in PowerPoint. That is a different mechanism from a hand-built chart on the web, where nothing cycles anything — there the order is a decision, and a single-series chart never reaches past one colour.

Ordered categories are the exception. Where the categories have a real order — funnel stages, age bands, priority tiers, years — the Navy ramp light to dark is right: the order is information the reader needs, and lightness is the channel that carries it without adding a hue. Unordered categories — gates, owners, states, job types — take one colour.


DON'T

One accent per bar, at full navy weight. The bars are one measure, not four series — the colour says nothing the lengths have not already said.




DO

One series, one colour, at ramp step 4. Thinner marks.



DO

Or highlight the row that carries the story and let the rest recede.



Ink weight — the darker the value, the less area it may cover

Navy measures 13.6:1 on white. It is the strongest thing in the palette and reads as near-black at any size, which is why it carries headings, the wordmark and the Reverse ground. A chart that fills thirty bars with it produces a page of black slabs, and the reader takes nothing from it but weight.

- **Large filled areas** — bars, columns, areas, blocks — take **Navy ramp step 3** `#7E86A7` **or step 4** `#495780`, not the terminal navy.
- **Small marks** — 2px lines, dots, ticks, hairline rules, a single data point — take full navy. Little area, maximum contrast.
- **Emphasis** takes full navy: the one bar the page is about, sitting among quieter ones.
- The page proportion rule applies *inside* a chart, not only around it. If the fills run past roughly a quarter of the plot at full strength, step them back.

Highlight one, quiet the rest

The default arrangement for a ranked list is not six colours. It is one quiet colour for every bar — `#B4B8CF` on white, Fog where the bars are large — and one bar in Navy or Clay for the row that carries the story. It spends less ink and says more: the reader is told where to look instead of being left to work it out.

Reach for the six-colour sequence only when the bars are genuinely different things being compared. A single measure on one axis is not that.

Rules

1. **Navy and Clay before anything else.** A two-series chart in Navy and Signal is the one arrangement to avoid, and it is the one people reach for first.
2. **Four series is the honest ceiling for color alone.** Past four, no arrangement in this palette stays separable in color, in greyscale, *and* under colour blindness at once. At five and six, label the series on the chart.
3. **Assume it gets printed in black and white.** Clay and Signal sit 1.3 apart in lightness; Amber and Signal Light, 1.8. In a photocopied proposal those pairs are identical. Direct labels survive the photocopier; a legend does not.
4. **Never Clay and Hazard Red in the same chart.** ΔE 9.4.
5. **Amber and Signal Light are screen colors.** Both fail 3:1 on white. On a navy slide they are the strongest things available; on a white page they need a dark outline or they need to not be there.
6. **Grey is a choice, not a default.** Fog is the series you want the reader to skip past — the benchmark, the prior year, everything that is not the point.
7. **Status colours are never series colours.** Hazard Red means failure — an exceedance, a stop, the condition that triggered the call. Age, backlog and "older than the window" are Clay. A colour that means something must not be borrowed for something that does not.
8. **A grey track behind a bar claims a denominator.** Draw one only where the remainder is real: a budget, a target, a total the bar is part of. Otherwise the bar's length against its neighbours is the comparison, and the track is ink spent on nothing.
9. **Hatching is an encoding, not decoration.** A hatched fill must mean one stated thing — scheduled rather than started, forecast rather than actual — and the legend must say so. Never as pattern for its own sake.

PowerPoint and Word theme colors

SLOT	COLOUR	HEX	WHY HERE
Accent 1	Navy	#0B2D5B	The primary series.
Accent 2	Red Clay	#A5522A	Makes the default two-series chart readable.
Accent 3	Signal	#0067D0	Held back from slot 2 on purpose.
Accent 4	Fog	#8C8B8A	The quiet series: benchmark, prior year.
Accent 5	Signal Amber	#EAA21A	Caution, provisional.
Accent 6	Regrowth Green	#3F7A3A	Restored, within tolerance.
Dark 1 / Dark 2	Ink · Deep Navy	#1D1D1B · #061A36	Body text; the dark ground.
Light 1 / Light 2	White · Mist	#FFFFFF · #F4F4F3	The page; the alternate band.
Link / Followed	Signal · Slate	#0067D0 · #6A5948	ΔE 29.5 apart, 39 to a colour-blind reader.

The order is the point. Office cycles Accent 1 through 6 in sequence for chart series, so this ordering makes a correct chart the default — nobody has to know the rule. Navy and Signal are deliberately not adjacent: to a reader with deuteranopia they measure ΔE 14, the weakest pair in the palette. Clay between them makes the standard two-series chart Navy + Clay at ΔE 43.

The order is the point. Office cycles Accent 1 through Accent 6 in sequence for chart series, so the accent order *is* the chart palette. Anyone who inserts a chart gets the right sequence without knowing the rule exists.

Navy and Signal are deliberately not adjacent. Clay between them makes the standard two-series chart Navy + Clay.

Picking a brand color inside PowerPoint

Nobody should have to type a hex value. The template carries the palette in three places:

- **Theme Colors** — the top row of every color menu (shape fill, text, table, chart, border). Anything built from these re-colors correctly if the theme is ever updated. Right almost every time.
- **Custom Colors** — the row below, holding 28 named values: the navy family, the light reverse partners, Amber Deep, Straw, Slate, the neutrals, Hazard Red, and **the three sequential ramps and the diverging scale**, which cannot live in the twelve theme slots.
- **The reference slides** — Brand colors and Chart colors, the last two slides of the template. Delete them from any deck you send out.

Deck conventions

- Title and section-divider slides use the Reverse theme: `brand-navy` or `brand-navy-deep` ground, white titles, the reverse logo.
- **Light alternates exist for print.** Title (light), Section divider (light) and Closing (light) sit directly after their navy counterparts in the New Slide gallery: white or mist ground, navy titles, the full-color logo in the same position as the reverse one so nothing shifts between them. Use them when a deck will be printed or photocopied rather than projected — a full-bleed navy page costs several times the toner of a text page and rarely comes off an office printer cleanly. The pinstripes stay a navy-slide device and are omitted.
- Content slides use white with navy titles.
- Charts follow Accent 1 to 6 in order **when the chart has more than one series**. A single measure split by category is one series and takes one colour — see Charts and data, which also sets how much area a value may cover.

Installing the palette everywhere

The templates carry the theme, but to get it into *every* Office document, copy the theme files into Office's user themes folder:

- `Er-Con Theme Colors.xml` → `~/Library/Group Containers/UBF8T346G9.Office/User Content/Themes/Theme Colors/`
- `Er-Con Theme Fonts.xml` → the sibling `Theme Fonts/` folder

They then appear under Design ▸ Colors and Design ▸ Fonts in every app.

Web

- The web tokens are `surface`, `surface-alt`, `surface-raised`, `ink`, `ink-muted`, `heading`, `border`, `accent`, `action` and the status tokens.
- The site is light-first. Use the Reverse theme for the footer, hero bands and case-study headers.
- Primary buttons are `action` with `on-action` text. Links and focus rings are `accent`, and the focus ring is a solid 2px outline offset 2px.
- **Dark grounds take the loud accent, light grounds the quiet one.** On navy, Signal Light does the work. On white, Signal. Not the reverse.
- **A photograph is not a dark ground.** An overlay makes it darker, not uniform, so neither accent is reliable over it. Type set on photography is white — see Imagery. Signal Light returns the moment the ground is flat again.
- **No two-tone headings on light grounds.** Setting part of a headline in a second brand color was tried and retired: the two navies measured ΔE 8.9, below the threshold where a reader sees two colors rather than one inconsistent one. It reads as a mistake, not as emphasis.
- **The earth accents are not deployed as page furniture.** The site has no charts, and its before/after content is photographic. Adding clay and sand to the page chrome produces an autumnal look the brand does not want.
- Status colors always come with a word or icon. Success and danger are close in lightness, so hue alone must never carry the meaning.
- Body type is Source Sans 3, headings Archivo, and every figure, date or ID is IBM Plex Mono — see Type. Load the three from Google Fonts; do not substitute a system stack.

Shape and spacing

- **Flush lines are a brand principle.** Er-Con is a construction and engineering company, and its layouts should look built. Align edges exactly, as the logo does: headings, images, rules and columns share one left edge, blocks end on a shared right edge, and nothing sits a few pixels off a line. Prefer square grids and hard alignments over centered, floating arrangements.
- Keep corners tight: `radius-sm` 2px for chips and inputs, `radius-md` 4px for buttons and cards, `radius-lg` 8px at most for photo frames. The angular hex shield sets this tone. Avoid pill shapes.
- **Shapes that bleed stay square:** anything running off the edge of the page or slide — the pinstripes, full-bleed photos, color bands that reach the trim. A rounded corner at a trimmed edge reads as a mistake. Everything inset takes `radius-md`.
- In PowerPoint, `radius-md` is **0.04 in**: the section boxes, the stat panel and the case-study figure block all carry it. Only the edge pinstripes are square.
- **Give a label band room to breathe.** A colored header bar sits a small gap above the content it labels, not flush against it. Text or an image pressed against a filled band looks like a printing error. In the deck that gap is 0.12 in.
- **Let sections differ in weight, not just in color.** A page where every band is the same height and the same tonal value reads as flat regardless of how good the palette is. Vary the rhythm: a tall band, then a tight one; a dark ground, then two light.
- Space in steps of 4 px: `space-1` 4, `space-2` 8, `space-4` 16, `space-6` 24, `space-8` 32, `space-12` 48.
- Separate things with `border` hairlines and `surface-alt` bands rather than drop shadows.
- **The one exception is the website**, for things that float above the page. Use `shadow-float` for dropdown menus, tooltips, popovers and a sticky header, and `shadow-overlay` for modal dialogs and lightboxes. The shadows are tinted with Ink rather than black. Never use shadows on cards, buttons or images, and never in print or slides.

Imagery

- Lead with real job-site photography: slopes, channels, outfalls, crews at work, before and after.
- Grade photos toward natural, slightly cool daylight. Don't push saturation, because the navy frame does the branding.
- **Let the photographs breathe.** A near-opaque navy wash over a site photo removes the one thing on the page that is actually Er-Con's work. If a headline needs contrast, use a band or a gradient that clears the subject, not a flat overlay across the whole frame.
- **Type set over a photograph is white.** A photograph is not a ground. Its luminance changes across the frame and sunlit concrete reaches near-white, so no fixed accent survives it: Signal Light measured between 1.5:1 and 2.1:1 against the brightest patch behind the text on all six product headers, where 3:1 is the minimum. White clears it everywhere. Keep the accents for the solid grounds around the photograph.
- **Measure an overlay against the brightest patch behind the text, not the average.** An overlay that averages comfortably still fails over a sunlit slope or a fresh pour — which is exactly where the eye goes. Body text needs 4.5:1 and a headline 3:1 at the worst pixel, not the typical one.
- **Feather a photograph where it meets a flat panel.** A hard vertical seam between image and color reads as a layout error. Dissolve the leading edge over roughly a sixth of the image's width so the two grounds join.
- Before-and-after pairs are captioned, not color-coded. "Field condition" and "Completed application" — the earth is already in the picture.

Logo files

The Logos asset group holds the official vector files, recolored from Er-Con's layered master (v3, `ErCon-Logo-Standard-Layered-v3.svg`). The mark is built on flush lines: the right edge of the E lines up with the end of the upper shield, and TECHNOLOGIES is spaced so its S lines up with the right edge of the N. Never re-space or re-align the lettering. Each file keeps its separate layers: upper and lower geometry, ER, dot, CON and TECHNOLOGIES.

- `ErCon-Logo-FullColor.svg`: the primary logo, for White, Mist and Straw. Navy word, `neutral-fog` shield, `brand-signal` dot.
- `ErCon-Logo-Reverse.svg`: for Navy, Deep Navy and Navy Lift. White word, `neutral-silver` shield, `brand-signal-light` dot.
- `ErCon-Logo-Navy.svg`, `ErCon-Logo-White.svg`, `ErCon-Logo-Black.svg`: the one-color versions.
- `ErCon-Icon-*.svg`: the shield with the E from the wordmark, in the same position it holds in the full logo, so the icon is an exact crop. Use it wherever the full logo won't fit: favicons, social avatars, app tiles, hard-hat stickers, equipment decals.
- `ErCon-Icon-AppTile-Small.svg`: the optical variant for 16 and 32px. Tighter crop, concrete lifted to `#D8D7D6`. Use it for favicons; use the master tile at 180px and above.
- Keep clear space of at least twice the dot's diameter on every side. The minimum size is 1 inch (25 mm) wide in print and 120px wide on screen. Below that, use the icon.

The PNG exports are rendered from these SVGs at fixed sizes with transparent backgrounds. Regenerate them from the SVGs rather than resampling a larger PNG.

Tokens

Every value, copyable. Where two columns are filled, the token resolves differently on light and reverse grounds.

Token	On light	Reverse	Usage
`brand-navy`	#0B2D5B		Er-Con Navy. The primary brand color: the wordmark, headings, the Reverse ground, primary buttons. 13.6:1 on white.
`brand-navy-deep`	#061A36		Deep Navy. Footers, full-bleed title slides, and the alternate ground in Reverse.
`brand-navy-lift`	#173F75		Navy Lift. Raised panels and cards inside Reverse. White text is 10.5:1 on it.
`brand-navy-edge`	#2F527F		Navy Edge. Hairline borders and dividers inside Reverse only.
`brand-signal`	#0067D0		Signal. The accent on light grounds: buttons, links, the logo dot and TECHNOLOGIES. Er-Con Navy's own hue, lifted — not a second colour. 5.45:1 on white.
`brand-signal-light`	#4794FF		Signal Light. The accent on dark grounds. The same hue again, lifted further: 4.5:1 on navy, and not for use on white.
`earth-clay`	#A5522A		Red Clay. Exposed ground. Chart series 2 — the colour that makes a two-series chart readable. 5.5:1 on white.
`earth-clay-light`	#D87D52		Clay Light. Red Clay's partner for navy grounds (4.5:1 on navy). Never on white: 3.0:1.
`earth-slate`	#6A5948		Slate. The warm field neutral — wet silt, weathered timber. Followed links, and quiet text on white (6.7:1).
`earth-green`	#3F7A3A		Regrowth Green. Established vegetation. Reserved: restored, vegetated, within tolerance. Chart series 6. 5.2:1 on white.
`earth-green-light`	#67A35F		Sprout. Regrowth Green's partner for navy grounds (4.5:1 on navy). Never on white: 3.0:1.
`earth-amber`	#EAA21A		Signal Amber. Reserved: caution, in progress, provisional. Fills and marks only on light grounds (2.2:1 on white); navy or ink text sits on it. Strong on navy at 6.3:1.
`earth-amber-deep`	#8A5A00		Amber Deep. Signal Amber as text or icon on white and mist (5.9:1).
`earth-straw`	#D8C8A0		Straw. Straw, coir and jute — the installed material. Panels, photo mats and section bands. On it: navy, ink or graphite text only.
`neutral-ink`	#1D1D1B		Ink. Body text on white, mist and straw (16.9:1 on white). Slide Dark 1. A true neutral, not a tinted one.
`neutral-graphite`	#4A4949		Graphite. Secondary body text and captions on white, mist and straw (9.0:1 on white).
`neutral-fog`	#8C8B8A		Fog — concrete. The lower shield of the logo, chart series 4, disabled and placeholder text. Chroma 0.7, matching poured concrete as it photographs. 3.4:1 on white; not for running text.

`neutral-silver`	#ABAAA9	Silver. The logo shield on navy grounds and muted text in Reverse (5.9:1 on navy). Never on white: 2.3:1.
`neutral-haze`	#D8D7D6	Haze. Borders, table rules, chart gridlines and dividers on light.
`neutral-frost`	#EAE9E8	Frost. Hover fills, table stripes and input backgrounds on light.
`neutral-mist`	#F4F4F3	Mist. The alternate page ground and section band on light. Slide Light 2.
`neutral-white`	#FFFFFF	White. The primary ground, and text and logo in Reverse.
`status-danger`	#B0301E	Hazard Red. Reserved: failure, exceedance, the condition that triggered the call. 6.4:1 on white. Never in the same chart as Red Clay — they measure ΔE 9.4, which reads as one colour.
`status-danger-light`	#F26A4F	Hazard Light. Errors in Reverse (4.5:1 on navy).
`chart-navy-1`	#EBEDF8	Navy sequential ramp, lightest of five. The fifth step is brand-navy.
`chart-navy-2`	#B4B8CF	Navy sequential ramp, step 2.
`chart-navy-3`	#7E86A7	Navy sequential ramp, step 3.
`chart-navy-4`	#495780	Navy sequential ramp, step 4.
`chart-signal-1`	#E9EDFF	Signal ramp, lightest. For anything measured in water: flow, depth, discharge. Fifth step is brand-signal.
`chart-signal-2`	#C0C9F7	Signal ramp, step 2.
`chart-signal-3`	#94A7EA	Signal ramp, step 3.
`chart-signal-4`	#6286DD	Signal ramp, step 4.
`chart-clay-1`	#FFEAE1	Clay ramp, lightest. For anything measured in ground: loss, scour, volume removed. Fifth step is earth-clay.
`chart-clay-2`	#ECC2B0	Clay ramp, step 2.
`chart-clay-3`	#D69C81	Clay ramp, step 3.
`chart-clay-4`	#BF7755	Clay ramp, step 4.
`chart-diverge-mid`	#F1F1F1	The zero point of the diverging scale, which runs earth-clay → this → brand-signal. Loss, no change, gain.

`surface`	#FFFFFF	 #0B2D5B	Page and slide ground.
`surface-alt`	#F4F4F3	 #061A36	Alternating section bands and the footer.
`surface-raised`	#FFFFFF	 #173F75	Cards and panels. On light, set them apart with a `border` hairline.
`ink`	 #1D1D1B	 #FFFFFF	Body text on `surface`, `surface-alt` and `surface-raised`.
`ink-muted`	 #4A4949	 #ABAAA9	Secondary text and captions on every surface (5.9:1 or better in both themes).
`heading`	 #0B2D5B	 #FFFFFF	Headings and slide titles on every surface.
`border`	#D8D7D6	 #2F527F	Hairlines, dividers and card edges. Decorative only; control borders use `ink-muted`.
`accent`	 #0067D0	 #4794FF	The one interactive accent: links, active states, selected tabs, the focus ring. Dark grounds take the loud partner, light grounds the quiet one — not the other way around.
`on-accent`	#FFFFFF	 #0B2D5B	Text and icons on an `accent` fill.
`action`	 #0B2D5B	 #FFFFFF	Primary button fill.
`on-action`	#FFFFFF	 #0B2D5B	Primary button label.
`signal`	 #8A5A00	 #EAA21A	Attention text, warning states and the one highlighted stat.
`success`	 #3F7A3A	 #67A35F	Success and complete states, with a word or icon.
`danger`	 #B0301E	 #F26A4F	Errors and destructive actions, with a word or icon.
`logo-word`	 #0B2D5B	 #FFFFFF	ER•CON letters and the upper shield stroke.
`logo-shield`	 #8C8B8A	 #ABAAA9	The lower shield stroke. It represents concrete, so it is a true neutral — the earlier navy-tinted slate sat ΔE 13 from the accent and the two blurred into one smudge.
`logo-dot`	 #0067D0	 #4794FF	The dot and TECHNOLOGIES.
`chart-1`	 #0B2D5B	 #FFFFFF	First data series. PowerPoint Accent 1.
`chart-2`	 #A5522A	 #D87D52	Second series. PowerPoint Accent 2. Clay sits here, not third, because Navy + Clay is the only two-series pair that survives colour blindness.
`chart-3`	 #0067D0	 #4794FF	Third series. PowerPoint Accent 3.

`chart-4`	#8C8B8A	#ABAAA9	Fourth series. PowerPoint Accent 4. The deliberately quiet one: benchmarks, prior year, everything that is not the point.
`chart-5`	#8A5A00	#EAA21A	Fifth series. PowerPoint Accent 5. Past four series, label the series directly.
`chart-6`	#3F7A3A	#67A35F	Sixth series. PowerPoint Accent 6. Colour alone no longer separates at six — labels are required.