






pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
postgres/postgres@PostgreSQL 18*
Servers (1)
PostgreSQL 18
Databases (1)
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
Columns (6)
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
1 CREATE INDEX idx_flights_act_departure_time
2 ON flights (act_departure_time);
Data Output
Messages
Notifications
CREATE INDEX
Query returned successfully in 295 msec.
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
postgres/postgres@PostgreSQL 18*
Servers (1)
PostgreSQL 18
Databases (1)
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
Columns (6)
airline_id integer
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
1 CREATE UNIQUE INDEX uq_flights_id_sch_departure
2 ON flights (flight_id, sch_departure_time);
Data Output
Messages
Notifications
CREATE INDEX
Query returned successfully in 67 msec.
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".



pgAdmin 4
Object Tools Edit View Window Help
Object Explorer
Servers (1)
PostgreSQL 18
Databases (1)
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
Columns (6)
airline_id integer
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
1 CREATE INDEX idx_flights_departing_arriving_airport
2 ON flights (departing_airport_id, arriving_airport_id);
Data Output
Messages
Notifications
CREATE INDEX
Query returned successfully in 83 msec.
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".
Total rows:
Query complete 00:00:00.083
CRLF
Ln 2, Col 56



pgAdmin 4
le Object Tools Edit View Window Help
Object Explorer
Servers (1)
PostgreSQL 18
Databases (1)
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
Columns (6)
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
1 CREATE UNIQUE INDEX uq_passengers_passport_number
2 ON passengers (passport_number);
Data Output
Messages
Notifications
ERROR: отношение "uq_passengers_passport_number" уже существует
ОШИБКА: отношение "uq_passengers_passport_number" уже существует
SQL state: 42P07
Активация Windows
Чтобы активировать Windows, перейдите в раздел



pgAdmin 4
Object Tools Edit View Window Help
Object Explorer
Servers (1)
PostgreSQL 18
Databases (1)
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
Columns (6)
airline_id integer
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
1 CREATE INDEX idx_passengers_name_birth_citizenship
2 ON passengers (
3 first_name,
4 last_name,
5 date_of_birth,
6 country_of_citizenship
7 );
Data Output
Messages
Notifications
CREATE INDEX
Query returned successfully in 60 msec.
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".
Total rows:
Query complete 00:00:00.060
CRLF
Ln 7, Col 3



pgAdmin 4
Object Tools Edit View Window Help
Object Explorer
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
1 EXPLAIN ANALYZE
2 SELECT *
3 FROM passengers
4 WHERE country_of_citizenship = 'Philippines'
5 AND date_of_birth >= DATE '1984-01-01'
6 AND date_of_birth < DATE '1985-01-01';
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 8
Page No: 1
of 1
QUERY PLAN
text
1 Seq Scan on passengers (cost=0.00..1.09 rows=1 width=672) (actual time=0.020..0.020 rows=0.00 loops=1)
2 Filter: ((date_of_birth >= '1984-01-01'::date) AND (date_of_birth < '1985-01-01'::date) AND ((country_of_citizenship)::text = 'Philippines'::...
3 Rows Removed by Filter: 5
4 Buffers: shared hit=1
5 Planning:
6 Buffers: shared hit=30 read=1
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".
Total rows: 8
Query complete 00:00:00.081
CRLF
Ln 6, Col 41



pgAdmin 4
Object Tools Edit View Window Help
Object Explorer
postgres/postgres@PostgreSQL 18*
Servers (1)
PostgreSQL 18
Databases (1)
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
Columns (6)
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
SELECT indexname, indexdef
FROM pg_indexes
WHERE tablename = 'passengers';
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 3
Page No: 1
of 1
indexname
name
indexdef
text
passengers_pkey
CREATE UNIQUE INDEX passengers_pkey ON public.passengers USING btree (passenger_id)
uq_passengers_passport_number
CREATE UNIQUE INDEX uq_passengers_passport_number ON public.passengers USING btree (passport_number)
idx_passengers_name_birth_citizens...
CREATE INDEX idx_passengers_name_birth_citizenship ON public.passengers USING btree (first_name, last_name, date_of_birth, country_of_citize...
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".



pgAdmin 4
Object Tools Edit View Window Help
Object Explorer
postgres/postgres@PostgreSQL 18*
Servers (1)
PostgreSQL 18
Databases (1)
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
Columns (6)
airline_id integer
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
DROP INDEX IF EXISTS idx_passengers_name_birth_citizenship;
DROP INDEX IF EXISTS uq_passengers_passport_number;
Data Output
Messages
Notifications
DROP INDEX
Query returned successfully in 92 msec.
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".
Total rows:
Query complete 00:00:00.092
CRLF
Ln 2, Col 52



pgAdmin 4
Object Tools Edit View Window Help
Object Explorer
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query Query History
EXPLAIN ANALYZE
SELECT *
FROM booking
WHERE passenger_id = 100;
Servers (1)
PostgreSQL 18
Databases (1)
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
Columns (6)
airline_id integer
Data Output Messages Notifications
SQL
Showing rows: 1 to 8
Page No: 1 of 1
QUERY PLAN
text
1 Seq Scan on booking (cost=0.00..13.12 rows=1 width=290) (actual time=0.154..0.154 rows=0.00 loop...
2 Filter: (passenger_id = 100)
3 Rows Removed by Filter: 5
4 Buffers: shared hit=1
5 Planning:
6 Buffers: shared hit=34
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".
Total rows: 8
Query complete 00:00:00.064
CRLF
Ln 4, Col 26



pgAdmin 4
Object Tools Edit View Window Help
Object Explorer
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query Query History
CREATE INDEX idx_booking_passenger_id
ON booking (passenger_id);
ANALYZE booking;
Servers (1)
PostgreSQL 18
Databases (1)
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
Columns (6)
airline_id integer
Data Output Messages Notifications
ANALYZE
Query returned successfully in 78 msec.
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".
Total rows:
Query complete 00:00:00.078
CRLF
Ln 4, Col 17



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers (1)
PostgreSQL 18
Databases (1)
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
Columns (6)
airline_id integer
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
1 EXPLAIN ANALYZE
2 SELECT *
3 FROM booking
4 WHERE passenger_id = 100;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 8
Page No: 1
of 1
QUERY PLAN
text
1 Seq Scan on booking (cost=0.00..1.06 rows=1 width=56) (actual time=0.022..0.022 rows=0.00 loop...
2 Filter: (passenger_id = 100)
3 Rows Removed by Filter: 5
4 Buffers: shared hit=1
5 Planning:
6 Buffers: shared hit=49 read=1
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".
Successfully run. Total query runtime: 65 msec. 8 rows affected.
Total rows: 8
Query complete 00:00:00.065
CRLF
Ln 4, Col 26



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers (1)
PostgreSQL 18
Databases (1)
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
Columns (6)
airline_id integer
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
1 CREATE INDEX idx_booking_flight_booking_flight
2 ON booking_flight (booking_id, flight_id);
Data Output
Messages
Notifications
CREATE INDEX
Query returned successfully in 80 msec.
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".
Total rows:
Query complete 00:00:00.080
CRLF
Ln 2, Col 43



pgAdmin 4
Object Tools Edit View Window Help
Object Explorer
Servers (1)
PostgreSQL 18
Databases (1)
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
Columns (6)
airline_id integer
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
EXPLAIN ANALYZE
SELECT
f.flight_id,
b.price
FROM booking AS b
JOIN booking_flight AS bf
ON b.booking_id = bf.booking_id
JOIN flights AS f
ON bf.flight_id = f.flight_id
WHERE b.price > 9000;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 24
Page No: 1
of 1
QUERY PLAN
text
Hash Join (cost=2.20..3.28 rows=3 width=10) (actual time=0.076..0.079 rows=3.00 loops=1)
Hash Cond: (bf.flight_id = f.flight_id)
Buffers: shared hit=3
-> Hash Join (cost=1.11..2.17 rows=3 width=10) (actual time=0.039..0.041 rows=3.00 loops=1)
Hash Cond: (bf.booking_id = b.booking_id)
Buffers: shared hit=2
Активация Windows
Чтобы активировать Windows, перейдите в раздел
Successfully run. Total query runtime: 89 msec. 24 rows affected.
Total rows: 24
Query complete 00:00:00.089
CRLF
Ln 10, Col 22



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers (1)
PostgreSQL 18
Databases (1)
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
Columns (6)
airline_id integer
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
CREATE INDEX idx_booking_status
ON booking (status);
Data Output
Messages
Notifications
CREATE INDEX
Query returned successfully in 84 msec.
Активация Windows
Чтобы активировать Windows, перейдите в раздел
Query returned successfully in 84 msec.
Total rows:
Query complete 00:00:00.084
CRLF
Ln 2, Col 21



pgAdmin 4
Object Explorer
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
EXPLAIN ANALYZE
SELECT *
FROM booking
WHERE status = 'Departed';
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 8
Page No: 1
of 1
QUERY PLAN
text
Seq Scan on booking (cost=0.00..1.06 rows=1 width=56) (actual time=0.026..0.027 rows=0.00 loop...
Filter: ((status)::text = 'Departed'::text)
Rows Removed by Filter: 5
Buffers: shared hit=1
Planning:
Buffers: shared hit=15 read=1
Total rows: 8
Query complete 00:00:00.066
CRLF
Ln 4, Col 27
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".



pgAdmin 4
Object Explorer
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
CREATE INDEX idx_baggage_weight
ON baggage (weight_in_kg);
ANALYZE baggage;
Data Output
Messages
Notifications
ANALYZE
Query returned successfully in 84 msec.
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".



pgAdmin 4
e Object Tools Edit View Window Help
Object Explorer
Servers (1)
PostgreSQL 18
Databases (1)
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
Columns (6)
airline_id integer
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
1 EXPLAIN ANALYZE
2 SELECT *
3 FROM baggage
4 WHERE weight_in_kg > 49;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 8
Page No: 1
of 1
QUERY PLAN
text
1 Seq Scan on baggage (cost=0.00..1.04 rows=1 width=30) (actual time=0.021..0.022 rows=0.00 loop...
2 Filter: (weight_in_kg > '49'::numeric)
3 Rows Removed by Filter: 3
4 Buffers: shared hit=1
5 Planning:
6 Buffers: shared hit=37 read=4
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".
Total rows: 8
Query complete 00:00:00.072
CRLF
Ln 4, Col 25



pgAdmin 4
ile Object Tools Edit View Window Help
Object Explorer
Servers (1)
PostgreSQL 18
Databases (1)
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
Columns (6)
airline_id integer
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
1 CREATE INDEX idx_airport_name_pattern
2 ON airport (airport_name text_pattern_ops);
Data Output
Messages
Notifications
CREATE INDEX
Query returned successfully in 84 msec.
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".
Query returned successfully in 84 msec.
Total rows:
Query complete 00:00:00.084
CRLF
Ln 2, Col 44



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query Query History
1 EXPLAIN ANALYZE
2 SELECT *
3 FROM airport
4 WHERE airport_name LIKE '%Airport';
Servers (1)
PostgreSQL 18
Databases (1)
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
Columns (6)
airline_id integer
Data Output Messages Notifications
SQL
Showing rows: 1 to 8
Page No: 1 of 1
QUERY PLAN
text
1 Seq Scan on airport (cost=0.00..1.07 rows=1 width=492) (actual time=0.022..0.024 rows=5.00 loop...
2 Filter: ((airport_name)::text ~~ '%Airport'::text)
3 Rows Removed by Filter: 1
4 Buffers: shared hit=1
5 Planning:
6 Buffers: shared hit=29 read=1
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".



pgAdmin 4
Object Tools Edit View Window Help
Object Explorer
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query Query History
1 CREATE INDEX idx_airport_country_city
2 ON airport (country, city);
Servers (1)
PostgreSQL 18
Databases (1)
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
Columns (6)
airline_id integer
Data Output Messages Notifications
CREATE INDEX
Query returned successfully in 76 msec.
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".
Query returned successfully in 76 msec.
Total rows:
Query complete 00:00:00.076
CRLF
Ln 2, Col 28



pgAdmin 4
Object Tools Edit View Window Help
Object Explorer
Servers (1)
PostgreSQL 18
Databases (1)
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
Columns (6)
airline_id integer
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
1 EXPLAIN ANALYZE
2 SELECT *
3 FROM airport
4 WHERE country = 'Kazakhstan';
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 8
Page No: 1
of 1
QUERY PLAN
text
1 Seq Scan on airport (cost=0.00..1.07 rows=1 width=492) (actual time=0.017..0.019 rows=2.00 loop...
2 Filter: ((country)::text = 'Kazakhstan'::text)
3 Rows Removed by Filter: 4
4 Buffers: shared hit=1
5 Planning:
6 Buffers: shared hit=18 read=1
Total rows: 8
Query complete 00:00:00.067
CRLF
Ln 4, Col 30
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".



pgAdmin 4
ile Object Tools Edit View Window Help
Object Explorer
Servers (1)
PostgreSQL 18
Databases (1)
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
Columns (6)
airline_id integer
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
1 CREATE INDEX idx_passengers_lower_last_name
2 ON passengers (LOWER(last_name));
Data Output
Messages
Notifications
CREATE INDEX
Query returned successfully in 94 msec.
Total rows:
Query complete 00:00:00.094
CRLF
Ln 2, Col 34
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
postgres/postgres@PostgreSQL 18*
Servers (1)
PostgreSQL 18
Databases (1)
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
Columns (6)
airline_id integer
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
EXPLAIN ANALYZE
SELECT *
FROM passengers
WHERE LOWER(last_name) = 's';
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 8
Page No: 1
of 1
QUERY PLAN
text
Seq Scan on passengers (cost=0.00..1.07 rows=1 width=672) (actual time=0.036..0.036 rows=0.00 loop...
Filter: (lower((last_name)::text) = 's'::text)
Rows Removed by Filter: 5
Buffers: shared hit=1
Planning:
Buffers: shared hit=18 read=1
Total rows: 8
Query complete 00:00:00.080
CRLF
Ln 4, Col 27
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".


pgAdmin 4
Object Tools Edit View Window Help
Object Explorer
postgres/postgres@PostgreSQL 18*
Servers (1)
PostgreSQL 18
Databases (1)
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
Columns (6)
airline_id integer
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
CREATE INDEX idx_booking_passenger_price
ON booking (passenger_id)
INCLUDE (price);
Data Output
Messages
Notifications
CREATE INDEX
Query returned successfully in 74 msec.
Total rows:
Query complete 00:00:00.074
CRLF
Ln 3, Col 17
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers (1)
PostgreSQL 18
Databases (1)
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
Columns (6)
airline_id integer
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
1 EXPLAIN ANALYZE
2 SELECT price
3 FROM booking
4 WHERE passenger_id = 100;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 8
Page No: 1
of 1
QUERY PLAN
text
1 Seq Scan on booking (cost=0.00..1.06 rows=1 width=6) (actual time=0.046..0.047 rows=0.00 loop...
2 Filter: (passenger_id = 100)
3 Rows Removed by Filter: 5
4 Buffers: shared hit=1
5 Planning:
6 Buffers: shared hit=18 read=1
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers (1)
PostgreSQL 18
Databases (1)
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
Columns (6)
airline_id integer
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
1 CREATE UNIQUE INDEX uq_airline_info_airline_code
2 ON airline_info (airline_code);
Data Output
Messages
Notifications
CREATE INDEX
Query returned successfully in 83 msec.
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".
Total rows:
Query complete 00:00:00.083
CRLF
Ln 2, Col 32


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers (1)
PostgreSQL 18
Databases (1)
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (11)
airline
Columns (6)
airline_id integer
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
1 CREATE UNIQUE INDEX uq_airline_info_airline_code
2 ON airline_info (airline_code);
Data Output
Messages
Notifications
CREATE INDEX
Query returned successfully in 83 msec.
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".
Total rows:
Query complete 00:00:00.083
CRLF
Ln 2, Col 32