

pgAdmin 4

Object Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (11)
 - airline
 - airline_info
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views

postgres/postgres@PostgreSQL 18*

postgres/postgres@PostgreSQL 18

Query Query History

```
1
2 SELECT UPPER(airline_name) AS airline_name
3 FROM airline_info;
```

Data Output Messages Notifications

Showing rows: 1 to 5 Page No: 1 of 1

airline_name
1 AIR KAZAKHST...
2 TURKISH AIR
3 FRANCE AIR
4 BRAZIL AIR
5 OLD AIRLINE

Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".

pgAdmin 4

Object Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (11)
 - airline
 - airline_info
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types

postgres/postgres@PostgreSQL 18*

postgres/postgres@PostgreSQL 18

Query Query History

```
1
2 SELECT flight_id
3 FROM flights
4 WHERE airline_id IN (1, 2);
```

Data Output Messages Notifications

Showing rows: 1 to 2 Page No: 1 of 1

flight_id
1
2

Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".

Imin 4

ject Tools Edit View Window Help

Object Explorer postgres/postgres@PostgreSQL 18* X

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (11)
 - airline
 - airline_info
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types

postgres/postgres@PostgreSQL 18

Query Query History

```
1
2 SELECT REPLACE(airline_name, 'Air', 'Aero') AS airline_name
3 FROM airline_info;
```

Data Output Messages Notifications

Showing rows: 1 to 5 Page No: 1 of

airline_name	text
1	Aero Kazakhst...
2	Turkish Aero
3	France Aero
4	Brazil Aero
5	Old Aeroline

Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры"

Tools Edit View Window Help

Object Explorer postgres/postgres@PostgreSQL 18* X

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (11)
 - airline
 - airline_info
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views

postgres/postgres@PostgreSQL 18

Query Query History

```
1
2 SELECT *
3 FROM airport
4 WHERE airport_name ILIKE '%Reginal%'
5 OR airport_name ILIKE '%Air%';
```

Data Output Messages Notifications

Showing rows: 1 to 5 Page No: 1 of 1

airport_id	airport_name	country	state	city	created_at	updated_at
[PK] integer	character varying (50)	character varying (50)	character varying (50)	character varying (50)	timestamp without time zone	timestamp without time zone
1	Astana Airport	Kazakhstan	Akmola	Astana	2023-01-01 00:00:00	2023-01-01 00:00:00
2	Almaty Airport	Kazakhstan	Almaty	Almaty	2023-01-01 00:00:00	2023-01-01 00:00:00
3	Tokyo Airport	Japan	Tokyo	Tokyo	2023-01-01 00:00:00	2023-01-01 00:00:00
4	Milawe Airport	Unknown	[null]	Milawe	2023-01-01 00:00:00	2023-01-01 00:00:00
5	Kepuh Airport	Unknown	[null]	Kepuh	2023-01-01 00:00:00	2023-01-01 00:00:00

Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры"

Successfully run. Total query runtime: 156 msec. 5 rows affected.

14

Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (11)
 - airline
 - airline_info
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views

postgres/postgres@PostgreSQL 18*

postgres/postgres@PostgreSQL 18

Query Query History

```
1 SELECT
2   first_name,
3   last_name,
4   TO_CHAR(date_of_birth, 'Month DD, YYYY') AS birth_date
5 FROM passengers;
```

Data Output Messages Notifications

Showing rows: 1 to 3 Page No: 1 of 1

	first_name character varying (50)	last_name character varying (50)	birth_date text
1	John	Smith	May 10, 1995
2	Anna	Brown	July 20, 1998
3	Ali	Karimov	March 15, 20...

Активация Windows
Чтобы активировать Windows, перейдите в раздел

✓ Successfully run Total query runtime: 56 msec. 3 rows affected

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (11)
 - airline
 - airline_info
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types

postgres/postgres@PostgreSQL 18*

postgres/postgres@PostgreSQL 18

Query Query History

```
1 SELECT flight_id, act_arrival_time
2 FROM flights
3 WHERE act_arrival_time IS NOT NULL;
```

Data Output Messages Notifications

Showing rows: 1 to 4 Page No: 1

	flight_id [PK] integer	act_arrival_time timestamp without time zone
1	1	2023-05-10 14:05:00
2	2	2024-02-10 14:05:00
3	3	2024-07-10 14:05:00
4	4	2025-01-10 14:05:00

Активация Windows
Чтобы активировать Windows, перейдите в раздел

in 4

Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (11)
 - airline
 - airline_info
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types

postgres/postgres@PostgreSQL 18*

postgres/postgres@PostgreSQL 18

Query Query History

```
1 SELECT
2   flight_id,
3   sch_arrival_time,
4   act_arrival_time
5 FROM flights
6 WHERE act_arrival_time > sch_arrival_time;
```

Data Output Messages Notifications

Showing rows: 1 to 4 Page No: 1 of 1

	flight_id [PK] integer	sch_arrival_time timestamp without time zone	act_arrival_time timestamp without time zone
1	1	2023-05-10 14:00:00	2023-05-10 14:05:00
2	2	2024-02-10 14:00:00	2024-02-10 14:05:00
3	3	2024-07-10 14:00:00	2024-07-10 14:05:00
4	4	2025-01-10 14:00:00	2025-01-10 14:05:00

Активация Windows
Чтобы активировать Windows, перейдите в раз

gAdmin 4

Object Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (11)
 - airline
 - airline_info
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers

postgres/postgres@PostgreSQL 18*

postgres/postgres@PostgreSQL 18

Query Query History

```
1 SELECT *
2 FROM airline_info
3 WHERE airline_country IN ('France', 'Portugal', 'Poland')
4 AND created_at BETWEEN '2023-11-01' AND '2024-03-31';
```

Data Output Messages Notifications

airline_id [PK] integer	airline_code character varying (30)	airline_name character varying (50)	airline_country character varying (50)	created_at timestamp without time zone	updated_at timestamp without time zone	info character varying (50)
----------------------------	--	--	---	---	---	--------------------------------

min 4

ject Tools Edit View Window Help

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (11)

postgres/postgres@PostgreSQL 18* x

postgres/postgres@PostgreSQL 18

No limit

Query Query History

```
1
2 SELECT *
3 FROM baggage
4 WHERE weight_in_kg > 25
5 ORDER BY weight_in_kg DESC
6 LIMIT 3;
```

ils Edit View Window Help

xplorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (11)
 - airline
 - airline_info
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check

postgres/postgres@PostgreSQL 18* x

postgres/postgres@PostgreSQL 18

No limit

Query Query History

```
1
2 SELECT
3     first_name || ' ' || last_name AS full_name
4 FROM passengers
5 ORDER BY date_of_birth DESC
6 LIMIT 1;
```

Data Output Messages Notifications

SQL

Showing rows: 1 to 1

	full_name text
1	Ali Karimov

min 4

ject Tools Edit View Window Help

Object Explorer postgres/postgres@PostgreSQL 18* x

public

- Aggregates
- Collations
- Domains
- FTS Configurations
- FTS Dictionaries
- FTS Parsers
- FTS Templates
- Foreign Tables
- Functions
- Materialized Views
- Operators
- Procedures
- Sequences
- Tables (11)
 - airline
 - airline_info
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types

postgres/postgres@PostgreSQL 18

No limit

Query Query History

```
1
2 SELECT
3     booking_platform,
4     MIN(price) AS cheapest_price
5 FROM booking
6 GROUP BY booking_platform;
```

Data Output Messages Notifications

Showing rows: 1 to 2

	booking_platform character varying (50)	cheapest_price numeric
1	Mobile	8000.00
2	Website	15000.00

Актив: Чтобы а

min 4

ject Tools Edit View Window Help

Object Explorer postgres/postgres@PostgreSQL 18* x

public

- Aggregates
- Collations
- Domains
- FTS Configurations
- FTS Dictionaries
- FTS Parsers
- FTS Templates
- Foreign Tables
- Functions
- Materialized Views
- Operators
- Procedures
- Sequences
- Tables (11)
 - airline
 - airline_info
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types

postgres/postgres@PostgreSQL 18

No limit

Query Query History

```
1
2 SELECT *
3 FROM airline_info
4 WHERE airline_code ~ '[0-9]';
```

Data Output Messages Notifications

Showing rows: 1 to 2 Page No: 1

	booking_platform character varying (50)	cheapest_price numeric
1	Mobile	8000.00
2	Website	15000.00

Активация Windows
Чтобы активировать Windows,

Admin 4

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (11)
 - airline
 - airline_info
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views

postgres/postgres@PostgreSQL 18*

Query

```
1
2 SELECT *
3 FROM airline_info
4 ORDER BY created_at DESC
5 LIMIT 5;
```

Data Output

Showing rows: 1 to 5

	airline_id [PK] integer	airline_code character varying (30)	airline_name character varying (50)	airline_country character varying (50)	created_at timestamp without time zone	updated_at timestamp without time zone	info character varying (50)
1	5	OLD	Old Airline	Kazakhstan	2023-05-10 00:00:00	2023-05-10 00:00:00	Test airline
2	4	BR1	Brazil Air	Brazil	2023-04-10 00:00:00	2023-04-10 00:00:00	International
3	3	FR1	France Air	France	2023-03-10 00:00:00	2023-03-10 00:00:00	International
4	2	TK1	Turkish Air	Turkey	2023-02-10 00:00:00	2023-02-10 00:00:00	International
5	1	KZ1	Air Kazakhstan	Kazakhstan	2023-01-10 00:00:00	2023-01-10 00:00:00	Local airline

Admin 4

Object Explorer

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (11)
 - airline
 - airline_info
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_flight
 - flights
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views

postgres/postgres@PostgreSQL 18*

Query

```
1
2 SELECT *
3 FROM baggage_check
4 WHERE booking_id BETWEEN 200 AND 300
5 AND check_result <> 'Checked';
```

Data Output

	baggage_check_id [PK] integer	check_result character varying (50)	created_at timestamp without time zone	updated_at timestamp without time zone	booking_id integer	passenger_id integer
--	-------------------------------	-------------------------------------	--	--	--------------------	----------------------

Tools Edit View Window Help

ct Explorer

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (11)

airline

airline_info

airport

baggage

baggage_check

boarding_pass

booking

booking_flight

flights

passengers

security_check

Trigger Functions

Types

Views

postgres/postgres@PostgreSQL 18

postgres/postgres@PostgreSQL 18

Query Query History

1

2

3

4

5

SELECT *

FROM baggage_check

WHERE EXTRACT(MONTH FROM updated_at) = EXTRACT(MONTH FROM created_at)

AND updated_at < created_at;

Data Output Messages Notifications

baggage_check_id

check_result

created_at

updated_at

booking_id

passenger_id

[PK] integer

character varying (50)

timestamp without time zone

timestamp without time zone

integer

integer

Активация Windows

Чтобы активировать Windows, перейдите в раздел

Правление

Successfully run. Total query runtime: 63 msec. 0 rows