

pgAdmin 4

Object Explorer

Servers (1)

- PostgreSQL 18
 - Databases (1)
 - postgres
 - public
 - airline
 - airport
 - baggage
 - hansons_check

Query

```
1 INSERT INTO airport (  
2     airport_id,  
3     airport_name,  
4     country,  
5     state,  
6     city,  
7     created_at,  
8     updated_at  
9 )  
10  
11 SELECT  
12 (SELECT COALESCE(MAX(airport_id), 0) FROM airport) + gs,  
13 'Airport_' || gs,  
14 'Country_' || (1 + floor(random() * 20))::int,  
15 'State_' || (1 + floor(random() * 20))::int,  
16 'City_' || (1 + floor(random() * 50))::int,  
17 CURRENT_TIMESTAMP,  
18 CURRENT_TIMESTAMP  
19 FROM generate_series(1, 200) AS gs;
```

Data Output

airport_id	airport_name	country	state	city	created_at	updated_at
400	Airport_200	Country_5	State_18	City_9	2026-09-29 23:26:13.485987	2026-09-29 23:26:13.485987
399	Airport_199	Country_17	State_10	City_17	2026-09-29 23:26:13.485987	2026-09-29 23:26:13.485987
398	Airport_198	Country_9	State_9	City_4	2026-09-29 23:26:13.485987	2026-09-29 23:26:13.485987
397	Airport_197	Country_9	State_14	City_33	2026-09-29 23:26:13.485987	2026-09-29 23:26:13.485987
396	Airport_196	Country_11	State_2	City_8	2026-09-29 23:26:13.485987	2026-09-29 23:26:13.485987
395	Airport_195	Country_4	State_15	City_13	2026-09-29 23:26:13.485987	2026-09-29 23:26:13.485987

Total rows: 200 Query complete 00:00:00.140

pgAdmin 4

Object Explorer

Servers (1)

- PostgreSQL 18
 - Databases (1)
 - postgres
 - public
 - airline
 - airport
 - baggage
 - hansons_check

Query

```
1 INSERT INTO airline_info (  
2     airline_id,  
3     airline_code,  
4     airline_name,  
5     airline_country,  
6     created_at,  
7     updated_at,  
8     info  
9 )  
10  
11 VALUES (  
12 (SELECT COALESCE(MAX(airline_id), 0) + 1 FROM airline_info),  
13 'KAZ',  
14 'KazAir',  
15 'Kazakhstan',  
16 CURRENT_TIMESTAMP,  
17 'New airline'  
18 );
```

Data Output

airline_id	airline_code	airline_name	airline_country	created_at	updated_at	info
1	KAZ	KazAir	Kazakhstan	2026-09-29 23:33:38.026599	2026-09-29 23:33:38.026599	New airline

Total rows: 1 Query complete 00:00:00.051

Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".

h4
t Tools Edit View Window Help

ect Explorer

Servers (1)
PostgreSQL 18
Databases (1)
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (10)

postgres/postgres@PostgreSQL 18

Query Query History

```
1 DELETE FROM baggage_check
2 WHERE created_at < '2023-06-01'
3 AND check_result = 'Not checked';
4
5 SELECT *
6 FROM baggage_check
7 WHERE created_at < '2023-06-01'
8 AND check_result = 'Not checked';
```

Data Output Messages Notifications

baggage_check_id	check_result	created_at	updated_at	booking_id	passenger_id
[PK] integer	character varying (50)	timestamp without time zone	timestamp without time zone	integer	integer

Активируемые Windows

gAdmin 4
Object Tools Edit View Window Help

Object Explorer

Servers (1)
PostgreSQL 18
Databases (1)
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences

postgres/postgres@PostgreSQL 18

Query Query History

```
1 ALTER TABLE airport
2 ALTER COLUMN state DROP NOT NULL;
3
4 DELETE FROM airport
5 WHERE state IS NULL
6 AND city IN ('MLawe', 'Kepuh');
7
8 SELECT *
9 FROM airport
10 WHERE state IS NULL
11 AND city IN ('MLawe', 'Kepuh');
```

Data Output Messages Notifications

airport_id	airport_name	country	state	city	created_at	updated_at
[PK] integer	character varying (50)	character varying (50)	character varying (50)	character varying (50)	timestamp without time zone	timestamp without time zone

Admin 4
Object Tools Edit View Window Help

Object Explorer

Servers (1)
PostgreSQL 18
Databases (1)
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences

postgres/postgres@PostgreSQL 18

Query Query History

```
1 UPDATE airline_info
2 SET airline_country = UPPER(airline_country),
3 updated_at = CURRENT_TIMESTAMP;
4
5 SELECT airline_id, airline_name, airline_country
6 FROM airline_info;
```

Data Output Messages Notifications

airline_id	airline_name	airline_country
[PK] integer	character varying (50)	character varying (50)

in 4

File Edit View Window Help

Object Explorer

- Servers (1)
 - PostgreSQL 18
 - Databases (1)
 - postgres
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrappers
 - Languages
 - Publications
 - Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)

postgres/postgres@PostgreSQL 18*

postgres/postgres@PostgreSQL 18

Query Query History

```
1 UPDATE airline_info
2 SET airline_name = 'Global Airways',
3     airline_country = 'United Kingdom',
4     updated_at = CURRENT_TIMESTAMP
5 WHERE airline_id = 5;
6
7 SELECT *
8 FROM airline_info
9 WHERE airline_id = 5;
```

Data Output Messages Notifications

airline_id	airline_code	airline_name	airline_country	created_at	updated_at	info
[PK] integer	character varying (30)	character varying (50)	character varying (50)	timestamp without time zone	timestamp without time zone	character varying (50)

pgAdmin 4

Object Tools Edit View Window Help

Object Explorer

- Servers (1)
 - PostgreSQL 18
 - Databases (1)
 - postgres
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrappers
 - Languages
 - Publications
 - Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures

postgres/postgres@PostgreSQL 18*

postgres/postgres@PostgreSQL 18

Query Query History

```
1 UPDATE airport
2 SET state = 'Capital District',
3     updated_at = CURRENT_TIMESTAMP
4 WHERE city IN ('Astana', 'London', 'Tokyo');
5
6 SELECT airport_id, airport_name, country, state, city
7 FROM airport
8 WHERE city IN ('Astana', 'London', 'Tokyo');
```

Data Output Messages Notifications

airport_id	airport_name	country	state	city
[PK] integer	character varying (50)	character varying (50)	character varying (50)	character varying (50)

ToolsEditViewWindowHelp

Postgres/postgres@PostgreSQL 18* x

Servers (1)
PostgreSQL 18
Databases (1)
postgres
Cast
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences

postgres/postgres@PostgreSQL 18

Query

Query History

1UPDATE baggage_check

2SET check_result = 'Checked',

3updated_at = CURRENT_TIMESTAMP

4WHERE created_at >= '2024-03-01'

5AND created_at < '2024-04-01'

6AND check_result = 'Not checked';

7

8SELECT *

9FROM baggage_check

10WHERE created_at >= '2024-03-01'

11AND created_at < '2024-04-01'

12AND check_result = 'Checked';

Data OutputMessagesNotifications

baggage_check_id

check_result

created_at

updated_at

booking_id

passenger_id

baggage_check_id	check_result	created_at	updated_at	booking_id	passenger_id
[PK] integer	character varying (50)	timestamp without time zone	timestamp without time zone	integer	integer