KAILAS FZE
At Ibom Energy Free Trade Zone Sub-zone within Liberty Oil & Gas Free Trade Zone
At Eastern Obolo
Akwa Ibom Akwa Ibom NIGERIA

KFZE/BISNL/201361/6-2026/GC000047

PURCHASE ORDER

Purchase Order No:	KFZE/BISNL/201361/6-2026/GC000047	Name of Supplier/ Contractor	
Purchase Order Date	15 Jun 2026	**Supplier Name**	SFICO LIMITED
Amendment No.		**Supplier Code**	VEN00221
Amendment Date		Address:	110, OBAFEMI AWOLOWO WAY, IKEJA. LAGOS STATE. LAGOS Lagos NIGERIA -
Supplier Ref No. / Date		Attention:	
Buyer Name	Jay Chaudhari	Email:	
Buyer Email	jay.chaudhari@stoilmgt.com	Mobile/Telephone Number	

Disclaimer

By accepting this Purchase Order, Contractor agrees to furnish the Goods/Services in full accordance with all conditions set forth herein and/or attachments hereto. This Purchase Order constitutes the entire agreement and only written changes by way of an amendment to this Purchase Order will be legally binding. It is important that Contractor signs and returns the Purchase Order copy within three (3) days of receipt. Failure to return the acceptance does not diminish the responsibilities as set forth herein, but may result in a delay to any payments that may be due and may be cause for termination of this Purchase Order.

Description of Supply	Total Purchase Order Value (NGN)
SUPPLY OF SHARP PRINTER SPARE PARTS (FOR SPFL SITE)	19,095,000.00

Total Purchase Order Value (In Words): (NGN) Nineteen Million Ninety Five Thousand Point Zero Only.

Special Terms and Conditions

1. Delivery Term: Delv AT Place - Place OML 13, AKWA IBOM, Delivery Contact: Mr. William Bramwel (09153992536); Mr Aaron (9152805740)

2. Delivery Schedule: Material shall be delivered within 1-3 Weeks from the date of receipt of PO.

3. Payment Term: As specified in the Order

3.1. Payment to Supplier under this Purchase Order shall be to below mentioned account:
Bank Name: Fidelity Bank; Bank Account Number: 5540003464; Beneficiary Account Name: SFICO LIMITED; Swift Code:

4. Inspection: Company shall inspect the services/goods supplied. If the services/goods are not as per the desired specification, same shall be rejected. Contractor shall remedy/replace the rejected services/goods within reasonable time of rejection at his own cost. If the contractor fails to remedy/replace the rejected services/goods, company shall arrange the same from alternative source at contractors cost & risk

5. List of Attached Documents: As specified below the Price Schedule

6. "FREE ZONE STATUS APPLIES."
7. VAT, Duties&Taxes are NOT applicable considering Free Trade Zone purchase for the Authorized Operations (Approved Activity) of FTZ.
8. Total Order Value is based on the item and quantity mentioned in the Price Schedule. However, payment shall be made based on actual quantity received by the company, duly certified by the company authorized representative.
9. Delivery shall be made to - MFS CENTRAL WAREHOUSE OML13, ATABRIKANG 1 IKO TOWN, ESTERN OBOLO, AKWA IBOM, NIGERIA.
10. Delay Damages: The Seller shall pay delay damages at the rate of @1 % of the undelivered portion of the Contract Price for every week of delay and pro-rated for any part of such week, up to a maximum of @ 5% of the undelivered portion of the Contract Price. These delay damages are deemed fair and reasonable, not punitive, representing the Buyer's estimated losses.
11. Supplier can submit the scanned copies of MRR and Incoice to email : ICT.Invoices@bqubeglobal.com and also copy the buyer.

Buyer : Jay Chaudhari	Authorized Signatory	Signature	SFICO LIMITED Title	Date
				24/06/26

KAILAS FZE
At Ibom Energy Free Trade Zone Sub-zone within Liberty Oil & Gas Free Trade Zone
At Eastern Obolo
Akwa Ibom Akwa Ibom NIGERIA

KFZE/BISNL/201361/6-2026/GC000047

PRICE SCHEDULE

Purchase Order Number :	KFZE/BISNL/201361/6-2026/GC000047	**Purchase Order Date :**	15 Jun 2026
Amendment No :	0	**Amendment Date :**	
Description of Supply :	SUPPLY OF SHARP PRINTER SPARE PARTS (FOR SPFL SITE)	**Currency :**	NGN

S. No.	Item Code	Item Descriptions	UOM	Delivery Date	Qty	Unit Price	Ext. Amount
1	6201020085	CHARGER KIT,MAIN,MX-230MK (BLACK),SHARP	NOS		4.00	45,000.00	180,000.00
Long Description:		MAIN CHARGER KIT,COMPONENT MAKE:SHARP,COMPONENT PART NUMBER:MX-230MK (BLACK),ADDITIONAL PART NUMBER:MX-230MK (CMY),CONSIST OF INCLUDING PART:CLEANER BLADE,MAIN CHARGER UNIT,SIDE SEAL					
Line Comments:		SHARP MX-230MK					
2	6201020659	GEAR,DRIVE,NGERH2484FCZZ,SHARP	NOS		5.00	35,000.00	175,000.00
Long Description:		FUSING DRIVE GEAR,MATERIAL:PLASTIC,SIZE:ID 5 TO 6 X OD 22 TO 24 X THK 4 TO 6 MM,COMPONENT MAKE:SHARP,COMPONENT PART NUMBER:NGERH2484FCZZ,NUMBER OF TEETH:21,APPLICATION:FOR PRINTER					
Line Comments:		SHARP NGERH2484FCZZ					
3	6201020670	THERMISTOR,RDTCT0034QSZZ,SHARP	NOS		5.00	50,000.00	250,000.00
Long Description:		THERMISTOR,COMPONENT MAKE:SHARP,COMPONENT PART NUMBER:RDTCT0034QSZZ,POSITION:LOWER,OPERATING TEMPERATURE RANGE:0 TO 250 DEG C,ADDITIONAL INFORMATION:TEMPERATURE SENSING IN FUSER SECTION USED INSIDE OFFICE PRINTER/COPIER FOR TEMPERATURE MEASUREMENT OF THE FUSING SECTION,PRINTER SERIES:MX					
Line Comments:		SHARP RDTCT0033QSZZ					
4	6201020671	MOTOR,STEPPER,12TO24VDC,0.1TO0.5A,1TO5W	NOS		3.00	95,000.00	285,000.00
Long Description:		MOTOR,SIZE:DIA 20 TO 40 X LG 40 TO 70 MM,TYPE:GEARED DC OR STEPPER,VOLTAGE RANGE:12 TO 24 VDC,CURRENT RANGE:0.1 TO 0.5 A,POWER RANGE:APPROXIMATELY 1 TO 5 W,OUTPUT SHAFT SPEED RANGE:10 TO 100 RPM (AFTER GEARING),MOTOR SHAFT SPEED RANGE:1000 TO 3000 RPM,GEAR RATIO RANGE:1:50 TO 1:100,APPLICATION:MULTI-FUNCTION PRINTER (MFP),ADDITIONAL INFORMATION:FOR DRIVE THE PRESSURE ROLLER IN THE FUSER ASSEMBLY TO ENSURE UNIFORM TONER ADHESION DURING THE PRINTING PROCESS					
Line Comments:		SHARP RMOTS1077FCPZ					
5	6201020661	BELT UNIT,CFRM-1726DS77,SHARP	NOS		4.00	490,000.00	1,960,000.00
Long Description:		FUSER BELT UNIT,COMPONENT MAKE:SHARP,COMPONENT PART NUMBER:CFRM-1726DS77,BELT TYPE:HIGH-TEMPERATURE RESISTANT RUBBER,BELT THICKNESS:0.5 TO 1.5 MM,MATERIAL:HEAT-RESISTANT ELASTOMER,OPERATING TEMPERATURE RANGE:180 TO 220 DEG C,WEAR RESISTANCE:50000 TO 100000 PAGES,APPLICATION:FOR PRINTER,ADDITIONAL PART NAME:FUSER BELT ASSEMBLY					
Line Comments:		SHARP CFRM-1726DS77 OR MX-601FB					
6	6201020673	DRIVE UNIT,ABS,0.05TO0.5NM,10TO100RPM	NOS		2.00	45,000.00	90,000.00

Long Description:		MECHANICAL GEAR DRIVE UNIT,MATERIAL:ACRYLONITRILE BUTADIENE STYRENE (ABS),FUNCTION:TRANSMIT ROTATIONAL MOTION FROM THE PRINTER MOTOR TO ROLLER,FUSER UNIT,PAPER FEED MECHANISM OR OTHER MOVING PART,GEAR TYPE:SPUR,GEAR MATERIAL:HIGH-STRENGTH ENGINEERING PLASTIC,NUMBER OF TEETH:DEPENDS ON PRINTER DESIGN,BORE DIAMETER:3 TO 10 MM,OUTER DIAMETER/THICKNESS:DEPENDS ON PRINTER MODEL,OPERATING TEMPERATURE RANGE:0 TO 60 DEG C,TORQUE RANGE:0.05 TO 0.5 NM,GEAR RATIO RANGE:5:1 TO 50:1,MOTOR POWER RANGE:1 TO 5 W,EFFICIENCY PER STAGE:90 TO 95 PCT,BACKLASH RANGE:0.05 TO 0.2 MM,MOUNTING TYPE:CHASSIS (PRINTER),NUMBER OF STAGE:1 TO 3,INPUT SPEED RANGE:1000 TO 3000 RPM,OUTPUT SPEED RANGE:10 TO 100 RPM,APPLICATION:PAPER FEED SYSTEM,FUSER DRIVE SYSTEM OR ENGINE DRIVE UNIT OF PRINTER/MULTI-FUNCTION PRINTER (MFP),ADDITIONAL INFORMATION:FOR PRINTER DRIVE ASSEMBLY					
Line Comments:		SHARP NGERH2481FCZZ					
7	6201020672	PWB,80X60MM,24VDC,0TO60DEGC,1.6MM,35UM	NOS		3.00	95,000.00	285,000.00
Long Description:		PRINTED WIRING BOARD,SIZE:80 X 60 MM,FUNCTION:CONTROL THE REVERSE SINGLE PASS FEEDER (RSPF),OPERATING VOLTAGE RATING:24 VDC,OPERATING TEMPERATURE RANGE:0 TO 60 DEG C,STORAGE TEMPERATURE RANGE:-20 TO +70 DEG C,RELATIVE HUMIDITY RANGE (RH):10 TO 80 PCT,BASE MATERIAL:FLAME RETARDANT EPOXY GLASS FABRIC LAMINATE (FR-4),FLAME RATING:UL 94 V-0,INSULATION RESISTANCE:GREATER THAN OR EQUAL TO 100 MOHM,DIELECTRIC STRENGTH:GREATER THAN OR EQUAL TO 1.5 KV (AC),FORM FACTOR:PCB MOUNTED IN THE RSPF ASSEMBLY,CONNECTOR TYPE:RIBBON AND PIN HEADER (FOR MOTOR,SENSOR AND SOLENOID),PCB LAYER COUNT:4,PCB THICKNESS:1.6 MM,COPPER THICKNESS:35 UM,SURFACE FINISH:HASL OR ENIG,APPLICATION:MULTI-FUNCTION PRINTER (MFP) AND COPIER WITH AN RSPF UNIT TO DRIVE THE MOTOR,SOLENOID AND READ SENSOR,ADDITIONAL INFORMATION:FOR THOUSAND OF CYCLE OVER THE PRINTER LIFE					
Line Comments:		SHARP CPWBN2427FCE1					
8	6201020662	ADAPTER,5.5X2.1MM,100TO240VAC,32VDC,3A	NOS		10.00	105,000.00	1,050,000.00
Long Description:		POWER ADAPTER,SIZE:5.5 X 2.1 MM,INPUT VOLTAGE RANGE:100 TO 240 VAC,FREQUENCY:50 TO 60 HZ,OUTPUT VOLTAGE RATING:32 VDC,OUTPUT CURRENT RATING:3 A,CONNECTOR TYPE:BARREL PLUG,POWER RATING:60 W,ADDITIONAL PART NAME:CHARGER,ADDITIONAL INFORMATION:FOR MFP PRINTER					
Line Comments:		SHARP CCASZ0360DS53					
9	6201020663	BLADE,CLEANING,PLSTC,200TO400X1TO3MM	NOS		5.00	55,000.00	275,000.00
Long Description:		CLEANING BLADE,MATERIAL:PLASTIC,SIZE:LG 200 TO 400 X THK 1 TO 3 MM,LIFE SPAN:50000 TO 100000 PAGE,ADDITIONAL INFORMATION:FUNCTION:SCRAPE RESIDUAL TONER FROM TRANSFER BELT,FOR MFP PRINTER					
Line Comments:		SHARP CCLEZ0249DS52					
10	6201020562	DEVELOPER,BP-NV70SA,SHARP	NOS		8.00	1,050,000.00	8,400,000.00
Long Description:		DEVELOPER,COMPONENT MAKE:SHARP,COMPONENT PART NUMBER:BP-NV70SA,COLOR:CYAN,MAGENTA,YELLOW,ADDITIONAL INFORMATION:FOR PRINTER,PRINTER MODEL:BP-50C26,BP-50C31,BP-50C36,BP-50C45,BP-70C31,BP-70C36,BP-70C45					
Line Comments:		SHARP BP-GV70SA					
11	6201020677	PWB,DUNT-9617DS95,SHARP	NOS		1.00	1,500,000.00	1,500,000.00
Long Description:		PRINTED WIRING BOARD (PWB),COMPONENT MAKE:SHARP,COMPONENT PART NUMBER:DUNT-9617DS95,TYPE:MAIN FUNCTION PROCESSOR CONTROL (MFPC),FUNCTION:CONTROL IMAGING,NETWORKING,PRINTING AND SCANNING PROCESS,ADDITIONAL INFORMATION:FOR MULTIFUNCTIONAL PRINTER,PRINTER SERIES:MX-M3051 TO MX-M6071					
Line Comments:		SHARP DUNT9569OSEU					
12	6201020077	DEVELOPER,MX-36FVBA,SHARP	NOS		2.00	95,000.00	190,000.00
Long Description:		DEVELOPER,COMPONENT MAKE:SHARP,COMPONENT PART NUMBER:MX-36FVBA,COLOR:BLACK					
Line Comments:		SHARP MX-36GVBA					
13	6201020078	DEVELOPER,COLOR,MX-36FVSA,SHARP	NOS		2.00	700,000.00	1,400,000.00

KAILAS FZE
At Ibom Energy Free Trade Zone Sub-zone within Liberty Oil & Gas Free Trade Zone
At Eastern Obolo
Akwa Ibom Akwa Ibom NIGERIA

KFZE/BISNL/201361/6-2026/GC000047

Long Description:		COLOR DEVELOPER,COMPONENT MAKE:SHARP,COMPONENT PART NUMBER:MX-36FVSA					
Line Comments:		SHARP MX-36GVSA					
14	6201020483	DRUM,OPC,MX-36FRSA,SHARP	NOS		4.00	105,000.00	420,000.00
Long Description:		OPC DRUM,COMPONENT MAKE:SHARP,COMPONENT PART NUMBER:MX-36FRSA,ADDITIONAL PART NUMBER:MX-36FRSA (CMY)					
Line Comments:		SHARP MX-36GRSA OR FRSA					
15	6201020080	PTC KIT,MX-230CU,SHARP	EA		1.00	40,000.00	40,000.00
Long Description:		PTC KIT,COMPONENT MAKE:SHARP,COMPONENT PART NUMBER:MX-230CU,ADDITIONAL INFORMATION:FOR PRINTER,PRINTER MODEL NUMBER:MX-3551					
Line Comments:		SHARP MX-230CU					
16	6201020652	EXPANSION KIT,BP-EB10,SHARP	NOS		3.00	480,000.00	1,440,000.00
Long Description:		EXPANSION KIT,COMPONENT MAKE:SHARP,COMPONENT PART NUMBER:BP-EB10,ADDITIONAL PART NAME:WIRELESS CONNECTION ADAPTER,WIRELESS STANDARD:(WI-FI) IEEE 802.11A/B/G/N/AC,FREQUENCY BAND:2.4 TO 5 GHZ,THEORETICAL DATA RATE SPEED:802.11AC UP TO 433 MBPS,ADDITIONAL INFORMATION:WITH MULTI FUNCTION PRINTER (MFP),PRINTER MODEL:BP-50CXX/BP-60CXX/BP-70CXX/BP-50MXX/BP-70MXX					
Line Comments:		SHARP BP-EB10					
17	6201020679	FUSING UNIT,220TO240VAC,MX-231FU,SHARP	NOS		1.00	650,000.00	650,000.00
Long Description:		FUSING UNIT,COMPONENT MAKE:SHARP,COMPONENT PART NUMBER:MX-231FU,TYPE:BELT-TYPE FUSER ASSEMBLY,FUNCTION:TONER FIXING (HEAT + PRESSURE),VOLTAGE RANGE:220 TO 240 VAC,CONSISTS OF INCLUDING PART:1)FUSER BELT,2)PRESSURE ROLLER,3)THERMISTOR,ADDITIONAL INFORMATION:FOR PRINTER,PRINTER MODEL:MX-2314N/MX-2314NSF,LIFE CYCLE:APPROXIMATELY 100000 PAGE					
Line Comments:		SHARP MX-361FU					
18	6201020670	THERMISTOR,RDTCT0034QSZZ,SHARP	NOS		5.00	50,000.00	250,000.00
Long Description:		THERMISTOR,COMPONENT MAKE:SHARP,COMPONENT PART NUMBER:RDTCT0034QSZZ,POSITION:LOWER,OPERATING TEMPERATURE RANGE:0 TO 250 DEG C,ADDITIONAL INFORMATION:TEMPERATURE SENSING IN FUSER SECTION USED INSIDE OFFICE PRINTER/COPIER FOR TEMPERATURE MEASUREMENT OF THE FUSING SECTION,PRINTER SERIES:MX					
Line Comments:		SHARP RDTCT0033QSZZ					
19	6201020659	GEAR,DRIVE,NGERH2484FCZZ,SHARP	NOS		5.00	35,000.00	175,000.00
Long Description:		FUSING DRIVE GEAR,MATERIAL:PLASTIC,SIZE:ID 5 TO 6 X OD 22 TO 24 X THK 4 TO 6 MM,COMPONENT MAKE:SHARP,COMPONENT PART NUMBER:NGERH2484FCZZ,NUMBER OF TEETH:21,APPLICATION:FOR PRINTER					
Line Comments:		SHARP NGERH2484FCZZ					
						Transportation Charges	80,000.00
						Sub Total Purchase Order Value	19,095,000.00
						Total Purchase Order Value	19,095,000.00

Total Purchase Order Value (In Words):(NGN) Nineteen Million Ninety Five Thousand Point Zero Only.