

**BID POWER TENDERS
WITH THE ANSWER,
NOT A GUESS.**

Joulewise reads the tender, sizes the plant, prices the bid over its full term and shows you the margin. It covers round-the-clock, FDRE, peak, battery storage and hybrid power sales, from the first read of the RfS to the bid you submit.


START FREE: ROUND THE CLOCK

COMPARE PLANS

jouleWise

OPTIMIZING

Solving for the least 25-year tariff



▶▶ CONTINUE WITHOUT HIGHS ▶I SKIP ANIMATION X CANCEL

- HIGHS · SOLVING

00:17

Dinkelbach 1 · λ ₹5.7560/kWh

0	-3.85582101e+03	-8.50804027e+03	1.75e-01	2.62e-01	7.52e-02
1	1.26708097e+06	-7.07380851e+06	1.18e-01	8.67e-02	2.87e-02
2	7.12679656e+05	-8.84722015e+06	1.17e-01	8.35e-02	2.35e-02
3	6.26855034e+05	-2.29375949e+07	9.57e-02	2.79e-02	2.11e-02
4	7.71311908e+04	-6.15813431e+07	9.44e-02	2.56e-02	2.01e-02
5	2.78140463e+03	-6.56895106e+07	4.46e-04	2.56e-08	2.00e-08
6	2.50468874e+03	-3.17581700e+07	6.77e-05	1.27e-10	2.00e-10
7	3.10855106e+03	-8.06567619e+06	4.91e-06	5.18e-11	2.00e-11
8	3.15179653e+03	-2.70998880e+05	1.04e-06	2.46e-11	2.05e-11
9	3.05101097e+03	-2.27668953e+04	4.39e-07	1.95e-12	2.62e-12

Constructing starting basis...

Iter	primal obj	dual obj	pinf	dinf
10	2.33299504e+03	-1.67233909e+04	2.19e-07	1.27e-12
11	1.64999542e+03	-1.36133010e+04	1.09e-07	9.76e-13
12	1.18756746e+03	-9.15171979e+03	7.28e-08	6.17e-13
13	7.83486079e+02	-6.66789063e+03	4.67e-08	4.05e-13

- Loaded 8,760-hour demand, solar and wind profiles
- Screening 121/121 solar × wind mixes, cheapest battery at each
- 25-year tariff at every mix · 121/121 full financial models (DFR checked in every year)
- HiGHS solving the sizing LP for the global optimum · 00:17
 - Exact 25-year model around the optimum (pattern search + neighbourhood check)
 - Least-tariff design found

25 years HOURLY DISPATCH AND FULL FINANCIAL MODEL FOR EVERY SHORTLISTED DESIGN	70,000+ VARIABLE HIGHS MODEL WITH A PROVEN LOWER BOUND ON THE TARIFF	23 BESS REQUIREMENTS READ FROM THE RFS, EACH WITH PAGE AND CLAUSE	381 BATTERY STRATEGIES PRICED IN A FRACTION OF A SECOND
--	--	---	---

HOW IT WORKS

FROM RFS TO BID IN ONE FLOW

One story for every tender, with each step feeding the next and every number traceable to the clause it came from.

01 · READ Read the tender Upload the RfS and its amendments. Layout-aware parsing with table recognition and OCR pulls out the requirements, deadlines, securities, penalties and risks.	02 · CONFIRM Confirm the requirements Every value shows its confidence, page and clause. Edit or lock anything; locked values survive a corrigendum.	03 · OPTIMIZE Size and price Solar, wind and battery sizes, oversizing and augmentation are optimized against the full-term tariff, with degradation, debt, tax and penalties included.	04 · BID Bid and advise The tariff or capacity charge at your target IRR, the margin to the ceiling, a compliance checklist, the financial model and saved, versioned scenarios for the bid committee.
---	---	--	---

THE PRODUCT

ONE WORKSPACE FOR EVERY POWER SALES BID

Purpose-built modules that share one engine, one data model and one audit trail.

ROUND THE CLOCK Firm supply sizing Least-tariff solar + wind + BESS for any demand profile and DFR target, with the HiGHS global optimum and an exact 25-year check.	BESS TENDER Standalone storage bids Capacity charge in ₹/MW/month, oversizing and augmentation plan, RTE and availability compliance, VGF and ceiling margin.	FDRE Peak and firm dispatchable RE Peak-hour availability, annual CUF bands, penalties at 1.5× tariff, and the full RfS rule set modelled hour by hour.
TENDER INTELLIGENCE Parsing and risk Requirements, eligibility, securities, timelines, amendments and risk flags, each linked back to the source clause.	YIELD EYA report Wind and solar energy yield with loss waterfalls, P50/P75/P90 and a printable report, fed straight into the optimizer.	FINANCE Bankable financial model P&L, cash flow, debt, DSCR, WDV tax, working capital and augmentation capex, with the tariff solved for the equity IRR. Export to Excel or CSV.

ROUND THE CLOCK

THE CHEAPEST PLANT THAT MEETS THE DFR EVERY YEAR

A HiGHS linear programme finds the global optimum of the 25-year tariff, and the exact financial model then prices its neighbours. You see the answer and the proof.

A proven floor: no design in range can beat the stated tariff

Tariff map across every solar × wind size

What ageing costs: degradation and augmentation, in ₹/kWh

Shadow price of DFR: what each extra point would add to the tariff

THE ANSWER

Least-cost round-the-clock plant

☀ SOLAR		🌀 WIND		🔋 BATTERY	
675 MWac		475 MW		395 MW 1,580 MWh · 4.0 h	
TARIFF FOR 14.0% EQUITY IRR	LCOE		DFR YEAR 1 · TARGET 85%	PROJECT COST	MIN DSCR · PAYBACK
₹5.653 /kWh	₹4.903		86.14%	₹7,713 cr	1.11 × · yr 9


HiGHS solved the sizing LP (70,083 variables, 1,05,122 constraints, years 1, 25) in 45.1 s: no design in the allowed ranges can have a 25-year tariff below **₹5.6522/kWh** under the LP's linear tax model. The answer above is the exact financial model's best design next to that optimum. Each extra percentage point of DFR would add ≈ ₹0.099/kWh.



THE BID

Lowest capacity charge for 500 MW / 1,000 MWh

🔋 DAY-ONE BATTERY		🔌 AUGMENTATION		₹ CAPITAL COST	
1,241 MWh DC 0.0% above the 1,241 MWh that lasts through year 1 · PCS 525 MW		471 MWh added 11 campaigns (every 1 yr) · ₹302 cr		₹1,104 cr net ₹1,284 cr less ₹180 cr VGF · ₹1.28 cr/MWh	
CAPACITY CHARGE FOR 14.0% EQUITY IRR	CEILING ₹3.800	LEVELISED COST OF STORAGE	ANNUAL REVENUE	WIN DSCR · PROJECT IRR	
₹4.017 lakh/MW/month	+5.7% above: bid not admissible	₹3.07 /kWh	₹241 cr	1.16 × · 9.6%	



BESS TENDER

FROM THE RFS TO THE CAPACITY CHARGE

Upload a storage tender and confirm what it asks for. Joulewise then prices every oversizing and augmentation strategy over the contract term and returns the lowest compliant capacity charge.

Requirements with confidence, page and clause

Energy at the delivery point kept every year, block by block

Bid against the ceiling, with VGF and penalties priced in

Every strategy on one map; click to load any of them


TENDER INTELLIGENCE

EVERY NUMBER TRACEABLE TO ITS CLAUSE

Layout-aware parsing (Docling) reads tables and scanned pages; clause-aware retrieval finds the requirements and risks. Nothing is a black box: open any value and read the tender text behind it.

- Penalties, securities, bid limits and timelines
- Risk flags with severity and bid implication
- Amendments tracked against the base tender

REQUIREMENT	VALUE		STATUS	SOURCE	
Contracted power	500	MW	FOUND	P. 1	
Contracted energy Energy the BESS must deliver at the delivery point in every cycle	1000	MWh	FOUND	P. 1	
Discharge duration	2	h	FOUND	P. 2 · CL. 1.1	
Cycles per day	2	per day	FOUND	P. 2 · CL. 1.1	
Cycles per year	730	per year	FOUND	P. 2 · CL. 1.1	
Minimum round-trip efficiency	85	%	FOUND	P. 3 · CL. 2.1	
2. TECHNICAL REQUIREMENTS 2.1 Round Trip Efficiency: The monthly AC-to-AC Round Trip Efficiency of the BESS shall not be less than 85% measured at the delivery point. 2.2 Availability: The BESSD shall ensure a monthly system availability of not less than 95%. 2.3 The BESSD shall main ...					
Minimum availability	95	%	FOUND	P. 3 · CL. 2.2	
Availability measured	Monthly		CHECK	P. 3 · CL. 2.2	
Contract term	12	years	FOUND	P. 2 · CL. 1.2	
Commissioning (SCOD)	18	months	FOUND	P. 2 · CL. 1.3	



EVERY KIND OF POWER SALES TENDER

BUILT FOR THE INDIAN POWER MARKET

One platform for bid preparation and bid advisory across tender families, from central agencies to state discoms and C&I buyers.

RTC Round-the-clock RE supply with DFR

FDRE Firm and dispatchable RE, peak supply

BESS Standalone storage, VGF, capacity charge

HYBRID Solar-wind hybrid with or without storage

PEAK Peak power and assured peak supply

SOLAR / WIND Plain-vanilla RE auctions

C&I Open-access and captive PPAs

e-RA Reverse-auction tariff strategy

Developers & IPPs Bid the lowest compliant tariff with confidence in the margin, the risks and the lender case.	Bid advisory firms Run many tenders for many clients with traceable, repeatable analysis and versioned deliverables.	Utilities & procurers Benchmark expected tariffs and test tender design before issuing the RfS.	Lenders & investors Check sizing, degradation, augmentation and DSCR behind a bid or an acquisition.
---	--	---	--

PLANS

FREE - PREMIUM - ULTRA

Start free with Round the Clock. Upgrade when you are bidding for real, and bring it on-premise when many teams work on many tenders.

FREE

₹0 forever

Explore round-the-clock sizing and see how firm supply is built.

✓ Round the Clock optimizer, unlimited runs

✓ One RTC profile, one State

✓ Base-level optimization

✓ Results and dispatch on screen

– Financial model download

– Tender upload and parsing

START FREE

FOR BID TEAMS

PREMIUM

Per organisation annual

Everything a bid team needs, from tender to bid, for up to 5 users.

✓ All profiles and all States

✓ Tender upload, parsing and risk assessment

✓ Calendar links for tender milestones

✓ Tender data linked back to the optimization

✓ Full financial modelling and downloads

✓ Voice chat with the model

✓ EYA report

✓ Full logs and history management

✓ Up to 5 users per organisation

TALK TO US

ULTRA

Custom on-premise

For organisations where many teams collaborate on many tenders.

✓ Everything in Premium

✓ On-premise deployment on your servers

✓ Multiple teams, collaboration across them

✓ Users and access set by your administrators

✓ Activity and audit across the organisation

✓ Custom tender families and rules

✓ Bid advisory support

CONTACT SALES

CAPABILITY	FREE	PREMIUM	ULTRA
OPTIMIZATION			
Round the Clock optimizer runs	Unlimited	Unlimited	Unlimited
Resource profiles	One RTC profile	All, plus your uploads	All, plus your uploads
States	One	All	All
Optimization depth	Base level	25-year tariff, HiGHS	25-year tariff, HiGHS
FDRE and BESS Tender modules	–	✓	✓
TENDER INTELLIGENCE			
Tender upload and parsing	–	✓	✓
Risk assessment	–	✓	✓
Calendar links for milestones	–	✓	✓
Tender data linked to the optimization	–	✓	✓
ANALYSIS AND REPORTS			
Results and dispatch on screen	✓	✓	✓

YOUR SERVERS. YOUR TENDERS. EVERY TEAM.

Tender documents and bid economics are sensitive. Ultra runs the whole platform inside your network, with the same engine and workflow, for every team that touches a bid.

ADMINISTRATION

USER ACTIVITY

BY USER

SIGN-INS

EVENT LOG

24 H

7 DAYS

30 DAYS

90 DAYS

1 YEAR

REFRESH

CSV

ACTIVE USERS

2 / 2

In the last 30 days

SIGN-INS

6

2 failed

ACTIVE TIME

42 s

6 sessions

OPTIMIZER RUNS

2

2 engine calls

COMPUTE TIME

23 s

0 saves · 1 exports

Active time per day · peak 42 s

USER	LAST SIGN-IN	LAST SEEN	SIGN-INS	ACTIVE TIME	OPEN TIME	OPTIMIZER RUNS	ENGINE CALLS	COMPUTE	SAVES	EXPORTS	MOST USED TAB	
analyst@example.com	30 Sept 2026, 6:22 am	just now	3 +2 failed	40 s	46 s	2	2	23 s	-	1	Round the Clock	SIGN-OUT
Asha Admin admin@example.com · admin	30 Sept 2026, 6:22 am	just now	3	2 s	4 s	-	-	-	-	-	Round the Clock	SIGN-OUT

Active time counts minutes with the app open in a visible browser tab and used within the last 5 minutes; "open" is sign-in to last seen. Compute time is engine calls plus optimizer runs. Records are kept for 400 days.

On-premise

Runs as containers on your servers, with its own database per deployment.

Teams and access

Administrators decide who sees which module.

Activity and audit

Sign-ins, active time, optimizer runs, saves and exports per user, with CSV export.

Versioned scenarios

Every save is a version, so you can compare, restore and export to Excel.

Custom tender families

New RfS rules, penalties and compliance checks for your markets.

Bid advisory

Support from people who model and bid these tenders.

KNOW YOUR NUMBER BEFORE THE REVERSE AUCTION DOES.

Start free with Round the Clock today, or talk to us about Premium and Ultra for your next tender.

START FREE

BOOK A DEMO