

Totally Integrated Automation Portal		
--------------------------------------	--	--

Alarm History [13]

Active Error Code

General			
Name	Active Error Code	Connection	HMI_Connection_1
Data type	Word	Array elements	0
Length	2	Address	
Access mode	<symbolic access>	PLC tag	DB_AlarmHistory.ActiveError
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

Active Error Text

General			
Name	Active Error Text	Connection	HMI_Connection_1
Data type	String	Array elements	0
Length	50	Address	
Access mode	<symbolic access>	PLC tag	DB_AlarmHistory.ActiveErrorText
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	History (newest at index 1)
Multiplexing			
Multiplexing	Disabled	Index tag	

Total Error Count

General			
Name	Total Error Count	Connection	HMI_Connection_1

--	--	--

Totally Integrated Automation Portal			
--------------------------------------	--	--	--

Data type	DInt	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	DB_AlarmHistory.TotalErrorCount
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

History Code 1

General			
Name	History Code 1	Connection	HMI_Connection_1
Data type	Word	Array elements	0
Length	2	Address	
Access mode	<symbolic access>	PLC tag	DB_AlarmHistory.History_Code[1]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

History Code 2

General			
Name	History Code 2	Connection	HMI_Connection_1
Data type	Word	Array elements	0
Length	2	Address	
Access mode	<symbolic access>	PLC tag	DB_AlarmHistory.History_Code[2]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	

Totally Integrated Automation Portal					
--------------------------------------	--	--	--	--	--

Linear scaling

Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		

Values

ID tag		Start value	
--------	--	-------------	--

Comment

Comment		Source comment	
---------	--	----------------	--

Multiplexing

Multiplexing	Disabled	Index tag	
--------------	----------	-----------	--

History Code 3

General

Name	History Code 3	Connection	HMI_Connection_1
Data type	Word	Array elements	0
Length	2	Address	
Access mode	<symbolic access>	PLC tag	DB_AlarmHistory.History_Code[3]
Coding	Binary	PLC name	PLC_1

Settings

Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
-------------------	-----	------------------	---------------------

Limits

Upper 2		Lower 2	
---------	--	---------	--

Linear scaling

Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		

Values

ID tag		Start value	
--------	--	-------------	--

Comment

Comment		Source comment	
---------	--	----------------	--

Multiplexing

Multiplexing	Disabled	Index tag	
--------------	----------	-----------	--

History Code 4

General

Name	History Code 4	Connection	HMI_Connection_1
Data type	Word	Array elements	0
Length	2	Address	
Access mode	<symbolic access>	PLC tag	DB_AlarmHistory.History_Code[4]
Coding	Binary	PLC name	PLC_1

Settings

Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
-------------------	-----	------------------	---------------------

Limits

Upper 2		Lower 2	
---------	--	---------	--

Linear scaling

Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		

Totally Integrated Automation Portal			
--------------------------------------	--	--	--

Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

History Code 5

General			
Name	History Code 5	Connection	HMI_Connection_1
Data type	Word	Array elements	0
Length	2	Address	
Access mode	<symbolic access>	PLC tag	DB_AlarmHistory.History_Code[5]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

History Code 6

General			
Name	History Code 6	Connection	HMI_Connection_1
Data type	Word	Array elements	0
Length	2	Address	
Access mode	<symbolic access>	PLC tag	DB_AlarmHistory.History_Code[6]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

--	--	--

Totally Integrated Automation Portal			
History Code 7			
General			
Name	History Code 7	Connection	HMI_Connection_1
Data type	Word	Array elements	0
Length	2	Address	
Access mode	<symbolic access>	PLC tag	DB_AlarmHistory.History_Code[7]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	
History Code 8			
General			
Name	History Code 8	Connection	HMI_Connection_1
Data type	Word	Array elements	0
Length	2	Address	
Access mode	<symbolic access>	PLC tag	DB_AlarmHistory.History_Code[8]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	
History Code 9			
General			
Name	History Code 9	Connection	HMI_Connection_1
Data type	Word	Array elements	0
Length	2	Address	
Access mode	<symbolic access>	PLC tag	DB_AlarmHistory.History_Code[9]
Coding	Binary	PLC name	PLC_1

Totally Integrated Automation Portal					
Settings					
Acquisition cycle		1 s	Acquisition mode		Cyclic in operation
Limits					
Upper 2			Lower 2		
Linear scaling					
Linear scaling		Disabled	PLC value range end value		10
PLC value range start value		0	HMI device value range end value		100
HMI device value range start value		0			
Values					
ID tag			Start value		
Comment					
Comment			Source comment		
Multiplexing					
Multiplexing		Disabled	Index tag		
History Code 10					
General					
Name		History Code 10	Connection		HMI_Connection_1
Data type		Word	Array elements		0
Length		2	Address		
Access mode		<symbolic access>	PLC tag		DB_AlarmHistory.History_Code[10]
Coding		Binary	PLC name		PLC_1
Settings					
Acquisition cycle		1 s	Acquisition mode		Cyclic in operation
Limits					
Upper 2			Lower 2		
Linear scaling					
Linear scaling		Disabled	PLC value range end value		10
PLC value range start value		0	HMI device value range end value		100
HMI device value range start value		0			
Values					
ID tag			Start value		
Comment					
Comment			Source comment		
Multiplexing					
Multiplexing		Disabled	Index tag		

Buttons [4]

Start Button

General			
Name	Start Button	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	DB_HMI.Btn_Start
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	Start button
Multiplexing			
Multiplexing	Disabled	Index tag	

Stop Button

General			
Name	Stop Button	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	DB_HMI.Btn_Stop
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	Stop button (emergency stop goes to hardware!)
Multiplexing			
Multiplexing	Disabled	Index tag	

Totally Integrated Automation Portal		
Error Code Referance [0] This folder is empty.		

Limit Status [8]

Act Soft Limit X Min

General			
Name	Act Soft Limit X Min	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	fbProcess.fbLimitMonitor.SoftLimit_X_Min_Active
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

Act Soft Limit X Max

General			
Name	Act Soft Limit X Max	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	fbProcess.fbLimitMonitor.SoftLimit_X_Max_Active
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

Totally Integrated Automation Portal			
Act Soft Limit Z Min			
General			
Name	Act Soft Limit Z Min	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	fbProcess.fbLimitMonitor.SoftLimit_Z_Min_Active
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	
Act Soft Limit Z Max			
General			
Name	Act Soft Limit Z Max	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	fbProcess.fbLimitMonitor.SoftLimit_Z_Max_Active
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	
Act HW Limit X Min			
General			
Name	Act HW Limit X Min	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	

Totally Integrated Automation Portal			
--------------------------------------	--	--	--

Access mode	<symbolic access>	PLC tag	fbProcess.fbLimitMonitor.HardLimit_X_Min_Active
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

Act HW Limit X Max

General			
Name	Act HW Limit X Max	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	fbProcess.fbLimitMonitor.HardLimit_X_Max_Active
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

Act HW Limit Z Min

General			
Name	Act HW Limit Z Min	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	fbProcess.fbLimitMonitor.HardLimit_Z_Min_Active
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation

--	--	--

Totally Integrated Automation Portal					
Limits					
Upper 2				Lower 2	
Linear scaling					
Linear scaling		Disabled		PLC value range end value	
PLC value range start value		0		HMI device value range end value	
HMI device value range start value		0			
Values					
ID tag				Start value	
Comment					
Comment				Source comment	
Multiplexing					
Multiplexing		Disabled		Index tag	
Act HW Limit Z Max					
General					
Name		Act HW Limit Z Max		Connection	
Data type		Bool		HMI_Connection_1	
Length		1		Array elements	
Access mode		<symbolic access>		0	
Coding		Binary		Address	
Settings				PLC tag	
Acquisition cycle		1 s		fbProcess.fbLimitMonitor.HardLimit_Z_Max_Active	
Limits				PLC name	
Upper 2				PLC_1	
Linear scaling				Acquisition mode	
Linear scaling		Disabled		Cyclic in operation	
PLC value range start value		0			
HMI device value range start value		0			
Values					
ID tag				Start value	
Comment					
Comment				Source comment	
Multiplexing					
Multiplexing		Disabled		Index tag	

Machine Config [6]

Soft Limit X Min

General			
Name	Soft Limit X Min	Connection	HMI_Connection_1
Data type	Real	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	DB_MachineConfig.SoftLimit_MinX
Coding	IEEE754	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	mm
Multiplexing			
Multiplexing	Disabled	Index tag	

Soft Limit X Max

General			
Name	Soft Limit X Max	Connection	HMI_Connection_1
Data type	Real	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	DB_MachineConfig.SoftLimit_MaxX
Coding	IEEE754	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	mm
Multiplexing			
Multiplexing	Disabled	Index tag	

Soft Limit Z Min

General			
Name	Soft Limit Z Min	Connection	HMI_Connection_1

Totally Integrated Automation Portal			
--------------------------------------	--	--	--

Data type	Real	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	DB_MachineConfig.SoftLimit_MinZ
Coding	IEEE754	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	mm
Multiplexing			
Multiplexing	Disabled	Index tag	

Soft Limit Z Max

General			
Name	Soft Limit Z Max	Connection	HMI_Connection_1
Data type	Real	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	DB_MachineConfig.SoftLimit_MaxZ
Coding	IEEE754	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	mm Default speeds
Multiplexing			
Multiplexing	Disabled	Index tag	

Rapid Velocity

General			
Name	Rapid Velocity	Connection	HMI_Connection_1
Data type	Real	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	DB_MachineConfig.RapidVelocity
Coding	IEEE754	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	

Totally Integrated Automation Portal					
Linear scaling					
Linear scaling	Disabled		PLC value range end value	10	
PLC value range start value	0		HMI device value range end value	100	
HMI device value range start value	0				
Values					
ID tag			Start value		
Comment					
Comment			Source comment	mm/min for G0 (fast moves)	
Multiplexing					
Multiplexing	Disabled		Index tag		
Default Feedrate					
General					
Name	Default Feedrate		Connection	HMI_Connection_1	
Data type	Real		Array elements	0	
Length	4		Address		
Access mode	<symbolic access>		PLC tag	DB_MachineConfig.DefaultFeedrate	
Coding	IEEE754		PLC name	PLC_1	
Settings					
Acquisition cycle	1 s		Acquisition mode	Cyclic in operation	
Limits					
Upper 2			Lower 2		
Linear scaling					
Linear scaling	Disabled		PLC value range end value	10	
PLC value range start value	0		HMI device value range end value	100	
HMI device value range start value	0				
Values					
ID tag			Start value		
Comment					
Comment			Source comment	mm/min for G1 (cutting moves) Safe/home position	
Multiplexing					
Multiplexing	Disabled		Index tag		

Mode Selection [3]

Mode Switch

General			
Name	Mode Switch	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	DB_HMI.UseTextParser
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	TRUE = G-code text, FALSE = Recipe arrays
Multiplexing			
Multiplexing	Disabled	Index tag	

Recipe Selector

General			
Name	Recipe Selector	Connection	HMI_Connection_1
Data type	Int	Array elements	0
Length	2	Address	
Access mode	<symbolic access>	PLC tag	DB_HMI.ProductSelect
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	Which recipe: 1, 2, 3, 4, or 5 === SPEED CONTROL ===
Multiplexing			
Multiplexing	Disabled	Index tag	

Position Display [2]

X Position

General			
Name	X Position	Connection	HMI_Connection_1
Data type	Real	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	DB_HMI.ActualX
Coding	IEEE754	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	Current X position
Multiplexing			
Multiplexing	Disabled	Index tag	

Z Position

General			
Name	Z Position	Connection	HMI_Connection_1
Data type	Real	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	DB_HMI.ActualZ
Coding	IEEE754	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	Current Z position
Multiplexing			
Multiplexing	Disabled	Index tag	

Safety Status [3]

Safe to Run

General			
Name	Safe to Run	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	fbProcess.SafeToRun
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	All safety checks passed
Multiplexing			
Multiplexing	Disabled	Index tag	

E-Stop Status

General			
Name	E-Stop Status	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	fbProcess.fbSafetyMonitor.EStop_OK
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	TRUE = E-Stop NOT pressed
Multiplexing			
Multiplexing	Disabled	Index tag	

Door Status

General			
Name	Door Status	Connection	HMI_Connection_1

Totally Integrated Automation Portal					
Data type	Bool	Array elements	0		
Length	1	Address			
Access mode	<symbolic access>	PLC tag	fbProcess.fbSafetyMonitor.Door_Closed		
Coding	Binary	PLC name	PLC_1		
Settings					
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation		
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Disabled	PLC value range end value	10		
PLC value range start value	0	HMI device value range end value	100		
HMI device value range start value	0				
Values					
ID tag		Start value			
Comment					
Comment		Source comment	TRUE = Safety door closed		
Multiplexing					
Multiplexing	Disabled	Index tag			
</					

Totally Integrated Automation Portal		
--------------------------------------	--	--

Status Display [5]

Status Message

General			
Name	Status Message	Connection	HMI_Connection_1
Data type	String	Array elements	0
Length	50	Address	
Access mode	<symbolic access>	PLC tag	DB_HMI.StatusMsg
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	Text message for operator
Multiplexing			
Multiplexing	Disabled	Index tag	

Current Line

General			
Name	Current Line	Connection	HMI_Connection_1
Data type	Int	Array elements	0
Length	2	Address	
Access mode	<symbolic access>	PLC tag	DB_HMI.CurrentLine
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	Which line/step we're on
Multiplexing			
Multiplexing	Disabled	Index tag	

Current Tool

General			
Name	Current Tool	Connection	HMI_Connection_1

--	--	--

Totally Integrated Automation Portal			
--------------------------------------	--	--	--

Data type	Int	Array elements	0
Length	2	Address	
Access mode	<symbolic access>	PLC tag	DB_HMI.CurrentTool
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	Active tool number (1-4)
Multiplexing			
Multiplexing	Disabled	Index tag	

Active Feedrate

General			
Name	Active Feedrate	Connection	HMI_Connection_1
Data type	Real	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	DB_HMI.FeedrateActive
Coding	IEEE754	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	Actual feedrate being used
Multiplexing			
Multiplexing	Disabled	Index tag	

Error Code

General			
Name	Error Code	Connection	HMI_Connection_1
Data type	Word	Array elements	0
Length	2	Address	
Access mode	<symbolic access>	PLC tag	DB_HMI.ErrorID
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	

Totally Integrated Automation Portal		
Linear scaling		
Linear scaling	Disabled	PLC value range end value 10
PLC value range start value	0	HMI device value range end value 100
HMI device value range start value	0	
Values		
ID tag		Start value
Comment		
Comment		Source comment Error code (0 = no error)
Multiplexing		
Multiplexing	Disabled	Index tag

Status Lamp [3]

Running Lamp

General			
Name	Running Lamp	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	DB_HMI.IsRunning
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	Machine is running
Multiplexing			
Multiplexing	Disabled	Index tag	

Paused Lamp

General			
Name	Paused Lamp	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	DB_HMI.IsPaused
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	Machine is paused
Multiplexing			
Multiplexing	Disabled	Index tag	

Error Lamp

General			
Name	Error Lamp	Connection	HMI_Connection_1

Totally Integrated Automation Portal					
Data type	Word	Array elements	0		
Length	2	Address			
Access mode	<symbolic access>	PLC tag	DB_HMI.ErrorID		
Coding	Binary	PLC name	PLC_1		
Settings					
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation		
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Disabled	PLC value range end value	10		
PLC value range start value	0	HMI device value range end value	100		
HMI device value range start value	0				
Values					
ID tag		Start value			
Comment					
Comment		Source comment	Error code (0 = no error)		
Multiplexing					
Multiplexing	Disabled	Index tag			

Tool Config [6]

Tool Change X

General			
Name	Tool Change X	Connection	HMI_Connection_1
Data type	Real	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	DB_ToolConfig.ToolChangePos_X
Coding	IEEE754	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	mm - adjust for your machine!
Multiplexing			
Multiplexing	Disabled	Index tag	

Tool Change Z

General			
Name	Tool Change Z	Connection	HMI_Connection_1
Data type	Real	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	DB_ToolConfig.ToolChangePos_Z
Coding	IEEE754	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	mm - adjust for your machine! How many tools do you have?
Multiplexing			
Multiplexing	Disabled	Index tag	

Totally Integrated Automation Portal					
--------------------------------------	--	--	--	--	--

Tool Position 1

General			
Name	Tool Position 1	Connection	HMI_Connection_1
Data type	Real	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	DB_ToolConfig.Tool1_Position
Coding	IEEE754	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

Tool Position 2

General			
Name	Tool Position 2	Connection	HMI_Connection_1
Data type	Real	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	DB_ToolConfig.Tool2_Position
Coding	IEEE754	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

Tool Position 3

General			
Name	Tool Position 3	Connection	HMI_Connection_1
Data type	Real	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	DB_ToolConfig.Tool3_Position
Coding	IEEE754	PLC name	PLC_1

--	--	--	--	--	--

Totally Integrated Automation Portal					
Settings					
Acquisition cycle		1 s	Acquisition mode		Cyclic in operation
Limits					
Upper 2			Lower 2		
Linear scaling					
Linear scaling		Disabled	PLC value range end value		10
PLC value range start value		0	HMI device value range end value		100
HMI device value range start value		0			
Values					
ID tag			Start value		
Comment					
Comment			Source comment		
Multiplexing					
Multiplexing		Disabled	Index tag		
Tool Position 4					
General					
Name		Tool Position 4	Connection		HMI_Connection_1
Data type		Real	Array elements		0
Length		4	Address		
Access mode		<symbolic access>	PLC tag		DB_ToolConfig.Tool4_Position
Coding		IEEE754	PLC name		PLC_1
Settings					
Acquisition cycle		1 s	Acquisition mode		Cyclic in operation
Limits					
Upper 2			Lower 2		
Linear scaling					
Linear scaling		Disabled	PLC value range end value		10
PLC value range start value		0	HMI device value range end value		100
HMI device value range start value		0			
Values					
ID tag			Start value		
Comment					
Comment			Source comment		
Multiplexing					
Multiplexing		Disabled	Index tag		