

WEEK 4 HOMEWORK

INSTRUCTIONS

- Every learner should submit his/her own homework solutions. However, you <u>are</u> allowed to
 discuss the homework with each other (in fact, I encourage you to form groups and/or use the
 forums) but everyone must submit his/her own solution; you may <u>not</u> copy someone else's
 solution.
- The homework will be peer-graded.
- The homework grading scale reflects the fact that the primary purpose of homework is learning:

Rating	Meaning	Point value (out of 100)
4	All correct (perhaps except a	100
	few details) with a deeper	
	solution than expected	
3	Most or all correct	90
2	Not correct, but a reasonable	75
	attempt	
1	Not correct, insufficient effort	50
0	Not submitted	0

Question 1

Describe a situation or problem from your job, everyday life, current events, etc., for which exponential smoothing would be appropriate. What data would you need? Would you expect the value of α (the first smoothing parameter) to be closer to 0 or 1, and why?

Question 2

Using the 20 years of daily high temperature data for Atlanta (July through October) from Homework 3 Question 3, build and use an exponential smoothing model to help make a judgment of whether the unofficial end of summer has gotten later over the 20 years. (Part of the point of this assignment is for you to think about how you might use exponential smoothing to answer this question.)

Note: in R, you can use either HoltWinters (simpler to use) or the smooth package's es function (harder to use, but more general). If you use es, the Holt-Winters model uses model="AAM" in the function call (the first and second constants are used "A"dditively, and the third (seasonality) is used "M"ultiplicatively; the documentation doesn't make that clear).