

547,000m E

548,000m E

549,000m E

550,000m E

551,000m E

552,000m E

553,000m E




Crone Geophysics & Exploration Ltd.
Line and Loop Location Map
Surface Fluxgate Pulse EM Survey

Nantou Exploration
Perkoa South Trend
Loop: LP-PK-04

Timebase: 300.0 ms
Survey Date: May 30 - June 08, 2021

WGS 84 / UTM zone 30N

Scale 1:25,000



Legend


- Transmitter Loop
- Surface Line

Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line15600e
Loop: LP-PK-04
Z Component

Nantou Exploration
Perkoa South Trend
May 30, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line15600e
Loop: LP-PK-04
X Component

Nantou Exploration
Perkoa South Trend
May 30, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line15600e
Loop: LP-PK-04
Y Component

Nantou Exploration
Perkoa South Trend
May 30, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line15800e
Loop: LP-PK-04
Z Component

Nantou Exploration
Perkoa South Trend
June 01, 2021




Crone Geophysics & Exploration Ltd.

Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line15800e
Loop: LP-PK-04
X Component

Nantou Exploration
Perkoa South Trend
June 01, 2021




Crone Geophysics & Exploration Ltd.

Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line15800e
Loop: LP-PK-04
Y Component

Nantou Exploration
Perkoa South Trend
June 01, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16000e
Loop: LP-PK-04
Z Component

Nantou Exploration
Perkoa South Trend
June 02, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16000e
Loop: LP-PK-04
X Component

Nantou Exploration
Perkoa South Trend
June 02, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16000e
Loop: LP-PK-04
Y Component

Nantou Exploration
Perkoa South Trend
June 02, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16200e
Loop: LP-PK-04
Z Component

Nantou Exploration
Perkoa South Trend
June 02, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16200e
Loop: LP-PK-04
X Component

Nantou Exploration
Perkoa South Trend
June 02, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16200e
Loop: LP-PK-04
Y Component

Nantou Exploration
Perkoa South Trend
June 02, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16400e
Loop: LP-PK-04
Z Component

Nantou Exploration
Perkoa South Trend
June 04, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16400e
Loop: LP-PK-04
X Component

Nantou Exploration
Perkoa South Trend
June 04, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16400e
Loop: LP-PK-04
Y Component

Nantou Exploration
Perkoa South Trend
June 04, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16600e
Loop: LP-PK-04
Z Component

Nantou Exploration
Perkoa South Trend
June 04, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16600e
Loop: LP-PK-04
X Component

Nantou Exploration
Perkoa South Trend
June 04, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16600e
Loop: LP-PK-04
Y Component

Nantou Exploration
Perkoa South Trend
June 04, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16800e
Loop: LP-PK-04
Z Component

Nantou Exploration
Perkoa South Trend
June 07, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16800e
Loop: LP-PK-04
X Component

Nantou Exploration
Perkoa South Trend
June 07, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16800e
Loop: LP-PK-04
Y Component

Nantou Exploration
Perkoa South Trend
June 07, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line17000e
Loop: LP-PK-04
Z Component

Nantou Exploration
Perkoa South Trend
June 07, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line17000e
Loop: LP-PK-04
X Component

Nantou Exploration
Perkoa South Trend
June 07, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line17000e
Loop: LP-PK-04
Y Component

Nantou Exploration
Perkoa South Trend
June 07, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line17200e
Loop: LP-PK-04
Z Component

Nantou Exploration
Perkoa South Trend
June 08, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line17200e
Loop: LP-PK-04
X Component

Nantou Exploration
Perkoa South Trend
June 08, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line17200e
Loop: LP-PK-04
Y Component

Nantou Exploration
Perkoa South Trend
June 08, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line15600e
Loop: LP-PK-04
Z Component

Nantou Exploration
Perkoa South Trend
May 30, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line15600e
Loop: LP-PK-04
X Component

Nantou Exploration
Perkoa South Trend
May 30, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line15600e
Loop: LP-PK-04
Y Component

Nantou Exploration
Perkoa South Trend
May 30, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line15800e
Loop: LP-PK-04
Z Component

Nantou Exploration
Perkoa South Trend
June 01, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line15800e
Loop: LP-PK-04
X Component

Nantou Exploration
Perkoa South Trend
June 01, 2021




Crone Geophysics & Exploration Ltd.

Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line15800e
Loop: LP-PK-04
Y Component

Nantou Exploration
Perkoa South Trend
June 01, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16000e
Loop: LP-PK-04
Z Component

Nantou Exploration
Perkoa South Trend
June 02, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16000e
Loop: LP-PK-04
X Component

Nantou Exploration
Perkoa South Trend
June 02, 2021




Crone Geophysics & Exploration Ltd.

Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16000e
Loop: LP-PK-04
Y Component

Nantou Exploration
Perkoa South Trend
June 02, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16200e
Loop: LP-PK-04
Z Component

Nantou Exploration
Perkoa South Trend
June 02, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16200e
Loop: LP-PK-04
X Component

Nantou Exploration
Perkoa South Trend
June 02, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16200e
Loop: LP-PK-04
Y Component

Nantou Exploration
Perkoa South Trend
June 02, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16400e
Loop: LP-PK-04
Z Component

Nantou Exploration
Perkoa South Trend
June 04, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16400e
Loop: LP-PK-04
X Component

Nantou Exploration
Perkoa South Trend
June 04, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16400e
Loop: LP-PK-04
Y Component

Nantou Exploration
Perkoa South Trend
June 04, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16600e
Loop: LP-PK-04
Z Component

Nantou Exploration
Perkoa South Trend
June 04, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.

Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16600e
Loop: LP-PK-04
X Component

Nantou Exploration
Perkoa South Trend
June 04, 2021




Crone Geophysics & Exploration Ltd.

Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16600e
Loop: LP-PK-04
Y Component

Nantou Exploration
Perkoa South Trend
June 04, 2021



Crone Geophysics & Exploration Ltd.


Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16800e
Loop: LP-PK-04
Z Component

Nantou Exploration
Perkoa South Trend
June 07, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.

Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16800e
Loop: LP-PK-04
X Component

Nantou Exploration
Perkoa South Trend
June 07, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16800e
Loop: LP-PK-04
Y Component

Nantou Exploration
Perkoa South Trend
June 07, 2021



Crone Geophysics & Exploration Ltd.


Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line17000e
Loop: LP-PK-04
Z Component

Nantou Exploration
Perkoa South Trend
June 07, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line17000e
Loop: LP-PK-04
X Component

Nantou Exploration
Perkoa South Trend
June 07, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line17000e
Loop: LP-PK-04
Y Component

Nantou Exploration
Perkoa South Trend
June 07, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line17200e
Loop: LP-PK-04
Z Component

Nantou Exploration
Perkoa South Trend
June 08, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line17200e
Loop: LP-PK-04
X Component

Nantou Exploration
Perkoa South Trend
June 08, 2021




Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line17200e
Loop: LP-PK-04
Y Component

Nantou Exploration
Perkoa South Trend
June 08, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line15600e
Loop: LP-PK-04
Z Component

Nantou Exploration
Perkoa South Trend
May 30, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A


Line: line15600e
Loop: LP-PK-04
X Component

Nantou Exploration
Perkoa South Trend
May 30, 2021


TP = Theoretical Primary
PP = Calculated PP x Ramp
S1 = Calculated Step Ch.1




Deviation from TP
(% Total Theoretical)



Step Channels 2 - 4
Deviation from S1
(% Total Theoretical)



Pulse EM Off-time
Channels 24 - 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A


Line: line15600e
Loop: LP-PK-04
Y Component

Nantou Exploration
Perkoa South Trend
May 30, 2021


TP = Theoretical Primary
PP = Calculated PP x Ramp
S1 = Calculated Step Ch.1




Deviation from TP
(% Total Theoretical)



Step Channels 2 - 4
Deviation from S1
(% Total Theoretical)



Pulse EM Off-time
Channels 24 - 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line15800e
Loop: LP-PK-04
Z Component

Nantou Exploration
Perkoa South Trend
June 01, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line15800e
Loop: LP-PK-04
X Component

Nantou Exploration
Perkoa South Trend
June 01, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A


Line: line15800e
Loop: LP-PK-04
Y Component

Nantou Exploration
Perkoa South Trend
June 01, 2021


TP = Theoretical Primary
PP = Calculated PP x Ramp
S1 = Calculated Step Ch.1




Deviation from TP
(% Total Theoretical)



Step Channels 2 - 4
Deviation from S1
(% Total Theoretical)



Pulse EM Off-time
Channels 24 - 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16000e
Loop: LP-PK-04
Z Component

Nantou Exploration
Perkoa South Trend
June 02, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16000e
Loop: LP-PK-04
X Component

Nantou Exploration
Perkoa South Trend
June 02, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A


Line: line16000e
Loop: LP-PK-04
Y Component

Nantou Exploration
Perkoa South Trend
June 02, 2021


TP = Theoretical Primary
PP = Calculated PP x Ramp
S1 = Calculated Step Ch.1




Deviation from TP
(% Total Theoretical)



Step Channels 2 - 4
Deviation from S1
(% Total Theoretical)



Pulse EM Off-time
Channels 24 - 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16200e
Loop: LP-PK-04
Z Component

Nantou Exploration
Perkoa South Trend
June 02, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16200e
Loop: LP-PK-04
X Component

Nantou Exploration
Perkoa South Trend
June 02, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16200e
Loop: LP-PK-04
Y Component

Nantou Exploration
Perkoa South Trend
June 02, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16400e
Loop: LP-PK-04
Z Component

Nantou Exploration
Perkoa South Trend
June 04, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16400e
Loop: LP-PK-04
X Component

Nantou Exploration
Perkoa South Trend
June 04, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A


Line: line16400e
Loop: LP-PK-04
Y Component

Nantou Exploration
Perkoa South Trend
June 04, 2021


TP = Theoretical Primary
PP = Calculated PP x Ramp
S1 = Calculated Step Ch.1




Deviation from TP
(% Total Theoretical)



Step Channels 2 - 4
Deviation from S1
(% Total Theoretical)



Pulse EM Off-time
Channels 24 - 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16600e
Loop: LP-PK-04
Z Component

Nantou Exploration
Perkoa South Trend
June 04, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16600e
Loop: LP-PK-04
X Component

Nantou Exploration
Perkoa South Trend
June 04, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16600e
Loop: LP-PK-04
Y Component

Nantou Exploration
Perkoa South Trend
June 04, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16800e
Loop: LP-PK-04
Z Component

Nantou Exploration
Perkoa South Trend
June 07, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16800e
Loop: LP-PK-04
X Component

Nantou Exploration
Perkoa South Trend
June 07, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line16800e
Loop: LP-PK-04
Y Component

Nantou Exploration
Perkoa South Trend
June 07, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line17000e
Loop: LP-PK-04
Z Component

Nantou Exploration
Perkoa South Trend
June 07, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line17000e
Loop: LP-PK-04
X Component

Nantou Exploration
Perkoa South Trend
June 07, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A


Line: line17000e
Loop: LP-PK-04
Y Component

Nantou Exploration
Perkoa South Trend
June 07, 2021


TP = Theoretical Primary
PP = Calculated PP x Ramp
S1 = Calculated Step Ch.1




Deviation from TP
(% Total Theoretical)



Step Channels 2 - 4
Deviation from S1
(% Total Theoretical)



Pulse EM Off-time
Channels 24 - 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line17200e
Loop: LP-PK-04
Z Component

Nantou Exploration
Perkoa South Trend
June 08, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line17200e
Loop: LP-PK-04
X Component

Nantou Exploration
Perkoa South Trend
June 08, 2021



Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: line17200e
Loop: LP-PK-04
Y Component

Nantou Exploration
Perkoa South Trend
June 08, 2021

