


Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 18800E
Loop: LP-PK-05
Z Component

Sanguie Exploration
Perkoa South Trend
August 25, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 18800E
Loop: LP-PK-05
X Component

Sanguie Exploration
Perkoa South Trend
August 25, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 18800E
Loop: LP-PK-05
Y Component

Sanguie Exploration
Perkoa South Trend
August 25, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19000E
Loop: LP-PK-05
Z Component

Sanguie Exploration
Perkoa South Trend
August 24, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19000E
Loop: LP-PK-05
X Component

Sanguie Exploration
Perkoa South Trend
August 24, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19000E
Loop: LP-PK-05
Y Component

Sanguie Exploration
Perkoa South Trend
August 24, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19200E
Loop: LP-PK-05
Z Component

Sanguie Exploration
Perkoa South Trend
August 24, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19200E
Loop: LP-PK-05
X Component

Sanguie Exploration
Perkoa South Trend
August 24, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19200E
Loop: LP-PK-05
Y Component

Sanguie Exploration
Perkoa South Trend
August 24, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19400E
Loop: LP-PK-05
Z Component

Sanguie Exploration
Perkoa South Trend
August 20, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19400E
Loop: LP-PK-05
X Component

Sanguie Exploration
Perkoa South Trend
August 20, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19400E
Loop: LP-PK-05
Y Component

Sanguie Exploration
Perkoa South Trend
August 20, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19600E
Loop: LP-PK-05
Z Component

Sanguie Exploration
Perkoa South Trend
August 20, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19600E
Loop: LP-PK-05
X Component

Sanguie Exploration
Perkoa South Trend
August 20, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19600E
Loop: LP-PK-05
Y Component

Sanguie Exploration
Perkoa South Trend
August 20, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19800E
Loop: LP-PK-05
Z Component

Sanguie Exploration
Perkoa South Trend
August 18, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19800E
Loop: LP-PK-05
X Component

Sanguie Exploration
Perkoa South Trend
August 18, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19800E
Loop: LP-PK-05
Y Component

Sanguie Exploration
Perkoa South Trend
August 18, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 20000E
Loop: LP-PK-05
Z Component

Sanguie Exploration
Perkoa South Trend
August 18, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 20000E
Loop: LP-PK-05
X Component

Sanguie Exploration
Perkoa South Trend
August 18, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 20000E
Loop: LP-PK-05
Y Component

Sanguie Exploration
Perkoa South Trend
August 18, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 20200E
Loop: LP-PK-05
Z Component

Sanguie Exploration
Perkoa South Trend
August 16, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 20200E
Loop: LP-PK-05
X Component

Sanguie Exploration
Perkoa South Trend
August 16, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 20200E
Loop: LP-PK-05
Y Component

Sanguie Exploration
Perkoa South Trend
August 16, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 20400E
Loop: LP-PK-05
Z Component

Sanguie Exploration
Perkoa South Trend
August 16, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 20400E
Loop: LP-PK-05
X Component

Sanguie Exploration
Perkoa South Trend
August 16, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 20400E
Loop: LP-PK-05
Y Component

Sanguie Exploration
Perkoa South Trend
August 16, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 18800E
Loop: LP-PK-05
Z Component

Sanguie Exploration
Perkoa South Trend
August 25, 2021

Primary Pulse to Channel 31
(pT)




Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 18800E
Loop: LP-PK-05
X Component

Sanguie Exploration
Perkoa South Trend
August 25, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 18800E
Loop: LP-PK-05
Y Component

Sanguie Exploration
Perkoa South Trend
August 25, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19000E
Loop: LP-PK-05
Z Component

Sanguie Exploration
Perkoa South Trend
August 24, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19000E
Loop: LP-PK-05
X Component

Sanguie Exploration
Perkoa South Trend
August 24, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19000E
Loop: LP-PK-05
Y Component

Sanguie Exploration
Perkoa South Trend
August 24, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19200E
Loop: LP-PK-05
Z Component

Sanguie Exploration
Perkoa South Trend
August 24, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19200E
Loop: LP-PK-05
X Component

Sanguie Exploration
Perkoa South Trend
August 24, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19200E
Loop: LP-PK-05
Y Component

Sanguie Exploration
Perkoa South Trend
August 24, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19400E
Loop: LP-PK-05
Z Component

Sanguie Exploration
Perkoa South Trend
August 20, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19400E
Loop: LP-PK-05
X Component

Sanguie Exploration
Perkoa South Trend
August 20, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19400E
Loop: LP-PK-05
Y Component

Sanguie Exploration
Perkoa South Trend
August 20, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19600E
Loop: LP-PK-05
Z Component

Sanguie Exploration
Perkoa South Trend
August 20, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19600E
Loop: LP-PK-05
X Component

Sanguie Exploration
Perkoa South Trend
August 20, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19600E
Loop: LP-PK-05
Y Component

Sanguie Exploration
Perkoa South Trend
August 20, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19800E
Loop: LP-PK-05
Z Component

Sanguie Exploration
Perkoa South Trend
August 18, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19800E
Loop: LP-PK-05
X Component

Sanguie Exploration
Perkoa South Trend
August 18, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19800E
Loop: LP-PK-05
Y Component

Sanguie Exploration
Perkoa South Trend
August 18, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 20000E
Loop: LP-PK-05
Z Component

Sanguie Exploration
Perkoa South Trend
August 18, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A


Line: 20000E
Loop: LP-PK-05
X Component

Sanguie Exploration
Perkoa South Trend
August 18, 2021

Primary Pulse to Channel 31
(pT)



Sanguie Exploration
Perkoa South Trend
August 18, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 20200E
Loop: LP-PK-05
Z Component

Sanguie Exploration
Perkoa South Trend
August 16, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 20200E
Loop: LP-PK-05
X Component

Sanguie Exploration
Perkoa South Trend
August 16, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 20200E
Loop: LP-PK-05
Y Component

Sanguie Exploration
Perkoa South Trend
August 16, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 20400E
Loop: LP-PK-05
Z Component

Sanguie Exploration
Perkoa South Trend
August 16, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 20400E
Loop: LP-PK-05
X Component

Sanguie Exploration
Perkoa South Trend
August 16, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 20400E
Loop: LP-PK-05
Y Component

Sanguie Exploration
Perkoa South Trend
August 16, 2021

Primary Pulse to Channel 31
(pT)




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 18800E
Loop: LP-PK-05
Z Component

Sanguie Exploration
Perkoa South Trend
August 25, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 18800E
Loop: LP-PK-05
X Component

Sanguie Exploration
Perkoa South Trend
August 25, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 18800E
Loop: LP-PK-05
Y Component

Sanguie Exploration
Perkoa South Trend
August 25, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19000E
Loop: LP-PK-05
Z Component

Sanguie Exploration
Perkoa South Trend
August 24, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19000E
Loop: LP-PK-05
X Component

Sanguie Exploration
Perkoa South Trend
August 24, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19000E
Loop: LP-PK-05
Y Component

Sanguie Exploration
Perkoa South Trend
August 24, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19200E
Loop: LP-PK-05
Z Component

Sanguie Exploration
Perkoa South Trend
August 24, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19200E
Loop: LP-PK-05
X Component

Sanguie Exploration
Perkoa South Trend
August 24, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19200E
Loop: LP-PK-05
Y Component

Sanguie Exploration
Perkoa South Trend
August 24, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19400E
Loop: LP-PK-05
Z Component

Sanguie Exploration
Perkoa South Trend
August 20, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19400E
Loop: LP-PK-05
X Component

Sanguie Exploration
Perkoa South Trend
August 20, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19400E
Loop: LP-PK-05
Y Component

Sanguie Exploration
Perkoa South Trend
August 20, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19600E
Loop: LP-PK-05
Z Component

Sanguie Exploration
Perkoa South Trend
August 20, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19600E
Loop: LP-PK-05
X Component

Sanguie Exploration
Perkoa South Trend
August 20, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19600E
Loop: LP-PK-05
Y Component

Sanguie Exploration
Perkoa South Trend
August 20, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19800E
Loop: LP-PK-05
Z Component

Sanguie Exploration
Perkoa South Trend
August 18, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19800E
Loop: LP-PK-05
X Component

Sanguie Exploration
Perkoa South Trend
August 18, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 19800E
Loop: LP-PK-05
Y Component

Sanguie Exploration
Perkoa South Trend
August 18, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 20000E
Loop: LP-PK-05
Z Component

Sanguie Exploration
Perkoa South Trend
August 18, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 20000E
Loop: LP-PK-05
X Component

Sanguie Exploration
Perkoa South Trend
August 18, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 20000E
Loop: LP-PK-05
Y Component

Sanguie Exploration
Perkoa South Trend
August 18, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 20200E
Loop: LP-PK-05
Z Component

Sanguie Exploration
Perkoa South Trend
August 16, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 20200E
Loop: LP-PK-05
X Component

Sanguie Exploration
Perkoa South Trend
August 16, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 20200E
Loop: LP-PK-05
Y Component

Sanguie Exploration
Perkoa South Trend
August 16, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 20400E
Loop: LP-PK-05
Z Component

Sanguie Exploration
Perkoa South Trend
August 16, 2021




Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 20400E
Loop: LP-PK-05
X Component

Sanguie Exploration
Perkoa South Trend
August 16, 2021



Crone Geophysics & Exploration Ltd.
Surface Fluxgate Pulse EM Survey

Timebase: 300.00 ms
Base Frequency: 0.83 Hz
Current: 10.0 A

Line: 20400E
Loop: LP-PK-05
Y Component

Sanguie Exploration
Perkoa South Trend
August 16, 2021

