


Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10200E  
Loop: LP-PK21-01  
Z Component

Nantou Exploration  
Perkoa South Trend  
February 13, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10200E  
Loop: LP-PK21-01  
X Component

Nantou Exploration  
Perkoa South Trend  
February 13, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10200E  
Loop: LP-PK21-01  
Y Component

Nantou Exploration  
Perkoa South Trend  
February 13, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10400E  
Loop: LP-PK21-01  
Z Component

Nantou Exploration  
Perkoa South Trend  
February 20, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10400E  
Loop: LP-PK21-01  
X Component

Nantou Exploration  
Perkoa South Trend  
February 20, 2021




# Crone Geophysics & Exploration Ltd.

## Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10400E  
Loop: LP-PK21-01  
Y Component

Nantou Exploration  
Perkoa South Trend  
February 20, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10600E  
Loop: LP-PK21-01  
Z Component

Nantou Exploration  
Perkoa South Trend  
February 25, 2021






Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10600E  
Loop: LP-PK21-01  
X Component

Nantou Exploration  
Perkoa South Trend  
February 25, 2021




# Crone Geophysics & Exploration Ltd.

## Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10600E  
Loop: LP-PK21-01  
Y Component

Nantou Exploration  
Perkoa South Trend  
February 25, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10800E  
Loop: LP-PK21-01  
Z Component

Nantou Exploration  
Perkoa South Trend  
March 10, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10800E  
Loop: LP-PK21-01  
X Component

Nantou Exploration  
Perkoa South Trend  
March 10, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10800E  
Loop: LP-PK21-01  
Y Component

Nantou Exploration  
Perkoa South Trend  
March 10, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11000E  
Loop: LP-PK21-01  
Z Component

Nantou Exploration  
Perkoa South Trend  
March 13, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11000E  
Loop: LP-PK21-01  
X Component

Nantou Exploration  
Perkoa South Trend  
March 13, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11000E  
Loop: LP-PK21-01  
Y Component

Nantou Exploration  
Perkoa South Trend  
March 13, 2021






Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11200E  
Loop: LP-PK21-01  
Z Component

Nantou Exploration  
Perkoa South Trend  
March 13, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11200E  
Loop: LP-PK21-01  
X Component

Nantou Exploration  
Perkoa South Trend  
March 13, 2021




# Crone Geophysics & Exploration Ltd.

## Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11200E  
Loop: LP-PK21-01  
Y Component

Nantou Exploration  
Perkoa South Trend  
March 13, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11400E  
Loop: LP-PK21-01  
Z Component

Nantou Exploration  
Perkoa South Trend  
March 19, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11400E  
Loop: LP-PK21-01  
X Component

Nantou Exploration  
Perkoa South Trend  
March 19, 2021




# Crone Geophysics & Exploration Ltd.

## Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11400E  
Loop: LP-PK21-01  
Y Component

Nantou Exploration  
Perkoa South Trend  
March 19, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11600E  
Loop: LP-PK21-01  
Z Component

Nantou Exploration  
Perkoa South Trend  
March 19, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11600E  
Loop: LP-PK21-01  
X Component

Nantou Exploration  
Perkoa South Trend  
March 19, 2021






Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11600E  
Loop: LP-PK21-01  
Y Component

Nantou Exploration  
Perkoa South Trend  
March 19, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11800E  
Loop: LP-PK21-01  
Z Component

Nantou Exploration  
Perkoa South Trend  
April 10, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11800E  
Loop: LP-PK21-01  
X Component

Nantou Exploration  
Perkoa South Trend  
April 10, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11800E  
Loop: LP-PK21-01  
Y Component

Nantou Exploration  
Perkoa South Trend  
April 10, 2021



## Surface Induction Pulse EM Survey

Current: 9.0 A

### Z Component

February 13, 2021






Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10200E  
Loop: LP-PK21-01  
Y Component

Nantou Exploration  
Perkoa South Trend  
February 13, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10400E  
Loop: LP-PK21-01  
Z Component

Nantou Exploration  
Perkoa South Trend  
February 20, 2021

Primary Pulse to Channel 31  
(nT/s)






Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10400E  
Loop: LP-PK21-01  
X Component

Nantou Exploration  
Perkoa South Trend  
February 20, 2021




# Crone Geophysics & Exploration Ltd.

Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10400E  
Loop: LP-PK21-01  
Y Component

Nantou Exploration  
Perkoa South Trend  
February 20, 2021



## Surface Induction Pulse EM Survey

Current: 9.0 A

Z Component

February 25, 2021



Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10600E  
Loop: LP-PK21-01  
X Component

Nantou Exploration  
Perkoa South Trend  
February 25, 2021

Primary Pulse to Channel 31  
(nT/s)

100000  
10000  
1000  
100  
10  
0  
-10  
-100  
-1000  
-10000

250

500


750

1000

1250


1500

1750



Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Nantou Exploration  
Perkoa South Trend  
February 25, 2021




## Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10800E  
Loop: LP-PK21-01  
Z Component

Nantou Exploration  
Perkoa South Trend  
March 10, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10800E  
Loop: LP-PK21-01  
X Component

Nantou Exploration  
Perkoa South Trend  
March 10, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10800E  
Loop: LP-PK21-01  
Y Component

Nantou Exploration  
Perkoa South Trend  
March 10, 2021






Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11000E  
Loop: LP-PK21-01  
Z Component

Nantou Exploration  
Perkoa South Trend  
March 13, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11000E  
Loop: LP-PK21-01  
X Component

Nantou Exploration  
Perkoa South Trend  
March 13, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11000E  
Loop: LP-PK21-01  
Y Component

Nantou Exploration  
Perkoa South Trend  
March 13, 2021




## Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11200E  
Loop: LP-PK21-01  
Z Component

Nantou Exploration  
Perkoa South Trend  
March 13, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11200E  
Loop: LP-PK21-01  
X Component

Nantou Exploration  
Perkoa South Trend  
March 13, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11200E  
Loop: LP-PK21-01  
Y Component

Nantou Exploration  
Perkoa South Trend  
March 13, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11400E  
Loop: LP-PK21-01  
Z Component

Nantou Exploration  
Perkoa South Trend  
March 19, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11400E  
Loop: LP-PK21-01  
X Component

Nantou Exploration  
Perkoa South Trend  
March 19, 2021






Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11400E  
Loop: LP-PK21-01  
Y Component

Nantou Exploration  
Perkoa South Trend  
March 19, 2021

Primary Pulse to Channel 31  
(nT/s)




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11600E  
Loop: LP-PK21-01  
Z Component

Nantou Exploration  
Perkoa South Trend  
March 19, 2021

Primary Pulse to Channel 31  
(nT/s)




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11600E  
Loop: LP-PK21-01  
X Component

Nantou Exploration  
Perkoa South Trend  
March 19, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11600E  
Loop: LP-PK21-01  
Y Component

Nantou Exploration  
Perkoa South Trend  
March 19, 2021




## Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11800E  
Loop: LP-PK21-01  
Z Component

Nantou Exploration  
Perkoa South Trend  
April 10, 2021



Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey


Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11800E  
Loop: LP-PK21-01  
X Component

Nantou Exploration  
Perkoa South Trend  
April 10, 2021

Primary Pulse to Channel 31  
(nT/s)

100000  
10000  
1000  
100  
10  
0  
-10  
-100  
-1000  
-10000




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11800E  
Loop: LP-PK21-01  
Y Component

Nantou Exploration  
Perkoa South Trend  
April 10, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10200E  
Loop: LP-PK21-01  
Z Component

Nantou Exploration  
Perkoa South Trend  
February 13, 2021






Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10200E  
Loop: LP-PK21-01  
X Component

Nantou Exploration  
Perkoa South Trend  
February 13, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10200E  
Loop: LP-PK21-01  
Y Component

Nantou Exploration  
Perkoa South Trend  
February 13, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10400E  
Loop: LP-PK21-01  
Z Component

Nantou Exploration  
Perkoa South Trend  
February 20, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10400E  
Loop: LP-PK21-01  
X Component

Nantou Exploration  
Perkoa South Trend  
February 20, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10400E  
Loop: LP-PK21-01  
Y Component

Nantou Exploration  
Perkoa South Trend  
February 20, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10600E  
Loop: LP-PK21-01  
Z Component

Nantou Exploration  
Perkoa South Trend  
February 25, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A


Line: 10600E  
Loop: LP-PK21-01  
X Component

Nantou Exploration  
Perkoa South Trend  
February 25, 2021


TP = Theoretical Primary  
PP = Last Ramp Channel  
S1 = Calculated Step Ch.1




Deviation from TP  
(% Total Theoretical)



Step Channels 2 - 4  
Deviation from S1  
(% Total Theoretical)



Pulse EM Off-time  
Channels 24 - 31  
(nT/s)




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10600E  
Loop: LP-PK21-01  
Y Component

Nantou Exploration  
Perkoa South Trend  
February 25, 2021






Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10800E  
Loop: LP-PK21-01  
Z Component

Nantou Exploration  
Perkoa South Trend  
March 10, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10800E  
Loop: LP-PK21-01  
X Component

Nantou Exploration  
Perkoa South Trend  
March 10, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 10800E  
Loop: LP-PK21-01  
Y Component

Nantou Exploration  
Perkoa South Trend  
March 10, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11000E  
Loop: LP-PK21-01  
Z Component

Nantou Exploration  
Perkoa South Trend  
March 13, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11000E  
Loop: LP-PK21-01  
X Component

Nantou Exploration  
Perkoa South Trend  
March 13, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A


Line: 11000E  
Loop: LP-PK21-01  
Y Component

Nantou Exploration  
Perkoa South Trend  
March 13, 2021


TP = Theoretical Primary  
PP = Last Ramp Channel  
S1 = Calculated Step Ch.1




Deviation from TP  
(% Total Theoretical)



Step Channels 2 - 4  
Deviation from S1  
(% Total Theoretical)



Pulse EM Off-time  
Channels 24 - 31  
(nT/s)




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11200E  
Loop: LP-PK21-01  
Z Component

Nantou Exploration  
Perkoa South Trend  
March 13, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11200E  
Loop: LP-PK21-01  
X Component

Nantou Exploration  
Perkoa South Trend  
March 13, 2021






Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11200E  
Loop: LP-PK21-01  
Y Component

Nantou Exploration  
Perkoa South Trend  
March 13, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11400E  
Loop: LP-PK21-01  
Z Component

Nantou Exploration  
Perkoa South Trend  
March 19, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11400E  
Loop: LP-PK21-01  
X Component

Nantou Exploration  
Perkoa South Trend  
March 19, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11400E  
Loop: LP-PK21-01  
Y Component

Nantou Exploration  
Perkoa South Trend  
March 19, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11600E  
Loop: LP-PK21-01  
Z Component

Nantou Exploration  
Perkoa South Trend  
March 19, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11600E  
Loop: LP-PK21-01  
X Component

Nantou Exploration  
Perkoa South Trend  
March 19, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11600E  
Loop: LP-PK21-01  
Y Component

Nantou Exploration  
Perkoa South Trend  
March 19, 2021




Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11800E  
Loop: LP-PK21-01  
Z Component

Nantou Exploration  
Perkoa South Trend  
April 10, 2021






Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11800E  
Loop: LP-PK21-01  
X Component

Nantou Exploration  
Perkoa South Trend  
April 10, 2021



Crone Geophysics & Exploration Ltd.  
Surface Induction Pulse EM Survey

Timebase: 300.00 ms  
Base Frequency: 0.83 Hz  
Current: 9.0 A

Line: 11800E  
Loop: LP-PK21-01  
Y Component

Nantou Exploration  
Perkoa South Trend  
April 10, 2021

