



FEU INSTITUTE OF TECHNOLOGY

COLLEGE OF COMPUTER STUDIES AND MULTIMEDIA ARTS

CS0065

(INTELLIGENT SYSTEMS)

ACTIVITY

2

Uploading a KNIME Project to GitHub

Student Name:	Eric V. Tividad Jr.
Section:	AN 42
Professor:	Ms. Crisola Tan



STUDENT GUIDE

Uploading a KNIME Project to GitHub

Complete step by step instructions using Git Bash

Prepared for students submitting exported KNIME workflows

Final repository structure	Required contents
Project folder	Exported KNIME workflow file
README.md	Project description and instructions
Dataset	CSV file required by the workflow

CS0065 | Machine Learning Workflow Submission



Purpose and Expected Output

This guide explains how to prepare an exported KNIME workflow, place its supporting files in one project folder, document the project with a README file, and upload the complete project to a GitHub repository. After completing the procedure, students must verify that the workflow, dataset, and README are visible online and submit the repository link.

Before You Begin

Requirement	What students need
GitHub account	An account using the required institutional or approved email address
Git for Windows	Git Bash installed and available on the computer
KNIME workflow	An exported .knwf workflow file
Dataset	The CSV or other source file used by the workflow
Text editor	Notepad, Notepad++, or Visual Studio Code for README.md
Internet access	Required to authenticate and push files to GitHub

Important Terms

Term	Meaning
Repository	The project storage location on GitHub
Commit	A recorded version of the files with a short description
Push	Sending committed files from the computer to GitHub
Pull	Retrieving and combining changes already stored on GitHub
README.md	A Markdown text file that describes the project

Important: GitHub does not track empty folders. Every submitted project folder must contain its actual files.

Part 1 Prepare the Project Folder

1. Create a folder for the project. Use a clear name without unnecessary special characters. Example: DemoEarlyWarningTool.
2. Place the exported KNIME workflow in the folder. The filename should end in .knwf.
3. Place the dataset used by the workflow in the same folder. Example: student_performance_knime.csv.
4. Create README.md and place it in the same folder.

Recommended local structure:

```
DemoEarlyWarningTool/  
  DemoEarlyWarningTool.knwf
```



README.md
student_performance_knime.csv

Output:

Name	Date modified	Type	Size
.artifacts	09/17/2026 5:35 PM	File folder	
Column Filter (#2)	09/17/2026 5:35 PM	File folder	
CSV Reader (#1)	09/17/2026 5:35 PM	File folder	
Decision Tree Learner (#4)	09/17/2026 5:35 PM	File folder	
Decision Tree Predictor (#5)	09/17/2026 5:35 PM	File folder	
Logistic Regression Learner (#14)	09/17/2026 5:35 PM	File folder	
Logistic Regression Predictor (#7)	09/17/2026 5:35 PM	File folder	
Normalizer (#15)	09/17/2026 5:35 PM	File folder	
Random Forest Learner (#10)	09/17/2026 5:35 PM	File folder	
Random Forest Predictor (#11)	09/17/2026 5:35 PM	File folder	
Scorer (#9)	09/17/2026 5:35 PM	File folder	
Scorer (#12)	09/17/2026 5:35 PM	File folder	
Scorer (#13)	09/17/2026 5:35 PM	File folder	
Table Partitioner (#3)	09/17/2026 5:35 PM	File folder	
.knimeLock	09/17/2026 5:36 PM	KNIMELOCK File	0 KB
.savedWithData	09/17/2026 5:35 PM	SAVEDWITHDATA ...	1 KB
Activity 2_StudentWarningTool.knwf	09/17/2026 5:37 PM	KNIME Workflow F...	70 KB
README.md	09/17/2026 5:44 PM	MD File	0 KB
student_performance_knime.csv	09/10/2026 12:26 PM	Microsoft Excel Co...	1 KB
workflow.knime	09/17/2026 5:35 PM	KNIME File	18 KB
workflow.svg	09/17/2026 5:35 PM	Microsoft Edge HT...	101 KB
workflow-metadata.xml	09/17/2026 5:35 PM	Microsoft Edge HT...	1 KB
workflowset.meta	09/17/2026 5:35 PM	META File	1 KB

Part 2 Create README.md Using Notepad

- Open Notepad.
- Type or paste the project documentation.
- Select File, then Save As.
- Choose the project folder as the save location.
- Enter README.md in the File name box.
- Set Save as type to All files (*.*)
- Set Encoding to UTF-8, then select Save.

Check: The filename must be README.md, not README.md.txt. In File Explorer, enable View > Show > File name extensions if necessary.

Suggested README Content

```
# Asynchronous Activity 1: Student Early Warning Tool Using KNIME
```



This repository contains the required output for Asynchronous Activity 1. The project uses KNIME to predict student risk status from academic performance data.

Files

- `DemoEarlyWarningTool.knwf` - exported KNIME workflow
- `student\_performance\_knime.csv` - dataset used by the workflow

Algorithms

- Decision Tree
- Logistic Regression
- Random Forest

How to Run

1. Import the `.knwf` file into KNIME Analytics Platform.
2. Configure the CSV Reader and select the included dataset.
3. Execute all nodes.
4. Open the Scorer nodes to review the evaluation results.


Author

[Student name]

Course and Section

[Course and section]

Output:



README.md - Notepad
File Edit Format View Help
Asynchronous Activity 2 - Uploading a KNIME Project to GitHub

This repository contains the required output for Asynchronous Activity 2. The project uses KNIME to create a model for predicting student risk status from their academic performance data.

Algorithms used:

- Decision Tree
- Logistic Regression
- Random Forest

Significant Files:

- Activity 2_StudentWarningTool.knwf - exported KNIME model workflow
- student_performance_knime.csv - dataset used by the workflow

To Run:

1. Import the `.knwf` file into KNIME Analytics Platform.
2. Configure the CSV Reader and select the included dataset.
3. Execute all nodes.
4. Open the Scorer nodes to review the evaluation results.

Author
Eric V. Tividad Jr. @

Course and Section
CS0065 - Intelligent Systems | AN 42

Part 3 Create the GitHub Repository

12. Sign in to GitHub.
13. Select the plus (+) icon in the upper-right corner, then select New repository.
14. Enter the repository name required by your instructor. Follow the prescribed naming convention.
15. Add a short description, if required.
16. Choose the required visibility: Public or Private.
17. Select Create repository.

Record: Copy the repository URL. It normally follows this pattern:

<https://github.com/USERNAME/REPOSITORY-NAME.git>



Part 4 Open the Correct Folder in Git Bash

Open the project folder in File Explorer. Right-click an empty area and select Open Git Bash here. If that option is unavailable, open Git Bash and navigate using `cd`.

Paths With Spaces

Git Bash uses forward slashes. Place a path containing spaces inside quotation marks.

```
cd "/d/FEU ALABANG/COURSES/TERM 1 SY2026-2027/CS0065/MACHINE LEARNING  
ALGO/DemoEarlyWarningTool"
```

Confirm the current location and display the files:

```
pwd  
ls
```

Expected result: The `ls` command should display the `.knwf` file, `README.md`, and `dataset`.

Common Navigation Errors

Message	Cause	Correction
cd: too many arguments	The path contains spaces and was not quoted	Put the complete path inside double quotation marks
cd: No such file or directory	The folder name or path is incorrect	Run <code>ls</code> and use the exact folder name
command not found	A command was misspelled, such as <code>get</code> or <code>~git</code>	Type <code>git</code> exactly, without a tilde

Output:

```

MINGW64;/d/knime-workspace/Example Workflows/Activity 2_StudentWarningTool
ej@LAPTOP-EDI4MTS0 MINGW64 /d/knime-workspace/Example Workflows/Activity 2_StudentWarningTool
$ pwd
/d/knime-workspace/Example Workflows/Activity 2_StudentWarningTool
ej@LAPTOP-EDI4MTS0 MINGW64 /d/knime-workspace/Example Workflows/Activity 2_StudentWarningTool
$ ls
'Activity 2_StudentWarningTool.knwf'  'Random Forest Predictor (#11)'/
'CSV Reader (#1)'/                    'Scorer (#12)'/
'Column Filter (#2)'/                 'Scorer (#13)'/
'Decision Tree Learner (#4)'/          'Scorer (#9)'/
'Decision Tree Predictor (#5)'/        'Table Partitioner (#3)'/
'Logistic Regression Learner (#14)'/    student_performance_knime.csv
'Logistic Regression Predictor (#7)'/   workflow-metadata.xml
'Normalizer (#15)'/                   workflow.knime
README.md                             workflow.svg
'Random Forest Learner (#10)'/         workflowset.meta
ej@LAPTOP-EDI4MTS0 MINGW64 /d/knime-workspace/Example Workflows/Activity 2_StudentWarningTool
$ |

```



Part 5 Configure Git Identity

Perform this configuration once on the computer. Use the name and email associated with the student's GitHub account.

```
git config --global user.name "Student Name"
git config --global user.email "student@example.com"
```

Verify the saved values:

```
git config --global user.name
git config --global user.email
```

Important: The Git identity identifies the author of a commit. It does not grant permission to another person's repository.

Output:

```
ej@LAPTOP-EDI4MTSO MINGW64 /d/knime-workspace/Example Workflows/Activity 2_Stude
ntWarningTool
$ git config --global user.name "Eric-Tividad"

ej@LAPTOP-EDI4MTSO MINGW64 /d/knime-workspace/Example Workflows/Activity 2_Stude
ntWarningTool
$ git config --global user.email "evtividad@feualabang.edu.ph"

ej@LAPTOP-EDI4MTSO MINGW64 /d/knime-workspace/Example Workflows/Activity 2_Stude
ntWarningTool
$ git config --global user.name
Eric-Tividad

ej@LAPTOP-EDI4MTSO MINGW64 /d/knime-workspace/Example Workflows/Activity 2_Stude
ntWarningTool
$ git config --global user.email
evtividad@feualabang.edu.ph

ej@LAPTOP-EDI4MTSO MINGW64 /d/knime-workspace/Example Workflows/Activity 2_Stude
ntWarningTool
$ |
```



Part 6 Initialize and Commit the Project

18. Initialize the current project folder as a local Git repository.

```
git init
```

19. Rename the current branch to main.

```
git branch -M main
```

20. Check the repository status.

```
git status
```

21. Stage all files in the current project folder. The period means all current files and folders.

```
git add .
```

22. Check that the files appear under Changes to be committed.

```
git status
```

23. Create the first commit. Keep the complete message inside quotation marks.

```
git commit -m "Add KNIME workflow and project files"
```

**Output:**

```
MINGW64:/d/knime-workspace/Example Workflows/Activity 2_StudentWarningTool
ej@LAPTOP-EDI4MTS0 MINGW64 /d/knime-workspace/Example Workflows/Activity 2_StudentWarningTool
$ git init
Initialized empty Git repository in D:/knime-workspace/Example Workflows/Activity 2_StudentWarningTool/.git/

ej@LAPTOP-EDI4MTS0 MINGW64 /d/knime-workspace/Example Workflows/Activity 2_StudentWarningTool (master)
$ git branch -M main

ej@LAPTOP-EDI4MTS0 MINGW64 /d/knime-workspace/Example Workflows/Activity 2_StudentWarningTool (main)
$ git status
On branch main

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    .artifacts/
    .savedWithData
    Activity 2_StudentWarningTool.knwf
    CSV Reader (#1)/
    Column Filter (#2)/
    Decision Tree Learner (#4)/
    Decision Tree Predictor (#5)/
    Logistic Regression Learner (#14)/
    Logistic Regression Predictor (#7)/
    Normalizer (#15)/
    README.md
    Random Forest Learner (#10)/
    Random Forest Predictor (#11)/
    Scorer (#12)/
    Scorer (#13)/
    Scorer (#9)/
    Table Partitioner (#3)/
    student_performance_knime.csv
    workflow-metadata.xml
    workflow.knime
    workflow.svg
    workflowset.meta

nothing added to commit but untracked files present (use "git add" to track)

ej@LAPTOP-EDI4MTS0 MINGW64 /d/knime-workspace/Example Workflows/Activity 2_StudentWarningTool (main)
$ git add .
warning: in the working copy of '.artifacts/workflow-configuration-representation.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of '.artifacts/workflow-configuration.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'CSV Reader (#1)/port_1/data.xml', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'CSV Reader (#1)/port_1/r0/data.xml', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'CSV Reader (#1)/port_1/r0/r0/data.xml', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'CSV Reader (#1)/port_1/r0/r0/spec.xml', LF will
```



```

ej@LAPTOP-EDI4MTSO MINGW64 /d/knime-workspace/Example Workflows/Activity 2_Stude
ntWarningTool (main)
$ git commit -m "Add KNIME workflow and project files"
[main (root-commit) d1a49de] Add KNIME workflow and project files
98 files changed, 6012 insertions(+)
create mode 100644 .artifacts/workflow-configuration-representation.json
create mode 100644 .artifacts/workflow-configuration.json
create mode 100644 .savedWithData
create mode 100644 Activity 2_StudentWarningTool.knwf
create mode 100644 CSV Reader (#1)/port_1/data.xml
create mode 100644 CSV Reader (#1)/port_1/r0/data.xml
create mode 100644 CSV Reader (#1)/port_1/r0/r0/data.xml
create mode 100644 CSV Reader (#1)/port_1/r0/r0/data.zip
create mode 100644 CSV Reader (#1)/port_1/r0/r0/spec.xml
create mode 100644 CSV Reader (#1)/port_1/r0/spec.xml
create mode 100644 CSV Reader (#1)/port_1/spec.xml
create mode 100644 CSV Reader (#1)/settings.xml
create mode 100644 Column Filter (#2)/port_1/data.xml
create mode 100644 Column Filter (#2)/port_1/spec.xml
create mode 100644 Column Filter (#2)/settings.xml
create mode 100644 Decision Tree Learner (#4)/internal/TreeInternals.zip
create mode 100644 Decision Tree Learner (#4)/port_1/object/portobject.zip
create mode 100644 Decision Tree Learner (#4)/port_1/spec/spec.zip
create mode 100644 Decision Tree Learner (#4)/settings.xml
create mode 100644 Decision Tree Predictor (#5)/internal/DecTreeClassifier.bin
create mode 100644 Decision Tree Predictor (#5)/port_1/data.xml
create mode 100644 Decision Tree Predictor (#5)/port_1/data.zip
create mode 100644 Decision Tree Predictor (#5)/port_1/spec.xml
create mode 100644 Decision Tree Predictor (#5)/settings.xml
create mode 100644 Logistic Regression Learner (#14)/internal/model.xml.gz
create mode 100644 Logistic Regression Learner (#14)/port_1/object/portobject.z
ip
create mode 100644 Logistic Regression Learner (#14)/port_1/spec/spec.zip
create mode 100644 Logistic Regression Learner (#14)/port_2/data.xml
create mode 100644 Logistic Regression Learner (#14)/port_2/data.zip
create mode 100644 Logistic Regression Learner (#14)/port_2/spec.xml
create mode 100644 Logistic Regression Learner (#14)/port_3/data.xml
create mode 100644 Logistic Regression Learner (#14)/port_3/data.zip
create mode 100644 Logistic Regression Learner (#14)/port_3/spec.xml
create mode 100644 Logistic Regression Learner (#14)/settings.xml
create mode 100644 Logistic Regression Predictor (#7)/port_1/data.xml
create mode 100644 Logistic Regression Predictor (#7)/port_1/data.zip
create mode 100644 Logistic Regression Predictor (#7)/port_1/spec.xml
create mode 100644 Logistic Regression Predictor (#7)/settings.xml
create mode 100644 Normalizer (#15)/port_1/data.xml
create mode 100644 Normalizer (#15)/port_1/r0/data.xml
create mode 100644 Normalizer (#15)/port_1/r0/data.zip
create mode 100644 Normalizer (#15)/port_1/r0/spec.xml
create mode 100644 Normalizer (#15)/port_1/spec.xml
create mode 100644 Normalizer (#15)/port_2/object/portobject.zip
create mode 100644 Normalizer (#15)/port_2/spec/spec.zip
create mode 100644 Normalizer (#15)/settings.xml
create mode 100644 README.md
create mode 100644 Random Forest Learner (#10)/filestore/000/000/df2cbac0-b0a6-
447e-be34-3412c5627b6c
create mode 100644 Random Forest Learner (#10)/port_1/data.xml
create mode 100644 Random Forest Learner (#10)/port_1/data.zip

```



Part 7 Connect the GitHub Repository

Replace USERNAME and REPOSITORY-NAME with the actual GitHub values.

```
git remote add origin https://github.com/USERNAME/REPOSITORY-NAME.git
```

Verify the remote repository:

```
git remote -v
```

If origin already exists: Do not add it again. Verify it with `git remote -v`. If it is incorrect, ask the instructor before changing it.

Output:

```
ej@LAPTOP-EDI4MTS0 MINGW64 /d/knime-workspace/Example Workflows/Activity 2_Stude
ntWarningTool (main)
$ git remote add origin https://github.com/Eric-Tividad/Tividad-Eric-CS0065-AN42
.git
ej@LAPTOP-EDI4MTS0 MINGW64 /d/knime-workspace/Example Workflows/Activity 2_Stude
ntWarningTool (main)
$ git remote -v
origin https://github.com/Eric-Tividad/Tividad-Eric-CS0065-AN42.git (fetch)
origin https://github.com/Eric-Tividad/Tividad-Eric-CS0065-AN42.git (push)
ej@LAPTOP-EDI4MTS0 MINGW64 /d/knime-workspace/Example Workflows/Activity 2_Stude
ntWarningTool (main)
$ |
```

Part 8 Push the Project to GitHub

```
git push -u origin main
```

A browser may open for GitHub authentication. Sign in using the account that owns the repository or an account that has collaborator access. After a successful push, refresh the repository page on GitHub.

Output:

Pushing caused merge conflicts with the repo's README.md and the activity README.md as well. Been resolved. Pushing output is below.

Part 9 If the GitHub Repository Already Contains Files

A push may be rejected as non-fast-forward when the online repository already contains a README, notebook, or another commit. Retrieve and merge the online history first:

```
git pull origin main --allow-unrelated-histories --no-rebase --no-edit
```

If the pull completes without a conflict, push again:

```
git push -u origin main
```

If README.md Has a Merge Conflict

If the local README is the version that should be submitted, keep it and complete the merge:

```
git checkout --ours README.md
git add README.md
git commit -m "Merge remote repository with KNIME project"
git push -u origin main
```

Safety: Do not use `git push --force` for this activity. A normal merge preserves existing repository work.

Output:

```
ej@LAPTOP-EDI4MTS0 MINGW64 /d/knime-workspace/Example Workflows/Activity 2_StudentWarningTool (main|MERGING)
$ git push -u origin main
To https://github.com/Eric-Tividad/Tividad-Eric-CS0065-AN42.git
 ! [rejected]        main -> main (non-fast-forward)
error: failed to push some refs to 'https://github.com/Eric-Tividad/Tividad-Eric-CS0065-AN42.git'
hint: Updates were rejected because the tip of your current branch is behind
hint: its remote counterpart. If you want to integrate the remote changes,
hint: use 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.

ej@LAPTOP-EDI4MTS0 MINGW64 /d/knime-workspace/Example Workflows/Activity 2_StudentWarningTool (main|MERGING)
$ ^C

ej@LAPTOP-EDI4MTS0 MINGW64 /d/knime-workspace/Example Workflows/Activity 2_StudentWarningTool (main|MERGING)
$ git status
On branch main
You have unmerged paths.
  (fix conflicts and run "git commit")
  (use "git merge --abort" to abort the merge)

Unmerged paths:
  (use "git add <file>..." to mark resolution)
    both added:      README.md

no changes added to commit (use "git add" and/or "git commit -a")

ej@LAPTOP-EDI4MTS0 MINGW64 /d/knime-workspace/Example Workflows/Activity 2_StudentWarningTool (main|MERGING)
$ git checkout --ours README.md
Updated 1 path from the index

ej@LAPTOP-EDI4MTS0 MINGW64 /d/knime-workspace/Example Workflows/Activity 2_StudentWarningTool (main|MERGING)
$ git add README.md

ej@LAPTOP-EDI4MTS0 MINGW64 /d/knime-workspace/Example Workflows/Activity 2_StudentWarningTool (main|MERGING)
$ git commit -m "Merge remote repository with KNIME project"
[main 17512ca] Merge remote repository with KNIME project

ej@LAPTOP-EDI4MTS0 MINGW64 /d/knime-workspace/Example Workflows/Activity 2_StudentWarningTool (main)
$ git push -u origin main
Enumerating objects: 150, done.
Counting objects: 100% (150/150), done.
Delta compression using up to 8 threads
Compressing objects: 100% (133/133), done.
Writing objects: 100% (148/148), 162.06 KiB | 2.00 MiB/s, done.
Total 148 (delta 48), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (48/48), done.
To https://github.com/Eric-Tividad/Tividad-Eric-CS0065-AN42.git
 05b96fe..17512ca main -> main
branch 'main' set up to track 'origin/main'.
```

Part 10 Organize the Files in a Project Folder on GitHub

When Git is initialized inside DemoEarlyWarningTool, GitHub displays its files at the repository root. To display an actual DemoEarlyWarningTool folder inside a repository that also contains other projects, create the folder and move the tracked files into it:

```
mkdir -p DemoEarlyWarningTool
git mv DemoEarlyWarningTool.knwf DemoEarlyWarningTool/
git mv student_performance_knime.csv DemoEarlyWarningTool/
git mv README.md DemoEarlyWarningTool/
git add .
git commit -m "Organize KNIME files into project folder"
git push
```

Expected GitHub structure:

```
REPOSITORY-NAME/
  DemoEarlyWarningTool/
    DemoEarlyWarningTool.knwf
    README.md
    student_performance_knime.csv
```

README behavior: A README.md inside the project folder is displayed when that folder is opened on GitHub.

Output:

```
ej@LAPTOP-EDI4MTS0 MINGW64 /d/knime-workspace/Example Workflows/Activity 2_Stude
ntWarningTool (main)
$ mkdir -p KNIMEtoGithub

ej@LAPTOP-EDI4MTS0 MINGW64 /d/knime-workspace/Example Workflows/Activity 2_Stude
ntWarningTool (main)
$ git mv "Activity2_StudentWarningTool.knwf" KNIMEtoGithub
fatal: bad source, source=Activity2_StudentWarningTool.knwf, destination=KNIMEtoGithub/Activity2_StudentWarningTool.knwf

ej@LAPTOP-EDI4MTS0 MINGW64 /d/knime-workspace/Example Workflows/Activity 2_Stude
ntWarningTool (main)
$ git mv Activity2_StudentWarningTool.knwf KNIMEtoGithub
fatal: bad source, source=Activity2_StudentWarningTool.knwf, destination=KNIMEtoGithub/Activity2_StudentWarningTool.knwf

ej@LAPTOP-EDI4MTS0 MINGW64 /d/knime-workspace/Example Workflows/Activity 2_Stude
ntWarningTool (main)
$ git mv Activity2_StudentWarningTool.knwf KNIMEtoGithub/
fatal: bad source, source=Activity2_StudentWarningTool.knwf, destination=KNIMEtoGithub/Activity2_StudentWarningTool.knwf

ej@LAPTOP-EDI4MTS0 MINGW64 /d/knime-workspace/Example Workflows/Activity 2_Stude
ntWarningTool (main)
$ git mv "Activity2_StudentWarningTool.knwf" KNIMEtoGithub/
fatal: bad source, source=Activity2_StudentWarningTool.knwf, destination=KNIMEtoGithub/Activity2_StudentWarningTool.knwf

ej@LAPTOP-EDI4MTS0 MINGW64 /d/knime-workspace/Example Workflows/Activity 2_Stude
ntWarningTool (main)
$ git mv "Activity 2_StudentWarningTool.knwf" KNIMEtoGithub

ej@LAPTOP-EDI4MTS0 MINGW64 /d/knime-workspace/Example Workflows/Activity 2_Stude
ntWarningTool (main)
$ git mv "student_performance_knime.csv" KNIMEtoGithub

ej@LAPTOP-EDI4MTS0 MINGW64 /d/knime-workspace/Example Workflows/Activity 2_Stude
ntWarningTool (main)
$ git mv README.md KNIMEtoGithub

ej@LAPTOP-EDI4MTS0 MINGW64 /d/knime-workspace/Example Workflows/Activity 2_Stude
ntWarningTool (main)
$ git status
git: 'status' is not a git command. See 'git --help'.

The most similar command is
  status


ej@LAPTOP-EDI4MTS0 MINGW64 /d/knime-workspace/Example Workflows/Activity 2_Stude
ntWarningTool (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
```

```
ej@LAPTOP-EDI4MTSO MINGW64 /d/knime-workspace/Example Workflows/Activity 2_StudentWarningTool (main)
$ git commit -m "Organize KNIME files into project folder"
[main 535ba08] Organize KNIME files into project folder
 3 files changed, 0 insertions(+), 0 deletions(-)
 rename Activity 2_StudentWarningTool.knwf => KNIMEtoGithub/Activity 2_StudentWarningTool.knwf (100%)
 rename README.md => KNIMEtoGithub/README.md (100%)
 rename student_performance_knime.csv => KNIMEtoGithub/student_performance_knime.csv (100%)

ej@LAPTOP-EDI4MTSO MINGW64 /d/knime-workspace/Example Workflows/Activity 2_StudentWarningTool (main)
$ git push
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 466 bytes | 466.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Eric-Tividad/Tividad-Eric-CS0065-AN42.git
 17512ca..535ba08  main -> main

ej@LAPTOP-EDI4MTSO MINGW64 /d/knime-workspace/Example Workflows/Activity 2_StudentWarningTool (main)
```





The screenshot shows a web browser displaying a GitHub repository named 'KNIMEtoGithub' by user 'Eric-Tividad'. The repository is part of the 'Tividad-Eric-CS0065-AN42' organization. The main branch is 'main'. The repository contains a folder 'KNIMEtoGithub' with files 'Activity_2_StudentWarningTool.k...', 'README.md', and 'student_performance_knime.csv'. The commit history shows three recent commits, all titled 'Organize KNIME files into project folder', made 20 minutes ago. The README.md file is displayed, containing the title 'Asynchronous Activity 2 - Uploading a KNIME Project to GitHub', a description of the repository's purpose, and a section titled 'Algorithms used:' with a bullet point for 'Decision Tree'. The Windows taskbar at the bottom shows the time as 7:50 PM on 09/17/2026.

Eric-Tividad / Tividad-Eric-CS0065-AN42

KNIMEtoGithub

main

Go to file

KNIMEtoGithub

- Activity_2_StudentWarningTool.k...
- README.md
- student_performance_knime.csv

KNIMEtoGithub

Organize KNIME files into project folder

535ba08 · 20 minutes ago

Name	Last commit message	Last commit date
..		
Activity_2_StudentWarningTool.knwf	Organize KNIME files into project folder	20 minutes ago
README.md	Organize KNIME files into project folder	20 minutes ago
student_performance_knime.csv	Organize KNIME files into project folder	20 minutes ago

README.md

Asynchronous Activity 2 - Uploading a KNIME Project to GitHub

This repository contains the required output for Asynchronous Activity 2. The project uses KNIME to create a model for predicting student risk status from their academic performance data.

Algorithms used:

- Decision Tree



Part 11 Update the Project Later

After editing the KNIME workflow, README, or dataset, open Git Bash in the local repository folder and run:

```
git status
git add .
git commit -m "Update KNIME workflow"
git push
```

Use a clear commit message that describes the change. Examples include Update dataset, Correct README instructions, and Add Random Forest results.

Troubleshooting Guide

Error or symptom	Meaning	Required action
fatal: not a git repository	The current folder has not been initialized, or Git Bash is in the wrong folder	Navigate to the project folder and run git init
pathspec did not match any files	The named file or folder is absent from the current location	Run ls. If already inside the project folder, use git add .
Author identity unknown	Git name and email are not configured	Set user.name and user.email, then repeat the commit
switch m requires a value	The commit message after -m is missing or malformed	Use git commit -m "Complete message"
403 Permission denied	The authenticated account does not own or cannot write to the repository	Sign in as the owner or accept a collaborator invitation
non-fast-forward rejection	GitHub contains commits missing from the local branch	Pull and merge the remote history, then push again
README.md.txt appears	Notepad added .txt to the filename	Save as All files and use the exact name README.md

GitHub Authentication and Permission

If Git reports that access is denied to a different username, Windows may have saved another GitHub account. Remove the github.com entry from Windows Credential Manager, repeat the push, and authenticate with the correct account. Alternatively, the repository owner may add the student as a collaborator under Repository Settings and Collaborators.



Part 12 Prepare the Evidence PDF and Submit in MS Teams

After completing all GitHub instructions, students must prepare one PDF file containing screenshots that show the steps they completed. This PDF serves as proof that the project folder was prepared, committed, pushed, and verified successfully.

24. Take clear screenshots while completing the activity. Include the project folder and required files, the important Git Bash commands and successful results, and the final GitHub repository showing the project folder.
25. Arrange the screenshots in the same order as the steps in this guide. Add a short caption below each screenshot explaining what was completed.
26. Place the screenshots in Microsoft Word, Google Docs, or another document editor, then export or download the document as a PDF.
27. Name the evidence file using this format: Surname_FirstName_KNIME_GitHub_Evidence.pdf.
28. Copy the completed evidence PDF into the DemoEarlyWarningTool project folder together with the KNIME workflow, README.md, and dataset.
29. Push the evidence PDF and any final project changes to GitHub using the commands shown below.
30. Open the repository in a browser and verify that the DemoEarlyWarningTool folder contains all required files and that the evidence PDF opens correctly.
31. Copy the GitHub repository link. The submitted link must open the repository that contains the DemoEarlyWarningTool folder.
32. Open the assigned activity in Microsoft Teams, paste or attach the GitHub repository link in the submission area, and select Turn in.

Commands for the Final Push

```
git status
git add .
git commit -m "Add step-by-step evidence PDF"
git push
```

Required Final GitHub Structure

Location	Required file or folder
Repository root	DemoEarlyWarningTool folder
DemoEarlyWarningTool	DemoEarlyWarningTool.knwf
DemoEarlyWarningTool	README.md
DemoEarlyWarningTool	student_performance_knime.csv
DemoEarlyWarningTool	Surname_FirstName_KNIME_GitHub_Evidence.pdf

MS Teams Submission Requirement

Submit only after verification: The MS Teams assignment submission must contain the GitHub repository link that leads to the repository containing the DemoEarlyWarningTool folder. A local computer path, screenshot alone, or link to an individual file is not an acceptable substitute for the repository link.



Final Verification and Submission Checklist

Students must verify the online repository before submitting the activity. Do not submit only a screenshot of Git Bash.

- ☐ The GitHub repository opens using the submitted link.
- ☐ The correct project folder is visible.
- ☐ The exported KNIME workflow file ends in . knwf.
- ☐ README.md is present and is not saved as README.md.txt.
- ☐ The required dataset is present.
- ☐ The README identifies the project, workflow files, algorithms, and instructions.
- ☐ The most recent commit is visible on GitHub.
- ☐ The workflow can be downloaded and imported into KNIME.
- ☐ The CSV Reader can be redirected to the included dataset.
- ☐ The repository link follows the instructor's submission requirements.
- ☐ A PDF containing screenshots of the completed steps is included in the project folder.
- ☐ The evidence PDF opens correctly from the GitHub repository.
- ☐ The repository link was submitted through the assigned MS Teams activity.

Information to Submit

Required field	Student entry
Student name	<u>Eric V. Tividad Jr.</u>
Course and section	<u>BSCS-SE AN 42</u>
Repository name	<u>Tividad-Eric-CS0065-AN42</u>
GitHub repository URL	<u>https://github.com/Eric-Tividad/Tividad-Eric-CS0065-AN42</u>
Date submitted	<u>September 17, 2026</u>
Evidence PDF filename	<u>Tividad_EricJr_KNIME_GitHub_Evidence.pdf</u>
MS Teams submission status	<u>Turned in</u>

Quick Command Reference

```
git status
git add .
git commit -m "Describe the change"
git push
```