pKa Values				
		INDEX		
Inorganic	2	Phenazine	24	
Phosphates	3	Pyridine	25	
Carboxylic acids	4, 8	Pyrazine	26	
Aliphatic	4, 8			
Aromatic	7, 8	Quinoline	27	
Phenols	9	Quinazoline	27	
Alcohols and oxygen acids	10, 11	Quinoxaline	27	
Amino Acids	12	Special Nitrogen Compounds	28	
Peptides	13	Hydroxylamines	28	
Nitrogen Compounds	14	Hydrazines	28	
Aliphatic amines	15, 17, 19	Semicarbazones	28	
Cyanoamines	16	Amidoximes	28	
Anilines	17, 18, 20	Thiols	29	
Nucleosides	21	Carbon Acids	30,31	
Special Table Heterocycles	22	Indicators	31	
Acridine	23	References	32-34	
Benzoquinoline	24			
Cinnoline	23			
Hydantoin	24			
Imidazole	24			

For complex chelating agents, see also reference 77.

Note. This document was compiled by W.P. Jencks and has been added to by F.H. Westheimer

## pKa Data Compiled by R. Williams

ACIDS					
Compound	рK	Ref.	$H_3PO_2$	2.0, 2.23*	28
	-		$H_2PO_4^-$	7.21*	77
AgOH	3.96	4	HPO <sub>4</sub> –	12.32*	77
Al(OH) <sub>3</sub>	11.2	28	H <sub>3</sub> PO <sub>3</sub>	2.0	28
As(OH)3	9.22	28	H <sub>2</sub> PO <sub>3</sub> -	6.58*	77
H3AsO4	2.22, 7.0, 13.0	28	H <sub>4</sub> P <sub>2</sub> O <sub>7</sub>	1.52*	77
H <sub>2</sub> AsO <sub>4</sub> <sup>-</sup>	6.98*	77	H <sub>3</sub> P <sub>2</sub> O <sub>7</sub> <sup>-</sup>	2.36*	77
HAsO <sub>4</sub> *	11.53*	77	$H_2P_2O_7=$	6.60*	77
As <sub>2</sub> O <sub>3</sub>	0	4			
H3AsO3	9.22* 9.23*	28	$HP_2O_7=$	9.25*	77 30
H <sub>3</sub> BO <sub>3</sub>	4.00	2 <b>6</b> 34	HReO4 HSCN	-1.25 4.00	34
H2B4O7 HB4O7	9.00	34 34	H <sub>2</sub> SeO <sub>3</sub>	2.6, 8.3, 2.62*	34 28
Be(OH) <sub>2</sub>	3.7	4	HSeO3	8.32	20 77
HBr	-9.00	31	H <sub>2</sub> SeO <sub>4</sub>	Strong, 2.0	28
HOBr	8.7	28	HSeO <sub>4</sub>	2.00	34
HOCl	7.53, 7.46	28, 33	H <sub>3</sub> SiO <sub>3</sub>	10.0	34
HClO <sub>2</sub>	2.0	28	H <sub>2</sub> SO <sub>3</sub>	1.9, 7.0, 1.76*	28, 77
HClO <sub>3</sub>	-1.00	28	H <sub>2</sub> SO <sub>4</sub>	-3.0, 1.9	28
HClO <sub>4</sub> (70%)	-10.00	31	HSO <sub>3</sub>	7.21*	77
CH3SO3H	-0.6	31	HSO <sub>4</sub> -	1.99*	77
HCN	9.40	34	H <sub>2</sub> S <sub>2</sub> O <sub>4</sub>	1.9	29
H <sub>2</sub> CO <sub>3</sub>	$6.37, 6.35^*, 3.58$	34, 32	H <sub>2</sub> Se	3.89*	77
$HCO_3$	10.33*		HSe <sup>-</sup>	11.00*	77
H <sub>2</sub> CrO <sub>4</sub>	-0.98	30	H <sub>2</sub> S	7.00*	77
HCrO <sub>4</sub>	6.50*	2, 30	HS <sup>-</sup>	12.92*	77
HOCN	3.92	34	HSbO <sub>2</sub>	11.0	34
HZ HaCaOa	3.17*, 0.59*	77	HTe	5.00	34
H2GeO3 Ge(OH)4	8.59, 12.72 8.68, 12.7	34, 78 28	H <sub>2</sub> Te	2.64, 11.0	34, 78
HI	-10.0	31	H <sub>2</sub> TeO <sub>3</sub>	2.7, 8.0	28
HOI	11.0	28	Te(OH) <sub>6</sub>	6.2, 8.8	28
HIO <sub>3</sub>	0.8	28	H <sub>2</sub> VO <sub>4</sub> -	8.95	30
H4IO6 <sup>-</sup>	6.00	34	HVO <sub>4</sub> =	14.4	30
H <sub>5</sub> IO <sub>6</sub>	1.64, 1.55, 8.27	34, 28	H <sub>2</sub> CrO <sub>4</sub>	0.74	77
HMnO <sub>4</sub>	-2.25	30	HOCN	3.73	77
NH <sub>3</sub> OH*	5.98*		HSCN	0.85	77
NH <sub>4</sub> *	9.24*	77	$H_3PO_2$	1.07	77
HN3	4.72*	77	H <sub>3</sub> PO <sub>4</sub>	2.12*	77
HNO <sub>2</sub>	3.29	28	$H_2S_2O_3$	0.60*, 1.72*	77
$HNO_3$	-1.3	28	H <sub>3</sub> AuO <sub>3</sub>	13.3, 16.0	78
N <sub>2</sub> H <sub>5</sub> +	7.99*	77	H3GaO3	10.32, 11.7	78
$H_2^2N_2^2O_2$	7.05	34	H <sub>5</sub> IO <sub>6</sub>	3.29, 6.70, 15.0	78
$H_2N_2O_2^-$	11.0	34	II.V.O	(see above!)	70
H2OsO5	12.1	34	H <sub>4</sub> V <sub>6</sub> O <sub>1</sub> 7	1.96	78 80
H <sub>2</sub> O	14.0*	97	H <sub>2</sub> NSO <sub>3</sub> H	1.0	80
т Н3О+	0*	97	* Indicates a there	modynamic value.	
Pb(OH) <sub>2</sub>	6.48 (10.92)	4 (78)	maicates a tileli	mouynamic value.	
\ - = =/ W	()	· -/			

### PHOSPHATES AND PHOSPHONATES

Phosphates		
Compound	рK	Ref.
Phosphate	1.97, 6.82, 12.5	55
Glyceric acid 2-phosphate	3.6, 7.1	53
Enolpyruvic acid	3.5, 6.4	53
Methyl-	1.54, 6.31	55
Ethyl-	1.60, 6.62	55
n-Propyl-	1.88,6.67	55
n-Butyl-	1.80, 6.84	55
Dimethyl-	1.29	55
Di-n-propyl	1.59	55
Di-n-butyl-	1.72	55
Glucose-3-	0.84, 5.67	<b>56</b>
Glucose-4-	0.84, 5.67	<b>56</b>
-glycero-	1.40, 6.44	<b>54</b>
-glycero-	1.37, 6.34	<b>54</b>
3-phosphoglyceric acid	1.42, 3.42	<b>54</b>
2-phosphoglyceric acid	1.42, 3.55, 7.1	
peroxymonophosphoric aci		69
diphosphoglyceric acid	7.40, 7.99	<b>54</b>
glyceraldehyde-	2.10, 6.75	<b>54</b>
dioxyacetone-	1.77,6.45	<b>54</b>
hexose di-	1.52, 6.31	<b>54</b>
fructose-6-	0.97, 6.11	<b>54</b>
glucose-6-	0.94, 6.11	<b>54</b>
glucose-1-	1.10, 6.13	<b>54</b>
adenylic acid	3.8?, 6.2?	<b>54</b>
inosinic acid	2.4?, 6.4?	<b>54</b>
ADP	2 strong, 6.6	<b>54</b>
ATP	3 strong, 6.6	<b>54</b>
pyrophosphoric acid	0.9, 2.0, 6.6, 9.4	<b>54</b>
phosphopyruvic acid	3.5, 6.38	<b>54</b>
creatine phosphate	2.7, 4.5	54
arginine phosphate	2.8, 4.5, 9.6, 11.2	54
arginine	2.02, 9.0, 12.5	54
amino phosphate	(-0.9), 2.8, 8.2	54
trimetaphosphate	2.05	77
<b>-1</b>		
Phosphonates	2 7 7 7 4 0 00	
H <sub>2</sub> O <sub>3</sub> P(CH <sub>2</sub> ) <sub>4</sub> PO <sub>3</sub> H <sub>2</sub> < 2, 2		57
$H_2O_3P(CH_2)_3PO_3H_2 < 2, 2$		57
H <sub>2</sub> O <sub>3</sub> PCH <sub>2</sub> CH(CH <sub>3</sub> )PO <sub>3</sub> I		27 57
$H_2O_3PCH_2PO_3H_2 < 2, 2.57$	7, 6.87, 10.33	57
Methyl-	2.35	57
Ethyl-	2.43	57
n-propyl-	2.45	57
isopropyl-	2.55, 7.75	57
n-butyl-	2.59, 8.19	57
isobutyl-	2.70, 8.43	57
s-butyl-	2.74, 8.48	57
t-butyl-	2.79, 8.88	57
neopentyl-	2.84, 8.65	57
1,1 Dimethylpropyl-	2.88, 8.96	57
n-hexyl-	2.6, 7.9	57
n-dodecyl-	, 8.25	57
CH <sub>3</sub> (CH <sub>2</sub> ) <sub>5</sub> CH(COOH)-	1,	57

CF3-		1.16, 3.93	57
CCl <sub>3</sub> -		1.63, 4.81	57
NH <sub>3</sub> +CH <sub>5</sub>	2-	2.35, 5.9	57
	(2)2NH+CH2-	, 5.57	57
CHCl <sub>2</sub> -	2, 2, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	1.14, 5.61	57
CH <sub>2</sub> CI-		1.40, 6.30	57
CH <sub>2</sub> Br-		1.14, 6.52	57
	22NH+(CH2)2-	, 6.54	57
CH <sub>2</sub> I-	(	1.30, 6.72	57
NH <sub>3</sub> +CH <sub>5</sub>	9CH9-	2.45, 7.00	57
C <sub>6</sub> H <sub>5</sub> CH=		2.00, 7.1	57
HOCH <sub>2</sub> -		1.91, 7.15	57
C <sub>6</sub> H <sub>5</sub> NH <sub>2</sub>	2+(CH2)3-	2.1,	57
C <sub>6</sub> H <sub>5</sub> NH(		, 7.17	57
Br(CH <sub>2</sub> ) <sub>2</sub> ·		2.25, 7.3	57
CH <sub>3</sub> (CH <sub>2</sub>	)5CH(COO <sup>-)-</sup>	, 7.5	57
C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub>		2.3, 7.55	57
NH <sub>3</sub> <sup>+</sup> (CH	I2)4)-	2.55, 7.55	57
NH <sub>3</sub> <sup>+</sup> (CH		2.6, 7.6	57
NH <sub>3</sub> <sup>+</sup> (CH		, 8.00	57
OOC(CH		, 8.25	57
(CH <sub>3</sub> ) <sub>3</sub> Si(		3.22, 8.70	57
C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub>		3.3, 8.4	57
$(C_6H_5)SC$		3.85, 9.00	57
(-03/		,	
Arylphosp	ohonic acids		
2X-RC <sub>6</sub> H <sub>3</sub>	3PO3H2		
X	R		
Cl	4-O <sub>2</sub> N	1.12, 6.14	57
Br	5-O <sub>2</sub> N	(a), 6.14	57
Cl	5-Cl	(a), 6.63	57
Cl Br	H H	1.63, 6.98 1.64, 7.00	57 57
Br	5-CH3	1.81, 7.15	57 57
Cl	4-NH <sub>2</sub>	, 7.33	57
CH <sub>3</sub> O	4-O <sub>2</sub> N	1.53, 6.96	57
CH <sub>3</sub> O	H	2.16, 7.77	57
CH <sub>3</sub> O	4-O <sub>2</sub> N	, 8.22	57
НО	4-O <sub>2</sub> N	1.22, 5.39	57
O <sub>2</sub> N	Н	1.45, 6.74	57
F	Н	1.64, 6.80	57
I	Н	1.74, 7.06	57
NH <sub>2</sub> H	, 7.29	57	
CH <sub>3</sub> H	2.10, 7.68	57	
CI.TI	T T	(.) 0.10	F~

\*\*These values were obtained in 50% ethanol.
(a) The compounds were not sufficiently soluble.
For graphical plots of a large number of substituted phosphorus compounds see 83.

(a), 8.13

1.71, 9.17

57

57

	_	
triphosphate	8.90, 6.26, 2.30	77
tetrametaphosphate	2.74	77

C<sub>6</sub>H<sub>5</sub>

HOOC

Η

Η

fluorophosphate	0.55, 4.8		56	Acetic acids, subs	stituted	
Phosphonates (Ref. 2)				H-	4.76*	20
X -I	I -H	$-NH3^{+}$	-NH3 <sup>+</sup>	$O_2N$ -	1.68*	20
$X(CH_2)PO_3H_2$ 2.3	35 7.1	1.85	5.35	$(CH_3)_3N^{+}$ -	1.83*	20
X(CH2)2PO3H2 2.4	45 7.85	2.45	7.00	(CH <sub>3</sub> ) <sub>2</sub> NH+-	1.95*	20
$X(CH_2)_4PO_3H_2$		2.55	7.55	CH <sub>3</sub> NH <sub>2</sub> +-	2.16*	20
X(CH2)5PO3 H2		2.6	7.65	NH <sub>3</sub> +-	2.31*	20
X(CH2)6PO2H2 2.0	6 7.9			•		
$X(CH_2)_{10}PO_2H_2$			8.00	CH <sub>3</sub> SO <sub>2</sub> -	2.36*	20
Phosphines in acetonitr	ile, see ref. 8	9.		NC-	2.43*	20
	<b>.</b>			C <sub>6</sub> H <sub>5</sub> SO <sub>2</sub> -	2.44	20
CARBOXYLIC ACI	DS			HO <sub>2</sub> C	2.83*	20
Aliphatic	<b>T</b> 7		D (	C <sub>6</sub> H <sub>5</sub> SO-	2.66	20
Compound	pK		Ref.	F-	2.66	20
Acetoacetic	3.58		6	Cl-	2.86*	20
Acetopyruvic	2.61, 7.85		6	Br-	2.86	20
Aconitic, trans-	2.80, 4.46		6	Cl <sub>2</sub> -	1.29	20
Betaine	1.84		6	F <sub>2</sub> -	1.24	20
Citric	3.09, 4.75	•	6	Br <sub>3</sub> -	0.66	20
Crotonic	4.69		6	Cl <sub>3</sub> -	0.65	20
Dihydroxyfumaric	1.14		6	F <sub>3</sub> -	0.23 (-0.26) (2)	20
Dethylenediamine-	2.00, 2.67		6	$HONC_4$	3.01	20
tetraacetic	6.16, 10.2		n	F <sub>3</sub> C-	$3.07^{*}$	20
Formic	3.77*		2	N <sub>3</sub> -	3.03	20
Fumaric	3.03, 4.54		6	I-	3.12	20
Glyceric	3.55		6	$C_6H_5O$ -	3.12	20
Glycollic	3.82 3.32		6 6	$C_2H_5O_2C$	3.35	20
Glyoxylic			6	$C_6H_5S$ -	3.52*	20
Homogentistic -ketomethyl val	4.40		6	CH <sub>3</sub> O-	3.53	20
· ·				NCS-	3.58	20
Lactic Moleio	3.86		6	CH <sub>3</sub> CO-	3.58*	20
Maleic Malic	1.93, 6.58 3.40, 5.2		6 6	<u>-</u>	3.60	20
			6	C <sub>2</sub> H <sub>5</sub> O-		
Oxaloacetic (trans-er +(cis-enol)	2.15, 4.06		6	n-C <sub>3</sub> H <sub>7</sub> O	3.65	20
Protocatechuic	4.48		6	n-C <sub>4</sub> H <sub>9</sub> O	3.66	20
Pyruvic	2.50		6	secC <sub>4</sub> H <sub>9</sub> O-	3.67	20
Tartaric +	2.99, 4.40		6	HS-	3.67*	20
+ or -	2.89, 4.40		6	i-C <sub>3</sub> H <sub>7</sub> O-	3.69*	20
meso	3.22, 4.85		6	CH <sub>3</sub> S-	3.72*	20
Vinylacetic	4.42		6	$i-C_3H_7S$ -	3.72*	20
Vinylacetic	1.12		<b>U</b>	$C_6H_5CH_2S$ -	3.73*	20
				$C_2H_5S$ -	3.74*	20
				n-C <sub>3</sub> H <sub>7</sub> S-	3.77*	20
				n-C <sub>4</sub> H <sub>9</sub> S-	3.81*	20
				HO-	3.83*	20
				-O <sub>3</sub> S-	4.05	20
				$(C_6H_5)_3CS$ -	4.30*	20
				$C_6H_5$ -	4.31*	20
				CH <sub>2</sub> -CH-	4.35*	20
				0112-011-	7.00	۵U

 $<sup>^{</sup>st}$  Indicates thermodynamic values.

2

2 2

2

Unsaturated acids (25°)					
Compound	рK	ref.	Compound	рK	ref.
trans-CH <sub>3</sub> -CH=CHCO <sub>2</sub> H	4.69*	20	H-CĤ <sub>2</sub> CH <sub>2</sub> CO <sub>2</sub> H	4.88*	2
cis-CH <sub>3</sub> -CH=CHCO <sub>2</sub> H	4.44*	2	H-CH=CHCO <sub>2</sub> H	4.25*	2
C <sub>6</sub> H <sub>5</sub> -CH <sub>2</sub> CH <sub>2</sub> CO <sub>2</sub> H	4.66*	2	C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CH <sub>2</sub> CO <sub>2</sub> H	4.66*	2
trans-C <sub>6</sub> H <sub>5</sub> -CH=CHCO <sub>2</sub> H	4.44*	2	C <sub>6</sub> H <sub>5</sub> CH=CHCO <sub>2</sub> H**	4.44*	2
m-CH <sub>3</sub> OC <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> CH <sub>2</sub> CO <sub>2</sub> H		4.65*	C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CH <sub>2</sub> CO <sub>2</sub> H	4.66*	2
	2		C <sub>6</sub> H <sub>5</sub> CH=CHCO <sub>2</sub> H**	4.44	2
m-CH <sub>3</sub> OC <sub>6</sub> H <sub>4</sub> CH=CHCO <sub>2</sub> H	4.38*	2	m-ClC <sub>6</sub> H <sub>4</sub> CH=CHCO <sub>2</sub> H**	4.29*	2
m-ClC <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> CH <sub>2</sub> CO <sub>2</sub> H	4.58*	2	<b>V</b> - <b>W</b>		

## Unsaturated acids, Cis- and Trans-

Mesaconic (Dimethylfumaric acid)

Itaconic (1-Propene-2-3-dicarboxylic acid)

Phthalic

Chloromaleic

3.09, 4.75

2.95, 5.41

3.85, 5.45

1.72, 3.86

2

2

2

Cis-Acid		Trans-Acid		
H	$R_2$	R <sub>1</sub>	$R_2$	
R <sub>1</sub>	-C CO₂H	,С. Н	CO <sub>2</sub> H	

$R_1$	$R_2$	cis-acid		trans-acid	Ref.
H-	H-	4.25*		4.25*	2
CH <sub>3</sub> -	H-	4.44*		4.69*	2
Cl-	H-	3.32		3.65	2
$C_6H_5$ -	H-	3.88*		4.44*	2
$ClC_6H_4$	H-	3.91		4.41	2
6-BrC <sub>6</sub> H <sub>4</sub>	H-	4.02		4.41	2
CH <sub>3</sub> -	CH <sub>3</sub> -	4.30		5.02	2
$C_6H_5$ -	H-	5.26***		5.58***	2
2,4,6-(CH <sub>3</sub> ) <sub>3</sub> C <sub>6</sub> H <sub>2</sub> -	H-	6.12***		5.70***	2
C <sub>6</sub> H <sub>5</sub> -	CH <sub>3</sub> -	4.98***		5.98***	2
Dicarboxylic acids		k			
Maleic	1.92, 6.3		2	Alicyclic Dicarbox	ylic acids
Citraconic (Dimeth	ylmaleic acid)			· ·	
•	2.29, 6.	15 2	2	cis-Caronic(1,1-din	nethylcyclopropane-23-
Acetylenedicarboxy	ylic 1.73, 4.	40 2	2	dicarboxylic acid	2.34*, 8.31*
<sup>1</sup> -tetrahydrophtha	alic 3.01, 5.3	34 2	2	1,2-trans-cycloprop	oanedicarboxylic
Bromomaleic	1.45, 4.0		2	v 1 1	3.65*, 5.13*
Bromofumaric	1.46, 3.			trans-caronic	3.82*, 5.32*
Chlorofumaric	1.78, 3.			1,2-cis-cyclopropan	ne-dicarboxylic
Fumaric	3.02, 4.3				3.33*, 6.47*
<b>_</b>					

<sup>\*\*</sup>trans

<sup>\*\*\*</sup>in 40% acetone

<sup>\*</sup>thermodynamic

# Aliphatic

•					
Alicyclic Dicarboxylic ac					
Compound	рK	Ref	Compound	рK	Ref
1,2-trans-Cyclopropane-		0	cis-Ethyleneoxide-	1.04.0.00	0
dicarboxylic	3.65, 5.13	2	dicarboxylic	1.94, 3.92	2
trans-Ethyleneoxide-	1 02 2 25	1,3-ci 2	s-Cyclobutane- dicarboxylic	4.09 5.91	2
dicarboxylic 1,3-trans -Cyclobutanedi	1.93, 3.25	۵	1,2-cis-Cyclopentane-	4.03, 5.31	۵
carboxylic	3.81, 5.28	2	dicarboxylic	4.37, 6.51	2
1,2-trans-Cyyclopentane		~	1,3-cis-Cyclopentane	4.57, 0.51	L
dicarboxylic	3.89, 5.91	2	dicarboxylic	4.23, 5.53	2
1,3-trans-Cyclopentane-	,		1,2-cisCyclohexane-	2,	-
dicarboxylic	4.40, 5.45	2	dicarboxylic	4.34, 6.76	2
1,2-trans-Cyclohexane-			1,3 -cis-Čyclohexane-		
dicarboxylic	4.18, 5.93	2	dicarboxylic	4.10, 5.46	2
1,3-trans-Cyclohexane-			1,4-cis-Cyclohexane		
dicarboxylic	4.31, 5.73	2	di-carboxylic	4.44, 5.79	2
1,4-trans-Cyclohexane-	4 40 7 40	0			
dicarboxylic	4.18, 5.42	2			
Dicarboxylic acids*					
oxalic	1.23, 4.19	2	Succinic	4.19, 5.48	2
Malonic	2.83, 5.69	2	O-O'-Dimethyl-	3.77, 5.94	2
Methyl-	3.05, 5.76	2	(high melting)	3.77, 3.34	L
Ethyl-	2.99, 5.83	2	O-O'-Dimethyl-	3.94, 6.20	2
n-propyl	3.00, 5.84	2	(low melting)	3.34, 0.20	۵
i-propyl-	2.94, 5.88	2	O,O -Diethyl-	3.63, 6.46	2
Dimethyl-	3.17, 6.06	2	(high melting)	3.03, 0.40	۵
· ·	3.17, 0.00			3.51, 6.60 2	
Methylethyl- 2.8 Diethyl-	2.21, 7.29	2	(low melting)	0.31, 0.00 L	
Ethyl-n-propyl-	2.15, 7.43	2		3.50, 7.28 2	
Di-n-propyl-	2.07, 7.51	$\tilde{2}$	retramethyr		
Glutaric	4.34, 5.42	$\tilde{2}$	Adipic	4.42, 5.41	2
B-Methyl	4.25, 6.22	2	Pimelic	4.48, 5.42	2
B-Ethyl Š	4.29, 6.33	2	Suberic	4.52, 5.40	2 2
B-n-Propyl	4.31, 6.39	2	Azelaic	4.55, 5.41	2
B,B-Dimethyl-	3.70, 6.29	2	DL-1:2-Dichlorosuccin		20
B,B-Methylethyl-	3.62, 6.70	2	meso-1:2-Dichlorosuco	•	20
B,B-Diethyl-	3.62, 7.12	2	DL-1:2-Dibromosuccin		20
B,B-Di-n-propyl	3.69, 7.31	2	meso-1:2-Dibromosuco		20
D-Tartaric	3.03, 4.45	20	DL-1:2-Dimethylsuccin		20
DL-Tartaric	3.03,	20	meso-1:2-Dimethylsuc	CINIC 3.77, 5.36	20
meso-Tartaric	3.29, 4.92	20			
*All are thermodynamic va	lues				
					_
Aliphatic			HO-	6.33	2
Bicyclo[2.2.2]octane-1-	carboxylic acid	s, 4-	Br-	6.08	2
substituted				_	
			Lysergic acid,		_
	3.75	2	ergometrine	6.8,	2
2 0 2	3.31	2	Dihydroergon		2
NC-	5.90	2	-dihydrolyse	rgol 8.2,	2

Lysergic acid	7.8, 3.3	2	C <sub>6</sub> H <sub>5</sub> O-	3.53*	3.95*	4.52*
-dihydrolysergic	8.3, 3.6	2	CH <sub>3</sub> -	3.91*	4.24*	4.34*
ergometrinine	7.3,	2	(CH <sub>3</sub> ) <sub>2</sub> CH-			4.35*
-dihydrolysergol	8.3,	2	(CH <sub>3</sub> ) <sub>3</sub> N+-	1.37	3.45	3.43
6-methylergoline	8.85,	2	NC-		3.60*	3.55*
isolysergic acid	8.4, 3.4	2 2	HO <sub>2</sub> C*	2.95*	3.54	3.51
-dihydrolysergic	8.6, 3.6	2	F <sub>3</sub> C-		3.79	
			HO-	2.98*	4.08*	4.58*
			I-	2.85*	3.86*	
Hydroxycyclohexanec			Cl-	2.94*	3.83*	3.99*
Cyclohexanecarboxylic		2	$(CH_3)_3Si$ -		4.24*	4.27*
cis-1,2	4.80	2	C <sub>2</sub> H <sub>5</sub> O-	4.21*	4.17*	4.45*
cis-1,3	4.60	2	i-C <sub>3</sub> H <sub>7</sub> O-	4.24*	4.15*	4.68*
cis-1,4	4.84	2	n-C <sub>5</sub> H <sub>11</sub> O-			4.55*
trans-1,2	4.68	2	$C_6H_5$	3.46*		1.00
trans-1,3	4.82	2	CH <sub>3</sub> CH <sub>2</sub> -	3.77		4.35*
trans-1,4	4.68	2			4.00	
			(CH <sub>3</sub> ) <sub>3</sub> C-	3.46	4.28	4.40*
Aromatic			⁻HO₃P-	3.78	4.03	3.95
benzene-CO <sub>3</sub> H	4.20*	2	-O <sub>3</sub> S-		4.15	4.11
Anthracene-1-COOH	3.69	2	H <sub>2</sub> N-	4.98	4.79	4.92
Anthracene-9-COOH	3.65	2	(CH <sub>3</sub> ) <sub>2</sub> N-	8.42	5.10	5.03
naphthalene-2-COOH	4.17	2	-HO <sub>3</sub> As-			4.22
Naphthalene-1-COOH	3.69	2	-O <sub>2</sub> C-	5.41**	4.60	4.82
			CH <sub>3</sub> NH-	5.3	5.10	5.04
Substituted benzoic ac	cids (ref. 2)		C1131VIII-	J.J	J.1U	J.U4

Benzene Polycarboxylic acids



\*thermodynamic for complex chelating agents, see also ref. 84. see also page 9a for more carboxylic acids. Benzoic acid m p

			•			
H-	4.20*	4.21*		<b>Ortho-substituted</b>	benzoic acid	S
$O_2N$ -	2.17*	3.45*	3.44	Benzoic acid p	K	Ref.
cH₃CO-				2-CH <sub>3</sub> -	3.91**	2
CH <sub>3</sub> SO <sub>2</sub> -		3.64*	3.52*	2-t-C <sub>4</sub> H <sub>9</sub> -	3.46	2
CH <sub>3</sub> S-		0.01	0.02	2,6-(CH <sub>3</sub> ) <sub>2</sub> -	3.21	2
HS-				2,3,4,6-(CH <sub>3</sub> ) <sub>4</sub> -	4.00	2
Br-	$2.85^{*}$	3.81*	4.00*	2,3,5,6-(CH <sub>3</sub> ) <sub>4</sub> -	3.52	2
F-	3.27*	3.87*	4.14*	2-C <sub>2</sub> H <sub>5</sub> -	3.77	2
CH <sub>3</sub> O-	4.09*	4.09*	4.47*	2-C <sub>6</sub> H <sub>5</sub> -	3.46**	2
n-C <sub>3</sub> H <sub>7</sub> O-	4.24*	4.20*	4.46*	2,4,6-(CH <sub>3</sub> ) <sub>3</sub> -	3.43	2
n-C <sub>4</sub> H <sub>9</sub> O-		4.25*	4.53*	2,3,4,5-(CH <sub>3</sub> ) <sub>4</sub> -	4.22	2

Ref. 2

Position of carboxyl pKI pK<sup>II</sup>  $pK^{III}$   $pK^{IV}$   $pK^{V}$   $pK^{VI}$ Acid Benzoic 1 4.17\* **Phthalic** 1,2 2.98\*5.28\* Isophthalic 1,3 3.46\*4.46\*Terephthalic 1,4 3.51\* 4.82\* Hemimellitic 1,2,3 2.80\* 4.20\* 5.87\* Trimellitic 5.20\* 1,2,4 2.52\* 3.84\*

Trimesic	1,3,5	3.12*	3.89*	4.70*					
Mellophanic	1,2,3,4	2.06*	3.25*	4.73*	6.21*				
Prehnitic	1,2,3,5	2.38*	3.51*	4.44*	5.81*				
Pyromellitic	1,2,4,5	1.92*		4.49*	5.63*				
Benzenepentacarboxylic	1,2,3,4,5	1.80*	2.73*	3.97*	5.25*	6.46*			
Mellitic	1.2,3,4,5,6	1.40*	2.19*	3.31*	4.78*	5.89*	6.96*		
*ionic strength 0.03		2-	Methoxye	ethylimin	odiacetio	2	2.2, 8.96		
**thermodynamic			Methylthi				2.1, 8.91		
, and the second			kalic acid*	•			1.25, 4.14		
		N	-n-propyl	aminoace	etic		2.25, 10.03		
Carboxylic Acids	<b>Ref. 77</b>	N	-2-sulfoet	hylimino	diacetic	1.92, 2	.28, 8.16		
Aminomalonic acid*	3.32, 9.83		-Bromobu	tyric acid	ł		2.97		
N-Butylaminoacetic acid	2.29, 10.07	N	N-(carbamoylmethyl)-imino-diacetic aci						
2-carboxyethyliminodiace							2.30, 6.60		
	2.06, 3.69, 9.66	C	yanometh	yliminod	liacetic		3.06, 4.34		
-carboxymethylaminopr		diamin	opropion	ic acid		1.23, 6.69			
, -diaminobutyric	1.85, 8.24, 10.44	D	iethylami	noacetic			2.04, 10.47		
Di-(carboxymethyl)-amino	omethyl phosphonic	D		2.08, 9.80					
acid	2.00, 2.25, 5.57, 10.76		-ethylami	noacetic			2.30, 10.10		
, -dimercaptosuccinic	2.40, 3.46, 9.44, 11.82	G	luconic*				3.86		
Ethylenediamine-N,N-dia	cetic 5.58, 11.05		hydroxyb	outyric			4.39		
-hydroxybutyric	3.65	-	hydroxyp	propionic			3.73		
N-2-hydroxyethyliminodi	acetic 2.2, 8.73	Iminodiacetic*					2.98, 9.89		
3-hydroxypropyliminodia	cetic 2.06, 9.24	-	iodoprop	ionic*			4.04		
Iminodipropionic	4.11, 9.61	N	-isopropy	laminoac	etic		2.36, 10.06		
Isobutyric*	4.86		-mercapto				3.53		
Mandelic acid	3.41		-methylar		ic		2.24, 10.01		
2-Mercaptoethyliminodiad			itrilotriace			3.0	3, 3.07, 10.		
	-2.14, 8.17, 10.79	2-	Phosphor	noethylin	ninodiace	etic			
Methyliminodiacetic	2.81, 10.18		_	-	1.	95, 2.45	, 6.54, 10.46		

 $<sup>{\</sup>it *Thermodynamic}$ 

## **PHENOLS**

Compound Chromotropic acid o-Methoxyphenol o-Hydroxybenz-	<b>pK</b> 5.36, 1		<b>Ref.</b> 6 50	Compound Resorcinol p-Methoxyph 3-Hydroxyanthran-		5 (30 <sup>0</sup> ) , 10.		50
aldehyde	7.95		50	ilic acid	10.09,	5.20	51	
2-Amino-4,5 dimethyl- phenol hydrochloride 4,5-dihydroxybenzene-	10.4	5.28	51	2-Aminophenol hydrochloride	9.99,	1.86	51	
1,3 disulphonic acid 7.66	12.6e							
Kojic acid	9.40		77					
Phenol	0	m	p	Phenol	0	m	p	
H-	9.95*	9.94*		O <sub>2</sub> N-	7.23*	8.35*	7.14*	
$(CH_3)_3N^+$ -	7.42	8	8	OCH-	6.79	8.00	7.66	
CH3SO2-		9.33	7.83	NC-		8.61**	7.95	
CH <sub>3</sub> CO-		9.19	8.05	CH <sub>3</sub> O <sub>2</sub> C-			8.47*	
C <sub>2</sub> H <sub>5</sub> O <sub>2</sub> C-			8.50*	n-C4H9O2C-			8.47*	
C3H5CH2O2C-			8.41*	I-		9.17*		
Br-	8.42*	9.11*	9.34*	Cl-	8.48*	9.02*	9.38*	
F-	8.81*	9.28*	9.95*	CH <sub>3</sub> S-		9.53	9.53	
HO-	9.48	9.44	9.96	HOCH <sub>2</sub> -	9.92*	9.83*	9.82*	
СН3-	10.28*	10.08	0.19*	C2H5-	10.2	9.9	10.0	
CH <sub>3</sub> O-	9.93	9.65	10.20	H <sub>2</sub> N-	9.71	9.87	10.30	
<sup>-</sup> O <sub>2</sub> C-		9.94*	9.39*	<sup>-</sup> O <sub>3</sub> S-		9.29	9.03	
O3P-		10.2	9.9	⁻⁻O <sub>3</sub> As				8.37
C <sub>6</sub> H <sub>5</sub> -	9.93	9.59	9.51	NO-			6.35**	
2-Chloro-4-Nitro-		5.42	79					
2-Nitro-4-Chloro-		6.46	79					

<sup>\*</sup> Thermodynamic \*\*Reference 52

### **ALCOHOLS and other OXYGEN ACIDS**

#### Alcohols

Compound	рK	Ref.	Compound	рK			Ref.
Choline	13.9	6	$C_3F_7 \cdot CH(C_2F_5) \cdot OH$	10.48			65
Chloral hydrate	9.66, 11.0	61	(C <sub>3</sub> F <sub>7</sub> ) <sub>2</sub> CH•OH́	10.52			65
Trifluoroethanol	12.5	62	Carbonium ions				
CF <sub>3</sub> CH <sub>2</sub> OH	11.4, 12.43	63					
CF <sub>3</sub> CH(OH)CH <sub>3</sub>	11.8	63	Triphenylmethanols in	H <sub>2</sub> SO <sub>4</sub>	HC1O	HNO <sub>3</sub>	ref
CF <sub>3</sub> CH <sub>2</sub> (CH <sub>3</sub> )3OH	12.43	10	4,4,4-Trimethoxy	.82̃.	.82	.80	66
C <sub>3</sub> F <sub>7</sub> CH <sub>2</sub> OH	11.4**	63	4,4'-Dimethoxy	-1.24	-1.14	-1.11	66
(C <sub>3</sub> F <sub>7</sub> ) <sub>2</sub> CHOH	10.6**	63	4-Methoxy	-3.40	-3.59	-3.41	66
HČCĆĤ <sub>2</sub> OH	13.55	64	4-Methyl	-5.41	-5.67		66
$C(CH_2\tilde{OH}))_4$	14.1	64	4.Trideuteriomethyl-	5.43	5.67		66
HOCH <sub>2</sub> CHOHCH <sub>2</sub> OH	4.4	64	3,3',3"-Trimethyl-	6.35	-5.95		66
HOCH2CH2OH	14.77	64	Unsubstituted tripheny	<b>l</b> -			
CH3CCH2OH	14.82	64	methanol-	6.63	-6.89	6.60	66
CH3OH ~	15.54	64	4,4;,4;-Trichloro-	7.74-	8.01		66
CH <sub>2</sub> =CHCH <sub>2</sub> OH	15.52	64	4_Nitro-	9.15-	9.76		66
H <sub>2</sub> Õ ~	14.0* (15.74)	97. <b>64</b>	CCl <sub>3</sub> CH <sub>2</sub> OH	11.8***			
CH3CH2OH	16	64	CF <sub>3</sub> CH <sub>2</sub> OH	11.3***			
Substituent effects for i			32				
R		12011					
ČCl-3	12.24,11.80	64,65					
CF3-	12.37	64					
CHF <sub>2</sub> CH <sub>2</sub> -	12.74	64	Hydroxamic acids				
CHCl <sub>2</sub> -	12.89	64	Furo-	8.45			72
CHEĈ-	13.55	64	Glycine	7.40			72
H <sub>2</sub> Cl-	14.31	64	Hippuro-	8.80			72
CH3CCH2-	14.8	64	isoNicotin	7.85			72
HOCH <sub>2</sub>	15.1	64	p-Methylbenz-	8.90			72
H-	15.5	64	Nicotin-	8.30			72
CH <sub>2</sub> =CH-	15.5	64	Nicotin-methiodide	6.46			72
CH3-(extrap)	(15.9)	64	m-Nitrobenz-	8.07			72
CF <sub>3</sub> C(CH <sub>3</sub> ) <sub>2</sub> OH	11.6	64	Picolin	8.50			72
HOCH2CF2CH2OH	11	64	Pyrimidine-2-carbox-	7.88			72
Primary alcohols=R•CH2	•OH and		Salicyl-	7.43			72
Secondary alcohols in 50			Tropo-	9.09			72
$C_2F_5$	11.35	65					
C <sub>4</sub> F <sub>9</sub>	11.35	65					
C <sub>5</sub> F <sub>11</sub>	11.37	65					
C <sub>7</sub> F <sub>15</sub>	11.35	65	Other oxygen acids				
CHF <sub>2</sub>	12.00	65	Trimethylamine-n-oxide	4.6			18
CF <sub>2</sub> Cl	11.63	65	Dimethylglyoxime	12.84			77
CHF <sub>2</sub> CF <sub>2</sub>	11.34	65	(50% dioxane)				
$CHF_2 \cdot (CF_2)_2$	11.35	65	O-methyl ether	12.92			77
CF3 • CH2	12.7	65	Tropolone	12a			77
CF <sub>3</sub> • (CH <sub>2</sub> ) <sub>2</sub>	12.9	65	-Bromotropolone	$6.95^{a}$			77
CF <sub>3</sub> • CHMe • OH	11.28	65	Acetald hydrate	13.48			91
C <sub>3</sub> F <sub>7</sub> • CHMe • OH	11.38	65	Formald hydrate	13.29			91
C <sub>3</sub> F <sub>7</sub> CHEt • OH	11.37	65	<b>J</b>				
C <sub>3</sub> F <sub>7</sub> CHPr • OH	11.37	65					
$C_3F_7 \cdot CH(CF_3) \cdot OH$	10.46	65	<sup>a</sup> 50% dioxane				
	10.10	30	***50 aquaeous ethanol				
			oo aqaacous cinanoi				

OTHER OXYGEN ACIDS				Hydroxamic acids		
				Aceto-	9.40	68
Compound	рK	Ref.		n-Butyro-	9.48	68
Pyridine oxides	-			n-Butyro-	9.00	68
4-Aminopyridine 1-oxide	3.69	67		p-Methoxybenzo- 9.19		68
4-Dimethylaminopyridine 1-	oxide			N-Hydroxyphthalimide		71, 72
J	3.88	67		Salicylo	7.32	68
4-Dimethylaminopyridine 1-		0.		Benzo-	8.88	68
1 2 mie my miniopy manie 1	3.88	67		p-Chlorobenzo-	9.59	68
4-Dimethylamino-1-methoxy				-Naphtho-	~7.7	68
perchlorate	>11	67		-	9.46	68
2-Methylaminopyridine 1-ox		67		Propiono-	9.40	00
2-Amino-1-methoxypyridiniu				0:		
4 II-du	12.4	67		Oximes	44.0	10
4-Hydroxypyridine 1-oxide	2.45	67		Benzophenone oxime	11.3	18
4-Methoxypyridine 1-oxide	2.05	67		Diethyl ketoxime	12.6	18
1-Methoxypyridi-4-one	2.57	67		Isonitrosoacetylacetone		76
2-Hydroxypyridine 1-oxide	-0.8	67		5-Methyl-1,2,3-cyclohex		
2-Ethoxypyridine 1-oxide	1.18	67			8.3	76
1-Methoxypyrid-2-one	-1.3			Acetophenone oxime	11.48	18
4-Methylaminopyridine 1-ox	ide 3.85	67		Acetoxime	11.42	18
4-Amino-1-methoxypyridiniu	ım perchlo	rate		Isonitrosoacetone (INA	8.3	76
0.10	>11	67		Salicyclaldoxime (SA)	9.2	76
2-Aminopyridine 1-oxide	2.67	67		1,2,3-Cyclohexanetrion		76
2-Dimethylaminopyridine 1-	oxide			5-Methyl-1,2,3-cyclohex		
J 1 J	2.27	67			8.0	76
2-Methylamino-1-methoxypy			·-		0.0	
p-sulphonate	>11	67				
4-Benzyloxypyridine 1-oxide		67		Oxygen acids		
1-Benzyloxypyrid-4-one	2.58	67		sulfinic acids		
2-Methoxypyridine 1-oxide	1.23	67		p-Toluene-	1.99	73
1-Benzyloxypyrid-2-one	-1.7	67		p-Toluene- p-Chlorobenzene-	73	73
1-belizyloxypyria-2-one	-1.7	07		1		
Develding 1 goddag				p-Nitrobenzene-	73	70
Pyridine 1-oxides		D.f		p-Bromobenzene-	1.89	73
Ř pK		Ref.		m-Nitrobenzene-	1.88	73 70
4-CH <sub>3</sub> 1.29		47		Benzene-	1.84, 2.16	73
$3-CH_3$ 1.08		47				
$3,4-(CH)_4$ 1.01		47		Peroxyacids		
$3-COOC_4H_9$ 0.03	}	47		Peroxymonosulfuric	9.4	69
$4-NO_2$ -1.7		47		Acetic	8.2	70
$3-NH_2$ 1.47	,	47		n-Butyric	8.2	70
H 0.79		47		Formic	7.1	70
3-COOH 0.09		47		Propionic	8.1	70
4-COOH -0.4		47		peroxydiphosphoric	5.18, 7.8	85
4-00011 -0.4	O	47		peroxymonophosphori	c 4.85	90
Daravidas DOOH (Daf 70)						
Peroxides ROOH (Ref. 70) H CH <sub>3</sub>	C.H.		ico C	.U. tout C.U.	ico C.H.	
- <b>U</b>	$C_2H_5$		iso-C <sub>3</sub>		iso-C <sub>4</sub> H <sub>9</sub>	
11.6 11.5	11.8		12.1	12.8	12.8	
Oximes		ref. 93	}	Pyridine-2-aldoxime he	ptiodide	8.00
benzoquinoline mon-		6.25		Pyridine-4-aldoxime me		8.50
3-pyridine-1,2-ethanedione-2	-oxime			Pyridine-4-aldoxime pe		8.50
methiodide		7.20		-		

4-Pyridine-1,2-ethane	edione-2-o	xime		O-Methyltyrosine et	hyl ester 7.	.31	22
meťhiodide			7.1	octopine	13, 1.30		8.77
Pyridine-2-aldoxime	methiodid	e	8.0	•	6		
Pȟenylglyoxald-			8.3		2.40		
Pyridine-4-aldoxime	dodeciodio	de	8.5	Phenylalanine	1.83	9.13	6
Pyridine-3-alkoxime			9.2	2-Pyrrolidoone-5-car	boxylic aci	d (gluca	mic
3				aciď)	3.32	v	
Hydroxamic acids		ref. 9	3	Serine	2.21	9.15	6
D-Lysine-		7.93		Threonine	2.63	10.43	6
N-phenylnicotino-		8.00		N-Trimethyl tyrosine	e	9.75	21
Chloroaceto-		8.40		Tyrosine	10.07, 2.20	9.11	
Formo-		8.65		<b>Urocanic acid</b>	5.8	3.5	
p-Chlorophenoxyace	eto-	8.75		Valine	2.32	9.62	6
p-Hydroxybenzo-		8.93		-Alanine	3.60	10.19	6
p-Methoxybenzo-		9.00		-Aminobutyric acid	4.23	10.43	6
N-Phenylbenzo-		9.15		Arginine 12.48	2.17	9.04	6
o-Aminobenzo-		9.17		Asparagine	2.02	8.8	6
L-Tyrosine		9.20		Azaserine	8.55	0.0	6
L-Lysine		7.9			7.40, 9.25	11.50 (?)	6
p-Nitrobenzo-		8.0		Creatine	2.67	11.02	6
p-Aminobenzo-		9.3		Cysteine 10.78	1.71	8.33	6
L-Lacti-		9.3		3,4-Dihydroxypheny		0.00	Ü
Propiono-		9.4		o, 1 = 111.j a. 1 11.j p. 1 11.j	9.88, 2.36	8.68	6
Phtĥalo-		9.4			11.68	0.00	Ü
Indole-3-aceto-		9.5		Glutamine	2.17	9.13	6
Cyclohexano-		9.7		Histamine 5.0	~.1.	9.7	6
Hexano-		9.7		-Hydroxyglutamic	2.09	9.20	6
				acid	4.18	0.20	Ü
Amino Acids				Hydroxyproline	1.92	9.73	6
Compound	рK		Ref.	Leucine	2.36	9.60	6
•	-COOH	[	$-NH_3$	Methionine	2.28	9.21	U
Alanine	2.35	9.69	6	1-Methylhistidine	6.48, 1.69		6
-Aminobutyric acid		9.60		Norleucine	2.39	9.76	6
-Aminoisobutyric	2.36	10.21	6	Norvaline	2.36	9.76	6
J	12, 1.62	9.58	6	Ornithine	1.71	8.69	6
i i giiii iosaeeii ie	2.70, 4.2		· ·	ommunic .	1., 1	10.76	v
Aspartic acid	2.09, 3.86		6	Proline	1.99	10.60	6
Canaline	10.3, 9.20		6	Sarcosine	2.23	10.01	6
Creatinine	4.84	9.2	6	Taurine 1.5	2.20	8.74	6
Cystine	1.65	7.85	6	Thiolhistidine <1.5, 1	1.4	01.1	Ü
Cystille	2.26	9.85	6		1.84	8.47	6
Diidotyrosine	6.48, 2.12		6	Tryptophan	2.38	9.39	6
Glutamic acid	2.19, 4.25		6	Tyrosine ethyl ester		9.80	22
Glycine	2.34	9.6	6	Peptides		0.00	~~
Histidine	6.0, 1.82		9.17	Anserine 7.0	2.65	9.5	6
	6	•	0.1.	Carnosine 6.83		9.51	6
Hydroxylsine	2.13	8.62	6	Cystinyldiglycine	3.12	6.36	6
119 (11 011) 101110	2.10	9.67	· ·	eysuny rangiy eme	3.12	6.95	Ü
Isoleucine	2.36	9.68	6	Glycylglycine	3.06	8.13	
Lysine	2.18	8.95	6	Gly-gly-gly	3.26	7.91	23
		10.53	-	Glycylproline	2.84	8.55	6
O-Methyl tyrosine		9.27	21	Aspartyl histi-	2.45	7.98	-
		·.~·	~-		~.10		

dine 6.8 Diglycylcystine 2.7 Glutathione 9.12 2.1 3.5	71 12	3.02 7.94 8.66	6 6			dy-gly ine (L,L)	3.05 3.01 10.05	7.75 7.53 11.01	23 6
Compound			-COOH	I α-NI	H <sub>0</sub>	ε- <b>NH</b> <sub>2</sub>	ε- <b>NH</b> 2	ε- <b>NH</b> <sub>2</sub>	Ref.
Gly•Ala (L) or (D)			3.17	8.23	-2	C 11112	C 14112	0 1 1112	27
Ala•Gly (L) or (D)			3.16	8.24					27
									27
Gly•Ala•Ala (LL)			3.38	8.10					
Gly•Ala•Ala (LD)			3.30	8.17					27
Ala•Ala•OH (DD)			3.30	8.14					27
Ala•Ala•OH (LD)			3.12	8.30					27
H•Ala•Ala•Ala•OH (3L)	• `		3.39	8.03					27
H•Ala•Ala•Ala•OH (LLD	-		3.37	8.05					27
H•Ala-Ala-Ala•OH (LDL)			3.31	8.13					27
H•Ala-Ala-Ala•OH (DLL)	)		3.37	8.06					27
H-Ala-Ala-Ala•OH (3D)			3.39	8.06					27
H•Ala-Ala-Ala-Ala•OH (4			3.42	7.94					27
H•Ala-Ala-Ala•OH (I			3.24	7.93					27
H•Ala-Ala-Ala•OH (I	LDLL)	)	3.22	7.99					27
H•Ala-Ala-Ala•OH (I	OLLL)	)	3.42	7.99					27
H•Lys-Ala•OH (LL)			3.22	7.62		10.70			27
H•Lys-Ala•OH (LD)			3.00	7.74		10.63			27
H•Ala-Lys-Ala•OH (3L)			3.15	7.65		10.30			27
H•Ala-Lys-Ala•OH (LDL)	)		3.33	7.97		10.36			27
H•Ala-Lys-Ala•OH (LLD)			3.29	7.84		10.49			27
H•Ala-Lys-Ala-Ala•OH (4			3.58	8.01		10.58			27
H•Ala-Lys-Ala•OH (LDL)			3.32	8.01		10.37			27
H•Ala-Lys-Ala-Ala-Ala•C		_)	3.53	7.75		10.35			27
H•Ala-Lys-Ala-Ala-Ala•O				7.85		10.29			27
H•Lys-Lys•OH (LL)	(	,	3.01	7.53		10.05	11.01		27
H•Lys-Lys•OH (LD)			2.85	7.53		9.92	10.98		27
H•Lys-Lys•OH (3L)			3.08	7.34		9.80	10.54	11.32	27
H•Lys-Lys-Lys•OH (LDL	.)		2.91	7.29		9.79	10.54	11.42	27
H•Lys-Lys-Lys•OH (LDD			2.94	7.14		9.60	10.38	11.09	27
Compound	pK		2.01	,,,,	ref		10.00	11.00	~ '
Glutathione	-	8.75,	9 65		77				
Glycylserine	8.23	, 0.70,	0.00		77				
Glycylleucine	8.13				77				
Leucylglycine	7.96				77				
Glycylisoleucine	7.96				77				
	7.66				77				
Leucylglycylglycine Glycylphenylalanine	8.28				77				
Glycyltyrosine	8.22				77				
		4 00			77				
Benzylglutamic acid	3.49, 8.04	4.99			77				
Glycyltryptophane		102	9 57 0 54		77				
Glutathione, oxidized			8.57, 9.54		92				
Alamylalanine (LL)	3.30		8.14						
Alanylalanine (LD)	3.12		8.30	10.70	92				
Lysylalanine (LL)	3.22		7.62	10.70	92				
Lysylalanine (LD)	3.00		7.74	10.63	92				
Leucyltyrosine (LL)	3.46		7.84	10.09	92				
Leucyltyrosine (DL)	3.12		8.38	10.35	92				

Lysyllysine NITROGE		POUI	2.85 NDS	7.	.53	9.92	92				
Aliphatic A			рK		ref.						
Ammonia			9.21		1	n	-Propyl	_	10.53	1	
Primary A	mines							lsilymethyl-	10.96	1	
-Alanine			9.13	1			CH3ONĬ		4.60	12	2
Allylamine	<u>)</u> -		9.69		2	P	Allyl-		9.49	1	
Benzyl			9.34		1			-n-butyric acid e	ster 9.71	1	
n-Butyl-			10.59		1		ec-Butyl		10.56	1	
t-Butyl-			10.55		1	(	Cyclohex	yl-	10.64	1	
Cyclohexy	lmethyl-		10.49		1		-difluor	oethyl-	7.52	1	
Ethanol-			9.50		1	E	Ethyl	-	10.63	1	
Ethylenedi			9.98,	7.52	1, 77	(	Glycine e	ester	7.75	1	
Hydrazine			8.10		1		<del>I</del> ydroxy		5.97	1	
Isopropyl-			10.63		1		Лethoxy		4.60	1	
Methyl-			10.62		1	n	eo-Pent		10.21	1	
Phenylamy			10.49		2		-Phenyl		10.40	2	
-Phenylet	thyl-		9.83		1		-Phenyl <sub>]</sub>		10.20	1	
						Т	riethyle	nedi-	8.8*	?	
X	XNH <sub>3</sub> <sup>+</sup>		XCH <sub>2</sub> NH <sub>3</sub>		(CH <sub>2</sub> ) <sub>2</sub> NH <sub>3</sub> +			X(CH <sub>2</sub> ) <sub>4</sub> NH <sub>3</sub> <sup>+</sup>	X(CH <sub>2</sub> ) <sub>5</sub> NH <sub>3</sub> <sup>+</sup>		ref.
H-	9.25*		10.64*	10	$0.67^{*}$	10.58	8*	10.61*	10.63*	2	2
HF <sub>2</sub> C-			7.52								
RO <sub>2</sub> C-			7.75	9.	.13	9.71		10.15*	10.37		2
HO-	5.96*				.50*						
$C_6H_5$ -	4.58*		9.37*	9.	.83*	10.20	0*	10.39*	10.49*		2
$H_2N$ -	8.12*			9.	.98*	10.6	5*	10.84*	11.05*	2	2
$H_2C=CH-$			9.69								
CH <sub>3</sub> -	10.64*		10.67*	1	$0.58^{*}$	10.6	1*	10.63*	10.64*	2	2
X		-H		-NH	[ <sub>3</sub> +	-CO	2	-SO <sub>3</sub> -	-PO <sub>3</sub> -	2	
$X-NH_3^+$		$9.25^{3}$	k	88				1	10.25		
$X(CH_2)_2N^2$	$H_{3}^{+}$	10.64	4			9.77		5.75	10.8		
$X(CH_2)_2N_2$	$H_{3}^{+}$	10.67	7			10.19	9	9.20	10.8		
$X(CH_2)_4N$	H <sub>3</sub> +	10.61	1	9.31		10.7	7	10.65	10.9		
$X(CH_2)_5N$	•	10.63		9.74		10.7		10.95	11.0		
X(CH <sub>2</sub> ) <sub>8</sub> N	•	10.65		10.1			-	2000			
$X(CH_2)_{10}N$	-	10.64						11.35	11.25		
$X(CH_2)_3N$	•	10.58		8.59		10.43	3	10.05			
<b>a</b> 1	•					-	<b>.</b> . 1 .	1	44.05	4	
Secondary	amines		10.04		4		Di-n-buty		11.25	1	
Dimethyl-	1		10.64		1	I	Diisobut	,	10.50	1	
Di-n-propy			11.00		1			yrroline	7.43	2	
Diisopropy			11.05		1			pyrroline-	7.08	2	
t-Butylcycl			11.23		1	2		piperidine	10.99	2	
-Cyclohe			7.95		2			exylpyrrolidine		2	
-(p-Tolyl)		e	7.59		2			/l)pyrrolidine	10.01	2	
-Ethylpyi			10.43		2			ethylhydroxylar		12	
-Benzylp			10.36		2		Acetanili		+0.61	4	
N-methylh	ıydroxyla	amine			12	*	thermody	ynamic value			
Diethyl-			10.98		1						

Aliphatic Amines			Methyldiethylamino-ethyl-sul	fide	
1,2-Iminoethane	7.98	7			2
cis-2,3-Iminobutane	8.72	7			۵
1,2-Imino-2-methylpropane		7	1-methyl-2-n-butyl- <sup>2</sup> -pyrroline		•
1,2-Iminobutane	8.29	7	1-Ethyl-2-methyl- <sup>2</sup> -pyrroline		2
trans-2,3-Iminobutane	8.69	7	1-n-Butyl-2-methyl- <sup>2</sup> -pyrroline	11.90	2
2 422 2,0 222220		•	1,2-Dimethyl- <sup>2</sup> -tetrahydropyrid	line	
Secondary Amines				11.57	2
Allylmethyl-	10.11	1	N-Ethyl derivative of: 1,2-Imino	-ethane	
Benzylethyl-	9.68	1	•	7.93	7
Morpholine	8.36	1	Trans-2,3-Iminobutane	9.47	7
N-Benzoylpiperazine	7.78	1	Trimethylhydroxylamine	3.65	12
Di-sec-butyl-	11.01	1	Dimethylethyl-	9.99	1
N-Methylmethoxyamine	4.75	1	Triethyl-	10.65	1
Pyrolidine	11.27	1		10.02	1
1-Tosylpiperazine	7.39			10.30	1
Benzylmethyl-	9.58	1	Dimethyl-t-butyl-	10.52	1
Piperidine	11.22	1	Tri-n-butyl-	10.89	1
N-Carbethoxypiperazin	8.28	1	Diallylmethyl-	8.79	1
Dietrimethylsilylmethyl-	11.40	1	1-n-Propylpiperidine	10.48	2
Diallyl-	9.29	1		10.1	5 5
N-Methylhydroxyl-	5.96	1	0.0		
Trimethyleneimine	11.29	1	J 1 $J$	10.26	2
Cis-2,6-dimethyl-piperidine	10.92	3		10.24	2
<b>J</b> 1 1			3 3 1 3	10.64	2
			1-n-Butyl-2-methylpyrrolidine 10	).43	2
			3 3 1 3	10.70	2
Tertiary amines			,	8.18	7
Trimetȟyl-	9.76	1		8.56	7
Dimethyldiethyl-	10.29	1	J J J	5.20	12
Dimethyl-n-propyl-	9.99	1	J	8.78	1
Dimethyl-isobutyl-	9.91	1	, J 1 1	10.26	2
Dimethyl-sec-butyl-	10.40	1	1-Ethyl-2-methyl- <sup>2</sup> -tetrahydrop	yridine	
Tri-n-propyl-	10.65	1		11.57	2
Triallyl-	8.31	1			
N-Allylpiperidine	9.69	2			
1-Diethylamino-hexane-thio	ol-(6)				
Cyanoamines			2-Amino-2-cyanopropane	5.3	9
N-piperidine-CH <sub>2</sub> CN	4.55	8	-Isopropylaminopropionitrile	8.0	9
Et <sub>2</sub> NCN	-2.0	8	-Diethylaminopropionitrile	7.6	9
$Et_2N(CH_2)_2CN$	7.65	8	Et <sub>2</sub> NCH <sub>2</sub> CN	4.55	8
$Et_2N(CH_2)_4CN$	10.08	8	Et <sub>2</sub> N(CH <sub>2</sub> ) <sub>3</sub> CN	9.29	8
Et <sub>2</sub> NC(CH <sub>3</sub> ) <sub>2</sub> CN	9.13	8	Et <sub>2</sub> N(CH <sub>2</sub> ) <sub>5</sub> CN	10.46	8
EtN(CH <sub>2</sub> CN) <sub>2</sub>	-0.6	8	$HN(CH_2CN)_2$	0.2	8
EtN(CH <sub>2</sub> CH <sub>2</sub> CN) <sub>2</sub>	4.55	8	$HN(CH_2CH_2CN)_2$	5.26	8
H <sub>2</sub> NCH <sub>2</sub> CN	5.34	8	$N(CH_2CH_2CN)_3$	1.1	8
N-Amphetamine-(CH <sub>2</sub> ) <sub>2</sub> -CN		8	N-piperidine-C(CH <sub>3</sub> ) <sub>2</sub> CN	9.22	8
N-Norcodeine-(CH <sub>2</sub> ) <sub>2</sub> CN	5.68	8	N-Methamphetamine-(CH <sub>2</sub> ) <sub>2</sub> CN		8
	1.2	9	Methyl cyanamide	1.2	9
Dimethylcyanimide Diethylcyanimide	1.2	9	Ethyl cyanamide	1.2	9
Aminoacetonitrile	5.3	9	Cyanamide	1.2	9
	3.3 4.5	9	Dimethylaminoacetonitrile	4.2	9
Diethylaminoacetonitrile	4.3	ฮ	Dimeniyianimoacetomune	4.2	9

	pionitrile minopropion diethylamine		9 9 9	CF <sub>3</sub> CH <sub>2</sub> NHCH Phenylethylam		6.05	10
•	chelating ager	nts of aliphatic		2-phenylethylar N-methyl-2-(3,4	nine	9.78 phenyl)-	11
	tituted amine	S		ethylamine N-methyl-2-phe		8.78 10.31	11 11
CF <sub>3</sub> CH <sub>2</sub> NH		5.7	10	Epinephrine		8.55	11
CF <sub>3</sub> CH <sub>2</sub> N(C		4.75	10	Arterenol		8.55	11
		$R_2$	CHCH <sub>2</sub> NHR <sub>4</sub> I R <sub>3</sub>	ref. 1	1		
$R_1$	$R_2$	$R_3$	R <sub>4</sub>	pK			
Н	Н	Н	Н	9.78			
H	H	OH	H	8.90			
H	OH	OH	H	8.81			
OH	H	OH	H	8.67			
H	OH	H	H	9.22			
OH	OH	H	H	8.93			
OH	OH	OH	H	8.58			
H	H	H	CH <sub>3</sub>	10.31			
H	H	OH	$CH_3$	9.31			
H	OH	OH	$CH_2$	8.62			
OH	Н	OH	$CH_3$	8.89			
Н	OH	Н	$CH_3$	9.36			
OH	OH	H	$CH_3$	8.78			
OH	OH	OH	CH <sub>3</sub>	8.55			
			-				
		in 80% methyl				0.00	
				Cyclotridecyl		9.63	
Hexamethyl Heptamethy		10.00 9.77		Cyclotetradecyl Cyclopentadecy		9.54 9.54	
Octamethyle		9.39		Cycloheptadecy		9.54	
Nonamethy		9.14		Cyclooctadecyl	<b>1</b>	9.54	
Decamethyle		9.04		Cyclodetadecyl		0.01	
Undecameth		9.14		<b>Amines other</b>			
Dodecameth		9.31		Dimeoone		5.23	18
Tridecameth		9.35		Phthalimide		8.30	18
Tetradecame		9.35		Nitrourea		4.57	18
Hexadecame		9.29		Nitrourethane		3.28	18
Heptadecam	ethylene	9.27		Diphenylthioca	rbazone	4.5	6
Cyclohexyl	-	9.82		, , "-Triamino	triethylamii	1e	
Cycloheptyl		9.99			8.42	, 9.44, 10.1	3 87
Cyclooctyl				_			
Cyclononyl		9.95		Anilines	Ref. 2		
Cyclodecyl		9.85		Monosubstitute	ed		
Cycloundecy		9.71		Substituent		m p	- O*
Cyclododecy	<b>/1</b>	9.62		Н-	4.62*	$4.64^*$ $4.5$	58*

(CII ) NI		0.00	0.71	∞ (CII-)-C	4 65
$(CH_3)_3N^{+-}$	0.10	2.26	2.51	p-(CH <sub>3</sub> ) <sub>3</sub> C-	4.65
CH <sub>3</sub> O <sub>2</sub> C-	2.16	3.56	2.30	m-Br-	3.08
CH <sub>3</sub> SO <sub>2</sub> -		2.68*	1.48	m-Cl- p-F-	$\begin{array}{c} 3.09 \\ 4.01 \end{array}$
CH <sub>3</sub> S-		4.05	4.40		3.99
Br-	2.60*	3.51*	3.91*	p-(CH <sub>3</sub> ) <sub>3</sub> Si-	
F-	2.96*	3.38*	4.52*	p-CH <sub>3</sub> O-	5.14, 5.16
CH <sub>3</sub> O-	4.49*	4.20*	5.29*		
$C_6H_5$ -	3.78*	4.18	4.27*		
(CH <sub>3</sub> ) <sub>3</sub> C-	3.78				
$-O_3S$ -		3.80	3.32		
$H_3N^+$	1.3	2.65	3.29		
O <sub>2</sub> N-	-0.28*	2.45*	0.98*, 1.11*		
HO <sub>2</sub> C-	2.04	3.05	2.32		
$C_2H_5O_2C$ -	2.10		2.38		
F <sub>3</sub> C-		3.49*	2.57*		
HO-	4.72	4.17	5.50		
Cl-	2.62*	3.32*	3.81*		
(CH <sub>3</sub> ) <sub>3</sub> Si-		4.64*	4.36*		
C <sub>2</sub> H <sub>5</sub> O-	4.47*	4.17*	5.25*		
CH <sub>3</sub> -	4.38*	4.67*	5.07*		
⁻HO₃As	3.77	4.05	4.05		
H <sub>2</sub> N-	4.47	4.88	6.08		
*Thermodynamic	C				
Dimethyl					
Н		5.07	52		

Н	5.07	52
$m-NO_2$	2.63	52
m-CN	2.97	52
$p-NO_2$	0.61	52
p-CN	1.78	52
p-NO	4.54	52

# Dimethyl (in 50% ethanol)

Substituent XC <sub>6</sub> H <sub>4</sub> N(CH	<b>I<sub>3</sub>)<sub>2</sub></b> ref. 2
H-	4.21, 4.09
m-CH <sub>3</sub>	4.66
p-C <sub>2</sub> H <sub>5</sub> -	4.69
o-(CH <sub>3</sub> ) <sub>2</sub> CH-	5.05
p-CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> -	4.62
o-(CH <sub>3</sub> ) <sub>3</sub> C-	4.26
p-I-	3.43, 2.73
p-Br-	3.52, 2.82
p-Cl-	3.33
m-(CH <sub>3</sub> ) <sub>3</sub> Si-	4.41
o-CH <sub>3</sub> O-	5.49
o-CH <sub>3</sub>	5.15, 5.07
p-CH <sub>3</sub>	4.94
p-CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> -	4.43
p-(CH <sub>3</sub> ) <sub>2</sub> CH-	4.77
p-(CH <sub>3</sub> ) <sub>2</sub> CHCH <sub>2</sub> -	4.19

Ortho-substituted anili	nes (in 50% ethanol)	1-NH <sub>2</sub> -8-NO <sub>2</sub> -	2.79
H-	4.25	1-NH <sub>2</sub> -8-SO <sub>3</sub> -	1.71
2-CH <sub>3</sub> -	3.98, 4.09	$1-NH_2-3-SO_3-$	3.20*
2,3-(CH <sub>3</sub> ) <sub>2</sub> -	4.42	1-NH <sub>2</sub> -4-SO <sub>3</sub> -	2.81*
2,4-(CH <sub>3</sub> ) <sub>2</sub> -	4.61	1-NH <sub>2</sub> -5-SO <sub>3</sub> -	3.69*
2,5-(CH <sub>3</sub> ) <sub>2</sub> -	4.17, 4.23	1-NH <sub>2</sub> -6-SO <sub>3</sub> -	3.80*
2,6-(CH <sub>3</sub> ) <sub>2</sub> -	3.42, 3.49	1-NH <sub>2</sub> -7-SO <sub>3</sub> -	3.66
3,5-(CH <sub>3</sub> ) <sub>2</sub> -	4.48	1-NH <sub>2</sub> -8-SO <sub>3</sub> -	5.03*
2-CH <sub>3</sub> -	4.09	2-NH <sub>2</sub> -	4.11*
2-(CH <sub>3</sub> ) <sub>2</sub> CH-	4.06	2-NH <sub>2</sub> -1-NO <sub>2</sub> -	-1.0
2-(CH <sub>3</sub> ) <sub>2</sub> C-	3.38	2-NH <sub>2</sub> -3-NO <sub>2</sub> -	2.93
2,6-(CH <sub>3</sub> ) <sub>2</sub> -4-(CH <sub>3</sub> ) <sub>3</sub> C-	3.88	2-NH <sub>2</sub> -4-NO <sub>2</sub> -	2.63
2,4-(CH <sub>3</sub> ) <sub>2</sub> -6-(CH <sub>3</sub> ) <sub>3</sub> -	3.43	2-NH <sub>2</sub> -5-NO <sub>2</sub> -	3.16
2-CH <sub>3</sub> -4,6-(CH <sub>3</sub> ) <sub>3</sub> C-	3.31	2-NH <sub>2</sub> -6-NO <sub>2</sub> -	2.75
2,4,6-[(CH <sub>3</sub> ) <sub>3</sub> C <sub>3</sub> ]-	<2	$2\text{-NH}_2\text{-}7\text{-NO}_2\text{-}$	3.13
		2-NH <sub>2</sub> -8-NO <sub>2</sub> -	2.86
Substituted Naphthylar		2-NH <sub>2</sub> -1-SO <sub>3</sub> -	2.35
1-NH <sub>2</sub> -	3.92*	2-NH <sub>2</sub> -3-SO <sub>3</sub> -	
$1-NH_2-2-NO_2-$	-1.6	2-NH <sub>2</sub> -4-SO <sub>3</sub> -	3.70
$1\text{-NH}_2\text{-}3\text{-NO}_2\text{-}$	2.22	2-NH <sub>2</sub> -5-SO <sub>3</sub> -	3.96*
1-NH <sub>2</sub> -4-NO <sub>2</sub> -	0.54	2-NH <sub>2</sub> -6-SO <sub>3</sub> -	3.74*
1-NH <sub>2</sub> -5-NO <sub>2</sub> -	2.80	2-NH <sub>2</sub> -7-SO <sub>3</sub> -	3.95*
$1-NH_2-6-NO_2-$	3.15	2-NH <sub>2</sub> -8-SO <sub>3</sub> -	3.89*
$1-NH_2-7-NO_2-$	2.83		

TA T	1	. 1	•1• •
IN-SU	ibstitu	ited ai	nilines*

1 V Dubblituted ullill					
R	C <sub>6</sub> H <sub>5</sub> NHR	C <sub>6</sub> H <sub>5</sub> N(CH <sub>3</sub> )R	C <sub>6</sub> H <sub>5</sub> NR <sub>2</sub>	2-CH3C6H4NHR	2-CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> NR <sub>2</sub>
H-	4.58	4.85	4.58	4.39	4.39
CH <sub>3</sub> -	4.85	5.06	5.06	4.59	5.86
$C_2H_5$ -	5.11	5.98	6.56	4.92	7.18
$n-C_3H_7$ -	5.02		5.59		
$n-C_4H_9$ -	4.95		~5.7		
$i-C_4H_9$ -		5.20			
sec-C <sub>4</sub> H <sub>9</sub> -		6.04			
$t-C_6H_{12}-$	6.30				
Cyclopentyl-	5.30	6.71		5.07	
Cyclohexyl-	5.60	6.35		5.34	
t-C <sub>4</sub> H <sub>9</sub> -	6.95	7.52		6.49	
*Thermodynamic					

AMINES ref. 77		Secondary amines	0.00 10.07
n.		N-Butylaminoacetic acid	2.29, 10.07
Primary amines	0.00	N,N'-Diethylethylenediamine	7.70, 10.46
2-aminoethylsulphonic acid	9.08	2,2'-dihydroxydiethylamine	9.00
Aminomalonic acid	3.32, 9.83	N,N'-di-n-propylethylenediamine	
N-n-butylethylenediamine	7.53, 10.30	Ethylenediamine-N,N'-diacetic acid	
2,3-diaminobutane, meso	6.92,9.97	Iminodipropionic acid	4.11, 9.61
2,3-diaminobutane, racemic	6.91, 10.00	Piperazine	5.68, 9.82
2,2'-diaminodiethyl sulfide	8.84, 9.64	-carboxymethylaminopropionic a	ıcid
1,3-diamino-2,2-dimethylpropane	8.18, 10.22		3.61, 9.46
N,N'-Di-(2-aminoethyl)-ethylened	iamine	N,N'-Dimethylethylenediamine	7.40, 10.16
3.32, 6.0	67, 9.20, 9.92	N-ethylaminoacetic acid	2.30, 10.10
1,2-diamino-2-methylpropane	6.79, 10.00	Iminodiacetic acid	2.98, 9.89
1,3-Diaminopropan-2-ol	8.23, 9.68	N-isopropylaminoacetic acid	2.36, 10.06
N,N'-Diglycyethylenediamine	7.63, 8.35	N-n-propylaminoacetic acid	2.28, 10.03
Ethylenediamine-N,N-diacetic acid		- · · · p- · p/ · · · · · · · · · · · · · · · · ·	2.20, 20.00
Furfurylamine	8.89	Tertiary amines	
2-(2-hydroxypropylamino)-ethyla		4-(2-aminoethyl)morpholine	4.84, 9.45
9.86	111110 010 1,	Di-(2-hydroxyethyl)aminoacetic ac	•
2-(3-hydroxypropylamino)ethylan	nine	Hexamethylenetetramine	5.13
2 (o ny aroxypropy lanimo) cury lan	6.78, 9.76	Methyliminodiacetic acid	2.81, 10.18
N-Methylaminoacetic acid	2.24, 10.01		
Methylaminomercaptoproio		Diethylaminoacetic acid	2.04, 10.47
·	mate 0.30,	Dimethylaminoacetic acid	2.08, 9.80
8.99	7 5 4 10 0 4	N-2-hydroxyethyliminodiacetic aci	
N-n-propylethylenediamine	7.54, 10.34	Triethylenediamine	4.18, 8.19
	72, 7.95, 9.59	D 0.4	
Tris-(hydroxymethyl)-aminometh		Ref. 1	0.70
2-amino-2'-hydroxydiethyl sulfide		Diallylmethyl	8.79
N-(carbamoylmethyl)-iminodiacet		Benzyldimethyl	8.93
	2.30, 6.60	N-Allylpiperidine	9.68
	58, 8.86, 9.65	N-Allylmorpholine	7.05
2,3-diamino-2,3-dimethylbutane		Propargyldimethyl	7.05
3,3'-diaminodi-n-propylamine	8.02,9.70, 10.7	Propargylethyldimethyl	8.88
1,2-Di-(2-aminoethylthio)ethane	8.43, 9.32	N-Methylmorpholine	7.41
1,2-diaminopropane	7.13, 10.00	N-Methylpyrrolidine	10.46
N,N-diethylethylenediamine	7.07, 10.02	N,N-Dimethylhydroxylamine	5.20
N,N-dimethylethylenediamine	6.63, 9.53	Allyldimethyl	8.73
N-Ethylethylenediamine	7.63, 10.56	Benzyldiethyl	9.48
N-(2-hydroxyethyl)-ethylenediam		N-Ethylpiperidine	10.40
`	6.83, 9.82	N-Ethylmorpholine	7.70
N-isopropylethylenediamine	7.70, 10.62	Propargymethyldimethyl	8.33
2-Methoxyethylamine	9.20	N-Methylpiperidine	10.08
Mercaptoethylamine	8.27, 10.53	N-Methyltrimethyleneimine	10.40
N-Methylethylenediamine	7.56, 10.40	Triethanolamine	7.77
2-Methylthioethylamine	9.18	N,N-Dimethylmethoxyamine	3.65
2-thienylmethylamine	8.92	1.,1. Dimenty intentoxy uninte	0.00
Triaminotriethylamine	8.56, 9.59,		
10.29	0.00, 0.00,		
10.60			


Ref. 5 N-Dimethyl-cysteamine N-Dipropyl-cysteamine NMercaptoethyl-morpholine 1-Diethylamino-butan- (4)		7.95, 10.7 8.00, 10.8 6.65, 9.8 10.1		Methyl-[ -d N-Diethyl-c NMercap 1-Diethylam 1-Diethylam	1lfide 9.8 7.8, 10.75 7.95, 11.05 8.0, 10.5 10.1		
ANILINES (Ref. 88)							
m-Substituted an m-C <sub>2</sub> H <sub>5</sub> -C(CH <sub>3</sub> ) <sub>3</sub> 3,5-[C(CH <sub>3</sub> ) <sub>3</sub> ] <sub>2</sub> m-CN 3-OCH <sub>3</sub> .5-NO <sub>2</sub> 3,5-Br <sub>2</sub>	ilines	4.70 4.97 2.76 2.11 2.34	4.66	m-CH(CH <sub>3</sub> ) <sub>2</sub> 3,5-(CH <sub>3</sub> ) <sub>2</sub> m-COCH <sub>3</sub> 3-Cl,5-OCH <sub>3</sub> 3,5-(OCH <sub>3</sub> ) <sub>2</sub>	4.67	3.56 3.10 3.82	4.74
NAPHTHALAMIN	ES (refere	ence 88)					
substituted naphtha 2-naphthalamine 1-NH2,3-X	alamines X NO2	4.16 2.07		2-naphthalamine 2-NH <sub>2,</sub> 4-X	X NO <sub>2</sub>	2.43	
114112,074	CN Cl Br I COOCH3	2.26 2.66 2.67	2.82	2 1112,1 71	CN Cl Br I COOCH3	2.66 3.38 3.40	3.41
	OCH <sub>3</sub> OH CH <sub>3</sub> Cl	3.30 3.96 2.71	3.26	1-NH <sub>2</sub> ,6-X	OCH <sub>3</sub> NO <sub>2</sub> Cl OCH <sub>3</sub>		4.05
2-NH <sub>2</sub> ,5-X	NO <sub>2</sub>	3.01		0.211 6.37	ОН	3.97	
1-NH <sub>2</sub> ,5-X	OH NO <sub>2</sub> OH Cl NH <sub>2</sub>	4.07 2.73 3.96 3.34 4.21		2-NH <sub>2</sub> ,7-X	NO <sub>2</sub> Cl OCH <sub>3</sub> OH NH <sub>2</sub>	3.10 3.71 4.19 4.25 4.66	
1-NH <sub>2</sub> ,7-X	NO <sub>2</sub> Cl	2.55 3.48	4.0%	2-NH <sub>2</sub> ,6-X	NO <sub>2</sub> OCH <sub>3</sub>	2.62 4.64	0.70
1-NH2,2-X	OCH3 OH NO2	4.20 -1.74	4.07	2-NH2,8-X 1-NH2,4-X	NO <sub>2</sub> NO <sub>2</sub> Br	0.54 3.21	2.73
1-NH <sub>2</sub> ,2-X 1-X,2-NH <sub>2</sub> 1-NH <sub>2</sub> ,8-X	NO <sub>2</sub> NO <sub>2</sub> NO <sub>2</sub>	-0.85 2.79 <sub>,</sub>		2-NH <sub>2</sub> ,3-X	NO <sub>2</sub>	1.48	

Anilines (in 50% ethanol)			5'-IMP	8.9, 1.54, 6.04	6
Unhindered	рK	ref.	5-Methylcytosine	4.6, 12.4	6
Aniline	4.19	40	5-Methylcytosine deox	-	
p-Aminodiphenyl	3.81	40	o Wietilyleytosine deoz	4.4	6
2-Naphthylamine	3.77	40	3-Methyluracil	9.75	37
3-Phenanthrylamine	3.59	40	3-Methylxanthine	8.5 (8.1), 11.3	38
m-Aminodiphenyl	3.82	40	Adenosine	3.63	6
2-Aminofluorene	4.21	40	Adenosine	3.3, 12.5	35
2-Phenanthrylamine	3.60	40	5'-AMP		36
2-Anthrylamine	3.40	40	3-AMP	3.3, 6.1	
Hindered			Daubitania asid	3.74, 6.2-6.4	6
o-Aminodiphenyl	3.03	40	Barbituric acid	3.9, 12.5	37
•			Cytidine	4.11	6
peri	0.40	40	"	4.22, 12.5	35
1-Naphthylamine	3.40	40	2'-CMP	4.3-4.4, 6.19*	6
9-Phenanthrylamine	3.19	40	5'-CMP	4.5, 6.3	6
3-Aminopyrene	2.91	40	CTP	4.6, 6.4	6
1-Phenanthrylamine	3.23	40	2,6-Diaminopurine	5.09, 10.77	6
1-Anthrylamine	3.22	40	Isoguanine	4.51, 8.99	6
			Guanosine (deoxy)	1.6-2.2, 9.16-9.5	6
meso	0.7	40	GMP $(2' + 3')$	2.3, 9.36, 0.7, 5.9	6
9-Anthrylamine	2.7	40	5'-GMP (deoxy)	2.9, 9.7, 6.4	6
o-Aminophenols	1 10.00 5.00	F 1	GTP	3.3, 9.3, 6.5	6
3-Hydroxyanthranilic aci		51	Inosine	1.2, 8.9	6
2-Aminophenol hydrochlo		£ 1	"	8.75, 12.5	6
Indicators	9.99, 4.86	51	5-Methylcytosine deox		U
	9 99 9 76	60	5-Methylcytosine deo2		Q
p-Aminoazobenzene 4-Chloro-2-nitroaniline	2.82, 2.76	60	1 Mathadana 21	4.5, 13.0	6
4,6-Dichloro-2-nitroanilir	-1.02, -1.03 ne -3.61, -3.32	60	1-Methyluracil	9.95	37
6-Bromo-2,4-dinitroanilin		00	1-Methylxanthine	7.7, 12.05	38
2-Amino-4,5-dimethylpho		10.40,	7-Methylxanthine	8.5 (8.3)	38
z-Ammo-4,3-dimethyrphe	5.28	10.40, 51	9-Methylxanthine	6.3	38
N,N-Dimethyl-2,4-dinitre		60	Purine	2.52, 8.90	37
p-Nitrodiphenylamine	oannine -1.00,	00	Thymidine	9.8	6
	-2.4 to -2.9, -2.50	60	5'-TMP	10.0, 1.6, 6.5	6
4-Methyl-2, dinitroanilin		60	Uracil deoxyriboside	9.3	6
4 Methyl-2, unitroanini	10 -5.50, -1.11	00	5'-UMP	9.5, 6.4	6
Heterocyclics			UTP	9.5, 6.6	6
Nucleosides, etc.			Uridine	9.25	6
Adenine	4.15, 9.80	6	"	9.17, 12.5	35
2'-AMP	3.81, 6.17	6	Xanthosine	0, 5.5, 13.0	6
3'-AMP	3.74, 5.92	6	Orotic acid	2.8, 9.45, 13	6
ADP	3.95, 6.3	36	Pyrimidine	1.30	37
ATP	4.00 (4.1), 6.5	36			
Barbital		37	Thymine	0, 9.9, 713.0	6
	7.85, 12.7		Uracil	.5, 9.5, 13.0	6
Cytosine	4.45, 12.2	6	UMP $(2' + 3')$	9.43, 1.02, 5.88	6
Cytosine (deoxy)	4.25	6	UDP	9.4, 6.5	6
3' CMP	4.16-4.31, 6.04	6	Uric acid	5.4, 10.3	6
CDP	4.44	6	Xanthine	0.8, 7.44, 11.12	6
CDP, (deoxy)	4.8, 6.6	6	"	7.2	38
Guanine	3.3, 9.2, 12.3	6			
Guanosine	2.2, 9.5	6			
"	1.6, 9.16, 12.5	35			
5'-GMP	2.4, 9.4, 6.1	6			
GDP	2.9, 9.6, 6.3	6			
Hypoxanthine	1.98, 8.94, 12.10	-			
J 1	, ,				

#### Heterocyclic Bases (Ref. 2)




Pyridine 5.14\* pK (20°)




Quinoline 4.85\*




Isoquinoline 5.14\*




Benzoquinoline 5.05\*




Acridine 5.60




5,6-Benzoquinoline 5.15\*




7,8-Benzoquinoline 4.25\*




Phenanthridine 3.30<sup>a</sup>



2,3-Benzacridine 4.52<sup>a</sup>



3,4-Benzacridine 4.70\*



1,2-Benzacridine 3.45<sup>a</sup>



Pyridazine 2.10\*



Pyrimidine 1.10\*



Pyrazine 0.37\*



Cinnoline 2.64\*



Phthalazine 3.39\*



Quinazoline 3.31\*



Quinoxaline 0.6\*

<sup>a</sup> 50% EtOH

**Heterocyclics** Aureomycin **Iridine** 

3.30, 7.44, 9.27 --, 5.62

77 39

3-Hydroxy 5-Hydroxy (acridone) 5-Methoxy

8.81, 5.52 --f, -0.32--, 7

39 39

39

**Acridine** 

1--

2--

3--

5--

Ref. 2

**	<b>F</b> 00.4	4.440					
H	5.60*	4.11a	<b>7</b> 00*	0.04*	0.00*		
$H_2N$	4.40*	8.04*	5.88*	6.04*	9.99*		
	3.59a	7.61 <sup>a</sup>	$5.03^{a}$	$5.50^{a}$	9.45a		
HO	4.18 <sup>a</sup>	4.86a	$5.52^{39}$	4.45 <sup>a</sup>	$32^{39}$		
	10.7a	9.9a	$8.81^{39}$	9.4*	>12		
CH <sub>3</sub>	3.95a		$4.60^{a}$		4.70a		
H <sub>2</sub> K-(1-CH <sub>3</sub> )				4.79a	9.73s 3.22a		
1,9-(CH <sub>3</sub> ) <sub>2</sub>	2.88a						
1,0 (0113)2	2.00						
a 50% ethanol; ref.	30						
8-amino-1,2-benza		6.72	40	, '-dipy	ridyl .	4.43	6
2-amino-4-methyl-			7.14	4-amino-	•	8.75 <sup>a</sup>	19
z diffilo 1 illetilyi	o,o benze	40	****		2-methyl-	9.45a	19
3-amino-6,7-benzo	guinoline		40				
8-amino-3,4-benza		7.42	40		2-methyl-8-chloro		19
1'-amino-5,6-benzo			40	8-chloro-		2.5a	19
4'-amino-5,6-benzo			40	3,4-diam		8.15a	19
2-amino-4-methyl-				3-amino-		4.78, 3.73a	19
J	., -,	6.74	40		quinoline	$4.25, 3.15^{a}$	19
6,7-benzoquinoline	<u> </u>	5.05, 3.84a	19	4-amino-		7.68a	19
5,6-benzoquinoline		5.15, 3.90 <sup>a</sup>	19	4-amino-	2-methyl-	$7.96^{a}$	19
4-amino-	,	7.99a	19	2-amino-	4-methyl-	6.74, 6.02a	19
2-methyl-		4.44a	19	6-amino-	2-methyl-	$5.23^{a}$	19
4-amino-2-methyl-		8.45a	19	1'-amino	-2-methyl-	4.75 <sup>a</sup>	19
2-amino-4-methyl-		$7.14, 6.51^{a}$	19	3,4-benza	•	4.70, 4.16a	19
•		· ·		5-amino		8.41a	19
4'-amino-		5.20, 4.10 <sup>a</sup>	19	7-amino-		$5.03^{a}$	19
3'-amino-		4.02a	19	8-amino-		7.42 (6.51) <sup>a</sup>	19
1'-amino-		5.03	19	8-acetam		4.48 <sup>a</sup>	19
2',4'-diamino-		4.91a	19		ylamino-	7.31, 6.99	19
Benziminazole		5.53	19	1,2-benza		$3.45^{a}$	19
2-amino-		7.54 1.6	19	5-amino-		8.13 <sup>a</sup>	19
Benztriazole			19	7-amino		$4.05^{a}$	19
Benzthiazole		1.2, 0.1 <sup>a</sup>	19	8-amino-		$6.72, 5.97^{a}$	19
2-amino- benzoxazole		4.51	19			8.44a	
2-amino-		(decomp.) 3.73	19 19	4',5-diam Cinnolin		, 0.21	19 39
		4.52 <sup>a</sup>		3-hydrox		8.64, 0.21	39
2,3-benzacridine			19	5-hydrox		7.40, 1.92	39
5-amino-		9.72a	19	7-hydrox		7.40, 1.32	39
5-acetamido-		4.56a	19	4-methox	•	, 3.21	39
7-amino-		5.38a	19	4 methoz	x y	, 0.21	00
5-amino-6:7:8:9-tet	rahydro-		19	Heterocy	clics		
Caffeine		0.61	4	o,o'-dipy		4.43	6
cinchonine		7.2	4	hydanto		9.16	42
Cinnoline		2.70	19		oyl-2-thio-	8.70	42
4-amino-		6.84	19		methylene2-thio	8.79	42
Cocaine	77 7	7.6	4		nethyl-2-thio	10.80	42
Cinnoline 4-hydrox	кy	9.27, 0.35	39		-5,5-pentamethyle		
6-hydroxy		7.52, 3.65	39 39	J	J	11.23	42
-hydroxy		8.20, 2.74	JJ	<b>Imidazo</b>	les		

2-Methylimidazole	7.75	43	Histidine	methyleste	er
N-Acetylhistidine	7.05	43		5.2 (NH <sub>2</sub> 7	
2-Methyl-4-hydroxy-amino	benz- 6.65	43		43	,
4-Hydroxymethyl-	6.45	43	2-Methyl-4-hydroxy-6-nitr		zole
2-Methylbenz-	6.1	43	2 Medigi i ng arong o ma	3.9	43
Histamine	6.0	43	4-Hydroxy-6-Nitrobenz-	3.05	43
4-Hydroxy-6-aminobenz-	5.9	43	b2-Hydroxymethylnaphth		10
4-Hydroxybenz-	5.3 (OH 9.5		z mydroxymethymaphth	4.44, 12.23	86
4-Methoxybenz-	5.1	43	<sup>b</sup> 2-Hydroxymethylnaphth	•	00
4-Bromo-	3.7	43	2-11ydroxymethymaphth	4.50, 12.23	86
6-Nitrobenz-	3.05, 10.6	43	4-Hydroxy-	4.80, 8.68	44
4-Nitro-	1.5, 9.1	43	1-Amino-	7.62	40
isoQuinolines	_,, _,_		4-Amino-	6.28	40
1-Hydroxy-	-1.2	44	6-Amino-	7.17	40
5-Hydroxy	5.40, 8.45	44	8-Amino-	6.06	40
3-Amino-	5.05	40		5.70	40
5-Amino-	5.59	40	7-Hydroxy-	3.70	40 44
Amino-	6.20	40	1-Methoxy-	3.03 1.35	88
6-Hydroxy-	5.85, 9.15	44	4-NO <sub>2</sub>		
8-Hydroxy-	5.66, 8.40	44	4-Br	3.31	88
2-Methylisoquinolone	-1.8	44	1-Hydroxy-	, 1.44	39
Isoquinoline	5.46, 5.14	44, 19	5-Methyl-1-phenazone	, 4.9	39
Phenazine	, 1.23	39	m-Phenanthroline	3.11 <sup>a</sup>	19
2-Hydroxy-	7.5, 2.6	39	1-Amino-	ca. 7.3, 7.29a	19
10-Methyl-2-phenazone	, 3.0	00	2,2'-Dipyridyl	4.23	19
6-Aminophenanthridine	6.88	40	2-Hydroxy-	8.79, 4.82	44
9-Aminophenanthridine	7.31	40	7-Hydroxy-	4.38, 8.68	44
o-Phenanthroline	$4.27^{a}, 5.2$	19	9-Methoxy-	, 2.38	44
p-Phenanthroline	$3.12^{a}$	19	2-Amino-9-methyl-	$5.66^{a}$	19
1,10-Diamino-3,8-Dimethyl			2,7-Diamino-9-methyl-	$6.26^{a}$	19
1,10-Diamino-3,8-Dimentyr	- 0.704, 0.314	•	6-Amino-	6.88	<b>40</b>
Phenanthridine	, 4.65	44	Phenazine	1.23	19
6-Hydroxy-	, 4.03 8.43, 5.35	44 44	1-Amino-	2.6a	19
		44 44	2-Amino-	4.75, 3.46a	19
9-Hydroxy (phenanthridon			1,3-Diamino-	5.64 <sup>a</sup>	19
9-Amino-	7.31, 6.75a	19	2,3-Diamino-	4.74	19
2,7,9-Triamino-	8.06a	19	2,7-Diamino-	4.63, 3.9a	19
Phthalazine	3.47	19	Pteroylglutamic acid	8.26	77
1-Amino-	6.60	19	3 8		
1-Hydroxy-	11.00, -2	39	Pyridines		
Picolimic acid	5.52	4	2-Amino-	6.86	41
5,5-dimethyl-2-thio-	8.71	42	4-Amino-	9.17	41
5,5-Diphenyl-2-thio-	7.69	42	2-Methyl-	5.94b	45
1-Methyl-5,5-pentamethyl-6		40	2-Vinyl-	4.98	45
4 Mathad	9.25	42	2-Chloro-	0.49	45
4-Methyl-	7.45	43	2,4,6-Trihydroxy-	4,6, 9.0, 13	39
Imidazole	6.95	43	1-Methyl-4-pyridone	3.33	
4-(2',4'-Dihydroxyphenyl)-	6.45	43	2-(N-Methylacetamido)-	2.01	46
Carbobenzoxy-L-histidyl-L			2-Benzamido-	3.33	
ester	6.25	43	2-(N-Methylbenzamido)-	1.44	
6-Aminobenz-	6.0 (NH <sub>2</sub> 3	•	3-(N-Methylacetamod)-	3.52	46
Benzimidazole	5.4	43	3-(N-Methylbenzamido)-	3.66	46
			4-(N-Methylacetamido)-	4.62	46
			, J		-

6.02b

8.96b

3.61

5.72<sup>b</sup>

 $3.18^{b}$ 

5.80b

3.40

1.45

5.83<sup>b</sup>

6.68b

 $(CH_3)_2CH$ -

CH<sub>3</sub>CO

 $CONH_2^{47}$ 

H<sub>2</sub>N-

NC-47

4-(N-Methylbenzamido)-	4.68	46
4-Benzamido-	5.32	46
$3-NO_2$	0.81	88
3-COO-	4.77	47
$2,3-Me_2$	6.60	48
$2.5$ -Me $_2$	6.47	48
$3.4$ -Me $_2$	6.52	48
2,4,6-Me <sub>3</sub>	7.48	48
4-OEt	6.67	48
3-Cl	2.84	48
3-CO <sub>2</sub> Et	3.35	48
3-COOH	3.13	88
2-Amyl-	$6.00^{\mathrm{b}}$	45
2-Hexyl-	5.95 <sup>b</sup>	45
2-Benzyl-	5.13	45
2-Bromo-	0.71	45
2,4-Dihydroxy	6.50, 13, 1.37	
1-Methyl-2-pyridone	0.32	39
2-Acetamido-	4.09	46
1-Methylpyrid-2-one acety		46
3-Acetamido-	4.46	46
3-Benzamido-	3.80	46
1-Methylpyrid-4-one acety		
3 1 3	11.03	46
1-Methylpyrid-4-one benz	ylimine 9.89	46
4-COO-	4.90	47
$2.4$ -Me $_2$	6.72	48
2,6-Me <sub>2</sub>	6.77	48
3,5-Me <sub>2</sub>	6.14	48
2-Me,5-Et	6.51	48
3-F	3.10	48
3-Br	2.84	48
4-CO <sub>2</sub> Et	3.45	48
Pyridine N-oxides (see oxyge	n acids)	
J = 1 = 1 = 1 = 1 = 1 = 1 = 1 = 1 = 1 =	/	

Substituted Pyridines									
Pyridine	2-	3-	4-						
H-	$5.17^{ m b}$								
Cl-	$0.72^{\mathrm{b}}$	$2.84^{\mathrm{b}}$							
I-	1.82 <sup>b</sup>	3.25 <sup>b</sup>							
CH <sub>3</sub> CH <sub>2</sub> -	$5.97^{ m b}$	$5.70^{\mathrm{b}}$	$6.02^{\mathrm{b}}$						
(CH <sub>3</sub> ) <sub>3</sub> C-	$5.76^{ m b}$	5.82 <sup>b</sup>	$5.99^{\mathrm{b}}$						
HO-	0.75	4.86	3.27						
	11.62	8.72	11.09						
$SO_3^{-47}$		2.9							
CH <sub>3</sub> O-	3.28	4.88	6.62						
F-	-0.44 <sup>b</sup>	$2.97^{\mathrm{b}}$							
Br-	$0.90^{\mathrm{b}}$	$2.84^{\mathrm{b}}$							
CH <sub>3</sub> -	$5.97^{ m b}$	$5.68^{\mathrm{b}}$	$6.02^{\mathrm{b}}$						

Ortho-Substituted Pyridine	es (in 50% e	ethanol)		Pyridazine		2.33	19
Substituent	рK	ref.		3-Hydroxy-		10.46, -1.8	<b>39</b>
H-	4.38	2		3,6-Dihydroxy-	5,	67, -2.2, 13	39
2-C <sub>2</sub> H <sub>5</sub> -	4.93	2		4-Methoxy-		3.70	39
2-(CH <sub>3</sub> )	4.68	2		3-Amino-		5.19	19
$2.6-[(CH_3)_2CH]_2$	3.58	2		4-Hydroxy-		8.68, 1.07	39
2-(CH <sub>3</sub> ) <sub>3</sub> C-	4.68	2		3-Methoxy-		2.52	39
2-C <sub>2</sub> H <sub>5</sub> -6-(CH <sub>3</sub> ) <sub>3</sub> C-	4.36	2		3,6-Dimethoxy-		1.61	39
2,6-[(CH <sub>3</sub> ) <sub>3</sub> C] <sub>2</sub> -	3.58						
2-CH <sub>3</sub> -	5.05	2 2		For complex chelating ag	ents, s	ee also ref. 7	7
2-(CH <sub>3</sub> ) <sub>2</sub> CH-	4.82	2		<sup>b</sup> thermodynamic at 25°.			
2,6-(CH <sub>3</sub> ) <sub>2</sub>	5.77						
		2 2					
$2,6-[(CH_3)_3C]_2$	3.58						
2-CH <sub>3</sub> -6-(CH <sub>3</sub> ) <sub>3</sub> C	5.52	2					
2-(CH <sub>3</sub> ) <sub>2</sub> CH-6-(CH <sub>3</sub> ) <sub>3</sub> C-	5.13	2					
			IV	950			
Danzimidazala	6 00		pK <sub>NH</sub>		pK <sub>O</sub>	Н	
Benzimidazole	6.00		5.58	5.36			
2-Methyl	6.96		6.29	6.18			
2-Ethyl	6.90		6.27	6.14	 11 55		c oc
2-Hydroxymethyl			5.40		11.55		f. <b>86</b>
1-Methyl-2-hydroxymethyl			5.55	9.4 Dibydnory (Unosil)	11.45		20
				2,4-Dihydroxy-(Uracil)		9.38, 12	39 39
				4,6-Dihydroxy-		5.4	39
Other (ref. 95)				2,4,6-Trihydroxy-(Barb			20
Other (ref. 95) Thiazolidine	c	3.31		9 Mothory		3.9, 12.5	39
		1.00		2-Methoxy-		<1 2.5	39 39
Methyl thiazolidine-4-carbo Thiazolidine-4-COOH	J	51, 6.21		4-Methoxy-		2.50	39
Tiliazolidille-4-COOH	1	.31, 0.21		1-Methyl-2-pyrimidon	e	2.30 1.84	39 39
(ref. 96)				3-Methyl-4-pyrimidon 4-Amino-		5.71	19
		5.5		2-Amino-4-methyl-		4.15	19
2-Methyl- <sup>2</sup> -oxazoline	1.			2,4-Diamino-		7.26	19
4-Carbamoyl-2-phenyl- <sup>2</sup> -c	oxazoline	2.9		4-Methyl-		1.98	19
2-Phenyl- <sup>2</sup> -oxazoline		4.4		4-Wellyl- 4-Hydroxy-		8.59, 1.85	39
				4,5-Dihydroxy-		1.99, 11.61	39
Heterocyclics				2,4,5-Trihydroxy-(isoBa			33
Pyrazines	рK	ref.		2,4,5-11111yd10xy-(130D		8.11, 11.48	39
Pyrazine	1.1, 0.6	49, 39		4-Hydroxy-5-methoxy		8.60	1.75
2,5-Dimethyl-	2.1	49		4 Trydroxy o methoxy		39	1.70
2,3,5,6-Tetramethyl-	2.8	49		1-Methyl-4-pyrimidon		1.8	39
2-Methoxy-	, 0.75	39		1 Welly 1 pyrmiaon	C	1.0	00
2-Methyl-	1.5	49		Miscellaneous			
2,6-Dimethyl-	2.5	49		4-Hydroxy-2-methylpy	/ridazi	inium chloi	ride
2-Hydroxy-	8.23, 0.1	39		1 11y drony z memyips	TTGGZ.	1.74	44
1-Methyl-2-pyrazine	-0.04	39		8-Hydroxy-6-methyl-1	6-nan		
2-Amino-	3.14	19		chloride	_	4.34	44
Pyrimidine	1.30	19		2-Hydroxyphenazine		2.6	44
2-Amino-	3.54	19		4-Hydroxypteridine		-0.17	44
5-Amino-	2.83	19		3-Methyl-4-pteridone		-0.47	44
2-Amino-4,6-dimethyl-	4.85	19		5-Hydroxypyrimidine		1.87, 6.78	44
2,4,6-Triamino-	6.84	19		8-Hydroxy-1,6-Naphth			44
2-Hydroxy-	9.17, 2.24	39		1-Hydroxyphenazine		1.44	44
				J J I			

5-Methyl-1-ph 10-Methyl-2-p 1-Methyl-4-pte	henazone	4.9 3.0 1.25	4	4 4 4						
Quinoline	2	3	4		5	6	7	8	Ref.	
Ĥ-	4.85*	4.80	4.69	*					2	
H <sub>2</sub> N-	7.25*	4.86*	9.08	*	5.37*	5.54*	6.56*	3.90*	2	
HO-	36	4.30	2.27		5.20	5.17	5.48	5.13	44	
	11.74	8.06	11.25	5	8.54	8.88	8.85	9.89	44	
$CH_3$	5.42	5.14	5.20		4.62	4.92	5.08	4.60	2	
3	5.8		5.6			5.2		5.0	2	
F-	0.0	2.36*	0.0		3.68*	4.00*	4.04*	3.08*	$\tilde{2}$	
Cl-		2.00			0.00	3.73*	1.01	0.00	$\tilde{\overline{2}}$	
HO <sub>2</sub> C	4.96*	4.62*	4.53*	*	4.81*	4.98*	4.97*	7.20*	2 2	
$NO_2$	1.00	1.0388	1.00		1.01	1.00	1.01	1.20	~	
1102		1.00								
						5-Hydro	xy-1-met	hylquioxa	linium chlo	ride
Quinoline						v	J	0 1	5.74	44
2,4-Dihydroxy	<b>-</b>	<b>5.86</b> , <b>0</b> .	.76 3	9		Riboflav	rin		9.93	77
4-Methoxy-		6.65	5	9		Sulphad	iazine		6.48	6
1-Methyl-4-qu	inolone	2.46	3	9		Sulphap	yridine		8.43	6
2,4-Diamino-		9.45	1	9		2-Amino	othiazole		5.39	41
Quinazoline		3.51, 3	.2a 1	9		1,3,5-Tri	azine			39
2-Amino-		4.43	1	9		2,4-Dihy	droxy-		6.5	39
6-Amino-		3.2a	1	9		1,4,6-Tri	azanapht	halene	2.5	39
2-Hydroxy-		10.69,	1.30 3	9		4-Hydro			11.05, 0.78	
6-Hydroxy-		8.19, 3	.12 3	9		5-Amino			2.62	19
3-Methiodide		7.26		9		2,3-Dian			4.70	19
2-Methoxy-		1.31		9		5-Hydro			8.65, 0.9	39
2-Methoxy-	_	3.17		9		6-Hydro			7.92, 1.40	39
1-Methyl-2-qu	inolone	-0.71		9			hthyridin	e	2.91	39
4-Amino-		9.44, 9		9, 41		4-Hydro			10.01, 2.85	
8-Quinolinol		5.13, 9				Sulphaq	uanidine		11.25	6
3-Cl		, 2.46		8, 44		Sulphath Terramy			7.12 3.10, 7.26,	6
3-Br		2.61		8		Terrainy	CIII		3.10, 7.20, 8	9.11
4-Amino-		5.73		.9		Tetrame	thylenedi	amine	10.7	4
8-Amono-		2.4a		9			azanapht		1.20	39
4-Hydroxy-		9.81, 2		89 89		8-Hydro		naiche	8.76, 0.60	39
8-Hydroxy- 2,4-Dihydroxy	,	8.65, 3, 9.78, 2,		9 9		o 11 y ar o	,		00, 0.00	•
4-Methoxy-	· <b>-</b>	3.13		9 9						
*Thermodynai	mic	3.13	J	0		<b>SPECIA</b>	L NITRO	GEN CO	<b>MPOUNDS</b>	5
Thermodyna										
							ylamines			
Heterocyclics						Hydroxy			5.97*	12
Quinoxaline		0.8, 0.5	66 1	9, 39		N-Meth			5.96*	12
2-Amino-		3.96		9		O-Methy			4.60*	12
6-Amino-		2.95	1	9		Trimeth	,		3.65*	12
2-Hydroxy-		9.08, -1		9		N-Dime			5.20*	12
1-Methiodide		5.74		9		N,O-Dir	nethyl-		4.75*	12
2,3-Dihydroxy	<b>-</b>	9.52	3	9						

TT 1 (000)			DI 1 .1.	10.00	10
Hydrazines (30°)	0.0~	4.0	Phenylguanidine	10.88	19
Hydrazine	8.07	13	Benzamidine	11.6	19 20
Methyl-	7.87	13	N-Phenyl-O-methylisourea 7.3		
N,N'-Dimethyl-	7.52	13			
Tetramethyl-	6.30	13			
N,N-Diethyl-	7.71	13	Nitrogen compounds, misce	ellaneous	
Phenyl-	5.21 (15°)	14			77
Glycylhydrazide	2.38, 7.69	15	Dithiooxamide (rubeanic aci		•
N,N-Dimethyl-	7.21	13	H <sub>2</sub> NCSCSNH <sub>2</sub> )	10.62	77
Trimethyl-	6.56	13		10.02	• •
Ethyl-	7.99	13	Ethylenediguanide	04 11 70	77
N,N'-Diethyl-	7.78	13	1.74, 2.88, 11.		77
		15	Phenyldiguanide	2.16, 10.71	77
Acet-	3.24	13			
Isonicotinhydrazide 1.85	, 3.54, 10.77				
	77		Other		
			S-Methylisothiourea	9.83	20
<b>Hydrazones</b> Hydrazone of:			N-Phenyl-S-methylisothiour	rea 7.14	20
Benzophenone	3.85	16	· ·		
p,p'-Dimethoxy-	4.38	16			
p-Chloro-	4.38	16	Cinchona Alkaloids (in 80	% aqueous	methyl
p-Methoxyacetophenone	4.94	16	cellosolve)	, o aqueous	
p,p'-Dichloro-	3.13	16	Quinine	7.73	2
Phenyl-2-thienyl ketone	3.80	16	Quinidine	7.95	۵ 9
i nengi z unengi neteme	0.00	10	Ephedrine	9.14	2 2 2 2 2 2 2 2
<b>Semicarbazones</b> of:					د 0
Semicarbazide	3.66		N-Methylephedrine	8.50	<i>ا</i>
		1.4	Epiquinine	8.44	2
Furfural	1.44	14	Epiquinidine	8.32	2
Benzaldehyde	0.96	14	-Ephedrine	9.22	2
Acetone	1.33	14	N-Methylephedrine	8.81	2
Acetaldehyde	1.10	14	-		
Pyruvic acid	0.59	14			
			Acetamide	-0.51	4
			Urea	0.18	4
			Thiourea	-0.96	4
Amidoximes			imourcu	0.00	1
Ox-	3.02	17			
Benz-	4.99	17	Thiols		
-Phenylacet-	5.24	17		705 107	~
Succin-	3.11, 5.97	17	N-Dimethyl-cysteamine	7.95, 10.7	7
o-Tolu-	4.03	17	N-Dipropyl-cysteamine	8.00 10.8	5
	5.14	17	NMercaptoethyl-morpho		
p-Tolu-			1-Diethylamino-butan- (4)	10.1	5
Malon-	~4.77	17	Methyl-[ -diethylamino-eth	yl]-sulfide	9.8
Oul				5	
Other	. ~	•	Methyl thioglycolate	7.8	23
Diphenylthiocarbazone	4.5	6	Mercaptoethylamine	8.6, 10.75	23
Phthalimide	8.30	18	N-trimethyl cysteine	8.6	23
Nitrourethane	3.28	18		8.75, 9.65	23
Acetylguanidine	8.33	19	N-Diethyl-cysteamine	7.8, 10.75	5
Acetamidine	12.52	19	NMercaptoethyl-piperidir		J
O-Methylisourea	9.80	20	1 v wier captoethyr-piperiun		E
Dimedone	5.23	18	1 D. d. l	7.95, 11.05	5
Nitrourea	4.57	18	1-Diethylamino-propan- (3)		5
Guanidine	13.71	19	1-Diethylamino-hexan- (6)	10.1	5
		- 0			

a10.65

11.05

82

82

p-Nitrobenzenethiol	5.	1	58	o-Mercapto-phenylace	tic acid	
Thioglycolic acid	3.	67, 10.31	23	1 1 3	4.28, 7.67	<b>59</b>
Mercaptoethanol	9.		23	Ethyl mercaptan	10.50	81
Cysteine	1.8, 8	.3, 10.8	23	I-Tȟio-D-sorbitol	9.35	91
Cysteinylcysteine				2-mercaptoethanesulfonate 7.53 (9.1)		81
2.65, 7.27, 9.35, 10.85		23	o-aminothiophenol	6.59	81	
				Thiophenol 8.20a	7.8, 6.52	59, 81, 82
				-Mercaptopropionic a	81	
<b>X</b> =	-H	- <b>S</b> -	-SH	Methyl cysteine	6.5 (7.5)	
$X(CH_2)_2SH$	12.0	13.96	10.75	3 3	81	
X(CH <sub>2</sub> ) <sub>4</sub> SH	12.4	13.25	11.50	p-Cl-thiophenol	7.50	81
$X(CH_2)_3SH$	13.24	11.14		1		
X(CH <sub>2</sub> ) <sub>5</sub> SH		13.27	11.82	Mercaptans, RSH		
11(0112)3011		10.2.		R		
				CH <sub>3</sub> CCH <sub>2</sub> -	7.86	32
				$C_6H_5CH_2$ -	9.43	82
				HOCH <sub>2</sub> CH(OH)CH <sub>2</sub> -	9.51	82
				CH <sub>2</sub> =CHCH <sub>2</sub> -	9.96	82
				n-C <sub>4</sub> H <sub>9</sub> -	10.66	82
				t-C <sub>5</sub> H <sub>11</sub> -	11.21	82
				C <sub>2</sub> H <sub>5</sub> OCOCH <sub>2</sub> -	7.95	82
				C <sub>2</sub> H <sub>5</sub> OCH <sub>2</sub> CH <sub>2</sub> -	9.38	82
				HOCH <sub>2</sub> CH(OH)CH <sub>2</sub> -		
				HOCH2CH(OH)CH2-	9.66	82

n-C<sub>3</sub>H<sub>7</sub>-t-C<sub>4</sub>H<sub>9</sub>-

CARBON ACIDS	S		Dicyanometha	ne	12 c. 25	2 24	
Acetone	~20	24	Acetonitrile Benzoylacetone (anol)		8.23	24 24	
Acetylacetone	8.95	24		Dimethylsulfone		24	
Diacetylacetone	6	24	Nitroethane		14 8.6	18	
Hydrocyanic acid		25	2-nitropropan	P.	7.74	18	
1-nitropropane	9	18	Tricyanometh		strong	24	
Saccharin	1.6	18	Trinitrometha		strong	24	
Tri-methylsulfonyl-methane strong 24				Nitromethane		25	
Bis-(β-Diketones):[(RCO)(R'CO)CH] <sub>2</sub> CHR (in 50% dioxane)						£. 28)	
R	R'	•	R"	рK	pK		
$CH_3$	$CH_3$		(CH2)5CH3	11.33	12.5		
$CH_3$	$CH_3$		$C_6H_5$	11.10	12.4	19	
$CH_3$	$CH_3$		2-ClC <sub>6</sub> H <sub>4</sub>	11.04	12.7	73	
$CH_3$	$CH_3$		$2-C_5H_4N$	9.80	12.4	16	
$CH_3$	$CH_3$		2-CH <sub>3</sub> OC <sub>6</sub> H <sub>4</sub>	11.47	12.4		
$CH_3$	$CH_3$		$3,4-CH_2O_2C_6H_3$	11.39	12.0		
$CH_3$	$CH_3$		$3-C_5H_4N$	10.29	12.0		
CH <sub>3</sub>	CH <sub>3</sub>		4-CH <sub>3</sub> OC <sub>6</sub> H <sub>4</sub>	11.62	12.0		
CH <sub>3</sub>	$CH_3$		4-(CH <sub>3</sub> ) <sub>2</sub> NC <sub>6</sub> H <sub>4</sub>	11.50	12.4		
$CH_3$	CH <sub>3</sub> OCH <sub>2</sub>		$C_6H_5$	11.54	12.27		
$CH_3$	CH <sub>3</sub> OCH <sub>2</sub>		2-C <sub>5</sub> H <sub>4</sub> N	10.95	12.49		
CH <sub>3</sub>	CH <sub>3</sub> OCH <sub>2</sub>		4-(CH <sub>3</sub> ) <sub>2</sub> NC <sub>6</sub> H <sub>4</sub>	12.13	12.31		
$CH_3$	CH <sub>3</sub> OCH <sub>2</sub>		$4-CH_3OC_6H_4$	11.74	12.49		
CII3	CH <sub>3</sub> OCH <sub>2</sub> COCH <sub>2</sub> CO	)CH <sub>2</sub>	1 0113000114	9.66	12.	10	
	(CH <sub>3</sub> CO) <sub>2</sub> CH(CH <sub>2</sub> ) <sub>3</sub> (	•		12.07			
	(011300)2011(0112)3	CII3		12.07			
<b>Bis-</b> ( $\beta$ - <b>Diketones</b> ) (RCO)-(R'CO)CH-Y-CH(COR)(COR') (in 50% dioxane) (ref. 26)							
R	R'		Y	рK	рK		
$CH_3$	$CH_3$			9.43	13.5		
$CH_3$	$CH_3$		$(CH_2)_4$	11.99	12.4	18	
$CH_3$	$CH_3$		$(CH_2)_{10}$	12.01	12.0	)7	
CH <sub>3</sub>	$CH_3$		$1,4-(CH_3)_2C_6H_4$	11.27	12.3		
Bis-(β-Diketones) RCOCH <sub>2</sub> CO-Y-COCH <sub>2</sub> COR (in 75% dioxane) (ref. 26)							
R	Y	~	pK	рK	`	,	
$C_6H_5$	$(CH_2)_4$		12.47	13.09			
$C_6H_5$	$(CH_2)_5$		12.72	13.46			
$C_6H_5$	$(CH_2)_6$		12.60	13.46			
$C_6H_5$	$(CH_2)_7$		13.1 (est.)				
$C_6H_5$	$(CH_2)_3$		12.58	13.69			
$CH_3$	$(CH_2)_5$		12.29	13.00			
$CH_3=CH(CH_3)_2$	$(CH_2)_5$		12.95	13.60			
υ \ 3/ <b>ω</b>							

CH <sub>3</sub> NO <sub>2</sub>	10.29	74			
CH <sub>3</sub> CHClNO <sub>2</sub>	7	74			
CH <sub>3</sub> COCH <sub>2 NO2</sub>	5.1	74	CO <sub>2</sub> Et		
$CH(NO_2)_3$	strong	74	O	10.96	74
CH <sub>3</sub> COCHCl <sub>2</sub>	15	74			
CH <sub>3</sub> COCHC <sub>2</sub> H <sub>5</sub> CO <sub>2</sub> C <sub>2</sub> H <sub>5</sub>	12.7	74	$CH_3$		
CH <sub>3</sub> COCHCH <sub>3</sub> COCH <sub>3</sub>	11	74	II II	7.00	~ 4
CH <sub>3</sub> COCH <sub>2</sub> COC <sub>6</sub> H <sub>5</sub>	9.4	74	0 0	7.82	74
C <sub>6</sub> H <sub>5</sub> COCH <sub>2</sub> COCF <sub>3</sub>	6.82	74	Dinitromethane Potassium cyanide	4 9.21	2 2
CH <sub>3</sub> COCH <sub>2</sub> CHO	5.92	74	CH(CN) <sub>3</sub>	9.21 strong	2 74
CH <sub>3</sub> COCH <sub>2</sub> CO <sub>2</sub> CH <sub>3</sub>	10	74	$CH_2(CO_2C_2H_5)_2$	13.3	74
CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub> SO <sub>2</sub> CH <sub>3</sub>	14	74	$CH_3CO_2H$	~ 24	74
CH <sub>3</sub> SO <sub>2</sub> CH(COCH <sub>3</sub> ) <sub>2</sub>	4.3	74		~ <b>~</b> 1	71
$C_2H_5NO_2$	8.6	74	OEt		
C <sub>2</sub> H <sub>5</sub> O <sub>2</sub> CCH <sub>2 NO2</sub>	5.82	74			
$CH_2(NO_2)_2$	3.57	74	0 0	10.5	<b>74</b>
CH <sub>3</sub> COCH <sub>2</sub> Cl	c. 16.5	74			
$CH_3COCH_2CO_2C_2H_5$	10.68	74	CH <sub>3</sub>		
CH <sub>3</sub> COCH <sub>2</sub> COCH <sub>3</sub>	9	74			
CH <sub>3</sub> COCHBrCOCH <sub>3</sub>	7	74	0 0	10.1	74
CH <sub>3</sub> COCH <sub>2</sub> COCF <sub>3</sub>	4.7	74	$CH_2(CHO)_2$	5	<b>74</b>
C <sub>6</sub> H <sub>5</sub> COCH <sub>2</sub> NC <sub>5</sub> H <sub>5</sub>	10.51	74			
CH(COCH <sub>3</sub> ) <sub>3</sub>	5.85	74	т 1• ,		
$CH_3SO_2CH_3$	c. 23	74	Indicators	9.0	90
CH(SO <sub>2</sub> CH <sub>3</sub> ) <sub>3</sub>	strong	74	Tropeoline OO Bromocresol green	2.0 4.9	28 28
$CH_2(CN)_2$	11.81	74	Thymol blue (1)	4.9 1.65	28
$C_2H_5O_2CCH_2CN$	9	74	Methyl orange	3.45	28
$CH_3CO_2C_2H_5$	~ 24.5	74	Methyl yellow	3.25	28
$CHC_2H_5(CO_2C_2H_5)_2$	15	74	Neutral red	7.4	28
$CH_3CONH_2$	~ 25	74	Bromophenol blue	4.1	28
0 0			Bromothymol blue	7.3	28
			Thymol blue (2)	9.2	28
S' CF <sub>3</sub>	6.10	74	Methyl red (1)	2.3	28
	J.10	, 1	Methyl red (2)	5.0	28

#### **References**

- 1. Hall, H.K., Jr. J. A.m. Chem. Soc. **1957**, 79, 5441.
- 2. Brown, H.C. et al., in Braude, E.A. and F.C. Nachod Determination of Organic Structures by Physical Methods, Academic Press, New York, 1955.
- 3. Hall, H.K., Jr. J. Am. Chem. Soc. **1957**, 79, 5439.
- 4. Handbook of Chemistry and Physics, Editor in Chief, Charles D. hodgman, M.S.; Chemical Rubber Publishing Company, Cleveland, OH, 1951, p. 1636-7.
- 5. Franzen, V. Chem. Ber. **1957**, 90, **623**.
- 6. Dawson, R.M.C. et al., Data for Biochemical Research, Oxford, Clarendon Press, 1959.
- 7. Buist, G.J.; Lucas, H.J. J. Am. Chem. Soc. 1957, 79, 6157.
- 8. Stevenson, G.W.; Williamson, D. J. Am. Chem. Soc. 1958, 80, 5943.
- 9. Soloway, S.; Lipschitz, H. J. Org. Chem. **1958**, 23, 613.
- 10. Bissell, E.R.; Finger, M. J. Org. Chem. **1959**, 24, 1256.
- 11. Tuckerman, M.M.; Mayer, J.R.; Nachod, F.C. J. Am. Chem. Soc. **1959**, 81, 92.
- 12. Bissot, T.C.; Parry, R.W.; Campbell, D.H. J. Am. Chem. Soc. 1957, 79, 796.
- 13. Hinman, R.L. J. Org. Chem. **1958**, 23, 1587.
- 14. Conant, J.B.; Bartlett, P.D. J. Am. Chem. Soc. 1932, 54, 2881.
- 15. Lindegren, C.R.; Niemann, C. J. Am. Chem. Soc. **1949**, 71, 1504.
- 16. Harnsberger, H.F.; Cochran, E.L.; Szmant, H.H. J. Am. Chem. Soc. 1955, 77, 5048.
- 17. Pearse, G.A., Jr.; Pflaum, R.T. J. Am. Chem. Soc. 1959, 81, 6505.
- 18. Bell, R.P.; Higginson, W.C.E. Pro. Royal Soc. **1949**, 197, 141.
- 19. Albert, A.; Goldacre, R.; Phillips, J. J. Chem. Soc. 1948, 2240.
- 20. Dippy, J.F.J.; Hughes, S.R.C.; Rozanski, A. J. Chem. Soc. 1959, 2492.
- 21. Edsall, J.T.: Martin, R.B.: Hollingworth, B.R. PN'As **1958**, 44, 505.
- 22. Martin, R.B.; Edsall, J.T.; Wetlaufer, D.B.; Hollingworth, B.R. *JBC* **1958**, 233, 1429.
- 23. Edsall, J.T.; Wyman and Jeffries, Biophysical Chemistry, Academic Press, Inc., New York, 1958.
- 24. Pearson, R.G.; Dillon, R.L. J. Am. Chem. Soc. 1953, 75, 2439.
- 25. Ang, K.P. J. Chem. Soc. 1959, 3822.
- 26. Martin, D.F.; Fernelius, W.C. J. Am. Chem. Soc. **1959**, 81, 1509.
- 27. Ellenbogen, E. J. Am. Chem. Soc. **1952**, 74, 5198.
- 28. Kolthoff, Treatise on Analytical Chemistry, New York, Interscience Encyclopedia, Inc., 1959.
- 29. Edwards, J.O. J. Am. Chem. Soc. 1954, 76, 1540.
- 30. Bailey, N.A.; Carrington, K.A.; Lott, K.; Symons, M.C.R. J. Chem. Soc. 1960, 290.
- 31. Brownstein, S.; Stillman, A.E. J.P.C. **1959**, 63, **2061**.
- 32. Schwarzenbach Helv. Chem. Acta. **1957**, 40, 907.
- 33. Ingham, J.W.; Morrison, J. J. Chem. Soc. **1933**, 1200.
- 34. Hildebrand, J.H. Principles of Chemistry, New York, The Macmillan Company, 1940.
- 35. Baddiley, in Chargaff, The Nucleic Acids, vol. I, New York, Academic Press, 1955.
- 36. Pabst, OR 1.
- 37. Bendich, in Chargaff, etc.
- 38. Jordan, in Chargaff, etc.
- 39. Albert, A.; Phillips, J.N. J. Chem. Soc. **1956**, 1294.
- **40**. Elliott, J.J.; Mason, S.F. J. Chem. Soc. **1959**, 2352.
- 41. Angyal, S.J.; Angyal, C.L. J. Chem. Soc. **1952**, 1461.
- 42. Edward, J.T.; Nielsen, S. J. Chem. Soc. 1957, 5075.
- 43. Bruice, T.C.; Schmir, G.L. J. Am. Chem. Soc. 1958, 80, 148.
- 44. Mason, S.F. J. Chem. Soc. **1958**, 674.
- **45**. **Linnell**, **R.H**. *J. Org. Chem.* **1960**, *25*, **290**.
- 46. Jones, R.A.; Katritzky, A.R. J. Chem. Soc. **1959**, 1317.
- 47. Jaffe, H.H.; Doak, G.O. J. Am. Chem. Soc. 1955, 77, 4441.
- 48. Clarke, K.; Rothwell, K. J. Chem. Soc. **1960**, 1885.
- **49**. **Keyworth**, **D.A**. *J.* Org. Chem. **1959**, *24*, 1355.

- 50. Gawron, O.; Duggan, M.; Grelechi, C.J. Anal. Chem. **1952**, 24, 969.
- 51. Sims, P. J. Chem. Soc. **1959**, 3648.
- 52. Fickling, M.M.; Fischer, A.; Mann, B.R.; Packer, J.; Vaughan, J. J. Am. Chem. Soc. 1959, 81, 4226.
- 53. Wold, F.; Ballou, C.E. JBC **1957**, 227, **301**.
- 54. McElroy, W.D.; Glass, B. Phosphorus Metabolism, Vol. I, Baltimore, Johns Hopkins University Press, 1951.
- 55. Kumler, W.D.; Eiler, J.J. J. Am. Chem. Soc. **1943**, 65, **2355**.
- 56. VanWazer, J. Phosphorus and Its Compounds, Vol. I, New York, Interscience Encyclopedias, Inc., 1958.
- 57. Freedman, L.D.; Doak, G.O. Chem. Rev. 1957, 57, 479.
- 58. Ellman, G.L. Arch. Biochem. Biophys. **1958**, 74, 443.
- 59. **Pascal, I.; Tarbell, D.S.** *J. Am. Chem. Soc.* **1957**, 79, **6015**.
- 60. Bascombe, K.N.; Bell, R.P. J. Chem. Soc. 1959, 1096.
- 61. Gawron, O.; Draus, F. J. Am. Chem. Soc. **1958**, 80, 5392.
- 62. Mukherjee, L.M.; Grunwald, E. JPC 1958, 62, 1311.
- 63. **Ballinger**, P.; Long, F.A. J. Am. Chem. Soc. **1959**, 81, 1050.
- 64. Ballinger, P.; Long, F.A. J. Am. Chem. Soc. **1960**, 82, 795.
- 65. Haszeldine, R.N. J. Chem. Soc. **1953**, 1757.
- 66. Deno, N.C.; Berkheimer, H.E.; Evans, W.L.; Peterson, H.J. J. Am. Chem. Soc. 1959, 81, 2344.
- 67. Gardner, J.N.; Katritzky, A.R. J. Chem. Soc. **1957**, 4375.
- 68. Wise, W.M.; Brandt, W.W. J. Am. Chem. Soc. **1955**, 77, **1058**.
- 69. Fortnum, D.H.; Battaglia, C.J.; Cohen, S.R.; Edwards, J.O. J. Am. Chem. Soc. 1960, 82, 778.
- 70. Everett, A.J.; Minkoff, G.J. TFS **1953**, 49, 410.
- 71. **Bauer**, L.; Miarka, S.V. J. Am. Chem. Soc. **1957**, 79, **1983**.
- 72. Green, A.L.; Sainsbury, G.L.; Saville, B.; Stansfield, M. J. Chem. Soc. 1958, 1583.
- 73. Burkhard, R.K.; Sellers, D.E.; DeCou, F.; Lambert, J.L. J. Org. Chem. 1959, 24, 767.
- 74. Bell, R.P., The Proton in Chemistry, Ithica, Cornell University Press, 1959.
- 75. Stewart, T.D.; Maeser, S. J. Am. Chem. Soc. **1924**, 46, **2583**.
- 76. Jencks, W.P.; Carriuolo, J. J. Am. Chem. Soc. **1960**, 82, 1778.
- 77. Bjerrum, J., et al. Stability Constants, Chemical Society, London, 1958.
- 78. Parsons, R. Handbook of Electrochemical Constants, London, Butterworths, 1959.
- 79. Bower, V.E.; Robinson, R.A. *JPC* **1960**, *64*, **1078**.
- 80. Candlin, J.P. J. Chem. Soc. **1960**, **4236**.
- 81. Danehy, J.P.; Noel, C.J. J. Am. Chem. Soc. **1960**, 82, 2511.
- 82. Kreevoy, M.M. et al. J. Am. Chem. Soc. **1960**, 82, **4899**.
- 83. Kabachnik, M.I., et al. Tetrahedron **1960**, 9, 10.
- 84. Bjerrum, J., et al. Stability Constants, Chemical Society, London, 1958.
- 85. Crutchfield, M.M.; Edwards, J.O. J. Am. Chem. Soc. **1960**, 82, 3533.
- 86. Lane, T.J.: Quinlan, K.P. J. Am. Chem. Soc. **1960**, 2994, 2997.
- 87. Moeller, T.: Ferrus, R. JPC **1960**, 64, **1083**.
- 88. Bryson, A. J. Am. Chem. Soc. **1960**, 82, 4558, 4862, 4871.
- 89. Henderson, W.A., Jr.; Streuli, C.A. J. Am. Chem. Soc. **1960**, 82, 5791.
- 90. Edwards, J.O. et al. J. Am. Chem. Soc. **1960**, 82, 778.
- 91. Bell, R.P.; McTigue, P.T. J. Chem. Soc. **1960**, **2983**.
- 92. Li, N.C. et al. J. Am. Chem. Soc. **1960**, 82, 3737.
- 93. Cohen, W.; Erlanger, B.F. J. Am. Chem. Soc. **1960**, 82, **3928**.
- 94. Olson, D.C.; Margerum, D.W. J. Am. Chem. Soc. **1960**, 82, 5602.
- 95. **Ratner, S.; Clarke, H.T.** *J. Am. Chem. Soc.* **1937**, 59, **200**.
- 96. Porter, G.R.; Rydon, H.N.; Schofield, J.A. Nature **1958**, 182, 927.
- 97. Meister, E. C.; Willeke, M.; Angst, W.; Togni, A.; Walde, P. Helv. Chim. Acta 2014, 97, 1–31.