TKNCONTI-129

PUT /admin/fintechs/{fid}/enable id vacío

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a /admin/fintechs/{fid}/enable
Input data	
Expected result	La api responde 204 Not Found

TKNCONTI-130

PUT /admin/fintechs/{fid}/enable id no existente

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a /admin/fintechs/{fid}/disable
Input data	
Expected result	La api responde 204 No Content

TKNCONTI-131

PUT /admin/fintechs/{fid}/enable sin request body

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a/admin/fintechs/{fid}/enable sin body
Input data	
Expected result	La api responde 200 OK

TKNCONTI-132

PUT /admin/fintech/{fid}/enable id válido

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a /admin/fintech/{fid}/enable con un id válido
Input data	
Expected result	La api responde 200 OK

TKNCONTI-133

PUT /admin/fintech/{fid}/disable id vacío

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a /admin/fintech/{fid}/disable
Input data	
Expected result	La api responde 404 Not Found

TKNCONTI-134

PUT /admin/fintech/{fid}/disable id no existente

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a /admin/fintech/{fid}/enable
Input data	
Expected result	La api responde 204 No content

TKNCONTI-135

PUT /admin/fintech/{fid}/disable sin request body

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a /admin/fintech/{fid}/enable sin body
Input data	
Expected result	La api responde 200 OK

TKNCONTI-136

PUT /admin/fintechs/{fid}/disable id válido

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a admin/fintechs/{id}/disable con un id válido
Input data	
Expected result	La api responde 409 Conflict

TKNCONTI-137

GET /admin/fintechs/List

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	se realiza una solicitud a GET /admin/fintechs
Input data	
Expected result	La api retorna 200

TKNCONTI-138

GET /admin/fintechs/{fid} con id vacío

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a admin/fintechs/{id}
Input data	
Expected result	La api responde 404 Not Found

TKNCONTI-139

GET /admin/fintechs/{fid} id no existente

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a admin/fintechs/{id}
Input data	
Expected result	La api responde 204 No content

TKNCONTI-140

GET /admin/fintechs/{fid} sin request body

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a admin/fintechs/{id} sin body
Input data	
Expected result	La api responde 200 Ok

TKNCONTI-164

GET /admin/fintechs/{fid} con id válido

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a admin/fintechs/{id} con un id válido
Input data	
Expected result	La api responde 200 OK

TKNCONTI-142

POST /admin/fintechs sin id

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a admin/fintechs/
Input data	
Expected result	La api responde 400 Bad Request con el error "fintech_fintech_pid_notfound"

TKNCONTI-143

POST /admin/fintechs con id inexistente

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a admin/fintechs/
Input data	
Expected result	La api responde 409 Conflict

TKNCONTI-144

POST /admin/fintechs exitoso

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a admin/fintechs
Input data	
Expected result	La api responde 200 OK

TKNCONTI-165

POST /admin/fintechs id ya existentes

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a admin/fintechs
Input data	
Expected result	La api responde 409 Conflict

TKNCONTI-103

PUT /admin/account/{fid}/enable id vacío

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a /admin/account/{fid}/enable
Input data	
Expected result	La api responde 404 Not Found

TKNCONTI-104

PUT /admin/account/{fid}/enable id no existente

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a /admin/account/{fid}/disable
Input data	
Expected result	La api responde 204 No content

TKNCONTI-106

PUT /admin/account/{fid}/enable id válido

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a /admin/account/{fid}/enable con un id válido
Input data	
Expected result	La api responde 200 OK

TKNCONTI-107

PUT /admin/account/{fid}/disable id vacío

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a /admin/account/{fid}/disable
Input data	
Expected result	La api responde 404 Not Found

TKNCONTI-108

PUT /admin/account/{fid}/disable id no existente

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a /admin/account/{fid}/enable
Input data	
Expected result	La api responde 204 No Content

TKNCONTI-110

PUT /admin/account/{fid}/disable id válido

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a admin/account/{id}/disable con un id válido
Input data	
Expected result	La api responde 409 Conflict

TKNCONTI-111

GET /admin/account

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	se realiza una solicitud a GET /admin/account
Input data	
Expected result	La api retorna 200

TKNCONTI-112

GET /admin/account/{fid} con id vacío

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a admin/account/{id}
Input data	
Expected result	La api responde 409 Conflict

TKNCONTI-113

GET /admin/account/{fid} id no existente

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a admin/account/{id}
Input data	
Expected result	La api responde 204 No Content

TKNCONTI-115

PUT /admin/account/{fid} id válido

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a admin/account/{id} con un id válido
Input data	
Expected result	La api responde 200 OK

TKNCONTI-116

POST /admin/account sin id

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a admin/account/
Input data	
Expected result	La api responde 404 Not Found

TKNCONTI-117

POST /admin/account con id inexistente

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a admin/account/
Input data	
Expected result	La api responde 204 No Content

TKNCONTI-118

POST /admin/account exitoso

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a admin/account
Input data	
Expected result	La api responde 200 OK

TKNCONTI-146

Creación de account sin id

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza el request a /api/accounts/register
Input data	
Expected result	La api responde con 200 OK

TKNCONTI-145

Creación de account sin accountId

Severity	Priority	Behavior	Type
○ Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza el request a /api/accounts/register
Input data	
Expected result	La api responde con 400 Bad request "acc_account_pid_notfound"

TKNCONTI-147

Creación de account sin deviceId

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza el request a /api/accounts/register
Input data	
Expected result	La api responde 400 Bad Request "acc_device_pid_notfound"

TKNCONTI-148

Creación de account sin fintechId

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza el request a /api/accounts/register
Input data	
Expected result	La api responde con 400 Bad Request "acc_fintech_pid_notfound"

TKNCONTI-149

Creación de account sin fintechAccountId

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza el request a /api/accounts/register
Input data	
Expected result	La api responde con 400 Bad Request "acc_fintech_account_pid_notfound"

TKNCONTI-150

Creación de account con id duplicado

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza el request a /api/accounts/register
Input data	
Expected result	La api responde con 200 OK

TKNCONTI-151

Creación de account con accountId duplicado

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza el request a /api/accounts/register
Input data	
Expected result	La api responde con 400 Bad Request

TKNCONTI-152

Creación de account con fintechId duplicado

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza el request a /api/accounts/register
Input data	
Expected result	La api responde con 409 Conflict

TKNCONTI-153

Creación de account con fintechAccountId duplicado

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza el request a /api/accounts/register
Input data	
Expected result	La api responde con 409 Conflict

TKNCONTI-119

Synch de token con secret incorrecto

Severity	Priority	Behavior	Type
○ Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a /api/otp/sync
Input data	
Expected result	La api retorna 400 Bad Request "otp_secret_invalid"

TKNCONTI-120

Synch de token con secret vacío

Severity	Priority	Behavior	Type
○ Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a /api/otp/sync
Input data	
Expected result	La api retorna 400 Bad Request "otp_secret_notfound"

TKNCONTI-123

Synch de token correcto

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a /api/otp/sync
Input data	
Expected result	La api retorna 200 OK

TKNCONTI-124

Synch de token con secret incorrecto

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a /api/otp/sync
Input data	
Expected result	La api retorna 500 Internal Server Error

TKNCONTI-125

Synch de token con secret vacío

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a /api/otp/sync
Input data	
Expected result	La api retorna 400 Bad Request "otp_secret_notfound"

TKNCONTI-166

Synch de token con millis vacío

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a /api/otp/sync
Input data	
Expected result	La api retorna 400 Bad Request "otp_millis_notfound"

TKNCONTI-154

Validate de token con secret incorrecto

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a /api/otp/validate
Input data	
Expected result	La api retorna 400 Bad Request "otp_secret_signature_refused"

TKNCONTI-155

Validate de token con secret vacío

Severity	Priority	Behavior	Type
○ Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a /api/otp/validate
Input data	
Expected result	La api retorna 400 Bad Request "otp_secret_notfound"

TKNCONTI-157

Validate de token con reference vacío

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a /api/otp/validate
Input data	
Expected result	La api retorna 400 Bad Request "otp_secret_signature_refused"

TKNCONTI-158

Validate de token correcto

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Se realiza un request a /api/otp/validate
Input data	
Expected result	La api retorna 200 OK