CLOUDBREW

Service Principals, App Registrations and other Azure Myths

Eric Berg

Cloud Architect, CGI, Germany

Eric Berg

- Vice President Consulting Expert @ CGI
- MVP Azure & CDM, LinkedIn Learning Trainer
- Cloud, Datacenter & Management
- info@ericberg.de
- @ericberg_de | @GeekZeugs
- www.ericberg.de | www.geekzeugs.de

MOUNTAIN IT
www.ericberg.de

MVP Microsoft® Most Valuable Professional

GEEKZEUGS HOME OF
GEEKSPRECH Podcast
GEEKSCHAU Webcast
GEEKTREFF Community

Azure Meetup THÜRINGEN

User Assigned

App Registration

Service Connections

Client ID

Service Principal

Enterprise App

App Consent

Managed Identity

Security Principal

Client Secret

System Assigned

User Principal

Application Object

...

What is it all about?



Scopes (Permissions / Actions)
Write
Read
Send
Delete
…



Scopes (Permissions / Actions)
Write
Read
Send
Delete
…



User

Username
Password

Client App

DATA

API

Scopes (Permissions / Actions)
Write
Read
Send
Delete
…

IDP

Trust



User

Username
Password

Client App

DATA

API

Scopes (Permissions / Actions)
Write
Read
Send
Delete
…

IDP

Trust



User

Username
Password

Client App

DATA

API

IDP

Trust

Scopes (Permissions / Actions)
Write
Read
Send
Delete
…



User

Username
Password

Client App

DATA

API

Scopes (Permissions / Actions)
Write
Read
Send
Delete
...

IDP

Trust

This is how it flows … in AAD

The following diagram shows the ROPC flow.



How to do it better?



Scopes (Permissions / Actions)
Write
Read
Send
Delete
…



User

Client App

DATA

API

Scopes (Permissions / Actions)
Write
Read
Send
Delete
...

Client App

IDP

Trust



User

Client ID
&
Secret

Client App

DATA

API

Scopes (Permissions / Actions)
Write
Read
Send
Delete
...

Client
App

IDP

Trust



User

Client ID
&
Secret

Client App

DATA

API

Scopes (Permissions / Actions)
Write
Read
Send
Delete
…

Client
App

IDP

Trust



User

Client ID
&
Secret

Client App

Client ID
Scope
Redirect URL

Authentication &
Consent

DATA

API

Scopes (Permissions / Actions)
Write
Read
Send
Delete
…

Client
App

IDP

Trust



Scopes (Permissions / Actions)
Write
Read
Send
Delete
...



User

Client ID
&
Secret

Client App

Authorization Code
Client ID
(Secret)

DATA

API

Scopes (Permissions / Actions)
Write
Read
Send
Delete
…

Client
App

IDP

Trust



User

Client ID
&
Secret

Client App

Access Token
Refresh Token
(Identity Token)

DATA

API

Scopes (Permissions / Actions)
Write
Read
Send
Delete
…

Client
App

IDP

Trust



User

Client ID
&
Secret

Client App

Access Token
Request

DATA

API

Scopes (Permissions / Actions)
Write
Read
Send
Delete
…

Client
App

IDP

Trust



Scopes (Permissions / Actions)
Write
Read
Send
Delete
…

This is how it flows … in AAD



Microsoft identity platform
https://login.microsoftonline.com/<tenant> or https://login.microsoftonline.com/common/

/oauth2/v2.0/authorize

/oauth2/v2.0/token

Native App

Web API

Pops up a browser dialog,
Requests an authorization code,
indicating the policy to execute

User completes policy

Returns an authorization code

Requests an Oauth bearer token providing the
authorization_code, the app's client_id, etc.

Returns an access token and a refresh_token

Calls Web API with access token in Authorization header

Validates token

Returns secure data to app

After a short period of time, token expires

Requests a new token, providing the
refresh_token, the app's client_id, etc.

Returns a new token and a new refresh_token

Calls Web API with new token in Authorization header

And what about AAD now?



User

Client App

DATA

API

Scopes (Permissions / Actions)
Write
Read
Send
Delete
…

IDP

Trust



User

DATA

API

Scopes (Permissions / Actions)
Write
Read
Send
Delete
…

IDP

Trust



Scopes (Permissions / Actions)
Write
Read
Send
Delete
…


User
App Registration
Unique ID
Scope
Secret
DATA
API
Scopes (Permissions / Actions)
Write
Read
Send
Delete
…
Azure AD
Trust

DEMO?!



Scopes (Permissions / Actions)
Write
Read
Send
Delete
…

DEMO?!



User

Service Principal
Management
Consent

Azure AD 2

DATA

API

Scopes (Permissions / Actions)
Write
Read
Send
Delete
…

Azure AD

Trust

How to define it?

Application Object – App Registration

- Created in “Home tenant”
- App Registration stays here
- App Object used as blueprint to create service principals in every tenant the app is used
- Defines 3 aspects
  - How to issue tokens
  - Resource access
  - Actions



Service Principal Object – Enterprise App

- To access resources secured by AAD you need entity represented by security principal
  - Users = user principal
  - Applications = service principal
- Security principal defines
  - Access policy
  - Permissions

Service Principal Object – Types

- Application
  - Representation of an app object from a single tenant
  - SPO defines what app can do, who can access, and resource access
- Managed Identity
  - Auto-managed inside Azure
  - Linked to Azure Resource
  - System or User Assigned
- Legacy
  - Legacy was created before app registration
  - Only used in tenant where it was created

How to use it?

Create them

- App registration
  - Create AAD Integration
  - Portal
  - PowerShell / CLI / Graph
- Enterprise App
  - IT Admin
  - Log in to 3rd party app
  - Consent

DEMO?!

Use them

- Access 3rd Party Apps
  - e.g. Calendly, Sessionize or others
- Assign roles in Azure
  - e.g. KeyVault Access, Resource Graph or
- Allow graph access
  - e.g. Profile, Mail or Calendar
- Service Connections
  - e.g. Azure DevOps, Management Tools or DevTools

Best Practices?!

Best Practices

- Redirect URIs
    - Ownership of URIs
    - HTTPS
    - Avoid wildcards
    - Manage and Monitor DNS
- Authentication
    - Avoid implicit flows
    - If not used → remove

Best Practices

- Certificates & Secrets
  - Prefer Certs over Secrets
  - Use KeyVault with Managed Identity
  - Rollover and check usage
  - Check repos
  - Use Credential Scanner
- Owners
  - Review and Manage owners

THANK YOU SPONSORS!

ae

ARXUS

AXXES_

delaware

devoteam

Microsoft

ORDINA

proximus

ZURE

45degrees

aims

codit

DEXMACH
A CEGEKA COMPANY

axi
onderbouwd. duurzaam. dichtbij.

Capgemini

JET BRAINS

Xylos

Thank you!

Questions?

CLOUDBREW