


Prüfbericht-Nr.: <i>Test report no.:</i>	CN24F6CW 002	Auftrags-Nr.: <i>Order no.:</i>	168543759	Seite 1 von 4 Page 1 of 4
Kunden-Referenz-Nr.: <i>Client reference no.:</i>	N/A	Auftragsdatum: <i>Order date:</i>	2025-02-05	
Auftraggeber: <i>Client:</i>	Xinxiang Hongli Supply Source Technology Co.,Ltd. West Section of Xinglong Road, Xinxiang Economic Development Zone, Xinxiang County, Xinxiang City, Henan, P.R. China			
Prüfgegenstand: <i>Test item:</i>	Cylindrical Lithium-ion Rechargeable Cell			
Bezeichnung / Typ-Nr.: <i>Identification / Type no.:</i>	IMR18650-600mAh, IMR18650-700mAh, IMR18650-800mAh, IMR18650-1050mAh, IMR18650-1200mAh, IMR18650-1500mAh, IMR18650-1800mAh			
Auftrags-Inhalt: <i>Order content:</i>	TÜVus mark approval			
Prüfgrundlage: <i>Test specification:</i>	UL 1642:2020 R10.22			
Wareneingangsdatum: <i>Date of sample receipt:</i>	2025-02-05 (For structure inspection)			
Prüfmuster-Nr.: <i>Test sample no.:</i>	SN250205008C001 ~ C035			
Prüfzeitraum: <i>Testing period:</i>	N/A			
Ort der Prüfung: <i>Place of testing:</i>	CMC Testing International(Shenzhen) Co., Ltd.			
Prüflaboratorium: <i>Testing laboratory:</i>	TÜV Rheinland (Shenzhen) Co., Ltd.			
Prüfergebnis*: <i>Test result*:</i>	Pass			
geprüft von: tested by: Revan Dai			genehmigt von: authorized by: Jeffrey Qin	
Datum: Date: 2025-03-20			Ausstellungsdatum: Issue date: 2025-03-20	
Stellung / Position: Project Engineer			Stellung / Position: Report authorizer	
Sonstiges / Other:	1. The complete test report includes the following attachment: - Attachment 1: Photo documents (7 pages).			
Zustand des Prüfgegenstandes bei Anlieferung: <i>Condition of the test item at delivery:</i>	Prüfmuster vollständig und unbeschädigt <i>Test item complete and undamaged</i>			
* Legende:	P(ass) = entspricht o.g. Prüfgrundlage(n)	F(ail) = entspricht nicht o.g. Prüfgrundlage(n)	N/A = nicht anwendbar	N/T = nicht getestet
* Legend:	P(ass) = passed a.m. test specification(s)	F(ail) = failed a.m. test specification(s)	N/A = not applicable	N/T = not tested
Dieser Prüfbericht bezieht sich nur auf das o.g. Prüfmuster und darf ohne Genehmigung der Prüfstelle nicht auszugsweise vervielfältigt werden. Dieser Bericht berechtigt nicht zur Verwendung eines Prüfzeichens. <i>This test report only relates to the above mentioned test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any test mark.</i>				

Prüfbericht-Nr.: CN24F6CW 002
Test report no.:

Seite 2 von 4
Page 2 of 4

Anmerkungen
Remarks

1	Alle eingesetzten Prüfmittel waren zum angegebenen Prüfzeitraum gemäß eines festgelegten Kalibrierungsprogramms unseres Prüfhauses kalibriert. Sie entsprechen den in den Prüfprogrammen hinterlegten Anforderungen. Die Rückverfolgbarkeit der eingesetzten Prüfmittel ist durch die Einhaltung der Regelungen unseres Managementsystems gegeben. Detaillierte Informationen bezüglich Prüfkonditionen, Prüfequipment und Messunsicherheiten sind im Prüflabor vorhanden und können auf Wunsch bereitgestellt werden. <i>The equipment used during the specified testing period was calibrated according to our test laboratory calibration program. The equipment fulfils the requirements included in the relevant standards. The traceability of the test equipment used is ensured by compliance with the regulations of our management system. Detailed information regarding test conditions, equipment and measurement uncertainty is available in the test laboratory and could be provided on request.</i>
2	Wie vertraglich vereinbart, wurde dieses Dokument nur digital unterzeichnet. Der TÜV Rheinland hat nicht überprüft, welche rechtlichen oder sonstigen diesbezüglichen Anforderungen für dieses Dokument gelten. Diese Überprüfung liegt in der Verantwortung des Benutzers dieses Dokuments. Auf Verlangen des Kunden kann der TÜV Rheinland die Gültigkeit der digitalen Signatur durch ein gesondertes Dokument bestätigen. Diese Anfrage ist an unseren Vertrieb zu richten. Eine Umweltgebühr für einen solchen zusätzlichen Service wird erhoben. Informationen zur Verifizierung der Authentizität unserer Dokumente erhalten Sie auf folgender Webseite: go.tuv.com/digital-signature <i>As contractually agreed, this document has been signed digitally only. TUV Rheinland has not verified and unable to verify which legal or other pertaining requirements are applicable for this document. Such verification is within the responsibility of the user of this document. Upon request by its client, TUV Rheinland can confirm the validity of the digital signature by a separate document. Such request shall be addressed to our Sales department. An environmental fee for such additional service will be charged. For information on verifying the authenticity of our documents, please visit the following website: go.tuv.com/digital-signature</i>
3	Prüfklausel mit der Note * wurden an qualifizierte Unterauftragnehmer vergeben und sind unter der jeweiligen Prüfklausel des Berichts beschrieben. Abweichungen von Prüfspezifikation(en) oder Kundenanforderungen sind in der jeweiligen Prüfklausel im Bericht aufgeführt. <i>Test clauses with remark of * are subcontracted to qualified subcontractors and described under the respective test clause in the report.</i> <i>Deviations of testing specification(s) or customer requirements are listed in specific test clause in the report.</i>
4	Die Entscheidungsregel für Konformitätserklärungen basierend auf numerischen Messergebnissen in diesem Prüfbericht basiert auf der "Null-Grenzwert-Regel" und der "Einfachen Akzeptanz" gemäß ILAC G8:2019 und IEC Guide 115:2021, es sei denn, in der auf Seite 1 dieses Berichts genannten angewandten Norm ist etwas anderes festgelegt oder vom Kunden gewünscht. Dies bedeutet, dass die Messunsicherheit nicht berücksichtigt wird und daher auch nicht im Prüfbericht angegeben wird. Zu weiteren Informationen bezüglich des Risikos durch diese Entscheidungsregel siehe ILAC G8:2019. <i>The decision rule for statements of conformity, based on numerical measurement results, in this test report is based on the "Zero Guard Band Rule" and "Simple Acceptance" in accordance with ILAC G8:2019 and IEC Guide 115:2021, unless otherwise specified in the applied standard mentioned on Page 1 of this report or requested by the customer. This means that measurement uncertainty is not taken in account and hence also not declared in the test report. For additional information to the resulting risk based of this decision rule please refer to ILAC G8:2019.</i>

Test item particulars:

Information about the product needed to establish a correct test program, such as product mobility, type of power connections and similar.	(Test item particulars are selected by the TRF Originator base on the requirements in the standard)
Designation.....	IMR18650-600mAh, IMR18650-700mAh, IMR18650-800mAh, IMR18650-1050mAh, IMR18650-1200mAh, IMR18650-1500mAh, IMR18650-1800mAh
Trademark	N/A
Nominal voltage.....	3.7V
Rated capacity.....	IMR18650-600mAh: 600mAh, IMR18650-700mAh: 700mAh, IMR18650-800mAh: 800mAh, IMR18650-1050mAh: 1050mAh, IMR18650-1200mAh: 1200mAh, IMR18650-1500mAh: 1500mAh, IMR18650-1800mAh: 1800mAh
Upper limit charging voltage.....	4.2V
Maximum charge current.....	0.5C
Manufacturer's specified end point voltage.....	3.0V
Operating temperature range	0~45°C (charge), -10~60°C (discharge)
Recommend charging method declared by the manufacturer	Charge the cell at 0.2C CC to 4.2V, then 4.2V CV until charging current reaches 0.02C at 20±5°C.
Utilization Type	Technician replaceable cell

Testing:
Test clauses and results:

N/A

Testing location:

N/A

General remarks:

This report shall not be reproduced, except in full, without the written approval of the testing laboratory.
The test results presented in this report relate only to the object tested.
"(see remark #)" refers to a remark appended to the report.
"(see appended table)" refers to a table appended to the report.
Throughout this report a point is used as the decimal separator.

Copy of marking plate:

See previous report CN24F6CW 001.

General product information:

See previous report CN24F6CW 001.

This test report shall be read in conjunction with the original report CN24F6CW 001.

Construction:

See previous report CN24F6CW 001.

Factory:

Xinxiang Hongli Supply Source Technology Co.,Ltd.
West Section of Xinglong Road, Xinxiang Economic Development Zone, Xinxiang County, Xinxiang City, Henan,
P.R. China

Description of change(s):

1. The cell has added four types of screen printing (Added the certification marks and factory name in the new screen printing), others remain unchanged, see attachment1: photo documents for details.

For the above described change(s) the following was considered to be necessary:

Amendment	Testing	Comments	Result
1	N/A	No safety related test was considered necessary.	P

History of amendments and modifications:

Ref. No. CN24F6CW 001, dated 2024-10-28 (Original test report)

Ref. No. CN24F6CW 002, dated 2025-03-20 (1st Amendment)

--End of main report--

Product: Cylindrical Lithium-ion Rechargeable Cell

Type Designation: IMR18650-600mAh, IMR18650-700mAh, IMR18650-800mAh, IMR18650-1050mAh, IMR18650-1200mAh, IMR18650-1500mAh, IMR18650-1800mAh




Figure 1 Side view-1 of cell for model IMR18650-600mAh




Figure 2 Side view-2 of cell for model IMR18650-600mAh

Product: Cylindrical Lithium-ion Rechargeable Cell

Type Designation: IMR18650-600mAh, IMR18650-700mAh, IMR18650-800mAh, IMR18650-1050mAh, IMR18650-1200mAh, IMR18650-1500mAh, IMR18650-1800mAh




Figure 3 Side view-1 of cell for model IMR18650-700mAh




Figure 4 Side view-2 of cell for model IMR18650-700mAh

Product: Cylindrical Lithium-ion Rechargeable Cell

Type Designation: IMR18650-600mAh, IMR18650-700mAh, IMR18650-800mAh, IMR18650-1050mAh, IMR18650-1200mAh, IMR18650-1500mAh, IMR18650-1800mAh



Figure 5 Side view-1 of cell for model IMR18650-800mAh




Figure 6 Side view-2 of cell for model IMR18650-800mAh

Product: Cylindrical Lithium-ion Rechargeable Cell

Type Designation: IMR18650-600mAh, IMR18650-700mAh, IMR18650-800mAh, IMR18650-1050mAh, IMR18650-1200mAh, IMR18650-1500mAh, IMR18650-1800mAh




Figure 7 Side view-1 of cell for model IMR18650-1050mAh




Figure 8 Side view-2 of cell for model IMR18650-1050mAh

Product: Cylindrical Lithium-ion Rechargeable Cell

Type Designation: IMR18650-600mAh, IMR18650-700mAh, IMR18650-800mAh, IMR18650-1050mAh, IMR18650-1200mAh, IMR18650-1500mAh, IMR18650-1800mAh




Figure 9 Side view-1 of cell for model IMR18650-1200mAh




Figure 10 Side view-2 of cell for model IMR18650-1200mAh

Product: Cylindrical Lithium-ion Rechargeable Cell

Type Designation: IMR18650-600mAh, IMR18650-700mAh, IMR18650-800mAh, IMR18650-1050mAh, IMR18650-1200mAh, IMR18650-1500mAh, IMR18650-1800mAh




Figure 11 Side view-1 of cell for model IMR18650-1500mAh




Figure 12 Side view-2 of cell for model IMR18650-1500mAh

Product: Cylindrical Lithium-ion Rechargeable Cell

Type Designation: IMR18650-600mAh, IMR18650-700mAh, IMR18650-800mAh, IMR18650-1050mAh, IMR18650-1200mAh, IMR18650-1500mAh, IMR18650-1800mAh



Figure 13 Side view-1 of cell for model IMR18650-1800mAh




Figure 14 Side view-2 of cell for model IMR18650-1800mAh