



中国认可  
国际互认  
检验  
INSPECTION  
CNAS IB0551



Report No.:  
报告编号: HLDY2FXF01YM501

# Certificate for Safe Transport

## of Intended cargo by Maritime Transport

### 拟运货物海上运输条件鉴定书

**Non-restricted Goods** 非限制性货物

|                              |                                                                          |
|------------------------------|--------------------------------------------------------------------------|
| <b>Name of Goods</b><br>货物名称 | Rechargeable Li-ion Cell: IMR18650-1200mAh<br>可充电锂离子电芯: IMR18650-1200mAh |
| <b>Applicant</b><br>委托单位     | Xinxiang Hongli Supply Source Technology Co., Ltd.<br>新乡市弘力电源科技有限公司      |
| <b>Issue Date</b><br>签发日期    | 2025-01-21                                                               |

**Inspected by/检验**

Inspection Engineer

**Reviewed by/审核**

Audit Engineer

**Approved by/批准**

Approval Engineer

广州邦禾检测技术有限公司

**Guangzhou MCM Certification & Testing Co., Ltd.**

| Inspection Conclusion<br>检验结论 |                                                                                                                                                                                                                                                                                                  |                         |                                                                                                                                   |            |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------|------------|
| Name<br>货物名称                  | Rechargeable Li-ion Cell: IMR18650-1200mAh<br>可充电锂离子电芯: IMR18650-1200mAh                                                                                                                                                                                                                         |                         |                                                                                                                                   |            |
| Model<br>货物型号                 | IMR18650-1200mAh                                                                                                                                                                                                                                                                                 | Classification<br>货物类别  | Lithium Ion Batteries<br>锂离子电池                                                                                                    |            |
| Rating<br>额定值                 | 3.7V, 1200mAh, 4.44Wh                                                                                                                                                                                                                                                                            |                         |                                                                                                                                   |            |
| Information<br>信息             | Package G. W.<br>包装毛重                                                                                                                                                                                                                                                                            | 12.0kg                  | Equipment's Qty.<br>设备数量                                                                                                          | /          |
|                               | Batteries' N.W.<br>电池净重                                                                                                                                                                                                                                                                          | 11.402kg                | Batteries' Qty.<br>电池数量                                                                                                           | 320pcs     |
| Applicant<br>委托单位             | Xinxiang Hongli Supply Source Technology Co., Ltd.<br>新乡市弘力电源科技有限公司                                                                                                                                                                                                                              |                         |                                                                                                                                   |            |
|                               | West Section of Xinglong Road, Xinxiang Economic Development Zone, Xinxiang County, Xinxiang City, Henan, P.R. China<br>河南省新乡市新乡县新乡经济开发区兴隆路西段                                                                                                                                                    |                         |                                                                                                                                   |            |
| Manufacturer<br>制造单位          | Xinxiang Hongli Supply Source Technology Co., Ltd.<br>新乡市弘力电源科技有限公司                                                                                                                                                                                                                              |                         |                                                                                                                                   |            |
|                               | West Section of Xinglong Road, Xinxiang Economic Development Zone, Xinxiang County, Xinxiang City, Henan, P.R. China<br>河南省新乡市新乡县新乡经济开发区兴隆路西段                                                                                                                                                    |                         |                                                                                                                                   |            |
| Factory<br>生产单位               | Xinxiang Hongli Supply Source Technology Co., Ltd.<br>新乡市弘力电源科技有限公司                                                                                                                                                                                                                              |                         |                                                                                                                                   |            |
|                               | West Section of Xinglong Road, Xinxiang Economic Development Zone, Xinxiang County, Xinxiang City, Henan, P.R. China<br>河南省新乡市新乡县新乡经济开发区兴隆路西段                                                                                                                                                    |                         |                                                                                                                                   |            |
| Identification<br>鉴定单位        | Guangzhou MCM Certification & Testing Co., Ltd.<br>广州邦禾检测技术有限公司                                                                                                                                                                                                                                  |                         |                                                                                                                                   |            |
| Standard<br>鉴定标准              | IMO <i>International Maritime Dangerous Goods Code</i> (42-24 Edition)<br>IMO《国际海上危险货物运输规则》(42-24 版)                                                                                                                                                                                             |                         |                                                                                                                                   |            |
| Date<br>日期                    | Submission<br>送检日期                                                                                                                                                                                                                                                                               | 2025-01-15              | Appraisal<br>鉴定日期                                                                                                                 | 2025-01-18 |
|                               | Validity<br>有效期                                                                                                                                                                                                                                                                                  | 2025-01-21 ~ 2025-12-31 |                                                                                                                                   |            |
| Conclusion<br>检验结论            | <b>Hazards identification</b><br>危险品识别<br>Non-restricted Goods, as per Special Provision 188<br>非限制性货物, 根据特殊条款 188<br><b>UN nos. and proper shipping name</b><br>UN 编号和运输专用名<br>Not Applied<br>不适用<br><b>Packing requirements</b><br>包装要求<br>Packaging in accordance to SP188<br>按照特殊条款 188 进行包装 |                         | <b>Label used</b><br>标签使用<br><br>* = UN 3480 |            |
|                               | Seal:<br>检验专用章:                                                                                                                                                                                                                                                                                  |                         |                                                                                                                                   |            |
| Comment:<br>备注:               | /                                                                                                                                                                                                                                                                                                |                         |                                                                                                                                   |            |


| IMO International Maritime Dangerous Goods Code (42-24 Edition) |                                                                                                                                                                                                                                                                                                                |                                                                                                                             |               |
|-----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|---------------|
| IMO 《国际海上危险货物运输规则》 (42-24 版)                                    |                                                                                                                                                                                                                                                                                                                |                                                                                                                             |               |
| Clause- Requirement<br>条款-要求                                    |                                                                                                                                                                                                                                                                                                                | Result-Remark<br>结果-备注                                                                                                      | Verdict<br>判定 |
| <b>2.9.4 Lithium batteries</b><br><b>2.9.4 锂电池组</b>             |                                                                                                                                                                                                                                                                                                                |                                                                                                                             | P             |
| <b>2.9.5 Sodium ion batteries</b><br><b>2.9.5 钠离子电池组</b>        |                                                                                                                                                                                                                                                                                                                |                                                                                                                             | N/A           |
| <b>2.9.4.1</b>                                                  | Each cell or battery is of the type proved to meet the requirements of each test of the Manual of Tests and Criteria, part III, subsection 38.3                                                                                                                                                                | The batteries met the test requirements of Section 38.3 of UN Manual of Test and Criteria. See Test report: HLDY20230920U01 | P             |
| <b>2.9.5.1</b>                                                  | 每个型号的电芯或电池满足《试验和标准手册》第 III 部分第 38.3 节每项试验的要求。                                                                                                                                                                                                                                                                  | 电池符合联合国《试验和标准手册》中 38.3 章的测试要求。见检测报告 HLDY20230920U01                                                                         |               |
| <b>2.9.4.2</b>                                                  | Each cell and battery incorporates a safety venting device or is designed to preclude a violent rupture under conditions normally incident to transport.                                                                                                                                                       | Design/device for safety venting existed in the battery                                                                     | P             |
| <b>2.9.5.2</b>                                                  | 每一个电芯和电池都装有安全排气装置, 或设计上能预防在正常运输下发生剧烈破裂                                                                                                                                                                                                                                                                         | 电池上存在安全排气的设计/装置                                                                                                             |               |
| <b>2.9.4.3</b>                                                  | Each cell and battery is equipped with an effective means of preventing external short circuits.                                                                                                                                                                                                               | Design/device for preventing external short circuits existed in the battery                                                 | P             |
| <b>2.9.5.3</b>                                                  | 每一个电芯和电池都装有防止外部短路的有效装置                                                                                                                                                                                                                                                                                         | 电池上存在防止外部短路的设计/装置                                                                                                           |               |
| <b>2.9.4.4</b>                                                  | Each battery containing cells or series of cells connected in parallel is equipped with effective means as necessary to prevent dangerous reverse current flow (e.g. diodes, fuses, etc.).                                                                                                                     | Not applicable                                                                                                              | N/A           |
| <b>2.9.5.4</b>                                                  | 每个包含多个并联电芯或电芯块的电池, 都装有防止反向电流造成危险所需的有效装置 (例如二极管、保险丝等)                                                                                                                                                                                                                                                           | 不适用                                                                                                                         |               |
| <b>2.9.4.5</b>                                                  | Cells and batteries shall be manufactured under a quality management programme.                                                                                                                                                                                                                                | The customer states that it meets the requirements                                                                          | P             |
| <b>2.9.5.5</b>                                                  | 电芯和电池应在质量管理计划下生产。                                                                                                                                                                                                                                                                                              | 客户申明满足要求                                                                                                                    |               |
| <b>2.9.4.6</b>                                                  | Lithium batteries, containing both primary lithium metal cells and rechargeable lithium ion cells, that are not designed to be externally charged(see special provision 387 of chapter 3.3) shall meet the conditions                                                                                          | Not this type                                                                                                               | N/A           |
|                                                                 | 按设计要求不能外部充电的既含有一次性锂金属电芯又含有可充电锂离子电芯的电池 (见第 3.3 章节特殊规定 387), 必须满足此条件                                                                                                                                                                                                                                             | 电池不属于此种类型                                                                                                                   |               |
| <b>2.9.4.7</b>                                                  | Except for button cells installed in equipment (including circuit boards), manufactures and subsequent distributors of cells or batteries manufactured after 30 June 2003 shall make available the test summary as specified in the Manual of Tests and Criteria, part III, subsection 38.3, paragraph 38.3.5. | Test summary has been available on request. See Test summary HLDY20230920UG01                                               | P             |
| <b>2.9.5.6</b>                                                  | 除安装在设备 (包括电路板) 中的纽扣电池外, 2003 年 6 月 30 日之后制造的电芯或电池的制造商和后续分销商必须提供《试验和标准手册》第 III 部分第 38.3 小节第 38.3.5 段规定的测试概要。                                                                                                                                                                                                    | 测试概要按要求提供。见检测报告 HLDY20230920UG01                                                                                            |               |
| <b>Special Provision 188</b><br><b>特殊条款 188</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                                                                             | P             |
| 1                                                               | For a lithium metal or lithium alloy cell, the lithium content is not more than 1 g;<br>对于锂金属电芯或锂合金电芯, 锂含量不超过 1g;                                                                                                                                                                                              | Not applicable                                                                                                              | N/A           |
|                                                                 | For a lithium-ion cell or sodium-ion cell, the watt-hour rating is not more than 20 Wh;<br>对于锂离子电芯或钠离子电芯, 瓦特-小时的额定值不超过 20Wh;                                                                                                                                                                                   | 4.44Wh                                                                                                                      | P             |

| IMO International Maritime Dangerous Goods Code (42-24 Edition) |                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                          |               |
|-----------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|---------------|
| IMO 《国际海上危险货物运输规则》 (42-24 版)                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                          |               |
| Clause- Requirement<br>条款-要求                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Result-Remark<br>结果-备注                                   | Verdict<br>判定 |
| 2                                                               | For a lithium metal or lithium alloy battery, the aggregate lithium content is not more than 2 g;<br>对于锂金属电池或锂合金电池, 合计锂含量不超过 2g;                                                                                                                                                                                                                                                                                                                    | Not applicable<br>不适用                                    | N/A           |
|                                                                 | For a lithium-ion battery or sodium-ion battery, the watt-hour rating is not more than 100 Wh.<br>对于锂离子电池或钠离子电池, 瓦特-小时的额定值不超过 100Wh。                                                                                                                                                                                                                                                                                                                | Not applicable<br>不适用                                    | N/A           |
|                                                                 | Lithium-ion batteries and sodium-ion batteries subject to this provision shall be marked with the watt-hour rating on the outer case, except lithium-ion batteries manufactured before 1 January 2009;<br>受本规定限制的锂离子电池和钠离子电池, 须在外壳上标识瓦特-小时的额定值, 2009 年 1 月 1 日前制造的锂离子电池除外。                                                                                                                                                                          | Not applicable<br>不适用                                    | N/A           |
| 3                                                               | Each lithium cell or battery meets the provisions of 2.9.4.1, 2.9.4.5, 2.9.4.6 if applicable, and 2.9.4.7;<br>每个锂电芯或电池均符合 2.9.4.1, 2.9.4.5, 2.9.4.6 (如适用) 和 2.9.4.7 的要求                                                                                                                                                                                                                                                                             | Complied<br>符合要求                                         | P             |
|                                                                 | Each sodium ion cell or battery meets the provisions of 2.9.5.1, 2.9.5.5, 2.9.4.6<br>每个钠离子电芯或电池均符合 2.9.5.1, 2.9.5.5 和 2.9.4.6 的要求                                                                                                                                                                                                                                                                                                                   | Not applicable<br>不适用                                    | N/A           |
| 4                                                               | Cells and batteries, except when installed in equipment, shall be packed in inner packagings that completely enclose the cell or battery. Cells and batteries shall be protected so as to prevent short circuits. This includes protection against contact with electrically conductive material within the same packaging that could lead to a short circuit.<br>电芯和电池, 除安装在设备中外, 应采用完全包裹电芯或电池的内包装进行包装。应保护电芯和电池, 以防止短路。这包括防止与同一封装内的导电材料接触, 从而导致短路。 | Equivalent protection existed<br>已有相当防护措施                | P             |
|                                                                 | The inner packagings shall be packed in strong outer packagings which conform to the provisions of 4.1.1.1, 4.1.1.2, and 4.1.1.5;<br>内包装应采用符合 4.1.1.1、4.1.1.2 和 4.1.1.5 规定的坚固外包装包装;                                                                                                                                                                                                                                                                 | Strong outer packagings, Complied<br>坚固外包装箱, 满足要求        | P             |
| 5                                                               | Cells and batteries when installed in equipment shall be protected from damage and short circuit, and the equipment shall be equipped with an effective means of preventing accidental activation.<br>安装在设备中的电芯和电池, 应保护以防损坏和短路, 且设备应装配有效的防止意外激活的措施。                                                                                                                                                                                                 | Batteries transported separated from equipment<br>电池单独运输 | N/A           |
|                                                                 | When batteries are installed in equipment, the equipment shall be packed in strong outer packagings constructed of suitable material of adequate strength and design in relation to the packaging's capacity and its intended use unless the battery is afforded equivalent protection by the equipment in which it is contained;<br>当电池安装在设备中时, 设备应包装在坚固的外包装中, 外包装由适当的材料制成, 其强度和设计与包装的容量及其预期用途有关, 除非装有电池的设备能提供同等的保护;                               | Not applicable<br>不适用                                    | N/A           |
| 6                                                               | Each package shall be marked with the appropriate battery marking, as illustrated in 5.2.1.10.<br>每个包装件都应按照 5.2.1.10 所示, 标有相应的电池标签。                                                                                                                                                                                                                                                                                                                 | See the package photo of page 7<br>见第 7 页的包装照片           | P             |

| IMO International Maritime Dangerous Goods Code (42-24 Edition)                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                         |               |
|----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|---------------|
| IMO 《国际海上危险货物运输规则》 (42-24 版)                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                         |               |
| Clause- Requirement<br>条款-要求                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Result-Remark<br>结果-备注                                                                                  | Verdict<br>判定 |
|                                                                                  | <p>This requirement does not apply to:</p> <p>.1 packages containing only button cell batteries installed in equipment (including circuit boards); or</p> <p>.2 packages containing no more than four cells or two batteries installed in equipment, where there are not more than two packages in the consignment.</p> <p>这项要求不适用于以下情况:</p> <p>1 包装件内只有安装在设备上 (包括电路板上) 的纽扣电池; 或</p> <p>2 包装件内只有不超过 4 个安装在设备上的电芯或 2 个电池, 每批货物的包装件不超过 2 个。</p>          | Not applicable<br>不适用                                                                                   | N/A           |
| 7                                                                                | <p>Except when cells or batteries are installed in equipment, each package shall be capable of withstanding a 1.2 m drop test in any orientation without damage to cells or batteries contained therein, without shifting of the contents so as to allow battery to battery (or cell to cell) contact and without release of contents; and</p> <p>除非电芯或电池安装在设备中, 否则每个包装应能够承受任何方向 1.2 米的跌落试验, 而不会损坏其中包含的电芯或电池, 不会移动内装物以使电池与电池 (或电芯与电新) 接触, 也不会释放内装物</p> | <p>Complied. See report: HLDY20230920D01</p> <p>满足要求。见报告: HLDY20230920D01</p>                           | P             |
| 8                                                                                | <p>Except when cells or batteries are installed in or packed with equipment, packages shall not exceed 30 kg gross mass.</p> <p>除非电芯或电池安装在设备上或与设备打包在一起, 否则包装件总重不得超过 30kg。</p>                                                                                                                                                                                                                                                                          | <p>Batteries transported separated from equipment, and Gross mass: 12.0kg</p> <p>电池单独运输, 毛重: 12.0kg</p> | P             |
| Special Provision 387(only for hybrid lithium batteries)<br>特殊条款 387 (仅适用于混合锂电池) |                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                         | N/A           |
| Special Provision 400 (only for sodium ion batteries)<br>特殊条款 400 (仅适用于钠离子电池)    |                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                         | N/A           |

**Photos of the Cell**  
**电芯照片**

Cell: IMR18650-1200mAh, 3.7V, 1200mAh, 4.44Wh



**Photos of the Package**  
**包装照片**



-- End of Report --

**Important Note**  
**注意事项**

1. This inspection report is invalid without special inspection seal and cross-page seal of Guangzhou MCM Certification & Testing Co., Ltd.  
本检验报告无广州邦禾检测技术有限公司检验专用章、骑缝章无效。
2. Nobody is allowed to partly photocopy this inspection report without written permission of Guangzhou MCM Certification & Testing Co., Ltd.  
未经广州邦禾检测技术有限公司书面同意, 不得部分复印本检验报告。
3. This inspection report is invalid without the signatures of Approver, Reviewer and Inspector.  
本检验报告无批准人、审核人及检验员签名无效。
4. This inspection report is invalid if altered.  
本检验报告涂改无效。
5. Objection to this inspection report must be submitted to Guangzhou MCM Certification & Testing Co., Ltd. within 15 days after the publication of the report.  
若对检验报告有异议, 必须在报告发布之日起十五天内向广州邦禾检测技术有限公司提出。
6. This report is only responsible for the received samples.  
本报告仅对来样负责。
7. As for the inspection results, "N/A" means "Not applicable", "P" means "Pass" and "F" means "Fail".  
本检验结果中"N/A"表示"不适用", "P"表示"通过", "F"表示"不通过"。

Identification  
货物鉴定单位

Guangzhou MCM Certification & Testing Co., Ltd.

广州邦禾检测技术有限公司

Building 2 No. 45 Zhong Er Section of Shiguang Road, Zhongcun Street, Panyu District, Guangzhou City, Guangdong Province, China.  
中国 广东省广州市番禺区钟村街市广路钟二路段 45 号 2 栋

Tel 电话:

+86-20-3477 7662 或 0086-020-3477 7662

Email 电子邮箱:

[service@mcmtek.com](mailto:service@mcmtek.com)

Web 公司网址:

<https://www.mcmtek.com>