Project Title

Software Requirements Specification

Eric Le Fort leforte@mcmaster.ca 1308609 $\begin{array}{c} {\rm Max~Moore} \\ {\rm moorem8@mcmaster.ca} \\ {\rm 1320009} \end{array}$

October 25, 2016

Contents

1	Project Drivers 1.1 The Purpose of the Project	$\frac{2}{2}$
2	Project Constraints 2.1 Mandated Constraints 2.2 Naming Conventions & Definitions 2.2.1 Definitions 2.2.2 Acronyms & Abbreviations 2.3 Relevant Facts & Assumptions	
3	Functional Requirements 3.1 The Scope of the Work	3
4	Non-Functional Requirements 4.1 Look & Feel Requirements	3 4 4
5	Project Issues 5.1 Open Issues 5.2 Off-the-Shelf Solutions 5.3 New Problems 5.4 Tasks 5.5 Migration to the New Project 5.6 Risks 5.7 Costs 5.8 User Documentation & Training 5.9 Waiting Room 5.10 Ideas for Solutions	4 4 4 4 4 4 4
	st of Figures st of Tables	
	1 Revision History 2 Definitions 3 Acronyms and Abbreviations	2 3 3

Date	Revision #	Comments	Authors
DD/MM/YYYY	0	- Initial document creation	Eric Le Fort Max Moore

Table 1: Revision History

1 Project Drivers

1.1 The Purpose of the Project

1.2 The Clients, the Customers, and Other Stakeholders

1.2.1 The Clients

- Doctor Wassyng

1.2.2 Other Stakeholders

- Team Members
- Pool Table Manufacturers
- Pool Hall/Bar Owners
- Pool Players (either professional or amateur)

1.3 Users of the Product

- Control Test group
- Demonstrators

2 Project Constraints

2.1 Mandated Constraints

- 750 dollars investment limit
- Pool Table Manufacturers
- Pool Hall/Bar Owners
- Pool Players (either professional or amateur)

2.2 Naming Conventions & Definitions

This section outlines the various definitions, acronyms and abbreviations that will be used throughout this document in order to familiarize the reader prior to reading.

2.2.1 Definitions

Table 2 lists the definitions used in this document. The definitions given below are specific to this document and may not be identical to definitions of these terms in common use. The purpose of this section is to assist the user in understanding the requirements for the system.

2.2.2 Acronyms & Abbreviations

Table 3 lists the acronyms and abbreviations used in this document.

Table 2: Definitions

Term	Meaning
x-axis	Distance along length of pool table
x-axis	Distance along length of pool table
y-axis	Distance across width of pool ta-
	ble
z-axis	Height above pool table
theta	Rotational angle of robot arm end-
	effector
cue	Robot arm end-effector
direct shot	No obstacles between cue ball and
	target ball
straight shot	A direct shot in which the cue ball,
	target ball, and target hole form a
	straight linel

Table 3: Acronyms and Abbreviations

Acronym/Abbreviation	Meaning

2.3 Relevant Facts & Assumptions

3 Functional Requirements

- 3.1 The Scope of the Work
- 3.2 The Scope of the Product
- 3.3 Functional & Data Requirements

Requirement #: - Requirement Type: -

Description: - Rationale: -

Originator: (Author) Fit Criterion: -

Customer Satisfaction: (0-5)
Priority: (low/medium/high)
Customer Dissatisfaction: (0-5)
Conflicts: ()

Supporting Material: (Other documents)

History: Created (DATE)

4 Non-Functional Requirements

4.1 Look & Feel Requirements

LF1:

4.2 Usability & Humanity Requirements

UH1:

4.3 PR1:	Performance Requirements
4.4 OE1:	Operational & Environmental Requirements
4.5 MS1:	Maintainability & Support Requirements
4.6 S1:	Security Requirements
4.7 CP1:	Cultural & Political Requirements
4.8 L1:	Legal Requirements
5 I	Project Issues
5.1	Open Issues
5.2	Off-the-Shelf Solutions
5.3	New Problems
5.4	Tasks
5.5	Migration to the New Project
5.6	Risks
5.7	Costs
5.8	User Documentation & Training
5.9	Waiting Room
5.10	Ideas for Solutions