

PCN NUMBER	PCN TITLE	DEVICE	DELTA PN
20230426001	Qualification of new Fab sites (MIHO8 & AIZU) using qualified Process Technology, Datasheet	AMC1301QDWVRQ1	2520291014M
20230516004	Backgrind Thickness change for select devices	TPS1HA08CQPWPRQ1	2540809408M
		TPS1HB35CQPWPRQ1	2540814908M
20230517002	Datasheet for TPS7A16-Q1	TPS7A1633QDGNRQ1	2500490314M
		TPS7A1650QDGNRQ1	XXPA2500300914M
			2500300914M
20230518000	Qualification of HFTF as an additional Assembly and test site for	1P1G3157QDCKRQ1	XXW1P1G3157QD00
			2600195208M
20230518001	Marking Standardization for Select Devices	UCC21520QDWRQ1	2540715608M
		SN21530QDWKRQ1	2540618708M
		UCC5350MCQDWVRQ1	2541501008M
		SN21540QDWKRQ1	2540786108M
			XXSN21540QDWKR
		UCC21750QDWRQ1	2540772608M
		UCC21222QDRQ1	2540739508M
		UCC5350MCQDRQ1	2540794208M
20230522000	Qualification of RFAB as an additional Fab site option and new	TLC393QDRQ1	2520256714M
20230522005	Discontinuance of Select General	LM7321QMF/NOPB	
20230523000	Qualification of RFAB as an additional Fab site and additional wafer Probe site (SCTF & CLARK-PR) options for select devices	TLV70033QDDCRQ1	2500466214M
		TLV70012QDDCRQ1	2500466314M
		TPS62130AQRGTRQ1	2510762914M
			25107629GL9M
			25107629GLM
20230602003	Datasheet for ISO676x-Q1	ISO6763FQDWRQ1	2542013508M
		ISO6762FQDWRQ1	2542013408M
20230605000	Qualification of a new Lead finish and wafer thickness for select devices	TPS78433QDBVRQ1	2500672014M
		OPA991QDBVRQ1	2522025914M
		TLV9061SQDBVRQ1	2522018014M
		TPS3813K33QDBVRQ1	2510592314
			2510592314M
		TLV2401QDBVRQ1	2522004614M
			XX252TLV2401QBDV
		TL331BQDBVRQ1	2522025814M
		TPS3840DL30DBVRQ1	2512003614
			2512003614M
		UCC27517AQDBVRQ1	2540613608M
		TPS560430YQDBVRQ1	2513005514M
			25130055GWM
		INA180A2QDBVRQ1	2521501014M
20230608000	Qualification of HFTF as an additional Assembly and Test site	CLVC1G125QDBVRQ1	2600370308M
20230613005	TSSOP Symbolization update for select devices	SN74AHCT14QPWRQ1	2600088708M
		TXB0104QPWRQ1	2540464308M
		OPA4376AQPWRQ1	2520172414M
		OPA4172AQPWRQ1	2520300614M
		TLV4316QPWRQ1	2520292914M
		TLV4197QPWRQ1	2522009214M

		TLC2274AQPWRQ1	2520121414M
20230620000	Qualification of LFAB as an additional Wafer Fab site option for	TMS320F28377DPTPQ	2611305108M
20230627002	Qualification of new Fab site (RFAB) using qualified Process Technology, Die Revision and additional BOM	OPA2991IDR	2522004814
20230707001	Cu bond wire Qualification plus reel dimension change and Qualification of RFAB as an additional fab site for select devices	ISO6741QDWRQ1	2542013208M
		ISO6742FQDWRQ1	2540566308M
		ISO6763FQDWRQ1	2542013508M
		ISO6742QDWRQ1	2542013308M
		SN21530QDWKRQ1	2540618708M
		UCC21520QDWRQ1	2540715608M
		ISO6762FQDWRQ1	2542013408M
		ISO6741FQDWRQ1	2540794008M
20230710001	Datasheet for ISO774x-Q1	ISO7741FQDWRQ1	2540716308M
		ISO7741FQDWWRQ1	XXISO7741FQDWW
			2540729808M
		ISO7742QDWRQ1	2540717808M
		ISO7740FQDWRQ1	2540723108M
		ISO7741QDWRQ1	2540717608M
		ISO7742FQDWRQ1	2540734708M
20230710002	Datasheet for TMUX13xx-Q1	TMUX1308QDYRQ1	2600274608M
20230711000	Update for various data sheets	SN74AHC02QPWRG4Q1	
20230728000	Qualification of additional Fab site (DL-LIN) using qualified Process Technology and additional Assembly/Test sites options for select devices	TPS76833QPWRQ1	2500607014M
		TLV2402QDQKRQ1	2520217314M
		TPS77633QPWRQ1	2500181714
			2500181714M
		TLV2472AQDRG4Q1	2520277014M
		TLV2471QDBVRQ1	2520277214M
20230802001	Qualify New Assembly Material set	TLV2474APWPRQ1	2520277114M
20230823001	Datasheet for LM5155x-Q1	LM51551QDSSRQ1	2513004114M
		LM5155QDSSRQ1	2513009414M
20230824000	MSL Improvement for Select Devices	TLV9064QPWRQ1	2522012114M
			XX252TLV9064QPWRQ
20230830001	Qualification of additional Fab Site (RFAB), Die Revision, Assembly BOM options and device marking update for select devices	ISO7741QDWRQ1	2540717608M
		ISO7742FQDWRQ1	2540734708M
		ISO7742QDWRQ1	2540717808M
		ISO7740FQDWRQ1	2540723108M
		ISO7741FQDWRQ1	2540716308M
20230906012	Datasheet for LP2951-Q1	LP2951-50QDRGRQ1	2500499114M
		LP2951-50QDRQ1	2500102614M
20230927000	Qualification of new Fab site (RFAB) using qualified Process Technology, Die Revision, and additional	SN74AHCT14QPWRQ1	2600088708M
		SN74AHC32QPWRQ1	2600106508M
		SN74AHC02QPWRG4Q1	
20230927002	Qualification of RFAB as an additional Fab site option and BOM	LM2901QPWRQ1	2520050914M
20231003000	Qualify TI Chengdu (CDAT) as an additional Assembly & Test site for select devices	OPA171AQDBVRQ1	2520139214M
		TLV70033QDDCRQ1	2500466214M
		OPA170AQDBVRQ1	2520285614M
		TLV316QDBVRQ1	2520297114M
		OPA316QDBVRQ1	2522004314M
20231004002	MSL Improvement for Select Devices	TPS560430YQDBVRQ1	2513005514M

			25130055GWM
		TPS78433QDBVRQ1	2500672014M
		LMR50410YFQDBVRQ1	2513074814M
20231011004	Qualification of Cu as an alternate	AMC3330QDWERQ1	2522015114M
20231016000	Qualification of RFAB as an additional Fab site option for select	INA186A3QDCKRQ1	2522001514M
		INA186A4QDCKRQ1	2522001114M
20231016003	Qualification of RFAB as an additional Fab site option and Assembly/test/BOM Options for	TL431BQDBZRQ1	2500478814M
		TL432BQDBZRQ1	2500478314M
		TL431AQDBZRQ1	2500434514M
20231031001	Qualification of new Fab site (RFAB) using qualified Process Technology, Die Revision, and additional	TLVH431BQDBZR	2500434214
20231107002	Datasheet for UCC21750-Q1	UCC21750QDWRQ1	2540772608M
20231109003	Qualification of MIHO8 as an additional Fab site option for select	UCC21520QDWRQ1	2540715608M
20231127004	Add Cu as Alternative Wire Base	UCC21750QDWRQ1	2540772608M
20231130005	Qualification of RFAB using qualified Process Technology, Die Revision, Datasheet, and additional Assembly/Test sites & BOM options for select devices	UCC27424QDRQ1	2540495908M
		UCC27423QDRQ1	2540604508M
		UCC27423QDGNRQ1	2540614708M
		UCC27424QDGNRQ1	2540536208M
		UCC27425QDRQ1	2540618808M
20231207005	Device symbolization update for Select Devices	TPS55065QPWRQ1	XXH3911A03D00
			2510738214M
		SN2003022PWPR	XX2520001600
			2522019214M
		UCC28951QPWRQ1	2510767814
			2510767814M
		UCC28070QPWRQ1	2510155314M
		INA253A2QPWRQ1	2521500714M
		UCC28950QPWRQ1	2510623114M
		TPS1HC100BQPWRQ1	2540819708M
		TPS76833QPWRQ1	2500607014M
		TPS77633QPWRQ1	2500181714
			2500181714M
20231212000	Qualification of RFAB as an additional Fab site option, Die	ISO7762FQDWRQ1	2540598708M
		ISO7763FQDWRQ1	2540741008M
20231219000	Qualification of additional Fab site (RFAB) using qualified Process Technology and additional Assembly/BOM options for select	SN74AHC32QDRQ1	2600263908M
		SN74AHC1G04QDBVRQ1	2600244008M
		SN74AHC1G08QDBVRQ1	2600366608
			2600366608M
20231219001	Qualification of RFAB as an additional Fab site option, Die	LM2901AVQPWRQ1	2520050714M
20231219004	Qualification of RFAB as an additional Fab site option, die revision, and new BOM Options for select devices	TPS5430QDDARQ1	2510595614M
		TPS5430DDAR	XXPA2510455714
			2510455714
			XXH3911A00X00
20231219026	Qualification of LFAB as an additional Wafer Fab site option for	F28384DPTPQR	2611377908M
20231220000	Adding CD-PR as additional wafer probe site	UCC28070QPWRQ1	2510155314M
		LM53602AQPWRQ1	2510778214M
20231220001	Adding CLARK-PR as additional wafer probe site	INA214AQDCKRQ1	XXL2520258914M000M
			2520258914M

		OPA2171AQDGKRQ1	2520277714M
		UCC28951QPWRQ1	2510767814
			2510767814M
		UCC28950QPWRQ1	2510623114M
		OPA171AQDBVRQ1	2520139214M
		OPA170AQDBVRQ1	2520285614M
		OPA2170AQDGKRQ1	2520267414M
20231221003	Qualification of RFAB in addition to DMOS6 for METDCU processing	LMR50410YFQDBVRQ1	2513074814M
		TCAN1057ADRQ1	2542013608M
		TPS1H100BQPWPRQ1	XXL2540808508M000M
			2540808508M
			2540808508
			25408085DEM
		TCAN1057AVDRQ1	2542007208M
		TMUX1308QDYRQ1	2600274608M
		TPS560430YQDBVRQ1	2513005514M
			25130055GWM
		LM5156QDSSRQ1	2513023214M
		LM51551QDSSRQ1	2513004114M
		LM5155QDSSRQ1	2513009414M
20240202006	Qualification of RFAB, Die Revision, and additional Assembly/Test site options	TL4050C50QDBZRQ1	2500301314M
		TL4050B25QDBZRQ1	2500301714
			2500301714M
		TL4050C20QDBZRQ1	2500301414
			2500301414M
20240203000	Pin One Device symbolization update for Select SOT Devices	TL432LIBQDBZRQ1	2500614514M
		OPA320AQDBVRQ1	2520298914M
		TLV316QDBVRQ1	2520297114M
		LM2842XQMKX/NOPB	
		INA214CQDCKRQ1	X51225200058M
			2521502014M
		TL431AQDBZRQ1	2500434514M
		OPA316QDBVRQ1	2522004314M
		LMV321Q1M5X/NOPB	2520108014M
		TPS78433QDBVRQ1	2500672014M
		SN74LVC1T45DCKR	2600375108
			XXZ14-0004900000
			26003751MI
		LMV331QDBVRQ1	2520170314M
		TPS3813K33QDBVRQ1	2510592314
			2510592314M
		REF3425QDBVRQ1	2500620414M
		TLVH431BQDBZR	2500434214
		TL331BQDBVRQ1	2522025814M
		TPS60403DBVR	2540395108
		TLV2471QDBVRQ1	2520277214M
		SN6505BQDBVRQ1	XX2540010300
			2540715808M
		TLV70012QDDCRQ1	2500466314M
		INA186A3QDCKRQ1	2522001514M
		TL432BQDBZRQ1	2500478314M

TLV2401QDBVRQ1	2522004614M
	XX252TLV2401QBDV
TL4050C20QDBZRQ1	2500301414
	2500301414M
OPA365AQDBVRQ1	2520267314M
INA214AQDCKRQ1	XXL2520258914M000M
	2520258914M
REF3450QDBVRQ1	2500620114M
REF3033AIDBZR	2500267314
TL4050B25QDBZRQ1	2500301714
	2500301714M
OPA170AQDBVRQ1	2520285614M
TL331QDBVRQ1	2520269314M
LM4132CQ1MFR2.5	2500381514M
TPS3702CX33QDDCRQ1	2510646114M
CLVC1G125QDBVRQ1	2600370308M
TLV9061SQDBVRQ1	2522018014M
LM5050Q1MKX-1/NOPB	2540544408M
REF3433QDBVRQ1	2500620214M
TLV3603QDCKRQ1	2522031114M
OPA333AQDBVRQ1	2520184614M
SN74LVC1G79QDCKRQ1	2600235108M
TL4050C50QDBZRQ1	2500301314M
SN74AHC1G08QDBVRQ1	2600366608
	2600366608M
TLV3201AQDCKRQ1	2520236614M
UCC27517AQDBVRQ1	2540613608M
TPS79333DBVRQ1	2500361714M
	25003617DEM
TPS70950QDBVRQ1	XXDTPS70950QDBVR0
	2500529114M
TLVH431BQDBZRQ1	2500478714M
	25004787GWM
TPS60403QDBVRQ1	2540395108M
TPS3840DL30DBVRQ1	2512003614
	2512003614M
TPS3702CX12QDDCRQ1	2510646214M
INA180A2QDBVRQ1	2521501014M
TLV1117-33IDCYR	2500058014
	25000580DE
	25000580DL8
	25000580DL9
LM4132DQ1MFR3.0	2500381714M
OPA991QDBVRQ1	2522025914M
LM27313XQMF/NOPB	
UCC28700QDBVRQ1	2510710114M
TMUX1308QDYRQ1	2600274608M
TLV70033QDDCRQ1	2500466214M
TS321QDBVRQ1	2520108114M
SN74AHC1G04QDBVRQ1	2600244008M
TL432LIBIDBZR	25006142NG8

			2500614214
		LM2736YMKX/NOPB	2510250511
		LM4132CQ1MFR3.0	2500381314M
		LM7321QMFY/NOPB	2522009114M
		OPA171AQDBVRQ1	2520139214M
		TL431BQDBZRQ1	2500478814M
		1P1G66QDBVRQ1	2600155708M
		REF3430QDBVRQ1	2500620014M
		INA186A4QDCKRQ1	2522001114M
		LMR50410YFQDBVRQ1	2513074814M
		1P1G3157QDCKRQ1	XXW1P1G3157QD00
			2600195208M
		LM27313XQMFY/NOPB	2510734524M
		TPS560430YQDBVRQ1	2513005514M
			25130055GWM
20240212000	Conversion to TSMC 0.6/0.5um	OPA2348AQDRQ1	2520277314M
20240216001	Datasheet for UCC21222-Q1, UCC21220, UCC21220A, UCC53x0,	UCC21222QDRQ1	2540739508M
		UCC5350MCQDRQ1	2540794208M
20240227002	Datasheet for TMS320F2803x	TMS320F28032PAGQ	2610819908M
		TMS320F28035PAGQ	2645238700
			2645387100
			2645402500
			2645464100
			2645478400
			2645484200
			2645555400
			2645626200
			2645706400
			2645706500
			2645706600
			2645712400
			2646520100
			2610847308
			2610847308M
20240227008	Datasheet for TMS320F2837xD, TMS320F2837xS, and	TMS320F28377DPTPQ	2611305108M
20240306004	Adding FFAB as additional wafer probe (EWS) site	OPA365AQDBVRQ1	2520267314M
		OPA2365AQDRQ1	2520267614M
20240312000	Qualification of RFAB as an additional Fab site option, Die	TL331QDBVRQ1	2520269314M
20240313001	Qualification of RFAB using qualified Process Technology, Die Revision,	ISO6721FQDWVRQ1	2542018608
			2542018608M
20240325002	Qualification of RFAB as an additional Fab site option and	UCC5350MCQDWVRQ1	2541501008M
20240327001	Qualification of RFAB using qualified Process Technology, Die Revision,	TPS3813K33QDBVRQ1	2510592314
			2510592314M
20240327003	Qualify TI CDAT as an additional Assembly & Test site for select	TPS60403QDBVRQ1	2540395108M
20240405000	Qualification of a new Die Revision, Data sheet and additional Assembly	UCC21222QDRQ1	2540739508M
20240411000	Datasheet for LM3481-Q1 and LM3481	LM3481QMMX/NOPB	2510364714M
		LM3481QMM/NOPB	XXW251036471400

20240411005	Qualification of RFAB using qualified Process Technology, Die Revision, Datasheet, and additional Assembly	CD74HC4051QM96Q1	2600256008M
20240418002	Datasheet for LP2951-Q1	LP2951-50QDRGRQ1	2500499114M
		LP2951-50QDRQ1	2500102614M
20240422000	Qualification of CDAT as an additional Assembly, probe and test	LM61460AASQRJRRQ1	2513012514M
20240424000	Datasheet for TPS5430-Q1, TPS5410-Q1, TPS5420-Q1, TPS5410, TPS5420, TPS543x	TPS5430QDDARQ1	2510595614M
		TPS5430DDAR	XXPA2510455714
			2510455714
			XXH3911A00X00
20240502002	Qualification of RFAB as an additional Fab site option, Die	LMV331QDBVRQ1	2520170314M
20240502003	Datasheet for ISO776x-Q1 and Datasheet for ISO776	ISO7762FQDWRQ1	2540598708M
		ISO7763FQDWRQ1	2540741008M
20240510000	Qualification of MLA as an additional Assembly & Test site for select devices	OPA2192QDGKRQ1	2520292014M
		TLV9062QDGKRQ1	2522017414M
		LM2903BQDGKRQ1	2522035214M
		TLV3202AQDGKRQ1	2520236814M
		OPA2388QDGKRQ1	2522029214M
		TLV9032QDGKRQ1	XXL2522034014M000M
			2522034014M
			25220340GL9M
		TLV9002QDGKRQ1	2522023114M
		OPA2171AQDGKRQ1	2520277714M
		INA225AQDGKRQ1	2520161614M
		OPA2991QDGKRQ1	2522016814M
			XX2520001800M
		LM2904BQDGKRQ1	2522026114M
		OPA2170AQDGKRQ1	2520267414M
		OPA2197QDGKRQ1	2520294314M
		LMV358Q1MMX/NOPB	2520171014M
20240521000	Marking Standardization for Select	LMV844QMAX/NOPB	2520183514M
20240529000	Qualification of RFAB using qualified Process Technology, Die Revision,	TPS55065QPWPRQ1	XXH3911A03D00
			2510738214M
20240605000	Add Cu as Alternative Wire Base	ISO6721BQDRQ1	2542035308M
20240610001	Qualification of additional Assembly & Test Site (MLA), BOM options for select devices	AMC1301QDWVRQ1	2520291014M
		AMC1311BQDWVRQ1	2520300414M
		AMC1311QDWVRQ1	2520293814M
		SN2011029QDWVRQ1	2522020714M
		SN2011028QDWVRQ1	2522016414M
		AMC1302QDWVRQ1	2522033014M
20240618001	Qualification of new Die Revision in RFAB using qualified Process Technology, Die Revision, Datasheet	UCC21520QDWRQ1	2540715608M
20240624000	SOT Symbolization update for select devices – 16 Additional Binary Codes	SN6505BQDBVRQ1	XX2540010300
			2540715808M
		LMR50410YFQDBVRQ1	2513074814M
20240626001	Qualification of DMOS6 & RFAB using qualified Process Technology,	UCC27524A1QDGNRQ1	2540601308M
		UCC27524AQDRQ1	2540602608M
20240628016	Die Thickness Reduction for the	TLV2471QDBVRQ1	2520277214M
20240703000	Datasheet for UCC21550x-Q1,	UCC21550BQDWRQ1	2541506308M

	UCC21330x, UCC21550x,		25415063LMM
20240715000	Datasheet for ISO776x-Q1	ISO7762FQDWRQ1	2540598708M
		ISO7763FQDWRQ1	2540741008M
20240725000	Datasheet for TCAN1043xx-Q1	TCAN1043GDMTRQ1	2540726008M
		TCAN1043GDRQ1	2540740408M
20240725001	Qualification of MLA as an additional Assembly & Test site for select	TLV2402QDGKRQ1	2520217314M
		OPA2320AQDGKRQ1	2522001214M
20240730003	Datasheet for UCC21551-Q1	UCC21551CQDWKRQ1	2541507708M
20240808002	Datasheets for SNx4AHC00, SNx4AHCT04, SNx4AHCT08, SNx4AHC02, SNx4AHC74, SNx4AHC125, SNx4AHC126,	SN74AHC32QPWRQ1	2600106508M
		SN74AHC14QPWRQ1	2600091108M
		SN74AHCT14QPWRQ1	2600088708M
		SN74AHC32QDRQ1	2600263908M
20240813001	Qualification of additional low-COP wafer substrate type for select F65	TMS320F28377DPTPQ	2611305108M
		F28384DPTPQR	2611377908M
20240819000	Datasheet for DRV8411A, and UCC5350-Q1	UCC5350MCQDRQ1	2540794208M
		UCC5350MCQDWVRQ1	2541501008M
20240822001	Datasheet for SN74LVC1T45, SN74LVC2T45, SN74LVC2T45-Q1, SN74LVC1T45-Q1	SN74LVC1T45DCKR	2600375108
			XXZ14-0004900000
			26003751MI
20240826012	Marking Standardization for Select Devices	TCAN1051DRQ1	2540722608M
		TCAN1051VDRQ1	2540722708M
		TCAN1051GVDRQ1	2540757708M
		UCC27425QDRQ1	2540618808M
20240829001	Qualification of new fab (RFAB), Die shrink & BOM options for select	SN21530QDWKRQ1	2540618708M
20240830001	Qualification of TI Mexico as an additional assembly/test site for select devices	TPS7B4253QDDARQ1	2500579114M
		TPS7B8601QDDARQ1	2500646514M
		TPS7B4254QDDARQ1	2500579014M
		LMR23625CQDDARQ1	2510778114M
20240902000	Datasheet for SNx4ACT74, SNx4AC74, SNx4ACT00, SNx4AC00, SNx4ACT10, SNx4AC32, SNx4AC10, SN74ACT32, SNx4ACT11, SNx4AC11, SNx4AC86, SNx4ACT86, SNx4ACT08, SNx4AC08, SN74ACT10-Q1, SN74AC08-Q1, CDx4AC74,	SN74AC08QPWRG4Q1	2600366208M
20240910000	Qualification of RFAB using qualified Process Technology, Die Change &	LM2903BQPWRQ1	2522007814M
		LM2903AVQPWRQ1	2520050814M
20240922001	Datasheet for SN74AHC1G00, SN74AHC1G08, SN74AHC1G04,	SN74AHC1G08QDBVRQ1	2600366608
			2600366608M
20240923007	Datasheet for AMC3330 and	AMC3330QDWERQ1	2522015114M
20241010000	Datasheet for LM3481-Q1	LM3481QMMX/NOPB	2510364714M
		LM3481QMM/NOPB	XXW251036471400
20241015000	Qualification of RFAB using qualified Process Technology & Die Change	UC2845AQD8R	2510237814M
20241015002	Datasheet for UCx84xA, TLx84x, TLx84xB and UC2842AQ,	UC2845AQD8R	2510237814M
20241106000	Qualification of RFAB as additional	UCC27624QDRQ1	2540625608M
20241119001	Qualification of FFAB using qualified Process Technology, Die Revision, and additional Assembly site/BOM	LM7321QMFX/NOPB	2522009114M

20241119002	Qualification of RFAB using qualified Process Technology, Die Revision, Assembly/Test site (MLA) & alternate	LM2902KAVQPWRQ1	2520036614M
20241119009	Qualification of RFAB & MIHO8 Fabs using qualified Process Technologies, Die Revision,	ISO7241CQDWRQ1	2540540408M
		ISO7231CQDWRQ1	2540574608M
		ISO7221CQDRQ1	2540559208M
20241213000	Qualification of RFAB using qualified Process Technology and probe step addition for select devices	TPS7A1633QDGNRQ1	2500490314M
		TPS7A1650QDGNRQ1	XXPA2500300914M
			2500300914M
20241217003	Qualification of RFAB using qualified Process Technology, Die Revision,	TLVH431BQDBZRQ1	2500478714M
			25004787GWM
20241217016	Qualification of RFAB using qualified Process Technology, Die Revision, Datasheet, and additional Assembly	LP2951-50QDRQ1	2500102614M
20241217020	Qualification of RFAB using qualified Process Technology, Die Revision, Datasheet, and additional	TLV431AQDBVRQ1	2500706414M
20241218001	Datasheet for LP2951-Q1	LP2951-50QDRGRQ1	2500499114M
20241218003	Datasheet for LM2903-Q1 and LM2903B-Q1	LM2903BQDGKRQ1	2522035214M
		LM2903BQDRQ1	2522005614M
		LM2903AVQPWRQ1	2520050814M
		LM2903BQPWRQ1	2522007814M
20241218005	Datasheet for LM3481-Q1	LM3481QMM/NOPB	XXW251036471400
20241218006	Datasheet for TCAN1043xx-Q1	TCAN1043GDRQ1	2540740408M
		TCAN1043GDMTRQ1	2540726008M
20241219000	Qualification of RFAB using qualified Process Technology, Die Change,	LM3481QMMX/NOPB	2510364714M
20241219001	Qualification of TIEM as an additional Assembly & Test site for	UCC5350MCQDRQ1	2540794208M
20241220002	Datasheet for ISO772x, ISO7710-Q1, ISO772x-Q1, ISO7710, ISO774x, ISO773x-Q1, ISO774x-Q1, and ISO773x	ISO7741FQDWWRQ1	XXISO7741FQDWW
			2540729808M
		ISO7741QDWRQ1	2540717608M
		ISO7742QDWRQ1	2540717808M
		ISO7740FQDWRQ1	2540723108M
		ISO7741FQDWRQ1	2540716308M
20250108001	Qualification of additional Assembly sites for select SOT-23 devices	TL432LIBIDBZR	25006142NG8
			2500614214
20250110000	Qualification of LFAB as an additional Wafer Fab site option, low-	F2800152QPHPRQ1	2611378708M
		F2800154QPHPRQ1	2611391008M
20250121001	Qualification of RFAB in addition to DMOS6 for METDCU processing	TCAN1043ADRQ1	2542044608M
		TCAN1043ADMTRQ1	XXL2542012008M000M
			2542012008M
20250124001	Qualification of additional BOM	UCC28950QPWRQ1	2510623114M
20250130000	Qualification of additional BOM materials for selected devices	UCC28951QPWRQ1	2510767814
			2510767814M
20250131002	Adding KL-PR & TIEM-PR as additional wafer probe site	INA381A1QDGSRQ1	2522016614M
		OPA4172AQPWRQ1	2520300614M
		TLV4197QPWRQ1	2522009214M
		INA240A4QPWRQ1	2520161914M
		INA240A3QPWRQ1	2521500814M

		TLV4316QPWRQ1	2520292914M
		LM74700QDRQ1	2511002614M
20250212005	Qualification of TIEM-PR as an additional wafer probe site and TIPI as an additional Assembly/Test site for select devices	SN74AHC1G08QDBVRQ1	2600366608
			2600366608M
		TLV316QDBVRQ1	2520297114M
		TPS70950QDBVRQ1	XXDTPS70950QDBVR0
			2500529114M
		OPA171AQDBVRQ1	2520139214M
20250213003	Datasheet for LMR14030-Q1, LMR14050-Q1, LV14240, and	LMR14020SQDPRRQ1	2510780214
			2510780214M
20250224000	Datasheet for TMCS1133 and TMCS1133-Q1	TMCS1133B1AQDVGRQ1	2542063608M
		TMCS1133C3AQDVGRQ1	2542069608M
20250225001	Datasheet for SN2003022	SN2003022PWPR	XX2520001600
			2522019214M
20250225007	Pin one symbolization update for select devices	F280041PZQR	2611326908M
		F280049PZQR	2611317208M
20250303001	MSL Update for Select Devices	OPA316QDBVRQ1	2522004314M
		OPA170AQDBVRQ1	2520285614M
20250303003	Qualification of an alternate mount compound material for select devices	LM53602AQPWPRQ1	2510778214M
		TPS77633QPWPRQ1	2500181714
			2500181714M
		TPS76833QPWPRQ1	2500607014M
20250306001	Datasheet for UCC5350-Q1	UCC5350MCQDRQ1	2540794208M
		UCC5350MCQDWVRQ1	2541501008M
20250319001	Qualification of RFAB using qualified Process Technology, Die Revision, Datasheet and additional Assembly BOM options for select devices	UCC2813QDR-5Q1	2510576814M
		UCC2803QDRQ1	2510042614M
		UCC2804QDRQ1	2510042314
			2510042314M
20250325001	Qualification of additional BOM materials for selected devices	REF5045AQDRQ1	2500491914M
		OPA2314AQDRQ1	2522010414M
		UCC27528QDRQ1	2540577208M
20250327005	Symbolization update for select devices	TPS7B8601QDDARQ1	2500646514M
		LMR23625CQDDARQ1	2510778114M
		TPS7B4253QDDARQ1	2500579114M
		TPS7B4254QDDARQ1	2500579014M
20250404000	Qualification of LFAB as an additional Wafer Fab site option for select devices	F280041PZQR	2611326908M
		F280040PMQR	2611327808M
		F280049PZQR	2611317208M
		F280048PMQR	2611325708M
20250412000	Adding TIEM-PR as additional wafer probe site and TI Mexico (FMX) as an	TCAN1057ADRQ1	2542013608M
		TCAN1057AVDRQ1	2542007208M
20250413000	Adding TIEM-PR as additional wafer probe site and TI Clark as an additional Assembly and Test site for select package devices	TCAN1043ADMTRQ1	XXL2542012008M000M
			2542012008M
			XX2540006800
		TCAN1057AVDRBRQ1	2542045608M
20250413001	Adding TIEM-PR as additional wafer probe site	TCAN1043ADRQ1	2542044608M
		TCAN1042GVDRBRQ1	2540725808M
		TCAN1043GDRQ1	2540740408M
		TCAN1043GDMTRQ1	2540726008M
20250417001	Adding TIEM-PR as additional wafer probe test site and TI Melaka (TIEM)	ISO7742FQDWRQ1	2540734708M
		ISO6742QDWRQ1	2542013308M

	as an additional Assembly and Test site for select package devices	ISO7762FQDWRQ1	2540598708M
		ISO7741QDWRQ1	2540717608M
		ISO6742FQDWRQ1	2540566308M
		ISO6741QDWRQ1	2542013208M
		ISO7742QDWRQ1	2540717808M
		ISO7740FQDWRQ1	2540723108M
		ISO7741FQDWRQ1	2540716308M
		ISO6721BQDRQ1	2542035308M
		ISO7763FQDWRQ1	2540741008M
		ISO6741FQDWRQ1	2540794008M
		UCC21550BQDWRQ1	2541506308M
			25415063LMM
20250417002	Adding TIEM-PR as additional wafer probe test site for select devices	ISO6721FQDWVRQ1	2542018608
			2542018608M
		ISO6762FQDWRQ1	2542013408M
		ISO6763FQDWRQ1	2542013508M
20250417003	Qualify additional BOM material for select package devices	ISO6742FQDWRQ1	2540566308M
		ISO7762FQDWRQ1	2540598708M
		ISO6721FQDWVRQ1	2542018608
			2542018608M
		ISO7742QDWRQ1	2540717808M
		ISO6762FQDWRQ1	2542013408M
		ISO7740FQDWRQ1	2540723108M
		ISO7742FQDWRQ1	2540734708M
		ISO7741FQDWRQ1	2540716308M
		UCC21550BQDWRQ1	2541506308M
			25415063LMM
		ISO6742QDWRQ1	2542013308M
		ISO6763FQDWRQ1	2542013508M
		ISO6741FQDWRQ1	2540794008M
		ISO7763FQDWRQ1	2540741008M
		ISO7741QDWRQ1	2540717608M
		ISO6741QDWRQ1	2542013208M
20250608000	Qualification of CDAT as an additional Assembly/Test site for	OPA333AQDBVRQ1	2520184614M
20250608001	Qualification of CDAT as an additional Assembly/Test site for	CLVC1G125QDBVRQ1	2600370308M
20250608002	Qualification of CDAT as an additional Assembly/Test site for the	SN74LVC1G79QDCKRQ1	2600235108M
20250608003	Qualification of CDAT as an additional Assembly/Test site for	OPA320AQDBVRQ1	2520298914M
20250612000	Qualification of RFAB as an additional Fab site option, Die	1P1G3157QDCKRQ1	XXW1P1G3157QD00
			2600195208M
20250618003	Qualification of RFAB using qualified Process Technology, Die Revision, Datasheet and additional Assembly Site & BOM options for select	TLV1117-33IDCYR	2500058014
			25000580DE
			25000580DL8
			25000580DL9
20250630000	Qualify New Assembly Material set for Selected Device(s)	UCC28070QPWRQ1	2510155314M
		TLC2274AQPWRQ1	2520121414M
		TXB0104QPWRQ1	2540464308M
20250702000	Qualification of RFAB using qualified Process Technology, Die Revision,	TPS79333DBVRQ1	2500361714M
			25003617DEM

20250717000	Datasheet for TMCS1133, TMCS1133-Q1, TMCS1127, TMCS1127-Q1,	TMCS1133C3AQDVGRQ1	2542069608M
		TMCS1133B1AQDVGRQ1	2542063608M
20250730004	Qualification of RFAB using qualified Process Technology, Die Revision,	TLE2142QDRQ1	2520138114M
20250730008	Qualification of RFAB using qualified Process Technology, Die Revision,	UCC2808AQDR-2Q1	2510761314
			2510761314M
20250801000	Qualification of Clark-PR as additional wafer Probe site for select devices	TPS1HC100BQPWPRQ1	2540819708M
		UCC21750QDWRQ1	2540772608M
		TPS3840DL30DBVRQ1	2512003614
			2512003614M
20250805001	Qualification of RFAB using qualified Process Technology, Die Revision, Datasheet and additional Assembly	TLE2022QDRQ1	2520132014M
20250806000	Qualification of CLARK-PR as additional wafer probe site & TI Malaysia as additional Assembly &	TPS40210QDGQRQ1	2510668514M
20250806001	Qualification of additional Fab site (DFAB) and additional Assembly/Test	TS321QDBVRQ1	2520108114M
20250918000	Qualification of TIEM-PR as additional wafer Probe site for select	SN74AHC1G08QDBVRQ1	2600366608
			2600366608M
20250923000	Qualification of additional Assembly sites for select HSOIC devices	TPS5430DDAR	XXPA2510455714
			2510455714
			XXH3911A00X00
20250925000	Qualification of TI Philippines as an additional Assembly/Test site for	UCC28700QDBVRQ1	2510710114M
20251008002	Qualification of RFAB using qualified Process Technology, Design,	1P1G66QDBVRQ1	2600155708M
20251009001	Qualification of RFAB using qualified Process Technology, Datasheet, Die Revision, additional Assembly	LM2903BQDRQ1	2522005614M
20251014001	Qualification of CDAT as an additional Assembly/Test site for	INA186A3QDCKRQ1	2522001514M
20251015000	Qualification of MLA as an additional Assembly/Test site for select devices	TPS7A6633QDGNRQ1	X51225000105
			2500490614M
		TPS1H100BQPWPRQ1	XXL2540808508M000M
			2540808508M
			2540808508
20251027001	Device Topside Marking Change for select Devices		25408085DEM
		ISO7241CQDWRQ1	2541501008M
		ISO7231CQDWRQ1	2540540408M
		ISO7221CQDRQ1	2540574608M
20251103000	Qualify MLA as an additional	INA381A1QDGSRQ1	2540559208M
20251104001	Datasheet for SN2011029	SN2011029QDWVRQ1	2522016614M
20251112000	Qualification of MLA additional Assembly/Test site for select	ADS1018QDGSRQ1	2522020714M
20251112005	Adding TIEM-PR as additional wafer	SN74HCS02QPWRQ1	2540907108M
20251212002	Adding TIEM-PR as additional wafer Probe Test site for select devices	UC2845AQD8R	2601000808M
20251215001	Qualification of CLARK-PR as additional Wafer Probe test site and TI Clark as an additional Assembly/Test site for select	TLV76733QWDRBRQ1	2510237814M
		TLV76701QWDRBRQ1	2500508714M
		TLV76750QWDRBRQ1	2500508314M
			2500508814M
			25005088GWM

20251218002	Qualify TI Melaka as an Assembly /Test site and add TIEMA-PR as	1P1G3157QDCKRQ1	XXW1P1G3157QD00 2600195208M
20260108000	Datasheet for TPS1HC100-Q1	TPS1HC100BQPWPRQ1	2540819708M
20260116000	Qualification of additional BOM	LM25118Q1MHX/NOPB	2510718014M
20260116001	Mold Process & Topside marking	TMS320F28377DPTPQ	2611305108M
20260204000	Qualification of RFAB wafer fab site for select devices	ISO7221CQDRQ1	2540559208M
		ISO7231CQDWRQ1	2540574608M
		ISO7241CQDWRQ1	2540540408M
20260206004	Qualification of RFAB as an additional Fab site option, Die	TPS60403DBVR	2540395108
20260211000	Qualification of RFAB using qualified Process Technology, Datasheet, Die	TLC555QDRQ1	2510520614
			2510520614M
20260218004	Datasheet for TPS7B4253-Q1, TPS7B4254-Q1, TPS7B86-Q1, TPS7B87-Q1	TPS7B4254QDDARQ1	2500579014M
		TPS7B4253QDDARQ1	2500579114M
		TPS7B8601QDDARQ1	2500646514M
20260223008	Add Cu as Alternative Wire Base Metal for Selected Device(s)	TLV73312PQDBVRQ1	2500671314M
		INA180A2QDBVRQ1	2521501014M
20260226000	Datasheet for TL4050-Q1	TL4050C20QDBZRQ1	2500301414
			2500301414M
		TL4050C50QDBZRQ1	2500301314M
		TL4050B25QDBZRQ1	2500301714
			2500301714M
20260227000	Qualify TIEM as an additional Assembly/Test site for select devices	SN74HCS14QPWRQ1	2600510508M
		TLV9004QPWRQ1	2522026314M
		SN74HCS21QPWRQ1	2601102408M
		SN74HCS32QPWRQ1	2600510608M
		TLV9064QPWRQ1	2522012114M
			XX252TLV9064QPWRQ
		SN74HC08QPWRQ1	2600092908M
		SN74AHC32QPWRQ1	2600106508M
		TLV9024QPWRQ1	2522055214M
		OPA4991QPWRQ1	XX2520001700M
			2522019114M
		SN74HCS08QPWRQ1	2601101808M
		SN74HCS00QPWRQ1	2601101708M
		SN74HC21QPWRQ1	2600124308M
		SN74HCS02QPWRQ1	2601000808M
		SN74HCS74QPWRQ1	X51226000177M
			2600361808M
20260227001	Qualification of TI Malaysia (MLA) as an additional Assembly Site for select devices	AMC3330QDWERQ1	2522015114M
		AMC3301QDWERQ1	2522048314M
		AMC3311QDWERQ1	2522052014M
			25220520GWM
20260306001	Datasheet for TMCS1126-Q1	TMCS1126B9AQDVGRQ1	2542067208M
20260311000	Qualification of RFAB using qualified Process Technology, Die Change,	LM3481QMM/NOPB	XXW251036471400
20260312002	Datasheet for TCAN1043A-Q1	TCAN1043ADMTRQ1	XXL2542012008M000M
			2542012008M
			XX2540006800
20260401001	Datasheet for SN74LVC1G3157-Q1	1P1G3157QDCKRQ1	2542044608M
			XXW1P1G3157QD00

			2600195208M
20260427001	Datasheet for TPS5410-Q1, TPS5420-Q1, TPS5430-Q1, TPS543x, and TPS5420	TPS5430QDDARQ1	2510595614M
		TPS5430DDAR	XXPA2510455714
			2510455714
			XXH3911A00X00
20260522001	Qualification of RFAB as an additional Fab site and TI Chengdu	INA214CQDCKRQ1	X51225200058M
			2521502014M
20260604000	Qualify additional BOM material for select package devices	SN21540QDWKRQ1	2540786108M
			XXSN21540QDWKR
		UCC21520QDWRQ1	2540715608M
		UCC21222QDRQ1	2540739508M
		UCC5350MCQDRQ1	2540794208M
		UCC21550BQDWRQ1	2541506308M
			25415063LMM
20260605001	Qualification of RFAB site for select devices	AMC1301QDWVRQ1	2520291014M
		AMC1400QDWLRQ1	2522039914M
		SN2011029QDWVRQ1	2522020714M
		AMC1411QDWLRQ1	2522038914M
		AMC1311BQDWVRQ1	2520300414M
		AMC1302QDWVRQ1	2522033014M
		AMC1311QDWVRQ1	2520293814M
		SN2011028QDWVRQ1	2522016414M
		AMC1301QDWVRQ1	2520291014M
20260609002	Qualification of AIZU/RFAB as an additional Fab site and TI Chengdu	AMC1350QDWVRQ1	2522052114M
		INA214AQDCKRQ1	XXL2520258914M000M
20260612001	Datasheet for TMCS1133-Q1, TMCS1126-Q1, and TMCS1123-Q1		2520258914M
		TMCS1126B9AQDVGRQ1	2542067208M
		TMCS1133B1AQDVGRQ1	2542063608M
20260615001	Qualification of TI Malaysia (MLA) as an additional Assembly/Test Site for	TMCS1133C3AQDVGRQ1	2542069608M
		LP2951-50QDRQ1	2500102614M
20260629004	Qualification of RFAB using qualified Process Technology, Design,	LP2951-50QDRGRQ1	2500499114M
20260702002	Qualification of RFAB using qualified Process Technology and design	LM2904AVQDRQ1	2520240514M
		LM2904BQDGKRQ1	2522026114M
20260713002	Qualifying a Design change, Data sheet update, TI Clark as an additional wafer Probe Test site and Assembly/Test site option for select	LM63625DQDRRRQ1	XXLLM63625DQDRR00
			2513054814M
			25130548GL9M
			25130548GLM
20260730001	Datasheet for LP2951-Q1	LP2951-50QDRQ1	2500102614M
20260803000	Qualification of TI Melaka probe (TIEM-PR) as additional wafer Probe Test site for select devices	OPA2320AQDGKRQ1	2522001214M
		F280039CPZRQ1	2611382508M
			26113825GWM
20260824000	Qualification of TIEM, CLARK, MLA and PHI as additional Final Test	UCC27424QDGNRQ1	2540536208M