



Title of the
Talk

Author's name

First Part

Second part

References

Title of the Talk

Author's name

04 May 2021



Title of the
Table

Author's name

First Part

Second part

References

1 First Part

2 Second part



Title of the
Table

Author's name

First Part

Second part

References

First Part



R Markdown

First Part
Author's name
First Part
Second part
References

This is an R Markdown presentation. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document.

Table Header	Second Header
Table Cell	Cell 2
Cell 3	Cell 4



Slide with Incremental Bullets

Title of the
Talk

Author's name

First Part

Second part

References

- Bullet 1



Slide with Incremental Bullets

Title of the
Table

Author's name

First Part

Second part

References

- Bullet 1
- A reference: Xie (2016).



Slide with Incremental Bullets

Title of the
Talk

Author's name

First Part

Second part

References

- Bullet 1
- A reference: Xie (2016).
- Bullet 3



Slide with R Output

Title of the
Title

Author's name

First Part

Second part

References

```
head(cars)
```

speed	dist
4	2
4	10
7	4
7	22
8	16
9	10



Title of the
Table

Author's name

First Part

Second part

References

Second part



Slide with a Plot

Title of the
Tab


Author's name

First Part

Second part

References

```
plot(pressure)
```





Two Column Layout

Title in
Top

Author's name

First Part

Second part


References

This slide has two columns.

In Beamer, each column in between `\begincol` and `\endcol`.

In HTML, the `{.columns-2}` option is added to the slide title and `<p class="forceBreak"></p>` allows forcing column break.

```
plot(pressure)
```





Documentation

First Part

Author's name

First Part

Second part

References

See R Markdown: The Definitive Guide for full documentation about HTML slides.

Note:

- `{.flexbox .vcenter}` to center the HTML slide with plot.
- `out.width='90%'` to reduce the size of the plot in the Two Column Layout slide.

Keep the code below to have a slide for references and allow two-column slides in *ioslides* (but not in *Slidy*) and allow scrolling oversized slides.



Table of
Contents

Author's name

First Part

Second part

References

Xie, Y. (2016). *bookdown: Authoring Books and Technical Documents with R Markdown*. Boca Raton, Florida: Chapman and Hall/CRC.