Fractal Structure Model [Pro]

```
// © ZakAlgo_Trade
//@version=5
indicator("Fractal Structure Model [Pro]", overlay=true, max_lines_count=500,
max_labels_count=500, max_boxes_count=500)

// ————————————————————————————————————————————————————————————————————————
// INPUTS
// ————————————————————————————————————————————————————————————————————————

grpTF = "══════════ Timeframe Pairing ══════════"
autoTF = input×bool(true, "⚙️ Automatic Timeframe Pairing", group=grpTF)
manualHTF = input.timeframe("60", "Manual HTF Override", group=grpTF, tooltip="Used when
Automatic is disabled")

grpBias = "══════════ Bias Configuration ══════════"
biasMode = input×string("Neutral", "Directional Bias", options=["Bullish", "Bearish", "Neutral"],
group=grpBias)

grpHist = "══════════ History ══════════"
maxHistory = input.int(5, "Setup History Depth", minval=0, maxval=40, group=grpHist)

grpVis = "══════════ Visual Components ══════════"
showHTFCandles = input.bool(true, "HTF Candles (PO3)", group=grpVis)
showEQ = input.bool(true, "Equilibrium + Premium/Discount", group=grpVis)
showCISD = input.bool(true, "CISD Markers", group=grpVis)
showProjections = input.bool(true, "Projection Levels", group=grpVis)
showLiquidity = input.bool(true, "Formation Liquidity", group=grpVis)
showTSpot = input.bool(true, "T-Spot Level", group=grpVis)
showInfoTable = input.bool(true, "Info Table", group=grpVis)
showSwingLabels = input.bool(true, "Swing Structure Labels", group=grpVis)

grpProj = "══════════ Projection Levels ══════════"
useProj1 = input.bool(true, "—1×", inline="p1", group=grpProj)
proj1 = input.float(-1.0, "", inline="p1", group=grpProj)
useProj2 = input.bool(true, "—2×", inline="p2", group=grpProj)
proj2 = input.float(-2.0, "", inline="p2", group=grpProj)
```

```
useProj3 = input.bool(true, "—2.5×", inline="p3", group=grpProj)
proj3 = input.float(-2.5, "", inline="p3", group=grpProj)
useProj4 = input.bool(true, "—4×", inline="p4", group=grpProj)
proj4 = input.float(-4.0, "", inline="p4", group=grpProj)
useProj5 = input.bool(true, "—4.5×", inline="p5", group=grpProj)
proj5 = input.float(-4.5, "", inline="p5", group=grpProj)

grpCol = "══════════ Color Palette ══════════"
bullColor = input×color(color×rgb(0, 187, 249), "Bullish", inline="c1", group=grpCol)
bearColor = input×color(color×rgb(255, 0, 110), "Bearish", inline="c1", group=grpCol)
eqColor = input×color(color×rgb(200, 200, 200), "Equilibrium", inline="c2", group=grpCol)
failColor = input×color(color×rgb(255, 40, 40), "Failure", inline="c2", group=grpCol)
warnColor = input.color(color.rgb(255, 149, 0), "Warning", inline="c3", group=grpCol)
projColor = input×color(color×rgb(131, 56, 236), "Projections", inline="c3", group=grpCol)
tspotColor = input×color(color×rgb(255, 190, 11), "T-Spot", inline="c4", group=grpCol)
liqColor = input×color(color×rgb(120, 120, 120), "Liquidity", inline="c4", group=grpCol)

grpTime = "══════════ Time Filters ══════════"
useTimeFilter1 = input.bool(false, "Session 1", inline="t1", group=grpTime)
tf1Start = input.int(8, "Start", inline="t1", group=grpTime)
tf1End = input.int(11, "End", inline="t1", group=grpTime)
useTimeFilter2 = input.bool(false, "Session 2", inline="t2", group=grpTime)
tf2Start = input.int(13, "Start", inline="t2", group=grpTime)
tf2End = input.int(16, "End", inline="t2", group=grpTime)
useTimeFilter3 = input.bool(false, "Session 3", inline="t3", group=grpTime)
tf3Start = input.int(18, "Start", inline="t3", group=grpTime)
tf3End = input.int(21, "End", inline="t3", group=grpTime)

grpTable = "══════════ Table Settings ══════════"
tablePos = input.string("Top Right", "Position", options=["Top Left", "Top Right", "Bottom Left",
"Bottom Right"], group=grpTable)
tableSize = input.string("Small", "Size", options=["Tiny", "Small", "Normal"], group=grpTable)

// ──────────────────────────────────────────────────────────────────────────
// CONSTANTS
// ──────────────────────────────────────────────────────────────────────────

textBlack = color×rgb(0, 0, 0)
```

```
textDark = color.rgb(20, 20, 20)
textWhite = color×rgb(240, 240, 240)

// ────────────────────────────────────────────────────────────────────────
// AUTOMATIC TIMEFRAME LOGIC
// ────────────────────────────────────────────────────────────────────────

getAutoHTF() =>
    tfMins = timeframe.in_seconds() / 60
    if tfMins <= 1
        "5"
    else if tfMins <= 3
        "15"
    else if tfMins <= 5
        "60"
    else if tfMins <= 15
        "240"
    else if tfMins <= 60
        "D"
    else if tfMins <= 240
        "W"
    else
        "M"

htfTF = autoTF ? getAutoHTF() : manualHTF

chartMins = timeframe.in_seconds() / 60
htfMins = request.security(syminfo.tickerid, htfTF, timeframe.in_seconds() / 60)
validPairing = chartMins < htfMins

// ────────────────────────────────────────────────────────────────────────
// TIME FILTER LOGIC
// ────────────────────────────────────────────────────────────────────────

currentHour = hour(time, "UTC")

timeInRange(int startH, int endH) =>
    startH <= endH ? (currentHour >= startH and currentHour < endH) : (currentHour >= startH or
```

```
currentHour < endH)

passesTimeFilter() =>
    if not useTimeFilter1 and not useTimeFilter2 and not useTimeFilter3
        true
    else
        (useTimeFilter1 and timeInRange(tf1Start, tf1End)) or (useTimeFilter2 and timeInRange(tf2Start, tf2End)) or (useTimeFilter3 and timeInRange(tf3Start, tf3End))

timeOk = passesTimeFilter()

// ──────────────────────────────────────────────────────────────
// HTF DATA
// ──────────────────────────────────────────────────────────────

[htfOpen, htfHigh, htfLow, htfClose, htfOpenTime] = request.security(syminfo.tickerid, htfTF, [open, high, low, close, time], lookahead=barmerge.lookahead_on)
[htfOpen1, htfHigh1, htfLow1, htfClose1] = request.security(syminfo.tickerid, htfTF, [open[1], high[1], low[1], close[1]], lookahead=barmerge.lookahead_on)

newHTF = ta.change(htfOpenTime) != 0

// ──────────────────────────────────────────────────────────────
// HTF CANDLE STATE TRACKING
// ──────────────────────────────────────────────────────────────

var float curHTFO = na
var float curHTFH = na
var float curHTFL = na
var float curHTFC = na
var int curHTFStart = na
var int curHTFHighBar = na
var int curHTFLowBar = na

if newHTF
    curHTFO := open
    curHTFH := high
    curHTFL := low
```

```
    curHTFC := close
    curHTFStart := bar_index
    curHTFHighBar := bar_index
    curHTFLowBar := bar_index
else
    if high > nz(curHTFH, high)
        curHTFH := high
        curHTFHighBar := bar_index
    if low < nz(curHTFL, low)
        curHTFL := low
        curHTFLowBar := bar_index
    curHTFC := close

var float prevHTFO = na
var float prevHTFH = na
var float prevHTFL = na
var float prevHTFC = na
var int prevHTFStart = na
var int prevHTFEnd = na

if newHTF
    prevHTFO := curHTFO[1]
    prevHTFH := curHTFH[1]
    prevHTFL := curHTFL[1]
    prevHTFC := curHTFC[1]
    prevHTFStart := curHTFStart[1]
    prevHTFEnd := bar_index - 1

// ──────────────────────────────────────────────────────────────
// PO3 HTF CANDLE VISUALIZATION (PRO STYLE)
// ──────────────────────────────────────────────────────────────

var box htfBody = na
var line htfWickH = na
var line htfWickL = na
var line htfOpenLine = na
var label htfLabel = na
```

```
if showHTFCandles and validPairing and not na(curHTFStart)
    isBull = curHTFC >= curHTFO
    bodyTop = math.max(curHTFO, curHTFC)
    bodyBot = math.min(curHTFO, curHTFC)
    mainCol = isBull ? bullColor : bearColor
    bodyBg = isBull ? color.new(bullColor, 85) : color.new(bearColor, 85)
    borderCol = color×new(mainCol, 20)

    // Clean previous drawings
    if not na(htfBody)
        box.delete(htfBody)
    if not na(htfWickH)
        line.delete(htfWickH)
    if not na(htfWickL)
        line.delete(htfWickL)
    if not na(htfOpenLine)
        line.delete(htfOpenLine)
    if not na(htfLabel)
        label.delete(htfLabel)

    midBar = math.round(math.avg(curHTFStart, bar_index))

    htfBody := box.new(curHTFStart, bodyTop, bar_index, bodyBot, border_color=borderCol, bgcolor=bodyBg, border_width=2)
    htfWickH := line.new(midBar, bodyTop, midBar, curHTFH, color=borderCol, width=2)
    htfWickL := line.new(midBar, bodyBot, midBar, curHTFL, color=borderCol, width=2)

    // Open price dashed line across entire candle
    htfOpenLine := line.new(curHTFStart, curHTFO, bar_index, curHTFO, color=color×new(mainCol, 60), style=line.style_dashed, width=1)

    // HTF Label
    htfLabel := label.new(curHTFStart, curHTFH + (curHTFH - curHTFL) * 0.05, htfTF, style=label.style_label_down, color=color×new(mainCol, 30), textcolor=textBlack, size=size×tiny)

// ────────────────────────────────────────────────────────────
// SWING DETECTION
// ────────────────────────────────────────────────────────────
```

```
swingLen = 3
swingHigh = ta.pivothigh(high, swingLen, swingLen)
swingLow = ta.pivotlow(low, swingLen, swingLen)

var float lastSwH = na
var float lastSwL = na
var int lastSwHBar = na
var int lastSwLBar = na

if not na(swingHigh)
    lastSwH := swingHigh
    lastSwHBar := bar_index - swingLen

if not na(swingLow)
    lastSwL := swingLow
    lastSwLBar := bar_index - swingLen

// Swing structure labels
if showSwingLabels and validPairing
    if not na(swingHigh)
        label.new(bar_index - swingLen, swingHigh, "◆", style=label.style_none,
textcolor=color.new(bearColor, 40), size=size×tiny)
    if not na(swingLow)
        label.new(bar_index - swingLen, swingLow, "◆", style=label.style_none,
textcolor=color.new(bullColor, 40), size=size×tiny)

// ────────────────────────────────────────────────────────────
// CISD DETECTION
// ────────────────────────────────────────────────────────────

bullishCISD = close > open and close > open[1] and not na(lastSwL) and low[1] <= lastSwL * 1.001
and close > high[1]
bearishCISD = close < open and close < open[1] and not na(lastSwH) and high[1] >= lastSwH *
0.999 and close < low[1]

// ────────────────────────────────────────────────────────────
// CISD MARKERS (PRO STYLE)
```

```
// ──────────────────────────────────────────────────────────────

if showCISD and validPairing and timeOk
    if bullishCISD and (biasMode == "Bullish" or biasMode == "Neutral")
        // Highlight candle range
        box.new(bar_index - 1, high[1], bar_index, low, border_color=color×new(bullColor, 60),
bgcolor=color.new(bullColor, 90), border_width=1)
        label.new(bar_index, low - (high - low) * 0.3, "CISD", style=label.style_label_up,
color=bullColor, textcolor=textBlack, size=size×tiny)

    if bearishCISD and (biasMode == "Bearish" or biasMode == "Neutral")
        box.new(bar_index - 1, high, bar_index, low[1], border_color=color×new(bearColor, 60),
bgcolor=color.new(bearColor, 90), border_width=1)
        label.new(bar_index, high + (high - low) * 0.3, "CISD", style=label.style_label_down,
color=bearColor, textcolor=textBlack, size=size×tiny)

// ──────────────────────────────────────────────────────────────
// SETUP DETECTION & TRACKING
// ──────────────────────────────────────────────────────────────

prevHTFBull = prevHTFC > prevHTFO
prevHTFBear = prevHTFC < prevHTFO

bullSetup = validPairing and timeOk and prevHTFBull and bullishCISD and (biasMode == "Bullish" or
biasMode == "Neutral")
bearSetup = validPairing and timeOk and prevHTFBear and bearishCISD and (biasMode ==
"Bearish" or biasMode == "Neutral")

var int setupCount = 0
var bool activeSetup = false
var bool activeBull = false
var float setupHigh = na
var float setupLow = na
var float setupCISD = na
var int setupBar = na
var float setupEQ = na
var bool setupFailed = false
var int setupCandle = 0
```

```
var float setupRange = na

if bullSetup and not activeSetup
    activeSetup := true
    activeBull := true
    setupHigh := curHTFH
    setupLow := nz(lastSwL, low)
    setupCISD := close
    setupBar := bar_index
    setupEQ := (setupHigh + setupLow) / 2
    setupRange := setupHigh - setupLow
    setupFailed := false
    setupCount += 1
    setupCandle := 1

if bearSetup and not activeSetup
    activeSetup := true
    activeBull := false
    setupHigh := nz(lastSwH, high)
    setupLow := curHTFL
    setupCISD := close
    setupBar := bar_index
    setupEQ := (setupHigh + setupLow) / 2
    setupRange := setupHigh - setupLow
    setupFailed := false
    setupCount += 1
    setupCandle := 1

if activeSetup and newHTF
    setupCandle += 1

// Failure check
if activeSetup and not setupFailed
    if activeBull and low < setupLow
        setupFailed := true
    if not activeBull and high > setupHigh
        setupFailed := true
```

```
if activeSetup and setupCandle > 4
    activeSetup := false

// ──────────────────────────────────────────────────────────────
// SETUP LABELS (C2/C3/C4) — PRO STYLE
// ──────────────────────────────────────────────────────────────

if activeSetup and validPairing and newHTF
    lblColor = setupFailed ? failColor : (setupCandle >= 3 ? warnColor : color.rgb(180, 180, 180))
    cText = "C" + str×tostring(setupCandle)
    dirIcon = activeBull ? " ▲" : " ▼"
    statusIcon = setupFailed ? " ✕" : (setupCandle >= 3 ? " ⚠" : " ✓")

    if activeBull
        label.new(bar_index, low - setupRange * 0.15, cText + dirIcon + statusIcon,
style=label.style_label_up, color=lblColor, textcolor=textBlack, size=size×small)
    else
        label.new(bar_index, high + setupRange * 0.15, cText + dirIcon + statusIcon,
style=label.style_label_down, color=lblColor, textcolor=textBlack, size=size×small)

// ──────────────────────────────────────────────────────────────
// EQUILIBRIUM + PREMIUM/DISCOUNT ZONES
// ──────────────────────────────────────────────────────────────

var line eqLine = na
var label eqLabel = na
var box premBox = na
var box discBox = na
var label premLabel = na
var label discLabel = na

if showEQ and activeSetup and not setupFailed and validPairing
    endBar = bar_index + 15

    if not na(eqLine)
        line.delete(eqLine)
    if not na(eqLabel)
        label.delete(eqLabel)
```

```
    if not na(premBox)
        box.delete(premBox)
    if not na(discBox)
        box.delete(discBox)
    if not na(premLabel)
        label.delete(premLabel)
    if not na(discLabel)
        label.delete(discLabel)

    // EQ line
    eqLine := line.new(setupBar, setupEQ, endBar, setupEQ, color=eqColor, style=line.style_dashed, width=2)
    eqLabel := label.new(endBar, setupEQ, "EQ " + str.tostring(setupEQ, format.mintick), style=label.style_none, textcolor=eqColor, size=size×tiny)

    // Premium zone
    premBox := box.new(setupBar, setupHigh, endBar, setupEQ, border_color=color×new(bearColor, 85), bgcolor=color.new(bearColor, 92))
    premLabel := label.new(setupBar + 2, setupHigh - (setupHigh - setupEQ) * 0.15, "PREMIUM", style=label.style_none, textcolor=color.new(bearColor, 50), size=size×tiny)

    // Discount zone
    discBox := box.new(setupBar, setupEQ, endBar, setupLow, border_color=color×new(bullColor, 85), bgcolor=color.new(bullColor, 92))
    discLabel := label.new(setupBar + 2, setupLow + (setupEQ - setupLow) * 0.15, "DISCOUNT", style=label.style_none, textcolor=color.new(bullColor, 50), size=size×tiny)

else if (setupFailed or not activeSetup)
    if not na(eqLine)
        line.delete(eqLine)
        eqLine := na
    if not na(eqLabel)
        label.delete(eqLabel)
        eqLabel := na
    if not na(premBox)
        box.delete(premBox)
        premBox := na
    if not na(discBox)
```

```
        box.delete(discBox)
        discBox := na
    if not na(premLabel)
        label.delete(premLabel)
        premLabel := na
    if not na(discLabel)
        label.delete(discLabel)
        discLabel := na

// ──────────────────────────────────────────────────────────────
// T-SPOT IDENTIFICATION (PRO STYLE)
// ──────────────────────────────────────────────────────────────

var line tspotLine = na
var label tspotLabel = na
var box tspotZone = na

if showTSpot and activeSetup and not setupFailed and validPairing
    tspotLevel = activeBull ? setupHigh - setupRange * 0.236 : setupLow + setupRange * 0.236
    tspotUpper = tspotLevel + setupRange * 0.02
    tspotLower = tspotLevel - setupRange * 0.02
    endBar = bar_index + 12

    if not na(tspotLine)
        line.delete(tspotLine)
    if not na(tspotLabel)
        label.delete(tspotLabel)
    if not na(tspotZone)
        box.delete(tspotZone)

    tspotZone := box.new(setupBar, tspotUpper, endBar, tspotLower,
border_color=color×new(tspotColor, 70), bgcolor=color.new(tspotColor, 88))
    tspotLine := line.new(setupBar, tspotLevel, endBar, tspotLevel, color=tspotColor,
style=line.style_dotted, width=2)
    tspotLabel := label.new(endBar, tspotLevel, "T-SPOT", style=label.style_none,
textcolor=tspotColor, size=size×tiny)

else if (setupFailed or not activeSetup)
```

```
    if not na(tspotLine)
        line.delete(tspotLine)
        tspotLine := na
    if not na(tspotLabel)
        label.delete(tspotLabel)
        tspotLabel := na
    if not na(tspotZone)
        box.delete(tspotZone)
        tspotZone := na

// ──────────────────────────────────────────────────────────────────────────────
// PROJECTION LEVELS (PRO STYLE)
// ──────────────────────────────────────────────────────────────────────────────

var line[] projLines = array.new_line(5, na)
var label[] projLabels = array.new_label(5, na)
var box[] projBoxes = array.new_box(5, na)

calcProj(float cisdP, float swingP, float mult, bool isBull) =>
    rng = math.abs(cisdP - swingP)
    isBull ? cisdP + rng * math.abs(mult) : cisdP - rng * math.abs(mult)

clearProjections() =>
    for i = 0 to 4
        ln = array.get(projLines, i)
        if not na(ln)
            line.delete(ln)
            array.set(projLines, i, na)
        lb = array.get(projLabels, i)
        if not na(lb)
            label.delete(lb)
            array.set(projLabels, i, na)
        bx = array.get(projBoxes, i)
        if not na(bx)
            box.delete(bx)
            array.set(projBoxes, i, na)

drawProj(int idx, float level, float mult, int startBar, int endBar) =>
```

```
    thickness = math×abs(mult) > 3 ? 2 : 1
    transparency = 30 + int(math.abs(mult) * 8)
    pCol = color×new(projColor, transparency)

    zoneH = level + nz(setupRange, 0) * 0.008
    zoneL = level - nz(setupRange, 0) * 0.008

    oldLn = array.get(projLines, idx)
    if not na(oldLn)
        line.delete(oldLn)
    oldLb = array.get(projLabels, idx)
    if not na(oldLb)
        label.delete(oldLb)
    oldBx = array.get(projBoxes, idx)
    if not na(oldBx)
        box.delete(oldBx)

    array.set(projLines, idx, line.new(startBar, level, endBar, level, color=pCol, style=line.style_solid,
width=thickness))
    array.set(projBoxes, idx, box.new(startBar, zoneH, endBar, zoneL, border_color=na,
bgcolor=color.new(projColor, 92)))
    array.set(projLabels, idx, label.new(endBar + 1, level, str.tostring(mult, "#.#") + "×",
style=label.style_none, textcolor=projColor, size=size×tiny))

if showProjections and activeSetup and not setupFailed and validPairing
    swingRef = activeBull ? setupLow : setupHigh
    endB = bar_index + 25

    if useProj1
        drawProj(0, calcProj(setupCISD, swingRef, proj1, activeBull), proj1, setupBar, endB)
    if useProj2
        drawProj(1, calcProj(setupCISD, swingRef, proj2, activeBull), proj2, setupBar, endB)
    if useProj3
        drawProj(2, calcProj(setupCISD, swingRef, proj3, activeBull), proj3, setupBar, endB)
    if useProj4
        drawProj(3, calcProj(setupCISD, swingRef, proj4, activeBull), proj4, setupBar, endB)
    if useProj5
        drawProj(4, calcProj(setupCISD, swingRef, proj5, activeBull), proj5, setupBar, endB)
```

```
else if (setupFailed or not activeSetup)
    clearProjections()

// ————————————————————————————————————————————————————
// FORMATION LIQUIDITY (PRO STYLE)
// ————————————————————————————————————————————————————

var line liqHLine = na
var line liqLLine = na
var label liqHLabel = na
var label liqLLabel = na

if showLiquidity and activeSetup and validPairing
    if not na(liqHLine)
        line.delete(liqHLine)
    if not na(liqLLine)
        line.delete(liqLLine)
    if not na(liqHLabel)
        label.delete(liqHLabel)
    if not na(liqLLabel)
        label.delete(liqLLabel)

    extEnd = bar_index + 10

    if not na(prevHTFH)
        liqHLine := line.new(nz(prevHTFStart, bar_index - 30), prevHTFH, extEnd, prevHTFH,
color=color×new(liqColor, 40), style=line.style_dotted, width=1)
        liqHLabel := label.new(extEnd, prevHTFH, "LIQ $.H", style=label.style_none,
textcolor=color.new(liqColor, 30), size=size×tiny)
    if not na(prevHTFL)
        liqLLine := line.new(nz(prevHTFStart, bar_index - 30), prevHTFL, extEnd, prevHTFL,
color=color×new(liqColor, 40), style=line.style_dotted, width=1)
        liqLLabel := label.new(extEnd, prevHTFL, "LIQ $.L", style=label.style_none,
textcolor=color.new(liqColor, 30), size=size×tiny)

// ————————————————————————————————————————————————————
// CANDLE 1 LIQUIDITY SWEEPS
// ————————————————————————————————————————————————————
```

```
var line c1LiqH = na
var line c1LiqL = na

if activeSetup and validPairing
    if not na(c1LiqH)
        line.delete(c1LiqH)
    if not na(c1LiqL)
        line.delete(c1LiqL)

    c1LiqH := line.new(setupBar, setupHigh, bar_index + 8, setupHigh, color=color×new(bearColor, 30), style=line.style_solid, width=1)
    c1LiqL := line.new(setupBar, setupLow, bar_index + 8, setupLow, color=color.new(bullColor, 30), style=line.style_solid, width=1)

// ──────────────────────────────────────────────────────────────
// SETUP ENTRY MARKER
// ──────────────────────────────────────────────────────────────

if bullSetup
    line.new(bar_index, low, bar_index, high, color=bullColor, width=3, style=line.style_solid)
    label.new(bar_index, low - setupRange * 0.3, "▲ BULL SETUP", style=label.style_label_up, color=bullColor, textcolor=textBlack, size=size×normal)

if bearSetup
    line.new(bar_index, low, bar_index, high, color=bearColor, width=3, style=line.style_solid)
    label.new(bar_index, high + setupRange * 0.3, "▼ BEAR SETUP", style=label.style_label_down, color=bearColor, textcolor=textBlack, size=size.normal)

// ──────────────────────────────────────────────────────────────
// BACKGROUND
// ──────────────────────────────────────────────────────────────

bgcolor(bullSetup ? color.new(bullColor, 94) : bearSetup ? color.new(bearColor, 94) : na, title="Setup Background")

// ──────────────────────────────────────────────────────────────
// INFO TABLE (PRO STYLE)
```

```
// ──────────────────────────────────────────────────────────────────────

if showInfoTable and barstate.islast
    tblPos = switch tablePos
        "Top Left" => position.top_left
        "Top Right" => position.top_right
        "Bottom Left" => position.bottom_left
        "Bottom Right" => position.bottom_right

    tblSz = switch tableSize
        "Tiny" => size.tiny
        "Small" => size.small
        "Normal" => size.normal

    var table tbl = table.new(tblPos, 2, 8, border_width=1, border_color=color×rgb(60, 60, 80), bgcolor=color.rgb(15, 15, 30))

    headerBg = color×rgb(30, 30, 55)
    cellBg = color×rgb(20, 20, 38)

    // Header
    table.cell(tbl, 0, 0, "FRACTAL MODEL", text_color=color×rgb(180, 180, 255), text_size=tblSz, bgcolor=headerBg)
    table.cell(tbl, 1, 0, "[PRO]", text_color=color×rgb(131, 56, 236), text_size=tblSz, bgcolor=headerBg)

    // Pairing
    table.cell(tbl, 0, 1, "Pairing", text_color=color.rgb(130, 130, 160), text_size=tblSz, bgcolor=cellBg)
    table.cell(tbl, 1, 1, timeframe.period + " → " + htfTF, text_color=textWhite, text_size=tblSz, bgcolor=cellBg)

    // Status
    table.cell(tbl, 0, 2, "Status", text_color=color×rgb(130, 130, 160), text_size=tblSz, bgcolor=cellBg)
    if validPairing
        table.cell(tbl, 1, 2, "✓ Valid", text_color=color.rgb(0, 230, 118), text_size=tblSz, bgcolor=cellBg)
    else
        table.cell(tbl, 1, 2, "✕ Invalid Pairing", text_color=failColor, text_size=tblSz, bgcolor=cellBg)
```

```
    // Bias
    table.cell(tbl, 0, 3, "Bias", text_color=color.rgb(130, 130, 160), text_size=tblSz, bgcolor=cellBg)
    biasDisplayCol = biasMode == "Bullish" ? bullColor : (biasMode == "Bearish" ? bearColor : textWhite)
    biasIcon = biasMode == "Bullish" ? "▲ " : (biasMode == "Bearish" ? "▼ " : "◆ ")
    table.cell(tbl, 1, 3, biasIcon + biasMode, text_color=biasDisplayCol, text_size=tblSz, bgcolor=cellBg)

    // Active Setup
    table.cell(tbl, 0, 4, "Setup", text_color=color.rgb(130, 130, 160), text_size=tblSz, bgcolor=cellBg)
    if activeSetup
        sDir = activeBull ? "▲ Bull" : "▼ Bear"
        sStatus = setupFailed ? " [FAILED]" : (setupCandle >= 3 ? " [SLOW]" : " [ACTIVE]")
        sCol = setupFailed ? failColor : (setupCandle >= 3 ? warnColor : (activeBull ? bullColor : bearColor))
        table.cell(tbl, 1, 4, sDir + " C" + str.tostring(setupCandle) + sStatus, text_color=sCol, text_size=tblSz, bgcolor=cellBg)
    else
        table.cell(tbl, 1, 4, "— None", text_color=color×rgb(100, 100, 120), text_size=tblSz, bgcolor=cellBg)

    // Auto TF
    table.cell(tbl, 0, 5, "Auto TF", text_color=color.rgb(130, 130, 160), text_size=tblSz, bgcolor=cellBg)
    table.cell(tbl, 1, 5, autoTF ? "● Enabled" : "○ Disabled", text_color=autoTF ? color.rgb(0, 230, 118) : warnColor, text_size=tblSz, bgcolor=cellBg)

    // Time Filter
    tfDisplay = ""
    if useTimeFilter1
        tfDisplay += str.tostring(tf1Start) + ":00-" + str.tostring(tf1End) + ":00  "
    if useTimeFilter2
        tfDisplay += str.tostring(tf2Start) + ":00-" + str.tostring(tf2End) + ":00  "
    if useTimeFilter3
        tfDisplay += str.tostring(tf3Start) + ":00-" + str.tostring(tf3End) + ":00"
    if tfDisplay == ""
        tfDisplay := "— None"
```

```
    table.cell(tbl, 0, 6, "Sessions", text_color=color.rgb(130, 130, 160), text_size=tblSz,
bgcolor=cellBg)
    table.cell(tbl, 1, 6, tfDisplay, text_color=textWhite, text_size=tblSz, bgcolor=cellBg)

    // Setup count
    table.cell(tbl, 0, 7, "Total", text_color=color.rgb(130, 130, 160), text_size=tblSz, bgcolor=cellBg)
    table.cell(tbl, 1, 7, str.tostring(setupCount) + " setups", text_color=projColor, text_size=tblSz,
bgcolor=cellBg)

// ──────────────────────────────────────────────────────────────────────────────
// ALERTS
// ──────────────────────────────────────────────────────────────────────────────

alertcondition(bullSetup, title="Bullish Fractal Setup", message="⬆️ Bullish Fractal Setup on
{{ticker}} ({{interval}})")
alertcondition(bearSetup, title="Bearish Fractal Setup", message="⬇️ Bearish Fractal Setup on
{{ticker}} ({{interval}})")
alertcondition(bullishCISD, title="Bullish CISD", message="Bullish CISD confirmed on {{ticker}}")
alertcondition(bearishCISD, title="Bearish CISD", message="Bearish CISD confirmed on {{ticker}}")
alertcondition(activeSetup and setupFailed, title="Setup Failed", message="⚠ Fractal setup FAILED
on {{ticker}}")
```