

```
1 import sqlite3
2
3 conn = sqlite3.connect("internship_portal.db")
4 cursor = conn.cursor()
5
6 cursor.execute("""
7 CREATE TABLE IF NOT EXISTS students(
8     student_id INTEGER PRIMARY KEY AUTOINCREMENT,
9     student_name TEXT,
10    email TEXT,
11    program TEXT
12 )
13 """)
14
15 cursor.execute("""
16 CREATE TABLE IF NOT EXISTS companies(
17     company_id INTEGER PRIMARY KEY AUTOINCREMENT,
18     company_name TEXT,
19     industry TEXT
20 )
21 """)
22
23 cursor.execute("""
24 CREATE TABLE IF NOT EXISTS applications(
25     application_id INTEGER PRIMARY KEY AUTOINCREMENT,
26     student_name TEXT,
27     company_name TEXT,
28     status TEXT
29 )
30 """)
31
32 conn.commit()
33 conn.close()
34
35 print("Internship Portal Database Created Successfully")
```

Internship Portal Database Created Successfully

Adding Student Records

```
1 import sqlite3
2
3 conn = sqlite3.connect("internship_portal.db")
4 cursor = conn.cursor()
5
6 students = [
7     ("Eric Rathod", "eric@test.com", "Master of Artificial Intelligence"),
8     ("Sara Khan", "sara@test.com", "Computer Programming"),
9     ("John Smith", "john@test.com", "Software Development"),
10    ("Priya Sharma", "priya@test.com", "Business Analytics")
11 ]
12
13 cursor.executemany("""
14 INSERT INTO students
15 (student_name, email, program)
16 VALUES (?, ?, ?)
17 """, students)
18
```

```
19 conn.commit()
20 conn.close()
21
22 print("Student Records Added Successfully")
```

Student Records Added Successfully

View Students

```
1 import sqlite3
2 import pandas as pd
3
4 conn = sqlite3.connect("internship_portal.db")
5
6 students_df = pd.read_sql_query(
7     "SELECT * FROM students",
8     conn
9 )
10
11 conn.close()
12
13 students_df
```

	student_id	student_name	email	program	
0	1	Eric Rathod	eric@test.com	Master of Artificial Intelligence	
1	2	Sara Khan	sara@test.com	Computer Programming	
2	3	John Smith	john@test.com	Software Development	
3	4	Priya Sharma	priya@test.com	Business Analytics	

Next steps: [Generate code with students_df](#) [New interactive sheet](#)

Adding Company Records

```
1 import sqlite3
2
3 conn = sqlite3.connect("internship_portal.db")
4 cursor = conn.cursor()
5
6 companies = [
7     ("Ontario Government", "Public Sector IT"),
8     ("RBC", "Banking Technology"),
9     ("Shopify", "E-Commerce Technology"),
10    ("Bell Canada", "Telecommunications")
11 ]
12
13 cursor.executemany("""
14 INSERT INTO companies
15 (company_name, industry)
16 VALUES (?, ?)
17 """, companies)
18
19 conn.commit()
20 conn.close()
21
22 print("Company Records Added Successfully")
```

Company Records Added Successfully

View Companies

```
1 import sqlite3
2 import pandas as pd
3
4 conn = sqlite3.connect("internship_portal.db")
5
6 companies_df = pd.read_sql_query(
7     "SELECT * FROM companies",
8     conn
9 )
10
11 conn.close()
12
13 companies_df
```

	company_id	company_name	industry	
0	1	Ontario Government	Public Sector IT	
1	2	RBC	Banking Technology	
2	3	Shopify	E-Commerce Technology	
3	4	Bell Canada	Telecommunications	

Next steps:

[Generate code with companies_df](#)[New interactive sheet](#)

Add Internship Applications

```
1 import sqlite3
2
3 conn = sqlite3.connect("internship_portal.db")
4 cursor = conn.cursor()
5
6 applications = [
7     ("Eric Rathod", "Ontario Government", "Applied"),
8     ("Sara Khan", "RBC", "Interview Scheduled"),
9     ("John Smith", "Shopify", "Rejected"),
10    ("Priya Sharma", "Bell Canada", "Offer Received")
11 ]
12
13 cursor.executemany("""
14 INSERT INTO applications
15 (student_name, company_name, status)
16 VALUES (?, ?, ?)
17 """, applications)
18
19 conn.commit()
20 conn.close()
21
22 print("Internship Applications Added Successfully")
```

Internship Applications Added Successfully

View Applications

```

1 import sqlite3
2 import pandas as pd
3
4 conn = sqlite3.connect("internship_portal.db")
5
6 applications_df = pd.read_sql_query(
7     "SELECT * FROM applications",
8     conn
9 )
10
11 conn.close()
12
13 applications_df

```

	application_id	student_name	company_name	status	
0	1	Eric Rathod	Ontario Government	Applied	
1	2	Sara Khan	RBC	Interview Scheduled	
2	3	John Smith	Shopify	Rejected	
3	4	Priya Sharma	Bell Canada	Offer Received	

Next steps: [Generate code with applications_df](#) [New interactive sheet](#)

Search Internship Application

```

1 import sqlite3
2 import pandas as pd
3
4 student_name = input("Enter Student Name: ")
5
6 conn = sqlite3.connect("internship_portal.db")
7
8 query = """
9 SELECT *
10 FROM applications
11 WHERE student_name LIKE ?
12 """
13
14 result = pd.read_sql_query(
15     query,
16     conn,
17     params=('%' + student_name + '%',)
18 )
19
20 conn.close()
21
22 result

```

Enter Student Name: Eric

	application_id	student_name	company_name	status	
0	1	Eric Rathod	Ontario Government	Applied	

Update Application Status

```
1 import sqlite3
2
3 application_id = int(input("Enter Application ID: "))
4 new_status = input("Enter New Status: ")
5
6 conn = sqlite3.connect("internship_portal.db")
7 cursor = conn.cursor()
8
9 cursor.execute("""
10 UPDATE applications
11 SET status = ?
12 WHERE application_id = ?
13 """, (new_status, application_id))
14
15 conn.commit()
16 conn.close()
17
18 print("Application Status Updated Successfully")
```

Enter Application ID: 1
Enter New Status: Interview Scheduled
Application Status Updated Successfully

Application Status Report

```
1 import sqlite3
2 import pandas as pd
3
4 conn = sqlite3.connect("internship_portal.db")
5
6 query = """
7 SELECT
8 status,
9 COUNT(*) AS total_applications
10 FROM applications
11 GROUP BY status
12 """
13
14 report = pd.read_sql_query(query, conn)
15
16 conn.close()
17
18 report
```

	status	total_applications	
0	Interview Scheduled	2	
1	Offer Received	1	
2	Rejected	1	

Next steps: [Generate code with report](#) [New interactive sheet](#)

