

Dream-RSI Methods and Results

A construction log for long, genuinely readable English letter-level palindromes | Snapshot: 2026-09-18

Current status: no reader-worthy output has cleared the full gate yet. This report is intentionally not a negative-result thesis: it records the working search machinery, the exact diagnostic surfaces, and the next geometry-changing repair required to reach a long readable result.

1. Acceptance gate

A candidate is admitted only when (1) normalized letters equal their reverse, verified by an independent two-pointer check and an independent forward/reverse SHA-256 check; (2) provenance shows fresh construction rather than catalogue text, finished-tape reversal, word-order symmetry, repeated units, or self-palindromic words/spans; (3) the surface is intact ordinary English prose; and (4) blinded human readers prefer the intact passage to a randomized word-shuffled control. Programmatic language measures may filter or diagnose, but never certify readability.

2. Dream-RSI controller

Each completed construction lane writes a replay node: rendered surface, normalized tape, exactness hashes, mismatch mask, grammar and semantic state, provenance flags, and a concrete next repair. Replay selects a new operator on a held-out split; a fresh branch then executes that operator. A failure is progress only when it changes the construction geometry and names the next repair. The controller is an orchestration layer, never a readability judge.

The current live operator freezes matched outer character assignments, reopens the seam-owning typed constituents, and lets lexical content, inflection, and word boundaries change while carrying the mirrored character obligation immediately. The latest branch also carries subject/verb/object/adjunct role labels and clause feasibility through each character expansion; its next repair replaces the sparse corpus chart with a typed hand-authored clause automaton.

3. Actual Dream-RSI results

Round / lane	Fresh work	Exact / admitted	Reader status
Model-guided span resynthesis	12 local GPT-2 seam proposals; exact rows were constructed by mirroring the residual; 86-120 letters.	12 exact by construction / 0 shortcut-free	Human-unreviewed; reflected residual had no lexical segmentation.
Replay round 119	21,990 independently audited nodes; 120 exact-but-fragment controls entered replay.	0 admissible exact	No reader gate; held-out mismatch-first stayed 0.780.
Dual-boundary model authoring	8 left x 8 right model proposals; 64 fresh paired worlds; no seed scaffold in output.	0 exact; longest 58 letters	Human-unreviewed; next repair reopens a complete residual word.
Discourse ellipsis + cross-word seam	148 exact diagnostic rows, 42-46 letters; 100 passed word-order check, but all retained rows have a forbidden proper palindromic island.	148 exact / 0 strict	Reader gate closed; next repair jointly authors a complete answer clause.
Role-live phrase lattice	34 fresh model units (1 subject, 11 verb phrases, 11 objects, 11 adjuncts); role order and clause prefix/suffix feasibility were live constraints.	0 exact; 189,481 states rejected	Reader gate closed; Brown shape inventory is too sparse; next repair is a typed hand-authored clause automaton.

The strongest exact diagnostic surface

Independent audit: 44 normalized letters; two-pointer exact = true; forward SHA-256 = reverse SHA-256 = 0419d58b6773dcca6d527271d41fd0197da9dde876598c9dadfc87fa4f1a9f83. It is not admitted: the surface contains a proper palindromic island and therefore fails the shortcut-free gate. It has not been sent to readers.

Was Noel an era, a gas, an item? Met in a, saga, arena, Leon saw.

This row is useful because it demonstrates genuine cross-word boundary resegmentation (an era / arena, a gas / saga, an item / met in a) while also exposing the remaining failure mode: an exact tape can still be an engineered word-mirror or contain a proper palindrome island. The construction must now generate the whole discourse clause jointly and reject every such subspan before closure.

4. Fifty distinct construction methods and results

The matrix below is extracted from the novelty registry. Each row is a distinct construction signature, not a repeated parameter sweep. Results preserve the registry's wording; entries marked preflight have no run result and are not evidence of success. Exact diagnostic rows remain quarantined unless every shortcut-free gate passes.

#	Method / operator	Construction signature	Observed result and next repair
1	phrase boundary valency equations	typed-transitive-frames / slot-boundary-character-equations / pre-render-propagation / independent-two-pointer-sha-audit	diagnostic run; 1,562,500 independent frame-pair states, all pruned by pre-render equations, 0 exact closures; intact controls 49--53 letters; reader gate closed; next: optional determiner/adjunct boundary carry with held-out frames
2	semordnilap crossword resegmentation	fresh-scene-left-arm / independent-semordnilap-word-pairs / cross-word-boundary-shifts / typed-clause-realization / two-pointer-sha-audit / no-repeated-uni	diagnostic run; 150 crossword boundary probes, 0 exact closures, longest 55 letters; independent SHA audit rejects all rows; next: first-residual typed lexical expansion
3	cross attachment resegmentation	cross-attachment-character-carry / determiner-adjunct-resegmentation / typed-valency / independent-two-pointer-hash-audit	diagnostic run; 0 equation nodes and 0 exact closures; intact controls 58-70 letters; reader gate closed; next: typed adjunct insertion with boundary carry
4	typed morpheme compound boundary	typed-prefix-stem-suffix / compound-boundary / independent-ordinary-clauses / inflectional-derivational-variants / independent-pointer-sha / no-word-mirror	diagnostic run; 54 probes, no exact closure, longest 59 letters
5	adjunct boundary targeted repair	single-adjunct-boundary-repair / fresh-preposition / preserved-typed-svo / live-seam-residual / independent-audit	repair run; exact closure unresolved
6	fresh typed frame live seam	fresh-typed-svo-frame / agreement-preserved / live-mirrored-character-obligation / seam-residual-ledger / independent-audit	repair run; residual obligations remain
7	clause pair csp central pivot	typed-svo-valency / independent-scene-pairs / central-pivot / character-tape-csp / no-word-mirror	diagnostic run; 113-letter intact prose, unresolved character debt
8	semantic slot lattice smt	semantic-slot-lattice / global-character-equation-pruning / joint-left-right-selection / weighted-residual-repair / independent-audit	diagnostic run; 108 rendered states, 0 accepted
9	bidirectional scene decoder	bidirectional-character-lm / live-semantic-scene-slots / outside-in-tape / independent-audit	diagnostic run; exact catalogue palindrome rejected
10	wordpair graph	independent-word-pair-graph / pos-valency-state / distinct-word-pairs / character-tape-closure / independent-pointer-hash	diagnostic run; 164-letter intact prose frontier, 0 exact closures
11	paired semantic mutation	quarantined-control / paired-mirrored-lexical-span / scene-slot-grammar / live-character-obligations	diagnostic run; 2 rendered candidates, 0 exact and 0 admitted
12	corpus backed reverse segmentation	fresh-clause-tape / weighted-word-boundary-dp / independent-pointer-hash / copied-span-rejection	diagnostic run; 2 fresh clauses, 0 exact closures
13	seam feature slot repair	targeted-seam-feature-slot-repair / single-lexical-substitution / live-reflected-seam / independent-exact-audit	repair run; substitutions did not close exact seam

#	Method / operator	Construction signature	Observed result and next repair
14	typed boundary resegment shortwords	typed-first-failing-seam / boundary-resegmentation / adjacent-short-word-absorption / fresh-prose-control / independent-pointer-sha-audit	repair run; 23 variants, 0 exact and 0 mechanically admitted
15	char 1m tape resegment	character-trigram-constrained-decoding / reverse-tape-dynamic-programming-resegmentation / ordinary-prose-seeds / full-tape-replay / independent-hash-audit	run; 1 exact closure rejected as catalogue/self-unit and 4 non-exact prose proposals
16	constructive seam morph cfg	dependency-tree-seam-csp / agreement-carrying-morphology-transducer / cfg-earley-character-intersection / live-tape-construction / independent-exact-hash-audit	exact witness: Ava saw radar was Ava
17	centerout paired boundary csp verbframe	paired-subject-adjunct-boundary-csp / fresh-verb-frame / ordinary-svo-grammar / live-character-obligation / independent-exact-hash-audit	run; 0 exact closures and 0 mechanically admitted probes
18	free center semantic state machine	free-center-pivot / role-agreement-state / live-bilateral-character-debt / complete-clause-growth / duplicate-sweep-rejection / independent-pointer-sha	diagnostic run; 138-letter intact prose, unresolved character debt
19	reverse lexicon adjacent pp boundary	reverse-lexicon-role-noun-boundary / adjacent-prepositional-attachment / two-boundary-residual-decrease / live-reverse-chart / heldout-scene / independent-	repair run; 0 exact closures and 0 mechanically admitted probes
20	centerout paired boundary csp	paired-subject-adjunct-boundary-csp / ordinary-svo-grammar / live-character-obligation / event-preserving-valency / bounded-single-construction / independe	run; 0 exact closures and 0 mechanically admitted probes
21	reverse lexicon role noun boundary	reverse-lexicon-typed-complement-frame / semantic-role-lattice / object-noun-boundary-selection / outer-residual-reduction / heldout-scene / independent-po	repair run; 0 exact closures and 0 mechanically admitted probes
22	centerout grammar boundary repair5	center-out-grammar-state / residual-third-boundary-repair / heldout-scene-adjunct-authorship / event-preserving-valency / independent-exact-hash-audit	run; 0 exact closures and 0 mechanically admitted probes
23	reverse lexicon typed complement frame	reverse-lexicon-centered-complement / typed-transitive-complement-frame / live-reverse-chart-argument-selection / inherited-singular-agreement / heldout-sc	repair run; 0 exact closures and 0 mechanically admitted probes
24	centerout grammar boundary repair4	center-out-grammar-state / next-character-obligation-repair / heldout-semantic-adjunct-authorship / event-preserving-valency / independent-exact-hash-audit	run; 0 exact closures and 0 mechanically admitted probes
25	reverse lexicon centered complement	reverse-lexicon-shared-agreement-seams / centered-complement-clause / inherited-subject-number / three-live-obligations / heldout-scene / independent-point	repair run; 0 exact closures and 0 mechanically admitted probes
26	centerout grammar boundary repair3	center-out-grammar-state / two-boundary-obligation-repair / heldout-time-adjunct-authorship / event-preserving-valency / independent-exact-hash-audit	run; 0 exact closures and 0 mechanically admitted probes
27	reverse lexicon shared agreement seams	reverse-lexicon-boundary-seam-repair / two-lexical-boundaries / shared-singular-agreement-state / cross-seam-residual-closure / heldout-scene / independent	repair run; 0 exact closures and 0 mechanically admitted probes
28	centerout grammar boundary repair2	center-out-grammar-state / outer-letter-directed-adjunct-authorship / heldout-semantic-boundary-repair / event-preserving-valency / independent-exact-hash-	run; 0 exact closures and 0 mechanically admitted probes
29	reverse lexicon boundary seam repair	reverse-lexicon-inflection-repair / joint-determiner-adjective-seam / reverse-obligation-boundary-chart / heldout-scene / independent-pointer-sha-audit	repair run; 0 exact closures and 0 mechanically admitted probes

#	Method / operator	Construction signature	Observed result and next repair
30	centerout grammar boundary repair	center-out-grammar-state / first-mismatch-boundary-repair / heldout-adjunct-substitution / event-preserving-valency / independent-exact-hash-audit	run; 0 exact closures and 0 mechanically admitted probes
31	dream rsi round115	dream-rsi / round115 / cross-attachment-resegmentation / offline-replay	565 worlds and 21,735 audited nodes; 0 admissible exact rows
32	dream rsi round116	dream-rsi / round116 / cross-attachment-seed-centered / offline-replay	565 worlds and 21,735 audited nodes; 0 admissible exact rows
33	seed adjunct tense variation	seed-centered-context / semantic-adjunct-tense / mutable-boundaries / pre-render-equation	0 equation-compatible nodes and 0 exact closures; controls are independently pointer/hash audited; next: object-selection plus adjunct-agreement transitions
34	dream rsi round118	dream-rsi / round118 / registry-corrected-replay / offline-policy-selection	573 worlds and 21,806 audited nodes; fixed mismatch-first selected on held-out replay; 0 admissible exact rows
35	dream rsi model guided span resynthesis	dream-rsi / actual-local-model-span-proposal / mirrored-live-interval / reflected-residual-lexical-chart / independent-exact-audit	12 actual local-model proposals, 12 exact-by-construction longer rows (86-120 letters), 0 lexically segmented reflected residuals and 0 shortcut-free admissions; all model-ranked rows are human-unreviewed; next repair replaces the boot
36	dream rsi online round118	dream-rsi / round118 / online-redeployment / fresh-two-region-tree	8 fresh nodes, 0 exact closures; intact controls 130-140 letters; reader gate closed
37	dream rsi round119	dream-rsi / round119 / model-guided-span-resynthesis / offline-policy-selection	21,990 independently audited nodes; model-guided rows add 120 exact-but-fragment controls and 0 admissible exact rows; held-out mismatch-first remains 0.780; no reader gate triggered
38	dream rsi dual boundary model authoring	dream-rsi / dual-independent-model-clauses / first-residual-complete-word-repair / no-seed-scaffold	8 left and 8 right model proposals, 64 paired worlds, 0 exact closures; longest intact model pair 58 letters; next: a complete-word residual transition
39	dream rsi discourse ellipsis	dream-rsi / polar-question-topicalized-answer / cross-word-boundary-resegmentation / strict-subspan-gate	148 exact diagnostic rows (42-46 letters), including a 44-letter cross-boundary row, but 0 strict mechanical admissions because every row contains a word-mirror or proper palindromic island; reader gate closed; next repair forbids all
40	dream rsi role live phrase lattice	dream-rsi / balanced-role-phrase-bank / live-clause-prefix-suffix / exact-character-lattice	34 valid model units (1 subject, 11 verb phrases, 11 objects, 11 adjuncts), 189,481 live syntax rejections, 0 exact closures; reader gate closed; next repair replaces sparse corpus shapes with a typed hand-authored clause automaton
41	typed clause reverse slot automaton	typed-clause-reverse-slot-order / agreement-carry / live-character-residual / independent-audit	462 live character conflicts and 0 exact closures after reverse-slot repair; no candidate promoted; reader gate closed; next repair expands typed phrases into word tokens so residual debt can cross phrase boundaries
42	typed word boundary clause automaton	typed-word-boundary / cross-phrase-residual / independent-role-clauses / agreement-carry	1,856 live lexical witnesses, 82 exact terminals (2 seed controls and 80 short name/repetition loops), 0 new mechanically admitted rows; reader gate closed; next: semantic event-frame expansion with live uniqueness and proper-span prun
43	semantic event frame lane	semantic-event-frame / relation-labeled / independent-role-product / two-pointer-sha-audit	5,000 bounded event-frame probes, longest intact control 59 letters, 0 exact palindromes, 0 mechanically admitted candidates; reader gate closed; next repair adds typed argument-selection transitions and varies the second setting
44	semantic event argument csp	semantic-event-frame / typed-argument-selection / independent-settings / pre-render-csp	10,000 bounded pair worlds, 2 exact rows, both punctuation variants of the existing 38-letter benchmark; 0 new candidates and 0 reader-eligible rows; next repair carries residual debt through typed argument tokens before frame joining
45	char token lm residual decode	joint-token-expansion / character-residual / transparent-bigram-prior / independent-audit	64 character-obligation conflicts; state counts 1→0 after the second slot; 0 exact closures and 0 mechanically admitted rows; intact prose controls retained; next repair allows heterogeneous slot pairings and inflected phrase tokens
46	human scene edge lattice	typed-scene-lattice / independent-edge-equations / outer-inward-pruning	2,304 typed scene pairs, all rejected by live edge equations; 0 exact closures, 0 mechanically admitted rows, and 0 reader-eligible rows; next: token-level residual CSP across scene boundaries
47	semantic slot substitution repair	authored-clause / typed-slot-substitution / pre-render-residual / independent-audit	710 typed clauses and 10,000 bounded pair worlds; 2 exact rows, both punctuation variants of the 38-letter seed; 0 new admissions and 0 reader-eligible rows; next repair adds adjective-noun slots and held-out clauses
48	polar question boundary repair	typed-polar-question / object-fronted-answer / incoming-outgoing-pair-graph / boundary-conditioned-repair	1 exact 44-letter diagnostic row after five targeted complete-answer alternatives, 0 complete-answer closures, 0 mechanically admitted rows, and 0 reader-eligible rows; exact row fails only the proper-palindromic-subspan gate and is fr

#	Method / operator	Construction signature	Observed result and next repair
49	polar question token boundary csp	typed-polar-question / token-boundary-answer-csp / incoming-outgoing-pair-graph / independent-audit	11,171 lexical states and 3,118 reachable pair states; 1 exact 44-letter diagnostic, 1 non-exact reconstruction retained as a regression fixture, 0 new closures, 0 mechanically admitted rows, and 0 reader-eligible rows; next repair car
50	reversible predicate center extension	targeted-center-insertion / typed-reversible-predicate-answer / independent-pointer-sha-audit	5 authored probes, 5 exact diagnostics at 50-54 letters, 0 mechanically admitted rows, and 0 reader-eligible rows; every closure fails the hidden reversible-span gate and remains fragmentary; next repair replaces the direct pair with a

5. Reader-facing protocol and next constructive repair

No row has reached the reader study in this snapshot. When one does, the package will contain the intact passage, a word-shuffled control, randomized blinded order, the exact normalization and hash audit, provenance and generator commit, and a reproducible rater form. The immediate next experiment is not another sweep: jointly generate a complete question-answer discourse across the seam, carry agreement and valency state, and reject any candidate containing a proper palindromic subspan before it can be considered for readers.

Reproducibility anchors

Source artifacts: docs/experiment-novelty-registry.json; runs/dream-rsi-dual-boundary-model-authoring-20260918.json; runs/dream-rsi-discourse-ellipsis-20260918.json; runs/dream-rsi-role-live-phrase-lattice-20260918.json. The report is generated from these files so the table and headline counts can be regenerated after the next Dream-RSI branch.