

Dream-RSI Methods and Results

A construction log for long, genuinely readable English letter-level palindromes | Snapshot: 2026-09-18

Current status: no reader-worthy output has cleared the full gate yet. This report is intentionally not a negative-result thesis: it records the working search machinery, the exact diagnostic surfaces, and the next geometry-changing repair required to reach a long readable result.

1. Acceptance gate

A candidate is admitted only when (1) normalized letters equal their reverse, verified by an independent two-pointer check and an independent forward/reverse SHA-256 check; (2) provenance shows fresh construction rather than catalogue text, finished-tape reversal, word-order symmetry, repeated units, or self-palindromic words/spans; (3) the surface is intact ordinary English prose; and (4) blinded human readers prefer the intact passage to a randomized word-shuffled control. Programmatic language measures may filter or diagnose, but never certify readability.

2. Dream-RSI controller

Each completed construction lane writes a replay node: rendered surface, normalized tape, exactness hashes, mismatch mask, grammar and semantic state, provenance flags, and a concrete next repair. Replay selects a new operator on a held-out split; a fresh branch then executes that operator. A failure is progress only when it changes the construction geometry and names the next repair. The controller is an orchestration layer, never a readability judge.

The current live operator freezes matched outer character assignments, reopens the seam-owning typed constituents, and lets lexical content, inflection, and word boundaries change while carrying the mirrored character obligation immediately. The latest branch also carries subject/verb/object/adjunct role labels and clause feasibility through each character expansion; its next repair replaces the sparse corpus chart with a typed hand-authored clause automaton.

3. Actual Dream-RSI results

Round / lane	Fresh work	Exact / admitted	Reader status
Model-guided span resynthesis	12 local GPT-2 seam proposals; exact rows were constructed by mirroring the residual; 86-120 letters.	12 exact by construction / 0 shortcut-free	Human-unreviewed; reflected residual had no lexical segmentation.
Replay round 119	21,990 independently audited nodes; 120 exact-but-fragment controls entered replay.	0 admissible exact	No reader gate; held-out mismatch-first stayed 0.780.
Dual-boundary model authoring	8 left x 8 right model proposals; 64 fresh paired worlds; no seed scaffold in output.	0 exact; longest 58 letters	Human-unreviewed; next repair reopens a complete residual word.
Discourse ellipsis + cross-word seam	148 exact diagnostic rows, 42-46 letters; 100 passed word-order check, but all retained rows have a forbidden proper palindromic island.	148 exact / 0 strict	Reader gate closed; next repair jointly authors a complete answer clause.
Role-live phrase lattice	34 fresh model units (1 subject, 11 verb phrases, 11 objects, 11 adjuncts); role order and clause prefix/suffix feasibility were live constraints.	0 exact; 189,481 states rejected	Reader gate closed; Brown shape inventory is too sparse; next repair is a typed hand-authored clause automaton.
Seed-extension wrapper search	25 fresh independently authored prefix/suffix wrapper pairs around an internal seed state; outer equations were live before rendering.	0 exact; longest 103 letters	Reader gate closed; next repair authors held-out wrappers ending in the first residual character class.

Round / lane	Fresh work	Exact / admitted	Reader status
Reader-first complete-clause lattice	10 human-authored complete scenes with explicit subject, verb, object, and adjunct roles; 400 typed center/edge lattice states.	0 exact; longest 67 letters	Reader gate closed; catalogue preflight still requires an explicit rerun; next repair carries residuals through typed verb-object transitions.
Character-trie provenance correction	The apparent 51-letter result was three hard-coded published palindromes, retained only as regression controls after audit.	0 fresh / 0 admissible	Quarantined; next repair must use a genuinely fresh held-out phrase inventory.
Fresh phrase-trie product	232,320 fresh complete-clause records; live obligations walked 947,222 reversed-right trie nodes before rendering any pair.	0 terminal pairs / 0 exact	Reader gate closed; next repair adds a center-state grammar transition and held-out semantic valency frames.
Center-state grammar transition	2,027,520 live trie walks with a typed observation-to-consequence center transition; 48 fresh diagnostics were rendered.	0 terminal pairs / 0 exact	Reader gate closed; next repair carries held-out semantic valency agreement across the center.
Held-out semantic valency frames	Six complete authored subject/verb/object/adjunct frame pairs with agreement and valency live before rendering; longest pair 72 letters.	0 exact	Reader gate closed; next repair adds a held-out adjunct transition at the center seam.
Fresh reverse-tape grammar chart	Six fresh authored clauses consumed by a typed DET/ADJ/N/V/P chart with optional-slot transitions; best intact control 42 letters.	0 exact / 0 shortcut survivors	Reader gate closed; next repair adds typed plural and inflectional variants at the first residual character.
Boundary-conditioned two-ended clauses	20 fresh opening/ending pairs were selected only after a four-character outer match; both incomplete grammar sides then expanded under a live residual.	20 survive 4 / 0 survive 8	Reader gate closed; next repair replaces only the ending constituent causing the first continuation mismatch.
Edge-compatible semantic valency	Six fresh complete clause pairs co-designed subject prefixes and adjunct suffixes before rendering, with typed valency and live residual equations.	Max live match 5 / 0 exact	Reader gate closed; next repair replaces only the first mismatching ending constituent while preserving the compatible frame.
Fresh boundary-ending replacement	Twelve fresh opening/middle/ending combinations used an ending-only replacement operator with explicit 4/8/12/16-character reach gates.	1 survives 4 / 0 survive 8	Reader gate closed; best intact near-miss reaches four characters; next repair changes that row's ending constituent only.
Center-state boundary reassessment	A fresh preflight compared 138,240 left clause records with 105,600 natural terminal-noun reversals before rendering.	0 four-char matches / lane pruned	No pseudo-words or finished-tape reversal; next repair moves to a productive inflectional/agreement boundary.
Character-paired grammar	Typed lexical choices were generated online and checked against mirrored character obligations immediately, with free word boundaries.	1 exact control / 20 letters	Longest candidate 26 letters; reader gate closed; next repair adds one authored transitive-event state at the failed boundary.
Semantic template lattice	Nine complete subject/verb/object/adjunct scene pairs were composed while joint mirrored equations were live before exact auditing.	0 equation passes / 0 exact	Longest intact row 62 letters; next repair carries residual character domains through a two-word subject/object lattice.
Boundary-aware phrase transducer DP	Three residual-DP depths composed fresh role-complete phrase chunks; 128 final residual states and 512 complete-clause renders were retained.	0 exact / longest 92 letters	Reader gate closed; next repair adds only a boundary chunk whose opening character matches the residual closing character.

The strongest exact diagnostic surface

Independent audit: 44 normalized letters; two-pointer exact = true; forward SHA-256 = reverse SHA-256 = 0419d58b6773dcca6d527271d41fd0197da9dde876598c9dadfc87fa4f1a9f83. It is not admitted: the surface contains a proper palindromic island and therefore fails the shortcut-free gate. It has not been sent to readers.

Was Noel an era, a gas, an item? Met in a, saga, arena, Leon saw.

This row is useful because it demonstrates genuine cross-word boundary resegmentation (an era / arena, a gas / saga, an item / met in a) while also exposing the remaining failure mode: an exact tape can still be an engineered word-mirror or contain a proper palindrome island. The construction must now generate the whole discourse clause jointly and reject every such subspan before closure.

4. Fifty distinct construction methods and results

The matrix below is extracted from the novelty registry. Each row is a distinct construction signature, not a repeated parameter sweep. Results preserve the registry's wording; entries marked preflight have no run result and are not evidence of success. Exact diagnostic rows remain quarantined unless every shortcut-free gate passes.

#	Method / operator	Construction signature	Observed result and next repair
1	phrase boundary valency equations	typed-transitive-frames / slot-boundary-character-equations / pre-render-propagation / independent-two-pointer-sha-audit	diagnostic run; 1,562,500 independent frame-pair states, all pruned by pre-render equations, 0 exact closures; intact controls 49–53 letters; reader gate closed; next: optional determiner/adjunct boundary carry with held-out frames
2	semordnilap crossword resegmentation	fresh-scene-left-arm / independent-semordnilap-word-pairs / cross-word-boundary-shifts / typed-clause-realization / two-pointer-sha-audit / no-repeated-uni	diagnostic run; 150 crossword boundary probes, 0 exact closures, longest 55 letters; independent SHA audit rejects all rows; next: first-residual typed lexical expansion
3	cross attachment resegmentation	cross-attachment-character-carry / determiner-adjunct-resegmentation / typed-valency / independent-two-pointer-hash-audit	diagnostic run; 0 equation nodes and 0 exact closures; intact controls 58-70 letters; reader gate closed; next: typed adjunct insertion with boundary carry
4	typed morpheme compound boundary	typed-prefix-stem-suffix / compound-boundary / independent-ordinary-clauses / inflectional-derivational-variants / independent-pointer-sha / no-word-mirror	diagnostic run; 54 probes, no exact closure, longest 59 letters
5	adjunct boundary targeted repair	single-adjunct-boundary-repair / fresh-preposition / preserved-typed-svo / live-seam-residual / independent-audit	repair run; exact closure unresolved
6	fresh typed frame live seam	fresh-typed-svo-frame / agreement-preserved / live-mirrored-character-obligation / seam-residual-ledger / independent-audit	repair run; residual obligations remain
7	clause pair csp central pivot	typed-svo-valency / independent-scene-pairs / central-pivot / character-tape-csp / no-word-mirror	diagnostic run; 113-letter intact prose, unresolved character debt
8	semantic slot lattice smt	semantic-slot-lattice / global-character-equation-pruning / joint-left-right-selection / weighted-residual-repair / independent-audit	diagnostic run; 108 rendered states, 0 accepted
9	bidirectional scene decoder	bidirectional-character-lm / live-semantic-scene-slots / outside-in-tape / independent-audit	diagnostic run; exact catalogue palindrome rejected
10	wordpair graph	independent-word-pair-graph / pos-valency-state / distinct-word-pairs / character-tape-closure / independent-pointer-hash	diagnostic run; 164-letter intact prose frontier, 0 exact closures
11	paired semantic mutation	quarantined-control / paired-mirrored-lexical-span / scene-slot-grammar / live-character-obligations	diagnostic run; 2 rendered candidates, 0 exact and 0 admitted
12	corpus backed reverse segmentation	fresh-clause-tape / weighted-word-boundary-dp / independent-pointer-hash / copied-span-rejection	diagnostic run; 2 fresh clauses, 0 exact closures
13	seam feature slot repair	targeted-seam-feature-slot-repair / single-lexical-substitution / live-reflected-seam / independent-exact-audit	repair run; substitutions did not close exact seam
14	typed boundary resegment shortwords	typed-first-failing-seam / boundary-resegmentation / adjacent-short-word-absorption / fresh-prose-control / independent-pointer-sha-audit	repair run; 23 variants, 0 exact and 0 mechanically admitted
15	char lm tape resegment	character-trigram-constrained-decoding / reverse-tape-dynamic-programming-resegmentation / ordinary-prose-seeds / full-tape-replay / independent-hash-audit	run; 1 exact closure rejected as catalogue/self-unit and 4 non-exact prose proposals
16	constructive seam morph cfg	dependency-tree-seam-csp / agreement-carrying-morphology-transducer / cfg-earley-character-intersection / live-tape-construction / independent-exact-audit	exact witness: Ava saw radar was Ava

#	Method / operator	Construction signature	Observed result and next repair
17	centerout paired boundary csp verbframe	paired-subject-adjunct-boundary-csp / fresh-verb-frame / ordinary-svo-grammar / live-character-obligation / independent-exact-hash-audit	run; 0 exact closures and 0 mechanically admitted probes
18	free center semantic state machine	free-center-pivot / role-agreement-state / live-bilateral-character-debt / complete-clause-growth / duplicate-sweep-rejection / independent-pointer-sha	diagnostic run; 138-letter intact prose, unresolved character debt
19	reverse lexicon adjacent pp boundary	reverse-lexicon-role-noun-boundary / adjacent-prepositional-attachment / two-boundary-residual-decrease / live-reverse-chart / heldout-scene / independent-	repair run; 0 exact closures and 0 mechanically admitted probes
20	centerout paired boundary csp	paired-subject-adjunct-boundary-csp / ordinary-svo-grammar / live-character-obligation / event-preserving-valency / bounded-single-construction / indepen	run; 0 exact closures and 0 mechanically admitted probes
21	reverse lexicon role noun boundary	reverse-lexicon-typed-complement-frame / semantic-role-lattice / object-noun-boundary-selection / outer-residual-reduction / heldout-scene / independent-po	repair run; 0 exact closures and 0 mechanically admitted probes
22	centerout grammar boundary repair5	center-out-grammar-state / residual-third-boundary-repair / heldout-scene-adjunct-authorship / event-preserving-valency / independent-exact-hash-audit	run; 0 exact closures and 0 mechanically admitted probes
23	reverse lexicon typed complement frame	reverse-lexicon-centered-complement / typed-transitive-complement-frame / live-reverse-chart-argument-selection / inherited-singular-agreement / heldout-sc	repair run; 0 exact closures and 0 mechanically admitted probes
24	centerout grammar boundary repair4	center-out-grammar-state / next-character-obligation-repair / heldout-semantic-adjunct-authorship / event-preserving-valency / independent-exact-hash-audit	run; 0 exact closures and 0 mechanically admitted probes
25	reverse lexicon centered complement	reverse-lexicon-shared-agreement-seams / centered-complement-clause / inherited-subject-number / three-live-obligations / heldout-scene / independent-point	repair run; 0 exact closures and 0 mechanically admitted probes
26	centerout grammar boundary repair3	center-out-grammar-state / two-boundary-obligation-repair / heldout-time-adjunct-authorship / event-preserving-valency / independent-exact-hash-audit	run; 0 exact closures and 0 mechanically admitted probes
27	reverse lexicon shared agreement seams	reverse-lexicon-boundary-seam-repair / two-lexical-boundaries / shared-singular-agreement-state / cross-seam-residual-closure / heldout-scene / independent	repair run; 0 exact closures and 0 mechanically admitted probes
28	centerout grammar boundary repair2	center-out-grammar-state / outer-letter-directed-adjunct-authorship / heldout-semantic-boundary-repair / event-preserving-valency / independent-exact-hash-	run; 0 exact closures and 0 mechanically admitted probes
29	reverse lexicon boundary seam repair	reverse-lexicon-inflection-repair / joint-determiner-adjective-seam / reverse-obligation-boundary-chart / heldout-scene / independent-pointer-sha-audit	repair run; 0 exact closures and 0 mechanically admitted probes
30	centerout grammar boundary repair	center-out-grammar-state / first-mismatch-boundary-repair / heldout-adjunct-substitution / event-preserving-valency / independent-exact-hash-audit	run; 0 exact closures and 0 mechanically admitted probes
31	role labeled grammar csp	role-labeled-subject-verb-object-adjunct / two-clause-csp / live-opposite-edge-residual / independent-sha-audit	4 fresh complete-clause candidates, 73-76 letters, 0 exact closures and 0 strict admissions; best first mismatch is recorded; next: a typed adjunct substitution preserving valency
32	exhaustive pos lattice 44 tape	fixed-diagnostic-tape / exhaustive-dictionary-segmentation / permissive-pos-recognizer / hidden-span-audit	30 dictionary edges but 1 complete segmentation, 0 alternate coherent renderings, 0 strict admissions; internal spans such as anitemmetina close the reader gate; next repair changes an authored outer seam
33	char product automaton	typed-clause-dfa / character-obligation-product / heterogeneous-slot-pairs / center-closure	1,370 character conflicts after 2 surviving first-step states; 0 exact closures and 0 candidate rows; intact controls retained; next: a held-out character-trie phrase inventory with explicit center closure
34	recursive scene grammar	recursive-semantic-scene-grammar / depth-one-derivation-product / independent-two-pointer-sha-audit	729 derivations per side and 531,441 independent pair probes; 0 equation-compatible closures and 0 exact palindromes; next repair carries the residual into recursive valency choices

#	Method / operator	Construction signature	Observed result and next repair
35	scene lattice semantic valency	human-authored-scene-lattice / typed-valency / contrastive-two-frame / full-residual-propagation	26,244 fresh realizations, 0 exact closures and 0 admitted rows; best intact control is 95 letters but repeated-content checks remain closed; next repair propagates the full mirrored residual vector into each valency choice
36	seed extension wrapper search	internal-seed-grammar-state / independent-wrapper-continuations / live-outer-character-equations	25 fresh wrapper pairs, 0 live survivors, 0 exact closures; longest intact control 103 letters; controls human-unreviewed; next repair authors held-out wrappers ending in the first residual character class
37	reader first clause lattice	human-authored-complete-scenes / typed-center-edge-obligations / reader-first-lattice	10 authored scenes, 400 lattice states, 0 exact closures; longest complete-scene control 67 letters; reader gate closed; catalogue preflight still requires an explicit rerun; next repair broadens center vocabulary and carries residuals
38	heldout character trie phrase inventory product	character-trie-phrase-product / borrowed-regression-controls / provenance-quarantine	3 borrowed exact controls (21, 29, and 51 letters), 0 fresh candidates, 0 admissible rows; quarantined; next repair replaces every control with a fresh held-out POS phrase inventory before counting closures
39	fresh phrase trie product	fresh-authored-pos-inventory / reversed-character-trie-product / typed-complete-clause / independent-audit	232,320 fresh phrase records and 947,222 trie nodes; 232,320 live obligation walks, 0 terminal pairs, 0 exact closures, 0 admissible rows; controls 23-25 letters; next repair adds a center-state grammar transition and held-out semantic
40	center state grammar transition	fresh-authored-center-transition / live-reversed-character-trie / typed-observation-consequence / independent-audits	2,027,520 live trie walks, 48 rendered diagnostic candidates, 0 terminal pairs and 0 exact closures; three disjoint controls; reader gate closed; next repair adds held-out semantic valency agreement across the center transition
41	held out semantic valency frame product	held-out-semantic-valency / typed-subject-verb-object-adjunct / live-mirrored-residual / independent-sha-audit	6 complete frame pairs, 0 exact closures, longest rendered pair 72 letters; independent pointer/SOA audits and provenance pass; reader gate closed; next repair adds a held-out adjunct transition at the center seam
42	fresh clause resegmentation chart	fresh-human-authored-clauses / typed-reverse-tape-chart / epsilon-slot-resegmentation / independent-audit	6 authored clauses, 0 exact candidates and 0 shortcut-gate survivors; best intact control 42 letters with 20 mirrored mismatches; reader gate closed; next repair adds typed plural and inflectional variants at the first residual chart c
43	boundary conditioned two ended clause	boundary-conditioned-openings-endings / live-residual / two-ended-grammar-expansion / independent-audit	20/20 pairs survive 4 outer characters, but 0 survive 8, 12, or 16; all 20 fail at the first typed continuation, with 0 terminal rows and 0 exact closures; reader gate closed; next repair replaces only the ending constituent whose reveal
44	edge compatible semantic valency 20260919	edge-compatible-semantic-valency / co-designed-subject-prefix / adjunct-suffix / live-residual / independent-audit	6 complete pairs, maximum live outer match 5 characters, 0 exact closures; longest intact control 58 letters; reader gate closed; next repair replaces the first mismatching ending constituent while preserving the edge-compatible frame
45	fresh boundary ending replacement 20260919	boundary-ending-replacement / fresh-constituent-only / outer-match-gates / independent-audit	12 fresh opening/middle/ending combinations, 1 survives 4 outer characters, 0 survive 8/12/16, 0 exact; best intact near-miss is 37 letters; reader gate closed; next repair replaces only that row's first mismatching ending constituent
46	center state boundary reassessment 20260919	outer-edge-boundary-preflight / terminal-noun-reversal / center-lane-prune / independent-audit	138,240 left records and 105,600 right records, 0 matching four-character prefixes and 0 complete-clause overlaps; lane pruned; next repair moves to productive inflectional/agreement boundaries
47	cfg character product	cfg-production-character-product-independent-chart	1,500 derivations, 0 independently chart-parsed reflected closures, 0 exact candidates; fresh intact controls retained at 55 and 58 letters; reader gate closed; next repair carries nonterminal and valency state through the live residual
48	character paired grammar 20260919	character-paired-grammar / free-word-boundaries / paired-path-search / typed-role-states / independent-audit	3 bounded templates and 30 online states; 1 fresh exact 20-letter control, longest candidate 26 letters, no exact closure beyond the 38-letter seed; next repair adds one authored transitive-event state at the failed boundary
49	semantic template lattice joint equations 20260919	semantic-template-lattice / joint-scene-equations / typed-valency / complete-clause-composition / independent-audit	9 complete scene pairs, 0 equation passes and 0 exact palindromes; longest intact row 62 letters; boundary mismatch is immediate; next repair carries residual character domains through a two-word subject/object lattice
50	boundary aware phrase transducer dp 20260919	boundary-aware-phrase-transducer / residual-dp / compositional-role-chunks / fresh-prose / independent-audit	3 DP depths, 128 final residual states, 512 rendered complete-clause candidates, longest 92 letters, 0 exact closures; next repair adds a boundary chunk whose opening character matches the residual closing character

5. Reader-facing protocol and next constructive repair

No row has reached the reader study in this snapshot. When one does, the package will contain the intact passage, a word-shuffled control, randomized blinded order, the exact normalization and hash audit, provenance and generator commit, and a reproducible rater form. The immediate next experiment is not another sweep: extend the boundary-aware phrase transducer with one residual-compatible boundary chunk, then carry the same state into the two-word subject/object lattice if that repair fails.

Reproducibility anchors

Source artifacts: docs/experiment-novelty-registry.json; runs/dream-rsi-dual-boundary-model-authoring-20260918.json; runs/dream-rsi-discourse-ellipsis-20260918.json; runs/dream-rsi-role-live-phrase-lattice-20260918.json; runs/center-state-grammar-transition-20260918.json; runs/held-out-semantic-valency-frame-product-20260918.json; runs/fresh-clause-resegmentation-chart-20260918.json; runs/boundary-conditioned-two-ended-clause-20260918.json; runs/edge-compatible-valency-frames-20260919.json; runs/fresh-boundary-ending-replacement-20260919.json; runs/center-state-boundary-reassessment-20260919.json; runs/character-paired-grammar-20260919.json; runs/semantic-template-lattice-joint-equations-20260919.json; runs/boundary-aware-phrase-transducer-dp-20260919.json. The report is generated from these files so the table and headline counts can be regenerated after the next Dream-RSI branch.