Emacs survival guide

Jacob Moena

December 5, 2022

Contents

1	Em	acs Su	rvival Guide	5
2	Boo	on		5
	2.1	Comm	and-mode	5
	2.2	Insert-	mode	6
3	Reg	gular		6
	3.1	Naviga	nte	6
	3.2	Editin	g	7
		3.2.1	Files	7
		3.2.2	Formatting	7
		3.2.3	Case change	8
		3.2.4	Search and replace	9
	3.3	Frame	s and Windows	9
	3.4	Other		9
		3.4.1	Transposing	9
		3.4.2	Read-only mode	9
		3.4.3	Numeric argument	10
		3.4.4	Abbrevs	10
		3.4.5	Spell check	10
		3.4.6	Tabs	10
		3.4.7	Killing and deleting	10
		3 1 8	Marking	11

		3.4.9	Narrowing	11
		3.4.10	Undo / Redo	11
		3.4.11	Registers	11
		3.4.12	Keyboard Macros	11
		3.4.13	Counting words	12
		3.4.14	Magit	12
		3.4.15	Draftmode	12
		3.4.16	Yasnippet	12
		3.4.17	Transparency	12
		3.4.18	Zoom	13
		3.4.19	Org-roam	13
		3.4.20	Org-tracktable	13
		3.4.21	Deft	13
4	Org	-mode		14
-			•	
	4.1		ity	
	4.2	Naviga	te	14
	4.3	Edit .		14
	4.4	Markir	ng	14
	4.5	Other		15
		4.5.1	Narrowing	15
		4.5.2	Tags	15
		4.5.3	Links	15
		4.5.4	Capturing / Refiling	15

4.5.5	Export	15
4.5.6	Timer	15

1 Emacs Survival Guide

Notation:

C means Control, S means SHIFT, M means Alt (Meta)

For example, C-x means hold down the Control key while typing x.

2 Boon

2.1 Command-mode

command	action
V	Switch to Insert-mode
j	move by word to the left
;	move by word to the right
k	move by character backward
1	move by character forward
i	move up by line
0	move down by line
u	start of line
p	end of line
K	move backward by sentence
${ m L}$	move forward by sentence
I	move backward by paragraph
O	move forward by paragraph
d l	delete character to the right
d k	delete character to the left
d j	delete word to the right
d;	delete word to the left
d SPACE	delete line
d region	delete region
d < number > action	delete times action, i.e. $d\ 4\ 1$ delete four character to the left
•	toggle case between Capitalcase and lowercase. Works with regions
q <character></character>	insert character
t < character >	change character under cursor to character
W	show word-count, and—if tracktable present—words written towards goal
n	narrow to subtree
N	widen view (un-narrow)
M	toggle Doom modeline
\mathbf{s}	toggle centered writing-mode where the cursor stays in the middle

2.2 Insert-mode

command	action
C-;	Switch to Command-mode

3 Regular

3.1 Navigate

normal	boon	action
C-f / C-b	k / l	move forward/backward by character
M-f / M-b	j / ;	move forward/backward by word
C-n / C -p	o / i	move forward/backward by line
C-a / C -e	u / p	go to line beginning/end
M-a / M -e	K / L	go to sentence beginning/end
$M-\{ / M-\}$	I / O	go to paragraph beginning/end
C-x [/ $C-x$]		go to page beginning/end
M-< / $M->$	>	Move to document start / end
C-v	-none-	scroll to next screen
M-v	-none-	scroll to previous screen
С-М-р		scroll-down-line
C-M-n		scroll-up-line
C-l	-none-	scroll current line to center, top, bottom
M-r		reposition cursor to center, top, bottom
M- m		go to first non-whitespace on line, forward or backward

3.2 Editing

3.2.1 Files

normal	boon	action
C-x C-f		Find and open an existing file, or create a new file
C-x d		Open directory
C-c r		Open recently opened file
C- x C - r		Find and open file read-only
C-x i		Insert file
C- x C - s		Save file
C- x C - w		Save file as
C- x C - c		Exit Emacs

3.2.2 Formatting

normal	boon	action
C-j		perform ENTER followed by TAB
С-о		insert blank line
C-q C-l		Insert page break
C-x C-o		remove all blank lines except one
M-\		delete all white space around point
M-x canonically-space-region		fix up spacing and casing in region

3.2.3 Case change

normal	boon	action
M-u		upcase word
M-l		lowercase word
M-c		capitalize word
M-M-l		Convert last word to lower case. Note 'Meta-' is Meta-minus.
M– M-u		Convert last word to all upper case.
М– М-с		Convert last word to lower case with capital initial.
C-x C-u		uppercase region
C-x C-l		lowercase region

3.2.4 Search and replace

normal	boon	action
M-%		Search and replace

3.3 Frames and Windows

normal	boon	action
C-x 1	x 1	delete other windows
C-x 2	x 2	split window, above and below
C-x 3	x 3	split window, side by side
C-M-v		scroll other window
С-х о	хо	switch cursor to another window
C-x 4 b	x 4 b	select buffer in other window
C-x 4 C-o	x 4 C-o	display buffer in other window
C-x 4 f	x 4 f	find file in other window
C-x 4 d	x 4 d	run dired in other window
C-RIGHT		grow window narrower
C-LEFT		grow window wider
C-DOWN		make window taller
C-UP		make window smaller
M-x follow-mode		toggle follow mode
C-x 4 0	$\times 40$	kill current buffer and delete window

3.4 Other

3.4.1 Transposing

normal	boon	action
C-t		transpose two characters
M-t		transpose two words
C- x C - t	x C-t	transpose two lines
M-x ts		transpose sentences
M-x tp		transpose paragraphs

3.4.2 Read-only mode

normal	boon	action
C-x C-q	x C-q	Toggle read-only mode

3.4.3 Numeric argument

normal	boon	action
C-u num	num	repeat following instruction num times

3.4.4 Abbrevs

normal	boon	action
С-хад	хад	Add global abbrev
C-x a l	x a l	Add local abbrev
C- x a i g	хаід	Add global inverse abbrev
C-x a i l	x a i l	Add local inverse abbrev

3.4.5 Spell check

normal	boon	action
F12		spellcheck buffer
S-F12		spellcheck word
i		add word to private dictionary
r		change word
a		skip word for this session
SPACE		skip word
x		end spellchecking session
q		abort spell checking session
C-h		show options screen for spellchecking session
M-x is pell-change-dictionary		change current dictionary

3.4.6 Tabs

normal	boon	action
С-ј		perform ENTER followed by TAB
M-i		indent from the point to the next TAB-point

3.4.7 Killing and deleting

normal	boon	action
C-w	d	kill region
M-w	D	copy region to kill buffer
С-у	У	yank back last thing killed
М-у		replace last yank with previous kill, cycle kill ring
M-z char		zap to char

3.4.8 Marking

normal	boon	action
C-@ / C-SPACE	SPACE	set mark here
C-x C-x		Exchange mark and point
M-@		mark arg words away
M-h		mark paragraph
C-x h	x h	mark entire buffer

3.4.9 Narrowing

normal	boon	action
C-x n b	хnb	narrow to block
C-x n e	хпе	narrow to element

3.4.10 Undo / Redo

normal	boon	action
C-x u		undo
C- g C - x u		redo
C-/		undo
C-g C-/		redo
M-x revert-buffer		revert buffer to its original contents

3.4.11 Registers

normal	boon	action
C-x r s	x r s	save region in register
C-x r i	x r i	insert register contents into buffer
C-x r SPACE	\mathbf{x} r SPACE	save value of point in register
C-x r j	хгј	jump to point saved in register
C- $x r w$	x r w	save window configuration in register
C- $x r m$	x r m	set bookmark
C-x r b	хrb	jump to bookmark
C-x r l	x r l	visit bookmark list buffer

3.4.12 Keyboard Macros

normal	boon	action
F3		record keyboard macro
F4		end record keyboard macro / run keyboard macro

3.4.13 Counting words

normal	boon	action
M-x count-words		count words in region
M-x count-words-region		count words in whole buffer

3.4.14 Magit

normal	boon	action
С-х д		run Magit
\mathbf{S}		stage
u		unstage
k		revert
сс		commit
C-c $C-c$	сс	Execute commit, after having written the commit message
Рр		push
Fp		pull
h		show Magit keyboard commands
q		exit Magit

3.4.15 Draftmode

normal	boon	action
M-x draft-mode		Turn on draft-mode

3.4.16 Yasnippet

normal	boon	action
TAB		expand snippet
C-c & n		new snippet
C-c & C-v		visit snippet file

3.4.17 Transparency

normal	boon	action
C-c t s		toggle transparency

3.4.18 Zoom

normal	boon	action
C-x C-+		Zoom in / make the text larger
C-x $C-$		Zoom out / make the text smaller
C-x C-0		Reset zoom level

3.4.19 Org-roam

normal	boon	action
C-c n f		find node, or insert new node
C- c n i		insert link to node
C- c n I		insert link to node, without creating a node
C- c n p		find project
C- c n t		capture task
C- c n b		capture inbox
C- c n d		roam dailies

3.4.20 Org-tracktable

normal	boon	action
M-x tt-insert		insert tracktable
Mx-tt-update		write new tracktable entry
M-x tt-status	w	show tracktable status

Hint: use C-c & to get back to where you were prior to updating the tracktable. Use tag nowc or noexport tags for the headings which content you do not want to be counted by the tracktable.

3.4.21 Deft

normal	boon	action
C-c n d		run deft
C-c $C-q$		quit deft

4 Org-mode

4.1 Visibility

normal	boon	action
TAB		rotate current subtree between states
S-TAB		rotate entire buffer between states
C- c C - x C - v	c TAB	toggle visibility of inline images

4.2 Navigate

normal	boon	action
C-c C-n/p	c n/p	next/previous heading
C-c $C-f/b$	c f/b	next/previous heading, same level
C-c C-u	c u	backward to higher level heading
C-c C-j		jump to another place in document

4.3 Edit

normal	boon	action
M-RET		insert new heading/item at current level
C-RET		insert new heading after subtree
C-c -		turn line into item, cycle item type
C-c *		turn item/line into headline
M-LEFT/RIGHT		promote/demote heading
M-S-LEFT/RIGHT		promote/demote current subtree
M-UP/DOWN		move subtree item up/down
C-c C-x c		clone a subtree
C-c C-x v		copy visible text
C-c C - x C - w/M - w		kill/copy subtree
C-c C-x C-y or C-y		yank subtree

4.4 Marking

normal	boon	action
M-h		mark the element at point.
C-c @		mark subtree

4.5 Other

4.5.1 Narrowing

normal	boon	action
C-x n s		org-narrow-to-subtree

4.5.2 Tags

normal	boon	action
C-c C-c		set tags for heading
C-c $C-q$		set tags for current heading
C-u C-c C-q		realign tags in all headings

4.5.3 Links

normal	boon	action
C-c C-o		open link at point
C-u C-c C-l		add link to a file

4.5.4 Capturing / Refiling

normal	boon	action
С-с с		Run Org-capture
C- c C - w		Run Org-refile

4.5.5 Export

normal	boon	action
C-c $C-e$		run org-mode export dialog

4.5.6 Timer

normal	boon	action
C-c C-x t		set timer
С-с С-х р		pause or restart timer
C-c C-x a		activate timer
C- c C - x e		end timer