

Listar usuarios y depurar los usuarios y su escritorio excepto el de instalación:

```
ericc@Kareri: /home
ericc@Kareri:~$ cat /etc/passwd
root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin
irc:x:39:39:ircd:/run/ircd:/usr/sbin/nologin
apt:x:42:65534:/nonexistent:/usr/sbin/nologin
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
systemd-network:x:998:998:systemd Network Management:/usr/sbin/nologin
systemd-timesync:x:996:996:systemd Time Synchronization:/usr/sbin/nologin
dhcpcd:x:100:65534:DHCP Client Daemon,,:/usr/lib/dhcpcd:/bin/false
messagebus:x:101:101:/nonexistent:/usr/sbin/nologin
syslog:x:102:102:/nonexistent:/usr/sbin/nologin
systemd-resolve:x:991:991:systemd Resolver:/usr/sbin/nologin
uuidd:x:103:103:/run/uuidd:/usr/sbin/nologin
landscape:x:104:105:/var/lib/landscape:/usr/sbin/nologin
polkitd:x:990:990:User for polkitd:/usr/sbin/nologin
ericc:x:1000:1000,,,:/home/ericc:/bin/bash
sshd:x:105:65534:/run/sshd:/usr/sbin/nologin
mysql:x:106:109:MySQL Server,,:/nonexistent:/bin/false
conexionssheric:x:1001:1001:eric.5528504719.5538504719,,x:/home/conexionssheric:/bin/bash
ericc@Kareri:~$ sudo deluser --remove-home conexionssheric
[sudo] password for ericc:
info: Looking for files to backup/remove ...
info: Removing files ...
info: Removing crontab ...
info: Removing user 'conexionssheric' ...
ericc@Kareri:~$ ls /home
ls: cannot access '/home': No such file or directory
ericc@Kareri:~$ ls /home/
ls: cannot access '/home/': No such file or directory
ericc@Kareri:~$ ls /home
12sepvl EricHayus cuarto.sh leer.sh minux patric segundo.sh to-do.txt
Aby USER ericc mlinux monti primer.sh tercero.sh usuariol2_9_2025
ericc@Kareri:~$ cd /home
sudo rm -rf 12sepvl EricHayus cuarto.sh leer.sh minux patric segundo.sh to-do.txt Aby USER mlinux monti primer.sh tercero.sh usuariol2_9_2025
ericc@Kareri:~$
```

Verificar depuración

```
ericc@Kareri: /home
ericc@Kareri:~$ grep conexionssheric /etc/passwd
ericc@Kareri:~$ ls /home
ericc
ericc@Kareri:~$
```

Script usuario:

```
ericc@Kareri: ~/examen2 x + v
GNU nano 7.2 crear_usuario.sh
#!/bin/bash
USUARIO="Aidee_So_Sa"
FECHA=$(date +%d%h%k%)
FECHA_COMPLETA=$(date +%d/%m/%Y)

if id "$USUARIO" &>/dev/null; then
    echo "El usuario $USUARIO ha sido creado anteriormente $(date +%H:%M:%S %d/%m/%Y)" >> NCUMessageLog$FECHA.txt
else
    echo "El usuario $USUARIO no se ha encontrado, pero será creado el día $(date)" >> CUMessageLog$FECHA.txt
    sudo useradd -m -s /bin/bash "$USUARIO"
    echo "$USUARIO:123456soto" | sudo chpasswd # + Aquí se asigna la contraseña
fi

# Verificar creación
id "$USUARIO"
```

```
ericc@Kareri: ~/examen2 x + v
uid=1001(Aidee_So_Sa) gid=1001(Aidee_So_Sa) groups=1001(Aidee_So_Sa)
ericc@Kareri:~/examen2$ id NombreFamiliar_ApMat_ApPat
id: 'NombreFamiliar_ApMat_ApPat': no such user
ericc@Kareri:~/examen2$ id Aidee_So_Sa
uid=1001(Aidee_So_Sa) gid=1001(Aidee_So_Sa) groups=1001(Aidee_So_Sa)
ericc@Kareri:~/examen2$ ls /home
Aidee_So_Sa ericc
ericc@Kareri:~/examen2$ sudo cat /etc/passwd
root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin
irc:x:39:39:ircd:/run/ircd:/usr/sbin/nologin
_apt:x:42:65534:/nonexistent:/usr/sbin/nologin
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
systemd-network:x:998:998:systemd Network Management:/usr/sbin/nologin
systemd-timesync:x:996:996:systemd Time Synchronization:/usr/sbin/nologin
dhcpcd:x:100:65534:DHCP Client Daemon,,/usr/lib/dhcpcd:/bin/false
messagebus:x:101:101:/nonexistent:/usr/sbin/nologin
syslog:x:102:102:/nonexistent:/usr/sbin/nologin
systemd-resolve:x:991:991:systemd Resolver:/usr/sbin/nologin
uuidd:x:103:103:/run/uuidd:/usr/sbin/nologin
landscape:x:104:105:/var/lib/landscape:/usr/sbin/nologin
polkitd:x:998:998:User for polkitd:/usr/sbin/nologin
ericc:x:1000:1000:,,/home/ericc:/bin/bash
sshd:x:105:65534:/run/ssh:/usr/sbin/nologin
mysql:x:106:109:MySQL Server,,/nonexistent:/bin/false
Aidee_So_Sa:x:1001:1001:/home/Aidee_So_Sa:/bin/bash
ericc@Kareri:~/examen2$ ./crear_usuario.sh
uid=1001(Aidee_So_Sa) gid=1001(Aidee_So_Sa) groups=1001(Aidee_So_Sa)
ericc@Kareri:~/examen2$ ls
CUMessageLog281125.txt NCUMessageLog281125.txt crear_usuario.sh
ericc@Kareri:~/examen2$ cat CUMessageLog281125.txt
El usuario Aidee_So_Sa no se ha encontrado, pero será creado el día Fri Nov 28 15:44:23 CST 2025
ericc@Kareri:~/examen2$ cat NCUMessageLog281125.txt
El usuario Aidee_So_Sa ha sido creado anteriormente 15:45:33 28/11/25
ericc@Kareri:~/examen2$
```

Reactivo 2 entrar al user creado:

```
Aidee_So_Sa@Kereri: ~  
ericc@Mareri:~/examen2p$ ls  
reactivo1  
ericc@Mareri:~/examen2p$ su Aidee_So_Sa  
Password:  
Aidee_So_Sa@Mareri:~/home/ericc/examen2p$ sudo usermod -l Quality_assurance Aidee_So_Sa  
[sudo] password for Aidee_So_Sa:  
Aidee_So_Sa is not in the sudoers file.  
Aidee_So_Sa@Mareri:~/home/ericc/examen2p$ exit  
exit  
ericc@Mareri:~/examen2p$ sudo usermod -aG sudo Aidee_So_Sa  
[sudo] password for ericc:  
ericc@Mareri:~/examen2p$ groups Aidee_So_Sa  
Aidee_So_Sa : Aidee_So_Sa sudo  
ericc@Mareri:~/examen2p$ sudo visudo  
ericc@Mareri:~/examen2p$ su - Aidee_So_Sa  
Password:  
To run a command as administrator (user "root"), use "sudo <command>".  
See "man sudo_root" for details.  
Welcome to Ubuntu 24.04.3 LTS (GNU/Linux 6.6.87.2-microsoft-standard-WSL2 x86_64)  
  
 * Documentation:  https://help.ubuntu.com  
 * Management:    https://landscape.canonical.com  
 * Support:        https://ubuntu.com/pro  
  
System information as of Fri Nov 28 16:00:10 CST 2025  
  
System load:  0.07          Processes:      33  
Usage of /:   0.8% of 1006.85GB   Users logged in:  1  
Memory usage: 11%          IPv4 address for eth0: 192.168.90.254  
Swap usage:   0%  
  
This message is shown once a day. To disable it please create the  
/home/Aidee_So_Sa/.hushlogin file.  
Aidee_So_Sa@Mareri:~$ sudo whoami  
[sudo] password for Aidee_So_Sa:  
root  
Aidee_So_Sa@Mareri:~$ |
```

Privilegios al nuevo usuario


```
GNU nano 7.2 /etc/sudoers.tmp  
# "sudo scp" or "sudo rsync" should be able to use your SSH agent.  
#Defaults:%sudo env_keep += "SSH_AGENT_PID SSH_AUTH_SOCK"  
  
# Ditto for GPG agent  
#Defaults:%sudo env_keep += "GPG_AGENT_INFO"  
  
# Host alias specification  
  
# User alias specification  
  
# Cmnd alias specification  
  
# User privilege specification  
root    ALL=(ALL:ALL) ALL  
conexionssheric ALL=(ALL:ALL) ALL  
Aidee_So_Sa    ALL=(ALL:ALL) ALL  
#añadir usuario Daniela Joselin  
PasenosCon10  ALL=(ALL:ALL) ALL  
# Members of the admin group may gain root privileges  
%admin ALL=(ALL) ALL  
  
# Allow members of group sudo to execute any command  
%sudo  ALL=(ALL:ALL) ALL  
  
# See sudoers(5) for more information on "@include" directives:  
  
^G Help      ^O Write Out  ^W Where Is   ^K Cut        ^T Execute    ^C Location   M-U Undo  
^X Exit      ^R Read File  ^_ Replace    ^U Paste      ^J Justify    ^/ Go To Line  M-E Redo
```

cambios y caducidad, solo se logra desde fuera de ese user


```
ericc@Kareri: ~/examen2$ sudo usermod -l Quality_assurance Aidee_So_Sa
usermod: user Aidee_So_Sa is currently used by process 6169
Aidee_So_Sa@Kareri:~$ exit
logout
ericc@Kareri:~/examen2p$ sudo pkill -u Aidee_So_Sa
ericc@Kareri:~/examen2p$ sudo usermod -l Quality_assurance Aidee_So_Sa
ericc@Kareri:~/examen2p$ sudo usermod -d /home/Quality_assurance -m Quality_assurance
ericc@Kareri:~/examen2p$ sudo passwd soto2
passwd: user 'soto2' does not exist
ericc@Kareri:~/examen2p$ sudo passwd Quality_assurance
New password:
Retype new password:
passwd: password updated successfully
ericc@Kareri:~/examen2p$ sudo chage -d $(date -d "tomorrow" +%Y-%m-%d) Quality_assurance
ericc@Kareri:~/examen2p$ sudo chage -E $(date -d "+3 days" +%Y-%m-%d) Quality_assurance
ericc@Kareri:~/examen2p$ id Quality_assurance
uid=1001(Quality_assurance) gid=1001(Aidee_So_Sa) groups=1001(Aidee_So_Sa),27(sudo)
ericc@Kareri:~/examen2p$ sudo chage -l Quality_assurance
Last password change           : Nov 29, 2025
Password expires               : never
Password inactive              : never
Account expires                : Dec 01, 2025
Minimum number of days between password change : 0
Maximum number of days between password change : 99999
Number of days of warning before password expires : 7
ericc@Kareri:~/examen2p$ |
```

Canny

```
Quality_assurance@Kareri:~$ ls -l
total 4
-rw-r--r-- 1 ericc ericc 203 Nov 28 16:06 Canny.py
Quality_assurance@Kareri:~$ sudo apt update
sudo apt install python3-opencv -y
Get:1 http://security.ubuntu.com/ubuntu noble-security InRelease [126 kB]
Hit:2 http://archive.ubuntu.com/ubuntu noble InRelease
Get:3 http://archive.ubuntu.com/ubuntu noble-updates InRelease [126 kB]
Get:4 http://security.ubuntu.com/ubuntu noble-security/main amd64 Packages [1340 kB]
Get:5 http://archive.ubuntu.com/ubuntu noble-backports InRelease [126 kB]
Get:6 http://security.ubuntu.com/ubuntu noble-security/main amd64 Components [21.5 kB]
Get:7 http://security.ubuntu.com/ubuntu noble-security/main amd64 c-n-f Metadata [9452 B]
Get:8 http://security.ubuntu.com/ubuntu noble-security/universe amd64 Packages [915 kB]
Get:9 http://security.ubuntu.com/ubuntu noble-security/universe amd64 Components [71.5 kB]
Get:10 http://archive.ubuntu.com/ubuntu noble-updates/main amd64 Components [175 kB]
Get:11 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 Components [212 B]
Get:12 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 Components [212 B]
Get:13 http://archive.ubuntu.com/ubuntu noble-updates/main amd64 c-n-f Metadata [15.7 kB]
Get:14 http://archive.ubuntu.com/ubuntu noble-updates/universe amd64 Components [377 kB]
Get:15 http://archive.ubuntu.com/ubuntu noble-updates/universe amd64 c-n-f Metadata [31.4 kB]
Get:16 http://archive.ubuntu.com/ubuntu noble-updates/restricted amd64 Components [212 B]
Get:17 http://archive.ubuntu.com/ubuntu noble-updates/multiverse amd64 Components [940 B]
Get:18 http://archive.ubuntu.com/ubuntu noble-backports/main amd64 Components [7136 B]
Get:19 http://archive.ubuntu.com/ubuntu noble-backports/universe amd64 Components [11.0 kB]
Get:20 http://archive.ubuntu.com/ubuntu noble-backports/restricted amd64 Components [212 B]
Get:21 http://archive.ubuntu.com/ubuntu noble-backports/multiverse amd64 Components [212 B]
Fetched 3355 kB in 3s (1110 kB/s)
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
2 packages can be upgraded. Run 'apt list --upgradable' to see them.
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
python3-opencv is already the newest version (4.6.0+dfsg-13.1ubuntu1).
0 upgraded, 0 newly installed, 0 to remove and 2 not upgraded.
Quality_assurance@Kareri:~$ |
```



Reactivo 3:



```
Quality_assurance@Kareri:~$ ls -l
total 364
-rw-r--r-- 1 root      root      25 Nov 28 16:38 02d62d4b-9bc7-439d-a1db-e3c1438f6e72.jpg:Zone.Identifier
-rw-r--r-- 1 root      root      25 Nov 28 16:38 A1_03_10_2025.jpeg:Zone.Identifier
drwxr-xr-x 2 root      root     4096 Nov 28 16:38 'Calculo 3'
-rw-r--r-- 1 ericc     ericc    203 Nov 28 16:06 Canny.py
-rw-r--r-- 1 root      root     25 Nov 28 16:38 Canny.py:Zone.Identifier
-rw-r--r-- 1 root      root     25 Nov 28 16:38 'Carmen Soto Eric_2125696_03_10_2025.jpg:Zone.Identifier'
-rw-r--r-- 1 root      root     25 Nov 28 16:38 'Carmen Soto Eric_2125696_09_10_2025.png:Zone.Identifier'
-rw-r--r-- 1 root      root     25 Nov 28 16:38 'Carmen Soto Eric_2125696_10_10_2025.jpg:Zone.Identifier'
-rw-r--r-- 1 root      root     61 Nov 28 16:38 'Carmen Soto Eric_2125696_28_8_2025.jpg:Zone.Identifier'
-rw-r--r-- 1 root      root     2041 Nov 28 16:38 CarmenEric_ABraveNewWorld.txt
-rw-r--r-- 1 Quality_assurance Aidee_So_Sa 1778 Nov 28 16:38 Docs.txt
-rw-r--r-- 1 root      root     1390 Nov 28 16:38 'Document 1.pdf:Zone.Identifier'
-rw-r--r-- 1 root      root     25 Nov 28 16:38 HerreraAlfredoDonQuijote.txt.gpg:Zone.Identifier
drwxr-xr-x 2 root      root     4096 Nov 28 16:38 'Inteligencia Artificial'
drwxr-xr-x 2 root      root     4096 Nov 28 16:38 Robotica
drwxr-xr-x 2 root      root     4096 Nov 28 16:38 S.O
-rw-r--r-- 1 root      root     25 Nov 28 16:38 TC_16-10-2025.jpg:Zone.Identifier
-rw-r--r-- 1 root      root     1412 Nov 28 16:38 UltCon2025B.txt
-rwxr-xr-x 1 root      root     69 Nov 28 16:38 actualizar.sh
-rw-r--r-- 1 root      root     121 Nov 28 16:38 alerta.log
-rw-r--r-- 1 root      root     61 Nov 28 16:38 bed2d1e1-c54e-45d7-bb56-f2906a3d5245.jpg:Zone.Identifier
-rw-r--r-- 1 root      root     26 Nov 28 16:38 can.txt
-rw-r--r-- 1 root      root     25 Nov 28 16:38 can.txt.gpg:Zone.Identifier
```

```
Quality_assurance@Kareri:~$ head -n 30 ~/Docs.txt
Archivos copiados desde /home/ericc a /home/Quality_assurance:
02d62d4b-9bc7-439d-a1db-e3c1438f6e72.jpg:Zone.Identifier
A1_03_10_2025.jpeg:Zone.Identifier
Calculo 3
Canny.py
Canny.py:Zone.Identifier
Carmen Soto Eric_2125696_03_10_2025.jpg:Zone.Identifier
Carmen Soto Eric_2125696_09_10_2025.png:Zone.Identifier
Carmen Soto Eric_2125696_10_10_2025.jpg:Zone.Identifier
Carmen Soto Eric_2125696_28_8_2025.jpg:Zone.Identifier
CarmenEric_ABraveNewWorld.txt
Docs.txt
Document 1.pdf:Zone.Identifier
HerreraAlfredoDonQuijote.txt.gpg:Zone.Identifier
Inteligencia Artificial
Robotica
S.O
TC_16-10-2025.jpg:Zone.Identifier
UltCon2025B.txt
actualizar.sh
alerta.log
bed2d1e1-c54e-45d7-bb56-f2906a3d5245.jpg:Zone.Identifier
can.txt
can.txt.gpg:Zone.Identifier
cancion.txt
cap code cesar.jpg:Zone.Identifier
cap crontab bash.jpg:Zone.Identifier
cartas (2).jpeg:Zone.Identifier
cartas.jpeg
cartas.jpeg:Zone.Identifier
Quality_assurance@Kareri:~$ |
```

Crontab:

```
Quality_assurance@Kare: x + v
GNU nano 7.2 /tmp/crontab.NfwQ3s/crontab
# Edit this file to introduce tasks to be run by cron.
#
# Each task to run has to be defined through a single line
# indicating with different fields when the task will be run
# and what command to run for the task
#
# To define the time you can provide concrete values for
# minute (m), hour (h), day of month (dom), month (mon),
# and day of week (dow) or use '*' in these fields (for 'any').
#
# Notice that tasks will be started based on the cron's system
# daemon's notion of time and timezones.
#
# Output of the crontab jobs (including errors) is sent through
# email to the user the crontab file belongs to (unless redirected).
#
# For example, you can run a backup of all your user accounts
# at 5 a.m. every week with:
# 0 5 * * 1 tar -zcf /var/backups/home.tgz /home/
#
# For more information see the manual pages of crontab(5) and cron(8)
#
# m h dom mon dow   command
0 17 28 11 5 /home/Quality_assurance/copiar_docs.sh
0 17 28 11 5 DATE_DIA=$(date +%d); DATE_MES=$(date +%B); DATE_ANO=$(date +%Y); echo "Copia de archivos del usuario ericc el ${DATE_
```

```
Quality_assurance@Kare: x + v
Quality_assurance@Karer1:~$ crontab -e
No modification made
Quality_assurance@Karer1:~$ crontab -l
# Edit this file to introduce tasks to be run by cron.
#
# Each task to run has to be defined through a single line
# indicating with different fields when the task will be run
# and what command to run for the task
#
# To define the time you can provide concrete values for
# minute (m), hour (h), day of month (dom), month (mon),
# and day of week (dow) or use '*' in these fields (for 'any').
#
# Notice that tasks will be started based on the cron's system
# daemon's notion of time and timezones.
#
# Output of the crontab jobs (including errors) is sent through
# email to the user the crontab file belongs to (unless redirected).
#
# For example, you can run a backup of all your user accounts
# at 5 a.m. every week with:
# 0 5 * * 1 tar -zcf /var/backups/home.tgz /home/
#
# For more information see the manual pages of crontab(5) and cron(8)
#
# m h dom mon dow   command
0 17 28 11 5 /home/Quality_assurance/copiar_docs.sh
0 17 28 11 5 DATE_DIA=$(date +%d); DATE_MES=$(date +%B); DATE_ANO=$(date +%Y); echo "Copia de archivos del usuario ericc el ${DATE_
DIA} de ${DATE_MES} del ${DATE_ANO}" > /home/Quality_assurance/CopyDocuments.txt

Quality_assurance@Karer1:~$ |
```

```
Quality_assurance@Kare: ~$ ls -l /home/Quality_assurance/Docs.txt /home/Quality_assurance/CopyDocuments.txt
-rw-r--r-- 1 Quality_assurance Aided_So_Sa 63 Nov 28 17:00 /home/Quality_assurance/CopyDocuments.txt
-rw-r--r-- 1 Quality_assurance Aided_So_Sa 1796 Nov 28 17:00 /home/Quality_assurance/Docs.txt
Quality_assurance@Kare: ~$ cat /home/Quality_assurance/Docs.txt
cat /home/Quality_assurance/CopyDocuments.txt
Archivos copiados desde /home/ericc a /home/Quality_assurance:
02d62d4b-9bc7-439d-a1db-e3c1438f6e72.jpg:Zone.Identifier
Al_03_10_2025.jpeg:Zone.Identifier
Calculo_3
Canny.py
Canny.py:Zone.Identifier
Carmen Soto Eric_2125696_03_10_2025.jpg:Zone.Identifier
Carmen Soto Eric_2125696_09_10_2025.png:Zone.Identifier
Carmen Soto Eric_2125696_10_10_2025.jpg:Zone.Identifier
Carmen Soto Eric_2125696_28_8_2025.jpg:Zone.Identifier
CarmenEric_ABraveNewWorld.txt
CopyDocuments.txt
Docs.txt
Document_1.pdf:Zone.Identifier
HerreraAlfredoDonQuijote.txt.gpg:Zone.Identifier
Inteligencia Artificial
Robotica
S.O
TC_16-10-2025.jpg:Zone.Identifier
UltCon2025B.txt
actualizar.sh
alerta.log
bed2dle1-c54e-45d7-bb56-f2906a3d5245.jpg:Zone.Identifier
can.txt
can.txt.gpg:Zone.Identifier
cancion.txt
cap code cesar.jpg:Zone.Identifier
cap_crontab bash.jpg:Zone.Identifier
cartas (2).jpeg:Zone.Identifier
cartas.jpeg
cartas.jpeg:Zone.Identifier
citas.txt
copia_seguridad
copiar_docs.sh
cron_script.log
```

```
Quality_assurance@Kare: ~$ cat /home/Quality_assurance/CopyDocuments.txt
digitales
directorio_a_copiar
evidencia_alternancia
evidencia_backups
examen2p
fonseca.txt
historial.txt
historial_completo.txt
hola_mundo.txt
keySecretSebas.asc:Zone.Identifier
keyToni.asc:Zone.Identifier
keyYes.asc:Zone.Identifier
keyisma.asc:Zone.Identifier
lista de claves 24_10_2025.jpg:Zone.Identifier
llavealfredo.asc:Zone.Identifier
llaves
llavesHaz.asc:Zone.Identifier
lubuntu-24_04.3-desktop-amd64.iso:Zone.Identifier
mensaje1HAZ.txt.gpg:Zone.Identifier
mensaje2.txt.gpg:Zone.Identifier
mi_script.sh
monosaurio.txt
name.sh
nombre.txt
novelaIsmael.txt.gpg:Zone.Identifier
output.txt
reps025B
salida.txt
salidal.txt
t clase 1-09-2025.pdf:Zone.Identifier
tc1_04_09_2025.jpg:Zone.Identifier
tc2_04_09_2025.jpg:Zone.Identifier
tc3_04_09_2025.jpg:Zone.Identifier
test.txt
ultimo-crontab.txt
update.txt
Copia de archivos del usuario ericc el 28 de November del 2025
Quality_assurance@Kare: ~$ cat /home/Quality_assurance/CopyDocuments.txt
Copia de archivos del usuario ericc el 28 de November del 2025
Quality_assurance@Kare: ~$
```


Reactivo 4:

```
Quality_assurance@Kare: ~$ sudo ufw status
[sudo] password for Quality_assurance:
Status: active

To Action From
--
80/tcp DENY Anywhere
Anywhere DENY 157.240.146.33
7000:7006/tcp DENY Anywhere
8080 DENY 192.168.1.0/24
22/tcp ALLOW Anywhere
2222/tcp ALLOW Anywhere
80/tcp (v6) DENY Anywhere (v6)
7000:7006/tcp (v6) DENY Anywhere (v6)
22/tcp (v6) ALLOW Anywhere (v6)
2222/tcp (v6) ALLOW Anywhere (v6)

Quality_assurance@Kare:~$ sudo ufw allow from 172.20.10.4 to any port 2222 proto tcp
Rule added
Quality_assurance@Kare:~$ sudo ufw status verbose
Status: active
Logging: on (low)
Default: deny (incoming), allow (outgoing), disabled (routed)
New profiles: skip

To Action From
--
80/tcp DENY IN Anywhere
Anywhere DENY IN 157.240.146.33
7000:7006/tcp DENY IN Anywhere
8080 DENY IN 192.168.1.0/24
22/tcp ALLOW IN Anywhere
2222/tcp ALLOW IN Anywhere
2222/tcp ALLOW IN 172.20.10.4
80/tcp (v6) DENY IN Anywhere (v6)
7000:7006/tcp (v6) DENY IN Anywhere (v6)
22/tcp (v6) ALLOW IN Anywhere (v6)
2222/tcp (v6) ALLOW IN Anywhere (v6)

Quality_assurance@Kare:~$ |
```