

Erick Franco

cs430p

3-2-25

08.1a.4.....	3
08.1a.8.....	4
08.2a.10.....	4
08.2a.12.....	5
08.2a.16.....	6
08.2g.10.....	7
08.2g.11.....	7
08.2g.12.....	8
08.2g.15.....	8
08.2g.16.....	9
08.3g.14.....	10
08.3g.15.....	14
08.3g.16.....	14
08.4g.4.....	15
08.4g.8.....	15
08.4g.13.....	16
08.4g.16.....	16
08.4g.16.....	16
08.4g.18.....	17
08.4g.19.....	17


## 08.1a.4

recijq7n5.execute-api.us-east-1.amazonaws.com/default/lambda-francoer

When  
someone does  
something  
wrong, don't  
forget all  
the things they  
did right.

POSTED BY: JORDAN B. VOW

← → ↺ 🔍 recijq7n5.execute-api.us-east-1.amazonaws.com/default/lambda-francoer



“The real measure of your wealth is how much  
you’d be worth if you lost all your money.”

08.1a.8

```
francoer@cloudshell:~ (cloud-franco-francoer)$ curl https://o5xa5s0wfh.execute-api.us-east-1.amazonaws.com/prod/lambda/now
{"current_time": "2025-02-27 01:11:22.063360"}francoer@cloudshell:~ (cloud-franco-francoer)$
```

08.2a.10

File C:/Users/efran/cs430-src/06\_aws\_restapi\_lambda/frontend/src/index.html



## Guestbook

Name:

Email:

Message:

Sign

## Entries

Erick Franco <francoer@pdx.edu>  
signed on 2025-02-08 06:03:01.600794  
Hello Cloud9!

---

Erick Franco <francoer@pdx.edu>  
signed on 2025-02-08 06:17:03.309486  
Hello EC2!

---

Erick Franco <francoer@pdx.edu>  
signed on 2025-02-14 21:58:31.347520  
Hello ECS!

---

## 08.2a.12

### /entries/entry - POST method test results

#### Request

/entries/entry

#### Latency ms

3350

#### Status

200

#### Response body

```
[{"message": "Hello Cloud9!", "date": "2025-02-08 06:03:01.600794",  
"email": "francoer@pdx.edu", "name": "Erick Franco"}, {"message": "Hello  
EC2!", "date": "2025-02-08 06:17:03.309486", "email": "francoer@pdx.edu",  
"name": "Erick Franco"}, {"message": "Hello ECS!", "date": "2025-02-14  
21:58:31.347520", "email": "francoer@pdx.edu", "name": "Erick Franco"},  
{"message": "He;;p Api Gateway", "date": "2025-02-28 10:34:15.126814",  
"email": "francoer@pdx.edu", "name": "Erick Franco"}, {"message": "Hello  
Elastic Beanstalk.", "date": "2025-02-13 23:06:54.100885", "email":  
"francoer@pdx.com ", "name": "Erick Franco"}, {"message": "Hello Docker  
DynamoDB!", "date": "2025-02-08 05:13:50.961010", "email":  
"Francoer@pdx.edu", "name": "Erick Franco"}, {"message": "Hello  
DynamoDB!", "date": "2025-02-08 05:04:29.259895", "email": "Francoer",  
"name": "Erick Franco"}]
```

08.2a.16

Not secure francoer-frontend.s3-website-us-east-1.amazonaws.com

## Guestbook

Name:

Email:

Message:

Hello S3, API Gateway, Lambda!



## Entries

Erick Franco <francoer@pdx.edu>  
signed on 2025-02-08 06:03:01.600794  
Hello Cloud9!

---

Erick Franco <francoer@pdx.edu>  
signed on 2025-02-08 06:17:03.309486  
Hello EC2!

---

Erick Franco <francoer@pdx.edu>  
signed on 2025-02-14 21:58:31.347520  
Hello ECS!

---

Erick Franco <francoer@pdx.edu>  
signed on 2025-02-28 10:34:15.126814  
Hello API Gateway

---

Erick Franco <francoer@pdx.edu>  
signed on 2025-02-28 11:03:23.065547  
Hello API Gateway from local HTML

---

Erick Franco <francoer@pdx.edu>  
signed on 2025-02-28 11:04:53.769034  
Hello S3, API Gateway, Lambda!

---

## 08.2g.10

```
francoer@cloudshell:~/cs430-src/06_gcp_restapi_cloudfunctions (cloud-franco-francoer)$  
apiConfig: projects/594659887782/locations/global/apis/gbapi/configs/gbapiconfig  
createTime: '2025-03-01T22:23:19.272559206Z'  
defaultHostname: gbapigw-71615606.uc.gateway.dev  
displayName: gbapigw  
name: projects/cloud-franco-francoer/locations/us-central1/gateways/gbapigw  
state: ACTIVE  
updateTime: '2025-03-01T22:29:23.158654866Z'
```

gbapigw-71615606.uc.gateway.dev

## 08.2g.11

```
>>> print("Status Code:", resp.status_code)  
Status Code: 200  
>>> print("Headers:", resp.headers)  
Headers: {'content-type': 'application/json', 'access-control-allow-origin': '*', 'X-Cloud-Trace-Context': 'ba8a0811ba467666a484bb645f16968;o=1', 'Date': 'Sat, 01  
Mar 2025 22:33:22 GMT', 'Server': 'Google Frontend', 'Content-Length': '1588'}  
>>> print("Response Text:", resp.text)  
Response Text: [{"name": "testing1", "email": "Unknown", "date": "2025-03-01 22:33:22.257749", "message": "No message"}, {"name": "Erick Franco", "email": "francoe  
r@pdx.edu", "date": "2025-02-21 09:07:10.654017+00:00", "message": "Hell Kubernetes!"}, {"name": "Erick Franco", "email": "francoer@pdx.edu", "date": "2025-02-08 0  
7:56:33.776285+00:00", "message": "Hello Cloud Shell!"}, {"name": "Erick Franco", "email": "francoer@pdx.edu", "date": "2025-02-08 07:07:36.379017+00:00", "message  
": "Hello Datastore!"}, {"name": "aaaaaaaaaaaa", "email": "Unknown", "date": "2025-03-01 22:33:22.257962", "message": "No message"}, {"name": "Erick Franco", "email  
": "francoer@pdx.com", "date": "2025-02-13 23:31:15.362181+00:00", "message": "Hello App Engine!"}, {"name": "testing final ", "email": "Unknown", "date": "2025-03  
-01 22:33:22.258049", "message": "No message"}, {"name": "Erick Franco", "email": "francoer@pdx.edu", "date": "2025-02-08 08:05:50.107646+00:00", "message": "Hello  
Computer Engine!"}, {"name": "Erick Franco", "email": "francoer@pdx.edu", "date": "2025-02-08 07:39:47.408752+00:00", "message": "Hello Docker Datastore!"}, {"nam  
e": "Erick Franco", "email": "francoer@pdx.edu", "date": "2025-02-15 21:42:09.250034+00:00", "message": "Hello Cloud Run!"}, {"name": "", "email": "Unknown", "date  
": "2025-03-01 22:33:22.258214", "message": "No message"}, {"name": "Name 1111111", "email": "Unknown", "date": "2025-03-01 22:33:22.258260", "message": "No messag  
e"}, {"name": "Erick Franco", "email": "francoer@pdx.edu", "date": "2025-02-21 09:50:15.172737+00:00", "message": "Hello Cloud Build!"}]  
>>> try:  
...     json_data = resp.json()  
...     print("Response as JSON:", json_data)  
...     print("Data Type:", type(json_data)) # Should be <class 'dict'> or <class 'list'>  
... except ValueError:  
...     print("Response is not a valid JSON.")  
...  
Response as JSON: [{"name": "testing1", "email": "Unknown", "date": "2025-03-01 22:33:22.257749", "message": "No message"}, {"name": "Erick Franco", "email": "fran  
coer@pdx.edu", "date": "2025-02-21 09:07:10.654017+00:00", "message": "Hell Kubernetes!"}, {"name": "Erick Franco", "email": "francoer@pdx.edu", "date": "2025-02-0  
8 07:56:33.776285+00:00", "message": "Hello Cloud Shell!"}, {"name": "Erick Franco", "email": "francoer@pdx.edu", "date": "2025-02-08 07:07:36.379017+00:00", "mess  
age": "Hello Datastore!"}, {"name": "aaaaaaaaaaaa", "email": "Unknown", "date": "2025-03-01 22:33:22.257962", "message": "No message"}, {"name": "Erick Franco", "em  
ail": "francoer@pdx.com", "date": "2025-02-13 23:31:15.362181+00:00", "message": "Hello App Engine!"}, {"name": "testing final ", "email": "Unknown", "date": "2025  
-03-01 22:33:22.258049", "message": "No message"}, {"name": "Erick Franco", "email": "francoer@pdx.edu", "date": "2025-02-08 08:05:50.107646+00:00", "message": "He  
llo Computer Engine!"}, {"name": "Erick Franco", "email": "francoer@pdx.edu", "date": "2025-02-08 07:39:47.408752+00:00", "message": "Hello Docker Datastore!"}, {"  
name": "Erick Franco", "email": "francoer@pdx.edu", "date": "2025-02-15 21:42:09.250034+00:00", "message": "Hello Cloud Run!"}, {"name": "", "email": "Unknown", "d  
ate": "2025-03-01 22:33:22.258214", "message": "No message"}, {"name": "Name 1111111", "email": "Unknown", "date": "2025-03-01 22:33:22.258260", "message": "No mes  
sage"}, {"name": "Erick Franco", "email": "francoer@pdx.edu", "date": "2025-02-21 09:50:15.172737+00:00", "message": "Hello Cloud Build!"}]  
Data Type: <class 'list'>  
>>> print("Data Type of JSON Response:", type(json_data))  
Data Type of JSON Response: <class 'list'>  
>>> if isinstance(json_data, list) and len(json_data) > 0:  
...     first_entry = json_data[0] # Access the first entry  
...     print("\nFirst Guestbook Entry:")  
...     print("Name:", first_entry.get("name", "N/A"))  
...     print("Email:", first_entry.get("email", "N/A"))  
...     print("Date:", first_entry.get("date", "N/A"))  
...     print("Message:", first_entry.get("message", "N/A"))  
... else:  
...     print("No entries found in the response.")  
...  
First Guestbook Entry:  
Name: testing1  
Email: Unknown  
Date: 2025-03-01 22:33:22.257749  
Message: No message  
>>>
```

## 08.2g.12

```
>>> print("Response HTTP Status Code:", resp.status_code)
Response HTTP Status Code: 200
>>> print("Response Headers:", resp.headers)
Response Headers: ('content-type': 'application/json', 'access-control-allow-origin': '*', 'X-Cloud-Trace-Context': '130089b7a6177ffa86f418619439e9d1;o=1', 'Date':
'Sat, 01 Mar 2025 22:55:40 GMT', 'Server': 'Google Frontend', 'Content-Length': '1745')
>>> print("Response Text:", resp.text)
Response Text: [{"name": "testing1", "email": "Unknown", "date": "2025-03-01 22:55:40.577219", "message": "No message"}, {"name": "Erick Franco", "email": "francoe
r@pdx.edu", "date": "2025-02-21 09:07:10.654017+00:00", "message": "Hello Kubernetes!"}, {"name": "Erick Franco", "email": "francoer@pdx.edu", "date": "2025-02-08 0
7:56:33.776285+00:00", "message": "Hello Cloud Shell!"}, {"name": "Erick Franco", "email": "francoer@pdx.edu", "date": "2025-02-08 07:07:36.379017+00:00", "message
": "Hello Datastore!"}, {"name": "aaaaaaaaaaaa", "email": "Unknown", "date": "2025-03-01 22:55:40.577521", "message": "No message"}, {"name": "Erick Franco", "email
": "francoer@pdx.com", "date": "2025-02-13 23:31:15.362181+00:00", "message": "Hello App Engine!"}, {"name": "testing final ", "email": "Unknown", "date": "2025-03
-01 22:55:40.577626", "message": "No message"}, {"name": "Erick Franco", "email": "francoer@pdx.edu", "date": "2025-02-08 08:05:50.107646+00:00", "message": "Hello
Computer Engine!"}, {"name": "Erick Franco", "email": "francoer@pdx.edu", "date": "2025-03-01 22:55:40.202981+00:00", "message": "Hello Cloud Functions from Pytho
n Requests!"}, {"name": "Erick Franco", "email": "francoer@pdx.edu", "date": "2025-02-08 07:39:47.408752+00:00", "message": "Hello Docker Datastore!"}, {"name": "E
rick Franco", "email": "francoer@pdx.edu", "date": "2025-02-15 21:42:09.250034+00:00", "message": "Hello Cloud Run!"}, {"name": "", "email": "Unknown", "date": "20
25-03-01 22:55:40.577886", "message": "No message"}, {"name": "Name 111111", "email": "Unknown", "date": "2025-03-01 22:55:40.577930", "message": "No message"}, {
"name": "Erick Franco", "email": "francoer@pdx.edu", "date": "2025-02-21 09:50:15.172737+00:00", "message": "Hello Cloud Build!"}]
>>>
```

## 08.2g.15

Name	Status	Type	Initiator	Size	Time
<input type="checkbox"/> entries gbapigw-71615606.uc.gateway.dev	200 OK	preflight	Preflight	0 B	226 ms
<input type="checkbox"/> entries gbapigw-71615606.uc.gateway.dev	200 OK	preflight	Preflight	0 B	288 ms
<input type="checkbox"/> entries gbapigw-71615606.uc.gateway.dev	200 OK	preflight	Preflight	0 B	92 ms

← → ↺ File c:\3A\Users\efran\cs430-src\06\_gcp\_restapi\_cloudfunctions\frontend-src\index.html ☆

### Guestbook

Name:

Email:

Message:


Hello API Gateway from local SPA!

### Entries

Erick Franco <francoer@pdx.edu>  
signed on 2025-03-02 00:29:10.521138+00:00  
Hello API Gateway from local SPA!



08.2g.16



## Guestbook

Name:

Email:

Message:

## Entries

Erick Franco <francoer@pdx.edu>  
signed on 2025-03-02 00:29:10.521138+00:00  
Hello API Gateway from local SPA!

---

testing1 <Unknown>  
signed on 2025-03-02 00:46:46.351649  
No message

---

Erick Franco <francoer@pdx.edu>  
signed on 2025-02-21 09:07:10.654017+00:00  
Hell Kubernetes!

---

Erick Franco <francoer@pdx.edu>  
signed on 2025-02-08 07:56:33.776285+00:00  
Hello Cloud Shell!

---

<>  
signed on 2025-03-02 00:22:30.038738+00:00

---

---

Erick Franco <francoer@pdx.edu>  
signed on 2025-03-02 00:46:45.850611+00:00  
Hello Api Gateway from SPA in GCS!



---

<https://gcp-oauth-gb-594659887782.us-west1.run.app/>

Client id: 594659887782-eeva7nj749t6qbc61numg51klou8j131.apps.googleusercontent.com


Client Secret: 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

08.3g.14



- Based on the description of the source code, what lines of code in our application are responsible for the second request shown?
  - In the code below request the post

```
app.add_url_rule('/sign',  
                 view_func=Sign.as_view('sign'),  
                 methods=['GET', 'POST'])
```



The screenshot displays the 'Headers' tab in a web browser's developer tools. The left sidebar shows a list of requests, with the selected request being a GET request to a Google OAuth callback URL. The main panel shows the details of this request.

**General**

- Request URL:** `https://gcp-oauth-gb-594659887782.us-west1.run.app/callback?state=iYiaE2Mh18Q9IkssyhTAtteaAID4C8L&code=4%2F0AQSTgQHluyu2OLopbivqDZasXXcaXrl-NhVnoYc_RHpaVyDOHlzG91rjHk7V5DTPDz/mg&scope=email+profile+openid+https%3A%2F%2Fwww.googleapis.com%2Fauth%2Fuserinfo.profile+https%3A%2F%2Fwww.googleapis.com%2Fauth%2Fuserinfo.email&authuser=0&hd=pdx.edu&prompt=consent`
- Request Method:** GET
- Status Code:** 302 Found
- Remote Address:** [2001:4860:4802:38::35]:443
- Referrer Policy:** origin

**Response Headers**

- Alt-Svc:** h3=":443"; ma=2592000, h3-29=":443"; ma=2592000
- Content-Length:** 197
- Content-Type:** text/html; charset=utf-8
- Date:** Sun, 02 Mar 2025 03:37:17 GMT
- Location:** /sign
- Server:** Google Frontend
- Set-Cookie:** session=.eJy9VMmyqkgQ\_RfXTy8UJe7Q5RBpZRBpo4OooBCCpkEIOHF-\_eHPS960ateVERIVlaekyer8vuiQs8uDDoOdXjxtSAeQXugpRWR59V7246pJXQYCMOFT9Pi29\_hHfVHZelr-8LFEW4bf-0FyMC\_ApRAnaNS8255tSgyyflgjhP8ml8FQ1\_TZYEpyVYMBQ188xWz2wQD\_ZKJGxyGSiFxiLmR7YoXNdaGxiiTxQLe1cyPD4x97GyVoYqOC23MDyaYKMAIUgvgyl224YVbVeWsbuHw9K6Kk-oD57cgwMKD44KotwT3mJupzv7xSDH8OjeiAxt3FCLVFAzNIHRFdoFG6pnPxpUv6JTs4OR4im6TXKfoDTexJ4eaNLgNULF4ojcs9clTgFmvNgwLePbvYzKLwXA8\_21B4r\_EweMhDeWlnMnBvE4qDYnaqkVX-6K6VrMlaMBjvMnl\_J0KPEvKvexANEedz56ePcseBXca5e-kAso651kaOMsqOYkHCrvCO-frpnWS6KsZpo4Y7e1KPQBfscNR0ciVleDLUL4-PcB3KumJ59a9mIUeWncKZlufvLxclqNJ8FO42LPhEXFwF1OwVli3uQNYWI3\_mS3CAy2EofmqUNp0LqlOV7-oB\_-WDIYxfmUQFFYWnkYan\_A8u-\_19YEWOTN5ZmCaO20wG0B8pOOjcvFlpXaubAvOOQrL816n3I9vQdg377f8dOkdO\_UVUSO-ceXTf\_kvMkMSFSPSLHr31nzlMaY-xc53ZK82tP0wjc3jlaM6-N65RSzpUufACfzj51z\_ul86f8dw6ORM1ch5lbP2sCYKYxc0tzmwtzfazJgJ7ftoofwqucSytuHooZZUne7TdjMNdNjHZdTC9cyha0xnXblF7p\_IDVj97XOqafD7ssrYom-hjJVe2gg15VTaXBQqsOOc80VXQyJv2gZdHMYmOW5rd8lfzwe5PVWMMMcOnSvlfF7k-vispb35SDu-GS5xNdtta3S5FqrrZyIPI4oKTEZ81UERiGJ0GZP1QbLLgO7sUfytsfGICXh1q9Ocvnl28ckoKGf1Cgf7qfIt1rlNMbJuTIE2REf6ReTren--SIPc81j00sm51pEdCG1YYuZ4-sCZ7MmlK-w0KE9tPwGmMOQhWc63PX6KxxOfloD\_WXrrBhNWGHvCaVfrMaobvImi-


- What is the URI for the Location that the User sent to by the Callback?
  - Location: /sign
  - Thus: `https://gcp-oauth-gb-594659887782.us-west1.run.app/sign`

Name	×	Headers	Preview	Response	Initiator	Timing
photo.jpg	▼	General				
data:image/svg+xml;...		Request URL:		https://lh3.googleusercontent.com/-q5neknqnDr0/AAAAAAAAAAI/AAAAAAAAAA/ALKGfkIDGkyYuzyDyAjqHs1R6jdUowrfyg/s128-c/photo.jpg		
generate_204?drEVfw		Request Method:		GET		
diagnostics/?diagnostics=%5B...	✖	Status Code:		200 OK		
ACg8oclkqXRJ17ypTjZ-QCGjL...		Remote Address:		[2607:f8b0:400a:805::2001]:443		
data:image/svg+xml;...		Referrer Policy:		strict-origin-when-cross-origin		
ACg8oclkqXRJ17ypTjZ-QCGjL...		▼ Response Headers				
ACg8oclkqXRJ17ypTjZ-QCGjL...		Access-Control-Allow-Origin:		*		
ACg8oclkqXRJ17ypTjZ-QCGjL...		Access-Control-Expose-Headers:		Content-Length		
ACg8oclkqXRJ17ypTjZ-QCGjL...		Alt-Svc:		h3=":443"; ma=2592000,h3-29=":443"; ma=2592000		
ACg8oclkqXRJ17ypTjZ-QCGjL...		Cache-Control:		public, max-age=86400, no-transform		
ACg8oclkqXRJ17ypTjZ-QCGjL...		Content-Disposition:		inline;filename=""		
ACg8oclkqXRJ17ypTjZ-QCGjL...		Content-Length:		8638		
ACg8oclkqXRJ17ypTjZ-QCGjL...		Content-Type:		image/jpeg		
ACg8oclkqXRJ17ypTjZ-QCGjL...		Date:		Sun, 02 Mar 2025 03:37:11 GMT		
ACg8oclkqXRJ17ypTjZ-QCGjL...		Etag:		"v7"		
ACg8oclkqXRJ17ypTjZ-QCGjL...		Expires:		Mon, 03 Mar 2025 03:37:11 GMT		
ACg8oclkqXRJ17ypTjZ-QCGjL...		Server:		fife		
ACg8oclkqXRJ17ypTjZ-QCGjL...		Timing-Allow-Origin:		*		
ACg8oclkqXRJ17ypTjZ-QCGjL...		Vary:		Origin		
ACg8oclkqXRJ17ypTjZ-QCGjL...		X-Content-Type-Options:		nosniff		
ACg8oclkqXRJ17ypTjZ-QCGjL...		X-Xss-Protection:		0		
	▼	Request Headers				
		:authority:		lh3.googleusercontent.com		
		:method:		GET		
		:path:		/-		
				q5neknqnDr0/AAAAAAAAAAI/AAAAAAAAAA/ALKGfkIDGkyYuzyDyAjqHs1R6jdUowrfyg/s128-c/photo.jpg		
		:scheme:		https		
		Accept:		image/avif,image/webp,image/apng,image/svg+xml,image/*,*/*;q=0.8		
		Accept-Encoding:		gzip, deflate, br, zstd		
		Accept-Language:		en-US,en;q=0.9		
		Cache-Control:		no-cache		
		Pragma:		no-cache		
		Priority:		u=1, i		
		Referer:		https://accounts.google.com/		
11 / 56 requests   44.5 kB / 1.4 Mf						


URL:

https://lh3.googleusercontent.com/-q5neknqnDr0/AAAAAAAAAAI/AAAAAAAAAA/ALKGfkIDGkyYuzyDyAjqHs1R6jdUowrfyg/s128-c/photo.jpg

## 08.3g.15



## 08.3g.16



## 08.4g.4

- What other domains are given access to this Firebase project by default?
  - Local host
  - fir-francoer.firebaseio.com
  - Fir-francoer.web.app

## 08.4g.8

Its not specific enough which files it wants screenshoted

main.js

```
/*
 * ATTENTION: An "eval-source-map" devtool has been used.
 * This devtool is neither made for production nor for readable output files.
 * It uses "eval()" calls to create a separate source file with attached SourceMaps in the browser devtools.
 * If you are trying to read the output file, select a different devtool (https://webpack.js.org/configuration/devtool/)
 * or disable the default devtool with "devtool: false".
 * If you are looking for production-ready output files, see mode: "production" (https://webpack.js.org/configuration/mode/).
 */
/******/ (() => { // webpackBootstrap
/******/     "use strict";
/******/     var __webpack_modules__ = ({
```

firebase-messaging-sw.js

## 08.4g.12

What missing functions deal with user authentication?

```
async function signIn() {
function signOutUser() {
function initFirebaseAuth() {
function getProfilePicUrl() {
function getUsername() {
function isUserSignedIn()
```


What missing functions deal with sending and receiving messages?

```
async function saveMessage(messageText) {
function loadMessages() {
async function saveImageMessage(file) {
```


## 08.4g.13

- What are the names of the elements that are hidden when the user is signed out?  
`userNameElement.setAttribute('hidden', 'true');`  
`userPicElement.setAttribute('hidden', 'true');`  
`signOutButtonElement.setAttribute('hidden', 'true');`
- What is the name of the element that is not hidden when the user is signed out?  
`signInButtonElement.removeAttribute('hidden');`

## 08.4g.16



## 08.4g.16






## 08.4g.18

- What is the URL of the image that is first shown in the UI as the message is loading?
  - `LOADING_IMAGE_URL`
  - <https://www.google.com/images/spin-32.gif?a>

## 08.4g.19

- How do the fields in an image document differ from that of the text document?
  - The top field is `imageurl` instead of `name`, and `text` is not in there
- What URL and storage location can the image be found at?
  - `"https://firebasestorage.googleapis.com/v0/b/firebase-francoer.firebaseio.com/o/k2w6u7sFO6YvxE4tRCMA7OmryYa2%2FS00ZTKKgpi9pYFGCqxWB%2Fmouse-80quality.jpg?alt=media&token=f9653d23-eed2-4071-bf2d-8e355c08548b"`



## 08.4g.20

What directory is the application going to be served from?

-The public directory

## Friendly Chat



Hello

Erick Franco



Hello Firebase

Erick Franco



Pretend the instructor added a message

Wu



Erick Franco



Erick Franco



Erick Franco



hello??

Erick Franco



Erick Franco



Sending message here

Hector Ojeda