# test_runner: add initial CLI runner #42658

Edit  ⟨⟩ Code ▾

🔀 **Merged**  nodejs-github-bot merged 1 commit into `nodejs:master` from `cjihrig:test-cli` ⎘ on Apr 15, 2022

💬 Conversation 73   ⦁ Commits 1   ☑ Checks 0   ± Files changed 23    **+669 −128** ■■■■■□

**cjihrig** commented on Apr 8, 2022    Member  • • •

This commit introduces an initial version of a CLI-based test runner.

🙂  👍 11

**nodejs-github-bot** commented on Apr 8, 2022    Member  • • •

Review requested:

☐ **@nodejs/startup**

🙂

### Reviewers

juliangruber 💬

ljharb 💬

atian25 💬

jasnell 💬

bnb 💬

targos 💬

aduh95 ✓

### Assignees

**No one**—assign yourself

```
test('asynchronous passing test', async (t) => {
  // This test passes because the Promise returned by the async
  // function is not rejected.
  assert.strictEqual(1, 1);
});
```

# test_runner: add initial CLI runner #42658

Edit    <> Code ▾

🔀 **Merged**    nodejs-github-bot merged 1 commit into `nodejs:master` from `cjihrig:test-cli` 📋 on Apr 15, 2022

💬 **Conversation** 73    � **Commits** 1    ☑ **Checks** 0    ± **Files changed** 23    **+669 −128** ■■■■■

```
test('asynchronous passing test', async (t) => {
  // This test passes because the Promise returned by the async
  // function is not rejected.
  assert.strictEqual(1, 1);
});
```

💎 ◀ **nodejs-github-bot** commented on Apr 8, 2022    Member    •••

Review requested:

☐ @nodejs/startup

☺

🙂 **targos**                                                      💬

🟢 **aduh95**                                                      ✓

**Assignees**                                                      ⚙

**No one**—assign yourself

# Why?