



test_runner: adds built in lcov test reporter

#50018

[Edit](#)[Code](#)[Open](#)

philnash wants to merge 12 commits into `nodejs:main` from `philnash:test-runner-lcov-reporter`

Conversation 42

Commits 12

Checks 20

Files changed 7

+868 -2



philnash commented 3 days ago

Contributor



Fixes [#49626](#)



1



2



1



1



nodejs-github-bot commented 3 days ago

Member



Review requested:

☐ @nodejs/test_runner



Reviewers



benjaminr



anonrig



richardlau



ljharb



MoLow



atlowChemi



Still in progress? [Convert to draft](#)

Assignees



No one—assign yourself

Example output

What does LCOV output look like? LCOV is meant to be interpreted by other programs and not meant to be readable by humans. This is an example:

```
SF:base_unit.js
```

```
DA:1,1
```

```
DA:4,1
```

```
DA:5,155
```

```
DA:7,155
```

```
DA:8,140
```

```
DA:9,140
```

```
DA:12,155
```

```
DA:13,155
```



```
DA:16,1
```

test_runner: adds built in lcov test reporter

#50018

Edit

< > Code ▾

 Open philnash wants to merge 12 commits into `nodejs:main` from `philnash:test-runner-lcov-reporter` 




 Conversation 42

 Commits 12



philnash commented 3 days ago

Fixes [#49626](#)



nodejs-github-bot commented 3 days ago

Review requested:

☐ @nodejs/test_runner



Example output

What does LCOV output look like? LCOV is meant to be interpreted by other programs and not meant to be readable by humans. This is an example:

```
SF:base_unit.js
```

```
DA:1,1
```

```
DA:4,1
```

```
DA:5,155
```

```
DA:7,155
```

```
DA:8,140
```

```
DA:9,140
```

```
DA:12,155
```

```
DA:13,155
```

```
DA:16,1
```



@erickwendel_