






Jacaranda Lexical Analyser



Team 1:
Aguilar Lara Ericka
Bautista Reyes Sofía
Cruz Basilio Ximena
Carolina
Garibay Zamorano Josué
Benjamín
Jardón Marín Rodrigo




The first line of defense to your code

11:11PM

Messy code =
Wasted time.

The Uncaught syntax errors stop
the production pipeline.





Source code

```
int a = 10;
int b = 20;
int c = a + b;
print(c);
if (c >= 20) {
    print("result");
}
print(a);
```


Analysis result

```
keyword      print
punctuation (
identifier   c
punctuation )
punctuation ;
keyword      if
punctuation (
identifier   c
operator     >=
constant     20
punctuation )
punctuation {
keyword      print
punctuation (
constant     "result"
punctuation )
punctuation ;
punctuation }
keyword      print
punctuation (
identifier   a
punctuation )
punctuation ;
```

Token sequence:

```
keyword identifier operator constant punctuation keyword identifier operat
```

Total of tokens: 40



PURE FAST AND STANDARDIZED TOKENIZATION

Error Handling


Surgical debugging



We don't crash. We
pinpoint the exact failure

Source code

```
int a = 10 @ 3;
```




Analysis result

LEXICAL ERROR: unrecognized symbol '@' at line 1, column 12.

```
int a = 10 @ 3;  
           ^
```



Jacaranda G5.01 - License Setup



100,000
tokens/month

Developer (FREE)

Perfect for Students



Unlimited
tokens

20\$ per Month

No limits, no problems

