

```
$curl -o ubuntu-install.sh https://raw.githubusercontent.com/EricssonResearch/calvin-base/master/extras/install/ubuntu-install.sh

$./ubuntu-install.sh [-b develop] -swup

$ sudo apt-get update
$ sudo apt-get install -y python python-dev build-essential git libssl-dev libffi-dev

$ sudo apt-get remove -y python-pip
$ curl https://bootstrap.pypa.io/get-pip.py -o - | python

$ cd calvin-base

$ python setup.py install
(tatu@notebook:~/calvin-base$ python setup.py install
running install
running bdist_egg
running egg_info
writing requirements to calvin.egg-info/requirements.txt
writing calvin.egg-info/PKG-INFO
writing top-level names to calvin.egg-info/top_level.txt
writing dependency_links to calvin.egg-info/dependency_links.txt
writing entry points to calvin.egg-info/entry_points.txt
reading manifest file 'calvin.egg-info/SOURCES.txt'
reading manifest template 'MANIFEST.in'
writing manifest file 'calvin.egg-info/SOURCES.txt'
installing library code to build/bdist.linux-x86_64/egg
running install_lib
running build_py
creating build/bdist.linux-x86_64/egg
creating build/bdist.linux-x86_64/egg/calvin
creating build/bdist.linux-x86_64/egg/calvin/tests
copying build/lib.linux-x86_64-2.7/calvin/tests/test_authorization_authentication_signing.py ->
build/bdist.linux-x86_64/egg/calvin/tests
copying build/lib.linux-x86_64-2.7/calvin/tests/test_securedht.py -> build/bdist.linux-x86_64/egg/calvin/tests
copying build/lib.linux-x86_64-2.7/calvin/tests/test_calvinlogger.py -> build/bdist.linux-x86_64/egg/calvin/tests
copying build/lib.linux-x86_64-2.7/calvin/tests/test_actormanager.py -> build/bdist.linux-x86_64/egg/calvin/tests
copying build/lib.linux-x86_64-2.7/calvin/tests/test_manage_decorator.py -> build/bdist.linux-x86_64/egg/calvin/tests
copying build/lib.linux-x86_64-2.7/calvin/tests/helpers.py -> build/bdist.linux-x86_64/egg/calvin/tests
copying build/lib.linux-x86_64-2.7/calvin/tests/test_automatic_authorization_registration.py ->
build/bdist.linux-x86_64/egg/calvin/tests
copying build/lib.linux-x86_64-2.7/calvin/tests/test_calvincontrol.py -> build/bdist.linux-x86_64/egg/calvin/tests
```

```
copying build/lib.linux-x86_64-2.7/calvin/tests/test_tls.py -> build/bdist.linux-x86_64/egg/calvin/tests
copying build/lib.linux-x86_64-2.7/calvin/tests/test_queue.py -> build/bdist.linux-x86_64/egg/calvin/tests
copying build/lib.linux-x86_64-2.7/calvin/tests/test_completion.py -> build/bdist.linux-x86_64/egg/calvin/tests
copying build/lib.linux-x86_64-2.7/calvin/tests/test_replication.py -> build/bdist.linux-x86_64/egg/calvin/tests
copying build/lib.linux-x86_64-2.7/calvin/tests/test_parser.py -> build/bdist.linux-x86_64/egg/calvin/tests
copying build/lib.linux-x86_64-2.7/calvin/tests/test_calvin_callback.py -> build/bdist.linux-x86_64/egg/calvin/tests
creating build/bdist.linux-x86_64/egg/calvin/tests/security_test
creating build/bdist.linux-x86_64/egg/calvin/tests/security_test/dht_store
creating build/bdist.linux-x86_64/egg/calvin/tests/security_test/dht_store/std
copying build/lib.linux-x86_64-2.7/calvin/tests/security_test/dht_store/std/Counter.py -> build/bdist.linux-x86_64/egg/calvin/tests/security_test/dht_store/std
copying build/lib.linux-x86_64-2.7/calvin/tests/security_test/dht_store/std/CountTimer.py -> build/bdist.linux-x86_64/egg/calvin/tests/security_test/dht_store/std
copying build/lib.linux-x86_64-2.7/calvin/tests/security_test/dht_store/std/__init__.py -> build/bdist.linux-x86_64/egg/calvin/tests/security_test/dht_store/std
copying build/lib.linux-x86_64-2.7/calvin/tests/security_test/dht_store/std/Identity.py -> build/bdist.linux-x86_64/egg/calvin/tests/security_test/dht_store/std
creating build/bdist.linux-x86_64/egg/calvin/tests/security_test/dht_store/testshadow
copying build/lib.linux-x86_64-2.7/calvin/tests/security_test/dht_store/testshadow/SumCap.py -> build/bdist.linux-x86_64/egg/calvin/tests/security_test/dht_store/testshadow
copying build/lib.linux-x86_64-2.7/calvin/tests/security_test/dht_store/testshadow/Sum.py -> build/bdist.linux-x86_64/egg/calvin/tests/security_test/dht_store/testshadow
copying build/lib.linux-x86_64-2.7/calvin/tests/security_test/dht_store/testshadow/__init__.py -> build/bdist.linux-x86_64/egg/calvin/tests/security_test/dht_store/testshadow
creating build/bdist.linux-x86_64/egg/calvin/tests/security_test/scripts
copying build/lib.linux-x86_64-2.7/calvin/tests/security_test/scripts/unsignedApp_unsignedActors.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/security_test/scripts
copying build/lib.linux-x86_64-2.7/calvin/tests/security_test/scripts/unsignedApp_signedActors.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/security_test/scripts
copying build/lib.linux-x86_64-2.7/calvin/tests/security_test/scripts/incorrectly_signed.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/security_test/scripts
copying build/lib.linux-x86_64-2.7/calvin/tests/security_test/scripts/correctly_signed.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/security_test/scripts
copying build/lib.linux-x86_64-2.7/calvin/tests/security_test/scripts/correctlySignedApp_incorrectlySignedActor.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/security_test/scripts
copying build/lib.linux-x86_64-2.7/calvin/tests/test_endpoint.py -> build/bdist.linux-x86_64/egg/calvin/tests
copying build/lib.linux-x86_64-2.7/calvin/tests/test_all_security_together.py -> build/bdist.linux-x86_64/egg/calvin/tests
copying build/lib.linux-x86_64-2.7/calvin/tests/test_automatic_authentication_registration.py -> build/bdist.linux-x86_64/egg/calvin/tests
copying build/lib.linux-x86_64-2.7/calvin/tests/data.txt -> build/bdist.linux-x86_64/egg/calvin/tests
```

```
copying build/lib.linux-x86_64-2.7/calvin/tests/test_actordocs.py -> build/bdist.linux-x86_64/egg/calvin/tests
copying build/lib.linux-x86_64-2.7/calvin/tests/test_requirements.py -> build/bdist.linux-x86_64/egg/calvin/tests
copying build/lib.linux-x86_64-2.7/calvin/tests/test_actorport.py -> build/bdist.linux-x86_64/egg/calvin/tests
copying build/lib.linux-x86_64-2.7/calvin/tests/test_codegen.py -> build/bdist.linux-x86_64/egg/calvin/tests
copying build/lib.linux-x86_64-2.7/calvin/tests/__init__.py -> build/bdist.linux-x86_64/egg/calvin/tests
copying build/lib.linux-x86_64-2.7/calvin/tests/test_actor.py -> build/bdist.linux-x86_64/egg/calvin/tests
creating build/bdist.linux-x86_64/egg/calvin/tests/test_store
creating build/bdist.linux-x86_64/egg/calvin/tests/test_store/std
copying build/lib.linux-x86_64-2.7/calvin/tests/test_store/std/Counter.py -> build/bdist.linux-x86_64/egg/calvin/tests/test_store/std
copying build/lib.linux-x86_64-2.7/calvin/tests/test_store/std/CountTimer.py -> build/bdist.linux-x86_64/egg/calvin/tests/test_store/std
copying build/lib.linux-x86_64-2.7/calvin/tests/test_store/std/__init__.py -> build/bdist.linux-x86_64/egg/calvin/tests/test_store/std
copying build/lib.linux-x86_64-2.7/calvin/tests/test_store/std/Identity.py -> build/bdist.linux-x86_64/egg/calvin/tests/test_store/std
creating build/bdist.linux-x86_64/egg/calvin/tests/test_store/testshadow
copying build/lib.linux-x86_64-2.7/calvin/tests/test_store/testshadow/SumCap.py -> build/bdist.linux-x86_64/egg/calvin/tests/test_store/testshadow
copying build/lib.linux-x86_64-2.7/calvin/tests/test_store/testshadow/Sum.py -> build/bdist.linux-x86_64/egg/calvin/tests/test_store/testshadow
copying build/lib.linux-x86_64-2.7/calvin/tests/test_store/testshadow/__init__.py -> build/bdist.linux-x86_64/egg/calvin/tests/test_store/testshadow
copying build/lib.linux-x86_64-2.7/calvin/tests/test_calvinscript.py -> build/bdist.linux-x86_64/egg/calvin/tests
copying build/lib.linux-x86_64-2.7/calvin/tests/test_automatic_ca_discovery.py -> build/bdist.linux-x86_64/egg/calvin/tests
creating build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/testDeployScriptSimple.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/access_control_demo_part1.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/access_control_demo_part3.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/access_control_demo_part5.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/test_deploy1.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/testCheckSimpleScript2.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/ports_dispatch_dict.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/pipeline.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/testCheckHierarchicalScript1.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
```

```
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/ports_dispatch.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/ports_alternate.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/testCheckSimpleScript3.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/testDeviceRuleAutoReplication.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/testAutoDeviceReplication.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/test_shadow4.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/testPerfRuleAutoReplication.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/testCheckOnlyDeployScript.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/random2.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/random1.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/simple.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/ports_collect_dict.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/access_control_demo_part2.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/test_deploy2.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/access_control_demo_part4.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/testCheckSimpleScript1.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/policy_demo.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/basic.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/ports_dealternate.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/test_deploy3.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/codegen/ports_collect_complete_dict.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/codegen
copying build/lib.linux-x86_64-2.7/calvin/tests/test_calvinresponse.py -> build/bdist.linux-x86_64/egg/calvin/tests
copying build/lib.linux-x86_64-2.7/calvin/tests/helpers_twisted.py -> build/bdist.linux-x86_64/egg/calvin/tests
creating build/bdist.linux-x86_64/egg/calvin/tests/scripts
copying build/lib.linux-x86_64-2.7/calvin/tests/scripts/test2.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/scripts
copying build/lib.linux-x86_64-2.7/calvin/tests/scripts/test_shadow5.calvin -> build/bdist.linux-x86_64/egg/calvin/tests/scripts
```



```
creating build/bdist.linux-x86_64/egg/calvin/tests/scripts/bad_code
copying build/lib.linux-x86_64-2.7/calvin/tests/scripts/bad_code/test16.calvin -> build/bdist.linux-
x86_64/egg/calvin/tests/scripts/bad_code
copying build/lib.linux-x86_64-2.7/calvin/tests/scripts/bad_code/test14.calvin -> build/bdist.linux-
x86_64/egg/calvin/tests/scripts/bad_code
copying build/lib.linux-x86_64-2.7/calvin/tests/scripts/bad_code/test10.calvin -> build/bdist.linux-
x86_64/egg/calvin/tests/scripts/bad_code
copying build/lib.linux-x86_64-2.7/calvin/tests/scripts/bad_code/test15.calvin -> build/bdist.linux-
x86_64/egg/calvin/tests/scripts/bad_code
copying build/lib.linux-x86_64-2.7/calvin/tests/test_calvin.py -> build/bdist.linux-
x86_64/egg/calvin/tests
copying build/lib.linux-x86_64-2.7/calvin/tests/test_index.py -> build/bdist.linux-
x86_64/egg/calvin/tests
copying build/lib.linux-x86_64-2.7/calvin/tests/test_deployscript.py -> build/bdist.linux-
x86_64/egg/calvin/tests
creating build/bdist.linux-x86_64/egg/calvin/examples
creating build/bdist.linux-x86_64/egg/calvin/examples/temperature
copying build/lib.linux-x86_64-2.7/calvin/examples/temperature/temperature.calvin ->
build/bdist.linux-x86_64/egg/calvin/examples/temperature
creating build/bdist.linux-x86_64/egg/calvin/examples/twitter
copying build/lib.linux-x86_64-2.7/calvin/examples/twitter/tweet.calvin -> build/bdist.linux-
x86_64/egg/calvin/examples/twitter
creating build/bdist.linux-x86_64/egg/calvin/examples/hue
copying build/lib.linux-x86_64-2.7/calvin/examples/hue/FlashingStopLight.calvin ->
build/bdist.linux-x86_64/egg/calvin/examples/hue
creating build/bdist.linux-x86_64/egg/calvin/examples/android_access_control
creating build/bdist.linux-x86_64/egg/calvin/examples/android_access_control/actors
copying build/lib.linux-x86_64-2.7/calvin/examples/android_access_control/actors/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/examples/android_access_control/actors
creating build/bdist.linux-x86_64/egg/calvin/examples/android_access_control/actors/door
copying build/lib.linux-x86_64-2.7/calvin/examples/android_access_control/actors/door/Door.py ->
build/bdist.linux-x86_64/egg/calvin/examples/android_access_control/actors/door
copying build/lib.linux-x86_64-
2.7/calvin/examples/android_access_control/actors/door/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/examples/android_access_control/actors/door
creating build/bdist.linux-x86_64/egg/calvin/examples/android_access_control/scripts
copying build/lib.linux-x86_64-
2.7/calvin/examples/android_access_control/scripts/button_sample.calvin -> build/bdist.linux-
x86_64/egg/calvin/examples/android_access_control/scripts
copying build/lib.linux-x86_64-
2.7/calvin/examples/android_access_control/scripts/door_sample.calvin -> build/bdist.linux-
x86_64/egg/calvin/examples/android_access_control/scripts
copying build/lib.linux-x86_64-
2.7/calvin/examples/android_access_control/scripts/access_control.calvin -> build/bdist.linux-
x86_64/egg/calvin/examples/android_access_control/scripts
copying build/lib.linux-x86_64-
2.7/calvin/examples/android_access_control/scripts/camera_sample.calvin -> build/bdist.linux-
x86_64/egg/calvin/examples/android_access_control/scripts
creating build/bdist.linux-x86_64/egg/calvin/examples/sensor-kit
copying build/lib.linux-x86_64-2.7/calvin/examples/sensor-kit/humidity.calvin -> build/bdist.linux-
x86_64/egg/calvin/examples/sensor-kit
```

```
copying build/lib.linux-x86_64-2.7/calvin/examples/sensor-kit/dimmer.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sensor-kit
copying build/lib.linux-x86_64-2.7/calvin/examples/sensor-kit/knob.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sensor-kit
copying build/lib.linux-x86_64-2.7/calvin/examples/sensor-kit/lightbreaker.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sensor-kit
copying build/lib.linux-x86_64-2.7/calvin/examples/sensor-kit/button.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sensor-kit
copying build/lib.linux-x86_64-2.7/calvin/examples/sensor-kit/buzzer.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sensor-kit
copying build/lib.linux-x86_64-2.7/calvin/examples/sensor-kit/light.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sensor-kit
copying build/lib.linux-x86_64-2.7/calvin/examples/sensor-kit/distance.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sensor-kit
copying build/lib.linux-x86_64-2.7/calvin/examples/sensor-kit/temperature.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sensor-kit
copying build/lib.linux-x86_64-2.7/calvin/examples/sensor-kit/tiltswitch.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sensor-kit
copying build/lib.linux-x86_64-2.7/calvin/examples/sensor-kit/knock.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sensor-kit
copying build/lib.linux-x86_64-2.7/calvin/examples/sensor-kit/sensor-kit-doc.py -> build/bdist.linux-x86_64/egg/calvin/examples/sensor-kit
creating build/bdist.linux-x86_64/egg/calvin/examples/terrarium
creating build/bdist.linux-x86_64/egg/calvin/examples/terrarium/devactors
creating build/bdist.linux-x86_64/egg/calvin/examples/terrarium/devactors/std
copying build/lib.linux-x86_64-2.7/calvin/examples/terrarium/devactors/std/SetLimits.py -> build/bdist.linux-x86_64/egg/calvin/examples/terrarium/devactors/std
copying build/lib.linux-x86_64-2.7/calvin/examples/terrarium/devactors/std/Alarm.py -> build/bdist.linux-x86_64/egg/calvin/examples/terrarium/devactors/std
creating build/bdist.linux-x86_64/egg/calvin/examples/terrarium/devactors/io
copying build/lib.linux-x86_64-2.7/calvin/examples/terrarium/devactors/io/Display.py -> build/bdist.linux-x86_64/egg/calvin/examples/terrarium/devactors/io
creating build/bdist.linux-x86_64/egg/calvin/examples/terrarium/devactors/sensor
copying build/lib.linux-x86_64-2.7/calvin/examples/terrarium/devactors/sensor/Environmental.py -> build/bdist.linux-x86_64/egg/calvin/examples/terrarium/devactors/sensor
copying build/lib.linux-x86_64-2.7/calvin/examples/terrarium/devactors/sensor/Humidity.py -> build/bdist.linux-x86_64/egg/calvin/examples/terrarium/devactors/sensor
copying build/lib.linux-x86_64-2.7/calvin/examples/terrarium/devactors/sensor/Temperature.py -> build/bdist.linux-x86_64/egg/calvin/examples/terrarium/devactors/sensor
copying build/lib.linux-x86_64-2.7/calvin/examples/terrarium/monitor-tweet.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/terrarium
copying build/lib.linux-x86_64-2.7/calvin/examples/terrarium/monitor-print.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/terrarium
creating build/bdist.linux-x86_64/egg/calvin/examples/rotary_encoder
copying build/lib.linux-x86_64-2.7/calvin/examples/rotary_encoder/rotary.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/rotary_encoder
creating build/bdist.linux-x86_64/egg/calvin/examples/rfid
copying build/lib.linux-x86_64-2.7/calvin/examples/rfid/newcard.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/rfid
creating build/bdist.linux-x86_64/egg/calvin/examples/newsticker
copying build/lib.linux-x86_64-2.7/calvin/examples/newsticker/newsticker.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/newsticker
```

```
creating build/bdist.linux-x86_64/egg/calvin/examples/rcswitch
creating build/bdist.linux-x86_64/egg/calvin/examples/rcswitch/devactors
creating build/bdist.linux-x86_64/egg/calvin/examples/rcswitch/devactors/rcswitch
copying build/lib.linux-x86_64-2.7/calvin/examples/rcswitch/devactors/rcswitch/RCSwitch.py ->
build/bdist.linux-x86_64/egg/calvin/examples/rcswitch/devactors/rcswitch
copying build/lib.linux-x86_64-2.7/calvin/examples/rcswitch/devactors/rcswitch/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/examples/rcswitch/devactors/rcswitch
copying build/lib.linux-x86_64-2.7/calvin/examples/rcswitch/rcswitch.calvin -> build/bdist.linux-
x86_64/egg/calvin/examples/rcswitch
creating build/bdist.linux-x86_64/egg/calvin/examples/access_control_demo
creating build/bdist.linux-x86_64/egg/calvin/examples/access_control_demo/devactors
creating build/bdist.linux-x86_64/egg/calvin/examples/access_control_demo/devactors/hue
copying build/lib.linux-x86_64-
2.7/calvin/examples/access_control_demo/devactors/hue/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/examples/access_control_demo/devactors/hue
creating build/bdist.linux-x86_64/egg/calvin/examples/access_control_demo/Scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/access_control_demo/Scripts/part_1.calvin ->
build/bdist.linux-x86_64/egg/calvin/examples/access_control_demo/Scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/access_control_demo/Scripts/part_3.calvin ->
build/bdist.linux-x86_64/egg/calvin/examples/access_control_demo/Scripts
copying build/lib.linux-x86_64-
2.7/calvin/examples/access_control_demo/Scripts/part_2_no_hue.calvin -> build/bdist.linux-
x86_64/egg/calvin/examples/access_control_demo/Scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/access_control_demo/Scripts/part_5.calvin ->
build/bdist.linux-x86_64/egg/calvin/examples/access_control_demo/Scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/access_control_demo/Scripts/part_2.calvin ->
build/bdist.linux-x86_64/egg/calvin/examples/access_control_demo/Scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/access_control_demo/Scripts/part_4.calvin ->
build/bdist.linux-x86_64/egg/calvin/examples/access_control_demo/Scripts
creating build/bdist.linux-x86_64/egg/calvin/examples/rest-stdout
copying build/lib.linux-x86_64-2.7/calvin/examples/rest-stdout/webserver.py -> build/bdist.linux-
x86_64/egg/calvin/examples/rest-stdout
creating build/bdist.linux-x86_64/egg/calvin/examples/word_count
copying build/lib.linux-x86_64-2.7/calvin/examples/word_count/word_count.calvin ->
build/bdist.linux-x86_64/egg/calvin/examples/word_count
creating build/bdist.linux-x86_64/egg/calvin/examples/ports
copying build/lib.linux-x86_64-2.7/calvin/examples/ports/collect_complete_dict.calvin ->
build/bdist.linux-x86_64/egg/calvin/examples/ports
copying build/lib.linux-x86_64-2.7/calvin/examples/ports/collect_dict.calvin -> build/bdist.linux-
x86_64/egg/calvin/examples/ports
copying build/lib.linux-x86_64-2.7/calvin/examples/ports/alternate.calvin -> build/bdist.linux-
x86_64/egg/calvin/examples/ports
copying build/lib.linux-x86_64-2.7/calvin/examples/ports/dispatch.calvin -> build/bdist.linux-
x86_64/egg/calvin/examples/ports
copying build/lib.linux-x86_64-2.7/calvin/examples/ports/dealternate.calvin -> build/bdist.linux-
x86_64/egg/calvin/examples/ports
copying build/lib.linux-x86_64-2.7/calvin/examples/ports/dispatch_dict.calvin -> build/bdist.linux-
x86_64/egg/calvin/examples/ports
creating build/bdist.linux-x86_64/egg/calvin/examples/mqtt
copying build/lib.linux-x86_64-2.7/calvin/examples/mqtt/mqtt_pub_test.calvin -> build/bdist.linux-
x86_64/egg/calvin/examples/mqtt
```

```
copying build/lib.linux-x86_64-2.7/calvin/examples/mqtt/mqtt_sub_test.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/mqtt
creating build/bdist.linux-x86_64/egg/calvin/examples/pushbullet
copying build/lib.linux-x86_64-2.7/calvin/examples/pushbullet/pushbullet.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/pushbullet
creating build/bdist.linux-x86_64/egg/calvin/examples/calvinlib
copying build/lib.linux-x86_64-2.7/calvin/examples/calvinlib/test.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/calvinlib
copying build/lib.linux-x86_64-2.7/calvin/examples/calvinlib/trigger.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/calvinlib
creating build/bdist.linux-x86_64/egg/calvin/examples/ui_in_gui
copying build/lib.linux-x86_64-2.7/calvin/examples/ui_in_gui/ui_in_gui.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/ui_in_gui
creating build/bdist.linux-x86_64/egg/calvin/examples/distance
copying build/lib.linux-x86_64-2.7/calvin/examples/distance/distance.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/distance
creating build/bdist.linux-x86_64/egg/calvin/examples/people_in_space
copying build/lib.linux-x86_64-2.7/calvin/examples/people_in_space/inspace.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/people_in_space
creating build/bdist.linux-x86_64/egg/calvin/examples/display_sensors
creating build/bdist.linux-x86_64/egg/calvin/examples/display_sensors/devactors
creating build/bdist.linux-x86_64/egg/calvin/examples/display_sensors/devactors/sensor
copying build/lib.linux-x86_64-2.7/calvin/examples/display_sensors/devactors/sensor/Environmental.py -> build/bdist.linux-x86_64/egg/calvin/examples/display_sensors/devactors/sensor
copying build/lib.linux-x86_64-2.7/calvin/examples/display_sensors/display_sensors.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/display_sensors
creating build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/http_client.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/test2.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/tcp_client.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/test4.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/test5.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/args2.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/udp_listener.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/delayedcounter.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/test3.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/test6.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/args1.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/udp_sender.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
```

```
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/stdin.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/actions2.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/mathtest.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/args3.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/put_json.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/tiny.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/time.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/test8.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/randtest.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/test9.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/test8a.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/tcp_server.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/test1.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/args4.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/udptest.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/media.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/serialport_echo.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/actions.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/grab_image.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
copying build/lib.linux-x86_64-2.7/calvin/examples/sample-scripts/philips-hue.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/sample-scripts
creating build/bdist.linux-x86_64/egg/calvin/examples/webserver
copying build/lib.linux-x86_64-2.7/calvin/examples/webserver/webserver.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/webserver
creating build/bdist.linux-x86_64/egg/calvin/examples/security_policy_camera
copying build/lib.linux-x86_64-2.7/calvin/examples/security_policy_camera/policy_demo.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/security_policy_camera
creating build/bdist.linux-x86_64/egg/calvin/examples/servo
creating build/bdist.linux-x86_64/egg/calvin/examples/servo/devactors
creating build/bdist.linux-x86_64/egg/calvin/examples/servo/devactors/servo
copying build/lib.linux-x86_64-2.7/calvin/examples/servo/devactors/servo/Servo.py -> build/bdist.linux-x86_64/egg/calvin/examples/servo/devactors/servo
```

```
copying build/lib.linux-x86_64-2.7/calvin/examples/servo/servo.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/servo
creating build/bdist.linux-x86_64/egg/calvin/examples/weather
copying build/lib.linux-x86_64-2.7/calvin/examples/weather/weather.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/weather
creating build/bdist.linux-x86_64/egg/calvin/examples/opcua
copying build/lib.linux-x86_64-2.7/calvin/examples/opcua/opcua-subscribe.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/opcua
creating build/bdist.linux-x86_64/egg/calvin/examples/chart
copying build/lib.linux-x86_64-2.7/calvin/examples/chart/nice_looking.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/chart
creating build/bdist.linux-x86_64/egg/calvin/examples/chart/websocket
copying build/lib.linux-x86_64-2.7/calvin/examples/chart/websocket/webchart.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/chart/websocket
copying build/lib.linux-x86_64-2.7/calvin/examples/chart/meter.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/chart
copying build/lib.linux-x86_64-2.7/calvin/examples/chart/static_vbar.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/chart
copying build/lib.linux-x86_64-2.7/calvin/examples/chart/dynamic_line.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/chart
copying build/lib.linux-x86_64-2.7/calvin/examples/chart/dynamic_hbar.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/chart
copying build/lib.linux-x86_64-2.7/calvin/examples/chart/dynamic_vbar.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/chart
copying build/lib.linux-x86_64-2.7/calvin/examples/chart/static_hbar.calvin -> build/bdist.linux-x86_64/egg/calvin/examples/chart
creating build/bdist.linux-x86_64/egg/calvin/requests
copying build/lib.linux-x86_64-2.7/calvin/requests/request_handler.py -> build/bdist.linux-x86_64/egg/calvin/requests
copying build/lib.linux-x86_64-2.7/calvin/requests/calvinresponse.py -> build/bdist.linux-x86_64/egg/calvin/requests
copying build/lib.linux-x86_64-2.7/calvin/requests/__init__.py -> build/bdist.linux-x86_64/egg/calvin/requests
creating build/bdist.linux-x86_64/egg/calvin/calvinsys
creating build/bdist.linux-x86_64/egg/calvin/calvinsys/native
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/native/python-mustache.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/native
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/native/python-time.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/native
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/native/python-copy.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/native
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/native/python-os-path.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/native
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/native/python-json.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/native
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/native/__init__.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/native
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/native/python-base64.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/native
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/native/python-re.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/native
creating build/bdist.linux-x86_64/egg/calvin/calvinsys/network
```

```
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/network/socketclienthandler.py ->
build/bdist.linux-x86_64/egg/calvin/calvinsys/network
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/network/mqtthandler.py -> build/bdist.linux-
x86_64/egg/calvin/calvinsys/network
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/network/httpclienthandler.py ->
build/bdist.linux-x86_64/egg/calvin/calvinsys/network
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/network/serverhandler.py -> build/bdist.linux-
x86_64/egg/calvin/calvinsys/network
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/network/ssehandler.py -> build/bdist.linux-
x86_64/egg/calvin/calvinsys/network
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/network/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/calvinsys/network
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/network/websockethandler.py ->
build/bdist.linux-x86_64/egg/calvin/calvinsys/network
creating build/bdist.linux-x86_64/egg/calvin/calvinsys/charts
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/charts/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/calvinsys/charts
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/charts/chart_handler.py -> build/bdist.linux-
x86_64/egg/calvin/calvinsys/charts
creating build/bdist.linux-x86_64/egg/calvin/calvinsys/attribute
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/attribute/public.py -> build/bdist.linux-
x86_64/egg/calvin/calvinsys/attribute
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/attribute/private.py -> build/bdist.linux-
x86_64/egg/calvin/calvinsys/attribute
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/attribute/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/calvinsys/attribute
creating build/bdist.linux-x86_64/egg/calvin/calvinsys/web
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/web/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/calvinsys/web
creating build/bdist.linux-x86_64/egg/calvin/calvinsys/io
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/io/led.py -> build/bdist.linux-
x86_64/egg/calvin/calvinsys/io
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/io/stdout.py -> build/bdist.linux-
x86_64/egg/calvin/calvinsys/io
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/io/switch.py -> build/bdist.linux-
x86_64/egg/calvin/calvinsys/io
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/io/button.py -> build/bdist.linux-
x86_64/egg/calvin/calvinsys/io
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/io/serialporthandler.py -> build/bdist.linux-
x86_64/egg/calvin/calvinsys/io
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/io/filehandler.py -> build/bdist.linux-
x86_64/egg/calvin/calvinsys/io
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/io/servo.py -> build/bdist.linux-
x86_64/egg/calvin/calvinsys/io
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/io/gpiohandler.py -> build/bdist.linux-
x86_64/egg/calvin/calvinsys/io
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/io/display.py -> build/bdist.linux-
x86_64/egg/calvin/calvinsys/io
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/io/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/calvinsys/io
creating build/bdist.linux-x86_64/egg/calvin/calvinsys/math
```

```
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/math/arithmetic.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/math
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/math/compare.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/math
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/math/eval.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/math
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/math/rng.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/math
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/math/__init__.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/math
creating build/bdist.linux-x86_64/egg/calvin/calvinsys/media
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/media/camerahandler.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/media
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/media/image.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/media
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/media/__init__.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/media
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/media/mediaplayer.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/media
creating build/bdist.linux-x86_64/egg/calvin/calvinsys/sensors
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/sensors/enclosure.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/sensors
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/sensors/kubectl.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/sensors
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/sensors/rotary_encoder.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/sensors
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/sensors/distance.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/sensors
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/sensors/rfid.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/sensors
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/sensors/__init__.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/sensors
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/sensors/environmental.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/sensors
creating build/bdist.linux-x86_64/egg/calvin/calvinsys/storage
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/storage/__init__.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/storage
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/__init__.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys
creating build/bdist.linux-x86_64/egg/calvin/calvinsys/opcua
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/opcua/client.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/opcua
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/opcua/__init__.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/opcua
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/opcua/server.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/opcua
creating build/bdist.linux-x86_64/egg/calvin/calvinsys/events
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/events/timer.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/events
copying build/lib.linux-x86_64-2.7/calvin/calvinsys/events/__init__.py -> build/bdist.linux-x86_64/egg/calvin/calvinsys/events
creating build/bdist.linux-x86_64/egg/calvin/actor
```

```
copying build/lib.linux-x86_64-2.7/calvin/actor/actorport.py -> build/bdist.linux-x86_64/egg/calvin/actor
copying build/lib.linux-x86_64-2.7/calvin/actor/actor.py -> build/bdist.linux-x86_64/egg/calvin/actor
copying build/lib.linux-x86_64-2.7/calvin/actor/__init__.py -> build/bdist.linux-x86_64/egg/calvin/actor
copying build/lib.linux-x86_64-2.7/calvin/actor/actorstate.py -> build/bdist.linux-x86_64/egg/calvin/actor
creating build/bdist.linux-x86_64/egg/calvin/runtime
creating build/bdist.linux-x86_64/egg/calvin/runtime/south
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/monitor.py -> build/bdist.linux-x86_64/egg/calvin/runtime/south
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/calvinsys_doc.py -> build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/web
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/web/twitter
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/web/twitter/tweepy
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/web/twitter/tweepy/Twitter.py -> build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/web/twitter/tweepy
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/web/twitter/tweepy/__init__.py -> build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/web/twitter/tweepy
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/web/twitter/__init__.py -> build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/web/twitter
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/web/twitter/BaseTwitter.py -> build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/web/twitter
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/web/pushbullet
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/web/pushbullet/Pushbullet.py -> build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/web/pushbullet
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/web/pushbullet/__init__.py -> build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/web/pushbullet
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/web/__init__.py -> build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/web
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/ds18b20thermometer
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/io/ds18b20thermometer/BaseDS18B20.py -> build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/ds18b20thermometer
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/ds18b20thermometer/raspberry_pi
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/io/ds18b20thermometer/raspberry_pi/__init__.py -> build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/ds18b20thermometer/raspberry_pi
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/io/ds18b20thermometer/raspberry_pi/DS18B20.py -> build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/ds18b20thermometer/raspberry_pi
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/io/ds18b20thermometer/raspberry_pi/__init__.py -> build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/ds18b20thermometer/raspberry_pi
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/dht11temphumidity
```

```
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/calvinsys/io/dht11temphumidity/BaseDHT11.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/calvinsys/io/dht11temphumidity
creating build/bdist.linux-
x86_64/egg/calvin/runtime/south/calvinsys/io/dht11temphumidity/raspberry_pi
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/calvinsys/io/dht11temphumidity/raspberry_pi/DHT11.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/dht11temphumidity/raspberry_pi
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/calvinsys/io/dht11temphumidity/raspberry_pi/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/dht11temphumidity/raspberry_pi
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/calvinsys/io/dht11temphumidity/raspberry_pi/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/calvinsys/io/dht11temphumidity
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/sr04distance
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/io/sr04distance/BaseSR04.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/sr04distance
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/sr04distance/raspberry_pi
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/calvinsys/io/sr04distance/raspberry_pi/GPIOSR04.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/calvinsys/io/sr04distance/raspberry_pi
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/calvinsys/io/sr04distance/raspberry_pi/PIGPIOSR04.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/sr04distance/raspberry_pi
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/calvinsys/io/sr04distance/raspberry_pi/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/calvinsys/io/sr04distance/raspberry_pi
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/io/sr04distance/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/sr04distance
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/gpiopin
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/gpiopin/raspberry_pi
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/calvinsys/io/gpiopin/raspberry_pi/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/calvinsys/io/gpiopin/raspberry_pi
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/calvinsys/io/gpiopin/raspberry_pi/PIGPIOPin.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/calvinsys/io/gpiopin/raspberry_pi
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/calvinsys/io/gpiopin/raspberry_pi/RPiGPIOPin.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/calvinsys/io/gpiopin/raspberry_pi
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/io/gpiopin/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/gpiopin
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/io/gpiopin/BaseGPIOPin.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/gpiopin
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/pwm
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/io/pwm/BasePWM.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/pwm
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/pwm/raspberry_pi
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/calvinsys/io/pwm/raspberry_pi/GPIOPWM.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/calvinsys/io/pwm/raspberry_pi
```

```
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/calvinsys/io/pwm/raspberry_pi/PIGPIOPWM.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/calvinsys/io/pwm/raspberry_pi
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/calvinsys/io/pwm/raspberry_pi/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/calvinsys/io/pwm/raspberry_pi
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/io/pwm/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/pwm
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/io/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/ky040knob
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/io/ky040knob/BaseKY040.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/ky040knob
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/ky040knob/raspberry_pi
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/calvinsys/io/ky040knob/raspberry_pi/PIGPIOKY040.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/ky040knob/raspberry_pi
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/calvinsys/io/ky040knob/raspberry_pi/GPIOKY040.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/calvinsys/io/ky040knob/raspberry_pi
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/calvinsys/io/ky040knob/raspberry_pi/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/calvinsys/io/ky040knob/raspberry_pi
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/io/ky040knob/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/ky040knob
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/ui
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/ui/TriggeredSensor.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/ui
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/ui/Sensor.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/ui
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/ui/Actuator.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/ui
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/ui/PollingSensor.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/ui
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/ui/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/ui
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/base_calvinsys_object.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/mock
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/mock/MockInput.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/mock
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/mock/MockOutput.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/mock
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/mock/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/mock
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/calvinsys
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/sys
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/sys/timer
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/sys/timer/Timer.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/sys/timer
```

```
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/sys/timer/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/sys/timer
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinsys/sys/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/sys
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/tests
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinlib/tests/test_base64.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/tests
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinlib/tests/test_json.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/tests
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/jsonlib
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinlib/jsonlib/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/jsonlib
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinlib/jsonlib/Json.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/jsonlib
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinlib/base_calvinlib_object.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinlib/calvinlib_doc.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/datalib
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinlib/datalib/Copy.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/datalib
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinlib/datalib/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/datalib
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/base64lib
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinlib/base64lib/Base64.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/base64lib
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinlib/base64lib/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/base64lib
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/mathlib
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinlib/mathlib/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/mathlib
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinlib/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/calvinlib
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/textformatlib
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinlib/textformatlib/Mustache.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/textformatlib
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinlib/textformatlib/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/textformatlib
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/regexp
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinlib/regexp/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/regexp
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/timelib
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/calvinlib/timelib/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/timelib
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/charts
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/charts/google_charts_impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/charts/google_charts_impl/chart.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/charts/google_charts_impl
```

```
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/charts/google_charts_impl/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/charts/google_charts_impl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/charts/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/charts
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transport
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transport/tests
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/transport/tests/test_transports.py
-> build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transport/tests
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/transport/tests/test_calvin_transport.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/transport/tests
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transport/calvinip
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transport/calvinip/twisted
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/transport/calvinip/twisted/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/transport/calvinip/twisted
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/transport/calvinip/twisted/twisted_transport.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transport/calvinip/twisted
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/transport/calvinip/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transport/calvinip
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/transport/calvinip/calvinip_transport.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/transport/calvinip
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transport/calvinbt
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transport/calvinbt/twisted
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/transport/calvinbt/twisted/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/transport/calvinbt/twisted
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/transport/calvinbt/twisted/twisted_transport.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transport/calvinbt/twisted
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/transport/calvinbt/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transport/calvinbt
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/transport/fake_transport.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transport
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/transport/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transport
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/transport/base_transport.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transport
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transport/calvinfcm
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transport/calvinfcm/twisted
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/transport/calvinfcm/twisted/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/transport/calvinfcm/twisted
```

```
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/transport/calvinfcm/twisted/twisted_transport.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transport/calvinfcm/twisted
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/transport/calvinfcm/calvinfcm_transport.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/transport/calvinfcm
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/transport/calvinfcm/__init__.py
-> build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transport/calvinfcm
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transport/lib
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transport/lib/twisted
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/transport/lib/twisted/__init__.py
-> build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transport/lib/twisted
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/transport/lib/twisted/base_transport.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/transport/lib/twisted
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/transport/lib/twisted_twisted_transport.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/transport/lib/twisted
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/transport/lib/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transport/lib
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/web
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/web/twitter.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/web
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/web/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/web
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/web/pbullet.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/web
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/websocket
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/websocket/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/websocket
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/websocket/twisted_impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/websocket/twisted_impl/ws_server_connection.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/websocket/twisted_impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/websocket/twisted_impl/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/websocket/twisted_impl
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/stdout
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/stdout/defaultimpl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/stdout/defaultimpl/stdout.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/stdout/defaultimpl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/stdout/defaultimpl/__init__.py
-> build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/stdout/defaultimpl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/stdout/base_stdout.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/stdout
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/stdout/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/stdout
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/stdout/ui_impl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/stdout/ui_impl/stdout.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/stdout/ui_impl
```

```
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/stdout/ui_impl/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/stdout/ui_impl
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/stdout/rest_impl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/stdout/rest_impl/stdout.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/stdout/rest_impl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/stdout/rest_impl/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/stdout/rest_impl
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/mqtt
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/mqtt/paho_impl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/mqtt/paho_impl/mqtt.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/mqtt/paho_impl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/mqtt/paho_impl/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/mqtt/paho_impl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/mqtt/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/mqtt
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/mqtt/base_mqtt.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/mqtt
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/button
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/button/tkinter_impl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/button/tkinter_impl/button.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/button/tkinter_impl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/button/tkinter_impl/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/button/tkinter_impl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/button/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/button
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/rotary_encoder
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/sensors/rotary_encoder/base_rotary_encoder.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/rotary_encoder
creating build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/sensors/rotary_encoder/platform
creating build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/sensors/rotary_encoder/platform/ky040_rotary_impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/sensors/rotary_encoder/platform/ky040_rotary_impl/rotary_encoder.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/sensors/rotary_encoder/platform/ky040_rotary_impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/sensors/rotary_encoder/platform/ky040_rotary_impl/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/sensors/rotary_encoder/platform/ky040_rotary_impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/sensors/rotary_encoder/platform/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/rotary_encoder/platform
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/sensors/rotary_encoder/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/sensors/rotary_encoder
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/rfid
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/sensors/rfid/base_rfid.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/rfid
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/rfid/platform
```

```
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/sensors/rfid/platform/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/sensors/rfid/platform
creating build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/sensors/rfid/platform/rc522_impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/sensors/rfid/platform/rc522_impl/rfid.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/sensors/rfid/platform/rc522_impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/sensors/rfid/platform/rc522_impl/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/rfid/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/rfid
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/enclosure
creating build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/sensors/enclosure/onboardadmin_impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/sensors/enclosure/onboardadmin_impl/enclosure.py ->
build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/sensors/enclosure/onboardadmin_impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/sensors/enclosure/onboardadmin_impl/__init__.py ->
build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/sensors/enclosure/onboardadmin_impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/sensors/enclosure/base_enclosure.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/sensors/enclosure
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/sensors/enclosure/__init__.py
-> build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/enclosure
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental
creating build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental/platform
creating build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental/platform/raspberry_pi
creating build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental/platform/raspberry_pi/w1temp_
impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/sensors/environmental/platform/raspberry_pi/w1temp_impl/__i
nit__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental/platform/raspberry_pi/w1temp_
impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/sensors/environmental/platform/raspberry_pi/w1temp_impl/env
ironmental.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental/platform/raspberry_pi/w1temp_
impl
creating build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental/platform/raspberry_pi/sensehat_
impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/sensors/environmental/platform/raspberry_pi/sensehat_impl/__i
```

```
nit__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental/platform/raspberry_pi/sensehat_
impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/sensors/environmental/platform/raspberry_pi/sensehat_impl/env
ironmental.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental/platform/raspberry_pi/sensehat_
impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/sensors/environmental/platform/raspberry_pi/__init__.py ->
build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental/platform/raspberry_pi
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/sensors/environmental/platform/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental/platform
creating build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental/platform/ui_Impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/sensors/environmental/platform/ui_Impl/__init__.py ->
build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental/platform/ui_Impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/sensors/environmental/platform/ui_Impl/environmental.py ->
build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental/platform/ui_Impl
creating build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental/random_Impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/sensors/environmental/random_Impl/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental/random_Impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/sensors/environmental/random_Impl/environmental.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental/random_Impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/sensors/environmental/base_environmental.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/sensors/environmental/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/switch
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/switch/platform
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/sensors/switch/platform/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/sensors/switch/platform
creating build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/sensors/switch/platform/ui_Impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/sensors/switch/platform/ui_Impl/switch.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/sensors/switch/platform/ui_Impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/sensors/switch/platform/ui_Impl/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/switch/platform/ui_Impl
```

```
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/sensors/switch/base_switch.py  
-> build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/switch  
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/sensors/switch/__init__.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/switch  
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/distance  
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/distance/platform  
copying build/lib.linux-x86_64-  
2.7/calvin/runtime/south/plugins/io/sensors/distance/platform/__init__.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime/south/plugins/io/sensors/distance/platform  
creating build/bdist.linux-  
x86_64/egg/calvin/runtime/south/plugins/io/sensors/distance/platform/ui_impl  
copying build/lib.linux-x86_64-  
2.7/calvin/runtime/south/plugins/io/sensors/distance/platform/ui_impl/distance.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/distance/platform/ui_impl  
copying build/lib.linux-x86_64-  
2.7/calvin/runtime/south/plugins/io/sensors/distance/platform/ui_impl/__init__.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/distance/platform/ui_impl  
creating build/bdist.linux-  
x86_64/egg/calvin/runtime/south/plugins/io/sensors/distance/platform/sr04_ultrasonic_impl  
copying build/lib.linux-x86_64-  
2.7/calvin/runtime/south/plugins/io/sensors/distance/platform/sr04_ultrasonic_impl/distance.py ->  
build/bdist.linux-  
x86_64/egg/calvin/runtime/south/plugins/io/sensors/distance/platform/sr04_ultrasonic_impl  
copying build/lib.linux-x86_64-  
2.7/calvin/runtime/south/plugins/io/sensors/distance/platform/sr04_ultrasonic_impl/__init__.py ->  
build/bdist.linux-  
x86_64/egg/calvin/runtime/south/plugins/io/sensors/distance/platform/sr04_ultrasonic_impl  
copying build/lib.linux-x86_64-  
2.7/calvin/runtime/south/plugins/io/sensors/distance/base_distance.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime/south/plugins/io/sensors/distance  
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/sensors/distance/__init__.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/distance  
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/kubectl  
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/sensors/kubectl/base_kubectl.py  
-> build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/kubectl  
creating build/bdist.linux-  
x86_64/egg/calvin/runtime/south/plugins/io/sensors/kubectl/heapster_impl  
copying build/lib.linux-x86_64-  
2.7/calvin/runtime/south/plugins/io/sensors/kubectl/heapster_impl/kubectl.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime/south/plugins/io/sensors/kubectl/heapster_impl  
copying build/lib.linux-x86_64-  
2.7/calvin/runtime/south/plugins/io/sensors/kubectl/heapster_impl/__init__.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime/south/plugins/io/sensors/kubectl/heapster_impl  
copying build/lib.linux-x86_64-  
2.7/calvin/runtime/south/plugins/io/sensors/kubectl/heapster_impl/kubectl/__init__.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/kubectl  
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/sensors/__init__.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors  
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/servo  
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/servo/pca9685_impl  
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/servo/pca9685_impl/servo.py  
-> build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/servo/pca9685_impl
```

```
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/servo/pca9685_impl/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/servo/pca9685_impl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/servo/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/servo
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/led
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/led/platform
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/led/platform/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/led/platform
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/led/platform/ui_impl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/led/platform/ui_impl/led.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/led/platform/ui_impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/led/platform/ui_impl/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/led/platform/ui_impl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/led/base_led.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/led
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/led/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/led
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/gpio
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/gpio/platform
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/gpio/platform/raspberry_pi
creating build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/gpio/platform/raspberry_pi/rpigpio_impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/gpio/platform/raspberry_pi/rpigpio_impl/__init__.py ->
build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/gpio/platform/raspberry_pi/rpigpio_impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/gpio/platform/raspberry_pi/rpigpio_impl/gpiopin.py ->
build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/gpio/platform/raspberry_pi/rpigpio_impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/gpio/platform/raspberry_pi/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/gpio/platform/raspberry_pi
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/gpio/platform/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/gpio/platform
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/gpio/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/gpio
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/gpio/base_gpiopin.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/gpio
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/display
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/display/platform
creating build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/display/platform/raspberry_pi
creating build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/display/platform/raspberry_pi/adafruitcharlcdNOplate_
impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/display/platform/raspberry_pi/adafruitcharlcdNOplate_impl/dis
```

```
play.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/display/platform/raspberry_pi/adafruitcharlcdNOplate_
impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/display/platform/raspberry_pi/adafruitcharlcdNOplate_impl/__i
nit__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/display/platform/raspberry_pi/adafruitcharlcdNOplate_
impl
creating build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/display/platform/raspberry_pi/sensehat_impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/display/platform/raspberry_pi/sensehat_impl/display.py ->
build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/display/platform/raspberry_pi/sensehat_impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/display/platform/raspberry_pi/sensehat_impl/__init__.py ->
build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/display/platform/raspberry_pi/sensehat_impl
creating build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/display/platform/raspberry_pi/adafruitcharlcd_impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/display/platform/raspberry_pi/adafruitcharlcd_impl/display.py
-> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/display/platform/raspberry_pi/adafruitcharlcd_impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/display/platform/raspberry_pi/adafruitcharlcd_impl/__init__.py
-> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/display/platform/raspberry_pi/adafruitcharlcd_impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/io/display/platform/raspberry_pi/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/io/display/raspberry_pi
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/display/platform/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/display/platform
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/display/stdout_impl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/display/stdout_impl/display.py
-> build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/display/stdout_impl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/display/stdout_impl/__init__.py
-> build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/display/stdout_impl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/display/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/display
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/io/display/base_display.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/display
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/ui
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/ui/uicalvinsys.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/ui
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/ui/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/ui
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/media
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/media/camera
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/media/camera/opencv_impl
```

```
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/media/camera/opencv_impl/camera.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/media/camera/opencv_impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/media/camera/opencv_impl/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/media/camera/opencv_impl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/media/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/media/camera
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/media/image
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/media/image/opencv_impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/media/image/opencv_impl/image.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/media/image/opencv_impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/media/image/opencv_impl/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/media/image/opencv_impl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/media/image/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/media/image
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/media/mediaplayer
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/media/mediaplayer/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/media/mediaplayer
creating build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/media/mediaplayer/pygame_impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/media/mediaplayer/pygame_impl/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/media/mediaplayer/pygame_impl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/media/mediaplayer/pygame_impl/mediaplayer.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/media/mediaplayer/pygame_impl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/media/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/media
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/dht
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/dht/tests
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/storage/twistedimpl/dht/tests/test_append.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/dht/tests
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/storage/twistedimpl/dht/tests/test_dht_server.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/dht/tests
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/storage/twistedimpl/dht/service_discovery_ssdp.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/dht
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/storage/twistedimpl/dht/append_server.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/dht
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/storage/twistedimpl/dht/dht_server.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/dht
```

```
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/storage/twistedimpl/dht/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/dht
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/storage/twistedimpl/dht/service_discovery.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/dht
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/storage/twistedimpl/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht
creating build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests/test_dht_server_nice2.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests/test_secappend.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests/test_dht_server_nice.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests/test_dht_server_nice4.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests/cert_script.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests/test_secdht_server.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests/test_dht_server_evil.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests/test_dht_server_nice3.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/storage/twistedimpl/securedht/service_discovery_ssdp.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/storage/twistedimpl/securedht/dht_server_commons.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/storage/twistedimpl/securedht/append_server.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/storage/twistedimpl/securedht/dht_server.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/storage/twistedimpl/securedht/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht
```

```
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/storage/twistedimpl/securedht/service_discovery.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/storage/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/opcua
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/opcua/client.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/opcua
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/opcua/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/opcua
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/opcua/server.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/opcua
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/async
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/async/tests
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/async/tests/test_frameworks.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/async/tests
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/async/twistedimpl
creating build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/async/twistedimpl/tests
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/async/twistedimpl/tests/test_server_connection.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/async/twistedimpl/tests
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/async/twistedimpl/client_connection.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/async/twistedimpl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/async/twistedimpl/async.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/async/twistedimpl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/async/twistedimpl/server_connection.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/async/twistedimpl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/async/twistedimpl/pipe.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/async/twistedimpl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/async/twistedimpl/serialport.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/async/twistedimpl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/async/twistedimpl/http_client.py
-> build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/async/twistedimpl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/async/twistedimpl/filedescriptor.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/async/twistedimpl
copying build/lib.linux-x86_64-
2.7/calvin/runtime/south/plugins/async/twistedimpl/sse_event_source.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/south/plugins/async/twistedimpl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/async/twistedimpl/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/async/twistedimpl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/async/twistedimpl/defer.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/async/twistedimpl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/async/twistedimpl/thread.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/async/twistedimpl
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/plugins/async/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/async
```

```
copying build/lib.linux-x86_64-2.7/calvin/runtime/south/__init__.py -> build/bdist.linux-x86_64/egg/calvin/runtime/south
creating build/bdist.linux-x86_64/egg/calvin/runtime/north
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/calvin_network.py -> build/bdist.linux-x86_64/egg/calvin/runtime/north
creating build/bdist.linux-x86_64/egg/calvin/runtime/north/tests
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/tests/test_calvin_network.py -> build/bdist.linux-x86_64/egg/calvin/runtime/north/tests
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/tests/test_storage.py -> build/bdist.linux-x86_64/egg/calvin/runtime/north/tests
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/calvin_token.py -> build/bdist.linux-x86_64/egg/calvin/runtime/north
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/calvinsys.py -> build/bdist.linux-x86_64/egg/calvin/runtime/north
creating build/bdist.linux-x86_64/egg/calvin/runtime/north/authorization
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/authorization/policy_information_point.py -> build/bdist.linux-x86_64/egg/calvin/runtime/north/authorization
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/authorization/policy_decision_point.py -> build/bdist.linux-x86_64/egg/calvin/runtime/north/authorization
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/authorization/policy_retrieval_point.py -> build/bdist.linux-x86_64/egg/calvin/runtime/north/authorization
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/authorization/__init__.py -> build/bdist.linux-x86_64/egg/calvin/runtime/north/authorization
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/authorization/authorization.py -> build/bdist.linux-x86_64/egg/calvin/runtime/north/authorization
creating build/bdist.linux-x86_64/egg/calvin/runtime/north/control_apis
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/control_apis/runtime_api.py -> build/bdist.linux-x86_64/egg/calvin/runtime/north/control_apis
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/control_apis/routes.py -> build/bdist.linux-x86_64/egg/calvin/runtime/north/control_apis
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/control_apis/registry_api.py -> build/bdist.linux-x86_64/egg/calvin/runtime/north/control_apis
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/control_apis/documentation_api.py -> build/bdist.linux-x86_64/egg/calvin/runtime/north/control_apis
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/control_apis/application_api.py -> build/bdist.linux-x86_64/egg/calvin/runtime/north/control_apis
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/control_apis/authentication.py -> build/bdist.linux-x86_64/egg/calvin/runtime/north/control_apis
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/control_apis/logging_api.py -> build/bdist.linux-x86_64/egg/calvin/runtime/north/control_apis
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/control_apis/uicalvinsys_api.py -> build/bdist.linux-x86_64/egg/calvin/runtime/north/control_apis
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/control_apis/__init__.py -> build/bdist.linux-x86_64/egg/calvin/runtime/north/control_apis
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/control_apis/metering_api.py -> build/bdist.linux-x86_64/egg/calvin/runtime/north/control_apis
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/control_apis/security_api.py -> build/bdist.linux-x86_64/egg/calvin/runtime/north/control_apis
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/calvin_proto.py -> build/bdist.linux-x86_64/egg/calvin/runtime/north
creating build/bdist.linux-x86_64/egg/calvin/runtime/north/authentication
```

```
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/authentication/authentication.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/north/authentication
copying build/lib.linux-x86_64-
2.7/calvin/runtime/north/authentication/authentication_retrieval_point.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/north/authentication
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/authentication/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/north/authentication
copying build/lib.linux-x86_64-
2.7/calvin/runtime/north/authentication/authentication_decision_point.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/north/authentication
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/scheduler.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/north
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/appmanager.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/north
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/calvinlib.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/north
creating build/bdist.linux-x86_64/egg/calvin/runtime/north/certificate_authority
copying build/lib.linux-x86_64-
2.7/calvin/runtime/north/certificate_authority/certificate_authority.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/north/certificate_authority
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/certificate_authority/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/north/certificate_authority
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/portmanager.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/north
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/calvincontrol.py -> build/bdist.linux-
x86_64/egg/calvin/runtime/north
creating build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins
creating build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port
creating build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/connection
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/port/connection/common.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/connection
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/port/connection/local.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/connection
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/port/connection/tunnel.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/connection
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/port/connection/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/connection
creating build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/endpoint
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/port/endpoint/common.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/endpoint
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/port/endpoint/local.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/endpoint
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/port/endpoint/tunnel.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/endpoint
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/port/endpoint/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/endpoint
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/port/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port
creating build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/port/queue/common.py ->
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue
```

```
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/port/queue/collect_unordered.py  
-> build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/port/queue/collect_any.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue  
copying build/lib.linux-x86_64-  
2.7/calvin/runtime/north/plugins/port/queue/fanout_round_robin_fifo.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime/north/plugins/port/queue  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/port/queue/collect_tagged.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue  
creating build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue/test  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/port/queue/test/test_collect_any.py  
-> build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue/test  
copying build/lib.linux-x86_64-  
2.7/calvin/runtime/north/plugins/port/queue/test/test_fanout_balanced_fifo.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime/north/plugins/port/queue/test  
copying build/lib.linux-x86_64-  
2.7/calvin/runtime/north/plugins/port/queue/test/test_fanout_random_fifo.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime/north/plugins/port/queue/test  
copying build/lib.linux-x86_64-  
2.7/calvin/runtime/north/plugins/port/queue/test/test_collect_synced.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime/north/plugins/port/queue/test  
copying build/lib.linux-x86_64-  
2.7/calvin/runtime/north/plugins/port/queue/test/test_collect_unordered.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime/north/plugins/port/queue/test  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/port/queue/test/test_fanout_fifo.py  
-> build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue/test  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/port/queue/test/__init__.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue/test  
copying build/lib.linux-x86_64-  
2.7/calvin/runtime/north/plugins/port/queue/test/test_fanout_mapped_fifo.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime/north/plugins/port/queue/test  
copying build/lib.linux-x86_64-  
2.7/calvin/runtime/north/plugins/port/queue/test/test_fanout_round_robin_fifo.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue/test  
copying build/lib.linux-x86_64-  
2.7/calvin/runtime/north/plugins/port/queue/test/test_fanout_ordered_fifo.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime/north/plugins/port/queue/test  
copying build/lib.linux-x86_64-  
2.7/calvin/runtime/north/plugins/port/queue/test/test_collect_tagged.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime/north/plugins/port/queue/test  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/port/queue/fanout_fifo.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/port/queue/fanout_base.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue  
copying build/lib.linux-x86_64-  
2.7/calvin/runtime/north/plugins/port/queue/fanout_balanced_fifo.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime/north/plugins/port/queue  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/port/queue/fanout_mapped_fifo.py  
-> build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/port/queue/__init__.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue
```

```
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/port/queue/fanout_random_fifo.py  
-> build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/port/queue/fanout_ordered_fifo.py  
-> build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/port/queue/collect_synced.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/port/queue/collect_base.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue  
creating build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/authorization_checks  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/authorization_checks/__init__.py  
-> build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/authorization_checks  
copying build/lib.linux-x86_64-  
2.7/calvin/runtime/north/plugins/authorization_checks/time_range.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime/north/plugins/authorization_checks  
creating build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/storage  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/storage/storage_dict_local.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/storage  
creating build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/storage/proxy  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/storage/proxy/__init__.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/storage/proxy  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/storage/storage_factory.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/storage  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/storage/__init__.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/storage  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/storage/storage_base.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/storage  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/__init__.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime/north/plugins  
creating build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/requirements  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/requirements/all_nodes.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/requirements  
copying build/lib.linux-x86_64-  
2.7/calvin/runtime/north/plugins/requirements/port_property_match.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime/north/plugins/requirements  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/requirements/replica_nodes.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/requirements  
copying build/lib.linux-x86_64-  
2.7/calvin/runtime/north/plugins/requirements/performance_scaling.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime/north/plugins/requirements  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/requirements/actor_reqs_match.py  
-> build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/requirements  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/requirements/device_scaling.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/requirements  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/requirements/current_node.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/requirements  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/requirements/__init__.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/requirements  
copying build/lib.linux-x86_64-  
2.7/calvin/runtime/north/plugins/requirements/shadow_actor_reqs_match.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime/north/plugins/requirements  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/requirements/runtime_name.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/requirements
```

```
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/requirements/node_attr_match.py  
-> build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/requirements  
creating build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/coders  
creating build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/coders/negotiators  
copying build/lib.linux-x86_64-  
2.7/calvin/runtime/north/plugins/coders/negotiators/negotiator_base.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime/north/plugins/coders/negotiators  
copying build/lib.linux-x86_64-  
2.7/calvin/runtime/north/plugins/coders/negotiators/negotiator_factory.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime/north/plugins/coders/negotiators  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/coders/negotiators/__init__.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/coders/negotiators  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/coders/negotiators/dynamic.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/coders/negotiators  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/coders/negotiators/static.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/coders/negotiators  
creating build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/coders/messages  
copying build/lib.linux-x86_64-  
2.7/calvin/runtime/north/plugins/coders/messages/message_coder_factory.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime/north/plugins/coders/messages  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/coders/messages/json_coder.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/coders/messages  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/coders/messages/__init__.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/coders/messages  
copying build/lib.linux-x86_64-  
2.7/calvin/runtime/north/plugins/coders/messages/msgpack_coder.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime/north/plugins/coders/messages  
copying build/lib.linux-x86_64-  
2.7/calvin/runtime/north/plugins/coders/messages/message_coder.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime/north/plugins/coders/messages  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/plugins/coders/__init__.py ->  
build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/coders  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/storage.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime/north  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/metering.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime/north  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/__init__.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime/north  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/actormanager.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime/north  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/replicationmanager.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime/north  
copying build/lib.linux-x86_64-2.7/calvin/runtime/north/calvin_node.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime/north  
copying build/lib.linux-x86_64-2.7/calvin/runtime/__init__.py -> build/bdist.linux-  
x86_64/egg/calvin/runtime  
creating build/bdist.linux-x86_64/egg/calvin/actorstore  
creating build/bdist.linux-x86_64/egg/calvin/actorstore/devactors  
creating build/bdist.linux-x86_64/egg/calvin/actorstore/devactors/usr  
copying build/lib.linux-x86_64-2.7/calvin/actorstore/devactors/usr/__init__.py -> build/bdist.linux-  
x86_64/egg/calvin/actorstore/devactors/usr
```

```
copying build/lib.linux-x86_64-2.7/calvin/actorstore/devactors/__init__.py -> build/bdist.linux-x86_64/egg/calvin/actorstore/devactors
creating build/bdist.linux-x86_64/egg/calvin/actorstore/tests
copying build/lib.linux-x86_64-2.7/calvin/actorstore/tests/test_store.py -> build/bdist.linux-x86_64/egg/calvin/actorstore/tests
copying build/lib.linux-x86_64-2.7/calvin/actorstore/tests/__init__.py -> build/bdist.linux-x86_64/egg/calvin/actorstore/tests
copying build/lib.linux-x86_64-2.7/calvin/actorstore/tests/test_actors.py -> build/bdist.linux-x86_64/egg/calvin/actorstore/tests
copying build/lib.linux-x86_64-2.7/calvin/actorstore/docobject.py -> build/bdist.linux-x86_64/egg/calvin/actorstore
copying build/lib.linux-x86_64-2.7/calvin/actorstore/store.py -> build/bdist.linux-x86_64/egg/calvin/actorstore
copying build/lib.linux-x86_64-2.7/calvin/actorstore/__init__.py -> build/bdist.linux-x86_64/egg/calvin/actorstore
creating build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors
creating build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/net/MQTTPublisher.py -> build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/net/SimpleUDPLListener.py -> build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/net/HTTPPPut.py -> build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/net/TCPClient.py -> build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/net/HTTPPost.py -> build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/net/BasicAuthHeader.py -> build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/net/HTTPGet.py -> build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/net/MQTTSubscriber.py -> build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/net/HTTPDelete.py -> build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/net/TCPServer.py -> build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/net/WSBroadcast.py -> build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/net/UDPLListener.py -> build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/net/__init__.py -> build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/net/SimpleUDPSender.py -> build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/net/OPCUASubscriber.py -> build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/net/UDPSender.py -> build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net
creating build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/std
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/std/Sequencer.py -> build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/std
```



```
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/json/GetValues.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/json
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/json/ToString.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/json
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/json/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/json
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/json/SetDefaults.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/json
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/json/GetValue.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/json
creating build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/web
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/web/OpenWeatherMap.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/web
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/web/Twitter.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/web
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/web/Pushbullet.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/web
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/web/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/web
creating build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/io
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/io/GPIOReader.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/io
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/io/SerialPort.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/io
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/io/TiltSwitch.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/io
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/io/Print.py -> build/bdist.linux-
x86_64/egg/calvin/actorstore/systemactors/io
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/io/Button.py -> build/bdist.linux-
x86_64/egg/calvin/actorstore/systemactors/io
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/io/Light.py -> build/bdist.linux-
x86_64/egg/calvin/actorstore/systemactors/io
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/io/Knob.py -> build/bdist.linux-
x86_64/egg/calvin/actorstore/systemactors/io
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/io/Switch.py -> build/bdist.linux-
x86_64/egg/calvin/actorstore/systemactors/io
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/io/FileWriter.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/io
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/io/Buzzer.py -> build/bdist.linux-
x86_64/egg/calvin/actorstore/systemactors/io
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/io/.FileReader.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/io
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/io/data.txt -> build/bdist.linux-
x86_64/egg/calvin/actorstore/systemactors/io
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/io/StandardIn.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/io
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/io/PWM.py -> build/bdist.linux-
x86_64/egg/calvin/actorstore/systemactors/io
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/io/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/io
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/io/Log.py -> build/bdist.linux-
x86_64/egg/calvin/actorstore/systemactors/io
```



```
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/flow/Dealternate2.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/flow
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/flow/DispatchDict.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/flow
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/flow/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/flow
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/flow/Void.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/flow
creating build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/media
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/media/MediaPlayer.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/media
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/media/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/media
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/media/Camera.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/media
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/media/FaceDetect.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/media
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/media/IPCamera.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/media
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/media/ImageRenderer.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/media
creating build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/misc
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/misc/ExplicitStateExample.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/misc
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/misc/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/misc
creating build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/text
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/text/LineJoin.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/text
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/text/Split.py -> build/bdist.linux-
x86_64/egg/calvin/actorstore/systemactors/text
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/text/PrefixString.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/text
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/text/RegexMatch.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/text
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/text/Length.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/text
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/text/Mustache.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/text
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/text/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/text
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/text/Format.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/text
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/text/WordCount.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/text
creating build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/sensor/RFIDReader.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/sensor/RotaryEncoder.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor
```

```
copying build/lib.linux-x86_64-
2.7/calvin/actorstore/systemactors/sensor/EnclosureRoomTemperature.py -> build/bdist.linux-
x86_64/egg/calvin/actorstore/systemactors/sensor
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/sensor/LightBreaker.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/sensor/KubectlMemUsage.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/sensor/HallEffect.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/sensor/RelativeHumidity.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/sensor/TriggeredTemperature.py
-> build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/sensor/KubectlCpuUsage.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/sensor/EnclosureFanSpeed.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor
copying build/lib.linux-x86_64-
2.7/calvin/actorstore/systemactors/sensor/EnclosureCPUTemperature.py -> build/bdist.linux-
x86_64/egg/calvin/actorstore/systemactors/sensor
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/sensor/Distance.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/sensor/TriggeredDistance.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/sensor/EnclosurePowerUsage.py
-> build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/sensor/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/sensor/TriggeredSoilMoisture.py
-> build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/sensor/Temperature.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/actorstore/systemactors
creating build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/exception
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/exception/IsEOS.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/exception
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/exception/ExceptionHandler.py
-> build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/exception
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/exception/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/exception
creating build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/chart
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/chart/Meter.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/chart
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/chart/StaticVBar.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/chart
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/chart/StaticHBar.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/chart
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/chart/DynamicHBar.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/chart
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/chart/DynamicLine.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/chart
```

```
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/chart/DynamicVBar.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/chart
copying build/lib.linux-x86_64-2.7/calvin/actorstore/systemactors/chart/__init__.py ->
build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/chart
creating build/bdist.linux-x86_64/egg/calvin/csparser
copying build/lib.linux-x86_64-2.7/calvin/csparser/astprint.py -> build/bdist.linux-
x86_64/egg/calvin/csparser
copying build/lib.linux-x86_64-2.7/calvin/csparser/astnode.py -> build/bdist.linux-
x86_64/egg/calvin/csparser
copying build/lib.linux-x86_64-2.7/calvin/csparser/parser.py -> build/bdist.linux-
x86_64/egg/calvin/csparser
copying build/lib.linux-x86_64-2.7/calvin/csparser/visualize.py -> build/bdist.linux-
x86_64/egg/calvin/csparser
copying build/lib.linux-x86_64-2.7/calvin/csparser/complete.py -> build/bdist.linux-
x86_64/egg/calvin/csparser
copying build/lib.linux-x86_64-2.7/calvin/csparser/dscodegen.py -> build/bdist.linux-
x86_64/egg/calvin/csparser
copying build/lib.linux-x86_64-2.7/calvin/csparser/codegen.py -> build/bdist.linux-
x86_64/egg/calvin/csparser
copying build/lib.linux-x86_64-2.7/calvin/csparser/cscompile.py -> build/bdist.linux-
x86_64/egg/calvin/csparser
copying build/lib.linux-x86_64-2.7/calvin/csparser/calvin_rules.py -> build/bdist.linux-
x86_64/egg/calvin/csparser
creating build/bdist.linux-x86_64/egg/calvin/csparser/testscripts
creating build/bdist.linux-x86_64/egg/calvin/csparser/testscripts/regression-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/regression-
tests/local_component.calvin -> build/bdist.linux-x86_64/egg/calvin/csparser/testscripts/regression-
tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/regression-
tests/use_component_with_args.calvin -> build/bdist.linux-
x86_64/egg/calvin/csparser/testscripts/regression-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/regression-tests/actor_one_arg.calvin
-> build/bdist.linux-x86_64/egg/calvin/csparser/testscripts/regression-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/regression-
tests/constant_on_implicit_port.calvin -> build/bdist.linux-
x86_64/egg/calvin/csparser/testscripts/regression-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/regression-
tests/fanout_from_comp_inport.calvin -> build/bdist.linux-
x86_64/egg/calvin/csparser/testscripts/regression-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/regression-
tests/three_actors.calvin ->
build/bdist.linux-x86_64/egg/calvin/csparser/testscripts/regression-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/regression-tests/implicit_port.calvin
-> build/bdist.linux-x86_64/egg/calvin/csparser/testscripts/regression-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/regression-
tests/fanout_to_comp_outports.calvin -> build/bdist.linux-
x86_64/egg/calvin/csparser/testscripts/regression-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/regression-
tests/define_constants.calvin -> build/bdist.linux-x86_64/egg/calvin/csparser/testscripts/regression-
tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/regression-
tests/use_component_same_portnames.calvin -> build/bdist.linux-
x86_64/egg/calvin/csparser/testscripts/regression-tests
```

```
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/regression-tests/two_actors.calvin ->
build/bdist.linux-x86_64/egg/calvin/csparser/testscripts/regression-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/regression-
tests/use_component.calvin -> build/bdist.linux-x86_64/egg/calvin/csparser/testscripts/regression-
tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/regression-
tests/const_arg_to_comp.calvin -> build/bdist.linux-
x86_64/egg/calvin/csparser/testscripts/regression-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/regression-
tests/use_component_twice.calvin -> build/bdist.linux-
x86_64/egg/calvin/csparser/testscripts/regression-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/regression-
tests/nested_components_with_args.calvin -> build/bdist.linux-
x86_64/egg/calvin/csparser/testscripts/regression-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/regression-
tests/nested_components.calvin -> build/bdist.linux-
x86_64/egg/calvin/csparser/testscripts/regression-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/regression-
tests/actor_two_args.calvin -> build/bdist.linux-x86_64/egg/calvin/csparser/testscripts/regression-
tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/regression-tests/empty_script.calvin
-> build/bdist.linux-x86_64/egg/calvin/csparser/testscripts/regression-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/regression-
tests/define_component.calvin -> build/bdist.linux-
x86_64/egg/calvin/csparser/testscripts/regression-tests
creating build/bdist.linux-x86_64/egg/calvin/csparser/testscripts/issue-reporting-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/issue-reporting-tests/test16.calvin ->
build/bdist.linux-x86_64/egg/calvin/csparser/testscripts/issue-reporting-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/issue-reporting-
tests/argument_duplicated.calvin -> build/bdist.linux-x86_64/egg/calvin/csparser/testscripts/issue-
reporting-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/issue-reporting-
tests/argument_optional_stated.calvin -> build/bdist.linux-
x86_64/egg/calvin/csparser/testscripts/issue-reporting-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/issue-reporting-
tests/constant_circular2.calvin -> build/bdist.linux-x86_64/egg/calvin/csparser/testscripts/issue-
reporting-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/issue-reporting-
tests/actor_unknown.calvin -> build/bdist.linux-x86_64/egg/calvin/csparser/testscripts/issue-
reporting-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/issue-reporting-
tests/argument_wrong_name.calvin -> build/bdist.linux-
x86_64/egg/calvin/csparser/testscripts/issue-reporting-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/issue-reporting-tests/garbage.calvin
-> build/bdist.linux-x86_64/egg/calvin/csparser/testscripts/issue-reporting-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/issue-reporting-
tests/argument_optional.calvin -> build/bdist.linux-x86_64/egg/calvin/csparser/testscripts/issue-
reporting-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/issue-reporting-
tests/undefined_symbol.calvin -> build/bdist.linux-x86_64/egg/calvin/csparser/testscripts/issue-
reporting-tests
```

```
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/issue-reporting-tests/test14.calvin ->
build/bdist.linux-x86_64/egg/calvin/csparser/testscripts/issue-reporting-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/issue-reporting-tests/test10.calvin ->
build/bdist.linux-x86_64/egg/calvin/csparser/testscripts/issue-reporting-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/issue-reporting-
tests/argument_missing.calvin -> build/bdist.linux-x86_64/egg/calvin/csparser/testscripts/issue-
reporting-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/issue-reporting-
tests/constant_undefined3.calvin -> build/bdist.linux-x86_64/egg/calvin/csparser/testscripts/issue-
reporting-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/issue-reporting-tests/test15.calvin ->
build/bdist.linux-x86_64/egg/calvin/csparser/testscripts/issue-reporting-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/issue-reporting-tests/constant_undefined2.calvin -> build/bdist.linux-x86_64/egg/calvin/csparser/testscripts/issue-
reporting-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/issue-reporting-
tests/constant_circular1.calvin -> build/bdist.linux-x86_64/egg/calvin/csparser/testscripts/issue-
reporting-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/issue-reporting-
tests/constant_undefined1.calvin -> build/bdist.linux-x86_64/egg/calvin/csparser/testscripts/issue-
reporting-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/testscripts/issue-reporting-
tests/argument_unused.calvin -> build/bdist.linux-x86_64/egg/calvin/csparser/testscripts/issue-
reporting-tests
copying build/lib.linux-x86_64-2.7/calvin/csparser/port_property_syntax.py -> build/bdist.linux-
x86_64/egg/calvin/csparser
copying build/lib.linux-x86_64-2.7/calvin/csparser/visitor.py -> build/bdist.linux-
x86_64/egg/calvin/csparser
copying build/lib.linux-x86_64-2.7/calvin/csparser/__init__.py -> build/bdist.linux-
x86_64/egg/calvin/csparser
copying build/lib.linux-x86_64-2.7/calvin/csparser/parsetab.py -> build/bdist.linux-
x86_64/egg/calvin/csparser
creating build/bdist.linux-x86_64/egg/calvin/utilities
copying build/lib.linux-x86_64-2.7/calvin/utilities/issuetracker.py -> build/bdist.linux-
x86_64/egg/calvin/utilities
creating build/bdist.linux-x86_64/egg/calvin/utilities/tests
copying build/lib.linux-x86_64-2.7/calvin/utilities/tests/test_calconfig.py -> build/bdist.linux-
x86_64/egg/calvin/utilities/tests
copying build/lib.linux-x86_64-2.7/calvin/utilities/security.py -> build/bdist.linux-
x86_64/egg/calvin/utilities
copying build/lib.linux-x86_64-2.7/calvin/utilities/calvinuuid.py -> build/bdist.linux-
x86_64/egg/calvin/utilities
copying build/lib.linux-x86_64-2.7/calvin/utilities/requirement_matching.py -> build/bdist.linux-
x86_64/egg/calvin/utilities
copying build/lib.linux-x86_64-2.7/calvin/utilities/dynops.py -> build/bdist.linux-
x86_64/egg/calvin/utilities
copying build/lib.linux-x86_64-2.7/calvin/utilities/utils.py -> build/bdist.linux-
x86_64/egg/calvin/utilities
```

```
copying build/lib.linux-x86_64-2.7/calvin/utilities/attribute_resolver.py -> build/bdist.linux-x86_64/egg/calvin/utilities
copying build/lib.linux-x86_64-2.7/calvin/utilities/calvinlogger.py -> build/bdist.linux-x86_64/egg/calvin/utilities
copying build/lib.linux-x86_64-2.7/calvin/utilities/proxyconfig.py -> build/bdist.linux-x86_64/egg/calvin/utilities
copying build/lib.linux-x86_64-2.7/calvin/utilities/certificate.py -> build/bdist.linux-x86_64/egg/calvin/utilities
copying build/lib.linux-x86_64-2.7/calvin/utilities/storage_node.py -> build/bdist.linux-x86_64/egg/calvin/utilities
copying build/lib.linux-x86_64-2.7/calvin/utilities/nodecontrol.py -> build/bdist.linux-x86_64/egg/calvin/utilities
copying build/lib.linux-x86_64-2.7/calvin/utilities/runtime_credentials.py -> build/bdist.linux-x86_64/egg/calvin/utilities
copying build/lib.linux-x86_64-2.7/calvin/utilities/replication_defs.py -> build/bdist.linux-x86_64/egg/calvin/utilities
copying build/lib.linux-x86_64-2.7/calvin/utilities/code_signer.py -> build/bdist.linux-x86_64/egg/calvin/utilities
copying build/lib.linux-x86_64-2.7/calvin/utilities/certificate_authority.py -> build/bdist.linux-x86_64/egg/calvin/utilities
copying build/lib.linux-x86_64-2.7/calvin/utilities/__init__.py -> build/bdist.linux-x86_64/egg/calvin/utilities
copying build/lib.linux-x86_64-2.7/calvin/utilities/calvinconfig.py -> build/bdist.linux-x86_64/egg/calvin/utilities
copying build/lib.linux-x86_64-2.7/calvin/utilities/control_api_doc.py -> build/bdist.linux-x86_64/egg/calvin/utilities
copying build/lib.linux-x86_64-2.7/calvin/utilities/calvin_callback.py -> build/bdist.linux-x86_64/egg/calvin/utilities
copying build/lib.linux-x86_64-2.7/calvin/utilities/confsort.py -> build/bdist.linux-x86_64/egg/calvin/utilities
copying build/lib.linux-x86_64-2.7/calvin/__init__.py -> build/bdist.linux-x86_64/egg/calvin
creating build/bdist.linux-x86_64/egg/calvin/Tools
copying build/lib.linux-x86_64-2.7/calvin/Tools/cscompiler.py -> build/bdist.linux-x86_64/egg/calvin/Tools
copying build/lib.linux-x86_64-2.7/calvin/Tools/deployer.py -> build/bdist.linux-x86_64/egg/calvin/Tools
copying build/lib.linux-x86_64-2.7/calvin/Tools/calvindoc.py -> build/bdist.linux-x86_64/egg/calvin/Tools
copying build/lib.linux-x86_64-2.7/calvin/Tools/csruntime.py -> build/bdist.linux-x86_64/egg/calvin/Tools
copying build/lib.linux-x86_64-2.7/calvin/Tools/log_analyze.py -> build/bdist.linux-x86_64/egg/calvin/Tools
copying build/lib.linux-x86_64-2.7/calvin/Tools/csviz_old.py -> build/bdist.linux-x86_64/egg/calvin/Tools
copying build/lib.linux-x86_64-2.7/calvin/Tools/cscontrol.py -> build/bdist.linux-x86_64/egg/calvin/Tools
copying build/lib.linux-x86_64-2.7/calvin/Tools/csactortest.py -> build/bdist.linux-x86_64/egg/calvin/Tools
copying build/lib.linux-x86_64-2.7/calvin/Tools/csviz.py -> build/bdist.linux-x86_64/egg/calvin/Tools
creating build/bdist.linux-x86_64/egg/calvin/Tools/www
```

```
copying build/lib.linux-x86_64-2.7/calvin/Tools/www/index.html -> build/bdist.linux-x86_64/egg/calvin/Tools/www
copying build/lib.linux-x86_64-2.7/calvin/Tools/www/csweb.py -> build/bdist.linux-x86_64/egg/calvin/Tools/www
creating build/bdist.linux-x86_64/egg/calvin/Tools/www/js
copying build/lib.linux-x86_64-2.7/calvin/Tools/www/js/dagre-d3.min.js -> build/bdist.linux-x86_64/egg/calvin/Tools/www/js
copying build/lib.linux-x86_64-2.7/calvin/Tools/www/js/bootstrap.min.js -> build/bdist.linux-x86_64/egg/calvin/Tools/www/js
copying build/lib.linux-x86_64-2.7/calvin/Tools/www/js/d3.v3.min.js -> build/bdist.linux-x86_64/egg/calvin/Tools/www/js
copying build/lib.linux-x86_64-2.7/calvin/Tools/www/js/calvin.js -> build/bdist.linux-x86_64/egg/calvin/Tools/www/js
creating build/bdist.linux-x86_64/egg/calvin/Tools/www/css
creating build/bdist.linux-x86_64/egg/calvin/Tools/www/css/images
copying build/lib.linux-x86_64-2.7/calvin/Tools/www/css/images/ui-bg_flat_75_ffffff_40x100.png -> build/bdist.linux-x86_64/egg/calvin/Tools/www/css/images
copying build/lib.linux-x86_64-2.7/calvin/Tools/www/css/images/ui-bg_highlight-soft_75_cccccc_1x100.png -> build/bdist.linux-x86_64/egg/calvin/Tools/www/css/images
copying build/lib.linux-x86_64-2.7/calvin/Tools/www/css/images/ui-bg_glass_55_fbf9ee_1x400.png -> build/bdist.linux-x86_64/egg/calvin/Tools/www/css/images
copying build/lib.linux-x86_64-2.7/calvin/Tools/www/css/images/ui-icons_2e83ff_256x240.png -> build/bdist.linux-x86_64/egg/calvin/Tools/www/css/images
copying build/lib.linux-x86_64-2.7/calvin/Tools/www/css/images/ui-bg_glass_75_dadada_1x400.png -> build/bdist.linux-x86_64/egg/calvin/Tools/www/css/images
copying build/lib.linux-x86_64-2.7/calvin/Tools/www/css/images/ui-bg_glass_65_ffffff_1x400.png -> build/bdist.linux-x86_64/egg/calvin/Tools/www/css/images
copying build/lib.linux-x86_64-2.7/calvin/Tools/www/css/images/ui-icons_222222_256x240.png -> build/bdist.linux-x86_64/egg/calvin/Tools/www/css/images
copying build/lib.linux-x86_64-2.7/calvin/Tools/www/css/images/ui-icons_888888_256x240.png -> build/bdist.linux-x86_64/egg/calvin/Tools/www/css/images
copying build/lib.linux-x86_64-2.7/calvin/Tools/www/css/images/ui-icons_cd0a0a_256x240.png -> build/bdist.linux-x86_64/egg/calvin/Tools/www/css/images
copying build/lib.linux-x86_64-2.7/calvin/Tools/www/css/images/ui-bg_flat_0_aaaaaa_40x100.png -> build/bdist.linux-x86_64/egg/calvin/Tools/www/css/images
copying build/lib.linux-x86_64-2.7/calvin/Tools/www/css/images/ui-bg_glass_95_fef1ec_1x400.png -> build/bdist.linux-x86_64/egg/calvin/Tools/www/css/images
copying build/lib.linux-x86_64-2.7/calvin/Tools/www/css/images/ui-icons_454545_256x240.png -> build/bdist.linux-x86_64/egg/calvin/Tools/www/css/images
copying build/lib.linux-x86_64-2.7/calvin/Tools/www/css/images/ui-bg_glass_75_e6e6e6_1x400.png -> build/bdist.linux-x86_64/egg/calvin/Tools/www/css/images
copying build/lib.linux-x86_64-2.7/calvin/Tools/www/css/bootstrap.min.css -> build/bdist.linux-x86_64/egg/calvin/Tools/www/css
copying build/lib.linux-x86_64-2.7/calvin/Tools/www/css/calvin.css -> build/bdist.linux-x86_64/egg/calvin/Tools/www/css
copying build/lib.linux-x86_64-2.7/calvin/Tools/www/__init__.py -> build/bdist.linux-x86_64/egg/calvin/Tools/www
creating build/bdist.linux-x86_64/egg/calvin/Tools/www/lib
copying build/lib.linux-x86_64-2.7/calvin/Tools/www/lib/jquery.min.js -> build/bdist.linux-x86_64/egg/calvin/Tools/www/lib
copying build/lib.linux-x86_64-2.7/calvin/Tools/www/lib/spin.js -> build/bdist.linux-x86_64/egg/calvin/Tools/www/lib
```

```
copying build/lib.linux-x86_64-2.7/calvin/Tools/__init__.py -> build/bdist.linux-x86_64/egg/calvin/Tools
copying build/lib.linux-x86_64-2.7/calvin/Tools/csmanage.py -> build/bdist.linux-x86_64/egg/calvin/Tools
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_authorization_authentication_signing.py to test_authorization_authentication_signing.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_securedht.py to test_securedht.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_calvinlogger.py to test_calvinlogger.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_actormanager.py to test_actormanager.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_manage_decorator.py to test_manage_decorator.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/helpers.py to helpers.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_automatic_authorization_registration.py to test_automatic_authorization_registration.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_calvincontrol.py to test_calvincontrol.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_tls.py to test_tls.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_queue.py to test_queue.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_completion.py to test_completion.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_replication.py to test_replication.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_parser.py to test_parser.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_calvin_callback.py to test_calvin_callback.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/security_test/dht_store/std/Counter.py to Counter.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/security_test/dht_store/std/CountTimer.py to CountTimer.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/security_test/dht_store/std/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/security_test/dht_store/std/Identity.py to Identity.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/security_test/dht_store/testshadow/SumCap.py to SumCap.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/security_test/dht_store/testshadow/Sum.py to Sum.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/security_test/dht_store/testshadow/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_endpoint.py to test_endpoint.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_all_security_together.py to test_all_security_together.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_automatic_authentication_registration.py to test_automatic_authentication_registration.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_actordocs.py to test_actordocs.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_requirements.py to test_requirements.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_actorport.py to test_actorport.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_codegen.py to test_codegen.pyc
```

byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_actor.py to test_actor.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_store/std/Counter.py to Counter.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_store/std/CountTimer.py to CountTimer.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_store/std/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_store/std/Identity.py to Identity.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_store/testshadow/SumCap.py to SumCap.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_store/testshadow/Sum.py to Sum.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_store/testshadow/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_calvinscript.py to test_calvinscript.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_automatic_ca_discovery.py to test_automatic_ca_discovery.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_calvinresponse.py to test_calvinresponse.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/helpers_twisted.py to helpers_twisted.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_calvin.py to test_calvin.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_index.py to test_index.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/tests/test_deployscript.py to test_deployscript.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/examples/android_access_control/actors/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/examples/android_access_control/actors/door/Door.py to Door.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/examples/android_access_control/actors/door/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/examples/sensor-kit/sensor-kit-doc.py to sensor-kit-doc.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/examples/terrarium/devactors/std/SetLimits.py to SetLimits.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/examples/terrarium/devactors/std/Alarm.py to Alarm.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/examples/terrarium/devactors/io/Display.py to Display.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/examples/terrarium/devactors/sensor/Environmental.py to Environmental.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/examples/terrarium/devactors/sensor/Humidity.py to Humidity.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/examples/terrarium/devactors/sensor/Temperature.py to Temperature.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/examples/rcswitch/devactors/rcswitch/RCSwitch.py to RCSwitch.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/examples/rcswitch/devactors/rcswitch/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/examples/access_control_demo/devactors/hue/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/examples/rest-stdout/webserver.py to webserver.pyc

byte-compiling build/bdist.linux-x86_64/egg/calvin/examples/display_sensors/devactors/sensor/Environmental.py to Environmental.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/examples/servo/devactors/servo/Servo.py to Servo.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/requests/request_handler.py to request_handler.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/requests/calvinresponse.py to calvinresponse.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/requests/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/native/python-mustache.py to python-mustache.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/native/python-time.py to python-time.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/native/python-copy.py to python-copy.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/native/python-os-path.py to python-os-path.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/native/python-json.py to python-json.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/native/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/native/python-base64.py to python-base64.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/native/python-re.py to python-re.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/network/socketclienthandler.py to socketclienthandler.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/network/mqtthandler.py to mqtthandler.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/network/httpclienthandler.py to httpclienthandler.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/network/serverhandler.py to serverhandler.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/network/ssehandler.py to ssehandler.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/network/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/network/websockethandler.py to websockethandler.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/charts/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/charts/chart_handler.py to chart_handler.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/attribute/public.py to public.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/attribute/private.py to private.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/attribute/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/web/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/io/led.py to led.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/io/stdout.py to stdout.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/io/switch.py to switch.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/io/button.py to button.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/io/serialporthandler.py to serialporthandler.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/io/filehandler.py to filehandler.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/io/servo.py to servo.pyc

byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/io/gpiohandler.py to gpiohandler.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/io/display.py to display.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/io/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/math/arithmetic.py to arithmetic.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/math/compare.py to compare.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/math/eval.py to eval.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/math/rng.py to rng.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/math/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/media/camerahandler.py to
camerahandler.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/media/image.py to image.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/media/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/media/mediaplayer.py to
mediaplayer.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/sensors/enclosure.py to enclosure.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/sensors/kubectl.py to kubectl.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/sensors/rotary_encoder.py to
rotary_encoder.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/sensors/distance.py to distance.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/sensors/rfid.py to rfid.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/sensors/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/sensors/environmental.py to
environmental.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/storage/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/opcua/client.py to client.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/opcua/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/opcua/server.py to server.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/events/timer.py to timer.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/calvinsys/events/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actor/actorport.py to actorport.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actor/actor.py to actor.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actor/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actor/actorstate.py to actorstate.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/monitor.py to monitor.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/calvinsys_doc.py to
calvinsys_doc.pyc
byte-compiling build/bdist.linux-
x86_64/egg/calvin/runtime/south/calvinsys/web/twitter/tweepy/Twitter.py to Twitter.pyc
byte-compiling build/bdist.linux-
x86_64/egg/calvin/runtime/south/calvinsys/web/twitter/tweepy/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-
x86_64/egg/calvin/runtime/south/calvinsys/web/twitter/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-
x86_64/egg/calvin/runtime/south/calvinsys/web/twitter/BaseTwitter.py to BaseTwitter.pyc
byte-compiling build/bdist.linux-
x86_64/egg/calvin/runtime/south/calvinsys/web/pushbullet/Pushbullet.py to Pushbullet.pyc
byte-compiling build/bdist.linux-
x86_64/egg/calvin/runtime/south/calvinsys/web/pushbullet/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/web/__init__.py to
__init__.pyc

byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/ds18b20thermometer/BaseDS18B20.py to BaseDS18B20.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/ds18b20thermometer/raspberry_pi/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/ds18b20thermometer/raspberry_pi/DS18B20.py to DS18B20.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/ds18b20thermometer/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/dht11temphumidity/BaseDHT11.py to BaseDHT11.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/dht11temphumidity/raspberry_pi/DHT11.py to DHT11.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/dht11temphumidity/raspberry_pi/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/dht11temphumidity/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/sr04distance/BaseSR04.py to BaseSR04.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/sr04distance/raspberry_pi/GPIOSR04.py to GPIOSR04.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/sr04distance/raspberry_pi/PIGPIOSR04.py to PIGPIOSR04.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/sr04distance/raspberry_pi/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/sr04distance/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/gpiopin/raspberry_pi/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/gpiopin/raspberry_pi/PIGPIOPin.py to PIGPIOPin.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/gpiopin/raspberry_pi/RPiGPIOPin.py to RPiGPIOPin.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/gpiopin/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/gpiopin/BaseGPIOPin.py to BaseGPIOPin.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/pwm/BasePWM.py to BasePWM.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/pwm/raspberry_pi/GPIOPWM.py to GPIOPWM.pyc

byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/pwm/raspberry_pi/PIGPIOPWM.py to PIGPIOPWM.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/pwm/raspberry_pi/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/pwm/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/ky040knob/BaseKY040.py to BaseKY040.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/ky040knob/raspberry_pi/PIGPIOKY040.py to PIGPIOKY040.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/ky040knob/raspberry_pi/GPIOKY040.py to GPIOKY040.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/ky040knob/raspberry_pi/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/io/ky040knob/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/ui/TriggeredSensor.py to TriggeredSensor.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/ui/Sensor.py to Sensor.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/ui/Actuator.py to Actuator.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/ui/PollingSensor.py to PollingSensor.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/ui/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/base_calvinsys_object.py to base_calvinsys_object.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/mock/MockInput.py to MockInput.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/mock/MockOutput.py to MockOutput.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/mock/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/sys/timer/Timer.py to Timer.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/sys/timer/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinsys/sys/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/tests/test_base64.py to test_base64.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/tests/test_json.py to test_json.pyc

byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/jsonlib/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/jsonlib/Json.py to Json.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/base_calvinlib_object.py to base_calvinlib_object.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/calvinlib_doc.py to calvinlib_doc.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/datalib/Copy.py to Copy.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/datalib/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/base64lib/Base64.py to Base64.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/base64lib/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/mathlib/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/textformatlib/Mustache.py to Mustache.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/textformatlib/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/regexp/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/calvinlib/timelib/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/charts/google_charts_impl/chart.py to chart.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/charts/google_charts_impl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/charts/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transport/tests/test_transports.py to test_transports.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transport/tests/test_calvin_transport.py to test_calvin_transport.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transport/calvinip/twisted/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transport/calvinip/twisted/twisted_transport.py to twisted_transport.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transport/calvinip/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transport/calvinip/calvinip_transport.py to calvinip_transport.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transport/calvinbt/twisted/__init__.py to __init__.pyc

byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transports/calvinbt/twisted/twisted_transport.py to twisted_transport.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transports/calvinbt/twisted/bt.py to bt.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transports/calvinbt/calvinbt_transport.py to calvinbt_transport.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transports/calvinbt/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transports/fake_transport.py to fake_transport.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transports/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transports/base_transport.py to base_transport.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transports/calvinfo/twisted/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transports/calvinfo/twisted/twisted_transport.py to twisted_transport.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transports/calvinfo/calvinfo_transport.py to calvinfo_transport.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transports/calvinfo/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transports/lib/twisted/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transports/lib/twisted/base_transport.py to base_transport.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/transports/lib/twisted/twisted_transport.py to twisted_transport.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/web/twitter.py to twitter.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/web/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/web/pbullet.py to pbullet.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/websocket/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/websocket/twisted_impl/ws_server_connection.py to ws_server_connection.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/websocket/twisted_impl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/stdout/defaultimpl/stdout.py to stdout.pyc

byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/stdout/defaultimpl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/stdout/base_stdout.py to base_stdout.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/stdout/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/stdout/ui_impl/stdout.py to stdout.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/stdout/ui_impl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/stdout/rest_impl/stdout.py to stdout.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/stdout/rest_impl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/mqtt/paho_impl/mqtt.py to mqtt.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/mqtt/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/button/tkinter_impl/button.py to button.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/button/tkinter_impl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/button/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/rotary_encoder/base_rotary_encoder.py to base_rotary_encoder.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/rotary_encoder/platform/ky040_rotary_impl/rotary_encoder.py to rotary_encoder.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/rotary_encoder/platform/ky040_rotary_impl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/rotary_encoder/platform/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/rotary_encoder/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/rfid/base_rfid.py to base_rfid.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/rfid/platform/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/rfid/platform/rc522_impl/rfid.py to rfid.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/rfid/platform/rc522_impl/__init__.py to __init__.pyc

byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/rfid/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/enclosure/onboardadmin_impl/enclosure.py to enclosure.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/enclosure/onboardadmin_impl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/enclosure/base_enclosure.py to base_enclosure.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/enclosure/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental/platform/raspberry_pi/w1temp_impl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental/platform/raspberry_pi/w1temp_impl/environmental.py to environmental.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental/platform/raspberry_pi/sensehat_impl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental/platform/raspberry_pi/sensehat_impl/environmental.py to environmental.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental/platform/raspberry_pi/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental/platform/ui_impl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental/platform/ui_impl/environmental.py to environmental.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental/random_impl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental/random_impl/environmental.py to environmental.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental/base_environmental.py to base_environmental.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/environmental/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/switch/platform/__init__.py to __init__.pyc

byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/switch/platform/ui_impl/switch.py to switch.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/switch/platform/ui_impl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/switch/base_switch.py to base_switch.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/switch/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/distance/platform/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/distance/platform/ui_impl/distance.py to distance.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/distance/platform/ui_impl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/distance/platform/sr04_ultrasonic_impl/distance.py to distance.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/distance/platform/sr04_ultrasonic_impl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/distance/base_distance.py to base_distance.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/distance/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/kubectl/base_kubectl.py to base_kubectl.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/kubectl/heapster_impl/kubectl.py to kubectl.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/kubectl/heapster_impl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/kubectl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/sensors/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/servo/pca9685_impl/servo.py to servo.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/servo/pca9685_impl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/servo/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/led/platform/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/led/platform/ui_impl/led.py to led.pyc

byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/led/platform/ui_impl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/led/base_led.py to base_led.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/led/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/gpio/platform/raspberry_pi/rpigpio_impl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/gpio/platform/raspberry_pi/rpigpio_impl/gpiopin.py to gpiopin.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/gpio/platform/raspberry_pi/rpigpio_impl/__init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/gpio/platform/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/gpio/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/gpio/base_gpiopin.py to base_gpiopin.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/display/platform/raspberry_pi/adafruitcharlcdNOplate_impl/display.py to display.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/display/platform/raspberry_pi/adafruitcharlcdNOplate_impl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/display/platform/raspberry_pi/sensehat_impl/display.py to display.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/display/platform/raspberry_pi/sensehat_impl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/display/platform/raspberry_pi/adafruitcharlcd_impl/display.py to display.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/display/platform/raspberry_pi/adafruitcharlcd_impl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/display/platform/raspberry_pi/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/display/stdout_impl/display.py to display.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/display/stdout_impl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/display/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/io/display/base_display.py to base_display.pyc

byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/ui/uicalvinsys.py to uicalvinsys.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/ui/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/media/camera/opencv_impl/camera.py to camera.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/media/camera/opencv_impl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/media/camera/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/media/image/opencv_impl/image.py to image.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/media/image/opencv_impl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/media/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/media/mediaplayer/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/media/pygame_impl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/media/mediaplayer/pygame_impl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/dht/tests/test_append.py to test_append.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/dht/tests/test_dht_server.py to test_dht_server.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/dht/service_discovery_ssdp.py to service_discovery_ssdp.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/dht/append_server.py to append_server.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/dht/dht_server.py to dht_server.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/dht/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/dht/service_discovery.py to service_discovery.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests/test_dht_server_nice2.py to test_dht_server_nice2.pyc

byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests/test_secappend.py to test_secappend.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests/test_dht_server_nice.py to test_dht_server_nice.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests/test_dht_server_nice4.py to test_dht_server_nice4.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests/cert_script.py to cert_script.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests/test_secdht_server.py to test_secdht_server.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests/test_dht_server_evil.py to test_dht_server_evil.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests/test_dht_server_nice3.py to test_dht_server_nice3.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht/service_discovery_ssdp.py to service_discovery_ssdp.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht/dht_server_commons.py to dht_server_commons.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht/append_server.py to append_server.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht/dht_server.py to dht_server.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/twistedimpl/securedht/service_discovery.py to service_discovery.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/storage/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/opcua/client.py to client.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/opcua/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/opcua/server.py to server.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/async/tests/test_frameworks.py to test_frameworks.pyc

byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/async/twistedimpl/tests/test_server_connection.py to test_server_connection.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/async/twistedimpl/client_connection.py to client_connection.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/async/twistedimpl/async.py to async.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/async/twistedimpl/server_connection.py to server_connection.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/async/twistedimpl/pipe.py to pipe.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/async/twistedimpl/serialport.py to serialport.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/async/twistedimpl/http_client.py to http_client.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/async/twistedimpl/filedescriptor.py to filedescriptor.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/async/twistedimpl/sse_event_source.py to sse_event_source.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/async/twistedimpl/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/async/defer.py to defer.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/async/thread.py to threads.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/plugins/async/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/south/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/calvin_network.py to calvin_network.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/tests/test_calvin_network.py to test_calvin_network.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/tests/test_storage.py to test_storage.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/calvin_token.py to calvin_token.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/calvinsys.py to calvinsys.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/authorization/policy_information_point.py to policy_information_point.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/authorization/policy_decision_point.py to policy_decision_point.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/authorization/policy_retrieval_point.py to policy_retrieval_point.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/authorization/__init__.py to __init__.pyc

byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/authorization/authorization.py to authorization.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/control_apis/runtime_api.py to runtime_api.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/control_apis/routes.py to routes.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/control_apis/registry_api.py to registry_api.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/control_apis/documentation_api.py to documentation_api.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/control_apis/application_api.py to application_api.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/control_apis/authentication.py to authentication.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/control_apis/logging_api.py to logging_api.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/control_apis/uicalvinsys_api.py to uicalvinsys_api.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/control_apis/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/control_apis/metering_api.py to metering_api.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/control_apis/security_api.py to security_api.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/calvin_proto.py to calvin_proto.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/authentication/authentication.py to authentication.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/authentication/authentication_retrieval_point.py to authentication_retrieval_point.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/authentication/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/authentication_authentication_decision_point.py to authentication_decision_point.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/scheduler.py to scheduler.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/appmanager.py to appmanager.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/calvinlib.py to calvinlib.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/certificate_authority/certificate_authority.py to certificate_authority.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/certificate_authority/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/portmanager.py to portmanager.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/calvincontrol.py to calvincontrol.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/connection/common.py to common.pyc

byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/connection/local.py
to local.pyc
byte-compiling build/bdist.linux-
x86_64/egg/calvin/runtime/north/plugins/port/connection/tunnel.py to tunnel.pyc
byte-compiling build/bdist.linux-
x86_64/egg/calvin/runtime/north/plugins/port/connection/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-
x86_64/egg/calvin/runtime/north/plugins/port/endpoint/common.py to common.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/endpoint/local.py to
local.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/endpoint/tunnel.py
to tunnel.pyc
byte-compiling build/bdist.linux-
x86_64/egg/calvin/runtime/north/plugins/port/endpoint/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/__init__.py to
__init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue/common.py
to common.pyc
byte-compiling build/bdist.linux-
x86_64/egg/calvin/runtime/north/plugins/port/queue/collect_unordered.py to collect_unordered.pyc
byte-compiling build/bdist.linux-
x86_64/egg/calvin/runtime/north/plugins/port/queue/collect_any.py to collect_any.pyc
byte-compiling build/bdist.linux-
x86_64/egg/calvin/runtime/north/plugins/port/queue/fanout_round_robin_fifo.py to
fanout_round_robin_fifo.pyc
byte-compiling build/bdist.linux-
x86_64/egg/calvin/runtime/north/plugins/port/queue/collect_tagged.py to collect_tagged.pyc
byte-compiling build/bdist.linux-
x86_64/egg/calvin/runtime/north/plugins/port/queue/test/test_collect_any.py to test_collect_any.pyc
byte-compiling build/bdist.linux-
x86_64/egg/calvin/runtime/north/plugins/port/queue/test/test_fanout_balanced_fifo.py to
test_fanout_balanced_fifo.pyc
byte-compiling build/bdist.linux-
x86_64/egg/calvin/runtime/north/plugins/port/queue/test/test_fanout_random_fifo.py to
test_fanout_random_fifo.pyc
byte-compiling build/bdist.linux-
x86_64/egg/calvin/runtime/north/plugins/port/queue/test/test_collect_synced.py to
test_collect_synced.pyc
byte-compiling build/bdist.linux-
x86_64/egg/calvin/runtime/north/plugins/port/queue/test/test_collect_unordered.py to
test_collect_unordered.pyc
byte-compiling build/bdist.linux-
x86_64/egg/calvin/runtime/north/plugins/port/queue/test/test_fanout_fifo.py to test_fanout_fifo.pyc
byte-compiling build/bdist.linux-
x86_64/egg/calvin/runtime/north/plugins/port/queue/test/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-
x86_64/egg/calvin/runtime/north/plugins/port/queue/test/test_fanout_mapped_fifo.py to
test_fanout_mapped_fifo.pyc
byte-compiling build/bdist.linux-
x86_64/egg/calvin/runtime/north/plugins/port/queue/test/test_fanout_round_robin_fifo.py to
test_fanout_round_robin_fifo.pyc

byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue/test/test_fanout_ordered_fifo.py to test_fanout_ordered_fifo.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue/test/test_collect_tagged.py to test_collect_tagged.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue/fanout_fifo.py to fanout_fifo.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue/fanout_base.py to fanout_base.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue/fanout_balanced_fifo.py to fanout_balanced_fifo.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue/fanout_mapped_fifo.py to fanout_mapped_fifo.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue/fanout_random_fifo.py to fanout_random_fifo.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue/fanout_ordered_fifo.py to fanout_ordered_fifo.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue/collect_synced.py to collect_synced.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/port/queue/collect_base.py to collect_base.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/authorization_checks/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/authorization_checks/time_range.py to time_range.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/storage/storage_dict_local.py to storage_dict_local.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/storage/proxy/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/storage/storage_factory.py to storage_factory.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/storage/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/storage/storage_base.py to storage_base.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/requirements/all_nodes.py to all_nodes.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/requirements/port_property_match.py to port_property_match.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/requirements/replica_nodes.py to replica_nodes.pyc

byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/requirements/performance_scaling.py to performance_scaling.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/requirements/actor_reqs_match.py to actor_reqs_match.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/requirements/device_scaling.py to device_scaling.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/requirements/current_node.py to current_node.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/requirements/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/requirements/shadow_actor_reqs_match.py to shadow_actor_reqs_match.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/requirements/runtime_name.py to runtime_name.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/requirements/node_attr_match.py to node_attr_match.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/coders/negotiators/negotiator_base.py to negotiator_base.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/coders/negotiators/negotiator_factory.py to negotiator_factory.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/coders/negotiators/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/coders/negotiators/dynamic.py to dynamic.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/coders/negotiators/static.py to static.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/coders/messages/message_coder_factory.py to message_coder_factory.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/coders/messages/json_coder.py to json_coder.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/coders/messages/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/coders/messages/msgpack_coder.py to msgpack_coder.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/coders/messages/message_coder.py to message_coder.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/plugins/coders/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/storage.py to storage.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/metering.py to metering.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/actormanager.py to actormanager.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/replicationmanager.py to replicationmanager.pyc

byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/north/calvin_node.py to calvin_node.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/runtime/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/devactors/usr/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/devactors/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/tests/test_store.py to test_store.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/tests/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/tests/test_actors.py to test_actors.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/docobject.py to docobject.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/store.py to store.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net/MQTTPublisher.py to MQTTPublisher.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net/SimpleUDPLListener.py to SimpleUDPLListener.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net/HTTPPut.py to HTTPPut.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net/TCPClient.py to TCPClient.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net/HTTPPost.py to HTTPPost.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net/BasicAuthHeader.py to BasicAuthHeader.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net/HTTPGet.py to HTTPGet.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net/MQTTSubscriber.py to MQTTSubscriber.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net/HTTPDelete.py to HTTPDelete.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net/TCPServer.py to TCPServer.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net/WSBroadcast.py to WSBroadcast.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net/UDPLListener.py to UDPLListener.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net/SimpleUDPSender.py to SimpleUDPSender.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net/OPCUASubscriber.py to OPCUASubscriber.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/net/UDPSender.py to UDPSender.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/std/Sequencer.py to Sequencer.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/std/Stringify.py to Stringify.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/std/Trigger.py to Trigger.pyc

byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/std/Constant.py to Constant.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/std/SampleHold.py to SampleHold.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/std/Burn.py to Burn.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/std/Sum.py to Sum.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/std/Iterate.py to Iterate.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/std/Compare.py to Compare.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/std/FiniteCounter.py to FiniteCounter.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/std/Counter.py to Counter.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/std/CountTimer.py to CountTimer.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/std/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/std/Identity.py to Identity.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/std/Constantify.py to Constantify.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/std/ClassicDelay.py to ClassicDelay.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/std/RecTimer.py to RecTimer.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/std/Delay.py to Delay.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/std/Watchdog.py to Watchdog.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/json/SetDefault.py to SetDefault.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/json/FromString.py to FromString.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/json/List.py to List.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/json/Dict.py to Dict.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/json/Items.py to Items.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/json/SetValue.py to SetValue.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/json/SetValues.py to SetValues.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/json/GetValues.py to GetValues.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/json/ToString.py to ToString.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/json/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/json/SetDefaults.py to SetDefaults.pyc

byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/json/GetValue.py to GetValue.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/web/OpenWeatherMap.py to OpenWeatherMap.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/web/Twitter.py to Twitter.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/web/Pushbullet.py to Pushbullet.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/web/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/io/GPIOReader.py to GPIOReader.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/io/SerialPort.py to SerialPort.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/io/TiltSwitch.py to TiltSwitch.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/io/Print.py to Print.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/io/Button.py to Button.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/io/Light.py to Light.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/io/Knob.py to Knob.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/io/Switch.py to Switch.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/io/FileWriter.py to FileWriter.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/io/Buzzer.py to Buzzer.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/io/FileReader.py to FileReader.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/io/StandardIn.py to StandardIn.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/io/PWM.py to PWM.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/io/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/io/Log.py to Log.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/math/Evaluate.py to Evaluate.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/math/Random.py to Random.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/math/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/math/Compute.py to Compute.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/time/Timestamp.py to Timestamp.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/time/Datetime.py to Datetime.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/time/__init__.py to __init__.pyc

byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/test/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/test/TestProcess.py to TestProcess.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/test/Sink.py to Sink.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/flow/Alternate.py to Alternate.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/flow/Dispatch.py to Dispatch.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/flow/Collect.py to Collect.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/flow/Init.py to Init.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/flow>Select.py to Select.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/flow/Alternate2.py to Alternate2.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/flow/Deselect.py to Deselect.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/flow/Switch.py to Switch.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/flow/Terminator.py to Terminator.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/flow/Join.py to Join.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/flow/CollectDict.py to CollectDict.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/flow/CollectCompleteDict.py to CollectCompleteDict.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/flow/Dealternate.py to Dealternate.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/flow/Bool.py to Bool.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/flow/Dealternate2.py to Dealternate2.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/flow/DispatchDict.py to DispatchDict.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/flow/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/flow/Void.py to Void.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/media/MediaPlayer.py to MediaPlayer.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/media/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/media/Camera.py to Camera.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/media/FaceDetect.py to FaceDetect.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/media/IPCamera.py to IPCamera.pyc

byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/media/ImageRenderer.py to ImageRenderer.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/misc/ExplicitStateExample.py to ExplicitStateExample.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/misc/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/text/LineJoin.py to LineJoin.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/text/Split.py to Split.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/text/PrefixString.py to PrefixString.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/text/RegexMatch.py to RegexMatch.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/text/Length.py to Length.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/text/Mustache.py to Mustache.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/text/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/text/Format.py to Format.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/text/WordCount.py to WordCount.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor/RFIDReader.py to RFIDReader.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor/RotaryEncoder.py to RotaryEncoder.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor/EnclosureRoomTemperature.py to EnclosureRoomTemperature.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor/LightBreaker.py to LightBreaker.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor/KubectlMemUsage.py to KubectlMemUsage.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor/HallEffect.py to HallEffect.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor/RelativeHumidity.py to RelativeHumidity.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor/TriggeredTemperature.py to TriggeredTemperature.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor/KubectlCpuUsage.py to KubectlCpuUsage.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor/EnclosureFanSpeed.py to EnclosureFanSpeed.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor/EnclosureCPUTemperature.py to EnclosureCPUTemperature.pyc

byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor/Distance.py to Distance.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor/TriggeredDistance.py to TriggeredDistance.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor/EnclosurePowerUsage.py to EnclosurePowerUsage.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor/TriggeredSoilMoisture.py to TriggeredSoilMoisture.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/sensor/Temperature.py to Temperature.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/exception/IsEOS.py to IsEOS.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/exception/ExceptionHandler.py to ExceptionHandler.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/exception/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/chart/Meter.py to Meter.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/chart/StaticVBar.py to StaticVBar.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/chart/StaticHBar.py to StaticHBar.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/chart/DynamicHBar.py to DynamicHBar.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/chart/DynamicLine.py to DynamicLine.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/chart/DynamicVBar.py to DynamicVBar.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/actorstore/systemactors/chart/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/csparser/astprint.py to astprint.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/csparser/astnode.py to astnode.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/csparser/parser.py to parser.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/csparser/visualize.py to visualize.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/csparser/complete.py to complete.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/csparser/dscodegen.py to dscodegen.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/csparser/codegen.py to codegen.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/csparser/cscompile.py to cscompile.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/csparser/calvin_rules.py to calvin_rules.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/csparser/port_property_syntax.py to port_property_syntax.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/csparser/visitor.py to visitor.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/csparser/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/csparser/parsetab.py to parsetab.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/utilities/issuetracker.py to issuetracker.pyc

byte-compiling build/bdist.linux-x86_64/egg/calvin/utilities/tests/test_calconfig.py to test_calconfig.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/utilities/security.py to security.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/utilities/calvinuuid.py to calvinuuid.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/utilities/requirement_matching.py to requirement_matching.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/utilities/dynops.py to dynops.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/utilities/utils.py to utils.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/utilities/attribute_resolver.py to attribute_resolver.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/utilities/calvinlogger.py to calvinlogger.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/utilities/proxyconfig.py to proxyconfig.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/utilities/certificate.py to certificate.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/utilities/storage_node.py to storage_node.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/utilities/nodecontrol.py to nodecontrol.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/utilities/runtime_credentials.py to runtime_credentials.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/utilities/replication_defs.py to replication_defs.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/utilities/code_signer.py to code_signer.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/utilities/certificate_authority.py to certificate_authority.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/utilities/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/utilities/calvinconfig.py to calvinconfig.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/utilities/control_api_doc.py to control_api_doc.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/utilities/calvin_callback.py to calvin_callback.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/utilities/confsort.py to confsort.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/Tools/cscompiler.py to cscompiler.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/Tools/deployer.py to deployer.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/Tools/calvindoc.py to calvindoc.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/Tools/csruntime.py to csruntime.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/Tools/log_analyze.py to log_analyze.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/Tools/csviz_old.py to csviz_old.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/Tools/cscontrol.py to cscontrol.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/Tools/csactortest.py to csactortest.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/Tools/csviz.py to csviz.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/Tools/www/csweb.py to csweb.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/Tools/www/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/Tools/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/calvin/Tools/csmanage.py to csmanage.pyc
creating build/bdist.linux-x86_64/egg/EGG-INFO
copying calvin.egg-info/PKG-INFO -> build/bdist.linux-x86_64/egg/EGG-INFO
copying calvin.egg-info/SOURCES.txt -> build/bdist.linux-x86_64/egg/EGG-INFO
copying calvin.egg-info/dependency_links.txt -> build/bdist.linux-x86_64/egg/EGG-INFO
copying calvin.egg-info/entry_points.txt -> build/bdist.linux-x86_64/egg/EGG-INFO
copying calvin.egg-info/requirements.txt -> build/bdist.linux-x86_64/egg/EGG-INFO
copying calvin.egg-info/top_level.txt -> build/bdist.linux-x86_64/egg/EGG-INFO
zip_safe flag not set; analyzing archive contents...
calvin.Tools.www.csweb: module references __file__

calvin.actorstore.store: module references __file__
calvin.actorstore.systemactors.io.FileReader: module references __file__
calvin.actorstore.systemactors.io.FileWriter: module references __file__
calvin.calvinsys.native.python-base64: module MAY be using inspect.getsource
calvin.calvinsys.native.python-copy: module MAY be using inspect.getsource
calvin.calvinsys.native.python-json: module MAY be using inspect.getsource
calvin.calvinsys.native.python-mustache: module MAY be using inspect.getsource
calvin.calvinsys.native.python-re: module MAY be using inspect.getsource
calvin.csparser.codegen: module MAY be using inspect.stack
calvin.csparser.parser: module references __file__
calvin.runtime.north.calvin_network: module references __file__
calvin.runtime.north.plugins.authorization_checks.__init__: module references __file__
calvin.runtime.north.plugins.requirements.__init__: module references __file__
calvin.runtime.south.plugins.async.__init__: module references __file__
calvin.runtime.south.plugins.charts.__init__: module references __file__
calvin.runtime.south.plugins.io.button.__init__: module references __file__
calvin.runtime.south.plugins.io.display.__init__: module references __file__
calvin.runtime.south.plugins.io.gpio.__init__: module references __file__
calvin.runtime.south.plugins.io.led.__init__: module references __file__
calvin.runtime.south.plugins.io.mqtt.__init__: module references __file__
calvin.runtime.south.plugins.io.sensors.distance.__init__: module references __file__
calvin.runtime.south.plugins.io.sensors.enclosure.__init__: module references __file__
calvin.runtime.south.plugins.io.sensors.environmental.__init__: module references __file__
calvin.runtime.south.plugins.io.sensors.kubectl.__init__: module references __file__
calvin.runtime.south.plugins.io.sensors.rfid.__init__: module references __file__
calvin.runtime.south.plugins.io.sensors.rotary_encoder.__init__: module references __file__
calvin.runtime.south.plugins.io.sensors.switch.__init__: module references __file__
calvin.runtime.south.plugins.io.servo.__init__: module references __file__
calvin.runtime.south.plugins.io.stdout.__init__: module references __file__
calvin.runtime.south.plugins.io.websocket.__init__: module references __file__
calvin.runtime.south.plugins.media.camera.__init__: module references __file__
calvin.runtime.south.plugins.media.image.__init__: module references __file__
calvin.runtime.south.plugins.media.mediaplayer.__init__: module references __file__
calvin.runtime.south.plugins.storage.__init__: module references __file__
calvin.tests.helpers: module references __file__
calvin.tests.test_all_security_together: module references __file__
calvin.tests.test_authorization_authentication_signing: module references __file__
calvin.tests.test_automatic_authentication_registration: module references __file__
calvin.tests.test_automatic_authorization_registration: module references __file__
calvin.tests.test_automatic_ca_discovery: module references __file__
calvin.tests.test_calvin: module references __file__
calvin.tests.test_calvinscript: module references __file__
calvin.tests.test_codegen: module references __file__
calvin.tests.test_deployscript: module references __file__
calvin.tests.test_index: module references __file__
calvin.tests.test_replication: module references __file__
calvin.tests.test_requirements: module references __file__
calvin.tests.test_securedht: module references __file__
calvin.tests.test_tls: module references __file__
calvin.utilities.calvinconfig: module references __file__
calvin.utilities.calvinlogger: module MAY be using inspect.stack
creating 'dist/calvin-0.8-py2.7.egg' and adding 'build/bdist.linux-x86_64/egg' to it

```
removing 'build/bdist.linux-x86_64/egg' (and everything under it)
Processing calvin-0.8-py2.7.egg
removing '/usr/local/lib/python2.7/dist-packages/calvin-0.8-py2.7.egg' (and everything under it)
creating /usr/local/lib/python2.7/dist-packages/calvin-0.8-py2.7.egg
Extracting calvin-0.8-py2.7.egg to /usr/local/lib/python2.7/dist-packages
calvin 0.8 is already the active version in easy-install.pth
Installing csdocs script to /usr/local/bin
Installing csmanage script to /usr/local/bin
Installing cscompile script to /usr/local/bin
Installing csweb script to /usr/local/bin
Installing cssysdocs script to /usr/local/bin
Installing escontrol script to /usr/local/bin
Installing csruntime script to /usr/local/bin
Installing csviz script to /usr/local/bin

Installed /usr/local/lib/python2.7/dist-packages/calvin-0.8-py2.7.egg
Processing dependencies for calvin==0.8
Searching for cbor==1.0.0
Best match: cbor 1.0.0
Adding cbor 1.0.0 to easy-install.pth file

Using /usr/local/lib/python2.7/dist-packages
Searching for u-msgpack-python==2.4.1
Best match: u-msgpack-python 2.4.1
Adding u-msgpack-python 2.4.1 to easy-install.pth file

Using /usr/local/lib/python2.7/dist-packages
Searching for jsonschema==2.6.0
Best match: jsonschema 2.6.0
Adding jsonschema 2.6.0 to easy-install.pth file
Installing jsonschema script to /usr/local/bin

Using /usr/local/lib/python2.7/dist-packages
Searching for pystache==0.5.4
Best match: pystache 0.5.4
Adding pystache 0.5.4 to easy-install.pth file
Installing pystache script to /usr/local/bin
Installing pystache-test script to /usr/local/bin

Using /usr/local/lib/python2.7/dist-packages
Searching for pyasn1==0.4.2
Best match: pyasn1 0.4.2
Processing pyasn1-0.4.2-py2.7.egg
pyasn1 0.4.2 is already the active version in easy-install.pth

Using /usr/local/lib/python2.7/dist-packages/pyasn1-0.4.2-py2.7.egg
Searching for ndg-httpsclient==0.4.2
Best match: ndg-httpsclient 0.4.2
Adding ndg-httpsclient 0.4.2 to easy-install.pth file
Installing ndg_httpsclient script to /usr/local/bin

Using /usr/local/lib/python2.7/dist-packages
```

```
Searching for service-identity==17.0.0
Best match: service-identity 17.0.0
Adding service-identity 17.0.0 to easy-install.pth file
```

```
Using /usr/local/lib/python2.7/dist-packages
Searching for PyJWT==1.4.0
Best match: PyJWT 1.4.0
Adding PyJWT 1.4.0 to easy-install.pth file
Installing jwt script to /usr/local/bin
```

```
Using /usr/local/lib/python2.7/dist-packages
Searching for passlib==1.7.0
Best match: passlib 1.7.0
Adding passlib 1.7.0 to easy-install.pth file
```

```
Using /usr/local/lib/python2.7/dist-packages
Searching for cryptography==1.9
Best match: cryptography 1.9
Adding cryptography 1.9 to easy-install.pth file
```

```
Using /usr/local/lib/python2.7/dist-packages
Searching for pyOpenSSL==17.1.0
Best match: pyOpenSSL 17.1.0
Adding pyOpenSSL 17.1.0 to easy-install.pth file
```

```
Using /usr/local/lib/python2.7/dist-packages
Searching for netifaces==0.10.4
Best match: netifaces 0.10.4
Adding netifaces 0.10.4 to easy-install.pth file
```

```
Using /usr/local/lib/python2.7/dist-packages
Searching for wrapt==1.10.2
Best match: wrapt 1.10.2
Adding wrapt 1.10.2 to easy-install.pth file
```

```
Using /usr/local/lib/python2.7/dist-packages
Searching for requests==2.9.1
Best match: requests 2.9.1
Adding requests 2.9.1 to easy-install.pth file
```

```
Using /usr/local/lib/python2.7/dist-packages
Searching for Twisted==15.5.0
Best match: Twisted 15.5.0
Adding Twisted 15.5.0 to easy-install.pth file
```

```
Using /usr/local/lib/python2.7/dist-packages
Searching for ply==3.8
Best match: ply 3.8
Adding ply 3.8 to easy-install.pth file
```

```
Using /usr/local/lib/python2.7/dist-packages
Searching for rpcudp==1.0
```

Best match: rpcudp 1.0
Adding rpcudp 1.0 to easy-install.pth file

Using /usr/local/lib/python2.7/dist-packages
Searching for kademlia==0.5
Best match: kademlia 0.5
Adding kademlia 0.5 to easy-install.pth file

Using /usr/local/lib/python2.7/dist-packages
Searching for colorlog==2.6.1
Best match: colorlog 2.6.1
Adding colorlog 2.6.1 to easy-install.pth file

Using /usr/local/lib/python2.7/dist-packages
Searching for functools32==3.2.3.post2
Best match: functools32 3.2.3.post2
Adding functools32 3.2.3.post2 to easy-install.pth file

Using /usr/local/lib/python2.7/dist-packages
Searching for pyasn1-modules==0.2.1
Best match: pyasn1-modules 0.2.1
Adding pyasn1-modules 0.2.1 to easy-install.pth file

Using /usr/local/lib/python2.7/dist-packages
Searching for attrs==17.4.0
Best match: attrs 17.4.0
Adding attrs 17.4.0 to easy-install.pth file

Using /usr/local/lib/python2.7/dist-packages
Searching for ipaddress==1.0.19
Best match: ipaddress 1.0.19
Adding ipaddress 1.0.19 to easy-install.pth file

Using /usr/local/lib/python2.7/dist-packages
Searching for six==1.11.0
Best match: six 1.11.0
Adding six 1.11.0 to easy-install.pth file

Using /usr/local/lib/python2.7/dist-packages
Searching for asn1crypto==0.24.0
Best match: asn1crypto 0.24.0
Adding asn1crypto 0.24.0 to easy-install.pth file

Using /usr/local/lib/python2.7/dist-packages
Searching for idna==2.6
Best match: idna 2.6
Adding idna 2.6 to easy-install.pth file

Using /usr/local/lib/python2.7/dist-packages
Searching for cffi==1.11.4
Best match: cffi 1.11.4
Adding cffi 1.11.4 to easy-install.pth file

```
Using /usr/local/lib/python2.7/dist-packages
```

```
Searching for enum34==1.1.6
```

```
Best match: enum34 1.1.6
```

```
Adding enum34 1.1.6 to easy-install.pth file
```

```
Using /usr/local/lib/python2.7/dist-packages
```

```
Searching for zope.interface==4.4.3
```

```
Best match: zope.interface 4.4.3
```

```
Adding zope.interface 4.4.3 to easy-install.pth file
```

```
Using /usr/local/lib/python2.7/dist-packages
```

```
Searching for pycparser==2.18
```

```
Best match: pycparser 2.18
```

```
Adding pycparser 2.18 to easy-install.pth file
```

```
Using /usr/local/lib/python2.7/dist-packages
```

```
Searching for setuptools==38.4.0
```

```
Best match: setuptools 38.4.0
```

```
Adding setuptools 38.4.0 to easy-install.pth file
```

```
Installing easy_install script to /usr/local/bin
```

```
Installing easy_install-3.6 script to /usr/local/bin
```

```
Using /usr/local/lib/python2.7/dist-packages
```

```
Finished processing dependencies for calvin==0.8)
```

```
$ pip install -r requirements.txt (cambiando los requisitos y setup.py)
```

```
tatu@notebook:~/calvin-base$ pip install -r requirements.txt
```

```
Requirement already satisfied: colorlog==2.6.1 in /usr/local/lib/python2.7/dist-packages (from -r requirements.txt (line 1))
```

```
Requirement already satisfied: rpcudp==1.0 in /usr/local/lib/python2.7/dist-packages (from -r requirements.txt (line 2))
```

```
Requirement already satisfied: kademlia==0.5 in /usr/local/lib/python2.7/dist-packages (from -r requirements.txt (line 3))
```

```
Requirement already satisfied: ply==3.8 in /usr/local/lib/python2.7/dist-packages (from -r requirements.txt (line 4))
```

```
Requirement already satisfied: Twisted==15.5.0 in /usr/local/lib/python2.7/dist-packages (from -r requirements.txt (line 5))
```

```
Requirement already satisfied: requests==2.9.1 in /usr/local/lib/python2.7/dist-packages (from -r requirements.txt (line 6))
```

```
Requirement already satisfied: infi.traceback==0.3.12 in /usr/local/lib/python2.7/dist-packages (from -r requirements.txt (line 7))
```

```
Requirement already satisfied: wrapt==1.10.2 in /usr/local/lib/python2.7/dist-packages (from -r requirements.txt (line 8))
```

```
Requirement already satisfied: pyserial==3.0.1 in /usr/local/lib/python2.7/dist-packages (from -r requirements.txt (line 9))
```

```
Requirement already satisfied: netifaces==0.10.4 in /usr/local/lib/python2.7/dist-packages (from -r requirements.txt (line 10))
```

```
Requirement already satisfied: pyOpenSSL==17.1.0 in /usr/local/lib/python2.7/dist-packages (from -r requirements.txt (line 11))
```

Requirement already satisfied: cryptography==1.9.0 in /usr/local/lib/python2.7/dist-packages (from -r requirements.txt (line 12))

Requirement already satisfied: passlib==1.7.0 in /usr/local/lib/python2.7/dist-packages (from -r requirements.txt (line 13))

Requirement already satisfied: PyJWT==1.4.0 in /usr/local/lib/python2.7/dist-packages (from -r requirements.txt (line 14))

Requirement already satisfied: service-identity==17.0.0 in /usr/local/lib/python2.7/dist-packages (from -r requirements.txt (line 15))

Requirement already satisfied: ndg-httpsclient==0.4.2 in /usr/local/lib/python2.7/dist-packages (from -r requirements.txt (line 16))

Collecting pyasn1>=0.4.2 (from -r requirements.txt (line 17))

 Using cached pyasn1-0.4.2-py2.py3-none-any.whl

Requirement already satisfied: pystache==0.5.4 in /usr/local/lib/python2.7/dist-packages (from -r requirements.txt (line 18))

Requirement already satisfied: jsonschema==2.6.0 in /usr/local/lib/python2.7/dist-packages (from -r requirements.txt (line 19))

Requirement already satisfied: u-msgpack-python==2.4.1 in /usr/local/lib/python2.7/dist-packages (from -r requirements.txt (line 20))

Requirement already satisfied: cbor==1.0.0 in /usr/local/lib/python2.7/dist-packages (from -r requirements.txt (line 21))

Requirement already satisfied: zope.interface>=3.6.0 in /usr/local/lib/python2.7/dist-packages (from Twisted==15.5.0->-r requirements.txt (line 5))

Requirement already satisfied: infi.pyutils in /usr/local/lib/python2.7/dist-packages (from infi.traceback==0.3.12->-r requirements.txt (line 7))

Requirement already satisfied: infi.exceptions in /usr/local/lib/python2.7/dist-packages (from infi.traceback==0.3.12->-r requirements.txt (line 7))

Requirement already satisfied: setuptools in /usr/local/lib/python2.7/dist-packages (from infi.traceback==0.3.12->-r requirements.txt (line 7))

Requirement already satisfied: nose in /usr/local/lib/python2.7/dist-packages (from infi.traceback==0.3.12->-r requirements.txt (line 7))

Requirement already satisfied: six>=1.5.2 in /usr/local/lib/python2.7/dist-packages (from pyOpenSSL==17.1.0->-r requirements.txt (line 11))

Requirement already satisfied: enum34 in /usr/local/lib/python2.7/dist-packages (from cryptography==1.9.0->-r requirements.txt (line 12))

Requirement already satisfied: cffi>=1.7 in /usr/local/lib/python2.7/dist-packages (from cryptography==1.9.0->-r requirements.txt (line 12))

Requirement already satisfied: idna>=2.1 in /usr/local/lib/python2.7/dist-packages (from cryptography==1.9.0->-r requirements.txt (line 12))

Requirement already satisfied: asn1crypto>=0.21.0 in /usr/local/lib/python2.7/dist-packages (from cryptography==1.9.0->-r requirements.txt (line 12))

Requirement already satisfied: ipaddress in /usr/local/lib/python2.7/dist-packages (from cryptography==1.9.0->-r requirements.txt (line 12))

Requirement already satisfied: attrs in /usr/local/lib/python2.7/dist-packages (from service-identity==17.0.0->-r requirements.txt (line 15))

Requirement already satisfied: pyasn1-modules in /usr/local/lib/python2.7/dist-packages (from service-identity==17.0.0->-r requirements.txt (line 15))

Requirement already satisfied: functools32; python_version == "2.7" in /usr/local/lib/python2.7/dist-packages (from jsonschema==2.6.0->-r requirements.txt (line 19))

Requirement already satisfied: packaging in /usr/local/lib/python2.7/dist-packages (from infi.pyutils->infi.traceback==0.3.12->-r requirements.txt (line 7))

Requirement already satisfied: emport in /usr/local/lib/python2.7/dist-packages (from infi.pyutils->infi.traceback==0.3.12->-r requirements.txt (line 7))

```
Requirement already satisfied: mock in /usr/local/lib/python2.7/dist-packages (from
infi.pyutils->infi.traceback==0.3.12->-r requirements.txt (line 7))
Requirement already satisfied: pycparser in /usr/local/lib/python2.7/dist-packages (from
cffi>=1.7->cryptography==1.9.0->-r requirements.txt (line 12))
Requirement already satisfied: pyparsing in /usr/local/lib/python2.7/dist-packages (from
packaging->infi.pyutils->infi.traceback==0.3.12->-r requirements.txt (line 7))
Requirement already satisfied: Logbook>=0.11.0 in /usr/local/lib/python2.7/dist-packages (from
emport->infi.pyutils->infi.traceback==0.3.12->-r requirements.txt (line 7))
Requirement already satisfied: pbr>=0.11 in /usr/local/lib/python2.7/dist-packages (from
mock->infi.pyutils->infi.traceback==0.3.12->-r requirements.txt (line 7))
Requirement already satisfied: funcsig>=1; python_version < "3.3" in /usr/local/lib/python2.7/dist-
packages (from mock->infi.pyutils->infi.traceback==0.3.12->-r requirements.txt (line 7))
Installing collected packages: pyasn1
  Found existing installation: pyasn1 0.1.9
    Uninstalling pyasn1-0.1.9:
      Successfully uninstalled pyasn1-0.1.9
Successfully installed pyasn1-0.4.2
```

\$ git checkout develop && git pull –rebase

```
tatu@notebook:~/calvin-base$ git checkout develop && git pull --rebase
error: Your local changes to the following files would be overwritten by checkout:
  calvin/Tools/deployer.py
  calvin/Tools/www/css/calvin.css
  calvin/Tools/www/index.html
  calvin/Tools/www/js/calvin.js
  calvin/actor/actorport.py
  calvin/actor/actorstate.py
  calvin/actorstore/store.py
  calvin/actorstore/systemactors/chart/DynamicHBar.py
  calvin/actorstore/systemactors/chart/DynamicLine.py
  calvin/actorstore/systemactors/chart/DynamicVBar.py
  calvin/actorstore/systemactors/chart/Meter.py
  calvin/actorstore/systemactors/chart/StaticHBar.py
  calvin/actorstore/systemactors/chart/StaticVBar.py
  calvin/actorstore/systemactors/exception/ExceptionHandler.py
  calvin/actorstore/systemactors/exception/IsEOS.py
  calvin/actorstore/systemactors/flow/Alternate.py
  calvin/actorstore/systemactors/flow/Alternate2.py
  calvin/actorstore/systemactors/flow/Bool.py
  calvin/actorstore/systemactors/flow/Collect.py
  calvin/actorstore/systemactors/flow/CollectCompleteDict.py
  calvin/actorstore/systemactors/flow/CollectDict.py
  calvin/actorstore/systemactors/flow/Dealternate.py
  calvin/actorstore/systemactors/flow/Dealternate2.py
  calvin/actorstore/systemactors/flow/Deselect.py
  calvin/actorstore/systemactors/flow/Dispatch.py
  calvin/actorstore/systemactors/flow/DispatchDict.py
  calvin/actorstore/systemactors/flow/Init.py
  calvin/actorstore/systemactors/flow/Join.py
```

calvin/actorstore/systemactors/flow>Select.py
calvin/actorstore/systemactors/flow>Switch.py
calvin/actorstore/systemactors/flow>Terminator.py
calvin/actorstore/systemactors/io>Button.py
calvin/actorstore/systemactors/io>Buzzer.py
calvin/actorstore/systemactors/io>FileReader.py
calvin/actorstore/systemactors/io>FileWriter.py
calvin/actorstore/systemactors/io>GPIOReader.py
calvin/actorstore/systemactors/io>Knob.py
calvin/actorstore/systemactors/io>Light.py
calvin/actorstore/systemactors/io>Log.py
calvin/actorstore/systemactors/io>PWM.py
calvin/actorstore/systemactors/io>Print.py
calvin/actorstore/systemactors/io>SerialPort.py
calvin/actorstore/systemactors/io>StandardIn.py
calvin/actorstore/systemactors/io>Switch.py
calvin/actorstore/systemactors/io>TiltSwitch.py
calvin/actorstore/systemactors/json>Dict.py
calvin/actorstore/systemactors/json>FromString.py
calvin/actorstore/systemactors/json>GetValue.py
calvin/actorstore/systemactors/json>GetValues.py
calvin/actorstore/systemactors/json>Items.py
calvin/actorstore/systemactors/json>List.py
calvin/actorstore/systemactors/json>SetDefault.py
calvin/actorstore/systemactors/json>SetDefaults.py
calvin/actorstore/systemactors/json>SetValue.py
calvin/actorstore/systemactors/json>SetValues.py
calvin/actorstore/systemactors/json>ToString.py
calvin/actorstore/systemactors/math>Compute.py
calvin/actorstore/systemactors/math>Evaluate.py
calvin/actorstore/systemactors/math>Random.py
calvin/actorstore/systemactors/media>Camera.py
calvin/actorstore/systemactors/media>FaceDetect.py
calvin/actorstore/systemactors/media>IPCCamera.py
calvin/actorstore/systemactors/media>ImageRenderer.py
calvin/actorstore/systemactors/media>MediaPlayer.py
calvin/actorstore/systemactors/misc>ExplicitStateExample.py
calvin/actorstore/systemactors/net>BasicAuthHeader.py
calvin/actorstore/systemactors/net>HTTPDelete.py
calvin/actorstore/systemactors/net>HTTPGet.py
calvin/actorstore/systemactors/net>HTTPPost.py
calvin/actorstore/systemactors/net>HTTPPut.py
calvin/actorstore/systemactors/net>MQTTPublisher.py
calvin/actorstore/systemactors/net>MQTTSubscriber.py
calvin/actorstore/systemactors/net>OPCUASubscriber.py
calvin/actorstore/systemactors/net>SimpleUDPLListener.py
calvin/actorstore/systemactors/net>SimpleUDPSender.py
calvin/actorstore/systemactors/net>TCPCClient.py
calvin/actorstore/systemactors/net>TCPServer.py
calvin/actorstore/systemactors/net>UDPLListener.py
calvin/actorstore/systemactors/net>UDPSender.py
calvin/actorstore/systemactors/net>WSBroadcast.py

calvin/actorstore/systemactors/sensor/Distance.py
calvin/actorstore/systemactors/sensor/EnclosureCPUTemperature.py
calvin/actorstore/systemactors/sensor/EnclosureFanSpeed.py
calvin/actorstore/systemactors/sensor/EnclosurePowerUsage.py
calvin/actorstore/systemactors/sensor/EnclosureRoomTemperature.py
calvin/actorstore/systemactors/sensor/HallEffect.py
calvin/actorstore/systemactors/sensor/KubectlCpuUsage.py
calvin/actorstore/systemactors/sensor/KubectlMemUsage.py
calvin/actorstore/systemactors/sensor/LightBreaker.py
calvin/actorstore/systemactors/sensor/RFIDReader.py
calvin/actorstore/systemactors/sensor/RelativeHumidity.py
calvin/actorstore/systemactors/sensor/RotaryEncoder.py
calvin/actorstore/systemactors/sensor/Temperature.py
calvin/actorstore/systemactors/sensor/TriggeredDistance.py
calvin/actorstore/systemactors/sensor/TriggeredSoilMoisture.py
calvin/actorstore/systemactors/sensor/TriggeredTemperature.py
calvin/actorstore/systemactors/std/Burn.py
calvin/actorstore/systemactors/std/ClassicDelay.py
calvin/actorstore/systemactors/std/Compare.py
calvin/actorstore/systemactors/std/Constant.py
calvin/actorstore/systemactors/std/Constantify.py
calvin/actorstore/systemactors/std/CountTimer.py
calvin/actorstore/systemactors/std/Counter.py
calvin/actorstore/systemactors/std/Delay.py
calvin/actorstore/systemactors/std/FiniteCounter.py
calvin/actorstore/systemactors/std/Identity.py
calvin/actorstore/systemactors/std/Iterate.py
calvin/actorstore/systemactors/std/RecTimer.py
calvin/actorstore/systemactors/std/SampleHold.py
calvin/actorstore/systemactors/std/Sequencer.py
calvin/actorstore/systemactors/std/Stringify.py
calvin/actorstore/systemactors/std/Sum.py
calvin/actorstore/systemactors/std/Trigger.py
calvin/actorstore/systemactors/std/Watchdog.py
calvin/actorstore/systemactors/test/Sink.py
calvin/actorstore/systemactors/text/Format.py
calvin/actorstore/systemactors/text/Length.py
calvin/actorstore/systemactors/text/LineJoin.py
calvin/actorstore/systemactors/text/Mustache.py
calvin/actorstore/systemactors/text/PrefixString.py
calvin/actorstore/systemactors/text/RegexMatch.py
calvin/actorstore/systemactors/text/Split.py
calvin/actorstore/systemactors/text/WordCount.py
calvin/actorstore/systemactors/time/Datetime.py
calvin/actorstore/systemactors/time/Timestamp.py
calvin/actorstore/systemactors/web/OpenWeatherMap.py
calvin/actorstore/systemactors/web/Pushbullet.py
calvin/actorstore/systemactors/web/Twitter.py
calvin/actorstore/tests/test_actors.py
calvin/calvinsys/__init__.py
calvin/calvinsys/attribute/__init__.py
calvin/calvinsys/attribute/private.py

calvin/calvinsys/attribute/public.py
calvin/calvinsys/charts/__init__.py
calvin/calvinsys/charts/chart_handler.py
calvin/calvinsys/events/timer.py
calvin/calvinsys/io/__init__.py
calvin/calvinsys/io/button.py
calvin/calvinsys/io/display.py
calvin/calvinsys/io/filehandler.py
calvin/calvinsys/io/gpiohandler.py
calvin/calvinsys/io/led.py
calvin/calvinsys/io/serialporthandler.py
calvin/calvinsys/io/servo.py
calvin/calvinsys/io/stdout.py
calvin/calvinsys/io/switch.py
calvin/calvinsys/math/__init__.py
calvin/calvinsys/math/arithmetic.py
calvin/calvinsys/math/compare.py
calvin/calvinsys/math/eval.py
calvin/calvinsys/math/rng.py
calvin/calvinsys/media/__init__.py
calvin/calvinsys/media/camerahandler.py
calvin/calvinsys/media/image.py
calvin/calvinsys/media/mediaplayer.py
calvin/calvinsys/native/__init__.py
calvin/calvinsys/native/python-base64.py
calvin/calvinsys/native/python-copy.py
calvin/calvinsys/native/python-json.py
calvin/calvinsys/native/python-mustache.py
calvin/calvinsys/native/python-os-path.py
calvin/calvinsys/native/python-re.py
calvin/calvinsys/native/python-time.py
calvin/calvinsys/network/httpclienthandler.py
calvin/calvinsys/network/mqtthandler.py
calvin/calvinsys/network/serverhandler.py
calvin/calvinsys/network/socketclienthandler.py
calvin/calvinsys/network/ssehandler.py
calvin/calvinsys/network/websockethandler.py
calvin/calvinsys/opcua/client.py
calvin/calvinsys/sensors/__init__.py
calvin/calvinsys/sensors/distance.py
calvin/calvinsys/sensors/enclosure.py
calvin/calvinsys/sensors/environmental.py
calvin/calvinsys/sensors/kubectl.py
calvin/calvinsys/sensors/rfid.py
calvin/calvinsys/sensors/rotary_encoder.py
calvin/calvinsys/web/__init__.py
calvin/csparser/astnode.py
calvin/csparser/astprint.py
calvin/csparser/codegen.py
calvin/csparser/cscompile.py
calvin/csparser/parser.py
calvin/csparser/testscripts/regression-tests/const_arg_to_comp.calvin

calvin/csparser/visualize.py
calvin/examples/access_control_demo/Scripts/part_1.calvin
calvin/examples/access_control_demo/Scripts/part_2.calvin
calvin/examples/access_control_demo/Scripts/part_2_no_hue.calvin
calvin/examples/access_control_demo/Scripts/part_3.calvin
calvin/examples/access_control_demo/Scripts/part_4.calvin
calvin/examples/access_control_demo/Scripts/part_5.calvin
calvin/examples/access_control_demo/calvin.conf_raspberry
calvin/examples/access_control_demo/calvin.conf_server
calvin/examples/android_access_control/README.md
calvin/examples/android_access_control/scripts/access_control.calvin
calvin/examples/android_access_control/scripts/camera_sample.calvin
calvin/examples/chart/calvin.conf
calvin/examples/chart/dynamic_hbar.calvin
calvin/examples/chart/dynamic_line.calvin
calvin/examples/chart/dynamic_vbar.calvin
calvin/examples/chart/meter.calvin
calvin/examples/chart/nice_looking.calvin
calvin/examples/chart/readme.md
calvin/examples/chart/static_hbar.calvin
calvin/examples/chart/static_vbar.calvin
calvin/examples/chart/websocket/README.md
calvin/examples/chart/websocket/calvin.conf
calvin/examples/chart/websocket/webchart.calvin
calvin/examples/display_sensors/README.md
calvin/examples/display_sensors/calvin.conf_ada
calvin/examples/display_sensors/calvin.conf_sense
calvin/examples/display_sensors/calvin.conf_server
calvin/examples/display_sensors/devactors/sensor/Environmental.py
calvin/examples/display_sensors/display_sensors.calvin
calvin/examples/distance/calvin.conf
calvin/examples/distance/distance.calvin
calvin/examples/distance/gpio-pins.json
calvin/examples/distance/readme.md
calvin/examples/hue/FlashingStopLight.calvin
calvin/examples/mqtt/calvin.conf
calvin/examples/mqtt/mqtt_pub_test.calvin
calvin/examples/mqtt/mqtt_sub_test.calvin
calvin/examples/newsticker/newsticker.calvin
calvin/examples/people_in_space/inspace.calvin
calvin/examples/rcswitch/calvin.conf
calvin/examples/rcswitch/devactors/rcswitch/RCSwitch.py
calvin/examples/rcswitch/rcswitch.calvin
calvin/examples/rfid/calvin.conf
calvin/examples/rotary_encoder/calvin.conf
calvin/examples/rotary_encoder/gpio-pins.json
calvin/examples/rotary_encoder/readme.md
calvin/examples/rotary_encoder/rotary.calvin
calvin/examples/sample-scripts/actions2.calvin
calvin/examples/sample-scripts/grab_image.calvin
calvin/examples/sample-scripts/mathtest.calvin
calvin/examples/sample-scripts/media.calvin

calvin/examples/sample-scripts/philips-hue.calvin
calvin/examples/sample-scripts/put_json.calvin
calvin/examples/sample-scripts/randtest.calvin
calvin/examples/security_policy_camera/README.md
calvin/examples/security_policy_camera/calvin.conf
calvin/examples/security_policy_camera/certificates/com.ericsson++++entrance/com.ericsson++++entrance.csr
calvin/examples/security_policy_camera/certificates/com.ericsson++++entrance/mine/6263AFB0B69BE906F04FC2D6B9BBD2CDFB45BD3C.pem
calvin/examples/security_policy_camera/certificates/com.ericsson++++entrance/others/1D0771FF8D4472C1A586D9A3EBD7B90B8989CFB.pem
calvin/examples/security_policy_camera/certificates/com.ericsson++++entrance/others/C57CA13F2DD8CFB5EC63D1F63F974678202B1DB7.pem
calvin/examples/security_policy_camera/certificates/com.ericsson++++entrance/private/private.key
calvin/examples/security_policy_camera/certificates/com.ericsson++++laptop/com.ericsson++++laptop.csr
calvin/examples/security_policy_camera/certificates/com.ericsson++++laptop/mine/1D0771FF8D4472C1A586D9A3EBD7B90B8989CFB.pem
calvin/examples/security_policy_camera/certificates/com.ericsson++++laptop/others/6263AFB0B69BE906F04FC2D6B9BBD2CDFB45BD3C.pem
calvin/examples/security_policy_camera/certificates/com.ericsson++++laptop/others/C57CA13F2DD8CFB5EC63D1F63F974678202B1DB7.pem
calvin/examples/security_policy_camera/certificates/com.ericsson++++laptop/private/private.key
calvin/examples/security_policy_camera/certificates/com.ericsson++++secret_room/com.ericson++++secret_room.csr
calvin/examples/security_policy_camera/certificates/com.ericsson++++secret_room/mine/C57CA13F2DD8CFB5EC63D1F63F974678202B1DB7.pem
calvin/examples/security_policy_camera/certificates/com.ericsson++++secret_room/others/1D0771FF8D4472C1A586D9A3EBD7B90B8989CFB.pem
calvin/examples/security_policy_camera/certificates/com.ericsson++++secret_room/others/6263AFB0B69BE906F04FC2D6B9BBD2CDFB45BD3C.pem
calvin/examples/security_policy_camera/certificates/com.ericsson++++secret_room/private/private.key
calvin/examples/security_policy_camera/certificates/truststore_for_transport/58ca1639.0
calvin/examples/security_policy_camera/identity_provider/users.json
calvin/examples/security_policy_camera/policies/entrance/policy1.json
calvin/examples/security_policy_camera/policies/entrance/policy2.json
calvin/examples/security_policy_camera/policies/laptop/policy1.json
calvin/examples/security_policy_camera/policies/laptop/policy2.json
calvin/examples/security_policy_camera/policies/laptop/policy3.json
calvin/examples/security_policy_camera/policies/secret_room/policy1.json
calvin/examples/security_policy_camera/policies/secret_room/policy2.json
calvin/examples/security_policy_camera/policy_demo.calvin
calvin/examples/security_policy_camera/policy_demo.deployjson
calvin/examples/security_policy_camera/runtime_attributes/laptop.json
calvin/examples/security_policy_camera/runtime_attributes/raspberry1.json
calvin/examples/security_policy_camera/runtime_attributes/raspberry2.json
calvin/examples/sensor-kit/dimmer.calvin
calvin/examples/sensor-kit/distance.calvin
calvin/examples/sensor-kit/humidity.calvin

calvin/examples/sensor-kit/readme.html
calvin/examples/sensor-kit/readme.md
calvin/examples/sensor-kit/temperature.calvin
calvin/examples/servo/devactors/servo/Servo.py
calvin/examples/servo/readme.md
calvin/examples/servo/servo.calvin
calvin/examples/temperature/calvin.conf
calvin/examples/temperature/readme.md
calvin/examples/temperature/temperature.calvin
calvin/examples/terrarium/README.md
calvin/examples/terrarium/calvin.conf
calvin/examples/terrarium/devactors/io/Display.py
calvin/examples/terrarium/devactors/sensor/Environmental.py
calvin/examples/terrarium/devactors/sensor/Humidity.py
calvin/examples/terrarium/devactors/sensor/Temperature.py
calvin/examples/terrarium/devactors/std/Alarm.py
calvin/examples/terrarium/devactors/std/SetLimits.py
calvin/examples/terrarium/monitor-print.calvin
calvin/examples/terrarium/monitor-tweet.calvin
calvin/examples/ui_in_gui/calvin.conf
calvin/examples/weather/readme.md
calvin/examples/weather/weather.calvin
calvin/examples/weather/weather_credentials.json
calvin/examples/webserver/webserver.calvin
calvin/requests/calvinresponse.py
calvin/requests/request_handler.py
calvin/runtime/north/actormanager.py
calvin/runtime/north/appmanager.py
calvin/runtime/north/authentication/authentication.py
calvin/runtime/north/authorization/authorization.py
calvin/runtime/north/calvin_network.py
calvin/runtime/north/calvincontrol.py
calvin/runtime/north/calvinlib.py
calvin/runtime/north/calvinsys.py
calvin/runtime/north/certificate_authority/certificate_authority.py
calvin/runtime/north/control_apis/application_api.py
calvin/runtime/north/control_apis/metering_api.py
calvin/runtime/north/control_apis/registry_api.py
calvin/runtime/north/control_apis/security_api.py
calvin/runtime/north/metering.py
calvin/runtime/north/plugins/coders/messages/message_coder_factory.py
calvin/runtime/north/plugins/coders/negotiators/static.py
calvin/runtime/north/plugins/port/connection/common.py
calvin/runtime/north/plugins/port/connection/local.py
calvin/runtime/north/plugins/port/connection/tunnel.py
calvin/runtime/north/plugins/port/endpoint/common.py
calvin/runtime/north/plugins/port/endpoint/tunnel.py
calvin/runtime/north/plugins/requirements/shadow_actor_reqs_match.py
calvin/runtime/north/plugins/storage/proxy/__init__.py
calvin/runtime/north/plugins/storage/storage_base.py
calvin/runtime/north/plugins/storage/storage_dict_local.py
calvin/runtime/north/plugins/storage/storage_factory.py

calvin/runtime/north/replicationmanager.py
calvin/runtime/north/scheduler.py
calvin/runtime/north/storage.py
calvin/runtime/north/tests/test_calvin_network.py
calvin/runtime/north/tests/test_storage.py
calvin/runtime/south/calvinlib/base64lib/Base64.py
calvin/runtime/south/calvinlib/base_calvinlib_object.py
calvin/runtime/south/calvinlib/datalib/Copy.py
calvin/runtime/south/calvinlib/tests/test_base64.py
calvin/runtime/south/calvinlib/tests/test_json.py
calvin/runtime/south/calvinlib/textformatlib/Mustache.py
calvin/runtime/south/calvinsys/base_calvinsys_object.py
calvin/runtime/south/calvinsys/calvinsys_doc.py
calvin/runtime/south/calvinsys/io/dht11temphumidity/BaseDHT11.py
calvin/runtime/south/calvinsys/io/dht11temphumidity/raspberry_pi/DHT11.py
calvin/runtime/south/calvinsys/io/gpiopin/BaseGPIOPin.py
calvin/runtime/south/calvinsys/mock/MockInput.py
calvin/runtime/south/calvinsys/mock/MockOutput.py
calvin/runtime/south/calvinsys/sys/timer/Timer.py
calvin/runtime/south/calvinsys/web/pushbullet/Pushbullet.py
calvin/runtime/south/calvinsys/web/twitter/BaseTwitter.py
calvin/runtime/south/monitor.py
calvin/runtime/south/plugins/async/__init__.py
calvin/runtime/south/plugins/async/twistedimpl/__init__.py
calvin/runtime/south/plugins/async/twistedimpl/async.py
calvin/runtime/south/plugins/async/twistedimpl/filedescriptor.py
calvin/runtime/south/plugins/async/twistedimpl/serialport.py
calvin/runtime/south/plugins/async/twistedimpl/server_connection.py
calvin/runtime/south/plugins/charts/google_charts_impl/chart.py
calvin/runtime/south/plugins/io/display/platform/raspberry_pi/adafruitcharlcdNOplate_impl/
display.py
calvin/runtime/south/plugins/io/sensors/distance/base_distance.py
calvin/runtime/south/plugins/io/sensors/distance/platform/sr04_ultrasonic_impl/distance.py
calvin/runtime/south/plugins/io/sensors/distance/platform/ui_impl/distance.py
calvin/runtime/south/plugins/io/sensors/enclosure/__init__.py
calvin/runtime/south/plugins/io/sensors/enclosure/base_enclosure.py
calvin/runtime/south/plugins/io/sensors/enclosure/onboardadmin_impl/__init__.py
calvin/runtime/south/plugins/io/sensors/enclosure/onboardadmin_impl/enclosure.py
calvin/runtime/south/plugins/io/sensors/kubectl/__init__.py
calvin/runtime/south/plugins/io/sensors/kubectl/base_kubectl.py
calvin/runtime/south/plugins/io/sensors/kubectl/heapster_impl/__init__.py
calvin/runtime/south/plugins/io/sensors/kubectl/heapster_impl/kubectl.py
calvin/runtime/south/plugins/io/sensors/rfid/__init__.py
calvin/runtime/south/plugins/io/sensors/rfid/base_rfid.py
calvin/runtime/south/plugins/io/sensors/rfid/platform/__init__.py
calvin/runtime/south/plugins/io/sensors/rfid/platform/rc522_impl/__init__.py
calvin/runtime/south/plugins/io/sensors/rfid/platform/rc522_impl/rfid.py
calvin/runtime/south/plugins/io/sensors/rotary_encoder/__init__.py
calvin/runtime/south/plugins/io/sensors/rotary_encoder/base_rotary_encoder.py
calvin/runtime/south/plugins/io/sensors/rotary_encoder/platform/__init__.py
calvin/runtime/south/plugins/io/sensors/rotary_encoder/platform/ky040_rotary_impl/__init__
.py

calvin/runtime/south/plugins/io/sensors/rotary_encoder/platform/ky040_rotary_impl/rotary_encoder.py
calvin/runtime/south/plugins/io/stdout/ui_impl/__init__.py
calvin/runtime/south/plugins/io/stdout/ui_impl/stdout.py
calvin/runtime/south/plugins/io/websocket/__init__.py
calvin/runtime/south/plugins/io/websocket/twisted_impl/__init__.py
calvin/runtime/south/plugins/io/websocket/twisted_impl/ws_server_connection.py
calvin/runtime/south/plugins/media/__init__.py
calvin/runtime/south/plugins/media/camera/__init__.py
calvin/runtime/south/plugins/media/camera/opencv_impl/__init__.py
calvin/runtime/south/plugins/media/camera/opencv_impl/camera.py
calvin/runtime/south/plugins/media/image/__init__.py
calvin/runtime/south/plugins/media/image/opencv_impl/__init__.py
calvin/runtime/south/plugins/media/image/opencv_impl/image.py
calvin/runtime/south/plugins/media/mediaplayer/__init__.py
calvin/runtime/south/plugins/media/mediaplayer/pygame_impl/__init__.py
calvin/runtime/south/plugins/media/mediaplayer/pygame_impl/mediaplayer.py
calvin/runtime/south/plugins/opcua/client.py
calvin/runtime/south/plugins/storage/__init__.py
calvin/runtime/south/plugins/storage/twistedimpl/dht/append_server.py
calvin/runtime/south/plugins/storage/twistedimpl/dht/dht_server.py
calvin/runtime/south/plugins/storage/twistedimpl/securedht/append_server.py
calvin/runtime/south/plugins/storage/twistedimpl/securedht/dht_server.py
calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests/test_dht_server_evil.py
calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests/test_dht_server_nice.py
calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests/test_dht_server_nice2.py
calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests/test_dht_server_nice3.py
calvin/runtime/south/plugins/storage/twistedimpl/securedht/tests/test_dht_server_nice4.py
calvin/runtime/south/plugins/transports/base_transport.py
calvin/runtime/south/plugins/transports/calvinip/twisted/twisted_transport.py
calvin/runtime/south/plugins/transports/lib/twisted/twisted_transport.py
calvin/tests/__init__.py
calvin/tests/codegen/access_control_demo_part1.calvin
calvin/tests/codegen/access_control_demo_part1.ref
calvin/tests/codegen/access_control_demo_part2.calvin
calvin/tests/codegen/access_control_demo_part2.ref
calvin/tests/codegen/access_control_demo_part3.calvin
calvin/tests/codegen/access_control_demo_part3.ref
calvin/tests/codegen/access_control_demo_part4.calvin
calvin/tests/codegen/access_control_demo_part4.ref
calvin/tests/codegen/access_control_demo_part5.calvin
calvin/tests/codegen/access_control_demo_part5.ref
calvin/tests/codegen/policy_demo.calvin
calvin/tests/codegen/policy_demo.deployjson
calvin/tests/codegen/policy_demo.ref
calvin/tests/codegen/ports_dispatch.ref
calvin/tests/codegen/random1.calvin
calvin/tests/codegen/random1.ref
calvin/tests/codegen/random2.calvin
calvin/tests/codegen/random2.ref
calvin/tests/helpers.py
calvin/tests/helpers_twisted.py

```
calvin/tests/security_test/dht_store/testshadow/SumCap.py
calvin/tests/security_test/policies/policy0.json
calvin/tests/security_test/policies/policy1.json
calvin/tests/security_test/policies/policy2.json
calvin/tests/security_test/policies/policy3.json
calvin/tests/security_test/policies/policy4.json
calvin/tests/security_test/policies/policy5.json
calvin/tests/security_test/policies/policy6.json
calvin/tests/test_actor.py
calvin/tests/test_actormanager.py
calvin/tests/test_actorport.py
calvin/tests/test_all_security_together.py
calvin/tests/test_authorization_authentication_signing.py
calvin/tests/test_automatic_authentication_registration.py
calvin/tests/test_automatic_authorization_registration.py
calvin/tests/test_automatic_ca_discovery.py
calvin/tests/test_calvincontrol.py
calvin/tests/test_calvinscript.py
calvin/tests/test_codegen.py
calvin/tests/test_endpoint.py
calvin/tests/test_index.py
calvin/tests/test_manage_decorator.py
calvin/tests/test_parser.py
calvin/tests/test_requirements.py
calvin/tests/test_securedht.py
calvin/tests/test_store/std/CountTimer.py
calvin/tests/test_store/testshadow/SumCap.py
calvin/tests/test_tls.py
calvin/utilities/attribute_resolver.py
calvin/utilities/calvinconfig.py
calvin/utilities/calvinlogger.py
calvin/utilities/certificate.py
calvin/utilities/certificate_authority.py
calvin/utilities/dynops.py
calvin/utilities/proxyconfig.py
calvin/utilities/runtime_credentials.py
calvin/utilities/security.py
calvin/utilities/storage_node.py
extras/install/readme.md
requirements.txt
setup.py
tox.ini
```

Please, commit your changes or stash them before you can switch branches.
Aborting

\$py.test -sv calvin/tests/test_calvin.py >& tests.log

I can not find the result of (py.test -sv calvin / tests / test_calvin.py> & tests.log) to send it to you.
Sorry that I did not understand.

\$ py.test -m essential calvin

archive (pytest -m essential calvin.TXT)