Complete Results of *Parallelizing Node-Level Explainability in Graph Neural Networks*

Oscar Llorente[a,b], Jaime Boal[b], Eugenio F. Sánchez-Úbeda[b], Antonio Diaz-Cano[a], Miguel Familiar[a]

[a] *Ericsson Cognitive Labs, Retama Ed 1 Torre Suecia, Madrid, 28045, Madrid, Spain*
[b] *Institute for Research in Technology (IIT), ICAI School of Engineering, Comillas Pontifical University, Rey Francisco, 4, Madrid, 28008, Madrid, Spain*

1. Complete results

This document presents the complete set of results for the paper *Parallelizing Node-Level Explainability in Graph Neural Networks*. These results were obtained for two models (GCN [1] and GAT [2]) using four explainability techniques (DeconvNet [3], GNNExplainer [4], Guided Backprop [5], and Saliency Maps [6]) on three citation network datasets: Cora, CiteSeer, and PubMed [7].

Table 1 serves as an index to all detailed result tables corresponding to each combination of explainability technique, dataset, and model architecture. For every combination, we evaluate multiple clustering configurations (ranging from 1 to 128 clusters) and vary the dropout rate between 0 and 1. Reported metrics include execution time, increases in nodes and edges, and the percentage of affected explanations and nodes.

Note that for the PubMed dataset, which is significantly larger than Cora and CiteSeer, experiments are limited to 16 clusters due to the GPU memory required to store the reconstructed dataset. Running larger cluster configurations on CPU would prevent a fair comparison with the GPU-based experiments on the smaller datasets, since CPU execution times would be

Email addresses: oscar.llorente.gonzalez@ericsson.com (Oscar Llorente), jaime.boal@iit.comillas.edu (Jaime Boal), eugenio.sanchez@iit.comillas.edu (Eugenio F. Sánchez-Úbeda), antonio.jesus.diaz.cano@ericsson.com (Antonio Diaz-Cano), miguel.familiar-cabero@ericsson.com (Miguel Familiar)

disproportionately higher. Similarly, GNNExplainer is not run on PubMed because its memory requirements exceed the available GPU capacity.

Table 1: Summary of table references for each explainability technique evaluated on the Cora, CiteSeer, and PubMed datasets under GCN and GAT model architectures.

Explainability	**Cora**		**CiteSeer**		**PubMed**	
technique	GCN	GAT	GCN	GAT	GCN	GAT
DeconvNet	Table 2	Table 8	Table 14	Table 20	Table 26	Table 32
GNNExplainer	Table 3	Table 9	Table 15	Table 21	Table 27	Table 33
Guided Backprop	Table 4	Table 10	Table 16	Table 22	Table 28	Table 34
Integrated Gradients	Table 5	Table 11	Table 17	Table 23	Table 29	Table 35
Saliency Map	Table 6	Table 12	Table 18	Table 24	Table 30	Table 36
SmoothGrad	Table 7	Table 13	Table 19	Table 25	Table 31	Table 37

References

[1] T. N. Kipf, M. Welling, Semi-supervised classification with graph convolutional networks, in: Proc. 5th International Conference on Learning Representations (ICLR), Toulon, France, 2017, pp. 1–14.

[2] S. Brody, U. Alon, E. Yahav, How attentive are graph attention networks?, in: Proc. 10th International Conference on Learning Representations (ICLR), 2022, pp. 1–26.

[3] M. D. Zeiler, R. Fergus, Visualizing and understanding convolutional networks, in: D. Fleet, T. Pajdla, B. Schiele, T. Tuytelaars (Eds.), European Conference on Computer Vision (ECCV), Springer, Cham, 2014, pp. 818–833. doi:10.1007/978-3-319-10590-1_53.

[4] R. Ying, D. Bourgeois, J. You, M. Zitnik, J. Leskovec, GNNExplainer: Generating explanations for graph neural networks, in: Proc. 33rd International Conference on Neural Information Processing Systems (NeurIPS), Vancouver, BC, Canada, 2019, pp. 9244–9255.

[5] J. T. Springenberg, A. Dosovitskiy, T. Brox, M. A. Riedmiller, Striving for simplicity: The all convolutional net, in: Proc. 3rd International Conference on Learning Representations (ICLR), San Diego, CA, USA, 2015, pp. 1–14.

[6] K. Simonyan, A. Vedaldi, A. Zisserman, Deep inside convolutional networks: Visualising image classification models and saliency maps, in: Proc. 2nd International Conference on Learning Representations (ICLR), Banff, AB, Canada, 2014, pp. 1–8.

[7] Z. Yang, W. W. Cohen, R. Salakhutdinov, Revisiting semi-supervised learning with graph embeddings, in: Proc. 33rd International Conference on Machine Learning (ICML), New York, NY, USA, 2016, pp. 40–48.

Table 2: Reconstruction with DeconvNet on Cora dataset using the GCN model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	2.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	0.58	243.65	238.34	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.61	171.03	107.06	15.43	2.27	2.12	51.19	26.39	20.04
	0.50	0.60	124.21	34.87	33.82	5.48	4.99	61.11	41.67	31.55
	0.20	0.60	54.17	-5.27	38.45	7.85	7.17	62.10	41.67	31.94
	0.00	0.62	0.00	-17.38	41.81	9.44	8.74	64.48	43.65	33.33
16	1.00	0.38	426.59	434.42	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.44	296.63	206.39	26.32	7.36	7.10	61.51	33.53	23.61
	0.50	0.43	212.50	101.12	34.15	7.68	7.33	72.22	42.86	32.94
	0.20	0.43	89.88	-1.91	50.89	14.56	13.91	76.98	52.58	41.07
	0.00	0.43	0.00	-27.80	55.84	16.55	15.75	79.76	56.94	43.45
32	1.00	0.33	724.01	737.56	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.42	503.37	342.71	29.77	8.94	8.08	79.37	43.45	30.95
	0.50	0.42	369.25	204.37	40.53	12.68	12.17	77.18	44.64	33.13
	0.20	0.42	145.44	-5.49	58.39	17.96	16.83	86.31	61.51	46.03
	0.00	0.44	0.00	-40.47	62.07	19.83	18.61	88.69	66.07	49.80
64	1.00	0.42	1308.73	1341.59	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.60	916.67	641.26	31.18	9.36	7.96	82.34	45.83	29.56
	0.50	0.60	647.22	284.08	51.27	16.32	14.94	89.68	62.10	44.25
	0.20	0.60	265.48	28.36	60.71	19.55	17.78	90.48	68.65	47.82
	0.00	0.61	0.00	-54.15	65.08	21.12	19.58	93.25	75.60	55.56
128	1.00	0.69	2272.62	2340.25	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	1.05	1577.98	1110.65	32.19	9.74	8.27	87.10	56.94	39.29
	0.50	1.05	1121.63	549.10	50.73	17.85	14.54	91.47	66.47	47.22
	0.20	1.06	447.22	36.77	63.94	20.98	19.12	95.24	76.19	57.34
	0.00	1.06	0.00	-68.39	66.85	22.27	20.39	96.43	83.73	65.08
504	1.00	1.94	3630.36	3661.77	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	2.81	2555.56	1887.89	31.62	11.40	10.15	89.48	54.37	34.92
	0.50	2.82	1800.20	809.53	51.68	17.04	15.08	94.44	69.84	48.41
	0.20	2.84	728.37	92.26	64.81	21.36	19.43	96.63	81.55	60.12
	0.00	2.83	0.00	-73.65	67.33	22.58	20.56	97.62	88.29	68.25

Table 3: Reconstruction with GNNExplainer on the Cora dataset using the GCN model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	332.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	39.39	243.65	238.34	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	39.47	166.87	117.26	38.87	38.24	38.11	60.71	59.72	59.72
	0.50	39.38	114.48	44.28	47.38	46.62	46.54	64.29	63.29	62.90
	0.20	39.00	48.41	-5.27	64.23	63.68	63.24	70.63	69.25	68.85
	0.00	38.78	0.00	-17.38	68.19	67.72	67.28	71.63	70.24	69.84
16	1.00	20.64	426.59	434.42	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	19.91	298.81	190.02	47.32	46.37	46.23	74.80	73.81	72.62
	0.50	19.70	213.69	99.66	55.54	54.96	54.52	80.16	79.37	78.57
	0.20	19.40	88.69	4.48	76.62	75.81	75.30	84.13	83.53	81.94
	0.00	19.33	0.00	-27.80	85.41	84.56	84.03	86.31	85.91	84.52
32	1.00	11.39	724.01	737.56	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	10.40	502.98	373.09	41.15	40.80	40.74	80.95	79.96	79.37
	0.50	10.24	376.39	178.25	62.04	61.54	61.06	86.51	85.71	84.72
	0.20	10.04	151.39	-2.91	87.17	86.49	85.97	90.48	89.68	88.49
	0.00	9.97	0.00	-40.47	92.76	91.95	91.45	92.06	91.27	90.48
64	1.00	7.01	1308.73	1341.59	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	6.08	915.08	684.30	44.80	44.11	43.82	87.30	86.90	85.32
	0.50	5.54	646.23	307.06	70.06	69.35	69.10	93.45	92.26	91.07
	0.20	5.40	263.49	0.67	93.48	92.68	92.35	93.45	92.86	92.26
	0.00	5.36	0.00	-54.15	96.20	95.41	95.09	94.64	93.65	93.06
128	1.00	6.48	2272.62	2340.25	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	5.14	1594.44	1116.59	48.56	47.59	47.23	93.06	92.06	90.87
	0.50	4.63	1130.36	567.60	71.65	70.87	70.56	95.44	94.25	93.45
	0.20	4.29	455.36	34.75	94.47	93.73	93.35	97.02	96.03	95.24
	0.00	4.21	0.00	-68.39	98.03	97.48	97.18	97.02	96.43	95.24
504	1.00	8.39	3630.36	3661.77	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	7.22	2530.56	1805.72	48.70	48.27	48.07	93.45	92.26	91.07
	0.50	6.15	1802.58	885.20	72.60	71.78	71.50	96.83	96.03	94.64
	0.20	5.61	720.83	106.84	93.61	93.00	92.65	98.02	97.22	96.23
	0.00	5.53	0.00	-73.65	98.57	98.10	97.83	98.41	97.42	96.83

Table 4: Reconstruction with Guided Backprop on the Cora dataset using the GCN model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	2.41	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	0.61	243.65	238.34	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.63	171.43	114.35	18.36	3.28	3.15	50.00	23.02	18.25
	0.50	0.64	120.63	66.26	27.16	4.75	4.35	56.94	34.13	27.38
	0.20	0.63	49.21	-6.50	39.18	8.21	7.54	63.49	41.47	32.54
	0.00	0.62	0.00	-17.38	41.81	9.44	8.74	64.48	43.65	33.33
16	1.00	0.41	426.59	434.42	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.46	296.63	226.57	22.63	6.71	6.53	66.07	33.73	24.21
	0.50	0.46	217.66	134.53	27.41	7.38	6.88	68.45	33.93	23.41
	0.20	0.45	83.53	-2.24	50.46	14.70	13.93	76.98	50.99	38.49
	0.00	0.45	0.00	-27.80	55.84	16.55	15.75	79.76	56.94	43.45
32	1.00	0.35	724.01	737.56	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.44	506.15	318.27	35.59	10.22	9.59	79.17	46.43	34.52
	0.50	0.45	369.84	173.99	45.16	15.28	14.55	82.54	50.00	36.11
	0.20	0.45	141.47	7.96	57.00	18.02	16.83	87.50	60.32	45.24
	0.00	0.46	0.00	-40.47	62.07	19.83	18.61	88.69	66.07	49.80
64	1.00	0.45	1308.73	1341.59	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.65	915.87	699.89	28.12	9.62	8.01	79.37	45.24	32.34
	0.50	0.65	651.39	331.61	47.58	15.44	12.72	87.70	55.75	38.89
	0.20	0.70	261.51	18.72	61.20	19.46	18.14	90.87	67.26	49.21
	0.00	0.65	0.00	-54.15	65.08	21.12	19.58	93.25	75.60	55.56
128	1.00	0.75	2272.62	2340.25	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	1.13	1590.08	1164.24	31.56	11.12	9.34	87.30	55.56	35.91
	0.50	1.14	1128.17	530.27	51.51	17.83	15.91	93.25	66.67	47.62
	0.20	1.15	453.77	38.45	64.67	20.97	19.05	94.25	78.17	58.53
	0.00	1.14	0.00	-68.39	66.85	22.27	20.39	96.43	83.73	65.08
504	1.00	2.13	3630.36	3661.77	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	3.10	2531.94	1797.31	32.53	10.96	9.38	88.89	54.96	36.90
	0.50	3.11	1838.29	869.84	52.45	17.42	15.73	93.25	69.05	47.42
	0.20	3.14	716.27	128.14	64.79	21.65	19.21	97.42	80.75	58.73
	0.00	3.11	0.00	-73.65	67.33	22.58	20.56	97.62	88.29	68.25

Table 5: Reconstruction with Integrated Gradients on the Cora dataset using the GCN model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	111.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	17.13	243.65	238.34	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	16.64	169.64	92.83	14.65	1.81	0.31	61.11	35.91	14.48
	0.50	16.09	119.25	42.49	18.00	2.04	0.57	57.34	40.87	26.98
	0.20	14.87	51.39	-1.12	28.14	2.66	0.73	66.47	47.62	33.13
	0.00	14.61	0.00	-17.38	30.85	3.05	0.77	67.26	49.01	33.73
16	1.00	9.21	426.59	434.42	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	8.70	304.56	185.54	21.40	3.59	0.68	68.25	46.23	25.00
	0.50	8.56	216.87	134.98	20.11	2.63	0.55	73.61	43.25	28.57
	0.20	8.24	83.93	0.34	38.14	5.99	1.20	79.37	58.73	46.43
	0.00	8.11	0.00	-27.80	42.01	6.78	1.36	81.75	63.49	52.38
32	1.00	5.31	724.01	737.56	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	4.84	506.94	309.42	31.19	4.89	1.07	75.40	55.16	40.48
	0.50	4.64	367.86	178.03	32.31	5.40	1.12	78.37	53.57	39.68
	0.20	4.40	141.67	9.98	42.60	7.10	1.71	86.31	67.26	53.37
	0.00	4.34	0.00	-40.47	47.41	8.52	1.96	88.89	72.22	58.73
64	1.00	3.56	1308.73	1341.59	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	3.28	919.44	720.29	21.87	4.36	0.92	85.12	52.78	32.94
	0.50	2.99	657.14	329.71	36.64	6.17	1.44	89.09	64.68	50.00
	0.20	2.80	269.25	26.79	47.08	8.68	2.00	92.26	75.99	59.33
	0.00	2.71	0.00	-54.15	49.98	9.51	2.34	93.45	80.56	68.06
128	1.00	3.85	2272.62	2340.25	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	3.31	1587.70	1120.40	27.02	4.74	1.18	87.70	60.32	41.87
	0.50	2.99	1120.04	480.83	40.34	7.43	1.90	92.66	75.99	61.11
	0.20	2.71	464.88	46.19	49.25	9.45	2.53	94.84	82.74	68.65
	0.00	2.66	0.00	-68.39	51.35	10.30	2.78	96.03	87.10	74.21
504	1.00	4.66	3630.36	3661.77	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	4.58	2535.71	1861.21	23.63	4.40	1.14	89.48	61.90	42.86
	0.50	3.98	1822.82	851.23	38.39	7.06	1.74	94.44	78.17	60.91
	0.20	3.54	723.21	111.21	49.66	9.66	2.54	95.63	82.34	69.44
	0.00	4.11	0.00	-73.65	51.70	10.52	2.91	97.22	90.08	77.18

Table 6: Reconstruction with Saliency Map on Cora dataset using the GCN model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	2.30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	0.55	243.65	238.34	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.58	171.83	113.12	11.49	3.40	3.12	51.79	20.63	15.87
	0.50	0.57	126.39	48.88	26.76	4.37	4.15	55.95	32.94	26.39
	0.20	0.57	50.20	2.24	31.84	7.67	7.05	59.72	33.53	23.02
	0.00	0.56	0.00	-17.38	41.81	9.44	8.74	64.48	43.65	33.33
16	1.00	0.36	426.59	434.42	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.41	293.85	206.39	21.17	7.88	7.59	62.30	29.76	22.62
	0.50	0.41	210.91	72.76	43.02	12.58	12.02	72.42	48.41	35.52
	0.20	0.40	85.12	-4.71	52.82	15.04	14.50	75.20	52.78	40.48
	0.00	0.40	0.00	-27.80	55.84	16.55	15.75	79.76	56.94	43.45
32	1.00	0.31	724.01	737.56	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.38	514.68	374.66	25.40	7.61	6.69	69.44	35.32	27.38
	0.50	0.39	363.49	204.04	40.09	13.12	12.16	81.15	46.03	33.33
	0.20	0.39	152.38	-4.60	59.00	18.27	17.21	86.51	62.90	47.42
	0.00	0.45	0.00	-40.47	62.07	19.83	18.61	88.69	66.07	49.80
64	1.00	0.40	1308.73	1341.59	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.57	926.98	660.31	29.50	8.42	6.86	80.75	49.60	34.13
	0.50	0.57	650.00	324.78	45.90	14.20	12.81	85.91	57.14	40.48
	0.20	0.58	251.98	3.92	62.63	20.16	18.75	92.66	72.82	52.78
	0.00	0.56	0.00	-54.15	65.08	21.12	19.58	93.25	75.60	55.56
128	1.00	0.66	2272.62	2340.25	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.99	1600.40	1113.79	35.07	11.06	9.53	86.11	53.37	37.10
	0.50	1.00	1158.33	570.18	48.14	16.72	14.27	90.67	65.87	45.83
	0.20	1.00	448.61	78.03	62.46	21.14	19.25	95.83	74.80	56.35
	0.00	1.00	0.00	-68.39	66.85	22.27	20.39	96.43	83.73	65.08
504	1.00	1.83	3630.36	3661.77	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	2.66	2540.67	1650.45	37.15	11.43	10.70	91.87	59.72	40.67
	0.50	2.66	1801.19	919.06	52.29	18.00	15.18	93.65	68.06	49.21
	0.20	2.66	720.04	109.98	64.64	21.66	19.37	96.23	81.15	59.72
	0.00	2.68	0.00	-73.65	67.33	22.58	20.56	97.62	88.29	68.25

Table 7: Reconstruction with SmoothGrad on Cora dataset using the GCN model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	116.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	18.83	243.65	238.34	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	17.50	170.24	129.15	32.28	6.53	2.58	53.17	34.72	20.24
	0.50	17.23	125.99	75.22	26.71	8.19	4.18	57.94	31.55	17.46
	0.20	16.73	47.82	-2.58	50.01	14.08	7.05	61.31	40.67	25.40
	0.00	16.30	0.00	-17.38	58.29	17.17	8.69	66.47	48.02	30.56
16	1.00	10.71	426.59	434.42	0.43	0.00	0.00	0.40	0.00	0.00
	0.70	10.31	301.59	237.56	27.69	8.39	4.52	64.68	38.49	21.03
	0.50	10.20	214.29	91.37	54.97	20.17	11.70	71.23	50.40	27.18
	0.20	9.84	85.52	-1.23	69.03	24.91	14.20	78.97	57.54	34.33
	0.00	9.68	0.00	-27.80	74.06	27.04	15.70	80.95	61.31	38.49
32	1.00	4.79	724.01	737.56	0.41	0.00	0.00	0.40	0.00	0.00
	0.70	5.25	504.76	346.97	41.47	14.68	7.61	77.78	50.79	30.16
	0.50	5.54	351.59	167.15	55.58	21.59	12.79	83.33	57.74	34.92
	0.20	5.37	148.61	8.18	74.76	27.61	15.75	86.31	66.07	41.27
	0.00	5.26	0.00	-40.47	80.85	31.43	18.51	88.89	70.44	44.84
64	1.00	3.18	1308.73	1341.59	0.00	0.00	0.00	0.20	0.00	0.00
	0.70	2.79	931.75	639.91	42.88	16.56	10.85	83.93	52.98	30.16
	0.50	2.48	667.06	322.09	61.36	23.06	12.89	87.70	63.29	35.91
	0.20	2.38	262.50	17.60	79.38	29.85	17.13	93.45	74.60	45.63
	0.00	2.34	0.00	-54.15	84.09	32.94	19.48	93.85	78.57	50.00
128	1.00	2.42	2272.62	2340.25	1.67	0.00	0.00	0.99	0.00	0.00
	0.70	1.88	1585.12	1097.20	52.45	18.36	10.46	88.69	62.70	36.90
	0.50	1.58	1137.70	619.17	65.24	23.94	12.12	92.66	71.23	41.87
	0.20	1.46	459.33	44.39	82.52	32.12	18.96	96.03	82.74	54.76
	0.00	1.89	0.00	-68.39	85.85	34.31	20.26	96.43	86.71	60.12
504	1.00	3.01	3630.36	3661.77	1.27	0.00	0.00	0.60	0.00	0.00
	0.70	2.53	2536.90	1797.09	46.09	18.09	10.27	89.29	60.71	33.93
	0.50	2.13	1810.71	901.12	66.44	25.64	14.96	95.24	74.60	45.24
	0.20	1.84	724.60	112.22	83.17	32.43	19.33	97.62	84.72	55.95
	0.00	1.80	0.00	-73.65	86.30	34.61	20.45	97.82	89.88	63.10

Table 8: Reconstruction with DeconvNet on the Cora dataset using the GAT model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	4.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	0.78	243.65	238.34	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.78	171.03	107.06	0.87	0.53	0.42	16.07	15.48	15.08
	0.50	0.77	124.21	34.87	1.71	1.09	0.83	33.93	33.53	33.33
	0.20	0.77	54.17	-5.27	1.49	0.96	0.76	31.75	31.15	30.95
	0.00	0.75	0.00	-17.38	1.70	1.07	0.84	34.52	33.73	33.53
16	1.00	0.44	426.59	434.42	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.45	296.63	206.39	1.38	0.82	0.65	29.96	26.79	25.60
	0.50	0.45	212.50	101.12	2.12	1.15	0.86	36.90	34.92	33.33
	0.20	0.44	89.88	-1.91	2.35	1.42	1.12	51.39	48.41	47.02
	0.00	0.43	0.00	-27.80	2.76	1.65	1.30	59.13	54.56	52.78
32	1.00	0.34	724.01	737.56	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.31	503.37	342.71	1.49	0.82	0.60	29.56	25.99	24.60
	0.50	0.31	369.25	204.37	1.72	1.02	0.82	37.70	32.74	31.94
	0.20	0.31	145.44	-5.49	3.38	2.13	1.70	71.83	68.06	65.67
	0.00	0.30	0.00	-40.47	3.41	2.18	1.74	76.98	71.63	69.44
64	1.00	0.27	1308.73	1341.59	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.32	916.67	641.26	1.57	0.95	0.71	37.90	31.75	28.77
	0.50	0.31	647.22	284.08	2.44	1.46	1.16	55.36	49.60	47.42
	0.20	0.31	265.48	28.36	3.09	1.98	1.56	70.24	64.09	61.11
	0.00	0.31	0.00	-54.15	3.64	2.38	1.91	81.75	77.58	75.00
128	1.00	0.50	2272.62	2340.25	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.49	1567.06	1152.35	1.55	0.84	0.66	36.31	29.56	27.38
	0.50	0.48	1147.62	526.68	2.65	1.60	1.21	60.12	53.57	50.20
	0.20	0.56	458.33	64.13	3.18	1.97	1.57	76.59	67.06	63.29
	0.00	0.48	0.00	-68.39	3.72	2.49	2.01	90.28	83.13	80.56
504	1.00	0.80	3630.36	3661.77	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	1.06	2551.39	1813.79	1.65	0.88	0.70	39.09	31.94	29.76
	0.50	1.04	1797.22	854.71	2.69	1.57	1.30	64.29	54.37	51.39
	0.20	1.02	726.98	87.67	3.48	2.24	1.84	84.52	76.79	74.60
	0.00	1.03	0.00	-73.65	3.76	2.58	2.11	92.06	86.71	84.52

Table 9: Reconstruction with GNNExplainer on the Cora dataset using the GAT model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	561.36	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	73.32	243.65	238.34	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	73.87	168.85	101.46	30.61	7.18	0.32	59.92	25.60	17.06
	0.50	75.08	122.62	78.92	28.29	6.91	0.35	65.67	20.04	10.12
	0.20	75.21	54.17	-5.27	63.97	15.27	0.91	69.05	41.87	34.72
	0.00	73.24	0.00	-17.38	68.95	17.32	0.97	71.63	44.84	37.50
16	1.00	38.30	426.59	434.42	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	38.11	311.51	221.41	38.50	8.14	0.45	62.70	30.95	22.62
	0.50	38.33	213.49	112.56	57.52	13.77	0.80	75.99	42.46	33.93
	0.20	36.60	91.87	0.00	80.19	19.17	1.41	83.33	58.73	53.17
	0.00	35.30	0.00	-27.80	86.27	21.32	1.55	86.31	66.07	60.32
32	1.00	19.81	724.01	737.56	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	18.57	497.22	331.28	49.79	11.15	1.22	85.52	48.41	38.49
	0.50	19.35	359.52	160.65	69.36	15.49	1.28	88.10	54.56	46.03
	0.20	18.25	145.44	-5.49	89.46	22.10	2.24	91.67	81.55	76.59
	0.00	17.61	0.00	-40.47	93.76	22.97	2.41	92.06	84.33	80.16
64	1.00	10.75	1308.73	1341.59	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	10.05	919.84	682.96	46.21	12.76	1.33	89.88	43.45	35.12
	0.50	9.44	653.77	318.61	70.90	15.69	2.07	91.27	64.09	56.15
	0.20	9.28	251.79	30.72	89.79	21.26	2.90	94.44	79.56	73.41
	0.00	9.07	0.00	-54.15	96.61	23.37	3.19	94.64	88.10	84.92
128	1.00	8.41	2272.62	2340.25	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	7.15	1595.63	1166.26	48.15	10.83	1.38	92.26	51.59	41.27
	0.50	6.55	1131.35	494.51	76.58	20.10	2.58	94.25	68.45	62.50
	0.20	6.09	450.99	64.24	91.97	22.09	3.24	96.83	82.54	77.78
	0.00	5.89	0.00	-68.39	98.17	23.79	3.85	97.02	92.06	89.68
504	1.00	9.03	3630.36	3661.77	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	7.16	2535.91	1691.37	55.20	14.70	1.87	93.65	55.95	47.62
	0.50	6.36	1791.47	867.26	73.31	17.70	2.65	96.83	70.24	62.90
	0.20	5.57	725.60	91.70	94.48	23.10	3.84	98.41	88.29	83.13
	0.00	5.38	0.00	-73.65	98.76	24.01	4.13	98.41	95.63	92.66

Table 10: Reconstruction with Guided Backprop on the Cora dataset using the GAT model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	4.80	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	0.77	243.65	238.34	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.77	171.83	116.03	0.75	0.44	0.36	15.48	14.88	14.88
	0.50	0.76	121.63	41.59	0.71	0.49	0.39	18.45	17.86	17.26
	0.20	0.76	48.41	-8.74	1.70	1.06	0.83	34.52	33.73	33.53
	0.00	0.74	0.00	-17.38	1.70	1.07	0.84	34.52	33.73	33.53
16	1.00	0.44	426.59	434.42	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.45	305.95	184.53	1.23	0.78	0.63	29.17	27.18	26.59
	0.50	0.44	214.48	126.23	1.03	0.54	0.39	20.83	18.25	17.06
	0.20	0.44	84.72	5.49	1.69	1.09	0.87	40.87	37.90	36.51
	0.00	0.42	0.00	-27.80	2.76	1.65	1.30	59.13	54.56	52.78
32	1.00	0.30	724.01	737.56	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.31	500.79	345.29	1.09	0.71	0.56	26.19	23.41	21.63
	0.50	0.31	346.23	186.21	1.64	1.04	0.77	34.52	29.76	28.17
	0.20	0.31	151.39	-2.91	3.17	1.97	1.56	68.45	63.49	61.31
	0.00	0.30	0.00	-40.47	3.41	2.18	1.74	76.98	71.63	69.44
64	1.00	0.28	1308.73	1341.59	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.33	908.53	666.59	1.70	0.96	0.72	37.90	32.74	31.35
	0.50	0.32	652.58	333.07	2.23	1.29	1.02	51.98	43.85	40.08
	0.20	0.32	258.13	15.25	3.14	2.02	1.59	70.63	65.48	63.69
	0.00	0.31	0.00	-54.15	3.64	2.38	1.91	81.75	77.58	75.00
128	1.00	0.37	2272.62	2340.25	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.49	1605.16	1161.10	1.44	0.82	0.66	35.71	28.37	26.39
	0.50	0.48	1141.27	562.56	2.47	1.49	1.14	61.90	51.79	48.02
	0.20	0.48	459.92	48.77	3.60	2.24	1.76	80.95	73.81	70.24
	0.00	0.47	0.00	-68.39	3.72	2.49	2.01	90.28	83.13	80.56
504	1.00	0.79	3630.36	3661.77	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	1.04	2521.23	1783.52	1.78	0.99	0.76	41.87	34.52	32.14
	0.50	1.03	1813.89	882.29	2.88	1.71	1.29	63.49	55.56	52.58
	0.20	1.02	736.51	93.05	3.41	2.25	1.83	84.72	76.79	74.80
	0.00	1.07	0.00	-73.65	3.76	2.58	2.11	92.06	86.71	84.52

Table 11: Reconstruction with Integrated Gradients on the Cora dataset using the GAT model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	230.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	30.92	243.65	238.34	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	31.20	170.04	102.35	0.99	0.55	0.43	18.85	17.26	16.87
	0.50	30.94	120.44	55.83	0.29	0.18	0.14	7.54	6.35	5.75
	0.20	30.81	47.62	-8.30	1.59	0.96	0.79	32.34	30.75	30.56
	0.00	30.66	0.00	-17.38	1.91	1.10	0.89	35.32	33.33	32.94
16	1.00	16.20	426.59	434.42	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	15.57	296.83	240.47	0.35	0.22	0.17	10.52	7.14	6.94
	0.50	15.50	206.94	85.09	2.01	1.20	0.94	42.66	38.69	37.90
	0.20	15.42	84.33	0.78	2.32	1.35	1.10	44.05	41.07	40.28
	0.00	14.86	0.00	-27.80	2.80	1.68	1.36	57.94	53.57	52.58
32	1.00	8.87	724.01	737.56	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	8.14	508.13	378.48	1.18	0.59	0.45	26.19	18.85	17.06
	0.50	7.94	362.50	150.22	2.56	1.56	1.28	53.77	48.41	46.03
	0.20	7.88	141.47	7.96	2.97	1.80	1.48	64.48	57.34	54.96
	0.00	7.67	0.00	-40.47	3.74	2.26	1.89	76.59	71.23	69.05
64	1.00	5.51	1308.73	1341.59	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	4.65	894.44	668.16	1.44	0.79	0.59	30.95	22.42	20.63
	0.50	4.47	653.37	307.51	2.55	1.50	1.19	52.98	45.63	44.05
	0.20	4.09	261.90	19.17	3.28	2.02	1.63	71.23	63.69	61.90
	0.00	4.14	0.00	-54.15	3.91	2.44	2.02	81.35	75.99	73.81
128	1.00	4.52	2272.62	2340.25	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	3.66	1592.46	1129.26	2.14	1.23	0.96	44.84	36.71	34.72
	0.50	3.26	1124.21	556.95	2.35	1.39	1.10	56.55	48.02	43.45
	0.20	2.81	466.67	37.44	3.94	2.44	1.99	82.54	75.99	72.82
	0.00	2.70	0.00	-68.39	3.92	2.55	2.13	89.88	83.13	79.37
504	1.00	4.87	3630.36	3661.77	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	4.08	2556.15	1723.54	2.07	1.19	0.93	45.44	37.50	34.52
	0.50	3.55	1813.89	882.06	3.11	1.75	1.41	66.47	57.14	54.56
	0.20	2.94	732.14	88.12	3.69	2.32	1.90	83.33	74.60	71.03
	0.00	2.84	0.00	-73.65	4.03	2.68	2.23	93.25	86.11	82.74

Table 12: Reconstruction with Saliency Map on the Cora dataset using the GAT model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	4.74	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	0.77	243.65	238.34	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.78	167.46	101.01	0.84	0.51	0.39	16.07	15.48	15.08
	0.50	0.77	118.25	57.29	0.99	0.57	0.42	18.25	17.26	16.87
	0.20	0.77	48.21	-7.96	1.52	0.98	0.76	31.75	31.55	30.75
	0.00	0.74	0.00	-17.38	1.70	1.07	0.84	34.52	33.73	33.53
16	1.00	0.45	426.59	434.42	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.45	299.21	217.83	1.49	0.84	0.61	26.59	24.80	24.40
	0.50	0.44	209.13	96.75	1.91	1.15	0.89	39.88	39.29	38.29
	0.20	0.44	88.69	-2.69	2.89	1.67	1.30	55.36	53.97	52.58
	0.00	0.43	0.00	-27.80	2.76	1.65	1.30	59.13	54.56	52.78
32	1.00	0.30	724.01	737.56	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.31	510.32	315.02	1.45	0.89	0.67	31.94	29.56	27.78
	0.50	0.31	356.35	151.12	2.56	1.52	1.16	52.78	49.01	46.83
	0.20	0.31	141.67	9.98	3.08	1.81	1.42	65.28	60.91	57.94
	0.00	0.31	0.00	-40.47	3.41	2.18	1.74	76.98	71.63	69.44
64	1.00	0.28	1308.73	1341.59	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.33	922.82	711.66	1.19	0.64	0.45	24.40	19.44	16.67
	0.50	0.32	664.68	320.74	2.04	1.30	1.03	51.19	44.05	41.27
	0.20	0.32	248.21	10.87	3.11	1.95	1.55	71.03	66.07	64.09
	0.00	0.31	0.00	-54.15	3.64	2.38	1.91	81.75	77.58	75.00
128	1.00	0.37	2272.62	2340.25	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.48	1587.30	1171.08	1.42	0.85	0.64	37.30	29.96	26.39
	0.50	0.48	1130.56	598.54	2.19	1.36	1.07	53.57	46.03	43.85
	0.20	0.47	445.04	52.80	3.24	2.07	1.67	81.75	71.83	67.86
	0.00	0.47	0.00	-68.39	3.72	2.49	2.01	90.28	83.13	80.56
504	1.00	0.79	3630.36	3661.77	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	1.04	2559.72	1839.35	1.73	0.93	0.71	40.87	32.14	29.56
	0.50	1.04	1831.94	890.25	2.66	1.54	1.27	61.31	51.39	50.00
	0.20	1.07	736.31	84.53	3.59	2.31	1.86	85.71	77.78	75.40
	0.00	1.02	0.00	-73.65	3.76	2.58	2.11	92.06	86.71	84.52

Table 13: Reconstruction with SmoothGrad on the Cora dataset using the GAT model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	236.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	32.14	243.65	238.34	22.31	6.78	3.03	99.80	95.04	83.73
	0.70	31.35	169.64	118.61	21.95	6.64	3.08	100.00	94.05	81.75
	0.50	31.51	125.20	71.97	21.73	6.68	3.07	100.00	96.23	83.33
	0.20	31.89	48.61	-1.12	20.10	6.31	2.96	99.80	94.84	84.13
	0.00	30.14	0.00	-17.38	19.90	6.41	3.02	99.80	95.04	82.94
16	1.00	16.91	426.59	434.42	21.97	6.57	2.97	99.80	96.03	82.54
	0.70	15.88	301.19	190.36	21.15	6.56	2.92	99.40	96.03	81.94
	0.50	15.75	211.51	107.74	20.35	6.38	2.91	99.80	96.23	80.75
	0.20	15.70	85.71	-6.61	19.21	6.26	3.01	99.60	96.03	82.54
	0.00	15.26	0.00	-27.80	18.73	6.13	2.84	100.00	96.03	82.54
32	1.00	9.05	724.01	737.56	22.24	6.65	3.08	100.00	95.63	83.33
	0.70	8.27	510.52	340.36	20.98	6.54	3.00	99.80	97.02	83.53
	0.50	8.13	366.27	167.26	20.38	6.45	2.97	99.80	96.23	82.34
	0.20	7.93	156.75	7.62	18.96	6.07	2.99	99.80	95.83	84.52
	0.00	7.56	0.00	-40.47	18.48	6.01	2.95	100.00	96.23	84.52
64	1.00	5.25	1308.73	1341.59	21.84	6.69	3.04	99.80	96.23	82.34
	0.70	4.80	922.22	672.87	20.77	6.41	3.01	99.40	95.83	82.74
	0.50	4.35	657.54	351.57	20.82	6.67	3.16	100.00	96.43	85.91
	0.20	4.41	271.03	8.86	18.79	6.16	3.10	100.00	95.83	87.90
	0.00	4.50	0.00	-54.15	18.35	6.10	3.09	100.00	97.22	87.70
128	1.00	4.26	2272.62	2340.25	22.39	6.82	3.06	99.80	95.04	83.13
	0.70	3.61	1571.43	1112.89	21.29	6.68	3.11	99.60	96.43	84.13
	0.50	3.24	1149.01	597.76	20.46	6.57	3.11	99.80	96.83	87.50
	0.20	2.86	452.98	53.59	18.98	6.20	3.13	99.80	96.63	88.89
	0.00	2.72	0.00	-68.39	18.18	6.05	3.06	99.80	95.83	87.90
504	1.00	4.82	3630.36	3661.77	22.23	6.78	3.07	100.00	96.63	81.94
	0.70	4.03	2516.27	1750.56	21.13	6.63	3.16	99.80	96.43	87.30
	0.50	3.55	1794.64	864.24	20.12	6.48	3.19	100.00	96.63	86.71
	0.20	2.98	725.99	96.97	18.93	6.35	3.28	100.00	97.22	89.68
	0.00	2.85	0.00	-73.65	18.21	6.15	3.21	100.00	96.83	89.48

Table 14: Reconstruction with DeconvNet on the CiteSeer dataset using the GCN model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	0.79	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	0.15	62.65	86.10	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.16	43.98	44.84	9.04	2.83	1.01	27.11	12.65	7.83
	0.50	0.16	30.12	9.87	16.33	4.32	2.29	33.13	15.06	9.64
	0.20	0.16	12.65	-5.83	23.89	5.94	3.10	36.75	21.08	13.86
	0.00	0.19	0.00	-15.70	27.60	7.29	3.58	36.75	21.69	13.86
16	1.00	0.10	132.53	174.44	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.12	89.76	83.41	15.72	4.66	2.83	36.14	18.67	13.25
	0.50	0.12	68.07	33.63	32.32	11.81	7.76	44.58	27.11	18.07
	0.20	0.12	28.92	-11.66	36.44	11.40	6.41	42.77	28.92	18.07
	0.00	0.12	0.00	-32.29	45.07	16.06	10.80	51.20	37.35	27.11
32	1.00	0.10	203.01	251.12	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.13	140.96	108.97	23.89	8.30	5.67	52.41	25.90	16.87
	0.50	0.13	101.81	52.47	33.60	10.86	7.49	64.46	36.14	27.11
	0.20	0.14	30.72	-21.97	51.48	17.07	11.34	77.11	49.40	37.95
	0.00	0.13	0.00	-43.05	57.56	19.37	13.56	78.31	51.81	41.57
64	1.00	0.15	292.77	363.68	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.19	200.00	172.20	25.64	8.37	5.33	61.45	33.73	22.89
	0.50	0.19	145.18	61.88	43.39	14.30	11.20	71.08	45.18	31.33
	0.20	0.20	54.82	-20.63	60.46	22.94	17.00	84.94	57.23	44.58
	0.00	0.20	0.00	-52.47	65.79	24.90	18.62	85.54	62.05	46.99
128	1.00	0.20	312.05	382.51	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.26	220.48	182.51	27.60	9.31	6.21	69.88	37.35	27.71
	0.50	0.27	163.25	90.13	40.89	12.28	8.43	67.47	45.18	28.31
	0.20	0.27	51.20	-29.15	61.27	21.59	15.79	84.94	60.84	42.77
	0.00	0.27	0.00	-53.81	66.40	24.43	18.02	85.54	64.46	47.59
166	1.00	0.45	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.50	0.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.20	0.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00	0.49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 15: Reconstruction with GNNExplainer on the CiteSeer dataset using the GCN model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	91.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	12.11	62.65	86.10	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	12.25	46.39	42.15	17.27	12.35	11.00	26.51	24.70	23.49
	0.50	11.93	31.33	15.70	26.79	18.62	16.87	32.53	32.53	29.52
	0.20	11.95	15.06	-3.14	37.45	27.13	23.82	33.13	31.33	29.52
	0.00	11.85	0.00	-15.70	41.70	32.66	27.73	37.95	36.75	33.73
16	1.00	6.89	132.53	174.44	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	6.53	98.80	95.07	21.52	15.32	13.63	34.34	31.33	28.92
	0.50	6.52	69.88	45.74	36.91	27.94	23.35	43.98	43.37	37.35
	0.20	6.49	26.51	-7.62	55.47	42.44	36.10	51.20	50.60	45.78
	0.00	6.47	0.00	-32.29	61.67	50.00	43.72	53.61	53.61	48.80
32	1.00	3.43	203.01	251.12	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	3.33	138.55	110.31	34.28	26.11	23.48	54.82	49.40	44.58
	0.50	3.33	113.25	70.85	48.85	36.37	30.97	66.87	60.84	56.63
	0.20	3.35	51.20	-7.62	65.32	51.08	44.80	74.70	69.28	63.86
	0.00	3.33	0.00	-43.05	75.91	61.88	54.45	80.72	77.71	72.29
64	1.00	3.36	292.77	363.68	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	3.55	206.63	152.47	43.59	30.90	26.32	65.66	60.84	54.22
	0.50	3.43	138.55	66.82	61.27	46.49	39.81	71.08	66.27	62.65
	0.20	3.39	64.46	-15.70	77.73	64.24	55.06	84.34	82.53	75.90
	0.00	3.37	0.00	-52.47	82.86	69.91	61.81	87.35	85.54	80.72
128	1.00	2.93	312.05	382.51	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	3.29	213.86	172.65	37.31	26.99	23.55	73.49	68.07	62.65
	0.50	3.04	170.48	95.07	53.71	41.36	36.84	71.08	68.67	64.46
	0.20	2.93	71.69	-9.42	76.25	62.69	54.99	86.14	81.33	74.70
	0.00	2.91	0.00	-53.81	84.08	71.66	63.97	86.75	84.94	78.92
166	1.00	29.69	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	29.27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.50	30.36	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.20	29.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00	29.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 16: Reconstruction with Guided Backprop on the CiteSeer dataset using the GCN model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	0.69	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	0.14	62.65	86.10	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.15	40.96	33.18	8.23	2.16	1.15	28.31	12.05	9.04
	0.50	0.15	35.54	11.66	19.03	4.66	2.29	33.13	16.87	9.64
	0.20	0.15	12.65	-2.69	19.77	5.06	2.83	36.14	18.67	12.65
	0.00	0.15	0.00	-15.70	27.60	7.29	3.58	36.75	21.69	13.86
16	1.00	0.10	132.53	174.44	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.11	92.77	82.51	21.05	8.43	5.06	34.94	21.69	13.25
	0.50	0.11	68.67	19.28	31.71	11.34	7.15	47.59	31.93	18.67
	0.20	0.12	30.12	-8.52	37.04	12.82	8.37	45.78	31.93	20.48
	0.00	0.12	0.00	-32.29	45.07	16.06	10.80	51.20	37.35	27.11
32	1.00	0.10	203.01	251.12	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.13	137.35	95.52	26.05	6.75	4.86	54.82	27.11	19.28
	0.50	0.13	104.22	57.85	35.09	10.80	7.49	72.89	43.98	33.13
	0.20	0.13	43.98	-17.94	50.94	16.87	11.88	75.90	48.19	37.35
	0.00	0.14	0.00	-43.05	57.56	19.37	13.56	78.31	51.81	41.57
64	1.00	0.15	292.77	363.68	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.20	206.63	163.68	26.92	11.34	8.57	59.64	33.13	25.90
	0.50	0.20	149.40	74.44	39.07	12.55	9.45	74.10	44.58	36.14
	0.20	0.20	61.45	-16.14	57.76	21.93	15.86	84.94	57.23	43.37
	0.00	0.20	0.00	-52.47	65.79	24.90	18.62	85.54	62.05	46.99
128	1.00	0.21	312.05	382.51	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.27	217.47	179.37	29.76	10.73	7.29	66.87	38.55	28.31
	0.50	0.27	163.86	72.65	45.34	15.52	12.35	77.71	43.98	31.33
	0.20	0.27	62.65	-17.49	58.97	19.84	13.43	80.12	52.41	36.14
	0.00	0.27	0.00	-53.81	66.40	24.43	18.02	85.54	64.46	47.59
166	1.00	0.46	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.50	0.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.20	0.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00	0.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 17: Reconstruction with Integrated Gradients on the CiteSeer dataset using the GCN model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	33.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	4.81	62.65	86.10	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	4.71	43.98	37.22	9.72	2.29	1.21	27.11	13.25	7.83
	0.50	4.64	25.90	13.00	13.90	3.24	1.82	27.71	12.65	9.04
	0.20	4.59	15.06	-4.93	19.70	5.74	2.97	36.75	21.08	16.27
	0.00	4.49	0.00	-15.70	27.40	6.75	3.78	36.75	22.89	16.87
16	1.00	2.47	132.53	174.44	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	2.50	93.37	80.27	20.78	6.21	4.45	37.35	18.67	14.46
	0.50	2.56	69.88	32.29	30.36	10.46	7.22	44.58	28.31	21.08
	0.20	2.46	21.69	-17.94	40.49	14.57	9.72	51.81	34.34	28.31
	0.00	2.48	0.00	-32.29	44.47	16.40	10.86	52.41	37.35	31.33
32	1.00	1.29	203.01	251.12	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	1.32	139.76	115.25	22.60	7.29	4.59	59.64	34.94	23.49
	0.50	1.33	97.59	47.98	37.85	13.29	8.16	71.08	46.39	36.14
	0.20	1.32	37.35	-16.59	47.64	15.11	9.85	75.30	47.59	38.55
	0.00	1.31	0.00	-43.05	55.94	20.51	13.16	78.31	53.01	45.18
64	1.00	1.50	292.77	363.68	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	1.44	201.20	184.30	23.48	9.11	5.67	59.64	36.75	25.30
	0.50	1.55	145.18	97.31	36.91	14.44	9.85	73.49	46.99	34.94
	0.20	1.55	51.81	-28.25	59.58	23.35	15.25	83.73	61.45	50.00
	0.00	1.50	0.00	-52.47	64.24	26.38	17.54	84.94	64.46	51.81
128	1.00	1.28	312.05	382.51	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	1.25	210.84	153.81	32.32	10.19	5.94	62.05	36.75	24.10
	0.50	1.26	151.20	61.43	48.79	17.34	11.74	80.12	54.22	40.36
	0.20	1.27	64.46	-21.08	60.66	23.28	15.38	79.52	59.04	49.40
	0.00	1.31	0.00	-53.81	65.18	26.32	17.54	84.94	67.47	54.22
166	1.00	11.30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	11.29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.50	11.35	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.20	11.37	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00	11.56	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 18: Reconstruction with Saliency Map on the CiteSeer dataset using the GCN model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	0.68	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	0.13	62.65	86.10	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.15	43.98	52.02	6.48	2.43	0.94	23.49	10.24	6.63
	0.50	0.15	31.93	17.04	15.99	4.59	1.82	31.33	16.27	9.04
	0.20	0.15	15.06	0.45	19.57	4.86	2.43	34.94	19.28	13.25
	0.00	0.15	0.00	-15.70	27.60	7.29	3.58	36.75	21.69	13.86
16	1.00	0.10	132.53	174.44	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.11	92.77	76.68	18.49	5.20	3.17	42.17	28.92	20.48
	0.50	0.12	65.06	38.57	27.67	11.00	7.62	47.59	28.92	21.08
	0.20	0.12	25.30	-9.87	36.44	11.00	6.41	44.58	29.52	21.08
	0.00	0.12	0.00	-32.29	45.07	16.06	10.80	51.20	37.35	27.11
32	1.00	0.10	203.01	251.12	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.13	143.98	116.14	24.02	8.43	6.28	62.05	32.53	25.30
	0.50	0.13	93.98	38.57	41.63	14.51	9.85	69.88	43.37	31.93
	0.20	0.14	30.12	-23.77	51.21	17.00	11.54	74.10	45.78	37.35
	0.00	0.14	0.00	-43.05	57.56	19.37	13.56	78.31	51.81	41.57
64	1.00	0.15	292.77	363.68	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.20	190.96	154.71	31.17	10.32	8.37	66.27	34.94	26.51
	0.50	0.20	143.37	74.44	43.66	15.86	12.08	76.51	45.18	34.94
	0.20	0.21	55.42	-16.59	58.10	20.45	14.84	77.11	53.01	37.35
	0.00	0.20	0.00	-52.47	65.79	24.90	18.62	85.54	62.05	46.99
128	1.00	0.21	312.05	382.51	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.27	213.25	161.43	30.77	9.04	5.94	63.25	38.55	27.11
	0.50	0.27	157.23	83.86	41.77	12.01	8.03	73.49	43.98	30.12
	0.20	0.27	60.84	-15.25	59.99	20.04	14.64	83.73	58.43	40.36
	0.00	0.28	0.00	-53.81	66.40	24.43	18.02	85.54	64.46	47.59
166	1.00	0.46	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.50	0.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.20	0.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00	0.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 19: Reconstruction with SmoothGrad on the CiteSeer dataset using the GCN model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	33.91	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	4.56	62.65	86.10	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	4.62	42.77	42.60	7.76	1.42	0.88	28.31	9.64	6.02
	0.50	4.60	34.34	26.46	11.40	3.04	1.42	25.30	10.84	5.42
	0.20	4.57	9.04	-11.21	24.83	6.48	3.17	36.75	21.69	13.25
	0.00	4.84	0.00	-15.70	26.92	7.09	3.58	36.75	21.69	13.86
16	1.00	2.52	132.53	174.44	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	2.52	90.96	87.00	18.42	7.83	5.60	38.55	24.70	17.47
	0.50	2.58	68.67	48.43	23.55	8.43	4.66	44.58	28.31	19.28
	0.20	2.53	22.89	-19.73	42.38	14.71	9.78	46.99	31.93	22.29
	0.00	2.52	0.00	-32.29	44.60	16.26	11.00	51.20	38.55	27.71
32	1.00	1.33	203.01	251.12	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	1.35	140.36	103.59	26.45	8.70	5.87	50.00	27.11	16.27
	0.50	1.35	105.42	53.36	34.82	12.48	7.29	65.06	37.35	25.90
	0.20	1.33	33.73	-30.04	53.31	18.62	12.15	73.49	46.99	34.34
	0.00	1.34	0.00	-43.05	56.55	20.11	13.56	78.31	51.81	41.57
64	1.00	1.36	292.77	363.68	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	1.41	181.93	135.87	34.08	11.47	8.50	69.28	37.35	26.51
	0.50	1.41	151.20	82.06	35.83	11.67	8.10	71.69	38.55	28.92
	0.20	1.41	51.20	-31.84	59.85	23.08	17.07	84.34	57.83	43.37
	0.00	1.40	0.00	-52.47	64.78	25.64	18.62	85.54	61.45	46.99
128	1.00	1.25	312.05	382.51	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	1.29	222.89	180.72	28.14	8.30	6.21	59.04	33.13	24.10
	0.50	1.29	159.04	82.51	42.04	15.79	12.15	74.70	45.18	34.94
	0.20	1.29	60.24	-14.35	57.69	20.31	13.90	83.73	56.63	42.77
	0.00	1.28	0.00	-53.81	65.45	25.17	18.08	85.54	65.66	48.19
166	1.00	11.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	11.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.50	11.62	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.20	11.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00	11.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 20: Reconstruction with DeconvNet on the CiteSeer dataset using the GAT model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	1.74	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	0.27	62.65	86.10	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.28	43.98	44.84	2.42	0.89	0.53	12.65	5.42	4.22
	0.50	0.29	30.12	9.87	3.72	1.12	0.71	18.07	8.43	6.02
	0.20	0.28	12.65	-5.83	6.20	2.24	1.53	24.70	13.86	9.64
	0.00	0.28	0.00	-15.70	6.26	2.24	1.48	25.30	13.86	9.64
16	1.00	0.17	132.53	174.44	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.19	89.76	83.41	4.43	2.01	1.36	16.87	9.64	7.23
	0.50	0.19	68.07	33.63	8.97	3.13	2.13	30.12	18.67	14.46
	0.20	0.19	28.92	-11.66	8.56	3.31	2.24	29.52	18.07	14.46
	0.00	0.19	0.00	-32.29	13.05	4.90	3.19	39.76	26.51	21.08
32	1.00	0.14	203.01	251.12	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.17	140.96	108.97	6.43	2.24	1.71	22.29	12.65	12.05
	0.50	0.17	101.81	52.47	10.63	4.60	3.13	41.57	24.10	21.08
	0.20	0.17	30.72	-21.97	15.47	6.38	4.19	53.01	33.13	27.11
	0.00	0.17	0.00	-43.05	17.24	6.67	4.55	57.23	35.54	29.52
64	1.00	0.19	292.77	363.68	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.24	200.00	172.20	9.15	3.60	2.54	34.94	21.08	16.27
	0.50	0.24	145.18	61.88	12.75	5.84	3.66	43.98	31.33	24.70
	0.20	0.24	54.82	-20.63	19.83	8.50	5.43	65.06	48.19	36.75
	0.00	0.24	0.00	-52.47	20.72	9.56	5.96	66.87	50.00	39.16
128	1.00	0.25	312.05	382.51	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.31	220.48	182.51	6.91	2.72	1.77	31.33	17.47	13.25
	0.50	0.30	163.25	90.13	13.11	5.55	3.72	47.59	33.13	26.51
	0.20	0.31	51.20	-29.15	20.54	9.03	6.43	67.47	48.80	42.17
	0.00	0.31	0.00	-53.81	20.90	9.09	6.32	69.88	50.60	43.37
166	1.00	0.78	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.82	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.50	0.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.20	0.82	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00	0.88	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 21: Reconstruction with GNNExplainer on the CiteSeer dataset using the GAT model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	191.27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	24.92	62.65	86.10	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	25.14	46.39	42.15	15.58	10.86	6.91	26.51	19.88	19.28
	0.50	24.93	31.33	15.70	25.56	17.36	11.28	32.53	27.11	26.51
	0.20	24.93	15.06	-3.14	32.82	21.72	16.17	33.13	27.11	26.51
	0.00	24.88	0.00	-15.70	38.08	25.21	18.89	37.95	31.93	30.72
16	1.00	13.63	132.53	174.44	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	13.61	98.80	95.07	18.30	13.52	10.21	34.94	27.11	26.51
	0.50	13.57	69.88	45.74	30.99	21.96	19.36	43.98	36.14	34.34
	0.20	13.54	26.51	-7.62	46.22	32.11	27.33	51.20	44.58	42.17
	0.00	13.59	0.00	-32.29	52.48	35.95	32.47	53.61	47.59	45.18
32	1.00	7.52	203.01	251.12	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	7.33	138.55	110.31	30.76	22.61	19.01	54.82	43.98	40.96
	0.50	6.84	113.25	70.85	36.60	25.80	23.20	68.07	54.82	51.81
	0.20	6.86	51.20	-7.62	56.02	40.97	36.48	74.70	66.87	62.65
	0.00	6.88	0.00	-43.05	64.88	45.69	41.91	80.72	71.69	67.47
64	1.00	7.27	292.77	363.68	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	6.93	206.63	152.47	35.24	23.08	19.07	67.47	54.22	50.00
	0.50	6.97	138.55	66.82	51.89	38.61	32.05	71.08	64.46	63.25
	0.20	6.97	64.46	-15.70	66.53	49.76	44.16	84.34	77.11	72.29
	0.00	6.94	0.00	-52.47	74.03	54.25	50.00	87.35	80.72	75.90
128	1.00	5.99	312.05	382.51	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	5.89	213.86	172.65	38.43	27.10	18.54	74.70	63.86	60.24
	0.50	5.92	170.48	95.07	46.69	33.41	27.51	71.08	62.65	60.24
	0.20	5.91	71.69	-9.42	65.70	47.82	42.33	86.14	77.11	72.29
	0.00	5.87	0.00	-53.81	74.44	53.96	50.00	86.75	80.12	75.30
166	1.00	63.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	62.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.50	63.54	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.20	63.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00	60.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 22: Reconstruction with Guided Backprop on the CiteSeer dataset using the GAT model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	1.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	0.27	62.65	86.10	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.27	40.96	33.18	2.24	0.77	0.41	11.45	4.22	3.61
	0.50	0.28	35.54	11.66	4.25	1.24	0.89	19.28	9.04	6.63
	0.20	0.28	12.65	-2.69	5.67	2.01	1.42	24.10	12.05	9.64
	0.00	0.28	0.00	-15.70	6.26	2.24	1.48	25.30	13.86	9.64
16	1.00	0.17	132.53	174.44	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.18	92.77	82.51	5.08	1.83	1.18	18.07	9.64	7.83
	0.50	0.18	68.67	19.28	8.97	3.31	1.83	28.92	17.47	12.05
	0.20	0.18	30.12	-8.52	9.92	3.25	2.07	33.13	18.67	13.86
	0.00	0.19	0.00	-32.29	13.05	4.90	3.19	39.76	26.51	21.08
32	1.00	0.14	203.01	251.12	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.17	137.35	95.52	7.44	3.13	1.83	32.53	15.06	11.45
	0.50	0.17	104.22	57.85	10.27	3.78	2.66	44.58	20.48	16.27
	0.20	0.17	43.98	-17.94	14.46	5.84	4.01	49.40	29.52	27.11
	0.00	0.17	0.00	-43.05	17.24	6.67	4.55	57.23	35.54	29.52
64	1.00	0.19	292.77	363.68	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.23	206.63	163.68	7.62	3.01	1.89	30.12	18.07	12.65
	0.50	0.24	149.40	74.44	12.51	5.49	3.07	46.39	27.11	20.48
	0.20	0.24	61.45	-16.14	19.83	8.85	5.25	62.05	44.58	34.34
	0.00	0.24	0.00	-52.47	20.72	9.56	5.96	66.87	50.00	39.16
128	1.00	0.24	312.05	382.51	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.29	217.47	179.37	9.74	3.60	2.48	39.76	22.29	17.47
	0.50	0.30	163.86	72.65	17.30	6.61	4.60	54.22	33.73	29.52
	0.20	0.30	62.65	-17.49	18.83	8.44	5.61	62.05	45.18	38.55
	0.00	0.30	0.00	-53.81	20.90	9.09	6.32	69.88	50.60	43.37
166	1.00	0.79	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.82	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.50	0.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.20	0.82	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00	0.82	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 23: Reconstruction with Integrated Gradients on the CiteSeer dataset using the GAT model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	77.66	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	10.52	62.65	86.10	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	10.54	43.98	37.22	2.13	0.53	0.35	7.83	2.41	2.41
	0.50	10.51	25.90	13.00	3.25	0.89	0.59	12.65	5.42	4.22
	0.20	10.52	15.06	-4.93	5.84	1.65	1.18	22.89	8.43	7.83
	0.00	10.47	0.00	-15.70	6.43	1.59	1.24	24.10	9.04	8.43
16	1.00	5.76	132.53	174.44	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	5.76	93.37	80.27	8.26	2.60	1.89	22.29	14.46	12.05
	0.50	6.84	69.88	32.29	8.91	2.66	1.83	31.93	16.87	13.25
	0.20	6.30	21.69	-17.94	10.51	3.42	2.13	35.54	19.88	15.66
	0.00	5.75	0.00	-32.29	12.51	4.25	2.54	39.16	25.30	18.67
32	1.00	2.94	203.01	251.12	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	2.95	139.76	115.25	5.96	1.77	1.06	28.92	10.84	7.23
	0.50	2.96	97.59	47.98	9.50	3.31	1.95	42.17	21.08	15.66
	0.20	2.96	37.35	-16.59	15.58	5.61	3.48	52.41	28.92	22.29
	0.00	2.96	0.00	-43.05	17.00	5.84	3.48	56.63	33.73	25.90
64	1.00	3.11	292.77	363.68	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	3.02	201.20	184.30	11.22	4.25	2.72	37.95	22.89	18.07
	0.50	3.02	145.18	97.31	16.06	4.84	2.77	52.41	27.71	18.07
	0.20	3.02	51.81	-28.25	19.78	6.79	4.07	62.65	36.75	28.31
	0.00	2.99	0.00	-52.47	21.72	7.97	4.96	69.28	44.58	33.73
128	1.00	2.69	312.05	382.51	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	2.79	210.84	153.81	9.50	3.19	1.71	37.35	20.48	13.25
	0.50	2.62	151.20	61.43	14.34	4.25	2.77	54.82	27.71	22.29
	0.20	2.71	64.46	-21.08	20.48	7.20	4.55	62.65	41.57	32.53
	0.00	2.92	0.00	-53.81	21.37	7.79	5.02	69.88	45.78	36.75
166	1.00	26.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	26.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.50	25.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.20	24.86	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00	25.89	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 24: Reconstruction with Saliency Map on the CiteSeer dataset using the GAT model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	1.59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	0.27	62.65	86.10	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.28	43.98	52.02	1.65	0.65	0.41	8.43	4.22	3.01
	0.50	0.28	31.93	17.04	4.07	1.53	1.00	12.65	7.83	6.02
	0.20	0.28	15.06	0.45	5.37	2.13	1.30	22.89	12.65	9.04
	0.00	0.28	0.00	-15.70	6.26	2.24	1.48	25.30	13.86	9.64
16	1.00	0.17	132.53	174.44	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.19	92.77	76.68	8.15	2.95	2.13	23.49	13.86	12.05
	0.50	0.19	65.06	38.57	11.04	3.66	2.36	33.13	19.88	15.06
	0.20	0.19	25.30	-9.87	11.04	4.31	2.72	30.12	19.28	15.66
	0.00	0.18	0.00	-32.29	13.05	4.90	3.19	39.76	26.51	21.08
32	1.00	0.14	203.01	251.12	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.17	143.98	116.14	8.80	3.78	2.24	32.53	18.07	15.66
	0.50	0.17	93.98	38.57	11.63	4.13	2.83	46.99	26.51	20.48
	0.20	0.17	30.12	-23.77	14.23	5.49	3.54	47.59	29.52	24.10
	0.00	0.17	0.00	-43.05	17.24	6.67	4.55	57.23	35.54	29.52
64	1.00	0.19	292.77	363.68	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.23	190.96	154.71	11.33	3.72	2.66	39.16	21.69	18.07
	0.50	0.23	143.37	74.44	14.64	5.67	3.66	47.59	31.33	21.08
	0.20	0.24	55.42	-16.59	19.36	8.32	4.96	63.86	43.98	33.13
	0.00	0.23	0.00	-52.47	20.72	9.56	5.96	66.87	50.00	39.16
128	1.00	0.24	312.05	382.51	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.30	213.25	161.43	9.15	3.31	2.07	37.95	21.69	16.87
	0.50	0.30	157.23	83.86	13.52	4.55	3.01	48.19	25.30	19.28
	0.20	0.30	60.84	-15.25	19.30	8.38	5.61	68.07	46.39	39.16
	0.00	0.30	0.00	-53.81	20.90	9.09	6.32	69.88	50.60	43.37
166	1.00	0.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.81	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.50	0.82	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.20	0.81	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00	0.81	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 25: Reconstruction with SmoothGrad on the CiteSeer dataset using the GAT model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	79.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	10.61	62.65	86.10	24.09	4.49	0.83	79.52	31.93	7.23
	0.70	10.63	42.77	42.60	26.86	5.43	1.12	80.72	38.55	10.84
	0.50	10.65	34.34	26.46	30.46	6.55	2.07	83.73	36.75	12.05
	0.20	10.66	9.04	-11.21	32.35	6.91	2.95	83.73	37.95	18.07
	0.00	10.61	0.00	-15.70	33.06	7.02	2.42	85.54	39.76	15.66
16	1.00	5.77	132.53	174.44	22.90	3.01	0.35	78.92	21.69	3.01
	0.70	5.81	90.96	87.00	32.11	6.79	2.13	83.73	42.17	16.27
	0.50	5.79	68.67	48.43	30.46	6.08	1.95	82.53	37.95	16.27
	0.20	5.88	22.89	-19.73	37.49	10.86	4.78	85.54	53.01	29.52
	0.00	6.07	0.00	-32.29	39.37	11.22	4.78	86.75	51.81	31.33
32	1.00	2.99	203.01	251.12	23.85	3.96	0.89	82.53	27.11	7.83
	0.70	3.01	140.36	103.59	33.83	7.56	2.83	84.94	40.96	21.08
	0.50	2.99	105.42	53.36	36.07	8.38	3.25	86.75	50.60	23.49
	0.20	2.99	33.73	-30.04	41.20	11.92	5.61	88.55	56.63	33.73
	0.00	2.99	0.00	-43.05	42.15	11.87	5.55	89.76	57.83	36.14
64	1.00	3.16	292.77	363.68	26.21	3.96	0.47	84.34	27.71	4.82
	0.70	3.06	181.93	135.87	35.48	9.39	3.90	84.34	50.60	28.92
	0.50	3.06	151.20	82.06	38.31	9.98	4.01	87.35	51.20	31.33
	0.20	3.04	51.20	-31.84	43.45	13.52	6.26	89.16	59.64	40.96
	0.00	3.04	0.00	-52.47	46.40	15.17	7.50	91.57	67.47	46.39
128	1.00	2.72	312.05	382.51	24.44	4.55	0.83	78.92	30.72	7.23
	0.70	2.66	222.89	180.72	34.30	8.32	2.95	86.75	44.58	23.49
	0.50	2.65	159.04	82.51	37.60	10.04	3.90	87.35	50.60	25.90
	0.20	2.66	60.24	-14.35	43.98	13.11	6.61	89.76	61.45	40.96
	0.00	2.64	0.00	-53.81	47.40	15.23	7.14	90.36	64.46	42.77
166	1.00	26.42	0.00	0.00	24.09	3.90	0.65	82.53	29.52	6.02
	0.70	27.63	0.00	0.00	25.21	3.96	0.41	81.33	25.90	3.61
	0.50	26.51	0.00	0.00	25.09	3.60	0.35	79.52	30.72	3.01
	0.20	26.17	0.00	0.00	25.38	4.19	0.77	81.33	28.31	7.23
	0.00	26.23	0.00	0.00	23.79	4.25	0.77	77.11	30.12	6.02

Table 26: Reconstruction with DeconvNet on the PubMed dataset using the GCN model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	6.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	1.33	307.54	331.47	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	1.19	216.89	156.95	12.28	3.16	1.41	64.69	36.01	24.35
	0.50	1.18	152.48	85.48	16.39	4.47	2.11	76.20	45.71	32.52
	0.20	1.07	63.22	3.30	26.85	7.45	3.43	79.69	53.24	37.40
	0.00	1.07	0.00	-19.02	32.01	9.10	4.44	83.25	56.39	39.50
16	1.00	0.86	536.57	590.15	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.73	374.46	299.60	14.67	3.52	1.61	66.99	36.01	23.31
	0.50	0.67	263.99	140.83	23.81	6.31	2.98	78.72	49.41	34.12
	0.20	0.61	108.93	9.11	35.67	9.70	4.51	82.69	57.29	39.50
	0.00	0.60	0.00	-25.36	40.31	11.61	5.72	84.58	60.36	42.22
32	1.00	0.63	896.09	977.49	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.58	624.15	462.69	21.42	5.67	2.15	78.58	50.31	35.24
	0.50	0.48	448.15	225.79	30.98	8.66	3.92	85.83	59.73	41.59
	0.20	0.43	179.34	20.78	40.56	11.88	5.60	89.11	65.32	44.94
	0.00	0.44	0.00	-32.18	46.08	14.17	7.25	89.81	69.23	48.99
64	1.00	0.55	1468.74	1596.91	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.53	1026.87	787.06	21.00	6.25	3.24	87.09	58.48	39.99
	0.50	0.47	724.98	378.26	35.50	10.50	5.63	91.14	66.09	44.52
	0.20	0.43	295.05	27.86	49.69	16.14	9.15	92.95	75.79	52.06
	0.00	0.42	0.00	-45.27	54.51	18.25	10.84	94.07	78.86	55.34
128	1.00	0.59	2464.76	2640.24	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.64	1737.12	1291.17	29.75	10.15	6.41	94.35	70.20	49.48
	0.50	0.59	1232.66	643.08	47.93	18.53	12.12	95.74	79.69	58.55
	0.20	0.58	501.54	80.85	61.32	23.39	15.94	97.56	87.16	66.92
	0.00	0.54	0.00	-80.23	64.93	25.60	17.92	98.39	91.97	76.76
1433	1.00	2.27	5316.68	5069.58	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	3.00	3727.36	2457.20	33.53	12.45	8.66	95.95	73.97	52.69
	0.50	3.01	2645.50	1254.45	50.45	19.19	13.01	97.14	83.32	61.20
	0.20	3.04	1052.97	129.59	63.70	25.03	17.37	98.12	88.49	70.13
	0.00	2.99	0.00	-87.71	65.69	26.16	18.51	98.12	91.07	75.16

Table 27: Reconstruction with GNNExplainer on the PubMed dataset using the GCN model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	807.37	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	126.58	307.54	331.47	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	111.81	216.47	172.14	18.68	18.08	17.31	79.48	78.93	78.72
	0.50	105.06	147.59	64.89	35.86	34.62	33.97	85.07	84.72	84.58
	0.20	101.66	59.25	-3.58	45.48	44.56	43.91	89.32	89.04	88.90
	0.00	102.69	0.00	-19.02	50.31	49.46	48.81	90.23	89.95	89.81
16	1.00	74.49	536.57	590.15	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	62.27	371.46	295.40	29.25	27.54	27.15	82.55	82.27	81.93
	0.50	55.99	268.18	150.19	38.91	37.64	36.87	84.86	84.58	84.16
	0.20	51.23	107.96	6.73	56.53	55.39	54.66	89.46	89.25	89.04
	0.00	51.60	0.00	-25.36	63.83	62.56	61.79	89.67	89.53	89.25
32	1.00	46.77	896.09	977.49	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	34.91	618.63	467.05	33.66	32.80	32.07	86.88	86.53	86.25
	0.50	30.03	452.55	241.23	44.17	42.79	42.19	88.83	88.56	88.14
	0.20	25.89	178.16	18.31	64.14	63.05	62.44	93.51	93.23	93.02
	0.00	26.98	0.00	-32.18	71.57	70.55	69.96	93.86	93.65	93.44
64	1.00	32.13	1468.74	1596.91	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	21.65	1033.91	794.78	37.46	36.09	35.75	93.72	93.37	93.02
	0.50	16.93	734.19	380.73	57.48	56.08	55.48	92.39	92.11	91.91
	0.20	13.21	292.18	30.42	78.47	77.40	76.68	95.12	94.98	94.70
	0.00	12.99	0.00	-45.27	83.89	82.95	82.33	96.23	96.09	95.88
128	1.00	23.75	2464.76	2640.24	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	15.24	1722.47	1273.19	47.26	45.94	45.34	96.79	96.44	96.09
	0.50	10.71	1234.05	633.60	68.98	67.57	67.03	99.09	98.95	98.60
	0.20	7.45	484.16	46.60	91.38	90.40	89.83	99.30	99.09	98.95
	0.00	6.98	0.00	-80.23	97.40	96.50	96.00	99.37	99.16	99.02
1433	1.00	18.62	5316.68	5069.58	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	12.66	3714.79	2488.02	48.00	47.15	46.92	99.16	98.74	98.46
	0.50	9.17	2660.57	1261.09	71.36	70.33	69.72	99.37	99.09	98.81
	0.20	5.99	1068.67	145.92	93.70	92.74	92.17	99.37	99.30	98.95
	0.00	5.70	0.00	-87.71	99.18	98.31	97.81	99.37	99.16	99.02

Table 28: Reconstruction with Guided Backprop on the PubMed dataset using the GCN model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	6.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	1.42	307.54	331.47	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	1.30	214.72	169.58	9.35	2.38	1.13	64.41	35.59	24.56
	0.50	1.24	155.62	85.95	18.54	4.78	2.09	74.46	46.55	32.59
	0.20	1.21	63.08	2.16	27.45	7.46	3.47	78.37	51.99	36.08
	0.00	1.26	0.00	-19.02	32.01	9.10	4.44	83.25	56.39	39.50
16	1.00	0.89	536.57	590.15	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.79	375.79	300.86	13.19	3.54	1.79	72.23	42.08	28.12
	0.50	0.74	271.46	148.80	26.96	7.17	2.96	78.02	51.85	35.10
	0.20	0.69	104.88	7.54	35.35	9.65	4.48	83.04	56.66	38.73
	0.00	0.69	0.00	-25.36	40.31	11.61	5.72	84.58	60.36	42.22
32	1.00	0.63	896.09	977.49	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.54	629.31	469.46	18.56	4.61	2.21	82.07	52.83	37.33
	0.50	0.48	453.80	240.64	27.57	7.86	3.75	81.37	55.48	39.36
	0.20	0.43	183.53	17.02	40.78	11.87	5.93	88.97	65.95	46.69
	0.00	0.42	0.00	-32.18	46.08	14.17	7.25	89.81	69.23	48.99
64	1.00	0.55	1468.74	1596.91	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.53	1028.05	802.35	22.24	6.20	3.44	85.76	55.62	38.94
	0.50	0.49	734.26	402.87	36.93	11.30	6.18	89.46	64.55	44.80
	0.20	0.47	298.67	41.38	48.86	15.50	8.82	92.88	74.53	50.38
	0.00	0.43	0.00	-45.27	54.51	18.25	10.84	94.07	78.86	55.34
128	1.00	0.63	2464.76	2640.24	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.65	1725.47	1310.90	29.77	11.18	6.76	94.14	71.11	50.73
	0.50	0.60	1235.38	635.21	50.22	20.01	13.32	96.09	80.25	57.85
	0.20	0.55	495.95	50.53	61.96	24.01	16.37	97.84	87.30	67.69
	0.00	0.55	0.00	-80.23	64.93	25.60	17.92	98.39	91.97	76.76
1433	1.00	2.26	5316.68	5069.58	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	3.01	3721.56	2498.83	33.87	12.64	8.48	95.95	74.25	55.06
	0.50	3.01	2648.71	1245.86	49.84	19.27	13.07	96.72	81.30	59.67
	0.20	3.03	1057.71	146.91	63.48	24.89	17.37	97.98	88.56	68.81
	0.00	2.98	0.00	-87.71	65.69	26.16	18.51	98.12	91.07	75.16

Table 29: Reconstruction with Integrated Gradients on the PubMed dataset using the GCN model

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	290.80	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	51.70	307.54	331.47	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	42.94	216.05	157.07	11.90	2.09	0.60	67.06	41.45	20.10
	0.50	39.58	151.08	62.57	20.17	3.97	1.25	76.06	50.45	30.77
	0.20	39.05	60.50	-0.83	27.52	5.55	1.59	81.51	58.62	36.08
	0.00	38.60	0.00	-19.02	30.91	6.48	1.97	82.97	60.22	38.80
16	1.00	32.02	536.57	590.15	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	25.05	369.71	274.77	16.73	3.10	0.86	73.62	46.55	27.70
	0.50	21.21	271.60	137.77	22.52	4.38	1.33	77.25	52.90	35.31
	0.20	19.32	105.79	2.59	35.53	7.23	2.14	82.55	60.50	42.29
	0.00	19.62	0.00	-25.36	39.70	8.41	2.54	84.09	63.78	42.99
32	1.00	21.13	896.09	977.49	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	15.16	626.94	480.85	18.13	3.33	0.96	80.04	54.15	32.52
	0.50	12.25	443.68	231.84	27.73	5.22	1.49	84.65	60.01	36.29
	0.20	9.76	174.60	18.81	39.73	8.36	2.53	87.37	65.46	44.66
	0.00	9.86	0.00	-32.18	44.80	9.99	3.15	89.60	70.90	48.43
64	1.00	15.32	1468.74	1596.91	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	10.11	1025.47	798.12	22.93	4.97	1.61	85.69	60.78	37.40
	0.50	7.45	735.45	403.61	34.48	7.87	2.66	91.14	70.62	47.66
	0.20	5.09	292.39	26.74	49.93	12.33	4.12	92.46	75.65	56.52
	0.00	5.10	0.00	-45.27	53.95	14.36	4.86	93.93	80.74	60.57
128	1.00	11.88	2464.76	2640.24	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	7.77	1727.08	1258.34	32.95	9.76	3.73	96.09	76.27	54.71
	0.50	5.47	1218.91	641.01	44.32	12.97	4.90	96.65	83.18	64.13
	0.20	3.19	492.04	52.93	60.26	19.64	7.78	97.70	88.63	74.04
	0.00	2.95	0.00	-80.23	63.83	21.78	8.80	98.33	91.56	80.88
1433	1.00	10.25	5316.68	5069.58	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	7.82	3738.03	2556.05	30.01	9.62	3.80	96.44	77.25	56.80
	0.50	6.02	2652.13	1246.08	49.43	15.40	6.15	97.35	84.30	67.06
	0.20	4.23	1060.57	166.34	62.17	21.03	8.50	97.98	89.11	75.79
	0.00	4.03	0.00	-87.71	64.58	22.46	9.26	98.12	91.07	80.60

Table 30: Reconstruction with Saliency Map on the PubMed dataset using the GCN model

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	6.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	1.32	307.54	331.47	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	1.21	215.98	163.90	10.39	3.31	1.29	63.08	33.22	22.33
	0.50	1.14	155.90	85.67	17.75	5.42	2.45	72.99	45.08	30.84
	0.20	1.07	60.22	-2.87	28.13	7.76	3.65	79.90	52.34	36.36
	0.00	1.07	0.00	-19.02	32.01	9.10	4.44	83.25	56.39	39.50
16	1.00	0.84	536.57	590.15	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.73	375.30	280.11	15.70	3.97	1.79	71.95	43.34	31.47
	0.50	0.67	268.95	136.63	23.11	5.77	2.73	81.02	52.55	36.43
	0.20	0.60	104.88	6.86	34.95	9.37	4.37	83.53	58.62	40.54
	0.00	0.60	0.00	-25.36	40.31	11.61	5.72	84.58	60.36	42.22
32	1.00	0.63	896.09	977.49	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.54	622.33	462.14	18.04	4.95	2.14	78.37	47.24	32.24
	0.50	0.49	452.41	252.56	28.13	7.77	3.81	85.48	58.27	40.75
	0.20	0.43	178.93	14.11	41.82	12.27	6.06	89.25	65.53	46.34
	0.00	0.46	0.00	-32.18	46.08	14.17	7.25	89.81	69.23	48.99
64	1.00	0.55	1468.74	1596.91	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.53	1027.36	760.01	22.37	5.92	3.13	84.65	55.06	36.92
	0.50	0.48	735.31	395.77	34.88	10.74	5.69	91.49	68.11	46.82
	0.20	0.43	290.58	33.38	49.32	15.63	8.91	93.58	75.51	52.69
	0.00	0.42	0.00	-45.27	54.51	18.25	10.84	94.07	78.86	55.34
128	1.00	0.59	2464.76	2640.24	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.64	1734.05	1311.18	32.75	13.07	8.50	92.60	69.78	48.92
	0.50	0.60	1229.45	638.91	47.57	17.97	11.92	96.37	80.04	57.99
	0.20	0.55	496.16	48.70	62.31	24.14	16.55	97.00	87.93	68.18
	0.00	0.59	0.00	-80.23	64.93	25.60	17.92	98.39	91.97	76.76
1433	1.00	2.26	5316.68	5069.58	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	3.01	3720.66	2505.06	33.57	13.27	8.88	95.32	72.85	51.92
	0.50	3.00	2655.20	1262.66	49.12	18.30	12.19	96.93	81.86	59.87
	0.20	3.02	1061.55	154.26	63.45	24.75	17.22	98.05	87.65	68.53
	0.00	2.98	0.00	-87.71	65.69	26.16	18.51	98.12	91.07	75.16

Table 31: Reconstruction with SmoothGrad on the PubMed dataset using the GCN model

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	295.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	53.65	307.54	331.47	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	44.13	211.79	147.93	15.83	4.95	1.47	69.43	46.55	29.59
	0.50	40.85	153.31	83.26	18.33	6.33	2.39	73.41	50.87	32.66
	0.20	39.43	57.64	-2.87	28.96	9.42	3.80	80.11	56.59	36.29
	0.00	39.40	0.00	-19.02	33.14	11.28	4.63	83.18	60.29	39.92
16	1.00	32.93	536.57	590.15	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	26.33	376.76	301.36	15.89	5.29	1.84	70.55	45.71	29.31
	0.50	21.99	264.97	128.01	26.73	8.77	3.03	80.32	55.62	35.17
	0.20	20.18	109.77	10.28	36.47	12.31	4.54	82.83	60.92	40.06
	0.00	19.71	0.00	-25.36	41.63	14.66	5.93	84.51	63.57	42.43
32	1.00	21.36	896.09	977.49	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	16.04	626.38	484.90	18.04	5.48	1.78	78.23	52.55	33.64
	0.50	12.75	445.36	238.08	29.53	9.50	3.75	84.51	61.41	40.33
	0.20	10.10	180.67	14.89	43.44	14.66	5.93	88.56	68.95	46.41
	0.00	9.97	0.00	-32.18	47.62	17.05	7.43	89.81	71.46	48.99
64	1.00	15.83	1468.74	1596.91	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	10.25	1024.42	768.96	24.76	9.05	3.49	87.51	62.94	39.29
	0.50	7.60	730.98	359.67	39.92	14.24	6.31	90.65	69.64	45.85
	0.20	5.56	281.23	31.32	51.26	20.01	9.30	93.30	77.39	52.41
	0.00	5.19	0.00	-45.27	56.13	22.46	11.05	93.86	80.39	55.41
128	1.00	11.79	2464.76	2640.24	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	7.61	1733.85	1319.70	31.65	12.73	6.79	92.95	72.58	49.13
	0.50	5.36	1254.50	705.65	47.14	20.65	11.63	96.51	81.51	57.15
	0.20	3.17	482.21	51.73	63.67	28.72	16.64	97.91	89.04	67.55
	0.00	2.98	0.00	-80.23	66.60	30.54	18.13	98.33	92.25	76.62
1433	1.00	9.97	5316.68	5069.58	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	7.36	3705.16	2481.75	33.64	14.85	8.53	95.60	76.62	53.59
	0.50	6.48	2644.03	1237.89	52.40	23.44	13.17	97.21	83.67	60.36
	0.20	4.66	1072.99	157.47	64.92	29.57	17.55	97.98	89.04	69.43
	0.00	4.08	0.00	-87.71	67.36	31.14	18.74	98.05	91.77	74.95

Table 32: Reconstruction with DeconvNet on the PubMed dataset using the GAT model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	15.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	2.61	307.54	331.47	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	2.43	216.89	156.95	0.83	0.22	0.12	24.21	10.33	6.63
	0.50	2.33	152.48	85.48	1.50	0.39	0.20	35.24	15.70	11.17
	0.20	2.23	63.22	3.30	2.23	0.67	0.37	45.08	26.73	20.17
	0.00	2.31	0.00	-19.02	2.69	0.84	0.46	48.99	31.19	23.87
16	1.00	1.55	536.57	590.15	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	1.38	374.46	299.60	1.20	0.34	0.18	29.80	15.84	10.61
	0.50	1.34	263.99	140.83	2.14	0.65	0.37	43.75	26.73	20.17
	0.20	1.19	108.93	9.11	2.82	0.87	0.47	49.62	30.70	23.31
	0.00	1.18	0.00	-25.36	3.20	1.02	0.57	53.59	35.73	27.63
32	1.00	1.01	896.09	977.49	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.90	624.15	462.69	1.65	0.48	0.26	36.50	20.52	14.72
	0.50	0.81	448.15	225.79	2.47	0.75	0.42	50.03	30.91	22.68
	0.20	0.73	179.34	20.78	3.11	0.95	0.53	55.41	35.10	27.29
	0.00	0.72	0.00	-32.18	3.74	1.24	0.70	60.29	41.45	32.94
64	1.00	0.77	1468.74	1596.91	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.73	1026.87	787.06	1.73	0.44	0.25	41.73	19.54	14.03
	0.50	0.66	724.98	378.26	2.86	0.81	0.43	57.15	31.68	22.82
	0.20	0.63	295.05	27.86	4.24	1.34	0.75	70.06	47.66	37.89
	0.00	0.57	0.00	-45.27	4.59	1.49	0.85	73.76	50.10	40.06
128	1.00	0.80	2464.76	2640.24	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.77	1737.12	1291.17	2.93	0.85	0.52	60.50	34.26	27.63
	0.50	0.71	1232.66	643.08	4.72	1.55	0.94	80.04	55.27	46.55
	0.20	0.64	501.54	80.85	6.00	2.14	1.33	89.46	69.36	60.64
	0.00	0.61	0.00	-80.23	6.52	2.58	1.67	93.23	79.83	72.99
1433	1.00	2.47	5316.68	5069.58	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	3.13	3727.36	2457.20	3.40	1.07	0.64	69.71	42.22	33.57
	0.50	3.15	2645.50	1254.45	5.11	1.73	1.04	82.55	59.87	49.90
	0.20	3.15	1052.97	129.59	6.57	2.55	1.63	91.70	78.37	71.04
	0.00	3.09	0.00	-87.71	6.68	2.78	1.83	95.05	85.07	78.65

Table 33: Reconstruction with GNNExplainer on the PubMed dataset using the GAT model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	1704.56	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	253.39	307.54	331.47	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	235.30	216.47	172.14	17.83	17.10	16.78	79.48	77.67	76.34
	0.50	225.86	147.59	64.89	34.67	33.31	32.80	85.07	83.46	82.21
	0.20	219.15	59.25	-3.58	44.81	43.00	42.32	89.32	87.86	86.46
	0.00	218.12	0.00	-19.02	49.54	47.76	47.03	90.23	88.76	87.51
16	1.00	143.68	536.57	590.15	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	126.48	371.46	295.40	27.34	26.73	26.25	82.55	80.95	79.97
	0.50	118.40	268.18	150.19	37.52	36.13	35.54	84.86	83.18	82.07
	0.20	109.47	107.96	6.73	55.62	53.53	52.64	89.46	87.79	86.53
	0.00	108.19	0.00	-25.36	62.44	60.38	59.40	89.67	88.07	86.81
32	1.00	85.33	896.09	977.49	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	69.86	618.63	467.05	32.73	31.28	30.53	86.95	85.21	84.09
	0.50	62.71	452.55	241.23	42.94	41.25	40.59	88.83	87.16	85.76
	0.20	58.20	178.16	18.31	62.67	60.79	59.94	93.51	91.77	90.30
	0.00	56.15	0.00	-32.18	70.31	68.17	67.18	93.86	92.25	90.79
64	1.00	55.11	1468.74	1596.91	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	40.75	1033.91	794.78	35.83	34.52	33.89	93.79	92.04	90.58
	0.50	34.13	734.19	380.73	55.66	54.00	53.21	92.39	90.65	89.25
	0.20	28.45	292.18	30.42	76.78	74.26	73.29	95.12	93.30	91.91
	0.00	27.17	0.00	-45.27	82.53	80.05	78.95	96.23	94.56	93.09
128	1.00	39.37	2464.76	2640.24	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	27.45	1722.47	1273.19	45.77	44.03	43.24	96.79	95.32	93.86
	0.50	21.21	1234.05	633.60	67.11	64.72	63.85	99.09	96.79	95.12
	0.20	14.96	484.16	46.60	90.09	87.25	85.99	99.30	97.77	96.51
	0.00	14.25	0.00	-80.23	96.05	93.39	92.21	99.37	97.84	96.58
1433	1.00	30.10	5316.68	5069.58	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	20.24	3714.79	2488.02	47.20	45.55	44.41	99.16	97.21	95.05
	0.50	15.23	2660.57	1261.09	70.25	68.05	66.79	99.37	97.70	96.23
	0.20	9.89	1068.67	145.92	92.24	89.54	88.28	99.37	98.46	97.56
	0.00	8.80	0.00	-87.71	98.00	95.30	94.11	99.37	98.46	97.63

Table 34: Reconstruction with Guided Backprop on the PubMed dataset using the GAT model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	16.72	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	2.63	307.54	331.47	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	2.44	214.72	169.58	0.64	0.17	0.09	16.68	7.75	5.44
	0.50	2.34	155.62	85.95	1.62	0.45	0.25	38.31	20.94	15.07
	0.20	2.48	63.08	2.16	2.08	0.61	0.33	43.68	25.05	18.42
	0.00	2.31	0.00	-19.02	2.69	0.84	0.46	48.99	31.19	23.87
16	1.00	1.54	536.57	590.15	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	1.39	375.79	300.86	1.01	0.26	0.13	29.03	14.03	8.23
	0.50	1.29	271.46	148.80	2.03	0.62	0.34	42.43	24.84	18.77
	0.20	1.19	104.88	7.54	2.56	0.76	0.43	50.10	30.36	22.61
	0.00	1.23	0.00	-25.36	3.20	1.02	0.57	53.59	35.73	27.63
32	1.00	1.02	896.09	977.49	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.89	629.31	469.46	1.49	0.44	0.24	36.57	19.40	13.75
	0.50	0.87	453.80	240.64	2.23	0.61	0.34	45.22	24.21	17.52
	0.20	0.74	183.53	17.02	3.03	0.96	0.52	54.50	33.91	25.96
	0.00	0.72	0.00	-32.18	3.74	1.24	0.70	60.29	41.45	32.94
64	1.00	0.79	1468.74	1596.91	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.74	1028.05	802.35	1.66	0.43	0.24	41.59	20.10	14.79
	0.50	0.67	734.26	402.87	2.97	0.87	0.51	60.08	34.82	27.36
	0.20	0.60	298.67	41.38	4.18	1.32	0.74	70.97	45.57	36.22
	0.00	0.58	0.00	-45.27	4.59	1.49	0.85	73.76	50.10	40.06
128	1.00	0.75	2464.76	2640.24	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.82	1725.47	1310.90	2.92	0.89	0.54	62.60	37.54	29.73
	0.50	0.72	1235.38	635.21	4.80	1.57	0.95	80.32	56.73	47.17
	0.20	0.65	495.95	50.53	6.11	2.22	1.40	89.67	71.32	62.88
	0.00	0.63	0.00	-80.23	6.52	2.58	1.67	93.23	79.83	72.99
1433	1.00	2.50	5316.68	5069.58	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	3.15	3721.56	2498.83	3.60	1.14	0.69	69.85	45.50	37.26
	0.50	3.13	2648.71	1245.86	5.06	1.70	1.04	82.00	59.46	49.20
	0.20	3.12	1057.71	146.91	6.58	2.51	1.60	93.02	79.06	70.55
	0.00	3.16	0.00	-87.71	6.68	2.78	1.83	95.05	85.07	78.65

Table 35: Reconstruction with Integrated Gradients on the PubMed dataset using the GAT model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	725.94	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	115.36	307.54	331.47	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	106.34	216.05	157.07	0.78	0.18	0.11	24.42	9.70	7.12
	0.50	100.21	151.08	62.57	1.33	0.32	0.17	34.89	16.19	10.40
	0.20	95.96	60.50	-0.83	1.89	0.48	0.27	42.36	21.77	15.49
	0.00	93.58	0.00	-19.02	2.24	0.59	0.33	46.62	25.54	18.21
16	1.00	65.78	536.57	590.15	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	56.82	369.71	274.77	1.08	0.26	0.13	29.66	13.26	7.54
	0.50	52.66	271.60	137.77	1.63	0.36	0.20	38.73	17.86	11.86
	0.20	47.32	105.79	2.59	2.50	0.65	0.36	49.62	27.70	19.68
	0.00	46.99	0.00	-25.36	2.78	0.71	0.38	51.29	28.61	20.38
32	1.00	40.39	896.09	977.49	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	31.96	626.94	480.85	1.29	0.32	0.17	33.78	16.47	11.30
	0.50	28.30	443.68	231.84	1.92	0.45	0.23	45.01	21.42	14.79
	0.20	24.94	174.60	18.81	2.90	0.75	0.41	54.50	30.77	23.17
	0.00	23.40	0.00	-32.18	3.38	0.88	0.48	57.01	34.47	26.03
64	1.00	26.71	1468.74	1596.91	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	19.66	1025.47	798.12	1.54	0.38	0.19	40.82	19.40	12.49
	0.50	16.02	735.45	403.61	2.31	0.57	0.30	51.71	25.75	17.52
	0.20	12.78	292.39	26.74	3.76	1.03	0.55	66.09	40.20	30.50
	0.00	13.00	0.00	-45.27	4.25	1.18	0.65	69.92	44.73	34.68
128	1.00	19.18	2464.76	2640.24	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	13.53	1727.08	1258.34	2.70	0.77	0.47	60.08	36.22	27.91
	0.50	10.41	1218.91	641.01	4.16	1.20	0.68	76.41	48.78	38.17
	0.20	7.27	492.04	52.93	5.90	1.88	1.09	88.42	68.04	56.73
	0.00	6.49	0.00	-80.23	6.49	2.23	1.35	92.95	77.18	67.20
1433	1.00	16.03	5316.68	5069.58	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	11.57	3738.03	2556.05	2.96	0.84	0.49	65.25	37.68	28.40
	0.50	8.97	2652.13	1246.08	4.67	1.38	0.80	81.44	55.83	43.89
	0.20	6.22	1060.57	166.34	6.35	2.10	1.23	92.11	74.39	62.60
	0.00	5.36	0.00	-87.71	6.74	2.47	1.52	95.67	83.32	73.83

Table 36: Reconstruction with Saliency Map on the PubMed dataset using the GAT model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	14.98	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	2.62	307.54	331.47	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	2.44	215.98	163.90	1.03	0.30	0.16	27.77	13.75	10.05
	0.50	2.35	155.90	85.67	1.78	0.52	0.29	40.13	23.10	16.40
	0.20	2.25	60.22	-2.87	2.29	0.72	0.40	45.15	28.12	21.35
	0.00	2.24	0.00	-19.02	2.69	0.84	0.46	48.99	31.19	23.87
16	1.00	1.55	536.57	590.15	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	1.40	375.30	280.11	1.04	0.27	0.12	27.29	12.49	7.75
	0.50	1.36	268.95	136.63	1.92	0.62	0.33	40.40	23.73	17.31
	0.20	1.20	104.88	6.86	2.77	0.87	0.48	48.50	31.33	24.08
	0.00	1.18	0.00	-25.36	3.20	1.02	0.57	53.59	35.73	27.63
32	1.00	1.09	896.09	977.49	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.97	622.33	462.14	1.46	0.43	0.24	34.68	18.70	14.03
	0.50	0.89	452.41	252.56	2.42	0.71	0.40	48.22	28.61	22.33
	0.20	0.81	178.93	14.11	3.25	0.99	0.56	57.08	36.64	28.75
	0.00	0.78	0.00	-32.18	3.74	1.24	0.70	60.29	41.45	32.94
64	1.00	0.79	1468.74	1596.91	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.75	1027.36	760.01	1.74	0.47	0.26	41.59	21.84	15.70
	0.50	0.75	735.31	395.77	3.06	0.86	0.50	58.48	34.33	26.31
	0.20	0.63	290.58	33.38	3.95	1.23	0.69	68.11	43.96	33.78
	0.00	0.62	0.00	-45.27	4.59	1.49	0.85	73.76	50.10	40.06
128	1.00	0.76	2464.76	2640.24	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	0.77	1734.05	1311.18	3.15	1.03	0.64	65.46	42.71	33.22
	0.50	0.71	1229.45	638.91	4.62	1.58	0.95	77.81	57.43	48.43
	0.20	0.64	496.16	48.70	6.08	2.25	1.41	90.16	73.20	63.92
	0.00	0.63	0.00	-80.23	6.52	2.58	1.67	93.23	79.83	72.99
1433	1.00	2.42	5316.68	5069.58	0.00	0.00	0.00	0.00	0.00	0.00
	0.70	3.18	3720.66	2505.06	3.36	1.02	0.59	67.41	42.22	31.96
	0.50	3.10	2655.20	1262.66	5.03	1.63	0.98	82.07	58.62	48.92
	0.20	3.06	1061.55	154.26	6.52	2.52	1.59	92.60	78.86	70.41
	0.00	3.08	0.00	-87.71	6.68	2.78	1.83	95.05	85.07	78.65

Table 37: Reconstruction with SmoothGrad on the PubMed dataset using the GAT model.

Number of clusters	**Rate**	**Execution time (s)**	**Δnodes (%)**	**Δedges (%)**	**Affected explanations (%)**			**Affected nodes (%)**		
					0.2	0.5	0.7	0.2	0.5	0.7
1	1.00	788.95	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	1.00	145.84	307.54	331.47	13.07	2.54	0.75	99.65	71.74	37.75
	0.70	120.34	211.79	147.93	13.29	2.67	0.85	99.72	74.32	40.33
	0.50	118.62	153.31	83.26	13.35	2.66	0.84	99.58	74.25	40.47
	0.20	112.25	57.64	-2.87	13.41	2.78	0.91	99.58	73.90	43.48
	0.00	107.24	0.00	-19.02	13.57	2.80	0.95	99.44	75.30	44.31
16	1.00	80.66	536.57	590.15	13.25	2.56	0.73	99.30	73.55	37.33
	0.70	70.54	376.76	301.36	13.25	2.64	0.77	99.23	73.97	37.40
	0.50	60.22	264.97	128.01	13.46	2.77	0.89	99.30	73.41	42.08
	0.20	54.25	109.77	10.28	13.49	2.80	0.91	99.44	74.25	41.66
	0.00	56.07	0.00	-25.36	13.57	2.91	0.96	99.72	77.39	44.31
32	1.00	40.26	896.09	977.49	13.18	2.47	0.76	99.37	72.51	38.73
	0.70	32.70	629.66	467.97	13.53	2.69	0.83	99.58	75.16	40.06
	0.50	28.53	443.89	243.92	13.39	2.71	0.87	99.44	74.11	42.50
	0.20	24.72	176.90	17.79	13.78	2.95	1.02	99.65	76.83	45.92
	0.00	22.95	0.00	-32.18	13.72	2.99	1.09	99.72	77.67	48.57
64	1.00	26.46	1468.74	1596.91	13.00	2.45	0.73	99.44	72.37	38.24
	0.70	20.00	1028.12	784.96	13.41	2.71	0.91	99.65	75.79	43.61
	0.50	16.01	724.49	373.90	13.66	2.88	1.01	99.58	76.48	47.73
	0.20	12.77	290.37	30.73	13.80	3.02	1.14	100.00	78.51	51.78
	0.00	11.80	0.00	-45.27	13.82	3.19	1.24	99.51	80.11	54.08
128	1.00	18.83	2464.76	2640.24	13.14	2.47	0.73	99.23	71.53	37.06
	0.70	13.48	1723.17	1275.91	13.90	2.98	1.11	99.58	78.58	51.36
	0.50	10.29	1231.68	639.31	14.00	3.21	1.30	99.79	84.23	60.78
	0.20	7.55	504.26	62.94	14.30	3.64	1.63	99.93	90.44	69.64
	0.00	6.40	0.00	-80.23	14.11	3.85	1.84	100.00	93.79	77.67
1433	1.00	15.99	5316.68	5069.58	13.08	2.41	0.71	99.37	69.71	35.66
	0.70	11.43	3697.91	2414.33	13.97	3.04	1.14	99.51	80.60	53.87
	0.50	8.73	2660.64	1210.62	14.26	3.33	1.38	99.86	85.07	61.41
	0.20	6.26	1058.13	145.83	14.30	3.70	1.67	99.65	89.88	71.67
	0.00	5.32	0.00	-87.71	13.91	3.89	1.90	99.79	93.93	80.32