BIOSTATISTICS

... wait. What!?



Erik Kusch

erik.kusch@au.dk

Section for Ecoinformatics & Biodiversity
Center for Biodiversity and Dynamics in a Changing World (BIOCHANGE)
Aarhus University

05/02/2020

- 1 Should you care?
- 2 Biological Terminology
- 3 Issues

4 Me

- 1 Should you care?
- 2 Biological Terminology
- 3 Issues

4 Me

The Big Question

Should you care about biostatistics?

The Big Question

YES!

The Big Question

YES!

Thank you for attending my TED talk.

- 1 Should you care?
- 2 Biological Terminology
- 3 Issues

4 Me

Biological Terminology

No, biostatistics are not just for math nerds.

Her: I'm a stats major

Me: [trying to think of something to impress her] yea I'm bad at math too



Statisticians don't know important biological background:

- Population vs. Sample
- Species, Family, Taxon, etc
- Interpretation of results

Biologists don't know important statistical background:

- Unsupervised vs. Supervised Approaches
- Statistical Assumptions
- Parametric vs. Non-Parametric
 Tests

Biological Terminology

Her: I'm a stats major

Me: [trying to think of something to impress her] yea I'm bad at math too



Statisticians don't know important biological background:

- Population vs. Sample
- Species, Family, Taxon, etc.
- Interpretation of results

Biologists don't know important statistical background:

- Unsupervised vs. Supervised Approaches
- Statistical Assumptions
- Parametric vs. Non-Parametric Tests

Biological Terminology

Her: I'm a stats major

Me: [trying to think of something to impress her] yea I'm bad at math too



Statisticians don't know important biological background:

- Population vs. Sample
- Species, Family, Taxon, etc.
- Interpretation of results

Biologists don't know important statistical background:

- Unsupervised vs. Supervised Approaches
- Statistical Assumptions
- Parametric vs. Non-Parametric
 Tests

- Assumptions:
 - Normality
 - Independence
 - Homogeneity of variances
- → Testing? Remedies?
- Scales and Distributions:
 - Continuous, Categorical
 - Nominal, Binary, Ordinal, Interval, Relation/Ratio, Integer
 - Gaussian Normal, Binomial, Poisson
- ightarrow Distinguish them?



- Assumptions:
 - Normality
 - Independence
 - Homogeneity of variances
- → Testing? Remedies?
 - Scales and Distributions:
 - Continuous, Categorical
 - Nominal, Binary, Ordinal, Interval, Relation/Ratio, Integer
 - Gaussian Normal, Binomial, Poisson
- → Distinguish them?



- Assumptions:
 - Normality
 - Independence
 - Homogeneity of variances
- → Testing? Remedies?
 - Scales and Distributions:
 - Continuous, Categorical
 - Nominal, Binary, Ordinal, Interval, Relation/Ratio, Integer
 - Gaussian Normal, Binomial, Poisson
- → Distinguish them?





- Assumptions:
 - Normality
 - Independence
 - Homogeneity of variances
- → Testing? Remedies?
 - Scales and Distributions:
 - Continuous, Categorical
 - Nominal, Binary, Ordinal, Interval, Relation/Ratio, Integer
 - Gaussian Normal, Binomial, Poisson
- → Distinguish them?



- Assumptions:
 - Normality
 - Independence
 - Homogeneity of variances
- → Testing? Remedies?
 - Scales and Distributions:
 - Continuous, Categorical
 - Nominal, Binary, Ordinal, Interval, Relation/Ratio, Integer
 - Gaussian Normal, Binomial, Poisson
- → Distinguish them?



Correlations

Correlation is not necessarily causation.

Correlation tests yield two measurements:

- r value (measure of correlation)
 - $r \approx 1$ (strong, positive correlation)
 - $r \approx 0$ (no correlation)
 - $r \approx -1$ (strong, negative correlation)
- p value (measure of statistical significance)

When you realize that all frequentist analyses are merely different versions of a correlation



ightarrow Get a feeling for it here http://guessthecorrelation.com/

Correlations

Correlation is **not** necessarily **causation**.

Correlation tests yield two measurements:

- r value (measure of correlation)
 - $Arr r \approx 1$ (strong, positive correlation)
 - Arr r pprox 0 (no correlation)
 - $r \approx -1$ (strong, negative correlation)
- p value (measure of statistical significance)

When you realize that all frequentist analyses are merely different versions of a correlation



→ Get a feeling for it here http://guessthecorrelation.com/

Correlations

Correlation is **not** necessarily **causation**.

Correlation tests yield two measurements:

- r value (measure of correlation)
 - Arr r pprox 1 (strong, positive correlation)
 - Arr r pprox 0 (no correlation)
 - $r \approx -1$ (strong, negative correlation)
- p value (measure of statistical significance)

When you realize that all frequentist analyses are merely different versions of a correlation



→ Get a feeling for it here http://guessthecorrelation.com/

What do you want to analyse and predict?

- Classifications:
 - K-Means
 - Support-Vector Machines
 - Hierarchies
 - Networks
- → When to use which one?
 - Regression
 - Linear Models
 - Least Squares vs. Maximum Likelihood
 - Mixed Effect Models
 - GLS/GLM, and GAM
- → How do you select the best model?

Data not normal?



Want to appear more "computational"







What do you want to analyse and predict?

- Classifications:
 - K-Means
 - Support-Vector Machines
 - Hierarchies
 - Networks
- ightarrow When to use which one?
 - Regression
 - Linear Models
 - Least Squares vs. Maximum Likelihood
 - Mixed Effect Models
 - GLS/GLM, and GAM
- → How do you select the best model?

Data not normal?



Want to appear more "computational"







What do you want to analyse and predict?

- Classifications:
 - K-Means
 - Support-Vector Machines
 - Hierarchies
 - Networks
- → When to use which one?
 - Regression
 - Linear Models
 - Least Squares vs. Maximum Likelihood
 - Mixed Effect Models
 - GLS/GLM, and GAM
- → How do you select the best model?

Data not normal?



Want to appear more "computational"



Nonsignificant result?





What do you want to analyse and predict?

- Classifications:
 - K-Means
 - Support-Vector Machines
 - Hierarchies
 - Networks
- → When to use which one?
 - Regression:
 - Linear Models
 - Least Squares vs. Maximum Likelihood
 - Mixed Effect Models
 - GLS/GLM, and GAM
- → How do you select the best model?

Data not normal?



Want to appear more "computational"



Nonsignificant result?





What do you want to analyse and predict?

- Classifications:
 - K-Means
 - Support-Vector Machines
 - Hierarchies
 - Networks
- → When to use which one?
 - Regression:
 - Linear Models
 - Least Squares vs. Maximum Likelihood
 - Mixed Effect Models
 - GLS/GLM, and GAM
- \rightarrow How do you select the best model?

Data not normal?

Bootstrap

Want to appear more "computational"









- 1 Should you care?
- 2 Biological Terminology
- 3 Issues

4 Me

Statistical Significance - the *p*-value

Misconceptions

- The p-value is not designed to tell us whether something is strictly true or false
- It is not the probability of the null hypothesis being true
- The size of $p \neq$ strength of an observed effect

Alternatives

- Effect Sizes
- Confidence Intervals
- Akaike Information Criterion (AIC)
- Bayes Factor
- Credible Intervals



Statistical Significance - the *p*-value

Misconceptions

- The p-value is not designed to tell us whether something is strictly true or false
- It is not the probability of the null hypothesis being true
- The size of $p \neq$ strength of an observed effect

Alternatives

- Effect Sizes
- Confidence Intervals
- Akaike Information Criterion (AIC)
- Bayes Factor
- Credible Intervals



Statistical Significance - the *p*-value

Misconceptions

- The p-value is not designed to tell us whether something is strictly true or false
- It is not the probability of the null hypothesis being true
- The size of $p \neq$ strength of an observed effect

Alternatives

- Effect Sizes
- Confidence Intervals
- Akaike Information Criterion (AIC)
- Bayes Factor
- Credible Intervals



R Coding

- Object Modes
- Object Types
- Sub-setting
- Vectorisation
- Statements, Loops
- Functions, Packages

- Hard-coding vs. Soft-coding
- Base plot vs. ggplot2
- Base code vs. tidyverse



And what about Git Hub?

R Coding

- Object Modes
- Object Types
- Sub-setting
- Vectorisation
- Statements, Loops
- Statements, Loops
- Functions, Packages

- Hard-coding vs. Soft-coding
- Base plot vs. ggplot2
- Base code vs. tidyverse



And what about Git Hub?

R Coding

- Object Modes
- Object Types
- Sub-setting
- Vectorisation
- Statements, Loops
- Eventions Dealers
- Functions, Packages

- Hard-coding vs. Soft-coding
- Base plot vs. ggplot2
- Base code vs. tidyverse



And what about Git Hub?

R Coding

- Object Modes
- Object Types
- Sub-setting
- Vectorisation
- Statements, Loops
- Functions, Packages

- Hard-coding vs. Soft-coding
- Base plot vs. ggplot2
- Base code vs. tidyverse



And what about Git Hub?

Manuscript Workflow

Using Rmarkdown for your research comes with a multitude of advantages:

- Entire workflow in one program (RStudio)
- Research and reports reproducible at the click of one button
- Combines R functionality and LaTEX formatting (if desired)
- Consistent formatting
- Clear presentation of code
- **Dynamic documents** (you can generate various output document types)
- Applicable for **almost all document types** you may desire as an output (e.g. manuscripts, presentations, posters, etc.)

- 1 Should you care?
- 2 Biological Terminology
- 3 Issues

4 Me

Need Statistical Advice?

Erik Kusch

Studies:

PhD @ Aarhus University (currently enrolled) M.Sc. @ University of Bergen B.Sc. @ Technical University of Dresden

Experience:

Biostatistics Tutor @ University of Leipzig Biostatistics Research Assistant @ University of Leipzig Biostatistics Research Assistant @ University of Kyoto

Research:

- Dryland vegetation memory analyses
- Large-scale vegetation-climate modelling
- Remote sensing approaches in macroecology
- Biostatistical approaches in behavioural ecology
- Statistical downscaling of climate reanalysis data for use in biological analyses



Need Statistical Advice?

Erik Kusch

Studies:

PhD @ Aarhus University (currently enrolled) M.Sc. @ University of Bergen B.Sc. @ Technical University of Dresden

Experience:

Biostatistics Tutor @ University of Leipzig Biostatistics Research Assistant @ University of Leipzig Biostatistics Research Assistant @ University of Kyoto

Research:

- Dryland vegetation memory analyses
- Large-scale vegetation-climate modelling
- Remote sensing approaches in macroecology
- Biostatistical approaches in behavioural ecology
- Statistical downscaling of climate reanalysis data for use in





Find me in room 318, building 1540 (Thursdays, 14.00-17.00) or via erik.kusch@au.dk.