BIOSTATISTICS

... wait. What!?



Erik Kusch

erik.kusch@au.dk

Section for Ecoinformatics & Biodiversity
Center for Biodiversity and Dynamics in a Changing World (BIOCHANGE)
Aarhus University

05/02/2020

The Big Question

Should you care about biostatistics?

The Big Question

YES!

The Big Question

YES!

Thank you for attending my TED talk.

Biological Terminology

No, biostatistics are not just for math nerds.

Her: I'm a stats major

Me: [trying to think of something to impress her] yea I'm bad at math too



Statisticians don't know important biological background:

- Population vs. Sample
- Species, Family, Taxon, etc
- Interpretation of results

Biologists don't know important statistical background:

- Unsupervised vs. Supervised Approaches
- Statistical Assumptions
- Parametric vs. Non-Parametric
 Tests

Biological Terminology

Her: I'm a stats major

Me: [trying to think of something to impress her] yea I'm bad at math too



Statisticians don't know important biological background:

- Population vs. Sample
- Species, Family, Taxon, etc.
- Interpretation of results

Biologists don't know important statistical background:

- Unsupervised vs. Supervised Approaches
- Statistical Assumptions
- Parametric vs. Non-Parametric Tests

Biological Terminology

Her: I'm a stats major

Me: [trying to think of something to impress her] yea I'm bad at math too



Statisticians don't know important biological background:

- Population vs. Sample
- Species, Family, Taxon, etc.
- Interpretation of results

Biologists don't know important statistical background:

- Unsupervised vs. Supervised Approaches
- Statistical Assumptions
- Parametric vs. Non-ParametricTests

- Assumptions:
 - Normality
 - Independence
 - Homogeneity of variances
- → Testing? Remedies?
 - Scales and Distributions:
 - Continuous, Categorical
 - Nominal, Binary, Ordinal, Interval, Relation/Ratio, Integer
 - Gaussian Normal, Binomial, Poisson
- → Distinguish them?



How often do you actually check assumptions?

- Assumptions:
 - Normality
 - Independence
 - Homogeneity of variances
- → Testing? Remedies?
 - Scales and Distributions:
 - Continuous, Categorical
 - Nominal, Binary, Ordinal, Interval, Relation/Ratio, Integer
 - Gaussian Normal, Binomial, Poisson
- → Distinguish them?



4 / 10

- Assumptions:
 - Normality
 - Independence
 - Homogeneity of variances
- → Testing? Remedies?
 - - Continuous, Categorical
 - Nominal, Binary, Ordinal, Interval,
 - Gaussian Normal, Binomial, Poisson



- Assumptions:
 - Normality
 - Independence
 - Homogeneity of variances
- → Testing? Remedies?
 - Scales and Distributions:
 - Continuous, Categorical
 - Nominal, Binary, Ordinal, Interval, Relation/Ratio, Integer
 - Gaussian Normal, Binomial, Poisson
- ightarrow Distinguish them?



- Assumptions:
 - Normality
 - Independence
 - Homogeneity of variances
- → Testing? Remedies?
 - Scales and Distributions:
 - Continuous, Categorical
 - Nominal, Binary, Ordinal, Interval, Relation/Ratio, Integer
 - Gaussian Normal, Binomial, Poisson
- → Distinguish them?



Correlations

Correlation is **not** necessarily **causation**.

Correlation tests yield two measurements:

- r value (measure of correlation)
 - $r \approx 1$ (strong, positive correlation)
 - $r \approx 0$ (no correlation)
 - $r \approx -1$ (strong, negative correlation)
- p value (measure of statistica significance)

When you realize that all frequentist analyses are merely different versions of a correlation



ightarrow Get a feeling for it here http://guessthecorrelation.com/

Correlations

Correlation is **not** necessarily **causation**.

Correlation tests yield two measurements:

- r value (measure of correlation)
 - Arr r pprox 1 (strong, positive correlation)
 - Arr r pprox 0 (no correlation)
 - $r \approx -1$ (strong, negative correlation)
- p value (measure of statistical significance)

When you realize that all frequentist analyses are merely different versions of a correlation



→ Get a feeling for it here http://guessthecorrelation.com/

Correlations

Correlation is **not** necessarily **causation**.

Correlation tests yield two measurements:

- r value (measure of correlation)
 - $Arr r \approx 1$ (strong, positive correlation)
 - Arr r pprox 0 (no correlation)
 - $r \approx -1$ (strong, negative correlation)
- p value (measure of statistical significance)

When you realize that all frequentist analyses are merely different versions of a correlation



→ Get a feeling for it here http://guessthecorrelation.com/

What do you want to analyse and predict?

- Classifications:
 - K-Means
 - Support-Vector Machines
 - Hierarchies
 - Networks
- → When to use which one?
 - Regression
 - Linear Models
 - Least Squares vs. Maximum Likelihood
 - Mixed Effect Models
 - GLS/GLM, and GAM
- → How do you select the best model?

Data not normal?



Want to appear more "computational"



Nonsignificant result?



Shoelace untied?



What do you want to analyse and predict?

- Classifications:
 - K-Means
 - Support-Vector Machines
 - Hierarchies
 - Networks
- ightarrow When to use which one?
 - Regression
 - Linear Models
 - Least Squares vs. Maximum Likelihood
 - Mixed Effect Models
 - GLS/GLM, and GAM
- → How do you select the best model?

Data not normal?



Want to appear more "computational"





Shoelace untied?



What do you want to analyse and predict?

- Classifications:
 - K-Means
 - Support-Vector Machines
 - Hierarchies
 - Networks
- → When to use which one?
 - Regression
 - Linear Models
 - Least Squares vs. Maximum Likelihood
 - Mixed Effect Models
 - GLS/GLM, and GAM
- → How do you select the best model?

Data not normal?



Want to appear more "computational"









What do you want to analyse and predict?

- Classifications:
 - K-Means
 - Support-Vector Machines
 - Hierarchies
 - Networks
- → When to use which one?
 - Regression:
 - Linear Models
 - Least Squares vs. Maximum Likelihood
 - Mixed Effect Models
 - GLS/GLM, and GAM
- → How do you select the best model?

Data not normal?



Want to appear more "computational"



Nonsignificant result?



Shoelace untied?



What do you want to analyse and predict?

- Classifications:
 - K-Means
 - Support-Vector Machines
 - Hierarchies
 - Networks
- → When to use which one?
 - Regression:
 - Linear Models
 - Least Squares vs. Maximum Likelihood
 - Mixed Effect Models
 - GLS/GLM, and GAM
- \rightarrow How do you select the best model?

Data not normal?

Bootstrap

Want to appear more "computational"





Shoelace untied?



Statistical Significance - the *p*-value

Misconceptions

- The p-value is not designed to tell us whether something is strictly true or false
- It is not the probability of the null hypothesis being true
- The size of $p \neq$ strength of an observed effect

Alternatives

- Effect Sizes
- Confidence Intervals
- Akaike Information Criterion (AIC)
- Bayes Factor
- Credible Intervals



Statistical Significance - the *p*-value

Misconceptions

- The p-value is not designed to tell us whether something is strictly true or false
- It is not the probability of the null hypothesis being true
- The size of $p \neq$ strength of an observed effect

Alternatives

- Effect Sizes
- Confidence Intervals
- Akaike Information Criterion (AIC)
- Bayes Factor
- Credible Intervals



Statistical Significance - the *p*-value

Misconceptions

- The p-value is not designed to tell us whether something is strictly true or false
- It is not the probability of the null hypothesis being true
- The size of $p \neq$ strength of an observed effect

Alternatives

- Effect Sizes
- Confidence Intervals
- Akaike Information Criterion (AIC)
- Bayes Factor
- Credible Intervals



R Coding

- Object Modes
- Object Types
- Sub-setting
- Vectorisation
- Statements, Loops
- Functions, Packages

- Hard-coding vs. Soft-coding
- Base plot vs. ggplot2
- Base code vs. tidyverse



And what about Git Hub?

R Coding

- Object Modes
- Object Types
- Sub-setting
- Vectorisation
- Statements, Loops
- Glatements, Loops
- Functions, Packages

- Hard-coding vs. Soft-coding
- Base plot vs. ggplot2
- Base code vs. tidyverse



And what about Git Hub?

R Coding

- Object Modes
- Object Types
- Sub-setting
- Vectorisation
- Statements, Loops
- Functions, Packages

- Hard-coding vs. Soft-coding
- Base plot vs. ggplot2
- Base code vs. tidyverse



And what about Git Hub?

R Coding

- Object Modes
- Object Types
- Sub-setting
- Vectorisation
- Statements, Loops
- Functions, Packages

- Hard-coding vs. Soft-coding
- Base plot vs. ggplot2
- Base code vs. tidyverse



And what about Git Hub?

Manuscript Workflow

Using Rmarkdown for your research comes with a multitude of advantages:

- Entire workflow in one program (RStudio)
- Research and reports reproducible at the click of one button
- Combines R functionality and LaTEX formatting (if desired)
- Consistent formatting
- Clear presentation of code
- **Dynamic documents** (you can generate various output document types)
- Applicable for **almost all document types** you may desire as an output (e.g. manuscripts, presentations, posters, etc.)

Need Statistical Advice?

Erik Kusch

Studies:

PhD @ Aarhus University (currently enrolled) M.Sc. @ University of Bergen B.Sc. @ Technical University of Dresden

Experience:

Biostatistics Tutor @ University of Leipzig Biostatistics Research Assistant @ University of Leipzig Biostatistics Research Assistant @ University of Kyoto

Research:

- Dryland vegetation memory analyses
- Large-scale vegetation-climate modelling
- Remote sensing approaches in macroecology
- Biostatistical approaches in behavioural ecology
- Statistical downscaling of climate reanalysis data for use in biological analyses



Need Statistical Advice?

Erik Kusch

Studies:

PhD @ Aarhus University (currently enrolled) M.Sc. @ University of Bergen B.Sc. @ Technical University of Dresden

Experience:

Biostatistics Tutor @ University of Leipzig Biostatistics Research Assistant @ University of Leipzig Biostatistics Research Assistant @ University of Kyoto

Research:

- Dryland vegetation memory analyses
- Large-scale vegetation-climate modelling
- Remote sensing approaches in macroecology
- Biostatistical approaches in behavioural ecology
- Statistical downscaling of climate reanalysis data for use in biological analyses



Find me in room 318, building 1540 (Thursdays, 14.00-17.00) or via erik.kusch@au.dk.