

SECTION 5 - ACCIDENT MORTALITY - PAGE 22

Table 5-4. Deaths From Accidental Poisoning, by Age, Race, and Sex: United States, 1982

[Includes each three-digit category and selected four-digit subcategories E850-E869 of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-14 years	15-24 years	25-44 years	45-64 years	65 years and over	Not stated
Accidental poisoning by drugs, medicaments, and biologicals (E850-E858)		2,882	11	15	8	5	2	41	13	443	1,544	457	362	2
Male		1,837	8	7	5	1	1	22	7	327	1,133	206	141	1
Female		1,025	3	8	3	4	1	19	6	116	411	251	221	1
White		2,369	4	8	6	4	1	23	12	388	1,230	390	324	2
Male		1,525	2	3	3	1	-	9	6	295	916	171	127	1
Female		844	2	5	3	3	1	14	6	93	314	219	197	1
All other		493	7	7	2	1	1	18	1	55	314	67	38	-
Male		312	6	4	2	-	1	13	1	32	217	35	14	-
Female		181	1	3	-	-	-	5	-	23	97	32	24	-
Black		451	6	7	2	1	1	17	1	53	292	55	33	-
Male		285	5	4	2	-	1	12	1	30	202	27	13	-
Female		166	1	3	-	1	-	5	-	23	90	28	20	-
By analgesics, antipyretics, antirheumatics (E850)		885	1	2	3	2	1	9	2	135	550	119	50	-
Male		660	1	2	2	2	1	3	1	108	453	74	21	-
Female		205	-	2	1	1	1	6	1	27	97	45	29	-
White		697	-	-	3	1	1	5	2	120	428	96	46	-
Male		537	-	-	2	-	-	2	1	100	358	57	21	-
Female		160	-	-	1	1	1	3	1	20	72	39	25	-
All other		188	1	2	-	1	-	4	-	15	122	23	4	-
Male		123	1	2	-	-	-	1	-	8	97	17	-	-
Female		45	-	2	-	1	-	3	-	7	25	6	4	-
Black		153	1	2	-	-	-	4	-	14	114	18	3	-
Male		111	1	-	-	-	-	1	-	7	91	12	-	-
Female		42	-	2	-	1	-	3	-	7	23	6	3	-
Opates and related narcotics (E850 0)		559	-	-	1	-	1	2	-	97	404	54	2	-
Male		476	-	-	-	-	-	-	-	79	352	44	1	-
Female		83	-	-	1	-	1	2	-	18	52	10	1	-
White		448	-	-	1	-	1	2	-	88	311	45	2	-
Male		386	-	-	-	-	-	-	-	73	276	36	1	-
Female		62	-	-	1	-	1	2	-	15	35	9	1	-
All other		111	-	-	-	-	-	-	-	9	93	9	-	-
Male		90	-	-	-	-	-	-	-	6	76	8	-	-
Female		21	-	-	-	-	-	-	-	3	17	1	-	-
Black		103	-	-	-	-	-	-	-	8	87	8	-	-
Male		82	-	-	-	-	-	-	-	5	70	7	-	-
Female		21	-	-	-	-	-	-	-	3	17	1	-	-
Salicylates (E850 1)		75	1	1	2	1	-	5	-	-	7	32	31	-
Male		36	1	-	2	-	-	3	-	-	3	16	14	-
Female		39	-	1	-	1	-	2	-	-	4	16	17	-
White		64	-	-	2	1	-	3	-	-	6	26	29	-
Male		31	-	-	2	-	-	2	-	-	3	12	14	-
Female		33	-	-	-	1	-	1	-	-	3	14	15	-
All other		11	1	1	-	-	-	2	-	-	1	6	2	-
Male		5	1	-	-	-	-	1	-	-	-	4	-	-
Female		6	-	1	-	-	-	1	-	-	1	2	2	-
Black		8	1	1	-	-	-	2	-	-	1	4	1	-
Male		3	1	-	-	-	-	1	-	-	-	2	-	-
Female		5	-	1	-	-	-	1	-	-	1	2	1	-
All other analgesics, antipyretics, antirheumatics (E850.2-E850 9)		231	-	1	-	1	-	2	2	38	139	33	17	-
Male		148	-	-	-	-	-	-	1	29	98	14	6	-
Female		83	-	1	-	1	-	2	1	9	41	19	11	-
White		185	-	-	-	-	-	-	2	32	111	25	15	-
Male		120	-	-	-	-	-	-	1	27	77	9	6	-
Female		65	-	-	-	-	-	-	1	5	34	16	9	-
All other		46	-	1	-	1	-	2	-	6	28	8	2	-
Male		28	-	-	-	-	-	-	-	2	21	5	-	-
Female		18	-	1	-	1	-	2	-	4	7	3	2	-
Black		42	-	1	-	1	-	2	-	6	26	6	2	-
Male		26	-	-	-	-	-	-	-	2	21	3	-	-
Female		16	-	1	-	1	-	2	-	4	5	3	2	-
By barbiturates (E851)		87	-	-	-	-	-	-	-	6	46	23	12	-
Male		48	-	-	-	-	-	-	-	6	30	9	3	-
Female		39	-	-	-	-	-	-	-	-	16	14	9	-
White		80	-	-	-	-	-	-	-	6	41	21	12	-
Male		46	-	-	-	-	-	-	-	6	28	9	3	-
Female		34	-	-	-	-	-	-	-	-	13	12	9	-
All other		7	-	-	-	-	-	-	-	-	5	2	-	-
Male		2	-	-	-	-	-	-	-	-	2	-	-	-
Female		5	-	-	-	-	-	-	-	-	3	2	-	-
Black		6	-	-	-	-	-	-	-	-	5	1	-	-
Male		2	-	-	-	-	-	-	-	-	2	-	-	-
Female		4	-	-	-	-	-	-	-	-	3	1	-	-
By other sedatives and hypnotics (E852)		54	-	-	-	-	-	-	-	10	27	12	4	1
Male		39	-	-	-	-	-	-	-	8	23	5	2	1
Female		15	-	-	-	-	-	-	-	2	4	7	2	-
White		47	-	-	-	-	-	-	-	10	21	11	4	1
Male		34	-	-	-	-	-	-	-	8	19	4	2	1
Female		13	-	-	-	-	-	-	-	2	2	7	2	-
All other		7	-	-	-	-	-	-	-	-	6	1	-	-
Male		5	-	-	-	-	-	-	-	-	4	1	-	-
Female		2	-	-	-	-	-	-	-	-	2	-	-	-
Black		7	-	-	-	-	-	-	-	-	6	1	-	-
Male		5	-	-	-	-	-	-	-	-	4	1	-	-
Female		2	-	-	-	-	-	-	-	-	2	-	-	-

SECTION 5 - ACCIDENT MORTALITY - PAGE 23

Table 5-4. Deaths From Accidental Poisoning, by Age, Race, and Sex: United States, 1982—Con.

[Includes each three-digit category and selected four-digit subcategories E850-E869 of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-14 years	15-24 years	25-44 years	45-64 years	65 years and over	Not stated
By tranquilizers (E853)	92	—	1	—	—	—	1	—	12	47	26	6	—
Male	50	—	—	—	—	—	—	—	10	25	13	2	—
Female	42	—	1	—	—	—	1	—	2	22	13	4	—
White	83	—	—	—	—	—	—	—	11	42	24	6	—
Male	46	—	—	—	—	—	—	—	10	22	12	2	—
Female	37	—	—	—	—	—	—	—	1	20	12	4	—
All other	9	—	1	—	—	—	1	—	1	5	2	—	—
Male	4	—	—	—	—	—	—	—	—	3	1	—	—
Female	5	—	1	—	—	—	1	—	1	2	1	—	—
Black	9	—	—	—	—	—	—	—	1	5	2	—	—
Male	4	—	—	—	—	—	—	—	—	3	1	—	—
Female	5	—	1	—	—	—	1	—	1	2	1	—	—
By other psychotropic agents (E854)	173	2	4	—	—	—	6	4	25	83	46	9	—
Male	87	2	2	—	—	—	4	1	16	46	16	4	—
Female	86	—	2	—	—	—	2	3	9	37	30	5	—
White	152	—	3	—	—	—	3	4	22	71	43	9	—
Male	75	—	1	—	—	—	1	1	13	42	14	4	—
Female	77	—	2	—	—	—	2	3	9	29	29	5	—
All other	21	2	1	—	—	—	3	—	3	12	3	—	—
Male	12	2	1	—	—	—	3	—	3	4	2	—	—
Female	9	—	—	—	—	—	—	—	—	8	1	—	—
Black	17	2	1	—	—	—	3	—	3	10	1	—	—
Male	10	2	1	—	—	—	3	—	3	3	1	—	—
Female	7	—	—	—	—	—	—	—	—	7	—	—	—
By other drugs acting on central and autonomic nervous systems (E855)	216	—	—	1	—	—	1	—	60	128	18	9	—
Male	158	—	—	—	—	—	—	—	41	103	12	2	—
Female	58	—	—	1	—	—	1	—	19	25	6	7	—
White	170	—	—	1	—	—	1	—	53	92	16	8	—
Male	125	—	—	—	—	—	—	—	35	77	11	2	—
Female	45	—	—	1	—	—	1	—	18	15	5	6	—
All other	46	—	—	—	—	—	—	—	7	36	2	1	—
Male	33	—	—	—	—	—	—	—	6	26	1	—	—
Female	13	—	—	—	—	—	—	—	1	10	1	1	—
Black	40	—	—	—	—	—	—	—	7	31	1	1	—
Male	28	—	—	—	—	—	—	—	6	22	—	—	—
Female	12	—	—	—	—	—	—	—	1	9	1	1	—
By antibiotics (E856)	44	1	—	2	—	—	3	—	1	6	13	21	—
Male	20	1	—	1	—	—	2	—	—	3	5	10	—
Female	24	—	—	1	—	—	1	—	1	3	8	11	—
White	36	—	—	2	—	—	2	—	1	6	9	18	—
Male	17	—	—	1	—	—	1	—	—	3	3	10	—
Female	19	—	—	1	—	—	1	—	1	3	6	8	—
All other	8	1	—	—	—	—	1	—	—	—	4	3	—
Male	3	1	—	—	—	—	1	—	—	—	2	—	—
Female	5	—	—	—	—	—	—	—	—	—	2	3	—
Black	7	1	—	—	—	—	1	—	—	—	4	2	—
Male	3	1	—	—	—	—	1	—	—	—	2	—	—
Female	4	—	—	—	—	—	—	—	—	—	2	2	—
By anti-infectives (E857)	9	—	—	—	—	—	—	—	1	4	2	2	—
Male	3	—	—	—	—	—	—	—	—	1	1	—	—
Female	6	—	—	—	—	—	—	—	—	3	1	2	—
White	6	—	—	—	—	—	—	—	1	3	—	2	—
Male	1	—	—	—	—	—	—	—	1	—	—	—	—
Female	5	—	—	—	—	—	—	—	—	3	—	2	—
All other	3	—	—	—	—	—	—	—	—	1	2	—	—
Male	2	—	—	—	—	—	—	—	—	1	1	—	—
Female	1	—	—	—	—	—	—	—	—	—	1	—	—
Black	2	—	—	—	—	—	—	—	—	1	1	—	—
Male	1	—	—	—	—	—	—	—	—	1	—	—	—
Female	1	—	—	—	—	—	—	—	—	—	1	—	—
By other drugs (E858)	1,322	7	8	2	3	1	21	7	193	653	198	249	1
Male	772	4	5	2	1	1	13	5	137	449	71	97	—
Female	550	3	3	—	2	—	8	2	56	204	127	152	1
White	1,098	4	5	—	3	—	12	6	164	526	170	219	1
Male	644	2	2	—	1	—	5	4	122	369	61	83	—
Female	454	2	3	—	2	—	7	2	42	157	109	136	1
All other	224	3	3	2	—	1	9	1	29	127	28	30	—
Male	128	2	3	2	—	1	8	1	15	80	10	14	—
Female	96	1	—	—	—	—	1	—	14	47	18	16	—
Black	210	2	3	2	—	1	8	1	28	120	26	27	—
Male	121	1	3	2	—	1	7	1	14	76	10	13	—
Female	89	1	—	—	—	—	1	—	14	44	16	14	—
Agents primarily affecting cardiovascular system (E858.3)	196	4	—	1	—	—	5	1	1	3	24	162	—
Male	80	3	—	1	—	—	4	—	—	2	9	65	—
Female	116	1	—	—	—	—	1	1	1	1	15	97	—
White	160	2	—	—	—	—	2	1	—	2	15	140	—
Male	67	2	—	—	—	—	2	—	—	2	8	55	—
Female	93	—	—	—	—	—	—	1	—	—	7	85	—
All other	36	2	—	1	—	—	3	—	1	1	9	22	—
Male	13	1	—	1	—	—	2	—	—	—	1	10	—
Female	23	1	—	—	—	—	1	—	1	1	8	12	—
Black	33	2	—	1	—	—	3	—	1	1	8	20	—
Male	12	1	—	1	—	—	2	—	—	—	1	9	—
Female	21	1	—	—	—	—	1	—	1	1	7	11	—

SECTION 5 - ACCIDENT MORTALITY - PAGE 24

Table 5-4. Deaths From Accidental Poisoning, by Age, Race, and Sex: United States, 1982—Con.

[Includes each three-digit category and selected four-digit subcategories E850-E869 of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-14 years	15-24 years	25-44 years	45-64 years	65 years and over	Not stated
By other drugs-Con													
Agents primarily affecting gastrointestinal system (E858 4)	2	-	1	1	-	-	2	-	-	-	-	-	-
Male	2	-	1	1	-	-	2	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	1	-	-	-	1	-	-	-	-	-	-
Male	1	-	1	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	1	-	-	1	-	-	-	-	-	-
Male	1	-	-	1	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	1	-	-	1	-	-	-	-	-	-
Male	1	-	-	1	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and unspecified drugs (E858 0-E858 2,E858.5-E858 9)	1,124	3	7	-	3	1	14	6	192	650	174	87	1
Male	690	1	4	-	1	1	7	5	137	447	62	32	-
Female	434	2	3	-	2	-	7	1	55	203	112	55	1
White	837	2	4	-	3	-	9	5	164	524	155	79	1
Male	576	-	1	-	1	-	2	4	122	367	53	28	-
Female	261	2	3	-	2	-	7	1	42	157	102	51	1
All other	187	1	3	-	2	-	5	1	28	125	19	8	-
Male	114	1	3	-	1	-	5	1	15	80	9	4	-
Female	73	-	-	-	-	-	-	-	13	46	10	4	-
Black	176	-	3	-	-	1	4	1	27	119	18	7	-
Male	108	-	3	-	-	1	4	1	14	76	9	4	-
Female	68	-	-	-	-	-	-	-	13	43	9	3	-
Accidental poisoning by other solid and liquid substances, gases, and vapors (E860-E869)	1,871	9	28	10	9	7	63	34	343	625	516	290	-
Male	1,388	2	19	5	5	4	35	21	259	509	378	186	-
Female	483	7	9	5	4	3	28	13	84	116	138	104	-
White	1,492	5	19	5	7	3	39	28	304	476	403	242	-
Male	1,112	1	13	3	3	1	21	18	239	391	289	154	-
Female	380	4	6	2	4	2	18	10	65	85	114	88	-
All other	379	4	9	5	2	4	24	6	39	149	113	48	-
Male	276	1	6	2	2	3	14	3	20	118	89	32	-
Female	103	3	3	3	-	1	10	3	19	31	24	16	-
Black	343	3	9	5	1	3	21	6	34	133	102	47	-
Male	252	1	6	2	1	2	12	3	17	106	83	31	-
Female	91	2	3	3	-	1	9	3	17	27	19	16	-
By alcohol, not elsewhere classified (E860)	412	-	-	-	-	-	-	1	28	170	177	36	-
Male	315	-	-	-	-	-	-	1	23	138	127	26	-
Female	97	-	-	-	-	-	-	-	5	32	50	10	-
White	278	-	-	-	-	-	-	1	25	104	119	29	-
Male	210	-	-	-	-	-	-	1	20	86	82	21	-
Female	68	-	-	-	-	-	-	-	5	18	37	8	-
All other	134	-	-	-	-	-	-	-	3	66	58	7	-
Male	105	-	-	-	-	-	-	-	3	52	45	5	-
Female	29	-	-	-	-	-	-	-	-	14	13	2	-
Black	119	-	-	-	-	-	-	-	3	57	53	6	-
Male	94	-	-	-	-	-	-	-	3	45	42	4	-
Female	25	-	-	-	-	-	-	-	-	12	11	2	-
By cleansing and polishing agents, disinfectants, paints, and varnishes (E861)	10	-	2	-	-	-	2	-	2	1	1	4	-
Male	8	-	1	-	-	-	1	-	2	1	-	4	-
Female	2	-	1	-	-	-	1	-	-	-	1	-	-
White	7	-	1	-	-	-	1	-	2	1	1	2	-
Male	6	-	1	-	-	-	1	-	2	1	-	2	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
All other	3	-	1	-	-	-	1	-	-	-	-	2	-
Male	2	-	-	-	-	-	-	-	-	-	-	2	-
Female	1	-	1	-	-	-	1	-	-	-	-	-	-
Black	3	-	1	-	-	-	1	-	-	-	-	2	-
Male	2	-	-	-	-	-	-	-	-	-	-	2	-
Female	1	-	1	-	-	-	1	-	-	-	-	-	-
By petroleum products, other solvents, and their vapors, not elsewhere classified (E862)	74	-	6	-	-	-	6	1	23	23	16	5	-
Male	65	-	4	-	-	-	4	1	21	23	13	3	-
Female	9	-	2	-	-	-	2	-	2	-	3	2	-
White	57	-	2	-	-	-	2	1	19	19	12	4	-
Male	53	-	2	-	-	-	2	1	19	19	9	3	-
Female	4	-	-	-	-	-	-	-	-	-	3	1	-
All other	17	-	4	-	-	-	4	-	4	4	4	1	-
Male	12	-	2	-	-	-	2	-	2	4	4	-	-
Female	5	-	2	-	-	-	2	-	2	-	-	1	-
Black	12	-	4	-	-	-	4	-	-	3	4	1	-
Male	9	-	2	-	-	-	2	-	-	3	4	-	-
Female	3	-	2	-	-	-	2	-	-	-	-	1	-
By agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers (E863)	29	-	3	2	-	-	5	-	3	9	9	3	-
Male	27	-	3	2	-	-	5	-	3	8	8	3	-
Female	2	-	-	-	-	-	-	-	-	1	1	-	-
White	22	-	2	1	-	-	3	-	2	8	6	3	-
Male	20	-	2	1	-	-	3	-	2	7	5	3	-
Female	2	-	-	-	-	-	-	-	-	1	1	-	-
All other	7	-	1	1	-	-	2	-	1	1	3	-	-
Male	7	-	1	1	-	-	2	-	1	1	3	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	7	-	1	1	-	-	2	-	1	1	3	-	-
Male	7	-	1	1	-	-	2	-	1	1	3	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

SECTION 5 - ACCIDENT MORTALITY - PAGE 25

Table 5-4. Deaths From Accidental Poisoning, by Age, Race, and Sex: United States, 1982—Con.

[Includes each three-digit category and selected four-digit subcategories E850-E869 of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-14 years	15-24 years	25-44 years	45-64 years	65 years and over	Not stated
By corrosives and caustics, not elsewhere classified (E864)	27	—	3	2	—	—	5	1	3	—	9	9	—
Male	20	—	3	1	—	—	4	1	3	—	8	4	—
Female	7	—	—	1	—	—	1	—	—	—	1	5	—
White	21	—	2	2	—	—	4	1	2	—	6	8	—
Male	14	—	2	1	—	—	3	1	2	—	5	3	—
Female	7	—	—	1	—	—	1	—	—	—	1	5	—
All other	6	—	1	—	—	—	1	—	1	—	3	1	—
Male	6	—	1	—	—	—	1	—	1	—	3	1	—
Female	—	—	—	—	—	—	—	—	—	—	—	—	—
Black	6	—	1	—	—	—	1	—	1	—	3	1	—
Male	6	—	1	—	—	—	1	—	1	—	3	1	—
Female	—	—	—	—	—	—	—	—	—	—	—	—	—
From foodstuffs and poisonous plants (E865)	7	—	—	—	—	—	—	—	2	2	2	1	—
Male	7	—	—	—	—	—	—	—	2	2	2	1	—
Female	—	—	—	—	—	—	—	—	—	—	—	—	—
White	6	—	—	—	—	—	—	—	2	2	1	1	—
Male	6	—	—	—	—	—	—	—	2	2	1	1	—
Female	—	—	—	—	—	—	—	—	—	—	—	—	—
All other	1	—	—	—	—	—	—	—	—	—	1	—	—
Male	1	—	—	—	—	—	—	—	—	—	1	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—	—
Black	1	—	—	—	—	—	—	—	—	—	1	—	—
Male	1	—	—	—	—	—	—	—	—	—	1	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—	—
By other and unspecified solid and liquid substances (E866)	53	1	6	—	—	1	8	—	10	16	8	11	—
Male	32	—	4	—	—	—	4	—	8	10	4	6	—
Female	21	1	2	—	—	1	4	—	2	6	4	5	—
White	39	1	5	—	—	—	6	—	8	11	6	8	—
Male	21	—	3	—	—	—	3	—	6	5	3	4	—
Female	18	1	2	—	—	—	3	—	2	6	3	4	—
All other	14	—	1	—	—	1	2	—	2	5	2	3	—
Male	11	—	1	—	—	—	1	—	2	5	1	2	—
Female	3	—	—	—	—	1	1	—	—	—	1	1	—
Black	14	—	1	—	—	1	2	—	2	5	2	3	—
Male	11	—	1	—	—	1	2	—	2	5	1	2	—
Female	3	—	—	—	—	1	1	—	—	—	1	1	—
By gas distributed by pipeline (E867)	72	2	1	2	1	—	6	2	16	15	15	18	—
Male	45	1	1	—	1	—	3	1	10	12	9	10	—
Female	27	1	—	2	—	—	3	1	6	3	6	8	—
White	46	1	—	1	—	—	2	1	11	10	11	11	—
Male	30	—	—	1	—	—	1	—	9	8	7	5	—
Female	16	1	—	—	—	—	1	1	2	2	4	6	—
All other	26	1	1	2	—	—	4	1	5	5	4	7	—
Male	15	1	1	—	—	—	2	1	1	4	2	5	—
Female	11	—	—	2	—	—	2	—	4	1	2	2	—
Black	26	1	1	2	—	—	4	1	5	5	4	7	—
Male	15	1	1	—	—	—	2	1	1	4	2	5	—
Female	11	—	—	2	—	—	2	—	4	1	2	2	—
By other utility gas and other carbon monoxide (E868)	1,022	2	7	2	5	5	21	19	218	347	243	174	—
Male	746	1	3	—	1	4	9	10	153	280	178	116	—
Female	276	1	4	2	4	1	12	9	65	67	65	58	—
White	873	1	7	1	4	2	15	16	197	284	206	155	—
Male	641	1	3	—	—	1	5	9	145	231	149	102	—
Female	232	—	4	1	4	1	10	7	52	53	57	53	—
All other	149	1	—	1	1	3	6	3	21	63	37	19	—
Male	105	—	—	—	1	3	4	1	8	49	29	14	—
Female	44	1	—	1	—	—	2	2	13	14	8	5	—
Black	135	1	—	1	—	2	4	3	20	58	31	19	—
Male	95	—	—	—	—	2	2	1	7	45	26	14	—
Female	40	1	—	1	—	—	2	2	13	13	5	5	—
By other gases and vapors (E869)	165	4	—	2	3	1	10	10	38	42	36	29	—
Male	123	—	—	2	3	—	5	7	34	35	29	13	—
Female	42	4	—	—	—	1	5	3	4	7	7	16	—
White	143	2	—	1	2	1	6	8	36	37	35	21	—
Male	111	—	—	1	2	—	3	6	32	32	28	10	—
Female	32	2	—	—	—	1	3	2	4	5	7	11	—
All other	22	2	—	1	1	—	4	2	2	5	1	3	—
Male	12	—	—	1	1	—	2	1	2	3	1	5	—
Female	10	2	—	—	—	—	2	1	—	2	—	—	—
Black	20	1	—	1	1	—	3	2	2	4	1	8	—
Male	12	—	—	1	1	—	2	1	2	3	1	3	—
Female	8	1	—	—	—	—	1	1	—	1	—	5	—