

## SECTION 4 - ACCIDENT MORTALITY

4-17

Table 4-4. Deaths From Accidental Poisoning, by Age, Color, and Sex: United States, 1969

[Includes each three-digit category and selected four-digit subcategories from E850 to E877 of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-14 years	15-24 years	25-44 years	45-64 years	65 years and over	Not stated
E850-E859	Accidental poisoning by drugs and medicaments-----	1,891	26	58	30	18	8	140	31	563	627	360	180	-
	Male-----	1,174	16	35	21	10	4	86	15	445	416	154	78	-
	Female-----	717	10	23	9	8	4	54	16	118	211	216	102	-
	White-----Male-----	864	12	22	17	9	3	63	11	327	292	112	69	-
	Female-----	593	10	15	6	7	3	41	11	76	174	202	94	-
	All other--Male-----	310	4	13	4	1	1	23	4	118	154	22	9	-
	Female-----	119	-	6	3	1	1	13	5	42	57	14	8	-
E850	By antibiotics and other anti-infectives-----	17	-	1	2	-	-	3	-	4	2	4	4	-
	Male-----	8	-	1	1	-	-	2	-	-	-	2	4	-
	Female-----	9	-	-	1	-	-	1	-	4	2	-	-	-
	White-----Male-----	7	-	1	1	-	-	2	-	-	-	1	4	-
	Female-----	3	-	-	1	-	-	1	-	-	1	1	-	-
	All other--Male-----	1	-	-	-	-	-	-	-	-	-	1	-	-
	Female-----	6	-	-	-	-	-	-	-	4	1	1	-	-
.0	Penicillin, any-----	1	-	-	-	-	-	-	-	-	1	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	1	-	-	-	-	-	-	-	-	1	-	-	-
	White-----Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other--Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	1	-	-	-	-	-	-	-	-	1	-	-	-
.1-.9	All other antibiotics and anti-infectives-----	16	-	1	2	-	-	3	-	4	1	4	4	-
	Male-----	8	-	1	1	-	-	2	-	-	-	2	4	-
	Female-----	8	-	-	1	-	-	1	-	4	1	2	-	-
	White-----Male-----	7	-	1	1	-	-	2	-	-	-	1	4	-
	Female-----	3	-	-	1	-	-	1	-	-	1	1	-	-
	All other--Male-----	1	-	-	-	-	-	-	-	-	-	1	-	-
	Female-----	5	-	-	-	-	-	-	-	4	-	1	-	-
E851	By hormones and synthetic substitutes-----	14	-	-	-	-	1	1	-	1	2	8	2	-
	Male-----	5	-	-	-	-	1	1	-	-	1	2	1	-
	Female-----	9	-	-	-	-	-	-	-	1	1	6	1	-
	White-----Male-----	2	-	-	-	-	1	1	-	-	-	1	-	-
	Female-----	6	-	-	-	-	-	-	-	-	-	6	-	-
	All other--Male-----	3	-	-	-	-	-	-	-	-	1	1	1	-
	Female-----	3	-	-	-	-	-	-	-	1	1	-	1	-
.6	Progestogens-----	1	-	-	-	-	-	-	-	1	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	1	-	-	-	-	-	-	-	1	-	-	-	-
	White-----Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other--Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	1	-	-	-	-	-	-	-	1	-	-	-	-
.0-.5,.7-.9	All other hormones and synthetic substitutes-----	13	-	-	-	-	1	1	-	-	2	8	2	-
	Male-----	5	-	-	-	-	1	1	-	-	1	2	1	-
	Female-----	8	-	-	-	-	-	-	-	-	1	6	1	-
	White-----Male-----	2	-	-	-	-	1	1	-	-	-	1	-	-
	Female-----	6	-	-	-	-	-	-	-	-	-	6	-	-
	All other--Male-----	3	-	-	-	-	-	-	-	-	1	1	1	-
	Female-----	2	-	-	-	-	-	-	-	-	1	-	1	-
E852	By primarily systemic and hematologic agents-----	32	1	12	1	-	-	14	3	2	3	2	0	-
	Male-----	20	1	8	1	-	-	10	2	1	-	2	5	-
	Female-----	12	-	4	-	-	-	4	1	1	3	-	3	-
	White-----Male-----	16	1	6	-	-	-	7	2	-	-	2	5	-
	Female-----	9	-	2	-	-	-	2	1	-	3	-	3	-
	All other--Male-----	4	-	2	1	-	-	3	-	1	-	-	-	-
	Female-----	3	-	2	-	-	-	2	-	1	-	-	-	-
E853	By analgesics and antipyretics-----	554	19	25	9	12	3	68	11	208	213	39	15	-
	Male-----	437	14	15	5	8	-	42	6	185	176	22	6	-
	Female-----	117	5	10	4	4	3	26	5	23	37	17	9	-
	White-----Male-----	285	10	8	3	8	-	29	4	125	105	16	6	-
	Female-----	87	5	7	4	3	3	22	4	14	23	16	8	-
	All other--Male-----	152	4	7	2	-	-	13	2	60	71	6	-	-
	Female-----	30	-	3	-	1	-	4	1	9	14	1	1	-
.1	Salicylates and congeners-----	104	18	18	9	10	3	58	4	5	9	16	12	-
	Male-----	58	14	10	5	8	-	37	3	5	1	7	5	-
	Female-----	46	4	8	4	2	3	21	1	-	8	9	7	-
	White-----Male-----	44	10	5	3	8	-	26	3	3	1	6	5	-
	Female-----	42	4	6	4	2	3	19	1	-	7	9	6	-
	All other--Male-----	14	4	5	2	-	-	11	-	2	-	1	-	-
	Female-----	4	-	2	-	-	-	2	-	-	1	-	1	-
.0,.2-.9	All other analgesics and antipyretics-----	450	1	7	-	2	-	10	7	203	204	23	3	-
	Male-----	379	-	5	-	-	-	5	3	180	175	15	1	-
	Female-----	71	1	2	-	2	-	5	4	23	29	8	2	-
	White-----Male-----	241	-	3	-	-	-	3	1	122	104	10	1	-
	Female-----	45	1	1	-	1	-	3	3	14	16	7	2	-
	All other--Male-----	138	-	2	-	-	-	2	2	98	71	5	-	-
	Female-----	26	-	1	-	1	-	2	1	9	13	1	-	-
E854	By other sedatives and hypnotics-----	687	3	2	1	1	1	8	7	219	225	173	55	-
	Male-----	387	-	1	1	-	1	3	3	164	140	57	20	-
	Female-----	300	3	1	-	1	-	5	4	55	85	116	35	-
	White-----Male-----	301	-	-	1	-	1	2	3	123	99	54	20	-
	Female-----	258	3	1	-	1	-	5	1	36	71	110	35	-
	All other--Male-----	86	-	1	-	-	-	1	-	41	41	3	-	-
	Female-----	42	-	-	-	-	-	-	3	19	14	6	-	-



## SECTION 4 - ACCIDENT MORTALITY

4-19

Table 4-4. Deaths From Accidental Poisoning, by Age, Color, and Sex: United States, 1969-Con.

[Includes each three-digit category and selected four-digit subcategories from E850 to E877 of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-14 years	15-24 years	25-44 years	45-64 years	65 years and over	Not stated
E850	By alcohol-----	189	-	-	-	1	-	1	1	13	63	102	8	1
	Male-----	139	-	-	-	1	-	1	1	11	45	76	7	-
	Female-----	50	-	-	-	-	-	-	-	2	20	26	1	1
	White-----	100	-	-	-	-	-	-	-	8	27	59	6	-
	Female-----	39	-	-	-	-	-	-	-	-	15	22	1	1
	All other--Male-----	39	-	-	-	1	-	1	1	3	16	17	1	-
	Female-----	11	-	-	-	-	-	-	-	2	5	4	-	-
E861	By cleansing and polishing agents-----	28	3	11	3	-	-	17	3	3	1	1	3	-
	Male-----	16	1	5	3	-	-	9	2	2	1	1	1	-
	Female-----	12	2	6	-	-	-	8	1	1	-	-	2	-
	White-----	11	-	3	2	-	-	5	1	2	1	1	1	-
	Female-----	9	2	3	-	-	-	5	1	1	-	-	2	-
	All other--Male-----	5	1	2	1	-	-	4	1	-	-	-	-	-
	Female-----	3	-	3	-	-	-	3	-	-	-	-	-	-
E862	By disinfectants-----	6	-	1	1	-	-	2	2	-	-	1	1	-
	Male-----	4	-	1	-	-	-	1	1	-	-	1	1	-
	Female-----	2	-	-	1	-	-	1	1	-	-	-	-	-
	White-----	4	-	1	-	-	-	1	1	-	-	1	1	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other--Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	2	-	-	1	-	-	1	1	-	-	-	-	-
E863	By paints and varnishes-----	2	-	-	-	-	-	-	-	1	1	-	-	-
	Male-----	2	-	-	-	-	-	-	-	1	1	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----	2	-	-	-	-	-	-	-	1	1	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other--Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
E864	By petroleum products and other solvents-----	67	3	17	6	3	-	29	3	13	8	12	2	-
	Male-----	46	1	8	4	2	-	15	2	13	5	9	2	-
	Female-----	21	2	9	2	1	-	14	1	-	3	3	-	-
	White-----	32	1	4	2	2	-	9	2	11	2	7	1	-
	Female-----	12	1	5	2	1	-	7	1	-	3	1	-	-
	All other--Male-----	14	-	4	2	-	-	6	-	2	3	2	1	-
	Female-----	9	1	6	-	-	-	7	-	-	-	2	-	-
E865	By pesticides, fertilizers, or plant foods-----	56	1	14	7	1	2	25	6	2	9	6	8	-
	Male-----	37	-	7	3	-	2	12	4	2	8	5	6	-
	Female-----	19	1	7	4	1	-	13	2	-	1	1	2	-
	White-----	26	-	5	1	-	1	7	3	1	5	5	5	-
	Female-----	11	-	3	3	-	-	6	1	-	1	1	2	-
	All other--Male-----	11	-	2	2	-	1	5	1	-	3	-	1	-
	Female-----	8	1	4	1	1	-	7	1	-	-	-	-	-
E866	By heavy metals and their fumes-----	39	-	5	6	5	-	18	3	3	9	6	-	-
	Male-----	23	-	2	3	3	-	8	1	2	7	5	-	-
	Female-----	16	-	3	3	2	-	10	2	1	2	1	-	-
	White-----	10	-	1	1	1	-	2	1	2	2	3	-	-
	Female-----	6	-	1	2	1	-	4	-	1	1	2	-	-
	All other--Male-----	13	-	2	2	2	-	6	-	-	5	2	-	-
	Female-----	10	-	2	3	1	-	6	2	-	1	1	-	-
E867	By corrosives and caustics not elsewhere classifiable-----	28	-	2	1	1	1	5	1	6	5	6	5	-
	Male-----	13	-	1	-	-	-	1	1	4	3	2	2	-
	Female-----	15	-	1	1	1	1	4	-	2	2	4	3	-
	White-----	9	-	-	-	-	-	-	1	3	3	1	1	-
	Female-----	11	-	1	-	1	-	2	-	1	2	4	2	-
	All other--Male-----	4	-	1	-	-	-	1	-	1	-	1	1	-
	Female-----	4	-	-	1	-	1	2	-	1	-	-	1	-
E868	By noxious foodstuffs and poisonous plants-----	4	-	-	2	-	-	2	1	1	-	-	-	-
	Male-----	4	-	-	2	-	-	2	1	1	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----	4	-	-	2	-	-	2	1	1	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other--Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
E869	By other and unspecified solid and liquid substances-----	657	1	2	2	1	-	8	4	71	178	250	147	1
	Male-----	437	-	1	1	-	-	2	4	66	110	127	128	-
	Female-----	220	1	1	1	1	-	4	-	5	68	123	19	1
	White-----	381	-	1	-	-	-	1	5	43	83	118	127	-
	Female-----	197	-	1	-	-	-	1	-	2	56	118	19	1
	All other--Male-----	56	-	-	1	-	-	1	1	17	27	9	1	-
	Female-----	23	1	-	1	1	-	3	-	3	12	5	-	-
E870-E877	Accidental poisoning by gases and vapors-----	1,549	12	11	7	8	7	45	69	405	452	400	178	-
	Male-----	1,149	6	5	2	5	2	20	41	284	368	317	119	-
	Female-----	400	6	6	5	3	5	25	28	121	84	83	59	-
	White-----	989	6	4	1	3	2	16	36	253	314	267	103	-
	Female-----	324	4	3	4	2	4	17	19	94	66	77	51	-
	All other--Male-----	160	-	1	1	2	-	4	5	31	54	50	16	-
	Female-----	76	2	3	1	1	1	8	9	27	18	6	8	-
E870	By gas distributed by pipeline-----	197	3	5	1	2	2	13	9	40	38	54	43	-
	Male-----	133	1	4	-	1	1	7	4	26	26	44	26	-
	Female-----	64	2	1	1	1	1	6	5	14	12	10	17	-
	White-----	108	1	3	-	1	1	6	2	24	20	34	22	-
	Female-----	45	-	-	1	-	1	2	3	10	9	8	13	-
	All other--Male-----	25	-	1	-	-	-	1	2	2	6	10	4	-
	Female-----	19	2	1	-	1	-	4	2	4	3	2	4	-

## SECTION 4 - ACCIDENT MORTALITY

Table 4-4. Deaths From Accidental Poisoning, by Age, Color, and Sex: United States, 1969-Con.

[Includes each three-digit category and selected four-digit subcategories from E850 to E877 of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-14 years	15-24 years	25-44 years	45-64 years	65 years and over	Not stated
ES71	By liquefied petroleum gas distributed in mobile containers-----	46	-	-	-	-	-	-	7	6	13	16	4	-
	Male-----	34	-	-	-	-	-	-	5	4	10	14	1	-
	Female-----	12	-	-	-	-	-	-	2	2	3	2	3	-
	White-----Male-----	32	-	-	-	-	-	-	5	4	10	12	1	-
	Female-----	12	-	-	-	-	-	-	2	2	3	2	3	-
	All other--Male-----	2	-	-	-	-	-	-	-	-	-	2	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
ES72	By other utility gases-----	15	-	-	-	-	-	-	1	4	4	5	1	-
	Male-----	10	-	-	-	-	-	-	-	2	4	3	1	-
	Female-----	5	-	-	-	-	-	-	-	2	-	-	-	-
	White-----Male-----	8	-	-	-	-	-	-	1	2	-	2	-	-
	Female-----	1	-	-	-	-	-	-	-	-	-	1	-	-
	All other--Male-----	2	-	-	-	-	-	-	-	-	-	1	1	-
	Female-----	4	-	-	-	-	-	-	1	2	-	1	-	-
ES73	By motor vehicle exhaust gas-----	756	3	2	2	2	1	10	19	220	267	185	57	-
	Male-----	588	2	-	2	1	1	6	9	150	225	153	45	-
	Female-----	170	1	2	-	-	-	4	10	70	42	32	12	-
	White-----Male-----	509	2	-	1	1	1	4	8	126	180	139	43	-
	Female-----	138	1	2	-	-	-	4	6	52	32	32	12	-
	All other--Male-----	79	-	-	1	1	-	2	1	24	35	15	2	-
	Female-----	32	-	-	-	-	-	-	4	18	10	-	-	-
ES74	By carbon monoxide from incomplete combustion of domestic fuels-----	138	2	1	2	2	3	10	15	33	26	26	26	-
	Male-----	80	1	-	-	-	-	3	7	25	21	17	17	-
	Female-----	48	1	1	2	2	3	7	8	8	7	9	9	-
	White-----Male-----	69	1	-	-	-	-	3	6	24	17	7	12	-
	Female-----	38	1	-	1	-	2	4	6	7	6	8	7	-
	All other--Male-----	21	-	-	-	-	-	1	1	4	10	5	-	-
	Female-----	10	-	1	1	-	1	3	2	1	1	1	2	-
ES75	By other carbon monoxide-----	220	1	3	1	1	1	7	3	49	64	73	24	-
	Male-----	150	1	1	-	-	-	2	3	30	50	51	15	-
	Female-----	70	-	2	1	1	1	5	1	19	14	22	9	-
	White-----Male-----	134	1	1	-	-	-	2	2	28	43	48	14	-
	Female-----	60	-	1	1	1	1	4	1	17	10	20	8	-
	All other--Male-----	16	-	-	-	-	-	-	-	2	7	6	1	-
	Female-----	10	-	1	-	-	-	1	-	2	4	2	1	-
ES76	By other gases and vapors-----	153	3	-	1	1	-	5	12	49	31	36	16	-
	Male-----	128	1	-	-	1	-	2	11	45	25	32	13	-
	Female-----	25	2	-	1	-	-	3	1	4	6	6	5	-
	White-----Male-----	115	1	-	-	-	-	1	10	43	24	27	10	-
	Female-----	24	2	-	1	-	-	3	1	4	6	6	4	-
	All other--Male-----	13	-	-	-	1	-	1	1	2	1	5	3	-
	Female-----	1	-	-	-	-	-	-	-	-	-	-	1	-
ES77	By unspecified gases and vapors-----	22	-	-	-	-	-	-	3	4	7	3	5	-
	Male-----	16	-	-	-	-	-	-	3	2	7	3	1	-
	Female-----	6	-	-	-	-	-	-	-	2	-	-	4	-
	White-----Male-----	14	-	-	-	-	-	-	3	2	6	2	1	-
	Female-----	6	-	-	-	-	-	-	-	2	-	-	4	-
	All other--Male-----	2	-	-	-	-	-	-	-	-	1	1	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-

## SECTION 4 - ACCIDENT MORTALITY

4-21

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex:  
United States, 1969

[Includes each three-digit category and selected fourth-digit subcategories from E850 to E829 of the Eighth Revision, International Classification of Diseases, Adapted, 1965.  
Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Indus- trial places	Place for recrea- tion or sport	Street and highway	Public build- ing	Resi- dent insti- tution	Other speci- fied places	Place not speci- fied
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
E850-E859	Accidental poisoning by drugs and medicaments-----	1,891	790	2	-	3	5	38	72	29	62	890
	Male-----	1,174	444	2	-	3	4	32	51	22	46	570
	Female-----	717	346	-	-	-	1	6	21	7	16	320
	White-----	864	338	2	-	3	4	24	44	16	36	397
	Female-----	598	294	-	-	-	1	3	15	6	14	265
	All other-----	310	106	-	-	-	-	8	7	6	10	173
	Female-----	119	52	-	-	-	-	3	8	1	2	55
E850	By antibiotics and other anti-infectives-----	17	3	-	-	-	-	-	-	1	-	13
	Male-----	8	1	-	-	-	-	-	-	-	-	7
	Female-----	9	2	-	-	-	-	-	-	1	-	6
	White-----	7	1	-	-	-	-	-	-	-	-	6
	Female-----	3	-	-	-	-	-	-	-	1	-	2
	All other-----	1	-	-	-	-	-	-	-	-	-	1
	Female-----	6	2	-	-	-	-	-	-	-	-	4
.0	Penicillin, any-----	1	-	-	-	-	-	-	-	-	-	1
	Male-----	1	-	-	-	-	-	-	-	-	-	1
	Female-----	1	-	-	-	-	-	-	-	-	-	1
	White-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	1	-	-	-	-	-	-	-	-	-	1
.1-.9	All other antibiotics and anti-infectives-----	16	3	-	-	-	-	-	-	1	-	12
	Male-----	8	1	-	-	-	-	-	-	-	-	7
	Female-----	8	2	-	-	-	-	-	-	1	-	5
	White-----	7	1	-	-	-	-	-	-	-	-	6
	Female-----	3	-	-	-	-	-	-	-	1	-	2
	All other-----	1	-	-	-	-	-	-	-	-	-	1
	Female-----	5	2	-	-	-	-	-	-	-	-	3
E851	By hormones and synthetic substitutes-----	14	3	-	-	-	-	-	-	1	-	10
	Male-----	5	3	-	-	-	-	-	-	-	-	2
	Female-----	9	-	-	-	-	-	-	-	1	-	8
	White-----	2	2	-	-	-	-	-	-	-	-	-
	Female-----	6	-	-	-	-	-	-	-	-	-	6
	All other-----	3	1	-	-	-	-	-	-	-	-	2
	Female-----	3	-	-	-	-	-	-	-	1	-	2
.6	Progestogens-----	1	-	-	-	-	-	-	-	1	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	1	-	-	-	-	-	-	-	1	-	-
	White-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	1	-	-	-	-	-	-	-	1	-	-
.0-.5, 7-.9	All other hormones and synthetic substitutes-----	13	3	-	-	-	-	-	-	-	-	10
	Male-----	5	3	-	-	-	-	-	-	-	-	2
	Female-----	8	-	-	-	-	-	-	-	-	-	8
	White-----	2	2	-	-	-	-	-	-	-	-	6
	Female-----	6	-	-	-	-	-	-	-	-	-	6
	All other-----	3	1	-	-	-	-	-	-	-	-	2
	Female-----	2	-	-	-	-	-	-	-	-	-	2
E852	By primarily systemic and hematologic agents-----	32	13	-	-	-	-	-	-	-	-	19
	Male-----	20	9	-	-	-	-	-	-	-	-	11
	Female-----	12	4	-	-	-	-	-	-	-	-	8
	White-----	16	6	-	-	-	-	-	-	-	-	10
	Female-----	9	3	-	-	-	-	-	-	-	-	6
	All other-----	4	3	-	-	-	-	-	-	-	-	1
	Female-----	3	1	-	-	-	-	-	-	-	-	2
E853	By analgesics and antipyretics-----	554	237	-	-	1	1	21	30	9	20	285
	Male-----	437	180	-	-	1	-	19	24	9	18	186
	Female-----	117	57	-	-	-	1	2	6	-	2	49
	White-----	295	121	-	-	1	-	13	20	6	12	112
	Female-----	87	45	-	-	-	1	1	4	-	1	37
	All other-----	152	59	-	-	-	-	6	4	3	6	74
	Female-----	30	14	-	-	-	-	1	2	-	1	12
.1	Salicylates and congeners-----	104	34	-	-	-	-	-	-	2	-	68
	Male-----	58	16	-	-	-	-	-	-	2	-	40
	Female-----	46	18	-	-	-	-	-	-	-	-	28
	White-----	44	9	-	-	-	-	-	-	2	-	33
	Female-----	42	18	-	-	-	-	-	-	-	-	24
	All other-----	14	7	-	-	-	-	-	-	-	-	7
	Female-----	4	-	-	-	-	-	-	-	-	-	4
.0, 2-.9	All other analgesics and antipyretics-----	450	203	-	-	1	1	21	30	7	20	167
	Male-----	379	164	-	-	1	-	19	24	7	18	146
	Female-----	71	39	-	-	-	1	2	6	-	2	21
	White-----	241	112	-	-	1	-	13	20	4	12	79
	Female-----	45	25	-	-	-	1	1	4	-	1	13
	All other-----	138	52	-	-	-	-	6	4	3	6	67
	Female-----	26	14	-	-	-	-	1	2	-	1	8
E854	By other sedatives and hypnotics-----	687	323	1	-	1	2	13	29	9	21	288
	Male-----	387	144	1	-	1	2	9	18	7	16	189
	Female-----	300	179	-	-	-	-	4	11	2	5	99
	White-----	301	125	1	-	1	2	7	16	5	13	131
	Female-----	258	156	-	-	-	-	2	8	2	4	86
	All other-----	86	19	-	-	-	-	2	2	2	3	58
	Female-----	42	23	-	-	-	-	2	3	-	1	13

See footnotes at end of table.