# Experiment No. 3

## Title

**Deleting, Copying, Renaming, and Moving Files in Linux**

## Aim

To practice Linux commands for deleting, copying, moving, renaming, and displaying files, and to understand the use of input/output redirection for managing command outputs.

## Theory

### File Management Commands

Linux offers several commands to manage files:

- touch – Create empty files
- cp – Copy files or directories
- mv – Move or rename files
- rm – Delete files or directories
- cat – Display file contents

### Input/Output Redirection

Redirection allows command outputs to be redirected to files instead of the terminal:

- > – Redirect output (overwrite)
- >> – Redirect output (append)
- < – Redirect input

These features are essential for scripting and automation.

## Commands Used

| Commands | Description |
|---|---|
| touch | Create empty file |
| cp | Copy files |
| mv | Move or rename files |
| rm | Remove files |

| | |
|---|---|
| cat | Display file contents |
| > | Output redirection |
| >> | Append output |

# Procedure / Steps

Step 1: Log in to the Linux virtual machine and open the **Terminal**.

Step 2: Create a working directory:

- mkdir file_ops
- cd file_ops

Step 3: Create files using touch:

- touch file1.txt file2.txt

Step 4: Add content to files using redirection:

- echo "This is file1" > file1.txt
- echo "This is file2" > file2.txt

Step 5: Display file contents:

- cat file1.txt

Step 6: Copy a file:

- cp file1.txt copy_file1.txt

Step 7: Rename a file:

- mv file2.txt renamed_file2.txt

Step 8: Move a file to another directory:

- mkdir backup mv copy_file1.txt backup/

Step 9: Append content to a file:

- echo "Additional content" >> file1.txt

Step 10: Delete a file:

- rm renamed_file2.txt

Step 11: Verify changes using:

- Ls




# Outcomes

- ✓ Files created, copied, renamed, and deleted successfully.
- ✓ File contents displayed correctly.
- ✓ Output redirection works as expected.

# Result

- ❖ Linux file operations including copying, moving, renaming, deleting files, and output redirection were successfully performed using command-line utilities.