

IWFSA Working Pages — Page-Specific Design Sheets

Purpose: define the actual page-by-page design sheets for the IWFSA member and admin working surfaces. These sheets are intended for visual design, front-end implementation, QA review, and leadership presentation.

Scope: member and admin working pages only. The accepted home page and sign-in page are intentionally excluded.

0. Shared Working Page Foundation

Design intent

All working pages must feel like part of one dignified IWFSA platform while preserving clear surface boundaries. Member pages should feel like calm service spaces for accomplished women leaders. Admin pages should feel like careful stewardship tools with operational clarity, audit awareness, and restrained authority.

Shared structure

Every page uses this hierarchy:

1. Surface-specific workspace header.
2. Page title and short purpose line.
3. One primary task area.
4. Supporting metadata, controls, or explanatory state.
5. Secondary actions only where needed.

Shared typography

- Page titles: Georgia, 34–44px desktop, 28–34px mobile.
- Section headings: Georgia, 22–28px desktop, 20–24px mobile.
- Body text: Inter, Segoe UI, or system sans-serif, 16px preferred.
- Controls, badges, metadata, table labels: sans-serif.
- Uppercase labels: small, restrained, never decorative.

Shared visual rules

- Background: warm neutral page field.
- Cards/panels: white or warm panel, subtle border, soft shadow, radius 8px or less.
- Do not nest cards inside cards.
- Buttons and inputs: minimum 44px height.

- Primary buttons: navy background, white text, gold border or accent.
- Secondary buttons: white or warm panel, navy text.
- Destructive buttons: restrained red outline/tint; never dominant until confirmation.

Shared state requirements

Every page must define the following where relevant:

- Empty state.
- Loading state.
- Success state.
- Warning state.
- Error state.
- Restricted/fallback state where policy requires it.

Shared accessibility rules

- Target WCAG 2.2 AA.
- Visible keyboard focus using focus blue.
- Inputs must have explicit labels.
- Validation messages must be helpful and respectful.
- State badges must not rely on color alone.
- Page order must follow the primary task.

Member Surface Sheets

1. Member Dashboard Sheet

Route

/member/dashboard

Primary task

Orient the member and guide her to one next useful action.

Page purpose line

"A calm overview of your IWFSa profile, events, directory access, and notices."

Surface

Member workspace.

Required policy posture

- Member/admin/chief_admin role may view member surface.
- Standing must not be blocked.
- No admin controls may render on this page, even for admin-capable users.

Desktop layout

Header

- Deep navy or warm-off-white member workspace header.
- Left: IWFSa logo, clearly visible.
- Brand text: "International Women's Forum South Africa".
- Subtitle: "Member workspace".
- Right navigation: Dashboard, Profile, Events, Directory, Notifications.
- Active item: Dashboard with gold underline or gold pill.

Main page grid

Use a 12-column grid.

Top band, full width

- Warm editorial welcome band.
- Georgia heading: "Welcome back" or "Member workspace".
- Short dignified line, one or two sentences maximum.
- One primary action only.

Left column, 7 columns

- Today's priorities.
- Three-item maximum working list.
- Each item includes title, short explanation, status badge, and optional quiet link.

Right column, 5 columns

- Status summary panel.
- Four status rows:
 - Profile.
 - Events.
 - Directory.
 - Notifications.
- Each row includes status label, small explanation, and semantic badge.

Mobile layout

- Header collapses to logo, title, and compact navigation.
- Welcome band appears first.
- Primary action is full-width.
- Priorities appear before status summary.
- Status rows become full-width stacked rows.
- No horizontal scrolling.

Component choices

- MemberWorkspaceHeader
- WelcomeBand
- PrimaryNextAction
- MemberPriorityList
- MemberStatusSummary
- StatusBadge
- SecondarySurfaceLink

Primary action

Dynamic, but only one can be visually primary:

- “Complete profile” when profile is incomplete.
- “Review consent” when consent blocks profile/directory.
- “View available events” when profile/consent are complete and an event is available.
- “Read notices” only when there is an urgent notice.

Secondary actions

- Profile.
- Events.
- Directory.
- Notifications.

These must be quieter than the primary action.

Empty state

Use when no profile/event/notification data is available yet.

Panel title: “Your workspace is ready.”

Copy: “Begin by completing your profile so your member information remains accurate and consent-scoped.”

Action: “Complete profile”.

Loading state

- Keep header and page title visible.
- Skeleton blocks for:
 - Welcome status line.
 - Three priority rows.
 - Four status summary rows.
- Avoid blank white page.

Success state

Use after returning from a successful action.

Copy: “Your update has been saved.”

Tone: soft green accent.

Placement: below welcome band or above relevant status section.

Warning state

Use for consent, standing, or profile attention.

Copy pattern: “One item needs your attention before this feature is available.”

Tone: warm amber, not danger red.

Action: route to the required next step.

Error state

Copy: “We could not load part of your workspace. Please try again.”

Tone: restrained red.

Do not show: stack traces, policy internals, data identifiers.

Accessibility notes

- The primary action should be first meaningful interactive element after page introduction.
- Status badges require text labels.
- Dashboard status should be readable in five seconds.

Privacy/governance notes

- No admin navigation.
- No private admin audit detail.
- No public visibility implication unless the member has entered profile visibility flow.

Open decisions

1. What exact data rule selects the primary dashboard action?
 2. Should urgent notices override profile completion as the primary action?
 3. Should dashboard status show counts, simple states, or both?
 4. What member greeting format is acceptable without over-personalising?
-

2. Member Profile Sheet

Routes

- `/member/profile`
- `/member/profile/edit`
- `/member/profile/visibility`
- `/member/profile/confirmation`

Primary task

Let the member control her profile identity and field visibility.

Page purpose line

“Review your member profile and choose what remains private, visible to members, or public-safe after approval.”

Surface

Member workspace.

Required policy posture

- Requires consent granted for profile editing routes.
- Consent failure falls back to `/member/consent-required`.
- Public profile rendering must not happen here; this is a control and preview surface.

Desktop layout

Header

Member workspace header with Profile active.

Main grid

Use a 12-column layout.

Left column, 4 columns

- Profile identity panel.
- Portrait placeholder or approved portrait area.
- Member name/role placeholder.
- Consent and standing summary.
- Short note: “You control how your information is represented.”

Right column, 8 columns

- Page heading: “Profile visibility control”.
- Field groups:
 - Identity details.
 - Professional details.
 - Biography/leadership summary.
 - Visibility settings.
- Each field row includes:
 - Field label.
 - Current value or input.
 - Helper text.
 - Visibility badge.
 - Visibility control when editable.

Review callout

- “Public visibility review” callout appears near public-safe controls.
- It explains that public visibility requires standing, consent, and approval.

Mobile layout

- Header stacks.
- Identity panel first.
- Field groups stack below.
- Visibility badge appears directly under label or next to label if space allows.
- Public preview opens as inline section or accordion.
- Primary action full-width.

Component choices

- `MemberWorkspaceHeader`
- `ProfileIdentityPanel`
- `ProfileFieldGroup`
- `ProfileFieldRow`

- `VisibilityBadge`
- `VisibilitySelector`
- `InfoCallout`
- `PublicSafePreview`
- `SaveProfileButton`
- `ConfirmationPanel`

Primary action

Depends on route step:

- `/member/profile` : "Edit profile".
- `/member/profile/edit` : "Continue to visibility".
- `/member/profile/visibility` : "Save visibility choices".
- `/member/profile/confirmation` : "Return to dashboard".

Only the current route's action should be primary.

Secondary actions

- Cancel.
- Return to dashboard.
- Preview public-safe version, if supported.

Empty state

Use for missing profile fields.

Inline field copy: "Not provided yet."

Helper copy: "You can add this when you are ready."

Do not use shaming completion language.

Loading state

- Skeleton portrait.
- Skeleton field rows.
- Skeleton badges.
- Keep title and explanatory text visible.

Success state

Copy: "Your profile changes have been saved."

Secondary copy: "Visibility choices remain subject to consent and approval rules."

Tone: soft green.

Warning state

Use when public-safe material needs review or consent.

Copy: “Public-safe information will only appear publicly after approval.”

Tone: amber or audit accent depending on context.

Error state

- Field-level validation appears under specific field.
- Form-level error only if save fails.

Copy: “Your profile could not be saved. Please review the highlighted fields.”

Accessibility notes

- Screen reader labels must include visibility state.
- Example: “Biography, visible to members only.”
- Visibility selectors must be keyboard accessible.
- Confirmation state should be announced politely.

Privacy/governance notes

- Private fields must not appear in public preview.
- Public-safe preview must be visually distinct from editable private data.
- Approval status must not imply immediate public publication.

Open decisions

1. Which profile fields are editable in phase one?
2. Is portrait upload active or represented as a placeholder?
3. Is visibility field-level, section-level, or both?
4. Does public-safe preview live inline or on a separate confirmation route?
5. What audit message appears after save?

3. Member Events Sheet

Route

/member/events

Primary task

Help members view available events and RSVP comfortably.

Page purpose line

"Only published member events appear here. Choose the events you would like to attend."

Surface

Member workspace.

Required policy posture

- Standing must not be blocked.
- Blocked standing falls back to `/member/standing`.
- No admin event controls may appear.

Desktop layout

Header

Member workspace header with Events active.

Main layout

Top band

- Georgia heading: "Choose and manage event participation".
- Purpose line.
- Optional RSVP status message.

Toolbar

- Label: "Available events".
- Optional simple filter if event volume requires it.
- No lifecycle controls.

Event board

- Responsive grid, 2–3 columns depending on viewport.
- Each event card contains:
 - Event title.
 - Published/member event status chip.
 - Date and time.
 - Location.

- Capacity indicator.
- Registered/waitlist count if member-safe.
- RSVP state.
- RSVP button.

Mobile layout

- Cards stack one column.
- Event title, date, and RSVP button appear before secondary metadata.
- RSVP button full-width.
- Capacity and waitlist compress into chips.

Component choices

- MemberWorkspaceHeader
- EventBoardHeader
- EventToolbar
- MemberEventCard
- CapacityChip
- RSVPButton
- RSVPResultMessage

Primary action

Per-card RSVP action is the local primary action inside the event card.

At page level, there should not be a separate competing primary CTA.

Secondary actions

- View event details, if route exists.
- Return to dashboard.

Empty state

Title: “No published member events are available right now.”

Copy: “When new IWFS member events are published, they will appear here.”

Action: “Return to dashboard”.

Loading state

- Event-card skeletons.
- Toolbar skeleton if filters are present.

Success state

Copy: "Your RSVP has been confirmed."

Tone: soft green.

Placement: at top of board and inside affected card.

Waitlist warning state

Copy: "This event is currently at capacity. You have been added to the waitlist."

Tone: warm amber.

Placement: inside affected card.

Error state

Copy: "We could not complete this RSVP. No change has been made."

Tone: restrained red.

Accessibility notes

- RSVP buttons must describe event title in accessible name.
- Example: "RSVP for Leadership Roundtable".
- Capacity should not rely on progress bar color alone.

Privacy/governance notes

- No create/edit/delete/lifecycle controls.
- No admin audit metadata.
- Only published member-visible events appear.

Open decisions

1. Does RSVP cancellation exist in phase one?
2. Are waitlist positions shown?
3. Are past events hidden or archived?
4. Is event detail view in scope?
5. Should capacity counts be exact or simplified for members?

4. Member Directory Sheet

Route

/member/directory

Primary task

Help members browse a consent-scoped directory.

Page purpose line

"Directory results appear only within member consent and visibility rules."

Surface

Member workspace.

Required policy posture

- Consent is required.
- Consent failure falls back to `/member/consent-required`.
- Directory must not imply private information is public.

Desktop layout

Header

Member workspace header with Directory active.

Main layout

Top band

- Georgia heading: "Consent-scoped directory".
- Purpose line.
- Brief consent boundary note.

Control band

- Search input with label.
- Filters where data exists:
 - Sector.
 - Region.
 - Member group.
 - Visibility.
- Reset filters secondary action.

Directory results

- Compact rows or two-column cards.
- Each entry includes:

- Name or approved display name.
- Role/title.
- Organisation.
- Optional portrait thumbnail or dignified placeholder.
- Visibility/consent indicator.

Mobile layout

- Search appears first after purpose line.
- Filters stack or collapse into disclosure.
- Entries become compact full-width rows.
- Badges remain visibly attached to the member entry.

Component choices

- MemberWorkspaceHeader
- DirectorySearchInput
- DirectoryFilterBar
- MemberDirectoryEntry
- VisibilityBadge
- ConsentBoundaryNote
- ResetFiltersButton

Primary action

Search/browse is the primary task. Do not add a heavy page-level CTA.

Secondary actions

- Reset filters.
- Return to dashboard.
- View profile if member profile route exists and consent permits.

Empty state

Title: “No visible members match these filters.”

Copy: “Try adjusting your search or resetting the filters. Directory visibility follows member consent choices.”

Action: “Reset filters”.

Loading state

- Search controls visible.
- Skeleton rows for directory entries.

Success state

Use subtly after reset or preference update.

Copy: "Filters reset."

Warning state

Use if consent or access limits directory results.

Copy: "Some directory information may be unavailable until consent is reviewed."

Error state

Copy: "Directory results could not be loaded. Please try again."

Accessibility notes

- Search input must have a visible label.
- Filter controls must be keyboard reachable.
- Result count should be announced or visible.

Privacy/governance notes

- Do not expose private contact details in examples.
- Do not use public-profile styling.
- Consent indicators should be clear but not bureaucratic.

Open decisions

1. Which filters exist in the current data model?
2. Are member portraits allowed here?
3. Are contact details ever displayed?
4. Does selecting a directory entry open a full member profile or compact detail panel?
5. What exact consent boundary copy should be approved?

5. Member Notifications Sheet

Route

/member/notifications

Primary task

Let members understand notices and manage notification preferences where available.

Page purpose line

"Review important member notices and your preferred communication channels."

Surface

Member workspace.

Required policy posture

- Standing must not be blocked.
- No admin notice-management controls.
- Preferences update API requires CSRF token.

Desktop layout

Header

Member workspace header with Notifications active.

Main grid

Use 12 columns.

Left column, 8 columns

- Grouped notices:
 - Events.
 - Membership standing.
 - Celebrations.
 - Administrative notices.

Right column, 4 columns

- Preference summary panel.
- Channel controls if editable:
 - Email.
 - SMS.
 - In-app.
- Annual consent/status label.

Mobile layout

- If action needed: preference/status panel appears first.
- Otherwise: notices appear first.
- Groups stack with clear headings.
- Toggle rows remain at least 44px high.

Component choices

- MemberWorkspaceHeader
- NotificationGroup
- NoticeRow
- NoticeStatusBadge
- PreferencePanel
- ChannelToggle
- AnnualStatusLabel

Primary action

If preferences are editable: “Save preferences”.

If preferences are display-only: no primary CTA; page is a review surface.

Secondary actions

- Mark all as read, only if supported.
- Return to dashboard.

Empty state

Title: “No current notifications.”

Copy: “Important event, standing, celebration, and administrative notices will appear here.”

Loading state

- Notice group skeletons.
- Preference control skeletons.

Success state

Copy: “Notification preferences updated.”

Tone: soft green.

Warning state

Use for action-needed notices.

Copy: "This notice needs your attention."

Tone: amber, limited use.

Error state

Copy: "Notification preferences could not be saved. Please try again."

Accessibility notes

- Notice groups should use headings.
- Toggle controls must expose checked/unchecked state.
- Status badges must include text.

Privacy/governance notes

- Celebration notices must respect member consent.
- Standing notices must avoid internal admin detail.
- Administrative notices should be plain and calm.

Open decisions

1. Are notification preferences editable in phase one?
2. Which channels are active: email, SMS, in-app?
3. Are notifications dismissible?
4. Are celebrations opt-in?
5. What retention rule governs old notices?

6. Member Standing / Restricted Access Sheet

Route

/member/standing

Primary task

Explain limited access respectfully and provide practical next steps.

Page purpose line

"Some member features are temporarily limited. Here is what you can do next."

Surface

Member fallback surface.

Required policy posture

- Used as fallback for blocked member event access.
- Must not expose private admin reasoning or internal audit detail.

Desktop layout

- Member workspace header.
- Centered content area, max width approximately 760px.
- Warm warning panel.
- Georgia heading: "Standing review required".
- Short explanation.
- Next-step area:
- Contact administrator.
- Return to dashboard.
- Review available account information if supported.

Mobile layout

- Single column.
- Actions stack full-width.
- Warning accent remains modest.

Component choices

- `MemberWorkspaceHeader`
- `RestrictedAccessPanel`
- `WarmWarningCallout`
- `NextStepList`
- `ContactAdministratorButton`
- `ReturnToDashboardLink`

Primary action

"Contact administrator" or approved support route.

Secondary actions

- Return to dashboard.
- Review profile/standing summary if supported.

Empty state

Not applicable. If standing data is missing, use error state rather than empty state.

Loading state

Copy: "Checking access status."
Use compact skeleton panel.

Success state

Only if a contact/support request is submitted.

Copy: "Your request has been sent."

Warning state

Default page state.

Copy: "Access to this member feature is temporarily limited while standing is reviewed."

Error state

Copy: "We could not confirm your standing details. Please return to the dashboard or contact support."

Accessibility notes

- Heading must clearly identify the page.
- Warning state should not rely on icon/color alone.
- Buttons must remain easy to activate on mobile.

Privacy/governance notes

- Do not reveal administrative notes.
- Do not display punitive labels.
- Tone must be dignified and non-shaming.

Open decisions

1. What is the approved support/contact mechanism?
 2. Should member-facing standing label be shown?
 3. What copy is approved for access limitation?
 4. Can a member submit a standing review request from this page?
-

7. Consent Required Sheet

Route

/member/consent-required

Primary task

Explain consent and help the member continue in control.

Page purpose line

"Consent is needed before this member feature can show or update profile-related information."

Surface

Member fallback surface.

Required policy posture

- Used when profile or directory access requires consent.
- Must reassure the member that visibility choices remain under her control.

Desktop layout

- Member workspace header.
- Centered reassurance panel, max width approximately 820px.
- Georgia heading: "Consent required".
- Short explanation.
- Visibility badge group:
 - Private.
 - Members only.
 - Public-safe.
- Primary action to review consent.
- Secondary dashboard link.

Mobile layout

- Badges stack vertically or wrap cleanly.
- Primary action full-width.
- Avoid dense legal copy.

Component choices

- MemberWorkspaceHeader
- ConsentRequiredPanel
- VisibilityBadgeGroup
- InfoCallout
- ReviewConsentButton
- ReturnToDashboardLink

Primary action

“Review consent”.

Secondary actions

- Return to dashboard.

Empty state

Not applicable.

Loading state

Copy: “Checking consent status.”
Use minimal skeleton panel.

Success state

After consent update.

Copy: “Consent preferences saved.”

Warning state

Default page state.

Copy: “Before continuing, please review how your profile information may be used within the member workspace.”

Error state

Copy: "Consent options could not be loaded. No visibility changes have been made."

Accessibility notes

- Badges need text labels.
- Primary action should follow explanation.
- Avoid tooltip-only consent definitions.

Privacy/governance notes

- Do not imply consent is automatic.
- Do not proceed without consent.
- Public-safe must be described as approval-gated.

Open decisions

1. Where exactly does "Review consent" route?
 2. Is consent global or field-level in this phase?
 3. What audit event is recorded when consent is updated?
 4. Is consent renewal annual, ongoing, or event-based?
-

Admin Surface Sheets

8. Admin Dashboard / Stewardship Console Sheet

Route

/admin

Primary task

Orient administrators to the next stewardship task.

Page purpose line

"Review the operational areas that require careful administrative attention."

Surface

Admin workspace.

Required policy posture

- Role must be admin or chief_admin.
- Standing must be active.
- Audit trail must be on.
- Non-admin users fall back to .

Desktop layout

Header

- Deep navy admin workspace header.
- IWFSa logo visible.
- Subtitle: “Admin stewardship console”.
- Admin navigation only.

Main layout

Use 12 columns.

Top band, full width

- Georgia heading: “Stewardship console”.
- Operational subtitle.
- One primary next action based on highest-priority admin task.

Metrics row

- Imports requiring resolution.
- Public reviews pending.
- Standing reviews.
- Event records needing review.

Main area

- Left 8 columns: priority task list.
- Right 4 columns: audit/recent activity summary.

Mobile layout

- Metrics stack in two-column or one-column grid depending on width.
- Priority task list appears before audit summary.
- Primary next action full-width.

Component choices

- AdminWorkspaceHeader
- AdminPriorityHero
- StewardshipMetricCards
- PriorityTaskList
- AuditActivitySummary
- AdminRouteLink

Primary action

Dynamic highest-priority action:

- "Resolve import".
- "Review public profiles".
- "Review standing".
- "Review events".

Only one appears as primary.

Secondary actions

Admin route links for Members, Imports, Standing, Events, Audit.

Empty state

Title: "No urgent stewardship tasks."

Copy: "Routine admin areas remain available through the admin navigation."

Loading state

- Skeleton metric cards.
- Skeleton task list.
- Skeleton audit activity.

Success state

Not usually page-native. If redirected from completed action:

Copy: "Stewardship action completed. Audit trail active."

Warning state

Use for policy gaps, unresolved imports, or review-required items.

Copy: "One or more stewardship tasks requires attention before publication or commit."

Error state

Copy: "Admin summary could not be loaded."

Accessibility notes

- Metrics must have text labels.
- Priority list must be keyboard navigable.
- Audit summary must not rely on color alone.

Privacy/governance notes

- Avoid exposing unnecessary member private details on dashboard.
- Audit summaries should be minimal and role-appropriate.
- Admin page must not feel like member self-service.

Open decisions

1. What exact scoring determines the top admin priority?
 2. Which dashboard metrics are approved for display?
 3. How much audit detail is safe on the dashboard?
 4. Should admin dashboard include support notes in phase one?
-

9. Admin Events Sheet

Routes

- `/admin/events`
- `/admin/events/{id}/edit`
- `/admin/events/{id}/delete`

APIs

- `/api/admin/events`
- `/api/admin/events/{id}`
- `/api/admin/events/{id}/state`

Primary task

Let administrators steward event records safely.

Page purpose line

"Create, review, update, and retire event records with lifecycle clarity and audit awareness."

Surface

Admin workspace.

Required policy posture

- Admin/chief_admin only.
- Audit trail on.
- CSRF required for create, update, delete, and lifecycle state changes.

Desktop layout

Header

Admin workspace header with Events active.

Main layout

Use 12 columns.

Top band, 8 columns

- Georgia heading: "Steward event records safely".
- Operational subtitle.
- Audit-aware language.

Primary action, 4 columns

- "Create event" button aligned to page heading bottom.

Metrics row, full width

- Temporary records.
- Published records.
- Waitlist count.
- Total capacity.

Control band, full width

- Search events.
- Filter by lifecycle.
- Optional preview state control for design/prototype only.

Event list, full width Responsive operational table/list with columns:

- Event and lifecycle.
- Capacity controls.
- Operational pressure.
- Audit metadata.
- Admin actions.

Governance note

- Small warm panel below list.
- Explains that this page is admin-only and does not render member RSVP controls.

Mobile layout

- Header nav wraps or becomes compact menu.
- Metrics stack.
- Event table becomes stacked records.
- Each record order:
 - Lifecycle badge.
 - Event title.
 - Date/location.
 - Capacity/RSVP/waitlist.
 - Audit metadata.
 - Edit/lifecycle/delete controls.

Component choices

- AdminWorkspaceHeader
- AdminEventHero
- CreateEventButton
- AdminMetricCard
- AdminEventControlBand
- EventStewardshipList
- LifecycleBadge
- CapacityMeter
- AuditMetadataLine
- EditEventButton
- LifecycleStatusControl
- DeleteEventButton
- DeleteConfirmationDialog

Primary action

“Create event”.

Secondary actions

- Edit.
- Change lifecycle.
- Delete.
- Search/filter.

Empty state

Title: "No temporary event records yet."

Copy: "Create the first event record when event details are ready for stewarded review."

Action: "Create event".

Loading state

- Skeleton metrics.
- Skeleton event list rows.
- Controls remain visible but disabled if necessary.

Success state

Copy: "Event record saved. Audit trail active."

Tone: soft green.

Validation warning state

Copy: "Complete the required event details before publishing."

Use for missing title, date, capacity, location, or lifecycle requirements.

Lifecycle warning state

Copy: "Changing lifecycle state may affect member visibility."

Use before publish/unpublish/close.

Error state

Copy: "Event change could not be completed. No member-facing change has been published."

Delete confirmation state

- Modal or dedicated confirmation route.
- Title: "Confirm event deletion".
- Copy: "Delete this temporary event record only if it is no longer needed."
- Primary destructive action remains restrained.
- Cancel action must be clearly available.

Accessibility notes

- Lifecycle controls require labels.
- Delete confirmation must trap focus in modal.
- Capacity meter requires text equivalent.

Privacy/governance notes

- No member RSVP controls.
- No public storytelling styling.
- Audit metadata visible enough for operational confidence.
- Destructive actions require confirmation.

Open decisions

1. What lifecycle states are final: Draft, Review, Published, Closed, Archived?
 2. Does publishing require a second confirmation?
 3. Are recurring events supported?
 4. What fields are required for draft creation?
 5. How detailed should audit metadata be in list view?
-

10. Admin Members Sheet

Routes

- `/admin/members`
- `/admin/members/{id}/edit`
- `/admin/members/{id}/delete`
- `/admin/members/clean-slate`

APIs

- `/api/admin/members`
- `/api/admin/members/{id}`
- `/api/admin/members/clean-slate`

Primary task

Manage temporary member records with governance restraint.

Page purpose line

“Review and maintain temporary member records without exposing member self-service controls.”

Surface

Admin workspace.

Required policy posture

- Admin/chief_admin only.
- Audit trail on.
- CSRF required for create, update, delete, clean-slate.

Desktop layout

Header

Admin workspace header with Members active.

Main layout

Top band

- Georgia heading: "Member record stewardship".
- Operational subtitle.
- Primary action only if direct creation is allowed.

Control band

- Search by record/member name.
- Filters:
- Standing.
- Consent.
- Visibility.
- Approval.
- Source/import batch if available.

Records table Columns:

- Record/member display label.
- Standing.
- Consent.
- Visibility.
- Approval/public status.
- Last updated.
- Audit marker.
- Actions.

Governance/clean-slate area

- Separate panel below main list.
- Clean-slate action visually separated from ordinary record actions.

Mobile layout

- Search first.
- Filters in disclosure or stacked controls.
- Records become stacked operational rows.
- Clean-slate panel appears after records and requires deliberate scrolling.

Component choices

- AdminWorkspaceHeader
- AdminMemberHero
- AdminRecordSearch
- GovernanceFilterBar
- AdminMemberRecordTable
- StandingBadge
- ConsentBadge
- VisibilityBadge
- ApprovalStatusBadge
- AuditMetadataLine
- EditMemberRecordButton
- DeleteMemberRecordButton
- CleanSlatePanel

Primary action

- “Create member record” only if direct admin creation is approved.
- Otherwise, no page-level primary CTA; import flow may be the primary route elsewhere.

Secondary actions

- Edit.
- Delete.
- Filter.
- Reset filters.
- View audit if route exists.

Empty state

Title: “No temporary member records found.”

Copy: “Member records will appear here after creation or import preview commit.”

Loading state

- Table skeleton rows.
- Filter skeletons if values are dynamic.

Success state

Copy: "Member record updated. Audit trail active."

Warning state

Use for:

- Missing consent.
- Standing review.
- Duplicate record.
- Public approval issue.

Copy pattern: "Review this record before continuing."

Error state

Copy: "Member record change could not be completed."

Delete confirmation state

- Confirm temporary record deletion.
- Avoid exposing excessive private member data in modal.
- Cancel clearly available.

Clean-slate warning state

Title: "Clear temporary seed records?"

Copy: "This action is intended only before production setup. Review carefully before continuing."

Action style: restrained destructive.

Accessibility notes

- Tables need proper headers.
- Stacked mobile records need clear labels.
- Badges require text.
- Confirmation modals must be keyboard safe.

Privacy/governance notes

- Show only fields necessary for stewardship.
- Do not present admin page like member profile editing.
- Clean-slate action must be visually separated.

Open decisions

1. Is direct member creation allowed?
 2. Which member fields are safe in list view?
 3. What exact clean-slate confirmation phrase is required?
 4. Should public approval appear here or only in review queue?
 5. How should duplicate records be surfaced outside import flow?
-

11. Admin Import Preview Sheet

Routes

- `/admin/imports`
- `/admin/import/preview`
- `/admin/import/resolve-duplicate`
- `/admin/import/commit`

Primary task

Resolve import decisions before committing live record changes.

Page purpose line

“Preview imported data, resolve conflicts, and commit only reviewed changes.”

Surface

Admin workspace.

Required policy posture

- Admin/chief_admin only.
- Audit trail on.
- Preview does not mutate live records.
- Commit requires reviewed state and CSRF protection.

Desktop layout

Header

Admin workspace header with Imports active.

Step structure

Step indicator across top:

1. Preview.
2. Resolve duplicates.
3. Commit.
4. Audit.

Main layout

Use 12 columns.

Left/main area, 8 columns

- Import preview table.
- Row status badges.
- Field mismatch highlights.

Right/decision area, 4 columns

- Selected row detail.
- Duplicate resolution controls.
- Commit readiness checklist.

For commit step, main focus becomes commit summary and audit preview.

Mobile layout

- Step indicator becomes compact.
- Preview rows become stacked import cards.
- Decision controls appear directly below selected row.
- Commit action remains unavailable until blockers are cleared.

Component choices

- `AdminWorkspaceHeader`
- `ImportStepIndicator`
- `ImportPreviewTable`
- `ImportRowStatusBadge`
- `DuplicateResolutionPanel`

- FieldMismatchSummary
- CommitReadinessChecklist
- AuditPreviewCallout
- CommitImportButton

Primary action

Changes by step:

- Preview: "Continue to duplicate resolution".
- Resolve duplicate: "Save resolution".
- Commit: "Commit reviewed import".
- Audit: "View audit record".

Only one primary action per step.

Secondary actions

- Cancel import.
- Return to imports.
- Reset selected row.

Empty state

Title: "No import preview available."

Copy: "Upload or prepare an import before reviewing records."

Loading state

- Preview row skeletons.
- Step indicator remains visible.

Success state

Copy: "Import committed. Audit record created."

Warning state

Use for unresolved duplicate/conflict.

Copy: "Resolve all duplicate or conflict rows before commit."

Error state

Copy: "Import could not be completed. No live records were changed."

Accessibility notes

- Step indicator must expose current step.
- Row status must not rely on color alone.
- Field differences require text labels.

Privacy/governance notes

- Preview is non-mutating.
- Commit must clearly indicate live change.
- Audit preview visible before commit.

Open decisions

1. Which file formats are accepted?
 2. What fields define a duplicate?
 3. Does preview persist across sessions?
 4. What audit details must be shown before commit?
 5. Can an import be partially committed?
-

12. Admin Standing Sheet

Route

`/admin/standing`

Primary task

Manage member standing with traceability and care.

Page purpose line

"Review standing states carefully and record changes with audit awareness."

Surface

Admin workspace.

Required policy posture

- Admin/chief_admin only.
- Audit trail on.
- Standing changes may affect member access.

Desktop layout

Header

Admin workspace header with Standing active.

Main layout

Top band

- Georgia heading: “Standing stewardship”.
- Subtitle explaining careful access implications.

Control band

- Search.
- Filter by standing state.
- Filter by review required.

Records table Columns:

- Member/record label.
- Current standing.
- Access implication.
- Last review.
- Notes indicator.
- Audit marker.
- Action.

Update area

- Could be separate edit route, modal, or drawer.
- Must include confirmation for restrictive standing changes.

Mobile layout

- Records stack.
- Standing badge directly under member label.
- Access implication visible before action.
- Confirmation step is full-width and clear.

Component choices

- `AdminWorkspaceHeader`
- `StandingRecordTable`
- `StandingBadge`
- `AccessImplicationBadge`

- StandingReviewControl
- AuditMetadataLine
- StandingChangeConfirmation

Primary action

“Save standing update” only within a selected record/update state.

No broad page-level primary action unless a specific review is selected.

Secondary actions

- Search.
- Filter.
- Cancel update.
- Return to admin dashboard.

Empty state

Title: “No standing records match this view.”

Action: “Reset filters”.

Loading state

- Skeleton rows.

Success state

Copy: “Standing update saved. Audit trail active.”

Warning state

Use before restrictive changes.

Copy: “This change may limit member access. Confirm before saving.”

Error state

Copy: “Standing update could not be completed.”

Accessibility notes

- Restrictive change confirmation must be explicit.
- Standing labels must be readable and non-stigmatizing.

- Notes indicators must include accessible labels.

Privacy/governance notes

- Do not expose long private notes in list view.
- Do not use shaming language.
- Member-facing fallback must not reveal internal standing reasoning.

Open decisions

1. What standing statuses are final?
 2. Are private admin notes editable here?
 3. Which standing states trigger `/member/standing`?
 4. Who can reverse restrictive standing states?
 5. Is a reason required for every standing change?
-

13. Admin Public Review Queue Sheet

Routes

- `/admin/public-review`
- `/admin/public-review/approve`

Primary task

Approve public-safe profile projections without exposing hidden private fields.

Page purpose line

"Review only public-safe profile information before approving public visibility."

Surface

Admin workspace.

Required policy posture

- Admin/chief_admin only.
- Approval requires standing good, consent granted, visibility public, approval action, and audit trail.
- Hidden/private fields must be absent.

Desktop layout

Use 12 columns.

Left column, 5 columns

- Review queue.
- Each queue item shows:
 - Member display label.
 - Consent status.
 - Standing status.
 - Public-safe readiness.

Right column, 7 columns

- Public-safe preview.
- Approval checklist.
- Audit approval callout.
- Primary approve action when eligible.

Mobile layout

- Queue first.
- Selected preview second.
- Approval checklist third.
- Approval action last.
- Do not place approve button before preview.

Component choices

- AdminWorkspaceHeader
- PublicReviewQueue
- PublicSafeProfilePreview
- ApprovalChecklist
- ConsentBadge
- StandingBadge
- VisibilityBadge
- ApprovePublicProfileButton
- ReturnForRevisionButton
- AuditApprovalCallout

Primary action

“Approve public profile” only when eligibility checks pass.

Secondary actions

- Return for revision, if supported.
- Decline approval, if supported.
- Back to queue.

Empty state

Title: "No profiles are awaiting public review."

Copy: "Profiles ready for public-safe approval will appear here."

Loading state

- Queue skeleton.
- Preview skeleton.

Success state

Copy: "Public profile approved. Audit trail active."

Warning state

Use when approval blockers exist.

Copy: "Approval is unavailable until consent, standing, and public-safe visibility requirements are met."

Error state

Copy: "Approval could not be completed. Public visibility has not changed."

Accessibility notes

- Preview region must be labelled as public-safe preview.
- Checklist items need pass/fail text.
- Approval button disabled state needs explanation.

Privacy/governance notes

- Private fields are absent, not greyed out.
- Public-safe preview must not include private contact details.
- Approval requires audit label.

Open decisions

1. What is the final public-safe projection allowlist?

2. Can reviewers request revision?
 3. Is approval one-step or two-step?
 4. What public route is displayed after approval?
 5. Are honorary/memorial public review flows separate or shared?
-

14. Admin Audit Sheet

Route

`/admin/audit`

Primary task

Allow administrators to review traceable platform actions without exposing unnecessary private information.

Page purpose line

“Review recent stewardship actions and policy-relevant changes.”

Surface

Admin workspace.

Required policy posture

- Admin/chief_admin only.
- Audit trail on.
- Display must be privacy-aware and minimally sufficient.

Desktop layout

Header

Admin workspace header with Audit active.

Main layout

Top band

- Georgia heading: “Audit trail”.
- Subtitle: operational traceability.

Controls

- Date range filter.
- Action type filter.
- Surface filter.
- Search by safe reference if supported.

Audit list/table Columns:

- Timestamp.
- Action.
- Surface.
- Actor role or safe actor label.
- Record reference.
- Outcome.
- Details link if route exists.

Mobile layout

- Filters stack.
- Audit records become compact rows.
- Details open in disclosure.

Component choices

- `AdminWorkspaceHeader`
- `AuditFilterBar`
- `AuditRecordTable`
- `AuditOutcomeBadge`
- `SurfaceBadge`
- `SafeRecordReference`
- `AuditDetailDisclosure`

Primary action

Audit is primarily a review surface. No dominant action unless export is approved.

Secondary actions

- Filter.
- Reset filters.
- View details.
- Export, only if approved.

Empty state

Title: "No audit records match this view."

Action: "Reset filters".

Loading state

- Skeleton audit rows.

Success state

Use for export if supported.

Copy: "Audit export prepared."

Warning state

Use for policy-missing mapping or unresolved route/task concerns.

Copy: "A policy mapping issue requires review."

Error state

Copy: "Audit records could not be loaded."

Accessibility notes

- Table headers required.
- Filters labelled clearly.
- Timestamps need readable format.

Privacy/governance notes

- Show minimum necessary detail.
- Avoid private notes in list view.
- Use safe references rather than sensitive identifiers where possible.

Open decisions

1. Is audit export allowed?
2. What actor labels are safe to show?
3. How long are audit records retained?
4. What detail fields are visible in phase one?
5. Should policy-missing mapping events appear here automatically?

15. Admin Support Notes Sheet

Route

Potential route: `/admin/support-notes` if represented in the policy/navigation map.

Primary task

Record and review support context with restraint.

Surface

Admin workspace.

Required policy posture

- Do not implement until route and task are represented in policy/navigation map.
- Admin/chief_admin only if approved.
- Notes may contain sensitive context and require careful visibility control.

Desktop layout

If approved:

- Admin workspace header.
- Georgia heading: "Support notes".
- Search/filter band.
- Notes list with safe references.
- Detail panel separated from list.
- Create/edit note action only if permitted.

Mobile layout

- Notes stack.
- Detail opens below selected note or on separate route.
- Create/edit actions separated from read-only review.

Component choices

- `AdminWorkspaceHeader`
- `SupportNoteSearch`
- `SupportNoteList`
- `SupportNoteDetail`
- `SensitivityBadge`

- `AuditMetadataLine`
- `CreateSupportNoteButton` if approved.

Primary action

Not defined until route is approved.

Secondary actions

Not defined until route is approved.

States

All states remain provisional until route approval.

Accessibility notes

- Sensitive note warnings must be text-based.
- Detail panels need clear labels.

Privacy/governance notes

- High sensitivity.
- Do not expose notes on member surface.
- Do not implement without explicit route/policy mapping.

Open decisions

1. Is this route in scope?
2. Who may view or edit support notes?
3. Are support notes included in audit export?
4. What retention and deletion rules apply?

Build Priority Recommendation

Phase A: shared primitives

1. `MemberWorkspaceHeader`
2. `AdminWorkspaceHeader`
3. `VisibilityBadge`
4. `StandingBadge`
5. `ConsentBadge`
6. `LifecycleBadge`

7. InfoCallout
8. StatePanel
9. ConfirmationDialog
10. ResponsiveRecordList

Phase B: member surfaces

1. Member Dashboard.
2. Consent Required.
3. Member Profile.
4. Member Events.
5. Member Directory.
6. Member Notifications.
7. Standing / Restricted Access.

Phase C: admin surfaces

1. Admin Dashboard.
2. Admin Events.
3. Admin Members.
4. Admin Import Preview.
5. Admin Standing.
6. Admin Public Review Queue.
7. Admin Audit.

Phase D: conditional/admin-sensitive surfaces

1. Support Notes only after route and policy approval.
2. Additional public review variants for honorary/memorial flows if approved.

Final Handoff Rule

A page is not ready for implementation until its sheet answers all of the following:

1. What is the route?
2. What is the surface?
3. What is the primary task?
4. What is the single primary action?
5. What is the desktop layout?
6. What is the mobile layout?
7. What components are used?
8. What are the empty, loading, success, warning, and error states?
9. What accessibility requirements apply?
10. What privacy/governance constraints apply?
11. What decisions remain open?