

## Table of Contents

การใช้งาน Spare Part .....	1
ส่วนประกอบหน้า Spare Part (Project).....	1
การใส่ข้อมูล Spare Part ในแต่ละ Item .....	2
ส่วนประกอบหน้า Spare Part (item) .....	2
เพิ่มรายการ Spare Part .....	2
แก้ไขรายการ Spare Part .....	3
ลบรายการ Spare Part.....	4
รายการชนิดของ Spare Part .....	5
การเข้าใช้งาน และส่วนประกอบของหน้า Spare Part .....	5
การเพิ่มรายการชนิดของ Spare Part .....	6
การแก้ไขรายการชนิดของ Spare Part .....	7
การลบรายการชนิดของ Spare Part.....	8

## การใช้งาน Spare Part

### ส่วนประกอบหน้า Spare Part (Project)

Admin

Spare Part

Detail

Project : Major Overhaul NT2-FU2

Start Date : 2022-11-11

Finish Date : 2023-01-01

Planner :

Site Engineer : ศวรส สุรมิตรโมตรี

Status : Confirmed

Area Manager/ผู้ควบคุมงาน : ศุภณัฐ ดิลกโรจนกุล

Check

ตรวจสอบจำนวนที่ใส่ไว้

Job

Show 10 entries

Copy Excel Print Column visibility

Search:

Job ID	Location	Product	Machine	System	Equipment	Scope	Remark	Action
8061	Nam Theun 2 Hydro Power Plant	Hydro Power Plant Maintenance	Hydro Turbine (Francis)//Unit 2	Air Filling System	Valve(Air admission valve)	Medium Inspection	FU2	
8039	Nam Theun 2 Hydro Power Plant	Hydro Power Plant Maintenance	Hydro Turbine (Francis)//Unit 2	Brake System	Brake pad(Brakes and jacks)	Major Inspection	FU2	
8026	Nam Theun 2 Hydro Power Plant	Hydro Power Plant Maintenance	Hydro Turbine (Francis)//Unit 2	Excitation System	Collector Shaft(Collector shaft)	Medium Inspection	FU2	
8035	Nam Theun 2 Hydro Power Plant	Hydro Power Plant Maintenance	Hydro Turbine (Francis)//Unit 2	Heat Exchanging System (Air-Water)	Heat Exchanger(Surface air cooler)	Medium Inspection	FU2	
8032	Nam Theun 2 Hydro Power Plant	Hydro Power Plant Maintenance	Hydro Turbine (Francis)//Unit 2	Heat Exchanger System (Oil-Water)	Heat Exchanger(External oil cooler)	Medium Inspection	FU2	
8038	Nam Theun 2 Hydro Power Plant	Hydro Power Plant Maintenance	Hydro Turbine (Francis)//Unit 2	Heat Exchanger System (Oil-Water)	Heat Exchanger(Internal oil cooler)	Medium Inspection	FU2	
8043	Nam Theun 2 Hydro Power Plant	Hydro Power Plant Maintenance	Hydro Turbine (Francis)//Unit 2	Heat Exchanger System (Oil-Water)	Heat Exchanger(Turbine oil cooler)	Major Inspection	FU2	
8050	Nam Theun 2 Hydro Power Plant	Hydro Power Plant Maintenance	Hydro Turbine (Francis)//Unit 2	Inlet Valve Control System	N/A(MIV)	Medium Inspection	FU2	
8034	Nam Theun 2 Hydro Power Plant	Hydro Power Plant Maintenance	Hydro Turbine (Francis)//Unit 2	Main Power System (Mechanic)	Rotor(Rotor)	Medium Inspection	FU2	
8060	Nam Theun 2 Hydro Power Plant	Hydro Power Plant Maintenance	Hydro Turbine (Francis)//Unit 2	Main Power System (Mechanic)	Runner/Blade(Runner)	Medium Inspection	FU2	

Showing 1 to 10 of 38 entries

Previous

1

2

3

4

Next

User Manual

User Manual

## Spare Part

Detail

Product : Wind Power Plant Maintenance

Machine : Wind Turbine//Phase 2 Unit 10

Equipment : Hub

Scope of Work : Major Inspection

Location : Lamtaklong Power Plant

System : Drive Train System











Specific Name : Hub

Spare Part


Show10entries

CopyExcelPrintColumn visibility

Search:

Spare Part Name	Detail	Quantity	Unit	Action
Bearing	NTN 6010 150605 JAPAN166F ID = 50 mm. OD = 80 mm.	3	EA	 
Bearing	Bearing NTN 33220 U China 160401 236 ID = 100 mm. OD = 180 mm.	3	EA	 
Bearing	Bearing Koyo HR30219J JAPAN Z ID = 95 mm. OD = 170 mm.	3	EA	 
Grease	Mobil Mobilith SHC 460	500	g.	 
Oil	Fuchs Renolin Unisyn CLP 220	6	Litre	 

## 2. ใส่ข้อมูลแล้วกดปุ่ม Add



**Add New Spare Part**

Spare Part Name // Detail // Unit











Quantity

Add

**Spare Part**


Show 10 entries

Copy Excel Print Column visibility

Spare Part Name	Detail	Quantity	Unit	Action
Bearing	NTN 6010 150605 JAPAN166F ID = 50 mm. OD = 80 mm.	3	EA	 
Bearing	Bearing NTN 33220 U China 160401 236 ID = 100 mm. OD = 180 mm.	3	EA	 
Bearing	Bearing Koyo HR30219J JAPAN Z ID = 95 mm. OD = 170 mm.	3	EA	 
Grease	Mobil Mobilith SHC 460	500	g.	 
Oil	Fuchs Renolin Unisyn CLP 220	6	Litre	 

## แก้ไขรายการ Spare Part

### 1. กดปุ่ม Edit เพื่อแก้ไข



**Spare Part**

Detail











Product : Wind Power Plant Maintenance  
Machine : Wind Turbine//Phase 2 Unit 10  
Equipment : Hub  
Scope of Work : Major Inspection

Location : Lamtaklong Power Plant  
System : Drive Train System  
Specific Name : Hub

**Spare Part**

Show 10 entries

Copy Excel Print Column visibility

Spare Part Name	Detail	Quantity	Unit	Action
Bearing	NTN 6010 150605 JAPAN166F ID = 50 mm. OD = 80 mm.	3	EA	 
Bearing	Bearing NTN 33220 U China 160401 236 ID = 100 mm. OD = 180 mm.	3	EA	 
Bearing	Bearing Koyo HR30219J JAPAN Z ID = 95 mm. OD = 170 mm.	3	EA	 
Grease	Mobil Mobilith SHC 460	500	g.	 
Oil	Fuchs Renolin Unisyn CLP 220	6	Litre	 

## 2. แก้ไขข้อมูลแล้วกดปุ่ม Edit

**Create Spare Part**

Spare Part Name // Detail // Unit  
Bearing / NTN 6010 150605 JAPAN166F ID = 50 mm. OD = 80 mm. / EA

Quantity  
3

**Edit**

**Spare Part**

Show 10 entries

Copy Excel Print Column visibility

Spare Part Name	Detail	Quantity	Unit	Action
Bearing	NTN 6010 150605 JAPAN166F ID = 50 mm. OD = 80 mm.	3	EA	
Bearing	Bearing NTN 33220 U China 160401 236 ID = 100 mm. OD = 180 mm.	3	EA	
Bearing	Bearing Koyo HR30219J JAPAN Z ID = 95 mm. OD = 170 mm.	3	EA	
Grease	Mobil Mobilith SHC 460	500	g.	
Oil	Fuchs Renolin Unisyn CLP 220	6	Litre	

## ลบรายการ Spare Part

### 1. กดปุ่ม delete เพื่อลบข้อมูล

**Spare Part**

Detail

Product : Wind Power Plant Maintenance  
Machine : Wind Turbine//Phase 2 Unit 10  
Equipment : Hub  
Scope of Work : Major Inspection

Location : Lamtaklong Power Plant  
System : Drive Train System  
Specific Name : Hub


**Spare Part**

Show 10 entries

Copy Excel Print Column visibility


Spare Part Name	Detail	Quantity	Unit	Action
Bearing	NTN 6010 150605 JAPAN166F ID = 50 mm. OD = 80 mm.	3	EA	
Bearing	Bearing NTN 33220 U China 160401 236 ID = 100 mm. OD = 180 mm.	3	EA	
Bearing	Bearing Koyo HR30219J JAPAN Z ID = 95 mm. OD = 170 mm.	3	EA	
Grease	Mobil Mobilith SHC 460	500	g.	
Oil	Fuchs Renolin Unisyn CLP 220	6	Litre	

## 2. กดปุ่ม Delete



## รายการชนิดของ Spare Part

การเข้าใช้งาน และส่วนประกอบของหน้า Spare Part























## การเพิ่มรายการชนิดของ Spare Part

### 1. กดปุ่ม + เพื่อเพิ่มข้อมูล

Admin

### Spare Part





















Show 10 entries Copy Excel Print Column visibility Search:

Spare Part Name	Detail	Unit	Action
1.6 T Rubber sheet	Draft Tube Manhole	EA	 
352213 Double-row taper roller bearing		ea	 
Ball bearing for operating rig	ยี่ห้อ Andritz	EA	 
Bearing	NTN 6010 150605 JAPAN166F ID = 50 mm. OD = 80 mm.	EA	 
Bearing	Bearing NTN 33220 U China 160401 236 ID = 100 mm. OD = 180 mm.	EA	 
Bearing	Bearing Koyo HR30219J JAPAN Z ID = 95 mm. OD = 170 mm.	EA	 
Brake Pad	thk. 15 mm.	pad	 
Brake Pad	thk. 13 mm.	pad	 
Brake Pad	yaw friction	pad	 
Buckling link Ø40X620	ยี่ห้อ Andritz	EA	 




### 2. ใส่ข้อมูลแล้วกดปุ่ม Add

Spare Part

Show 10 entries Copy Excel Print Search:

Spare Part Name	Detail	Unit	Action
1.6 T Rubber sheet		EA	 
352213 Double-row taper roller bearing		ea	 
Ball bearing for operating rig		EA	 
Bearing		EA	 
Bearing		EA	 
Bearing		EA	 
Brake Pad		pad	 
Brake Pad		pad	 
Brake Pad	yaw friction	pad	 
Buckling link Ø40X620	ยี่ห้อ Andritz	EA	 

Showing 1 to 10 of 178 entries Previous 1 2 3 4 5 ... 18 Next

User Manual   

#### Add New Add New Spare Part

**Spare Part Name**

**Detail**

**Unit**

Add





















## การแก้ไขรายการชนิดของ Spare Part

## 1. กดปุ่ม Edit เพื่อแก้ไข

Admin

### Spare Part

Show 10 entries Copy Excel Print Column visibility Search:

Spare Part Name	Detail	Unit	Action
1.6 T Rubber sheet	Draft Tube Manhole	EA	 
352213 Double-row taper roller bearing		ea	 
Ball bearing for operating rig	ยี่ห้อ Andritz	EA	 
Bearing	NTN 6010 150605 JAPAN166F ID = 50 mm. OD = 80 mm.	EA	 
Bearing	Bearing NTN 33220 U China 160401 236 ID = 100 mm. OD = 180 mm.	EA	 
Bearing	Bearing Koyo HR30219J JAPAN Z ID = 95 mm. OD = 170 mm.	EA	 
Brake Pad	thk. 15 mm.	pad	 
Brake Pad	thk. 13 mm.	pad	 
Brake Pad	yaw friction	pad	 
Buckling link Ø40X620	ยี่ห้อ Andritz	EA	 

## 2. แก้ไขข้อมูลแล้วกดปุ่ม Edit

Admin

### Spare Part

Show 10 entries Copy Excel P Search:





















**Add New Add New Spare Part**

**Spare Part Name**  
1.6 T Rubber sheet

**Detail**  
Draft Tube Manhole

**Unit**  
EA

**Edit**

Spare Part Name	Detail	Unit	Action
1.6 T Rubber sheet	Draft Tube Manhole	EA	 
352213 Double-row taper roller bearing		ea	 
Ball bearing for operating rig		EA	 
Bearing		EA	 
Bearing		EA	 
Bearing	Bearing Koyo HR30219J JAPAN Z ID = 95 mm. OD = 170 mm.	EA	 
Brake Pad	thk. 15 mm.	pad	 
Brake Pad	thk. 13 mm.	pad	 
Brake Pad	yaw friction	pad	 
Buckling link Ø40X620	ยี่ห้อ Andritz	EA	 























## การลบรายการชนิดของ Spare Part

- กดปุ่ม delete เพื่อลบข้อมูล

Admin

### Spare Part

Show 10 entries Copy Excel Print Column visibility Search:

Spare Part Name	Detail	Unit	Action
1.6 T Rubber sheet	Draft Tube Manhole	EA	 
352213 Double-row taper roller bearing		ea	 
Ball bearing for operating rig	ยี่ห้อ Andritz	EA	 
Bearing	NTN 6010 150605 JAPAN166F ID = 50 mm. OD = 80 mm.	EA	 
Bearing	Bearing NTN 33220 U China 160401 236 ID = 100 mm. OD = 180 mm.	EA	 
Bearing	Bearing Koyo HR30219J JAPAN Z ID = 95 mm. OD = 170 mm.	EA	 
Brake Pad	thk. 15 mm.	pad	 
Brake Pad	thk. 13 mm.	pad	 
Brake Pad	yaw friction	pad	 
Buckling link Ø40X620	ยี่ห้อ Andritz	EA	 

- กดปุ่ม Delete

Admin



















### Spare Part

Show 10 entries Copy Excel Print Column visibility Search:

Confirmation

Are you sure you want to remove this data?

Delete
Cancel

Spare Part Name	Detail	Unit	Action
1.6 T Rubber sheet	Draft Tube Manhole	EA	 
352213 Double-row taper roller bearing		ea	 
Ball bearing for operating rig	ยี่ห้อ Andritz	EA	 
Bearing	NTN 6010 150605 JAPAN166F ID = 50 mm. OD = 80 mm.	EA	 
Bearing	Bearing NTN 33220 U China 160401 236 ID = 100 mm. OD = 180 mm.	EA	 
Bearing	Bearing Koyo HR30219J JAPAN Z ID = 95 mm. OD = 170 mm.	EA	 
Brake Pad	thk. 15 mm.	pad	 
Brake Pad	thk. 13 mm.	pad	 
Brake Pad	yaw friction	pad	 
Buckling link Ø40X620	ยี่ห้อ Andritz	EA	