HL7 FHIR R4 — Chapter 4: Terminology Module — part 2 of 6 (sections 4.3.14.431 – 4.3.15.395)

Source: HL7 FHIR R4 (v4.0.1) specification, https://hl7.org/fhir/R4/ — text-only rendition for AI ingestion; page order follows toc.html.

4.3.14.431 Code System http://dicom.nema.org/resources/ontology/DCM

URL: https://hl7.org/fhir/R4/codesystem-dicom-dcim.html
Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a code system defined at http://medical.nema.org/medical/dicom/current/output/chtml/part16/chapter_D.html .

Summary

Defining URL: | http://dicom.nema.org/resources/ontology/DCM
Version: | 01
Name: | DICOM Controlled Terminology Definitions
Title:
Definition: | DICOM Code Definitions (Coding Scheme Designator "DCM" Coding Scheme Version "01")
Committee: | ??
OID: | 1.2.840.10008.2.16.4 (for OID based terminology systems)
Copyright: | These codes are excerpted from Digital Imaging and Communications in Medicine (DICOM) Standard, Part 16: Content Mapping Resource, Copyright © 2011 by the National Electrical Manufacturers Association.
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: Audit Event Sub-Type (More detailed code concerning the type of the audit event - defined by DICOM with some FHIR specific additions.)

• ValueSet: Audit Event ID (Event Types for Audit Events - defined by DICOM with some FHIR specific additions.)

• ValueSet: Media Type Code (Media Type Code)

• ValueSet: InstanceAvailability (Availability of the resource.)

• ValueSet: ParticipationRoleType (This FHIR value set is comprised of Actor participation Type codes, which can be used to value FHIR agents, actors, and other role elements. The FHIR Actor participation type value set is based on DICOM Audit Message, C402; ASTM Standard, E1762-95 [2013]; selected codes and derived actor roles from HL7 RoleClass OID 2.16.840.1.113883.5.110; HL7 Role Code 2.16.840.1.113883.5.111, including AgentRoleType; HL7 ParticipationType OID: 2.16.840.1.113883.5.90; and HL7 ParticipationFunction codes OID: 2.16.840.1.113883.5.88. This value set includes, by reference, role codes from external code systems: NUCC Health Care Provider Taxonomy OID: 2.16.840.1.113883.6.101; North American Industry Classification System [NAICS]OID: 2.16.840.1.113883.6.85; IndustryClassificationSystem 2.16.840.1.113883.1.11.16039; and US Census Occupation Code OID: 2.16.840.1.113883.6.243 for relevant recipient or custodian codes not included in this value set. If no source is indicated in the definition comments, then these are example FHIR codes.)

• ValueSet: ParticipationRoleType (This FHIR value set is comprised of Actor participation Type codes, which can be used to value FHIR agents, actors, and other role elements. The FHIR Actor participation type value set is based on DICOM Audit Message, C402; ASTM Standard, E1762-95 [2013]; selected codes and derived actor roles from HL7 RoleClass OID 2.16.840.1.113883.5.110; HL7 Role Code 2.16.840.1.113883.5.111, including AgentRoleType; HL7 ParticipationType OID: 2.16.840.1.113883.5.90; and HL7 ParticipationFunction codes OID: 2.16.840.1.113883.5.88. This value set includes, by reference, role codes from external code systems: NUCC Health Care Provider Taxonomy OID: 2.16.840.1.113883.6.101; North American Industry Classification System [NAICS]OID: 2.16.840.1.113883.6.85; IndustryClassificationSystem 2.16.840.1.113883.1.11.16039; and US Census Occupation Code OID: 2.16.840.1.113883.6.243 for relevant recipient or custodian codes not included in this value set. If no source is indicated in the definition comments, then these are example FHIR codes.)

• ValueSet: SecurityRoleType (This example FHIR value set is comprised of example Actor Type codes, which can be used to value FHIR agents, actors, and other role elements such as those specified in financial transactions. The FHIR Actor value set is based on DICOM Audit Message, C402; ASTM Standard, E1762-95 [2013]; selected codes and derived actor roles from HL7 RoleClass OID 2.16.840.1.113883.5.110; HL7 Role Code 2.16.840.1.113883.5.111, including AgentRoleType; HL7 ParticipationType OID: 2.16.840.1.113883.5.90; and HL7 ParticipationFunction codes OID: 2.16.840.1.113883.5.88. This value set includes, by reference, role codes from external code systems: NUCC Health Care Provider Taxonomy OID: 2.16.840.1.113883.6.101; North American Industry Classification System [NAICS]OID: 2.16.840.1.113883.6.85; IndustryClassificationSystem 2.16.840.1.113883.1.11.16039; and US Census

Occupation Code OID: 2.16.840.1.113883.6.243 for relevant recipient or custodian codes not included in this value set. If no source is indicated in the definition comments, then these are example FHIR codes. It can be extended with appropriate roles described by SNOMED as well as those described in the HL7 Role Based Access Control Catalog and the HL7 Healthcare (Security and Privacy) Access Control Catalog. In Role-Based Access Control (RBAC), permissions are operations on an object that a user wishes to access. Permissions are grouped into roles. A role characterizes the functions a user is allowed to perform. Roles are assigned to users. If the user's role has the appropriate permissions to access an object, then that user is granted access to the object. FHIR readily enables RBAC, as FHIR Resources are object types and the CRUDE events (the FHIR equivalent to permissions in the RBAC scheme) are operations on those objects. In Attribute-Based Access Control (ABAC), a user requests to perform operations on objects. That user's access request is granted or denied based on a set of access control policies that are specified in terms of attributes and conditions. FHIR readily enables ABAC, as instances of a Resource in FHIR (again, Resources are object types) can have attributes associated with them. These attributes include security tags, environment conditions, and a host of user and object characteristics, which are the same attributes as those used in ABAC. Attributes help define the access control policies that determine the operations a user may perform on a Resource (in FHIR) or object (in ABAC). For example, a tag (or attribute) may specify that the identified Resource (object) is not to be further disclosed without explicit consent from the patient.)

• ValueSet: AcquisitionModality (Transitive closure of CID 29 AcquisitionModality)

• ValueSet: InstanceAvailability (Availability of the resource.)

• ValueSet: SecurityRoleType (This example FHIR value set is comprised of example Actor Type codes, which can be used to value FHIR agents, actors, and other role elements such as those specified in financial transactions. The FHIR Actor value set is based on DICOM Audit Message, C402; ASTM Standard, E1762-95 [2013]; selected codes and derived actor roles from HL7 RoleClass OID 2.16.840.1.113883.5.110; HL7 Role Code 2.16.840.1.113883.5.111, including AgentRoleType; HL7 ParticipationType OID: 2.16.840.1.113883.5.90; and HL7 ParticipationFunction codes OID: 2.16.840.1.113883.5.88. This value set includes, by reference, role codes from external code systems: NUCC Health Care Provider Taxonomy OID: 2.16.840.1.113883.6.101; North American Industry Classification System [NAICS]OID: 2.16.840.1.113883.6.85; IndustryClassificationSystem 2.16.840.1.113883.1.11.16039; and US Census Occupation Code OID: 2.16.840.1.113883.6.243 for relevant recipient or custodian codes not included in this value set. If no source is indicated in the definition comments, then these are example FHIR codes. It can be extended with appropriate roles described by SNOMED as well as those described in the HL7 Role Based Access Control Catalog and the HL7 Healthcare (Security and Privacy) Access Control Catalog. In Role-Based Access Control (RBAC), permissions are operations on an object that a user wishes to access. Permissions are grouped into roles. A role characterizes the functions a user is allowed to perform. Roles are assigned to users. If the user's role has the appropriate permissions to access an object, then that user is granted access to the object. FHIR readily enables RBAC, as FHIR Resources are object types and the CRUDE events (the FHIR equivalent to permissions in the RBAC scheme) are operations on those objects. In Attribute-Based Access Control (ABAC), a user requests to perform operations on objects. That user's access request is granted or denied based on a set of access control policies that are specified in terms of attributes and conditions. FHIR readily enables ABAC, as instances of a Resource in FHIR (again, Resources are object types) can have attributes associated with them. These attributes include security tags, environment conditions, and a host of user and object characteristics, which are the same attributes as those used in ABAC. Attributes help define the access control policies that determine the operations a user may perform on a Resource (in FHIR) or object (in ABAC). For example, a tag (or attribute) may specify that the identified Resource (object) is not to be further disclosed without explicit consent from the patient.)

• ValueSet: Audit Event ID (Event Types for Audit Events - defined by DICOM with some FHIR specific additions.)

• ValueSet: Media Type Code (Media Type Code)

• ValueSet: AcquisitionModality (Transitive closure of CID 29 AcquisitionModality)

• ValueSet: Audit Event Sub-Type (More detailed code concerning the type of the audit event - defined by DICOM with some FHIR specific additions.)

4.3.14.431.1 Content

4.3.14.431.2 DICOM Controlled Terminology Definitions

DICOM Code Definitions (Coding Scheme Designator "DCM" Coding Scheme Version "01")

Copyright Statement:

These codes are excerpted from Digital Imaging and Communications in Medicine (DICOM) Standard, Part 16: Content Mapping Resource, Copyright © 2011 by the National Electrical Manufacturers Association.

Properties

Code	URL	Description	Type
status	http://hl7.org/fhir/concept-properties#status		code

This code system http://dicom.nema.org/resources/ontology/DCM defines the following codes:

Code | Display | Definition | Deprecated
ARCHIVE | Archive | Archive device
AR | Autorefraction | Autorefraction device
AS | Angioscopy | Angioscopy device | Deprecated
AU | Audio | Audio object
BDUS | Ultrasound Bone Densitometry | Ultrasound Bone Densitometry (modality)
BI | Biomagnetic imaging | Biomagnetic imaging device
BMD | Bone Mineral Densitometry | Bone Mineral Densitometry by X-Ray (modality), including dual-energy X-Ray absorptiometry (DXA) and morphometric X-Ray absorptiometry (MXA)
CAD | Computer Assisted Detection/Diagnosis | Computer Assisted Detection/Diagnosis device
CAPTURE | Image Capture | Image Capture Device, includes video capture
CD | Color flow Doppler | Color flow Doppler | Deprecated
CF | Cinefluorography | Cinefluorography | Deprecated
COMP | Computation Server | Computation Server; includes radiotherapy planning
CP | Culposcopy | Culposcopy | Deprecated
CR | Computed Radiography | Computed Radiography device
CS | Cystoscopy | Cystoscopy | Deprecated
CT | Computed Tomography | Computed Tomography device
DD | Duplex Doppler | Duplex Doppler | Deprecated
DF | Digital fluoroscopy | Digital fluoroscopy | Deprecated
DG | Diaphanography | Diaphanography device
DM | Digital microscopy | Digital microscopy | Deprecated
DOCD | Document Digitizer Equipment | Equipment that digitized hardcopy documents and imported them
DS | Digital Subtraction Angiography | Digital Subtraction Angiography | Deprecated
DSS | Department System Scheduler | Department System Scheduler, workflow manager; includes RIS
DX | Digital Radiography | Digital Radiography device
EC | Echocardiography | Echocardiography | Deprecated
ECG | Electrocardiography | Electrocardiography device
EPS | Cardiac Electrophysiology | Cardiac Electrophysiology device
ES | Endoscopy | Endoscopy device
F | Female | Female sex
FA | Fluorescein angiography | Fluorescein angiography | Deprecated
FC | Female changed to Male | Female sex changed to Male sex
FILMD | Film Digitizer | Film Digitizer
FP | Female Pseudohermaphrodite | Female Pseudohermaphrodite
FS | Fundoscopy | Fundoscopy | Deprecated
GM | General Microscopy | General Microscopy device
H | Hermaphrodite | Hermaphrodite
HC | Hard Copy | Hard Copy
HD | Hemodynamic Waveform | Hemodynamic Waveform acquisition device
IO | Intra-oral Radiography | Intra-oral Radiography device
IVOCT | Intravascular Optical Coherence Tomography | An acquisition device, process or method that performs intravascular optical coherence tomography
IVUS | Intravascular Ultrasound | Intravascular Ultrasound device
KER | Keratometry | Keratometry device
KO | Key Object Selection | Key Object Selection object
LEN | Lensometry | Lensometry device
LOG | Procedure Logging | Procedure Logging device; includes cath lab logging
LP | Laparoscopy | Laparoscopy | Deprecated
LS | Laser surface scan | Laser surface scan device
M | Male | Male sex
MA | Magnetic resonance angiography | Magnetic resonance angiography | Deprecated
MC | Male changed to Female | Male sex changed to Female sex
MCD | Media Creation Device | A device that creates DICOM PS3.10 interchange media; e.g. a CD creator that is managed by the Media Creation Management Service Class
MEDIM | Portable Media Importer Equipment | Equipment that retrieved and imported objects from interchange Media
MG | Mammography | Mammography device
MP | Male Pseudohermaphrodite | Male Pseudohermaphrodite
MR | Magnetic Resonance | Magnetic Resonance device
MS | Magnetic resonance spectroscopy | Magnetic resonance spectroscopy | Deprecated
NEARLINE | Nearline | Instances need to be retrieved from relatively slow media such as optical disk or tape
NM | Nuclear Medicine | Nuclear Medicine device
OAM | Ophthalmic Axial Measurements | Measurements of the axial length of the eye, which are done by various devices
OCT | Optical Coherence Tomography | Modality device that uses an interferometric, non-invasive optical tomographic technique to image 2D slices and 3D volumes of tissue using visible and near visible frequencies
OFFLINE | Offline | Instances need to be retrieved by manual intervention
ONLINE | Online | Instances are immediately available
OP | Ophthalmic photography | Ophthalmic photography modality
OPM | Ophthalmic Mapping | Modality device that measures corneal topography, corneal or retinal thickness, and other similar parameters that are typically displayed as maps
OPR | Ophthalmic Refraction | Modality device that measures the refractive characteristics of the eye
OPT | Ophthalmic Tomography | Tomography of the eye acquired by a modality that is based on light and optical principles. Tomography based on other principles, such as ultrasound, is excluded

OPV | Ophthalmic Visual Field | Modality device that measures visual fields and perform visual perimetry
OSS | Optical Survace Scanner | An acquisition device, process or method that performs optical surface scanning
OT | Other Modality | Other Modality device
PR | Presentation State | Presentation State object
PRINT | Hard Copy Print Server | Hard Copy Print Server; includes printers with embedded DICOM print server
PT | Positron emission tomography | Positron emission tomography (PET) device
PX | Panoramic X-Ray | Panoramic X-Ray device
REG | Registration | Registration
RF | Radiofluoroscopy | Radiofluoroscopy device
RG | Radiographic imaging | Radiographic imaging (conventional film/screen)
RT | Radiation Therapy Device | Radiation Therapy Device; includes linear accelerator, proton therapy
RTDOSE | Radiotherapy Dose | Radiotherapy Dose
RTIMAGE | Radiotherapy Image | Radiotherapy Imaging device; includes portal imaging
RTPLAN | Radiotherapy Plan | Radiotherapy Plan
RTRECORD | Radiotherapy Treatment Record | Radiotherapy Treatment Record
RTSTRUCT | Radiotherapy Structure Set | Radiotherapy Structure Set
SEG | Segmentation | Segmentation
SM | Slide Microscopy | Slide Microscopy
SMR | Stereometric Relationship | Stereometric image pairing modality
SR | Structured Report Document | Structured Report Document
SRF | Subjective Refraction | Subjective Refraction device
ST | Single-photon emission computed tomography | Single-photon emission computed tomography (SPECT) device | Deprecated
TG | Thermography | Thermography device
U | Unknown Sex | Unknown Sex
UNAVAILABLE | Unavailable | Instances cannot be retrieved
US | Ultrasound | Ultrasound device
VA | Visual Acuity | Visual Acuity device
VF | Videofluorography | Videofluorography | Deprecated
VIDD | Video Tape Digitizer Equipment | Equipment that digitizes video tape and imports it
WSD | Workstation | Workstation
XA | X-Ray Angiography | X-Ray Angiography device
XC | External-camera Photography | External-camera Photography device
109001 | Digital timecode (NOS) | A signal transmitted for the purpose of interchange of the current time, not specific to any source or methodology
109002 | ECG-based gating signal, processed | A signal that is generated for each detection of a heart beat
109003 | IRIG-B timecode | A signal transmitted by the Inter-Range Instrumentation Group for the purpose of synchronizing time clocks
109004 | X-Ray Fluoroscopy On Signal | A signal that indicated that X-Ray source has been activated for fluoroscopy use
109005 | X-Ray On Trigger | A signal that indicated that the X-Ray source has been activated for image recording
109006 | Differential signal | An electrical signal derived from two electrodes
109007 | His bundle electrogram | An electrophysiological recording from the HIS nerve bundle
109008 | Monopole signal | An electrical signal from one electrode relative to an indifferent potential
109009 | Pacing (electrical) stimulus, voltage | The voltage stimulus during cardiac pacing
109010 | Radio frequency ablation, power | The power injected during RF ablation procedure
109011 | Voltage measurement by basket catheter | Electrophysiological signals acquired using a multi-splined catheter each equipped with multiple electrodes
109012 | Voltage measurement by mapping catheter | Electrophysiological signals acquired using a steerable catheter
109013 | Voltage measurement, NOS | A voltage measurement not otherwise specified
109014 | 35% of thermal CO | A signal point that is 35% of the peak thermal cardiac output signal
109015 | 70% of thermal CO | A signal point that is 70% of the peak thermal cardiac output signal
109016 | A wave peak pressure | The peak pressure of each heart beat in the atrium caused by the atrial contraction
109017 | A wave pressure, average | The average of several A wave pressure measurements
109018 | Beat detected (accepted) | An identified cardiac beat used in the determination of a measurement
109019 | Beat detected (rejected) | An identified cardiac beat not used in the determination of a measurement
109020 | Diastolic pressure, average | The average of several diastolic pressure measurements | Deprecated
109021 | Diastolic pressure nadir | The lowest pressure value excluding any undershoot artifact | Deprecated
109022 | End diastole | The moment at the end of the diastolic phase of the cardiac cycle | Deprecated
109023 | End of expiration | The moment at the end of respiratory expiration
109024 | End of inspiration | The moment at the end of respiratory inspiration
109025 | Max dp/dt | The maximum positive rate of change of pressure
109026 | Max neg dp/dt | The maximum negative rate of change of pressure
109027 | Mean blood pressure | The average blood pressure value, generally over 2 or more seconds | Deprecated
109028 | Peak of thermal cardiac output bolus | The peak change in blood temperature during a thermal cardiac output measurement
109029 | Start of expiration | The moment respiratory expiration begins
109030 | Start of inspiration | The moment of respiratory inspiration begins
109031 | Start of thermal cardiac output bolus | The first discernible blood temperature change following the injectate during a thermal cardiac output measurement
109032 | Systolic pressure, average | The average of several systolic blood pressure measurements | Deprecated
109033 | Systolic peak pressure | The highest systolic blood pressure value excluding any overshoot artifact | Deprecated
109034 | V wave peak pressure | The peak pressure of each heart beat in the atrium caused by the filling of the atrium
109035 | V wave pressure, average | The average of several V wave pressure measurements
109036 | Valve close | The moment at which a heart valve closes

109037 | Valve open | The moment at which a heart valve opens
109038 | Ablation off | The moment when RF ablation current is turned off
109039 | Ablation on | The moment when RF ablation current is turned on
109040 | HIS bundle wave | The moment in the cardiac cycle when the HIS bundle nerves depolarize
109041 | P wave | The surface electrocardiogram of the atrial contraction
109042 | Q wave | The first negative deflection of the electrocardiogram caused by ventricular depolarization
109043 | R wave | The first positive deflection the electrocardiogram caused by ventricular depolarization
109044 | S wave | The first negative deflection after the R wave
109045 | Start of atrial contraction | The beginning of the atrial contraction
109046 | Start of atrial contraction (subsequent) | The beginning of the second atrial contraction of two consecutive beats
109047 | Stimulation at rate 1 interval | The stimulation interval during cardiac stimulation first used in a pacing train
109048 | Stimulation at rate 2 interval | The stimulation interval different from the first stimulation interval used in a pacing train
109049 | Stimulation at rate 3 interval | A stimulation interval different from and subsequent to the second interval in a pacing train
109050 | Stimulation at rate 4 interval | Describes a stimulation interval different from and subsequent to the third interval in a pacing train
109051 | T wave | The electrocardiogram deflection caused by ventricular repolarization
109052 | V wave | The peak pressure of each heart beat monitored in the atrium caused by the filling of the atrium
109053 | V wave of next beat | The second V wave measurement of two consecutive beats
109054 | Patient State | A description of the physiological condition of the patient
109055 | Protocol Stage | The exercise level during a progressive cardiac stress test
109056 | Stress Protocol | A series of physiological challenges designed to progressively increase the work of the heart
109057 | Catheterization Procedure Phase | A subpart of a cardiac catheterization procedure | Deprecated
109058 | Contrast Phase | The subpart of a cardiac catheterization procedure in which a radio-opaque contrast medium is injected into the patient
109059 | Physiological challenges | Physical changes administered to a patient in order to elicit an physiological response
109060 | Procedure Step Number | Enumeration of a subpart of a catheterization procedure
109061 | EP Procedure Phase | A subpart of an electrophysiological procedure
109063 | Pulse train definition | A means of defining a series of cardiac stimulation pulses
109070 | End of systole | End of the contraction phase of the cardiac cycle | Deprecated
109071 | Indicator mean transit time | Time for a median particle to travel from point of injection to point of detection
109072 | Tau | The time constant of isovolumic pressure fall
109073 | V max myocardial | Maximum velocity of myocardial contractility
109080 | Real time acquisition | Total time for the acquisition is shorter than cardiac cycle, no gating is applied; see Cardiac Synchronization Technique (0018,9037)
109081 | Prospective gating | Certain thresholds have been set for a gating window that defines the acceptance of measurement data during the acquisition; see Cardiac Synchronization Technique (0018,9037)
109082 | Retrospective gating | Certain thresholds have been set for a gating window that defines the acceptance of measurement data after the acquisition; see Cardiac Synchronization Technique (0018,9037)
109083 | Paced | There is a constant RR interval, which makes thresholding not required; see Cardiac Synchronization Technique (0018,9037); e.g. Pacemaker
109091 | Cardiac Stress State | Imaging after injection of tracer during increased cardiac workload or increased myocardial blood flow, achieved by either exercise or pharmacologic means | Deprecated
109092 | Reinjection State | Imaging after injection of additional tracer under resting conditions
109093 | Redistribution State | Imaging after allowing a moderate amount of time for tracer to move from its initial sites of uptake. Example: For Thallium imaging this would correspond to imaging 2-6 hours after injection
109094 | Delayed Redistribution State | Imaging after allowing an extended amount of time for tracer to move from its initial sites of uptake. Example: For Thallium imaging this would correspond to imaging more than 6 hours after injection
109095 | Peak stress state | Peak cardiac stress state | Deprecated
109096 | Recovery state | Recovery from cardiac stress | Deprecated
109101 | Acquisition Equipment | Equipment that originally acquired the data stored within composite instances; e.g. a CT, MR or Ultrasound modality
109102 | Processing Equipment | Equipment that has processed composite instances to create new composite instances; e.g. a 3D Workstation
109103 | Modifying Equipment | Equipment that has modified existing composite instances (without creating new composite instances); e.g. a QA Station or Archive
109104 | De-identifying Equipment | Equipment that has modified an existing composite instance to remove patient identifying information
109105 | Frame Extracting Equipment | Equipment that has processed composite instances to create new composite instances by extracting selected frames from the original instance
109106 | Enhanced Multi-frame Conversion Equipment | Equipment that has processed composite instances to create new composite instances by converting classic single frame images to enhanced multi-frame image, or vice versa and updating other instances to maintain referential integrity
109110 | Voice | The sound of a human's speech, recorded during a procedure
109111 | Operator's narrative | The voice of a device operator, recorded during a procedure
109112 | Ambient room environment | The ambient sound recorded during a procedure, which may or may not include voice and other types of sound
109113 | Doppler audio | The Doppler waveform recorded as an audible signal
109114 | Phonocardiogram | The sound of the human heart beating
109115 | Physiological audio signal | Any sound made by the human body
109116 | Arterial Pulse Waveform | A digitized signal from the patient arterial system collected through pulse oximetry or other means
109117 | Respiration Waveform | A digitized signal from the patient respiratory system representing respiration

109120 | On admission to unit | The occasion on which a procedure was performed on admission to a specialist unit; e.g. intensive care
109121 | On discharge | The occasion on which a procedure was performed on discharge from hospital as an in-patient
109122 | On discharge from unit | The occasion on which a procedure was performed on discharge from a specialist unit; e.g. intensive care
109123 | Pre-intervention | The occasion on which a procedure was performed immediately prior to non-surgical intervention; e.g, percutaneous angioplasty, biopsy
109124 | Post-intervention | The occasion on which a procedure was performed immediately after to non-surgical intervention; e.g, percutaneous angioplasty, biopsy
109125 | At last appointment | The occasion on which a procedure was performed at the most recent outpatient visit
109132 | Joint position method | The active or passive joint positioning during acquisition
109133 | Physical force | A physical force applied during acquisition
109134 | Prior to voiding | Prior to voiding
109135 | Post voiding | Post voiding
109136 | Neutral musculoskeletal position | Neutral musculoskeletal position
109200 | America Kennel Club | America Kennel Club
109201 | America's Pet Registry Inc. | America's Pet Registry Inc
109202 | American Canine Association | American Canine Association
109203 | American Purebred Registry | American Purebred Registry
109204 | American Rare Breed Association | American Rare Breed Association
109205 | Animal Registry Unlimited | Animal Registry Unlimited
109206 | Animal Research Foundation | Animal Research Foundation
109207 | Canadian Border Collie Association | Canadian Border Collie Association
109208 | Canadian Kennel Club | Canadian Kennel Club
109209 | Canadian Livestock Records Association | Canadian Livestock Records Association
109210 | Canine Federation of Canada | Canine Federation of Canada
109211 | Continental Kennel Club | Continental Kennel Club
109212 | Dog Registry of America | Dog Registry of America
109213 | Federation of International Canines | Federation of International Canines
109214 | International Progressive Dog Breeders' Alliance | International Progressive Dog Breeders' Alliance
109215 | National Kennel Club | National Kennel Club
109216 | North American Purebred Dog Registry | North American Purebred Dog Registry
109217 | United All Breed Registry | United All Breed Registry
109218 | United Kennel Club | United Kennel Club
109219 | Universal Kennel Club International | Universal Kennel Club International
109220 | Working Canine Association of Canada | Working Canine Association of Canada
109221 | World Kennel Club | World Kennel Club
109222 | World Wide Kennel Club | World Wide Kennel Club
109701 | Overall image quality evaluation | Evaluation of overall image quality as described in section 7.3.2 of [IEC 62563-1]
109702 | Grayscale resolution evaluation | Visual verification of sufficient grayscale resolution based on 8 and 10-bit markers as described in section 7.3.3 of [IEC 62563-1]
109703 | Luminance response evaluation | Visual evaluation of luminance response using the TG18-CT test pattern as described in section 7.3.4 of [IEC 62563-1]
109704 | Luminance uniformity evaluation | Visual detection of luminance non-uniformities as described in section 7.3.5 of [IEC 62563-1]
109705 | Chromaticity evaluation | Visual verification of color uniformity as described in section 7.3.6 of [IEC 62563-1]
109706 | Pixel faults evaluation | Visual detection of defective pixels on dark (TG18-UN80) and bright (TG18-UN10) images as described in section 7.3.7 of [IEC 62563-1]
109707 | Veiling glare evaluation | Visual evaluation of veiling glare by looking at low contrast objects on 2 test patterns as described in section 7.3.8 of [IEC 62563-1]
109708 | Geometrical image evaluation | Visual evaluation of geometry, phase/clock correction and clipping as described in section 7.3.9 of [IEC 62563-1]
109709 | Angular viewing evaluation | Visual evaluation of viewing angle as described in section 7.3.10 of [IEC 62563-1]
109710 | Clinical evaluation | Visual evaluation of the appearance of clinical images as described in section 7.3.11 of [IEC 62563-1]
109801 | TG18-QC Pattern | AAPM TG18-QC Pattern used for evaluation of resolution, luminance, distortion, artifacts. See [AAPM OR 03]
109802 | TG18-BR Pattern | AAPM TG18-BR Pattern used for the evaluation of the display of low-contrast, fine-detail image structures See [AAPM OR 03]
109803 | TG18-PQC Pattern | AAPM TG18-PQC Pattern used for evaluation of resolution, luminance, contrast transfer for prints. See [AAPM OR 03]
109804 | TG18-CT Pattern | AAPM TG18-CT Pattern used for evaluation of luminance response. See [AAPM OR 03]
109805 | TG18-LN8-01 Pattern | The 1st image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03]
109806 | TG18-LN8-02 Pattern | The 2nd image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03]
109807 | TG18-LN8-03 Pattern | The 3rd image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03]
109808 | TG18-LN8-04 Pattern | The 4th image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03]
109809 | TG18-LN8-05 Pattern | The 5th image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03]
109810 | TG18-LN8-06 Pattern | The 6th image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03]
109811 | TG18-LN8-07 Pattern | The 7th image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03]
109812 | TG18-LN8-08 Pattern | The 8th image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03]
109813 | TG18-LN8-09 Pattern | The 9th image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03]
109814 | TG18-LN8-10 Pattern | The 10th image in the AAPM TG18-LN8 set used for DICOM grayscale calibration series. See [AAPM OR 03]

109815 | TG18-LN8-11 Pattern | The 11th image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03]
109816 | TG18-LN8-12 Pattern | The 12th image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03]
109817 | TG18-LN8-13 Pattern | The 13th image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03]
109818 | TG18-LN8-14 Pattern | The 14th image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03]
109819 | TG18-LN8-15 Pattern | The 15th image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03]
109820 | TG18-LN8-16 Pattern | The 16th image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03]
109821 | TG18-LN8-17 Pattern | The 17th image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03]
109822 | TG18-LN8-18 Pattern | The 18th image in the AAPM TG18-LN8- set used for DICOM grayscale calibration. See [AAPM OR 03]
109823 | TG18-LN12-01 Pattern | The 1st image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03]
109824 | TG18-LN12-02 Pattern | The 2 nd image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03]
109825 | TG18-LN12-03 Pattern | The 3rd image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03]
109826 | TG18-LN12-04 Pattern | The 4th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03]
109827 | TG18-LN12-05 Pattern | The 5th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03]
109828 | TG18-LN12-06 Pattern | The 6th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03]
109829 | TG18-LN12-07 Pattern | The 7th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03]
109830 | TG18-LN12-08 Pattern | The 8th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03]
109831 | TG18-LN12-09 Pattern | The 9th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03]
109832 | TG18-LN12-10 Pattern | The 10th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03]
109833 | TG18-LN12-11 Pattern | The 11th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03]
109834 | TG18-LN12-12 Pattern | The 12th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03]
109835 | TG18-LN12-13 Pattern | The 13th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03]
109836 | TG18-LN12-14 Pattern | The 14th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03]
109837 | TG18-LN12-15 Pattern | The 15th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03]
109838 | TG18-LN12-16 Pattern | The 16th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03]
109839 | TG18-LN12-17 Pattern | The 17th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03]
109840 | TG18-LN12-18 Pattern | The 18th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03]
109841 | TG18-UN10 Pattern | The AAPM TG18-UN10 Pattern used for evaluation of luminance and color uniformity, and angular response. See [AAPM OR 03]
109842 | TG18-UN80 Pattern | The AAPM TG18-UN80 Pattern used for evaluation of luminance and color uniformity, and angular response. See [AAPM OR 03]
109843 | TG18-UNL10 Pattern | The AAPM TG18-UNL10 Pattern is the AAPM TG-18 UN10 Pattern with added defining lines. See [AAPM OR 03]
109844 | TG18-UNL80 Pattern | The AAPM TG18-UNL80 Pattern is the AAPM TG-18 UN80 Pattern with added defining lines. See [AAPM OR 03]
109845 | TG18-AD Pattern | The AAPM TG18-AD Pattern used for visual evaluation of the reflection of ambient light from the display. See [AAPM OR 03]
109846 | TG18-MP Pattern | The AAPM TG18-MP Pattern used for evaluation of Luminance response (bit-depth resolution). See [AAPM OR 03]
109847 | TG18-RH10 Pattern | The AAPM TG18-RH10 Pattern used for LSF-line spectra function-(1k and 2k) evaluation by 5 horizontal lines at 10% luminance level. See [AAPM OR 03]
109848 | TG18-RH50 Pattern | The AAPM TG18-RH50 Pattern used for LSF-line spectra function-(1k and 2k) evaluation by 5 horizontal lines at 50% luminance level. See [AAPM OR 03]
109849 | TG18-RH89 Pattern | The AAPM TG18-RH89 Pattern used for LSF-line spectra function-(1k and 2k) evaluation by 5 horizontal lines at 89% luminance level. See [AAPM OR 03]
109850 | TG18-RV10 Pattern | The AAPM TG18-RV10 Pattern used for LSF-line spectra function-(1k and 2k) evaluation by 5 vertical lines at 10% luminance level. See [AAPM OR 03]
109851 | TG18-RV50 Pattern | The AAPM TG18-RV50 Pattern used for LSF-line spectra function-(1k and 2k) evaluation by 5 vertical lines at 50% luminance level. See [AAPM OR 03]
109852 | TG18-RV89 Pattern | The AAPM TG18-RV89 Pattern used for LSF-line spectra function-(1k and 2k) evaluation by 5 vertical lines at 89% luminance level. See [AAPM OR 03]

109853 | TG18-PX Pattern | The AAPM TG18-PX Pattern used for the assessment of display resolution. See [AAPM OR 03]
109854 | TG18-CX Pattern | The AAPM TG18-CX Pattern used to assess display resolution and resolution uniformity. See [AAPM OR 03]
109855 | TG18-LPH10 Pattern | The AAPM TG18-LPH10 Pattern used to assess display resolution. This pattern has horizontal bars consisting of alternating single-pixel-wide lines across the faceplate of display. The lines have a 12% positive contrast against 10% background level of the maximum pixel value. See [AAPM OR 03]
109856 | TG18-LPH50 Pattern | The AAPM TG18-LPH50 Pattern used to assess display resolution. This pattern has horizontal bars consisting of alternating single-pixel-wide lines across the faceplate of display. The lines have a 50% positive contrast against 10% background level of the maximum pixel value. See [AAPM OR 03]
109857 | TG18-LPH89 Pattern | The AAPM TG18-LPH89 Pattern used to assess display resolution. This pattern has horizontal bars consisting of alternating single-pixel-wide lines across the faceplate of display. The lines have a 12% positive contrast against 89% background level of the maximum pixel value. See [AAPM OR 03]
109858 | TG18-LPV10 Pattern | The AAPM TG18-LPV10 Pattern used to assess display resolution. This pattern has vertical bars consisting of alternating single-pixel-wide lines across the faceplate of display. The lines have a 12% positive contrast against 10% background level of the maximum pixel value. See [AAPM OR 03]
109859 | TG18-LPV50 Pattern | The AAPM TG18-LPV50 Pattern used to assess display resolution. This pattern has vertical bars consisting of alternating single-pixel-wide lines across the faceplate of display. The lines have a 12% positive contrast against 50% background level of the maximum pixel value. See [AAPM OR 03]
109860 | TG18-LPV89 Pattern | The AAPM TG18-LPV89 Pattern used to assess display resolution. This pattern has vertical bars consisting of alternating single-pixel-wide lines across the faceplate of display. The lines have a 12% positive contrast against 89% background level of the maximum pixel value. See [AAPM OR 03]
109861 | TG18-AFC Pattern | The AAPM TG18-AFC Pattern used to assess display noise. See [AAPM OR 03]
109862 | TG18-NS10 Pattern | The AAPM TG18-NS10 Pattern is AAPM TG18-RV10/RH10 with only difference being the absence of the single line at the center of the measurement area. See [AAPM OR 03]
109863 | TG18-NS50 Pattern | The AAPM TG18-NS50 Pattern is AAPM TG18-RV50/RH50 with only difference being the absence of the single line at the center of the measurement area. See [AAPM OR 03]
109864 | TG18-NS89 Pattern | The AAPM TG18-NS89 Pattern is AAPM TG18-RV89/RH89 with only difference being the absence of the single line at the center of the measurement area. See [AAPM OR 03]
109865 | TG18-GV Pattern | The TG18-GV Pattern used to assess display veiling. See [AAPM OR 03]
109866 | TG18-GVN Pattern | The TG18-GVN Pattern used to assess display veiling. This pattern is identical to AAPM TG18-GV Pattern except that the large-diameter white circle is replaced with a black circle, creating a completely black pattern except for the presence of low-contrast targets. See [AAPM OR 03]
109867 | TG18-GQ Pattern | The TG18-GQ Pattern used for quantitative assessment of veiling glare. This pattern is identical to TG18-GV except that is lacks the central low-contrast objects. See [AAPM OR 03]
109868 | TG18-GQN Pattern | TG18-GQN Pattern used for the quantitative assessment of veiling glare. This pattern is identical to AAPM TG18-GQ Pattern except that the large-diameter white circle is replaced with a black circle, creating a completely black pattern except for the presence of low-contrast targets. See [AAPM OR 03]
109869 | TG18-GQB Pattern | The TG18-GQB Pattern used for the quantitative assessment of veiling glare. This pattern is identical to AAPM TG18-GQ Pattern except eliminating the central black circle. See [AAPM OR 03]
109870 | TG18-GA03 Pattern | The TG18-GA03 Pattern used for quantitative assessment of veiling glare. This pattern is identical to TG18-GQ except that the radius of the central black circle is varied as r = 3. See [AAPM OR 03]
109871 | TG18-GA05 Pattern | The TG18-GA05 Pattern This pattern is identical to TG18-GQ except that the radius of the central black circle is varied as r = 5. See [AAPM OR 03]
109872 | TG18-GA08 Pattern | The TG18-GA08 Pattern used for quantitative assessment of veiling glare. This pattern is identical to TG18-GQ except that the radius of the central black circle is varied as r = 8. See [AAPM OR 03]
109873 | TG18-GA10 Pattern | The TG18-GA10 Pattern used for quantitative assessment of veiling glare. This pattern is identical to TG18-GQ except that the radius of the central black circle is varied as r = 10. See [AAPM OR 03]
109874 | TG18-GA15 Pattern | The TG18-GA15 Pattern used for quantitative assessment of veiling glare. This pattern is identical to TG18-GQ except that the radius of the central black circle is varied as r = 15
109875 | TG18-GA20 Pattern | The TG18-GA20 Pattern used for quantitative assessment of veiling glare. This pattern is identical to TG18-GQ except that the radius of the central black circle is varied as r = 20. See [AAPM OR 03]
109876 | TG18-GA25 Pattern | The TG18-GA25 Pattern used for quantitative assessment of veiling glare. This pattern is identical to TG18-GQ except that the radius of the central black circle is varied as r = 25. See [AAPM OR 03]
109877 | TG18-GA30 Pattern | The TG18-GA30 Pattern used for quantitative assessment of veiling glare. This pattern is identical to TG18-GQ except that the radius of the central black circle is varied as r = 30. See [AAPM OR 03]
109878 | TG18-CH Image | The AAPM TG18-CH Image is a reference anatomical PA chest image. See [AAPM OR 03]
109879 | TG18-KN Image | The AAPM TG18-KN Image is a reference anatomical knee image. See [AAPM OR 03]
109880 | TG18-MM1 Image | The AAPM TG18-MM1 Image is a reference anatomical mammogram image. See [AAPM OR 03]
109881 | TG18-MM2 Image | The AAPM TG18-MM2 Image is a reference anatomical mammogram image. See [AAPM OR 03]
109901 | OIQ Pattern | The IEC OIQ Pattern is used as an alternative to the TG18-QC Pattern. See [IEC 62563-1]
109902 | ANG Pattern | The IEC ANG Pattern used for angular viewing evaluation. See [IEC 62563-1]
109903 | GD Pattern | The IEC GD Pattern used for geometrical image evaluation. See [IEC 62563-1]
109904 | BN01 Pattern | The IEC BN01 Pattern is used as analternative to the TG18-LN-01 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1]
109905 | BN02 Pattern | The IEC BN02 Pattern is used as analternative to the TG18-LN-02 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1]
109906 | BN03 Pattern | The IEC BN03 Pattern is used as analternative to the TG18-LN-03 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1]
109907 | BN04 Pattern | The IEC BN04 Pattern is used as analternative to the TG18-LN-04 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1]
109908 | BN05 Pattern | The IEC BN05 Pattern is used as analternative to the TG18-LN-05 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1]
109909 | BN06 Pattern | The IEC BN06 Pattern is used as analternative to the TG18-LN-06 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1]
109910 | BN07 Pattern | The IEC BN07 Pattern is used as analternative to the TG18-LN-07 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1]

109911 | BN08 Pattern | The IEC BN08 Pattern is used as analternative to the TG18-LN-08 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1]
109912 | BN09 Pattern | The IEC BN09 Pattern is used as analternative to the TG18-LN-09 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1]
109913 | BN10 Pattern | The IEC BN10 Pattern is used as analternative to the TG18-LN-10 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1]
109914 | BN11 Pattern | The IEC BN11 Pattern is used as analternative to the TG18-LN-11 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1]
109915 | BN12 Pattern | The IEC BN12 Pattern is used as analternative to the TG18-LN-12 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1]
109916 | BN13 Pattern | The IEC BN13 Pattern is used as analternative to the TG18-LN-13 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1]
109917 | BN14 Pattern | The IEC BN14 Pattern is used as analternative to the TG18-LN-14 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1]
109918 | BN15 Pattern | The IEC BN15 Pattern is used as analternative to the TG18-LN-15 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1]
109919 | BN16 Pattern | The IEC BN16 Pattern is used as analternative to the TG18-LN-16 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1]
109920 | BN17 Pattern | The IEC BN17 Pattern is used as analternative to the TG18-LN-17 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1]
109921 | BN18 Pattern | The IEC BN18 Pattern is used as analternative to the TG18-LN-18 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1]
109931 | DIN Grayscale Pattern | Test image "Bild 2" for the gray-scale reproduction of imaging devices. See [DIN 6868-57]
109932 | DIN Geometry Pattern | Test image "Bild 3" for the geometrical imaging properties of imaging devices. See [DIN 6868-57]
109933 | DIN Resolution Pattern | Test image "Bild 5" for displaying the spatial and contrast resolution as well as the line structure of imaging devices. See [DIN 6868-57]
109941 | White Pattern | An alternative to AAPM TG18-UN80, specified at 100% of maximum pixel value
109943 | SMPTE Pattern | A standard display test pattern. See [SMPTE RP133]. A pattern is available at http://www.dclunie.com/images/smpte.512.512.8.gif
109991 | CRT Display | A Display Device that displays images on a Cathode Ray Tube
109992 | Liquid Crystal Display | A Display Device that displays images on a Liquid Crystal Display
109993 | Plasma Display | A Display Device that displays images on a Plasma Display
109994 | OLED | A Display Device that displays images on an Organic Light Emitting Diode based display
109995 | DLP Rear Projection System | A Display Device that projects images on a surface from behind using a Digital Light Processing Projector
109996 | DLP Front Projection System | A Display Device that projects images on a surface from in front using a Digital Light Processing Projector
109997 | CRT Rear Projection System | A Display Device that projects images on a surface from behind using a Cathode Ray Tube
109998 | CRT Front Projection System | A Display Device that projects images on a surface from in front using a Cathode Ray Tube
109999 | Other Projection System | A Display Device that projects images on a surface from an unspecified direction using an unspecified means
110001 | Image Processing | Image processing work item
110002 | Quality Control | Quality control work item
110003 | Computer Aided Diagnosis | Computer aided diagnosis work item
110004 | Computer Aided Detection | Computer aided detection work item
110005 | Interpretation | Interpretation work item
110006 | Transcription | Transcription work item
110007 | Report Verification | Report verification work item
110008 | Print | Print work item
110009 | No subsequent Workitems | There will be no more work items scheduled
110010 | Film | Film type of output
110011 | Dictation | Dictation type of output
110012 | Transcription | Transcription type of output
110013 | Media Import | The procedure to read DICOM instances from DICOM interchange media, coerce identifying attributes into the local namespace if necessary, and make the instances available
110020 | Sheet Film Digitized | Digitization of Sheet Film
110021 | Cine Film Digitized | Digitization of Cine Film
110022 | Video Tape Digitized | Digitization of Video Tape
110023 | Paper Digitized | Digitization of pages of a paper document (Units may be specified as Pages, Documents)
110024 | CD Imported | Importation of CD
110025 | DVD Imported | Importation of DVD
110026 | MOD Imported | Importation of MOD
110027 | Studies Imported | Importation of DICOM Studies
110028 | Instances Imported | Importation of DICOM Composite Instances
110030 | USB Disk Emulation | A device that connects using the USB hard drive interface. These may be USB-Sticks, portable hard drives, and other technologies
110031 | Email | Email and email attachments used as a media for data transport
110032 | CD | CD-R, CD-ROM, and CD-RW media used for data transport
110033 | DVD | DVD, DVD-RAM, and other DVD formatted media used for data transport
110034 | Compact Flash | Media that comply with the Compact Flash standard
110035 | Multi-media Card | Media that comply with the Multi-media Card standard
110036 | Secure Digital Card | Media that comply with the Secure Digital Card standard
110037 | URI | URI Identifier for network or other resource, see RFC 3968
110038 | Paper Document | Any paper or similar document

110100 | Application Activity | Audit event: Application Activity has taken place
110101 | Audit Log Used | Audit event: Audit Log has been used
110102 | Begin Transferring DICOM Instances | Audit event: Storage of DICOM Instances has begun
110103 | DICOM Instances Accessed | Audit event: DICOM Instances have been created, read, updated, or deleted
110104 | DICOM Instances Transferred | Audit event: Storage of DICOM Instances has been completed
110105 | DICOM Study Deleted | Audit event: Entire Study has been deleted
110106 | Export | Audit event: Data has been exported out of the system
110107 | Import | Audit event: Data has been imported into the system
110108 | Network Entry | Audit event: System has joined or left network
110109 | Order Record | Audit event: Order has been created, read, updated or deleted
110110 | Patient Record | Audit event: Patient Record has been created, read, updated, or deleted
110111 | Procedure Record | Audit event: Procedure Record has been created, read, updated, or deleted
110112 | Query | Audit event: Query has been made
110113 | Security Alert | Audit event: Security Alert has been raised
110114 | User Authentication | Audit event: User Authentication has been attempted
110120 | Application Start | Audit event: Application Entity has started
110121 | Application Stop | Audit event: Application Entity has stopped
110122 | Login | Audit event: User login has been attempted
110123 | Logout | Audit event: User logout has been attempted
110124 | Attach | Audit event: Node has been attached
110125 | Detach | Audit event: Node has been detached
110126 | Node Authentication | Audit event: Node Authentication has been attempted
110127 | Emergency Override Started | Audit event: Emergency Override has started
110128 | Network Configuration | Audit event: Network configuration has been changed
110129 | Security Configuration | Audit event: Security configuration has been changed
110130 | Hardware Configuration | Audit event: Hardware configuration has been changed
110131 | Software Configuration | Audit event: Software configuration has been changed
110132 | Use of Restricted Function | Audit event: A use of a restricted function has been attempted
110133 | Audit Recording Stopped | Audit event: Audit recording has been stopped
110134 | Audit Recording Started | Audit event: Audit recording has been started
110135 | Object Security Attributes Changed | Audit event: Security attributes of an object have been changed
110136 | Security Roles Changed | Audit event: Security roles have been changed
110137 | User security Attributes Changed | Audit event: Security attributes of a user have been changed
110138 | Emergency Override Stopped | Audit event: Emergency Override has Stopped
110139 | Remote Service Operation Started | Audit event: Remote Service Operation has Begun
110140 | Remote Service Operation Stopped | Audit event: Remote Service Operation has Stopped
110141 | Local Service Operation Started | Audit event: Local Service Operation has Begun
110142 | Local Service Operation Stopped | Audit event: Local Service Operation Stopped
110150 | Application | Audit participant role ID of software application
110151 | Application Launcher | Audit participant role ID of software application launcher, i.e., the entity that started or stopped an application
110152 | Destination Role ID | Audit participant role ID of the receiver of data
110153 | Source Role ID | Audit participant role ID of the sender of data
110154 | Destination Media | Audit participant role ID of media receiving data during an export
110155 | Source Media | Audit participant role ID of media providing data during an import
110180 | Study Instance UID | ParticipantObjectID type: Study Instance UID
110181 | SOP Class UID | ParticipantObjectID type: SOP Class UID
110182 | Node ID | ID of a node that is a participant object of an audit message
110190 | Issuer of Identifier | System, organization, agency, or department that has assigned an instance identifier (such as placer or filler number, patient or provider identifier, etc.)
110500 | Doctor canceled procedure | Procedure order canceled by requesting physician or other authorized physician
110501 | Equipment failure | Equipment failure prevented completion of procedure
110502 | Incorrect procedure ordered | Procedure discontinued due to incorrect procedure being ordered
110503 | Patient allergic to media/contrast | Procedure discontinued due to patient allergy to media/contrast (reported or reaction)
110504 | Patient died | Procedure discontinued due to death of Patient
110505 | Patient refused to continue procedure | Procedure discontinued due to patient refusal to continue procedure
110506 | Patient taken for treatment or surgery | Procedure discontinued due to patient being taken for treatment or surgery
110507 | Patient did not arrive | Patient did not arrive for procedure
110508 | Patient pregnant | Procedure discontinued due to patient pregnancy (reported or determined)
110509 | Change of procedure for correct charging | Procedure discontinued to restart with new procedure code for correct charging
110510 | Duplicate order | Procedure discontinued due to duplicate orders received for same procedure
110511 | Nursing unit cancel | Procedure order canceled by nursing unit
110512 | Incorrect side ordered | Procedure discontinued due to incorrect side (laterality) being ordered
110513 | Discontinued for unspecified reason | Procedure discontinued for unspecified reason
110514 | Incorrect worklist entry selected | Procedure discontinued due to incorrect patient or procedure step selected from modality worklist
110515 | Patient condition prevented continuing | Patient condition prevented continuation of procedure
110516 | Equipment change | Procedure step is discontinued to change to other equipment or modality
110518 | Patient Movement | A movement of the patient affecting test quality
110519 | Operator Error | An error of the operator affecting test quality
110521 | Objects incorrectly formatted | One or more of the objects is malformed
110522 | Object Types not supported | Receiving System is unable to accept the object type

110523 | Object Set incomplete | One or more objects associated with the object set is missing
110524 | Media Failure | The contents of the Media could not be accessed properly
110526 | Resource pre-empted | Procedure discontinued due to necessary equipment, staff or other resource becoming (temporarily) unavailable to the procedure
110527 | Resource inadequate | Procedure discontinued due to necessary equipment, staff or other resource being inadequate to complete the procedure
110528 | Discontinued Procedure Step rescheduled | A new Procedure Step has been scheduled to replace the Discontinued Procedure Step
110529 | Discontinued Procedure Step rescheduling recommended | It is recommended that a new Procedure Step be scheduled to replace the Discontinued Procedure Step
110700 | Ventral Diencephalon | Ventral structures of the diencephalon that cannot readily be distinguished on MR imaging, including the hypothalamus, mammillary body, subthalamic nuclei, substantia nigra, red nucleus, lateral geniculate nucleus, medial geniculate nucleus, zona incerta, cerebral peduncle, lenticular fasciculus, medial lemniscus, and optic tract. See http://neuromorphometrics.org:8080/Seg/html/segmentation/ventral%20diencephalon.html
110701 | White Matter T1 Hypointensity | Area(s) of reduced intensity on T1 weighted images relative to the surrounding white matter. These may be indicative of age-related or neurodegenerative white matter lesions, and may be co-located with areas of white matter T2 hyperintensity, but the concept is specifically confined to the MR appearance on T1 weighted images
110702 | White Matter T2 Hyperintensity | Area(s) of increased intensity on T2 weighted images relative to the surrounding white matter. These may be indicative of age-related or neurodegenerative white matter lesions, and may be co-located with areas of white matter T1 hypointensity, but the concept is specifically confined to the MR appearance on T2 weighted images
110703 | superior longitudinal fasciculus I | The dorsal component of the SLF originating from the medial and dorsal parietal cortex and ending in the dorsal and medial part of the frontal lobe. See Makris N, et al. "Segmentation of Subcomponents within the Superior Longitudinal Fascicle in Humans: A Quantitative, In Vivo, DT-MRI Study." Cerebral Cortex 15, no. 6 (June 1, 2005): 854-69. doi:10.1093/cercor/bhh186
110704 | superior longitudinal fasciculus II | The major component of the SLF, derived from the caudal-inferior parietal region corresponding to the angular gyrus in the human and terminating within the dorsolateral frontal region. See Makris N, et al. "Segmentation of Subcomponents within the Superior Longitudinal Fascicle in Humans: A Quantitative, In Vivo, DT-MRI Study." Cerebral Cortex 15, no. 6 (June 1, 2005): 854-69. doi:10.1093/cercor/bhh186
110705 | superior longitudinal fasciculus III | The ventral component of the SLF, originating from the supramarginal gyrus and terminating predominantly in the ventral premotor and prefrontal areas. See Makris N, et al. "Segmentation of Subcomponents within the Superior Longitudinal Fascicle in Humans: A Quantitative, In Vivo, DT-MRI Study." Cerebral Cortex 15, no. 6 (June 1, 2005): 854-69. doi:10.1093/cercor/bhh186
110706 | Perilesional White Matter | White matter that surrounds a lesion of interest; e.g. to identify the otherwise unclassified white matter that surrounds a tumor to be surgically resected
110800 | Spin Tagging Perfusion MR Signal Intensity | Signal intensity of a Spin tagging Perfusion MR image. Spin tagging is a technique for the measurement of blood perfusion, based on magnetically labeled arterial blood water as an endogenous tracer
110801 | Contrast Agent Angio MR Signal Intensity | Signal intensity of a Contrast Agent Angio MR image
110802 | Time Of Flight Angio MR Signal Intensity | Signal intensity of a Time-of-flight (TOF) MR image. Time-of-flight (TOF) is based on the phenomenon of flow-related enhancement of spins entering into an imaging slice. As a result of being unsaturated, these spins give more signal that surrounding stationary spins
110803 | Proton Density Weighted MR Signal Intensity | Signal intensity of a Proton Density Weighted MR image. All MR images have intensity proportional to proton density. Images with very little T1 or T2 weighting are called 'PD-weighted'
110804 | T1 Weighted MR Signal Intensity | Signal intensity of T1 Weighted MR image. A T1 Weighted MR image is created typically by using short TE and TR times
110805 | T2 Weighted MR Signal Intensity | Signal intensity of a T2 Weighted MR image. T2 Weighted image contrast state is approached by imaging with a TR long compared to tissue T1 (to reduce T1 contribution to image contrast) and a TE between the longest and shortest tissue T2s of interest
110806 | T2* Weighted MR Signal Intensity | Signal intensity of a T2* Weighted MR image. The T2* phenomenon results from molecular interactions (spin spin relaxation) and local magnetic field non-uniformities, which cause the protons to precess at slightly different frequencies
110807 | Field Map MR Signal Intensity | Signal intensity of a Field Map MR image. A Field Map MR image provides a direct measure of the B 0 inhomogeneity at each point in the image
110808 | Fractional Anisotropy | Coefficient reflecting the fractional anisotropy of the tissues, derived from a diffusion weighted MR image. Fractional anisotropy is proportional to the square root of the variance of the Eigen values divided by the square root of the sum of the squares of the Eigen values
110809 | Relative Anisotropy | Coefficient reflecting the relative anisotropy of the tissues, derived from a diffusion weighted MR image
110810 | Volumetric Diffusion Dxx Component | Dxx Component of the diffusion tensor, quantifying the molecular mobility along the X axis
110811 | Volumetric Diffusion Dxy Component | Dxy Component of the diffusion tensor, quantifying the correlation of molecular displacements in the X and Y directions
110812 | Volumetric Diffusion Dxz Component | Dxz Component of the diffusion tensor, quantifying the correlation of molecular displacements in the X and Z directions
110813 | Volumetric Diffusion Dyy Component | Dyy Component of the diffusion tensor, quantifying the molecular mobility along the Y axis
110814 | Volumetric Diffusion Dyz Component | Dyz Component of the diffusion tensor, quantifying the correlation of molecular displacements in the Y and Z directions
110815 | Volumetric Diffusion Dzz Component | Dzz Component of the diffusion tensor, quantifying the molecular mobility along the Z axis
110816 | T1 Weighted Dynamic Contrast Enhanced MR Signal Intensity | Signal intensity of a T1 Weighted Dynamic Contrast Enhanced MR image. A T1 Weighted Dynamic Contrast Enhanced MR image reflects the dynamics of diffusion of the exogenous contrast media from the blood pool into the extra vascular extracellular space (EES) of the brain at a rate determined by the blood flow to the tissue, the permeability of the Brain Blood Barrier (BBB), and the surface area of the perfusing vessels
110817 | T2 Weighted Dynamic Contrast Enhanced MR Signal Intensity | Signal intensity of a T2 Weighted Dynamic Contrast Enhanced MR image. A T2 Weighted Dynamic Contrast Enhanced MR image reflects the T2 of tissue decrease as the Gd contrast agent bolus passes through the brain

110818 | T2* Weighted Dynamic Contrast Enhanced MR Signal Intensity | Signal intensity of a T2* Weighted Dynamic Contrast Enhanced MR image. A T2* Weighted Dynamic Contrast Enhanced MR image reflects the T2* of tissue decrease as the Gd contrast agent bolus passes through the brain
110819 | Blood Oxygenation Level | Signal intensity of a Blood Oxygenation Level image. BOLD imaging is sensitive to blood oxygenation (but also to cerebral blood flow and volume). This modality is essentially used for detecting brain activation (functional MR)
110820 | Nuclear Medicine Projection Activity | Accumulated decay event counts in a nuclear medicine projection image
110821 | Nuclear Medicine Tomographic Activity | Accumulated decay event counts in a Nuclear Medicine Tomographic image (including PET)
110822 | Spatial Displacement X Component | Spatial Displacement along axis X of a non-linear deformable spatial registration image. The X axis is defined in reference to the patient's orientation, and is increasing to the left hand side of the patient
110823 | Spatial Displacement Y Component | Spatial Displacement along axis Y of a non-linear deformable spatial registration image. The Y axis is defined in reference to the patient's orientation, and is increasing to the posterior side of the patient
110824 | Spatial Displacement Z Component | Spatial Displacement along axis Z of a non-linear deformable spatial registration image. The Z axis is defined in reference to the patient's orientation, and is increasing toward the head of the patient
110825 | Hemodynamic Resistance | Measured resistance to the flow of blood; e.g. through the vasculature or through a heart value
110826 | Indexed Hemodynamic Resistance | Measured resistance to the flow of blood; e.g. through the vasculature or through a heart value, normalized to a particular indexed scale
110827 | Tissue Velocity | Velocity of tissue based on Doppler measurements
110828 | Flow Velocity | Velocity of blood flow based on Doppler measurements
110829 | Flow Variance | Statistical variance of blood velocity relative to mean
110830 | Elasticity | Scalar value related to the elastic properties of the tissue
110831 | Perfusion | Scalar value related to the volume of blood perfusing into tissue
110832 | Speed of sound | Speed of sound in tissue
110833 | Ultrasound Attenuation | Reduction in strength of ultrasound signal as the wave
110834 | RGB R Component | Red component of a true color image (RGB)
110835 | RGB G Component | Green component of a true color image (RGB)
110836 | RGB B Component | Blue component of a true color image (RGB)
110837 | YBR FULL Y Component | Y (Luminance) component of a YBR FULL image, as defined in JPEG 2000
110838 | YBR FULL CB Component | CB (Blue chrominance) component of a YBR FULL image, as defined in JPEG 2000
110839 | YBR FULL CR Component | CR (Red chrominance) component of a YBR FULL image, as defined in JPEG 2000
110840 | YBR PARTIAL Y Component | Y (Luminance) component of a YBR PARTIAL image, as defined in JPEG 2000
110841 | YBR PARTIAL CB Component | CB (Blue chrominance) component of a YBR PARTIAL image, as defined in JPEG 2000
110842 | YBR PARTIAL CR Component | CR (Red chrominance) component of a YBR PARTIAL image, as defined in JPEG 2000
110843 | YBR ICT Y Component | Y (Luminance) component of a YBR ICT image (Irreversible Color Transform), as defined in JPEG 2000
110844 | YBR ICT CB Component | CB (Blue chrominance) component of a YBR ICT image (Irreversible Color Transform), as defined in JPEG 2000
110845 | YBR ICT CR Component | CR (Red chrominance) component of a YBR ICT image (Irreversible Color Transform), as defined in JPEG 2000
110846 | YBR RCT Y Component | Y (Luminance) component of a YBR RCT image (Reversible Color Transform), as defined in JPEG 2000
110847 | YBR RCT CB Component | CB (Blue chrominance) component of a YBR RCT image (Reversible Color Transform), as defined in JPEG 2000
110848 | YBR RCT CR Component | CR (Red chrominance) component of a YBR RCT image (Reversible Color Transform), as defined in JPEG 2000
110849 | Echogenicity | The ability of a material to create an ultrasound return echo
110850 | X-Ray Attenuation | Decrease in the number of photons in an X-Ray beam due to interactions with the atoms of a material substance. Attenuation is due primarily to two processes, absorption and scattering
110851 | X-Ray Attenuation Coefficient | Coefficient that describes the fraction of a beam of X-Rays or gamma rays that is absorbed or scattered per unit thickness of the absorber. This value basically accounts for the number of atoms in a cubic cm volume of material and the probability of a photon being scattered or absorbed from the nucleus or an electron of one of these atoms | Deprecated
110852 | MR signal intensity | Signal intensity of an MR image, not otherwise specified
110853 | Binary Segmentation | Binary value denoting that the segmented property is present
110854 | Fractional Probabilistic Segmentation | Probability, defined as a percentage, that the segmented property occupies the spatial area defined by the voxel
110855 | Fractional Occupancy Segmentation | Percentage of the voxel area occupied by the segmented property
110856 | Linear Displacement | Spatial dimension, denoting a linear displacement
110857 | Photon Energy | Dimension denoting the energy (frequency or wavelength) of photons
110858 | Time | Dimension used to sequence events, to compare the duration of events and the intervals between events
110859 | Angle | Spatial dimension, denoting an angle
110860 | Left-Right Axis | A spatial dimension axis running along a line between the patient's left and right side
110861 | Head-Foot Axis | A spatial dimension axis running along a line between the patient's head and foot
110862 | Anterior-Posterior Axis | A spatial dimension axis running along a line between the patient's anterior and posterior sides
110863 | Apex-Base Axis | A spatial dimension axis running along a line between the apex and base of an organ, object, or chamber
110864 | Anterior-Inferior Axis | A spatial dimension axis running along a line between the anterior and inferior sides of an organ, object, or chamber
110865 | Septum-Wall Axis | A spatial dimension axis running along a line between the septum and wall of a chamber
110866 | Right To Left | Orientation of a spatial dimension where increasing values run from the right to the left side of the patient
110867 | Left To Right | Orientation of a spatial dimension where increasing values run from the left to the right side of the patient
110868 | Head To Foot | Orientation of a spatial dimension where increasing values run from the head to the foot of the patient

110869 | Foot To Head | Orientation of a spatial dimension where increasing values run from the foot to the head of the patient
110870 | Anterior To Posterior | Orientation of a spatial dimension where increasing values run from the anterior to the posterior side of the patient
110871 | Posterior To Anterior | Orientation of a spatial dimension where increasing values run from the posterior to the anterior side of the patient
110872 | Apex To Base | Orientation of a spatial dimension where increasing values run from the apex to the base
110873 | Base To Apex | Orientation of a spatial dimension where increasing values run from the base to the apex
110874 | Anterior To Inferior | Orientation of a spatial dimension where increasing values run from the anterior to the inferior
110875 | Inferior To Anterior | Orientation of a spatial dimension where increasing values run from the inferior to the anterior
110876 | Septum To Wall | Orientation of a spatial dimension where increasing values run from the septum of a chamber to the opposite wall
110877 | Wall To Septum | Orientation of a spatial dimension where increasing values run from the opposite wall to the septum of a chamber
110901 | Image Position (Patient) X | The x coordinate of the upper left hand corner (center of the first voxel transmitted) of the image, with respect to the patient-based coordinate system
110902 | Image Position (Patient) Y | The y coordinate of the upper left hand corner (center of the first voxel transmitted) of the image, with respect to the patient-based coordinate system
110903 | Image Position (Patient) Z | The z coordinate of the upper left hand corner (center of the first voxel transmitted) of the image, with respect to the patient-based coordinate system
110904 | Image Orientation (Patient) Row X | The x value of the first row direction cosine with respect to the patient, with respect to the patient-based coordinate system
110905 | Image Orientation (Patient) Row Y | The y value of the first row direction cosine with respect to the patient, with respect to the patient-based coordinate system
110906 | Image Orientation (Patient) Row Z | The z value of the first row direction cosine with respect to the patient, with respect to the patient-based coordinate system
110907 | Image Orientation (Patient) Column X | The x value of the first column direction cosine with respect to the patient, with respect to the patient-based coordinate system
110908 | Image Orientation (Patient) Column Y | The y value of the first column direction cosine with respect to the patient, with respect to the patient-based coordinate system
110909 | Image Orientation (Patient) Column Z | The z value of the first column direction cosine with respect to the patient, with respect to the patient-based coordinate system
110910 | Pixel Data Rows | Number of rows in the pixel data of the image
110911 | Pixel Data Columns | Number of columns in the pixel data of the image
111001 | Algorithm Name | The name assigned by a manufacturer to a specific software algorithm
111002 | Algorithm Parameters | The input parameters used by a manufacturer to configure the behavior of a specific software algorithm
111003 | Algorithm Version | The software version identifier assigned by a manufacturer to a specific software algorithm
111004 | Analysis Performed | The type of correlation applied to detection results; e.g. temporal, spatial
111005 | Assessment Category | Assignment of intermediate or overall interpretation results to a general category
111006 | Breast composition | Assessment of annotating tissues in breast; generally including fatty, mixed or dense | Deprecated
111007 | Breast Outline including Pectoral Muscle Tissue | Purpose of reference for an SCOORD content item that is an outline of the breast that includes the pectoral muscle tissue
111008 | Calcification Distribution | The type of distribution associated with detected calcifications
111009 | Calcification Type | Identification of the morphology of detected calcifications
111010 | Center | Purpose of reference for an SCOORD content item that identifies the central point of a finding or feature
111011 | Certainty of Feature | The likelihood that the feature analyzed is in fact the type of feature identified
111012 | Certainty of Finding | The likelihood that the finding detected is in fact the type of finding identified
111013 | Certainty of Impression | The certainty that a device places on an impression, where 0 equals no certainty and 100 equals certainty
111014 | Clockface or region | A location identifier based on clock-face numbering or anatomic sub-region
111015 | Composite Feature | An item that is an inferred correlation relating two or more individual findings or features
111016 | Composite type | The inferred relationship between the findings or features making up a composite feature
111017 | CAD Processing and Findings Summary | General assessment of whether or not CAD processing was successful, and whether any findings resulted
111018 | Content Date | The date the data creation started
111019 | Content Time | The time the data creation started
111020 | Depth | A location identifier based on a feature's inferred distance from the surface of the associated anatomy
111021 | Description of Change | A textual description of the change that occurred over time in a qualitative characteristic of a feature
111022 | Detection Performed | The type of finding sought after by a specific algorithm applied to one image
111023 | Differential Diagnosis/Impression | A general change that occurred within an imaged area between a prior imaging procedure and the current imaging procedure
111024 | Failed Analyses | A group of analysis algorithms that were attempted, but failed
111025 | Failed Detections | A group of detection algorithms that were attempted, but failed
111026 | Horizontal Pixel Spacing | For projection radiography, the horizontal physical distance measured at the front plane of an Image Receptor housing between the center of each pixel. For tomographic images, the horizontal physical distance in the patient between the center of each pixel
111027 | Image Laterality | Laterality of (possibly paired) body part contained in an image
111028 | Image Library | A container that references all image data used as evidence to produce a report
111029 | Image Quality Rating | A numeric value in the range 0 to 100, inclusive, where 0 is worst quality and 100 is best quality
111030 | Image Region | Purpose of reference for an SCOORD content item that identifies a specific region of interest within an image
111031 | Image View | The projection of the anatomic region of interest on an image receptor
111032 | Image View Modifier | Modifier for Image View

111033 | Impression Description | Free-form text describing the overall or an individual impression
111034 | Individual Impression/Recommendation | A container for a group of related results from interpretation of one or more images and associated clinical information
111035 | Lesion Density | The X-Ray attenuation of a lesion relative to the expected attenuation of an equal volume of fibroglandular breast tissue
111036 | Mammography CAD Report | A structured report containing the results of computer-aided detection or diagnosis applied to breast imaging and associated clinical information
111037 | Margins | The characteristic of the boundary, edges or border of a detected lesion
111038 | Number of calcifications | The quantity of calcifications detected within an identified group or cluster
111039 | Object type | A non-lesion object identified within one or more images
111040 | Original Source | Purpose of reference for a COMPOSITE content item that identifies it as the original source of evidence for another content item in the report
111041 | Outline | Purpose of reference for an SCOORD content item that identifies the outline or bounding region of a finding or feature
111042 | Pathology | The inferred type of disease associated with an identified feature
111043 | Patient Orientation Column | The patient orientation relative to the image plane, specified by a value that designates the anatomical direction of the positive column axis (top to bottom)
111044 | Patient Orientation Row | The patient orientation relative to the image plane, specified by a value that designates the anatomical direction of the positive row axis (left to right)
111045 | Pectoral Muscle Outline | Purpose of reference for an SCOORD content item that is an outline of the pectoral muscle tissue only
111046 | Percent Fibroglandular Tissue | Percent of breast area that is mammographically dense, excluding pectoralis muscle
111047 | Probability of cancer | The likelihood that an identified finding or feature is cancerous
111048 | Quadrant location | A location identifier based on the division of an area into four regions
111049 | Qualitative Difference | A qualitative characteristic of a feature that has changed over time
111050 | Quality Assessment | The effect of the quality of an image on its usability
111051 | Quality Control Standard | The quality control standard used to make a quality assessment
111052 | Quality Finding | A specific quality related deficiency detected within an image
111053 | Recommended Follow-up | Recommended type of follow-up to an imaging procedure, based on interpreted results
111054 | Recommended Follow-up Date | Recommended follow-up date to an imaging procedure, based on interpreted results
111055 | Recommended Follow-up Interval | Recommended follow-up interval to an imaging procedure, based on interpreted results
111056 | Rendering Intent | The recommendation of the producer of a content item regarding presentation of the content item by recipients of the report
111057 | Scope of Feature | An indication of how widespread the detection of a feature is within the analyzed image data set
111058 | Selected Region Description | A textual description of the contents of a selected region identified within an image
111059 | Single Image Finding | An item that was detected on one image
111060 | Study Date | Date on which the acquisition of the study information was started
111061 | Study Time | Time at which the acquisition of the study information was started
111062 | Successful Analyses | A group of analysis algorithms that were attempted and completed successfully
111063 | Successful Detections | A group of detection algorithms that were attempted and completed successfully
111064 | Summary of Detections | An overall indication of whether the CAD detection algorithms applied were completed successfully
111065 | Summary of Analyses | An overall indication of whether the CAD analysis algorithms applied were completed successfully
111066 | Vertical Pixel Spacing | For projection radiography, the vertical physical distance measured at the front plane of an Image Receptor housing between the center of each pixel. For tomographic images, the vertical physical distance in the patient between the center of each pixel
111069 | Crosstable | A radiographic projection that has been with the patient lying on a table with the X-Ray source on one side of the table and the detector on the other; e.g. may describe a cross-table cervical spine, chest or pelvis X-Ray image
111071 | CAD Operating Point | One of a number of discrete points on the Receiver-Operator Characteristics (ROC) curve that reflects the expected sensitivity and specificity of a CAD algorithm, where zero indicates the highest specificity, lowest sensitivity operating point. The value should not exceed the Maximum CAD Operating Point
111072 | Maximum CAD Operating Point | The maximum value of CAD Operating Point for the specific CAD algorithm used
111081 | CAD Operating Point Description | The intended interpretation of a CAD Operating Point
111086 | False Markers per Image | The number of false CAD markers per image. Correlates to inverse of Image Specificity
111087 | False Markers per Case | The number of false markers per collection of images that are CAD processed as a group. Correlates to inverse of Case Specificity
111088 | Case Sensitivity | The percentage of cancers that should be detected by a CAD algorithm where CAD marks the cancers in at least one view
111089 | Lesion Sensitivity | The percentage of cancers that should be detected by a CAD algorithm where CAD marks the cancers in each view
111090 | Case Specificity | The percentage of cases (collections of images CAD processed as a group) without cancer that have no CAD findings whatsoever. Correlates to inverse of False Markers per Case
111091 | Image Specificity | The percentage of images without cancer that have no CAD findings whatsoever. Correlates to inverse of False Markers per Image
111092 | Recommended CAD Operating Point | The CAD operating point that is recommended for initial display by the creator of the structured report
111093 | CAD Operating Point Table | A list of CAD operating points including their corresponding characteristics
111099 | Selected region | A specific area of interest noted within an image
111100 | Breast geometry | The surface shape of all or a portion of breast related anatomy
111101 | Image Quality | Image quality incorporates the following clinical image evaluation parameters: assessment of positioning, compression, artifacts, exposure, contrast, sharpness, and labeling
111102 | Non-lesion | A finding or feature that is identified as a non-anatomic foreign object
111103 | Density | A space-occupying lesion identified in a single image or projection | Deprecated

111104 | Individual Calcification | A single identified calcification | Deprecated
111105 | Calcification Cluster | Multiple calcifications identified as occupying a small area of tissue (less than 2 cc) | Deprecated
111111 | Cooper's ligament changes | Straightening or thickening of Cooper's ligaments
111112 | Mass in the skin | An abnormality noted at imaging within the dermis of the breast
111113 | Mass on the skin | An abnormality noted at imaging on the epidermis of the breast
111120 | Post Procedure Mammograms for Marker Placement | An assessment category to indicate that images have been acquired to assess marker placement following a breast interventional procedure
111121 | Follow-up post biopsy as directed by clinician | An indication that the patient should seek post procedural follow-up directives from a clinical health care provider
111122 | Known biopsy proven malignancy - take appropriate action | A recommendation on a patient with known cancer to take steps appropriate to the diagnosis
111123 | Marker placement | Positioning of a radiopaque marker
111124 | Personal history of breast cancer with mastectomy | Patient has previous diagnosis of breast cancer resulting in mastectomy
111125 | Known biopsy proven malignancy | Patient has had biopsy containing proven malignancy
111126 | Image detected mass | Patient has a finding of mass reported on a prior imaging exam
111127 | Targeted | A breast imaging procedure performed on a specific area of the breast
111128 | Survey | A breast imaging procedure performed on the entire breast
111129 | Clustered microcysts | A cluster of tiny anechoic foci each smaller than 2-3 mm in diameter with thin (less than 0.5 mm) intervening septations and no discrete solid components
111130 | Complicated cyst | A fluid filled mass most commonly characterized by homogeneous low-level internal echoes on ultrasound
111135 | Additional projections | Views not inclusive of MLO and CC (BI-RADS®)
111136 | Spot magnification view(s) | A spot or coned down compression of the breast providing a reduction in the thickness and a magnification of the localized area of interest and improved separation of breast tissue
111137 | Ultrasound | Use of sound waves to visualize muscles, tendons, and many internal organs, to capture their size, structure and any pathological lesions with real time tomographic images. | Deprecated
111138 | Old films for comparison | Obtain previous mammography studies to compare to present study
111139 | Ductography | A medical procedure used for the sampling of mammary duct tissue | Deprecated
111140 | Normal interval follow-up | Follow up study at 12 months for women 40 years of age having a prior negative study and no mitigating risk factors for breast cancer
111141 | Any decision to biopsy should be based on clinical assessment | Any decision to perform tissue acquisition should be based on clinical assessment
111142 | Follow-up at short interval (1-11 months) | Follow-up at short interval (1-11 months)
111143 | Biopsy should be considered | Tissue acquisition should be considered
111144 | Needle localization and biopsy | Breast tissue acquisition following the identification of an area of concern with the placement of a needle or needle-wire assembly
111145 | Histology using core biopsy | Pathologic analysis of breast tissue and lesions using core tissue samples
111146 | Suggestive of malignancy - take appropriate action | Lesions that do not have the characteristic morphologies of breast cancer but have a definite probability of being malignant. There is a sufficient concern to urge a biopsy
111147 | Cytologic analysis | Cellular analysis of specimen
111148 | Biopsy should be strongly considered | Tissue acquisition should be strongly considered
111149 | Highly suggestive of malignancy - take appropriate action | Lesions have a high probability of being cancer, which require additional action
111150 | Presentation Required: Rendering device is expected to present | The producer of a report intends for a recipient of the report to present or display the associated content item
111151 | Presentation Optional: Rendering device may present | The producer of a report considers the presentation or display of the associated content item by a recipient to be optional
111152 | Not for Presentation: Rendering device expected not to present | The producer of a report intends for a recipient of the report NOT to present or display the associated content item
111153 | Target content items are related temporally | The associated content items are identified as being the same finding or feature at different points in time
111154 | Target content items are related spatially | The associated content items are identified as being the same finding or feature on different projections taken at the same point in time
111155 | Target content items are related contra-laterally | The associated content items are identified as being related side-to-side
111156 | Feature detected on the only image | There is one image in the interpreted data set
111157 | Feature detected on only one of the images | There is more than one image of the same modality in the interpreted data set
111158 | Feature detected on multiple images | There is more than one image of the same modality in the interpreted data set
111159 | Feature detected on images from multiple modalities | The interpreted data set contains images from multiple modalities
111168 | Scar tissue | The fibrous tissue replacing normal tissues destroyed by disease or injury | Deprecated
111170 | J Wire | A medical appliance used for localization of non palpable breast lesions to insure that the proper area is removed in a surgical biopsy | Deprecated
111171 | Pacemaker | A medical appliance used for regulating cardiac rhythms | Deprecated
111172 | Paddle | A compression device used for obtaining mammographic images | Deprecated
111173 | Collimator | A device used for restricting an X-Ray beam | Deprecated
111174 | ID Plate | An area designated on a radiographic film for facility and patient ID information | Deprecated
111175 | Other Marker | Site specific markers
111176 | Unspecified | The value of the concept is not specified
111177 | View and Laterality Marker is missing | Image quality deficiency according to MQSA
111178 | View and Laterality Marker does not have both view and laterality | Image quality deficiency according to MQCM
111179 | View and Laterality Marker does not have approved codes | Image quality deficiency according to MQCM
111180 | View and Laterality Marker is not near the axilla | Image quality deficiency according to MQCM

111181 | View and Laterality Marker overlaps breast tissue | Image quality deficiency according to MQCM
111182 | View and Laterality Marker is partially obscured | Image quality deficiency according to MQCM
111183 | View and Laterality Marker is incorrect | Image quality deficiency
111184 | View and Laterality Marker is off image | Image quality deficiency
111185 | Flash is not near edge of film | Image quality deficiency according to MQCM
111186 | Flash is illigible, does not fit, or is lopsided | Image quality deficiency according to MQSA
111187 | Flash doesn't include patient name and additional patient id | Image quality deficiency according to MQCM
111188 | Flash doesn't include date of examination | Image quality deficiency according to MQCM
111189 | Flash doesn't include facility name and location | Image quality deficiency according to MQSA
111190 | Flash doesn't include technologist identification | Image quality deficiency according to MQCM
111191 | Flash doesn't include cassette/screen/detector identification | Image quality deficiency according to MQCM
111192 | Flash doesn't include mammography unit identification | Image quality deficiency according to MQCM
111193 | Date sticker is missing | Image quality deficiency according to MQCM
111194 | Technical factors missing | Image quality deficiency according to MQCM
111195 | Collimation too close to breast | Image quality deficiency according to MQCM
111196 | Inadequate compression | Image quality deficiency according to MQCM
111197 | MLO Insufficient pectoral muscle | Image quality deficiency according to MQCM
111198 | MLO No fat is visualized posterior to fibroglandular tissues | Image quality deficiency according to MQCM
111199 | MLO Poor separation of deep and superficial breast tissues | Image quality deficiency according to MQCM
111200 | MLO Evidence of motion blur | Image quality deficiency according to MQCM
111201 | MLO Inframammary fold is not open | Image quality deficiency according to MQCM
111202 | CC Not all medial tissue visualized | Image quality deficiency according to MQCM
111203 | CC Nipple not centered on image | Image quality deficiency according to MQCM
111204 | CC Posterior nipple line does not measure within 1 cm of MLO | Image quality deficiency according to MQCM
111205 | Nipple not in profile | Image quality deficiency
111206 | Insufficient implant displacement incorrect | Image quality deficiency according to MQCM
111207 | Image artifact(s) | Signals that do not faithfully reproduce actual anatomic structures because of distortion or of addition or deletion of information
111208 | Grid artifact(s) | Feature(s) arising from the acquisition unit's anti-scatter grid mechanism. For two-dimensional systems, such features include those of mechanically damaged or incorrectly positioned grids. For moving or Bucky grids, artifacts may result from intentional grid motion that is inadequate in duration or velocity uniformity
111209 | Positioning | Inadequate arrangement of the anatomy of interest with respect to the X-Ray field and image detector sensitive area. Examples: 1) positioning is "cutoff" when the projection of anatomy of interest falls outside the sensitive area of the detector; 2) "cone cut", in which the X-Ray field does not adequately cover the anatomy of interest; 3) detector's sensitive surface is too small to cover the projection of the anatomy of interest; 4) improper angular orientation or "rotation" of anatomy of interest with respect to the X-Ray source, or detector; 5) projection of other anatomy or clothing over the anatomy of interest in the image
111210 | Motion blur | Unacceptable image blur resulting from motion of the anatomy of interest during exposure or the inadequately compensated motion of X-Ray source with respect to the image detector during exposure
111211 | Under exposed | Inadequate number of quanta reached the detector during exposure. Reasons for under exposed images include low kVp, low mAs product, excess Source Image Distance. Under exposed images have inadequate signal and higher noise in the areas of interest
111212 | Over exposed | An excess number of quanta reached the detector during exposure. Reasons for over exposed images include high kVp, high mAs product, short Source Image Distance. Over exposed images have high signal and lower noise in the areas of interest. Over exposed area may demonstrate lack of contrast from over saturation of the detector
111213 | No image | No evidence of a patient exposure
111214 | Detector artifact(s) | Superposed features or flaws of the detector
111215 | Artifact(s) other than grid or detector artifact | Features or discontinuities arising from causes other than the anti-scatter grid and image detector
111216 | Mechanical failure | Failure of the device to operate according to mechanical design specifications
111217 | Electrical failure | Failure of a device to operate according to electrical design specifications
111218 | Software failure | Attributable to software used in generation or handling of image
111219 | Inappropriate image processing | Images processed inappropriately, not following appropriate protocol
111220 | Other failure | Failure that is not mechanical or electrical or otherwise described
111221 | Unknown failure | Unidentified or unknown cause of failure
111222 | Succeeded | The attempted process was completely successful
111223 | Partially Succeeded | The attempted process succeeded in some ways, but failed in others
111224 | Failed | The attempted process completely failed
111225 | Not Attempted | No process was performed
111233 | Individual Impression / Recommendation Analysis | Analysis of a related group of findings or features detected during image data inspection, to produce a summary impression and/or recommendation
111234 | Overall Impression / Recommendation Analysis | Analysis of all groups of findings or features, to produce a single impression and/or recommendation
111235 | Unusable - Quality renders image unusable | The usability of an image for diagnostic interpretation or CAD, based on a quality control standard
111236 | Usable - Does not meet the quality control standard | The usability of an image for diagnostic interpretation or CAD, based on a quality control standard
111237 | Usable - Meets the quality control standard | The usability of an image for diagnostic interpretation or CAD, based on a quality control standard
111238 | Mammography Quality Control Manual 1999, ACR | An image quality control standard specified by the American College of Radiology
111239 | Title 21 CFR Section 900, Subpart B | An image quality control standard in the US Code of Federal Regulations
111240 | Institutionally defined quality control standard | An image quality control standard specified or adopted by the institution responsible for the document

111241 | All algorithms succeeded; without findings | No findings resulted upon successful completion of all attempted computer-aided detection and/or analysis
111242 | All algorithms succeeded; with findings | One or more findings resulted upon successful completion of all attempted computer-aided detection and/or analysis
111243 | Not all algorithms succeeded; without findings | No findings resulted from the attempted computer-aided detection and/or analysis, but one or more failures occurred in the process
111244 | Not all algorithms succeeded; with findings | One or more findings resulted from the attempted computer-aided detection and/or analysis, but one or more failures occurred in the process
111245 | No algorithms succeeded; without findings | All of the attempted computer-aided detection and/or analysis failed, so there could be no findings
111248 | Adenolipoma | A benign tumor having glandular characteristics but composed of fat, with the presence of normal mammary ducts | Deprecated
111249 | Ductal hyperplasia | Hyperplasia is also known as epithelial hyperplasia or proliferative breast disease. It's an overgrowth of the cells that line the ducts or the lobules. Based on how the cells look under a microscope, the hyperplasia is called either ductal hyperplasia (also called duct epithelial hyperplasia) or lobular hyperplasia. Based on the pattern of the cells, hyperplasia may be called usual or atypical. In usual hyperplasia, the pattern of cells is very close to normal. Atypical hyperplasia (or hyperplasia with atypia) is a term used when the cells are more distorted. FROM: http://www.cancer.org/healthy/findcancerearly/womenshealth/non-cancerousbreastconditions/non-cancerous-breast-conditions-hyperplasia | Deprecated
111250 | Adenomyoepithelioma | Neoplasms composed of myoepithelial cells | Deprecated
111251 | Normal axillary node | Axillary node that is normal in appearance with no associated pathology
111252 | Axillary node with calcifications | Axillary node containing calcifications
111253 | Axillary node hyperplasia | Excessive proliferation of normal tissue arrangement of the axillary node
111254 | Asynchronous involution | | Deprecated
111255 | Benign cyst with blood | Cyst with benign morphology containing blood
111256 | Benign Calcifications | Calcifications having typically benign morphology. They are not of intermediate or high probability of concern for malignancy
111257 | Intracystic papilloma | Growing within a cystic adenoma, filling the cavity with a mass of branching epithelial processes | Deprecated
111258 | Ductal adenoma | Adenoma located in mammary duct, present as discrete sclerotic nodules, solitary or multiple
111259 | Diabetic fibrous mastopathy | The occurrence of fibrous tumor-forming stromal proliferation in patients with diabetes mellitus
111260 | Extra abdominal desmoid | A deep seated firm tumor frequently occurring on the chest consisting of collagenous tissue that infiltrates surround muscle; frequently recurs but does not metastasize | Deprecated
111262 | Epidermal inclusion cyst | A cyst formed of a mass of epithelial cells, as a result of trauma has been pushed beneath the epidermis. The cyst is lined with squamous epithelium and contains concentric layers or keratin | Deprecated
111263 | Fibroadenomatoid hyperplasia | Excessive proliferation of fibroadenoma tissue
111264 | Fibroadenolipoma | A lipoma with an abundant stroma of fibrous tissue
111265 | Foreign body (reaction) | | Deprecated
111269 | Galactocele | Retention cyst caused by occlusion of a lactiferous duct | Deprecated
111271 | Hemangioma - nonparenchymal, subcutaneous | A congenital anomaly that leads to a proliferation of blood vessels leading to a mass that resembles a neoplasm, not located in parenchymal areas but subcutaneous | Deprecated
111273 | Hyperplasia, usual | Hyperplasia is also known as epithelial hyperplasia or proliferative breast disease. It's an overgrowth of the cells that line the ducts or the lobules. Based on how the cells look under a microscope, the hyperplasia is called either ductal hyperplasia (also called duct epithelial hyperplasia) or lobular hyperplasia. FROM: http://www.cancer.org/healthy/findcancerearly/womenshealth/non-cancerousbreastconditions/non-cancerous-breast-conditions-hyperplasia | Deprecated
111277 | Juvenile papillomatosis | A form of fibrocystic disease in young woman with florid and sclerosing adenosis that microscopically may suggest carcinoma
111278 | Lactating adenoma | Enlarging masses during lactation. A circumscribed benign tumor composed primarily of glandular structures with scanty stroma, with prominent secretory changes in the duct | Deprecated
111279 | Lactational change | Changes related to the process of lactation
111281 | Large duct papilloma | A papilloma pertaining to large mammary duct
111283 | Myofibroblastoma | Solitary or multiple tumors of muscles and fibrous tissues, or tumors composed of myofibroblasts | Deprecated
111284 | Microglandular adenosis | Irregular clusters of small tubules are present in adipose or fibrous tissue, resembling tubular carcinoma but lacking stromal fibroblastic proliferation
111285 | Multiple Intraductal Papillomas | Papilloma typically involving an aggregate of adjacent ducts in the periphery of the breast, likely representing involvement of several foci of one or two duct systems
111286 | No abnormality | No abnormality
111287 | Normal breast tissue | Normal breast tissue
111288 | Neurofibromatosis | Condition in which there are tumors of various sizes on peripheral nerves. They may be neuromas or fibromas | Deprecated
111290 | Oil cyst (fat necrosis cyst) | A cyst resulting from the loss of the epithelial lining of a sebaceous dermoid or lacteal cyst
111291 | Post reduction mammoplasty | Breast tissue with characteristics of a benign nature, following breast reduction surgery
111292 | Pseudoangiomatous stromal hyperplasia | A benign stromal lesion composed of intermixed stromal and epithelial elements. The lobular and duct structures of the breast parenchyma are separated by an increased amount of stroma, non specific proliferative epithelial changes include hyperplasia of duct and lobular epithelium often with accentuation of myoepithelial cells and aprocine metaplasia with or without cyst formation
111293 | Radial scar | An nonencapsulated stellate lesion consisting of a fibroelastic core and radiating bands of fibrous connective tissue containing lobules manifesting adenosis and ducts with papillary or diffuse intraductal hyperplasia | Deprecated
111294 | Sclerosing adenosis | Prominent interductal fibrosis of the terminal ductules | Deprecated
111296 | Silicone granuloma | Nodular inflammatory lesions due to the presence of silicone in the breast tissue
111297 | Nipple Characteristic | The morphologic status of the nipple
111298 | Virginal hyperplasia | Spontaneous excessive proliferation of breast tissue, usually found in younger women
111299 | Peripheral duct papillomas | Papilloma(s) pertaining the peripheral ducts
111300 | Axillary node with lymphoma | Axillary node with lymphoid tissue neoplasm

111301 | Axillary nodal metastases | Metastatic disease to the axillary node
111302 | Angiosarcoma | A malignant neoplasm occurring most often in breast and skin, believed to originate from endothelial cells of blood vessels, microscopically composed of closely packed round or spindle shaped cells, some of which line small spaces resembling vascular clefts | Deprecated
111303 | Blood vessel (vascular) invasion | Histological changes to the vascular system related to an invasive process
111304 | Carcinoma in children | Carcinoma of the breast found in patients less than 20 years of age
111305 | Carcinoma in ectopic breast | A carcinoma found in supernumerary breasts and aberrant breast tissue
111306 | Carcinoma with endocrine differentiation | A carcinoma that synthesizes substances, including hormones, not considered to be normal products of the breast
111307 | Basal cell carcinoma of nipple | A basal cell carcinoma that arises in the nipple of the breast
111308 | Carcinoma with metaplasia | Metaplastic carcinoma is cancer that begins in cells that have changed into another cell type (for example, a squamous cell of the esophagus changing to resemble a cell of the stomach). In some cases, metaplastic changes alone may mean there is an increased chance of cancer developing at the site. Metaplastic carcinoma is a relatively uncommon type of cancer with treatment generally similar to that of invasive ductal carcinoma of no special type.[1] FROM: https://en.wikipedia.org/wiki/Metaplastic_carcinoma | Deprecated
111309 | Cartilaginous and osseous change | Tissue changes to bones and cartilage
111310 | Carcinoma in pregnancy and lactation | Carcinoma of the breast presenting during pregnancy or lactation
111311 | Carcinosarcoma | A malignant neoplasm that contains elements of carcinoma and sarcoma, so extensively intermixed as to indicate neoplasia of epithelial and mesenchymal tissue | Deprecated
111312 | Intraductal comedocarcinoma with necrosis | Comedocarcinoma of a duct with areas of necrotic tissue
111313 | Intraductal carcinoma, low grade | A non-invasive carcinoma restricted to the glandular lumen characterized by less aggressive malignant cytologic features and behavior
111314 | Intraductal carcinoma micro-papillary | Papillary and micropapillary Ductal Carcinoma In Situ (DCIS): the cancer cells arrange themselves in a fern-like pattern within the affected breast ducts; micropapillary DCIS cells are smaller than papillary DCIS cells. FROM: http://www.imaginis.com/breast-cancer-diagnosis/ductal-carcinoma-in-situ-dcis-3 | Deprecated
111315 | Intracystic papillary carcinoma | A malignant neoplasm characterized by the formation of numerous, irregular, finger-like projections of fibrous stroma that is covered with a surface layer of neoplastic epithelial cells found in a cyst
111316 | Invasive and in-situ carcinoma | Carcinoma with both characteristics of localized and spreading disease
111317 | Invasive lobular carcinoma | Invasive lobular carcinoma is a type of breast cancer that begins in the milk-producing glands (lobules) of the breast. Invasive cancer means the cancer cells have broken out of the lobule where they began and have the potential to spread to the lymph nodes and other areas of the body. Invasive lobular carcinoma typically doesn't form a lump, which is common in breast cancer. Instead, there is a change in the breast that feels like a thickening or fullness in one part of the breast and is different from the surrounding breast tissue. FROM: http://www.mayoclinic.org/diseases-conditions/invasive-lobular-carcinoma/basics/definition/con-20033968 | Deprecated
111318 | Leukemic infiltration | Mammary infiltrates as a secondary manifestation in patients with established leukemia
111320 | Lympathic vessel invasion | Histological changes to the lymphatic system related to an invasive process
111321 | Lymphoma | A heterogeneous group of neoplasms arising in the reticuloendoethelial and lymphatic systems | Deprecated
111322 | Occult carcinoma presenting with axillary lymph node metastases | A small carcinoma, either asymptomatic or giving rise to metastases without symptoms due to the primary carcinoma presenting with metastatic disease in the axillary lymph nodes
111323 | Metastatic cancer to the breast | A malignant lesion in the breast with morphologic patterns not typical of breast carcinoma arising from a non-mammary malignant neoplasm
111324 | Metastatic cancer to the breast from the colon | A malignant lesion in the breast with morphologic patterns not typical of breast carcinoma arising from a neoplasm in the colon
111325 | Metastatic cancer to the breast from the lung | A malignant lesion in the breast with morphologic patterns not typical of breast carcinoma arising from a neoplasm in the lung
111326 | Metastatic melanoma to the breast | A malignant lesion in the breast with morphologic patterns not typical of breast carcinoma arising from a melanoma
111327 | Metastatic cancer to the breast from the ovary | A malignant lesion in the breast with morphologic patterns not typical of breast carcinoma arising from a neoplasm in the ovary
111328 | Metastatic sarcoma to the breast | A malignant lesion in the breast with morphologic patterns not typical of breast carcinoma arising from a sarcoma
111329 | Multifocal intraductal carcinoma | Multiple foci of non-invasive carcinoma restricted to the glandular lumen
111330 | Metastatic disease to axillary node | A malignant lesion in an axillary node arising from a non-axillary neoplasm
111331 | Malignant fibrous histiocytoma | Pleomorphic undifferentiated sarcoma (abbreviated PUS), also undifferentiated pleomorphic sarcoma and previously malignant fibrous histiocytoma (abbreviated MFH), is a type of soft tissue sarcoma. FROM: https://en.wikipedia.org/wiki/Pleomorphic_undifferentiated_sarcoma | Deprecated
111332 | Multifocal invasive ductal carcinoma | Multiple sites of ductal carcinoma
111333 | Metastasis to an intramammary lymph node | A malignant lesion in a intramammary lymph node arising from a non-intramammary lymph node neoplasm
111334 | Malignant melanoma of nipple | A malignant melanoma of the skin that arises in the nipple of the breast
111335 | Neoplasm of the mammary skin | | Deprecated
111336 | Papillary carcinoma in-situ | Papillary and micropapillary Ductal Carcinoma In Situ (DCIS): the cancer cells arrange themselves in a fern-like pattern within the affected breast ducts; micropapillary DCIS cells are smaller than papillary DCIS cells. FROM: http://www.imaginis.com/breast-cancer-diagnosis/ductal-carcinoma-in-situ-dcis-3 | Deprecated
111338 | Recurrent malignancy | Recurrent malignancy
111340 | Squamous cell carcinoma of the nipple | Squamous cell carcinoma to the terminal portion of the alveolar
111341 | Intraductal carcinoma, high grade | A non-invasive carcinoma restricted to the glandular lumen characterized by more aggressive malignant cytologic features and behavior
111342 | Invasive cribriform carcinoma | Invasive tumor with cribriform pattern similar to cribriform DCIS. Low grade, cribriform appearance (well defined spaces formed by arches of cells) similar to cribriform DCIS but with larger cells, more cytoplasm and more vesicular nuclei: Tumor cells are small, often have apical snouts, mild/moderate nuclear pleomorphism; Also stromal invasion by islands of cells, often angulated; May have predominantly solid appearance; Associated with cribriform DCIS; Often mixed with tubular carcinoma. FROM: http://www.pathologyoutlines.com/topic/breastmalignantcribriform.html | Deprecated
111343 | Angular margins | An indication that some or all of the margin of a lesion has sharp corners, often forming acute angles

111344 | Fine pleomorphic calcification | Calcifications that vary in sizes and shapes and are usually smaller than0.5 mm in diameter
111345 | Macrocalcifications | Coarse calcifications that are 0.5 mm or greater in size
111346 | Calcifications within a mass | An indicator that calcifications are imbedded within a mass
111347 | Calcifications outside of a mass | An indicator that calcifications are imaged outside of a mass finding
111350 | Breast background echotexture | Tissue composition of the breast noted on sonography
111351 | Homogeneous fat echotexture | Fat lobules and uniformly echogenic bands of supporting structures comprise the bulk of breast tissue
111352 | Homogeneous fibroglandular echotexture | A uniformly echogenic layer of fibroglandular tissue is seen beneath a thin layer of subcutaneous fat
111353 | Heterogeneous echotexture | The breast texture is characterized by multiple small areas of increased and decreased echogenicity
111354 | Orientation | Referential relationship of the finding to the imaging device as noted on sonography
111355 | Parallel | The long axis of a lesion parallels the skin line ("wider-than-tall" or in a horizontal orientation)
111356 | Not parallel | The anterior-posterior or vertical dimension is greater than the transverse or horizontal dimension
111357 | Lesion boundary | The lesion boundary describes the transition zone between themas and the surrounding tissue
111358 | Abrupt interface | The sharp demarcation between the lesion and surrounding tissue can be imperceptible or a distinct well-defined echogenic rim of any thickness
111359 | Echogenic halo | There is no sharp demarcation between the mass and the surrounding tissue, which is bridged by an echogenic transition zone
111360 | Echo pattern | An imaging characteristic of resonance noted during sonography
111361 | Anechoic | Without internal echoes
111362 | Hyperechoic | Having increased echogenicity relative to fat or equal to fibroglandular tissue
111363 | Complex | Mass contains both anechoic and echogenic components
111364 | Hypoechoic | Defined relative to fat; masses are characterized by low-level echoes throughout; e.g. appearance of a complicated cyst or fibroadenoma
111365 | Isoechoic | Having the same echogenicity as fat (a complicated cyst or fibroadenoma may be isoechoic or hypoechoic)
111366 | Posterior acoustic features | The attenuation characteristics of a mass with respect to its acoustic transmission
111367 | No posterior acoustic features | No posterior shadowing or enhancement
111368 | Posterior enhancement | Increased posterior echoes
111369 | Posterior shadowing | Decreased posterior echoes; edge shadows are excluded
111370 | Combined posterior enhancement and shadowing | More than one pattern of posterior attenuation, both shadowing and enhancement
111371 | Identifiable effect on surrounding tissues | Sonographic appearance of adjacent structures relative to a mass finding
111372 | Vascularity | Characterization of vascularization in region of interest
111373 | Vascularity not present | Vascularity not evident, such as on ultrasound
111374 | Vascularity not assessed | Vascularity not evaluated
111375 | Vascularity present in lesion | Vascularity on imaging is seen within a lesion
111376 | Vascularity present immediately adjacent to lesion | Vascularity on imaging is seen immediately adjacent to a lesion
111377 | Diffusely increased vascularity in surrounding tissue | Vascularity on imaging is considered diffusely elevated within the surrounding breast tissue
111380 | Correlation to other Findings | Relationship of the new anomaly to other clinical or imaging anomalies
111381 | Correlates to physical exam findings | An indication that the current imaging finding relates to a finding from a clinical breast exam
111382 | Correlates to mammography findings | An indication that the current imaging finding relates to a finding from a mammography exam
111383 | Correlates to MRI findings | An indication that the current imaging finding relates to a finding from a breast MRI exam
111384 | Correlates to ultrasound findings | An indication that the current imaging finding relates to a finding from a breast ultrasound exam
111385 | Correlates to other imaging findings | An indication that the current imaging finding relates to a finding from an imaging exam
111386 | No correlation to other imaging findings | An indication that the current imaging finding has no relation to findings from any other imaging exam
111387 | No correlation to clinical findings | An indication that the current imaging finding has no relation to any other clinical findings
111388 | Malignancy Type | Classification of the cancer as invasive, DCIS, or other
111389 | Invasive breast carcinoma | A malignancy that has spread beyond an area of focus
111390 | Other malignancy type | A breast cancer with malignant pathology findings that are not classified as invasive or in situ
111391 | Menstrual Cycle Phase | A specific timeframe during menses
111392 | 1st week | In the first week of the menstrual cycle phase, that is, one week following menses
111393 | 2nd week | In the second week of the menstrual cycle phase, that is, two weeks following menses
111394 | 3rd week | In the third week of the menstrual cycle phase, that is, three weeks following menses
111395 | Estimated Timeframe | An estimated period of time
111396 | < 3 months ago | An event occurred less than 3 months ago
111397 | 4 months to 1 year ago | An event occurred between 4 months and 1 year ago
111398 | > 1 year ago | An event occurred longer than 1 year ago
111399 | Timeframe uncertain | The timing of an event is not recalled
111400 | Breast Imaging Report | Report title for the diagnostic report for one or more breast imaging or intervention procedures
111401 | Reason for procedure | Concept name for the description of why a procedure has been performed
111402 | Clinical Finding | A finding during clinical examination (i.e., history and physical examination) such as pain, palpable mass or discharge
111403 | Baseline screening mammogram | First screening mammogram taken for patient that is used as a comparison baseline for further examinations

111404 | First mammogram ever | First mammogram taken for a patient without regard to whether it was for screening or a diagnostic procedure
111405 | Implant type | Concept name for the material of which a breast prosthetic device is constructed
111406 | Number of similar findings | A numeric count of findings classified as similar in nature
111407 | Implant finding | Concept name for the status of a breast prosthetic device as noted by imaging
111408 | Film Screen Mammography | Mammogram using traditional X-Ray film
111409 | Digital Mammography | Mammogram using a digital image acquisition system
111410 | Surgical consult | Referred for evaluation by a surgeon
111411 | Mammography CAD | Computer aided detection and/or computer aided diagnosis for mammography
111412 | Narrative Summary | Concept name for a text-based section of a report
111413 | Overall Assessment | A title for a report section that summarizes all interpretation results for a report with one overriding assessment; e.g. benign or negative
111414 | Supplementary Data | Concept name for a collection of supporting evidence for a report
111415 | Additional evaluation requested from prior study | Prior study indicates that additional imaging be performed to further evaluate a suspicious or questionable anatomic region
111416 | Follow-up at short interval from prior study | The prior study recommended a follow-up breast imaging exam in 1 to 11 months (generally in 6 months)
111417 | History of breast augmentation, asymptomatic | Prior breast augmentation (breast enlargement) and is not presenting with any symptoms
111418 | Review of an outside study | Review or second opinion made on an image performed outside of the facility
111419 | Additional evaluation requested from abnormal screening exam | Additional breast imaging performed at the time of the patient's screening mammogram
111420 | History of benign breast biopsy | Patient has had previous benign breast biopsies
111421 | Personal history of breast cancer with breast conservation therapy | Patient has had a prior surgery such as a lumpectomy or quadrantectomy to remove malignant breast tissue, but breast tissue remains
111423 | Physical Examination Results | The results of a physical examination performed on the patient, possibly including the results of inspection, palpation, auscultation, or percussion
111424 | Comparison to previous findings | The result of assessing the current imaging exam in comparison to previous imaging exams
111425 | Intraluminal filling defect | An abnormality observed during ductography where the ductal system within the breast fills in an abnormal pattern. Ductography is an imaging exam in which a radio opaque contrast media is introduced into the ductal system of the breast through the nipple and images of the ductal system are obtained
111426 | Multiple filling defect | During ductography an observation of more than one filling abnormality within the breast ductal system
111427 | Abrupt duct termination | An abnormality observed during ductography where the ductal system within the breast terminates in an unusual fashion
111428 | Extravasation | Abnormal flowage of contrast media within the breast noted on ductography
111429 | Duct narrowing | An abnormality observed during ductography where the ductal system within the breast appears narrow
111430 | Cyst fill | During ductography an observation of the contrast media filling a cyst within the breast
111431 | Instrument Approach | The area and line within the anatomy through which a needle or instrument passes during an interventional procedure
111432 | Inferolateral to superomedial | The line within the anatomy from the lower outer to the upper inner aspect; e.g. through which a needle or instrument passes in an interventional procedure
111433 | Inferomedial to superolateral | The line within the anatomy from the lower inner to the upper outer aspect; e.g. through which a needle or instrument passes in an interventional procedure
111434 | Superolateral to inferomedial | The line within the anatomy from the upper outer to the lower inner aspect; e.g. through which a needle or instrument passes in an interventional procedure
111435 | Superomedial to inferolateral | The line within the anatomy from the upper inner to the lower outer aspect; e.g. through which a needle or instrument passes in an interventional procedure
111436 | Number of passes | The number of times a biopsy instrument is passed through an area of interest
111437 | Number of specimens | The number of biopsy specimens obtained from an interventional procedure
111438 | Needle in target | An indicator of whether or not a biopsy or localizing needle in an interventional procedure is seen to be in the area of interest
111439 | Number of needles around target | The number of localizing needles placed around the area of interest in an interventional procedure
111440 | Incision made | An indicator of whether or not an incision was made in the anatomy during an interventional procedure
111441 | Microclip placed | An indicator of whether or not a radio opaque microclip was placed in the anatomy during an interventional procedure | Deprecated
111442 | Confirmation of target | An indicator of the degree of success of an interventional procedure
111443 | Target completely contained in the specimen | An indicator that during an interventional procedure the area of interest was fully excised and is noted in the resultant biopsy specimen
111444 | Target partially obtained in the specimen | An indicator that during an interventional procedure the area of interest was partially excised and is noted in the resultant biopsy specimen
111445 | Target not in the specimen | An indicator that following an interventional procedure the area of interest is not seen in the resultant biopsy specimen
111446 | Calcifications seen in the core | An indicator that following an interventional procedure the targeted calcifications are noted in the resultant biopsy specimen
111447 | Lesion completely removed | An indicator that during an interventional procedure the area of interest was fully excised and is noted in the resultant biopsy specimen
111448 | Lesion partially removed | An indicator that during an interventional procedure the area of interest was partially excised and is noted in the resultant biopsy specimen
111449 | Fluid obtained | An indicator that during an interventional procedure fluid was successfully aspirated
111450 | Light brown color | Color that is a light shade of brown
111451 | Dark red color | Color that is a dark shade of red

111452 | Dark brown color | Color that is a dark shade of brown
111453 | Bright red color | Color that is a bright shade of red
111454 | Blood tinged color | Color that is tinged with the color of blood
111455 | Occult blood test result | An indicator of whether or not the fluid obtained during an interventional procedure contains red blood cells
111456 | Action on fluid | An indicator of whether or not fluid during an interventional procedure was sent for cytological analysis or simply discarded
111457 | Sent for analysis | An indicator that fluid obtained during an interventional procedure was sent to a laboratory for analysis
111458 | Discarded | An indicator that fluid obtained during an interventional procedure was discarded
111459 | Mass with calcifications | A radiopaque density noted during diagnostic imaging that has associated calcific densities
111460 | Complex cyst | A fluid-filled sac with greater than normal characteristics
111461 | Intracystic lesion | A tumor within a cyst
111462 | Solid mass | A tumor or lesion
111463 | Supplementary Data for Intervention | Supporting evidence for interpretation results of an interventional procedure
111464 | Procedure Modifier | A descriptor that further qualifies or characterizes a type of procedure
111465 | Needle Gauge | Needle size (diameter) characterization; e.g. of a biopsy needle
111466 | Severity of Complication | An indicator of the gravity of a problem experienced by a patient, related to a procedure that was performed
111467 | Needle Length | Distance from the hub or bushing to the tip of the needle
111468 | Pathology Results | The collection of observations and findings from pathologic analysis
111469 | Sampling DateTime | The date and time that the sample was collected from the patient
111470 | Uninvolved | Indicates that the margin of the biopsy specimen was not involved with the tumor
111471 | Involved | Indicates that the margin of the biopsy specimen was involved with the tumor
111472 | Nipple involved | Indicates whether the nipple was involved in an interventional procedure or pathologic analysis
111473 | Number of nodes removed | Indicates the number of lymph nodes removed
111474 | Number of nodes positive | Indicates the number of lymph nodes removed that contain cancer cells
111475 | Estrogen receptor | The result of a test for the presence of a protein that binds with estrogen
111476 | Progesterone receptor | The result of a test for the presence of a protein that binds with progesterone
111477 | S Phase | Indicates the percentage of cells in S phase. Cell division is defined by phases; the S phase is the stage during which DNA replicates
111478 | Non-bloody discharge (from nipple) | The visible emission of non-bloody fluid from the nipple
111479 | Difficult physical/clinical examination | The inability to discern normal versus abnormal breast tissue during palpation
111480 | Cancer elsewhere | An indication that a patient has or had a malignant occurrence in an area of the body other than the breast
111481 | Saline implant | A salt water filled prosthetic device implanted in the breast
111482 | Polyurethane implant | A polymer based (plastic) prosthetic device implanted in the breast
111483 | Percutaneous silicone injection | The introduction of polymeric organic silicon based material through the skin, as for breast augmentation or reconstruction
111484 | Combination implant | A prosthetic device that contains more than one material implanted in the breast
111485 | Pre-pectoral implant | A breast implant placed in front of the pectoralis major muscle
111486 | Retro-pectoral implant | A breast implant placed behind the pectoralis major muscle
111487 | Mammographic (crosshair) | Using X-Ray technique and a superimposed set of crossed lines for detection or placement
111488 | Mammographic (grid) | Using X-Ray technique and a superimposed aperture for detection or placement
111489 | Palpation guided | Using physical touch for detection or placement
111490 | Vacuum assisted | The performance of a biopsy procedure using a vacuum device attached to the biopsy needle
111491 | Abnormal discharge | Unusual or unexpected emission of fluid
111492 | No complications | Having experienced no adverse medical conditions related to or resulting from an interventional procedure
111494 | Stage 0 | TNM grouping of tumor stage, from AJCC, where primary tumor is Tis, regional lymph node is N0, and distant metastasis is M0
111495 | Stage I | TNM grouping of tumor stage, from AJCC, where primary tumor is T1, regional lymph node is N0, and distant metastasis is M0
111496 | Stage IIA | TNM grouping of tumor stage, from AJCC, where primary tumor is T0 or T1, with regional lymph node N1 and distant metastasis is M0, or T2 with N0 and M0
111497 | Stage IIB | TNM grouping of tumor stage, from AJCC, where primary tumor is T2, with regional lymph node N1 and distant metastasis is M0, or T3 with N0 and M0
111498 | Stage IIIA | TNM grouping of tumor stage, from AJCC, where primary tumor is T0, T1 or T2, with regional lymph node N2 and distant metastasis is M0, or T3 with N1 or N2 and M0
111499 | Stage IIIB | TNM grouping of tumor stage, from AJCC, where primary tumor is T4, regional lymph node is N0, N1 or N2, and distant metastasis is M0
111500 | Stage IIIC | TNM grouping of tumor stage, from AJCC, where primary tumor is any T value, regional lymph node is N3, and distant metastasis is M0
111501 | Stage IV | TNM grouping of tumor stage, from AJCC, where primary tumor is any T value, regional lymph node is any N value, and distant metastasis is M1
111502 | Bloom-Richardson Grade | Histologic tumor grade (sometimes called Scarff-Bloom-Richardson grade) is based on the arrangement of the cells in relation to each other -- whether they form tubules, how closely they resemble normal breast cells (nuclear grade) and how many of the cancer cells are in the process of dividing (mitotic count)
111503 | Normal implants | Breast prosthetic devices are intact, not leaking, and are in a normal shape and form
111504 | Asymmetric implants | Breast prosthetic devices are not symmetric, equal, corresponding in form, or are in one breast (unilateral)
111505 | Calcified implant | Fibrous or calcific contracture of the tissue capsule that forms around a breast prosthetic device
111506 | Distorted implant | Breast prosthetic device is twisted out of normal shape or form
111507 | Silicone-laden lymph nodes | Silicone from breast prosthetic device found in lymphatic tissue

111508 | Free silicone | Silicone found in breast tissue outside of the prosthetic capsule or implant membrane
111509 | Herniated implant | Protrusion of part of the structure normally encapsulating the content of the breast prosthetic device
111510 | Explantation | Evidence of removal of a breast prosthetic device
111511 | Relevant Patient Information for Breast Imaging | Historical patient health information of interest to the breast health clinician
111512 | Medication History | Information regarding usage by the patient of certain medications, such as hormones | Deprecated
111513 | Relevant Previous Procedures | Interventional or non-interventional procedures previously performed on the patient, such as breast biopsies
111514 | Relevant Indicated Problems | Abnormal conditions experienced by the patient that serve as the reason for performing a procedure, such as a breast exam | Deprecated
111515 | Relevant Risk Factors | Personal, familial, and other health factors that may indicate an increase in the patient's chances of developing a health condition or disease, such as breast cancer
111516 | Medication Type | A classification of a medicinal substance, such as hormonal contraceptive or antibiotic
111517 | Relevant Patient Information | Historical patient health information for general purpose use
111518 | Age when first menstrual period occurred | The age of the patient at the first occurrence of menses
111519 | Age at First Full Term Pregnancy | The age of the patient at the time of her first full term pregnancy
111520 | Age at Menopause | The age of the patient at the cessation of menses
111521 | Age when hysterectomy performed | The age of the patient at the time her uterus was removed
111522 | Age when left ovary removed | The age of the patient at the time she had her left ovary removed
111523 | Age when right ovary removed | The age of the patient at the time she had her right ovary removed
111524 | Age Started | The age of a patient on the first occurrence of an event, such as the first use of a medication
111525 | Age Ended | The age of a patient on the last occurrence of an event, such as the last use of a medication
111526 | DateTime Started | The date and time of the first occurrence of an event, such as the first use of a medication
111527 | DateTime Ended | The date and time of the last occurrence of an event, such as the last use of a medication
111528 | Ongoing | An indicator of whether an event is still in progress, such as the use of a medication or substance, or environmental exposure
111529 | Brand Name | Product name of a device or substance, such as medication, to identify it as the product of a single firm or manufacturer
111530 | Risk Factor modifier | A descriptor that further qualifies or characterizes a risk factor
111531 | Previous Procedure | A prior non-interventional exam or interventional procedure performed on a patient
111532 | Pregnancy Status | Describes the pregnancy state of a referenced subject
111533 | Indicated Problem | A symptom experienced by a patient that is used as the reason for performing an exam or procedure
111534 | Role of person reporting | The function of the individual who is reporting information on a patient, which could be a specific health care related profession, the patient him/herself, or a relative or friend
111535 | DateTime problem observed | The date and time that a symptom was noted
111536 | DateTime of last evaluation | The date and time of the most recent evaluation of an indicated problem
111537 | Family Member with Risk Factor | A patient's biological relative who exhibits a health factor that may indicate an increase in the patient's chances of developing a particular disease or medical problem
111538 | Age at Occurrence | The age at which an individual experienced a specific event, such as breast cancer
111539 | Menopausal phase | The current stage of an individual in her gynecological development
111540 | Side of Family | An indicator of paternal or maternal relationship
111541 | Maternal | Relating to biological female parentage
111542 | Unspecified gynecological hormone | A gynecological hormone for which the specific type is not specified; e.g. contraceptive, estrogen, Tamoxifen
111543 | Breast feeding history | An indicator of whether or not a patient ever provided breast milk to her offspring
111544 | Average breast feeding period | The average length of time that a patient provided breast milk to her offspring
111545 | Substance Use History | Information regarding usage by the patient of certain legal or illicit substances
111546 | Used Substance Type | A classification of a substance, such as alcohol or a legal or illicit drug
111547 | Environmental Exposure History | Information regarding exposure of the patient to potentially harmful environmental factors
111548 | Environmental Factor | A classification of a potentially harmful substance or gas in a subject's environment, such as asbestos, lead, or carcinogens
111549 | Previous Reports | Previous Structured Reports that could have relevant information for a current imaging service request
111550 | Personal breast cancer history | An indication that a patient has had a previous malignancy of the breast
111551 | History of endometrial cancer | Indicates a previous occurrence of cancer of the lining of the uterus
111552 | History of ovarian cancer | Indicates a previous occurrence of cancer of the lining of the ovary
111553 | History of high risk lesion on previous biopsy | Indicates a prior diagnosis of pre-cancerous cells or tissue removed for pathologic evaluation
111554 | Post menopausal patient | A female patient whose menstrual periods have ceased
111555 | Late child bearing (after 30) | A female patient whose first child was born after the patient was 30 years old
111556 | BRCA1 breast cancer gene | The first level genetic marker indicating risk for breast cancer
111557 | BRCA2 breast cancer gene | The second level genetic marker indicating risk for breast cancer
111558 | BRCA3 breast cancer gene | The third level genetic marker indicating risk for breast cancer
111559 | Weak family history of breast cancer | A patient's biological aunt, grandmother, or female cousin was diagnosed with breast cancer. Definition from BI-RADS®
111560 | Intermediate family history of breast cancer | A patient's biological mother or sister was diagnosed with breast cancer after they had gone through menopause. Definition from BI-RADS®
111561 | Very strong family history of breast cancer | A patient's biological mother or sister was diagnosed with breast cancer before they had gone through menopause, or more than one of the patient's first-degree relatives (biological mother or sister) were diagnosed with breast cancer after they had gone through menopause. Definition from BI-RADS®
111562 | Family history of prostate cancer | Previous diagnosis of a malignancy of the prostate gland in a biological relative
111563 | Family history unknown | The health record of a patient's biological relatives is not known
111564 | Nipple discharge cytology | The study of cells obtained from fluid emitted from the breast

111565 | Uterine malformations | A developmental abnormality resulting in an abnormal shape of the uterus
111566 | Spontaneous Abortion | A naturally occurring premature expulsion from the uterus of the products of conception - the embryo or a nonviable fetus
111567 | Gynecologic condition | An ailment/abnormality or state of the female reproductive tract
111568 | Gynecologic surgery | A surgical operation performed on any portion of the female reproductive tract
111569 | Previous LBW or IUGR birth | Prior pregnancy with a low birth weight baby or a fetus with Intrauterine Growth Restriction or Retardation
111570 | Previous fetal malformation/syndrome | History of at least one prior pregnancy with fetal anatomic abnormality(s)
111571 | Previous RH negative or blood dyscrasia at birth | History of delivering a Rhesis Isoimmunization affected child(ren) or a child(ren) with another blood disorder
111572 | History of multiple fetuses | History of at least one pregnancy that contained more than one fetus; e.g. twins, triplets, etc.
111573 | Current pregnancy, known or suspected malformations/syndromes | At least one fetus of this pregnancy has an anatomic abnormality(s) that is known to exist, or a "marker" is present that suggests the abnormality(s) may be present
111574 | Family history, fetal malformation/syndrome | Biological relatives have previously conceived a fetus with an anatomic abnormality(s)
111575 | High | A subjective descriptor for an elevated amount of exposure, use, or dosage, incurring high risk of adverse effects
111576 | Medium | A subjective descriptor for a moderate amount of exposure, use, or dosage, incurring medium risk of adverse effects
111577 | Low | A subjective descriptor for a limited amount of exposure, use, or dosage, incurring low risk of adverse effects
111578 | Dose frequency | A measurement of the rate of occurrence of which a patient takes a certain medication
111579 | Rate of exposure | The quantity per unit of time that a patient was or is being exposed to an environmental irritant
111580 | Volume of use | The quantity per unit of time that a medication or substance was or is being used
111581 | Relative dose amount | A qualitative descriptor for the amount of a medication that was or is being taken
111582 | Relative amount of exposure | A qualitative descriptor for the amount of present or past exposure to an environmental irritant
111583 | Relative amount of use | A qualitative descriptor for the amount of a medication or substance that was or is being used
111584 | Relative dose frequency | A qualitative descriptor for the frequency with which a medication was or is being taken
111585 | Relative frequency of exposure | A qualitative descriptor for the frequency of present or past exposure to an environmental irritant
111586 | Relative frequency of use | A qualitative descriptor for the frequency with which a medication or substance was or is being used
111587 | No known exposure | Patient is not known to have been exposed to or used the substance or medication
111590 | Recall for technical reasons | Patient returns for additional images to improve the quality of the most recent exam
111591 | Recall for imaging findings | Patient returns for additional images to clarify findings from the most recent exam
111592 | Recall for patient symptoms/ clinical findings | Patient returns for additional images to clarify symptoms or signs reported by the patient or a healthcare professional at the time of the most recent exam
111593 | LBW or IUGR | Number of births with low birth weight or intrauterine growth restriction
111601 | Green filter | Filter that transmits green light while blocking the other colors, typically centered at 510-540 nm | Deprecated
111602 | Red filter | Filter that transmits red light while blocking the other colors, typically centered at 630-680 nm | Deprecated
111603 | Blue filter | Filter that transmits blue while blocking the other colors, typically centered at 460-480 nm | Deprecated
111604 | Yellow-green filter | A filter of 560nm that is used for retinal imaging and can provide good contrast and good visibility of the retinal vasculature | Deprecated
111605 | Blue-green filter | A filter of 490nm that is used for retinal imaging because of excessive scattering of some retinal structures at very short wavelengths | Deprecated
111606 | Infrared filter | Filter that transmits the infrared spectrum, which is light that lies outside of the visible spectrum, with wavelengths longer than those of red light, while blocking visible light | Deprecated
111607 | Polarizing filter | A filter that reduces reflections from non-metallic surfaces such as glass or water by blocking light waves that are vibrating at selected angles to the filter | Deprecated
111609 | No filter | No filter used
111621 | Field 1 for Joslin 3 field | Joslin NM-1 is a 45 degree field focused centrally between the temporal margin of optic disc and the center of the macula: Center the camera on the papillomacular bundle midway between the temporal margin of the optic disc and the center of the macula. The horizontal centerline of the image should pass directly through the center of the disc
111622 | Field 2 for Joslin 3 field | Joslin NM-2 is a 45 degree field focused superior temporal to the optic disc: Center the camera laterally approximately one-half disc diameter temporal to the center of the macula. The lower edge of the field is tangent to a horizontal line passing through the upper edge of the optic disc. The image is taken temporal to the macula but includes more retinal nasal and superior to the macula than standard field 2
111623 | Field 3 for Joslin 3 field | Joslin NM-3 is a 45 degree field focused nasal to the optic disc: This field is nasal to the optic disc and may include part of the optic disc. The horizontal centerline of the image should pass tangent to the lower edge of the optic disc
111625 | Diffuse direct illumination | A broad or "soft" light supplied from a single source
111626 | Scheimpflug Camera | A slit reflected light microscope, which has the ability to form an image of the back scattered light from the eye in a sagittal plane. Scheimpflug cameras are able to achieve a wide depth of focus by employing the "Sheimpflug principle" where the lens and image planes are not parallel with each other. Rotating Sheimplug cameras are able to generate three-dimensional images and calculate measurements of the anterior chamber of the eye
111627 | Scotopic light | Lighting condition approximately 0.04 lux
111628 | Mesopic light | Lighting condition approximately 4 lux
111629 | Photopic light | Lighting condition approximately 40 lux
111630 | Dynamic light | Acquisition preceded by intense light
111631 | Average Glandular Dose | Calculated from values of entrance exposure in air, the X-Ray beam quality (half-value layer), and compressed breast thickness, is the energy deposited per unit mass of glandular tissue averaged over all the glandular tissue in the breast
111632 | Anode Target Material | The primary material in the anode of an X-Ray source

111633 | Compression Thickness | The average thickness of the body part examined when compressed, if compression has been applied during X-Ray exposure
111634 | Half Value Layer | Thickness of Aluminum required to reduce the X-Ray output at the patient entrance surface by a factor of two
111635 | X-Ray Grid | An anti-scatter device based on radiation absorbing strips above the detector; e.g. in the patient support
111636 | Entrance Exposure at RP | Exposure measurement in air at the reference point that does not include back scatter, according to MQCM 1999
111637 | Accumulated Average Glandular Dose | Average Glandular Dose to a single breast accumulated over multiple images
111638 | Patient Equivalent Thickness | Value of the control variable used to parametrize the Automatic Exposure Control (AEC) closed loop; e.g. "Water Value"
111641 | Fixed grid | An X-Ray Grid that does not move during exposure
111642 | Focused grid | An X-Ray Grid with radiation absorbing strips that are focused toward the focal spot, to eliminate grid cutoff
111643 | Reciprocating grid | An X-Ray Grid that is designed to move during exposure, to eliminate the appearance of grid lines on the image
111644 | Parallel grid | An X-Ray Grid with radiation absorbing strips that are parallel to each other and that is used only with long source to image distances
111645 | Crossed grid | An X-Ray Grid with crossed radiation absorbing strips used for more complete cleanup of scatter radiation
111646 | No grid | No X-Ray Grid was used due to low scatter conditions
111671 | Spectacle Prescription Report | The spectacle prescription for a patient
111672 | Add Near | Refractive measurements of the eye to correct for inability to focus at near while wearing the distance prescription
111673 | Add Intermediate | Refractive measurements of the eye to correct for inability to focus at intermediate distance while wearing the distance prescription
111674 | Add Other | Refractive measurements of the eye to correct for inability to focus at the specified distance while wearing the distance prescription
111675 | Horizontal Prism Power | The power of a prism to bend light in the horizontal direction, in prism diopters
111676 | Horizontal Prism Base | Direction of the base of a horizontal prism -- either in (toward the nose), or out (away from the nose)
111677 | Vertical Prism Power | The power of a prism to bend light in the vertical direction, in prism diopters
111678 | Vertical Prism Base | Direction of the base of a vertical prism -- either up, or down
111679 | Distance Pupillary Distance | Distance in mm between the pupils when the patient's object of regard is in the distance
111680 | Near Pupillary Distance | Distance in mm between the pupils when the patient's object of regard is at near
111685 | Autorefraction Visual Acuity | A patient's vision with the correction measured by an autorefractor in place
111686 | Habitual Visual Acuity | A patient's vision with whichever vision correction the patient customarily wears
111687 | Prescription Visual Acuity | A patient's vision with the final spectacle prescription in place
111688 | Right Eye Rx | The spectacle prescription for the right eye
111689 | Left Eye Rx | The spectacle prescription for the left eye
111690 | Macular Grid Thickness and Volume Report | A macular grid thickness and volume report for a patient. The macular grid is an analytic tool described in PS3.1
111691 | Number of Images Used for Macular Measurements | Number of images used for the macular grid measurement
111692 | Number of Samples Used per Image | Number of samples used per Image for analysis
111693 | Analysis Quality Rating | A numeric rating of the quality of the entire analysis with respect to grading and diagnostic purposes. Higher numbers indicate greater quality
111694 | Image Set Quality Rating | A numeric rating of the quality of an entire image set with respect to grading and diagnostic purposes. Higher numbers indicate greater quality
111695 | Interfering Tears or Drops | Tear film or drops affecting test quality
111696 | Visual Fixation Quality During Acquisition | The assessment of the centricity and persistence of the visual fixation (direction of gaze) during the acquisition
111697 | Visual Fixation Quality Problem | The reason why the patient's visual fixation was not steady or was indeterminate
111698 | Ophthalmic Macular Grid Problem | The reason why the macular grid measurements may be questionable
111700 | Specimen Container Identifier | Identifier of container (box, block, microscope slide, etc.) for the specimen under observation
111701 | Processing type | Type of processing that tissue specimen underwent
111702 | DateTime of processing | Date and time of processing step
111703 | Processing step description | Description of the individual step in the tissue processing sequence
111704 | Sampling Method | Method of sampling used to derive specimen from its parent
111705 | Parent Specimen Identifier | Identifier of the parent specimen that gave rise to the current specimen
111706 | Issuer of Parent Specimen Identifier | Assigning authority for parent specimen's identifier
111707 | Parent specimen type | Parent specimen type that gave rise to current specimen
111708 | Position Frame of Reference | Description of coordinate system and origin reference point on parent specimen, or parent specimen container, or image used for localizing the sampling site or location within container or image
111709 | Location of sampling site | Reference to image of parent specimen localizing the sampling site; may include referenced Presentation State object
111710 | Location of sampling site X offset | Location of sampling site of specimen (nominal center) relative to the Position Frame of Reference in the X dimension
111711 | Location of sampling site Y offset | Location of sampling site of specimen (nominal center) relative to the Position Frame of Reference in the Y dimension
111712 | Location of sampling site Z offset | Location of sampling site of specimen (nominal center) relative to the Position Frame of Reference in the Z dimension
111718 | Location of Specimen | Description of specimen location, either in absolute terms or relative to the Position Frame of Reference
111719 | Location of Specimen X offset | Location of specimen (nominal center) relative to the Position Frame of Reference in the X dimension

111720 | Location of Specimen Y offset | Location of specimen (nominal center) relative to the Position Frame of Reference in the Y dimension
111721 | Location of Specimen Z offset | Location of specimen (nominal center) relative to the Position Frame of Reference in the Z dimension
111723 | Visual Marking of Specimen | Description of visual distinguishing identifiers; e.g. ink, or a particular shape of the specimen
111724 | Issuer of Specimen Identifier | Assigning authority for specimen identifier
111726 | Dissection with entire specimen submission | Dissection of specimen with submission of all its sections for further processing or examination
111727 | Dissection with representative sections submission | Dissection of specimen with submission of representative sections for further processing or examination
111729 | Specimen storage | A workflow step, during which tissue specimens are stored in a climate-controlled environment
111741 | Transmission illumination | Transmission illumination method for specimen microscopy
111742 | Reflection illumination | Reflection illumination method for specimen microscopy
111743 | Epifluorescence illumination | Epifluorescence illumination method for specimen microscopy
111744 | Brightfield illumination | Brightfield illumination method for specimen microscopy
111745 | Darkfield illumination | Darkfield illumination method for specimen microscopy
111746 | Oblique illumination | Oblique illumination method for specimen microscopy
111747 | Phase contrast illumination | Phase contrast illumination method for specimen microscopy
111748 | Differential interference contrast | Differential interference contrast method for specimen microscopy
111749 | Total internal reflection fluorescence | Total internal reflection fluorescence method for specimen microscopy
111750 | Ultrasound Contact | A method of obtaining ophthalmic axial measurements that uses ultrasound, and that requires applanation of the cornea
111751 | Ultrasound Immersion | A method of obtaining ophthalmic axial measurements that uses ultrasound, and that requires immersion of the patient's eye in fluid as he lies in a supine position
111752 | Optical | A method of obtaining ophthalmic axial measurements that uses light
111753 | Manual Keratometry | Measurements taken of the corneal curvature using a manual keratometer
111754 | Auto Keratometry | Measurements taken of the corneal curvature using an automated keratometer
111755 | Simulated Keratometry | Simulated Keratometry measurements derived from corneal topography
111756 | Equivalent K-reading | Corneal power measurements using Scheimpflug camera
111760 | Haigis | The Haigis IOL calculation formula. Haigis W, Lege B, Miller N, Schneider B. Comparison of immersion ultrasound biometry and partial coherence interferometry for intraocular lens calculation according to Haigis. Graefes Arch Clin Exp Ophthalmol 2000;238:765-73
111761 | Haigis-L | The Haigis-L IOL calculation formula. Haigis W. Intraocular lens calculation after refractive surgery for myopia: Haigis-L formula. J Cataract Refract Surg. 2008 Oct;34(10):1658-63
111762 | Holladay 1 | The Holladay 1 IOL calculation formula. Holladay JT, Prager TC, Chandler TY, Musgrove KH, Lewis JW, Ruiz RS. A three-part system for refining intraocular lens power calculations. J Cataract Refract Surg. 1988; 14:17-24
111763 | Holladay 2 | The Holladay 2 IOL calculation formula
111764 | Hoffer Q | The Hoffer Q IOL calculation formula. Hoffer KJ. The Hoffer Q formula: a comparison of theoretic and regression formulas. J Cataract Refract Surg 1993;19:700-12. Errata. J Cataract Refract Surg 1994;20:677 and 2007;33:2-3
111765 | Olsen | The Olsen IOL calculation formula. Olsen T. Calculation of intraocular lens power: a review. Acta Ophthalmol. Scand. 2007: 85: 472-485
111766 | SRKII | The SRKII IOL calculation formula. Sanders DR, Retzlaff J, Kraff MC. Comparison of the SRK II formula and other second generation formulas. J Cataract Refract Surg. 1988 Mar;14(2):136-41
111767 | SRK-T | The SRK-T IOL calculation formula. Retzlaff JA, Sanders DR, Kraff MC. Development of the SRK/T intraocular lens implant power calculation formula. J Cataract Refract Surg 1990;16:333-40. Erratum 1990;16:528
111768 | ACD Constant | The "ACD Constant" used in IOL calculation
111769 | Haigis a0 | The "Haigis a0" constant used in IOL calculation
111770 | Haigis a1 | The "Haigis a1" constant used in IOL calculation
111771 | Haigis a2 | The "Haigis a2" constant used in IOL calculation
111772 | Hoffer pACD Constant | The "Hoffer pACD Constant" used in IOL calculation
111773 | Surgeon Factor | The "Surgeon Factor" constant used in IOL calculation
111776 | Front Of Cornea To Front Of Lens | Anterior chamber depth defined as the front of the cornea to the front of the lens
111777 | Back Of Cornea To Front Of Lens | Anterior chamber depth defined as the back of the cornea to the front of the lens
111778 | Single or Anterior Lens | Refers to the anterior lens when there are two lenses in the eye. The distance, in mm, from the anterior surface of the lens to the posterior surface of the lens
111779 | Posterior Lens | Refers to the posterior lens when there are two lenses in the eye. The distance, in mm, from the anterior surface of the lens to the posterior surface of the lens
111780 | Measurement From This Device | Value obtained from measurements taken by the device creating this SOP Instance
111781 | External Data Source | Value obtained by data transfer from an external source - not from measurements taken by the device providing the value
111782 | Axial Measurements SOP Instance | Axial Measurements DICOM SOP Instance
111783 | Refractive Measurements SOP Instance | Refractive Measurements DICOM SOP Instance
111786 | Standard Deviation of measurements used | Standard Deviation is a simple measure of the variability of a data set
111787 | Signal to Noise Ratio | Signal to Noise Ratio of the data samples taken to create a measurement
111791 | Spherical projection | Projection from 2D image pixels to 3D Cartesian coordinates based on a spherical mathematical model
111792 | Surface contour mapping | Mapping from 2D image pixels to 3D Cartesian coordinates based on measurements of the retinal surface; e.g. of the retina, derived via a measurement technology such as Optical Coherence Tomography, Ultrasound etc.
111800 | Visual Field 24-2 Test Pattern | Test pattern, nominally covering an area within 24° of fixation. Consists of 54 test points a minimum of 3° from each meridian and placed 6° apart. The "-2" distinguishes this from another 24° pattern (no longer supported)
111801 | Visual Field 10-2 Test Pattern | Test pattern, nominally covering an area within 10° of fixation. Consists of 68 test points a minimum of 1° from each meridian and placed 2° apart. The "-2" in this case indicates its point layout to be similar to the 30-2 and 24-2

111802 | Visual Field 30-2 Test Pattern | Test pattern consisting of test point locations within 30° of fixation. Consists of 76 test points a minimum of 3° from each meridian and placed 6° apart. The "-2" distinguishes this from another 30° pattern (no longer supported)

111803 | Visual Field 60-4 Test Pattern | Test pattern consisting of 60 test point locations between 30° and 60° of fixation a minimum of 6° from each meridian and placed 12° apart. The "-4" distinguishes this from a similar 60° pattern having 4 additional points

111804 | Visual Field Macula Test Pattern | Test pattern consisting of 16 test point locations within 10° of fixation a minimum of 1° from each meridian and placed 2° apart

111805 | Visual Field Central 40 Point Test Pattern | Test pattern consisting of 40 test point locations within 30° of fixation that spread out radially from fixation

111806 | Visual Field Central 76 Point Test Pattern | Test pattern consisting of 76 test point locations within 30° of fixation a minimum of 3° from each meridian and placed 6° apart

111807 | Visual Field Peripheral 60 Point Test Pattern | Test pattern consisting of 60 test point locations between 30° and 60° of fixation a minimum of 6° from each meridian and placed 12° apart

111808 | Visual Field Full Field 81 Point Test Pattern | Test pattern consisting of 81 test point locations within 60° of fixation that spread out radially from fixation

111809 | Visual Field Full Field 120 Point Test Pattern | Test pattern consisting of 120 test point locations within 60° of fixation that spread out radially from fixation, concentrated in the nasal hemisphere

111810 | Visual Field G Test Pattern | Test pattern for Glaucoma and general visual field assessment with 59 test locations of which 16 test locations are in the macular area (up to 10° eccentricity) and where the density of test location is reduced with eccentricity. The test can be extended with the inclusion of 14 test locations between 30° and 60° eccentricity, 6 of which are located at the nasal step

111811 | Visual Field M Test Pattern | Test pattern for the macular area. Orthogonal test pattern with 0.7° spacing within the central 4° of eccentricity and reduced density of test locations between 4 and 10, 5° of eccentricity. 81 test locations over all. The test can be extended to include the test locations of the Visual Field G Test Pattern between 10, 5° and 60°

111812 | Visual Field 07 Test Pattern | Full field test pattern with 48 test locations from 0-30° and 82 test locations from 30-70°. Reduced test point density with increased eccentricity. Can be combined with screening and threshold strategies

111813 | Visual Field LVC Test Pattern | Low Vision Central. Orthogonal off-center test pattern with 6° spacing. 75 test locations within the central 30°. Corresponds with the 32/30-2 excluding the 2 locations at the blind spot, including a macular test location. The LVC is linked with a staircase threshold strategy starting at 0 dB intensity and applies stimulus area V

111814 | Visual Field Central Test Pattern | General test corresponding to the 30-2 but excluding the 2 test locations in the blind spot area, hence with 74 instead of 76 test locations

111815 | Visual Field SITA-Standard Test Strategy | Swedish Interactive Thresholding Algorithm (SITA). Strategy gains testing efficiency through use of visual field and information theory models. In: Bengtsson B, Olsson J, Heijl A, Rootzen H. A new generation of algorithms for computerized threshold perimetry, SITA. Acta Ophthalmologica Scandinavica, 1997, 75: 368-375

111816 | Visual Field SITA-SWAP Test Strategy | Adaptation of SITA testing methods to Blue-Yellow testing

111817 | Visual Field SITA-Fast Test Strategy | Similar to SITA-Standard but with less strict criteria for closing test points. Intended for patients who must be tested in the shortest possible time. In: Bengtsson B, Hejl A. SITA Fast, a new rapid perimetric threshold test. Description of methods and evaluation in patients with manifest and suspect glaucoma. Acta Ophthalmologica Scandinavica, 1998, 76: 431-437

111818 | Visual Field Full Threshold Test Strategy | Threshold test algorithm that determines a patient's sensitivity at each test point in the threshold test pattern by adjusting intensity by 4 dB steps until the patient changes their response, and then adjusts the intensity in the opposite direction by 2 dB steps until the patient changes their response again. The last stimulus seen by the patient is recognized as the threshold for that point. The starting values are determined by first thresholding a "primary" point in each quadrant then using the results of each primary point to determine the starting values for neighboring points

111819 | Visual Field FastPac Test Strategy | Similar to the Full Threshold algorithm except that it steps by 3 dB and only crosses the threshold only once. In: Flanagan JG, Wild JM, Trope GE. Evaluation of FASTPAC, a new strategy for threshold estimation with the Humphrey Field Analyzer, in a glaucomatous population. Ophthalmology, 1993, 100: 949-954

111820 | Visual Field Full From Prior Test Strategy | Identical to Full Threshold except that starting values are determined by the results of a previous test performed using the same test pattern and the Full Threshold test strategy

111821 | Visual Field Optima Test Strategy | Similar to FastPac except that the steps are pseudo-dynamic (differ based on the intensity of the last presentation)

111822 | Visual Field Two-Zone Test Strategy | Suprathreshold testing strategy, in which each point is initially tested using stimulus that is 6 dB brighter than the expected hill of vision. If the patient does not respond, the stimulus is presented a second time at the same brightness. If the patient sees either presentation, the point is marked as "seen"; otherwise it is marked as "not seen"

111823 | Visual Field Three-Zone Test Strategy | An extension of the two-zone strategy in which test points where the second stimulus is not seen are presented with a third stimulus at maximum brightness

111824 | Visual Field Quantify-Defects Test Strategy | An extension of the two-zone strategy, in which test points where the second stimulus is not seen receive threshold testing to quantify the depth of any detected scotomas

111825 | Visual Field TOP Test Strategy | Tendency Oriented Perimetry. Fast thresholding algorithm. Test strategy makes use of the interaction between neighboring test locations to reduce the test time compared to normal full threshold strategy by 60-80%. In: Morales J, Weitzman ML, Gonzalez de la Rosa M. Comparison between Tendency-Oriented Perimetry (TOP) and octopus threshold perimetry. Ophthalmology, 2000, 107: 134-142

111826 | Visual Field Dynamic Test Strategy | Dynamic strategy is a fast thresholding strategy reducing test duration by adapting the dB step sizes according to the frequency-of-seeing curve of the threshold. Reduction of test time compared to normal full threshold strategy 30-50%

111827 | Visual Field Normal Test Strategy | Traditional full threshold staircase strategy. Initial intensities are presented, based on anchor point sensitivities in each quadrant and based on already known neighboring sensitivities. In a first run, thresholds are changed in 4dB steps until the first response reversal. Then the threshold is changed in 2 dB steps until the second response reversal. The threshold is calculated as the average between the last seen and last not-seen stimulus, supposed to correspond with the 50% point in the frequency-of-seeing curve

111828 | Visual Field 1-LT Test Strategy | One level screening test: Each test location is tested with a single intensity. The result is shown as seen or not-seen. The intensity can either be a 0 dB stimulus or a predefined intensity

111829 | Visual Field 2-LT Test Strategy | Two level screening test: Each test location is initially tested 6 dB brighter than the age corrected normal value

111830 | Visual Field LVS Test Strategy | Low Vision Strategy is a full threshold normal strategy with the exception that it starts at 0 dB intensity and applies stimulus area V

111831 | Visual Field GATE Test Strategy | German Adaptive Threshold Estimation is a fast strategy based on a modified 4-2 staircase algorithm, using prior visual fields to calculate the starting intensity. In: Chiefer U, Pascual JP, Edmunds B, Feudner E, Hoffmann EM, Johnson CA, Lagreze WA, Pfeiffer N, Sample PA, Staubach F, Weleber RG, Vonthein R, Krapp E, Paetzold J. Comparison of the new perimetric GATE strategy with conventional full-threshold and SITA standard strategies. Investigative Ophthalmology and Visual Science, 2009, 51: 488-494

111832 | Visual Field GATEi Test Strategy | Similar to GATE. The i stands for initial. If there was no prior visual field test to calculate the starting values, an anchor point method is used to define the local start values

111833 | Visual Field 2LT-Dynamic Test Strategy | A test started as two level screening test. In the course of the test, the threshold of relative defects and/or normal test locations has been quantified using the dynamic threshold strategy

111834 | Visual Field 2LT-Normal Test Strategy | A test started as two level screening test. In the course of the test, the threshold of relative defects and/or normal test locations has been quantified using the normal full threshold strategy

111835 | Visual Field Fast Threshold Test Strategy | Takes neighborhood test point results into account and offers stimuli with an adapted value to save time

111836 | Visual Field CLIP Test Strategy | Continuous Luminance Incremental Perimetry, which measures at first the individual reaction time of the patient and threshold values in every quadrant. The starting value for the main test is slightly below in individual threshold

111837 | Visual Field CLASS Strategy | A supra threshold screening strategy. The starting stimuli intensities depend on the classification of the patient's visual hill by measuring the central (fovea) or peripheral (15° meridian) threshold. The result of each dot slightly underestimates the sensitivity value (within 5 dB)

111838 | Age corrected | Mode for determining the starting luminance for screening test points - the starting luminance s is chosen based on the age of the patient

111839 | Threshold related | Mode for determining the starting luminance for screening test points - the starting luminance is chosen based on the results of thresholding a set of "primary" test points (one in each quadrant)

111840 | Single luminance | Mode for determining the starting luminance for screening test points - in this case, all starting luminance is set to the same value

111841 | Foveal sensitivity related | Mode for determining the starting luminance for screening test points - the starting luminance is chosen based on the result of the foveal threshold value

111842 | Related to non macular sensitivity | Mode for determining the starting luminance for screening test points - the starting luminance is chosen based on the result of four threshold values measured near the 15° meridian (one in each quadrant)

111843 | Automated Optical | Real time evaluation of the camera image to recognize blinks and fixation losses with influence on the test procedure. Blinks that interfere with stimuli presentation cause the automated repetition of such stimulus presentations. Fixation losses can be used to delay the stimulus presentation until correct fixation is regained

111844 | Blind Spot Monitoring | A method of monitoring the patient's fixation by periodically presenting stimulus in a location on the background surface that corresponds to the patient's blind spot

111845 | Macular Fixation Testing | A method of monitoring the patient's fixation by presenting the stimulus to the patient's macula

111846 | Observation by Examiner | A method of monitoring the patient's fixation by observation from the examiner of the patient

111847 | Outside normal limits | Analysis Results are outside normal limits

111848 | Borderline | Analysis Results are borderline

111849 | Abnormally high sensitivity | Analysis Results identify abnormally high sensitivity

111850 | General reduction in sensitivity | Analysis Results identify general reduction in sensitivity

111851 | Borderline and general reduction in sensitivity | Analysis Results identify Borderline and general reduction in sensitivity

111852 | Visual Field Index | Index of a patient's remaining visual field normalized for both age and generalized defect

111853 | Visual Field Loss Due to Diffuse Defect | Estimate of the portion of a patient's visual field loss that is diffuse (i.e., spread evenly across all portions of the visual field)

111854 | Visual Field Loss Due to Local Defect | Estimate of the portion of a patient's visual field loss that is local (i.e., not spread evenly across all portions of the visual field)

111855 | Glaucoma Hemifield Test Analysis | An analysis of asymmetry between zones of the superior and inferior visual field. It is designed to be specific for defects due to glaucoma

111856 | Optical Fixation Measurements | The data output of an optical fixation monitoring process, consisting of a list of positive and negative numbers indicating the quality of patient fixation over the course of a visual field test. The value 0 represents the initial fixation. Negative numbers indicate a measuring error (i.e., the patient blinked). Positive numbers quantify the degree of eccentricity from initial fixation

111900 | Macula centered | An image of at least 15° angular subtend that is centered on the macula; see Section U.1.8 "Relative Image Position Definitions" in PS3.17

111901 | Disc centered | An image of at least 15° angular subtend that is centered on the optic disc; see Section U.1.8 "Relative Image Position Definitions" in PS3.17

111902 | Lesion centered | An image of any angular subtend that is centered on a lesion located in any region of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17

111903 | Disc-macula centered | An image of at least 15° angular subtend centered midway between the disc and macula and containing at least a portion of the disc and both the disc and the macula; see Section U.1.8 "Relative Image Position Definitions" in PS3.17

111904 | Mid-peripheral-superior | An image of at least 15° angular subtend positioned between the central zone and the equator, and spanning both the superior-temporal and superior-nasal quadrants of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17

111905 | Mid-peripheral-superior temporal | An image of at least 15° angular subtend positioned between the central zone and the equator in the superior-temporal quadrant of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17

111906 | Mid-peripheral-temporal | An image of at least 15° angular subtend positioned between the central zone and the equator, and spanning both the superior-temporal and inferior-temporal quadrants of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17

111907 | Mid-peripheral-inferior temporal | An image of at least 15° angular subtend positioned between the central zone and the equator in the inferior-temporal quadrant of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17

111908 | Mid-peripheral-inferior | An image of at least 15° angular subtend positioned between the central zone and the equator, and spanning both the inferior-temporal and inferior-nasal quadrants of the fundus; see Section U.1.8 "Relative Image Position

Definitions" in PS3.17
111909 | Mid-peripheral-inferior nasal | An image of at least 15° angular subtend positioned between the central zone and the equator in the inferior-nasal quadrant of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17
111910 | Mid-peripheral-nasal | An image of at least 15° angular subtend positioned between the central zone and the equator, and spanning both the superior-nasal and inferior-nasal quadrants of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17
111911 | Mid-peripheral-superior nasal | An image of at least 15° angular subtend positioned between the central zone and the equator in the superior-nasal quadrant of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17
111912 | Peripheral-superior | An image of at least 15° angular subtend positioned between the equator and the ora serrata, and spanning both the superior temporal and superior nasal quadrants of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17
111913 | Peripheral-superior temporal | An image of at least 15° angular subtend positioned between the equator and ora serrata in the superior-temporal quadrant of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17
111914 | Peripheral-temporal | An image of at least 15° angular subtend positioned between the equator and ora serrata, and spanning both the superior-temporal and inferior-temporal quadrants of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17
111915 | Peripheral-inferior temporal | An image of at least 15° angular subtend positioned between the equator and ora serrata in the inferior-temporal quadrant of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17
111916 | Peripheral-inferior | An image of at least 15° angular subtend positioned between the equator and ora serrata, and spanning both the inferior-temporal and inferior-nasal quadrants of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17
111917 | Peripheral-inferior nasal | An image of at least 15° angular subtend positioned between the equator and ora serrata in the inferior-nasal quadrant of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17
111918 | Peripheral-nasal | An image of at least 15° angular subtend positioned between the equator and ora serrata, and spanning both the superior-nasal and inferior-nasal quadrants of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17
111919 | Peripheral-superior nasal | An image of at least 15° angular subtend positioned between the equator and ora serrata in the superior-nasal quadrant of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17
111920 | Time domain | Identifies the use of physical signals with respect to time to capture information
111921 | Spectral domain | Identifies the use of physical signals with respect to multiple frequencies to capture information
111922 | No corneal compensation | No compensation algorithm for corneal birefringence
111923 | Corneal birefringence compensation | Algorithm to compensate for variability in corneal birefringence
111924 | Retinal topography | Measurement of the retinal surface contour relative to an assigned datum plane
111925 | Retinal nerve fiber layer thickness | Measurement approximating the distance related to the structure between the internal limiting membrane (ILM) and the outer boarder of the retinal nerve fiber layer (RNFL); see Section III.6 "Retinal Thickness Definition" in PS3.17
111926 | Ganglion cell complex thickness | Measurement approximating the distance related to the structure between the ILM and the outer border of the inner plexiform layer (IPL), called the ganglion cell complex (GCC); see Section III.6 "Retinal Thickness Definition" in PS3.17
111927 | Total retinal thickness (ILM to IS-OS) | Measurement approximating the distance related to the structure between the ILM and the inner-outer segment junction (IS-OS); see Section III.6 "Retinal Thickness Definition" in PS3.17
111928 | Total retinal thickness (ILM to RPE) | Measurement approximating the distance related to the structure between the ILM and the retinal pigment epithelium (RPE); see Section III.6 "Retinal Thickness Definition" in PS3.17
111929 | Total retinal thickness (ILM to BM) | Measurement approximating the distance related to the structure between the ILM and the Bruch's membrane (BM); see Section III.6 "Retinal Thickness Definition" in PS3.17
111930 | Absolute ophthalmic thickness | Thickness of a component of the posterior segment of the eye; e.g. thickness of retina, choroid, etc.
111931 | Thickness deviation category from normative data | Ophthalmic Thickness map based upon statistical significance category (such as percentile) from a normative data set
111932 | Thickness deviation from normative data | Ophthalmic Thickness map based upon deviation (such as microns) from a normative data set
111933 | Related ophthalmic thickness map | Ophthalmic Thickness Map related to another Ophthalmic Thickness Map or another SOP Instance
111934 | Disc-Fovea | An anatomic point centered midway between the disc and fovea centralis
111935 | p>5% | Assuming the null hypothesis is true, the conditional percent probability of observing this result is not statistically significant
111936 | p<5% | Assuming the null hypothesis is true, the conditional percent probability of observing this result is statistically significant, 95% unlikely to happen by chance
111937 | p<2% | Assuming the null hypothesis is true, the conditional percent probability of observing this result is statistically significant, 98% unlikely to happen by chance
111938 | p<1% | Assuming the null hypothesis is true, the conditional percent probability of observing this result is statistically significant, 99% unlikely to happen by chance
111939 | p<0.5% | Assuming the null hypothesis is true, the conditional percent probability of observing this result is statistically significant, 99.5% unlikely to happen by chance
111940 | Corneal axial power map | A two dimensional representation of the axial curvature of the cornea. Axial curvature is calculated from the reciprocal of the distance from a point on a meridian normal at the point to the corneal topographer axis. Also known as sagittal curvature
111941 | Corneal instantaneous power map | A two dimensional representation of the instantaneous curvature of the cornea. Instantaneous curvature is calculated from the reciprocal of the distance from a point on a meridian normal at the point to the center of curvature of that point. Also called tangential curvature
111942 | Corneal refractive power map | A two dimensional representation of the refractive power of the cornea. Corneal refractive power is calculated using Snell's Law
111943 | Corneal elevation map | A two dimensional representation of the elevation of the cornea. Elevation is calculated as the distance from a point on the corneal surface to a point on a reference surface along a line parallel to the corneal topographer axis. For the purpose of visualization the reference surface is usually a sphere or an ellipse

111944 | Corneal wavefront map | A two dimensional representation of a wavefront aberration surface of the cornea. Wavefront aberration surface is calculated from the corneal elevation data fit with either the Zernike polynomial series or the Fourier Series. Maps generally display total aberrations and selectable higher order aberrations

111945 | Elevation-based corneal tomographer | A device that measures corneal anterior surface shape using elevation-based methods (stereographic and light slit-based). Rasterstereography images a grid pattern illuminating the fluorescein dyed tear film with 2 cameras to produce 3D. Slit-based devices scan the cornea, usually by rotation about the instrument axis centered on the cornea vertex

111946 | Reflection-based corneal topographer | A reflection-based device that projects a pattern of light onto the cornea and an image of the reflection of that pattern from the tear film is recorded in one video frame. Light patterns include the circular mire pattern (Placido disc) and spot matrix patterns. Sequential scanning of light spots reflected from the corneal surface is also used requiring multiple video frames for recording

111947 | Interferometry-based corneal tomographer | An Interference-based device that projects a beam of light onto and through the cornea. Light reflected from within the cornea is combined with a reference beam giving rise to an interference pattern. Appropriately scanned, this imaging is used to construct 3-dimensional images of the cornea from anterior to posterior surfaces; e.g. swept source OCT

112000 | Chest CAD Report | A structured report containing the results of computer-aided detection or diagnosis applied to chest imaging and associated clinical information

112001 | Opacity | The shadow of an absorber that attenuates the X-Ray beam more effectively than do surrounding absorbers. In a radiograph, any circumscribed area that appears more nearly white (of lesser photometric density) than its surround [Fraser and Pare]

112002 | Series Instance UID | A unique identifier for a series of DICOM SOP instances

112003 | Associated Chest Component | A named anatomic region within the chest cavity

112004 | Abnormal interstitial pattern | A collection of opacities detected within the continuum of loose connective tissue throughout the lung, that is not expected in a diagnostically normal radiograph

112005 | Radiographic anatomy | A type of anatomy that is expected to be detectable on a radiographic (X-Ray based) image

112006 | Distribution Descriptor | Characteristic of the extent of spreading of a finding or feature

112007 | Border definition | Characteristic of the clarity of the boundary or edges of a finding or feature

112008 | Site involvement | The part(s) of the anatomy affected or encompassed by a finding or feature

112009 | Type of Content | Characteristic of the matter or substance within a finding or feature

112010 | Texture Descriptor | Characteristic of the surface or consistency of a finding or feature

112011 | Positioner Primary Angle | Position of the X-Ray beam about the patient from the RAO to LAO direction where movement from RAO to vertical is positive

112012 | Positioner Secondary Angle | Position of the X-Ray beam about the patient from the caudal to cranial direction where movement from caudal to vertical is positive

112013 | Location in Chest | The zone, lobe or segment within the chest cavity in which a finding or feature is situated

112014 | Orientation Descriptor | Vertical refers to orientation parallel to the superior-inferior (cephalad-caudad) axis of the body, with horizontal being perpendicular to this, and an oblique orientation having projections in both the horizontal and vertical

112015 | Border shape | Characteristic of the shape formed by the boundary or edges of a finding or feature

112016 | Baseline Category | Indicates whether a finding was considered a target lesion, non-target lesion, or non-lesion during evaluation of a baseline series, according to a method such as RECIST

112017 | Cavity extent as percent of volume | The extent of a detected cavity, represented as the percent of the surrounding volume that it occupies

112018 | Calcification extent as percent of surface | The extent of a detected calcification, represented as the percent of the surrounding surface that it occupies

112019 | Calcification extent as percent of volume | The extent of a detected calcification, represented as the percent of the surrounding volume that it occupies

112020 | Response Evaluation | A heading for the reporting of response evaluation for treatment of solid tumors

112021 | Response Evaluation Method | The system applied in the reporting of response evaluation for treatment of solid tumors

112022 | RECIST | Response Evaluation Criteria In Solid Tumors; see Normative References

112023 | Composite Feature Modifier | A term that further specifies the name of an item that is an inferred correlation relating two or more individual findings or features

112024 | Single Image Finding Modifier | A term that further specifies the name of an item that was detected on one image

112025 | Size Descriptor | A qualitative descriptor for the extent of a finding or feature

112026 | Width Descriptor | A qualitative descriptor for the thickness of tubular structures, such as blood vessels

112027 | Opacity Descriptor | A characteristic that further describes the nature of an opacity

112028 | Abnormal Distribution of Anatomic Structure | The type of adverse affect that a finding or feature is having on the surrounding anatomy

112029 | WHO | Response evaluation method as defined in chapter 5, "Reporting of Response" of the WHO Handbook for Reporting Results for Cancer Treatment; see Normative References

112030 | Calcification Descriptor | Identification of the morphology of detected calcifications

112031 | Attenuation Coefficient | A quantitative numerical statement of the relative attenuation of the X-Ray beam at a specified point. Coefficient that describes the fraction of a beam of X-Rays or gamma rays that is absorbed or scattered per unit thickness of the absorber. This value basically accounts for the number of atoms in a cubic cm volume of material and the probability of a photon being scattered or absorbed from the nucleus or an electron of one of these atoms. Usually expressed in Hounsfield units [referred to as CT Number in Fraser and Pare]

112032 | Threshold Attenuation Coefficient | An X-Ray attenuation coefficient that is used as a threshold; e.g. in calcium scoring

112033 | Abnormal opacity | An opacity that is not expected in a diagnostically normal radiograph

112034 | Calculation Description | A textual description of the mathematical method of calculation that resulted in a calculated value

112035 | Performance of Pediatric and Adult Chest Radiography, ACR | American College of Radiology. ACR Standard for the Performance of Pediatric and Adult Chest Radiography. In: Standards. Reston, Va: 2001:95-98

112036 | ACR Position Statement | American College of Radiology. ACR Position Statement for Quality Control and Improvement, Safety, Infection Control, and Patient Concerns. In: Practice Guidelines and Technical Standards. Reston, Va: 2001:iv

112037 | Non-lesion Modifier | A descriptor for a non-lesion object finding or feature, used to indicate whether the object was detected as being internal or external to the patient's body

112038 | Osseous Modifier | A concept modifier for an Osseous Anatomy, or bone related, finding
112039 | Tracking Identifier | A text label used for tracking a finding or feature, potentially across multiple reporting objects, over time. This label shall be unique within the domain in which it is used
112040 | Tracking Unique Identifier | A unique identifier used for tracking a finding or feature, potentially across multiple reporting objects, over time
112041 | Target Lesion Complete Response | Disappearance of all target lesions
112042 | Target Lesion Partial Response | At least a 30% decrease in the sum of the Longest Diameter of target lesions, taking as reference the baseline sum Longest Diameter
112043 | Target Lesion Progressive Disease | At least a 20% increase in the sum of the Longest Diameter of target lesions, taking as reference the smallest sum Longest Diameter recorded since the treatment started, or the appearance of one or more new lesions
112044 | Target Lesion Stable Disease | Neither sufficient shrinkage to qualify for Partial Response nor sufficient increase to qualify for Progressive Disease, taking as reference the smallest sum Longest Diameter since the treatment started
112045 | Non-Target Lesion Complete Response | Disappearance of all non-target lesions and normalization of tumor marker level
112046 | Non-Target Lesion Incomplete Response or Stable Disease | Persistence of one or more non-target lesions and/or maintenance of tumor marker level above the normal limits
112047 | Non-Target Lesion Progressive Disease | Appearance of one or more new lesions and/or unequivocal progression of existing non-target lesions
112048 | Current Response | The current response evaluation for treatment of solid tumors, according to a method such as RECIST
112049 | Best Overall Response | Best response recorded from the start of the treatment until disease progression/recurrence, taking as reference for Progressive Disease the smallest measurements recorded since the treatment started, according to a method such as RECIST
112050 | Anatomic Identifier | A text identifier of an anatomic feature when a multiplicity of features of that type may be present, such as "Rib 1", "Rib 2" or thoracic vertebrae "T1" or "T2"
112051 | Measurement of Response | A measured or calculated evaluation of response; e.g. according to a method such as RECIST, the value would be the calculated sum of the lengths of the longest axes of a set of target lesions
112052 | Bronchovascular | Of or relating to a bronchial (lung) specific channel for the conveyance of a body fluid
112053 | Osseous | Of, relating to, or composed of bone
112054 | Secondary pulmonary lobule | The smallest unit of lung surrounded by connective tissue septa; the unit of lung subtended by any bronchiole that gives off three to five terminal bronchioles [Fraser and Pare]
112055 | Agatston scoring method | A method of calculating an overall calcium score, reflecting the calcification of coronary arteries, based on the maximum X-Ray attenuation coefficient and the area of calcium deposits
112056 | Volume scoring method | A method of calculating an overall calcium score, reflecting the calcification of coronary arteries, based on the volume of each calcification, typically expressed in mm3
112057 | Mass scoring method | A method of calculating an overall calcium score, reflecting the calcification of coronary arteries, based on the total mass of calcification, typically expressed in mg
112058 | Calcium score | A measure often arrived at through calculation of findings from CT examination, which is a common predictor of significant stenosis of the coronary arteries
112059 | Primary complex | The combination of a focus of pneumonia due to a primary infection with granulomas in the draining hilar or mediastinal lymph nodes [Fraser and Pare]
112060 | Oligemia | General or local decrease in the apparent width of visible pulmonary vessels, suggesting less than normal blood flow (reduced blood flow) [Fraser and Pare]
112061 | Abnormal lines (1D) | Linear opacity of very fine width, i.e., a nearly one dimensional opacity
112062 | Abnormal lucency | Area of abnormal very low X-Ray attenuation, typically lower than aerated lung when occurring in or projecting over lung, or lower than soft tissue when occurring in or projecting over soft tissue
112063 | Abnormal calcifications | A calcific opacity within the lung that may be organized, but does not display the trabecular organization of true bone [Fraser and Pare]
112064 | Abnormal texture | Relatively homogeneous, extended, pattern of abnormal opacity in the lung, typically low in contrast
112065 | Reticulonodular pattern | A collection of innumerable small, linear, and nodular opacities that together produce a composite appearance resembling a net with small superimposed nodules. The reticular and nodular elements are dimensionally of similar magnitude [Fraser and Pare]
112066 | Beaded septum sign | Irregular septal thickening that suggests the appearance of a row of beads; usually a sign of lymphangitic carcinomatosis, but may also occur rarely in sarcoidosis [Fraser and Pare]
112067 | Nodular pattern | A collection of innumerable, small discrete opacities ranging in diameter from 2-10 mm, generally uniform in size and widespread in distribution, and without marginal spiculation [Fraser and Pare]
112068 | Pseudoplaque | An irregular band of peripheral pulmonary opacity adjacent to visceral pleura that simulates the appearance of a pleural plaque and is formed by coalescence of small nodules [Fraser and Pare]
112069 | Signet-ring sign | A ring of opacities (usually representing a dilated, thick-walled bronchus) in association with a smaller, round, soft tissue opacity (the adjacent pulmonary artery) suggesting a "signet ring" [Fraser and Pare]
112070 | Air bronchiologram | Equivalent of air bronchogram, but in airways assumed to be bronchioles because of peripheral location and diameter [Fraser and Pare]
112071 | Air bronchogram | Radiographic shadow of an air-containing bronchus; presumed to represent an air-containing segment of the bronchial tree (identity often inferred) [Fraser and Pare]
112072 | Air crescent | Air in a crescentic shape in a nodule or mass, in which the air separates the outer wall of the lesion from an inner sequestrum, which most commonly is a fungus ball of Aspergillusspecies [Fraser and Pare]
112073 | Halo sign | Ground-glass opacity surrounding the circumference of a nodule or mass. May be a sign of invasive aspergillosis or hemorrhage of various causes [Fraser and Pare]
112074 | Target Lesion at Baseline | Flag denoting that this lesion was identified, at baseline, as a target lesion intended for tracking over time [RECIST]
112075 | Non-Target Lesion at Baseline | Flag denoting that this lesion was not identified, at baseline, as a target lesion, and was not intended for tracking over time [RECIST]
112076 | Non-Lesion at Baseline | Flag denoting that this finding was identified, at baseline, as a category other than a lesion, and was not intended for tracking over time [RECIST]
112077 | Vasoconstriction | Local or general reduction in the caliber of visible pulmonary vessels, presumed to result from decreased flow occasioned by contraction of muscular pulmonary arteries [Fraser and Pare]

112078 | Vasodilation | Local or general increase in the width of visible pulmonary vessels resulting from increased pulmonary blood flow [Fraser and Pare]
112079 | Architectural distortion | A manifestation of lung disease in which bronchi, pulmonary vessels, a fissure or fissures, or septa of secondary pulmonary lobules are abnormally displaced [Fraser and Pare]
112080 | Mosaic perfusion | A patchwork of regions of varied attenuation, interpreted as secondary to regional differences in perfusion [Fraser and Pare]
112081 | Pleonemia | Increased blood flow to the lungs or a portion thereof, manifested by a general or local increase in the width of visible pulmonary vessels [Fraser and Pare]
112082 | Interface | The common boundary between the shadows of two juxtaposed structures or tissues of different texture or opacity (edge, border) [Fraser and Pare]
112083 | Line | A longitudinal opacity no greater than 2 mm in width [Fraser and Pare]
112084 | Lucency | The shadow of an absorber that attenuates the primary X-Ray beam less effectively than do surrounding absorbers. In a radiograph, any circumscribed area that appears more nearly black (of greater photometric density) than its surround [Fraser and Pare]
112085 | Midlung window | A midlung region, characterized by the absence of large blood vessels and by a paucity of small blood vessels, that corresponds to the minor fissure and adjacent peripheral lung [Fraser and Pare]
112086 | Carina angle | The angle formed by the right and left main bronchi at the tracheal bifurcation [Fraser and Pare]
112087 | Centrilobular structures | The pulmonary artery and its immediate branches in a secondary lobule; HRCT depicts these vessels in certain cases; a.k.a. core structures or lobular core structures [Fraser and Pare]
112088 | Anterior junction line | A vertically oriented linear or curvilinear opacity approximately 1-2 mm wide, commonly projected on the tracheal air shadow [Fraser and Pare]
112089 | Posterior junction line | A vertically oriented, linear or curvilinear opacity approximately 2 mm wide, commonly projected on the tracheal air shadow, and usually slightly concave to the right [Fraser and Pare]
112090 | Azygoesophageal recess interface | A space in the right side of the mediastinum into which the medial edge of the right lower lobe extends [Fraser and Pare]
112091 | Paraspinal line | A vertically oriented interface usually seen in a frontal chest radiograph to the left of the thoracic vertebral column [Fraser and Pare]
112092 | Posterior tracheal stripe | A vertically oriented linear opacity ranging in width from 2-5 mm, extending from the thoracic inlet to the bifurcation of the trachea, and visible only on lateral radiographs of the chest [Fraser and Pare]
112093 | Right tracheal stripe | A vertically oriented linear opacity approximately 2-3 mm wide extending from the thoracic inlet to the right tracheobronchial angle [Fraser and Pare]
112094 | Stripe | A longitudinal composite opacity measuring 2-5 mm in width; acceptable when limited to anatomic structures within the mediastinum [Fraser and Pare]
112095 | Hiatus | A gap or passage through an anatomical part or organ; especially : a gap through which another part or organ passes
112096 | Rib Scalene Tubercle | A small rounded elevation or eminence on the first rib for the attachment of the scalenus anterior
112097 | Vertebral Intervertebral Notch | A groove that serves for the transmission of the vertebral artery
112098 | Subscapular Fossa | The concave depression of the anterior surface of the scapula
112099 | Scapular Spine | A sloping ridge dividing the dorsal surface of the scapula into the supraspinatous fossa (above), and the infraspinatous fossa (below)
112100 | Scapular Supraspinatus Fossa | The portion of the dorsal surface of the scapula above the scapular spine
112101 | Scapular Infraspinatus Fossa | The portion of the dorsal surface of the scapula below the scapular spine
112102 | Aortic knob | The portion of the aortic arch that defines the transition between its ascending and descending limbs
112103 | Arch of the Azygos vein | Section of Azygos vein near the fourth thoracic vertebra, where it arches forward over the root of the right lung, and ends in the superior vena cava, just before that vessel pierces the pericardium
112104 | Air-fluid level | A local collection of gas and liquid that, when traversed by a horizontal X-Ray beam, creates a shadow characterized by a sharp horizontal interface between gas density above and liquid density below [Fraser and Pare]
112105 | Corona radiata | A circumferential pattern of fine linear spicules, approximately 5 mm long, extending outward from the margin of a solitary pulmonary nodule through a zone of relative lucency [Fraser and Pare]
112106 | Honeycomb pattern | A number of closely approximated ring shadows representing air spaces 5-10 mm in diameter with walls 2-3 mm thick that resemble a true honeycomb; implies "end-stage" lung [Fraser and Pare]
112107 | Fleischner's line(s) | A straight, curved, or irregular linear opacity that is visible in multiple projections; usually situated in the lower half of the lung; vary markedly in length and width [Fraser and Pare]
112108 | Intralobular lines | Fine linear opacities present in a lobule when the intralobular interstitium is thickened. When numerous, they may appear as a fine reticular pattern [Fraser and Pare]
112109 | Kerley A line | Essentially straight linear opacity 2-6 cm in length and 1-3 mm in width, usually in an upper lung zone [Fraser and Pare]
112110 | Kerley B line | A straight linear opacity 1.5-2 cm in length and 1-2 mm in width, usually at the lung base [Fraser and Pare]
112111 | Kerley C lines | A group of branching, linear opacities producing the appearing of a fine net, at the lung base [Fraser and Pare]
112112 | Parenchymal band | Elongated opacity, usually several millimeters wide and up to about 5 cm long, often extending to the pleura, which may be thickened and retracted at the site of contact [Fraser and Pare]
112113 | Reticular pattern | A collection of innumerable small linear opacities that together produce an appearance resembling a net [Fraser and Pare]
112114 | Septal line(s) | Usually used in the plural, a generic term for linear opacities of varied distribution produced when the interstitium between pulmonary lobules is thickened [Fraser and Pare]
112115 | Subpleural line | A thin curvilinear opacity, a few millimeters or less in thickness, usually less than 1 cm from the pleural surface and paralleling the pleura [Fraser and Pare]
112116 | Tramline shadow | Parallel or slightly convergent linear opacities that suggest the planar projection of tubular structures and that correspond in location and orientation to elements of the bronchial tree [Fraser and Pare]
112117 | Tubular shadow | Paired, parallel, or slightly convergent linear opacities presumed to represent the walls of a tubular structure seen en face; used if the anatomic nature of a shadow is obscure [Fraser and Pare]
112118 | Density | The opacity of a radiographic shadow to visible light; film blackening; the term should never be used to mean an "opacity" or "radiopacity" [Fraser and Pare]

112119 | Dependent opacity | Subpleural increased attenuation in dependent lung. The increased attenuation disappears when the region of lung is nondependent; a.k.a. dependent increased attenuation [Fraser and Pare]
112120 | Ground glass opacity | Hazy increased attenuation of lung, but with preservation of bronchial and vascular margins; caused by partial filling of air spaces, interstitial thickening, partial collapse of alveoli, normal expiration, or increased capillary blood volume [Fraser and Pare]
112121 | Infiltrate | Any ill-defined opacity in the lung [Fraser and Pare]
112122 | Micronodule | Discrete, small, round, focal opacity of at least soft tissue attenuation and with a diameter no greater than 7 mm [Fraser and Pare]
112123 | Phantom tumor (pseudotumor) | A shadow produced by a local collection of fluid in one of the interlobar fissures, usually elliptic in one radiographic projection and rounded in the other, resembling a tumor [Fraser and Pare]
112124 | Shadow | Any perceptible discontinuity in film blackening attributed to the attenuation of the X-Ray beam by a specific anatomic absorber or lesion on or within the body of the patient; to be employed only when more specific identification is not possible [Fraser and Pare]
112125 | Small irregular opacities | Term used to define a reticular pattern specific to pneumoconioses [Fraser and Pare]
112126 | Small rounded opacities | Term used to define a nodular pattern specific to pneumoconioses [Fraser and Pare]
112127 | Tree-in-bud sign | Nodular dilation of centrilobular branching structures that resembles a budding tree and represents exudative bronchiolar dilation [Fraser and Pare]
112128 | Granular pattern | Any extended, finely granular pattern of pulmonary opacity within which normal anatomic details are partly obscured [Fraser and Pare]
112129 | Miliary pattern | A collection of tiny discrete opacities in the lungs, each measuring 2 mm or less in diameter, generally uniform in size and widespread in distribution [Fraser and Pare]
112130 | Mosaic pattern | Generalized pattern of relatively well defined areas in the lung having different X-Ray attenuations due to a longstanding underlying pulmonary disease
112131 | Extremely small | A qualitative descriptor of a size that is dramatically less than typical
112132 | Very small | A qualitative descriptor of a size that is considerably less than typical
112133 | Too small | A qualitative descriptor of a size that is so small as to be abnormal versus expected size
112134 | Elliptic | Shaped like an ellipse (oval)
112135 | Lobulated | A border shape that is made up of, provided with, or divided into lobules (small lobes, curved or rounded projections or divisions)
112136 | Spiculated | Radially orientated border shape
112137 | Sharply defined | The border of a shadow (opacity) is sharply defined [Fraser and Pare]
112138 | Distinctly defined | The border of a shadow (opacity) is distinctly defined [Fraser and Pare]
112139 | Well demarcated | The border of a shadow (opacity) is well distinct from adjacent structures [Fraser and Pare]
112140 | Sharply demarcated | The border of a shadow (opacity) is sharply distinct from adjacent structures [Fraser and Pare]
112141 | Poorly demarcated | The border of a shadow (opacity) is poorly distinct from adjacent structures [Fraser and Pare]
112142 | Circumscribed | A shadow (opacity) possessing a complete or nearly complete visible border [Fraser and Pare]
112143 | Air | Inspired atmospheric gas. The word is sometimes used to describe gas within the body regardless of its composition or site [Fraser and Pare]
112144 | Soft tissue | Material having X-Ray attenuation properties similar to muscle
112145 | Calcium | Material having X-Ray attenuation properties similar to calcium, a silver-white bivalent metallic element occurring in plants and animals
112146 | Acinar | A pulmonary opacity 4-8 mm in diameter, presumed to represent anatomic acinus, or a collection of opacities in the lung, each measuring 4-8 mm in diameter, and together producing an extended, homogeneous shadow [Fraser and Pare]
112147 | Air space | The gas-containing portion of the lung parenchyma, including the acini and excluding the interstitium [Fraser and Pare]
112148 | Fibronodular | Sharply defined, approximately circular opacities occurring singly or in clusters, usually in the upper lobes [Fraser and Pare]
112149 | Fluffy | A shadow (opacity) that is ill-defined, lacking clear-cut margins [Fraser and Pare]
112150 | Linear | A shadow resembling a line; any elongated opacity of approximately uniform width [Fraser and Pare]
112151 | Profusion | The number of small opacities per unit area or zone of lung. In the International Labor Organization (ILO) classification of radiographs of the pneumoconioses, the qualifiers 0 through 3 subdivide the profusion into 4 categories. The profusion categories may be further subdivided by employing a 12-point scale [Fraser and Pare]
112152 | Silhouette sign | The effacement of an anatomic soft tissue border by either a normal anatomic structure or a pathologic state such as airlessness of adjacent lung or accumulation of fluid in the contiguous pleural space; useful in detecting and localizing an opacity along the axis of the X-Ray beam [Fraser and Pare]
112153 | Subpleural | Situated or occurring between the pleura and the body wall
112154 | Bat's wing distribution | Spatial arrangement of opacities that bears vague resemblance to the shape of a bat in flight; bilaterally symmetric [Fraser and Pare]
112155 | Butterfly distribution | Spatial arrangement of opacities that bears vague resemblance to the shape of a butterfly in flight; bilaterally symmetric [Fraser and Pare]
112156 | Centrilobular | Referring to the region of the bronchioloarteriolar core of a secondary pulmonary lobule [Fraser and Pare]
112157 | Coalescent | The joining together of a number of opacities into a single opacity [Fraser and Pare]
112158 | Lobar | Of or relating to a lobe (a curved or rounded projection or division); e.g. involving an entire lobe of the lung
112159 | Hyper-acute | Extremely or excessively acute, as a qualitative measure of severity
112160 | Homogeneous (uniform opacity) | Of uniform opacity or texture throughout [Fraser and Pare]
112161 | Inhomogeneous | Lack of homogeneity in opacity or texture
112162 | Target | Discrete opacity centrally within a larger opacity, as a calcification descriptor
112163 | Fibrocalcific | Pertaining to sharply defined, linear, and/or nodular opacities containing calcification(s) [Fraser and Pare]
112164 | Flocculent | Calcifications made up of loosely aggregated particles, resembling wool
112165 | Difference in border shape | A change in the shape formed by the boundary or edges of a finding or feature | Deprecated
112166 | Difference in border definition | A change in the clarity of the boundary or edges of a finding or feature | Deprecated
112167 | Difference in distribution | A change in the extent of spreading of a finding or feature | Deprecated
112168 | Difference in site involvement | A change in the part(s) of the anatomy affected or encompassed by a finding or feature | Deprecated

112169 | Difference in Type of Content | A change in the matter or substance within a finding or feature | Deprecated
112170 | Difference in Texture | A change in the surface or consistency of a finding or feature | Deprecated
112171 | Fiducial mark | A location in image space, which may or may not correspond to an anatomical reference, which is often used for registering data sets
112172 | Portacath | Connected to an injection chamber placed under the skin in the upper part of the chest. When it is necessary to inject some drug, a specific needle is put in the chamber through the skin and a silicon membrane. The advantage of a portacath is that it may be left in place several months contrarily of "classical" catheters
112173 | Chest tube | A tube inserted into the chest wall from outside the body, for drainage. Sometimes used for collapsed lung. Usually connected to a receptor placed lower than the insertion site
112174 | Central line | A tube placed into the subclavian vein to deliver medication directly into the venous system
112175 | Kidney stent | A stent is a tube inserted into another tube. Kidney stent is a tube that is inserted into the kidney, ureter, and bladder, to help drain urine. Usually inserted through a scoping device presented through the urethra
112176 | Pancreatic stent | A stent is a tube inserted into another tube. Pancreatic stent is inserted through the common bile duct to the pancreatic duct, to drain bile
112177 | Nipple ring | A non-lesion object that appears to be a circular band, attached to the body via pierced nipple
112178 | Coin | A non-lesion object that appears to be a flat round piece of metal
112179 | Minimum Attenuation Coefficient | The least quantity assignable, admissible, or possible; the least of a set of X-Ray attenuation coefficients
112180 | Maximum Attenuation Coefficient | The greatest quantity or value attainable or attained; the largest of a set of X-Ray attenuation coefficients
112181 | Mean Attenuation Coefficient | The value that is computed by dividing the sum of a set of X-Ray attenuation coefficients by the number of values
112182 | Median Attenuation Coefficient | The value in an ordered set of X-Ray attenuation coefficients, below and above which there is an equal number of values
112183 | Standard Deviation of Attenuation Coefficient | For a set of X-Ray attenuation coefficients: 1) a measure of the dispersion of a frequency distribution that is the square root of the arithmetic mean of the squares of the deviation of each of the class frequencies from the arithmetic mean of the frequency distribution; 2) a parameter that indicates the way in which a probability function or a probability density function is centered around its mean and that is equal to the square root of the moment in which the deviation from the mean is squared
112184 | Performance of Pediatric and Adult Thoracic CT | American College of Radiology. ACR Standard for the Performance of Pediatric and Adult Thoracic Computed Tomography (CT). In: Standards. Reston, Va: 2001:103-107
112185 | Performance of CT for Detection of Pulmonary Embolism in Adults | American College of Radiology. ACR Standard for the Performance of Computed Tomography for the Detection of Pulmonary Embolism in Adults. In: Standards. Reston, Va: 2001:109-113
112186 | Performance of High-Resolution CT of the Lungs in Adults | American College of Radiology. ACR Standard for the Performance of High-Resolution Computed Tomography (HRCT) of the Lungs in Adults. In: Standards. Reston, Va: 2001:115-118
112187 | Unspecified method of calculation | The method of calculation of a measurement or other type of numeric value is not specified
112188 | Two-dimensional method | The calculation method was performed in two-dimensional space
112189 | Three-dimensional method | The calculation method was performed in three-dimensional space
112191 | Breast tissue density | The relative density of parenchymal tissue as a proportion of breast volume
112192 | Volume of parenchymal tissue | The volume of parenchymal tissue
112193 | Volume of breast | The volume of the breast
112194 | Mass of parenchymal tissue | The mass of parenchymal tissue
112195 | Mass of breast | The mass of the breast
112196 | Area of Vascular Calcification | A measured or calculated area of vascular calcification
112197 | Volume of Vascular Calcification | A measured or calculated volume of vascular calcification
112198 | Percentage of Vascular Calcification | A measured or calculated percentage of vascular calcification
112199 | Mass of Vascular Calcification | A measured or calculated mass of vascular calcification
112200 | Average calcification distance in a calcification cluster | The average nearest neighbor distance of all individual microcalcifications in a cluster
112201 | Standard deviation distance of calcifications in a cluster | The standard deviation of nearest neighbor distance of all individual microcalcifications in a cluster
112220 | Colon CAD Report | A structured report containing the results of computer-aided detection or diagnosis applied to colon imaging and associated clinical information
112222 | Colon Overall Assessment | Overall interpretation of the colon using C-RADS categorization system
112224 | Image Set Properties | Characteristics of a set of images
112225 | Slice Thickness | Nominal slice thickness, in mm
112226 | Spacing between slices | Distance between contiguous images, measured from the center-to-center of each image
112227 | Frame of Reference UID | Uniquely identifies groups of composite instances that have the same coordinate system that conveys spatial and/or temporal information
112228 | Recumbent Patient Position with respect to gravity | Patient orientation with respect to downward direction (gravity)
112229 | Identifying Segment | Distinguishes a part of a segmentation
112232 | Polyp stalk width | The diameter of a polyp stalk measured perpendicular to the axis of the stalk
112233 | Distance from anus | The length of the path following the centerline of the colon from the anus to the area of interest
112238 | Anatomic non-colon | A location in the body that is outside the colon
112240 | C0 - Inadequate Study/Awaiting Prior Comparisons | An inadequate study or a study that is awaiting prior comparisons. The study may have inadequate preparation and cannot exclude lesions greater than or equal to ten millimeters owing to presence of fluid or feces. The study may have inadequate insufflation where one or more colonic segments collapsed on both views. Based on "CT Colonography Reporting and Data System: A Consensus Proposal", Radiology, July 2005; 236:3-9
112241 | C1 - Normal Colon or Benign Lesion | The study has a normal colon or benign lesion, with the recommendation to continue routine screening. The study has no visible abnormalities of the colon. The study has no polyps greater than six millimeters. The study may have lipoma, inverted diverticulum, or nonneoplastic findings, such as colonic diverticula. Based on "CT Colonography Reporting and Data System: A Consensus Proposal", Radiology, July 2005; 236:3-9

112242 | C2 - Intermediate Polyp or Indeterminate Finding | The study has an intermediate polyp or indeterminate finding and surveillance or colonoscopy is recommended. There may be intermediate polyps between six and nine millimeters and there are less than three in number. The study may have an intermediate finding and cannot exclude a polyp that is greater than or equal to six millimeters in a technically adequate exam. Based on "CT Colonography Reporting and Data System: A Consensus Proposal", Radiology, July 2005; 236:3-9
112243 | C3 - Polyp, Possibly Advanced Adenoma | The study has a polyp, possibly advanced adenoma, and a follow-up colonoscopy is recommended. The study has a polyp greater than or equal to ten millimeters or the study has three or more polyps that are each between six to nine millimeters. Based on "CT Colonography Reporting and Data System: A Consensus Proposal", Radiology, July 2005; 236:3-9
112244 | C4 - Colonic Mass, Likely Malignant | The study has a colonic mass, likely malignant, and surgical consultation is recommended. The lesion compromises bowel lumen and demonstrates extracolonic invasion. Based on "CT Colonography Reporting and Data System: A Consensus Proposal", Radiology, July 2005; 236:3-9
112248 | ACR Guideline, Performance of Adult CT Colonography | American College of Radiology Practice Guideline for the Performance of Computed Tomography (CT) Colonography in Adults. In: Practice Guidelines and Technical Standards.Reston, Va: American College of Radiology;2006:371-376
112249 | ACR Standard, CT medical physics performance monitoring | American College of Radiology Technical Standard for Diagnostic Medical Physics Performance Monitoring of Computed Tomography (CT) Equipment. In: Practice Guidelines and Technical Standards.Reston, Va: American College of Radiology;2006:945-948
112300 | AP+45 | View Orientation Modifier indicates that the view orientation of the imaging plane is rotated +45° along the cranial-caudal axis
112301 | AP-45 | View Orientation Modifier indicates that the view orientation of the imaging plane is rotated -45° along the cranial-caudal axis
112302 | Anatomical axis of femur | The axis following the shaft of the femur
112303 | Acetabular Center of Rotation | Center of Rotation of the natural Acetabulum
112304 | Femur Head Center of Rotation | Center of Rotation of the natural femur head
112305 | Acetabular Cup Shell | Prosthetic component implanted into the acetabulum. Provides hold for the insert that is mounted inside the cup
112306 | Acetabular Cup Insert | Prosthetic pelvic joint component. Inserted into the cup, takes in the femoral head replacement
112307 | Acetabular Cup Monoblock | Prosthetic pelvic joint cup including insert
112308 | Femoral Head Ball Component | Component for Femoral Head Prosthesis where the conic intake for the stem neck can be exchanged. Combined with a Femoral Head Cone Taper Component
112309 | Femoral Head Cone Taper Component | Exchangeable neck intake for composite femoral head prosthesis. Combined with a Femoral Head Ball Component
112310 | Femoral Stem | Prosthesis Implanted into the femoral bone to provide force transmission between joint replacement and bone. On the proximal end a conic neck holds the femoral head replacement
112311 | Femoral Stem Distal Component | Distal half of a modular stem prosthesis system. Combined with a Stem Proximal Component
112312 | Femoral Stem Proximal Component | Proximal half of a modular stem prosthesis system. Combined with a Stem Distal Component
112313 | Femoral Stem Component | Stem prosthetic component with a modular insert for an exchangeable neck component. Combined with a Neck Component
112314 | Neck Component | Prosthetic Neck to be combined with a Stem Component
112315 | Monoblock Stem | Prosthetic Stem and Femoral Head in one piece
112316 | Prosthetic Shaft Augment | A proximal attachment to the shaft used to compensate for bone deficiencies or bone loss
112317 | Femoral Head Resurfacing Component | Artificial femur head surface needed for the partial replacement of the femoral head where only the surface is replaced
112318 | Pinning | Fixation using a pin
112319 | Sewing | Fixation sewing several objects together
112320 | Bolting | Fixation using a bolt
112321 | Wedging | Fixation due to forcing an object into a narrow space
112325 | Distal Centralizer | Attachment to the distal end of a cemented stem assuring that the stem is in a central position inside the drilled femoral canal before cementation
112340 | Generic 2D Planning | Planning by an unspecified 2D method
112341 | Generic 3D Planning | Planning by an unspecified 3D method
112342 | Generic Planning for Hip Replacement | Planning of a Hip Replacement, by an unspecified method
112343 | Generic Planning for Knee Replacement | Planning of Knee Replacement, by an unspecified method
112344 | Müller Method Planning for Hip Replacement | Planning of Hip Replacement according to the procedure of M. E. Müller [Eggli et. al.1998]
112345 | Implantation Plan | A Report containing the results of an Implantation Planning Activity
112346 | Selected Implant Component | A selection of one Implant Component
112347 | Component ID | Identification ID of an Implant Component
112348 | Implant Template | An implant template describing the properties (2D/3D geometry and other data) of one Implant Component
112350 | Component Connection | A connection of two Connected Implantation Plan Components
112351 | Mating Feature Set ID | ID of a Mating Feature Set in an Implant Component
112352 | Mating Feature ID | ID of the Mating Feature in a Mating Feature Set in an Implant Component
112353 | Spatial Registration | The Spatial Registration of one or more Implant Components
112354 | Patient Image | Patient Images used for an implantation planning activity
112355 | Assembly | A collection of Component Connections of Implant Components
112356 | User Selected Fiducial | Fiducials that are selected by the user and may or may not belong to anatomical landmarks
112357 | Derived Fiducial | Fiducials that represent geometric characteristics, such as center of rotation, and are derived from other fiducials
112358 | Information used for planning | All parameters and data that were used for the planning activity
112359 | Supporting Information | A description of the plan as encapsulated PDF SOP Instance
112360 | Implant Component List | A list of all Implant Components selected for an implantation

112361 | Patient Data Used During Planning | Reference to objects containing patient data that is used for planning
112362 | Degrees of Freedom Specification | A specification of the values from one or more Degrees of Freedom
112363 | Degree of Freedom ID | ID of one Degree of Freedom
112364 | Related Patient Data Not Used During Planning | Reference to objects containing patient data that were not used for planning but are somehow related
112365 | Related Implantation Reports | Implantation Reports that are somehow related; e.g. contemporaneous implantations that are independent
112366 | Implant Assembly Template | Implant Assembly Template
112367 | Planning Information for Intraoperative Usage | Information that is intended to be used intra-operatively
112368 | Implantation Patient Positioning | Position of the patient on the operating room table
112369 | Fiducial Intent | Intended use of the fiducial
112370 | Component Type | Type of an Implant Component
112371 | Manufacturer Implant Template | Implant Template released by the Manufacturer
112372 | Derived Planning Images | Images that are created by a planning application
112373 | Other Derived Planning Data | Data that is created by a planning application
112374 | Connected Implantation Plan Component | One Implant Component that is connected to another Implant Component
112375 | Planning Method | The method used for planning
112376 | Degree of Freedom Exact Translational Value | Defines the exact value that was planned for translation
112377 | Degree of Freedom Minimum Translational Value | Defines the minimum value that was planned for translation
112378 | Degree of Freedom Maximum Translational Value | Defines the maximum value that was planned for translation
112379 | Degree of Freedom Exact Rotational Translation Value | Defines the exact value that was planned for rotation
112380 | Degree of Freedom Minimum Rotational Value | Defines the minimum value that was planned for rotation
112381 | Degree of Freedom Maximum Rotational Value | Defines the maximum value that was planned for rotation
112700 | Peri-operative Photographic Imaging | Procedure step protocol for photographic imaging of surgical procedures, including photography of specimens collected
112701 | Gross Specimen Imaging | Procedure step protocol for imaging gross specimens, typically with a photographic camera (modality XC), and planning further dissection
112702 | Slide Microscopy | Procedure step protocol for imaging slide specimens
112703 | Whole Slide Imaging | Procedure step protocol for imaging slide specimens using a whole slide scanner
112704 | WSI 20X RGB | Procedure step protocol for imaging slide specimens using a whole slide scanner with a 20X nominal objective lens, in full color, with a single imaging focal plane across the image
112705 | WSI 40X RGB | Procedure step protocol for imaging slide specimens using a whole slide scanner with a 40X nominal objective lens, in full color, with a single imaging focal plane across the image
112706 | Illumination Method | Technique of illuminating specimen
112707 | Number of focal planes | Number of focal planes for a microscopy image acquisition
112708 | Focal plane Z offset | Nominal distance above a reference plane (typically a slide glass substrate top surface) of the focal plane
112709 | Magnification selection | Microscope magnification based on nominal objective lens power
112710 | Illumination wavelength | Nominal center wavelength for an imaging spectral band
112711 | Illumination spectral band | Name (coded) for an imaging spectral band
112712 | Optical filter type | Type of filter inserted into the optical imaging path
112713 | Tissue selection method | Technique for identifying tissue to be imaged versus area of slide not to be imaged
112714 | Multiple planes | Imaging performed at multiple imaging (focal) planes
112715 | 5X | Nominal 5 power objective lens, resulting in a digital image at approximately 2 um/pixel spacing
112716 | 10X | Nominal 10 power objective lens, resulting in a digital image at approximately 1 um/pixel spacing
112717 | 20X | Nominal 20 power microscope objective lens, resulting in a digital image at approximately 0.5 um/pixel spacing
112718 | 40X | Nominal 40 power microscope objective lens, with a combined condenser and objective lens numerical aperture of approximately 1.3, resulting in a digital image at approximately 0.25 um/pixel spacing
112719 | Nominal empty tile suppression | Equipment-specific nominal or default method for identifying tiles without tissue imaged for suppression from inclusion in image object
112720 | High threshold empty tile suppression | Equipment-specific high threshold method for identifying tiles without tissue imaged for suppression from inclusion in image object
112721 | No empty tile suppression | Tiles without tissue imaged are not suppressed from inclusion in image object
113000 | Of Interest | Of Interest
113001 | Rejected for Quality Reasons | Rejected for Quality Reasons
113002 | For Referring Provider | For Referring Provider
113003 | For Surgery | For Surgery
113004 | For Teaching | For Teaching
113005 | For Conference | For Conference
113006 | For Therapy | For Therapy
113007 | For Patient | For Patient
113008 | For Peer Review | For Peer Review
113009 | For Research | For Research
113010 | Quality Issue | Quality Issue
113011 | Document Title Modifier | Document Title Modifier
113012 | Key Object Description | Key Object Description
113013 | Best In Set | A selection that represents the "best" chosen from a larger set of items; e.g. the best images within a Study or Series. The criteria against which "best" is measured is not defined. Contrast this with the more specific term "Best illustration of finding"
113014 | Study | A study is a collection of one or more series of medical images, presentation states, and/or SR documents that are logically related for the purpose of diagnosing a patient. A study may include composite instances that are created by a single modality, multiple modalities or by multiple devices of the same modality. [From Section A.1.2.2 "Study IE" in PS3.3]
113015 | Series | A distinct logical set used to group composite instances. All instances within a Series are of the same modality, in the same Frame of Reference (if any), and created by the same equipment. [See Section A.1.2.3 "Series IE" in PS3.3]

113016 | Performed Procedure Step | An arbitrarily defined unit of service that has actually been performed (not just scheduled). [From Section 7.3.1.9 "Modality Performed Procedure Step" in PS3.3]
113017 | Stage-View | An image or set of images illustrating a specific stage (phase in a stress echo exam protocol) and view (combination of the transducer position and orientation at the time of image acquisition)
113018 | For Printing | For Printing
113020 | For Report Attachment | Selection of information objects for attachment to the clinical report of the Current Requested Procedure
113021 | For Litigation | List of objects that are related to litigation and should be specially handled; e.g. may apply if a complaint has been received regarding a patient, or a specific set of images has been the subject of a subpoena, and needs to be sequestered or excluded from automatic purging according to retention policy
113026 | Double exposure | Double exposure
113030 | Manifest | A list of objects that have been exported out of one organizational domain into another domain. Typically, the first domain has no direct control over what the second domain will do with the objects
113031 | Signed Manifest | A signed list of objects that have been exported out of one organizational domain into another domain, referenced securely with either Digital Signatures or MACs. Typically, the first domain has no direct control over what the second domain will do with the objects
113032 | Complete Study Content | The list of objects that constitute a study at the time that the list was created
113033 | Signed Complete Study Content | The signed list of objects that constitute a study at the time that the list was created, referenced securely with either Digital Signatures or MACs
113034 | Complete Acquisition Content | The list of objects that were generated in a single procedure step
113035 | Signed Complete Acquisition Content | The signed list of objects that were generated in a single procedure step, referenced securely with either Digital Signatures or MACs
113036 | Group of Frames for Display | A list of frames or single-frame or entire multi-frame instances that together constitute a set for some purpose, such as might be displayed together in the same viewport, as distinct from another set that might be displayed in a separate viewport
113037 | Rejected for Patient Safety Reasons | List of objects whose use is potentially harmful to the patient; e.g. an improperly labeled image could lead to dangerous surgical decisions
113038 | Incorrect Modality Worklist Entry | List of objects that were acquired using an incorrect modality worklist entry, and that should not be used, since they may be incorrectly identified
113039 | Data Retention Policy Expired | List of objects that have expired according to a defined data retention policy
113040 | Lossy Compression | Lossy compression has been applied to an image
113041 | Apparent Diffusion Coefficient | Values are derived by calculation of the apparent diffusion coefficient
113042 | Pixel by pixel addition | Values are derived by the pixel by pixel addition of two images
113043 | Diffusion weighted | Values are derived by calculation of the diffusion weighting
113044 | Diffusion Anisotropy | Values are derived by calculation of the diffusion anisotropy
113045 | Diffusion Attenuated | Values are derived by calculation of the diffusion attenuation
113046 | Pixel by pixel division | Values are derived by the pixel by pixel division of two images
113047 | Pixel by pixel mask | Values are derived by the pixel by pixel masking of one image by another
113048 | Pixel by pixel Maximum | Values are derived by calculating the pixel by pixel maximum of two or more images
113049 | Pixel by pixel mean | Values are derived by calculating the pixel by pixel mean of two or more images
113050 | Metabolite Maps from spectroscopy data | Values are derived by calculating from spectroscopy data pixel values localized in two dimensional space based on the concentration of specific metabolites (i.e, at specific frequencies)
113051 | Pixel by pixel Minimum | Values are derived by calculating the pixel by pixel minimum of two or more images
113052 | Mean Transit Time | The time required for blood to pass through a region of tissue
113053 | Pixel by pixel multiplication | Values are derived by the pixel by pixel multiplication of two images
113054 | Negative Enhancement Integral | Values are derived by calculating negative enhancement integral values
113055 | Regional Cerebral Blood Flow | The flow rate of blood perfusing a region of the brain as volume per mass per unit of time
113056 | Regional Cerebral Blood Volume | The volume of blood perfusing a region of brain as volume per mass
113057 | R-Coefficient | Correlation Coefficient, r
113058 | Proton Density | Values are derived by calculating proton density values
113059 | Signal Change | Values are derived by calculating signal change values
113060 | Signal to Noise | Values are derived by calculating the signal to noise ratio
113061 | Standard Deviation | Values are derived by calculating the standard deviation of two or more images
113062 | Pixel by pixel subtraction | Values are derived by the pixel by pixel subtraction of two images
113063 | T1 | Values are derived by calculating T1 values
113064 | T2* | Values are derived by calculating T2* values
113065 | T2 | Values are derived by calculating T2 values
113066 | Time Course of Signal | Values are derived by calculating values based on the time course of signal
113067 | Temperature encoded | Values are derived by calculating values based on temperature encoding
113068 | Student's T-Test | Values are derived by calculating the value of the Student's T-Test statistic from multiple image samples
113069 | Time To Peak | The time from the start of the contrast agent injection to the maximum enhancement value
113070 | Velocity encoded | Values are derived by calculating values based on velocity encoded; e.g. phase contrast
113071 | Z-Score | Values are derived by calculating the value of the Z-Score statistic from multiple image samples
113072 | Multiplanar reformatting | Values are derived by reformatting in a flat plane other than that originally acquired
113073 | Curved multiplanar reformatting | Values are derived by reformatting in a curve plane other than that originally acquired
113074 | Volume rendering | Values are derived by volume rendering of acquired data
113075 | Surface rendering | Values are derived by surface rendering of acquired data
113076 | Segmentation | Values are derived by segmentation (classification into tissue types) of acquired data
113077 | Volume editing | Values are derived by selectively editing acquired data (removing values from the volume), such as in order to remove obscuring structures or noise
113078 | Maximum intensity projection | Values are derived by maximum intensity projection of acquired data
113079 | Minimum intensity projection | Values are derived by minimum intensity projection of acquired data

113080 | Glutamate and glutamine | For single-proton MR spectroscopy, the resonance peak corresponding to glutamate and glutamine
113081 | Choline/Creatine Ratio | For single-proton MR spectroscopy, the ratio between the Choline and Creatine resonance peaks
113082 | N-acetylaspartate /Creatine Ratio | For single-proton MR spectroscopy, the ratio between the N-acetylaspartate and Creatine resonance peaks
113083 | N-acetylaspartate /Choline Ratio | For single-proton MR spectroscopy, the ratio between the N-acetylaspartate and Choline resonance peaks
113085 | Spatial resampling | Values are derived by spatial resampling of acquired data
113086 | Edge enhancement | Values are derived by edge enhancement
113087 | Smoothing | Values are derived by smoothing
113088 | Gaussian blur | Values are derived by Gaussian blurring
113089 | Unsharp mask | Values are derived by unsharp masking
113090 | Image stitching | Values are derived by stitching two or more images together
113091 | Spatially-related frames extracted from the volume | Spatially-related frames in this image are representative frames from the referenced 3D volume data set
113092 | Temporally-related frames extracted from the set of volumes | Temporally-related frames in this image are representative frames from the referenced 3D volume data set
113093 | Polar to Rectangular Scan Conversion | Conversion of a polar coordinate image to rectangular (Cartesian) coordinate image
113094 | Creatine and Choline | For single-proton MR spectroscopy, the resonance peak corresponding to creatine and choline
113095 | Lipid and Lactate | For single-proton MR spectroscopy, the resonance peak corresponding to lipid and lactate
113096 | Creatine+Choline/ Citrate Ratio | For single-proton MR spectroscopy, the ratio between the Choline and Creatine resonance peak and the Citrate resonance peak
113097 | Multi-energy proportional weighting | Image pixels created through proportional weighting of multiple acquisitions at distinct X-Ray energies
113100 | Basic Application Confidentiality Profile | De-identification using a profile defined in PS3.15 that requires removing all information related to the identity and demographic characteristics of the patient, any responsible parties or family members, any personnel involved in the procedure, the organizations involved in ordering or performing the procedure, additional information that could be used to match instances if given access to the originals, such as UIDs, dates and times, and private attributes, when that information is present in the non-Pixel Data Attributes, including graphics or overlays
113101 | Clean Pixel Data Option | Additional de-identification according to an option defined in PS3.15 that requires any information burned in to the Pixel Data corresponding to the Attribute information specified to be removed by the Profile and any other Options specified also be removed
113102 | Clean Recognizable Visual Features Option | Additional de-identification according to an option defined in PS3.15 that requires that sufficient removal or distortion of the Pixel Data shall be applied to prevent recognition of an individual from the instances themselves or a reconstruction of a set of instances
113103 | Clean Graphics Option | Additional de-identification according to an option defined in PS3.15 that requires that any information encoded in graphics, text annotations or overlays corresponding to the Attribute information specified to be removed by the Profile and any other Options specified also be removed
113104 | Clean Structured Content Option | Additional de-identification according to an option defined in PS3.15 that requires that any information encoded in SR Content Items or Acquisition Context Sequence Items corresponding to the Attribute information specified to be removed by the Profile and any other Options specified also be removed
113105 | Clean Descriptors Option | Additional de-identification according to an option defined in PS3.15 that requires that any information that is embedded in text or string Attributes corresponding to the Attribute information specified to be removed by the Profile and any other Options specified also be removed
113106 | Retain Longitudinal Temporal Information Full Dates Option | Retention of information that would otherwise be removed during de-identification according to an option defined in PS3.15 that requires that any dates and times be retained,
113107 | Retain Longitudinal Temporal Information Modified Dates Option | Retention of information that would otherwise be removed during de-identification according to an option defined in PS3.15 that requires that any dates and times be modified in a manner that preserves temporal relationships; e.g. Study Date and Time
113108 | Retain Patient Characteristics Option | Retention of information that would otherwise be removed during de-identification according to an option defined in PS3.15 that requires that any physical characteristics of the patient, which are descriptive rather than identifying information per se, be retained; e.g. Patient's Age, Sex, Size (height) and Weight
113109 | Retain Device Identity Option | Retention of information that would otherwise be removed during de-identification according to an option defined in PS3.15 that requires that any information that identifies a device be retained; e.g. Device Serial Number
113110 | Retain UIDs Option | Retention of information that would otherwise be removed during de-identification according to an option defined in PS3.15 that requires that UIDs be retained; e.g. SOP Instance UID
113111 | Retain Safe Private Option | Retention of information that would otherwise be removed during de-identification according to an option defined in PS3.15 that requires that private attributes that are known not to contain identity information be retained; e.g. private SUV scale factor
113500 | Radiopharmaceutical Radiation Dose Report | The procedure report is a Radiopharmaceutical Radiation Dose report
113502 | Radiopharmaceutical Administration | Information pertaining to the administration of a radiopharmaceutical
113503 | Radiopharmaceutical Administration Event UID | Unique identification of a single radiopharmaceutical administration event
113505 | Intravenous Extravasation Symptoms | Initial signs or symptoms of extravasation
113506 | Estimated Extravasation Activity | The estimated percentage of administered activity lost at the injection site. The estimation includes extravasation, paravenous administration and leakage at the injection site
113507 | Administered activity | The calculated activity at the Radiopharmaceutical Start Time when the radiopharmaceutical is administered to the patient. The residual activity (i.e. radiopharmaceutical not administered) , if measured, is reflected in the calculated value. The estimated extravasation is not reflected in the calculated value
113508 | Pre-Administration Measured Activity | Radioactivity measurement of radiopharmaceutical before or during the administration
113509 | Post-Administration Measured Activity | Radioactivity measurement of radiopharmaceutical after the administration
113510 | Drug Product Identifier | Registered drug establishment code for product, coding scheme example is NDC or RxNorm

113511 | Radiopharmaceutical Dispense Unit Identifier | The human readable identification of the specific radiopharmaceutical dispensed quantity or dose ("dose" as unit of medication delivery, not radiation dose measure) to be administered to the patient
113512 | Radiopharmaceutical Lot Identifier | Identifies the vial, batch or lot number from which the individual dispense radiopharmaceutical quantity (dose) is produced. The Radiopharmaceutical Dispense Unit Identifier records the identification for each individual dose
113513 | Reagent Vial Identifier | Identifies the lot or unit serial number for the reagent component for the radiopharmaceutical
113514 | Radionuclide Vial Identifier | Identifies the lot or unit serial number for the radionuclide component for the radiopharmaceutical
113516 | Prescription Identifier | Administered Product's Prescription Number
113517 | Organ Dose Information | Information pertaining to the estimated absorbed radiation dose to an organ
113518 | Organ Dose | The absorbed radiation dose to organ
113520 | MIRD Pamphlet 1 | Reference authority MIRD Pamphlet No.1 (rev) ,Society of Nuclear Medicine, 1976
113521 | ICRP Publication 53 | Reference authority ICRP, 1988. Radiation Dose to Patients from Radiopharmaceuticals. ICRP Publication 53. Ann. ICRP 18 (1-4)
113522 | ICRP Publication 80 | Reference authority ICRP, 1998. Radiation Dose to Patients from Radiopharmaceuticals (Addendum to ICRP Publication 53). ICRP Publication 80. Ann. ICRP 28 (3)
113523 | ICRP Publication 106 | Reference authority ICRP, 2008. Radiation Dose to Patients from Radiopharmaceuticals - Addendum 3 to ICRP Publication 53. ICRP Publication 106. Ann. ICRP 38 (1-2)
113526 | MIRDOSE | Reference authority Stabin MG, Sparks RB, Crowe E (1994) MIRDOSE: personal computer software for internal dose assessment in nuclear medicine [Computer program]
113527 | OLINDA-EXM | Reference authority Stabin MG, Sparks RB, Crowe E (2005) OLINDA/EXM: The Second-Generation Personal Computer Software for Internal Dose Assessment in Nuclear Medicine [Computer program]
113528 | Package Insert | Reference authority The reported organ dose is based on radiopharmaceutical's package insert
113529 | Institutionally Approved Estimates | Reference authority The reported organ dose is based on Institutionally approved estimates from the Radioactive Drug Research Committee (RDRC) of the institution itself
113530 | Investigational New Drug | Reference authority The reported organ dose is based on an Investigation new drug
113540 | Activity Measurement Device | The type of device that performed the activity measurement
113541 | Dose Calibrator | The device that measures the radiation activity of the radiopharmaceutical
113542 | Infusion System | Radiopharmaceutical Infusion System
113543 | Generator | Radioisotope Generator
113550 | Fasting Duration | The number hours the patient has gone without food
113551 | Hydration Volume | The amount of fluids the patient has consumed before the procedure
113552 | Recent Physical Activity | A description of physical activity the patient performed before the start of the procedure, such as that which may affect imaging agent biodistribution
113560 | Acute unilateral renal blockage | Blockage in one of the tubes (ureters) that drain urine from the kidneys
113561 | Low Thyroid Uptake | 5% or less Thyroid Uptake of Iodine
113562 | High Thyroid Uptake | 25% or higher Thyroid Uptake of Iodine
113563 | Severely Jaundiced | The patient exhibits symptoms severe of jaundice and/or has a Bilirubin >10 mg/dL
113568 | Extravasation visible in image | Extravasation or paravenous administration of the product is visible in the images
113570 | Cockroft-Gault Formula estimation of GFR | The measurement method of the Glomerular Filtration Rate is Cockroft-Gault Formula
113571 | CKD-EPI Formula estimation of GFR | The measurement method of the Glomerular Filtration Rate is CKD-EPI Formula
113572 | Glomerular Filtration Rate (MDRD) | The measurement method of the Glomerular Filtration Rate is MDRD
113573 | Glomerular Filtration Rate non-black (MDRD) | The measurement method of the Glomerular Filtration Rate is non-black MDRD
113574 | Glomerular Filtration Rate black (MDRD) | The measurement method of the Glomerular Filtration Rate is black (MDRD)
113575 | Glomerular Filtration Rate female (MDRD) | The measurement method of the Glomerular Filtration Rate is female (MDRD)
113576 | Glomerular Filtration Rate Cystatin-based formula | The measurement method of the Glomerular Filtration Rate is Cystatin-based formula
113577 | Glomerular Filtration Rate Creatinine-based formula (Schwartz) | The measurement method of the Glomerular Filtration Rate is Creatinine-based formula (Schwartz)
113601 | Small: < 32.0 cm lateral thickness | Small body thickness for calcium scoring adjustment. Lateral thickness is measured from skin-to-skin, at the level of the proximal ascending aorta, from an A/P localizer image
113602 | Medium: 32.0-38.0 cm lateral thickness | Medium body thickness for calcium scoring adjustment. Lateral thickness is measured from skin-to-skin, at the level of the proximal ascending aorta, from an A/P localizer image
113603 | Large: > 38.0 cm lateral thickness | Large body thickness for calcium scoring adjustment. Lateral thickness is measured from skin-to-skin, at the level of the proximal ascending aorta, from an A/P localizer image
113605 | Irradiation Event Label | A human-readable label identifying an irradiation event
113606 | Label Type | The type of a human-readable label
113607 | Series Number | A number that identifies a Series. Corresponds to (0020,0011) in PS3.3
113608 | Acquisition Number | A number that identifies an Acquisition. Corresponds to (0020,0012) in PS3.3
113609 | Instance Number | A number that identifies an Instance. Corresponds to (0020,0013) in PS3.3
113611 | Stationary Acquisition | Acquisition where the X-Ray source does not move in relation to the patient
113612 | Stepping Acquisition | Acquisition where the X-Ray source moves laterally in relation to the patient
113613 | Rotational Acquisition | Acquisition where the X-Ray source moves angularly in relation to the patient
113620 | Plane A | Primary plane of a Biplane acquisition equipment
113621 | Plane B | Secondary plane of a Biplane acquisition equipment
113622 | Single Plane | Single plane acquisition equipment
113630 | Continuous | Continuous X-Ray radiation is applied during an irradiation event
113631 | Pulsed | Pulsed X-Ray radiation is applied during an irradiation event
113650 | Strip filter | Filter with uniform thickness
113651 | Wedge filter | Filter with variation in thickness from one edge to the opposite edge
113652 | Butterfly filter | Filter with two triangular sections

113653 | Flat filter | Filter with uniform thickness that is for spectral filtering only; e.g. filter out low energy portion of the X-Ray that would only contribute to skin dose, but not to image
113661 | Outline of lobulations | A polyline defining the outline of a lobulated finding
113662 | Inner limits of fuzzy margin | A polyline defining the inner limits of a finding with fuzzy margin
113663 | Outer limits of fuzzy margin | A polyline defining the outer limits of a finding with fuzzy margin
113664 | Outline of spiculations | A polyline defining the outline of the spiculations of a finding
113665 | Linear spiculation | A polyline segment graphically indicating the location and direction of a spiculation of a finding
113666 | Pixelated spiculations | A collection of points indicating the pixel locations of the spiculations of a finding
113669 | Orthogonal location arc | Connected line segments indicating the center of location of a finding on an orthogonal view
113670 | Orthogonal location arc inner margin | Connected line segments indicating the inner margin of the location of a finding on an orthogonal view
113671 | Orthogonal location arc outer margin | Connected line segments indicating the outer location of a finding on an orthogonal view
113680 | Quality Control Intent | This procedure is intended to gather data that is used for calibration or other quality control purposes
113681 | Phantom | An artificial subject of an imaging study
113682 | ACR Accreditation Phantom - CT | A phantom acceptable for the ACR Computed Tomography Accreditation program
113683 | ACR Accreditation Phantom - MR | A phantom acceptable for the ACR Magnetic Resonance Imaging Accreditation program
113684 | ACR Accreditation Phantom - Mammography | A phantom acceptable for the ACR Mammography Accreditation program
113685 | ACR Accreditation Phantom - Stereotactic Breast Biopsy | A phantom acceptable for the ACR Stereotactic Breast Biopsy Accreditation program
113686 | ACR Accreditation Phantom - ECT | A phantom acceptable for the ACR SPECT Accreditation program (but not for PET)
113687 | ACR Accreditation Phantom - PET | A phantom acceptable for the ACR PET Accreditation program (but not for SPECT)
113688 | ACR Accreditation Phantom - ECT/PET | A SPECT phantom with a PET faceplate acceptable for both the ACR SPECT and PET Accreditation programs
113689 | ACR Accreditation Phantom - PET Faceplate | A PET faceplate (made to fit an existing flangeless or flanged ECT phantom) acceptable for the ACR PET Accreditation program
113690 | IEC Head Dosimetry Phantom | A phantom used for CTDI measurement in head modes according to IEC 60601-2-44, Ed.2.1 (Head 16 cm diameter Polymethyl methacrylate PMMA)
113691 | IEC Body Dosimetry Phantom | A phantom used for CTDI measurement in body modes according to IEC 60601-2-44, Ed.2.1 (Body 32cm diameter Polymethyl methacrylate PMMA)
113692 | NEMA XR21-2000 Phantom | A phantom in accordance with NEMA standard XR-21-2000
113701 | X-Ray Radiation Dose Report | X-Ray Radiation Dose Report
113702 | Accumulated X-Ray Dose Data | X-Ray dose data accumulated over multiple irradiation events; e.g. for a study or a performed procedure step
113704 | Projection X-Ray | Imaging using a point X-Ray source with a diverging beam projected onto a 2 dimensional detector
113705 | Scope of Accumulation | Entity over which dose accumulation values are integrated
113706 | Irradiation Event X-Ray Data | X-Ray dose data for a single Irradiation Event
113710 | Niobium or Niobium compound | Material containing Niobium or a Niobium compound | Deprecated
113711 | Europium or Europium compound | Material containing Europium or a Europium compound | Deprecated
113720 | Calibration Protocol | Describes the method used to derive the calibration factor
113721 | Irradiation Event Type | Denotes the type of irradiation event recorded
113722 | Dose Area Product Total | Total calculated Dose Area Product (in the scope of the including report)
113723 | Calibration Date | Last calibration Date for the integrated dose meter or dose calculation
113724 | Calibration Responsible Party | Individual or organization responsible for calibration
113725 | Dose (RP) Total | Total Dose related to Reference Point (RP). (in the scope of the including report)
113726 | Fluoro Dose Area Product Total | Total calculated Dose Area Product applied in Fluoroscopy Modes (in the scope of the including report)
113727 | Acquisition Dose Area Product Total | Total calculated Dose Area Product applied in Acquisition Modes (in the scope of the including report)
113728 | Fluoro Dose (RP) Total | Dose applied in Fluoroscopy Modes, related to Reference Point (RP). (in the scope of the including report)
113729 | Acquisition Dose (RP) Total | Dose applied in Acquisition Modes, related to Reference Point (RP). (in the scope of the including report)
113730 | Total Fluoro Time | Total accumulated clock time of Fluoroscopy in the scope of the including report (i.e., the sum of the Irradiation Duration values for accumulated fluoroscopy irradiation events)
113731 | Total Number of Radiographic Frames | Accumulated Count of exposure pulses (single or multi-frame encoded) created from irradiation events performed with high dose (acquisition)
113732 | Fluoro Mode | Mode of application of X-Rays during Fluoroscopy
113733 | KVP | Applied X-Ray Tube voltage at peak of X-Ray generation, in kilovolts; Mean value if measured over multiple peaks (pulses)
113734 | X-Ray Tube Current | Mean value of applied Tube Current
113735 | Exposure Time | Cumulative time the patient has received X-Ray exposure during the irradiation event | Deprecated
113736 | Exposure | Mean value of X-Ray Current Time product
113737 | Distance Source to Reference Point | Distance to the Reference Point (RP) defined according to IEC 60601-2-43 or equipment defined
113738 | Dose (RP) | Dose applied at the Reference Point (RP)
113739 | Positioner Primary End Angle | Positioner Primary Angle at the end of an irradiation event. For further definition see (112011, DCM, "Positioner Primary Angle")
113740 | Positioner Secondary End Angle | Positioner Secondary Angle at the end of an irradiation event. For further definition see (112012, DCM, "Positioner Secondary Angle")
113742 | Irradiation Duration | Clock time from the start of loading time of the first pulse until the loading time trailing edge of the final pulse in the same irradiation event. Note Loading time is defined in IEC 60601-1-3:2008, 3.37, and described in IEC

60601-2-54:2009, 203.4.101.3
113743 | Patient Orientation | Orientation of the Patient with respect to Gravity
113744 | Patient Orientation Modifier | Enhances or modifies the Patient orientation specified in Patient Orientation
113745 | Patient Table Relationship | Orientation of the Patient with respect to the Head of the Table
113748 | Distance Source to Isocenter | Distance from the X-Ray Source to the Equipment C-Arm Isocenter.(Center of Rotation)
113750 | Distance Source to Detector | Measured or calculated distance from the X-Ray source to the detector plane in the center of the beam
113751 | Table Longitudinal Position | Table Longitudinal Position with respect to an arbitrary chosen reference by the equipment. Table motion towards LAO is positive assuming that the patient is positioned supine and its head is in normal position
113752 | Table Lateral Position | Table Lateral Position with respect to an arbitrary chosen reference by the equipment. Table motion towards CRA is positive assuming that the patient is positioned supine and its head is in normal position
113753 | Table Height Position | Table Height Position with respect to an arbitrary chosen reference by the equipment in (mm). Table motion downwards is positive
113754 | Table Head Tilt Angle | Angle of the head-feet axis of the table in degrees relative to the horizontal plane. Positive values indicate that the head of the table is upwards
113755 | Table Horizontal Rotation Angle | Rotation of the table in the horizontal plane (clockwise when looking from above the table)
113756 | Table Cradle Tilt Angle | Angle of the left-right axis of the table in degrees relative to the horizontal plane. Positive values indicate that the left of the table is upwards
113757 | X-Ray Filter Material | X-Ray absorbing material used in the filter
113758 | X-Ray Filter Thickness Minimum | The minimum thickness of the X-Ray absorbing material used in the filters
113759 | Table Longitudinal End Position | Table Longitudinal Position at the end of an irradiation event; see (113751, DCM, "Table Longitudinal Position")
113760 | Table Lateral End Position | Table Lateral Position at the end of an irradiation event; see (113752, DCM, "Table Lateral Position")
113761 | Table Height End Position | Table Height Position at the end of an irradiation event; see (113753, DCM, "Table Height Position")
113763 | Calibration Uncertainty | Uncertainty of the 'actual' value
113764 | Acquisition Plane | Identification of Acquisition Plane with Biplane systems
113766 | Focal Spot Size | Nominal Size of Focal Spot of X-Ray Tube
113767 | Average X-Ray Tube Current | Average X-Ray Tube Current averaged over time for pulse or for continuous Fluoroscopy
113768 | Number of Pulses | Number of pulses applied by X-Ray systems during an irradiation event (acquisition run or pulsed fluoro)
113769 | Irradiation Event UID | Unique identification of a single irradiation event
113770 | Column Angulation | Angle of the X-Ray beam in degree relative to an orthogonal axis to the detector plane
113771 | X-Ray Filters | Devices used to modify the energy or energy distribution of X-Rays
113772 | X-Ray Filter Type | Type of filter(s) inserted into the X-Ray beam; e.g. wedges
113773 | X-Ray Filter Thickness Maximum | The maximum thickness of the X-Ray absorbing material used in the filters
113780 | Reference Point Definition | System provided definition of the Reference Point used for Dose calculations
113788 | Collimated Field Height | Distance between the collimator blades in pixel column direction as projected at the detector plane
113789 | Collimated Field Width | Distance between the collimator blades in pixel row direction as projected at the detector plane
113790 | Collimated Field Area | Collimated field area at image receptor. Area for compatibility with IEC 60601-2-43
113791 | Pulse Rate | Pulse rate applied by equipment during Fluoroscopy
113792 | Distance Source to Table Plane | Measured or calculated distance from the X-Ray source to the table plane in the center of the beam
113793 | Pulse Width | (Average) X-Ray pulse width
113794 | Dose Measurement Device | Calibrated device to perform dose measurements
113795 | Acquired Image | Image acquired during a specified event
113800 | DLP to E conversion via MC computation | Effective Dose evaluation from the product of Dose Length Product (DLP) and the Effective Dose Conversion Factor (E/DLP in units of mSv/mGy-cm), where the ratio is derived by means of Monte Carlo computations
113801 | CTDIfreeair to E conversion via MC computation | Effective Dose evaluation from the product of the Mean CTDIfreeair and the ratio E/CTDIfreeair (mSv/mGy), where the ratio is derived by means of Monte Carlo computations
113802 | DLP to E conversion via measurement | Effective Dose evaluation from the product of Dose Length Product (DLP) and the Effective Dose Conversion Factor (E/DLP in units of mSv/mGy-cm), where the ratio is derived by means of dosimetric measurements with an anthropomorphic phantom
113803 | CTDIfreeair to E conversion via measurement | Effective Dose evaluation from the product of the Mean CTDIfreeair and the ratio E/CTDIfreeair (mSv/mGy), where the ratio is derived by means of dosimetric measurements with an anthropomorphic phantom
113804 | Sequenced Acquisition | The CT acquisition was performed by acquiring single or multi detector data while rotating the source about the gantry while the table is not moving. Additional slices are acquired by incrementing the table position and again rotating the source about the gantry while the table is not moving
113805 | Constant Angle Acquisition | The CT acquisition was performed by holding the source at a constant angle and moving the table to obtain a projection image; e.g. localizer
113806 | Stationary Acquisition | The CT acquisition was performed by holding the table at a constant position and acquiring multiple slices over time at the same location
113807 | Free Acquisition | The CT acquisition was performed while rotating the source about the gantry while the table movement is under direct control of a human operator or under the control of an analysis application; e.g. fluoro
113808 | ICRP Pub 60 | Reference authority 1990 Recommendations of the International Commission on Radiological Protection (ICRP Publication 60, published as the Annals of the ICRP Vol. 21, No. 1-3, Pergamon Press,1991)
113809 | Start of X-Ray Irradiation | Start, DateTime of the first X-Ray Irradiation Event of the accumulation within a Study
113810 | End of X-Ray Irradiation | End, DateTime of the last X-Ray Irradiation Event of the accumulation within a Study
113811 | CT Accumulated Dose Data | X-Ray dose accumulated over multiple CT irradiation events; e.g. for a study or a performed procedure step

113812 | Total Number of Irradiation Events | Total number of events during the defined scope of accumulation
113813 | CT Dose Length Product Total | The total dose length product defined scope of accumulation
113814 | CT Effective Dose Total | The total Effective Dose at the defined scope of accumulation
113815 | Patient Model | Identification of the reference-patient model used when Effective Dose is evaluated via Monte Carlo calculations or from a Dose Length Product conversion factor based on Monte Carlo calculations
113816 | Condition Effective Dose measured | References the physical phantom and the type of dosimeter used when measurements are done to establish Effective Dose Conversion Factors (E/DLP) or ratios E/CTDIfreeair
113817 | Effective Dose Phantom Type | Type of Effective Dose phantom used
113818 | Dosimeter Type | Type of dosimeter used
113819 | CT Acquisition | General description of the CT Irradiation event
113820 | CT Acquisition Type | Method of the CT acquisition
113821 | X-Ray Filter Aluminum Equivalent | Thickness of an equivalent filter in mm in Aluminum
113822 | CT Acquisition Parameters | General description of the acquisition parameters
113823 | Number of X-Ray Sources | Number of X-Ray sources
113824 | Exposure Time | Total time the patient has received X-Ray exposure during the irradiation event
113825 | Scanning Length | Length of the table travel during the entire tube loading, according to IEC 60601-2-44 Note Scanning Length might be longer than the programmed acquisition length (Length of Reconstructable Volume)
113826 | Nominal Single Collimation Width | The value of the nominal width referenced to the location of the isocenter along the z axis of a single row of acquired data in mm
113827 | Nominal Total Collimation Width | The value of the nominal width referenced to the location of the isocenter along the z axis of the total collimation in mm over the area of active X-Ray detection
113828 | Pitch Factor | For Spiral scanning: Pitch Factor = (Table Feed per Rotation (mm)) /(Nominal Total Collimation Width (mm)) For Sequenced scanning: Pitch Factor = (Table Feed per single Sequenced scan (mm)) /(Nominal Total Collimation Width (mm))
113829 | CT Dose | General description of CT dose values
113830 | Mean CTDIvol | "Mean CTDIvol" refers to the average value of the CTDIvol associated with this acquisition
113831 | CT X-Ray Source Parameters | Identification, tube-potential, tube-current, and exposure-time parameters associated with an X-Ray source during an acquisition
113832 | Identification of the X-Ray Source | Identifies the particular X-Ray source (in a multi-source CT system) for which the set of X-Ray source parameter values is reported
113833 | Maximum X-Ray Tube Current | Maximum X-Ray tube current
113834 | Exposure Time per Rotation | The exposure time for one rotation of the source around the object in s
113835 | CTDIw Phantom Type | A label describing the type of phantom used for CTDIW measurement according to IEC 60601-2-44 (Head 16 cm diameter PMMA, Body 32 cm diameter PMMA)
113836 | CTDIfreeair Calculation Factor | The CTDIfreeair Calculation Factor is the CTDIfreeair per mAs, expressed in units of mGy/mAs. The CTDIfreeair Calculation Factor may be used in one method calculating Dose
113837 | Mean CTDIfreeair | The average value of the free-in-air CTDI associated with this acquisition
113838 | DLP | Dose Length Product (DLP), expressed in mGy-cm, is an index characterizing the product of the CTDIvol and the length scanned. For Spiral scanning, DLP = CTDIvol x Scanning Length. For Sequenced scanning, DLP = CTDIvol x Nominal Total Collimation Width x Cumulative Exposure Time / Exposure Time per Rotation. For Stationary and Free scanning, DLP = CTDIvol x Nominal Total Collimation Width
113839 | Effective Dose | Effective dose in mSv
113840 | Effective Dose Conversion Factor | Effective Dose per DLP, reference value for Effective Dose calculation, expressed in mSv/mGY.cm
113841 | ICRP Pub 103 | Effective Dose Reference authority 2007 Recommendations of the International Commission on Radiological Protection (ICRP Publication 103, published as the Annals of the ICRP Vol. 37, No. 2-4, Elsevier, 2007)
113842 | X-Ray Modulation Type | The type of exposure modulation used for the purpose of limiting the dose
113845 | Exposure Index | Measure of the detector response to radiation in the relevant image region of an image acquired with a digital X-Ray imaging system as defined in IEC 62494-1; see PS3.3 definition of Exposure Index Macro
113846 | Target Exposure Index | The target value used to calculate the Deviation Index as defined in IEC 62494-1; see PS3.3 definition of Exposure Index Macro
113847 | Deviation Index | A scaled representation of the accuracy of the Exposure Index compared to the Target Exposure Index as defined in IEC 62494-1; see PS3.3 definition of Exposure Index Macro
113850 | Irradiation Authorizing | The clinician responsible for determining that the irradiating procedure was appropriate for the indications
113851 | Irradiation Administering | The person responsible for the administration of radiation
113852 | Irradiation Event | An irradiation event is the loading of X-Ray equipment caused by a single continuous actuation of the equipment's irradiation switch, from the start of the loading time of the first pulse until the loading time trailing edge of the final pulse. Any automatic on-off switching of the irradiation source during the event is not treated as separate events, rather the event includes the time between start and stop of irradiation as triggered by the user; e.g. a pulsed fluoro X-Ray acquisition shall be treated as a single irradiation event
113853 | Irradiation Event UID | Unique Identifier of an Irradiation Event
113854 | Source of Dose Information | Method by which dose-related details of an Irradiation Event were obtained
113855 | Total Acquisition Time | Total accumulated acquisition clock time in the scope of the including report (i.e., the sum of the Irradiation Duration values for accumulated acquisition irradiation events)
113856 | Automated Data Collection | Direct recording of data by a relevant system
113857 | Manual Entry | Recording of data by a human operator, including manual transcription of electronic data
113858 | MPPS Content | The data is taken from an MPPS SOP Instance
113859 | Irradiating Device | A device exposing a patient to ionizing radiation
113860 | 15cm from Isocenter toward Source | 15cm from the isocenter towards the X-Ray source; See IEC 60601-2-43
113861 | 30cm in Front of Image Input Surface | 30cm in front (towards the tube) of the input surface of the image receptor; See FDA Federal Performance Standard for Diagnostic X-Ray Systems §1020.32(d) (7)
113862 | 1cm above Tabletop | 1cm above the patient tabletop or cradle; See FDA Federal Performance Standard for Diagnostic X-Ray Systems §1020.32(d) (7)
113863 | 30cm above Tabletop | 30cm above the patient tabletop of cradle; See FDA Federal Performance Standard for Diagnostic X-Ray Systems §1020.32(d) (7)

113864 | 15cm from Table Centerline | 15cm from the centerline of the X-Ray table and in the direction of the X-Ray source; See FDA Federal Performance Standard for Diagnostic X-Ray Systems §1020.32(d) (7)
113865 | Entrance exposure to a 4.2 cm breast thickness | Standard breast means a 4.2 centimeter (cm) thick compressed breast consisting of 50 percent glandular and 50 percent adipose tissue. See Department of Health and Human Services, Food and Drug Administration. Mammography quality standards; final rule. Federal Register. Oct. 28, 1997; 68(208):55852-55994; see 900.2(uu)
113866 | Copied From Image Attributes | The data is copied from information present in the image attributes; e.g. dose attributes such as CTDIvol (0018,9345)
113867 | Computed From Image Attributes | The data is computed from information present in the image attributes; e.g. by using dosimetry information for the specific irradiating device make and model, applied to technique information such as KVP and mAs
113868 | Derived From Human-Readable Reports | The data is derived from human-readable reports; e.g. by natural language parsing of text reports, or optical character recognition from reports saved as images by the irradiating device
113870 | Person Name | The name of a specific person
113871 | Person ID | An identification number or code for a specific person
113872 | Person ID Issuer | The organization that issued a Person ID
113873 | Organization Name | The name of an organization
113874 | Person Role in Organization | The role played by a person in an organization
113875 | Person Role in Procedure | The role played by a person in a procedure
113876 | Device Role in Procedure | The role played by a device in a procedure
113877 | Device Name | The name used to refer to a device; usually locally unique
113878 | Device Manufacturer | Manufacturer of a device
113879 | Device Model Name | Model Name of a device
113880 | Device Serial Number | Serial Number of a device
113890 | All Planes | All planes of a multi-plane acquisition equipment
113893 | Length of Reconstructable Volume | The length from which images may be reconstructed (i.e., excluding any overranging performed in a spiral acquisition that is required for data interpolation). Value is distinct from (1113825, DCM, "Scanning Length"), which is the actual length of the table travel during the entire tube loading, according to IEC 60601-2-44, and includes overranging. Also distinct from any actual Reconstructed Volume, which may depend on the slice thickness chosen for a particular reconstruction
113895 | Top Z Location of Reconstructable Volume | The Z location that is the top (highest Z value) of the Reconstructable Volume. Specified as the Z component within the Patient Coordinate System defined by a specified Frame of Reference
113896 | Bottom Z Location of Reconstructable Volume | The Z location that is the bottom (lowest Z value) of the Reconstructable Volume. Specified as the Z component within the Patient Coordinate System defined by a specified Frame of Reference
113897 | Top Z Location of Scanning Length | The Z location that is the top (highest Z value) of the scanning length. Specified as the Z component within the Patient Coordinate System defined by a specified Frame of Reference
113898 | Bottom Z Location of Scanning Length | The Z location that is the bottom (lowest Z value) of the scanning length. Specified as the Z component within the Patient Coordinate System defined by a specified Frame of Reference
113899 | Exposed Range | The range along the z axis of the total volume irradiated, per IEC 60601-2-44, Ed. 3, 203.115(b). The start and stop of loading corresponding to the outer edge of the full width half maximum of the free-in-air dose profile for the beam collimation used
113900 | Dose Check Alert Details | Report section about cumulative dose alerts during an examination
113901 | DLP Alert Value Configured | Flag denoting whether a DLP Alert Value was configured
113902 | CTDIvol Alert Value Configured | Flag denoting whether a CTDIvol Alert Value was configured
113903 | DLP Alert Value | Cumulative Dose Length Product value configured to trigger an alert; see NEMA XR 25-2010 Dose Check Standard
113904 | CTDIvol Alert Value | Cumulative CTDIvol value configured to trigger an alert; see NEMA XR 25-2010 Dose Check Standard
113905 | Accumulated DLP Forward Estimate | A forward estimate of the accumulated DLP plus the estimated DLP for the next Protocol Element Group; see NEMA XR 25-2010 Dose Check Standard
113906 | Accumulated CTDIvol Forward Estimate | A forward estimate at a given location of the accumulated CTDIvol plus the estimated CTDIvol for the next Protocol Element Group; see NEMA XR 25-2010 Dose Check Standard
113907 | Reason for Proceeding | Reason provided for proceeding with a procedure that is projected to exceed a configured dose value
113908 | Dose Check Notification Details | Report section about dose notifications during a protocol element
113909 | DLP Notification Value Configured | Flag denoting whether a DLP Notification Value was configured
113910 | CTDIvol Notification Value Configured | Flag denoting whether a CTDIvol Notification Value was configured
113911 | DLP Notification Value | Dose Length Product value configured to trigger a notification for a given protocol element
113912 | CTDIvol Notification Value | CTDIvol value configured to trigger a notification for a given protocol element
113913 | DLP Forward Estimate | A forward estimate of the DLP for the next Protocol Element Group; see NEMA XR 25-2010 Dose Check Standard
113914 | CTDIvol Forward Estimate | A forward estimate of the CTDIvol for the next Protocol Element Group; see NEMA XR 25-2010 Dose Check Standard
113921 | Radiation Exposure | The amount of ionizing radiation to which the patient was exposed
113922 | Radioactive Substance Administered | Type, amount and route of radioactive substance administered
113923 | Radiation Exposure and Protection Information | Exposure to ionizing radiation and associated preventive measures used to reduce the exposure of parts of the body like lead apron or eye, thyroid gland or gonad protection | Deprecated
113930 | Size Specific Dose Estimation | The Size-Specific Dose Estimate is a patient dose estimate that takes into account the size of the patient, such as described in AAPM Report 204 by using linear dimensions measured on the patient or patient images or estimated from patient age
113931 | Measured Lateral Dimension | The side-to-side (left to right) dimension of the body part being scanned (per AAPM Report 204)
113932 | Measured AP Dimension | The thickness of the body part being scanned, in the antero-posterior dimension (per AAPM Report 204)
113933 | Derived Effective Diameter | The diameter of the patient at a given location along the Z-axis of the patient, assuming that the patient has a circular cross-section (per AAPM Report 204)

113934 | AAPM 204 Lateral Dimension | The Size Specific Dose Estimation is computed using Table 1B (32cm phantom) or Table 2B (16cm phantom) of AAPM Report 204
113935 | AAPM 204 AP Dimension | The Size Specific Dose Estimation is computed using Table 1C (32cm phantom) or Table 2C (16cm phantom) of AAPM Report 204
113936 | AAPM 204 Sum of Lateral and AP Dimension | The Size Specific Dose Estimation is computed using Table 1A (32cm phantom) or Table 2A (16cm phantom) of AAPM Report 204
113937 | AAPM 204 Effective Diameter Estimated From Patient Age | The Size Specific Dose Estimation is computed using Table 1D (32cm phantom) or Table 2D (16cm phantom) using an effective diameter estimated from the patient's age using Table 3 of AAPM Report 204
113940 | System Calculated | Values calculated from other existing parameters
113941 | In Detector Plane | A segmented region of the detector surface within the irradiated area (but might not be near the center of the detector)
113942 | X-Ray Reading Device | A device that creates digital images from X-Ray detectors (Direct, Indirect or Storage)
113943 | X-Ray Source Data Available | Parameters related to the X-Ray source (generator, tube, etc.) are available to the recording application
113944 | X-Ray Mechanical Data Available | Parameters related to the X-Ray Mechanical System (Stand, Table) are available to the recording application
113945 | X-Ray Detector Data Available | Parameters related to the X-Ray Detector are available to the recording application
113946 | Projection Eponymous Name | Describes the radiographic method of patient, tube and detector positioning to achieve a well described projection or view
113947 | Detector Type | Type of Detector used to acquire data; e.g. Images
113948 | Direct Detector | Detector that directly transforms the input signal to pixel values
113949 | Indirect Detector | Detector that transforms an intermediate signal into pixel values; e.g. a scintillator-based detector
113950 | Storage Detector | Storage detector that stores a signal that is later transformed by a reader into pixel values; e.g. a phosphor-based detector
113951 | Film | Film that is scanned to create pixel values
113952 | Table Mount | The cassette/detector is mounted in the patient table
113953 | Unmounted Detector | The cassette/detector is not mounted.; e.g. a cassette placed underneath the patient
113954 | Upright Stand Mount | The cassette/detector is mounted in an upright stand
113955 | C-Arm Mount | The cassette/detector is mounted on a c-arm
113956 | CR/DR Mechanical Configuration | Method of mounting or positioning a CR/DR cassette or detector
113957 | Fluoroscopy-Guided Projection Radiography System | An integrated projection radiography system capable of fluoroscopy
113958 | Integrated Projection Radiography System | A projection radiography system where the X-Ray detector, X-Ray Source and gantry components are integrated and the managing system is able to access details of each component
113959 | Cassette-based Projection Radiography System | A projection radiography system where the X-Ray detector, X-Ray Source and gantry components are not integrated; e.g. cassette-based CR and DR systems
113961 | Reconstruction Algorithm | Description of the algorithm used when reconstructing the image from the data acquired during the acquisition process
113962 | Filtered Back Projection | An algorithm for reconstructing an image from multiple projections by back-projecting the measured values along the line of the projection and filtering the result to reduce blurring
113963 | Iterative Reconstruction | An algorithm for reconstructing an image from multiple projections by starting with an assumed reconstructed image, computing projections from the image, comparing the original projection data and updating the reconstructed image based upon the difference between the calculated and the actual projections
113970 | Procedure Step To This Point | The period of time from the start of a Procedure Step until the time point established by the context of the reference
114000 | Not a number | Measurement not available: Not a number (per IEEE 754)
114001 | Negative Infinity | Measurement not available: Negative Infinity (per IEEE 754)
114002 | Positive Infinity | Measurement not available: Positive Infinity (per IEEE 754)
114003 | Divide by zero | Measurement not available: Divide by zero (per IEEE 754)
114004 | Underflow | Measurement not available: Underflow (per IEEE 754)
114005 | Overflow | Measurement not available: Overflow (per IEEE 754)
114006 | Measurement failure | Measurement not available: Measurement failure
114007 | Measurement not attempted | Measurement not available: Measurement not attempted
114008 | Calculation failure | Measurement not available: Calculation failure
114009 | Value out of range | Measurement not available: Value out of range
114010 | Value unknown | Measurement not available: Value unknown
114011 | Value indeterminate | Measurement not available: Value indeterminate
114201 | Time of flight | Measures the time-of-flight of a light signal between the camera and the subject for each point of the image
114202 | Interferometry | Interferometry is a family of techniques in which waves are superimposed in order to extract depth information about the scanned object
114203 | Laser scanning | Laser scanning describes the general method to sample or scan a surface using laser technology
114204 | Pattern projection | Projecting a narrow band of light onto a three-dimensionally shaped surface produces a line of illumination that appears distorted from other perspectives than that of the projector. It can be used for an exact geometric reconstruction of the surface shape
114205 | Shape from shading | A technique for estimating the surface normal of an object by observing that object under different lighting conditions
114206 | Shape from motion | A technique for estimating the surface normal of an object by observing that object under different motions
114207 | Confocal imaging | An optical imaging technique used to increase optical resolution and contrast of a micrograph by using point illumination and a spatial pinhole to eliminate out-of-focus light in specimens that are thicker than the focal plane. It enables the reconstruction of 3D structures from the obtained images
114208 | Point Cloud Algorithmic | Point cloud that was calculated by an algorithm
114209 | Turntable Scan Method | Scanning the object from different views by placing it on a rotating table

114210 | High resolution | Higher resolution with a longer acquisition time
114211 | Fast mode | Lower resolution with a shorter acquisition time
114213 | Iterative Closest Point | An algorithm employed to minimize the difference between two clouds of points. It iteratively revises the transformation (translation, rotation) needed to minimize the distance between the points of two point clouds
114215 | Freehand | Human controlled minimization of the distance between the points of two point clouds
114216 | Checkerboard | Scanning the object from different views by placing it in front of a checkerboard pattern
121001 | Quotation Mode | Type of source for observations quoted from an external source
121002 | Quoted Source | Reference to external source of quoted observations
121003 | Document | Documentary source of quoted observations
121004 | Verbal | Verbal source of quoted observations
121005 | Observer Type | Type of observer that created the observations
121006 | Person | Human observer created the observations
121007 | Device | Automated device created the observations
121008 | Person Observer Name | Name of human observer that created the observations
121009 | Person Observer's Organization Name | Organization or institution with which the human observer is affiliated for the context of the current observation
121010 | Person Observer's Role in the Organization | Organizational role of human observer for the context of the current observation
121011 | Person Observer's Role in this Procedure | Procedural role of human observer for the context of the current observation
121012 | Device Observer UID | Unique identifier of automated device that created the observations
121013 | Device Observer Name | Institution-provided identifier of automated device that created the observations
121014 | Device Observer Manufacturer | Manufacturer of automated device that created the observations
121015 | Device Observer Model Name | Manufacturer-provided model name of automated device that created the observations
121016 | Device Observer Serial Number | Manufacturer-provided serial number of automated device that created the observations
121017 | Device Observer Physical Location During Observation | Location of automated device that created the observations whilst the observations were being made
121018 | Procedure Study Instance UID | Unique identifier for the Study or Requested Procedure
121019 | Procedure Study Component UID | Unique identifier for the Performed Procedure Step
121020 | Placer Number | Identifier for the Order (or Service Request) assigned by the order placer system
121021 | Filler Number | Identifier for the Order (or Service Request) assigned by the order filler system
121022 | Accession Number | Identifier for the Order (or Service Request) assigned by the department information system
121023 | Procedure Code | Type of procedure scheduled or performed
121024 | Subject Class | Type of observation subject
121025 | Patient | A patient is the subject of observations
121026 | Fetus | Fetus of patient is the subject of observations
121027 | Specimen | Specimen is the subject of observations
121028 | Subject UID | Unique Identifier of patient or fetus who is the subject of observations
121029 | Subject Name | Name of patient who is the subject of observations
121030 | Subject ID | Identifier of patient or fetus who is the subject of observations
121031 | Subject Birth Date | Birth Date of patient who is the subject of observations
121032 | Subject Sex | Sex of patient who is the subject of observations
121033 | Subject Age | Age of patient who is the subject of observations
121034 | Subject Species | Species of patient who is the subject of observations
121035 | Subject Breed | The breed of the subject
121036 | Mother of fetus | Name of mother of fetus that is the subject of observations
121037 | Fetus number | | Deprecated
121038 | Number of Fetuses | | Deprecated
121039 | Specimen UID | Unique Identifier of specimen that is the subject of observations
121040 | Specimen Accession Number | Accession Number of specimen that is the subject of observations | Deprecated
121041 | Specimen Identifier | Identifier of specimen that is the subject of observations
121042 | Specimen Type | Coded category of specimen that is the subject of observations | Deprecated
121043 | Slide Identifier | Identifier of specimen microscope slide that is the subject of observations | Deprecated
121044 | Slide UID | Unique Identifier of specimen microscope slide that is the subject of observations | Deprecated
121045 | Language | The language of the content, being a language that is primarily used for human communication; e.g. English, French
121046 | Country of Language | The country-specific variant of language; e.g. Canada for Candadian French
121047 | Language of Value | The language of the value component of a name-value pair
121048 | Language of Name and Value | The language of both the name component and the value component of a name-value pair
121049 | Language of Content Item and Descendants | The language of the current content item (node in a tree of content) and all its descendants
121050 | Equivalent Meaning of Concept Name | The human readable meaning of the name component of a name-value pair that is equivalent to the post-coordinated meaning conveyed by the coded name and its concept modifier children
121051 | Equivalent Meaning of Value | The human readable meaning of the value component of a name-value pair that is equivalent to the post-coordinated meaning conveyed by the coded value and its concept modifier children
121052 | Presence of property | Whether or not the property concept being modified is present or absent
121053 | Present | | Deprecated
121054 | Absent | | Deprecated
121055 | Path | A set of points on an image, that when connected by line segments, provide a polyline from which a linear measurement was inferred
121056 | Area outline | A set of points on an image, that when connected by line segments, provide a closed polyline that is the border of a defined region from which an area, or two-dimensional measurement, was inferred

121057 | Perimeter outline | A set of points on an image, that when connected by line segments, provide a closed polyline that is a two-dimensional border of a three-dimensional region's intersection with, or projection into the image
121058 | Procedure reported | The imaging procedure whose results are reported
121059 | Presence Undetermined | Presence or absence of a property is undetermined | Deprecated
121060 | History | | Deprecated
121062 | Request | | Deprecated
121064 | Current Procedure Descriptions | | Deprecated
121065 | Procedure Description | A description of the imaging procedure
121066 | Prior Procedure Descriptions | | Deprecated
121068 | Previous Findings | | Deprecated
121069 | Previous Finding | An observation found on a prior imaging study
121070 | Findings | | Deprecated
121071 | Finding | An observation found on an imaging study
121072 | Impressions | | Deprecated
121073 | Impression | An interpretation in the clinical context of the finding(s) on an imaging study
121074 | Recommendations | | Deprecated
121075 | Recommendation | A recommendation for management or investigation based on the findings and impressions of an imaging study
121076 | Conclusions | | Deprecated
121077 | Conclusion | An interpretation in the clinical context of the finding(s) on an imaging study
121078 | Addendum | | Deprecated
121079 | Baseline | Initial images used to esyablish a beginning condition that is used for comparison over time to look for changes. [Paraphrases NCI-PT (C1442488, UMLS, "Baseline"), which is defined as "An initial measurement that is taken at an early time point to represent a beginning condition, and is used for comparison over time to look for changes. For example, the size of a tumor will be measured before treatment (baseline) and then afterwards to see if the treatment had an effect. A starting point to which things may be compared."]
121080 | Best illustration of finding | A selection of composite instances that best illustrates a particular finding; e.g. an image slice at the location of the largest extent of a tumor
121081 | Physician | | Deprecated
121082 | Nurse | | Deprecated
121083 | Technologist | | Deprecated
121084 | Radiographer | | Deprecated
121085 | Intern | | Deprecated
121086 | Resident | | Deprecated
121087 | Registrar | | Deprecated
121088 | Fellow | A medical practitioner undergoing sub-specialty training; e.g. during the period after specialty training (residency)
121089 | Attending [Consultant] | | Deprecated
121090 | Scrub nurse | | Deprecated
121091 | Surgeon | | Deprecated
121092 | Sonologist | A medical practitioner with sub-specialty training in Ultrasound
121093 | Sonographer | | Deprecated
121094 | Performing | The person responsible for performing the procedure
121095 | Referring | The person responsible for referring the patient for the procedure | Deprecated
121096 | Requesting | The person responsible for requesting the procedure
121097 | Recording | The person responsible for recording the procedure or observation
121098 | Verifying | The person responsible for verifying the recorded procedure or observation
121099 | Assisting | The person responsible for assisting with the procedure
121100 | Circulating | The person responsible for making preparations for and monitoring the procedure | Deprecated
121101 | Standby | The person responsible for standing by to assist with the precedure if required
121102 | Other sex | Other sex
121103 | Undetermined sex | Sex of subject undetermined at time of encoding
121104 | Ambiguous sex | Ambiguous sex
121105 | Radiation Physicist | Radiation Physicist | Deprecated
121106 | Comment | Comment
121109 | Indications for Procedure | Indications for Procedure | Deprecated
121110 | Patient Presentation | Patient condition at the beginning of a healthcare encounter | Deprecated
121111 | Summary | Summary of a procedure, including most significant findings | Deprecated
121112 | Source of Measurement | Image or waveform used as source for measurement
121113 | Complications | Complications from a procedure | Deprecated
121114 | Performing Physician | Physician who performed a procedure
121115 | Discharge Summary | Summary of patient condition upon Discharge from a healthcare facility
121116 | Proximal Finding Site | Proximal Anatomic Location for a differential measurement; may be considered subtype of term (G-C0E3, SRT, "Finding Site"); e.g. distance or pressure gradient
121117 | Distal Finding Site | Distal Anatomic Location for a differential measurement; may be considered subtype of term (G-C0E3, SRT, "Finding Site"); e.g. distance or pressure gradient
121118 | Patient Characteristics | Patient Characteristics (findings)
121120 | Cath Lab Procedure Log | Time-stamped record of events that occur during a catheterization procedure
121121 | Room identification | Room identification
121122 | Equipment Identification | Equipment identification
121123 | Patient Status or Event | A recorded Patient Status or an event involving a patient
121124 | Procedure Action Item ID | Identification of a step, action, or phase of a procedure
121125 | DateTime of Recording of Log Entry | DateTime of Recording of an Entry in an Event Log

121126 | Performed Procedure Step SOP Instance UID | SOP Instance UID of a Performed Procedure Step
121127 | Performed Procedure Step SOP Class UID | SOP Class UID of a Performed Procedure Step
121128 | Procedure Action Duration | Duration of a step, action, or phase of a procedure
121130 | Start Procedure Action Item | Beginning of a step, action, or phase of a procedure
121131 | End Procedure Action Item | End of a step, action, or phase of a procedure
121132 | Suspend Procedure Action Item | Suspension of a step, action, or phase of a procedure
121133 | Resume Procedure Action Item | Resumption of a step, action, or phase of a procedure
121135 | Observation DateTime Qualifier | Concept modifier for the DateTime of Recording of an Entry in an Event Log
121136 | DateTime Unsynchronized | Recorded DateTime had its source in a system clock not synchronized to other recorded DateTimes
121137 | DateTime Estimated | Recorded DateTime is estimated
121138 | Image Acquired | Event of the acquisition of an image
121139 | Modality | Type of data acquisition device
121140 | Number of Frames | Number of Frames in a multi-frame image
121141 | Image Type | Descriptor of an Image
121142 | Acquisition Duration | Duration of the acquisition of an image or a waveform
121143 | Waveform Acquired | Event of the acquisition of an image
121144 | Document Title | Document Title
121145 | Description of Material | Description of Material used in a procedure
121146 | Quantity of Material | Quantity of Material used in a procedure
121147 | Billing Code | Billing Code for materials used in a procedure
121148 | Unit Serial Identifier | Unit or Device Serial Identifier
121149 | Lot Identifier | Lot Identifier
121150 | Device Code | Vendor or local coded value identifying a device
121151 | Lesion Identifier | Identification of a Lesion observed during an imaging procedure
121152 | Person administering drug/contrast | Person administering drug/contrast
121153 | Lesion Risk | Assessment of the risk a coronary lesion presents to the health of a patient
121154 | Intervention attempt identifier | Identifier for an attempted Intervention
121155 | Deployment | Use of a device to deploy another device
121156 | Percutaneous Entry Action | Action of a clinical professional at the site of percutaneous access to a patient's cardiovascular system
121157 | Begin Circulatory Support | The action or event of beginning circulatory support for a patient
121158 | End Circulatory Support | The action or event of ending circulatory support for a patient
121160 | Oxygen Administration Rate | Rate of Oxygen Administration
121161 | Begin Oxygen Administration | The action or event of beginning administration of oxygen to a patient
121162 | End oxygen administration | The action or event of ending administration of oxygen to a patient
121163 | By ventilator | Method of administration of oxygen to a patient by ventilator
121165 | Patient Assessment Performed | The action or event of assessing the clinical status of a patient
121166 | Begin Pacing | The action or event of beginning pacing support for a patient
121167 | End Pacing | The action or event of ending pacing support for a patient
121168 | Begin Ventilation | The action or event of beginning ventilation support for a patient
121169 | End Ventilation | The action or event of ending ventilation support for a patient
121171 | Tech Note | Procedural note originated by a technologist
121172 | Nursing Note | Procedural note originated by a nurse
121173 | Physician Note | Procedural note originated by a Physician
121174 | Procedure Note | General procedural note
121180 | Key Images | List of references to images considered significant | Deprecated
121181 | DICOM Object Catalog | List of references to DICOM SOP Instances
121190 | Referenced Frames | Individual frames selected as a subset of a multi-frame image
121191 | Referenced Segment | Segment selected as a subset of a segmentation image, specifically the pixels/voxels identified as belonging to the classification of the identified segment
121192 | Device Subject | A device is the subject of observations
121193 | Device Subject Name | Name or other identifier of a device that is the subject of observations
121194 | Device Subject Manufacturer | Manufacturer of a device that is the subject of observations
121195 | Device Subject Model Name | Model Name of a device that is the subject of observations
121196 | Device Subject Serial Number | Serial Number of a device that is the subject of observations
121197 | Device Subject Physical Location during observation | Physical Location of a device that is the subject of observations during those observations
121198 | Device Subject UID | Unique Identifier of a device that is the subject of observations
121200 | Illustration of ROI | Illustration of a region of interest
121201 | Area Outline | | Deprecated
121202 | Area of Defined Region | | Deprecated
121206 | Distance | A one dimensional, or linear, numeric measurement
121207 | Height | Vertical measurement value
121208 | Inter-Marker Distance | Distance between marks on a device of calibrated size; e.g. a ruler
121210 | Path | | Deprecated
121211 | Path length | A one dimensional, or linear, numeric measurement along a polyline
121213 | Perimeter Outline | | Deprecated
121214 | Referenced Segmentation Frame | Frame selected from a segmentation image, specifically the pixels/voxels identified as belonging to the classification of the segment encompassing the identified frame
121216 | Volume estimated from single 2D region | A three-dimensional numeric measurement that is approximate, based on a two-dimensional region in a single image

121217 | Volume estimated from three or more non-coplanar 2D regions | A three-dimensional numeric measurement that is approximate, based on three or more non-coplanar two-dimensional image regions
121218 | Volume estimated from two non-coplanar 2D regions | A three-dimensional numeric measurement that is approximate, based on two non-coplanar two-dimensional image regions
121219 | Volume of bounding three dimensional region | A three-dimensional numeric measurement of the bounding region of a three-dimensional region of interest in an image set
121220 | Volume of circumscribed sphere | A three-dimensional numeric measurement of the bounding sphere of a three-dimensional region of interest in an image set
121221 | Volume of ellipsoid | A three-dimensional numeric measurement of an ellipsoid shaped three-dimensional region of interest in an image set
121222 | Volume of sphere | A three-dimensional numeric measurement of a sphere shaped three-dimensional region of interest in an image set
121230 | Path Vertex | Coordinates of a point on a defined path
121231 | Volume Surface | Surface of an identified or measured volume
121232 | Source series for segmentation | Series of image instances used as source data for a segmentation
121233 | Source image for segmentation | Image instances used as source data for a segmentation
121242 | Distance from nipple | Indicates the location of the area of interest as measured from the nipple of the breast
121243 | Distance from skin | Indicates the location of the area of interest as measured from the most direct skin point of the breast
121244 | Distance from chest wall | Indicates the location of the area of interest as measured from the chest wall
121290 | Patient exposure to ionizing radiation | Patient exposure to ionizing radiation (procedure)
121291 | Results communicated | The act of communicating actionable findings to a responsible receiver
121301 | Simultaneous Doppler | Reference is to a Doppler waveform acquired simultaneously with an image
121302 | Simultaneous Hemodynamic | Reference is to a Hemodynamic waveform acquired simultaneously with an image
121303 | Simultaneous ECG | Reference is to a ECG waveform acquired simultaneously with an image
121304 | Simultaneous Voice Narrative | Reference is to a voice narrative recording acquired simultaneously with an image
121305 | Simultaneous Respiratory Waveform | A waveform representing chest expansion and contraction due to respiratory activity, measured simultaneously with the acquisition of this Image
121306 | Simultaneous Arterial Pulse Waveform | Arterial pulse waveform obtained simultaneously with acquisition of a referencing image
121307 | Simultaneous Phonocardiographic Waveform | Phonocardiographic waveform obtained simultaneously with acquisition of a referencing image
121311 | Localizer | Image providing an anatomical reference on the patient under examination, for the purpose of defining the location of the ensuing imaging
121312 | Biopsy localizer | Image providing an anatomical reference on the patient under examination, for the purpose of planning or documenting a biopsy
121313 | Other partial views | Image providing a partial view of the target anatomy, when the target anatomy is too large for a single image
121314 | Other image of biplane pair | Image providing a view of the target anatomy in a different imaging plane, typically from a near perpendicular angle
121315 | Other image of stereoscopic pair | Image providing a view of the target anatomy in a different imaging plane, typically with a small angular difference
121316 | Images related to standalone object | Image related to a non-image information object
121317 | Spectroscopy | Image where signals are identified and separated according to their frequencies; e.g. to identify individual chemicals, or individual nuclei in a chemical compound
121318 | Spectroscopy Data for Water Phase Correction | MR spectroscopy data acquired to correct the phase of the diagnostic data for the phase signal of the Water
121320 | Uncompressed predecessor | An image that has not already been lossy compressed that is used as the source for creation of a lossy compressed image
121321 | Mask image for image processing operation | Image used as the mask for an image processing operation, such as subtraction
121322 | Source image for image processing operation | Image used as the source for an image processing operation
121323 | Source series for image processing operation | Series used as the source for an image processing operation
121324 | Source Image | Image used as the source for a derived or compressed image
121325 | Lossy compressed image | Image encoded with a lossy compression transfer syntax
121326 | Alternate SOP Class instance | SOP Instance encoded with a different SOP Class but otherwise equivalent data
121327 | Full fidelity image | Full fidelity image, uncompressed or lossless compressed
121328 | Alternate Photometric Interpretation image | Image encoded with a different photometric interpretation
121329 | Source image for montage | Image used as a source for a montage (stitched) image
121330 | Lossy compressed predecessor | An image that has previously been lossy compressed that is used as the source for creation of another lossy compressed image
121331 | Equivalent CDA Document | HL7 Document Architecture (CDA) Document that contains clinical content equivalent to the referencing Instance
121332 | Complete Rendering for Presentation | Instance that contains a displayable complete rendering of the referencing Instance
121333 | Partial Rendering for Presentation | Instance that contains a displayable partial rendering of the referencing Instance
121334 | Extended Rendering for Presentation | Instance that contains a displayable complete rendering of the referencing Instance, plus additional content such as inline rendering of referenced images
121335 | Source Document | Document whose content has been wholly or partially transformed to create the referencing document
121338 | Anatomic image | Image showing structural anatomic features
121339 | Functional image | Image showing physical or chemical activity
121340 | Spectral filtered image | Image providing the same view of the target anatomy acquired using only a specific imaging wavelength, frequency or energy

121341 | Device localizer | Image providing an anatomical reference on the patient under examination, for the purpose of documenting the location of device such as a diagnostic or therapeutic catheter
121342 | Dose Image | Image providing a graphic view of the distribution of radiation dose
121346 | Acquisition frames corresponding to volume | The referenced image is the source of spatially-related frames from which the referencing 3D volume data set was derived
121347 | Volume corresponding to spatially-related acquisition frames | 3D Volume containing the spatially-related frames in the referencing instance
121348 | Temporal Predecessor | Instance acquired prior to the referencing instance in a set of consecutively acquired instances
121349 | Temporal Successor | Instance acquired subsequent to the referencing instance in a set of consecutively acquired instances
121350 | Same acquisition at lower resolution | Image of the same target area at lower resolution acquired in the same acquisition process
121351 | Same acquisition at higher resolution | Image of the same target area at higher resolution acquired in the same acquisition process
121352 | Same acquisition at different focal depth | Image of the same target area at different focal depth (Z-plane) acquired in the same acquisition process
121353 | Same acquisition at different spectral band | Image of the same target area at different spectral band acquired in the same acquisition process
121354 | Imaged container label | Image specifically targeting the container label
121358 | For Processing predecessor | Source image from which FOR PRESENTATION images were created
121360 | Replaced report | The reference is to a predecessor report that has been replaced by the current report
121361 | Addended report | The reference is to a predecessor report to which the current report provides and addendum
121362 | Preliminary report | A report that precedes the final report and may contain only limited information; it may be time sensitive, and it is not expected to contain all the reportable findings
121363 | Partial report | A report that is not complete
121370 | Composed from prior doses | The dose object created was calculated by summation of existing, previously calculated, RT Dose instances
121371 | Composed from prior doses and current plan | The dose object created was calculated by summation of existing, previously calculated, RT Dose instances and dose newly calculated by the application. The newly calculated dose may or may not exist as an independent object
121372 | Source dose for composing current dose | RT Dose Instances used as source for calculated dose
121380 | Active Ingredient Undiluted Concentration | Concentration of the chemically or physically interesting (active) ingredient of a drug or contrast agent as delivered in product form from the manufacturer, typically in mg/ml
121381 | Contrast/Bolus Ingredient Opaque | X-Ray absorption of the active ingredient of a contrast agent ingredient is greater than the absorption of water (tissue)
121382 | Quantity administered | Number of units of substance administered to a patient; e.g. tablets
121383 | Mass administered | Mass of substance administered to a patient
121401 | Derivation | Method of deriving or calculating a measured value; e.g. mean, or maximum of set
121402 | Normality | Assessment of a measurement relative to a normal range of values; may be considered subtype of term (G-C0F2, SRT, "has interpretation")
121403 | Level of Significance | Significance of a measurement
121404 | Selection Status | Status of selection of a measurement for further processing or use
121405 | Population description | Description of a population of measurements
121406 | Reference Authority | Bibliographic or clinical reference for a Description of a population of measurements
121407 | Normal Range description | Description of a normal range of values for a measurement concept
121408 | Normal Range Authority | Bibliographic or clinical reference for a Description of a normal range of values
121410 | User chosen value | Observation value selected by user for further processing or use, or as most representative
121411 | Most recent value chosen | Observation value is the recently obtained, and has been selected for further processing or use
121412 | Mean value chosen | Observation value is the mean of several measurements, and has been selected for further processing or use
121414 | Standard deviation of population | Standard deviation of a measurement in a reference population
121415 | Percentile Ranking of measurement | Percentile Ranking of an observation value with respect a reference population
121416 | Z-Score of measurement | Z-score of an observation value with respect a reference population, expressed as the dimensionless quantity (x-m) /s, where (x-m) is the deviation of the observation value (x) from the population mean (m), and s is the standard deviation of the population
121417 | 2 Sigma deviation of population | 2 Sigma deviation of a measurement in a reference population
121420 | Equation | Formula used to compute a derived measurement
121421 | Equation Citation | Bibliographic reference to a formula used to compute a derived measurement; reference may be to a specific equation in a journal article
121422 | Table of Values Citation | Bibliographic reference to a Table of Values used to look up a derived measurement
121423 | Method Citation | Bibliographic reference to a method used to compute a derived measurement
121424 | Table of Values | A Table of Values used to look up a derived measurement
121425 | Index | Factor (divisor or multiplicand) for normalizing a measurement; e.g. body surface area used for normalizing hemodynamic measurements
121427 | Estimated | Measurement obtained by observer estimation, rather than with a measurement tool or by calculation | Deprecated
121428 | Calculated | Measurement obtained by calculation | Deprecated
121430 | Concern | Identified issue about a state or process that has the potential to require intervention or management
121431 | DateTime Concern Noted | DateTime concern noted (noted by whom is determined by context of use)
121432 | DateTime Concern Resolved | DateTime the concern was resolved
121433 | DateTime Problem Resolved | DateTime the problem was resolved
121434 | Service Delivery Location | Place at which healthcare services may be provided

121435 | Service Performer | Identification of a healthcare provider who performed a healthcare service; may be either a person or an organization
121436 | Medical Device Used | Type or identifier of a medical device used on, in, or by a patient
121437 | Pharmacologic and exercise stress test | Cardiac stress test using pharmacologic and exercise stressors | Deprecated
121438 | Paced stress test | Cardiac stress test using an implanted or external cardiac pacing device | Deprecated
121439 | Correction of congenital cardiovascular deformity | Procedure for correction of congenital cardiovascular deformity | Deprecated
121701 | RT Patient Setup | Process of placing patient in the anticipated treatment position, including specification and location of positioning aids, and other treatment delivery accessories
121702 | RT Patient Position Acquisition, single plane MV | Acquisition of patient positioning information prior to treatment delivery, using single-plane megavoltage imaging
121703 | RT Patient Position Acquisition, dual plane MV | Acquisition of patient positioning information prior to treatment delivery, using dual-plane megavoltage imaging
121704 | RT Patient Position Acquisition, single plane kV | Acquisition of patient positioning information prior to treatment delivery, using single-plane kilovoltage imaging
121705 | RT Patient Position Acquisition, dual plane kV | Acquisition of patient positioning information prior to treatment delivery, using dual-plane kilovoltage imaging
121706 | RT Patient Position Acquisition, dual plane kV/MV | Acquisition of patient positioning information prior to treatment delivery, using dual-plane combination kilovoltage and megavoltage imaging
121707 | RT Patient Position Acquisition, CT kV | Acquisition of patient positioning information prior to treatment delivery, using kilovoltage CT imaging
121708 | RT Patient Position Acquisition, CT MV | Acquisition of patient positioning information prior to treatment delivery, using megavoltage CT imaging
121709 | RT Patient Position Acquisition, Optical | Acquisition of patient positioning information prior to treatment delivery, using optical imaging
121710 | RT Patient Position Acquisition, Ultrasound | Acquisition of patient positioning information prior to treatment delivery, using ultrasound imaging
121711 | RT Patient Position Acquisition, Spatial Fiducials | Acquisition of patient positioning information prior to treatment delivery, using spatial fiducials
121712 | RT Patient Position Registration, single plane | Registration of intended and actual patient position prior to treatment delivery, using single-plane images
121713 | RT Patient Position Registration, dual plane | Registration of intended and actual patient position prior to treatment delivery, using dual-plane images
121714 | RT Patient Position Registration, 3D CT general | Registration of intended and actual patient position prior to treatment delivery, using 3D CT images and an unspecified registration approach
121715 | RT Patient Position Registration, 3D CT marker-based | Registration of intended and actual patient position prior to treatment delivery, using 3D CT images and a marker-based registration approach
121716 | RT Patient Position Registration, 3D CT volume-based | Registration of intended and actual patient position prior to treatment delivery, using 3D CT images and a volume-based registration approach
121717 | RT Patient Position Registration, 3D on 2D reference | Registration of intended and actual patient position prior to treatment delivery, using 3D verification images and 2D reference images
121718 | RT Patient Position Registration, 2D on 3D reference | Registration of intended and actual patient position prior to treatment delivery, using 2D verification images and 3D reference images
121719 | RT Patient Position Registration, Optical | Registration of intended and actual patient position prior to treatment delivery, using optical images
121720 | RT Patient Position Registration, Ultrasound | Registration of intended and actual patient position prior to treatment delivery, using ultrasound images
121721 | RT Patient Position Registration, Spatial Fiducials | Registration of intended and actual patient position prior to treatment delivery, using spatial fiducials
121722 | RT Patient Position Adjustment | Adjustment of patient position such that the patient is correctly positioned for treatment
121723 | RT Patient Position In-treatment-session Review | Review of patient positioning information in the process of delivering a treatment session
121724 | RT Treatment Simulation with Internal Verification | Simulated radiotherapy treatment delivery using verification integral to the Treatment Delivery System
121725 | RT Treatment Simulation with External Verification | Simulated radiotherapy treatment delivery using verification by a external Machine Parameter Verifier
121726 | RT Treatment with Internal Verification | Radiotherapy treatment delivery using verification integral to the Treatment Delivery System
121727 | RT Treatment with External Verification | Radiotherapy treatment delivery using verification by an external Machine Parameter Verifier
121728 | RT Treatment QA with Internal Verification | Quality assurance of a radiotherapy treatment delivery using verification integral to the Treatment Delivery System
121729 | RT Treatment QA with External Verification | Quality assurance of a radiotherapy treatment delivery using verification by an external Machine Parameter Verifier
121730 | RT Machine QA | Quality assurance of a Treatment Delivery Device
121731 | RT Treatment QA by RT Plan Dose Check | Perform Quality Assurance on an RT Plan by evaluating dosimetric content of the current RT Plan
121732 | RT Treatment QA by RT Plan Difference Check | Perform Quality Assurance on an RT Plan by comparing the content of previously quality-assessed RT Plans with the current RT Plan
121733 | RT Treatment QA by RT Ion Plan Dose Check | Perform Quality Assurance on an RT Ion Plan by evaluating dosimetric content of the current RT Ion Plan
121734 | RT Treatment QA with RT Ion Plan Difference Check | Perform Quality Assurance on an RT Ion Plan by comparing the content of previously quality-assessed RT Ion Plans with the current RT Ion Plan
121740 | Treatment Delivery Type | Indicates whether the treatment to be delivered is a complete fraction or a continuation of previous incompletely treated fraction

122001 | Patient called to procedure room | Patient called to procedure room
122002 | Patient admitted to procedure room | Patient admitted to procedure room
122003 | Patient given pre-procedure instruction | Patient given pre-procedure instruction
122004 | Patient informed consent given | Patient informed consent given
122005 | Patient advance directive given | Patient advance directive given
122006 | Nil Per Os (NPO) status confirmed | Nil Per Os (NPO) status confirmed
122007 | Patient assisted to table | Patient assisted to table
122008 | Patient prepped and draped | Patient prepped and draped
122009 | Patient connected to continuous monitoring | Patient connected to continuous monitoring
122010 | Patient transferred to holding area | Patient transferred to holding area
122011 | Patient transferred to surgery | Patient transferred to surgery
122012 | Patient transferred to CCU | Patient transferred to CCU
122020 | Patient disoriented | Patient disoriented
122021 | Patient reports nausea | Patient reports nausea
122022 | Patient reports discomfort | Patient reports discomfort
122023 | Patient reports chest pain | Patient reports chest pain
122024 | Patient reports no pain | Patient reports no pain
122025 | Patient alert | Patient alert
122026 | Patient restless | Patient restless
122027 | Patient sedated | Patient sedated
122028 | Patient asleep | Patient asleep
122029 | Patient unresponsive | Patient unresponsive
122030 | Patient has respiratory difficulty | Patient has respiratory difficulty
122031 | Patient coughed | Patient coughed
122032 | Patient disconnected from continuous monitoring | Patient disconnected from continuous monitoring
122033 | Hemostasis achieved | Hemostasis achieved
122034 | Hemostasis not achieved - oozing | Hemostasis not achieved - oozing
122035 | Hemostasis not achieved - actively bleeding | Hemostasis not achieved - actively bleeding
122036 | Patient given post-procedure instruction | Patient given post-procedure instruction
122037 | Patient discharged from department | Patient discharged from department or laboratory
122038 | Patient pronounced dead | Patient pronounced dead
122039 | Patient transferred to morgue | Patient transferred to morgue
122041 | Personnel Arrived | Identified personnel or staff arrived in procedure room
122042 | Personnel Departed | Identified personnel or staff departed procedure room
122043 | Page Sent To | Page sent to identified personnel or staff
122044 | Consultation With | Consultation with identified personnel or staff
122045 | Office called | Office of identified personnel or staff was called
122046 | Equipment failure | Equipment failure | Deprecated
122047 | Equipment brought to procedure room | Equipment brought to procedure room
122048 | Equipment ready | Equipment ready for procedure
122049 | Equipment removed | Equipment removed from procedure room
122052 | Bioptome | Device for obtaining biopsy sample
122053 | Valvular Intervention | Valvular Intervention
122054 | Aortic Intervention | Aortic Intervention
122055 | Septal Defect Intervention | Septal Defect Intervention
122056 | Vascular Intervention | Vascular Intervention
122057 | Myocardial biopsy | Myocardial biopsy
122058 | Arterial conduit angiography | Arterial conduit angiography
122059 | Single plane Angiography | Single plane Angiography
122060 | Bi-plane Angiography | Bi-plane Angiography
122061 | Percutaneous Coronary Intervention | Percutaneous Coronary Intervention
122062 | 15-Lead ECG | 15-Lead electrocardiography | Deprecated
122072 | Pre-procedure log | Log of events occurring prior to the current procedure
122073 | Current procedure evidence | Analysis or measurements for current procedure (purpose of reference to evidence document)
122075 | Prior report for current patient | Prior report for current patient
122076 | Consumable taken from inventory | Identifier of Consumable taken from inventory
122077 | Consumable returned to inventory | Identifier of Consumable returned to inventory
122078 | Remaining consumable disposed | Identifier of consumable whose remaining content has been disposed
122079 | Consumable unusable | Identifier of Consumable determined to be unusable
122081 | Drug start | Identifier of Drug whose administration has started
122082 | Drug end | Identifier of Drug whose administration has ended
122083 | Drug administered | Identifier of Drug administered as part of procedure
122084 | Contrast start | Identifier of Contrast agent whose administration has started
122085 | Contrast end | Identifier of Contrast agent whose administration has ended
122086 | Contrast administered | Identifier of Contrast agent administered
122087 | Infusate start | Identifier of Infusate whose administration has started
122088 | Infusate end | Identifier of Infusate whose administration has ended
122089 | Device crossed lesion | Action of a device traversing a vascular lesion
122090 | Intervention Action | Action of a clinical professional performed on a patient for therapeutic purpose
122091 | Volume administered | Volume of Drug, Contrast agent, or Infusate administered
122092 | Undiluted dose administered | Undiluted dose of Drug, Contrast agent, or Infusate administered

122093 | Concentration | Concentration of Drug, Contrast agent, or Infusate administered
122094 | Rate of administration | Rate of Drug, Contrast agent, or Infusate administration
122095 | Duration of administration | Duration of Drug, Contrast agent, or Infusate administration
122096 | Volume unadministered or discarded | Volume of Drug, Contrast agent, or Infusate unadministered or discarded
122097 | Catheter Curve | Numeric parameter of Curvature of Catheter
122098 | Transmit Frequency | Transmit Frequency
122099 | ST change from baseline | Measured change of patient electrocardiographic ST level relative to baseline measurement
122101 | Aneurysm on cited vessel | Anatomic term modifier indicating aneurysm on cited vessel is the subject of the finding
122102 | Graft to cited segment, proximal section | Anatomic term modifier indicating proximal section of graft to cited vessel is the subject of the finding
122103 | Graft to cited segment, mid section | Anatomic term modifier indicating mid section of graft to cited vessel is the subject of the finding
122104 | Graft to cited segment, distal section | Anatomic term modifier indicating distal section of graft to cited vessel is the subject of the finding
122105 | DateTime of Intervention | DateTime of Intervention
122106 | Duration of Intervention | Duration of Intervention
122107 | Baseline Stenosis Measurement | Lesion stenosis measured prior to any interventional procedure | Deprecated
122108 | Post-Intervention Stenosis Measurement | Lesion stenosis measured after an interventional procedure | Deprecated
122109 | Baseline TIMI Flow | Assessment of perfusion across a coronary lesion measured prior to any interventional procedure
122110 | Post-Intervention TIMI Flow | Assessment of perfusion across a coronary lesion measured after an interventional procedure
122111 | Primary Intervention Device | Indication that device is the primary (first and/or most significant) device used for interventional therapy of a particular pathology; e.g. lesion
122112 | Normal Myocardium | Normal Myocardium
122113 | Sacrred Myocardial | Sacrred Myocardial
122114 | Thinning Myocardium | Thinning Myocardium
122120 | Hemodynamics Report | Hemodynamics Report
122121 | Atrial pressure measurements | Atrial pressure measurements, report section
122122 | Ventricular pressure measurements | Ventricular pressure measurements, report section
122123 | Gradient assessment | Gradient assessment, report section
122124 | Blood velocity measurements | Blood velocity measurements, report section
122125 | Blood lab measurements | Blood lab measurements, report section
122126 | Derived Hemodynamic Measurements | Derived Hemodynamic Measurements, report section
122127 | Clinical Context | Clinical Context, report section
122128 | Patient Transferred From | Location from which the patient was transferred
122129 | PCI during this procedure | Indication that the procedure includes a percutaneous coronary intervention
122130 | Dose Area Product | Radiation dose times area of exposure
122131 | Degree of Thrombus | Finding of probability and/or severity of thrombus
122132 | Severity of Calcification | Severity of Calcification, property of lesion
122133 | Lesion Morphology | Lesion Morphology; form and/or structural properties of lesion
122134 | Vessel Morphology | Vessel Morphology; form and/or structural properties of vessel
122138 | Circulatory Support | Technique (device or procedure) of support for patient circulatory system; hemodynamic support
122139 | Reason for Exam | Reason for Exam
122140 | Comparison with Prior Exam Done | Indication that the current exam data has been compared with prior exam data
122141 | Electrode Placement | Electrocardiographic electrode placement technique
122142 | Acquisition Device Type | Acquisition Device Type
122143 | Acquisition Device ID | Acquisition Device ID
122144 | Quantitative Analysis | Quantitative Analysis, report section
122145 | Qualitative Analysis | Qualitative Analysis, report section
122146 | Procedure DateTime | The date and time on which a procedure was performed on a patient
122147 | Clinical Interpretation | Clinical Interpretation, report section
122148 | Lead ID | ECG Lead Identifier
122149 | Beat Number | Beat Number; ordinal of cardiac cycle within an acquisition
122150 | Compound Statement | Complex coded semantic unit, consisting of several coded components
122151 | Trend | Trend (temporal progression) of a clinical condition, finding, or disease
122152 | Statement | Coded semantic unit
122153 | Statement Modifier | Coded modifier for a semantic unit
122154 | Conjunctive Term | Conjunctive term between semantic units
122157 | Probability | Probability
122158 | ECG Global Measurements | ECG Global Measurements, report section
122159 | ECG Lead Measurements | ECG Lead Measurements, report section
122160 | Derived Area, Non-Valve | Derived cross-sectional area of a vessel or anatomic feature, other than a cardiac valve
122161 | Pulmonary Flow | Rate of blood flow through Pulmonary artery
122162 | Systemic Flow | Rate of blood flow through the aorta
122163 | Discharge DateTime | DateTime of patient discharge from hospital admission
122164 | Coronary Artery Bypass During This Admission | Indication that a Coronary Artery Bypass operation was performed during the current hospital admission
122165 | Date of Death | Date of Death
122166 | Death During This Admission | Indication that the patient died during the current hospital admission
122167 | Death During Catheterization | Indication that the patient died during the current Catheterization procedure
122170 | Type of Myocardial Infarction | Finding of type of Myocardial Infarction
122171 | Coronary lesion > = 50% stenosis | Finding of Coronary lesion with greater than 50% stenosis
122172 | Acute MI Present | Finding of Acute Myocardial Infarction Presence as indication for interventional procedure

122173 | ST Elevation Onset DateTime | DateTime of first determination of elevated ECG ST segment, as indication of Myocardial Infarction
122175 | Number of lesion interventions attempted | Number of lesion interventions attempted during current procedure
122176 | Number of lesion interventions successful | Number of lesion interventions successful during current procedure, where the residual post intervention stenosis is less than or equal to 50% of the arterial luminal diameter, TIMI Flow is 3 and the minimal decrease in stenosis was 20%
122177 | Procedure Result | Overall success of interventional procedure
122178 | Lesion Intervention Information | Lesion Intervention Information, report section
122179 | Peri-procedural MI occurred | Indication that Myocardial Infarction occurred during current procedure
122180 | CK-MB baseline | Creatine Kinase-MB value at baseline (start of procedure)
122181 | CK-MB peak | Creatine Kinase-MB highest value measured during procedure
122182 | R-R interval | Time interval between ECG R-wave peaks in subsequent cardiac cycles
122183 | Blood temperature | Blood temperature
122185 | Blood Oxygen content | Blood Oxygen content
122187 | Blood Carbon dioxide saturation | Blood Carbon dioxide saturation
122188 | Pulmonary Arterial Content (FCpa) | Pulmonary Arterial Content (FCpa)
122189 | Pulmonary Venous Content (FCpv) | Pulmonary Venous Content (FCpv)
122190 | Max dp/dt/P | Max dp/dt/P
122191 | Ventricular End Diastolic pressure | Ventricular End Diastolic pressure
122192 | Indicator appearance time | Elapsed time from injection of an indicator bolus until it is observed at another location
122193 | Maximum pressure acceleration | Maximum pressure acceleration
122194 | Ventricular Systolic blood pressure | Ventricular Systolic blood pressure
122195 | Pulse Strength | Pulse Strength; palpable strength of systolic flow
122196 | C wave pressure | The secondary peak pressure in the atrium during atrial contraction
122197 | Gradient pressure, average | Gradient pressure, average
122198 | Gradient pressure, peak | Gradient pressure, peak
122199 | Pressure at dp/dt max | Pressure at dp/dt max
122201 | Diastolic blood velocity, mean | Diastolic blood velocity, mean
122202 | Diastolic blood velocity, peak | Diastolic blood velocity, peak
122203 | Systolic blood velocity, mean | Systolic blood velocity, mean
122204 | Systolic blood velocity, peak | Systolic blood velocity, peak
122205 | Blood velocity, mean | Blood velocity, mean
122206 | Blood velocity, minimum | Blood velocity, minimum
122207 | Blood velocity, peak | Blood velocity, peak
122208 | x-descent pressure | Venous or atrial pressure minimum during ventricular systole, after A-wave
122209 | y-descent pressure | Venous or atrial pressure minimum when tricuspid valve opens during diastole, after V-wave
122210 | z-point pressure | Atrial pressure upon closure of tricuspid and mitral valves
122211 | Left Ventricular ejection time | Left Ventricular ejection time
122212 | Left Ventricular filling time | Left Ventricular filling time
122213 | Right Ventricular ejection time | Right Ventricular ejection time
122214 | Right Ventricular filling time | Right Ventricular filling time
122215 | Total Pulmonary Resistance | Total Pulmonary Resistance
122216 | Total Vascular Resistance | Total Vascular Resistance
122217 | Coronary Flow reserve | Coronary Flow reserve
122218 | Diastolic/Systolic velocity ratio | Diastolic/Systolic velocity ratio
122219 | Hyperemic ratio | Hyperemic ratio
122220 | Hemodynamic Resistance Index | Hemodynamic Resistance Index
122221 | Thorax diameter, sagittal | Thorax diameter, sagittal
122222 | Procedure Environmental Characteristics | Environmental characteristics in the procedure room
122223 | Room oxygen concentration | Oxygen concentration in the procedure room
122224 | Room temperature | Temperature in the procedure room
122225 | Room Barometric pressure | Barometric pressure in the procedure room
122227 | Left to Right Flow | Left to Right Flow
122228 | Right to Left Flow | Right to Left Flow
122229 | Arteriovenous difference | Arteriovenous oxygen content difference
122230 | 10 Year CHD Risk | Framingham Study 10 Year CHD Risk
122231 | Comparative Average10 Year CHD Risk | Framingham Study Comparative Average10 Year CHD Risk
122232 | Comparative Low10 Year CHD Risk | Framingham Study Comparative Low10 Year CHD Risk
122233 | LDL Cholesterol Score Sheet for Men | Framingham Study LDL Cholesterol Score Sheet for Men
122234 | LDL Cholesterol Score Sheet for Women | Framingham Study LDL Cholesterol Score Sheet for Women
122235 | Total Cholesterol Score Sheet for Men | Framingham Study Total Cholesterol Score Sheet for Men
122236 | Total Cholesterol Score Sheet for Women | Framingham Study Total Cholesterol Score Sheet for Women
122237 | Corrected Sinus Node Recovery Time | Corrected Sinus Node Recovery Time
122238 | Max volume normalized to 50mmHg pulse pressure | Max volume normalized to 50mmHg pulse pressure
122239 | Oxygen Consumption | Oxygen Consumption
122240 | BSA = 3.207*WT^(0.7285-0.0188 log (WT)) *HT^0.3 | Body Surface Area computed from patient height and weight: BSA = 3.207*WT[g]^(0.7285-0.0188 log (WT[g])) *HT[cm] ^ 0.3 [Boyd E, The growth of the surface area of the human body. Minneapolis: University of Minnesota Press, 1935, eq. (36)]
122241 | BSA = 0.007184*WT^ 0.425*HT^0.725 | Body Surface Area computed from patient height and weight: BSA = 0.007184* WT[kg] ^ 0.425*HT[cm] ^ 0.725 [Dubois and Dubois, Arch Int Med 1916 17:863-71]
122242 | BSA = 0.0235*WT^0.51456*HT^ 0.42246 | Body Surface Area computed from patient height and weight: BSA = 0.0235* WT[kg] ^0.51456*HT[cm]^ 0.42246 [Gehan EA, George SL, 'Estimation of human body surface area from height and weight', Cancer Chemother Rep 1970 54:225-35]

122243 | BSA = 0.024265*WT^0.5378*HT^0.3964 | Body Surface Area computed from patient height and weight: BSA = 0.024265 * WT[kg] ^ 0.5378 * HT[cm] ^ 0.3964 [Haycock G.B., Schwartz G.J., Wisotsky D.H. 'Geometric method for measuring body surface area: A height weight formula validated in infants, children and adults.' The Journal of Pediatrics 1978 93:1:62-66]
122244 | BSA = (HT * WT/36) ^0.5 | Body Surface Area computed from patient height and weight: BSA = (HT[m] * WT[kg] / 36) ^ 0.5 [Mosteller, R.D. 'Simplified Calculation of Body Surface Area.' N Engl J Med 1987 Oct 22;317(17):1098]
122245 | BSA = 1321+0.3433*WT | Body Surface Area computed from patient weight:BSA = 1321 + 0.3433 * WT[kg] (for pediatrics 3-30 kg) [Current, J.D. 'A Linear Equation For Estimating The Body Surface Area In Infants And Children', The Internet Journal of Anesthesiology. 1998. 2:2]
122246 | BSA = 0.0004688 * WT ^ (0.8168 - 0.0154 * log(WT)) | BSA = 0.0004688 * (1000 * WT) ^ (0.8168 - 0.0154 * log(1000 * WT)) Where (WT is weight in kilogram) Units = m2 Boyd, Edith. The Growth of the Surface Area of the Human Body(originally published in 1935 by the University of Minnesota Press), Greenwood Press, Westport, Connecticut, 1975, p. 102.Equation (35)
122247 | VO2male = BSA (138.1 - 11.49 * loge(age) + 0.378 * HRf) | Equation for estimated oxygen consumption: VO2male = BSA (138.1 - 11.49 * loge(age) + 0.378 * HRf)
122248 | VO2female = BSA (138.1 - 17.04 * loge(age) + 0.378 * HRf) | Equation for estimated oxygen consumption: VO2female = BSA (138.1 - 17.04 * loge(age) + 0.378 * HRf)
122249 | VO2 = VeSTPD * 10 * (FIO2 - FE02) | Equation for estimated oxygen consumption: VO2 = VeSTPD * 10 * (FIO2 - FE02)
122250 | VO2 = 152 * BSA | Equation for estimated oxygen consumption: VO2 = 152 * BSA
122251 | VO2 = 175 * BSA | Equation for estimated oxygen consumption: VO2 = 175 * BSA
122252 | VO2 = 176 * BSA | Equation for estimated oxygen consumption: VO2 = 176 * BSA
122253 | Robertson & Reid table | Robertson & Reid Table for estimated oxygen consumption
122254 | Fleisch table | Fleisch table for estimated oxygen consumption
122255 | Boothby table | Boothby table for estimated oxygen consumption
122256 | if (prem age< 3days) P50 = 19.9 | Estimate of Oxygen partial pressure at 50% saturation for premature infants less than 3 days old: P50 = 19.9
122257 | if (age < 1day) P50 = 21.6 | Estimate of Oxygen partial pressure at 50% saturation for infants less than 1 day old: P50 = 21.6
122258 | if (age < 30day) P50 = 24.6 | Estimate of Oxygen partial pressure at 50% saturation for infants less than 30 days old: P50 = 24.6
122259 | if (age < 18y) P50 = 27.2 | Estimate of Oxygen partial pressure at 50% saturation for patients less than 18 years old: P50 = 27.2
122260 | if (age < 40y) P50 = 27.4 | Estimate of Oxygen partial pressure at 50% saturation for patients less than 40 years old: P50 = 27.4
122261 | if (age > 60y) P50 = 29.3 | Estimate of Oxygen partial pressure at 50% saturation for patients more than 60 years old: P50 = 29.3
122262 | Area = Flow / 44.5 * sqrt(Gradient[mmHg]) | Cardiac valve area computed from flow and pressure gradient: Area = Flow / 44.5 * sqrt(Gradient[mmHg]) [Gorlin and Gorlin, Am Heart J, 1951]
122263 | MVA = Flow / 38.0 * sqrt(Gradient[mmHg]) | Mitral valve area computed from flow and pressure gradient: Mitral valve Area = Flow / 38.0 * sqrt(Gradient[mmHg]) [Gorlin and Gorlin, Am Heart J, 1951]
122265 | BMI = Wt / Ht ^ 2 | Body Mass Index computed from weight and height: BMI = Wt/Ht^2
122266 | BSA = 0.007358 * WT ^ 0.425 * HT ^ 0.725 | Body Surface Area computed from patient height and weight: BSA = 0.007358 * WT[kg] ^ 0.425 * HT[cm] ^ 0.725 (for East Asian adult, aged 15+ years) [Kanai Izumi, Masamitsu Kanai, 'Clinical examination method summary']
122267 | BSA = 0.010265 * WT ^ 0.423 * HT ^ 0.651 | Body Surface Area computed from patient height and weight: BSA = 0.010265 * WT[kg] ^ 0.423 * HT[cm] ^ 0.651 (For East Asian child aged 12-14 years)
122268 | BSA = 0.008883 * WT ^ 0.444 * HT ^ 0.663 | Body Surface Area computed from patient height and weight: BSA = 0.008883* WT[kg] ^ 0.444 * HT[cm] ^ 0.663 (For East Asian child aged 6-11 years)
122269 | BSA = 0.038189 * WT ^ 0.423 * HT ^ 0.362 | Body Surface Area computed from patient height and weight: BSA = 0.038189 * WT[kg] ^ 0.423 * HT[cm] ^ 0.362 (For East Asian child aged 1-5 years)
122270 | BSA = 0.009568 * WT ^ 0.473 * HT ^ 0.655 | Body Surface Area computed from patient height and weight: BSA = 0.009568* WT[kg] ^ 0.473 * HT[cm] ^ 0.655 (For East Asian child aged 0-12 months)
122271 | Skin Condition Warm | Skin Condition Warm
122272 | Skin Condition Cool | Skin Condition Cool
122273 | Skin Condition Cold | Skin Condition Cold
122274 | Skin Condition Dry | Skin Condition Dry
122275 | Skin Condition Clammy | Skin Condition Clammy
122276 | Skin Condition Diaphoretic | Skin Condition Diaphoretic
122277 | Skin Condition Flush | Skin Condition Flush
122278 | Skin Condition Mottled | Skin Condition Mottled
122279 | Skin Condition Pale | Skin Condition Pale
122281 | Airway unobstructed | Airway unobstructed
122282 | Airway partially obstructed | Airway partially obstructed
122283 | Airway severely obstructed | Airway severely obstructed
122288 | Not Visualized | Anatomy could not be visualized for the purpose of evaluation
122291 | Quantitative Arteriography Report | Quantitative Arteriography Report
122292 | Quantitative Ventriculography Report | Quantitative Ventriculography Report
122301 | Guidewire crossing lesion unsuccessful | Guidewire crossing lesion unsuccessful
122302 | Guidewire crossing lesion successful | Guidewire crossing lesion successful
122303 | Angioplasty balloon inflated | Angioplasty balloon inflated
122304 | Angioplasty balloon deflated | Angioplasty balloon deflated
122305 | Device deployed | Device deployed
122306 | Stent re-expanded | Stent re-expanded
122307 | Object removed | Object removed
122308 | Radiation applied | Radiation applied
122309 | Radiation removed | Radiation removed

122310 | Interventional device placement unsuccessful | Interventional device placement unsuccessful
122311 | Interventional device placed | Interventional device placed
122312 | Intervention performed | Intervention performed
122313 | Interventional device withdrawn | Interventional device withdrawn
122319 | Catheter Size | Catheter Size
122320 | Injectate Temperature | Injectate Temperature
122321 | Injectate Volume | Injectate Volume
122322 | Calibration Factor | Factor by which a measured or calculated value is multiplied to obtain the estimated real-world value
122325 | IVUS Report | Intravascular Ultrasound Report
122330 | EEM Diameter | External Elastic Membrane (EEM) diameter measured through the center point of the vessel. Center point of the vessel is defined as the center of gravity of the EEM area. The EEM is a discrete interface at the border between the media and the adventitia
122331 | Plaque Plus Media Thickness | The distance from intimal leading edge to the external elastic membrane along any line passing through the luminal center, which is defined as the center of gravity of the lumen area
122332 | Lumen Perimeter | Planimetered perimeter of the lumen
122333 | EEM Cross-Sectional Area | Vessel area measured at the External Elastic Membrane (EEM), a discrete interface at the border between the media and the adventitia
122334 | Plaque plus Media Cross-Sectional Area | Area within the EEM occupied by atheroma, regardless of lumen compromise. Plaque plus Media Area = EEM cross-sectional area - vessel lumen cross-sectional area
122335 | In-Stent Neointimal Cross-Sectional Area | Measurement of in-stent restenosis. In-Stent Intimal Area = Stent cross-sectional area - vessel lumen cross-sectional area
122336 | Vascular Volume measurement length | Longitudinal extent of the Vascular Volume Measurement. This is the distance from the distal edge to the proximal edge of the Volume measurement
122337 | Relative position | Longitudinal distance from the closest edge of a fiducial feature or reference location to the start of the vascular measurement. This value will be a positive if the measurement is distal to the fiducial feature or reference location, or negative if the measurement is proximal to the fiducial feature or reference location
122339 | Stent Volume Obstruction | In-Stent Neointimal Volume / Stent Volume
122340 | Fiducial feature | Reference, normally anatomical, which is used for locating the position of a measurement
122341 | Calcium Length | Longitudinal calcium length measurement
122343 | Lumen Eccentricity Index | Measurement of vessel lumen eccentricity. Lumen Eccentricity Index = (maximum vessel lumen diameter - minimum vessel lumen diameter) / maximum vessel lumen diameter. Lumen diameters are measured through the center point of the lumen, which is defined as the center of gravity of the lumen area
122344 | Plaque plus Media Eccentricity Index | Plaque plus Media Eccentricity Index = (maximum Plaque plus media thickness - minimum Plaque plus media thickness) / maximum Plaque plus media thickness
122345 | Remodeling Index | Measurement of increase or decrease in EEM area that occurs during the development of atherosclerosis. Remodeling Index = Lesion EEM area / reference EEM area
122346 | Stent Symmetry Index | Measurement of stent circularity. Stent Symmetry Index = (maximum stent diameter - minimum stent diameter) / maximum stent diameter
122347 | Stent Expansion Index | Measurement of stent area relative to the reference lumen area. Stent Expansion Index = Minimum stent area / reference vessel lumen cross-sectional area
122348 | Lumen Shape Index | Measurement of vessel lumen eccentricity. Lumen Shape Index = (2p * sqrt(Vessel lumen cross-sectional area / p) / Lumen Perimeter) 2 Reference: Tobis & Yock, "Intravascular Ultrasound Imaging", Chapter 7
122350 | Lumen Diameter Ratio | Lumen diameter ratio = minimum vessel lumen diameter / maximum vessel lumen diameter, measured at the same cross section in the vessel. Lumen diameters are measured through the center point of the lumen, which is defined as the center of gravity of the lumen area
122351 | Stent Diameter Ratio | Stent diameter ratio = Minimum stent diameter / Maximum stent diameter, measured at the same cross section in the vessel. Stent diameters are measured through the center point of the stent, which is defined as the center of gravity of the stent area
122352 | EEM Diameter Ratio | EEM diameter ratio = minimum EEM diameter / maximum EEM diameter. Measured at the same cross section in the vessel
122354 | Plaque Burden | Fractional area within the External Elastic Membrane (EEM) occupied by atheroma. Plaque Burden = (EEM area - vessel lumen cross-sectional area) / EEM area
122355 | Arc of Calcium | Angular measurement of a Calcium deposit with the apex located at the center of the lumen, which is defined as the center of gravity of the lumen area
122356 | Soft plaque | Plaque characterized by low density or echogenicity
122357 | In-Stent Neointima | Abnormal thickening of the intima within the stented segment
122360 | True Lumen | Lumen surrounded by all three layers of the vessel-intima, media, and adventitia
122361 | False Lumen | A channel, usually parallel to the true lumen, which does not communicate with the true lumen over a portion of its length
122363 | Plaque Rupture | Plaque ulceration with a tear detected in a fibrous cap
122364 | Stent Gap | Length of gap between two consecutive stents
122367 | T-1 Worst | Worst stenosis - the stenosis with the smallest lumen size within a vessel segment
122368 | T-2 Secondary | 2nd most severe stenosis within a vessel segment
122369 | T-3 Secondary | 3rd most severe stenosis within a vessel segment
122370 | T-4 Secondary | 4th most severe stenosis within a vessel segment
122371 | EEM Volume | External Elastic Membrane (EEM) volume measured within a specified region. The EEM is a discrete interface at the border between the media and the Adventitia
122372 | Lumen Volume | Lumen volume measured within a specified region
122374 | In-Stent Neointimal Volume | The amount of plaque between the lumen and stent, within the stent region; In-stent restenosis. In-Stent Neointimal Volume = Stent Volume - Lumen Volume
122375 | Native Plaque Volume | The amount of plaque between the stent and the EEM, within the stent region. Native Plaque Volume = EEM Volume - Stent Volume
122376 | Total Plaque Volume | Total amount of plaque between the EEM and the Lumen, over the entire region that is measured. Total Plaque Volume = EEM Volume - Lumen Volume

122380 | Proximal Reference | Proximal reference segment measurement site. Typically the site with the largest lumen proximal to a stenosis but within the same segment (usually within 10 mm of the stenosis with no major intervening branches)
122381 | Distal Reference | Distal reference segment measurement site. Typically the site with the largest lumen distal to a stenosis but within the same segment (usually within 10 mm of the stenosis with no major intervening branches)
122382 | Site of Lumen Minimum | Site of the smallest lumen in a vessel; e.g. due to a stenotic lesion
122383 | Entire Pullback | Measurement region that encompasses the entire vessel imaged in a single pullback acquisition
122384 | Stented Region | Measurement region occupied by the stent
122385 | Proximal Stent Margin | Region starting at the proximal edge of the Stent and extending several millimeters (usually 5 mm) proximal to the Stent edge
122386 | Distal Stent Margin | Region starting at the distal edge of the Stent and extending several millimeters (usually 5 mm) distal to the Stent edge
122387 | Dissection Classification | Classification of dissections in a vessel
122388 | Intra-stent Dissection | Separation of neointimal hyperplasia from stent struts, usually seen only after treatment of in-stent restenosis
122389 | Vulnerable Plaque | Plaque with a thin cap fibrous atheroma that is at increased risk of rupture and thrombosis (or re-thrombosis) and rapid stenosis progression
122390 | Eroded Plaque | Plaque erosions with no structural defect (beyond endothelial injury) or gap in the plaque
122391 | Relative Stenosis Severity | Stenosis severity classifications of multiple lesions in a vessel
122393 | Restenotic Lesion | A finding of a previously treated lesion in which stenosis has reoccurred
122394 | Fibro-Lipidic Plaque | Loosely packed bundles of collagen fibers with regions of lipid deposition present. Region is cellular and no cholesterol clefts or necrosis are present. Some macrophage infiltration. Increase in extra cellular matrix
122395 | Necrotic-Lipidic Plaque | Area within the plaque with very low echogenicity separated from the lumen and surrounded by more echogenic structures (fibrous cap). Highly lipidic necrotic region with remnants of foam cells and dead lymphocytes present. No collagen fibers are visible and mechanical integrity is poor. Cholesterol clefts and micro calcifications are visible
122398 | Intimal Dissection | Dissection limited to the intima or atheroma, and not extending to the media
122399 | Medial Dissection | Dissection in the arterial Media, extending into the media
122400 | Simultaneously Acquired | The referenced information was acquired simultaneously with the information in the object in which the reference occurs
122401 | Same Anatomy | Information acquired for the same anatomic region
122402 | Same Indication | Information acquired for the same indication; e.g. to elucidate the same diagnostic question
122403 | For Attenuation Correction | The referenced information was used to correct the data for differential attenuation through different anatomic tissue
122404 | Reconstructed | Value estimated for a vessel in the absence of a stenosis
122405 | Algorithm Manufacturer | Manufacturer of application used
122406 | Left Atrial Ejection Fraction by Angiography | Left Atrial Ejection Fraction by Angiography
122407 | Left Atrial ED Volume | Left Atrial End Diastolic Volume
122408 | Left Atrial ES Volume | Left Atrial End Systolic Volume
122410 | Contour Realignment | Contour repositioning of End Diastolic relative to End Systolic contour
122411 | Threshold Value | The minimum standard deviation to define the hypokinesis and hyperkinesis
122417 | Regional Abnormal Wall Motion | Report of differentiation of wall motion compared to normal
122421 | Calibration Object | Object used for Calibration
122422 | Calibration Method | Method used for Calibration
122423 | Calibration Object Size | Size of calibration object
122428 | Area Length Method | Method how long axis is positioned
122429 | Volume Method | Model for cardiac chamber volume calculation
122430 | Reference Method | Method to define original diameter of the artery
122431 | Regression Slope ED | Relation between calculated End Diastolic volume and ventricular End Diastolic volume. The specific meaning is dependent on volume method used
122432 | Regression Offset ED | Correction factor for the calculated End Diastolic volume and ventricular End Diastolic volume. The specific meaning is dependent on volume method used
122433 | Regression Slope ES | Relation between calculated End Systolic volume and ventricular End Systolic volume. The specific meaning is dependent on volume method used
122434 | Regression Offset ES | Correction factor for the calculated End Systolic volume and ventricular End Systolic volume. The specific meaning is dependent on volume method used
122435 | Regression Volume Exponent | Exponent of volume in regression formula
122438 | Reference Points | Container for spatial locations or coordinates used for calculation
122445 | Wall Thickness | Average thickness of the chamber wall in the current view
122446 | Wall Volume | Volume of the chamber wall estimated from the current view
122447 | Wall Mass | Mass of the chamber wall (myocardium)
122448 | Wall Stress | Peak systolic stress of chamber wall
122449 | Centerline Wall Motion Analysis | Method to calculate wall motion [example: Sheehan, 1986]
122450 | Normalized Chord Length | The length between End Diastolic and End Systolic contour perpendicular on the centerline normalized by a method dependent ventricular perimeter length. The centerline is the line equidistant between the End Diastolic and End Systolic contour [example: Sheehan, 1986]
122451 | Abnormal Region | The report of the boundaries of the abnormal (hyperkinetic, hypokinetic, a-kinetic) regions associated with the territory of the artery [example: Sheehan, 1986]
122452 | First Chord of Abnormal Region | The chord number specifying the begin of abnormal region [example: Sheehan, 1986]
122453 | Last Chord of Abnormal Region | The chord number specifying the end of abnormal region [example: Sheehan, 1986]
122459 | Territory Region Severity | Severity at the regional abnormality extent [example: Sheehan, 1986]
122461 | Opposite Region Severity | Severity at the opposite regional abnormality extent [example: Sheehan, 1986]
122464 | LAD Region in RAO Projection | Based on a total number of chords of 100 and RAO project the range of chords belonging to this circumferential extent lies between 5 - 85. [Sheehan, 1986]
122465 | RCA Region in ROA Projection | Based on a total number of chords of 100 and RAO project the range of chords belonging to this circumferential extent lies between 25 - 85. [Sheehan, 1986]

122466 | Single LAD Region in RAO Projection | Based on a total number of chords of 100 and RAO projection the range of chords belonging to this regional extent lies between 10 - 66 (hypokinetic) and 67 - 80 (hyperkinetic). [Sheehan, 1986]
122467 | Single RCA Region in RAO Projection | Based on a total number of chords of 100 and RAO projection the range of chords belonging to this regional extent lies between 51 - 80 (hypokinetic) and 10 - 50 (hyperkinetic). [Sheehan, 1986]
122468 | Multiple LAD Region in RAO Projection | Based on a total number of chords of 100 and RAO projection the range of chords belonging to this regional extent lies between 10 - 58 (hypokinetic) and 59 -80 (hyperkinetic). [Sheehan, 1986]
122469 | Multiple RCA Region in RAO Projection | Based on a total number of chords of 100 and RAO projection the range of chords belonging to this regional extent lies between 59 - 80 (hypokinetic) and 10 - 58 (hyperkinetic). [Sheehan, 1986]
122470 | LAD Region in LAO Projection | Based on a total number of chords of 100 and LAO projection the range of chords belonging to this regional extent lies between 50 -100 (hypokinetic) and 20 - 49 (hyperkinetic). [Sheehan, 1986]
122471 | RCA Region in LAO Projection | Based on a total number of chords of 100 and LAO projection the range of chords belonging to this regional extent lies between 19 - 67 (hypokinetic) and 68 - 100 (hyperkinetic). [Sheehan, 1986]
122472 | CFX Region in LAO Projection | Based on a total number of chords of 100 and LAO projection the range of chords belonging to this regional extent lies between 38 -74 (hypokinetic) and 75 - 100 (hyperkinetic). [Sheehan, 1986]
122473 | Circular Method | Method based on assumption that the image object is circular
122474 | Densitometric Method | Method based on the gray value distribution of the image
122475 | Center of Gravity | End Systolic contour realigned to End Diastolic contour based on the center of gravity
122476 | Long Axis Based | End Systolic contour realigned to End Diastolic contour based on the mid point of the long axis. The long axis end-points are defined as the posterior and apex
122477 | No Realignment | No Contour Realignment applied
122480 | Vessel Lumen Cross-Sectional Area | Calculated Vessel Lumen Cross-Sectional Area based on the referenced method
122481 | Contour Start | Location of the beginning of a contour
122482 | Contour End | Location of the end of a contour
122485 | Sphere | Sphere is used as calibration object
122486 | Geometric Isocenter | Object of interest in isocenter of image and pixel separation is calculated from geometric data
122487 | Geometric Non-Isocenter | Object of interest not in isocenter of image and pixel separation is calculated from geometric data and out of isocenter distances
122488 | Calibration Object Used | Object used for calibration; e.g. sphere
122489 | Curve Fitted Reference | Application dependent method to calculate the reference diameter based on the multiple diameter values
122490 | Interpolated Local Reference | Application dependent method to calculate reference by interpolation, based on the diameter of two or more user defined reference positions
122491 | Mean Local Reference | Application dependent method to calculate by averaging the reference, based on the diameter of one or more user defined reference positions
122493 | Radial Based Wall Motion Analysis | Method to calculate wall motion based on the lengths of the radials in the predefined regions [Ingels]
122495 | Regional Contribution to Ejection Fraction | Contribution of Region to global Ejection factor based on radial or landmark based wall motion method
122496 | Radial Shortening | The reduction of area between End Systolic and End Diastolic based on radial wall motion analysis
122497 | Landmark Based Wall Motion Analysis | Method to calculate wall motion based on the move of landmarks on the wall [Slager]
122498 | Slice Contribution to Ejection Fraction | Contribution to the ejection fraction of a specific slice region [Slager]
122499 | Frame to Frame Analysis | Method to calculate volumes of heart chambers for every image in a range
122501 | Area of closed irregular polygon | The area is derived by considering a set of coordinates as a closed irregular polygon, accounting for inner angles. The exact method, such as by decomposition into triangles or quadrilaterals, is not specified, since it does not affect the numeric result, apart from the effect of numeric precision during computation of intermediate results
122502 | Area of a closed NURBS | The area is derived by using a set of coordinates as control points for a Non Uniform Rational B-Spline (NURBS)
122503 | Integration of sum of closed areas on contiguous slices | The volume derived by integrating the sum of the areas on adjacent slices across the slice interval; each area is defined by a regular planar shape or by considering a set of coordinates as a closed irregular polygon, accounting for inner angles
122505 | Calibration | Procedure used to calibrate measurements or measurement devices
122507 | Left Contour | Left contour of lumen (direction proximal to distal)
122508 | Right Contour | Right contour of lumen (direction proximal to distal)
122509 | Diameter Graph | Ordered set of diameters values derived from contours (direction proximal to distal)
122510 | Length Luminal Segment | Length Luminal Segment
122511 | Graph Increment | Increment value along X-axis in Diameter Graph
122516 | Site of Maximum Luminal | Location of the maximum lumen area in a lesion or vessel
122517 | Densitometric Luminal Cross-sectional Area Graph | Ordered set of cross-sectional Vessel Lumen Cross-Sectional Area values derived from contours (direction proximal to distal) based on densitometric method
122528 | Position of Proximal Border | Position of proximal border of segment relative to the contour start (proximal end of analysis area)
122529 | Position of Distal Border | Position of distal border of segment relative to the contour start (proximal end of analysis area)
122542 | Plaque Area | Longitudinal cross sectional area of plaque
122544 | Diameter Symmetry | Symmetry of stenosis (0 = complete asymmetry, 1 = complete symmetry); see Section T.2 "Definition of Diameter Symmetry with Arterial Plaques" in PS3.17
122545 | Area Symmetry | Symmetry of plaque (0 = complete asymmetry, 1 = complete symmetry); see Section T.2 "Definition of Diameter Symmetry with Arterial Plaques" in PS3.17
122546 | Inflow Angle | The average slope of the diameter function between the position of the minimum luminal diameter and the position of the proximal border of the segment
122547 | Outflow Angle | The average slope of the diameter function between the position of the minimum luminal diameter and the position of the distal border of the segment
122548 | Stenotic Flow Reserve | The relation between coronary pressure and coronary flow
122549 | Poiseuille Resistance | Poiseuille Resistance at the location of the stenosis
122550 | Turbulence Resistance | Turbulence Resistance at the location of the stenosis

122551 | Pressure Drop at SFR | Pressure drop over the stenosis at maximum heart output
122554 | Segmentation Method | Method for selection of vessel sub-segments
122555 | Estimated Normal Flow | Estimate of the volume of blood flow in the absence of stenosis
122558 | Area Length Kennedy | Area Length method defined by Kennedy [Kennedy, 1970]
122559 | Area Length Dodge | Area Length method defined by Dodge [Dodge, 1960]
122560 | Area Length Wynne | Area Length method defined by Wynne [Wynne]
122562 | Multiple Slices | Volume method based on multiple slice
122563 | Boak | Volume method defined by Boak [Boak]
122564 | TS Pyramid | Volume method defined by Ferlinz [Ferlinz]
122565 | Two Chamber | Volume method defined by Graham [Graham]
122566 | Parallelepiped | Volume method defined by Arcilla [Arcilla]
122572 | BSA^1.219 | Corrected Body Surface area for indexing the hemodynamic measurements for a pediatric patient
122574 | Equidistant method | Method for selecting sub-segments that are all of the same length
122575 | User selected method | Manually selected start and end of sub-segment
122582 | Left ventricular posterobasal segment | Left ventricular posterobasal segment
122600 | Cardiovascular Analysis Report | Report of a Cardiovascular Analysis, typically from a CT or MR study
122601 | Ventricular Analysis | Ventricular Analysis
122602 | Myocardial Perfusion Analysis | Myocardial Perfusion Analysis
122603 | Calcium Scoring Analysis | Calcium Scoring Analysis
122604 | Flow Quantification | Flow Quantification Analysis
122605 | Vascular Morphological Analysis | Vascular Morphological Analysis
122606 | Vascular Functional Analysis | Vascular Functional Analysis
122607 | Thickening Analysis | Analysis of myocardial wall thickening
122608 | Absolute Values Of Ventricular Measurements | Section Heading for absolute values of ventricular measurements
122609 | Normalized Values Of Ventricular Measurements | Results of normalizing ventricular measurements
122611 | Reference Point | Reference Point of a measurement
122612 | Central breathing position | Central breathing position between inspiration and expiration
122616 | Peak Ejection Rate | Peak of the ventricular ejection rate
122617 | Peak Ejection Time | Time of the peak of ventricular ejection
122618 | Peak Filling Rate | Peak of the fluid filling rate
122619 | Peak Filling Time | Time interval until time of peak filling from a given reference point; e.g. end systole
122620 | Papillary Muscle Excluded | Papillary muscle was excluded from the measurement
122621 | Papillary Muscle Included | Papillary muscle was included in the measurement
122624 | Wall Thickness Ratio end-systolic to end-diastolic | The ratio of the end-systolic wall thickness compared to the end-diastolic wall thickness
122627 | Curve Fit Method | The method to smooth a ventricular volume as a function of time
122628 | Baseline Result Correction | Baseline correction used in the calculation of the results
122631 | Signal Earliest Peak Time | The time in a dynamic set of images at which the first peak of the signal is observed for the analyzed myocardial wall segments
122633 | Signal Increase Start Time | This is the time at which the signal begins to increase
122634 | Signal Time to Peak | Time interval between the beginning of the signal increase to the time at which the signal intensity reaches its first maximum in a dynamic set of images
122635 | MR Perfusion Peak | Peak of the MR perfusion signal
122636 | MR Perfusion Slope | Signal intensity as a function of time. It is the change in the signal intensity divided by the change in the time
122637 | MR Perfusion Time Integral | MR perfusion time integral from baseline (foot time) to earliest peak
122638 | Signal Baseline Start | First time point in a dynamic set of images used in the calculation of the baseline signal intensity for each myocardial wall segment
122639 | Signal Baseline End | Last time point in a dynamic set of images used in the calculation of the baseline signal intensity for each myocardial wall segment
122640 | Image Interval | The time delta between images in a dynamic set of images
122642 | Velocity Encoding Minimum Value | The minimum velocity encoded by the phase encoding gradient
122643 | Velocity Encoding Maximum Value | The maximum velocity encoded by the phase encoding gradient
122645 | Net Forward Volume | Forward volume-reverse volume
122650 | Area Based Method | Area Based Method for estimating volume or area
122651 | Diameter Based Method | Diameter Based Method for estimating volume, area or diameter
122652 | Volume Based Method | Volume Based Method for estimating volume
122655 | NASCET | A method of diameter measurements according to NASCET (North American Symptomatic Carotid Endarterectomy Trial)
122656 | ECST | A method of diameter measurements according to ECST (European Carotid Surgery Trial)
122657 | Agatston Score Threshold | Agatston Score Threshold
122658 | Calcium Mass Threshold | Calcium Mass Threshold
122659 | Calcium Scoring Calibration | Calcium Scoring Calibration
122660 | Calcium Volume | Calcium Volume
122661 | Calcium Mass | Calcium Mass
122664 | Late Contrast Enhancement | Delayed hyperenhancement of a tissue observed in an image acquired after injection of contrast media
122665 | Time interval since injection of contrast media | Time interval since injection of contrast media
122666 | Time relative to R-wave peak | Time relative to R-wave peak
122667 | Blood velocity vs. time of cardiac cycle | Relationship between blood velocity and time relative to R-wave peak
122668 | Time interval since detection of contrast bolus | Time interval since detection of contrast bolus
122670 | Papillary Muscle Included/Excluded | Indicates if the papillary muscle was included or excluded in the measurement
122675 | Anterior-Posterior | Anterior to Posterior direction

122680 | endoleak | Persistent flow of blood into the stent-grafting
122683 | Stent Fracture | Fracture of a stent
122684 | Stent Disintegration | Disintegration of a stent
122685 | Stent Composition | Material that a stent consists of
122686 | Parent Vessel Finding | Finding about the characteristics of the parent vessel of a vessel
122687 | Site of Lumen Maximum | Site of Maximal lumen diameter of a vessel
122698 | X-Concept | The physical domain (time, space, etc.) to the horizontal axis of the graphical presentation
122699 | Y-Concept | The physical domain (time, space, etc.) to the vertical axis of the graphical presentation
122700 | Indications for Pharmacological Stress | Indications for Pharmacological Stress
122701 | Procedure time base | Reference time for measurement of elapsed time in a procedure
122702 | Treadmill speed | Treadmill speed
122703 | Treadmill gradient | Treadmill gradient
122704 | Ergometer power | Ergometer power
122705 | Pharmacological Stress Agent Dose Rate | Pharmacological Stress Agent Dose Rate
122706 | Rating of Perceived Exertion | Rating of Perceived Exertion
122707 | Number of Ectopic Beats | Number of ectopic beats during a period of collection
122708 | Double Product | Heart rate times systolic blood pressure
122709 | Activity workload | Physical activity workload (intensity) measurement
122710 | Time since start of stage | Elapsed time at stage
122711 | Exercise duration after stress agent injection | Exercise duration after stress agent injection
122712 | Imaging Start Time | Imaging Start Time
122713 | Attenuation correction method | Attenuation correction method
122715 | Pharmacological Stress Agent Dose | Pharmacological Stress Agent Dose
122716 | Maximum Power Output Achieved | Maximum power output achieved during course of procedure
122717 | Peak activity workload | Peak physical activity intensity measurement during course of procedure
122718 | Peak Double Product | Peak Double Product measurement during course of procedure
122720 | OSEM algorithm | Ordered subsets expectation maximization reconstruction algorithm
122721 | Chang method | Chang attenuation correction method
122726 | Algorithmic attenuation correction | Attenuation correction not based on image-based attenuation maps
122727 | NM transmission attenuation correction | NM transmission attenuation correction
122728 | CT-based attenuation correction | CT-based attenuation correction
122729 | No Attenuation Correction | No attenuation correction
122730 | Bazett QTc Algorithm | Bazett QT Correction Algorithm; QT/(RR ^ 0.5); Bazett HC. "An analysis of the time-relations of electrocardiograms" Heart7:353-370 (1920)
122731 | Hodges QTc Algorithm | Hodges QT Correction Algorithm; QT + 1.75 (heart rate-60); Hodges M, Salerno Q, Erlien D. "Bazett's QT correction reviewed. Evidence that a linear QT correction for heart rate is better." J Am Coll Cardiol1:694 (1983)
122732 | Fridericia QTc Algorithm | Fridericia QT Correction Algorithm; QT/(RR ^ 0.333); Fridericia LS. "The duration of systole in the electrocardiogram of normal subjects and of patients with heart disease" Acta Med Scand53:469-486 (1920)
122733 | Framingham QTc Algorithm | Framingham QT Correction Algorithm; QT + 0.154 (1- RR); Sagie A, Larson MG, Goldberg RJ, et al. "An improved method for adjusting the QT interval for heart rate (the Framingham Heart Study)." Am J Cardiol70:797-801(1992)
122734 | Borg RPE Scale | Borg Rating of Perceived Exertion Scale, range 6:20
122735 | Borg CR10 Scale | Borg category ratio scale, open ended range with nominal range 0:10
122739 | Overall study quality | Overall study quality
122740 | Excellent image quality | Excellent image quality
122741 | Good image quality | Good image quality
122742 | Poor image quality | Poor image quality
122743 | Body habitus attenuation | Image attenuation due to body physique (overweight)
122744 | Breast attenuation | Image attenuation due to breast tissue
122745 | Diaphragmatic attenuation | Image attenuation due to diaphragm
122748 | False positive defect finding | Finding of a defect is incorrect; e.g. from automated analysis
122750 | Non-diagnostic - low heart rate | ECG is non-diagnostic due to low heart rate
122751 | Non-diagnostic - resting ST abnormalities | ECG is non-diagnostic due to resting ST abnormalities
122752 | Non-diagnostic - ventricular pacing or LBBB | ECG is non-diagnostic due to ventricular pacing or Left Bundle Branch Block
122753 | Non-diagnostic ECG | ECG is non-diagnostic for presence of acute coronary syndrome
122755 | Strongly positive | Strongly positive finding
122756 | Strongly positive - ST elevation | Strongly positive finding - ST elevation
122757 | ST Depression - Horizontal | Finding of ST segment depression with no slope
122758 | ST Depression - Upsloping | Finding of ST segment depression with upslope
122759 | ST Depression - Downsloping | Finding of ST segment depression with downslope
122760 | Stress test score | Stress test score
122762 | Number of diseased vessel territories | Number of diseased vessel territories
122764 | Weight exceeds equipment limit | Patient weight exceeds equipment limit
122768 | Difference in Ejection Fraction | Difference in Ejection Fraction
122769 | Difference in ED LV Volume | Difference in End Diastolic Left Ventricular Volume
122770 | Ratio of achieved to predicted maximal oxygen consumption | Ratio of achieved to predicted maximal oxygen consumption
122771 | Ratio of achieved to predicted functional capacity | Ratio of achieved to predicted functional capacity
122772 | Aerobic index | Workload (Watts) at target heart rate divided by body weight
122773 | ST/HR Index | ST depression at peak exercise divided by the exercise-induced increase in heart rate [Kligfield P, Ameisen O, Okin PM. "Heart rate adjustment of ST segment depression for improved detection of coronary artery disease." Circulation 1989;79:245-55.]
122775 | Agreement with prior findings | Agreement with prior findings

122776 | Disagreement with prior findings | Disagreement with prior findings
122781 | Rest thallium/stress technetium procedure | Nuclear Medicine Rest thallium/stress technetium procedure
122782 | Rest technetium/stress technetium 1 day procedure | Nuclear Medicine Rest technetium/stress technetium 1 day procedure
122783 | Rest technetium/stress technetium 2 day procedure | Nuclear Medicine Rest technetium/stress technetium 2 day procedure
122784 | Stress technetium/rest technetium 1 day procedure | Nuclear Medicine Stress technetium/rest technetium 1 day procedure
122785 | NM Myocardial Viability procedure | Nuclear Medicine Myocardial Viability procedure
122791 | PET Myocardial Perfusion, Rest only | Positron Emission Tomography Perfusion Imaging procedure, rest only
122792 | PET Myocardial Perfusion, Stress only | Positron Emission Tomography Perfusion Imaging procedure, stress only
122793 | PET Myocardial Perfusion, Rest and Stress | Positron Emission Tomography Perfusion Imaging procedure, rest and stress
122795 | PET Myocardial Viability, Rest only | Positron Emission Tomography Myocardial Viability procedure, rest only
122796 | PET Myocardial Viability, Stress only | Positron Emission Tomography Myocardial Viability procedure, stress only
122797 | PET Myocardial Viability, Rest and Stress | Positron Emission Tomography Myocardial Viability procedure, rest and stress
122799 | Anginal Equivalent | Group of symptoms heralding angina pectoris that does not include chest pain (dyspnea, diaphoresis, profuse vomiting in a diabetic patient, or arm or jaw pain)
123001 | Radiopharmaceutical | Active ingredient (molecular) used for radioactive tracing | Deprecated
123003 | Radiopharmaceutical Start Time | Time of radiopharmaceutical administration to the patient for imaging purposes
123004 | Radiopharmaceutical Stop Time | Ending time of radiopharmaceutical administration to the patient for imaging purposes
123005 | Radiopharmaceutical Volume | Volume of radiopharmaceutical administered to the patient
123006 | Radionuclide Total Dose | Total amount of radionuclide administered to the patient at Radiopharmaceutical Start Time
123007 | Radiopharmaceutical Specific Activity | Activity per unit mass of the radiopharmaceutical at Radiopharmaceutical Start Time
123009 | Radionuclide Syringe Counts | Pre-injection syringe acquisition count rate
123010 | Radionuclide Residual Syringe Counts | Syringe acquisition count rate following patient injection
123011 | Contrast/Bolus Agent | Contrast or bolus agent
123012 | Pre-Medication | Medication to be administered at the beginning of the Scheduled Procedure Step
123014 | Target Region | Anatomic Region to be imaged
123015 | Imaging Direction | Direction of imaging (includes view, transducer orientation, patient orientation, and/or projection)
123016 | Imaging Conditions | Imaging condition for refinement of protocol (includes secondary posture, instruction, X-Ray / electron beam energy or nuclide, and ultrasound modes), as used in JJ1017 v3.0
123019 | Caudal 10 degree distal-cranioproximal oblique | Caudal 10 degree distal-cranioproximal oblique radiographic projection, defined per Smallwood et al
123101 | Neighborhood Analysis | Surface processing utilizing predefined weighting factors (i.e., kernels) applied to different data values depending on their location relative to other data values within the data domain. Includes Low Pass, High Pass, Gaussian, Laplacian, etc.
123102 | Adaptive Filtering | Surface processing applied non-uniformly utilizing a priori knowledge of the system and/or relative locations of the data values within the data domain. Example: Neighborhood analysis where weighting factors are modified continuously based on predefined criteria
123103 | Edge Detection | Surface processing through the exploitation of discontinuities in the data values within their domain. Includes Gradient filters
123104 | Morphological Operations | Surface processing based on the connectivity of values based on the shape or structure of the data values within their domain. Includes erode, dilate, etc.
123105 | Histogram Analysis | Surface processing applied to the distribution of the data values. Includes thresholding, Bayesian Classification, etc.
123106 | Multi-Scale/Resolution Filtering | Surface processing accomplished through varying the data domain size. Include deformable models
123107 | Cluster Analysis | Surface processing accomplished by combining data values based on their relative location within their domain or value distribution. Includes K- and C-means, Fuzzy Analysis, Watershed, Seed Growing, etc.
123108 | Multispectral Processing | Surface processing accomplished through the weighted combination of multiple data sets. Includes Principle Component Analysis, linear and non-linear weighed combinations, etc.
123109 | Manual Processing | Surface processing accomplished through human interaction. Region drawing
123110 | Artificial Intelligence | Surface processing using Artificial Intelligence techniques, such as Machine Learning, Neural Networks, etc.
123111 | Deformable Models | Surface processing using Deformable Model techniques, such as Point Distribution Models, Level Sets, Simplex Meshes, etc.
125000 | OB-GYN Ultrasound Procedure Report | Document Title of OB-GYN procedure report
125001 | Fetal Biometry Ratios | Report section for assessment of fetal growth using ratios and indexes
125002 | Fetal Biometry | Report section for assessment of fetal growth
125003 | Fetal Long Bones | Report section for assessment of fetal growth by long bone measurements
125004 | Fetal Cranium | Report section for assessment of fetal cranium growth
125005 | Biometry Group | Biometric assessment of
125006 | Biophysical Profile | Report section for assessment of biophysical observations that evaluate fetal well-being according to Manning, Antepartum Fetal Evaluation: Development of a Fetal Biophysical Profile Score, Am. J Obstet Gynecol, 1980;136:787
125007 | Measurement Group | A grouping of related measurements and calculations that share a common context
125008 | Fetus Summary | Report section for fetus specific procedure summary observations
125009 | Early Gestation | Report section for assessment of early gestation fetus
125010 | Identifier | A name to differentiate between multiple instances of some item
125011 | Pelvis and Uterus | Report section for assessment of pelvis and uterus
125012 | Growth Percentile rank | The rank of a measured growth indicator relative to a normal distribution expressed as a percentage
125013 | Growth Z-score | The rank of a measured growth indicator relative to a normal distribution expressed as the dimensionless quantity z = (x-m) /s where (x-m) is the deviation of the value x, from the distribution mean, m, and s is the

standard deviation of the distribution
125015 | Fetus Characteristics | Fetus characteristics (findings section title)
125016 | Fetal Measurements | Fetal Measurements (findings section title)
125021 | Frame of Reference Identity | There is a defined equivalence between the Frame of Reference of the Registration SOP instance and the Frame of Reference of the referenced images
125022 | Fiducial Alignment | The registration is based on fiducials that represent patient or specimen features identified in each data set
125023 | Acquisition Equipment Alignment | Registration based on a-priori knowledge of the acquisition geometry. This is not an object registration as in fiducial registration. Rather, it specifies a known spatial relationship
125024 | Image Content-based Alignment | Computed registration based on global image information
125025 | Visual Alignment | Registration by visually guided manipulation
125030 | Inter-Hemispheric Plane | A plane fiducial that specifies the location of the plane separating the two hemispheres of the brain
125031 | Right Hemisphere Most Anterior | A point fiducial that specifies the location in the plane perpendicular to the Anterior-Posterior-Commissure axis and tangential to the anterior limit of the right brain hemisphere
125032 | Right Hemisphere Most Posterior | A point fiducial that specifies the location in the plane perpendicular to the Anterior-Posterior-Commissure axis and tangential to the posterior limit of the right brain hemisphere
125033 | Right Hemisphere Most Superior | A point fiducial that specifies the location in the plane perpendicular to the Anterior-Posterior-Commissure axis and tangential to the superior limit of the right brain hemisphere
125034 | Right Hemisphere Most Inferior | A point fiducial that specifies the location in the plane perpendicular to the Anterior-Posterior-Commissure axis and tangential to the inferior limit of the Right brain hemisphere
125035 | Left Hemisphere Most Anterior | A point fiducial that specifies the location in the plane perpendicular to the Anterior-Posterior-Commissure axis and tangential to the anterior limit of the left brain hemisphere
125036 | Left Hemisphere Most Posterior | A point fiducial that specifies the location in the plane perpendicular to the Anterior-Posterior-Commissure axis and tangential to the posterior limit of the left brain hemisphere
125037 | Left Hemisphere Most Superior | A point fiducial that specifies the location in the plane perpendicular to the Anterior-Posterior-Commissure axis and tangential to the superior limit of the left brain hemisphere
125038 | Left Hemisphere Most Inferior | A point fiducial that specifies the location in the plane perpendicular to the Anterior-Posterior-Commissure axis and tangential to the inferior limit of the left brain hemisphere
125040 | Background | That which is not part of an object
125041 | Registration Input | A segment for use as an input to an image registration process; e.g. to specify the bounding region for determining a Frame of Reference Transformation Matrix
125100 | Vascular Ultrasound Procedure Report | Root Document Title for ultrasound vascular evidence reports (worksheets)
125101 | Vessel Branch | The particular vessel branch, such as the inferior, medial or lateral
125102 | Graft Type | A descriptor or elaboration of the type of graft
125105 | Measurement Orientation | A modifier to a 2D distance measurement to describe its orientation; e.g. a vascular distance measurement for a vessel plague could have a modifier Transverse or Longitudinal
125106 | Doppler Angle | The angle formed between the Doppler beam line and the direction of blood flow within a region of interest in the body defined by the sample volume
125107 | Sample Volume Depth | The depth of the center of the Doppler sample volume measured from skin line along the Doppler line
125195 | Pediatric Cardiac Ultrasound Report | Pediatric Cardiac Ultrasound Report (document title)
125196 | Fetal Cardiac Ultrasound Report | Fetal Cardiac Ultrasound Report (document title)
125197 | Adult Congenital Cardiac Ultrasound Report | Adult Congenital Cardiac Ultrasound Report (document title)
125200 | Adult Echocardiography Procedure Report | Document title of adult echocardiography procedure (evidence) report
125201 | Illustration of Finding | An image that is a pictorial representation of findings. The concept is typically used as a purpose of reference to an image, such as a depiction of myocardium segments depicting wall motion function
125202 | LV Wall Motion Score Index | The average of all scored (non-zero) Left Ventricle segment wall motion scores
125203 | Acquisition Protocol | A type of clinical acquisition protocol for creating images or image-derived measurements. Acquisition protocols may be specific to a manufacturer's product
125204 | Area-length biplane | Method for calculating left ventricular volume from two orthogonal views containing the true long axis (usually the apical 4 and 2 chamber views). Volume = [pL1 / 6] * [(4A1) ÷ (pL1)] * [(4A2) ÷ (pL2)]
125205 | Area-Length Single Plane | Method for calculating left ventricular volume from a view containing the true long axis (usually the apical 4-chamber view). Volume = [8(A)2]÷[3pL]
125206 | Cube | Method (formula) for calculating left ventricle volumes and function derivatives (EF, SV, SI, etc.) that estimates the volume as the cube of diameter
125207 | Method of Disks, Biplane | Method of calculating volume based on the summation of disk volumes. The disk axis is parallel to the left ventricular long axis and using a disk diameter averaged from the two chamber and four chamber views
125208 | Method of Disks, Single Plane | Method of calculating volume based on the summation of disk volumes. The disk axis is parallel to the left ventricular long axis with disk diameter taken from the four-chamber view
125209 | Teichholz | Method (formula) for calculating left ventricle volumes and function derivatives (EF, SV, SI, etc.) Volume = [7.0/(2.4+D)]*D3
125210 | Area by Pressure Half-Time | Mitral valve area (cm2) by Pressure Half-time = 220 (cm2.ms) / PHT (ms)
125211 | Biplane Ellipse | Area = P/4 X d1 X d2 d1 = anterior/posterior axis d2 = medial/lateral axis Hagen-Ansert, Sandra L., Textbook of Diagnostic Ultrasound, ed. 3, The C.V.Mosby Co., 1989, p. 73.
125212 | Continuity Equation | For conduits in series ("in continuity"), volume flow is equal: A1*V1 = A2*V2. where V is the velocity
125213 | Continuity Equation by Mean Velocity | For conduits in series ("in continuity"), volume flow is equal: A1*V1 = A2*V2. where V is the mean velocity
125214 | Continuity Equation by Peak Velocity | For conduits in series ("in continuity"), volume flow is equal: A1*V1 = A2*V2. where V is the peak velocity
125215 | Continuity Equation by Velocity Time Integral | For conduits in series ("in continuity"), volume flow is equal: A1*V1 = A2*V2. where V is the velocity time integral
125216 | Proximal Isovelocity Surface Area | Utilizes aliasing velocity (by color Doppler) of flow into an orifice (often regurgitant or stenotic) to measure instantaneous flow rate, orifice area, and flow volume. The instantaneous flow rate = (2πr2vav) * (α / π) where vav is the constant velocity known as aliasing velocity at radius r, vp is the peak velocity at the orifice, and α is the angle in

radians of the constant velocity surface. Estimated Orifice area = Flow rate / vp , where vp is the peak velocity at the orifice and the flow rate is the PISA peak flow rate. The volume flow is then the product of the orifice area and Velocity Time Integral

125217 | Full Bernoulli | ΔP = 4*(V12 - V22)

125218 | Simplified Bernoulli | ΔP = 4*V2

125219 | Doppler Volume Flow | Volume flow = Conduit CSA * (Velocity Time Integral)

125220 | Planimetry | Direct measurement of an area by tracing an irregular perimeter

125221 | Left Ventricle Mass by M-mode | Mass = 1.04 * [(ST+LVID+PWT)3 - LVID3] * 0.8+ 0.6. Mass unit is grams and length in cm

125222 | Left Ventricle Mass by Truncated Ellipse | Mass = 1.05P ((b + t)2 X (2/3 (a + t) + d - d3 /3(a + t)2) - b2 (2/3a + d - d3 /3a2)) a = Semi-major axis from widest minor axis radius to apex. b = Short axis radius calculated from short axis cavity area t = Myocardial thickness calculated from short axis epicardial and cavity areas d = Truncated semi-major axis from widest short axis diameter to plane of mitral annulus. Mass unit is grams and length in cm. Schiller NB et al: Recommendations for quantification of the left ventricle by two-dimensional echocardiography, American Society of Echocardiography 2:364, 1989.

125223 | 4 Point Segment Finding Scale | A four point, echocardiographic numeric scoring scheme of myocardium segments based on evaluation of wall motion and ventricle morphology. Recommendations for Quantitation of the Left Ventricle by Two-Dimensional Echocardiography, Journal of the American Society of Echocardiography, 2:358-367, 1989

125224 | 5 Point Segment Finding Scale | A five point, echocardiographic numeric scoring scheme of myocardium segments based on evaluation of wall motion and ventricle morphology. Recommendations for Quantitation of the Left Ventricle by Two-Dimensional Echocardiography, Journal of the American Society of Echocardiography, 2:358-367, 1989

125225 | 5 Point Segment Finding Scale With Graded Hypokinesis | A five point, echocardiographic numeric scoring scheme of myocardium segments based on evaluation of wall motion and ventricle morphology, with severity of hypokinesis graded. Recommendations for Quantitation of the Left Ventricle by Two-Dimensional Echocardiography, Journal of the American Society of Echocardiography, 2:358-367, 1989

125226 | Single Plane Ellipse | Method of estimating volume from a planar ellipse. Equivalent to Biplane Ellipse with an assumption that the ellipse in the orthogonal plane has identical major and minor diameters

125227 | Modified Simpson | Modified Simpson's Method of estimating ventricular volume, based on the method of disks with paired apical views. Schiller NB, et al. "Recommendations for quantitation of the left ventricle by two-dimensional echocardiography. American Society of Echocardiography Committee on Standards, Subcommittee on Quantitation of Two-Dimensional Echocardiograms". J Am Soc Echocardiogr.1989 2(5):358-367. Sep-Oct

125228 | Bullet Method | Bullet method of estimating ventricular volume. Volume = 5/6 * L * S L: Left ventricle long axis length S: Left ventricle area, SAX view at level of Mitral Valve

125230 | Power Doppler | Color coded ultrasound images of blood flow, which depict the amplitude, or power, of Doppler signals | Deprecated

125231 | 3D mode | Volumetric ultrasound imaging | Deprecated

125233 | Start of drug dose administration | Onset of administration of dose of a drug

125234 | Start of contrast agent administration | Onset of contrast agent administration

125235 | Destruction of microbubbles | Destruction of ultrasonic contrast microbubbles by a high-energy ultrasound pulse

125236 | Onset of exercise | Instant at which exercise begins

125237 | Cessation of exercise | Instant at which exercise ends

125238 | Onset of stimulation | Instant at which stimulation begins

125239 | Cessation of stimulation | Instant at which stimulation ends

125240 | Line scan pattern | Ultrasound transducer scan pattern in which information is gathered along a line

125241 | Plane scan pattern | Ultrasound transducer scan pattern in which information is gathered within a plane

125242 | Volume scan pattern | Ultrasound transducer scan pattern in which information is gathered within a volume

125251 | Non-imaging Doppler ultrasound transducer geometry | Ultrasound transducer geometry characterized by a single scan line used for PW or CW Doppler scanning

125252 | Linear ultrasound transducer geometry | Ultrasonic transducer geometry characterized by parallel lines

125253 | Curved linear ultrasound transducer geometry | Ultrasonic transducer geometry characterized by radial lines normal to the outside of a curved surface

125254 | Sector ultrasound transducer geometry | Ultrasonic transducer geometry characterized by lines originating from a common apex

125255 | Radial ultrasound transducer geometry | Ultrasonic transducer geometry characterized by lines emanating radially from a single point

125256 | Ring ultrasound transducer geometry | Ultrasonic transducer geometry characterized by a circular ring of transducer elements

125257 | Fixed beam direction | Ultrasonic steering technique consisting of a single beam normal to the transducer face steered by the orientation of the probe

125258 | Mechanical beam steering | Ultrasonic steering technique consisting of mechanically directing the beam

125259 | Phased beam steering | Ultrasonic steering technique consisting of electronically-steered beams

125261 | External Transducer | Transducer is designed to be placed onto the surface of the subject

125262 | Transesophageal Transducer | Transducer is designed for insertion into the esophagus

125263 | Endovaginal Transducer | Transducer is designed for insertion into the vagina

125264 | Endorectal Transducer | Transducer is designed for insertion into the rectum

125265 | Intravascular Transducer | Transducer is designed for insertion via a catheter

125270 | Left Ventricle Mass by Area Length | method to measure the mass of the Left Ventricle via the ASE area-length method at end diastole. LV Mass = 1.05*(5/6*(A1*(L+t)) - 5/6*(A2*L)) A1 = Left Ventricle epicardial SAX area at the level of the papillary muscle tips at end diastole. A2 = Left Ventricle endocardial SAX area cavity area at the level of the papillary muscle tips at end diastole. L = Left Ventricle apical view long axis length at end diastole. t = Myocardial thickness can be computed as: t = sqrt (A1/3.14) - sqrt (A2/3.14) Reference: 1) Schiller, N.B., et al. "Recommendations for Quantification of the LV by Two-dimensional Echocardiography." J Am Soc Echo, Vol. 2, No. 5: 358-367, Sep-Oct 1989. 2) Reichek, N., et al. "Anatomic Validation of Left Ventricular Mass Estimates from Clinical Two-dimensional Echocardiography: Initial Results." Circulation, Vol. 67, No. 2: 348-52, February 1983

125271 | Left Ventricle Mass by M-mode - adjusted by Height | Equation = Left Ventricle Mass by M-mode (in gram) / (Height (in meter)) ^2.7 Reference: Giovanni De Simone, et al. "Effect of Growth on Variability of Left Ventricular Mass: Assessment of Allometric Signals in Adults and Children and Their Capacity to Predict Cardiovascular Risk". New York, New York and Cincinnati,

Ohio
125272 | Left Ventricle Mass by Truncated Ellipse - adjusted by Height | Equation = Left Ventricle Mass by Truncated Ellipse / Height^2.7 Reference: Giovanni De Simone, et al. "Effect of Growth on Variability of Left Ventricular Mass: Assessment of Allometric Signals in Adults and Children and Their Capacity to Predict Cardiovascular Risk". New York, New York and Cincinnati, Ohio
125273 | Left Ventricle Mass by Area Length - adjusted by Height | Equation = Left Ventricle Mass by Area Length / Height^2.7 Reference: Giovanni De Simone, et al. "Effect of Growth on Variability of Left Ventricular Mass: Assessment of Allometric Signals in Adults and Children and Their Capacity to Predict Cardiovascular Risk". New York, New York and Cincinnati, Ohio
125901 | CARDIOsphere | CARDIOsphere□ ultrasonic contrast agent produced by POINT Biomedical
125902 | Echovist | Echovist® ultrasonic contrast agent produced by Schering AG
125903 | Imagify | Imagify□ ultrasonic contrast agent produced by Accusphere Inc
125904 | Levovist | Levovist® ultrasonic contrast agent produced by Schering AG
125905 | Sonazoid | Sonazoid□ ultrasonic contrast agent produced by Daiichi Pharmaceutical / General Electric
125906 | SonoVue | SonoVue□ ultrasonic contrast agent produced by Bracco Diagnostics
125907 | Targestar-B | Targestar□-B ultrasonic contrast agent produced by Targeson LLC
125908 | Targestar-P | Targestar□-P ultrasonic contrast agent produced by Targeson LLC
126000 | Imaging Measurement Report | A structured report containing the quantitative results of human or machine analysis of images
126001 | Oncology Measurement Report | A structured report containing the quantitative results of human or machine analysis of images for oncology evaluation
126002 | Dynamic Contrast MR Measurement Report | A structured report containing the quantitative results of human or machine analysis of DCE-MR
126003 | PET Measurement Report | A structured report containing the quantitative results of human or machine analysis of PET images
126010 | Imaging Measurements | Measurements made on images
126011 | Derived Imaging Measurements | Measurements derived from measurements made on images
126020 | Multiparametric MRI | An MRI procedure in which multiple parameters including diffusion, dynamic contrast and T2 are measured
126021 | Multiparametric MRI of prostate | An MRI procedure of the prostate in which multiple parameters including diffusion, dynamic contrast and T2 are measured
126022 | Multiparametric MRI of whole body | An MRI procedure of the whole body in which multiple parameters including diffusion, dynamic contrast and T2 are measured
126030 | Sum of segmented voxel volumes | The volume derived by summing the volumes of all the voxels (and partial voxels if the segment contains partially occupied voxels) included in the segment
126031 | Peak Value Within ROI | Maximum average gray value that is calculated from a 1 cubic centimeter sphere placed within the region of interest. Reference Wahl et al PERCIST article
126032 | Metabolic Volume | The volume of a lesion (e.g. a tumor) ascertained through information about its metabolic activity (e.g. SUV on PET). Abbreviated "MV". Synonymous with Metabolic Tumor Volume (MTV)
126033 | Total Lesion Glycolysis | The total activity of a lesion obtained as the product of its volume and its glycolytic activity (on FDG-PET). The volume may be defined on the same modality (e.g. the MV on FDG-PET by some thresholding or other technique) or on another spatially registered modality (e.g. the lesion outline segmented on CT or MR). Does not apply to other radiopharmaceuticals than those involved in glucose metabolism. Abbreviated TLG. Synonymnous with "Tumor Lesion Glycolysis"
126034 | Glycolysis | The amount glycolytic activity summed across all voxels in a defined region or within a defined range of SUV (on FDG-PET)
126035 | Total Lesion Proliferation | The total activity of a lesion obtained as the product of its volume and its proliferative activity (on FLT-PET). The volume may be defined on the same modality (e.g. the MV on FDG-PET by some thresholding or other technique) or on another spatially registered modality (e.g. the lesion outline segmented on CT or MR). Does not apply to other radiopharmaceuticals than those involved in cellular proliferation. Abbreviated TLP. Synonymnous with "Tumor Lesion Proliferation"
126036 | Proliferative Activity | The amount proliferative activity summed across all voxels in a defined region or within a defined range of SUV (on FLT-PET)
126037 | Standardized Added Metabolic Activity (SAM) | A background-corrected, partial volume independent version of TLG. SAM is calculated by drawing a volume of interest (VOI1) around the tumour and a larger VOI (VOI2) around VOI1. Subtracting the background activity in VOI2-VOI1 from VOI1 yields SAM. See Mertens et al. "Standardized added metabolic activity (SAM): a partial volume independent marker of total lesion glycolysis in liver metastases". Eur J Nucl Med Mol Imaging (2012) 39:1441-1448
126038 | Standardized Added Metabolic Activity (SAM) Background | The background value (VOI2-VOI1) used to calculate Standardized Added Metabolic Activity (SAM). SAM is calculated by drawing a volume of interest (VOI1) around the tumour and a larger VOI (VOI2) around VOI1. Subtracting the background activity in VOI2-VOI1 from VOI1 yields SAM. See Mertens et al. "Standardized added metabolic activity (SAM): a partial volume independent marker of total lesion glycolysis in liver metastases". Eur J Nucl Med Mol Imaging (2012) 39:1441-1448
126039 | Lesion to Background SUV Ratio | The ratio of the SUV within a tumor to the SUV of a pre-defined background region. Need reference(s). A more general concept than Tumor to Background Ratio (TBR)
126040 | Background for Lesion to Background SUV Ratio | The SUV of a pre-defined background region used to compute Lesion to Background SUV Ratio. Need reference(s)
126050 | Fractal Dimension | A statistical index of complexity comparing how detail in a fractal pattern changes with the scale at which it is measured; a ratio of the change in detail to the change in scale
126051 | Skewness | Measure of the asymmetry of the probability distribution of a real-valued random variable about its mean
126052 | Kurtosis | Measure of the peakedness of the probability distribution of a real-valued random variable
126060 | Entropy of GLCM | The zero order entropy of a Gray Level Co-occurrence Matrix (GLCM). A measure of disorder. See http://www.fp.ucalgary.ca/mhallbey/equations.htm
126061 | Energy of GLCM | The energy (uniformity) (square root of the Angular Second Moment (ASM)) of a Gray Level Co-occurrence Matrix (GLCM). A measure of orderliness. See http://www.fp.ucalgary.ca/mhallbey/equations.htm
126062 | Homogeneity of GLCM | The Inverse Difference Moment of a Gray Level Co-occurrence Matrix (GLCM). See http://www.fp.ucalgary.ca/mhallbey/equations.htm
126063 | Contrast of GLCM | The sum of squares variance of a Gray Level Co-occurrence Matrix (GLCM). See http://www.fp.ucalgary.ca/mhallbey/equations.htm

126064 | Dissimilarity of GLCM | The dissimilarity of a Gray Level Co-occurrence Matrix (GLCM). See http://www.fp.ucalgary.ca/mhallbey/equations.htm

126065 | ASM of GLCM | The Angular Second Moment of a Gray Level Co-occurrence Matrix (GLCM). See http://www.fp.ucalgary.ca/mhallbey/equations.htm

126066 | Correlation of GLCM | A measure of the linear dependency of grey levels on those of neighbouring pixels of a Gray Level Co-occurrence Matrix (GLCM). See http://www.fp.ucalgary.ca/mhallbey/equations.htm

126067 | Gray Level Co-occurrence Matrix (GLCM) | A tabulation of how often different combinations of pixel values (grey levels) occur in an image. See http://www.fp.ucalgary.ca/mhallbey/the_glcm.htm

126070 | Subject Time Point Identifier | An identifier of a specific time point in a continuum, which is unique within an appropriate local context (such as an entire organization, system or treatment protocol), which identifies the time point for a specific patient

126071 | Protocol Time Point Identifier | An identifier of a specific time point in a continuum, which is unique within an appropriate local context (such as an entire organization, system or treatment protocol), which identifies the time point "slot" within a treatment protocol using the same value for all patients in the protocol

126072 | Time Point Type | A pre-defined type of a specific time point in a continuum

126073 | Time Point Order | A number indicating the order of a time point relative to other time points in the same continuum

126074 | Posttreatment | The time after the treatment of interest

126075 | Eligibility | For the purpose of determining eligibility for a protocol

126080 | RECIST 1.0 | Response Evaluation Criteria in Solid Tumors version 1.0. See [RECIST] in Normative References

126081 | RECIST 1.1 | Response Evaluation Criteria in Solid Tumors Version 1.1. See Eisenhauer et al. "New Response Evaluation Criteria in Solid Tumours: Revised RECIST Guideline (version 1.1)." European Journal of Cancer 45, no. 2 (n.d.): 228-47. doi:10.1016/j.ejca.2008.10.026.

126100 | Real World Value Map used for measurement | A reference to the Real World Value Map applied to the stored image pixel values before their use for a measurement

126200 | Image Library Group | A container that groups common information about a set of images used as evidence to produce a report

126201 | Acquisition Date | The date the acquisition of data started

126202 | Acquisition Time | The time the acquisition of data started

126203 | PET Radionuclide Incubation Time | The time between the start of injection of the PET radionuclide and the start of acquisition of the PET data

126220 | R2-Coefficient | Coefficient of determination, R2. An indication of goodness of fit

126300 | Perfusion analysis by Stable Xenon CT technique | Perfusion analysis by Stable Xenon CT technique

126301 | Perfusion analysis by IV Iodinated Contrast CT technique | Perfusion analysis by IV Iodinated Contrast CT technique

126302 | Perfusion analysis by Arterial Spin Labeling MR technique | Perfusion analysis by Arterial Spin Labeling (ASL) MR technique

126303 | Perfusion analysis by Susceptibility MR technique | Perfusion analysis by Susceptibility (T2*) MR technique

126310 | Least Mean Square (LMS) deconvolution | Least Mean Square (LMS) deconvolution

126311 | Singular Value Decomposition (SVD) deconvolution | Singular Value Decomposition (SVD) deconvolution

126312 | Ktrans | Ktrans, the volume transfer constant of a tracer diffusion kinetic model, specifically the volume transfer constant between blood plasma and extravascular extracellular space (EES) See Tofts et al, "Estimating Kinetic Parameters From Dynamic Contrast-Enhanced T1-Weighted MRI of a Diffusable Tracer: Standardized Quantities and Symbols", Journal of Magnetic Resonance Imaging, vol. 10, pp. 223-232, 1999

126313 | kep | kep, the rate constant between extravascular extracellular space (EES) and blood plasma See Tofts et al, "Estimating Kinetic Parameters From Dynamic Contrast-Enhanced T1-Weighted MRI of a Diffusable Tracer: Standardized Quantities and Symbols", Journal of Magnetic Resonance Imaging, vol. 10, pp. 223-232, 1999

126314 | ve | ve, the fractional (not absolute) volume of extravascular extracellular space (EES) per unit volume of tissue See Tofts et al, "Estimating Kinetic Parameters From Dynamic Contrast-Enhanced T1-Weighted MRI of a Diffusable Tracer: Standardized Quantities and Symbols", Journal of Magnetic Resonance Imaging, vol. 10, pp. 223-232, 1999

126320 | IAUC | The intial area under the contrast agent concentration-time curve

126321 | IAUC60 | The intial area under the contrast agent concentration-time curve at 60 seconds after the onset time

126322 | IAUC90 | The intial area under the contrast agent concentration-time curve at 90 seconds after the onset time

126330 | tau_m | τm. The mean intracellular water lifetime (τi). Used in the Shutter-Speed Model (SSM) of tracer kinetics

126331 | vp | vp. The fractional (not absolute) blood plasma volume per unit volume of tissue. See Tofts et al, "Estimating Kinetic Parameters From Dynamic Contrast-Enhanced T1-Weighted MRI of a Diffusable Tracer: Standardized Quantities and Symbols", Journal of Magnetic Resonance Imaging, vol. 10, pp. 223-232, 1999

126340 | Standard Tofts Model | A tracer diffusion kinetic model in which the permeability is assumed to be isodirectional. See P. Tofts, "Modeling tracer kinetics in dynamic Gd-DTPA MR imaging", Journal of Magnetic Resonance Imaging, vol. 7, pp. 91-101, 1997

126341 | Extended Tofts Model | A tracer diffusion kinetic model in which the permeability is not assumed to be isodirectional, and which includes the contribution of tracer in the blood plasma to the total tissue concentration. See P. Tofts, "Modeling tracer kinetics in dynamic Gd-DTPA MR imaging", Journal of Magnetic Resonance Imaging, vol. 7, pp. 91-101, 1997

126342 | Model-free concentration-time quantitification | A semiquantitative analysis of the contrast-enhancement concentration versus time curve that avoids the use of a pharmacokinetic model; e.g. integration to compute the initial area under the curve

126343 | First Pass Leakage Profile (FPLP) | A tracer diffusion kinetic model that accounts for the tumor leakage profile during the first pass of contrast. See Li, Ka-Loh, Xiao Ping Zhu, John Waterton, and Alan Jackson. "Improved 3D Quantitative Mapping of Blood Volume and Endothelial Permeability in Brain Tumors." Journal of Magnetic Resonance Imaging 12, no. 2 (2000): 347-357. doi:10.1002/1522-2586(200008)12:2<347::AID-JMRI19>3.0.CO;2-7

126344 | Shutter-Speed Model (SSM) | A tracer diffusion kinetic model that does not assume that intercompartmental water molecule exchange is infinitely fast. See Li, Xin, Wei Huang, Thomas E. Yankeelov, Alina Tudorica, William D. Rooney, and Charles S. Springer. "Shutter-Speed Analysis of Contrast Reagent Bolus-Tracking Data: Preliminary Observations in Benign and Malignant Breast Disease." Magnetic Resonance in Medicine 53, no. 3 (2005): 724-29. doi:10.1002/mrm.20405

126350 | T1 by Multiple Flip Angles | T1 measurement by Multiple Flip Angles (MFA) (variable saturation) method

126351 | T1 by Inversion Recovery | T1 measurement by Inversion Recovery (IR) method

126352 | T1 by Fixed Value | Calculation was performed using a fixed value of T1 rather than a measured value. The value could be encoded as the value of (126353, DCM, "T1 Used For Calculation")

126353 | T1 Used For Calculation | The fixed value of T1 used for a calculation

126360 | AIF Ignored | No Arterial Input Function was used

126361 | Population Averaged AIF | A population-averaged Arterial Input Function

126362 | User-defined AIF ROI | An Arterial Input Function computed from a user-defined Region of Interest

126363 | Automatically Detected AIF ROI | An Arterial Input Function computed from an automatically detected Region of Interest

126364 | Blind Estimation of AIF | A data-driven blind source separation (BSS) algorithm that estimates AIF from individuals without any presumed AIF model and initialization. See Lin, Yu-Chun, Tsung-Han Chan, Chong-Yung Chi, Shu-Hang Ng, Hao-Li Liu, Kuo-Chen Wei, Yau-Yau Wai, Chun-Chieh Wang, and Jiun-Jie Wang. "Blind Estimation of the Arterial Input Function in Dynamic Contrast-Enhanced MRI Using Purity Maximization." Magnetic Resonance in Medicine 68, no. 5 (November 1, 2012): 1439-49. doi:10.1002/mrm.24144

126370 | Time of Peak Concentration | The time at which the concentration-time curve achieves its peak for the first time. Used as a concept name for a value or as a method; e.g. used as a method of calculation for BAT. See Shpilfoygel Med Phys 2008. doi: 10.1118/1.1288669

126371 | Bolus Arrival Time | The nominal time at which arrival of a contrast bolus is detected, which is used as a reference point for subsequent calculations. Used as a concept name for a value or as a method. No specific computational method is implied by this general definition. Abbreviated BAT

126372 | Time of Leading Half-Peak Concentration | The time at which the concentration-time curve achieves half of its peak density for the first time. Used as a concept name for a value or as a method; e.g. used as a method of calculation for BAT. See Shpilfoygel Med Phys 2008. doi: 10.1118/1.1288669

126373 | Temporal Derivative Exceeds Threshold | A method of determining BAT that involves computing the temporal derivative of the concentration-time curve and selecting the time when the temporal derivative exceeds a specified threshold. See Shpilfoygel Med Phys 2008. doi: 10.1118/1.1288669

126374 | Temporal Derivative Threshold | A threshold applied to the temporal derivative of the concentration-time curve; e.g. used to establish BAT. See Shpilfoygel Med Phys 2008. doi: 10.1118/1.1288669

126375 | Maximum Slope | The maximum rate of signal intensity change within a measured region of a time-activity curve. See Boonsirikamchai, Piyaporn, Harmeet Kaur, Deborah A. Kuban, Edward Jackson, Ping Hou, and Haesun Choi. "Use of Maximum Slope Images Generated From Dynamic Contrast-Enhanced MRI to Detect Locally Recurrent Prostate Carcinoma After Prostatectomy: A Practical Approach." American Journal of Roentgenology 198, no. 3 (March 1, 2012): W228-W236. doi:10.2214/AJR.10.6387

126376 | Maximum Difference | The maximum degree of signal intensity change within a measured region of a time-activity curve. See Boonsirikamchai, Piyaporn, Harmeet Kaur, Deborah A. Kuban, Edward Jackson, Ping Hou, and Haesun Choi. "Use of Maximum Slope Images Generated From Dynamic Contrast-Enhanced MRI to Detect Locally Recurrent Prostate Carcinoma After Prostatectomy: A Practical Approach." American Journal of Roentgenology 198, no. 3 (March 1, 2012): W228-W236. doi:10.2214/AJR.10.6387

126377 | Tracer Concentration | Tracer concentration in tissue; e.g. in a DCE-MR experiment, the concentration of contrast agent in mmol/l

126380 | Contrast Longitudinal Relaxivity | The degree to which a paramagnetic contrast agent can enhance the proton longitudinal relaxation rate constant (R1, 1/T1), normalized to the concentration of the contrast agent. Also referred to as r1. Typically expressed in units of l/mmol/s

126390 | Regional Blood Flow | The flow rate of blood perfusing a region as volume per mass per unit of time

126391 | Regional Blood Volume | The volume of blood perfusing a region as volume per mass

126392 | Oxygen Extraction Fraction | The percent of the oxygen removed from the blood by tissue during its passage through the capillary network. For example, as measured by blood oxygenation level dependent (BOLD) MR. See He, Xiang, and Dmitriy A. Yablonskiy. "Quantitative BOLD: Mapping of Human Cerebral Deoxygenated Blood Volume and Oxygen Extraction Fraction: Default State." Magnetic Resonance in Medicine 57, no. 1 (2007): 115-26

126393 | R1 | The longitiudinal relaxation rate constant. The inverse of longitudinal relaxation time, i.e., R1 = 1/T1

126394 | R2 | The transverse relaxation rate constant. The inverse of transverse relaxation time, i.e., R2 = 1/T2

126400 | Standardized Uptake Value | A ratio of locally measured radioactivity concentration versus the injected radioactivity distributed evenly throughout the whole body. This general concept encompasses all specific methods of calculating the whole body volume of distribution, such as using body weight, lean body mass, body surface area, etc.

126401 | SUVbw | Standardized Uptake Value calculated using body weight. The patient size correction factor for males and females is body weight. Defined in Sugawara et al. Reevaluation of the Standardized Uptake Value for FDG: Variations with Body Weight and Methods for Correction.Radiology, 1999 at http://radiology.rsna.org/content/213/2/521

126402 | SUVlbm | Standardized Uptake Value calculated using lean body mass. The patient size correction factor for males is 1.10 * weight - 120 * (weight/height) ^2, and for females is 1.07 * weight - 148 * (weight/height) ^2. Defined in Sugawara et al. Reevaluation of the Standardized Uptake Value for FDG: Variations with Body Weight and Methods for Correction.Radiology, 1999 at http://radiology.rsna.org/content/213/2/521

126403 | SUVbsa | Standardized Uptake Value calculated using body surface area. The patient size correction factor for males and females is weight^ 0.425 * height^0.725 * 0.007184. Defined in Sugawara et al. Reevaluation of the Standardized Uptake Value for FDG: Variations with Body Weight and Methods for Correction.Radiology, 1999 at http://radiology.rsna.org/content/213/2/521

126404 | SUVibw | Standardized Uptake Value calculated using ideal body weight. The patient size correction factor for males is 48.0 + 1.06 * (height - 152) and for females is 45.5 + 0.91 * (height - 152). Defined in Sugawara et al. Reevaluation of the Standardized Uptake Value for FDG: Variations with Body Weight and Methods for Correction.Radiology, 1999 at http://radiology.rsna.org/content/213/2/521

126410 | SUV body weight calculation method | Method of calculating Standardized Uptake Value using body weight. The patient size correction factor for males and females is body weight. Defined in Sugawara et al. Reevaluation of the Standardized Uptake Value for FDG: Variations with Body Weight and Methods for Correction.Radiology, 1999 at http://radiology.rsna.org/content/213/2/521

126411 | SUV lean body mass calculation method | Method of calculating Standardized Uptake Value using lean body mass. The patient size correction factor for males is 1.10 * weight - 120 * (weight/height) ^2, and for females is 1.07 * weight - 148 * (weight/height) ^2. Defined in Sugawara et al. Reevaluation of the Standardized Uptake Value for FDG: Variations with Body Weight and Methods for Correction.Radiology, 1999 at http://radiology.rsna.org/content/213/2/521

126412 | SUV body surface area calculation method | Method of calculating Standardized Uptake Value using body surface area. The patient size correction factor for males and females is weight^ 0.425 * height^0.725 * 0.007184. Defined in Sugawara et al. Reevaluation of the Standardized Uptake Value for FDG: Variations with Body Weight and Methods for Correction.Radiology, 1999 at http://radiology.rsna.org/content/213/2/521

126413 | SUV ideal body weight calculation method | Method of calculating Standardized Uptake Value using ideal body weight. The patient size correction factor for males is 48.0 + 1.06 * (height - 152) and for females is 45.5 + 0.91 * (height - 152). Defined

in Sugawara et al. Reevaluation of the Standardized Uptake Value for FDG: Variations with Body Weight and Methods for Correction.Radiology, 1999 at http://radiology.rsna.org/content/213/2/521
126500 | Pittsburgh compound B C^11^ | A beta-amyloid PET radiotracer that is an analog of thioflavin T
126501 | Florbetaben F^18^ | A beta-amyloid PET radiotracer
126502 | T807 F^18^ | A PHF-tau PET radiotracer
126503 | Flubatine F^18^ | A nicotinic α4β2 receptor (nAChR) PET radiotracer
126510 | Monoclonal Antibody (mAb) ^64^Cu | A Cu 64 Monoclonal Antibody (mAb) PET Radiotracer
126511 | Monoclonal Antibody (mAb) ^89^Zr | A Zr 89 Monoclonal Antibody (mAb) PET Radiotracer
126512 | Trastuzumab ^89^Zr | A Zr 89 Trastuzumab PET Radiotracer
126513 | Cetuximab ^89^Zr | A Zr 89 Cetuximab PET Radiotracer
126514 | J591 ^89^Zr | A Zr 89 J591 PET Radiotracer
126515 | cU36 ^89^Zr | A Zr 89 cU36 PET Radiotracer
126516 | Bevacizumab ^89^Zr | A Zr 89 Bevacizumab PET Radiotracer
126517 | cG250-F(ab')(2) ^89^Zr | A Zr 89 cG250-F(ab')(2) PET Radiotracer
126518 | R1507 ^89^Zr | A Zr 89 R1507 PET Radiotracer
126519 | E4G10 ^89^Zr | A Zr 89 E4G10 PET Radiotracer
126520 | Df-CD45 ^89^Zr | A Zr 89 Df-CD45 PET Radiotracer
126600 | ^44^Scandium | ^44^Scandium
126601 | ^51^Manganese | ^51^Manganese
126602 | ^70^Arsenic | ^70^Arsenic
126603 | ^90^Niobium | ^90^Niobium
126604 | ^191m^Iridium | ^191m^Iridium
126605 | ^43^Scandium | ^43^Scandium
126606 | ^152^Terbium | ^152^Terbium
126700 | ATSM Cu^60^ | A Cu 60 ATSM PET radiotracer
126701 | ATSM Cu^61^ | A Cu 61 ATSM PET radiotracer
126702 | ATSM Cu^62^ | A Cu 62 ATSM PET radiotracer
126703 | Choline C^11^ | A C 11 Choline PET radiotracer
126704 | Fallypride C^11^ | A C 11 Fallypride PET radiotracer
126705 | Fallypride F^18^ | An F 18 Fallypride PET radiotracer
126706 | FLB 457 C^11^ | A C 11 FLB 457 PET radiotracer
126707 | Fluorotriopride F^18^ | An F 18 Fluorotriopride PET radiotracer
126708 | Fluoromisonidazole (FMISO) F^18^ | An F 18 Fluoromisonidazole PET radiotracer
126709 | Glutamine C^11^ | A C 11 Glutamine PET radiotracer
126710 | Glutamine C^14^ | A C 14 Glutamine PET radiotracer
126711 | Glutamine F^18^ | An F 18 Glutamine PET radiotracer
126712 | Flubatine F^18^ | An F 18 Flubatine PET radiotracer
126713 | 2FA F^18^ | An F 18 2FA PET radiotracer
126714 | Nifene F^18^ | An F 18 Nifene PET radiotracer
126715 | CLR1404 I^124^ | An I 124 cancer targeted phospholipid ether PET radiotracer
126716 | CLR1404 I^131^ | An I 131 cancer targeted phospholipid ether PET radiotracer
126801 | IEC6127 Patient Support Continuous Angle | Patient Support Continuous Angle in IEC PATIENT SUPPORT Coordinate System [IEC 61217]
126802 | IEC6127 Table Top Continuous Pitch Angle | Table Top Continuous Pitch Angle in the direction of the IEC TABLE TOP Coordinate System [IEC 61217]
126803 | IEC6127 Table Top Continuous Roll Angle | Table Top Continuous Roll Angle in the direction of the IEC TABLE TOP Coordinate System [IEC 61217]
126804 | IEC6127 Table Top Eccentric Axis Distance | Table Top Eccentric Axis Distance [IEC 61217]
126805 | IEC6127 Table Top Continuous Eccentric Angle | Table Top Continuous Eccentric Angle in the direction of the IEC TABLE TOP ECCENTRIC Coordinate System [IEC 61217]
126806 | IEC6127 Table Top Lateral Position | Table Top Lateral Position IEC TABLE TOP Coordinate System [IEC 61217]
126807 | IEC6127 Table Top Longitudinal Position | Table Top Longitudinal Position IEC TABLE TOP Coordinate System [IEC 61217]
126808 | IEC6127 Table Top Vertical Position | Table Top Vertical Position in IEC TABLE TOP Coordinate System [IEC 61217]
126809 | IEC6127 Gantry Continuous Roll Angle | Gantry Continuous Roll Angle in degrees of the radiation source, i.e., the rotation about the Y-axis of the IEC GANTRY coordinate system [IEC 61217]
126810 | IEC6127 Gantry Continuous Pitch Angle | Gantry Pitch Continuous Angle in degrees of the radiation source, i.e., the rotation about the X-axis of the IEC GANTRY coordinate system [IEC 61217]
126811 | IEC6127 Gantry Continuous Yaw Angle | Gantry Yaw Continuous Angle in degrees of the radiation source, i.e., about the Z-axis of the IEC GANTRY coordinate system [IEC 61217]

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.432 Code System http://hl7.org/fhir/resource-status

URL: https://hl7.org/fhir/R4/codesystem-resource-status.html
Modeling and Methodology Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/resource-status
Version: | 4.0.1
Name: | Canonical Status Codes for FHIR Resources
Title:
Definition: | The master set of status codes used throughout FHIR. All status codes are mapped to one of these codes.
Committee: | Modeling and Methodology Work Group
OID: | (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: Canonical Status Codes for FHIR Resources (The master set of status codes used throughout FHIR. All status codes are mapped to one of these codes.)

• ValueSet: Canonical Status Codes for FHIR Resources (The master set of status codes used throughout FHIR. All status codes are mapped to one of these codes.)

4.3.14.432.1 Content

4.3.14.432.2 Canonical Status Codes for FHIR Resources

The master set of status codes used throughout FHIR. All status codes are mapped to one of these codes.

This code system http://hl7.org/fhir/resource-status defines the following codes:

Code | Display | Definition
error | error | The resource was created in error, and should not be treated as valid (note: in many cases, for various data integrity related reasons, the information cannot be removed from the record)
proposed | proposed | The resource describes an action or plan that is proposed, and not yet approved by the participants
planned | planned | The resource describes a course of action that is planned and agreed/approved, but at the time of recording was still future
draft | draft | The information in the resource is still being prepared and edited
requested | requested | A fulfiller has been asked to perform this action, but it has not yet occurred
received | received | The fulfiller has received the request, but not yet agreed to carry out the action
declined | declined | The fulfiller chose not to perform the action
accepted | accepted | The fulfiller has decided to perform the action, and plans are in train to do this in the future
arrived | arrived | The pre-conditions for the action are all fulfilled, and it is imminent
active | active | The resource describes information that is currently valid or a process that is presently occuring
suspended | suspended | The process described/requested in this resource has been halted for some reason
failed | failed | The process described/requested in the resource could not be completed, and no further action is planned
replaced | replaced | The information in this resource has been replaced by information in another resource
complete | complete | The process described/requested in the resource has been completed, and no further action is planned
inactive | inactive | The resource describes information that is no longer valid or a process that is stopped occurring
abandoned | abandoned | The process described/requested in the resource did not complete - usually due to some workflow error, and no further action is planned
unknown | unknown | Authoring system does not know the status
unconfirmed | unconfirmed | The information in this resource is not yet approved
confirmed | confirmed | The information in this resource is approved
resolved | resolved | The issue identified by this resource is no longer of concern
refuted | refuted | This information has been ruled out by testing and evaluation
differential | differential | Potentially true?
partial | partial | This information is still being assembled
busy-unavailable | busy-unavailable | not available at this time/location
free | free | Free for scheduling
on-target | on-target | Ready to act
ahead-of-target | ahead-of-target | Ahead of the planned timelines
behind-target | behind-target
not-ready | not-ready | Behind the planned timelines
transduc-discon | transduc-discon | The device transducer is disconnected
hw-discon | hw-discon | The hardware is disconnected

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.433 Code System http://hl7.org/fhir/device-action

URL: https://hl7.org/fhir/R4/codesystem-device-action.html
Patient Care Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a code system defined at http://www.hl7.org/Special/committees/patientcare/ .

Summary

Defining URL: | http://hl7.org/fhir/device-action
Version: | 4.0.1
Name: | ProcedureDeviceActionCodes
Title: | Procedure Device Action Codes
Definition: | Example codes indicating the change that happened to the device during the procedure. Note that these are in no way complete and might not even be appropriate for some uses.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.4.426 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This Code system is not currently used

4.3.14.433.1 Content

4.3.14.433.2 Procedure Device Action Codes

Example codes indicating the change that happened to the device during the procedure. Note that these are in no way complete and might not even be appropriate for some uses.

Copyright Statement:

This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org

This code system http://hl7.org/fhir/device-action defines the following codes:

Code | Display | Definition
implanted | Implanted | The device was implanted in the patient during the procedure.
explanted | Explanted | The device was explanted from the patient during the procedure.
manipulated | Manipulated | The device remains in the patient, but its location, settings, or functionality was changed.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.434 Code System http://terminology.hl7.org/CodeSystem/research-study-reason-stopped

URL: https://hl7.org/fhir/R4/codesystem-research-study-reason-stopped.html
Biomedical Research and Regulation Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://terminology.hl7.org/CodeSystem/research-study-reason-stopped
Version: | 4.0.1
Name: | ResearchStudyReasonStopped
Title: | ResearchStudyReasonStopped
Definition: | Codes for why the study ended prematurely.
Committee: | Biomedical Research and Regulation Work Group
OID: | 2.16.840.1.113883.4.642.4.1249 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: ResearchStudyReasonStopped (Codes for why the study ended prematurely.)
• ValueSet: ResearchStudyReasonStopped (Codes for why the study ended prematurely.)

4.3.14.434.1 Content

4.3.14.434.2 ResearchStudyReasonStopped

Codes for why the study ended prematurely.

This code system http://terminology.hl7.org/CodeSystem/research-study-reason-stopped defines the following codes:

Code | Display | Definition
accrual-goal-met | Accrual Goal Met | The study prematurely ended because the accrual goal was met.
closed-due-to-toxicity | Closed due to toxicity | The study prematurely ended due to toxicity.
closed-due-to-lack-of-study-progress | Closed due to lack of study progress | The study prematurely ended due to lack of study progress.
temporarily-closed-per-study-design | Temporarily closed per study design | The study prematurely ended temporarily per study design.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.435 Code System http://hl7.org/fhir/http-operations

URL: https://hl7.org/fhir/R4/codesystem-http-operations.html
FHIR Infrastructure Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/http-operations
Version: | 4.0.1
Name: | TestScriptRequestMethodCode
Title: | TestScriptRequestMethodCode
Definition: | The allowable request method or HTTP operation codes.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.4.717 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: TestScriptRequestMethodCode (The allowable request method or HTTP operation codes.)
• ValueSet: TestScriptRequestMethodCode (The allowable request method or HTTP operation codes.)

4.3.14.435.1 Content

4.3.14.435.2 TestScriptRequestMethodCode

The allowable request method or HTTP operation codes.

This code system http://hl7.org/fhir/http-operations defines the following codes:

Code | Display | Definition
delete | DELETE | HTTP DELETE operation.
get | GET | HTTP GET operation.
options | OPTIONS | HTTP OPTIONS operation.
patch | PATCH | HTTP PATCH operation.
post | POST | HTTP POST operation.
put | PUT | HTTP PUT operation.
head | HEAD | HTTP HEAD operation.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.436 Code System http://terminology.hl7.org/CodeSystem/synthesis-type

URL: https://hl7.org/fhir/R4/codesystem-synthesis-type.html
Clinical Decision Support Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://terminology.hl7.org/CodeSystem/synthesis-type
Version: | 4.0.1
Name: | SynthesisType
Title: | SynthesisType
Definition: | Types of combining results from a body of evidence (eg. summary data meta-analysis).
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.4.1348 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: SynthesisType (Types of combining results from a body of evidence (eg. summary data meta-analysis).)

• ValueSet: SynthesisType (Types of combining results from a body of evidence (eg. summary data meta-analysis).)

4.3.14.436.1 Content

4.3.14.436.2 SynthesisType

Types of combining results from a body of evidence (eg. summary data meta-analysis).

This code system http://terminology.hl7.org/CodeSystem/synthesis-type defines the following codes:

Code | Display | Definition
std-MA | summary data meta-analysis | A meta-analysis of the summary data of estimates from individual studies or data sets.
IPD-MA | individual patient data meta-analysis | A meta-analysis of the individual participant data from individual studies or data sets.
indirect-NMA | indirect network meta-analysis | An indirect meta-analysis derived from 2 or more direct comparisons in a network meta-analysis.
combined-NMA | combined direct plus indirect network meta-analysis | An composite meta-analysis derived from direct comparisons and indirect comparisons in a network meta-analysis.
range | range of results | A range of results across a body of evidence.
classification | classifcation of results | An approach describing a body of evidence by categorically classifying individual studies (eg 3 studies showed beneft and 2 studied found no effect).

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.437 Code System http://hl7.org/fhir/relationship

URL: https://hl7.org/fhir/R4/codesystem-relationship.html
Financial Management Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/relationship
Version: | 4.0.1
Name: | Beneficiary Relationship Codes
Title:
Definition: | This value set includes the Patient to subscriber relationship codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.4.36 (for OID based terminology systems)

Copyright: | This is an example set.
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: Relationship (This value set includes the Patient to subscriber relationship codes.)

• ValueSet: Relationship (This value set includes the Patient to subscriber relationship codes.)

4.3.14.437.1 Content

4.3.14.437.2 Beneficiary Relationship Codes

This value set includes the Patient to subscriber relationship codes.

Copyright Statement:

This is an example set.

This code system http://hl7.org/fhir/relationship defines the following codes:

Code	Display	Definition
1	Self	The patient is the subscriber (policy holder)
2	Spouse	The patient is the spouse or equivalent of the subscriber (policy holder)
3	Child	The patient is the child of the subscriber (policy holder)
4	Common Law Spouse	The patient is the common law spouse of the subscriber (policy holder)
5	Other	The patient has some other relationship, such as parent, to the subscriber (policy holder)

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.438 Code System http://terminology.hl7.org/CodeSystem/message-transport

URL: https://hl7.org/fhir/R4/codesystem-message-transport.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Conformance Package for further details.

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://terminology.hl7.org/CodeSystem/message-transport
Version: | 4.0.1
Name: | MessageTransport
Title: | MessageTransport
Definition: | The protocol used for message transport.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.4.1080 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: MessageTransport (The protocol used for message transport.)

• ValueSet: MessageTransport (The protocol used for message transport.)

4.3.14.438.1 Content

4.3.14.438.2 MessageTransport

The protocol used for message transport.

This code system http://terminology.hl7.org/CodeSystem/message-transport defines the following codes:

Code	Display	Definition
http	HTTP	The application sends or receives messages using HTTP POST (may be over http: or https:).
ftp	FTP	The application sends or receives messages using File Transfer Protocol.
mllp	MLLP	The application sends or receives messages using HL7's Minimal Lower Level Protocol.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.439 Code System http://terminology.hl7.org/CodeSystem/benefit-unit

URL: https://hl7.org/fhir/R4/codesystem-benefit-unit.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://terminology.hl7.org/CodeSystem/benefit-unit
Version: | 4.0.1
Name: | UnitTypeCodes
Title: | Unit Type Codes
Definition: | This value set includes a smattering of Unit type codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.4.1178 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: Unit Type Codes (This value set includes a smattering of Unit type codes.)
• ValueSet: Unit Type Codes (This value set includes a smattering of Unit type codes.)

4.3.14.439.1 Content

4.3.14.439.2 Unit Type Codes

This value set includes a smattering of Unit type codes.

Copyright Statement:

This is an example set.

This code system http://terminology.hl7.org/CodeSystem/benefit-unit defines the following codes:

Code | Display | Definition
individual | Individual | A single individual
family | Family | A family, typically includes self, spouse(s) and children to a defined age

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.440 Code System http://hl7.org/fhir/map-group-type-mode

URL: https://hl7.org/fhir/R4/codesystem-map-group-type-mode.html
FHIR Infrastructure Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/map-group-type-mode
Version: | 4.0.1
Name: | StructureMapGroupTypeMode
Title: | StructureMapGroupTypeMode
Definition: | If this is the default rule set to apply for the source type, or this combination of types.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.4.688 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: StructureMapGroupTypeMode (If this is the default rule set to apply for the source type, or this combination of types.)

• ValueSet: StructureMapGroupTypeMode (If this is the default rule set to apply for the source type, or this combination of types.)

4.3.14.440.1 Content

4.3.14.440.2 StructureMapGroupTypeMode

If this is the default rule set to apply for the source type, or this combination of types.

This code system http://hl7.org/fhir/map-group-type-mode defines the following codes:

Code | Display | Definition
none | Not a Default | This group is not a default group for the types.
types | Default for Type Combination | This group is a default mapping group for the specified types and for the primary source type.
type-and-types | Default for type + combination | This group is a default mapping group for the specified types.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.441 Code System http://hl7.org/fhir/document-relationship-type

URL: https://hl7.org/fhir/R4/codesystem-document-relationship-type.html
Structured Documents Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/document-relationship-type
Version: | 4.0.1
Name: | DocumentRelationshipType
Title: | DocumentRelationshipType
Definition: | The type of relationship between documents.
Committee: | Structured Documents Work Group
OID: | 2.16.840.1.113883.4.642.4.245 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: DocumentRelationshipType (The type of relationship between documents.)

• ValueSet: DocumentRelationshipType (The type of relationship between documents.)

4.3.14.441.1 Content

4.3.14.441.2 DocumentRelationshipType

The type of relationship between documents.

This code system http://hl7.org/fhir/document-relationship-type defines the following codes:

Code | Display | Definition
replaces | Replaces | This document logically replaces or supersedes the target document.
transforms | Transforms | This document was generated by transforming the target document (e.g. format or language conversion).
signs | Signs | This document is a signature of the target document.
appends | Appends | This document adds additional information to the target document.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.442 Code System http://hl7.org/fhir/publication-status

URL: https://hl7.org/fhir/R4/codesystem-publication-status.html
Clinical Decision Support Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Conformance Package for further details.

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/publication-status
Version: | 4.0.1
Name: | PublicationStatus
Title: | PublicationStatus
Definition: | The lifecycle status of an artifact.
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.4.4 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: PublicationStatus (The lifecycle status of an artifact.)

• ValueSet: PublicationStatus (The lifecycle status of an artifact.)

4.3.14.442.1 Content

• All Languages

• English

• Nederlands (Dutch)

• Русский (Russian)

This code system http://hl7.org/fhir/publication-status defines the following codes:

Code | Display | Definition
draft | Draft | This resource is still under development and is not yet considered to be ready for normal use.
active | Active | This resource is ready for normal use.
retired | Retired | This resource has been withdrawn or superseded and should no longer be used.
unknown | Unknown | The authoring system does not know which of the status values currently applies for this resource. Note: This concept is not to be used for "other" - one of the listed statuses is presumed to apply, it's just not known which one.

This code system http://hl7.org/fhir/publication-status defines the following codes:

Code | Display | Definition
draft | Draft | This resource is still under development and is not yet considered to be ready for normal use.
active | Active | This resource is ready for normal use.
retired | Retired | This resource has been withdrawn or superseded and should no longer be used.
unknown | Unknown | The authoring system does not know which of the status values currently applies for this resource. Note: This concept is not to be used for "other" - one of the listed statuses is presumed to apply, it's just not known which one.

Dit code systeem http://hl7.org/fhir/publication-status definieert de volgende codes:

Code | Display | Definition
draft
active
retired
unknown

This code system http://hl7.org/fhir/publication-status defines the following codes:

Code | Display | Definition
draft
active
retired
unknown

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.14.443 Code System http://terminology.hl7.org/CodeSystem/adjudication-reason

URL: https://hl7.org/fhir/R4/codesystem-adjudication-reason.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://terminology.hl7.org/CodeSystem/adjudication-reason
Version: | 4.0.1
Name: | AdjudicationReasonCodes
Title: | Adjudication Reason Codes
Definition: | This value set includes smattering of Adjudication Reason codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.4.1172 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: Adjudication Reason Codes (This value set includes smattering of Adjudication Reason codes.)

• ValueSet: Adjudication Reason Codes (This value set includes smattering of Adjudication Reason codes.)

4.3.14.443.1 Content

4.3.14.443.2 Adjudication Reason Codes

This value set includes smattering of Adjudication Reason codes.

Copyright Statement:

This is an example set.

This code system http://terminology.hl7.org/CodeSystem/adjudication-reason defines the following codes:

Code | Display | Definition
ar001 | Not covered | Not covered
ar002 | Plan Limit Reached | Plan Limit Reached

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.444 Code System http://hl7.org/fhir/report-result-codes

URL: https://hl7.org/fhir/R4/codesystem-report-result-codes.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/report-result-codes
Version: | 4.0.1
Name: | TestReportResult
Title: | TestReportResult
Definition: | The reported execution result.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.4.719 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: TestReportResult (The reported execution result.)

• ValueSet: TestReportResult (The reported execution result.)

4.3.14.444.1 Content

4.3.14.444.2 TestReportResult

The reported execution result.

This code system http://hl7.org/fhir/report-result-codes defines the following codes:

Code | Display | Definition
pass | Pass | All test operations successfully passed all asserts.
fail | Fail | One or more test operations failed one or more asserts.
pending | Pending | One or more test operations is pending execution completion.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.445 Code System http://terminology.hl7.org/CodeSystem/chromosome-human

URL: https://hl7.org/fhir/R4/codesystem-chromosome-human.html
Clinical Genomics Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://terminology.hl7.org/CodeSystem/chromosome-human
Version: | 4.0.1
Name: | chromosome-human
Title: | chromosome-human
Definition: | Chromosome number for human.
Committee: | Clinical Genomics Work Group
OID: | 2.16.840.1.113883.4.642.4.1086 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: chromosome-human (Chromosome number for human.)

• ValueSet: chromosome-human (Chromosome number for human.)

4.3.14.445.1 Content

4.3.14.445.2 chromosome-human

Chromosome number for human.

This code system http://terminology.hl7.org/CodeSystem/chromosome-human defines the following codes:

Code | Display | Definition
1 | chromosome 1 | chromosome 1.
2 | chromosome 2 | chromosome 2.
3 | chromosome 3 | chromosome 3.
4 | chromosome 4 | chromosome 4.
5 | chromosome 5 | chromosome 5.
6 | chromosome 6 | chromosome 6.
7 | chromosome 7 | chromosome 7.
8 | chromosome 8 | chromosome 8.
9 | chromosome 9 | chromosome 9.
10 | chromosome 10 | chromosome 10.
11 | chromosome 11 | chromosome 11.
12 | chromosome 12 | chromosome 12.
13 | chromosome 13 | chromosome 13.
14 | chromosome 14 | chromosome 14.
15 | chromosome 15 | chromosome 15.
16 | chromosome 16 | chromosome 16.
17 | chromosome 17 | chromosome 17.
18 | chromosome 18 | chromosome 18.
19 | chromosome 19 | chromosome 19.
20 | chromosome 20 | chromosome 20.
21 | chromosome 21 | chromosome 21.
22 | chromosome 22 | chromosome 22.

X | chromosome X | chromosome X.
Y | chromosome Y | chromosome Y.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.446 Code System http://terminology.hl7.org/CodeSystem/message-reasons-encounter

URL: https://hl7.org/fhir/R4/codesystem-message-reason-encounter.html
Infrastructure And Messaging Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://terminology.hl7.org/CodeSystem/message-reasons-encounter
Version: | 4.0.1
Name: | ExampleMessageReasonCodes
Title: | Example Message Reason Codes
Definition: | Example Message Reasons. These are the set of codes that might be used an updating an encounter using admin-update.
Committee: | Infrastructure And Messaging Work Group
OID: | 2.16.840.1.113883.4.642.4.1122 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: Example Message Reason Codes (Example Message Reasons. These are the set of codes that might be used an updating an encounter using admin-update.)

• ValueSet: Example Message Reason Codes (Example Message Reasons. These are the set of codes that might be used an updating an encounter using admin-update.)

4.3.14.446.1 Content

4.3.14.446.2 Example Message Reason Codes

Example Message Reasons. These are the set of codes that might be used an updating an encounter using admin-update.

This code system http://terminology.hl7.org/CodeSystem/message-reasons-encounter defines the following codes:

Code | Display | Definition
admit | Admit | The patient has been admitted.
discharge | Discharge | The patient has been discharged.
absent | Absent | The patient has temporarily left the institution.
return | Returned | The patient has returned from a temporary absence.
moved | Moved | The patient has been moved to a new location.
edit | Edit | Encounter details have been updated (e.g. to correct a coding error).

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.447 Code System http://terminology.hl7.org/CodeSystem/research-study-objective-type

URL: https://hl7.org/fhir/R4/codesystem-research-study-objective-type.html
Biomedical Research and Regulation Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://terminology.hl7.org/CodeSystem/research-study-objective-type
Version: | 4.0.1
Name: | ResearchStudyObjectiveType
Title: | ResearchStudyObjectiveType
Definition: | Codes for the kind of study objective.
Committee: | Biomedical Research and Regulation Work Group
OID: | 2.16.840.1.113883.4.642.4.1248 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: ResearchStudyObjectiveType (Codes for the kind of study objective.)

• ValueSet: ResearchStudyObjectiveType (Codes for the kind of study objective.)

4.3.14.447.1 Content

4.3.14.447.2 ResearchStudyObjectiveType

Codes for the kind of study objective.

This code system http://terminology.hl7.org/CodeSystem/research-study-objective-type defines the following codes:

Code | Display | Definition
primary | Primary | The main question to be answered, and the one that drives any statistical planning for the study—e.g., calculation of the sample size to provide the appropriate power for statistical testing.
secondary | Secondary | Question to be answered in the study that is of lesser importance than the primary objective.
exploratory | Exploratory | Exploratory questions to be answered in the study.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.448 Code System http://hl7.org/fhir/contract-legalstate

URL: https://hl7.org/fhir/R4/codesystem-contract-legalstate.html
Financial Management Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/contract-legalstate
Version: | 4.0.1
Name: | ContractResourceLegalStateCodes
Title: | Contract Resource Legal State codes
Definition: | This value set contract specific codes for status.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.4.1207 (for OID based terminology systems)
Copyright: | HL7 International.
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: Contract Resource Legal State codes (This value set contract specific codes for status.)

• ValueSet: Contract Resource Legal State codes (This value set contract specific codes for status.)

4.3.14.448.1 Content

Each definition includes usage notes explaining the precedence order in contract lifecycle - i.e., while only some stages are required, the order in which they may occur is deterministic; and a map to comparable FHIR and v.3 status codes. It follows guidance about use of status codes in FHIR at http://build.fhir.org/sc.html.

4.3.14.448.2 Contract Resource Legal State codes

This value set contract specific codes for status.

Copyright Statement:

HL7 International.

This code system http://hl7.org/fhir/contract-legalstate defines the following codes:

Code | Display | Definition
amended | Amended | Contract is augmented with additional information to correct errors in a predecessor or to updated values in a predecessor. Usage: Contract altered within effective time. Precedence Order = 9. Comparable FHIR and v.3 status codes: revised; replaced.
appended | Appended | Contract is augmented with additional information that was missing from a predecessor Contract. Usage: Contract altered within effective time. Precedence Order = 9. Comparable FHIR and v.3 status codes: updated, replaced.
cancelled | Cancelled | Contract is terminated due to failure of the Grantor and/or the Grantee to fulfil one or more contract provisions. Usage: Abnormal contract termination. Precedence Order = 10. Comparable FHIR and v.3 status codes: stopped; failed; aborted.
disputed | Disputed | Contract is pended to rectify failure of the Grantor or the Grantee to fulfil contract provision(s). E.g., Grantee complaint about Grantor's failure to comply with contract provisions. Usage: Contract pended. Precedence Order = 7. Comparable FHIR and v.3 status codes: on hold; pended; suspended.
entered-in-error | Entered in Error | Contract was created in error. No Precedence Order. Status may be applied to a Contract with any status.
executable | Executable | Contract execution pending; may be executed when either the Grantor or the Grantee accepts the contract provisions by signing. I.e., where either the Grantor or the Grantee has signed, but not both. E.g., when an insurance applicant signs the insurers application, which references the policy. Usage: Optional first step of contract execution activity. May be skipped and contracting activity moves directly to executed state. Precedence Order = 3. Comparable FHIR and v.3 status codes: draft; preliminary; planned; intended; active.
executed | Executed | Contract is activated for period stipulated when both the Grantor and Grantee have signed it. Usage: Required state for normal completion of contracting activity. Precedence Order = 6. Comparable FHIR and v.3 status codes: accepted; completed.
negotiable | Negotiable | Contract execution is suspended while either or both the Grantor and Grantee propose and consider new or revised contract provisions. I.e., where the party which has not signed proposes changes to the terms. E .g., a life insurer declines to agree to the signed application because the life insurer has evidence that the applicant, who asserted to being younger or a non-smoker to get a lower premium rate - but offers instead to agree to a higher premium based on the applicants actual age or smoking status. Usage: Optional contract activity between executable and executed state. Precedence Order = 4. Comparable FHIR and v.3 status codes: in progress; review; held.
offered | Offered | Contract is a proposal by either the Grantor or the Grantee. Aka - A Contract hard copy or electronic 'template', 'form' or 'application'. E.g., health insurance application; consent directive form. Usage: Beginning of contract negotiation, which may have been completed as a precondition because used for 0..* contracts. Precedence Order = 2. Comparable FHIR and v.3 status codes: requested; new.
policy | Policy | Contract template is available as the basis for an application or offer by the Grantor or Grantee. E.g., health insurance policy; consent directive policy. Usage: Required initial contract activity, which may have been completed as a precondition because used for 0..* contracts. Precedence Order = 1. Comparable FHIR and v.3 status codes: proposed; intended.
rejected | Rejected | Execution of the Contract is not completed because either or both the Grantor and Grantee decline to accept some or all of the contract provisions. Usage: Optional contract activity between executable and abnormal termination. Precedence Order = 5. Comparable FHIR and v.3 status codes: stopped; cancelled.
renewed | Renewed | Beginning of a successor Contract at the termination of predecessor Contract lifecycle. Usage: Follows termination of a preceding Contract that has reached its expiry date. Precedence Order = 13. Comparable FHIR and v.3 status codes: superseded.
revoked | Revoked | A Contract that is rescinded. May be required prior to replacing with an updated Contract. Comparable FHIR and v.3 status codes: nullified.
resolved | Resolved | Contract is reactivated after being pended because of faulty execution. *E.g., competency of the signer(s), or where the policy is substantially different from and did not accompany the application/form so that the applicant could not compare them. Aka - ''reactivated''. Usage: Optional stage where a pended contract is reactivated. Precedence Order = 8. Comparable FHIR and v.3 status codes: reactivated.
terminated | Terminated | Contract reaches its expiry date. It might or might not be renewed or renegotiated. Usage: Normal end of contract period. Precedence Order = 12. Comparable FHIR and v.3 status codes: Obsoleted.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.449 Code System http://terminology.hl7.org/CodeSystem/immunization-subpotent-reason

URL: https://hl7.org/fhir/R4/codesystem-immunization-subpotent-reason.html
Public Health and Emergency Response Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a code system defined at http://www.hl7.org/Special/committees/pher/index.cfm .

Summary

Defining URL: | http://terminology.hl7.org/CodeSystem/immunization-subpotent-reason
Version: | 4.0.1
Name: | ImmunizationSubpotentReason

Title: | Immunization Subpotent Reason
Definition: | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the reason why a dose is considered to be subpotent. This value set is provided as a suggestive example.
Committee: | Public Health and Emergency Response Work Group
OID: | 2.16.840.1.113883.4.642.4.1098 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: Immunization Subpotent Reason (The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the reason why a dose is considered to be subpotent. This value set is provided as a suggestive example.)

• ValueSet: Immunization Subpotent Reason (The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the reason why a dose is considered to be subpotent. This value set is provided as a suggestive example.)

4.3.14.449.1 Content

4.3.14.449.2 Immunization Subpotent Reason

The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the reason why a dose is considered to be subpotent. This value set is provided as a suggestive example.

This code system http://terminology.hl7.org/CodeSystem/immunization-subpotent-reason defines the following codes:

Code | Display | Definition
partial | Partial Dose | The full volume of the dose was not administered to the patient.
coldchainbreak | Cold Chain Break | The vaccine experienced a cold chain break.
recall | Manufacturer Recall | The vaccine was recalled by the manufacturer.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.450 Code System http://terminology.hl7.org/CodeSystem/smart-capabilities

URL: https://hl7.org/fhir/R4/codesystem-smart-capabilities.html
Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://terminology.hl7.org/CodeSystem/smart-capabilities
Version: | 4.0.1
Name: | SmartCapabilities
Title: | SmartCapabilities
Definition: | Codes that define what the server is capable of.
Committee: | ??
OID: | 2.16.840.1.113883.4.642.4.1265 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: SmartCapabilities (Codes that define what the server is capable of.)

• ValueSet: SmartCapabilities (Codes that define what the server is capable of.)

4.3.14.450.1 Content

4.3.14.450.2 SmartCapabilities

Codes that define what the server is capable of.

This code system http://terminology.hl7.org/CodeSystem/smart-capabilities defines the following codes:

Code | Display | Definition
launch-ehr | EHR Launch Mode | support for SMART’s EHR Launch mode.

launch-standalone | Standalone Launch Mode | support for SMART’s Standalone Launch mode.
client-public | Public Client Profile | support for SMART’s public client profile (no client authentication).
client-confidential-symmetric | Confidential Client Profile | support for SMART’s confidential client profile (symmetric client secret authentication).
sso-openid-connect | Supports OpenID Connect | support for SMART’s OpenID Connect profile.
context-passthrough-banner | Allows "Need Patient Banner" | support for “need patient banner” launch context (conveyed via need_patient_banner token parameter).
context-passthrough-style | Allows "Smart Style Style" | support for “SMART style URL” launch context (conveyed via smart_style_url token parameter).
context-ehr-patient | Allows "Patient Level Launch Context (EHR)" | support for patient-level launch context (requested by launch/patient scope, conveyed via patient token parameter).
context-ehr-encounter | Allows "Encounter Level Launch Context (EHR)" | support for encounter-level launch context (requested by launch/encounter scope, conveyed via encounter token parameter).
context-standalone-patient | Allows "Patient Level Launch Context (STANDALONE)" | support for patient-level launch context (requested by launch/patient scope, conveyed via patient token parameter).
context-standalone-encounter | Allows "Encounter Level Launch Context (STANDALONE)" | support for encounter-level launch context (requested by launch/encounter scope, conveyed via encounter token parameter).
permission-offline | Supports Refresh Token | support for refresh tokens (requested by offline_access scope).
permission-patient | Supports Patient Level Scopes | support for patient-level scopes (e.g. patient/Observation.read).
permission-user | Supports User Level Scopes | support for user-level scopes (e.g. user/Appointment.read).

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.451 Code System http://hl7.org/fhir/contract-asset-type

URL: https://hl7.org/fhir/R4/codesystem-contract-assettype.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/contract-asset-type
Version: | 4.0.1
Name: | ContractResourceAssetTypeCodes
Title: | Contract Resource Asset Type codes
Definition: | This value set contract specific codes for asset type.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.4.1300 (for OID based terminology systems)
Copyright: | HL7 International.
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: Contract Resource Asset Type codes (This value set contract specific codes for asset type.)
• ValueSet: Contract Resource Asset Type codes (This value set contract specific codes for asset type.)

4.3.14.451.1 Content

Each definition includes usage notes explaining the precedence order in contract lifecycle - i.e., while only some stages are required, the order in which they may occur is deterministic; and a map to comparable FHIR and v.3 status codes. It follows guidance about use of status codes in FHIR at http://build.fhir.org/sc.html.

4.3.14.451.2 Contract Resource Asset Type codes

This value set contract specific codes for asset type.

Copyright Statement:

HL7 International.

This code system http://hl7.org/fhir/contract-asset-type defines the following codes:

Code | Display | Definition
participation | Participation | To be completed

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.452 Code System http://hl7.org/fhir/contact-point-use

URL: https://hl7.org/fhir/R4/codesystem-contact-point-use.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/contact-point-use
Version: | 4.0.1
Name: | ContactPointUse
Title: | ContactPointUse
Definition: | Use of contact point.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.4.74 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: ContactPointUse (Use of contact point.)
• ValueSet: ContactPointUse (Use of contact point.)

4.3.14.452.1 Content

4.3.14.452.2 ContactPointUse

Use of contact point.

This code system http://hl7.org/fhir/contact-point-use defines the following codes:

Code | Display | Definition
home | Home | A communication contact point at a home; attempted contacts for business purposes might intrude privacy and chances are one will contact family or other household members instead of the person one wishes to call. Typically used with urgent cases, or if no other contacts are available.
work | Work | An office contact point. First choice for business related contacts during business hours.
temp | Temp | A temporary contact point. The period can provide more detailed information.
old | Old | This contact point is no longer in use (or was never correct, but retained for records).
mobile | Mobile | A telecommunication device that moves and stays with its owner. May have characteristics of all other use codes, suitable for urgent matters, not the first choice for routine business.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.453 Code System http://hl7.org/fhir/CodeSystem/medicationrequest-intent

URL: https://hl7.org/fhir/R4/codesystem-medicationrequest-intent.html
Pharmacy Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/CodeSystem/medicationrequest-intent
Version: | 4.0.1
Name: | medicationRequest Intent
Title: | Medication request intent
Definition: | MedicationRequest Intent Codes
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.4.1378 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: Medication request intent (MedicationRequest Intent Codes)

• ValueSet: Medication request intent (MedicationRequest Intent Codes)

4.3.14.453.1 Content

4.3.14.453.2 Medication request intent

MedicationRequest Intent Codes

This code system http://hl7.org/fhir/CodeSystem/medicationrequest-intent defines the following codes:

Code | Display | Definition
proposal | Proposal | The request is a suggestion made by someone/something that doesn't have an intention to ensure it occurs and without providing an authorization to act
plan | Plan | The request represents an intention to ensure something occurs without providing an authorization for others to act.
order | Order | The request represents a request/demand and authorization for action
original-order | Original Order | The request represents the original authorization for the medication request.
reflex-order | Reflex Order | The request represents an automatically generated supplemental authorization for action based on a parent authorization together with initial results of the action taken against that parent authorization..
filler-order | Filler Order | The request represents the view of an authorization instantiated by a fulfilling system representing the details of the fulfiller's intention to act upon a submitted order.
instance-order | Instance Order | The request represents an instance for the particular order, for example a medication administration record.
option | Option | The request represents a component or option for a RequestGroup that establishes timing, conditionality and/or other constraints among a set of requests.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.454 Code System http://hl7.org/fhir/supplydelivery-status

URL: https://hl7.org/fhir/R4/codesystem-supplydelivery-status.html
Orders and Observations Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/supplydelivery-status
Version: | 4.0.1
Name: | SupplyDeliveryStatus
Title: | SupplyDeliveryStatus
Definition: | Status of the supply delivery.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.4.701 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: SupplyDeliveryStatus (Status of the supply delivery.)

• ValueSet: SupplyDeliveryStatus (Status of the supply delivery.)

4.3.14.454.1 Content

4.3.14.454.2 SupplyDeliveryStatus

Status of the supply delivery.

This code system http://hl7.org/fhir/supplydelivery-status defines the following codes:

Code | Display | Definition
in-progress | In Progress | Supply has been requested, but not delivered.
completed | Delivered | Supply has been delivered ("completed").
abandoned | Abandoned | Delivery was not completed.
entered-in-error | Entered In Error | This electronic record should never have existed, though it is possible that real-world decisions were based on it. (If real-world activity has occurred, the status should be "abandoned" rather than "entered-in-error".).

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.455 Code System http://hl7.org/fhir/event-capability-mode

URL: https://hl7.org/fhir/R4/codesystem-event-capability-mode.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Conformance Package for further details.

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/event-capability-mode
Version: | 4.0.1
Name: | EventCapabilityMode
Title: | EventCapabilityMode
Definition: | The mode of a message capability statement.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.4.183 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: EventCapabilityMode (The mode of a message capability statement.)
• ValueSet: EventCapabilityMode (The mode of a message capability statement.)

4.3.14.455.1 Content

4.3.14.455.2 EventCapabilityMode

The mode of a message capability statement.

This code system http://hl7.org/fhir/event-capability-mode defines the following codes:

Code | Display | Definition
sender | Sender | The application sends requests and receives responses.
receiver | Receiver | The application receives requests and sends responses.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.456 Code System http://hl7.org/fhir/issue-type

URL: https://hl7.org/fhir/R4/codesystem-issue-type.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Infrastructure Package for further details.

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/issue-type
Version: | 4.0.1
Name: | IssueType
Title: | IssueType
Definition: | A code that describes the type of issue.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.4.411 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: IssueType (A code that describes the type of issue.)

• ValueSet: IssueType (A code that describes the type of issue.)

4.3.14.456.1 Content

4.3.14.456.2 IssueType

A code that describes the type of issue.

This code system http://hl7.org/fhir/issue-type defines the following codes:

Lvl | Code | Display | Definition

1 | invalid | Invalid Content | Content invalid against the specification or a profile.

2 | structure | Structural Issue | A structural issue in the content such as wrong namespace, unable to parse the content completely, invalid syntax, etc.

2 | required | Required element missing | A required element is missing.

2 | value | Element value invalid | An element or header value is invalid.

2 | invariant | Validation rule failed | A content validation rule failed - e.g. a schematron rule.

1 | security | Security Problem | An authentication/authorization/permissions issue of some kind.

2 | login | Login Required | The client needs to initiate an authentication process.

2 | unknown | Unknown User | The user or system was not able to be authenticated (either there is no process, or the proferred token is unacceptable).

2 | expired | Session Expired | User session expired; a login may be required.

2 | forbidden | Forbidden | The user does not have the rights to perform this action.

2 | suppressed | Information Suppressed | Some information was not or might not have been returned due to business rules, consent or privacy rules, or access permission constraints. This information may be accessible through alternate processes.

1 | processing | Processing Failure | Processing issues. These are expected to be final e.g. there is no point resubmitting the same content unchanged.

2 | not-supported | Content not supported | The interaction, operation, resource or profile is not supported.

2 | duplicate | Duplicate | An attempt was made to create a duplicate record.

2 | multiple-matches | Multiple Matches | Multiple matching records were found when the operation required only one match.

2 | not-found | Not Found | The reference provided was not found. In a pure RESTful environment, this would be an HTTP 404 error, but this code may be used where the content is not found further into the application architecture.

3 | deleted | Deleted | The reference pointed to content (usually a resource) that has been deleted.

2 | too-long | Content Too Long | Provided content is too long (typically, this is a denial of service protection type of error).

2 | code-invalid | Invalid Code | The code or system could not be understood, or it was not valid in the context of a particular ValueSet.code.

2 | extension | Unacceptable Extension | An extension was found that was not acceptable, could not be resolved, or a modifierExtension was not recognized.

2 | too-costly | Operation Too Costly | The operation was stopped to protect server resources; e.g. a request for a value set expansion on all of SNOMED CT.

2 | business-rule | Business Rule Violation | The content/operation failed to pass some business rule and so could not proceed.

2 | conflict | Edit Version Conflict | Content could not be accepted because of an edit conflict (i.e. version aware updates). (In a pure RESTful environment, this would be an HTTP 409 error, but this code may be used where the conflict is discovered further into the application architecture.).

1 | transient | Transient Issue | Transient processing issues. The system receiving the message may be able to resubmit the same content once an underlying issue is resolved.

2 | lock-error | Lock Error | A resource/record locking failure (usually in an underlying database).

2 | no-store | No Store Available | The persistent store is unavailable; e.g. the database is down for maintenance or similar action, and the interaction or operation cannot be processed.

2 | exception | Exception | An unexpected internal error has occurred.

2 | timeout | Timeout | An internal timeout has occurred.

2 | incomplete | Incomplete Results | Not all data sources typically accessed could be reached or responded in time, so the returned information might not be complete (applies to search interactions and some operations).

2 | throttled | Throttled | The system is not prepared to handle this request due to load management.

1 | informational | Informational Note | A message unrelated to the processing success of the completed operation (examples of the latter include things like reminders of password expiry, system maintenance times, etc.).

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.14.457 Code System http://terminology.hl7.org/CodeSystem/contactentity-type

URL: https://hl7.org/fhir/R4/codesystem-contactentity-type.html
Patient Administration Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://terminology.hl7.org/CodeSystem/contactentity-type
Version: | 4.0.1
Name: | ContactEntityType
Title: | Contact entity type
Definition: | This example value set defines a set of codes that can be used to indicate the purpose for which you would contact a contact party.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.4.1129 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: Contact entity type (This example value set defines a set of codes that can be used to indicate the purpose for which you would contact a contact party.)

• ValueSet: Contact entity type (This example value set defines a set of codes that can be used to indicate the purpose for which you would contact a contact party.)

4.3.14.457.1 Content

4.3.14.457.2 Contact entity type

This example value set defines a set of codes that can be used to indicate the purpose for which you would contact a contact party.

This code system http://terminology.hl7.org/CodeSystem/contactentity-type defines the following codes:

Code | Display | Definition
BILL | Billing | Contact details for information regarding to billing/general finance enquiries.
ADMIN | Administrative | Contact details for administrative enquiries.
HR | Human Resource | Contact details for issues related to Human Resources, such as staff matters, OH&S etc.
PAYOR | Payor | Contact details for dealing with issues related to insurance claims/adjudication/payment.
PATINF | Patient | Generic information contact for patients.
PRESS | Press | Dedicated contact point for matters relating to press enquiries.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.458 Code System http://hl7.org/fhir/metric-calibration-state

URL: https://hl7.org/fhir/R4/codesystem-metric-calibration-state.html
Health Care Devices Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/metric-calibration-state
Version: | 4.0.1
Name: | DeviceMetricCalibrationState
Title: | DeviceMetricCalibrationState
Definition: | Describes the state of a metric calibration.
Committee: | Health Care Devices Work Group
OID: | 2.16.840.1.113883.4.642.4.653 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: DeviceMetricCalibrationState (Describes the state of a metric calibration.)

• ValueSet: DeviceMetricCalibrationState (Describes the state of a metric calibration.)

4.3.14.458.1 Content

4.3.14.458.2 DeviceMetricCalibrationState

Describes the state of a metric calibration.

This code system http://hl7.org/fhir/metric-calibration-state defines the following codes:

Code | Display | Definition
not-calibrated | Not Calibrated | The metric has not been calibrated.
calibration-required | Calibration Required | The metric needs to be calibrated.
calibrated | Calibrated | The metric has been calibrated.
unspecified | Unspecified | The state of calibration of this metric is unspecified.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.459 Code System http://terminology.hl7.org/CodeSystem/immunization-recommendation-status

URL: https://hl7.org/fhir/R4/codesystem-immunization-recommendation-status.html
Public Health and Emergency Response Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://terminology.hl7.org/CodeSystem/immunization-recommendation-status
Version: | 4.0.1
Name: | ImmunizationRecommendationStatusCodes
Title: | Immunization Recommendation Status Codes
Definition: | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the status of the patient towards perceived immunity against a vaccine preventable disease. This value set is provided as a suggestive example.
Committee: | Public Health and Emergency Response Work Group
OID: | 2.16.840.1.113883.4.642.4.1104 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: Immunization Recommendation Status Codes (The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the status of the patient towards perceived immunity against a vaccine preventable disease. This value set is provided as a suggestive example.)

• ValueSet: Immunization Recommendation Status Codes (The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the status of the patient towards perceived immunity against a vaccine preventable disease. This value set is provided as a suggestive example.)

4.3.14.459.1 Content

4.3.14.459.2 Immunization Recommendation Status Codes

The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the status of the patient towards perceived immunity against a vaccine preventable disease. This value set is provided as a suggestive example.

This code system http://terminology.hl7.org/CodeSystem/immunization-recommendation-status defines the following codes:

Code | Display | Definition
due | Due | The patient is due for their next vaccination.
overdue | Overdue | The patient is considered overdue for their next vaccination.
immune | Immune | The patient is immune to the target disease and further immunization against the disease is not likely to provide benefit.
contraindicated | Contraindicated | The patient is contraindicated for futher doses.
complete | Complete | The patient is fully protected and no further doses are recommended.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.460 Code System http://hl7.org/fhir/network-type

URL: https://hl7.org/fhir/R4/codesystem-network-type.html
Security Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/network-type
Version: | 4.0.1
Name: | AuditEventAgentNetworkType
Title: | AuditEventAgentNetworkType
Definition: | The type of network access point of this agent in the audit event.
Committee: | Security Work Group
OID: | 2.16.840.1.113883.4.642.4.457 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: AuditEventAgentNetworkType (The type of network access point of this agent in the audit event.)
• ValueSet: AuditEventAgentNetworkType (The type of network access point of this agent in the audit event.)

4.3.14.460.1 Content

4.3.14.460.2 AuditEventAgentNetworkType

The type of network access point of this agent in the audit event.

This code system http://hl7.org/fhir/network-type defines the following codes:

Code | Display | Definition
1 | Machine Name | The machine name, including DNS name.
2 | IP Address | The assigned Internet Protocol (IP) address.
3 | Telephone Number | The assigned telephone number.
4 | Email address | The assigned email address.
5 | URI | URI (User directory, HTTP-PUT, ftp, etc.).

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.461 Code System http://hl7.org/fhir/exposure-state

URL: https://hl7.org/fhir/R4/codesystem-exposure-state.html
Clinical Decision Support Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/exposure-state
Version: | 4.0.1
Name: | ExposureState
Title: | ExposureState
Definition: | Whether the results by exposure is describing the results for the primary exposure of interest (exposure) or the alternative state (exposureAlternative).
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.4.1352 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: ExposureState (Whether the results by exposure is describing the results for the primary exposure of interest (exposure) or the alternative state (exposureAlternative).)

• ValueSet: ExposureState (Whether the results by exposure is describing the results for the primary exposure of interest (exposure) or the alternative state (exposureAlternative).)

4.3.14.461.1 Content

4.3.14.461.2 ExposureState

Whether the results by exposure is describing the results for the primary exposure of interest (exposure) or the alternative state (exposureAlternative).

This code system http://hl7.org/fhir/exposure-state defines the following codes:

Code | Display | Definition
exposure | Exposure | used when the results by exposure is describing the results for the primary exposure of interest.
exposure-alternative | Exposure Alternative | used when the results by exposure is describing the results for the alternative exposure state, control state or comparator state.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.462 Code System http://terminology.hl7.org/CodeSystem/primary-source-type

URL: https://hl7.org/fhir/R4/codesystem-verificationresult-primary-source-type.html
Patient Administration Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://terminology.hl7.org/CodeSystem/primary-source-type
Version: | 4.0.1
Name: | primary-source-type
Title: | Primary-source-type
Definition: | Type of the validation primary source
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.1.893 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: Primary-source-type (Type of the validation primary source)

• ValueSet: Primary-source-type (Type of the validation primary source)

4.3.14.462.1 Content

4.3.14.462.2 Primary-source-type

Type of the validation primary source

This code system http://terminology.hl7.org/CodeSystem/primary-source-type defines the following codes:

Code | Display | Definition
lic-board | License Board
prim | Primary Education
cont-ed | Continuing Education
post-serv | Postal Service
rel-own | Relationship owner
reg-auth | Registration Authority
legal | Legal source
issuer | Issuing source
auth-source | Authoritative source

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.463 Code System http://terminology.hl7.org/CodeSystem/service-provision-conditions

URL: https://hl7.org/fhir/R4/codesystem-service-provision-conditions.html
Patient Administration Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://terminology.hl7.org/CodeSystem/service-provision-conditions
Version: | 4.0.1
Name: | ServiceProvisionConditions
Title: | ServiceProvisionConditions
Definition: | The code(s) that detail the conditions under which the healthcare service is available/offered.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.4.1143 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: ServiceProvisionConditions (The code(s) that detail the conditions under which the healthcare service is available/offered.)

• ValueSet: ServiceProvisionConditions (The code(s) that detail the conditions under which the healthcare service is available/offered.)

4.3.14.463.1 Content

4.3.14.463.2 ServiceProvisionConditions

The code(s) that detail the conditions under which the healthcare service is available/offered.

This code system http://terminology.hl7.org/CodeSystem/service-provision-conditions defines the following codes:

Code | Display | Definition
free | Free | This service is available for no patient cost.
disc | Discounts Available | There are discounts available on this service for qualifying patients.
cost | Fees apply | Fees apply for this service.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.464 Code System http://terminology.hl7.org/CodeSystem/payeetype

URL: https://hl7.org/fhir/R4/codesystem-payeetype.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Not Intended for Production use

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://terminology.hl7.org/CodeSystem/payeetype
Version: | 4.0.1
Name: | Claim Payee Type Codes
Title:
Definition: | This value set includes sample Payee Type codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.4.1050 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: PayeeType (This value set includes sample Payee Type codes.)

• ValueSet: PayeeType (This value set includes sample Payee Type codes.)

4.3.14.464.1 Content

4.3.14.464.2 Claim Payee Type Codes

This value set includes sample Payee Type codes.

Copyright Statement:

This is an example set.

This code system http://terminology.hl7.org/CodeSystem/payeetype defines the following codes:

Code | Display | Definition
subscriber | Subscriber | The subscriber (policy holder) will be reimbursed.
provider | Provider | Any benefit payable will be paid to the provider (Assignment of Benefit).
other | Provider | Any benefit payable will be paid to a third party such as a guarrantor.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.465 Code System http://terminology.hl7.org/CodeSystem/goal-priority

URL: https://hl7.org/fhir/R4/codesystem-goal-priority.html
Patient Care Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a code system defined at http://www.hl7.org/Special/committees/patientcare/ .

Summary

Defining URL: | http://terminology.hl7.org/CodeSystem/goal-priority
Version: | 4.0.1
Name: | GoalPriority
Title: | Goal priority
Definition: | Indicates the level of importance associated with reaching or sustaining a goal.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.4.1096 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: Goal priority (Indicates the level of importance associated with reaching or sustaining a goal.)

• ValueSet: Goal priority (Indicates the level of importance associated with reaching or sustaining a goal.)

4.3.14.465.1 Content

4.3.14.465.2 Goal priority

Indicates the level of importance associated with reaching or sustaining a goal.

This code system http://terminology.hl7.org/CodeSystem/goal-priority defines the following codes:

Code | Display | Definition
high-priority | High Priority | Indicates that the goal is of considerable importance and should be a primary focus of care delivery.
medium-priority | Medium Priority | Indicates that the goal has a reasonable degree of importance and that concrete action should be taken towards the goal. Attainment is not as critical as high-priority goals.
low-priority | Low Priority | The goal is desirable but is not sufficiently important to devote significant resources to. Achievement of the goal may be sought when incidental to achieving other goals.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.466 Code System http://hl7.org/fhir/event-resource-types

URL: https://hl7.org/fhir/R4/codesystem-event-resource-types.html
Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/event-resource-types
Version: | 4.0.1
Name: | EventResourceType
Title: | EventResourceType
Definition: | A list of all the event resource types defined in this version of the FHIR specification.
Committee: | Vocabulary Work Group
OID: | 2.16.840.1.113883.4.642.4.1061 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: EventResourceType (A list of all the event resource types defined in this version of the FHIR specification.)

• ValueSet: EventResourceType (A list of all the event resource types defined in this version of the FHIR specification.)

4.3.14.466.1 Content

4.3.14.466.2 EventResourceType

A list of all the event resource types defined in this version of the FHIR specification.

This code system http://hl7.org/fhir/event-resource-types defines the following codes:

Code | Display | Definition
ChargeItem | ChargeItem | Item containing charge code(s) associated with the provision of healthcare provider products.
ClaimResponse | ClaimResponse | Remittance resource.
ClinicalImpression | ClinicalImpression | A clinical assessment performed when planning treatments and management strategies for a patient.
Communication | Communication | A record of information transmitted from a sender to a receiver.
Composition | Composition | A set of resources composed into a single coherent clinical statement with clinical attestation.
Condition | Condition | Detailed information about conditions, problems or diagnoses.
Consent | Consent | A healthcare consumer's policy choices to permits or denies recipients or roles to perform actions for specific purposes and periods of time.
Coverage | Coverage | Insurance or medical plan or a payment agreement.
DeviceUseStatement | DeviceUseStatement | Record of use of a device.
DiagnosticReport | DiagnosticReport | A Diagnostic report - a combination of request information, atomic results, images, interpretation, as well as formatted reports.
DocumentManifest | DocumentManifest | A list that defines a set of documents.
DocumentReference | DocumentReference | A reference to a document.
Encounter | Encounter | An interaction during which services are provided to the patient.
EnrollmentResponse | EnrollmentResponse | EnrollmentResponse resource.
EpisodeOfCare | EpisodeOfCare | An association of a Patient with an Organization and Healthcare Provider(s) for a period of time that the Organization assumes some level of responsibility.
ExplanationOfBenefit | ExplanationOfBenefit | Explanation of Benefit resource.
FamilyMemberHistory | FamilyMemberHistory | Information about patient's relatives, relevant for patient.
GuidanceResponse | GuidanceResponse | The formal response to a guidance request.
ImagingStudy | ImagingStudy | A set of images produced in single study (one or more series of references images).
Immunization | Immunization | Immunization event information.
MeasureReport | MeasureReport | Results of a measure evaluation.
Media | Media | A photo, video, or audio recording acquired or used in healthcare. The actual content may be inline or provided by direct reference.
MedicationAdministration | MedicationAdministration | Administration of medication to a patient.
MedicationDispense | MedicationDispense | Dispensing a medication to a named patient.
MedicationStatement | MedicationStatement | Record of medication being taken by a patient.
Observation | Observation | Measurements and simple assertions.
PaymentNotice | PaymentNotice | PaymentNotice request.
PaymentReconciliation | PaymentReconciliation | PaymentReconciliation resource.
Procedure | Procedure | An action that is being or was performed on a patient.
ProcessResponse | ProcessResponse | ProcessResponse resource.
QuestionnaireResponse | QuestionnaireResponse | A structured set of questions and their answers.

RiskAssessment | RiskAssessment | Potential outcomes for a subject with likelihood.
SupplyDelivery | SupplyDelivery | Delivery of bulk Supplies.
Task | Task | A task to be performed.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.467 Code System http://hl7.org/fhir/resource-aggregation-mode

URL: https://hl7.org/fhir/R4/codesystem-resource-aggregation-mode.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/resource-aggregation-mode
Version: | 4.0.1
Name: | AggregationMode
Title: | AggregationMode
Definition: | How resource references can be aggregated.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.4.86 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: AggregationMode (How resource references can be aggregated.)
• ValueSet: AggregationMode (How resource references can be aggregated.)

4.3.14.467.1 Content

4.3.14.467.2 AggregationMode

How resource references can be aggregated.

This code system http://hl7.org/fhir/resource-aggregation-mode defines the following codes:

Lvl | Code | Display | Definition
1 | contained | Contained | The reference is a local reference to a contained resource.
1 | referenced | Referenced | The reference to a resource that has to be resolved externally to the resource that includes the reference.
2 | bundled | Bundled | The resource the reference points to will be found in the same bundle as the resource that includes the reference.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.468 Code System http://terminology.hl7.org/CodeSystem/measure-improvement-notation

URL: https://hl7.org/fhir/R4/codesystem-measure-improvement-notation.html
Clinical Quality Information Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://terminology.hl7.org/CodeSystem/measure-improvement-notation
Version: | 4.0.1

Name: | MeasureImprovementNotation
Title: | MeasureImprovementNotation
Definition: | Observation values that indicate what change in a measurement value or score is indicative of an improvement in the measured item or scored issue.
Committee: | Clinical Quality Information Work Group
OID: | 2.16.840.1.113883.4.642.4.1395 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: MeasureImprovementNotation (Observation values that indicate what change in a measurement value or score is indicative of an improvement in the measured item or scored issue.)

• ValueSet: MeasureImprovementNotation (Observation values that indicate what change in a measurement value or score is indicative of an improvement in the measured item or scored issue.)

4.3.14.468.1 Content

4.3.14.468.2 MeasureImprovementNotation

Observation values that indicate what change in a measurement value or score is indicative of an improvement in the measured item or scored issue.

This code system http://terminology.hl7.org/CodeSystem/measure-improvement-notation defines the following codes:

Code | Display | Definition
increase | Increased score indicates improvement | Improvement is indicated as an increase in the score or measurement (e.g. Higher score indicates better quality).
decrease | Decreased score indicates improvement | Improvement is indicated as a decrease in the score or measurement (e.g. Lower score indicates better quality).

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.469 Code System http://terminology.hl7.org/CodeSystem/consentpolicycodes

URL: https://hl7.org/fhir/R4/codesystem-consent-policy.html
Community Based Collaborative Care Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://terminology.hl7.org/CodeSystem/consentpolicycodes
Version: | 4.0.1
Name: | ConsentPolicyRuleCodes
Title: | Consent PolicyRule Codes
Definition: | This value set includes sample Regulatory consent policy types from the US and other regions.
Committee: | Community Based Collaborative Care Work Group
OID: | 2.16.840.1.113883.4.642.4.1229 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: Consent PolicyRule Codes (This value set includes sample Regulatory consent policy types from the US and other regions.)

• ValueSet: Consent PolicyRule Codes (This value set includes sample Regulatory consent policy types from the US and other regions.)

4.3.14.469.1 Content

4.3.14.469.2 Consent PolicyRule Codes

This value set includes sample Regulatory consent policy types from the US and other regions.

This code system http://terminology.hl7.org/CodeSystem/consentpolicycodes defines the following codes:

Code | Display | Definition

cric | Common Rule Informed Consent | 45 CFR part 46 §46.116 General requirements for informed consent; and §46.117 Documentation of informed consent. https://www.gpo.gov/fdsys/pkg/FR-2017-01-19/pdf/2017-01058.pdf

illinois-minor-procedure | Illinois Consent by Minors to Medical Procedures | The consent to the performance of a medical or surgical procedure by a physician licensed to practice medicine and surgery, a licensed advanced practice nurse, or a licensed physician assistant executed by a married person who is a minor, by a parent who is a minor, by a pregnant woman who is a minor, or by any person 18 years of age or older, is not voidable because of such minority, and, for such purpose, a married person who is a minor, a parent who is a minor, a pregnant woman who is a minor, or any person 18 years of age or older, is deemed to have the same legal capacity to act and has the same powers and obligations as has a person of legal age. Consent by Minors to Medical Procedures Act. (410 ILCS 210/0.01) (from Ch. 111, par. 4500) Sec. 0.01. Short title. This Act may be cited as the Consent by Minors to Medical Procedures Act. (Source: P.A. 86-1324.) http://www.ilga.gov/legislation/ilcs/ilcs3.asp?ActID=1539&ChapterID=35

hipaa-auth | HIPAA Authorization | HIPAA 45 CFR Section 164.508 Uses and disclosures for which an authorization is required. (a) Standard: Authorizations for uses and disclosures. (1) Authorization required: General rule. Except as otherwise permitted or required by this subchapter, a covered entity SHALL not use or disclose protected health information without an authorization that is valid under this section. When a covered entity obtains or receives a valid authorization for its use or disclosure of protected health information, such use or disclosure must be consistent with such authorization. Usage Note: Authorizations governed under this regulation meet the definition of an opt in class of consent directive.

hipaa-npp | HIPAA Notice of Privacy Practices | 164.520 Notice of privacy practices for protected health information. (1) Right to notice. Except as provided by paragraph (a)(2) or (3) of this section, an individual has a right to adequate notice of the uses and disclosures of protected health information that may be made by the covered entity, and of the individual's rights and the covered entity's legal duties with respect to protected health information. Usage Note: Restrictions governed under this regulation meet the definition of an implied with an opportunity to dissent class of consent directive.

hipaa-restrictions | HIPAA Restrictions | HIPAA 45 CFR 164.510 - Uses and disclosures requiring an opportunity for the individual to agree or to object. A covered entity may use or disclose protected health information, provided that the individual is informed in advance of the use or disclosure and has the opportunity to agree to or prohibit or restrict the use or disclosure, in accordance with the applicable requirements of this section. The covered entity may orally inform the individual of and obtain the individual's oral agreement or objection to a use or disclosure permitted by this section. Usage Note: Restrictions governed under this regulation meet the definition of an opt out with exception class of consent directive.

hipaa-research | HIPAA Research Authorization | HIPAA 45 CFR 164.508 - Uses and disclosures for which an authorization is required. (a) Standard: Authorizations for uses and disclosures. (3) Compound authorizations. An authorization for use or disclosure of protected health information SHALL NOT be combined with any other document to create a compound authorization, except as follows: (i) An authorization for the use or disclosure of protected health information for a research study may be combined with any other type of written permission for the same or another research study. This exception includes combining an authorization for the use or disclosure of protected health information for a research study with another authorization for the same research study, with an authorization for the creation or maintenance of a research database or repository, or with a consent to participate in research. Where a covered health care provider has conditioned the provision of research-related treatment on the provision of one of the authorizations, as permitted under paragraph (b)(4)(i) of this section, any compound authorization created under this paragraph must clearly differentiate between the conditioned and unconditioned components and provide the individual with an opportunity to opt in to the research activities described in the unconditioned authorization. Usage Notes: See HHS http://www.hhs.gov/hipaa/for-professionals/special-topics/research/index.html and OCR http://www.hhs.gov/hipaa/for-professionals/special-topics/research/index.html

hipaa-self-pay | HIPAA Self-Pay Restriction | HIPAA 45 CFR 164.522(a) Right To Request a Restriction of Uses and Disclosures. (vi) A covered entity must agree to the request of an individual to restrict disclosure of protected health information about the individual to a health plan if: (A) The disclosure is for the purpose of carrying out payment or health care operations and is not otherwise required by law; and (B) The protected health information pertains solely to a health care item or service for which the individual, or person other than the health plan on behalf of the individual, has paid the covered entity in full. Usage Note: Restrictions governed under this regulation meet the definition of an opt out with exception class of consent directive. Opt out is limited to disclosures to a payer for payment and operations purpose of use. See HL7 HIPAA Self-Pay code in ActPrivacyLaw (2.16.840.1.113883.1.11.20426).

mdhhs-5515 | Michigan MDHHS-5515 Consent to Share Behavioral Health Information for Care Coordination Purposes | On January 1, 2015, the Michigan Department of Health and Human Services (MDHHS) released a standard consent form for the sharing of health information specific to behavioral health and substance use treatment in accordance with Public Act 129 of 2014. In Michigan, while providers are not required to use this new standard form (MDHHS-5515), they are required to accept it. Note: Form is available at http://www.michigan.gov/documents/mdhhs/Consent_to_Share_Behavioral_Health_Information_for_Care_Coordination_Purposes_548835_7.docx For more information see http://www.michigan.gov/documents/mdhhs/Behavioral_Health_Consent_Form_Background_Information_548864_7.pdf

nyssipp | New York State Surgical and Invasive Procedure Protocol | The New York State Surgical and Invasive Procedure Protocol (NYSSIPP) applies to all operative and invasive procedures including endoscopy, general surgery or interventional radiology. Other procedures that involve puncture or incision of the skin, or insertion of an instrument or foreign material into the body are within the scope of the protocol. This protocol also applies to those anesthesia procedures either prior to a surgical procedure or independent of a surgical procedure such as spinal facet blocks. Example: Certain 'minor' procedures such as venipuncture, peripheral IV placement, insertion of nasogastric tube and foley catheter insertion are not within the scope of the protocol. From http://www.health.ny.gov/professionals/protocols_and_guidelines/surgical_and_invasive_procedure/nyssipp_faq.htm Note: HHC 100B-1 Form is available at http://www.downstate.edu/emergency_medicine/documents/Consent_CT_with_contrast.pdf

va-10-0484 | VA Form 10-0484 | VA Form 10-0484 Revocation for Release of Individually-Identifiable Health Information enables a veteran to revoke authorization for the VA to release specified copies of individually-identifiable health information with the non-VA health care provider organizations participating in the eHealth Exchange and partnering with VA. Comment: Opt-in Consent Directive with status = rescinded (aka 'revoked'). Note: Form is available at http://www.va.gov/vaforms/medical/pdf/vha-10-0484-fill.pdf

va-10-0485 | VA Form 10-0485 | VA Form 10-0485 Request for and Authorization to Release Protected Health Information to eHealth Exchange enables a veteran to request and authorize a VA health care facility to release protected health information (PHI) for treatment purposes only to the communities that are participating in the eHealth Exchange, VLER Directive, and other Health Information Exchanges with who VA has an agreement. This information may consist of the diagnosis of Sickle Cell Anemia, the treatment of or referral for Drug Abuse, treatment of or referral for Alcohol Abuse or the treatment of or testing for infection with Human Immunodeficiency Virus. This authorization covers the diagnoses that I may have upon signing of the authorization and the diagnoses that I may acquire in the future including those protected by 38 U.S.C. 7332. Comment: Opt-in Consent Directive. Note: Form is available at http://www.va.gov/vaforms/medical/pdf/10-0485-fill.pdf

va-10-5345 | VA Form 10-5345 | VA Form 10-5345 Request for and Authorization to Release Medical Records or Health Information enables a veteran to request and authorize the VA to release specified copies of protected health information (PHI), such as

hospital summary or outpatient treatment notes, which may include information about conditions governed under Title 38 Section 7332 (drug abuse, alcoholism or alcohol abuse, testing for or infection with HIV, and sickle cell anemia). Comment: Opt-in Consent Directive. Note: Form is available at http://www.va.gov/vaforms/medical/pdf/vha-10-5345-fill.pdf

va-10-5345a | VA Form 10-5345a | VA Form 10-5345a Individuals' Request for a Copy of Their Own Health Information enables a veteran to request and authorize the VA to release specified copies of protected health information (PHI), such as hospital summary or outpatient treatment notes. Note: Form is available at http://www.va.gov/vaforms/medical/pdf/vha-10-5345a-fill.pdf

va-10-5345a-mhv | VA Form 10-5345a-MHV | VA Form 10-5345a-MHV Individual's Request for a Copy of their own health information from MyHealtheVet enables a veteran to receive a copy of all available personal health information to be delivered through the veteran's My HealtheVet account. Note: Form is available at http://www.va.gov/vaforms/medical/pdf/vha-10-5345a-MHV-fill.pdf

va-10-10116 | VA Form 10-10-10116 | VA Form 10-10116 Revocation of Authorization for Use and Release of Individually Identifiable Health Information for Veterans Health Administration Research. Comment: Opt-in with Restriction Consent Directive with status = 'completed'. Note: Form is available at http://www.northerncalifornia.va.gov/northerncalifornia/services/rnd/docs/vha-10-10116.pdf

va-21-4142 | VA Form 21-4142 | VA Form 21-4142 (Authorization and Consent to Release Information to the Department of Veterans Affairs (VA) enables a veteran to authorize the US Veterans Administration [VA] to request veteran's health information from non-VA providers. Aka VA Compensation Application Note: Form is available at http://www.vba.va.gov/pubs/forms/VBA-21-4142-ARE.pdf . For additional information regarding VA Form 21-4142, refer to the following website: www.benefits.va.gov/compensation/consent_privateproviders

ssa-827 | SSA Authorization to Disclose | SA Form SSA-827 (Authorization to Disclose Information to the Social Security Administration (SSA)). Form is available at https://www.socialsecurity.gov/forms/ssa-827-inst-sp.pdf

dch-3927 | Michigan behavior and mental health consent | Michigan DCH-3927 Consent to Share Behavioral Health Information for Care Coordination Purposes, which combines 42 CFR Part 2 and Michigan Mental Health Code, Act 258 of 1974. Form is available at http://www.michigan.gov/documents/mdch/DCH-3927_Consent_to_Share_Health_Information_477005_7.docx

squaxin | Squaxin Indian behavioral health and HIPAA consent | Squaxin Indian HIPAA and 42 CFR Part 2 Consent for Release and Exchange of Confidential Information, which permits consenter to select healthcare record type and types of treatment purposes. This consent requires disclosers and recipients to comply with 42 C.F.R. Part 2, and HIPAA 45 C.F.R. parts 160 and 164. It includes patient notice of the refrain policy not to disclose without consent, and revocation rights. https://www.ncsacw.samhsa.gov/files/SI_ConsentForReleaseAndExchange.PDF

nl-lsp | NL LSP Permission | LSP (National Exchange Point) requires that providers, hospitals and pharmacy obtain explicit permission [opt-in] from healthcare consumers to submit and retrieve all or only some of a subject of care’s health information collected by the LSP for purpose of treatment, which can be revoked. Without permission, a provider cannot access LSP information even in an emergency. The LSP provides healthcare consumers with accountings of disclosures. https://www.vzvz.nl/uploaded/FILES/htmlcontent/Formulieren/TOESTEMMINGSFORMULIER.pdf, https://www.ikgeeftoestemming.nl/en, https://www.ikgeeftoestemming.nl/en/registration/find-healthcare-provider

at-elga | AT ELGA Opt-in Consent | Pursuant to Sec. 2 no. 9 Health Telematics Act 2012, ELGA Health Data (“ELGA-Gesundheitsdaten”) = Medical documents. Austria opted for an opt-out approach. This means that a person is by default ‘ELGA participant’ unless he/she objects. ELGA participants have the following options: General opt out: No participation in ELGA, Partial opt-out: No participation in a particular ELGA application, e.g. eMedication and Case-specific opt-out: No participation in ELGA only regarding a particular case/treatment. There is the possibility to opt-in again. ELGA participants can also exclude the access of a particular ELGA healthcare provider to a particular piece of or all of their ELGA data. http://ec.europa.eu/health/ehealth/docs/laws_austria_en.pdf

nih-hipaa | HHS NIH HIPAA Research Authorization | Guidance and template form https://privacyruleandresearch.nih.gov/pdf/authorization.pdf

nci | NCI Cancer Clinical Trial consent | see http://ctep.cancer.gov/protocolDevelopment/docs/Informed_Consent_Template.docx

nih-grdr | NIH Global Rare Disease Patient Registry and Data Repository consent | Global Rare Disease Patient Registry and Data Repository (GRDR) consent is an agreement of a healthcare consumer to permit collection, access, use and disclosure of de-identified rare disease information and collection of bio-specimens, medical information, family history and other related information from patients to permit the registry collection of health and genetic information, and specimens for pseudonymized disclosure for research purpose of use. https://rarediseases.info.nih.gov/files/informed_consent_template.pdf

nih-527 | NIH Authorization for the Release of Medical Information | NIH Authorization for the Release of Medical Information is a patient’s consent for the National Institutes of Health Clinical Center to release medical information to care providers, which can be revoked. Note: Consent Form available @ http://cc.nih.gov/participate/_pdf/NIH-527.pdf

ga4gh | Population origins and ancestry research consent | Global Alliance for Genomic Health Data Sharing Consent Form is an example of the GA4GH Population origins and ancestry research consent form. Consenters agree to permitting a specified research project to collect ancestry and genetic information in controlled-access databases, and to allow other researchers to use deidentified information from those databases. http://www.commonaccord.org/index.php?action=doc&file=Wx/org/genomicsandhealth/REWG/Demo/Roberta_Robinson_US

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.14.470 Code System http://hl7.org/fhir/resource-slicing-rules

URL: https://hl7.org/fhir/R4/codesystem-resource-slicing-rules.html

FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/resource-slicing-rules
Version: | 4.0.1
Name: | SlicingRules
Title: | SlicingRules
Definition: | How slices are interpreted when evaluating an instance.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.4.84 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: SlicingRules (How slices are interpreted when evaluating an instance.)

• ValueSet: SlicingRules (How slices are interpreted when evaluating an instance.)

4.3.14.470.1 Content

4.3.14.470.2 SlicingRules

How slices are interpreted when evaluating an instance.

This code system http://hl7.org/fhir/resource-slicing-rules defines the following codes:

Code | Display | Definition
closed | Closed | No additional content is allowed other than that described by the slices in this profile.
open | Open | Additional content is allowed anywhere in the list.
openAtEnd | Open at End | Additional content is allowed, but only at the end of the list. Note that using this requires that the slices be ordered, which makes it hard to share uses. This should only be done where absolutely required.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.471 Code System http://hl7.org/fhir/guidance-response-status

URL: https://hl7.org/fhir/R4/codesystem-guidance-response-status.html
Clinical Decision Support Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/guidance-response-status
Version: | 4.0.1
Name: | GuidanceResponseStatus
Title: | GuidanceResponseStatus
Definition: | The status of a guidance response.
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.4.818 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: GuidanceResponseStatus (The status of a guidance response.)

• ValueSet: GuidanceResponseStatus (The status of a guidance response.)

4.3.14.471.1 Content

4.3.14.471.2 GuidanceResponseStatus

The status of a guidance response.

This code system http://hl7.org/fhir/guidance-response-status defines the following codes:

Code | Display | Definition
success | Success | The request was processed successfully.
data-requested | Data Requested | The request was processed successfully, but more data may result in a more complete evaluation.
data-required | Data Required | The request was processed, but more data is required to complete the evaluation.

in-progress | In Progress | The request is currently being processed.
failure | Failure | The request was not processed successfully.
entered-in-error | Entered In Error | The response was entered in error.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.472 Code System http://hl7.org/fhir/knowledge-resource-types

URL: https://hl7.org/fhir/R4/codesystem-knowledge-resource-types.html
Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/knowledge-resource-types
Version: | 4.0.1
Name: | KnowledgeResourceType
Title: | KnowledgeResourceType
Definition: | A list of all the knowledge resource types defined in this version of the FHIR specification.
Committee: | Vocabulary Work Group
OID: | 2.16.840.1.113883.4.642.4.1063 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: KnowledgeResourceType (A list of all the knowledge resource types defined in this version of the FHIR specification.)

• ValueSet: KnowledgeResourceType (A list of all the knowledge resource types defined in this version of the FHIR specification.)

4.3.14.472.1 Content

4.3.14.472.2 KnowledgeResourceType

A list of all the knowledge resource types defined in this version of the FHIR specification.

This code system http://hl7.org/fhir/knowledge-resource-types defines the following codes:

Code | Display | Definition
ActivityDefinition | ActivityDefinition | The definition of a specific activity to be taken, independent of any particular patient or context.
CodeSystem | CodeSystem | A set of codes drawn from one or more code systems.
ConceptMap | ConceptMap | A map from one set of concepts to one or more other concepts.
Library | Library | Represents a library of quality improvement components.
Measure | Measure | A quality measure definition.
PlanDefinition | PlanDefinition | The definition of a plan for a series of actions, independent of any specific patient or context.
StructureDefinition | StructureDefinition | Structural Definition.
StructureMap | StructureMap | A Map of relationships between 2 structures that can be used to transform data.
ValueSet | ValueSet | A set of codes drawn from one or more code systems.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.473 Code System http://hl7.org/fhir/w3c-provenance-activity-type

URL: https://hl7.org/fhir/R4/codesystem-w3c-provenance-activity-type.html
Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/w3c-provenance-activity-type
Version: | 4.0.1
Name: | W3cProvenanceActivityType
Title:
Definition: | This value set includes W3C PROV Data Model Activity concepts, which are treated as codes in this valueset. Some adaptations were made to make these concepts suitable values for the Provenance.activity element. Coded concepts are from PROV-DM and the display names are their counterparts in PROV-N (human readable notation syntax specification).[code system OID: http://www.w3.org/TR/2013/REC-prov-dm-20130430/ and http://www.w3.org/TR/2013/REC-prov-n-20130430/]
Committee: | ??
OID: | (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is not currently used

4.3.14.473.1 Content

"The PROV data model, PROV-DM, a generic data model for provenance that allows domain and application specific representations of provenance to be translated into such a data model and interchanged between systems. Thus, heterogeneous systems can export their native provenance into such a core data model, and applications that need to make sense of provenance can then import it, process it, and reason over it. A key goal of PROV is the specification of a machine-processable data model for provenance. However, communicating provenance between humans is also important when teaching, illustrating, formalizing, and discussing provenance-related issues. With these two requirements in mind, this document introduces PROV-N, the PROV notation, a syntax designed to write instances of the PROV data model according to the following design principles: •Technology independence. PROV-N provides a simple syntax that can be mapped to several technologies. •Human readability. PROV-N follows a functional syntax style that is meant to be easily human-readable so it can be used in illustrative examples, such as those presented in the PROV documents suite. •Formality. PROV-N is defined through a formal grammar amenable to be used with parser generators."

4.3.14.473.2 W3cProvenanceActivityType

This value set includes W3C PROV Data Model Activity concepts, which are treated as codes in this valueset. Some adaptations were made to make these concepts suitable values for the Provenance.activity element. Coded concepts are from PROV-DM and the display names are their counterparts in PROV-N (human readable notation syntax specification).[code system OID: http://www.w3.org/TR/2013/REC-prov-dm-20130430/ and http://www.w3.org/TR/2013/REC-prov-n-20130430/]

This code system http://hl7.org/fhir/w3c-provenance-activity-type defines the following codes:

Code | Display | Definition
Generation | wasGeneratedBy | The completion of production of a new entity by an activity. This entity did not exist before generation and becomes available for usage after this generation. Given that a generation is the completion of production of an entity, it is instantaneous.
Usage | used | the beginning of utilizing an entity by an activity. Before usage, the activity had not begun to utilize this entity and could not have been affected by the entity. (Note: This definition is formulated for a given usage; it is permitted for an activity to have used a same entity multiple times.) Given that a usage is the beginning of utilizing an entity, it is instantaneous.
Communication | wasInformedBy | The exchange of some unspecified entity by two activities, one activity using some entity generated by the other. A communication implies that activity a2 is dependent on another activity, a1, by way of some unspecified entity that is generated by a1 and used by a2.
Start | wasStartedBy | When an activity is deemed to have been started by an entity, known as trigger. The activity did not exist before its start. Any usage, generation, or invalidation involving an activity follows the activity's start. A start may refer to a trigger entity that set off the activity, or to an activity, known as starter, that generated the trigger. Given that a start is when an activity is deemed to have started, it is instantaneous.
End | wasEndedBy | When an activity is deemed to have been ended by an entity, known as trigger. The activity no longer exists after its end. Any usage, generation, or invalidation involving an activity precedes the activity's end. An end may refer to a trigger entity that terminated the activity, or to an activity, known as ender that generated the trigger.
Invalidation | wasInvalidatedBy | The start of the destruction, cessation, or expiry of an existing entity by an activity. The entity is no longer available for use (or further invalidation) after invalidation. Any generation or usage of an entity precedes its invalidation. Given that an invalidation is the start of destruction, cessation, or expiry, it is instantaneous.
Derivation | wasDerivedFrom | A transformation of an entity into another, an update of an entity resulting in a new one, or the construction of a new entity based on a pre-existing entity. For an entity to be transformed from, created from, or resulting from an update to another, there must be some underpinning activity or activities performing the necessary action(s) resulting in such a derivation. A derivation can be described at various levels of precision. In its simplest form, derivation relates two entities. Optionally, attributes can be added to represent further information about the derivation. If the derivation is the result of a single known activity, then this activity can also be optionally expressed. To provide a completely accurate description of the derivation, the generation and usage of the generated and used entities, respectively, can be provided, so as to make the derivation path, through usage, activity, and generation, explicit. Optional information such as activity, generation, and usage can be linked to derivations to aid analysis of provenance and to facilitate provenance-based reproducibility.
Revision | wasRevisionOf | A derivation for which the resulting entity is a revised version of some original. The implication here is that the resulting entity contains substantial content from the original. A revision relation is a kind of derivation relation from a

revised entity to a preceding entity.
Quotation | wasQuotedFrom | The repeat of (some or all of) an entity, such as text or image, by someone who might or might not be its original author. A quotation relation is a kind of derivation relation, for which an entity was derived from a preceding entity by copying, or 'quoting', some or all of it.
Primary-Source | wasPrimarySourceOf | Refers to something produced by some agent with direct experience and knowledge about the topic, at the time of the topic's study, without benefit from hindsight. Because of the directness of primary sources, they 'speak for themselves' in ways that cannot be captured through the filter of secondary sources. As such, it is important for secondary sources to reference those primary sources from which they were derived, so that their reliability can be investigated. It is also important to note that a given entity might be a primary source for one entity but not another. It is the reason why Primary Source is defined as a relation as opposed to a subtype of Entity.
Attribution | wasAttributedTo | Ascribing of an entity (object/document) to an agent.
Collection | isCollectionOf | An aggregating activity that results in composition of an entity, which provides a structure to some constituents that must themselves be entities. These constituents are said to be member of the collections.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.474 Code System http://hl7.org/fhir/reason-medication-not-given

URL: https://hl7.org/fhir/R4/codesystem-reason-medication-not-given-codes.html
Pharmacy Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/reason-medication-not-given
Version: | 4.0.1
Name: | SNOMEDCTReasonMedicationNotGivenCodes
Title: | SNOMED CT Reason Medication Not Given Codes
Definition: | This value set includes all medication refused, medication not administered, and non-administration of necessary drug or medicine codes from SNOMED CT - provided as an exemplar value set.
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.4.343 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright 2002 International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This Code system is not currently used

4.3.14.474.1 Content

4.3.14.474.2 SNOMED CT Reason Medication Not Given Codes

This value set includes all medication refused, medication not administered, and non-administration of necessary drug or medicine codes from SNOMED CT - provided as an exemplar value set.

Copyright Statement:

This value set includes content from SNOMED CT, which is copyright 2002 International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.

This code system http://hl7.org/fhir/reason-medication-not-given defines the following codes:

Code | Display | Definition
a | None | No reason known.
b | Away | The patient was not available when the dose was scheduled.
c | Asleep | The patient was asleep when the dose was scheduled.
d | Vomit | The patient was given the medication and immediately vomited it back.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.475 Code System http://hl7.org/fhir/group-type

URL: https://hl7.org/fhir/R4/codesystem-group-type.html
FHIR Infrastructure Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/group-type
Version: | 4.0.1
Name: | GroupType
Title: | GroupType
Definition: | Types of resources that are part of group.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.4.285 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: GroupType (Types of resources that are part of group.)

• ValueSet: GroupType (Types of resources that are part of group.)

4.3.14.475.1 Content

4.3.14.475.2 GroupType

Types of resources that are part of group.

This code system http://hl7.org/fhir/group-type defines the following codes:

Code | Display | Definition
person | Person | Group contains "person" Patient resources.
animal | Animal | Group contains "animal" Patient resources.
practitioner | Practitioner | Group contains healthcare practitioner resources (Practitioner or PractitionerRole).
device | Device | Group contains Device resources.
medication | Medication | Group contains Medication resources.
substance | Substance | Group contains Substance resources.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.476 Code System http://hl7.org/fhir/task-intent

URL: https://hl7.org/fhir/R4/codesystem-task-intent.html
Orders and Observations Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/task-intent
Version: | 4.0.1
Name: | TaskIntent
Title: | TaskIntent
Definition: | Distinguishes whether the task is a proposal, plan or full order.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.4.1241 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: TaskIntent (Distinguishes whether the task is a proposal, plan or full order.)

• ValueSet: TaskIntent (Distinguishes whether the task is a proposal, plan or full order.)

4.3.14.476.1 Content

4.3.14.476.2 TaskIntent

Distinguishes whether the task is a proposal, plan or full order.

This code system http://hl7.org/fhir/task-intent defines the following codes:

Code | Display | Definition
unknown | Unknown | The intent is not known. When dealing with Task, it's not always known (or relevant) how the task was initiated - i.e. whether it was proposed, planned, ordered or just done spontaneously.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.477 Code System http://hl7.org/fhir/contract-party-role

URL: https://hl7.org/fhir/R4/codesystem-contract-party-role.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/contract-party-role
Version: | 4.0.1
Name: | ContractResourcePartyRoleCodes
Title: | Contract Resource Party Role codes
Definition: | This value set contract specific codes for offer party participation.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.4.1225 (for OID based terminology systems)
Copyright: | HL7 International.
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: Contract Resource Party Role codes (This value set contract specific codes for offer party participation.)

• ValueSet: Contract Resource Party Role codes (This value set contract specific codes for offer party participation.)

4.3.14.477.1 Content

Each definition includes usage notes explaining the precedence order in contract lifecycle - i.e., while only some stages are required, the order in which they may occur is deterministic; and a map to comparable FHIR and v.3 status codes. It follows guidance about use of status codes in FHIR at http://build.fhir.org/sc.html.

4.3.14.477.2 Contract Resource Party Role codes

This value set contract specific codes for offer party participation.

Copyright Statement:

HL7 International.

This code system http://hl7.org/fhir/contract-party-role defines the following codes:

Code | Display | Definition
flunky | FLunky | To be completed

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.478 Code System http://terminology.hl7.org/CodeSystem/condition-clinical

URL: https://hl7.org/fhir/R4/codesystem-condition-clinical.html
Patient Care Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://terminology.hl7.org/CodeSystem/condition-clinical
Version: | 4.0.1
Name: | ConditionClinicalStatusCodes
Title: | Condition Clinical Status Codes
Definition: | Preferred value set for Condition Clinical Status.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.4.1074 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: Condition Clinical Status Codes (Preferred value set for Condition Clinical Status.)
• ValueSet: Condition Clinical Status Codes (Preferred value set for Condition Clinical Status.)

4.3.14.478.1 Content

4.3.14.478.2 Condition Clinical Status Codes

Preferred value set for Condition Clinical Status.

This code system http://terminology.hl7.org/CodeSystem/condition-clinical defines the following codes:

Lvl | Code | Display | Definition
1 | active | Active | The subject is currently experiencing the symptoms of the condition or there is evidence of the condition.
2 | recurrence | Recurrence | The subject is experiencing a re-occurence or repeating of a previously resolved condition, e.g. urinary tract infection, pancreatitis, cholangitis, conjunctivitis.
2 | relapse | Relapse | The subject is experiencing a return of a condition, or signs and symptoms after a period of improvement or remission, e.g. relapse of cancer, multiple sclerosis, rheumatoid arthritis, systemic lupus erythematosus, bipolar disorder, [psychotic relapse of] schizophrenia, etc.
1 | inactive | Inactive | The subject is no longer experiencing the symptoms of the condition or there is no longer evidence of the condition.
2 | remission | Remission | The subject is no longer experiencing the symptoms of the condition, but there is a risk of the symptoms returning.
2 | resolved | Resolved | The subject is no longer experiencing the symptoms of the condition and there is a negligible perceived risk of the symptoms returning.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.479 Code System http://terminology.hl7.org/CodeSystem/ex-providerqualification

URL: https://hl7.org/fhir/R4/codesystem-provider-qualification.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://terminology.hl7.org/CodeSystem/ex-providerqualification
Version: | 4.0.1
Name: | ExampleProviderQualificationCodes
Title: | Example Provider Qualification Codes
Definition: | This value set includes sample Provider Qualification codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.4.1160 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: Example Provider Qualification Codes (This value set includes sample Provider Qualification codes.)

• ValueSet: Example Provider Qualification Codes (This value set includes sample Provider Qualification codes.)

4.3.14.479.1 Content

4.3.14.479.2 Example Provider Qualification Codes

This value set includes sample Provider Qualification codes.

Copyright Statement:

This is an example set.

This code system http://terminology.hl7.org/CodeSystem/ex-providerqualification defines the following codes:

Code | Display | Definition
311405 | Dentist | Dentist General Practitioner (DDS, DDM).
604215 | Ophthalmologist | Ophthalmologist.
604210 | Optometrist | Optometrist.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.480 Code System http://terminology.hl7.org/CodeSystem/forms-codes

URL: https://hl7.org/fhir/R4/codesystem-forms.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Not Intended for Production use

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://terminology.hl7.org/CodeSystem/forms-codes
Version: | 4.0.1
Name: | Form Codes
Title:
Definition: | This value set includes a sample set of Forms codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.4.1052 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: Forms (This value set includes a sample set of Forms codes.)

• ValueSet: Forms (This value set includes a sample set of Forms codes.)

4.3.14.480.1 Content

4.3.14.480.2 Form Codes

This value set includes a sample set of Forms codes.

Copyright Statement:

This is an example set.

This code system http://terminology.hl7.org/CodeSystem/forms-codes defines the following codes:

Code | Display | Definition
1 | Form #1 | Example: The #1 form to be used when printing this information.
2 | Form #1 | Example: The #2 form to be used when printing this information.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.481 Code System http://hl7.org/fhir/operation-kind

URL: https://hl7.org/fhir/R4/codesystem-operation-kind.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Conformance Package for further details.

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/operation-kind
Version: | 4.0.1
Name: | OperationKind
Title: | OperationKind
Definition: | Whether an operation is a normal operation or a query.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.4.507 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: OperationKind (Whether an operation is a normal operation or a query.)
• ValueSet: OperationKind (Whether an operation is a normal operation or a query.)

4.3.14.481.1 Content

4.3.14.481.2 OperationKind

Whether an operation is a normal operation or a query.

This code system http://hl7.org/fhir/operation-kind defines the following codes:

Code | Display | Definition
operation | Operation | This operation is invoked as an operation.
query | Query | This operation is a named query, invoked using the search mechanism.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.482 Code System http://hl7.org/fhir/specimen-contained-preference

URL: https://hl7.org/fhir/R4/codesystem-specimen-contained-preference.html
Orders and Observations Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/specimen-contained-preference
Version: | 4.0.1
Name: | SpecimenContainedPreference
Title: | SpecimenContainedPreference
Definition: | Degree of preference of a type of conditioned specimen.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.4.853 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: SpecimenContainedPreference (Degree of preference of a type of conditioned specimen.)
• ValueSet: SpecimenContainedPreference (Degree of preference of a type of conditioned specimen.)

4.3.14.482.1 Content

4.3.14.482.2 SpecimenContainedPreference

Degree of preference of a type of conditioned specimen.

This code system http://hl7.org/fhir/specimen-contained-preference defines the following codes:

Code | Display | Definition
preferred | Preferred | This type of contained specimen is preferred to collect this kind of specimen.
alternate | Alternate | This type of conditioned specimen is an alternate.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.483 Code System http://terminology.hl7.org/CodeSystem/immunization-origin

URL: https://hl7.org/fhir/R4/codesystem-immunization-origin.html
Public Health and Emergency Response Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a code system defined at http://www.hl7.org/Special/committees/pher/index.cfm .

Summary

Defining URL: | http://terminology.hl7.org/CodeSystem/immunization-origin
Version: | 4.0.1
Name: | ImmunizationOriginCodes
Title: | Immunization Origin Codes
Definition: | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the source of the data when the report of the immunization event is not based on information from the person, entity or organization who administered the vaccine. This value set is provided as a suggestive example.
Committee: | Public Health and Emergency Response Work Group
OID: | 2.16.840.1.113883.4.642.4.1101 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: Immunization Origin Codes (The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the source of the data when the report of the immunization event is not based on information from the person, entity or organization who administered the vaccine. This value set is provided as a suggestive example.)

• ValueSet: Immunization Origin Codes (The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the source of the data when the report of the immunization event is not based on information from the person, entity or organization who administered the vaccine. This value set is provided as a suggestive example.)

4.3.14.483.1 Content

4.3.14.483.2 Immunization Origin Codes

The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the source of the data when the report of the immunization event is not based on information from the person, entity or organization who administered the vaccine. This value set is provided as a suggestive example.

This code system http://terminology.hl7.org/CodeSystem/immunization-origin defines the following codes:

Code | Display | Definition
provider | Other Provider | The data for the immunization event originated with another provider.
record | Written Record | The data for the immunization event originated with a written record for the patient.
recall | Parent/Guardian/Patient Recall | The data for the immunization event originated from the recollection of the patient or parent/guardian of the patient.
school | School Record | The data for the immunization event originated with a school record for the patient.
jurisdiction | Jurisdictional IIS | The data for the immunization event originated with an immunization information system (IIS) or registry operating within the jurisdiction.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.484 Code System http://hl7.org/fhir/http-verb

URL: https://hl7.org/fhir/R4/codesystem-http-verb.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Infrastructure Package for further details.

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/http-verb
Version: | 4.0.1
Name: | HTTPVerb
Title: | HTTPVerb
Definition: | HTTP verbs (in the HTTP command line). See HTTP rfc for details.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.4.625 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: HTTPVerb (HTTP verbs (in the HTTP command line). See [HTTP rfc](https://tools.ietf.org/html/rfc7231) for details.)

• ValueSet: HTTPVerb (HTTP verbs (in the HTTP command line). See [HTTP rfc](https://tools.ietf.org/html/rfc7231) for details.)

4.3.14.484.1 Content

4.3.14.484.2 HTTPVerb

HTTP verbs (in the HTTP command line). See HTTP rfc for details.

This code system http://hl7.org/fhir/http-verb defines the following codes:

Code | Display | Definition
GET | GET | HTTP GET Command.
HEAD | HEAD | HTTP HEAD Command.
POST | POST | HTTP POST Command.
PUT | PUT | HTTP PUT Command.
DELETE | DELETE | HTTP DELETE Command.
PATCH | PATCH | HTTP PATCH Command.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.485 Code System http://hl7.org/fhir/contract-security-control

URL: https://hl7.org/fhir/R4/codesystem-contract-security-control.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/contract-security-control
Version: | 4.0.1
Name: | ContractResourceSecurityControlCodes
Title: | Contract Resource Security Control codes

Definition: | This value set contract specific codes for security control.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.4.1223 (for OID based terminology systems)
Copyright: | HL7 International.
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: Contract Resource Security Control codes (This value set contract specific codes for security control.)

• ValueSet: Contract Resource Security Control codes (This value set contract specific codes for security control.)

4.3.14.485.1 Content

Each definition includes usage notes explaining the precedence order in contract lifecycle - i.e., while only some stages are required, the order in which they may occur is deterministic; and a map to comparable FHIR and v.3 status codes. It follows guidance about use of status codes in FHIR at http://build.fhir.org/sc.html.

4.3.14.485.2 Contract Resource Security Control codes

This value set contract specific codes for security control.

Copyright Statement:

HL7 International.

This code system http://hl7.org/fhir/contract-security-control defines the following codes:

Code | Display | Definition
policy | Policy | To be completed

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.486 Code System http://hl7.org/fhir/research-element-type

URL: https://hl7.org/fhir/R4/codesystem-research-element-type.html
Clinical Decision Support Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/research-element-type
Version: | 4.0.1
Name: | ResearchElementType
Title: | ResearchElementType
Definition: | The possible types of research elements (E.g. Population, Exposure, Outcome).
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.4.1342 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: ResearchElementType (The possible types of research elements (E.g. Population, Exposure, Outcome).)

• ValueSet: ResearchElementType (The possible types of research elements (E.g. Population, Exposure, Outcome).)

4.3.14.486.1 Content

4.3.14.486.2 ResearchElementType

The possible types of research elements (E.g. Population, Exposure, Outcome).

This code system http://hl7.org/fhir/research-element-type defines the following codes:

Code | Display | Definition
population | Population | The element defines the population that forms the basis for research.

exposure | Exposure | The element defines an exposure within the population that is being researched.
outcome | Outcome | The element defines an outcome within the population that is being researched.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.487 Code System http://terminology.hl7.org/CodeSystem/definition-status

URL: https://hl7.org/fhir/R4/codesystem-definition-status.html
Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://terminology.hl7.org/CodeSystem/definition-status
Version: | 4.0.1
Name: | DefinitionStatus
Title: | DefinitionStatus
Definition: | Codes identifying the lifecycle stage of a definition.
Committee: | ??
OID: | 2.16.840.1.113883.4.642.4.1070 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: DefinitionStatus (Codes identifying the lifecycle stage of a definition.)

• ValueSet: DefinitionStatus (Codes identifying the lifecycle stage of a definition.)

4.3.14.487.1 Content

4.3.14.487.2 DefinitionStatus

Codes identifying the lifecycle stage of a definition.

This code system http://terminology.hl7.org/CodeSystem/definition-status defines the following codes:

Code | Display | Definition
draft | Draft | The definition is in the design stage and is not yet considered to be "ready for use".
active | Active | The definition is considered ready for use.
withdrawn | Withdrawn | The definition should no longer be used.
unknown | Unknown | The authoring/source system does not know which of the status values currently applies for this resource. Note: This concept is not to be used for "other" - one of the listed statuses is presumed to apply, but the authoring/source system does not know which.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.488 Code System http://hl7.org/fhir/ex-onsettype

URL: https://hl7.org/fhir/R4/codesystem-ex-onsettype.html
Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ex-onsettype
Version: | 4.0.1
Name: | ExampleOnsetType(Reason)Codes
Title: | Example Onset Type (Reason) Codes

Definition: | This value set includes example Onset Type codes which are used to identify the event for which the onset, starting date, is required.
Committee: | ??
OID: | 2.16.840.1.113883.4.642.4.579 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: Example Onset Type (Reason) Codes (This value set includes sample Service Modifier codes.)

• ValueSet: Example Onset Type (Reason) Codes (This value set includes sample Service Modifier codes.)

4.3.14.488.1 Content

4.3.14.488.2 Example Onset Type (Reason) Codes

This value set includes example Onset Type codes which are used to identify the event for which the onset, starting date, is required.

Copyright Statement:

This is an example set.

This code system http://hl7.org/fhir/ex-onsettype defines the following codes:

Code | Display | Definition
lxm | Last Exam | Date of last examination.
sym | Start of Symptoms | Date when symptoms were first noticed.
lmn | Last Menstruation | Start date of last menstruation.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.489 Code System http://hl7.org/fhir/endpoint-status

URL: https://hl7.org/fhir/R4/codesystem-endpoint-status.html
Patient Administration Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/endpoint-status
Version: | 4.0.1
Name: | EndpointStatus
Title: | EndpointStatus
Definition: | The status of the endpoint.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.4.495 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: EndpointStatus (The status of the endpoint.)

• ValueSet: EndpointStatus (The status of the endpoint.)

4.3.14.489.1 Content

4.3.14.489.2 EndpointStatus

The status of the endpoint.

This code system http://hl7.org/fhir/endpoint-status defines the following codes:

Code | Display | Definition
active | Active | This endpoint is expected to be active and can be used.
suspended | Suspended | This endpoint is temporarily unavailable.
error | Error | This endpoint has exceeded connectivity thresholds and is considered in an error state and should no longer be attempted to connect to until corrective action is taken.
off | Off | This endpoint is no longer to be used.
entered-in-error | Entered in error | This instance should not have been part of this patient's medical record.
test | Test | This endpoint is not intended for production usage.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.14.490 Code System http://terminology.hl7.org/CodeSystem/ex-benefitcategory

URL: https://hl7.org/fhir/R4/codesystem-ex-benefitcategory.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a code system defined by the FHIR project.

Summary

Defining URL: | http://terminology.hl7.org/CodeSystem/ex-benefitcategory
Version: | 4.0.1
Name: | BenefitCategoryCodes
Title: | Benefit Category Codes
Definition: | This value set includes examples of Benefit Category codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.4.1175 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This Code system is used in the following value sets:

• ValueSet: Benefit Category Codes (This value set includes examples of Benefit Category codes.)

• ValueSet: Benefit Category Codes (This value set includes examples of Benefit Category codes.)

4.3.14.490.1 Content

4.3.14.490.2 Benefit Category Codes

This value set includes examples of Benefit Category codes.

Copyright Statement:

This is an example set.

This code system http://terminology.hl7.org/CodeSystem/ex-benefitcategory defines the following codes:

Code	Display	Definition
1	Medical Care	Medical Care.
2	Surgical	Surgical.
3	Consultation	Consultation.
4	Diagnostic XRay	Diagnostic XRay.
5	Diagnostic Lab	Diagnostic Lab.
14	Renal Supplies	Renal Supplies excluding Dialysis.
23	Diagnostic Dental	Diagnostic Dental.
24	Periodontics	Periodontics.
25	Restorative	Restorative.
26	Endodontics	Endodontics.
27	Maxillofacial Prosthetics	Maxillofacial Prosthetics.
28	Adjunctive Dental Services	Adjunctive Dental Services.
30	Health Benefit Plan Coverage	Health Benefit Plan Coverage.
35	Dental Care	Dental Care.
36	Dental Crowns	Dental Crowns.
37	Dental Accident	Dental Accident.
49	Hospital Room and Board	Hospital Room and Board.
55	Major Medical	Major Medical.
56	Medically Related Transportation	Medically Related Transportation.
61	In-vitro Fertilization	In-vitro Fertilization.
62	MRI Scan	MRI Scan.
63	Donor Procedures	Donor Procedures such as organ harvest.
69	Maternity	Maternity.
76	Renal Dialysis	Renal dialysis.
F1	Medical Coverage	Medical Coverage.
F3	Dental Coverage	Dental Coverage.
F4	Hearing Coverage	Hearing Coverage.

F6 | Vision Coverage | Vision Coverage.

See the full registry of code systems defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. See Code System for further information.
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.15.1 HL7 Version 2 Table 0001

URL: https://hl7.org/fhir/R4/v2/0001/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0001
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0001
Version: | 2.9
Name: | v2.0001
Title: | v2 SEX
Definition: | FHIR Value set/code system definition for HL7 v2 table 0001 (SEX)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

Concept Maps for this value set:

from AdministrativeGender | v2.AdministrativeGender | XML | JSON

This value set is used in the following places:

• ConceptMap: Translation target in v2 map for AdministrativeGender

4.3.15.1.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0001 defines the following codes:

Code | Display | Definition | Version
A | en: Ambiguous de: mehrdeutig nl: Ambigu | | added v2.4
F | en: Female de: weiblich nl: Vrouw | | from v2.1
M | en: Male de: männlich nl: Man | | from v2.1
N | en: Not applicable de: nicht zutreffend nl: Niet van toepassing | | added v2.4
O | en: Other de: andere nl: Anders | | from v2.1
U | en: Unknown de: unbekannt nl: Onbekend | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0001 defines the following codes:

Code | Display | Definition | Version
A | Ambiguous | | added v2.4
F | Female | | from v2.1
M | Male | | from v2.1
N | Not applicable | | added v2.4
O | Other | | from v2.1
U | Unknown | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0001 defines the following codes:

Code | Display | Definition | Version
A | mehrdeutig | | added v2.4
F | weiblich | | from v2.1
M | männlich | | from v2.1
N | nicht zutreffend | | added v2.4
O | andere | | from v2.1
U | unbekannt | | from v2.1

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0001 definieert de volgende codes:

Code | Display | Definition | Versie
A | Ambigu | | added v2.4
F | Vrouw | | from v2.1
M | Man | | from v2.1
N | Niet van toepassing | | added v2.4
O | Anders | | from v2.1
U | Onbekend | | from v2.1

4.3.15.2 HL7 Version 2 Table 0002

URL: https://hl7.org/fhir/R4/v2/0002/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0002
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0002
Version: | 2.9
Name: | v2.0002
Title: | v2 MARITAL STATUS
Definition: | FHIR Value set/code system definition for HL7 v2 table 0002 (MARITAL STATUS)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.2.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0002 defines the following codes:

Code | Display | Definition | Version
A | en: Separated de: getrennt lebend nl: Uit elkaar | | from v2.1
B | en: Unmarried de: ledig nl: Niet getrouwd | | added v2.4
C | en: Common law de: eheähnliche Gemeinschaft nl: Volgens jurisprudentie | | added v2.4
D | en: Divorced de: geschieden nl: Gescheiden na huwelijk | | from v2.1
E | en: Legally Separated de: rechtskräftig getrennt nl: Wettelijk gescheiden | | added v2.4
G | en: Living together de: zusammenlebend nl: Samenlevend | | added v2.4
I | en: Interlocutory de: --- nl: Tijdelijke overeenkomst | | added v2.4
M | en: Married de: verheiratet nl: Getrouwd | | from v2.1
N | en: Annulled de: annulliert nl: Nietig verklaard | | added v2.4
O | en: Other de: sonstiges nl: Anders | | added v2.4
P | en: Domestic partner de: häuslicher Partner nl: Huisgenoot | | added v2.4
R | en: Registered domestic partner de: --- nl: Geregistreerd partnerschap | | added v2.4
S | en: Single de: allein lebend nl: Alleenstaand | | from v2.1
T | en: Unreported de: keine Angabe nl: Niet vermeld | | added v2.4
U | en: Unknown de: unbekannt nl: Onbekend | | added v2.4
W | en: Widowed de: verwitwet nl: Weduwe/weduwnaar | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0002 defines the following codes:

Code | Display | Definition | Version
A | Separated | | from v2.1
B | Unmarried | | added v2.4
C | Common law | | added v2.4
D | Divorced | | from v2.1
E | Legally Separated | | added v2.4
G | Living together | | added v2.4
I | Interlocutory | | added v2.4
M | Married | | from v2.1
N | Annulled | | added v2.4
O | Other | | added v2.4
P | Domestic partner | | added v2.4
R | Registered domestic partner | | added v2.4
S | Single | | from v2.1
T | Unreported | | added v2.4
U | Unknown | | added v2.4

W | Widowed | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0002 defines the following codes:

Code | Display | Definition | Version
A | getrennt lebend | | from v2.1
B | ledig | | added v2.4
C | eheähnliche Gemeinschaft | | added v2.4
D | geschieden | | from v2.1
E | rechtskräftig getrennt | | added v2.4
G | zusammenlebend | | added v2.4
I | --- | | added v2.4
M | verheiratet | | from v2.1
N | annulliert | | added v2.4
O | sonstiges | | added v2.4
P | häuslicher Partner | | added v2.4
R | --- | | added v2.4
S | allein lebend | | from v2.1
T | keine Angabe | | added v2.4
U | unbekannt | | added v2.4
W | verwitwet | | from v2.1

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0002 definieert de volgende codes:

Code | Display | Definition | Versie
A | Uit elkaar | | from v2.1
B | Niet getrouwd | | added v2.4
C | Volgens jurisprudentie | | added v2.4
D | Gescheiden na huwelijk | | from v2.1
E | Wettelijk gescheiden | | added v2.4
G | Samenlevend | | added v2.4
I | Tijdelijke overeenkomst | | added v2.4
M | Getrouwd | | from v2.1
N | Nietig verklaard | | added v2.4
O | Anders | | added v2.4
P | Huisgenoot | | added v2.4
R | Geregistreerd partnerschap | | added v2.4
S | Alleenstaand | | from v2.1
T | Niet vermeld | | added v2.4
U | Onbekend | | added v2.4
W | Weduwe/weduwnaar | | from v2.1

4.3.15.3 HL7 Version 2 Table 0003

URL: https://hl7.org/fhir/R4/v2/0003/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0003
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0003
Version: | 2.9
Name: | v2.0003
Title: | v2 EVENT TYPE CODE
Definition: | FHIR Value set/code system definition for HL7 v2 table 0003 (EVENT TYPE CODE)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.3.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code

deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0003 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
A01 | en: ADT/ACK - Admit/visit notification de: stationäre Aufnahme nl: ADT/ACK - Opname/bezoek notificatie | | | | from v2.1
A02 | en: ADT/ACK - Transfer a patient de: Verlegung nl: ADT/ACK - Overplaatsing van een patiënt | | | | from v2.1
A03 | en: ADT/ACK - Discharge/end visit de: Entlassung nl: ADT/ACK - Ontslag/einde bezoek | | | | from v2.1
A04 | en: ADT/ACK - Register a patient de: Besuchsmeldung (nicht-stationär) nl: ADT/ACK - Registratie van een patiënt | | | | from v2.1
A05 | en: ADT/ACK - Pre-admit a patient de: Voraufnahme eines Patienten nl: Vooropname van een patiënt | | | | from v2.1
A06 | en: ADT/ACK - Change an outpatient to an inpatient de: Änderung von ambulant in stationär nl: ADT/ACK - Wijzig poliklinische patiënt naar klinische patiënt | | | | from v2.1
A07 | en: ADT/ACK - Change an inpatient to an outpatient de: Änderung von stationär in ambulant nl: ADT/ACK - Wijzig klinische patiënt naar poliklinische patiënt | | | | from v2.1
A08 | en: ADT/ACK - Update patient information de: Änderung von Patienteninformationen nl: ADT/ACK - Update patiëntinformatie | | | | from v2.1
A09 | en: ADT/ACK - Patient departing - tracking de: Patient verläßt Einrichtung nl: ADT/ACK - Patiënt vertrekt - tracking | | | | from v2.1
A10 | en: ADT/ACK - Patient arriving - tracking de: Patient erreicht Einrichtung nl: ADT/ACK - Patiënt keert terug - tracking | | | | from v2.1
A11 | en: ADT/ACK - Cancel admit/visit notification de: Stornierung für A01 und A04 nl: ADT/ACK - Annuleer opname/bezoek notificatie | | | | from v2.1
A12 | en: ADT/ACK - Cancel transfer de: Stornierung für A02 nl: ADT/ACK - Annulering overplaatsing | | | | from v2.1
A13 | en: ADT/ACK - Cancel discharge/end visit de: Stornierung für A03 nl: ADT/ACK - Annuleer ontslag/einde bezoek | | | | from v2.1
A14 | en: ADT/ACK - Pending admit de: Geplante Aufnahme nl: ADT/ACK - Geplande opname | | | | from v2.1
A15 | en: ADT/ACK - Pending transfer de: Geplante Verlegung nl: ADT/ACK - Geplande overplaatsing | | | | from v2.1
A16 | en: ADT/ACK - Pending discharge de: Geplante Entlassung nl: ADT/ACK - Gepland ontslag | | | | from v2.1
A17 | en: ADT/ACK - Swap patients de: Bettentausch zweier Patienten nl: ADT/ACK - Bedwissel patiënten | | | | from v2.1
A18 | en: ADT/ACK - Merge patient information de: Patienteninformation zusammenführen nl: ADT/ACK - Samenvoeging patiëntinformatie | | Deprecated | en: Deprecated nl: Vervallen | from v2.1
A19 | en: QRY/ADR - Patient query de: Anfrage nach Patientendaten nl: Patiëntopvraging | | Deprecated | en: Deprecated nl: Vervallen | from v2.1
A20 | en: ADT/ACK - Bed status update de: Änderung des Bettenstatus nl: ADT/ACK - Update bedstatus | | | | from v2.1
A21 | en: ADT/ACK - Patient goes on a "leave of absence" de: Beginn einer Patientenabwesenheit nl: ADT/ACK - Patiënt gaat met “verlof” | | | | from v2.1
A22 | en: ADT/ACK - Patient returns from a "leave of absence" de: Ende einer Patientenabwesenheit nl: ADT/ACK - Patiënt keert terug van “verlof” | | | | from v2.1
A23 | en: ADT/ACK - Delete a patient record de: Löschen eines Patientensatzes nl: ADT/ACK - Verwijder een patiëntrecord | | | | from v2.1
A24 | en: ADT/ACK - Link patient information de: Verknüpfen von Patientendaten nl: ADT/ACK - Koppel patiëntinformatie | | | | from v2.1
A25 | en: ADT/ACK - Cancel pending discharge de: Stornierung einer eingeleiteten Entlassung nl: ADT/ACK - Annuleer gepland ontslag | | | | added v2.2
A26 | en: ADT/ACK - Cancel pending transfer de: Stornierung einer eingeleiteten Verlegung nl: ADT/ACK - Annuleer geplande overplaatsing | | | | added v2.2
A27 | en: ADT/ACK - Cancel pending admit de: Stornierung einer eingeleiteten Aufnahme nl: ADT/ACK - Annuleer geplande opname | | | | added v2.2
A28 | en: ADT/ACK - Add person information de: Personendaten hinzufügen nl: ADT/ACK - Voeg persoonsinformatie toe | | | | added v2.2
A29 | en: ADT/ACK - Delete person information de: Löschung von personenbezogenen Daten nl: ADT/ACK - Verwijder persoonsinformatie | | | | added v2.2
A30 | en: ADT/ACK - Merge person information de: veraltet nl: ADT/ACK - Voeg persoonsinformatie samen | | Deprecated | en: Deprecated nl: Vervallen | added v2.2
A31 | en: ADT/ACK - Update person information de: Ändern personenbezogener Daten nl: ADT/ACK - Update persoonsinformatie | | | | added v2.2
A32 | en: ADT/ACK - Cancel patient arriving - tracking de: Stornierung eines Patientenzugangs (Bettenzuweisung) nl: ADT/ACK - Annuleer aankomst patiënt - tracking | | | | added v2.2
A33 | en: ADT/ACK - Cancel patient departing - tracking de: Stornierung eines Patientenabgangs (Bettenfreigabe) nl: ADT/ACK - Annuleer vertrek patiënt - tracking | | | | added v2.2
A34 | en: ADT/ACK - Merge patient information - patient ID only de: Abgleich nur der Patientennummer (veraltet) nl: ADT/ACK - Voeg patiëntinformatie samen - alleen patiënt ID | | Deprecated | en: Deprecated nl: Vervallen | added v2.2
A35 | en: ADT/ACK - Merge patient information - account number only de: Abgleich nur der Abrechnungsnummer / Debitorenkontonummer (veraltet) nl: ADT/ACK - Voeg patiëntinformatie samen - alleen accountnummer | | Deprecated | en: Deprecated nl: Vervallen | added v2.2
A36 | en: ADT/ACK - Merge patient information - patient ID and account number de: Abgleich von Patientennummer und Abrechnungsnummer / Debitorenkontonummer (veraltet) nl: ADT/ACK - Voeg patiëntinformatie samen - patiënt ID en accountnummer | | Deprecated | en: Deprecated nl: Vervallen | added v2.2
A37 | en: ADT/ACK - Unlink patient information de: Auflösung einer Verknüpfung von Patientendaten nl: ADT/ACK - Ontkoppel patiëntinformatie | | | | added v2.2
A38 | en: ADT/ACK - Cancel pre-admit de: Stornierung zu A05 nl: ADT/ACK - Annuleer opname op wachtlijst | | | | added v2.3
A39 | en: ADT/ACK - Merge person - patient ID de: Zusammenführung von Information über externe ID (veraltet) nl: ADT/ACK - Voeg persoon samen - patiënt ID | | Deprecated | en: Deprecated nl: Vervallen | added v2.3
A40 | en: ADT/ACK - Merge patient - patient identifier list de: Zusammenführung v. Pat-Information über ID-Liste nl: ADT/ACK - Voeg patiënt samen - lijst patiënt ID's | | | | added v2.3

A41 | en: ADT/ACK - Merge account - patient account number de: Zusammenführung von Konten über Kontonummer nl: ADT/ACK - Samenvoeging account - patiënt accountnummer | | | | added v2.3
A42 | en: ADT/ACK - Merge visit - visit number de: Zusammenführung v.Fall-Information über Fallnummer nl: ADT/ACK - Samenvoeging bezoek - bezoeknummer | | | | added v2.3
A43 | en: ADT/ACK - Move patient information - patient identifier list de: Korrektur einer falschen Zuordnung bzgl. PID-Liste nl: ADT/ACK - Verplaats patiëntinformatie - lijst patiënt ID's | | | | added v2.3
A44 | en: ADT/ACK - Move account information - patient account number de: Korrektur einer falschen Zuordnung bzgl.Abrechungsnummer nl: ADT/ACK - Verplaats accountinformatie - patiënt accountnummer | | | | added v2.3
A45 | en: ADT/ACK - Move visit information - visit number de: Korrektur einer falschen Zuordnung bzgl.Fallnummer nl: ADT/ACK - Verplaats bezoekinformatie - bezoeknummer | | | | added v2.3
A46 | en: ADT/ACK - Change patient ID de: Änderung der externen Pat.ID (PID-2) nl: ADT/ACK - Wijzig patiënt ID | | Deprecated | en: Deprecated nl: Vervallen | added v2.3
A47 | en: ADT/ACK - Change patient identifier list de: Änderung der internen Pat.ID (PID-3) nl: ADT/ACK - Wijzig lijst patiënt ID's | | | | added v2.3
A48 | en: ADT/ACK - Change alternate patient ID de: Änderung der alternativen Pat.ID (PID-4) nl: ADT/ACK - Wijzig alternatief patiënt ID | | Deprecated | en: Deprecated nl: Vervallen | added v2.3
A49 | en: ADT/ACK - Change patient account number de: Änderung der Abrechungsnummer (PID-18) nl: ADT/ACK - Wijzig patiënt accountnummer | | | | added v2.3
A50 | en: ADT/ACK - Change visit number de: Änderung der Fallnummer (PV1-19) nl: ADT/ACK - Wijzig bezoeknummer | | | | added v2.3
A51 | en: ADT/ACK - Change alternate visit ID de: Änderung der alternativen Fallnummer (PV1-50) nl: ADT/ACK - Wijzig alternatief bezoeknummer | | | | added v2.3
A52 | en: ADT/ACK - Cancel leave of absence for a patient nl: ADT/ACK - Annuleer verlof voor een patiënt | | | | added v2.4
A53 | en: ADT/ACK - Cancel patient returns from a leave of absence nl: ADT/ACK - Annuleer terugkeer van verlof voor een patiënt | | | | added v2.4
A54 | en: ADT/ACK - Change attending doctor de: Änderung des behandelnden Arztes nl: ADT/ACK - Wijzig behandelend arts | | | | added v2.4
A55 | en: ADT/ACK - Cancel change attending doctor de: Stornierung der Änderung des behandelnden Arztes nl: ADT/ACK - Annuleer wijzigen behandelend arts | | | | added v2.4
A60 | en: ADT/ACK - Update allergy information de: Aktualisierung der Allergie-Informationen nl: ADT/ACK - Update allergie-informatie | | | | added v2.4
A61 | en: ADT/ACK - Change consulting doctor nl: ADT/ACK - Wijzig consulterend arts | | | | added v2.4
A62 | en: ADT/ACK - Cancel change consulting doctor nl: ADT/ACK - Annuleer wijzigen consulterend arts | | | | added v2.4
B01 | en: PMU/ACK - Add personnel record nl: PMU/ACK - Voeg personeelrecord toe | | | | added v2.4
B02 | en: PMU/ACK - Update personnel record nl: PMU/ACK - Update personeelrecord | | | | added v2.4
B03 | en: PMU/ACK - Delete personnel re cord nl: PMU/ACK - Verwijder personeelrecord | | | | added v2.4
B04 | en: PMU/ACK - Active practicing person nl: PMU/ACK - Activeer praktiserend persoon | | | | added v2.4
B05 | en: PMU/ACK - Deactivate practicing person nl: PMU/ACK - Deactiveer praktiserend persoon | | | | added v2.4
B06 | en: PMU/ACK - Terminate practicing person nl: PMU/ACK - Beëindig praktiserend persoon | | | | added v2.4
B07 | en: PMU/ACK - Grant Certificate/Permission nl: PMU/ACK - Geef certificaat/toestemming | | | | added v2.5
B08 | en: PMU/ACK - Revoke Certificate/Permission nl: PMU/ACK - Trek certificaat/toestemming in | | | | added v2.5
C01 | en: CRM - Register a patient on a clinical trial de: Registrierung eines Patienten f.eine klin.Studie nl: CRM - Registreer patiënt voor clinical trial | | | | added v2.3
C02 | en: CRM - Cancel a patient registration on clinical trial (for clerical mistakes only) de: Löschung der Registrierung nl: CRM - Annuleer patiëntregistratie voor clinical trial (invoerfout) | | | | added v2.3
C03 | en: CRM - Correct/update registration information de: Korrektur/Änderung der Registrierung nl: CRM - Corrigeer/update registratie-informatie | | | | added v2.3
C04 | en: CRM - Patient has gone off a clinical trial de: Patient ist aus der Studie ausgeschieden nl: CRM - Patiënt heeft clinical trial verlaten | | | | added v2.3
C05 | en: CRM - Patient enters phase of clinical trial de: Patient tritt in Studienphase ein nl: CRM - Patiënt gaat in fase van clinical trial | | | | added v2.3
C06 | en: CRM - Cancel patient entering a phase (clerical mistake) de: Löschung des Eintritts in eine Studienphase nl: CRM - Annuleer patiënt gaat in fase van clinical trial (invoerfout) | | | | added v2.3
C07 | en: CRM - Correct/update phase information de: Korrektur/Änderung der Angaben zur Studienphase nl: CRM - Corrigeer/update fase-informatie | | | | added v2.3
C08 | en: CRM - Patient has gone off phase of clinical trial de: Patient ist aus Studienphase ausgeschieden nl: CRM - Patiënt heeft fase clinical trial verlaten | | | | added v2.3
C09 | en: CSU - Automated time intervals for reporting, like monthly de: Festlegung des Zeitintervalls für autom. Berichte nl: CSU - Geautomatiseerde rapportageintervallen, zoals maandelijks | | | | added v2.3
C10 | en: CSU - Patient completes the clinical trial de: Patient beendet Studie nl: CSU - Patiënt voltooit de clinical trial | | | | added v2.3
C11 | en: CSU - Patient completes a phase of the clinical trial de: Patient beendet eine Studienphase nl: CSU - Patiënt voltooit een fase van de clinical trial | | | | added v2.3
C12 | en: CSU - Update/correction of patient order/result information de: Korrektur/Änderung von Anforderungen/Ergebnissen nl: CSU - Update/correctie van patiënt aanvraag-/resultaatinformatie | | | | added v2.3
CNQ | en: Cancel Query de: Stornierung einer Anfrage nl: Annuleer query | | | | added v2.3
E01 | en: Submit HealthCare Services Invoice nl: Dien factuur zorgproducten in | | | | added v2.6
E02 | en: Cancel HealthCare Services Invoice nl: Annuleer factuur zorgproducten | | | | added v2.6
E03 | en: HealthCare Services Invoice Status nl: Status factuur zorgproducten | | | | added v2.6
E04 | en: Re-Assess HealthCare Services Invoice Request nl: Beoordeel factuuraanvraag zorgproducten opnieuw | | | | added v2.6
E10 | en: Edit/Adjudication Results nl: Wijzig/beslissing resultaten | | | | added v2.6
E12 | en: Request Additional Information nl: Verzoek om aanvullende informatie | | | | added v2.6
E13 | en: Additional Information Response nl: Antwoord aanvullende informatie | | | | added v2.6
E15 | en: Payment/Remittance Advice nl: Advies betaling/teruggave | | | | added v2.6
E20 | en: Submit Authorization Request nl: Dien autorisatieverzoek in | | | | added v2.6

E21 | en: Cancel Authorization Request nl: Annuleer autorisatieverzoek | | | | added v2.6
E22 | en: Authorization Request Status nl: Status autorisatieverzoek | | | | added v2.6
E24 | en: Authorization Response nl: Antwoord autorisatieverzoek | | | | added v2.6
E30 | en: Submit Health Document related to Authorization Request nl: Dien zorgdocument gerelateerd aan autorisatieverzoek in | | | en: reserved for future/not yet defined nl: gereserveerd voor toekomst/nog niet gedefnieerd | added v2.6
E31 | en: Cancel Health Document related to Authorization Request nl: Annuleer zorgdocument gerelateerd aan autorisatieverzoek | | | en: reserved for future/not yet defined nl: gereserveerd voor toekomst/nog niet gedefnieerd | added v2.6
I01 | en: RQI/RPI - Request for insurance information de: Anforderung von Versicherungsdaten nl: RQI/RPI - Verzoek om verzekeringsgegevens | | | | added v2.3
I02 | en: RQI/RPL - Request/receipt of patient selection display list de: Anforderg.einer Patientenauswahlliste (zur Anzeige) nl: RQI/RPL - Verzoek/afschrift van patiëntselectie weergavelijst | | | | added v2.3
I03 | en: RQI/RPR - Request/receipt of patient selection list de: Anforderg.einer strukt. Patientenauswahlliste nl: RQI/RPR - Verzoek/afschrift van patiëntselectielijst | | | | added v2.3
I04 | en: RQD/RPI - Request for patient demographic data de: Anforderung demographischer Informationen nl: RQD/RPI - Verzoek om demografische patiëntgegevens | | | | added v2.3
I05 | en: RQC/RCI - Request for patient clinical information de: Anforderung klinischer Informationen nl: RQC/RCI - Verzoek om klinische patiëntgegevens | | Deprecated | en: Deprecated nl: Vervallen | added v2.3
I06 | en: RQC/RCL - Request/receipt of clinical data listing de: Anforderung strukt. klinischer Informationen nl: RQC/RCL - Verzoek/afschrift van overzicht klinische gegevens | | Deprecated | en: Deprecated nl: Vervallen | added v2.3
I07 | en: PIN/ACK - Unsolicited insurance information de: unaufgeforderte Übermittlung v. Versicherungsdaten nl: PIN/ACK - Ongevraagde verzekeringsinformatie | | | | added v2.3
I08 | en: RQA/RPA - Request for treatment authorization information de: Anforderung Kostenübernahmeerklärung nl: RQA/RPA - Verzoek om autorisatie-informatie behandeling | | | | added v2.3
I09 | en: RQA/RPA - Request for modification to an authorization de: Anforderg bzgl. Änderung Kostenübernahmeerklärung nl: RQA/RPA - Verzoek om wijziging in autorisatie | | | | added v2.3
I10 | en: RQA/RPA - Request for resubmission of an authorization de: erneute Anforderung Kostenübernahmeerklärung nl: RQA/RPA - Verzoek om autorisatie opnieuw in te dienen | | | | added v2.3
I11 | en: RQA/RPA - Request for cancellation of an authorization de: Anfordrg Stornierg einer Kostenübernahmeerklärung nl: RQA/RPA - Verzoek om annulering van een autorisatie | | | | added v2.3
I12 | en: REF/RRI - Patient referral de: Überweisung eines Patienten nl: REF/RRI - Patiëntverwijzing | | | | added v2.3
I13 | en: REF/RRI - Modify patient referral de: Änderung einer Patientenüberweisung nl: REF/RRI - Wijzig patiëntverwijzing | | | | added v2.3
I14 | en: REF/RRI - Cancel patient referral de: Stornierung einer Patientenüberweisung nl: REF/RRI - Annuleer patiëntverwijzing | | | | added v2.3
I15 | en: REF/RRI - Request patient referral status de: Statusabfrage bzgl. Patientenüberweisung nl: REF/RRI - Verzoek om status patiëntverwijzing | | | | added v2.3
I16 | en: Collaborative Care Referral nl: Multidisciplinaire verwijzing | | | | added v2.7
I17 | en: Modify Collaborative Care Referral nl: Wijzig multidisciplinaire verwijzing | | Deprecated | en: Deprecated nl: Vervallen | added v2.7
I18 | en: Cancel Collaborative Care Referral nl: Annuleer multidisciplinaire verwijzing | | Deprecated | en: Deprecated nl: Vervallen | added v2.7
I19 | en: Collaborative Care Query/Collaborative Care Query Update nl: Query multidisciplinaire zorg/Query update multidisciplinaire zorg | | | | added v2.7
I20 | en: Asynchronous Collaborative Care Update nl: Asynchrone update multidisciplinaire zorg | | | | added v2.7
I21 | en: Collaborative Care Message nl: Multidisciplinair bericht | | | | added v2.7
I22 | en: Collaborative Care Fetch / Collaborative Care Information nl: Multidisciplinaire zorg ophalen/multidisciplinaire zorg informatie | | | | added v2.7
J01 | en: QCN/ACK - Cancel query/acknowledge message nl: QCN/ACK - Annuleer query/bevestigingsbericht | | | | added v2.4
J02 | en: QSX/ACK - Cancel subscription/acknowledge message nl: QSX/ACK - Annuleer abonnement/bevestigingsbericht | | | | added v2.4
K11 | en: RSP - Segment pattern response in response to QBP^Q11 nl: RSP - Segmentpatroon antwoord op QBP^Q11 | | | | added v2.5
K13 | en: RTB - Tabular response in response to QBP^Q13 nl: RTB - Tabelpatroon antwoord op QBP^Q13 | | | | added v2.5
K15 | en: RDY - Display response in response to QBP^Q15 nl: RDY - Weergavepatroon antwoord op QBP^Q15 | | | | added v2.5
K21 | en: RSP - Get person demographics response nl: RSP - Antwoord query demografische persoonsgegevens | | | | added v2.4
K22 | en: RSP - Find candidates response nl: RSP - Antwoord zoek kandidaten | | | | added v2.4
K23 | en: RSP - Get corresponding identifiers response nl: RSP - Antwoord bijbehorende ID's | | | | added v2.4
K24 | en: RSP - Allocate identifiers response nl: RSP - Antwoord alloceer ID's | | | | added v2.4
K25 | en: RSP - Personnel Information by Segment Response nl: RSP - Antwoord personeelsinformatie op segment | | | | added v2.4
K31 | en: RSP -Dispense History Response nl: RSP - Antwoord verstrekkingshistorie | | | | added v2.5.1
K32 | en: Find Candidates including Visit Information Response nl: Antwoord zoek kandidaten inclusief bezoekinformatie | | | | added v2.7
K33 | en: Get Donor Record Candidates Response Message nl: Antwoord zoek donorrecord-kandidaten | | | | added v2.8
K34 | en: Segment Pattern Response Message nl: Segmentpatroon antwoordbericht | | | | added v2.8
M01 | en: MFN/MFK - Master file not otherwise specified de: Stammdatenänderung (veraltet) nl: MFN/MFK - Masterbestand - niet anderszins gespecificeerd | | Deprecated | en: Deprecated nl: Vervallen | added v2.2
M02 | en: MFN/MFK - Master file - staff practitioner de: Stammdatenänderung - Ärzte nl: MFN/MFK - Masterbestand - Medewerker zorgverlener | | | | added v2.2
M03 | en: MFN/MFK - Master file - test/observation de: Stammdatenänderung - Tests / Untersuchungen nl: MFN/MFK - Masterbestand - Test/observatie | | Deprecated | en: Deprecated nl: Vervallen | added v2.2
M04 | en: MFN/MFK - Master files charge description de: Stammdatenänderung - delayed appl ack nl: MFN/MFK - Masterbestand - Prijsomschrijving | | | | added v2.3
M05 | en: MFN/MFK - Patient location master file de: Stammdatenänderung - Aufenthaltsorte nl: MFN/MFK - Masterbestand - Patiëntlocatie | | | | added v2.3

M06 | en: MFN/MFK - Clinical study with phases and schedules master file de: Stammdatenänderung - Abrechnungskataloge nl: MFN/MFK - Masterbestand - Klinische studie met fases en planning | | | | added v2.3
M07 | en: MFN/MFK - Clinical study without phases but with schedules master file de: Stammdatenänderung - klinische Studien ohne Phasen nl: MFN/MFK - Masterbestand - Klinische studie zonder fases maar met planning | | | | added v2.3
M08 | en: MFN/MFK - Test/observation (numeric) master file de: Stammdatenänderung - Tests/Untersuchung mit numerischen Ergebnissen nl: MFN/MFK - Masterbestand - Test/observatie (numeriek) | | | | added v2.3
M09 | en: MFN/MFK - Test/observation (categorical) master file de: Stammdatenänderung - Tests mit nicht numerischen Ergebnissen nl: MFN/MFK - Masterbestand - Test/observatie (categorieën) | | | | added v2.3
M10 | en: MFN/MFK - Test /observation batteries master file de: Stammdatenänderung - Testprofile nl: MFN/MFK - Masterbestand - Test/observatie batteries | | | | added v2.3
M11 | en: MFN/MFK - Test/calculated observations master file de: Stammdatenänderung - berechnete Ergebnisse nl: MFN/MFK - Masterbestand - Test/berekende observaties | | | | added v2.3
M12 | en: MFN/MFK - Master file notification message nl: MFN/MFK - Masterbestand - Notificatiebericht | | | | added v2.4
M13 | en: MFN/MFK - Master file notification - general nl: MFN/MFK - Masterbestand - Notificatiebericht algemeen | | | | added v2.5
M14 | en: MFN/MFK - Master file notification - site defined nl: MFN/MFK - Masterbestand - Notificatiebericht lokale overeenkomst | | | | added v2.5
M15 | en: MFN/MFK - Inventory item master file notification nl: MFN/MFK - Masterbestand voorraaditems - Notificatiebericht | | | | added v2.5
M16 | en: MFN/MFK - Master File Notification Inventory Item Enhanced nl: MFN/MFK - Masterbestand voorraaditems - Notificatiebericht verbeterd | | | | added v2.6
M17 | en: DRG Master File Message nl: DRG - Masterbestand bericht | | | | added v2.6
M18 | en: MFN/MFK - Master file notification - Test/Observation (Payer) nl: MFN/MFK - Master file notification - Test/Observatie (Betaler) | | | | added v2.8.2
N01 | en: NMQ/NMR - Application management query message nl: NMQ/NMR - Query Applicatiemanagement | | Deprecated | en: Deprecated nl: Vervallen | added v2.4
N02 | en: NMD/ACK - Application management data message (unsolicited) nl: NMD/NMR - Applicatiemanagementgegevens (ongevraagd) | | | | added v2.4
O01 | en: ORM - Order message (also RDE, RDS, RGV, RAS) de: Auftrag / Verordnung nl: ORM - Aanvraagbericht (ook RDE, RDS, RGV, RAS) | | Deprecated | en: Deprecated nl: Vervallen | from v2.1
O02 | en: ORR - Order response (also RRE, RRD, RRG, RRA) de: Auftragsbestätigung nl: ORR - Antwoord aanvraagbericht (ook RRE, RRD, RRG, RRA) | | Deprecated | en: Deprecated nl: Vervallen | from v2.1
O03 | en: OMD - Diet order nl: OMD - Maaltijdaanvraag | | | | added v2.4
O04 | en: ORD - Diet order acknowledgment nl: ORD - Bevestiging maaltijdaanvraag | | | | added v2.4
O05 | en: OMS - Stock requisition order nl: OMS - Aanvraag aanvulling voorraad | | | | added v2.4
O06 | en: ORS - Stock requisition acknowledgment nl: ORS - Bevestiging aanvraag aanvulling voorraad | | | | added v2.4
O07 | en: OMN - Non-stock requisition order nl: OMN - Aanvraag aanvulling niet-voorraad | | | | added v2.4
O08 | en: ORN - Non-stock requisition acknowledgment nl: ORN - Bevestiging aanvraag aanvulling niet-voorraad | | | | added v2.4
O09 | en: OMP - Pharmacy/treatment order nl: OMP - Medicatie/therapie aanvraag | | | | added v2.4
O10 | en: ORP - Pharmacy/treatment order acknowledgment nl: ORP - Bevestiging medicatie/therapie aanvraag | | | | added v2.4
O11 | en: RDE - Pharmacy/treatment encoded order nl: RDE - Gecodeerde aanvraag medicatie/therapie | | | | added v2.4
O12 | en: RRE - Pharmacy/treatment encoded order acknowledgment nl: RRE - Bevestiging gecodeerde aanvraag medicatie/therapie | | | | added v2.4
O13 | en: RDS - Pharmacy/treatment dispense nl: RDS - Medicatie/therapieverstrekking | | | | added v2.4
O14 | en: RRD - Pharmacy/treatment dispense acknowledgment nl: RRD - Bevestiging medicatie/therapieverstrekking | | | | added v2.4
O15 | en: RGV - Pharmacy/treatment give nl: RGV - Medicatie/therapie gegeven | | | | added v2.4
O16 | en: RRG - Pharmacy/treatment give acknowledgment nl: RRG - Bevestiging medicatie/therapie gegeven | | | | added v2.4
O17 | en: RAS - Pharmacy/treatment administration nl: RAS - Medicatie/therapietoediening | | | | added v2.4
O18 | en: RRA - Pharmacy/treatment administration acknowledgment nl: RRA - Bevestiging medicatie/therapietoediening | | | | added v2.4
O19 | en: OMG - General clinical order nl: OMG - Algemene klinische aanvraag | | | | added v2.4
O20 | en: ORG/ORL - General clinical order response nl: ORG/ORL - Antwoord algemene klinische aanvraag | | | | added v2.4
O21 | en: OML - Laboratory order nl: OML - Laboratoriumaanvraag | | | | added v2.4
O22 | en: ORL - General laboratory order response message to any OML nl: ORL - Algemeen laboratoriumaanvraag antwoordbericht op alle OML | | | | added v2.5
O23 | en: OMI - Imaging order nl: OMI - Beeldaanvraag | | | | added v2.5
O24 | en: ORI - Imaging order response message to any OMI nl: ORI - Beeldaanvraag antwoordbericht op alle OMI | | | | added v2.5
O25 | en: RDE - Pharmacy/treatment refill authorization request nl: RDE - Autorisatieverzoek voor herhaal medicatie/therapie | | | | added v2.5
O26 | en: RRE - Pharmacy/Treatment Refill Authorization Acknowledgement nl: RRE - Antwoord autorisatieverzoek voor herhaal medicatie/therapie | | | | added v2.5
O27 | en: OMB - Blood product order nl: OMB - Bloedproductaanvraag | | | | added v2.5
O28 | en: ORB - Blood product order acknowledgment nl: ORB - Antwoordbericht bloedproductaanvraag | | | | added v2.5
O29 | en: BPS - Blood product dispense status nl: BPS - Bloedproduct verstrekkingstatus | | | | added v2.5
O30 | en: BRP - Blood product dispense status acknowledgment nl: BRP - Antwoordbericht bloedproduct verstrekkingstatus | | | | added v2.5
O31 | en: BTS - Blood product transfusion/disposition nl: BTS - Bloedproduct transfusie/dispositie | | | | added v2.5
O32 | en: BRT - Blood product transfusion/disposition acknowledgment nl: BRT - Antwoordbericht bloedproduct transfusie/dispositie | | | | added v2.5
O33 | en: OML - Laboratory order for multiple orders related to a single specimen nl: OML - Laboratoriumaanvraag voor meerdere aanvragen met betrekking tot één monster | | | | added v2.5
O34 | en: ORL - Laboratory order response message to a multiple order related to single specimen OML nl: ORL - Antwoordbericht laboratoriumaanvraag voor meerdere aanvragen met betrekking tot één monster OML | | | | added v2.5
O35 | en: OML - Laboratory order for multiple orders related to a single container of a specimen nl: OML - Laboratoriumaanvraag voor meerdere aanvragen met betrekking tot één container van een monster OML | | | | added v2.5

O36 | en: ORL - Laboratory order response message to a single container of a specimen OML nl: ORL - Antwoordbericht laboratoriumaanvraag voor meerdere aanvragen met betrekking tot één container van een monster OML | | | | added v2.5
O37 | en: OPL - Population/Location-Based Laboratory Order Message nl: OPL - Populatie/locatie-gebaseerd laboratoriumaanvraag bericht | | | | added v2.6
O38 | en: OPR - Population/Location-Based Laboratory Order Acknowledgment Message nl: OPR - Bevestiging populatie/locatie-gebaseerd laboratoriumaanvraag bericht | | | | added v2.6
O39 | en: Specimen shipment centric laboratory order nl: Monsterverzending-georiënteerde laboratoriumaanvraag | | | | added v2.7
O40 | en: Specimen Shipment Centric Laboratory Order Acknowledgment Message nl: Antwoord monsterverzending-georiënteerde laboratoriumaanvraag | | | | added v2.7
O41 | en: DBC - Create Donor Record Message nl: DBC - Maak donorrecord bericht | | | | added v2.8
O42 | en: DBU - Update Donor Record Message nl: DBU - Update donorrecord bericht | | | | added v2.8
O43 | en: General Order Message with Document Payload Acknowledgement Message nl: Algemeen aanvraagbericht met documentinhoud bevestigingsbericht | | | | added v2.8
O44 | en: Donor Registration - Minimal Message nl: Donorregistratie - minimaal bericht | | | | added v2.8
O45 | en: Donor Eligibility Observations Message nl: Donorkwalificatie observaties bericht | | | | added v2.8
O46 | en: Donor Eligiblity Message nl: Donorkwalificatie bericht | | | | added v2.8
O47 | en: Donor Request to Collect Message nl: Verzoekbericht donatie verzameling | | | | added v2.8
O48 | en: Donation Procedure Message nl: Procedurebericht donatie | | | | added v2.8
O49 | Pharmacy/Treatment Dispense Request Message | | | | added v2.9
O50 | Pharmacy/Treatment Encoded Order Acknowledgment | | | | added v2.9
O51 | OSU – Order Status Update | | | | added v2.9
O52 | OSU – Order Status Update Acknowledgement | | | | added v2.9
O53 | ORL - General Laboratory Order Acknowledgment Message (Patient Optional) | | | | added v2.9
O54 | ORL - Laboratory Order Acknowledgment Message – Multiple Order Per Specimen (Patient Optional) | | | | added v2.9
O55 | ORL - Laboratory Order Acknowledgment Message – Multiple Order Per Container of Specimen (Patient Optional) | | | | added v2.9
O56 | ORL - Specimen Shipment Centric Laboratory Order Acknowledgment Message (Patient Optional) | | | | added v2.9
O57 | OMQ- General Order Message with Document Payload | | | | added v2.9
O58 | ORX - General Order Message with Document Payload Acknowledgement Message | | | | added v2.9
O59 | OML - Laboratory order for additional work up | | | | added v2.9
P01 | en: BAR/ACK - Add patient accounts de: Eröffnung eines Patientenkontos nl: BAR/ACK - Voeg patiëntaccounts toe | | | | from v2.1
P02 | en: BAR/ACK - Purge patient accounts de: Löschen der Abrechnungsdaten eines Patientenkontos nl: BAR/ACK - Verwijder patiëntaccounts | | | | from v2.1
P03 | en: DFT/ACK - Post detail financial transaction de: Leistungs- und Abrechnungsinformationen nl: Details financiële verrichting | | | | from v2.1
P04 | en: QRY/DSP - Generate bill and A/R statements de: Druck und Anzeige von Rechnungen nl: QRY/DSP - Maak factuur en verkregen diensten | | Deprecated | en: Deprecated nl: Vervallen | from v2.1
P05 | en: BAR/ACK - Update account de: Änderung eines Patientenkontos | | | added v2.3
P06 | en: BAR/ACK - End account de: Abschluß eines Patientenkontos nl: BAR/ACK - Beëindig account | | | | added v2.3
P07 | en: PEX - Unsolicited initial individual product experience report de: unaufgeforderte individueller Produktersterfahrungsbericht nl: PEX - Ongevraagd initieel rapport individueel productervaringen | | | | added v2.3
P08 | en: PEX - Unsolicited update individual product experience report de: Änderung individueller Produktersterfahrungsbericht nl: PEX - Ongevraagde update rapport individueel productervaringen | | | | added v2.3
P09 | en: SUR - Summary product experience report de: zusammenfassender Produkterfahrungsbericht nl: SUR - Samenvatting rapport productervaringen | | Deprecated | en: Deprecated nl: Vervallen | added v2.3
P10 | en: BAR/ACK -Transmit Ambulatory Payment Classification(APC) nl: BAR/ACK - Verstuur Ambulatory Payment Classification (APC) | | | | added v2.4
P11 | en: DFT/ACK - Post Detail Financial Transactions - New nl: DFT/ACK - Verstuur financiële verrichtingen - Nieuw | | | | added v2.5
P12 | en: BAR/ACK - Update Diagnosis/Procedure nl: BAR/ACK - Update diagnose/behandeling | | | | added v2.5
PC1 | en: PPR - PC/ problem add de: Problem hinzufügen nl: PPR - PC/Voeg probleem toe | | | | added v2.3
PC2 | en: PPR - PC/ problem update de: Problem ändern nl: PPR - PC/Update probleem | | | | added v2.3
PC3 | en: PPR - PC/ problem delete de: Problem löschen nl: PPR - PC/Verwijder probleem | | | | added v2.3
PC4 | en: QRY - PC/ problem query de: Problem abfragen nl: PPR - PC/Query problemen | | Deprecated | en: Deprecated nl: Vervallen | added v2.3
PC5 | en: PRR - PC/ problem response de: Problem Anfrage beantworten nl: PPR - PC/Antwoord problemen | | Deprecated | en: Deprecated nl: Vervallen | added v2.3
PC6 | en: PGL - PC/ goal add de: Ziel hinzufügen nl: PGL - PC/Voeg doel toe | | | | added v2.3
PC7 | en: PGL - PC/ goal update de: Ziel ändern nl: PGL - PC/Update doel | | | | added v2.3
PC8 | en: PGL - PC/ goal delete de: Ziel löschen nl: PGL - PC/Verwijder doel | | | | added v2.3
PC9 | en: QRY - PC/ goal query de: Ziel abfragen nl: PGL - PC/Query doelen | | Deprecated | en: Deprecated nl: Vervallen | added v2.3
PCA | en: PPV - PC/ goal response de: Ziel Anfrage beantworten nl: PPV - PC/Antwoord doelen | | Deprecated | en: Deprecated nl: Vervallen | added v2.3
PCB | en: PPP - PC/ pathway (problem-oriented) add de: (problemorientierte) Leitlinie hinzufügen nl: PPP - PC/Voeg zorgpad toe (probleemgeoriënteerd) | | | | added v2.3
PCC | en: PPP - PC/ pathway (problem-oriented) update de: (problemorientierte) Leitlinie ändern nl: PPP - PC/Update zorgpad (probleemgeoriënteerd) | | | | added v2.3
PCD | en: PPP - PC/ pathway (problem-oriented) delete de: (problemorientierte) Leitlinie löschen nl: PPP - PC/Verwijder zorgpad (probleemgeoriënteerd) | | | | added v2.3
PCE | en: QRY - PC/ pathway (problem-oriented) query de: (problemorientierte) Leitlinie abfragen nl: QRY - PC/Query zorgpaden (probleemgeoriënteerd) | | Deprecated | en: Deprecated nl: Vervallen | added v2.3

PCF | en: PTR - PC/ pathway (problem-oriented) query response de: (problemorientierte) Leitlinie Anfrage beantworten nl: PTR - PC/Antwoord zorgpaden (probleemgeoriënteerd) | | Deprecated | en: Deprecated nl: Vervallen | added v2.3
PCG | en: PPG - PC/ pathway (goal-oriented) add de: (zielorientierte) Leitlinie hinzufügen nl: PPG - PC/Voeg zorgpad toe (doelgeoriënteerd) | | | | added v2.3
PCH | en: PPG - PC/ pathway (goal-oriented) update de: (zielorientierte) Leitlinie ändern nl: PPG - PC/Update zorgpad (doelgeoriënteerd) | | | | added v2.3
PCJ | en: PPG - PC/ pathway (goal-oriented) delete de: (zielorientierte) Leitlinie löschen nl: PPG - PC/Verwijder zorgpad (doelgeoriënteerd) | | | | added v2.3
PCK | en: QRY - PC/ pathway (goal-oriented) query de: (zielorientierte) Leitlinie abfragen nl: QRY - PC/Query zorgpaden (doelgeoriënteerd) | | Deprecated | en: Deprecated nl: Vervallen | added v2.3
PCL | en: PPT - PC/ pathway (goal-oriented) query response de: (zielorientierte) Leitlinie Anfrage beantworten nl: PPT - PC/Antwoord zorgpaden (doelgeoriënteerd) | | Deprecated | en: Deprecated nl: Vervallen | added v2.3
Q01 | en: QRY/DSR - Query sent for immediate response de: Anfrage mit sofortiger Antwort nl: QRY/DSR - Query verzonden voor directe beantwoording | | Deprecated | en: Deprecated nl: Vervallen | from v2.1
Q02 | en: QRY/QCK - Query sent for deferred response de: Anfrage mit verzögerter Antwort nl: QRY/QCK - Query verzonden voor indirecte beantwoording | | Deprecated | en: Deprecated nl: Vervallen | from v2.1
Q03 | en: DSR/ACK - Deferred response to a query de: Verzögerte Antwort auf Anfrage nl: DSR/ACK - Indirect antwoord op een query | | Deprecated | en: Deprecated nl: Vervallen | added v2.2
Q04 | EQQ - Embedded query language query | | Deprecated | | added v2.3.1, removed after v2.5.1
Q05 | en: UDM/ACK - Unsolicited display update message de: Sofortige Bildschirmanzeige (Eilmeldung) nl: UDM/ACK - Ongevraagd bericht voor weergave update | | | | added v2.2
Q06 | en: OSQ/OSR - Query for order status de: Abfrage des Auftragsstatus nl: OSQ/OSR - Query om aanvraagstatus | | Deprecated | en: Deprecated nl: Vervallen | added v2.3
Q07 | en: VQQ - Virtual table query nl: VQQ - Virtuele tabel query | | Deprecated | | added v2.3.1, removed after v2.5.1
Q08 | en: SPQ - Stored procedure request nl: SPQ - Verzoek stored procedure | | Deprecated | | added v2.3.1, removed after v2.5.1
Q09 | en: RQQ - event replay query nl: RQQ - Query event replay | | Deprecated | | added v2.3.1, removed after v2.5.1
Q11 | en: QBP - Query by parameter requesting an RSP segment pattern response nl: QBP - Query op parameter met als antwoord een RSP-segmentpatroon | | | | added v2.5
Q13 | en: QBP - Query by parameter requesting an RTB - tabular response nl: QBP - Query op parameter met als antwoord een RTB-tabelpatroon | | | | added v2.5
Q15 | en: QBP - Query by parameter requesting an RDY display response nl: QBP - Query op parameter met als antwoord een RDY-weergavepatroon | | | | added v2.5
Q16 | en: QSB - Create subscription nl: QSB - Maak abonnement | | | | added v2.4
Q17 | en: QVR - Query for previous events nl: QVR - Query op vorige events | | | | added v2.4
Q21 | en: QBP - Get person demographics nl: QBP - Query persoonsgegevens | | | | added v2.4
Q22 | en: QBP - Find candidates nl: QBP - Zoek kandidaten | | | | added v2.4
Q23 | en: QBP - Get corresponding identifiers nl: QBP - Query bijbehorende ID's | | | | added v2.4
Q24 | en: QBP - Allocate identifiers nl: QBP - Alloceer ID's | | | | added v2.4
Q25 | en: QBP - Personnel Information by Segment Query nl: QBP - Query personeelinformatie op segment | | | | added v2.4
Q26 | en: ROR - Pharmacy/treatment order response nl: ROR - Antwoordbericht aanvraag medicatie/therapie | | Deprecated | en: Deprecated nl: Vervallen | added v2.5
Q27 | en: RAR - Pharmacy/treatment administration information nl: RAR - Medicatie/therapie toedieningsinformatie | | Deprecated | en: Deprecated nl: Vervallen | added v2.5
Q28 | en: RDR - Pharmacy/treatment dispense information nl: RDR - Medicatie/therapie verstrekkingsinformatie | | Deprecated | en: Deprecated nl: Vervallen | added v2.5
Q29 | en: RER - Pharmacy/treatment encoded order information nl: RER - Medicatie/therapie gecodeerde aanvraag-informatie | | Deprecated | en: Deprecated nl: Vervallen | added v2.5
Q30 | en: RGR - Pharmacy/treatment dose information nl: RER - Medicatie/therapie doseringsinformatie | | Deprecated | en: Deprecated nl: Vervallen | added v2.5
Q31 | en: QBP Query Dispense history nl: QBP - Query verstrekkingshistorie | | | | added v2.5.1
Q32 | en: Find Candidates including Visit Information nl: Zoek kandidaten inclusief bezoekinformatie | | | | added v2.7
Q33 | en: QBP - Get Donor Record Candidates nl: QBP - Ophalen donorrecord kandidaten | | | | added v2.8
Q34 | en: QBP - Get Donor Record nl: QBP - Ophalen donorrecord | | | | added v2.8
R01 | en: ORU/ACK - Unsolicited transmission of an observation message de: unangeforderte Übermittlung eines Befundes nl: ORU/ACK - Ongevraagde verzending van een observatiebericht | | | | from v2.1
R02 | en: QRY - Query for results of observation de: Anfrage nach Untersuchungsergebnis nl: Query op observatieresultaten | | Deprecated | en: Deprecated nl: Vervallen | added v2.2
R03 | en: QRY/DSR Display-oriented results, query/unsol. update (for backward compatibility only) (Replaced by Q05) de: Anzeigeorientiertes Ergebnis nl: QRY/DSR - Weergave-georiënteerde resultaten, query/ongevr. update (voor backward compatibiliteit) (Vervangen door Q05) | | Deprecated | | from v2.1, removed after v2.5.1
R04 | en: ORF - Response to query; transmission of requested observation de: Antwort auf Anfrage / Übermittlung eines angeforderten Ergebnisses nl: ORF - Antwoord op query; verzending van aangevraagde observatie | | Deprecated | en: Deprecated nl: Vervallen | added v2.2
R05 | en: QRY/DSR - query for display results (See Q01) de: Anfrage nach anzeigeorientierten Ergebnissen nl: QRY/DSR - Query op weergave resultaten (zie Q01) | | Deprecated | | added v2.3, removed after v2.4
R06 | en: UDM - unsolicited update/display results (See Q05) de: unaufgeforderte Änderung anzeigeorientierter Ergebnisse nl: UDM - Ongevraagde update/weergave resultaten (zie Q05) | | Deprecated | | added v2.3, removed after v2.4
R07 | en: EDR - Enhanced Display Response nl: EDR - Antwoord verrijkte weergave | | Deprecated | | added v2.3.1, removed after v2.5.1
R08 | en: TBR - Tabular Data Response nl: TBR - Antwoord gegevens in tabelvorm | | Deprecated | | added v2.3.1, removed after v2.5.1
R09 | en: ERP - Event Replay Response nl: ERP - Antwoord event replay | | Deprecated | | added v2.3.1, removed after v2.5.1
R0R | en: R0R - Pharmacy prescription order query response nl: R0R - Medicatievoorschriftaanvraag query antwoord | | Deprecated | | added v2.3.1, removed after v2.3.1

R21 | en: OUL - Unsolicited laboratory observation nl: OUL - Ongevraagde laboratoriumobservatie | | Deprecated | en: Deprecated nl: Vervallen | added v2.4
R22 | en: OUL - Unsolicited Specimen Oriented Observation Message nl: OUL - Ongevraagde monster-georiënteerde observatie | | | | added v2.5
R23 | en: OUL - Unsolicited Specimen Container Oriented Observation Message nl: OUL - Ongevraagde monstercontainer-georiënteerde observatie | | | | added v2.5
R24 | en: OUL - Unsolicited Order Oriented Observation Message nl: OUL - Ongevraagde aanvraag-georiënteerde observatie | | | | added v2.5
R25 | en: OPU - Unsolicited Population/Location-Based Laboratory Observation Message nl: OPU - Ongevraagde populatie/locatie-gebaseerd laboratoriumobservatie | | | | added v2.6
R26 | en: OSM - Unsolicited Specimen Shipment Manifest Message nl: OSM - Ongevraagde monsterverzending manifest | | | | added v2.7
R30 | en: ORU - Unsolicited Point-Of-Care Observation Message Without Existing Order - Place An Order nl: ORU - Ongevraagde Point-Of-Care observatie zonder voorafgaande aanvraag - Plaats een aanvraag | | | | added v2.5
R31 | en: ORU - Unsolicited New Point-Of-Care Observation Message - Search For An Order nl: ORU - Ongevraagde nieuwe Point-Of-Care observatie - Zoek een aanvraag | | | | added v2.5
R32 | en: ORU - Unsolicited Pre-Ordered Point-Of-Care Observation nl: ORU - Ongevraagde pre-ordered Point-Of-Care observatie | | | | added v2.5
R33 | en: ORA - Observation Report Acknowledgement nl: ORA - Bevestiging observatieverslag | | | | added v2.7
R40 | en: ORU - Unsolicited Report Alarm nl: ORU - Ongevraagd rapport alarm | | | | added v2.8
R41 | en: Observation Report Alert Acknowledgement nl: Bevestiging observatierapport waarschuwing | | | | added v2.8
R42 | ORU – Unsolicited Device Event Observation Message | | | | added v2.9
R43 | ORU – Unsolicited Patient-Device Association Observation Message | | | | added v2.9
RAR | en: RAR - Pharmacy administration information query response de: Antwort bzgl. der Behandlungs-/Darreichungsform nl: RAR - Medicatietoediening-informatie query antwoord | | Deprecated | | added v2.3, removed after v2.4
RDR | en: RDR - Pharmacy dispense information query response de: Antwort bzgl. des zu verabreichenden Medikamentes bzw. der Behandlung nl: RDR - Medicatieverstrekking-informatie query antwoord | | Deprecated | | added v2.3, removed after v2.4
RER | en: RER - Pharmacy encoded order information query response de: Antwort bzgl. des zu verabreichenden Medikamentes bzw. der Behandlung nl: RER - Medicatie gecodeerde aanvraaginformatie query antwoord | | Deprecated | | added v2.3, removed after v2.4
RGR | en: RGR - Pharmacy dose information query response de: Antwort bzgl. der Dosis bzw. der Frequenz der Behandlung nl: RGR - Medicatiedosering-informatie query antwoord | | Deprecated | | added v2.3, removed after v2.4
ROR | en: ROR - Pharmacy prescription order query response de: Antwort bzgl. der Verschreibungsanforderung des Arzneiverordnung bzw. d.Behandlg nl: ROR - Medicatievoorschrift aanvraag query antwoord | | Deprecated | en: Deprecated nl: Vervallen | added v2.3
S01 | en: SRM/SRR - Request new appointment booking de: Terminanforderung nl: SRM/SRR - Verzoek boeken nieuwe afspraak | | | | added v2.3
S02 | en: SRM/SRR - Request appointment rescheduling de: Anforderung für Terminverschiebung nl: SRM/SRR - Verzoek verzetten afspraak | | | | added v2.3
S03 | en: SRM/SRR - Request appointment modification de: Anforderung für inhaltliche Terminänderung nl: SRM/SRR - Verzoek aanpassen afspraak | | | | added v2.3
S04 | en: SRM/SRR - Request appointment cancellation de: Absage eines Termins nl: SRM/SRR - Verzoek annuleren afspraak | | | | added v2.3
S05 | en: SRM/SRR - Request appointment discontinuation de: Aussetzung des aktuellen oder weiterer Termine nl: SRM/SRR - Verzoek stopzetten afspraak | | | | added v2.3
S06 | en: SRM/SRR - Request appointment deletion de: Stornierung eines Termins nl: SRM/SRR - Verzoek verwijderen afspraak | | | | added v2.3
S07 | en: SRM/SRR - Request addition of service/resource on appointment de: Anforderung zusätzlicher Leistungen/Voraussetzungen zu einem Termin nl: SRM/SRR - Verzoek toevoegen dienst/resource bij afspraak | | | | added v2.3
S08 | en: SRM/SRR - Request modification of service/resource on appointment de: Änderungsanforderung für zusätzliche Leistungen/Voraussetzungen zu einem Termin nl: SRM/SRR - Verzoek wijzigen dienst/resource bij afspraak | | | | added v2.3
S09 | en: SRM/SRR - Request cancellation of service/resource on appointment de: Absage für zusätzliche Leistungen/Voraussetzungen zu einem Termin nl: SRM/SRR - Verzoek annuleren dienst/resource bij afspraak | | | | added v2.3
S10 | en: SRM/SRR - Request discontinuation of service/resource on appointment de: Aussetzung für zusätzliche Leistungen/Voraussetzungen zu einem Termin nl: SRM/SRR - Verzoek stopzetten dienst/resource bij afspraak | | | | added v2.3
S11 | en: SRM/SRR - Request deletion of service/resource on appointment de: Stornierung für zusätzliche Leistungen/Voraussetzungen zu einem Termin nl: SRM/SRR - Verzoek verwijderen dienst/resource bij afspraak | | | | added v2.3
S12 | en: SIU/ACK - Notification of new appointment booking de: Benachrichtigung über Terminvergabe nl: SIU/ACK - Notificatie van nieuw geboekte afspraak | | | | added v2.3
S13 | en: SIU/ACK - Notification of appointment rescheduling de: Benachrichtigung für Terminverschiebung nl: SIU/ACK - Notificatie van verzetten afspraak | | | | added v2.3
S14 | en: SIU/ACK - Notification of appointment modification de: Benachrichtigung für inhaltliche Terminänderung nl: SIU/ACK - Notificatie van wijzigen afspraak | | | | added v2.3
S15 | en: SIU/ACK - Notification of appointment cancellation de: Benachrichtigung über Terminabsage nl: SIU/ACK - Notificatie van annuleren afspraak | | | | added v2.3
S16 | en: SIU/ACK - Notification of appointment discontinuation de: Benachrichtigung über Aussetzung des aktuellen oder weiterer Termine nl: SIU/ACK - Notificatie van stopzetten afspraak | | | | added v2.3
S17 | en: SIU/ACK - Notification of appointment deletion de: Benachrichtigung über Stornierung eines Termins nl: SIU/ACK - Notificatie van verwijderen afspraak | | | | added v2.3
S18 | en: SIU/ACK - Notification of addition of service/resource on appointment de: Benachrichtigung über zusätzlicher Leistungen/Voraussetzungen zu einem Termin nl: SIU/ACK - Notificatie van toevoegen dienst/resource bij afspraak | | | | added v2.3
S19 | en: SIU/ACK - Notification of modification of service/resource on appointment de: Änderungsbenachrichtigung f.zusätzl. Leistungen/Voraussetzungen zu einem Termin nl: SIU/ACK - Notificatie van wijzigen dienst/resource bij afspraak | | | | added v2.3
S20 | en: SIU/ACK - Notification of cancellation of service/resource on appointment de: Benachrichtigung f. zusätzliche Leistungen/Voraussetzungen zu einem Terminabsage nl: SIU/ACK - Notificatie van annuleren dienst/resource bij afspraak | | | |

added v2.3
S21 | en: SIU/ACK - Notification of discontinuation of service/resource on appointment de: Benachrichtigung über Aussetzung für zusätzliche Leistungen/Voraussetzungen nl: SIU/ACK - Notificatie van stopzetten dienst/resource bij afspraak | | | | added v2.3
S22 | en: SIU/ACK - Notification of deletion of service/resource on appointment de: Benachrichtigung Stornierg.f.zusätzl.Leistungen/Voraussetzungen zu einem Termin nl: SIU/ACK - Notificatie van verwijderen dienst/resource bij afspraak | | | | added v2.3
S23 | en: SIU/ACK - Notification of blocked schedule time slot(s) de: Benachrichtigung über nicht verfügbare Zeitbereiche nl: SIU/ACK - Notificatie van geblokkeerde agenda tijdblok(ken) | | | | added v2.3
S24 | en: SIU/ACK - Notification of opened ("unblocked") schedule time slot(s) de: Benachrichtigung über (wieder) verfügbare Zeitbereiche nl: SIU/ACK - Notificatie van open (niet-geblokkeerde) agenda tijdblok(ken) | | | | added v2.3
S25 | en: SQM/SQR - Schedule query message and response de: Anfrage nach Zeitplaninformation nl: SQM/SQR - Query agenda-informatie en antwoord | | Deprecated | en: Deprecated nl: Vervallen | added v2.3
S26 | en: SIU/ACK Notification that patient did not show up for schedule appointment de: Benachrichtigung über Nichterscheinen eines Patienten nl: SIU/ACK - Notificatie dat patiënt niet is komen opdagen voor agenda-afspraak | | | | added v2.3
S27 | en: SIU/ACK - Broadcast Notification of Scheduled Appointments nl: SIU/ACK - Broadcast notificatie van geplande afspraken | | | | added v2.7
S28 | en: SLR/SLS - Request new sterilization lot nl: SLR/SLS - Verzoek nieuwe lot sterilisatie | | | | added v2.6
S29 | en: SLR/SLS - Request Sterilization lot deletion nl: SLR/SLS - Verzoek verwijderen lot sterilisatie | | | | added v2.6
S30 | en: STI/STS - Request item nl: STI/STS - Verzoek item | | | | added v2.6
S31 | en: SDR/SDS - Request anti-microbial device data nl: SDR/SDS - Verzoek anti-microbisch apparaatgegevens | | | | added v2.6
S32 | en: SMD/SMS - Request anti-microbial device cycle data nl: SMD/SMS - Verzoek anti-microbisch apparaatomloopgegevens | | | | added v2.6
S33 | en: STC/ACK - Notification of sterilization configuration nl: STC/ACK - Notificatie van sterilisatie configuratie | | | | added v2.6
S34 | en: SLN/ACK - Notification of sterilization lot nl: SLN/ACK - Notificatie van sterilisatie lot | | | | added v2.6
S35 | en: SLN/ACK - Notification of sterilization lot deletion nl: SLN/ACK - Notificatie verwijdering van sterilisatie lot | | | | added v2.6
S36 | en: SDN/ACK - Notification of anti-microbial device data nl: SDN/ACK - Notificatie anti-microbisch apparaatgegevens | | | | added v2.6
S37 | en: SCN/ACK - Notification of anti-microbial device cycle data nl: SDN/ACK - Notificatie anti-microbisch apparaatomloopgegevens | | | | added v2.6
T01 | en: MDM/ACK - Original document notification de: Benachrichtigung über die Neuanlage eines Dokuments ohne Inhalt nl: MDM/ACK - Notificatie origineel document | | | | added v2.3
T02 | en: MDM/ACK - Original document notification and content de: Benachrichtigung über die Neuanlage eines Dokuments mit Inhaltsübermittlung nl: MDM/ACK - Notificatie origineel document met inhoud | | | | added v2.3
T03 | en: MDM/ACK - Document status change notification de: Benachrichtigung über die Statusänderung eines Dokuments (ohne Inhalt) nl: MDM/ACK - Notificatie wijzigen documentstatus | | | | added v2.3
T04 | en: MDM/ACK - Document status change notification and content de: Benachrichtigung über die Statusänderung eines Dokuments (mit Inhalt) nl: MDM/ACK - Notificatie wijzigen documentstatus met inhoud | | | | added v2.3
T05 | en: MDM/ACK - Document addendum notification de: Benachrichtigung über die Ergänzung eines Dokuments (ohne Inhalt) nl: MDM/ACK - Notificatie documentaddendum | | | | added v2.3
T06 | en: MDM/ACK - Document addendum notification and content de: Benachrichtigung über die Ergänzung eines Dokuments (mit Inhalt) nl: MDM/ACK - Notificatie documentaddendum met inhoud | | | | added v2.3
T07 | en: MDM/ACK - Document edit notification de: Benachrichtigung über die Änderung eines Dokuments (ohne Inhalt) nl: MDM/ACK - Notificatie wijziging document | | | | added v2.3
T08 | en: MDM/ACK - Document edit notification and content de: Benachrichtigung über die Änderung eines Dokuments (mit Inhalt) nl: MDM/ACK - Notificatie wijziging document met inhoud | | | | added v2.3
T09 | en: MDM/ACK - Document replacement notification de: Benachrichtigung über den Austausch eines Dokuments (ohne Inhalt) nl: MDM/ACK - Notificatie vervanging document | | | | added v2.3
T10 | en: MDM/ACK - Document replacement notification and content de: Benachrichtigung über den Austausch eines Dokuments (mit Inhalt) nl: MDM/ACK - Notificatie vervanging document met inhoud | | | | added v2.3
T11 | en: MDM/ACK - Document cancel notification de: Benachrichtigung über die Löschung eines Dokuments nl: MDM/ACK - Notificatie annuleren document | | | | added v2.3
T12 | en: QRY/DOC - Document query de: Dokumentanfrage nl: QRY/DOC - Query documenten | | Deprecated | en: Deprecated nl: Vervallen | added v2.3
U01 | en: ESU/ACK - Automated equipment status update nl: ESU/ACK - Geautomatiseerde materiaal status update | | | | added v2.4
U02 | en: ESR/ACK - Automated equipment status request nl: ESR/ACK - Geautomatiseerde materiaal status verzoek | | | | added v2.4
U03 | en: SSU/ACK - Specimen status update nl: SSU/ACK - Monster status update | | | | added v2.4
U04 | en: SSR/ACK - specimen status request nl: SSR/ACK - Monster status verzoek | | | | added v2.4
U05 | en: INU/ACK - Automated equipment inventory update nl: INU/ACK - Geautomatiseerde materiaal voorraad update | | | | added v2.4
U06 | en: INR/ACK - Automated equipment inventory request nl: INR/ACK - Geautomatiseerde materiaal voorraad verzoek | | | | added v2.4
U07 | en: EAC/ACK - Automated equipment command nl: EAC/ACK - Geautomatiseerde materiaal commando | | | | added v2.4
U08 | en: EAR/ACK - Automated equipment response nl: EAR/ACK - Geautomatiseerde materiaal antwoord | | | | added v2.4
U09 | en: EAN/ACK - Automated equipment notification nl: EAN/ACK - Geautomatiseerde materiaal notificatie | | | | added v2.4
U10 | en: TCU/ACK - Automated equipment test code settings update nl: TCU/ACK - Geautomatiseerde materiaal testcode instellingen update | | | | added v2.4
U11 | en: TCR/ACK - Automated equipment test code settings request nl: TCR/ACK - Geautomatiseerde materiaal testcode instellingen verzoek | | | | added v2.4
U12 | en: LSU/ACK - Automated equipment log/service update nl: LSU/ACK - Geautomatiseerde materiaal log/service update | | | | added v2.4
U13 | en: LSR/ACK - Automated equipment log/service request nl: LSR/ACK - Geautomatiseerde materiaal log/service verzoek | | | | added v2.4
U14 | INR/ACK – Automated Equipment Inventory Request | | | | added v2.9

V01 | en: VXQ - Query for vaccination record de: Anfrage nach Impfstatus eines Patienten nl: VQX - Query op vaccinatiegegevens | | Deprecated | en: Deprecated nl: Vervallen | added v2.3

V02 | en: VXX - Response to vaccination query returning multiple PID matches de: Antwort auf Impfstatusanfrage bei nicht-eindeutiger Patienten-ID nl: VXX - Antwoord op query vaccinatiegegevens met meerdere PID's | | Deprecated | en: Deprecated nl: Vervallen | added v2.3

V03 | en: VXR - Vaccination record response de: Antwort auf Impfstatusanfrage zu einem Patienten nl: VXR - Antwoord op query vaccinatiegegevens | | Deprecated | en: Deprecated nl: Vervallen | added v2.3

V04 | en: VXU - Unsolicited vaccination record update de: unaufgeforderte Änderung zu dem Impfstatus eines Patienten nl: VXU - Ongevraagde update vaccinatiegegevens | | | | added v2.3

Varies | en: MFQ/MFR - Master files query (use event same as asking for e.g., M05 - location) de: allgemeine Stammdatenanfrage nl: MFQ/MFR - Masterbestanden query (gebruik event zoals bij vragen naar bijv. M05 - locatie) | | | | added v2.3

W01 | en: ORU - Waveform result, unsolicited transmission of requested information de: unaufgeforderte Übermittlung von Signaldaten nl: ORU - Waveformresultaat, ongevraagde verzending van aangevraagde informatie | | Deprecated | en: Deprecated nl: Vervallen | added v2.3

W02 | en: QRF - Waveform result, response to query de: angeforderte Übermittlung von Signaldaten nl: QRF - Waveformresultaat, antwoord op query | | Deprecated | en: Deprecated nl: Vervallen | added v2.3

X01 | en: PEX - Product experience nl: PEX - Productervaring | | Deprecated | | added v2.3, removed after v2.3

Properties

Code | URL | Description | Type

status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code

deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0003 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version

A01 | ADT/ACK - Admit/visit notification | | | | from v2.1

A02 | ADT/ACK - Transfer a patient | | | | from v2.1

A03 | ADT/ACK - Discharge/end visit | | | | from v2.1

A04 | ADT/ACK - Register a patient | | | | from v2.1

A05 | ADT/ACK - Pre-admit a patient | | | | from v2.1

A06 | ADT/ACK - Change an outpatient to an inpatient | | | | from v2.1

A07 | ADT/ACK - Change an inpatient to an outpatient | | | | from v2.1

A08 | ADT/ACK - Update patient information | | | | from v2.1

A09 | ADT/ACK - Patient departing - tracking | | | | from v2.1

A10 | ADT/ACK - Patient arriving - tracking | | | | from v2.1

A11 | ADT/ACK - Cancel admit/visit notification | | | | from v2.1

A12 | ADT/ACK - Cancel transfer | | | | from v2.1

A13 | ADT/ACK - Cancel discharge/end visit | | | | from v2.1

A14 | ADT/ACK - Pending admit | | | | from v2.1

A15 | ADT/ACK - Pending transfer | | | | from v2.1

A16 | ADT/ACK - Pending discharge | | | | from v2.1

A17 | ADT/ACK - Swap patients | | | | from v2.1

A18 | ADT/ACK - Merge patient information | | Deprecated | Deprecated | from v2.1

A19 | QRY/ADR - Patient query | | Deprecated | Deprecated | from v2.1

A20 | ADT/ACK - Bed status update | | | | from v2.1

A21 | ADT/ACK - Patient goes on a "leave of absence" | | | | from v2.1

A22 | ADT/ACK - Patient returns from a "leave of absence" | | | | from v2.1

A23 | ADT/ACK - Delete a patient record | | | | from v2.1

A24 | ADT/ACK - Link patient information | | | | from v2.1

A25 | ADT/ACK - Cancel pending discharge | | | | added v2.2

A26 | ADT/ACK - Cancel pending transfer | | | | added v2.2

A27 | ADT/ACK - Cancel pending admit | | | | added v2.2

A28 | ADT/ACK - Add person information | | | | added v2.2

A29 | ADT/ACK - Delete person information | | | | added v2.2

A30 | ADT/ACK - Merge person information | | Deprecated | Deprecated | added v2.2

A31 | ADT/ACK - Update person information | | | | added v2.2

A32 | ADT/ACK - Cancel patient arriving - tracking | | | | added v2.2

A33 | ADT/ACK - Cancel patient departing - tracking | | | | added v2.2

A34 | ADT/ACK - Merge patient information - patient ID only | | Deprecated | Deprecated | added v2.2

A35 | ADT/ACK - Merge patient information - account number only | | Deprecated | Deprecated | added v2.2

A36 | ADT/ACK - Merge patient information - patient ID and account number | | Deprecated | Deprecated | added v2.2

A37 | ADT/ACK - Unlink patient information | | | | added v2.2

A38 | ADT/ACK - Cancel pre-admit | | | | added v2.3

A39 | ADT/ACK - Merge person - patient ID | | Deprecated | Deprecated | added v2.3

A40 | ADT/ACK - Merge patient - patient identifier list | | | | added v2.3

A41 | ADT/ACK - Merge account - patient account number | | | | added v2.3

A42 | ADT/ACK - Merge visit - visit number | | | | added v2.3

A43 | ADT/ACK - Move patient information - patient identifier list | | | | added v2.3

A44 | ADT/ACK - Move account information - patient account number | | | | added v2.3

A45 | ADT/ACK - Move visit information - visit number | | | | added v2.3

A46 | ADT/ACK - Change patient ID | | Deprecated | Deprecated | added v2.3

A47 | ADT/ACK - Change patient identifier list | | | | added v2.3

A48 | ADT/ACK - Change alternate patient ID | | Deprecated | Deprecated | added v2.3
A49 | ADT/ACK - Change patient account number | | | | added v2.3
A50 | ADT/ACK - Change visit number | | | | added v2.3
A51 | ADT/ACK - Change alternate visit ID | | | | added v2.3
A52 | ADT/ACK - Cancel leave of absence for a patient | | | | added v2.4
A53 | ADT/ACK - Cancel patient returns from a leave of absence | | | | added v2.4
A54 | ADT/ACK - Change attending doctor | | | | added v2.4
A55 | ADT/ACK - Cancel change attending doctor | | | | added v2.4
A60 | ADT/ACK - Update allergy information | | | | added v2.4
A61 | ADT/ACK - Change consulting doctor | | | | added v2.4
A62 | ADT/ACK - Cancel change consulting doctor | | | | added v2.4
B01 | PMU/ACK - Add personnel record | | | | added v2.4
B02 | PMU/ACK - Update personnel record | | | | added v2.4
B03 | PMU/ACK - Delete personnel re cord | | | | added v2.4
B04 | PMU/ACK - Active practicing person | | | | added v2.4
B05 | PMU/ACK - Deactivate practicing person | | | | added v2.4
B06 | PMU/ACK - Terminate practicing person | | | | added v2.4
B07 | PMU/ACK - Grant Certificate/Permission | | | | added v2.5
B08 | PMU/ACK - Revoke Certificate/Permission | | | | added v2.5
C01 | CRM - Register a patient on a clinical trial | | | | added v2.3
C02 | CRM - Cancel a patient registration on clinical trial (for clerical mistakes only) | | | | added v2.3
C03 | CRM - Correct/update registration information | | | | added v2.3
C04 | CRM - Patient has gone off a clinical trial | | | | added v2.3
C05 | CRM - Patient enters phase of clinical trial | | | | added v2.3
C06 | CRM - Cancel patient entering a phase (clerical mistake) | | | | added v2.3
C07 | CRM - Correct/update phase information | | | | added v2.3
C08 | CRM - Patient has gone off phase of clinical trial | | | | added v2.3
C09 | CSU - Automated time intervals for reporting, like monthly | | | | added v2.3
C10 | CSU - Patient completes the clinical trial | | | | added v2.3
C11 | CSU - Patient completes a phase of the clinical trial | | | | added v2.3
C12 | CSU - Update/correction of patient order/result information | | | | added v2.3
CNQ | Cancel Query | | | | added v2.3
E01 | Submit HealthCare Services Invoice | | | | added v2.6
E02 | Cancel HealthCare Services Invoice | | | | added v2.6
E03 | HealthCare Services Invoice Status | | | | added v2.6
E04 | Re-Assess HealthCare Services Invoice Request | | | | added v2.6
E10 | Edit/Adjudication Results | | | | added v2.6
E12 | Request Additional Information | | | | added v2.6
E13 | Additional Information Response | | | | added v2.6
E15 | Payment/Remittance Advice | | | | added v2.6
E20 | Submit Authorization Request | | | | added v2.6
E21 | Cancel Authorization Request | | | | added v2.6
E22 | Authorization Request Status | | | | added v2.6
E24 | Authorization Response | | | | added v2.6
E30 | Submit Health Document related to Authorization Request | | | reserved for future/not yet defined | added v2.6
E31 | Cancel Health Document related to Authorization Request | | | reserved for future/not yet defined | added v2.6
I01 | RQI/RPI - Request for insurance information | | | | added v2.3
I02 | RQI/RPL - Request/receipt of patient selection display list | | | | added v2.3
I03 | RQI/RPR - Request/receipt of patient selection list | | | | added v2.3
I04 | RQD/RPI - Request for patient demographic data | | | | added v2.3
I05 | RQC/RCI - Request for patient clinical information | | Deprecated | Deprecated | added v2.3
I06 | RQC/RCL - Request/receipt of clinical data listing | | Deprecated | Deprecated | added v2.3
I07 | PIN/ACK - Unsolicited insurance information | | | | added v2.3
I08 | RQA/RPA - Request for treatment authorization information | | | | added v2.3
I09 | RQA/RPA - Request for modification to an authorization | | | | added v2.3
I10 | RQA/RPA - Request for resubmission of an authorization | | | | added v2.3
I11 | RQA/RPA - Request for cancellation of an authorization | | | | added v2.3
I12 | REF/RRI - Patient referral | | | | added v2.3
I13 | REF/RRI - Modify patient referral | | | | added v2.3
I14 | REF/RRI - Cancel patient referral | | | | added v2.3
I15 | REF/RRI - Request patient referral status | | | | added v2.3
I16 | Collaborative Care Referral | | | | added v2.7
I17 | Modify Collaborative Care Referral | | Deprecated | Deprecated | added v2.7
I18 | Cancel Collaborative Care Referral | | Deprecated | Deprecated | added v2.7
I19 | Collaborative Care Query/Collaborative Care Query Update | | | | added v2.7
I20 | Asynchronous Collaborative Care Update | | | | added v2.7
I21 | Collaborative Care Message | | | | added v2.7
I22 | Collaborative Care Fetch / Collaborative Care Information | | | | added v2.7
J01 | QCN/ACK - Cancel query/acknowledge message | | | | added v2.4
J02 | QSX/ACK - Cancel subscription/acknowledge message | | | | added v2.4
K11 | RSP - Segment pattern response in response to QBP^Q11 | | | | added v2.5
K13 | RTB - Tabular response in response to QBP^Q13 | | | | added v2.5

K15 | RDY - Display response in response to QBP^Q15 | | | | added v2.5
K21 | RSP - Get person demographics response | | | | added v2.4
K22 | RSP - Find candidates response | | | | added v2.4
K23 | RSP - Get corresponding identifiers response | | | | added v2.4
K24 | RSP - Allocate identifiers response | | | | added v2.4
K25 | RSP - Personnel Information by Segment Response | | | | added v2.4
K31 | RSP -Dispense History Response | | | | added v2.5.1
K32 | Find Candidates including Visit Information Response | | | | added v2.7
K33 | Get Donor Record Candidates Response Message | | | | added v2.8
K34 | Segment Pattern Response Message | | | | added v2.8
M01 | MFN/MFK - Master file not otherwise specified | | Deprecated | Deprecated | added v2.2
M02 | MFN/MFK - Master file - staff practitioner | | | | added v2.2
M03 | MFN/MFK - Master file - test/observation | | Deprecated | Deprecated | added v2.2
M04 | MFN/MFK - Master files charge description | | | | added v2.3
M05 | MFN/MFK - Patient location master file | | | | added v2.3
M06 | MFN/MFK - Clinical study with phases and schedules master file | | | | added v2.3
M07 | MFN/MFK - Clinical study without phases but with schedules master file | | | | added v2.3
M08 | MFN/MFK - Test/observation (numeric) master file | | | | added v2.3
M09 | MFN/MFK - Test/observation (categorical) master file | | | | added v2.3
M10 | MFN/MFK - Test /observation batteries master file | | | | added v2.3
M11 | MFN/MFK - Test/calculated observations master file | | | | added v2.3
M12 | MFN/MFK - Master file notification message | | | | added v2.4
M13 | MFN/MFK - Master file notification - general | | | | added v2.5
M14 | MFN/MFK - Master file notification - site defined | | | | added v2.5
M15 | MFN/MFK - Inventory item master file notification | | | | added v2.5
M16 | MFN/MFK - Master File Notification Inventory Item Enhanced | | | | added v2.6
M17 | DRG Master File Message | | | | added v2.6
M18 | MFN/MFK - Master file notification - Test/Observation (Payer) | | | | added v2.8.2
N01 | NMQ/NMR - Application management query message | | Deprecated | Deprecated | added v2.4
N02 | NMD/ACK - Application management data message (unsolicited) | | | | added v2.4
O01 | ORM - Order message (also RDE, RDS, RGV, RAS) | | Deprecated | Deprecated | from v2.1
O02 | ORR - Order response (also RRE, RRD, RRG, RRA) | | Deprecated | Deprecated | from v2.1
O03 | OMD - Diet order | | | | added v2.4
O04 | ORD - Diet order acknowledgment | | | | added v2.4
O05 | OMS - Stock requisition order | | | | added v2.4
O06 | ORS - Stock requisition acknowledgment | | | | added v2.4
O07 | OMN - Non-stock requisition order | | | | added v2.4
O08 | ORN - Non-stock requisition acknowledgment | | | | added v2.4
O09 | OMP - Pharmacy/treatment order | | | | added v2.4
O10 | ORP - Pharmacy/treatment order acknowledgment | | | | added v2.4
O11 | RDE - Pharmacy/treatment encoded order | | | | added v2.4
O12 | RRE - Pharmacy/treatment encoded order acknowledgment | | | | added v2.4
O13 | RDS - Pharmacy/treatment dispense | | | | added v2.4
O14 | RRD - Pharmacy/treatment dispense acknowledgment | | | | added v2.4
O15 | RGV - Pharmacy/treatment give | | | | added v2.4
O16 | RRG - Pharmacy/treatment give acknowledgment | | | | added v2.4
O17 | RAS - Pharmacy/treatment administration | | | | added v2.4
O18 | RRA - Pharmacy/treatment administration acknowledgment | | | | added v2.4
O19 | OMG - General clinical order | | | | added v2.4
O20 | ORG/ORL - General clinical order response | | | | added v2.4
O21 | OML - Laboratory order | | | | added v2.4
O22 | ORL - General laboratory order response message to any OML | | | | added v2.5
O23 | OMI - Imaging order | | | | added v2.5
O24 | ORI - Imaging order response message to any OMI | | | | added v2.5
O25 | RDE - Pharmacy/treatment refill authorization request | | | | added v2.5
O26 | RRE - Pharmacy/Treatment Refill Authorization Acknowledgement | | | | added v2.5
O27 | OMB - Blood product order | | | | added v2.5
O28 | ORB - Blood product order acknowledgment | | | | added v2.5
O29 | BPS - Blood product dispense status | | | | added v2.5
O30 | BRP - Blood product dispense status acknowledgment | | | | added v2.5
O31 | BTS - Blood product transfusion/disposition | | | | added v2.5
O32 | BRT - Blood product transfusion/disposition acknowledgment | | | | added v2.5
O33 | OML - Laboratory order for multiple orders related to a single specimen | | | | added v2.5
O34 | ORL - Laboratory order response message to a multiple order related to single specimen OML | | | | added v2.5
O35 | OML - Laboratory order for multiple orders related to a single container of a specimen | | | | added v2.5
O36 | ORL - Laboratory order response message to a single container of a specimen OML | | | | added v2.5
O37 | OPL - Population/Location-Based Laboratory Order Message | | | | added v2.6
O38 | OPR - Population/Location-Based Laboratory Order Acknowledgment Message | | | | added v2.6
O39 | Specimen shipment centric laboratory order | | | | added v2.7
O40 | Specimen Shipment Centric Laboratory Order Acknowledgment Message | | | | added v2.7
O41 | DBC - Create Donor Record Message | | | | added v2.8
O42 | DBU - Update Donor Record Message | | | | added v2.8

O43 | General Order Message with Document Payload Acknowledgement Message | | | | added v2.8
O44 | Donor Registration - Minimal Message | | | | added v2.8
O45 | Donor Eligibility Observations Message | | | | added v2.8
O46 | Donor Eligiblity Message | | | | added v2.8
O47 | Donor Request to Collect Message | | | | added v2.8
O48 | Donation Procedure Message | | | | added v2.8
O49 | Pharmacy/Treatment Dispense Request Message | | | | added v2.9
O50 | Pharmacy/Treatment Encoded Order Acknowledgment | | | | added v2.9
O51 | OSU – Order Status Update | | | | added v2.9
O52 | OSU – Order Status Update Acknowledgement | | | | added v2.9
O53 | ORL - General Laboratory Order Acknowledgment Message (Patient Optional) | | | | added v2.9
O54 | ORL - Laboratory Order Acknowledgment Message – Multiple Order Per Specimen (Patient Optional) | | | | added v2.9
O55 | ORL - Laboratory Order Acknowledgment Message – Multiple Order Per Container of Specimen (Patient Optional) | | | | added v2.9
O56 | ORL - Specimen Shipment Centric Laboratory Order Acknowledgment Message (Patient Optional) | | | | added v2.9
O57 | OMQ- General Order Message with Document Payload | | | | added v2.9
O58 | ORX - General Order Message with Document Payload Acknowledgement Message | | | | added v2.9
O59 | OML - Laboratory order for additional work up | | | | added v2.9
P01 | BAR/ACK - Add patient accounts | | | | from v2.1
P02 | BAR/ACK - Purge patient accounts | | | | from v2.1
P03 | DFT/ACK - Post detail financial transaction | | | | from v2.1
P04 | QRY/DSP - Generate bill and A/R statements | | Deprecated | Deprecated | from v2.1
P05 | BAR/ACK - Update account | | | | added v2.3
P06 | BAR/ACK - End account | | | | added v2.3
P07 | PEX - Unsolicited initial individual product experience report | | | | added v2.3
P08 | PEX - Unsolicited update individual product experience report | | | | added v2.3
P09 | SUR - Summary product experience report | | Deprecated | Deprecated | added v2.3
P10 | BAR/ACK -Transmit Ambulatory Payment Classification(APC) | | | | added v2.4
P11 | DFT/ACK - Post Detail Financial Transactions - New | | | | added v2.5
P12 | BAR/ACK - Update Diagnosis/Procedure | | | | added v2.5
PC1 | PPR - PC/ problem add | | | | added v2.3
PC2 | PPR - PC/ problem update | | | | added v2.3
PC3 | PPR - PC/ problem delete | | | | added v2.3
PC4 | QRY - PC/ problem query | | Deprecated | Deprecated | added v2.3
PC5 | PRR - PC/ problem response | | Deprecated | Deprecated | added v2.3
PC6 | PGL - PC/ goal add | | | | added v2.3
PC7 | PGL - PC/ goal update | | | | added v2.3
PC8 | PGL - PC/ goal delete | | | | added v2.3
PC9 | QRY - PC/ goal query | | Deprecated | Deprecated | added v2.3
PCA | PPV - PC/ goal response | | Deprecated | Deprecated | added v2.3
PCB | PPP - PC/ pathway (problem-oriented) add | | | | added v2.3
PCC | PPP - PC/ pathway (problem-oriented) update | | | | added v2.3
PCD | PPP - PC/ pathway (problem-oriented) delete | | | | added v2.3
PCE | QRY - PC/ pathway (problem-oriented) query | | Deprecated | Deprecated | added v2.3
PCF | PTR - PC/ pathway (problem-oriented) query response | | Deprecated | Deprecated | added v2.3
PCG | PPG - PC/ pathway (goal-oriented) add | | | | added v2.3
PCH | PPG - PC/ pathway (goal-oriented) update | | | | added v2.3
PCJ | PPG - PC/ pathway (goal-oriented) delete | | | | added v2.3
PCK | QRY - PC/ pathway (goal-oriented) query | | Deprecated | Deprecated | added v2.3
PCL | PPT - PC/ pathway (goal-oriented) query response | | Deprecated | Deprecated | added v2.3
Q01 | QRY/DSR - Query sent for immediate response | | Deprecated | Deprecated | from v2.1
Q02 | QRY/QCK - Query sent for deferred response | | Deprecated | Deprecated | from v2.1
Q03 | DSR/ACK - Deferred response to a query | | Deprecated | Deprecated | added v2.2
Q04 | EQQ - Embedded query language query | | Deprecated | | added v2.3.1, removed after v2.5.1
Q05 | UDM/ACK - Unsolicited display update message | | | | added v2.2
Q06 | OSQ/OSR - Query for order status | | Deprecated | Deprecated | added v2.3
Q07 | VQQ - Virtual table query | | Deprecated | | added v2.3.1, removed after v2.5.1
Q08 | SPQ - Stored procedure request | | Deprecated | | added v2.3.1, removed after v2.5.1
Q09 | RQQ - event replay query | | Deprecated | | added v2.3.1, removed after v2.5.1
Q11 | QBP - Query by parameter requesting an RSP segment pattern response | | | | added v2.5
Q13 | QBP - Query by parameter requesting an RTB - tabular response | | | | added v2.5
Q15 | QBP - Query by parameter requesting an RDY display response | | | | added v2.5
Q16 | QSB - Create subscription | | | | added v2.4
Q17 | QVR - Query for previous events | | | | added v2.4
Q21 | QBP - Get person demographics | | | | added v2.4
Q22 | QBP - Find candidates | | | | added v2.4
Q23 | QBP - Get corresponding identifiers | | | | added v2.4
Q24 | QBP - Allocate identifiers | | | | added v2.4
Q25 | QBP - Personnel Information by Segment Query | | | | added v2.4
Q26 | ROR - Pharmacy/treatment order response | | Deprecated | Deprecated | added v2.5
Q27 | RAR - Pharmacy/treatment administration information | | Deprecated | Deprecated | added v2.5
Q28 | RDR - Pharmacy/treatment dispense information | | Deprecated | Deprecated | added v2.5

Q29 | RER - Pharmacy/treatment encoded order information | | Deprecated | Deprecated | added v2.5
Q30 | RGR - Pharmacy/treatment dose information | | Deprecated | Deprecated | added v2.5
Q31 | QBP Query Dispense history | | | | added v2.5.1
Q32 | Find Candidates including Visit Information | | | | added v2.7
Q33 | QBP - Get Donor Record Candidates | | | | added v2.8
Q34 | QBP - Get Donor Record | | | | added v2.8
R01 | ORU/ACK - Unsolicited transmission of an observation message | | | | from v2.1
R02 | QRY - Query for results of observation | | Deprecated | Deprecated | added v2.2
R03 | QRY/DSR Display-oriented results, query/unsol. update (for backward compatibility only) (Replaced by Q05) | | Deprecated | | from v2.1, removed after v2.5.1
R04 | ORF - Response to query; transmission of requested observation | | Deprecated | Deprecated | added v2.2
R05 | QRY/DSR - query for display results (See Q01) | | Deprecated | | added v2.3, removed after v2.4
R06 | UDM - unsolicited update/display results (See Q05) | | Deprecated | | added v2.3, removed after v2.4
R07 | EDR - Enhanced Display Response | | Deprecated | | added v2.3.1, removed after v2.5.1
R08 | TBR - Tabular Data Response | | Deprecated | | added v2.3.1, removed after v2.5.1
R09 | ERP - Event Replay Response | | Deprecated | | added v2.3.1, removed after v2.5.1
R0R | R0R - Pharmacy prescription order query response | | Deprecated | | added v2.3.1, removed after v2.3.1
R21 | OUL - Unsolicited laboratory observation | | Deprecated | Deprecated | added v2.4
R22 | OUL - Unsolicited Specimen Oriented Observation Message | | | | added v2.5
R23 | OUL - Unsolicited Specimen Container Oriented Observation Message | | | | added v2.5
R24 | OUL - Unsolicited Order Oriented Observation Message | | | | added v2.5
R25 | OPU - Unsolicited Population/Location-Based Laboratory Observation Message | | | | added v2.6
R26 | OSM - Unsolicited Specimen Shipment Manifest Message | | | | added v2.7
R30 | ORU - Unsolicited Point-Of-Care Observation Message Without Existing Order - Place An Order | | | | added v2.5
R31 | ORU - Unsolicited New Point-Of-Care Observation Message - Search For An Order | | | | added v2.5
R32 | ORU - Unsolicited Pre-Ordered Point-Of-Care Observation | | | | added v2.5
R33 | ORA - Observation Report Acknowledgement | | | | added v2.7
R40 | ORU - Unsolicited Report Alarm | | | | added v2.8
R41 | Observation Report Alert Acknowledgement | | | | added v2.8
R42 | ORU – Unsolicited Device Event Observation Message | | | | added v2.9
R43 | ORU – Unsolicited Patient-Device Association Observation Message | | | | added v2.9
RAR | RAR - Pharmacy administration information query response | | Deprecated | | added v2.3, removed after v2.4
RDR | RDR - Pharmacy dispense information query response | | Deprecated | | added v2.3, removed after v2.4
RER | RER - Pharmacy encoded order information query response | | Deprecated | | added v2.3, removed after v2.4
RGR | RGR - Pharmacy dose information query response | | Deprecated | | added v2.3, removed after v2.4
ROR | ROR - Pharmacy prescription order query response | | Deprecated | Deprecated | added v2.3
S01 | SRM/SRR - Request new appointment booking | | | | added v2.3
S02 | SRM/SRR - Request appointment rescheduling | | | | added v2.3
S03 | SRM/SRR - Request appointment modification | | | | added v2.3
S04 | SRM/SRR - Request appointment cancellation | | | | added v2.3
S05 | SRM/SRR - Request appointment discontinuation | | | | added v2.3
S06 | SRM/SRR - Request appointment deletion | | | | added v2.3
S07 | SRM/SRR - Request addition of service/resource on appointment | | | | added v2.3
S08 | SRM/SRR - Request modification of service/resource on appointment | | | | added v2.3
S09 | SRM/SRR - Request cancellation of service/resource on appointment | | | | added v2.3
S10 | SRM/SRR - Request discontinuation of service/resource on appointment | | | | added v2.3
S11 | SRM/SRR - Request deletion of service/resource on appointment | | | | added v2.3
S12 | SIU/ACK - Notification of new appointment booking | | | | added v2.3
S13 | SIU/ACK - Notification of appointment rescheduling | | | | added v2.3
S14 | SIU/ACK - Notification of appointment modification | | | | added v2.3
S15 | SIU/ACK - Notification of appointment cancellation | | | | added v2.3
S16 | SIU/ACK - Notification of appointment discontinuation | | | | added v2.3
S17 | SIU/ACK - Notification of appointment deletion | | | | added v2.3
S18 | SIU/ACK - Notification of addition of service/resource on appointment | | | | added v2.3
S19 | SIU/ACK - Notification of modification of service/resource on appointment | | | | added v2.3
S20 | SIU/ACK - Notification of cancellation of service/resource on appointment | | | | added v2.3
S21 | SIU/ACK - Notification of discontinuation of service/resource on appointment | | | | added v2.3
S22 | SIU/ACK - Notification of deletion of service/resource on appointment | | | | added v2.3
S23 | SIU/ACK - Notification of blocked schedule time slot(s) | | | | added v2.3
S24 | SIU/ACK - Notification of opened ("unblocked") schedule time slot(s) | | | | added v2.3
S25 | SQM/SQR - Schedule query message and response | | Deprecated | Deprecated | added v2.3
S26 | SIU/ACK Notification that patient did not show up for schedule appointment | | | | added v2.3
S27 | SIU/ACK - Broadcast Notification of Scheduled Appointments | | | | added v2.7
S28 | SLR/SLS - Request new sterilization lot | | | | added v2.6
S29 | SLR/SLS - Request Sterilization lot deletion | | | | added v2.6
S30 | STI/STS - Request item | | | | added v2.6
S31 | SDR/SDS - Request anti-microbial device data | | | | added v2.6
S32 | SMD/SMS - Request anti-microbial device cycle data | | | | added v2.6
S33 | STC/ACK - Notification of sterilization configuration | | | | added v2.6
S34 | SLN/ACK - Notification of sterilization lot | | | | added v2.6
S35 | SLN/ACK - Notification of sterilization lot deletion | | | | added v2.6
S36 | SDN/ACK - Notification of anti-microbial device data | | | | added v2.6

S37 | SCN/ACK - Notification of anti-microbial device cycle data | | | | added v2.6
T01 | MDM/ACK - Original document notification | | | | added v2.3
T02 | MDM/ACK - Original document notification and content | | | | added v2.3
T03 | MDM/ACK - Document status change notification | | | | added v2.3
T04 | MDM/ACK - Document status change notification and content | | | | added v2.3
T05 | MDM/ACK - Document addendum notification | | | | added v2.3
T06 | MDM/ACK - Document addendum notification and content | | | | added v2.3
T07 | MDM/ACK - Document edit notification | | | | added v2.3
T08 | MDM/ACK - Document edit notification and content | | | | added v2.3
T09 | MDM/ACK - Document replacement notification | | | | added v2.3
T10 | MDM/ACK - Document replacement notification and content | | | | added v2.3
T11 | MDM/ACK - Document cancel notification | | | | added v2.3
T12 | QRY/DOC - Document query | | Deprecated | Deprecated | added v2.3
U01 | ESU/ACK - Automated equipment status update | | | | added v2.4
U02 | ESR/ACK - Automated equipment status request | | | | added v2.4
U03 | SSU/ACK - Specimen status update | | | | added v2.4
U04 | SSR/ACK - specimen status request | | | | added v2.4
U05 | INU/ACK - Automated equipment inventory update | | | | added v2.4
U06 | INR/ACK - Automated equipment inventory request | | | | added v2.4
U07 | EAC/ACK - Automated equipment command | | | | added v2.4
U08 | EAR/ACK - Automated equipment response | | | | added v2.4
U09 | EAN/ACK - Automated equipment notification | | | | added v2.4
U10 | TCU/ACK - Automated equipment test code settings update | | | | added v2.4
U11 | TCR/ACK - Automated equipment test code settings request | | | | added v2.4
U12 | LSU/ACK - Automated equipment log/service update | | | | added v2.4
U13 | LSR/ACK - Automated equipment log/service request | | | | added v2.4
U14 | INR/ACK – Automated Equipment Inventory Request | | | | added v2.9
V01 | VXQ - Query for vaccination record | | Deprecated | Deprecated | added v2.3
V02 | VXX - Response to vaccination query returning multiple PID matches | | Deprecated | Deprecated | added v2.3
V03 | VXR - Vaccination record response | | Deprecated | Deprecated | added v2.3
V04 | VXU - Unsolicited vaccination record update | | | | added v2.3
Varies | MFQ/MFR - Master files query (use event same as asking for e.g., M05 - location) | | | | added v2.3
W01 | ORU - Waveform result, unsolicited transmission of requested information | | Deprecated | Deprecated | added v2.3
W02 | QRF - Waveform result, response to query | | Deprecated | Deprecated | added v2.3
X01 | PEX - Product experience | | Deprecated | | added v2.3, removed after v2.3

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0003 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
A01 | stationäre Aufnahme | | | | from v2.1
A02 | Verlegung | | | | from v2.1
A03 | Entlassung | | | | from v2.1
A04 | Besuchsmeldung (nicht-stationär) | | | | from v2.1
A05 | Voraufnahme eines Patienten | | | | from v2.1
A06 | Änderung von ambulant in stationär | | | | from v2.1
A07 | Änderung von stationär in ambulant | | | | from v2.1
A08 | Änderung von Patienteninformationen | | | | from v2.1
A09 | Patient verläßt Einrichtung | | | | from v2.1
A10 | Patient erreicht Einrichtung | | | | from v2.1
A11 | Stornierung für A01 und A04 | | | | from v2.1
A12 | Stornierung für A02 | | | | from v2.1
A13 | Stornierung für A03 | | | | from v2.1
A14 | Geplante Aufnahme | | | | from v2.1
A15 | Geplante Verlegung | | | | from v2.1
A16 | Geplante Entlassung | | | | from v2.1
A17 | Bettentausch zweier Patienten | | | | from v2.1
A18 | Patienteninformation zusammenführen | | Deprecated | | from v2.1
A19 | Anfrage nach Patientendaten | | Deprecated | | from v2.1
A20 | Änderung des Bettenstatus | | | | from v2.1
A21 | Beginn einer Patientenabwesenheit | | | | from v2.1
A22 | Ende einer Patientenabwesenheit | | | | from v2.1
A23 | Löschen eines Patientensatzes | | | | from v2.1
A24 | Verknüpfen von Patientendaten | | | | from v2.1
A25 | Stornierung einer eingeleiteten Entlassung | | | | added v2.2
A26 | Stornierung einer eingeleiteten Verlegung | | | | added v2.2
A27 | Stornierung einer eingeleiteten Aufnahme | | | | added v2.2
A28 | Personendaten hinzufügen | | | | added v2.2

A29 | Löschung von personenbezogenen Daten | | | | added v2.2
A30 | veraltet | | Deprecated | | added v2.2
A31 | Ändern personenbezogener Daten | | | | added v2.2
A32 | Stornierung eines Patientenzugangs (Bettenzuweisung) | | | | added v2.2
A33 | Stornierung eines Patientenabgangs (Bettenfreigabe) | | | | added v2.2
A34 | Abgleich nur der Patientennummer (veraltet) | | Deprecated | | added v2.2
A35 | Abgleich nur der Abrechnungsnummer / Debitorenkontonummer (veraltet) | | Deprecated | | added v2.2
A36 | Abgleich von Patientennummer und Abrechnungsnummer / Debitorenkontonummer (veraltet) | | Deprecated | | added v2.2
A37 | Auflösung einer Verknüpfung von Patientendaten | | | | added v2.2
A38 | Stornierung zu A05 | | | | added v2.3
A39 | Zusammenführung von Information über externe ID (veraltet) | | Deprecated | | added v2.3
A40 | Zusammenführung v. Pat-Information über ID-Liste | | | | added v2.3
A41 | Zusammenführung von Konten über Kontonummer | | | | added v2.3
A42 | Zusammenführung v.Fall-Information über Fallnummer | | | | added v2.3
A43 | Korrektur einer falschen Zuordnung bzgl. PID-Liste | | | | added v2.3
A44 | Korrektur einer falschen Zuordnung bzgl.Abrechungsnummer | | | | added v2.3
A45 | Korrektur einer falschen Zuordnung bzgl.Fallnummer | | | | added v2.3
A46 | Änderung der externen Pat.ID (PID-2) | | Deprecated | | added v2.3
A47 | Änderung der internen Pat.ID (PID-3) | | | | added v2.3
A48 | Änderung der alternativen Pat.ID (PID-4) | | Deprecated | | added v2.3
A49 | Änderung der Abrechungsnummer (PID-18) | | | | added v2.3
A50 | Änderung der Fallnummer (PV1-19) | | | | added v2.3
A51 | Änderung der alternativen Fallnummer (PV1-50) | | | | added v2.3
A52 | | | | | added v2.4
A53 | | | | | added v2.4
A54 | Änderung des behandelnden Arztes | | | | added v2.4
A55 | Stornierung der Änderung des behandelnden Arztes | | | | added v2.4
A60 | Aktualisierung der Allergie-Informationen | | | | added v2.4
A61 | | | | | added v2.4
A62 | | | | | added v2.4
B01 | | | | | added v2.4
B02 | | | | | added v2.4
B03 | | | | | added v2.4
B04 | | | | | added v2.4
B05 | | | | | added v2.4
B06 | | | | | added v2.4
B07 | | | | | added v2.5
B08 | | | | | added v2.5
C01 | Registrierung eines Patienten f.eine klin.Studie | | | | added v2.3
C02 | Löschung der Registrierung | | | | added v2.3
C03 | Korrektur/Änderung der Registrierung | | | | added v2.3
C04 | Patient ist aus der Studie ausgeschieden | | | | added v2.3
C05 | Patient tritt in Studienphase ein | | | | added v2.3
C06 | Löschung des Eintritts in eine Studienphase | | | | added v2.3
C07 | Korrektur/Änderung der Angaben zur Studienphase | | | | added v2.3
C08 | Patient ist aus Studienphase ausgeschieden | | | | added v2.3
C09 | Festlegung des Zeitintervalls für autom. Berichte | | | | added v2.3
C10 | Patient beendet Studie | | | | added v2.3
C11 | Patient beendet eine Studienphase | | | | added v2.3
C12 | Korrektur/Änderung von Anforderungen/Ergebnissen | | | | added v2.3
CNQ | Stornierung einer Anfrage | | | | added v2.3
E01 | | | | | added v2.6
E02 | | | | | added v2.6
E03 | | | | | added v2.6
E04 | | | | | added v2.6
E10 | | | | | added v2.6
E12 | | | | | added v2.6
E13 | | | | | added v2.6
E15 | | | | | added v2.6
E20 | | | | | added v2.6
E21 | | | | | added v2.6
E22 | | | | | added v2.6
E24 | | | | | added v2.6
E30 | | | | | added v2.6
E31 | | | | | added v2.6
I01 | Anforderung von Versicherungsdaten | | | | added v2.3
I02 | Anforderg.einer Patientenauswahlliste (zur Anzeige) | | | | added v2.3
I03 | Anforderg.einer strukt. Patientenauswahlliste | | | | added v2.3
I04 | Anforderung demographischer Informationen | | | | added v2.3
I05 | Anforderung klinischer Informationen | | Deprecated | | added v2.3
I06 | Anforderung strukt. klinischer Informationen | | Deprecated | | added v2.3
I07 | unaufgeforderte Übermittlung v. Versicherungsdaten | | | | added v2.3

I08 | Anforderung Kostenübernahmeerklärung | | | | added v2.3
I09 | Anforderg bzgl. Änderung Kostenübernahmeerklärung | | | | added v2.3
I10 | erneute Anforderung Kostenübernahmeerklärung | | | | added v2.3
I11 | Anfordrg Stornierg einer Kostenübernahmeerklärung | | | | added v2.3
I12 | Überweisung eines Patienten | | | | added v2.3
I13 | Änderung einer Patientenüberweisung | | | | added v2.3
I14 | Stornierung einer Patientenüberweisung | | | | added v2.3
I15 | Statusabfrage bzgl. Patientenüberweisung | | | | added v2.3
I16 | | | | | added v2.7
I17 | | | Deprecated | | added v2.7
I18 | | | Deprecated | | added v2.7
I19 | | | | | added v2.7
I20 | | | | | added v2.7
I21 | | | | | added v2.7
I22 | | | | | added v2.7
J01 | | | | | added v2.4
J02 | | | | | added v2.4
K11 | | | | | added v2.5
K13 | | | | | added v2.5
K15 | | | | | added v2.5
K21 | | | | | added v2.4
K22 | | | | | added v2.4
K23 | | | | | added v2.4
K24 | | | | | added v2.4
K25 | | | | | added v2.4
K31 | | | | | added v2.5.1
K32 | | | | | added v2.7
K33 | | | | | added v2.8
K34 | | | | | added v2.8
M01 | Stammdatenänderung (veraltet) | | Deprecated | | added v2.2
M02 | Stammdatenänderung - Ärzte | | | | added v2.2
M03 | Stammdatenänderung - Tests / Untersuchungen | | Deprecated | | added v2.2
M04 | Stammdatenänderung - delayed appl ack | | | | added v2.3
M05 | Stammdatenänderung - Aufenthaltsorte | | | | added v2.3
M06 | Stammdatenänderung - Abrechnungskataloge | | | | added v2.3
M07 | Stammdatenänderung - klinische Studien ohne Phasen | | | | added v2.3
M08 | Stammdatenänderung - Tests/Untersuchung mit numerischen Ergebnissen | | | | added v2.3
M09 | Stammdatenänderung - Tests mit nicht numerischen Ergebnissen | | | | added v2.3
M10 | Stammdatenänderung - Testprofile | | | | added v2.3
M11 | Stammdatenänderung - berechnete Ergebnisse | | | | added v2.3
M12 | | | | | added v2.4
M13 | | | | | added v2.5
M14 | | | | | added v2.5
M15 | | | | | added v2.5
M16 | | | | | added v2.6
M17 | | | | | added v2.6
M18 | | | | | added v2.8.2
N01 | | | Deprecated | | added v2.4
N02 | | | | | added v2.4
O01 | Auftrag / Verordnung | | Deprecated | | from v2.1
O02 | Auftragsbestätigung | | Deprecated | | from v2.1
O03 | | | | | added v2.4
O04 | | | | | added v2.4
O05 | | | | | added v2.4
O06 | | | | | added v2.4
O07 | | | | | added v2.4
O08 | | | | | added v2.4
O09 | | | | | added v2.4
O10 | | | | | added v2.4
O11 | | | | | added v2.4
O12 | | | | | added v2.4
O13 | | | | | added v2.4
O14 | | | | | added v2.4
O15 | | | | | added v2.4
O16 | | | | | added v2.4
O17 | | | | | added v2.4
O18 | | | | | added v2.4
O19 | | | | | added v2.4
O20 | | | | | added v2.4
O21 | | | | | added v2.4
O22 | | | | | added v2.5
O23 | | | | | added v2.5

O24 | | | | | added v2.5
O25 | | | | | added v2.5
O26 | | | | | added v2.5
O27 | | | | | added v2.5
O28 | | | | | added v2.5
O29 | | | | | added v2.5
O30 | | | | | added v2.5
O31 | | | | | added v2.5
O32 | | | | | added v2.5
O33 | | | | | added v2.5
O34 | | | | | added v2.5
O35 | | | | | added v2.5
O36 | | | | | added v2.5
O37 | | | | | added v2.6
O38 | | | | | added v2.6
O39 | | | | | added v2.7
O40 | | | | | added v2.7
O41 | | | | | added v2.8
O42 | | | | | added v2.8
O43 | | | | | added v2.8
O44 | | | | | added v2.8
O45 | | | | | added v2.8
O46 | | | | | added v2.8
O47 | | | | | added v2.8
O48 | | | | | added v2.8
O49 | | | | | added v2.9
O50 | | | | | added v2.9
O51 | | | | | added v2.9
O52 | | | | | added v2.9
O53 | | | | | added v2.9
O54 | | | | | added v2.9
O55 | | | | | added v2.9
O56 | | | | | added v2.9
O57 | | | | | added v2.9
O58 | | | | | added v2.9
O59 | | | | | added v2.9
P01 | Eröffnung eines Patientenkontos | | | | from v2.1
P02 | Löschen der Abrechnungsdaten eines Patientenkontos | | | | from v2.1
P03 | Leistungs- und Abrechnungsinformationen | | | | from v2.1
P04 | Druck und Anzeige von Rechnungen | | Deprecated | | from v2.1
P05 | Änderung eines Patientenkontos | | | | added v2.3
P06 | Abschluß eines Patientenkontos | | | | added v2.3
P07 | unaufgeforderte individueller Produktersterfahrungsbericht | | | | added v2.3
P08 | Änderung individueller Produktersterfahrungsbericht | | | | added v2.3
P09 | zusammenfassender Produkterfahrungsbericht | | Deprecated | | added v2.3
P10 | | | | | added v2.4
P11 | | | | | added v2.5
P12 | | | | | added v2.5
PC1 | Problem hinzufügen | | | | added v2.3
PC2 | Problem ändern | | | | added v2.3
PC3 | Problem löschen | | | | added v2.3
PC4 | Problem abfragen | | Deprecated | | added v2.3
PC5 | Problem Anfrage beantworten | | Deprecated | | added v2.3
PC6 | Ziel hinzufügen | | | | added v2.3
PC7 | Ziel ändern | | | | added v2.3
PC8 | Ziel löschen | | | | added v2.3
PC9 | Ziel abfragen | | Deprecated | | added v2.3
PCA | Ziel Anfrage beantworten | | Deprecated | | added v2.3
PCB | (problemorientierte) Leitlinie hinzufügen | | | | added v2.3
PCC | (problemorientierte) Leitlinie ändern | | | | added v2.3
PCD | (problemorientierte) Leitlinie löschen | | | | added v2.3
PCE | (problemorientierte) Leitlinie abfragen | | Deprecated | | added v2.3
PCF | (problemorientierte) Leitlinie Anfrage beantworten | | Deprecated | | added v2.3
PCG | (zielorientierte) Leitlinie hinzufügen | | | | added v2.3
PCH | (zielorientierte) Leitlinie ändern | | | | added v2.3
PCJ | (zielorientierte) Leitlinie löschen | | | | added v2.3
PCK | (zielorientierte) Leitlinie abfragen | | Deprecated | | added v2.3
PCL | (zielorientierte) Leitlinie Anfrage beantworten | | Deprecated | | added v2.3
Q01 | Anfrage mit sofortiger Antwort | | Deprecated | | from v2.1
Q02 | Anfrage mit verzögerter Antwort | | Deprecated | | from v2.1
Q03 | Verzögerte Antwort auf Anfrage | | Deprecated | | added v2.2
Q04 | | | Deprecated | | added v2.3.1, removed after v2.5.1

Q05 | Sofortige Bildschirmanzeige (Eilmeldung) | | | | added v2.2
Q06 | Abfrage des Auftragsstatus | | Deprecated | | added v2.3
Q07 | | | Deprecated | | added v2.3.1, removed after v2.5.1
Q08 | | | Deprecated | | added v2.3.1, removed after v2.5.1
Q09 | | | Deprecated | | added v2.3.1, removed after v2.5.1
Q11 | | | | | added v2.5
Q13 | | | | | added v2.5
Q15 | | | | | added v2.5
Q16 | | | | | added v2.4
Q17 | | | | | added v2.4
Q21 | | | | | added v2.4
Q22 | | | | | added v2.4
Q23 | | | | | added v2.4
Q24 | | | | | added v2.4
Q25 | | | | | added v2.4
Q26 | | | Deprecated | | added v2.5
Q27 | | | Deprecated | | added v2.5
Q28 | | | Deprecated | | added v2.5
Q29 | | | Deprecated | | added v2.5
Q30 | | | Deprecated | | added v2.5
Q31 | | | | | added v2.5.1
Q32 | | | | | added v2.7
Q33 | | | | | added v2.8
Q34 | | | | | added v2.8
R01 | unangeforderte Übermittlung eines Befundes | | | | from v2.1
R02 | Anfrage nach Untersuchungsergebnis | | Deprecated | | added v2.2
R03 | Anzeigeorientiertes Ergebnis | | Deprecated | | from v2.1, removed after v2.5.1
R04 | Antwort auf Anfrage / Übermittlung eines angeforderten Ergebnisses | | Deprecated | | added v2.2
R05 | Anfrage nach anzeigeorientierten Ergebnissen | | Deprecated | | added v2.3, removed after v2.4
R06 | unaufgeforderte Änderung anzeigeorientierter Ergebnisse | | Deprecated | | added v2.3, removed after v2.4
R07 | | | Deprecated | | added v2.3.1, removed after v2.5.1
R08 | | | Deprecated | | added v2.3.1, removed after v2.5.1
R09 | | | Deprecated | | added v2.3.1, removed after v2.5.1
R0R | | | Deprecated | | added v2.3.1, removed after v2.3.1
R21 | | | Deprecated | | added v2.4
R22 | | | | | added v2.5
R23 | | | | | added v2.5
R24 | | | | | added v2.5
R25 | | | | | added v2.6
R26 | | | | | added v2.7
R30 | | | | | added v2.5
R31 | | | | | added v2.5
R32 | | | | | added v2.5
R33 | | | | | added v2.7
R40 | | | | | added v2.8
R41 | | | | | added v2.8
R42 | | | | | added v2.9
R43 | | | | | added v2.9
RAR | Antwort bzgl. der Behandlungs-/Darreichungsform | | Deprecated | | added v2.3, removed after v2.4
RDR | Antwort bzgl. des zu verabreichenden Medikamentes bzw. der Behandlung | | Deprecated | | added v2.3, removed after v2.4
RER | Antwort bzgl. des zu verabreichenden Medikamentes bzw. der Behandlung | | Deprecated | | added v2.3, removed after v2.4
RGR | Antwort bzgl. der Dosis bzw. der Frequenz der Behandlung | | Deprecated | | added v2.3, removed after v2.4
ROR | Antwort bzgl. der Verschreibungsanforderung des Arzneiverordnung bzw. d.Behandlg | | Deprecated | | added v2.3
S01 | Terminanforderung | | | | added v2.3
S02 | Anforderung für Terminverschiebung | | | | added v2.3
S03 | Anforderung für inhaltliche Terminänderung | | | | added v2.3
S04 | Absage eines Termins | | | | added v2.3
S05 | Aussetzung des aktuellen oder weiterer Termine | | | | added v2.3
S06 | Stornierung eines Termins | | | | added v2.3
S07 | Anforderung zusätzlicher Leistungen/Voraussetzungen zu einem Termin | | | | added v2.3
S08 | Änderungsanforderung für zusätzliche Leistungen/Voraussetzungen zu einem Termin | | | | added v2.3
S09 | Absage für zusätzliche Leistungen/Voraussetzungen zu einem Termin | | | | added v2.3
S10 | Aussetzung für zusätzliche Leistungen/Voraussetzungen zu einem Termin | | | | added v2.3
S11 | Stornierung für zusätzliche Leistungen/Voraussetzungen zu einem Termin | | | | added v2.3
S12 | Benachrichtigung über Terminvergabe | | | | added v2.3
S13 | Benachrichtigung für Terminverschiebung | | | | added v2.3
S14 | Benachrichtigung für inhaltliche Terminänderung | | | | added v2.3
S15 | Benachrichtigung über Terminabsage | | | | added v2.3
S16 | Benachrichtigung über Aussetzung des aktuellen oder weiterer Termine | | | | added v2.3
S17 | Benachrichtigung über Stornierung eines Termins | | | | added v2.3
S18 | Benachrichtigung über zusätzlicher Leistungen/Voraussetzungen zu einem Termin | | | | added v2.3
S19 | Änderungsbenachrichtigung f.zusätzl. Leistungen/Voraussetzungen zu einem Termin | | | | added v2.3

S20 | Benachrichtigung f. zusätzliche Leistungen/Voraussetzungen zu einem Terminabsage | | | | added v2.3
S21 | Benachrichtigung über Aussetzung für zusätzliche Leistungen/Voraussetzungen | | | | added v2.3
S22 | Benachrichtigung Stornierg.f.zusätzl.Leistungen/Voraussetzungen zu einem Termin | | | | added v2.3
S23 | Benachrichtigung über nicht verfügbare Zeitbereiche | | | | added v2.3
S24 | Benachrichtigung über (wieder) verfügbare Zeitbereiche | | | | added v2.3
S25 | Anfrage nach Zeitplaninformation | | Deprecated | | added v2.3
S26 | Benachrichtigung über Nichterscheinen eines Patienten | | | | added v2.3
S27 | | | | | added v2.7
S28 | | | | | added v2.6
S29 | | | | | added v2.6
S30 | | | | | added v2.6
S31 | | | | | added v2.6
S32 | | | | | added v2.6
S33 | | | | | added v2.6
S34 | | | | | added v2.6
S35 | | | | | added v2.6
S36 | | | | | added v2.6
S37 | | | | | added v2.6
T01 | Benachrichtigung über die Neuanlage eines Dokuments ohne Inhalt | | | | added v2.3
T02 | Benachrichtigung über die Neuanlage eines Dokuments mit Inhaltsübermittlung | | | | added v2.3
T03 | Benachrichtigung über die Statusänderung eines Dokuments (ohne Inhalt) | | | | added v2.3
T04 | Benachrichtigung über die Statusänderung eines Dokuments (mit Inhalt) | | | | added v2.3
T05 | Benachrichtigung über die Ergänzung eines Dokuments (ohne Inhalt) | | | | added v2.3
T06 | Benachrichtigung über die Ergänzung eines Dokuments (mit Inhalt) | | | | added v2.3
T07 | Benachrichtigung über die Änderung eines Dokuments (ohne Inhalt) | | | | added v2.3
T08 | Benachrichtigung über die Änderung eines Dokuments (mit Inhalt) | | | | added v2.3
T09 | Benachrichtigung über den Austausch eines Dokuments (ohne Inhalt) | | | | added v2.3
T10 | Benachrichtigung über den Austausch eines Dokuments (mit Inhalt) | | | | added v2.3
T11 | Benachrichtigung über die Löschung eines Dokuments | | | | added v2.3
T12 | Dokumentanfrage | | Deprecated | | added v2.3
U01 | | | | | added v2.4
U02 | | | | | added v2.4
U03 | | | | | added v2.4
U04 | | | | | added v2.4
U05 | | | | | added v2.4
U06 | | | | | added v2.4
U07 | | | | | added v2.4
U08 | | | | | added v2.4
U09 | | | | | added v2.4
U10 | | | | | added v2.4
U11 | | | | | added v2.4
U12 | | | | | added v2.4
U13 | | | | | added v2.4
U14 | | | | | added v2.9
V01 | Anfrage nach Impfstatus eines Patienten | | Deprecated | | added v2.3
V02 | Antwort auf Impfstatusanfrage bei nicht-eindeutiger Patienten-ID | | Deprecated | | added v2.3
V03 | Antwort auf Impfstatusanfrage zu einem Patienten | | Deprecated | | added v2.3
V04 | unaufgeforderte Änderung zu dem Impfstatus eines Patienten | | | | added v2.3
Varies | allgemeine Stammdatenanfrage | | | | added v2.3
W01 | unaufgeforderte Übermittlung von Signaldaten | | Deprecated | | added v2.3
W02 | angeforderte Übermittlung von Signaldaten | | Deprecated | | added v2.3
X01 | | | Deprecated | | added v2.3, removed after v2.3

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0003 definieert de volgende codes:

Code | Display | Definition | Verouderd | Commentaar | Versie
A01 | ADT/ACK - Opname/bezoek notificatie | | | | from v2.1
A02 | ADT/ACK - Overplaatsing van een patiënt | | | | from v2.1
A03 | ADT/ACK - Ontslag/einde bezoek | | | | from v2.1
A04 | ADT/ACK - Registratie van een patiënt | | | | from v2.1
A05 | Vooropname van een patiënt | | | | from v2.1
A06 | ADT/ACK - Wijzig poliklinische patiënt naar klinische patiënt | | | | from v2.1
A07 | ADT/ACK - Wijzig klinische patiënt naar poliklinische patiënt | | | | from v2.1
A08 | ADT/ACK - Update patiëntinformatie | | | | from v2.1
A09 | ADT/ACK - Patiënt vertrekt - tracking | | | | from v2.1
A10 | ADT/ACK - Patiënt keert terug - tracking | | | | from v2.1
A11 | ADT/ACK - Annuleer opname/bezoek notificatie | | | | from v2.1

A12 | ADT/ACK - Annulering overplaatsing | | | | from v2.1
A13 | ADT/ACK - Annuleer ontslag/einde bezoek | | | | from v2.1
A14 | ADT/ACK - Geplande opname | | | | from v2.1
A15 | ADT/ACK - Geplande overplaatsing | | | | from v2.1
A16 | ADT/ACK - Gepland ontslag | | | | from v2.1
A17 | ADT/ACK - Bedwissel patiënten | | | | from v2.1
A18 | ADT/ACK - Samenvoeging patiëntinformatie | | Verouderd | Vervallen | from v2.1
A19 | Patiëntopvraging | | Verouderd | Vervallen | from v2.1
A20 | ADT/ACK - Update bedstatus | | | | from v2.1
A21 | ADT/ACK - Patiënt gaat met “verlof” | | | | from v2.1
A22 | ADT/ACK - Patiënt keert terug van “verlof” | | | | from v2.1
A23 | ADT/ACK - Verwijder een patiëntrecord | | | | from v2.1
A24 | ADT/ACK - Koppel patiëntinformatie | | | | from v2.1
A25 | ADT/ACK - Annuleer gepland ontslag | | | | added v2.2
A26 | ADT/ACK - Annuleer geplande overplaatsing | | | | added v2.2
A27 | ADT/ACK - Annuleer geplande opname | | | | added v2.2
A28 | ADT/ACK - Voeg persoonsinformatie toe | | | | added v2.2
A29 | ADT/ACK - Verwijder persoonsinformatie | | | | added v2.2
A30 | ADT/ACK - Voeg persoonsinformatie samen | | Verouderd | Vervallen | added v2.2
A31 | ADT/ACK - Update persoonsinformatie | | | | added v2.2
A32 | ADT/ACK - Annuleer aankomst patiënt - tracking | | | | added v2.2
A33 | ADT/ACK - Annuleer vertrek patiënt - tracking | | | | added v2.2
A34 | ADT/ACK - Voeg patiëntinformatie samen - alleen patiënt ID | | Verouderd | Vervallen | added v2.2
A35 | ADT/ACK - Voeg patiëntinformatie samen - alleen accountnummer | | Verouderd | Vervallen | added v2.2
A36 | ADT/ACK - Voeg patiëntinformatie samen - patiënt ID en accountnummer | | Verouderd | Vervallen | added v2.2
A37 | ADT/ACK - Ontkoppel patiëntinformatie | | | | added v2.2
A38 | ADT/ACK - Annuleer opname op wachtlijst | | | | added v2.3
A39 | ADT/ACK - Voeg persoon samen - patiënt ID | | Verouderd | Vervallen | added v2.3
A40 | ADT/ACK - Voeg patiënt samen - lijst patiënt ID's | | | | added v2.3
A41 | ADT/ACK - Samenvoeging account - patiënt accountnummer | | | | added v2.3
A42 | ADT/ACK - Samenvoeging bezoek - bezoeknummer | | | | added v2.3
A43 | ADT/ACK - Verplaats patiëntinformatie - lijst patiënt ID's | | | | added v2.3
A44 | ADT/ACK - Verplaats accountinformatie - patiënt accountnummer | | | | added v2.3
A45 | ADT/ACK - Verplaats bezoekinformatie - bezoeknummer | | | | added v2.3
A46 | ADT/ACK - Wijzig patiënt ID | | Verouderd | Vervallen | added v2.3
A47 | ADT/ACK - Wijzig lijst patiënt ID's | | | | added v2.3
A48 | ADT/ACK - Wijzig alternatief patiënt ID | | Verouderd | Vervallen | added v2.3
A49 | ADT/ACK - Wijzig patiënt accountnummer | | | | added v2.3
A50 | ADT/ACK - Wijzig bezoeknummer | | | | added v2.3
A51 | ADT/ACK - Wijzig alternatief bezoeknummer | | | | added v2.3
A52 | ADT/ACK - Annuleer verlof voor een patiënt | | | | added v2.4
A53 | ADT/ACK - Annuleer terugkeer van verlof voor een patiënt | | | | added v2.4
A54 | ADT/ACK - Wijzig behandelend arts | | | | added v2.4
A55 | ADT/ACK - Annuleer wijzigen behandelend arts | | | | added v2.4
A60 | ADT/ACK - Update allergie-informatie | | | | added v2.4
A61 | ADT/ACK - Wijzig consulterend arts | | | | added v2.4
A62 | ADT/ACK - Annuleer wijzigen consulterend arts | | | | added v2.4
B01 | PMU/ACK - Voeg personeelrecord toe | | | | added v2.4
B02 | PMU/ACK - Update personeelrecord | | | | added v2.4
B03 | PMU/ACK - Verwijder personeelrecord | | | | added v2.4
B04 | PMU/ACK - Activeer praktiserend persoon | | | | added v2.4
B05 | PMU/ACK - Deactiveer praktiserend persoon | | | | added v2.4
B06 | PMU/ACK - Beëindig praktiserend persoon | | | | added v2.4
B07 | PMU/ACK - Geef certificaat/toestemming | | | | added v2.5
B08 | PMU/ACK - Trek certificaat/toestemming in | | | | added v2.5
C01 | CRM - Registreer patiënt voor clinical trial | | | | added v2.3
C02 | CRM - Annuleer patiëntregistratie voor clinical trial (invoerfout) | | | | added v2.3
C03 | CRM - Corrigeer/update registratie-informatie | | | | added v2.3
C04 | CRM - Patiënt heeft clinical trial verlaten | | | | added v2.3
C05 | CRM - Patiënt gaat in fase van clinical trial | | | | added v2.3
C06 | CRM - Annuleer patiënt gaat in fase van clinical trial (invoerfout) | | | | added v2.3
C07 | CRM - Corrigeer/update fase-informatie | | | | added v2.3
C08 | CRM - Patiënt heeft fase clinical trial verlaten | | | | added v2.3
C09 | CSU - Geautomatiseerde rapportageintervallen, zoals maandelijks | | | | added v2.3
C10 | CSU - Patiënt voltooit de clinical trial | | | | added v2.3
C11 | CSU - Patiënt voltooit een fase van de clinical trial | | | | added v2.3
C12 | CSU - Update/correctie van patiënt aanvraag-/resultaatinformatie | | | | added v2.3
CNQ | Annuleer query | | | | added v2.3
E01 | Dien factuur zorgproducten in | | | | added v2.6
E02 | Annuleer factuur zorgproducten | | | | added v2.6
E03 | Status factuur zorgproducten | | | | added v2.6
E04 | Beoordeel factuuraanvraag zorgproducten opnieuw | | | | added v2.6

E10 | Wijzig/beslissing resultaten | | | | added v2.6
E12 | Verzoek om aanvullende informatie | | | | added v2.6
E13 | Antwoord aanvullende informatie | | | | added v2.6
E15 | Advies betaling/teruggave | | | | added v2.6
E20 | Dien autorisatieverzoek in | | | | added v2.6
E21 | Annuleer autorisatieverzoek | | | | added v2.6
E22 | Status autorisatieverzoek | | | | added v2.6
E24 | Antwoord autorisatieverzoek | | | | added v2.6
E30 | Dien zorgdocument gerelateerd aan autorisatieverzoek in | | | gereserveerd voor toekomst/nog niet gedefnieerd | added v2.6
E31 | Annuleer zorgdocument gerelateerd aan autorisatieverzoek | | | gereserveerd voor toekomst/nog niet gedefnieerd | added v2.6
I01 | RQI/RPI - Verzoek om verzekeringsgegevens | | | | added v2.3
I02 | RQI/RPL - Verzoek/afschrift van patiëntselectie weergavelijst | | | | added v2.3
I03 | RQI/RPR - Verzoek/afschrift van patiëntselectielijst | | | | added v2.3
I04 | RQD/RPI - Verzoek om demografische patiëntgegevens | | | | added v2.3
I05 | RQC/RCI - Verzoek om klinische patiëntgegevens | | Verouderd | Vervallen | added v2.3
I06 | RQC/RCL - Verzoek/afschrift van overzicht klinische gegevens | | Verouderd | Vervallen | added v2.3
I07 | PIN/ACK - Ongevraagde verzekeringsinformatie | | | | added v2.3
I08 | RQA/RPA - Verzoek om autorisatie-informatie behandeling | | | | added v2.3
I09 | RQA/RPA - Verzoek om wijziging in autorisatie | | | | added v2.3
I10 | RQA/RPA - Verzoek om autorisatie opnieuw in te dienen | | | | added v2.3
I11 | RQA/RPA - Verzoek om annulering van een autorisatie | | | | added v2.3
I12 | REF/RRI - Patiëntverwijzing | | | | added v2.3
I13 | REF/RRI - Wijzig patiëntverwijzing | | | | added v2.3
I14 | REF/RRI - Annuleer patiëntverwijzing | | | | added v2.3
I15 | REF/RRI - Verzoek om status patiëntverwijzing | | | | added v2.3
I16 | Multidisciplinaire verwijzing | | | | added v2.7
I17 | Wijzig multidisciplinaire verwijzing | | Verouderd | Vervallen | added v2.7
I18 | Annuleer multidisciplinaire verwijzing | | Verouderd | Vervallen | added v2.7
I19 | Query multidisciplinaire zorg/Query update multidisciplinaire zorg | | | | added v2.7
I20 | Asynchrone update multidisciplinaire zorg | | | | added v2.7
I21 | Multidisciplinair bericht | | | | added v2.7
I22 | Multidisciplinaire zorg ophalen/multidisciplinaire zorg informatie | | | | added v2.7
J01 | QCN/ACK - Annuleer query/bevestigingsbericht | | | | added v2.4
J02 | QSX/ACK - Annuleer abonnement/bevestigingsbericht | | | | added v2.4
K11 | RSP - Segmentpatroon antwoord op QBP^Q11 | | | | added v2.5
K13 | RTB - Tabelpatroon antwoord op QBP^Q13 | | | | added v2.5
K15 | RDY - Weergavepatroon antwoord op QBP^Q15 | | | | added v2.5
K21 | RSP - Antwoord query demografische persoonsgegevens | | | | added v2.4
K22 | RSP - Antwoord zoek kandidaten | | | | added v2.4
K23 | RSP - Antwoord bijbehorende ID's | | | | added v2.4
K24 | RSP - Antwoord alloceer ID's | | | | added v2.4
K25 | RSP - Antwoord personeelsinformatie op segment | | | | added v2.4
K31 | RSP - Antwoord verstrekkingshistorie | | | | added v2.5.1
K32 | Antwoord zoek kandidaten inclusief bezoekinformatie | | | | added v2.7
K33 | Antwoord zoek donorrecord-kandidaten | | | | added v2.8
K34 | Segmentpatroon antwoordbericht | | | | added v2.8
M01 | MFN/MFK - Masterbestand - niet anderszins gespecificeerd | | Verouderd | Vervallen | added v2.2
M02 | MFN/MFK - Masterbestand - Medewerker zorgverlener | | | | added v2.2
M03 | MFN/MFK - Masterbestand - Test/observatie | | Verouderd | Vervallen | added v2.2
M04 | MFN/MFK - Masterbestand - Prijsomschrijving | | | | added v2.3
M05 | MFN/MFK - Masterbestand - Patiëntlocatie | | | | added v2.3
M06 | MFN/MFK - Masterbestand - Klinische studie met fases en planning | | | | added v2.3
M07 | MFN/MFK - Masterbestand - Klinische studie zonder fases maar met planning | | | | added v2.3
M08 | MFN/MFK - Masterbestand - Test/observatie (numeriek) | | | | added v2.3
M09 | MFN/MFK - Masterbestand - Test/observatie (categorieën) | | | | added v2.3
M10 | MFN/MFK - Masterbestand - Test/observatie batteries | | | | added v2.3
M11 | MFN/MFK - Masterbestand - Test/berekende observaties | | | | added v2.3
M12 | MFN/MFK - Masterbestand - Notificatiebericht | | | | added v2.4
M13 | MFN/MFK - Masterbestand - Notificatiebericht algemeen | | | | added v2.5
M14 | MFN/MFK - Masterbestand - Notificatiebericht lokale overeenkomst | | | | added v2.5
M15 | MFN/MFK - Masterbestand voorraaditems - Notificatiebericht | | | | added v2.5
M16 | MFN/MFK - Masterbestand voorraaditems - Notificatiebericht verbeterd | | | | added v2.6
M17 | DRG - Masterbestand bericht | | | | added v2.6
M18 | MFN/MFK - Master file notification - Test/Observatie (Betaler) | | | | added v2.8.2
N01 | NMQ/NMR - Query Applicatiemanagement | | Verouderd | Vervallen | added v2.4
N02 | NMD/NMR - Applicatiemanagementgegevens (ongevraagd) | | | | added v2.4
O01 | ORM - Aanvraagbericht (ook RDE, RDS, RGV, RAS) | | Verouderd | Vervallen | from v2.1
O02 | ORR - Antwoord aanvraagbericht (ook RRE, RRD, RRG, RRA) | | Verouderd | Vervallen | from v2.1
O03 | OMD - Maaltijdaanvraag | | | | added v2.4
O04 | ORD - Bevestiging maaltijdaanvraag | | | | added v2.4
O05 | OMS - Aanvraag aanvulling voorraad | | | | added v2.4

O06 | ORS - Bevestiging aanvraag aanvulling voorraad | | | | added v2.4
O07 | OMN - Aanvraag aanvulling niet-voorraad | | | | added v2.4
O08 | ORN - Bevestiging aanvraag aanvulling niet-voorraad | | | | added v2.4
O09 | OMP - Medicatie/therapie aanvraag | | | | added v2.4
O10 | ORP - Bevestiging medicatie/therapie aanvraag | | | | added v2.4
O11 | RDE - Gecodeerde aanvraag medicatie/therapie | | | | added v2.4
O12 | RRE - Bevestiging gecodeerde aanvraag medicatie/therapie | | | | added v2.4
O13 | RDS - Medicatie/therapieverstrekking | | | | added v2.4
O14 | RRD - Bevestiging medicatie/therapieverstrekking | | | | added v2.4
O15 | RGV - Medicatie/therapie gegeven | | | | added v2.4
O16 | RRG - Bevestiging medicatie/therapie gegeven | | | | added v2.4
O17 | RAS - Medicatie/therapietoediening | | | | added v2.4
O18 | RRA - Bevestiging medicatie/therapietoediening | | | | added v2.4
O19 | OMG - Algemene klinische aanvraag | | | | added v2.4
O20 | ORG/ORL - Antwoord algemene klinische aanvraag | | | | added v2.4
O21 | OML - Laboratoriumaanvraag | | | | added v2.4
O22 | ORL - Algemeen laboratoriumaanvraag antwoordbericht op alle OML | | | | added v2.5
O23 | OMI - Beeldaanvraag | | | | added v2.5
O24 | ORI - Beeldaanvraag antwoordbericht op alle OMI | | | | added v2.5
O25 | RDE - Autorisatieverzoek voor herhaal medicatie/therapie | | | | added v2.5
O26 | RRE - Antwoord autorisatieverzoek voor herhaal medicatie/therapie | | | | added v2.5
O27 | OMB - Bloedproductaanvraag | | | | added v2.5
O28 | ORB - Antwoordbericht bloedproductaanvraag | | | | added v2.5
O29 | BPS - Bloedproduct verstrekkingstatus | | | | added v2.5
O30 | BRP - Antwoordbericht bloedproduct verstrekkingstatus | | | | added v2.5
O31 | BTS - Bloedproduct transfusie/dispositie | | | | added v2.5
O32 | BRT - Antwoordbericht bloedproduct transfusie/dispositie | | | | added v2.5
O33 | OML - Laboratoriumaanvraag voor meerdere aanvragen met betrekking tot één monster | | | | added v2.5
O34 | ORL - Antwoordbericht laboratoriumaanvraag voor meerdere aanvragen met betrekking tot één monster OML | | | | added v2.5
O35 | OML - Laboratoriumaanvraag voor meerdere aanvragen met betrekking tot één container van een monster OML | | | | added v2.5
O36 | ORL - Antwoordbericht laboratoriumaanvraag voor meerdere aanvragen met betrekking tot één container van een monster OML | | | | added v2.5
O37 | OPL - Populatie/locatie-gebaseerd laboratoriumaanvraag bericht | | | | added v2.6
O38 | OPR - Bevestiging populatie/locatie-gebaseerd laboratoriumaanvraag bericht | | | | added v2.6
O39 | Monsterverzending-georiënteerde laboratoriumaanvraag | | | | added v2.7
O40 | Antwoord monsterverzending-georiënteerde laboratoriumaanvraag | | | | added v2.7
O41 | DBC - Maak donorrecord bericht | | | | added v2.8
O42 | DBU - Update donorrecord bericht | | | | added v2.8
O43 | Algemeen aanvraagbericht met documentinhoud bevestigingsbericht | | | | added v2.8
O44 | Donorregistratie - minimaal bericht | | | | added v2.8
O45 | Donorkwalificatie observaties bericht | | | | added v2.8
O46 | Donorkwalificatie bericht | | | | added v2.8
O47 | Verzoekbericht donatie verzameling | | | | added v2.8
O48 | Procedurebericht donatie | | | | added v2.8
O49 | | | | | added v2.9
O50 | | | | | added v2.9
O51 | | | | | added v2.9
O52 | | | | | added v2.9
O53 | | | | | added v2.9
O54 | | | | | added v2.9
O55 | | | | | added v2.9
O56 | | | | | added v2.9
O57 | | | | | added v2.9
O58 | | | | | added v2.9
O59 | | | | | added v2.9
P01 | BAR/ACK - Voeg patiëntaccounts toe | | | | from v2.1
P02 | BAR/ACK - Verwijder patiëntaccounts | | | | from v2.1
P03 | Details financiële verrichting | | | | from v2.1
P04 | QRY/DSP - Maak factuur en verkregen diensten | | Verouderd | Vervallen | from v2.1
P05 | BAR/ACK - Update account | | | | added v2.3
P06 | BAR/ACK - Beëindig account | | | | added v2.3
P07 | PEX - Ongevraagd initieel rapport individueel productervaringen | | | | added v2.3
P08 | PEX - Ongevraagde update rapport individueel productervaringen | | | | added v2.3
P09 | SUR - Samenvatting rapport productervaringen | | Verouderd | Vervallen | added v2.3
P10 | BAR/ACK - Verstuur Ambulatory Payment Classification (APC) | | | | added v2.4
P11 | DFT/ACK - Verstuur financiële verrichtingen - Nieuw | | | | added v2.5
P12 | BAR/ACK - Update diagnose/behandeling | | | | added v2.5
PC1 | PPR - PC/Voeg probleem toe | | | | added v2.3
PC2 | PPR - PC/Update probleem | | | | added v2.3
PC3 | PPR - PC/Verwijder probleem | | | | added v2.3

PC4 | PPR - PC/Query problemen | | Verouderd | Vervallen | added v2.3
PC5 | PPR - PC/Antwoord problemen | | Verouderd | Vervallen | added v2.3
PC6 | PGL - PC/Voeg doel toe | | | | added v2.3
PC7 | PGL - PC/Update doel | | | | added v2.3
PC8 | PGL - PC/Verwijder doel | | | | added v2.3
PC9 | PGL - PC/Query doelen | | Verouderd | Vervallen | added v2.3
PCA | PPV - PC/Antwoord doelen | | Verouderd | Vervallen | added v2.3
PCB | PPP - PC/Voeg zorgpad toe (probleemgeoriënteerd) | | | | added v2.3
PCC | PPP - PC/Update zorgpad (probleemgeoriënteerd) | | | | added v2.3
PCD | PPP - PC/Verwijder zorgpad (probleemgeoriënteerd) | | | | added v2.3
PCE | QRY - PC/Query zorgpaden (probleemgeoriënteerd) | | Verouderd | Vervallen | added v2.3
PCF | PTR - PC/Antwoord zorgpaden (probleemgeoriënteerd) | | Verouderd | Vervallen | added v2.3
PCG | PPG - PC/Voeg zorgpad toe (doelgeoriënteerd) | | | | added v2.3
PCH | PPG - PC/Update zorgpad (doelgeoriënteerd) | | | | added v2.3
PCJ | PPG - PC/Verwijder zorgpad (doelgeoriënteerd) | | | | added v2.3
PCK | QRY - PC/Query zorgpaden (doelgeoriënteerd) | | Verouderd | Vervallen | added v2.3
PCL | PPT - PC/Antwoord zorgpaden (doelgeoriënteerd) | | Verouderd | Vervallen | added v2.3
Q01 | QRY/DSR - Query verzonden voor directe beantwoording | | Verouderd | Vervallen | from v2.1
Q02 | QRY/QCK - Query verzonden voor indirecte beantwoording | | Verouderd | Vervallen | from v2.1
Q03 | DSR/ACK - Indirect antwoord op een query | | Verouderd | Vervallen | added v2.2
Q04 | EQQ - Embedded query language query | | Verouderd | | added v2.3.1, removed after v2.5.1
Q05 | UDM/ACK - Ongevraagd bericht voor weergave update | | | | added v2.2
Q06 | OSQ/OSR - Query om aanvraagstatus | | Verouderd | Vervallen | added v2.3
Q07 | VQQ - Virtuele tabel query | | Verouderd | | added v2.3.1, removed after v2.5.1
Q08 | SPQ - Verzoek stored procedure | | Verouderd | | added v2.3.1, removed after v2.5.1
Q09 | RQQ - Query event replay | | Verouderd | | added v2.3.1, removed after v2.5.1
Q11 | QBP - Query op parameter met als antwoord een RSP-segmentpatroon | | | | added v2.5
Q13 | QBP - Query op parameter met als antwoord een RTB-tabelpatroon | | | | added v2.5
Q15 | QBP - Query op parameter met als antwoord een RDY-weergavepatroon | | | | added v2.5
Q16 | QSB - Maak abonnement | | | | added v2.4
Q17 | QVR - Query op vorige events | | | | added v2.4
Q21 | QBP - Query persoonsgegevens | | | | added v2.4
Q22 | QBP - Zoek kandidaten | | | | added v2.4
Q23 | QBP - Query bijbehorende ID's | | | | added v2.4
Q24 | QBP - Alloceer ID's | | | | added v2.4
Q25 | QBP - Query personeelinformatie op segment | | | | added v2.4
Q26 | ROR - Antwoordbericht aanvraag medicatie/therapie | | Verouderd | Vervallen | added v2.5
Q27 | RAR - Medicatie/therapie toedieningsinformatie | | Verouderd | Vervallen | added v2.5
Q28 | RDR - Medicatie/therapie verstrekkingsinformatie | | Verouderd | Vervallen | added v2.5
Q29 | RER - Medicatie/therapie gecodeerde aanvraag-informatie | | Verouderd | Vervallen | added v2.5
Q30 | RER - Medicatie/therapie doseringsinformatie | | Verouderd | Vervallen | added v2.5
Q31 | QBP - Query verstrekkingshistorie | | | | added v2.5.1
Q32 | Zoek kandidaten inclusief bezoekinformatie | | | | added v2.7
Q33 | QBP - Ophalen donorrecord kandidaten | | | | added v2.8
Q34 | QBP - Ophalen donorrecord | | | | added v2.8
R01 | ORU/ACK - Ongevraagde verzending van een observatiebericht | | | | from v2.1
R02 | Query op observatieresultaten | | Verouderd | Vervallen | added v2.2
R03 | QRY/DSR - Weergave-georiënteerde resultaten, query/ongevr. update (voor backward compatibiliteit) (Vervangen door Q05) | | Verouderd | | from v2.1, removed after v2.5.1
R04 | ORF - Antwoord op query; verzending van aangevraagde observatie | | Verouderd | Vervallen | added v2.2
R05 | QRY/DSR - Query op weergave resultaten (zie Q01) | | Verouderd | | added v2.3, removed after v2.4
R06 | UDM - Ongevraagde update/weergave resultaten (zie Q05) | | Verouderd | | added v2.3, removed after v2.4
R07 | EDR - Antwoord verrijkte weergave | | Verouderd | | added v2.3.1, removed after v2.5.1
R08 | TBR - Antwoord gegevens in tabelvorm | | Verouderd | | added v2.3.1, removed after v2.5.1
R09 | ERP - Antwoord event replay | | Verouderd | | added v2.3.1, removed after v2.5.1
R0R | R0R - Medicatievoorschriftaanvraag query antwoord | | Verouderd | | added v2.3.1, removed after v2.3.1
R21 | OUL - Ongevraagde laboratoriumobservatie | | Verouderd | Vervallen | added v2.4
R22 | OUL - Ongevraagde monster-georiënteerde observatie | | | | added v2.5
R23 | OUL - Ongevraagde monstercontainer-georiënteerde observatie | | | | added v2.5
R24 | OUL - Ongevraagde aanvraag-georiënteerde observatie | | | | added v2.5
R25 | OPU - Ongevraagde populatie/locatie-gebaseerd laboratoriumobservatie | | | | added v2.6
R26 | OSM - Ongevraagde monsterverzending manifest | | | | added v2.7
R30 | ORU - Ongevraagde Point-Of-Care observatie zonder voorafgaande aanvraag - Plaats een aanvraag | | | | added v2.5
R31 | ORU - Ongevraagde nieuwe Point-Of-Care observatie - Zoek een aanvraag | | | | added v2.5
R32 | ORU - Ongevraagde pre-ordered Point-Of-Care observatie | | | | added v2.5
R33 | ORA - Bevestiging observatieverslag | | | | added v2.7
R40 | ORU - Ongevraagd rapport alarm | | | | added v2.8
R41 | Bevestiging observatierapport waarschuwing | | | | added v2.8
R42 | | | | | added v2.9
R43 | | | | | added v2.9
RAR | RAR - Medicatietoediening-informatie query antwoord | | Verouderd | | added v2.3, removed after v2.4
RDR | RDR - Medicatieverstrekking-informatie query antwoord | | Verouderd | | added v2.3, removed after v2.4

RER | RER - Medicatie gecodeerde aanvraaginformatie query antwoord | | Verouderd | | added v2.3, removed after v2.4
RGR | RGR - Medicatiedosering-informatie query antwoord | | Verouderd | | added v2.3, removed after v2.4
ROR | ROR - Medicatievoorschrift aanvraag query antwoord | | Verouderd | Vervallen | added v2.3
S01 | SRM/SRR - Verzoek boeken nieuwe afspraak | | | | added v2.3
S02 | SRM/SRR - Verzoek verzetten afspraak | | | | added v2.3
S03 | SRM/SRR - Verzoek aanpassen afspraak | | | | added v2.3
S04 | SRM/SRR - Verzoek annuleren afspraak | | | | added v2.3
S05 | SRM/SRR - Verzoek stopzetten afspraak | | | | added v2.3
S06 | SRM/SRR - Verzoek verwijderen afspraak | | | | added v2.3
S07 | SRM/SRR - Verzoek toevoegen dienst/resource bij afspraak | | | | added v2.3
S08 | SRM/SRR - Verzoek wijzigen dienst/resource bij afspraak | | | | added v2.3
S09 | SRM/SRR - Verzoek annuleren dienst/resource bij afspraak | | | | added v2.3
S10 | SRM/SRR - Verzoek stopzetten dienst/resource bij afspraak | | | | added v2.3
S11 | SRM/SRR - Verzoek verwijderen dienst/resource bij afspraak | | | | added v2.3
S12 | SIU/ACK - Notificatie van nieuw geboekte afspraak | | | | added v2.3
S13 | SIU/ACK - Notificatie van verzetten afspraak | | | | added v2.3
S14 | SIU/ACK - Notificatie van wijzigen afspraak | | | | added v2.3
S15 | SIU/ACK - Notificatie van annuleren afspraak | | | | added v2.3
S16 | SIU/ACK - Notificatie van stopzetten afspraak | | | | added v2.3
S17 | SIU/ACK - Notificatie van verwijderen afspraak | | | | added v2.3
S18 | SIU/ACK - Notificatie van toevoegen dienst/resource bij afspraak | | | | added v2.3
S19 | SIU/ACK - Notificatie van wijzigen dienst/resource bij afspraak | | | | added v2.3
S20 | SIU/ACK - Notificatie van annuleren dienst/resource bij afspraak | | | | added v2.3
S21 | SIU/ACK - Notificatie van stopzetten dienst/resource bij afspraak | | | | added v2.3
S22 | SIU/ACK - Notificatie van verwijderen dienst/resource bij afspraak | | | | added v2.3
S23 | SIU/ACK - Notificatie van geblokkeerde agenda tijdblok(ken) | | | | added v2.3
S24 | SIU/ACK - Notificatie van open (niet-geblokkeerde) agenda tijdblok(ken) | | | | added v2.3
S25 | SQM/SQR - Query agenda-informatie en antwoord | | Verouderd | Vervallen | added v2.3
S26 | SIU/ACK - Notificatie dat patiënt niet is komen opdagen voor agenda-afspraak | | | | added v2.3
S27 | SIU/ACK - Broadcast notificatie van geplande afspraken | | | | added v2.7
S28 | SLR/SLS - Verzoek nieuwe lot sterilisatie | | | | added v2.6
S29 | SLR/SLS - Verzoek verwijderen lot sterilisatie | | | | added v2.6
S30 | STI/STS - Verzoek item | | | | added v2.6
S31 | SDR/SDS - Verzoek anti-microbisch apparaatgegevens | | | | added v2.6
S32 | SMD/SMS - Verzoek anti-microbisch apparaatomloopgegevens | | | | added v2.6
S33 | STC/ACK - Notificatie van sterilisatie configuratie | | | | added v2.6
S34 | SLN/ACK - Notificatie van sterilisatie lot | | | | added v2.6
S35 | SLN/ACK - Notificatie verwijdering van sterilisatie lot | | | | added v2.6
S36 | SDN/ACK - Notificatie anti-microbisch apparaatgegevens | | | | added v2.6
S37 | SDN/ACK - Notificatie anti-microbisch apparaatomloopgegevens | | | | added v2.6
T01 | MDM/ACK - Notificatie origineel document | | | | added v2.3
T02 | MDM/ACK - Notificatie origineel document met inhoud | | | | added v2.3
T03 | MDM/ACK - Notificatie wijzigen documentstatus | | | | added v2.3
T04 | MDM/ACK - Notificatie wijzigen documentstatus met inhoud | | | | added v2.3
T05 | MDM/ACK - Notificatie documentaddendum | | | | added v2.3
T06 | MDM/ACK - Notificatie documentaddendum met inhoud | | | | added v2.3
T07 | MDM/ACK - Notificatie wijziging document | | | | added v2.3
T08 | MDM/ACK - Notificatie wijziging document met inhoud | | | | added v2.3
T09 | MDM/ACK - Notificatie vervanging document | | | | added v2.3
T10 | MDM/ACK - Notificatie vervanging document met inhoud | | | | added v2.3
T11 | MDM/ACK - Notificatie annuleren document | | | | added v2.3
T12 | QRY/DOC - Query documenten | | Verouderd | Vervallen | added v2.3
U01 | ESU/ACK - Geautomatiseerde materiaal status update | | | | added v2.4
U02 | ESR/ACK - Geautomatiseerde materiaal status verzoek | | | | added v2.4
U03 | SSU/ACK - Monster status update | | | | added v2.4
U04 | SSR/ACK - Monster status verzoek | | | | added v2.4
U05 | INU/ACK - Geautomatiseerde materiaal voorraad update | | | | added v2.4
U06 | INR/ACK - Geautomatiseerde materiaal voorraad verzoek | | | | added v2.4
U07 | EAC/ACK - Geautomatiseerde materiaal commando | | | | added v2.4
U08 | EAR/ACK - Geautomatiseerde materiaal antwoord | | | | added v2.4
U09 | EAN/ACK - Geautomatiseerde materiaal notificatie | | | | added v2.4
U10 | TCU/ACK - Geautomatiseerde materiaal testcode instellingen update | | | | added v2.4
U11 | TCR/ACK - Geautomatiseerde materiaal testcode instellingen verzoek | | | | added v2.4
U12 | LSU/ACK - Geautomatiseerde materiaal log/service update | | | | added v2.4
U13 | LSR/ACK - Geautomatiseerde materiaal log/service verzoek | | | | added v2.4
U14 | | | | | added v2.9
V01 | VQX - Query op vaccinatiegegevens | | Verouderd | Vervallen | added v2.3
V02 | VXX - Antwoord op query vaccinatiegegevens met meerdere PID's | | Verouderd | Vervallen | added v2.3
V03 | VXR - Antwoord op query vaccinatiegegevens | | Verouderd | Vervallen | added v2.3
V04 | VXU - Ongevraagde update vaccinatiegegevens | | | | added v2.3
Varies | MFQ/MFR - Masterbestanden query (gebruik event zoals bij vragen naar bijv. M05 - locatie) | | | | added v2.3
W01 | ORU - Waveformresultaat, ongevraagde verzending van aangevraagde informatie | | Verouderd | Vervallen | added v2.3

W02 | QRF - Waveformresultaat, antwoord op query | | Verouderd | Vervallen | added v2.3
X01 | PEX - Productervaring | | Verouderd | | added v2.3, removed after v2.3

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.3.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 304 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0003 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0003

Code | Display | Definition
A01 | ADT/ACK - Admit/visit notification
A02 | ADT/ACK - Transfer a patient
A03 | ADT/ACK - Discharge/end visit
A04 | ADT/ACK - Register a patient
A05 | ADT/ACK - Pre-admit a patient
A06 | ADT/ACK - Change an outpatient to an inpatient
A07 | ADT/ACK - Change an inpatient to an outpatient
A08 | ADT/ACK - Update patient information
A09 | ADT/ACK - Patient departing - tracking
A10 | ADT/ACK - Patient arriving - tracking
A11 | ADT/ACK - Cancel admit/visit notification
A12 | ADT/ACK - Cancel transfer
A13 | ADT/ACK - Cancel discharge/end visit
A14 | ADT/ACK - Pending admit
A15 | ADT/ACK - Pending transfer
A16 | ADT/ACK - Pending discharge
A17 | ADT/ACK - Swap patients
A20 | ADT/ACK - Bed status update
A21 | ADT/ACK - Patient goes on a "leave of absence"
A22 | ADT/ACK - Patient returns from a "leave of absence"
A23 | ADT/ACK - Delete a patient record
A24 | ADT/ACK - Link patient information
A25 | ADT/ACK - Cancel pending discharge
A26 | ADT/ACK - Cancel pending transfer
A27 | ADT/ACK - Cancel pending admit
A28 | ADT/ACK - Add person information
A29 | ADT/ACK - Delete person information
A31 | ADT/ACK - Update person information
A32 | ADT/ACK - Cancel patient arriving - tracking
A33 | ADT/ACK - Cancel patient departing - tracking
A37 | ADT/ACK - Unlink patient information
A38 | ADT/ACK - Cancel pre-admit
A40 | ADT/ACK - Merge patient - patient identifier list
A41 | ADT/ACK - Merge account - patient account number
A42 | ADT/ACK - Merge visit - visit number
A43 | ADT/ACK - Move patient information - patient identifier list
A44 | ADT/ACK - Move account information - patient account number
A45 | ADT/ACK - Move visit information - visit number
A47 | ADT/ACK - Change patient identifier list
A49 | ADT/ACK - Change patient account number
A50 | ADT/ACK - Change visit number
A51 | ADT/ACK - Change alternate visit ID
A52 | ADT/ACK - Cancel leave of absence for a patient
A53 | ADT/ACK - Cancel patient returns from a leave of absence
A54 | ADT/ACK - Change attending doctor
A55 | ADT/ACK - Cancel change attending doctor
A60 | ADT/ACK - Update allergy information
A61 | ADT/ACK - Change consulting doctor
A62 | ADT/ACK - Cancel change consulting doctor
B01 | PMU/ACK - Add personnel record
B02 | PMU/ACK - Update personnel record
B03 | PMU/ACK - Delete personnel re cord
B04 | PMU/ACK - Active practicing person
B05 | PMU/ACK - Deactivate practicing person
B06 | PMU/ACK - Terminate practicing person
B07 | PMU/ACK - Grant Certificate/Permission
B08 | PMU/ACK - Revoke Certificate/Permission
C01 | CRM - Register a patient on a clinical trial
C02 | CRM - Cancel a patient registration on clinical trial (for clerical mistakes only)

C03 | CRM - Correct/update registration information
C04 | CRM - Patient has gone off a clinical trial
C05 | CRM - Patient enters phase of clinical trial
C06 | CRM - Cancel patient entering a phase (clerical mistake)
C07 | CRM - Correct/update phase information
C08 | CRM - Patient has gone off phase of clinical trial
C09 | CSU - Automated time intervals for reporting, like monthly
C10 | CSU - Patient completes the clinical trial
C11 | CSU - Patient completes a phase of the clinical trial
C12 | CSU - Update/correction of patient order/result information
CNQ | Cancel Query
E01 | Submit HealthCare Services Invoice
E02 | Cancel HealthCare Services Invoice
E03 | HealthCare Services Invoice Status
E04 | Re-Assess HealthCare Services Invoice Request
E10 | Edit/Adjudication Results
E12 | Request Additional Information
E13 | Additional Information Response
E15 | Payment/Remittance Advice
E20 | Submit Authorization Request
E21 | Cancel Authorization Request
E22 | Authorization Request Status
E24 | Authorization Response
E30 | Submit Health Document related to Authorization Request
E31 | Cancel Health Document related to Authorization Request
I01 | RQI/RPI - Request for insurance information
I02 | RQI/RPL - Request/receipt of patient selection display list
I03 | RQI/RPR - Request/receipt of patient selection list
I04 | RQD/RPI - Request for patient demographic data
I07 | PIN/ACK - Unsolicited insurance information
I08 | RQA/RPA - Request for treatment authorization information
I09 | RQA/RPA - Request for modification to an authorization
I10 | RQA/RPA - Request for resubmission of an authorization
I11 | RQA/RPA - Request for cancellation of an authorization
I12 | REF/RRI - Patient referral
I13 | REF/RRI - Modify patient referral
I14 | REF/RRI - Cancel patient referral
I15 | REF/RRI - Request patient referral status
I16 | Collaborative Care Referral
I19 | Collaborative Care Query/Collaborative Care Query Update
I20 | Asynchronous Collaborative Care Update
I21 | Collaborative Care Message
I22 | Collaborative Care Fetch / Collaborative Care Information
J01 | QCN/ACK - Cancel query/acknowledge message
J02 | QSX/ACK - Cancel subscription/acknowledge message
K11 | RSP - Segment pattern response in response to QBP^Q11
K13 | RTB - Tabular response in response to QBP^Q13
K15 | RDY - Display response in response to QBP^Q15
K21 | RSP - Get person demographics response
K22 | RSP - Find candidates response
K23 | RSP - Get corresponding identifiers response
K24 | RSP - Allocate identifiers response
K25 | RSP - Personnel Information by Segment Response
K31 | RSP -Dispense History Response
K32 | Find Candidates including Visit Information Response
K33 | Get Donor Record Candidates Response Message
K34 | Segment Pattern Response Message
M02 | MFN/MFK - Master file - staff practitioner
M04 | MFN/MFK - Master files charge description
M05 | MFN/MFK - Patient location master file
M06 | MFN/MFK - Clinical study with phases and schedules master file
M07 | MFN/MFK - Clinical study without phases but with schedules master file
M08 | MFN/MFK - Test/observation (numeric) master file
M09 | MFN/MFK - Test/observation (categorical) master file
M10 | MFN/MFK - Test /observation batteries master file
M11 | MFN/MFK - Test/calculated observations master file
M12 | MFN/MFK - Master file notification message
M13 | MFN/MFK - Master file notification - general
M14 | MFN/MFK - Master file notification - site defined
M15 | MFN/MFK - Inventory item master file notification
M16 | MFN/MFK - Master File Notification Inventory Item Enhanced
M17 | DRG Master File Message

M18 | MFN/MFK - Master file notification - Test/Observation (Payer)
N02 | NMD/ACK - Application management data message (unsolicited)
O03 | OMD - Diet order
O04 | ORD - Diet order acknowledgment
O05 | OMS - Stock requisition order
O06 | ORS - Stock requisition acknowledgment
O07 | OMN - Non-stock requisition order
O08 | ORN - Non-stock requisition acknowledgment
O09 | OMP - Pharmacy/treatment order
O10 | ORP - Pharmacy/treatment order acknowledgment
O11 | RDE - Pharmacy/treatment encoded order
O12 | RRE - Pharmacy/treatment encoded order acknowledgment
O13 | RDS - Pharmacy/treatment dispense
O14 | RRD - Pharmacy/treatment dispense acknowledgment
O15 | RGV - Pharmacy/treatment give
O16 | RRG - Pharmacy/treatment give acknowledgment
O17 | RAS - Pharmacy/treatment administration
O18 | RRA - Pharmacy/treatment administration acknowledgment
O19 | OMG - General clinical order
O20 | ORG/ORL - General clinical order response
O21 | OML - Laboratory order
O22 | ORL - General laboratory order response message to any OML
O23 | OMI - Imaging order
O24 | ORI - Imaging order response message to any OMI
O25 | RDE - Pharmacy/treatment refill authorization request
O26 | RRE - Pharmacy/Treatment Refill Authorization Acknowledgement
O27 | OMB - Blood product order
O28 | ORB - Blood product order acknowledgment
O29 | BPS - Blood product dispense status
O30 | BRP - Blood product dispense status acknowledgment
O31 | BTS - Blood product transfusion/disposition
O32 | BRT - Blood product transfusion/disposition acknowledgment
O33 | OML - Laboratory order for multiple orders related to a single specimen
O34 | ORL - Laboratory order response message to a multiple order related to single specimen OML
O35 | OML - Laboratory order for multiple orders related to a single container of a specimen
O36 | ORL - Laboratory order response message to a single container of a specimen OML
O37 | OPL - Population/Location-Based Laboratory Order Message
O38 | OPR - Population/Location-Based Laboratory Order Acknowledgment Message
O39 | Specimen shipment centric laboratory order
O40 | Specimen Shipment Centric Laboratory Order Acknowledgment Message
O41 | DBC - Create Donor Record Message
O42 | DBU - Update Donor Record Message
O43 | General Order Message with Document Payload Acknowledgement Message
O44 | Donor Registration - Minimal Message
O45 | Donor Eligibility Observations Message
O46 | Donor Eligiblity Message
O47 | Donor Request to Collect Message
O48 | Donation Procedure Message
O49 | Pharmacy/Treatment Dispense Request Message
O50 | Pharmacy/Treatment Encoded Order Acknowledgment
O51 | OSU – Order Status Update
O52 | OSU – Order Status Update Acknowledgement
O53 | ORL - General Laboratory Order Acknowledgment Message (Patient Optional)
O54 | ORL - Laboratory Order Acknowledgment Message – Multiple Order Per Specimen (Patient Optional)
O55 | ORL - Laboratory Order Acknowledgment Message – Multiple Order Per Container of Specimen (Patient Optional)
O56 | ORL - Specimen Shipment Centric Laboratory Order Acknowledgment Message (Patient Optional)
O57 | OMQ- General Order Message with Document Payload
O58 | ORX - General Order Message with Document Payload Acknowledgement Message
O59 | OML - Laboratory order for additional work up
P01 | BAR/ACK - Add patient accounts
P02 | BAR/ACK - Purge patient accounts
P03 | DFT/ACK - Post detail financial transaction
P05 | BAR/ACK - Update account
P06 | BAR/ACK - End account
P07 | PEX - Unsolicited initial individual product experience report
P08 | PEX - Unsolicited update individual product experience report
P10 | BAR/ACK -Transmit Ambulatory Payment Classification(APC)
P11 | DFT/ACK - Post Detail Financial Transactions - New
P12 | BAR/ACK - Update Diagnosis/Procedure
PC1 | PPR - PC/ problem add
PC2 | PPR - PC/ problem update
PC3 | PPR - PC/ problem delete

PC6 | PGL - PC/ goal add
PC7 | PGL - PC/ goal update
PC8 | PGL - PC/ goal delete
PCB | PPP - PC/ pathway (problem-oriented) add
PCC | PPP - PC/ pathway (problem-oriented) update
PCD | PPP - PC/ pathway (problem-oriented) delete
PCG | PPG - PC/ pathway (goal-oriented) add
PCH | PPG - PC/ pathway (goal-oriented) update
PCJ | PPG - PC/ pathway (goal-oriented) delete
Q05 | UDM/ACK - Unsolicited display update message
Q11 | QBP - Query by parameter requesting an RSP segment pattern response
Q13 | QBP - Query by parameter requesting an RTB - tabular response
Q15 | QBP - Query by parameter requesting an RDY display response
Q16 | QSB - Create subscription
Q17 | QVR - Query for previous events
Q21 | QBP - Get person demographics
Q22 | QBP - Find candidates
Q23 | QBP - Get corresponding identifiers
Q24 | QBP - Allocate identifiers
Q25 | QBP - Personnel Information by Segment Query
Q31 | QBP Query Dispense history
Q32 | Find Candidates including Visit Information
Q33 | QBP - Get Donor Record Candidates
Q34 | QBP - Get Donor Record
R01 | ORU/ACK - Unsolicited transmission of an observation message
R22 | OUL - Unsolicited Specimen Oriented Observation Message
R23 | OUL - Unsolicited Specimen Container Oriented Observation Message
R24 | OUL - Unsolicited Order Oriented Observation Message
R25 | OPU - Unsolicited Population/Location-Based Laboratory Observation Message
R26 | OSM - Unsolicited Specimen Shipment Manifest Message
R30 | ORU - Unsolicited Point-Of-Care Observation Message Without Existing Order - Place An Order
R31 | ORU - Unsolicited New Point-Of-Care Observation Message - Search For An Order
R32 | ORU - Unsolicited Pre-Ordered Point-Of-Care Observation
R33 | ORA - Observation Report Acknowledgement
R40 | ORU - Unsolicited Report Alarm
R41 | Observation Report Alert Acknowledgement
R42 | ORU – Unsolicited Device Event Observation Message
R43 | ORU – Unsolicited Patient-Device Association Observation Message
S01 | SRM/SRR - Request new appointment booking
S02 | SRM/SRR - Request appointment rescheduling
S03 | SRM/SRR - Request appointment modification
S04 | SRM/SRR - Request appointment cancellation
S05 | SRM/SRR - Request appointment discontinuation
S06 | SRM/SRR - Request appointment deletion
S07 | SRM/SRR - Request addition of service/resource on appointment
S08 | SRM/SRR - Request modification of service/resource on appointment
S09 | SRM/SRR - Request cancellation of service/resource on appointment
S10 | SRM/SRR - Request discontinuation of service/resource on appointment
S11 | SRM/SRR - Request deletion of service/resource on appointment
S12 | SIU/ACK - Notification of new appointment booking
S13 | SIU/ACK - Notification of appointment rescheduling
S14 | SIU/ACK - Notification of appointment modification
S15 | SIU/ACK - Notification of appointment cancellation
S16 | SIU/ACK - Notification of appointment discontinuation
S17 | SIU/ACK - Notification of appointment deletion
S18 | SIU/ACK - Notification of addition of service/resource on appointment
S19 | SIU/ACK - Notification of modification of service/resource on appointment
S20 | SIU/ACK - Notification of cancellation of service/resource on appointment
S21 | SIU/ACK - Notification of discontinuation of service/resource on appointment
S22 | SIU/ACK - Notification of deletion of service/resource on appointment
S23 | SIU/ACK - Notification of blocked schedule time slot(s)
S24 | SIU/ACK - Notification of opened ("unblocked") schedule time slot(s)
S26 | SIU/ACK Notification that patient did not show up for schedule appointment
S27 | SIU/ACK - Broadcast Notification of Scheduled Appointments
S28 | SLR/SLS - Request new sterilization lot
S29 | SLR/SLS - Request Sterilization lot deletion
S30 | STI/STS - Request item
S31 | SDR/SDS - Request anti-microbial device data
S32 | SMD/SMS - Request anti-microbial device cycle data
S33 | STC/ACK - Notification of sterilization configuration
S34 | SLN/ACK - Notification of sterilization lot
S35 | SLN/ACK - Notification of sterilization lot deletion

S36 | SDN/ACK - Notification of anti-microbial device data
S37 | SCN/ACK - Notification of anti-microbial device cycle data
T01 | MDM/ACK - Original document notification
T02 | MDM/ACK - Original document notification and content
T03 | MDM/ACK - Document status change notification
T04 | MDM/ACK - Document status change notification and content
T05 | MDM/ACK - Document addendum notification
T06 | MDM/ACK - Document addendum notification and content
T07 | MDM/ACK - Document edit notification
T08 | MDM/ACK - Document edit notification and content
T09 | MDM/ACK - Document replacement notification
T10 | MDM/ACK - Document replacement notification and content
T11 | MDM/ACK - Document cancel notification
U01 | ESU/ACK - Automated equipment status update
U02 | ESR/ACK - Automated equipment status request
U03 | SSU/ACK - Specimen status update
U04 | SSR/ACK - specimen status request
U05 | INU/ACK - Automated equipment inventory update
U06 | INR/ACK - Automated equipment inventory request
U07 | EAC/ACK - Automated equipment command
U08 | EAR/ACK - Automated equipment response
U09 | EAN/ACK - Automated equipment notification
U10 | TCU/ACK - Automated equipment test code settings update
U11 | TCR/ACK - Automated equipment test code settings request
U12 | LSU/ACK - Automated equipment log/service update
U13 | LSR/ACK - Automated equipment log/service request
U14 | INR/ACK – Automated Equipment Inventory Request
V04 | VXU - Unsolicited vaccination record update
Varies | MFQ/MFR - Master files query (use event same as asking for e.g., M05 - location)

Additional Language Displays

Code | Deutsch (German, de) | Nederlands (Dutch, nl)
A01 | stationäre Aufnahme | ADT/ACK - Opname/bezoek notificatie
A02 | Verlegung | ADT/ACK - Overplaatsing van een patiënt
A03 | Entlassung | ADT/ACK - Ontslag/einde bezoek
A04 | Besuchsmeldung (nicht-stationär) | ADT/ACK - Registratie van een patiënt
A05 | Voraufnahme eines Patienten | Vooropname van een patiënt
A06 | Änderung von ambulant in stationär | ADT/ACK - Wijzig poliklinische patiënt naar klinische patiënt
A07 | Änderung von stationär in ambulant | ADT/ACK - Wijzig klinische patiënt naar poliklinische patiënt
A08 | Änderung von Patienteninformationen | ADT/ACK - Update patiëntinformatie
A09 | Patient verläßt Einrichtung | ADT/ACK - Patiënt vertrekt - tracking
A10 | Patient erreicht Einrichtung | ADT/ACK - Patiënt keert terug - tracking
A11 | Stornierung für A01 und A04 | ADT/ACK - Annuleer opname/bezoek notificatie
A12 | Stornierung für A02 | ADT/ACK - Annulering overplaatsing
A13 | Stornierung für A03 | ADT/ACK - Annuleer ontslag/einde bezoek
A14 | Geplante Aufnahme | ADT/ACK - Geplande opname
A15 | Geplante Verlegung | ADT/ACK - Geplande overplaatsing
A16 | Geplante Entlassung | ADT/ACK - Gepland ontslag
A17 | Bettentausch zweier Patienten | ADT/ACK - Bedwissel patiënten
A20 | Änderung des Bettenstatus | ADT/ACK - Update bedstatus
A21 | Beginn einer Patientenabwesenheit | ADT/ACK - Patiënt gaat met “verlof”
A22 | Ende einer Patientenabwesenheit | ADT/ACK - Patiënt keert terug van “verlof”
A23 | Löschen eines Patientensatzes | ADT/ACK - Verwijder een patiëntrecord
A24 | Verknüpfen von Patientendaten | ADT/ACK - Koppel patiëntinformatie
A25 | Stornierung einer eingeleiteten Entlassung | ADT/ACK - Annuleer gepland ontslag
A26 | Stornierung einer eingeleiteten Verlegung | ADT/ACK - Annuleer geplande overplaatsing
A27 | Stornierung einer eingeleiteten Aufnahme | ADT/ACK - Annuleer geplande opname
A28 | Personendaten hinzufügen | ADT/ACK - Voeg persoonsinformatie toe
A29 | Löschung von personenbezogenen Daten | ADT/ACK - Verwijder persoonsinformatie
A31 | Ändern personenbezogener Daten | ADT/ACK - Update persoonsinformatie
A32 | Stornierung eines Patientenzugangs (Bettenzuweisung) | ADT/ACK - Annuleer aankomst patiënt - tracking
A33 | Stornierung eines Patientenabgangs (Bettenfreigabe) | ADT/ACK - Annuleer vertrek patiënt - tracking
A37 | Auflösung einer Verknüpfung von Patientendaten | ADT/ACK - Ontkoppel patiëntinformatie
A38 | Stornierung zu A05 | ADT/ACK - Annuleer opname op wachtlijst
A40 | Zusammenführung v. Pat-Information über ID-Liste | ADT/ACK - Voeg patiënt samen - lijst patiënt ID's
A41 | Zusammenführung von Konten über Kontonummer | ADT/ACK - Samenvoeging account - patiënt accountnummer
A42 | Zusammenführung v.Fall-Information über Fallnummer | ADT/ACK - Samenvoeging bezoek - bezoeknummer
A43 | Korrektur einer falschen Zuordnung bzgl. PID-Liste | ADT/ACK - Verplaats patiëntinformatie - lijst patiënt ID's
A44 | Korrektur einer falschen Zuordnung bzgl.Abrechungsnummer | ADT/ACK - Verplaats accountinformatie - patiënt accountnummer
A45 | Korrektur einer falschen Zuordnung bzgl.Fallnummer | ADT/ACK - Verplaats bezoekinformatie - bezoeknummer
A47 | Änderung der internen Pat.ID (PID-3) | ADT/ACK - Wijzig lijst patiënt ID's
A49 | Änderung der Abrechungsnummer (PID-18) | ADT/ACK - Wijzig patiënt accountnummer

A50 | Änderung der Fallnummer (PV1-19) | ADT/ACK - Wijzig bezoeknummer
A51 | Änderung der alternativen Fallnummer (PV1-50) | ADT/ACK - Wijzig alternatief bezoeknummer
A52 | | ADT/ACK - Annuleer verlof voor een patiënt
A53 | | ADT/ACK - Annuleer terugkeer van verlof voor een patiënt
A54 | Änderung des behandelnden Arztes | ADT/ACK - Wijzig behandelend arts
A55 | Stornierung der Änderung des behandelnden Arztes | ADT/ACK - Annuleer wijzigen behandelend arts
A60 | Aktualisierung der Allergie-Informationen | ADT/ACK - Update allergie-informatie
A61 | | ADT/ACK - Wijzig consulterend arts
A62 | | ADT/ACK - Annuleer wijzigen consulterend arts
B01 | | PMU/ACK - Voeg personeelrecord toe
B02 | | PMU/ACK - Update personeelrecord
B03 | | PMU/ACK - Verwijder personeelrecord
B04 | | PMU/ACK - Activeer praktiserend persoon
B05 | | PMU/ACK - Deactiveer praktiserend persoon
B06 | | PMU/ACK - Beëindig praktiserend persoon
B07 | | PMU/ACK - Geef certificaat/toestemming
B08 | | PMU/ACK - Trek certificaat/toestemming in
C01 | Registrierung eines Patienten f.eine klin.Studie | CRM - Registreer patiënt voor clinical trial
C02 | Löschung der Registrierung | CRM - Annuleer patiëntregistratie voor clinical trial (invoerfout)
C03 | Korrektur/Änderung der Registrierung | CRM - Corrigeer/update registratie-informatie
C04 | Patient ist aus der Studie ausgeschieden | CRM - Patiënt heeft clinical trial verlaten
C05 | Patient tritt in Studienphase ein | CRM - Patiënt gaat in fase van clinical trial
C06 | Löschung des Eintritts in eine Studienphase | CRM - Annuleer patiënt gaat in fase van clinical trial (invoerfout)
C07 | Korrektur/Änderung der Angaben zur Studienphase | CRM - Corrigeer/update fase-informatie
C08 | Patient ist aus Studienphase ausgeschieden | CRM - Patiënt heeft fase clinical trial verlaten
C09 | Festlegung des Zeitintervalls für autom. Berichte | CSU - Geautomatiseerde rapportageintervallen, zoals maandelijks
C10 | Patient beendet Studie | CSU - Patiënt voltooit de clinical trial
C11 | Patient beendet eine Studienphase | CSU - Patiënt voltooit een fase van de clinical trial
C12 | Korrektur/Änderung von Anforderungen/Ergebnissen | CSU - Update/correctie van patiënt aanvraag-/resultaatinformatie
CNQ | Stornierung einer Anfrage | Annuleer query
E01 | | Dien factuur zorgproducten in
E02 | | Annuleer factuur zorgproducten
E03 | | Status factuur zorgproducten
E04 | | Beoordeel factuuraanvraag zorgproducten opnieuw
E10 | | Wijzig/beslissing resultaten
E12 | | Verzoek om aanvullende informatie
E13 | | Antwoord aanvullende informatie
E15 | | Advies betaling/teruggave
E20 | | Dien autorisatieverzoek in
E21 | | Annuleer autorisatieverzoek
E22 | | Status autorisatieverzoek
E24 | | Antwoord autorisatieverzoek
E30 | | Dien zorgdocument gerelateerd aan autorisatieverzoek in
E31 | | Annuleer zorgdocument gerelateerd aan autorisatieverzoek
I01 | Anforderung von Versicherungsdaten | RQI/RPI - Verzoek om verzekeringsgegevens
I02 | Anforderg.einer Patientenauswahlliste (zur Anzeige) | RQI/RPL - Verzoek/afschrift van patiëntselectie weergavelijst
I03 | Anforderg.einer strukt. Patientenauswahlliste | RQI/RPR - Verzoek/afschrift van patiëntselectielijst
I04 | Anforderung demographischer Informationen | RQD/RPI - Verzoek om demografische patiëntgegevens
I07 | unaufgeforderte Übermittlung v. Versicherungsdaten | PIN/ACK - Ongevraagde verzekeringsinformatie
I08 | Anforderung Kostenübernahmeerklärung | RQA/RPA - Verzoek om autorisatie-informatie behandeling
I09 | Anforderg bzgl. Änderung Kostenübernahmeerklärung | RQA/RPA - Verzoek om wijziging in autorisatie
I10 | erneute Anforderung Kostenübernahmeerklärung | RQA/RPA - Verzoek om autorisatie opnieuw in te dienen
I11 | Anfordrg Stornierg einer Kostenübernahmeerklärung | RQA/RPA - Verzoek om annulering van een autorisatie
I12 | Überweisung eines Patienten | REF/RRI - Patiëntverwijzing
I13 | Änderung einer Patientenüberweisung | REF/RRI - Wijzig patiëntverwijzing
I14 | Stornierung einer Patientenüberweisung | REF/RRI - Annuleer patiëntverwijzing
I15 | Statusabfrage bzgl. Patientenüberweisung | REF/RRI - Verzoek om status patiëntverwijzing
I16 | | Multidisciplinaire verwijzing
I19 | | Query multidisciplinaire zorg/Query update multidisciplinaire zorg
I20 | | Asynchrone update multidisciplinaire zorg
I21 | | Multidisciplinair bericht
I22 | | Multidisciplinaire zorg ophalen/multidisciplinaire zorg informatie
J01 | | QCN/ACK - Annuleer query/bevestigingsbericht
J02 | | QSX/ACK - Annuleer abonnement/bevestigingsbericht
K11 | | RSP - Segmentpatroon antwoord op QBP^Q11
K13 | | RTB - Tabelpatroon antwoord op QBP^Q13
K15 | | RDY - Weergavepatroon antwoord op QBP^Q15
K21 | | RSP - Antwoord query demografische persoonsgegevens
K22 | | RSP - Antwoord zoek kandidaten
K23 | | RSP - Antwoord bijbehorende ID's
K24 | | RSP - Antwoord alloceer ID's
K25 | | RSP - Antwoord personeelsinformatie op segment

K31 | | RSP - Antwoord verstrekkingshistorie
K32 | | Antwoord zoek kandidaten inclusief bezoekinformatie
K33 | | Antwoord zoek donorrecord-kandidaten
K34 | | Segmentpatroon antwoordbericht
M02 | Stammdatenänderung - Ärzte | MFN/MFK - Masterbestand - Medewerker zorgverlener
M04 | Stammdatenänderung - delayed appl ack | MFN/MFK - Masterbestand - Prijsomschrijving
M05 | Stammdatenänderung - Aufenthaltsorte | MFN/MFK - Masterbestand - Patiëntlocatie
M06 | Stammdatenänderung - Abrechnungskataloge | MFN/MFK - Masterbestand - Klinische studie met fases en planning
M07 | Stammdatenänderung - klinische Studien ohne Phasen | MFN/MFK - Masterbestand - Klinische studie zonder fases maar met planning
M08 | Stammdatenänderung - Tests/Untersuchung mit numerischen Ergebnissen | MFN/MFK - Masterbestand - Test/observatie (numeriek)
M09 | Stammdatenänderung - Tests mit nicht numerischen Ergebnissen | MFN/MFK - Masterbestand - Test/observatie (categorieën)
M10 | Stammdatenänderung - Testprofile | MFN/MFK - Masterbestand - Test/observatie batteries
M11 | Stammdatenänderung - berechnete Ergebnisse | MFN/MFK - Masterbestand - Test/berekende observaties
M12 | | MFN/MFK - Masterbestand - Notificatiebericht
M13 | | MFN/MFK - Masterbestand - Notificatiebericht algemeen
M14 | | MFN/MFK - Masterbestand - Notificatiebericht lokale overeenkomst
M15 | | MFN/MFK - Masterbestand voorraaditems - Notificatiebericht
M16 | | MFN/MFK - Masterbestand voorraaditems - Notificatiebericht verbeterd
M17 | | DRG - Masterbestand bericht
M18 | | MFN/MFK - Master file notification - Test/Observatie (Betaler)
N02 | | NMD/NMR - Applicatiemanagementgegevens (ongevraagd)
O03 | | OMD - Maaltijdaanvraag
O04 | | ORD - Bevestiging maaltijdaanvraag
O05 | | OMS - Aanvraag aanvulling voorraad
O06 | | ORS - Bevestiging aanvraag aanvulling voorraad
O07 | | OMN - Aanvraag aanvulling niet-voorraad
O08 | | ORN - Bevestiging aanvraag aanvulling niet-voorraad
O09 | | OMP - Medicatie/therapie aanvraag
O10 | | ORP - Bevestiging medicatie/therapie aanvraag
O11 | | RDE - Gecodeerde aanvraag medicatie/therapie
O12 | | RRE - Bevestiging gecodeerde aanvraag medicatie/therapie
O13 | | RDS - Medicatie/therapieverstrekking
O14 | | RRD - Bevestiging medicatie/therapieverstrekking
O15 | | RGV - Medicatie/therapie gegeven
O16 | | RRG - Bevestiging medicatie/therapie gegeven
O17 | | RAS - Medicatie/therapietoediening
O18 | | RRA - Bevestiging medicatie/therapietoediening
O19 | | OMG - Algemene klinische aanvraag
O20 | | ORG/ORL - Antwoord algemene klinische aanvraag
O21 | | OML - Laboratoriumaanvraag
O22 | | ORL - Algemeen laboratoriumaanvraag antwoordbericht op alle OML
O23 | | OMI - Beeldaanvraag
O24 | | ORI - Beeldaanvraag antwoordbericht op alle OMI
O25 | | RDE - Autorisatieverzoek voor herhaal medicatie/therapie
O26 | | RRE - Antwoord autorisatieverzoek voor herhaal medicatie/therapie
O27 | | OMB - Bloedproductaanvraag
O28 | | ORB - Antwoordbericht bloedproductaanvraag
O29 | | BPS - Bloedproduct verstrekkingstatus
O30 | | BRP - Antwoordbericht bloedproduct verstrekkingstatus
O31 | | BTS - Bloedproduct transfusie/dispositie
O32 | | BRT - Antwoordbericht bloedproduct transfusie/dispositie
O33 | | OML - Laboratoriumaanvraag voor meerdere aanvragen met betrekking tot één monster
O34 | | ORL - Antwoordbericht laboratoriumaanvraag voor meerdere aanvragen met betrekking tot één monster OML
O35 | | OML - Laboratoriumaanvraag voor meerdere aanvragen met betrekking tot één container van een monster OML
O36 | | ORL - Antwoordbericht laboratoriumaanvraag voor meerdere aanvragen met betrekking tot één container van een monster OML
O37 | | OPL - Populatie/locatie-gebaseerd laboratoriumaanvraag bericht
O38 | | OPR - Bevestiging populatie/locatie-gebaseerd laboratoriumaanvraag bericht
O39 | | Monsterverzending-georiënteerde laboratoriumaanvraag
O40 | | Antwoord monsterverzending-georiënteerde laboratoriumaanvraag
O41 | | DBC - Maak donorrecord bericht
O42 | | DBU - Update donorrecord bericht
O43 | | Algemeen aanvraagbericht met documentinhoud bevestigingsbericht
O44 | | Donorregistratie - minimaal bericht
O45 | | Donorkwalificatie observaties bericht
O46 | | Donorkwalificatie bericht
O47 | | Verzoekbericht donatie verzameling
O48 | | Procedurebericht donatie
O49
O50

O51
O52
O53
O54
O55
O56
O57
O58
O59
P01 | Eröffnung eines Patientenkontos | BAR/ACK - Voeg patiëntaccounts toe
P02 | Löschen der Abrechnungsdaten eines Patientenkontos | BAR/ACK - Verwijder patiëntaccounts
P03 | Leistungs- und Abrechnungsinformationen | Details financiële verrichting
P05 | Änderung eines Patientenkontos | BAR/ACK - Update account
P06 | Abschluß eines Patientenkontos | BAR/ACK - Beëindig account
P07 | unaufgeforderte individueller Produktersterfahrungsbericht | PEX - Ongevraagd initieel rapport individueel productervaringen
P08 | Änderung individueller Produktersterfahrungsbericht | PEX - Ongevraagde update rapport individueel productervaringen
P10 | | BAR/ACK - Verstuur Ambulatory Payment Classification (APC)
P11 | | DFT/ACK - Verstuur financiële verrichtingen - Nieuw
P12 | | BAR/ACK - Update diagnose/behandeling
PC1 | Problem hinzufügen | PPR - PC/Voeg probleem toe
PC2 | Problem ändern | PPR - PC/Update probleem
PC3 | Problem löschen | PPR - PC/Verwijder probleem
PC6 | Ziel hinzufügen | PGL - PC/Voeg doel toe
PC7 | Ziel ändern | PGL - PC/Update doel
PC8 | Ziel löschen | PGL - PC/Verwijder doel
PCB | (problemorientierte) Leitlinie hinzufügen | PPP - PC/Voeg zorgpad toe (probleemgeoriënteerd)
PCC | (problemorientierte) Leitlinie ändern | PPP - PC/Update zorgpad (probleemgeoriënteerd)
PCD | (problemorientierte) Leitlinie löschen | PPP - PC/Verwijder zorgpad (probleemgeoriënteerd)
PCG | (zielorientierte) Leitlinie hinzufügen | PPG - PC/Voeg zorgpad toe (doelgeoriënteerd)
PCH | (zielorientierte) Leitlinie ändern | PPG - PC/Update zorgpad (doelgeoriënteerd)
PCJ | (zielorientierte) Leitlinie löschen | PPG - PC/Verwijder zorgpad (doelgeoriënteerd)
Q05 | Sofortige Bildschirmanzeige (Eilmeldung) | UDM/ACK - Ongevraagd bericht voor weergave update
Q11 | | QBP - Query op parameter met als antwoord een RSP-segmentpatroon
Q13 | | QBP - Query op parameter met als antwoord een RTB-tabelpatroon
Q15 | | QBP - Query op parameter met als antwoord een RDY-weergavepatroon
Q16 | | QSB - Maak abonnement
Q17 | | QVR - Query op vorige events
Q21 | | QBP - Query persoonsgegevens
Q22 | | QBP - Zoek kandidaten
Q23 | | QBP - Query bijbehorende ID's
Q24 | | QBP - Alloceer ID's
Q25 | | QBP - Query personeelinformatie op segment
Q31 | | QBP - Query verstrekkingshistorie
Q32 | | Zoek kandidaten inclusief bezoekinformatie
Q33 | | QBP - Ophalen donorrecord kandidaten
Q34 | | QBP - Ophalen donorrecord
R01 | unangeforderte Übermittlung eines Befundes | ORU/ACK - Ongevraagde verzending van een observatiebericht
R22 | | OUL - Ongevraagde monster-georiënteerde observatie
R23 | | OUL - Ongevraagde monstercontainer-georiënteerde observatie
R24 | | OUL - Ongevraagde aanvraag-georiënteerde observatie
R25 | | OPU - Ongevraagde populatie/locatie-gebaseerd laboratoriumobservatie
R26 | | OSM - Ongevraagde monsterverzending manifest
R30 | | ORU - Ongevraagde Point-Of-Care observatie zonder voorafgaande aanvraag - Plaats een aanvraag
R31 | | ORU - Ongevraagde nieuwe Point-Of-Care observatie - Zoek een aanvraag
R32 | | ORU - Ongevraagde pre-ordered Point-Of-Care observatie
R33 | | ORA - Bevestiging observatieverslag
R40 | | ORU - Ongevraagd rapport alarm
R41 | | Bevestiging observatierapport waarschuwing
R42
R43
S01 | Terminanforderung | SRM/SRR - Verzoek boeken nieuwe afspraak
S02 | Anforderung für Terminverschiebung | SRM/SRR - Verzoek verzetten afspraak
S03 | Anforderung für inhaltliche Terminänderung | SRM/SRR - Verzoek aanpassen afspraak
S04 | Absage eines Termins | SRM/SRR - Verzoek annuleren afspraak
S05 | Aussetzung des aktuellen oder weiterer Termine | SRM/SRR - Verzoek stopzetten afspraak
S06 | Stornierung eines Termins | SRM/SRR - Verzoek verwijderen afspraak
S07 | Anforderung zusätzlicher Leistungen/Voraussetzungen zu einem Termin | SRM/SRR - Verzoek toevoegen dienst/resource bij afspraak
S08 | Änderungsanforderung für zusätzliche Leistungen/Voraussetzungen zu einem Termin | SRM/SRR - Verzoek wijzigen dienst/resource bij afspraak
S09 | Absage für zusätzliche Leistungen/Voraussetzungen zu einem Termin | SRM/SRR - Verzoek annuleren dienst/resource bij afspraak

S10 | Aussetzung für zusätzliche Leistungen/Voraussetzungen zu einem Termin | SRM/SRR - Verzoek stopzetten dienst/resource bij afspraak
S11 | Stornierung für zusätzliche Leistungen/Voraussetzungen zu einem Termin | SRM/SRR - Verzoek verwijderen dienst/resource bij afspraak
S12 | Benachrichtigung über Terminvergabe | SIU/ACK - Notificatie van nieuw geboekte afspraak
S13 | Benachrichtigung für Terminverschiebung | SIU/ACK - Notificatie van verzetten afspraak
S14 | Benachrichtigung für inhaltliche Terminänderung | SIU/ACK - Notificatie van wijzigen afspraak
S15 | Benachrichtigung über Terminabsage | SIU/ACK - Notificatie van annuleren afspraak
S16 | Benachrichtigung über Aussetzung des aktuellen oder weiterer Termine | SIU/ACK - Notificatie van stopzetten afspraak
S17 | Benachrichtigung über Stornierung eines Termins | SIU/ACK - Notificatie van verwijderen afspraak
S18 | Benachrichtigung über zusätzlicher Leistungen/Voraussetzungen zu einem Termin | SIU/ACK - Notificatie van toevoegen dienst/resource bij afspraak
S19 | Änderungsbenachrichtigung f.zusätzl. Leistungen/Voraussetzungen zu einem Termin | SIU/ACK - Notificatie van wijzigen dienst/resource bij afspraak
S20 | Benachrichtigung f. zusätzliche Leistungen/Voraussetzungen zu einem Terminabsage | SIU/ACK - Notificatie van annuleren dienst/resource bij afspraak
S21 | Benachrichtigung über Aussetzung für zusätzliche Leistungen/Voraussetzungen | SIU/ACK - Notificatie van stopzetten dienst/resource bij afspraak
S22 | Benachrichtigung Stornierg.f.zusätzl.Leistungen/Voraussetzungen zu einem Termin | SIU/ACK - Notificatie van verwijderen dienst/resource bij afspraak
S23 | Benachrichtigung über nicht verfügbare Zeitbereiche | SIU/ACK - Notificatie van geblokkeerde agenda tijdblok(ken)
S24 | Benachrichtigung über (wieder) verfügbare Zeitbereiche | SIU/ACK - Notificatie van open (niet-geblokkeerde) agenda tijdblok(ken)
S26 | Benachrichtigung über Nichterscheinen eines Patienten | SIU/ACK - Notificatie dat patiënt niet is komen opdagen voor agenda-afspraak
S27 | | SIU/ACK - Broadcast notificatie van geplande afspraken
S28 | | SLR/SLS - Verzoek nieuwe lot sterilisatie
S29 | | SLR/SLS - Verzoek verwijderen lot sterilisatie
S30 | | STI/STS - Verzoek item
S31 | | SDR/SDS - Verzoek anti-microbisch apparaatgegevens
S32 | | SMD/SMS - Verzoek anti-microbisch apparaatomloopgegevens
S33 | | STC/ACK - Notificatie van sterilisatie configuratie
S34 | | SLN/ACK - Notificatie van sterilisatie lot
S35 | | SLN/ACK - Notificatie verwijdering van sterilisatie lot
S36 | | SDN/ACK - Notificatie anti-microbisch apparaatgegevens
S37 | | SDN/ACK - Notificatie anti-microbisch apparaatomloopgegevens
T01 | Benachrichtigung über die Neuanlage eines Dokuments ohne Inhalt | MDM/ACK - Notificatie origineel document
T02 | Benachrichtigung über die Neuanlage eines Dokuments mit Inhaltsübermittlung | MDM/ACK - Notificatie origineel document met inhoud
T03 | Benachrichtigung über die Statusänderung eines Dokuments (ohne Inhalt) | MDM/ACK - Notificatie wijzigen documentstatus
T04 | Benachrichtigung über die Statusänderung eines Dokuments (mit Inhalt) | MDM/ACK - Notificatie wijzigen documentstatus met inhoud
T05 | Benachrichtigung über die Ergänzung eines Dokuments (ohne Inhalt) | MDM/ACK - Notificatie documentaddendum
T06 | Benachrichtigung über die Ergänzung eines Dokuments (mit Inhalt) | MDM/ACK - Notificatie documentaddendum met inhoud
T07 | Benachrichtigung über die Änderung eines Dokuments (ohne Inhalt) | MDM/ACK - Notificatie wijziging document
T08 | Benachrichtigung über die Änderung eines Dokuments (mit Inhalt) | MDM/ACK - Notificatie wijziging document met inhoud
T09 | Benachrichtigung über den Austausch eines Dokuments (ohne Inhalt) | MDM/ACK - Notificatie vervanging document
T10 | Benachrichtigung über den Austausch eines Dokuments (mit Inhalt) | MDM/ACK - Notificatie vervanging document met inhoud
T11 | Benachrichtigung über die Löschung eines Dokuments | MDM/ACK - Notificatie annuleren document
U01 | | ESU/ACK - Geautomatiseerde materiaal status update
U02 | | ESR/ACK - Geautomatiseerde materiaal status verzoek
U03 | | SSU/ACK - Monster status update
U04 | | SSR/ACK - Monster status verzoek
U05 | | INU/ACK - Geautomatiseerde materiaal voorraad update
U06 | | INR/ACK - Geautomatiseerde materiaal voorraad verzoek
U07 | | EAC/ACK - Geautomatiseerde materiaal commando
U08 | | EAR/ACK - Geautomatiseerde materiaal antwoord
U09 | | EAN/ACK - Geautomatiseerde materiaal notificatie
U10 | | TCU/ACK - Geautomatiseerde materiaal testcode instellingen update
U11 | | TCR/ACK - Geautomatiseerde materiaal testcode instellingen verzoek
U12 | | LSU/ACK - Geautomatiseerde materiaal log/service update
U13 | | LSR/ACK - Geautomatiseerde materiaal log/service verzoek
U14
V04 | unaufgeforderte Änderung zu dem Impfstatus eines Patienten | VXU - Ongevraagde update vaccinatiegegevens
Varies | allgemeine Stammdatenanfrage | MFQ/MFR - Masterbestanden query (gebruik event zoals bij vragen naar bijv. M05 - locatie)

4.3.15.4 HL7 Version 2 Table 0004

URL: https://hl7.org/fhir/R4/v2/0004/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0004
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0004
Version: | 2.9
Name: | v2.0004
Title: | v2 PATIENT CLASS
Definition: | FHIR Value set/code system definition for HL7 v2 table 0004 (PATIENT CLASS)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.4.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0004 defines the following codes:

Code | Display | Definition | Version
B | en: Obstetrics de: Geburtshilfe nl: Obstetrie | | added v2.2
C | en: Commercial Account de: --- nl: Commercieel account | | added v2.4
E | en: Emergency de: Notfall nl: Spoed | | from v2.1
I | en: Inpatient de: stationär nl: Klinisch | | from v2.1
N | en: Not Applicable de: Segment nicht anwendbar nl: Niet van toepassing | | added v2.4
O | en: Outpatient de: ambulant nl: Poliklinisch | | from v2.1
P | en: Preadmit de: Voraufnahme nl: Vooropname | | from v2.1
R | en: Recurring patient de: Wiederholungspatient nl: Routine | | added v2.2
U | en: Unknown de: unbekannt nl: Onbekend | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0004 defines the following codes:

Code | Display | Definition | Version
B | Obstetrics | | added v2.2
C | Commercial Account | | added v2.4
E | Emergency | | from v2.1
I | Inpatient | | from v2.1
N | Not Applicable | | added v2.4
O | Outpatient | | from v2.1
P | Preadmit | | from v2.1
R | Recurring patient | | added v2.2
U | Unknown | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0004 defines the following codes:

Code | Display | Definition | Version
B | Geburtshilfe | | added v2.2
C | --- | | added v2.4
E | Notfall | | from v2.1
I | stationär | | from v2.1
N | Segment nicht anwendbar | | added v2.4
O | ambulant | | from v2.1
P | Voraufnahme | | from v2.1
R | Wiederholungspatient | | added v2.2
U | unbekannt | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0004 definieert de volgende codes:

Code | Display | Definition | Versie
B | Obstetrie | | added v2.2
C | Commercieel account | | added v2.4
E | Spoed | | from v2.1
I | Klinisch | | from v2.1
N | Niet van toepassing | | added v2.4
O | Poliklinisch | | from v2.1
P | Vooropname | | from v2.1
R | Routine | | added v2.2
U | Onbekend | | added v2.4

4.3.15.5 HL7 Version 2 Table 0005

URL: https://hl7.org/fhir/R4/v2/0005/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0005
Version: | 2.9
Name: | v2.0005
Title: | v2 ETHNIC GROUP
Definition: | FHIR Value set/code system definition for HL7 v2 table 0005 (ETHNIC GROUP)
OID: | ??
ValueSet Resource | XML / JSON

This value set is not currently used

4.3.15.5.1 Logical Definition

Race

Code | System | Description | Comment | Version
1002-5 | http://terminology.hl7.org/CodeSystem/v3-Race | American Indian or Alaska Native | | added v2.4
2028-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Asian | | added v2.4
2054-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Black or African American | | added v2.4
2076-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Native Hawaiian or Other Pacific Islander | | added v2.4
2106-3 | http://terminology.hl7.org/CodeSystem/v3-Race | White | | added v2.4
2131-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Other Race | | added v2.4

4.3.15.7 HL7 Version 2 Table 0007

URL: https://hl7.org/fhir/R4/v2/0007/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0007
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0007
Version: | 2.9
Name: | v2.0007
Title: | v2 ADMISSION TYPE
Definition: | FHIR Value set/code system definition for HL7 v2 table 0007 (ADMISSION TYPE)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.7.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0007 defines the following codes:

Code | Display | Definition | Version
A | en: Accident de: Unfall / Notarztwagen nl: Ongeluk | | from v2.1
C | en: Elective de: wahlfreie Aufnahme nl: Eigen keuze | | added v2.4
E | en: Emergency de: Notfall ohne Einweisung nl: Spoed | | from v2.1
L | en: Labor and Delivery de: Entbindung / Geburt nl: Geboorte en bevalling | | from v2.1
N | en: Newborn (Birth in healthcare facility) de: Neugeborenes nl: Nieuwgeborene (geboorte in zorginstelling) | | added v2.4
R | en: Routine de: Normalaufnahme | | from v2.1
U | en: Urgent de: dringliche Aufnahme | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0007 defines the following codes:

Code | Display | Definition | Version
A | Accident | | from v2.1
C | Elective | | added v2.4
E | Emergency | | from v2.1
L | Labor and Delivery | | from v2.1

N | Newborn (Birth in healthcare facility) | | added v2.4
R | Routine | | from v2.1
U | Urgent | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0007 defines the following codes:

Code | Display | Definition | Version
A | Unfall / Notarztwagen | | from v2.1
C | wahlfreie Aufnahme | | added v2.4
E | Notfall ohne Einweisung | | from v2.1
L | Entbindung / Geburt | | from v2.1
N | Neugeborenes | | added v2.4
R | Normalaufnahme | | from v2.1
U | dringliche Aufnahme | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0007 definieert de volgende codes:

Code | Display | Definition | Versie
A | Ongeluk | | from v2.1
C | Eigen keuze | | added v2.4
E | Spoed | | from v2.1
L | Geboorte en bevalling | | from v2.1
N | Nieuwgeborene (geboorte in zorginstelling) | | added v2.4
R | Routine | | from v2.1
U | Urgent | | added v2.4

4.3.15.8 HL7 Version 2 Table 0008

URL: https://hl7.org/fhir/R4/v2/0008/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0008
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0008
Version: | 2.9
Name: | v2.0008
Title: | v2 ACKNOWLEDGMENT CODE
Definition: | FHIR Value set/code system definition for HL7 v2 table 0008 (ACKNOWLEDGMENT CODE)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.8.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0008 defines the following codes:

Code | Display | Definition | Version
AA | en: Original mode: Application Accept - Enhanced mode: Application acknowledgment: Accept de: akzeptiert durch Anwendung nl: Original modus: Applicatiebevestiging - Enhanced modus: Applicatiebevestiging: accepteer | | from v2.1
AE | en: Original mode: Application Error - Enhanced mode: Application acknowledgment: Error de: Fehler in Anwendung nl: Original modus: Applicatiefout - Enhanced modus: Applicatiebevestiging: fout | | from v2.1
AR | en: Original mode: Application Reject - Enhanced mode: Application acknowledgment: Reject de: Abgelehnt durch Anwendung nl: Original modus: Applicatieweigering - Enhanced modus: Applicatiebevestiging: weiger | | from v2.1
CA | en: Enhanced mode: Accept acknowledgment: Commit Accept de: Bei Eingangsprüfung akzeptiert ("committed") nl: Enhanced modus: Ontvangstbevestiging: accepteer ontvangst | | added v2.2
CE | en: Enhanced mode: Accept acknowledgment: Commit Error de: Fehler bei Eingangsprüfung nl: Enhanced modus: Ontvangstbevestiging: fout in ontvangst | | added v2.2
CR | en: Enhanced mode: Accept acknowledgment: Commit Reject de: Bei Eingangsprüfung abgelehnt nl: Enhanced modus: Ontvangstbevestiging: weigering te ontvangen | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0008 defines the following codes:

Code | Display | Definition | Version
AA | Original mode: Application Accept - Enhanced mode: Application acknowledgment: Accept | | from v2.1
AE | Original mode: Application Error - Enhanced mode: Application acknowledgment: Error | | from v2.1
AR | Original mode: Application Reject - Enhanced mode: Application acknowledgment: Reject | | from v2.1
CA | Enhanced mode: Accept acknowledgment: Commit Accept | | added v2.2

CE | Enhanced mode: Accept acknowledgment: Commit Error | | added v2.2
CR | Enhanced mode: Accept acknowledgment: Commit Reject | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0008 defines the following codes:

Code | Display | Definition | Version
AA | akzeptiert durch Anwendung | | from v2.1
AE | Fehler in Anwendung | | from v2.1
AR | Abgelehnt durch Anwendung | | from v2.1
CA | Bei Eingangsprüfung akzeptiert ("committed") | | added v2.2
CE | Fehler bei Eingangsprüfung | | added v2.2
CR | Bei Eingangsprüfung abgelehnt | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0008 definieert de volgende codes:

Code | Display | Definition | Versie
AA | Original modus: Applicatiebevestiging - Enhanced modus: Applicatiebevestiging: accepteer | | from v2.1
AE | Original modus: Applicatiefout - Enhanced modus: Applicatiebevestiging: fout | | from v2.1
AR | Original modus: Applicatieweigering - Enhanced modus: Applicatiebevestiging: weiger | | from v2.1
CA | Enhanced modus: Ontvangstbevestiging: accepteer ontvangst | | added v2.2
CE | Enhanced modus: Ontvangstbevestiging: fout in ontvangst | | added v2.2
CR | Enhanced modus: Ontvangstbevestiging: weigering te ontvangen | | added v2.2

4.3.15.9 HL7 Version 2 Table 0009

URL: https://hl7.org/fhir/R4/v2/0009/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0009
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0009
Version: | 2.9
Name: | v2.0009
Title: | v2 AMBULATORY STATUS
Definition: | FHIR Value set/code system definition for HL7 v2 table 0009 (AMBULATORY STATUS)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.9.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0009 defines the following codes:

Code | Display | Definition | Version
A0 | en: No functional limitations de: Keine funktionalen Einschränkungen nl: Geen functionele beperkingen | | from v2.1
A1 | en: Ambulates with assistive device de: Patient benötigt Hilfsmittel nl: Loopt met ondersteunend middel | | from v2.1
A2 | en: Wheelchair/stretcher bound de: Rollstuhl / Trage notwendig nl: Gebonden aan rolstoel/stretcher | | from v2.1
A3 | en: Comatose; non-responsive de: Komatös; nicht ansprechbar nl: Comateus; niet-responsief | | from v2.1
A4 | en: Disoriented de: Desorientiert nl: Gedesoriënteerd | | from v2.1
A5 | en: Vision impaired de: Sehstörung nl: Visueel beperkt | | from v2.1
A6 | en: Hearing impaired de: Schwerhörigkeit nl: Auditief beperkt | | from v2.1
A7 | en: Speech impaired de: Sprachstörung nl: Spraak beperkt | | from v2.1
A8 | en: Non-English speaking de: der Landessprache nicht mächtig nl: Niet-Engelssprekend | | from v2.1
A9 | en: Functional level unknown de: Unbekannter Zustand nl: Functioneel niveau onbekend | | from v2.1
B1 | en: Oxygen therapy de: Sauerstofftherapie nl: Zuurstoftherapie | | from v2.1
B2 | en: Special equipment (tubes, IVs, catheters) de: Besondere Hilsfmittel nl: Speciale middelen (slangen, infuzen, catethers) | | from v2.1
B3 | en: Amputee de: Amputation nl: Amputatie | | from v2.1
B4 | en: Mastectomy de: Brustamputation nl: Mastectomie | | from v2.1
B5 | en: Paraplegic de: (Querschnitt-) Lähmung nl: Dwarslaesie | | from v2.1
B6 | en: Pregnant de: Schwanger nl: Zwanger | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0009 defines the following codes:

Code | Display | Definition | Version
A0 | No functional limitations | | from v2.1
A1 | Ambulates with assistive device | | from v2.1

A2 | Wheelchair/stretcher bound | | from v2.1
A3 | Comatose; non-responsive | | from v2.1
A4 | Disoriented | | from v2.1
A5 | Vision impaired | | from v2.1
A6 | Hearing impaired | | from v2.1
A7 | Speech impaired | | from v2.1
A8 | Non-English speaking | | from v2.1
A9 | Functional level unknown | | from v2.1
B1 | Oxygen therapy | | from v2.1
B2 | Special equipment (tubes, IVs, catheters) | | from v2.1
B3 | Amputee | | from v2.1
B4 | Mastectomy | | from v2.1
B5 | Paraplegic | | from v2.1
B6 | Pregnant | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0009 defines the following codes:

Code | Display | Definition | Version
A0 | Keine funktionalen Einschränkungen | | from v2.1
A1 | Patient benötigt Hilfsmittel | | from v2.1
A2 | Rollstuhl / Trage notwendig | | from v2.1
A3 | Komatös; nicht ansprechbar | | from v2.1
A4 | Desorientiert | | from v2.1
A5 | Sehstörung | | from v2.1
A6 | Schwerhörigkeit | | from v2.1
A7 | Sprachstörung | | from v2.1
A8 | der Landessprache nicht mächtig | | from v2.1
A9 | Unbekannter Zustand | | from v2.1
B1 | Sauerstofftherapie | | from v2.1
B2 | Besondere Hilsfmittel | | from v2.1
B3 | Amputation | | from v2.1
B4 | Brustamputation | | from v2.1
B5 | (Querschnitt-) Lähmung | | from v2.1
B6 | Schwanger | | from v2.1

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0009 definieert de volgende codes:

Code | Display | Definition | Versie
A0 | Geen functionele beperkingen | | from v2.1
A1 | Loopt met ondersteunend middel | | from v2.1
A2 | Gebonden aan rolstoel/stretcher | | from v2.1
A3 | Comateus; niet-responsief | | from v2.1
A4 | Gedesoriënteerd | | from v2.1
A5 | Visueel beperkt | | from v2.1
A6 | Auditief beperkt | | from v2.1
A7 | Spraak beperkt | | from v2.1
A8 | Niet-Engelssprekend | | from v2.1
A9 | Functioneel niveau onbekend | | from v2.1
B1 | Zuurstoftherapie | | from v2.1
B2 | Speciale middelen (slangen, infuzen, catethers) | | from v2.1
B3 | Amputatie | | from v2.1
B4 | Mastectomie | | from v2.1
B5 | Dwarslaesie | | from v2.1
B6 | Zwanger | | from v2.1

4.3.15.12 HL7 Version 2 Table 0012

URL: https://hl7.org/fhir/R4/v2/0012/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0012
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0012
Version: | 2.9
Name: | v2.0012
Title: | v2 STOCK LOCATION
Definition: | FHIR Value set/code system definition for HL7 v2 table 0012 (STOCK LOCATION)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.12.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0012 defines the following codes:

Code | Display | Definition | Deprecated | Version
AN | en: Filled from ancillary department stock de: (Tabelle 12 ist veraltet und wird nicht mehr verwendet) nl: Aangevuld uit verdere afdelingsvoorraad | | Deprecated | from v2.1, removed after v2.2
FL | en: Filled from floor stock de: Etagenlager nl: Aangevuld uit verdiepingsvoorraad | | Deprecated | from v2.1, removed after v2.2

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0012 defines the following codes:

Code | Display | Definition | Deprecated | Version
AN | Filled from ancillary department stock | | Deprecated | from v2.1, removed after v2.2
FL | Filled from floor stock | | Deprecated | from v2.1, removed after v2.2

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0012 defines the following codes:

Code | Display | Definition | Deprecated | Version
AN | (Tabelle 12 ist veraltet und wird nicht mehr verwendet) | | Deprecated | from v2.1, removed after v2.2
FL | Etagenlager | | Deprecated | from v2.1, removed after v2.2

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0012 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
AN | Aangevuld uit verdere afdelingsvoorraad | | Verouderd | from v2.1, removed after v2.2
FL | Aangevuld uit verdiepingsvoorraad | | Verouderd | from v2.1, removed after v2.2

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.12.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0012 version 2.9

Code | System | Display

4.3.15.17 HL7 Version 2 Table 0017

URL: https://hl7.org/fhir/R4/v2/0017/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0017
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0017
Version: | 2.9
Name: | v2.0017
Title: | v2 Transaction Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0017 (Transaction Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.17.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0017 defines the following codes:

Code | Display | Definition | Version
AJ | en: Adjustment de: nicht verwendet nl: Aanpassing | | added v2.3
CD | en: Credit de: nicht verwendet nl: Krediet | | added v2.3
CG | en: Charge de: nicht verwendet nl: Belast | | added v2.3
CO | en: Co-payment de: nicht verwendet nl: Gedeelde betaling | | added v2.4
PY | en: Payment de: nicht verwendet nl: Betaling | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0017 defines the following codes:

Code | Display | Definition | Version
AJ | Adjustment | | added v2.3
CD | Credit | | added v2.3
CG | Charge | | added v2.3
CO | Co-payment | | added v2.4
PY | Payment | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0017 defines the following codes:

Code | Display | Definition | Version
AJ | nicht verwendet | | added v2.3
CD | nicht verwendet | | added v2.3
CG | nicht verwendet | | added v2.3
CO | nicht verwendet | | added v2.4
PY | nicht verwendet | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0017 definieert de volgende codes:

Code | Display | Definition | Versie
AJ | Aanpassing | | added v2.3
CD | Krediet | | added v2.3
CG | Belast | | added v2.3
CO | Gedeelde betaling | | added v2.4
PY | Betaling | | added v2.3

4.3.15.23 HL7 Version 2 Table 0023

URL: https://hl7.org/fhir/R4/v2/0023/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0023
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0023
Version: | 2.9
Name: | v2.0023
Title: | v2 Admit source
Definition: | FHIR Value set/code system definition for HL7 v2 table 0023 (Admit source)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.23.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0023 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | en: No suggested values defined de: keine Werte vorgeschlagen nl: geen voorgestelde waarden | | | added v2.7
1 | en: Physician referral de: Überweisung durch Arzt nl: Verwijzing arts | | Deprecated | added v2.3.1, removed after v2.6
2 | en: Clinic referral de: Überweisung durch Klinik nl: Kliniek verwijzing | | Deprecated | added v2.3.1, removed after v2.6
3 | en: HMO referral de: nicht verwendet nl: HMO verwijzing | | Deprecated | added v2.3.1, removed after v2.6
4 | en: Transfer from a hospital de: Verlegung aus Krankenhaus nl: Overplaatsing vanuit een ziekenhuis | | Deprecated | added v2.3.1, removed after v2.6
5 | en: Transfer from a skilled nursing facility de: Verlegung aus Pflegeeinrichtung nl: Overplaatsing vanuit opgeleide verpleegkundige organisatie | | Deprecated | added v2.3.1, removed after v2.6
6 | en: Transfer from another health care facility de: Verlegung aus sonstiger Gesundheitseinrichtung nl: Overplaatsing vanuit andere zorginstelling | | Deprecated | added v2.3.1, removed after v2.6
7 | en: Emergency room de: Notfallambulanz nl: Spoedkamer | | Deprecated | added v2.3.1, removed after v2.6
8 | en: Court/law enforcement de: Zwangseinweisung nl: Gerechterlijke/juridische dwang | | Deprecated | added v2.3.1, removed after v2.6
9 | en: Information not available de: keine Information verfügbar nl: Informatie niet beschikbaar | | Deprecated | added v2.3.1, removed after v2.6

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0023 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | No suggested values defined | | | added v2.7
1 | Physician referral | | Deprecated | added v2.3.1, removed after v2.6
2 | Clinic referral | | Deprecated | added v2.3.1, removed after v2.6
3 | HMO referral | | Deprecated | added v2.3.1, removed after v2.6
4 | Transfer from a hospital | | Deprecated | added v2.3.1, removed after v2.6
5 | Transfer from a skilled nursing facility | | Deprecated | added v2.3.1, removed after v2.6
6 | Transfer from another health care facility | | Deprecated | added v2.3.1, removed after v2.6
7 | Emergency room | | Deprecated | added v2.3.1, removed after v2.6
8 | Court/law enforcement | | Deprecated | added v2.3.1, removed after v2.6
9 | Information not available | | Deprecated | added v2.3.1, removed after v2.6

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0023 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | keine Werte vorgeschlagen | | | added v2.7
1 | Überweisung durch Arzt | | Deprecated | added v2.3.1, removed after v2.6
2 | Überweisung durch Klinik | | Deprecated | added v2.3.1, removed after v2.6
3 | nicht verwendet | | Deprecated | added v2.3.1, removed after v2.6
4 | Verlegung aus Krankenhaus | | Deprecated | added v2.3.1, removed after v2.6
5 | Verlegung aus Pflegeeinrichtung | | Deprecated | added v2.3.1, removed after v2.6
6 | Verlegung aus sonstiger Gesundheitseinrichtung | | Deprecated | added v2.3.1, removed after v2.6
7 | Notfallambulanz | | Deprecated | added v2.3.1, removed after v2.6
8 | Zwangseinweisung | | Deprecated | added v2.3.1, removed after v2.6

9 | keine Information verfügbar | | Deprecated | added v2.3.1, removed after v2.6

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0023 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
... | geen voorgestelde waarden | | | added v2.7
1 | Verwijzing arts | | Verouderd | added v2.3.1, removed after v2.6
2 | Kliniek verwijzing | | Verouderd | added v2.3.1, removed after v2.6
3 | HMO verwijzing | | Verouderd | added v2.3.1, removed after v2.6
4 | Overplaatsing vanuit een ziekenhuis | | Verouderd | added v2.3.1, removed after v2.6
5 | Overplaatsing vanuit opgeleide verpleegkundige organisatie | | Verouderd | added v2.3.1, removed after v2.6
6 | Overplaatsing vanuit andere zorginstelling | | Verouderd | added v2.3.1, removed after v2.6
7 | Spoedkamer | | Verouderd | added v2.3.1, removed after v2.6
8 | Gerechterlijke/juridische dwang | | Verouderd | added v2.3.1, removed after v2.6
9 | Informatie niet beschikbaar | | Verouderd | added v2.3.1, removed after v2.6

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.23.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 1 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0023 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0023

Code | Display | Definition
... | No suggested values defined

Additional Language Displays

Code | Deutsch (German, de) | Nederlands (Dutch, nl)
... | keine Werte vorgeschlagen | geen voorgestelde waarden

4.3.15.27 HL7 Version 2 Table 0027

URL: https://hl7.org/fhir/R4/v2/0027/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0027
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0027
Version: | 2.9
Name: | v2.0027
Title: | v2 PRIORITY (COMPONENT 6 QTY/TIMING[735])
Definition: | FHIR Value set/code system definition for HL7 v2 table 0027 (PRIORITY (COMPONENT 6 QTY/TIMING[735]))
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.27.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0027 defines the following codes:

Code | Display | Definition | Version
A | en: As soon as possible (a priority lower than stat) de: schnellstmöglich nl: Zo snel mogelijk. (prioriteit lager dan stat) | | from v2.1
P | en: Preoperative (to be done prior to surgery) de: präoperativ nl: Preoperatief (doen voorafgaand aan operatie) | | added v2.2
R | Routine | | added v2.2

S | en: Stat (do immediately) de: sofort nl: Stat (onmiddellijk uitvoeren) | | from v2.1
T | en: Timing critical (do as near as possible to requested time) de: zum vereinbarten Zeitpunkt nl: timing kritiek (uitvoering zo dicht mogelijk bij gevraagde tijd) | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0027 defines the following codes:

Code | Display | Definition | Version
A | As soon as possible (a priority lower than stat) | | from v2.1
P | Preoperative (to be done prior to surgery) | | added v2.2
R | Routine | | added v2.2
S | Stat (do immediately) | | from v2.1
T | Timing critical (do as near as possible to requested time) | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0027 defines the following codes:

Code | Display | Definition | Version
A | schnellstmöglich | | from v2.1
P | präoperativ | | added v2.2
R | Routine | | added v2.2
S | sofort | | from v2.1
T | zum vereinbarten Zeitpunkt | | from v2.1

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0027 definieert de volgende codes:

Code | Display | Definition | Versie
A | Zo snel mogelijk. (prioriteit lager dan stat) | | from v2.1
P | Preoperatief (doen voorafgaand aan operatie) | | added v2.2
R | Routine | | added v2.2
S | Stat (onmiddellijk uitvoeren) | | from v2.1
T | timing kritiek (uitvoering zo dicht mogelijk bij gevraagde tijd) | | from v2.1

4.3.15.33 HL7 Version 2 Table 0033

URL: https://hl7.org/fhir/R4/v2/0033/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0033
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0033
Version: | 2.9
Name: | v2.0033
Title: | v2 ROUTE
Definition: | FHIR Value set/code system definition for HL7 v2 table 0033 (ROUTE)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.33.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0033 defines the following codes:

Code | Display | Definition | Deprecated | Version
AP | en: Apply externally de: externe Applikatione nl: Uitwendig gebruiken | | Deprecated | from v2.1, removed after v2.1
CH | en: Chew de: Kautablette nl: Kauwen | | Deprecated | from v2.1, removed after v2.1
DU | en: Dust de: Puder nl: Stof | | Deprecated | from v2.1, removed after v2.1
EA | en: Ear de: Ohr nl: Oor | | Deprecated | from v2.1, removed after v2.1
EY | en: Eye de: Auge nl: Oog | | Deprecated | from v2.1, removed after v2.1
IA | en: Intro-arterial de: intraarteriell nl: Intro-arteriaal | | Deprecated | from v2.1, removed after v2.1
ID | en: Intra-dermal de: intradermal nl: Intra-dermaal | | Deprecated | from v2.1, removed after v2.1
IF | en: Infiltrate de: infiltrieren nl: Infiltratie | | Deprecated | from v2.1, removed after v2.1

IH | en: Inhalation nl: Inhalatie | | Deprecated | from v2.1, removed after v2.1
IM | en: Intra-muscular de: intramuskulär nl: Intra-musculair | | Deprecated | from v2.1, removed after v2.1
IN | en: Intra-nasal de: intranasal nl: Intro-nasaal | | Deprecated | from v2.1, removed after v2.1
IR | en: Irrigate de: Einlauf nl: Irrigatie | | Deprecated | from v2.1, removed after v2.1
IS | en: Inserted de: Implantat nl: Ingebracht | | Deprecated | from v2.1, removed after v2.1
IT | en: Intrathecal de: intrathekal nl: Intrathecaal | | Deprecated | from v2.1, removed after v2.1
IV | en: Intravenous de: intravenös nl: Intraveneus | | Deprecated | from v2.1, removed after v2.1
NB | en: Nebulized de: vernebelt nl: Verneveld | | Deprecated | from v2.1, removed after v2.1
NG | en: Nathogasic de: nasogastral | | Deprecated | from v2.1, removed after v2.1
PA | en: Peri-anally de: peranal nl: Peri-anaal | | Deprecated | from v2.1, removed after v2.1
PT | en: Paint de: aufpinseln nl: Verf | | Deprecated | from v2.1, removed after v2.1
PU | en: IV push de: intravenöser Bolus | | Deprecated | from v2.1, removed after v2.1
RC | en: Rectally de: rektal nl: Rectaal | | Deprecated | from v2.1, removed after v2.1
SH | Shampoo | | Deprecated | from v2.1, removed after v2.1
SL | en: Sublingual de: subligual nl: Sublinguaal | | Deprecated | from v2.1, removed after v2.1
SO | en: Soak de: drchtränken nl: Soppen | | Deprecated | from v2.1, removed after v2.1
SS | en: IV soluset de: Iv-Lösung | | Deprecated | from v2.1, removed after v2.1
TP | en: Topically de: topisch nl: Topicaal | | Deprecated | from v2.1, removed after v2.1
WA | en: Wash de: waschen nl: Wassen | | Deprecated | from v2.1, removed after v2.1
WI | en: Wipe de: wischen nl: Vegen | | Deprecated | from v2.1, removed after v2.1

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0033 defines the following codes:

Code | Display | Definition | Deprecated | Version
AP | Apply externally | | Deprecated | from v2.1, removed after v2.1
CH | Chew | | Deprecated | from v2.1, removed after v2.1
DU | Dust | | Deprecated | from v2.1, removed after v2.1
EA | Ear | | Deprecated | from v2.1, removed after v2.1
EY | Eye | | Deprecated | from v2.1, removed after v2.1
IA | Intro-arterial | | Deprecated | from v2.1, removed after v2.1
ID | Intra-dermal | | Deprecated | from v2.1, removed after v2.1
IF | Infiltrate | | Deprecated | from v2.1, removed after v2.1
IH | Inhalation | | Deprecated | from v2.1, removed after v2.1
IM | Intra-muscular | | Deprecated | from v2.1, removed after v2.1
IN | Intra-nasal | | Deprecated | from v2.1, removed after v2.1
IR | Irrigate | | Deprecated | from v2.1, removed after v2.1
IS | Inserted | | Deprecated | from v2.1, removed after v2.1
IT | Intrathecal | | Deprecated | from v2.1, removed after v2.1
IV | Intravenous | | Deprecated | from v2.1, removed after v2.1
NB | Nebulized | | Deprecated | from v2.1, removed after v2.1
NG | Nathogasic | | Deprecated | from v2.1, removed after v2.1
PA | Peri-anally | | Deprecated | from v2.1, removed after v2.1
PT | Paint | | Deprecated | from v2.1, removed after v2.1
PU | IV push | | Deprecated | from v2.1, removed after v2.1
RC | Rectally | | Deprecated | from v2.1, removed after v2.1
SH | Shampoo | | Deprecated | from v2.1, removed after v2.1
SL | Sublingual | | Deprecated | from v2.1, removed after v2.1
SO | Soak | | Deprecated | from v2.1, removed after v2.1
SS | IV soluset | | Deprecated | from v2.1, removed after v2.1
TP | Topically | | Deprecated | from v2.1, removed after v2.1
WA | Wash | | Deprecated | from v2.1, removed after v2.1
WI | Wipe | | Deprecated | from v2.1, removed after v2.1

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0033 defines the following codes:

Code | Display | Definition | Deprecated | Version
AP | externe Applikatione | | Deprecated | from v2.1, removed after v2.1
CH | Kautablette | | Deprecated | from v2.1, removed after v2.1
DU | Puder | | Deprecated | from v2.1, removed after v2.1
EA | Ohr | | Deprecated | from v2.1, removed after v2.1
EY | Auge | | Deprecated | from v2.1, removed after v2.1
IA | intraarteriell | | Deprecated | from v2.1, removed after v2.1

ID | intradermal | | Deprecated | from v2.1, removed after v2.1
IF | infiltrieren | | Deprecated | from v2.1, removed after v2.1
IH | Inhalation | | Deprecated | from v2.1, removed after v2.1
IM | intramuskulär | | Deprecated | from v2.1, removed after v2.1
IN | intranasal | | Deprecated | from v2.1, removed after v2.1
IR | Einlauf | | Deprecated | from v2.1, removed after v2.1
IS | Implantat | | Deprecated | from v2.1, removed after v2.1
IT | intrathekal | | Deprecated | from v2.1, removed after v2.1
IV | intravenös | | Deprecated | from v2.1, removed after v2.1
NB | vernebelt | | Deprecated | from v2.1, removed after v2.1
NG | nasogastral | | Deprecated | from v2.1, removed after v2.1
PA | peranal | | Deprecated | from v2.1, removed after v2.1
PT | aufpinseln | | Deprecated | from v2.1, removed after v2.1
PU | intravenöser Bolus | | Deprecated | from v2.1, removed after v2.1
RC | rektal | | Deprecated | from v2.1, removed after v2.1
SH | Shampoo | | Deprecated | from v2.1, removed after v2.1
SL | subligual | | Deprecated | from v2.1, removed after v2.1
SO | drchtränken | | Deprecated | from v2.1, removed after v2.1
SS | Iv-Lösung | | Deprecated | from v2.1, removed after v2.1
TP | topisch | | Deprecated | from v2.1, removed after v2.1
WA | waschen | | Deprecated | from v2.1, removed after v2.1
WI | wischen | | Deprecated | from v2.1, removed after v2.1

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0033 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
AP | Uitwendig gebruiken | | Verouderd | from v2.1, removed after v2.1
CH | Kauwen | | Verouderd | from v2.1, removed after v2.1
DU | Stof | | Verouderd | from v2.1, removed after v2.1
EA | Oor | | Verouderd | from v2.1, removed after v2.1
EY | Oog | | Verouderd | from v2.1, removed after v2.1
IA | Intro-arteriaal | | Verouderd | from v2.1, removed after v2.1
ID | Intra-dermaal | | Verouderd | from v2.1, removed after v2.1
IF | Infiltratie | | Verouderd | from v2.1, removed after v2.1
IH | Inhalatie | | Verouderd | from v2.1, removed after v2.1
IM | Intra-musculair | | Verouderd | from v2.1, removed after v2.1
IN | Intro-nasaal | | Verouderd | from v2.1, removed after v2.1
IR | Irrigatie | | Verouderd | from v2.1, removed after v2.1
IS | Ingebracht | | Verouderd | from v2.1, removed after v2.1
IT | Intrathecaal | | Verouderd | from v2.1, removed after v2.1
IV | Intraveneus | | Verouderd | from v2.1, removed after v2.1
NB | Verneveld | | Verouderd | from v2.1, removed after v2.1
NG | | | Verouderd | from v2.1, removed after v2.1
PA | Peri-anaal | | Verouderd | from v2.1, removed after v2.1
PT | Verf | | Verouderd | from v2.1, removed after v2.1
PU | IV push | | Verouderd | from v2.1, removed after v2.1
RC | Rectaal | | Verouderd | from v2.1, removed after v2.1
SH | Shampoo | | Verouderd | from v2.1, removed after v2.1
SL | Sublinguaal | | Verouderd | from v2.1, removed after v2.1
SO | Soppen | | Verouderd | from v2.1, removed after v2.1
SS | IV soluset | | Verouderd | from v2.1, removed after v2.1
TP | Topicaal | | Verouderd | from v2.1, removed after v2.1
WA | Wassen | | Verouderd | from v2.1, removed after v2.1
WI | Vegen | | Verouderd | from v2.1, removed after v2.1

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.33.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0033 version 2.9

Code | System | Display

4.3.15.34 HL7 Version 2 Table 0034

URL: https://hl7.org/fhir/R4/v2/0034/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0034
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0034
Version: | 2.9
Name: | v2.0034
Title: | v2 SITE ADMINISTERED
Definition: | FHIR Value set/code system definition for HL7 v2 table 0034 (SITE ADMINISTERED)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.34.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0034 defines the following codes:

Code | Display | Definition | Deprecated | Version
B | en: Buttock de: Gesäß nl: Bil | | Deprecated | from v2.1, removed after v2.1
L | en: Left arm de: linker Arm nl: Linker arm | | Deprecated | from v2.1, removed after v2.1

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0034 defines the following codes:

Code | Display | Definition | Deprecated | Version
B | Buttock | | Deprecated | from v2.1, removed after v2.1
L | Left arm | | Deprecated | from v2.1, removed after v2.1

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0034 defines the following codes:

Code | Display | Definition | Deprecated | Version
B | Gesäß | | Deprecated | from v2.1, removed after v2.1
L | linker Arm | | Deprecated | from v2.1, removed after v2.1

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0034 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
B | Bil | | Verouderd | from v2.1, removed after v2.1
L | Linker arm | | Verouderd | from v2.1, removed after v2.1

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.34.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0034 version 2.9

Code | System | Display

4.3.15.38 HL7 Version 2 Table 0038

URL: https://hl7.org/fhir/R4/v2/0038/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0038
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0038
Version: | 2.9
Name: | v2.0038
Title: | v2 ORDER STATUS
Definition: | FHIR Value set/code system definition for HL7 v2 table 0038 (ORDER STATUS)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.38.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0038 defines the following codes:

Code | Display | Definition | Version
A | en: Some, but not all, results available de: einige, aber nicht alle, Resultate verfügbar nl: Sommige maar niet alle resultaten beschikbaar | | added v2.3
CA | en: Order was canceled de: Auftrag storniert nl: Aanvraag is geannuleerd | | from v2.1
CM | en: Order is completed de: Auftrag ausgeführt nl: Aanvraag is afgerond | | from v2.1
DC | en: Order was discontinued de: Ausführung des Auftrags abgebrochen nl: Aanvraag is afgebroken | | from v2.1
ER | en: Error, order not found de: Auftrag nicht gefunden nl: Fout, aanvraag niet gevonden | | from v2.1
HD | en: Order is on hold de: Auftragsbearbeitung ausgesetzt nl: Aanvraag is aangehouden | | from v2.1
IP | en: In process, unspecified de: Auftrag in Bearbeitung nl: Aanvraag loopt, niet-specificeerd | | from v2.1
RP | en: Order has been replaced de: Auftrag ist ersetzt worden nl: Aanvraag is vervangen | | added v2.2
SC | en: In process, scheduled de: Auftrag hat Termin oder ist in Ausführung nl: Aanvraag loopt, is gepland | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0038 defines the following codes:

Code | Display | Definition | Version
A | Some, but not all, results available | | added v2.3
CA | Order was canceled | | from v2.1
CM | Order is completed | | from v2.1
DC | Order was discontinued | | from v2.1
ER | Error, order not found | | from v2.1
HD | Order is on hold | | from v2.1
IP | In process, unspecified | | from v2.1
RP | Order has been replaced | | added v2.2
SC | In process, scheduled | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0038 defines the following codes:

Code | Display | Definition | Version
A | einige, aber nicht alle, Resultate verfügbar | | added v2.3
CA | Auftrag storniert | | from v2.1
CM | Auftrag ausgeführt | | from v2.1
DC | Ausführung des Auftrags abgebrochen | | from v2.1
ER | Auftrag nicht gefunden | | from v2.1
HD | Auftragsbearbeitung ausgesetzt | | from v2.1

IP | Auftrag in Bearbeitung | | from v2.1
RP | Auftrag ist ersetzt worden | | added v2.2
SC | Auftrag hat Termin oder ist in Ausführung | | from v2.1

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0038 definieert de volgende codes:

Code | Display | Definition | Versie
A | Sommige maar niet alle resultaten beschikbaar | | added v2.3
CA | Aanvraag is geannuleerd | | from v2.1
CM | Aanvraag is afgerond | | from v2.1
DC | Aanvraag is afgebroken | | from v2.1
ER | Fout, aanvraag niet gevonden | | from v2.1
HD | Aanvraag is aangehouden | | from v2.1
IP | Aanvraag loopt, niet-specificeerd | | from v2.1
RP | Aanvraag is vervangen | | added v2.2
SC | Aanvraag loopt, is gepland | | from v2.1

4.3.15.43 HL7 Version 2 Table 0043

URL: https://hl7.org/fhir/R4/v2/0043/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0043
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0043
Version: | 2.9
Name: | v2.0043
Title: | v2 Condition code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0043 (Condition code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.43.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0043 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | en: No suggested values defined de: keine Werte vorgeschlagen nl: geen voorgestelde waarden | | | added v2.5.1
01 | en: Military service related nl: Militaire dienst gerelateerd | | Deprecated | added v2.3.1, removed after v2.4
02 | en: Condition is employment related nl: Conditie is werkgerelateerd | | Deprecated | added v2.3.1, removed after v2.4
03 | en: Patient covered by insurance not reflected here nl: Patiënt verzekerd door verzekering niet zichtbaar hier | | Deprecated | added v2.3.1, removed after v2.4
04 | en: HMO enrollee nl: HMO gerechtigde | | Deprecated | added v2.3.1, removed after v2.4
05 | en: Lien has been filed nl: Retentierecht is geregistreerd | | Deprecated | added v2.3.1, removed after v2.4
06 | en: ESRD patient in first 18 months of entitlement covered by employer group health insurance nl: ESRD patiënt in eerste 18 maanden van toekenning gedekt door werkgever groepszorgpolis | | Deprecated | added v2.3.1, removed after v2.4
07 | en: Treatment of non-terminal condition for hospice patient nl: Behandeling van niet-terminale aandoening voor hospice patiënt | | Deprecated | added v2.3.1, removed after v2.4
08 | en: Beneficiary would not provide information concerning other insurance coverage nl: Begunstigde wilde geen informatie over andere verzekeringsdekking geven | | Deprecated | added v2.3.1, removed after v2.4
09 | en: Neither patient nor spouse is employed nl: Zowel patiënt als echtgenoot heeft werk | | Deprecated | added v2.3.1, removed after v2.4
10 | en: Patient and/or spouse is employed but no EGHP exists nl: Patiënt en/of echtgenoot heeft werk maar er is geen EGHP | | Deprecated | added v2.3.1, removed after v2.4
11 | en: Disabled beneficiary but no LGHP nl: Gehandicapte begunstigde maar geen LGHP | | Deprecated | added v2.3.1, removed after v2.4
12 | en: Payer codes. nl: Betaler codes. | | Deprecated | added v2.3.1, removed after v2.4

12 ... 16 | en: Payer codes. nl: Betaler codes. | | Deprecated | added v2.3.1, removed after v2.4
13 | en: Payer codes. nl: Betaler codes. | | Deprecated | added v2.3.1, removed after v2.4
14 | en: Payer codes. nl: Betaler codes. | | Deprecated | added v2.3.1, removed after v2.4
15 | en: Payer codes. nl: Betaler codes. | | Deprecated | added v2.3.1, removed after v2.4
16 | en: Payer codes. nl: Betaler codes. | | Deprecated | added v2.3.1, removed after v2.4
18 | en: Maiden name retained nl: Meisjesnaam behouden | | Deprecated | added v2.3.1, removed after v2.4
19 | en: Child retains mother's name nl: Kind behoudt moeders' naam | | Deprecated | added v2.3.1, removed after v2.4
20 | en: Beneficiary requested billing nl: Begunstige heeft facturatie gevraagd | | Deprecated | added v2.3.1, removed after v2.4
21 | en: Billing for Denial Notice nl: Facturatie voor afgewezen melding | | Deprecated | added v2.3.1, removed after v2.4
26 | en: VA eligible patient chooses to receive services in a Medicare certified facility nl: VA-gerechtigde patiënt wil services in een Medicare gecertificeerde instelling | | Deprecated | added v2.3.1, removed after v2.4
27 | en: Patient referred to a sole community hospital for a diagnostic laboratory test nl: Patiënt verwezen naar één algemeen ziekenhuis voor diagnostische laboratoriumtest | | Deprecated | added v2.3.1, removed after v2.4
28 | en: Patient and/or spouse's EGHP is secondary to Medicare nl: Patiënt en/of echtgenoot EGHP is aanvullend op Medicare | | Deprecated | added v2.3.1, removed after v2.4
29 | en: Disabled beneficiary and/or family member's LGHP is secondary to Medicare nl: Gehandicapte begunstigde en/or familielid LGHP is aanvullend op Medicare | | Deprecated | added v2.3.1, removed after v2.4
31 | en: Patient is student (full time-day) nl: Patiënt is student (voltijds dag) | | Deprecated | added v2.3.1, removed after v2.4
32 | en: Patient is student (cooperative/work study program) nl: Patiënt is student (samenwerkend/werk studie programma) | | Deprecated | added v2.3.1, removed after v2.4
33 | en: Patient is student (full time-night) nl: Patiënt is student (voltijds nacht) | | Deprecated | added v2.3.1, removed after v2.4
34 | en: Patient is student (Part time) nl: Patiënt is student (parttime) | | Deprecated | added v2.3.1, removed after v2.4
36 | en: General care patient in a special unit nl: Algemene zorg patiënt in speciale afdeling | | Deprecated | added v2.3.1, removed after v2.4
37 | en: Ward accommodation as patient request nl: Afdelingsaccomodatie op patiëntverzoek | | Deprecated | added v2.3.1, removed after v2.4
38 | en: Semi-private room not available nl: Semi-eigen kamer niet beschikbaar | | Deprecated | added v2.3.1, removed after v2.4
39 | en: Private room medically necessary nl: Eigen kamer medisch noodzakelijk | | Deprecated | added v2.3.1, removed after v2.4
40 | en: Same day transfer nl: Overplaatsing op zelfde dag | | Deprecated | added v2.3.1, removed after v2.4
41 | en: Partial hospitalization nl: Gedeeltelijke opname | | Deprecated | added v2.3.1, removed after v2.4
46 | en: Non-availability statement on file nl: Niet-beschikbaarheid uitspraak opgeslagen | | Deprecated | added v2.3.1, removed after v2.4
48 | en: Psychiatric residential treatment centers for children and adolescents nl: Psychiatrisch behandelcentra voor kinderen en adolescents | | Deprecated | added v2.3.1, removed after v2.4
55 | en: SNF bed not available nl: SNF bed niet beschikbaar | | Deprecated | added v2.3.1, removed after v2.4
56 | en: Medical appropriateness nl: Medische relevantie | | Deprecated | added v2.3.1, removed after v2.4
57 | en: SNF readmission nl: SNF heropname | | Deprecated | added v2.3.1, removed after v2.4
60 | en: Day outlier nl: Dag afwijking | | Deprecated | added v2.3.1, removed after v2.4
61 | en: Cost outlier nl: Kosten afwijking | | Deprecated | added v2.3.1, removed after v2.4
62 | en: Payer code nl: Betaler code | | Deprecated | added v2.3.1, removed after v2.4
66 | en: Provider does not wish cost outlier payment nl: Zorgaanbieder wil geen betaling van afwijkende kosten | | Deprecated | added v2.3.1, removed after v2.4
67 | en: Beneficiary elects not to use life time reserve (LTR) days nl: Begunstigde kiest ervoor niet de levenslange reserve dagen (LTR) te gebruiken | | Deprecated | added v2.3.1, removed after v2.4
68 | en: Beneficiary elects to use life time reserve (LTR) days nl: Begunstigde kiest ervoor de levenslange reserve dagen (LTR) te gebruiken | | Deprecated | added v2.3.1, removed after v2.4
70 | en: Self-administered EPO nl: Zelf-toegediende EPO | | Deprecated | added v2.3.1, removed after v2.4
71 | en: Full care in unit nl: Volledige zorg in eenheid | | Deprecated | added v2.3.1, removed after v2.4
72 | en: Self-care in unit nl: Zelfzorg in eenheid | | Deprecated | added v2.3.1, removed after v2.4
73 | en: Self-care training nl: Zelfzorg in training | | Deprecated | added v2.3.1, removed after v2.4
74 | en: Home nl: Thuis | | Deprecated | added v2.3.1, removed after v2.4
75 | en: Home - 100% reimbursement nl: Thuis - 100% vergoed | | Deprecated | added v2.3.1, removed after v2.4
76 | en: Back-up in facility dialysis nl: Back-up in instelling dialyse | | Deprecated | added v2.3.1, removed after v2.4
77 | en: Provider accepts or is obligated/required due to a contractual arrangement or law to accept payment by a primary payer as payment in full nl: Zorgaanbieder accepteert of is contractueel of juridisch verplicht om betaling te accepteren van een primaire betaler als volledige vertaling | | Deprecated | added v2.3.1, removed after v2.4
78 | en: New coverage not implemented by HMO nl: Nieuwe dekking niet geïmplementeerd door HMO | | Deprecated | added v2.3.1, removed after v2.4
79 | en: Corf services provided off-site nl: Corf services worden off-site gegeven | | Deprecated | added v2.3.1, removed after v2.4
80 | en: Pregnant de: schwanger nl: Zwanger | | Deprecated | added v2.3.1, removed after v2.4

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0043 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | No suggested values defined | | | added v2.5.1
01 | Military service related | | Deprecated | added v2.3.1, removed after v2.4
02 | Condition is employment related | | Deprecated | added v2.3.1, removed after v2.4
03 | Patient covered by insurance not reflected here | | Deprecated | added v2.3.1, removed after v2.4

04 | HMO enrollee | | Deprecated | added v2.3.1, removed after v2.4
05 | Lien has been filed | | Deprecated | added v2.3.1, removed after v2.4
06 | ESRD patient in first 18 months of entitlement covered by employer group health insurance | | Deprecated | added v2.3.1, removed after v2.4
07 | Treatment of non-terminal condition for hospice patient | | Deprecated | added v2.3.1, removed after v2.4
08 | Beneficiary would not provide information concerning other insurance coverage | | Deprecated | added v2.3.1, removed after v2.4
09 | Neither patient nor spouse is employed | | Deprecated | added v2.3.1, removed after v2.4
10 | Patient and/or spouse is employed but no EGHP exists | | Deprecated | added v2.3.1, removed after v2.4
11 | Disabled beneficiary but no LGHP | | Deprecated | added v2.3.1, removed after v2.4
12 | Payer codes. | | Deprecated | added v2.3.1, removed after v2.4
12 ... 16 | Payer codes. | | Deprecated | added v2.3.1, removed after v2.4
13 | Payer codes. | | Deprecated | added v2.3.1, removed after v2.4
14 | Payer codes. | | Deprecated | added v2.3.1, removed after v2.4
15 | Payer codes. | | Deprecated | added v2.3.1, removed after v2.4
16 | Payer codes. | | Deprecated | added v2.3.1, removed after v2.4
18 | Maiden name retained | | Deprecated | added v2.3.1, removed after v2.4
19 | Child retains mother's name | | Deprecated | added v2.3.1, removed after v2.4
20 | Beneficiary requested billing | | Deprecated | added v2.3.1, removed after v2.4
21 | Billing for Denial Notice | | Deprecated | added v2.3.1, removed after v2.4
26 | VA eligible patient chooses to receive services in a Medicare certified facility | | Deprecated | added v2.3.1, removed after v2.4
27 | Patient referred to a sole community hospital for a diagnostic laboratory test | | Deprecated | added v2.3.1, removed after v2.4
28 | Patient and/or spouse's EGHP is secondary to Medicare | | Deprecated | added v2.3.1, removed after v2.4
29 | Disabled beneficiary and/or family member's LGHP is secondary to Medicare | | Deprecated | added v2.3.1, removed after v2.4
31 | Patient is student (full time-day) | | Deprecated | added v2.3.1, removed after v2.4
32 | Patient is student (cooperative/work study program) | | Deprecated | added v2.3.1, removed after v2.4
33 | Patient is student (full time-night) | | Deprecated | added v2.3.1, removed after v2.4
34 | Patient is student (Part time) | | Deprecated | added v2.3.1, removed after v2.4
36 | General care patient in a special unit | | Deprecated | added v2.3.1, removed after v2.4
37 | Ward accommodation as patient request | | Deprecated | added v2.3.1, removed after v2.4
38 | Semi-private room not available | | Deprecated | added v2.3.1, removed after v2.4
39 | Private room medically necessary | | Deprecated | added v2.3.1, removed after v2.4
40 | Same day transfer | | Deprecated | added v2.3.1, removed after v2.4
41 | Partial hospitalization | | Deprecated | added v2.3.1, removed after v2.4
46 | Non-availability statement on file | | Deprecated | added v2.3.1, removed after v2.4
48 | Psychiatric residential treatment centers for children and adolescents | | Deprecated | added v2.3.1, removed after v2.4
55 | SNF bed not available | | Deprecated | added v2.3.1, removed after v2.4
56 | Medical appropriateness | | Deprecated | added v2.3.1, removed after v2.4
57 | SNF readmission | | Deprecated | added v2.3.1, removed after v2.4
60 | Day outlier | | Deprecated | added v2.3.1, removed after v2.4
61 | Cost outlier | | Deprecated | added v2.3.1, removed after v2.4
62 | Payer code | | Deprecated | added v2.3.1, removed after v2.4
66 | Provider does not wish cost outlier payment | | Deprecated | added v2.3.1, removed after v2.4
67 | Beneficiary elects not to use life time reserve (LTR) days | | Deprecated | added v2.3.1, removed after v2.4
68 | Beneficiary elects to use life time reserve (LTR) days | | Deprecated | added v2.3.1, removed after v2.4
70 | Self-administered EPO | | Deprecated | added v2.3.1, removed after v2.4
71 | Full care in unit | | Deprecated | added v2.3.1, removed after v2.4
72 | Self-care in unit | | Deprecated | added v2.3.1, removed after v2.4
73 | Self-care training | | Deprecated | added v2.3.1, removed after v2.4
74 | Home | | Deprecated | added v2.3.1, removed after v2.4
75 | Home - 100% reimbursement | | Deprecated | added v2.3.1, removed after v2.4
76 | Back-up in facility dialysis | | Deprecated | added v2.3.1, removed after v2.4
77 | Provider accepts or is obligated/required due to a contractual arrangement or law to accept payment by a primary payer as payment in full | | Deprecated | added v2.3.1, removed after v2.4
78 | New coverage not implemented by HMO | | Deprecated | added v2.3.1, removed after v2.4
79 | Corf services provided off-site | | Deprecated | added v2.3.1, removed after v2.4
80 | Pregnant | | Deprecated | added v2.3.1, removed after v2.4

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0043 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | keine Werte vorgeschlagen | | | added v2.5.1
01 | | | Deprecated | added v2.3.1, removed after v2.4
02 | | | Deprecated | added v2.3.1, removed after v2.4
03 | | | Deprecated | added v2.3.1, removed after v2.4

04 | | | Deprecated | added v2.3.1, removed after v2.4
05 | | | Deprecated | added v2.3.1, removed after v2.4
06 | | | Deprecated | added v2.3.1, removed after v2.4
07 | | | Deprecated | added v2.3.1, removed after v2.4
08 | | | Deprecated | added v2.3.1, removed after v2.4
09 | | | Deprecated | added v2.3.1, removed after v2.4
10 | | | Deprecated | added v2.3.1, removed after v2.4
11 | | | Deprecated | added v2.3.1, removed after v2.4
12 | | | Deprecated | added v2.3.1, removed after v2.4
12 ... 16 | | | Deprecated | added v2.3.1, removed after v2.4
13 | | | Deprecated | added v2.3.1, removed after v2.4
14 | | | Deprecated | added v2.3.1, removed after v2.4
15 | | | Deprecated | added v2.3.1, removed after v2.4
16 | | | Deprecated | added v2.3.1, removed after v2.4
18 | | | Deprecated | added v2.3.1, removed after v2.4
19 | | | Deprecated | added v2.3.1, removed after v2.4
20 | | | Deprecated | added v2.3.1, removed after v2.4
21 | | | Deprecated | added v2.3.1, removed after v2.4
26 | | | Deprecated | added v2.3.1, removed after v2.4
27 | | | Deprecated | added v2.3.1, removed after v2.4
28 | | | Deprecated | added v2.3.1, removed after v2.4
29 | | | Deprecated | added v2.3.1, removed after v2.4
31 | | | Deprecated | added v2.3.1, removed after v2.4
32 | | | Deprecated | added v2.3.1, removed after v2.4
33 | | | Deprecated | added v2.3.1, removed after v2.4
34 | | | Deprecated | added v2.3.1, removed after v2.4
36 | | | Deprecated | added v2.3.1, removed after v2.4
37 | | | Deprecated | added v2.3.1, removed after v2.4
38 | | | Deprecated | added v2.3.1, removed after v2.4
39 | | | Deprecated | added v2.3.1, removed after v2.4
40 | | | Deprecated | added v2.3.1, removed after v2.4
41 | | | Deprecated | added v2.3.1, removed after v2.4
46 | | | Deprecated | added v2.3.1, removed after v2.4
48 | | | Deprecated | added v2.3.1, removed after v2.4
55 | | | Deprecated | added v2.3.1, removed after v2.4
56 | | | Deprecated | added v2.3.1, removed after v2.4
57 | | | Deprecated | added v2.3.1, removed after v2.4
60 | | | Deprecated | added v2.3.1, removed after v2.4
61 | | | Deprecated | added v2.3.1, removed after v2.4
62 | | | Deprecated | added v2.3.1, removed after v2.4
66 | | | Deprecated | added v2.3.1, removed after v2.4
67 | | | Deprecated | added v2.3.1, removed after v2.4
68 | | | Deprecated | added v2.3.1, removed after v2.4
70 | | | Deprecated | added v2.3.1, removed after v2.4
71 | | | Deprecated | added v2.3.1, removed after v2.4
72 | | | Deprecated | added v2.3.1, removed after v2.4
73 | | | Deprecated | added v2.3.1, removed after v2.4
74 | | | Deprecated | added v2.3.1, removed after v2.4
75 | | | Deprecated | added v2.3.1, removed after v2.4
76 | | | Deprecated | added v2.3.1, removed after v2.4
77 | | | Deprecated | added v2.3.1, removed after v2.4
78 | | | Deprecated | added v2.3.1, removed after v2.4
79 | | | Deprecated | added v2.3.1, removed after v2.4
80 | schwanger | | Deprecated | added v2.3.1, removed after v2.4

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0043 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
... | geen voorgestelde waarden | | | added v2.5.1
01 | Militaire dienst gerelateerd | | Verouderd | added v2.3.1, removed after v2.4
02 | Conditie is werkgerelateerd | | Verouderd | added v2.3.1, removed after v2.4
03 | Patiënt verzekerd door verzekering niet zichtbaar hier | | Verouderd | added v2.3.1, removed after v2.4
04 | HMO gerechtigde | | Verouderd | added v2.3.1, removed after v2.4
05 | Retentierecht is geregistreerd | | Verouderd | added v2.3.1, removed after v2.4
06 | ESRD patiënt in eerste 18 maanden van toekenning gedekt door werkgever groepszorgpolis | | Verouderd | added v2.3.1, removed after v2.4
07 | Behandeling van niet-terminale aandoening voor hospice patiënt | | Verouderd | added v2.3.1, removed after v2.4

08 | Begunstigde wilde geen informatie over andere verzekeringsdekking geven | | Verouderd | added v2.3.1, removed after v2.4
09 | Zowel patiënt als echtgenoot heeft werk | | Verouderd | added v2.3.1, removed after v2.4
10 | Patiënt en/of echtgenoot heeft werk maar er is geen EGHP | | Verouderd | added v2.3.1, removed after v2.4
11 | Gehandicapte begunstigde maar geen LGHP | | Verouderd | added v2.3.1, removed after v2.4
12 | Betaler codes. | | Verouderd | added v2.3.1, removed after v2.4
12 ... 16 | Betaler codes. | | Verouderd | added v2.3.1, removed after v2.4
13 | Betaler codes. | | Verouderd | added v2.3.1, removed after v2.4
14 | Betaler codes. | | Verouderd | added v2.3.1, removed after v2.4
15 | Betaler codes. | | Verouderd | added v2.3.1, removed after v2.4
16 | Betaler codes. | | Verouderd | added v2.3.1, removed after v2.4
18 | Meisjesnaam behouden | | Verouderd | added v2.3.1, removed after v2.4
19 | Kind behoudt moeders' naam | | Verouderd | added v2.3.1, removed after v2.4
20 | Begunstige heeft facturatie gevraagd | | Verouderd | added v2.3.1, removed after v2.4
21 | Facturatie voor afgewezen melding | | Verouderd | added v2.3.1, removed after v2.4
26 | VA-gerechtigde patiënt wil services in een Medicare gecertificeerde instelling | | Verouderd | added v2.3.1, removed after v2.4
27 | Patiënt verwezen naar één algemeen ziekenhuis voor diagnostische laboratoriumtest | | Verouderd | added v2.3.1, removed after v2.4
28 | Patiënt en/of echtgenoot EGHP is aanvullend op Medicare | | Verouderd | added v2.3.1, removed after v2.4
29 | Gehandicapte begunstigde en/or familielid LGHP is aanvullend op Medicare | | Verouderd | added v2.3.1, removed after v2.4
31 | Patiënt is student (voltijds dag) | | Verouderd | added v2.3.1, removed after v2.4
32 | Patiënt is student (samenwerkend/werk studie programma) | | Verouderd | added v2.3.1, removed after v2.4
33 | Patiënt is student (voltijds nacht) | | Verouderd | added v2.3.1, removed after v2.4
34 | Patiënt is student (parttime) | | Verouderd | added v2.3.1, removed after v2.4
36 | Algemene zorg patiënt in speciale afdeling | | Verouderd | added v2.3.1, removed after v2.4
37 | Afdelingsaccomodatie op patiëntverzoek | | Verouderd | added v2.3.1, removed after v2.4
38 | Semi-eigen kamer niet beschikbaar | | Verouderd | added v2.3.1, removed after v2.4
39 | Eigen kamer medisch noodzakelijk | | Verouderd | added v2.3.1, removed after v2.4
40 | Overplaatsing op zelfde dag | | Verouderd | added v2.3.1, removed after v2.4
41 | Gedeeltelijke opname | | Verouderd | added v2.3.1, removed after v2.4
46 | Niet-beschikbaarheid uitspraak opgeslagen | | Verouderd | added v2.3.1, removed after v2.4
48 | Psychiatrisch behandelcentra voor kinderen en adolescents | | Verouderd | added v2.3.1, removed after v2.4
55 | SNF bed niet beschikbaar | | Verouderd | added v2.3.1, removed after v2.4
56 | Medische relevantie | | Verouderd | added v2.3.1, removed after v2.4
57 | SNF heropname | | Verouderd | added v2.3.1, removed after v2.4
60 | Dag afwijking | | Verouderd | added v2.3.1, removed after v2.4
61 | Kosten afwijking | | Verouderd | added v2.3.1, removed after v2.4
62 | Betaler code | | Verouderd | added v2.3.1, removed after v2.4
66 | Zorgaanbieder wil geen betaling van afwijkende kosten | | Verouderd | added v2.3.1, removed after v2.4
67 | Begunstigde kiest ervoor niet de levenslange reserve dagen (LTR) te gebruiken | | Verouderd | added v2.3.1, removed after v2.4
68 | Begunstigde kiest ervoor de levenslange reserve dagen (LTR) te gebruiken | | Verouderd | added v2.3.1, removed after v2.4
70 | Zelf-toegediende EPO | | Verouderd | added v2.3.1, removed after v2.4
71 | Volledige zorg in eenheid | | Verouderd | added v2.3.1, removed after v2.4
72 | Zelfzorg in eenheid | | Verouderd | added v2.3.1, removed after v2.4
73 | Zelfzorg in training | | Verouderd | added v2.3.1, removed after v2.4
74 | Thuis | | Verouderd | added v2.3.1, removed after v2.4
75 | Thuis - 100% vergoed | | Verouderd | added v2.3.1, removed after v2.4
76 | Back-up in instelling dialyse | | Verouderd | added v2.3.1, removed after v2.4
77 | Zorgaanbieder accepteert of is contractueel of juridisch verplicht om betaling te accepteren van een primaire betaler als volledige vertaling | | Verouderd | added v2.3.1, removed after v2.4
78 | Nieuwe dekking niet geïmplementeerd door HMO | | Verouderd | added v2.3.1, removed after v2.4
79 | Corf services worden off-site gegeven | | Verouderd | added v2.3.1, removed after v2.4
80 | Zwanger | | Verouderd | added v2.3.1, removed after v2.4

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.43.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 1 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0043 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0043

Code | Display | Definition
... | No suggested values defined

Additional Language Displays

Code | Deutsch (German, de) | Nederlands (Dutch, nl)
... | keine Werte vorgeschlagen | geen voorgestelde waarden

4.3.15.48 HL7 Version 2 Table 0048

URL: https://hl7.org/fhir/R4/v2/0048/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0048
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0048
Version: | 2.9
Name: | v2.0048
Title: | v2 WHAT SUBJECT FILTER
Definition: | FHIR Value set/code system definition for HL7 v2 table 0048 (WHAT SUBJECT FILTER)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.48.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0048 defines the following codes:

Code | Display | Definition | Deprecated | Version
ADV | en: Advice/diagnosis de: Ratschlag / Diagnose nl: Advies/diagnose | | Deprecated | from v2.1, removed after v2.6
ANU | en: Nursing unit lookup (returns patients in beds, excluding empty beds) de: Stationsinformation (ohne freie Betten) nl: Verpleegafdeling opzoeken (levert patiënten in bedden, zonder lege bedden) | | Deprecated | from v2.1, removed after v2.6
APA | en: Account number query, return matching visit de: Fälle zu angefragter Rechnungsnummer nl: Accountnummer query, levert bijbehorende bezoeken | | Deprecated | added v2.2, removed after v2.6
APM | en: Medical record number query, returns visits for a medical record number de: Fälle zu angefragter Krankenaktennummer nl: Medisch dossiernummer query, levert bezoeken op basis van een medisch dossiernummer | | Deprecated | added v2.2, removed after v2.6
APN | en: Patient name lookup de: Patientendaten zu gegebenem Patientennamen nl: Patiëntnaam opzoeken | | Deprecated | from v2.1, removed after v2.6
APP | en: Physician lookup de: Patienten des spezifizierten Arztes nl: Arts opzoeken | | Deprecated | added v2.2, removed after v2.6
ARN | en: Nursing unit lookup (returns patients in beds, including empty beds) de: Stationsinformation (einschließlich freier Betten) nl: Verpleegafdeling opzoeken (levert patiënten in bedden, inclusief lege bedden) | | Deprecated | added v2.2, removed after v2.6
CAN | en: Cancel. Used to cancel a query de: Anfrage stornieren nl: Annuleren (gebruikt voor annuleren van een query) | | Deprecated | from v2.1, removed after v2.6
DEM | en: Demographics de: Demographische Daten nl: Demografie | | Deprecated | from v2.1, removed after v2.6
FIN | en: Financial de: Finanzdaten nl: Financieel | | Deprecated | added v2.2, removed after v2.6
GID | en: Generate new identifier nl: Genereer nieuwe identificatie | | Deprecated | added v2.4, removed after v2.6
GOL | en: Goals de: Ziele | | Deprecated | added v2.3, removed after v2.6
MFQ | en: Master file query de: Stammdaten | | Deprecated | added v2.2, removed after v2.2
MRI | en: Most recent inpatient de: Letzter stationärer Patient nl: Meest recente klinische patiënt | | Deprecated | from v2.1, removed after v2.6
MRO | en: Most recent outpatient de: Letzter ambulanter Patient nl: Meest recente poliklinische patiënt | | Deprecated | from v2.1, removed after v2.6
NCK | en: Network clock de: Netzwerk-Uhrzeit nl: Netwerkklok | | Deprecated | added v2.2, removed after v2.6
NSC | en: Network status change de: Änderung des Netzwerkstatus nl: Netwerk statuswijziging | | Deprecated | added v2.2, removed after v2.6
NST | en: Network statistic de: Netzwerkstatistik nl: Netwerkstatistiek | | Deprecated | added v2.2, removed after v2.6
ORD | en: Order de: Auftrag / Verordnung nl: Aanvraag | | Deprecated | added v2.2, removed after v2.6
OTH | en: Other de: anderes nl: Anders | | Deprecated | from v2.1, removed after v2.6
PRB | en: Problems de: Probleme nl: Problemen | | Deprecated | added v2.3, removed after v2.6
PRO | en: Procedure de: Prozedur | | Deprecated | from v2.1, removed after v2.6
RAR | en: Pharmacy administration information de: Erfolgte Verabreichung von Medikamenten nl: Medicatietoediening informatie | | Deprecated | added v2.2, removed after v2.6
RDR | en: Pharmacy dispense information de: Abgabe von Medikamenten nl: Medicatieverstrekking informatie | | Deprecated | added v2.2, removed after v2.6

RER | en: Pharmacy encoded order information de: Medikamentenverordnung (Apotheke) nl: Medicatie gecodeerde aanvraag informatie | | Deprecated | added v2.2, removed after v2.6
RES | en: Result de: Ergebnis / Befund nl: Resultaat | | Deprecated | from v2.1, removed after v2.6
RGR | en: Pharmacy give information de: Verabreichunsgsvorschrift für Medikamente nl: Medicatie gegeven informatie | | Deprecated | added v2.2, removed after v2.6
ROR | en: Pharmacy prescription information de: Medikamentenverordnung nl: Medicatievoorschrift informatie | | Deprecated | added v2.2, removed after v2.6
SAL | en: All schedule related information, including open slots, booked slots, blocked slots nl: Alle agenda gerelateerde informatie, inclusief open afspraakposities, geboekte afspraakposities, geblokkeerde afspraakposities | | Deprecated | added v2.3.1, removed after v2.6
SBK | en: Booked slots on the identified schedule nl: Geboekte afspraakposities op de geïdentificeerde agenda | | Deprecated | added v2.3.1, removed after v2.6
SBL | en: Blocked slots on the identified schedule nl: Geblokkeerde afspraakposities op de geïdentificeerde agenda | | Deprecated | added v2.3.1, removed after v2.6
SOF | en: First open slot on the identified schedule after the start date/tiem nl: Eerste open afspraakpositie op de geïdentificeerde agenda na de startdatum/tijd | | Deprecated | added v2.4, removed after v2.6
SOP | en: Open slots on the identified schedule between the begin and end of the start date/time range nl: Eerste open afspraakpositie op de geïdentificeerde agenda in de startdatum/tijd periode | | Deprecated | added v2.3.1, removed after v2.6
SSA | en: Time slots available for a single appointment nl: Beschikbare afspraakposities voor één enkele afspraak | | Deprecated | added v2.3.1, removed after v2.6
SSR | en: Time slots available for a recurring appointment nl: Beschikbare afspraakposities voor een herhalende afspraak | | Deprecated | added v2.3.1, removed after v2.6
STA | Status | | Deprecated | from v2.1, removed after v2.6
VXI | en: Vaccine Information de: Impfinformation nl: Vaccinatie informatie | | Deprecated | added v2.3, removed after v2.6
XID | en: Get cross-referenced identifiers nl: Ophalen gekoppelde identificaties | | Deprecated | added v2.4, removed after v2.6

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0048 defines the following codes:

Code | Display | Definition | Deprecated | Version
ADV | Advice/diagnosis | | Deprecated | from v2.1, removed after v2.6
ANU | Nursing unit lookup (returns patients in beds, excluding empty beds) | | Deprecated | from v2.1, removed after v2.6
APA | Account number query, return matching visit | | Deprecated | added v2.2, removed after v2.6
APM | Medical record number query, returns visits for a medical record number | | Deprecated | added v2.2, removed after v2.6
APN | Patient name lookup | | Deprecated | from v2.1, removed after v2.6
APP | Physician lookup | | Deprecated | added v2.2, removed after v2.6
ARN | Nursing unit lookup (returns patients in beds, including empty beds) | | Deprecated | added v2.2, removed after v2.6
CAN | Cancel. Used to cancel a query | | Deprecated | from v2.1, removed after v2.6
DEM | Demographics | | Deprecated | from v2.1, removed after v2.6
FIN | Financial | | Deprecated | added v2.2, removed after v2.6
GID | Generate new identifier | | Deprecated | added v2.4, removed after v2.6
GOL | Goals | | Deprecated | added v2.3, removed after v2.6
MFQ | Master file query | | Deprecated | added v2.2, removed after v2.2
MRI | Most recent inpatient | | Deprecated | from v2.1, removed after v2.6
MRO | Most recent outpatient | | Deprecated | from v2.1, removed after v2.6
NCK | Network clock | | Deprecated | added v2.2, removed after v2.6
NSC | Network status change | | Deprecated | added v2.2, removed after v2.6
NST | Network statistic | | Deprecated | added v2.2, removed after v2.6
ORD | Order | | Deprecated | added v2.2, removed after v2.6
OTH | Other | | Deprecated | from v2.1, removed after v2.6
PRB | Problems | | Deprecated | added v2.3, removed after v2.6
PRO | Procedure | | Deprecated | from v2.1, removed after v2.6
RAR | Pharmacy administration information | | Deprecated | added v2.2, removed after v2.6
RDR | Pharmacy dispense information | | Deprecated | added v2.2, removed after v2.6
RER | Pharmacy encoded order information | | Deprecated | added v2.2, removed after v2.6
RES | Result | | Deprecated | from v2.1, removed after v2.6
RGR | Pharmacy give information | | Deprecated | added v2.2, removed after v2.6
ROR | Pharmacy prescription information | | Deprecated | added v2.2, removed after v2.6
SAL | All schedule related information, including open slots, booked slots, blocked slots | | Deprecated | added v2.3.1, removed after v2.6
SBK | Booked slots on the identified schedule | | Deprecated | added v2.3.1, removed after v2.6
SBL | Blocked slots on the identified schedule | | Deprecated | added v2.3.1, removed after v2.6
SOF | First open slot on the identified schedule after the start date/tiem | | Deprecated | added v2.4, removed after v2.6
SOP | Open slots on the identified schedule between the begin and end of the start date/time range | | Deprecated | added v2.3.1, removed after v2.6
SSA | Time slots available for a single appointment | | Deprecated | added v2.3.1, removed after v2.6
SSR | Time slots available for a recurring appointment | | Deprecated | added v2.3.1, removed after v2.6
STA | Status | | Deprecated | from v2.1, removed after v2.6
VXI | Vaccine Information | | Deprecated | added v2.3, removed after v2.6

XID | Get cross-referenced identifiers | | Deprecated | added v2.4, removed after v2.6

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0048 defines the following codes:

Code | Display | Definition | Deprecated | Version
ADV | Ratschlag / Diagnose | | Deprecated | from v2.1, removed after v2.6
ANU | Stationsinformation (ohne freie Betten) | | Deprecated | from v2.1, removed after v2.6
APA | Fälle zu angefragter Rechnungsnummer | | Deprecated | added v2.2, removed after v2.6
APM | Fälle zu angefragter Krankenaktennummer | | Deprecated | added v2.2, removed after v2.6
APN | Patientendaten zu gegebenem Patientennamen | | Deprecated | from v2.1, removed after v2.6
APP | Patienten des spezifizierten Arztes | | Deprecated | added v2.2, removed after v2.6
ARN | Stationsinformation (einschließlich freier Betten) | | Deprecated | added v2.2, removed after v2.6
CAN | Anfrage stornieren | | Deprecated | from v2.1, removed after v2.6
DEM | Demographische Daten | | Deprecated | from v2.1, removed after v2.6
FIN | Finanzdaten | | Deprecated | added v2.2, removed after v2.6
GID | | | Deprecated | added v2.4, removed after v2.6
GOL | Ziele | | Deprecated | added v2.3, removed after v2.6
MFQ | Stammdaten | | Deprecated | added v2.2, removed after v2.2
MRI | Letzter stationärer Patient | | Deprecated | from v2.1, removed after v2.6
MRO | Letzter ambulanter Patient | | Deprecated | from v2.1, removed after v2.6
NCK | Netzwerk-Uhrzeit | | Deprecated | added v2.2, removed after v2.6
NSC | Änderung des Netzwerkstatus | | Deprecated | added v2.2, removed after v2.6
NST | Netzwerkstatistik | | Deprecated | added v2.2, removed after v2.6
ORD | Auftrag / Verordnung | | Deprecated | added v2.2, removed after v2.6
OTH | anderes | | Deprecated | from v2.1, removed after v2.6
PRB | Probleme | | Deprecated | added v2.3, removed after v2.6
PRO | Prozedur | | Deprecated | from v2.1, removed after v2.6
RAR | Erfolgte Verabreichung von Medikamenten | | Deprecated | added v2.2, removed after v2.6
RDR | Abgabe von Medikamenten | | Deprecated | added v2.2, removed after v2.6
RER | Medikamentenverordnung (Apotheke) | | Deprecated | added v2.2, removed after v2.6
RES | Ergebnis / Befund | | Deprecated | from v2.1, removed after v2.6
RGR | Verabreichunsgsvorschrift für Medikamente | | Deprecated | added v2.2, removed after v2.6
ROR | Medikamentenverordnung | | Deprecated | added v2.2, removed after v2.6
SAL | | | Deprecated | added v2.3.1, removed after v2.6
SBK | | | Deprecated | added v2.3.1, removed after v2.6
SBL | | | Deprecated | added v2.3.1, removed after v2.6
SOF | | | Deprecated | added v2.4, removed after v2.6
SOP | | | Deprecated | added v2.3.1, removed after v2.6
SSA | | | Deprecated | added v2.3.1, removed after v2.6
SSR | | | Deprecated | added v2.3.1, removed after v2.6
STA | Status | | Deprecated | from v2.1, removed after v2.6
VXI | Impfinformation | | Deprecated | added v2.3, removed after v2.6
XID | | | Deprecated | added v2.4, removed after v2.6

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0048 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
ADV | Advies/diagnose | | Verouderd | from v2.1, removed after v2.6
ANU | Verpleegafdeling opzoeken (levert patiënten in bedden, zonder lege bedden) | | Verouderd | from v2.1, removed after v2.6
APA | Accountnummer query, levert bijbehorende bezoeken | | Verouderd | added v2.2, removed after v2.6
APM | Medisch dossiernummer query, levert bezoeken op basis van een medisch dossiernummer | | Verouderd | added v2.2, removed after v2.6
APN | Patiëntnaam opzoeken | | Verouderd | from v2.1, removed after v2.6
APP | Arts opzoeken | | Verouderd | added v2.2, removed after v2.6
ARN | Verpleegafdeling opzoeken (levert patiënten in bedden, inclusief lege bedden) | | Verouderd | added v2.2, removed after v2.6
CAN | Annuleren (gebruikt voor annuleren van een query) | | Verouderd | from v2.1, removed after v2.6
DEM | Demografie | | Verouderd | from v2.1, removed after v2.6
FIN | Financieel | | Verouderd | added v2.2, removed after v2.6
GID | Genereer nieuwe identificatie | | Verouderd | added v2.4, removed after v2.6
GOL | Goals | | Verouderd | added v2.3, removed after v2.6
MFQ | Master file query | | Verouderd | added v2.2, removed after v2.2

MRI | Meest recente klinische patiënt | | Verouderd | from v2.1, removed after v2.6
MRO | Meest recente poliklinische patiënt | | Verouderd | from v2.1, removed after v2.6
NCK | Netwerkklok | | Verouderd | added v2.2, removed after v2.6
NSC | Netwerk statuswijziging | | Verouderd | added v2.2, removed after v2.6
NST | Netwerkstatistiek | | Verouderd | added v2.2, removed after v2.6
ORD | Aanvraag | | Verouderd | added v2.2, removed after v2.6
OTH | Anders | | Verouderd | from v2.1, removed after v2.6
PRB | Problemen | | Verouderd | added v2.3, removed after v2.6
PRO | Procedure | | Verouderd | from v2.1, removed after v2.6
RAR | Medicatietoediening informatie | | Verouderd | added v2.2, removed after v2.6
RDR | Medicatieverstrekking informatie | | Verouderd | added v2.2, removed after v2.6
RER | Medicatie gecodeerde aanvraag informatie | | Verouderd | added v2.2, removed after v2.6
RES | Resultaat | | Verouderd | from v2.1, removed after v2.6
RGR | Medicatie gegeven informatie | | Verouderd | added v2.2, removed after v2.6
ROR | Medicatievoorschrift informatie | | Verouderd | added v2.2, removed after v2.6
SAL | Alle agenda gerelateerde informatie, inclusief open afspraakposities, geboekte afspraakposities, geblokkeerde afspraakposities | | Verouderd | added v2.3.1, removed after v2.6
SBK | Geboekte afspraakposities op de geïdentificeerde agenda | | Verouderd | added v2.3.1, removed after v2.6
SBL | Geblokkeerde afspraakposities op de geïdentificeerde agenda | | Verouderd | added v2.3.1, removed after v2.6
SOF | Eerste open afspraakpositie op de geïdentificeerde agenda na de startdatum/tijd | | Verouderd | added v2.4, removed after v2.6
SOP | Eerste open afspraakpositie op de geïdentificeerde agenda in de startdatum/tijd periode | | Verouderd | added v2.3.1, removed after v2.6
SSA | Beschikbare afspraakposities voor één enkele afspraak | | Verouderd | added v2.3.1, removed after v2.6
SSR | Beschikbare afspraakposities voor een herhalende afspraak | | Verouderd | added v2.3.1, removed after v2.6
STA | Status | | Verouderd | from v2.1, removed after v2.6
VXI | Vaccinatie informatie | | Verouderd | added v2.3, removed after v2.6
XID | Ophalen gekoppelde identificaties | | Verouderd | added v2.4, removed after v2.6

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.48.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0048 version 2.9

Code | System | Display

4.3.15.52 HL7 Version 2 Table 0052

URL: https://hl7.org/fhir/R4/v2/0052/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0052
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0052
Version: | 2.9
Name: | v2.0052
Title: | v2 Diagnosis Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0052 (Diagnosis Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.52.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0052 defines the following codes:

Code | Display | Definition | Version
A | en: Admitting de: Aufnahme nl: Opname | | added v2.3
F | en: Final de: Enddiagnose nl: Definitief | | added v2.3
W | en: Working nl: Werk | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0052 defines the following codes:

Code | Display | Definition | Version
A | Admitting | | added v2.3
F | Final | | added v2.3
W | Working | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0052 defines the following codes:

Code | Display | Definition | Version
A | Aufnahme | | added v2.3
F | Enddiagnose | | added v2.3
W | | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0052 definieert de volgende codes:

Code | Display | Definition | Versie
A | Opname | | added v2.3
F | Definitief | | added v2.3
W | Werk | | added v2.3

4.3.15.61 HL7 Version 2 Table 0061

URL: https://hl7.org/fhir/R4/v2/0061/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0061
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0061
Version: | 2.9
Name: | v2.0061
Title: | v2 CHECK DIGIT SCHEME
Definition: | FHIR Value set/code system definition for HL7 v2 table 0061 (CHECK DIGIT SCHEME)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.61.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0061 defines the following codes:

Code | Display | Definition | Comments | Version
BCV | en: Bank Card Validation Number nl: Bancaire kaart validatienummer | | en: A non-embossed number included on bank cards and used to validate authenticity of the card and the person presenting the card nl: Een niet-gestanst nummer op bancaire kaarten en gebruikt voor validatie van de autenticiteit van de kaart en de person die de kaart heeft | added v2.6
ISO | ISO 7064: 1983 | | | added v2.3.1
M10 | en: Mod 10 algorithm de: Modulo10-Verfahren nl: Mod 10 algoritme | | | added v2.2
M11 | en: Mod 11 algorithm de: Modulo11-Verfahren nl: Mod 11 algoritme | | | from v2.1
NPI | en: Check digit algorithm in the US National Provider Identifier nl: Controlegetal algoritme van de Amerikaanse Nationale Provider identificatie | | | added v2.3.1

This code system http://terminology.hl7.org/CodeSystem/v2-0061 defines the following codes:

Code | Display | Definition | Comments | Version
BCV | Bank Card Validation Number | | A non-embossed number included on bank cards and used to validate authenticity of the card and the person presenting the card | added v2.6
ISO | ISO 7064: 1983 | | | added v2.3.1
M10 | Mod 10 algorithm | | | added v2.2
M11 | Mod 11 algorithm | | | from v2.1
NPI | Check digit algorithm in the US National Provider Identifier | | | added v2.3.1

This code system http://terminology.hl7.org/CodeSystem/v2-0061 defines the following codes:

Code | Display | Definition | Comments | Version
BCV | | | | added v2.6
ISO | ISO 7064: 1983 | | | added v2.3.1
M10 | Modulo10-Verfahren | | | added v2.2
M11 | Modulo11-Verfahren | | | from v2.1

NPI | | | | added v2.3.1

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0061 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie
BCV | Bancaire kaart validatienummer | | Een niet-gestanst nummer op bancaire kaarten en gebruikt voor validatie van de autenticiteit van de kaart en de person die de kaart heeft | added v2.6
ISO | ISO 7064: 1983 | | | added v2.3.1
M10 | Mod 10 algoritme | | | added v2.2
M11 | Mod 11 algoritme | | | from v2.1
NPI | Controlegetal algoritme van de Amerikaanse Nationale Provider identificatie | | | added v2.3.1

4.3.15.62 HL7 Version 2 Table 0062

URL: https://hl7.org/fhir/R4/v2/0062/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0062
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0062
Version: | 2.9
Name: | v2.0062
Title: | v2 EVENT REASON
Definition: | FHIR Value set/code system definition for HL7 v2 table 0062 (EVENT REASON)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.62.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0062 defines the following codes:

Code | Display | Definition | Version
01 | en: Patient request de: Veranlassung durch Patient nl: Op verzoek patiënt | | from v2.1
02 | en: Physician/health practitioner order de: Veranlassung durch den Arzt nl: Op aanvraag arts/zorgverlener | | from v2.1
03 | en: Census management de: Veranlassung durch Patientenverwaltung nl: Gezamenlijk besluit | | added v2.2
O | en: Other de: andere Veranlassung nl: Anders | | added v2.5
U | en: Unknown de: Veranlassung unbekannt nl: Onbekend | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0062 defines the following codes:

Code | Display | Definition | Version
01 | Patient request | | from v2.1
02 | Physician/health practitioner order | | from v2.1
03 | Census management | | added v2.2
O | Other | | added v2.5
U | Unknown | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0062 defines the following codes:

Code | Display | Definition | Version
01 | Veranlassung durch Patient | | from v2.1
02 | Veranlassung durch den Arzt | | from v2.1
03 | Veranlassung durch Patientenverwaltung | | added v2.2
O | andere Veranlassung | | added v2.5
U | Veranlassung unbekannt | | added v2.5

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0062 definieert de volgende codes:

Code | Display | Definition | Versie
01 | Op verzoek patiënt | | from v2.1
02 | Op aanvraag arts/zorgverlener | | from v2.1
03 | Gezamenlijk besluit | | added v2.2
O | Anders | | added v2.5
U | Onbekend | | added v2.5

4.3.15.63 HL7 Version 2 Table 0063

URL: https://hl7.org/fhir/R4/v2/0063/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0063
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0063
Version: | 2.9
Name: | v2.0063
Title: | v2 Relationship
Definition: | FHIR Value set/code system definition for HL7 v2 table 0063 (Relationship)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.63.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0063 defines the following codes:

Code | Display | Definition | Version
ASC | en: Associate de: Collègue nl: Zakenpartner | | added v2.4
BRO | en: Brother de: Bruder nl: Broer | | added v2.4
CGV | en: Care giver de: Pflegeeltern nl: Zorgverlener | | added v2.4
CHD | en: Child de: Kind nl: Kind | | added v2.4
DEP | en: Handicapped dependent de: Begleitperson für Hilfsbedürftige nl: Gehandicapt afhankelijke | | added v2.4
DOM | en: Life partner de: Lebenspartner nl: Levenspartner | | added v2.4
EMC | en: Emergency contact de: Ansprechpartner in Notfällen nl: Noodgeval contact | | added v2.4
EME | en: Employee de: Angestellter nl: Werknemer | | added v2.4
EMR | en: Employer de: Arbeitgeber nl: Eployer | | added v2.4
EXF | en: Extended family de: erweiterter Familienkreis nl: Verre familie | | added v2.4
FCH | en: Foster child de: Pflegekind nl: Pleegkind | | added v2.4
FND | en: Friend de: Freund | | added v2.4
FTH | en: Father de: Vater nl: Vader | | added v2.4
GCH | en: Grandchild de: Enkel nl: Kleinkind | | added v2.4
GRD | en: Guardian de: Pate nl: Voogd | | added v2.4
GRP | en: Grandparent de: Großeltern nl: Grootouder | | added v2.4
MGR | Manager | | added v2.4
MTH | en: Mother de: Mutter nl: Moeder | | added v2.4
NCH | en: Natural child de: eigenes Kind nl: Biologisch kind | | added v2.4
NON | en: None de: keine nl: Geen | | added v2.4
OAD | en: Other adult de: anderer Erwachsener nl: Andere volwassene | | added v2.4
OTH | en: Other de: andere nl: Anders | | added v2.4
OWN | en: Owner de: Eigentümer nl: Eigenaar | | added v2.4
PAR | en: Parent de: Eltern nl: Ouder | | added v2.4
SCH | en: Stepchild de: Stiefkind nl: Stiefkind | | added v2.4
SEL | en: Self de: selbst nl: Zelf | | added v2.4
SIB | en: Sibling de: Geschwister nl: Broer/zus | | added v2.4
SIS | en: Sister de: Schwester nl: Zus | | added v2.4
SPO | en: Spouse de: Partner nl: Huwelijkse partner | | added v2.4
TRA | Trainer | | added v2.4
UNK | en: Unknown de: unbekannt nl: Onbekend | | added v2.4
WRD | en: Ward of court de: Vormund nl: Wettelijke voogd | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0063 defines the following codes:

Code | Display | Definition | Version
ASC | Associate | | added v2.4
BRO | Brother | | added v2.4
CGV | Care giver | | added v2.4
CHD | Child | | added v2.4
DEP | Handicapped dependent | | added v2.4
DOM | Life partner | | added v2.4
EMC | Emergency contact | | added v2.4
EME | Employee | | added v2.4
EMR | Employer | | added v2.4

EXF | Extended family | | added v2.4
FCH | Foster child | | added v2.4
FND | Friend | | added v2.4
FTH | Father | | added v2.4
GCH | Grandchild | | added v2.4
GRD | Guardian | | added v2.4
GRP | Grandparent | | added v2.4
MGR | Manager | | added v2.4
MTH | Mother | | added v2.4
NCH | Natural child | | added v2.4
NON | None | | added v2.4
OAD | Other adult | | added v2.4
OTH | Other | | added v2.4
OWN | Owner | | added v2.4
PAR | Parent | | added v2.4
SCH | Stepchild | | added v2.4
SEL | Self | | added v2.4
SIB | Sibling | | added v2.4
SIS | Sister | | added v2.4
SPO | Spouse | | added v2.4
TRA | Trainer | | added v2.4
UNK | Unknown | | added v2.4
WRD | Ward of court | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0063 defines the following codes:

Code | Display | Definition | Version
ASC | Collègue | | added v2.4
BRO | Bruder | | added v2.4
CGV | Pflegeeltern | | added v2.4
CHD | Kind | | added v2.4
DEP | Begleitperson für Hilfsbedürftige | | added v2.4
DOM | Lebenspartner | | added v2.4
EMC | Ansprechpartner in Notfällen | | added v2.4
EME | Angestellter | | added v2.4
EMR | Arbeitgeber | | added v2.4
EXF | erweiterter Familienkreis | | added v2.4
FCH | Pflegekind | | added v2.4
FND | Freund | | added v2.4
FTH | Vater | | added v2.4
GCH | Enkel | | added v2.4
GRD | Pate | | added v2.4
GRP | Großeltern | | added v2.4
MGR | Manager | | added v2.4
MTH | Mutter | | added v2.4
NCH | eigenes Kind | | added v2.4
NON | keine | | added v2.4
OAD | anderer Erwachsener | | added v2.4
OTH | andere | | added v2.4
OWN | Eigentümer | | added v2.4
PAR | Eltern | | added v2.4
SCH | Stiefkind | | added v2.4
SEL | selbst | | added v2.4
SIB | Geschwister | | added v2.4
SIS | Schwester | | added v2.4
SPO | Partner | | added v2.4
TRA | Trainer | | added v2.4
UNK | unbekannt | | added v2.4
WRD | Vormund | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0063 definieert de volgende codes:

Code | Display | Definition | Versie
ASC | Zakenpartner | | added v2.4
BRO | Broer | | added v2.4
CGV | Zorgverlener | | added v2.4
CHD | Kind | | added v2.4
DEP | Gehandicapt afhankelijke | | added v2.4
DOM | Levenspartner | | added v2.4
EMC | Noodgeval contact | | added v2.4
EME | Werknemer | | added v2.4
EMR | Eployer | | added v2.4
EXF | Verre familie | | added v2.4
FCH | Pleegkind | | added v2.4
FND | Friend | | added v2.4

FTH | Vader | | added v2.4
GCH | Kleinkind | | added v2.4
GRD | Voogd | | added v2.4
GRP | Grootouder | | added v2.4
MGR | Manager | | added v2.4
MTH | Moeder | | added v2.4
NCH | Biologisch kind | | added v2.4
NON | Geen | | added v2.4
OAD | Andere volwassene | | added v2.4
OTH | Anders | | added v2.4
OWN | Eigenaar | | added v2.4
PAR | Ouder | | added v2.4
SCH | Stiefkind | | added v2.4
SEL | Zelf | | added v2.4
SIB | Broer/zus | | added v2.4
SIS | Zus | | added v2.4
SPO | Huwelijkse partner | | added v2.4
TRA | Trainer | | added v2.4
UNK | Onbekend | | added v2.4
WRD | Wettelijke voogd | | added v2.4

4.3.15.65 HL7 Version 2 Table 0065

URL: https://hl7.org/fhir/R4/v2/0065/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0065
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0065
Version: | 2.9
Name: | v2.0065
Title: | v2 ACTION CODE
Definition: | FHIR Value set/code system definition for HL7 v2 table 0065 (ACTION CODE)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.65.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0065 defines the following codes:

Code | Display | Definition | Deprecated | Version
A | en: Add ordered tests to the existing specimen de: Zusätzliche Tests zur vorhandenen Probe nl: Voeg gevraagde tests toe aan bestaande monster | | | from v2.1
C | en: Cancel order for battery or tests named de: Stornoauftrag zu bekannter Probe nl: Annuleer aanvraag voor genoemde battery of tests | | Deprecated | from v2.1, removed after v2.1
G | en: Generated order; reflex order de: Nachgeordneter Auftrag / Auftrag als Reaktion auf Untersuchungsergebnis nl: Gegenereerde aanvraag / reflexaanvraag | | | from v2.1
L | en: Lab to obtain specimen from patient de: Holauftrag für Labor nl: Lab verzamelt monster van patiënt | | | from v2.1
O | en: Specimen obtained by service other than Lab de: Probe wird / wurde mit dem Auftrag zur Verfügung gestellt nl: Monster wordt afgenomen door een service anders dan het Lab | | | from v2.1
P | en: Pending specimen; Order sent prior to delivery de: Probe steht noch aus - Auftrag liegt schon vor nl: Wachtend op monster - Aanvraag gestuurd voorafgaand aan levering | | | from v2.1
R | en: Revised order de: Geänderter Auftrag nl: Herziene aanvraag | | | added v2.2
S | en: Schedule the tests specified below de: Spezifizierte Untersuchungen einplanen nl: Plan de tests zoals hieronder gespecificeerd | | | from v2.1

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0065 defines the following codes:

Code | Display | Definition | Deprecated | Version
A | Add ordered tests to the existing specimen | | | from v2.1
C | Cancel order for battery or tests named | | Deprecated | from v2.1, removed after v2.1
G | Generated order; reflex order | | | from v2.1
L | Lab to obtain specimen from patient | | | from v2.1
O | Specimen obtained by service other than Lab | | | from v2.1
P | Pending specimen; Order sent prior to delivery | | | from v2.1
R | Revised order | | | added v2.2
S | Schedule the tests specified below | | | from v2.1

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0065 defines the following codes:

Code | Display | Definition | Deprecated | Version
A | Zusätzliche Tests zur vorhandenen Probe | | | from v2.1
C | Stornoauftrag zu bekannter Probe | | Deprecated | from v2.1, removed after v2.1
G | Nachgeordneter Auftrag / Auftrag als Reaktion auf Untersuchungsergebnis | | | from v2.1
L | Holauftrag für Labor | | | from v2.1
O | Probe wird / wurde mit dem Auftrag zur Verfügung gestellt | | | from v2.1
P | Probe steht noch aus - Auftrag liegt schon vor | | | from v2.1
R | Geänderter Auftrag | | | added v2.2
S | Spezifizierte Untersuchungen einplanen | | | from v2.1

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0065 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
A | Voeg gevraagde tests toe aan bestaande monster | | | from v2.1
C | Annuleer aanvraag voor genoemde battery of tests | | Verouderd | from v2.1, removed after v2.1
G | Gegenereerde aanvraag / reflexaanvraag | | | from v2.1
L | Lab verzamelt monster van patiënt | | | from v2.1
O | Monster wordt afgenomen door een service anders dan het Lab | | | from v2.1
P | Wachtend op monster - Aanvraag gestuurd voorafgaand aan levering | | | from v2.1
R | Herziene aanvraag | | | added v2.2
S | Plan de tests zoals hieronder gespecificeerd | | | from v2.1

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.65.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 7 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0065 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0065

Code | Display | Definition
A | Add ordered tests to the existing specimen
G | Generated order; reflex order
L | Lab to obtain specimen from patient
O | Specimen obtained by service other than Lab
P | Pending specimen; Order sent prior to delivery
R | Revised order
S | Schedule the tests specified below

Additional Language Displays

Code | Deutsch (German, de) | Nederlands (Dutch, nl)

A | Zusätzliche Tests zur vorhandenen Probe | Voeg gevraagde tests toe aan bestaande monster
G | Nachgeordneter Auftrag / Auftrag als Reaktion auf Untersuchungsergebnis | Gegenereerde aanvraag / reflexaanvraag
L | Holauftrag für Labor | Lab verzamelt monster van patiënt
O | Probe wird / wurde mit dem Auftrag zur Verfügung gestellt | Monster wordt afgenomen door een service anders dan het Lab
P | Probe steht noch aus - Auftrag liegt schon vor | Wachtend op monster - Aanvraag gestuurd voorafgaand aan levering
R | Geänderter Auftrag | Herziene aanvraag
S | Spezifizierte Untersuchungen einplanen | Plan de tests zoals hieronder gespecificeerd

4.3.15.66 HL7 Version 2 Table 0066

URL: https://hl7.org/fhir/R4/v2/0066/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0066
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0066
Version: | 2.9
Name: | v2.0066
Title: | v2 Employment status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0066 (Employment status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.66.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0066 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | en: see chapter 6 nl: zie hoofdstuk 6 | | Deprecated | added v2.6, removed after v2.6
1 | en: Full time employed de: Vollzeit nl: Voltijd baan | | | added v2.4
2 | en: Part time employed de: Teilzeit nl: Parttime baan | | | added v2.4
3 | en: Unemployed de: Nicht erwerbstätig nl: Werkloos | | | added v2.4
4 | en: Self-employed de: Selbständig nl: Zelfstandige | | | added v2.4
5 | en: Retired de: Pensioniert nl: Gepensioneerd | | | added v2.4
6 | en: On active military duty de: Militärdienst nl: In actieve militaire dienst | | | added v2.4
9 | en: Unknown de: unbekannt nl: Onbekend | | | added v2.4
C | Contract, per diem | | | added v2.4
D | Per Diem | | Deprecated | added v2.4, removed after v2.4
F | en: Full Time nl: Voltijd | | Deprecated | added v2.4, removed after v2.4
L | en: Leave of absence (e.g., family leave, sabbatical, etc.) nl: Verlof (bijv. familieomstandigheden, sabbatical, etc.) | | | added v2.4
O | en: Other de: Andere nl: Anders | | | added v2.4
P | en: Part Time nl: Parttime | | Deprecated | added v2.4, removed after v2.4
T | en: Temporarily unemployed de: zeitweise ohne Anstellung nl: Tijdelijk werkloos | | | added v2.4

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0066 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | see chapter 6 | | Deprecated | added v2.6, removed after v2.6
1 | Full time employed | | | added v2.4

2 | Part time employed | | | added v2.4
3 | Unemployed | | | added v2.4
4 | Self-employed | | | added v2.4
5 | Retired | | | added v2.4
6 | On active military duty | | | added v2.4
9 | Unknown | | | added v2.4
C | Contract, per diem | | | added v2.4
D | Per Diem | | Deprecated | added v2.4, removed after v2.4
F | Full Time | | Deprecated | added v2.4, removed after v2.4
L | Leave of absence (e.g., family leave, sabbatical, etc.) | | | added v2.4
O | Other | | | added v2.4
P | Part Time | | Deprecated | added v2.4, removed after v2.4
T | Temporarily unemployed | | | added v2.4

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0066 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | | | Deprecated | added v2.6, removed after v2.6
1 | Vollzeit | | | added v2.4
2 | Teilzeit | | | added v2.4
3 | Nicht erwerbstätig | | | added v2.4
4 | Selbständig | | | added v2.4
5 | Pensioniert | | | added v2.4
6 | Militärdienst | | | added v2.4
9 | unbekannt | | | added v2.4
C | | | | added v2.4
D | | | Deprecated | added v2.4, removed after v2.4
F | | | Deprecated | added v2.4, removed after v2.4
L | | | | added v2.4
O | Andere | | | added v2.4
P | | | Deprecated | added v2.4, removed after v2.4
T | zeitweise ohne Anstellung | | | added v2.4

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0066 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
... | zie hoofdstuk 6 | | Verouderd | added v2.6, removed after v2.6
1 | Voltijd baan | | | added v2.4
2 | Parttime baan | | | added v2.4
3 | Werkloos | | | added v2.4
4 | Zelfstandige | | | added v2.4
5 | Gepensioneerd | | | added v2.4
6 | In actieve militaire dienst | | | added v2.4
9 | Onbekend | | | added v2.4
C | Contract, per diem | | | added v2.4
D | Per diem | | Verouderd | added v2.4, removed after v2.4
F | Voltijd | | Verouderd | added v2.4, removed after v2.4
L | Verlof (bijv. familieomstandigheden, sabbatical, etc.) | | | added v2.4
O | Anders | | | added v2.4
P | Parttime | | Verouderd | added v2.4, removed after v2.4
T | Tijdelijk werkloos | | | added v2.4

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.66.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 11 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0066 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0066

Code | Display | Definition
1 | Full time employed
2 | Part time employed
3 | Unemployed
4 | Self-employed
5 | Retired
6 | On active military duty
9 | Unknown
C | Contract, per diem
L | Leave of absence (e.g., family leave, sabbatical, etc.)
O | Other
T | Temporarily unemployed

Additional Language Displays

Code | Deutsch (German, de) | Nederlands (Dutch, nl)
1 | Vollzeit | Voltijd baan
2 | Teilzeit | Parttime baan
3 | Nicht erwerbstätig | Werkloos
4 | Selbständig | Zelfstandige
5 | Pensioniert | Gepensioneerd
6 | Militärdienst | In actieve militaire dienst
9 | unbekannt | Onbekend
C | | Contract, per diem
L | | Verlof (bijv. familieomstandigheden, sabbatical, etc.)
O | Andere | Anders
T | zeitweise ohne Anstellung | Tijdelijk werkloos

4.3.15.69 HL7 Version 2 Table 0069

URL: https://hl7.org/fhir/R4/v2/0069/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0069
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0069
Version: | 2.9
Name: | v2.0069
Title: | v2 Hospital service
Definition: | FHIR Value set/code system definition for HL7 v2 table 0069 (Hospital service)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.69.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0069 defines the following codes:

Code | Display | Definition | Version
CAR | en: Cardiac Service de: --- nl: Hart behandeling | | added v2.4
MED | en: Medical Service de: --- nl: Medisch behandeling | | added v2.4
PUL | en: Pulmonary Service de: --- nl: Pulmonaire behandeling | | added v2.4
SUR | en: Surgical Service de: --- nl: Chirurgische behandeling | | added v2.4
URO | en: Urology Service de: --- nl: Uologische behandeling | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0069 defines the following codes:

Code | Display | Definition | Version
CAR | Cardiac Service | | added v2.4
MED | Medical Service | | added v2.4
PUL | Pulmonary Service | | added v2.4
SUR | Surgical Service | | added v2.4
URO | Urology Service | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0069 defines the following codes:

Code | Display | Definition | Version
CAR | --- | | added v2.4
MED | --- | | added v2.4
PUL | --- | | added v2.4
SUR | --- | | added v2.4
URO | --- | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0069 definieert de volgende codes:

Code | Display | Definition | Versie
CAR | Hart behandeling | | added v2.4
MED | Medisch behandeling | | added v2.4
PUL | Pulmonaire behandeling | | added v2.4
SUR | Chirurgische behandeling | | added v2.4
URO | Uologische behandeling | | added v2.4

4.3.15.70 HL7 Version 2 Table 0070

URL: https://hl7.org/fhir/R4/v2/0070/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0070
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0070
Version: | 2.9
Name: | v2.0070
Title: | v2 SOURCE OF SPECIMEN
Definition: | FHIR Value set/code system definition for HL7 v2 table 0070 (SOURCE OF SPECIMEN)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.70.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0070 defines the following codes:

Code | Display | Definition | Deprecated | Version
ABLD | en: Arterial blood de: Arterielles Blut nl: Arterieel bloed | | Deprecated | added v2.2, removed after v2.2
ABS | en: Abscess de: Abszeß nl: Abces | | Deprecated | added v2.2, removed after v2.6
AMN | en: Amniotic fluid de: Fruchtwasser nl: Amniotisch vocht | | Deprecated | added v2.2, removed after v2.6
ASP | en: Aspirate de: Aspirationssubstrat nl: Aspiraat | | Deprecated | added v2.2, removed after v2.6
BBL | en: Blood bag de: Blutkonserve nl: Bloedzak | | Deprecated | added v2.2, removed after v2.6
BDY | en: Whole body de: Gesamter Körper nl: Geheel lichaam | | Deprecated | added v2.2, removed after v2.6
BIFL | en: Bile fluid nl: Galvocht | | Deprecated | added v2.3, removed after v2.6
BLD | en: Whole blood de: Gesamtes Blut nl: Geheel bloed | | Deprecated | from v2.1, removed after v2.6
BLDA | en: Blood arterial de: arterielles Blut nl: Arterieel bloed | | Deprecated | added v2.3, removed after v2.6
BLDC | en: Blood capillary de: Kapillarblut nl: Capillair bloed | | Deprecated | added v2.3, removed after v2.6
BLDCO | en: Cord blood de: Nabelschnurblut nl: Streng bloed | | Deprecated | added v2.4, removed after v2.6
BLDV | en: Blood venous de: venöses Blut nl: Veneus bloed | | Deprecated | added v2.3, removed after v2.6
BON | en: Bone de: Knochen nl: Bot | | Deprecated | from v2.1, removed after v2.6
BPH | en: Basophils de: Basophile nl: Basofiel | | Deprecated | added v2.2, removed after v2.6
BPU | en: Blood product unit nl: Bloedproduct eenheid | | Deprecated | added v2.3, removed after v2.6
BRN | en: Burn de: Brandwunde nl: Brandwond | | Deprecated | from v2.1, removed after v2.6
BRO | en: Bronchial de: Bronchialwege nl: Bronchiaal | | Deprecated | added v2.2, removed after v2.6
BRTH | en: Breath (use EXHLD) de: Atemluft nl: Adem (gebruik EXHLD) | | Deprecated | added v2.2, removed after v2.6
CALC | en: Calculus (=Stone) de: Steinchen, Konkrement nl: Calculus (=Steen) | | Deprecated | added v2.2, removed after v2.6
CBLD | en: Cord blood de: Nabelschnurblut nl: Streng bloed | | Deprecated | added v2.2, removed after v2.4

CDM | en: Cardiac muscle de: Herzmuskel nl: Hartspier | | Deprecated | added v2.2, removed after v2.6
CNJT | en: Conjunctiva de: Konjunktiven | | Deprecated | from v2.1, removed after v2.6
CNL | en: Cannula de: Kanüle | | Deprecated | added v2.2, removed after v2.6
COL | en: Colostrum de: Kolostrum, Vormilch | | Deprecated | added v2.2, removed after v2.6
CSF | en: Cerebral spinal fluid de: Cerebralflüssigkeit nl: Hersenvocht | | Deprecated | from v2.1, removed after v2.6
CTP | en: Catheter tip de: Katheterspitze nl: Catether tip | | Deprecated | added v2.2, removed after v2.6
CUR | en: Curettage de: Curettagematerial | | Deprecated | added v2.2, removed after v2.6
CVM | en: Cervical mucus de: Cervicalschleim nl: Cervicale mucus | | Deprecated | added v2.2, removed after v2.6
CVX | en: Cervix de: Zervix | | Deprecated | from v2.1, removed after v2.6
CYST | en: Cyst de: Zyste nl: Cyste | | Deprecated | added v2.2, removed after v2.6
DIAF | en: Dialysis fluid nl: Dialyse vocht | | Deprecated | added v2.3, removed after v2.6
DOSE | en: Dose med or substance nl: Medicatie of substantie | | Deprecated | added v2.3, removed after v2.6
DRN | en: Drain de: Drainage nl: Stoma | | Deprecated | added v2.2, removed after v2.6
DUFL | en: Duodenal fluid nl: Duodenaal vocht | | Deprecated | added v2.3, removed after v2.6
EAR | en: Ear de: Ohr nl: Oor | | Deprecated | from v2.1, removed after v2.6
EARW | en: Ear wax (cerumen) nl: Oorsmeer (cerumen) | | Deprecated | added v2.3, removed after v2.6
ELT | en: Electrode de: Elektrode | | Deprecated | added v2.2, removed after v2.6
ENDC | en: Endocardium de: Endocard | | Deprecated | added v2.2, removed after v2.6
ENDM | Endometrium | | Deprecated | added v2.2, removed after v2.6
EOS | en: Eosinophils de: Eosinophile nl: Eosinofiel | | Deprecated | added v2.2, removed after v2.6
EXG | en: Exhaled gas (=breath) nl: Uitgeademde lucht (=adem) | | Deprecated | added v2.4, removed after v2.6
EXHLD | en: Exhaled gas (=breath) nl: Uitgeademde lucht (=adem) | | Deprecated | added v2.3, removed after v2.4
EYE | en: Eye de: Auge nl: Oog | | Deprecated | added v2.3, removed after v2.6
FIB | en: Fibroblasts de: Fibroblasten | | Deprecated | from v2.1, removed after v2.6
FIST | en: Fistula de: Fistel nl: Fistel | | Deprecated | added v2.2, removed after v2.6
FLT | Filter | | Deprecated | added v2.2, removed after v2.6
FLU | en: Body fluid, unsp de: Körperflüssigkeit (unspezifiziert) nl: Lichaamsvocht, niet-gesp | | Deprecated | added v2.2, removed after v2.6
GAS | en: Gas nl: Lucht | | Deprecated | added v2.3, removed after v2.6
GAST | en: Gastric fluid/contents de: Magenflüssigkeit nl: Maagvocht/inhoud | | Deprecated | added v2.2, removed after v2.6
GEN | en: Genital de: Genitale nl: Genitaal | | Deprecated | added v2.2, removed after v2.6
GENC | en: Genital cervix de: Genitale - Cervix nl: Genitaal cervix | | Deprecated | added v2.2, removed after v2.6
GENL | en: Genital lochia de: Wochenfluß / Lochien nl: Genitaal lochia | | Deprecated | added v2.2, removed after v2.6
GENV | en: Genital vaginal de: Genitale - Vagina nl: Genitaal vaginaal | | Deprecated | added v2.2, removed after v2.6
HAR | en: Hair de: Haare nl: Haar | | Deprecated | from v2.1, removed after v2.6
IHG | en: Inhaled Gas de: inhaliertes Gas nl: Geïnhaleerde lucht | | Deprecated | added v2.3, removed after v2.6
ISLT | en: Isolate nl: Isolaat | | Deprecated | added v2.3, removed after v2.6
IT | en: Intubation tube de: Tubus nl: Intubatieslang | | Deprecated | added v2.2, removed after v2.6
LAM | en: Lamella de: Lamellen | | Deprecated | added v2.2, removed after v2.6
LIQ | en: Liquid NOS nl: Vloeistof, niet anders gespecificeerd | | Deprecated | added v2.3, removed after v2.6
LN | en: Line de: Zugang nl: Lijn | | Deprecated | added v2.2, removed after v2.6
LNA | en: Line arterial de: Arterieller Zugang nl: Arteriële lijn | | Deprecated | added v2.2, removed after v2.6
LNV | en: Line venous de: Venöser Zugang nl: Veneuze lijn | | Deprecated | added v2.2, removed after v2.6
LYM | en: Lymphocytes de: Lymphozyten nl: Lymfocyten | | Deprecated | added v2.2, removed after v2.6
MAC | en: Macrophages de: Makrophagen nl: Macrofagen | | Deprecated | added v2.2, removed after v2.6
MAR | en: Marrow de: Knochenmark nl: Merg | | Deprecated | added v2.2, removed after v2.6
MBLD | en: Menstrual blood de: Menstruationsblut nl: Menstruatiebloed | | Deprecated | added v2.2, removed after v2.6
MEC | Meconium | | Deprecated | added v2.2, removed after v2.6
MILK | en: Breast milk de: Brustmilch nl: Borstmelk | | Deprecated | added v2.2, removed after v2.6
MLK | en: Milk de: Milch nl: Melk | | Deprecated | added v2.2, removed after v2.6
MN | en: Amniotic Fluid de: Fruchtwasser nl: Amniotisch vocht | | Deprecated | from v2.1, removed after v2.1
NAIL | en: Nail de: Nagel nl: Nagel | | Deprecated | added v2.2, removed after v2.6
NOS | en: Nose (nasal passage) de: Nase (Nasenwege) nl: Neus (nasale doorgang) | | Deprecated | from v2.1, removed after v2.6
ORH | en: Other de: Andere nl: Anders | | Deprecated | added v2.2, removed after v2.6
OTH | en: Other de: Diverse nl: Anders | | Deprecated | from v2.1, removed after v2.1
PAFL | en: Pancreatic fluid nl: Pancreas vocht | | Deprecated | added v2.3, removed after v2.6
PAT | en: Patient nl: Patiënt | | Deprecated | added v2.3, removed after v2.6
PER | Peritoneum | | Deprecated | added v2.2, removed after v2.2
PLAS | Plasma | | Deprecated | from v2.1, removed after v2.6
PLB | en: Plasma bag de: Plasmabeutel nl: Plasmazak | | Deprecated | added v2.2, removed after v2.6
PLC | Placenta | | Deprecated | added v2.2, removed after v2.6
PLR | en: Pleural fluid (thoracentesis fld) de: Pleuraflüssigkeit (nach Thoracocentese) nl: Pleuraal vocht (thoracentesis vocht) | | Deprecated | added v2.2, removed after v2.6
PMN | en: Polymorphonuclear neutrophils de: Polymorphkernige Neutrophile nl: Polymorfonucleaire neutrofielen | | Deprecated | added v2.2, removed after v2.6
PPP | en: Platelet poor plasma nl: Patelet-arm plasma | | Deprecated | added v2.3, removed after v2.6
PRP | en: Platelet rich plasma nl: Patelet-rijk plasma | | Deprecated | added v2.3, removed after v2.6
PRT | en: Peritoneal fluid /ascites de: Peritonealflüssigkeit / Ascites nl: Peritoneaal vocht / ascites | | Deprecated | from v2.1, removed after v2.6
PUS | en: Pus de: Eiter | | Deprecated | added v2.2, removed after v2.6
RBC | en: Erythrocytes de: Erythrozyten nl: Erythrocyten | | Deprecated | from v2.1, removed after v2.6
RT | en: Route of medicine nl: Route van zorg | | Deprecated | added v2.3, removed after v2.6
SAL | en: Saliva de: Speichel nl: Speeksel | | Deprecated | from v2.1, removed after v2.6

SEM | en: Seminal fluid de: Sperma nl: Seminaal vocht | | Deprecated | from v2.1, removed after v2.4
SER | Serum | | Deprecated | from v2.1, removed after v2.6
SKM | en: Skeletal muscle de: Skelettmuskel nl: Skeletspier | | Deprecated | added v2.2, removed after v2.6
SKN | en: Skin de: Haut nl: Huid | | Deprecated | from v2.1, removed after v2.6
SMN | en: Seminal fluid nl: Seminaal vocht | | Deprecated | added v2.4, removed after v2.6
SNV | en: Synovial fluid (Joint fluid) de: Synovialflüssigkeit nl: Synoviaal vocht (gewrichtvocht) | | Deprecated | from v2.1, removed after v2.6
SPRM | en: Spermatozoa de: Spermien nl: Spermatozoïden | | Deprecated | added v2.2, removed after v2.6
SPT | Sputum | | Deprecated | added v2.2, removed after v2.6
SPTC | en: Sputum - coughed de: Sputum - Hustenauswurf nl: Sputum - gehoest | | Deprecated | added v2.2, removed after v2.6
SPTT | en: Sputum - tracheal aspirate de: Sputum - tracheal aspiriert nl: Sputum - tracheaal aspiraat | | Deprecated | added v2.2, removed after v2.6
STL | en: Stool = Fecal de: Stuhl nl: Ontlasting = Feces | | Deprecated | from v2.1, removed after v2.6
STON | en: Stone (use CALC) de: Steine nl: Steen (gebruik CALC) | | Deprecated | added v2.2, removed after v2.6
SWT | en: Sweat de: Schweiß nl: Zweet | | Deprecated | from v2.1, removed after v2.6
TEAR | en: Tears de: Tränen nl: Tranen | | Deprecated | added v2.2, removed after v2.6
THRB | en: Thrombocyte (platelet) de: Thrombozyten nl: Trombocyt (platelet) | | Deprecated | added v2.2, removed after v2.6
THRT | en: Throat de: Rachanbstrich nl: Keel | | Deprecated | from v2.1, removed after v2.6
TIS | en: Tissue de: Gewebe nl: Weefsel | | Deprecated | from v2.1, removed after v2.1
TISB | en: Tissue bone marrow de: Knochenmarksgewebe nl: Weefsel beenmerg | | Deprecated | added v2.2, removed after v2.2
TISC | en: Tissue curettage de: Kürettagegewebe nl: Weefsel curettage | | Deprecated | added v2.2, removed after v2.2
TISG | en: Tissue gall bladder de: Gallenblasengewebe nl: Weefsel galblaas | | Deprecated | added v2.2, removed after v2.6
TISL | en: Tissue lung de: Lungengewebe nl: Weefsel long | | Deprecated | added v2.2, removed after v2.2
TISP | en: Tissue peritoneum de: Peritonealgewebe nl: Weefsel peritoneum | | Deprecated | added v2.2, removed after v2.2
TISPL | en: Tissue placenta de: Placentagewebe nl: Weefsel placenta | | Deprecated | added v2.2, removed after v2.6
TISS | en: Tissue de: Gewebe nl: Weefsel | | Deprecated | added v2.2, removed after v2.6
TISU | en: Tissue ulcer de: Ulcusgewebe nl: Weefsel maagzweer | | Deprecated | added v2.2, removed after v2.6
TLGI | en: Tissue large intestine nl: Weefsel groot intestinaal | | Deprecated | added v2.3, removed after v2.6
TLNG | en: Tissue lung nl: Weefsel long | | Deprecated | added v2.3, removed after v2.6
TSMI | en: Tissue small intestine nl: Weefsel klein intestinaal | | Deprecated | added v2.3, removed after v2.6
TUB | en: Tube NOS nl: Slang, niet anders gespecificeerd | | Deprecated | added v2.3, removed after v2.6
ULC | en: Ulcer de: Geschwür nl: Maagzweer | | Deprecated | added v2.2, removed after v2.6
UMB | en: Umbilical blood de: Nabelblut nl: Navelstreng bloed | | Deprecated | from v2.1, removed after v2.6
UMED | en: Unknown medicine de: unbekannte Medizin nl: Onbekende medicatie | | Deprecated | added v2.3, removed after v2.6
UR | en: Urine de: Urin | | Deprecated | from v2.1, removed after v2.6
URC | en: Urine clean catch de: Mittelstrahlurin nl: Urine midstream | | Deprecated | added v2.2, removed after v2.6
URNS | Urine sediment | | Deprecated | added v2.3, removed after v2.6
URT | en: Urine catheter de: Katheterurin nl: Urine catether | | Deprecated | added v2.2, removed after v2.6
URTH | en: Urethra nl: Urinebuis | | Deprecated | from v2.1, removed after v2.6
USUB | en: Unknown substance nl: Onbekende substantie | | Deprecated | added v2.3, removed after v2.6
VITF | en: Vitreous Fluid nl: Glasvocht | | Deprecated | added v2.4, removed after v2.6
VOM | en: Vomitus de: Erbrochenes | | Deprecated | added v2.2, removed after v2.6
WAT | Water | | Deprecated | added v2.3, removed after v2.6
WBC | en: Leukocytes de: Leukozyten nl: Leukocyten | | Deprecated | from v2.1, removed after v2.6
WICK | en: Wick de: Zwischengefäß bei Infusoren (?) nl: Lont | | Deprecated | added v2.2, removed after v2.6
WND | en: Wound de: Wundabstrich nl: Wond | | Deprecated | from v2.1, removed after v2.6
WNDA | en: Wound abscess de: Wundabszeß nl: Wondabces | | Deprecated | added v2.2, removed after v2.6
WNDD | en: Wound drainage de: Wunddrainage nl: Wond drainage | | Deprecated | added v2.2, removed after v2.6
WNDE | en: Wound exudate de: Wundexsudat nl: Wond exsudaat | | Deprecated | added v2.2, removed after v2.6
XXX | en: To be specified in another part of the message nl: Wordt gespecificeerd in een ander deel van het bericht | | Deprecated | added v2.3, removed after v2.6

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0070 defines the following codes:

Code | Display | Definition | Deprecated | Version
ABLD | Arterial blood | | Deprecated | added v2.2, removed after v2.2
ABS | Abscess | | Deprecated | added v2.2, removed after v2.6
AMN | Amniotic fluid | | Deprecated | added v2.2, removed after v2.6
ASP | Aspirate | | Deprecated | added v2.2, removed after v2.6
BBL | Blood bag | | Deprecated | added v2.2, removed after v2.6
BDY | Whole body | | Deprecated | added v2.2, removed after v2.6
BIFL | Bile fluid | | Deprecated | added v2.3, removed after v2.6
BLD | Whole blood | | Deprecated | from v2.1, removed after v2.6
BLDA | Blood arterial | | Deprecated | added v2.3, removed after v2.6
BLDC | Blood capillary | | Deprecated | added v2.3, removed after v2.6
BLDCO | Cord blood | | Deprecated | added v2.4, removed after v2.6
BLDV | Blood venous | | Deprecated | added v2.3, removed after v2.6

BON | Bone | | Deprecated | from v2.1, removed after v2.6
BPH | Basophils | | Deprecated | added v2.2, removed after v2.6
BPU | Blood product unit | | Deprecated | added v2.3, removed after v2.6
BRN | Burn | | Deprecated | from v2.1, removed after v2.6
BRO | Bronchial | | Deprecated | added v2.2, removed after v2.6
BRTH | Breath (use EXHLD) | | Deprecated | added v2.2, removed after v2.6
CALC | Calculus (=Stone) | | Deprecated | added v2.2, removed after v2.6
CBLD | Cord blood | | Deprecated | added v2.2, removed after v2.4
CDM | Cardiac muscle | | Deprecated | added v2.2, removed after v2.6
CNJT | Conjunctiva | | Deprecated | from v2.1, removed after v2.6
CNL | Cannula | | Deprecated | added v2.2, removed after v2.6
COL | Colostrum | | Deprecated | added v2.2, removed after v2.6
CSF | Cerebral spinal fluid | | Deprecated | from v2.1, removed after v2.6
CTP | Catheter tip | | Deprecated | added v2.2, removed after v2.6
CUR | Curettage | | Deprecated | added v2.2, removed after v2.6
CVM | Cervical mucus | | Deprecated | added v2.2, removed after v2.6
CVX | Cervix | | Deprecated | from v2.1, removed after v2.6
CYST | Cyst | | Deprecated | added v2.2, removed after v2.6
DIAF | Dialysis fluid | | Deprecated | added v2.3, removed after v2.6
DOSE | Dose med or substance | | Deprecated | added v2.3, removed after v2.6
DRN | Drain | | Deprecated | added v2.2, removed after v2.6
DUFL | Duodenal fluid | | Deprecated | added v2.3, removed after v2.6
EAR | Ear | | Deprecated | from v2.1, removed after v2.6
EARW | Ear wax (cerumen) | | Deprecated | added v2.3, removed after v2.6
ELT | Electrode | | Deprecated | added v2.2, removed after v2.6
ENDC | Endocardium | | Deprecated | added v2.2, removed after v2.6
ENDM | Endometrium | | Deprecated | added v2.2, removed after v2.6
EOS | Eosinophils | | Deprecated | added v2.2, removed after v2.6
EXG | Exhaled gas (=breath) | | Deprecated | added v2.4, removed after v2.6
EXHLD | Exhaled gas (=breath) | | Deprecated | added v2.3, removed after v2.4
EYE | Eye | | Deprecated | added v2.3, removed after v2.6
FIB | Fibroblasts | | Deprecated | from v2.1, removed after v2.6
FIST | Fistula | | Deprecated | added v2.2, removed after v2.6
FLT | Filter | | Deprecated | added v2.2, removed after v2.6
FLU | Body fluid, unsp | | Deprecated | added v2.2, removed after v2.6
GAS | Gas | | Deprecated | added v2.3, removed after v2.6
GAST | Gastric fluid/contents | | Deprecated | added v2.2, removed after v2.6
GEN | Genital | | Deprecated | added v2.2, removed after v2.6
GENC | Genital cervix | | Deprecated | added v2.2, removed after v2.6
GENL | Genital lochia | | Deprecated | added v2.2, removed after v2.6
GENV | Genital vaginal | | Deprecated | added v2.2, removed after v2.6
HAR | Hair | | Deprecated | from v2.1, removed after v2.6
IHG | Inhaled Gas | | Deprecated | added v2.3, removed after v2.6
ISLT | Isolate | | Deprecated | added v2.3, removed after v2.6
IT | Intubation tube | | Deprecated | added v2.2, removed after v2.6
LAM | Lamella | | Deprecated | added v2.2, removed after v2.6
LIQ | Liquid NOS | | Deprecated | added v2.3, removed after v2.6
LN | Line | | Deprecated | added v2.2, removed after v2.6
LNA | Line arterial | | Deprecated | added v2.2, removed after v2.6
LNV | Line venous | | Deprecated | added v2.2, removed after v2.6
LYM | Lymphocytes | | Deprecated | added v2.2, removed after v2.6
MAC | Macrophages | | Deprecated | added v2.2, removed after v2.6
MAR | Marrow | | Deprecated | added v2.2, removed after v2.6
MBLD | Menstrual blood | | Deprecated | added v2.2, removed after v2.6
MEC | Meconium | | Deprecated | added v2.2, removed after v2.6
MILK | Breast milk | | Deprecated | added v2.2, removed after v2.6
MLK | Milk | | Deprecated | added v2.2, removed after v2.6
MN | Amniotic Fluid | | Deprecated | from v2.1, removed after v2.1
NAIL | Nail | | Deprecated | added v2.2, removed after v2.6
NOS | Nose (nasal passage) | | Deprecated | from v2.1, removed after v2.6
ORH | Other | | Deprecated | added v2.2, removed after v2.6
OTH | Other | | Deprecated | from v2.1, removed after v2.1
PAFL | Pancreatic fluid | | Deprecated | added v2.3, removed after v2.6
PAT | Patient | | Deprecated | added v2.3, removed after v2.6
PER | Peritoneum | | Deprecated | added v2.2, removed after v2.2
PLAS | Plasma | | Deprecated | from v2.1, removed after v2.6
PLB | Plasma bag | | Deprecated | added v2.2, removed after v2.6
PLC | Placenta | | Deprecated | added v2.2, removed after v2.6
PLR | Pleural fluid (thoracentesis fld) | | Deprecated | added v2.2, removed after v2.6
PMN | Polymorphonuclear neutrophils | | Deprecated | added v2.2, removed after v2.6
PPP | Platelet poor plasma | | Deprecated | added v2.3, removed after v2.6
PRP | Platelet rich plasma | | Deprecated | added v2.3, removed after v2.6

PRT | Peritoneal fluid /ascites | | Deprecated | from v2.1, removed after v2.6
PUS | Pus | | Deprecated | added v2.2, removed after v2.6
RBC | Erythrocytes | | Deprecated | from v2.1, removed after v2.6
RT | Route of medicine | | Deprecated | added v2.3, removed after v2.6
SAL | Saliva | | Deprecated | from v2.1, removed after v2.6
SEM | Seminal fluid | | Deprecated | from v2.1, removed after v2.4
SER | Serum | | Deprecated | from v2.1, removed after v2.6
SKM | Skeletal muscle | | Deprecated | added v2.2, removed after v2.6
SKN | Skin | | Deprecated | from v2.1, removed after v2.6
SMN | Seminal fluid | | Deprecated | added v2.4, removed after v2.6
SNV | Synovial fluid (Joint fluid) | | Deprecated | from v2.1, removed after v2.6
SPRM | Spermatozoa | | Deprecated | added v2.2, removed after v2.6
SPT | Sputum | | Deprecated | added v2.2, removed after v2.6
SPTC | Sputum - coughed | | Deprecated | added v2.2, removed after v2.6
SPTT | Sputum - tracheal aspirate | | Deprecated | added v2.2, removed after v2.6
STL | Stool = Fecal | | Deprecated | from v2.1, removed after v2.6
STON | Stone (use CALC) | | Deprecated | added v2.2, removed after v2.6
SWT | Sweat | | Deprecated | from v2.1, removed after v2.6
TEAR | Tears | | Deprecated | added v2.2, removed after v2.6
THRB | Thrombocyte (platelet) | | Deprecated | added v2.2, removed after v2.6
THRT | Throat | | Deprecated | from v2.1, removed after v2.6
TIS | Tissue | | Deprecated | from v2.1, removed after v2.1
TISB | Tissue bone marrow | | Deprecated | added v2.2, removed after v2.2
TISC | Tissue curettage | | Deprecated | added v2.2, removed after v2.2
TISG | Tissue gall bladder | | Deprecated | added v2.2, removed after v2.6
TISL | Tissue lung | | Deprecated | added v2.2, removed after v2.2
TISP | Tissue peritoneum | | Deprecated | added v2.2, removed after v2.2
TISPL | Tissue placenta | | Deprecated | added v2.2, removed after v2.6
TISS | Tissue | | Deprecated | added v2.2, removed after v2.6
TISU | Tissue ulcer | | Deprecated | added v2.2, removed after v2.6
TLGI | Tissue large intestine | | Deprecated | added v2.3, removed after v2.6
TLNG | Tissue lung | | Deprecated | added v2.3, removed after v2.6
TSMI | Tissue small intestine | | Deprecated | added v2.3, removed after v2.6
TUB | Tube NOS | | Deprecated | added v2.3, removed after v2.6
ULC | Ulcer | | Deprecated | added v2.2, removed after v2.6
UMB | Umbilical blood | | Deprecated | from v2.1, removed after v2.6
UMED | Unknown medicine | | Deprecated | added v2.3, removed after v2.6
UR | Urine | | Deprecated | from v2.1, removed after v2.6
URC | Urine clean catch | | Deprecated | added v2.2, removed after v2.6
URNS | Urine sediment | | Deprecated | added v2.3, removed after v2.6
URT | Urine catheter | | Deprecated | added v2.2, removed after v2.6
URTH | Urethra | | Deprecated | from v2.1, removed after v2.6
USUB | Unknown substance | | Deprecated | added v2.3, removed after v2.6
VITF | Vitreous Fluid | | Deprecated | added v2.4, removed after v2.6
VOM | Vomitus | | Deprecated | added v2.2, removed after v2.6
WAT | Water | | Deprecated | added v2.3, removed after v2.6
WBC | Leukocytes | | Deprecated | from v2.1, removed after v2.6
WICK | Wick | | Deprecated | added v2.2, removed after v2.6
WND | Wound | | Deprecated | from v2.1, removed after v2.6
WNDA | Wound abscess | | Deprecated | added v2.2, removed after v2.6
WNDD | Wound drainage | | Deprecated | added v2.2, removed after v2.6
WNDE | Wound exudate | | Deprecated | added v2.2, removed after v2.6
XXX | To be specified in another part of the message | | Deprecated | added v2.3, removed after v2.6

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0070 defines the following codes:

Code | Display | Definition | Deprecated | Version
ABLD | Arterielles Blut | | Deprecated | added v2.2, removed after v2.2
ABS | Abszeß | | Deprecated | added v2.2, removed after v2.6
AMN | Fruchtwasser | | Deprecated | added v2.2, removed after v2.6
ASP | Aspirationssubstrat | | Deprecated | added v2.2, removed after v2.6
BBL | Blutkonserve | | Deprecated | added v2.2, removed after v2.6
BDY | Gesamter Körper | | Deprecated | added v2.2, removed after v2.6
BIFL | | | Deprecated | added v2.3, removed after v2.6
BLD | Gesamtes Blut | | Deprecated | from v2.1, removed after v2.6
BLDA | arterielles Blut | | Deprecated | added v2.3, removed after v2.6
BLDC | Kapillarblut | | Deprecated | added v2.3, removed after v2.6

BLDCO | Nabelschnurblut | | Deprecated | added v2.4, removed after v2.6
BLDV | venöses Blut | | Deprecated | added v2.3, removed after v2.6
BON | Knochen | | Deprecated | from v2.1, removed after v2.6
BPH | Basophile | | Deprecated | added v2.2, removed after v2.6
BPU | | | Deprecated | added v2.3, removed after v2.6
BRN | Brandwunde | | Deprecated | from v2.1, removed after v2.6
BRO | Bronchialwege | | Deprecated | added v2.2, removed after v2.6
BRTH | Atemluft | | Deprecated | added v2.2, removed after v2.6
CALC | Steinchen, Konkrement | | Deprecated | added v2.2, removed after v2.6
CBLD | Nabelschnurblut | | Deprecated | added v2.2, removed after v2.4
CDM | Herzmuskel | | Deprecated | added v2.2, removed after v2.6
CNJT | Konjunktiven | | Deprecated | from v2.1, removed after v2.6
CNL | Kanüle | | Deprecated | added v2.2, removed after v2.6
COL | Kolostrum, Vormilch | | Deprecated | added v2.2, removed after v2.6
CSF | Cerebralflüssigkeit | | Deprecated | from v2.1, removed after v2.6
CTP | Katheterspitze | | Deprecated | added v2.2, removed after v2.6
CUR | Curettagematerial | | Deprecated | added v2.2, removed after v2.6
CVM | Cervicalschleim | | Deprecated | added v2.2, removed after v2.6
CVX | Zervix | | Deprecated | from v2.1, removed after v2.6
CYST | Zyste | | Deprecated | added v2.2, removed after v2.6
DIAF | | | Deprecated | added v2.3, removed after v2.6
DOSE | | | Deprecated | added v2.3, removed after v2.6
DRN | Drainage | | Deprecated | added v2.2, removed after v2.6
DUFL | | | Deprecated | added v2.3, removed after v2.6
EAR | Ohr | | Deprecated | from v2.1, removed after v2.6
EARW | | | Deprecated | added v2.3, removed after v2.6
ELT | Elektrode | | Deprecated | added v2.2, removed after v2.6
ENDC | Endocard | | Deprecated | added v2.2, removed after v2.6
ENDM | Endometrium | | Deprecated | added v2.2, removed after v2.6
EOS | Eosinophile | | Deprecated | added v2.2, removed after v2.6
EXG | | | Deprecated | added v2.4, removed after v2.6
EXHLD | | | Deprecated | added v2.3, removed after v2.4
EYE | Auge | | Deprecated | added v2.3, removed after v2.6
FIB | Fibroblasten | | Deprecated | from v2.1, removed after v2.6
FIST | Fistel | | Deprecated | added v2.2, removed after v2.6
FLT | Filter | | Deprecated | added v2.2, removed after v2.6
FLU | Körperflüssigkeit (unspezifiziert) | | Deprecated | added v2.2, removed after v2.6
GAS | Gas | | Deprecated | added v2.3, removed after v2.6
GAST | Magenflüssigkeit | | Deprecated | added v2.2, removed after v2.6
GEN | Genitale | | Deprecated | added v2.2, removed after v2.6
GENC | Genitale - Cervix | | Deprecated | added v2.2, removed after v2.6
GENL | Wochenfluß / Lochien | | Deprecated | added v2.2, removed after v2.6
GENV | Genitale - Vagina | | Deprecated | added v2.2, removed after v2.6
HAR | Haare | | Deprecated | from v2.1, removed after v2.6
IHG | inhaliertes Gas | | Deprecated | added v2.3, removed after v2.6
ISLT | | | Deprecated | added v2.3, removed after v2.6
IT | Tubus | | Deprecated | added v2.2, removed after v2.6
LAM | Lamellen | | Deprecated | added v2.2, removed after v2.6
LIQ | | | Deprecated | added v2.3, removed after v2.6
LN | Zugang | | Deprecated | added v2.2, removed after v2.6
LNA | Arterieller Zugang | | Deprecated | added v2.2, removed after v2.6
LNV | Venöser Zugang | | Deprecated | added v2.2, removed after v2.6
LYM | Lymphozyten | | Deprecated | added v2.2, removed after v2.6
MAC | Makrophagen | | Deprecated | added v2.2, removed after v2.6
MAR | Knochenmark | | Deprecated | added v2.2, removed after v2.6
MBLD | Menstruationsblut | | Deprecated | added v2.2, removed after v2.6
MEC | Meconium | | Deprecated | added v2.2, removed after v2.6
MILK | Brustmilch | | Deprecated | added v2.2, removed after v2.6
MLK | Milch | | Deprecated | added v2.2, removed after v2.6
MN | Fruchtwasser | | Deprecated | from v2.1, removed after v2.1
NAIL | Nagel | | Deprecated | added v2.2, removed after v2.6
NOS | Nase (Nasenwege) | | Deprecated | from v2.1, removed after v2.6
ORH | Andere | | Deprecated | added v2.2, removed after v2.6
OTH | Diverse | | Deprecated | from v2.1, removed after v2.1
PAFL | | | Deprecated | added v2.3, removed after v2.6
PAT | Patient | | Deprecated | added v2.3, removed after v2.6
PER | Peritoneum | | Deprecated | added v2.2, removed after v2.2
PLAS | Plasma | | Deprecated | from v2.1, removed after v2.6
PLB | Plasmabeutel | | Deprecated | added v2.2, removed after v2.6
PLC | Placenta | | Deprecated | added v2.2, removed after v2.6
PLR | Pleuraflüssigkeit (nach Thoracocentese) | | Deprecated | added v2.2, removed after v2.6
PMN | Polymorphkernige Neutrophile | | Deprecated | added v2.2, removed after v2.6

PPP | | | Deprecated | added v2.3, removed after v2.6
PRP | | | Deprecated | added v2.3, removed after v2.6
PRT | Peritonealflüssigkeit / Ascites | | Deprecated | from v2.1, removed after v2.6
PUS | Eiter | | Deprecated | added v2.2, removed after v2.6
RBC | Erythrozyten | | Deprecated | from v2.1, removed after v2.6
RT | | | Deprecated | added v2.3, removed after v2.6
SAL | Speichel | | Deprecated | from v2.1, removed after v2.6
SEM | Sperma | | Deprecated | from v2.1, removed after v2.4
SER | Serum | | Deprecated | from v2.1, removed after v2.6
SKM | Skelettmuskel | | Deprecated | added v2.2, removed after v2.6
SKN | Haut | | Deprecated | from v2.1, removed after v2.6
SMN | | | Deprecated | added v2.4, removed after v2.6
SNV | Synovialflüssigkeit | | Deprecated | from v2.1, removed after v2.6
SPRM | Spermien | | Deprecated | added v2.2, removed after v2.6
SPT | Sputum | | Deprecated | added v2.2, removed after v2.6
SPTC | Sputum - Hustenauswurf | | Deprecated | added v2.2, removed after v2.6
SPTT | Sputum - tracheal aspiriert | | Deprecated | added v2.2, removed after v2.6
STL | Stuhl | | Deprecated | from v2.1, removed after v2.6
STON | Steine | | Deprecated | added v2.2, removed after v2.6
SWT | Schweiß | | Deprecated | from v2.1, removed after v2.6
TEAR | Tränen | | Deprecated | added v2.2, removed after v2.6
THRB | Thrombozyten | | Deprecated | added v2.2, removed after v2.6
THRT | Rachanbstrich | | Deprecated | from v2.1, removed after v2.6
TIS | Gewebe | | Deprecated | from v2.1, removed after v2.1
TISB | Knochenmarksgewebe | | Deprecated | added v2.2, removed after v2.2
TISC | Kürettagegewebe | | Deprecated | added v2.2, removed after v2.2
TISG | Gallenblasengewebe | | Deprecated | added v2.2, removed after v2.6
TISL | Lungengewebe | | Deprecated | added v2.2, removed after v2.2
TISP | Peritonealgewebe | | Deprecated | added v2.2, removed after v2.2
TISPL | Placentagewebe | | Deprecated | added v2.2, removed after v2.6
TISS | Gewebe | | Deprecated | added v2.2, removed after v2.6
TISU | Ulcusgewebe | | Deprecated | added v2.2, removed after v2.6
TLGI | | | Deprecated | added v2.3, removed after v2.6
TLNG | | | Deprecated | added v2.3, removed after v2.6
TSMI | | | Deprecated | added v2.3, removed after v2.6
TUB | | | Deprecated | added v2.3, removed after v2.6
ULC | Geschwür | | Deprecated | added v2.2, removed after v2.6
UMB | Nabelblut | | Deprecated | from v2.1, removed after v2.6
UMED | unbekannte Medizin | | Deprecated | added v2.3, removed after v2.6
UR | Urin | | Deprecated | from v2.1, removed after v2.6
URC | Mittelstrahlurin | | Deprecated | added v2.2, removed after v2.6
URNS | | | Deprecated | added v2.3, removed after v2.6
URT | Katheterurin | | Deprecated | added v2.2, removed after v2.6
URTH | Urethra | | Deprecated | from v2.1, removed after v2.6
USUB | | | Deprecated | added v2.3, removed after v2.6
VITF | | | Deprecated | added v2.4, removed after v2.6
VOM | Erbrochenes | | Deprecated | added v2.2, removed after v2.6
WAT | | | Deprecated | added v2.3, removed after v2.6
WBC | Leukozyten | | Deprecated | from v2.1, removed after v2.6
WICK | Zwischengefäß bei Infusoren (?) | | Deprecated | added v2.2, removed after v2.6
WND | Wundabstrich | | Deprecated | from v2.1, removed after v2.6
WNDA | Wundabszeß | | Deprecated | added v2.2, removed after v2.6
WNDD | Wunddrainage | | Deprecated | added v2.2, removed after v2.6
WNDE | Wundexsudat | | Deprecated | added v2.2, removed after v2.6
XXX | | | Deprecated | added v2.3, removed after v2.6

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0070 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
ABLD | Arterieel bloed | | Verouderd | added v2.2, removed after v2.2
ABS | Abces | | Verouderd | added v2.2, removed after v2.6
AMN | Amniotisch vocht | | Verouderd | added v2.2, removed after v2.6
ASP | Aspiraat | | Verouderd | added v2.2, removed after v2.6
BBL | Bloedzak | | Verouderd | added v2.2, removed after v2.6
BDY | Geheel lichaam | | Verouderd | added v2.2, removed after v2.6
BIFL | Galvocht | | Verouderd | added v2.3, removed after v2.6
BLD | Geheel bloed | | Verouderd | from v2.1, removed after v2.6

BLDA | Arterieel bloed | | Verouderd | added v2.3, removed after v2.6
BLDC | Capillair bloed | | Verouderd | added v2.3, removed after v2.6
BLDCO | Streng bloed | | Verouderd | added v2.4, removed after v2.6
BLDV | Veneus bloed | | Verouderd | added v2.3, removed after v2.6
BON | Bot | | Verouderd | from v2.1, removed after v2.6
BPH | Basofiel | | Verouderd | added v2.2, removed after v2.6
BPU | Bloedproduct eenheid | | Verouderd | added v2.3, removed after v2.6
BRN | Brandwond | | Verouderd | from v2.1, removed after v2.6
BRO | Bronchiaal | | Verouderd | added v2.2, removed after v2.6
BRTH | Adem (gebruik EXHLD) | | Verouderd | added v2.2, removed after v2.6
CALC | Calculus (=Steen) | | Verouderd | added v2.2, removed after v2.6
CBLD | Streng bloed | | Verouderd | added v2.2, removed after v2.4
CDM | Hartspier | | Verouderd | added v2.2, removed after v2.6
CNJT | Conjunctiva | | Verouderd | from v2.1, removed after v2.6
CNL | Cannula | | Verouderd | added v2.2, removed after v2.6
COL | Colostrum | | Verouderd | added v2.2, removed after v2.6
CSF | Hersenvocht | | Verouderd | from v2.1, removed after v2.6
CTP | Catether tip | | Verouderd | added v2.2, removed after v2.6
CUR | Curettage | | Verouderd | added v2.2, removed after v2.6
CVM | Cervicale mucus | | Verouderd | added v2.2, removed after v2.6
CVX | Cervix | | Verouderd | from v2.1, removed after v2.6
CYST | Cyste | | Verouderd | added v2.2, removed after v2.6
DIAF | Dialyse vocht | | Verouderd | added v2.3, removed after v2.6
DOSE | Medicatie of substantie | | Verouderd | added v2.3, removed after v2.6
DRN | Stoma | | Verouderd | added v2.2, removed after v2.6
DUFL | Duodenaal vocht | | Verouderd | added v2.3, removed after v2.6
EAR | Oor | | Verouderd | from v2.1, removed after v2.6
EARW | Oorsmeer (cerumen) | | Verouderd | added v2.3, removed after v2.6
ELT | Electrode | | Verouderd | added v2.2, removed after v2.6
ENDC | Endocardium | | Verouderd | added v2.2, removed after v2.6
ENDM | Endometrium | | Verouderd | added v2.2, removed after v2.6
EOS | Eosinofiel | | Verouderd | added v2.2, removed after v2.6
EXG | Uitgeademde lucht (=adem) | | Verouderd | added v2.4, removed after v2.6
EXHLD | Uitgeademde lucht (=adem) | | Verouderd | added v2.3, removed after v2.4
EYE | Oog | | Verouderd | added v2.3, removed after v2.6
FIB | Fibroblasts | | Verouderd | from v2.1, removed after v2.6
FIST | Fistel | | Verouderd | added v2.2, removed after v2.6
FLT | Filter | | Verouderd | added v2.2, removed after v2.6
FLU | Lichaamsvocht, niet-gesp | | Verouderd | added v2.2, removed after v2.6
GAS | Lucht | | Verouderd | added v2.3, removed after v2.6
GAST | Maagvocht/inhoud | | Verouderd | added v2.2, removed after v2.6
GEN | Genitaal | | Verouderd | added v2.2, removed after v2.6
GENC | Genitaal cervix | | Verouderd | added v2.2, removed after v2.6
GENL | Genitaal lochia | | Verouderd | added v2.2, removed after v2.6
GENV | Genitaal vaginaal | | Verouderd | added v2.2, removed after v2.6
HAR | Haar | | Verouderd | from v2.1, removed after v2.6
IHG | Geïnhaleerde lucht | | Verouderd | added v2.3, removed after v2.6
ISLT | Isolaat | | Verouderd | added v2.3, removed after v2.6
IT | Intubatieslang | | Verouderd | added v2.2, removed after v2.6
LAM | Lamella | | Verouderd | added v2.2, removed after v2.6
LIQ | Vloeistof, niet anders gespecificeerd | | Verouderd | added v2.3, removed after v2.6
LN | Lijn | | Verouderd | added v2.2, removed after v2.6
LNA | Arteriële lijn | | Verouderd | added v2.2, removed after v2.6
LNV | Veneuze lijn | | Verouderd | added v2.2, removed after v2.6
LYM | Lymfocyten | | Verouderd | added v2.2, removed after v2.6
MAC | Macrofagen | | Verouderd | added v2.2, removed after v2.6
MAR | Merg | | Verouderd | added v2.2, removed after v2.6
MBLD | Menstruatiebloed | | Verouderd | added v2.2, removed after v2.6
MEC | Meconium | | Verouderd | added v2.2, removed after v2.6
MILK | Borstmelk | | Verouderd | added v2.2, removed after v2.6
MLK | Melk | | Verouderd | added v2.2, removed after v2.6
MN | Amniotisch vocht | | Verouderd | from v2.1, removed after v2.1
NAIL | Nagel | | Verouderd | added v2.2, removed after v2.6
NOS | Neus (nasale doorgang) | | Verouderd | from v2.1, removed after v2.6
ORH | Anders | | Verouderd | added v2.2, removed after v2.6
OTH | Anders | | Verouderd | from v2.1, removed after v2.1
PAFL | Pancreas vocht | | Verouderd | added v2.3, removed after v2.6
PAT | Patiënt | | Verouderd | added v2.3, removed after v2.6
PER | Peritoneum | | Verouderd | added v2.2, removed after v2.2
PLAS | Plasma | | Verouderd | from v2.1, removed after v2.6
PLB | Plasmazak | | Verouderd | added v2.2, removed after v2.6
PLC | Placenta | | Verouderd | added v2.2, removed after v2.6

PLR | Pleuraal vocht (thoracentesis vocht) | | Verouderd | added v2.2, removed after v2.6
PMN | Polymorfonucleaire neutrofielen | | Verouderd | added v2.2, removed after v2.6
PPP | Patelet-arm plasma | | Verouderd | added v2.3, removed after v2.6
PRP | Patelet-rijk plasma | | Verouderd | added v2.3, removed after v2.6
PRT | Peritoneaal vocht / ascites | | Verouderd | from v2.1, removed after v2.6
PUS | Pus | | Verouderd | added v2.2, removed after v2.6
RBC | Erythrocyten | | Verouderd | from v2.1, removed after v2.6
RT | Route van zorg | | Verouderd | added v2.3, removed after v2.6
SAL | Speeksel | | Verouderd | from v2.1, removed after v2.6
SEM | Seminaal vocht | | Verouderd | from v2.1, removed after v2.4
SER | Serum | | Verouderd | from v2.1, removed after v2.6
SKM | Skeletspier | | Verouderd | added v2.2, removed after v2.6
SKN | Huid | | Verouderd | from v2.1, removed after v2.6
SMN | Seminaal vocht | | Verouderd | added v2.4, removed after v2.6
SNV | Synoviaal vocht (gewrichtvocht) | | Verouderd | from v2.1, removed after v2.6
SPRM | Spermatozoïden | | Verouderd | added v2.2, removed after v2.6
SPT | Sputum | | Verouderd | added v2.2, removed after v2.6
SPTC | Sputum - gehoest | | Verouderd | added v2.2, removed after v2.6
SPTT | Sputum - tracheaal aspiraat | | Verouderd | added v2.2, removed after v2.6
STL | Ontlasting = Feces | | Verouderd | from v2.1, removed after v2.6
STON | Steen (gebruik CALC) | | Verouderd | added v2.2, removed after v2.6
SWT | Zweet | | Verouderd | from v2.1, removed after v2.6
TEAR | Tranen | | Verouderd | added v2.2, removed after v2.6
THRB | Trombocyt (platelet) | | Verouderd | added v2.2, removed after v2.6
THRT | Keel | | Verouderd | from v2.1, removed after v2.6
TIS | Weefsel | | Verouderd | from v2.1, removed after v2.1
TISB | Weefsel beenmerg | | Verouderd | added v2.2, removed after v2.2
TISC | Weefsel curettage | | Verouderd | added v2.2, removed after v2.2
TISG | Weefsel galblaas | | Verouderd | added v2.2, removed after v2.6
TISL | Weefsel long | | Verouderd | added v2.2, removed after v2.2
TISP | Weefsel peritoneum | | Verouderd | added v2.2, removed after v2.2
TISPL | Weefsel placenta | | Verouderd | added v2.2, removed after v2.6
TISS | Weefsel | | Verouderd | added v2.2, removed after v2.6
TISU | Weefsel maagzweer | | Verouderd | added v2.2, removed after v2.6
TLGI | Weefsel groot intestinaal | | Verouderd | added v2.3, removed after v2.6
TLNG | Weefsel long | | Verouderd | added v2.3, removed after v2.6
TSMI | Weefsel klein intestinaal | | Verouderd | added v2.3, removed after v2.6
TUB | Slang, niet anders gespecificeerd | | Verouderd | added v2.3, removed after v2.6
ULC | Maagzweer | | Verouderd | added v2.2, removed after v2.6
UMB | Navelstreng bloed | | Verouderd | from v2.1, removed after v2.6
UMED | Onbekende medicatie | | Verouderd | added v2.3, removed after v2.6
UR | Urine | | Verouderd | from v2.1, removed after v2.6
URC | Urine midstream | | Verouderd | added v2.2, removed after v2.6
URNS | Urine sediment | | Verouderd | added v2.3, removed after v2.6
URT | Urine catether | | Verouderd | added v2.2, removed after v2.6
URTH | Urinebuis | | Verouderd | from v2.1, removed after v2.6
USUB | Onbekende substantie | | Verouderd | added v2.3, removed after v2.6
VITF | Glasvocht | | Verouderd | added v2.4, removed after v2.6
VOM | Vomitus | | Verouderd | added v2.2, removed after v2.6
WAT | Water | | Verouderd | added v2.3, removed after v2.6
WBC | Leukocyten | | Verouderd | from v2.1, removed after v2.6
WICK | Lont | | Verouderd | added v2.2, removed after v2.6
WND | Wond | | Verouderd | from v2.1, removed after v2.6
WNDA | Wondabces | | Verouderd | added v2.2, removed after v2.6
WNDD | Wond drainage | | Verouderd | added v2.2, removed after v2.6
WNDE | Wond exsudaat | | Verouderd | added v2.2, removed after v2.6
XXX | Wordt gespecificeerd in een ander deel van het bericht | | Verouderd | added v2.3, removed after v2.6

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.70.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0070 version 2.9

Code | System | Display

4.3.15.74 HL7 Version 2 Table 0074

URL: https://hl7.org/fhir/R4/v2/0074/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0074
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0074
Version: | 2.9
Name: | v2.0074
Title: | v2 DIAGNOSTIC SERVICE SECTION ID
Definition: | FHIR Value set/code system definition for HL7 v2 table 0074 (DIAGNOSTIC SERVICE SECTION ID)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.74.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0074 defines the following codes:

Code | Display | Definition | Deprecated | Version
AU | en: Audiology de: Audiologie nl: Audiologie | | | added v2.2
BG | en: Blood Gases de: Blutgase nl: Bloedgassen | | | from v2.1
BLB | en: Blood Bank de: Blutbank nl: Bloedbank | | | added v2.2
CG | en: Cytogenetics nl: Cytogenetica | | | added v2.8.2
CH | en: Chemistry de: Klinische Chemie nl: Chemie | | | from v2.1
CP | en: Cytopathology de: Zellpathologie nl: Cytopathologie | | | from v2.1
CT | en: CAT Scan de: Computertomographie nl: CAT-scan | | | from v2.1
CTH | en: Cardiac Catheterization de: Herzkatheter nl: Hartcatetherisatie | | | added v2.2
CUS | en: Cardiac Ultrasound de: Kardiologische Ultraschalluntersuchung nl: Hart ultrasound | | | from v2.1
EC | en: Electrocardiac (e.g., EKG, EEC, Holter) de: Elektrokardiographie nl: Electrocardiac (bijv. EKG, EEC, Holter) | | | from v2.1
EN | en: Electroneuro (EEG, EMG,EP,PSG) de: Elektroneurographie, Elektroencephalographie | | | added v2.2
GE | en: Genetics de: Genetik nl: Genetica | | | added v2.8.2
HM | en: Hematology de: Hämatologie nl: Hematologie | | | from v2.1
ICU | en: Bedside ICU Monitoring nl: IC monitoring naast het bed | | | added v2.3
IMG | en: Diagnostic Imaging nl: Diagnostisch beeldvorming | | Deprecated | added v2.4, removed after v2.4
IMM | en: Immunology de: Immunologie nl: Immunologie | | | from v2.1
LAB | en: Laboratory de: Labor nl: Laboratorium | | | added v2.3
MB | en: Microbiology de: Mikrobiologie nl: Microbiologie | | | from v2.1
MCB | en: Mycobacteriology de: Mykobakteriologie nl: Mycobacteriologie | | | from v2.1
MYC | en: Mycology de: Mykologie | | | from v2.1
NMR | en: Nuclear Magnetic Resonance de: Kernspintomographie (MR) nl: Nucleaire magnetisch resonantie | | | from v2.1
NMS | en: Nuclear Medicine Scan de: Szintigramm nl: Nucleaire geneeskunde scan | | | from v2.1
NRS | en: Nursing Service Measures de: Pflegemaßnahme nl: Verpleegkundige service maatregelen | | | from v2.1
OSL | en: Outside Lab de: Externes Labor | | | added v2.2
OT | en: Occupational Therapy de: Beschäftigungstherapie nl: Ergotherapie | | | from v2.1
OTH | en: Other de: Andere nl: Anders | | | from v2.1
OUS | en: OB Ultrasound de: Geburtshilfiche Ultraschalluntersuchung | | | from v2.1
PAR | en: Parasitology de: Parasitologie nl: Parasitologie | | Deprecated | added v2.4, removed after v2.4
PAT | en: Pathology (gross & histopath, not surgical) de: Pathologie nl: Pathologie (gross & histopath, niet chirurgisch) | | Deprecated | added v2.4, removed after v2.4
PF | en: Pulmonary Function de: Lungenfunktion nl: Pulmonaire functie | | | added v2.2
PHR | en: Pharmacy de: Apotheke nl: Medicatie | | | from v2.1
PHY | en: Physician (Hx. Dx, admission note, etc.) de: Arzt (Krankengeschichte, Diagnose, Aufnahmeuntersuchung) nl: Arts (Hx. Dx, opnameverslag, etc.) | | | added v2.2
PT | en: Physical Therapy de: physiklische Therapie nl: Lichamelijke oefening | | | from v2.1
RAD | en: Radiology de: Radiologie nl: Radiologie | | | added v2.3
RC | en: Respiratory Care (therapy) de: Atemtherapie nl: Respiratoire zorg (therapie) | | | from v2.1
RT | en: Radiation Therapy de: Strahlentherapie nl: Stralingstherapie | | | from v2.1
RUS | en: Radiology Ultrasound de: Radiologische Ultraschalluntersuchung nl: Radiologie ultrasound | | | from v2.1
RX | en: Radiograph de: Röntgenaufnahme | | | added v2.2

SP | en: Surgical Pathology de: Operative Pathologie nl: Chirurgische pathologie | | | from v2.1
SR | en: Serology de: Serologie nl: Serologie | | | from v2.1
TX | en: Toxicology de: Toxikologie nl: Toxicologie | | | from v2.1
URN | en: Urinalysis de: Urinanalyse nl: Urinalyse | | Deprecated | added v2.4, removed after v2.4
VR | en: Virology de: Virologie nl: Virologie | | | added v2.2
VUS | en: Vascular Ultrasound de: Ultraschalluntersuchung der Gefäße nl: Vasculaire Ultrasound | | | from v2.1
XRC | en: Cineradiograph de: Röntgenkinematographie | | | from v2.1

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0074 defines the following codes:

Code | Display | Definition | Deprecated | Version
AU | Audiology | | | added v2.2
BG | Blood Gases | | | from v2.1
BLB | Blood Bank | | | added v2.2
CG | Cytogenetics | | | added v2.8.2
CH | Chemistry | | | from v2.1
CP | Cytopathology | | | from v2.1
CT | CAT Scan | | | from v2.1
CTH | Cardiac Catheterization | | | added v2.2
CUS | Cardiac Ultrasound | | | from v2.1
EC | Electrocardiac (e.g., EKG, EEC, Holter) | | | from v2.1
EN | Electroneuro (EEG, EMG,EP,PSG) | | | added v2.2
GE | Genetics | | | added v2.8.2
HM | Hematology | | | from v2.1
ICU | Bedside ICU Monitoring | | | added v2.3
IMG | Diagnostic Imaging | | Deprecated | added v2.4, removed after v2.4
IMM | Immunology | | | from v2.1
LAB | Laboratory | | | added v2.3
MB | Microbiology | | | from v2.1
MCB | Mycobacteriology | | | from v2.1
MYC | Mycology | | | from v2.1
NMR | Nuclear Magnetic Resonance | | | from v2.1
NMS | Nuclear Medicine Scan | | | from v2.1
NRS | Nursing Service Measures | | | from v2.1
OSL | Outside Lab | | | added v2.2
OT | Occupational Therapy | | | from v2.1
OTH | Other | | | from v2.1
OUS | OB Ultrasound | | | from v2.1
PAR | Parasitology | | Deprecated | added v2.4, removed after v2.4
PAT | Pathology (gross & histopath, not surgical) | | Deprecated | added v2.4, removed after v2.4
PF | Pulmonary Function | | | added v2.2
PHR | Pharmacy | | | from v2.1
PHY | Physician (Hx. Dx, admission note, etc.) | | | added v2.2
PT | Physical Therapy | | | from v2.1
RAD | Radiology | | | added v2.3
RC | Respiratory Care (therapy) | | | from v2.1
RT | Radiation Therapy | | | from v2.1
RUS | Radiology Ultrasound | | | from v2.1
RX | Radiograph | | | added v2.2
SP | Surgical Pathology | | | from v2.1
SR | Serology | | | from v2.1
TX | Toxicology | | | from v2.1
URN | Urinalysis | | Deprecated | added v2.4, removed after v2.4
VR | Virology | | | added v2.2
VUS | Vascular Ultrasound | | | from v2.1
XRC | Cineradiograph | | | from v2.1

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0074 defines the following codes:

Code | Display | Definition | Deprecated | Version
AU | Audiologie | | | added v2.2
BG | Blutgase | | | from v2.1

BLB | Blutbank | | | added v2.2
CG | | | | added v2.8.2
CH | Klinische Chemie | | | from v2.1
CP | Zellpathologie | | | from v2.1
CT | Computertomographie | | | from v2.1
CTH | Herzkatheter | | | added v2.2
CUS | Kardiologische Ultraschalluntersuchung | | | from v2.1
EC | Elektrokardiographie | | | from v2.1
EN | Elektroneurographie, Elektroencephalographie | | | added v2.2
GE | Genetik | | | added v2.8.2
HM | Hämatologie | | | from v2.1
ICU | | | | added v2.3
IMG | | | Deprecated | added v2.4, removed after v2.4
IMM | Immunologie | | | from v2.1
LAB | Labor | | | added v2.3
MB | Mikrobiologie | | | from v2.1
MCB | Mykobakteriologie | | | from v2.1
MYC | Mykologie | | | from v2.1
NMR | Kernspintomographie (MR) | | | from v2.1
NMS | Szintigramm | | | from v2.1
NRS | Pflegemaßnahme | | | from v2.1
OSL | Externes Labor | | | added v2.2
OT | Beschäftigungstherapie | | | from v2.1
OTH | Andere | | | from v2.1
OUS | Geburtshilfiche Ultraschalluntersuchung | | | from v2.1
PAR | Parasitologie | | Deprecated | added v2.4, removed after v2.4
PAT | Pathologie | | Deprecated | added v2.4, removed after v2.4
PF | Lungenfunktion | | | added v2.2
PHR | Apotheke | | | from v2.1
PHY | Arzt (Krankengeschichte, Diagnose, Aufnahmeuntersuchung) | | | added v2.2
PT | physiklische Therapie | | | from v2.1
RAD | Radiologie | | | added v2.3
RC | Atemtherapie | | | from v2.1
RT | Strahlentherapie | | | from v2.1
RUS | Radiologische Ultraschalluntersuchung | | | from v2.1
RX | Röntgenaufnahme | | | added v2.2
SP | Operative Pathologie | | | from v2.1
SR | Serologie | | | from v2.1
TX | Toxikologie | | | from v2.1
URN | Urinanalyse | | Deprecated | added v2.4, removed after v2.4
VR | Virologie | | | added v2.2
VUS | Ultraschalluntersuchung der Gefäße | | | from v2.1
XRC | Röntgenkinematographie | | | from v2.1

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0074 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
AU | Audiologie | | | added v2.2
BG | Bloedgassen | | | from v2.1
BLB | Bloedbank | | | added v2.2
CG | Cytogenetica | | | added v2.8.2
CH | Chemie | | | from v2.1
CP | Cytopathologie | | | from v2.1
CT | CAT-scan | | | from v2.1
CTH | Hartcatetherisatie | | | added v2.2
CUS | Hart ultrasound | | | from v2.1
EC | Electrocardiac (bijv. EKG, EEC, Holter) | | | from v2.1
EN | Electroneuro (EEG, EMG,EP,PSG) | | | added v2.2
GE | Genetica | | | added v2.8.2
HM | Hematologie | | | from v2.1
ICU | IC monitoring naast het bed | | | added v2.3
IMG | Diagnostisch beeldvorming | | Verouderd | added v2.4, removed after v2.4
IMM | Immunologie | | | from v2.1
LAB | Laboratorium | | | added v2.3
MB | Microbiologie | | | from v2.1
MCB | Mycobacteriologie | | | from v2.1
MYC | Mycology | | | from v2.1

NMR | Nucleaire magnetisch resonantie | | | from v2.1
NMS | Nucleaire geneeskunde scan | | | from v2.1
NRS | Verpleegkundige service maatregelen | | | from v2.1
OSL | Outside Lab | | | added v2.2
OT | Ergotherapie | | | from v2.1
OTH | Anders | | | from v2.1
OUS | OB Ultrasound | | | from v2.1
PAR | Parasitologie | | Verouderd | added v2.4, removed after v2.4
PAT | Pathologie (gross & histopath, niet chirurgisch) | | Verouderd | added v2.4, removed after v2.4
PF | Pulmonaire functie | | | added v2.2
PHR | Medicatie | | | from v2.1
PHY | Arts (Hx. Dx, opnameverslag, etc.) | | | added v2.2
PT | Lichamelijke oefening | | | from v2.1
RAD | Radiologie | | | added v2.3
RC | Respiratoire zorg (therapie) | | | from v2.1
RT | Stralingstherapie | | | from v2.1
RUS | Radiologie ultrasound | | | from v2.1
RX | Radiograph | | | added v2.2
SP | Chirurgische pathologie | | | from v2.1
SR | Serologie | | | from v2.1
TX | Toxicologie | | | from v2.1
URN | Urinalyse | | Verouderd | added v2.4, removed after v2.4
VR | Virologie | | | added v2.2
VUS | Vasculaire Ultrasound | | | from v2.1
XRC | Cineradiograph | | | from v2.1

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.74.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 41 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0074 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0074

Code | Display | Definition
AU | Audiology
BG | Blood Gases
BLB | Blood Bank
CG | Cytogenetics
CH | Chemistry
CP | Cytopathology
CT | CAT Scan
CTH | Cardiac Catheterization
CUS | Cardiac Ultrasound
EC | Electrocardiac (e.g., EKG, EEC, Holter)
EN | Electroneuro (EEG, EMG,EP,PSG)
GE | Genetics
HM | Hematology
ICU | Bedside ICU Monitoring
IMM | Immunology
LAB | Laboratory
MB | Microbiology
MCB | Mycobacteriology
MYC | Mycology
NMR | Nuclear Magnetic Resonance
NMS | Nuclear Medicine Scan
NRS | Nursing Service Measures
OSL | Outside Lab
OT | Occupational Therapy
OTH | Other
OUS | OB Ultrasound
PF | Pulmonary Function
PHR | Pharmacy
PHY | Physician (Hx. Dx, admission note, etc.)
PT | Physical Therapy
RAD | Radiology
RC | Respiratory Care (therapy)
RT | Radiation Therapy
RUS | Radiology Ultrasound
RX | Radiograph
SP | Surgical Pathology

SR | Serology
TX | Toxicology
VR | Virology
VUS | Vascular Ultrasound
XRC | Cineradiograph

Additional Language Displays

Code | Deutsch (German, de) | Nederlands (Dutch, nl)
AU | Audiologie | Audiologie
BG | Blutgase | Bloedgassen
BLB | Blutbank | Bloedbank
CG | | Cytogenetica
CH | Klinische Chemie | Chemie
CP | Zellpathologie | Cytopathologie
CT | Computertomographie | CAT-scan
CTH | Herzkatheter | Hartcatetherisatie
CUS | Kardiologische Ultraschalluntersuchung | Hart ultrasound
EC | Elektrokardiographie | Electrocardiac (bijv. EKG, EEC, Holter)
EN | Elektroneurographie, Elektroencephalographie | Electroneuro (EEG, EMG,EP,PSG)
GE | Genetik | Genetica
HM | Hämatologie | Hematologie
ICU | | IC monitoring naast het bed
IMM | Immunologie | Immunologie
LAB | Labor | Laboratorium
MB | Mikrobiologie | Microbiologie
MCB | Mykobakteriologie | Mycobacteriologie
MYC | Mykologie | Mycology
NMR | Kernspintomographie (MR) | Nucleaire magnetisch resonantie
NMS | Szintigramm | Nucleaire geneeskunde scan
NRS | Pflegemaßnahme | Verpleegkundige service maatregelen
OSL | Externes Labor | Outside Lab
OT | Beschäftigungstherapie | Ergotherapie
OTH | Andere | Anders
OUS | Geburtshilfiche Ultraschalluntersuchung | OB Ultrasound
PF | Lungenfunktion | Pulmonaire functie
PHR | Apotheke | Medicatie
PHY | Arzt (Krankengeschichte, Diagnose, Aufnahmeuntersuchung) | Arts (Hx. Dx, opnameverslag, etc.)
PT | physiklische Therapie | Lichamelijke oefening
RAD | Radiologie | Radiologie
RC | Atemtherapie | Respiratoire zorg (therapie)
RT | Strahlentherapie | Stralingstherapie
RUS | Radiologische Ultraschalluntersuchung | Radiologie ultrasound
RX | Röntgenaufnahme | Radiograph
SP | Operative Pathologie | Chirurgische pathologie
SR | Serologie | Serologie
TX | Toxikologie | Toxicologie
VR | Virologie | Virologie
VUS | Ultraschalluntersuchung der Gefäße | Vasculaire Ultrasound
XRC | Röntgenkinematographie | Cineradiograph

4.3.15.76 HL7 Version 2 Table 0076

URL: https://hl7.org/fhir/R4/v2/0076/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0076
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0076
Version: | 2.9
Name: | v2.0076
Title: | v2 MESSAGE TYPE
Definition: | FHIR Value set/code system definition for HL7 v2 table 0076 (MESSAGE TYPE)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.76.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0076 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
ACK | en: General acknowledgment message de: Empfangsbestätigung nl: Algemeen bevestigingsbericht | | | 2 | from v2.1
ADR | en: ADT response de: Antwort auf Anfrage bezüglich Aufnahme / Verlegung / Entlassung von Patienten nl: ADT antwoord | | | en: 3 - Deprecated nl: 3 - Vervallen | added v2.2
ADT | en: ADT message de: Aufnahme / Entlassung / Verlegung nl: ADT-bericht | | | 3 | added v2.2
ARD | en: Ancillary RPT (display) (for backward compatibility only) de: Befundbericht nl: Aanvullend RPT (weergave) (alleen voor backward compatbiliteit) | | Deprecated | | from v2.1, removed after v2.3.1
BAR | en: Add/change billing account de: Hinzufügen / Ändern von Abrechnungsdaten nl: Toevoegen/wijzigen facturatie-account | | | 6 | from v2.1
BPS | en: Blood product dispense status message nl: Bloedproduct verstrekking status bericht | | | 4 | added v2.5
BRP | en: Blood product dispense status acknowledgement message nl: Bloedproduct verstrekking status bevestigingsbericht | | | 4 | added v2.5
BRT | en: Blood product transfusion/disposition acknowledgement message nl: Bloedproduct transfusie/dispositie bevestigingsbericht | | | 4 | added v2.5
BTS | en: Blood product transfusion/disposition message nl: Bloedproduct transfusie/dispositie bericht | | | 4 | added v2.5
CCF | en: Collaborative Care Fetch nl: Ketenzorg ophalen | | | 7 | added v2.7
CCI | en: Collaborative Care Information nl: Ketenzorg informatie | | | 7 | added v2.7
CCM | en: Collaborative Care Message nl: Ketenzorg bericht | | | 7 | added v2.7
CCQ | en: Collaborative Care Referral nl: Ketenzorg verwijzing | | | 7 | added v2.7
CCU | en: Collaborative Care Referral nl: Ketenzorg verwijzing | | | 7 | added v2.7
CNQ | en: Cancel query de: Stornierung der Anfrage nl: Annuleren query | | Deprecated | | added v2.3, removed after v2.3
CQU | en: Collaborative Care Referral nl: Ketenzorg verwijzing | | | 7 | added v2.7
CRM | en: Clinical study registration message nl: Klinische studie registratie bericht | | | 7 | added v2.3.1
CSU | en: Unsolicited study data message nl: Ongevraagde studie gegevens bericht | | | 7 | added v2.3
DBC | en: Create Donor Record nl: Maak donorrecord | | | 4 | added v2.8
DBU | en: Update Donor Record nl: Update donorrecord | | | 4 | added v2.8
DEL | en: Donor Eligibility nl: Donor geschiktheid | | | 4 | added v2.8
DEO | en: Donor Eligibility Observation nl: Donor geschiktheid observation | | | 4 | added v2.8
DER | en: Donor Eligibility Request nl: Donor geschiktheid verzoek | | | 4 | added v2.8
DFT | en: Detail financial transactions de: Einzelbuchung nl: Detail financiële transactions | | | 6 | added v2.2
DOC | en: Document response nl: Document antwoord | | | en: 9 - Deprecated nl: 9 - Vervallen | added v2.3
DPR | en: Donation Procedure nl: Donatie procedure | | | 4 | added v2.8
DRC | en: Donor Request to Collect nl: Donor verzoek om te verzamelen | | | 4 | added v2.8
DSR | en: Display response de: Antwort im Anzeigeformat nl: Weergave antwoord | | | en: 5 - Deprecated nl: 5 - Vervallen | from v2.1
EAC | en: Automated equipment command message nl: Geautomatiseerd apparaat commando bericht | | | 13 | added v2.4
EAN | en: Automated equipment notification message nl: Geautomatiseerd apparaat notificatie bericht | | | 13 | added v2.4
EAR | en: Automated equipment response message nl: Geautomatiseerd apparaat antwoord bericht | | | 13 | added v2.4
EDR | en: Enhanced display response nl: Verbeterd weergaveantwoord | | Deprecated | | added v2.3, removed after v2.5.1
EHC | en: Health Care Invoice nl: Zorgfactuur | | | 16 | added v2.6
EQQ | Embedded query language query | | Deprecated | | added v2.3, removed after v2.5.1
ERP | Event replay response | | Deprecated | | added v2.3, removed after v2.5.1
ERQ | Event replay query | | Deprecated | | added v2.3, removed after v2.3
ESR | en: Automated equipment status update acknowledgment message nl: Geautomatiseerd apparaat statusupdate bevestigingsbericht | | | 13 | added v2.4
ESU | en: Automated equipment status update message nl: Geautomatiseerd apparaat statusupdate bericht | | | 13 | added v2.4
INR | en: Automated equipment inventory request message nl: Geautomatiseerd apparaat voorraad verzoekbericht | | | 13 | added v2.4
INU | en: Automated equipment inventory update message nl: Geautomatiseerd apparaat voorraad update verzoekbericht | | | 13 | added v2.4
LSR | en: Automated equipment log/service request message nl: Geautomatiseerd apparaat log/service verzoekbericht | | | 13 | added v2.4
LSU | en: Automated equipment log/service update message nl: Geautomatiseerd apparaat log/service update bericht | | | 13 | added v2.4
MCF | en: Delayed Acknowledgment (Retained for backward compatibility only) de: Verzögerte Empfangsbestätigung (veraltet; ACK benutzen) nl: Uitgestelde bevestiging (alleen voor backward compatibiliteit) | | Deprecated | | from v2.1, removed after v2.5.1
MDM | en: Medical document management nl: Medische document management | | | 9 | added v2.3
MFD | en: Master files delayed application acknowledgment de: Verzögerte Empfangsbestätigung für Stammdateiänderung nl: Master files uitgesteld applicatie antwoord | | | en: 8 - Deprecated nl: 8 - Vervallen | added v2.2

MFK | en: Master files application acknowledgment de: Empfangsbestätigung für Stammdateiänderung nl: Master files applicatie antwoord | | | 8 | added v2.2
MFN | en: Master files notification de: Stammdateiänderung nl: Master files notificatie | | | 8 | added v2.2
MFQ | Master files query | | | en: 8 - Deprecated nl: 8 - Vervallen | added v2.3
MFR | en: Master files response de: Antwort auf Stammdateianfrage nl: Master files antwoord | | | en: 8 - Deprecated nl: 8 - Vervallen | added v2.2
NMD | en: Application management data message de: Asynchrone Statusmeldung eines Systems nl: Applicatie management gegevens bericht | | | 14 | added v2.2
NMQ | en: Application management query message de: Anfrage / Kommando an ein anderes System im Netz nl: Applicatie management query bericht | | | en: 14 - Deprecated nl: 14 - Vervallen | added v2.2
NMR | en: Application management response message de: Antwort auf Anfrage / Kommando nl: Applicatie management antwoord bericht | | | en: 14 - Deprecated nl: 14 - Vervallen | added v2.2
OMB | en: Blood product order message nl: Bloedproduct aanvraag bericht | | | 4 | added v2.5
OMD | en: Dietary order nl: Dieet-gerelateerde aanvraag | | | 4 | added v2.4
OMG | en: General clinical order message de: allgemeiner Auftrag nl: Algemeen klinisch aanvraagbericht | | | 4 | added v2.4
OMI | en: Imaging order de: Auftrag für bildgebende Untersuchung nl: Beeld aanvraag | | | 4 | added v2.5
OML | en: Laboratory order message de: Laborauftrag nl: Laboratorium aanvraagbericht | | | 4 | added v2.4
OMN | en: Non-stock requisition order message nl: Niet-voorraad verzoek aanvraag bericht | | | 4 | added v2.4
OMP | en: Pharmacy/treatment order message nl: Medicatie/behandeling aanvraagbericht | | | 4 | added v2.4
OMQ | en: General order message with document payload nl: Algemeen aanvraag bericht met document inhoud | | | 4 | added v2.8
OMS | en: Stock requisition order message nl: Voorraad verzoek aanvraag bericht | | | 4 | added v2.4
OPL | en: Population/Location-Based Laboratory Order Message nl: Populatie/locatie-gebaseerde laboratorium aanvraag bericht | | | 4 | added v2.6
OPR | en: Population/Location-Based Laboratory Order Acknowledgment Message nl: Populatie/locatie-gebaseerde laboratorium aanvraag bevestigingsbericht | | | 4 | added v2.6
OPU | en: Unsolicited Population/Location-Based Laboratory Observation Message nl: Ongevraagd populatie/locatie-gebaseerde laboratoriumobservatie bericht | | | 7 | added v2.6
ORA | en: Observation Report Acknowledgment nl: Observatieverslag bevestiging | | | 7 | added v2.7
ORB | en: Blood product order acknowledgement message nl: Bloedproduct aanvraag bevestigingsbericht | | | 4 | added v2.5
ORD | en: Dietary order acknowledgment message nl: Dieet/voedsel aanvraag bevestigingsbericht | | | 4 | added v2.4
ORF | en: Query for results of observation de: Anfrage nach Untersuchungsergebnissen nl: Query voor observatieresultaten | | | en: 7 - Deprecated nl: 7 - Vervallen | from v2.1
ORG | en: General clinical order acknowledgment message nl: Algemene klinische aanvraag bevestigingsbericht | | | 4 | added v2.4
ORI | en: Imaging order acknowledgement message nl: Beeld aanvraag bevestigingsbericht | | | 4 | added v2.5
ORL | en: Laboratory acknowledgment message (unsolicited) nl: Laboratorium aanvraag bevestigingsbericht (ongevraagd) | | | 7 | added v2.4
ORM | en: Pharmacy/treatment order message de: Auftrag / Verordnung nl: Medicatie/therapie aanvraagbericht | | | en: 4 - Deprecated nl: 4 - Vervallen | from v2.1
ORN | en: Non-stock requisition - General order acknowledgment message nl: Niet-voorraad verzoek - Algemeen aanvraag bevestigingbericht | | | 4 | added v2.4
ORP | en: Pharmacy/treatment order acknowledgment message nl: Medicatie/therapie aanvraag bevestigingsbericht | | | 4 | added v2.4
ORR | en: General order response message response to any ORM de: Empfangsbestätigung von der Anwendung für einen Auftrag nl: Algemeen aanvraag antwoordbericht op een ORM | | | en: 4 - Deprecated nl: 4 - Vervallen | from v2.1
ORS | en: Stock requisition - Order acknowledgment message nl: Voorraad verzoek - Algemeen aanvraag bevestigingbericht | | | 4 | added v2.4
ORU | en: Unsolicited transmission of an observation message de: Nicht angeforderte Untersuchungsergebnisse nl: Ongevraagde verzending van een observatiebericht | | | 7 | from v2.1
ORX | en: General Order Message with Document Payload Acknowledgement nl: Algemeen aanvraag bericht met document inhoud bevestiging | | | 4 | added v2.8
OSM | en: Specimen Shipment Message nl: Monster verzending bericht | | | 7 | added v2.7
OSQ | en: Query response for order status de: Anfrage nach Auftragsstatus nl: Antwoord op orderstatus | | | en: 4 - Deprecated nl: 4 - Vervallen | from v2.1
OSR | en: Query response for order status nl: Antwoord op orderstatus | | | en: 4 - Deprecated nl: 4 - Vervallen | added v2.3
OSU | Order status update | | | 4 | added v2.8
OUL | en: Unsolicited laboratory observation message nl: Ongevraagd laboratoriumobservatiebericht | | | 7 | added v2.4
PEX | en: Product experience message nl: Productervaring bericht | | | 7 | added v2.3
PGL | en: Patient goal message nl: Patiënt doel bericht | | | 12 | added v2.3
PIN | en: Patient insurance information nl: Patiënt verzekeringsinformatie | | | 11 | added v2.3
PMU | en: Add personnel record nl: Toevoegen personeel record | | | 15 | added v2.4
PPG | en: Patient pathway message (goal-oriented) nl: Patiënt zorgpad bericht (doel-georiënteerd) | | | 12 | added v2.3
PPP | en: Patient pathway message (problem-oriented) nl: Patiënt zorgpad bericht (probleem-georiënteerd) | | | 12 | added v2.3.1
PPR | en: Patient problem message nl: Patiënt probleem bericht | | | 12 | added v2.3
PPT | en: Patient pathway goal-oriented response nl: Patiënt zorgpad doel-georiënteerd antwoord | | Deprecated | en: Deprecated nl: Vervallen | added v2.3
PPV | en: Patient goal response nl: Patiënt doel antwoord | | Deprecated | en: Deprecated nl: Vervallen | added v2.3
PRR | en: Patient problem response nl: Patiënt probleem antwoord | | Deprecated | en: Deprecated nl: Vervallen | added v2.3
PTR | en: Patient pathway problem-oriented response nl: Patiënt zorgpad probleem-georiënteerd antwoord | | Deprecated | en: Deprecated nl: Vervallen | added v2.3
QBP | en: Query by parameter nl: Query met parameters | | | 5 | added v2.4
QCK | en: Query general acknowledgment nl: Query algemene bevestiging | | | en: 5 - Deprecated nl: 5 - Vervallen | added v2.3
QCN | en: Cancel query nl: Annuleer query | | | 5 | added v2.4
QRY | en: Query, original mode de: Anfrage nl: Query, original modus | | | 3 | added v2.2
QSB | en: Create subscription nl: Maak abonnement | | | 5 | added v2.4

QSX | en: Cancel subscription/acknowledge message nl: Annuleer abonnement/bevestigingsbericht | | | 5 | added v2.4
QVR | en: Query for previous events nl: Query voor vorige events | | | 5 | added v2.4
RAR | en: Pharmacy/treatment administration information de: Antwort auf Anfrage bezüglich Verabreichung von Medikamenten nl: Medicatie/therapie toediening informatie | | | en: 4 - Deprecated nl: 4 - Vervallen | added v2.2
RAS | en: Pharmacy/treatment administration message de: Erfolgte Verabreichung von Medikamenten nl: Medicatie/therapie toediening bericht | | | 4 | added v2.2
RCI | en: Return clinical information nl: Antwoord klinische informatie | | | 11 | added v2.3
RCL | en: Return clinical list nl: Opleveren klinische lijst | | | 11 | added v2.3
RDE | en: Pharmacy/treatment encoded order message de: Medikamentenverordnung (Apotheke) nl: Medicatie/therapie gecodeerde aanvraag bericht | | | 4 | added v2.2
RDR | en: Pharmacy/treatment dispense information de: Antwort auf Anfrage bezüglich Abgabe von Medikamenten nl: Medicatie/therapie verstrekking informatie | | | 4 | added v2.2
RDS | en: Pharmacy/treatment dispense message de: Abgabe von Medikamenten nl: Medicatie/therapie verstrekking bericht | | | 4 | added v2.2
RDY | en: Display based response nl: Weergave-gebaseerd antwoord | | | 5 | added v2.4
REF | en: Patient referral de: Überweisung eines Patienten nl: Patiënt verwijzing | | | 11 | added v2.3
RER | en: Pharmacy/treatment encoded order information de: Antwort auf Anfrage bezüglich Medikamentenverordnung (Apotheke) nl: Medicatie/therapie gecodeerde aanvraag informatie | | | en: 4 - Deprecated nl: 4 - Vervallen | added v2.2
RGR | en: Pharmacy/treatment dose information de: Antwort auf Anfrage bezüglich Verabreichungsvorschrift für Medikamente nl: Medicatie/therapie dosering informatie | | | en: 4 - Deprecated nl: 4 - Vervallen | added v2.2
RGV | en: Pharmacy/treatment give message de: Verabreichungsvorschrift für Medikamente nl: Medicatie/therapie gegeven informatie | | | 4 | added v2.2
ROC | en: Request clinical information nl: Verzoek voor klinische informatie | | Deprecated | | added v2.3, removed after v2.3
ROD | en: Request pateint demographics nl: Verzoek voor demografische patiëntgegevens | | Deprecated | | added v2.3, removed after v2.3
ROR | en: Pharmacy/treatment order response de: Antwort auf Anfrage bezüglich Medikamentenverordnung nl: Medicatie/therapie aanvraag antwoord | | | en: 4 - Deprecated nl: 4 - Vervallen | added v2.2
RPA | en: Return patient authorization nl: Antwoord patiënt authorisatie | | | 11 | added v2.3
RPI | en: Return patient information nl: Antwoord patiënt informatie | | | 11 | added v2.3
RPL | en: Return patient display list nl: Antwoord patiënt weergavelijst | | | 11 | added v2.3
RPR | en: Return patient list nl: Antwoord patiëntlijst | | | 11 | added v2.3
RQA | en: Request patient authorization nl: Verzoek voor patiënt autorisatie | | | 11 | added v2.3
RQC | en: Request clinical information nl: Verzoek voor klinische informatie | | | 11 | added v2.3
RQI | en: Request patient information nl: Verzoek voor patiënt informatie | | | 11 | added v2.3
RQP | en: Request patient demographics nl: Verzoek voor demografische patiëntgegevens | | | 11 | added v2.3
RQQ | Event replay query | | Deprecated | | added v2.3.1, removed after v2.5.1
RRA | en: Pharmacy/treatment administration acknowledgment message de: Empfangsbestätigung für Verabreichungsmeldung nl: Medicatie/therapie toediening bevestigingsbericht | | | 4 | added v2.2
RRD | en: Pharmacy/treatment dispense acknowledgment message de: Empfangsbestätigung für Abgabemeldung nl: Medicatie/therapie verstrekking bevestigingsbericht | | | 4 | added v2.2
RRE | en: Pharmacy/treatment encoded order acknowledgment message de: Empfangsbestätigung für Verordnung (Apotheke) nl: Medicatie/therapie gecodeerde aanvraag bevestigingsbericht | | | 4 | added v2.2
RRG | en: Pharmacy/treatment give acknowledgment message de: Empfangsbestätigung für Verabreichungsvorschrift nl: Medicatie/therapie gegevens bevestigingsbericht | | | 4 | added v2.2
RRI | en: Return referral information nl: Antwoord verwijzing informatie | | | 11 | added v2.3
RSP | en: Segment pattern response nl: Segmentpatroon antwoord | | | 5 | added v2.4
RTB | en: Tabular response nl: Tabelpatroon antwoord | | | 5 | added v2.4
SCN | en: Notification of Anti-Microbial Device Cycle Data nl: Notificatie van anti-microbiële apparaat cycle gegevens | | | 17 | added v2.6
SDN | en: Notification of Anti-Microbial Device Data nl: Notificatie van anti-microbiële apparaat gegevens | | | 17 | added v2.6
SDR | en: Sterilization anti-microbial device data request nl: Sterilisatie anti-microbiële apparaat gegevens verzoek | | | 17 | added v2.6
SIU | en: Schedule information unsolicited nl: Agenda informatie ongevraagd | | | 10 | added v2.3
SLN | en: Notification of New Sterilization Lot nl: Notificatie voor nieuwe sterilisatie batch | | | 17 | added v2.6
SLR | en: Sterilization lot request nl: Verzoek voor sterilisatie batch | | | 17 | added v2.6
SMD | en: Sterilization anti-microbial device cycle data request nl: Sterilisatie anti-microbiële apparaat cycle gegevens verzoek | | | 17 | added v2.6
SPQ | en: Stored procedure request nl: Stored procedure verzoek | | Deprecated | | added v2.3, removed after v2.5.1
SQM | en: Schedule query message nl: Agenda query bericht | | | en: 10 - Deprecated nl: 10 - Vervallen | added v2.3
SQR | en: Schedule query response nl: Agenda query antwoord | | | en: 10 - Deprecated nl: 10 - Vervallen | added v2.3
SRM | en: Schedule request message nl: Agenda verzoek bericht | | | 10 | added v2.3
SRR | en: Scheduled request response nl: Antwoord agenda verzoek | | | 10 | added v2.3
SSR | en: Specimen status request message nl: Monster status verzoek bericht | | | 13 | added v2.4
SSU | en: Specimen status update message nl: Monster status update bericht | | | 13 | added v2.4
STC | en: Notification of Sterilization Configuration nl: Notificatie voor sterilisatie configuratie | | | 17 | added v2.6
STI | en: Sterilization item request nl: Sterilisatie item verzoek | | | 17 | added v2.6
SUR | en: Summary product experience report nl: Samenvatting productervaring rapport | | | en: 7 - Deprecated nl: 7 - Vervallen | added v2.3.1
TBR | en: Tabular data response nl: Tabel gegevens antwoord | | | en: 5 - Deprecated nl: 5 - Vervallen | added v2.3
TCR | en: Automated equipment test code settings request message nl: Geautomatiseerd apparaat testcode instellingen verzoek bericht | | | 13 | added v2.4
TCU | en: Automated equipment test code settings update message nl: Geautomatiseerd apparaat testcode instellingen update bericht | | | 13 | added v2.4

UDM | en: Unsolicited display update message de: Nicht angeforderte Nachricht im Anzeigeformat nl: Ongevraagd weergave updte bericht | | | 5 | from v2.1
VQQ | en: Virtual table query nl: Virtuele tabel query | | | Deprecated | | added v2.3, removed after v2.5.1
VXQ | en: Query for vaccination record nl: Vaccinatierecord query | | | en: 4 - Deprecated nl: 4 - Vervallen | added v2.3
VXR | en: Vaccination record response nl: Vaccinatierecord antwoord | | | en: 4 - Deprecated nl: 4 - Vervallen | added v2.3
VXU | en: Unsolicited vaccination record update nl: Ongevraagde vaccinatierecord update | | | 4 | added v2.3
VXX | en: Response for vaccination query with multiple PID matches nl: Antwoord vaccinatie query met meerdere PID matches | | | en: 4 -Deprecated nl: 4 -Vervallen | added v2.3

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0076 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
ACK | General acknowledgment message | | | 2 | from v2.1
ADR | ADT response | | | 3 - Deprecated | added v2.2
ADT | ADT message | | | 3 | added v2.2
ARD | Ancillary RPT (display) (for backward compatibility only) | | Deprecated | | from v2.1, removed after v2.3.1
BAR | Add/change billing account | | | 6 | from v2.1
BPS | Blood product dispense status message | | | 4 | added v2.5
BRP | Blood product dispense status acknowledgement message | | | 4 | added v2.5
BRT | Blood product transfusion/disposition acknowledgement message | | | 4 | added v2.5
BTS | Blood product transfusion/disposition message | | | 4 | added v2.5
CCF | Collaborative Care Fetch | | | 7 | added v2.7
CCI | Collaborative Care Information | | | 7 | added v2.7
CCM | Collaborative Care Message | | | 7 | added v2.7
CCQ | Collaborative Care Referral | | | 7 | added v2.7
CCU | Collaborative Care Referral | | | 7 | added v2.7
CNQ | Cancel query | | Deprecated | | added v2.3, removed after v2.3
CQU | Collaborative Care Referral | | | 7 | added v2.7
CRM | Clinical study registration message | | | 7 | added v2.3.1
CSU | Unsolicited study data message | | | 7 | added v2.3
DBC | Create Donor Record | | | 4 | added v2.8
DBU | Update Donor Record | | | 4 | added v2.8
DEL | Donor Eligibility | | | 4 | added v2.8
DEO | Donor Eligibility Observation | | | 4 | added v2.8
DER | Donor Eligibility Request | | | 4 | added v2.8
DFT | Detail financial transactions | | | 6 | added v2.2
DOC | Document response | | | 9 - Deprecated | added v2.3
DPR | Donation Procedure | | | 4 | added v2.8
DRC | Donor Request to Collect | | | 4 | added v2.8
DSR | Display response | | | 5 - Deprecated | from v2.1
EAC | Automated equipment command message | | | 13 | added v2.4
EAN | Automated equipment notification message | | | 13 | added v2.4
EAR | Automated equipment response message | | | 13 | added v2.4
EDR | Enhanced display response | | Deprecated | | added v2.3, removed after v2.5.1
EHC | Health Care Invoice | | | 16 | added v2.6
EQQ | Embedded query language query | | Deprecated | | added v2.3, removed after v2.5.1
ERP | Event replay response | | Deprecated | | added v2.3, removed after v2.5.1
ERQ | Event replay query | | Deprecated | | added v2.3, removed after v2.3
ESR | Automated equipment status update acknowledgment message | | | 13 | added v2.4
ESU | Automated equipment status update message | | | 13 | added v2.4
INR | Automated equipment inventory request message | | | 13 | added v2.4
INU | Automated equipment inventory update message | | | 13 | added v2.4
LSR | Automated equipment log/service request message | | | 13 | added v2.4
LSU | Automated equipment log/service update message | | | 13 | added v2.4
MCF | Delayed Acknowledgment (Retained for backward compatibility only) | | Deprecated | | from v2.1, removed after v2.5.1
MDM | Medical document management | | | 9 | added v2.3
MFD | Master files delayed application acknowledgment | | | 8 - Deprecated | added v2.2
MFK | Master files application acknowledgment | | | 8 | added v2.2
MFN | Master files notification | | | 8 | added v2.2
MFQ | Master files query | | | 8 - Deprecated | added v2.3
MFR | Master files response | | | 8 - Deprecated | added v2.2
NMD | Application management data message | | | 14 | added v2.2
NMQ | Application management query message | | | 14 - Deprecated | added v2.2
NMR | Application management response message | | | 14 - Deprecated | added v2.2
OMB | Blood product order message | | | 4 | added v2.5
OMD | Dietary order | | | 4 | added v2.4
OMG | General clinical order message | | | 4 | added v2.4

OMI | Imaging order | | | 4 | added v2.5
OML | Laboratory order message | | | 4 | added v2.4
OMN | Non-stock requisition order message | | | 4 | added v2.4
OMP | Pharmacy/treatment order message | | | 4 | added v2.4
OMQ | General order message with document payload | | | 4 | added v2.8
OMS | Stock requisition order message | | | 4 | added v2.4
OPL | Population/Location-Based Laboratory Order Message | | | 4 | added v2.6
OPR | Population/Location-Based Laboratory Order Acknowledgment Message | | | 4 | added v2.6
OPU | Unsolicited Population/Location-Based Laboratory Observation Message | | | 7 | added v2.6
ORA | Observation Report Acknowledgment | | | 7 | added v2.7
ORB | Blood product order acknowledgement message | | | 4 | added v2.5
ORD | Dietary order acknowledgment message | | | 4 | added v2.4
ORF | Query for results of observation | | | 7 - Deprecated | from v2.1
ORG | General clinical order acknowledgment message | | | 4 | added v2.4
ORI | Imaging order acknowledgement message | | | 4 | added v2.5
ORL | Laboratory acknowledgment message (unsolicited) | | | 7 | added v2.4
ORM | Pharmacy/treatment order message | | | 4 - Deprecated | from v2.1
ORN | Non-stock requisition - General order acknowledgment message | | | 4 | added v2.4
ORP | Pharmacy/treatment order acknowledgment message | | | 4 | added v2.4
ORR | General order response message response to any ORM | | | 4 - Deprecated | from v2.1
ORS | Stock requisition - Order acknowledgment message | | | 4 | added v2.4
ORU | Unsolicited transmission of an observation message | | | 7 | from v2.1
ORX | General Order Message with Document Payload Acknowledgement | | | 4 | added v2.8
OSM | Specimen Shipment Message | | | 7 | added v2.7
OSQ | Query response for order status | | | 4 - Deprecated | from v2.1
OSR | Query response for order status | | | 4 - Deprecated | added v2.3
OSU | Order status update | | | 4 | added v2.8
OUL | Unsolicited laboratory observation message | | | 7 | added v2.4
PEX | Product experience message | | | 7 | added v2.3
PGL | Patient goal message | | | 12 | added v2.3
PIN | Patient insurance information | | | 11 | added v2.3
PMU | Add personnel record | | | 15 | added v2.4
PPG | Patient pathway message (goal-oriented) | | | 12 | added v2.3
PPP | Patient pathway message (problem-oriented) | | | 12 | added v2.3.1
PPR | Patient problem message | | | 12 | added v2.3
PPT | Patient pathway goal-oriented response | | Deprecated | Deprecated | added v2.3
PPV | Patient goal response | | Deprecated | Deprecated | added v2.3
PRR | Patient problem response | | Deprecated | Deprecated | added v2.3
PTR | Patient pathway problem-oriented response | | Deprecated | Deprecated | added v2.3
QBP | Query by parameter | | | 5 | added v2.4
QCK | Query general acknowledgment | | | 5 - Deprecated | added v2.3
QCN | Cancel query | | | 5 | added v2.4
QRY | Query, original mode | | | 3 | added v2.2
QSB | Create subscription | | | 5 | added v2.4
QSX | Cancel subscription/acknowledge message | | | 5 | added v2.4
QVR | Query for previous events | | | 5 | added v2.4
RAR | Pharmacy/treatment administration information | | | 4 - Deprecated | added v2.2
RAS | Pharmacy/treatment administration message | | | 4 | added v2.2
RCI | Return clinical information | | | 11 | added v2.3
RCL | Return clinical list | | | 11 | added v2.3
RDE | Pharmacy/treatment encoded order message | | | 4 | added v2.2
RDR | Pharmacy/treatment dispense information | | | 4 | added v2.2
RDS | Pharmacy/treatment dispense message | | | 4 | added v2.2
RDY | Display based response | | | 5 | added v2.4
REF | Patient referral | | | 11 | added v2.3
RER | Pharmacy/treatment encoded order information | | | 4 - Deprecated | added v2.2
RGR | Pharmacy/treatment dose information | | | 4 - Deprecated | added v2.2
RGV | Pharmacy/treatment give message | | | 4 | added v2.2
ROC | Request clinical information | | Deprecated | | added v2.3, removed after v2.3
ROD | Request pateint demographics | | Deprecated | | added v2.3, removed after v2.3
ROR | Pharmacy/treatment order response | | | 4 - Deprecated | added v2.2
RPA | Return patient authorization | | | 11 | added v2.3
RPI | Return patient information | | | 11 | added v2.3
RPL | Return patient display list | | | 11 | added v2.3
RPR | Return patient list | | | 11 | added v2.3
RQA | Request patient authorization | | | 11 | added v2.3
RQC | Request clinical information | | | 11 | added v2.3
RQI | Request patient information | | | 11 | added v2.3
RQP | Request patient demographics | | | 11 | added v2.3
RQQ | Event replay query | | Deprecated | | added v2.3.1, removed after v2.5.1
RRA | Pharmacy/treatment administration acknowledgment message | | | 4 | added v2.2
RRD | Pharmacy/treatment dispense acknowledgment message | | | 4 | added v2.2

RRE | Pharmacy/treatment encoded order acknowledgment message | | | 4 | added v2.2
RRG | Pharmacy/treatment give acknowledgment message | | | 4 | added v2.2
RRI | Return referral information | | | 11 | added v2.3
RSP | Segment pattern response | | | 5 | added v2.4
RTB | Tabular response | | | 5 | added v2.4
SCN | Notification of Anti-Microbial Device Cycle Data | | | 17 | added v2.6
SDN | Notification of Anti-Microbial Device Data | | | 17 | added v2.6
SDR | Sterilization anti-microbial device data request | | | 17 | added v2.6
SIU | Schedule information unsolicited | | | 10 | added v2.3
SLN | Notification of New Sterilization Lot | | | 17 | added v2.6
SLR | Sterilization lot request | | | 17 | added v2.6
SMD | Sterilization anti-microbial device cycle data request | | | 17 | added v2.6
SPQ | Stored procedure request | | Deprecated | | added v2.3, removed after v2.5.1
SQM | Schedule query message | | | 10 - Deprecated | added v2.3
SQR | Schedule query response | | | 10 - Deprecated | added v2.3
SRM | Schedule request message | | | 10 | added v2.3
SRR | Scheduled request response | | | 10 | added v2.3
SSR | Specimen status request message | | | 13 | added v2.4
SSU | Specimen status update message | | | 13 | added v2.4
STC | Notification of Sterilization Configuration | | | 17 | added v2.6
STI | Sterilization item request | | | 17 | added v2.6
SUR | Summary product experience report | | | 7 - Deprecated | added v2.3.1
TBR | Tabular data response | | | 5 - Deprecated | added v2.3
TCR | Automated equipment test code settings request message | | | 13 | added v2.4
TCU | Automated equipment test code settings update message | | | 13 | added v2.4
UDM | Unsolicited display update message | | | 5 | from v2.1
VQQ | Virtual table query | | Deprecated | | added v2.3, removed after v2.5.1
VXQ | Query for vaccination record | | | 4 - Deprecated | added v2.3
VXR | Vaccination record response | | | 4 - Deprecated | added v2.3
VXU | Unsolicited vaccination record update | | | 4 | added v2.3
VXX | Response for vaccination query with multiple PID matches | | | 4 -Deprecated | added v2.3

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0076 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
ACK | Empfangsbestätigung | | | | from v2.1
ADR | Antwort auf Anfrage bezüglich Aufnahme / Verlegung / Entlassung von Patienten | | | | added v2.2
ADT | Aufnahme / Entlassung / Verlegung | | | | added v2.2
ARD | Befundbericht | | Deprecated | | from v2.1, removed after v2.3.1
BAR | Hinzufügen / Ändern von Abrechnungsdaten | | | | from v2.1
BPS | | | | | added v2.5
BRP | | | | | added v2.5
BRT | | | | | added v2.5
BTS | | | | | added v2.5
CCF | | | | | added v2.7
CCI | | | | | added v2.7
CCM | | | | | added v2.7
CCQ | | | | | added v2.7
CCU | | | | | added v2.7
CNQ | Stornierung der Anfrage | | Deprecated | | added v2.3, removed after v2.3
CQU | | | | | added v2.7
CRM | | | | | added v2.3.1
CSU | | | | | added v2.3
DBC | | | | | added v2.8
DBU | | | | | added v2.8
DEL | | | | | added v2.8
DEO | | | | | added v2.8
DER | | | | | added v2.8
DFT | Einzelbuchung | | | | added v2.2
DOC | | | | | added v2.3
DPR | | | | | added v2.8
DRC | | | | | added v2.8
DSR | Antwort im Anzeigeformat | | | | from v2.1
EAC | | | | | added v2.4
EAN | | | | | added v2.4
EAR | | | | | added v2.4
EDR | | | Deprecated | | added v2.3, removed after v2.5.1

EHC | | | | | added v2.6
EQQ | | | Deprecated | | added v2.3, removed after v2.5.1
ERP | | | Deprecated | | added v2.3, removed after v2.5.1
ERQ | | | Deprecated | | added v2.3, removed after v2.3
ESR | | | | | added v2.4
ESU | | | | | added v2.4
INR | | | | | added v2.4
INU | | | | | added v2.4
LSR | | | | | added v2.4
LSU | | | | | added v2.4
MCF | Verzögerte Empfangsbestätigung (veraltet; ACK benutzen) | | Deprecated | | from v2.1, removed after v2.5.1
MDM | | | | | added v2.3
MFD | Verzögerte Empfangsbestätigung für Stammdateiänderung | | | | added v2.2
MFK | Empfangsbestätigung für Stammdateiänderung | | | | added v2.2
MFN | Stammdateiänderung | | | | added v2.2
MFQ | | | | | added v2.3
MFR | Antwort auf Stammdateianfrage | | | | added v2.2
NMD | Asynchrone Statusmeldung eines Systems | | | | added v2.2
NMQ | Anfrage / Kommando an ein anderes System im Netz | | | | added v2.2
NMR | Antwort auf Anfrage / Kommando | | | | added v2.2
OMB | | | | | added v2.5
OMD | | | | | added v2.4
OMG | allgemeiner Auftrag | | | | added v2.4
OMI | Auftrag für bildgebende Untersuchung | | | | added v2.5
OML | Laborauftrag | | | | added v2.4
OMN | | | | | added v2.4
OMP | | | | | added v2.4
OMQ | | | | | added v2.8
OMS | | | | | added v2.4
OPL | | | | | added v2.6
OPR | | | | | added v2.6
OPU | | | | | added v2.6
ORA | | | | | added v2.7
ORB | | | | | added v2.5
ORD | | | | | added v2.4
ORF | Anfrage nach Untersuchungsergebnissen | | | | from v2.1
ORG | | | | | added v2.4
ORI | | | | | added v2.5
ORL | | | | | added v2.4
ORM | Auftrag / Verordnung | | | | from v2.1
ORN | | | | | added v2.4
ORP | | | | | added v2.4
ORR | Empfangsbestätigung von der Anwendung für einen Auftrag | | | | from v2.1
ORS | | | | | added v2.4
ORU | Nicht angeforderte Untersuchungsergebnisse | | | | from v2.1
ORX | | | | | added v2.8
OSM | | | | | added v2.7
OSQ | Anfrage nach Auftragsstatus | | | | from v2.1
OSR | | | | | added v2.3
OSU | | | | | added v2.8
OUL | | | | | added v2.4
PEX | | | | | added v2.3
PGL | | | | | added v2.3
PIN | | | | | added v2.3
PMU | | | | | added v2.4
PPG | | | | | added v2.3
PPP | | | | | added v2.3.1
PPR | | | | | added v2.3
PPT | | | Deprecated | | added v2.3
PPV | | | Deprecated | | added v2.3
PRR | | | Deprecated | | added v2.3
PTR | | | Deprecated | | added v2.3
QBP | | | | | added v2.4
QCK | | | | | added v2.3
QCN | | | | | added v2.4
QRY | Anfrage | | | | added v2.2
QSB | | | | | added v2.4
QSX | | | | | added v2.4
QVR | | | | | added v2.4
RAR | Antwort auf Anfrage bezüglich Verabreichung von Medikamenten | | | | added v2.2
RAS | Erfolgte Verabreichung von Medikamenten | | | | added v2.2
RCI | | | | | added v2.3

RCL | | | | | added v2.3
RDE | Medikamentenverordnung (Apotheke) | | | | added v2.2
RDR | Antwort auf Anfrage bezüglich Abgabe von Medikamenten | | | | added v2.2
RDS | Abgabe von Medikamenten | | | | added v2.2
RDY | | | | | added v2.4
REF | Überweisung eines Patienten | | | | added v2.3
RER | Antwort auf Anfrage bezüglich Medikamentenverordnung (Apotheke) | | | | added v2.2
RGR | Antwort auf Anfrage bezüglich Verabreichungsvorschrift für Medikamente | | | | added v2.2
RGV | Verabreichungsvorschrift für Medikamente | | | | added v2.2
ROC | | | Deprecated | | added v2.3, removed after v2.3
ROD | | | Deprecated | | added v2.3, removed after v2.3
ROR | Antwort auf Anfrage bezüglich Medikamentenverordnung | | | | added v2.2
RPA | | | | | added v2.3
RPI | | | | | added v2.3
RPL | | | | | added v2.3
RPR | | | | | added v2.3
RQA | | | | | added v2.3
RQC | | | | | added v2.3
RQI | | | | | added v2.3
RQP | | | | | added v2.3
RQQ | | | Deprecated | | added v2.3.1, removed after v2.5.1
RRA | Empfangsbestätigung für Verabreichungsmeldung | | | | added v2.2
RRD | Empfangsbestätigung für Abgabemeldung | | | | added v2.2
RRE | Empfangsbestätigung für Verordnung (Apotheke) | | | | added v2.2
RRG | Empfangsbestätigung für Verabreichungsvorschrift | | | | added v2.2
RRI | | | | | added v2.3
RSP | | | | | added v2.4
RTB | | | | | added v2.4
SCN | | | | | added v2.6
SDN | | | | | added v2.6
SDR | | | | | added v2.6
SIU | | | | | added v2.3
SLN | | | | | added v2.6
SLR | | | | | added v2.6
SMD | | | | | added v2.6
SPQ | | | Deprecated | | added v2.3, removed after v2.5.1
SQM | | | | | added v2.3
SQR | | | | | added v2.3
SRM | | | | | added v2.3
SRR | | | | | added v2.3
SSR | | | | | added v2.4
SSU | | | | | added v2.4
STC | | | | | added v2.6
STI | | | | | added v2.6
SUR | | | | | added v2.3.1
TBR | | | | | added v2.3
TCR | | | | | added v2.4
TCU | | | | | added v2.4
UDM | Nicht angeforderte Nachricht im Anzeigeformat | | | | from v2.1
VQQ | | | Deprecated | | added v2.3, removed after v2.5.1
VXQ | | | | | added v2.3
VXR | | | | | added v2.3
VXU | | | | | added v2.3
VXX | | | | | added v2.3

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0076 definieert de volgende codes:

Code | Display | Definition | Verouderd | Commentaar | Versie
ACK | Algemeen bevestigingsbericht | | | 2 | from v2.1
ADR | ADT antwoord | | | 3 - Vervallen | added v2.2
ADT | ADT-bericht | | | 3 | added v2.2
ARD | Aanvullend RPT (weergave) (alleen voor backward compatbiliteit) | | Verouderd | | from v2.1, removed after v2.3.1
BAR | Toevoegen/wijzigen facturatie-account | | | 6 | from v2.1
BPS | Bloedproduct verstrekking status bericht | | | 4 | added v2.5
BRP | Bloedproduct verstrekking status bevestigingsbericht | | | 4 | added v2.5
BRT | Bloedproduct transfusie/dispositie bevestigingsbericht | | | 4 | added v2.5
BTS | Bloedproduct transfusie/dispositie bericht | | | 4 | added v2.5

CCF | Ketenzorg ophalen | | | 7 | added v2.7
CCI | Ketenzorg informatie | | | 7 | added v2.7
CCM | Ketenzorg bericht | | | 7 | added v2.7
CCQ | Ketenzorg verwijzing | | | 7 | added v2.7
CCU | Ketenzorg verwijzing | | | 7 | added v2.7
CNQ | Annuleren query | | Verouderd | | added v2.3, removed after v2.3
CQU | Ketenzorg verwijzing | | | 7 | added v2.7
CRM | Klinische studie registratie bericht | | | 7 | added v2.3.1
CSU | Ongevraagde studie gegevens bericht | | | 7 | added v2.3
DBC | Maak donorrecord | | | 4 | added v2.8
DBU | Update donorrecord | | | 4 | added v2.8
DEL | Donor geschiktheid | | | 4 | added v2.8
DEO | Donor geschiktheid observation | | | 4 | added v2.8
DER | Donor geschiktheid verzoek | | | 4 | added v2.8
DFT | Detail financiële transactions | | | 6 | added v2.2
DOC | Document antwoord | | | 9 - Vervallen | added v2.3
DPR | Donatie procedure | | | 4 | added v2.8
DRC | Donor verzoek om te verzamelen | | | 4 | added v2.8
DSR | Weergave antwoord | | | 5 - Vervallen | from v2.1
EAC | Geautomatiseerd apparaat commando bericht | | | 13 | added v2.4
EAN | Geautomatiseerd apparaat notificatie bericht | | | 13 | added v2.4
EAR | Geautomatiseerd apparaat antwoord bericht | | | 13 | added v2.4
EDR | Verbeterd weergaveantwoord | | Verouderd | | added v2.3, removed after v2.5.1
EHC | Zorgfactuur | | | 16 | added v2.6
EQQ | Embedded query language query | | Verouderd | | added v2.3, removed after v2.5.1
ERP | Event replay response | | Verouderd | | added v2.3, removed after v2.5.1
ERQ | Event replay query | | Verouderd | | added v2.3, removed after v2.3
ESR | Geautomatiseerd apparaat statusupdate bevestigingsbericht | | | 13 | added v2.4
ESU | Geautomatiseerd apparaat statusupdate bericht | | | 13 | added v2.4
INR | Geautomatiseerd apparaat voorraad verzoekbericht | | | 13 | added v2.4
INU | Geautomatiseerd apparaat voorraad update verzoekbericht | | | 13 | added v2.4
LSR | Geautomatiseerd apparaat log/service verzoekbericht | | | 13 | added v2.4
LSU | Geautomatiseerd apparaat log/service update bericht | | | 13 | added v2.4
MCF | Uitgestelde bevestiging (alleen voor backward compatibiliteit) | | Verouderd | | from v2.1, removed after v2.5.1
MDM | Medische document management | | | 9 | added v2.3
MFD | Master files uitgesteld applicatie antwoord | | | 8 - Vervallen | added v2.2
MFK | Master files applicatie antwoord | | | 8 | added v2.2
MFN | Master files notificatie | | | 8 | added v2.2
MFQ | Master files query | | | 8 - Vervallen | added v2.3
MFR | Master files antwoord | | | 8 - Vervallen | added v2.2
NMD | Applicatie management gegevens bericht | | | 14 | added v2.2
NMQ | Applicatie management query bericht | | | 14 - Vervallen | added v2.2
NMR | Applicatie management antwoord bericht | | | 14 - Vervallen | added v2.2
OMB | Bloedproduct aanvraag bericht | | | 4 | added v2.5
OMD | Dieet-gerelateerde aanvraag | | | 4 | added v2.4
OMG | Algemeen klinisch aanvraagbericht | | | 4 | added v2.4
OMI | Beeld aanvraag | | | 4 | added v2.5
OML | Laboratorium aanvraagbericht | | | 4 | added v2.4
OMN | Niet-voorraad verzoek aanvraag bericht | | | 4 | added v2.4
OMP | Medicatie/behandeling aanvraagbericht | | | 4 | added v2.4
OMQ | Algemeen aanvraag bericht met document inhoud | | | 4 | added v2.8
OMS | Voorraad verzoek aanvraag bericht | | | 4 | added v2.4
OPL | Populatie/locatie-gebaseerde laboratorium aanvraag bericht | | | 4 | added v2.6
OPR | Populatie/locatie-gebaseerde laboratorium aanvraag bevestigingsbericht | | | 4 | added v2.6
OPU | Ongevraagd populatie/locatie-gebaseerde laboratoriumobservatie bericht | | | 7 | added v2.6
ORA | Observatieverslag bevestiging | | | 7 | added v2.7
ORB | Bloedproduct aanvraag bevestigingsbericht | | | 4 | added v2.5
ORD | Dieet/voedsel aanvraag bevestigingsbericht | | | 4 | added v2.4
ORF | Query voor observatieresultaten | | | 7 - Vervallen | from v2.1
ORG | Algemene klinische aanvraag bevestigingsbericht | | | 4 | added v2.4
ORI | Beeld aanvraag bevestigingsbericht | | | 4 | added v2.5
ORL | Laboratorium aanvraag bevestigingsbericht (ongevraagd) | | | 7 | added v2.4
ORM | Medicatie/therapie aanvraagbericht | | | 4 - Vervallen | from v2.1
ORN | Niet-voorraad verzoek - Algemeen aanvraag bevestigingbericht | | | 4 | added v2.4
ORP | Medicatie/therapie aanvraag bevestigingsbericht | | | 4 | added v2.4
ORR | Algemeen aanvraag antwoordbericht op een ORM | | | 4 - Vervallen | from v2.1
ORS | Voorraad verzoek - Algemeen aanvraag bevestigingbericht | | | 4 | added v2.4
ORU | Ongevraagde verzending van een observatiebericht | | | 7 | from v2.1
ORX | Algemeen aanvraag bericht met document inhoud bevestiging | | | 4 | added v2.8
OSM | Monster verzending bericht | | | 7 | added v2.7
OSQ | Antwoord op orderstatus | | | 4 - Vervallen | from v2.1
OSR | Antwoord op orderstatus | | | 4 - Vervallen | added v2.3

OSU | Order status update | | | 4 | added v2.8
OUL | Ongevraagd laboratoriumobservatiebericht | | | 7 | added v2.4
PEX | Productervaring bericht | | | 7 | added v2.3
PGL | Patiënt doel bericht | | | 12 | added v2.3
PIN | Patiënt verzekeringsinformatie | | | 11 | added v2.3
PMU | Toevoegen personeel record | | | 15 | added v2.4
PPG | Patiënt zorgpad bericht (doel-georiënteerd) | | | 12 | added v2.3
PPP | Patiënt zorgpad bericht (probleem-georiënteerd) | | | 12 | added v2.3.1
PPR | Patiënt probleem bericht | | | 12 | added v2.3
PPT | Patiënt zorgpad doel-georiënteerd antwoord | | Verouderd | Vervallen | added v2.3
PPV | Patiënt doel antwoord | | Verouderd | Vervallen | added v2.3
PRR | Patiënt probleem antwoord | | Verouderd | Vervallen | added v2.3
PTR | Patiënt zorgpad probleem-georiënteerd antwoord | | Verouderd | Vervallen | added v2.3
QBP | Query met parameters | | | 5 | added v2.4
QCK | Query algemene bevestiging | | | 5 - Vervallen | added v2.3
QCN | Annuleer query | | | 5 | added v2.4
QRY | Query, original modus | | | 3 | added v2.2
QSB | Maak abonnement | | | 5 | added v2.4
QSX | Annuleer abonnement/bevestigingsbericht | | | 5 | added v2.4
QVR | Query voor vorige events | | | 5 | added v2.4
RAR | Medicatie/therapie toediening informatie | | | 4 - Vervallen | added v2.2
RAS | Medicatie/therapie toediening bericht | | | 4 | added v2.2
RCI | Antwoord klinische informatie | | | 11 | added v2.3
RCL | Opleveren klinische lijst | | | 11 | added v2.3
RDE | Medicatie/therapie gecodeerde aanvraag bericht | | | 4 | added v2.2
RDR | Medicatie/therapie verstrekking informatie | | | 4 | added v2.2
RDS | Medicatie/therapie verstrekking bericht | | | 4 | added v2.2
RDY | Weergave-gebaseerd antwoord | | | 5 | added v2.4
REF | Patiënt verwijzing | | | 11 | added v2.3
RER | Medicatie/therapie gecodeerde aanvraag informatie | | | 4 - Vervallen | added v2.2
RGR | Medicatie/therapie dosering informatie | | | 4 - Vervallen | added v2.2
RGV | Medicatie/therapie gegeven informatie | | | 4 | added v2.2
ROC | Verzoek voor klinische informatie | | Verouderd | | added v2.3, removed after v2.3
ROD | Verzoek voor demografische patiëntgegevens | | Verouderd | | added v2.3, removed after v2.3
ROR | Medicatie/therapie aanvraag antwoord | | | 4 - Vervallen | added v2.2
RPA | Antwoord patiënt authorisatie | | | 11 | added v2.3
RPI | Antwoord patiënt informatie | | | 11 | added v2.3
RPL | Antwoord patiënt weergavelijst | | | 11 | added v2.3
RPR | Antwoord patiëntlijst | | | 11 | added v2.3
RQA | Verzoek voor patiënt autorisatie | | | 11 | added v2.3
RQC | Verzoek voor klinische informatie | | | 11 | added v2.3
RQI | Verzoek voor patiënt informatie | | | 11 | added v2.3
RQP | Verzoek voor demografische patiëntgegevens | | | 11 | added v2.3
RQQ | Event replay query | | Verouderd | | added v2.3.1, removed after v2.5.1
RRA | Medicatie/therapie toediening bevestigingsbericht | | | 4 | added v2.2
RRD | Medicatie/therapie verstrekking bevestigingsbericht | | | 4 | added v2.2
RRE | Medicatie/therapie gecodeerde aanvraag bevestigingsbericht | | | 4 | added v2.2
RRG | Medicatie/therapie gegevens bevestigingsbericht | | | 4 | added v2.2
RRI | Antwoord verwijzing informatie | | | 11 | added v2.3
RSP | Segmentpatroon antwoord | | | 5 | added v2.4
RTB | Tabelpatroon antwoord | | | 5 | added v2.4
SCN | Notificatie van anti-microbiële apparaat cycle gegevens | | | 17 | added v2.6
SDN | Notificatie van anti-microbiële apparaat gegevens | | | 17 | added v2.6
SDR | Sterilisatie anti-microbiële apparaat gegevens verzoek | | | 17 | added v2.6
SIU | Agenda informatie ongevraagd | | | 10 | added v2.3
SLN | Notificatie voor nieuwe sterilisatie batch | | | 17 | added v2.6
SLR | Verzoek voor sterilisatie batch | | | 17 | added v2.6
SMD | Sterilisatie anti-microbiële apparaat cycle gegevens verzoek | | | 17 | added v2.6
SPQ | Stored procedure verzoek | | Verouderd | | added v2.3, removed after v2.5.1
SQM | Agenda query bericht | | | 10 - Vervallen | added v2.3
SQR | Agenda query antwoord | | | 10 - Vervallen | added v2.3
SRM | Agenda verzoek bericht | | | 10 | added v2.3
SRR | Antwoord agenda verzoek | | | 10 | added v2.3
SSR | Monster status verzoek bericht | | | 13 | added v2.4
SSU | Monster status update bericht | | | 13 | added v2.4
STC | Notificatie voor sterilisatie configuratie | | | 17 | added v2.6
STI | Sterilisatie item verzoek | | | 17 | added v2.6
SUR | Samenvatting productervaring rapport | | | 7 - Vervallen | added v2.3.1
TBR | Tabel gegevens antwoord | | | 5 - Vervallen | added v2.3
TCR | Geautomatiseerd apparaat testcode instellingen verzoek bericht | | | 13 | added v2.4
TCU | Geautomatiseerd apparaat testcode instellingen update bericht | | | 13 | added v2.4
UDM | Ongevraagd weergave updte bericht | | | 5 | from v2.1

VQQ | Virtuele tabel query | | Verouderd | | added v2.3, removed after v2.5.1
VXQ | Vaccinatierecord query | | | 4 - Vervallen | added v2.3
VXR | Vaccinatierecord antwoord | | | 4 - Vervallen | added v2.3
VXU | Ongevraagde vaccinatierecord update | | | 4 | added v2.3
VXX | Antwoord vaccinatie query met meerdere PID matches | | | 4 -Vervallen | added v2.3

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.76.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 142 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0076 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0076

Code | Display | Definition
ACK | General acknowledgment message
ADR | ADT response
ADT | ADT message
BAR | Add/change billing account
BPS | Blood product dispense status message
BRP | Blood product dispense status acknowledgement message
BRT | Blood product transfusion/disposition acknowledgement message
BTS | Blood product transfusion/disposition message
CCF | Collaborative Care Fetch
CCI | Collaborative Care Information
CCM | Collaborative Care Message
CCQ | Collaborative Care Referral
CCU | Collaborative Care Referral
CQU | Collaborative Care Referral
CRM | Clinical study registration message
CSU | Unsolicited study data message
DBC | Create Donor Record
DBU | Update Donor Record
DEL | Donor Eligibility
DEO | Donor Eligibility Observation
DER | Donor Eligibility Request
DFT | Detail financial transactions
DOC | Document response
DPR | Donation Procedure
DRC | Donor Request to Collect
DSR | Display response
EAC | Automated equipment command message
EAN | Automated equipment notification message
EAR | Automated equipment response message
EHC | Health Care Invoice
ESR | Automated equipment status update acknowledgment message
ESU | Automated equipment status update message
INR | Automated equipment inventory request message
INU | Automated equipment inventory update message
LSR | Automated equipment log/service request message
LSU | Automated equipment log/service update message
MDM | Medical document management
MFD | Master files delayed application acknowledgment
MFK | Master files application acknowledgment
MFN | Master files notification
MFQ | Master files query
MFR | Master files response
NMD | Application management data message
NMQ | Application management query message
NMR | Application management response message
OMB | Blood product order message
OMD | Dietary order
OMG | General clinical order message
OMI | Imaging order
OML | Laboratory order message
OMN | Non-stock requisition order message
OMP | Pharmacy/treatment order message
OMQ | General order message with document payload
OMS | Stock requisition order message
OPL | Population/Location-Based Laboratory Order Message
OPR | Population/Location-Based Laboratory Order Acknowledgment Message

OPU | Unsolicited Population/Location-Based Laboratory Observation Message
ORA | Observation Report Acknowledgment
ORB | Blood product order acknowledgement message
ORD | Dietary order acknowledgment message
ORF | Query for results of observation
ORG | General clinical order acknowledgment message
ORI | Imaging order acknowledgement message
ORL | Laboratory acknowledgment message (unsolicited)
ORM | Pharmacy/treatment order message
ORN | Non-stock requisition - General order acknowledgment message
ORP | Pharmacy/treatment order acknowledgment message
ORR | General order response message response to any ORM
ORS | Stock requisition - Order acknowledgment message
ORU | Unsolicited transmission of an observation message
ORX | General Order Message with Document Payload Acknowledgement
OSM | Specimen Shipment Message
OSQ | Query response for order status
OSR | Query response for order status
OSU | Order status update
OUL | Unsolicited laboratory observation message
PEX | Product experience message
PGL | Patient goal message
PIN | Patient insurance information
PMU | Add personnel record
PPG | Patient pathway message (goal-oriented)
PPP | Patient pathway message (problem-oriented)
PPR | Patient problem message
QBP | Query by parameter
QCK | Query general acknowledgment
QCN | Cancel query
QRY | Query, original mode
QSB | Create subscription
QSX | Cancel subscription/acknowledge message
QVR | Query for previous events
RAR | Pharmacy/treatment administration information
RAS | Pharmacy/treatment administration message
RCI | Return clinical information
RCL | Return clinical list
RDE | Pharmacy/treatment encoded order message
RDR | Pharmacy/treatment dispense information
RDS | Pharmacy/treatment dispense message
RDY | Display based response
REF | Patient referral
RER | Pharmacy/treatment encoded order information
RGR | Pharmacy/treatment dose information
RGV | Pharmacy/treatment give message
ROR | Pharmacy/treatment order response
RPA | Return patient authorization
RPI | Return patient information
RPL | Return patient display list
RPR | Return patient list
RQA | Request patient authorization
RQC | Request clinical information
RQI | Request patient information
RQP | Request patient demographics
RRA | Pharmacy/treatment administration acknowledgment message
RRD | Pharmacy/treatment dispense acknowledgment message
RRE | Pharmacy/treatment encoded order acknowledgment message
RRG | Pharmacy/treatment give acknowledgment message
RRI | Return referral information
RSP | Segment pattern response
RTB | Tabular response
SCN | Notification of Anti-Microbial Device Cycle Data
SDN | Notification of Anti-Microbial Device Data
SDR | Sterilization anti-microbial device data request
SIU | Schedule information unsolicited
SLN | Notification of New Sterilization Lot
SLR | Sterilization lot request
SMD | Sterilization anti-microbial device cycle data request
SQM | Schedule query message
SQR | Schedule query response
SRM | Schedule request message

SRR | Scheduled request response
SSR | Specimen status request message
SSU | Specimen status update message
STC | Notification of Sterilization Configuration
STI | Sterilization item request
SUR | Summary product experience report
TBR | Tabular data response
TCR | Automated equipment test code settings request message
TCU | Automated equipment test code settings update message
UDM | Unsolicited display update message
VXQ | Query for vaccination record
VXR | Vaccination record response
VXU | Unsolicited vaccination record update
VXX | Response for vaccination query with multiple PID matches

Additional Language Displays

Code | Deutsch (German, de) | Nederlands (Dutch, nl)
ACK | Empfangsbestätigung | Algemeen bevestigingsbericht
ADR | Antwort auf Anfrage bezüglich Aufnahme / Verlegung / Entlassung von Patienten | ADT antwoord
ADT | Aufnahme / Entlassung / Verlegung | ADT-bericht
BAR | Hinzufügen / Ändern von Abrechnungsdaten | Toevoegen/wijzigen facturatie-account
BPS | | Bloedproduct verstrekking status bericht
BRP | | Bloedproduct verstrekking status bevestigingsbericht
BRT | | Bloedproduct transfusie/dispositie bevestigingsbericht
BTS | | Bloedproduct transfusie/dispositie bericht
CCF | | Ketenzorg ophalen
CCI | | Ketenzorg informatie
CCM | | Ketenzorg bericht
CCQ | | Ketenzorg verwijzing
CCU | | Ketenzorg verwijzing
CQU | | Ketenzorg verwijzing
CRM | | Klinische studie registratie bericht
CSU | | Ongevraagde studie gegevens bericht
DBC | | Maak donorrecord
DBU | | Update donorrecord
DEL | | Donor geschiktheid
DEO | | Donor geschiktheid observation
DER | | Donor geschiktheid verzoek
DFT | Einzelbuchung | Detail financiële transactions
DOC | | Document antwoord
DPR | | Donatie procedure
DRC | | Donor verzoek om te verzamelen
DSR | Antwort im Anzeigeformat | Weergave antwoord
EAC | | Geautomatiseerd apparaat commando bericht
EAN | | Geautomatiseerd apparaat notificatie bericht
EAR | | Geautomatiseerd apparaat antwoord bericht
EHC | | Zorgfactuur
ESR | | Geautomatiseerd apparaat statusupdate bevestigingsbericht
ESU | | Geautomatiseerd apparaat statusupdate bericht
INR | | Geautomatiseerd apparaat voorraad verzoekbericht
INU | | Geautomatiseerd apparaat voorraad update verzoekbericht
LSR | | Geautomatiseerd apparaat log/service verzoekbericht
LSU | | Geautomatiseerd apparaat log/service update bericht
MDM | | Medische document management
MFD | Verzögerte Empfangsbestätigung für Stammdateiänderung | Master files uitgesteld applicatie antwoord
MFK | Empfangsbestätigung für Stammdateiänderung | Master files applicatie antwoord
MFN | Stammdateiänderung | Master files notificatie
MFQ | | Master files query
MFR | Antwort auf Stammdateianfrage | Master files antwoord
NMD | Asynchrone Statusmeldung eines Systems | Applicatie management gegevens bericht
NMQ | Anfrage / Kommando an ein anderes System im Netz | Applicatie management query bericht
NMR | Antwort auf Anfrage / Kommando | Applicatie management antwoord bericht
OMB | | Bloedproduct aanvraag bericht
OMD | | Dieet-gerelateerde aanvraag
OMG | allgemeiner Auftrag | Algemeen klinisch aanvraagbericht
OMI | Auftrag für bildgebende Untersuchung | Beeld aanvraag
OML | Laborauftrag | Laboratorium aanvraagbericht
OMN | | Niet-voorraad verzoek aanvraag bericht
OMP | | Medicatie/behandeling aanvraagbericht
OMQ | | Algemeen aanvraag bericht met document inhoud
OMS | | Voorraad verzoek aanvraag bericht
OPL | | Populatie/locatie-gebaseerde laboratorium aanvraag bericht

OPR | | Populatie/locatie-gebaseerde laboratorium aanvraag bevestigingsbericht
OPU | | Ongevraagd populatie/locatie-gebaseerde laboratoriumobservatie bericht
ORA | | Observatieverslag bevestiging
ORB | | Bloedproduct aanvraag bevestigingsbericht
ORD | | Dieet/voedsel aanvraag bevestigingsbericht
ORF | Anfrage nach Untersuchungsergebnissen | Query voor observatieresultaten
ORG | | Algemene klinische aanvraag bevestigingsbericht
ORI | | Beeld aanvraag bevestigingsbericht
ORL | | Laboratorium aanvraag bevestigingsbericht (ongevraagd)
ORM | Auftrag / Verordnung | Medicatie/therapie aanvraagbericht
ORN | | Niet-voorraad verzoek - Algemeen aanvraag bevestigingbericht
ORP | | Medicatie/therapie aanvraag bevestigingsbericht
ORR | Empfangsbestätigung von der Anwendung für einen Auftrag | Algemeen aanvraag antwoordbericht op een ORM
ORS | | Voorraad verzoek - Algemeen aanvraag bevestigingbericht
ORU | Nicht angeforderte Untersuchungsergebnisse | Ongevraagde verzending van een observatiebericht
ORX | | Algemeen aanvraag bericht met document inhoud bevestiging
OSM | | Monster verzending bericht
OSQ | Anfrage nach Auftragsstatus | Antwoord op orderstatus
OSR | | Antwoord op orderstatus
OSU | | Order status update
OUL | | Ongevraagd laboratoriumobservatiebericht
PEX | | Productervaring bericht
PGL | | Patiënt doel bericht
PIN | | Patiënt verzekeringsinformatie
PMU | | Toevoegen personeel record
PPG | | Patiënt zorgpad bericht (doel-georiënteerd)
PPP | | Patiënt zorgpad bericht (probleem-georiënteerd)
PPR | | Patiënt probleem bericht
QBP | | Query met parameters
QCK | | Query algemene bevestiging
QCN | | Annuleer query
QRY | Anfrage | Query, original modus
QSB | | Maak abonnement
QSX | | Annuleer abonnement/bevestigingsbericht
QVR | | Query voor vorige events
RAR | Antwort auf Anfrage bezüglich Verabreichung von Medikamenten | Medicatie/therapie toediening informatie
RAS | Erfolgte Verabreichung von Medikamenten | Medicatie/therapie toediening bericht
RCI | | Antwoord klinische informatie
RCL | | Opleveren klinische lijst
RDE | Medikamentenverordnung (Apotheke) | Medicatie/therapie gecodeerde aanvraag bericht
RDR | Antwort auf Anfrage bezüglich Abgabe von Medikamenten | Medicatie/therapie verstrekking informatie
RDS | Abgabe von Medikamenten | Medicatie/therapie verstrekking bericht
RDY | | Weergave-gebaseerd antwoord
REF | Überweisung eines Patienten | Patiënt verwijzing
RER | Antwort auf Anfrage bezüglich Medikamentenverordnung (Apotheke) | Medicatie/therapie gecodeerde aanvraag informatie
RGR | Antwort auf Anfrage bezüglich Verabreichungsvorschrift für Medikamente | Medicatie/therapie dosering informatie
RGV | Verabreichungsvorschrift für Medikamente | Medicatie/therapie gegeven informatie
ROR | Antwort auf Anfrage bezüglich Medikamentenverordnung | Medicatie/therapie aanvraag antwoord
RPA | | Antwoord patiënt authorisatie
RPI | | Antwoord patiënt informatie
RPL | | Antwoord patiënt weergavelijst
RPR | | Antwoord patiëntlijst
RQA | | Verzoek voor patiënt autorisatie
RQC | | Verzoek voor klinische informatie
RQI | | Verzoek voor patiënt informatie
RQP | | Verzoek voor demografische patiëntgegevens
RRA | Empfangsbestätigung für Verabreichungsmeldung | Medicatie/therapie toediening bevestigingsbericht
RRD | Empfangsbestätigung für Abgabemeldung | Medicatie/therapie verstrekking bevestigingsbericht
RRE | Empfangsbestätigung für Verordnung (Apotheke) | Medicatie/therapie gecodeerde aanvraag bevestigingsbericht
RRG | Empfangsbestätigung für Verabreichungsvorschrift | Medicatie/therapie gegevens bevestigingsbericht
RRI | | Antwoord verwijzing informatie
RSP | | Segmentpatroon antwoord
RTB | | Tabelpatroon antwoord
SCN | | Notificatie van anti-microbiële apparaat cycle gegevens
SDN | | Notificatie van anti-microbiële apparaat gegevens
SDR | | Sterilisatie anti-microbiële apparaat gegevens verzoek
SIU | | Agenda informatie ongevraagd
SLN | | Notificatie voor nieuwe sterilisatie batch
SLR | | Verzoek voor sterilisatie batch
SMD | | Sterilisatie anti-microbiële apparaat cycle gegevens verzoek
SQM | | Agenda query bericht
SQR | | Agenda query antwoord

SRM | | Agenda verzoek bericht
SRR | | Antwoord agenda verzoek
SSR | | Monster status verzoek bericht
SSU | | Monster status update bericht
STC | | Notificatie voor sterilisatie configuratie
STI | | Sterilisatie item verzoek
SUR | | Samenvatting productervaring rapport
TBR | | Tabel gegevens antwoord
TCR | | Geautomatiseerd apparaat testcode instellingen verzoek bericht
TCU | | Geautomatiseerd apparaat testcode instellingen update bericht
UDM | Nicht angeforderte Nachricht im Anzeigeformat | Ongevraagd weergave updte bericht
VXQ | | Vaccinatierecord query
VXR | | Vaccinatierecord antwoord
VXU | | Ongevraagde vaccinatierecord update
VXX | | Antwoord vaccinatie query met meerdere PID matches

4.3.15.78 HL7 Version 2 Table 0078

URL: https://hl7.org/fhir/R4/v2/0078/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0078
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0078
Version: | 2.9
Name: | v2.0078
Title: | v2 ABNORMAL FLAGS
Definition: | HL7-defined code system of concepts which specify a categorical assessment of an observation value. Notes: This is being communicated in v2.x in OBX-8 (Observation Interpretation), in v3 in ObservationInterpretation (CWE) in R1 (Representative Realm) and in FHIR in Observation.interpretation.
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.78.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0078 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
< | en: Off scale low de: Unter Meßbereich (Extremwertverletzung) nl: Onder absolute ondergrens instrumentschaal | | Deprecated | en: The result is below the minimum detection limit (the test procedure or equipment is the limiting factor). Synonyms: Below analytical limit, low off scale nl: Het resultaat is onder de minimum detecteerbare grens (de testprocedure of apparaat is de beperkende factor). Synoniemen: Onder analytische grens, off-scale low | from v2.1, removed after v2.8.2
> | en: Off scale high de: Über Meßbereich (Extremwertverletzung) nl: Boven absolute bovengrens instrumentschaal | | Deprecated | en: The result is above the maximum quantifiable limit (the test procedure or equipment is the limiting factor). Synonyms: Above analytical limit, high off scale nl: Het resultaat is boven de maximum detecteerbare grens (de testprocedure of apparaat is de beperkende factor). Synoniemen: Boven analytische grens, off-scale high | added v2.2, removed after v2.8.2
A | en: Abnormal de: anormal nl: Abnormaal | | Deprecated | en: The result or observation value is outside the reference range or expected norm (as defined for the respective test procedure). Note: Typically applies to non-numeric results. nl: Het resultaat of observatiewaarde is buiten de referentiewaarden of afwijkend van de verwachte norm (zoals gedefinieerd voor de betreffende testprocedure. NB: Meest van toepassing op niet-numerieke resultaten. | from v2.1, removed after v2.8.2
AA | en: Critically abnormal de: Pathologisch (nicht numerisch) nl: Kritiek abnormaal | | Deprecated | en: The result or observation value is outside a reference range or expected norm at a level at which immediate action should be considered for patient safety (as defined for the respective test procedure). [Note: Typically applies to non-numeric results. Analogous to critical/panic limits for numeric results.] nl: Het resultaat of observatiewaarde is buiten de referentiewaarden of afwijkend van de verwachte norm waarvoor onmiddellijke actie ondernomen zou moeten worden uit het oogpunt van patiëntveiligheid (zoals gedefinieerd voor de betreffende testprocedure. NB: Meest van toepassing op niet-numerieke resultaten. | from v2.1, removed after v2.8.2

AC | en: Anti-complementary substances present nl: Anti-complementaire stoffen aanwezig | | Deprecated | en: Deprecated nl: Vervallen | added v2.7, removed after v2.8.2

B | en: Better de: besser nl: Beter | | Deprecated | en: The current result or observation value has improved compared to the previous result or observation value (the change is significant as defined in the respective test procedure). Note: This can be applied to quantitative or qualitative observations. nl: Het huidige resultaat of observatiewaarde is verbeterd ten opzichte van vorige resultaat of observatiewaarde (de wijziging is significant zoals gedefinieerd in de betreffende testprocedure). NB: van toepassing op kwantitatieve of kwalitatieve observaties | added v2.2, removed after v2.8.2

D | en: Significant change down de: Deutlicher Trend nach unten nl: Significante wijzging omlaag | | Deprecated | en: The current result has decreased from the previous result for a quantitative observation (the change is significant as defined in the respective test procedure). nl: Het huidige resultaat is verlaagd ten opzichte van het vorige resultaat voor een kwantitatieve observatie (de wijziging is significant zoals gedefinieerd voor de betreffende testprocedure). | from v2.1, removed after v2.8.2

DET | en: Detected nl: Gedetecteerd | | Deprecated | en: The measurement of the specified component / analyte, organism or clinical sign above the limit of detection of the performed test or procedure. nl: De meting van het gespecificeerde component / analyte, organisme of klinische teken boven de grenswaarde voor detectie van de uitgevoerde test of procedure. | added v2.7, removed after v2.8.2

H | en: High de: Oberhalb oberer Grenze Referenzbereich nl: Hoog | | Deprecated | en: The result for a quantitative observation is above the upper limit of the reference range (as defined for the respective test procedure). Synonym: Above high normal nl: Het resultaat voor een kwalitatieve observatie is boven de bovengrens van de referentiewaarden (zoals gedefinieerd voor de betreffende testprocedure). Synoniem: Boven bovenste normaalgrens | from v2.1, removed after v2.8.2

HH | en: Critically high de: Oberhalb oberer pathologischer Grenze nl: Kritiek hoog | | Deprecated | en: The result for a quantitative observation is above a reference level at which immediate action should be considered for patient safety (as defined for the respective test procedure). Synonym: Above upper panic limits nl: De resultaten voor een kwantitatieve observatie is boven een referentieniveau waarop onmiddellijke actie overwogen moet worden uit het oogpunt van patiëntveiligheid (zoals gedefinieerd voor betreffende testprocedure. Synoniem: Boven hoogste kritieke grens | from v2.1, removed after v2.8.2

HM | en: Hold for Medical Review nl: Vastgehouden voor medische review | | Deprecated | en: Deprecated nl: Vervallen | added v2.8, removed after v2.8.2

HU | en: Very high nl: Zeer hoog | | Deprecated | en: Significantly high: A test result that is significantly higher than the reference (normal) or therapeutic interval, but has not reached the critically high value and might need special attention, as defined by the laboratory or the clinician. Note: This level is situated between ‘H’ and ‘HH’. nl: Significant hoog: Een testresultaat die significant hoger is dan de referentie (normaal) of therapeutisch interval, maar nog niet op de kritiek hoger waarde zit en mogelijke speciale aandacht nodig heeft, zoals gedefinieerd door het laboratorium of de arts. NB: T | added v2.8.2, removed after v2.8.2

I | en: Intermediate de: Intermediär nl: Gemiddeld | | Deprecated | en: Bacterial strain inhibited in vitro by a concentration of an antimicrobial agent that is associated with uncertain therapeutic effect. Reference: CLSI (http://www.clsi.org/Content/NavigationMenu/Resources/HarmonizedTerminologyDatabase/Harmonized_Terminolo.htm) Projects: ISO 20776-1, ISO 20776-2 Note 1: Bacterial strains are categorized as intermediate by applying the appropriate breakpoints in a defined phenotypic test system. Note 2: This class of susceptibility implies that an infection due to the isolate can be appropriately treated in body sites where the drugs are physiologically concentrated or when a high dosage of drug can be used. Note 3: This class also indicates a “buffer zone,” to prevent small, uncontrolled, technical factors from causing major discrepancies in interpretations. Note 4: These breakpoints can be altered due to changes in circumstances (e.g., changes in commonly used drug dosages, emergence of new resistance mechanisms). nl: Bacteriële stam geblokkeerd door in vitro concentratie van een anti-bacteriële agens die is gekoppeld aan een onzekere kans op therapeutisch effect. Referentie: CLSI (http://www.clsi.org/Content/NavigationMenu/Resources/HarmonizedTerminologyDatabase/Harmonized_Ter | from v2.1, removed after v2.8.2

IE | en: Insufficient evidence nl: Onvoldoende bewijs | | Deprecated | en: There is insufficient evidence that the species in question is a good target for therapy with the drug. A categorical interpretation is not possible. Reference: EUCAST Note: A MIC with “IE” and/or a comment may be reported (without an accompanying S, I or R-categorization). nl: Er is onvoldoende bewijs dat de betreffende soort een goed doel is voor therapie met de medicatie. Een categorische interpretatie is niet mogelijk. Referentie: EUCA. NB: Een MIC met "IE" en/of een opmerking wordt mogelijk gerapporteerd (zonder bijbehorende S, | added v2.8.2, removed after v2.8.2

IND | en: Indeterminate nl: Onbepaald | | Deprecated | en: The specified component / analyte, organism or clinical sign could neither be declared positive / negative or detected / not detected by the performed test or procedure. nl: Het gespecificeerde component / analyte, organisme of klinische teken kon niet positief / negatief of gedetecteerd / niet-gedetecteerd door de uitgevoerde test of procedure | added v2.7, removed after v2.8.2

L | en: Low de: Unterhalb unterer Grenze Referenzbereich nl: Laag | | Deprecated | en: The result for a quantitative observation is below the lower limit of the reference range (as defined for the respective test procedure). Synonym: Below low normal nl: Het resultaat voor een kwalitatieve observatie is onder de ondergrens van de referentiewaarden (zoals gedefinieerd voor de betreffende testprocedure). Synoniem: Onder onderste normaalgrens | added v2.2, removed after v2.8.2

LL | en: Critically low de: Unterhalb unterer pathologischer Grenze nl: Kritiek laag | | Deprecated | en: The result for a quantitative observation is below a reference level at which immediate action should be considered for patient safety (as defined for the respective test procedure). Synonym: Below lower panic limits nl: De resultaten voor een kwantitatieve observatie is onder een referentieniveau waarop onmiddellijke actie overwogen moet worden uit het oogpunt van patiëntveiligheid (zoals gedefinieerd voor betreffende testprocedure. Synoniem: Onder laagste kritieke grens | from v2.1, removed after v2.8.2

LU | en: Very low nl: Zeer laag | | Deprecated | en: Significantly low: A test result that is significantly lower than the reference (normal) or therapeutic interval, but has not reached the critically low value and might need special attention, as defined by the laboratory or the clinician. Note: This level is situated between ‘L’ and ‘LL’. nl: Significant laag: Een testresultaat die significant lager is dan de referentie (normaal) of therapeutisch interval, maar nog niet op de kritiek lage waarde zit en mogelijke speciale aandacht nodig heeft, zoals gedefinieerd door het laboratorium of de arts. NB: T | added v2.8.2, removed after v2.8.2

MS | en: Moderately susceptible. Indicates for microbiology susceptibilities only. de: mäßig empfindlich nl: Gemiddeld gevoelig. Alleen voor microbiologische gevoeligheid. | | Deprecated | en: Deprecated - CLSI now only supports S, I & R. This information can be found in CLSI document M100-S22; Vol. 32 No.3; CLSI Performance Standards for Antimicrobial Susceptibility Testing; Twenty-Second Informational Supplement. Jan 2012. nl: Vervallen - CLSI ondersteunt nu alleen nog S, I & R. Deze informatie vindt u in CLSI document M100-S22; Vol. 32 No.3; CLSI Performance Standards for Antimicrobial Susceptibility Testing; Twenty-Second Informational Supplement. Jan 2012. | from v2.1, removed after v2.8.2

N | en: Normal de: Normal (nicht numerisch) nl: Normaal | | Deprecated | en: The result or observation value is within the reference range or expected norm (as defined for the respective test procedure). Note: Applies to numeric or non-numeric results. nl: Het resultaat of observatiewaarde is binnen de referentiewaarden of verwachte norm (zoals gedefinieerd voor de betreffende testprocedure. NB: Van toepassing op numerieke of niet-numerieke resultaten. | added v2.2, removed after v2.8.2

ND | en: Not Detected nl: Niet-gedetecteerd | | Deprecated | en: The presence of the specified component / analyte, organism or clinical sign could not be determined within the limit of detection of the performed test or procedure. nl: De meting van het gespecificeerde component / analyte, organisme of klinische teken kon niet worden gedetecteerd binnen de grenswaarde voor detectie van de uitgevoerde test of procedure. | added v2.7, removed after v2.8.2

NEG | en: Negative nl: Negatief | | Deprecated | en: An absence finding of the specified component / analyte, organism or clinical sign based on the established threshold of the performed test or procedure. Note: Negative does not necessarily imply the complete absence of the specified item. nl: Een afwezigheidsbevinding voor het gespecificeerde component / analyte, organisme of klinische teken gebaseerd op de geldende grenswaarde van de uitgevoerde test of procedure. NB: Negatief betekent niet noodzakelijk de volledige afwezigheid van het het gespecificeerde item. | added v2.7, removed after v2.8.2

NR | en: Non-reactive nl: Niet-reactief | | Deprecated | en: An absence finding used to indicate that the specified component / analyte did not react measurably with the reagent. nl: Een afwezigheidsbevinding om aan te geven dat het gespecificeerde component / analyte niet meetbaar reageerde met het reagens. | added v2.7, removed after v2.8.2

NS | en: Non-susceptible nl: Niet-gevoelig | | Deprecated | en: A category used for isolates for which only a susceptible interpretive criterion has been designated because of the absence or rare occurrence of resistant strains. Isolates that have MICs above or zone diameters below the value indicated for the susceptible breakpoint should be reported as non-susceptible. Synonym: decreased susceptibility Note 1: An isolate that is interpreted as non-susceptible does not necessarily mean that the isolate has a resistance mechanism. It is possible that isolates with MICs above the susceptible breakpoint that lack resistance mechanisms may be encountered within the wild-type distribution subsequent to the time the susceptible-only breakpoint is set. Note 2: For strains yielding results in the “nonsusceptible” category, organism identification and antimicrobial susceptibility test results should be confirmed. nl: Een categorie voor isolaten waarvoor alleen een gevoelig interpretabel criterium is ontworpen vanwege de afwezigheid of zeldzaam voorkomen van resistente stammen. Isolaten met MIC's boven of zonediameters onder de waarde aangewezen voor de gevoeli | added v2.8.2, removed after v2.8.2

null | en: No range defined, or normal ranges don't apply de: Kein Referenzbereich / Referenzbereich nicht anwendbar nl: Geen referentiewaarden gedefinieerd of normale waarden niet van toepassing | | Deprecated | en: Deprecated nl: Vervallen | from v2.1, removed after v2.8.2

OBX | en: Interpretation qualifiers in separate OBX segments nl: Interpretatie qualifiers in afzonderlijke OBX-segmenten | | Deprecated | en: Deprecated nl: Vervallen | added v2.8, removed after v2.8.2

POS | en: Positive nl: Positief | | Deprecated | en: A presence finding of the specified component / analyte, organism or clinical sign based on the established threshold of the performed test or procedure. nl: Een aanwezigheidsbevinding voor het gespecificeerde component / analyte, organisme of klinische teken gebaseerd op de geldende grenswaarde van de uitgevoerde test of procedure. | added v2.7, removed after v2.8.2

QCF | en: Quality Control Failure nl: Kwaliteitscontrole fout | | Deprecated | en: Deprecated nl: Vervallen | added v2.7, removed after v2.8.2

R | en: Resistant de: Resistent nl: Resistent | | Deprecated | en: Bacterial strain inhibited in vitro by a concentration of an antimicrobial agent that is associated with a high likelihood of therapeutic failure. Reference: CLSI (http://www.clsi.org/Content/NavigationMenu/Resources/HarmonizedTerminologyDatabase/Harmonized_Terminolo.htm) Projects: ISO 20776-1, ISO 20776-2 Note 1: Bacterial strains are categorized as resistant by applying the appropriate breakpoints in a defined phenotypic test system. Note 2: This breakpoint can be altered due to changes in circumstances (e.g., changes in commonly used drug dosages, emergence of new resistance mechanisms). nl: Bacteriële stam geblokkeerd door in vitro concentratie van een anti-bacteriële agens die is gekoppeld aan een hoge kans op therapeutisch falen. Referentie: CLSI (http://www.clsi.org/Content/NavigationMenu/Resources/HarmonizedTerminologyDatabase/Harmoniz | from v2.1, removed after v2.8.2

RR | en: Reactive nl: Reactief | | Deprecated | en: A presence finding used to indicate that the specified component / analyte reacted with the reagent above the reliably measurable limit of the performed test. nl: Een aanwezigheidsbevinding om aan te geven dat het gespecificeerde component / analyte reageerde met het reagens, boven de betrouwbaar meetbare grens van de uitgevoerde test. | added v2.7, removed after v2.8.2

S | en: Susceptible de: Empfindlich nl: Gevoelig | | Deprecated | en: Bacterial strain inhibited by in vitro concentration of an antimicrobial agent that is associated with a high likelihood of therapeutic success. Reference: CLSI (http://www.clsi.org/Content/NavigationMenu/Resources/HarmonizedTerminologyDatabase/Harmonized_Terminolo.htm) Projects: ISO 20776-1, ISO 20776-2 Synonym (earlier term): Sensitive Note 1: Bacterial strains are categorized as susceptible by applying the appropriate breakpoints in a defined phenotypic system. Note 2: This breakpoint can be altered due to changes in circumstances (e.g., changes in commonly used drug dosages, emergence of new resistance mechanisms). nl: Bacteriële stam geblokkeerd door in vitro concentratie van een anti-bacteriële agens die is gekoppeld aan een hoge kans op therapeutisch succes. Referentie: CLSI (http://www.clsi.org/Content/NavigationMenu/Resources/HarmonizedTerminologyDatabase/Harmoniz | from v2.1, removed after v2.8.2

SDD | en: Susceptible-dose dependent nl: Gevoelig dosis-afhankelijk | | Deprecated | en: A category that includes isolates with antimicrobial agent minimum inhibitory concentrations (MICs) that approach usually attainable blood and tissue levels and for which response rates may be lower than for susceptible isolates. Reference: CLSI document M44-A2 2009 “Method for antifungal disk diffusion susceptibility testing of yeasts; approved guideline – second edition” – page 2. nl: Een categorie inclusief isolaten met anti-microben agens minimum blokkerende concentraties (MIC's) die in de buurt van normaal bereikbare bloed en weefsel-niveau's komen en waarvoor antwoordratio's mogelijk lager zijn dan voor gevoelige isolaten. Referentie: CLSI document | added v2.8.2, removed after v2.8.2

SYN-R | en: Synergy - resistant nl: Synergie - resistent | | Deprecated | en: A category for isolates where the bacteria (e.g. enterococci) are not susceptible in vitro to a combination therapy (e.g., high-level aminoglycoside and cell wall active agent). This is predictive that this combination therapy will not be effective. Usage Note: Since the use of penicillin or ampicillin alone often results in treatment failure of serious enterococcal or other bacterial infections, combination therapy is usually indicated to enhance bactericidal activity. The synergy between a cell wall active agent (such as penicillin, ampicillin, or vancomycin) and an aminoglycoside (such as gentamicin, kanamycin or streptomycin) is best predicted by screening for high-level bacterial resistance to the aminoglycoside. Open Issue: The print name of the code is very general and the description is very specific to a pair of classes of agents, which may lead to confusion of these concepts in the future should other synergies be found. nl: Een categorie voor isolaten waarbij de bacteriën (bijv. enterococcen) in vitro niet gevoelig zijn voor een combinatietherapie (bijv. een hoog-niveau aminoglycoside en celwand actieve agens). Dit is een goede indicatie dat combinatietherapie niet effectief zal zijn. Gebr | added v2.8.2, removed after v2.8.2

SYN-S | en: Synergy - susceptible nl: Synergie - gevoelig | | Deprecated | en: A category for isolates where the bacteria (e.g. enterococci) are susceptible in vitro to a combination therapy (e.g., high-level aminoglycoside and cell wall active agent). This is predictive that this combination therapy will be effective. Usage Note: Since the use of penicillin or ampicillin alone often results in treatment failure of serious enterococcal or other bacterial infections, combination therapy is usually indicated to enhance bactericidal activity. The synergy between a cell wall active agent (such as penicillin, ampicillin, or vancomycin) and an

aminoglycoside (such as gentamicin, kanamycin or streptomycin) is best predicted by screening for high-level bacterial resistance to the aminoglycoside. Open Issue: The print name of the code is very general and the description is very specific to a pair of classes of agents, which may lead to confusion of these concepts in the future should other synergies be found. nl: Een categorie voor isolaten waarbij de bacteriën (bijv. enterococcen) in vitro gevoelig zijn voor een combinatietherapie (bijv. een hoog-niveau aminoglycoside en celwand actieve agens). Dit is een goede indicatie dat combinatietherapie effectief zal zijn. Gebr | added v2.8.2, removed after v2.8.2

TOX | en: Cytotoxic substance present nl: Cytotoxische stoffen aanwezig | | Deprecated | en: Deprecated nl: Vervallen | added v2.7, removed after v2.8.2

U | en: Significant change up de: Deutlicher Trend nach oben nl: Significante wijzging omhoog | | Deprecated | en: The current result has increased from the previous result for a quantitative observation (the change is significant as defined in the respective test procedure). nl: Het huidige resultaat is verhoogd ten opzichte van het vorige resultaat voor een kwantitatieve observatie (de wijziging is significant zoals gedefinieerd voor de betreffende testprocedure). | from v2.1, removed after v2.8.2

VS | en: Very susceptible. Indicates for microbiology susceptibilities only. de: Sehr empfindlich nl: Zeer gevoelig. Alleen voor microbiologische gevoeligheid. | | Deprecated | en: Deprecated - CLSI now only supports S, I & R. This information can be found in CLSI document M100-S22; Vol. 32 No.3; CLSI Performance Standards for Antimicrobial Susceptibility Testing; Twenty-Second Informational Supplement. Jan 2012. nl: Vervallen - CLSI ondersteunt nu alleen nog S, I & R. Deze informatie vindt u in CLSI document M100-S22; Vol. 32 No.3; CLSI Performance Standards for Antimicrobial Susceptibility Testing; Twenty-Second Informational Supplement. Jan 2012. | from v2.1, removed after v2.8.2

W | en: Worse de: Verschlechterung nl: Slechter | | Deprecated | en: The current result or observation value has degraded compared to the previous result or observation value (the change is significant as defined in the respective test procedure). Note: This can be applied to quantitative or qualitative observations. nl: Het huidige resultaat of observatiewaarde is verslechterd ten opzichte van vorige resultaat of observatiewaarde (de wijziging is significant zoals gedefinieerd in de betreffende testprocedure). NB: van toepassing op kwantitatieve of kwalitatieve observaties | added v2.2, removed after v2.8.2

WR | en: Weakly reactive nl: Zwak reactief | | Deprecated | en: A weighted presence finding used to indicate that the specified component / analyte reacted with the reagent, but below the reliably measurable limit of the performed test. nl: Een gewogen aanwezigheidsbevinding om aan te geven dat het gespecificeerde component / analyte reageerde met het reagens, maar onder de betrouwbaar meetbare grens van de uitgevoerde test. | added v2.7, removed after v2.8.2

Properties

Code | URL | Description | Type

status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code

deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0078 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version

< | Off scale low | | Deprecated | The result is below the minimum detection limit (the test procedure or equipment is the limiting factor). Synonyms: Below analytical limit, low off scale | from v2.1, removed after v2.8.2

> | Off scale high | | Deprecated | The result is above the maximum quantifiable limit (the test procedure or equipment is the limiting factor). Synonyms: Above analytical limit, high off scale | added v2.2, removed after v2.8.2

A | Abnormal | | Deprecated | The result or observation value is outside the reference range or expected norm (as defined for the respective test procedure). Note: Typically applies to non-numeric results. | from v2.1, removed after v2.8.2

AA | Critically abnormal | | Deprecated | The result or observation value is outside a reference range or expected norm at a level at which immediate action should be considered for patient safety (as defined for the respective test procedure). [Note: Typically applies to non-numeric results. Analogous to critical/panic limits for numeric results.] | from v2.1, removed after v2.8.2

AC | Anti-complementary substances present | | Deprecated | Deprecated | added v2.7, removed after v2.8.2

B | Better | | Deprecated | The current result or observation value has improved compared to the previous result or observation value (the change is significant as defined in the respective test procedure). Note: This can be applied to quantitative or qualitative observations. | added v2.2, removed after v2.8.2

D | Significant change down | | Deprecated | The current result has decreased from the previous result for a quantitative observation (the change is significant as defined in the respective test procedure). | from v2.1, removed after v2.8.2

DET | Detected | | Deprecated | The measurement of the specified component / analyte, organism or clinical sign above the limit of detection of the performed test or procedure. | added v2.7, removed after v2.8.2

H | High | | Deprecated | The result for a quantitative observation is above the upper limit of the reference range (as defined for the respective test procedure). Synonym: Above high normal | from v2.1, removed after v2.8.2

HH | Critically high | | Deprecated | The result for a quantitative observation is above a reference level at which immediate action should be considered for patient safety (as defined for the respective test procedure). Synonym: Above upper panic limits | from v2.1, removed after v2.8.2

HM | Hold for Medical Review | | Deprecated | Deprecated | added v2.8, removed after v2.8.2

HU | Very high | | Deprecated | Significantly high: A test result that is significantly higher than the reference (normal) or therapeutic interval, but has not reached the critically high value and might need special attention, as defined by the laboratory or the clinician. Note: This level is situated between ‘H’ and ‘HH’. | added v2.8.2, removed after v2.8.2

I | Intermediate | | Deprecated | Bacterial strain inhibited in vitro by a concentration of an antimicrobial agent that is associated with uncertain therapeutic effect. Reference: CLSI (http://www.clsi.org/Content/NavigationMenu/Resources/HarmonizedTerminologyDatabase/Harmonized_Terminolo.htm) Projects: ISO 20776-1, ISO 20776-2 Note 1: Bacterial strains are categorized as intermediate by applying the appropriate breakpoints in a defined phenotypic test system. Note 2: This class of susceptibility implies that an infection due to the isolate can be appropriately treated in body sites where the drugs are physiologically concentrated or when a high dosage of drug can be used. Note 3: This class also indicates a “buffer zone,” to prevent small, uncontrolled, technical factors from causing major discrepancies in interpretations. Note 4: These breakpoints can be altered due to changes in circumstances (e.g., changes in commonly used drug dosages, emergence of new resistance mechanisms). | from v2.1, removed after v2.8.2

IE | Insufficient evidence | | Deprecated | There is insufficient evidence that the species in question is a good target for therapy with the drug. A categorical interpretation is not possible. Reference: EUCAST Note: A MIC with “IE” and/or a comment may be reported (without an accompanying S, I or R-categorization). | added v2.8.2, removed after v2.8.2

IND | Indeterminate | | Deprecated | The specified component / analyte, organism or clinical sign could neither be declared positive / negative or detected / not detected by the performed test or procedure. | added v2.7, removed after v2.8.2

L | Low | | Deprecated | The result for a quantitative observation is below the lower limit of the reference range (as defined for the respective test procedure). Synonym: Below low normal | added v2.2, removed after v2.8.2

LL | Critically low | | Deprecated | The result for a quantitative observation is below a reference level at which immediate action should be considered for patient safety (as defined for the respective test procedure). Synonym: Below lower panic limits | from v2.1, removed after v2.8.2

LU | Very low | | Deprecated | Significantly low: A test result that is significantly lower than the reference (normal) or therapeutic interval, but has not reached the critically low value and might need special attention, as defined by the laboratory or the clinician. Note: This level is situated between 'L' and 'LL'. | added v2.8.2, removed after v2.8.2

MS | Moderately susceptible. Indicates for microbiology susceptibilities only. | | Deprecated | Deprecated - CLSI now only supports S, I & R. This information can be found in CLSI document M100-S22; Vol. 32 No.3; CLSI Performance Standards for Antimicrobial Susceptibility Testing; Twenty-Second Informational Supplement. Jan 2012. | from v2.1, removed after v2.8.2

N | Normal | | Deprecated | The result or observation value is within the reference range or expected norm (as defined for the respective test procedure). Note: Applies to numeric or non-numeric results. | added v2.2, removed after v2.8.2

ND | Not Detected | | Deprecated | The presence of the specified component / analyte, organism or clinical sign could not be determined within the limit of detection of the performed test or procedure. | added v2.7, removed after v2.8.2

NEG | Negative | | Deprecated | An absence finding of the specified component / analyte, organism or clinical sign based on the established threshold of the performed test or procedure. Note: Negative does not necessarily imply the complete absence of the specified item. | added v2.7, removed after v2.8.2

NR | Non-reactive | | Deprecated | An absence finding used to indicate that the specified component / analyte did not react measurably with the reagent. | added v2.7, removed after v2.8.2

NS | Non-susceptible | | Deprecated | A category used for isolates for which only a susceptible interpretive criterion has been designated because of the absence or rare occurrence of resistant strains. Isolates that have MICs above or zone diameters below the value indicated for the susceptible breakpoint should be reported as non-susceptible. Synonym: decreased susceptibility Note 1: An isolate that is interpreted as non-susceptible does not necessarily mean that the isolate has a resistance mechanism. It is possible that isolates with MICs above the susceptible breakpoint that lack resistance mechanisms may be encountered within the wild-type distribution subsequent to the time the susceptible-only breakpoint is set. Note 2: For strains yielding results in the "nonsusceptible" category, organism identification and antimicrobial susceptibility test results should be confirmed. | added v2.8.2, removed after v2.8.2

null | No range defined, or normal ranges don't apply | | Deprecated | Deprecated | from v2.1, removed after v2.8.2

OBX | Interpretation qualifiers in separate OBX segments | | Deprecated | Deprecated | added v2.8, removed after v2.8.2

POS | Positive | | Deprecated | A presence finding of the specified component / analyte, organism or clinical sign based on the established threshold of the performed test or procedure. | added v2.7, removed after v2.8.2

QCF | Quality Control Failure | | Deprecated | Deprecated | added v2.7, removed after v2.8.2

R | Resistant | | Deprecated | Bacterial strain inhibited in vitro by a concentration of an antimicrobial agent that is associated with a high likelihood of therapeutic failure. Reference: CLSI (http://www.clsi.org/Content/NavigationMenu/Resources/HarmonizedTerminologyDatabase/Harmonized_Terminolo.htm) Projects: ISO 20776-1, ISO 20776-2 Note 1: Bacterial strains are categorized as resistant by applying the appropriate breakpoints in a defined phenotypic test system. Note 2: This breakpoint can be altered due to changes in circumstances (e.g., changes in commonly used drug dosages, emergence of new resistance mechanisms). | from v2.1, removed after v2.8.2

RR | Reactive | | Deprecated | A presence finding used to indicate that the specified component / analyte reacted with the reagent above the reliably measurable limit of the performed test. | added v2.7, removed after v2.8.2

S | Susceptible | | Deprecated | Bacterial strain inhibited by in vitro concentration of an antimicrobial agent that is associated with a high likelihood of therapeutic success. Reference: CLSI (http://www.clsi.org/Content/NavigationMenu/Resources/HarmonizedTerminologyDatabase/Harmonized_Terminolo.htm) Projects: ISO 20776-1, ISO 20776-2 Synonym (earlier term): Sensitive Note 1: Bacterial strains are categorized as susceptible by applying the appropriate breakpoints in a defined phenotypic system. Note 2: This breakpoint can be altered due to changes in circumstances (e.g., changes in commonly used drug dosages, emergence of new resistance mechanisms). | from v2.1, removed after v2.8.2

SDD | Susceptible-dose dependent | | Deprecated | A category that includes isolates with antimicrobial agent minimum inhibitory concentrations (MICs) that approach usually attainable blood and tissue levels and for which response rates may be lower than for susceptible isolates. Reference: CLSI document M44-A2 2009 "Method for antifungal disk diffusion susceptibility testing of yeasts; approved guideline – second edition" – page 2. | added v2.8.2, removed after v2.8.2

SYN-R | Synergy - resistant | | Deprecated | A category for isolates where the bacteria (e.g. enterococci) are not susceptible in vitro to a combination therapy (e.g., high-level aminoglycoside and cell wall active agent). This is predictive that this combination therapy will not be effective. Usage Note: Since the use of penicillin or ampicillin alone often results in treatment failure of serious enterococcal or other bacterial infections, combination therapy is usually indicated to enhance bactericidal activity. The synergy between a cell wall active agent (such as penicillin, ampicillin, or vancomycin) and an aminoglycoside (such as gentamicin, kanamycin or streptomycin) is best predicted by screening for high-level bacterial resistance to the aminoglycoside. Open Issue: The print name of the code is very general and the description is very specific to a pair of classes of agents, which may lead to confusion of these concepts in the future should other synergies be found. | added v2.8.2, removed after v2.8.2

SYN-S | Synergy - susceptible | | Deprecated | A category for isolates where the bacteria (e.g. enterococci) are susceptible in vitro to a combination therapy (e.g., high-level aminoglycoside and cell wall active agent). This is predictive that this combination therapy will be effective. Usage Note: Since the use of penicillin or ampicillin alone often results in treatment failure of serious enterococcal or other bacterial infections, combination therapy is usually indicated to enhance bactericidal activity. The synergy between a cell wall active agent (such as penicillin, ampicillin, or vancomycin) and an aminoglycoside (such as gentamicin, kanamycin or streptomycin) is best predicted by screening for high-level bacterial resistance to the aminoglycoside. Open Issue: The print name of the code is very general and the description is very specific to a pair of classes of agents, which may lead to confusion of these concepts in the future should other synergies be found. | added v2.8.2, removed after v2.8.2

TOX | Cytotoxic substance present | | Deprecated | Deprecated | added v2.7, removed after v2.8.2

U | Significant change up | | Deprecated | The current result has increased from the previous result for a quantitative observation (the change is significant as defined in the respective test procedure). | from v2.1, removed after v2.8.2

VS | Very susceptible. Indicates for microbiology susceptibilities only. | | Deprecated | Deprecated - CLSI now only supports S, I & R. This information can be found in CLSI document M100-S22; Vol. 32 No.3; CLSI Performance Standards for Antimicrobial Susceptibility Testing; Twenty-Second Informational Supplement. Jan 2012. | from v2.1, removed after v2.8.2

W | Worse | | Deprecated | The current result or observation value has degraded compared to the previous result or observation value (the change is significant as defined in the respective test procedure). Note: This can be applied to quantitative or qualitative observations. | added v2.2, removed after v2.8.2

WR | Weakly reactive | | Deprecated | A weighted presence finding used to indicate that the specified component / analyte reacted with the reagent, but below the reliably measurable limit of the performed test. | added v2.7, removed after v2.8.2

Properties

Code | URL | Description | Type

status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code

deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0078 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version

< | Unter Meßbereich (Extremwertverletzung) | | Deprecated | | from v2.1, removed after v2.8.2

> | Über Meßbereich (Extremwertverletzung) | | Deprecated | | added v2.2, removed after v2.8.2

A | anormal | | Deprecated | | from v2.1, removed after v2.8.2

AA | Pathologisch (nicht numerisch) | | Deprecated | | from v2.1, removed after v2.8.2

AC | | | Deprecated | | added v2.7, removed after v2.8.2

B | besser | | Deprecated | | added v2.2, removed after v2.8.2

D | Deutlicher Trend nach unten | | Deprecated | | from v2.1, removed after v2.8.2

DET | | | Deprecated | | added v2.7, removed after v2.8.2

H | Oberhalb oberer Grenze Referenzbereich | | Deprecated | | from v2.1, removed after v2.8.2

HH | Oberhalb oberer pathologischer Grenze | | Deprecated | | from v2.1, removed after v2.8.2

HM | | | Deprecated | | added v2.8, removed after v2.8.2

HU | | | Deprecated | | added v2.8.2, removed after v2.8.2

I | Intermediär | | Deprecated | | from v2.1, removed after v2.8.2

IE | | | Deprecated | | added v2.8.2, removed after v2.8.2

IND | | | Deprecated | | added v2.7, removed after v2.8.2

L | Unterhalb unterer Grenze Referenzbereich | | Deprecated | | added v2.2, removed after v2.8.2

LL | Unterhalb unterer pathologischer Grenze | | Deprecated | | from v2.1, removed after v2.8.2

LU | | | Deprecated | | added v2.8.2, removed after v2.8.2

MS | mäßig empfindlich | | Deprecated | | from v2.1, removed after v2.8.2

N | Normal (nicht numerisch) | | Deprecated | | added v2.2, removed after v2.8.2

ND | | | Deprecated | | added v2.7, removed after v2.8.2

NEG | | | Deprecated | | added v2.7, removed after v2.8.2

NR | | | Deprecated | | added v2.7, removed after v2.8.2

NS | | | Deprecated | | added v2.8.2, removed after v2.8.2

null | Kein Referenzbereich / Referenzbereich nicht anwendbar | | Deprecated | | from v2.1, removed after v2.8.2

OBX | | | Deprecated | | added v2.8, removed after v2.8.2

POS | | | Deprecated | | added v2.7, removed after v2.8.2

QCF | | | Deprecated | | added v2.7, removed after v2.8.2

R | Resistent | | Deprecated | | from v2.1, removed after v2.8.2

RR | | | Deprecated | | added v2.7, removed after v2.8.2

S | Empfindlich | | Deprecated | | from v2.1, removed after v2.8.2

SDD | | | Deprecated | | added v2.8.2, removed after v2.8.2

SYN-R | | | Deprecated | | added v2.8.2, removed after v2.8.2

SYN-S | | | Deprecated | | added v2.8.2, removed after v2.8.2

TOX | | | Deprecated | | added v2.7, removed after v2.8.2

U | Deutlicher Trend nach oben | | Deprecated | | from v2.1, removed after v2.8.2

VS | Sehr empfindlich | | Deprecated | | from v2.1, removed after v2.8.2

W | Verschlechterung | | Deprecated | | added v2.2, removed after v2.8.2

WR | | | Deprecated | | added v2.7, removed after v2.8.2

Eigenschappen

Code | URL | Omschrijving | Type

status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code

deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0078 definieert de volgende codes:

Code | Display | Definition | Verouderd | Commentaar | Versie

< | Onder absolute ondergrens instrumentschaal | | Verouderd | Het resultaat is onder de minimum detecteerbare grens (de testprocedure of apparaat is de beperkende factor). Synoniemen: Onder analytische grens, off-scale low | from v2.1, removed after v2.8.2

> | Boven absolute bovengrens instrumentschaal | | Verouderd | Het resultaat is boven de maximum detecteerbare grens (de testprocedure of apparaat is de beperkende factor). Synoniemen: Boven analytische grens, off-scale high | added v2.2, removed after v2.8.2

A | Abnormaal | | Verouderd | Het resultaat of observatiewaarde is buiten de referentiewaarden of afwijkend van de verwachte norm (zoals gedefinieerd voor de betreffende testprocedure. NB: Meest van toepassing op niet-numerieke resultaten. | from v2.1, removed after v2.8.2

AA | Kritiek abnormaal | | Verouderd | Het resultaat of observatiewaarde is buiten de referentiewaarden of afwijkend van de verwachte norm waarvoor onmiddellijke actie ondernomen zou moeten worden uit het oogpunt van patiëntveiligheid (zoals gedefinieerd voor de betreffende testprocedure. NB: Meest van toepassing op niet-numerieke resultaten. | from v2.1, removed after v2.8.2

AC | Anti-complementaire stoffen aanwezig | | Verouderd | Vervallen | added v2.7, removed after v2.8.2

B | Beter | | Verouderd | Het huidige resultaat of observatiewaarde is verbeterd ten opzichte van vorige resultaat of observatiewaarde (de wijziging is significant zoals gedefinieerd in de betreffende testprocedure). NB: van toepassing op kwantitatieve of kwalitatieve observaties | added v2.2, removed after v2.8.2

D | Significante wijzging omlaag | | Verouderd | Het huidige resultaat is verlaagd ten opzichte van het vorige resultaat voor een kwantitatieve observatie (de wijziging is significant zoals gedefinieerd voor de betreffende testprocedure). | from v2.1, removed after v2.8.2

DET | Gedetecteerd | | Verouderd | De meting van het gespecificeerde component / analyte, organisme of klinische teken boven de grenswaarde voor detectie van de uitgevoerde test of procedure. | added v2.7, removed after v2.8.2

H | Hoog | | Verouderd | Het resultaat voor een kwalitatieve observatie is boven de bovengrens van de referentiewaarden (zoals gedefinieerd voor de betreffende testprocedure). Synoniem: Boven bovenste normaalgrens | from v2.1, removed after v2.8.2

HH | Kritiek hoog | | Verouderd | De resultaten voor een kwantitatieve observatie is boven een referentieniveau waarop onmiddellijke actie overwogen moet worden uit het oogpunt van patiëntveiligheid (zoals gedefinieerd voor betreffende testprocedure. Synoniem: Boven hoogste kritieke grens | from v2.1, removed after v2.8.2

HM | Vastgehouden voor medische review | | Verouderd | Vervallen | added v2.8, removed after v2.8.2

HU | Zeer hoog | | Verouderd | Significant hoog: Een testresultaat die significant hoger is dan de referentie (normaal) of therapeutisch interval, maar nog niet op de kritiek hoger waarde zit en mogelijke speciale aandacht nodig heeft, zoals gedefinieerd door het laboratorium of de arts. NB: T | added v2.8.2, removed after v2.8.2

I | Gemiddeld | | Verouderd | Bacteriële stam geblokkeerd door in vitro concentratie van een anti-bacteriële agens die is gekoppeld aan een onzekere kans op therapeutisch effect. Referentie: CLSI (http://www.clsi.org/Content/NavigationMenu/Resources/HarmonizedTerminologyDatabase/Harmonized_Ter | from v2.1, removed after v2.8.2

IE | Onvoldoende bewijs | | Verouderd | Er is onvoldoende bewijs dat de betreffende soort een goed doel is voor therapie met de medicatie. Een categorische interpretatie is niet mogelijk. Referentie: EUCA. NB: Een MIC met "IE" en/of een opmerking wordt mogelijk gerapporteerd (zonder bijbehorende S, | added v2.8.2, removed after v2.8.2

IND | Onbepaald | | Verouderd | Het gespecificeerde component / analyte, organisme of klinische teken kon niet positief / negatief of gedetecteerd / niet-gedetecteerd door de uitgevoerde test of procedure | added v2.7, removed after v2.8.2

L | Laag | | Verouderd | Het resultaat voor een kwalitatieve observatie is onder de ondergrens van de referentiewaarden (zoals gedefinieerd voor de betreffende testprocedure). Synoniem: Onder onderste normaalgrens | added v2.2, removed after v2.8.2

LL | Kritiek laag | | Verouderd | De resultaten voor een kwantitatieve observatie is onder een referentieniveau waarop onmiddellijke actie overwogen moet worden uit het oogpunt van patiëntveiligheid (zoals gedefinieerd voor betreffende testprocedure. Synoniem: Onder laagste kritieke grens | from v2.1, removed after v2.8.2

LU | Zeer laag | | Verouderd | Significant laag: Een testresultaat die significant lager is dan de referentie (normaal) of therapeutisch interval, maar nog niet op de kritiek lage waarde zit en mogelijke speciale aandacht nodig heeft, zoals gedefinieerd door het laboratorium of de arts. NB: T | added v2.8.2, removed after v2.8.2

MS | Gemiddeld gevoelig. Alleen voor microbiologische gevoeligheid. | | Verouderd | Vervallen - CLSI ondersteunt nu alleen nog S, I & R. Deze informatie vindt u in CLSI document M100-S22; Vol. 32 No.3; CLSI Performance Standards for Antimicrobial Susceptibility Testing; Twenty-Second Informational Supplement. Jan 2012. | from v2.1, removed after v2.8.2

N | Normaal | | Verouderd | Het resultaat of observatiewaarde is binnen de referentiewaarden of verwachte norm (zoals gedefinieerd voor de betreffende testprocedure. NB: Van toepassing op numerieke of niet-numerieke resultaten. | added v2.2, removed after v2.8.2

ND | Niet-gedetecteerd | | Verouderd | De meting van het gespecificeerde component / analyte, organisme of klinische teken kon niet worden gedetecteerd binnen de grenswaarde voor detectie van de uitgevoerde test of procedure. | added v2.7, removed after v2.8.2

NEG | Negatief | | Verouderd | Een afwezigheidsbevinding voor het gespecificeerde component / analyte, organisme of klinische teken gebaseerd op de geldende grenswaarde van de uitgevoerde test of procedure. NB: Negatief betekent niet noodzakelijk de volledige afwezigheid van het het gespecificeerde item. | added v2.7, removed after v2.8.2

NR | Niet-reactief | | Verouderd | Een afwezigheidsbevinding om aan te geven dat het gespecificeerde component / analyte niet meetbaar reageerde met het reagens. | added v2.7, removed after v2.8.2

NS | Niet-gevoelig | | Verouderd | Een categorie voor isolaten waarvoor alleen een gevoelig interpretabel criterium is ontworpen vanwege de afwezigheid of zeldzaam voorkomen van resistente stammen. Isolaten met MIC's boven of zonediameters onder de waarde aangewezen voor de gevoeli | added v2.8.2, removed after v2.8.2

null | Geen referentiewaarden gedefinieerd of normale waarden niet van toepassing | | Verouderd | Vervallen | from v2.1, removed after v2.8.2

OBX | Interpretatie qualifiers in afzonderlijke OBX-segmenten | | Verouderd | Vervallen | added v2.8, removed after v2.8.2

POS | Positief | | Verouderd | Een aanwezigheidsbevinding voor het gespecificeerde component / analyte, organisme of klinische teken gebaseerd op de geldende grenswaarde van de uitgevoerde test of procedure. | added v2.7, removed after v2.8.2

QCF | Kwaliteitscontrole fout | | Verouderd | Vervallen | added v2.7, removed after v2.8.2

R | Resistent | | Verouderd | Bacteriële stam geblokkeerd door in vitro concentratie van een anti-bacteriële agens die is gekoppeld aan een hoge kans op therapeutisch falen. Referentie: CLSI (http://www.clsi.org/Content/NavigationMenu/Resources/HarmonizedTerminologyDatabase/Harmoniz | from v2.1, removed after v2.8.2

RR | Reactief | | Verouderd | Een aanwezigheidsbevinding om aan te geven dat het gespecificeerde component / analyte reageerde met het reagens, boven de betrouwbaar meetbare grens van de uitgevoerde test. | added v2.7, removed after v2.8.2

S | Gevoelig | | Verouderd | Bacteriële stam geblokkeerd door in vitro concentratie van een anti-bacteriële agens die is gekoppeld aan een hoge kans op therapeutisch succes. Referentie: CLSI (http://www.clsi.org/Content/NavigationMenu/Resources/HarmonizedTerminologyDatabase/Harmoniz | from v2.1, removed after v2.8.2

SDD | Gevoelig dosis-afhankelijk | | Verouderd | Een categorie inclusief isolaten met anti-microben agens minimum blokkerende concentraties (MIC's) die in de buurt van normaal bereikbare bloed en weefsel-niveau's komen en waarvoor antwoordratio's mogelijk lager zijn dan voor gevoelige isolaten. Referentie: CLSI document | added v2.8.2, removed after v2.8.2

SYN-R | Synergie - resistent | | Verouderd | Een categorie voor isolaten waarbij de bacteriën (bijv. enterococcen) in vitro niet gevoelig zijn voor een combinatietherapie (bijv. een hoog-niveau aminoglycoside en celwand actieve agens). Dit is een goede indicatie dat combinatietherapie niet effectief zal zijn. Gebr | added v2.8.2, removed after v2.8.2

SYN-S | Synergie - gevoelig | | Verouderd | Een categorie voor isolaten waarbij de bacteriën (bijv. enterococcen) in vitro gevoelig zijn voor een combinatietherapie (bijv. een hoog-niveau aminoglycoside en celwand actieve agens). Dit is een goede indicatie dat combinatietherapie effectief zal zijn. Gebr | added v2.8.2, removed after v2.8.2

TOX | Cytotoxische stoffen aanwezig | | Verouderd | Vervallen | added v2.7, removed after v2.8.2

U | Significante wijzging omhoog | | Verouderd | Het huidige resultaat is verhoogd ten opzichte van het vorige resultaat voor een kwantitatieve observatie (de wijziging is significant zoals gedefinieerd voor de betreffende testprocedure). | from v2.1, removed after v2.8.2
VS | Zeer gevoelig. Alleen voor microbiologische gevoeligheid. | | Verouderd | Vervallen - CLSI ondersteunt nu alleen nog S, I & R. Deze informatie vindt u in CLSI document M100-S22; Vol. 32 No.3; CLSI Performance Standards for Antimicrobial Susceptibility Testing; Twenty-Second Informational Supplement. Jan 2012. | from v2.1, removed after v2.8.2
W | Slechter | | Verouderd | Het huidige resultaat of observatiewaarde is verslechterd ten opzichte van vorige resultaat of observatiewaarde (de wijziging is significant zoals gedefinieerd in de betreffende testprocedure). NB: van toepassing op kwantitatieve of kwalitatieve observaties | added v2.2, removed after v2.8.2
WR | Zwak reactief | | Verouderd | Een gewogen aanwezigheidsbevinding om aan te geven dat het gespecificeerde component / analyte reageerde met het reagens, maar onder de betrouwbaar meetbare grens van de uitgevoerde test. | added v2.7, removed after v2.8.2

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.78.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0078 version 2.9

Code | System | Display

4.3.15.80 HL7 Version 2 Table 0080

URL: https://hl7.org/fhir/R4/v2/0080/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0080
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0080
Version: | 2.9
Name: | v2.0080
Title: | v2 NATURE OF ABNORMAL TESTING
Definition: | FHIR Value set/code system definition for HL7 v2 table 0080 (NATURE OF ABNORMAL TESTING)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.80.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0080 defines the following codes:

Code | Display | Definition | Version
A | en: An age-based population de: Altersabhängig nl: Een op leeftijd gebaseerde populatie | | from v2.1
B | en: Breed de: abhängig von Rasse oder Zucht nl: Dierenras | | added v2.5
N | en: None - generic normal range de: Genereller Normalwert nl: Geen - algemene normale reeks | | from v2.1
R | en: A race-based population de: Rasseabhängig nl: Een op ras gebaseerde populatie | | from v2.1
S | en: A sex-based population de: Geschlechtsabhängig nl: Een op geslacht gebaseerde populatie | | from v2.1
SP | en: Species de: abhängig von Spezies nl: Soort | | added v2.5
ST | en: Strain de: abhängig von Bakterienstamm nl: Stam | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0080 defines the following codes:

Code | Display | Definition | Version
A | An age-based population | | from v2.1
B | Breed | | added v2.5
N | None - generic normal range | | from v2.1
R | A race-based population | | from v2.1
S | A sex-based population | | from v2.1
SP | Species | | added v2.5
ST | Strain | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0080 defines the following codes:

Code | Display | Definition | Version

A | Altersabhängig | | from v2.1
B | abhängig von Rasse oder Zucht | | added v2.5
N | Genereller Normalwert | | from v2.1
R | Rasseabhängig | | from v2.1
S | Geschlechtsabhängig | | from v2.1
SP | abhängig von Spezies | | added v2.5
ST | abhängig von Bakterienstamm | | added v2.5

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0080 definieert de volgende codes:

Code | Display | Definition | Versie
A | Een op leeftijd gebaseerde populatie | | from v2.1
B | Dierenras | | added v2.5
N | Geen - algemene normale reeks | | from v2.1
R | Een op ras gebaseerde populatie | | from v2.1
S | Een op geslacht gebaseerde populatie | | from v2.1
SP | Soort | | added v2.5
ST | Stam | | added v2.5

4.3.15.83 HL7 Version 2 Table 0083

URL: https://hl7.org/fhir/R4/v2/0083/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0083
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0083
Version: | 2.9
Name: | v2.0083
Title: | v2 Outlier Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0083 (Outlier Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.83.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0083 defines the following codes:

Code | Display | Definition | Version
C | en: Outlier cost nl: Retentierecht kosten | | added v2.3.1
D | en: Outlier days nl: Retentierecht dagen | | added v2.3.1

This code system http://terminology.hl7.org/CodeSystem/v2-0083 defines the following codes:

Code | Display | Definition | Version
C | Outlier cost | | added v2.3.1
D | Outlier days | | added v2.3.1

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0083 definieert de volgende codes:

Code | Display | Definition | Versie
C | Retentierecht kosten | | added v2.3.1
D | Retentierecht dagen | | added v2.3.1

4.3.15.85 HL7 Version 2 Table 0085

URL: https://hl7.org/fhir/R4/v2/0085/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0085
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0085
Version: | 2.9
Name: | v2.0085
Title: | v2 OBSERVATION RESULT STATUS

Definition: | FHIR Value set/code system definition for HL7 v2 table 0085 (OBSERVATION RESULT STATUS)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.85.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0085 defines the following codes:

Code | Display | Definition | Comments | Version
A | en: Amended based on adjustments provided by the Placer (Physician) regarding patient demographics (such as age and/or gender or other patient specific information nl: Aangevuld op basis van aanpassingen van de Placer (Arts) met betrekking tot patiënt demografie (zoals leeftijd en/of geslacht of andere patiënt-specifieke informatie | | | added v2.8
B | en: Appended Report - Final results reviewed and further information provided for clarity without change to the original result values. nl: Aangevuld verslag - Definitieve resultaten en verdere informatie gegeven voor duidelijkheid zonder dat de oorspronkelijke resultaatwaarden wijzigen | | | added v2.8
C | en: Record coming over is a correction and thus replaces a final result de: Korrektur bereits gemeldeter Ergebnisse nl: Dit record is een correctie en vervangt het definitief resultaat | | | added v2.2
D | en: Deletes the OBX record de: Gemeldete Ergebnisse löschen nl: Verwijdert het OBX record | | | from v2.1
F | en: Final results de: Endergebnis nl: Definitieve resultaten | | | from v2.1
I | en: Specimen in lab; results pending de: Probe im Labor - Ergebnisse stehen an nl: Monster in lab; resultaten volgen | | | from v2.1
N | en: Not asked; used to affirmatively document that the observation identified in the OBX was not sought when the universal service ID in OBR-4 implies that it would be sought. de: ungefragte Übertragung nl: Niet gevraagd; gebruikt om op schrift te stellen dat de observatie geïdentificeerd in de OBX niet werd gevraagd toen de universal section ID in OBR-4 implicileerde dat deze wel werd gezocht. | | | added v2.3.1
O | en: Order detail description only (no result) de: Anforderungsbeschreibung (ohne Ergebnisse) nl: Alleen aanvraag detail (geen resultaat) | | | added v2.3.1
P | en: Preliminary results de: Vorläufige Ergebnisse nl: Voorlopige resultaten | | | added v2.2
R | en: Results entered -- not verified de: Nicht validierte Ergebnisse nl: Resultaten ingevoerd -- niet geverifieerd | | | from v2.1
S | en: Partial results. Deprecated. Retained only for backward compatibility as of V2.6. de: Teilergebnisse nl: Gedeeltelijke resultaten. Vervallen. Alleen voor backward compatibiliteit sinds V2.6 | | en: Deprecated. nl: Vervallen. | from v2.1
U | en: Results status change to final without retransmitting results already sent as 'preliminary.' E.g., radiology changes status from preliminary to final de: Vorläufiges Ergebnis wird Endergebnis, da keine Änderung nl: Result statuswijziging naar Definitief zonder de voorlopige resultaten opnieuw te sturen. Bijv. radiologie wijzigt status van voorlopig naar definitief | | | added v2.2
V | en: Verified - Final results reviewed and confirmed to be correct, no change to result value, normal range or abnormal flag nl: Geverifieerd - Definitieve resultaten gereviewd en correct bevonden, geen wijziging aan resultaatwaarde, normaalwaarde of abnormaal indicatie | | | added v2.8
W | en: Post original as wrong, e.g., transmitted for wrong patient de: fehlerhafte Übertragung nl: Oorspronkelijke resultaten verkeerd verstuurd, bijv. voor verkeerde patiënt | | | added v2.3.1
X | en: Results cannot be obtained for this observation de: Untersuchung führt zu keinem Ergebnis nl: Resultaten kunnen niet worden opgehaald voor deze observatie | | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0085 defines the following codes:

Code | Display | Definition | Comments | Version
A | Amended based on adjustments provided by the Placer (Physician) regarding patient demographics (such as age and/or gender or other patient specific information | | | added v2.8
B | Appended Report - Final results reviewed and further information provided for clarity without change to the original result values. | | | added v2.8
C | Record coming over is a correction and thus replaces a final result | | | added v2.2
D | Deletes the OBX record | | | from v2.1
F | Final results | | | from v2.1
I | Specimen in lab; results pending | | | from v2.1
N | Not asked; used to affirmatively document that the observation identified in the OBX was not sought when the universal service ID in OBR-4 implies that it would be sought. | | | added v2.3.1
O | Order detail description only (no result) | | | added v2.3.1
P | Preliminary results | | | added v2.2
R | Results entered -- not verified | | | from v2.1
S | Partial results. Deprecated. Retained only for backward compatibility as of V2.6. | | Deprecated. | from v2.1
U | Results status change to final without retransmitting results already sent as 'preliminary.' E.g., radiology changes status from preliminary to final | | | added v2.2
V | Verified - Final results reviewed and confirmed to be correct, no change to result value, normal range or abnormal flag | | | added v2.8
W | Post original as wrong, e.g., transmitted for wrong patient | | | added v2.3.1
X | Results cannot be obtained for this observation | | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0085 defines the following codes:

Code | Display | Definition | Comments | Version
A | | | | added v2.8
B | | | | added v2.8
C | Korrektur bereits gemeldeter Ergebnisse | | | added v2.2
D | Gemeldete Ergebnisse löschen | | | from v2.1
F | Endergebnis | | | from v2.1
I | Probe im Labor - Ergebnisse stehen an | | | from v2.1
N | ungefragte Übertragung | | | added v2.3.1
O | Anforderungsbeschreibung (ohne Ergebnisse) | | | added v2.3.1
P | Vorläufige Ergebnisse | | | added v2.2
R | Nicht validierte Ergebnisse | | | from v2.1
S | Teilergebnisse | | | from v2.1
U | Vorläufiges Ergebnis wird Endergebnis, da keine Änderung | | | added v2.2
V | | | | added v2.8
W | fehlerhafte Übertragung | | | added v2.3.1
X | Untersuchung führt zu keinem Ergebnis | | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0085 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie
A | Aangevuld op basis van aanpassingen van de Placer (Arts) met betrekking tot patiënt demografie (zoals leeftijd en/of geslacht of andere patiënt-specifieke informatie | | | added v2.8
B | Aangevuld verslag - Definitieve resultaten en verdere informatie gegeven voor duidelijkheid zonder dat de oorspronkelijke resultaatwaarden wijzigen | | | added v2.8
C | Dit record is een correctie en vervangt het definitief resultaat | | | added v2.2
D | Verwijdert het OBX record | | | from v2.1
F | Definitieve resultaten | | | from v2.1
I | Monster in lab; resultaten volgen | | | from v2.1
N | Niet gevraagd; gebruikt om op schrift te stellen dat de observatie geïdentificeerd in de OBX niet werd gevraagd toen de universal section ID in OBR-4 implicileerde dat deze wel werd gezocht. | | | added v2.3.1
O | Alleen aanvraag detail (geen resultaat) | | | added v2.3.1
P | Voorlopige resultaten | | | added v2.2
R | Resultaten ingevoerd -- niet geverifieerd | | | from v2.1
S | Gedeeltelijke resultaten. Vervallen. Alleen voor backward compatibiliteit sinds V2.6 | | Vervallen. | from v2.1
U | Result statuswijziging naar Definitief zonder de voorlopige resultaten opnieuw te sturen. Bijv. radiologie wijzigt status van voorlopig naar definitief | | | added v2.2
V | Geverifieerd - Definitieve resultaten gereviewd en correct bevonden, geen wijziging aan resultaatwaarde, normaalwaarde of abnormaal indicatie | | | added v2.8
W | Oorspronkelijke resultaten verkeerd verstuurd, bijv. voor verkeerde patiënt | | | added v2.3.1
X | Resultaten kunnen niet worden opgehaald voor deze observatie | | | added v2.2

4.3.15.91 HL7 Version 2 Table 0091

URL: https://hl7.org/fhir/R4/v2/0091/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0091
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0091
Version: | 2.9
Name: | v2.0091
Title: | v2 QUERY PRIORITY
Definition: | FHIR Value set/code system definition for HL7 v2 table 0091 (QUERY PRIORITY)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.91.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0091 defines the following codes:

Code | Display | Definition | Version
D | en: Deferred de: Zeitverzögert nl: Uitgesteld | | from v2.1
I | en: Immediate de: Sofort nl: Onmiddellijk | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0091 defines the following codes:

Code | Display | Definition | Version
D | Deferred | | from v2.1
I | Immediate | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0091 defines the following codes:

Code | Display | Definition | Version
D | Zeitverzögert | | from v2.1
I | Sofort | | from v2.1

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0091 definieert de volgende codes:

Code | Display | Definition | Versie
D | Uitgesteld | | from v2.1
I | Onmiddellijk | | from v2.1

4.3.15.92 HL7 Version 2 Table 0092

URL: https://hl7.org/fhir/R4/v2/0092/index.html
Vocabulary Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0092
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0092
Version: | 2.9
Name: | v2.0092
Title: | v2 RE-ADMISSION INDICATOR
Definition: | FHIR Value set/code system definition for HL7 v2 table 0092 (RE-ADMISSION INDICATOR)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is used in the following places:

• Resource: Encounter.hospitalization.reAdmission (CodeableConcept / Example)

4.3.15.92.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0092 defines the following codes:

Code | Display | Definition | Version
R | en: Re-admission de: Wiederaufnahme nl: Heropname | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0092 defines the following codes:

Code | Display | Definition | Version
R | Re-admission | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0092 defines the following codes:

Code | Display | Definition | Version
R | Wiederaufnahme | | from v2.1

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0092 definieert de volgende codes:

Code | Display | Definition | Versie
R | Heropname | | from v2.1

4.3.15.98 HL7 Version 2 Table 0098

URL: https://hl7.org/fhir/R4/v2/0098/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0098
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0098
Version: | 2.9
Name: | v2.0098
Title: | v2 Type of Agreement

Definition: | FHIR Value set/code system definition for HL7 v2 table 0098 (Type of Agreement)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.98.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0098 defines the following codes:

Code | Display | Definition | Version
M | en: Maternity nl: Moederschap | | added v2.3
S | en: Standard nl: Standaard | | added v2.3
U | en: Unified nl: Geünificeerd | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0098 defines the following codes:

Code | Display | Definition | Version
M | Maternity | | added v2.3
S | Standard | | added v2.3
U | Unified | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0098 definieert de volgende codes:

Code | Display | Definition | Versie
M | Moederschap | | added v2.3
S | Standaard | | added v2.3
U | Geünificeerd | | added v2.3

4.3.15.100 HL7 Version 2 Table 0100

URL: https://hl7.org/fhir/R4/v2/0100/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0100
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0100
Version: | 2.9
Name: | v2.0100
Title: | v2 WHEN TO CHARGE
Definition: | FHIR Value set/code system definition for HL7 v2 table 0100 (WHEN TO CHARGE)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.100.1 Code System Content

• All Languages

• English

• Deutsch (German)

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0100 defines the following codes:

Code | Display | Definition | Version
D | en: On discharge de: Bei Entlassung nl: Bij ontslag | | from v2.1
O | en: On receipt of order de: Bei Auftragseingang nl: Bij ontvangst van aanvraag | | from v2.1
R | en: At time service is completed de: Mit Ende der Leistungserbringung nl: Bij voltooiing service | | from v2.1
S | en: At time service is started de: Am Beginn der Leistungserbringung nl: Bij aanvang service | | from v2.1
T | en: At a designated date/time de: Zum angegebenen Zeitpunkt nl: Op opgegeven moment | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0100 defines the following codes:

Code | Display | Definition | Version
D | On discharge | | from v2.1
O | On receipt of order | | from v2.1

R | At time service is completed | | from v2.1
S | At time service is started | | from v2.1
T | At a designated date/time | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0100 defines the following codes:

Code | Display | Definition | Version
D | Bei Entlassung | | from v2.1
O | Bei Auftragseingang | | from v2.1
R | Mit Ende der Leistungserbringung | | from v2.1
S | Am Beginn der Leistungserbringung | | from v2.1
T | Zum angegebenen Zeitpunkt | | from v2.1

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0100 definieert de volgende codes:

Code | Display | Definition | Versie
D | Bij ontslag | | from v2.1
O | Bij ontvangst van aanvraag | | from v2.1
R | Bij voltooiing service | | from v2.1
S | Bij aanvang service | | from v2.1
T | Op opgegeven moment | | from v2.1

4.3.15.102 HL7 Version 2 Table 0102

URL: https://hl7.org/fhir/R4/v2/0102/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0102
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0102
Version: | 2.9
Name: | v2.0102
Title: | v2 DELAYED ACKNOWLEDGMENT TYPE
Definition: | FHIR Value set/code system definition for HL7 v2 table 0102 (DELAYED ACKNOWLEDGMENT TYPE)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.102.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0102 defines the following codes:

Code | Display | Definition | Deprecated | Version
D | en: Message received, stored for later processing de: Nachricht erhalten, zur Bearbeitung gespeichert nl: Bericht ontvangen, opgeslagen voor verdere verwerking | | Deprecated | from v2.1, removed after v2.4
F | en: acknowledgment after processing de: Bestätigung nach Verarbeitung (veraltet) nl: Bevestiging na verwerking | | Deprecated | added v2.2, removed after v2.4

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0102 defines the following codes:

Code | Display | Definition | Deprecated | Version
D | Message received, stored for later processing | | Deprecated | from v2.1, removed after v2.4
F | acknowledgment after processing | | Deprecated | added v2.2, removed after v2.4

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0102 defines the following codes:

Code | Display | Definition | Deprecated | Version
D | Nachricht erhalten, zur Bearbeitung gespeichert | | Deprecated | from v2.1, removed after v2.4
F | Bestätigung nach Verarbeitung (veraltet) | | Deprecated | added v2.2, removed after v2.4

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0102 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
D | Bericht ontvangen, opgeslagen voor verdere verwerking | | Verouderd | from v2.1, removed after v2.4
F | Bevestiging na verwerking | | Verouderd | added v2.2, removed after v2.4

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.102.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0102 version 2.9

Code | System | Display

4.3.15.103 HL7 Version 2 Table 0103

URL: https://hl7.org/fhir/R4/v2/0103/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0103
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0103
Version: | 2.9
Name: | v2.0103
Title: | v2 PROCESSING ID
Definition: | FHIR Value set/code system definition for HL7 v2 table 0103 (PROCESSING ID)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.103.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0103 defines the following codes:

Code | Display | Definition | Version
D | en: Debugging de: Test | | from v2.1
N | Non-Production Testing | | added v2.9
P | en: Production de: Routine / Produktion nl: Productie | | from v2.1
T | en: Training de: Schulung | | from v2.1
V | en: Validation de: Validierung | | added v2.9

This code system http://terminology.hl7.org/CodeSystem/v2-0103 defines the following codes:

Code | Display | Definition | Version
D | Debugging | | from v2.1

N | Non-Production Testing | | added v2.9
P | Production | | from v2.1
T | Training | | from v2.1
V | Validation | | added v2.9

This code system http://terminology.hl7.org/CodeSystem/v2-0103 defines the following codes:

Code | Display | Definition | Version
D | Test | | from v2.1
N | | | added v2.9
P | Routine / Produktion | | from v2.1
T | Schulung | | from v2.1
V | Validierung | | added v2.9

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0103 definieert de volgende codes:

Code | Display | Definition | Versie
D | Debugging | | from v2.1
N | | | added v2.9
P | Productie | | from v2.1
T | Training | | from v2.1
V | | | added v2.9

4.3.15.104 HL7 Version 2 Table 0104

URL: https://hl7.org/fhir/R4/v2/0104/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0104
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0104
Version: | 2.9
Name: | v2.0104
Title: | v2 VERSION CONTROL TABLE
Definition: | FHIR Value set/code system definition for HL7 v2 table 0104 (VERSION CONTROL TABLE)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.104.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0104 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
2.0 | en: Release 2.0 de: Version 2.0, September 1988 nl: Versie 2.0 | | | September 1988 | from v2.1
2.0D | en: Demo 2.0 de: Version 2.0, October 1988 (nur zu Demonstrationszwecken) | | | en: October 1988 nl: Oktober 1988 | from v2.1
2.1 | en: Release 2.1 de: Version 2.1, März 1990 nl: Versie 2.1 | | | en: March 1990 nl: Maart 1990 | from v2.1
2.2 | en: Release 2.2 de: Version 2.2, Dezember 1994 nl: Versie 2.2 | | | December 1994 | added v2.2
2.3 | en: Release 2.3 nl: Versie 2.3 | | | en: March 1997 nl: Maart 1997 | added v2.3
2.3.1 | en: Release 2.3.1 nl: Versie 2.3.1 | | | en: May 1999 nl: Mei 1999 | added v2.3.1
2.3.2 | en: Release 2.3.2 nl: Versie 2.3.2 | | Deprecated | | added v2.3.1, removed after v2.3.1
2.4 | en: Release 2.4 nl: Versie 2.4 | | | November 2000 | added v2.4
2.5 | en: Release 2.5 nl: Versie 2.5 | | | en: May 2003 nl: Mei 2003 | added v2.5
2.5.1 | en: Release 2.5.1 nl: Versie 2.5.1 | | | en: January 2007 nl: Januari 2007 | added v2.5.1
2.6 | en: Release 2.6 nl: Versie 2.6 | | | en: July 2007 nl: Juli 2007 | added v2.6
2.7 | en: Release 2.7 nl: Versie 2.6 | | | November 2010 | added v2.7
2.7.1 | en: Release 2.7.1 nl: Versie 2.7.1 | | | en: July 2012 nl: Juli 2012 | added v2.7.1
2.8 | en: Release 2.8 nl: Versie 2.8 | | | en: February 2014 nl: Juli 2014 | added v2.8

2.8.1 | en: Release 2.8.1 nl: Versie 2.8.1 | | | April 2014 | added v2.8.1
2.8.2 | Release 2.8.2 | | | May 2015 | added v2.8.2
2.9 | Draft 2.9 | | | Sep. 2017 | added v2.9

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0104 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
2.0 | Release 2.0 | | | September 1988 | from v2.1
2.0D | Demo 2.0 | | | October 1988 | from v2.1
2.1 | Release 2.1 | | | March 1990 | from v2.1
2.2 | Release 2.2 | | | December 1994 | added v2.2
2.3 | Release 2.3 | | | March 1997 | added v2.3
2.3.1 | Release 2.3.1 | | | May 1999 | added v2.3.1
2.3.2 | Release 2.3.2 | | Deprecated | | added v2.3.1, removed after v2.3.1
2.4 | Release 2.4 | | | November 2000 | added v2.4
2.5 | Release 2.5 | | | May 2003 | added v2.5
2.5.1 | Release 2.5.1 | | | January 2007 | added v2.5.1
2.6 | Release 2.6 | | | July 2007 | added v2.6
2.7 | Release 2.7 | | | November 2010 | added v2.7
2.7.1 | Release 2.7.1 | | | July 2012 | added v2.7.1
2.8 | Release 2.8 | | | February 2014 | added v2.8
2.8.1 | Release 2.8.1 | | | April 2014 | added v2.8.1
2.8.2 | Release 2.8.2 | | | May 2015 | added v2.8.2
2.9 | Draft 2.9 | | | Sep. 2017 | added v2.9

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0104 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
2.0 | Version 2.0, September 1988 | | | | from v2.1
2.0D | Version 2.0, October 1988 (nur zu Demonstrationszwecken) | | | | from v2.1
2.1 | Version 2.1, März 1990 | | | | from v2.1
2.2 | Version 2.2, Dezember 1994 | | | | added v2.2
2.3 | | | | | added v2.3
2.3.1 | | | | | added v2.3.1
2.3.2 | | | Deprecated | | added v2.3.1, removed after v2.3.1
2.4 | | | | | added v2.4
2.5 | | | | | added v2.5
2.5.1 | | | | | added v2.5.1
2.6 | | | | | added v2.6
2.7 | | | | | added v2.7
2.7.1 | | | | | added v2.7.1
2.8 | | | | | added v2.8
2.8.1 | | | | | added v2.8.1
2.8.2 | | | | | added v2.8.2
2.9 | | | | | added v2.9

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0104 definieert de volgende codes:

Code | Display | Definition | Verouderd | Commentaar | Versie
2.0 | Versie 2.0 | | | September 1988 | from v2.1
2.0D | Demo 2.0 | | | Oktober 1988 | from v2.1
2.1 | Versie 2.1 | | | Maart 1990 | from v2.1
2.2 | Versie 2.2 | | | December 1994 | added v2.2
2.3 | Versie 2.3 | | | Maart 1997 | added v2.3
2.3.1 | Versie 2.3.1 | | | Mei 1999 | added v2.3.1
2.3.2 | Versie 2.3.2 | | Verouderd | | added v2.3.1, removed after v2.3.1
2.4 | Versie 2.4 | | | November 2000 | added v2.4

2.5 | Versie 2.5 | | | Mei 2003 | added v2.5
2.5.1 | Versie 2.5.1 | | | Januari 2007 | added v2.5.1
2.6 | Versie 2.6 | | | Juli 2007 | added v2.6
2.7 | Versie 2.6 | | | November 2010 | added v2.7
2.7.1 | Versie 2.7.1 | | | Juli 2012 | added v2.7.1
2.8 | Versie 2.8 | | | Juli 2014 | added v2.8
2.8.1 | Versie 2.8.1 | | | April 2014 | added v2.8.1
2.8.2 | | | | | added v2.8.2
2.9 | | | | | added v2.9

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.104.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 16 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0104 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0104

Code | Display | Definition
2.0 | Release 2.0
2.0D | Demo 2.0
2.1 | Release 2.1
2.2 | Release 2.2
2.3 | Release 2.3
2.3.1 | Release 2.3.1
2.4 | Release 2.4
2.5 | Release 2.5
2.5.1 | Release 2.5.1
2.6 | Release 2.6
2.7 | Release 2.7
2.7.1 | Release 2.7.1
2.8 | Release 2.8
2.8.1 | Release 2.8.1
2.8.2 | Release 2.8.2
2.9 | Draft 2.9

Additional Language Displays

Code | Deutsch (German, de) | Nederlands (Dutch, nl)
2.0 | Version 2.0, September 1988 | Versie 2.0
2.0D | Version 2.0, October 1988 (nur zu Demonstrationszwecken) | Demo 2.0
2.1 | Version 2.1, März 1990 | Versie 2.1
2.2 | Version 2.2, Dezember 1994 | Versie 2.2
2.3 | | Versie 2.3
2.3.1 | | Versie 2.3.1
2.4 | | Versie 2.4
2.5 | | Versie 2.5
2.5.1 | | Versie 2.5.1
2.6 | | Versie 2.6
2.7 | | Versie 2.6
2.7.1 | | Versie 2.7.1
2.8 | | Versie 2.8
2.8.1 | | Versie 2.8.1
2.8.2
2.9

4.3.15.105 HL7 Version 2 Table 0105

URL: https://hl7.org/fhir/R4/v2/0105/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0105
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0105
Version: | 2.9
Name: | v2.0105
Title: | v2 SOURCE OF COMMENT
Definition: | FHIR Value set/code system definition for HL7 v2 table 0105 (SOURCE OF COMMENT)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.105.1 Code System Content

• All Languages

• English

• Deutsch (German)

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0105 defines the following codes:

Code | Display | Definition | Version
L | en: Ancillary (filler) department is source of comment de: Leistungsstelle nl: Andere (filler) afdeling is bron van opmerking | | from v2.1
O | en: Other system is source of comment de: Andere Stelle nl: Ander systeem is bron van opmerking | | added v2.2
P | en: Orderer (placer) is source of comment de: Auftraggeber / auftraggebende Stelle nl: Aanvrager (placer) is bron van opmerking | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0105 defines the following codes:

Code | Display | Definition | Version
L | Ancillary (filler) department is source of comment | | from v2.1
O | Other system is source of comment | | added v2.2
P | Orderer (placer) is source of comment | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0105 defines the following codes:

Code | Display | Definition | Version
L | Leistungsstelle | | from v2.1
O | Andere Stelle | | added v2.2
P | Auftraggeber / auftraggebende Stelle | | from v2.1

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0105 definieert de volgende codes:

Code | Display | Definition | Versie
L | Andere (filler) afdeling is bron van opmerking | | from v2.1
O | Ander systeem is bron van opmerking | | added v2.2
P | Aanvrager (placer) is bron van opmerking | | from v2.1

4.3.15.106 HL7 Version 2 Table 0106

URL: https://hl7.org/fhir/R4/v2/0106/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0106
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0106
Version: | 2.9
Name: | v2.0106
Title: | v2 QUERY FORMAT CODE
Definition: | FHIR Value set/code system definition for HL7 v2 table 0106 (QUERY FORMAT CODE)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.106.1 Code System Content

• All Languages

• English

• Deutsch (German)

• Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0106 defines the following codes:

Code | Display | Definition | Deprecated | Version
D | en: Response is in display format de: Antwort im Anzeige-Format nl: Antwoord is in weergavestructuur | | Deprecated | added v2.2, removed after v2.6
R | en: Response is in record-oriented format de: Antwort im datensatzorientierten Format nl: Antwoord is in record-georiënteerde structuur | | Deprecated | from v2.1, removed after v2.6
T | en: Response is in tabular format de: Antwort im tabellenorientierten Format nl: Antwoord is in tabelstructuur | | Deprecated | added v2.3, removed after v2.6

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0106 defines the following codes:

Code | Display | Definition | Deprecated | Version
D | Response is in display format | | Deprecated | added v2.2, removed after v2.6
R | Response is in record-oriented format | | Deprecated | from v2.1, removed after v2.6
T | Response is in tabular format | | Deprecated | added v2.3, removed after v2.6

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0106 defines the following codes:

Code | Display | Definition | Deprecated | Version
D | Antwort im Anzeige-Format | | Deprecated | added v2.2, removed after v2.6
R | Antwort im datensatzorientierten Format | | Deprecated | from v2.1, removed after v2.6
T | Antwort im tabellenorientierten Format | | Deprecated | added v2.3, removed after v2.6

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0106 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
D | Antwoord is in weergavestructuur | | Verouderd | added v2.2, removed after v2.6
R | Antwoord is in record-georiënteerde structuur | | Verouderd | from v2.1, removed after v2.6
T | Antwoord is in tabelstructuur | | Verouderd | added v2.3, removed after v2.6

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.106.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0106 version 2.9

Code | System | Display

4.3.15.107 HL7 Version 2 Table 0107

URL: https://hl7.org/fhir/R4/v2/0107/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0107
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0107
Version: | 2.9
Name: | v2.0107
Title: | v2 DEFERRED RESPONSE TYPE
Definition: | FHIR Value set/code system definition for HL7 v2 table 0107 (DEFERRED RESPONSE TYPE)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.107.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0107 defines the following codes:

Code | Display | Definition | Deprecated | Version
B | en: Before the Date/Time specified de: Vor dem angegebenen Zeitpunkt nl: Voor de opgegeven datum/tijd | | Deprecated | from v2.1, removed after v2.6
L | en: Later than the Date/Time specified de: Nach dem angegebenen Zeitpunkt nl: Na de opgegeven datum/tijd | | Deprecated | from v2.1, removed after v2.6

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0107 defines the following codes:

Code | Display | Definition | Deprecated | Version
B | Before the Date/Time specified | | Deprecated | from v2.1, removed after v2.6
L | Later than the Date/Time specified | | Deprecated | from v2.1, removed after v2.6

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0107 defines the following codes:

Code | Display | Definition | Deprecated | Version
B | Vor dem angegebenen Zeitpunkt | | Deprecated | from v2.1, removed after v2.6
L | Nach dem angegebenen Zeitpunkt | | Deprecated | from v2.1, removed after v2.6

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0107 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
B | Voor de opgegeven datum/tijd | | Verouderd | from v2.1, removed after v2.6
L | Na de opgegeven datum/tijd | | Verouderd | from v2.1, removed after v2.6

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.107.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0107 version 2.9

Code | System | Display

4.3.15.108 HL7 Version 2 Table 0108

URL: https://hl7.org/fhir/R4/v2/0108/index.html

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0108
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0108
Version: | 2.9
Name: | v2.0108
Title: | v2 QUERY RESULTS LEVEL
Definition: | FHIR Value set/code system definition for HL7 v2 table 0108 (QUERY RESULTS LEVEL)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.108.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0108 defines the following codes:

Code | Display | Definition | Deprecated | Version
O | en: Order plus order status de: Auftrag und Auftragsstatus nl: Aanvraag plus aanvragstatus | | Deprecated | from v2.1, removed after v2.6
R | en: Results without bulk text de: Ergebnisse / Befunde ohne umfänglichen Text nl: Resultaten zonder bulktest | | Deprecated | from v2.1, removed after v2.6
S | en: Status only de: nur Statusinformation nl: Alleen status | | Deprecated | from v2.1, removed after v2.6
T | en: Full results de: Komplette Ergebnisse / Befunde nl: Volledige resultaten | | Deprecated | from v2.1, removed after v2.6

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0108 defines the following codes:

Code | Display | Definition | Deprecated | Version
O | Order plus order status | | Deprecated | from v2.1, removed after v2.6
R | Results without bulk text | | Deprecated | from v2.1, removed after v2.6
S | Status only | | Deprecated | from v2.1, removed after v2.6
T | Full results | | Deprecated | from v2.1, removed after v2.6

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0108 defines the following codes:

Code | Display | Definition | Deprecated | Version
O | Auftrag und Auftragsstatus | | Deprecated | from v2.1, removed after v2.6
R | Ergebnisse / Befunde ohne umfänglichen Text | | Deprecated | from v2.1, removed after v2.6
S | nur Statusinformation | | Deprecated | from v2.1, removed after v2.6
T | Komplette Ergebnisse / Befunde | | Deprecated | from v2.1, removed after v2.6

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0108 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
O | Aanvraag plus aanvragstatus | | Verouderd | from v2.1, removed after v2.6
R | Resultaten zonder bulktest | | Verouderd | from v2.1, removed after v2.6
S | Alleen status | | Verouderd | from v2.1, removed after v2.6
T | Volledige resultaten | | Verouderd | from v2.1, removed after v2.6

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.108.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0108 version 2.9

Code | System | Display

4.3.15.109 HL7 Version 2 Table 0109

URL: https://hl7.org/fhir/R4/v2/0109/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0109
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0109
Version: | 2.9
Name: | v2.0109
Title: | v2 REPORT PRIORITY
Definition: | FHIR Value set/code system definition for HL7 v2 table 0109 (REPORT PRIORITY)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.109.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0109 defines the following codes:

Code | Display | Definition | Deprecated | Version
R | en: Routine nl: Normaal | | Deprecated | from v2.1, removed after v2.6
S | en: Stat de: Eilig | | Deprecated | from v2.1, removed after v2.6

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0109 defines the following codes:

Code | Display | Definition | Deprecated | Version
R | Routine | | Deprecated | from v2.1, removed after v2.6
S | Stat | | Deprecated | from v2.1, removed after v2.6

Properties

Code | URL | Description | Type

status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0109 defines the following codes:

Code | Display | Definition | Deprecated | Version
R | Routine | | Deprecated | from v2.1, removed after v2.6
S | Eilig | | Deprecated | from v2.1, removed after v2.6

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0109 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
R | Normaal | | Verouderd | from v2.1, removed after v2.6
S | Stat | | Verouderd | from v2.1, removed after v2.6

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.109.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0109 version 2.9

Code | System | Display

4.3.15.116 HL7 Version 2 Table 0116

URL: https://hl7.org/fhir/R4/v2/0116/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0116
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0116
Version: | 2.9
Name: | v2.0116
Title: | v2 BED STATUS
Definition: | FHIR Value set/code system definition for HL7 v2 table 0116 (BED STATUS)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is used in the following places:

• Resource: Location.operationalStatus (Coding / Preferred)

4.3.15.116.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0116 defines the following codes:

Code | Display | Definition | Version
C | en: Closed de: Nicht verfügbar nl: Gesloten | | from v2.1
H | en: Housekeeping de: Reinigung nl: Onderhoud | | from v2.1
I | en: Isolated de: Isoliert nl: In isolatie | | added v2.2
K | en: Contaminated de: Kontaminiert nl: Besmet | | added v2.2
O | en: Occupied de: belegt nl: Bezet | | from v2.1
U | en: Unoccupied de: Frei nl: Niet-bezet | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0116 defines the following codes:

Code | Display | Definition | Version
C | Closed | | from v2.1

H | Housekeeping | | from v2.1
I | Isolated | | added v2.2
K | Contaminated | | added v2.2
O | Occupied | | from v2.1
U | Unoccupied | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0116 defines the following codes:

Code | Display | Definition | Version
C | Nicht verfügbar | | from v2.1
H | Reinigung | | from v2.1
I | Isoliert | | added v2.2
K | Kontaminiert | | added v2.2
O | belegt | | from v2.1
U | Frei | | from v2.1

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0116 definieert de volgende codes:

Code | Display | Definition | Versie
C | Gesloten | | from v2.1
H | Onderhoud | | from v2.1
I | In isolatie | | added v2.2
K | Besmet | | added v2.2
O | Bezet | | from v2.1
U | Niet-bezet | | from v2.1

4.3.15.119 HL7 Version 2 Table 0119

URL: https://hl7.org/fhir/R4/v2/0119/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0119
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0119
Version: | 2.9
Name: | v2.0119
Title: | v2 ORDER CONTROL
Definition: | FHIR Value set/code system definition for HL7 v2 table 0119 (ORDER CONTROL)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.119.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0119 defines the following codes:

Code | Display | Definition | Comments | Version
AF | en: Order/service refill request approval nl: Aanvraag/service herhaling verzoek goedgekeurd | | en: Placer Applications. AF is a response to RF where the placer authorizing a refill or quantity of refills. nl: Placer applicaties. AF is een antwoord op RF waarbij de placer een herhaling autoriseert of een bepaalde hoeveelheid om aan te vullen | added v2.3
CA | en: Cancel order/service request de: Auftrag stornieren nl: Annuleer aanvraag/service verzoek | | en: Placer or Filler Applications. A cancellation is a request by the placer for the filler, or the filler to the placer, not to do a previously ordered service. Confirmation of the cancellation request is provided by the filler or placer, e.g., a message with an ORC-1-order control value of CR. Typical responses include, but are not limited to, CR – Cancelled as requested, UC – Unable to Cancel. nl: Placer of filler applicaties. Een annulering is een verzoek voor de placer aan de filler, of de filler aan de placer, om de eerder aangevraagde service niet te doen. Bevestiging van het annuleringverzoek wordt gegeven door de filler of de placer, bijv. een bericht met | from v2.1
CH | en: Child order/service de: nachgeordneter Auftrag nl: Onderliggende/deel aanvraag/service | | en: Placer or Filler Applications. Used in conjunction with the PA - Parent order control code. Refer to PA order control code for discussion. nl: Placer of filler applicaties. Gebruikt in samenwerking met de code PA - Bovenliggende aanvraag/service. Zie PA voor verdere discussie. | from v2.1
CN | en: Combined result de: Kumulatives Ergebnis (zu mehreren Aufträgen) nl: Gecombineerd resultaat | | en: Filler Applications. The combined result code provides a mechanism to transmit results that are associated with two or more orders. This situation occurs commonly in radiology reports when the radiologist dictates a single report for two or more exams represented as two or more orders. For example, knee and hand films for a rheumatoid arthritis patient might generate a single dictation on the part of the radiologist. When such results are reported the CN code replaces the RE code in all but the last ORC, and the results follow the last ORC and its OBR. An example follows of a single report following three ORCs: MSH|...<cr> PID|...<cr> ORC|CN|...<cr>

OBR|1|A4461XA^HIS|81641^RAD|73666^Bilateral Feet|...<cr> ORC|CN|...<cr>
OBR|2|A4461XB^HIS|81642^RAD|73642^Bilateral Hand PA|...<cr> ORC|RE|...<cr>
OBR|3|A4461XC^HIS|81643^RAD|73916^Bilateral Knees|...<cr> OBX|1|CE|73916&IMP|1|Radiologist's Impression|...<cr>
OBX|2|CE|73642&IMP|1|Radiologist's Impression|...<cr> OBX|3|FT|73642&GDT|1|Description|...<cr> nl: Filler applicaties. De gecombineerde resultaatcode geeft een mechanisme om resultaten te sturen die zijn gekoppeld aan twee of meer aanvragen. Deze situatie komt vaak voor in radiologieverslagen als de radioloog één verslag dicteert voor twee of meer onderzoeken | from v2.1

CP | en: Cancel process step nl: Annuleer processtap | | en: Filler Applications. The control code CP – Cancel process step should be used in the ORC-1 for communication Filler-to-Filler, e.g., LIS-to-Analyzer, to differentiate from code CA (Placer-to-Filler). The Filler should response with an acceptance of the cancellation using ORC-1 = CR and ORC-5 = CA. nl: Filler applicaties. De code CP - Annuleer processtap is bedoeld voor in ORC-1 bij Filler-naar-Filler communicatie, bijv. LIS-naar-Analyzer, om verschil te kunnen maken tussen code CDA (Placer-naar-Filler). De Filler moet antwoorden met een acceptatie van | added v2.8

CR | en: Canceled as requested de: Auftrag anweisungsgemäß storniert nl: Geannuleerd zoals gevraagd | | en: Filler or Placer Applications. A response by the filler or placer application that a request to cancel (CA by the placer application) was performed successfully. nl: Filler of Placer applicaties. Een antwoord van de filler of placer applicatie om aan te geven dat een verzoek om te annuleren (CA door de placer applicatie) succesvol is uitgevoerd. | added v2.2

DC | en: Discontinue order/service request de: Auftragsausführung abbrechen nl: Breek aanvraag/service verzoek af | | en: Placer or Filler Applications. A request by the placer for the filler, or the filler to the placer, to discontinue a previously requested service. The differentiation between discontinue and cancel is that discontinue effects the order/service and all future occurrences, cancel refers to just the present action. Typical responses include, but are not limited to, CR – Cancelled as requested, UC – Unable to Cancel. nl: Placer of filer applicaties. Een verzoek van de placer aan de filler, of van de filler aan de placer, om een eerder aangevraagde service af te breken. Het verschil tussen afbreken en annuleren is dat afbreken de aanvraag/service betreft en alle | from v2.1

DE | en: Data errors de: Datenfehler nl: Gegevens fouten | | en: Placer or Filler Applications. nl: Placer of filler applicaties. | from v2.1

DF | en: Order/service refill request denied nl: Aanvraag/service herhaal verzoek afgekeurd | | en: Placer Applications. In response to a Filler application requesting refill authorization (RF), DF indicates that the placer does not authorize refills for the order. ORC-16 Order Control Code reason may be used to indicate the reason for the request denial. Some suggested values include: AA Patient unknown to the provider AB Patient never under provider care AC Patient no longer under provider care AD Patient has requested refill too soon AE Medication never prescribed for the patient AF Patient should contact provider first AG Refill not appropriate Note that these values originate from the NCPDP SCRIPT Response Segment Code List Qualifiers. Materials Reproduced with the consent of ©National Council for Prescription Drug Programs, Inc. 1988, 1992, 2002 NCPDP. nl: Placer applicaties. In antwoord op een autorisatieverzoek om te herhalen (RF) door de filler applicatie, geeft DF aan dat de placer geen autorisatie geeft voor herhaling van de order. ORC-16 Order Control Code Reason kan worden gebruikt om de reden voor afkeuring aan te geven. | added v2.3

DR | en: Discontinued as requested de: Auftragsausführung anweisungsgemäß abgebrochen nl: Afgebroken zoals gevraagd | | en: Filler or Placer Applications. The filler or placer, in response to a request to discontinue (DC from the placer or filler application), has discontinued the order/service. nl: Filler of placer applicaties. De filler of placer heeft de aanvraag/service afgebroken, in antwoord op een verzoek deze af te breken (DC van de aplcer of filler applicatie). | from v2.1

FU | en: Order/service refilled, unsolicited nl: Aanvraag/service herhaald, ongevraagd | | en: Filler Applications. FU notifies the placer that the filler issued a refill for the order at the patient's request. nl: Filler applicaties. Deze code meldt aan de placer dat de filler een herhaling heeft gedaan voor de aanvraag op verzoek van de patiënt. | added v2.3

HD | en: Hold order request de: Auftragsbearbeitung aussetzen nl: Houd aanvraag aan verzoek | | en: Placer Applications. Typical responses include, but are not limited to, CR - Cancelled as requested, UC - Unable to Cancel. nl: Placer applicaties. De meest voorkomende, maar niet enige, antwoord zijn CR - Geannuleerd zoals gevraagd, UC - Kon niet annuleren. | from v2.1

HR | en: On hold as requested de: Auftragsbearbeitung anweisungsgemäß ausgesetzt nl: Aangehouden zoals gevraagd | | en: Filler Applications. nl: Filler applicaties. | from v2.1

LI | en: Link order/service to patient care problem or goal nl: Koppel aanvraag/service aan patiënt zorgprobleem of doel | | en: Placer or Filler Applications. Refer to Chapter 12 Patient Care for complete discussion. nl: Placer of filler applicaties. Zie Hoofdstuk 12 Patient Care voor vollledige discussie. | added v2.3.1

MC | en: Miscellaneous Charge - not associated with an order nl: Overige charge - niet gekoppeld aan een aanvraag | | en: applies to DFT^P03^DFT_P03 and DFT^P11^DFT_P11 nl: van toepassing op DFT^P03^DFT_P03 en DFT^P11^DFT_P11 | added v2.6

NA | en: Number assigned de: Nummer zugewiesen nl: Nummer toegekend | | en: Placer Applications. There are three circumstances that involve requesting an order number (ORC-2-placer order number or ORC-3-filler order number): (1) When the filler application needs to request an ORC-3-filler order number from a centralized application (e.g., HIS). SN – The send order number code provides a mechanism for the filler to request an ORC-3-filler order number from some centralized application (called "other" in the table below), such as a central HIS, by sending an ORM message containing an ORC-1-order control value of SN. This ORC has a null ORC-3-filler order number and an ORC-2-placer order number created by the filler application when the filler originates the order. The order (SN type) message can be acknowledged by either one of two methods: a) By an order application acknowledgement message containing an ORC-1-order control value of OK. Then an unsolicited order message can be sent at a future time, containing an ORC with ORC-1-order control value of NA to provide the actual number assigned. b) By an order acknowledgement message containing an ORC-1-order control value of NA as described below. NA – The number assigned code allows the "other" application to notify the filler application of the newly-assigned filler order number. ORC-1-order control contains value of NA, ORC-2-placer order number (from the ORC with the SN value), and the newly-assigned filler order number. Code From ORC-2-Placer Order Number ORC-3-Filler Order Number SN filler application placer order number^filler application ID Null NA other application placer order number^filler application ID filler order number^filler application ID Note: Both the placer order number and the filler order number have the filler's application ID (2) When the filler application needs to request an ORC-2-placer order number from some other application (e.g., Order Entry). SN – The send order number code provides a mechanism for the filler application to request an ORC-2-placer order number from another application (called "other" in the table below) by sending an order message containing an ORC-1-order control value of SN. This ORC has a null ORC-2-placer order number and an ORC-3-filler order number created by the filler application when the filler originates the order. The order (SN type) message can be acknowledged by two methods: a) By an order application acknowledgement message containing an ORC-1-order control value of OK. Then an unsolicited order message can be sent at a future time, containing an ORC-1-order control value of NA to provide the actual number assigned. b) By an order acknowledgement message containing an ORC-1-order control value of NA as described below. NA – The number assigned code allows the "other" application to notify the filler application of the newly-assigned ORC-2-placer order number. The ORC contains an ORC-1-order control value of NA, the newly-assigned ORC-2-placer order number, and the ORC-3-filler order number (from the ORC with the SN value). Code From ORC-2-Placer Order Number ORC-3-Filler Order Number SN filler application null filler order number^filler application ID NA other application placer

order number^placer application ID filler order number^filler application ID Note: The new ORC-2-placer order number has the placer's application ID (3) When an application (not the filler application) wants to assign an ORC-3-filler order number for a new order. NW – When the application creating an order (not the filler application) wants to assign a filler order number for a new order. or RO – (RO following an RP). In this case, the "other" application completes ORC-3-filler order number, using the filler application ID as the second component of the filler order number. Code From ORC-2-Placer Order Number ORC-3-Filler Order Number NW or RO Other application to filler application placer order number^placer application ID filler order number^filler application ID nl: Placer applicaties. Er zijn drie omstandigheden waarin verzoeken van een aanvraagnummer (ORC-2 Placer aanvraagnummer of ORC-3 Filler aanvraagnummer): (1) Als de filler applicatie een ORC-3 Filler aanvraagnummer moet aanvragen van een centrale applicatie | from v2.1

NR | Notification Received | | | added v2.9

NW | en: New order/service de: Neuer Auftrag nl: Nieuwe aanvraag/service | | en: Placer Applications. See comments for NA - Number Assigned. nl: Placer applicaties. Zie opmerkingen voor NA - Nummer toegekend | from v2.1

OC | en: Order/service canceled de: Auftrag storniert nl: Aanvraag/service geannuleerd | | en: Filler Applications. nl: Filler applicaties. | added v2.2

OD | en: Order/service discontinued de: Auftragsausführung abgebrochen nl: Aanvraag/service afgebroken | | en: Filler Applications. nl: Filler applicaties. | from v2.1

OE | en: Order/service released nl: Aanvraag/service vrijgegeven | | en: Filler Applications. nl: Filler applicaties. | added v2.3

OF | en: Order/service refilled as requested nl: Aanvraag/service herhaald zoals gevraagd | | en: Filler Applications. OF directly responds to the placer system's request for a refill. nl: Filler applicaties. OF is een direct antwoord op het verzoek voor herhaling van een placer system. | added v2.3

OH | en: Order/service held de: Auftragsbearbeitung ausgesetzt nl: Aanvraag/service aangehouden | | en: Filler Applications. nl: Filler applicaties. | added v2.2

OK | en: Order/service accepted & OK de: Auftrag akzeptiert nl: Aanvraag/service geaccepteerd en OK | | en: Filler Applications. See comments for NA - Number Assigned. nl: Filler applicaties. Zie opmerkingen voor NA - Nummer toegekend | from v2.1

OP | en: Notification of order for outside dispense nl: Notificatie van aanvraag voor verstrekking door derde | | en: Placer Applications. These order control codes are used to communicate an order between systems where the order is intended for informational purposes. For example, an order that will be performed by a vendor outside the enterprise of communicating systems. The communicating systems may need to maintain information relative to the order for clinical continuity, but no actions to perform the ordered service are intended. OP represents an informational version of NW, PY represents the informational-only version of RO. NW and RO table notes also apply to OP and PY, respectively. nl: Placer applicaties. Deze aanvraagbeheer codes worden gebruikt voor communicatie van aanvragen tussen systemen waarbij de aanvraag bedoeld is ter informatie. Een aanvraag wordt bijvoorbeeld uitgevoerd door een leverancier anders dan de communicerende systemen. | added v2.5

OR | en: Released as requested de: Auftragsbearbeitung anweisungsgemäß wiederaufgenommen nl: Vrijgegeven zoals gevraagd | | en: Filler Applications. nl: Filler applicaties. | from v2.1

PA | en: Parent order/service de: Hauptauftrag nl: Bovenliggende aanvraag/service | | en: Filler Applications. The parent (PA) and child (CH) order control codes allow the spawning of "child" orders from a "parent" order without changing the parent (original order). One or more ORC segments with an ORC-1-order control value of PA are followed by one or more ORC segments with an ORC-1-order control value of CH. Whether OBR segments must be present is determined by the value of ORC-6-response flag. For example, suppose that a microbiology culture produced two organisms and corresponding susceptibility reports. Then the sequence of segments would be as follows: (see figure 4-4) The assignment of placer order numbers in the parent-child paradigm depends on whether the placer or filler creates the child order and in the latter case, on whether the placer supports the SN/NA transaction. If the placer creates the child orders it will assign their placer order numbers according to its usual procedures. If the filler creates the child orders there are two possibilities: each child will inherit the placer order number of its parent, or the filler will use the SN/NA transaction to request that the placer assign a placer order number. In either case, the filler application creates the filler order numbers of the children according to its usual procedures. Whenever a child order is transmitted in a message the ORC segment's ORC-8-parent is valued with the parent's filler order number (if originating from the filler) and with the parent's placer order number (if originating from the filler or if originating from the placer). The parent child mechanism can be used to "expand" a parent order (e.g., an order for three EKGs on successive mornings). nl: Filler applicaties. De codes voor bovenliggende (PA) en onderliggende/deel (CH) ondersteunen het onderscheiden van "onderliggende/deel" aanvragen van een "bovenliggende" aanvraag zonder dat de bovenliggende (oorspronkelijke aanvraag) wijzigt. Een of meer ORC segmenten met een ORC-1 Aanvraagbeheer PA waarden worden gevolgd door | from v2.1

PR | en: Previous Results with new order/service nl: Vorige resultaten met nieuwe aanvraag/service | | en: Placer Applications. PR indicates that this ORC is part of an ORU structure containing previous observation, which is embedded in the order. At least two main use cases require that the complete results of the previous observations be transmitted with the order. • Diagnostic laboratories referring tests to another lab for either confirmation of results (HIV, etc.) or due to not being equipped to do the tests (genetic testing, etc.). • Diagnostic laboratories sending test results to Knowledge Bases for the automated generation of diagnostic comments for inclusion into the lab report. nl: Placer applicaties. PR geeft aan dat deze ORC deel is van een ORU | added v2.4

PY | en: Notification of replacement order for outside dispense nl: Notificatie van vervangende aanvraag voor verstrekking door derde | | en: Placer Applications. See comments for OP - Notification of order for outside dispense. nl: Placer applicatie. Zie opmerkingen voor OP - Notificatie van aanvraag voor verstrekking door derde. | added v2.5

RA | Recommendation Accepted | | | added v2.9

RC | Recommended Change | | | added v2.9

RD | Recommendation Declined | | | added v2.9

RE | en: Observations/Performed Service to follow de: Untersuchungsergebnisse folgen (in späteren Segmenten dieser Nachricht) nl: Observaties/uitgevoerde server volgen | | en: Placer or Filler Applications. The observations-to-follow code is used to transmit patient-specific information with an order. An order detail segment (e.g., OBR) can be followed by one or more observation segments (OBX). Any observation that can be transmitted in an ORU message can be transmitted with this mechanism. When results are transmitted with an order, the results should immediately follow the order or orders that they support. The following example shows the sequence of segments for three Pharmacy orders. It illustrates the use of the RE code: Segment Order Control Comment MSH PID ORC NW First new order RXO First order segment ORC NW 2nd new order RXO 2nd order segment [ORC RE Patient-specific observation, optional in V 2.2 OBR] Observation OBR, optional in V 2.2 OBX An observation segment OBX Another observation segment OBX Another observation segment OBX Another observation segment ORC NW 3rd order RXO 3rd order segment In this version of HL7, results can be transmitted with an order as one or more OBX segments without the necessity of including the ORC and OBR segments. Observations can be transmitted in an ORU message without using an ORC. There are times when it is necessary to transmit information not included in the OBR segments of the ORU message. In this case, it is recommended that the ORC be included in the ORU message. The order control value of RE is required only in ORM messages to indicate that an order is followed by observation results (OBX). The RE code is not necessary in the ORU message because it is

expected that the OBR segments can be followed by observation results (OBX). nl: Placer of filler applicaties. Deze code wordt gebruikt voor het doorgeven van patiënt-specifieke informatie met een aanvraag. Een aanvraag-detailsegment (bijv. OBR) kan worden gevolgd door een of meer observatiesegmenten (OBX). Ieder observatie die kan worden ge | from v2.1

RF | en: Refill order/service request nl: Herhaal aanvraag/service verzoek | | en: Placer or Filler Applications. RF accommodates requests by either the filler or the placer. The filler may be requesting refill authorization from the placer. A placer system may be requesting a refill to be done by the filler system. Typical responses include, but are not limited to: For a Filler request AF – Order/service refill request approval, DF – Order/service refill request denied; for a Placer request RE – Observations/Performed Service to follow, UF – Unable to refill. nl: Placer of filler applicaties. Deze code ondersteunt verzoeken door de filler of de placer. De filler kan een autorisatie voor herhaling vragen van de placer. Een placer-systeem kan een herhaling vragen van het filler-systeem. Meestal is het antwoord | added v2.3

RL | en: Release previous hold de: Auftragsberabeitung wiederaufnehmen nl: Geef vorige vastgehouden vrij | | en: Placer Applications. nl: Placer applicaties. | added v2.2

RO | en: Replacement order de: Ersatzauftrag nl: Vervangende aanvraag | | en: Placer or Filler Applications. A replacement is the substitution of one or more orders for one or more previously ordered services. The replaced orders are treated as though they were canceled. If and when an ordered service can be replaced are local site-specific determinations. Use the parent/child order control codes if the site specifies that the original order must remain intact. Do not use the replacement codes under this circumstance. For each order to be replaced, use an ORC-1-order control value of RP (request for a replacement going to a filler) or RU (an unsolicited replacement created by the filler) used by the filler to notify the placer and/or other systems). By local agreement, the ORC segment (with RP or RU) may be followed by its original order detail segment. The ORC segments (with RP or RU) must be followed by an ORC segment with an ORC-1-order control value of RO (indicating the replacement order). By local agreement, the ORC with the RO value may be followed by an order detail segment. For example, suppose that an ancillary application were replacing two OBR orders with three different orders. The sequence of segments would be as follows: Seg Order Control Comment ORC RU 1st replaced ORC OBR 1st replaced order’s detail segment ORC RU 2nd replaced ORC OBR 2nd replaced order’s detail segment ORC RO 1st replacement ORC OBR 1st replacement order’s detail segment ORC RO 2nd replacement ORC OBR 2nd replacement order’s detail segment ORC RO 3rd replacement ORC OBR 3rd replacement order’s detail segment Whether the OBR segments must be present is determined by the value of ORC-6-response flag. The described replacement method will handle all possible cases of replacement: one into one, many into one, one into many, and many into many. If the placer sent this request to the filler with two RPs, and this was a response back from the filler to the placer, the two RUs (replaced unsolicited) would be two RQs (replaced as requested). (see figure 4-3) Seg Order Control Comment ORC RQ 1st replaced ORC OBR 1st replaced order’s detail segment ORC RQ 2nd replaced ORC OBR 2nd replaced order’s detail segment ORC RO 1st replacement ORC OBR 1st replacement order’s detail segment ORC RO 2nd replacement ORC OBR 2nd replacement order’s detail segment ORC RO 3rd replacement ORC OBR 3rd replacement order’s detail segment The replacement order code is sent by the filler application to another application indicating the exact replacement ordered service. It is used with the RP and RU order control codes as described above. The rules for the order numbers in ORC segments with an order control value of RO are determined by the replacement type (RP or RU). In the case of the RU type (i.e., unsolicited replacement by the filler), the filler order number is generated as usual by the filler application. The placer order number is identical to the placer order number of the first transmitted ORC with an order control value of RU. In the case of the RP type (i.e., a replacement request from another application to the filler), the placer order number is generated by the placer application using the procedure for new orders. The filler order number is generated by the filler application using the procedure identical for new orders. If a replacement sequence is used in an ORU message (i.e., during results reporting), the following are the recommended segments to be used for the replacement orders: ORC with an order control value of RO. Any OBR segments (can be replaced by any order detail segments). Optionally followed by observation result segments (OBX) NTE segments can appear after the OBR (or any order detail segment) or after an OBX segment as in a regular ORU message. nl: Placer of filler applicaties. Een vervanging is de substitutie van een of meer aanvragen voor een of meer eerder aangevraagde services. De vervangen aanvragen worden behandeld alsof ze zijn geannuleerd. Of en ondere welke omstandigheden een aanvraagde service vervangen kan worden hangt af van lokale | from v2.1

RP | en: Order/service replace request de: Auftrag ersetzen nl: Aanvraag/service vervanging verzoek | | en: Placer Applications. A replacement is the substitution of one or more orders for one or more previously ordered services. See comment 1 on RO – Replacement Order for further discussion. The order replace request code permits the order filler to replace one or more new orders with one or more new orders, at the request of the placer application. The rules for the order numbers in ORC segments with an order control value of RO are determined by the replacement type (RP or RU). In the case of the RU type (i.e., unsolicited replacement by the filler), the filler order number is generated as usual by the filler application. The placer order number is identical to the placer order number of the first transmitted ORC with an order control value of RU. In the case of the RP type (i.e., a replacement request from another application to the filler), the placer order number is generated by the placer application using the procedure for new orders. The filler order number is generated by the filler application using the procedure identical for new orders. If a replacement sequence is used in an ORU message (i.e., during results reporting), the following are the recommended segments to be used for the replacement orders: a) ORC with an order control value of RO b) Any OBR segments (can be replaced by any order detail segments) c) Optionally followed by observation result segments (OBX) d) NTE segments can appear after the OBR (or any order detail segment) or after an OBX segment as in a regular ORU message nl: Placer applicaties. Een vervanging is de substitutie van een of meer aanvragen voor eerder aangevraagde services. Zie opmerking 1 bij RO - Vervangende aanvraag voor verder discussie. De code voor vervangende aanvraag staat de filler toe om | from v2.1

RQ | en: Replaced as requested de: Auftrag anweisungsgemäß ersetzt nl: Vervangen zoals gevraagd | | en: Filler Applications. A replacement is the substitution of one or more orders for one or more previously ordered services. See comment 1 on RO – Replacement Order for further discussion. The order replace request code permits the order filler to replace one or more new orders with one or more new orders, at the request of the placer application. The replacement order code is sent by the filler application to another application indicating the exact replacement ordered service. It is used with the RP and RU order control codes as described above. The rules for the order numbers in ORC segments with an order control value of RO are determined by the replacement type (RP or RU). In the case of the RU type (i.e., unsolicited replacement by the filler), the filler order number is generated as usual by the filler application. The placer order number is identical to the placer order number of the first transmitted ORC with an order control value of RU. In the case of the RP type (i.e., a replacement request from another application to the filler), the placer order number is generated by the placer application using the procedure for new orders. The filler order number is generated by the filler application using the procedure identical for new orders. If a replacement sequence is used in an ORU message (i.e., during results reporting), the following are the recommended segments to be used for the replacement orders: a) ORC with an order control value of RO b) Any OBR segments (can be replaced by any order detail segments) c) Optionally followed by observation result segments (OBX) d) NTE segments can appear after the OBR (or any order detail segment) or after an OBX segment as in a regular ORU message nl: Filler applicaties. Een vervanging is de substitutie van een of meer aanvragen voor een of meer eerder aangevraagd services. Zie opmerking 1 bij RO - Vervangende aanvraag voor verder discussie. De code voor vervangende aanvraag staat de filler toe om | added v2.2

RR | en: Request received de: Anforderung erhalten nl: Verzoek ontvangen | | en: Placer or Filler Applications. Left in for backward compatibility. In the current version it is equivalent to an accept acknowledgment. The request-received code indicates that an

order message has been received and will be processed later. The order has not yet undergone the processing that would permit a more exact response. nl: Placer of filler applicaties. Behouden vanwege backward compatibiliteit. In de huidige versie is deze equivalent aan een ontvangstbevestiging. De code RR geeft aan dat een aanvraagbericht is ontvangen en latere wordt verwerkt. De aanvraag heeft | from v2.1

RU | en: Replaced unsolicited de: Auftrag ersetzt (ohne Anweisung) nl: Vervangen ongevraagd | | en: Filler Applications. A replacement is the substitution of one or more orders for one or more previously ordered services. See comment 1 on RO – Replacement Order for further discussion. The unsolicited replacement code permits the filler application to notify another application without being requested from the placer application. The rules for the order numbers in ORC segments with an order control value of RO are determined by the replacement type (RP or RU). In the case of the RU type (i.e., unsolicited replacement by the filler), the filler order number is generated as usual by the filler application. The placer order number is identical to the placer order number of the first transmitted ORC with an order control value of RU. In the case of the RP type (i.e., a replacement request from another application to the filler), the placer order number is generated by the placer application using the procedure for new orders. The filler order number is generated by the filler application using the procedure identical for new orders. If a replacement sequence is used in an ORU message (i.e., during results reporting), the following are the recommended segments to be used for the replacement orders: a) ORC with an order control value of RO b) Any OBR segments (can be replaced by any order detail segments) c) Optionally followed by observation result segments (OBX) d) NTE segments can appear after the OBR (or any order detail segment) or after an OBX segment as in a regular ORU message nl: Filler applicaties. Een vervanging is de substitutie van een of meer aanvragen voor een of meer eerder aangevraagde services. Zie opmerking 1 bij RO - Vervangende aanvraag voor verder discussie. De code RU staat de filler applicatie toe om | from v2.1

SC | en: Status changed de: Statusänderung nl: Status gewijzigd | | en: Placer or Filler Applications. nl: Placer of filler applicaties. | added v2.2

SN | en: Send order/service number de: Auftrags- bzw. Bearbeitungsnummer zuweisen / übermitteln nl: Stuur aanvraag/service nummer | | en: Placer Applications. See comments for NA - Number Assigned. nl: Placer applicaties. Zie opmerkingen voor NA - Nummer toegekend. | from v2.1

SQ | Supplemented as requested | | | added v2.9

SR | en: Response to send order/service status request de: Auftragsstatus (Antwort) nl: Antwoord op stuur aanvraag/service status verzoek | | en: Filler Applications. nl: Filler applicaties. | added v2.2

SS | en: Send order/service status request de: Auftragsstatus senden nl: Stuur aanvraag/service status verzoek | | en: Placer Applications. nl: Placer applicaties. | from v2.1

SU | Supplement this order | | | added v2.9

UA | en: Unable to accept order/service de: Auftragsannahme nicht möglich nl: Kon aanvraag/service niet accepteren | | en: Filler Applications. An unable to accept code is used when a new order cannot be accepted by the filler. Possible reasons include requesting a prescription for a drug which the patient is allergic to or for an order which requires certain equipment resources which are not available such that the order cannot be filled. Note that this is different from the communication level acceptance as defined within the MSA segment. nl: Filler applicaties. De code UA wordt gebruikt wanneer een nieuwe aanvraag niet worden geaccepteerd door de filler. Mogelijk redenen zijn voorschriften voor een medicijn waarvoor de patiënt allergisch is of een aanvraag waarvoor bepaalde apparatuur nodig is | added v2.3

UC | en: Unable to cancel de: Auftragsstornierung nicht möglich nl: Kon niet annuleren | | en: Filler or Placer Applications. An unable-to-cancel code is used when the ordered service is at a point that it cannot be canceled by the placer or filler or when local rules prevent cancellation by the filler. The use of this code is dependent on the value of ORC-6-response flag. If the filler initiated the request to cancel and the placer is unable to cancel while the filler cannot proceed with the fulfillment of that order, then the necessary communication to resolve the conflict is outside the scope of these messages. nl: Placer of filler applicaties. De code UC wordt gebruikt wanneer de aangevraagde service op een punt zit waarbij deze niet meer kan worden geannuleerd door de placer of de filler of als lokale regels annulering door de filler verhinderen. Gebruik van deze code is afhankelijk van de waarde | added v2.2

UD | en: Unable to discontinue de: Abbrechen nicht möglich nl: Kon niet afbreken | | en: Filler or Placer Applications. An unable-to-discontinue code is used when the ordered service is at a point that it cannot be discontinued by the placer or filler or when local rules prevent discontinuance by the filler. The use of this code is dependent on the value of ORC-6-response flag. If the filler initiated the request to discontinue and the placer is unable to discontinue while the filler cannot proceed with the fulfillment of that order, then the necessary communication to resolve the conflict is outside the scope of these messages. nl: Filler of placer applicaties. Deze code wordt gebruikt als de aangevraagde service op een punt zit dat afgebreken door de placer of filler niet meer mogelijk is of wanneer lokale regels afbreken door de filler verhinderen. Gebruik van deze code hangt af van | from v2.1

UF | en: Unable to refill nl: Kon niet herhalen | | en: Filler Applications. Negative response to RF Refill order/service request, indicating that the receiving application was not able to complete the refill request. nl: Filler applicaties. Negatief antwoord op RF - Herhaal aanvraag/service verzoek, dat aangeeft dat de ontvangende applicatie het herhaalverzoek niet kon uitvoeren. | added v2.3

UH | en: Unable to put on hold de: Aussetzen nicht möglich nl: Kon niet aanhouden | | en: Filler Applications. nl: Filler applicaties. | from v2.1

UM | en: Unable to replace de: Ersetzen nicht möglich nl: Kon niet vervangen | | en: Filler Applications. nl: Filler applicaties. | added v2.2

UN | en: Unlink order/service from patient care problem or goal nl: Ontkoppel aanvraag/service van patiënt zorgprobleem of doel | | en: Placer or Filler Applications. Refer to Chapter 12 Patient Care for complete discussion. nl: Placer of filler applicaties. Zie Hoofdstuk 12 Patient Care voor vollledige discussie. | added v2.3.1

UR | en: Unable to release de: Wiederaufnahme nicht möglich nl: Kon niet vrijgeven | | en: Filler Applications. nl: Filler applicaties. | from v2.1

UX | en: Unable to change de: Änderung nicht möglich nl: Kon niet wijzigen | | en: Filler Applications. nl: Filler applicaties. | from v2.1

XO | en: Change order/service request de: Auftrag ändern nl: Wijzig aanvraag/service verzoek | | en: Placer Applications. nl: Placer applicaties. | added v2.2

XR | en: Changed as requested de: Auftrag anweisungsgemäß geändert nl: Gewijzigd zoals gevraagd | | en: Filler Applications. nl: Filler applicaties. | from v2.1

XX | en: Order/service changed, unsol. de: Auftrag geändert (ohne Anweisung) nl: Order/service gewijzigd, ongevraagd | | en: Filler Applications. nl: Filler applicaties. | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0119 defines the following codes:

Code | Display | Definition | Comments | Version

AF | Order/service refill request approval | | Placer Applications. AF is a response to RF where the placer authorizing a refill or quantity of refills. | added v2.3

CA | Cancel order/service request | | Placer or Filler Applications. A cancellation is a request by the placer for the filler, or the filler to the placer, not to do a previously ordered service. Confirmation of the cancellation request is provided by the filler or placer, e.g., a message with an ORC-1-order control value of CR. Typical responses include, but are not limited to, CR – Cancelled as requested, UC – Unable to Cancel. | from v2.1

CH | Child order/service | | Placer or Filler Applications. Used in conjunction with the PA - Parent order control code. Refer to PA order control code for discussion. | from v2.1

CN | Combined result | | Filler Applications. The combined result code provides a mechanism to transmit results that are associated with two or more orders. This situation occurs commonly in radiology reports when the radiologist dictates a single report for two or more exams represented as two or more orders. For example, knee and hand films for a rheumatoid arthritis patient might generate a single dictation on the part of the radiologist. When such results are reported the CN code replaces the RE code in all but the last ORC, and the results follow the last ORC and its OBR. An example follows of a single report following three ORCs: MSH|...<cr> PID|...<cr> ORC|CN|...<cr> OBR|1|A4461XA^HIS|81641^RAD|73666^Bilateral Feet|...<cr> ORC|CN|...<cr> OBR|2|A4461XB^HIS|81642^RAD|73642^Bilateral Hand PA|...<cr> ORC|RE|...<cr> OBR|3|A4461XC^HIS|81643^RAD|73916^Bilateral Knees|...<cr> OBX|1|CE|73916&IMP|1|Radiologist's Impression|...<cr> OBX|2|CE|73642&IMP|1|Radiologist's Impression|...<cr> OBX|3|FT|73642&GDT|1|Description|...<cr> | from v2.1

CP | Cancel process step | | Filler Applications. The control code CP – Cancel process step should be used in the ORC-1 for communication Filler-to-Filler, e.g., LIS-to-Analyzer, to differentiate from code CA (Placer-to-Filler). The Filler should response with an acceptance of the cancellation using ORC-1 = CR and ORC-5 = CA. | added v2.8

CR | Canceled as requested | | Filler or Placer Applications. A response by the filler or placer application that a request to cancel (CA by the placer application) was performed successfully. | added v2.2

DC | Discontinue order/service request | | Placer or Filler Applications. A request by the placer for the filler, or the filler to the placer, to discontinue a previously requested service. The differentiation between discontinue and cancel is that discontinue effects the order/service and all future occurrences, cancel refers to just the present action. Typical responses include, but are not limited to, CR – Cancelled as requested, UC – Unable to Cancel. | from v2.1

DE | Data errors | | Placer or Filler Applications. | from v2.1

DF | Order/service refill request denied | | Placer Applications. In response to a Filler application requesting refill authorization (RF), DF indicates that the placer does not authorize refills for the order. ORC-16 Order Control Code reason may be used to indicate the reason for the request denial. Some suggested values include: AA Patient unknown to the provider AB Patient never under provider care AC Patient no longer under provider care AD Patient has requested refill too soon AE Medication never prescribed for the patient AF Patient should contact provider first AG Refill not appropriate Note that these values originate from the NCPDP SCRIPT Response Segment Code List Qualifiers. Materials Reproduced with the consent of ©National Council for Prescription Drug Programs, Inc. 1988, 1992, 2002 NCPDP. | added v2.3

DR | Discontinued as requested | | Filler or Placer Applications. The filler or placer, in response to a request to discontinue (DC from the placer or filler application), has discontinued the order/service. | from v2.1

FU | Order/service refilled, unsolicited | | Filler Applications. FU notifies the placer that the filler issued a refill for the order at the patient's request. | added v2.3

HD | Hold order request | | Placer Applications. Typical responses include, but are not limited to, CR - Cancelled as requested, UC - Unable to Cancel. | from v2.1

HR | On hold as requested | | Filler Applications. | from v2.1

LI | Link order/service to patient care problem or goal | | Placer or Filler Applications. Refer to Chapter 12 Patient Care for complete discussion. | added v2.3.1

MC | Miscellaneous Charge - not associated with an order | | applies to DFT^P03^DFT_P03 and DFT^P11^DFT_P11 | added v2.6

NA | Number assigned | | Placer Applications. There are three circumstances that involve requesting an order number (ORC-2-placer order number or ORC-3-filler order number): (1) When the filler application needs to request an ORC-3-filler order number from a centralized application (e.g., HIS). SN – The send order number code provides a mechanism for the filler to request an ORC-3-filler order number from some centralized application (called "other" in the table below), such as a central HIS, by sending an ORM message containing an ORC-1-order control value of SN. This ORC has a null ORC-3-filler order number and an ORC-2-placer order number created by the filler application when the filler originates the order. The order (SN type) message can be acknowledged by either one of two methods: a) By an order application acknowledgement message containing an ORC-1-order control value of OK. Then an unsolicited order message can be sent at a future time, containing an ORC with ORC-1-order control value of NA to provide the actual number assigned. b) By an order acknowledgement message containing an ORC-1-order control value of NA as described below. NA – The number assigned code allows the "other" application to notify the filler application of the newly-assigned filler order number. ORC-1-order control contains value of NA, ORC-2-placer order number (from the ORC with the SN value), and the newly-assigned filler order number. Code From ORC-2-Placer Order Number ORC-3-Filler Order Number SN filler application placer order number^filler application ID Null NA other application placer order number^filler application ID filler order number^filler application ID Note: Both the placer order number and the filler order number have the filler's application ID (2) When the filler application needs to request an ORC-2-placer order number from some other application (e.g., Order Entry). SN – The send order number code provides a mechanism for the filler application to request an ORC-2-placer order number from another application (called "other" in the table below) by sending an order message containing an ORC-1-order control value of SN. This ORC has a null ORC-2-placer order number and an ORC-3-filler order number created by the filler application when the filler originates the order. The order (SN type) message can be acknowledged by two methods: a) By an order application acknowledgement message containing an ORC-1-order control value of OK. Then an unsolicited order message can be sent at a future time, containing an ORC-1-order control value of NA to provide the actual number assigned. b) By an order acknowledgement message containing an ORC-1-order control value of NA as described below. NA – The number assigned code allows the "other" application to notify the filler application of the newly-assigned ORC-2-placer order number. The ORC contains an ORC-1-order control value of NA, the newly-assigned ORC-2-placer order number, and the ORC-3-filler order number (from the ORC with the SN value). Code From ORC-2-Placer Order Number ORC-3-Filler Order Number SN filler application null filler order number^filler application ID NA other application placer order number^placer application ID filler order number^filler application ID Note: The new ORC-2-placer order number has the placer's application ID (3) When an application (not the filler application) wants to assign an ORC-3-filler order number for a new order. NW – When the application creating an order (not the filler application) wants to assign a filler order number for a new order. or RO – (RO following an RP). In this case, the "other" application completes ORC-3-filler order number, using the filler application ID as the second component of the filler order number. Code From ORC-2-Placer Order Number ORC-3-Filler Order Number NW or RO Other application to filler application placer order number^placer application ID filler order number^filler application ID | from v2.1

NR | Notification Received | | | added v2.9

NW | New order/service | | Placer Applications. See comments for NA - Number Assigned. | from v2.1

OC | Order/service canceled | | Filler Applications. | added v2.2

OD | Order/service discontinued | | Filler Applications. | from v2.1

OE | Order/service released | | Filler Applications. | added v2.3

OF | Order/service refilled as requested | | Filler Applications. OF directly responds to the placer system's request for a refill. | added v2.3

OH | Order/service held | | Filler Applications. | added v2.2

OK | Order/service accepted & OK | | Filler Applications. See comments for NA - Number Assigned. | from v2.1

OP | Notification of order for outside dispense | | Placer Applications. These order control codes are used to communicate an order between systems where the order is intended for informational purposes. For example, an order that will be performed by a vendor outside the enterprise of communicating systems. The communicating systems may need to maintain information relative to the order for clinical continuity, but no actions to perform the ordered service are intended. OP represents an informational version of NW, PY represents the informational-only version of RO. NW and RO table notes also apply to OP and PY, respectively. | added v2.5

OR | Released as requested | | Filler Applications. | from v2.1

PA | Parent order/service | | Filler Applications. The parent (PA) and child (CH) order control codes allow the spawning of “child” orders from a “parent” order without changing the parent (original order). One or more ORC segments with an ORC-1-order control value of PA are followed by one or more ORC segments with an ORC-1-order control value of CH. Whether OBR segments must be present is determined by the value of ORC-6-response flag. For example, suppose that a microbiology culture produced two organisms and corresponding susceptibility reports. Then the sequence of segments would be as follows: (see figure 4-4) The assignment of placer order numbers in the parent-child paradigm depends on whether the placer or filler creates the child order and in the latter case, on whether the placer supports the SN/NA transaction. If the placer creates the child orders it will assign their placer order numbers according to its usual procedures. If the filler creates the child orders there are two possibilities: each child will inherit the placer order number of its parent, or the filler will use the SN/NA transaction to request that the placer assign a placer order number. In either case, the filler application creates the filler order numbers of the children according to its usual procedures. Whenever a child order is transmitted in a message the ORC segment’s ORC-8-parent is valued with the parent’s filler order number (if originating from the filler) and with the parent’s placer order number (if originating from the filler or if originating from the placer). The parent child mechanism can be used to “expand” a parent order (e.g., an order for three EKGs on successive mornings). | from v2.1

PR | Previous Results with new order/service | | Placer Applications. PR indicates that this ORC is part of an ORU structure containing previous observation, which is embedded in the order. At least two main use cases require that the complete results of the previous observations be transmitted with the order. • Diagnostic laboratories referring tests to another lab for either confirmation of results (HIV, etc.) or due to not being equipped to do the tests (genetic testing, etc.). • Diagnostic laboratories sending test results to Knowledge Bases for the automated generation of diagnostic comments for inclusion into the lab report. | added v2.4

PY | Notification of replacement order for outside dispense | | Placer Applications. See comments for OP - Notification of order for outside dispense. | added v2.5

RA | Recommendation Accepted | | | added v2.9

RC | Recommended Change | | | added v2.9

RD | Recommendation Declined | | | added v2.9

RE | Observations/Performed Service to follow | | Placer or Filler Applications. The observations-to-follow code is used to transmit patient-specific information with an order. An order detail segment (e.g., OBR) can be followed by one or more observation segments (OBX). Any observation that can be transmitted in an ORU message can be transmitted with this mechanism. When results are transmitted with an order, the results should immediately follow the order or orders that they support. The following example shows the sequence of segments for three Pharmacy orders. It illustrates the use of the RE code: Segment Order Control Comment MSH PID ORC NW First new order RXO First order segment ORC NW 2nd new order RXO 2nd order segment [ORC RE Patient-specific observation, optional in V 2.2 OBR] Observation OBR, optional in V 2.2 OBX An observation segment OBX Another observation segment OBX Another observation segment OBX Another observation segment ORC NW 3rd order RXO 3rd order segment In this version of HL7, results can be transmitted with an order as one or more OBX segments without the necessity of including the ORC and OBR segments. Observations can be transmitted in an ORU message without using an ORC. There are times when it is necessary to transmit information not included in the OBR segments of the ORU message. In this case, it is recommended that the ORC be included in the ORU message. The order control value of RE is required only in ORM messages to indicate that an order is followed by observation results (OBX). The RE code is not necessary in the ORU message because it is expected that the OBR segments can be followed by observation results (OBX). | from v2.1

RF | Refill order/service request | | Placer or Filler Applications. RF accommodates requests by either the filler or the placer. The filler may be requesting refill authorization from the placer. A placer system may be requesting a refill to be done by the filler system. Typical responses include, but are not limited to: For a Filler request AF – Order/service refill request approval, DF – Order/service refill request denied; for a Placer request RE – Observations/Performed Service to follow, UF – Unable to refill. | added v2.3

RL | Release previous hold | | Placer Applications. | added v2.2

RO | Replacement order | | Placer or Filler Applications. A replacement is the substitution of one or more orders for one or more previously ordered services. The replaced orders are treated as though they were canceled. If and when an ordered service can be replaced are local site-specific determinations. Use the parent/child order control codes if the site specifies that the original order must remain intact. Do not use the replacement codes under this circumstance. For each order to be replaced, use an ORC-1-order control value of RP (request for a replacement going to a filler) or RU (an unsolicited replacement created by the filler) used by the filler to notify the placer and/or other systems). By local agreement, the ORC segment (with RP or RU) may be followed by its original order detail segment. The ORC segments (with RP or RU) must be followed by an ORC segment with an ORC-1-order control value of RO (indicating the replacement order). By local agreement, the ORC with the RO value may be followed by an order detail segment. For example, suppose that an ancillary application were replacing two OBR orders with three different orders. The sequence of segments would be as follows: Seg Order Control Comment ORC RU 1st replaced ORC OBR 1st replaced order’s detail segment ORC RU 2nd replaced ORC OBR 2nd replaced order’s detail segment ORC RO 1st replacement ORC OBR 1st replacement order’s detail segment ORC RO 2nd replacement ORC OBR 2nd replacement order’s detail segment ORC RO 3rd replacement ORC OBR 3rd replacement order’s detail segment Whether the OBR segments must be present is determined by the value of ORC-6-response flag. The described replacement method will handle all possible cases of replacement: one into one, many into one, one into many, and many into many. If the placer sent this request to the filler with two RPs, and this was a response back from the filler to the placer, the two RUs (replaced unsolicited) would be two RQs (replaced as requested). (see figure 4-3) Seg Order Control Comment ORC RQ 1st replaced ORC OBR 1st replaced order’s detail segment ORC RQ 2nd replaced ORC OBR 2nd replaced order’s detail segment ORC RO 1st replacement ORC OBR 1st replacement order’s detail segment ORC RO 2nd replacement ORC OBR 2nd replacement order’s detail segment ORC RO 3rd replacement ORC OBR 3rd replacement order’s detail segment The replacement order code is sent by the filler application to another application indicating the exact replacement ordered service. It is used with the RP and RU order control codes as described above. The rules for the order numbers in ORC

segments with an order control value of RO are determined by the replacement type (RP or RU). In the case of the RU type (i.e., unsolicited replacement by the filler), the filler order number is generated as usual by the filler application. The placer order number is identical to the placer order number of the first transmitted ORC with an order control value of RU. In the case of the RP type (i.e., a replacement request from another application to the filler), the placer order number is generated by the placer application using the procedure for new orders. The filler order number is generated by the filler application using the procedure identical for new orders. If a replacement sequence is used in an ORU message (i.e., during results reporting), the following are the recommended segments to be used for the replacement orders: ORC with an order control value of RO. Any OBR segments (can be replaced by any order detail segments). Optionally followed by observation result segments (OBX) NTE segments can appear after the OBR (or any order detail segment) or after an OBX segment as in a regular ORU message. | from v2.1

RP | Order/service replace request | | Placer Applications. A replacement is the substitution of one or more orders for one or more previously ordered services. See comment 1 on RO – Replacement Order for further discussion. The order replace request code permits the order filler to replace one or more new orders with one or more new orders, at the request of the placer application. The rules for the order numbers in ORC segments with an order control value of RO are determined by the replacement type (RP or RU). In the case of the RU type (i.e., unsolicited replacement by the filler), the filler order number is generated as usual by the filler application. The placer order number is identical to the placer order number of the first transmitted ORC with an order control value of RU. In the case of the RP type (i.e., a replacement request from another application to the filler), the placer order number is generated by the placer application using the procedure for new orders. The filler order number is generated by the filler application using the procedure identical for new orders. If a replacement sequence is used in an ORU message (i.e., during results reporting), the following are the recommended segments to be used for the replacement orders: a) ORC with an order control value of RO b) Any OBR segments (can be replaced by any order detail segments) c) Optionally followed by observation result segments (OBX) d) NTE segments can appear after the OBR (or any order detail segment) or after an OBX segment as in a regular ORU message | from v2.1

RQ | Replaced as requested | | Filler Applications. A replacement is the substitution of one or more orders for one or more previously ordered services. See comment 1 on RO – Replacement Order for further discussion. The order replace request code permits the order filler to replace one or more new orders with one or more new orders, at the request of the placer application. The replacement order code is sent by the filler application to another application indicating the exact replacement ordered service. It is used with the RP and RU order control codes as described above. The rules for the order numbers in ORC segments with an order control value of RO are determined by the replacement type (RP or RU). In the case of the RU type (i.e., unsolicited replacement by the filler), the filler order number is generated as usual by the filler application. The placer order number is identical to the placer order number of the first transmitted ORC with an order control value of RU. In the case of the RP type (i.e., a replacement request from another application to the filler), the placer order number is generated by the placer application using the procedure for new orders. The filler order number is generated by the filler application using the procedure identical for new orders. If a replacement sequence is used in an ORU message (i.e., during results reporting), the following are the recommended segments to be used for the replacement orders: a) ORC with an order control value of RO b) Any OBR segments (can be replaced by any order detail segments) c) Optionally followed by observation result segments (OBX) d) NTE segments can appear after the OBR (or any order detail segment) or after an OBX segment as in a regular ORU message | added v2.2

RR | Request received | | Placer or Filler Applications. Left in for backward compatibility. In the current version it is equivalent to an accept acknowledgment. The request-received code indicates that an order message has been received and will be processed later. The order has not yet undergone the processing that would permit a more exact response. | from v2.1

RU | Replaced unsolicited | | Filler Applications. A replacement is the substitution of one or more orders for one or more previously ordered services. See comment 1 on RO – Replacement Order for further discussion. The unsolicited replacement code permits the filler application to notify another application without being requested from the placer application. The rules for the order numbers in ORC segments with an order control value of RO are determined by the replacement type (RP or RU). In the case of the RU type (i.e., unsolicited replacement by the filler), the filler order number is generated as usual by the filler application. The placer order number is identical to the placer order number of the first transmitted ORC with an order control value of RU. In the case of the RP type (i.e., a replacement request from another application to the filler), the placer order number is generated by the placer application using the procedure for new orders. The filler order number is generated by the filler application using the procedure identical for new orders. If a replacement sequence is used in an ORU message (i.e., during results reporting), the following are the recommended segments to be used for the replacement orders: a) ORC with an order control value of RO b) Any OBR segments (can be replaced by any order detail segments) c) Optionally followed by observation result segments (OBX) d) NTE segments can appear after the OBR (or any order detail segment) or after an OBX segment as in a regular ORU message | from v2.1

SC | Status changed | | Placer or Filler Applications. | added v2.2

SN | Send order/service number | | Placer Applications. See comments for NA - Number Assigned. | from v2.1

SQ | Supplemented as requested | | | added v2.9

SR | Response to send order/service status request | | Filler Applications. | added v2.2

SS | Send order/service status request | | Placer Applications. | from v2.1

SU | Supplement this order | | | added v2.9

UA | Unable to accept order/service | | Filler Applications. An unable to accept code is used when a new order cannot be accepted by the filler. Possible reasons include requesting a prescription for a drug which the patient is allergic to or for an order which requires certain equipment resources which are not available such that the order cannot be filled. Note that this is different from the communication level acceptance as defined within the MSA segment. | added v2.3

UC | Unable to cancel | | Filler or Placer Applications. An unable-to-cancel code is used when the ordered service is at a point that it cannot be canceled by the placer or filler or when local rules prevent cancellation by the filler. The use of this code is dependent on the value of ORC-6-response flag. If the filler initiated the request to cancel and the placer is unable to cancel while the filler cannot proceed with the fulfillment of that order, then the necessary communication to resolve the conflict is outside the scope of these messages. | added v2.2

UD | Unable to discontinue | | Filler or Placer Applications. An unable-to-discontinue code is used when the ordered service is at a point that it cannot be discontinued by the placer or filler or when local rules prevent discontinuance by the filler. The use of this code is dependent on the value of ORC-6-response flag. If the filler initiated the request to discontinue and the placer is unable to discontinue while the filler cannot proceed with the fulfillment of that order, then the necessary communication to resolve the conflict is outside the scope of these messages. | from v2.1

UF | Unable to refill | | Filler Applications. Negative response to RF Refill order/service request, indicating that the receiving application was not able to complete the refill request. | added v2.3

UH | Unable to put on hold | | Filler Applications. | from v2.1

UM | Unable to replace | | Filler Applications. | added v2.2

UN | Unlink order/service from patient care problem or goal | | Placer or Filler Applications. Refer to Chapter 12 Patient Care for complete discussion. | added v2.3.1

UR | Unable to release | | Filler Applications. | from v2.1
UX | Unable to change | | Filler Applications. | from v2.1
XO | Change order/service request | | Placer Applications. | added v2.2
XR | Changed as requested | | Filler Applications. | from v2.1
XX | Order/service changed, unsol. | | Filler Applications. | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0119 defines the following codes:

Code | Display | Definition | Comments | Version
AF | | | | added v2.3
CA | Auftrag stornieren | | | from v2.1
CH | nachgeordneter Auftrag | | | from v2.1
CN | Kumulatives Ergebnis (zu mehreren Aufträgen) | | | from v2.1
CP | | | | added v2.8
CR | Auftrag anweisungsgemäß storniert | | | added v2.2
DC | Auftragsausführung abbrechen | | | from v2.1
DE | Datenfehler | | | from v2.1
DF | | | | added v2.3
DR | Auftragsausführung anweisungsgemäß abgebrochen | | | from v2.1
FU | | | | added v2.3
HD | Auftragsbearbeitung aussetzen | | | from v2.1
HR | Auftragsbearbeitung anweisungsgemäß ausgesetzt | | | from v2.1
LI | | | | added v2.3.1
MC | | | | added v2.6
NA | Nummer zugewiesen | | | from v2.1
NR | | | | added v2.9
NW | Neuer Auftrag | | | from v2.1
OC | Auftrag storniert | | | added v2.2
OD | Auftragsausführung abgebrochen | | | from v2.1
OE | | | | added v2.3
OF | | | | added v2.3
OH | Auftragsbearbeitung ausgesetzt | | | added v2.2
OK | Auftrag akzeptiert | | | from v2.1
OP | | | | added v2.5
OR | Auftragsbearbeitung anweisungsgemäß wiederaufgenommen | | | from v2.1
PA | Hauptauftrag | | | from v2.1
PR | | | | added v2.4
PY | | | | added v2.5
RA | | | | added v2.9
RC | | | | added v2.9
RD | | | | added v2.9
RE | Untersuchungsergebnisse folgen (in späteren Segmenten dieser Nachricht) | | | from v2.1
RF | | | | added v2.3
RL | Auftragsberabeitung wiederaufnehmen | | | added v2.2
RO | Ersatzauftrag | | | from v2.1
RP | Auftrag ersetzen | | | from v2.1
RQ | Auftrag anweisungsgemäß ersetzt | | | added v2.2
RR | Anforderung erhalten | | | from v2.1
RU | Auftrag ersetzt (ohne Anweisung) | | | from v2.1
SC | Statusänderung | | | added v2.2
SN | Auftrags- bzw. Bearbeitungsnummer zuweisen / übermitteln | | | from v2.1
SQ | | | | added v2.9
SR | Auftragsstatus (Antwort) | | | added v2.2
SS | Auftragsstatus senden | | | from v2.1
SU | | | | added v2.9
UA | Auftragsannahme nicht möglich | | | added v2.3
UC | Auftragsstornierung nicht möglich | | | added v2.2
UD | Abbrechen nicht möglich | | | from v2.1
UF | | | | added v2.3
UH | Aussetzen nicht möglich | | | from v2.1
UM | Ersetzen nicht möglich | | | added v2.2
UN | | | | added v2.3.1
UR | Wiederaufnahme nicht möglich | | | from v2.1
UX | Änderung nicht möglich | | | from v2.1
XO | Auftrag ändern | | | added v2.2
XR | Auftrag anweisungsgemäß geändert | | | from v2.1
XX | Auftrag geändert (ohne Anweisung) | | | from v2.1

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0119 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie
AF | Aanvraag/service herhaling verzoek goedgekeurd | | Placer applicaties. AF is een antwoord op RF waarbij de placer een herhaling autoriseert of een bepaalde hoeveelheid om aan te vullen | added v2.3
CA | Annuleer aanvraag/service verzoek | | Placer of filler applicaties. Een annulering is een verzoek voor de placer aan de filler, of de filler aan de placer, om de eerder aangevraagde service niet te doen. Bevestiging van het annuleringverzoek wordt gegeven

door de filler of de placer, bijv. een bericht met | from v2.1

CH | Onderliggende/deel aanvraag/service | | Placer of filler applicaties. Gebruikt in samenwerking met de code PA - Bovenliggende aanvraag/service. Zie PA voor verdere discussie. | from v2.1

CN | Gecombineerd resultaat | | Filler applicaties. De gecombineerde resultaatcode geeft een mechanisme om resultaten te sturen die zijn gekoppeld aan twee of meer aanvragen. Deze situatie komt vaak voor in radiologieverslagen als de radioloog één verslag dicteert voor twee of meer onderzoeken | from v2.1

CP | Annuleer processtap | | Filler applicaties. De code CP - Annuleer processtap is bedoeld voor in ORC-1 bij Filler-naar-Filler communicatie, bijv. LIS-naar-Analyzer, om verschil te kunnen maken tussen code CDA (Placer-naar-Filler). De Filler moet antwoorden met een acceptatie van | added v2.8

CR | Geannuleerd zoals gevraagd | | Filler of Placer applicaties. Een antwoord van de filler of placer applicatie om aan te geven dat een verzoek om te annuleren (CA door de placer applicatie) succesvol is uitgevoerd. | added v2.2

DC | Breek aanvraag/service verzoek af | | Placer of filer applicaties. Een verzoek van de placer aan de filler, of van de filler aan de placer, om een eerder aangevraagde service af te breken. Het verschil tussen afbreken en annuleren is dat afbreken de aanvraag/service betreft en alle | from v2.1

DE | Gegevens fouten | | Placer of filler applicaties. | from v2.1

DF | Aanvraag/service herhaal verzoek afgekeurd | | Placer applicaties. In antwoord op een autorisatieverzoek om te herhalen (RF) door de filler applicatie, geeft DF aan dat de placer geen autorisatie geeft voor herhaling van de order. ORC-16 Order Control Code Reason kan worden gebruikt om de reden voor afkeuring aan te geven. | added v2.3

DR | Afgebroken zoals gevraagd | | Filler of placer applicaties. De filler of placer heeft de aanvraag/service afgebroken, in antwoord op een verzoek deze af te breken (DC van de aplcer of filler applicatie). | from v2.1

FU | Aanvraag/service herhaald, ongevraagd | | Filler applicaties. Deze code meldt aan de placer dat de filler een herhaling heeft gedaan voor de aanvraag op verzoek van de patiënt. | added v2.3

HD | Houd aanvraag aan verzoek | | Placer applicaties. De meest voorkomende, maar niet enige, antwoord zijn CR - Geannuleerd zoals gevraagd, UC - Kon niet annuleren. | from v2.1

HR | Aangehouden zoals gevraagd | | Filler applicaties. | from v2.1

LI | Koppel aanvraag/service aan patiënt zorgprobleem of doel | | Placer of filler applicaties. Zie Hoofdstuk 12 Patient Care voor vollledige discussie. | added v2.3.1

MC | Overige charge - niet gekoppeld aan een aanvraag | | van toepassing op DFT^P03^DFT_P03 en DFT^P11^DFT_P11 | added v2.6

NA | Nummer toegekend | | Placer applicaties. Er zijn drie omstandigheden waarin verzoeken van een aanvraagnummer (ORC-2 Placer aanvraagnummer of ORC-3 Filler aanvraagnummer): (1) Als de filler applicatie een ORC-3 Filler aanvraagnummer moet aanvragen van een centrale applicatie | from v2.1

NR | | | | added v2.9

NW | Nieuwe aanvraag/service | | Placer applicaties. Zie opmerkingen voor NA - Nummer toegekend | from v2.1

OC | Aanvraag/service geannuleerd | | Filler applicaties. | added v2.2

OD | Aanvraag/service afgebroken | | Filler applicaties. | from v2.1

OE | Aanvraag/service vrijgegeven | | Filler applicaties. | added v2.3

OF | Aanvraag/service herhaald zoals gevraagd | | Filler applicaties. OF is een direct antwoord op het verzoek voor herhaling van een placer system. | added v2.3

OH | Aanvraag/service aangehouden | | Filler applicaties. | added v2.2

OK | Aanvraag/service geaccepteerd en OK | | Filler applicaties. Zie opmerkingen voor NA - Nummer toegekend | from v2.1

OP | Notificatie van aanvraag voor verstrekking door derde | | Placer applicaties. Deze aanvraagbeheer codes worden gebruikt voor communicatie van aanvragen tussen systemen waarbij de aanvraag bedoeld is ter informatie. Een aanvraag wordt bijvoorbeeld uitgevoerd door een leverancier anders dan de communicerende systemen. | added v2.5

OR | Vrijgegeven zoals gevraagd | | Filler applicaties. | from v2.1

PA | Bovenliggende aanvraag/service | | Filler applicaties. De codes voor bovenliggende (PA) en onderliggende/deel (CH) ondersteunen het onderscheiden van "onderliggende/deel" aanvragen van een "bovenliggende" aanvraag zonder dat de bovenliggende (oorspronkelijke aanvraag) wijzigt. Een of meer ORC segmenten met een ORC-1 Aanvraagbeheer PA waarden worden gevolgd door | from v2.1

PR | Vorige resultaten met nieuwe aanvraag/service | | Placer applicaties. PR geeft aan dat deze ORC deel is van een ORU | added v2.4

PY | Notificatie van vervangende aanvraag voor verstrekking door derde | | Placer applicatie. Zie opmerkingen voor OP - Notificatie van aanvraag voor verstrekking door derde. | added v2.5

RA | | | | added v2.9

RC | | | | added v2.9

RD | | | | added v2.9

RE | Observaties/uitgevoerde server volgen | | Placer of filler applicaties. Deze code wordt gebruikt voor het doorgeven van patiënt-specifieke informatie met een aanvraag. Een aanvraag-detailsegment (bijv. OBR) kan worden gevolgd door een of meer observatiesegmenten (OBX). Ieder observatie die kan worden ge | from v2.1

RF | Herhaal aanvraag/service verzoek | | Placer of filler applicaties. Deze code ondersteunt verzoeken door de filler of de placer. De filler kan een autorisatie voor herhaling vragen van de placer. Een placer-systeem kan een herhaling vragen van het filler-systeem. Meestal is het antwoord | added v2.3

RL | Geef vorige vastgehouden vrij | | Placer applicaties. | added v2.2

RO | Vervangende aanvraag | | Placer of filler applicaties. Een vervanging is de substitutie van een of meer aanvragen voor een of meer eerder aangevraagde services. De vervangen aanvragen worden behandeld alsof ze zijn geannuleerd. Of en ondere welke omstandigheden een aanvraagde service vervangen kan worden hangt af van lokale | from v2.1

RP | Aanvraag/service vervanging verzoek | | Placer applicaties. Een vervanging is de substitutie van een of meer aanvragen voor eerder aangevraagde services. Zie opmerking 1 bij RO - Vervangende aanvraag voor verder discussie. De code voor vervangende aanvraag staat de filler toe om | from v2.1

RQ | Vervangen zoals gevraagd | | Filler applicaties. Een vervanging is de substitutie van een of meer aanvragen voor een of meer eerder aangevraagd services. Zie opmerking 1 bij RO - Vervangende aanvraag voor verder discussie. De code voor vervangende aanvraag staat de filler toe om | added v2.2

RR | Verzoek ontvangen | | Placer of filler applicaties. Behouden vanwege backward compatibiliteit. In de huidige versie is deze equivalent aan een ontvangstbevestiging. De code RR geeft aan dat een aanvraagbericht is ontvangen en latere wordt verwerkt. De aanvraag heeft | from v2.1

RU | Vervangen ongevraagd | | Filler applicaties. Een vervanging is de substitutie van een of meer aanvragen voor een of meer eerder aangevraagde services. Zie opmerking 1 bij RO - Vervangende aanvraag voor verder discussie. De code RU staat de filler applicatie toe om | from v2.1
SC | Status gewijzigd | | Placer of filler applicaties. | added v2.2
SN | Stuur aanvraag/service nummer | | Placer applicaties. Zie opmerkingen voor NA - Nummer toegekend. | from v2.1
SQ | | | added v2.9
SR | Antwoord op stuur aanvraag/service status verzoek | | Filler applicaties. | added v2.2
SS | Stuur aanvraag/service status verzoek | | Placer applicaties. | from v2.1
SU | | | added v2.9
UA | Kon aanvraag/service niet accepteren | | Filler applicaties. De code UA wordt gebruikt wanneer een nieuwe aanvraag niet worden geaccepteerd door de filler. Mogelijk redenen zijn voorschriften voor een medicijn waarvoor de patiënt allergisch is of een aanvraag waarvoor bepaalde apparatuur nodig is | added v2.3
UC | Kon niet annuleren | | Placer of filler applicaties. De code UC wordt gebruikt wanneer de aangevraagde service op een punt zit waarbij deze niet meer kan worden geannuleerd door de placer of de filler of als lokale regels annulering door de filler verhinderen. Gebruik van deze code is afhankelijk van de waarde | added v2.2
UD | Kon niet afbreken | | Filler of placer applicaties. Deze code wordt gebruikt als de aangevraagde service op een punt zit dat afgebreken door de placer of filler niet meer mogelijk is of wanneer lokale regels afbreken door de filler verhinderen. Gebruik van deze code hangt af van | from v2.1
UF | Kon niet herhalen | | Filler applicaties. Negatief antwoord op RF - Herhaal aanvraag/service verzoek, dat aangeeft dat de ontvangende applicatie het herhaalverzoek niet kon uitvoeren. | added v2.3
UH | Kon niet aanhouden | | Filler applicaties. | from v2.1
UM | Kon niet vervangen | | Filler applicaties. | added v2.2
UN | Ontkoppel aanvraag/service van patiënt zorgprobleem of doel | | Placer of filler applicaties. Zie Hoofdstuk 12 Patient Care voor vollledige discussie. | added v2.3.1
UR | Kon niet vrijgeven | | Filler applicaties. | from v2.1
UX | Kon niet wijzigen | | Filler applicaties. | from v2.1
XO | Wijzig aanvraag/service verzoek | | Placer applicaties. | added v2.2
XR | Gewijzigd zoals gevraagd | | Filler applicaties. | from v2.1
XX | Order/service gewijzigd, ongevraagd | | Filler applicaties. | from v2.1

4.3.15.121 HL7 Version 2 Table 0121

URL: https://hl7.org/fhir/R4/v2/0121/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0121
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0121
Version: | 2.9
Name: | v2.0121
Title: | v2 RESPONSE FLAG
Definition: | FHIR Value set/code system definition for HL7 v2 table 0121 (RESPONSE FLAG)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.121.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0121 defines the following codes:

Code | Display | Definition | Version
D | en: Same as R, also other associated segments de: Wie R, zusätzlich Detail-Segmente (OBR usw.) von nachgeordneten und Ersatzaufträ nl: Zelfde als R, ook andere gekoppelde segmenten | | from v2.1
E | en: Report exceptions only de: Nur OK oder Fehlercode nach Auftragsprüfung / -bearbeitung nl: Meld alleen uitzonderingen. | | from v2.1
F | en: Same as D, plus confirmations explicitly de: Wie D, zusätzlich ausdrückliche Bestätigungen nl: Zelfde als D, plus expliciete bevestigingen. | | from v2.1
N | en: Only the MSA segment is returned de: Nur Eingangsbestätigung nl: Alleen het MSA-segment wordt geretourneerd. | | from v2.1
R | en: Same as E, also Replacement and Parent-Child de: Wie E, zusätzlich ORC-Segmente von nachgeordneten und Ersatzaufträgen nl: Zelfde als E, ook Vervanging en Parent-Child | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0121 defines the following codes:

Code | Display | Definition | Version

D | Same as R, also other associated segments | | from v2.1
E | Report exceptions only | | from v2.1
F | Same as D, plus confirmations explicitly | | from v2.1
N | Only the MSA segment is returned | | from v2.1
R | Same as E, also Replacement and Parent-Child | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0121 defines the following codes:

Code | Display | Definition | Version
D | Wie R, zusätzlich Detail-Segmente (OBR usw.) von nachgeordneten und Ersatzaufträ | | from v2.1
E | Nur OK oder Fehlercode nach Auftragsprüfung / -bearbeitung | | from v2.1
F | Wie D, zusätzlich ausdrückliche Bestätigungen | | from v2.1
N | Nur Eingangsbestätigung | | from v2.1
R | Wie E, zusätzlich ORC-Segmente von nachgeordneten und Ersatzaufträgen | | from v2.1

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0121 definieert de volgende codes:

Code | Display | Definition | Versie
D | Zelfde als R, ook andere gekoppelde segmenten | | from v2.1
E | Meld alleen uitzonderingen. | | from v2.1
F | Zelfde als D, plus expliciete bevestigingen. | | from v2.1
N | Alleen het MSA-segment wordt geretourneerd. | | from v2.1
R | Zelfde als E, ook Vervanging en Parent-Child | | from v2.1

4.3.15.122 HL7 Version 2 Table 0122

URL: https://hl7.org/fhir/R4/v2/0122/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0122
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0122
Version: | 2.9
Name: | v2.0122
Title: | v2 CHARGE TYPE
Definition: | FHIR Value set/code system definition for HL7 v2 table 0122 (CHARGE TYPE)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.122.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0122 defines the following codes:

Code | Display | Definition | Version
CH | en: Charge de: Rechnung nl: Belasten | | from v2.1
CO | en: Contract de: Vertrag | | from v2.1
CR | en: Credit de: Kredit nl: Krediet | | from v2.1
DP | en: Department de: Abteilung nl: Afdeling | | from v2.1
GR | en: Grant de: Zuschuß nl: Toelage | | from v2.1
NC | en: No Charge de: Keine Rechnung nl: Niet belasten | | from v2.1
PC | en: Professional de: Berufsgenossenschaft | | from v2.1
RS | en: Research de: Forschung | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0122 defines the following codes:

Code | Display | Definition | Version
CH | Charge | | from v2.1
CO | Contract | | from v2.1
CR | Credit | | from v2.1
DP | Department | | from v2.1
GR | Grant | | from v2.1
NC | No Charge | | from v2.1
PC | Professional | | from v2.1
RS | Research | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0122 defines the following codes:

Code | Display | Definition | Version
CH | Rechnung | | from v2.1
CO | Vertrag | | from v2.1
CR | Kredit | | from v2.1
DP | Abteilung | | from v2.1
GR | Zuschuß | | from v2.1
NC | Keine Rechnung | | from v2.1
PC | Berufsgenossenschaft | | from v2.1
RS | Forschung | | from v2.1

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0122 definieert de volgende codes:

Code | Display | Definition | Versie
CH | Belasten | | from v2.1
CO | Contract | | from v2.1
CR | Krediet | | from v2.1
DP | Afdeling | | from v2.1
GR | Toelage | | from v2.1
NC | Niet belasten | | from v2.1
PC | Professional | | from v2.1
RS | Research | | from v2.1

4.3.15.123 HL7 Version 2 Table 0123

URL: https://hl7.org/fhir/R4/v2/0123/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0123
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0123
Version: | 2.9
Name: | v2.0123
Title: | v2 RESULT STATUS - OBR
Definition: | FHIR Value set/code system definition for HL7 v2 table 0123 (RESULT STATUS - OBR)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.123.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0123 defines the following codes:

Code | Display | Definition | Version
A | en: Some, but not all, results available de: einige, aber nicht alle Ergebnisse verfügbar nl: Sommige maar nog niet alle resultaten beschikbaar | | added v2.3
C | en: Corrected, final de: korrigiertes Ergebnis, final nl: Gecorrigeerde resultaten | | from v2.1
F | en: Final results de: Endergebnis - Auftrag erledigt, Ergebnisse validiert nl: Definitieve resultaten; resultaten opgeslagen en geverifieerd. Kunnen alleen nog worden gewijzigd door een gecorrigeerd resultaat. | | from v2.1
I | en: No results available; specimen received, procedure incomplete de: Keine Ergebnisse - Probe liegt vor, Untersuchung unvollständig nl: Geen resultaat beschikbaar; monster ontvangen, procedure incompleet | | from v2.1
M | Corrected, not final | | added v2.9
N | Procedure completed, results pending | | added v2.9
O | en: Order received; specimen not yet received de: Auftrag erhalten - Probe steht noch aus nl: Aanvraag ontvangen; monster nog niet gearriveerd | | added v2.2
P | en: Preliminary de: Vorläufig - Validiertes Zwischenergebnis liegt vor, aber noch keine endgültigen nl: Voorlopig: er is een geverifieerd eerste resultaat beschikbaar, definitieve resultaten nog niet beschikbaar | | from v2.1
R | en: Results stored; not yet verified de: Ergebnisse gespeichert, aber noch nicht validiert nl: Resultaten opgeslagen; nog niet geverifieerd | | from v2.1
S | en: No results available; procedure scheduled, but not done de: Keine Ergebnisse - Untersuchung eingeplant, aber noch nicht durchgeführt nl: Geen resultaat beschikbaar; procedure gepland maar nog niet uitgevoerd | | from v2.1
X | en: No results available; Order canceled de: Keine Ergebnisse - Auftrag storniert nl: Geen resultaat beschikbaar; aanvraag geannuleerd. | | added v2.2
Y | en: No order on record for this test de: Kein Auftrag zu dieser Untersuchung nl: Geen aanvraag opgeslagen voor deze test. (Alleen van toepassing bij queries) | | from v2.1

Z | en: No record of this patient de: Keine Daten über diesen Patienten nl: Patiënt niet bekend. (Alleen van toepassing bij queries) | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0123 defines the following codes:

Code | Display | Definition | Version
A | Some, but not all, results available | | added v2.3
C | Corrected, final | | from v2.1
F | Final results | | from v2.1
I | No results available; specimen received, procedure incomplete | | from v2.1
M | Corrected, not final | | added v2.9
N | Procedure completed, results pending | | added v2.9
O | Order received; specimen not yet received | | added v2.2
P | Preliminary | | from v2.1
R | Results stored; not yet verified | | from v2.1
S | No results available; procedure scheduled, but not done | | from v2.1
X | No results available; Order canceled | | added v2.2
Y | No order on record for this test | | from v2.1
Z | No record of this patient | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0123 defines the following codes:

Code | Display | Definition | Version
A | einige, aber nicht alle Ergebnisse verfügbar | | added v2.3
C | korrigiertes Ergebnis, final | | from v2.1
F | Endergebnis - Auftrag erledigt, Ergebnisse validiert | | from v2.1
I | Keine Ergebnisse - Probe liegt vor, Untersuchung unvollständig | | from v2.1
M | | | added v2.9
N | | | added v2.9
O | Auftrag erhalten - Probe steht noch aus | | added v2.2
P | Vorläufig - Validiertes Zwischenergebnis liegt vor, aber noch keine endgültigen | | from v2.1
R | Ergebnisse gespeichert, aber noch nicht validiert | | from v2.1
S | Keine Ergebnisse - Untersuchung eingeplant, aber noch nicht durchgeführt | | from v2.1
X | Keine Ergebnisse - Auftrag storniert | | added v2.2
Y | Kein Auftrag zu dieser Untersuchung | | from v2.1
Z | Keine Daten über diesen Patienten | | from v2.1

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0123 definieert de volgende codes:

Code | Display | Definition | Versie
A | Sommige maar nog niet alle resultaten beschikbaar | | added v2.3
C | Gecorrigeerde resultaten | | from v2.1
F | Definitieve resultaten; resultaten opgeslagen en geverifieerd. Kunnen alleen nog worden gewijzigd door een gecorrigeerd resultaat. | | from v2.1
I | Geen resultaat beschikbaar; monster ontvangen, procedure incompleet | | from v2.1
M | | | added v2.9
N | | | added v2.9
O | Aanvraag ontvangen; monster nog niet gearriveerd | | added v2.2
P | Voorlopig: er is een geverifieerd eerste resultaat beschikbaar, definitieve resultaten nog niet beschikbaar | | from v2.1
R | Resultaten opgeslagen; nog niet geverifieerd | | from v2.1
S | Geen resultaat beschikbaar; procedure gepland maar nog niet uitgevoerd | | from v2.1
X | Geen resultaat beschikbaar; aanvraag geannuleerd. | | added v2.2
Y | Geen aanvraag opgeslagen voor deze test. (Alleen van toepassing bij queries) | | from v2.1
Z | Patiënt niet bekend. (Alleen van toepassing bij queries) | | from v2.1

4.3.15.124 HL7 Version 2 Table 0124

URL: https://hl7.org/fhir/R4/v2/0124/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0124
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0124
Version: | 2.9
Name: | v2.0124
Title: | v2 TRANSPORTATION MODE
Definition: | FHIR Value set/code system definition for HL7 v2 table 0124 (TRANSPORTATION MODE)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.124.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0124 defines the following codes:

Code | Display | Definition | Version
CART | en: Cart - patient travels on cart or gurney de: Patient wird auf Trage transportiert nl: Wagentje - patiënt reist per karretje of ziekenhuisbed | | from v2.1
PORT | en: The examining device goes to patient's location de: Untersuchung am Krankenbett nl: Het onderzoeksapparaat gaat naar de patiëntlocatie | | from v2.1
WALK | en: Patient walks to diagnostic service de: Patient geht zu Fuß zum Funktionsbereich nl: Patiënt loopt naar diagnostische service | | from v2.1
WHLC | en: Wheelchair de: Rollstuhl nl: Rolstoel | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0124 defines the following codes:

Code | Display | Definition | Version
CART | Cart - patient travels on cart or gurney | | from v2.1
PORT | The examining device goes to patient's location | | from v2.1
WALK | Patient walks to diagnostic service | | from v2.1
WHLC | Wheelchair | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0124 defines the following codes:

Code | Display | Definition | Version
CART | Patient wird auf Trage transportiert | | from v2.1
PORT | Untersuchung am Krankenbett | | from v2.1
WALK | Patient geht zu Fuß zum Funktionsbereich | | from v2.1
WHLC | Rollstuhl | | from v2.1

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0124 definieert de volgende codes:

Code | Display | Definition | Versie
CART | Wagentje - patiënt reist per karretje of ziekenhuisbed | | from v2.1
PORT | Het onderzoeksapparaat gaat naar de patiëntlocatie | | from v2.1
WALK | Patiënt loopt naar diagnostische service | | from v2.1
WHLC | Rolstoel | | from v2.1

4.3.15.125 HL7 Version 2 Table 0125

URL: https://hl7.org/fhir/R4/v2/0125/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0125
Version: | 2.9
Name: | v2.0125
Title: | v2 VALUE TYPE
Definition: | FHIR Value set/code system definition for HL7 v2 table 0125 (VALUE TYPE)
OID: | ??
ValueSet Resource | XML / JSON

This value set is not currently used

4.3.15.125.1 Logical Definition

Value Type

Code | System | Description | Comment | Version
AD | http://terminology.hl7.org/CodeSystem/v2-0440 | Address | Retained for backward compatibility as of v2.6. | added v2.1, removed after v2.8.1
AUI | http://terminology.hl7.org/CodeSystem/v2-0440 | Authorization information | | added v2.8.2
CCD | http://terminology.hl7.org/CodeSystem/v2-0440 | Charge code and date | | added v2.8.2
CCP | http://terminology.hl7.org/CodeSystem/v2-0440 | Channel calibration parameters | | added v2.8.2
CD | http://terminology.hl7.org/CodeSystem/v2-0440 | Channel definition | | added v2.8.2
CE | http://terminology.hl7.org/CodeSystem/v2-0440 | Coded Entry | | added v2.2, removed after v2.5.1
CF | http://terminology.hl7.org/CodeSystem/v2-0440 | Coded element with formatted values | Withdrawn from this table only as of v2.7. | added v2.2
CK | http://terminology.hl7.org/CodeSystem/v2-0440 | Composite ID With Check Digit | Withdrawn as of v2.5. | added v2.1, removed after v2.8.1
CM | http://terminology.hl7.org/CodeSystem/v2-0440 | Composite | | added v2.2, removed after v2.2
CN | http://terminology.hl7.org/CodeSystem/v2-0440 | Composite ID And Name | Withdrawn as of v2.5. | added v2.2, removed after v2.8.1

CNE | http://terminology.hl7.org/CodeSystem/v2-0440 | Coded with no exceptions | | added v2.7
CNN | http://terminology.hl7.org/CodeSystem/v2-0440 | Composite ID number and name simplified | | added v2.8.2
CP | http://terminology.hl7.org/CodeSystem/v2-0440 | Composite price | Withdrawn from this table only as of v2.7. | added v2.3
CQ | http://terminology.hl7.org/CodeSystem/v2-0440 | Composite quantity with units | | added v2.2, removed after v2.2
CSU | http://terminology.hl7.org/CodeSystem/v2-0440 | Channel sensitivity and units | | added v2.8.2
CWE | http://terminology.hl7.org/CodeSystem/v2-0440 | Coded with exceptions | | added v2.6
CX | http://terminology.hl7.org/CodeSystem/v2-0440 | Extended composite ID with check digit | | added v2.3
DDI | http://terminology.hl7.org/CodeSystem/v2-0440 | Daily deductible information | | added v2.8.2
DIN | http://terminology.hl7.org/CodeSystem/v2-0440 | Date and institution name | | added v2.8.2
DLD | http://terminology.hl7.org/CodeSystem/v2-0440 | Discharge to location and date | | added v2.8.2
DLN | http://terminology.hl7.org/CodeSystem/v2-0440 | Driver's license number | | added v2.8.2
DLT | http://terminology.hl7.org/CodeSystem/v2-0440 | Delta | | added v2.8.2
DR | http://terminology.hl7.org/CodeSystem/v2-0440 | Date/time range | | added v2.7
DT | http://terminology.hl7.org/CodeSystem/v2-0440 | Date | | added v2.2
DTM | http://terminology.hl7.org/CodeSystem/v2-0440 | Date/time | | added v2.6
DTN | http://terminology.hl7.org/CodeSystem/v2-0440 | Day type and number | | added v2.8.2
ED | http://terminology.hl7.org/CodeSystem/v2-0440 | Encapsulated data | | added v2.3
EI | http://terminology.hl7.org/CodeSystem/v2-0440 | Entity identifier | | added v2.8.2
EIP | http://terminology.hl7.org/CodeSystem/v2-0440 | Entity identifier pair | | added v2.8.2
ERL | http://terminology.hl7.org/CodeSystem/v2-0440 | Error location | | added v2.8.2
FC | http://terminology.hl7.org/CodeSystem/v2-0440 | Financial class | | added v2.8.2
FT | http://terminology.hl7.org/CodeSystem/v2-0440 | Formatted text | | added v2.1
GTS | http://terminology.hl7.org/CodeSystem/v2-0440 | General timing specification | | added v2.8.2
HD | http://terminology.hl7.org/CodeSystem/v2-0440 | Hierarchic designator | | added v2.8.2
ICD | http://terminology.hl7.org/CodeSystem/v2-0440 | Insurance certification definition | | added v2.8.2
ID | http://terminology.hl7.org/CodeSystem/v2-0440 | Coded Value for HL7 Defined Tables | | added v2.2, removed after v2.8.1
IS | http://terminology.hl7.org/CodeSystem/v2-0440 | Coded value for user-defined tables | | added v2.7
JCC | http://terminology.hl7.org/CodeSystem/v2-0440 | Job code/class | | added v2.8.2
LA1 | http://terminology.hl7.org/CodeSystem/v2-0440 | Location with address variation 1 | | added v2.8.2
LA2 | http://terminology.hl7.org/CodeSystem/v2-0440 | Location with address variation 2 | | added v2.8.2
MA | http://terminology.hl7.org/CodeSystem/v2-0440 | Multiplexed array | | added v2.7
MO | http://terminology.hl7.org/CodeSystem/v2-0440 | Money | Withdrawn from this table only as of v2.7. | added v2.2
MOC | http://terminology.hl7.org/CodeSystem/v2-0440 | Money and charge code | | added v2.8.2
MOP | http://terminology.hl7.org/CodeSystem/v2-0440 | Money or percentage | | added v2.8.2
MSG | http://terminology.hl7.org/CodeSystem/v2-0440 | Message type | | added v2.8.2
NA | http://terminology.hl7.org/CodeSystem/v2-0440 | Numeric array | | added v2.7
NDL | http://terminology.hl7.org/CodeSystem/v2-0440 | Name with date and location | | added v2.8.2
NM | http://terminology.hl7.org/CodeSystem/v2-0440 | Numeric | | added v2.2
NR | http://terminology.hl7.org/CodeSystem/v2-0440 | Numeric range | | added v2.8.2
OCD | http://terminology.hl7.org/CodeSystem/v2-0440 | Occurrence code and date | | added v2.8.2
OSP | http://terminology.hl7.org/CodeSystem/v2-0440 | Occurrence span code and date | | added v2.8.2
PIP | http://terminology.hl7.org/CodeSystem/v2-0440 | Practitioner institutional privileges | | added v2.8.2
PL | http://terminology.hl7.org/CodeSystem/v2-0440 | Person location | | added v2.8.2
PLN | http://terminology.hl7.org/CodeSystem/v2-0440 | Practitioner license or other ID number | | added v2.8.2
PN | http://terminology.hl7.org/CodeSystem/v2-0440 | Person Name | Withdrawn as of v2.5. | added v2.1, removed after v2.8.1
PPN | http://terminology.hl7.org/CodeSystem/v2-0440 | Performing person time stamp | | added v2.8.2
PRL | http://terminology.hl7.org/CodeSystem/v2-0440 | Parent result link | | added v2.8.2
PT | http://terminology.hl7.org/CodeSystem/v2-0440 | Processing type | | added v2.8.2
PTA | http://terminology.hl7.org/CodeSystem/v2-0440 | Policy type and amount | | added v2.8.2
QIP | http://terminology.hl7.org/CodeSystem/v2-0440 | Query input parameter list | | added v2.8.2
QSC | http://terminology.hl7.org/CodeSystem/v2-0440 | Query selection criteria | | added v2.8.2
RCD | http://terminology.hl7.org/CodeSystem/v2-0440 | Row column definition | | added v2.8.2
RFR | http://terminology.hl7.org/CodeSystem/v2-0440 | Reference range | | added v2.8.2
RI | http://terminology.hl7.org/CodeSystem/v2-0440 | Repeat interval | | added v2.8.2
RMC | http://terminology.hl7.org/CodeSystem/v2-0440 | Room coverage | | added v2.8.2
RP | http://terminology.hl7.org/CodeSystem/v2-0440 | Reference pointer | | added v2.2
RPT | http://terminology.hl7.org/CodeSystem/v2-0440 | Repeat pattern | | added v2.8.2
SCV | http://terminology.hl7.org/CodeSystem/v2-0440 | Scheduling class value pair | | added v2.8.2
SI | http://terminology.hl7.org/CodeSystem/v2-0440 | Sequence ID | | added v2.2, removed after v2.2
SN | http://terminology.hl7.org/CodeSystem/v2-0440 | Structured numeric | | added v2.3
SNM | http://terminology.hl7.org/CodeSystem/v2-0440 | String of telephone number digits | | added v2.8.2
SPD | http://terminology.hl7.org/CodeSystem/v2-0440 | Specialty description | | added v2.8.2
SRT | http://terminology.hl7.org/CodeSystem/v2-0440 | Sort order | | added v2.8.2
ST | http://terminology.hl7.org/CodeSystem/v2-0440 | String data | | added v2.1
TM | http://terminology.hl7.org/CodeSystem/v2-0440 | Time | | added v2.1
TN | http://terminology.hl7.org/CodeSystem/v2-0440 | Telephone Number | Withdrawn as of v2.5. | added v2.2, removed after v2.8.1
TQ | http://terminology.hl7.org/CodeSystem/v2-0440 | Timing / quantity | | added v2.2, removed after v2.2
TS | http://terminology.hl7.org/CodeSystem/v2-0440 | Time Stamp (Date & Time) | | added v2.1, removed after v2.5.1
TX | http://terminology.hl7.org/CodeSystem/v2-0440 | Text data | | added v2.1
UVC | http://terminology.hl7.org/CodeSystem/v2-0440 | UB value code and amount | | added v2.8.2
VH | http://terminology.hl7.org/CodeSystem/v2-0440 | Visiting hours | | added v2.8.2

VID | http://terminology.hl7.org/CodeSystem/v2-0440 | Version identifier | | added v2.8.2
VR | http://terminology.hl7.org/CodeSystem/v2-0440 | Value range | | added v2.8.2
WVI | http://terminology.hl7.org/CodeSystem/v2-0440 | Channel Identifier | | added v2.8.2
WVS | http://terminology.hl7.org/CodeSystem/v2-0440 | Waveform source | | added v2.8.2
XAD | http://terminology.hl7.org/CodeSystem/v2-0440 | Extended address | Withdrawn from this table only as of v2.7. | added v2.3
XCN | http://terminology.hl7.org/CodeSystem/v2-0440 | Extended composite ID number and name for persons | Withdrawn from this table only as of v2.7. | added v2.3
XON | http://terminology.hl7.org/CodeSystem/v2-0440 | Extended composite name and ID number for organizations | Withdrawn from this table only as of v2.7. | added v2.3
XPN | http://terminology.hl7.org/CodeSystem/v2-0440 | Extended person name | Withdrawn from this table only as of v2.7. | added v2.3
XTN | http://terminology.hl7.org/CodeSystem/v2-0440 | Extended telecommunications number | Withdrawn from this table only as of v2.7. | added v2.3

4.3.15.126 HL7 Version 2 Table 0126

URL: https://hl7.org/fhir/R4/v2/0126/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0126
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0126
Version: | 2.9
Name: | v2.0126
Title: | v2 QUANTITY LIMITED REQUEST
Definition: | FHIR Value set/code system definition for HL7 v2 table 0126 (QUANTITY LIMITED REQUEST)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.126.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0126 defines the following codes:

Code | Display | Definition | Comments | Version
CH | en: Characters de: Zeichen nl: Tekens | | RSP/RTB/RDY | from v2.1
LI | en: Lines de: Zeilen nl: Regels | | RTB/RDY | from v2.1
PG | en: Pages de: Seiten nl: Pagina's | | RDY | from v2.1
RD | en: Records de: Datensätze | | RSP/RTB/RDY | added v2.2
ZO | en: Locally defined de: lokal definiert nl: Lokaal gedefinieerd | | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0126 defines the following codes:

Code | Display | Definition | Comments | Version
CH | Characters | | RSP/RTB/RDY | from v2.1
LI | Lines | | RTB/RDY | from v2.1
PG | Pages | | RDY | from v2.1
RD | Records | | RSP/RTB/RDY | added v2.2
ZO | Locally defined | | | from v2.1

This code system http://terminology.hl7.org/CodeSystem/v2-0126 defines the following codes:

Code | Display | Definition | Comments | Version
CH | Zeichen | | | from v2.1
LI | Zeilen | | | from v2.1
PG | Seiten | | | from v2.1
RD | Datensätze | | | added v2.2
ZO | lokal definiert | | | from v2.1

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0126 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie
CH | Tekens | | RSP/RTB/RDY | from v2.1
LI | Regels | | RTB/RDY | from v2.1
PG | Pagina's | | RDY | from v2.1
RD | Records | | RSP/RTB/RDY | added v2.2
ZO | Lokaal gedefinieerd | | | from v2.1

4.3.15.127 HL7 Version 2 Table 0127

URL: https://hl7.org/fhir/R4/v2/0127/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0127
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0127
Version: | 2.9
Name: | v2.0127
Title: | v2 ALLERGY TYPE
Definition: | FHIR Value set/code system definition for HL7 v2 table 0127 (ALLERGY TYPE)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.127.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0127 defines the following codes:

Code | Display | Definition | Version
AA | en: Animal Allergy de: Tierallergie nl: Dierenallergie | | added v2.4
DA | en: Drug allergy de: Medikamentenallergie nl: Medicatieallergie | | added v2.2
EA | en: Environmental Allergy de: Allergie gegen Umwelteinflüsse nl: Omgevingsallergie | | added v2.4
FA | en: Food allergy de: Nahrungsmittelallergie nl: Voedselallergie | | added v2.2
LA | en: Pollen Allergy de: Pollenallergie nl: Pollenallergie | | added v2.4
MA | en: Miscellaneous allergy de: Sonstige Allergie nl: Overige allergie | | added v2.2
MC | en: Miscellaneous contraindication de: Sonstige Kontraindikation nl: Overige contraindicatie | | added v2.2
PA | en: Plant Allergy de: Pflanzenallergie nl: Plantallergie | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0127 defines the following codes:

Code | Display | Definition | Version
AA | Animal Allergy | | added v2.4
DA | Drug allergy | | added v2.2
EA | Environmental Allergy | | added v2.4
FA | Food allergy | | added v2.2
LA | Pollen Allergy | | added v2.4
MA | Miscellaneous allergy | | added v2.2
MC | Miscellaneous contraindication | | added v2.2
PA | Plant Allergy | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0127 defines the following codes:

Code | Display | Definition | Version
AA | Tierallergie | | added v2.4
DA | Medikamentenallergie | | added v2.2
EA | Allergie gegen Umwelteinflüsse | | added v2.4
FA | Nahrungsmittelallergie | | added v2.2
LA | Pollenallergie | | added v2.4
MA | Sonstige Allergie | | added v2.2
MC | Sonstige Kontraindikation | | added v2.2
PA | Pflanzenallergie | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0127 definieert de volgende codes:

Code | Display | Definition | Versie
AA | Dierenallergie | | added v2.4
DA | Medicatieallergie | | added v2.2
EA | Omgevingsallergie | | added v2.4
FA | Voedselallergie | | added v2.2
LA | Pollenallergie | | added v2.4
MA | Overige allergie | | added v2.2
MC | Overige contraindicatie | | added v2.2
PA | Plantallergie | | added v2.4

4.3.15.128 HL7 Version 2 Table 0128

URL: https://hl7.org/fhir/R4/v2/0128/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0128
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0128
Version: | 2.9
Name: | v2.0128
Title: | v2 ALLERGY SEVERITY
Definition: | FHIR Value set/code system definition for HL7 v2 table 0128 (ALLERGY SEVERITY)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.128.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0128 defines the following codes:

Code | Display | Definition | Version
MI | en: Mild de: Leicht | | added v2.2
MO | en: Moderate de: Mittel nl: Gemiddeld | | added v2.2
SV | en: Severe de: Lebensbedrohlich nl: Ernstig | | added v2.2
U | en: Unknown de: unbekannt nl: Onbekend | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0128 defines the following codes:

Code | Display | Definition | Version
MI | Mild | | added v2.2
MO | Moderate | | added v2.2
SV | Severe | | added v2.2
U | Unknown | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0128 defines the following codes:

Code | Display | Definition | Version
MI | Leicht | | added v2.2
MO | Mittel | | added v2.2
SV | Lebensbedrohlich | | added v2.2
U | unbekannt | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0128 definieert de volgende codes:

Code | Display | Definition | Versie
MI | Mild | | added v2.2
MO | Gemiddeld | | added v2.2
SV | Ernstig | | added v2.2
U | Onbekend | | added v2.4

4.3.15.130 HL7 Version 2 Table 0130

URL: https://hl7.org/fhir/R4/v2/0130/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0130
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0130
Version: | 2.9
Name: | v2.0130
Title: | v2 Visit user code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0130 (Visit user code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.130.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0130 defines the following codes:

Code | Display | Definition | Version
HO | en: Home nl: Thuis | | added v2.4
MO | en: Mobile Unit nl: Mobiele eenheid | | added v2.4
PH | en: Phone nl: Telefoon | | added v2.4
TE | en: Teaching nl: Geeft onderwijs | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0130 defines the following codes:

Code | Display | Definition | Version
HO | Home | | added v2.4
MO | Mobile Unit | | added v2.4
PH | Phone | | added v2.4
TE | Teaching | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0130 definieert de volgende codes:

Code | Display | Definition | Versie
HO | Thuis | | added v2.4
MO | Mobiele eenheid | | added v2.4
PH | Telefoon | | added v2.4
TE | Geeft onderwijs | | added v2.4

4.3.15.131 HL7 Version 2 Table 0131

URL: https://hl7.org/fhir/R4/v2/0131/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0131
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0131
Version: | 2.9
Name: | v2.0131
Title: | v2 Contact Role
Definition: | FHIR Value set/code system definition for HL7 v2 table 0131 (Contact Role)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.131.1 Code System Content

• All Languages

• English

• Deutsch (German)

• Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0131 defines the following codes:

Code | Display | Definition | Deprecated | Version
BP | en: Billing contact person de: Kontaktperson für Abrechnung nl: Facturatie contactpersoon | | Deprecated | added v2.3, removed after v2.3
C | en: Emergency Contact de: Ansprechpartner in Notfällen nl: Contact bij nood | | | added v2.5
CP | en: Contact person de: Kontaktperson nl: Contactpersoon | | Deprecated | added v2.3, removed after v2.3

E | en: Employer de: Arbeitgeber nl: Werkgever | | | added v2.5
EP | en: Emergency contact person de: Kontaktperson für Notfälle nl: Contactpersoon bij nood | | Deprecated | added v2.3, removed after v2.3
F | en: Federal Agency de: Bundesbehörde nl: Federale overheidsinstelling | | | added v2.5
I | en: Insurance Company de: Versicherung nl: Verzekeraar | | | added v2.5
N | en: Next-of-Kin de: Kontaktperson nl: Familielid | | | added v2.5
O | en: Other de: andere nl: Anders | | | added v2.5
PR | en: Person preparing referral de: Person, die die Überweisung vorbereitet nl: Persoon die verwijzing voorbereidt | | Deprecated | added v2.3, removed after v2.3
S | en: State Agency de: Landesbehörde nl: Staat overheidsinstelling | | | added v2.5
U | en: Unknown de: unbekannt nl: Onbekend | | | added v2.5

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0131 defines the following codes:

Code | Display | Definition | Deprecated | Version
BP | Billing contact person | | Deprecated | added v2.3, removed after v2.3
C | Emergency Contact | | | added v2.5
CP | Contact person | | Deprecated | added v2.3, removed after v2.3
E | Employer | | | added v2.5
EP | Emergency contact person | | Deprecated | added v2.3, removed after v2.3
F | Federal Agency | | | added v2.5
I | Insurance Company | | | added v2.5
N | Next-of-Kin | | | added v2.5
O | Other | | | added v2.5
PR | Person preparing referral | | Deprecated | added v2.3, removed after v2.3
S | State Agency | | | added v2.5
U | Unknown | | | added v2.5

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0131 defines the following codes:

Code | Display | Definition | Deprecated | Version
BP | Kontaktperson für Abrechnung | | Deprecated | added v2.3, removed after v2.3
C | Ansprechpartner in Notfällen | | | added v2.5
CP | Kontaktperson | | Deprecated | added v2.3, removed after v2.3
E | Arbeitgeber | | | added v2.5
EP | Kontaktperson für Notfälle | | Deprecated | added v2.3, removed after v2.3
F | Bundesbehörde | | | added v2.5
I | Versicherung | | | added v2.5
N | Kontaktperson | | | added v2.5
O | andere | | | added v2.5
PR | Person, die die Überweisung vorbereitet | | Deprecated | added v2.3, removed after v2.3
S | Landesbehörde | | | added v2.5
U | unbekannt | | | added v2.5

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0131 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
BP | Facturatie contactpersoon | | Verouderd | added v2.3, removed after v2.3
C | Contact bij nood | | | added v2.5
CP | Contactpersoon | | Verouderd | added v2.3, removed after v2.3
E | Werkgever | | | added v2.5
EP | Contactpersoon bij nood | | Verouderd | added v2.3, removed after v2.3
F | Federale overheidsinstelling | | | added v2.5
I | Verzekeraar | | | added v2.5
N | Familielid | | | added v2.5
O | Anders | | | added v2.5
PR | Persoon die verwijzing voorbereidt | | Verouderd | added v2.3, removed after v2.3

S | Staat overheidsinstelling | | | added v2.5
U | Onbekend | | | added v2.5

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.131.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 8 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0131 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0131

Code | Display | Definition
C | Emergency Contact
E | Employer
F | Federal Agency
I | Insurance Company
N | Next-of-Kin
O | Other
S | State Agency
U | Unknown

Additional Language Displays

Code | Deutsch (German, de) | Nederlands (Dutch, nl)
C | Ansprechpartner in Notfällen | Contact bij nood
E | Arbeitgeber | Werkgever
F | Bundesbehörde | Federale overheidsinstelling
I | Versicherung | Verzekeraar
N | Kontaktperson | Familielid
O | andere | Anders
S | Landesbehörde | Staat overheidsinstelling
U | unbekannt | Onbekend

4.3.15.133 HL7 Version 2 Table 0133

URL: https://hl7.org/fhir/R4/v2/0133/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0133
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0133
Version: | 2.9
Name: | v2.0133
Title: | v2 PROCEDURE PRACTITIONER TYPE
Definition: | FHIR Value set/code system definition for HL7 v2 table 0133 (PROCEDURE PRACTITIONER TYPE)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.133.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0133 defines the following codes:

Code | Display | Definition | Deprecated | Version
AN | en: Anesthesiologist/Anesthetist de: Anästhesist nl: Anesthesioloog/Anesthesist | | Deprecated | added v2.2, removed after v2.5.1

AS | en: Assistant Surgeon de: Assistenzchirurg nl: Assistent chirurg | | Deprecated | added v2.3, removed after v2.5.1
CM | en: Certified Nurse Midwife de: Hebamme nl: Gecertificeerde verloskundig verpleegkundige | | Deprecated | added v2.2, removed after v2.5.1
NP | en: Nurse Practitioner de: Krankenschwester | | Deprecated | added v2.2, removed after v2.5.1
PR | en: Procedure MD/ Surgeon de: ausführender Arzt (Chirurg) nl: Chirurg | | Deprecated | added v2.2, removed after v2.5.1
PS | en: Primary Surgeon de: verantwortlicher Chirurg nl: Hoofdchirurg | | Deprecated | added v2.3, removed after v2.5.1
RD | en: Radiologist de: Radiologe nl: Radioloog | | Deprecated | added v2.2, removed after v2.5.1
RS | en: Resident de: Krankenhausarzt nl: Medewerker | | Deprecated | added v2.2, removed after v2.5.1
SN | en: Scrub Nurse nl: Operatieassistent | | Deprecated | added v2.3, removed after v2.5.1

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0133 defines the following codes:

Code | Display | Definition | Deprecated | Version
AN | Anesthesiologist/Anesthetist | | Deprecated | added v2.2, removed after v2.5.1
AS | Assistant Surgeon | | Deprecated | added v2.3, removed after v2.5.1
CM | Certified Nurse Midwife | | Deprecated | added v2.2, removed after v2.5.1
NP | Nurse Practitioner | | Deprecated | added v2.2, removed after v2.5.1
PR | Procedure MD/ Surgeon | | Deprecated | added v2.2, removed after v2.5.1
PS | Primary Surgeon | | Deprecated | added v2.3, removed after v2.5.1
RD | Radiologist | | Deprecated | added v2.2, removed after v2.5.1
RS | Resident | | Deprecated | added v2.2, removed after v2.5.1
SN | Scrub Nurse | | Deprecated | added v2.3, removed after v2.5.1

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0133 defines the following codes:

Code | Display | Definition | Deprecated | Version
AN | Anästhesist | | Deprecated | added v2.2, removed after v2.5.1
AS | Assistenzchirurg | | Deprecated | added v2.3, removed after v2.5.1
CM | Hebamme | | Deprecated | added v2.2, removed after v2.5.1
NP | Krankenschwester | | Deprecated | added v2.2, removed after v2.5.1
PR | ausführender Arzt (Chirurg) | | Deprecated | added v2.2, removed after v2.5.1
PS | verantwortlicher Chirurg | | Deprecated | added v2.3, removed after v2.5.1
RD | Radiologe | | Deprecated | added v2.2, removed after v2.5.1
RS | Krankenhausarzt | | Deprecated | added v2.2, removed after v2.5.1
SN | | | Deprecated | added v2.3, removed after v2.5.1

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0133 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
AN | Anesthesioloog/Anesthesist | | Verouderd | added v2.2, removed after v2.5.1
AS | Assistent chirurg | | Verouderd | added v2.3, removed after v2.5.1
CM | Gecertificeerde verloskundig verpleegkundige | | Verouderd | added v2.2, removed after v2.5.1
NP | Nurse practitioner | | Verouderd | added v2.2, removed after v2.5.1
PR | Chirurg | | Verouderd | added v2.2, removed after v2.5.1
PS | Hoofdchirurg | | Verouderd | added v2.3, removed after v2.5.1
RD | Radioloog | | Verouderd | added v2.2, removed after v2.5.1
RS | Medewerker | | Verouderd | added v2.2, removed after v2.5.1
SN | Operatieassistent | | Verouderd | added v2.3, removed after v2.5.1

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.133.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0133 version 2.9

Code | System | Display

4.3.15.135 HL7 Version 2 Table 0135

URL: https://hl7.org/fhir/R4/v2/0135/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0135
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0135
Version: | 2.9
Name: | v2.0135
Title: | v2 ASSIGNMENT OF BENEFITS
Definition: | FHIR Value set/code system definition for HL7 v2 table 0135 (ASSIGNMENT OF BENEFITS)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.135.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0135 defines the following codes:

Code | Display | Definition | Version
M | en: Modified assignment de: Sonderabmachung nl: Aangepaste toekenning | | added v2.2
N | en: No de: Nein nl: Nee | | added v2.2
Y | en: Yes de: Ja nl: Ja | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0135 defines the following codes:

Code | Display | Definition | Version
M | Modified assignment | | added v2.2
N | No | | added v2.2
Y | Yes | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0135 defines the following codes:

Code | Display | Definition | Version
M | Sonderabmachung | | added v2.2
N | Nein | | added v2.2
Y | Ja | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0135 definieert de volgende codes:

Code | Display | Definition | Versie
M | Aangepaste toekenning | | added v2.2
N | Nee | | added v2.2
Y | Ja | | added v2.2

4.3.15.136 HL7 Version 2 Table 0136

URL: https://hl7.org/fhir/R4/v2/0136/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0136
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0136
Version: | 2.9
Name: | v2.0136
Title: | v2 Y/N Indicator
Definition: | FHIR Value set/code system definition for HL7 v2 table 0136 (Y/N Indicator)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.136.1 Code System Content

• All Languages

• English

• Deutsch (German)

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0136 defines the following codes:

Code | Display | Definition | Version
N | en: No de: Nein nl: Nee | | added v2.2
Y | en: Yes de: Ja nl: Ja | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0136 defines the following codes:

Code | Display | Definition | Version
N | No | | added v2.2
Y | Yes | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0136 defines the following codes:

Code | Display | Definition | Version
N | Nein | | added v2.2
Y | Ja | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0136 definieert de volgende codes:

Code | Display | Definition | Versie
N | Nee | | added v2.2
Y | Ja | | added v2.2

4.3.15.137 HL7 Version 2 Table 0137

URL: https://hl7.org/fhir/R4/v2/0137/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0137
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0137
Version: | 2.9
Name: | v2.0137
Title: | v2 MAIL CLAIM PARTY
Definition: | FHIR Value set/code system definition for HL7 v2 table 0137 (MAIL CLAIM PARTY)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.137.1 Code System Content

• All Languages

• English

• Deutsch (German)

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0137 defines the following codes:

Code | Display | Definition | Version
E | en: Employer de: Arbeitgeber nl: Werkgever | | added v2.2
G | en: Guarantor de: Zahlungspflichtiger nl: Garantstaande | | added v2.2
I | en: Insurance company de: Versicherung / Krankenkasse nl: Verzekeraar | | added v2.2
O | en: Other de: andere nl: Anders | | added v2.2
P | en: Patient de: Patient / Selbstzahler nl: Patiënt | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0137 defines the following codes:

Code | Display | Definition | Version
E | Employer | | added v2.2
G | Guarantor | | added v2.2
I | Insurance company | | added v2.2

O | Other | | added v2.2
P | Patient | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0137 defines the following codes:

Code | Display | Definition | Version
E | Arbeitgeber | | added v2.2
G | Zahlungspflichtiger | | added v2.2
I | Versicherung / Krankenkasse | | added v2.2
O | andere | | added v2.2
P | Patient / Selbstzahler | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0137 definieert de volgende codes:

Code | Display | Definition | Versie
E | Werkgever | | added v2.2
G | Garantstaande | | added v2.2
I | Verzekeraar | | added v2.2
O | Anders | | added v2.2
P | Patiënt | | added v2.2

4.3.15.140 HL7 Version 2 Table 0140

URL: https://hl7.org/fhir/R4/v2/0140/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0140
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0140
Version: | 2.9
Name: | v2.0140
Title: | v2 Military service
Definition: | FHIR Value set/code system definition for HL7 v2 table 0140 (Military service)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.140.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0140 defines the following codes:

Code | Display | Definition | Version
AUSA | en: Australian Army nl: Australische leger | | added v2.4
AUSAF | en: Australian Air Force nl: Australische luchtmacht | | added v2.4
AUSN | en: Australian Navy nl: Australische marine | | added v2.4
NATO | en: North Atlantic Treaty Organization nl: Noord-Atlantische Verdragsorganisatie (NAVO) | | added v2.3.1
NOAA | en: National Oceanic and Atmospheric Administration nl: Amerikaanse oceanische en atmosferische dienst | | added v2.3.1
USA | en: US Army nl: Amerikaans leger | | added v2.3.1
USAF | en: US Air Force nl: Amerikaanse luchtmacht | | added v2.3.1
USCG | en: US Coast Guard nl: Amerikaanse kustwacht | | added v2.3.1
USMC | en: US Marine Corps nl: Amerikaanse korps mariniers | | added v2.3.1
USN | en: US Navy nl: Amerikaanse marine | | added v2.3.1
USPHS | en: US Public Health Service nl: Amerikaanse volksgezondheiddienst | | added v2.3.1

This code system http://terminology.hl7.org/CodeSystem/v2-0140 defines the following codes:

Code | Display | Definition | Version
AUSA | Australian Army | | added v2.4
AUSAF | Australian Air Force | | added v2.4
AUSN | Australian Navy | | added v2.4
NATO | North Atlantic Treaty Organization | | added v2.3.1
NOAA | National Oceanic and Atmospheric Administration | | added v2.3.1
USA | US Army | | added v2.3.1
USAF | US Air Force | | added v2.3.1
USCG | US Coast Guard | | added v2.3.1
USMC | US Marine Corps | | added v2.3.1
USN | US Navy | | added v2.3.1
USPHS | US Public Health Service | | added v2.3.1

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0140 definieert de volgende codes:

Code | Display | Definition | Versie
AUSA | Australische leger | | added v2.4
AUSAF | Australische luchtmacht | | added v2.4
AUSN | Australische marine | | added v2.4
NATO | Noord-Atlantische Verdragsorganisatie (NAVO) | | added v2.3.1
NOAA | Amerikaanse oceanische en atmosferische dienst | | added v2.3.1
USA | Amerikaans leger | | added v2.3.1
USAF | Amerikaanse luchtmacht | | added v2.3.1
USCG | Amerikaanse kustwacht | | added v2.3.1
USMC | Amerikaanse korps mariniers | | added v2.3.1
USN | Amerikaanse marine | | added v2.3.1
USPHS | Amerikaanse volksgezondheiddienst | | added v2.3.1

4.3.15.141 HL7 Version 2 Table 0141

URL: https://hl7.org/fhir/R4/v2/0141/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0141
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0141
Version: | 2.9
Name: | v2.0141
Title: | v2 Military rank/grade
Definition: | FHIR Value set/code system definition for HL7 v2 table 0141 (Military rank/grade)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.141.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0141 defines the following codes:

Code | Display | Definition | Deprecated | Version
E1 | Enlisted 1 | | Deprecated | added v2.3.1, removed after v2.8.2
E1 ... E9 | en: Enlisted nl: Ingetekend | | Deprecated | added v2.3.1, removed after v2.4
E1... E9 | en: Enlisted nl: Ingetekend | | Deprecated | added v2.5, removed after v2.8.2
E2 | Enlisted 2 | | Deprecated | added v2.3.1, removed after v2.8.2
E3 | Enlisted 3 | | Deprecated | added v2.3.1, removed after v2.8.2
E4 | Enlisted 4 | | Deprecated | added v2.3.1, removed after v2.8.2
E5 | Enlisted 5 | | Deprecated | added v2.3.1, removed after v2.8.2
E6 | Enlisted 6 | | Deprecated | added v2.3.1, removed after v2.8.2
E7 | Enlisted 7 | | Deprecated | added v2.3.1, removed after v2.8.2
E8 | Enlisted 8 | | Deprecated | added v2.3.1, removed after v2.8.2
E9 | Enlisted 9 | | Deprecated | added v2.3.1, removed after v2.8.2
O1 | Officers 1 | | Deprecated | added v2.3.1, removed after v2.8.2
O1 ... O10 | en: Officers nl: Officieren | | Deprecated | added v2.3.1, removed after v2.4
O1 ... O9 | en: Officers nl: Officieren | | Deprecated | added v2.5, removed after v2.8.2
O10 | Officers 10 | | Deprecated | added v2.3.1, removed after v2.4
O2 | Officers 2 | | Deprecated | added v2.3.1, removed after v2.8.2
O3 | Officers 3 | | Deprecated | added v2.3.1, removed after v2.8.2
O4 | Officers 4 | | Deprecated | added v2.3.1, removed after v2.8.2
O5 | Officers 5 | | Deprecated | added v2.3.1, removed after v2.8.2
O6 | Officers 6 | | Deprecated | added v2.3.1, removed after v2.8.2
O7 | Officers 7 | | Deprecated | added v2.3.1, removed after v2.8.2
O8 | Officers 8 | | Deprecated | added v2.3.1, removed after v2.8.2

O9 | Officers 9 | | Deprecated | added v2.3.1, removed after v2.8.2
W1 | Warrant Officers 1 | | Deprecated | added v2.3.1, removed after v2.8.2
W1 ... W4 | en: Warrant Officers nl: Warrant-officieren | | Deprecated | added v2.3.1, removed after v2.8.2
W2 | Warrant Officers 2 | | Deprecated | added v2.3.1, removed after v2.8.2
W3 | Warrant Officers 3 | | Deprecated | added v2.3.1, removed after v2.8.2
W4 | Warrant Officers 4 | | Deprecated | added v2.3.1, removed after v2.8.2

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0141 defines the following codes:

Code | Display | Definition | Deprecated | Version
E1 | Enlisted 1 | | Deprecated | added v2.3.1, removed after v2.8.2
E1 ... E9 | Enlisted | | Deprecated | added v2.3.1, removed after v2.4
E1... E9 | Enlisted | | Deprecated | added v2.5, removed after v2.8.2
E2 | Enlisted 2 | | Deprecated | added v2.3.1, removed after v2.8.2
E3 | Enlisted 3 | | Deprecated | added v2.3.1, removed after v2.8.2
E4 | Enlisted 4 | | Deprecated | added v2.3.1, removed after v2.8.2
E5 | Enlisted 5 | | Deprecated | added v2.3.1, removed after v2.8.2
E6 | Enlisted 6 | | Deprecated | added v2.3.1, removed after v2.8.2
E7 | Enlisted 7 | | Deprecated | added v2.3.1, removed after v2.8.2
E8 | Enlisted 8 | | Deprecated | added v2.3.1, removed after v2.8.2
E9 | Enlisted 9 | | Deprecated | added v2.3.1, removed after v2.8.2
O1 | Officers 1 | | Deprecated | added v2.3.1, removed after v2.8.2
O1 ... O10 | Officers | | Deprecated | added v2.3.1, removed after v2.4
O1 ... O9 | Officers | | Deprecated | added v2.5, removed after v2.8.2
O10 | Officers 10 | | Deprecated | added v2.3.1, removed after v2.4
O2 | Officers 2 | | Deprecated | added v2.3.1, removed after v2.8.2
O3 | Officers 3 | | Deprecated | added v2.3.1, removed after v2.8.2
O4 | Officers 4 | | Deprecated | added v2.3.1, removed after v2.8.2
O5 | Officers 5 | | Deprecated | added v2.3.1, removed after v2.8.2
O6 | Officers 6 | | Deprecated | added v2.3.1, removed after v2.8.2
O7 | Officers 7 | | Deprecated | added v2.3.1, removed after v2.8.2
O8 | Officers 8 | | Deprecated | added v2.3.1, removed after v2.8.2
O9 | Officers 9 | | Deprecated | added v2.3.1, removed after v2.8.2
W1 | Warrant Officers 1 | | Deprecated | added v2.3.1, removed after v2.8.2
W1 ... W4 | Warrant Officers | | Deprecated | added v2.3.1, removed after v2.8.2
W2 | Warrant Officers 2 | | Deprecated | added v2.3.1, removed after v2.8.2
W3 | Warrant Officers 3 | | Deprecated | added v2.3.1, removed after v2.8.2
W4 | Warrant Officers 4 | | Deprecated | added v2.3.1, removed after v2.8.2

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0141 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
E1 | | | Verouderd | added v2.3.1, removed after v2.8.2
E1 ... E9 | Ingetekend | | Verouderd | added v2.3.1, removed after v2.4
E1... E9 | Ingetekend | | Verouderd | added v2.5, removed after v2.8.2
E2 | | | Verouderd | added v2.3.1, removed after v2.8.2
E3 | | | Verouderd | added v2.3.1, removed after v2.8.2
E4 | | | Verouderd | added v2.3.1, removed after v2.8.2
E5 | | | Verouderd | added v2.3.1, removed after v2.8.2
E6 | | | Verouderd | added v2.3.1, removed after v2.8.2
E7 | | | Verouderd | added v2.3.1, removed after v2.8.2
E8 | | | Verouderd | added v2.3.1, removed after v2.8.2
E9 | | | Verouderd | added v2.3.1, removed after v2.8.2
O1 | | | Verouderd | added v2.3.1, removed after v2.8.2
O1 ... O10 | Officieren | | Verouderd | added v2.3.1, removed after v2.4
O1 ... O9 | Officieren | | Verouderd | added v2.5, removed after v2.8.2
O10 | | | Verouderd | added v2.3.1, removed after v2.4
O2 | | | Verouderd | added v2.3.1, removed after v2.8.2
O3 | | | Verouderd | added v2.3.1, removed after v2.8.2
O4 | | | Verouderd | added v2.3.1, removed after v2.8.2
O5 | | | Verouderd | added v2.3.1, removed after v2.8.2
O6 | | | Verouderd | added v2.3.1, removed after v2.8.2

O7 | | | Verouderd | added v2.3.1, removed after v2.8.2
O8 | | | Verouderd | added v2.3.1, removed after v2.8.2
O9 | | | Verouderd | added v2.3.1, removed after v2.8.2
W1 | | | Verouderd | added v2.3.1, removed after v2.8.2
W1 ... W4 | Warrant-officieren | | Verouderd | added v2.3.1, removed after v2.8.2
W2 | | | Verouderd | added v2.3.1, removed after v2.8.2
W3 | | | Verouderd | added v2.3.1, removed after v2.8.2
W4 | | | Verouderd | added v2.3.1, removed after v2.8.2

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.141.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0141 version 2.9

Code | System | Display

4.3.15.142 HL7 Version 2 Table 0142

URL: https://hl7.org/fhir/R4/v2/0142/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0142
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0142
Version: | 2.9
Name: | v2.0142
Title: | v2 Military status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0142 (Military status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.142.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0142 defines the following codes:

Code | Display | Definition | Version
ACT | en: Active duty nl: Actieve dienst | | added v2.3.1
DEC | en: Deceased nl: Overleden | | added v2.3.1
RET | en: Retired nl: Gepensioneerd | | added v2.3.1

This code system http://terminology.hl7.org/CodeSystem/v2-0142 defines the following codes:

Code | Display | Definition | Version
ACT | Active duty | | added v2.3.1
DEC | Deceased | | added v2.3.1
RET | Retired | | added v2.3.1

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0142 definieert de volgende codes:

Code | Display | Definition | Versie
ACT | Actieve dienst | | added v2.3.1
DEC | Overleden | | added v2.3.1
RET | Gepensioneerd | | added v2.3.1

4.3.15.144 HL7 Version 2 Table 0144

URL: https://hl7.org/fhir/R4/v2/0144/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0144

Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0144
Version: | 2.9
Name: | v2.0144
Title: | v2 ELIGIBILITY SOURCE
Definition: | FHIR Value set/code system definition for HL7 v2 table 0144 (ELIGIBILITY SOURCE)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.144.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0144 defines the following codes:

Code | Display | Definition | Version
1 | en: Insurance company de: Versicherung / Krankenkasse nl: Verzekeraar | | added v2.2
2 | en: Employer de: Arbeitgeber nl: Werkgever | | added v2.2
3 | en: Insured presented policy de: vorgelegte Versicherungspolice nl: Door verzekerde getoonde polis | | added v2.2
4 | en: Insured presented card de: Vorgelegte Krankenversichertenkarte (KVK) nl: Door verzekerde getoonde kaart | | added v2.2
5 | en: Signed statement on file de: Unterschriebenene Bestätigung nl: Ondertekenende mededeling op schrift | | added v2.2
6 | en: Verbal information de: mündliche Angabe nl: Mondelinge mededeling | | added v2.2
7 | en: None de: keine nl: Geen | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0144 defines the following codes:

Code | Display | Definition | Version
1 | Insurance company | | added v2.2
2 | Employer | | added v2.2
3 | Insured presented policy | | added v2.2
4 | Insured presented card | | added v2.2
5 | Signed statement on file | | added v2.2
6 | Verbal information | | added v2.2
7 | None | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0144 defines the following codes:

Code | Display | Definition | Version
1 | Versicherung / Krankenkasse | | added v2.2
2 | Arbeitgeber | | added v2.2
3 | vorgelegte Versicherungspolice | | added v2.2
4 | Vorgelegte Krankenversichertenkarte (KVK) | | added v2.2
5 | Unterschriebenene Bestätigung | | added v2.2
6 | mündliche Angabe | | added v2.2
7 | keine | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0144 definieert de volgende codes:

Code | Display | Definition | Versie
1 | Verzekeraar | | added v2.2
2 | Werkgever | | added v2.2
3 | Door verzekerde getoonde polis | | added v2.2
4 | Door verzekerde getoonde kaart | | added v2.2
5 | Ondertekenende mededeling op schrift | | added v2.2
6 | Mondelinge mededeling | | added v2.2
7 | Geen | | added v2.2

4.3.15.145 HL7 Version 2 Table 0145

URL: https://hl7.org/fhir/R4/v2/0145/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0145
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0145
Version: | 2.9
Name: | v2.0145
Title: | v2 Room Type

Definition: | FHIR Value set/code system definition for HL7 v2 table 0145 (Room Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.145.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0145 defines the following codes:

Code | Display | Definition | Version
2ICU | en: Second intensive care unit de: nicht verwendet nl: Tweede intensive care unit | | added v2.2
2PRI | en: Second private room de: nicht verwendet nl: Tweede eigen kamer | | added v2.2
2SPR | en: Second semi-private room de: nicht verwendet nl: Tweede semi-eigen kamer | | added v2.2
ICU | en: Intensive care unit de: Intensivstation | | added v2.2
PRI | en: Private room de: Einbettzimmer nl: Eigen kamer | | added v2.2
SPR | en: Semi-private room de: Zweibettzimmer nl: Semi-eigen kamer | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0145 defines the following codes:

Code | Display | Definition | Version
2ICU | Second intensive care unit | | added v2.2
2PRI | Second private room | | added v2.2
2SPR | Second semi-private room | | added v2.2
ICU | Intensive care unit | | added v2.2
PRI | Private room | | added v2.2
SPR | Semi-private room | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0145 defines the following codes:

Code | Display | Definition | Version
2ICU | nicht verwendet | | added v2.2
2PRI | nicht verwendet | | added v2.2
2SPR | nicht verwendet | | added v2.2
ICU | Intensivstation | | added v2.2
PRI | Einbettzimmer | | added v2.2
SPR | Zweibettzimmer | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0145 definieert de volgende codes:

Code | Display | Definition | Versie
2ICU | Tweede intensive care unit | | added v2.2
2PRI | Tweede eigen kamer | | added v2.2
2SPR | Tweede semi-eigen kamer | | added v2.2
ICU | Intensive care unit | | added v2.2
PRI | Eigen kamer | | added v2.2
SPR | Semi-eigen kamer | | added v2.2

4.3.15.146 HL7 Version 2 Table 0146

URL: https://hl7.org/fhir/R4/v2/0146/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0146
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0146
Version: | 2.9
Name: | v2.0146
Title: | v2 AMOUNT TYPE
Definition: | FHIR Value set/code system definition for HL7 v2 table 0146 (AMOUNT TYPE)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.146.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0146 defines the following codes:

Code | Display | Definition | Comments | Version
DF | en: Differential de: Differenzbetrag nl: Differentieel | | | added v2.2
LM | en: Limit de: Höchstbetrag nl: Grens | | | added v2.2
PC | en: Percentage de: Prozentsatz | | en: Retained for backward compatibility only as of v 2.5 nl: Alleen voor backward compatibiliteit sinds v2.5. | added v2.2
RT | en: Rate de: Tagessatz nl: Kostprijs | | | added v2.2
UL | en: Unlimited de: unbegrenzt nl: Onbeperkt | | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0146 defines the following codes:

Code | Display | Definition | Comments | Version
DF | Differential | | | added v2.2
LM | Limit | | | added v2.2
PC | Percentage | | Retained for backward compatibility only as of v 2.5 | added v2.2
RT | Rate | | | added v2.2
UL | Unlimited | | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0146 defines the following codes:

Code | Display | Definition | Comments | Version
DF | Differenzbetrag | | | added v2.2
LM | Höchstbetrag | | | added v2.2
PC | Prozentsatz | | | added v2.2
RT | Tagessatz | | | added v2.2
UL | unbegrenzt | | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0146 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie
DF | Differentieel | | | added v2.2
LM | Grens | | | added v2.2
PC | Percentage | | Alleen voor backward compatibiliteit sinds v2.5. | added v2.2
RT | Kostprijs | | | added v2.2
UL | Onbeperkt | | | added v2.2

4.3.15.147 HL7 Version 2 Table 0147

URL: https://hl7.org/fhir/R4/v2/0147/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0147
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0147
Version: | 2.9
Name: | v2.0147
Title: | v2 POLICY TYPE
Definition: | FHIR Value set/code system definition for HL7 v2 table 0147 (POLICY TYPE)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.147.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0147 defines the following codes:

Code | Display | Definition | Version
2ANC | en: Second ancillary de: weitere Zusatzversicherung nl: Tweede aanvullend | | added v2.2
2MMD | en: Second major medical de: weitere Hauptversicherung | | added v2.2

3MMD | en: Third major medical de: weitere Hauptversicherung | | added v2.2
ANC | en: Ancillary de: Zusatzversicherung nl: Aanvullend | | added v2.2
MMD | en: Major medical de: Hauptversicherung nl: Basisverzekering | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0147 defines the following codes:

Code | Display | Definition | Version
2ANC | Second ancillary | | added v2.2
2MMD | Second major medical | | added v2.2
3MMD | Third major medical | | added v2.2
ANC | Ancillary | | added v2.2
MMD | Major medical | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0147 defines the following codes:

Code | Display | Definition | Version
2ANC | weitere Zusatzversicherung | | added v2.2
2MMD | weitere Hauptversicherung | | added v2.2
3MMD | weitere Hauptversicherung | | added v2.2
ANC | Zusatzversicherung | | added v2.2
MMD | Hauptversicherung | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0147 definieert de volgende codes:

Code | Display | Definition | Versie
2ANC | Tweede aanvullend | | added v2.2
2MMD | | | added v2.2
3MMD | | | added v2.2
ANC | Aanvullend | | added v2.2
MMD | Basisverzekering | | added v2.2

4.3.15.148 HL7 Version 2 Table 0148

URL: https://hl7.org/fhir/R4/v2/0148/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0148
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0148
Version: | 2.9
Name: | v2.0148
Title: | v2 PENALTY TYPE
Definition: | FHIR Value set/code system definition for HL7 v2 table 0148 (PENALTY TYPE)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.148.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0148 defines the following codes:

Code | Display | Definition | Version
AT | en: Currency amount de: Betrag (Tabelle 148 wird nicht verwendet) nl: Geldbedrag | | added v2.2
PC | en: Percentage de: Prozentsatz | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0148 defines the following codes:

Code | Display | Definition | Version
AT | Currency amount | | added v2.2
PC | Percentage | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0148 defines the following codes:

Code | Display | Definition | Version
AT | Betrag (Tabelle 148 wird nicht verwendet) | | added v2.2
PC | Prozentsatz | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0148 definieert de volgende codes:

Code | Display | Definition | Versie

AT | Geldbedrag | | added v2.2
PC | Percentage | | added v2.2

4.3.15.149 HL7 Version 2 Table 0149

URL: https://hl7.org/fhir/R4/v2/0149/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0149
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0149
Version: | 2.9
Name: | v2.0149
Title: | v2 DAY TYPE
Definition: | FHIR Value set/code system definition for HL7 v2 table 0149 (DAY TYPE)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.149.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0149 defines the following codes:

Code | Display | Definition | Version
AP | en: Approved de: (Tabelle 149 wird nicht verwendet) nl: Goedgekeurd | | added v2.2
DE | en: Denied nl: Afgekeurd | | added v2.2
PE | en: Pending nl: Beslissing volgt | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0149 defines the following codes:

Code | Display | Definition | Version
AP | Approved | | added v2.2
DE | Denied | | added v2.2
PE | Pending | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0149 defines the following codes:

Code | Display | Definition | Version
AP | (Tabelle 149 wird nicht verwendet) | | added v2.2
DE | | | added v2.2
PE | | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0149 definieert de volgende codes:

Code | Display | Definition | Versie
AP | Goedgekeurd | | added v2.2
DE | Afgekeurd | | added v2.2
PE | Beslissing volgt | | added v2.2

4.3.15.150 HL7 Version 2 Table 0150

URL: https://hl7.org/fhir/R4/v2/0150/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0150
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0150
Version: | 2.9
Name: | v2.0150
Title: | v2 PRECERTIFICATION PATIENT TYPE
Definition: | FHIR Value set/code system definition for HL7 v2 table 0150 (PRECERTIFICATION PATIENT TYPE)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.150.1 Code System Content

• All Languages

• English

• Deutsch (German)

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0150 defines the following codes:

Code | Display | Definition | Version
ER | en: Emergency de: (Tabelle 150 wird nicht verwendet) nl: Spoed | | added v2.2
IPE | en: Inpatient elective nl: Klinisch eigen keuze | | added v2.2
OPE | en: Outpatient elective nl: Poliklinisch eigen keuze | | added v2.2
UR | en: Urgent nl: Spoed | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0150 defines the following codes:

Code | Display | Definition | Version
ER | Emergency | | added v2.2
IPE | Inpatient elective | | added v2.2
OPE | Outpatient elective | | added v2.2
UR | Urgent | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0150 defines the following codes:

Code | Display | Definition | Version
ER | (Tabelle 150 wird nicht verwendet) | | added v2.2
IPE | | | added v2.2
OPE | | | added v2.2
UR | | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0150 definieert de volgende codes:

Code | Display | Definition | Versie
ER | Spoed | | added v2.2
IPE | Klinisch eigen keuze | | added v2.2
OPE | Poliklinisch eigen keuze | | added v2.2
UR | Spoed | | added v2.2

4.3.15.153 HL7 Version 2 Table 0153

URL: https://hl7.org/fhir/R4/v2/0153/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0153
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0153
Version: | 2.9
Name: | v2.0153
Title: | v2 Value code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0153 (Value code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.153.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0153 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | en: See NUBC codes nl: Zie (Amerikaanse) NUBC codes | | Deprecated | added v2.5.1, removed after v2.8.2
01 | en: Most common semi-private rate nl: Meest algemeen semi-privé | | Deprecated | added v2.3.1, removed after v2.4
02 | en: Hospital has no semi-private rooms nl: Ziekenhuis heeft geen semi-eigen kamers | | Deprecated | added v2.3.1, removed after v2.4
04 | Inpatient professional component charges which are combined billed | | Deprecated | added v2.3.1, removed after v2.4
05 | Professional component included in charges and also billed separate to carrier | | Deprecated | added v2.3.1, removed after v2.4
06 | Medicare blood deductible | | Deprecated | added v2.3.1, removed after v2.4
08 | Medicare life time reserve amount in the first calendar year | | Deprecated | added v2.3.1, removed after v2.4
09 | Medicare co-insurance amount in the first calendar year | | Deprecated | added v2.3.1, removed after v2.4
10 | Lifetime reserve amount in the second calendar year | | Deprecated | added v2.3.1, removed after v2.4
11 | Co-insurance amount in the second calendar year | | Deprecated | added v2.3.1, removed after v2.4
12 | Working aged beneficiary/spouse with employer group health plan | | Deprecated | added v2.3.1, removed after v2.4
13 | ESRD beneficiary in a Medicare coordination period with an employer group health plan | | Deprecated | added v2.3.1, removed after v2.4
14 | No Fault including auto/other | | Deprecated | added v2.3.1, removed after v2.4
15 | en: Worker's Compensation nl: Werknemer compensatie | | Deprecated | added v2.3.1, removed after v2.4
16 | PHS, or other federal agency | | Deprecated | added v2.3.1, removed after v2.4
17 | en: Payer code nl: Betalercode | | Deprecated | added v2.3.1, removed after v2.4
21 | en: Catastrophic nl: Catastrofaal | | Deprecated | added v2.3.1, removed after v2.4
22 | Surplus | | Deprecated | added v2.3.1, removed after v2.4
23 | en: Recurring monthly incode nl: Regelmatig maandelijks inkomen | | Deprecated | added v2.3.1, removed after v2.4
24 | en: Medicaid rate code nl: Medicaid tariefcode | | Deprecated | added v2.3.1, removed after v2.4
30 | en: Pre-admission testing nl: Vooropname testen | | Deprecated | added v2.3.1, removed after v2.4
31 | en: Patient liability amount nl: Patiënt aansprakelijkheid bedrag | | Deprecated | added v2.3.1, removed after v2.4
37 | Pints of blood furnished | | Deprecated | added v2.3.1, removed after v2.4
38 | Blood deductible pints | | Deprecated | added v2.3.1, removed after v2.4
39 | Pints of blood replaced | | Deprecated | added v2.3.1, removed after v2.4
40 | New coverage not implemented by HMO (for inpatient service only) | | Deprecated | added v2.3.1, removed after v2.4
41 | en: Black lung nl: Stoflong | | Deprecated | added v2.3.1, removed after v2.4
42 | en: VA nl: Amerikaanse Veterans Affairs | | Deprecated | added v2.3.1, removed after v2.4
43 | Disabled beneficiary under age 64 with LGHP | | Deprecated | added v2.3.1, removed after v2.4
44 | Amount provider agreed to accept from primary payer when this amount is less than charges but higher than payment received,, then a Medicare secondary payment is due | | Deprecated | added v2.3.1, removed after v2.4
45 | Accident hour | | Deprecated | added v2.3.1, removed after v2.4
46 | Number of grace days | | Deprecated | added v2.3.1, removed after v2.4
47 | en: Any liability insurance nl: Een of andere aansprakelijkheidsverzekering | | Deprecated | added v2.3.1, removed after v2.4
48 | en: Hemoglobin reading nl: Hemoglobinewaarde | | Deprecated | added v2.3.1, removed after v2.4
49 | en: Hematocrit reading nl: Hematocrietwaarde | | Deprecated | added v2.3.1, removed after v2.4
50 | en: Physical therapy visits nl: Lichamelijke oefening bezoeken | | Deprecated | added v2.3.1, removed after v2.4
51 | en: Occupational therapy visits nl: Ergotherapie bezoeken | | Deprecated | added v2.3.1, removed after v2.4
52 | en: Speech therapy visits nl: Stemoefening bezoeken | | Deprecated | added v2.3.1, removed after v2.4
53 | en: Cardiac rehab visits nl: Hartrevalidatie bezoeken | | Deprecated | added v2.3.1, removed after v2.4
56 | Skilled nurse - home visit hours | | Deprecated | added v2.3.1, removed after v2.4
57 | en: Home health aide - home visit hours nl: Thuiszorg hulp - thuisbezoekuren | | Deprecated | added v2.3.1, removed after v2.4
58 | en: Arterial blood gas nl: Arterieel bloedgas | | Deprecated | added v2.3.1, removed after v2.4
59 | en: Oxygen saturation nl: Zuurstofsaturatie | | Deprecated | added v2.3.1, removed after v2.4
60 | HHA branch MSA | | Deprecated | added v2.3.1, removed after v2.4
67 | en: Peritoneal dialysis nl: Peritoneale dialyse | | Deprecated | added v2.3.1, removed after v2.4
68 | en: EPO-drug nl: EPO-medicatie | | Deprecated | added v2.3.1, removed after v2.4
70 | en: Payer codes nl: Betalercodes | | Deprecated | added v2.3.1, removed after v2.4
70 ... 72 | en: Payer codes nl: Betalercodes | | Deprecated | added v2.3.1, removed after v2.4
71 | en: Payer codes nl: Betalercodes | | Deprecated | added v2.3.1, removed after v2.4
72 | en: Payer codes nl: Betalercodes | | Deprecated | added v2.3.1, removed after v2.4
75 | en: Payer codes nl: Betalercodes | | Deprecated | added v2.3.1, removed after v2.4
75 ... 79 | en: Payer codes nl: Betalercodes | | Deprecated | added v2.3.1, removed after v2.4
76 | en: Payer codes nl: Betalercodes | | Deprecated | added v2.3.1, removed after v2.4
77 | en: Payer codes nl: Betalercodes | | Deprecated | added v2.3.1, removed after v2.4
78 | en: Payer codes nl: Betalercodes | | Deprecated | added v2.3.1, removed after v2.4
79 | en: Payer codes nl: Betalercodes | | Deprecated | added v2.3.1, removed after v2.4
80 | en: Psychiatric visits nl: Psychiatrische bezoeken | | Deprecated | added v2.3.1, removed after v2.4
81 | en: Visits subject to co-payment nl: Bezoeken vallen onder co-betaling | | Deprecated | added v2.3.1, removed after v2.4
A1 | en: Deductible payer A nl: Eigen risico betaler A | | Deprecated | added v2.3.1, removed after v2.4
A2 | en: Coinsurance payer A nl: Medeverzekerd betaler A | | Deprecated | added v2.3.1, removed after v2.4
A3 | en: Estimated responsibility payer A nl: Geschatte verantwoordelijkheid betaler A | | Deprecated | added v2.3.1, removed after v2.4
X0 | en: Service excluded on primary policy nl: Service uitgesloten van primaire polis | | Deprecated | added v2.3.1, removed after v2.4
X4 | en: Supplemental coverage nl: Aanvullende dekking | | Deprecated | added v2.3.1, removed after v2.4

... | en: See NUBC codes nl: Zie (Amerikaanse) NUBC codes | | Deprecated | added v2.7.1, removed after v2.7.1

Properties

Code | URL | Description | Type

status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code

deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0153 defines the following codes:

Code | Display | Definition | Deprecated | Version

... | See NUBC codes | | Deprecated | added v2.5.1, removed after v2.8.2

01 | Most common semi-private rate | | Deprecated | added v2.3.1, removed after v2.4

02 | Hospital has no semi-private rooms | | Deprecated | added v2.3.1, removed after v2.4

04 | Inpatient professional component charges which are combined billed | | Deprecated | added v2.3.1, removed after v2.4

05 | Professional component included in charges and also billed separate to carrier | | Deprecated | added v2.3.1, removed after v2.4

06 | Medicare blood deductible | | Deprecated | added v2.3.1, removed after v2.4

08 | Medicare life time reserve amount in the first calendar year | | Deprecated | added v2.3.1, removed after v2.4

09 | Medicare co-insurance amount in the first calendar year | | Deprecated | added v2.3.1, removed after v2.4

10 | Lifetime reserve amount in the second calendar year | | Deprecated | added v2.3.1, removed after v2.4

11 | Co-insurance amount in the second calendar year | | Deprecated | added v2.3.1, removed after v2.4

12 | Working aged beneficiary/spouse with employer group health plan | | Deprecated | added v2.3.1, removed after v2.4

13 | ESRD beneficiary in a Medicare coordination period with an employer group health plan | | Deprecated | added v2.3.1, removed after v2.4

14 | No Fault including auto/other | | Deprecated | added v2.3.1, removed after v2.4

15 | Worker's Compensation | | Deprecated | added v2.3.1, removed after v2.4

16 | PHS, or other federal agency | | Deprecated | added v2.3.1, removed after v2.4

17 | Payer code | | Deprecated | added v2.3.1, removed after v2.4

21 | Catastrophic | | Deprecated | added v2.3.1, removed after v2.4

22 | Surplus | | Deprecated | added v2.3.1, removed after v2.4

23 | Recurring monthly incode | | Deprecated | added v2.3.1, removed after v2.4

24 | Medicaid rate code | | Deprecated | added v2.3.1, removed after v2.4

30 | Pre-admission testing | | Deprecated | added v2.3.1, removed after v2.4

31 | Patient liability amount | | Deprecated | added v2.3.1, removed after v2.4

37 | Pints of blood furnished | | Deprecated | added v2.3.1, removed after v2.4

38 | Blood deductible pints | | Deprecated | added v2.3.1, removed after v2.4

39 | Pints of blood replaced | | Deprecated | added v2.3.1, removed after v2.4

40 | New coverage not implemented by HMO (for inpatient service only) | | Deprecated | added v2.3.1, removed after v2.4

41 | Black lung | | Deprecated | added v2.3.1, removed after v2.4

42 | VA | | Deprecated | added v2.3.1, removed after v2.4

43 | Disabled beneficiary under age 64 with LGHP | | Deprecated | added v2.3.1, removed after v2.4

44 | Amount provider agreed to accept from primary payer when this amount is less than charges but higher than payment received,, then a Medicare secondary payment is due | | Deprecated | added v2.3.1, removed after v2.4

45 | Accident hour | | Deprecated | added v2.3.1, removed after v2.4

46 | Number of grace days | | Deprecated | added v2.3.1, removed after v2.4

47 | Any liability insurance | | Deprecated | added v2.3.1, removed after v2.4

48 | Hemoglobin reading | | Deprecated | added v2.3.1, removed after v2.4

49 | Hematocrit reading | | Deprecated | added v2.3.1, removed after v2.4

50 | Physical therapy visits | | Deprecated | added v2.3.1, removed after v2.4

51 | Occupational therapy visits | | Deprecated | added v2.3.1, removed after v2.4

52 | Speech therapy visits | | Deprecated | added v2.3.1, removed after v2.4

53 | Cardiac rehab visits | | Deprecated | added v2.3.1, removed after v2.4

56 | Skilled nurse - home visit hours | | Deprecated | added v2.3.1, removed after v2.4

57 | Home health aide - home visit hours | | Deprecated | added v2.3.1, removed after v2.4

58 | Arterial blood gas | | Deprecated | added v2.3.1, removed after v2.4

59 | Oxygen saturation | | Deprecated | added v2.3.1, removed after v2.4

60 | HHA branch MSA | | Deprecated | added v2.3.1, removed after v2.4

67 | Peritoneal dialysis | | Deprecated | added v2.3.1, removed after v2.4

68 | EPO-drug | | Deprecated | added v2.3.1, removed after v2.4

70 | Payer codes | | Deprecated | added v2.3.1, removed after v2.4

70 ... 72 | Payer codes | | Deprecated | added v2.3.1, removed after v2.4

71 | Payer codes | | Deprecated | added v2.3.1, removed after v2.4

72 | Payer codes | | Deprecated | added v2.3.1, removed after v2.4

75 | Payer codes | | Deprecated | added v2.3.1, removed after v2.4

75 ... 79 | Payer codes | | Deprecated | added v2.3.1, removed after v2.4

76 | Payer codes | | Deprecated | added v2.3.1, removed after v2.4

77 | Payer codes | | Deprecated | added v2.3.1, removed after v2.4

78 | Payer codes | | Deprecated | added v2.3.1, removed after v2.4

79 | Payer codes | | Deprecated | added v2.3.1, removed after v2.4

80 | Psychiatric visits | | Deprecated | added v2.3.1, removed after v2.4

81 | Visits subject to co-payment | | Deprecated | added v2.3.1, removed after v2.4

A1 | Deductible payer A | | Deprecated | added v2.3.1, removed after v2.4

A2 | Coinsurance payer A | | Deprecated | added v2.3.1, removed after v2.4
A3 | Estimated responsibility payer A | | Deprecated | added v2.3.1, removed after v2.4
X0 | Service excluded on primary policy | | Deprecated | added v2.3.1, removed after v2.4
X4 | Supplemental coverage | | Deprecated | added v2.3.1, removed after v2.4
... | See NUBC codes | | Deprecated | added v2.7.1, removed after v2.7.1

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0153 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
... | Zie (Amerikaanse) NUBC codes | | Verouderd | added v2.5.1, removed after v2.8.2
01 | Meest algemeen semi-privé | | Verouderd | added v2.3.1, removed after v2.4
02 | Ziekenhuis heeft geen semi-eigen kamers | | Verouderd | added v2.3.1, removed after v2.4
04 | | | Verouderd | added v2.3.1, removed after v2.4
05 | | | Verouderd | added v2.3.1, removed after v2.4
06 | | | Verouderd | added v2.3.1, removed after v2.4
08 | | | Verouderd | added v2.3.1, removed after v2.4
09 | | | Verouderd | added v2.3.1, removed after v2.4
10 | | | Verouderd | added v2.3.1, removed after v2.4
11 | | | Verouderd | added v2.3.1, removed after v2.4
12 | | | Verouderd | added v2.3.1, removed after v2.4
13 | | | Verouderd | added v2.3.1, removed after v2.4
14 | | | Verouderd | added v2.3.1, removed after v2.4
15 | Werknemer compensatie | | Verouderd | added v2.3.1, removed after v2.4
16 | | | Verouderd | added v2.3.1, removed after v2.4
17 | Betalercode | | Verouderd | added v2.3.1, removed after v2.4
21 | Catastrofaal | | Verouderd | added v2.3.1, removed after v2.4
22 | Surplus | | Verouderd | added v2.3.1, removed after v2.4
23 | Regelmatig maandelijks inkomen | | Verouderd | added v2.3.1, removed after v2.4
24 | Medicaid tariefcode | | Verouderd | added v2.3.1, removed after v2.4
30 | Vooropname testen | | Verouderd | added v2.3.1, removed after v2.4
31 | Patiënt aansprakelijkheid bedrag | | Verouderd | added v2.3.1, removed after v2.4
37 | | | Verouderd | added v2.3.1, removed after v2.4
38 | | | Verouderd | added v2.3.1, removed after v2.4
39 | | | Verouderd | added v2.3.1, removed after v2.4
40 | | | Verouderd | added v2.3.1, removed after v2.4
41 | Stoflong | | Verouderd | added v2.3.1, removed after v2.4
42 | Amerikaanse Veterans Affairs | | Verouderd | added v2.3.1, removed after v2.4
43 | | | Verouderd | added v2.3.1, removed after v2.4
44 | | | Verouderd | added v2.3.1, removed after v2.4
45 | | | Verouderd | added v2.3.1, removed after v2.4
46 | | | Verouderd | added v2.3.1, removed after v2.4
47 | Een of andere aansprakelijkheidsverzekering | | Verouderd | added v2.3.1, removed after v2.4
48 | Hemoglobinewaarde | | Verouderd | added v2.3.1, removed after v2.4
49 | Hematocrietwaarde | | Verouderd | added v2.3.1, removed after v2.4
50 | Lichamelijke oefening bezoeken | | Verouderd | added v2.3.1, removed after v2.4
51 | Ergotherapie bezoeken | | Verouderd | added v2.3.1, removed after v2.4
52 | Stemoefening bezoeken | | Verouderd | added v2.3.1, removed after v2.4
53 | Hartrevalidatie bezoeken | | Verouderd | added v2.3.1, removed after v2.4
56 | | | Verouderd | added v2.3.1, removed after v2.4
57 | Thuiszorg hulp - thuisbezoekuren | | Verouderd | added v2.3.1, removed after v2.4
58 | Arterieel bloedgas | | Verouderd | added v2.3.1, removed after v2.4
59 | Zuurstofsaturatie | | Verouderd | added v2.3.1, removed after v2.4
60 | | | Verouderd | added v2.3.1, removed after v2.4
67 | Peritoneale dialyse | | Verouderd | added v2.3.1, removed after v2.4
68 | EPO-medicatie | | Verouderd | added v2.3.1, removed after v2.4
70 | Betalercodes | | Verouderd | added v2.3.1, removed after v2.4
70 ... 72 | Betalercodes | | Verouderd | added v2.3.1, removed after v2.4
71 | Betalercodes | | Verouderd | added v2.3.1, removed after v2.4
72 | Betalercodes | | Verouderd | added v2.3.1, removed after v2.4
75 | Betalercodes | | Verouderd | added v2.3.1, removed after v2.4
75 ... 79 | Betalercodes | | Verouderd | added v2.3.1, removed after v2.4
76 | Betalercodes | | Verouderd | added v2.3.1, removed after v2.4
77 | Betalercodes | | Verouderd | added v2.3.1, removed after v2.4
78 | Betalercodes | | Verouderd | added v2.3.1, removed after v2.4
79 | Betalercodes | | Verouderd | added v2.3.1, removed after v2.4
80 | Psychiatrische bezoeken | | Verouderd | added v2.3.1, removed after v2.4
81 | Bezoeken vallen onder co-betaling | | Verouderd | added v2.3.1, removed after v2.4

A1 | Eigen risico betaler A | | Verouderd | added v2.3.1, removed after v2.4
A2 | Medeverzekerd betaler A | | Verouderd | added v2.3.1, removed after v2.4
A3 | Geschatte verantwoordelijkheid betaler A | | Verouderd | added v2.3.1, removed after v2.4
X0 | Service uitgesloten van primaire polis | | Verouderd | added v2.3.1, removed after v2.4
X4 | Aanvullende dekking | | Verouderd | added v2.3.1, removed after v2.4
... | Zie (Amerikaanse) NUBC codes | | Verouderd | added v2.7.1, removed after v2.7.1

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.153.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0153 version 2.9

Code | System | Display

4.3.15.155 HL7 Version 2 Table 0155

URL: https://hl7.org/fhir/R4/v2/0155/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0155
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0155
Version: | 2.9
Name: | v2.0155
Title: | v2 ACCEPT/APPLICATION ACKNOWLEDGEMENT CONDITIONS
Definition: | FHIR Value set/code system definition for HL7 v2 table 0155 (ACCEPT/APPLICATION ACKNOWLEDGEMENT CONDITIONS)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.155.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0155 defines the following codes:

Code | Display | Definition | Version
AL | en: Always de: immer nl: Altijd | | added v2.2
ER | en: Error/reject conditions only de: Nur bei Auftreten von Fehlerbedingungen nl: Alleen bij fout/weigering | | added v2.2
NE | en: Never de: niemals nl: Nooit | | added v2.2
SU | en: Successful completion only de: Nur bei erfolgreichem Abschluß nl: Alleen bij succes | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0155 defines the following codes:

Code | Display | Definition | Version
AL | Always | | added v2.2
ER | Error/reject conditions only | | added v2.2
NE | Never | | added v2.2
SU | Successful completion only | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0155 defines the following codes:

Code | Display | Definition | Version
AL | immer | | added v2.2
ER | Nur bei Auftreten von Fehlerbedingungen | | added v2.2
NE | niemals | | added v2.2
SU | Nur bei erfolgreichem Abschluß | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0155 definieert de volgende codes:

Code | Display | Definition | Versie
AL | Altijd | | added v2.2
ER | Alleen bij fout/weigering | | added v2.2
NE | Nooit | | added v2.2

SU | Alleen bij succes | | added v2.2

4.3.15.156 HL7 Version 2 Table 0156

URL: https://hl7.org/fhir/R4/v2/0156/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0156
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0156
Version: | 2.9
Name: | v2.0156
Title: | v2 DATE/TIME QUALIFIER
Definition: | FHIR Value set/code system definition for HL7 v2 table 0156 (DATE/TIME QUALIFIER)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.156.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0156 defines the following codes:

Code | Display | Definition | Deprecated | Version
ANY | en: Any date/time within a range de: Alle Ereignisse nl: Elke datum/tijd binnen periode | | Deprecated | added v2.2, removed after v2.6
CAN | en: Cancellation date/time de: Stornierung nl: Annulering datum/tijd | | Deprecated | added v2.2, removed after v2.3
COL | en: Collection date/time, equivalent to film or sample collection date/time de: Probenentnahme / Untersuchung nl: Verzamel datum/tijd (equivalent aan film of monster verzamel datum/tijd) | | Deprecated | added v2.2, removed after v2.6
ORD | en: Order date/time de: Auftragseingabe nl: Aanvraag datum/tijd | | Deprecated | added v2.2, removed after v2.6
RCT | en: Specimen receipt date/time, receipt of specimen in filling ancillary (Lab) de: Probeneingang nl: Monster ontvangen datum/tijd (ontvangst van monster bij filler (lab)) | | Deprecated | added v2.2, removed after v2.6
REP | en: Report date/time, report date/time at filling ancillary (i.e., Lab) de: Berichtserstellung nl: Verslag datum/tijd (verslag datum/tijd bij filler (lab)) | | Deprecated | added v2.2, removed after v2.6
SCHED | en: Schedule date/time de: Terminvergabe nl: Planning datum/tijd | | Deprecated | added v2.2, removed after v2.6

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0156 defines the following codes:

Code | Display | Definition | Deprecated | Version
ANY | Any date/time within a range | | Deprecated | added v2.2, removed after v2.6
CAN | Cancellation date/time | | Deprecated | added v2.2, removed after v2.3
COL | Collection date/time, equivalent to film or sample collection date/time | | Deprecated | added v2.2, removed after v2.6
ORD | Order date/time | | Deprecated | added v2.2, removed after v2.6
RCT | Specimen receipt date/time, receipt of specimen in filling ancillary (Lab) | | Deprecated | added v2.2, removed after v2.6
REP | Report date/time, report date/time at filling ancillary (i.e., Lab) | | Deprecated | added v2.2, removed after v2.6
SCHED | Schedule date/time | | Deprecated | added v2.2, removed after v2.6

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0156 defines the following codes:

Code | Display | Definition | Deprecated | Version
ANY | Alle Ereignisse | | Deprecated | added v2.2, removed after v2.6
CAN | Stornierung | | Deprecated | added v2.2, removed after v2.3
COL | Probenentnahme / Untersuchung | | Deprecated | added v2.2, removed after v2.6
ORD | Auftragseingabe | | Deprecated | added v2.2, removed after v2.6
RCT | Probeneingang | | Deprecated | added v2.2, removed after v2.6
REP | Berichtserstellung | | Deprecated | added v2.2, removed after v2.6
SCHED | Terminvergabe | | Deprecated | added v2.2, removed after v2.6

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0156 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
ANY | Elke datum/tijd binnen periode | | Verouderd | added v2.2, removed after v2.6
CAN | Annulering datum/tijd | | Verouderd | added v2.2, removed after v2.3
COL | Verzamel datum/tijd (equivalent aan film of monster verzamel datum/tijd) | | Verouderd | added v2.2, removed after v2.6
ORD | Aanvraag datum/tijd | | Verouderd | added v2.2, removed after v2.6
RCT | Monster ontvangen datum/tijd (ontvangst van monster bij filler (lab)) | | Verouderd | added v2.2, removed after v2.6
REP | Verslag datum/tijd (verslag datum/tijd bij filler (lab)) | | Verouderd | added v2.2, removed after v2.6
SCHED | Planning datum/tijd | | Verouderd | added v2.2, removed after v2.6

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.156.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0156 version 2.9

Code | System | Display

4.3.15.157 HL7 Version 2 Table 0157

URL: https://hl7.org/fhir/R4/v2/0157/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0157
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0157
Version: | 2.9
Name: | v2.0157
Title: | v2 WHIHC DATE/TIME STATUS QUALIFIER
Definition: | FHIR Value set/code system definition for HL7 v2 table 0157 (WHIHC DATE/TIME STATUS QUALIFIER)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.157.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0157 defines the following codes:

Code | Display | Definition | Deprecated | Version
ANY | en: Any status de: Beliebiger Status nl: Willekeurige status | | Deprecated | added v2.2, removed after v2.6
CFN | en: Current final value, whether final or corrected de: Aktuelles Endergebnis nl: Huidige definitieve waarde (definitief en/of gecorrigeerd) | | Deprecated | added v2.2, removed after v2.6
COR | en: Corrected only (no final with corrections) de: Ursprüngliche Ergebnisse, die später korrigiert wurden nl: Alleen correcties (geen definitief met correcties) | | Deprecated | added v2.2, removed after v2.6
FIN | en: Final only (no corrections) de: Endergebnisse, die niemals korrigiert wurden nl: Alleen definitief (geen correcties) | | Deprecated | added v2.2, removed after v2.6
PRE | en: Preliminary de: Vorläufig nl: Voorlopig | | Deprecated | added v2.2, removed after v2.6
REP | en: Report completion date/time de: Bericht abgeschlossen nl: Verslag voltooiing datum/tijd | | Deprecated | added v2.2, removed after v2.6

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0157 defines the following codes:

Code | Display | Definition | Deprecated | Version
ANY | Any status | | Deprecated | added v2.2, removed after v2.6
CFN | Current final value, whether final or corrected | | Deprecated | added v2.2, removed after v2.6
COR | Corrected only (no final with corrections) | | Deprecated | added v2.2, removed after v2.6
FIN | Final only (no corrections) | | Deprecated | added v2.2, removed after v2.6
PRE | Preliminary | | Deprecated | added v2.2, removed after v2.6
REP | Report completion date/time | | Deprecated | added v2.2, removed after v2.6

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0157 defines the following codes:

Code | Display | Definition | Deprecated | Version
ANY | Beliebiger Status | | Deprecated | added v2.2, removed after v2.6
CFN | Aktuelles Endergebnis | | Deprecated | added v2.2, removed after v2.6
COR | Ursprüngliche Ergebnisse, die später korrigiert wurden | | Deprecated | added v2.2, removed after v2.6
FIN | Endergebnisse, die niemals korrigiert wurden | | Deprecated | added v2.2, removed after v2.6
PRE | Vorläufig | | Deprecated | added v2.2, removed after v2.6
REP | Bericht abgeschlossen | | Deprecated | added v2.2, removed after v2.6

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0157 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
ANY | Willekeurige status | | Verouderd | added v2.2, removed after v2.6
CFN | Huidige definitieve waarde (definitief en/of gecorrigeerd) | | Verouderd | added v2.2, removed after v2.6
COR | Alleen correcties (geen definitief met correcties) | | Verouderd | added v2.2, removed after v2.6
FIN | Alleen definitief (geen correcties) | | Verouderd | added v2.2, removed after v2.6
PRE | Voorlopig | | Verouderd | added v2.2, removed after v2.6
REP | Verslag voltooiing datum/tijd | | Verouderd | added v2.2, removed after v2.6

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.157.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0157 version 2.9

Code | System | Display

4.3.15.158 HL7 Version 2 Table 0158

URL: https://hl7.org/fhir/R4/v2/0158/index.html

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0158
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0158
Version: | 2.9
Name: | v2.0158
Title: | v2 DATE/TIME SELECTION QUALIFIER
Definition: | FHIR Value set/code system definition for HL7 v2 table 0158 (DATE/TIME SELECTION QUALIFIER)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.158.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0158 defines the following codes:

Code | Display | Definition | Deprecated | Version
1ST | en: First value within range de: erster Wert nl: Eerste waarde binnen bereik | | Deprecated | added v2.2, removed after v2.6
ALL | en: All values within the range de: alle Werte nl: Alle waarden binnen bereik | | Deprecated | added v2.2, removed after v2.6
LST | en: Last value within the range de: letzter Wert nl: Laatste waarde binnen bereik | | Deprecated | added v2.2, removed after v2.6
REV | en: All values within the range returned in reverse chronological order (This is the default if not otherwise specified.) de: alle Werte in umgekehrter chronologischer Reihenfolge nl: Alle waarden binnen bereik in omgekeerde chronologische volgorde. (Standaard tenzij anders gespecificeerd.) | | Deprecated | added v2.2, removed after v2.6

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0158 defines the following codes:

Code | Display | Definition | Deprecated | Version
1ST | First value within range | | Deprecated | added v2.2, removed after v2.6
ALL | All values within the range | | Deprecated | added v2.2, removed after v2.6
LST | Last value within the range | | Deprecated | added v2.2, removed after v2.6
REV | All values within the range returned in reverse chronological order (This is the default if not otherwise specified.) | | Deprecated | added v2.2, removed after v2.6

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0158 defines the following codes:

Code | Display | Definition | Deprecated | Version
1ST | erster Wert | | Deprecated | added v2.2, removed after v2.6
ALL | alle Werte | | Deprecated | added v2.2, removed after v2.6
LST | letzter Wert | | Deprecated | added v2.2, removed after v2.6
REV | alle Werte in umgekehrter chronologischer Reihenfolge | | Deprecated | added v2.2, removed after v2.6

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code

deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0158 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
1ST | Eerste waarde binnen bereik | | Verouderd | added v2.2, removed after v2.6
ALL | Alle waarden binnen bereik | | Verouderd | added v2.2, removed after v2.6
LST | Laatste waarde binnen bereik | | Verouderd | added v2.2, removed after v2.6
REV | Alle waarden binnen bereik in omgekeerde chronologische volgorde. (Standaard tenzij anders gespecificeerd.) | | Verouderd | added v2.2, removed after v2.6

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.158.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0158 version 2.9

Code | System | Display

4.3.15.159 HL7 Version 2 Table 0159

URL: https://hl7.org/fhir/R4/v2/0159/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0159
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0159
Version: | 2.9
Name: | v2.0159
Title: | v2 DIET TYPE
Definition: | FHIR Value set/code system definition for HL7 v2 table 0159 (DIET TYPE)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.159.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0159 defines the following codes:

Code | Display | Definition | Version
D | en: Diet de: Diät nl: Dieet | | added v2.2
P | en: Preference de: bevorzugte Verpflegung nl: Voorkeur | | added v2.2
S | en: Supplement de: Zusatzverpflegung | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0159 defines the following codes:

Code | Display | Definition | Version
D | Diet | | added v2.2
P | Preference | | added v2.2
S | Supplement | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0159 defines the following codes:

Code | Display | Definition | Version
D | Diät | | added v2.2
P | bevorzugte Verpflegung | | added v2.2
S | Zusatzverpflegung | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0159 definieert de volgende codes:

Code | Display | Definition | Versie
D | Dieet | | added v2.2
P | Voorkeur | | added v2.2
S | Supplement | | added v2.2

4.3.15.160 HL7 Version 2 Table 0160

URL: https://hl7.org/fhir/R4/v2/0160/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0160
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0160
Version: | 2.9
Name: | v2.0160
Title: | v2 TRAY TYPE
Definition: | FHIR Value set/code system definition for HL7 v2 table 0160 (TRAY TYPE)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.160.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0160 defines the following codes:

Code | Display | Definition | Version
EARLY | en: Early tray de: früh servieren nl: Vroege tray | | added v2.2
GUEST | en: Guest tray de: Gästeessen nl: Bezoeker-tray | | added v2.2
LATE | en: Late tray de: spät servieren | | added v2.2
MSG | en: Tray message only de: Ergänzende Hinweise nl: Alleen tray-bericht | | added v2.2
NO | en: No tray de: kein Essen nl: Geen tray | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0160 defines the following codes:

Code | Display | Definition | Version
EARLY | Early tray | | added v2.2
GUEST | Guest tray | | added v2.2
LATE | Late tray | | added v2.2
MSG | Tray message only | | added v2.2
NO | No tray | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0160 defines the following codes:

Code | Display | Definition | Version
EARLY | früh servieren | | added v2.2
GUEST | Gästeessen | | added v2.2
LATE | spät servieren | | added v2.2
MSG | Ergänzende Hinweise | | added v2.2
NO | kein Essen | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0160 definieert de volgende codes:

Code | Display | Definition | Versie
EARLY | Vroege tray | | added v2.2
GUEST | Bezoeker-tray | | added v2.2
LATE | Late tray | | added v2.2
MSG | Alleen tray-bericht | | added v2.2
NO | Geen tray | | added v2.2

4.3.15.161 HL7 Version 2 Table 0161

URL: https://hl7.org/fhir/R4/v2/0161/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0161
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0161
Version: | 2.9
Name: | v2.0161
Title: | v2 ALLOW SUBSTITUTION

Definition: | FHIR Value set/code system definition for HL7 v2 table 0161 (ALLOW SUBSTITUTION)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.161.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0161 defines the following codes:

Code | Display | Definition | Version
G | en: Allow generic substitutions. de: Substitution durch Generika erlaubt nl: Generieke substituties toegestaan | | added v2.2
N | en: Substitutions are NOT authorized. (This is the default - null.) de: Substitution nicht erlaubt nl: Substituties NIET geautoriseerd (Standaardwaarde.) | | added v2.2
T | en: Allow therapeutic substitutions de: Therapieorientierte Substitution erlaubt nl: Therapeutische substituties toegestaan | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0161 defines the following codes:

Code | Display | Definition | Version
G | Allow generic substitutions. | | added v2.2
N | Substitutions are NOT authorized. (This is the default - null.) | | added v2.2
T | Allow therapeutic substitutions | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0161 defines the following codes:

Code | Display | Definition | Version
G | Substitution durch Generika erlaubt | | added v2.2
N | Substitution nicht erlaubt | | added v2.2
T | Therapieorientierte Substitution erlaubt | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0161 definieert de volgende codes:

Code | Display | Definition | Versie
G | Generieke substituties toegestaan | | added v2.2
N | Substituties NIET geautoriseerd (Standaardwaarde.) | | added v2.2
T | Therapeutische substituties toegestaan | | added v2.2

4.3.15.162 HL7 Version 2 Table 0162

URL: https://hl7.org/fhir/R4/v2/0162/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0162
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0162
Version: | 2.9
Name: | v2.0162
Title: | v2 ROUTE OF ADMINISTRATION
Definition: | FHIR Value set/code system definition for HL7 v2 table 0162 (ROUTE OF ADMINISTRATION)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.162.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0162 defines the following codes:

Code | Display | Definition | Comments | Version

AP | en: Apply Externally de: Externe Applikation nl: Uitwendig gebruik | | | added v2.2
B | en: Buccal nl: Wang | | | added v2.2
DT | en: Dental nl: Dentaal | | | added v2.2
EP | en: Epidural nl: Epiduraal | | | added v2.3
ET | en: Endotrachial Tube de: endotrachialer Schlauch nl: Endotrachiale sonde* | | en: used primarily for respiratory therapy and anesthesia delivery nl: vooral voor ademhalingstherapie en anesthesie | added v2.3
GTT | en: Gastrostomy Tube de: Magenschlauch nl: Maagsonde | | | added v2.2
GU | en: GU Irrigant de: Magenspülung nl: GU Irrigatiemiddel | | | added v2.2
IA | en: Intra-arterial de: Intraarteriell nl: Intra-arteriaal | | | added v2.2
IB | en: Intrabursal nl: Intrabursaal | | | added v2.3
IC | en: Intracardiac de: Intracardial nl: Intracardiaal | | | added v2.2
ICV | en: Intracervical (uterus) de: Intracervikal (Uterus) nl: Intracervicaal (uterus) | | | added v2.3
ID | en: Intradermal nl: Intradermaal | | | added v2.2
IH | en: Inhalation nl: Inhalatie | | | added v2.2
IHA | en: Intrahepatic Artery nl: Intrahepatische ader | | | added v2.3.1
IM | en: Intramuscular de: Intramuskulär nl: Intramusculair | | | added v2.2
IMR | en: Immerse (Soak) Body Part nl: Dompel (Week) lichaamsdeel | | | added v2.3
IN | en: Intranasal nl: Intranasaal | | | added v2.2
IO | en: Intraocular de: Intraokular nl: Intraoculair | | | added v2.2
IP | en: Intraperitoneal nl: Intraperitoneaal | | | added v2.2
IS | en: Intrasynovial nl: Intrasynoviaal | | | added v2.2
IT | en: Intrathecal de: Intrathekal nl: Intrathecaal | | | added v2.2
IU | en: Intrauterine de: Intrauterin nl: Intra-uterine | | | added v2.3.1
IV | en: Intravenous de: Intravenös nl: Intraveneus | | | added v2.2
MM | en: Mucous Membrane de: Mukosamembran nl: Slijmvlies | | | added v2.3
MTH | en: Mouth/Throat de: Mund/Rachen nl: Mond/keel | | | added v2.3.1
NG | en: Nasogastric de: Nasogastral nl: Nasogastrisch | | | added v2.2
NP | en: Nasal Prongs de: Nasenklemme (insbes.f.respirat.Ther.+Anästh.) nl: Neuskap* | | en: used primarily for respiratory therapy and anesthesia delivery nl: vooral voor ademhalingstherapie en anesthesie | added v2.3
NS | en: Nasal nl: Nasaal | | | added v2.2
NT | en: Nasotrachial Tube nl: Neussonde | | | added v2.3
OP | en: Ophthalmic de: In das Auge nl: Oculair | | | added v2.2
OT | en: Otic de: In das Ohr nl: Auriculair | | | added v2.2
OTH | en: Other/Miscellaneous nl: Anders/overig | | | added v2.3
PF | en: Perfusion nl: Perfusie | | | added v2.3
PO | en: Oral nl: Oraal | | | added v2.2
PR | en: Rectal de: Rektal nl: Rectaal | | | added v2.2
RM | en: Rebreather Mask de: Beatmungsmaske (insbes.f.respirat.Ther.+Anästh.) nl: Rebreather-masker* | | en: used primarily for respiratory therapy and anesthesia delivery nl: vooral voor ademhalingstherapie en anesthesie | added v2.3
SC | en: Subcutaneous de: Subkutan nl: Subcutaan | | | added v2.2
SD | en: Soaked Dressing nl: Verzadigde dressing | | | added v2.3
SL | en: Sublingual nl: Sublinguaal | | | added v2.2
TD | en: Transdermal nl: Transdermaal | | | added v2.2
TL | en: Translingual nl: Translinguaal | | | added v2.2
TP | en: Topical de: Lokal nl: Topicaal | | | added v2.2
TRA | en: Tracheostomy de: Tracheostomie (insbes.f.respirat.Ther.+Anästh.) nl: Tracheostomie* | | en: used primarily for respiratory therapy and anesthesia delivery nl: vooral voor ademhalingstherapie en anesthesie | added v2.3
UR | en: Urethral nl: Urethraal | | | added v2.2
VG | en: Vaginal nl: Vaginaal | | | added v2.2
VM | en: Ventimask nl: Ventimasker | | | added v2.3
WND | en: Wound nl: Wond | | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0162 defines the following codes:

Code | Display | Definition | Comments | Version
AP | Apply Externally | | | added v2.2
B | Buccal | | | added v2.2
DT | Dental | | | added v2.2
EP | Epidural | | | added v2.3
ET | Endotrachial Tube | | used primarily for respiratory therapy and anesthesia delivery | added v2.3
GTT | Gastrostomy Tube | | | added v2.2
GU | GU Irrigant | | | added v2.2
IA | Intra-arterial | | | added v2.2
IB | Intrabursal | | | added v2.3
IC | Intracardiac | | | added v2.2
ICV | Intracervical (uterus) | | | added v2.3
ID | Intradermal | | | added v2.2
IH | Inhalation | | | added v2.2
IHA | Intrahepatic Artery | | | added v2.3.1
IM | Intramuscular | | | added v2.2
IMR | Immerse (Soak) Body Part | | | added v2.3
IN | Intranasal | | | added v2.2
IO | Intraocular | | | added v2.2
IP | Intraperitoneal | | | added v2.2

IS | Intrasynovial | | | added v2.2
IT | Intrathecal | | | added v2.2
IU | Intrauterine | | | added v2.3.1
IV | Intravenous | | | added v2.2
MM | Mucous Membrane | | | added v2.3
MTH | Mouth/Throat | | | added v2.3.1
NG | Nasogastric | | | added v2.2
NP | Nasal Prongs | | used primarily for respiratory therapy and anesthesia delivery | added v2.3
NS | Nasal | | | added v2.2
NT | Nasotrachial Tube | | | added v2.3
OP | Ophthalmic | | | added v2.2
OT | Otic | | | added v2.2
OTH | Other/Miscellaneous | | | added v2.3
PF | Perfusion | | | added v2.3
PO | Oral | | | added v2.2
PR | Rectal | | | added v2.2
RM | Rebreather Mask | | used primarily for respiratory therapy and anesthesia delivery | added v2.3
SC | Subcutaneous | | | added v2.2
SD | Soaked Dressing | | | added v2.3
SL | Sublingual | | | added v2.2
TD | Transdermal | | | added v2.2
TL | Translingual | | | added v2.2
TP | Topical | | | added v2.2
TRA | Tracheostomy | | used primarily for respiratory therapy and anesthesia delivery | added v2.3
UR | Urethral | | | added v2.2
VG | Vaginal | | | added v2.2
VM | Ventimask | | | added v2.3
WND | Wound | | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0162 defines the following codes:

Code | Display | Definition | Comments | Version
AP | Externe Applikation | | | added v2.2
B | buccal | | | added v2.2
DT | dental | | | added v2.2
EP | epidural | | | added v2.3
ET | endotrachialer Schlauch | | | added v2.3
GTT | Magenschlauch | | | added v2.2
GU | Magenspülung | | | added v2.2
IA | Intraarteriell | | | added v2.2
IB | Intrabursal | | | added v2.3
IC | Intracardial | | | added v2.2
ICV | Intracervikal (Uterus) | | | added v2.3
ID | Intradermal | | | added v2.2
IH | Inhalation | | | added v2.2
IHA | | | | added v2.3.1
IM | Intramuskulär | | | added v2.2
IMR | | | | added v2.3
IN | Intranasal | | | added v2.2
IO | Intraokular | | | added v2.2
IP | Intraperitoneal | | | added v2.2
IS | Intrasynovial | | | added v2.2
IT | Intrathekal | | | added v2.2
IU | Intrauterin | | | added v2.3.1
IV | Intravenös | | | added v2.2
MM | Mukosamembran | | | added v2.3
MTH | Mund/Rachen | | | added v2.3.1
NG | Nasogastral | | | added v2.2
NP | Nasenklemme (insbes.f.respirat.Ther.+Anästh.) | | | added v2.3
NS | Nasal | | | added v2.2
NT | | | | added v2.3
OP | In das Auge | | | added v2.2
OT | In das Ohr | | | added v2.2
OTH | | | | added v2.3
PF | Perfusion | | | added v2.3
PO | Oral | | | added v2.2
PR | Rektal | | | added v2.2
RM | Beatmungsmaske (insbes.f.respirat.Ther.+Anästh.) | | | added v2.3
SC | Subkutan | | | added v2.2
SD | | | | added v2.3
SL | Sublingual | | | added v2.2
TD | Transdermal | | | added v2.2
TL | Translingual | | | added v2.2

TP | Lokal | | | added v2.2
TRA | Tracheostomie (insbes.f.respirat.Ther.+Anästh.) | | | added v2.3
UR | Urethral | | | added v2.2
VG | Vaginal | | | added v2.2
VM | | | | added v2.3
WND | | | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0162 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie
AP | Uitwendig gebruik | | | added v2.2
B | Wang | | | added v2.2
DT | Dentaal | | | added v2.2
EP | Epiduraal | | | added v2.3
ET | Endotrachiale sonde* | | vooral voor ademhalingstherapie en anesthesie | added v2.3
GTT | Maagsonde | | | added v2.2
GU | GU Irrigatiemiddel | | | added v2.2
IA | Intra-arteriaal | | | added v2.2
IB | Intrabursaal | | | added v2.3
IC | Intracardiaal | | | added v2.2
ICV | Intracervicaal (uterus) | | | added v2.3
ID | Intradermaal | | | added v2.2
IH | Inhalatie | | | added v2.2
IHA | Intrahepatische ader | | | added v2.3.1
IM | Intramusculair | | | added v2.2
IMR | Dompel (Week) lichaamsdeel | | | added v2.3
IN | Intranasaal | | | added v2.2
IO | Intraoculair | | | added v2.2
IP | Intraperitoneaal | | | added v2.2
IS | Intrasynoviaal | | | added v2.2
IT | Intrathecaal | | | added v2.2
IU | Intra-uterine | | | added v2.3.1
IV | Intraveneus | | | added v2.2
MM | Slijmvlies | | | added v2.3
MTH | Mond/keel | | | added v2.3.1
NG | Nasogastrisch | | | added v2.2
NP | Neuskap* | | vooral voor ademhalingstherapie en anesthesie | added v2.3
NS | Nasaal | | | added v2.2
NT | Neussonde | | | added v2.3
OP | Oculair | | | added v2.2
OT | Auriculair | | | added v2.2
OTH | Anders/overig | | | added v2.3
PF | Perfusie | | | added v2.3
PO | Oraal | | | added v2.2
PR | Rectaal | | | added v2.2
RM | Rebreather-masker* | | vooral voor ademhalingstherapie en anesthesie | added v2.3
SC | Subcutaan | | | added v2.2
SD | Verzadigde dressing | | | added v2.3
SL | Sublinguaal | | | added v2.2
TD | Transdermaal | | | added v2.2
TL | Translinguaal | | | added v2.2
TP | Topicaal | | | added v2.2
TRA | Tracheostomie* | | vooral voor ademhalingstherapie en anesthesie | added v2.3
UR | Urethraal | | | added v2.2
VG | Vaginaal | | | added v2.2
VM | Ventimasker | | | added v2.3
WND | Wond | | | added v2.3

4.3.15.163 HL7 Version 2 Table 0163

URL: https://hl7.org/fhir/R4/v2/0163/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0163
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0163
Version: | 2.9
Name: | v2.0163
Title: | v2 ADMINISTRIVE SITE
Definition: | FHIR Value set/code system definition for HL7 v2 table 0163 (ADMINISTRIVE SITE)
OID: | ??
CodeSystem Resource | XML / JSON

ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.163.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0163 defines the following codes:

Code | Display | Definition | Deprecated | Version
BE | en: Bilateral Ears de: Beide Ohren nl: Beide oren | | | added v2.2
BN | en: Bilateral Nares de: Beide Nasenlöcher nl: Beide neusgaten | | | added v2.2
BU | en: Buttock de: Gesäß nl: Bil | | | added v2.2
CT | en: Chest Tube de: Tubus nl: Borst slang | | | added v2.2
LA | en: Left Arm de: linker Arm nl: Linker arm | | | added v2.2
LAC | en: Left Anterior Chest de: Linker vorderer Thorax nl: Linker anterior borst | | | added v2.2
LACF | en: Left Antecubital Fossa de: Linke Fossa antecubitalis nl: Linker antecubitale fossa | | | added v2.2
LD | en: Left Deltoid de: Linker Deltoideus nl: Linker deltoideus | | | added v2.2
LE | en: Left Ear de: linkes Ohr nl: Linker oor | | | added v2.2
LEJ | en: Left External Jugular de: Linke Vena jugularis externa nl: Linker uitwendige jugularis | | | added v2.2
LF | en: Left Foot de: linker Fuß nl: Linker voet | | | added v2.2
LG | en: Left Gluteus Medius de: Linker Glutäus maximus nl: Linker glutaeus medius | | | added v2.2
LH | en: Left Hand de: linke Hand nl: Linker hand | | | added v2.2
LIJ | en: Left Internal Jugular de: Linke Vena jugularis interna nl: Linker inwendige jugularis | | | added v2.2
LLAQ | en: Left Lower Abd Quadrant de: Linker unterer Quadrant Abdomen nl: Linker onderste abdomen quadrant | | | added v2.2
LLFA | en: Left Lower Forearm de: Linker Unterarm (unten) nl: Linker onderste onderarm | | | added v2.2
LMFA | en: Left Mid Forearm de: Linker Unterarm (Mitte) nl: Linker mid onderarm | | | added v2.2
LN | en: Left Naris de: Linkes Nasenloch nl: Linker neusgat | | | added v2.2
LNB | en: Nebulized nl: Verneveld | | Deprecated | added v2.3, removed after v2.3
LPC | en: Left Posterior Chest de: Linker hinterer Thorax nl: Linker posterior borst | | | added v2.2
LSC | en: Left Subclavian de: Linke Subclavia nl: Linker subclavia | | | added v2.2
LT | en: Left Thigh de: Linker Oberschenkel nl: Linker dij | | | added v2.2
LUA | en: Left Upper Arm de: Linker Oberarm nl: Linker bovenarm | | | added v2.2
LUAQ | en: Left Upper Abd Quadrant de: Linker oberer Quadrant Abdomen nl: Linker bovenste abdomen quadrant | | | added v2.2
LUFA | en: Left Upper Forearm de: Linker Unterarm (oben) nl: Linker bovenste onderarm | | | added v2.2
LV | en: Left Vastus Lateralis nl: Linker vastus lateralis | | Deprecated | added v2.3, removed after v2.3
LVG | en: Left Ventragluteal de: Linke Bauch- / Glutealgegend nl: Linker ventragluteaal | | | added v2.2
LVL | en: Left Vastus Lateralis de: Linker Musculus vastus lateralis (Offiziersstreifen) nl: Linker vastus lateralis | | | added v2.2
NB | en: Nebulized de: Vernebelt nl: Verneveld | | | added v2.2
OD | en: Right Eye de: rechtes Auge nl: Rechter oog | | | added v2.2
OS | en: Left Eye de: linkes Auge nl: Linker oog | | | added v2.2
OU | en: Bilateral Eyes de: Beide Augen nl: Beide ogen | | | added v2.2
PA | en: Perianal nl: Perianaal | | | added v2.2
PERIN | en: Perineal de: Perineum / Dammbereich nl: Perineaal | | | added v2.2
RA | en: Right Arm de: Rechter Arm nl: Rechter arm | | | added v2.2
RAC | en: Right Anterior Chest de: Rechter vorderer Thorax nl: Rechter anterior borst | | | added v2.2
RACF | en: Right Antecubital Fossa de: Rechte Fossa antecubitalis nl: Rechter antecubitale fossa | | | added v2.2
RD | en: Right Deltoid de: Rechter Deltoideus nl: Rechter deltoideus | | | added v2.2
RE | en: Right Ear de: Rechtes Ohr nl: Rechter oor | | | added v2.2
REJ | en: Right External Jugular de: Rechte Vena jugularis externa nl: Rechter uitwendige jugularis | | | added v2.2
RF | en: Right Foot de: Rechter Fuß nl: Rechter voet | | | added v2.2
RG | en: Right Gluteus Medius de: Rechter Glutäus maximus nl: Rechter gluteus medius | | | added v2.2
RH | en: Right Hand de: Rechte Hand nl: Rechter hand | | | added v2.2
RIJ | en: Right Internal Jugular de: Rechte Vena jugularis interna nl: Rechter inwendige jugularis | | | added v2.2
RLAQ | en: Rt Lower Abd Quadrant de: Rechter unterer Quadrant Abdomen nl: Rechter onderste abdomen quadrant | | | added v2.2
RLFA | en: Right Lower Forearm de: Rechter Unterarm (unten) nl: Rechter onderste onderarm | | | added v2.2
RMFA | en: Right Mid Forearm de: Rechter Unterarm (Mitte) nl: Rechter mid onderarm | | | added v2.2
RN | en: Right Naris de: Rechtes Nasenloch nl: Rechter neusgat | | | added v2.2
RPC | en: Right Posterior Chest de: Rechter hinterer Thorax nl: Rechter posterior borst | | | added v2.2
RSC | en: Right Subclavian de: Rechte Subclavia nl: Rechter subclavia | | | added v2.2

RT | en: Right Thigh de: Rechter Oberschenkel nl: Rechter dij | | | added v2.2
RUA | en: Right Upper Arm de: Rechter Oberarm nl: Rechter bovenarm | | | added v2.2
RUAQ | en: Right Upper Abd Quadrant de: Rechter oberer Quadrant Abdomen nl: Rechter bovenste abdomen quadrant | | | added v2.2
RUFA | en: Right Upper Forearm de: Rechter Unterarm (oben) nl: Rechter bovenste onderarm | | | added v2.2
RVG | en: Right Ventragluteal de: Rechte Bauch- / Glutealgegend nl: Rechter ventragluteaal | | | added v2.2
RVL | en: Right Vastus Lateralis de: Rechter Musculus vastus lateralis (Offiziersstreifen) nl: Rechter vastus lateralis | | | added v2.2

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0163 defines the following codes:

Code | Display | Definition | Deprecated | Version
BE | Bilateral Ears | | | added v2.2
BN | Bilateral Nares | | | added v2.2
BU | Buttock | | | added v2.2
CT | Chest Tube | | | added v2.2
LA | Left Arm | | | added v2.2
LAC | Left Anterior Chest | | | added v2.2
LACF | Left Antecubital Fossa | | | added v2.2
LD | Left Deltoid | | | added v2.2
LE | Left Ear | | | added v2.2
LEJ | Left External Jugular | | | added v2.2
LF | Left Foot | | | added v2.2
LG | Left Gluteus Medius | | | added v2.2
LH | Left Hand | | | added v2.2
LIJ | Left Internal Jugular | | | added v2.2
LLAQ | Left Lower Abd Quadrant | | | added v2.2
LLFA | Left Lower Forearm | | | added v2.2
LMFA | Left Mid Forearm | | | added v2.2
LN | Left Naris | | | added v2.2
LNB | Nebulized | | Deprecated | added v2.3, removed after v2.3
LPC | Left Posterior Chest | | | added v2.2
LSC | Left Subclavian | | | added v2.2
LT | Left Thigh | | | added v2.2
LUA | Left Upper Arm | | | added v2.2
LUAQ | Left Upper Abd Quadrant | | | added v2.2
LUFA | Left Upper Forearm | | | added v2.2
LV | Left Vastus Lateralis | | Deprecated | added v2.3, removed after v2.3
LVG | Left Ventragluteal | | | added v2.2
LVL | Left Vastus Lateralis | | | added v2.2
NB | Nebulized | | | added v2.2
OD | Right Eye | | | added v2.2
OS | Left Eye | | | added v2.2
OU | Bilateral Eyes | | | added v2.2
PA | Perianal | | | added v2.2
PERIN | Perineal | | | added v2.2
RA | Right Arm | | | added v2.2
RAC | Right Anterior Chest | | | added v2.2
RACF | Right Antecubital Fossa | | | added v2.2
RD | Right Deltoid | | | added v2.2
RE | Right Ear | | | added v2.2
REJ | Right External Jugular | | | added v2.2
RF | Right Foot | | | added v2.2
RG | Right Gluteus Medius | | | added v2.2
RH | Right Hand | | | added v2.2
RIJ | Right Internal Jugular | | | added v2.2
RLAQ | Rt Lower Abd Quadrant | | | added v2.2
RLFA | Right Lower Forearm | | | added v2.2
RMFA | Right Mid Forearm | | | added v2.2
RN | Right Naris | | | added v2.2
RPC | Right Posterior Chest | | | added v2.2
RSC | Right Subclavian | | | added v2.2
RT | Right Thigh | | | added v2.2
RUA | Right Upper Arm | | | added v2.2
RUAQ | Right Upper Abd Quadrant | | | added v2.2
RUFA | Right Upper Forearm | | | added v2.2
RVG | Right Ventragluteal | | | added v2.2
RVL | Right Vastus Lateralis | | | added v2.2

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0163 defines the following codes:

Code | Display | Definition | Deprecated | Version
BE | Beide Ohren | | | added v2.2
BN | Beide Nasenlöcher | | | added v2.2
BU | Gesäß | | | added v2.2
CT | Tubus | | | added v2.2
LA | linker Arm | | | added v2.2
LAC | Linker vorderer Thorax | | | added v2.2
LACF | Linke Fossa antecubitalis | | | added v2.2
LD | Linker Deltoideus | | | added v2.2
LE | linkes Ohr | | | added v2.2
LEJ | Linke Vena jugularis externa | | | added v2.2
LF | linker Fuß | | | added v2.2
LG | Linker Glutäus maximus | | | added v2.2
LH | linke Hand | | | added v2.2
LIJ | Linke Vena jugularis interna | | | added v2.2
LLAQ | Linker unterer Quadrant Abdomen | | | added v2.2
LLFA | Linker Unterarm (unten) | | | added v2.2
LMFA | Linker Unterarm (Mitte) | | | added v2.2
LN | Linkes Nasenloch | | | added v2.2
LNB | | | Deprecated | added v2.3, removed after v2.3
LPC | Linker hinterer Thorax | | | added v2.2
LSC | Linke Subclavia | | | added v2.2
LT | Linker Oberschenkel | | | added v2.2
LUA | Linker Oberarm | | | added v2.2
LUAQ | Linker oberer Quadrant Abdomen | | | added v2.2
LUFA | Linker Unterarm (oben) | | | added v2.2
LV | | | Deprecated | added v2.3, removed after v2.3
LVG | Linke Bauch- / Glutealgegend | | | added v2.2
LVL | Linker Musculus vastus lateralis (Offiziersstreifen) | | | added v2.2
NB | Vernebelt | | | added v2.2
OD | rechtes Auge | | | added v2.2
OS | linkes Auge | | | added v2.2
OU | Beide Augen | | | added v2.2
PA | Perianal | | | added v2.2
PERIN | Perineum / Dammbereich | | | added v2.2
RA | Rechter Arm | | | added v2.2
RAC | Rechter vorderer Thorax | | | added v2.2
RACF | Rechte Fossa antecubitalis | | | added v2.2
RD | Rechter Deltoideus | | | added v2.2
RE | Rechtes Ohr | | | added v2.2
REJ | Rechte Vena jugularis externa | | | added v2.2
RF | Rechter Fuß | | | added v2.2
RG | Rechter Glutäus maximus | | | added v2.2
RH | Rechte Hand | | | added v2.2
RIJ | Rechte Vena jugularis interna | | | added v2.2
RLAQ | Rechter unterer Quadrant Abdomen | | | added v2.2
RLFA | Rechter Unterarm (unten) | | | added v2.2
RMFA | Rechter Unterarm (Mitte) | | | added v2.2
RN | Rechtes Nasenloch | | | added v2.2
RPC | Rechter hinterer Thorax | | | added v2.2
RSC | Rechte Subclavia | | | added v2.2
RT | Rechter Oberschenkel | | | added v2.2
RUA | Rechter Oberarm | | | added v2.2
RUAQ | Rechter oberer Quadrant Abdomen | | | added v2.2
RUFA | Rechter Unterarm (oben) | | | added v2.2
RVG | Rechte Bauch- / Glutealgegend | | | added v2.2
RVL | Rechter Musculus vastus lateralis (Offiziersstreifen) | | | added v2.2

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0163 definieert de volgende codes:

Code	Display	Definition	Verouderd	Versie
BE	Beide oren			added v2.2
BN	Beide neusgaten			added v2.2
BU	Bil			added v2.2
CT	Borst slang			added v2.2
LA	Linker arm			added v2.2
LAC	Linker anterior borst			added v2.2
LACF	Linker antecubitale fossa			added v2.2
LD	Linker deltoideus			added v2.2
LE	Linker oor			added v2.2
LEJ	Linker uitwendige jugularis			added v2.2
LF	Linker voet			added v2.2
LG	Linker glutaeus medius			added v2.2
LH	Linker hand			added v2.2
LIJ	Linker inwendige jugularis			added v2.2
LLAQ	Linker onderste abdomen quadrant			added v2.2
LLFA	Linker onderste onderarm			added v2.2
LMFA	Linker mid onderarm			added v2.2
LN	Linker neusgat			added v2.2
LNB	Verneveld		Verouderd	added v2.3, removed after v2.3
LPC	Linker posterior borst			added v2.2
LSC	Linker subclavia			added v2.2
LT	Linker dij			added v2.2
LUA	Linker bovenarm			added v2.2
LUAQ	Linker bovenste abdomen quadrant			added v2.2
LUFA	Linker bovenste onderarm			added v2.2
LV	Linker vastus lateralis		Verouderd	added v2.3, removed after v2.3
LVG	Linker ventragluteaal			added v2.2
LVL	Linker vastus lateralis			added v2.2
NB	Verneveld			added v2.2
OD	Rechter oog			added v2.2
OS	Linker oog			added v2.2
OU	Beide ogen			added v2.2
PA	Perianaal			added v2.2
PERIN	Perineaal			added v2.2
RA	Rechter arm			added v2.2
RAC	Rechter anterior borst			added v2.2
RACF	Rechter antecubitale fossa			added v2.2
RD	Rechter deltoideus			added v2.2
RE	Rechter oor			added v2.2
REJ	Rechter uitwendige jugularis			added v2.2
RF	Rechter voet			added v2.2
RG	Rechter gluteus medius			added v2.2
RH	Rechter hand			added v2.2
RIJ	Rechter inwendige jugularis			added v2.2
RLAQ	Rechter onderste abdomen quadrant			added v2.2
RLFA	Rechter onderste onderarm			added v2.2
RMFA	Rechter mid onderarm			added v2.2
RN	Rechter neusgat			added v2.2
RPC	Rechter posterior borst			added v2.2
RSC	Rechter subclavia			added v2.2
RT	Rechter dij			added v2.2
RUA	Rechter bovenarm			added v2.2
RUAQ	Rechter bovenste abdomen quadrant			added v2.2
RUFA	Rechter bovenste onderarm			added v2.2
RVG	Rechter ventragluteaal			added v2.2
RVL	Rechter vastus lateralis			added v2.2

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.163.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 54 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0163 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0163

Code	Display	Definition
BE	Bilateral Ears	
BN	Bilateral Nares	

BU | Buttock
CT | Chest Tube
LA | Left Arm
LAC | Left Anterior Chest
LACF | Left Antecubital Fossa
LD | Left Deltoid
LE | Left Ear
LEJ | Left External Jugular
LF | Left Foot
LG | Left Gluteus Medius
LH | Left Hand
LIJ | Left Internal Jugular
LLAQ | Left Lower Abd Quadrant
LLFA | Left Lower Forearm
LMFA | Left Mid Forearm
LN | Left Naris
LPC | Left Posterior Chest
LSC | Left Subclavian
LT | Left Thigh
LUA | Left Upper Arm
LUAQ | Left Upper Abd Quadrant
LUFA | Left Upper Forearm
LVG | Left Ventragluteal
LVL | Left Vastus Lateralis
NB | Nebulized
OD | Right Eye
OS | Left Eye
OU | Bilateral Eyes
PA | Perianal
PERIN | Perineal
RA | Right Arm
RAC | Right Anterior Chest
RACF | Right Antecubital Fossa
RD | Right Deltoid
RE | Right Ear
REJ | Right External Jugular
RF | Right Foot
RG | Right Gluteus Medius
RH | Right Hand
RIJ | Right Internal Jugular
RLAQ | Rt Lower Abd Quadrant
RLFA | Right Lower Forearm
RMFA | Right Mid Forearm
RN | Right Naris
RPC | Right Posterior Chest
RSC | Right Subclavian
RT | Right Thigh
RUA | Right Upper Arm
RUAQ | Right Upper Abd Quadrant
RUFA | Right Upper Forearm
RVG | Right Ventragluteal
RVL | Right Vastus Lateralis

Additional Language Displays

Code | Deutsch (German, de) | Nederlands (Dutch, nl)
BE | Beide Ohren | Beide oren
BN | Beide Nasenlöcher | Beide neusgaten
BU | Gesäß | Bil
CT | Tubus | Borst slang
LA | linker Arm | Linker arm
LAC | Linker vorderer Thorax | Linker anterior borst
LACF | Linke Fossa antecubitalis | Linker antecubitale fossa
LD | Linker Deltoideus | Linker deltoideus
LE | linkes Ohr | Linker oor
LEJ | Linke Vena jugularis externa | Linker uitwendige jugularis
LF | linker Fuß | Linker voet
LG | Linker Glutäus maximus | Linker glutaeus medius
LH | linke Hand | Linker hand
LIJ | Linke Vena jugularis interna | Linker inwendige jugularis
LLAQ | Linker unterer Quadrant Abdomen | Linker onderste abdomen quadrant
LLFA | Linker Unterarm (unten) | Linker onderste onderarm
LMFA | Linker Unterarm (Mitte) | Linker mid onderarm

LN | Linkes Nasenloch | Linker neusgat
LPC | Linker hinterer Thorax | Linker posterior borst
LSC | Linke Subclavia | Linker subclavia
LT | Linker Oberschenkel | Linker dij
LUA | Linker Oberarm | Linker bovenarm
LUAQ | Linker oberer Quadrant Abdomen | Linker bovenste abdomen quadrant
LUFA | Linker Unterarm (oben) | Linker bovenste onderarm
LVG | Linke Bauch- / Glutealgegend | Linker ventragluteaal
LVL | Linker Musculus vastus lateralis (Offiziersstreifen) | Linker vastus lateralis
NB | Vernebelt | Verneveld
OD | rechtes Auge | Rechter oog
OS | linkes Auge | Linker oog
OU | Beide Augen | Beide ogen
PA | Perianal | Perianaal
PERIN | Perineum / Dammbereich | Perineaal
RA | Rechter Arm | Rechter arm
RAC | Rechter vorderer Thorax | Rechter anterior borst
RACF | Rechte Fossa antecubitalis | Rechter antecubitale fossa
RD | Rechter Deltoideus | Rechter deltoideus
RE | Rechtes Ohr | Rechter oor
REJ | Rechte Vena jugularis externa | Rechter uitwendige jugularis
RF | Rechter Fuß | Rechter voet
RG | Rechter Glutäus maximus | Rechter gluteus medius
RH | Rechte Hand | Rechter hand
RIJ | Rechte Vena jugularis interna | Rechter inwendige jugularis
RLAQ | Rechter unterer Quadrant Abdomen | Rechter onderste abdomen quadrant
RLFA | Rechter Unterarm (unten) | Rechter onderste onderarm
RMFA | Rechter Unterarm (Mitte) | Rechter mid onderarm
RN | Rechtes Nasenloch | Rechter neusgat
RPC | Rechter hinterer Thorax | Rechter posterior borst
RSC | Rechte Subclavia | Rechter subclavia
RT | Rechter Oberschenkel | Rechter dij
RUA | Rechter Oberarm | Rechter bovenarm
RUAQ | Rechter oberer Quadrant Abdomen | Rechter bovenste abdomen quadrant
RUFA | Rechter Unterarm (oben) | Rechter bovenste onderarm
RVG | Rechte Bauch- / Glutealgegend | Rechter ventragluteaal
RVL | Rechter Musculus vastus lateralis (Offiziersstreifen) | Rechter vastus lateralis

4.3.15.164 HL7 Version 2 Table 0164

URL: https://hl7.org/fhir/R4/v2/0164/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0164
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0164
Version: | 2.9
Name: | v2.0164
Title: | v2 ADMINISTRATION DEVICE
Definition: | FHIR Value set/code system definition for HL7 v2 table 0164 (ADMINISTRATION DEVICE)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.164.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0164 defines the following codes:

Code | Display | Definition | Version
AP | en: Applicator de: Applikator | | added v2.2
BT | Buretrol | | added v2.2
HL | en: Heparin Lock de: Infusionskanüle nl: Heprine lock | | added v2.2

IPPB | en: IPPB de: Intermittierende Überdruckbeatmung nl: Intermittent positive pressure breathing | | added v2.2
IVP | en: IV Pump de: Perfusor nl: Infuuspomp | | added v2.2
IVS | en: IV Soluset de: Infusionsbesteck nl: Infuus soluset | | added v2.2
MI | en: Metered Inhaler de: Inhalator nl: Dosis-inhalator | | added v2.2
NEB | en: Nebulizer de: Vernebler nl: Vernevelaar | | added v2.2
PCA | en: PCA Pump de: Patientengesteuerte Analgesiepumpe nl: PCA-pomp | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0164 defines the following codes:

Code | Display | Definition | Version
AP | Applicator | | added v2.2
BT | Buretrol | | added v2.2
HL | Heparin Lock | | added v2.2
IPPB | IPPB | | added v2.2
IVP | IV Pump | | added v2.2
IVS | IV Soluset | | added v2.2
MI | Metered Inhaler | | added v2.2
NEB | Nebulizer | | added v2.2
PCA | PCA Pump | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0164 defines the following codes:

Code | Display | Definition | Version
AP | Applikator | | added v2.2
BT | | | added v2.2
HL | Infusionskanüle | | added v2.2
IPPB | Intermittierende Überdruckbeatmung | | added v2.2
IVP | Perfusor | | added v2.2
IVS | Infusionsbesteck | | added v2.2
MI | Inhalator | | added v2.2
NEB | Vernebler | | added v2.2
PCA | Patientengesteuerte Analgesiepumpe | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0164 definieert de volgende codes:

Code | Display | Definition | Versie
AP | Applicator | | added v2.2
BT | Buretrol | | added v2.2
HL | Heprine lock | | added v2.2
IPPB | Intermittent positive pressure breathing | | added v2.2
IVP | Infuuspomp | | added v2.2
IVS | Infuus soluset | | added v2.2
MI | Dosis-inhalator | | added v2.2
NEB | Vernevelaar | | added v2.2
PCA | PCA-pomp | | added v2.2

4.3.15.165 HL7 Version 2 Table 0165

URL: https://hl7.org/fhir/R4/v2/0165/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0165
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0165
Version: | 2.9
Name: | v2.0165
Title: | v2 ADMINISTRATION METHOD
Definition: | FHIR Value set/code system definition for HL7 v2 table 0165 (ADMINISTRATION METHOD)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.165.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0165 defines the following codes:

Code | Display | Definition | Version
CH | en: Chew de: Kauen nl: Kauwen | | added v2.2
DI | en: Dissolve de: Auflösen nl: Oplossen | | added v2.2
DU | en: Dust de: Zerstäuben nl: Poeder | | added v2.2
IF | en: Infiltrate de: Infiltrieren nl: Infiltratie | | added v2.2
IR | en: Irrigate de: Spülen nl: Irrigeren | | added v2.2
IS | en: Insert de: Einfügen / einsetzen nl: Inbrengen | | added v2.2
IVP | en: IV Push de: Intravenöse Spritze nl: Infuusinjectie | | added v2.2
IVPB | en: IV Piggyback de: IV-Kurzinfusion nl: Infuus meeliften | | added v2.2
NB | en: Nebulized de: Vernebeln nl: Verneveld | | added v2.2
PF | en: Perfuse de: Perfundieren nl: Perfusie | | added v2.2
PT | en: Paint de: Schmerz nl: Smeren | | added v2.2
SH | Shampoo | | added v2.2
SO | en: Soak de: Aufweichen nl: Soppen | | added v2.2
WA | en: Wash de: Waschen nl: Wassen | | added v2.2
WI | en: Wipe de: Wischen nl: Vegen | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0165 defines the following codes:

Code | Display | Definition | Version
CH | Chew | | added v2.2
DI | Dissolve | | added v2.2
DU | Dust | | added v2.2
IF | Infiltrate | | added v2.2
IR | Irrigate | | added v2.2
IS | Insert | | added v2.2
IVP | IV Push | | added v2.2
IVPB | IV Piggyback | | added v2.2
NB | Nebulized | | added v2.2
PF | Perfuse | | added v2.2
PT | Paint | | added v2.2
SH | Shampoo | | added v2.2
SO | Soak | | added v2.2
WA | Wash | | added v2.2
WI | Wipe | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0165 defines the following codes:

Code | Display | Definition | Version
CH | Kauen | | added v2.2
DI | Auflösen | | added v2.2
DU | Zerstäuben | | added v2.2
IF | Infiltrieren | | added v2.2
IR | Spülen | | added v2.2
IS | Einfügen / einsetzen | | added v2.2
IVP | Intravenöse Spritze | | added v2.2
IVPB | IV-Kurzinfusion | | added v2.2
NB | Vernebeln | | added v2.2
PF | Perfundieren | | added v2.2
PT | Schmerz | | added v2.2
SH | Shampoo | | added v2.2
SO | Aufweichen | | added v2.2
WA | Waschen | | added v2.2
WI | Wischen | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0165 definieert de volgende codes:

Code | Display | Definition | Versie
CH | Kauwen | | added v2.2
DI | Oplossen | | added v2.2
DU | Poeder | | added v2.2
IF | Infiltratie | | added v2.2
IR | Irrigeren | | added v2.2
IS | Inbrengen | | added v2.2
IVP | Infuusinjectie | | added v2.2
IVPB | Infuus meeliften | | added v2.2
NB | Verneveld | | added v2.2
PF | Perfusie | | added v2.2
PT | Smeren | | added v2.2
SH | Shampoo | | added v2.2
SO | Soppen | | added v2.2
WA | Wassen | | added v2.2
WI | Vegen | | added v2.2

4.3.15.166 HL7 Version 2 Table 0166

URL: https://hl7.org/fhir/R4/v2/0166/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0166
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0166
Version: | 2.9
Name: | v2.0166
Title: | v2 RX COMPONENT TYPE
Definition: | FHIR Value set/code system definition for HL7 v2 table 0166 (RX COMPONENT TYPE)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.166.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0166 defines the following codes:

Code | Display | Definition | Version
A | en: Additive de: Additiv nl: Additief | | added v2.2
B | en: Base de: Basissubstanz nl: Basis | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0166 defines the following codes:

Code | Display | Definition | Version
A | Additive | | added v2.2
B | Base | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0166 defines the following codes:

Code | Display | Definition | Version
A | Additiv | | added v2.2
B | Basissubstanz | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0166 definieert de volgende codes:

Code | Display | Definition | Versie
A | Additief | | added v2.2
B | Basis | | added v2.2

4.3.15.167 HL7 Version 2 Table 0167

URL: https://hl7.org/fhir/R4/v2/0167/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0167
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0167
Version: | 2.9
Name: | v2.0167
Title: | v2 SUBSTITUTION STATUS
Definition: | FHIR Value set/code system definition for HL7 v2 table 0167 (SUBSTITUTION STATUS)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.167.1 Code System Content

• All Languages
• English
• Deutsch (German)

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0167 defines the following codes:

Code | Display | Definition | Version
0 | en: No product selection indicated nl: Geen productselectie aangegeven | | added v2.3.1
1 | en: Substitution not allowed by prescriber nl: Substitutie niet toegestaan door voorschrijver | | added v2.3.1
2 | en: Substitution allowed - patient requested product dispensed nl: Substitutie toegestaan - patiënt vroeg om verstrekte product | | added v2.3.1
3 | en: Substitution allowed - pharmacist selected product dispensed nl: Substitutie toegestaan - apotheek selecteerde verstrekte product | | added v2.3.1
4 | en: Substitution allowed - generic drug not in stock nl: Substitutie toegestaan - generieke medicatie niet op voorraad | | added v2.3.1
5 | en: Substitution allowed - brand drug dispensed as a generic nl: Substitutie toegestaan - merkmedicatie verstrekt als generiek | | added v2.3.1
7 | en: Substitution not allowed - brand drug mandated by law nl: Substitutie toegestaan - merkmedicatie wettelijk verplicht | | added v2.3.1
8 | en: Substitution allowed - generic drug not available in marketplace nl: Substitutie toegestaan - generieke medicatie niet beschikbaar op de markt | | added v2.3.1
G | en: A generic substitution was dispensed. de: Substitution durch Generika nl: Er is een generiek substituut verstrekt | | added v2.2
N | en: No substitute was dispensed. This is equivalent to the default (null) value. de: keine Substitution nl: Er is geen substituut verstrekt. Dit is de standaardwaarde. | | added v2.2
T | en: A therapeutic substitution was dispensed. de: therapieorientierte Substitution nl: Er is een therapeutisch substituut verstrekt | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0167 defines the following codes:

Code | Display | Definition | Version
0 | No product selection indicated | | added v2.3.1
1 | Substitution not allowed by prescriber | | added v2.3.1
2 | Substitution allowed - patient requested product dispensed | | added v2.3.1
3 | Substitution allowed - pharmacist selected product dispensed | | added v2.3.1
4 | Substitution allowed - generic drug not in stock | | added v2.3.1
5 | Substitution allowed - brand drug dispensed as a generic | | added v2.3.1
7 | Substitution not allowed - brand drug mandated by law | | added v2.3.1
8 | Substitution allowed - generic drug not available in marketplace | | added v2.3.1
G | A generic substitution was dispensed. | | added v2.2
N | No substitute was dispensed. This is equivalent to the default (null) value. | | added v2.2
T | A therapeutic substitution was dispensed. | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0167 defines the following codes:

Code | Display | Definition | Version
0 | | | added v2.3.1
1 | | | added v2.3.1
2 | | | added v2.3.1
3 | | | added v2.3.1
4 | | | added v2.3.1
5 | | | added v2.3.1
7 | | | added v2.3.1
8 | | | added v2.3.1
G | Substitution durch Generika | | added v2.2
N | keine Substitution | | added v2.2
T | therapieorientierte Substitution | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0167 definieert de volgende codes:

Code | Display | Definition | Versie
0 | Geen productselectie aangegeven | | added v2.3.1
1 | Substitutie niet toegestaan door voorschrijver | | added v2.3.1
2 | Substitutie toegestaan - patiënt vroeg om verstrekte product | | added v2.3.1
3 | Substitutie toegestaan - apotheek selecteerde verstrekte product | | added v2.3.1
4 | Substitutie toegestaan - generieke medicatie niet op voorraad | | added v2.3.1
5 | Substitutie toegestaan - merkmedicatie verstrekt als generiek | | added v2.3.1
7 | Substitutie toegestaan - merkmedicatie wettelijk verplicht | | added v2.3.1
8 | Substitutie toegestaan - generieke medicatie niet beschikbaar op de markt | | added v2.3.1
G | Er is een generiek substituut verstrekt | | added v2.2
N | Er is geen substituut verstrekt. Dit is de standaardwaarde. | | added v2.2
T | Er is een therapeutisch substituut verstrekt | | added v2.2

4.3.15.168 HL7 Version 2 Table 0168

URL: https://hl7.org/fhir/R4/v2/0168/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0168
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0168
Version: | 2.9
Name: | v2.0168
Title: | v2 PROCESSING PRIORITY
Definition: | FHIR Value set/code system definition for HL7 v2 table 0168 (PROCESSING PRIORITY)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.168.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0168 defines the following codes:

Code | Display | Definition | Version
A | en: As soon as possible (a priority lower than stat) de: schnellsmöglich nl: Zo snel mogelijk (een prioteit lager dan stat) | | added v2.2
B | en: Do at bedside or portable (may be used with other codes) de: am Patientenbett nl: Doe aan het bed of mobiele (mag worden gebruikt in combinatie met andere codes) | | added v2.2
C | en: Measure continuously (e.g., arterial line blood pressure) de: kontinuierlich nl: Meet continu (bijv. arteriële lijn bloeddruk) | | added v2.2
P | en: Preoperative (to be done prior to surgery) de: präoperativ nl: Preoperatief (doe voorafgaand aan operatie) | | added v2.2
R | Routine | | added v2.2
S | en: Stat (do immediately) de: sofort nl: Stat (doe onmiddellijk) | | added v2.2
T | en: Timing critical (do as near as possible to requested time) de: zum vereinbarten Zeitpunkt nl: Timing kritiek (doe zo dicht mogelijk op gevraagde tijd) | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0168 defines the following codes:

Code | Display | Definition | Version
A | As soon as possible (a priority lower than stat) | | added v2.2
B | Do at bedside or portable (may be used with other codes) | | added v2.2
C | Measure continuously (e.g., arterial line blood pressure) | | added v2.2
P | Preoperative (to be done prior to surgery) | | added v2.2
R | Routine | | added v2.2
S | Stat (do immediately) | | added v2.2
T | Timing critical (do as near as possible to requested time) | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0168 defines the following codes:

Code | Display | Definition | Version
A | schnellsmöglich | | added v2.2
B | am Patientenbett | | added v2.2
C | kontinuierlich | | added v2.2
P | präoperativ | | added v2.2
R | Routine | | added v2.2
S | sofort | | added v2.2
T | zum vereinbarten Zeitpunkt | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0168 definieert de volgende codes:

Code | Display | Definition | Versie
A | Zo snel mogelijk (een prioteit lager dan stat) | | added v2.2
B | Doe aan het bed of mobiele (mag worden gebruikt in combinatie met andere codes) | | added v2.2
C | Meet continu (bijv. arteriële lijn bloeddruk) | | added v2.2
P | Preoperatief (doe voorafgaand aan operatie) | | added v2.2
R | Routine | | added v2.2
S | Stat (doe onmiddellijk) | | added v2.2
T | Timing kritiek (doe zo dicht mogelijk op gevraagde tijd) | | added v2.2

4.3.15.169 HL7 Version 2 Table 0169

URL: https://hl7.org/fhir/R4/v2/0169/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0169

Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0169
Version: | 2.9
Name: | v2.0169
Title: | v2 REPORTIN PRIORITY
Definition: | FHIR Value set/code system definition for HL7 v2 table 0169 (REPORTIN PRIORITY)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.169.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0169 defines the following codes:

Code | Display | Definition | Version
C | en: Call back results de: sofortige Übermittlung notwendig nl: Telefonische terugkoppeling resultaten | | added v2.2
R | en: Rush reporting de: beschleunigte Übermittlung nl: Haast bij verslag | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0169 defines the following codes:

Code | Display | Definition | Version
C | Call back results | | added v2.2
R | Rush reporting | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0169 defines the following codes:

Code | Display | Definition | Version
C | sofortige Übermittlung notwendig | | added v2.2
R | beschleunigte Übermittlung | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0169 definieert de volgende codes:

Code | Display | Definition | Versie
C | Telefonische terugkoppeling resultaten | | added v2.2
R | Haast bij verslag | | added v2.2

4.3.15.170 HL7 Version 2 Table 0170

URL: https://hl7.org/fhir/R4/v2/0170/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0170
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0170
Version: | 2.9
Name: | v2.0170
Title: | v2 DERIVED SPECIMEN
Definition: | FHIR Value set/code system definition for HL7 v2 table 0170 (DERIVED SPECIMEN)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.170.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0170 defines the following codes:

Code | Display | Definition | Version
C | en: Child Observation de: Untersuchung an sekundärem Probenmaterial nl: Onderliggende/deel observatie | | added v2.2
N | en: Not Applicable de: Nicht Anwendbar nl: Niet van toepassing | | added v2.2

P | en: Parent Observation de: Untersuchung an primärem Probenmaterial nl: Bovenliggende observatie | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0170 defines the following codes:

Code | Display | Definition | Version
C | Child Observation | | added v2.2
N | Not Applicable | | added v2.2
P | Parent Observation | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0170 defines the following codes:

Code | Display | Definition | Version
C | Untersuchung an sekundärem Probenmaterial | | added v2.2
N | Nicht Anwendbar | | added v2.2
P | Untersuchung an primärem Probenmaterial | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0170 definieert de volgende codes:

Code | Display | Definition | Versie
C | Onderliggende/deel observatie | | added v2.2
N | Niet van toepassing | | added v2.2
P | Bovenliggende observatie | | added v2.2

4.3.15.173 HL7 Version 2 Table 0173

URL: https://hl7.org/fhir/R4/v2/0173/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0173
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0173
Version: | 2.9
Name: | v2.0173
Title: | v2 COORDINATION OF BENEFITS
Definition: | FHIR Value set/code system definition for HL7 v2 table 0173 (COORDINATION OF BENEFITS)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.173.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0173 defines the following codes:

Code | Display | Definition | Version
CO | en: Coordination de: koordiniert nl: Coördinatie | | added v2.2
IN | en: Independent de: unabhängig nl: Onafhankelijk | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0173 defines the following codes:

Code | Display | Definition | Version
CO | Coordination | | added v2.2
IN | Independent | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0173 defines the following codes:

Code | Display | Definition | Version
CO | koordiniert | | added v2.2
IN | unabhängig | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0173 definieert de volgende codes:

Code | Display | Definition | Versie
CO | Coördinatie | | added v2.2
IN | Onafhankelijk | | added v2.2

4.3.15.174 HL7 Version 2 Table 0174

URL: https://hl7.org/fhir/R4/v2/0174/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0174
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0174
Version: | 2.9
Name: | v2.0174
Title: | v2 NATURE OF TEST/OBSERVATION
Definition: | FHIR Value set/code system definition for HL7 v2 table 0174 (NATURE OF TEST/OBSERVATION)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.174.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0174 defines the following codes:

Code | Display | Definition | Comments | Version

A | en: Atomic service/test/observation (test code or treatment code) de: Einzeluntersuchung nl: Atomische service/test/observatie (testcode of behandelingcode) | | en: can be associated with one or more OM4 (specimen) segments a single direct observation and would usually be associated with an OM2 and/or OM3 segments nl: kan worden gekoppeld met een of meer OM4 (monster) segmenten. Een enkelvoudige, directe observatie en wordt meestal gekoppeld met een OM2 en/of OM3-segment | added v2.2

C | en: Single observation calculated via a rule or formula from other independent observations (e.g., Alveolar-arterial ratio, cardiac output) de: Berechnetes Einzelergebnis nl: Enkelvoudige observatie berekend via regels of formule uit andere onafhankelijke observaties (bijv. Alveolair--arteriële gradiënt, hart-minuut-volume) | | en: can be associated with one or more OM4 (specimen) segments a derived quantity and would usually be associated with an OM6 segment nl: kan worden gekoppeld met een of meer OM4 (monster) segmenten. Een afgeleide hoeveelheid en wordt meestal gekoppeld met een OM6 segment | added v2.2

F | en: Functional procedure that may consist of one or more interrelated measures (e.g., glucose tolerance test, creatinine clearance), usually done at different times and/or on different specimens de: Funktionstest nl: Functionele behandeling die kan bestaan uit een of meer gerelateerde metingen (bijv. glucosetolerantietest, creatinineklaring), meestal uitgevoerd op verschillende momenten en/of verschillende monsters | | en: can be associated with one or more OM4 (specimen) segments See comment for value S nl: kan worden gekoppeld met een of meer OM4 (monster) segmenten. Zie opmerking voor waarde S | added v2.2

P | en: Profile or battery consisting of many independent atomic observations (e.g., SMA12, electrolytes), usually done at one instrument on one specimen de: Batterieanordnung nl: Profiel of battery bestaande uit vele onafhankelijke atomische observaties (bijv. SMA12, electrolyten), meestal met één instrument op één monster | | en: can be associated with one or more OM4 (specimen) segments See comment for value S nl: kan worden gekoppeld met een of meer OM4 (monster) segmenten. Zie opmerking voor waarde S | added v2.2

S | en: Superset-a set of batteries or procedures ordered under a single code unit but processed as separate batteries (e.g., routines = CBC, UA, electrolytes)<p>This set indicates that the code being described is used to order multiple service/test/observation b de: Latte von mehreren Batterieanforderungen (Aufnahmelatte) nl: Superset--een set batteries of procedures aangevraagd onder een enkele aanvraagcode maar behandeld als afzonderlijke batteries (bijv. routines = CBC, UA, electrolyten); Deze set geeft aan dat de bedoelde code wordt gebruikt voor het aanvragen van meerdere services/tests/observaties | | en: can be associated with one or more OM4 (specimen) segments Codes P, F, and S identify sets (batteries) and should be associated with an OM5 segment that defines the list of elements. The definitions for the contained elements would have to be sent in other independent OMx segments, one for each contained element. In the ASTM context, most text reports – such as discharge summaries, admission H&Ps, and chest X-ray reports – are considered as sets, in which each section of the report (e.g., description, impression, and recommendation of an X-ray report) is considered a separate observation nl: kan worden gekoppeld met een of meer OM4 (monster) segmenten. Codes P, F, S identificeren sets (batteries) en moeten worden gekoppeld met een OM5-segment die de lijst van elementen definieert. De definities voor de elementen in de lijst moeten worden verzonden in andere onafhankelijke OMx-segmenten, een per element. In ASTM-context worden de meeste tekstuele rapporten - zoals ontslagsamenvattingen, opnameverslagen, thoraxrapporten - beschouwd als sets, waarin elke verslagsectie (bijv. omschrijving, indruk en advies van een radiologieverslag) als aparte observatie wordt gezien. | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0174 defines the following codes:

Code | Display | Definition | Comments | Version

A | Atomic service/test/observation (test code or treatment code) | | can be associated with one or more OM4 (specimen) segments a single direct observation and would usually be associated with an OM2 and/or OM3 segments | added v2.2

C | Single observation calculated via a rule or formula from other independent observations (e.g., Alveolar-arterial ratio, cardiac output) | | can be associated with one or more OM4 (specimen) segments a derived quantity and would usually be associated with an OM6 segment | added v2.2

F | Functional procedure that may consist of one or more interrelated measures (e.g., glucose tolerance test, creatinine clearance), usually done at different times and/or on different specimens | | can be associated with one or more OM4 (specimen) segments See comment for value S | added v2.2

P | Profile or battery consisting of many independent atomic observations (e.g., SMA12, electrolytes), usually done at one instrument on one specimen | | can be associated with one or more OM4 (specimen) segments See comment for value S | added v2.2

S | Superset-a set of batteries or procedures ordered under a single code unit but processed as separate batteries (e.g., routines = CBC, UA, electrolytes)<p>This set indicates that the code being described is used to order multiple service/test/observation b | |

can be associated with one or more OM4 (specimen) segments Codes P, F, and S identify sets (batteries) and should be associated with an OM5 segment that defines the list of elements. The definitions for the contained elements would have to be sent in other independent OMx segments, one for each contained element. In the ASTM context, most text reports – such as discharge summaries, admission H&Ps, and chest X-ray reports – are considered as sets, in which each section of the report (e.g., description, impression, and recommendation of an X-ray report) is considered a separate observation | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0174 defines the following codes:

Code | Display | Definition | Comments | Version
A | Einzeluntersuchung | | | added v2.2
C | Berechnetes Einzelergebnis | | | added v2.2
F | Funktionstest | | | added v2.2
P | Batterieanordnung | | | added v2.2
S | Latte von mehreren Batterieanforderungen (Aufnahmelatte) | | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0174 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie
A | Atomische service/test/observatie (testcode of behandelingcode) | | kan worden gekoppeld met een of meer OM4 (monster) segmenten. Een enkelvoudige, directe observatie en wordt meestal gekoppeld met een OM2 en/of OM3-segment | added v2.2
C | Enkelvoudige observatie berekend via regels of formule uit andere onafhankelijke observaties (bijv. Alveolair--arteriële gradiënt, hart-minuut-volume) | | kan worden gekoppeld met een of meer OM4 (monster) segmenten. Een afgeleide hoeveelheid en wordt meestal gekoppeld met een OM6 segment | added v2.2
F | Functionele behandeling die kan bestaan uit een of meer gerelateerde metingen (bijv. glucosetolerantietest, creatinineklaring), meestal uitgevoerd op verschillende momenten en/of verschillende monsters | | kan worden gekoppeld met een of meer OM4 (monster) segmenten. Zie opmerking voor waarde S | added v2.2
P | Profiel of battery bestaande uit vele onafhankelijke atomische observaties (bijv. SMA12, electrolyten), meestal met één instrument op één monster | | kan worden gekoppeld met een of meer OM4 (monster) segmenten. Zie opmerking voor waarde S | added v2.2
S | Superset--een set batteries of procedures aangevraagd onder een enkele aanvraagcode maar behandeld als afzonderlijke batteries (bijv. routines = CBC, UA, electrolyten); Deze set geeft aan dat de bedoelde code wordt gebruikt voor het aanvragen van meerdere services/tests/observaties | | kan worden gekoppeld met een of meer OM4 (monster) segmenten. Codes P, F, S identificeren sets (batteries) en moeten worden gekoppeld met een OM5-segment die de lijst van elementen definieert. De definities voor de elementen in de lijst moeten worden verzonden in andere onafhankelijke OMx-segmenten, een per element. In ASTM-context worden de meeste tekstuele rapporten - zoals ontslagsamenvattingen, opnameverslagen, thoraxrapporten - beschouwd als sets, waarin elke verslagsectie (bijv. omschrijving, indruk en advies van een radiologieverslag) als aparte observatie wordt gezien. | added v2.2

4.3.15.175 HL7 Version 2 Table 0175

URL: https://hl7.org/fhir/R4/v2/0175/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0175
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0175
Version: | 2.9
Name: | v2.0175
Title: | v2 MASTER FILE IDENTIFIER CODE
Definition: | FHIR Value set/code system definition for HL7 v2 table 0175 (MASTER FILE IDENTIFIER CODE)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.175.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0175 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
CDM | en: Charge description master file de: Leistungskatalog nl: Tariefomschrijving masterbestand | | | | added v2.2

CLN | en: Clinic master file de: Klinikkatalog nl: Kliniek masterbestand | | | | added v2.4
CM0 | en: Clinical study master nl: Klinisch onderzoek masterbestand | | Deprecated | | added v2.3, removed after v2.3
CM1 | en: Clinical study phase master nl: Klinisch onderzoeksfases masterbestand | | Deprecated | | added v2.3, removed after v2.3
CM2 | en: Clinical study Data Schedule Master nl: Klinisch onderzoek gegevensschema masterbestand | | Deprecated | | added v2.3, removed after v2.3
CMA | en: Clinical study with phases and scheduled master file nl: Klinisch onderzoek met fases en schema masterbestand | | | | added v2.3.1
CMB | en: Clinical study without phases but with scheduled master file nl: Klinisch onderzoek zonder fases maar met schema masterbestand | | | | added v2.3.1
INV | en: Inventory master file nl: Voorraad masterbestand | | | | added v2.5
LOC | en: Location master file nl: Locatie masterbestand | | | | added v2.3
MACP | en: Medicare Approved Coverage Process nl: Medicare goedgekeurde dekking proces | | | en: This identifies Universal Service Identifier that are approved for an ICD based on the CPT. nl: Hiermee worden Universele Service Identificaties aangeduid die zijn goedgekeurd voor een ICD-gebaseerde CPT-code. | added v2.8.2
MLCP | en: Medicare Limited Coverage Process nl: Medicare beperkte dekking proces | | | en: This identifies Universal Service Identifiers that are not approved for a CPT code based on an ICD. nl: Hiermee worden Universele Service Identificaties aangeduid die niet zijn goedgekeurd voor een ICD-gebaseerde CPT-code. | added v2.8.2
OM1 | en: Observation text master file segments (e.g., Lab) nl: Observatietekst masterbestand-segmenten (d.w.z. Lab) | | Deprecated | | added v2.2, removed after v2.3
OM1-OM6 | en: Observation text master file segments (e.g., Lab) nl: Observatietekst masterbestand-segmenten (d.w.z. Lab) | | Deprecated | | added v2.3, removed after v2.3
OM2 | en: Observation text master file segments (e.g., Lab) nl: Observatietekst masterbestand-segmenten (d.w.z. Lab) | | Deprecated | | added v2.2, removed after v2.3
OM3 | en: Observation text master file segments (e.g., Lab) nl: Observatietekst masterbestand-segmenten (d.w.z. Lab) | | Deprecated | | added v2.2, removed after v2.3
OM4 | en: Observation text master file segments (e.g., Lab) nl: Observatietekst masterbestand-segmenten (d.w.z. Lab) | | Deprecated | | added v2.2, removed after v2.3
OM5 | en: Observation text master file segments (e.g., Lab) nl: Observatietekst masterbestand-segmenten (d.w.z. Lab) | | Deprecated | | added v2.2, removed after v2.3
OM6 | en: Observation text master file segments (e.g., Lab) nl: Observatietekst masterbestand-segmenten (d.w.z. Lab) | | Deprecated | | added v2.2, removed after v2.3
OMA | en: Numerical observation master file nl: Numeriek observaties masterbestand | | | | added v2.3.1
OMB | en: Categorical observation master file nl: Categorische observaties masterbestand | | | | added v2.3.1
OMC | en: Observation batteries master file nl: Observatie-betteries masterbestand | | | | added v2.3.1
OMD | en: Calculated observations master file nl: Berekende observaties masterbestand | | | | added v2.3.1
OME | en: Other Observation/Service Item master file nl: Andere observatie/service items masterbestand | | | | added v2.4
OMM | en: Mixed type observation master file nl: Gemengd type observatie masterbestand | | | | added v2.8.2
PRA | en: Practitioner master file de: Ärztekatalog nl: Zorgverleners masterbestand | | | | added v2.2
STF | en: Staff master file de: Mitarbeiterkatalog nl: Medewerkers masterbestand | | | | added v2.2

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0175 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
CDM | Charge description master file | | | | added v2.2
CLN | Clinic master file | | | | added v2.4
CM0 | Clinical study master | | Deprecated | | added v2.3, removed after v2.3
CM1 | Clinical study phase master | | Deprecated | | added v2.3, removed after v2.3
CM2 | Clinical study Data Schedule Master | | Deprecated | | added v2.3, removed after v2.3
CMA | Clinical study with phases and scheduled master file | | | | added v2.3.1
CMB | Clinical study without phases but with scheduled master file | | | | added v2.3.1
INV | Inventory master file | | | | added v2.5
LOC | Location master file | | | | added v2.3
MACP | Medicare Approved Coverage Process | | | This identifies Universal Service Identifier that are approved for an ICD based on the CPT. | added v2.8.2
MLCP | Medicare Limited Coverage Process | | | This identifies Universal Service Identifiers that are not approved for a CPT code based on an ICD. | added v2.8.2
OM1 | Observation text master file segments (e.g., Lab) | | Deprecated | | added v2.2, removed after v2.3
OM1-OM6 | Observation text master file segments (e.g., Lab) | | Deprecated | | added v2.3, removed after v2.3
OM2 | Observation text master file segments (e.g., Lab) | | Deprecated | | added v2.2, removed after v2.3
OM3 | Observation text master file segments (e.g., Lab) | | Deprecated | | added v2.2, removed after v2.3
OM4 | Observation text master file segments (e.g., Lab) | | Deprecated | | added v2.2, removed after v2.3
OM5 | Observation text master file segments (e.g., Lab) | | Deprecated | | added v2.2, removed after v2.3
OM6 | Observation text master file segments (e.g., Lab) | | Deprecated | | added v2.2, removed after v2.3
OMA | Numerical observation master file | | | | added v2.3.1
OMB | Categorical observation master file | | | | added v2.3.1
OMC | Observation batteries master file | | | | added v2.3.1
OMD | Calculated observations master file | | | | added v2.3.1
OME | Other Observation/Service Item master file | | | | added v2.4

OMM | Mixed type observation master file | | | | added v2.8.2
PRA | Practitioner master file | | | | added v2.2
STF | Staff master file | | | | added v2.2

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0175 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
CDM | Leistungskatalog | | | | added v2.2
CLN | Klinikkatalog | | | | added v2.4
CM0 | | | Deprecated | | added v2.3, removed after v2.3
CM1 | | | Deprecated | | added v2.3, removed after v2.3
CM2 | | | Deprecated | | added v2.3, removed after v2.3
CMA | | | | | added v2.3.1
CMB | | | | | added v2.3.1
INV | | | | | added v2.5
LOC | | | | | added v2.3
MACP | | | | | added v2.8.2
MLCP | | | | | added v2.8.2
OM1 | | | Deprecated | | added v2.2, removed after v2.3
OM1-OM6 | | | Deprecated | | added v2.3, removed after v2.3
OM2 | | | Deprecated | | added v2.2, removed after v2.3
OM3 | | | Deprecated | | added v2.2, removed after v2.3
OM4 | | | Deprecated | | added v2.2, removed after v2.3
OM5 | | | Deprecated | | added v2.2, removed after v2.3
OM6 | | | Deprecated | | added v2.2, removed after v2.3
OMA | | | | | added v2.3.1
OMB | | | | | added v2.3.1
OMC | | | | | added v2.3.1
OMD | | | | | added v2.3.1
OME | | | | | added v2.4
OMM | | | | | added v2.8.2
PRA | Ärztekatalog | | | | added v2.2
STF | Mitarbeiterkatalog | | | | added v2.2

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0175 definieert de volgende codes:

Code | Display | Definition | Verouderd | Commentaar | Versie
CDM | Tariefomschrijving masterbestand | | | | added v2.2
CLN | Kliniek masterbestand | | | | added v2.4
CM0 | Klinisch onderzoek masterbestand | | Verouderd | | added v2.3, removed after v2.3
CM1 | Klinisch onderzoeksfases masterbestand | | Verouderd | | added v2.3, removed after v2.3
CM2 | Klinisch onderzoek gegevensschema masterbestand | | Verouderd | | added v2.3, removed after v2.3
CMA | Klinisch onderzoek met fases en schema masterbestand | | | | added v2.3.1
CMB | Klinisch onderzoek zonder fases maar met schema masterbestand | | | | added v2.3.1
INV | Voorraad masterbestand | | | | added v2.5
LOC | Locatie masterbestand | | | | added v2.3
MACP | Medicare goedgekeurde dekking proces | | | Hiermee worden Universele Service Identificaties aangeduid die zijn goedgekeurd voor een ICD-gebaseerde CPT-code. | added v2.8.2
MLCP | Medicare beperkte dekking proces | | | Hiermee worden Universele Service Identificaties aangeduid die niet zijn goedgekeurd voor een ICD-gebaseerde CPT-code. | added v2.8.2
OM1 | Observatietekst masterbestand-segmenten (d.w.z. Lab) | | Verouderd | | added v2.2, removed after v2.3
OM1-OM6 | Observatietekst masterbestand-segmenten (d.w.z. Lab) | | Verouderd | | added v2.3, removed after v2.3
OM2 | Observatietekst masterbestand-segmenten (d.w.z. Lab) | | Verouderd | | added v2.2, removed after v2.3
OM3 | Observatietekst masterbestand-segmenten (d.w.z. Lab) | | Verouderd | | added v2.2, removed after v2.3
OM4 | Observatietekst masterbestand-segmenten (d.w.z. Lab) | | Verouderd | | added v2.2, removed after v2.3
OM5 | Observatietekst masterbestand-segmenten (d.w.z. Lab) | | Verouderd | | added v2.2, removed after v2.3
OM6 | Observatietekst masterbestand-segmenten (d.w.z. Lab) | | Verouderd | | added v2.2, removed after v2.3
OMA | Numeriek observaties masterbestand | | | | added v2.3.1
OMB | Categorische observaties masterbestand | | | | added v2.3.1
OMC | Observatie-betteries masterbestand | | | | added v2.3.1
OMD | Berekende observaties masterbestand | | | | added v2.3.1
OME | Andere observatie/service items masterbestand | | | | added v2.4

OMM | Gemengd type observatie masterbestand | | | | added v2.8.2
PRA | Zorgverleners masterbestand | | | | added v2.2
STF | Medewerkers masterbestand | | | | added v2.2

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.175.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 16 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0175 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0175

Code | Display | Definition
CDM | Charge description master file
CLN | Clinic master file
CMA | Clinical study with phases and scheduled master file
CMB | Clinical study without phases but with scheduled master file
INV | Inventory master file
LOC | Location master file
MACP | Medicare Approved Coverage Process
MLCP | Medicare Limited Coverage Process
OMA | Numerical observation master file
OMB | Categorical observation master file
OMC | Observation batteries master file
OMD | Calculated observations master file
OME | Other Observation/Service Item master file
OMM | Mixed type observation master file
PRA | Practitioner master file
STF | Staff master file

Additional Language Displays

Code | Deutsch (German, de) | Nederlands (Dutch, nl)
CDM | Leistungskatalog | Tariefomschrijving masterbestand
CLN | Klinikkatalog | Kliniek masterbestand
CMA | | Klinisch onderzoek met fases en schema masterbestand
CMB | | Klinisch onderzoek zonder fases maar met schema masterbestand
INV | | Voorraad masterbestand
LOC | | Locatie masterbestand
MACP | | Medicare goedgekeurde dekking proces
MLCP | | Medicare beperkte dekking proces
OMA | | Numeriek observaties masterbestand
OMB | | Categorische observaties masterbestand
OMC | | Observatie-betteries masterbestand
OMD | | Berekende observaties masterbestand
OME | | Andere observatie/service items masterbestand
OMM | | Gemengd type observatie masterbestand
PRA | Ärztekatalog | Zorgverleners masterbestand
STF | Mitarbeiterkatalog | Medewerkers masterbestand

4.3.15.177 HL7 Version 2 Table 0177

URL: https://hl7.org/fhir/R4/v2/0177/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0177
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0177
Version: | 2.9
Name: | v2.0177
Title: | v2 CONFIDENTIALITY CODE
Definition: | FHIR Value set/code system definition for HL7 v2 table 0177 (CONFIDENTIALITY CODE)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.177.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0177 defines the following codes:

Code | Display | Definition | Version
AID | en: AIDS patient de: AIDS-Patient nl: AIDS-patiënt | | added v2.2
EMP | en: Employee de: Mitarbeiter nl: Werknemer | | added v2.2
ETH | en: Alcohol/drug treatment patient de: Alkohol-/medikamentenabhängiger Patient nl: Alcohol-/drugstherapie patiënt | | added v2.2
HIV | en: HIV(+) patient de: HIV-positiver Patient nl: HIV(+)-patiënt | | added v2.2
PSY | en: Psychiatric patient de: Psychatriepatient nl: Psychiatrisch patiënt | | added v2.2
R | en: Restricted de: vertraulich nl: Beperkt | | added v2.2
U | en: Usual control de: normaler Zugriff nl: Gebruikelijke waarde | | added v2.2
UWM | en: Unwed mother de: unverheiratete Mutter nl: Ongehuwde moeder | | added v2.2
V | en: Very restricted de: streng vertraulich nl: Zeer beperkt | | added v2.2
VIP | en: Very important person or celebrity de: VIP nl: Belangrijk persoon of beroemdheid | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0177 defines the following codes:

Code | Display | Definition | Version
AID | AIDS patient | | added v2.2
EMP | Employee | | added v2.2
ETH | Alcohol/drug treatment patient | | added v2.2
HIV | HIV(+) patient | | added v2.2
PSY | Psychiatric patient | | added v2.2
R | Restricted | | added v2.2
U | Usual control | | added v2.2
UWM | Unwed mother | | added v2.2
V | Very restricted | | added v2.2
VIP | Very important person or celebrity | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0177 defines the following codes:

Code | Display | Definition | Version
AID | AIDS-Patient | | added v2.2
EMP | Mitarbeiter | | added v2.2
ETH | Alkohol-/medikamentenabhängiger Patient | | added v2.2
HIV | HIV-positiver Patient | | added v2.2
PSY | Psychatriepatient | | added v2.2
R | vertraulich | | added v2.2
U | normaler Zugriff | | added v2.2
UWM | unverheiratete Mutter | | added v2.2
V | streng vertraulich | | added v2.2
VIP | VIP | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0177 definieert de volgende codes:

Code | Display | Definition | Versie
AID | AIDS-patiënt | | added v2.2
EMP | Werknemer | | added v2.2
ETH | Alcohol-/drugstherapie patiënt | | added v2.2
HIV | HIV(+)-patiënt | | added v2.2
PSY | Psychiatrisch patiënt | | added v2.2
R | Beperkt | | added v2.2
U | Gebruikelijke waarde | | added v2.2
UWM | Ongehuwde moeder | | added v2.2
V | Zeer beperkt | | added v2.2
VIP | Belangrijk persoon of beroemdheid | | added v2.2

4.3.15.178 HL7 Version 2 Table 0178

URL: https://hl7.org/fhir/R4/v2/0178/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0178
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0178
Version: | 2.9
Name: | v2.0178
Title: | v2 FILE-LEVEL EVENT CODE

Definition: | FHIR Value set/code system definition for HL7 v2 table 0178 (FILE-LEVEL EVENT CODE)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.178.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0178 defines the following codes:

Code | Display | Definition | Version
REP | en: Replace current version of this master file with the version contained in this message de: Ersetzen der gesamten Datei nl: Vervangen huidige versie van dit masterbestand met de versie uit dit bericht | | added v2.2
UPD | en: Change file records as defined in the record-level event codes for each record that follows de: Änderung einzelner Sätze nl: Wijzigen bestandrecords zoals gedefinieerd in de record-niveau eventscodes voor ieder volgend record | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0178 defines the following codes:

Code | Display | Definition | Version
REP | Replace current version of this master file with the version contained in this message | | added v2.2
UPD | Change file records as defined in the record-level event codes for each record that follows | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0178 defines the following codes:

Code | Display | Definition | Version
REP | Ersetzen der gesamten Datei | | added v2.2
UPD | Änderung einzelner Sätze | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0178 definieert de volgende codes:

Code | Display | Definition | Versie
REP | Vervangen huidige versie van dit masterbestand met de versie uit dit bericht | | added v2.2
UPD | Wijzigen bestandrecords zoals gedefinieerd in de record-niveau eventscodes voor ieder volgend record | | added v2.2

4.3.15.179 HL7 Version 2 Table 0179

URL: https://hl7.org/fhir/R4/v2/0179/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0179
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0179
Version: | 2.9
Name: | v2.0179
Title: | v2 Response Level
Definition: | FHIR Value set/code system definition for HL7 v2 table 0179 (Response Level)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.179.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0179 defines the following codes:

Code | Display | Definition | Version
AL | en: Always. All MFA segments (whether denoting errors or not) must be returned via the application-level acknowledgment message de: Rückmeldung immer erforderlich nl: Altijd. Alle MFA-segmenten (fouten en/of succes) moeten worden geretourneerd via de applicatieniveau-bevestiging | | added v2.2
ER | en: Error/Reject conditions only. Only MFA segments denoting errors must be returned via the application-level acknowledgment for this message de: Rückmeldung bei auftretenden Fehlern nl: Alleen bij fout/weigering. Er mogen voor dit

bericht alleen MFA-segmenten die fouten aanduiden worden geretourneerd via de applicatieniveau-bevestiging | | added v2.2
NE | en: Never. No application-level response needed de: Keine Rückmeldung erforderlich nl: Nooit - er is geen antwoord op applicatieniveau nodig | | added v2.2
SU | en: Success. Only MFA segments denoting success must be returned via the application-level acknowledgment for this message de: Rückmeldung bei erfolgreicher Verarbeitung nl: Alleen bij succes. Er mogen voor dit bericht alleen MFA-segmenten die succes aanduiden worden geretourneerd via de applicatieniveau-bevestiging | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0179 defines the following codes:

Code | Display | Definition | Version
AL | Always. All MFA segments (whether denoting errors or not) must be returned via the application-level acknowledgment message | | added v2.2
ER | Error/Reject conditions only. Only MFA segments denoting errors must be returned via the application-level acknowledgment for this message | | added v2.2
NE | Never. No application-level response needed | | added v2.2
SU | Success. Only MFA segments denoting success must be returned via the application-level acknowledgment for this message | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0179 defines the following codes:

Code | Display | Definition | Version
AL | Rückmeldung immer erforderlich | | added v2.2
ER | Rückmeldung bei auftretenden Fehlern | | added v2.2
NE | Keine Rückmeldung erforderlich | | added v2.2
SU | Rückmeldung bei erfolgreicher Verarbeitung | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0179 definieert de volgende codes:

Code | Display | Definition | Versie
AL | Altijd. Alle MFA-segmenten (fouten en/of succes) moeten worden geretourneerd via de applicatieniveau-bevestiging | | added v2.2
ER | Alleen bij fout/weigering. Er mogen voor dit bericht alleen MFA-segmenten die fouten aanduiden worden geretourneerd via de applicatieniveau-bevestiging | | added v2.2
NE | Nooit - er is geen antwoord op applicatieniveau nodig | | added v2.2
SU | Alleen bij succes. Er mogen voor dit bericht alleen MFA-segmenten die succes aanduiden worden geretourneerd via de applicatieniveau-bevestiging | | added v2.2

4.3.15.180 HL7 Version 2 Table 0180

URL: https://hl7.org/fhir/R4/v2/0180/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0180
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0180
Version: | 2.9
Name: | v2.0180
Title: | v2 REcord Level Event Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0180 (REcord Level Event Code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.180.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0180 defines the following codes:

Code | Display | Definition | Version
MAC | en: Reactivate deactivated record de: Datensatz wieder aktivieren nl: Reactiveren van gedeactiveerd record | | added v2.2
MAD | en: Add record to master file de: Datensatz hinzufügen nl: Toevoegen aan masterbestand | | added v2.2
MDC | en: Deactivate: discontinue using record in master file, but do not delete from database de: Datensatz inaktivieren, aber nicht löschen nl: Deactiveren - stop gebruik van record in masterbestand, maar niet verwijderen uit database | | added v2.2
MDL | en: Delete record from master file de: Datensatz löschen nl: Verwijderen uit masterbestand | | added v2.2
MUP | en: Update record for master file de: Datensatz ändern nl: Updaten in masterbestand | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0180 defines the following codes:

Code | Display | Definition | Version
MAC | Reactivate deactivated record | | added v2.2

MAD | Add record to master file | | added v2.2
MDC | Deactivate: discontinue using record in master file, but do not delete from database | | added v2.2
MDL | Delete record from master file | | added v2.2
MUP | Update record for master file | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0180 defines the following codes:

Code | Display | Definition | Version
MAC | Datensatz wieder aktivieren | | added v2.2
MAD | Datensatz hinzufügen | | added v2.2
MDC | Datensatz inaktivieren, aber nicht löschen | | added v2.2
MDL | Datensatz löschen | | added v2.2
MUP | Datensatz ändern | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0180 definieert de volgende codes:

Code | Display | Definition | Versie
MAC | Reactiveren van gedeactiveerd record | | added v2.2
MAD | Toevoegen aan masterbestand | | added v2.2
MDC | Deactiveren - stop gebruik van record in masterbestand, maar niet verwijderen uit database | | added v2.2
MDL | Verwijderen uit masterbestand | | added v2.2
MUP | Updaten in masterbestand | | added v2.2

4.3.15.181 HL7 Version 2 Table 0181

URL: https://hl7.org/fhir/R4/v2/0181/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0181
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0181
Version: | 2.9
Name: | v2.0181
Title: | v2 MFN Recode-Level Error Return
Definition: | FHIR Value set/code system definition for HL7 v2 table 0181 (MFN Recode-Level Error Return)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.181.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0181 defines the following codes:

Code | Display | Definition | Version
S | en: Successful posting of the record defined by the MFE segment de: Erfolgreiche Übernahme des Datensatzes nl: Succesvolle verzending van het gedefinieerde record in het MFE-segment | | added v2.2
U | en: Unsuccessful posting of the record defined by the MFE segment de: Übernahme des Datensatzes nicht erfolgreich nl: Niet-succesvolle verzending van het gedefinieerde record in het MFE-segment | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0181 defines the following codes:

Code | Display | Definition | Version
S | Successful posting of the record defined by the MFE segment | | added v2.2
U | Unsuccessful posting of the record defined by the MFE segment | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0181 defines the following codes:

Code | Display | Definition | Version
S | Erfolgreiche Übernahme des Datensatzes | | added v2.2
U | Übernahme des Datensatzes nicht erfolgreich | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0181 definieert de volgende codes:

Code | Display | Definition | Versie
S | Succesvolle verzending van het gedefinieerde record in het MFE-segment | | added v2.2
U | Niet-succesvolle verzending van het gedefinieerde record in het MFE-segment | | added v2.2

4.3.15.183 HL7 Version 2 Table 0183

URL: https://hl7.org/fhir/R4/v2/0183/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0183
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0183
Version: | 2.9
Name: | v2.0183
Title: | v2 Active/Inactive
Definition: | FHIR Value set/code system definition for HL7 v2 table 0183 (Active/Inactive)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.183.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0183 defines the following codes:

Code | Display | Definition | Version
A | en: Active Staff de: Aktiver Mitarbeiter nl: Actieve medewerker | | added v2.2
I | en: Inactive Staff de: Inaktiver / beurlaubter Mitarbeiter nl: Inactieve medewerker | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0183 defines the following codes:

Code | Display | Definition | Version
A | Active Staff | | added v2.2
I | Inactive Staff | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0183 defines the following codes:

Code | Display | Definition | Version
A | Aktiver Mitarbeiter | | added v2.2
I | Inaktiver / beurlaubter Mitarbeiter | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0183 definieert de volgende codes:

Code | Display | Definition | Versie
A | Actieve medewerker | | added v2.2
I | Inactieve medewerker | | added v2.2

4.3.15.185 HL7 Version 2 Table 0185

URL: https://hl7.org/fhir/R4/v2/0185/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0185
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0185
Version: | 2.9
Name: | v2.0185
Title: | v2 Preferred Method Of Contrct
Definition: | FHIR Value set/code system definition for HL7 v2 table 0185 (Preferred Method Of Contrct)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.185.1 Code System Content

• All Languages
• English
• Deutsch (German)

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0185 defines the following codes:

Code | Display | Definition | Version
B | en: Beeper Number de: Beeper nl: Beeper-nummer | | added v2.2
C | en: Cellular Phone Number de: Handy nl: Mobiele telefoonnummer | | added v2.2
E | en: E-Mail Address (for backward compatibility) de: E-Mail-Adresse nl: E-mailadres (alleen voor backward compatibiliteit) | | added v2.2
F | en: FAX Number de: Fax nl: Faxnummer | | added v2.2
H | en: Home Phone Number de: private Telefonnummer nl: Privé telefoonnummer | | added v2.2
O | en: Office Phone Number de: Dienstliche Telefonnummer nl: Werk telefoonnummer | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0185 defines the following codes:

Code | Display | Definition | Version
B | Beeper Number | | added v2.2
C | Cellular Phone Number | | added v2.2
E | E-Mail Address (for backward compatibility) | | added v2.2
F | FAX Number | | added v2.2
H | Home Phone Number | | added v2.2
O | Office Phone Number | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0185 defines the following codes:

Code | Display | Definition | Version
B | Beeper | | added v2.2
C | Handy | | added v2.2
E | E-Mail-Adresse | | added v2.2
F | Fax | | added v2.2
H | private Telefonnummer | | added v2.2
O | Dienstliche Telefonnummer | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0185 definieert de volgende codes:

Code | Display | Definition | Versie
B | Beeper-nummer | | added v2.2
C | Mobiele telefoonnummer | | added v2.2
E | E-mailadres (alleen voor backward compatibiliteit) | | added v2.2
F | Faxnummer | | added v2.2
H | Privé telefoonnummer | | added v2.2
O | Werk telefoonnummer | | added v2.2

4.3.15.187 HL7 Version 2 Table 0187

URL: https://hl7.org/fhir/R4/v2/0187/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0187
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0187
Version: | 2.9
Name: | v2.0187
Title: | v2 Provider billing
Definition: | FHIR Value set/code system definition for HL7 v2 table 0187 (Provider billing)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.187.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0187 defines the following codes:

Code | Display | Definition | Version
I | en: Institution bills for provider de: Haus rechnet ab nl: Instelling doet facturatie voor zorgverlener | | added v2.2
P | en: Provider does own billing de: Eigene Abrechnung nl: Zorgverlener doet eigen facturatie | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0187 defines the following codes:

Code | Display | Definition | Version
I | Institution bills for provider | | added v2.2
P | Provider does own billing | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0187 defines the following codes:

Code | Display | Definition | Version
I | Haus rechnet ab | | added v2.2
P | Eigene Abrechnung | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0187 definieert de volgende codes:

Code | Display | Definition | Versie
I | Instelling doet facturatie voor zorgverlener | | added v2.2
P | Zorgverlener doet eigen facturatie | | added v2.2

4.3.15.189 HL7 Version 2 Table 0189

URL: https://hl7.org/fhir/R4/v2/0189/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0189
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0189
Version: | 2.9
Name: | v2.0189
Title: | v2 Ethnic group
Definition: | FHIR Value set/code system definition for HL7 v2 table 0189 (Ethnic group)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.189.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0189 defines the following codes:

Code | Display | Definition | Version
H | en: Hispanic or Latino nl: Hispanic of Latino | | added v2.4
N | en: Not Hispanic or Latino nl: Niet hispanic of Latino | | added v2.4
U | en: Unknown nl: Onbekend | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0189 defines the following codes:

Code | Display | Definition | Version
H | Hispanic or Latino | | added v2.4
N | Not Hispanic or Latino | | added v2.4
U | Unknown | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0189 definieert de volgende codes:

Code | Display | Definition | Versie
H | Hispanic of Latino | | added v2.4
N | Niet hispanic of Latino | | added v2.4
U | Onbekend | | added v2.4

4.3.15.190 HL7 Version 2 Table 0190

URL: https://hl7.org/fhir/R4/v2/0190/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0190
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0190
Version: | 2.9
Name: | v2.0190
Title: | v2 Adress Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0190 (Adress Type)
OID: | ??

CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

Concept Maps for this value set:

from AddressUse | v2.AddressUse | XML | JSON

This value set is used in the following places:

• ConceptMap: Translation target in v2 map for AddressUse

4.3.15.190.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0190 defines the following codes:

Code | Display | Definition | Comments | Version

B | en: Firm/Business de: Firma/Geschäft nl: Bedrijf/zakelijk | | en: Refers to an address specific to an organization, such as an insurance company or employer, versus an individual's work location or place of employment. It would be specific to a firm or organization that has some sort of business relationship with the subject nl: Is een adres voor een bepaalde organisatie zoals een verzekeraar of werkgever, versus de individuele werkplek of arbeidlocatie. Het adres is specifiek voor een bedrijf of organisatie met een bepaalde zakelijke relatie met het subject | added v2.2

BA | en: Bad address de: ungültige Adresse nl: Incorrect adres | | en: Retained for backward compatibility only as of v2.6. Refer to XAD.17 nl: Alleen voor backward compatibiliteit sinds v2.6. Zie XAD.17 | added v2.3.1

BDL | en: Birth delivery location (address where birth occurred) de: genauer Geburtsort nl: Ter-wereld-komst locatie (adres waar geboorte plaatsvond) | | en: Refers to the address where birth occurred. nl: Verwijst naar her adres waar geboorte plaatsvond. | added v2.3.1

BI | en: Billing Address de: Rechnungsadresse nl: Facturatieadres | | en: May also be used for the validation/authorization of credit cards nl: Kan ook worden gebruikt voor de validatie/autorisatie van creditcards | added v2.6

BR | en: Residence at birth (home address at time of birth) de: Wohnort zum Zeitpunkt der Geburt nl: Verblijfplaats bij geboorte (woonadres op moment van geboorte) | | en: Refers to the home address at time of birth. nl: Is het woonadres op moment van geboorte. | added v2.3.1

C | en: Current Or Temporary de: Derzeitige Adresse nl: Huidig of tijdelijk | | en: Retained for backward compatibility only as of v2.6. Refer to XAD.16 nl: Alleen voor backward compatibiliteit sinds v2.6. Zie XAD.16 | added v2.2

F | en: Country Of Origin de: Herkunftsland nl: Land van herkomst | | | added v2.3

H | en: Home de: Privatadresse nl: Huis | | en: Refers to a residence or domicile, literally the place where the subject resides the majority of the time. Generally speaking most people will have a home address and it will represent their primary address. Home address is mutually exclusive of permanent address. nl: Is een woonadres of domicilie, letterlijk de plaats waar het subject het merendeel van zijn tijd woont. Over het algemeen hebben de meeste mensen een woonadres en is dat hun primaire adres. Huisadres is niet gelijk aan permanent adres en sluiten elkaar uit | added v2.2

L | en: Legal Address de: registrierte Adresse nl: Wettelijk adres | | en: Refers to a special case address specific to the status of a subject or legal action involving the subject. For example, prisoners being treated at a healthcare facility may have home addresses, but their status mandates an address specific to their place of incarceration. Statutes may require the health information specific to a ward of the state be sent to a legal guardian, the courts, or a state or municipal agency regardless of the ward's physical location. In cases involving civil or criminal proceedings, a record may be flagged such that all correspondence is sent to any variety of legal entities. nl: Het adres in het speciale geval van de status van een subject of bij juridische stappen met betrekking tot het subject. Zo hebben bijvoorbeeld gevangenen die worden behandeld in een zorginstelling wellicht een woonadres, maar hun status vereist een adres gekoppeld aan hun plaats van gevangenschap. Op basis van status is mogelijk vereist dat de gezondheidsinformatie uit een overheidsafdeling naar een wettelijke voogd wordt gestuurd, de rechtbank, of een overheids- of gemeentelijke dienst ongeacht de fysieke locatie van de afdeling. In gevallen van civiele of strafrechtelijke zaken kan een record van eem indicatie worden voorzien dat alle correspondentie wordt verstuurd naar een of meerdere juridische entiteiten. | added v2.3.1

M | en: Mailing de: Postalische Adresse nl: Post | | en: Retained for backward compatibility only as of v2.6. Refer to XAD.18 nl: Alleen voor backward compatibiliteit sinds v2.6. Zie XAD.18 | added v2.2

N | en: Birth (nee) (birth address, not otherwise specified) nl: Geboorte (geboorteadres, tenzij anders gespecificeerd) | | en: Refers to the birth address, not otherwise specified nl: Verwijst naar geboorteadres, tenzij anders gespecificeerd | added v2.3.1

O | en: Office/Business de: Büroadresse nl: Kantoor/zakelijk | | en: Refers to a work address specific to the subject. nl: Is een werkadres specifiek voor het subject. | added v2.2

P | en: Permanent de: Dauernder Wohnsitz | | en: Refers to a place where the residents know the subject and where correspondence addressed to the subject will eventually reach the subject regardless of their physical location. A permanent address generally reflects a tax jurisdiction. Members of the military, flight attendants, and executives on rotational assignments are examples of those who typically maintain a permanent address. Although mutually exclusive of home address, in some instances, such as the executives mentioned above, it may be synonymous. In such cases upon return from assignment this address would revert to the home address. nl: Is een plaats waar de bewoners het subject kennen en waar correspondentie voor het subject deze uiteindelijk bereikt ongeacht hun fysieke locatie. Een permanent adres is meestal een belastinggebied. Militairen, vluchtpersoneel en managers met diverse opdrachten zijn voorbeelden van mensen die vaak een permanent adres aanhouden. Hoewel woonadres en permanent adres elkaar uitsluiten, kunnen ze in sommige gevallen aan elkaar gelijk zijn. In dat geval zou bij thuiskomst van een opdracht, dit adres weer veranderen in een woon/huisadres. | added v2.2

RH | en: Registry home. Refers to the information system, typically managed by a public health agency, that stores patient information such as immunization histories or cancer data, regardless of where the patient obtains services. nl: Registertehuis | | en: Refers to the information system, typically managed by a public health agency that stores patient information such as immunization histories or cancer data, regardless of where the patient obtains services nl: Verwijst naar het informatiesysteem, meestal beheerd door een volksgezondheiddienst, die patiëntinformatie bijhoudt zoals vaccinatiegegevens of kankergegevens,

ongeacht waar de patiënt zijn services betrekt. | added v2.3.1

S | en: Service Location de: Leistungsort nl: Servicelocatie | | en: Refers to the location in which service is rendered. This would be used if reimbursement is based on the location of the service (to take into account the cost of those services). nl: Is de locatie waar de dienst verleend wordt. Deze wordt gebruikt als vergoeding is gebaseerd op de locatie van de service (om rekening te kunnen houden met de kosten van de service). | added v2.6

SH | en: Shipping Address de: Versandadresse nl: Verzendadres | | | added v2.6

TM | en: Tube Address nl: Buisadres | | en: Pneumatic tube address (to which letters may be sent). A special transport system to transport small samples/containers and/or normal mail in small carriages on rail or in a tube. (German Rohrpost) nl: Pneumatisch buisadres (voor verzending van brieven). Een speciaal transportsysteem voor transport van kleine monsters/containers en/of reguliere post in kleine verpakkingen over rails of in een buis. (Duitse Rohrpost) | added v2.7

V | en: Vacation de: Adresse des Ferienortes nl: Vakantie | | | added v2.6

This code system http://terminology.hl7.org/CodeSystem/v2-0190 defines the following codes:

Code | Display | Definition | Comments | Version

B | Firm/Business | | Refers to an address specific to an organization, such as an insurance company or employer, versus an individual’s work location or place of employment. It would be specific to a firm or organization that has some sort of business relationship with the subject | added v2.2

BA | Bad address | | Retained for backward compatibility only as of v2.6. Refer to XAD.17 | added v2.3.1

BDL | Birth delivery location (address where birth occurred) | | Refers to the address where birth occurred. | added v2.3.1

BI | Billing Address | | May also be used for the validation/authorization of credit cards | added v2.6

BR | Residence at birth (home address at time of birth) | | Refers to the home address at time of birth. | added v2.3.1

C | Current Or Temporary | | Retained for backward compatibility only as of v2.6. Refer to XAD.16 | added v2.2

F | Country Of Origin | | | added v2.3

H | Home | | Refers to a residence or domicile, literally the place where the subject resides the majority of the time. Generally speaking most people will have a home address and it will represent their primary address. Home address is mutually exclusive of permanent address. | added v2.2

L | Legal Address | | Refers to a special case address specific to the status of a subject or legal action involving the subject. For example, prisoners being treated at a healthcare facility may have home addresses, but their status mandates an address specific to their place of incarceration. Statutes may require the health information specific to a ward of the state be sent to a legal guardian, the courts, or a state or municipal agency regardless of the ward’s physical location. In cases involving civil or criminal proceedings, a record may be flagged such that all correspondence is sent to any variety of legal entities. | added v2.3.1

M | Mailing | | Retained for backward compatibility only as of v2.6. Refer to XAD.18 | added v2.2

N | Birth (nee) (birth address, not otherwise specified) | | Refers to the birth address, not otherwise specified | added v2.3.1

O | Office/Business | | Refers to a work address specific to the subject. | added v2.2

P | Permanent | | Refers to a place where the residents know the subject and where correspondence addressed to the subject will eventually reach the subject regardless of their physical location. A permanent address generally reflects a tax jurisdiction. Members of the military, flight attendants, and executives on rotational assignments are examples of those who typically maintain a permanent address. Although mutually exclusive of home address, in some instances, such as the executives mentioned above, it may be synonymous. In such cases upon return from assignment this address would revert to the home address. | added v2.2

RH | Registry home. Refers to the information system, typically managed by a public health agency, that stores patient information such as immunization histories or cancer data, regardless of where the patient obtains services. | | Refers to the information system, typically managed by a public health agency that stores patient information such as immunization histories or cancer data, regardless of where the patient obtains services | added v2.3.1

S | Service Location | | Refers to the location in which service is rendered. This would be used if reimbursement is based on the location of the service (to take into account the cost of those services). | added v2.6

SH | Shipping Address | | | added v2.6

TM | Tube Address | | Pneumatic tube address (to which letters may be sent). A special transport system to transport small samples/containers and/or normal mail in small carriages on rail or in a tube. (German Rohrpost) | added v2.7

V | Vacation | | | added v2.6

This code system http://terminology.hl7.org/CodeSystem/v2-0190 defines the following codes:

Code | Display | Definition | Comments | Version

B | Firma/Geschäft | | | added v2.2

BA | ungültige Adresse | | | added v2.3.1

BDL | genauer Geburtsort | | | added v2.3.1

BI | Rechnungsadresse | | | added v2.6

BR | Wohnort zum Zeitpunkt der Geburt | | | added v2.3.1

C | Derzeitige Adresse | | | added v2.2

F | Herkunftsland | | | added v2.3

H | Privatadresse | | | added v2.2

L | registrierte Adresse | | | added v2.3.1

M | Postalische Adresse | | | added v2.2

N | | | | added v2.3.1

O | Büroadresse | | | added v2.2

P | Dauernder Wohnsitz | | | added v2.2

RH | | | | added v2.3.1

S | Leistungsort | | | added v2.6

SH | Versandadresse | | | added v2.6

TM | | | | added v2.7

V | Adresse des Ferienortes | | | added v2.6

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0190 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie

B | Bedrijf/zakelijk | | Is een adres voor een bepaalde organisatie zoals een verzekeraar of werkgever, versus de individuele werkplek of arbeidlocatie. Het adres is specifiek voor een bedrijf of organisatie met een bepaalde zakelijke relatie met het subject | added v2.2

BA | Incorrect adres | | Alleen voor backward compatibiliteit sinds v2.6. Zie XAD.17 | added v2.3.1
BDL | Ter-wereld-komst locatie (adres waar geboorte plaatsvond) | | Verwijst naar her adres waar geboorte plaatsvond. | added v2.3.1
BI | Facturatieadres | | Kan ook worden gebruikt voor de validatie/autorisatie van creditcards | added v2.6
BR | Verblijfplaats bij geboorte (woonadres op moment van geboorte) | | Is het woonadres op moment van geboorte. | added v2.3.1
C | Huidig of tijdelijk | | Alleen voor backward compatibiliteit sinds v2.6. Zie XAD.16 | added v2.2
F | Land van herkomst | | | added v2.3
H | Huis | | Is een woonadres of domicilie, letterlijk de plaats waar het subject het merendeel van zijn tijd woont. Over het algemeen hebben de meeste mensen een woonadres en is dat hun primaire adres. Huisadres is niet gelijk aan permanent adres en sluiten elkaar uit | added v2.2
L | Wettelijk adres | | Het adres in het speciale geval van de status van een subject of bij juridische stappen met betrekking tot het subject. Zo hebben bijvoorbeeld gevangenen die worden behandeld in een zorginstelling wellicht een woonadres, maar hun status vereist een adres gekoppeld aan hun plaats van gevangenschap. Op basis van status is mogelijk vereist dat de gezondheidsinformatie uit een overheidsafdeling naar een wettelijke voogd wordt gestuurd, de rechtbank, of een overheids- of gemeentelijke dienst ongeacht de fysieke locatie van de afdeling. In gevallen van civiele of strafrechtelijke zaken kan een record van eem indicatie worden voorzien dat alle correspondentie wordt verstuurd naar een of meerdere juridische entiteiten. | added v2.3.1
M | Post | | Alleen voor backward compatibiliteit sinds v2.6. Zie XAD.18 | added v2.2
N | Geboorte (geboorteadres, tenzij anders gespecificeerd) | | Verwijst naar geboorteadres, tenzij anders gespecificeerd | added v2.3.1
O | Kantoor/zakelijk | | Is een werkadres specifiek voor het subject. | added v2.2
P | Permanent | | Is een plaats waar de bewoners het subject kennen en waar correspondentie voor het subject deze uiteindelijk bereikt ongeacht hun fysieke locatie. Een permanent adres is meestal een belastinggebied. Militairen, vluchtpersoneel en managers met diverse opdrachten zijn voorbeelden van mensen die vaak een permanent adres aanhouden. Hoewel woonadres en permanent adres elkaar uitsluiten, kunnen ze in sommige gevallen aan elkaar gelijk zijn. In dat geval zou bij thuiskomst van een opdracht, dit adres weer veranderen in een woon/huisadres. | added v2.2
RH | Registertehuis | | Verwijst naar het informatiesysteem, meestal beheerd door een volksgezondheiddienst, die patiëntinformatie bijhoudt zoals vaccinatiegegevens of kankergegevens, ongeacht waar de patiënt zijn services betrekt. | added v2.3.1
S | Servicelocatie | | Is de locatie waar de dienst verleend wordt. Deze wordt gebruikt als vergoeding is gebaseerd op de locatie van de service (om rekening te kunnen houden met de kosten van de service). | added v2.6
SH | Verzendadres | | | added v2.6
TM | Buisadres | | Pneumatisch buisadres (voor verzending van brieven). Een speciaal transportsysteem voor transport van kleine monsters/containers en/of reguliere post in kleine verpakkingen over rails of in een buis. (Duitse Rohrpost) | added v2.7
V | Vakantie | | | added v2.6

4.3.15.191 HL7 Version 2 Table 0191

URL: https://hl7.org/fhir/R4/v2/0191/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0191
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0191
Version: | 2.9
Name: | v2.0191
Title: | v2 Type Of Data
Definition: | FHIR Value set/code system definition for HL7 v2 table 0191 (Type Of Data)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.191.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0191 defines the following codes:

Code | Display | Definition | Deprecated | Version

AP | en: Other application data, typically uninterpreted binary data (HL7 V2.3 and later) de: sonstige (binären) Daten nl: Overige applicatiegegevens, meestal niet-verwerkte binaire gegevens (sinds v2.3) | | | added v2.3
Application | en: Other application data, typically uninterpreted binary data (HL7 V2.3 and later) nl: Overige applicatiegegevens, meestal niet-verwerkte binaire gegevens (sinds v2.3) | | Deprecated | added v2.3.1, removed after v2.3.1
AU | en: Audio data (HL7 V2.3 and later) de: Audio-Daten nl: Audiogegevens (sinds v2.3) | | | added v2.3
Audio | en: Audio data (HL7 V2.3 and later) de: Audio-Daten nl: Audiogegevens (sinds v2.3) | | Deprecated | added v2.3.1, removed after v2.3.1
FT | en: Formatted text (HL7 V2.2 only) de: Formatierter Text nl: Tekst met opmaak (alleen v2.2) | | | added v2.2
IM | en: Image data (HL7 V2.3 and later) de: Bilddaten nl: Beeldgegevens (sinds v2.3) | | | added v2.3
Image | en: Image data (HL7 V2.3 and later) de: Bilddaten nl: Beeldgegevens (sinds v2.3) | | Deprecated | added v2.3.1, removed after v2.3.1
multipart | MIME multipart package | | | added v2.4
NS | en: Non-scanned image (HL7 V2.2 only) de: Nicht über Scanner erzeugtes Bild nl: Niet-gescand beeld (alleen v2.2) | | | added v2.2
SD | en: Scanned document (HL7 V2.2 only) de: Über Scanner eingelesenes Dokument nl: Gescand document (alleen v2.2) | | | added v2.2
SI | en: Scanned image (HL7 V2.2 only) de: Über Scanner eingelesenes Bild nl: Gescand beeld (alleen v2.2) | | | added v2.2
TEXT | en: Machine readable text document (HL7 V2.3.1 and later) de: maschinenlesbares Dokument nl: Geautomatiseerd leesbaar tekstdocument (sinds v2.3.1) | | | added v2.3.1
TX | en: Machine readable text document (HL7 V2.2 only) de: Maschinenlesbarer Text nl: Geautomatiseerd leesbaar tekstdocument (alleen v2.2) | | | added v2.2

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0191 defines the following codes:

Code | Display | Definition | Deprecated | Version
AP | Other application data, typically uninterpreted binary data (HL7 V2.3 and later) | | | added v2.3
Application | Other application data, typically uninterpreted binary data (HL7 V2.3 and later) | | Deprecated | added v2.3.1, removed after v2.3.1
AU | Audio data (HL7 V2.3 and later) | | | added v2.3
Audio | Audio data (HL7 V2.3 and later) | | Deprecated | added v2.3.1, removed after v2.3.1
FT | Formatted text (HL7 V2.2 only) | | | added v2.2
IM | Image data (HL7 V2.3 and later) | | | added v2.3
Image | Image data (HL7 V2.3 and later) | | Deprecated | added v2.3.1, removed after v2.3.1
multipart | MIME multipart package | | | added v2.4
NS | Non-scanned image (HL7 V2.2 only) | | | added v2.2
SD | Scanned document (HL7 V2.2 only) | | | added v2.2
SI | Scanned image (HL7 V2.2 only) | | | added v2.2
TEXT | Machine readable text document (HL7 V2.3.1 and later) | | | added v2.3.1
TX | Machine readable text document (HL7 V2.2 only) | | | added v2.2

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0191 defines the following codes:

Code | Display | Definition | Deprecated | Version
AP | sonstige (binären) Daten | | | added v2.3
Application | | | Deprecated | added v2.3.1, removed after v2.3.1
AU | Audio-Daten | | | added v2.3
Audio | Audio-Daten | | Deprecated | added v2.3.1, removed after v2.3.1
FT | Formatierter Text | | | added v2.2
IM | Bilddaten | | | added v2.3
Image | Bilddaten | | Deprecated | added v2.3.1, removed after v2.3.1
multipart | | | | added v2.4
NS | Nicht über Scanner erzeugtes Bild | | | added v2.2
SD | Über Scanner eingelesenes Dokument | | | added v2.2
SI | Über Scanner eingelesenes Bild | | | added v2.2
TEXT | maschinenlesbares Dokument | | | added v2.3.1
TX | Maschinenlesbarer Text | | | added v2.2

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0191 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
AP | Overige applicatiegegevens, meestal niet-verwerkte binaire gegevens (sinds v2.3) | | | added v2.3
Application | Overige applicatiegegevens, meestal niet-verwerkte binaire gegevens (sinds v2.3) | | Verouderd | added v2.3.1, removed after v2.3.1
AU | Audiogegevens (sinds v2.3) | | | added v2.3
Audio | Audiogegevens (sinds v2.3) | | Verouderd | added v2.3.1, removed after v2.3.1
FT | Tekst met opmaak (alleen v2.2) | | | added v2.2
IM | Beeldgegevens (sinds v2.3) | | | added v2.3
Image | Beeldgegevens (sinds v2.3) | | Verouderd | added v2.3.1, removed after v2.3.1
multipart | MIME multipart package | | | added v2.4
NS | Niet-gescand beeld (alleen v2.2) | | | added v2.2
SD | Gescand document (alleen v2.2) | | | added v2.2
SI | Gescand beeld (alleen v2.2) | | | added v2.2
TEXT | Geautomatiseerd leesbaar tekstdocument (sinds v2.3.1) | | | added v2.3.1
TX | Geautomatiseerd leesbaar tekstdocument (alleen v2.2) | | | added v2.2

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.191.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 10 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0191 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0191

Code | Display | Definition
AP | Other application data, typically uninterpreted binary data (HL7 V2.3 and later)
AU | Audio data (HL7 V2.3 and later)
FT | Formatted text (HL7 V2.2 only)
IM | Image data (HL7 V2.3 and later)
multipart | MIME multipart package
NS | Non-scanned image (HL7 V2.2 only)
SD | Scanned document (HL7 V2.2 only)
SI | Scanned image (HL7 V2.2 only)
TEXT | Machine readable text document (HL7 V2.3.1 and later)
TX | Machine readable text document (HL7 V2.2 only)

Additional Language Displays

Code | Deutsch (German, de) | Nederlands (Dutch, nl)
AP | sonstige (binären) Daten | Overige applicatiegegevens, meestal niet-verwerkte binaire gegevens (sinds v2.3)
AU | Audio-Daten | Audiogegevens (sinds v2.3)
FT | Formatierter Text | Tekst met opmaak (alleen v2.2)
IM | Bilddaten | Beeldgegevens (sinds v2.3)
multipart | | MIME multipart package
NS | Nicht über Scanner erzeugtes Bild | Niet-gescand beeld (alleen v2.2)
SD | Über Scanner eingelesenes Dokument | Gescand document (alleen v2.2)
SI | Über Scanner eingelesenes Bild | Gescand beeld (alleen v2.2)
TEXT | maschinenlesbares Dokument | Geautomatiseerd leesbaar tekstdocument (sinds v2.3.1)
TX | Maschinenlesbarer Text | Geautomatiseerd leesbaar tekstdocument (alleen v2.2)

4.3.15.193 HL7 Version 2 Table 0193

URL: https://hl7.org/fhir/R4/v2/0193/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0193
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0193
Version: | 2.9
Name: | v2.0193
Title: | v2 Amount Class
Definition: | FHIR Value set/code system definition for HL7 v2 table 0193 (Amount Class)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.193.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0193 defines the following codes:

Code | Display | Definition | Comments | Version
AT | en: Amount de: Betrag nl: Bedrag | | en: Retained for backward compatibility only as of v 2.5 nl: Alleen voor backward compatibiliteit sinds v2.5. | added v2.2
LM | en: Limit de: Höchstbetrag nl: Limiet | | | added v2.2
PC | en: Percentage de: Prozentsatz | | en: Retained for backward compatibility only as of v 2.5 nl: Alleen voor backward compatibiliteit sinds v2.5. | added v2.2
UL | en: Unlimited de: Unbegrenzt nl: Onbeperkt | | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0193 defines the following codes:

Code | Display | Definition | Comments | Version
AT | Amount | | Retained for backward compatibility only as of v 2.5 | added v2.2
LM | Limit | | | added v2.2
PC | Percentage | | Retained for backward compatibility only as of v 2.5 | added v2.2
UL | Unlimited | | | added v2.2

This code system http://terminology.hl7.org/CodeSystem/v2-0193 defines the following codes:

Code | Display | Definition | Comments | Version
AT | Betrag | | | added v2.2
LM | Höchstbetrag | | | added v2.2
PC | Prozentsatz | | | added v2.2
UL | Unbegrenzt | | | added v2.2

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0193 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie
AT | Bedrag | | Alleen voor backward compatibiliteit sinds v2.5. | added v2.2
LM | Limiet | | | added v2.2
PC | Percentage | | Alleen voor backward compatibiliteit sinds v2.5. | added v2.2
UL | Onbeperkt | | | added v2.2

4.3.15.200 HL7 Version 2 Table 0200

URL: https://hl7.org/fhir/R4/v2/0200/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0200
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0200
Version: | 2.9
Name: | v2.0200
Title: | v2 Name Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0200 (Name Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

Concept Maps for this value set:

from NameUse | v2.NameUse | XML | JSON

This value set is used in the following places:

• ConceptMap: Translation target in v2 map for NameUse

4.3.15.200.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

Properties

Code | URL | Description | Type

status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code

deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0200 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version

... | No suggested values defined | | Deprecated | | added v2.8.2

A | en: Assigned de: Aliasname nl: Toegekend | | | en: A name assigned to a person. Reasons some organizations assign alternate names may include not knowing the person's name, or to maintain anonymity. Some, but not necessarily all, of the name types that people call "alias" may fit into this category. nl: Een naam toegekend aan een persoon. Redenen voor sommige organisaties om alternatieve namen toe te kennen, kunnen zijn dat ze de echte naam niet kennen of om anonimiteit te garanderen. Sommige maar niet noodzakelijk alle namen die mensen "alias" noemen vallen mogelijk in deze categorie. | added v2.3

B | en: Birth name de: Geburtsname nl: Geboortenaam | | | en: A name that a person had shortly after being born. Usually for family names but may be used to mark given names at birth that may have changed later. This is not for temporary names assigned at birth while a newborn is not yet named nl: Een naam die een persoon kort na geboorte had. Meestal voor familienamen maar kan worden gebruikt om namen bij geboorte te markeren die later mogelijk zijn veranderd. Dit is niet voor tijdelijke namen die bij geboorte zijn toegekend zolang een nieuwgeborene nog geen naam heeft | added v2.3.1

BAD | en: Bad Name de: ungültiger Name nl: Incorrecte naam | | | en: A name that was wrongly used in the past and is now maintained only for the purposes of searching nl: Een naam die in het verleden verkeerd is gebruikt en nu alleen ten behoeve van zoeken wordt bewaard | added v2.7

C | en: Adopted Name de: angenommener Name nl: Adoptienaam | | | en: A name acquired by adoption nl: Een naam verkregen via adoptie | added v2.3

D | en: Customary Name de: angezeigter Name nl: Reguliere naam | | | en: Known as/conventional/the one you use. May also be known asa preferred name. nl: Bekend als/conventioneel/de naam die de persoon gebruikt. Kan ook bekend zijn als geprefereerde naam. | added v2.3

F | en: Fathers Name de: Name des Vaters nl: Vaders' naam | | | en: Fathers Name (Patronymic Name) nl: Vaders' naam (Patroniem) | added v2.8

I | en: Licensing Name de: nicht verwendet nl: Licentienaam | | | | added v2.4

K | en: Business name de: Geschäftsname nl: Zakelijke naam | | | en: A name used in a Professional or Business context. Also includes writer’s pseudonym, artist’s name, stage name, street name, etc. An example of use is where a person with multiple proper names (i.e. married) uses one of the particular names in a professional nl: Een naam gebruikt in professionele of zakelijke context. Hieronder vallen het pseudoniem van een schrijver, artiestennaam, podiumnaam, streetnaam, etc. Een voorbeeld is een persoon met meerdere correcte namen (bijv. getrouwd), één van deze naam in professionele context hanteert | added v2.6

L | en: Official Registry Name de: gesetzlicher Name nl: Officieel geregistreerde naam | | | en: The formal name as registered in an official (government) registry, but which name might not be commonly used. May correspond to legal name For many people, customary name is also their official name nl: De formele naam zoals geregistreerd in een officieel (overheids)register, maar welke mogelijk normaal niet wordt gebruikt. Voor veel mensen is hun reguliere naam gelijk aan hun officële naam | added v2.3

M | en: Maiden Name de: Name als ledige Person (Ledigenname) nl: Eigennaam | | | en: A name you had just before you got married nl: Een naam die de persoon had voordat hij/zij trouwde | added v2.3

MSK | en: Masked de: Name ist maskiert nl: Gemaskeerd | | | en: There is information on this item available but it has not been provided by the sender due to security, privacy or other reasons. There may be an alternate mechanism for gaining access to this information. Note: using this null flavor does provide information that may be a breach of confidentiality, even though no detail data is provided. Its primary purpose is for those circumstances where it is necessary to inform the receiver that the information does exist without providing any detail. nl: Er is informatie over bekend maar deze is niet verstrekt door de zender vanwege veiligheid, privacy of andere redenen. Er is mogelijk een alternatief mechanisme om toegang te krijgen tot deze informatie. NB: Deze null flavor geeft wel informatie | added v2.7

N | en: Nickname de: Spitzname nl: Bijnaam | | | en: Nickname /"Call me" Name/Street Name nl: Bijnaam/roepnaam/straatnaam/geuzennaam | added v2.4

NAV | en: Temporarily Unavailable de: Name zeitweise nicht verfügbar nl: Tijdelijk niet beschikbaar | | | en: Information is not available at this time but it is expected that it will be available later. Includes John or Jane Doe situations nl: Informatie is niet beschikbaar op dit moment maar wordt wel op een later moment verwacht. Geldt ook voor John of Jane Doe situaties | added v2.7

NB | en: Newborn Name de: Name zeitweise nicht verfügbar nl: Naam nieuwgeborene | | | en: A name assigned on a temporary basis at birth. i.e. "Baby of Smith" nl: Een naam die tijdelijk bij geboorte wordt toegekend. Bijv "Baby'tje Jansen" | added v2.7

NOUSE | en: No Longer To Be Used de: nicht länger in Benutzung nl: Niet langer gebruiken | | | en: Name not to be used anymore for personal reasons nl: Naam niet meer gebruiken om persoonlijke redenen | added v2.7

O | en: Other de: sonstiger Name nl: Anders | | Deprecated | | added v2.3, removed after v2.3

P | en: Name of Partner/Spouse de: nicht verwendet nl: Naam van partner/echtgenoot | | | en: Retained for backward compatibility only as of v2.7. nl: Alleen voor backward compatibiliteit sinds v2.7. | added v2.3.1

R | en: Registered Name de: Zuchtname bei Tieren nl: Geregistreerde naam | | | en: (animals only) Retained for backwards compatibility only as of v2.7. Use "L" instead - has same meaning nl: (alleen dieren) Alleen voor backward compatibiliteit sinds v2.7. Gebruik "L" - deze heeft dezelfde betekenis | added v2.4

REL | en: Religious nl: Religieus | | | en: e.g. Sister Mary Francis, Brother John nl: Bijv. Zuster Maria, Broeder Jan | added v2.7

S | en: Pseudonym de: Pseudonym (z.B. für Studien) nl: Pseudoniem | | | en: Coded Pseudo-Name to ensure anonymity nl: Gecodeerde pseudonaam voor anonimiteit | added v2.3.1

T | en: Indigenous/Tribal de: Stammesname nl: Inheemse-/tribae naam | | | en: Indigenous/Tribal/Community Name e.g. Chief Red Cloud nl: Inheemse-/tribale-/gemeenschapsnaam bijv. Chief Red Cloud | added v2.3.1

TEMP | en: Temporary Name de: temporärer Name nl: Tijdelijke naam | | | en: A temporary name. Note that a name valid time can provide more detailed information. nl: Een tijdelijke naam. Merk op dat de geldigheid van de naam meer gedetailleerde informatie kan bevatten. | added v2.7

U | en: Unknown de: Name unbekannt nl: Onbekend | | | Unknown | added v2.3.1

Properties

Code | URL | Description | Type

status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code

deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0200 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
... | No suggested values defined | | Deprecated | | added v2.8.2, removed after v2.8.2
A | Assigned | | | A name assigned to a person. Reasons some organizations assign alternate names may include not knowing the person's name, or to maintain anonymity. Some, but not necessarily all, of the name types that people call "alias" may fit into this category. | added v2.3
B | Birth name | | | A name that a person had shortly after being born. Usually for family names but may be used to mark given names at birth that may have changed later. This is not for temporary names assigned at birth while a newborn is not yet named | added v2.3.1
BAD | Bad Name | | | A name that was wrongly used in the past and is now maintained only for the purposes of searching | added v2.7
C | Adopted Name | | | A name acquired by adoption | added v2.3
D | Customary Name | | | Known as/conventional/the one you use. May also be known asa preferred name. | added v2.3
F | Fathers Name | | | Fathers Name (Patronymic Name) | added v2.8
I | Licensing Name | | | | added v2.4
K | Business name | | | A name used in a Professional or Business context. Also includes writer’s pseudonym, artist’s name, stage name, street name, etc. An example of use is where a person with multiple proper names (i.e. married) uses one of the particular names in a professional | added v2.6
L | Official Registry Name | | | The formal name as registered in an official (government) registry, but which name might not be commonly used. May correspond to legal name For many people, customary name is also their official name | added v2.3
M | Maiden Name | | | A name you had just before you got married | added v2.3
MSK | Masked | | | There is information on this item available but it has not been provided by the sender due to security, privacy or other reasons. There may be an alternate mechanism for gaining access to this information. Note: using this null flavor does provide information that may be a breach of confidentiality, even though no detail data is provided. Its primary purpose is for those circumstances where it is necessary to inform the receiver that the information does exist without providing any detail. | added v2.7
N | Nickname | | | Nickname /"Call me" Name/Street Name | added v2.4
NAV | Temporarily Unavailable | | | Information is not available at this time but it is expected that it will be available later. Includes John or Jane Doe situations | added v2.7
NB | Newborn Name | | | A name assigned on a temporary basis at birth. i.e. "Baby of Smith" | added v2.7
NOUSE | No Longer To Be Used | | | Name not to be used anymore for personal reasons | added v2.7
O | Other | | Deprecated | | added v2.3, removed after v2.3
P | Name of Partner/Spouse | | | Retained for backward compatibility only as of v2.7. | added v2.3.1
R | Registered Name | | | (animals only) Retained for backwards compatibility only as of v2.7. Use "L" instead - has same meaning | added v2.4
REL | Religious | | | e.g. Sister Mary Francis, Brother John | added v2.7
S | Pseudonym | | | Coded Pseudo-Name to ensure anonymity | added v2.3.1
T | Indigenous/Tribal | | | Indigenous/Tribal/Community Name e.g. Chief Red Cloud | added v2.3.1
TEMP | Temporary Name | | | A temporary name. Note that a name valid time can provide more detailed information. | added v2.7
U | Unknown | | | Unknown | added v2.3.1

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0200 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
... | | | Deprecated | | added v2.8.2, removed after v2.8.2
A | Aliasname | | | | added v2.3
B | Geburtsname | | | | added v2.3.1
BAD | ungültiger Name | | | | added v2.7
C | angenommener Name | | | | added v2.3
D | angezeigter Name | | | | added v2.3
F | Name des Vaters | | | | added v2.8
I | nicht verwendet | | | | added v2.4
K | Geschäftsname | | | | added v2.6
L | gesetzlicher Name | | | | added v2.3
M | Name als ledige Person (Ledigenname) | | | | added v2.3
MSK | Name ist maskiert | | | | added v2.7
N | Spitzname | | | | added v2.4
NAV | Name zeitweise nicht verfügbar | | | | added v2.7
NB | Name zeitweise nicht verfügbar | | | | added v2.7
NOUSE | nicht länger in Benutzung | | | | added v2.7
O | sonstiger Name | | Deprecated | | added v2.3, removed after v2.3
P | nicht verwendet | | | | added v2.3.1
R | Zuchtname bei Tieren | | | | added v2.4
REL | | | | | added v2.7
S | Pseudonym (z.B. für Studien) | | | | added v2.3.1
T | Stammesname | | | | added v2.3.1

TEMP | temporärer Name | | | | added v2.7
U | Name unbekannt | | | | added v2.3.1

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0200 definieert de volgende codes:

Code | Display | Definition | Verouderd | Commentaar | Versie
... | | | Verouderd | | added v2.8.2, removed after v2.8.2
A | Toegekend | | | Een naam toegekend aan een persoon. Redenen voor sommige organisaties om alternatieve namen toe te kennen, kunnen zijn dat ze de echte naam niet kennen of om anonimiteit te garanderen. Sommige maar niet noodzakelijk alle namen die mensen "alias" noemen vallen mogelijk in deze categorie. | added v2.3
B | Geboortenaam | | | Een naam die een persoon kort na geboorte had. Meestal voor familienamen maar kan worden gebruikt om namen bij geboorte te markeren die later mogelijk zijn veranderd. Dit is niet voor tijdelijke namen die bij geboorte zijn toegekend zolang een nieuwgeborene nog geen naam heeft | added v2.3.1
BAD | Incorrecte naam | | | Een naam die in het verleden verkeerd is gebruikt en nu alleen ten behoeve van zoeken wordt bewaard | added v2.7
C | Adoptienaam | | | Een naam verkregen via adoptie | added v2.3
D | Reguliere naam | | | Bekend als/conventioneel/de naam die de persoon gebruikt. Kan ook bekend zijn als geprefereerde naam. | added v2.3
F | Vaders' naam | | | Vaders' naam (Patroniem) | added v2.8
I | Licentienaam | | | | added v2.4
K | Zakelijke naam | | | Een naam gebruikt in professionele of zakelijke context. Hieronder vallen het pseudoniem van een schrijver, artiestennaam, podiumnaam, streetnaam, etc. Een voorbeeld is een persoon met meerdere correcte namen (bijv. getrouwd), één van deze naam in professionele context hanteert | added v2.6
L | Officieel geregistreerde naam | | | De formele naam zoals geregistreerd in een officieel (overheids)register, maar welke mogelijk normaal niet wordt gebruikt. Voor veel mensen is hun reguliere naam gelijk aan hun officële naam | added v2.3
M | Eigennaam | | | Een naam die de persoon had voordat hij/zij trouwde | added v2.3
MSK | Gemaskeerd | | | Er is informatie over bekend maar deze is niet verstrekt door de zender vanwege veiligheid, privacy of andere redenen. Er is mogelijk een alternatief mechanisme om toegang te krijgen tot deze informatie. NB: Deze null flavor geeft wel informatie | added v2.7
N | Bijnaam | | | Bijnaam/roepnaam/straatnaam/geuzennaam | added v2.4
NAV | Tijdelijk niet beschikbaar | | | Informatie is niet beschikbaar op dit moment maar wordt wel op een later moment verwacht. Geldt ook voor John of Jane Doe situaties | added v2.7
NB | Naam nieuwgeborene | | | Een naam die tijdelijk bij geboorte wordt toegekend. Bijv "Baby'tje Jansen" | added v2.7
NOUSE | Niet langer gebruiken | | | Naam niet meer gebruiken om persoonlijke redenen | added v2.7
O | Anders | | Verouderd | | added v2.3, removed after v2.3
P | Naam van partner/echtgenoot | | | Alleen voor backward compatibiliteit sinds v2.7. | added v2.3.1
R | Geregistreerde naam | | | (alleen dieren) Alleen voor backward compatibiliteit sinds v2.7. Gebruik "L" - deze heeft dezelfde betekenis | added v2.4
REL | Religieus | | | Bijv. Zuster Maria, Broeder Jan | added v2.7
S | Pseudoniem | | | Gecodeerde pseudonaam voor anonimiteit | added v2.3.1
T | Inheemse-/tribae naam | | | Inheemse-/tribale-/gemeenschapsnaam bijv. Chief Red Cloud | added v2.3.1
TEMP | Tijdelijke naam | | | Een tijdelijke naam. Merk op dat de geldigheid van de naam meer gedetailleerde informatie kan bevatten. | added v2.7
U | Onbekend | | | | added v2.3.1

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.200.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 22 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0200 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0200

Code | Display | Definition
A | Assigned
B | Birth name
BAD | Bad Name
C | Adopted Name
D | Customary Name
F | Fathers Name
I | Licensing Name
K | Business name
L | Official Registry Name
M | Maiden Name
MSK | Masked
N | Nickname
NAV | Temporarily Unavailable

NB | Newborn Name
NOUSE | No Longer To Be Used
P | Name of Partner/Spouse
R | Registered Name
REL | Religious
S | Pseudonym
T | Indigenous/Tribal
TEMP | Temporary Name
U | Unknown

Additional Language Displays

Code | Deutsch (German, de) | Nederlands (Dutch, nl)
A | Aliasname | Toegekend
B | Geburtsname | Geboortenaam
BAD | ungültiger Name | Incorrecte naam
C | angenommener Name | Adoptienaam
D | angezeigter Name | Reguliere naam
F | Name des Vaters | Vaders' naam
I | nicht verwendet | Licentienaam
K | Geschäftsname | Zakelijke naam
L | gesetzlicher Name | Officieel geregistreerde naam
M | Name als ledige Person (Ledigenname) | Eigennaam
MSK | Name ist maskiert | Gemaskeerd
N | Spitzname | Bijnaam
NAV | Name zeitweise nicht verfügbar | Tijdelijk niet beschikbaar
NB | Name zeitweise nicht verfügbar | Naam nieuwgeborene
NOUSE | nicht länger in Benutzung | Niet langer gebruiken
P | nicht verwendet | Naam van partner/echtgenoot
R | Zuchtname bei Tieren | Geregistreerde naam
REL | | Religieus
S | Pseudonym (z.B. für Studien) | Pseudoniem
T | Stammesname | Inheemse-/tribae naam
TEMP | temporärer Name | Tijdelijke naam
U | Name unbekannt | Onbekend

4.3.15.201 HL7 Version 2 Table 0201

URL: https://hl7.org/fhir/R4/v2/0201/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0201
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0201
Version: | 2.9
Name: | v2.0201
Title: | v2 Telecommunication Use Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0201 (Telecommunication Use Code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

Concept Maps for this value set:

from ContactPointUse | v2.ContactPointUse | XML | JSON

This value set is used in the following places:

• ConceptMap: Translation target in v2 map for ContactPointUse

4.3.15.201.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0201 defines the following codes:

Code | Display | Definition | Comments | Version
ASN | en: Answering Service Number de: Auftragsdienst nl: Antwoorddienstnummer | | | added v2.3
BPN | en: Beeper Number de: Pagernummer (Cityruf o.ä.) nl: Beeper-nummer | | en: Retained for backward compatibility as of v 2.6 nl: alleen voor backward compatibiliteit sinds v2.6 | added v2.3.1

EMR | en: Emergency Number de: Notfallnummer nl: Noodnummer | | | added v2.3
NET | en: Network (email) Address de: Netzwerkadresse (E-Mail) nl: Netwerk (e-mail)adres | | en: Retained for backward compatibility as of v 2.6 nl: alleen voor backward compatibiliteit sinds v2.6 | added v2.3
ORN | en: Other Residence Number de: Nebenwohnsitznummer nl: Ander privénummer | | | added v2.3
PRN | en: Primary Residence Number de: Hauptwohnsitznummer nl: Primair privénummer | | | added v2.3
PRS | en: Personal nl: Persoonlijk | | en: Not tied to a location or role nl: niet gebonden aan een locatie of rol | added v2.6
VHN | en: Vacation Home Number de: Ferienwohnsitznummer nl: Vakantie privénummer | | | added v2.3
WPN | en: Work Number de: Dienstnummer nl: Zakelijk nummer | | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0201 defines the following codes:

Code | Display | Definition | Comments | Version
ASN | Answering Service Number | | | added v2.3
BPN | Beeper Number | | Retained for backward compatibility as of v 2.6 | added v2.3.1
EMR | Emergency Number | | | added v2.3
NET | Network (email) Address | | Retained for backward compatibility as of v 2.6 | added v2.3
ORN | Other Residence Number | | | added v2.3
PRN | Primary Residence Number | | | added v2.3
PRS | Personal | | Not tied to a location or role | added v2.6
VHN | Vacation Home Number | | | added v2.3
WPN | Work Number | | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0201 defines the following codes:

Code | Display | Definition | Comments | Version
ASN | Auftragsdienst | | | added v2.3
BPN | Pagernummer (Cityruf o.ä.) | | | added v2.3.1
EMR | Notfallnummer | | | added v2.3
NET | Netzwerkadresse (E-Mail) | | | added v2.3
ORN | Nebenwohnsitznummer | | | added v2.3
PRN | Hauptwohnsitznummer | | | added v2.3
PRS | | | | added v2.6
VHN | Ferienwohnsitznummer | | | added v2.3
WPN | Dienstnummer | | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0201 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie
ASN | Antwoorddienstnummer | | | added v2.3
BPN | Beeper-nummer | | alleen voor backward compatibiliteit sinds v2.6 | added v2.3.1
EMR | Noodnummer | | | added v2.3
NET | Netwerk (e-mail)adres | | alleen voor backward compatibiliteit sinds v2.6 | added v2.3
ORN | Ander privénummer | | | added v2.3
PRN | Primair privénummer | | | added v2.3
PRS | Persoonlijk | | niet gebonden aan een locatie of rol | added v2.6
VHN | Vakantie privénummer | | | added v2.3
WPN | Zakelijk nummer | | | added v2.3

4.3.15.202 HL7 Version 2 Table 0202

URL: https://hl7.org/fhir/R4/v2/0202/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0202
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0202
Version: | 2.9
Name: | v2.0202
Title: | v2 Telecommunication Equipment Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0202 (Telecommunication Equipment Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

Concept Maps for this value set:

from ContactPointSystem | v2.ContactPointSystem | XML | JSON

This value set is used in the following places:

• ConceptMap: Translation target in v2 map for ContactPointSystem

4.3.15.202.1 Code System Content

• All Languages

- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0202 defines the following codes:

Code | Display | Definition | Version
BP | en: Beeper de: Beeper/Pager | | added v2.3
CP | en: Cellular or Mobile Phone de: Mobiltelephon nl: Mobiel | | added v2.3
FX | Fax | | added v2.3
Internet | en: Internet Address de: Internet nl: Internetadres | | added v2.3
MD | Modem | | added v2.3
PH | en: Telephone de: Telephon nl: Telefoon | | added v2.3
SAT | en: Satellite Phone de: Satellitentelefon nl: Satelliettelefoon | | added v2.6
TDD | en: Telecommunications Device for the Deaf nl: Telecommunicatie-apparaat voor doven | | added v2.5
TTY | Teletypewriter | | added v2.5
X.400 | en: X.400 email address de: X.400-Nummer nl: X.400 e-mailadres | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0202 defines the following codes:

Code | Display | Definition | Version
BP | Beeper | | added v2.3
CP | Cellular or Mobile Phone | | added v2.3
FX | Fax | | added v2.3
Internet | Internet Address | | added v2.3
MD | Modem | | added v2.3
PH | Telephone | | added v2.3
SAT | Satellite Phone | | added v2.6
TDD | Telecommunications Device for the Deaf | | added v2.5
TTY | Teletypewriter | | added v2.5
X.400 | X.400 email address | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0202 defines the following codes:

Code | Display | Definition | Version
BP | Beeper/Pager | | added v2.3
CP | Mobiltelephon | | added v2.3
FX | Fax | | added v2.3
Internet | Internet | | added v2.3
MD | Modem | | added v2.3
PH | Telephon | | added v2.3
SAT | Satellitentelefon | | added v2.6
TDD | | | added v2.5
TTY | | | added v2.5
X.400 | X.400-Nummer | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0202 definieert de volgende codes:

Code | Display | Definition | Versie
BP | Beeper | | added v2.3
CP | Mobiel | | added v2.3
FX | Fax | | added v2.3
Internet | Internetadres | | added v2.3
MD | Modem | | added v2.3
PH | Telefoon | | added v2.3
SAT | Satelliettelefoon | | added v2.6
TDD | Telecommunicatie-apparaat voor doven | | added v2.5
TTY | Teletypewriter | | added v2.5
X.400 | X.400 e-mailadres | | added v2.3

4.3.15.203 HL7 Version 2 Table 0203

URL: https://hl7.org/fhir/R4/v2/0203/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0203
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0203
Version: | 2.9
Name: | v2.0203
Title: | v2 Identifier Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0203 (Identifier Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.203.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0203 defines the following codes:

Code | Display | Definition | Comments | Version

AC | Accreditation/Certification Identifier | | | added v2.9

ACSN | Accession ID | | en: Accession Identifier nl: Accession identificatie | added v2.7

AM | American Express | | en: Deprecated and replaced by BC in v 2.5. nl: Vervangen door BC vanaf v2.5 | added v2.3

AMA | en: American Medical Association Number nl: American Medical Association nummer | | en: A physician identifier assigned by the AMA. nl: Een zorgverleneridentificatie toegekend door de AMA | added v2.6

AN | en: Account number de: Kontonummer nl: Accountnummer | | en: An identifier that is unique to an account. nl: Een unieke identificatie van het account | added v2.3

ANC | en: Account number Creditor nl: Accountnummer crediteur | | en: Class: Financial A more precise definition of an account number: sometimes two distinct account numbers must be transmitted in the same message, one as the creditor, the other as the debitor. Kreditorenkontonummer nl: Klasse: financieel. Een preciesere definitie van een accountnummer: soms moeten 2 verschillende accountnummers moeten worden doorgegeven in hetzelfde bericht, een als crediteur, de andere als debiteur. Crediteuraccountnummer. | added v2.5

AND | en: Account number debitor nl: Accountnummer debiteur | | en: Class: Financial A more precise definition of an account number: sometimes two distinct account numbers must be transmitted in the same message, one as the creditor, the other as the debitor. Debitorenkontonummer nl: Klasse: financieel. Een preciesere definitie van een accountnummer: soms moeten 2 verschillende accountnummers moeten worden doorgegeven in hetzelfde bericht, een als crediteur, de andere als debiteur. Debiteuraccountnummer. | added v2.5

ANON | en: Anonymous identifier nl: Anonieme identificatie | | en: An identifier for a living subject whose real identity is protected or suppressed Justification: For public health reporting purposes, anonymous identifiers are occasionally used for protecting patient identity in reporting certain results. For instance, a state health department may choose to use a scheme for generating an anonymous identifier for reporting a patient that has had a positive human immunodeficiency virus antibody test. Anonymous identifiers can be used in PID 3 by replacing the medical record number or other non-anonymous identifier. The assigning authority for an anonymous identifier would be the state/local health department. nl: Verklaring: t.b.v. volksgezondheid-doeleinden worden anonieme identificaties soms gebruikt voor bescherming van de identiteit van de patiënt bij melden van bepaalde resultaten. Zo kan een gezondheidsafdeling van een overheid voor een algoritme voor het genereren van nummers kiezen bij patiënten met een positieve HIV-antilichamentest. Anonieme identificaties kunnen worden gebruikt in PID-3 door het medisch dossiernummer of ander niet-anonieme identificatie te vervangen. De toekennende autoriteit voor de anonieme identificatie is dan de betreffende overheidsafdeling. | added v2.5

ANT | en: Temporary Account Number nl: Tijdelijk accountnummer | | en: Class: Financial Temporary version of an Account Number. Use Case: An ancillary system that does not normally assign account numbers is the first time to register a patient. This ancillary system will generate a temporary account number that will only be used until an official account number is assigned. nl: Klasse: financieel. Tijdelijke versie van een accountnummer. Use case: een satellietsysteem dat normaal geen accountnummers toekent, is de eerste plaats waar een patiënt wordt geregistreerd. Dit satellietsysteem zal een tijdelijk accountnummer genereren dat wordt gebruikt totdat een officieel accountnummer wordt toegekend. | added v2.5

APRN | Advanced Practice Registered Nurse number | | An identifier that is unique to an advanced practice registered nurse within the jurisdiction of a certifying board | added v2.5

ASID | en: Ancestor Specimen ID nl: Oorspronkelijk monster ID | | en: A unique identifier for the ancestor specimen. All child, grandchild, etc. specimens of the ancestor specimen share the same Ancestor Specimen ID. nl: Een unieke identificatie voor het oorspronkelijke monster. Alle afgeleide (kind, kleinkind, etc.) monsters van het oorspronkelijke monster delen hetzelfde Oorspronkelijke monster ID | added v2.7

BA | en: Bank Account Number de: Bank Kontonummer nl: Bankrekeningnummer | | en: Class: Financial nl: Klasse: financieel | added v2.4

BC | en: Bank Card Number nl: Bankrekeningnummer | | en: Class: Financial An identifier that is unique to a person's bank card. Replaces AM, DI, DS, MS, and VS beginning in v 2.5. nl: Klasse: financieel. Een identificatie die uniek is voor iemand's bankpas. Vervangt AM, DI, DS, MS en VS vanaf v2.5 | added v2.5

BCFN | Birth Certificate File Number | | | added v2.9

BCT | en: Birth Certificate nl: Geboortecertificaat | | en: A number associated with a document identifying the event of a person's birth. nl: Een nummer gekoppeld aan een document die de geboorte van een persoon documenteert. | added v2.6

BR | en: Birth registry number de: Geburtsregisternummer nl: Geboorteregister-nummer | | en: An identifier unique within the Assigning Authority that is the official legal record of a person's birth. nl: Een nummer gekoppeld aan de toekennende autoriteit die het officieel wettelijk afschrift van de geboorte van een persoon bijhoudt. | added v2.3

BRN | en: Breed Registry Number nl: Dierenras-registernummer | | | added v2.4

BSNR | en: Primary physician office number nl: Primair zorgverlenerpraktijknummer | | en: Betriebsstättennummer - for use in the German realm. nl: Betriebsstättennummer - voor gebruik in Duitse context. | added v2.7

CC | en: Cost Center number nl: Kostenplaatsnummer | | en: Class: Financial Use Case: needed especially for transmitting information about invoices. nl: Klasse: financieel. Use case: specifiek nodig voor doorgeven van informatie over facturen. | added v2.5

CONM | en: Change of Name Document nl: Naamswijzigingdocument | | en: A number associated with a document identifying a person's legal change of name. nl: Een identificatie gekoppeld aan een document met daarop de officiële wijziging van persoonsnaam. | added v2.6

CY | en: County number nl: County-nummer | | | added v2.5

CZ | en: Citizenship Card nl: Staatsburgerschapkaart | | en: A number assigned by a person's country of residence to identify a person's citizenship. nl: Een identificatie gekoppeld aan het land van inwonerschap van een persoon om iemand staatsburgerschap aan te duiden. | added v2.6

DC | Death Certificate ID | | | added v2.9

DCFN | Death Certificate File Number | | | added v2.9

DDS | en: Dentist license number nl: Tandarts licentienummer | | en: An identifier that is unique to a dentist within the jurisdiction of the licensing board nl: Een identificatie die uniek is voor een tandarts binnen het rechtsgebied van de licentiegever. | added v2.5

DEA | en: Drug Enforcement Administration registration number nl: Amerikaanse Drug Enforcement Administration registratienummer | | en: An identifier for an individual or organization relative to controlled substance regulation and transactions. Use case: This is a registration number that identifies an individual or organization relative to controlled substance regulation and transactions. A DEA number has a very precise and widely accepted meaning within the United States. Surprisingly, the US Drug Enforcement Administration does not solely assign DEA numbers in the United States. Hospitals have the authority to issue DEA numbers to their medical residents. These DEA numbers are based upon the hospital's DEA number, but the authority rests with the hospital on the assignment to the residents. Thus, DEA as an Identifier Type is necessary in addition to DEA as an Assigning Authority. nl: Use case: dit is een registratienummer die een persoon of organisatie aanduidt, gerelateerd aan gereguleerde substantie-wetgeving en transacties. | added v2.5

DFN | en: Drug Furnishing or prescriptive authority Number nl: Medicatieverstrekker of voorschrijver autoriteitnummer | | en: An identifier issued to a health care provider authorizing the person to write drug orders Use Case: A nurse practitioner has authorization to furnish or prescribe pharmaceutical substances; this identifier is in component 1. nl: Een identificatie uitgegeven aan een zorgverlener die de persoon autoriseert om medicatie voor te schrijven. Use case: een nurse practitioner heeft toestemming om farmaceutische substanties te verstrekken of voor te schrijven; deze identificatie staat in component 1. | added v2.5

DI | en: Diner's Club card de: Diners Club nl: Diner's Club | | en: Deprecated and replaced by BC in v 2.5. nl: Vervangen door BC vanaf v2.5 | added v2.3

DL | en: Driver's license number de: Führerscheinnummer nl: Rijbewijsnummer | | | added v2.3

DN | en: Doctor number de: Arztnummer nl: Artsnummer | | | added v2.3

DO | en: Osteopathic License number nl: Osteopatisch licentienummer | | en: An identifier that is unique to an osteopath within the jurisdiction of a licensing board. nl: Een identificatie die uniek is voor een osteopaat binnen het rechtsgebied van de licentiegever. | added v2.5

DP | en: Diplomatic Passport nl: Diplomatiek paspoort | | en: A number assigned to a diplomatic passport. nl: Een identificatie van een diplomatiek paspoort. | added v2.6

DPM | en: Podiatrist license number nl: Podoloog licentienummer | | en: An identifier that is unique to a podiatrist within the jurisdiction of the licensing board. nl: Een identificatie die uniek is voor een podoloog binnen het rechtsgebied van de licentiegever. | added v2.5

DR | en: Donor Registration Number nl: Donorregistratienummer | | | added v2.4

DS | en: Discover Card nl: Discover kaart | | en: Deprecated and replaced by BC in v 2.5. nl: Vervangen door BC vanaf v2.5 | added v2.3

EI | en: Employee number de: Arbeitnehmernummer nl: Werknemernummer | | en: A number that uniquely identifies an employee to an employer. nl: Een aanduiding die een werknemer uniek identificeert ten opzichte van een werkgever | added v2.3

EN | en: Employer number de: Arbeitgebernummer nl: Werkgevernummer | | | added v2.3

ESN | en: Staff Enterprise Number nl: Medewerker bedrijfsnummer | | en: An identifier that is unique to a staff member within an enterprise (as identified by the Assigning Authority). nl: Een aanduiding die een medewerker uniek identificeert binnen een bedrijf (zoals geïdentificeerd door de toekennende autoriteit) | added v2.6

FDR | Fetal Death Report ID | | | added v2.9

FDRFN | Fetal Death Report File Number | | | added v2.9

FI | en: Facility ID nl: Afdeling-ID | | | added v2.3.1

FILL | Filler Identifier | | | added v2.9

GI | en: Guarantor internal identifier de: interne ID des Zahlungspflichtigen nl: Interne garantsteller identificatie | | en: Class: Financial nl: Klasse: financieel | added v2.3

GL | en: General ledger number nl: Grootboeknummer | | en: Class: Financial nl: Klasse: financieel | added v2.5

GN | en: Guarantor external identifier de: externe ID des Zahlungspflichtigen nl: Externe garantsteller identificatie | | en: Class: Financial nl: Klasse: financieel | added v2.3

HC | en: Health Card Number nl: Gezondheidskaartnummer | | | added v2.4

IND | en: Indigenous/Aboriginal nl: Inheems/Aboriginal | | en: A number assigned to a member of an indigenous or aboriginal group outside of Canada. nl: Een nummer toegekend aan een lid van een inheemse of aboriginal groep buiten Canada. | added v2.5

JHN | en: Jurisdictional health number (Canada) nl: Rechtsgebied gezondheidsnummer (Canada) | | en: Class: Insurance 2 uses: a) UK jurisdictional CHI number; b) Canadian provincial health card number: nl: 2 use cases: a) CHI-nummer van rechtsgebied in Verenigd Koninkrijk; b) Canadees provinciaal gezondheidskaartnummer: | added v2.4

LACSN | en: Laboratory Accession ID nl: Laboratorium Accessie ID | | en: A laboratory accession id is used in the laboratory domain. The concept of accession is used in other domains such as radiology, so the LACSN is used to distinguish a lab accession id from an radiology accession id nl: Een laboratorium accessie ID wordt gebruikt in het laboratoriumdomein. Het concept accessie wordt ook in andere domeinen gebruikt zoals radiologie, dus de LACSN wordt gebruikt om onderscheid te maken tussen een lab accessie ID en een radiologie accessie ID. | added v2.7

LANR | en: Lifelong physician number nl: Levenslang zorgverlenernummer | | en: Lebenslange Arztnummer - for use in German realm. nl: Lebenslange Artznummer - voor gebruik in Duitse context. | added v2.7

LI | en: Labor and industries number nl: Arbeid en industrienummer | | | added v2.5

LN | en: License number nl: Licentienummer | | | added v2.3.1

LR | en: Local Registry ID nl: Lokaal register ID | | | added v2.3.1

MA | en: Patient Medicaid number de: Armennummer nl: Medicaid patiëntnummer | | en: Class: Insurance nl: Klasse: verzekering | added v2.3

MB | en: Member Number nl: Lidnummer | | en: An identifier for the insured of an insurance policy (this insured always has a subscriber), usually assigned by the insurance carrier. Use Case: Person is covered by an insurance policy. This person may or may not be the subscriber of the policy. nl: Use case: persoon is gedekt door verzekeringspolis. Deze persoon is mogelijk tevens hoofdpolishouder. | added v2.5

MC | en: Patient's Medicare number de: Rentnernummer nl: Medicare patiëntnummer | | en: Class: Insurance nl: Klasse: verzekering | added v2.3

MCD | en: Practitioner Medicaid number nl: Medicaid zorgverlenernummer | | en: Class: Insurance nl: Klasse: verzekering | added v2.5

MCN | en: Microchip Number nl: Microchip-nummer | | | added v2.4

MCR | en: Practitioner Medicare number nl: Medicare zorgverlenernummer | | en: Class: Insurance nl: Klasse: verzekering | added v2.5

MCT | en: Marriage Certificate nl: Huwelijkscertificaat | | en: A number associated with a document identifying the event of a person's marriage. nl: Een identificatie gekoppeld aan een document dat het huwelijk van een persoon aantoont. | added v2.6

MD | en: Medical License number nl: Geneeskundig licentienummer | | en: An identifier that is unique to a medical doctor within the jurisdiction of a licensing board. Use Case: These license numbers are sometimes used as identifiers. In some states, the same authority issues all three identifiers, e.g., medical, osteopathic, and physician assistant licenses all issued by one state medical board. For this case, the CX data type requires distinct identifier types to accurately interpret component 1. Additionally, the distinction among these license types is critical in most health care settings (this is not to convey full licensing information, which requires a segment to support all related attributes). nl: Een identificatie die unieke is voor een arts binnen het rechtsgebied van een licentiegever. Use case: deze licentienummers worden soms gebruikt ter identificatie. In sommige staten, geeft dezelfde autoriteit alle drie identificaties uit, bijv. medisch, osteopathisch, en arts-assistent licenties die alle worden uitgegeven door één overheidsinstantie. Voor dit geval vereist het CX datatype afzonderlijke identificatietypen om component 1 te kunnen interpreteren. Daarnaast is onderscheid tussen deze licentietypen essentieel in de meeste zorgsituaties (niet om volledige licentie-informatie door te geven, waarvoor een segment voor alle gerelateerde attributen nodig zou zijn). | added v2.5

MI | en: Military ID number nl: Militaire identificatie | | en: A number assigned to an individual who has had military duty, but is not currently on active duty. The number is assigned by the DOD or Veterans' Affairs (VA). nl: Een identificatie toegekend aan een persoon die in militaire dienst is geweest, maar op dit moment niet in actieve dienst. Het nummer wordt toegekend door de Amerikaanse Department of Defense (DOD) of Veteran's Affairs (VA). | added v2.5

MR | en: Medical record number de: Krankenaktennummer nl: Medisch dossiernummer | | en: An identifier that is unique to a patient within a set of medical records, not necessarily unique within an application. nl: Een identificatie gekoppeld aan een patiënt binnen een set van medische dossiers, niet noodzakelijk uniek binnen een applicatie. | added v2.3

MRT | en: Temporary Medical Record Number nl: Tijdelijke medisch dossiernummer | | en: Temporary version of a Medical Record Number Use Case: An ancillary system that does not normally assign medical record numbers is the first time to register a patient. This ancillary system will generate a temporary medical record number that will only be used until an official medical record number is assigned. nl: Use case: een satellietsysteem dat normaal geen medische dossiernummer toekent is het eerste systeem waar een patiënt wordt geregistreerd. Dit satellietsysteem geeft een tijdelijk medisch dossiernummer uit dat alleen wordt gebruikt totdat het officiële medisch dossiernummer wordt toegekend. | added v2.5

MS | MasterCard | | en: Deprecated and replaced by BC in v 2.5. nl: Vervangen door BC vanaf v2.5 | added v2.3

NBSNR | en: Secondary physician office number nl: Secundaire zorgverlenerpraktijknummer | | en: Nebenbetriebsstättennummer - for use in the German realm. nl: Nebenbetriebsstättennummer - voor gebruik in Duitse context. | added v2.7

NCT | en: Naturalization Certificate nl: Naturalisatiecertificaat | | en: A number associated with a document identifying a person's retention of citizenship in a particular country. nl: Een identificatie gekoppeld aan een document dat het verwerven van staatburgerschap in een bepaald land aantoont. | added v2.6

NE | en: National employer identifier nl: Nationale werkgeveridentificatie | | en: In the US, the Assigning Authority for this value is typically CMS, but it may be used by all providers and insurance companies in HIPAA related transactions. nl: In de VS is de toekennende autoriteit voor deze waarde meestal CMS, maar het kan worden gebruikt voor alle zorgaanbieders/zorverleners en verzekeraars in HIPAA gerelateerde transacties. | added v2.3.1

NH | en: National Health Plan Identifier nl: Nationaal zorgverzekeringsnummer | | en: Class: Insurance Used for the UK NHS national identifier. In the US, the Assigning Authority for this value is typically CMS, but it may be used by all providers and insurance companies in HIPAA related transactions. nl: Ten behoeve de NHS nationale identificatie in het Verenigd Koninkrijk | added v2.3.1

NI | en: National unique individual identifier nl: Nationale unieke identificatie persoon | | en: Class: Insurance In the US, the Assigning Authority for this value is typically CMS, but it may be used by all providers and insurance companies in HIPAA related transactions. nl: In de VS is de toekennende autoriteit voor deze waarde normalerwijs CMS, maar het kan door alle zorgaanbieders en verzekeraars worden gebruikt in HIPAA-gerelateerde transacties. | added v2.3.1

NII | en: National Insurance Organization Identifier de: Institutskennzeichen der Krankenkasse nl: Nationale verzekeraar identificatie | | en: Class: Insurance In Germany a national identifier for an insurance company. It is printed on the insurance card (health card). It is not to be confused with the health card number itself. Krankenkassen-ID der KV-Karte nl: Klasse: verzekering. In Duitsland is dit een nationale identificatie voor een verzekeraar. Deze staat op de verzekeringskaart. De identificatie moet niet worden verward met het kaartnummer zelf. Krankenkassen-ID der KV-Karte | added v2.5

NIIP | en: National Insurance Payor Identifier (Payor) de: Vertragskassennummer (VKNR) nl: Nationale verzekeraar betaler identificatie (Betaler) | | en: Class: Insurance In Germany the insurance identifier addressed as the payor. Krankenkassen-ID des Rechnungsempfängers Use case: a subdivision issues the card with their identifier, but the main division is going to pay the invoices. nl: Klasse: verzekering. In Duitsland is dit een nationale identificatie voor een betaler. Krankenkassen-ID des Rechnungsempfängers. Use case: een subdivisie geeft een kaart af met deze identificatie, maar de hoofddivisie betaalt de facturen. | added v2.5

NNxxx | en: National Person Identifier where the xxx is the ISO table 3166 3-character (alphabetic) country code nl: Nationale persoonsidentificatie waarbij xxx de ISO-tabel 3166 3-tekens (alfabetisch) landcode is | | | added v2.3.1

NP | en: Nurse practitioner number nl: Nurse practitioner nummer | | en: An identifier that is unique to a nurse practitioner within the jurisdiction of a certifying board. nl: Een identificatie die uniek is voor een nurse practitioner binnen het rechtsgebied van een certificeringsinstantie | added v2.5

NPI | en: National provider identifier nl: Nationale zorgaanbieder/zorgverlener identificatie | | en: Class: Insurance In the US, the Assigning Authority for this value is typically CMS, but it may be used by all providers and insurance companies in HIPAA related transactions. nl: Klasse: verzekering. UZI-nummer. | added v2.3.1

OBI | Observation Instance Identifier | | | added v2.9

OD | en: Optometrist license number nl: Optometrist nummer | | en: A number that is unique to an individual optometrist within the jurisdiction of the licensing board. nl: Een identificatie die uniek is voor een optometrist binnen het rechtsgebied van een certificeringsinstantie | added v2.5

PA | en: Physician Assistant number de: Assistenzarztnummer nl: Zorgverlener nummer | | en: An identifier that is unique to a physician assistant within the jurisdiction of a licensing board nl: Een identificatie die uniek is voor een zorgverlener binnen het rechtsgebied van een certificeringsinstantie | added v2.5

PC | en: Parole Card nl: Reclasseringskaart | | en: A number identifying a person on parole. nl: Een identificatie van een persoon die subject is van reclassering | added v2.6

PCN | en: Penitentiary/correctional institution Number nl: Penitentiaire instellings-nummer | | en: A number assigned to individual who is incarcerated. nl: Een identificatie toegekend aan een persoon die inbewaringgesteld/gevangengezet is | added v2.5

PE | en: Living Subject Enterprise Number nl: Levend wezen bedrijfs-nummer | | en: An identifier that is unique to a living subject within an enterprise (as identified by the Assigning Authority). nl: Een identificatie die uniek is voor een levend wezen binnen een bedrijf (zoals geïdentificeerd door de toekennende autoriteit). | added v2.5

PEN | en: Pension Number nl: Pensioennummer | | | added v2.4

PHC | Public Health Case Identifier | | | added v2.9

PHE | Public Health Event Identifier | | | added v2.9

PHO | Public Health Official ID | | | added v2.9

PI | en: Patient internal identifier de: interne Patienten-ID nl: Intern patiëntnummer | | en: A number that is unique to a patient within an Assigning Authority. nl: Een identificatie die uniek is voor een patiënt binnen een toekennende autoriteit. | added v2.3

PLAC | Placer Identifier | | | added v2.9

PN | en: Person number de: Personen-ID nl: Persoonsnummer | | en: A number that is unique to a living subject within an Assigning Authority. nl: Een identificatie die uniek is voor een levend wezen binnen een toekennende autoriteit. | added v2.3.1

PNT | en: Temporary Living Subject Number nl: Tijdelijk levend wezen nummer | | en: Temporary version of a Lining Subject Number. nl: Tijdelijke versie van een Levend wezen nummer | added v2.5

PPIN | en: Medicare/CMS Performing Provider Identification Number nl: Medicare/CMS Uitvoerende zorgaanbieder/zorgverlener identificatienummer | | en: Class: Insurance nl: Klasse: verzekering | added v2.6

PPN | en: Passport number de: Passnummer nl: Paspoortnummer | | en: A unique number assigned to the document affirming that a person is a citizen of the country. In the US this number is issued only by the State Department. nl: Een identificatie die uniek is voor een wettig document dat bevestigt dat een persoon een staatsburger van het land is. | added v2.5

PRC | en: Permanent Resident Card Number nl: Permanente verblijfsvergunning-nummer | | | added v2.5

PRN | en: Provider number nl: Zorgaanbieder/zorgverlener-nummer | | en: A number that is unique to an individual provider, a provider group or an organization within an Assigning Authority. Use case: This allows PRN to represent either an individual (a nurse) or a group/organization (orthopedic surgery team). nl: Use case: hiermee wordt een persoon (zoals een verpleegkundige) of een groep/organisatie (orthopedisch chirurgisch team) aangeduid. | added v2.3.1

PT | en: Patient external identifier de: externe Patienten-ID nl: Extern patiëntnummer | | | added v2.3

QA | en: QA number nl: Quality Assurance-nummer | | | added v2.5

RI | en: Resource identifier nl: Resource identicatie | | en: A generalized resource identifier. Use Case: An identifier type is needed to accommodate what are commonly known as resources. The resources can include human (e.g. a respiratory therapist), non-human (e.g., a companion animal), inanimate object (e.g., an exam room), organization (e.g., diabetic education class) or any other physical or logical entity. nl: Use case: een identificatietype is nodig voor wat algemeen 'resources' heten. Hieronder vallen menselijke resources (bijv. een respiratoir therapeut), niet-menselijke resources (bijv., een begeleidend dier), niet-levende entiteiten (bijv. een onderzoeksruimte), organisaties (bijv. diabetesonderwijsklas) of andere fysieke of logische entiteiten. | added v2.5

RN | en: Registered Nurse Number nl: Verpleegkundige registratienummer | | en: An identifier that is unique to a registered nurse within the jurisdiction of the licensing board. nl: Een identificatie die uniek is voor een geregistreerde verpleegkundige binnen het rechtsgebied van een licenserende instantie. | added v2.5

RPH | en: Pharmacist license number nl: Apotheek licentienummer | | en: An identifier that is unique to a pharmacist within the jurisdiction of the licensing board. nl: Een identificatie die uniek is voor een apotheek binnen het rechtsgebied van een licenserende instantie. | added v2.5

RR | en: Railroad Retirement number de: Seniorenkartennummer nl: Spoorwegen pensioneringsnummer | | en: An identifier for an individual enrolled with the Railroad Retirement Administration. Analogous to, but distinct from, a Social Security Number nl: Een identificatie die uniek is voor een persoon binnen de Railroad Retirement Administration. Aanaloog aan, maar anders dan een SOFI-nummer. | added v2.3

RRI | en: Regional registry ID nl: Regionaal register-ID | | | added v2.3.1

RRP | en: Railroad Retirement Provider nl: Spoorwegen pensioenaanbieder | | en: Class: Insurance nl: Klasse: verzekering. | added v2.6

SB | Social Beneficiary Identifier | | | added v2.9

SID | en: Specimen ID nl: Monsternummer | | en: Identifier for a specimen. Used when it is not known if the specimen ID is a unique specimen ID (USID) or an ancestor ID (ASID). nl: Een identificatie die uniek is voor een monster. Gebruikt wanneer onbekend is of het monsternummer een Uniek monsternummer (USID) of een Oorspronkelijk monsternummer (ASID) is. | added v2.7

SL | en: State license nl: Staat-licentie | | | added v2.3.1

SN | en: Subscriber Number nl: Hoofdverzekerdenummer | | en: Class: Insurance An identifier for a subscriber of an insurance policy which is unique for, and usually assigned by, the insurance carrier. Use Case: A person is the subscriber of an insurance policy. The person’s family may be plan members, but are not the subscriber. nl: Een identificatie voor een hoofdverzekerde onder een verzekeringspolis die uniek is voor, en normaal wordt toegekend door, een verzekeraar. | added v2.5

SNBSN | State assigned NDBS card Identifier | | | added v2.9

SNO | Serial Number | | | added v2.9

SP | en: Study Permit nl: Opleidingsvisum | | en: A number associated with a permit identifying a person who is a resident of a jurisdiction for the purpose of education. nl: Een identificatie die uniek is voor een visum voor een persoon die inwoner van rechtsgebied is ten behoeve van een opleiding. | added v2.6

SR | en: State registry ID nl: Staat register-ID | | | added v2.3.1

SS | en: Social Security number de: Sozialversicherungsnummer nl: SOFI-nummer | | | added v2.3

STN | Shipment Tracking Number | | | added v2.9

TAX | en: Tax ID number de: Steueridentifikationsnummer nl: Belasting identificatie | | | added v2.5

TN | en: Treaty Number/ (Canada) nl: Verdragnummer/ (Canada) | | en: A number assigned to a member of an indigenous group in Canada. Use Case: First Nation. nl: Use case: First Nation. | added v2.5

TPR | en: Temporary Permanent Resident (Canada) nl: Tijdelijk permanente inwoner (Canada) | | en: A number associated with a document identifying a person's temporary permanent resident status. nl: Een identificatie die uniek is voor een apotheek binnen het rechtsgebied van een licenserende instantie. | added v2.6

TRL | Training License Number | | | added v2.9

U | en: Unspecified identifier nl: Niet-gspecificeerde identificatie | | | added v2.3.1

UDI | Universal Device Identifier | | | added v2.9

UPIN | en: Medicare/CMS (formerly HCFA)'s Universal Physician Identification numbers nl: Medicare/HCFA's Universele Zorgverlener Identificatie Nummers | | en: Class: Insurance An identifier for a provider within the CMS/Medicare program. A globally unique identifier for the provider in the Medicare program. nl: Klasse: verzekering. Een identificatie van een zorgverlener/zorgaanbieder binnen het CMS/Medicare programma. Een wereldwij unieke identificatie voor de zorgverlener/zorgaanbieder in het Medicare programma. | added v2.3.1

USID | en: Unique Specimen ID nl: Uniek monsternummer | | en: A unique identifier for a specimen. nl: Een unieke identificatie voor een monster. | added v2.7

VN | en: Visit number de: Fallnummer nl: Bezoeknummer | | | added v2.3

VP | en: Visitor Permit de: Besucherkennung nl: Toeristenvisum | | en: A number associated with a document identifying a person as a visitor of a jurisdiction or country. nl: Een identificatie gekoppeld aan een visum voor een persoon als toerist in een bepaald rechtsgebied of land. | added v2.6

VS | VISA | | en: Deprecated and replaced by BC in v 2.5. nl: Vervangen door BC vanaf v2.5 | added v2.3

WC | en: WIC identifier nl: WIC identificatie | | | added v2.3.1

WCN | en: Workers' Comp Number nl: Werknemerscompensatie-nummer | | | added v2.4

WP | en: Work Permit nl: Werkvisum | | en: A number associated with a permit for a person who is granted permission to work in a country for a specified time period. nl: Een identificatie gekoppeld aan een visum voor een persoon die voor een bepaalde periode in een land mag werken. | added v2.6

XV | Health Plan Identifier | | | added v2.9

XX | en: Organization identifier de: Organisations-ID nl: Organisatie identificatie | | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0203 defines the following codes:

Code | Display | Definition | Comments | Version

AC | Accreditation/Certification Identifier | | | added v2.9

ACSN | Accession ID | | Accession Identifier | added v2.7

AM | American Express | | Deprecated and replaced by BC in v 2.5. | added v2.3

AMA | American Medical Association Number | | A physician identifier assigned by the AMA. | added v2.6

AN | Account number | | An identifier that is unique to an account. | added v2.3

ANC | Account number Creditor | | Class: Financial A more precise definition of an account number: sometimes two distinct account numbers must be transmitted in the same message, one as the creditor, the other as the debitor. Kreditorenkontonummer | added v2.5

AND | Account number debitor | | Class: Financial A more precise definition of an account number: sometimes two distinct account numbers must be transmitted in the same message, one as the creditor, the other as the debitor. Debitorenkontonummer | added v2.5

ANON | Anonymous identifier | | An identifier for a living subject whose real identity is protected or suppressed Justification: For public health reporting purposes, anonymous identifiers are occasionally used for protecting patient identity in reporting certain results. For instance, a state health department may choose to use a scheme for generating an anonymous identifier for reporting a patient that has had a positive human immunodeficiency virus antibody test. Anonymous identifiers can be used in PID 3 by replacing the medical record number or other non-anonymous identifier. The assigning authority for an anonymous identifier would be the state/local health department. | added v2.5

ANT | Temporary Account Number | | Class: Financial Temporary version of an Account Number. Use Case: An ancillary system that does not normally assign account numbers is the first time to register a patient. This ancillary system will generate a temporary account number that will only be used until an official account number is assigned. | added v2.5

APRN | Advanced Practice Registered Nurse number | | An identifier that is unique to an advanced practice registered nurse within the jurisdiction of a certifying board | added v2.5

ASID | Ancestor Specimen ID | | A unique identifier for the ancestor specimen. All child, grandchild, etc. specimens of the ancestor specimen share the same Ancestor Specimen ID. | added v2.7

BA | Bank Account Number | | Class: Financial | added v2.4

BC | Bank Card Number | | Class: Financial An identifier that is unique to a person's bank card. Replaces AM, DI, DS, MS, and VS beginning in v 2.5. | added v2.5

BCFN | Birth Certificate File Number | | | added v2.9

BCT | Birth Certificate | | A number associated with a document identifying the event of a person's birth. | added v2.6

BR | Birth registry number | | An identifier unique within the Assigning Authority that is the official legal record of a person's birth. | added v2.3

BRN | Breed Registry Number | | | added v2.4

BSNR | Primary physician office number | | Betriebsstättennummer - for use in the German realm. | added v2.7

CC | Cost Center number | | Class: Financial Use Case: needed especially for transmitting information about invoices. | added v2.5

CONM | Change of Name Document | | A number associated with a document identifying a person's legal change of name. | added v2.6

CY | County number | | | added v2.5

CZ | Citizenship Card | | A number assigned by a person's country of residence to identify a person's citizenship. | added v2.6

DC | Death Certificate ID | | | added v2.9

DCFN | Death Certificate File Number | | | added v2.9

DDS | Dentist license number | | An identifier that is unique to a dentist within the jurisdiction of the licensing board | added v2.5

DEA | Drug Enforcement Administration registration number | | An identifier for an individual or organization relative to controlled substance regulation and transactions. Use case: This is a registration number that identifies an individual or organization relative to controlled substance regulation and transactions. A DEA number has a very precise and widely accepted meaning within the United States. Surprisingly, the US Drug Enforcement Administration does not solely assign DEA numbers in the United States. Hospitals have the authority to issue DEA numbers to their medical residents. These DEA numbers are based upon the hospital's DEA number, but the authority rests with the hospital on the assignment to the residents. Thus, DEA as an Identifier Type is necessary in addition to DEA as an Assigning Authority. | added v2.5

DFN | Drug Furnishing or prescriptive authority Number | | An identifier issued to a health care provider authorizing the person to write drug orders Use Case: A nurse practitioner has authorization to furnish or prescribe pharmaceutical substances; this identifier is in component 1. | added v2.5

DI | Diner's Club card | | Deprecated and replaced by BC in v 2.5. | added v2.3

DL | Driver's license number | | | added v2.3

DN | Doctor number | | | added v2.3

DO | Osteopathic License number | | An identifier that is unique to an osteopath within the jurisdiction of a licensing board. | added v2.5
DP | Diplomatic Passport | | A number assigned to a diplomatic passport. | added v2.6
DPM | Podiatrist license number | | An identifier that is unique to a podiatrist within the jurisdiction of the licensing board. | added v2.5
DR | Donor Registration Number | | | added v2.4
DS | Discover Card | | Deprecated and replaced by BC in v 2.5. | added v2.3
EI | Employee number | | A number that uniquely identifies an employee to an employer. | added v2.3
EN | Employer number | | | added v2.3
ESN | Staff Enterprise Number | | An identifier that is unique to a staff member within an enterprise (as identified by the Assigning Authority). | added v2.6
FDR | Fetal Death Report ID | | | added v2.9
FDRFN | Fetal Death Report File Number | | | added v2.9
FI | Facility ID | | | added v2.3.1
FILL | Filler Identifier | | | added v2.9
GI | Guarantor internal identifier | | Class: Financial | added v2.3
GL | General ledger number | | Class: Financial | added v2.5
GN | Guarantor external identifier | | Class: Financial | added v2.3
HC | Health Card Number | | | added v2.4
IND | Indigenous/Aboriginal | | A number assigned to a member of an indigenous or aboriginal group outside of Canada. | added v2.5
JHN | Jurisdictional health number (Canada) | | Class: Insurance 2 uses: a) UK jurisdictional CHI number; b) Canadian provincial health card number: | added v2.4
LACSN | Laboratory Accession ID | | A laboratory accession id is used in the laboratory domain. The concept of accession is used in other domains such as radiology, so the LACSN is used to distinguish a lab accession id from an radiology accession id | added v2.7
LANR | Lifelong physician number | | Lebenslange Arztnummer - for use in German realm. | added v2.7
LI | Labor and industries number | | | added v2.5
LN | License number | | | added v2.3.1
LR | Local Registry ID | | | added v2.3.1
MA | Patient Medicaid number | | Class: Insurance | added v2.3
MB | Member Number | | An identifier for the insured of an insurance policy (this insured always has a subscriber), usually assigned by the insurance carrier. Use Case: Person is covered by an insurance policy. This person may or may not be the subscriber of the policy. | added v2.5
MC | Patient's Medicare number | | Class: Insurance | added v2.3
MCD | Practitioner Medicaid number | | Class: Insurance | added v2.5
MCN | Microchip Number | | | added v2.4
MCR | Practitioner Medicare number | | Class: Insurance | added v2.5
MCT | Marriage Certificate | | A number associated with a document identifying the event of a person's marriage. | added v2.6
MD | Medical License number | | An identifier that is unique to a medical doctor within the jurisdiction of a licensing board. Use Case: These license numbers are sometimes used as identifiers. In some states, the same authority issues all three identifiers, e.g., medical, osteopathic, and physician assistant licenses all issued by one state medical board. For this case, the CX data type requires distinct identifier types to accurately interpret component 1. Additionally, the distinction among these license types is critical in most health care settings (this is not to convey full licensing information, which requires a segment to support all related attributes). | added v2.5
MI | Military ID number | | A number assigned to an individual who has had military duty, but is not currently on active duty. The number is assigned by the DOD or Veterans' Affairs (VA). | added v2.5
MR | Medical record number | | An identifier that is unique to a patient within a set of medical records, not necessarily unique within an application. | added v2.3
MRT | Temporary Medical Record Number | | Temporary version of a Medical Record Number Use Case: An ancillary system that does not normally assign medical record numbers is the first time to register a patient. This ancillary system will generate a temporary medical record number that will only be used until an official medical record number is assigned. | added v2.5
MS | MasterCard | | Deprecated and replaced by BC in v 2.5. | added v2.3
NBSNR | Secondary physician office number | | Nebenbetriebsstättennummer - for use in the German realm. | added v2.7
NCT | Naturalization Certificate | | A number associated with a document identifying a person's retention of citizenship in a particular country. | added v2.6
NE | National employer identifier | | In the US, the Assigning Authority for this value is typically CMS, but it may be used by all providers and insurance companies in HIPAA related transactions. | added v2.3.1
NH | National Health Plan Identifier | | Class: Insurance Used for the UK NHS national identifier. In the US, the Assigning Authority for this value is typically CMS, but it may be used by all providers and insurance companies in HIPAA related transactions. | added v2.3.1
NI | National unique individual identifier | | Class: Insurance In the US, the Assigning Authority for this value is typically CMS, but it may be used by all providers and insurance companies in HIPAA related transactions. | added v2.3.1
NII | National Insurance Organization Identifier | | Class: Insurance In Germany a national identifier for an insurance company. It is printed on the insurance card (health card). It is not to be confused with the health card number itself. Krankenkassen-ID der KV-Karte | added v2.5
NIIP | National Insurance Payor Identifier (Payor) | | Class: Insurance In Germany the insurance identifier addressed as the payor. Krankenkassen-ID des Rechnungsempfängers Use case: a subdivision issues the card with their identifier, but the main division is going to pay the invoices. | added v2.5
NNxxx | National Person Identifier where the xxx is the ISO table 3166 3-character (alphabetic) country code | | | added v2.3.1
NP | Nurse practitioner number | | An identifier that is unique to a nurse practitioner within the jurisdiction of a certifying board. | added v2.5
NPI | National provider identifier | | Class: Insurance In the US, the Assigning Authority for this value is typically CMS, but it may be used by all providers and insurance companies in HIPAA related transactions. | added v2.3.1
OBI | Observation Instance Identifier | | | added v2.9

OD | Optometrist license number | | A number that is unique to an individual optometrist within the jurisdiction of the licensing board. | added v2.5
PA | Physician Assistant number | | An identifier that is unique to a physician assistant within the jurisdiction of a licensing board | added v2.5
PC | Parole Card | | A number identifying a person on parole. | added v2.6
PCN | Penitentiary/correctional institution Number | | A number assigned to individual who is incarcerated. | added v2.5
PE | Living Subject Enterprise Number | | An identifier that is unique to a living subject within an enterprise (as identified by the Assigning Authority). | added v2.5
PEN | Pension Number | | | added v2.4
PHC | Public Health Case Identifier | | | added v2.9
PHE | Public Health Event Identifier | | | added v2.9
PHO | Public Health Official ID | | | added v2.9
PI | Patient internal identifier | | A number that is unique to a patient within an Assigning Authority. | added v2.3
PLAC | Placer Identifier | | | added v2.9
PN | Person number | | A number that is unique to a living subject within an Assigning Authority. | added v2.3.1
PNT | Temporary Living Subject Number | | Temporary version of a Lining Subject Number. | added v2.5
PPIN | Medicare/CMS Performing Provider Identification Number | | Class: Insurance | added v2.6
PPN | Passport number | | A unique number assigned to the document affirming that a person is a citizen of the country. In the US this number is issued only by the State Department. | added v2.5
PRC | Permanent Resident Card Number | | | added v2.5
PRN | Provider number | | A number that is unique to an individual provider, a provider group or an organization within an Assigning Authority. Use case: This allows PRN to represent either an individual (a nurse) or a group/organization (orthopedic surgery team). | added v2.3.1
PT | Patient external identifier | | | added v2.3
QA | QA number | | | added v2.5
RI | Resource identifier | | A generalized resource identifier. Use Case: An identifier type is needed to accommodate what are commonly known as resources. The resources can include human (e.g. a respiratory therapist), non-human (e.g., a companion animal), inanimate object (e.g., an exam room), organization (e.g., diabetic education class) or any other physical or logical entity. | added v2.5
RN | Registered Nurse Number | | An identifier that is unique to a registered nurse within the jurisdiction of the licensing board. | added v2.5
RPH | Pharmacist license number | | An identifier that is unique to a pharmacist within the jurisdiction of the licensing board. | added v2.5
RR | Railroad Retirement number | | An identifier for an individual enrolled with the Railroad Retirement Administration. Analogous to, but distinct from, a Social Security Number | added v2.3
RRI | Regional registry ID | | | added v2.3.1
RRP | Railroad Retirement Provider | | Class: Insurance | added v2.6
SB | Social Beneficiary Identifier | | | added v2.9
SID | Specimen ID | | Identifier for a specimen. Used when it is not known if the specimen ID is a unique specimen ID (USID) or an ancestor ID (ASID). | added v2.7
SL | State license | | | added v2.3.1
SN | Subscriber Number | | Class: Insurance An identifier for a subscriber of an insurance policy which is unique for, and usually assigned by, the insurance carrier. Use Case: A person is the subscriber of an insurance policy. The person’s family may be plan members, but are not the subscriber. | added v2.5
SNBSN | State assigned NDBS card Identifier | | | added v2.9
SNO | Serial Number | | | added v2.9
SP | Study Permit | | A number associated with a permit identifying a person who is a resident of a jurisdiction for the purpose of education. | added v2.6
SR | State registry ID | | | added v2.3.1
SS | Social Security number | | | added v2.3
STN | Shipment Tracking Number | | | added v2.9
TAX | Tax ID number | | | added v2.5
TN | Treaty Number/ (Canada) | | A number assigned to a member of an indigenous group in Canada. Use Case: First Nation. | added v2.5
TPR | Temporary Permanent Resident (Canada) | | A number associated with a document identifying a person's temporary permanent resident status. | added v2.6
TRL | Training License Number | | | added v2.9
U | Unspecified identifier | | | added v2.3.1
UDI | Universal Device Identifier | | | added v2.9
UPIN | Medicare/CMS (formerly HCFA)'s Universal Physician Identification numbers | | Class: Insurance An identifier for a provider within the CMS/Medicare program. A globally unique identifier for the provider in the Medicare program. | added v2.3.1
USID | Unique Specimen ID | | A unique identifier for a specimen. | added v2.7
VN | Visit number | | | added v2.3
VP | Visitor Permit | | A number associated with a document identifying a person as a visitor of a jurisdiction or country. | added v2.6
VS | VISA | | Deprecated and replaced by BC in v 2.5. | added v2.3
WC | WIC identifier | | | added v2.3.1
WCN | Workers' Comp Number | | | added v2.4
WP | Work Permit | | A number associated with a permit for a person who is granted permission to work in a country for a specified time period. | added v2.6
XV | Health Plan Identifier | | | added v2.9
XX | Organization identifier | | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0203 defines the following codes:

Code | Display | Definition | Comments | Version
AC | | | | added v2.9
ACSN | | | | added v2.7
AM | American Express | | | added v2.3
AMA | | | | added v2.6
AN | Kontonummer | | | added v2.3
ANC | | | | added v2.5
AND | | | | added v2.5
ANON | | | | added v2.5
ANT | | | | added v2.5
APRN | | | | added v2.5
ASID | | | | added v2.7
BA | Bank Kontonummer | | | added v2.4
BC | | | | added v2.5
BCFN | | | | added v2.9
BCT | | | | added v2.6
BR | Geburtsregisternummer | | | added v2.3
BRN | | | | added v2.4
BSNR | | | | added v2.7
CC | | | | added v2.5
CONM | | | | added v2.6
CY | | | | added v2.5
CZ | | | | added v2.6
DC | | | | added v2.9
DCFN | | | | added v2.9
DDS | | | | added v2.5
DEA | | | | added v2.5
DFN | | | | added v2.5
DI | Diners Club | | | added v2.3
DL | Führerscheinnummer | | | added v2.3
DN | Arztnummer | | | added v2.3
DO | | | | added v2.5
DP | | | | added v2.6
DPM | | | | added v2.5
DR | | | | added v2.4
DS | Discover Card | | | added v2.3
EI | Arbeitnehmernummer | | | added v2.3
EN | Arbeitgebernummer | | | added v2.3
ESN | | | | added v2.6
FDR | | | | added v2.9
FDRFN | | | | added v2.9
FI | | | | added v2.3.1
FILL | | | | added v2.9
GI | interne ID des Zahlungspflichtigen | | | added v2.3
GL | | | | added v2.5
GN | externe ID des Zahlungspflichtigen | | | added v2.3
HC | | | | added v2.4
IND | | | | added v2.5
JHN | | | | added v2.4
LACSN | | | | added v2.7
LANR | | | | added v2.7
LI | | | | added v2.5
LN | | | | added v2.3.1
LR | | | | added v2.3.1
MA | Armennummer | | | added v2.3
MB | | | | added v2.5
MC | Rentnernummer | | | added v2.3
MCD | | | | added v2.5
MCN | | | | added v2.4
MCR | | | | added v2.5
MCT | | | | added v2.6
MD | | | | added v2.5
MI | | | | added v2.5
MR | Krankenaktennummer | | | added v2.3
MRT | | | | added v2.5
MS | MasterCard | | | added v2.3
NBSNR | | | | added v2.7
NCT | | | | added v2.6
NE | | | | added v2.3.1
NH | | | | added v2.3.1
NI | | | | added v2.3.1
NII | Institutskennzeichen der Krankenkasse | | | added v2.5

NIIP | Vertragskassennummer (VKNR) | | | added v2.5
NNxxx | | | | added v2.3.1
NP | | | | added v2.5
NPI | | | | added v2.3.1
OBI | | | | added v2.9
OD | | | | added v2.5
PA | Assistenzarztnummer | | | added v2.5
PC | | | | added v2.6
PCN | | | | added v2.5
PE | | | | added v2.5
PEN | | | | added v2.4
PHC | | | | added v2.9
PHE | | | | added v2.9
PHO | | | | added v2.9
PI | interne Patienten-ID | | | added v2.3
PLAC | | | | added v2.9
PN | Personen-ID | | | added v2.3.1
PNT | | | | added v2.5
PPIN | | | | added v2.6
PPN | Passnummer | | | added v2.5
PRC | | | | added v2.5
PRN | | | | added v2.3.1
PT | externe Patienten-ID | | | added v2.3
QA | | | | added v2.5
RI | | | | added v2.5
RN | | | | added v2.5
RPH | | | | added v2.5
RR | Seniorenkartennummer | | | added v2.3
RRI | | | | added v2.3.1
RRP | | | | added v2.6
SB | | | | added v2.9
SID | | | | added v2.7
SL | | | | added v2.3.1
SN | | | | added v2.5
SNBSN | | | | added v2.9
SNO | | | | added v2.9
SP | | | | added v2.6
SR | | | | added v2.3.1
SS | Sozialversicherungsnummer | | | added v2.3
STN | | | | added v2.9
TAX | Steueridentifikationsnummer | | | added v2.5
TN | | | | added v2.5
TPR | | | | added v2.6
TRL | | | | added v2.9
U | | | | added v2.3.1
UDI | | | | added v2.9
UPIN | | | | added v2.3.1
USID | | | | added v2.7
VN | Fallnummer | | | added v2.3
VP | Besucherkennung | | | added v2.6
VS | VISA | | | added v2.3
WC | | | | added v2.3.1
WCN | | | | added v2.4
WP | | | | added v2.6
XV | | | | added v2.9
XX | Organisations-ID | | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0203 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie
AC | | | | added v2.9
ACSN | Accession ID | | Accession identificatie | added v2.7
AM | American Express | | Vervangen door BC vanaf v2.5 | added v2.3
AMA | American Medical Association nummer | | Een zorgverleneridentificatie toegekend door de AMA | added v2.6
AN | Accountnummer | | Een unieke identificatie van het account | added v2.3
ANC | Accountnummer crediteur | | Klasse: financieel. Een preciesere definitie van een accountnummer: soms moeten 2 verschillende accountnummers moeten worden doorgegeven in hetzelfde bericht, een als crediteur, de andere als debiteur. Crediteuraccountnummer. | added v2.5
AND | Accountnummer debiteur | | Klasse: financieel. Een preciesere definitie van een accountnummer: soms moeten 2 verschillende accountnummers moeten worden doorgegeven in hetzelfde bericht, een als crediteur, de andere als debiteur. Debiteuraccountnummer. | added v2.5
ANON | Anonieme identificatie | | Verklaring: t.b.v. volksgezondheid-doeleinden worden anonieme identificaties soms gebruikt voor bescherming van de identiteit van de patiënt bij melden van bepaalde resultaten. Zo kan een gezondheidsafdeling van een overheid voor een algoritme voor het genereren van nummers kiezen bij patiënten met een positieve HIV-antilichamentest.

Anonieme identificaties kunnen worden gebruikt in PID-3 door het medisch dossiernummer of ander niet-anonieme identificatie te vervangen. De toekennende autoriteit voor de anonieme identificatie is dan de betreffende overheidsafdeling. | added v2.5
ANT | Tijdelijk accountnummer | | Klasse: financieel. Tijdelijke versie van een accountnummer. Use case: een satellietsysteem dat normaal geen accountnummers toekent, is de eerste plaats waar een patiënt wordt geregistreerd. Dit satellietsysteem zal een tijdelijk accountnummer genereren dat wordt gebruikt totdat een officieel accountnummer wordt toegekend. | added v2.5
APRN | | | added v2.5
ASID | Oorspronkelijk monster ID | | Een unieke identificatie voor het oorspronkelijke monster. Alle afgeleide (kind, kleinkind, etc.) monsters van het oorspronkelijke monster delen hetzelfde Oorspronkelijke monster ID | added v2.7
BA | Bankrekeningnummer | | Klasse: financieel | added v2.4
BC | Bankrekeningnummer | | Klasse: financieel. Een identificatie die uniek is voor iemand's bankpas. Vervangt AM, DI, DS, MS en VS vanaf v2.5 | added v2.5
BCFN | | | | added v2.9
BCT | Geboortecertificaat | | Een nummer gekoppeld aan een document die de geboorte van een persoon documenteert. | added v2.6
BR | Geboorteregister-nummer | | Een nummer gekoppeld aan de toekennende autoriteit die het officieel wettelijk afschrift van de geboorte van een persoon bijhoudt. | added v2.3
BRN | Dierenras-registernummer | | | added v2.4
BSNR | Primair zorgverlenerpraktijknummer | | Betriebsstättennummer - voor gebruik in Duitse context. | added v2.7
CC | Kostenplaatsnummer | | Klasse: financieel. Use case: specifiek nodig voor doorgeven van informatie over facturen. | added v2.5
CONM | Naamswijzigingdocument | | Een identificatie gekoppeld aan een document met daarop de officiële wijziging van persoonsnaam. | added v2.6
CY | County-nummer | | | added v2.5
CZ | Staatsburgerschapkaart | | Een identificatie gekoppeld aan het land van inwonerschap van een persoon om iemand staatsburgerschap aan te duiden. | added v2.6
DC | | | | added v2.9
DCFN | | | | added v2.9
DDS | Tandarts licentienummer | | Een identificatie die uniek is voor een tandarts binnen het rechtsgebied van de licentiegever. | added v2.5
DEA | Amerikaanse Drug Enforcement Administration registratienummer | | Use case: dit is een registratienummer die een persoon of organisatie aanduidt, gerelateerd aan gereguleerde substantie-wetgeving en transacties. | added v2.5
DFN | Medicatieverstrekker of voorschrijver autoriteitnummer | | Een identificatie uitgegeven aan een zorgverlener die de persoon autoriseert om medicatie voor te schrijven. Use case: een nurse practitioner heeft toestemming om farmaceutische substanties te verstrekken of voor te schrijven; deze identificatie staat in component 1. | added v2.5
DI | Diner's Club | | Vervangen door BC vanaf v2.5 | added v2.3
DL | Rijbewijsnummer | | | added v2.3
DN | Artsnummer | | | added v2.3
DO | Osteopatisch licentienummer | | Een identificatie die uniek is voor een osteopaat binnen het rechtsgebied van de licentiegever. | added v2.5
DP | Diplomatiek paspoort | | Een identificatie van een diplomatiek paspoort. | added v2.6
DPM | Podoloog licentienummer | | Een identificatie die uniek is voor een podoloog binnen het rechtsgebied van de licentiegever. | added v2.5
DR | Donorregistratienummer | | | added v2.4
DS | Discover kaart | | Vervangen door BC vanaf v2.5 | added v2.3
EI | Werknemernummer | | Een aanduiding die een werknemer uniek identificeert ten opzichte van een werkgever | added v2.3
EN | Werkgevernummer | | | added v2.3
ESN | Medewerker bedrijfsnummer | | Een aanduiding die een medewerker uniek identificeert binnen een bedrijf (zoals geïdentificeerd door de toekennende autoriteit) | added v2.6
FDR | | | | added v2.9
FDRFN | | | | added v2.9
FI | Afdeling-ID | | | added v2.3.1
FILL | | | | added v2.9
GI | Interne garantsteller identificatie | | Klasse: financieel | added v2.3
GL | Grootboeknummer | | Klasse: financieel | added v2.5
GN | Externe garantsteller identificatie | | Klasse: financieel | added v2.3
HC | Gezondheidskaartnummer | | | added v2.4
IND | Inheems/Aboriginal | | Een nummer toegekend aan een lid van een inheemse of aboriginal groep buiten Canada. | added v2.5
JHN | Rechtsgebied gezondheidsnummer (Canada) | | 2 use cases: a) CHI-nummer van rechtsgebied in Verenigd Koninkrijk; b) Canadees provinciaal gezondheidskaartnummer: | added v2.4
LACSN | Laboratorium Accessie ID | | Een laboratorium accessie ID wordt gebruikt in het laboratoriumdomein. Het concept accessie wordt ook in andere domeinen gebruikt zoals radiologie, dus de LACSN wordt gebruikt om onderscheid te maken tussen een lab accessie ID en een radiologie accessie ID. | added v2.7
LANR | Levenslang zorgverlenernummer | | Lebenslange Artznummer - voor gebruik in Duitse context. | added v2.7
LI | Arbeid en industrienummer | | | added v2.5
LN | Licentienummer | | | added v2.3.1
LR | Lokaal register ID | | | added v2.3.1
MA | Medicaid patiëntnummer | | Klasse: verzekering | added v2.3
MB | Lidnummer | | Use case: persoon is gedekt door verzekeringspolis. Deze persoon is mogelijk tevens hoofdpolishouder. | added v2.5
MC | Medicare patiëntnummer | | Klasse: verzekering | added v2.3
MCD | Medicaid zorgverlenernummer | | Klasse: verzekering | added v2.5
MCN | Microchip-nummer | | | added v2.4
MCR | Medicare zorgverlenernummer | | Klasse: verzekering | added v2.5

MCT | Huwelijkscertificaat | | Een identificatie gekoppeld aan een document dat het huwelijk van een persoon aantoont. | added v2.6
MD | Geneeskundig licentienummer | | Een identificatie die unieke is voor een arts binnen het rechtsgebied van een licentiegever. Use case: deze licentienummers worden soms gebruikt ter identificatie. In sommige staten, geeft dezelfde autoriteit alle drie identificaties uit, bijv. medisch, osteopathisch, en arts-assistent licenties die alle worden uitgegeven door één overheidsinstantie. Voor dit geval vereist het CX datatype afzonderlijke identificatietypen om component 1 te kunnen interpreteren. Daarnaast is onderscheid tussen deze licentietypen essentieel in de meeste zorgsituaties (niet om volledige licentie-informatie door te geven, waarvoor een segment voor alle gerelateerde attributen nodig zou zijn). | added v2.5
MI | Militaire identificatie | | Een identificatie toegekend aan een persoon die in militaire dienst is geweest, maar op dit moment niet in actieve dienst. Het nummer wordt toegekend door de Amerikaanse Department of Defense (DOD) of Veteran's Affairs (VA). | added v2.5
MR | Medisch dossiernummer | | Een identificatie gekoppeld aan een patiënt binnen een set van medische dossiers, niet noodzakelijk uniek binnen een applicatie. | added v2.3
MRT | Tijdelijke medisch dossiernummer | | Use case: een satellietsysteem dat normaal geen medische dossiernummer toekent is het eerste systeem waar een patiënt wordt geregistreerd. Dit satellietsysteem geeft een tijdelijk medisch dossiernummer uit dat alleen wordt gebruikt totdat het officiële medisch dossiernummer wordt toegekend. | added v2.5
MS | MasterCard | | Vervangen door BC vanaf v2.5 | added v2.3
NBSNR | Secundaire zorgverlenerpraktijknummer | | Nebenbetriebsstättennummer - voor gebruik in Duitse context. | added v2.7
NCT | Naturalisatiecertificaat | | Een identificatie gekoppeld aan een document dat het verwerven van staatburgerschap in een bepaald land aantoont. | added v2.6
NE | Nationale werkgeveridentificatie | | In de VS is de toekennende autoriteit voor deze waarde meestal CMS, maar het kan worden gebruikt voor alle zorgaanbieders/zorverleners en verzekeraars in HIPAA gerelateerde transacties. | added v2.3.1
NH | Nationaal zorgverzekeringsnummer | | Ten behoeve de NHS nationale identificatie in het Verenigd Koninkrijk | added v2.3.1
NI | Nationale unieke identificatie persoon | | In de VS is de toekennende autoriteit voor deze waarde normalerwijs CMS, maar het kan door alle zorgaanbieders en verzekeraars worden gebruikt in HIPAA-gerelateerde transacties. | added v2.3.1
NII | Nationale verzekeraar identificatie | | Klasse: verzekering. In Duitsland is dit een nationale identificatie voor een verzekeraar. Deze staat op de verzekeringskaart. De identificatie moet niet worden verward met het kaartnummer zelf. Krankenkassen-ID der KV-Karte | added v2.5
NIIP | Nationale verzekeraar betaler identificatie (Betaler) | | Klasse: verzekering. In Duitsland is dit een nationale identificatie voor een betaler. Krankenkassen-ID des Rechnungsempfängers. Use case: een subdivisie geeft een kaart af met deze identificatie, maar de hoofddivisie betaalt de facturen. | added v2.5
NNxxx | Nationale persoonsidentificatie waarbij xxx de ISO-tabel 3166 3-tekens (alfabetisch) landcode is | | | added v2.3.1
NP | Nurse practitioner nummer | | Een identificatie die uniek is voor een nurse practitioner binnen het rechtsgebied van een certificeringsinstantie | added v2.5
NPI | Nationale zorgaanbieder/zorgverlener identificatie | | Klasse: verzekering. UZI-nummer. | added v2.3.1
OBI | | | added v2.9
OD | Optometrist nummer | | Een identificatie die uniek is voor een optometrist binnen het rechtsgebied van een certificeringsinstantie | added v2.5
PA | Zorgverlener nummer | | Een identificatie die uniek is voor een zorgverlener binnen het rechtsgebied van een certificeringsinstantie | added v2.5
PC | Reclasseringskaart | | Een identificatie van een persoon die subject is van reclassering | added v2.6
PCN | Penitentiaire instellings-nummer | | Een identificatie toegekend aan een persoon die inbewaringgesteld/gevangengezet is | added v2.5
PE | Levend wezen bedrijfs-nummer | | Een identificatie die uniek is voor een levend wezen binnen een bedrijf (zoals geïdentificeerd door de toekennende autoriteit). | added v2.5
PEN | Pensioennummer | | | added v2.4
PHC | | | | added v2.9
PHE | | | | added v2.9
PHO | | | | added v2.9
PI | Intern patiëntnummer | | Een identificatie die uniek is voor een patiënt binnen een toekennende autoriteit. | added v2.3
PLAC | | | | added v2.9
PN | Persoonsnummer | | Een identificatie die uniek is voor een levend wezen binnen een toekennende autoriteit. | added v2.3.1
PNT | Tijdelijk levend wezen nummer | | Tijdelijke versie van een Levend wezen nummer | added v2.5
PPIN | Medicare/CMS Uitvoerende zorgaanbieder/zorgverlener identificatienummer | | Klasse: verzekering | added v2.6
PPN | Paspoortnummer | | Een identificatie die uniek is voor een wettig document dat bevestigt dat een persoon een staatsburger van het land is. | added v2.5
PRC | Permanente verblijfsvergunning-nummer | | | added v2.5
PRN | Zorgaanbieder/zorgverlener-nummer | | Use case: hiermee wordt een persoon (zoals een verpleegkundige) of een groep/organisatie (orthopedisch chirurgisch team) aangeduid. | added v2.3.1
PT | Extern patiëntnummer | | | added v2.3
QA | Quality Assurance-nummer | | | added v2.5
RI | Resource identicatie | | Use case: een identificatietype is nodig voor wat algemeen 'resources' heten. Hieronder vallen menselijke resources (bijv. een respiratoir therapeut), niet-menselijke resources (bijv., een begeleidend dier), niet-levende entiteiten (bijv. een onderzoeksruimte), organisaties (bijv. diabetesonderwijsklas) of andere fysieke of logische entiteiten. | added v2.5
RN | Verpleegkundige registratienummer | | Een identificatie die uniek is voor een geregistreerde verpleegkundige binnen het rechtsgebied van een licenserende instantie. | added v2.5
RPH | Apotheek licentienummer | | Een identificatie die uniek is voor een apotheek binnen het rechtsgebied van een licenserende instantie. | added v2.5
RR | Spoorwegen pensioneringsnummer | | Een identificatie die uniek is voor een persoon binnen de Railroad Retirement Administration. Aanaloog aan, maar anders dan een SOFI-nummer. | added v2.3
RRI | Regionaal register-ID | | | added v2.3.1
RRP | Spoorwegen pensioenaanbieder | | Klasse: verzekering. | added v2.6
SB | | | | added v2.9

SID | Monsternummer | | Een identificatie die uniek is voor een monster. Gebruikt wanneer onbekend is of het monsternummer een Uniek monsternummer (USID) of een Oorspronkelijk monsternummer (ASID) is. | added v2.7
SL | Staat-licentie | | | added v2.3.1
SN | Hoofdverzekerdenummer | | Een identificatie voor een hoofdverzekerde onder een verzekeringspolis die uniek is voor, en normaal wordt toegekend door, een verzekeraar. | added v2.5
SNBSN | | | | added v2.9
SNO | | | | added v2.9
SP | Opleidingsvisum | | Een identificatie die uniek is voor een visum voor een persoon die inwoner van rechtsgebied is ten behoeve van een opleiding. | added v2.6
SR | Staat register-ID | | | added v2.3.1
SS | SOFI-nummer | | | added v2.3
STN | | | | added v2.9
TAX | Belasting identificatie | | | added v2.5
TN | Verdragnummer/ (Canada) | | Use case: First Nation. | added v2.5
TPR | Tijdelijk permanente inwoner (Canada) | | Een identificatie die uniek is voor een apotheek binnen het rechtsgebied van een licenserende instantie. | added v2.6
TRL | | | | added v2.9
U | Niet-gspecificeerde identificatie | | | added v2.3.1
UDI | | | | added v2.9
UPIN | Medicare/HCFA's Universele Zorgverlener Identificatie Nummers | | Klasse: verzekering. Een identificatie van een zorgverlener/zorgaanbieder binnen het CMS/Medicare programma. Een wereldwij unieke identificatie voor de zorgverlener/zorgaanbieder in het Medicare programma. | added v2.3.1
USID | Uniek monsternummer | | Een unieke identificatie voor een monster. | added v2.7
VN | Bezoeknummer | | | added v2.3
VP | Toeristenvisum | | Een identificatie gekoppeld aan een visum voor een persoon als toerist in een bepaald rechtsgebied of land. | added v2.6
VS | VISA | | Vervangen door BC vanaf v2.5 | added v2.3
WC | WIC identificatie | | | added v2.3.1
WCN | Werknemerscompensatie-nummer | | | added v2.4
WP | Werkvisum | | Een identificatie gekoppeld aan een visum voor een persoon die voor een bepaalde periode in een land mag werken. | added v2.6
XV | | | | added v2.9
XX | Organisatie identificatie | | | added v2.3

4.3.15.204 HL7 Version 2 Table 0204

URL: https://hl7.org/fhir/R4/v2/0204/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0204
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0204
Version: | 2.9
Name: | v2.0204
Title: | v2 Organizational Name Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0204 (Organizational Name Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.204.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0204 defines the following codes:

Code | Display | Definition | Version
A | en: Alias name de: Aliasname nl: Aliasnaam | | added v2.3
D | en: Display name de: angezeigter Name nl: Weergavenaam | | added v2.3
L | en: Legal name de: gesetzlicher Name nl: Juridische naam | | added v2.3
SL | en: Stock exchange listing name de: Börsenlistenname nl: Beursgenoteerde naam | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0204 defines the following codes:

Code | Display | Definition | Version
A | Alias name | | added v2.3
D | Display name | | added v2.3

L | Legal name | | added v2.3
SL | Stock exchange listing name | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0204 defines the following codes:

Code | Display | Definition | Version
A | Aliasname | | added v2.3
D | angezeigter Name | | added v2.3
L | gesetzlicher Name | | added v2.3
SL | Börsenlistenname | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0204 definieert de volgende codes:

Code | Display | Definition | Versie
A | Aliasnaam | | added v2.3
D | Weergavenaam | | added v2.3
L | Juridische naam | | added v2.3
SL | Beursgenoteerde naam | | added v2.3

4.3.15.205 HL7 Version 2 Table 0205

URL: https://hl7.org/fhir/R4/v2/0205/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0205
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0205
Version: | 2.9
Name: | v2.0205
Title: | v2 Price Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0205 (Price Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.205.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0205 defines the following codes:

Code | Display | Definition | Version
AP | en: administrative price or handling fee nl: Administratieve prijs of verwerkingsvergoeding | | added v2.3
DC | en: direct unit cost nl: Direct stuksprijs | | added v2.3
IC | en: indirect unit cost nl: Indirecte stuksprijs | | added v2.3
PF | en: professional fee for performing provider nl: Zakelijke vergoeding voor uitvoerende zorgverlener | | added v2.3
TF | en: technology fee for use of equipment nl: Technologievergoeding voor apparaatgebruik | | added v2.3
TP | en: total price nl: Totaalprijs | | added v2.3
UP | en: unit price, may be based on length of procedure or service nl: Stuksprijs, mogelijk gebaseerd op duur van behandeling of service | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0205 defines the following codes:

Code | Display | Definition | Version
AP | administrative price or handling fee | | added v2.3
DC | direct unit cost | | added v2.3
IC | indirect unit cost | | added v2.3
PF | professional fee for performing provider | | added v2.3
TF | technology fee for use of equipment | | added v2.3
TP | total price | | added v2.3
UP | unit price, may be based on length of procedure or service | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0205 definieert de volgende codes:

Code | Display | Definition | Versie
AP | Administratieve prijs of verwerkingsvergoeding | | added v2.3
DC | Direct stuksprijs | | added v2.3
IC | Indirecte stuksprijs | | added v2.3
PF | Zakelijke vergoeding voor uitvoerende zorgverlener | | added v2.3
TF | Technologievergoeding voor apparaatgebruik | | added v2.3
TP | Totaalprijs | | added v2.3

UP | Stuksprijs, mogelijk gebaseerd op duur van behandeling of service | | added v2.3

4.3.15.206 HL7 Version 2 Table 0206

URL: https://hl7.org/fhir/R4/v2/0206/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0206
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0206
Version: | 2.9
Name: | v2.0206
Title: | v2 Segment Action Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0206 (Segment Action Code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.206.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0206 defines the following codes:

Code | Display | Definition | Version
A | en: Add/Insert de: Einfügen nl: Toevoegen/invoegen | | added v2.3
D | en: Delete de: Löschen/Stornieren nl: Verwijderen | | added v2.3
S | Used in Snapshot mode | | added v2.9
U | en: Update de: Ändern nl: Updaten | | added v2.3
X | en: No Change nl: Geen wijziging | | added v2.6

This code system http://terminology.hl7.org/CodeSystem/v2-0206 defines the following codes:

Code | Display | Definition | Version
A | Add/Insert | | added v2.3
D | Delete | | added v2.3
S | Used in Snapshot mode | | added v2.9
U | Update | | added v2.3
X | No Change | | added v2.6

This code system http://terminology.hl7.org/CodeSystem/v2-0206 defines the following codes:

Code | Display | Definition | Version
A | Einfügen | | added v2.3
D | Löschen/Stornieren | | added v2.3
S | | | added v2.9
U | Ändern | | added v2.3
X | | | added v2.6

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0206 definieert de volgende codes:

Code | Display | Definition | Versie
A | Toevoegen/invoegen | | added v2.3
D | Verwijderen | | added v2.3
S | | | added v2.9
U | Updaten | | added v2.3
X | Geen wijziging | | added v2.6

4.3.15.207 HL7 Version 2 Table 0207

URL: https://hl7.org/fhir/R4/v2/0207/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0207
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0207
Version: | 2.9

Name: | v2.0207
Title: | v2 Processing Mode
Definition: | FHIR Value set/code system definition for HL7 v2 table 0207 (Processing Mode)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.207.1 Code System Content

- All Languages
- English
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0207 defines the following codes:

Code | Display | Definition | Version
A | en: Archive nl: Archiveren | | added v2.3
I | en: Initial load nl: Initieel laden | | added v2.3
Not present | en: Not present (the default, meaning current processing) nl: Niet aanwezig | | added v2.3
R | en: Restore from archive nl: Herstellen uit archief | | added v2.3
T | en: Current processing, transmitted at intervals (scheduled or on demand) nl: Huidige verwerking, verstuurd op basis van intervallen (gepland of op aanvraag) | | added v2.3.1

This code system http://terminology.hl7.org/CodeSystem/v2-0207 defines the following codes:

Code | Display | Definition | Version
A | Archive | | added v2.3
I | Initial load | | added v2.3
Not present | Not present (the default, meaning current processing) | | added v2.3
R | Restore from archive | | added v2.3
T | Current processing, transmitted at intervals (scheduled or on demand) | | added v2.3.1

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0207 definieert de volgende codes:

Code | Display | Definition | Versie
A | Archiveren | | added v2.3
I | Initieel laden | | added v2.3
Not present | Niet aanwezig | | added v2.3
R | Herstellen uit archief | | added v2.3
T | Huidige verwerking, verstuurd op basis van intervallen (gepland of op aanvraag) | | added v2.3.1

4.3.15.208 HL7 Version 2 Table 0208

URL: https://hl7.org/fhir/R4/v2/0208/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0208
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0208
Version: | 2.9
Name: | v2.0208
Title: | v2 Query Response Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0208 (Query Response Status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.208.1 Code System Content

- All Languages
- English
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0208 defines the following codes:

Code | Display | Definition | Version
AE | en: Application error nl: Applicatiefout | | added v2.3.1
AR | en: Application reject nl: Applicatieweigering | | added v2.3.1

NF | en: No data found, no errors nl: Geen gegevens gevonden, geen fouten | | added v2.3
OK | en: Data found, no errors (this is the default) nl: Gegevens gevonden, geen fouten (dit is de standaardwaarde) | | added v2.3
PD | Protected data | | added v2.9
TM | Too much data found | | added v2.9

This code system http://terminology.hl7.org/CodeSystem/v2-0208 defines the following codes:

Code | Display | Definition | Version
AE | Application error | | added v2.3.1
AR | Application reject | | added v2.3.1
NF | No data found, no errors | | added v2.3
OK | Data found, no errors (this is the default) | | added v2.3
PD | Protected data | | added v2.9
TM | Too much data found | | added v2.9

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0208 definieert de volgende codes:

Code | Display | Definition | Versie
AE | Applicatiefout | | added v2.3.1
AR | Applicatieweigering | | added v2.3.1
NF | Geen gegevens gevonden, geen fouten | | added v2.3
OK | Gegevens gevonden, geen fouten (dit is de standaardwaarde) | | added v2.3
PD | | | added v2.9
TM | | | added v2.9

4.3.15.209 HL7 Version 2 Table 0209

URL: https://hl7.org/fhir/R4/v2/0209/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0209
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0209
Version: | 2.9
Name: | v2.0209
Title: | v2 Relational Operator
Definition: | FHIR Value set/code system definition for HL7 v2 table 0209 (Relational Operator)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.209.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0209 defines the following codes:

Code | Display | Definition | Version
CT | en: Contains nl: Bevat | | added v2.3
EQ | en: Equal nl: Gelijk aan | | added v2.3
GE | en: Greater than or equal nl: Groter of gelijk aan | | added v2.3
GN | en: Generic nl: Generiek | | added v2.3
GT | en: Greater than nl: Groter dan | | added v2.3
LE | en: Less than or equal nl: Kleiner dan of gelijk aan | | added v2.3
LT | en: Less than nl: Kleiner dan | | added v2.3
NE | en: Not Equal nl: Ongelijk aan | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0209 defines the following codes:

Code | Display | Definition | Version
CT | Contains | | added v2.3
EQ | Equal | | added v2.3
GE | Greater than or equal | | added v2.3
GN | Generic | | added v2.3
GT | Greater than | | added v2.3
LE | Less than or equal | | added v2.3
LT | Less than | | added v2.3
NE | Not Equal | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0209 definieert de volgende codes:

Code | Display | Definition | Versie
CT | Bevat | | added v2.3
EQ | Gelijk aan | | added v2.3
GE | Groter of gelijk aan | | added v2.3
GN | Generiek | | added v2.3
GT | Groter dan | | added v2.3
LE | Kleiner dan of gelijk aan | | added v2.3
LT | Kleiner dan | | added v2.3
NE | Ongelijk aan | | added v2.3

4.3.15.210 HL7 Version 2 Table 0210

URL: https://hl7.org/fhir/R4/v2/0210/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0210
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0210
Version: | 2.9
Name: | v2.0210
Title: | v2 Relational Conjunction
Definition: | FHIR Value set/code system definition for HL7 v2 table 0210 (Relational Conjunction)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.210.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0210 defines the following codes:

Code | Display | Definition | Version
AND | en: Default nl: Standaard | | added v2.3
OR | | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0210 defines the following codes:

Code | Display | Definition | Version
AND | Default | | added v2.3
OR | | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0210 definieert de volgende codes:

Code | Display | Definition | Versie
AND | Standaard | | added v2.3
OR | | | added v2.3

4.3.15.211 HL7 Version 2 Table 0211

URL: https://hl7.org/fhir/R4/v2/0211/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0211
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0211
Version: | 2.9
Name: | v2.0211
Title: | v2 Alternate Character Sets
Definition: | FHIR Value set/code system definition for HL7 v2 table 0211 (Alternate Character Sets)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.211.1 Code System Content

- All Languages
- English
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0211 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
8859/1 | en: The printable characters from the ISO 8859/1 Character set nl: De leesbare tekens uit de ISO 8859/1 tekenset | | | | added v2.3
8859/15 | en: The printable characters from the ISO 8859/15 (Latin-15) nl: De leesbare tekens uit de ISO 8859/15 tekenset (Latin-15) | | | | added v2.6
8859/2 | en: The printable characters from the ISO 8859/2 Character set nl: De leesbare tekens uit de ISO 8859/2 tekenset | | | | added v2.3
8859/3 | en: The printable characters from the ISO 8859/3 Character set nl: De leesbare tekens uit de ISO 8859/3 tekenset | | | | added v2.3
8859/4 | en: The printable characters from the ISO 8859/4 Character set nl: De leesbare tekens uit de ISO 8859/4 tekenset | | | | added v2.3
8859/5 | en: The printable characters from the ISO 8859/5 Character set nl: De leesbare tekens uit de ISO 8859/5 tekenset | | | | added v2.3
8859/6 | en: The printable characters from the ISO 8859/6 Character set nl: De leesbare tekens uit de ISO 8859/6 tekenset | | | | added v2.3
8859/7 | en: The printable characters from the ISO 8859/7 Character set nl: De leesbare tekens uit de ISO 8859/7 tekenset | | | | added v2.3
8859/8 | en: The printable characters from the ISO 8859/8 Character set nl: De leesbare tekens uit de ISO 8859/8 tekenset | | | | added v2.3
8859/9 | en: The printable characters from the ISO 8859/9 Character set nl: De leesbare tekens uit de ISO 8859/9 tekenset | | | | added v2.3
ASCII | en: The printable 7-bit ASCII character set. nl: De leesbare 7-bit ASCII tekenset. | | | en: (This is the default if this field is omitted) nl: Dit is de standaardwaarde als het veld wordt leeggelaten. | added v2.3
BIG-5 | en: Code for Taiwanese Character Set (BIG-5) nl: Code voor Taiwanese tekenset (BIG-5) | | | en: Does not need an escape sequence. BIG-5 does not need an escape sequence. ASCII is a 7 bit character set, which means that the top bit of the byte is “0”. The parser knows that when the top bit of the byte is “0”, the character set is ASCII. When it is “1”, the following bytes should be handled as 2 bytes (or more). No escape technique is needed. However, since some servers do not correctly interpret when they receive a top bit “1”, it is advised, in internet RFC, to not use these kind of non-safe non-escape extension. nl: Heeft geen escape-sequentie nodig. BIG-5 heeft geen escape-sequentie nodig. ASCII is een 7-bit tekenset wat betekent dat het top bit van de byte "0" is. De parser weet dat wanneer de top bit van de byte "0" is, de tekenset ASCII is. Als het "1" is, moeten de volgende bytes in paren van 2 bytes (of meer) worden verwerkt. Er is geen escape techniek vereist. Echter, omdat sommige servers niet goed verwerken bij een top bit van "1", wordt geadviseerd in de internet RFC, om dit type onveilige extensie, zonder escaping, niet te gebruiken. | added v2.5
CNS 11643-1992 | en: Code for Taiwanese Character Set (CNS 11643-1992) nl: Code voor Taiwanese tekenset (CNS 11643-1992) | | | en: Does not need an escape sequence. nl: Heeft geen escape-sequentie nodig. | added v2.5
GB 18030-2000 | en: Code for Chinese Character Set (GB 18030-2000) nl: Code voor Chinese tekenset (GB 18030-2000) | | | en: Does not need an escape sequence. nl: Heeft geen escape-sequentie nodig. | added v2.5
ISO IR14 | en: Code for Information Exchange (one byte)(JIS X 0201-1976). nl: Code voor informatieuitwisseling (één byte)(JIS X 0201-1976). | | | en: Note that the code contains a space, i.e., "ISO IR14". nl: Merk op dat de code een spatie bevat, dus "ISO IR14". | added v2.3.1
ISO IR159 | en: Code of the supplementary Japanese Graphic Character set for information interchange (JIS X 0212-1990). nl: Code voor het aanvullende Japanse ideogramschrift voor informatieuitwisseling (JIS X 0212-1990). | | | en: Note that the code contains a space, i.e., "ISO IR159". nl: Merk op dat de code een spatie bevat, dus "ISO IR159". | added v2.3.1
ISO IR6 | en: ASCII graphic character set consisting of 94 characters. nl: ASCII ideogramtekenset bestaande uit 94 tekens. | | | http://www.itscj.ipsj.or.jp/ISO-IR/006.pdf | added v2.7
ISO IR87 | en: Code for the Japanese Graphic Character set for information interchange (JIS X 0208-1990), nl: Code voor de Japanse ideogramschrift voor informatieuitwisseling (JIS X 0208-1990). | | | en: Note that the code contains a space, i.e., “ISO IR87”. The JIS X 0208 needs an escape sequence. In Japan, the escape technique is ISO 2022. From basic ASCII, escape sequence “escape” $ B (in HEX, 1B 24 42) lets the parser know that following bytes should be handled 2-byte wise. Back to ASCII is 1B 28 42. nl: Merk op dat de code een spatie bevat, dus "ISO IR87". De JIS X 0208 heeft een escape-sequentie nodig. In Japan is de escape-techniek ISO 2020. Vanuit basiaal ASCII laat escape-sequentie "escape" $ B (in HEX, 1B 24 42) de parser weten dat de volgende bytes in paren van 2 bytes moeten worden verwerkt. Terug in ASCII is dat dan 1B 28 42. | added v2.3.1
JAS2020 | en: A subset of ISO2020 used for most Kanjii transmissions nl: Een subset van ISO 2020 meestal gebruikt voor Kanjii verzendingen | | Deprecated | | added v2.3, removed after v2.3
JIS X 0202 | en: ISO 2022 with escape sequences for Kanjii nl: ISO 2022 met escape-sequenties voor Kanjii | | Deprecated | | added v2.3, removed after v2.3
KS X 1001 | en: Code for Korean Character Set (KS X 1001) nl: Code voor Koreaanse tekenset (KS X 1001) | | | | added v2.5
UNICODE | en: The world wide character standard from ISO/IEC 10646-1-1993 nl: De wereldwijde tekensetstandaard van ISO/IEC 10646-1-1993 | | | en: Deprecated. Retained for backward compatibility only as v 2.5. Replaced by specific Unicode encoding codes. nl: Vervallen. Behouden voor backward compatibility sinds v2.5. Vervangen door specifieke codes voor Unicode tekstcodering. | added v2.3

UNICODE UTF-16 | en: UCS Transformation Format, 16-bit form nl: UCS Transformatieformaat, 16-bits vorm | | Deprecated | en: UTF-16 is identical to ISO/IEC 10646 UCS-2. Note that the code contains a space before UTF but not before and after the hyphen. nl: UTF-16 is identiek aan ISO/IEC 10646 UCS-2. Merk op dat de code een spatie bevat voor UTF maar niet voor en na het koppelteken. | added v2.5, removed after v2.7.1

UNICODE UTF-32 | en: UCS Transformation Format, 32-bit form nl: UCS Transformatieformaat, 32-bits vorm | | Deprecated | en: UTF-32 is defined by Unicode Technical Report #19, and is an officially recognized encoding as of Unicode Version 3.1. UTF-32 is a proper subset of ISO/IEC 10646 UCS-4. Note that the code contains a space before UTF but not before and after the hyphen. nl: UTF-32 wordt gedefinieerd door Unicode Technical Report #19 en is een officieel erkende codering sinds Unicode versie 3.1. UTF-32 is een geldige subset van ISO/IEC 10646 UCS-4. Merk op dat de code een spatie bevat voor UTF maar niet voor en na het koppelteken. | added v2.5, removed after v2.7.1

UNICODE UTF-8 | en: UCS Transformation Format, 8-bit form nl: UCS Transformatieformaat, 8-bits vorm | | | en: UTF-8 is a variable-length encoding, each code value is represented by 1,2 or 3 bytes, depending on the code value. 7 bit ASCII is a proper subset of UTF-8. Note that the code contains a space before UTF but not before and after the hyphen. Since UTF-8 represents the full UNICODE character set, the following restriction apply to its use: 1. UTF-8 must be the default encoding of the message, UTF-8 cannot be specified as an additional character set in MSH-18 2. There are no other character sets allowed in a message where UTF-8 is the default encoding in the message. In other words, UNICODE UTF-8 can only be specified as a single value in MSH-18 3. A message encoded in UTF-8 must not use a Byte Order Mark (BOM). nl: UTF-8 is een tekstcodering met variabele lengte, waarbij iedere codewaarde wordt gerepresenteerd door 1, 2, of 3 bytes, afhankelijk van de codewaarde. 7-bits ASCII is een geldige subset van UTF-8. Merk op dat de code een spatie bevat voor UTF maar niet voor en na het koppelteken. Aangezien UTF-8 de volledige UNICODE tekenset vertegenwoordigt, zijn de volgende restricties van toepassing op gebruik:<p/>1. UTF-8 moet de standaardcodering zijn van het bericht, UTF-8 kan niet worden gespecificeerd als extra tekenset in MSH-18<p/>2. Er zijn geen andere tekensets toegestaan in een bericht waarin UTF-8 is standaard tekstcodering is.<p/>Met andere woorden, UNICODE UTF-8 kan niet met andere waarden voorkomen in MSH-18<p/>3. Een bericht in UTF-8 mag geen Byte Order Mark (BOM) bevatten. | added v2.5

Properties

Code | URL | Description | Type

status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code

deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0211 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version

8859/1 | The printable characters from the ISO 8859/1 Character set | | | | added v2.3

8859/15 | The printable characters from the ISO 8859/15 (Latin-15) | | | | added v2.6

8859/2 | The printable characters from the ISO 8859/2 Character set | | | | added v2.3

8859/3 | The printable characters from the ISO 8859/3 Character set | | | | added v2.3

8859/4 | The printable characters from the ISO 8859/4 Character set | | | | added v2.3

8859/5 | The printable characters from the ISO 8859/5 Character set | | | | added v2.3

8859/6 | The printable characters from the ISO 8859/6 Character set | | | | added v2.3

8859/7 | The printable characters from the ISO 8859/7 Character set | | | | added v2.3

8859/8 | The printable characters from the ISO 8859/8 Character set | | | | added v2.3

8859/9 | The printable characters from the ISO 8859/9 Character set | | | | added v2.3

ASCII | The printable 7-bit ASCII character set. | | | (This is the default if this field is omitted) | added v2.3

BIG-5 | Code for Taiwanese Character Set (BIG-5) | | | Does not need an escape sequence. BIG-5 does not need an escape sequence. ASCII is a 7 bit character set, which means that the top bit of the byte is “0”. The parser knows that when the top bit of the byte is “0”, the character set is ASCII. When it is “1”, the following bytes should be handled as 2 bytes (or more). No escape technique is needed. However, since some servers do not correctly interpret when they receive a top bit “1”, it is advised, in internet RFC, to not use these kind of non-safe non-escape extension. | added v2.5

CNS 11643-1992 | Code for Taiwanese Character Set (CNS 11643-1992) | | | Does not need an escape sequence. | added v2.5

GB 18030-2000 | Code for Chinese Character Set (GB 18030-2000) | | | Does not need an escape sequence. | added v2.5

ISO IR14 | Code for Information Exchange (one byte)(JIS X 0201-1976). | | | Note that the code contains a space, i.e., "ISO IR14". | added v2.3.1

ISO IR159 | Code of the supplementary Japanese Graphic Character set for information interchange (JIS X 0212-1990). | | | Note that the code contains a space, i.e., "ISO IR159". | added v2.3.1

ISO IR6 | ASCII graphic character set consisting of 94 characters. | | | http://www.itscj.ipsj.or.jp/ISO-IR/006.pdf | added v2.7

ISO IR87 | Code for the Japanese Graphic Character set for information interchange (JIS X 0208-1990), | | | Note that the code contains a space, i.e., “ISO IR87”. The JIS X 0208 needs an escape sequence. In Japan, the escape technique is ISO 2022. From basic ASCII, escape sequence “escape” $ B (in HEX, 1B 24 42) lets the parser know that following bytes should be handled 2-byte wise. Back to ASCII is 1B 28 42. | added v2.3.1

JAS2020 | A subset of ISO2020 used for most Kanjii transmissions | | Deprecated | | added v2.3, removed after v2.3

JIS X 0202 | ISO 2022 with escape sequences for Kanjii | | Deprecated | | added v2.3, removed after v2.3

KS X 1001 | Code for Korean Character Set (KS X 1001) | | | | added v2.5

UNICODE | The world wide character standard from ISO/IEC 10646-1-1993 | | | Deprecated. Retained for backward compatibility only as v 2.5. Replaced by specific Unicode encoding codes. | added v2.3

UNICODE UTF-16 | UCS Transformation Format, 16-bit form | | Deprecated | UTF-16 is identical to ISO/IEC 10646 UCS-2. Note that the code contains a space before UTF but not before and after the hyphen. | added v2.5, removed after v2.7.1

UNICODE UTF-32 | UCS Transformation Format, 32-bit form | | Deprecated | UTF-32 is defined by Unicode Technical Report #19, and is an officially recognized encoding as of Unicode Version 3.1. UTF-32 is a proper subset of ISO/IEC 10646 UCS-4. Note that the code contains a space before UTF but not before and after the hyphen. | added v2.5, removed after v2.7.1

UNICODE UTF-8 | UCS Transformation Format, 8-bit form | | | UTF-8 is a variable-length encoding, each code value is represented by 1,2 or 3 bytes, depending on the code value. 7 bit ASCII is a proper subset of UTF-8. Note that the code contains a space before UTF but not before and after the hyphen. Since UTF-8 represents the full UNICODE character set, the following restriction apply to its use: 1. UTF-8 must be the default encoding of the message, UTF-8 cannot be specified as an additional character set in MSH-18 2. There are no other character sets allowed in a message where UTF-8 is the default encoding in the message. In other words, UNICODE UTF-8 can only be specified as a single value in MSH-18 3. A message encoded in UTF-8 must not use a Byte Order Mark

(BOM). | added v2.5

Eigenschappen

Code | URL | Omschrijving | Type

status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code

deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0211 definieert de volgende codes:

Code | Display | Definition | Verouderd | Commentaar | Versie

8859/1 | De leesbare tekens uit de ISO 8859/1 tekenset | | | | added v2.3

8859/15 | De leesbare tekens uit de ISO 8859/15 tekenset (Latin-15) | | | | added v2.6

8859/2 | De leesbare tekens uit de ISO 8859/2 tekenset | | | | added v2.3

8859/3 | De leesbare tekens uit de ISO 8859/3 tekenset | | | | added v2.3

8859/4 | De leesbare tekens uit de ISO 8859/4 tekenset | | | | added v2.3

8859/5 | De leesbare tekens uit de ISO 8859/5 tekenset | | | | added v2.3

8859/6 | De leesbare tekens uit de ISO 8859/6 tekenset | | | | added v2.3

8859/7 | De leesbare tekens uit de ISO 8859/7 tekenset | | | | added v2.3

8859/8 | De leesbare tekens uit de ISO 8859/8 tekenset | | | | added v2.3

8859/9 | De leesbare tekens uit de ISO 8859/9 tekenset | | | | added v2.3

ASCII | De leesbare 7-bit ASCII tekenset. | | | Dit is de standaardwaarde als het veld wordt leeggelaten. | added v2.3

BIG-5 | Code voor Taiwanese tekenset (BIG-5) | | | Heeft geen escape-sequentie nodig. BIG-5 heeft geen escape-sequentie nodig. ASCII is een 7-bit tekenset wat betekent dat het top bit van de byte "0" is. De parser weet dat wanneer de top bit van de byte "0" is, de tekenset ASCII is. Als het "1" is, moeten de volgende bytes in paren van 2 bytes (of meer) worden verwerkt. Er is geen escape techniek vereist. Echter, omdat sommige servers niet goed verwerken bij een top bit van "1", wordt geadviseerd in de internet RFC, om dit type onveilige extensie, zonder escaping, niet te gebruiken. | added v2.5

CNS 11643-1992 | Code voor Taiwanese tekenset (CNS 11643-1992) | | | Heeft geen escape-sequentie nodig. | added v2.5

GB 18030-2000 | Code voor Chinese tekenset (GB 18030-2000) | | | Heeft geen escape-sequentie nodig. | added v2.5

ISO IR14 | Code voor informatieuitwisseling (één byte)(JIS X 0201-1976). | | | Merk op dat de code een spatie bevat, dus "ISO IR14". | added v2.3.1

ISO IR159 | Code voor het aanvullende Japanse ideogramschrift voor informatieuitwisseling (JIS X 0212-1990). | | | Merk op dat de code een spatie bevat, dus "ISO IR159". | added v2.3.1

ISO IR6 | ASCII ideogramtekenset bestaande uit 94 tekens. | | | http://www.itscj.ipsj.or.jp/ISO-IR/006.pdf | added v2.7

ISO IR87 | Code voor de Japanse ideogramschrift voor informatieuitwisseling (JIS X 0208-1990). | | | Merk op dat de code een spatie bevat, dus "ISO IR87". De JIS X 0208 heeft een escape-sequentie nodig. In Japan is de escape-techniek ISO 2020. Vanuit basiaal ASCII laat escape-sequentie "escape" $ B (in HEX, 1B 24 42) de parser weten dat de volgende bytes in paren van 2 bytes moeten worden verwerkt. Terug in ASCII is dat dan 1B 28 42. | added v2.3.1

JAS2020 | Een subset van ISO 2020 meestal gebruikt voor Kanjii verzendingen | | Verouderd | | added v2.3, removed after v2.3

JIS X 0202 | ISO 2022 met escape-sequenties voor Kanjii | | Verouderd | | added v2.3, removed after v2.3

KS X 1001 | Code voor Koreaanse tekenset (KS X 1001) | | | | added v2.5

UNICODE | De wereldwijde tekensetstandaard van ISO/IEC 10646-1-1993 | | | Vervallen. Behouden voor backward compatibility sinds v2.5. Vervangen door specifieke codes voor Unicode tekstcodering. | added v2.3

UNICODE UTF-16 | UCS Transformatieformaat, 16-bits vorm | | Verouderd | UTF-16 is identiek aan ISO/IEC 10646 UCS-2. Merk op dat de code een spatie bevat voor UTF maar niet voor en na het koppelteken. | added v2.5, removed after v2.7.1

UNICODE UTF-32 | UCS Transformatieformaat, 32-bits vorm | | Verouderd | UTF-32 wordt gedefinieerd door Unicode Technical Report #19 en is een officieel erkende codering sinds Unicode versie 3.1. UTF-32 is een geldige subset van ISO/IEC 10646 UCS-4. Merk op dat de code een spatie bevat voor UTF maar niet voor en na het koppelteken. | added v2.5, removed after v2.7.1

UNICODE UTF-8 | UCS Transformatieformaat, 8-bits vorm | | | UTF-8 is een tekstcodering met variabele lengte, waarbij iedere codewaarde wordt gerepresenteerd door 1, 2, of 3 bytes, afhankelijk van de codewaarde. 7-bits ASCII is een geldige subset van UTF-8. Merk op dat de code een spatie bevat voor UTF maar niet voor en na het koppelteken. Aangezien UTF-8 de volledige UNICODE tekenset vertegenwoordigt, zijn de volgende restricties van toepassing op gebruik:<p/>1. UTF-8 moet de standaardcodering zijn van het bericht, UTF-8 kan niet worden gespecificeerd als extra tekenset in MSH-18<p/>2. Er zijn geen andere tekensets toegestaan in een bericht waarin UTF-8 is standaard tekstcodering is.<p/>Met andere woorden, UNICODE UTF-8 kan niet met andere waarden voorkomen in MSH-18<p/>3. Een bericht in UTF-8 mag geen Byte Order Mark (BOM) bevatten. | added v2.5

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.211.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 21 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0211 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0211

Code | Display | Definition

8859/1 | The printable characters from the ISO 8859/1 Character set

8859/15 | The printable characters from the ISO 8859/15 (Latin-15)

8859/2 | The printable characters from the ISO 8859/2 Character set

8859/3 | The printable characters from the ISO 8859/3 Character set

8859/4 | The printable characters from the ISO 8859/4 Character set

8859/5 | The printable characters from the ISO 8859/5 Character set

8859/6 | The printable characters from the ISO 8859/6 Character set

8859/7 | The printable characters from the ISO 8859/7 Character set
8859/8 | The printable characters from the ISO 8859/8 Character set
8859/9 | The printable characters from the ISO 8859/9 Character set
ASCII | The printable 7-bit ASCII character set.
BIG-5 | Code for Taiwanese Character Set (BIG-5)
CNS 11643-1992 | Code for Taiwanese Character Set (CNS 11643-1992)
GB 18030-2000 | Code for Chinese Character Set (GB 18030-2000)
ISO IR14 | Code for Information Exchange (one byte)(JIS X 0201-1976).
ISO IR159 | Code of the supplementary Japanese Graphic Character set for information interchange (JIS X 0212-1990).
ISO IR6 | ASCII graphic character set consisting of 94 characters.
ISO IR87 | Code for the Japanese Graphic Character set for information interchange (JIS X 0208-1990),
KS X 1001 | Code for Korean Character Set (KS X 1001)
UNICODE | The world wide character standard from ISO/IEC 10646-1-1993
UNICODE UTF-8 | UCS Transformation Format, 8-bit form

Additional Language Displays

Code | Nederlands (Dutch, nl)
8859/1 | De leesbare tekens uit de ISO 8859/1 tekenset
8859/15 | De leesbare tekens uit de ISO 8859/15 tekenset (Latin-15)
8859/2 | De leesbare tekens uit de ISO 8859/2 tekenset
8859/3 | De leesbare tekens uit de ISO 8859/3 tekenset
8859/4 | De leesbare tekens uit de ISO 8859/4 tekenset
8859/5 | De leesbare tekens uit de ISO 8859/5 tekenset
8859/6 | De leesbare tekens uit de ISO 8859/6 tekenset
8859/7 | De leesbare tekens uit de ISO 8859/7 tekenset
8859/8 | De leesbare tekens uit de ISO 8859/8 tekenset
8859/9 | De leesbare tekens uit de ISO 8859/9 tekenset
ASCII | De leesbare 7-bit ASCII tekenset.
BIG-5 | Code voor Taiwanese tekenset (BIG-5)
CNS 11643-1992 | Code voor Taiwanese tekenset (CNS 11643-1992)
GB 18030-2000 | Code voor Chinese tekenset (GB 18030-2000)
ISO IR14 | Code voor informatieuitwisseling (één byte)(JIS X 0201-1976).
ISO IR159 | Code voor het aanvullende Japanse ideogramschrift voor informatieuitwisseling (JIS X 0212-1990).
ISO IR6 | ASCII ideogramtekenset bestaande uit 94 tekens.
ISO IR87 | Code voor de Japanse ideogramschrift voor informatieuitwisseling (JIS X 0208-1990).
KS X 1001 | Code voor Koreaanse tekenset (KS X 1001)
UNICODE | De wereldwijde tekensetstandaard van ISO/IEC 10646-1-1993
UNICODE UTF-8 | UCS Transformatieformaat, 8-bits vorm

4.3.15.213 HL7 Version 2 Table 0213

URL: https://hl7.org/fhir/R4/v2/0213/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0213
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0213
Version: | 2.9
Name: | v2.0213
Title: | v2 Purge Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0213 (Purge Status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.213.1 Code System Content

- All Languages
- English
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0213 defines the following codes:

Code | Display | Definition | Version
D | en: The visit is marked for deletion and the user cannot enter new data against it. nl: Het bezoek is gemarkeerd voor verwijdering en de gebruiker kan geen nieuwe gegevens bij het bezoek invoeren | | added v2.3
I | en: The visit is marked inactive and the user cannot enter new data against it. nl: Het bezoek is gemarkeerd als inactief en de gebruiker kan geen nieuwe gegevens bij het bezoek invoeren | | added v2.3

P | en: Marked for purge. User is no longer able to update the visit. nl: Gemarkeerd voor opruiming. Gebruiker kan het bezoek niet langer bijwerken. | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0213 defines the following codes:

Code | Display | Definition | Version
D | The visit is marked for deletion and the user cannot enter new data against it. | | added v2.3
I | The visit is marked inactive and the user cannot enter new data against it. | | added v2.3
P | Marked for purge. User is no longer able to update the visit. | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0213 definieert de volgende codes:

Code | Display | Definition | Versie
D | Het bezoek is gemarkeerd voor verwijdering en de gebruiker kan geen nieuwe gegevens bij het bezoek invoeren | | added v2.3
I | Het bezoek is gemarkeerd als inactief en de gebruiker kan geen nieuwe gegevens bij het bezoek invoeren | | added v2.3
P | Gemarkeerd voor opruiming. Gebruiker kan het bezoek niet langer bijwerken. | | added v2.3

4.3.15.214 HL7 Version 2 Table 0214

URL: https://hl7.org/fhir/R4/v2/0214/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0214
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0214
Version: | 2.9
Name: | v2.0214
Title: | v2 Special Program Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0214 (Special Program Code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.214.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0214 defines the following codes:

Code | Display | Definition | Version
CH | en: Child Health Assistance nl: Jeugdgezondheid assistentie | | added v2.5
ES | en: Elective Surgery Program nl: Electief chirurgisch programma | | added v2.5
FP | en: Family Planning nl: Gezinsplanning | | added v2.5
O | en: Other nl: Anders | | added v2.5
U | en: Unknown nl: Onbekend | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0214 defines the following codes:

Code | Display | Definition | Version
CH | Child Health Assistance | | added v2.5
ES | Elective Surgery Program | | added v2.5
FP | Family Planning | | added v2.5
O | Other | | added v2.5
U | Unknown | | added v2.5

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0214 definieert de volgende codes:

Code | Display | Definition | Versie
CH | Jeugdgezondheid assistentie | | added v2.5
ES | Electief chirurgisch programma | | added v2.5
FP | Gezinsplanning | | added v2.5
O | Anders | | added v2.5
U | Onbekend | | added v2.5

4.3.15.215 HL7 Version 2 Table 0215

URL: https://hl7.org/fhir/R4/v2/0215/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0215
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0215
Version: | 2.9
Name: | v2.0215
Title: | v2 Publicity Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0215 (Publicity Code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.215.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0215 defines the following codes:

Code | Display | Definition | Version
F | en: Family only nl: Alleen familie | | added v2.5
N | en: No Publicity nl: Geen publiciteit | | added v2.5
O | en: Other nl: Anders | | added v2.5
U | en: Unknown nl: Onbekend | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0215 defines the following codes:

Code | Display | Definition | Version
F | Family only | | added v2.5
N | No Publicity | | added v2.5
O | Other | | added v2.5
U | Unknown | | added v2.5

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0215 definieert de volgende codes:

Code | Display | Definition | Versie
F | Alleen familie | | added v2.5
N | Geen publiciteit | | added v2.5
O | Anders | | added v2.5
U | Onbekend | | added v2.5

4.3.15.216 HL7 Version 2 Table 0216

URL: https://hl7.org/fhir/R4/v2/0216/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0216
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0216
Version: | 2.9
Name: | v2.0216
Title: | v2 Patient Status Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0216 (Patient Status Code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.216.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0216 defines the following codes:

Code | Display | Definition | Version
AI | en: Active Inpatient nl: Actieve patiënt | | added v2.5
DI | en: Discharged Inpatient nl: Ontslagen patiënt | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0216 defines the following codes:

Code	Display	Definition	Version
AI	Active Inpatient		added v2.5
DI	Discharged Inpatient		added v2.5

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0216 definieert de volgende codes:

Code	Display	Definition	Versie
AI	Actieve patiënt		added v2.5
DI	Ontslagen patiënt		added v2.5

4.3.15.217 HL7 Version 2 Table 0217

URL: https://hl7.org/fhir/R4/v2/0217/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL:	http://terminology.hl7.org/CodeSystem/v2-0217
Value Set URL:	http://terminology.hl7.org/ValueSet/v2-0217
Version:	2.9
Name:	v2.0217
Title:	v2 Visit priority code
Definition:	FHIR Value set/code system definition for HL7 v2 table 0217 (Visit priority code)
OID:	??
CodeSystem Resource	XML / JSON
ValueSet Resource	XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.217.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0217 defines the following codes:

Code	Display	Definition	Version
1	en: Emergency nl: Spoed		added v2.4
2	Urgent		added v2.4
3	en: Elective nl: Zelf gekozen		added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0217 defines the following codes:

Code	Display	Definition	Version
1	Emergency		added v2.4
2	Urgent		added v2.4
3	Elective		added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0217 definieert de volgende codes:

Code	Display	Definition	Versie
1	Spoed		added v2.4
2	Urgent		added v2.4
3	Zelf gekozen		added v2.4

4.3.15.220 HL7 Version 2 Table 0220

URL: https://hl7.org/fhir/R4/v2/0220/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL:	http://terminology.hl7.org/CodeSystem/v2-0220
Value Set URL:	http://terminology.hl7.org/ValueSet/v2-0220
Version:	2.9
Name:	v2.0220
Title:	v2 Living Arrangements
Definition:	FHIR Value set/code system definition for HL7 v2 table 0220 (Living Arrangements)
OID:	??
CodeSystem Resource	XML / JSON
ValueSet Resource	XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.220.1 Code System Content

• All Languages

• English

• Deutsch (German)

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0220 defines the following codes:

Code | Display | Definition | Version
A | en: Alone de: Seul nl: Zelfstandig | | added v2.3
F | en: Family nl: Familie | | added v2.3
I | en: Institution nl: Instituut | | added v2.3
R | en: Relative nl: Familielid | | added v2.3
S | en: Spouse Only nl: Alleen echtgenoot | | added v2.3
U | en: Unknown nl: Onbekend | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0220 defines the following codes:

Code | Display | Definition | Version
A | Alone | | added v2.3
F | Family | | added v2.3
I | Institution | | added v2.3
R | Relative | | added v2.3
S | Spouse Only | | added v2.3
U | Unknown | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0220 defines the following codes:

Code | Display | Definition | Version
A | Seul | | added v2.3
F | | | added v2.3
I | | | added v2.3
R | | | added v2.3
S | | | added v2.3
U | | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0220 definieert de volgende codes:

Code | Display | Definition | Versie
A | Zelfstandig | | added v2.3
F | Familie | | added v2.3
I | Instituut | | added v2.3
R | Familielid | | added v2.3
S | Alleen echtgenoot | | added v2.3
U | Onbekend | | added v2.3

4.3.15.223 HL7 Version 2 Table 0223

URL: https://hl7.org/fhir/R4/v2/0223/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0223
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0223
Version: | 2.9
Name: | v2.0223
Title: | v2 Living Dependency
Definition: | FHIR Value set/code system definition for HL7 v2 table 0223 (Living Dependency)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.223.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0223 defines the following codes:

Code | Display | Definition | Deprecated | Version
C | en: Small Children Dependent nl: Afhankelijke kleine kinderen | | | added v2.4
CB | en: Common Bath nl: Gedeeld bad | | Deprecated | added v2.3, removed after v2.4
D | en: Spouse dependent nl: Echtgenoot afhankelijk | | Deprecated | added v2.3, removed after v2.4
M | en: Medical Supervision Required nl: Medisch toezicht vereist | | | added v2.3
O | en: Other nl: Anders | | | added v2.4
S | en: Spouse Dependent nl: Echtgenoot afhankelijk | | | added v2.3
U | en: Unknown nl: Onbekend | | | added v2.4
WU | en: Walk up nl: Loopt naar boven | | Deprecated | added v2.3, removed after v2.4

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0223 defines the following codes:

Code | Display | Definition | Deprecated | Version
C | Small Children Dependent | | | added v2.4
CB | Common Bath | | Deprecated | added v2.3, removed after v2.4
D | Spouse dependent | | Deprecated | added v2.3, removed after v2.4
M | Medical Supervision Required | | | added v2.3
O | Other | | | added v2.4
S | Spouse Dependent | | | added v2.3
U | Unknown | | | added v2.4
WU | Walk up | | Deprecated | added v2.3, removed after v2.4

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0223 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
C | Afhankelijke kleine kinderen | | | added v2.4
CB | Gedeeld bad | | Verouderd | added v2.3, removed after v2.4
D | Echtgenoot afhankelijk | | Verouderd | added v2.3, removed after v2.4
M | Medisch toezicht vereist | | | added v2.3
O | Anders | | | added v2.4
S | Echtgenoot afhankelijk | | | added v2.3
U | Onbekend | | | added v2.4
WU | Loopt naar boven | | Verouderd | added v2.3, removed after v2.4

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.223.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0223 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0223

Code | Display | Definition
C | Small Children Dependent
M | Medical Supervision Required
O | Other
S | Spouse Dependent
U | Unknown

Additional Language Displays

Code | Nederlands (Dutch, nl)

C | Afhankelijke kleine kinderen
M | Medisch toezicht vereist
O | Anders
S | Echtgenoot afhankelijk
U | Onbekend

4.3.15.224 HL7 Version 2 Table 0224

URL: https://hl7.org/fhir/R4/v2/0224/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0224
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0224
Version: | 2.9
Name: | v2.0224
Title: | v2 Transport Arranged
Definition: | FHIR Value set/code system definition for HL7 v2 table 0224 (Transport Arranged)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.224.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0224 defines the following codes:

Code | Display | Definition | Version
A | en: Arranged nl: Geregeld | | added v2.3
N | en: Not Arranged nl: Niet geregeld | | added v2.3
U | en: Unknown nl: Onbekend | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0224 defines the following codes:

Code | Display | Definition | Version
A | Arranged | | added v2.3
N | Not Arranged | | added v2.3
U | Unknown | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0224 definieert de volgende codes:

Code | Display | Definition | Versie
A | Geregeld | | added v2.3
N | Niet geregeld | | added v2.3
U | Onbekend | | added v2.3

4.3.15.225 HL7 Version 2 Table 0225

URL: https://hl7.org/fhir/R4/v2/0225/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0225
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0225
Version: | 2.9
Name: | v2.0225
Title: | v2 Escort Required
Definition: | FHIR Value set/code system definition for HL7 v2 table 0225 (Escort Required)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.225.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0225 defines the following codes:

Code | Display | Definition | Version
N | en: Not Required nl: Niet vereist | | added v2.3
R | en: Required nl: Vereist | | added v2.3
U | en: Unknown nl: Onbekend | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0225 defines the following codes:

Code | Display | Definition | Version
N | Not Required | | added v2.3
R | Required | | added v2.3
U | Unknown | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0225 definieert de volgende codes:

Code | Display | Definition | Versie
N | Niet vereist | | added v2.3
R | Vereist | | added v2.3
U | Onbekend | | added v2.3

4.3.15.227 HL7 Version 2 Table 0227

URL: https://hl7.org/fhir/R4/v2/0227/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0227
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0227
Version: | 2.9
Name: | v2.0227
Title: | v2 Manufacturers of Vaccines
Definition: | FHIR Value set/code system definition for HL7 v2 table 0227 (Manufacturers of Vaccines)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.227.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0227 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
AB | Abbott Laboratories | | Deprecated | en: (includes Ross Products Division) nl: (inclusief Ross Products Division) | added v2.3, removed after v2.8.2
AD | Adams Laboratories, Inc. | | Deprecated | | added v2.3, removed after v2.8.2
ALP | Alpha Therapeutic Corporation | | Deprecated | | added v2.3, removed after v2.8.2
AR | Armour | | Deprecated | en: [Inactive--use AVB] nl: [Inactief - gebruik AVB] | added v2.3, removed after v2.8.2
AVB | Aventis Behring L.L.C. | | Deprecated | en: (formerly Centeon L.L.C.; includes Armour Pharmaceutical Company) [Inactive--use ZLB] CDC Changes made on: Feb. 28, 2006 nl: (Voormalig Centeon L.L.C.; inclusief Armour Pharmaceutical Company) [Inactief - gebruik ZLB] CDC wijzigingen op: 28 feb 2006 | added v2.5, removed after v2.8.2
AVI | Aviron | | Deprecated | | added v2.3.1, removed after v2.8.2
BA | Baxter Healthcare Corporation | | Deprecated | en: [Inactive--use BAH] nl: [Inactief - gebruik BAH] | added v2.3, removed after v2.8.2
BAH | Baxter Healthcare Corporation | | Deprecated | en: (includes Hyland Immuno, Immuno International AG, and North American Vaccine, Inc.) nl: (inclusief Hyland Immuno, Immuno International AG, en North American Vaccine, Inc.) | added v2.5, removed

after v2.8.2

BAY | Bayer Corporation | | Deprecated | en: (includes Miles, Inc. and Cutter Laboratories) nl: (inclusief Miles, Inc. en Cutter Laboratories) | added v2.3, removed after v2.8.2

BP | Berna Products | | Deprecated | en: [Inactive--use BPC] nl: [Inactief - gebruik BPC] | added v2.3, removed after v2.8.2

BPC | Berna Products Corporation | | Deprecated | en: (includes Swiss Serum and Vaccine Institute Berne) nl: (inclusief Swiss Serum en Vaccin Institute Berne) | added v2.3.1, removed after v2.8.2

CEN | Centeon L.L.C. | | Deprecated | en: [Inactive--use AVB] nl: [Inactief - gebruik AVB] | added v2.3.1, removed after v2.8.2

CHI | Chiron Corporation | | Deprecated | en: [Inactive--use NOV] includes PowderJect Pharmaceuticals, Celltech Medeva Vaccines and Evans Medical Limited CDC Changes made on: July 14, 2006 nl: [Inactief - gebruik NOV] inclusief PowderJect Pharmaceuticals, Celltech Medeva Vaccines en Evans Medical Limited. CDC wijzigingen op: 14 jul 2006 | added v2.3.1, removed after v2.8.2

CMP | Celltech Medeva Pharmaceuticals | | Deprecated | en: [Inactive--use NOV] CDC Changes made on: July 14, 2006 nl: [Inactief - gebruik NOV] CDC wijzigingen op: 14 jul 2006 | added v2.5, removed after v2.8.2

CNJ | Cangene Corporation | | Deprecated | en: CDC Changes made on: Feb. 28, 2006 nl: CDC wijzigingen op: 28 feb 2006 | added v2.6, removed after v2.8.2

CON | Connaught | | Deprecated | en: [Inactive--use PMC] nl: [Inactief - gebruik PMC] | added v2.3, removed after v2.8.2

DVC | DynPort Vaccine Company, LLC | | Deprecated | en: CDC Changes made on: July 14, 2006 nl: CDC wijzigingen op: 14 jul 2006 | added v2.6, removed after v2.8.2

EVN | Evans Medical Limited | | Deprecated | en: [Inactive--use NOV] CDC Changes made on: July 14, 2006 nl: [Inactief - gebruik NOV] CDC wijzigingen op: 14 jul 2006 | added v2.3, removed after v2.8.2

GEO | GeoVax Labs, Inc. | | Deprecated | en: CDC Changes made on: July 14, 2006 nl: CDC wijzigingen op: 14 jul 2006 | added v2.6, removed after v2.8.2

GRE | Greer Laboratories, Inc. | | Deprecated | | added v2.3, removed after v2.8.2

IAG | Immuno International AG | | Deprecated | en: [Inactive--use BAH] nl: BAH | added v2.3.1, removed after v2.8.2

IM | Merieux | | Deprecated | en: [Inactive--use PMC] nl: [Inactief - gebruik PMC] | added v2.3, removed after v2.8.2

IUS | Immuno-U.S., Inc. | | Deprecated | | added v2.3, removed after v2.8.2

JPN | The Research Foundation for Microbial Diseases of Osaka University | | Deprecated | (BIKEN) | added v2.3, removed after v2.8.2

KGC | Korea Green Cross Corporation | | Deprecated | | added v2.3, removed after v2.8.2

LED | Lederle | | Deprecated | en: [Inactive--use WAL] nl: [Inactief - gebruik WAL] | added v2.3, removed after v2.8.2

MA | Massachusetts Public Health Biologic Laboratories | | Deprecated | en: [Inactive--use MBL] nl: [Inactief - gebruik MBL] | added v2.3, removed after v2.8.2

MBL | Massachusetts Biologic Laboratories | | Deprecated | en: (formerly Massachusetts Public Health Biologic Laboratories) nl: (voormalig Massachusetts Public Health Biologic Laboratories) | added v2.5, removed after v2.8.2

MED | MedImmune, Inc. | | Deprecated | | added v2.3.1, removed after v2.8.2

MIL | Miles | | Deprecated | en: [Inactive--use BAY] nl: [Inactief - gebruik BAY] | added v2.3, removed after v2.8.2

MIP | Bioport Corporation | | Deprecated | en: (formerly Michigan Biologic Products Institute) nl: (voormalig Michigan Biologic Products Institute) | added v2.3, removed after v2.8.2

MSD | Merck & Co., Inc. | | Deprecated | | added v2.3, removed after v2.8.2

NAB | NABI | | Deprecated | en: (formerly North American Biologicals, Inc.) nl: (voormalig North American Biologicals, Inc.) | added v2.3, removed after v2.8.2

NAV | North American Vaccine, Inc. | | Deprecated | en: [Inactive--use BAH] nl: [Inactief - gebruik BAH] | added v2.3.1, removed after v2.8.2

NOV | Novartis Pharmaceutical Corporation | | Deprecated | en: (includes Chiron, PowderJect Pharmaceuticals, Celltech Medeva Vaccines and Evans Limited, Ciba-Geigy Limited and Sandoz Limited) nl: (inclusief Chiron, PowderJect Pharmaceuticals, Celltech Medeva Vaccines en Evans Limited, Ciba-Geigy Limited en Sandoz Limited) | added v2.3.1, removed after v2.8.2

NVX | Novavax, Inc. | | Deprecated | en: CDC Changes made on: July 14, 2006 nl: CDC wijzigingen op: 14 jul 2006 | added v2.6, removed after v2.8.2

NYB | New York Blood Center | | Deprecated | | added v2.3, removed after v2.8.2

ORT | Ortho-Clinical Diagnostics | | Deprecated | en: (formerly Ortho Diagnostic Systems, Inc.) nl: (voormalig Ortho Diagnostic Systems, Inc.) | added v2.3.1, removed after v2.8.2

OTC | Organon Teknika Corporation | | Deprecated | | added v2.3, removed after v2.8.2

OTH | en: Other manufacturer nl: Andere fabrikant | | Deprecated | | added v2.3, removed after v2.8.2

PD | Parkedale Pharmaceuticals | | Deprecated | en: (formerly Parke-Davis) nl: (voormalig Parke-Davis) | added v2.3, removed after v2.8.2

PMC | sanofi pasteur | | Deprecated | en: (formerly Aventis Pasteur, Pasteur Merieux Connaught; includes Connaught Laboratories and Pasteur Merieux) CDC Changes made on: Feb. 28, 2006 nl: (voormalig Aventis Pasteur, Pasteur Merieux Connaught; inclusief Connaught Laboratories en Pasteur Merieux) CDC wijzigingen op: 28 feb 2006 | added v2.3.1, removed after v2.8.2

PRX | Praxis Biologics | | Deprecated | en: [Inactive--use WAL] nl: [Inactief - gebruik WAL] | added v2.3, removed after v2.8.2

PWJ | PowderJect Pharmaceuticals | | Deprecated | en: (includes Celltech Medeva Vaccines and Evans Medical Limited) [Inactive--use NOV] CDC Changes made on: July 14, 2006 nl: (inclusief Celltech Medeva Vaccines en Evans Medical Limited) [Inactief - gebruik NOV] CDC wijzigingen op: 14 juli 2006 | added v2.5, removed after v2.8.2

SCL | Sclavo, Inc. | | Deprecated | | added v2.3, removed after v2.8.2

SI | Swiss Serum and Vaccine Inst. | | Deprecated | en: [Inactive--use BPC] nl: [Inactief - gebruik BPC] | added v2.3, removed after v2.8.2

SKB | GlaxoSmithKline | | Deprecated | en: (formerly SmithKline Beecham; includes SmithKline Beecham and Glaxo Welcome) nl: (voormalig SmithKline Beecham; inclusief SmithKline Beecham en Glaxo Welcome) | added v2.3, removed after v2.8.2

SOL | en: Solvay Pharmaceuticals nl: Solvay, Pharmaceuticals | | Deprecated | en: CDC Changes made on: July 14, 2006 nl: CDC wijzigingen op: 14 jul 2006 | added v2.6, removed after v2.8.2

TAL | Talecris Biotherapeutics | | Deprecated | en: (includes Bayer Biologicals) CDC Changes made on: Feb. 28, 2006 nl: (inclusief Bayer Biologicals) CDC wijzigingen op: 28 feb 2006 | added v2.6, removed after v2.8.2

UNK | Unknown manufacturer | | Deprecated | | added v2.3, removed after v2.8.2

USA | United States Army Medical Research and Material Command | | Deprecated | | added v2.3.1, removed after v2.8.2

VXG | VaxGen | | Deprecated | en: CDC Changes made on: July 14, 2006 nl: CDC wijzigingen op: 14 juli 2006 | added v2.6, removed after v2.8.2

WA | Wyeth-Ayerst | | Deprecated | en: [Inactive--use WAL] nl: [Inactief - gebruik WAL] | added v2.3, removed after v2.8.2

WAL | Wyeth-Ayerst | | Deprecated | en: (includes Wyeth-Lederle Vaccines and Pediatrics, Wyeth Laboratories, Lederle Laboratories, and Praxis Biologics) nl: (inclusief Wyeth-Lederle Vaccines en Pediatrics, Wyeth Laboratories, Lederle Laboratories, en Praxis Biologics) | added v2.3.1, removed after v2.8.2

ZLB | ZLB Behring | | Deprecated | en: (includes Aventis Behring and Armour Pharmaceutical Company) CDC Changes made on: Feb. 28, 2006 nl: (inclusief Aventis Behring en Armour Pharmaceutical Company) CDC wijzigingen op: 28 feb 2006 | added v2.6, removed after v2.8.2

Properties

Code | URL | Description | Type

status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code

deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0227 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version

AB | Abbott Laboratories | | Deprecated | (includes Ross Products Division) | added v2.3, removed after v2.8.2

AD | Adams Laboratories, Inc. | | Deprecated | | added v2.3, removed after v2.8.2

ALP | Alpha Therapeutic Corporation | | Deprecated | | added v2.3, removed after v2.8.2

AR | Armour | | Deprecated | [Inactive--use AVB] | added v2.3, removed after v2.8.2

AVB | Aventis Behring L.L.C. | | Deprecated | (formerly Centeon L.L.C.; includes Armour Pharmaceutical Company) [Inactive--use ZLB] CDC Changes made on: Feb. 28, 2006 | added v2.5, removed after v2.8.2

AVI | Aviron | | Deprecated | | added v2.3.1, removed after v2.8.2

BA | Baxter Healthcare Corporation | | Deprecated | [Inactive--use BAH] | added v2.3, removed after v2.8.2

BAH | Baxter Healthcare Corporation | | Deprecated | (includes Hyland Immuno, Immuno International AG, and North American Vaccine, Inc.) | added v2.5, removed after v2.8.2

BAY | Bayer Corporation | | Deprecated | (includes Miles, Inc. and Cutter Laboratories) | added v2.3, removed after v2.8.2

BP | Berna Products | | Deprecated | [Inactive--use BPC] | added v2.3, removed after v2.8.2

BPC | Berna Products Corporation | | Deprecated | (includes Swiss Serum and Vaccine Institute Berne) | added v2.3.1, removed after v2.8.2

CEN | Centeon L.L.C. | | Deprecated | [Inactive--use AVB] | added v2.3.1, removed after v2.8.2

CHI | Chiron Corporation | | Deprecated | [Inactive--use NOV] includes PowderJect Pharmaceuticals, Celltech Medeva Vaccines and Evans Medical Limited CDC Changes made on: July 14, 2006 | added v2.3.1, removed after v2.8.2

CMP | Celltech Medeva Pharmaceuticals | | Deprecated | [Inactive--use NOV] CDC Changes made on: July 14, 2006 | added v2.5, removed after v2.8.2

CNJ | Cangene Corporation | | Deprecated | CDC Changes made on: Feb. 28, 2006 | added v2.6, removed after v2.8.2

CON | Connaught | | Deprecated | [Inactive--use PMC] | added v2.3, removed after v2.8.2

DVC | DynPort Vaccine Company, LLC | | Deprecated | CDC Changes made on: July 14, 2006 | added v2.6, removed after v2.8.2

EVN | Evans Medical Limited | | Deprecated | [Inactive--use NOV] CDC Changes made on: July 14, 2006 | added v2.3, removed after v2.8.2

GEO | GeoVax Labs, Inc. | | Deprecated | CDC Changes made on: July 14, 2006 | added v2.6, removed after v2.8.2

GRE | Greer Laboratories, Inc. | | Deprecated | | added v2.3, removed after v2.8.2

IAG | Immuno International AG | | Deprecated | [Inactive--use BAH] | added v2.3.1, removed after v2.8.2

IM | Merieux | | Deprecated | [Inactive--use PMC] | added v2.3, removed after v2.8.2

IUS | Immuno-U.S., Inc. | | Deprecated | | added v2.3, removed after v2.8.2

JPN | The Research Foundation for Microbial Diseases of Osaka University | | Deprecated | (BIKEN) | added v2.3, removed after v2.8.2

KGC | Korea Green Cross Corporation | | Deprecated | | added v2.3, removed after v2.8.2

LED | Lederle | | Deprecated | [Inactive--use WAL] | added v2.3, removed after v2.8.2

MA | Massachusetts Public Health Biologic Laboratories | | Deprecated | [Inactive--use MBL] | added v2.3, removed after v2.8.2

MBL | Massachusetts Biologic Laboratories | | Deprecated | (formerly Massachusetts Public Health Biologic Laboratories) | added v2.5, removed after v2.8.2

MED | MedImmune, Inc. | | Deprecated | | added v2.3.1, removed after v2.8.2

MIL | Miles | | Deprecated | [Inactive--use BAY] | added v2.3, removed after v2.8.2

MIP | Bioport Corporation | | Deprecated | (formerly Michigan Biologic Products Institute) | added v2.3, removed after v2.8.2

MSD | Merck & Co., Inc. | | Deprecated | | added v2.3, removed after v2.8.2

NAB | NABI | | Deprecated | (formerly North American Biologicals, Inc.) | added v2.3, removed after v2.8.2

NAV | North American Vaccine, Inc. | | Deprecated | [Inactive--use BAH] | added v2.3.1, removed after v2.8.2

NOV | Novartis Pharmaceutical Corporation | | Deprecated | (includes Chiron, PowderJect Pharmaceuticals, Celltech Medeva Vaccines and Evans Limited, Ciba-Geigy Limited and Sandoz Limited) | added v2.3.1, removed after v2.8.2

NVX | Novavax, Inc. | | Deprecated | CDC Changes made on: July 14, 2006 | added v2.6, removed after v2.8.2

NYB | New York Blood Center | | Deprecated | | added v2.3, removed after v2.8.2

ORT | Ortho-Clinical Diagnostics | | Deprecated | (formerly Ortho Diagnostic Systems, Inc.) | added v2.3.1, removed after v2.8.2

OTC | Organon Teknika Corporation | | Deprecated | | added v2.3, removed after v2.8.2

OTH | Other manufacturer | | Deprecated | | added v2.3, removed after v2.8.2

PD | Parkedale Pharmaceuticals | | Deprecated | (formerly Parke-Davis) | added v2.3, removed after v2.8.2

PMC | sanofi pasteur | | Deprecated | (formerly Aventis Pasteur, Pasteur Merieux Connaught; includes Connaught Laboratories and Pasteur Merieux) CDC Changes made on: Feb. 28, 2006 | added v2.3.1, removed after v2.8.2

PRX | Praxis Biologics | | Deprecated | [Inactive--use WAL] | added v2.3, removed after v2.8.2

PWJ | PowderJect Pharmaceuticals | | Deprecated | (includes Celltech Medeva Vaccines and Evans Medical Limited) [Inactive--use NOV] CDC Changes made on: July 14, 2006 | added v2.5, removed after v2.8.2

SCL | Sclavo, Inc. | | Deprecated | | added v2.3, removed after v2.8.2

SI | Swiss Serum and Vaccine Inst. | | Deprecated | [Inactive--use BPC] | added v2.3, removed after v2.8.2

SKB | GlaxoSmithKline | | Deprecated | (formerly SmithKline Beecham; includes SmithKline Beecham and Glaxo Welcome) | added v2.3, removed after v2.8.2

SOL | Solvay Pharmaceuticals | | Deprecated | CDC Changes made on: July 14, 2006 | added v2.6, removed after v2.8.2
TAL | Talecris Biotherapeutics | | Deprecated | (includes Bayer Biologicals) CDC Changes made on: Feb. 28, 2006 | added v2.6, removed after v2.8.2
UNK | Unknown manufacturer | | Deprecated | | added v2.3, removed after v2.8.2
USA | United States Army Medical Research and Material Command | | Deprecated | | added v2.3.1, removed after v2.8.2
VXG | VaxGen | | Deprecated | CDC Changes made on: July 14, 2006 | added v2.6, removed after v2.8.2
WA | Wyeth-Ayerst | | Deprecated | [Inactive--use WAL] | added v2.3, removed after v2.8.2
WAL | Wyeth-Ayerst | | Deprecated | (includes Wyeth-Lederle Vaccines and Pediatrics, Wyeth Laboratories, Lederle Laboratories, and Praxis Biologics) | added v2.3.1, removed after v2.8.2
ZLB | ZLB Behring | | Deprecated | (includes Aventis Behring and Armour Pharmaceutical Company) CDC Changes made on: Feb. 28, 2006 | added v2.6, removed after v2.8.2

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0227 definieert de volgende codes:

Code | Display | Definition | Verouderd | Commentaar | Versie
AB | Abbott Laboratories | | Verouderd | (inclusief Ross Products Division) | added v2.3, removed after v2.8.2
AD | Adams Laboratories, Inc. | | Verouderd | | added v2.3, removed after v2.8.2
ALP | Alpha Therapeutic Corporation | | Verouderd | | added v2.3, removed after v2.8.2
AR | Armour | | Verouderd | [Inactief - gebruik AVB] | added v2.3, removed after v2.8.2
AVB | Aventis Behring L.L.C. | | Verouderd | (Voormalig Centeon L.L.C.; inclusief Armour Pharmaceutical Company) [Inactief - gebruik ZLB] CDC wijzigingen op: 28 feb 2006 | added v2.5, removed after v2.8.2
AVI | Aviron | | Verouderd | | added v2.3.1, removed after v2.8.2
BA | Baxter Healthcare Corporation | | Verouderd | [Inactief - gebruik BAH] | added v2.3, removed after v2.8.2
BAH | Baxter Healthcare Corporation | | Verouderd | (inclusief Hyland Immuno, Immuno International AG, en North American Vaccine, Inc.) | added v2.5, removed after v2.8.2
BAY | Bayer Corporation | | Verouderd | (inclusief Miles, Inc. en Cutter Laboratories) | added v2.3, removed after v2.8.2
BP | Berna Products | | Verouderd | [Inactief - gebruik BPC] | added v2.3, removed after v2.8.2
BPC | Berna Products Corporation | | Verouderd | (inclusief Swiss Serum en Vaccin Institute Berne) | added v2.3.1, removed after v2.8.2
CEN | Centeon L.L.C. | | Verouderd | [Inactief - gebruik AVB] | added v2.3.1, removed after v2.8.2
CHI | Chiron Corporation | | Verouderd | [Inactief - gebruik NOV] inclusief PowderJect Pharmaceuticals, Celltech Medeva Vaccines en Evans Medical Limited. CDC wijzigingen op: 14 jul 2006 | added v2.3.1, removed after v2.8.2
CMP | Celltech Medeva Pharmaceuticals | | Verouderd | [Inactief - gebruik NOV] CDC wijzigingen op: 14 jul 2006 | added v2.5, removed after v2.8.2
CNJ | Cangene Corporation | | Verouderd | CDC wijzigingen op: 28 feb 2006 | added v2.6, removed after v2.8.2
CON | Connaught | | Verouderd | [Inactief - gebruik PMC] | added v2.3, removed after v2.8.2
DVC | DynPort Vaccine Company, LLC | | Verouderd | CDC wijzigingen op: 14 jul 2006 | added v2.6, removed after v2.8.2
EVN | Evans Medical Limited | | Verouderd | [Inactief - gebruik NOV] CDC wijzigingen op: 14 jul 2006 | added v2.3, removed after v2.8.2
GEO | GeoVax Labs, Inc. | | Verouderd | CDC wijzigingen op: 14 jul 2006 | added v2.6, removed after v2.8.2
GRE | Greer Laboratories, Inc. | | Verouderd | | added v2.3, removed after v2.8.2
IAG | Immuno International AG | | Verouderd | BAH | added v2.3.1, removed after v2.8.2
IM | Merieux | | Verouderd | [Inactief - gebruik PMC] | added v2.3, removed after v2.8.2
IUS | Immuno-U.S., Inc. | | Verouderd | | added v2.3, removed after v2.8.2
JPN | The Research Foundation for Microbial Diseases of Osaka University | | Verouderd | (BIKEN) | added v2.3, removed after v2.8.2
KGC | Korea Green Cross Corporation | | Verouderd | | added v2.3, removed after v2.8.2
LED | Lederle | | Verouderd | [Inactief - gebruik WAL] | added v2.3, removed after v2.8.2
MA | Massachusetts Public Health Biologic Laboratories | | Verouderd | [Inactief - gebruik MBL] | added v2.3, removed after v2.8.2
MBL | Massachusetts Biologic Laboratories | | Verouderd | (voormalig Massachusetts Public Health Biologic Laboratories) | added v2.5, removed after v2.8.2
MED | MedImmune, Inc. | | Verouderd | | added v2.3.1, removed after v2.8.2
MIL | Miles | | Verouderd | [Inactief - gebruik BAY] | added v2.3, removed after v2.8.2
MIP | Bioport Corporation | | Verouderd | (voormalig Michigan Biologic Products Institute) | added v2.3, removed after v2.8.2
MSD | Merck & Co., Inc. | | Verouderd | | added v2.3, removed after v2.8.2
NAB | NABI | | Verouderd | (voormalig North American Biologicals, Inc.) | added v2.3, removed after v2.8.2
NAV | North American Vaccine, Inc. | | Verouderd | [Inactief - gebruik BAH] | added v2.3.1, removed after v2.8.2
NOV | Novartis Pharmaceutical Corporation | | Verouderd | (inclusief Chiron, PowderJect Pharmaceuticals, Celltech Medeva Vaccines en Evans Limited, Ciba-Geigy Limited en Sandoz Limited) | added v2.3.1, removed after v2.8.2
NVX | Novavax, Inc. | | Verouderd | CDC wijzigingen op: 14 jul 2006 | added v2.6, removed after v2.8.2
NYB | New York Blood Center | | Verouderd | | added v2.3, removed after v2.8.2
ORT | Ortho-Clinical Diagnostics | | Verouderd | (voormalig Ortho Diagnostic Systems, Inc.) | added v2.3.1, removed after v2.8.2
OTC | Organon Teknika Corporation | | Verouderd | | added v2.3, removed after v2.8.2
OTH | Andere fabrikant | | Verouderd | | added v2.3, removed after v2.8.2
PD | Parkedale Pharmaceuticals | | Verouderd | (voormalig Parke-Davis) | added v2.3, removed after v2.8.2
PMC | sanofi pasteur | | Verouderd | (voormalig Aventis Pasteur, Pasteur Merieux Connaught; inclusief Connaught Laboratories en Pasteur Merieux) CDC wijzigingen op: 28 feb 2006 | added v2.3.1, removed after v2.8.2
PRX | Praxis Biologics | | Verouderd | [Inactief - gebruik WAL] | added v2.3, removed after v2.8.2

PWJ | PowderJect Pharmaceuticals | | Verouderd | (inclusief Celltech Medeva Vaccines en Evans Medical Limited) [Inactief - gebruik NOV] CDC wijzigingen op: 14 juli 2006 | added v2.5, removed after v2.8.2
SCL | Sclavo, Inc. | | Verouderd | | added v2.3, removed after v2.8.2
SI | Swiss Serum and Vaccine Inst. | | Verouderd | [Inactief - gebruik BPC] | added v2.3, removed after v2.8.2
SKB | GlaxoSmithKline | | Verouderd | (voormalig SmithKline Beecham; inclusief SmithKline Beecham en Glaxo Welcome) | added v2.3, removed after v2.8.2
SOL | Solvay, Pharmaceuticals | | Verouderd | CDC wijzigingen op: 14 jul 2006 | added v2.6, removed after v2.8.2
TAL | Talecris Biotherapeutics | | Verouderd | (inclusief Bayer Biologicals) CDC wijzigingen op: 28 feb 2006 | added v2.6, removed after v2.8.2
UNK | Unknown manufacturer | | Verouderd | | added v2.3, removed after v2.8.2
USA | United States Army Medical Research and Material Command | | Verouderd | | added v2.3.1, removed after v2.8.2
VXG | VaxGen | | Verouderd | CDC wijzigingen op: 14 juli 2006 | added v2.6, removed after v2.8.2
WA | Wyeth-Ayerst | | Verouderd | [Inactief - gebruik WAL] | added v2.3, removed after v2.8.2
WAL | Wyeth-Ayerst | | Verouderd | (inclusief Wyeth-Lederle Vaccines en Pediatrics, Wyeth Laboratories, Lederle Laboratories, en Praxis Biologics) | added v2.3.1, removed after v2.8.2
ZLB | ZLB Behring | | Verouderd | (inclusief Aventis Behring en Armour Pharmaceutical Company) CDC wijzigingen op: 28 feb 2006 | added v2.6, removed after v2.8.2

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.227.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0227 version 2.9

Code | System | Display

4.3.15.228 HL7 Version 2 Table 0228

URL: https://hl7.org/fhir/R4/v2/0228/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0228
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0228
Version: | 2.9
Name: | v2.0228
Title: | v2 Diagnosis Classification
Definition: | FHIR Value set/code system definition for HL7 v2 table 0228 (Diagnosis Classification)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.228.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0228 defines the following codes:

Code | Display | Definition | Version
C | en: Consultation de: Behandlung nl: Consult | | added v2.3
D | en: Diagnosis de: Diagnose nl: Diagnose | | added v2.3
I | en: Invasive procedure not classified elsewhere (I.V., catheter, etc.) de: Maßnahme nl: Invasieve procedure niet anders geclassificeerd (infuus, catether, etc.) | | added v2.3
M | en: Medication (antibiotic) de: Medikation nl: Medicatie (antibioticum) | | added v2.3
O | en: Other de: andere nl: Anders | | added v2.3
R | en: Radiological scheduling (not using ICDA codes) de: Planung von radiologischen Untersuchungen nl: Radiologische planning (zonder gebruik te maken van ICDA codes) | | added v2.3
S | en: Sign and symptom de: Symptome nl: Teken en symptoom | | added v2.3
T | en: Tissue diagnosis de: Gewebebestimmung nl: Weefseldiagnose | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0228 defines the following codes:

Code | Display | Definition | Version
C | Consultation | | added v2.3

D | Diagnosis | | added v2.3
I | Invasive procedure not classified elsewhere (I.V., catheter, etc.) | | added v2.3
M | Medication (antibiotic) | | added v2.3
O | Other | | added v2.3
R | Radiological scheduling (not using ICDA codes) | | added v2.3
S | Sign and symptom | | added v2.3
T | Tissue diagnosis | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0228 defines the following codes:

Code | Display | Definition | Version
C | Behandlung | | added v2.3
D | Diagnose | | added v2.3
I | Maßnahme | | added v2.3
M | Medikation | | added v2.3
O | andere | | added v2.3
R | Planung von radiologischen Untersuchungen | | added v2.3
S | Symptome | | added v2.3
T | Gewebebestimmung | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0228 definieert de volgende codes:

Code | Display | Definition | Versie
C | Consult | | added v2.3
D | Diagnose | | added v2.3
I | Invasieve procedure niet anders geclassificeerd (infuus, catether, etc.) | | added v2.3
M | Medicatie (antibioticum) | | added v2.3
O | Anders | | added v2.3
R | Radiologische planning (zonder gebruik te maken van ICDA codes) | | added v2.3
S | Teken en symptoom | | added v2.3
T | Weefseldiagnose | | added v2.3

4.3.15.229 HL7 Version 2 Table 0229

URL: https://hl7.org/fhir/R4/v2/0229/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0229
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0229
Version: | 2.9
Name: | v2.0229
Title: | v2 Outlier Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0229 (Outlier Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.229.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0229 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | en: No suggested values defined de: keine Werte vorgeschlagen nl: geen voorgestelde waarden | | | added v2.8.2
C | en: Champus nl: Civilian Health and Medical Program of the Uniformed Services | | Deprecated | added v2.3, removed after v2.7.1
G | en: Managed Care Organization nl: Managed Care organisatie | | Deprecated | added v2.3, removed after v2.7.1
M | Medicare | | Deprecated | added v2.3, removed after v2.7.1

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0229 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | No suggested values defined | | | added v2.8.2
C | Champus | | Deprecated | added v2.3, removed after v2.7.1
G | Managed Care Organization | | Deprecated | added v2.3, removed after v2.7.1
M | Medicare | | Deprecated | added v2.3, removed after v2.7.1

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0229 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | keine Werte vorgeschlagen | | | added v2.8.2
C | | | Deprecated | added v2.3, removed after v2.7.1
G | | | Deprecated | added v2.3, removed after v2.7.1
M | | | Deprecated | added v2.3, removed after v2.7.1

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0229 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
... | geen voorgestelde waarden | | | added v2.8.2
C | Civilian Health and Medical Program of the Uniformed Services | | Verouderd | added v2.3, removed after v2.7.1
G | Managed Care organisatie | | Verouderd | added v2.3, removed after v2.7.1
M | Medicare | | Verouderd | added v2.3, removed after v2.7.1

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.229.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 1 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0229 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0229

Code | Display | Definition
... | No suggested values defined

Additional Language Displays

Code | Deutsch (German, de) | Nederlands (Dutch, nl)
... | keine Werte vorgeschlagen | geen voorgestelde waarden

4.3.15.230 HL7 Version 2 Table 0230

URL: https://hl7.org/fhir/R4/v2/0230/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0230
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0230
Version: | 2.9
Name: | v2.0230
Title: | v2 Procedure Functional Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0230 (Procedure Functional Type)
OID: | ??
CodeSystem Resource | XML / JSON

ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.230.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0230 defines the following codes:

Code | Display | Definition | Version
A | en: Anesthesia de: Narkose nl: Anesthesie | | added v2.3
D | en: Diagnostic procedure de: Diagnosestellung nl: Diagnostische behandeling | | added v2.3
I | en: Invasive procedure not classified elsewhere (e.g., IV, catheter, etc.) de: operativer Eingriff nl: Invasieve procedure niet anders geclassificeerd (bijv. infuus, catether, etc.) | | added v2.3
P | en: Procedure for treatment (therapeutic, including operations) de: Behandlung nl: Behandelingsprocedure (therapeutisch inclusief operaties) | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0230 defines the following codes:

Code | Display | Definition | Version
A | Anesthesia | | added v2.3
D | Diagnostic procedure | | added v2.3
I | Invasive procedure not classified elsewhere (e.g., IV, catheter, etc.) | | added v2.3
P | Procedure for treatment (therapeutic, including operations) | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0230 defines the following codes:

Code | Display | Definition | Version
A | Narkose | | added v2.3
D | Diagnosestellung | | added v2.3
I | operativer Eingriff | | added v2.3
P | Behandlung | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0230 definieert de volgende codes:

Code | Display | Definition | Versie
A | Anesthesie | | added v2.3
D | Diagnostische behandeling | | added v2.3
I | Invasieve procedure niet anders geclassificeerd (bijv. infuus, catether, etc.) | | added v2.3
P | Behandelingsprocedure (therapeutisch inclusief operaties) | | added v2.3

4.3.15.231 HL7 Version 2 Table 0231

URL: https://hl7.org/fhir/R4/v2/0231/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0231
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0231
Version: | 2.9
Name: | v2.0231
Title: | v2 Student Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0231 (Student Status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.231.1 Code System Content

- All Languages
- English
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0231 defines the following codes:

Code | Display | Definition | Version
F | en: Full-time student nl: Voltijdsstudent | | added v2.3

N | en: Not a student nl: Geen student | | added v2.3
P | en: Part-time student nl: Deeltijdstudent | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0231 defines the following codes:

Code | Display | Definition | Version
F | Full-time student | | added v2.3
N | Not a student | | added v2.3
P | Part-time student | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0231 definieert de volgende codes:

Code | Display | Definition | Versie
F | Voltijdsstudent | | added v2.3
N | Geen student | | added v2.3
P | Deeltijdstudent | | added v2.3

4.3.15.232 HL7 Version 2 Table 0232

URL: https://hl7.org/fhir/R4/v2/0232/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0232
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0232
Version: | 2.9
Name: | v2.0232
Title: | v2 Insurance Company Contact Reason
Definition: | FHIR Value set/code system definition for HL7 v2 table 0232 (Insurance Company Contact Reason)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.232.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0232 defines the following codes:

Code | Display | Definition | Version
01 | en: Medicare claim status nl: Medicare declaratiestatus | | added v2.3
02 | en: Medicaid claim status nl: Medicaid declaratiestatus | | added v2.3
03 | en: Name/address change nl: Naam/adreswijziging | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0232 defines the following codes:

Code | Display | Definition | Version
01 | Medicare claim status | | added v2.3
02 | Medicaid claim status | | added v2.3
03 | Name/address change | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0232 definieert de volgende codes:

Code | Display | Definition | Versie
01 | Medicare declaratiestatus | | added v2.3
02 | Medicaid declaratiestatus | | added v2.3
03 | Naam/adreswijziging | | added v2.3

4.3.15.234 HL7 Version 2 Table 0234

URL: https://hl7.org/fhir/R4/v2/0234/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0234
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0234
Version: | 2.9
Name: | v2.0234
Title: | v2 Report Timing
Definition: | FHIR Value set/code system definition for HL7 v2 table 0234 (Report Timing)

OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.234.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0234 defines the following codes:

Code | Display | Definition | Version
10D | en: 10 day report nl: 10-daags verslag | | added v2.3
15D | en: 15 day report nl: 15-daags verslag | | added v2.3
30D | en: 30 day report nl: 30-daags verslag | | added v2.3
3D | en: 3 day report nl: 3-daags verslag | | added v2.3
7D | en: 7 day report nl: 7-daags verslag | | added v2.3
AD | en: Additional information nl: Aanvullende informatie | | added v2.3
CO | en: Correction nl: Correctie | | added v2.3
DE | en: Device evaluation nl: Apparaatevaluatie | | added v2.3
PD | en: Periodic nl: Periodiek | | added v2.3
RQ | en: Requested information nl: Gevraagde informatie | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0234 defines the following codes:

Code | Display | Definition | Version
10D | 10 day report | | added v2.3
15D | 15 day report | | added v2.3
30D | 30 day report | | added v2.3
3D | 3 day report | | added v2.3
7D | 7 day report | | added v2.3
AD | Additional information | | added v2.3
CO | Correction | | added v2.3
DE | Device evaluation | | added v2.3
PD | Periodic | | added v2.3
RQ | Requested information | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0234 definieert de volgende codes:

Code | Display | Definition | Versie
10D | 10-daags verslag | | added v2.3
15D | 15-daags verslag | | added v2.3
30D | 30-daags verslag | | added v2.3
3D | 3-daags verslag | | added v2.3
7D | 7-daags verslag | | added v2.3
AD | Aanvullende informatie | | added v2.3
CO | Correctie | | added v2.3
DE | Apparaatevaluatie | | added v2.3
PD | Periodiek | | added v2.3
RQ | Gevraagde informatie | | added v2.3

4.3.15.235 HL7 Version 2 Table 0235

URL: https://hl7.org/fhir/R4/v2/0235/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0235
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0235
Version: | 2.9
Name: | v2.0235
Title: | v2 Report Source
Definition: | FHIR Value set/code system definition for HL7 v2 table 0235 (Report Source)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.235.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0235 defines the following codes:

Code | Display | Definition | Version
C | Clinical trial | | added v2.3
D | en: Database/registry/poison control center nl: Database/register/toxicologisch centrum | | added v2.3
E | en: Distributor nl: Distributeur | | added v2.3
H | en: Health professional nl: Zorgprofessional | | added v2.3
L | en: Literature nl: Literatuur | | added v2.3
M | en: Manufacturer/marketing authority holder nl: Fabrikant/marketing autoriteithouder | | added v2.3
N | en: Non-healthcare professional nl: Niet-zorg professional | | added v2.3
O | en: Other nl: Anders | | added v2.3
P | en: Patient nl: Patiënt | | added v2.3
R | en: Regulatory agency nl: Toezichthoudend orgaan | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0235 defines the following codes:

Code | Display | Definition | Version
C | Clinical trial | | added v2.3
D | Database/registry/poison control center | | added v2.3
E | Distributor | | added v2.3
H | Health professional | | added v2.3
L | Literature | | added v2.3
M | Manufacturer/marketing authority holder | | added v2.3
N | Non-healthcare professional | | added v2.3
O | Other | | added v2.3
P | Patient | | added v2.3
R | Regulatory agency | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0235 definieert de volgende codes:

Code | Display | Definition | Versie
C | Clinical trial | | added v2.3
D | Database/register/toxicologisch centrum | | added v2.3
E | Distributeur | | added v2.3
H | Zorgprofessional | | added v2.3
L | Literatuur | | added v2.3
M | Fabrikant/marketing autoriteithouder | | added v2.3
N | Niet-zorg professional | | added v2.3
O | Anders | | added v2.3
P | Patiënt | | added v2.3
R | Toezichthoudend orgaan | | added v2.3

4.3.15.236 HL7 Version 2 Table 0236

URL: https://hl7.org/fhir/R4/v2/0236/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0236
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0236
Version: | 2.9
Name: | v2.0236
Title: | v2 Reported To
Definition: | FHIR Value set/code system definition for HL7 v2 table 0236 (Reported To)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.236.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0236 defines the following codes:

Code | Display | Definition | Version
D | en: Distributor nl: Distributeur | | added v2.3
L | en: Local facility/user facility nl: Lokale afdeling/gebruiker afdeling | | added v2.3
M | en: Manufacturer nl: Fabrikant | | added v2.3
R | en: Regulatory agency nl: Toezichthoudend orgaan | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0236 defines the following codes:

Code | Display | Definition | Version
D | Distributor | | added v2.3
L | Local facility/user facility | | added v2.3
M | Manufacturer | | added v2.3
R | Regulatory agency | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0236 definieert de volgende codes:

Code | Display | Definition | Versie
D | Distributeur | | added v2.3
L | Lokale afdeling/gebruiker afdeling | | added v2.3
M | Fabrikant | | added v2.3
R | Toezichthoudend orgaan | | added v2.3

4.3.15.237 HL7 Version 2 Table 0237

URL: https://hl7.org/fhir/R4/v2/0237/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0237
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0237
Version: | 2.9
Name: | v2.0237
Title: | v2 Event Qualification
Definition: | FHIR Value set/code system definition for HL7 v2 table 0237 (Event Qualification)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.237.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0237 defines the following codes:

Code | Display | Definition | Version
A | en: Abuse nl: Misbruik | | added v2.3
B | en: Unexpected beneficial effect nl: Onverwacht goedaardig effect | | added v2.3
D | en: Dependency nl: Afhankelijkheid | | added v2.3
I | en: Interaction nl: Interactie | | added v2.3
L | en: Lack of expect therapeutic effect nl: Uitgebleven verwacht therapeutisch effect | | added v2.3
M | en: Misuse nl: Verkeerd gebruik | | added v2.3
O | en: Overdose nl: Overdosis | | added v2.3
W | en: Drug withdrawal nl: Medicatie onthouden | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0237 defines the following codes:

Code | Display | Definition | Version
A | Abuse | | added v2.3
B | Unexpected beneficial effect | | added v2.3
D | Dependency | | added v2.3
I | Interaction | | added v2.3
L | Lack of expect therapeutic effect | | added v2.3
M | Misuse | | added v2.3
O | Overdose | | added v2.3
W | Drug withdrawal | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0237 definieert de volgende codes:

Code | Display | Definition | Versie
A | Misbruik | | added v2.3

B | Onverwacht goedaardig effect | | added v2.3
D | Afhankelijkheid | | added v2.3
I | Interactie | | added v2.3
L | Uitgebleven verwacht therapeutisch effect | | added v2.3
M | Verkeerd gebruik | | added v2.3
O | Overdosis | | added v2.3
W | Medicatie onthouden | | added v2.3

4.3.15.238 HL7 Version 2 Table 0238

URL: https://hl7.org/fhir/R4/v2/0238/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0238
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0238
Version: | 2.9
Name: | v2.0238
Title: | v2 Event Seriousness
Definition: | FHIR Value set/code system definition for HL7 v2 table 0238 (Event Seriousness)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.238.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0238 defines the following codes:

Code | Display | Definition | Version
N | en: No de: Nein nl: Nee | | added v2.3
S | Significant | | added v2.3
Y | en: Yes de: Ja nl: Ja | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0238 defines the following codes:

Code | Display | Definition | Version
N | No | | added v2.3
S | Significant | | added v2.3
Y | Yes | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0238 defines the following codes:

Code | Display | Definition | Version
N | Nein | | added v2.3
S | | | added v2.3
Y | Ja | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0238 definieert de volgende codes:

Code | Display | Definition | Versie
N | Nee | | added v2.3
S | Significant | | added v2.3
Y | Ja | | added v2.3

4.3.15.239 HL7 Version 2 Table 0239

URL: https://hl7.org/fhir/R4/v2/0239/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0239
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0239
Version: | 2.9
Name: | v2.0239
Title: | v2 Event Expected

Definition: | FHIR Value set/code system definition for HL7 v2 table 0239 (Event Expected)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.239.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0239 defines the following codes:

Code | Display | Definition | Version
N | en: No de: Nein nl: Nee | | added v2.3
U | en: Unknown nl: Onbekend | | added v2.3
Y | en: Yes de: Ja nl: Ja | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0239 defines the following codes:

Code | Display | Definition | Version
N | No | | added v2.3
U | Unknown | | added v2.3
Y | Yes | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0239 defines the following codes:

Code | Display | Definition | Version
N | Nein | | added v2.3
U | | | added v2.3
Y | Ja | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0239 definieert de volgende codes:

Code | Display | Definition | Versie
N | Nee | | added v2.3
U | Onbekend | | added v2.3
Y | Ja | | added v2.3

4.3.15.240 HL7 Version 2 Table 0240

URL: https://hl7.org/fhir/R4/v2/0240/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0240
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0240
Version: | 2.9
Name: | v2.0240
Title: | v2 Event Consequence
Definition: | FHIR Value set/code system definition for HL7 v2 table 0240 (Event Consequence)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.240.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0240 defines the following codes:

Code | Display | Definition | Version
C | en: Congenital anomaly/birth defect nl: Congenitale anomalie/geboorteafwijking | | added v2.3
D | en: Death nl: Dood | | added v2.3
H | en: Caused hospitalized nl: Veroorzaakte hospitalisatie | | added v2.3
I | en: Incapacity which is significant, persistent or permanent nl: Significante beperking, langdurig of permanent | | added v2.3

J | en: Disability which is significant, persistent or permanent nl: Significante handicap, langdurig of permanent | | added v2.3
L | en: Life threatening nl: Levensbedreigend | | added v2.3
O | en: Other nl: Anders | | added v2.3
P | en: Prolonged hospitalization nl: Verlenging hospitalisatie | | added v2.3
R | en: Required intervention to prevent permanent impairment/damage nl: Vereiste interventie ter preventie van permanente handicap/schade | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0240 defines the following codes:

Code | Display | Definition | Version
C | Congenital anomaly/birth defect | | added v2.3
D | Death | | added v2.3
H | Caused hospitalized | | added v2.3
I | Incapacity which is significant, persistent or permanent | | added v2.3
J | Disability which is significant, persistent or permanent | | added v2.3
L | Life threatening | | added v2.3
O | Other | | added v2.3
P | Prolonged hospitalization | | added v2.3
R | Required intervention to prevent permanent impairment/damage | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0240 definieert de volgende codes:

Code | Display | Definition | Versie
C | Congenitale anomalie/geboorteafwijking | | added v2.3
D | Dood | | added v2.3
H | Veroorzaakte hospitalisatie | | added v2.3
I | Significante beperking, langdurig of permanent | | added v2.3
J | Significante handicap, langdurig of permanent | | added v2.3
L | Levensbedreigend | | added v2.3
O | Anders | | added v2.3
P | Verlenging hospitalisatie | | added v2.3
R | Vereiste interventie ter preventie van permanente handicap/schade | | added v2.3

4.3.15.241 HL7 Version 2 Table 0241

URL: https://hl7.org/fhir/R4/v2/0241/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0241
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0241
Version: | 2.9
Name: | v2.0241
Title: | v2 Patient Outcome
Definition: | FHIR Value set/code system definition for HL7 v2 table 0241 (Patient Outcome)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.241.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0241 defines the following codes:

Code | Display | Definition | Version
D | en: Died nl: Overleden | | added v2.3
F | en: Fully recovered nl: Volledig hersteld | | added v2.3
N | en: Not recovering/unchanged nl: Herstelt niet/ongewijzigd | | added v2.3
R | en: Recovering nl: Herstellende | | added v2.3
S | en: Sequelae nl: Sequenlae | | added v2.3
U | en: Unknown nl: Onbekend | | added v2.3
W | en: Worsening nl: Verslechterend | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0241 defines the following codes:

Code | Display | Definition | Version
D | Died | | added v2.3
F | Fully recovered | | added v2.3
N | Not recovering/unchanged | | added v2.3

R | Recovering | | added v2.3
S | Sequelae | | added v2.3
U | Unknown | | added v2.3
W | Worsening | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0241 definieert de volgende codes:

Code | Display | Definition | Versie
D | Overleden | | added v2.3
F | Volledig hersteld | | added v2.3
N | Herstelt niet/ongewijzigd | | added v2.3
R | Herstellende | | added v2.3
S | Sequenlae | | added v2.3
U | Onbekend | | added v2.3
W | Verslechterend | | added v2.3

4.3.15.242 HL7 Version 2 Table 0242

URL: https://hl7.org/fhir/R4/v2/0242/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0242
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0242
Version: | 2.9
Name: | v2.0242
Title: | v2 Primary Observer's Qualification
Definition: | FHIR Value set/code system definition for HL7 v2 table 0242 (Primary Observer's Qualification)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.242.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0242 defines the following codes:

Code | Display | Definition | Version
C | en: Health care consumer/patient nl: Zorgconsument/patiënt | | added v2.3
H | en: Other health professional nl: Andere zorgprofessional | | added v2.3
L | en: Lawyer/attorney nl: Advocaat/aanklager | | added v2.3
M | en: Mid-level professional (nurse, nurse practitioner, physician's assistant) nl: Mid-level professional (verpleegkundige, nurse practitioner, arts-assistent) | | added v2.3
O | en: Other non-health professional nl: Andere niet-zorg professional | | added v2.3
P | en: Physician (osteopath, homeopath) nl: Zorgverlener (osteopaat, homeopaat) | | added v2.3
R | en: Pharmacist nl: Apotheker | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0242 defines the following codes:

Code | Display | Definition | Version
C | Health care consumer/patient | | added v2.3
H | Other health professional | | added v2.3
L | Lawyer/attorney | | added v2.3
M | Mid-level professional (nurse, nurse practitioner, physician's assistant) | | added v2.3
O | Other non-health professional | | added v2.3
P | Physician (osteopath, homeopath) | | added v2.3
R | Pharmacist | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0242 definieert de volgende codes:

Code | Display | Definition | Versie
C | Zorgconsument/patiënt | | added v2.3
H | Andere zorgprofessional | | added v2.3
L | Advocaat/aanklager | | added v2.3
M | Mid-level professional (verpleegkundige, nurse practitioner, arts-assistent) | | added v2.3
O | Andere niet-zorg professional | | added v2.3
P | Zorgverlener (osteopaat, homeopaat) | | added v2.3
R | Apotheker | | added v2.3

4.3.15.243 HL7 Version 2 Table 0243

URL: https://hl7.org/fhir/R4/v2/0243/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0243
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0243
Version: | 2.9
Name: | v2.0243
Title: | v2 Identity may be Divulged
Definition: | FHIR Value set/code system definition for HL7 v2 table 0243 (Identity may be Divulged)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.243.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0243 defines the following codes:

Code | Display | Definition | Version
N | en: No de: Nein nl: Nee | | added v2.3
NA | en: Not applicable nl: Niet van toepassing | | added v2.3
Y | en: Yes de: Ja nl: Ja | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0243 defines the following codes:

Code | Display | Definition | Version
N | No | | added v2.3
NA | Not applicable | | added v2.3
Y | Yes | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0243 defines the following codes:

Code | Display | Definition | Version
N | Nein | | added v2.3
NA | | | added v2.3
Y | Ja | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0243 definieert de volgende codes:

Code | Display | Definition | Versie
N | Nee | | added v2.3
NA | Niet van toepassing | | added v2.3
Y | Ja | | added v2.3

4.3.15.247 HL7 Version 2 Table 0247

URL: https://hl7.org/fhir/R4/v2/0247/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0247
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0247
Version: | 2.9
Name: | v2.0247
Title: | v2 Start of Evaluation
Definition: | FHIR Value set/code system definition for HL7 v2 table 0247 (Start of Evaluation)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.247.1 Code System Content

- All Languages
- English
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0247 defines the following codes:

Code | Display | Definition | Version
A | en: Evaluation anticipated, but not yet begun nl: Evaluatie, nog niet begonnen | | added v2.3
C | en: Product received in condition which made analysis impossible nl: Product ontvangen in conditie die analyse onmogelijk maakt | | added v2.3
D | en: Product discarded -- unable to follow up nl: Product weggegooid -- kon niet opvolgen | | added v2.3
I | en: Product remains implanted -- unable to follow up nl: Product blijft geïmplanteerd -- kan niet opvolgen | | added v2.3
K | en: Problem already known, no evaluation necessary nl: Probleem reeds bekend, geen evaluatie noodzakelijk | | added v2.3
O | en: Other nl: Anders | | added v2.3
P | en: Evaluation in progress nl: Evaluatie is gaande | | added v2.3
Q | en: Product under quarantine -- unable to follow up nl: Product in quarantaine -- kan niet opvolgen | | added v2.3
R | en: Product under recall/corrective action nl: Product wordt teruggeroepen/correctieve actie | | added v2.3
U | en: Product unavailable for follow up investigation nl: Product niet beschikbaar voor opvolgend onderzoek | | added v2.3
X | en: Product not made by company nl: Product wordt niet door bedrijf gemaakt | | added v2.3
Y | en: Evaluation completed nl: Evaluatie voltooid | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0247 defines the following codes:

Code | Display | Definition | Version
A | Evaluation anticipated, but not yet begun | | added v2.3
C | Product received in condition which made analysis impossible | | added v2.3
D | Product discarded -- unable to follow up | | added v2.3
I | Product remains implanted -- unable to follow up | | added v2.3
K | Problem already known, no evaluation necessary | | added v2.3
O | Other | | added v2.3
P | Evaluation in progress | | added v2.3
Q | Product under quarantine -- unable to follow up | | added v2.3
R | Product under recall/corrective action | | added v2.3
U | Product unavailable for follow up investigation | | added v2.3
X | Product not made by company | | added v2.3
Y | Evaluation completed | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0247 definieert de volgende codes:

Code | Display | Definition | Versie
A | Evaluatie, nog niet begonnen | | added v2.3
C | Product ontvangen in conditie die analyse onmogelijk maakt | | added v2.3
D | Product weggegooid -- kon niet opvolgen | | added v2.3
I | Product blijft geïmplanteerd -- kan niet opvolgen | | added v2.3
K | Probleem reeds bekend, geen evaluatie noodzakelijk | | added v2.3
O | Anders | | added v2.3
P | Evaluatie is gaande | | added v2.3
Q | Product in quarantaine -- kan niet opvolgen | | added v2.3
R | Product wordt teruggeroepen/correctieve actie | | added v2.3
U | Product niet beschikbaar voor opvolgend onderzoek | | added v2.3
X | Product wordt niet door bedrijf gemaakt | | added v2.3
Y | Evaluatie voltooid | | added v2.3

4.3.15.248 HL7 Version 2 Table 0248

URL: https://hl7.org/fhir/R4/v2/0248/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0248
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0248
Version: | 2.9
Name: | v2.0248
Title: | v2 Product Source
Definition: | FHIR Value set/code system definition for HL7 v2 table 0248 (Product Source)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.248.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0248 defines the following codes:

Code | Display | Definition | Version
A | en: Actual product involved in incident was evaluated nl: Exacte product betrokken in incident is geëvalueerd | | added v2.3
L | en: A product from the same lot as the actual product involved was evaluated nl: Een product uit dezelfde partij als het exacte betrokken product is geëvalueerd | | added v2.3
N | en: A product from a controlled/non-related inventory was evaluated nl: Een product van een beheerde/niet-gerelateerde voorraad geëvalueerd | | added v2.3
R | en: A product from a reserve sample was evaluated nl: Een product uit een reserve sample is geëvalueerd | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0248 defines the following codes:

Code | Display | Definition | Version
A | Actual product involved in incident was evaluated | | added v2.3
L | A product from the same lot as the actual product involved was evaluated | | added v2.3
N | A product from a controlled/non-related inventory was evaluated | | added v2.3
R | A product from a reserve sample was evaluated | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0248 definieert de volgende codes:

Code | Display | Definition | Versie
A | Exacte product betrokken in incident is geëvalueerd | | added v2.3
L | Een product uit dezelfde partij als het exacte betrokken product is geëvalueerd | | added v2.3
N | Een product van een beheerde/niet-gerelateerde voorraad geëvalueerd | | added v2.3
R | Een product uit een reserve sample is geëvalueerd | | added v2.3

4.3.15.250 HL7 Version 2 Table 0250

URL: https://hl7.org/fhir/R4/v2/0250/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0250
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0250
Version: | 2.9
Name: | v2.0250
Title: | v2 Relatedness Assessment
Definition: | FHIR Value set/code system definition for HL7 v2 table 0250 (Relatedness Assessment)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.250.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0250 defines the following codes:

Code | Display | Definition | Version
H | en: Highly probable nl: Zeer waarschijnlijk | | added v2.3
I | en: Improbable nl: Niet waarschijnlijk | | added v2.3
M | en: Moderately probable nl: Gemiddeld waarschijnlijk | | added v2.3
N | en: Not related nl: Niet gerelateerd | | added v2.3
S | en: Somewhat probable nl: Enigzins waarschijnlijk | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0250 defines the following codes:

Code | Display | Definition | Version
H | Highly probable | | added v2.3
I | Improbable | | added v2.3
M | Moderately probable | | added v2.3
N | Not related | | added v2.3
S | Somewhat probable | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0250 definieert de volgende codes:

Code | Display | Definition | Versie
H | Zeer waarschijnlijk | | added v2.3
I | Niet waarschijnlijk | | added v2.3
M | Gemiddeld waarschijnlijk | | added v2.3
N | Niet gerelateerd | | added v2.3
S | Enigzins waarschijnlijk | | added v2.3

4.3.15.251 HL7 Version 2 Table 0251

URL: https://hl7.org/fhir/R4/v2/0251/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0251
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0251
Version: | 2.9
Name: | v2.0251
Title: | v2 Action Taken in Response to the Event
Definition: | FHIR Value set/code system definition for HL7 v2 table 0251 (Action Taken in Response to the Event)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.251.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0251 defines the following codes:

Code | Display | Definition | Version
DI | en: Product dose or frequency of use increased nl: Productdosis of gebruiksfrequentie verhoogd | | added v2.3
DR | en: Product dose or frequency of use reduced nl: Productdosis of gebruiksfrequentie verlaagd | | added v2.3
N | en: None nl: Geen | | added v2.3
OT | en: Other nl: Anders | | added v2.3
WP | en: Product withdrawn permanently nl: Product permanent teruggetrokken | | added v2.3
WT | en: Product withdrawn temporarily nl: Product tijdelijk teruggetrokken | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0251 defines the following codes:

Code | Display | Definition | Version
DI | Product dose or frequency of use increased | | added v2.3
DR | Product dose or frequency of use reduced | | added v2.3
N | None | | added v2.3
OT | Other | | added v2.3
WP | Product withdrawn permanently | | added v2.3
WT | Product withdrawn temporarily | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0251 definieert de volgende codes:

Code | Display | Definition | Versie
DI | Productdosis of gebruiksfrequentie verhoogd | | added v2.3
DR | Productdosis of gebruiksfrequentie verlaagd | | added v2.3
N | Geen | | added v2.3
OT | Anders | | added v2.3
WP | Product permanent teruggetrokken | | added v2.3
WT | Product tijdelijk teruggetrokken | | added v2.3

4.3.15.252 HL7 Version 2 Table 0252

URL: https://hl7.org/fhir/R4/v2/0252/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0252
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0252
Version: | 2.9
Name: | v2.0252

Title: | v2 Causality Observations
Definition: | FHIR Value set/code system definition for HL7 v2 table 0252 (Causality Observations)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.252.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0252 defines the following codes:

Code | Display | Definition | Version
AW | en: Abatement of event after product withdrawn nl: Vermindering gebeurtenis na terugtrekken product | | added v2.3
BE | en: Event recurred after product reintroduced nl: Gebeurtenis trad opnieuw op na herintroductie product | | added v2.3
DR | en: Dose response observed nl: Dosis reactie geobserveerd | | added v2.3
EX | en: Alternative explanations for the event available nl: Alternatieve verklaringen voor gebeurtenis beschikbaar | | added v2.3
IN | en: Event occurred after product introduced nl: Gebeurtenis trad op na introductie product | | added v2.3
LI | en: Literature reports association of product with event nl: Literatuur vermeldt koppeling van product met gebeurtenis | | added v2.3
OE | en: Occurrence of event was confirmed by objective evidence nl: Optreden van gebeurtenis is bevestigd door objectief bewijs | | added v2.3
OT | en: Other nl: Anders | | added v2.3
PL | en: Effect observed when patient receives placebo nl: Effect geobserveerd wanneer patiënt placebo krijgt | | added v2.3
SE | en: Similar events in past for this patient nl: Vergelijkbare gebeurtenissen in verleden voor deze patiënt | | added v2.3
TC | en: Toxic levels of product documented in blood or body fluids nl: Toxische niveaus van product gedocumenteerd in bloed of lichaamssappen | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0252 defines the following codes:

Code | Display | Definition | Version
AW | Abatement of event after product withdrawn | | added v2.3
BE | Event recurred after product reintroduced | | added v2.3
DR | Dose response observed | | added v2.3
EX | Alternative explanations for the event available | | added v2.3
IN | Event occurred after product introduced | | added v2.3
LI | Literature reports association of product with event | | added v2.3
OE | Occurrence of event was confirmed by objective evidence | | added v2.3
OT | Other | | added v2.3
PL | Effect observed when patient receives placebo | | added v2.3
SE | Similar events in past for this patient | | added v2.3
TC | Toxic levels of product documented in blood or body fluids | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0252 definieert de volgende codes:

Code | Display | Definition | Versie
AW | Vermindering gebeurtenis na terugtrekken product | | added v2.3
BE | Gebeurtenis trad opnieuw op na herintroductie product | | added v2.3
DR | Dosis reactie geobserveerd | | added v2.3
EX | Alternatieve verklaringen voor gebeurtenis beschikbaar | | added v2.3
IN | Gebeurtenis trad op na introductie product | | added v2.3
LI | Literatuur vermeldt koppeling van product met gebeurtenis | | added v2.3
OE | Optreden van gebeurtenis is bevestigd door objectief bewijs | | added v2.3
OT | Anders | | added v2.3
PL | Effect geobserveerd wanneer patiënt placebo krijgt | | added v2.3
SE | Vergelijkbare gebeurtenissen in verleden voor deze patiënt | | added v2.3
TC | Toxische niveaus van product gedocumenteerd in bloed of lichaamssappen | | added v2.3

4.3.15.253 HL7 Version 2 Table 0253

URL: https://hl7.org/fhir/R4/v2/0253/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0253
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0253
Version: | 2.9
Name: | v2.0253
Title: | v2 Indirect Exposure Mechanism

Definition: | FHIR Value set/code system definition for HL7 v2 table 0253 (Indirect Exposure Mechanism)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.253.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0253 defines the following codes:

Code | Display | Definition | Version
B | en: Breast milk nl: Borstmelk | | added v2.3
F | en: Father nl: Vader | | added v2.3
O | en: Other nl: Anders | | added v2.3
P | en: Transplacental nl: Via placenta | | added v2.3
X | en: Blood product nl: Bloedproduct | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0253 defines the following codes:

Code | Display | Definition | Version
B | Breast milk | | added v2.3
F | Father | | added v2.3
O | Other | | added v2.3
P | Transplacental | | added v2.3
X | Blood product | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0253 definieert de volgende codes:

Code | Display | Definition | Versie
B | Borstmelk | | added v2.3
F | Vader | | added v2.3
O | Anders | | added v2.3
P | Via placenta | | added v2.3
X | Bloedproduct | | added v2.3

4.3.15.254 HL7 Version 2 Table 0254

URL: https://hl7.org/fhir/R4/v2/0254/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0254
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0254
Version: | 2.9
Name: | v2.0254
Title: | v2 Kind of Quantity
Definition: | FHIR Value set/code system definition for HL7 v2 table 0254 (Kind of Quantity)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.254.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0254 defines the following codes:

Code | Display | Definition | Comments | Version
ABS | en: Absorbance nl: Absorptie | | | added v2.3
ACNC | en: Concentration, Arbitrary Substance nl: Concentratie, arbitraire substantie | | nl: * | added v2.3
ACT | en: Activity nl: Activiteit | | * | added v2.3
APER | en: Appearance nl: Voorkomen | | | added v2.3
ARB | en: Arbitrary nl: Arbitrair | | * | added v2.3

AREA | en: Area nl: Gebied | | | added v2.3
ASPECT | Aspect | | | added v2.3
CACT | en: Catalytic Activity nl: Katalytische activiteit | | * | added v2.3
CCNT | en: Catalytic Content nl: Katalytische inhoud | | * | added v2.3
CCRTO | en: Catalytic Concentration Ratio nl: Katalytische concentratieverhouding | | | added v2.3
CFR | en: Catalytic Fraction nl: Katalytische fractie | | * | added v2.3
CLAS | en: Class nl: Klasse | | | added v2.3
CNC | en: Catalytic Concentration nl: Katalytische concentratie | | * | added v2.3
CNST | en: Constant nl: Constante | | * | added v2.3
COEF | en: Coefficient nl: Coëfficiënt | | * | added v2.3
COLOR | en: Color nl: Kleur | | | added v2.3
CONS | en: Consistency nl: Consistentie | | | added v2.3
CRAT | en: Catalytic Rate nl: Katalytische snelheid | | * | added v2.3
CRTO | en: Catalytic Ratio nl: Katalytische verhouding | | | added v2.3
DEN | en: Density nl: Dichtheid | | | added v2.3
DEV | en: Device nl: Apparaat | | | added v2.3
DIFF | en: Difference nl: Verschil | | * | added v2.3
ELAS | en: Elasticity nl: Elasticiteit | | | added v2.3
ELPOT | en: Electrical Potential (Voltage) nl: Electrische potentiaal (voltage) | | | added v2.3
ELRAT | en: Electrical current (amperage) nl: Electrische stroom (amperage) | | | added v2.3
ELRES | en: Electrical Resistance nl: Electrische weerstand | | | added v2.3
ENGR | en: Energy nl: Energie | | | added v2.3
ENT | en: Entitic nl: Entiteit-gerelateerd | | * | added v2.3
ENTCAT | en: Entitic Catalytic Activity nl: Entiteit-gerelateerde katalytische activiteit | | * | added v2.3
ENTNUM | en: Entitic Number nl: Entiteit-gerelateerd aantal | | * | added v2.3
ENTSUB | en: Entitic Substance of Amount nl: Entiteit-gerelateerde substantie van hoeveelheid | | * | added v2.3
ENTVOL | en: Entitic Volume nl: Entiteit-gerelateerd volume | | * | added v2.3
EQL | en: Equilibrium nl: Evenwicht | | | added v2.3
FORCE | en: Mechanical force nl: Mechanische kracht | | | added v2.3
FREQ | en: Frequency nl: Frequentie | | | added v2.3
IMP | en: Impression/ interpretation of study nl: Indruk/interpretatie van onderzoek | | | added v2.3
KINV | en: Kinematic Viscosity nl: Kinematische viscositeit | | * | added v2.3
LEN | en: Length nl: Lengte | | | added v2.3
LINC | en: Length Increment nl: Lengte increment | | * | added v2.3
LIQ | en: Liquefaction nl: Liquefactie | | * | added v2.3
MASS | en: Mass nl: Massa | | * | added v2.3
MCNC | en: Mass Concentration nl: Massa concentratie | | * | added v2.3
MCNT | en: Mass Content nl: Massa inhoud | | nl: * | added v2.3
MCRTO | en: Mass Concentration Ratio nl: Massa concentratie verhouding | | * | added v2.3
MFR | en: Mass Fraction nl: Massa fractie | | * | added v2.3
MGFLUX | en: Magnetic flux nl: Magnetische flux | | | added v2.3
MINC | en: Mass Increment nl: Massa increment | | * | added v2.3
MORPH | en: Morphology nl: Morfologie | | | added v2.3
MOTIL | en: Motility nl: Beweeglijkheid | | | added v2.3
MRAT | en: Mass Rate nl: Massa snelheid | | * | added v2.3
MRTO | en: Mass Ratio nl: Massa verhouding | | * | added v2.3
NCNC | en: Number Concentration nl: Aantal concentratie | | * | added v2.3
NCNT | en: Number Content nl: Aantal inhoud | | * | added v2.3
NFR | en: Number Fraction nl: Aantal fractie | | * | added v2.3
NRTO | en: Number Ratio nl: Aantal verhouding | | * | added v2.3
NUM | en: Number nl: Aantal | | * | added v2.3
OD | en: Optical density nl: Optische dichtheid | | | added v2.3
OSMOL | en: Osmolality nl: Osmolaliteit | | * | added v2.3
PRES | en: Pressure (Partial) nl: Druk (partiële) | | | added v2.3
PRID | en: Presence/Identity/Existence nl: Aanwezigheid/identiteit/existentie | | | added v2.3
PWR | en: Power (wattage) nl: Kracht (wattage) | | | added v2.3
RANGE | en: Ranges nl: Bereiken | | * | added v2.3
RATIO | en: Ratios nl: Verhoudingen | | * | added v2.3
RCRLTM | en: Reciprocal Relative Time nl: Wederzijdse relatieve tijd | | * | added v2.3
RDEN | en: Relative Density nl: Relatieve dichtheid | | * | added v2.3
REL | en: Relative nl: Relatief | | * | added v2.3
RLMCNC | en: Relative Mass Concentration nl: Relatieve massa concentratie | | * | added v2.3
RLSCNC | en: Relative Substance Concentration nl: Relatieve substantie concentratie | | * | added v2.3
RLTM | en: Relative Time nl: Relatieve tijd | | * | added v2.3
SATFR | en: Saturation Fraction nl: Saturatie factie | | * | added v2.3
SCNC | en: Substance Concentration nl: Substantie concentratie | | * | added v2.3
SCNCIN | en: Substance Concentration Increment nl: Substantie concentratie increment | | * | added v2.3
SCNT | en: Substance Content nl: Substantie inhoud | | * | added v2.3
SCNTR | en: Substance Content Rate nl: Substantie inhoud verhouding | | * | added v2.3
SCRTO | en: Substance Concentration Ratio nl: Substantie concentratie verhouding | | * | added v2.3
SFR | en: Substance Fraction nl: Substantie fractie | | * | added v2.3
SHAPE | en: Shape nl: Vorm | | | added v2.3

SMELL | en: Smell nl: Reuk | | | added v2.3
SRAT | en: Substance Rate nl: Substantie snelheid | | * | added v2.3
SRTO | en: Substance Ratio nl: Substantie verhouding | | * | added v2.3
SUB | en: Substance Amount nl: Substantie hoeveelheid | | * | added v2.3
SUSC | en: Susceptibility nl: Gevoeligheid | | * | added v2.3
TASTE | en: Taste nl: Smaak | | | added v2.3
TEMP | en: Temperature nl: Temperatuur | | * | added v2.3
TEMPDF | en: Temperature Difference nl: Temperatuurverschil | | * | added v2.3
TEMPIN | en: Temperature Increment nl: Temperatuur increment | | * | added v2.3
THRMCNC | en: Threshold Mass Concentration nl: Grenswaarde massa concentratie | | * | added v2.3
THRSCNC | en: Threshold Substance Concentration nl: Grenswaarde substantie concentratie | | * | added v2.3
TIME | en: Time (e.g. seconds) nl: Tijd (bijv. seconden) | | * | added v2.3
TITR | en: Dilution Factor (Titer) nl: Verdunningsfactor (titer) | | * | added v2.3
TMDF | en: Time Difference nl: Tijdverschil | | * | added v2.3
TMSTP | en: Time Stamp-Date and Time nl: Tijdstempel - Datum en tijd | | * | added v2.3
TRTO | en: Time Ratio nl: Tijd verhouding | | * | added v2.3
TYPE | Type | | * | added v2.3
VCNT | en: Volume Content nl: Volume inhoud | | * | added v2.3
VEL | en: Velocity nl: Snelheid | | * | added v2.3
VELRT | en: Velocity Ratio nl: Snelheid verhouding | | * | added v2.3
VFR | en: Volume Fraction nl: Volume fractie | | * | added v2.3
VISC | en: Viscosity nl: Viscositeit | | * | added v2.3
VOL | Volume | | * | added v2.3
VRAT | en: Volume Rate nl: Volume snelheid | | * | added v2.3
VRTO | en: Volume Ratio nl: Volume verhouding | | * | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0254 defines the following codes:

Code | Display | Definition | Comments | Version
ABS | Absorbance | | | added v2.3
ACNC | Concentration, Arbitrary Substance | | | added v2.3
ACT | Activity | | * | added v2.3
APER | Appearance | | | added v2.3
ARB | Arbitrary | | * | added v2.3
AREA | Area | | | added v2.3
ASPECT | Aspect | | | added v2.3
CACT | Catalytic Activity | | * | added v2.3
CCNT | Catalytic Content | | * | added v2.3
CCRTO | Catalytic Concentration Ratio | | | added v2.3
CFR | Catalytic Fraction | | * | added v2.3
CLAS | Class | | | added v2.3
CNC | Catalytic Concentration | | * | added v2.3
CNST | Constant | | * | added v2.3
COEF | Coefficient | | * | added v2.3
COLOR | Color | | | added v2.3
CONS | Consistency | | | added v2.3
CRAT | Catalytic Rate | | * | added v2.3
CRTO | Catalytic Ratio | | | added v2.3
DEN | Density | | | added v2.3
DEV | Device | | | added v2.3
DIFF | Difference | | * | added v2.3
ELAS | Elasticity | | | added v2.3
ELPOT | Electrical Potential (Voltage) | | | added v2.3
ELRAT | Electrical current (amperage) | | | added v2.3
ELRES | Electrical Resistance | | | added v2.3
ENGR | Energy | | | added v2.3
ENT | Entitic | | * | added v2.3
ENTCAT | Entitic Catalytic Activity | | * | added v2.3
ENTNUM | Entitic Number | | * | added v2.3
ENTSUB | Entitic Substance of Amount | | * | added v2.3
ENTVOL | Entitic Volume | | * | added v2.3
EQL | Equilibrium | | | added v2.3
FORCE | Mechanical force | | | added v2.3
FREQ | Frequency | | | added v2.3
IMP | Impression/ interpretation of study | | | added v2.3
KINV | Kinematic Viscosity | | * | added v2.3
LEN | Length | | | added v2.3
LINC | Length Increment | | * | added v2.3
LIQ | Liquefaction | | * | added v2.3
MASS | Mass | | * | added v2.3
MCNC | Mass Concentration | | * | added v2.3
MCNT | Mass Content | | | added v2.3
MCRTO | Mass Concentration Ratio | | * | added v2.3

MFR | Mass Fraction | | * | added v2.3
MGFLUX | Magnetic flux | | | added v2.3
MINC | Mass Increment | | * | added v2.3
MORPH | Morphology | | | added v2.3
MOTIL | Motility | | | added v2.3
MRAT | Mass Rate | | * | added v2.3
MRTO | Mass Ratio | | * | added v2.3
NCNC | Number Concentration | | * | added v2.3
NCNT | Number Content | | * | added v2.3
NFR | Number Fraction | | * | added v2.3
NRTO | Number Ratio | | * | added v2.3
NUM | Number | | * | added v2.3
OD | Optical density | | | added v2.3
OSMOL | Osmolality | | * | added v2.3
PRES | Pressure (Partial) | | | added v2.3
PRID | Presence/Identity/Existence | | | added v2.3
PWR | Power (wattage) | | | added v2.3
RANGE | Ranges | | * | added v2.3
RATIO | Ratios | | * | added v2.3
RCRLTM | Reciprocal Relative Time | | * | added v2.3
RDEN | Relative Density | | * | added v2.3
REL | Relative | | * | added v2.3
RLMCNC | Relative Mass Concentration | | * | added v2.3
RLSCNC | Relative Substance Concentration | | * | added v2.3
RLTM | Relative Time | | * | added v2.3
SATFR | Saturation Fraction | | * | added v2.3
SCNC | Substance Concentration | | * | added v2.3
SCNCIN | Substance Concentration Increment | | * | added v2.3
SCNT | Substance Content | | * | added v2.3
SCNTR | Substance Content Rate | | * | added v2.3
SCRTO | Substance Concentration Ratio | | * | added v2.3
SFR | Substance Fraction | | * | added v2.3
SHAPE | Shape | | | added v2.3
SMELL | Smell | | | added v2.3
SRAT | Substance Rate | | * | added v2.3
SRTO | Substance Ratio | | * | added v2.3
SUB | Substance Amount | | * | added v2.3
SUSC | Susceptibility | | * | added v2.3
TASTE | Taste | | | added v2.3
TEMP | Temperature | | * | added v2.3
TEMPDF | Temperature Difference | | * | added v2.3
TEMPIN | Temperature Increment | | * | added v2.3
THRMCNC | Threshold Mass Concentration | | * | added v2.3
THRSCNC | Threshold Substance Concentration | | * | added v2.3
TIME | Time (e.g. seconds) | | * | added v2.3
TITR | Dilution Factor (Titer) | | * | added v2.3
TMDF | Time Difference | | * | added v2.3
TMSTP | Time Stamp-Date and Time | | * | added v2.3
TRTO | Time Ratio | | * | added v2.3
TYPE | Type | | * | added v2.3
VCNT | Volume Content | | * | added v2.3
VEL | Velocity | | * | added v2.3
VELRT | Velocity Ratio | | * | added v2.3
VFR | Volume Fraction | | * | added v2.3
VISC | Viscosity | | * | added v2.3
VOL | Volume | | * | added v2.3
VRAT | Volume Rate | | * | added v2.3
VRTO | Volume Ratio | | * | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0254 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie
ABS | Absorptie | | | added v2.3
ACNC | Concentratie, arbitraire substantie | | * | added v2.3
ACT | Activiteit | | | added v2.3
APER | Voorkomen | | | added v2.3
ARB | Arbitrair | | | added v2.3
AREA | Gebied | | | added v2.3
ASPECT | Aspect | | | added v2.3
CACT | Katalytische activiteit | | | added v2.3
CCNT | Katalytische inhoud | | | added v2.3
CCRTO | Katalytische concentratieverhouding | | | added v2.3
CFR | Katalytische fractie | | | added v2.3

CLAS | Klasse | | | added v2.3
CNC | Katalytische concentratie | | | added v2.3
CNST | Constante | | | added v2.3
COEF | Coëfficiënt | | | added v2.3
COLOR | Kleur | | | added v2.3
CONS | Consistentie | | | added v2.3
CRAT | Katalytische snelheid | | | added v2.3
CRTO | Katalytische verhouding | | | added v2.3
DEN | Dichtheid | | | added v2.3
DEV | Apparaat | | | added v2.3
DIFF | Verschil | | | added v2.3
ELAS | Elasticiteit | | | added v2.3
ELPOT | Electrische potentiaal (voltage) | | | added v2.3
ELRAT | Electrische stroom (amperage) | | | added v2.3
ELRES | Electrische weerstand | | | added v2.3
ENGR | Energie | | | added v2.3
ENT | Entiteit-gerelateerd | | | added v2.3
ENTCAT | Entiteit-gerelateerde katalytische activiteit | | | added v2.3
ENTNUM | Entiteit-gerelateerd aantal | | | added v2.3
ENTSUB | Entiteit-gerelateerde substantie van hoeveelheid | | | added v2.3
ENTVOL | Entiteit-gerelateerd volume | | | added v2.3
EQL | Evenwicht | | | added v2.3
FORCE | Mechanische kracht | | | added v2.3
FREQ | Frequentie | | | added v2.3
IMP | Indruk/interpretatie van onderzoek | | | added v2.3
KINV | Kinematische viscositeit | | | added v2.3
LEN | Lengte | | | added v2.3
LINC | Lengte increment | | | added v2.3
LIQ | Liquefactie | | | added v2.3
MASS | Massa | | | added v2.3
MCNC | Massa concentratie | | | added v2.3
MCNT | Massa inhoud | | * | added v2.3
MCRTO | Massa concentratie verhouding | | | added v2.3
MFR | Massa fractie | | | added v2.3
MGFLUX | Magnetische flux | | | added v2.3
MINC | Massa increment | | | added v2.3
MORPH | Morfologie | | | added v2.3
MOTIL | Beweeglijkheid | | | added v2.3
MRAT | Massa snelheid | | | added v2.3
MRTO | Massa verhouding | | | added v2.3
NCNC | Aantal concentratie | | | added v2.3
NCNT | Aantal inhoud | | | added v2.3
NFR | Aantal fractie | | | added v2.3
NRTO | Aantal verhouding | | | added v2.3
NUM | Aantal | | | added v2.3
OD | Optische dichtheid | | | added v2.3
OSMOL | Osmolaliteit | | | added v2.3
PRES | Druk (partiële) | | | added v2.3
PRID | Aanwezigheid/identiteit/existentie | | | added v2.3
PWR | Kracht (wattage) | | | added v2.3
RANGE | Bereiken | | | added v2.3
RATIO | Verhoudingen | | | added v2.3
RCRLTM | Wederzijdse relatieve tijd | | | added v2.3
RDEN | Relatieve dichtheid | | | added v2.3
REL | Relatief | | | added v2.3
RLMCNC | Relatieve massa concentratie | | | added v2.3
RLSCNC | Relatieve substantie concentratie | | | added v2.3
RLTM | Relatieve tijd | | | added v2.3
SATFR | Saturatie factie | | | added v2.3
SCNC | Substantie concentratie | | | added v2.3
SCNCIN | Substantie concentratie increment | | | added v2.3
SCNT | Substantie inhoud | | | added v2.3
SCNTR | Substantie inhoud verhouding | | | added v2.3
SCRTO | Substantie concentratie verhouding | | | added v2.3
SFR | Substantie fractie | | | added v2.3
SHAPE | Vorm | | | added v2.3
SMELL | Reuk | | | added v2.3
SRAT | Substantie snelheid | | | added v2.3
SRTO | Substantie verhouding | | | added v2.3
SUB | Substantie hoeveelheid | | | added v2.3
SUSC | Gevoeligheid | | | added v2.3
TASTE | Smaak | | | added v2.3

TEMP | Temperatuur | | | added v2.3
TEMPDF | Temperatuurverschil | | | added v2.3
TEMPIN | Temperatuur increment | | | added v2.3
THRMCNC | Grenswaarde massa concentratie | | | added v2.3
THRSCNC | Grenswaarde substantie concentratie | | | added v2.3
TIME | Tijd (bijv. seconden) | | | added v2.3
TITR | Verdunningsfactor (titer) | | | added v2.3
TMDF | Tijdverschil | | | added v2.3
TMSTP | Tijdstempel - Datum en tijd | | | added v2.3
TRTO | Tijd verhouding | | | added v2.3
TYPE | Type | | | added v2.3
VCNT | Volume inhoud | | | added v2.3
VEL | Snelheid | | | added v2.3
VELRT | Snelheid verhouding | | | added v2.3
VFR | Volume fractie | | | added v2.3
VISC | Viscositeit | | | added v2.3
VOL | Volume | | | added v2.3
VRAT | Volume snelheid | | | added v2.3
VRTO | Volume verhouding | | | added v2.3

4.3.15.255 HL7 Version 2 Table 0255

URL: https://hl7.org/fhir/R4/v2/0255/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0255
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0255
Version: | 2.9
Name: | v2.0255
Title: | v2 Duration Categories
Definition: | FHIR Value set/code system definition for HL7 v2 table 0255 (Duration Categories)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.255.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0255 defines the following codes:

Code | Display | Definition | Comments | Version
* | en: (asterisk) Life of the "unit" nl: (asterisk) Leven van de "eenheid". Voor bloedproducten | | Used for blood products. | added v2.3
12H | en: 12 hours nl: 12 uur | | | added v2.3
1H | en: 1 hour nl: 1 uur | | | added v2.3
1L | en: 1 months (30 days) nl: 1 maand (30 dagen) | | | added v2.3
1W | 1 week | | | added v2.3
2.5H | en: 2 1/2 hours nl: 2 1/2 uur | | | added v2.3
24H | en: 24 hours nl: 24 uur | | | added v2.3
2D | en: 2 days nl: 2 dagen | | | added v2.3
2H | en: 2 hours nl: 2 uur | | | added v2.3
2L | en: 2 months nl: 2 maanden | | | added v2.3
2W | en: 2 weeks nl: 2 weken | | | added v2.3
30M | en: 30 minutes nl: 30 minuten | | | added v2.3
3D | en: 3 days nl: 3 dagen | | | added v2.3
3H | en: 3 hours nl: 3 uur | | | added v2.3
3L | en: 3 months nl: 3 maanden | | | added v2.3
3W | en: 3 weeks nl: 3 weken | | | added v2.3
4D | en: 4 days nl: 4 dagen | | | added v2.3
4H | en: 4 hours nl: 4 uur | | | added v2.3
4W | en: 4 weeks nl: 4 weken | | | added v2.3
5D | en: 5 days nl: 5 dagen | | | added v2.3
5H | en: 5 hours nl: 4 uur | | | added v2.3
6D | en: 6 days nl: 6 dagen | | | added v2.3

6H | en: 6 hours nl: 6 uur | | | added v2.3
7H | en: 7 hours nl: 7 uur | | | added v2.3
8H | en: 8 hours nl: 8 uur | | | added v2.3
LU | Life of the "unit" | | | added v2.9
PT | en: point in time nl: Voor identificatie metingen op een moment in de tijd. Dit is een een synoniem voor "punt" or "willekeurig" zoals toegepast in urinemetingen. | | This is a synonym for "spot" or "random" as applied to ine measurements. | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0255 defines the following codes:

Code | Display | Definition | Comments | Version
* | (asterisk) Life of the "unit" | | Used for blood products. | added v2.3
12H | 12 hours | | | added v2.3
1H | 1 hour | | | added v2.3
1L | 1 months (30 days) | | | added v2.3
1W | 1 week | | | added v2.3
2.5H | 2 1/2 hours | | | added v2.3
24H | 24 hours | | | added v2.3
2D | 2 days | | | added v2.3
2H | 2 hours | | | added v2.3
2L | 2 months | | | added v2.3
2W | 2 weeks | | | added v2.3
30M | 30 minutes | | | added v2.3
3D | 3 days | | | added v2.3
3H | 3 hours | | | added v2.3
3L | 3 months | | | added v2.3
3W | 3 weeks | | | added v2.3
4D | 4 days | | | added v2.3
4H | 4 hours | | | added v2.3
4W | 4 weeks | | | added v2.3
5D | 5 days | | | added v2.3
5H | 5 hours | | | added v2.3
6D | 6 days | | | added v2.3
6H | 6 hours | | | added v2.3
7H | 7 hours | | | added v2.3
8H | 8 hours | | | added v2.3
LU | Life of the "unit" | | | added v2.9
PT | point in time | | This is a synonym for "spot" or "random" as applied to ine measurements. | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0255 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie
* | (asterisk) Leven van de "eenheid". Voor bloedproducten | | | added v2.3
12H | 12 uur | | | added v2.3
1H | 1 uur | | | added v2.3
1L | 1 maand (30 dagen) | | | added v2.3
1W | 1 week | | | added v2.3
2.5H | 2 1/2 uur | | | added v2.3
24H | 24 uur | | | added v2.3
2D | 2 dagen | | | added v2.3
2H | 2 uur | | | added v2.3
2L | 2 maanden | | | added v2.3
2W | 2 weken | | | added v2.3
30M | 30 minuten | | | added v2.3
3D | 3 dagen | | | added v2.3
3H | 3 uur | | | added v2.3
3L | 3 maanden | | | added v2.3
3W | 3 weken | | | added v2.3
4D | 4 dagen | | | added v2.3
4H | 4 uur | | | added v2.3
4W | 4 weken | | | added v2.3
5D | 5 dagen | | | added v2.3
5H | 4 uur | | | added v2.3
6D | 6 dagen | | | added v2.3
6H | 6 uur | | | added v2.3
7H | 7 uur | | | added v2.3
8H | 8 uur | | | added v2.3
LU | | | | added v2.9
PT | Voor identificatie metingen op een moment in de tijd. Dit is een een synoniem voor "punt" or "willekeurig" zoals toegepast in urinemetingen. | | | added v2.3

4.3.15.256 HL7 Version 2 Table 0256

URL: https://hl7.org/fhir/R4/v2/0256/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0256
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0256
Version: | 2.9
Name: | v2.0256
Title: | v2 Time Delay Post Challenge
Definition: | FHIR Value set/code system definition for HL7 v2 table 0256 (Time Delay Post Challenge)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.256.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0256 defines the following codes:

Code | Display | Definition | Version
10D | en: 10 days nl: 10 dagen | | added v2.3
10M | en: 10 minutes post challenge nl: 10 minuten post uitdaging | | added v2.3
12H | en: 12 hours post challenge nl: 12 uur post uitdaging | | added v2.3
15M | en: 15 minutes post challenge nl: 15 minuten post uitdaging | | added v2.3
1H | en: 1 hour post challenge nl: 1 uur post uitdaging | | added v2.3
1L | en: 1 month (30 days) post challenge nl: 1 maand (30 dagen) post uitdaging | | added v2.3
1M | en: 1 minute post challenge nl: 1 minuut post uitdaging | | added v2.3
1W | 1 week | | added v2.3
2.5H | en: 2 1/2 hours post challenge nl: 2 1/2 uur post uitdaging | | added v2.3
20M | en: 20 minutes post challenge nl: 20 minuten post uitdaging | | added v2.3
24H | en: 24 hours post challenge nl: 24 uur post uitdaging | | added v2.3
25M | en: 25 minutes post challenge nl: 25 minuten post uitdaging | | added v2.3
2D | en: 2 days nl: 2 dagen | | added v2.3
2H | en: 2 hours post challenge nl: 2 uur post uitdaging | | added v2.3
2L | en: 2 months (60 days) post challenge nl: 2 maanden (60 dagen) post uitdaging | | added v2.3
2M | en: 2 minutes post challenge nl: 2 minuten post uitdaging | | added v2.3
2W | en: 2 weeks nl: 2 weken | | added v2.3
30M | en: 30 minutes post challenge nl: 30 minuten post uitdaging | | added v2.3
3D | en: 3 days nl: 3 dagen | | added v2.3
3H | en: 3 hours post challenge nl: 3 uur post uitdaging | | added v2.3
3L | en: 3 months (90 days) post challenge nl: 3 maanden (90 dagen) post uitdaging | | added v2.3
3M | en: 3 minutes post challenge nl: 3 minuten post uitdaging | | added v2.3
3W | en: 3 weeks nl: 3 weken | | added v2.3
4D | en: 4 days nl: 4 dagen | | added v2.3
4H | en: 4 hours post challenge nl: 4 uur post uitdaging | | added v2.3
4M | en: 4 minutes post challenge nl: 4 minuten post uitdaging | | added v2.3
4W | en: 4 weeks nl: 4 weken | | added v2.3
5D | en: 5 days nl: 5 dagen | | added v2.3
5H | en: 5 hours post challenge nl: 5 uur post uitdaging | | added v2.3
5M | en: 5 minutes post challenge nl: 5 minuten post uitdaging | | added v2.3
6D | en: 6 days nl: 7 dagen | | added v2.3
6H | en: 6 hours post challenge nl: 6 uur post uitdaging | | added v2.3
6M | en: 6 minutes post challenge nl: 6 minuten post uitdaging | | added v2.3
7D | en: 7 days nl: 7 dagen | | added v2.3
7H | en: 7 hours post challenge nl: 7 uur post uitdaging | | added v2.3
7M | en: 7 minutes post challenge nl: 7 minuten post uitdaging | | added v2.3
8H | en: 8 hours post challenge nl: 8 uur post uitdaging | | added v2.3
8H SHIFT | en: 8 hours aligned on nursing shifts nl: 8 uur volgens verleegdiensten | | added v2.3
8M | en: 8 minutes post challenge nl: 8 minuten post uitdaging | | added v2.3
9M | en: 9 minutes post challenge nl: 9 minuten post uitdaging | | added v2.3
BS | en: Baseline (time just before the challenge) nl: Nulmeting (tijd net voor de uitdaging) | | added v2.3
PEAK | en: The time post drug dose at which the highest drug level is reached (differs by drug) nl: De tijd na medicatiedosis waarop het hoogste medicatieniveau is bereikt (verschilt per medicament) | | added v2.3
RANDOM | en: Time from the challenge, or dose not specified. (random) nl: Tijd vanaf uitdaging of dosis niet gespecificeerd. (willekeurig) | | added v2.3
TROUGH | en: The time post drug dose at which the lowest drug level is reached (varies with drug) nl: De tijd na medicatiedosis waarop het laagste medicatieniveau is bereikt (verschilt per medicament) | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0256 defines the following codes:

Code	Display	Definition	Version
10D	10 days		added v2.3
10M	10 minutes post challenge		added v2.3
12H	12 hours post challenge		added v2.3
15M	15 minutes post challenge		added v2.3
1H	1 hour post challenge		added v2.3
1L	1 month (30 days) post challenge		added v2.3
1M	1 minute post challenge		added v2.3
1W	1 week		added v2.3
2.5H	2 1/2 hours post challenge		added v2.3
20M	20 minutes post challenge		added v2.3
24H	24 hours post challenge		added v2.3
25M	25 minutes post challenge		added v2.3
2D	2 days		added v2.3
2H	2 hours post challenge		added v2.3
2L	2 months (60 days) post challenge		added v2.3
2M	2 minutes post challenge		added v2.3
2W	2 weeks		added v2.3
30M	30 minutes post challenge		added v2.3
3D	3 days		added v2.3
3H	3 hours post challenge		added v2.3
3L	3 months (90 days) post challenge		added v2.3
3M	3 minutes post challenge		added v2.3
3W	3 weeks		added v2.3
4D	4 days		added v2.3
4H	4 hours post challenge		added v2.3
4M	4 minutes post challenge		added v2.3
4W	4 weeks		added v2.3
5D	5 days		added v2.3
5H	5 hours post challenge		added v2.3
5M	5 minutes post challenge		added v2.3
6D	6 days		added v2.3
6H	6 hours post challenge		added v2.3
6M	6 minutes post challenge		added v2.3
7D	7 days		added v2.3
7H	7 hours post challenge		added v2.3
7M	7 minutes post challenge		added v2.3
8H	8 hours post challenge		added v2.3
8H SHIFT	8 hours aligned on nursing shifts		added v2.3
8M	8 minutes post challenge		added v2.3
9M	9 minutes post challenge		added v2.3
BS	Baseline (time just before the challenge)		added v2.3
PEAK	The time post drug dose at which the highest drug level is reached (differs by drug)		added v2.3
RANDOM	Time from the challenge, or dose not specified. (random)		added v2.3
TROUGH	The time post drug dose at which the lowest drug level is reached (varies with drug)		added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0256 definieert de volgende codes:

Code	Display	Definition	Versie
10D	10 dagen		added v2.3
10M	10 minuten post uitdaging		added v2.3
12H	12 uur post uitdaging		added v2.3
15M	15 minuten post uitdaging		added v2.3
1H	1 uur post uitdaging		added v2.3
1L	1 maand (30 dagen) post uitdaging		added v2.3
1M	1 minuut post uitdaging		added v2.3
1W	1 week		added v2.3
2.5H	2 1/2 uur post uitdaging		added v2.3
20M	20 minuten post uitdaging		added v2.3
24H	24 uur post uitdaging		added v2.3
25M	25 minuten post uitdaging		added v2.3
2D	2 dagen		added v2.3
2H	2 uur post uitdaging		added v2.3
2L	2 maanden (60 dagen) post uitdaging		added v2.3
2M	2 minuten post uitdaging		added v2.3
2W	2 weken		added v2.3
30M	30 minuten post uitdaging		added v2.3
3D	3 dagen		added v2.3
3H	3 uur post uitdaging		added v2.3
3L	3 maanden (90 dagen) post uitdaging		added v2.3
3M	3 minuten post uitdaging		added v2.3
3W	3 weken		added v2.3

4D | 4 dagen | | added v2.3
4H | 4 uur post uitdaging | | added v2.3
4M | 4 minuten post uitdaging | | added v2.3
4W | 4 weken | | added v2.3
5D | 5 dagen | | added v2.3
5H | 5 uur post uitdaging | | added v2.3
5M | 5 minuten post uitdaging | | added v2.3
6D | 7 dagen | | added v2.3
6H | 6 uur post uitdaging | | added v2.3
6M | 6 minuten post uitdaging | | added v2.3
7D | 7 dagen | | added v2.3
7H | 7 uur post uitdaging | | added v2.3
7M | 7 minuten post uitdaging | | added v2.3
8H | 8 uur post uitdaging | | added v2.3
8H SHIFT | 8 uur volgens verleegdiensten | | added v2.3
8M | 8 minuten post uitdaging | | added v2.3
9M | 9 minuten post uitdaging | | added v2.3
BS | Nulmeting (tijd net voor de uitdaging) | | added v2.3
PEAK | De tijd na medicatiedosis waarop het hoogste medicatieniveau is bereikt (verschilt per medicament) | | added v2.3
RANDOM | Tijd vanaf uitdaging of dosis niet gespecificeerd. (willekeurig) | | added v2.3
TROUGH | De tijd na medicatiedosis waarop het laagste medicatieniveau is bereikt (verschilt per medicament) | | added v2.3

4.3.15.257 HL7 Version 2 Table 0257

URL: https://hl7.org/fhir/R4/v2/0257/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0257
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0257
Version: | 2.9
Name: | v2.0257
Title: | v2 Nature of Challenge
Definition: | FHIR Value set/code system definition for HL7 v2 table 0257 (Nature of Challenge)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.257.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0257 defines the following codes:

Code | Display | Definition | Version
CFST | en: Fasting (no calorie intake) for the period specified in the time component of the term, e.g., 1H POST CFST nl: Vasten (geen calorische inname) voor de opgegeven periode in het tijdcomponent van de termijn, bijv. 1H POST CFST | | added v2.3
EXCZ | en: Exercise undertaken as challenge (can be quantified) nl: Oefening ondernomen als uitdaging (kan worden gekwantificeerd) | | added v2.3
FFST | en: No fluid intake for the period specified in the time component of the term nl: Geen vloeistofinname voor de opgegeven periode in het tijdcomponent van de termijn | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0257 defines the following codes:

Code | Display | Definition | Version
CFST | Fasting (no calorie intake) for the period specified in the time component of the term, e.g., 1H POST CFST | | added v2.3
EXCZ | Exercise undertaken as challenge (can be quantified) | | added v2.3
FFST | No fluid intake for the period specified in the time component of the term | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0257 definieert de volgende codes:

Code | Display | Definition | Versie
CFST | Vasten (geen calorische inname) voor de opgegeven periode in het tijdcomponent van de termijn, bijv. 1H POST CFST | | added v2.3
EXCZ | Oefening ondernomen als uitdaging (kan worden gekwantificeerd) | | added v2.3
FFST | Geen vloeistofinname voor de opgegeven periode in het tijdcomponent van de termijn | | added v2.3

4.3.15.258 HL7 Version 2 Table 0258

URL: https://hl7.org/fhir/R4/v2/0258/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0258
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0258
Version: | 2.9
Name: | v2.0258
Title: | v2 Relationship Modifier
Definition: | FHIR Value set/code system definition for HL7 v2 table 0258 (Relationship Modifier)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.258.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0258 defines the following codes:

Code | Display | Definition | Version
BPU | en: Blood product unit nl: Bloedproducteenheid | | added v2.3
CONTROL | Control | | added v2.3
DONOR | Donor | | added v2.3
PATIENT | en: Patient nl: Patiënt | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0258 defines the following codes:

Code | Display | Definition | Version
BPU | Blood product unit | | added v2.3
CONTROL | Control | | added v2.3
DONOR | Donor | | added v2.3
PATIENT | Patient | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0258 definieert de volgende codes:

Code | Display | Definition | Versie
BPU | Bloedproducteenheid | | added v2.3
CONTROL | | | added v2.3
DONOR | Donor | | added v2.3
PATIENT | Patiënt | | added v2.3

4.3.15.259 HL7 Version 2 Table 0259

URL: https://hl7.org/fhir/R4/v2/0259/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0259
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0259
Version: | 2.9
Name: | v2.0259
Title: | v2 Modality
Definition: | FHIR Value set/code system definition for HL7 v2 table 0259 (Modality)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.259.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0259 defines the following codes:

Code | Display | Definition | Deprecated | Version
AS | en: Angioscopy nl: Angioscopie | | Deprecated | added v2.3, removed after v2.8.2
BS | en: Biomagnetic imaging nl: Biomagnetische beeldvorming | | Deprecated | added v2.3, removed after v2.8.2
CD | en: Color flow Doppler nl: Kleurverloop Doppler | | Deprecated | added v2.3, removed after v2.8.2
CP | en: Colposcopy nl: Colposcopie | | Deprecated | added v2.3, removed after v2.8.2
CR | Computed radiography | | Deprecated | added v2.3, removed after v2.8.2
CS | en: Cystoscopy nl: Cystoscopie | | Deprecated | added v2.3, removed after v2.8.2
CT | Computed tomography | | Deprecated | added v2.3, removed after v2.8.2
DD | Duplex Doppler | | Deprecated | added v2.3, removed after v2.8.2
DG | en: Diapanography nl: Mammografie | | Deprecated | added v2.3, removed after v2.8.2
DM | en: Digital microscopy nl: Digitale microscopie | | Deprecated | added v2.3, removed after v2.8.2
EC | en: Echocardiography nl: Echocardiografie | | Deprecated | added v2.3, removed after v2.8.2
ES | en: Endoscopy nl: Endoscopie | | Deprecated | added v2.3, removed after v2.8.2
FA | en: Fluorescein angiography nl: Fluoresceïne angiografie | | Deprecated | added v2.3, removed after v2.8.2
FS | en: Fundoscopy nl: Fundoscopie | | Deprecated | added v2.3, removed after v2.8.2
LP | en: Laparoscopy nl: Laparoscopie | | Deprecated | added v2.3, removed after v2.8.2
LS | en: Laser surface scan nl: Laser oppervlakte scan | | Deprecated | added v2.3, removed after v2.8.2
MA | en: Magnetic resonance angiography nl: Magnetische resonantie angiografie | | Deprecated | added v2.3, removed after v2.8.2
MS | en: Magnetic resonance spectroscopy nl: Magnetische resonantie spectrografie | | Deprecated | added v2.3, removed after v2.8.2
NM | en: Nuclear Medicine (radioisotope study) nl: Nucleaire geneeskunde (radio-isotopisch onderzoek) | | Deprecated | added v2.3, removed after v2.8.2
OT | en: Other nl: Anders | | Deprecated | added v2.3, removed after v2.8.2
PT | en: Positron emission tomography (PET) nl: Positron Emissie Tomografie (PET) | | Deprecated | added v2.3, removed after v2.8.2
RF | en: Radio fluoroscopy nl: Radiofluoroscopie | | Deprecated | added v2.3, removed after v2.8.2
ST | en: Single photon emission computed tomography (SPECT) nl: Single Photon Emission Tomography Computed Tomography (SPECT) | | Deprecated | added v2.3, removed after v2.8.2
TG | en: Thermography nl: Thermografie | | Deprecated | added v2.3, removed after v2.8.2
US | Ultrasound | | Deprecated | added v2.3, removed after v2.8.2
XA | en: X-ray Angiography nl: Röntgen angiografie | | Deprecated | added v2.3, removed after v2.8.2

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0259 defines the following codes:

Code | Display | Definition | Deprecated | Version
AS | Angioscopy | | Deprecated | added v2.3, removed after v2.8.2
BS | Biomagnetic imaging | | Deprecated | added v2.3, removed after v2.8.2
CD | Color flow Doppler | | Deprecated | added v2.3, removed after v2.8.2
CP | Colposcopy | | Deprecated | added v2.3, removed after v2.8.2
CR | Computed radiography | | Deprecated | added v2.3, removed after v2.8.2
CS | Cystoscopy | | Deprecated | added v2.3, removed after v2.8.2
CT | Computed tomography | | Deprecated | added v2.3, removed after v2.8.2
DD | Duplex Doppler | | Deprecated | added v2.3, removed after v2.8.2
DG | Diapanography | | Deprecated | added v2.3, removed after v2.8.2
DM | Digital microscopy | | Deprecated | added v2.3, removed after v2.8.2
EC | Echocardiography | | Deprecated | added v2.3, removed after v2.8.2
ES | Endoscopy | | Deprecated | added v2.3, removed after v2.8.2
FA | Fluorescein angiography | | Deprecated | added v2.3, removed after v2.8.2
FS | Fundoscopy | | Deprecated | added v2.3, removed after v2.8.2
LP | Laparoscopy | | Deprecated | added v2.3, removed after v2.8.2
LS | Laser surface scan | | Deprecated | added v2.3, removed after v2.8.2
MA | Magnetic resonance angiography | | Deprecated | added v2.3, removed after v2.8.2
MS | Magnetic resonance spectroscopy | | Deprecated | added v2.3, removed after v2.8.2
NM | Nuclear Medicine (radioisotope study) | | Deprecated | added v2.3, removed after v2.8.2
OT | Other | | Deprecated | added v2.3, removed after v2.8.2
PT | Positron emission tomography (PET) | | Deprecated | added v2.3, removed after v2.8.2
RF | Radio fluoroscopy | | Deprecated | added v2.3, removed after v2.8.2
ST | Single photon emission computed tomography (SPECT) | | Deprecated | added v2.3, removed after v2.8.2
TG | Thermography | | Deprecated | added v2.3, removed after v2.8.2

US | Ultrasound | | Deprecated | added v2.3, removed after v2.8.2
XA | X-ray Angiography | | Deprecated | added v2.3, removed after v2.8.2

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0259 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
AS | Angioscopie | | Verouderd | added v2.3, removed after v2.8.2
BS | Biomagnetische beeldvorming | | Verouderd | added v2.3, removed after v2.8.2
CD | Kleurverloop Doppler | | Verouderd | added v2.3, removed after v2.8.2
CP | Colposcopie | | Verouderd | added v2.3, removed after v2.8.2
CR | Computed Radiography | | Verouderd | added v2.3, removed after v2.8.2
CS | Cystoscopie | | Verouderd | added v2.3, removed after v2.8.2
CT | Computed Tomography | | Verouderd | added v2.3, removed after v2.8.2
DD | Duplex Doppler | | Verouderd | added v2.3, removed after v2.8.2
DG | Mammografie | | Verouderd | added v2.3, removed after v2.8.2
DM | Digitale microscopie | | Verouderd | added v2.3, removed after v2.8.2
EC | Echocardiografie | | Verouderd | added v2.3, removed after v2.8.2
ES | Endoscopie | | Verouderd | added v2.3, removed after v2.8.2
FA | Fluoresceïne angiografie | | Verouderd | added v2.3, removed after v2.8.2
FS | Fundoscopie | | Verouderd | added v2.3, removed after v2.8.2
LP | Laparoscopie | | Verouderd | added v2.3, removed after v2.8.2
LS | Laser oppervlakte scan | | Verouderd | added v2.3, removed after v2.8.2
MA | Magnetische resonantie angiografie | | Verouderd | added v2.3, removed after v2.8.2
MS | Magnetische resonantie spectrografie | | Verouderd | added v2.3, removed after v2.8.2
NM | Nucleaire geneeskunde (radio-isotopisch onderzoek) | | Verouderd | added v2.3, removed after v2.8.2
OT | Anders | | Verouderd | added v2.3, removed after v2.8.2
PT | Positron Emissie Tomografie (PET) | | Verouderd | added v2.3, removed after v2.8.2
RF | Radiofluoroscopie | | Verouderd | added v2.3, removed after v2.8.2
ST | Single Photon Emission Tomography Computed Tomography (SPECT) | | Verouderd | added v2.3, removed after v2.8.2
TG | Thermografie | | Verouderd | added v2.3, removed after v2.8.2
US | Ultrasound | | Verouderd | added v2.3, removed after v2.8.2
XA | Röntgen angiografie | | Verouderd | added v2.3, removed after v2.8.2

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.259.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0259 version 2.9

Code | System | Display

4.3.15.260 HL7 Version 2 Table 0260

URL: https://hl7.org/fhir/R4/v2/0260/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0260
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0260
Version: | 2.9
Name: | v2.0260
Title: | v2 Patient Location Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0260 (Patient Location Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.260.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0260 defines the following codes:

Code | Display | Definition | Version
B | Bed | | added v2.3
C | en: Clinic nl: Kliniek | | added v2.3
D | en: Department nl: Afdeling | | added v2.3
E | en: Exam Room nl: Onderzoeksruimte | | added v2.3
L | en: Other Location nl: Andere locatie | | added v2.3
N | en: Nursing Unit nl: Verpleegafdeling | | added v2.3
O | en: Operating Room nl: Operatiekamer | | added v2.3
R | en: Room nl: Kamer | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0260 defines the following codes:

Code | Display | Definition | Version
B | Bed | | added v2.3
C | Clinic | | added v2.3
D | Department | | added v2.3
E | Exam Room | | added v2.3
L | Other Location | | added v2.3
N | Nursing Unit | | added v2.3
O | Operating Room | | added v2.3
R | Room | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0260 definieert de volgende codes:

Code | Display | Definition | Versie
B | Bed | | added v2.3
C | Kliniek | | added v2.3
D | Afdeling | | added v2.3
E | Onderzoeksruimte | | added v2.3
L | Andere locatie | | added v2.3
N | Verpleegafdeling | | added v2.3
O | Operatiekamer | | added v2.3
R | Kamer | | added v2.3

4.3.15.261 HL7 Version 2 Table 0261

URL: https://hl7.org/fhir/R4/v2/0261/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0261
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0261
Version: | 2.9
Name: | v2.0261
Title: | v2 Location Equipment
Definition: | FHIR Value set/code system definition for HL7 v2 table 0261 (Location Equipment)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.261.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0261 defines the following codes:

Code | Display | Definition | Version
EEG | en: Electro-Encephalogram nl: Electroencefalogram | | added v2.3
EKG | en: Electro-Cardiogram nl: Electrocardiogram | | added v2.3
INF | en: Infusion pump nl: Infusiepomp | | added v2.3
IVP | en: IV pump nl: Infuuspomp | | added v2.3
OXY | en: Oxygen nl: Zuurstof | | added v2.3
SUC | en: Suction nl: Suctie | | added v2.3
VEN | Ventilator | | added v2.3

VIT | en: Vital signs monitor nl: Vitale functies monitor | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0261 defines the following codes:

Code | Display | Definition | Version
EEG | Electro-Encephalogram | | added v2.3
EKG | Electro-Cardiogram | | added v2.3
INF | Infusion pump | | added v2.3
IVP | IV pump | | added v2.3
OXY | Oxygen | | added v2.3
SUC | Suction | | added v2.3
VEN | Ventilator | | added v2.3
VIT | Vital signs monitor | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0261 definieert de volgende codes:

Code | Display | Definition | Versie
EEG | Electroencefalogram | | added v2.3
EKG | Electrocardiogram | | added v2.3
INF | Infusiepomp | | added v2.3
IVP | Infuuspomp | | added v2.3
OXY | Zuurstof | | added v2.3
SUC | Suctie | | added v2.3
VEN | Ventilator | | added v2.3
VIT | Vitale functies monitor | | added v2.3

4.3.15.262 HL7 Version 2 Table 0262

URL: https://hl7.org/fhir/R4/v2/0262/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0262
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0262
Version: | 2.9
Name: | v2.0262
Title: | v2 Privacy Level
Definition: | FHIR Value set/code system definition for HL7 v2 table 0262 (Privacy Level)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.262.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0262 defines the following codes:

Code | Display | Definition | Version
F | en: Isolation nl: Isolatie | | added v2.3
J | en: Private room - medically justified nl: Eigen kamer - medisch onderbouwd | | added v2.3
P | en: Private room nl: Eigen kamer | | added v2.3
Q | en: Private room - due to overflow nl: Eigen kamer - wegens drukte | | added v2.3
S | en: Semi-private room nl: Semi-eigen kamer | | added v2.3
W | en: Ward nl: Afdeling | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0262 defines the following codes:

Code | Display | Definition | Version
F | Isolation | | added v2.3
J | Private room - medically justified | | added v2.3
P | Private room | | added v2.3
Q | Private room - due to overflow | | added v2.3
S | Semi-private room | | added v2.3
W | Ward | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0262 definieert de volgende codes:

Code | Display | Definition | Versie
F | Isolatie | | added v2.3
J | Eigen kamer - medisch onderbouwd | | added v2.3

P | Eigen kamer | | added v2.3
Q | Eigen kamer - wegens drukte | | added v2.3
S | Semi-eigen kamer | | added v2.3
W | Afdeling | | added v2.3

4.3.15.263 HL7 Version 2 Table 0263

URL: https://hl7.org/fhir/R4/v2/0263/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0263
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0263
Version: | 2.9
Name: | v2.0263
Title: | v2 Level of Care
Definition: | FHIR Value set/code system definition for HL7 v2 table 0263 (Level of Care)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.263.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0263 defines the following codes:

Code | Display | Definition | Version
A | en: Ambulatory nl: Dagbehandeling | | added v2.3
C | en: Critical care nl: Kritieke zorg | | added v2.3
E | en: Emergency nl: Spoed | | added v2.3
F | en: Isolation nl: Isolatie | | added v2.3
N | Intensive care | | added v2.3
R | Routine | | added v2.3
S | en: Surgery nl: Chirurgie | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0263 defines the following codes:

Code | Display | Definition | Version
A | Ambulatory | | added v2.3
C | Critical care | | added v2.3
E | Emergency | | added v2.3
F | Isolation | | added v2.3
N | Intensive care | | added v2.3
R | Routine | | added v2.3
S | Surgery | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0263 definieert de volgende codes:

Code | Display | Definition | Versie
A | Dagbehandeling | | added v2.3
C | Kritieke zorg | | added v2.3
E | Spoed | | added v2.3
F | Isolatie | | added v2.3
N | Intensive care | | added v2.3
R | Routine | | added v2.3
S | Chirurgie | | added v2.3

4.3.15.265 HL7 Version 2 Table 0265

URL: https://hl7.org/fhir/R4/v2/0265/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0265
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0265
Version: | 2.9

Name: | v2.0265
Title: | v2 Specialty Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0265 (Specialty Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.265.1 Code System Content

- All Languages
- English
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0265 defines the following codes:

Code | Display | Definition | Version
ALC | en: Allergy nl: Allergie | | added v2.3
AMB | en: Ambulatory nl: Dagbehandeling | | added v2.3
CAN | en: Cancer nl: Kanker | | added v2.3
CAR | en: Coronary/cardiac care nl: Cornaire/hartzorg | | added v2.3
CCR | en: Critical care nl: Kritieke zorg | | added v2.3
CHI | en: Chiropractic nl: Chiropractisch | | added v2.3
EDI | en: Education nl: Onderwijs | | added v2.3
EMR | en: Emergency nl: Spoed | | added v2.3
FPC | en: Family planning nl: Gezinsplanning | | added v2.3
INT | en: Intensive care nl: Intensieve care | | added v2.3
ISO | en: Isolation nl: Isolatie | | added v2.3
NAT | en: Naturopathic nl: Natuurgeneeskundig | | added v2.3
NBI | en: Newborn, nursery, infants nl: Nieuwgeborene, kinderkamer, zuigelingen | | added v2.3
OBG | en: Obstetrics, gynecology nl: Obstetrie, gynaecologie | | added v2.3
OBS | en: Observation nl: Observaties | | added v2.3
OTH | en: Other specialty nl: Ander specialisme | | added v2.3
PED | en: Pediatrics nl: Pediatrie | | added v2.3
PHY | en: General/family practice nl: Algemeen/gezinspraktijk | | added v2.3
PIN | en: Pediatric/neonatal intensive care nl: Pediatrie/neonatale intensive care | | added v2.3
PPS | en: Pediatric psychiatric nl: Psychiatrische pediatrie | | added v2.3
PRE | en: Pediatric rehabilitation nl: Pediatrische revalidatie | | added v2.3
PSI | en: Psychiatric intensive care nl: Psychiatrische intensive care | | added v2.3
PSY | en: Psychiatric nl: Psychiatrisch | | added v2.3
REH | en: Rehabilitation nl: Revalidatie | | added v2.3
SUR | en: Surgery nl: Chirurgie | | added v2.3
WIC | en: Walk-in clinic nl: Inloopkliniek | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0265 defines the following codes:

Code | Display | Definition | Version
ALC | Allergy | | added v2.3
AMB | Ambulatory | | added v2.3
CAN | Cancer | | added v2.3
CAR | Coronary/cardiac care | | added v2.3
CCR | Critical care | | added v2.3
CHI | Chiropractic | | added v2.3
EDI | Education | | added v2.3
EMR | Emergency | | added v2.3
FPC | Family planning | | added v2.3
INT | Intensive care | | added v2.3
ISO | Isolation | | added v2.3
NAT | Naturopathic | | added v2.3
NBI | Newborn, nursery, infants | | added v2.3
OBG | Obstetrics, gynecology | | added v2.3
OBS | Observation | | added v2.3
OTH | Other specialty | | added v2.3
PED | Pediatrics | | added v2.3
PHY | General/family practice | | added v2.3
PIN | Pediatric/neonatal intensive care | | added v2.3
PPS | Pediatric psychiatric | | added v2.3
PRE | Pediatric rehabilitation | | added v2.3
PSI | Psychiatric intensive care | | added v2.3
PSY | Psychiatric | | added v2.3
REH | Rehabilitation | | added v2.3
SUR | Surgery | | added v2.3

WIC | Walk-in clinic | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0265 definieert de volgende codes:

Code | Display | Definition | Versie
ALC | Allergie | | added v2.3
AMB | Dagbehandeling | | added v2.3
CAN | Kanker | | added v2.3
CAR | Cornaire/hartzorg | | added v2.3
CCR | Kritieke zorg | | added v2.3
CHI | Chiropractisch | | added v2.3
EDI | Onderwijs | | added v2.3
EMR | Spoed | | added v2.3
FPC | Gezinsplanning | | added v2.3
INT | Intensieve care | | added v2.3
ISO | Isolatie | | added v2.3
NAT | Natuurgeneeskundig | | added v2.3
NBI | Nieuwgeborene, kinderkamer, zuigelingen | | added v2.3
OBG | Obstetrie, gynaecologie | | added v2.3
OBS | Observaties | | added v2.3
OTH | Ander specialisme | | added v2.3
PED | Pediatrie | | added v2.3
PHY | Algemeen/gezinspraktijk | | added v2.3
PIN | Pediatrie/neonatale intensive care | | added v2.3
PPS | Psychiatrische pediatrie | | added v2.3
PRE | Pediatrische revalidatie | | added v2.3
PSI | Psychiatrische intensive care | | added v2.3
PSY | Psychiatrisch | | added v2.3
REH | Revalidatie | | added v2.3
SUR | Chirurgie | | added v2.3
WIC | Inloopkliniek | | added v2.3

4.3.15.267 HL7 Version 2 Table 0267

URL: https://hl7.org/fhir/R4/v2/0267/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0267
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0267
Version: | 2.9
Name: | v2.0267
Title: | v2 Days of the Week
Definition: | FHIR Value set/code system definition for HL7 v2 table 0267 (Days of the Week)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.267.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0267 defines the following codes:

Code | Display | Definition | Version
FRI | en: Friday nl: Vrijdag | | added v2.3
MON | en: Monday nl: Maandag | | added v2.3
SAT | en: Saturday nl: Zaterdag | | added v2.3
SUN | en: Sunday nl: Zondag | | added v2.3
THU | en: Thursday nl: Donderdag | | added v2.3
TUE | en: Tuesday nl: Dinsdag | | added v2.3
WED | en: Wednesday nl: Woensdag | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0267 defines the following codes:

Code | Display | Definition | Version
FRI | Friday | | added v2.3
MON | Monday | | added v2.3

SAT | Saturday | | added v2.3
SUN | Sunday | | added v2.3
THU | Thursday | | added v2.3
TUE | Tuesday | | added v2.3
WED | Wednesday | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0267 definieert de volgende codes:

Code | Display | Definition | Versie
FRI | Vrijdag | | added v2.3
MON | Maandag | | added v2.3
SAT | Zaterdag | | added v2.3
SUN | Zondag | | added v2.3
THU | Donderdag | | added v2.3
TUE | Dinsdag | | added v2.3
WED | Woensdag | | added v2.3

4.3.15.268 HL7 Version 2 Table 0268

URL: https://hl7.org/fhir/R4/v2/0268/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0268
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0268
Version: | 2.9
Name: | v2.0268
Title: | v2 Override
Definition: | FHIR Value set/code system definition for HL7 v2 table 0268 (Override)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.268.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0268 defines the following codes:

Code | Display | Definition | Version
A | en: Override allowed nl: Override toegestaan | | added v2.3
R | en: Override required nl: Override vereist | | added v2.3
X | en: Override not allowed nl: Override niet toegestaan | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0268 defines the following codes:

Code | Display | Definition | Version
A | Override allowed | | added v2.3
R | Override required | | added v2.3
X | Override not allowed | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0268 definieert de volgende codes:

Code | Display | Definition | Versie
A | Override toegestaan | | added v2.3
R | Override vereist | | added v2.3
X | Override niet toegestaan | | added v2.3

4.3.15.269 HL7 Version 2 Table 0269

URL: https://hl7.org/fhir/R4/v2/0269/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0269
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0269
Version: | 2.9
Name: | v2.0269

Title: | v2 Charge on Indicator
Definition: | FHIR Value set/code system definition for HL7 v2 table 0269 (Charge on Indicator)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.269.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0269 defines the following codes:

Code | Display | Definition | Version
O | en: Charge on Order nl: Facturatie bij aanvraag | | added v2.3
R | en: Charge on Result nl: Facturatie bij resultaat | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0269 defines the following codes:

Code | Display | Definition | Version
O | Charge on Order | | added v2.3
R | Charge on Result | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0269 definieert de volgende codes:

Code | Display | Definition | Versie
O | Facturatie bij aanvraag | | added v2.3
R | Facturatie bij resultaat | | added v2.3

4.3.15.270 HL7 Version 2 Table 0270

URL: https://hl7.org/fhir/R4/v2/0270/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0270
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0270
Version: | 2.9
Name: | v2.0270
Title: | v2 Report Type Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0270 (Report Type Code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.270.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0270 defines the following codes:

Code | Display | Definition | Version
AR | en: Autopsy report nl: Autopsierapport | | added v2.3
CD | en: Cardiodiagnostics nl: Cardiodiagnostiek | | added v2.3
CN | en: Consultation nl: Consultatie | | added v2.3
DI | en: Diagnostic imaging nl: Diagnostische beeldvorming | | added v2.3
DS | en: Discharge summary nl: Ontslagsamenvatting | | added v2.3
ED | en: Emergency department report nl: Spoedafdeling rapport | | added v2.3
HP | en: History and physical examination nl: Historie en lichamelijk onderzoek | | added v2.3
OP | en: Operative report nl: Operatieverslag | | added v2.3
PC | en: Psychiatric consultation nl: Psychiatrisch consult | | added v2.3
PH | en: Psychiatric history and physical examination nl: Psychiatrische historie en lichamelijk onderzoek | | added v2.3
PN | en: Procedure note nl: Behandelnotitie | | added v2.3
PR | en: Progress note nl: Voortgangsnotitie | | added v2.3
SP | en: Surgical pathology nl: Chirurgische pathologie | | added v2.3

TS | en: Transfer summary nl: Overplaatsing samenvatting | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0270 defines the following codes:

Code | Display | Definition | Version
AR | Autopsy report | | added v2.3
CD | Cardiodiagnostics | | added v2.3
CN | Consultation | | added v2.3
DI | Diagnostic imaging | | added v2.3
DS | Discharge summary | | added v2.3
ED | Emergency department report | | added v2.3
HP | History and physical examination | | added v2.3
OP | Operative report | | added v2.3
PC | Psychiatric consultation | | added v2.3
PH | Psychiatric history and physical examination | | added v2.3
PN | Procedure note | | added v2.3
PR | Progress note | | added v2.3
SP | Surgical pathology | | added v2.3
TS | Transfer summary | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0270 definieert de volgende codes:

Code | Display | Definition | Versie
AR | Autopsierapport | | added v2.3
CD | Cardiodiagnostiek | | added v2.3
CN | Consultatie | | added v2.3
DI | Diagnostische beeldvorming | | added v2.3
DS | Ontslagsamenvatting | | added v2.3
ED | Spoedafdeling rapport | | added v2.3
HP | Historie en lichamelijk onderzoek | | added v2.3
OP | Operatieverslag | | added v2.3
PC | Psychiatrisch consult | | added v2.3
PH | Psychiatrische historie en lichamelijk onderzoek | | added v2.3
PN | Behandelnotitie | | added v2.3
PR | Voortgangsnotitie | | added v2.3
SP | Chirurgische pathologie | | added v2.3
TS | Overplaatsing samenvatting | | added v2.3

4.3.15.271 HL7 Version 2 Table 0271

URL: https://hl7.org/fhir/R4/v2/0271/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0271
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0271
Version: | 2.9
Name: | v2.0271
Title: | v2 Document Completion Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0271 (Document Completion Status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.271.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0271 defines the following codes:

Code | Display | Definition | Version
AU | en: Authenticated de: Freigegeben nl: Geauthenticeerd | | added v2.3
DI | en: Dictated de: Diktiert nl: Gedicteerd | | added v2.3
DO | en: Documented de: Dokumentiert nl: Gedocumenteerd | | added v2.3
IN | en: Incomplete de: Unvollständig nl: Incompleet | | added v2.3
IP | en: In Progress de: In Bearbeitung nl: Wordt aan gewerkt | | added v2.3
LA | en: Legally authenticated de: unterschrieben nl: Wettelijk geauthenticeerd | | added v2.3

PA | en: Pre-authenticated de: Vorabfreigabe nl: Pre-authenticatie | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0271 defines the following codes:

Code | Display | Definition | Version
AU | Authenticated | | added v2.3
DI | Dictated | | added v2.3
DO | Documented | | added v2.3
IN | Incomplete | | added v2.3
IP | In Progress | | added v2.3
LA | Legally authenticated | | added v2.3
PA | Pre-authenticated | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0271 defines the following codes:

Code | Display | Definition | Version
AU | Freigegeben | | added v2.3
DI | Diktiert | | added v2.3
DO | Dokumentiert | | added v2.3
IN | Unvollständig | | added v2.3
IP | In Bearbeitung | | added v2.3
LA | unterschrieben | | added v2.3
PA | Vorabfreigabe | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0271 definieert de volgende codes:

Code | Display | Definition | Versie
AU | Geauthenticeerd | | added v2.3
DI | Gedicteerd | | added v2.3
DO | Gedocumenteerd | | added v2.3
IN | Incompleet | | added v2.3
IP | Wordt aan gewerkt | | added v2.3
LA | Wettelijk geauthenticeerd | | added v2.3
PA | Pre-authenticatie | | added v2.3

4.3.15.272 HL7 Version 2 Table 0272

URL: https://hl7.org/fhir/R4/v2/0272/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0272
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0272
Version: | 2.9
Name: | v2.0272
Title: | v2 Document Confidentiality Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0272 (Document Confidentiality Status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.272.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0272 defines the following codes:

Code | Display | Definition | Deprecated | Version
1 | ASTM Level 1 | | Deprecated | added v2.3, removed after v2.3
2 | ASTM Level 2 | | Deprecated | added v2.3, removed after v2.3
3 | ASTM Level 3 | | Deprecated | added v2.3, removed after v2.3
R | en: Restricted nl: Beperkte toegang | | | added v2.3.1
RE | en: Restricted nl: Beperkte toegang | | Deprecated | added v2.3, removed after v2.3

U | en: Usual control nl: Normale toegang | | | added v2.3.1
UC | en: Usual control nl: Normale toegang | | Deprecated | added v2.3, removed after v2.3
V | en: Very restricted nl: Zeer beperkte toegang | | | added v2.3.1
VR | en: Very restricted nl: Zeer beperkte toegang | | Deprecated | added v2.3, removed after v2.3

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0272 defines the following codes:

Code | Display | Definition | Deprecated | Version
1 | ASTM Level 1 | | Deprecated | added v2.3, removed after v2.3
2 | ASTM Level 2 | | Deprecated | added v2.3, removed after v2.3
3 | ASTM Level 3 | | Deprecated | added v2.3, removed after v2.3
R | Restricted | | | added v2.3.1
RE | Restricted | | Deprecated | added v2.3, removed after v2.3
U | Usual control | | | added v2.3.1
UC | Usual control | | Deprecated | added v2.3, removed after v2.3
V | Very restricted | | | added v2.3.1
VR | Very restricted | | Deprecated | added v2.3, removed after v2.3

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0272 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
1 | ASTM Level 1 | | Verouderd | added v2.3, removed after v2.3
2 | ASTM Level 2 | | Verouderd | added v2.3, removed after v2.3
3 | ASTM Level 3 | | Verouderd | added v2.3, removed after v2.3
R | Beperkte toegang | | | added v2.3.1
RE | Beperkte toegang | | Verouderd | added v2.3, removed after v2.3
U | Normale toegang | | | added v2.3.1
UC | Normale toegang | | Verouderd | added v2.3, removed after v2.3
V | Zeer beperkte toegang | | | added v2.3.1
VR | Zeer beperkte toegang | | Verouderd | added v2.3, removed after v2.3

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.272.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0272 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0272

Code | Display | Definition
R | Restricted
U | Usual control
V | Very restricted

Additional Language Displays

Code | Nederlands (Dutch, nl)
R | Beperkte toegang
U | Normale toegang
V | Zeer beperkte toegang

4.3.15.273 HL7 Version 2 Table 0273

URL: https://hl7.org/fhir/R4/v2/0273/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0273
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0273
Version: | 2.9

Name: | v2.0273
Title: | v2 Document Availability Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0273 (Document Availability Status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.273.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0273 defines the following codes:

Code | Display | Definition | Version
AV | en: Available for patient care de: Verfügbar (Kann zur Behandlung herangezogen werden.) nl: Beschikbaar voor patiëntzorg | | added v2.3
CA | en: Deleted de: Gelöscht nl: Verwijderd | | added v2.3.1
OB | en: Obsolete de: Nicht mehr relevant nl: Obsoleet | | added v2.3.1
UN | en: Unavailable for patient care de: Nicht verfügbar (Kann nicht zur Behandlung verwendet werden.) nl: Niet beschikbaar voor patiëntzorg | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0273 defines the following codes:

Code | Display | Definition | Version
AV | Available for patient care | | added v2.3
CA | Deleted | | added v2.3.1
OB | Obsolete | | added v2.3.1
UN | Unavailable for patient care | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0273 defines the following codes:

Code | Display | Definition | Version
AV | Verfügbar (Kann zur Behandlung herangezogen werden.) | | added v2.3
CA | Gelöscht | | added v2.3.1
OB | Nicht mehr relevant | | added v2.3.1
UN | Nicht verfügbar (Kann nicht zur Behandlung verwendet werden.) | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0273 definieert de volgende codes:

Code | Display | Definition | Versie
AV | Beschikbaar voor patiëntzorg | | added v2.3
CA | Verwijderd | | added v2.3.1
OB | Obsoleet | | added v2.3.1
UN | Niet beschikbaar voor patiëntzorg | | added v2.3

4.3.15.275 HL7 Version 2 Table 0275

URL: https://hl7.org/fhir/R4/v2/0275/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0275
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0275
Version: | 2.9
Name: | v2.0275
Title: | v2 Document Storage Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0275 (Document Storage Status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.275.1 Code System Content

- All Languages
- English

• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0275 defines the following codes:

Code | Display | Definition | Version
AA | en: Active and archived de: Aktiv und archiviert nl: Actief en gearchiveerd | | added v2.3
AC | en: Active de: Aktiv nl: Actief | | added v2.3
AR | en: Archived (not active) de: Archiviert (inaktiv) nl: Gearchiveerd (niet actief) | | added v2.3
PU | en: Purged de: Bereinigt (gelöscht) nl: Verwijderd | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0275 defines the following codes:

Code | Display | Definition | Version
AA | Active and archived | | added v2.3
AC | Active | | added v2.3
AR | Archived (not active) | | added v2.3
PU | Purged | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0275 defines the following codes:

Code | Display | Definition | Version
AA | Aktiv und archiviert | | added v2.3
AC | Aktiv | | added v2.3
AR | Archiviert (inaktiv) | | added v2.3
PU | Bereinigt (gelöscht) | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0275 definieert de volgende codes:

Code | Display | Definition | Versie
AA | Actief en gearchiveerd | | added v2.3
AC | Actief | | added v2.3
AR | Gearchiveerd (niet actief) | | added v2.3
PU | Verwijderd | | added v2.3

4.3.15.276 HL7 Version 2 Table 0276

URL: https://hl7.org/fhir/R4/v2/0276/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0276
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0276
Version: | 2.9
Name: | v2.0276
Title: | v2 Appointment Reason Codes
Definition: | FHIR Value set/code system definition for HL7 v2 table 0276 (Appointment Reason Codes)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is used in the following places:

• Resource: Appointment.appointmentType (CodeableConcept / Preferred)
• Resource: Slot.appointmentType (CodeableConcept / Preferred)

4.3.15.276.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0276 defines the following codes:

Code | Display | Definition | Version
CHECKUP | en: A routine check-up, such as an annual physical nl: Routinecontrole, zoals jaarlijks lichamelijk onderzoek | | added v2.3
EMERGENCY | en: Emergency appointment nl: Spoedafspraak | | added v2.3
FOLLOWUP | en: A follow up visit from a previous appointment nl: Een vervolgbezoek na een vorige afspraak | | added v2.3
ROUTINE | en: Routine appointment - default if not valued nl: Routine afspraak - standaardwaarde bij geen waarde | | added v2.3
WALKIN | en: A previously unscheduled walk-in visit nl: Een niet eerder gepland inloopbezoek | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0276 defines the following codes:

Code | Display | Definition | Version
CHECKUP | A routine check-up, such as an annual physical | | added v2.3

EMERGENCY | Emergency appointment | | added v2.3
FOLLOWUP | A follow up visit from a previous appointment | | added v2.3
ROUTINE | Routine appointment - default if not valued | | added v2.3
WALKIN | A previously unscheduled walk-in visit | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0276 definieert de volgende codes:

Code | Display | Definition | Versie
CHECKUP | Routinecontrole, zoals jaarlijks lichamelijk onderzoek | | added v2.3
EMERGENCY | Spoedafspraak | | added v2.3
FOLLOWUP | Een vervolgbezoek na een vorige afspraak | | added v2.3
ROUTINE | Routine afspraak - standaardwaarde bij geen waarde | | added v2.3
WALKIN | Een niet eerder gepland inloopbezoek | | added v2.3

4.3.15.277 HL7 Version 2 Table 0277

URL: https://hl7.org/fhir/R4/v2/0277/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0277
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0277
Version: | 2.9
Name: | v2.0277
Title: | v2 Appointment Type Codes
Definition: | FHIR Value set/code system definition for HL7 v2 table 0277 (Appointment Type Codes)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.277.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0277 defines the following codes:

Code | Display | Definition | Version
Complete | en: A request to add a completed appointment, used to maintain records of completed appointments that did not appear in the schedule (e.g., STAT, walk-in, etc.) nl: Een verzoek voor toevoegen voltooide afspraak, gebruikt voor bijhouden naslag van voltooide afspraken die niet in de agenda verschenen (bijv. STAT, inloop, etc.) | | added v2.3
Normal | en: Routine schedule request type – default if not valued nl: Routine agendaverzoek type - standaardwaarde als geen waarde | | added v2.3
Tentative | en: A request for a tentative (e.g., “penciled in”) appointment nl: Een verzoek voor een voorlopige afspraak (bijv. "met potlood toegevoegd") | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0277 defines the following codes:

Code | Display | Definition | Version
Complete | A request to add a completed appointment, used to maintain records of completed appointments that did not appear in the schedule (e.g., STAT, walk-in, etc.) | | added v2.3
Normal | Routine schedule request type – default if not valued | | added v2.3
Tentative | A request for a tentative (e.g., “penciled in”) appointment | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0277 definieert de volgende codes:

Code | Display | Definition | Versie
Complete | Een verzoek voor toevoegen voltooide afspraak, gebruikt voor bijhouden naslag van voltooide afspraken die niet in de agenda verschenen (bijv. STAT, inloop, etc.) | | added v2.3
Normal | Routine agendaverzoek type - standaardwaarde als geen waarde | | added v2.3
Tentative | Een verzoek voor een voorlopige afspraak (bijv. "met potlood toegevoegd") | | added v2.3

4.3.15.278 HL7 Version 2 Table 0278

URL: https://hl7.org/fhir/R4/v2/0278/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0278
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0278

Version: | 2.9
Name: | v2.0278
Title: | v2 Filler Status Codes
Definition: | FHIR Value set/code system definition for HL7 v2 table 0278 (Filler Status Codes)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.278.1 Code System Content

- All Languages
- English
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0278 defines the following codes:

Code | Display | Definition | Comments | Version
Blocked | en: Blocked nl: De aangegeven afspraakpositie(s) zijn geblokkeerd | | Not used in the AIS, AIG, AIL, AIP segments. | added v2.3
Booked | en: Booked nl: De aangegeven afspraak is geboekt | | | added v2.3
Cancelled | en: Cancelled nl: De aangegeven afspraak is gestopt voordat deze actief werd (geannuleerd vóór starten) | | | added v2.3
Complete | en: Complete nl: De aangegeven afspraak is normaal voltooid (niet afgebroken, geannuleerd of verwijderd) | | | added v2.3
DC | en: Discontinued nl: De aangegeven afspraak is afgebroken (afgebroken terwijl deze gaande was, afgebroken bovenliggende afspraak, of afgebroken onderliggende afspraak) | | | added v2.9
Deleted | en: Deleted nl: De aangegeven afspraak is verwijderd van de filler applicatie | | | added v2.3
Discontinued | Discontinued | | | added v2.3
Noshow | en: Noshow nl: De patiënt is niet verschenen bij de afspraak | | | added v2.5
Overbook | en: Overbook nl: De aangegeven afspraak is bevestigd; het is echter tevens in overboekte status | | | added v2.3
Pending | en: Pending nl: Afspraak is nog niet bevestigd | | | added v2.3
Started | en: Started nl: De aangegeven afspraak is begonnen en is momenteel bezig | | | added v2.3
Waitlist | en: Waitlist nl: De afspraak is op een wachtlijst gezet voor een bepaald afspraakposities, of set van afspraakposities | | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0278 defines the following codes:

Code | Display | Definition | Comments | Version
Blocked | Blocked | | Not used in the AIS, AIG, AIL, AIP segments. | added v2.3
Booked | Booked | | | added v2.3
Cancelled | Cancelled | | | added v2.3
Complete | Complete | | | added v2.3
DC | Discontinued | | | added v2.9
Deleted | Deleted | | | added v2.3
Discontinued | Discontinued | | | added v2.3
Noshow | Noshow | | | added v2.5
Overbook | Overbook | | | added v2.3
Pending | Pending | | | added v2.3
Started | Started | | | added v2.3
Waitlist | Waitlist | | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0278 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie
Blocked | De aangegeven afspraakpositie(s) zijn geblokkeerd | | | added v2.3
Booked | De aangegeven afspraak is geboekt | | | added v2.3
Cancelled | De aangegeven afspraak is gestopt voordat deze actief werd (geannuleerd vóór starten) | | | added v2.3
Complete | De aangegeven afspraak is normaal voltooid (niet afgebroken, geannuleerd of verwijderd) | | | added v2.3
DC | De aangegeven afspraak is afgebroken (afgebroken terwijl deze gaande was, afgebroken bovenliggende afspraak, of afgebroken onderliggende afspraak) | | | added v2.9
Deleted | De aangegeven afspraak is verwijderd van de filler applicatie | | | added v2.3
Discontinued | | | | added v2.3
Noshow | De patiënt is niet verschenen bij de afspraak | | | added v2.5
Overbook | De aangegeven afspraak is bevestigd; het is echter tevens in overboekte status | | | added v2.3
Pending | Afspraak is nog niet bevestigd | | | added v2.3
Started | De aangegeven afspraak is begonnen en is momenteel bezig | | | added v2.3
Waitlist | De afspraak is op een wachtlijst gezet voor een bepaald afspraakposities, of set van afspraakposities | | | added v2.3

4.3.15.279 HL7 Version 2 Table 0279

URL: https://hl7.org/fhir/R4/v2/0279/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0279
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0279
Version: | 2.9
Name: | v2.0279
Title: | v2 Allow Substitution Codes
Definition: | FHIR Value set/code system definition for HL7 v2 table 0279 (Allow Substitution Codes)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.279.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0279 defines the following codes:

Code | Display | Definition | Version
Confirm | en: Contact the Placer Contact Person prior to making any substitutions of this resource nl: Neem contact op met placer contactpersoon voorafgaand aan eventuele substituties van deze resource | | added v2.3
No | en: Substitution of this resource is not allowed nl: Substitutie van deze resource is niet toegestaan | | added v2.3
Notify | en: Notify the Placer Contact Person, through normal institutional procedures, that a substitution of this resource has been made nl: Melden bij placer contactpersoon via normale institutionele afspraken indien een substitutie van deze resource heeft plaatsgevonden | | added v2.3
Yes | en: Substitution of this resource is allowed nl: Substitutie van deze resource is toegestaan | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0279 defines the following codes:

Code | Display | Definition | Version
Confirm | Contact the Placer Contact Person prior to making any substitutions of this resource | | added v2.3
No | Substitution of this resource is not allowed | | added v2.3
Notify | Notify the Placer Contact Person, through normal institutional procedures, that a substitution of this resource has been made | | added v2.3
Yes | Substitution of this resource is allowed | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0279 definieert de volgende codes:

Code | Display | Definition | Versie
Confirm | Neem contact op met placer contactpersoon voorafgaand aan eventuele substituties van deze resource | | added v2.3
No | Substitutie van deze resource is niet toegestaan | | added v2.3
Notify | Melden bij placer contactpersoon via normale institutionele afspraken indien een substitutie van deze resource heeft plaatsgevonden | | added v2.3
Yes | Substitutie van deze resource is toegestaan | | added v2.3

4.3.15.280 HL7 Version 2 Table 0280

URL: https://hl7.org/fhir/R4/v2/0280/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0280
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0280
Version: | 2.9
Name: | v2.0280
Title: | v2 Referral Priority
Definition: | FHIR Value set/code system definition for HL7 v2 table 0280 (Referral Priority)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.280.1 Code System Content

• All Languages

• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0280 defines the following codes:

Code | Display | Definition | Version
A | en: ASAP nl: ZSM | | added v2.3
R | Routine | | added v2.3
S | STAT | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0280 defines the following codes:

Code | Display | Definition | Version
A | ASAP | | added v2.3
R | Routine | | added v2.3
S | STAT | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0280 definieert de volgende codes:

Code | Display | Definition | Versie
A | ZSM | | added v2.3
R | Routine | | added v2.3
S | STAT | | added v2.3

4.3.15.281 HL7 Version 2 Table 0281

URL: https://hl7.org/fhir/R4/v2/0281/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0281
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0281
Version: | 2.9
Name: | v2.0281
Title: | v2 Referral Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0281 (Referral Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.281.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0281 defines the following codes:

Code | Display | Definition | Version
Hom | en: Home Care nl: Thuiszorg | | added v2.3
Lab | en: Laboratory nl: Laboratorium | | added v2.3
Med | en: Medical nl: Medisch | | added v2.3
Psy | en: Psychiatric nl: Psychiatrisch | | added v2.3
Rad | en: Radiology nl: Radiologie | | added v2.3
Skn | Skilled Nursing | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0281 defines the following codes:

Code | Display | Definition | Version
Hom | Home Care | | added v2.3
Lab | Laboratory | | added v2.3
Med | Medical | | added v2.3
Psy | Psychiatric | | added v2.3
Rad | Radiology | | added v2.3
Skn | Skilled Nursing | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0281 definieert de volgende codes:

Code | Display | Definition | Versie
Hom | Thuiszorg | | added v2.3
Lab | Laboratorium | | added v2.3
Med | Medisch | | added v2.3
Psy | Psychiatrisch | | added v2.3
Rad | Radiologie | | added v2.3

Skn | | | added v2.3

4.3.15.282 HL7 Version 2 Table 0282

URL: https://hl7.org/fhir/R4/v2/0282/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0282
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0282
Version: | 2.9
Name: | v2.0282
Title: | v2 Referral Disposition
Definition: | FHIR Value set/code system definition for HL7 v2 table 0282 (Referral Disposition)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.282.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0282 defines the following codes:

Code | Display | Definition | Version
AM | en: Assume Management nl: Verondersteld management | | added v2.3
RP | en: Return Patient After Evaluation nl: Terugkomst patiënt na onderzoek | | added v2.3
SO | Second Opinion | | added v2.3
WR | en: Send Written Report nl: Stuur geschreven verslag | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0282 defines the following codes:

Code | Display | Definition | Version
AM | Assume Management | | added v2.3
RP | Return Patient After Evaluation | | added v2.3
SO | Second Opinion | | added v2.3
WR | Send Written Report | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0282 definieert de volgende codes:

Code | Display | Definition | Versie
AM | Verondersteld management | | added v2.3
RP | Terugkomst patiënt na onderzoek | | added v2.3
SO | Second opinion | | added v2.3
WR | Stuur geschreven verslag | | added v2.3

4.3.15.283 HL7 Version 2 Table 0283

URL: https://hl7.org/fhir/R4/v2/0283/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0283
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0283
Version: | 2.9
Name: | v2.0283
Title: | v2 Referral Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0283 (Referral Status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.283.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0283 defines the following codes:

Code	Display	Definition	Version
A	en: Accepted nl: Geaccepteerd		added v2.3
E	en: Expired nl: Verlopen		added v2.3
P	en: Pending nl: Bezig		added v2.3
R	en: Rejected nl: Geweigerd		added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0283 defines the following codes:

Code	Display	Definition	Version
A	Accepted		added v2.3
E	Expired		added v2.3
P	Pending		added v2.3
R	Rejected		added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0283 definieert de volgende codes:

Code	Display	Definition	Versie
A	Geaccepteerd		added v2.3
E	Verlopen		added v2.3
P	Bezig		added v2.3
R	Geweigerd		added v2.3

4.3.15.284 HL7 Version 2 Table 0284

URL: https://hl7.org/fhir/R4/v2/0284/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0284
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0284
Version: | 2.9
Name: | v2.0284
Title: | v2 Referral Category
Definition: | FHIR Value set/code system definition for HL7 v2 table 0284 (Referral Category)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.284.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0284 defines the following codes:

Code	Display	Definition	Version
A	en: Ambulatory nl: Dagbehandeling		added v2.3
E	en: Emergency nl: Spoed		added v2.3
I	en: Inpatient nl: Klinisch		added v2.3
O	en: Outpatient nl: Poliklinisch		added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0284 defines the following codes:

Code	Display	Definition	Version
A	Ambulatory		added v2.3
E	Emergency		added v2.3
I	Inpatient		added v2.3
O	Outpatient		added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0284 definieert de volgende codes:

Code	Display	Definition	Versie
A	Dagbehandeling		added v2.3
E	Spoed		added v2.3
I	Klinisch		added v2.3
O	Poliklinisch		added v2.3

4.3.15.286 HL7 Version 2 Table 0286

URL: https://hl7.org/fhir/R4/v2/0286/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0286
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0286
Version: | 2.9
Name: | v2.0286
Title: | v2 Provider Role
Definition: | FHIR Value set/code system definition for HL7 v2 table 0286 (Provider Role)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.286.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0286 defines the following codes:

Code | Display | Definition | Version
CP | en: Consulting Provider nl: Adviserende zorgverlener | | added v2.3
PP | en: Primary Care Provider nl: Eerstelijns zorgverlener | | added v2.3
RP | en: Referring Provider nl: Verwijzende zorgverlener | | added v2.3
RT | en: Referred to Provider nl: Verwezen naar zorgverlener | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0286 defines the following codes:

Code | Display | Definition | Version
CP | Consulting Provider | | added v2.3
PP | Primary Care Provider | | added v2.3
RP | Referring Provider | | added v2.3
RT | Referred to Provider | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0286 definieert de volgende codes:

Code | Display | Definition | Versie
CP | Adviserende zorgverlener | | added v2.3
PP | Eerstelijns zorgverlener | | added v2.3
RP | Verwijzende zorgverlener | | added v2.3
RT | Verwezen naar zorgverlener | | added v2.3

4.3.15.287 HL7 Version 2 Table 0287

URL: https://hl7.org/fhir/R4/v2/0287/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0287
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0287
Version: | 2.9
Name: | v2.0287
Title: | v2 Action Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0287 (Action Code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.287.1 Code System Content

• All Languages

• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0287 defines the following codes:

Code	Display	Definition	Version
AD	en: ADD de: hinzufügen nl: Toevoegen		added v2.3
CO	en: CORRECT de: ändern nl: Corrigeren		added v2.3
DE	en: DELETE de: löschen nl: Verwijderen		added v2.3
LI	en: LINK de: verknüpfen nl: Koppelen		added v2.3
SP	Used in Snapshot mode		added v2.9
UC	en: UNCHANGED nl: Ongewijzigd		added v2.3
UN	en: UNLINK de: Verknüpfung auflösen nl: Ontkoppelen		added v2.3
UP	en: UPDATE de: ändern nl: Updaten		added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0287 defines the following codes:

Code	Display	Definition	Version
AD	ADD		added v2.3
CO	CORRECT		added v2.3
DE	DELETE		added v2.3
LI	LINK		added v2.3
SP	Used in Snapshot mode		added v2.9
UC	UNCHANGED		added v2.3
UN	UNLINK		added v2.3
UP	UPDATE		added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0287 defines the following codes:

Code	Display	Definition	Version
AD	hinzufügen		added v2.3
CO	ändern		added v2.3
DE	löschen		added v2.3
LI	verknüpfen		added v2.3
SP			added v2.9
UC			added v2.3
UN	Verknüpfung auflösen		added v2.3
UP	ändern		added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0287 definieert de volgende codes:

Code	Display	Definition	Versie
AD	Toevoegen		added v2.3
CO	Corrigeren		added v2.3
DE	Verwijderen		added v2.3
LI	Koppelen		added v2.3
SP			added v2.9
UC	Ongewijzigd		added v2.3
UN	Ontkoppelen		added v2.3
UP	Updaten		added v2.3

4.3.15.290 HL7 Version 2 Table 0290

URL: https://hl7.org/fhir/R4/v2/0290/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL:	http://terminology.hl7.org/CodeSystem/v2-0290
Value Set URL:	http://terminology.hl7.org/ValueSet/v2-0290
Version:	2.9
Name:	v2.0290
Title:	v2 MIME base64 encoding Characters
Definition:	FHIR Value set/code system definition for HL7 v2 table 0290 (MIME base64 encoding Characters)
OID:	??
CodeSystem Resource	XML / JSON
ValueSet Resource	XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.290.1 Code System Content

• All Languages

- English
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0290 defines the following codes:

Code | Display | Definition | Deprecated | Version
(pad) | = | | Deprecated | added v2.3, removed after v2.4
0 | A | | Deprecated | added v2.3, removed after v2.4
1 | B | | Deprecated | added v2.3, removed after v2.4
10 | K | | Deprecated | added v2.3, removed after v2.4
11 | L | | Deprecated | added v2.3, removed after v2.4
12 | M | | Deprecated | added v2.3, removed after v2.4
13 | N | | Deprecated | added v2.3, removed after v2.4
14 | O | | Deprecated | added v2.3, removed after v2.4
15 | P | | Deprecated | added v2.3, removed after v2.4
16 | Q | | Deprecated | added v2.3, removed after v2.4
17 | R | | Deprecated | added v2.3, removed after v2.4
18 | S | | Deprecated | added v2.3, removed after v2.4
19 | T | | Deprecated | added v2.3, removed after v2.4
2 | C | | Deprecated | added v2.3, removed after v2.4
20 | U | | Deprecated | added v2.3, removed after v2.4
21 | V | | Deprecated | added v2.3, removed after v2.4
22 | W | | Deprecated | added v2.3, removed after v2.4
23 | X | | Deprecated | added v2.3, removed after v2.4
24 | Y | | Deprecated | added v2.3, removed after v2.4
25 | Z | | Deprecated | added v2.3, removed after v2.4
26 | a | | Deprecated | added v2.3, removed after v2.4
27 | b | | Deprecated | added v2.3, removed after v2.4
28 | c | | Deprecated | added v2.3, removed after v2.4
29 | d | | Deprecated | added v2.3, removed after v2.4
3 | D | | Deprecated | added v2.3, removed after v2.4
30 | e | | Deprecated | added v2.3, removed after v2.4
31 | f | | Deprecated | added v2.3, removed after v2.4
32 | g | | Deprecated | added v2.3, removed after v2.4
33 | h | | Deprecated | added v2.3, removed after v2.4
34 | I | | Deprecated | added v2.3, removed after v2.4
35 | j | | Deprecated | added v2.3, removed after v2.4
36 | k | | Deprecated | added v2.3, removed after v2.4
37 | l | | Deprecated | added v2.3, removed after v2.4
38 | m | | Deprecated | added v2.3, removed after v2.4
39 | n | | Deprecated | added v2.3, removed after v2.4
4 | E | | Deprecated | added v2.3, removed after v2.4
40 | o | | Deprecated | added v2.3, removed after v2.4
41 | p | | Deprecated | added v2.3, removed after v2.4
42 | q | | Deprecated | added v2.3, removed after v2.4
43 | r | | Deprecated | added v2.3, removed after v2.4
44 | s | | Deprecated | added v2.3, removed after v2.4
45 | t | | Deprecated | added v2.3, removed after v2.4
46 | u | | Deprecated | added v2.3, removed after v2.4
47 | v | | Deprecated | added v2.3, removed after v2.4
48 | w | | Deprecated | added v2.3, removed after v2.4
49 | x | | Deprecated | added v2.3, removed after v2.4
5 | F | | Deprecated | added v2.3, removed after v2.4
50 | y | | Deprecated | added v2.3, removed after v2.4
51 | z | | Deprecated | added v2.3, removed after v2.4
52 | 0 | | Deprecated | added v2.3, removed after v2.4
53 | 1 | | Deprecated | added v2.3, removed after v2.4
54 | 2 | | Deprecated | added v2.3, removed after v2.4
55 | 3 | | Deprecated | added v2.3, removed after v2.4
56 | 4 | | Deprecated | added v2.3, removed after v2.4
57 | 5 | | Deprecated | added v2.3, removed after v2.4
58 | 6 | | Deprecated | added v2.3, removed after v2.4
59 | 7 | | Deprecated | added v2.3, removed after v2.4
6 | G | | Deprecated | added v2.3, removed after v2.4
60 | 8 | | Deprecated | added v2.3, removed after v2.4
61 | 9 | | Deprecated | added v2.3, removed after v2.4
62 | + | | Deprecated | added v2.3, removed after v2.4

63 | / | | Deprecated | added v2.3, removed after v2.4
7 | H | | Deprecated | added v2.3, removed after v2.4
8 | I | | Deprecated | added v2.3, removed after v2.4
9 | J | | Deprecated | added v2.3, removed after v2.4

Properties

Code | URL | Description | Type

status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code

deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0290 defines the following codes:

Code | Display | Definition | Deprecated | Version

(pad) | = | | Deprecated | added v2.3, removed after v2.4
0 | A | | Deprecated | added v2.3, removed after v2.4
1 | B | | Deprecated | added v2.3, removed after v2.4
10 | K | | Deprecated | added v2.3, removed after v2.4
11 | L | | Deprecated | added v2.3, removed after v2.4
12 | M | | Deprecated | added v2.3, removed after v2.4
13 | N | | Deprecated | added v2.3, removed after v2.4
14 | O | | Deprecated | added v2.3, removed after v2.4
15 | P | | Deprecated | added v2.3, removed after v2.4
16 | Q | | Deprecated | added v2.3, removed after v2.4
17 | R | | Deprecated | added v2.3, removed after v2.4
18 | S | | Deprecated | added v2.3, removed after v2.4
19 | T | | Deprecated | added v2.3, removed after v2.4
2 | C | | Deprecated | added v2.3, removed after v2.4
20 | U | | Deprecated | added v2.3, removed after v2.4
21 | V | | Deprecated | added v2.3, removed after v2.4
22 | W | | Deprecated | added v2.3, removed after v2.4
23 | X | | Deprecated | added v2.3, removed after v2.4
24 | Y | | Deprecated | added v2.3, removed after v2.4
25 | Z | | Deprecated | added v2.3, removed after v2.4
26 | a | | Deprecated | added v2.3, removed after v2.4
27 | b | | Deprecated | added v2.3, removed after v2.4
28 | c | | Deprecated | added v2.3, removed after v2.4
29 | d | | Deprecated | added v2.3, removed after v2.4
3 | D | | Deprecated | added v2.3, removed after v2.4
30 | e | | Deprecated | added v2.3, removed after v2.4
31 | f | | Deprecated | added v2.3, removed after v2.4
32 | g | | Deprecated | added v2.3, removed after v2.4
33 | h | | Deprecated | added v2.3, removed after v2.4
34 | I | | Deprecated | added v2.3, removed after v2.4
35 | j | | Deprecated | added v2.3, removed after v2.4
36 | k | | Deprecated | added v2.3, removed after v2.4
37 | l | | Deprecated | added v2.3, removed after v2.4
38 | m | | Deprecated | added v2.3, removed after v2.4
39 | n | | Deprecated | added v2.3, removed after v2.4
4 | E | | Deprecated | added v2.3, removed after v2.4
40 | o | | Deprecated | added v2.3, removed after v2.4
41 | p | | Deprecated | added v2.3, removed after v2.4
42 | q | | Deprecated | added v2.3, removed after v2.4
43 | r | | Deprecated | added v2.3, removed after v2.4
44 | s | | Deprecated | added v2.3, removed after v2.4
45 | t | | Deprecated | added v2.3, removed after v2.4
46 | u | | Deprecated | added v2.3, removed after v2.4
47 | v | | Deprecated | added v2.3, removed after v2.4
48 | w | | Deprecated | added v2.3, removed after v2.4
49 | x | | Deprecated | added v2.3, removed after v2.4
5 | F | | Deprecated | added v2.3, removed after v2.4
50 | y | | Deprecated | added v2.3, removed after v2.4
51 | z | | Deprecated | added v2.3, removed after v2.4
52 | 0 | | Deprecated | added v2.3, removed after v2.4
53 | 1 | | Deprecated | added v2.3, removed after v2.4
54 | 2 | | Deprecated | added v2.3, removed after v2.4
55 | 3 | | Deprecated | added v2.3, removed after v2.4
56 | 4 | | Deprecated | added v2.3, removed after v2.4
57 | 5 | | Deprecated | added v2.3, removed after v2.4
58 | 6 | | Deprecated | added v2.3, removed after v2.4
59 | 7 | | Deprecated | added v2.3, removed after v2.4
6 | G | | Deprecated | added v2.3, removed after v2.4
60 | 8 | | Deprecated | added v2.3, removed after v2.4

61 | 9 | | Deprecated | added v2.3, removed after v2.4
62 | + | | Deprecated | added v2.3, removed after v2.4
63 | / | | Deprecated | added v2.3, removed after v2.4
7 | H | | Deprecated | added v2.3, removed after v2.4
8 | I | | Deprecated | added v2.3, removed after v2.4
9 | J | | Deprecated | added v2.3, removed after v2.4

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0290 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
(pad) | = | | Verouderd | added v2.3, removed after v2.4
0 | A | | Verouderd | added v2.3, removed after v2.4
1 | B | | Verouderd | added v2.3, removed after v2.4
10 | K | | Verouderd | added v2.3, removed after v2.4
11 | L | | Verouderd | added v2.3, removed after v2.4
12 | M | | Verouderd | added v2.3, removed after v2.4
13 | N | | Verouderd | added v2.3, removed after v2.4
14 | O | | Verouderd | added v2.3, removed after v2.4
15 | P | | Verouderd | added v2.3, removed after v2.4
16 | Q | | Verouderd | added v2.3, removed after v2.4
17 | R | | Verouderd | added v2.3, removed after v2.4
18 | S | | Verouderd | added v2.3, removed after v2.4
19 | T | | Verouderd | added v2.3, removed after v2.4
2 | C | | Verouderd | added v2.3, removed after v2.4
20 | U | | Verouderd | added v2.3, removed after v2.4
21 | V | | Verouderd | added v2.3, removed after v2.4
22 | W | | Verouderd | added v2.3, removed after v2.4
23 | X | | Verouderd | added v2.3, removed after v2.4
24 | Y | | Verouderd | added v2.3, removed after v2.4
25 | Z | | Verouderd | added v2.3, removed after v2.4
26 | a | | Verouderd | added v2.3, removed after v2.4
27 | b | | Verouderd | added v2.3, removed after v2.4
28 | c | | Verouderd | added v2.3, removed after v2.4
29 | d | | Verouderd | added v2.3, removed after v2.4
3 | D | | Verouderd | added v2.3, removed after v2.4
30 | e | | Verouderd | added v2.3, removed after v2.4
31 | f | | Verouderd | added v2.3, removed after v2.4
32 | g | | Verouderd | added v2.3, removed after v2.4
33 | h | | Verouderd | added v2.3, removed after v2.4
34 | I | | Verouderd | added v2.3, removed after v2.4
35 | j | | Verouderd | added v2.3, removed after v2.4
36 | k | | Verouderd | added v2.3, removed after v2.4
37 | l | | Verouderd | added v2.3, removed after v2.4
38 | m | | Verouderd | added v2.3, removed after v2.4
39 | n | | Verouderd | added v2.3, removed after v2.4
4 | E | | Verouderd | added v2.3, removed after v2.4
40 | o | | Verouderd | added v2.3, removed after v2.4
41 | p | | Verouderd | added v2.3, removed after v2.4
42 | q | | Verouderd | added v2.3, removed after v2.4
43 | r | | Verouderd | added v2.3, removed after v2.4
44 | s | | Verouderd | added v2.3, removed after v2.4
45 | t | | Verouderd | added v2.3, removed after v2.4
46 | u | | Verouderd | added v2.3, removed after v2.4
47 | v | | Verouderd | added v2.3, removed after v2.4
48 | w | | Verouderd | added v2.3, removed after v2.4
49 | x | | Verouderd | added v2.3, removed after v2.4
5 | F | | Verouderd | added v2.3, removed after v2.4
50 | y | | Verouderd | added v2.3, removed after v2.4
51 | z | | Verouderd | added v2.3, removed after v2.4
52 | 0 | | Verouderd | added v2.3, removed after v2.4
53 | 1 | | Verouderd | added v2.3, removed after v2.4
54 | 2 | | Verouderd | added v2.3, removed after v2.4
55 | 3 | | Verouderd | added v2.3, removed after v2.4
56 | 4 | | Verouderd | added v2.3, removed after v2.4
57 | 5 | | Verouderd | added v2.3, removed after v2.4
58 | 6 | | Verouderd | added v2.3, removed after v2.4
59 | 7 | | Verouderd | added v2.3, removed after v2.4

6 | G | | Verouderd | added v2.3, removed after v2.4
60 | 8 | | Verouderd | added v2.3, removed after v2.4
61 | 9 | | Verouderd | added v2.3, removed after v2.4
62 | + | | Verouderd | added v2.3, removed after v2.4
63 | / | | Verouderd | added v2.3, removed after v2.4
7 | H | | Verouderd | added v2.3, removed after v2.4
8 | I | | Verouderd | added v2.3, removed after v2.4
9 | J | | Verouderd | added v2.3, removed after v2.4

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.290.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0290 version 2.9

Code | System | Display

4.3.15.291 HL7 Version 2 Table 0291

URL: https://hl7.org/fhir/R4/v2/0291/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0291
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0291
Version: | 2.9
Name: | v2.0291
Title: | v2 Subtype of Referenced Data
Definition: | FHIR Value set/code system definition for HL7 v2 table 0291 (Subtype of Referenced Data)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.291.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0291 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
... | en: Source RFC 2046 nl: Bron RFC 2046 | | Deprecated | | added v2.6, removed after v2.8.2
BASIC | en: ISDN PCM audio data nl: ISDN PCM audiogegevens | | | | added v2.3
DICOM | Digital Imaging and Communications in Medicine | | | | added v2.3
FAX | en: Facsimile data nl: Faxgegevens | | | | added v2.3
GIF | Graphics Interchange Format | | | | added v2.3
HTML | Hypertext Markup Language | | | | added v2.3
JOT | en: Electronic ink data (Jot 1.0 standard) nl: Electronische Inktgegevens (Jot 1.0 standaard) | | | | added v2.3
JPEG | en: Joint Photographic Experts Group nl: Joint Photographic Expert Group | | | | added v2.3
Octet-stream | en: Uninterpreted binary data nl: Ongeïnterpreteerde binaire gegevens | | | | added v2.3
PICT | en: PICT format image data nl: PICT formaat beeldgegevens | | | | added v2.3
PostScript | en: PostScript program nl: PostScript | | | | added v2.3
RTF | Rich Text Format | | | | added v2.3
SGML | en: Standard Generalized Markup Language (HL7 V2.3.1 and later) nl: Standard Generalized Markup Language (vanaf HL7 v2.3.1) | | | | added v2.3.1
TIFF | en: TIFF image data nl: TIFF afbeeldinggegevens | | | | added v2.3
x-hl7-cda-level-one | HL7 Clinical Document Architecture Level One document | | | en: Retained for backwards compatibility only as of v2.6 and CDA R 2. Preferred value is text/xml. nl: Alleen voor backward compatibiliteit vanaf v2.6 en CDAr2. Voorkeurswaarde is text/xml. | added v2.4

XML | en: Extensible Markup Language (HL7 V2.3.1 and later) nl: Extensible Markup Language (vanaf HL7 v2.3.1) | | | | added v2.3.1
... | en: Source RFC 2046 nl: Bron RFC 2046 | | Deprecated | | added v2.7.1, removed after v2.7.1

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0291 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
... | Source RFC 2046 | | Deprecated | | added v2.6, removed after v2.8.2
BASIC | ISDN PCM audio data | | | | added v2.3
DICOM | Digital Imaging and Communications in Medicine | | | | added v2.3
FAX | Facsimile data | | | | added v2.3
GIF | Graphics Interchange Format | | | | added v2.3
HTML | Hypertext Markup Language | | | | added v2.3
JOT | Electronic ink data (Jot 1.0 standard) | | | | added v2.3
JPEG | Joint Photographic Experts Group | | | | added v2.3
Octet-stream | Uninterpreted binary data | | | | added v2.3
PICT | PICT format image data | | | | added v2.3
PostScript | PostScript program | | | | added v2.3
RTF | Rich Text Format | | | | added v2.3
SGML | Standard Generalized Markup Language (HL7 V2.3.1 and later) | | | | added v2.3.1
TIFF | TIFF image data | | | | added v2.3
x-hl7-cda-level-one | HL7 Clinical Document Architecture Level One document | | | Retained for backwards compatibility only as of v2.6 and CDA R 2. Preferred value is text/xml. | added v2.4
XML | Extensible Markup Language (HL7 V2.3.1 and later) | | | | added v2.3.1
... | Source RFC 2046 | | Deprecated | | added v2.7.1, removed after v2.7.1

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0291 definieert de volgende codes:

Code | Display | Definition | Verouderd | Commentaar | Versie
... | Bron RFC 2046 | | Verouderd | | added v2.6, removed after v2.8.2
BASIC | ISDN PCM audiogegevens | | | | added v2.3
DICOM | Digital Imaging and Communications in Medicine | | | | added v2.3
FAX | Faxgegevens | | | | added v2.3
GIF | Graphics Interchange Format | | | | added v2.3
HTML | Hypertext Markup Language | | | | added v2.3
JOT | Electronische Inktgegevens (Jot 1.0 standaard) | | | | added v2.3
JPEG | Joint Photographic Expert Group | | | | added v2.3
Octet-stream | Ongeïnterpreteerde binaire gegevens | | | | added v2.3
PICT | PICT formaat beeldgegevens | | | | added v2.3
PostScript | PostScript | | | | added v2.3
RTF | Rich Text Format | | | | added v2.3
SGML | Standard Generalized Markup Language (vanaf HL7 v2.3.1) | | | | added v2.3.1
TIFF | TIFF afbeeldinggegevens | | | | added v2.3
x-hl7-cda-level-one | HL7 Clinical Document Architecture Level One document | | | Alleen voor backward compatibiliteit vanaf v2.6 en CDAr2. Voorkeurswaarde is text/xml. | added v2.4
XML | Extensible Markup Language (vanaf HL7 v2.3.1) | | | | added v2.3.1
... | Bron RFC 2046 | | Verouderd | | added v2.7.1, removed after v2.7.1

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.291.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 15 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0291 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0291

Code | Display | Definition
BASIC | ISDN PCM audio data
DICOM | Digital Imaging and Communications in Medicine
FAX | Facsimile data
GIF | Graphics Interchange Format

HTML | Hypertext Markup Language
JOT | Electronic ink data (Jot 1.0 standard)
JPEG | Joint Photographic Experts Group
Octet-stream | Uninterpreted binary data
PICT | PICT format image data
PostScript | PostScript program
RTF | Rich Text Format
SGML | Standard Generalized Markup Language (HL7 V2.3.1 and later)
TIFF | TIFF image data
x-hl7-cda-level-one | HL7 Clinical Document Architecture Level One document
XML | Extensible Markup Language (HL7 V2.3.1 and later)

Additional Language Displays

Code | Nederlands (Dutch, nl)
BASIC | ISDN PCM audiogegevens
DICOM | Digital Imaging and Communications in Medicine
FAX | Faxgegevens
GIF | Graphics Interchange Format
HTML | Hypertext Markup Language
JOT | Electronische Inktgegevens (Jot 1.0 standaard)
JPEG | Joint Photographic Expert Group
Octet-stream | Ongeïnterpreteerde binaire gegevens
PICT | PICT formaat beeldgegevens
PostScript | PostScript
RTF | Rich Text Format
SGML | Standard Generalized Markup Language (vanaf HL7 v2.3.1)
TIFF | TIFF afbeeldinggegevens
x-hl7-cda-level-one | HL7 Clinical Document Architecture Level One document
XML | Extensible Markup Language (vanaf HL7 v2.3.1)

4.3.15.292 HL7 Version 2 Table 0292

URL: https://hl7.org/fhir/R4/v2/0292/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0292
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0292
Version: | 2.9
Name: | v2.0292
Title: | v2 Vaccines Administered
Definition: | FHIR Value set/code system definition for HL7 v2 table 0292 (Vaccines Administered)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.292.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0292 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
01 | en: DTP nl: DKT - difterie-kinkhoest-tetanus | | Deprecated | en: diphtheria, tetanus toxoids and pertussis vaccine nl: difterie-kinkhoest-tetanus vaccin | added v2.3, removed after v2.8.2
02 | OPV | | Deprecated | en: poliovirus vaccine, live, oral nl: poliovirus vaccin, oraal | added v2.3, removed after v2.8.2
03 | en: MMR nl: BMR - bof, mazelen, rodehond | | Deprecated | en: measles, mumps and rubella virus vaccine nl: bof, mazelen, rodehond virus vaccin | added v2.3, removed after v2.8.2
04 | M/R | | Deprecated | en: measles and rubella virus vaccine nl: mazelen en rodehond virus vaccin | added v2.3, removed after v2.8.2

05 | en: measles nl: mazelen | | Deprecated | en: measles virus vaccine nl: mazelen virus vaccin | added v2.3, removed after v2.8.2
06 | en: rubella nl: rodehond | | Deprecated | en: rubella virus vaccine nl: rodehond virus vaccin | added v2.3, removed after v2.8.2
07 | en: mumps nl: bof | | Deprecated | en: mumps virus vaccine nl: bof virus vaccin | added v2.3, removed after v2.8.2
08 | en: Hep B, adolescent or pediatric nl: Hep B, adolescent of pediatrie | | Deprecated | en: hepatitis B vaccine, pediatric or pediatric/adolescent dosage nl: hepatitis B vaccin, pediatrie of pediatrie/adolescent dosering | added v2.3, removed after v2.8.2
09 | en: Td (adult) nl: DT - difterie en tetanus (volwassene) | | Deprecated | en: tetanus and diphtheria toxoids, adsorbed for adult use nl: tetanus en difterie toxoïde, geadsorbeerd, voor volwassen gebruik | added v2.3, removed after v2.8.2
10 | IPV | | Deprecated | en: poliovirus vaccine, inactivated nl: poliovirus vaccin, inactief | added v2.3, removed after v2.8.2
100 | en: pneumococcal conjugate nl: pneumokokken conjugaat | | Deprecated | en: pneumococcal conjugate vaccine, polyvalent nl: pneumokokken conjugaat vaccin, polyvalent | added v2.4, removed after v2.8.2
101 | en: typhoid, ViCPs nl: tyfus, ViCPs | | Deprecated | en: typhoid Vi capsular polysaccharide vaccine nl: tyfus Vi capsular polysaccharide vaccin | added v2.4, removed after v2.8.2
102 | en: DTP-Hib-Hep B nl: DKT-Hib-Hep B | | Deprecated | en: DTP- Haemophilus influenzae type b conjugate and hepatitis b vaccine nl: DKT-Haemophilus influenzae type b conjugaat en hepatitis b vaccin | added v2.5, removed after v2.8.2
103 | en: meningococcal C conjugate nl: meningokokken C conjugaat | | Deprecated | en: meningococcal C conjugate vaccine nl: meningokokken C conjugaat vaccin | added v2.5, removed after v2.8.2
104 | Hep A-Hep B | | Deprecated | en: hepatitis A and hepatitis B vaccine nl: hepatitis A en hepatitis B vaccin | added v2.5, removed after v2.8.2
105 | en: vaccinia (smallpox) diluted nl: vaccinia (pokken) verzwakt | | Deprecated | en: vaccinia (smallpox) vaccine, diluted nl: vaccinia (pokken) vaccin, verzwakt | added v2.5, removed after v2.8.2
106 | en: DTaP, 5 pertussis antigens6 nl: DaKT, 5 kinkhoest antigenen6 | | Deprecated | en: diphtheria, tetanus toxoids and acellular pertussis vaccine, 5 pertussis antigens nl: difterie, tetanus toxoïdes en acellulair kinkhoest vaccin, 5 kinkhoest antigenen | added v2.5, removed after v2.8.2
107 | en: DTaP, NOS nl: DaKT, niet anders gespecificeerd | | Deprecated | en: diphtheria, tetanus toxoids and acellular pertussis vaccine, NOS nl: difterie, tetanus toxoïdes en acellulair kinkhoest vaccin, niet anders gespecificeerd | added v2.5, removed after v2.8.2
108 | en: meningococcal, NOS nl: meningokokken, niet anders gespecificeerd | | Deprecated | en: meningococcal vaccine, NOS nl: meningokokken vaccin, niet anders gespecificeerd | added v2.5, removed after v2.8.2
109 | en: pneumococcal, NOS nl: pneumokokken, niet anders gespecificeerd | | Deprecated | en: pneumococcal vaccine, NOS nl: pneumokokken vaccin, niet anders gespecificeerd | added v2.5, removed after v2.8.2
11 | en: pertussis nl: kinkhoest | | Deprecated | en: pertussis vaccine nl: kinkhoest vaccin | added v2.3, removed after v2.8.2
110 | en: DTaP-Hep B-IPV nl: DaKT-Hep B-IPV | | Deprecated | en: DTaP-hepatitis B and poliovirus vaccine nl: DaKT-hepatitis B en poliovirus vaccin | added v2.6, removed after v2.8.2
111 | en: influenza, live, intranasal nl: influenza, levend, intranasaal | | Deprecated | en: influenza virus vaccine, live, attenuated, for intranasal use nl: influenza virus vaccin, live, verzwakt, for intranasaal gebruik | added v2.6, removed after v2.8.2
112 | en: tetanus toxoid, NOS nl: tetanus toxoïde, niet anders gespecificeerd | | Deprecated | en: tetanus toxoid, NOS nl: tetanus toxoïde, niet anders gespecificeerd | added v2.6, removed after v2.8.2
113 | en: Td (adult) nl: DT - difterie en tetanus (volwassene) | | Deprecated | en: tetanus and diphtheria toxoids, adsorbed, preservative free, for adult use nl: tetanus en difterie toxoïde, geadsorbeerd, zonder conserveringsmiddelen, voor volwassen gebruik | added v2.6, removed after v2.8.2
114 | en: meningococcal A,C,Y,W-135 diphtheria conjugate nl: meningokokken A,C,Y,W-135 difterie conjugaat | | Deprecated | en: meningococcal polysaccharide (groups A, C, Y and W-135) diphtheria toxoid conjugate vaccine (MCV4) nl: meningokokken polysaccharide (groepen A, C, Y en W-135) difterie toxoïde conjugaat vaccin (MCV4) | added v2.6, removed after v2.8.2
115 | en: Tdap nl: tetanus toxoïde, verminderde difterie toxoïde, en acellulaire kinkhoest | | Deprecated | en: tetanus toxoid, reduced diphtheria toxoid, and acellular pertussis vaccine, adsorbed nl: tetanus toxoïde, verminderde difterie toxoïde, en acellulaire kinkhoest vaccin, geadsorbeerd | added v2.6, removed after v2.8.2
116 | rotavirus, pentavalent | | Deprecated | en: rotavirus, live, pentavalent vaccine nl: rotavirus, levend, pentavalent vaccin | added v2.6, removed after v2.8.2
117 | VZIG (IND) | | Deprecated | en: varicella zoster immune globulin (Investigational New Drug) nl: varicella zoster immunoglobuline (Investigational New Drug) | added v2.6, removed after v2.8.2
118 | HPV, bivalent | | Deprecated | en: human papilloma virus vaccine, bivalent nl: humaan papillomavirus vaccin, bivalent | added v2.6, removed after v2.8.2
119 | rotavirus, monovalent | | Deprecated | en: rotavirus, live, monovalent vaccine nl: rotavirus, levend, monovalent vaccin | added v2.6, removed after v2.8.2
12 | en: diphtheria antitoxin nl: difterie antitoxine | | Deprecated | en: diphtheria antitoxin nl: difterie antitoxine | added v2.3, removed after v2.8.2
120 | en: DTaP-Hib-IPV nl: DaKT-Hib-IPV | | Deprecated | en: diphtheria, tetanus toxoids and acellular pertussis vaccine, Haemophilus influenzae type b conjugate, and poliovirus vaccine, inactivated (DTaP-Hib-IPV) nl: difterie, tetanus toxoïdes en acellulair kinkhoest vaccin, Haemophilus influenzae type b conjugaat, en poliovirus vaccin, inactief (DaKT-Hib-IPV) | added v2.6, removed after v2.8.2
121 | en: zoster nl: gordelroos | | Deprecated | en: zoster vaccine, live nl: gordelroos vaccin, levend | added v2.6, removed after v2.8.2
122 | en: rotavirus, NOS1 nl: rotavirus, niet anders gespecificeerd1 | | Deprecated | en: rotavirus vaccine, NOS nl: rotavirus vaccin, niet anders gespecificeerd | added v2.6, removed after v2.8.2
13 | TIG | | Deprecated | en: tetanus immune globulin nl: tetanus immunoglobuline | added v2.3, removed after v2.8.2
14 | en: IG, NOS nl: IG, niet anders gespecificeerd | | Deprecated | en: immune globulin, NOS nl: immunoglobuline, niet anders gespecificeerd | added v2.3, removed after v2.8.2
15 | en: influenza, split (incl. purified surface antigen) nl: influenza, gesplitst (incl. gezuiverd oppervlakte antigen) | | Deprecated | en: influenza virus vaccine, split virus (incl. purified surface antigen) nl: influenza virus vaccin, gesplitst virus (incl. gezuiverd oppervlakte antigen) | added v2.3, removed after v2.8.2
16 | en: influenza, whole nl: influenza, geheel | | Deprecated | en: influenza virus vaccine, whole virus nl: influenza virus vaccin, geheel virus | added v2.3, removed after v2.8.2
17 | en: Hib, NOS nl: Hib, niet anders gespecificeerd | | Deprecated | en: Haemophilus influenzae type b vaccine, conjugate NOS nl: Haemophilus influenzae type b vaccin, conjugaat niet anders gespecificeerd | added v2.3, removed after v2.8.2

18 | en: rabies, intramuscular injection nl: hondsdolheid, intramusculaire injectie | | Deprecated | en: rabies vaccine, for intramuscular injection nl: hondsdolheid vaccin, voor intramusculair injectie | added v2.3, removed after v2.8.2
19 | BCG | | Deprecated | en: Bacillus Calmette-Guerin vaccine nl: Bacillus van Calmette & Guerin vaccin | added v2.3, removed after v2.8.2
20 | en: DTaP nl: DaKT -difterie-acellulaire kinkhoest-tetanus | | Deprecated | en: diphtheria, tetanus toxoids and acellular pertussis vaccine nl: difterie-tetanus-acellulaire kinkhoest vaccin | added v2.3, removed after v2.8.2
21 | varicella | | Deprecated | en: varicella virus vaccine nl: varicella virus vaccin | added v2.3, removed after v2.8.2
22 | en: DTP-Hib nl: DKT-Hib | | Deprecated | en: DTP-Haemophilus influenzae type b conjugate vaccine nl: DKT-Haemophilus influenzae type b conjugaat vaccin | added v2.3, removed after v2.8.2
23 | en: plague nl: pest | | Deprecated | en: plague vaccine nl: pest vaccin | added v2.3, removed after v2.8.2
24 | en: anthrax nl: miltvuur | | Deprecated | en: anthrax vaccine nl: miltvuur vaccin | added v2.3, removed after v2.8.2
25 | en: typhoid, oral nl: tyfus, oral | | Deprecated | en: typhoid vaccine, live, oral nl: tyfus vaccin, levend, oral | added v2.3, removed after v2.8.2
26 | cholera | | Deprecated | en: cholera vaccine nl: cholera vaccin | added v2.3, removed after v2.8.2
27 | en: botulinum antitoxin nl: botulisme antitoxine | | Deprecated | en: botulinum antitoxin nl: botulisme antitoxine | added v2.3, removed after v2.8.2
28 | en: DT (pediatric) nl: DT - difterie-tetanus (pediatrie) | | Deprecated | en: diphtheria and tetanus toxoids, adsorbed for pediatric use nl: difterie en tetanus toxoïde, geadsorbeerd voor pediatrie gebruik | added v2.3, removed after v2.8.2
29 | CMVIG | | Deprecated | en: cytomegalovirus immune globulin, intravenous nl: cytomegalovirus immunoglobuline, intraveneus | added v2.3, removed after v2.8.2
30 | HBIG | | Deprecated | en: hepatitis B immune globulin nl: hepatitis B immunoglobuline | added v2.3, removed after v2.8.2
31 | en: Hep A, pediatric, NOS nl: Hep A, pediatrie, niet anders gespecificeerd | | Deprecated | en: hepatitis A vaccine, pediatric dosage, NOS nl: hepatitis A vaccin, pediatrie dosering, niet anders gespecificeerd | added v2.3, removed after v2.8.2
32 | en: meningococcal nl: meningokokken | | Deprecated | en: meningococcal polysaccharide vaccine (MPSV4) nl: meningokokken polysaccharide vaccin (MPSV4) | added v2.3, removed after v2.8.2
33 | en: pneumococcal nl: pneumokokken | | Deprecated | en: pneumococcal polysaccharide vaccine nl: pneumokokken polysaccharide vaccin | added v2.3, removed after v2.8.2
34 | en: RIG nl: hondsdolheid immunoglobuline | | Deprecated | en: rabies immune globulin nl: hondsdolheid immunoglobuline | added v2.3, removed after v2.8.2
35 | en: tetanus toxoid nl: tetanus toxoïde | | Deprecated | en: tetanus toxoid, adsorbed nl: tetanus toxoïde, geadsorbeerd | added v2.3, removed after v2.8.2
36 | VZIG | | Deprecated | en: varicella zoster immune globulin nl: varicella zoster immunoglobuline | added v2.3, removed after v2.8.2
37 | en: yellow fever nl: gele koorts | | Deprecated | en: yellow fever vaccine nl: gele koorts vaccin | added v2.3, removed after v2.8.2
38 | en: rubella/mumps nl: rodehond/bof | | Deprecated | en: rubella and mumps virus vaccine nl: rodehond en bof virus vaccin | added v2.3, removed after v2.8.2
39 | en: Japanese encephalitis nl: Japanse encefalitis | | Deprecated | en: Japanese encephalitis vaccine nl: Japanse encefalitis | added v2.3, removed after v2.8.2
40 | en: rabies, intradermal injection nl: hondsdolheid, intradermale injectie | | Deprecated | en: rabies vaccine, for intradermal injection nl: hondsdolheid vaccin, voor intradermale injectie | added v2.3, removed after v2.8.2
41 | en: typhoid, parenteral nl: tyfus, parenteraal | | Deprecated | en: typhoid vaccine, parenteral, other than acetone-killed, dried nl: tyfus vaccin, parenteraal, anders dan aceton-gedood, gedroogd | added v2.3, removed after v2.8.2
42 | en: Hep B, adolescent/high risk infant2 nl: Hep B, adolescent/hoogrisico zuigeling2 | | Deprecated | en: hepatitis B vaccine, adolescent/high risk infant dosage nl: hepatitis B vaccin, adolescent/hoogrisico zuigeling2 | added v2.3, removed after v2.8.2
43 | en: Hep B, adult4 nl: Hep B, volwassen4 | | Deprecated | en: hepatitis B vaccine, adult dosage nl: hepatitis B vaccin, volwassen dosering | added v2.3, removed after v2.8.2
44 | en: Hep B, dialysis nl: Hep B, dialyse | | Deprecated | en: hepatitis B vaccine, dialysis patient dosage nl: hepatitis B vaccin, dialysepatiënt dosering | added v2.3, removed after v2.8.2
45 | en: Hep B, NOS nl: Hep B, niet anders gespecificeerd | | Deprecated | en: hepatitis B vaccine, NOS nl: hepatitis B vaccin, niet anders gespecificeerd | added v2.3, removed after v2.8.2
46 | Hib (PRP-D) | | Deprecated | en: Haemophilus influenzae type b vaccine, PRP-D conjugate nl: Haemophilus influenzae type b vaccin, PRP-D conjugaat | added v2.3, removed after v2.8.2
47 | Hib (HbOC) | | Deprecated | en: Haemophilus influenzae type b vaccine, HbOC conjugate nl: Haemophilus influenzae type b vaccin, HbOC conjugaat | added v2.3, removed after v2.8.2
48 | Hib (PRP-T) | | Deprecated | en: Haemophilus influenzae type b vaccine, PRP-T conjugate nl: Haemophilus influenzae type b vaccin, PRP-T conjugaat | added v2.3, removed after v2.8.2
49 | Hib (PRP-OMP) | | Deprecated | en: Haemophilus influenzae type b vaccine, PRP-OMP conjugate nl: Haemophilus influenzae type b vaccin, PRP-OMP conjugaat | added v2.3, removed after v2.8.2
50 | en: DTaP-Hib nl: DaKT-Hib | | Deprecated | en: DTaP-Haemophilus influenzae type b conjugate vaccine nl: DaKT - Haemophilus influenzae type b conjugaat | added v2.3, removed after v2.8.2
51 | Hib-Hep B | | Deprecated | en: Haemophilus influenzae type b conjugate and Hepatitis B vaccine nl: Haemophilus influenzae type b conjugaat - Heb-B | added v2.3, removed after v2.8.2
52 | en: Hep A, adult nl: Hep A, volwassene | | Deprecated | en: hepatitis A vaccine, adult dosage nl: hepatitis A vaccin, volwassen dosering | added v2.3, removed after v2.8.2
53 | en: typhoid, parenteral, AKD (U.S. military) nl: tyfus, parenteraal, AKD (Amerikaanse leger) | | Deprecated | en: typhoid vaccine, parenteral, acetone-killed, dried (U.S. military) nl: tyfus vaccin, parenteraal, aceton-gedood, gedroogd (Amerikaanse leger) | added v2.3.1, removed after v2.8.2
54 | adenovirus, type 4 | | Deprecated | en: adenovirus vaccine, type 4, live, oral nl: adenovirus vaccin, type 4, levend, oraal | added v2.3.1, removed after v2.8.2
55 | adenovirus, type 7 | | Deprecated | en: adenovirus vaccine, type 7, live, oral nl: adenovirus vaccin, type 7, levend, oraal | added v2.3.1, removed after v2.8.2
56 | en: dengue fever nl: knokkelkoorts | | Deprecated | en: dengue fever vaccine nl: knokkelkoorts vaccin | added v2.3.1, removed after v2.8.2
57 | hantavirus | | Deprecated | en: hantavirus vaccine nl: hantavirus vaccin | added v2.3.1, removed after v2.8.2

58 | Hep C | | Deprecated | en: hepatitis C vaccine nl: hepatitis C vaccin | added v2.3.1, removed after v2.8.2
59 | Hep E | | Deprecated | en: hepatitis E vaccine nl: hepatitis E vaccin | added v2.3.1, removed after v2.8.2
60 | herpes simplex 2 | | Deprecated | en: herpes simplex virus, type 2 vaccine nl: herpes simplex virus, type 2 vaccin | added v2.3.1, removed after v2.8.2
61 | HIV | | Deprecated | en: human immunodeficiency virus vaccine nl: human immunodeficiency virus vaccin | added v2.3.1, removed after v2.8.2
62 | HPV, quadrivalent | | Deprecated | en: human papilloma virus vaccine, quadrivalent nl: humaan papillomavirus vaccin, quadrivalent | added v2.3.1, removed after v2.8.2
63 | en: Junin virus nl: Junín virus | | Deprecated | en: Junin virus vaccine nl: Junín virus vaccin | added v2.3.1, removed after v2.8.2
64 | en: leishmaniasis nl: leishmaniase | | Deprecated | en: leishmaniasis vaccine nl: leishmaniase vaccin | added v2.3.1, removed after v2.8.2
65 | en: leprosy nl: lepra | | Deprecated | en: leprosy vaccine nl: lepra vaccin | added v2.3.1, removed after v2.8.2
66 | en: Lyme disease nl: ziekte van Lyme | | Deprecated | en: Lyme disease vaccine nl: ziekte van Lyme vaccin | added v2.3.1, removed after v2.8.2
67 | malaria | | Deprecated | en: malaria vaccine nl: malaria vaccin | added v2.3.1, removed after v2.8.2
68 | en: melanoma nl: melanoom | | Deprecated | en: melanoma vaccine nl: melanoom vaccin | added v2.3.1, removed after v2.8.2
69 | parainfluenza-3 | | Deprecated | en: parainfluenza-3 virus vaccine nl: parainfluenza-3 virus vaccin | added v2.3.1, removed after v2.8.2
70 | en: Q fever nl: Q-koorts | | Deprecated | en: Q fever vaccine nl: Q-koorts vaccin | added v2.3.1, removed after v2.8.2
71 | RSV-IGIV | | Deprecated | en: respiratory syncytial virus immune globulin, intravenous nl: respiratory syncytial virus immunoglobuline intraveneus | added v2.3.1, removed after v2.8.2
72 | en: rheumatic fever nl: reumatische koorts | | Deprecated | en: rheumatic fever vaccine nl: reumatische koorts vaccin | added v2.3.1, removed after v2.8.2
73 | en: Rift Valley fever nl: Riftdalkoorts | | Deprecated | en: Rift Valley fever vaccine nl: Riftdalkoorts vaccin | added v2.3.1, removed after v2.8.2
74 | rotavirus, tetravalent | | Deprecated | en: rotavirus, live, tetravalent vaccine nl: rotavirus, levend, tetravalent vaccin | added v2.3.1, removed after v2.8.2
75 | en: vaccinia (smallpox) nl: vaccinia (pokken) | | Deprecated | en: vaccinia (smallpox) vaccine nl: vaccinia (pokken) vaccin | added v2.3.1, removed after v2.8.2
76 | Staphylococcus bacterio lysate | | Deprecated | Staphylococcus bacteriophage lysate | added v2.3.1, removed after v2.8.2
77 | en: tick-borne encephalitis nl: frühsommer-meningoenzephalitis vaccin | | Deprecated | en: tick-borne encephalitis vaccine nl: frühsommer-meningoenzephalitis vaccin | added v2.3.1, removed after v2.8.2
78 | en: tularemia vaccine nl: tularemia vaccin | | Deprecated | en: tularemia vaccine nl: tularemia vaccin | added v2.3.1, removed after v2.8.2
79 | en: vaccinia immune globulin nl: vaccinia immunoglobuline | | Deprecated | en: vaccinia immune globulin nl: vaccinia immunoglobuline | added v2.3.1, removed after v2.8.2
80 | en: VEE, live nl: VEE, levend | | Deprecated | en: Venezuelan equine encephalitis, live, attenuated nl: Venezolaanse equïene encefalitis, levend, verzwakt | added v2.3.1, removed after v2.8.2
81 | en: VEE, inactivated nl: VEE, inactief | | Deprecated | en: Venezuelan equine encephalitis, inactivated nl: Venezolaanse equïene encefalitis, inactief | added v2.3.1, removed after v2.8.2
82 | en: adenovirus, NOS1 nl: adenovirus, niet anders gespecificeerd1 | | Deprecated | en: adenovirus vaccine, NOS nl: adenovirus vaccin, niet anders gespecificeerd | added v2.3.1, removed after v2.8.2
83 | en: Hep A, ped/adol, 2 dose nl: Hep A, ped/adol, 2 dosis | | Deprecated | en: hepatitis A vaccine, pediatric/adolescent dosage, 2 dose schedule nl: hepatitis A vaccin, pediatrie/adolescent dosering, 2 dosis schema | added v2.3.1, removed after v2.8.2
84 | en: Hep A, ped/adol, 3 dose nl: Hep A, ped/adol, 3 dosis | | Deprecated | en: hepatitis A vaccine, pediatric/adolescent dosage, 3 dose schedule nl: hepatitis A vaccin, pediatrie/adolescent dosering, 3 dosis schema | added v2.3.1, removed after v2.8.2
85 | en: Hep A, NOS nl: Hep A, niet anders gespecificeerd | | Deprecated | en: hepatitis A vaccine, NOS nl: hepatitis A vaccin, niet anders gespecificeerd | added v2.3.1, removed after v2.8.2
86 | IG | | Deprecated | en: immune globulin, intramuscular nl: immunoglobuline, intramusculair | added v2.3.1, removed after v2.8.2
87 | IGIV | | Deprecated | en: immune globulin, intravenous nl: immunoglobuline, intraveneus | added v2.3.1, removed after v2.8.2
88 | en: influenza, NOS nl: influenza, niet anders gespecificeerd | | Deprecated | en: influenza virus vaccine, NOS nl: influenza virus vaccin, niet anders gespecificeerd | added v2.3.1, removed after v2.8.2
89 | en: polio, NOS nl: polio, niet anders gespecificeerd | | Deprecated | en: poliovirus vaccine, NOS nl: poliovirus vaccin, niet anders gespecificeerd | added v2.3.1, removed after v2.8.2
90 | en: rabies, NOS nl: hondsdolheid, niet anders gespecificeerd | | Deprecated | en: rabies vaccine, NOS nl: hondsdolheid vaccin, niet anders gespecificeerd | added v2.3.1, removed after v2.8.2
91 | en: typhoid, NOS nl: tyfus, niet anders gespecificeerd | | Deprecated | en: typhoid vaccine, NOS nl: tyfus vaccin, niet anders gespecificeerd | added v2.3.1, removed after v2.8.2
92 | en: VEE, NOS nl: VEE, niet anders gespecificeerd | | Deprecated | en: Venezuelan equine encephalitis vaccine, NOS nl: Venezolaanse equïene encefalitis, niet anders gespecificeerd | added v2.3.1, removed after v2.8.2
93 | RSV-MAb | | Deprecated | en: respiratory syncytial virus monoclonal antibody (palivizumab), intramuscular nl: respiratory syncytial virus monoclonal antibody (palivizumab), intramusculair | added v2.4, removed after v2.8.2
94 | en: MMRV nl: BMRV - bof, mazelen, rodehond en varicella | | Deprecated | en: measles, mumps, rubella, and varicella virus vaccine nl: bof, mazelen, rodehond en varicella virus vaccin | added v2.4, removed after v2.8.2
95 | TST-OT tine test | | Deprecated | tuberculin skin test; old tuberculin, multipuncture device | added v2.4, removed after v2.8.2
96 | TST-PPD intradermal | | Deprecated | tuberculin skin test; purified protein derivative solution, intradermal | added v2.4, removed after v2.8.2
97 | TST-PPD tine test | | Deprecated | tuberculin skin test; purified protein derivative, multipuncture device | added v2.4, removed after v2.8.2
98 | en: TST, NOS nl: TST, niet anders gespecificeerd | | Deprecated | en: tuberculin skin test; NOS nl: tuberculin skin test; niet anders gespecificeerd | added v2.4, removed after v2.8.2
99 | en: RESERVED - do not use3 nl: GERESERVEERD - niet gebruiken3 | | Deprecated | en: RESERVED - do not use nl: GERESERVEERD - niet gebruiken | added v2.4, removed after v2.8.2

998 | en: no vaccine administered5 nl: geen vaccin toegediend5 | | Deprecated | en: no vaccine administered nl: geen vaccin toegediend | added v2.5, removed after v2.8.2
999 | en: unknown nl: onbekend | | Deprecated | en: unknown vaccine or immune globulin nl: onbekend vaccin of immunoglobuline | added v2.4, removed after v2.8.2

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0292 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
01 | DTP | | Deprecated | diphtheria, tetanus toxoids and pertussis vaccine | added v2.3, removed after v2.8.2
02 | OPV | | Deprecated | poliovirus vaccine, live, oral | added v2.3, removed after v2.8.2
03 | MMR | | Deprecated | measles, mumps and rubella virus vaccine | added v2.3, removed after v2.8.2
04 | M/R | | Deprecated | measles and rubella virus vaccine | added v2.3, removed after v2.8.2
05 | measles | | Deprecated | measles virus vaccine | added v2.3, removed after v2.8.2
06 | rubella | | Deprecated | rubella virus vaccine | added v2.3, removed after v2.8.2
07 | mumps | | Deprecated | mumps virus vaccine | added v2.3, removed after v2.8.2
08 | Hep B, adolescent or pediatric | | Deprecated | hepatitis B vaccine, pediatric or pediatric/adolescent dosage | added v2.3, removed after v2.8.2
09 | Td (adult) | | Deprecated | tetanus and diphtheria toxoids, adsorbed for adult use | added v2.3, removed after v2.8.2
10 | IPV | | Deprecated | poliovirus vaccine, inactivated | added v2.3, removed after v2.8.2
100 | pneumococcal conjugate | | Deprecated | pneumococcal conjugate vaccine, polyvalent | added v2.4, removed after v2.8.2
101 | typhoid, ViCPs | | Deprecated | typhoid Vi capsular polysaccharide vaccine | added v2.4, removed after v2.8.2
102 | DTP-Hib-Hep B | | Deprecated | DTP- Haemophilus influenzae type b conjugate and hepatitis b vaccine | added v2.5, removed after v2.8.2
103 | meningococcal C conjugate | | Deprecated | meningococcal C conjugate vaccine | added v2.5, removed after v2.8.2
104 | Hep A-Hep B | | Deprecated | hepatitis A and hepatitis B vaccine | added v2.5, removed after v2.8.2
105 | vaccinia (smallpox) diluted | | Deprecated | vaccinia (smallpox) vaccine, diluted | added v2.5, removed after v2.8.2
106 | DTaP, 5 pertussis antigens6 | | Deprecated | diphtheria, tetanus toxoids and acellular pertussis vaccine, 5 pertussis antigens | added v2.5, removed after v2.8.2
107 | DTaP, NOS | | Deprecated | diphtheria, tetanus toxoids and acellular pertussis vaccine, NOS | added v2.5, removed after v2.8.2
108 | meningococcal, NOS | | Deprecated | meningococcal vaccine, NOS | added v2.5, removed after v2.8.2
109 | pneumococcal, NOS | | Deprecated | pneumococcal vaccine, NOS | added v2.5, removed after v2.8.2
11 | pertussis | | Deprecated | pertussis vaccine | added v2.3, removed after v2.8.2
110 | DTaP-Hep B-IPV | | Deprecated | DTaP-hepatitis B and poliovirus vaccine | added v2.6, removed after v2.8.2
111 | influenza, live, intranasal | | Deprecated | influenza virus vaccine, live, attenuated, for intranasal use | added v2.6, removed after v2.8.2
112 | tetanus toxoid, NOS | | Deprecated | tetanus toxoid, NOS | added v2.6, removed after v2.8.2
113 | Td (adult) | | Deprecated | tetanus and diphtheria toxoids, adsorbed, preservative free, for adult use | added v2.6, removed after v2.8.2
114 | meningococcal A,C,Y,W-135 diphtheria conjugate | | Deprecated | meningococcal polysaccharide (groups A, C, Y and W-135) diphtheria toxoid conjugate vaccine (MCV4) | added v2.6, removed after v2.8.2
115 | Tdap | | Deprecated | tetanus toxoid, reduced diphtheria toxoid, and acellular pertussis vaccine, adsorbed | added v2.6, removed after v2.8.2
116 | rotavirus, pentavalent | | Deprecated | rotavirus, live, pentavalent vaccine | added v2.6, removed after v2.8.2
117 | VZIG (IND) | | Deprecated | varicella zoster immune globulin (Investigational New Drug) | added v2.6, removed after v2.8.2
118 | HPV, bivalent | | Deprecated | human papilloma virus vaccine, bivalent | added v2.6, removed after v2.8.2
119 | rotavirus, monovalent | | Deprecated | rotavirus, live, monovalent vaccine | added v2.6, removed after v2.8.2
12 | diphtheria antitoxin | | Deprecated | diphtheria antitoxin | added v2.3, removed after v2.8.2
120 | DTaP-Hib-IPV | | Deprecated | diphtheria, tetanus toxoids and acellular pertussis vaccine, Haemophilus influenzae type b conjugate, and poliovirus vaccine, inactivated (DTaP-Hib-IPV) | added v2.6, removed after v2.8.2
121 | zoster | | Deprecated | zoster vaccine, live | added v2.6, removed after v2.8.2
122 | rotavirus, NOS1 | | Deprecated | rotavirus vaccine, NOS | added v2.6, removed after v2.8.2
13 | TIG | | Deprecated | tetanus immune globulin | added v2.3, removed after v2.8.2
14 | IG, NOS | | Deprecated | immune globulin, NOS | added v2.3, removed after v2.8.2
15 | influenza, split (incl. purified surface antigen) | | Deprecated | influenza virus vaccine, split virus (incl. purified surface antigen) | added v2.3, removed after v2.8.2
16 | influenza, whole | | Deprecated | influenza virus vaccine, whole virus | added v2.3, removed after v2.8.2
17 | Hib, NOS | | Deprecated | Haemophilus influenzae type b vaccine, conjugate NOS | added v2.3, removed after v2.8.2
18 | rabies, intramuscular injection | | Deprecated | rabies vaccine, for intramuscular injection | added v2.3, removed after v2.8.2
19 | BCG | | Deprecated | Bacillus Calmette-Guerin vaccine | added v2.3, removed after v2.8.2
20 | DTaP | | Deprecated | diphtheria, tetanus toxoids and acellular pertussis vaccine | added v2.3, removed after v2.8.2
21 | varicella | | Deprecated | varicella virus vaccine | added v2.3, removed after v2.8.2
22 | DTP-Hib | | Deprecated | DTP-Haemophilus influenzae type b conjugate vaccine | added v2.3, removed after v2.8.2
23 | plague | | Deprecated | plague vaccine | added v2.3, removed after v2.8.2
24 | anthrax | | Deprecated | anthrax vaccine | added v2.3, removed after v2.8.2
25 | typhoid, oral | | Deprecated | typhoid vaccine, live, oral | added v2.3, removed after v2.8.2
26 | cholera | | Deprecated | cholera vaccine | added v2.3, removed after v2.8.2
27 | botulinum antitoxin | | Deprecated | botulinum antitoxin | added v2.3, removed after v2.8.2

28 | DT (pediatric) | | Deprecated | diphtheria and tetanus toxoids, adsorbed for pediatric use | added v2.3, removed after v2.8.2
29 | CMVIG | | Deprecated | cytomegalovirus immune globulin, intravenous | added v2.3, removed after v2.8.2
30 | HBIG | | Deprecated | hepatitis B immune globulin | added v2.3, removed after v2.8.2
31 | Hep A, pediatric, NOS | | Deprecated | hepatitis A vaccine, pediatric dosage, NOS | added v2.3, removed after v2.8.2
32 | meningococcal | | Deprecated | meningococcal polysaccharide vaccine (MPSV4) | added v2.3, removed after v2.8.2
33 | pneumococcal | | Deprecated | pneumococcal polysaccharide vaccine | added v2.3, removed after v2.8.2
34 | RIG | | Deprecated | rabies immune globulin | added v2.3, removed after v2.8.2
35 | tetanus toxoid | | Deprecated | tetanus toxoid, adsorbed | added v2.3, removed after v2.8.2
36 | VZIG | | Deprecated | varicella zoster immune globulin | added v2.3, removed after v2.8.2
37 | yellow fever | | Deprecated | yellow fever vaccine | added v2.3, removed after v2.8.2
38 | rubella/mumps | | Deprecated | rubella and mumps virus vaccine | added v2.3, removed after v2.8.2
39 | Japanese encephalitis | | Deprecated | Japanese encephalitis vaccine | added v2.3, removed after v2.8.2
40 | rabies, intradermal injection | | Deprecated | rabies vaccine, for intradermal injection | added v2.3, removed after v2.8.2
41 | typhoid, parenteral | | Deprecated | typhoid vaccine, parenteral, other than acetone-killed, dried | added v2.3, removed after v2.8.2
42 | Hep B, adolescent/high risk infant2 | | Deprecated | hepatitis B vaccine, adolescent/high risk infant dosage | added v2.3, removed after v2.8.2
43 | Hep B, adult4 | | Deprecated | hepatitis B vaccine, adult dosage | added v2.3, removed after v2.8.2
44 | Hep B, dialysis | | Deprecated | hepatitis B vaccine, dialysis patient dosage | added v2.3, removed after v2.8.2
45 | Hep B, NOS | | Deprecated | hepatitis B vaccine, NOS | added v2.3, removed after v2.8.2
46 | Hib (PRP-D) | | Deprecated | Haemophilus influenzae type b vaccine, PRP-D conjugate | added v2.3, removed after v2.8.2
47 | Hib (HbOC) | | Deprecated | Haemophilus influenzae type b vaccine, HbOC conjugate | added v2.3, removed after v2.8.2
48 | Hib (PRP-T) | | Deprecated | Haemophilus influenzae type b vaccine, PRP-T conjugate | added v2.3, removed after v2.8.2
49 | Hib (PRP-OMP) | | Deprecated | Haemophilus influenzae type b vaccine, PRP-OMP conjugate | added v2.3, removed after v2.8.2
50 | DTaP-Hib | | Deprecated | DTaP-Haemophilus influenzae type b conjugate vaccine | added v2.3, removed after v2.8.2
51 | Hib-Hep B | | Deprecated | Haemophilus influenzae type b conjugate and Hepatitis B vaccine | added v2.3, removed after v2.8.2
52 | Hep A, adult | | Deprecated | hepatitis A vaccine, adult dosage | added v2.3, removed after v2.8.2
53 | typhoid, parenteral, AKD (U.S. military) | | Deprecated | typhoid vaccine, parenteral, acetone-killed, dried (U.S. military) | added v2.3.1, removed after v2.8.2
54 | adenovirus, type 4 | | Deprecated | adenovirus vaccine, type 4, live, oral | added v2.3.1, removed after v2.8.2
55 | adenovirus, type 7 | | Deprecated | adenovirus vaccine, type 7, live, oral | added v2.3.1, removed after v2.8.2
56 | dengue fever | | Deprecated | dengue fever vaccine | added v2.3.1, removed after v2.8.2
57 | hantavirus | | Deprecated | hantavirus vaccine | added v2.3.1, removed after v2.8.2
58 | Hep C | | Deprecated | hepatitis C vaccine | added v2.3.1, removed after v2.8.2
59 | Hep E | | Deprecated | hepatitis E vaccine | added v2.3.1, removed after v2.8.2
60 | herpes simplex 2 | | Deprecated | herpes simplex virus, type 2 vaccine | added v2.3.1, removed after v2.8.2
61 | HIV | | Deprecated | human immunodeficiency virus vaccine | added v2.3.1, removed after v2.8.2
62 | HPV, quadrivalent | | Deprecated | human papilloma virus vaccine, quadrivalent | added v2.3.1, removed after v2.8.2
63 | Junin virus | | Deprecated | Junin virus vaccine | added v2.3.1, removed after v2.8.2
64 | leishmaniasis | | Deprecated | leishmaniasis vaccine | added v2.3.1, removed after v2.8.2
65 | leprosy | | Deprecated | leprosy vaccine | added v2.3.1, removed after v2.8.2
66 | Lyme disease | | Deprecated | Lyme disease vaccine | added v2.3.1, removed after v2.8.2
67 | malaria | | Deprecated | malaria vaccine | added v2.3.1, removed after v2.8.2
68 | melanoma | | Deprecated | melanoma vaccine | added v2.3.1, removed after v2.8.2
69 | parainfluenza-3 | | Deprecated | parainfluenza-3 virus vaccine | added v2.3.1, removed after v2.8.2
70 | Q fever | | Deprecated | Q fever vaccine | added v2.3.1, removed after v2.8.2
71 | RSV-IGIV | | Deprecated | respiratory syncytial virus immune globulin, intravenous | added v2.3.1, removed after v2.8.2
72 | rheumatic fever | | Deprecated | rheumatic fever vaccine | added v2.3.1, removed after v2.8.2
73 | Rift Valley fever | | Deprecated | Rift Valley fever vaccine | added v2.3.1, removed after v2.8.2
74 | rotavirus, tetravalent | | Deprecated | rotavirus, live, tetravalent vaccine | added v2.3.1, removed after v2.8.2
75 | vaccinia (smallpox) | | Deprecated | vaccinia (smallpox) vaccine | added v2.3.1, removed after v2.8.2
76 | Staphylococcus bacterio lysate | | Deprecated | Staphylococcus bacteriophage lysate | added v2.3.1, removed after v2.8.2
77 | tick-borne encephalitis | | Deprecated | tick-borne encephalitis vaccine | added v2.3.1, removed after v2.8.2
78 | tularemia vaccine | | Deprecated | tularemia vaccine | added v2.3.1, removed after v2.8.2
79 | vaccinia immune globulin | | Deprecated | vaccinia immune globulin | added v2.3.1, removed after v2.8.2
80 | VEE, live | | Deprecated | Venezuelan equine encephalitis, live, attenuated | added v2.3.1, removed after v2.8.2
81 | VEE, inactivated | | Deprecated | Venezuelan equine encephalitis, inactivated | added v2.3.1, removed after v2.8.2
82 | adenovirus, NOS1 | | Deprecated | adenovirus vaccine, NOS | added v2.3.1, removed after v2.8.2
83 | Hep A, ped/adol, 2 dose | | Deprecated | hepatitis A vaccine, pediatric/adolescent dosage, 2 dose schedule | added v2.3.1, removed after v2.8.2
84 | Hep A, ped/adol, 3 dose | | Deprecated | hepatitis A vaccine, pediatric/adolescent dosage, 3 dose schedule | added v2.3.1, removed after v2.8.2
85 | Hep A, NOS | | Deprecated | hepatitis A vaccine, NOS | added v2.3.1, removed after v2.8.2
86 | IG | | Deprecated | immune globulin, intramuscular | added v2.3.1, removed after v2.8.2
87 | IGIV | | Deprecated | immune globulin, intravenous | added v2.3.1, removed after v2.8.2
88 | influenza, NOS | | Deprecated | influenza virus vaccine, NOS | added v2.3.1, removed after v2.8.2
89 | polio, NOS | | Deprecated | poliovirus vaccine, NOS | added v2.3.1, removed after v2.8.2
90 | rabies, NOS | | Deprecated | rabies vaccine, NOS | added v2.3.1, removed after v2.8.2
91 | typhoid, NOS | | Deprecated | typhoid vaccine, NOS | added v2.3.1, removed after v2.8.2
92 | VEE, NOS | | Deprecated | Venezuelan equine encephalitis vaccine, NOS | added v2.3.1, removed after v2.8.2
93 | RSV-MAb | | Deprecated | respiratory syncytial virus monoclonal antibody (palivizumab), intramuscular | added v2.4, removed after v2.8.2

94 | MMRV | | Deprecated | measles, mumps, rubella, and varicella virus vaccine | added v2.4, removed after v2.8.2
95 | TST-OT tine test | | Deprecated | tuberculin skin test; old tuberculin, multipuncture device | added v2.4, removed after v2.8.2
96 | TST-PPD intradermal | | Deprecated | tuberculin skin test; purified protein derivative solution, intradermal | added v2.4, removed after v2.8.2
97 | TST-PPD tine test | | Deprecated | tuberculin skin test; purified protein derivative, multipuncture device | added v2.4, removed after v2.8.2
98 | TST, NOS | | Deprecated | tuberculin skin test; NOS | added v2.4, removed after v2.8.2
99 | RESERVED - do not use3 | | Deprecated | RESERVED - do not use | added v2.4, removed after v2.8.2
998 | no vaccine administered5 | | Deprecated | no vaccine administered | added v2.5, removed after v2.8.2
999 | unknown | | Deprecated | unknown vaccine or immune globulin | added v2.4, removed after v2.8.2

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0292 definieert de volgende codes:

Code | Display | Definition | Verouderd | Commentaar | Versie
01 | DKT - difterie-kinkhoest-tetanus | | Verouderd | difterie-kinkhoest-tetanus vaccin | added v2.3, removed after v2.8.2
02 | OPV | | Verouderd | poliovirus vaccin, oraal | added v2.3, removed after v2.8.2
03 | BMR - bof, mazelen, rodehond | | Verouderd | bof, mazelen, rodehond virus vaccin | added v2.3, removed after v2.8.2
04 | M/R | | Verouderd | mazelen en rodehond virus vaccin | added v2.3, removed after v2.8.2
05 | mazelen | | Verouderd | mazelen virus vaccin | added v2.3, removed after v2.8.2
06 | rodehond | | Verouderd | rodehond virus vaccin | added v2.3, removed after v2.8.2
07 | bof | | Verouderd | bof virus vaccin | added v2.3, removed after v2.8.2
08 | Hep B, adolescent of pediatrie | | Verouderd | hepatitis B vaccin, pediatrie of pediatrie/adolescent dosering | added v2.3, removed after v2.8.2
09 | DT - difterie en tetanus (volwassene) | | Verouderd | tetanus en difterie toxoïde, geadsorbeerd, voor volwassen gebruik | added v2.3, removed after v2.8.2
10 | IPV | | Verouderd | poliovirus vaccin, inactief | added v2.3, removed after v2.8.2
100 | pneumokokken conjugaat | | Verouderd | pneumokokken conjugaat vaccin, polyvalent | added v2.4, removed after v2.8.2
101 | tyfus, ViCPs | | Verouderd | tyfus Vi capsular polysaccharide vaccin | added v2.4, removed after v2.8.2
102 | DKT-Hib-Hep B | | Verouderd | DKT-Haemophilus influenzae type b conjugaat en hepatitis b vaccin | added v2.5, removed after v2.8.2
103 | meningokokken C conjugaat | | Verouderd | meningokokken C conjugaat vaccin | added v2.5, removed after v2.8.2
104 | Hep A-Hep B | | Verouderd | hepatitis A en hepatitis B vaccin | added v2.5, removed after v2.8.2
105 | vaccinia (pokken) verzwakt | | Verouderd | vaccinia (pokken) vaccin, verzwakt | added v2.5, removed after v2.8.2
106 | DaKT, 5 kinkhoest antigenen6 | | Verouderd | difterie, tetanus toxoïdes en acellulair kinkhoest vaccin, 5 kinkhoest antigenen | added v2.5, removed after v2.8.2
107 | DaKT, niet anders gespecificeerd | | Verouderd | difterie, tetanus toxoïdes en acellulair kinkhoest vaccin, niet anders gespecificeerd | added v2.5, removed after v2.8.2
108 | meningokokken, niet anders gespecificeerd | | Verouderd | meningokokken vaccin, niet anders gespecificeerd | added v2.5, removed after v2.8.2
109 | pneumokokken, niet anders gespecificeerd | | Verouderd | pneumokokken vaccin, niet anders gespecificeerd | added v2.5, removed after v2.8.2
11 | kinkhoest | | Verouderd | kinkhoest vaccin | added v2.3, removed after v2.8.2
110 | DaKT-Hep B-IPV | | Verouderd | DaKT-hepatitis B en poliovirus vaccin | added v2.6, removed after v2.8.2
111 | influenza, levend, intranasaal | | Verouderd | influenza virus vaccin, live, verzwakt, for intranasaal gebruik | added v2.6, removed after v2.8.2
112 | tetanus toxoïde, niet anders gespecificeerd | | Verouderd | tetanus toxoïde, niet anders gespecificeerd | added v2.6, removed after v2.8.2
113 | DT - difterie en tetanus (volwassene) | | Verouderd | tetanus en difterie toxoïde, geadsorbeerd, zonder conserveringsmiddelen, voor volwassen gebruik | added v2.6, removed after v2.8.2
114 | meningokokken A,C,Y,W-135 difterie conjugaat | | Verouderd | meningokokken polysaccharide (groepen A, C, Y en W-135) difterie toxoïde conjugaat vaccin (MCV4) | added v2.6, removed after v2.8.2
115 | tetanus toxoïde, verminderde difterie toxoïde, en acellulaire kinkhoest | | Verouderd | tetanus toxoïde, verminderde difterie toxoïde, en acellulaire kinkhoest vaccin, geadsorbeerd | added v2.6, removed after v2.8.2
116 | rotavirus, pentavalent | | Verouderd | rotavirus, levend, pentavalent vaccin | added v2.6, removed after v2.8.2
117 | VZIG (IND) | | Verouderd | varicella zoster immunoglobuline (Investigational New Drug) | added v2.6, removed after v2.8.2
118 | HPV, bivalent | | Verouderd | humaan papillomavirus vaccin, bivalent | added v2.6, removed after v2.8.2
119 | rotavirus, monovalent | | Verouderd | rotavirus, levend, monovalent vaccin | added v2.6, removed after v2.8.2
12 | difterie antitoxine | | Verouderd | difterie antitoxine | added v2.3, removed after v2.8.2
120 | DaKT-Hib-IPV | | Verouderd | difterie, tetanus toxoïdes en acellulair kinkhoest vaccin, Haemophilus influenzae type b conjugaat, en poliovirus vaccin, inactief (DaKT-Hib-IPV) | added v2.6, removed after v2.8.2
121 | gordelroos | | Verouderd | gordelroos vaccin, levend | added v2.6, removed after v2.8.2
122 | rotavirus, niet anders gespecificeerd1 | | Verouderd | rotavirus vaccin, niet anders gespecificeerd | added v2.6, removed after v2.8.2
13 | TIG | | Verouderd | tetanus immunoglobuline | added v2.3, removed after v2.8.2
14 | IG, niet anders gespecificeerd | | Verouderd | immunoglobuline, niet anders gespecificeerd | added v2.3, removed after v2.8.2
15 | influenza, gesplitst (incl. gezuiverd oppervlakte antigen) | | Verouderd | influenza virus vaccin, gesplitst virus (incl. gezuiverd oppervlakte antigen) | added v2.3, removed after v2.8.2
16 | influenza, geheel | | Verouderd | influenza virus vaccin, geheel virus | added v2.3, removed after v2.8.2

17 | Hib, niet anders gespecificeerd | | Verouderd | Haemophilus influenzae type b vaccin, conjugaat niet anders gespecificeerd | added v2.3, removed after v2.8.2
18 | hondsdolheid, intramusculaire injectie | | Verouderd | hondsdolheid vaccin, voor intramusculair injectie | added v2.3, removed after v2.8.2
19 | BCG | | Verouderd | Bacillus van Calmette & Guerin vaccin | added v2.3, removed after v2.8.2
20 | DaKT -difterie-acellulaire kinkhoest-tetanus | | Verouderd | difterie-tetanus-acellulaire kinkhoest vaccin | added v2.3, removed after v2.8.2
21 | varicella | | Verouderd | varicella virus vaccin | added v2.3, removed after v2.8.2
22 | DKT-Hib | | Verouderd | DKT-Haemophilus influenzae type b conjugaat vaccin | added v2.3, removed after v2.8.2
23 | pest | | Verouderd | pest vaccin | added v2.3, removed after v2.8.2
24 | miltvuur | | Verouderd | miltvuur vaccin | added v2.3, removed after v2.8.2
25 | tyfus, oral | | Verouderd | tyfus vaccin, levend, oral | added v2.3, removed after v2.8.2
26 | cholera | | Verouderd | cholera vaccin | added v2.3, removed after v2.8.2
27 | botulisme antitoxine | | Verouderd | botulisme antitoxine | added v2.3, removed after v2.8.2
28 | DT - difterie-tetanus (pediatrie) | | Verouderd | difterie en tetanus toxoïde, geadsorbeerd voor pediatrie gebruik | added v2.3, removed after v2.8.2
29 | CMVIG | | Verouderd | cytomegalovirus immunoglobuline, intraveneus | added v2.3, removed after v2.8.2
30 | HBIG | | Verouderd | hepatitis B immunoglobuline | added v2.3, removed after v2.8.2
31 | Hep A, pediatrie, niet anders gespecificeerd | | Verouderd | hepatitis A vaccin, pediatrie dosering, niet anders gespecificeerd | added v2.3, removed after v2.8.2
32 | meningokokken | | Verouderd | meningokokken polysaccharide vaccin (MPSV4) | added v2.3, removed after v2.8.2
33 | pneumokokken | | Verouderd | pneumokokken polysaccharide vaccin | added v2.3, removed after v2.8.2
34 | hondsdolheid immunoglobuline | | Verouderd | hondsdolheid immunoglobuline | added v2.3, removed after v2.8.2
35 | tetanus toxoïde | | Verouderd | tetanus toxoïde, geadsorbeerd | added v2.3, removed after v2.8.2
36 | VZIG | | Verouderd | varicella zoster immunoglobuline | added v2.3, removed after v2.8.2
37 | gele koorts | | Verouderd | gele koorts vaccin | added v2.3, removed after v2.8.2
38 | rodehond/bof | | Verouderd | rodehond en bof virus vaccin | added v2.3, removed after v2.8.2
39 | Japanse encefalitis | | Verouderd | Japanse encefalitis | added v2.3, removed after v2.8.2
40 | hondsdolheid, intradermale injectie | | Verouderd | hondsdolheid vaccin, voor intradermale injectie | added v2.3, removed after v2.8.2
41 | tyfus, parenteraal | | Verouderd | tyfus vaccin, parenteraal, anders dan aceton-gedood, gedroogd | added v2.3, removed after v2.8.2
42 | Hep B, adolescent/hoogrisico zuigeling2 | | Verouderd | hepatitis B vaccin, adolescent/hoogrisico zuigeling2 | added v2.3, removed after v2.8.2
43 | Hep B, volwassen4 | | Verouderd | hepatitis B vaccin, volwassen dosering | added v2.3, removed after v2.8.2
44 | Hep B, dialyse | | Verouderd | hepatitis B vaccin, dialysepatiënt dosering | added v2.3, removed after v2.8.2
45 | Hep B, niet anders gespecificeerd | | Verouderd | hepatitis B vaccin, niet anders gespecificeerd | added v2.3, removed after v2.8.2
46 | Hib (PRP-D) | | Verouderd | Haemophilus influenzae type b vaccin, PRP-D conjugaat | added v2.3, removed after v2.8.2
47 | Hib (HbOC) | | Verouderd | Haemophilus influenzae type b vaccin, HbOC conjugaat | added v2.3, removed after v2.8.2
48 | Hib (PRP-T) | | Verouderd | Haemophilus influenzae type b vaccin, PRP-T conjugaat | added v2.3, removed after v2.8.2
49 | Hib (PRP-OMP) | | Verouderd | Haemophilus influenzae type b vaccin, PRP-OMP conjugaat | added v2.3, removed after v2.8.2
50 | DaKT-Hib | | Verouderd | DaKT - Haemophilus influenzae type b conjugaat | added v2.3, removed after v2.8.2
51 | Hib-Hep B | | Verouderd | Haemophilus influenzae type b conjugaat - Heb-B | added v2.3, removed after v2.8.2
52 | Hep A, volwassene | | Verouderd | hepatitis A vaccin, volwassen dosering | added v2.3, removed after v2.8.2
53 | tyfus, parenteraal, AKD (Amerikaanse leger) | | Verouderd | tyfus vaccin, parenteraal, aceton-gedood, gedroogd (Amerikaanse leger) | added v2.3.1, removed after v2.8.2
54 | adenovirus, type 4 | | Verouderd | adenovirus vaccin, type 4, levend, oraal | added v2.3.1, removed after v2.8.2
55 | adenovirus, type 7 | | Verouderd | adenovirus vaccin, type 7, levend, oraal | added v2.3.1, removed after v2.8.2
56 | knokkelkoorts | | Verouderd | knokkelkoorts vaccin | added v2.3.1, removed after v2.8.2
57 | hantavirus | | Verouderd | hantavirus vaccin | added v2.3.1, removed after v2.8.2
58 | Hep C | | Verouderd | hepatitis C vaccin | added v2.3.1, removed after v2.8.2
59 | Hep E | | Verouderd | hepatitis E vaccin | added v2.3.1, removed after v2.8.2
60 | herpes simplex 2 | | Verouderd | herpes simplex virus, type 2 vaccin | added v2.3.1, removed after v2.8.2
61 | HIV | | Verouderd | human immunodeficiency virus vaccin | added v2.3.1, removed after v2.8.2
62 | HPV, quadrivalent | | Verouderd | humaan papillomavirus vaccin, quadrivalent | added v2.3.1, removed after v2.8.2
63 | Junín virus | | Verouderd | Junín virus vaccin | added v2.3.1, removed after v2.8.2
64 | leishmaniase | | Verouderd | leishmaniase vaccin | added v2.3.1, removed after v2.8.2
65 | lepra | | Verouderd | lepra vaccin | added v2.3.1, removed after v2.8.2
66 | ziekte van Lyme | | Verouderd | ziekte van Lyme vaccin | added v2.3.1, removed after v2.8.2
67 | malaria | | Verouderd | malaria vaccin | added v2.3.1, removed after v2.8.2
68 | melanoom | | Verouderd | melanoom vaccin | added v2.3.1, removed after v2.8.2
69 | parainfluenza-3 | | Verouderd | parainfluenza-3 virus vaccin | added v2.3.1, removed after v2.8.2
70 | Q-koorts | | Verouderd | Q-koorts vaccin | added v2.3.1, removed after v2.8.2
71 | RSV-IGIV | | Verouderd | respiratory syncytial virus immunoglobuline intraveneus | added v2.3.1, removed after v2.8.2
72 | reumatische koorts | | Verouderd | reumatische koorts vaccin | added v2.3.1, removed after v2.8.2
73 | Riftdalkoorts | | Verouderd | Riftdalkoorts vaccin | added v2.3.1, removed after v2.8.2
74 | rotavirus, tetravalent | | Verouderd | rotavirus, levend, tetravalent vaccin | added v2.3.1, removed after v2.8.2
75 | vaccinia (pokken) | | Verouderd | vaccinia (pokken) vaccin | added v2.3.1, removed after v2.8.2
76 | Staphylococcus bacterio lysate | | Verouderd | Staphylococcus bacteriophage lysate | added v2.3.1, removed after v2.8.2
77 | frühsommer-meningoenzephalitis vaccin | | Verouderd | frühsommer-meningoenzephalitis vaccin | added v2.3.1, removed after v2.8.2
78 | tularemia vaccin | | Verouderd | tularemia vaccin | added v2.3.1, removed after v2.8.2

79 | vaccinia immunoglobuline | | Verouderd | vaccinia immunoglobuline | added v2.3.1, removed after v2.8.2
80 | VEE, levend | | Verouderd | Venezolaanse equïene encefalitis, levend, verzwakt | added v2.3.1, removed after v2.8.2
81 | VEE, inactief | | Verouderd | Venezolaanse equïene encefalitis, inactief | added v2.3.1, removed after v2.8.2
82 | adenovirus, niet anders gespecificeerd1 | | Verouderd | adenovirus vaccin, niet anders gespecificeerd | added v2.3.1, removed after v2.8.2
83 | Hep A, ped/adol, 2 dosis | | Verouderd | hepatitis A vaccin, pediatrie/adolescent dosering, 2 dosis schema | added v2.3.1, removed after v2.8.2
84 | Hep A, ped/adol, 3 dosis | | Verouderd | hepatitis A vaccin, pediatrie/adolescent dosering, 3 dosis schema | added v2.3.1, removed after v2.8.2
85 | Hep A, niet anders gespecificeerd | | Verouderd | hepatitis A vaccin, niet anders gespecificeerd | added v2.3.1, removed after v2.8.2
86 | IG | | Verouderd | immunoglobuline, intramusculair | added v2.3.1, removed after v2.8.2
87 | IGIV | | Verouderd | immunoglobuline, intraveneus | added v2.3.1, removed after v2.8.2
88 | influenza, niet anders gespecificeerd | | Verouderd | influenza virus vaccin, niet anders gespecificeerd | added v2.3.1, removed after v2.8.2
89 | polio, niet anders gespecificeerd | | Verouderd | poliovirus vaccin, niet anders gespecificeerd | added v2.3.1, removed after v2.8.2
90 | hondsdolheid, niet anders gespecificeerd | | Verouderd | hondsdolheid vaccin, niet anders gespecificeerd | added v2.3.1, removed after v2.8.2
91 | tyfus, niet anders gespecificeerd | | Verouderd | tyfus vaccin, niet anders gespecificeerd | added v2.3.1, removed after v2.8.2
92 | VEE, niet anders gespecificeerd | | Verouderd | Venezolaanse equïene encefalitis, niet anders gespecificeerd | added v2.3.1, removed after v2.8.2
93 | RSV-MAb | | Verouderd | respiratory syncytial virus monoclonal antibody (palivizumab), intramusculair | added v2.4, removed after v2.8.2
94 | BMRV - bof, mazelen, rodehond en varicella | | Verouderd | bof, mazelen, rodehond en varicella virus vaccin | added v2.4, removed after v2.8.2
95 | TST-OT tine test | | Verouderd | tuberculin skin test; old tuberculin, multipuncture device | added v2.4, removed after v2.8.2
96 | TST-PPD intradermal | | Verouderd | tuberculin skin test; purified protein derivative solution, intradermal | added v2.4, removed after v2.8.2
97 | TST-PPD tine test | | Verouderd | tuberculin skin test; purified protein derivative, multipuncture device | added v2.4, removed after v2.8.2
98 | TST, niet anders gespecificeerd | | Verouderd | tuberculin skin test; niet anders gespecificeerd | added v2.4, removed after v2.8.2
99 | GERESERVEERD - niet gebruiken3 | | Verouderd | GERESERVEERD - niet gebruiken | added v2.4, removed after v2.8.2
998 | geen vaccin toegediend5 | | Verouderd | geen vaccin toegediend | added v2.5, removed after v2.8.2
999 | onbekend | | Verouderd | onbekend vaccin of immunoglobuline | added v2.4, removed after v2.8.2

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.292.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0292 version 2.9

Code | System | Display

4.3.15.294 HL7 Version 2 Table 0294

URL: https://hl7.org/fhir/R4/v2/0294/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0294
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0294
Version: | 2.9
Name: | v2.0294
Title: | v2 Time Selection Criteria Parameter Class Codes
Definition: | FHIR Value set/code system definition for HL7 v2 table 0294 (Time Selection Criteria Parameter Class Codes)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.294.1 Code System Content

- All Languages
- English
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0294 defines the following codes:

Code | Display | Definition | Comments | Version

Fri | en: An indicator that Friday is or is not preferred for the day on which the appointment will occur. nl: Indicator dat vrijdag wel of niet de voorkeur heeft als de dag waarop de afspraak plaats zal vinden. | | en: In component 2, specify OK or NO. OK = Preferred appointment day NO = Day is not preferred nl: OK = Voorkeursdag. NO = Dag heeft niet de voorkeur | added v2.3

Mon | en: An indicator that Monday is or is not preferred for the day on which the appointment will occur. nl: Indicator dat maandag wel of niet de voorkeur heeft als de dag waarop de afspraak plaats zal vinden. | | en: In component 2, specify OK or NO. OK = Preferred appointment day NO = Day is not preferred nl: OK = Voorkeursdag. NO = Dag heeft niet de voorkeur | added v2.3

Prefend | en: An indicator that there is a preferred end time for the appointment request, service or resource. nl: De geprefereerde eindtijd voor de afspraakverzoek, service, of resource. | | en: In component 2, specify any valid time in the format HHMM, using 24-hour clock notation where HH = hour and MM = minutes nl: Geef in component 2 een tijd met formaat UUMM op basis van de 24-uurs kloknotatie, waarbij UU = uren en MM = minuten | added v2.3

Prefstart | en: An indicator that there is a preferred start time for the appointment request, service or resource. nl: De geprefereerde starttijd voor de afspraakverzoek, service, of resource. | | en: In component 2, specify any valid time in the format HHMM, using 24-hour clock notation where HH = hour and MM = minutes nl: Geef in component 2 een tijd met formaat UUMM op basis van de 24-uurs kloknotatie, waarbij UU = uren en MM = minuten | added v2.3

Sat | en: An indicator that Saturday is or is not preferred for the day on which the appointment will occur. nl: Indicator dat zaterdag wel of niet de voorkeur heeft als de dag waarop de afspraak plaats zal vinden. | | en: In component 2, specify OK or NO. OK = Preferred appointment day NO = Day is not preferred nl: OK = Voorkeursdag. NO = Dag heeft niet de voorkeur | added v2.3

Sun | en: An indicator that Sunday is or is not preferred for the day on which the appointment will occur. nl: Indicator dat zondag wel of niet de voorkeur heeft als de dag waarop de afspraak plaats zal vinden. | | en: In component 2, specify OK or NO. OK = Preferred appointment day NO = Day is not preferred nl: OK = Voorkeursdag. NO = Dag heeft niet de voorkeur | added v2.3

Thu | en: An indicator that Thursday is or is not preferred for the day on which the appointment will occur. nl: Indicator dat donderdag wel of niet de voorkeur heeft als de dag waarop de afspraak plaats zal vinden. | | en: In component 2, specify OK or NO. OK = Preferred appointment day NO = Day is not preferred nl: OK = Voorkeursdag. NO = Dag heeft niet de voorkeur | added v2.3

Tue | en: An indicator that Tuesday is or is not preferred for the day on which the appointment will occur. nl: Indicator dat dinsdag wel of niet de voorkeur heeft als de dag waarop de afspraak plaats zal vinden. | | en: In component 2, specify OK or NO. OK = Preferred appointment day NO = Day is not preferred nl: OK = Voorkeursdag. NO = Dag heeft niet de voorkeur | added v2.3

Wed | en: An indicator that Wednesday is or is not preferred for the day on which the appointment will occur. nl: Indicator dat woensdag wel of niet de voorkeur heeft als de dag waarop de afspraak plaats zal vinden. | | en: In component 2, specify OK or NO. OK = Preferred appointment day NO = Day is not preferred nl: OK = Voorkeursdag. NO = Dag heeft niet de voorkeur | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0294 defines the following codes:

Code | Display | Definition | Comments | Version

Fri | An indicator that Friday is or is not preferred for the day on which the appointment will occur. | | In component 2, specify OK or NO. OK = Preferred appointment day NO = Day is not preferred | added v2.3

Mon | An indicator that Monday is or is not preferred for the day on which the appointment will occur. | | In component 2, specify OK or NO. OK = Preferred appointment day NO = Day is not preferred | added v2.3

Prefend | An indicator that there is a preferred end time for the appointment request, service or resource. | | In component 2, specify any valid time in the format HHMM, using 24-hour clock notation where HH = hour and MM = minutes | added v2.3

Prefstart | An indicator that there is a preferred start time for the appointment request, service or resource. | | In component 2, specify any valid time in the format HHMM, using 24-hour clock notation where HH = hour and MM = minutes | added v2.3

Sat | An indicator that Saturday is or is not preferred for the day on which the appointment will occur. | | In component 2, specify OK or NO. OK = Preferred appointment day NO = Day is not preferred | added v2.3

Sun | An indicator that Sunday is or is not preferred for the day on which the appointment will occur. | | In component 2, specify OK or NO. OK = Preferred appointment day NO = Day is not preferred | added v2.3

Thu | An indicator that Thursday is or is not preferred for the day on which the appointment will occur. | | In component 2, specify OK or NO. OK = Preferred appointment day NO = Day is not preferred | added v2.3

Tue | An indicator that Tuesday is or is not preferred for the day on which the appointment will occur. | | In component 2, specify OK or NO. OK = Preferred appointment day NO = Day is not preferred | added v2.3

Wed | An indicator that Wednesday is or is not preferred for the day on which the appointment will occur. | | In component 2, specify OK or NO. OK = Preferred appointment day NO = Day is not preferred | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0294 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie

Fri | Indicator dat vrijdag wel of niet de voorkeur heeft als de dag waarop de afspraak plaats zal vinden. | | OK = Voorkeursdag. NO = Dag heeft niet de voorkeur | added v2.3

Mon | Indicator dat maandag wel of niet de voorkeur heeft als de dag waarop de afspraak plaats zal vinden. | | OK = Voorkeursdag. NO = Dag heeft niet de voorkeur | added v2.3

Prefend | De geprefereerde eindtijd voor de afspraakverzoek, service, of resource. | | Geef in component 2 een tijd met formaat UUMM op basis van de 24-uurs kloknotatie, waarbij UU = uren en MM = minuten | added v2.3

Prefstart | De geprefereerde starttijd voor de afspraakverzoek, service, of resource. | | Geef in component 2 een tijd met formaat UUMM op basis van de 24-uurs kloknotatie, waarbij UU = uren en MM = minuten | added v2.3

Sat | Indicator dat zaterdag wel of niet de voorkeur heeft als de dag waarop de afspraak plaats zal vinden. | | OK = Voorkeursdag. NO = Dag heeft niet de voorkeur | added v2.3

Sun | Indicator dat zondag wel of niet de voorkeur heeft als de dag waarop de afspraak plaats zal vinden. | | OK = Voorkeursdag. NO = Dag heeft niet de voorkeur | added v2.3

Thu | Indicator dat donderdag wel of niet de voorkeur heeft als de dag waarop de afspraak plaats zal vinden. | | OK = Voorkeursdag. NO = Dag heeft niet de voorkeur | added v2.3

Tue | Indicator dat dinsdag wel of niet de voorkeur heeft als de dag waarop de afspraak plaats zal vinden. | | OK = Voorkeursdag. NO = Dag heeft niet de voorkeur | added v2.3

Wed | Indicator dat woensdag wel of niet de voorkeur heeft als de dag waarop de afspraak plaats zal vinden. | | OK = Voorkeursdag. NO = Dag heeft niet de voorkeur | added v2.3

4.3.15.298 HL7 Version 2 Table 0298

URL: https://hl7.org/fhir/R4/v2/0298/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0298
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0298
Version: | 2.9
Name: | v2.0298
Title: | v2 CP Range Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0298 (CP Range Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.298.1 Code System Content

- All Languages
- English
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0298 defines the following codes:

Code | Display | Definition | Version
F | en: Flat-rate. Apply the entire price to this interval, do not pro-rate the price if the full interval has not occurred/been consumed nl: Vaste prijs. Pas de gehele prijs toe op dit interval, bereken niet naar rato in het geval dat niet het hele interval is opgetreden/is verbruikt | | added v2.3
P | en: Pro-rate. Apply this price to this interval, pro-rated by whatever portion of the interval has occurred/been consumed nl: Pro rato. Pas deze prijs toe op dit interval, naar rato van het deel van het interval dat is opgetreden/is verbruikt | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0298 defines the following codes:

Code | Display | Definition | Version
F | Flat-rate. Apply the entire price to this interval, do not pro-rate the price if the full interval has not occurred/been consumed | | added v2.3
P | Pro-rate. Apply this price to this interval, pro-rated by whatever portion of the interval has occurred/been consumed | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0298 definieert de volgende codes:

Code | Display | Definition | Versie
F | Vaste prijs. Pas de gehele prijs toe op dit interval, bereken niet naar rato in het geval dat niet het hele interval is opgetreden/is verbruikt | | added v2.3
P | Pro rato. Pas deze prijs toe op dit interval, naar rato van het deel van het interval dat is opgetreden/is verbruikt | | added v2.3

4.3.15.299 HL7 Version 2 Table 0299

URL: https://hl7.org/fhir/R4/v2/0299/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0299
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0299
Version: | 2.9
Name: | v2.0299
Title: | v2 Encoding
Definition: | FHIR Value set/code system definition for HL7 v2 table 0299 (Encoding)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.299.1 Code System Content

- All Languages
- English
- Deutsch (German)

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0299 defines the following codes:

Code | Display | Definition | Comments | Version
A | en: No encoding - data are displayable ASCII characters. de: keine Kodierung nl: geen codering - gegevens zijn leesbare ASCII-tekens | | | added v2.3
Base64 | en: Encoding as defined by MIME (Multipurpose Internet Mail Extensions) standard RFC 1521. Four consecutive ASCII characters represent three consecutive octets of binary data. Base64 utilizes a 65-character subset of US-ASCII, consisting of both the upper and nl: codering zoals gedefinieerd door MIME (Multipurpose Internet Mail Extensions) standaard RFC 1521. Vier opeenvolgende ASCII-tekens stellen drie, enkelvoudige octetten binaire gegevens voor. Base64 gebruikt een subset van 65-tekens uit US-ASCII, bestaande uit zowel de alfabetische hoofd- als de kleine letters, de cijfers "0" tot en met "9", "+", "/" en "=". | | en: The Request For Comment (RFC) 1521 standard is available at: http://www.ietf.org/rfc/rfc1521.txt nl: De Request For Comment (RFC) 1521 standaard is vinden via: http://www.ietf.org/rfc/rfc1521.txt | added v2.3
Hex | en: Hexadecimal encoding - consecutive pairs of hexadecimal digits represent consecutive single octets. nl: hexadecimale codering - paarsgewijze hexadecimale getallen stellen sequentiële, enkelvoudige octetten voor | | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0299 defines the following codes:

Code | Display | Definition | Comments | Version
A | No encoding - data are displayable ASCII characters. | | | added v2.3
Base64 | Encoding as defined by MIME (Multipurpose Internet Mail Extensions) standard RFC 1521. Four consecutive ASCII characters represent three consecutive octets of binary data. Base64 utilizes a 65-character subset of US-ASCII, consisting of both the upper and | | The Request For Comment (RFC) 1521 standard is available at: http://www.ietf.org/rfc/rfc1521.txt | added v2.3
Hex | Hexadecimal encoding - consecutive pairs of hexadecimal digits represent consecutive single octets. | | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0299 defines the following codes:

Code | Display | Definition | Comments | Version
A | keine Kodierung | | | added v2.3
Base64 | | | | added v2.3
Hex | | | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0299 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie
A | geen codering - gegevens zijn leesbare ASCII-tekens | | | added v2.3
Base64 | codering zoals gedefinieerd door MIME (Multipurpose Internet Mail Extensions) standaard RFC 1521. Vier opeenvolgende ASCII-tekens stellen drie, enkelvoudige octetten binaire gegevens voor. Base64 gebruikt een subset van 65-tekens uit US-ASCII, bestaande uit zowel de alfabetische hoofd- als de kleine letters, de cijfers "0" tot en met "9", "+", "/" en "=". | | De Request For Comment (RFC) 1521 standaard is vinden via: http://www.ietf.org/rfc/rfc1521.txt | added v2.3
Hex | hexadecimale codering - paarsgewijze hexadecimale getallen stellen sequentiële, enkelvoudige octetten voor | | | added v2.3

4.3.15.301 HL7 Version 2 Table 0301

URL: https://hl7.org/fhir/R4/v2/0301/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0301
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0301
Version: | 2.9
Name: | v2.0301
Title: | v2 Universal ID type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0301 (Universal ID type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.301.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0301 defines the following codes:

Code | Display | Definition | Comments | Version
CAP | College of American Pathologist Accreditation Number | | | added v2.9
CLIA | en: Clinical Laboratory Improvement Amendments nl: Clinical laboratory Improvement Amendments. Ondersteunt gebruik van organisatie-identificatie als een nummer toegekend door "CLIA" (voor labs). In gebruik bij Amerikaanse ministerie van defensie | | | added v2.7

CLIP | en: Clinical laboratory Improvement Program nl: Clinical laboratory Improvement Program. Ondersteunt gebruik van organisatie-identificatie als een nummer toegekend door "CLIP" (voor labs). In gebruik bij Amerikaanse ministerie van defensie | | | added v2.7

DNS | en: Domain Name System de: Internet-Adresse nl: Een internet hostname, conform RFC 1035; of een IP-adres. In ASCII-tekens of als integers, met punten tussen componenten ("puntnotatie"). | | | added v2.3

EUI64 | en: IEEE 64-bit Extended Unique Identifier nl: IEEE 64-bit Extended Unique Identifier bestaat uit een 24-bit bedrijfsidentificatie en een 40-bit instance-identificatie. De waarde moet 16 ASCII HEX tekens lang zijn, bijvoorbeeld, "AABBCC1122334455". De 24-bit bedrijfsidentificatie, voorheen bekend als Organizationally Unique Identifier (OUI-24), is gegarandeerd wereldwijd uniek. De 40-bit extensies worden toegekend door fabrikanten. Deze identificatie wordt meest gebruikt in apparaatinterfaces (bijv., "MAC" adressen voor IPv4 & IPv6). [Zie http://standards.ieee.org/regauth/oui/tutorials/EUI64.html voor een gedetailleerde uitleg van de structuur.] | | en: OUI-24 values are administered by the IEEE Registration Authority. nl: OUI-24 waarden worden bijgehouden door de IEEE Registration Authority. | added v2.7

GUID | en: globally unique identifier de: GUID nl: Zelfde als UUID. | | en: Retained for backward compatibility only as of v2.7; use UUID instead nl: Alleen voor backward compatibiliteit sinds v2.7; gebruik UUID | added v2.3

HCD | en: CEN Healthcare Coding Identifier nl: De CEN Healthcare Coding Scheme Designator | | en: Retained for backward compatibility only as of v2.7; does not identify Assigning Authorities nl: Alleen voor backward compatibiliteit sinds v2.7; identificeert geen toekennende autoriteiten (Assigning Authority) | added v2.3

HL7 | en: HL7 registration schemes de: für HL7 reserviert nl: HL7 registratieschema's | | en: Retained for backward compatibility only as of v2.7; HL7 assigns ISO OIDs for Assigning Authorities nl: Alleen voor backward compatibiliteit sinds v2.7; HL7 kent ISO OID's toe voor toekennende autoriteiten (Assigning Authority) | added v2.3

ISO | en: ISO Object Identifier de: ISO-ID nl: Een Internationaal Standaardisatie Orgaan Object IDentificatie (OID), conform ISO/IEC 8824. Structuur is decimale getallen gescheiden door punten; aanbevolen grens is 64 tekens. | | | added v2.3

L | en: Local de: reserviert für lokale Tabellen nl: Deze zijn gereserveerd voor lokaal gedefinieerde codesystemen | | Retained for backward compatibility only as of v 2.8 | added v2.3

L,M,N | en: Local de: reserviert für lokale Tabellen nl: Deze zijn gereserveerd voor lokaal gedefinieerde codesystemen | | en: Retained for backward compatibility only as of v 2.8 nl: Alleen voor backward compatibiliteit sinds v2.8. | added v2.3

M | en: Local de: reserviert für lokale Tabellen nl: Deze zijn gereserveerd voor lokaal gedefinieerde codesystemen | | Retained for backward compatibility only as of v 2.8 | added v2.3

N | en: Local de: reserviert für lokale Tabellen nl: Deze zijn gereserveerd voor lokaal gedefinieerde codesystemen | | Retained for backward compatibility only as of v 2.8 | added v2.3

NPI | US National Provider Identifier | | | added v2.9

Random | en: Random de: beliebig nl: Meestal een base64 gecodeerde string met willekeurige bits. | | en: Retained for backward compatibility only as of v2.7; equivalent to a locally defined entity identifier scheme; use L. M, or N instead. nl: Alleen voor backward compatibiliteit sinds v2.7; equivalent aan lokaal gedefinieerde identificatiesystemen; gebruik L, M, of N. | added v2.3

URI | en: Uniform Resource Identifier de: URI | | | added v2.5

UUID | en: Universal Unique Identifier de: UUID nl: De DCE Universal Unique Identifier, conform RFC 4122. Aanbevolen structuur is 32 hexadecimale getalen gescheiden door koppeltekens, met cijfergroepering 8-4-4-4-12 | | | added v2.3

x400 | en: X.400 MHS identifier de: X.400 nl: Een X.400 MHS identificatie. Aanbevolen format is conform RFC 1649 | | | added v2.3

x500 | en: X500 directory Name de: X.500 Verzeichnisname nl: Een X.500 directory-naam | | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0301 defines the following codes:

Code | Display | Definition | Comments | Version

CAP | College of American Pathologist Accreditation Number | | | added v2.9

CLIA | Clinical Laboratory Improvement Amendments | | | added v2.7

CLIP | Clinical laboratory Improvement Program | | | added v2.7

DNS | Domain Name System | | | added v2.3

EUI64 | IEEE 64-bit Extended Unique Identifier | | OUI-24 values are administered by the IEEE Registration Authority. | added v2.7

GUID | globally unique identifier | | Retained for backward compatibility only as of v2.7; use UUID instead | added v2.3

HCD | CEN Healthcare Coding Identifier | | Retained for backward compatibility only as of v2.7; does not identify Assigning Authorities | added v2.3

HL7 | HL7 registration schemes | | Retained for backward compatibility only as of v2.7; HL7 assigns ISO OIDs for Assigning Authorities | added v2.3

ISO | ISO Object Identifier | | | added v2.3

L | Local | | Retained for backward compatibility only as of v 2.8 | added v2.3

L,M,N | Local | | Retained for backward compatibility only as of v 2.8 | added v2.3

M | Local | | Retained for backward compatibility only as of v 2.8 | added v2.3

N | Local | | Retained for backward compatibility only as of v 2.8 | added v2.3

NPI | US National Provider Identifier | | | added v2.9

Random | Random | | Retained for backward compatibility only as of v2.7; equivalent to a locally defined entity identifier scheme; use L. M, or N instead. | added v2.3

URI | Uniform Resource Identifier | | | added v2.5

UUID | Universal Unique Identifier | | | added v2.3

x400 | X.400 MHS identifier | | | added v2.3

x500 | X500 directory Name | | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0301 defines the following codes:

Code | Display | Definition | Comments | Version

CAP | | | | added v2.9

CLIA | | | | added v2.7

CLIP | | | | added v2.7

DNS | Internet-Adresse | | | added v2.3

EUI64 | | | | added v2.7

GUID | GUID | | | added v2.3

HCD | | | | added v2.3

HL7 | für HL7 reserviert | | | added v2.3

ISO | ISO-ID | | | added v2.3
L | reserviert für lokale Tabellen | | | added v2.3
L,M,N | reserviert für lokale Tabellen | | | added v2.3
M | reserviert für lokale Tabellen | | | added v2.3
N | reserviert für lokale Tabellen | | | added v2.3
NPI | | | | added v2.9
Random | beliebig | | | added v2.3
URI | URI | | | added v2.5
UUID | UUID | | | added v2.3
x400 | X.400 | | | added v2.3
x500 | X.500 Verzeichnisname | | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0301 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie
CAP | | | | added v2.9
CLIA | Clinical laboratory Improvement Amendments. Ondersteunt gebruik van organisatie-identificatie als een nummer toegekend door "CLIA" (voor labs). In gebruik bij Amerikaanse ministerie van defensie | | | added v2.7
CLIP | Clinical laboratory Improvement Program. Ondersteunt gebruik van organisatie-identificatie als een nummer toegekend door "CLIP" (voor labs). In gebruik bij Amerikaanse ministerie van defensie | | | added v2.7
DNS | Een internet hostname, conform RFC 1035; of een IP-adres. In ASCII-tekens of als integers, met punten tussen componenten ("puntnotatie"). | | | added v2.3
EUI64 | IEEE 64-bit Extended Unique Identifier bestaat uit een 24-bit bedrijfsidentificatie en een 40-bit instance-identificatie. De waarde moet 16 ASCII HEX tekens lang zijn, bijvoorbeeld, "AABBCC1122334455". De 24-bit bedrijfsidentificatie, voorheen bekend als Organizationally Unique Identifier (OUI-24), is gegarandeerd wereldwijd uniek. De 40-bit extensies worden toegekend door fabrikanten. Deze identificatie wordt meest gebruikt in apparaatinterfaces (bijv., "MAC" adressen voor IPv4 & IPv6). [Zie http://standards.ieee.org/regauth/oui/tutorials/EUI64.html voor een gedetailleerde uitleg van de structuur.] | | OUI-24 waarden worden bijgehouden door de IEEE Registration Authority. | added v2.7
GUID | Zelfde als UUID. | | Alleen voor backward compatibiliteit sinds v2.7; gebruik UUID | added v2.3
HCD | De CEN Healthcare Coding Scheme Designator | | Alleen voor backward compatibiliteit sinds v2.7; identificeert geen toekennende autoriteiten (Assigning Authority) | added v2.3
HL7 | HL7 registratieschema's | | Alleen voor backward compatibiliteit sinds v2.7; HL7 kent ISO OID's toe voor toekennende autoriteiten (Assigning Authority) | added v2.3
ISO | Een Internationaal Standaardisatie Orgaan Object IDentificatie (OID), conform ISO/IEC 8824. Structuur is decimale getallen gescheiden door punten; aanbevolen grens is 64 tekens. | | | added v2.3
L | Deze zijn gereserveerd voor lokaal gedefinieerde codesystemen | | | added v2.3
L,M,N | Deze zijn gereserveerd voor lokaal gedefinieerde codesystemen | | Alleen voor backward compatibiliteit sinds v2.8. | added v2.3
M | Deze zijn gereserveerd voor lokaal gedefinieerde codesystemen | | | added v2.3
N | Deze zijn gereserveerd voor lokaal gedefinieerde codesystemen | | | added v2.3
NPI | | | | added v2.9
Random | Meestal een base64 gecodeerde string met willekeurige bits. | | Alleen voor backward compatibiliteit sinds v2.7; equivalent aan lokaal gedefinieerde identificatiesystemen; gebruik L, M, of N. | added v2.3
URI | Uniform Resource Identifier | | | added v2.5
UUID | De DCE Universal Unique Identifier, conform RFC 4122. Aanbevolen structuur is 32 hexadecimale getalen gescheiden door koppeltekens, met cijfergroepering 8-4-4-4-12 | | | added v2.3
x400 | Een X.400 MHS identificatie. Aanbevolen format is conform RFC 1649 | | | added v2.3
x500 | Een X.500 directory-naam | | | added v2.3

4.3.15.305 HL7 Version 2 Table 0305

URL: https://hl7.org/fhir/R4/v2/0305/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0305
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0305
Version: | 2.9
Name: | v2.0305
Title: | v2 Person location type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0305 (Person location type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.305.1 Code System Content

- All Languages
- English

• Deutsch (German)

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0305 defines the following codes:

Code | Display | Definition | Version
C | en: Clinic de: Klinik nl: Kliniek | | added v2.4
D | en: Department de: Abteilung nl: Afdeling | | added v2.4
H | en: Home de: zu Hause nl: Thuis | | added v2.4
N | en: Nursing Unit de: Station nl: Verpleegafdeling | | added v2.4
O | en: Provider's Office de: Sprechzimmer nl: Kantoor zorgaanbieder | | added v2.4
P | en: Phone de: Telefon(zelle) nl: Telefonisch | | added v2.4
S | en: SNF nl: Skilled Nursing Facility | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0305 defines the following codes:

Code | Display | Definition | Version
C | Clinic | | added v2.4
D | Department | | added v2.4
H | Home | | added v2.4
N | Nursing Unit | | added v2.4
O | Provider's Office | | added v2.4
P | Phone | | added v2.4
S | SNF | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0305 defines the following codes:

Code | Display | Definition | Version
C | Klinik | | added v2.4
D | Abteilung | | added v2.4
H | zu Hause | | added v2.4
N | Station | | added v2.4
O | Sprechzimmer | | added v2.4
P | Telefon(zelle) | | added v2.4
S | | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0305 definieert de volgende codes:

Code | Display | Definition | Versie
C | Kliniek | | added v2.4
D | Afdeling | | added v2.4
H | Thuis | | added v2.4
N | Verpleegafdeling | | added v2.4
O | Kantoor zorgaanbieder | | added v2.4
P | Telefonisch | | added v2.4
S | Skilled Nursing Facility | | added v2.4

4.3.15.309 HL7 Version 2 Table 0309

URL: https://hl7.org/fhir/R4/v2/0309/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0309
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0309
Version: | 2.9
Name: | v2.0309
Title: | v2 Coverage Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0309 (Coverage Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.309.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0309 defines the following codes:

Code | Display | Definition | Version
B | en: Both hospital and physician nl: Zowel ziekenhuis als arts | | added v2.3

H | en: Hospital/institutional nl: Ziekenhuis/instelling | | added v2.3
P | en: Physician/professional nl: Arts/professional | | added v2.3
RX | en: Pharmacy nl: Apotheek | | added v2.6

This code system http://terminology.hl7.org/CodeSystem/v2-0309 defines the following codes:

Code | Display | Definition | Version
B | Both hospital and physician | | added v2.3
H | Hospital/institutional | | added v2.3
P | Physician/professional | | added v2.3
RX | Pharmacy | | added v2.6

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0309 definieert de volgende codes:

Code | Display | Definition | Versie
B | Zowel ziekenhuis als arts | | added v2.3
H | Ziekenhuis/instelling | | added v2.3
P | Arts/professional | | added v2.3
RX | Apotheek | | added v2.6

4.3.15.311 HL7 Version 2 Table 0311

URL: https://hl7.org/fhir/R4/v2/0311/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0311
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0311
Version: | 2.9
Name: | v2.0311
Title: | v2 Job status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0311 (Job status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.311.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0311 defines the following codes:

Code | Display | Definition | Version
O | en: Other de: anderes Beschäftigungsverhältnis nl: Anders | | added v2.4
P | en: Permanent de: festangestellt | | added v2.4
T | en: Temporary de: befristet angestellt nl: Tijdelijk | | added v2.4
U | en: Unknown de: unbekannt nl: Onbekend | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0311 defines the following codes:

Code | Display | Definition | Version
O | Other | | added v2.4
P | Permanent | | added v2.4
T | Temporary | | added v2.4
U | Unknown | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0311 defines the following codes:

Code | Display | Definition | Version
O | anderes Beschäftigungsverhältnis | | added v2.4
P | festangestellt | | added v2.4
T | befristet angestellt | | added v2.4
U | unbekannt | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0311 definieert de volgende codes:

Code | Display | Definition | Versie
O | Anders | | added v2.4
P | Permanent | | added v2.4
T | Tijdelijk | | added v2.4
U | Onbekend | | added v2.4

4.3.15.315 HL7 Version 2 Table 0315

URL: https://hl7.org/fhir/R4/v2/0315/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0315
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0315
Version: | 2.9
Name: | v2.0315
Title: | v2 Living Will
Definition: | FHIR Value set/code system definition for HL7 v2 table 0315 (Living Will)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.315.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0315 defines the following codes:

Code | Display | Definition | Version
F | en: Yes, patient has a living will but it is not on file nl: Ja, patiënt heeft een testament maar deze zit niet in archief | | added v2.3
I | en: No, patient does not have a living will but information was provided nl: Nee, patiënt heeft geen testament maar informatie is gegeven | | added v2.3
N | en: No, patient does not have a living will and no information was provided nl: Nee, patiënt heeft geen testament en er is geen informatie gegeven | | added v2.3
U | en: Unknown nl: Onbekend | | added v2.3
Y | en: Yes, patient has a living will nl: Ja, patiënt heeft een testament | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0315 defines the following codes:

Code | Display | Definition | Version
F | Yes, patient has a living will but it is not on file | | added v2.3
I | No, patient does not have a living will but information was provided | | added v2.3
N | No, patient does not have a living will and no information was provided | | added v2.3
U | Unknown | | added v2.3
Y | Yes, patient has a living will | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0315 definieert de volgende codes:

Code | Display | Definition | Versie
F | Ja, patiënt heeft een testament maar deze zit niet in archief | | added v2.3
I | Nee, patiënt heeft geen testament maar informatie is gegeven | | added v2.3
N | Nee, patiënt heeft geen testament en er is geen informatie gegeven | | added v2.3
U | Onbekend | | added v2.3
Y | Ja, patiënt heeft een testament | | added v2.3

4.3.15.316 HL7 Version 2 Table 0316

URL: https://hl7.org/fhir/R4/v2/0316/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0316
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0316
Version: | 2.9
Name: | v2.0316
Title: | v2 Organ Donor
Definition: | FHIR Value set/code system definition for HL7 v2 table 0316 (Organ Donor)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.316.1 Code System Content

- All Languages
- English
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0316 defines the following codes:

Code | Display | Definition | Version
F | en: Yes, patient is a documented donor, but documentation is not on file nl: Ja, patiënt is een gedocumenteerde donor maar afschrift is niet beschikbaar | | added v2.3
I | en: No, patient is not a documented donor, but information was provided nl: Nee, patiënt is geen gedocumenteerde donor, maar informatie is gegeven | | added v2.3.1
N | en: No, patient has not agreed to be a donor nl: Nee, patiënt heeft geen toestemming voor donatie gegeven | | added v2.3
P | en: Patient leaves organ donation decision to a specific person nl: Patiënt laat beslissing orgaandonatie over aan specifiek persoon | | added v2.4
R | en: Patient leaves organ donation decision to relatives nl: Patiënt laat beslissing orgaandonatie over aan familie | | added v2.4
U | en: Unknown nl: Onbekend | | added v2.3
Y | en: Yes, patient is a documented donor and documentation is on file nl: Ja, patiënt is een gedocumenteerde donor en afschrift is beschikbaar | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0316 defines the following codes:

Code | Display | Definition | Version
F | Yes, patient is a documented donor, but documentation is not on file | | added v2.3
I | No, patient is not a documented donor, but information was provided | | added v2.3.1
N | No, patient has not agreed to be a donor | | added v2.3
P | Patient leaves organ donation decision to a specific person | | added v2.4
R | Patient leaves organ donation decision to relatives | | added v2.4
U | Unknown | | added v2.3
Y | Yes, patient is a documented donor and documentation is on file | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0316 definieert de volgende codes:

Code | Display | Definition | Versie
F | Ja, patiënt is een gedocumenteerde donor maar afschrift is niet beschikbaar | | added v2.3
I | Nee, patiënt is geen gedocumenteerde donor, maar informatie is gegeven | | added v2.3.1
N | Nee, patiënt heeft geen toestemming voor donatie gegeven | | added v2.3
P | Patiënt laat beslissing orgaandonatie over aan specifiek persoon | | added v2.4
R | Patiënt laat beslissing orgaandonatie over aan familie | | added v2.4
U | Onbekend | | added v2.3
Y | Ja, patiënt is een gedocumenteerde donor en afschrift is beschikbaar | | added v2.3

4.3.15.317 HL7 Version 2 Table 0317

URL: https://hl7.org/fhir/R4/v2/0317/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0317
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0317
Version: | 2.9
Name: | v2.0317
Title: | v2 Annotations
Definition: | FHIR Value set/code system definition for HL7 v2 table 0317 (Annotations)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.317.1 Code System Content

Annotations

Code | Description | Comment | Version
9900 | Pace spike | | added v2.3
9901 | SAS marker | | added v2.3
9902 | Sense marker | | added v2.3
9903 | Beat marker | | added v2.3
9904 | etc. | | added v2.3

4.3.15.321 HL7 Version 2 Table 0321

URL: https://hl7.org/fhir/R4/v2/0321/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0321
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0321
Version: | 2.9
Name: | v2.0321
Title: | v2 Dispense Method
Definition: | FHIR Value set/code system definition for HL7 v2 table 0321 (Dispense Method)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.321.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0321 defines the following codes:

Code | Display | Definition | Version
AD | en: Automatic Dispensing nl: Automatische verstrekking | | added v2.3
F | en: Floor Stock nl: Afdelingsvoorraad | | added v2.3
TR | en: Traditional nl: Traditioneel | | added v2.3
UD | en: Unit Dose nl: Eenheid dosis | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0321 defines the following codes:

Code | Display | Definition | Version
AD | Automatic Dispensing | | added v2.3
F | Floor Stock | | added v2.3
TR | Traditional | | added v2.3
UD | Unit Dose | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0321 definieert de volgende codes:

Code | Display | Definition | Versie
AD | Automatische verstrekking | | added v2.3
F | Afdelingsvoorraad | | added v2.3
TR | Traditioneel | | added v2.3
UD | Eenheid dosis | | added v2.3

4.3.15.322 HL7 Version 2 Table 0322

URL: https://hl7.org/fhir/R4/v2/0322/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0322
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0322
Version: | 2.9
Name: | v2.0322
Title: | v2 Completion Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0322 (Completion Status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.322.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0322 defines the following codes:

Code | Display | Definition | Version
CP | en: Complete nl: Voltooid | | added v2.3
NA | en: Not Administered nl: Niet toegediend | | added v2.3
PA | en: Partially Administered nl: Gedeeltelijk toegediend | | added v2.3
RE | en: Refused nl: Geweigerd | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0322 defines the following codes:

Code | Display | Definition | Version
CP | Complete | | added v2.3
NA | Not Administered | | added v2.3
PA | Partially Administered | | added v2.3
RE | Refused | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0322 definieert de volgende codes:

Code | Display | Definition | Versie
CP | Voltooid | | added v2.3
NA | Niet toegediend | | added v2.3
PA | Gedeeltelijk toegediend | | added v2.3
RE | Geweigerd | | added v2.3

4.3.15.323 HL7 Version 2 Table 0323

URL: https://hl7.org/fhir/R4/v2/0323/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0323
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0323
Version: | 2.9
Name: | v2.0323
Title: | v2 Action Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0323 (Action Code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.323.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0323 defines the following codes:

Code | Display | Definition | Deprecated | Version
A | en: Add/Insert nl: Toevoeging/invoeging | | Deprecated | added v2.3, removed after v2.5.1
D | en: Delete nl: Verwijdering | | Deprecated | added v2.3, removed after v2.5.1
U | Update | | Deprecated | added v2.3, removed after v2.5.1
X | en: No change nl: Geen wijziging | | Deprecated | added v2.5, removed after v2.5.1

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0323 defines the following codes:

Code | Display | Definition | Deprecated | Version

A | Add/Insert | | Deprecated | added v2.3, removed after v2.5.1
D | Delete | | Deprecated | added v2.3, removed after v2.5.1
U | Update | | Deprecated | added v2.3, removed after v2.5.1
X | No change | | Deprecated | added v2.5, removed after v2.5.1

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0323 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
A | Toevoeging/invoeging | | Verouderd | added v2.3, removed after v2.5.1
D | Verwijdering | | Verouderd | added v2.3, removed after v2.5.1
U | Update | | Verouderd | added v2.3, removed after v2.5.1
X | Geen wijziging | | Verouderd | added v2.5, removed after v2.5.1

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.323.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0323 version 2.9

Code | System | Display

4.3.15.324 HL7 Version 2 Table 0324

URL: https://hl7.org/fhir/R4/v2/0324/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0324
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0324
Version: | 2.9
Name: | v2.0324
Title: | v2 Location Characteristic ID
Definition: | FHIR Value set/code system definition for HL7 v2 table 0324 (Location Characteristic ID)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.324.1 Code System Content

- All Languages
- English
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0324 defines the following codes:

Code | Display | Definition | Version
GEN | en: Gender of patient(s) nl: Geslacht van patiënt(en) | | added v2.3
IMP | en: Implant: can be used for radiation implant patients nl: Implantatie: geschikt voor patiënten met stralingsimplantaten | | added v2.3
INF | en: Infectious disease: this location can be used for isolation nl: Infectieziekten: geschikt voor isolatie | | added v2.3
LCR | en: Level of care nl: Niveau van zorg | | added v2.3
LIC | en: Licensed nl: Gelicenseerd | | added v2.3
OVR | en: Overflow nl: Buffer | | added v2.3
PRL | en: Privacy level: indicating the level of private versus non-private room nl: Privé niveau: niveau-indicatie van privé/eigen kamer ten opzichte van een niet-privé kamer/gedeelde kamer | | added v2.3
SET | en: Bed is set up nl: Bed staat klaar | | added v2.3
SHA | en: Shadow: a temporary holding location that does not physically exist nl: Schaduw: een tijdelijke verblijflocatie die niet feitelijk bestaat | | added v2.3
SMK | en: Smoking nl: Roken | | added v2.3
STF | en: Bed is staffed nl: Er is bedpersoneel | | added v2.3
TEA | en: Teaching location nl: Leslocatie | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0324 defines the following codes:

Code | Display | Definition | Version
GEN | Gender of patient(s) | | added v2.3
IMP | Implant: can be used for radiation implant patients | | added v2.3
INF | Infectious disease: this location can be used for isolation | | added v2.3
LCR | Level of care | | added v2.3
LIC | Licensed | | added v2.3
OVR | Overflow | | added v2.3
PRL | Privacy level: indicating the level of private versus non-private room | | added v2.3
SET | Bed is set up | | added v2.3
SHA | Shadow: a temporary holding location that does not physically exist | | added v2.3
SMK | Smoking | | added v2.3
STF | Bed is staffed | | added v2.3
TEA | Teaching location | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0324 definieert de volgende codes:

Code | Display | Definition | Versie
GEN | Geslacht van patiënt(en) | | added v2.3
IMP | Implantatie: geschikt voor patiënten met stralingsimplantaten | | added v2.3
INF | Infectieziekten: geschikt voor isolatie | | added v2.3
LCR | Niveau van zorg | | added v2.3
LIC | Gelicenseerd | | added v2.3
OVR | Buffer | | added v2.3
PRL | Privé niveau: niveau-indicatie van privé/eigen kamer ten opzichte van een niet-privé kamer/gedeelde kamer | | added v2.3
SET | Bed staat klaar | | added v2.3
SHA | Schaduw: een tijdelijke verblijflocatie die niet feitelijk bestaat | | added v2.3
SMK | Roken | | added v2.3
STF | Er is bedpersoneel | | added v2.3
TEA | Leslocatie | | added v2.3

4.3.15.325 HL7 Version 2 Table 0325

URL: https://hl7.org/fhir/R4/v2/0325/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0325
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0325
Version: | 2.9
Name: | v2.0325
Title: | v2 Location Relationship ID
Definition: | FHIR Value set/code system definition for HL7 v2 table 0325 (Location Relationship ID)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.325.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0325 defines the following codes:

Code | Display | Definition | Version
ALI | en: Location Alias(es) nl: Locatiealias(sen) | | added v2.3
DTY | en: Nearest dietary location nl: Dichtstbijzijnde eetlocatie | | added v2.3
LAB | en: Nearest lab nl: Dichtstbijzijnde lab | | added v2.3
LB2 | en: Second nearest lab nl: Tweede dichtstbijzijnde lab | | added v2.3
PAR | en: Parent location nl: Parent locatie | | added v2.3
RX | en: Nearest pharmacy nl: Dichtstbijzijnde apotheek | | added v2.3
RX2 | en: Second nearest pharmacy nl: Tweede dichtstbijzijnde apotheek | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0325 defines the following codes:

Code | Display | Definition | Version
ALI | Location Alias(es) | | added v2.3
DTY | Nearest dietary location | | added v2.3
LAB | Nearest lab | | added v2.3

LB2 | Second nearest lab | | added v2.3
PAR | Parent location | | added v2.3
RX | Nearest pharmacy | | added v2.3
RX2 | Second nearest pharmacy | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0325 definieert de volgende codes:

Code | Display | Definition | Versie
ALI | Locatiealias(sen) | | added v2.3
DTY | Dichtstbijzijnde eetlocatie | | added v2.3
LAB | Dichtstbijzijnde lab | | added v2.3
LB2 | Tweede dichtstbijzijnde lab | | added v2.3
PAR | Parent locatie | | added v2.3
RX | Dichtstbijzijnde apotheek | | added v2.3
RX2 | Tweede dichtstbijzijnde apotheek | | added v2.3

4.3.15.326 HL7 Version 2 Table 0326

URL: https://hl7.org/fhir/R4/v2/0326/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0326
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0326
Version: | 2.9
Name: | v2.0326
Title: | v2 Visit Indicator
Definition: | FHIR Value set/code system definition for HL7 v2 table 0326 (Visit Indicator)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.326.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0326 defines the following codes:

Code | Display | Definition | Version
A | en: Account level de: Fallanlage bei ambulanten Fällen ohne Erfassung eines Besuchstages nl: Accountniveau (standaard) | | added v2.3
V | en: Visit level de: Aufnahme (ambulanter Besuch, stationäre Episode) nl: Bezoekniveau | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0326 defines the following codes:

Code | Display | Definition | Version
A | Account level | | added v2.3
V | Visit level | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0326 defines the following codes:

Code | Display | Definition | Version
A | Fallanlage bei ambulanten Fällen ohne Erfassung eines Besuchstages | | added v2.3
V | Aufnahme (ambulanter Besuch, stationäre Episode) | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0326 definieert de volgende codes:

Code | Display | Definition | Versie
A | Accountniveau (standaard) | | added v2.3
V | Bezoekniveau | | added v2.3

4.3.15.329 HL7 Version 2 Table 0329

URL: https://hl7.org/fhir/R4/v2/0329/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0329

Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0329
Version: | 2.9
Name: | v2.0329
Title: | v2 Quantity Method
Definition: | FHIR Value set/code system definition for HL7 v2 table 0329 (Quantity Method)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.329.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0329 defines the following codes:

Code | Display | Definition | Version
A | en: Actual count nl: Werkelijke telling | | added v2.3
E | en: Estimated (see comment) nl: Geschat (zie opmerking) | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0329 defines the following codes:

Code | Display | Definition | Version
A | Actual count | | added v2.3
E | Estimated (see comment) | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0329 definieert de volgende codes:

Code | Display | Definition | Versie
A | Werkelijke telling | | added v2.3
E | Geschat (zie opmerking) | | added v2.3

4.3.15.330 HL7 Version 2 Table 0330

URL: https://hl7.org/fhir/R4/v2/0330/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0330
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0330
Version: | 2.9
Name: | v2.0330
Title: | v2 Marketing Basis
Definition: | FHIR Value set/code system definition for HL7 v2 table 0330 (Marketing Basis)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.330.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0330 defines the following codes:

Code | Display | Definition | Version
510E | en: 510 (K) exempt nl: 510 (K) vrijstelling | | added v2.3
510K | 510 (K) | | added v2.3
522S | en: Post marketing study (522) nl: Post-marketingonderzoek (522) | | added v2.3
PMA | en: Premarketing authorization nl: Pre-marketing autorisatie | | added v2.3
PRE | en: Preamendment nl: Pre amendement | | added v2.3
TXN | en: Transitional nl: Transitioneel | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0330 defines the following codes:

Code | Display | Definition | Version
510E | 510 (K) exempt | | added v2.3

510K | 510 (K) | | added v2.3
522S | Post marketing study (522) | | added v2.3
PMA | Premarketing authorization | | added v2.3
PRE | Preamendment | | added v2.3
TXN | Transitional | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0330 definieert de volgende codes:

Code | Display | Definition | Versie
510E | 510 (K) vrijstelling | | added v2.3
510K | 510 (K) | | added v2.3
522S | Post-marketingonderzoek (522) | | added v2.3
PMA | Pre-marketing autorisatie | | added v2.3
PRE | Pre amendement | | added v2.3
TXN | Transitioneel | | added v2.3

4.3.15.331 HL7 Version 2 Table 0331

URL: https://hl7.org/fhir/R4/v2/0331/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0331
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0331
Version: | 2.9
Name: | v2.0331
Title: | v2 Facility Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0331 (Facility Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.331.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0331 defines the following codes:

Code | Display | Definition | Version
A | en: Agent for a foreign manufacturer nl: Agent voor een buitenlandse fabrikant | | added v2.3
D | en: Distributor nl: Distributeur | | added v2.3
M | en: Manufacturer nl: Fabrikant | | added v2.3
U | en: User nl: Gebruiker | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0331 defines the following codes:

Code | Display | Definition | Version
A | Agent for a foreign manufacturer | | added v2.3
D | Distributor | | added v2.3
M | Manufacturer | | added v2.3
U | User | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0331 definieert de volgende codes:

Code | Display | Definition | Versie
A | Agent voor een buitenlandse fabrikant | | added v2.3
D | Distributeur | | added v2.3
M | Fabrikant | | added v2.3
U | Gebruiker | | added v2.3

4.3.15.332 HL7 Version 2 Table 0332

URL: https://hl7.org/fhir/R4/v2/0332/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0332
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0332

Version: | 2.9
Name: | v2.0332
Title: | v2 Network Source Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0332 (Network Source Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.332.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0332 defines the following codes:

Code | Display | Definition | Version
A | en: Accept nl: Accepteren | | added v2.3
I | en: Initiate nl: Initiëren | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0332 defines the following codes:

Code | Display | Definition | Version
A | Accept | | added v2.3
I | Initiate | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0332 definieert de volgende codes:

Code | Display | Definition | Versie
A | Accepteren | | added v2.3
I | Initiëren | | added v2.3

4.3.15.334 HL7 Version 2 Table 0334

URL: https://hl7.org/fhir/R4/v2/0334/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0334
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0334
Version: | 2.9
Name: | v2.0334
Title: | v2 Disabled Person
Definition: | FHIR Value set/code system definition for HL7 v2 table 0334 (Disabled Person)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.334.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0334 defines the following codes:

Code | Display | Definition | Version
AP | en: Associated party nl: Gerelateerde partij | | added v2.3
GT | en: Guarantor de: Zahlugnspflichtiger nl: Garantstaande | | added v2.3
IN | en: Insured de: Versicherter nl: Verzekerde | | added v2.3
PT | en: Patient nl: Patiënt | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0334 defines the following codes:

Code | Display | Definition | Version
AP | Associated party | | added v2.3
GT | Guarantor | | added v2.3
IN | Insured | | added v2.3

PT | Patient | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0334 defines the following codes:

Code | Display | Definition | Version
AP | | | added v2.3
GT | Zahlugnspflichtiger | | added v2.3
IN | Versicherter | | added v2.3
PT | Patient | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0334 definieert de volgende codes:

Code | Display | Definition | Versie
AP | Gerelateerde partij | | added v2.3
GT | Garantstaande | | added v2.3
IN | Verzekerde | | added v2.3
PT | Patiënt | | added v2.3

4.3.15.335 HL7 Version 2 Table 0335

URL: https://hl7.org/fhir/R4/v2/0335/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0335
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0335
Version: | 2.9
Name: | v2.0335
Title: | v2 Repeat pattern
Definition: | FHIR Value set/code system definition for HL7 v2 table 0335 (Repeat pattern)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.335.1 Code System Content

- All Languages
- English
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0335 defines the following codes:

Code | Display | Definition | Comments | Version
A | en: Ante (before) nl: Ante (vóór) | | | added v2.4
BID | en: twice a day at institution-specified times nl: twee maal per dag op vastgestelde tijden | | en: (e.g., 9AM-4PM) nl: (bijv. 9u-16u) | added v2.4
C | en: service is provided continuously between start time and stop time nl: service wordt continu geleverd tussen starttijd en stoptijd | | | added v2.4
D | Cibus Diurnus (lunch) | | | added v2.4
I | Inter | | en: (e.g., between this meal and the next, between dinner and sleep nl: (bijv. tussen deze maaltijd en de volgende, tussen avondeten en slapen gaan) | added v2.4
M | en: Cibus Matutinus (breakfast) nl: Cibus Matutinus (ontbijt) | | | added v2.4
Meal Related Timings | en: <timing>C ("cum")<meal> nl: <timing>C ("cum")<maaltijd> | | | added v2.4
Once | en: one time only. nl: eenmalig. | | en: This is also the default when this component is null. nl: Dit is ook de standaardwaarde als dit component leeg is. | added v2.4
P | en: Post (after) nl: Post (na) | | | added v2.4
PRN | en: given as needed nl: zo nodig | | | added v2.4
PRNxxx | en: where xxx is some frequency code nl: waarbij xxx een of andere frequentiecode is | | en: (e.g., PRNQ6H); given as needed over the frequency period. nl: (bijv. PRNQ6H); gegeven indien nodig binnen de frequentieperiode | added v2.4
Q<integer>D | en: every <integer> days nl: elke <integer> dagen | | | added v2.4
Q<integer>H | en: every <integer> hours nl: elke <integer> uur | | | added v2.4
Q<integer>J<day#> | en: repeats on a particular day of the week, nl: herhaalt op een bepaalde dag in de week. | | en: From the French jour (day). If <integer> is missing, the repeat rate is assumed to be 1. Day numbers are counted from 1=Monday to 7=Sunday. So Q2J2 means every second Tuesday; Q1J6 means every Saturday. nl: Afkomstig van het Franse jour (dag). Als <integer> ontbreekt, wordt de herhaalfrequentie verondersteld 1 te zijn. Dagnummers worden geteld van 1=maandag tot 7=zondag. Dus Q2J2 betekent elke tweede dinsdag; Q1J6 betekent elke zaterdag. | added v2.4
Q<integer>L | en: every <integer> months (Lunar cycle) nl: elke <integer> maanden (maancyclus) | | | added v2.4
Q<integer>M | en: every <integer> minutes nl: elke <integer> minuten | | | added v2.4
Q<integer>S | en: every <integer> seconds nl: elke <integer> seconden | | | added v2.4
Q<integer>W | en: every <integer> weeks nl: elke <integer> weken | | | added v2.4
QAM | en: in the morning at institution-specified time nl: in de morgen op vastgestelde tijd | | | added v2.4

QHS | en: every day before the hour of sleep nl: elke dag voor het slapen gaan | | | added v2.4
QID | en: four times a day at institution-specified times nl: vier maal per dag op vastgestelde tijden | | en: (e.g., 9AM-11AM-4PM-9PM) nl: (bijv. 9u-11u-16u-21u) | added v2.4
QOD | en: every other day nl: om de dag | | en: (same as Q2D) nl: (gelijk aan Q2D) | added v2.4
QPM | en: in the evening at institution-specified time nl: in de avond op vastgestelde tijden | | | added v2.4
QSHIFT | en: during each of three eight-hour shifts at institution-specified times nl: tijdens elke van de drie achtuursdiensten op vastgestelde tijden | | | added v2.4
TID | en: three times a day at institution-specified times nl: drie maal per dag op vastgestelde tijden | | en: (e.g., 9AM-4PM-9PM) nl: (bijv. 9u-16u-21u) | added v2.4
U <spec> | en: for future use, where <spec> is an interval specification as defined by the UNIX cron specification. nl: voor toekomstig gebruik, waarbij <spec> een intervalspecificatie is zoals gedefinieerd door de UNIX cron specificatie. | | | added v2.4
V | en: Cibus Vespertinus (dinner) nl: Cibus Vespertinus (avondeten) | | | added v2.4
xID | en: "X" times per day at institution-specified times, where X is a numeral 5 or greater. nl: "X" maal per dag op vastgestelde tijden waarbij X een getal van 5 of hoger is. | | en: (e.g., 5ID=five times per day; 8ID=8 times per day) nl: bijv. 5ID=vijf maal per dag; 8ID=acht maal per dag | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0335 defines the following codes:

Code | Display | Definition | Comments | Version
A | Ante (before) | | | added v2.4
BID | twice a day at institution-specified times | | (e.g., 9AM-4PM) | added v2.4
C | service is provided continuously between start time and stop time | | | added v2.4
D | Cibus Diurnus (lunch) | | | added v2.4
I | Inter | | (e.g., between this meal and the next, between dinner and sleep | added v2.4
M | Cibus Matutinus (breakfast) | | | added v2.4
Meal Related Timings | <timing>C ("cum")<meal> | | | added v2.4
Once | one time only. | | This is also the default when this component is null. | added v2.4
P | Post (after) | | | added v2.4
PRN | given as needed | | | added v2.4
PRNxxx | where xxx is some frequency code | | (e.g., PRNQ6H); given as needed over the frequency period. | added v2.4
Q<integer>D | every <integer> days | | | added v2.4
Q<integer>H | every <integer> hours | | | added v2.4
Q<integer>J<day#> | repeats on a particular day of the week, | | From the French jour (day). If <integer> is missing, the repeat rate is assumed to be 1. Day numbers are counted from 1=Monday to 7=Sunday. So Q2J2 means every second Tuesday; Q1J6 means every Saturday. | added v2.4
Q<integer>L | every <integer> months (Lunar cycle) | | | added v2.4
Q<integer>M | every <integer> minutes | | | added v2.4
Q<integer>S | every <integer> seconds | | | added v2.4
Q<integer>W | every <integer> weeks | | | added v2.4
QAM | in the morning at institution-specified time | | | added v2.4
QHS | every day before the hour of sleep | | | added v2.4
QID | four times a day at institution-specified times | | (e.g., 9AM-11AM-4PM-9PM) | added v2.4
QOD | every other day | | (same as Q2D) | added v2.4
QPM | in the evening at institution-specified time | | | added v2.4
QSHIFT | during each of three eight-hour shifts at institution-specified times | | | added v2.4
TID | three times a day at institution-specified times | | (e.g., 9AM-4PM-9PM) | added v2.4
U <spec> | for future use, where <spec> is an interval specification as defined by the UNIX cron specification. | | | added v2.4
V | Cibus Vespertinus (dinner) | | | added v2.4
xID | "X" times per day at institution-specified times, where X is a numeral 5 or greater. | | (e.g., 5ID=five times per day; 8ID=8 times per day) | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0335 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie
A | Ante (vóór) | | | added v2.4
BID | twee maal per dag op vastgestelde tijden | | (bijv. 9u-16u) | added v2.4
C | service wordt continu geleverd tussen starttijd en stoptijd | | | added v2.4
D | Cibus Diurnus (lunch) | | | added v2.4
I | Inter | | (bijv. tussen deze maaltijd en de volgende, tussen avondeten en slapen gaan) | added v2.4
M | Cibus Matutinus (ontbijt) | | | added v2.4
Meal Related Timings | <timing>C ("cum")<maaltijd> | | | added v2.4
Once | eenmalig. | | Dit is ook de standaardwaarde als dit component leeg is. | added v2.4
P | Post (na) | | | added v2.4
PRN | zo nodig | | | added v2.4
PRNxxx | waarbij xxx een of andere frequentiecode is | | (bijv. PRNQ6H); gegeven indien nodig binnen de frequentieperiode | added v2.4
Q<integer>D | elke <integer> dagen | | | added v2.4
Q<integer>H | elke <integer> uur | | | added v2.4
Q<integer>J<day#> | herhaalt op een bepaalde dag in de week. | | Afkomstig van het Franse jour (dag). Als <integer> ontbreekt, wordt de herhaalfrequentie verondersteld 1 te zijn. Dagnummers worden geteld van 1=maandag tot 7=zondag. Dus Q2J2 betekent elke tweede dinsdag; Q1J6 betekent elke zaterdag. | added v2.4
Q<integer>L | elke <integer> maanden (maancyclus) | | | added v2.4
Q<integer>M | elke <integer> minuten | | | added v2.4
Q<integer>S | elke <integer> seconden | | | added v2.4
Q<integer>W | elke <integer> weken | | | added v2.4
QAM | in de morgen op vastgestelde tijd | | | added v2.4

QHS | elke dag voor het slapen gaan | | | added v2.4
QID | vier maal per dag op vastgestelde tijden | | (bijv. 9u-11u-16u-21u) | added v2.4
QOD | om de dag | | (gelijk aan Q2D) | added v2.4
QPM | in de avond op vastgestelde tijden | | | added v2.4
QSHIFT | tijdens elke van de drie achtuursdiensten op vastgestelde tijden | | | added v2.4
TID | drie maal per dag op vastgestelde tijden | | (bijv. 9u-16u-21u) | added v2.4
U <spec> | voor toekomstig gebruik, waarbij <spec> een intervalspecificatie is zoals gedefinieerd door de UNIX cron specificatie. | | | added v2.4
V | Cibus Vespertinus (avondeten) | | | added v2.4
xID | "X" maal per dag op vastgestelde tijden waarbij X een getal van 5 of hoger is. | | bijv. 5ID=vijf maal per dag; 8ID=acht maal per dag | added v2.4

4.3.15.336 HL7 Version 2 Table 0336

URL: https://hl7.org/fhir/R4/v2/0336/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0336
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0336
Version: | 2.9
Name: | v2.0336
Title: | v2 Referral Reason
Definition: | FHIR Value set/code system definition for HL7 v2 table 0336 (Referral Reason)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.336.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0336 defines the following codes:

Code | Display | Definition | Version
O | en: Provider Ordered nl: Verzoek zorgverlener | | added v2.3
P | en: Patient Preference nl: Verzoek patiënt | | added v2.3
S | Second Opinion | | added v2.3
W | en: Work Load nl: Werkdruk | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0336 defines the following codes:

Code | Display | Definition | Version
O | Provider Ordered | | added v2.3
P | Patient Preference | | added v2.3
S | Second Opinion | | added v2.3
W | Work Load | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0336 definieert de volgende codes:

Code | Display | Definition | Versie
O | Verzoek zorgverlener | | added v2.3
P | Verzoek patiënt | | added v2.3
S | Second opinion | | added v2.3
W | Werkdruk | | added v2.3

4.3.15.337 HL7 Version 2 Table 0337

URL: https://hl7.org/fhir/R4/v2/0337/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0337
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0337
Version: | 2.9
Name: | v2.0337
Title: | v2 Certification Status

Definition: | FHIR Value set/code system definition for HL7 v2 table 0337 (Certification Status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.337.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0337 defines the following codes:

Code | Display | Definition | Version
C | en: Certified nl: Gecertificeerd | | added v2.3
E | en: Eligible nl: Komt in aanmerking | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0337 defines the following codes:

Code | Display | Definition | Version
C | Certified | | added v2.3
E | Eligible | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0337 definieert de volgende codes:

Code | Display | Definition | Versie
C | Gecertificeerd | | added v2.3
E | Komt in aanmerking | | added v2.3

4.3.15.338 HL7 Version 2 Table 0338

URL: https://hl7.org/fhir/R4/v2/0338/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0338
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0338
Version: | 2.9
Name: | v2.0338
Title: | v2 Practitioner ID number type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0338 (Practitioner ID number type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.338.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0338 defines the following codes:

Code | Display | Definition | Comments | Version
CY | en: County number nl: Provincie-nummer | | | added v2.3
DEA | en: Drug Enforcement Agency no. nl: Drug Enforcement Agency-nummer | | | added v2.3
GL | en: General ledger number nl: Grootboek-nummer | | | added v2.3
L&I | en: Labor and industries number nl: Arbeid en Industrie-nummer | | en: Deprecated as of v 2.5; Use LI instead nl: Vervallen vanaf v2.5; Gebruik nu LI | added v2.3
LI | en: Labor and industries number nl: Arbeid en Industrie-nummer | | | added v2.5
MCD | en: Medicaid number nl: Medicaid-nummer | | | added v2.3
MCR | en: Medicare number nl: Medicare-nummer | | | added v2.3
QA | en: QA number nl: QA-nummer | | | added v2.3
SL | en: State license number nl: Staat licentienummer | | | added v2.3
TAX | en: Tax ID number nl: SoFi-nummer | | | added v2.3
TRL | en: Training license number nl: Opleiding licentie-nummer | | | added v2.3
UPIN | en: Unique physician ID no. nl: Uniek Arts ID-nummer | | | added v2.3

This code system http://terminology.hl7.org/CodeSystem/v2-0338 defines the following codes:

Code | Display | Definition | Comments | Version
CY | County number | | | added v2.3
DEA | Drug Enforcement Agency no. | | | added v2.3
GL | General ledger number | | | added v2.3
L&I | Labor and industries number | | Deprecated as of v 2.5; Use LI instead | added v2.3
LI | Labor and industries number | | | added v2.5
MCD | Medicaid number | | | added v2.3
MCR | Medicare number | | | added v2.3
QA | QA number | | | added v2.3
SL | State license number | | | added v2.3
TAX | Tax ID number | | | added v2.3
TRL | Training license number | | | added v2.3
UPIN | Unique physician ID no. | | | added v2.3

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0338 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie
CY | Provincie-nummer | | | added v2.3
DEA | Drug Enforcement Agency-nummer | | | added v2.3
GL | Grootboek-nummer | | | added v2.3
L&I | Arbeid en Industrie-nummer | | Vervallen vanaf v2.5; Gebruik nu LI | added v2.3
LI | Arbeid en Industrie-nummer | | | added v2.5
MCD | Medicaid-nummer | | | added v2.3
MCR | Medicare-nummer | | | added v2.3
QA | QA-nummer | | | added v2.3
SL | Staat licentienummer | | | added v2.3
TAX | SoFi-nummer | | | added v2.3
TRL | Opleiding licentie-nummer | | | added v2.3
UPIN | Uniek Arts ID-nummer | | | added v2.3

4.3.15.339 HL7 Version 2 Table 0339

URL: https://hl7.org/fhir/R4/v2/0339/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0339
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0339
Version: | 2.9
Name: | v2.0339
Title: | v2 Advanced Beneficiary Notice Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0339 (Advanced Beneficiary Notice Code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.339.1 Code System Content

• All Languages

• English

• Deutsch (German)

This code system http://terminology.hl7.org/CodeSystem/v2-0339 defines the following codes:

Code | Display | Definition | Version
1 | en: Service is subject to medical necessity procedures de: Zuzahlung muss abgeklärt werden | | added v2.3.1
2 | Patient has been informed of responsibility, and agrees to pay for service | | added v2.3.1
3 | en: Patient has been informed of responsibility, and asks that the payer be billed de: Patient fragt nach Rechnung | | added v2.3.1
4 | en: Advanced Beneficiary Notice has not been signed de: Zustimmung zur Zuzahlung liegt nicht vor | | added v2.3.1

This code system http://terminology.hl7.org/CodeSystem/v2-0339 defines the following codes:

Code | Display | Definition | Version
1 | Service is subject to medical necessity procedures | | added v2.3.1
2 | Patient has been informed of responsibility, and agrees to pay for service | | added v2.3.1
3 | Patient has been informed of responsibility, and asks that the payer be billed | | added v2.3.1
4 | Advanced Beneficiary Notice has not been signed | | added v2.3.1

This code system http://terminology.hl7.org/CodeSystem/v2-0339 defines the following codes:

Code | Display | Definition | Version
1 | Zuzahlung muss abgeklärt werden | | added v2.3.1
2 | | | added v2.3.1
3 | Patient fragt nach Rechnung | | added v2.3.1
4 | Zustimmung zur Zuzahlung liegt nicht vor | | added v2.3.1

4.3.15.344 HL7 Version 2 Table 0344

URL: https://hl7.org/fhir/R4/v2/0344/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0344
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0344
Version: | 2.9
Name: | v2.0344
Title: | v2 Patient’s relationship to insured
Definition: | FHIR Value set/code system definition for HL7 v2 table 0344 (Patient’s relationship to insured)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.344.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0344 defines the following codes:

Code | Display | Definition | Version
01 | en: Patient is insured nl: Patiënt is zelf verzekerd | | added v2.3.1
02 | en: Spouse nl: Echtgenoot | | added v2.3.1
03 | en: Natural child/insured financial responsibility nl: Biologisch kind/financiële verantwoordelijkheid verzekerde | | added v2.3.1
04 | en: Natural child/Insured does not have financial responsibility nl: Biologisch kind/geen financiële verantwoordelijkheid verzekerde | | added v2.3.1
05 | en: Step child nl: Stiefkind | | added v2.3.1
06 | en: Foster child nl: Pleegkind | | added v2.3.1
07 | en: Ward of the court nl: Wettelijk voogd | | added v2.3.1
08 | en: Employee nl: Werknemer | | added v2.3.1
09 | en: Unknown nl: Onbekend | | added v2.3.1
10 | en: Handicapped dependent de: behinderter Angehöriger nl: Gehandicapt afhankelijke | | added v2.3.1
11 | en: Organ donor de: Organspender nl: Orgaandonor | | added v2.3.1
12 | en: Cadaver donor de: Körper-/Leichenspender (bspw. für anatomische Studien; wir Organspender, nur nach dem Tod) nl: Kadaverdonor | | added v2.3.1
13 | en: Grandchild de: Enkel nl: Kleinkind | | added v2.3.1
14 | en: Niece/nephew de: Nichte/Neffe nl: Nicht/neef | | added v2.3.1
15 | en: Injured plaintiff de: verletzter Kläger nl: Gewonde aanklagende partij | | added v2.3.1
16 | en: Sponsored dependent de: Unterhaltsberechtigter nl: Gesponsorde afhankelijke | | added v2.3.1
17 | en: Minor dependent of a minor dependent de: Kind eines Minderjährigen nl: Minderjarige afhankelijke van minderjarige afhankelijke | | added v2.3.1
18 | en: Parent de: Eltern nl: Ouder | | added v2.3.1
19 | en: Grandparent de: Großeltern nl: Grootouder | | added v2.3.1

This code system http://terminology.hl7.org/CodeSystem/v2-0344 defines the following codes:

Code | Display | Definition | Version
01 | Patient is insured | | added v2.3.1
02 | Spouse | | added v2.3.1
03 | Natural child/insured financial responsibility | | added v2.3.1
04 | Natural child/Insured does not have financial responsibility | | added v2.3.1
05 | Step child | | added v2.3.1
06 | Foster child | | added v2.3.1
07 | Ward of the court | | added v2.3.1
08 | Employee | | added v2.3.1
09 | Unknown | | added v2.3.1
10 | Handicapped dependent | | added v2.3.1
11 | Organ donor | | added v2.3.1

12 | Cadaver donor | | added v2.3.1
13 | Grandchild | | added v2.3.1
14 | Niece/nephew | | added v2.3.1
15 | Injured plaintiff | | added v2.3.1
16 | Sponsored dependent | | added v2.3.1
17 | Minor dependent of a minor dependent | | added v2.3.1
18 | Parent | | added v2.3.1
19 | Grandparent | | added v2.3.1

This code system http://terminology.hl7.org/CodeSystem/v2-0344 defines the following codes:

Code | Display | Definition | Version
01 | | | added v2.3.1
02 | | | added v2.3.1
03 | | | added v2.3.1
04 | | | added v2.3.1
05 | | | added v2.3.1
06 | | | added v2.3.1
07 | | | added v2.3.1
08 | | | added v2.3.1
09 | | | added v2.3.1
10 | behinderter Angehöriger | | added v2.3.1
11 | Organspender | | added v2.3.1
12 | Körper-/Leichenspender (bspw. für anatomische Studien; wir Organspender, nur nach dem Tod) | | added v2.3.1
13 | Enkel | | added v2.3.1
14 | Nichte/Neffe | | added v2.3.1
15 | verletzter Kläger | | added v2.3.1
16 | Unterhaltsberechtigter | | added v2.3.1
17 | Kind eines Minderjährigen | | added v2.3.1
18 | Eltern | | added v2.3.1
19 | Großeltern | | added v2.3.1

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0344 definieert de volgende codes:

Code | Display | Definition | Versie
01 | Patiënt is zelf verzekerd | | added v2.3.1
02 | Echtgenoot | | added v2.3.1
03 | Biologisch kind/financiële verantwoordelijkheid verzekerde | | added v2.3.1
04 | Biologisch kind/geen financiële verantwoordelijkheid verzekerde | | added v2.3.1
05 | Stiefkind | | added v2.3.1
06 | Pleegkind | | added v2.3.1
07 | Wettelijk voogd | | added v2.3.1
08 | Werknemer | | added v2.3.1
09 | Onbekend | | added v2.3.1
10 | Gehandicapt afhankelijke | | added v2.3.1
11 | Orgaandonor | | added v2.3.1
12 | Kadaverdonor | | added v2.3.1
13 | Kleinkind | | added v2.3.1
14 | Nicht/neef | | added v2.3.1
15 | Gewonde aanklagende partij | | added v2.3.1
16 | Gesponsorde afhankelijke | | added v2.3.1
17 | Minderjarige afhankelijke van minderjarige afhankelijke | | added v2.3.1
18 | Ouder | | added v2.3.1
19 | Grootouder | | added v2.3.1

4.3.15.350 HL7 Version 2 Table 0350

URL: https://hl7.org/fhir/R4/v2/0350/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0350
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0350
Version: | 2.9
Name: | v2.0350
Title: | v2 Occurrence code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0350 (Occurrence code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.350.1 Code System Content

- All Languages
- English
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0350 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | en: Use NUBC codes nl: Zie (Amerikaanse) NUBC codes | | | added v2.5.1
01 | Auto accident | | Deprecated | added v2.3.1, removed after v2.4
02 | No fault insurance involved-including auto accident/other | | Deprecated | added v2.3.1, removed after v2.4
03 | Accident/tort liability | | Deprecated | added v2.3.1, removed after v2.4
04 | Accident/employment related | | Deprecated | added v2.3.1, removed after v2.4
05 | Other accident | | Deprecated | added v2.3.1, removed after v2.4
06 | Crime victim | | Deprecated | added v2.3.1, removed after v2.4
09 | Start of infertility treatment cycle | | Deprecated | added v2.3.1, removed after v2.4
10 | Last menstrual period | | Deprecated | added v2.3.1, removed after v2.4
11 | Onset of symptoms/illness | | Deprecated | added v2.3.1, removed after v2.4
12 | Date of onset for a chronically dependent individual | | Deprecated | added v2.3.1, removed after v2.4
17 | Date outpatient occupational therapy plan established or last reviewed | | Deprecated | added v2.3.1, removed after v2.4
18 | Date of retirement patient/beneficiary | | Deprecated | added v2.3.1, removed after v2.4
19 | Date of retirement spouse | | Deprecated | added v2.3.1, removed after v2.4
20 | Guarantee of payment began | | Deprecated | added v2.3.1, removed after v2.4
21 | UR notice received | | Deprecated | added v2.3.1, removed after v2.4
22 | Date active care ended | | Deprecated | added v2.3.1, removed after v2.4
24 | Date insurance denied | | Deprecated | added v2.3.1, removed after v2.4
25 | Date benefits terminated by primary payor | | Deprecated | added v2.3.1, removed after v2.4
26 | Date SNF bed available | | Deprecated | added v2.3.1, removed after v2.4
27 | Date home health plan established | | Deprecated | added v2.3.1, removed after v2.4
28 | Spouse's date of birth | | Deprecated | added v2.3.1, removed after v2.4
29 | Date outpatient physical therapy plan established or last reviewed | | Deprecated | added v2.3.1, removed after v2.4
30 | Date outpatient speech pathology plan established or last reviewed | | Deprecated | added v2.3.1, removed after v2.4
31 | Date beneficiary notified of intent to bill (accommodations) | | Deprecated | added v2.3.1, removed after v2.4
32 | Date beneficiary notified of intent to bill (procedures or treatments) | | Deprecated | added v2.3.1, removed after v2.4
33 | First day of the Medicare coordination period for ESRD beneficiaries covered by EGHP | | Deprecated | added v2.3.1, removed after v2.4
34 | Date of election of extended care facilities | | Deprecated | added v2.3.1, removed after v2.4
35 | Date treatment started for P.T. | | Deprecated | added v2.3.1, removed after v2.4
36 | Date of inpatient hospital discharge for covered transplant patients | | Deprecated | added v2.3.1, removed after v2.4
37 | Date of inpatient hospital discharge for non-covered transplant patient | | Deprecated | added v2.3.1, removed after v2.4
40 | Scheduled date of admission | | Deprecated | added v2.3.1, removed after v2.4
41 | Date of first test for pre-admission testing | | Deprecated | added v2.3.1, removed after v2.4
42 | Date of discharge | | Deprecated | added v2.3.1, removed after v2.4
43 | Scheduled date of canceled surgery | | Deprecated | added v2.3.1, removed after v2.4
44 | Date treatment started for O.T. | | Deprecated | added v2.3.1, removed after v2.4
45 | Date treatment started for S.T. | | Deprecated | added v2.3.1, removed after v2.4
46 | Date treatment started for cardiac rehab. | | Deprecated | added v2.3.1, removed after v2.4
47 | Payer codes | | Deprecated | added v2.3.1, removed after v2.4
47 ... 49 | Payer codes | | Deprecated | added v2.3.1, removed after v2.4
48 | Payer codes | | Deprecated | added v2.3.1, removed after v2.4
49 | Payer codes | | Deprecated | added v2.3.1, removed after v2.4
50 | Date lien released | | Deprecated | added v2.3.1, removed after v2.4
51 | Date treatment started for psychiatric care | | Deprecated | added v2.3.1, removed after v2.4
70 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
70 ... 99 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
71 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
72 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
73 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
74 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
75 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
76 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
77 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
78 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
79 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4

80 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
81 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
82 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
83 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
84 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
85 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
86 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
87 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
88 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
89 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
90 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
91 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
92 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
93 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
94 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
95 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
96 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
97 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
98 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
99 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
A1 | Birthdate - insured A | | Deprecated | added v2.3.1, removed after v2.4
A2 | Effective date - insured A policy | | Deprecated | added v2.3.1, removed after v2.4
A3 | Benefits exhausted payer A | | Deprecated | added v2.3.1, removed after v2.4
... | en: Use NUBC codes nl: Zie (Amerikaanse) NUBC codes | | Deprecated | added v2.7.1, removed after v2.7.1

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0350 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | Use NUBC codes | | | added v2.5.1
01 | Auto accident | | Deprecated | added v2.3.1, removed after v2.4
02 | No fault insurance involved-including auto accident/other | | Deprecated | added v2.3.1, removed after v2.4
03 | Accident/tort liability | | Deprecated | added v2.3.1, removed after v2.4
04 | Accident/employment related | | Deprecated | added v2.3.1, removed after v2.4
05 | Other accident | | Deprecated | added v2.3.1, removed after v2.4
06 | Crime victim | | Deprecated | added v2.3.1, removed after v2.4
09 | Start of infertility treatment cycle | | Deprecated | added v2.3.1, removed after v2.4
10 | Last menstrual period | | Deprecated | added v2.3.1, removed after v2.4
11 | Onset of symptoms/illness | | Deprecated | added v2.3.1, removed after v2.4
12 | Date of onset for a chronically dependent individual | | Deprecated | added v2.3.1, removed after v2.4
17 | Date outpatient occupational therapy plan established or last reviewed | | Deprecated | added v2.3.1, removed after v2.4
18 | Date of retirement patient/beneficiary | | Deprecated | added v2.3.1, removed after v2.4
19 | Date of retirement spouse | | Deprecated | added v2.3.1, removed after v2.4
20 | Guarantee of payment began | | Deprecated | added v2.3.1, removed after v2.4
21 | UR notice received | | Deprecated | added v2.3.1, removed after v2.4
22 | Date active care ended | | Deprecated | added v2.3.1, removed after v2.4
24 | Date insurance denied | | Deprecated | added v2.3.1, removed after v2.4
25 | Date benefits terminated by primary payor | | Deprecated | added v2.3.1, removed after v2.4
26 | Date SNF bed available | | Deprecated | added v2.3.1, removed after v2.4
27 | Date home health plan established | | Deprecated | added v2.3.1, removed after v2.4
28 | Spouse's date of birth | | Deprecated | added v2.3.1, removed after v2.4
29 | Date outpatient physical therapy plan established or last reviewed | | Deprecated | added v2.3.1, removed after v2.4
30 | Date outpatient speech pathology plan established or last reviewed | | Deprecated | added v2.3.1, removed after v2.4
31 | Date beneficiary notified of intent to bill (accommodations) | | Deprecated | added v2.3.1, removed after v2.4
32 | Date beneficiary notified of intent to bill (procedures or treatments) | | Deprecated | added v2.3.1, removed after v2.4
33 | First day of the Medicare coordination period for ESRD beneficiaries covered by EGHP | | Deprecated | added v2.3.1, removed after v2.4
34 | Date of election of extended care facilities | | Deprecated | added v2.3.1, removed after v2.4
35 | Date treatment started for P.T. | | Deprecated | added v2.3.1, removed after v2.4
36 | Date of inpatient hospital discharge for covered transplant patients | | Deprecated | added v2.3.1, removed after v2.4
37 | Date of inpatient hospital discharge for non-covered transplant patient | | Deprecated | added v2.3.1, removed after v2.4
40 | Scheduled date of admission | | Deprecated | added v2.3.1, removed after v2.4
41 | Date of first test for pre-admission testing | | Deprecated | added v2.3.1, removed after v2.4
42 | Date of discharge | | Deprecated | added v2.3.1, removed after v2.4
43 | Scheduled date of canceled surgery | | Deprecated | added v2.3.1, removed after v2.4
44 | Date treatment started for O.T. | | Deprecated | added v2.3.1, removed after v2.4
45 | Date treatment started for S.T. | | Deprecated | added v2.3.1, removed after v2.4
46 | Date treatment started for cardiac rehab. | | Deprecated | added v2.3.1, removed after v2.4

47 | Payer codes | | Deprecated | added v2.3.1, removed after v2.4
47 ... 49 | Payer codes | | Deprecated | added v2.3.1, removed after v2.4
48 | Payer codes | | Deprecated | added v2.3.1, removed after v2.4
49 | Payer codes | | Deprecated | added v2.3.1, removed after v2.4
50 | Date lien released | | Deprecated | added v2.3.1, removed after v2.4
51 | Date treatment started for psychiatric care | | Deprecated | added v2.3.1, removed after v2.4
70 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
70 ... 99 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
71 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
72 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
73 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
74 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
75 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
76 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
77 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
78 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
79 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
80 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
81 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
82 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
83 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
84 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
85 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
86 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
87 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
88 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
89 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
90 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
91 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
92 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
93 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
94 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
95 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
96 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
97 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
98 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
99 | Occurrence span codes and dates | | Deprecated | added v2.3.1, removed after v2.4
A1 | Birthdate - insured A | | Deprecated | added v2.3.1, removed after v2.4
A2 | Effective date - insured A policy | | Deprecated | added v2.3.1, removed after v2.4
A3 | Benefits exhausted payer A | | Deprecated | added v2.3.1, removed after v2.4
... | Use NUBC codes | | Deprecated | added v2.7.1, removed after v2.7.1

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0350 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
... | Zie (Amerikaanse) NUBC codes | | | added v2.5.1
01 | | | Verouderd | added v2.3.1, removed after v2.4
02 | | | Verouderd | added v2.3.1, removed after v2.4
03 | | | Verouderd | added v2.3.1, removed after v2.4
04 | | | Verouderd | added v2.3.1, removed after v2.4
05 | | | Verouderd | added v2.3.1, removed after v2.4
06 | | | Verouderd | added v2.3.1, removed after v2.4
09 | | | Verouderd | added v2.3.1, removed after v2.4
10 | | | Verouderd | added v2.3.1, removed after v2.4
11 | | | Verouderd | added v2.3.1, removed after v2.4
12 | | | Verouderd | added v2.3.1, removed after v2.4
17 | | | Verouderd | added v2.3.1, removed after v2.4
18 | | | Verouderd | added v2.3.1, removed after v2.4
19 | | | Verouderd | added v2.3.1, removed after v2.4
20 | | | Verouderd | added v2.3.1, removed after v2.4
21 | | | Verouderd | added v2.3.1, removed after v2.4
22 | | | Verouderd | added v2.3.1, removed after v2.4
24 | | | Verouderd | added v2.3.1, removed after v2.4
25 | | | Verouderd | added v2.3.1, removed after v2.4
26 | | | Verouderd | added v2.3.1, removed after v2.4
27 | | | Verouderd | added v2.3.1, removed after v2.4
28 | | | Verouderd | added v2.3.1, removed after v2.4

29 | | | Verouderd | added v2.3.1, removed after v2.4
30 | | | Verouderd | added v2.3.1, removed after v2.4
31 | | | Verouderd | added v2.3.1, removed after v2.4
32 | | | Verouderd | added v2.3.1, removed after v2.4
33 | | | Verouderd | added v2.3.1, removed after v2.4
34 | | | Verouderd | added v2.3.1, removed after v2.4
35 | | | Verouderd | added v2.3.1, removed after v2.4
36 | | | Verouderd | added v2.3.1, removed after v2.4
37 | | | Verouderd | added v2.3.1, removed after v2.4
40 | | | Verouderd | added v2.3.1, removed after v2.4
41 | | | Verouderd | added v2.3.1, removed after v2.4
42 | | | Verouderd | added v2.3.1, removed after v2.4
43 | | | Verouderd | added v2.3.1, removed after v2.4
44 | | | Verouderd | added v2.3.1, removed after v2.4
45 | | | Verouderd | added v2.3.1, removed after v2.4
46 | | | Verouderd | added v2.3.1, removed after v2.4
47 | | | Verouderd | added v2.3.1, removed after v2.4
47 ... 49 | | | Verouderd | added v2.3.1, removed after v2.4
48 | | | Verouderd | added v2.3.1, removed after v2.4
49 | | | Verouderd | added v2.3.1, removed after v2.4
50 | | | Verouderd | added v2.3.1, removed after v2.4
51 | | | Verouderd | added v2.3.1, removed after v2.4
70 | | | Verouderd | added v2.3.1, removed after v2.4
70 ... 99 | | | Verouderd | added v2.3.1, removed after v2.4
71 | | | Verouderd | added v2.3.1, removed after v2.4
72 | | | Verouderd | added v2.3.1, removed after v2.4
73 | | | Verouderd | added v2.3.1, removed after v2.4
74 | | | Verouderd | added v2.3.1, removed after v2.4
75 | | | Verouderd | added v2.3.1, removed after v2.4
76 | | | Verouderd | added v2.3.1, removed after v2.4
77 | | | Verouderd | added v2.3.1, removed after v2.4
78 | | | Verouderd | added v2.3.1, removed after v2.4
79 | | | Verouderd | added v2.3.1, removed after v2.4
80 | | | Verouderd | added v2.3.1, removed after v2.4
81 | | | Verouderd | added v2.3.1, removed after v2.4
82 | | | Verouderd | added v2.3.1, removed after v2.4
83 | | | Verouderd | added v2.3.1, removed after v2.4
84 | | | Verouderd | added v2.3.1, removed after v2.4
85 | | | Verouderd | added v2.3.1, removed after v2.4
86 | | | Verouderd | added v2.3.1, removed after v2.4
87 | | | Verouderd | added v2.3.1, removed after v2.4
88 | | | Verouderd | added v2.3.1, removed after v2.4
89 | | | Verouderd | added v2.3.1, removed after v2.4
90 | | | Verouderd | added v2.3.1, removed after v2.4
91 | | | Verouderd | added v2.3.1, removed after v2.4
92 | | | Verouderd | added v2.3.1, removed after v2.4
93 | | | Verouderd | added v2.3.1, removed after v2.4
94 | | | Verouderd | added v2.3.1, removed after v2.4
95 | | | Verouderd | added v2.3.1, removed after v2.4
96 | | | Verouderd | added v2.3.1, removed after v2.4
97 | | | Verouderd | added v2.3.1, removed after v2.4
98 | | | Verouderd | added v2.3.1, removed after v2.4
99 | | | Verouderd | added v2.3.1, removed after v2.4
A1 | | | Verouderd | added v2.3.1, removed after v2.4
A2 | | | Verouderd | added v2.3.1, removed after v2.4
A3 | | | Verouderd | added v2.3.1, removed after v2.4
... | Zie (Amerikaanse) NUBC codes | | Verouderd | added v2.7.1, removed after v2.7.1

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.350.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 1 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0350 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0350

Code | Display | Definition
... | Use NUBC codes

Additional Language Displays

Code | Nederlands (Dutch, nl)

... | Zie (Amerikaanse) NUBC codes

4.3.15.351 HL7 Version 2 Table 0351

URL: https://hl7.org/fhir/R4/v2/0351/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0351
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0351
Version: | 2.9
Name: | v2.0351
Title: | v2 Occurrence span
Definition: | FHIR Value set/code system definition for HL7 v2 table 0351 (Occurrence span)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.351.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0351 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | en: use NUBC codes nl: Zie (Amerikaanse) NUBC codes | | | added v2.6
70 | Qualifying stay dates for SNF | | Deprecated | added v2.3.1, removed after v2.4
71 | Prior stay dates | | Deprecated | added v2.3.1, removed after v2.4
72 | First/last visit | | Deprecated | added v2.3.1, removed after v2.4
73 | Benefit eligibility period | | Deprecated | added v2.3.1, removed after v2.4
74 | Non-covered level of care | | Deprecated | added v2.3.1, removed after v2.4
75 | SNF level of care | | Deprecated | added v2.3.1, removed after v2.4
76 | Patient liability | | Deprecated | added v2.3.1, removed after v2.4
77 | Provider liability period | | Deprecated | added v2.3.1, removed after v2.4
78 | SNF prior stay dates | | Deprecated | added v2.3.1, removed after v2.4
79 | Payer code | | Deprecated | added v2.3.1, removed after v2.4
M0 | PSRO/UR approved stay dates | | Deprecated | added v2.3.1, removed after v2.4
... | use NUBC codes | | Deprecated | added v2.5.1, removed after v2.7.1

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0351 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | use NUBC codes | | | added v2.6
70 | Qualifying stay dates for SNF | | Deprecated | added v2.3.1, removed after v2.4
71 | Prior stay dates | | Deprecated | added v2.3.1, removed after v2.4
72 | First/last visit | | Deprecated | added v2.3.1, removed after v2.4
73 | Benefit eligibility period | | Deprecated | added v2.3.1, removed after v2.4
74 | Non-covered level of care | | Deprecated | added v2.3.1, removed after v2.4
75 | SNF level of care | | Deprecated | added v2.3.1, removed after v2.4
76 | Patient liability | | Deprecated | added v2.3.1, removed after v2.4
77 | Provider liability period | | Deprecated | added v2.3.1, removed after v2.4
78 | SNF prior stay dates | | Deprecated | added v2.3.1, removed after v2.4
79 | Payer code | | Deprecated | added v2.3.1, removed after v2.4
M0 | PSRO/UR approved stay dates | | Deprecated | added v2.3.1, removed after v2.4

... | use NUBC codes | | Deprecated | added v2.5.1, removed after v2.7.1

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0351 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
... | Zie (Amerikaanse) NUBC codes | | | added v2.6
70 | | | Verouderd | added v2.3.1, removed after v2.4
71 | | | Verouderd | added v2.3.1, removed after v2.4
72 | | | Verouderd | added v2.3.1, removed after v2.4
73 | | | Verouderd | added v2.3.1, removed after v2.4
74 | | | Verouderd | added v2.3.1, removed after v2.4
75 | | | Verouderd | added v2.3.1, removed after v2.4
76 | | | Verouderd | added v2.3.1, removed after v2.4
77 | | | Verouderd | added v2.3.1, removed after v2.4
78 | | | Verouderd | added v2.3.1, removed after v2.4
79 | | | Verouderd | added v2.3.1, removed after v2.4
M0 | | | Verouderd | added v2.3.1, removed after v2.4
... | | | Verouderd | added v2.5.1, removed after v2.7.1

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.351.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 1 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0351 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0351

Code | Display | Definition
... | use NUBC codes

Additional Language Displays

Code | Nederlands (Dutch, nl)
... | Zie (Amerikaanse) NUBC codes

4.3.15.353 HL7 Version 2 Table 0353

URL: https://hl7.org/fhir/R4/v2/0353/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0353
Version: | 2.9
Name: | v2.0353
Title: | v2 CWE statuses
Definition: | FHIR Value set/code system definition for HL7 v2 table 0353 (CWE statuses)
OID: | ??
ValueSet Resource | XML / JSON

This value set is not currently used

4.3.15.353.1 Logical Definition

CWE statuses

Code | System | Description | Comment | Version
NA | http://terminology.hl7.org/CodeSystem/v3-NullFlavor | Not applicable | | added v2.3.1
NASK | http://terminology.hl7.org/CodeSystem/v3-NullFlavor | Not asked | | added v2.3.1
NAV | http://terminology.hl7.org/CodeSystem/v3-NullFlavor | Not available | | added v2.3.1
U | ??::UNK | Unknown | Wrongly Included as U. | added v2.3.1
UASK | ??::ASKU | Asked but Unknown | Wrongly Included as UASK. | added v2.3.1

4.3.15.354 HL7 Version 2 Table 0354

URL: https://hl7.org/fhir/R4/v2/0354/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0354
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0354
Version: | 2.9
Name: | v2.0354
Title: | v2 Message structure
Definition: | FHIR Value set/code system definition for HL7 v2 table 0354 (Message structure)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.354.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0354 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
ACK | en: Varies de: variiert | | | | added v2.3.1
ADR_A19 | | | | en: Deprecated and removed as of V2.7 nl: Vervallen en verwijderd sinds v2.7 | added v2.3.1
ADT_A01 | A01, A04, A08, A13 | | | | added v2.3.1
ADT_A02 | A02 | | | | added v2.3.1
ADT_A03 | A03 | | | | added v2.3.1
ADT_A05 | A05, A14, A28, A31 | | | | added v2.4
ADT_A06 | A06, A07 | | | | added v2.3.1
ADT_A09 | A09, A10, A11 | | | | added v2.3.1
ADT_A12 | A12 | | | | added v2.3.1
ADT_A15 | A15 | | | | added v2.4
ADT_A16 | A16 | | | | added v2.3.1
ADT_A17 | A17 | | | | added v2.3.1
ADT_A18 | | | | en: Deprecated and removed as of V2.7 nl: Vervallen en verwijderd sinds v2.7 | added v2.3.1
ADT_A20 | A20 | | | | added v2.3.1
ADT_A21 | A21, A22, A23, A25, A26, A27, A29, A32, A33 | | | | added v2.4
ADT_A24 | A24 | | | | added v2.3.1
ADT_A28 | A28, A31 | | Deprecated | | added v2.3.1, removed after v2.3.1
ADT_A30 | | | | en: Deprecated and removed as of V2.7 nl: Vervallen en verwijderd sinds v2.7 | added v2.3.1
ADT_A37 | A37 | | | | added v2.3.1
ADT_A38 | A38 | | | | added v2.3.1
ADT_A39 | A39, A40, A41, A42 | | | | added v2.3.1
ADT_A43 | A43 | | | | added v2.3.1
ADT_A44 | A44 | | | | added v2.7
ADT_A45 | A45 | | | | added v2.3.1
ADT_A50 | A50, A51 | | | | added v2.3.1
ADT_A52 | A52, A53 | | | | added v2.4
ADT_A54 | A54, A55 | | | | added v2.4
ADT_A60 | A60 | | | | added v2.4
ADT_A61 | A61, A62 | | | | added v2.4
ARD_A19 | A19 | | Deprecated | type (ADR_A19) | added v2.3.1, removed after v2.3.1
BAR_P01 | P01 | | | | added v2.3.1
BAR_P02 | P02 | | | | added v2.3.1
BAR_P05 | P05 | | | | added v2.4
BAR_P06 | P06 | | | | added v2.3.1
BAR_P10 | P10 | | | | added v2.4
BAR_P12 | P12 | | | | added v2.5
BPS_O29 | O29 | | | | added v2.5
BRP_030 | O30 | | Deprecated | en: this is a typo BRP_O30) and should be removed nl: dit is een tikfout (BRP_O30) en moet worden verwijderd | added v2.5, removed after v2.5
BRP_O30 | O30 | | | added as a correction for BRP_030 | added v2.5

BRT_O32 | O32 | | | | added v2.5
BTS_O31 | O31 | | | | added v2.5
CCF_I22 | I22 | | | | added v2.7
CCI_I22 | I22 | | | | added v2.7
CCM_I21 | I21 | | | | added v2.7
CCQ_I19 | I19 | | | | added v2.7
CCR_I16 | I16, |17, |18 | | | | added v2.7
CCU_I20 | I20 | | | | added v2.7
CQU_I19 | I19 | | | | added v2.7
CRM_C01 | C01, C02, C03, C04, C05, C06, C07, C08 | | | | added v2.3.1
CSU_C09 | C09, C10, C11, C12 | | | | added v2.3.1
DBC_O41 | O41 | | | | added v2.8
DBC_O42 | O42 | | | | added v2.8
DEL_O46 | O46 | | | | added v2.8
DEO_O45 | O45 | | | | added v2.8
DER_O44 | O44 | | | | added v2.8
DFT_P03 | P03 | | | | added v2.3.1
DFT_P11 | P11 | | | | added v2.5
DOC_T12 | | | | en: Deprecated and removed as of V2.7 nl: Vervallen en verwijderd sinds v2.7 | added v2.3.1
DPR_O48 | O48 | | | | added v2.8
DRC_O47 | O47 | | | | added v2.8
DRG_O43 | O43 | | | | added v2.8
DSR_P04 | P04 | | Deprecated | | added v2.4, removed after v2.5.1
DSR_Q01 | Q01 | | Deprecated | | added v2.3.1, removed after v2.6
DSR_Q03 | Q03 | | Deprecated | | added v2.3.1, removed after v2.6
EAC_U07 | U07 | | | | added v2.4
EAN_U09 | U09 | | | | added v2.4
EAR_U08 | U08 | | | | added v2.4
EDR_R07 | R07 | | Deprecated | | added v2.3.1, removed after v2.5.1
EHC_E01 | E01 | | | | added v2.6
EHC_E02 | E02 | | | | added v2.6
EHC_E04 | E04 | | | | added v2.6
EHC_E10 | E10 | | | | added v2.6
EHC_E12 | E12 | | | | added v2.6
EHC_E13 | E13 | | | | added v2.6
EHC_E15 | E15 | | | | added v2.6
EHC_E20 | E20 | | | | added v2.6
EHC_E21 | E21 | | | | added v2.6
EHC_E24 | E24 | | | | added v2.6
EQQ_Q04 | Q04 | | Deprecated | | added v2.3.1, removed after v2.5.1
ERP_R09 | R09 | | Deprecated | | added v2.3.1, removed after v2.5.1
ESR_U02 | U02 | | | | added v2.4
ESU_U01 | U01 | | | | added v2.4
INR_U06 | U06 | | | | added v2.4
INU_U05 | U05 | | | | added v2.4
INV_U14 | Events U14 | | | | added v2.9
LSU_U12 | U12, U13 | | | | added v2.4
MDM_T01 | T01, T03, T05, T07, T09, T11 | | | | added v2.3.1
MDM_T02 | T02, T04, T06, T08, T10 | | | | added v2.3.1
MFD_MFA | MFA | | Deprecated | | added v2.4, removed after v2.5.1
MFD_P09 | P09 | | Deprecated | error -> SUR_P09 | added v2.3.1, removed after v2.3.1
MFK_M01 | M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11 | | | | added v2.3.1
MFN_M01 | | | | en: Deprecated and removed as of V2.7 nl: Vervallen en verwijderd sinds v2.7 | added v2.3.1
MFN_M02 | M02 | | | | added v2.3.1
MFN_M03 | M03 | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1
MFN_M04 | M04 | | | | added v2.4
MFN_M05 | M05 | | | | added v2.3.1
MFN_M06 | M06 | | | | added v2.3.1
MFN_M07 | M07 | | | | added v2.3.1
MFN_M08 | M08 | | | | added v2.3.1
MFN_M09 | M09 | | | | added v2.3.1
MFN_M10 | M10 | | | | added v2.3.1
MFN_M11 | M11 | | | | added v2.3.1
MFN_M12 | M12 | | | | added v2.4
MFN_M13 | M13 | | | | added v2.5
MFN_M15 | M15 | | | | added v2.5
MFN_M16 | M16 | | | | added v2.6
MFN_M17 | M17 | | | | added v2.6
MFN_M18 | M18 | | | | added v2.8.2
MFQ_M01 | M01, M02, M03, M04, M05, M06 | | Deprecated | en: Deprecated nl: Vervallen | added v2.4
MFR_M01 | M01, M02, M03, | | Deprecated | en: Deprecated nl: Vervallen | added v2.4
MFR_M04 | M04 | | Deprecated | en: Deprecated nl: Vervallen | added v2.5.1

MFR_M05 | M05 | | | Deprecated | en: Deprecated nl: Vervallen | added v2.5.1
MFR_M06 | M06 | | | Deprecated | en: Deprecated nl: Vervallen | added v2.5.1
MFR_M07 | M07 | | | Deprecated | en: Deprecated nl: Vervallen | added v2.5.1
NMD_N02 | N02 | | | | added v2.4
NMQ_N01 | N01 | | | Deprecated | en: Deprecated nl: Vervallen | added v2.4
NMR_N01 | N01 | | | Deprecated | en: Deprecated nl: Vervallen | added v2.4
OMB_O27 | O27 | | | | added v2.5
OMD_O01 | | | | Deprecated | | added v2.3.1, removed after v2.3.1
OMD_O03 | O03 | | | | added v2.4
OMG_O19 | O19 | | | | added v2.4
OMI_O23 | O23 | | | | added v2.5
OML_O21 | O21 | | | | added v2.4
OML_O33 | O33 | | | | added v2.5
OML_O35 | O35 | | | | added v2.5
OML_O39 | O39 | | | | added v2.7
OML_O59 | Laboratory Fulfillment request with REL segment | | | | added v2.9
OMN_O01 | | | | Deprecated | | added v2.3.1, removed after v2.3.1
OMN_O07 | O07 | | | | added v2.4
OMP_O09 | O09 | | | | added v2.4
OMQ_O42 | O42 | | | | added v2.8
OMQ_O57 | O57 | | | | added v2.9
OMS_O01 | | | | Deprecated | | added v2.3.1, removed after v2.3.1
OMS_O05 | O05 | | | | added v2.4
OPL_O37 | O37 | | | | added v2.6
OPR_O38 | O38 | | | | added v2.6
OPU_R25 | R25 | | | | added v2.6
ORA_R33 | R33 | | | | added v2.7
ORA_R41 | R41 | | | | added v2.8
ORB_O28 | O28 | | | | added v2.5
ORD_O02 | | | | Deprecated | | added v2.3.1, removed after v2.3.1
ORD_O04 | O04 | | | | added v2.4
ORF_R02 | R02, R04 | | | Deprecated | | added v2.3.1, removed after v2.3.1
ORF_R04 | R04 | | | Deprecated | en: Deprecated nl: Vervallen | added v2.4
ORG_O20 | O20 | | | | added v2.4
ORI_O24 | O24 | | | | added v2.5
ORL_O22 | O22 | | | | added v2.4
ORL_O34 | O34 | | | | added v2.5
ORL_O36 | O36 | | | | added v2.5
ORL_O40 | O40 | | | | added v2.7
ORL_O41 | O41 | | | | added v2.8.1
ORL_O42 | O42 | | | | added v2.8.1
ORL_O43 | O43 | | | | added v2.8.1
ORL_O44 | O44 | | | | added v2.8.1
ORL_O53 | O53 | | | | added v2.9
ORL_O54 | O54 | | | | added v2.9
ORL_O55 | O55 | | | | added v2.9
ORL_O56 | O56 | | | | added v2.9
ORM_O01 | O01 | | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1
ORM_Q06 | Q06 | | | Deprecated | | added v2.3.1, removed after v2.3.1
ORN_O02 | | | | Deprecated | | added v2.3.1, removed after v2.3.1
ORN_O08 | O08 | | | | added v2.4
ORP_O10 | O10 | | | | added v2.4
ORR_O02 | O02 | | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1
ORR_Q06 | Q06 | | | Deprecated | | added v2.3.1, removed after v2.3.1
ORS_O02 | | | | Deprecated | | added v2.3.1, removed after v2.3.1
ORS_O06 | O06 | | | | added v2.4
ORU_R01 | R01 | | | | added v2.3.1
ORU_R30 | R30 | | | | added v2.5
ORU_R31 | R31 | | | Deprecated | | added v2.5, removed after v2.5
ORU_R32 | R32 | | | Deprecated | | added v2.5, removed after v2.5
ORU_W01 | W01 | | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1
ORX_O43 | O43 | | | | added v2.8
ORX_O58 | O58 | | | | added v2.9
OSM_R26 | R26 | | | | added v2.7
OSQ_Q06 | Q06 | | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1
OSR_Q06 | Q06 | | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1
OSU_O41 | O41 | | | | added v2.8
OSU_O51 | O51 | | | | added v2.9
OSU_O52 | O52 | | | | added v2.9
OUL_R21 | R21 | | | Deprecated | en: Deprecated nl: Vervallen | added v2.4
OUL_R22 | R22 | | | | added v2.5
OUL_R23 | R23 | | | | added v2.5

OUL_R24 | R24 | | | | added v2.5
PEX_P07 | P07, P08 | | | | added v2.3.1
PGL_PC6 | PC6, PC7, PC8 | | | | added v2.3.1
PIN_I07 | I07 | | Deprecated | | added v2.3.1, removed after v2.3.1
PMU_B01 | B01, B02 | | | | added v2.4
PMU_B03 | B03 | | | | added v2.4
PMU_B04 | B04, B05, B06 | | | | added v2.4
PMU_B07 | B07 | | | | added v2.5
PMU_B08 | B08 | | | | added v2.5
PPG_PCG | PCC, PCG, PCH, PCJ | | | | added v2.3.1
PPP_PCB | PCB, PCD | | | | added v2.3.1
PPR_PC1 | PC1, PC2, PC3 | | | | added v2.3.1
PPT_PCL | PCL | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1
PPV_PCA | PCA | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1
PRR_PC5 | PC5 | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1
PTR_PCF | PCF | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1
QBP_E03 | E03 | | | | added v2.6
QBP_E22 | E22 | | | | added v2.6
QBP_O33 | O33 | | | | added v2.8
QBP_O34 | O34 | | | | added v2.8
QBP_Q11 | Q11 | | | | added v2.4
QBP_Q13 | Q13 | | | | added v2.4
QBP_Q15 | Q15 | | | | added v2.4
QBP_Q21 | Q21, Q22, Q23,Q24, Q25 | | | | added v2.4
QBP_Qnn | Qnn | | Deprecated | | added v2.7, removed after v2.7
QBP_Z73 | Z73 | | Deprecated | | added v2.7, removed after v2.7
QCK_Q02 | Q02 | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1
QCN_J01 | J01, J02 | | | | added v2.4
QRF_W02 | W02 | | Deprecated | en: Deprecated nl: Vervallen | added v2.5
QRY_A19 | A19 | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1
QRY_P04 | P04 | | Deprecated | | added v2.5, removed after v2.5.1
QRY_PC4 | PC4, PC9, PCE, PCK | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1
QRY_Q01 | Q01, Q26, Q27, Q28, Q29, Q30 | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1
QRY_Q02 | Q02 | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1
QRY_R02 | R02 | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1
QRY_T12 | T12 | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1
QSB_Q16 | Q16 | | | | added v2.4
QVR_Q17 | Q17 | | | | added v2.4
RAR_RAR | RAR | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1
RAS_O01 | O01 | | Deprecated | | added v2.3.1, removed after v2.3.1
RAS_O02 | O022 | | Deprecated | | added v2.3.1, removed after v2.3.1
RAS_O17 | O17 | | | | added v2.4
RCI_I05 | I05 | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1
RCL_I06 | I06 | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1
RDE_O01 | O01 | | Deprecated | | added v2.3.1, removed after v2.5
RDE_O11 | O11, O25 | | | | added v2.4
RDE_O49 | Events O49 | | | | added v2.9
RDO_O01 | | | Deprecated | | added v2.3.1, removed after v2.3.1
RDR_RDR | RDR | | | | added v2.3.1
RDS_O01 | O01 | | Deprecated | | added v2.3.1, removed after v2.3.1
RDS_O13 | O13 | | | | added v2.4
RDY_K11 | K11 | | Deprecated | | added v2.4, removed after v2.4
RDY_K15 | K15 | | | | added v2.4
REF_I12 | I12, I13, I14, I15 | | | | added v2.3.1
RER_RER | RER | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1
RGR_RGR | RGR | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1
RGV_O01 | O01 | | Deprecated | | added v2.3.1, removed after v2.3.1
RGV_O15 | O15 | | | | added v2.4
ROR_ROR | ROR | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1
RPA_I08 | I08, I09. I10, I11 | | | | added v2.3.1
RPI_I01 | I01, I04 | | | | added v2.4
RPI_I04 | I04 | | | | added v2.4
RPI_I0I | I01, I04 | | Deprecated | | added v2.3.1, removed after v2.3.1
RPL_I02 | I02 | | | | added v2.3.1
RPR_I03 | I03 | | | | added v2.3.1
RQA_I08 | I08, I09, I10, I11 | | | | added v2.3.1
RQC_I05 | I05, I06 | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1
RQC_I06 | I06 | | Deprecated | | added v2.3.1, removed after v2.3.1
RQI_I01 | I01, I02, I03, I07 | | | | added v2.4
RQI_I0I | I01, I02, I03 | | Deprecated | | added v2.3.1, removed after v2.3.1
RQP_I04 | I04 | | | | added v2.3.1
RQQ_Q09 | Q09 | | Deprecated | | added v2.3.1, removed after v2.5.1

RRA_O02 | O02 | | Deprecated | | added v2.3.1, removed after v2.5
RRA_O18 | O18 | | | | added v2.4
RRD_O02 | O02 | | Deprecated | | added v2.3.1, removed after v2.3.1
RRD_O14 | O14 | | | | added v2.4
RRE_O02 | O02 | | Deprecated | | added v2.3.1, removed after v2.3.1
RRE_O12 | O12, O26 | | | | added v2.4
RRE_O50 | Events O50 | | | | added v2.9
RRG_O02 | O02 | | Deprecated | | added v2.3.1, removed after v2.3.1
RRG_O16 | O16 | | | | added v2.4
RRI_I12 | I12, I13, I14, I15 | | | | added v2.3.1
RRO_O02 | | | Deprecated | | added v2.3.1, removed after v2.3.1
RSP_E03 | E03 | | | | added v2.6
RSP_E22 | E22 | | | | added v2.6
RSP_K11 | K11 | | | | added v2.5
RSP_K21 | K21 | | | | added v2.4
RSP_K22 | K22 | | | | added v2.4
RSP_K23 | K23, K24 | | | | added v2.4
RSP_K24 | K24 | | Deprecated | | added v2.4, removed after v2.4
RSP_K25 | K25 | | | | added v2.4
RSP_K31 | K31 | | | | added v2.5.1
RSP_K32 | K32 | | | | added v2.7
RSP_O33 | O33 | | | | added v2.8
RSP_O34 | O34 | | | | added v2.8
RSP_Q11 | Q11 | | Deprecated | en: Deprecated nl: Vervallen | added v2.5.1
RSP_Z82 | Z82 | | Deprecated | | added v2.7, removed after v2.7
RSP_Z86 | Z86 | | Deprecated | | added v2.7, removed after v2.7
RSP_Z88 | Z88 | | Deprecated | | added v2.7, removed after v2.7
RSP_Z90 | Z90 | | Deprecated | | added v2.7, removed after v2.7
RTB_K13 | K13 | | | | added v2.4
RTB_Knn | Knn | | Deprecated | | added v2.7, removed after v2.7
RTB_Z74 | Z74 | | Deprecated | | added v2.7, removed after v2.7
SDR_S31 | S31, S36 | | | | added v2.6
SDR_S32 | S32, S37 | | | | added v2.6
SIU_S12 | S12, S13, S14, S15, S16, S17, S18, S19, S20, S21, S22, S23, S24, S26 | | | | added v2.3.1
SLR_S28 | S28, S29, S30, S34, S35 | | | | added v2.6
SPQ_Q08 | Q08 | | Deprecated | | added v2.3.1, removed after v2.5.1
SQM_S25 | S25 | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1
SQR_S25 | S25 | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1
SRM_S01 | S01, S02, S03, S04, S05, S06, S07, S08, S09, S10, S11 | | | | added v2.3.1
SRM_T12 | T12 | | Deprecated | | added v2.3.1, removed after v2.3.1
SRR_S01 | S01, S02, S03, S04, S05, S06, S07, S08, S09, S10, S11 | | | | added v2.3.1
SRR_T12 | T12 | | Deprecated | | added v2.3.1, removed after v2.3.1
SSR_U04 | U04 | | | | added v2.4
SSU_U03 | U03 | | | | added v2.4
STC_S33 | S33 | | | | added v2.6
SUR_P09 | P09 | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1
TBR_R08 | R08 | | Deprecated | | added v2.4, removed after v2.5.1
TBR_R09 | R09 | | Deprecated | | added v2.3.1, removed after v2.5.1
TCU_U10 | U10, U11 | | | | added v2.4
UDM_Q05 | Q05 | | | | added v2.3.1
VQQ_Q07 | Q07 | | Deprecated | | added v2.3.1, removed after v2.5.1
VXQ_V01 | V01 | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1
VXR_V03 | V03 | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1
VXU_V04 | V04 | | | | added v2.3.1
VXX_V02 | V02 | | Deprecated | en: Deprecated nl: Vervallen | added v2.3.1

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0354 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
ACK | Varies | | | | added v2.3.1
ADR_A19 | | | | Deprecated and removed as of V2.7 | added v2.3.1
ADT_A01 | A01, A04, A08, A13 | | | | added v2.3.1
ADT_A02 | A02 | | | | added v2.3.1
ADT_A03 | A03 | | | | added v2.3.1
ADT_A05 | A05, A14, A28, A31 | | | | added v2.4
ADT_A06 | A06, A07 | | | | added v2.3.1
ADT_A09 | A09, A10, A11 | | | | added v2.3.1

ADT_A12 | A12 | | | | added v2.3.1
ADT_A15 | A15 | | | | added v2.4
ADT_A16 | A16 | | | | added v2.3.1
ADT_A17 | A17 | | | | added v2.3.1
ADT_A18 | | | | Deprecated and removed as of V2.7 | added v2.3.1
ADT_A20 | A20 | | | | added v2.3.1
ADT_A21 | A21, A22, A23, A25, A26, A27, A29, A32, A33 | | | | added v2.4
ADT_A24 | A24 | | | | added v2.3.1
ADT_A28 | A28, A31 | | Deprecated | | added v2.3.1, removed after v2.3.1
ADT_A30 | | | | Deprecated and removed as of V2.7 | added v2.3.1
ADT_A37 | A37 | | | | added v2.3.1
ADT_A38 | A38 | | | | added v2.3.1
ADT_A39 | A39, A40, A41, A42 | | | | added v2.3.1
ADT_A43 | A43 | | | | added v2.3.1
ADT_A44 | A44 | | | | added v2.7
ADT_A45 | A45 | | | | added v2.3.1
ADT_A50 | A50, A51 | | | | added v2.3.1
ADT_A52 | A52, A53 | | | | added v2.4
ADT_A54 | A54, A55 | | | | added v2.4
ADT_A60 | A60 | | | | added v2.4
ADT_A61 | A61, A62 | | | | added v2.4
ARD_A19 | A19 | | Deprecated | type (ADR_A19) | added v2.3.1, removed after v2.3.1
BAR_P01 | P01 | | | | added v2.3.1
BAR_P02 | P02 | | | | added v2.3.1
BAR_P05 | P05 | | | | added v2.4
BAR_P06 | P06 | | | | added v2.3.1
BAR_P10 | P10 | | | | added v2.4
BAR_P12 | P12 | | | | added v2.5
BPS_O29 | O29 | | | | added v2.5
BRP_030 | O30 | | Deprecated | this is a typo BRP_O30) and should be removed | added v2.5, removed after v2.5
BRP_O30 | O30 | | | added as a correction for BRP_030 | added v2.5
BRT_O32 | O32 | | | | added v2.5
BTS_O31 | O31 | | | | added v2.5
CCF_I22 | I22 | | | | added v2.7
CCI_I22 | I22 | | | | added v2.7
CCM_I21 | I21 | | | | added v2.7
CCQ_I19 | I19 | | | | added v2.7
CCR_I16 | I16, |17, |18 | | | | added v2.7
CCU_I20 | I20 | | | | added v2.7
CQU_I19 | I19 | | | | added v2.7
CRM_C01 | C01, C02, C03, C04, C05, C06, C07, C08 | | | | added v2.3.1
CSU_C09 | C09, C10, C11, C12 | | | | added v2.3.1
DBC_O41 | O41 | | | | added v2.8
DBC_O42 | O42 | | | | added v2.8
DEL_O46 | O46 | | | | added v2.8
DEO_O45 | O45 | | | | added v2.8
DER_O44 | O44 | | | | added v2.8
DFT_P03 | P03 | | | | added v2.3.1
DFT_P11 | P11 | | | | added v2.5
DOC_T12 | | | | Deprecated and removed as of V2.7 | added v2.3.1
DPR_O48 | O48 | | | | added v2.8
DRC_O47 | O47 | | | | added v2.8
DRG_O43 | O43 | | | | added v2.8
DSR_P04 | P04 | | Deprecated | | added v2.4, removed after v2.5.1
DSR_Q01 | Q01 | | Deprecated | | added v2.3.1, removed after v2.6
DSR_Q03 | Q03 | | Deprecated | | added v2.3.1, removed after v2.6
EAC_U07 | U07 | | | | added v2.4
EAN_U09 | U09 | | | | added v2.4
EAR_U08 | U08 | | | | added v2.4
EDR_R07 | R07 | | Deprecated | | added v2.3.1, removed after v2.5.1
EHC_E01 | E01 | | | | added v2.6
EHC_E02 | E02 | | | | added v2.6
EHC_E04 | E04 | | | | added v2.6
EHC_E10 | E10 | | | | added v2.6
EHC_E12 | E12 | | | | added v2.6
EHC_E13 | E13 | | | | added v2.6
EHC_E15 | E15 | | | | added v2.6
EHC_E20 | E20 | | | | added v2.6
EHC_E21 | E21 | | | | added v2.6
EHC_E24 | E24 | | | | added v2.6
EQQ_Q04 | Q04 | | Deprecated | | added v2.3.1, removed after v2.5.1
ERP_R09 | R09 | | Deprecated | | added v2.3.1, removed after v2.5.1

ESR_U02 | U02 | | | | added v2.4
ESU_U01 | U01 | | | | added v2.4
INR_U06 | U06 | | | | added v2.4
INU_U05 | U05 | | | | added v2.4
INV_U14 | Events U14 | | | | added v2.9
LSU_U12 | U12, U13 | | | | added v2.4
MDM_T01 | T01, T03, T05, T07, T09, T11 | | | | added v2.3.1
MDM_T02 | T02, T04, T06, T08, T10 | | | | added v2.3.1
MFD_MFA | MFA | | Deprecated | | added v2.4, removed after v2.5.1
MFD_P09 | P09 | | Deprecated | error -> SUR_P09 | added v2.3.1, removed after v2.3.1
MFK_M01 | M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11 | | | | added v2.3.1
MFN_M01 | | | | Deprecated and removed as of V2.7 | added v2.3.1
MFN_M02 | M02 | | | | added v2.3.1
MFN_M03 | M03 | | Deprecated | Deprecated | added v2.3.1
MFN_M04 | M04 | | | | added v2.4
MFN_M05 | M05 | | | | added v2.3.1
MFN_M06 | M06 | | | | added v2.3.1
MFN_M07 | M07 | | | | added v2.3.1
MFN_M08 | M08 | | | | added v2.3.1
MFN_M09 | M09 | | | | added v2.3.1
MFN_M10 | M10 | | | | added v2.3.1
MFN_M11 | M11 | | | | added v2.3.1
MFN_M12 | M12 | | | | added v2.4
MFN_M13 | M13 | | | | added v2.5
MFN_M15 | M15 | | | | added v2.5
MFN_M16 | M16 | | | | added v2.6
MFN_M17 | M17 | | | | added v2.6
MFN_M18 | M18 | | | | added v2.8.2
MFQ_M01 | M01, M02, M03, M04, M05, M06 | | Deprecated | Deprecated | added v2.4
MFR_M01 | M01, M02, M03, | | Deprecated | Deprecated | added v2.4
MFR_M04 | M04 | | Deprecated | Deprecated | added v2.5.1
MFR_M05 | M05 | | Deprecated | Deprecated | added v2.5.1
MFR_M06 | M06 | | Deprecated | Deprecated | added v2.5.1
MFR_M07 | M07 | | Deprecated | Deprecated | added v2.5.1
NMD_N02 | N02 | | | | added v2.4
NMQ_N01 | N01 | | Deprecated | Deprecated | added v2.4
NMR_N01 | N01 | | Deprecated | Deprecated | added v2.4
OMB_O27 | O27 | | | | added v2.5
OMD_O01 | | | Deprecated | | added v2.3.1, removed after v2.3.1
OMD_O03 | O03 | | | | added v2.4
OMG_O19 | O19 | | | | added v2.4
OMI_O23 | O23 | | | | added v2.5
OML_O21 | O21 | | | | added v2.4
OML_O33 | O33 | | | | added v2.5
OML_O35 | O35 | | | | added v2.5
OML_O39 | O39 | | | | added v2.7
OML_O59 | Laboratory Fulfillment request with REL segment | | | | added v2.9
OMN_O01 | | | Deprecated | | added v2.3.1, removed after v2.3.1
OMN_O07 | O07 | | | | added v2.4
OMP_O09 | O09 | | | | added v2.4
OMQ_O42 | O42 | | | | added v2.8
OMQ_O57 | O57 | | | | added v2.9
OMS_O01 | | | Deprecated | | added v2.3.1, removed after v2.3.1
OMS_O05 | O05 | | | | added v2.4
OPL_O37 | O37 | | | | added v2.6
OPR_O38 | O38 | | | | added v2.6
OPU_R25 | R25 | | | | added v2.6
ORA_R33 | R33 | | | | added v2.7
ORA_R41 | R41 | | | | added v2.8
ORB_O28 | O28 | | | | added v2.5
ORD_O02 | | | Deprecated | | added v2.3.1, removed after v2.3.1
ORD_O04 | O04 | | | | added v2.4
ORF_R02 | R02, R04 | | Deprecated | | added v2.3.1, removed after v2.3.1
ORF_R04 | R04 | | Deprecated | Deprecated | added v2.4
ORG_O20 | O20 | | | | added v2.4
ORI_O24 | O24 | | | | added v2.5
ORL_O22 | O22 | | | | added v2.4
ORL_O34 | O34 | | | | added v2.5
ORL_O36 | O36 | | | | added v2.5
ORL_O40 | O40 | | | | added v2.7
ORL_O41 | O41 | | | | added v2.8.1
ORL_O42 | O42 | | | | added v2.8.1

ORL_O43 | O43 | | | | added v2.8.1
ORL_O44 | O44 | | | | added v2.8.1
ORL_O53 | O53 | | | | added v2.9
ORL_O54 | O54 | | | | added v2.9
ORL_O55 | O55 | | | | added v2.9
ORL_O56 | O56 | | | | added v2.9
ORM_O01 | O01 | | Deprecated | Deprecated | added v2.3.1
ORM_Q06 | Q06 | | Deprecated | | | added v2.3.1, removed after v2.3.1
ORN_O02 | | | Deprecated | | | added v2.3.1, removed after v2.3.1
ORN_O08 | O08 | | | | added v2.4
ORP_O10 | O10 | | | | added v2.4
ORR_O02 | O02 | | Deprecated | Deprecated | added v2.3.1
ORR_Q06 | Q06 | | Deprecated | | | added v2.3.1, removed after v2.3.1
ORS_O02 | | | Deprecated | | | added v2.3.1, removed after v2.3.1
ORS_O06 | O06 | | | | added v2.4
ORU_R01 | R01 | | | | added v2.3.1
ORU_R30 | R30 | | | | added v2.5
ORU_R31 | R31 | | Deprecated | | | added v2.5, removed after v2.5
ORU_R32 | R32 | | Deprecated | | | added v2.5, removed after v2.5
ORU_W01 | W01 | | Deprecated | Deprecated | added v2.3.1
ORX_O43 | O43 | | | | added v2.8
ORX_O58 | O58 | | | | added v2.9
OSM_R26 | R26 | | | | added v2.7
OSQ_Q06 | Q06 | | Deprecated | Deprecated | added v2.3.1
OSR_Q06 | Q06 | | Deprecated | Deprecated | added v2.3.1
OSU_O41 | O41 | | | | added v2.8
OSU_O51 | O51 | | | | added v2.9
OSU_O52 | O52 | | | | added v2.9
OUL_R21 | R21 | | Deprecated | Deprecated | added v2.4
OUL_R22 | R22 | | | | added v2.5
OUL_R23 | R23 | | | | added v2.5
OUL_R24 | R24 | | | | added v2.5
PEX_P07 | P07, P08 | | | | added v2.3.1
PGL_PC6 | PC6, PC7, PC8 | | | | added v2.3.1
PIN_I07 | I07 | | Deprecated | | | added v2.3.1, removed after v2.3.1
PMU_B01 | B01, B02 | | | | added v2.4
PMU_B03 | B03 | | | | added v2.4
PMU_B04 | B04, B05, B06 | | | | added v2.4
PMU_B07 | B07 | | | | added v2.5
PMU_B08 | B08 | | | | added v2.5
PPG_PCG | PCC, PCG, PCH, PCJ | | | | added v2.3.1
PPP_PCB | PCB, PCD | | | | added v2.3.1
PPR_PC1 | PC1, PC2, PC3 | | | | added v2.3.1
PPT_PCL | PCL | | Deprecated | Deprecated | added v2.3.1
PPV_PCA | PCA | | Deprecated | Deprecated | added v2.3.1
PRR_PC5 | PC5 | | Deprecated | Deprecated | added v2.3.1
PTR_PCF | PCF | | Deprecated | Deprecated | added v2.3.1
QBP_E03 | E03 | | | | added v2.6
QBP_E22 | E22 | | | | added v2.6
QBP_O33 | O33 | | | | added v2.8
QBP_O34 | O34 | | | | added v2.8
QBP_Q11 | Q11 | | | | added v2.4
QBP_Q13 | Q13 | | | | added v2.4
QBP_Q15 | Q15 | | | | added v2.4
QBP_Q21 | Q21, Q22, Q23,Q24, Q25 | | | | added v2.4
QBP_Qnn | Qnn | | Deprecated | | | added v2.7, removed after v2.7
QBP_Z73 | Z73 | | Deprecated | | | added v2.7, removed after v2.7
QCK_Q02 | Q02 | | Deprecated | Deprecated | added v2.3.1
QCN_J01 | J01, J02 | | | | added v2.4
QRF_W02 | W02 | | Deprecated | Deprecated | added v2.5
QRY_A19 | A19 | | Deprecated | Deprecated | added v2.3.1
QRY_P04 | P04 | | Deprecated | | | added v2.5, removed after v2.5.1
QRY_PC4 | PC4, PC9, PCE, PCK | | Deprecated | Deprecated | added v2.3.1
QRY_Q01 | Q01, Q26, Q27, Q28, Q29, Q30 | | Deprecated | Deprecated | added v2.3.1
QRY_Q02 | Q02 | | Deprecated | Deprecated | added v2.3.1
QRY_R02 | R02 | | Deprecated | Deprecated | added v2.3.1
QRY_T12 | T12 | | Deprecated | Deprecated | added v2.3.1
QSB_Q16 | Q16 | | | | added v2.4
QVR_Q17 | Q17 | | | | added v2.4
RAR_RAR | RAR | | Deprecated | Deprecated | added v2.3.1
RAS_O01 | O01 | | Deprecated | | | added v2.3.1, removed after v2.3.1
RAS_O02 | O022 | | Deprecated | | | added v2.3.1, removed after v2.3.1

RAS_O17 | O17 | | | | added v2.4
RCI_I05 | I05 | | Deprecated | Deprecated | added v2.3.1
RCL_I06 | I06 | | Deprecated | Deprecated | added v2.3.1
RDE_O01 | O01 | | Deprecated | | added v2.3.1, removed after v2.5
RDE_O11 | O11, O25 | | | | added v2.4
RDE_O49 | Events O49 | | | | added v2.9
RDO_O01 | | | Deprecated | | added v2.3.1, removed after v2.3.1
RDR_RDR | RDR | | | | added v2.3.1
RDS_O01 | O01 | | Deprecated | | added v2.3.1, removed after v2.3.1
RDS_O13 | O13 | | | | added v2.4
RDY_K11 | K11 | | Deprecated | | added v2.4, removed after v2.4
RDY_K15 | K15 | | | | added v2.4
REF_I12 | I12, I13, I14, I15 | | | | added v2.3.1
RER_RER | RER | | Deprecated | Deprecated | added v2.3.1
RGR_RGR | RGR | | Deprecated | Deprecated | added v2.3.1
RGV_O01 | O01 | | Deprecated | | added v2.3.1, removed after v2.3.1
RGV_O15 | O15 | | | | added v2.4
ROR_ROR | ROR | | Deprecated | Deprecated | added v2.3.1
RPA_I08 | I08, I09. I10, I11 | | | | added v2.3.1
RPI_I01 | I01, I04 | | | | added v2.4
RPI_I04 | I04 | | | | added v2.4
RPI_I0I | I01, I04 | | Deprecated | | added v2.3.1, removed after v2.3.1
RPL_I02 | I02 | | | | added v2.3.1
RPR_I03 | I03 | | | | added v2.3.1
RQA_I08 | I08, I09, I10, I11 | | | | added v2.3.1
RQC_I05 | I05, I06 | | Deprecated | Deprecated | added v2.3.1
RQC_I06 | I06 | | Deprecated | | added v2.3.1, removed after v2.3.1
RQI_I01 | I01, I02, I03, I07 | | | | added v2.4
RQI_I0I | I01, I02, I03 | | Deprecated | | added v2.3.1, removed after v2.3.1
RQP_I04 | I04 | | | | added v2.3.1
RQQ_Q09 | Q09 | | Deprecated | | added v2.3.1, removed after v2.5.1
RRA_O02 | O02 | | Deprecated | | added v2.3.1, removed after v2.5
RRA_O18 | O18 | | | | added v2.4
RRD_O02 | O02 | | Deprecated | | added v2.3.1, removed after v2.3.1
RRD_O14 | O14 | | | | added v2.4
RRE_O02 | O02 | | Deprecated | | added v2.3.1, removed after v2.3.1
RRE_O12 | O12, O26 | | | | added v2.4
RRE_O50 | Events O50 | | | | added v2.9
RRG_O02 | O02 | | Deprecated | | added v2.3.1, removed after v2.3.1
RRG_O16 | O16 | | | | added v2.4
RRI_I12 | I12, I13, I14, I15 | | | | added v2.3.1
RRO_O02 | | | Deprecated | | added v2.3.1, removed after v2.3.1
RSP_E03 | E03 | | | | added v2.6
RSP_E22 | E22 | | | | added v2.6
RSP_K11 | K11 | | | | added v2.5
RSP_K21 | K21 | | | | added v2.4
RSP_K22 | K22 | | | | added v2.4
RSP_K23 | K23, K24 | | | | added v2.4
RSP_K24 | K24 | | Deprecated | | added v2.4, removed after v2.4
RSP_K25 | K25 | | | | added v2.4
RSP_K31 | K31 | | | | added v2.5.1
RSP_K32 | K32 | | | | added v2.7
RSP_O33 | O33 | | | | added v2.8
RSP_O34 | O34 | | | | added v2.8
RSP_Q11 | Q11 | | Deprecated | Deprecated | added v2.5.1
RSP_Z82 | Z82 | | Deprecated | | added v2.7, removed after v2.7
RSP_Z86 | Z86 | | Deprecated | | added v2.7, removed after v2.7
RSP_Z88 | Z88 | | Deprecated | | added v2.7, removed after v2.7
RSP_Z90 | Z90 | | Deprecated | | added v2.7, removed after v2.7
RTB_K13 | K13 | | | | added v2.4
RTB_Knn | Knn | | Deprecated | | added v2.7, removed after v2.7
RTB_Z74 | Z74 | | Deprecated | | added v2.7, removed after v2.7
SDR_S31 | S31, S36 | | | | added v2.6
SDR_S32 | S32, S37 | | | | added v2.6
SIU_S12 | S12, S13, S14, S15, S16, S17, S18, S19, S20, S21, S22, S23, S24, S26 | | | | added v2.3.1
SLR_S28 | S28, S29, S30, S34, S35 | | | | added v2.6
SPQ_Q08 | Q08 | | Deprecated | | added v2.3.1, removed after v2.5.1
SQM_S25 | S25 | | Deprecated | Deprecated | added v2.3.1
SQR_S25 | S25 | | Deprecated | Deprecated | added v2.3.1
SRM_S01 | S01, S02, S03, S04, S05, S06, S07, S08, S09, S10, S11 | | | | added v2.3.1
SRM_T12 | T12 | | Deprecated | | added v2.3.1, removed after v2.3.1
SRR_S01 | S01, S02, S03, S04, S05, S06, S07, S08, S09, S10, S11 | | | | added v2.3.1

SRR_T12 | T12 | | Deprecated | | added v2.3.1, removed after v2.3.1
SSR_U04 | U04 | | | | added v2.4
SSU_U03 | U03 | | | | added v2.4
STC_S33 | S33 | | | | added v2.6
SUR_P09 | P09 | | Deprecated | Deprecated | added v2.3.1
TBR_R08 | R08 | | Deprecated | | added v2.4, removed after v2.5.1
TBR_R09 | R09 | | Deprecated | | added v2.3.1, removed after v2.5.1
TCU_U10 | U10, U11 | | | | added v2.4
UDM_Q05 | Q05 | | | | added v2.3.1
VQQ_Q07 | Q07 | | Deprecated | | added v2.3.1, removed after v2.5.1
VXQ_V01 | V01 | | Deprecated | Deprecated | added v2.3.1
VXR_V03 | V03 | | Deprecated | Deprecated | added v2.3.1
VXU_V04 | V04 | | | | added v2.3.1
VXX_V02 | V02 | | Deprecated | Deprecated | added v2.3.1

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0354 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
ACK | variiert | | | | added v2.3.1
ADR_A19 | | | | | added v2.3.1
ADT_A01 | | | | | added v2.3.1
ADT_A02 | | | | | added v2.3.1
ADT_A03 | | | | | added v2.3.1
ADT_A05 | | | | | added v2.4
ADT_A06 | | | | | added v2.3.1
ADT_A09 | | | | | added v2.3.1
ADT_A12 | | | | | added v2.3.1
ADT_A15 | | | | | added v2.4
ADT_A16 | | | | | added v2.3.1
ADT_A17 | | | | | added v2.3.1
ADT_A18 | | | | | added v2.3.1
ADT_A20 | | | | | added v2.3.1
ADT_A21 | | | | | added v2.4
ADT_A24 | | | | | added v2.3.1
ADT_A28 | | | Deprecated | | added v2.3.1, removed after v2.3.1
ADT_A30 | | | | | added v2.3.1
ADT_A37 | | | | | added v2.3.1
ADT_A38 | | | | | added v2.3.1
ADT_A39 | | | | | added v2.3.1
ADT_A43 | | | | | added v2.3.1
ADT_A44 | | | | | added v2.7
ADT_A45 | | | | | added v2.3.1
ADT_A50 | | | | | added v2.3.1
ADT_A52 | | | | | added v2.4
ADT_A54 | | | | | added v2.4
ADT_A60 | | | | | added v2.4
ADT_A61 | | | | | added v2.4
ARD_A19 | | | Deprecated | | added v2.3.1, removed after v2.3.1
BAR_P01 | | | | | added v2.3.1
BAR_P02 | | | | | added v2.3.1
BAR_P05 | | | | | added v2.4
BAR_P06 | | | | | added v2.3.1
BAR_P10 | | | | | added v2.4
BAR_P12 | | | | | added v2.5
BPS_O29 | | | | | added v2.5
BRP_030 | | | Deprecated | | added v2.5, removed after v2.5
BRP_O30 | | | | | added v2.5
BRT_O32 | | | | | added v2.5
BTS_O31 | | | | | added v2.5
CCF_I22 | | | | | added v2.7
CCI_I22 | | | | | added v2.7
CCM_I21 | | | | | added v2.7
CCQ_I19 | | | | | added v2.7
CCR_I16 | | | | | added v2.7
CCU_I20 | | | | | added v2.7
CQU_I19 | | | | | added v2.7
CRM_C01 | | | | | added v2.3.1

CSU_C09 | | | | | added v2.3.1
DBC_O41 | | | | | added v2.8
DBC_O42 | | | | | added v2.8
DEL_O46 | | | | | added v2.8
DEO_O45 | | | | | added v2.8
DER_O44 | | | | | added v2.8
DFT_P03 | | | | | added v2.3.1
DFT_P11 | | | | | added v2.5
DOC_T12 | | | | | added v2.3.1
DPR_O48 | | | | | added v2.8
DRC_O47 | | | | | added v2.8
DRG_O43 | | | | | added v2.8
DSR_P04 | | | Deprecated | | added v2.4, removed after v2.5.1
DSR_Q01 | | | Deprecated | | added v2.3.1, removed after v2.6
DSR_Q03 | | | Deprecated | | added v2.3.1, removed after v2.6
EAC_U07 | | | | | added v2.4
EAN_U09 | | | | | added v2.4
EAR_U08 | | | | | added v2.4
EDR_R07 | | | Deprecated | | added v2.3.1, removed after v2.5.1
EHC_E01 | | | | | added v2.6
EHC_E02 | | | | | added v2.6
EHC_E04 | | | | | added v2.6
EHC_E10 | | | | | added v2.6
EHC_E12 | | | | | added v2.6
EHC_E13 | | | | | added v2.6
EHC_E15 | | | | | added v2.6
EHC_E20 | | | | | added v2.6
EHC_E21 | | | | | added v2.6
EHC_E24 | | | | | added v2.6
EQQ_Q04 | | | Deprecated | | added v2.3.1, removed after v2.5.1
ERP_R09 | | | Deprecated | | added v2.3.1, removed after v2.5.1
ESR_U02 | | | | | added v2.4
ESU_U01 | | | | | added v2.4
INR_U06 | | | | | added v2.4
INU_U05 | | | | | added v2.4
INV_U14 | | | | | added v2.9
LSU_U12 | | | | | added v2.4
MDM_T01 | | | | | added v2.3.1
MDM_T02 | | | | | added v2.3.1
MFD_MFA | | | Deprecated | | added v2.4, removed after v2.5.1
MFD_P09 | | | Deprecated | | added v2.3.1, removed after v2.3.1
MFK_M01 | | | | | added v2.3.1
MFN_M01 | | | | | added v2.3.1
MFN_M02 | | | | | added v2.3.1
MFN_M03 | | | Deprecated | | added v2.3.1
MFN_M04 | | | | | added v2.4
MFN_M05 | | | | | added v2.3.1
MFN_M06 | | | | | added v2.3.1
MFN_M07 | | | | | added v2.3.1
MFN_M08 | | | | | added v2.3.1
MFN_M09 | | | | | added v2.3.1
MFN_M10 | | | | | added v2.3.1
MFN_M11 | | | | | added v2.3.1
MFN_M12 | | | | | added v2.4
MFN_M13 | | | | | added v2.5
MFN_M15 | | | | | added v2.5
MFN_M16 | | | | | added v2.6
MFN_M17 | | | | | added v2.6
MFN_M18 | | | | | added v2.8.2
MFQ_M01 | | | Deprecated | | added v2.4
MFR_M01 | | | Deprecated | | added v2.4
MFR_M04 | | | Deprecated | | added v2.5.1
MFR_M05 | | | Deprecated | | added v2.5.1
MFR_M06 | | | Deprecated | | added v2.5.1
MFR_M07 | | | Deprecated | | added v2.5.1
NMD_N02 | | | | | added v2.4
NMQ_N01 | | | Deprecated | | added v2.4
NMR_N01 | | | Deprecated | | added v2.4
OMB_O27 | | | | | added v2.5
OMD_O01 | | | Deprecated | | added v2.3.1, removed after v2.3.1
OMD_O03 | | | | | added v2.4
OMG_O19 | | | | | added v2.4

OMI_O23 | | | | | added v2.5
OML_O21 | | | | | added v2.4
OML_O33 | | | | | added v2.5
OML_O35 | | | | | added v2.5
OML_O39 | | | | | added v2.7
OML_O59 | | | | | added v2.9
OMN_O01 | | | Deprecated | | added v2.3.1, removed after v2.3.1
OMN_O07 | | | | | added v2.4
OMP_O09 | | | | | added v2.4
OMQ_O42 | | | | | added v2.8
OMQ_O57 | | | | | added v2.9
OMS_O01 | | | Deprecated | | added v2.3.1, removed after v2.3.1
OMS_O05 | | | | | added v2.4
OPL_O37 | | | | | added v2.6
OPR_O38 | | | | | added v2.6
OPU_R25 | | | | | added v2.6
ORA_R33 | | | | | added v2.7
ORA_R41 | | | | | added v2.8
ORB_O28 | | | | | added v2.5
ORD_O02 | | | Deprecated | | added v2.3.1, removed after v2.3.1
ORD_O04 | | | | | added v2.4
ORF_R02 | | | Deprecated | | added v2.3.1, removed after v2.3.1
ORF_R04 | | | Deprecated | | added v2.4
ORG_O20 | | | | | added v2.4
ORI_O24 | | | | | added v2.5
ORL_O22 | | | | | added v2.4
ORL_O34 | | | | | added v2.5
ORL_O36 | | | | | added v2.5
ORL_O40 | | | | | added v2.7
ORL_O41 | | | | | added v2.8.1
ORL_O42 | | | | | added v2.8.1
ORL_O43 | | | | | added v2.8.1
ORL_O44 | | | | | added v2.8.1
ORL_O53 | | | | | added v2.9
ORL_O54 | | | | | added v2.9
ORL_O55 | | | | | added v2.9
ORL_O56 | | | | | added v2.9
ORM_O01 | | | Deprecated | | added v2.3.1
ORM_Q06 | | | Deprecated | | added v2.3.1, removed after v2.3.1
ORN_O02 | | | Deprecated | | added v2.3.1, removed after v2.3.1
ORN_O08 | | | | | added v2.4
ORP_O10 | | | | | added v2.4
ORR_O02 | | | Deprecated | | added v2.3.1
ORR_Q06 | | | Deprecated | | added v2.3.1, removed after v2.3.1
ORS_O02 | | | Deprecated | | added v2.3.1, removed after v2.3.1
ORS_O06 | | | | | added v2.4
ORU_R01 | | | | | added v2.3.1
ORU_R30 | | | | | added v2.5
ORU_R31 | | | Deprecated | | added v2.5, removed after v2.5
ORU_R32 | | | Deprecated | | added v2.5, removed after v2.5
ORU_W01 | | | Deprecated | | added v2.3.1
ORX_O43 | | | | | added v2.8
ORX_O58 | | | | | added v2.9
OSM_R26 | | | | | added v2.7
OSQ_Q06 | | | Deprecated | | added v2.3.1
OSR_Q06 | | | Deprecated | | added v2.3.1
OSU_O41 | | | | | added v2.8
OSU_O51 | | | | | added v2.9
OSU_O52 | | | | | added v2.9
OUL_R21 | | | Deprecated | | added v2.4
OUL_R22 | | | | | added v2.5
OUL_R23 | | | | | added v2.5
OUL_R24 | | | | | added v2.5
PEX_P07 | | | | | added v2.3.1
PGL_PC6 | | | | | added v2.3.1
PIN_I07 | | | Deprecated | | added v2.3.1, removed after v2.3.1
PMU_B01 | | | | | added v2.4
PMU_B03 | | | | | added v2.4
PMU_B04 | | | | | added v2.4
PMU_B07 | | | | | added v2.5
PMU_B08 | | | | | added v2.5
PPG_PCG | | | | | added v2.3.1

PPP_PCB | | | | | added v2.3.1
PPR_PC1 | | | | | added v2.3.1
PPT_PCL | | | Deprecated | | added v2.3.1
PPV_PCA | | | Deprecated | | added v2.3.1
PRR_PC5 | | | Deprecated | | added v2.3.1
PTR_PCF | | | Deprecated | | added v2.3.1
QBP_E03 | | | | | added v2.6
QBP_E22 | | | | | added v2.6
QBP_O33 | | | | | added v2.8
QBP_O34 | | | | | added v2.8
QBP_Q11 | | | | | added v2.4
QBP_Q13 | | | | | added v2.4
QBP_Q15 | | | | | added v2.4
QBP_Q21 | | | | | added v2.4
QBP_Qnn | | | Deprecated | | added v2.7, removed after v2.7
QBP_Z73 | | | Deprecated | | added v2.7, removed after v2.7
QCK_Q02 | | | Deprecated | | added v2.3.1
QCN_J01 | | | | | added v2.4
QRF_W02 | | | Deprecated | | added v2.5
QRY_A19 | | | Deprecated | | added v2.3.1
QRY_P04 | | | Deprecated | | added v2.5, removed after v2.5.1
QRY_PC4 | | | Deprecated | | added v2.3.1
QRY_Q01 | | | Deprecated | | added v2.3.1
QRY_Q02 | | | Deprecated | | added v2.3.1
QRY_R02 | | | Deprecated | | added v2.3.1
QRY_T12 | | | Deprecated | | added v2.3.1
QSB_Q16 | | | | | added v2.4
QVR_Q17 | | | | | added v2.4
RAR_RAR | | | Deprecated | | added v2.3.1
RAS_O01 | | | Deprecated | | added v2.3.1, removed after v2.3.1
RAS_O02 | | | Deprecated | | added v2.3.1, removed after v2.3.1
RAS_O17 | | | | | added v2.4
RCI_I05 | | | Deprecated | | added v2.3.1
RCL_I06 | | | Deprecated | | added v2.3.1
RDE_O01 | | | Deprecated | | added v2.3.1, removed after v2.5
RDE_O11 | | | | | added v2.4
RDE_O49 | | | | | added v2.9
RDO_O01 | | | Deprecated | | added v2.3.1, removed after v2.3.1
RDR_RDR | | | | | added v2.3.1
RDS_O01 | | | Deprecated | | added v2.3.1, removed after v2.3.1
RDS_O13 | | | | | added v2.4
RDY_K11 | | | Deprecated | | added v2.4, removed after v2.4
RDY_K15 | | | | | added v2.4
REF_I12 | | | | | added v2.3.1
RER_RER | | | Deprecated | | added v2.3.1
RGR_RGR | | | Deprecated | | added v2.3.1
RGV_O01 | | | Deprecated | | added v2.3.1, removed after v2.3.1
RGV_O15 | | | | | added v2.4
ROR_ROR | | | Deprecated | | added v2.3.1
RPA_I08 | | | | | added v2.3.1
RPI_I01 | | | | | added v2.4
RPI_I04 | | | | | added v2.4
RPI_I0I | | | Deprecated | | added v2.3.1, removed after v2.3.1
RPL_I02 | | | | | added v2.3.1
RPR_I03 | | | | | added v2.3.1
RQA_I08 | | | | | added v2.3.1
RQC_I05 | | | Deprecated | | added v2.3.1
RQC_I06 | | | Deprecated | | added v2.3.1, removed after v2.3.1
RQI_I01 | | | | | added v2.4
RQI_I0I | | | Deprecated | | added v2.3.1, removed after v2.3.1
RQP_I04 | | | | | added v2.3.1
RQQ_Q09 | | | Deprecated | | added v2.3.1, removed after v2.5.1
RRA_O02 | | | Deprecated | | added v2.3.1, removed after v2.5
RRA_O18 | | | | | added v2.4
RRD_O02 | | | Deprecated | | added v2.3.1, removed after v2.3.1
RRD_O14 | | | | | added v2.4
RRE_O02 | | | Deprecated | | added v2.3.1, removed after v2.3.1
RRE_O12 | | | | | added v2.4
RRE_O50 | | | | | added v2.9
RRG_O02 | | | Deprecated | | added v2.3.1, removed after v2.3.1
RRG_O16 | | | | | added v2.4
RRI_I12 | | | | | added v2.3.1

RRO_O02 | | | Deprecated | | added v2.3.1, removed after v2.3.1
RSP_E03 | | | | | added v2.6
RSP_E22 | | | | | added v2.6
RSP_K11 | | | | | added v2.5
RSP_K21 | | | | | added v2.4
RSP_K22 | | | | | added v2.4
RSP_K23 | | | | | added v2.4
RSP_K24 | | | Deprecated | | added v2.4, removed after v2.4
RSP_K25 | | | | | added v2.4
RSP_K31 | | | | | added v2.5.1
RSP_K32 | | | | | added v2.7
RSP_O33 | | | | | added v2.8
RSP_O34 | | | | | added v2.8
RSP_Q11 | | | Deprecated | | added v2.5.1
RSP_Z82 | | | Deprecated | | added v2.7, removed after v2.7
RSP_Z86 | | | Deprecated | | added v2.7, removed after v2.7
RSP_Z88 | | | Deprecated | | added v2.7, removed after v2.7
RSP_Z90 | | | Deprecated | | added v2.7, removed after v2.7
RTB_K13 | | | | | added v2.4
RTB_Knn | | | Deprecated | | added v2.7, removed after v2.7
RTB_Z74 | | | Deprecated | | added v2.7, removed after v2.7
SDR_S31 | | | | | added v2.6
SDR_S32 | | | | | added v2.6
SIU_S12 | | | | | added v2.3.1
SLR_S28 | | | | | added v2.6
SPQ_Q08 | | | Deprecated | | added v2.3.1, removed after v2.5.1
SQM_S25 | | | Deprecated | | added v2.3.1
SQR_S25 | | | Deprecated | | added v2.3.1
SRM_S01 | | | | | added v2.3.1
SRM_T12 | | | Deprecated | | added v2.3.1, removed after v2.3.1
SRR_S01 | | | | | added v2.3.1
SRR_T12 | | | Deprecated | | added v2.3.1, removed after v2.3.1
SSR_U04 | | | | | added v2.4
SSU_U03 | | | | | added v2.4
STC_S33 | | | | | added v2.6
SUR_P09 | | | Deprecated | | added v2.3.1
TBR_R08 | | | Deprecated | | added v2.4, removed after v2.5.1
TBR_R09 | | | Deprecated | | added v2.3.1, removed after v2.5.1
TCU_U10 | | | | | added v2.4
UDM_Q05 | | | | | added v2.3.1
VQQ_Q07 | | | Deprecated | | added v2.3.1, removed after v2.5.1
VXQ_V01 | | | Deprecated | | added v2.3.1
VXR_V03 | | | Deprecated | | added v2.3.1
VXU_V04 | | | | | added v2.3.1
VXX_V02 | | | Deprecated | | added v2.3.1

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0354 definieert de volgende codes:

Code | Display | Definition | Verouderd | Commentaar | Versie
ACK | Varies | | | | added v2.3.1
ADR_A19 | | | | Vervallen en verwijderd sinds v2.7 | added v2.3.1
ADT_A01 | A01, A04, A08, A13 | | | | added v2.3.1
ADT_A02 | A02 | | | | added v2.3.1
ADT_A03 | A03 | | | | added v2.3.1
ADT_A05 | A05, A14, A28, A31 | | | | added v2.4
ADT_A06 | A06, A07 | | | | added v2.3.1
ADT_A09 | A09, A10, A11 | | | | added v2.3.1
ADT_A12 | A12 | | | | added v2.3.1
ADT_A15 | A15 | | | | added v2.4
ADT_A16 | A16 | | | | added v2.3.1
ADT_A17 | A17 | | | | added v2.3.1
ADT_A18 | | | | Vervallen en verwijderd sinds v2.7 | added v2.3.1
ADT_A20 | A20 | | | | added v2.3.1
ADT_A21 | A21, A22, A23, A25, A26, A27, A29, A32, A33 | | | | added v2.4
ADT_A24 | A24 | | | | added v2.3.1
ADT_A28 | A28, A31 | | Verouderd | | added v2.3.1, removed after v2.3.1
ADT_A30 | | | | Vervallen en verwijderd sinds v2.7 | added v2.3.1

ADT_A37 | A37 | | | | added v2.3.1
ADT_A38 | A38 | | | | added v2.3.1
ADT_A39 | A39, A40, A41, A42 | | | | added v2.3.1
ADT_A43 | A43 | | | | added v2.3.1
ADT_A44 | A44 | | | | added v2.7
ADT_A45 | A45 | | | | added v2.3.1
ADT_A50 | A50, A51 | | | | added v2.3.1
ADT_A52 | A52, A53 | | | | added v2.4
ADT_A54 | A54, A55 | | | | added v2.4
ADT_A60 | A60 | | | | added v2.4
ADT_A61 | A61, A62 | | | | added v2.4
ARD_A19 | A19 | | Verouderd | type (ADR_A19) | added v2.3.1, removed after v2.3.1
BAR_P01 | P01 | | | | added v2.3.1
BAR_P02 | P02 | | | | added v2.3.1
BAR_P05 | P05 | | | | added v2.4
BAR_P06 | P06 | | | | added v2.3.1
BAR_P10 | P10 | | | | added v2.4
BAR_P12 | P12 | | | | added v2.5
BPS_O29 | O29 | | | | added v2.5
BRP_030 | O30 | | Verouderd | dit is een tikfout (BRP_O30) en moet worden verwijderd | added v2.5, removed after v2.5
BRP_O30 | O30 | | | | added v2.5
BRT_O32 | O32 | | | | added v2.5
BTS_O31 | O31 | | | | added v2.5
CCF_I22 | I22 | | | | added v2.7
CCI_I22 | I22 | | | | added v2.7
CCM_I21 | I21 | | | | added v2.7
CCQ_I19 | I19 | | | | added v2.7
CCR_I16 | I16, |17, |18 | | | | added v2.7
CCU_I20 | I20 | | | | added v2.7
CQU_I19 | I19 | | | | added v2.7
CRM_C01 | C01, C02, C03, C04, C05, C06, C07, C08 | | | | added v2.3.1
CSU_C09 | C09, C10, C11, C12 | | | | added v2.3.1
DBC_O41 | O41 | | | | added v2.8
DBC_O42 | O42 | | | | added v2.8
DEL_O46 | O46 | | | | added v2.8
DEO_O45 | O45 | | | | added v2.8
DER_O44 | O44 | | | | added v2.8
DFT_P03 | P03 | | | | added v2.3.1
DFT_P11 | P11 | | | | added v2.5
DOC_T12 | | | | Vervallen en verwijderd sinds v2.7 | added v2.3.1
DPR_O48 | O48 | | | | added v2.8
DRC_O47 | O47 | | | | added v2.8
DRG_O43 | O43 | | | | added v2.8
DSR_P04 | P04 | | Verouderd | | added v2.4, removed after v2.5.1
DSR_Q01 | Q01 | | Verouderd | | added v2.3.1, removed after v2.6
DSR_Q03 | Q03 | | Verouderd | | added v2.3.1, removed after v2.6
EAC_U07 | U07 | | | | added v2.4
EAN_U09 | U09 | | | | added v2.4
EAR_U08 | U08 | | | | added v2.4
EDR_R07 | R07 | | Verouderd | | added v2.3.1, removed after v2.5.1
EHC_E01 | E01 | | | | added v2.6
EHC_E02 | E02 | | | | added v2.6
EHC_E04 | E04 | | | | added v2.6
EHC_E10 | E10 | | | | added v2.6
EHC_E12 | E12 | | | | added v2.6
EHC_E13 | E13 | | | | added v2.6
EHC_E15 | E15 | | | | added v2.6
EHC_E20 | E20 | | | | added v2.6
EHC_E21 | E21 | | | | added v2.6
EHC_E24 | E24 | | | | added v2.6
EQQ_Q04 | Q04 | | Verouderd | | added v2.3.1, removed after v2.5.1
ERP_R09 | R09 | | Verouderd | | added v2.3.1, removed after v2.5.1
ESR_U02 | U02 | | | | added v2.4
ESU_U01 | U01 | | | | added v2.4
INR_U06 | U06 | | | | added v2.4
INU_U05 | U05 | | | | added v2.4
INV_U14 | | | | | added v2.9
LSU_U12 | U12, U13 | | | | added v2.4
MDM_T01 | T01, T03, T05, T07, T09, T11 | | | | added v2.3.1
MDM_T02 | T02, T04, T06, T08, T10 | | | | added v2.3.1
MFD_MFA | MFA | | Verouderd | | added v2.4, removed after v2.5.1
MFD_P09 | P09 | | Verouderd | error -> SUR_P09 | added v2.3.1, removed after v2.3.1

MFK_M01 | M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11 | | | | added v2.3.1
MFN_M01 | | | | Vervallen en verwijderd sinds v2.7 | added v2.3.1
MFN_M02 | M02 | | | | added v2.3.1
MFN_M03 | M03 | | Verouderd | Vervallen | added v2.3.1
MFN_M04 | M04 | | | | added v2.4
MFN_M05 | M05 | | | | added v2.3.1
MFN_M06 | M06 | | | | added v2.3.1
MFN_M07 | M07 | | | | added v2.3.1
MFN_M08 | M08 | | | | added v2.3.1
MFN_M09 | M09 | | | | added v2.3.1
MFN_M10 | M10 | | | | added v2.3.1
MFN_M11 | M11 | | | | added v2.3.1
MFN_M12 | M12 | | | | added v2.4
MFN_M13 | M13 | | | | added v2.5
MFN_M15 | M15 | | | | added v2.5
MFN_M16 | M16 | | | | added v2.6
MFN_M17 | M17 | | | | added v2.6
MFN_M18 | M18 | | | | added v2.8.2
MFQ_M01 | M01, M02, M03, M04, M05, M06 | | Verouderd | Vervallen | added v2.4
MFR_M01 | M01, M02, M03, | | Verouderd | Vervallen | added v2.4
MFR_M04 | M04 | | Verouderd | Vervallen | added v2.5.1
MFR_M05 | M05 | | Verouderd | Vervallen | added v2.5.1
MFR_M06 | M06 | | Verouderd | Vervallen | added v2.5.1
MFR_M07 | M07 | | Verouderd | Vervallen | added v2.5.1
NMD_N02 | N02 | | | | added v2.4
NMQ_N01 | N01 | | Verouderd | Vervallen | added v2.4
NMR_N01 | N01 | | Verouderd | Vervallen | added v2.4
OMB_O27 | O27 | | | | added v2.5
OMD_O01 | | | Verouderd | | added v2.3.1, removed after v2.3.1
OMD_O03 | O03 | | | | added v2.4
OMG_O19 | O19 | | | | added v2.4
OMI_O23 | O23 | | | | added v2.5
OML_O21 | O21 | | | | added v2.4
OML_O33 | O33 | | | | added v2.5
OML_O35 | O35 | | | | added v2.5
OML_O39 | O39 | | | | added v2.7
OML_O59 | | | | | added v2.9
OMN_O01 | | | Verouderd | | added v2.3.1, removed after v2.3.1
OMN_O07 | O07 | | | | added v2.4
OMP_O09 | O09 | | | | added v2.4
OMQ_O42 | O42 | | | | added v2.8
OMQ_O57 | | | | | added v2.9
OMS_O01 | | | Verouderd | | added v2.3.1, removed after v2.3.1
OMS_O05 | O05 | | | | added v2.4
OPL_O37 | O37 | | | | added v2.6
OPR_O38 | O38 | | | | added v2.6
OPU_R25 | R25 | | | | added v2.6
ORA_R33 | R33 | | | | added v2.7
ORA_R41 | R41 | | | | added v2.8
ORB_O28 | O28 | | | | added v2.5
ORD_O02 | | | Verouderd | | added v2.3.1, removed after v2.3.1
ORD_O04 | O04 | | | | added v2.4
ORF_R02 | R02, R04 | | Verouderd | | added v2.3.1, removed after v2.3.1
ORF_R04 | R04 | | Verouderd | Vervallen | added v2.4
ORG_O20 | O20 | | | | added v2.4
ORI_O24 | O24 | | | | added v2.5
ORL_O22 | O22 | | | | added v2.4
ORL_O34 | O34 | | | | added v2.5
ORL_O36 | O36 | | | | added v2.5
ORL_O40 | O40 | | | | added v2.7
ORL_O41 | O41 | | | | added v2.8.1
ORL_O42 | O42 | | | | added v2.8.1
ORL_O43 | O43 | | | | added v2.8.1
ORL_O44 | O44 | | | | added v2.8.1
ORL_O53 | | | | | added v2.9
ORL_O54 | | | | | added v2.9
ORL_O55 | | | | | added v2.9
ORL_O56 | | | | | added v2.9
ORM_O01 | O01 | | Verouderd | Vervallen | added v2.3.1
ORM_Q06 | Q06 | | Verouderd | | added v2.3.1, removed after v2.3.1
ORN_O02 | | | Verouderd | | added v2.3.1, removed after v2.3.1
ORN_O08 | O08 | | | | added v2.4

ORP_O10 | O10 | | | | added v2.4
ORR_O02 | O02 | | Verouderd | Vervallen | added v2.3.1
ORR_Q06 | Q06 | | Verouderd | | added v2.3.1, removed after v2.3.1
ORS_O02 | | | Verouderd | | added v2.3.1, removed after v2.3.1
ORS_O06 | O06 | | | | added v2.4
ORU_R01 | R01 | | | | added v2.3.1
ORU_R30 | R30 | | | | added v2.5
ORU_R31 | R31 | | Verouderd | | added v2.5, removed after v2.5
ORU_R32 | R32 | | Verouderd | | added v2.5, removed after v2.5
ORU_W01 | W01 | | Verouderd | Vervallen | added v2.3.1
ORX_O43 | O43 | | | | added v2.8
ORX_O58 | | | | | added v2.9
OSM_R26 | R26 | | | | added v2.7
OSQ_Q06 | Q06 | | Verouderd | Vervallen | added v2.3.1
OSR_Q06 | Q06 | | Verouderd | Vervallen | added v2.3.1
OSU_O41 | O41 | | | | added v2.8
OSU_O51 | | | | | added v2.9
OSU_O52 | | | | | added v2.9
OUL_R21 | R21 | | Verouderd | Vervallen | added v2.4
OUL_R22 | R22 | | | | added v2.5
OUL_R23 | R23 | | | | added v2.5
OUL_R24 | R24 | | | | added v2.5
PEX_P07 | P07, P08 | | | | added v2.3.1
PGL_PC6 | PC6, PC7, PC8 | | | | added v2.3.1
PIN_I07 | I07 | | Verouderd | | added v2.3.1, removed after v2.3.1
PMU_B01 | B01, B02 | | | | added v2.4
PMU_B03 | B03 | | | | added v2.4
PMU_B04 | B04, B05, B06 | | | | added v2.4
PMU_B07 | B07 | | | | added v2.5
PMU_B08 | B08 | | | | added v2.5
PPG_PCG | PCC, PCG, PCH, PCJ | | | | added v2.3.1
PPP_PCB | PCB, PCD | | | | added v2.3.1
PPR_PC1 | PC1, PC2, PC3 | | | | added v2.3.1
PPT_PCL | PCL | | Verouderd | Vervallen | added v2.3.1
PPV_PCA | PCA | | Verouderd | Vervallen | added v2.3.1
PRR_PC5 | PC5 | | Verouderd | Vervallen | added v2.3.1
PTR_PCF | PCF | | Verouderd | Vervallen | added v2.3.1
QBP_E03 | E03 | | | | added v2.6
QBP_E22 | E22 | | | | added v2.6
QBP_O33 | O33 | | | | added v2.8
QBP_O34 | O34 | | | | added v2.8
QBP_Q11 | Q11 | | | | added v2.4
QBP_Q13 | Q13 | | | | added v2.4
QBP_Q15 | Q15 | | | | added v2.4
QBP_Q21 | Q21, Q22, Q23,Q24, Q25 | | | | added v2.4
QBP_Qnn | Qnn | | Verouderd | | added v2.7, removed after v2.7
QBP_Z73 | Z73 | | Verouderd | | added v2.7, removed after v2.7
QCK_Q02 | Q02 | | Verouderd | Vervallen | added v2.3.1
QCN_J01 | J01, J02 | | | | added v2.4
QRF_W02 | W02 | | Verouderd | Vervallen | added v2.5
QRY_A19 | A19 | | Verouderd | Vervallen | added v2.3.1
QRY_P04 | P04 | | Verouderd | | added v2.5, removed after v2.5.1
QRY_PC4 | PC4, PC9, PCE, PCK | | Verouderd | Vervallen | added v2.3.1
QRY_Q01 | Q01, Q26, Q27, Q28, Q29, Q30 | | Verouderd | Vervallen | added v2.3.1
QRY_Q02 | Q02 | | Verouderd | Vervallen | added v2.3.1
QRY_R02 | R02 | | Verouderd | Vervallen | added v2.3.1
QRY_T12 | T12 | | Verouderd | Vervallen | added v2.3.1
QSB_Q16 | Q16 | | | | added v2.4
QVR_Q17 | Q17 | | | | added v2.4
RAR_RAR | RAR | | Verouderd | Vervallen | added v2.3.1
RAS_O01 | O01 | | Verouderd | | added v2.3.1, removed after v2.3.1
RAS_O02 | O022 | | Verouderd | | added v2.3.1, removed after v2.3.1
RAS_O17 | O17 | | | | added v2.4
RCI_I05 | I05 | | Verouderd | Vervallen | added v2.3.1
RCL_I06 | I06 | | Verouderd | Vervallen | added v2.3.1
RDE_O01 | O01 | | Verouderd | | added v2.3.1, removed after v2.5
RDE_O11 | O11, O25 | | | | added v2.4
RDE_O49 | | | | | added v2.9
RDO_O01 | | | Verouderd | | added v2.3.1, removed after v2.3.1
RDR_RDR | RDR | | | | added v2.3.1
RDS_O01 | O01 | | Verouderd | | added v2.3.1, removed after v2.3.1
RDS_O13 | O13 | | | | added v2.4

RDY_K11 | K11 | | Verouderd | | added v2.4, removed after v2.4
RDY_K15 | K15 | | | | added v2.4
REF_I12 | I12, I13, I14, I15 | | | | added v2.3.1
RER_RER | RER | | Verouderd | Vervallen | added v2.3.1
RGR_RGR | RGR | | Verouderd | Vervallen | added v2.3.1
RGV_O01 | O01 | | Verouderd | | added v2.3.1, removed after v2.3.1
RGV_O15 | O15 | | | | added v2.4
ROR_ROR | ROR | | Verouderd | Vervallen | added v2.3.1
RPA_I08 | I08, I09. I10, I11 | | | | added v2.3.1
RPI_I01 | I01, I04 | | | | added v2.4
RPI_I04 | I04 | | | | added v2.4
RPI_I0I | I01, I04 | | Verouderd | | added v2.3.1, removed after v2.3.1
RPL_I02 | I02 | | | | added v2.3.1
RPR_I03 | I03 | | | | added v2.3.1
RQA_I08 | I08, I09, I10, I11 | | | | added v2.3.1
RQC_I05 | I05, I06 | | Verouderd | Vervallen | added v2.3.1
RQC_I06 | I06 | | Verouderd | | added v2.3.1, removed after v2.3.1
RQI_I01 | I01, I02, I03, I07 | | | | added v2.4
RQI_I0I | I01, I02, I03 | | Verouderd | | added v2.3.1, removed after v2.3.1
RQP_I04 | I04 | | | | added v2.3.1
RQQ_Q09 | Q09 | | Verouderd | | added v2.3.1, removed after v2.5.1
RRA_O02 | O02 | | Verouderd | | added v2.3.1, removed after v2.5
RRA_O18 | O18 | | | | added v2.4
RRD_O02 | O02 | | Verouderd | | added v2.3.1, removed after v2.3.1
RRD_O14 | O14 | | | | added v2.4
RRE_O02 | O02 | | Verouderd | | added v2.3.1, removed after v2.3.1
RRE_O12 | O12, O26 | | | | added v2.4
RRE_O50 | | | | | added v2.9
RRG_O02 | O02 | | Verouderd | | added v2.3.1, removed after v2.3.1
RRG_O16 | O16 | | | | added v2.4
RRI_I12 | I12, I13, I14, I15 | | | | added v2.3.1
RRO_O02 | | | Verouderd | | added v2.3.1, removed after v2.3.1
RSP_E03 | E03 | | | | added v2.6
RSP_E22 | E22 | | | | added v2.6
RSP_K11 | K11 | | | | added v2.5
RSP_K21 | K21 | | | | added v2.4
RSP_K22 | K22 | | | | added v2.4
RSP_K23 | K23, K24 | | | | added v2.4
RSP_K24 | K24 | | Verouderd | | added v2.4, removed after v2.4
RSP_K25 | K25 | | | | added v2.4
RSP_K31 | K31 | | | | added v2.5.1
RSP_K32 | K32 | | | | added v2.7
RSP_O33 | O33 | | | | added v2.8
RSP_O34 | O34 | | | | added v2.8
RSP_Q11 | Q11 | | Verouderd | Vervallen | added v2.5.1
RSP_Z82 | Z82 | | Verouderd | | added v2.7, removed after v2.7
RSP_Z86 | Z86 | | Verouderd | | added v2.7, removed after v2.7
RSP_Z88 | Z88 | | Verouderd | | added v2.7, removed after v2.7
RSP_Z90 | Z90 | | Verouderd | | added v2.7, removed after v2.7
RTB_K13 | K13 | | | | added v2.4
RTB_Knn | Knn | | Verouderd | | added v2.7, removed after v2.7
RTB_Z74 | Z74 | | Verouderd | | added v2.7, removed after v2.7
SDR_S31 | S31, S36 | | | | added v2.6
SDR_S32 | S32, S37 | | | | added v2.6
SIU_S12 | S12, S13, S14, S15, S16, S17, S18, S19, S20, S21, S22, S23, S24, S26 | | | | added v2.3.1
SLR_S28 | S28, S29, S30, S34, S35 | | | | added v2.6
SPQ_Q08 | Q08 | | Verouderd | | added v2.3.1, removed after v2.5.1
SQM_S25 | S25 | | Verouderd | Vervallen | added v2.3.1
SQR_S25 | S25 | | Verouderd | Vervallen | added v2.3.1
SRM_S01 | S01, S02, S03, S04, S05, S06, S07, S08, S09, S10, S11 | | | | added v2.3.1
SRM_T12 | T12 | | Verouderd | | added v2.3.1, removed after v2.3.1
SRR_S01 | S01, S02, S03, S04, S05, S06, S07, S08, S09, S10, S11 | | | | added v2.3.1
SRR_T12 | T12 | | Verouderd | | added v2.3.1, removed after v2.3.1
SSR_U04 | U04 | | | | added v2.4
SSU_U03 | U03 | | | | added v2.4
STC_S33 | S33 | | | | added v2.6
SUR_P09 | P09 | | Verouderd | Vervallen | added v2.3.1
TBR_R08 | R08 | | Verouderd | | added v2.4, removed after v2.5.1
TBR_R09 | R09 | | Verouderd | | added v2.3.1, removed after v2.5.1
TCU_U10 | U10, U11 | | | | added v2.4
UDM_Q05 | Q05 | | | | added v2.3.1
VQQ_Q07 | Q07 | | Verouderd | | added v2.3.1, removed after v2.5.1

VXQ_V01 | V01 | | Verouderd | Vervallen | added v2.3.1
VXR_V03 | V03 | | Verouderd | Vervallen | added v2.3.1
VXU_V04 | V04 | | | | added v2.3.1
VXX_V02 | V02 | | Verouderd | Vervallen | added v2.3.1

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.354.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 213 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0354 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0354

Code | Display | Definition
ACK | Varies
ADR_A19
ADT_A01 | A01, A04, A08, A13
ADT_A02 | A02
ADT_A03 | A03
ADT_A05 | A05, A14, A28, A31
ADT_A06 | A06, A07
ADT_A09 | A09, A10, A11
ADT_A12 | A12
ADT_A15 | A15
ADT_A16 | A16
ADT_A17 | A17
ADT_A18
ADT_A20 | A20
ADT_A21 | A21, A22, A23, A25, A26, A27, A29, A32, A33
ADT_A24 | A24
ADT_A30
ADT_A37 | A37
ADT_A38 | A38
ADT_A39 | A39, A40, A41, A42
ADT_A43 | A43
ADT_A44 | A44
ADT_A45 | A45
ADT_A50 | A50, A51
ADT_A52 | A52, A53
ADT_A54 | A54, A55
ADT_A60 | A60
ADT_A61 | A61, A62
BAR_P01 | P01
BAR_P02 | P02
BAR_P05 | P05
BAR_P06 | P06
BAR_P10 | P10
BAR_P12 | P12
BPS_O29 | O29
BRP_O30 | O30
BRT_O32 | O32
BTS_O31 | O31
CCF_I22 | I22
CCI_I22 | I22
CCM_I21 | I21
CCQ_I19 | I19
CCR_I16 | I16, |17, |18
CCU_I20 | I20
CQU_I19 | I19
CRM_C01 | C01, C02, C03, C04, C05, C06, C07, C08
CSU_C09 | C09, C10, C11, C12
DBC_O41 | O41
DBC_O42 | O42
DEL_O46 | O46
DEO_O45 | O45
DER_O44 | O44
DFT_P03 | P03
DFT_P11 | P11
DOC_T12
DPR_O48 | O48
DRC_O47 | O47

DRG_O43 | O43
EAC_U07 | U07
EAN_U09 | U09
EAR_U08 | U08
EHC_E01 | E01
EHC_E02 | E02
EHC_E04 | E04
EHC_E10 | E10
EHC_E12 | E12
EHC_E13 | E13
EHC_E15 | E15
EHC_E20 | E20
EHC_E21 | E21
EHC_E24 | E24
ESR_U02 | U02
ESU_U01 | U01
INR_U06 | U06
INU_U05 | U05
INV_U14 | Events U14
LSU_U12 | U12, U13
MDM_T01 | T01, T03, T05, T07, T09, T11
MDM_T02 | T02, T04, T06, T08, T10
MFK_M01 | M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11
MFN_M01
MFN_M02 | M02
MFN_M04 | M04
MFN_M05 | M05
MFN_M06 | M06
MFN_M07 | M07
MFN_M08 | M08
MFN_M09 | M09
MFN_M10 | M10
MFN_M11 | M11
MFN_M12 | M12
MFN_M13 | M13
MFN_M15 | M15
MFN_M16 | M16
MFN_M17 | M17
MFN_M18 | M18
NMD_N02 | N02
OMB_O27 | O27
OMD_O03 | O03
OMG_O19 | O19
OMI_O23 | O23
OML_O21 | O21
OML_O33 | O33
OML_O35 | O35
OML_O39 | O39
OML_O59 | Laboratory Fulfillment request with REL segment
OMN_O07 | O07
OMP_O09 | O09
OMQ_O42 | O42
OMQ_O57 | O57
OMS_O05 | O05
OPL_O37 | O37
OPR_O38 | O38
OPU_R25 | R25
ORA_R33 | R33
ORA_R41 | R41
ORB_O28 | O28
ORD_O04 | O04
ORG_O20 | O20
ORI_O24 | O24
ORL_O22 | O22
ORL_O34 | O34
ORL_O36 | O36
ORL_O40 | O40
ORL_O41 | O41
ORL_O42 | O42
ORL_O43 | O43
ORL_O44 | O44
ORL_O53 | O53

ORL_O54 | O54
ORL_O55 | O55
ORL_O56 | O56
ORN_O08 | O08
ORP_O10 | O10
ORS_O06 | O06
ORU_R01 | R01
ORU_R30 | R30
ORX_O43 | O43
ORX_O58 | O58
OSM_R26 | R26
OSU_O41 | O41
OSU_O51 | O51
OSU_O52 | O52
OUL_R22 | R22
OUL_R23 | R23
OUL_R24 | R24
PEX_P07 | P07, P08
PGL_PC6 | PC6, PC7, PC8
PMU_B01 | B01, B02
PMU_B03 | B03
PMU_B04 | B04, B05, B06
PMU_B07 | B07
PMU_B08 | B08
PPG_PCG | PCC, PCG, PCH, PCJ
PPP_PCB | PCB, PCD
PPR_PC1 | PC1, PC2, PC3
QBP_E03 | E03
QBP_E22 | E22
QBP_O33 | O33
QBP_O34 | O34
QBP_Q11 | Q11
QBP_Q13 | Q13
QBP_Q15 | Q15
QBP_Q21 | Q21, Q22, Q23,Q24, Q25
QCN_J01 | J01, J02
QSB_Q16 | Q16
QVR_Q17 | Q17
RAS_O17 | O17
RDE_O11 | O11, O25
RDE_O49 | Events O49
RDR_RDR | RDR
RDS_O13 | O13
RDY_K15 | K15
REF_I12 | I12, I13, I14, I15
RGV_O15 | O15
RPA_I08 | I08, I09. I10, I11
RPI_I01 | I01, I04
RPI_I04 | I04
RPL_I02 | I02
RPR_I03 | I03
RQA_I08 | I08, I09, I10, I11
RQI_I01 | I01, I02, I03, I07
RQP_I04 | I04
RRA_O18 | O18
RRD_O14 | O14
RRE_O12 | O12, O26
RRE_O50 | Events O50
RRG_O16 | O16
RRI_I12 | I12, I13, I14, I15
RSP_E03 | E03
RSP_E22 | E22
RSP_K11 | K11
RSP_K21 | K21
RSP_K22 | K22
RSP_K23 | K23, K24
RSP_K25 | K25
RSP_K31 | K31
RSP_K32 | K32
RSP_O33 | O33
RSP_O34 | O34
RTB_K13 | K13

SDR_S31 | S31, S36
SDR_S32 | S32, S37
SIU_S12 | S12, S13, S14, S15, S16, S17, S18, S19, S20, S21, S22, S23, S24, S26
SLR_S28 | S28, S29, S30, S34, S35
SRM_S01 | S01, S02, S03, S04, S05, S06, S07, S08, S09, S10, S11
SRR_S01 | S01, S02, S03, S04, S05, S06, S07, S08, S09, S10, S11
SSR_U04 | U04
SSU_U03 | U03
STC_S33 | S33
TCU_U10 | U10, U11
UDM_Q05 | Q05
VXU_V04 | V04

Additional Language Displays

Code | Deutsch (German, de) | Nederlands (Dutch, nl)
ACK | variiert | Varies
ADR_A19 | | A19
ADT_A01 | | A01, A04, A08, A13
ADT_A02 | | A02
ADT_A03 | | A03
ADT_A05 | | A05, A14, A28, A31
ADT_A06 | | A06, A07
ADT_A09 | | A09, A10, A11
ADT_A12 | | A12
ADT_A15 | | A15
ADT_A16 | | A16
ADT_A17 | | A17
ADT_A18 | | A18
ADT_A20 | | A20
ADT_A21 | | A21, A22, A23, A25, A26, A27, A29, A32, A33
ADT_A24 | | A24
ADT_A30 | | A30, A34, A35, A36, A46, A47, A48, A49
ADT_A37 | | A37
ADT_A38 | | A38
ADT_A39 | | A39, A40, A41, A42
ADT_A43 | | A43
ADT_A44 | | A44
ADT_A45 | | A45
ADT_A50 | | A50, A51
ADT_A52 | | A52, A53
ADT_A54 | | A54, A55
ADT_A60 | | A60
ADT_A61 | | A61, A62
BAR_P01 | | P01
BAR_P02 | | P02
BAR_P05 | | P05
BAR_P06 | | P06
BAR_P10 | | P10
BAR_P12 | | P12
BPS_O29 | | O29
BRP_O30 | | O30
BRT_O32 | | O32
BTS_O31 | | O31
CCF_I22 | | I22
CCI_I22 | | I22
CCM_I21 | | I21
CCQ_I19 | | I19
CCR_I16 | | I16, |17, |18
CCU_I20 | | I20
CQU_I19 | | I19
CRM_C01 | | C01, C02, C03, C04, C05, C06, C07, C08
CSU_C09 | | C09, C10, C11, C12
DBC_O41 | | O41
DBC_O42 | | O42
DEL_O46 | | O46
DEO_O45 | | O45
DER_O44 | | O44
DFT_P03 | | P03
DFT_P11 | | P11
DOC_T12 | | T12
DPR_O48 | | O48
DRC_O47 | | O47

DRG_O43 | | O43
EAC_U07 | | U07
EAN_U09 | | U09
EAR_U08 | | U08
EHC_E01 | | E01
EHC_E02 | | E02
EHC_E04 | | E04
EHC_E10 | | E10
EHC_E12 | | E12
EHC_E13 | | E13
EHC_E15 | | E15
EHC_E20 | | E20
EHC_E21 | | E21
EHC_E24 | | E24
ESR_U02 | | U02
ESU_U01 | | U01
INR_U06 | | U06
INU_U05 | | U05
INV_U14
LSU_U12 | | U12, U13
MDM_T01 | | T01, T03, T05, T07, T09, T11
MDM_T02 | | T02, T04, T06, T08, T10
MFK_M01 | | M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11
MFN_M01 | | M01
MFN_M02 | | M02
MFN_M04 | | M04
MFN_M05 | | M05
MFN_M06 | | M06
MFN_M07 | | M07
MFN_M08 | | M08
MFN_M09 | | M09
MFN_M10 | | M10
MFN_M11 | | M11
MFN_M12 | | M12
MFN_M13 | | M13
MFN_M15 | | M15
MFN_M16 | | M16
MFN_M17 | | M17
MFN_M18 | | M18
NMD_N02 | | N02
OMB_O27 | | O27
OMD_O03 | | O03
OMG_O19 | | O19
OMI_O23 | | O23
OML_O21 | | O21
OML_O33 | | O33
OML_O35 | | O35
OML_O39 | | O39
OML_O59
OMN_O07 | | O07
OMP_O09 | | O09
OMQ_O42 | | O42
OMQ_O57
OMS_O05 | | O05
OPL_O37 | | O37
OPR_O38 | | O38
OPU_R25 | | R25
ORA_R33 | | R33
ORA_R41 | | R41
ORB_O28 | | O28
ORD_O04 | | O04
ORG_O20 | | O20
ORI_O24 | | O24
ORL_O22 | | O22
ORL_O34 | | O34
ORL_O36 | | O36
ORL_O40 | | O40
ORL_O41 | | O41
ORL_O42 | | O42
ORL_O43 | | O43
ORL_O44 | | O44
ORL_O53

ORL_O54
ORL_O55
ORL_O56
ORN_O08 | | O08
ORP_O10 | | O10
ORS_O06 | | O06
ORU_R01 | | R01
ORU_R30 | | R30
ORX_O43 | | O43
ORX_O58
OSM_R26 | | R26
OSU_O41 | | O41
OSU_O51
OSU_O52
OUL_R22 | | R22
OUL_R23 | | R23
OUL_R24 | | R24
PEX_P07 | | P07, P08
PGL_PC6 | | PC6, PC7, PC8
PMU_B01 | | B01, B02
PMU_B03 | | B03
PMU_B04 | | B04, B05, B06
PMU_B07 | | B07
PMU_B08 | | B08
PPG_PCG | | PCC, PCG, PCH, PCJ
PPP_PCB | | PCB, PCD
PPR_PC1 | | PC1, PC2, PC3
QBP_E03 | | E03
QBP_E22 | | E22
QBP_O33 | | O33
QBP_O34 | | O34
QBP_Q11 | | Q11
QBP_Q13 | | Q13
QBP_Q15 | | Q15
QBP_Q21 | | Q21, Q22, Q23,Q24, Q25
QCN_J01 | | J01, J02
QSB_Q16 | | Q16
QVR_Q17 | | Q17
RAS_O17 | | O17
RDE_O11 | | O11, O25
RDE_O49
RDR_RDR | | RDR
RDS_O13 | | O13
RDY_K15 | | K15
REF_I12 | | I12, I13, I14, I15
RGV_O15 | | O15
RPA_I08 | | I08, I09. I10, I11
RPI_I01 | | I01, I04
RPI_I04 | | I04
RPL_I02 | | I02
RPR_I03 | | I03
RQA_I08 | | I08, I09, I10, I11
RQI_I01 | | I01, I02, I03, I07
RQP_I04 | | I04
RRA_O18 | | O18
RRD_O14 | | O14
RRE_O12 | | O12, O26
RRE_O50
RRG_O16 | | O16
RRI_I12 | | I12, I13, I14, I15
RSP_E03 | | E03
RSP_E22 | | E22
RSP_K11 | | K11
RSP_K21 | | K21
RSP_K22 | | K22
RSP_K23 | | K23, K24
RSP_K25 | | K25
RSP_K31 | | K31
RSP_K32 | | K32
RSP_O33 | | O33
RSP_O34 | | O34
RTB_K13 | | K13

SDR_S31 | | S31, S36
SDR_S32 | | S32, S37
SIU_S12 | | S12, S13, S14, S15, S16, S17, S18, S19, S20, S21, S22, S23, S24, S26
SLR_S28 | | S28, S29, S30, S34, S35
SRM_S01 | | S01, S02, S03, S04, S05, S06, S07, S08, S09, S10, S11
SRR_S01 | | S01, S02, S03, S04, S05, S06, S07, S08, S09, S10, S11
SSR_U04 | | U04
SSU_U03 | | U03
STC_S33 | | S33
TCU_U10 | | U10, U11
UDM_Q05 | | Q05
VXU_V04 | | V04

4.3.15.355 HL7 Version 2 Table 0355

URL: https://hl7.org/fhir/R4/v2/0355/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0355
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0355
Version: | 2.9
Name: | v2.0355
Title: | v2 Primary key value type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0355 (Primary key value type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.355.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0355 defines the following codes:

Code | Display | Definition | Comments | Version
CE | en: Coded element nl: Gecodeerd element | | en: Withdrawn as of v2.6 - CE has been replaced by CNE and CWE nl: Teruggetrokken vanaf v2.6 - CE is vervangen door CNE en CWE | added v2.3.1
CWE | en: Coded with Exceptions nl: Gecodeerd met uitzonderingen | | | added v2.6
PL | en: Person location nl: Persoonslocatie | | | added v2.3.1

This code system http://terminology.hl7.org/CodeSystem/v2-0355 defines the following codes:

Code | Display | Definition | Comments | Version
CE | Coded element | | Withdrawn as of v2.6 - CE has been replaced by CNE and CWE | added v2.3.1
CWE | Coded with Exceptions | | | added v2.6
PL | Person location | | | added v2.3.1

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0355 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie
CE | Gecodeerd element | | Teruggetrokken vanaf v2.6 - CE is vervangen door CNE en CWE | added v2.3.1
CWE | Gecodeerd met uitzonderingen | | | added v2.6
PL | Persoonslocatie | | | added v2.3.1

4.3.15.356 HL7 Version 2 Table 0356

URL: https://hl7.org/fhir/R4/v2/0356/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0356
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0356
Version: | 2.9
Name: | v2.0356
Title: | v2 Alternate character set handling scheme
Definition: | FHIR Value set/code system definition for HL7 v2 table 0356 (Alternate character set handling scheme)

OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.356.1 Code System Content

- All Languages
- English
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0356 defines the following codes:

Code | Display | Definition | Comments | Version
2.3 | en: The character set switching mode specified in HL7 2.5, section 2.7.2 and section 2.A.46, "XPN - extended person name". nl: De modus om te wisselen van tekenset gedefinieerd in HL7 2.5, sectie 2.A.46, "XPN - uitgebreide persoonsnaam". | | en: Note that the escape sequences used in this mode do not use the ASCII “esc” character, as defined in ISO 2022-1994. They are “HL7 escape sequences” as first defined in HL7 2.3, sec. 2.9.2. (Also, note that sections 2.8.28.6.1and 2.9.2 in HL7 2.3 correspond to sections 2.16.93 and 2.7.2 in HL7 2. 5.) nl: Merk op dat de escape-tekens in deze modus het ASCII-teken "esc", zoals gedefinieerd in ISO 2022-1994 niet gebruiken. Het zijn "HL7 escape-tekens" zoals voor het eerst gedefinieerd in HL7 2.3, sectie 2.9.2 (Merk ook op dat secties 2.8.28.6.1 en 2.9.2 in HL7 2.3 overeenkomen met | added v2.3.1
<null> | en: This is the default, indicating that there is no character set switching occurring in this message. nl: Dit is de standaardwaarde, om aan te geven dat er geen wisselingen van tekenset voorkomen in dit bericht. | | en: This is the default. nl: Dit de standaardwaarde | added v2.3.1
ISO 2022-1994 | en: This standard is titled "Information Technology - Character Code Structure and Extension Technique". . nl: Deze standaard heet "Information Technology - Character Code Structure and Extension Technique". | | en: Note that the escape sequences used in this mode do not use the ASCII “esc” character, as defined in ISO 2022-1994. They are “HL7 escape sequences” as first defined in HL7 2.3, sec. 2.9.2. (Also, note that sections 2.8.28.6.1and 2.9.2 in HL7 2.3 correspond to sections 2.16.93 and 2.7.2 in HL7 2. 5.) nl: Deze standaard definieert een escape-reeks van basale 1 byte tekenset naar gespecificeerde andere tekenset en vice versa. De escape-reeks specificeert expliciet welke alternatieve tekenset wordt aangeroepen. Merk op dat in deze modus het werkelijke ASCII esc-teken ... | added v2.3.1

This code system http://terminology.hl7.org/CodeSystem/v2-0356 defines the following codes:

Code | Display | Definition | Comments | Version
2.3 | The character set switching mode specified in HL7 2.5, section 2.7.2 and section 2.A.46, "XPN - extended person name". | | Note that the escape sequences used in this mode do not use the ASCII “esc” character, as defined in ISO 2022-1994. They are “HL7 escape sequences” as first defined in HL7 2.3, sec. 2.9.2. (Also, note that sections 2.8.28.6.1and 2.9.2 in HL7 2.3 correspond to sections 2.16.93 and 2.7.2 in HL7 2. 5.) | added v2.3.1
<null> | This is the default, indicating that there is no character set switching occurring in this message. | | This is the default. | added v2.3.1
ISO 2022-1994 | This standard is titled "Information Technology - Character Code Structure and Extension Technique". . | | Note that the escape sequences used in this mode do not use the ASCII “esc” character, as defined in ISO 2022-1994. They are “HL7 escape sequences” as first defined in HL7 2.3, sec. 2.9.2. (Also, note that sections 2.8.28.6.1and 2.9.2 in HL7 2.3 correspond to sections 2.16.93 and 2.7.2 in HL7 2. 5.) | added v2.3.1

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0356 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie
2.3 | De modus om te wisselen van tekenset gedefinieerd in HL7 2.5, sectie 2.A.46, "XPN - uitgebreide persoonsnaam". | | Merk op dat de escape-tekens in deze modus het ASCII-teken "esc", zoals gedefinieerd in ISO 2022-1994 niet gebruiken. Het zijn "HL7 escape-tekens" zoals voor het eerst gedefinieerd in HL7 2.3, sectie 2.9.2 (Merk ook op dat secties 2.8.28.6.1 en 2.9.2 in HL7 2.3 overeenkomen met | added v2.3.1
<null> | Dit is de standaardwaarde, om aan te geven dat er geen wisselingen van tekenset voorkomen in dit bericht. | | Dit de standaardwaarde | added v2.3.1
ISO 2022-1994 | Deze standaard heet "Information Technology - Character Code Structure and Extension Technique". | | Deze standaard definieert een escape-reeks van basale 1 byte tekenset naar gespecificeerde andere tekenset en vice versa. De escape-reeks specificeert expliciet welke alternatieve tekenset wordt aangeroepen. Merk op dat in deze modus het werkelijke ASCII esc-teken ... | added v2.3.1

4.3.15.357 HL7 Version 2 Table 0357

URL: https://hl7.org/fhir/R4/v2/0357/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0357
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0357
Version: | 2.9
Name: | v2.0357
Title: | v2 Message error condition codes
Definition: | FHIR Value set/code system definition for HL7 v2 table 0357 (Message error condition codes)
OID: | ??
CodeSystem Resource | XML / JSON

ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.357.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0357 defines the following codes:

Code | Display | Definition | Comments | Version

0 | en: Message accepted de: Nachricht akzeptiert nl: Bericht geaccepteerd | | en: Success. Optional, as the AA conveys success. Used for systems that must always return a status code. nl: Succes. Optioneel, aangezien de AA succes betekent. Bedoeld voor systemen die altijd een status code teruggeven | added v2.3.1

100 | en: Segment sequence error de: Fehler in der Segmentreihenfolge nl: Fout in segmentvolgorde | | en: Error: The message segments were not in the proper order, or required segments are missing. nl: Fout: De berichtsegmenten stonden niet inde juiste volgorde, of er ontbraken verplichte segmenten | added v2.3.1

101 | en: Required field missing de: erforderliches Feld leer nl: Verplicht veld ontbreekt | | en: Error: A required field is missing from a segment nl: Fout: Er ontbreekt een verplicht veld in een segment | added v2.3.1

102 | en: Data type error de: Datentypfehler nl: Fout in datatype | | en: Error: The field contained data of the wrong data type, e.g., an NM field contained "FOO". nl: Fout: Het veld bevatte gegevens van het verkeerde type, bijv. een NM veld met "FOO". | added v2.3.1

103 | en: Table value not found de: fehlender Eintrag in der Tabelle nl: Tabelwaarde niet gevonden | | en: Error: A field of data type ID or IS was compared against the corresponding table, and no match was found. nl: Fout: Er is een veld van datatype ID of IS vergeleken met de bijbehorende tabel en er is geen match gevonden. | added v2.3.1

104 | en: Value too long nl: Waarde te lang | | en: Error: a value exceeded the normative length, or the length that the application is able to safely handle. nl: Fout: Een waarde overschreed de maximumlengte, of de lengte die de applicatie veilig kan verwerken. | added v2.7

198 | Non-Conformant Cardinality | | | added v2.9

199 | Other HL7 Error | | | added v2.9

200 | en: Unsupported message type de: Nachrichtentyp wird nicht unterstützt nl: Niet-ondersteund berichttype | | en: Rejection: The Message Type is not supported. nl: Afkeuring: Het berichttype wordt niet ondersteund. | added v2.3.1

201 | en: Unsupported event code de: Ereignis wird nicht unterstützt nl: Niet-ondersteunde eventcode | | en: Rejection: The Event Code is not supported. nl: Afkeuring: De eventcode wordt niet ondersteund. | added v2.3.1

202 | en: Unsupported processing id de: Processing-ID wird nicht unterstützt nl: Niet-ondersteunde processing id | | en: Rejection: The Processing ID is not supported. nl: Afkeuring: De processing id wordt niet ondersteund. | added v2.3.1

203 | en: Unsupported version id de: Version wird nicht unterstützt nl: Niet-ondersteunde versie | | en: Rejection: The Version ID is not supported. nl: Afkeuring: De versie wordt niet ondersteund. | added v2.3.1

204 | en: Unknown key identifier de: Schlüsselwert nicht gefunden nl: Onbekende sleutel-identificatie | | en: Rejection: The ID of the patient, order, etc., was not found. Used for transactions other than additions, e.g., transfer of a non-existent patient. nl: Afkeuring: Het id van de patiënt, order etc. is niet gevonden. Bedoeld voor transacties anders dan toevoegingen, bijv. overdracht van een niet-bestaande patiënt. | added v2.3.1

205 | en: Duplicate key identifier de: doppelter Schlüsselwert nl: Duplicaat sleutel-identificatie | | en: Rejection: The ID of the patient, order, etc., already exists. Used in response to addition transactions (Admit, New Order, etc.). nl: Afkeuring: Het id van de patiënt, order, etc. bestond al. Bedoeld voor antwoorden op toevoegingen (Opname, Nieuwe order, etc.). | added v2.3.1

206 | en: Application record locked de: Datensatz durch Applikation gesperrt nl: Applicatie record vergrendeld | | en: Rejection: The transaction could not be performed at the application storage level, e.g., database locked. nl: Afkeuring: De transactie kon niet worden uitgevoerd op niveau van applicatie-opslag, e.g. database vergrendeld. | added v2.3.1

207 | en: Application error de: applikationsinterner Fehler nl: Interne applicatiefout | | en: Rejection: A catchall for internal errors not explicitly covered by other codes. nl: Afkeuring: Een generieke opvang voor interne fouten die niet expliciet worden gedekt door andere codes. | added v2.3.1

This code system http://terminology.hl7.org/CodeSystem/v2-0357 defines the following codes:

Code | Display | Definition | Comments | Version

0 | Message accepted | | Success. Optional, as the AA conveys success. Used for systems that must always return a status code. | added v2.3.1

100 | Segment sequence error | | Error: The message segments were not in the proper order, or required segments are missing. | added v2.3.1

101 | Required field missing | | Error: A required field is missing from a segment | added v2.3.1

102 | Data type error | | Error: The field contained data of the wrong data type, e.g., an NM field contained "FOO". | added v2.3.1

103 | Table value not found | | Error: A field of data type ID or IS was compared against the corresponding table, and no match was found. | added v2.3.1

104 | Value too long | | Error: a value exceeded the normative length, or the length that the application is able to safely handle. | added v2.7

198 | Non-Conformant Cardinality | | | added v2.9

199 | Other HL7 Error | | | added v2.9

200 | Unsupported message type | | Rejection: The Message Type is not supported. | added v2.3.1

201 | Unsupported event code | | Rejection: The Event Code is not supported. | added v2.3.1

202 | Unsupported processing id | | Rejection: The Processing ID is not supported. | added v2.3.1

203 | Unsupported version id | | Rejection: The Version ID is not supported. | added v2.3.1

204 | Unknown key identifier | | Rejection: The ID of the patient, order, etc., was not found. Used for transactions other than additions, e.g., transfer of a non-existent patient. | added v2.3.1
205 | Duplicate key identifier | | Rejection: The ID of the patient, order, etc., already exists. Used in response to addition transactions (Admit, New Order, etc.). | added v2.3.1
206 | Application record locked | | Rejection: The transaction could not be performed at the application storage level, e.g., database locked. | added v2.3.1
207 | Application error | | Rejection: A catchall for internal errors not explicitly covered by other codes. | added v2.3.1

This code system http://terminology.hl7.org/CodeSystem/v2-0357 defines the following codes:

Code | Display | Definition | Comments | Version
0 | Nachricht akzeptiert | | | added v2.3.1
100 | Fehler in der Segmentreihenfolge | | | added v2.3.1
101 | erforderliches Feld leer | | | added v2.3.1
102 | Datentypfehler | | | added v2.3.1
103 | fehlender Eintrag in der Tabelle | | | added v2.3.1
104 | | | | added v2.7
198 | | | | added v2.9
199 | | | | added v2.9
200 | Nachrichtentyp wird nicht unterstützt | | | added v2.3.1
201 | Ereignis wird nicht unterstützt | | | added v2.3.1
202 | Processing-ID wird nicht unterstützt | | | added v2.3.1
203 | Version wird nicht unterstützt | | | added v2.3.1
204 | Schlüsselwert nicht gefunden | | | added v2.3.1
205 | doppelter Schlüsselwert | | | added v2.3.1
206 | Datensatz durch Applikation gesperrt | | | added v2.3.1
207 | applikationsinterner Fehler | | | added v2.3.1

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0357 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie
0 | Bericht geaccepteerd | | Succes. Optioneel, aangezien de AA succes betekent. Bedoeld voor systemen die altijd een status code teruggeven | added v2.3.1
100 | Fout in segmentvolgorde | | Fout: De berichtsegmenten stonden niet inde juiste volgorde, of er ontbraken verplichte segmenten | added v2.3.1
101 | Verplicht veld ontbreekt | | Fout: Er ontbreekt een verplicht veld in een segment | added v2.3.1
102 | Fout in datatype | | Fout: Het veld bevatte gegevens van het verkeerde type, bijv. een NM veld met "FOO". | added v2.3.1
103 | Tabelwaarde niet gevonden | | Fout: Er is een veld van datatype ID of IS vergeleken met de bijbehorende tabel en er is geen match gevonden. | added v2.3.1
104 | Waarde te lang | | Fout: Een waarde overschreed de maximumlengte, of de lengte die de applicatie veilig kan verwerken. | added v2.7
198 | | | | added v2.9
199 | | | | added v2.9
200 | Niet-ondersteund berichttype | | Afkeuring: Het berichttype wordt niet ondersteund. | added v2.3.1
201 | Niet-ondersteunde eventcode | | Afkeuring: De eventcode wordt niet ondersteund. | added v2.3.1
202 | Niet-ondersteunde processing id | | Afkeuring: De processing id wordt niet ondersteund. | added v2.3.1
203 | Niet-ondersteunde versie | | Afkeuring: De versie wordt niet ondersteund. | added v2.3.1
204 | Onbekende sleutel-identificatie | | Afkeuring: Het id van de patiënt, order etc. is niet gevonden. Bedoeld voor transacties anders dan toevoegingen, bijv. overdracht van een niet-bestaande patiënt. | added v2.3.1
205 | Duplicaat sleutel-identificatie | | Afkeuring: Het id van de patiënt, order, etc. bestond al. Bedoeld voor antwoorden op toevoegingen (Opname, Nieuwe order, etc.). | added v2.3.1
206 | Applicatie record vergrendeld | | Afkeuring: De transactie kon niet worden uitgevoerd op niveau van applicatie-opslag, e.g. database vergrendeld. | added v2.3.1
207 | Interne applicatiefout | | Afkeuring: Een generieke opvang voor interne fouten die niet expliciet worden gedekt door andere codes. | added v2.3.1

4.3.15.359 HL7 Version 2 Table 0359

URL: https://hl7.org/fhir/R4/v2/0359/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0359
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0359
Version: | 2.9
Name: | v2.0359
Title: | v2 Diagnosis priority
Definition: | FHIR Value set/code system definition for HL7 v2 table 0359 (Diagnosis priority)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.359.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0359 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | en: No suggested values defined de: keine Werte vorgeschlagen | | Deprecated | added v2.6, removed after v2.8.2
0 | en: Not included in diagnosis ranking nl: niet in diagnoseranglijst | | | added v2.3.1
1 | en: The primary diagnosis nl: de primaire diagnose | | | added v2.3.1
2 | en: For secondary diagnosis nl: voor gerangschikte secundaire diagnoses | | | added v2.6
2 ... | en: For ranked secondary diagnoses nl: voor gerangschikte secundaire diagnoses | | Deprecated | added v2.4, removed after v2.5.1
2 and higher | en: for ranked secondary diagnoses nl: voor gerangschikte secundaire diagnoses | | Deprecated | added v2.3.1, removed after v2.3.1
3 | For tertiary diagnosis | | | added v2.9
4 | For quaternary diagnosis | | | added v2.9

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0359 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | No suggested values defined | | Deprecated | added v2.6, removed after v2.8.2
0 | Not included in diagnosis ranking | | | added v2.3.1
1 | The primary diagnosis | | | added v2.3.1
2 | For secondary diagnosis | | | added v2.6
2 ... | For ranked secondary diagnoses | | Deprecated | added v2.4, removed after v2.5.1
2 and higher | for ranked secondary diagnoses | | Deprecated | added v2.3.1, removed after v2.3.1
3 | For tertiary diagnosis | | | added v2.9
4 | For quaternary diagnosis | | | added v2.9

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0359 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | keine Werte vorgeschlagen | | Deprecated | added v2.6, removed after v2.8.2
0 | | | | added v2.3.1
1 | | | | added v2.3.1
2 | | | | added v2.6
2 ... | | | Deprecated | added v2.4, removed after v2.5.1
2 and higher | | | Deprecated | added v2.3.1, removed after v2.3.1
3 | | | | added v2.9
4 | | | | added v2.9

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0359 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
... | | | Verouderd | added v2.6, removed after v2.8.2

0 | niet in diagnoseranglijst | | | added v2.3.1
1 | de primaire diagnose | | | added v2.3.1
2 | voor gerangschikte secundaire diagnoses | | | added v2.6
2 ... | voor gerangschikte secundaire diagnoses | | Verouderd | added v2.4, removed after v2.5.1
2 and higher | voor gerangschikte secundaire diagnoses | | Verouderd | added v2.3.1, removed after v2.3.1
3 | | | | added v2.9
4 | | | | added v2.9

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.359.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0359 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0359

Code | Display | Definition
0 | Not included in diagnosis ranking
1 | The primary diagnosis
2 | For secondary diagnosis
3 | For tertiary diagnosis
4 | For quaternary diagnosis

Additional Language Displays

Code | Nederlands (Dutch, nl)
0 | niet in diagnoseranglijst
1 | de primaire diagnose
2 | voor gerangschikte secundaire diagnoses
3
4

4.3.15.363 HL7 Version 2 Table 0363

URL: https://hl7.org/fhir/R4/v2/0363/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0363
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0363
Version: | 2.9
Name: | v2.0363
Title: | v2 Assigning authority
Definition: | FHIR Value set/code system definition for HL7 v2 table 0363 (Assigning authority)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.363.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0363 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | en: No suggested values defined de: keine Werte vorgeschlagen nl: geen voorgestelde waarden | | | added v2.5.1
AUSDVA | en: Australia - Dept. of Veterans Affairs de: --- | | Deprecated | added v2.4, removed after v2.4
AUSHIC | en: Australia - Health Insurance Commission de: --- | | Deprecated | added v2.4, removed after v2.4

CANAB | en: Canada - Alberta de: --- | | Deprecated | added v2.4, removed after v2.4
CANBC | en: Canada - British Columbia de: --- | | Deprecated | added v2.4, removed after v2.4
CANMB | en: Canada - Manitoba de: --- | | Deprecated | added v2.4, removed after v2.4
CANNB | en: Canada - New Brunswick de: --- | | Deprecated | added v2.4, removed after v2.4
CANNF | en: Canada - Newfoundland de: --- | | Deprecated | added v2.4, removed after v2.4
CANNS | en: Canada - Nova Scotia de: --- | | Deprecated | added v2.4, removed after v2.4
CANNT | en: Canada - Northwest Territories de: --- | | Deprecated | added v2.4, removed after v2.4
CANNU | en: Canada - Nanavut de: --- | | Deprecated | added v2.4, removed after v2.4
CANON | en: Canada - Ontario de: --- | | Deprecated | added v2.4, removed after v2.4
CANPE | en: Canada - Prince Edward Island de: --- | | Deprecated | added v2.4, removed after v2.4
CANQC | en: Canada - Quebec de: --- | | Deprecated | added v2.4, removed after v2.4
CANSK | en: Canada - Saskatchewan de: --- | | Deprecated | added v2.4, removed after v2.4
CANYT | en: Canada - Yukon Territories de: --- | | Deprecated | added v2.4, removed after v2.4
NLVWS | en: NL - Ministerie van Volksgezondheid, Welzijn en Sport de: --- | | Deprecated | added v2.4, removed after v2.4
USCDC | en: US Center for Disease Control de: --- | | Deprecated | added v2.4, removed after v2.4
USHCFA | en: US Healthcare Finance Authority de: --- | | Deprecated | added v2.4, removed after v2.4
USSSA | en: US Social Security Administration de: --- | | Deprecated | added v2.4, removed after v2.4

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0363 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | No suggested values defined | | | added v2.5.1
AUSDVA | Australia - Dept. of Veterans Affairs | | Deprecated | added v2.4, removed after v2.4
AUSHIC | Australia - Health Insurance Commission | | Deprecated | added v2.4, removed after v2.4
CANAB | Canada - Alberta | | Deprecated | added v2.4, removed after v2.4
CANBC | Canada - British Columbia | | Deprecated | added v2.4, removed after v2.4
CANMB | Canada - Manitoba | | Deprecated | added v2.4, removed after v2.4
CANNB | Canada - New Brunswick | | Deprecated | added v2.4, removed after v2.4
CANNF | Canada - Newfoundland | | Deprecated | added v2.4, removed after v2.4
CANNS | Canada - Nova Scotia | | Deprecated | added v2.4, removed after v2.4
CANNT | Canada - Northwest Territories | | Deprecated | added v2.4, removed after v2.4
CANNU | Canada - Nanavut | | Deprecated | added v2.4, removed after v2.4
CANON | Canada - Ontario | | Deprecated | added v2.4, removed after v2.4
CANPE | Canada - Prince Edward Island | | Deprecated | added v2.4, removed after v2.4
CANQC | Canada - Quebec | | Deprecated | added v2.4, removed after v2.4
CANSK | Canada - Saskatchewan | | Deprecated | added v2.4, removed after v2.4
CANYT | Canada - Yukon Territories | | Deprecated | added v2.4, removed after v2.4
NLVWS | NL - Ministerie van Volksgezondheid, Welzijn en Sport | | Deprecated | added v2.4, removed after v2.4
USCDC | US Center for Disease Control | | Deprecated | added v2.4, removed after v2.4
USHCFA | US Healthcare Finance Authority | | Deprecated | added v2.4, removed after v2.4
USSSA | US Social Security Administration | | Deprecated | added v2.4, removed after v2.4

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0363 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | keine Werte vorgeschlagen | | | added v2.5.1
AUSDVA | --- | | Deprecated | added v2.4, removed after v2.4
AUSHIC | --- | | Deprecated | added v2.4, removed after v2.4
CANAB | --- | | Deprecated | added v2.4, removed after v2.4
CANBC | --- | | Deprecated | added v2.4, removed after v2.4
CANMB | --- | | Deprecated | added v2.4, removed after v2.4
CANNB | --- | | Deprecated | added v2.4, removed after v2.4
CANNF | --- | | Deprecated | added v2.4, removed after v2.4
CANNS | --- | | Deprecated | added v2.4, removed after v2.4
CANNT | --- | | Deprecated | added v2.4, removed after v2.4
CANNU | --- | | Deprecated | added v2.4, removed after v2.4
CANON | --- | | Deprecated | added v2.4, removed after v2.4
CANPE | --- | | Deprecated | added v2.4, removed after v2.4
CANQC | --- | | Deprecated | added v2.4, removed after v2.4
CANSK | --- | | Deprecated | added v2.4, removed after v2.4
CANYT | --- | | Deprecated | added v2.4, removed after v2.4
NLVWS | --- | | Deprecated | added v2.4, removed after v2.4

USCDC | --- | | Deprecated | added v2.4, removed after v2.4
USHCFA | --- | | Deprecated | added v2.4, removed after v2.4
USSSA | --- | | Deprecated | added v2.4, removed after v2.4

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0363 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
... | geen voorgestelde waarden | | | added v2.5.1
AUSDVA | | | Verouderd | added v2.4, removed after v2.4
AUSHIC | | | Verouderd | added v2.4, removed after v2.4
CANAB | | | Verouderd | added v2.4, removed after v2.4
CANBC | | | Verouderd | added v2.4, removed after v2.4
CANMB | | | Verouderd | added v2.4, removed after v2.4
CANNB | | | Verouderd | added v2.4, removed after v2.4
CANNF | | | Verouderd | added v2.4, removed after v2.4
CANNS | | | Verouderd | added v2.4, removed after v2.4
CANNT | | | Verouderd | added v2.4, removed after v2.4
CANNU | | | Verouderd | added v2.4, removed after v2.4
CANON | | | Verouderd | added v2.4, removed after v2.4
CANPE | | | Verouderd | added v2.4, removed after v2.4
CANQC | | | Verouderd | added v2.4, removed after v2.4
CANSK | | | Verouderd | added v2.4, removed after v2.4
CANYT | | | Verouderd | added v2.4, removed after v2.4
NLVWS | NL - Ministerie van Volksgezondheid, Welzijn en Sport | | Verouderd | added v2.4, removed after v2.4
USCDC | | | Verouderd | added v2.4, removed after v2.4
USHCFA | | | Verouderd | added v2.4, removed after v2.4
USSSA | | | Verouderd | added v2.4, removed after v2.4

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.363.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 1 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0363 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0363

Code | Display | Definition
... | No suggested values defined

Additional Language Displays

Code | Deutsch (German, de) | Nederlands (Dutch, nl)
... | keine Werte vorgeschlagen | geen voorgestelde waarden

4.3.15.364 HL7 Version 2 Table 0364

URL: https://hl7.org/fhir/R4/v2/0364/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0364
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0364
Version: | 2.9
Name: | v2.0364
Title: | v2 Comment type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0364 (Comment type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.364.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0364 defines the following codes:

Code | Display | Definition | Version
1R | en: Primary Reason nl: Primaire reden | | added v2.3.1
2R | en: Secondary Reason nl: Secundaire reden | | added v2.3.1
AI | en: Ancillary Instructions nl: Aanvullende instructies | | added v2.3.1
DR | en: Duplicate/Interaction Reason nl: Duplicaat/interactie reden | | added v2.3.1
GI | en: General Instructions nl: Algemene instructies | | added v2.3.1
GR | en: General Reason nl: Algemene reden | | added v2.3.1
PI | en: Patient Instructions nl: Patiëntinstructies | | added v2.3.1
RE | en: Remark nl: Opmerking | | added v2.3.1

This code system http://terminology.hl7.org/CodeSystem/v2-0364 defines the following codes:

Code | Display | Definition | Version
1R | Primary Reason | | added v2.3.1
2R | Secondary Reason | | added v2.3.1
AI | Ancillary Instructions | | added v2.3.1
DR | Duplicate/Interaction Reason | | added v2.3.1
GI | General Instructions | | added v2.3.1
GR | General Reason | | added v2.3.1
PI | Patient Instructions | | added v2.3.1
RE | Remark | | added v2.3.1

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0364 definieert de volgende codes:

Code | Display | Definition | Versie
1R | Primaire reden | | added v2.3.1
2R | Secundaire reden | | added v2.3.1
AI | Aanvullende instructies | | added v2.3.1
DR | Duplicaat/interactie reden | | added v2.3.1
GI | Algemene instructies | | added v2.3.1
GR | Algemene reden | | added v2.3.1
PI | Patiëntinstructies | | added v2.3.1
RE | Opmerking | | added v2.3.1

4.3.15.365 HL7 Version 2 Table 0365

URL: https://hl7.org/fhir/R4/v2/0365/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0365
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0365
Version: | 2.9
Name: | v2.0365
Title: | v2 Equipment state
Definition: | FHIR Value set/code system definition for HL7 v2 table 0365 (Equipment state)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.365.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0365 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | en: (null) No state change nl: (null) Geen statuswijziging | | Deprecated | added v2.6, removed after v2.8.2
CL | en: Clearing nl: Wissen | | | added v2.4
CO | en: Configuring nl: Configureren | | | added v2.4
DI | Diagnose | | | added v2.8
ES | en: E-stopped nl: E-gestopt | | | added v2.4
FL | Failure | | | added v2.9
ID | Idle | | | added v2.4
IN | en: Initializing nl: Initialiseren | | | added v2.4
LT | Limited test menu | | | added v2.9
MA | en: Maintenance nl: Onderhoud | | | added v2.8
OP | en: Normal Operation nl: Normaal in bedrijf | | | added v2.4
PA | en: Pausing nl: Pauzeren | | | added v2.4
PD | en: Paused nl: Gepauzeerd | | | added v2.4
PU | en: Powered Up nl: Opgestart | | | added v2.4
RS | Ready to start | | | added v2.9
SD | en: Shutting down nl: Afsluiten | | | added v2.8
SS | en: Sampling stopped nl: Sampling gestopt | | | added v2.8
TS | en: Transport stopped nl: Transport gestopt | | | added v2.8
UNK | Unknown | | | added v2.9
... | en: (null) No state change nl: (null) Geen statuswijziging | | Deprecated | added v2.7.1, removed after v2.7.1

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0365 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | (null) No state change | | Deprecated | added v2.6, removed after v2.8.2
CL | Clearing | | | added v2.4
CO | Configuring | | | added v2.4
DI | Diagnose | | | added v2.8
ES | E-stopped | | | added v2.4
FL | Failure | | | added v2.9
ID | Idle | | | added v2.4
IN | Initializing | | | added v2.4
LT | Limited test menu | | | added v2.9
MA | Maintenance | | | added v2.8
OP | Normal Operation | | | added v2.4
PA | Pausing | | | added v2.4
PD | Paused | | | added v2.4
PU | Powered Up | | | added v2.4
RS | Ready to start | | | added v2.9
SD | Shutting down | | | added v2.8
SS | Sampling stopped | | | added v2.8
TS | Transport stopped | | | added v2.8
UNK | Unknown | | | added v2.9
... | (null) No state change | | Deprecated | added v2.7.1, removed after v2.7.1

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0365 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
... | (null) Geen statuswijziging | | Verouderd | added v2.6, removed after v2.8.2
CL | Wissen | | | added v2.4
CO | Configureren | | | added v2.4
DI | Diagnose | | | added v2.8
ES | E-gestopt | | | added v2.4
FL | | | | added v2.9
ID | Idle | | | added v2.4
IN | Initialiseren | | | added v2.4
LT | | | | added v2.9
MA | Onderhoud | | | added v2.8
OP | Normaal in bedrijf | | | added v2.4
PA | Pauzeren | | | added v2.4
PD | Gepauzeerd | | | added v2.4

PU | Opgestart | | | added v2.4
RS | | | | added v2.9
SD | Afsluiten | | | added v2.8
SS | Sampling gestopt | | | added v2.8
TS | Transport gestopt | | | added v2.8
UNK | | | | added v2.9
... | (null) Geen statuswijziging | | Verouderd | added v2.7.1, removed after v2.7.1

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.365.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 18 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0365 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0365

Code | Display | Definition
CL | Clearing
CO | Configuring
DI | Diagnose
ES | E-stopped
FL | Failure
ID | Idle
IN | Initializing
LT | Limited test menu
MA | Maintenance
OP | Normal Operation
PA | Pausing
PD | Paused
PU | Powered Up
RS | Ready to start
SD | Shutting down
SS | Sampling stopped
TS | Transport stopped
UNK | Unknown

Additional Language Displays

Code | Nederlands (Dutch, nl)
CL | Wissen
CO | Configureren
DI | Diagnose
ES | E-gestopt
FL
ID | Idle
IN | Initialiseren
LT
MA | Onderhoud
OP | Normaal in bedrijf
PA | Pauzeren
PD | Gepauzeerd
PU | Opgestart
RS
SD | Afsluiten
SS | Sampling gestopt
TS | Transport gestopt
UNK

4.3.15.366 HL7 Version 2 Table 0366

URL: https://hl7.org/fhir/R4/v2/0366/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0366
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0366
Version: | 2.9
Name: | v2.0366
Title: | v2 Local/remote control state
Definition: | FHIR Value set/code system definition for HL7 v2 table 0366 (Local/remote control state)
OID: | ??

CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.366.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0366 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | en: (null) No state change nl: (null) geen statuswijziging | | Deprecated | added v2.6, removed after v2.8.2
L | en: Local nl: Lokaal | | | added v2.4
R | en: Remote nl: Extern | | | added v2.4
... | en: (null) No state change nl: (null) Geen statuswijziging | | Deprecated | added v2.7.1, removed after v2.7.1

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0366 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | (null) No state change | | Deprecated | added v2.6, removed after v2.8.2
L | Local | | | added v2.4
R | Remote | | | added v2.4
... | (null) No state change | | Deprecated | added v2.7.1, removed after v2.7.1

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0366 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
... | (null) geen statuswijziging | | Verouderd | added v2.6, removed after v2.8.2
L | Lokaal | | | added v2.4
R | Extern | | | added v2.4
... | (null) Geen statuswijziging | | Verouderd | added v2.7.1, removed after v2.7.1

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.366.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0366 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0366

Code | Display | Definition
L | Local
R | Remote

Additional Language Displays

Code | Nederlands (Dutch, nl)
L | Lokaal
R | Extern

4.3.15.367 HL7 Version 2 Table 0367

URL: https://hl7.org/fhir/R4/v2/0367/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0367
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0367
Version: | 2.9
Name: | v2.0367
Title: | v2 Alert level
Definition: | FHIR Value set/code system definition for HL7 v2 table 0367 (Alert level)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.367.1 Code System Content

- All Languages
- English
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0367 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
... | en: (null) No level change nl: (null) geen niveauwijziging | | Deprecated | | added v2.6, removed after v2.8.2
C | en: Critical nl: Kritiek | | | en: Shut Down, Fix Problem and Re-init nl: Stoppen, probleem oplossen en reïnitialiseren | added v2.4
N | en: Normal nl: Normaal | | | en: No Corrective Action Needed nl: Geen correctieve actie nodig | added v2.4
S | en: Serious nl: Serieus | | | en: Corrective Action Required nl: Correctieve actie vereist | added v2.4
W | en: Warning nl: Waarschuwing | | | en: Corrective Action Anticipated nl: Correctieve actie te verwachten | added v2.4
... | en: (null) No level change nl: (null) Geen statuswijziging | | Deprecated | | added v2.7.1, removed after v2.7.1

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0367 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
... | (null) No level change | | Deprecated | | added v2.6, removed after v2.8.2
C | Critical | | | Shut Down, Fix Problem and Re-init | added v2.4
N | Normal | | | No Corrective Action Needed | added v2.4
S | Serious | | | Corrective Action Required | added v2.4
W | Warning | | | Corrective Action Anticipated | added v2.4
... | (null) No level change | | Deprecated | | added v2.7.1, removed after v2.7.1

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0367 definieert de volgende codes:

Code | Display | Definition | Verouderd | Commentaar | Versie
... | (null) geen niveauwijziging | | Verouderd | | added v2.6, removed after v2.8.2
C | Kritiek | | | Stoppen, probleem oplossen en reïnitialiseren | added v2.4
N | Normaal | | | Geen correctieve actie nodig | added v2.4
S | Serieus | | | Correctieve actie vereist | added v2.4
W | Waarschuwing | | | Correctieve actie te verwachten | added v2.4
... | (null) Geen statuswijziging | | Verouderd | | added v2.7.1, removed after v2.7.1

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.367.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0367 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0367

Code | Display | Definition
C | Critical
N | Normal
S | Serious
W | Warning

Additional Language Displays

Code | Nederlands (Dutch, nl)
C | Kritiek
N | Normaal
S | Serieus
W | Waarschuwing

4.3.15.368 HL7 Version 2 Table 0368

URL: https://hl7.org/fhir/R4/v2/0368/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0368
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0368
Version: | 2.9
Name: | v2.0368
Title: | v2 Remote control command
Definition: | FHIR Value set/code system definition for HL7 v2 table 0368 (Remote control command)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.368.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0368 defines the following codes:

Code | Display | Definition | Comments | Version
AB | en: Abort nl: Afbreken | | | added v2.4
AF | en: Aliquot From container nl: Aliquot uit container | | en: See desc. below nl: Zie omschrijving hieronder | added v2.8
AT | en: Aliquot To container nl: Aliquot naar container | | en: See desc. below nl: Zie omschrijving hieronder | added v2.8
CL | en: Clear nl: Wissen | | | added v2.4
CN | en: Clear Notification nl: Wis melding | | | added v2.4
DI | en: Disable Sending Events nl: Versturen event deactiveren | | | added v2.4
EN | en: Enable Sending Events nl: Versturen events activeren | | | added v2.4
ES | en: Emergency -stop nl: Noodstop | | | added v2.4
EX | en: Execute (command specified in field Parameters (ST) 01394) nl: Uitvoeren (commando gespecificeerd in veld Parameters (ST) 01394) | | | added v2.4
IN | en: Initialize/Initiate nl: Initialiseren/Starten | | | added v2.4
LC | en: Local Control Request nl: Lokaal besturingsverzoek | | | added v2.4
LK | en: Lock nl: Vergrendelen | | | added v2.4
LO | en: Load nl: Laden | | | added v2.4
PA | en: Pause nl: Pauzeren | | | added v2.4
RC | en: Remote Control Request nl: Extern besturingsverzoek | | | added v2.4
RE | en: Resume nl: Hervatten | | | added v2.4
SA | en: Sampling nl: Sampelen | | | added v2.4
SU | en: Setup nl: Instellingen | | | added v2.4
TT | en: Transport To nl: Transport naar | | | added v2.4

UC | en: Unlock nl: Ontgrendelen | | | added v2.4
UN | en: Unload nl: Uitladen | | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0368 defines the following codes:

Code | Display | Definition | Comments | Version
AB | Abort | | | added v2.4
AF | Aliquot From container | | See desc. below | added v2.8
AT | Aliquot To container | | See desc. below | added v2.8
CL | Clear | | | added v2.4
CN | Clear Notification | | | added v2.4
DI | Disable Sending Events | | | added v2.4
EN | Enable Sending Events | | | added v2.4
ES | Emergency -stop | | | added v2.4
EX | Execute (command specified in field Parameters (ST) 01394) | | | added v2.4
IN | Initialize/Initiate | | | added v2.4
LC | Local Control Request | | | added v2.4
LK | Lock | | | added v2.4
LO | Load | | | added v2.4
PA | Pause | | | added v2.4
RC | Remote Control Request | | | added v2.4
RE | Resume | | | added v2.4
SA | Sampling | | | added v2.4
SU | Setup | | | added v2.4
TT | Transport To | | | added v2.4
UC | Unlock | | | added v2.4
UN | Unload | | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0368 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie
AB | Afbreken | | | added v2.4
AF | Aliquot uit container | | Zie omschrijving hieronder | added v2.8
AT | Aliquot naar container | | Zie omschrijving hieronder | added v2.8
CL | Wissen | | | added v2.4
CN | Wis melding | | | added v2.4
DI | Versturen event deactiveren | | | added v2.4
EN | Versturen events activeren | | | added v2.4
ES | Noodstop | | | added v2.4
EX | Uitvoeren (commando gespecificeerd in veld Parameters (ST) 01394) | | | added v2.4
IN | Initialiseren/Starten | | | added v2.4
LC | Lokaal besturingsverzoek | | | added v2.4
LK | Vergrendelen | | | added v2.4
LO | Laden | | | added v2.4
PA | Pauzeren | | | added v2.4
RC | Extern besturingsverzoek | | | added v2.4
RE | Hervatten | | | added v2.4
SA | Sampelen | | | added v2.4
SU | Instellingen | | | added v2.4
TT | Transport naar | | | added v2.4
UC | Ontgrendelen | | | added v2.4
UN | Uitladen | | | added v2.4

4.3.15.369 HL7 Version 2 Table 0369

URL: https://hl7.org/fhir/R4/v2/0369/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0369
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0369
Version: | 2.9
Name: | v2.0369
Title: | v2 Specimen role
Definition: | FHIR Value set/code system definition for HL7 v2 table 0369 (Specimen role)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.369.1 Code System Content

- All Languages
- English
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0369 defines the following codes:

Code | Display | Definition | Version
B | en: Blind Sample nl: Blind monster | | added v2.4
C | en: Calibrator, used for initial setting of calibration nl: Calibratie, gebruikt voor initiële calibratie | | added v2.4
E | en: Electronic QC, used with manufactured reference providing signals that simulate QC results nl: Electronische QC, gebruikt met fabrieksreferentie die signalen afgeeft die QC-resultaten stimuleren | | added v2.5
F | en: Specimen used for testing proficiency of the organization performing the testing (Filler) nl: Monster gebruikt voor testen van vakbekwaamheid van de organisatie die de testen uitvoert (Filler) | | added v2.5
G | en: Group (where a specimen consists of multiple individual elements that are not individually identified) nl: Groep (waarbij een monster bestaat uit meerdere individuele elementen die niet individueel worden geïdenticeerd) | | added v2.5
L | en: Pool (aliquots of individual specimens combined to form a single specimen representing all of the components.) nl: Pool (aliquots van individuele monsters gecombineerd tot een enkel monster dat alle componenten bevat.) | | added v2.5
O | en: Specimen used for testing Operator Proficiency nl: Monster gebruikt voor het testen van de vakbekwaamheid van de operator | | added v2.5
P | en: Patient (default if blank component value) nl: Patiënt (standaard indien component geen waarde heeft) | | added v2.4
Q | en: Control specimen nl: Control monster | | added v2.4
R | en: Replicate (of patient sample as a control) nl: Replicatie (van patiëntmonster ter controle) | | added v2.4
V | en: Verifying Calibrator, used for periodic calibration checks nl: Verificatie calibrator, gebruikt voor periodieke calibratietesten | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0369 defines the following codes:

Code | Display | Definition | Version
B | Blind Sample | | added v2.4
C | Calibrator, used for initial setting of calibration | | added v2.4
E | Electronic QC, used with manufactured reference providing signals that simulate QC results | | added v2.5
F | Specimen used for testing proficiency of the organization performing the testing (Filler) | | added v2.5
G | Group (where a specimen consists of multiple individual elements that are not individually identified) | | added v2.5
L | Pool (aliquots of individual specimens combined to form a single specimen representing all of the components.) | | added v2.5
O | Specimen used for testing Operator Proficiency | | added v2.5
P | Patient (default if blank component value) | | added v2.4
Q | Control specimen | | added v2.4
R | Replicate (of patient sample as a control) | | added v2.4
V | Verifying Calibrator, used for periodic calibration checks | | added v2.5

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0369 definieert de volgende codes:

Code | Display | Definition | Versie
B | Blind monster | | added v2.4
C | Calibratie, gebruikt voor initiële calibratie | | added v2.4
E | Electronische QC, gebruikt met fabrieksreferentie die signalen afgeeft die QC-resultaten stimuleren | | added v2.5
F | Monster gebruikt voor testen van vakbekwaamheid van de organisatie die de testen uitvoert (Filler) | | added v2.5
G | Groep (waarbij een monster bestaat uit meerdere individuele elementen die niet individueel worden geïdenticeerd) | | added v2.5
L | Pool (aliquots van individuele monsters gecombineerd tot een enkel monster dat alle componenten bevat.) | | added v2.5
O | Monster gebruikt voor het testen van de vakbekwaamheid van de operator | | added v2.5
P | Patiënt (standaard indien component geen waarde heeft) | | added v2.4
Q | Control monster | | added v2.4
R | Replicatie (van patiëntmonster ter controle) | | added v2.4
V | Verificatie calibrator, gebruikt voor periodieke calibratietesten | | added v2.5

4.3.15.370 HL7 Version 2 Table 0370

URL: https://hl7.org/fhir/R4/v2/0370/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0370
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0370
Version: | 2.9
Name: | v2.0370
Title: | v2 Container status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0370 (Container status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.370.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0370 defines the following codes:

Code | Display | Definition | Version
A | Archived | | added v2.9
I | en: Identified nl: Geïdentificeerd | | added v2.4
L | en: Left Equipment nl: Apparatuur verlaten | | added v2.4
M | en: Missing nl: Ontbreekt | | added v2.4
O | en: In Process nl: In behandeling | | added v2.4
P | en: In Position nl: Op zijn plaats | | added v2.4
R | en: Process Completed nl: Prcoes voltooid | | added v2.4
U | en: Unknown nl: Onbekend | | added v2.4
X | en: Container Unavailable nl: Container niet beschikbaar | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0370 defines the following codes:

Code | Display | Definition | Version
A | Archived | | added v2.9
I | Identified | | added v2.4
L | Left Equipment | | added v2.4
M | Missing | | added v2.4
O | In Process | | added v2.4
P | In Position | | added v2.4
R | Process Completed | | added v2.4
U | Unknown | | added v2.4
X | Container Unavailable | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0370 definieert de volgende codes:

Code | Display | Definition | Versie
A | | | added v2.9
I | Geïdentificeerd | | added v2.4
L | Apparatuur verlaten | | added v2.4
M | Ontbreekt | | added v2.4
O | In behandeling | | added v2.4
P | Op zijn plaats | | added v2.4
R | Prcoes voltooid | | added v2.4
U | Onbekend | | added v2.4
X | Container niet beschikbaar | | added v2.4

4.3.15.371 HL7 Version 2 Table 0371

URL: https://hl7.org/fhir/R4/v2/0371/index.html
Vocabulary Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0371
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0371
Version: | 2.9
Name: | v2.0371
Title: | v2 Additive
Definition: | FHIR Value set/code system definition for HL7 v2 table 0371 (Additive)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is used in the following places:

• Resource: Specimen.container.additive[x] (CodeableConcept|Reference(Substance) / Example)

• Resource: SpecimenDefinition.typeTested.container.additive.additive[x] (CodeableConcept|Reference(Substance) / Example)

4.3.15.371.1 Code System Content

- All Languages
- English
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0371 defines the following codes:

Code | Display | Definition | Comments | Version
ACDA | ACD Solution A | | en: Yellow top tube nl: Buis met gele dop | added v2.5
ACDB | ACD Solution B | | en: Yellow top tube nl: Buis met gele dop | added v2.5
ACET | Acetic Acid | | en: Urine preservative nl: Urineconservering | added v2.5
AMIES | Amies transport medium | | Protozoa | added v2.5
BACTM | Bacterial Transport medium | | en: Microbiological culture nl: Microbiologische kweek | added v2.5
BF10 | Buffered 10% formalin | | en: Tissue nl: Weefsel | added v2.5
BOR | Borate Boric Acid | | en: 24HR Urine Additive nl: 24-uurs urine additief | added v2.4
BOUIN | Bouin's solution | | en: Tissue nl: Weefsel | added v2.5
BSKM | Buffered skim milk | | en: Viral isolation nl: Virale isolaten | added v2.5
C32 | en: 3.2% Citrate nl: 3,2% Citraat | | en: Blue top tube nl: Buis met blauwe dop | added v2.4
C38 | en: 3.8% Citrate nl: 3,8% Citraat | | en: Blue top tube nl: Buis met blauwe dop | added v2.4
CARS | Carson's Modified 10% formalin | | en: Tissue nl: Weefsel | added v2.5
CARY | Cary Blair Medium | | en: Stool Cultures nl: Stool kweek | added v2.5
CHLTM | Chlamydia transport medium | | en: Chlamydia culture nl: Chlamydia kweek | added v2.5
CTAD | CTAD (this should be spelled out if not universally understood) | | en: Blue top tube nl: Buis met blauwe dop | added v2.5
EDTK | Potassium/K EDTA | | en: Deprecated. Replaced by EDTK15 and EDTK75 nl: Vervallen. Vervangen door EDTK15 en EDTK75 | added v2.4
EDTK15 | Potassium/K EDTA 15% | | en: Purple top tube nl: Buis met paarse dop | added v2.5
EDTK75 | Potassium/K EDTA 7.5% | | en: Purple top tube nl: Buis met paarse dop | added v2.5
EDTN | Sodium/Na EDTA | | en: Dark Blue top tube nl: Buis met donkerblauwe dop | added v2.4
ENT | Enteric bacteria transport medium | | en: Bacterial culture nl: Bacteriële kweek | added v2.5
ENT+ | Enteric plus | | en: Stool Cultures nl: Stool kweek | added v2.5
F10 | 10% Formalin | | en: Tissue preservative nl: Weefselconservering | added v2.5
FDP | Thrombin NIH; soybean trypsin inhibitor (Fibrin Degradation Products) | | en: Dark Blue top tube nl: Buis met donkerblauwe dop | added v2.5
FL10 | Sodium Fluoride, 10mg | | Urine | added v2.5
FL100 | Sodium Fluoride, 100mg | | Urine | added v2.5
HCL6 | 6N HCL | | en: 24 HR Urine Additive nl: 24-uurs urine | added v2.4
HEPA | Ammonium heparin | | en: Green top tube nl: Buis met groene dop | added v2.5
HEPL | Lithium/Li Heparin | | en: Green top tube nl: Buis met groene dop | added v2.4
HEPN | Sodium/Na Heparin | | en: Green top tube nl: Buis met groene dop | added v2.4
HNO3 | Nitric Acid | | Urine | added v2.5
JKM | Jones Kendrick Medium | | Bordetella pertussis | added v2.5
KARN | Karnovsky's fixative | | en: Tissue nl: Weefsel | added v2.5
KOX | Potassium Oxalate | | en: Gray top tube nl: Buis met grijze dop | added v2.5
LIA | Lithium iodoacetate | | en: Gray top tube nl: Buis met grijze dop | added v2.5
M4 | M4 | | en: Microbiological culture nl: Microbiologische kweek | added v2.5
M4RT | M4-RT | | en: Microbiological culture nl: Microbiologische kweek | added v2.5
M5 | M5 | | en: Microbiological culture nl: Microbiologische kweek | added v2.5
MICHTM | Michel's transport medium | | en: IF tests nl: IF testen | added v2.5
MMDTM | MMD transport medium | | en: Immunofluorescence nl: Immunofluorescentie | added v2.5
NAF | Sodium Fluoride | | en: Gray top tube nl: Buis met grijze dop | added v2.5
NAPS | Sodium polyanethol sulfonate 0.35% in 0.85% sodium chloride | | en: Yellow (Blood Culture) nl: Geel (Bloedkweek) | added v2.5
NONE | None | | en: Red or Pink top tube nl: Buis met rode of roze dop | added v2.5
PAGE | Pages's Saline | | Acanthaoemba | added v2.5
PHENOL | Phenol | | en: 24 Hr Urine Additive nl: 24-uurs urine additief | added v2.5
PVA | PVA (polyvinylalcohol) | | O&P | added v2.5
RLM | Reagan Lowe Medium | | en: Bordetella pertussis cultures nl: Bordetella pertussis kweek | added v2.5
SILICA | Siliceous earth, 12 mg | | en: Gray top tube nl: Buis met grijze dop | added v2.5
SPS | SPS(this should be spelled out if not universally understood) | | en: Anticoagulant w/o bacteriocidal properties nl: Anti-coagulent zonder bacteriocidale eigenschappen | added v2.5
SST | Serum Separator Tube (Polymer Gel) | | en: 'Tiger' Top tube nl: Buis met 'tijger' dop | added v2.5
STUTM | Stuart transport medium | | en: Bacterial culture nl: Bacteriële kweek | added v2.5
THROM | Thrombin | | en: Orange or Grey/Yellow (STAT Chem) nl: Oranje of grijs/geel (STAT chem) | added v2.5
THYMOL | Thymol | | en: 24 Hr Urine Additive nl: 24-uurs urine additief | added v2.5
THYO | Thyoglycollate broth | | en: Bacterial Isolation nl: Bacteriële isolaten | added v2.5
TOLU | Toluene | | en: 24 Hr Urine Additive nl: 24-uurs urine additief | added v2.5
URETM | Ureaplasma transport medium | | en: Ureaplasma culture nl: Ureoplasma kweek | added v2.5
VIRTM | Viral Transport medium | | en: Virus cultures nl: Viruskweek | added v2.5
WEST | Buffered Citrate (Westergren Sedimentation Rate) | | en: Black top tube nl: Buis met zwarte dop | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0371 defines the following codes:

Code | Display | Definition | Comments | Version
ACDA | ACD Solution A | | Yellow top tube | added v2.5
ACDB | ACD Solution B | | Yellow top tube | added v2.5

ACET | Acetic Acid | | Urine preservative | added v2.5
AMIES | Amies transport medium | | Protozoa | added v2.5
BACTM | Bacterial Transport medium | | Microbiological culture | added v2.5
BF10 | Buffered 10% formalin | | Tissue | added v2.5
BOR | Borate Boric Acid | | 24HR Urine Additive | added v2.4
BOUIN | Bouin's solution | | Tissue | added v2.5
BSKM | Buffered skim milk | | Viral isolation | added v2.5
C32 | 3.2% Citrate | | Blue top tube | added v2.4
C38 | 3.8% Citrate | | Blue top tube | added v2.4
CARS | Carson's Modified 10% formalin | | Tissue | added v2.5
CARY | Cary Blair Medium | | Stool Cultures | added v2.5
CHLTM | Chlamydia transport medium | | Chlamydia culture | added v2.5
CTAD | CTAD (this should be spelled out if not universally understood) | | Blue top tube | added v2.5
EDTK | Potassium/K EDTA | | Deprecated. Replaced by EDTK15 and EDTK75 | added v2.4
EDTK15 | Potassium/K EDTA 15% | | Purple top tube | added v2.5
EDTK75 | Potassium/K EDTA 7.5% | | Purple top tube | added v2.5
EDTN | Sodium/Na EDTA | | Dark Blue top tube | added v2.4
ENT | Enteric bacteria transport medium | | Bacterial culture | added v2.5
ENT+ | Enteric plus | | Stool Cultures | added v2.5
F10 | 10% Formalin | | Tissue preservative | added v2.5
FDP | Thrombin NIH; soybean trypsin inhibitor (Fibrin Degradation Products) | | Dark Blue top tube | added v2.5
FL10 | Sodium Fluoride, 10mg | | Urine | added v2.5
FL100 | Sodium Fluoride, 100mg | | Urine | added v2.5
HCL6 | 6N HCL | | 24 HR Urine Additive | added v2.4
HEPA | Ammonium heparin | | Green top tube | added v2.5
HEPL | Lithium/Li Heparin | | Green top tube | added v2.4
HEPN | Sodium/Na Heparin | | Green top tube | added v2.4
HNO3 | Nitric Acid | | Urine | added v2.5
JKM | Jones Kendrick Medium | | Bordetella pertussis | added v2.5
KARN | Karnovsky's fixative | | Tissue | added v2.5
KOX | Potassium Oxalate | | Gray top tube | added v2.5
LIA | Lithium iodoacetate | | Gray top tube | added v2.5
M4 | M4 | | Microbiological culture | added v2.5
M4RT | M4-RT | | Microbiological culture | added v2.5
M5 | M5 | | Microbiological culture | added v2.5
MICHTM | Michel's transport medium | | IF tests | added v2.5
MMDTM | MMD transport medium | | Immunofluorescence | added v2.5
NAF | Sodium Fluoride | | Gray top tube | added v2.5
NAPS | Sodium polyanethol sulfonate 0.35% in 0.85% sodium chloride | | Yellow (Blood Culture) | added v2.5
NONE | None | | Red or Pink top tube | added v2.5
PAGE | Pages's Saline | | Acanthaoemba | added v2.5
PHENOL | Phenol | | 24 Hr Urine Additive | added v2.5
PVA | PVA (polyvinylalcohol) | | O&P | added v2.5
RLM | Reagan Lowe Medium | | Bordetella pertussis cultures | added v2.5
SILICA | Siliceous earth, 12 mg | | Gray top tube | added v2.5
SPS | SPS(this should be spelled out if not universally understood) | | Anticoagulant w/o bacteriocidal properties | added v2.5
SST | Serum Separator Tube (Polymer Gel) | | 'Tiger' Top tube | added v2.5
STUTM | Stuart transport medium | | Bacterial culture | added v2.5
THROM | Thrombin | | Orange or Grey/Yellow (STAT Chem) | added v2.5
THYMOL | Thymol | | 24 Hr Urine Additive | added v2.5
THYO | Thyoglycollate broth | | Bacterial Isolation | added v2.5
TOLU | Toluene | | 24 Hr Urine Additive | added v2.5
URETM | Ureaplasma transport medium | | Ureaplasma culture | added v2.5
VIRTM | Viral Transport medium | | Virus cultures | added v2.5
WEST | Buffered Citrate (Westergren Sedimentation Rate) | | Black top tube | added v2.5

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0371 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie
ACDA | | | Buis met gele dop | added v2.5
ACDB | | | Buis met gele dop | added v2.5
ACET | | | Urineconservering | added v2.5
AMIES | | | Protozoa | added v2.5
BACTM | | | Microbiologische kweek | added v2.5
BF10 | | | Weefsel | added v2.5
BOR | | | 24-uurs urine additief | added v2.4
BOUIN | | | Weefsel | added v2.5
BSKM | | | Virale isolaten | added v2.5
C32 | 3,2% Citraat | | Buis met blauwe dop | added v2.4
C38 | 3,8% Citraat | | Buis met blauwe dop | added v2.4
CARS | | | Weefsel | added v2.5
CARY | | | Stool kweek | added v2.5
CHLTM | | | Chlamydia kweek | added v2.5

CTAD | | | Buis met blauwe dop | added v2.5
EDTK | | | Vervallen. Vervangen door EDTK15 en EDTK75 | added v2.4
EDTK15 | | | Buis met paarse dop | added v2.5
EDTK75 | | | Buis met paarse dop | added v2.5
EDTN | | | Buis met donkerblauwe dop | added v2.4
ENT | | | Bacteriële kweek | added v2.5
ENT+ | | | Stool kweek | added v2.5
F10 | | | Weefselconservering | added v2.5
FDP | | | Buis met donkerblauwe dop | added v2.5
FL10 | | | Urine | added v2.5
FL100 | | | Urine | added v2.5
HCL6 | | | 24-uurs urine | added v2.4
HEPA | | | Buis met groene dop | added v2.5
HEPL | | | Buis met groene dop | added v2.4
HEPN | | | Buis met groene dop | added v2.4
HNO3 | | | Urine | added v2.5
JKM | | | Bordetella pertussis | added v2.5
KARN | | | Weefsel | added v2.5
KOX | | | Buis met grijze dop | added v2.5
LIA | | | Buis met grijze dop | added v2.5
M4 | | | Microbiologische kweek | added v2.5
M4RT | | | Microbiologische kweek | added v2.5
M5 | | | Microbiologische kweek | added v2.5
MICHTM | | | IF testen | added v2.5
MMDTM | | | Immunofluorescentie | added v2.5
NAF | | | Buis met grijze dop | added v2.5
NAPS | | | Geel (Bloedkweek) | added v2.5
NONE | | | Buis met rode of roze dop | added v2.5
PAGE | | | Acanthaoemba | added v2.5
PHENOL | | | 24-uurs urine additief | added v2.5
PVA | | | O&P | added v2.5
RLM | | | Bordetella pertussis kweek | added v2.5
SILICA | | | Buis met grijze dop | added v2.5
SPS | | | Anti-coagulent zonder bacteriocidale eigenschappen | added v2.5
SST | | | Buis met 'tijger' dop | added v2.5
STUTM | | | Bacteriële kweek | added v2.5
THROM | | | Oranje of grijs/geel (STAT chem) | added v2.5
THYMOL | | | 24-uurs urine additief | added v2.5
THYO | | | Bacteriële isolaten | added v2.5
TOLU | | | 24-uurs urine additief | added v2.5
URETM | | | Ureoplasma kweek | added v2.5
VIRTM | | | Viruskweek | added v2.5
WEST | | | Buis met zwarte dop | added v2.5

4.3.15.372 HL7 Version 2 Table 0372

URL: https://hl7.org/fhir/R4/v2/0372/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0372
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0372
Version: | 2.9
Name: | v2.0372
Title: | v2 Specimen component
Definition: | FHIR Value set/code system definition for HL7 v2 table 0372 (Specimen component)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.372.1 Code System Content

Specimen Component

Code | Description | Comment | Version
BLD | Whole blood, homogeneous | | added v2.4
BSEP | Whole blood, separated | | added v2.4
PLAS | Plasma, NOS (not otherwise specified) | | added v2.4

PPP | Platelet poor plasma | | added v2.4
PRP | Platelet rich plasma | | added v2.4
SED | Sediment | | added v2.4
SER | Serum, NOS (not otherwise specified) | | added v2.4
SUP | Supernatant | | added v2.4

4.3.15.373 HL7 Version 2 Table 0373

URL: https://hl7.org/fhir/R4/v2/0373/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0373
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0373
Version: | 2.9
Name: | v2.0373
Title: | v2 Treatment
Definition: | FHIR Value set/code system definition for HL7 v2 table 0373 (Treatment)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.373.1 Code System Content

Treatment

Code | Description | Comment | Version
ACID | Acidification | | added v2.4
ALK | Alkalization | | added v2.4
DEFB | Defibrination | | added v2.4
FILT | Filtration | | added v2.4
LDLP | LDL Precipitation | | added v2.4
NEUT | Neutralization | | added v2.4
RECA | Recalification | | added v2.4
UFIL | Ultrafiltration | | added v2.4

4.3.15.374 HL7 Version 2 Table 0374

URL: https://hl7.org/fhir/R4/v2/0374/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0374
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0374
Version: | 2.9
Name: | v2.0374
Title: | v2 System induced contaminants
Definition: | FHIR Value set/code system definition for HL7 v2 table 0374 (System induced contaminants)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.374.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0374 defines the following codes:

Code | Display | Definition | Version
CNTM | en: Present, type of contamination unspecified nl: Aanwezig, type contaminatie niet-gedefinieerd | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0374 defines the following codes:

Code | Display | Definition | Version
CNTM | Present, type of contamination unspecified | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0374 definieert de volgende codes:

Code | Display | Definition | Versie
CNTM | Aanwezig, type contaminatie niet-gedefinieerd | | added v2.4

4.3.15.375 HL7 Version 2 Table 0375

URL: https://hl7.org/fhir/R4/v2/0375/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0375
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0375
Version: | 2.9
Name: | v2.0375
Title: | v2 Artificial blood
Definition: | FHIR Value set/code system definition for HL7 v2 table 0375 (Artificial blood)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.375.1 Code System Content

Artificial Blood

Code | Description | Comment | Version
FLUR | Fluorocarbons | | added v2.4
SFHB | Stromal free hemoglobin preparations | | added v2.4

4.3.15.376 HL7 Version 2 Table 0376

URL: https://hl7.org/fhir/R4/v2/0376/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0376
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0376
Version: | 2.9
Name: | v2.0376
Title: | v2 Special handling considerations
Definition: | FHIR Value set/code system definition for HL7 v2 table 0376 (Special handling considerations)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.376.1 Code System Content

Special Handling Code

Code | Description | Comment | Version
AMB | Ambient temperature | Keep at ambient (room) temperature, approximately 22 (2 degrees C. Accidental refrigeration or freezing is of little consequence | added v2.5
C37 | Body temperature | Critical to keep at body temperature: 36 - 38(C. | added v2.4
CAMB | Critical ambient temperature | Critical ambient - must not be refrigerated or frozen. | added v2.4
CATM | Protect from air | Critical. Do not expose to atmosphere. Do not uncap. | added v2.4
CFRZ | Critical frozen temperature | Critical frozen - must not be allowed to thaw until immediately prior to testing | added v2.4
CREF | Critical refrigerated temperature | Critical refrigerated - must not be allowed to freeze or warm until immediately prior to testing | added v2.4
DFRZ | Deep frozen | Deep frozen: -16 to -20(C. | added v2.5
DRY | Dry | Keep in a dry environment. | added v2.5
FRZ | Frozen temperature | Keep at frozen temperature: -4(C. Accidental thawing is of little consequence | added v2.5
MTLF | Metal Free | Container is free of heavy metals including lead. | added v2.5

NTR | Liquid nitrogen | Keep in liquid nitrogen. | added v2.5
PRTL | Protect from light | Protect from light (e.g., wrap in aluminum foil). | added v2.4
PSA | Do not shake | Do not shake. | added v2.5
PSO | No shock | Protect from shock. | added v2.5
REF | Refrigerated temperature | Keep at refrigerated temperature: 4-8(C. Accidental warming or freezing is of little consequence | added v2.5
UFRZ | Ultra frozen | Ultra cold frozen: ~ -75 to -85(C. (ultra cold freezer is typically at temperature of dry ice). | added v2.5
UPR | Upright | Keep upright. Do not turn upside down. | added v2.5

4.3.15.377 HL7 Version 2 Table 0377

URL: https://hl7.org/fhir/R4/v2/0377/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0377
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0377
Version: | 2.9
Name: | v2.0377
Title: | v2 Other environmental factors
Definition: | FHIR Value set/code system definition for HL7 v2 table 0377 (Other environmental factors)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.377.1 Code System Content

Other Environmental Factors

Code | Description | Comment | Version
A60 | Opened container, indoor atmosphere, 60 minutes duration | | added v2.4
ATM | Opened container, atmosphere and duration unspecified | | added v2.4

4.3.15.383 HL7 Version 2 Table 0383

URL: https://hl7.org/fhir/R4/v2/0383/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0383
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0383
Version: | 2.9
Name: | v2.0383
Title: | v2 Substance status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0383 (Substance status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.383.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0383 defines the following codes:

Code | Display | Definition | Version
CE | en: Calibration Error nl: Calibratie fout | | added v2.4
CW | en: Calibration Warning nl: Calibratie waarschuwing | | added v2.4
EE | en: Expired Error nl: Verlopen fout | | added v2.4
EW | en: Expired Warning nl: Verlopen waarschuwing | | added v2.4
NE | en: Not Available Error nl: Niet beschikbaar fout | | added v2.4
NW | en: Not Available Warning nl: Niet beschikbaar waarschuwing | | added v2.4

OE | en: Other Error nl: Andere fout | | added v2.4
OK | en: OK Status nl: Status OK | | added v2.4
OW | en: Other Warning nl: Andere waarschuwing | | added v2.4
QE | en: QC Error nl: QC fout | | added v2.4
QW | en: QC Warning nl: QC waarschuwing | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0383 defines the following codes:

Code | Display | Definition | Version
CE | Calibration Error | | added v2.4
CW | Calibration Warning | | added v2.4
EE | Expired Error | | added v2.4
EW | Expired Warning | | added v2.4
NE | Not Available Error | | added v2.4
NW | Not Available Warning | | added v2.4
OE | Other Error | | added v2.4
OK | OK Status | | added v2.4
OW | Other Warning | | added v2.4
QE | QC Error | | added v2.4
QW | QC Warning | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0383 definieert de volgende codes:

Code | Display | Definition | Versie
CE | Calibratie fout | | added v2.4
CW | Calibratie waarschuwing | | added v2.4
EE | Verlopen fout | | added v2.4
EW | Verlopen waarschuwing | | added v2.4
NE | Niet beschikbaar fout | | added v2.4
NW | Niet beschikbaar waarschuwing | | added v2.4
OE | Andere fout | | added v2.4
OK | Status OK | | added v2.4
OW | Andere waarschuwing | | added v2.4
QE | QC fout | | added v2.4
QW | QC waarschuwing | | added v2.4

4.3.15.384 HL7 Version 2 Table 0384

URL: https://hl7.org/fhir/R4/v2/0384/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0384
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0384
Version: | 2.9
Name: | v2.0384
Title: | v2 Substance type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0384 (Substance type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.384.1 Code System Content

- All Languages
- English
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0384 defines the following codes:

Code | Display | Definition | Comments | Version
CO | Control Reagent | | | added v2.4
DI | Diluent | | | added v2.4
LI | Measurable Liquid Item | | | added v2.4
LW | Liquid Waste | | | added v2.4
MR | Multiple Test Reagent | | The consumption cannot be tied to orders for a single test | added v2.4
OT | en: Other nl: Anders | | | added v2.4
PT | Pretreatment | | | added v2.4
PW | Purified Water | | | added v2.4
RC | Reagent Calibrator | | | added v2.4

SC | Countable Solid Item | | E.g., Pipetting tip | added v2.4
SR | Single Test Reagent | | | added v2.4
SW | Solid Waste | | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0384 defines the following codes:

Code | Display | Definition | Comments | Version
CO | Control Reagent | | | added v2.4
DI | Diluent | | | added v2.4
LI | Measurable Liquid Item | | | added v2.4
LW | Liquid Waste | | | added v2.4
MR | Multiple Test Reagent | | The consumption cannot be tied to orders for a single test | added v2.4
OT | Other | | | added v2.4
PT | Pretreatment | | | added v2.4
PW | Purified Water | | | added v2.4
RC | Reagent Calibrator | | | added v2.4
SC | Countable Solid Item | | E.g., Pipetting tip | added v2.4
SR | Single Test Reagent | | | added v2.4
SW | Solid Waste | | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0384 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie
CO | | | | added v2.4
DI | | | | added v2.4
LI | | | | added v2.4
LW | | | | added v2.4
MR | | | | added v2.4
OT | Anders | | | added v2.4
PT | | | | added v2.4
PW | | | | added v2.4
RC | | | | added v2.4
SC | | | | added v2.4
SR | | | | added v2.4
SW | | | | added v2.4

4.3.15.387 HL7 Version 2 Table 0387

URL: https://hl7.org/fhir/R4/v2/0387/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0387
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0387
Version: | 2.9
Name: | v2.0387
Title: | v2 Command response
Definition: | FHIR Value set/code system definition for HL7 v2 table 0387 (Command response)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.387.1 Code System Content

- All Languages
- English
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0387 defines the following codes:

Code | Display | Definition | Comments | Version
ER | en: Command cannot be completed because of error condition nl: Commando kan niet worden uitgevoerd vanwege een foutconditie | | en: See response parameters. nl: Zie antwoord parameters | added v2.4
OK | en: Command completed successfully nl: Commando succesvol uitgevoerd | | | added v2.4
ST | en: Command cannot be completed because of the status of the requested equipment nl: Commando kan niet worden uitgevoerd vanwege de status van de gevraagde apparatuur | | | added v2.4
TI | en: Command cannot be completed within requested completion time nl: Commando kan niet worden uitgevoerd binnen de gevraagde tijd voor voltooiing | | | added v2.4
UN | en: Command cannot be completed for unknown reasons nl: Commando kan om onbekende redenen niet worden uitgevoerd | | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0387 defines the following codes:

Code | Display | Definition | Comments | Version
ER | Command cannot be completed because of error condition | | See response parameters. | added v2.4
OK | Command completed successfully | | | added v2.4
ST | Command cannot be completed because of the status of the requested equipment | | | added v2.4
TI | Command cannot be completed within requested completion time | | | added v2.4
UN | Command cannot be completed for unknown reasons | | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0387 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie
ER | Commando kan niet worden uitgevoerd vanwege een foutconditie | | Zie antwoord parameters | added v2.4
OK | Commando succesvol uitgevoerd | | | added v2.4
ST | Commando kan niet worden uitgevoerd vanwege de status van de gevraagde apparatuur | | | added v2.4
TI | Commando kan niet worden uitgevoerd binnen de gevraagde tijd voor voltooiing | | | added v2.4
UN | Commando kan om onbekende redenen niet worden uitgevoerd | | | added v2.4

4.3.15.388 HL7 Version 2 Table 0388

URL: https://hl7.org/fhir/R4/v2/0388/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0388
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0388
Version: | 2.9
Name: | v2.0388
Title: | v2 Processing type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0388 (Processing type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.388.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0388 defines the following codes:

Code | Display | Definition | Version
E | en: Evaluation nl: Evaluatie | | added v2.4
P | en: Regular Production nl: Reguliere productie | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0388 defines the following codes:

Code | Display | Definition | Version
E | Evaluation | | added v2.4
P | Regular Production | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0388 definieert de volgende codes:

Code | Display | Definition | Versie
E | Evaluatie | | added v2.4
P | Reguliere productie | | added v2.4

4.3.15.389 HL7 Version 2 Table 0389

URL: https://hl7.org/fhir/R4/v2/0389/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0389
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0389
Version: | 2.9
Name: | v2.0389
Title: | v2 Analyte repeat status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0389 (Analyte repeat status)
OID: | ??

CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.389.1 Code System Content

Analyte Repeat Status

Code | Description | Comment | Version
D | Repeated with dilution | | added v2.4
F | Reflex test | | added v2.4
O | Original, first run | | added v2.4
R | Repeated without dilution | | added v2.4

4.3.15.392 HL7 Version 2 Table 0392

URL: https://hl7.org/fhir/R4/v2/0392/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0392
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0392
Version: | 2.9
Name: | v2.0392
Title: | v2 Match reason
Definition: | FHIR Value set/code system definition for HL7 v2 table 0392 (Match reason)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.392.1 Code System Content

- All Languages
- English
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0392 defines the following codes:

Code | Display | Definition | Version
DB | en: Match on Date of Birth nl: Match op geboortedatum | | added v2.4
NA | en: Match on Name (Alpha Match) nl: Match op naam (alfabetisch) | | added v2.4
NP | en: Match on Name (Phonetic Match) nl: Match op naam (fonetisch) | | added v2.4
SS | en: Match on Social Security Number nl: Match op SOFI-nummer | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0392 defines the following codes:

Code | Display | Definition | Version
DB | Match on Date of Birth | | added v2.4
NA | Match on Name (Alpha Match) | | added v2.4
NP | Match on Name (Phonetic Match) | | added v2.4
SS | Match on Social Security Number | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0392 definieert de volgende codes:

Code | Display | Definition | Versie
DB | Match op geboortedatum | | added v2.4
NA | Match op naam (alfabetisch) | | added v2.4
NP | Match op naam (fonetisch) | | added v2.4
SS | Match op SOFI-nummer | | added v2.4

4.3.15.393 HL7 Version 2 Table 0393

URL: https://hl7.org/fhir/R4/v2/0393/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0393

Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0393
Version: | 2.9
Name: | v2.0393
Title: | v2 Match algorithms
Definition: | FHIR Value set/code system definition for HL7 v2 table 0393 (Match algorithms)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.393.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0393 defines the following codes:

Code | Display | Definition | Version
LINKSOFT_2.01 | en: Proprietary algorithm for LinkSoft v2.01 nl: Propriëtair algoritme voor LinkSoft v2.01 | | added v2.4
MATCHWARE_1.2 | en: Proprietary algorithm for MatchWare v1.2 nl: Propriëtair algoritme voor MatchWare v1.2 | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0393 defines the following codes:

Code | Display | Definition | Version
LINKSOFT_2.01 | Proprietary algorithm for LinkSoft v2.01 | | added v2.4
MATCHWARE_1.2 | Proprietary algorithm for MatchWare v1.2 | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0393 definieert de volgende codes:

Code | Display | Definition | Versie
LINKSOFT_2.01 | Propriëtair algoritme voor LinkSoft v2.01 | | added v2.4
MATCHWARE_1.2 | Propriëtair algoritme voor MatchWare v1.2 | | added v2.4

4.3.15.394 HL7 Version 2 Table 0394

URL: https://hl7.org/fhir/R4/v2/0394/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0394
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0394
Version: | 2.9
Name: | v2.0394
Title: | v2 Response modality
Definition: | FHIR Value set/code system definition for HL7 v2 table 0394 (Response modality)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.394.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0394 defines the following codes:

Code | Display | Definition | Version
B | en: Batch nl: Batch/bundel | | added v2.4
R | Real Time | | added v2.4
T | en: Bolus (a series of responses sent at the same time without use of batch formatting) nl: Bolus (een serie antwoorden tegelijk verzonden zonder gebruik te maken van een batch/bundel) | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0394 defines the following codes:

Code | Display | Definition | Version
B | Batch | | added v2.4
R | Real Time | | added v2.4
T | Bolus (a series of responses sent at the same time without use of batch formatting) | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0394 definieert de volgende codes:

Code | Display | Definition | Versie
B | Batch/bundel | | added v2.4
R | Real time | | added v2.4
T | Bolus (een serie antwoorden tegelijk verzonden zonder gebruik te maken van een batch/bundel) | | added v2.4

4.3.15.395 HL7 Version 2 Table 0395

URL: https://hl7.org/fhir/R4/v2/0395/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0395
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0395
Version: | 2.9
Name: | v2.0395
Title: | v2 Modify indicator
Definition: | FHIR Value set/code system definition for HL7 v2 table 0395 (Modify indicator)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.395.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0395 defines the following codes:

Code | Display | Definition | Version
M | en: Modified Subscription nl: Gewijzigd abonnement | | added v2.4
N | en: New Subscription nl: Nieuw abonnement | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0395 defines the following codes:

Code | Display | Definition | Version
M | Modified Subscription | | added v2.4
N | New Subscription | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0395 definieert de volgende codes:

Code | Display | Definition | Versie
M | Gewijzigd abonnement | | added v2.4
N | Nieuw abonnement | | added v2.4