HL7 FHIR R4 — Chapter 4: Terminology Module — part 3 of 6 (sections 4.3.15.396 – 4.4.1.161)

Source: HL7 FHIR R4 (v4.0.1) specification, https://hl7.org/fhir/R4/ — text-only rendition for AI ingestion; page order follows toc.html.

4.3.15.396 HL7 Version 2 Table 0396

URL: https://hl7.org/fhir/R4/v2/0396/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0396
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0396
Version: | 2.9
Name: | v2.0396
Title: | v2 Coding System
Definition: | FHIR Value set/code system definition for HL7 v2 table 0396 (Coding System)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.396.1 Code System Content

- All Languages
- English
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0396 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
99zzz | en: Local general code where z is an alphanumeric character nl: Lokale algemene code waarbij z een alfanumeriek teken is | | Deprecated | en: Locally defined codes for purpose of sender or receiver - 99zzz (where z is an alphanumeric character). nl: Lokaal gedefinieerde codes ten behoeve van zender of ontvanger - 99zzz (waarbij z een alfanumeriek teken is) | added v2.7, removed after v2.8.2
99zzz or L | en: Local general code (where z is an alphanumeric character) nl: Lokale algemene code (waarbij z een alfanumeriek teken is) | | Deprecated | General code | added v2.4, removed after v2.6
ACR | en: American College of Radiology finding codes nl: American College of Radiology bevindingen codes | | Deprecated | Index for Radiological Diagnosis Revised, 3rd Edition 1986, American College of Radiology, Reston, VA. | added v2.4, removed after v2.8.2
ACTCODE | Table of HL7 Version 3 ActCode values | | Deprecated | | added v2.8.2, removed after v2.8.2
ACTRELSS | Used to indicate that the target of the relationship will be a filtered subset of the total related set of targets. Used when there is a need to limit the number of components to the first, the last, the next, the total, the average or some other filtere | | Deprecated | | added v2.8.2, removed after v2.8.2
ALPHAID2006 | en: German Alpha-ID v2006 nl: Duitse Alpha-ID v2006 | | Deprecated | en: ID of the alphabetical Index ICD-10-GM-2006. Alpha-ID. nl: ID van de alfabetische index ICD-10-GM-2006. Alpha-ID. | added v2.6, removed after v2.8.2
ALPHAID2007 | en: German Alpha-ID v2007 nl: Duitse Alpha-ID v2007 | | Deprecated | en: ID of the alphabetical Index ICD-10-GM-2007. Alpha-ID. nl: ID van de alfabetische index ICD-10-GM-2007. Alpha-ID. | added v2.6, removed after v2.8.2
ALPHAID2008 | en: German Alpha-ID v2008 nl: Duitse Alpha-ID v2008 | | Deprecated | en: ID of the alphabetical Index ICD-10-GM-2008. Alpha-ID. nl: ID van de alfabetische index ICD-10-GM-2008. Alpha-ID. | added v2.6, removed after v2.8.2
ALPHAID2009 | en: German Alpha-ID v2009 nl: Duitse Alpha-ID v2009 | | Deprecated | en: ID of the alphabetical Index ICD-10-GM-2009. Alpha-ID. nl: ID van de alfabetische index ICD-10-GM-2009. Alpha-ID. | added v2.7, removed after v2.8.2
ALPHAID2010 | en: German Alpha-ID v2010 nl: Duitse Alpha-ID v2010 | | Deprecated | en: ID of the alphabetical Index ICD-10-GM-2010. Alpha-ID. nl: ID van de alfabetische index ICD-10-GM-2010. Alpha-ID. | added v2.7, removed after v2.8.2
ALPHAID2011 | en: German Alpha-ID v2011 nl: Duitse Alpha-ID v2011 | | Deprecated | en: ID of the alphabetical Index ICD-10-GM-2011. Alpha-ID. nl: ID van de alfabetische index ICD-10-GM-2011. Alpha-ID. | added v2.7, removed after v2.8.2
ALPHAID2012 | German Alpha-ID v2013 | | Deprecated | | added v2.8.2, removed after v2.8.2
ALPHAID2013 | German Alpha-ID v2013 | | Deprecated | | added v2.8.2, removed after v2.8.2
ALPHAID2014 | German Alpha-ID v2014 | | Deprecated | | added v2.8.2, removed after v2.8.2
ALPHAID2015 | German Alpha-ID v2015 | | Deprecated | | added v2.8.2, removed after v2.8.2
ALPHAID2016 | German Alpha-ID v2016 | | Deprecated | | added v2.8.2, removed after v2.8.2

AMTv2 | Australian Medicines Terminology (v2) | | Deprecated | | added v2.8.2, removed after v2.8.2

ANS+ | en: HL7 set of units of measure nl: HL7 set van meeteenheden | | Deprecated | en: HL7 set of units of measure based upon ANSI X3.50 - 1986, ISO 2988-83, and US customary units / see chapter 7, section 7.4.2.6. nl: HL7 set van meeteenheden gebaseerd op ANSI X3.50 - 1986, ISO 2988-83 en specifieke Amerikaanse eenheden / zie hoofdstuk 7, sectie 7.4.2.6. | added v2.5, removed after v2.8.2

ART | en: WHO Adverse Reaction Terms nl: WHO Allergische reactie termen | | Deprecated | WHO Collaborating Centre for International Drug Monitoring, Box 26, S-751 03, Uppsala, Sweden. | added v2.4, removed after v2.8.2

AS4 | ASTM E1238/ E1467 Universal | | Deprecated | American Society for Testing & Materials and CPT4 (see Appendix X1 of Specification E1238 and Appendix X2 of Specification E1467). | added v2.4, removed after v2.8.2

AS4E | AS4 Neurophysiology Codes | | Deprecated | ASTM's diagnostic codes and test result coding/grading systems for clinical neurophysiology. See ASTM Specification E1467, Appendix 2. | added v2.4, removed after v2.8.2

ATC | American Type Culture Collection | | Deprecated | Reference cultures (microorganisms, tissue cultures, etc.), related biological materials and associated data. American Type Culture Collection, 12301 Parklawn Dr, Rockville MD, 20852. (301) 881-2600. http://www.atcc.org | added v2.4, removed after v2.8.2

C4 | CPT-4 | | Deprecated | American Medical Association, P.O. Box 10946, Chicago IL 60610. | added v2.4, removed after v2.8.2

C5 | CPT-5 | | Deprecated | Specific Non-Drug Code | added v2.4, removed after v2.6

CAPECC | College of American Pathologists Electronic Cancer Checklist | | Deprecated | Each code in this system represents a single line in a database template for the College of American Pathologists Electronic Cancer Checklist (CAP eCC). Each line and its code corresponds to either a question or an answer selection. The code is in a dec. | added v2.7, removed after v2.8.2

CAS | Chemical abstract codes | | Deprecated | en: These include unique codes for each unique chemical, including all generic drugs. The codes do not distinguish among different dosing forms. When multiple equivalent CAS numbers exist, use the first one listed in USAN. USAN 1990 and the USP dictionary of drug names, William M. Heller, Ph.D., Executive Editor, United States Pharmacopeial Convention, Inc., 12601 Twinbrook Parkway, Rockville, MD 20852. nl: These include unique codes for each unique chemical, including all generic drugs. The codes do not distinguish among different dosing forms. When multiple equivalent CAS numbers exist, use the first one listed in USAN. USAN 1990 and the USP dictionary of | added v2.4, removed after v2.8.2

CCC | Clinical Care Classification system | | Deprecated | Clinical Care Classification System (formerly Home Health Care Classification system) codes. The Clinical Care Classification (CCC) consists of two terminologies: CCC of Nursing Diagnose and CCC of Nursing Interventions both of which are classified by 21 Care Components. Virginia Saba, EdD, RN; Georgetown University School of Nursing; Washington, DC. | added v2.6, removed after v2.8.2

CD2 | CDT-2 Codes | | Deprecated | American Dental Association's Current Dental Terminology (CDT-2) code. American Dental Association, 211 E. Chicago Avenue,. Chicago, Illinois 60611. | added v2.4, removed after v2.8.2

CDCA | CDC Analyte Codes | | Deprecated | en: As above, for CDCM nl: Zoals hierboven voor CDCM | added v2.4, removed after v2.8.2

CDCEDACUITY | CDC Emergency Department Acuity | | Deprecated | Patient Acuity indicates level of care required (Acute, Chronic, Critical) | added v2.7, removed after v2.8.2

cdcgs1vis | VIS Bar Codes (IIS) | | Deprecated | | added v2.8.2, removed after v2.8.2

CDCM | CDC Methods/Instruments Codes | | Deprecated | Public Health Practice Program Office, Centers for Disease Control and Prevention, 4770 Buford Highway, Atlanta, GA, 30421. Also available via FTP: ftp.cdc.gov/pub/laboratory _info/CLIA and Gopher: gopher.cdc.gov:70/11/laboratory_info/CLIA | added v2.4, removed after v2.8.2

CDCNHSN | CDC National Healthcare Safety Network Codes | | Deprecated | | added v2.8.2, removed after v2.8.2

CDCOBS | CDC BioSense RT observations (Census) - CDC | | Deprecated | List of BioSense RT observations (Clinical) used in OBX-3 like Temperature, Bloodpressure and Census related observations. | added v2.7, removed after v2.8.2

CDCPHINVS | CDC PHIN Vocabulary Coding System | | Deprecated | CDC Public Health Information Network Vocabulary Service (PHIN VS) coding system concepts are used when the public health concepts are not available in the Standard Development Organization(SDO) Vocabulary like SNOMED CT, LOINC, ICD-9, etc.. The concepts in this coding system will be mapped to SDO Vocabulary when it is available. | added v2.7, removed after v2.8.2

CDCREC | Race & Ethnicity - CDC | | Deprecated | The U.S. Centers for Disease Control and Prevention (CDC) has prepared a code set for use in coding race and ethnicity data. This code set is based on current federal standards for classifying data on race and ethnicity, specifically the minimum race and ethnicity categories defined by the U.S. Office of Management and Budget (OMB) and a more detailed set of race and ethnicity categories maintained by the U.S. Bureau of the Census (BC). The main purpose of the code set is to facilitate use of federal standards for classifying data on race and ethnicity when these data are exchanged, stored, retrieved, or analyzed in electronic form. At the same time, the code set can be applied to paper-based record systems to the extent that these systems are used to collect, maintain, and report data on race and ethnicity in accordance with current federal standards. | added v2.7, removed after v2.8.2

CDS | CDC Surveillance | | Deprecated | CDC Surveillance Codes. For data unique to specific public health surveillance requirements. Epidemiology Program Office, Centers for Disease Control and Prevention, 1600 Clifton Rd, Atlanta, GA, 30333. (404) 639-3661. | added v2.4, removed after v2.8.2

CE | CEN ECG diagnostic codes | | Deprecated | Specific Non-Drug Code | added v2.4, removed after v2.5.1

CE (obsolete) | CEN ECG diagnostic codes | | Deprecated | CEN ECG diagnostic codes - (Obsolete, retained for backwards compatibility only. See the entry for the MDC coding system.) | added v2.6, removed after v2.8.2

CLP | CLIP | | Deprecated | Simon Leeming, Beth Israel Hospital, Boston MA. Codes for radiology reports. | added v2.4, removed after v2.8.2

CPTM | en: CPT Modifier Code nl: CPT Modifier Codes | | Deprecated | Available for the AMA at the address listed for CPT above. These codes are found in Appendix A of CPT 2000 Standard Edition. (CPT 2000 Standard Edition, American Medical Association, Chicago, IL). | added v2.4, removed after v2.8.2

CST | COSTART | | Deprecated | International coding system for adverse drug reactions. In the USA, maintained by the FDA, Rockville, MD. | added v2.4, removed after v2.8.2

CVX | CDC Vaccine Codes | | Deprecated | National Immunization Program, Centers for Disease Control and Prevention, 1660 Clifton Road, Atlanta, GA, 30333 | added v2.4, removed after v2.8.2

DCL | DICOM Class Label | | Deprecated | | added v2.4, removed after v2.4

DCM | en: DICOM Controlled Terminology nl: DICOM modality codes | | Deprecated | Codes defined in DICOM Content Mapping Resource. Digital Imaging and Communications in Medicine (DICOM). NEMA Publication PS-3.16 National Electrical Manufacturers Association (NEMA). Rosslyn, VA, 22209. Available at: http://medical.nema.org | added v2.4, removed after v2.8.2

DQL | DICOM Query Label | | Deprecated | | added v2.4, removed after v2.4

E | EUCLIDES | | Deprecated | en: Available from Euclides Foundation International nv, Excelsiorlaan 4A, B-1930 Zaventem, Belgium; Phone: 32 2 720 90 60. nl: Beschikbaar via Euclides Foundation International nv, Excelsiorlaan 4A, B-1930 Zaventem, België; Tel: 32 2 720 90 60. | added v2.4, removed after v2.8.2

E5 | en: Euclides quantity codes nl: Euclides quantity codes | | Deprecated | en: Available from Euclides Foundation International nv (see above) nl: Beschikbaar via Euclides Foundation International nv (zie hierboven) | added v2.4, removed after v2.8.2

E6 | Euclides Lab method codes | | Deprecated | en: Available from Euclides Foundation International nv, Excelsiorlaan 4A, B-1930 Zaventem, Belgium; Phone: 32 2 720 90 60. nl: Beschikbaar via Euclides Foundation International nv, Excelsiorlaan 4A, B-1930 Zaventem, België; Tel: 32 2 720 90 60. | added v2.4, removed after v2.8.2

E7 | Euclides Lab equipment codes | | Deprecated | en: Available from Euclides Foundation International nv (see above) nl: Beschikbaar via Euclides Foundation International nv (zie hierboven) | added v2.4, removed after v2.8.2

EDLEVEL | Education Level | | Deprecated | | added v2.8.2, removed after v2.8.2

ENTITYCODE | Entity Code | | Deprecated | | added v2.8.2, removed after v2.8.2

ENTITYHDLG | Entity Handling Code | | Deprecated | | added v2.8.2, removed after v2.8.2

ENZC | Enzyme Codes | | Deprecated | Enzyme Committee of the International Union of Biochemistry and Molecular Biology. Enzyme Nomenclature: Recommendations on the Nomenclature and Classification of Enzyme-Catalysed Reactions. London: Academic Press, 1992. | added v2.4, removed after v2.8.2

EPASRS | EPA SRS | | Deprecated | Subset of EPA SRS listing chemicals that are present in ECOTOX, STORET and TRI. | added v2.7, removed after v2.8.2

FDAUDI | FDA Unique Device Identifier | | Deprecated | Represents the approved agencies by the FDA that assign UDI Device Identifiers. | added v2.8.2, removed after v2.8.2

FDAUNII | Unique Ingredient Identifier (UNII) | | Deprecated | The Unique Ingredient Identifier (UNII) generated from the FDA Substance Registration System (SRS). | added v2.7, removed after v2.8.2

FDDC | First DataBank Drug Codes | | Deprecated | National Drug Data File. Proprietary product of First DataBank, Inc. (800) 633-3453, or http://www.firstdatabank.com. | added v2.4, removed after v2.8.2

FDDX | First DataBank Diagnostic Codes | | Deprecated | Used for drug-diagnosis interaction checking. Proprietary product of First DataBank, Inc. As above for FDDC. | added v2.4, removed after v2.8.2

FDK | FDA K10 | | Deprecated | Dept. of Health & Human Services, Food & Drug Administration, Rockville, MD 20857. (device & analyte process codes). | added v2.4, removed after v2.8.2

FIPS5_2 | FIPS 5-2 (State) | | Deprecated | Codes for the Identification of the States, the District of Columbia and the Outlying Areas of the United States, and Associated Areas. | added v2.7, removed after v2.8.2

FIPS6_4 | FIPS 6-4 (County) | | Deprecated | Federal Information Processing Standard (FIPS) 6-4 provides the names and codes that represent the counties and other entities treated as equivalent legal and/or statistical subdivisions of the 50 States, the District of Columbia, and the possessions and freely associated areas of the United States. | added v2.7, removed after v2.8.2

GDRG2004 | en: G-DRG German DRG Codes v2004 nl: G-DRG Duitse DRG Codes v2004 | | Deprecated | en: German Handbook for DRGs 2004. nl: Duits handboek voor DRG's 2004. | added v2.6, removed after v2.8.2

GDRG2005 | en: G-DRG German DRG Codes v2005 nl: G-DRG Duitse DRG Codes v2005 | | Deprecated | en: German Handbook for DRGs 2005. nl: Duits handboek voor DRG's 2005. | added v2.6, removed after v2.8.2

GDRG2006 | en: G-DRG German DRG Codes v2006 nl: G-DRG Duitse DRG Codes v2006 | | Deprecated | en: German Handbook for DRGs 2006. nl: Duits handboek voor DRG's 2006. | added v2.6, removed after v2.8.2

GDRG2007 | en: G-DRG German DRG Codes v2007 nl: G-DRG Duitse DRG Codes v2007 | | Deprecated | en: German Handbook for DRGs 2007. nl: Duits handboek voor DRG's 2007. | added v2.6, removed after v2.8.2

GDRG2008 | en: G-DRG German DRG Codes v2008 nl: G-DRG Duitse DRG Codes v2008 | | Deprecated | en: German Handbook for DRGs 2008. nl: Duits handboek voor DRG's 2008. | added v2.6, removed after v2.8.2

GDRG2009 | en: G-DRG German DRG Codes v2009 nl: G-DRG Duitse DRG Codes v2009 | | Deprecated | en: German Handbook for DRGs 2009. nl: Duits handboek voor DRG's 2009. | added v2.7, removed after v2.8.2

General code | Active | | Deprecated | | added v2.7.1, removed after v2.7.1

GMDC2004 | en: German Major Diagnostic Codes v2004 nl: Duitse Major Diagnostic Codes v2004 | | Deprecated | en: German Major Diagnostic Codes version 2004. nl: Duitse Major Diagnostic Codes version 2004. | added v2.6, removed after v2.8.2

GMDC2005 | en: German Major Diagnostic Codes v2005 nl: Duitse Major Diagnostic Codes v2005 | | Deprecated | en: German Major Diagnostic Codes version 2005. nl: Duitse Major Diagnostic Codes version 2005. | added v2.6, removed after v2.8.2

GMDC2006 | en: German Major Diagnostic Codes v2006 nl: Duitse Major Diagnostic Codes v2006 | | Deprecated | en: German Major Diagnostic Codes version 2006. nl: Duitse Major Diagnostic Codes version 2006. | added v2.6, removed after v2.8.2

GMDC2007 | en: German Major Diagnostic Codes v2007 nl: Duitse Major Diagnostic Codes v2007 | | Deprecated | en: German Major Diagnostic Codes version 2007. nl: Duitse Major Diagnostic Codes version 2007. | added v2.6, removed after v2.8.2

GMDC2008 | en: German Major Diagnostic Codes v2008 nl: Duitse Major Diagnostic Codes v2008 | | Deprecated | en: German Major Diagnostic Codes version 2008. nl: Duitse Major Diagnostic Codes version 2008. | added v2.6, removed after v2.8.2

GMDC2009 | en: German Major Diagnostic Codes v2009 nl: Duitse Major Diagnostic Codes v2009 | | Deprecated | en: German Major Diagnostic Codes version 2009. nl: Duitse Major Diagnostic Codes version 2009. | added v2.7, removed after v2.8.2

GS1UDI | GS1 Unique Device Identifier | | Deprecated | | added v2.8.2, removed after v2.8.2

HB | HIBCC | | Deprecated | Health Industry Business Communications Council, 5110 N. 40th St., Ste 120, Phoenix, AZ 85018. | added v2.4, removed after v2.8.2

HCPCS | en: CMS (formerly HCFA) Common Procedure Coding System nl: HCFA Common Procedure Coding System | | Deprecated | HCPCS: contains codes for medical equipment, injectable drugs, transportation services, and other services not found in CPT4. http://www.cms.hhs.gov/MedHCPCSGenInfo/ | added v2.4, removed after v2.8.2

HCPT | Health Care Provider Taxonomy | | Deprecated | The Blue Cross and Blue Shield Association will act as the administrator of the Provider Taxonomy so that the code structure is classified as external to X12. Ongoing maintenance is solely the responsibility of Workgroup 15 (Provider Information) within ANSI ASC X12N, or the work group's successor. Blue Cross and Blue Shield Association, 225 North Michigan Avenue, Chicago, IL 60601, Attention: ITS Department, ECNS Unit. http://www.wpc-edi.com/taxonomy/ Primary distribution is the responsibility of Washington Publishing Company, through its World Wide Web Site, at the same web site. | added v2.5, removed after v2.8.2

HHC | Home Health Care | | Deprecated | Home Health Care Classification System; Virginia Saba, EdD, RN; Georgetown University School of Nursing; Washington, DC. Superceded by 'CCC' (see above); this entry is retained for backward-compatibility. | added v2.4, removed after v2.8.2

HI | Health Outcomes | | Deprecated | en: Health Outcomes Institute codes for outcome variables available (with responses) from Stratis Health (formerly Foundation for Health Care Evaluation and Health Outcomes Institute), 2901 Metro Drive, Suite 400, Bloomington, MN, 55425-1525; (612) 854-3306 (voice); (612) 853-8503 (fax); dziegen@winternet.com. See examples in the Implementation Guide. nl: Health Outcomes Institute codes for outcome variables available (with responses) from Stratis Health (formerly Foundation for Health Care Evaluation and Health Outcomes Institute), 2901 Metro Drive, Suite 400, Bloomington, MN, 55425-1525; (612) 854-3306 (| added v2.4, removed after v2.8.2

HIBUDI | en: HIBCC Unique Device Identifier nl: HIBCC Unieke Apparaat Identificatie | | Deprecated | | added v2.8.2, removed after v2.8.2

HL7nnnn | en: HL7 Defined Codes where nnnn is the HL7 table number nl: HL7 Gedefinieerde codes waarbij nnnn het HL7 tabelnummer is | | Deprecated | en: Health Level Seven where nnnn is the HL7 table number. nl: Health Level Seven waarbij nnnn het HL7-tabelnummer is | added v2.4, removed after v2.8.2

HOT | en: Japanese Nationwide Medicine Code nl: Japanse nationale medicatiecode | | Deprecated | | added v2.5, removed after v2.8.2

HPC | en: CMS (formerly HCFA)Procedure Codes (HCPCS) nl: CMS (voormalig HCFA) Procedure Codes (HCPCS) | | Deprecated | en: Health Care Financing Administration (HCFA) Common Procedure Coding System (HCPCS) including modifiers.[1] nl: Health Care Financing Administration (HCFA) Common Procedure Coding System (HCPCS) inclusief modifiers.[1] | added v2.4, removed after v2.8.2

HSLOC | Healthcare Service Location | | Deprecated | | added v2.8.2, removed after v2.8.2

I10 | ICD-10 | | Deprecated | World Health Publications, Albany, NY. | added v2.4, removed after v2.8.2

I10C | International Classification of Diseases, 10th Revision, Clinical Modification (ICD-10-CM) | | Deprecated | | added v2.8.2, removed after v2.8.2

I10G2004 | ICD 10 Germany 2004 | | Deprecated | en: Three code sets exist I10G2004, I10G2005, I10G2006 nl: Drie codesets bestaan I10G2004, I10G2005, I10G2006 | added v2.6, removed after v2.8.2

I10G2005 | ICD 10 Germany 2005 | | Deprecated | en: Three code sets exist I10G2004 nl: Drie codesets bestaan I10G2004 | added v2.6, removed after v2.8.2

I10G2006 | ICD 10 Germany 2006 | | Deprecated | en: Three code sets exist I10G2004 nl: Drie codesets bestaan I10G2004 | added v2.6, removed after v2.8.2

I10P | en: ICD-10 Procedure Codes nl: ICD-10 Procedure Codes | | Deprecated | Procedure Coding System (ICD-10-PCS.) See http://www.cms.hhs.gov/ICD9ProviderDiagnosticCodes/08_ICD10.asp for more information. | added v2.4, removed after v2.8.2

I9 | en: ICD9 nl: ICD-9 | | Deprecated | World Health Publications, Albany, NY. | added v2.4, removed after v2.8.2

I9C | ICD-9CM | | Deprecated | International Classification Of Diseases-9-CM, (1979) Commission on Professional and Hospital Activities, 1968 Green Road, Ann Arbor, MI 48105 (includes all procedures and diagnostic tests). | added v2.4, removed after v2.8.2

I9CDX | ICD-9CM Diagnosis codes | | Deprecated | Indicates codes from ICD-9-CM drawn from Volumes 1 and 2, which cover diagnosis codes only. | added v2.6, removed after v2.8.2

I9CP | ICD-9CM Procedure codes | | Deprecated | Indicates codes from ICD-9-CM drawn from Volume 3, which covers procedure codes only. | added v2.6, removed after v2.8.2

IBT | ISBT | | Deprecated | Retained for backward compatibility only as of v 2.5. This code value has been superseded by IBTnnnn. International Society of Blood Transfusion. Blood Group Terminology 1990. VOX Sanquines 1990 58(2):152-169. | added v2.4, removed after v2.8.2

IBT0001 | ISBT 128 Standard transfusion/transplantation data items | | Deprecated | | added v2.8.2, removed after v2.8.2

IBTnnnn | ISBT 128 codes where nnnn specifies a specific table within ISBT 128. | | Deprecated | International Society of Blood Transfusion. (specific contact information will be supplied to editor.) The variable suffix (nnnn) identifies a specific table within ISBT 128. | added v2.5, removed after v2.8.2

IC2 | ICHPPC-2 | | Deprecated | en: International Classification of Health Problems in Primary Care, Classification Committee of World Organization of National Colleges, Academies and Academic Associations of General Practitioners (WONCA), 3rd edition. An adaptation of ICD9 intended for use in General Medicine, Oxford University Press. nl: International Classification of Health Problems in Primary Care, Classification Committee of World Organization of National Colleges, Academies and Academic Associations of General Practitioners (WONCA), 3rd edition. An adaptation of ICD9 intended for use | added v2.4, removed after v2.8.2

ICCUDI | ICCBBA Unique Device Identifier | | Deprecated | | added v2.8.2, removed after v2.8.2

ICD10AM | en: ICD-10 Australian modification nl: ICD 10 Australische wijzigingen | | Deprecated | | added v2.5, removed after v2.8.2

ICD10CA | ICD-10 Canada | | Deprecated | | added v2.5, removed after v2.8.2

ICD10GM2007 | en: ICD 10 Germany v2007 nl: ICD-10 Duitsland v2007 | | Deprecated | en: ICD German modification for 2007. nl: ICD Duitse wijzigingen voor 2007. | added v2.6, removed after v2.8.2

ICD10GM2008 | en: ICD 10 Germany v2008 nl: ICD-10 Duitsland v2008 | | Deprecated | en: ICD German modification for 2008. nl: ICD Duitse wijzigingen voor 2008. | added v2.6, removed after v2.8.2

ICD10GM2009 | en: ICD 10 Germany v2009 nl: ICD-10 Duitsland v2009 | | Deprecated | en: ICD German modification for 2009 nl: ICD Duitse wijzigingen voor 2009. | added v2.7, removed after v2.8.2

ICD10GM2010 | en: ICD 10 Germany v2010 nl: ICD-10 Duitsland v2010 | | Deprecated | en: ICD German modification for 2010 nl: ICD Duitse wijzigingen voor 2010. | added v2.7, removed after v2.8.2

ICD10GM2011 | en: ICD 10 Germany v2011 nl: ICD-10 Duitsland v2011 | | Deprecated | en: ICD German modification for 2011 nl: ICD Duitse wijzigingen voor 2011. | added v2.7, removed after v2.8.2

ICD10GM2012 | ICD 10 Germany v2012 | | Deprecated | | added v2.8.2, removed after v2.8.2

ICD10GM2013 | ICD 10 Germany v2013 | | Deprecated | | added v2.8.2, removed after v2.8.2

ICD10GM2014 | ICD 10 Germany v2014 | | Deprecated | | added v2.8.2, removed after v2.8.2

ICD10GM2015 | ICD 10 Germany v2015 | | Deprecated | | added v2.8.2, removed after v2.8.2

ICD10GM2016 | ICD 10 Germany v2016 | | Deprecated | | added v2.8.2, removed after v2.8.2

ICDO | en: International Classification of Diseases for Oncology nl: Internationale Classificatie van Ziektes voor Oncologie | | Deprecated | International Classification of Diseases for Oncology, 2nd Edition. World Health Organization: Geneva, Switzerland, 1990. Order from: College of American Pathologists, 325 Waukegan Road, Northfield, IL, 60093-2750. (847) 446-8800. | added v2.4, removed after v2.8.2

ICDO2 | International Classification of Disease for Oncology Second Edition | | Deprecated | Percy C, VanHolten V, and Muir C, editors. International Classification of Diseases for Oncology. Second Edition. Geneva: World Health Organization; 1990. The ICD-9 neoplasm structure did not include morphology and there was a growing interest by physicians to establish a coding system for morphology. ICD-O is used in cancer registries (and other related areas) for coding the topography (site) and morphology of a neoplasm. The topography code uses similar categories as ICD-10 for malignant neoplasms allowing greater specificity for the site of non-malignant neoplasms than in ICD-10. The topography code consists of an alphabetic character (the letter C) followed by two numeric digits, a decimal point, and a numeric digit. The morphology code consists of a 6-digit numeric code which consists of three parts: histologic type (4-digit), behavior code (1-digit), and grading or differentiation (1-digit). ICD-O-2 is used for tumors diagnosed prior to 2001. | added v2.7, removed after v2.8.2

ICDO3 | International Classification of Disease for Oncology Third Edition | | Deprecated | Fritz A, Percy C, Jack A, Shanmugaratnam K, Sobin L, Parkin D, et al, editors. International Classification of Diseases for Oncology. Third Edition. Geneva: World Health Organization; 2000. The ICD-9 neoplasm structure did not include morphology and there was a growing interest by physicians to establish a coding system for morphology. ICD-O is used in cancer registries (and other related areas) for coding the topography (site) and morphology of a neoplasm. The topography code uses similar categories as ICD-10 for malignant neoplasms allowing greater specificity for the site of non-malignant neoplasms than in ICD-10. The topography code consists of an alphabetic character (the letter C) followed by two numeric digits, a decimal point, and a numeric digit. The morphology code consists of a 6-digit numeric code which consists of three parts: histologic type, behavior code, and grading or differentiation. In the third edition the morphology codes were revised, especially for leukemias and lymphomas. ICD-O-3 is used for tumors diagnosed in 2001 and later. | added v2.7, removed after v2.8.2

ICF | International Classification of Functioning, Disability and Health (ICF) | | Deprecated | | added v2.8.2, removed after v2.8.2

ICS | ICCS | | Deprecated | Commission on Professional and Hospital Activities, 1968 Green Road, Ann Arbor, MI 48105. | added v2.4, removed after v2.8.2

ICSD | en: International Classification of Sleep Disorders nl: Internationale Classificatie van Slaapproblemen | | Deprecated | International Classification of Sleep Disorders Diagnostic and Coding Manual, 1990, available from American Sleep Disorders Association, 604 Second Street SW, Rochester, MN 55902 | added v2.4, removed after v2.8.2

IHELAW | IHE Laboratory Analytical Workflow (LAW) Profile Codes. | | Deprecated | | added v2.8.2, removed after v2.8.2

ISO | en: ISO 2955.83 (units of measure) with HL7 extensions nl: ISO 2955.83 (meeteenheden) met HL7 extensies | | Deprecated | en: See chapter 7, section 7.4.2.6 nl: Zie hoofdstuk 7, sectie 7.4.2.6 | added v2.7, removed after v2.8.2

ISO+ | ISO 2955.83 (units of measure) with HL7 extensions | | Deprecated | | added v2.5, removed after v2.6

ISO3166_1 | en: ISO 3166-1 Country Codes nl: ISO 3166-1 Landcodes | | Deprecated | en: International Standards Organization standard 3166 contains 3 parts. Part 1 contains three tables for codes for countries of the world. These are 2-character alphabetic, 3-character alphabetic, and numeric codes. nl: International Standards Organization standaard 3166 bevat 3 delen. Deel 1 bevat drie tabellen met codes voor landen in de wereld. Deze zijn 2-tekens alfabetisch, 3-tekens alfabetisch en numeriekw codes. | added v2.7, removed after v2.8.2

ISO3166_2 | en: ISO 3166-2 Country subdivisions nl: ISO 3166-2 Landdelen | | Deprecated | en: International Standards Organization standard 3166 contains 3 parts. Part 2 contains a complete breakdown into a relevant level of administrative subdivisions of all countries listed in ISO 3166-1. The code elements used consist of the alpha-2 code element from ISO 3166-1 followed by a separator and a further string of up to three alphanumeric characters e. g. DK-025 for the Danish county Roskilde. nl: International Standards Organization standaard 3166 bevat 3 delen. Deel 2 bevat een volledige opdeling in relevante niveau's van administratieve subdivisies van alle landen in de wereld uit ISO 3166-1. De gebruikte code-elementen bestaan uit de alfa-2 code-elementen van ISO 3166-1 gevolgd door een scheidingsteken en nog een string van maximaal 3 alfanumerieke tekens bijv. DK-025 voor de Deense county Roskilde. | added v2.7, removed after v2.8.2

ISO4217 | en: ISO4217 Currency Codes nl: ISO 4217 Munteenheden | | Deprecated | en: ISO's currency codes, which are based on the ISO country codes are published in the standard ISO 4217:2008 Codes for the representation of currencies and funds. This International Standard specifies the structure for a three-letter alphabetic code and an equivalent three-digit numeric code for the representation of currencies and funds. For those currencies having minor units, it also shows the decimal relationship between such units and the currency itself. nl: ISO Munteenheden, gebaseerd op ISO Landcodes worden gepubliceerd in de standaard ISO 4217:2008 Codes voor representatie van munteenheden en fondsen. Deze internationale standaard specificeert de structuur voor een drieletterige code en een equivalente driecijferige code voor de representatie van munteenheden en fondsen. Voor munteenheden met kleinere eenheden, kan ook de decimale relatie tussen zulke eenheden en de hoofdeenheid worden gelegd. | added v2.7, removed after v2.8.2

ISO639 | en: ISO 639 Language nl: ISO 639 Taal | | Deprecated | en: International Standards Organization codes for the representation of names of languages. ISO 639 provides two sets of language codes, one as a two-character code set (639-1) and another as a three-character code set (639-2) for the representation of names of languages. ISO 639-3, Codes for the representation of names of languages - Part 3: Alpha-3 code for comprehensive coverage of languages, is a code list that aims to define three-letter identifiers for all known human languages. nl: International Standards Organization codes voor de representie van taalnamen. ISO 639 biedt twee sets met taalcodes, Eén als codes set met codes van twee tekens (639-1) en een andere met codes van drie tekens (639-2) voor de representatie van taalnamen. ISO 639-3, Codes voor de representatie van taalnamen - Deel 3: Alfa-3 code voor uitgebreide dekking van talen, is een codelijst met als doel een drieletterige code voor alle bekende mensenlijke talen. | added v2.7, removed after v2.8.2

ISOnnnn | en: ISO Defined Codes where nnnn is the ISO table number nl: ISO gedefinieerde codes waarbij nnnn het ISO tabelnummer is | | Deprecated | General code | added v2.4, removed after v2.6

ISOnnnn (deprecated) | en: ISO Defined Codes where nnnn is the ISO table number nl: ISO gedefinieerde codes waarbij nnnn staat voor het ISO-tabelnummer | | Deprecated | en: International Standards Organization where nnnn is the ISO table number nl: International Standards Organization waarbij nnnn staat voor het ISO-tabelnummer | added v2.7, removed after v2.8.2

ITIS | Integrated Taxonomic Information System | | Deprecated | en: Source= www.itis.usda.gov. This is a taxonomic hierarchy for living organisms. nl: Bron: www.itis.usda.gov. Dit is een taxonomische hiërarchie voor levende organismen. | added v2.6, removed after v2.8.2

IUPC | en: IUPAC/IFCC Component Codes nl: IUPAC/IFCC Compoent Codes | | Deprecated | Codes used by IUPAC/IFF to identify the component (analyte) measured. Contact Henrik Olesen, as above for IUPP. | added v2.4, removed after v2.8.2

IUPP | IUPAC/IFCC Property Codes | | Deprecated | en: International Union of Pure and Applied Chemistry/International Federation of Clinical Chemistry. The Silver Book: Compendium of terminology and nomenclature of properties in clinical laboratory sciences. Oxford: Blackwell Scientific Publishers, 1995. Henrik Olesen, M.D., D.M.Sc., Chairperson, Department of Clinical Chemistry, KK76.4.2, Rigshospitalet, University Hospital of Copenhagen, DK-2200, Copenhagen. http://inet.uni-c.dk/~qukb7642/ nl: International Union of Pure and Applied Chemistry/International Federation of Clinical Chemistry. The Silver Book: Compendium of terminology and nomenclature of properties in clinical laboratory sciences. Oxford: Blackwell Scientific Publishers, 1995. Hen | added v2.4, removed after v2.8.2

JC10 | JLAC/JSLM, nationwide laboratory code | | Deprecated | Source: Classification &Coding for Clinical Laboratory. Japanese Society of Laboratory Medicine(JSLM, Old:Japan Society of Clinical Pathology). Version 10, 1997. A multiaxial code including a analyte code (e.g., Rubella = 5f395), identification code (e.g., virus ab IGG=1431), a specimen code (e.g., serum =023) and a method code (e.g., ELISA = 022) | added v2.5, removed after v2.8.2

JC8 | Japanese Chemistry | | Deprecated | en: v nl: Clinical examination classification code. Japan Association of Clinical Pathology. Version 8, 1990. A multiaxial code including a subject code (e.g. Rubella = 5f395, identification code (e.g. virus ab IGG), a specimen code (e.g. serum =023) and a meth | added v2.4, removed after v2.8.2

JJ1017 | en: Japanese Image Examination Cache nl: Japanse beeldonderzoek cache | | Deprecated | Â | added v2.5, removed after v2.8.2

L | en: Local general code nl: Lokale algemene code | | Deprecated | en: Locally defined codes for purpose of sender or receiver. Local codes can be identified by L (for backward compatibility) nl: Lokaal gedefinieerde codes ten behoeve van zender of ontvanger. Lokale codes kunnen worden aangeduid met L (voor backward compatibility) | added v2.7, removed after v2.8.2

LANGUAL | LanguaL | | Deprecated | | added v2.8.2, removed after v2.8.2

LB | en: Local billing code nl: Lokale facturatiecode | | Deprecated | Local billing codes/names (with extensions if needed). | added v2.4, removed after v2.8.2

LN | en: Logical Observation Identifier Names and Codes (LOINCÂ®) nl: Logical Observation Identifier Names and Codes (LOINC®) | | Deprecated | en: Regenstrief Institute, c/o LOINC, 1050 Wishard Blvd., 5th floor, Indianapolis, IN 46202. 317/630-7433. Available from the Regenstrief Institute server at http://www.Regenstrief.org/loinc/loinc.htm. Also available via HL7 file server: FTP/Gopher (www.mcis.duke.edu/standards/termcode/loinclab and www.mcis.duke.edu/standards/termcode/loinclin) and World Wide Web (http://www.mcis.duke.edu/standards/termcode/loincl.htm). January 2000 version has identifiers, synonyms and cross-reference codes for reporting over 26,000 laboratory and related observations and 1,500 clinical measures. nl: Regenstrief Institute, c/o LOINC, 1050 Wishard Blvd., 5th floor, Indianapolis, IN 46202. 317/630-7433. Beschikbaar via http://loinc.org | added v2.4, removed after v2.8.2

MCD | Medicaid | | Deprecated | Medicaid billing codes/names. | added v2.4, removed after v2.8.2

MCR | Medicare | | Deprecated | Medicare billing codes/names. | added v2.4, removed after v2.8.2

MDC | en: Medical Device Communication nl: Medische Apparaat Communicatie | | Deprecated | EN ISO/IEEE 11073-10101 Health informatics - Point-of-care medical device communication - Nomenclature | added v2.6, removed after v2.8.2

MDDX | Medispan Diagnostic Codes | | Deprecated | en: Codes Used for drug-diagnosis interaction checking. Proprietary product. Hierarchical drug codes for identifying drugs down to manufacturer and pill size. MediSpan, Inc., 8425 Woodfield Crossing Boulevard, Indianapolis, IN 46240. Tel: (800) 428-4495. URL: http://www.medispan.com/Products/index.aspx?cat=1. As above for MGPI. nl: Codes Used for drug-diagnosis interaction checking. Proprietary product. Hierarchical drug codes for identifying drugs down to manufacturer and pill size. MediSpan, Inc., 8425 Woodfield Crossing Boulevard, Indianapolis, IN 46240. Tel: (800) 428-4495. URL: | added v2.4, removed after v2.8.2

MEDC | en: Medical Economics Drug Codes nl: Medispan Economics Drug Codes | | Deprecated | Proprietary Codes for identifying drugs. Proprietary product of Medical Economics Data, Inc. (800) 223-0581. | added v2.4, removed after v2.8.2

MEDIATYPE | MIME Media Type IANA | | Deprecated | | added v2.8.2, removed after v2.8.2

MEDR | Medical Dictionary for Drug Regulatory Affairs (MEDDRA) | | Deprecated | Patrick Revelle, Director MSSO 12011 Sunset Hills Road, VAR1/7B52 Reston, VA 20190 Patrick.Revelle@ngc.com http://www.meddramsso.com/MSSOWeb/index.htm | added v2.4, removed after v2.8.2

MEDX | Medical Economics Diagnostic Codes | | Deprecated | Used for drug-diagnosis interaction checking. Proprietary product of Medical Economics Data, Inc. (800) 223-0581. | added v2.4, removed after v2.8.2

MGPI | Medispan GPI | | Deprecated | Medispan hierarchical drug codes for identifying drugs down to manufacturer and pill size. Proprietary product of MediSpan, Inc., 8425 Woodfield Crossing Boulevard, Indianapolis, IN 46240. Tel: (800) 428-4495. | added v2.4, removed after v2.8.2

MVX | CDC Vaccine Manufacturer Codes | | Deprecated | en: As above, for CVX nl: Zoals hierboven voor CVX | added v2.4, removed after v2.8.2

NAICS | Industry (NAICS) | | Deprecated | The North American Industry Classification System (NAICS) consists of a set of six digit codes that classify and categorize industries. It also organizes the categories on a production/process-oriented basis. This new, uniform, industry-wide classification system has been designed as the index for statistical reporting of all economic activities of the U.S., Canada, and Mexico. Mapping is available between SIC 1987 and NAICS 2002 codes at U.S. Census Bureau website. Mapping is also available between NAICS 2002 and NAICS 2007 at U.S. Census Bureau website | added v2.7, removed after v2.8.2

NCPDPnnnnsss | NCPDP code list for data element nnnn [as used in segment sss] | | Deprecated | NCPDP maintain code list associated with the specified Data Element (nnnn) and Segment (sss). The Segment portion is optional if there is no specialization of the Data Element codes between segments. Examples: NCPDP1131RES = code set defined for NCPDP data element 1131 as used in the RES segment (Code List Qualifier – Response Code) NCPDP1131STS = code set defined for NCPDP data element 1131 as used in the STS segment (Code List Qualifier – Reject Code) NCPDP9701 = code set defined for NCPDP data element 9701 (Individual Relationship, Coded). No specialization to a segment exists for this data element. National Council for Prescription Drug Programs, 924Ø ast Raintree Drive, Scottsdale, AZ 8526Ø. Phone: (48Ø) 477-1ØØØ Fax: (48Ø) 767-1Ø42 e-mail: ncpdp@ncpdp.org www.ncpdp.org | added v2.6, removed after v2.8.2

NDA | NANDA | | Deprecated | North American Nursing Diagnosis Association, Philadelphia, PA. | added v2.4, removed after v2.8.2

NDC | en: National drug codes nl: Nationale medicatiecodes | | Deprecated | These provide unique codes for each distinct drug, dosing form, manufacturer, and packaging. (Available from the National Drug Code Directory, FDA, Rockville, MD, and other sources.) | added v2.4, removed after v2.8.2

NDFRT | NDF-RT (Drug Classification) | | Deprecated | The National Drug File RT (NDF-RT) is published by the US Veterans' Administration (VA). NDF-RT covers clinical drugs used at the VA. The NCI version of NDF-RT is used by NCI to provide automated terminology access to the Food and Drug Administration (FDA) Structured Product Label (SPL) initiative. | added v2.7, removed after v2.8.2

NIC | Nursing Interventions Classification | | Deprecated | Iowa Intervention Project, College of Nursing, University of Iowa, Iowa City, Iowa | added v2.4, removed after v2.8.2

NIP001 | Source of Information (Immunization) | | Deprecated | CDC National Immunization Program's (NIP) defined table to be used in HL7 2.x message RXA-9 for documenting the source of information regarding immunization. E.g. From school, provider,public health agency. | added v2.7, removed after v2.8.2

NIP002 | Substance refusal reason | | Deprecated | CDC National Immunization Program's (NIP) defined table to be used in HL7 2.x message RXA-18 for substance refusal reason (reasons for not having vaccination). E.g. Religious exemption, parental decision | added v2.7, removed after v2.8.2

NIP004 | Vaccination - Contraindications, Precautions, and Immunities | | Deprecated | CDC National Immunization Program's (NIP) defined table for vaccine contraindications and precautions. E.g. Allergy to egg ingestion, thimerosol | added v2.7, removed after v2.8.2

NIP007 | Vaccinated at location (facility) | | Deprecated | CDC National Immunization Program's (NIP) defined table for vaccinated at location (facility). E.g. Private doctor's office, Public Health Clinic | added v2.7, removed after v2.8.2

NIP008 | Vaccine purchased with (Type of funding) | | Deprecated | CDC National Immunization Program's (NIP) defined table enumerates the type of funds used for purchasing vaccine. E.g. Public funds, Military funds | added v2.7, removed after v2.8.2

NIP009 | Reported adverse event previously | | Deprecated | CDC National Immunization Program's (NIP) defined table enumerates the authorities to whom the vaccination related adverse events were previously reported. E.g. To health department, To manufacturer | added v2.7, removed after v2.8.2

NIP010 | VAERS Report type | | Deprecated | CDC National Immunization Program's (NIP) defined table enumerates the type of report used in VAERS (Vaccination Adverse Event Reporting System). E.g. Initial, Follow-up | added v2.7, removed after v2.8.2

NND | Notifiable Event (Disease/Condition) Code List | | Deprecated | List of notifiable events, which includes infectious and non-infectious disease or conditions. This list includes events that are notifiable at the state and national level. | added v2.7, removed after v2.8.2

NPI | en: National Provider Identifier nl: Nationaal Zorgverlener Identificatie | | Deprecated | en: This is the US Realm Health Care Provider National Identifier. It is produced and maintained by CMS (The US Government Centers for Medicare & Medicaid Services http://www.cms.gov), US Dept. of Health and Human Services, 7500 Security Blvd., Baltimore, MD 21244. nl: This is the US Realm Health Care Provider National Identifier. It is produced and maintained by CMS (The US Government Centers for Medicare & Medicaid Services http://www.cms.gov), US Dept. of Health and Human Services, 7500 Security Blvd., Baltimore, MD | added v2.4, removed after v2.8.2

NUBC | National Uniform Billing Committee | | Deprecated | The NUBC was formed to develop a single billing form and standard data set that could be used nationwide by institutional providers and payers for handling health care claims. The NUBC holds meetings and conference calls throughout the year and change requests may be submitted at any time. However, to be considered at the next scheduled meeting, requests for changes to the UB Manual or UB Data Set must be received by the NUBC Secretary at least 45 days in advance. Approved changes are usually effective as of April 1, October 1, or about 90 days after approval, as appropriate. A new manual is generated in its entirety in July with changes effective as of 10/1 of that year. Updates are posted on the www.NUBC.com website after all meetings. | added v2.5, removed after v2.8.2

NULLFL | Null Flavor | | Deprecated | en: System of coded values for Flavors of Null, as used in HL7 Version 3 standards. Identical to the HL7 version 3 coding system 2.16.840.1.113883.5.1008 NullFlavor nl: Systeem van gecodeerde waarden voor redenen waarom informatie ontbreekt, zoals in gebruik in de HL7v3 standaarden. Identiek aan het HL7v3 codesysteem 2.16.840.1.113883.5.1008 NullFlavor | added v2.7, removed after v2.8.2

O301 | en: German Procedure Codes nl: Duitse Behandelcodes | | Deprecated | en: Source: OPS Operationen- und Prozedurenschluessel. nl: Bron: OPS Operationen- und Prozedurenschluessel. | added v2.6, removed after v2.8.2

O3012004 | en: OPS Germany v2004 nl: OPS Duitsland v2004 | | Deprecated | en: Source: OPS Operationen- und Prozedurenschluessel 2004. nl: Bron: OPS Operationen- und Prozedurenschluessel 2004. | added v2.6, removed after v2.8.2

O3012005 | en: OPS Germany v2005 nl: OPS Duitsland v2004 | | Deprecated | en: Source: OPS Operationen- und Prozedurenschluessel 2005. nl: Bron: OPS Operationen- und Prozedurenschluessel 2005. | added v2.6, removed after v2.8.2

O3012006 | en: OPS Germany v2006 nl: OPS Duitsland v2004 | | Deprecated | en: Source: OPS Operationen- und Prozedurenschluessel 2006. nl: Bron: OPS Operationen- und Prozedurenschluessel 2006. | added v2.6, removed after v2.8.2

OBSMETHOD | Observation Method Code | | Deprecated | | added v2.8.2, removed after v2.8.2

OHA | Omaha System | | Deprecated | Omaha Visiting Nurse Association, Omaha, NB. | added v2.4, removed after v2.8.2

OPS2007 | en: OPS Germany v2007 nl: OPS Duitsland v2004 | | Deprecated | en: Source: OPS Operationen- und Prozedurenschluessel 2007. nl: Bron: OPS Operationen- und Prozedurenschluessel 2007. | added v2.6, removed after v2.8.2

OPS2008 | en: OPS Germany v2008 nl: OPS Duitsland v2004 | | Deprecated | en: Source: OPS Operationen- und Prozedurenschluessel 2008. nl: Bron: OPS Operationen- und Prozedurenschluessel 2008. | added v2.6, removed after v2.8.2

OPS2009 | en: OPS Germany v2009 nl: OPS Duitsland v2004 | | Deprecated | en: Source: OPS Operationen- und Prozedurenschluessel 2009. nl: Bron: OPS Operationen- und Prozedurenschluessel 2009. | added v2.7, removed after v2.8.2

OPS2010 | en: OPS Germany v2010 nl: OPS Duitsland v2004 | | Deprecated | en: Source: OPS Operationen- und Prozedurenschluessel 2010. nl: Bron: OPS Operationen- und Prozedurenschluessel 2010. | added v2.7, removed after v2.8.2

OPS2011 | en: OPS Germany v2011 nl: OPS Duitsland v2004 | | Deprecated | en: Source: OPS Operationen- und Prozedurenschluessel 2011. nl: Bron: OPS Operationen- und Prozedurenschluessel 2011. | added v2.7, removed after v2.8.2

OPS2012 | OPS Germany v2012 | | Deprecated | | added v2.8.2, removed after v2.8.2

OPS2013 | OPS Germany v2013 | | Deprecated | | added v2.8.2, removed after v2.8.2

OPS2014 | OPS Germany v2014 | | Deprecated | | added v2.8.2, removed after v2.8.2

OPS2015 | OPS Germany v2015 | | Deprecated | | added v2.8.2, removed after v2.8.2

OPS2016 | OPS Germany v2016 | | Deprecated | | added v2.8.2, removed after v2.8.2

PHDSCSOPT | Source of Payment Typology | | Deprecated | | added v2.8.2, removed after v2.8.2

PHINQUESTION | CDC Public Health Information Network (PHIN) Question | | Deprecated | CDC Public Health Questions used in HL7 Message as observation identifiers. These question or observation identifiers are used in CDC's message implementation guides and will be passed in HL7 OBX-3 or Observation.Code | added v2.7, removed after v2.8.2

PLR | CDC PHLIP Lab result codes that are not covered in SNOMED at the time of this implementation | | Deprecated | APHL CDC co-sponsored PHLIP | added v2.7, removed after v2.8.2

PLT | CDC PHLIP Lab test codes, where LOINC concept is too broad or not yet available, especially as needed for ordering and or lab to lab reporting) | | Deprecated | APHL CDC co-sponsored PHLIP | added v2.7, removed after v2.8.2

POS | POS Codes | | Deprecated | HCFA Place of Service Codes for Professional Claims (see http://www.cms.hhs.gov/PlaceofServiceCodes/). | added v2.4, removed after v2.8.2

PRTCPTNMODE | Paticipation Mode Code | | Deprecated | | added v2.8.2, removed after v2.8.2

RC | Read Classification | | Deprecated | The Read Clinical Classification of Medicine, Park View Surgery, 26 Leicester Rd., Loughborough LE11 2AG (includes drug procedure and other codes, as well as diagnostic codes). | added v2.4, removed after v2.8.2

ROLECLASS | Used initially for contact roles. | | Deprecated | | added v2.8.2, removed after v2.8.2

ROLECODE | Participation Mode | | Deprecated | | added v2.8.2, removed after v2.8.2

RSPMODE | Specifies the mode, immediate versus deferred or queued, by which a receiver should communicate its receiver responsibilities. | | Deprecated | | added v2.8.2, removed after v2.8.2

RXNORM | RxNorm | | Deprecated | RxNorm provides standard names for clinical drugs (active ingredient + strength + dose form) and for dose forms as administered to a patient. It provides links from clinical drugs, both branded and generic, to their active ingredients, drug components (active ingredient + strength), and related brand names. NDCs (National Drug Codes) for specific drug products (where there are often many NDC codes for a single product) are linked to that product in RxNorm. RxNorm links its names to many of the drug vocabularies commonly used in pharmacy management and drug interaction software, including those of First Databank, Micromedex, MediSpan, and Multum. By providing links between these vocabularies, RxNorm can mediate messages between systems not using the same software and vocabulary.RxNorm is one of a suite of designated standards for use in U.S. Federal Government systems for the electronic exchange of clinical health information. | added v2.7, removed after v2.8.2

SCT | SNOMED Clinical Terms | | Deprecated | SNOMED-CT concept identifier codes. SNOMED International, I325 Waukegan Rd, Northfield, IL, 60093, +1 800-323-4040, mailto:snomed@cap.org http://www.snomed.org | added v2.6, removed after v2.8.2

SCT2 | en: SNOMED Clinical Terms alphanumeric codes nl: SNOMED Clinical Terms alfanumeriek codes | | Deprecated | en: Used to indicate that the code value is the legacy-style SNOMED alphanumeric codes, rather than the concept identifier codes. SNOMED International, I325 Waukegan Rd, Northfield, IL, 60093, +1 800-323-4040, mailto:snomed@cap.org http://www.snomed.org nl: Gebruikt om aan te geven dat de code van de verouderde stijl voor SNOMED alfanumeriek codes is, in plaats van de concept identifier codes. SNOMED International, I325 Waukegan Rd, Northfield, IL, 60093, +1 800-323-4040, mailto:snomed@cap.org http://www.snomed.org | added v2.6, removed after v2.8.2

SDM | SNOMED- DICOM Microglossary | | Deprecated | College of American Pathologists, Skokie, IL, 60077-1034. (formerly designated as 99SDM). | added v2.4, removed after v2.8.2

SIC | Industry (SIC) | | Deprecated | Standard Industry Classification - 1987. Use NAICS 2002. This is mainly for mapping and backward compatibility purposes. | added v2.7, removed after v2.8.2

SNM | Systemized Nomenclature of Medicine (SNOMED) | | Deprecated | Systemized Nomenclature of Medicine, 2nd Edition 1984 Vols 1, 2, College of American Pathologists, Skokie, IL. | added v2.4, removed after v2.8.2

SNM3 | en: SNOMED International nl: SNOMED Internationaal | | Deprecated | SNOMED International, 1993 Vols 1-4, College of American Pathologists, Skokie, IL, 60077-1034. | added v2.4, removed after v2.8.2

SNT | en: SNOMED topology codes (anatomic sites) nl: SNOMED topologiecodes (anatomische gebieden) | | Deprecated | College of American Pathologists, 5202 Old Orchard Road, Skokie, IL 60077-1034. | added v2.4, removed after v2.8.2

SOC | Occupation (SOC 2000) | | Deprecated | The 2000 Standard Occupational Classification (SOC) system is used by Federal statistical agencies to classify workers into occupational categories for the purpose of collecting, calculating, or disseminating data. | added v2.7, removed after v2.8.2

UB04FL14 | Priority (Type) of Visit | | Deprecated | Source: Official UB-04 Data Specification Manual, published each July, by the National Uniform Billing Committee (NUBC). To access the information you must be a member of NUBC. This coding system superseded UB92 in July, 2007. More information can be found at http://www.nubc.org. | added v2.6, removed after v2.8.2

UB04FL15 | Point of Origin | | Deprecated | Source: Official UB-04 Data Specification Manual, published each July, by the National Uniform Billing Committee (NUBC). To access the information you must be a member of NUBC. This coding system superseded UB92 in July, 2007. More information can be found at http://www.nubc.org. | added v2.6, removed after v2.8.2

UB04FL17 | Patient Discharge Status | | Deprecated | Source: Official UB-04 Data Specification Manual, published each July, by the National Uniform Billing Committee (NUBC). To access the information you must be a member of NUBC. This coding system superseded UB92 in July, 2007. More information can be found at http://www.nubc.org. | added v2.6, removed after v2.8.2

UB04FL31 | Occurrence Code | | Deprecated | Source: Official UB-04 Data Specification Manual, published each July, by the National Uniform Billing Committee (NUBC). To access the information you must be a member of NUBC. This coding system superseded UB92 in July, 2007. More information can be found at http://www.nubc.org. | added v2.7, removed after v2.8.2

UB04FL35 | Occurrence Span | | Deprecated | Source: Official UB-04 Data Specification Manual, published each July, by the National Uniform Billing Committee (NUBC). To access the information you must be a member of NUBC. This coding system superseded UB92 in July, 2007. More information can be found at http://www.nubc.org. | added v2.7, removed after v2.8.2

UB04FL39 | Value Code | | Deprecated | Source: Official UB-04 Data Specification Manual, published each July, by the National Uniform Billing Committee (NUBC). To access the information you must be a member of NUBC. This coding system superseded UB92 in July, 2007. More information can be found at http://www.nubc.org. | added v2.7, removed after v2.8.2

UC | UCDS | | Deprecated | Uniform Clinical Data Systems. Ms. Michael McMullan, Office of Peer Review Health Care Finance Administration, The Meadows East Bldg., 6325 Security Blvd., Baltimore, MD 21207; (301) 966 6851. | added v2.4, removed after v2.8.2

UCUM | en: UCUM code set for units of measure(from Regenstrief) nl: UCUM - Unified Codes of Measure | | Deprecated | en: Added by motion of VOCABULARY T.C. 20060308 14-0-3 nl: Toegevoegd via motie van Vocabulary werkgroep 20060308. Beschikbaar via http://unitsofmeasure.org | added v2.6, removed after v2.8.2

UMD | MDNS | | Deprecated | Universal Medical Device Nomenclature System. ECRI, 5200 Butler Pike, Plymouth Meeting, PA 19462 USA. Phone: 215-825-6000, Fax: 215-834-1275. | added v2.4, removed after v2.8.2

UML | Unified Medical Language | | Deprecated | National Library of Medicine, 8600 Rockville Pike, Bethesda, MD 20894. | added v2.4, removed after v2.8.2

UPC | Universal Product Code | | Deprecated | The Uniform Code Council. 8163 Old Yankee Road, Suite J, Dayton, OH 45458; (513) 435 3070 | added v2.4, removed after v2.8.2

UPIN | UPIN | | Deprecated | en: Medicare/CMS 's (formerly HCFA) universal physician identification numbers, available from Health Care Financing Administration, U.S. Dept. of Health and Human Services, Bureau of Program Operations, 6325 Security Blvd., Meadows East Bldg., Room 300, Baltimore, MD 21207 nl: Medicare/CMS 's (formerly HCFA) universal physician identification numbers, available from Health Care Financing Administration, U.S. Dept. of Health and Human Services, Bureau of Program Operations, 6325 Security Blvd., Meadows East Bldg., Room 300, Bal | added v2.4, removed after v2.8.2

USGSGNIS | U.S. Board on Geographic Names (USGS - GNIS) | | Deprecated | | added v2.8.2, removed after v2.8.2

USPS | United States Postal Service | | Deprecated | Two Letter State and Possession Abbreviations are listed in Publication 28, Postal Addressing Standards which can be obtained from Address Information Products, National Address Information Center, 6060 Primacy Parkway, Suite 101, Memphis, Tennessee 38188-0001 Questions of comments regarding the publication should be addressed to the Office of Address and Customer Information Systems, Customer and Automation Service Department, US Postal Service, 475 Lenfant Plaza SW Rm 7801, Washington, DC 20260-5902 | added v2.5, removed after v2.8.2

VIS | Clinicians are required to track the Vaccine Information Sheet (VIS) that was shared with the recipient of a vaccination. This code system contains codes that identify the document type and the owner of the document. | | Deprecated | | added v2.8.2, removed after v2.8.2

W1 | en: WHO record # drug codes (6 digit) nl: WHO record # drug codes (6 cijferig) | | Deprecated | en: World Health organization record number code. A unique sequential number is assigned to each unique single component drug and to each multi-component drug. Eight digits are allotted to each such code, six to identify the active agent, and 2 to identify the salt, of single content drugs. Six digits are assigned to each unique combination of drugs in a dispensing unit. The six digit code is identified by W1, the 8 digit code by W2. nl: World Health organization record number code. A unique sequential number is assigned to each unique single component drug and to each multi-component drug. Eight digits are allotted to each such code, six to identify the active agent, and 2 to identify th | added v2.4, removed after v2.8.2

W2 | en: WHO record # drug codes (8 digit) nl: WHO record # drug codes (8 cijferig) | | Deprecated | en: World Health organization record number code. A unique sequential number is assigned to each unique single component drug and to each multi-component drug. Eight digits are allotted to each such code, six to identify the active agent, and 2 to identify the salt, of single content drugs. Six digits are assigned to each unique combination of drugs in a dispensing unit. The six digit code is identified by W1, the 8 digit code by W2. nl: World Health organization record number code. A unique sequential number is assigned to each unique single component drug and to each multi-component drug. Eight digits are allotted to each such code, six to identify the active agent, and 2 to identify th | added v2.4, removed after v2.8.2

W4 | en: WHO record # code with ASTM extension nl: WHO record # code met ASTM extensie | | Deprecated | With ASTM extensions (see Implementation Guide), the WHO codes can be used to report serum (and other) levels, patient compliance with drug usage instructions, average daily doses and more (see Appendix X1 the Implementation Guide). | added v2.4, removed after v2.8.2

WC | WHO ATC | | Deprecated | WHO's ATC codes provide a hierarchical classification of drugs by therapeutic class. They are linked to the record number codes listed above. | added v2.4, removed after v2.8.2

X12Dennnn | ASC X12 Code List nnnn | | Deprecated | Code list associated with X12 Data Element nnnn. Example:: X12DE738 - code set defined for X12 data element 738 (Measurement Qualifier) The Accredited Standards Committee (ASC) X12 http://www.x12.org | added v2.6, removed after v2.8.2

Properties

Code | URL | Description | Type

status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code

deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0396 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version

99zzz | Local general code where z is an alphanumeric character | | Deprecated | Locally defined codes for purpose of sender or receiver - 99zzz (where z is an alphanumeric character). | added v2.7, removed after v2.8.2

99zzz or L | Local general code (where z is an alphanumeric character) | | Deprecated | General code | added v2.4, removed after v2.6

ACR | American College of Radiology finding codes | | Deprecated | Index for Radiological Diagnosis Revised, 3rd Edition 1986, American College of Radiology, Reston, VA. | added v2.4, removed after v2.8.2

ACTCODE | Table of HL7 Version 3 ActCode values | | Deprecated | | added v2.8.2, removed after v2.8.2

ACTRELSS | Used to indicate that the target of the relationship will be a filtered subset of the total related set of targets. Used when there is a need to limit the number of components to the first, the last, the next, the total, the average or some other filtere | | Deprecated | | added v2.8.2, removed after v2.8.2

ALPHAID2006 | German Alpha-ID v2006 | | Deprecated | ID of the alphabetical Index ICD-10-GM-2006. Alpha-ID. | added v2.6, removed after v2.8.2

ALPHAID2007 | German Alpha-ID v2007 | | Deprecated | ID of the alphabetical Index ICD-10-GM-2007. Alpha-ID. | added v2.6, removed after v2.8.2

ALPHAID2008 | German Alpha-ID v2008 | | Deprecated | ID of the alphabetical Index ICD-10-GM-2008. Alpha-ID. | added v2.6, removed after v2.8.2

ALPHAID2009 | German Alpha-ID v2009 | | Deprecated | ID of the alphabetical Index ICD-10-GM-2009. Alpha-ID. | added v2.7, removed after v2.8.2

ALPHAID2010 | German Alpha-ID v2010 | | Deprecated | ID of the alphabetical Index ICD-10-GM-2010. Alpha-ID. | added v2.7, removed after v2.8.2

ALPHAID2011 | German Alpha-ID v2011 | | Deprecated | ID of the alphabetical Index ICD-10-GM-2011. Alpha-ID. | added v2.7, removed after v2.8.2

ALPHAID2012 | German Alpha-ID v2013 | | Deprecated | | added v2.8.2, removed after v2.8.2

ALPHAID2013 | German Alpha-ID v2013 | | Deprecated | | added v2.8.2, removed after v2.8.2

ALPHAID2014 | German Alpha-ID v2014 | | Deprecated | | added v2.8.2, removed after v2.8.2

ALPHAID2015 | German Alpha-ID v2015 | | Deprecated | | added v2.8.2, removed after v2.8.2

ALPHAID2016 | German Alpha-ID v2016 | | Deprecated | | added v2.8.2, removed after v2.8.2

AMTv2 | Australian Medicines Terminology (v2) | | Deprecated | | added v2.8.2, removed after v2.8.2

ANS+ | HL7 set of units of measure | | Deprecated | HL7 set of units of measure based upon ANSI X3.50 - 1986, ISO 2988-83, and US customary units / see chapter 7, section 7.4.2.6. | added v2.5, removed after v2.8.2

ART | WHO Adverse Reaction Terms | | Deprecated | WHO Collaborating Centre for International Drug Monitoring, Box 26, S-751 03, Uppsala, Sweden. | added v2.4, removed after v2.8.2

AS4 | ASTM E1238/ E1467 Universal | | Deprecated | American Society for Testing & Materials and CPT4 (see Appendix X1 of Specification E1238 and Appendix X2 of Specification E1467). | added v2.4, removed after v2.8.2

AS4E | AS4 Neurophysiology Codes | | Deprecated | ASTM's diagnostic codes and test result coding/grading systems for clinical neurophysiology. See ASTM Specification E1467, Appendix 2. | added v2.4, removed after v2.8.2

ATC | American Type Culture Collection | | Deprecated | Reference cultures (microorganisms, tissue cultures, etc.), related biological materials and associated data. American Type Culture Collection, 12301 Parklawn Dr, Rockville MD, 20852. (301) 881-2600. http://www.atcc.org | added v2.4, removed after v2.8.2

C4 | CPT-4 | | Deprecated | American Medical Association, P.O. Box 10946, Chicago IL 60610. | added v2.4, removed after v2.8.2

C5 | CPT-5 | | Deprecated | Specific Non-Drug Code | added v2.4, removed after v2.6

CAPECC | College of American Pathologists Electronic Cancer Checklist | | Deprecated | Each code in this system represents a single line in a database template for the College of American Pathologists Electronic Cancer Checklist (CAP eCC). Each line and its code corresponds to either a question or an answer selection. The code is in a dec. | added v2.7, removed after v2.8.2

CAS | Chemical abstract codes | | Deprecated | These include unique codes for each unique chemical, including all generic drugs. The codes do not distinguish among different dosing forms. When multiple equivalent CAS numbers exist, use the first one listed in USAN. USAN 1990 and the USP dictionary of drug names, William M. Heller, Ph.D., Executive Editor, United States Pharmacopeial Convention, Inc., 12601 Twinbrook Parkway, Rockville, MD 20852. | added v2.4, removed after v2.8.2

CCC | Clinical Care Classification system | | Deprecated | Clinical Care Classification System (formerly Home Health Care Classification system) codes. The Clinical Care Classification (CCC) consists of two terminologies: CCC of Nursing Diagnose and CCC of Nursing Interventions both of which are classified by 21 Care Components. Virginia Saba, EdD, RN; Georgetown University School of Nursing; Washington, DC. | added v2.6, removed after v2.8.2

CD2 | CDT-2 Codes | | Deprecated | American Dental Association's Current Dental Terminology (CDT-2) code. American Dental Association, 211 E. Chicago Avenue,. Chicago, Illinois 60611. | added v2.4, removed after v2.8.2

CDCA | CDC Analyte Codes | | Deprecated | As above, for CDCM | added v2.4, removed after v2.8.2

CDCEDACUITY | CDC Emergency Department Acuity | | Deprecated | Patient Acuity indicates level of care required (Acute, Chronic, Critical) | added v2.7, removed after v2.8.2

cdcgs1vis | VIS Bar Codes (IIS) | | Deprecated | | added v2.8.2, removed after v2.8.2

CDCM | CDC Methods/Instruments Codes | | Deprecated | Public Health Practice Program Office, Centers for Disease Control and Prevention, 4770 Buford Highway, Atlanta, GA, 30421. Also available via FTP: ftp.cdc.gov/pub/laboratory _info/CLIA and Gopher: gopher.cdc.gov:70/11/laboratory_info/CLIA | added v2.4, removed after v2.8.2

CDCNHSN | CDC National Healthcare Safety Network Codes | | Deprecated | | added v2.8.2, removed after v2.8.2

CDCOBS | CDC BioSense RT observations (Census) - CDC | | Deprecated | List of BioSense RT observations (Clinical) used in OBX-3 like Temperature, Bloodpressure and Census related observations. | added v2.7, removed after v2.8.2

CDCPHINVS | CDC PHIN Vocabulary Coding System | | Deprecated | CDC Public Health Information Network Vocabulary Service (PHIN VS) coding system concepts are used when the public health concepts are not available in the Standard Development Organization(SDO) Vocabulary like SNOMED CT, LOINC, ICD-9, etc.. The concepts in this coding system will be mapped to SDO Vocabulary when it is available. | added v2.7, removed after v2.8.2

CDCREC | Race & Ethnicity - CDC | | Deprecated | The U.S. Centers for Disease Control and Prevention (CDC) has prepared a code set for use in coding race and ethnicity data. This code set is based on current federal standards for classifying data on race and ethnicity, specifically the minimum race and ethnicity categories defined by the U.S. Office of Management and Budget (OMB) and a more detailed set of race and ethnicity categories maintained by the U.S. Bureau of the Census (BC). The main purpose of the code set is to facilitate use of federal standards for classifying data on race and ethnicity when these data are exchanged, stored, retrieved, or analyzed in electronic form. At the same time, the code set can be applied to paper-based record systems to the extent that these systems are used to collect, maintain, and report data on race and ethnicity in accordance with current federal standards. | added v2.7, removed after v2.8.2

CDS | CDC Surveillance | | Deprecated | CDC Surveillance Codes. For data unique to specific public health surveillance requirements. Epidemiology Program Office, Centers for Disease Control and Prevention, 1600 Clifton Rd, Atlanta, GA, 30333. (404) 639-3661. | added v2.4, removed after v2.8.2

CE | CEN ECG diagnostic codes | | Deprecated | Specific Non-Drug Code | added v2.4, removed after v2.5.1

CE (obsolete) | CEN ECG diagnostic codes | | Deprecated | CEN ECG diagnostic codes - (Obsolete, retained for backwards compatibility only. See the entry for the MDC coding system.) | added v2.6, removed after v2.8.2

CLP | CLIP | | Deprecated | Simon Leeming, Beth Israel Hospital, Boston MA. Codes for radiology reports. | added v2.4, removed after v2.8.2

CPTM | CPT Modifier Code | | Deprecated | Available for the AMA at the address listed for CPT above. These codes are found in Appendix A of CPT 2000 Standard Edition. (CPT 2000 Standard Edition, American Medical Association, Chicago, IL). | added v2.4, removed after v2.8.2

CST | COSTART | | Deprecated | International coding system for adverse drug reactions. In the USA, maintained by the FDA, Rockville, MD. | added v2.4, removed after v2.8.2

CVX | CDC Vaccine Codes | | Deprecated | National Immunization Program, Centers for Disease Control and Prevention, 1660 Clifton Road, Atlanta, GA, 30333 | added v2.4, removed after v2.8.2

DCL | DICOM Class Label | | Deprecated | | added v2.4, removed after v2.4

DCM | DICOM Controlled Terminology | | Deprecated | Codes defined in DICOM Content Mapping Resource. Digital Imaging and Communications in Medicine (DICOM). NEMA Publication PS-3.16 National Electrical Manufacturers Association (NEMA). Rosslyn, VA, 22209. Available at: http://medical.nema.org | added v2.4, removed after v2.8.2

DQL | DICOM Query Label | | Deprecated | | added v2.4, removed after v2.4

E | EUCLIDES | | Deprecated | Available from Euclides Foundation International nv, Excelsiorlaan 4A, B-1930 Zaventem, Belgium; Phone: 32 2 720 90 60. | added v2.4, removed after v2.8.2

E5 | Euclides quantity codes | | Deprecated | Available from Euclides Foundation International nv (see above) | added v2.4, removed after v2.8.2

E6 | Euclides Lab method codes | | Deprecated | Available from Euclides Foundation International nv, Excelsiorlaan 4A, B-1930 Zaventem, Belgium; Phone: 32 2 720 90 60. | added v2.4, removed after v2.8.2

E7 | Euclides Lab equipment codes | | Deprecated | Available from Euclides Foundation International nv (see above) | added v2.4, removed after v2.8.2

EDLEVEL | Education Level | | Deprecated | | added v2.8.2, removed after v2.8.2

ENTITYCODE | Entity Code | | Deprecated | | added v2.8.2, removed after v2.8.2

ENTITYHDLG | Entity Handling Code | | Deprecated | | added v2.8.2, removed after v2.8.2

ENZC | Enzyme Codes | | Deprecated | Enzyme Committee of the International Union of Biochemistry and Molecular Biology. Enzyme Nomenclature: Recommendations on the Nomenclature and Classification of Enzyme-Catalysed Reactions. London: Academic Press, 1992. | added v2.4, removed after v2.8.2

EPASRS | EPA SRS | | Deprecated | Subset of EPA SRS listing chemicals that are present in ECOTOX, STORET and TRI. | added v2.7, removed after v2.8.2

FDAUDI | FDA Unique Device Identifier | | Deprecated | Represents the approved agencies by the FDA that assign UDI Device Identifiers. | added v2.8.2, removed after v2.8.2

FDAUNII | Unique Ingredient Identifier (UNII) | | Deprecated | The Unique Ingredient Identifier (UNII) generated from the FDA Substance Registration System (SRS). | added v2.7, removed after v2.8.2

FDDC | First DataBank Drug Codes | | Deprecated | National Drug Data File. Proprietary product of First DataBank, Inc. (800) 633-3453, or http://www.firstdatabank.com. | added v2.4, removed after v2.8.2

FDDX | First DataBank Diagnostic Codes | | Deprecated | Used for drug-diagnosis interaction checking. Proprietary product of First DataBank, Inc. As above for FDDC. | added v2.4, removed after v2.8.2

FDK | FDA K10 | | Deprecated | Dept. of Health & Human Services, Food & Drug Administration, Rockville, MD 20857. (device & analyte process codes). | added v2.4, removed after v2.8.2

FIPS5_2 | FIPS 5-2 (State) | | Deprecated | Codes for the Identification of the States, the District of Columbia and the Outlying Areas of the United States, and Associated Areas. | added v2.7, removed after v2.8.2

FIPS6_4 | FIPS 6-4 (County) | | Deprecated | Federal Information Processing Standard (FIPS) 6-4 provides the names and codes that represent the counties and other entities treated as equivalent legal and/or statistical subdivisions of the 50 States, the District of Columbia, and the possessions and freely associated areas of the United States. | added v2.7, removed after v2.8.2

GDRG2004 | G-DRG German DRG Codes v2004 | | Deprecated | German Handbook for DRGs 2004. | added v2.6, removed after v2.8.2

GDRG2005 | G-DRG German DRG Codes v2005 | | Deprecated | German Handbook for DRGs 2005. | added v2.6, removed after v2.8.2

GDRG2006 | G-DRG German DRG Codes v2006 | | Deprecated | German Handbook for DRGs 2006. | added v2.6, removed after v2.8.2

GDRG2007 | G-DRG German DRG Codes v2007 | | Deprecated | German Handbook for DRGs 2007. | added v2.6, removed after v2.8.2
GDRG2008 | G-DRG German DRG Codes v2008 | | Deprecated | German Handbook for DRGs 2008. | added v2.6, removed after v2.8.2
GDRG2009 | G-DRG German DRG Codes v2009 | | Deprecated | German Handbook for DRGs 2009. | added v2.7, removed after v2.8.2
General code | Active | | Deprecated | | added v2.7.1, removed after v2.7.1
GMDC2004 | German Major Diagnostic Codes v2004 | | Deprecated | German Major Diagnostic Codes version 2004. | added v2.6, removed after v2.8.2
GMDC2005 | German Major Diagnostic Codes v2005 | | Deprecated | German Major Diagnostic Codes version 2005. | added v2.6, removed after v2.8.2
GMDC2006 | German Major Diagnostic Codes v2006 | | Deprecated | German Major Diagnostic Codes version 2006. | added v2.6, removed after v2.8.2
GMDC2007 | German Major Diagnostic Codes v2007 | | Deprecated | German Major Diagnostic Codes version 2007. | added v2.6, removed after v2.8.2
GMDC2008 | German Major Diagnostic Codes v2008 | | Deprecated | German Major Diagnostic Codes version 2008. | added v2.6, removed after v2.8.2
GMDC2009 | German Major Diagnostic Codes v2009 | | Deprecated | German Major Diagnostic Codes version 2009. | added v2.7, removed after v2.8.2
GS1UDI | GS1 Unique Device Identifier | | Deprecated | | added v2.8.2, removed after v2.8.2
HB | HIBCC | | Deprecated | Health Industry Business Communications Council, 5110 N. 40th St., Ste 120, Phoenix, AZ 85018. | added v2.4, removed after v2.8.2
HCPCS | CMS (formerly HCFA) Common Procedure Coding System | | Deprecated | HCPCS: contains codes for medical equipment, injectable drugs, transportation services, and other services not found in CPT4. http://www.cms.hhs.gov/MedHCPCSGenInfo/ | added v2.4, removed after v2.8.2
HCPT | Health Care Provider Taxonomy | | Deprecated | The Blue Cross and Blue Shield Association will act as the administrator of the Provider Taxonomy so that the code structure is classified as external to X12. Ongoing maintenance is solely the responsibility of Workgroup 15 (Provider Information) within ANSI ASC X12N, or the work group's successor. Blue Cross and Blue Shield Association, 225 North Michigan Avenue, Chicago, IL 60601, Attention: ITS Department, ECNS Unit. http://www.wpc-edi.com/taxonomy/ Primary distribution is the responsibility of Washington Publishing Company, through its World Wide Web Site, at the same web site. | added v2.5, removed after v2.8.2
HHC | Home Health Care | | Deprecated | Home Health Care Classification System; Virginia Saba, EdD, RN; Georgetown University School of Nursing; Washington, DC. Superceded by 'CCC' (see above); this entry is retained for backward-compatibility. | added v2.4, removed after v2.8.2
HI | Health Outcomes | | Deprecated | Health Outcomes Institute codes for outcome variables available (with responses) from Stratis Health (formerly Foundation for Health Care Evaluation and Health Outcomes Institute), 2901 Metro Drive, Suite 400, Bloomington, MN, 55425-1525; (612) 854-3306 (voice); (612) 853-8503 (fax); dziegen@winternet.com. See examples in the Implementation Guide. | added v2.4, removed after v2.8.2
HIBUDI | HIBCC Unique Device Identifier | | Deprecated | | added v2.8.2, removed after v2.8.2
HL7nnnn | HL7 Defined Codes where nnnn is the HL7 table number | | Deprecated | Health Level Seven where nnnn is the HL7 table number. | added v2.4, removed after v2.8.2
HOT | Japanese Nationwide Medicine Code | | Deprecated | | added v2.5, removed after v2.8.2
HPC | CMS (formerly HCFA)Procedure Codes (HCPCS) | | Deprecated | Health Care Financing Administration (HCFA) Common Procedure Coding System (HCPCS) including modifiers.[1] | added v2.4, removed after v2.8.2
HSLOC | Healthcare Service Location | | Deprecated | | added v2.8.2, removed after v2.8.2
I10 | ICD-10 | | Deprecated | World Health Publications, Albany, NY. | added v2.4, removed after v2.8.2
I10C | International Classification of Diseases, 10th Revision, Clinical Modification (ICD-10-CM) | | Deprecated | | added v2.8.2, removed after v2.8.2
I10G2004 | ICD 10 Germany 2004 | | Deprecated | Three code sets exist I10G2004, I10G2005, I10G2006 | added v2.6, removed after v2.8.2
I10G2005 | ICD 10 Germany 2005 | | Deprecated | Three code sets exist I10G2004 | added v2.6, removed after v2.8.2
I10G2006 | ICD 10 Germany 2006 | | Deprecated | Three code sets exist I10G2004 | added v2.6, removed after v2.8.2
I10P | ICD-10 Procedure Codes | | Deprecated | Procedure Coding System (ICD-10-PCS.) See http://www.cms.hhs.gov/ICD9ProviderDiagnosticCodes/08_ICD10.asp for more information. | added v2.4, removed after v2.8.2
I9 | ICD9 | | Deprecated | World Health Publications, Albany, NY. | added v2.4, removed after v2.8.2
I9C | ICD-9CM | | Deprecated | International Classification Of Diseases-9-CM, (1979) Commission on Professional and Hospital Activities, 1968 Green Road, Ann Arbor, MI 48105 (includes all procedures and diagnostic tests). | added v2.4, removed after v2.8.2
I9CDX | ICD-9CM Diagnosis codes | | Deprecated | Indicates codes from ICD-9-CM drawn from Volumes 1 and 2, which cover diagnosis codes only. | added v2.6, removed after v2.8.2
I9CP | ICD-9CM Procedure codes | | Deprecated | Indicates codes from ICD-9-CM drawn from Volume 3, which covers procedure codes only. | added v2.6, removed after v2.8.2
IBT | ISBT | | Deprecated | Retained for backward compatibility only as of v 2.5. This code value has been superseded by IBTnnnn. International Society of Blood Transfusion. Blood Group Terminology 1990. VOX Sanquines 1990 58(2):152-169. | added v2.4, removed after v2.8.2
IBT0001 | ISBT 128 Standard transfusion/transplantation data items | | Deprecated | | added v2.8.2, removed after v2.8.2
IBTnnnn | ISBT 128 codes where nnnn specifies a specific table within ISBT 128. | | Deprecated | International Society of Blood Transfusion. (specific contact information will be supplied to editor.) The variable suffix (nnnn) identifies a specific table within ISBT 128. | added v2.5, removed after v2.8.2
IC2 | ICHPPC-2 | | Deprecated | International Classification of Health Problems in Primary Care, Classification Committee of World Organization of National Colleges, Academies and Academic Associations of General Practitioners (WONCA), 3rd edition. An adaptation of ICD9 intended for use in General Medicine, Oxford University Press. | added v2.4, removed after v2.8.2
ICCUDI | ICCBBA Unique Device Identifier | | Deprecated | | added v2.8.2, removed after v2.8.2
ICD10AM | ICD-10 Australian modification | | Deprecated | | added v2.5, removed after v2.8.2
ICD10CA | ICD-10 Canada | | Deprecated | | added v2.5, removed after v2.8.2
ICD10GM2007 | ICD 10 Germany v2007 | | Deprecated | ICD German modification for 2007. | added v2.6, removed after v2.8.2

ICD10GM2008 | ICD 10 Germany v2008 | | Deprecated | ICD German modification for 2008. | added v2.6, removed after v2.8.2
ICD10GM2009 | ICD 10 Germany v2009 | | Deprecated | ICD German modification for 2009 | added v2.7, removed after v2.8.2
ICD10GM2010 | ICD 10 Germany v2010 | | Deprecated | ICD German modification for 2010 | added v2.7, removed after v2.8.2
ICD10GM2011 | ICD 10 Germany v2011 | | Deprecated | ICD German modification for 2011 | added v2.7, removed after v2.8.2
ICD10GM2012 | ICD 10 Germany v2012 | | Deprecated | | added v2.8.2, removed after v2.8.2
ICD10GM2013 | ICD 10 Germany v2013 | | Deprecated | | added v2.8.2, removed after v2.8.2
ICD10GM2014 | ICD 10 Germany v2014 | | Deprecated | | added v2.8.2, removed after v2.8.2
ICD10GM2015 | ICD 10 Germany v2015 | | Deprecated | | added v2.8.2, removed after v2.8.2
ICD10GM2016 | ICD 10 Germany v2016 | | Deprecated | | added v2.8.2, removed after v2.8.2
ICDO | International Classification of Diseases for Oncology | | Deprecated | International Classification of Diseases for Oncology, 2nd Edition. World Health Organization: Geneva, Switzerland, 1990. Order from: College of American Pathologists, 325 Waukegan Road, Northfield, IL, 60093-2750. (847) 446-8800. | added v2.4, removed after v2.8.2
ICDO2 | International Classification of Disease for Oncology Second Edition | | Deprecated | Percy C, VanHolten V, and Muir C, editors. International Classification of Diseases for Oncology. Second Edition. Geneva: World Health Organization; 1990. The ICD-9 neoplasm structure did not include morphology and there was a growing interest by physicians to establish a coding system for morphology. ICD-O is used in cancer registries (and other related areas) for coding the topography (site) and morphology of a neoplasm. The topography code uses similar categories as ICD-10 for malignant neoplasms allowing greater specificity for the site of non-malignant neoplasms than in ICD-10. The topography code consists of an alphabetic character (the letter C) followed by two numeric digits, a decimal point, and a numeric digit. The morphology code consists of a 6-digit numeric code which consists of three parts: histologic type (4-digit), behavior code (1-digit), and grading or differentiation (1-digit). ICD-O-2 is used for tumors diagnosed prior to 2001. | added v2.7, removed after v2.8.2
ICDO3 | International Classification of Disease for Oncology Third Edition | | Deprecated | Fritz A, Percy C, Jack A, Shanmugaratnam K, Sobin L, Parkin D, et al, editors. International Classification of Diseases for Oncology. Third Edition. Geneva: World Health Organization; 2000. The ICD-9 neoplasm structure did not include morphology and there was a growing interest by physicians to establish a coding system for morphology. ICD-O is used in cancer registries (and other related areas) for coding the topography (site) and morphology of a neoplasm. The topography code uses similar categories as ICD-10 for malignant neoplasms allowing greater specificity for the site of non-malignant neoplasms than in ICD-10. The topography code consists of an alphabetic character (the letter C) followed by two numeric digits, a decimal point, and a numeric digit. The morphology code consists of a 6-digit numeric code which consists of three parts: histologic type, behavior code, and grading or differentiation. In the third edition the morphology codes were revised, especially for leukemias and lymphomas. ICD-O-3 is used for tumors diagnosed in 2001 and later. | added v2.7, removed after v2.8.2
ICF | International Classification of Functioning, Disability and Health (ICF) | | Deprecated | | added v2.8.2, removed after v2.8.2
ICS | ICCS | | Deprecated | Commission on Professional and Hospital Activities, 1968 Green Road, Ann Arbor, MI 48105. | added v2.4, removed after v2.8.2
ICSD | International Classification of Sleep Disorders | | Deprecated | International Classification of Sleep Disorders Diagnostic and Coding Manual, 1990, available from American Sleep Disorders Association, 604 Second Street SW, Rochester, MN 55902 | added v2.4, removed after v2.8.2
IHELAW | IHE Laboratory Analytical Workflow (LAW) Profile Codes. | | Deprecated | | added v2.8.2, removed after v2.8.2
ISO | ISO 2955.83 (units of measure) with HL7 extensions | | Deprecated | See chapter 7, section 7.4.2.6 | added v2.7, removed after v2.8.2
ISO+ | ISO 2955.83 (units of measure) with HL7 extensions | | Deprecated | | added v2.5, removed after v2.6
ISO3166_1 | ISO 3166-1 Country Codes | | Deprecated | International Standards Organization standard 3166 contains 3 parts. Part 1 contains three tables for codes for countries of the world. These are 2-character alphabetic, 3-character alphabetic, and numeric codes. | added v2.7, removed after v2.8.2
ISO3166_2 | ISO 3166-2 Country subdivisions | | Deprecated | International Standards Organization standard 3166 contains 3 parts. Part 2 contains a complete breakdown into a relevant level of administrative subdivisions of all countries listed in ISO 3166-1. The code elements used consist of the alpha-2 code element from ISO 3166-1 followed by a separator and a further string of up to three alphanumeric characters e. g. DK-025 for the Danish county Roskilde. | added v2.7, removed after v2.8.2
ISO4217 | ISO4217 Currency Codes | | Deprecated | ISO's currency codes, which are based on the ISO country codes are published in the standard ISO 4217:2008 Codes for the representation of currencies and funds. This International Standard specifies the structure for a three-letter alphabetic code and an equivalent three-digit numeric code for the representation of currencies and funds. For those currencies having minor units, it also shows the decimal relationship between such units and the currency itself. | added v2.7, removed after v2.8.2
ISO639 | ISO 639 Language | | Deprecated | International Standards Organization codes for the representation of names of languages. ISO 639 provides two sets of language codes, one as a two-character code set (639-1) and another as a three-character code set (639-2) for the representation of names of languages. ISO 639-3, Codes for the representation of names of languages - Part 3: Alpha-3 code for comprehensive coverage of languages, is a code list that aims to define three-letter identifiers for all known human languages. | added v2.7, removed after v2.8.2
ISOnnnn | ISO Defined Codes where nnnn is the ISO table number | | Deprecated | General code | added v2.4, removed after v2.6
ISOnnnn (deprecated) | ISO Defined Codes where nnnn is the ISO table number | | Deprecated | International Standards Organization where nnnn is the ISO table number | added v2.7, removed after v2.8.2
ITIS | Integrated Taxonomic Information System | | Deprecated | Source= www.itis.usda.gov. This is a taxonomic hierarchy for living organisms. | added v2.6, removed after v2.8.2
IUPC | IUPAC/IFCC Component Codes | | Deprecated | Codes used by IUPAC/IFF to identify the component (analyte) measured. Contact Henrik Olesen, as above for IUPP. | added v2.4, removed after v2.8.2
IUPP | IUPAC/IFCC Property Codes | | Deprecated | International Union of Pure and Applied Chemistry/International Federation of Clinical Chemistry. The Silver Book: Compendium of terminology and nomenclature of properties in clinical laboratory sciences. Oxford: Blackwell Scientific Publishers, 1995. Henrik Olesen, M.D., D.M.Sc., Chairperson, Department of Clinical Chemistry, KK76.4.2, Rigshospitalet, University Hospital of Copenhagen, DK-2200, Copenhagen. http://inet.uni-c.dk/~qukb7642/ | added v2.4, removed after v2.8.2
JC10 | JLAC/JSLM, nationwide laboratory code | | Deprecated | Source: Classification &Coding for Clinical Laboratory. Japanese Society of Laboratory Medicine(JSLM, Old:Japan Society of Clinical Pathology). Version 10, 1997. A multiaxial code including a analyte code (e.g., Rubella = 5f395), identification code (e.g., virus ab IGG=1431), a specimen code (e.g., serum =023) and a method code (e.g., ELISA = 022) | added v2.5, removed after v2.8.2
JC8 | Japanese Chemistry | | Deprecated | v | added v2.4, removed after v2.8.2
JJ1017 | Japanese Image Examination Cache | | Deprecated | Â | added v2.5, removed after v2.8.2

L | Local general code | | Deprecated | Locally defined codes for purpose of sender or receiver. Local codes can be identified by L (for backward compatibility) | added v2.7, removed after v2.8.2

LANGUAL | LanguaL | | Deprecated | | added v2.8.2, removed after v2.8.2

LB | Local billing code | | Deprecated | Local billing codes/names (with extensions if needed). | added v2.4, removed after v2.8.2

LN | Logical Observation Identifier Names and Codes (LOINCÂ®) | | Deprecated | Regenstrief Institute, c/o LOINC, 1050 Wishard Blvd., 5th floor, Indianapolis, IN 46202. 317/630-7433. Available from the Regenstrief Institute server at http://www.Regenstrief.org/loinc/loinc.htm. Also available via HL7 file server: FTP/Gopher (www.mcis.duke.edu/standards/termcode/loinclab and www.mcis.duke.edu/standards/termcode/loinclin) and World Wide Web (http://www.mcis.duke.edu/standards/termcode/loincl.htm). January 2000 version has identifiers, synonyms and cross-reference codes for reporting over 26,000 laboratory and related observations and 1,500 clinical measures. | added v2.4, removed after v2.8.2

MCD | Medicaid | | Deprecated | Medicaid billing codes/names. | added v2.4, removed after v2.8.2

MCR | Medicare | | Deprecated | Medicare billing codes/names. | added v2.4, removed after v2.8.2

MDC | Medical Device Communication | | Deprecated | EN ISO/IEEE 11073-10101 Health informatics - Point-of-care medical device communication - Nomenclature | added v2.6, removed after v2.8.2

MDDX | Medispan Diagnostic Codes | | Deprecated | Codes Used for drug-diagnosis interaction checking. Proprietary product. Hierarchical drug codes for identifying drugs down to manufacturer and pill size. MediSpan, Inc., 8425 Woodfield Crossing Boulevard, Indianapolis, IN 46240. Tel: (800) 428-4495. URL: http://www.medispan.com/Products/index.aspx?cat=1. As above for MGPI. | added v2.4, removed after v2.8.2

MEDC | Medical Economics Drug Codes | | Deprecated | Proprietary Codes for identifying drugs. Proprietary product of Medical Economics Data, Inc. (800) 223-0581. | added v2.4, removed after v2.8.2

MEDIATYPE | MIME Media Type IANA | | Deprecated | | added v2.8.2, removed after v2.8.2

MEDR | Medical Dictionary for Drug Regulatory Affairs (MEDDRA) | | Deprecated | Patrick Revelle, Director MSSO 12011 Sunset Hills Road, VAR1/7B52 Reston, VA 20190 Patrick.Revelle@ngc.com http://www.meddramsso.com/MSSOWeb/index.htm | added v2.4, removed after v2.8.2

MEDX | Medical Economics Diagnostic Codes | | Deprecated | Used for drug-diagnosis interaction checking. Proprietary product of Medical Economics Data, Inc. (800) 223-0581. | added v2.4, removed after v2.8.2

MGPI | Medispan GPI | | Deprecated | Medispan hierarchical drug codes for identifying drugs down to manufacturer and pill size. Proprietary product of MediSpan, Inc., 8425 Woodfield Crossing Boulevard, Indianapolis, IN 46240. Tel: (800) 428-4495. | added v2.4, removed after v2.8.2

MVX | CDC Vaccine Manufacturer Codes | | Deprecated | As above, for CVX | added v2.4, removed after v2.8.2

NAICS | Industry (NAICS) | | Deprecated | The North American Industry Classification System (NAICS) consists of a set of six digit codes that classify and categorize industries. It also organizes the categories on a production/process-oriented basis. This new, uniform, industry-wide classification system has been designed as the index for statistical reporting of all economic activities of the U.S., Canada, and Mexico. Mapping is available between SIC 1987 and NAICS 2002 codes at U.S. Census Bureau website. Mapping is also available between NAICS 2002 and NAICS 2007 at U.S. Census Bureau website | added v2.7, removed after v2.8.2

NCPDPnnnnsss | NCPDP code list for data element nnnn [as used in segment sss] | | Deprecated | NCPDP maintain code list associated with the specified Data Element (nnnn) and Segment (sss). The Segment portion is optional if there is no specialization of the Data Element codes between segments. Examples: NCPDP1131RES = code set defined for NCPDP data element 1131 as used in the RES segment (Code List Qualifier – Response Code) NCPDP1131STS = code set defined for NCPDP data element 1131 as used in the STS segment (Code List Qualifier – Reject Code) NCPDP9701 = code set defined for NCPDP data element 9701 (Individual Relationship, Coded). No specialization to a segment exists for this data element. National Council for Prescription Drug Programs, 924Ø ast Raintree Drive, Scottsdale, AZ 8526Ø. Phone: (48Ø) 477-1ØØØ Fax: (48Ø) 767-1Ø42 e-mail: ncpdp@ncpdp.org www.ncpdp.org | added v2.6, removed after v2.8.2

NDA | NANDA | | Deprecated | North American Nursing Diagnosis Association, Philadelphia, PA. | added v2.4, removed after v2.8.2

NDC | National drug codes | | Deprecated | These provide unique codes for each distinct drug, dosing form, manufacturer, and packaging. (Available from the National Drug Code Directory, FDA, Rockville, MD, and other sources.) | added v2.4, removed after v2.8.2

NDFRT | NDF-RT (Drug Classification) | | Deprecated | The National Drug File RT (NDF-RT) is published by the US Veterans' Administration (VA). NDF-RT covers clinical drugs used at the VA. The NCI version of NDF-RT is used by NCI to provide automated terminology access to the Food and Drug Administration (FDA) Structured Product Label (SPL) initiative. | added v2.7, removed after v2.8.2

NIC | Nursing Interventions Classification | | Deprecated | Iowa Intervention Project, College of Nursing, University of Iowa, Iowa City, Iowa | added v2.4, removed after v2.8.2

NIP001 | Source of Information (Immunization) | | Deprecated | CDC National Immunization Program's (NIP) defined table to be used in HL7 2.x message RXA-9 for documenting the source of information regarding immunization. E.g. From school, provider,public health agency. | added v2.7, removed after v2.8.2

NIP002 | Substance refusal reason | | Deprecated | CDC National Immunization Program's (NIP) defined table to be used in HL7 2.x message RXA-18 for substance refusal reason (reasons for not having vaccination). E.g. Religious exemption, parental decision | added v2.7, removed after v2.8.2

NIP004 | Vaccination - Contraindications, Precautions, and Immunities | | Deprecated | CDC National Immunization Program's (NIP) defined table for vaccine contraindications and precautions. E.g. Allergy to egg ingestion, thimerosol | added v2.7, removed after v2.8.2

NIP007 | Vaccinated at location (facility) | | Deprecated | CDC National Immunization Program's (NIP) defined table for vaccinated at location (facility). E.g. Private doctor's office, Public Health Clinic | added v2.7, removed after v2.8.2

NIP008 | Vaccine purchased with (Type of funding) | | Deprecated | CDC National Immunization Program's (NIP) defined table enumerates the type of funds used for purchasing vaccine. E.g. Public funds, Military funds | added v2.7, removed after v2.8.2

NIP009 | Reported adverse event previously | | Deprecated | CDC National Immunization Program's (NIP) defined table enumerates the authorities to whom the vaccination related adverse events were previously reported. E.g. To health department, To manufacturer | added v2.7, removed after v2.8.2

NIP010 | VAERS Report type | | Deprecated | CDC National Immunization Program's (NIP) defined table enumerates the type of report used in VAERS (Vaccination Adverse Event Reporting System). E.g. Initial, Follow-up | added v2.7, removed after v2.8.2

NND | Notifiable Event (Disease/Condition) Code List | | Deprecated | List of notifiable events, which includes infectious and non-infectious disease or conditions. This list includes events that are notifiable at the state and national level. | added v2.7, removed after v2.8.2

NPI | National Provider Identifier | | Deprecated | This is the US Realm Health Care Provider National Identifier. It is produced and maintained by CMS (The US Government Centers for Medicare & Medicaid Services http://www.cms.gov), US Dept. of Health and

Human Services, 7500 Security Blvd., Baltimore, MD 21244. | added v2.4, removed after v2.8.2

NUBC | National Uniform Billing Committee | | Deprecated | The NUBC was formed to develop a single billing form and standard data set that could be used nationwide by institutional providers and payers for handling health care claims. The NUBC holds meetings and conference calls throughout the year and change requests may be submitted at any time. However, to be considered at the next scheduled meeting, requests for changes to the UB Manual or UB Data Set must be received by the NUBC Secretary at least 45 days in advance. Approved changes are usually effective as of April 1, October 1, or about 90 days after approval, as appropriate. A new manual is generated in its entirety in July with changes effective as of 10/1 of that year. Updates are posted on the www.NUBC.com website after all meetings. | added v2.5, removed after v2.8.2

NULLFL | Null Flavor | | Deprecated | System of coded values for Flavors of Null, as used in HL7 Version 3 standards. Identical to the HL7 version 3 coding system 2.16.840.1.113883.5.1008 NullFlavor | added v2.7, removed after v2.8.2

O301 | German Procedure Codes | | Deprecated | Source: OPS Operationen- und Prozedurenschluessel. | added v2.6, removed after v2.8.2

O3012004 | OPS Germany v2004 | | Deprecated | Source: OPS Operationen- und Prozedurenschluessel 2004. | added v2.6, removed after v2.8.2

O3012005 | OPS Germany v2005 | | Deprecated | Source: OPS Operationen- und Prozedurenschluessel 2005. | added v2.6, removed after v2.8.2

O3012006 | OPS Germany v2006 | | Deprecated | Source: OPS Operationen- und Prozedurenschluessel 2006. | added v2.6, removed after v2.8.2

OBSMETHOD | Observation Method Code | | Deprecated | | added v2.8.2, removed after v2.8.2

OHA | Omaha System | | Deprecated | Omaha Visiting Nurse Association, Omaha, NB. | added v2.4, removed after v2.8.2

OPS2007 | OPS Germany v2007 | | Deprecated | Source: OPS Operationen- und Prozedurenschluessel 2007. | added v2.6, removed after v2.8.2

OPS2008 | OPS Germany v2008 | | Deprecated | Source: OPS Operationen- und Prozedurenschluessel 2008. | added v2.6, removed after v2.8.2

OPS2009 | OPS Germany v2009 | | Deprecated | Source: OPS Operationen- und Prozedurenschluessel 2009. | added v2.7, removed after v2.8.2

OPS2010 | OPS Germany v2010 | | Deprecated | Source: OPS Operationen- und Prozedurenschluessel 2010. | added v2.7, removed after v2.8.2

OPS2011 | OPS Germany v2011 | | Deprecated | Source: OPS Operationen- und Prozedurenschluessel 2011. | added v2.7, removed after v2.8.2

OPS2012 | OPS Germany v2012 | | Deprecated | | added v2.8.2, removed after v2.8.2

OPS2013 | OPS Germany v2013 | | Deprecated | | added v2.8.2, removed after v2.8.2

OPS2014 | OPS Germany v2014 | | Deprecated | | added v2.8.2, removed after v2.8.2

OPS2015 | OPS Germany v2015 | | Deprecated | | added v2.8.2, removed after v2.8.2

OPS2016 | OPS Germany v2016 | | Deprecated | | added v2.8.2, removed after v2.8.2

PHDSCSOPT | Source of Payment Typology | | Deprecated | | added v2.8.2, removed after v2.8.2

PHINQUESTION | CDC Public Health Information Network (PHIN) Question | | Deprecated | CDC Public Health Questions used in HL7 Message as observation identifiers. These question or observation identifiers are used in CDC's message implementation guides and will be passed in HL7 OBX-3 or Observation.Code | added v2.7, removed after v2.8.2

PLR | CDC PHLIP Lab result codes that are not covered in SNOMED at the time of this implementation | | Deprecated | APHL CDC co-sponsored PHLIP | added v2.7, removed after v2.8.2

PLT | CDC PHLIP Lab test codes, where LOINC concept is too broad or not yet available, especially as needed for ordering and or lab to lab reporting) | | Deprecated | APHL CDC co-sponsored PHLIP | added v2.7, removed after v2.8.2

POS | POS Codes | | Deprecated | HCFA Place of Service Codes for Professional Claims (see http://www.cms.hhs.gov/PlaceofServiceCodes/). | added v2.4, removed after v2.8.2

PRTCPTNMODE | Paticipation Mode Code | | Deprecated | | added v2.8.2, removed after v2.8.2

RC | Read Classification | | Deprecated | The Read Clinical Classification of Medicine, Park View Surgery, 26 Leicester Rd., Loughborough LE11 2AG (includes drug procedure and other codes, as well as diagnostic codes). | added v2.4, removed after v2.8.2

ROLECLASS | Used initially for contact roles. | | Deprecated | | added v2.8.2, removed after v2.8.2

ROLECODE | Participation Mode | | Deprecated | | added v2.8.2, removed after v2.8.2

RSPMODE | Specifies the mode, immediate versus deferred or queued, by which a receiver should communicate its receiver responsibilities. | | Deprecated | | added v2.8.2, removed after v2.8.2

RXNORM | RxNorm | | Deprecated | RxNorm provides standard names for clinical drugs (active ingredient + strength + dose form) and for dose forms as administered to a patient. It provides links from clinical drugs, both branded and generic, to their active ingredients, drug components (active ingredient + strength), and related brand names. NDCs (National Drug Codes) for specific drug products (where there are often many NDC codes for a single product) are linked to that product in RxNorm. RxNorm links its names to many of the drug vocabularies commonly used in pharmacy management and drug interaction software, including those of First Databank, Micromedex, MediSpan, and Multum. By providing links between these vocabularies, RxNorm can mediate messages between systems not using the same software and vocabulary.RxNorm is one of a suite of designated standards for use in U.S. Federal Government systems for the electronic exchange of clinical health information. | added v2.7, removed after v2.8.2

SCT | SNOMED Clinical Terms | | Deprecated | SNOMED-CT concept identifier codes. SNOMED International, I325 Waukegan Rd, Northfield, IL, 60093, +1 800-323-4040, mailto:snomed@cap.org http://www.snomed.org | added v2.6, removed after v2.8.2

SCT2 | SNOMED Clinical Terms alphanumeric codes | | Deprecated | Used to indicate that the code value is the legacy-style SNOMED alphanumeric codes, rather than the concept identifier codes. SNOMED International, I325 Waukegan Rd, Northfield, IL, 60093, +1 800-323-4040, mailto:snomed@cap.org http://www.snomed.org | added v2.6, removed after v2.8.2

SDM | SNOMED- DICOM Microglossary | | Deprecated | College of American Pathologists, Skokie, IL, 60077-1034. (formerly designated as 99SDM). | added v2.4, removed after v2.8.2

SIC | Industry (SIC) | | Deprecated | Standard Industry Classification - 1987. Use NAICS 2002. This is mainly for mapping and backward compatibility purposes. | added v2.7, removed after v2.8.2

SNM | Systemized Nomenclature of Medicine (SNOMED) | | Deprecated | Systemized Nomenclature of Medicine, 2nd Edition 1984 Vols 1, 2, College of American Pathologists, Skokie, IL. | added v2.4, removed after v2.8.2

SNM3 | SNOMED International | | Deprecated | SNOMED International, 1993 Vols 1-4, College of American Pathologists, Skokie, IL, 60077-1034. | added v2.4, removed after v2.8.2

SNT | SNOMED topology codes (anatomic sites) | | Deprecated | College of American Pathologists, 5202 Old Orchard Road, Skokie, IL 60077-1034. | added v2.4, removed after v2.8.2

SOC | Occupation (SOC 2000) | | Deprecated | The 2000 Standard Occupational Classification (SOC) system is used by Federal statistical agencies to classify workers into occupational categories for the purpose of collecting, calculating, or disseminating data. | added v2.7, removed after v2.8.2

UB04FL14 | Priority (Type) of Visit | | Deprecated | Source: Official UB-04 Data Specification Manual, published each July, by the National Uniform Billing Committee (NUBC). To access the information you must be a member of NUBC. This coding system superseded UB92 in July, 2007. More information can be found at http://www.nubc.org. | added v2.6, removed after v2.8.2

UB04FL15 | Point of Origin | | Deprecated | Source: Official UB-04 Data Specification Manual, published each July, by the National Uniform Billing Committee (NUBC). To access the information you must be a member of NUBC. This coding system superseded UB92 in July, 2007. More information can be found at http://www.nubc.org. | added v2.6, removed after v2.8.2

UB04FL17 | Patient Discharge Status | | Deprecated | Source: Official UB-04 Data Specification Manual, published each July, by the National Uniform Billing Committee (NUBC). To access the information you must be a member of NUBC. This coding system superseded UB92 in July, 2007. More information can be found at http://www.nubc.org. | added v2.6, removed after v2.8.2

UB04FL31 | Occurrence Code | | Deprecated | Source: Official UB-04 Data Specification Manual, published each July, by the National Uniform Billing Committee (NUBC). To access the information you must be a member of NUBC. This coding system superseded UB92 in July, 2007. More information can be found at http://www.nubc.org. | added v2.7, removed after v2.8.2

UB04FL35 | Occurrence Span | | Deprecated | Source: Official UB-04 Data Specification Manual, published each July, by the National Uniform Billing Committee (NUBC). To access the information you must be a member of NUBC. This coding system superseded UB92 in July, 2007. More information can be found at http://www.nubc.org. | added v2.7, removed after v2.8.2

UB04FL39 | Value Code | | Deprecated | Source: Official UB-04 Data Specification Manual, published each July, by the National Uniform Billing Committee (NUBC). To access the information you must be a member of NUBC. This coding system superseded UB92 in July, 2007. More information can be found at http://www.nubc.org. | added v2.7, removed after v2.8.2

UC | UCDS | | Deprecated | Uniform Clinical Data Systems. Ms. Michael McMullan, Office of Peer Review Health Care Finance Administration, The Meadows East Bldg., 6325 Security Blvd., Baltimore, MD 21207; (301) 966 6851. | added v2.4, removed after v2.8.2

UCUM | UCUM code set for units of measure(from Regenstrief) | | Deprecated | Added by motion of VOCABULARY T.C. 20060308 14-0-3 | added v2.6, removed after v2.8.2

UMD | MDNS | | Deprecated | Universal Medical Device Nomenclature System. ECRI, 5200 Butler Pike, Plymouth Meeting, PA 19462 USA. Phone: 215-825-6000, Fax: 215-834-1275. | added v2.4, removed after v2.8.2

UML | Unified Medical Language | | Deprecated | National Library of Medicine, 8600 Rockville Pike, Bethesda, MD 20894. | added v2.4, removed after v2.8.2

UPC | Universal Product Code | | Deprecated | The Uniform Code Council. 8163 Old Yankee Road, Suite J, Dayton, OH 45458; (513) 435 3070 | added v2.4, removed after v2.8.2

UPIN | UPIN | | Deprecated | Medicare/CMS 's (formerly HCFA) universal physician identification numbers, available from Health Care Financing Administration, U.S. Dept. of Health and Human Services, Bureau of Program Operations, 6325 Security Blvd., Meadows East Bldg., Room 300, Baltimore, MD 21207 | added v2.4, removed after v2.8.2

USGSGNIS | U.S. Board on Geographic Names (USGS - GNIS) | | Deprecated | | added v2.8.2, removed after v2.8.2

USPS | United States Postal Service | | Deprecated | Two Letter State and Possession Abbreviations are listed in Publication 28, Postal Addressing Standards which can be obtained from Address Information Products, National Address Information Center, 6060 Primacy Parkway, Suite 101, Memphis, Tennessee 38188-0001 Questions of comments regarding the publication should be addressed to the Office of Address and Customer Information Systems, Customer and Automation Service Department, US Postal Service, 475 Lenfant Plaza SW Rm 7801, Washington, DC 20260-5902 | added v2.5, removed after v2.8.2

VIS | Clinicians are required to track the Vaccine Information Sheet (VIS) that was shared with the recipient of a vaccination. This code system contains codes that identify the document type and the owner of the document. | | Deprecated | | added v2.8.2, removed after v2.8.2

W1 | WHO record # drug codes (6 digit) | | Deprecated | World Health organization record number code. A unique sequential number is assigned to each unique single component drug and to each multi-component drug. Eight digits are allotted to each such code, six to identify the active agent, and 2 to identify the salt, of single content drugs. Six digits are assigned to each unique combination of drugs in a dispensing unit. The six digit code is identified by W1, the 8 digit code by W2. | added v2.4, removed after v2.8.2

W2 | WHO record # drug codes (8 digit) | | Deprecated | World Health organization record number code. A unique sequential number is assigned to each unique single component drug and to each multi-component drug. Eight digits are allotted to each such code, six to identify the active agent, and 2 to identify the salt, of single content drugs. Six digits are assigned to each unique combination of drugs in a dispensing unit. The six digit code is identified by W1, the 8 digit code by W2. | added v2.4, removed after v2.8.2

W4 | WHO record # code with ASTM extension | | Deprecated | With ASTM extensions (see Implementation Guide), the WHO codes can be used to report serum (and other) levels, patient compliance with drug usage instructions, average daily doses and more (see Appendix X1 the Implementation Guide). | added v2.4, removed after v2.8.2

WC | WHO ATC | | Deprecated | WHO's ATC codes provide a hierarchical classification of drugs by therapeutic class. They are linked to the record number codes listed above. | added v2.4, removed after v2.8.2

X12Dennnn | ASC X12 Code List nnnn | | Deprecated | Code list associated with X12 Data Element nnnn. Example:: X12DE738 - code set defined for X12 data element 738 (Measurement Qualifier) The Accredited Standards Committee (ASC) X12 http://www.x12.org | added v2.6, removed after v2.8.2

Eigenschappen

Code | URL | Omschrijving | Type

status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code

deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0396 definieert de volgende codes:

Code | Display | Definition | Verouderd | Commentaar | Versie

99zzz | Lokale algemene code waarbij z een alfanumeriek teken is | | Verouderd | Lokaal gedefinieerde codes ten behoeve van zender of ontvanger - 99zzz (waarbij z een alfanumeriek teken is) | added v2.7, removed after v2.8.2

99zzz or L | Lokale algemene code (waarbij z een alfanumeriek teken is) | | Verouderd | | added v2.4, removed after v2.6

ACR | American College of Radiology bevindingen codes | | Verouderd | Index for Radiological Diagnosis Revised, 3rd Edition 1986, American College of Radiology, Reston, VA. | added v2.4, removed after v2.8.2

ACTCODE | | | Verouderd | | added v2.8.2, removed after v2.8.2
ACTRELSS | | | Verouderd | | added v2.8.2, removed after v2.8.2
ALPHAID2006 | Duitse Alpha-ID v2006 | | Verouderd | ID van de alfabetische index ICD-10-GM-2006. Alpha-ID. | added v2.6, removed after v2.8.2
ALPHAID2007 | Duitse Alpha-ID v2007 | | Verouderd | ID van de alfabetische index ICD-10-GM-2007. Alpha-ID. | added v2.6, removed after v2.8.2
ALPHAID2008 | Duitse Alpha-ID v2008 | | Verouderd | ID van de alfabetische index ICD-10-GM-2008. Alpha-ID. | added v2.6, removed after v2.8.2
ALPHAID2009 | Duitse Alpha-ID v2009 | | Verouderd | ID van de alfabetische index ICD-10-GM-2009. Alpha-ID. | added v2.7, removed after v2.8.2
ALPHAID2010 | Duitse Alpha-ID v2010 | | Verouderd | ID van de alfabetische index ICD-10-GM-2010. Alpha-ID. | added v2.7, removed after v2.8.2
ALPHAID2011 | Duitse Alpha-ID v2011 | | Verouderd | ID van de alfabetische index ICD-10-GM-2011. Alpha-ID. | added v2.7, removed after v2.8.2
ALPHAID2012 | | | Verouderd | | added v2.8.2, removed after v2.8.2
ALPHAID2013 | | | Verouderd | | added v2.8.2, removed after v2.8.2
ALPHAID2014 | | | Verouderd | | added v2.8.2, removed after v2.8.2
ALPHAID2015 | | | Verouderd | | added v2.8.2, removed after v2.8.2
ALPHAID2016 | | | Verouderd | | added v2.8.2, removed after v2.8.2
AMTv2 | | | Verouderd | | added v2.8.2, removed after v2.8.2
ANS+ | HL7 set van meeteenheden | | Verouderd | HL7 set van meeteenheden gebaseerd op ANSI X3.50 - 1986, ISO 2988-83 en specifieke Amerikaanse eenheden / zie hoofdstuk 7, sectie 7.4.2.6. | added v2.5, removed after v2.8.2
ART | WHO Allergische reactie termen | | Verouderd | WHO Collaborating Centre for International Drug Monitoring, Box 26, S-751 03, Uppsala, Sweden. | added v2.4, removed after v2.8.2
AS4 | ASTM E1238/ E1467 Universal | | Verouderd | American Society for Testing & Materials and CPT4 (see Appendix X1 of Specification E1238 and Appendix X2 of Specification E1467). | added v2.4, removed after v2.8.2
AS4E | AS4 Neurophysiology Codes | | Verouderd | ASTM's diagnostic codes and test result coding/grading systems for clinical neurophysiology. See ASTM Specification E1467, Appendix 2. | added v2.4, removed after v2.8.2
ATC | American Type Culture Collection | | Verouderd | Reference cultures (microorganisms, tissue cultures, etc.), related biological materials and associated data. American Type Culture Collection, 12301 Parklawn Dr, Rockville MD, 20852. (301) 881-2600. http://www.atcc.org | added v2.4, removed after v2.8.2
C4 | CPT-4 | | Verouderd | American Medical Association, P.O. Box 10946, Chicago IL 60610. | added v2.4, removed after v2.8.2
C5 | CPT-5 | | Verouderd | | added v2.4, removed after v2.6
CAPECC | | | Verouderd | | added v2.7, removed after v2.8.2
CAS | Chemical abstract codes | | Verouderd | These include unique codes for each unique chemical, including all generic drugs. The codes do not distinguish among different dosing forms. When multiple equivalent CAS numbers exist, use the first one listed in USAN. USAN 1990 and the USP dictionary of | added v2.4, removed after v2.8.2
CCC | | | Verouderd | | added v2.6, removed after v2.8.2
CD2 | CDT-2 Codes | | Verouderd | American Dental Association's Current Dental Terminology (CDT-2) code. American Dental Association, 211 E. Chicago Avenue,. Chicago, Illinois 60611. | added v2.4, removed after v2.8.2
CDCA | CDC Analyte Codes | | Verouderd | Zoals hierboven voor CDCM | added v2.4, removed after v2.8.2
CDCEDACUITY | | | Verouderd | | added v2.7, removed after v2.8.2
cdcgs1vis | | | Verouderd | | added v2.8.2, removed after v2.8.2
CDCM | CDC Methods/Instruments Codes | | Verouderd | Public Health Practice Program Office, Centers for Disease Control and Prevention, 4770 Buford Highway, Atlanta, GA, 30421. Also available via FTP: ftp.cdc.gov/pub/laboratory _info/CLIA and Gopher: gopher.cdc.gov:70/11/laboratory_info/CLIA | added v2.4, removed after v2.8.2
CDCNHSN | | | Verouderd | | added v2.8.2, removed after v2.8.2
CDCOBS | | | Verouderd | | added v2.7, removed after v2.8.2
CDCPHINVS | | | Verouderd | | added v2.7, removed after v2.8.2
CDCREC | | | Verouderd | | added v2.7, removed after v2.8.2
CDS | CDC Surveillance | | Verouderd | CDC Surveillance Codes. For data unique to specific public health surveillance requirements. Epidemiology Program Office, Centers for Disease Control and Prevention, 1600 Clifton Rd, Atlanta, GA, 30333. (404) 639-3661. | added v2.4, removed after v2.8.2
CE | CEN ECG diagnostic codes | | Verouderd | | added v2.4, removed after v2.5.1
CE (obsolete) | | | Verouderd | | added v2.6, removed after v2.8.2
CLP | CLIP | | Verouderd | Simon Leeming, Beth Israel Hospital, Boston MA. Codes for radiology reports. | added v2.4, removed after v2.8.2
CPTM | CPT Modifier Codes | | Verouderd | Available for the AMA at the address listed for CPT above. These codes are found in Appendix A of CPT 2000 Standard Edition. (CPT 2000 Standard Edition, American Medical Association, Chicago, IL). | added v2.4, removed after v2.8.2
CST | COSTART | | Verouderd | International coding system for adverse drug reactions. In the USA, maintained by the FDA, Rockville, MD. | added v2.4, removed after v2.8.2
CVX | CDC Vaccine Codes | | Verouderd | National Immunization Program, Centers for Disease Control and Prevention, 1660 Clifton Road, Atlanta, GA, 30333 | added v2.4, removed after v2.8.2
DCL | DICOM Class Label | | Verouderd | | added v2.4, removed after v2.4
DCM | DICOM modality codes | | Verouderd | | added v2.4, removed after v2.8.2
DQL | DICOM Query Label | | Verouderd | | added v2.4, removed after v2.4
E | EUCLIDES | | Verouderd | Beschikbaar via Euclides Foundation International nv, Excelsiorlaan 4A, B-1930 Zaventem, België; Tel: 32 2 720 90 60. | added v2.4, removed after v2.8.2
E5 | Euclides quantity codes | | Verouderd | Beschikbaar via Euclides Foundation International nv (zie hierboven) | added v2.4, removed after v2.8.2
E6 | Euclides Lab method codes | | Verouderd | Beschikbaar via Euclides Foundation International nv, Excelsiorlaan 4A, B-1930 Zaventem, België; Tel: 32 2 720 90 60. | added v2.4, removed after v2.8.2
E7 | Euclides Lab equipment codes | | Verouderd | Beschikbaar via Euclides Foundation International nv (zie hierboven) | added v2.4, removed after v2.8.2

EDLEVEL | | | Verouderd | | added v2.8.2, removed after v2.8.2
ENTITYCODE | | | Verouderd | | added v2.8.2, removed after v2.8.2
ENTITYHDLG | | | Verouderd | | added v2.8.2, removed after v2.8.2
ENZC | Enzyme Codes | | Verouderd | Enzyme Committee of the International Union of Biochemistry and Molecular Biology. Enzyme Nomenclature: Recommendations on the Nomenclature and Classification of Enzyme-Catalysed Reactions. London: Academic Press, 1992. | added v2.4, removed after v2.8.2
EPASRS | | | Verouderd | | added v2.7, removed after v2.8.2
FDAUDI | | | Verouderd | | added v2.8.2, removed after v2.8.2
FDAUNII | | | Verouderd | | added v2.7, removed after v2.8.2
FDDC | First DataBank Drug Codes | | Verouderd | National Drug Data File. Proprietary product of First DataBank, Inc. (800) 633-3453, or http://www.firstdatabank.com. | added v2.4, removed after v2.8.2
FDDX | First DataBank Diagnostic Codes | | Verouderd | Used for drug-diagnosis interaction checking. Proprietary product of First DataBank, Inc. As above for FDDC. | added v2.4, removed after v2.8.2
FDK | FDA K10 | | Verouderd | Dept. of Health & Human Services, Food & Drug Administration, Rockville, MD 20857. (device & analyte process codes). | added v2.4, removed after v2.8.2
FIPS5_2 | | | Verouderd | | added v2.7, removed after v2.8.2
FIPS6_4 | | | Verouderd | | added v2.7, removed after v2.8.2
GDRG2004 | G-DRG Duitse DRG Codes v2004 | | Verouderd | Duits handboek voor DRG's 2004. | added v2.6, removed after v2.8.2
GDRG2005 | G-DRG Duitse DRG Codes v2005 | | Verouderd | Duits handboek voor DRG's 2005. | added v2.6, removed after v2.8.2
GDRG2006 | G-DRG Duitse DRG Codes v2006 | | Verouderd | Duits handboek voor DRG's 2006. | added v2.6, removed after v2.8.2
GDRG2007 | G-DRG Duitse DRG Codes v2007 | | Verouderd | Duits handboek voor DRG's 2007. | added v2.6, removed after v2.8.2
GDRG2008 | G-DRG Duitse DRG Codes v2008 | | Verouderd | Duits handboek voor DRG's 2008. | added v2.6, removed after v2.8.2
GDRG2009 | G-DRG Duitse DRG Codes v2009 | | Verouderd | Duits handboek voor DRG's 2009. | added v2.7, removed after v2.8.2
General code | | | Verouderd | | added v2.7.1, removed after v2.7.1
GMDC2004 | Duitse Major Diagnostic Codes v2004 | | Verouderd | Duitse Major Diagnostic Codes version 2004. | added v2.6, removed after v2.8.2
GMDC2005 | Duitse Major Diagnostic Codes v2005 | | Verouderd | Duitse Major Diagnostic Codes version 2005. | added v2.6, removed after v2.8.2
GMDC2006 | Duitse Major Diagnostic Codes v2006 | | Verouderd | Duitse Major Diagnostic Codes version 2006. | added v2.6, removed after v2.8.2
GMDC2007 | Duitse Major Diagnostic Codes v2007 | | Verouderd | Duitse Major Diagnostic Codes version 2007. | added v2.6, removed after v2.8.2
GMDC2008 | Duitse Major Diagnostic Codes v2008 | | Verouderd | Duitse Major Diagnostic Codes version 2008. | added v2.6, removed after v2.8.2
GMDC2009 | Duitse Major Diagnostic Codes v2009 | | Verouderd | Duitse Major Diagnostic Codes version 2009. | added v2.7, removed after v2.8.2
GS1UDI | GS1 Unique Device Identifier | | Verouderd | | added v2.8.2, removed after v2.8.2
HB | HIBCC | | Verouderd | Health Industry Business Communications Council, 5110 N. 40th St., Ste 120, Phoenix, AZ 85018. | added v2.4, removed after v2.8.2
HCPCS | HCFA Common Procedure Coding System | | Verouderd | | added v2.4, removed after v2.8.2
HCPT | | | Verouderd | | added v2.5, removed after v2.8.2
HHC | Home Health Care | | Verouderd | Home Health Care Classification System; Virginia Saba, EdD, RN; Georgetown University School of Nursing; Washington, DC. Superceded by 'CCC' (see above); this entry is retained for backward-compatibility. | added v2.4, removed after v2.8.2
HI | Health Outcomes | | Verouderd | Health Outcomes Institute codes for outcome variables available (with responses) from Stratis Health (formerly Foundation for Health Care Evaluation and Health Outcomes Institute), 2901 Metro Drive, Suite 400, Bloomington, MN, 55425-1525; (612) 854-3306 (| added v2.4, removed after v2.8.2
HIBUDI | HIBCC Unieke Apparaat Identificatie | | Verouderd | | added v2.8.2, removed after v2.8.2
HL7nnnn | HL7 Gedefinieerde codes waarbij nnnn het HL7 tabelnummer is | | Verouderd | Health Level Seven waarbij nnnn het HL7-tabelnummer is | added v2.4, removed after v2.8.2
HOT | Japanse nationale medicatiecode | | Verouderd | | added v2.5, removed after v2.8.2
HPC | CMS (voormalig HCFA) Procedure Codes (HCPCS) | | Verouderd | Health Care Financing Administration (HCFA) Common Procedure Coding System (HCPCS) inclusief modifiers.[1] | added v2.4, removed after v2.8.2
HSLOC | | | Verouderd | | added v2.8.2, removed after v2.8.2
I10 | ICD-10 | | Verouderd | World Health Publications, Albany, NY. | added v2.4, removed after v2.8.2
I10C | | | Verouderd | | added v2.8.2, removed after v2.8.2
I10G2004 | | | Verouderd | Drie codesets bestaan I10G2004, I10G2005, I10G2006 | added v2.6, removed after v2.8.2
I10G2005 | | | Verouderd | Drie codesets bestaan I10G2004 | added v2.6, removed after v2.8.2
I10G2006 | | | Verouderd | Drie codesets bestaan I10G2004 | added v2.6, removed after v2.8.2
I10P | ICD-10 Procedure Codes | | Verouderd | | added v2.4, removed after v2.8.2
I9 | ICD-9 | | Verouderd | World Health Publications, Albany, NY. | added v2.4, removed after v2.8.2
I9C | ICD-9CM | | Verouderd | International Classification Of Diseases-9-CM, (1979) Commission on Professional and Hospital Activities, 1968 Green Road, Ann Arbor, MI 48105 (includes all procedures and diagnostic tests). | added v2.4, removed after v2.8.2
I9CDX | | | Verouderd | | added v2.6, removed after v2.8.2
I9CP | | | Verouderd | | added v2.6, removed after v2.8.2
IBT | ISBT | | Verouderd | Retained for backward compatibility only as of v 2.5. This code value has been superseded by IBTnnnn. International Society of Blood Transfusion. Blood Group Terminology 1990. VOX Sanquines 1990 58(2):152-169. | added v2.4, removed after v2.8.2
IBT0001 | | | Verouderd | | added v2.8.2, removed after v2.8.2
IBTnnnn | | | Verouderd | | added v2.5, removed after v2.8.2
IC2 | ICHPPC-2 | | Verouderd | International Classification of Health Problems in Primary Care, Classification Committee of World Organization of National Colleges, Academies and Academic Associations of General Practitioners (WONCA), 3rd edition. An adaptation of ICD9 intended for use | added v2.4, removed after v2.8.2

ICCUDI | ICCBBA Unique Device Identifier | | Verouderd | | added v2.8.2, removed after v2.8.2
ICD10AM | ICD 10 Australische wijzigingen | | Verouderd | | added v2.5, removed after v2.8.2
ICD10CA | ICD-10 Canada | | Verouderd | | added v2.5, removed after v2.8.2
ICD10GM2007 | ICD-10 Duitsland v2007 | | Verouderd | ICD Duitse wijzigingen voor 2007. | added v2.6, removed after v2.8.2
ICD10GM2008 | ICD-10 Duitsland v2008 | | Verouderd | ICD Duitse wijzigingen voor 2008. | added v2.6, removed after v2.8.2
ICD10GM2009 | ICD-10 Duitsland v2009 | | Verouderd | ICD Duitse wijzigingen voor 2009. | added v2.7, removed after v2.8.2
ICD10GM2010 | ICD-10 Duitsland v2010 | | Verouderd | ICD Duitse wijzigingen voor 2010. | added v2.7, removed after v2.8.2
ICD10GM2011 | ICD-10 Duitsland v2011 | | Verouderd | ICD Duitse wijzigingen voor 2011. | added v2.7, removed after v2.8.2
ICD10GM2012 | | | Verouderd | | added v2.8.2, removed after v2.8.2
ICD10GM2013 | | | Verouderd | | added v2.8.2, removed after v2.8.2
ICD10GM2014 | | | Verouderd | | added v2.8.2, removed after v2.8.2
ICD10GM2015 | | | Verouderd | | added v2.8.2, removed after v2.8.2
ICD10GM2016 | | | Verouderd | | added v2.8.2, removed after v2.8.2
ICDO | Internationale Classificatie van Ziektes voor Oncologie | | Verouderd | International Classification of Diseases for Oncology, 2nd Edition. World Health Organization: Geneva, Switzerland, 1990. Order from: College of American Pathologists, 325 Waukegan Road, Northfield, IL, 60093-2750. (847) 446-8800. | added v2.4, removed after v2.8.2
ICDO2 | | | Verouderd | | added v2.7, removed after v2.8.2
ICDO3 | | | Verouderd | | added v2.7, removed after v2.8.2
ICF | | | Verouderd | | added v2.8.2, removed after v2.8.2
ICS | ICCS | | Verouderd | Commission on Professional and Hospital Activities, 1968 Green Road, Ann Arbor, MI 48105. | added v2.4, removed after v2.8.2
ICSD | Internationale Classificatie van Slaapproblemen | | Verouderd | International Classification of Sleep Disorders Diagnostic and Coding Manual, 1990, available from American Sleep Disorders Association, 604 Second Street SW, Rochester, MN 55902 | added v2.4, removed after v2.8.2
IHELAW | | | Verouderd | | added v2.8.2, removed after v2.8.2
ISO | ISO 2955.83 (meeteenheden) met HL7 extensies | | Verouderd | Zie hoofdstuk 7, sectie 7.4.2.6 | added v2.7, removed after v2.8.2
ISO+ | | | Verouderd | | added v2.5, removed after v2.6
ISO3166_1 | ISO 3166-1 Landcodes | | Verouderd | International Standards Organization standaard 3166 bevat 3 delen. Deel 1 bevat drie tabellen met codes voor landen in de wereld. Deze zijn 2-tekens alfabetisch, 3-tekens alfabetisch en numeriekw codes. | added v2.7, removed after v2.8.2
ISO3166_2 | ISO 3166-2 Landdelen | | Verouderd | International Standards Organization standaard 3166 bevat 3 delen. Deel 2 bevat een volledige opdeling in relevante niveau's van administratieve subdivisies van alle landen in de wereld uit ISO 3166-1. De gebruikte code-elementen bestaan uit de alfa-2 code-elementen van ISO 3166-1 gevolgd door een scheidingsteken en nog een string van maximaal 3 alfanumerieke tekens bijv. DK-025 voor de Deense county Roskilde. | added v2.7, removed after v2.8.2
ISO4217 | ISO 4217 Munteenheden | | Verouderd | ISO Munteenheden, gebaseerd op ISO Landcodes worden gepubliceerd in de standaard ISO 4217:2008 Codes voor representatie van munteenheden en fondsen. Deze internationale standaard specificeert de structuur voor een drieletterige code en een equivalente driecijferige code voor de representatie van munteenheden en fondsen. Voor munteenheden met kleinere eenheden, kan ook de decimale relatie tussen zulke eenheden en de hoofdeenheid worden gelegd. | added v2.7, removed after v2.8.2
ISO639 | ISO 639 Taal | | Verouderd | International Standards Organization codes voor de representie van taalnamen. ISO 639 biedt twee sets met taalcodes, Eén als codes set met codes van twee tekens (639-1) en een andere met codes van drie tekens (639-2) voor de representatie van taalnamen. ISO 639-3, Codes voor de representatie van taalnamen - Deel 3: Alfa-3 code voor uitgebreide dekking van talen, is een codelijst met als doel een drieletterige code voor alle bekende mensenlijke talen. | added v2.7, removed after v2.8.2
ISOnnnn | ISO gedefinieerde codes waarbij nnnn het ISO tabelnummer is | | Verouderd | | added v2.4, removed after v2.6
ISOnnnn (deprecated) | ISO gedefinieerde codes waarbij nnnn staat voor het ISO-tabelnummer | | Verouderd | International Standards Organization waarbij nnnn staat voor het ISO-tabelnummer | added v2.7, removed after v2.8.2
ITIS | Integrated Taxonomic Information System | | Verouderd | Bron: www.itis.usda.gov. Dit is een taxonomische hiërarchie voor levende organismen. | added v2.6, removed after v2.8.2
IUPC | IUPAC/IFCC Compoent Codes | | Verouderd | Codes used by IUPAC/IFF to identify the component (analyte) measured. Contact Henrik Olesen, as above for IUPP. | added v2.4, removed after v2.8.2
IUPP | IUPAC/IFCC Property Codes | | Verouderd | International Union of Pure and Applied Chemistry/International Federation of Clinical Chemistry. The Silver Book: Compendium of terminology and nomenclature of properties in clinical laboratory sciences. Oxford: Blackwell Scientific Publishers, 1995. Hen | added v2.4, removed after v2.8.2
JC10 | | | Verouderd | | added v2.5, removed after v2.8.2
JC8 | Japanese Chemistry | | Verouderd | Clinical examination classification code. Japan Association of Clinical Pathology. Version 8, 1990. A multiaxial code including a subject code (e.g. Rubella = 5f395, identification code (e.g. virus ab IGG), a specimen code (e.g. serum =023) and a meth | added v2.4, removed after v2.8.2
JJ1017 | Japanse beeldonderzoek cache | | Verouderd | | added v2.5, removed after v2.8.2
L | Lokale algemene code | | Verouderd | Lokaal gedefinieerde codes ten behoeve van zender of ontvanger. Lokale codes kunnen worden aangeduid met L (voor backward compatibility) | added v2.7, removed after v2.8.2
LANGUAL | | | Verouderd | | added v2.8.2, removed after v2.8.2
LB | Lokale facturatiecode | | Verouderd | Local billing codes/names (with extensions if needed). | added v2.4, removed after v2.8.2
LN | Logical Observation Identifier Names and Codes (LOINC®) | | Verouderd | Regenstrief Institute, c/o LOINC, 1050 Wishard Blvd., 5th floor, Indianapolis, IN 46202. 317/630-7433. Beschikbaar via http://loinc.org | added v2.4, removed after v2.8.2
MCD | Medicaid | | Verouderd | Medicaid billing codes/names. | added v2.4, removed after v2.8.2
MCR | Medicare | | Verouderd | Medicare billing codes/names. | added v2.4, removed after v2.8.2
MDC | Medische Apparaat Communicatie | | Verouderd | EN ISO/IEEE 11073-10101 Health informatics - Point-of-care medical device communication - Nomenclature | added v2.6, removed after v2.8.2
MDDX | Medispan Diagnostic Codes | | Verouderd | Codes Used for drug-diagnosis interaction checking. Proprietary product. Hierarchical drug codes for identifying drugs down to manufacturer and pill size. MediSpan, Inc., 8425 Woodfield Crossing Boulevard, Indianapolis, IN 46240. Tel: (800) 428-4495. URL: | added v2.4, removed after v2.8.2
MEDC | Medispan Economics Drug Codes | | Verouderd | Proprietary Codes for identifying drugs. Proprietary product of Medical Economics Data, Inc. (800) 223-0581. | added v2.4, removed after v2.8.2

MEDIATYPE | | | Verouderd | | added v2.8.2, removed after v2.8.2
MEDR | Medical Dictionary for Drug Regulatory Affairs (MEDDRA) | | Verouderd | Patrick Revelle, Director MSSO 12011 Sunset Hills Road, VAR1/7B52 Reston, VA 20190 Patrick.Revelle@ngc.com http://www.meddramsso.com/MSSOWeb/index.htm | added v2.4, removed after v2.8.2
MEDX | Medical Economics Diagnostic Codes | | Verouderd | Used for drug-diagnosis interaction checking. Proprietary product of Medical Economics Data, Inc. (800) 223-0581. | added v2.4, removed after v2.8.2
MGPI | Medispan GPI | | Verouderd | Medispan hierarchical drug codes for identifying drugs down to manufacturer and pill size. Proprietary product of MediSpan, Inc., 8425 Woodfield Crossing Boulevard, Indianapolis, IN 46240. Tel: (800) 428-4495. | added v2.4, removed after v2.8.2
MVX | CDC Vaccine Manufacturer Codes | | Verouderd | Zoals hierboven voor CVX | added v2.4, removed after v2.8.2
NAICS | | | Verouderd | | added v2.7, removed after v2.8.2
NCPDPnnnnsss | | | Verouderd | | added v2.6, removed after v2.8.2
NDA | NANDA | | Verouderd | North American Nursing Diagnosis Association, Philadelphia, PA. | added v2.4, removed after v2.8.2
NDC | Nationale medicatiecodes | | Verouderd | These provide unique codes for each distinct drug, dosing form, manufacturer, and packaging. (Available from the National Drug Code Directory, FDA, Rockville, MD, and other sources.) | added v2.4, removed after v2.8.2
NDFRT | | | Verouderd | | added v2.7, removed after v2.8.2
NIC | Nursing Interventions Classification | | Verouderd | Iowa Intervention Project, College of Nursing, University of Iowa, Iowa City, Iowa | added v2.4, removed after v2.8.2
NIP001 | | | Verouderd | | added v2.7, removed after v2.8.2
NIP002 | | | Verouderd | | added v2.7, removed after v2.8.2
NIP004 | | | Verouderd | | added v2.7, removed after v2.8.2
NIP007 | | | Verouderd | | added v2.7, removed after v2.8.2
NIP008 | | | Verouderd | | added v2.7, removed after v2.8.2
NIP009 | | | Verouderd | | added v2.7, removed after v2.8.2
NIP010 | | | Verouderd | | added v2.7, removed after v2.8.2
NND | | | Verouderd | | added v2.7, removed after v2.8.2
NPI | Nationaal Zorgverlener Identificatie | | Verouderd | This is the US Realm Health Care Provider National Identifier. It is produced and maintained by CMS (The US Government Centers for Medicare & Medicaid Services http://www.cms.gov), US Dept. of Health and Human Services, 7500 Security Blvd., Baltimore, MD | added v2.4, removed after v2.8.2
NUBC | | | Verouderd | | added v2.5, removed after v2.8.2
NULLFL | Null Flavor | | Verouderd | Systeem van gecodeerde waarden voor redenen waarom informatie ontbreekt, zoals in gebruik in de HL7v3 standaarden. Identiek aan het HL7v3 codesysteem 2.16.840.1.113883.5.1008 NullFlavor | added v2.7, removed after v2.8.2
O301 | Duitse Behandelcodes | | Verouderd | Bron: OPS Operationen- und Prozedurenschluessel. | added v2.6, removed after v2.8.2
O3012004 | OPS Duitsland v2004 | | Verouderd | Bron: OPS Operationen- und Prozedurenschluessel 2004. | added v2.6, removed after v2.8.2
O3012005 | OPS Duitsland v2004 | | Verouderd | Bron: OPS Operationen- und Prozedurenschluessel 2005. | added v2.6, removed after v2.8.2
O3012006 | OPS Duitsland v2004 | | Verouderd | Bron: OPS Operationen- und Prozedurenschluessel 2006. | added v2.6, removed after v2.8.2
OBSMETHOD | | | Verouderd | | added v2.8.2, removed after v2.8.2
OHA | Omaha System | | Verouderd | Omaha Visiting Nurse Association, Omaha, NB. | added v2.4, removed after v2.8.2
OPS2007 | OPS Duitsland v2004 | | Verouderd | Bron: OPS Operationen- und Prozedurenschluessel 2007. | added v2.6, removed after v2.8.2
OPS2008 | OPS Duitsland v2004 | | Verouderd | Bron: OPS Operationen- und Prozedurenschluessel 2008. | added v2.6, removed after v2.8.2
OPS2009 | OPS Duitsland v2004 | | Verouderd | Bron: OPS Operationen- und Prozedurenschluessel 2009. | added v2.7, removed after v2.8.2
OPS2010 | OPS Duitsland v2004 | | Verouderd | Bron: OPS Operationen- und Prozedurenschluessel 2010. | added v2.7, removed after v2.8.2
OPS2011 | OPS Duitsland v2004 | | Verouderd | Bron: OPS Operationen- und Prozedurenschluessel 2011. | added v2.7, removed after v2.8.2
OPS2012 | | | Verouderd | | added v2.8.2, removed after v2.8.2
OPS2013 | | | Verouderd | | added v2.8.2, removed after v2.8.2
OPS2014 | | | Verouderd | | added v2.8.2, removed after v2.8.2
OPS2015 | | | Verouderd | | added v2.8.2, removed after v2.8.2
OPS2016 | | | Verouderd | | added v2.8.2, removed after v2.8.2
PHDSCSOPT | | | Verouderd | | added v2.8.2, removed after v2.8.2
PHINQUESTION | | | Verouderd | | added v2.7, removed after v2.8.2
PLR | | | Verouderd | | added v2.7, removed after v2.8.2
PLT | | | Verouderd | | added v2.7, removed after v2.8.2
POS | POS Codes | | Verouderd | HCFA Place of Service Codes for Professional Claims (see http://www.cms.hhs.gov/PlaceofServiceCodes/). | added v2.4, removed after v2.8.2
PRTCPTNMODE | | | Verouderd | | added v2.8.2, removed after v2.8.2
RC | Read Classification | | Verouderd | The Read Clinical Classification of Medicine, Park View Surgery, 26 Leicester Rd., Loughborough LE11 2AG (includes drug procedure and other codes, as well as diagnostic codes). | added v2.4, removed after v2.8.2
ROLECLASS | | | Verouderd | | added v2.8.2, removed after v2.8.2
ROLECODE | | | Verouderd | | added v2.8.2, removed after v2.8.2
RSPMODE | | | Verouderd | | added v2.8.2, removed after v2.8.2
RXNORM | | | Verouderd | | added v2.7, removed after v2.8.2
SCT | SNOMED Clinical Terms | | Verouderd | SNOMED-CT concept identifier codes. SNOMED International, I325 Waukegan Rd, Northfield, IL, 60093, +1 800-323-4040, mailto:snomed@cap.org http://www.snomed.org | added v2.6, removed after v2.8.2

SCT2 | SNOMED Clinical Terms alfanumeriek codes | | Verouderd | Gebruikt om aan te geven dat de code van de verouderde stijl voor SNOMED alfanumeriek codes is, in plaats van de concept identifier codes. SNOMED International, I325 Waukegan Rd, Northfield, IL, 60093, +1 800-323-4040, mailto:snomed@cap.org http://www.snomed.org | added v2.6, removed after v2.8.2

SDM | SNOMED- DICOM Microglossary | | Verouderd | College of American Pathologists, Skokie, IL, 60077-1034. (formerly designated as 99SDM). | added v2.4, removed after v2.8.2

SIC | | | Verouderd | | added v2.7, removed after v2.8.2

SNM | Systemized Nomenclature of Medicine (SNOMED) | | Verouderd | Systemized Nomenclature of Medicine, 2nd Edition 1984 Vols 1, 2, College of American Pathologists, Skokie, IL. | added v2.4, removed after v2.8.2

SNM3 | SNOMED Internationaal | | Verouderd | SNOMED International, 1993 Vols 1-4, College of American Pathologists, Skokie, IL, 60077-1034. | added v2.4, removed after v2.8.2

SNT | SNOMED topologiecodes (anatomische gebieden) | | Verouderd | College of American Pathologists, 5202 Old Orchard Road, Skokie, IL 60077-1034. | added v2.4, removed after v2.8.2

SOC | | | Verouderd | | added v2.7, removed after v2.8.2

UB04FL14 | | | Verouderd | | added v2.6, removed after v2.8.2

UB04FL15 | | | Verouderd | | added v2.6, removed after v2.8.2

UB04FL17 | | | Verouderd | | added v2.6, removed after v2.8.2

UB04FL31 | | | Verouderd | | added v2.7, removed after v2.8.2

UB04FL35 | | | Verouderd | | added v2.7, removed after v2.8.2

UB04FL39 | | | Verouderd | | added v2.7, removed after v2.8.2

UC | UCDS | | Verouderd | Uniform Clinical Data Systems. Ms. Michael McMullan, Office of Peer Review Health Care Finance Administration, The Meadows East Bldg., 6325 Security Blvd., Baltimore, MD 21207; (301) 966 6851. | added v2.4, removed after v2.8.2

UCUM | UCUM - Unified Codes of Measure | | Verouderd | Toegevoegd via motie van Vocabulary werkgroep 20060308. Beschikbaar via http://unitsofmeasure.org | added v2.6, removed after v2.8.2

UMD | MDNS | | Verouderd | Universal Medical Device Nomenclature System. ECRI, 5200 Butler Pike, Plymouth Meeting, PA 19462 USA. Phone: 215-825-6000, Fax: 215-834-1275. | added v2.4, removed after v2.8.2

UML | Unified Medical Language | | Verouderd | National Library of Medicine, 8600 Rockville Pike, Bethesda, MD 20894. | added v2.4, removed after v2.8.2

UPC | Universal Product Code | | Verouderd | The Uniform Code Council. 8163 Old Yankee Road, Suite J, Dayton, OH 45458; (513) 435 3070 | added v2.4, removed after v2.8.2

UPIN | UPIN | | Verouderd | Medicare/CMS 's (formerly HCFA) universal physician identification numbers, available from Health Care Financing Administration, U.S. Dept. of Health and Human Services, Bureau of Program Operations, 6325 Security Blvd., Meadows East Bldg., Room 300, Bal | added v2.4, removed after v2.8.2

USGSGNIS | | | Verouderd | | added v2.8.2, removed after v2.8.2

USPS | | | Verouderd | | added v2.5, removed after v2.8.2

VIS | | | Verouderd | | added v2.8.2, removed after v2.8.2

W1 | WHO record # drug codes (6 cijferig) | | Verouderd | World Health organization record number code. A unique sequential number is assigned to each unique single component drug and to each multi-component drug. Eight digits are allotted to each such code, six to identify the active agent, and 2 to identify th | added v2.4, removed after v2.8.2

W2 | WHO record # drug codes (8 cijferig) | | Verouderd | World Health organization record number code. A unique sequential number is assigned to each unique single component drug and to each multi-component drug. Eight digits are allotted to each such code, six to identify the active agent, and 2 to identify th | added v2.4, removed after v2.8.2

W4 | WHO record # code met ASTM extensie | | Verouderd | With ASTM extensions (see Implementation Guide), the WHO codes can be used to report serum (and other) levels, patient compliance with drug usage instructions, average daily doses and more (see Appendix X1 the Implementation Guide). | added v2.4, removed after v2.8.2

WC | WHO ATC | | Verouderd | WHO's ATC codes provide a hierarchical classification of drugs by therapeutic class. They are linked to the record number codes listed above. | added v2.4, removed after v2.8.2

X12Dennnn | | | Verouderd | | added v2.6, removed after v2.8.2

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.396.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0396 version 2.9

Code | System | Display

4.3.15.397 HL7 Version 2 Table 0397

URL: https://hl7.org/fhir/R4/v2/0397/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0397
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0397
Version: | 2.9
Name: | v2.0397
Title: | v2 Sequencing
Definition: | FHIR Value set/code system definition for HL7 v2 table 0397 (Sequencing)
OID: | ??
CodeSystem Resource | XML / JSON

ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.397.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0397 defines the following codes:

Code | Display | Definition | Version
A | en: Ascending nl: Oplopend | | added v2.4
AN | en: Ascending, case insensitive nl: Oplopend, niet-hoofdlettergevoelig | | added v2.4
D | en: Descending nl: Aflopend | | added v2.4
DN | en: Descending, case insensitive nl: Aflopend, niet-hoofdlettergevoelig | | added v2.4
N | en: None nl: Geen | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0397 defines the following codes:

Code | Display | Definition | Version
A | Ascending | | added v2.4
AN | Ascending, case insensitive | | added v2.4
D | Descending | | added v2.4
DN | Descending, case insensitive | | added v2.4
N | None | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0397 definieert de volgende codes:

Code | Display | Definition | Versie
A | Oplopend | | added v2.4
AN | Oplopend, niet-hoofdlettergevoelig | | added v2.4
D | Aflopend | | added v2.4
DN | Aflopend, niet-hoofdlettergevoelig | | added v2.4
N | Geen | | added v2.4

4.3.15.398 HL7 Version 2 Table 0398

URL: https://hl7.org/fhir/R4/v2/0398/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0398
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0398
Version: | 2.9
Name: | v2.0398
Title: | v2 Continuation style code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0398 (Continuation style code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.398.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0398 defines the following codes:

Code | Display | Definition | Version
F | en: Fragmentation nl: Fragmentatie | | added v2.4
I | en: Interactive Continuation nl: Interactieve continuatie | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0398 defines the following codes:

Code | Display | Definition | Version
F | Fragmentation | | added v2.4
I | Interactive Continuation | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0398 definieert de volgende codes:

Code | Display | Definition | Versie
F | Fragmentatie | | added v2.4
I | Interactieve continuatie | | added v2.4

4.3.15.401 HL7 Version 2 Table 0401

URL: https://hl7.org/fhir/R4/v2/0401/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0401
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0401
Version: | 2.9
Name: | v2.0401
Title: | v2 Government reimbursement program
Definition: | FHIR Value set/code system definition for HL7 v2 table 0401 (Government reimbursement program)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.401.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0401 defines the following codes:

Code | Display | Definition | Version
C | Medi-Cal | | added v2.4
MM | Medicare | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0401 defines the following codes:

Code | Display | Definition | Version
C | Medi-Cal | | added v2.4
MM | Medicare | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0401 definieert de volgende codes:

Code | Display | Definition | Versie
C | Medi-Cal | | added v2.4
MM | Medicare | | added v2.4

4.3.15.402 HL7 Version 2 Table 0402

URL: https://hl7.org/fhir/R4/v2/0402/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0402
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0402
Version: | 2.9
Name: | v2.0402
Title: | v2 School type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0402 (School type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.402.1 Code System Content

• All Languages
• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0402 defines the following codes:

Code | Display | Definition | Version
D | en: Dental nl: Tandheelkunde | | added v2.4
G | Graduate | | added v2.4
M | en: Medical nl: Geneeskunde | | added v2.4
U | Undergraduate | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0402 defines the following codes:

Code | Display | Definition | Version
D | Dental | | added v2.4
G | Graduate | | added v2.4
M | Medical | | added v2.4
U | Undergraduate | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0402 definieert de volgende codes:

Code | Display | Definition | Versie
D | Tandheelkunde | | added v2.4
G | | | added v2.4
M | Geneeskunde | | added v2.4
U | | | added v2.4

4.3.15.403 HL7 Version 2 Table 0403

URL: https://hl7.org/fhir/R4/v2/0403/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0403
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0403
Version: | 2.9
Name: | v2.0403
Title: | v2 Language ability
Definition: | FHIR Value set/code system definition for HL7 v2 table 0403 (Language ability)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.403.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0403 defines the following codes:

Code | Display | Definition | Version
1 | en: Read nl: Lezen | | added v2.4
2 | en: Write nl: Schrijven | | added v2.4
3 | en: Speak nl: Spreken | | added v2.4
4 | en: Understand nl: Verstaan | | added v2.4
5 | en: Sign nl: Gebarentaal | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0403 defines the following codes:

Code | Display | Definition | Version
1 | Read | | added v2.4
2 | Write | | added v2.4
3 | Speak | | added v2.4
4 | Understand | | added v2.4
5 | Sign | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0403 definieert de volgende codes:

Code | Display | Definition | Versie
1 | Lezen | | added v2.4
2 | Schrijven | | added v2.4
3 | Spreken | | added v2.4
4 | Verstaan | | added v2.4
5 | Gebarentaal | | added v2.4

4.3.15.404 HL7 Version 2 Table 0404

URL: https://hl7.org/fhir/R4/v2/0404/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0404
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0404
Version: | 2.9
Name: | v2.0404
Title: | v2 Language proficiency
Definition: | FHIR Value set/code system definition for HL7 v2 table 0404 (Language proficiency)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.404.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0404 defines the following codes:

Code | Display | Definition | Version
1 | Excellent | | added v2.4
2 | en: Good nl: Goed | | added v2.4
3 | en: Fair nl: Redelijk | | added v2.4
4 | en: Poor nl: Matig | | added v2.4
5 | en: Some (level unknown) nl: Enige (niveau onbekend) | | added v2.4
6 | en: None nl: Geen | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0404 defines the following codes:

Code | Display | Definition | Version
1 | Excellent | | added v2.4
2 | Good | | added v2.4
3 | Fair | | added v2.4
4 | Poor | | added v2.4
5 | Some (level unknown) | | added v2.4
6 | None | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0404 definieert de volgende codes:

Code | Display | Definition | Versie
1 | Excellent | | added v2.4
2 | Goed | | added v2.4
3 | Redelijk | | added v2.4
4 | Matig | | added v2.4
5 | Enige (niveau onbekend) | | added v2.4
6 | Geen | | added v2.4

4.3.15.406 HL7 Version 2 Table 0406

URL: https://hl7.org/fhir/R4/v2/0406/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0406
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0406
Version: | 2.9
Name: | v2.0406
Title: | v2 Participant Organization Unit Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0406 (Participant Organization Unit Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.406.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0406 defines the following codes:

Code | Display | Definition | Version
1 | en: Hospital nl: Ziekenhuis | | added v2.4
2 | en: Physician Clinic nl: Zorgverlener kliniek | | added v2.4
3 | en: Long Term Care nl: Langdurige zorg | | added v2.4
4 | en: Acute Care nl: Acute zorg | | added v2.4
5 | en: Other nl: Anders | | added v2.4
H | en: Home nl: Privé | | added v2.4
O | en: Office nl: Zakelijk | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0406 defines the following codes:

Code | Display | Definition | Version
1 | Hospital | | added v2.4
2 | Physician Clinic | | added v2.4
3 | Long Term Care | | added v2.4
4 | Acute Care | | added v2.4
5 | Other | | added v2.4
H | Home | | added v2.4
O | Office | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0406 definieert de volgende codes:

Code | Display | Definition | Versie
1 | Ziekenhuis | | added v2.4
2 | Zorgverlener kliniek | | added v2.4
3 | Langdurige zorg | | added v2.4
4 | Acute zorg | | added v2.4
5 | Anders | | added v2.4
H | Privé | | added v2.4
O | Zakelijk | | added v2.4

4.3.15.409 HL7 Version 2 Table 0409

URL: https://hl7.org/fhir/R4/v2/0409/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0409
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0409
Version: | 2.9
Name: | v2.0409
Title: | v2 Application change type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0409 (Application change type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.409.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0409 defines the following codes:

Code | Display | Definition | Version
M | en: Migrates to different CPU nl: Migreert naar andere CPU | | added v2.3.1
SD | en: Shut down nl: Afsluiten | | added v2.3.1
SU | en: Start up nl: Opstarten | | added v2.3.1

This code system http://terminology.hl7.org/CodeSystem/v2-0409 defines the following codes:

Code | Display | Definition | Version

M | Migrates to different CPU | | added v2.3.1
SD | Shut down | | added v2.3.1
SU | Start up | | added v2.3.1

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0409 definieert de volgende codes:

Code | Display | Definition | Versie
M | Migreert naar andere CPU | | added v2.3.1
SD | Afsluiten | | added v2.3.1
SU | Opstarten | | added v2.3.1

4.3.15.411 HL7 Version 2 Table 0411

URL: https://hl7.org/fhir/R4/v2/0411/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0411
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0411
Version: | 2.9
Name: | v2.0411
Title: | v2 Supplemental service information values
Definition: | FHIR Value set/code system definition for HL7 v2 table 0411 (Supplemental service information values)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.411.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0411 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | en: No suggested values defined. de: keine Werte vorgeschlagen nl: geen voorgestelde waarden | | Deprecated | added v2.5.1, removed after v2.8.2
1ST | First | | Deprecated | added v2.4, removed after v2.4
2ND | Second | | Deprecated | added v2.4, removed after v2.4
3RD | Third | | Deprecated | added v2.4, removed after v2.4
4TH | Fourth | | Deprecated | added v2.4, removed after v2.4
5TH | Fifth | | Deprecated | added v2.4, removed after v2.4
A/P | Anterior/Posterior | | Deprecated | added v2.4, removed after v2.4
ANT | Anterior | | Deprecated | added v2.4, removed after v2.4
BLT | Bilateral | | Deprecated | added v2.4, removed after v2.4
CG | Observation of type Clinical Genomics (CG) | | | added v2.9
DEC | Decubitus | | Deprecated | added v2.4, removed after v2.4
DST | Distal | | Deprecated | added v2.4, removed after v2.4
LAT | Lateral | | Deprecated | added v2.4, removed after v2.4
LFT | Left | | Deprecated | added v2.4, removed after v2.4
LLQ | Left Lower Quadrant | | Deprecated | added v2.4, removed after v2.4
LOW | Lower | | Deprecated | added v2.4, removed after v2.4
LUQ | Left Upper Quadrant | | Deprecated | added v2.4, removed after v2.4
MED | Medial | | Deprecated | added v2.4, removed after v2.4
NDBS | Observation of type Newborn Dried Blood Screening (NDBS) | | | added v2.9
OR | Operating Room | | Deprecated | added v2.4, removed after v2.4
PED | Pediatric | | Deprecated | added v2.4, removed after v2.4
POS | Posterior | | Deprecated | added v2.4, removed after v2.4
PRT | Portable | | Deprecated | added v2.4, removed after v2.4
PRX | Proximal | | Deprecated | added v2.4, removed after v2.4

REC | Recumbent | | Deprecated | added v2.4, removed after v2.4
RGH | Right | | Deprecated | added v2.4, removed after v2.4
RLQ | Right Lower Quadrant | | Deprecated | added v2.4, removed after v2.4
RUQ | Right Upper Quadrant | | Deprecated | added v2.4, removed after v2.4
UPP | Upper | | Deprecated | added v2.4, removed after v2.4
UPR | Upright | | Deprecated | added v2.4, removed after v2.4
WCT | With Contrast | | Deprecated | added v2.4, removed after v2.4
WOC | Without Contrast | | Deprecated | added v2.4, removed after v2.4
WSD | With Sedation | | Deprecated | added v2.4, removed after v2.4

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0411 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | No suggested values defined. | | Deprecated | added v2.5.1, removed after v2.8.2
1ST | First | | Deprecated | added v2.4, removed after v2.4
2ND | Second | | Deprecated | added v2.4, removed after v2.4
3RD | Third | | Deprecated | added v2.4, removed after v2.4
4TH | Fourth | | Deprecated | added v2.4, removed after v2.4
5TH | Fifth | | Deprecated | added v2.4, removed after v2.4
A/P | Anterior/Posterior | | Deprecated | added v2.4, removed after v2.4
ANT | Anterior | | Deprecated | added v2.4, removed after v2.4
BLT | Bilateral | | Deprecated | added v2.4, removed after v2.4
CG | Observation of type Clinical Genomics (CG) | | | added v2.9
DEC | Decubitus | | Deprecated | added v2.4, removed after v2.4
DST | Distal | | Deprecated | added v2.4, removed after v2.4
LAT | Lateral | | Deprecated | added v2.4, removed after v2.4
LFT | Left | | Deprecated | added v2.4, removed after v2.4
LLQ | Left Lower Quadrant | | Deprecated | added v2.4, removed after v2.4
LOW | Lower | | Deprecated | added v2.4, removed after v2.4
LUQ | Left Upper Quadrant | | Deprecated | added v2.4, removed after v2.4
MED | Medial | | Deprecated | added v2.4, removed after v2.4
NDBS | Observation of type Newborn Dried Blood Screening (NDBS) | | | added v2.9
OR | Operating Room | | Deprecated | added v2.4, removed after v2.4
PED | Pediatric | | Deprecated | added v2.4, removed after v2.4
POS | Posterior | | Deprecated | added v2.4, removed after v2.4
PRT | Portable | | Deprecated | added v2.4, removed after v2.4
PRX | Proximal | | Deprecated | added v2.4, removed after v2.4
REC | Recumbent | | Deprecated | added v2.4, removed after v2.4
RGH | Right | | Deprecated | added v2.4, removed after v2.4
RLQ | Right Lower Quadrant | | Deprecated | added v2.4, removed after v2.4
RUQ | Right Upper Quadrant | | Deprecated | added v2.4, removed after v2.4
UPP | Upper | | Deprecated | added v2.4, removed after v2.4
UPR | Upright | | Deprecated | added v2.4, removed after v2.4
WCT | With Contrast | | Deprecated | added v2.4, removed after v2.4
WOC | Without Contrast | | Deprecated | added v2.4, removed after v2.4
WSD | With Sedation | | Deprecated | added v2.4, removed after v2.4

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0411 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | keine Werte vorgeschlagen | | Deprecated | added v2.5.1, removed after v2.8.2
1ST | | | Deprecated | added v2.4, removed after v2.4
2ND | | | Deprecated | added v2.4, removed after v2.4
3RD | | | Deprecated | added v2.4, removed after v2.4
4TH | | | Deprecated | added v2.4, removed after v2.4
5TH | | | Deprecated | added v2.4, removed after v2.4
A/P | | | Deprecated | added v2.4, removed after v2.4
ANT | | | Deprecated | added v2.4, removed after v2.4
BLT | | | Deprecated | added v2.4, removed after v2.4
CG | | | | added v2.9
DEC | | | Deprecated | added v2.4, removed after v2.4
DST | | | Deprecated | added v2.4, removed after v2.4

LAT | | | Deprecated | added v2.4, removed after v2.4
LFT | | | Deprecated | added v2.4, removed after v2.4
LLQ | | | Deprecated | added v2.4, removed after v2.4
LOW | | | Deprecated | added v2.4, removed after v2.4
LUQ | | | Deprecated | added v2.4, removed after v2.4
MED | | | Deprecated | added v2.4, removed after v2.4
NDBS | | | | added v2.9
OR | | | Deprecated | added v2.4, removed after v2.4
PED | | | Deprecated | added v2.4, removed after v2.4
POS | | | Deprecated | added v2.4, removed after v2.4
PRT | | | Deprecated | added v2.4, removed after v2.4
PRX | | | Deprecated | added v2.4, removed after v2.4
REC | | | Deprecated | added v2.4, removed after v2.4
RGH | | | Deprecated | added v2.4, removed after v2.4
RLQ | | | Deprecated | added v2.4, removed after v2.4
RUQ | | | Deprecated | added v2.4, removed after v2.4
UPP | | | Deprecated | added v2.4, removed after v2.4
UPR | | | Deprecated | added v2.4, removed after v2.4
WCT | | | Deprecated | added v2.4, removed after v2.4
WOC | | | Deprecated | added v2.4, removed after v2.4
WSD | | | Deprecated | added v2.4, removed after v2.4

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0411 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
... | geen voorgestelde waarden | | Verouderd | added v2.5.1, removed after v2.8.2
1ST | | | Verouderd | added v2.4, removed after v2.4
2ND | | | Verouderd | added v2.4, removed after v2.4
3RD | | | Verouderd | added v2.4, removed after v2.4
4TH | | | Verouderd | added v2.4, removed after v2.4
5TH | | | Verouderd | added v2.4, removed after v2.4
A/P | | | Verouderd | added v2.4, removed after v2.4
ANT | | | Verouderd | added v2.4, removed after v2.4
BLT | | | Verouderd | added v2.4, removed after v2.4
CG | | | | added v2.9
DEC | | | Verouderd | added v2.4, removed after v2.4
DST | | | Verouderd | added v2.4, removed after v2.4
LAT | | | Verouderd | added v2.4, removed after v2.4
LFT | | | Verouderd | added v2.4, removed after v2.4
LLQ | | | Verouderd | added v2.4, removed after v2.4
LOW | | | Verouderd | added v2.4, removed after v2.4
LUQ | | | Verouderd | added v2.4, removed after v2.4
MED | | | Verouderd | added v2.4, removed after v2.4
NDBS | | | | added v2.9
OR | | | Verouderd | added v2.4, removed after v2.4
PED | | | Verouderd | added v2.4, removed after v2.4
POS | | | Verouderd | added v2.4, removed after v2.4
PRT | | | Verouderd | added v2.4, removed after v2.4
PRX | | | Verouderd | added v2.4, removed after v2.4
REC | | | Verouderd | added v2.4, removed after v2.4
RGH | | | Verouderd | added v2.4, removed after v2.4
RLQ | | | Verouderd | added v2.4, removed after v2.4
RUQ | | | Verouderd | added v2.4, removed after v2.4
UPP | | | Verouderd | added v2.4, removed after v2.4
UPR | | | Verouderd | added v2.4, removed after v2.4
WCT | | | Verouderd | added v2.4, removed after v2.4
WOC | | | Verouderd | added v2.4, removed after v2.4
WSD | | | Verouderd | added v2.4, removed after v2.4

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.411.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0411 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0411

Code | Display | Definition
CG | Observation of type Clinical Genomics (CG)
NDBS | Observation of type Newborn Dried Blood Screening (NDBS)

4.3.15.415 HL7 Version 2 Table 0415

URL: https://hl7.org/fhir/R4/v2/0415/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0415
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0415
Version: | 2.9
Name: | v2.0415
Title: | v2 DRG transfer type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0415 (DRG transfer type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.415.1 Code System Content

Transfer Type

Code | Description | Comment | Version
E | DRG Exempt | | added v2.4
N | DRG Non Exempt | | added v2.4

4.3.15.416 HL7 Version 2 Table 0416

URL: https://hl7.org/fhir/R4/v2/0416/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0416
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0416
Version: | 2.9
Name: | v2.0416
Title: | v2 Procedure DRG type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0416 (Procedure DRG type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.416.1 Code System Content

- All Languages
- English
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0416 defines the following codes:

Code | Display | Definition | Version
1 | en: 1st non-Operative nl: 1ste niet-operatief | | added v2.4
2 | en: 2nd non-Operative nl: 2de niet-operatief | | added v2.4
3 | en: Major Operative nl: groot operatief | | added v2.4
4 | en: 2nd Operative nl: 2de operatief | | added v2.4
5 | en: 3rd Operative nl: 3de operatief | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0416 defines the following codes:

Code | Display | Definition | Version
1 | 1st non-Operative | | added v2.4
2 | 2nd non-Operative | | added v2.4

3 | Major Operative | | added v2.4
4 | 2nd Operative | | added v2.4
5 | 3rd Operative | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0416 definieert de volgende codes:

Code | Display | Definition | Versie
1 | 1ste niet-operatief | | added v2.4
2 | 2de niet-operatief | | added v2.4
3 | groot operatief | | added v2.4
4 | 2de operatief | | added v2.4
5 | 3de operatief | | added v2.4

4.3.15.417 HL7 Version 2 Table 0417

URL: https://hl7.org/fhir/R4/v2/0417/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0417
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0417
Version: | 2.9
Name: | v2.0417
Title: | v2 Tissue type code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0417 (Tissue type code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.417.1 Code System Content

Tissue Type Code

Code | Description | Comment | Version
0 | No tissue expected | | added v2.4
1 | Insufficient Tissue | | added v2.4
2 | Not abnormal | | added v2.4
3 | Abnormal-not categorized | | added v2.4
4 | Mechanical abnormal | | added v2.4
5 | Growth alteration | | added v2.4
6 | Degeneration & necrosis | | added v2.4
7 | Non-acute inflammation | | added v2.4
8 | Non-malignant neoplasm | | added v2.4
9 | Malignant neoplasm | | added v2.4
B | Basal cell carcinoma | | added v2.4
C | Carcinoma-unspecified type | | added v2.4
G | Additional tissue required | | added v2.4

4.3.15.418 HL7 Version 2 Table 0418

URL: https://hl7.org/fhir/R4/v2/0418/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0418
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0418
Version: | 2.9
Name: | v2.0418
Title: | v2 Procedure priority
Definition: | FHIR Value set/code system definition for HL7 v2 table 0418 (Procedure priority)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.418.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0418 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | en: No suggested values defined de: keine Werte vorgeschlagen | | | added v2.6
0 | en: the admitting procedure nl: Opname procedure | | | added v2.4
1 | en: the primary procedure nl: Primaire procedure | | | added v2.4
2 | en: for ranked secondary procedures nl: Secundaire procedures | | | added v2.4
... | | | Deprecated | added v2.4, removed after v2.5.1

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0418 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | No suggested values defined | | | added v2.6
0 | the admitting procedure | | | added v2.4
1 | the primary procedure | | | added v2.4
2 | for ranked secondary procedures | | | added v2.4
... | | | Deprecated | added v2.4, removed after v2.5.1

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0418 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | keine Werte vorgeschlagen | | | added v2.6
0 | | | | added v2.4
1 | | | | added v2.4
2 | | | | added v2.4
... | | | Deprecated | added v2.4, removed after v2.5.1

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0418 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
... | | | | added v2.6
0 | Opname procedure | | | added v2.4
1 | Primaire procedure | | | added v2.4
2 | Secundaire procedures | | | added v2.4
... | | | Verouderd | added v2.4, removed after v2.5.1

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.418.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0418 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0418

Code | Display | Definition
... | No suggested values defined
0 | the admitting procedure
1 | the primary procedure
2 | for ranked secondary procedures

Additional Language Displays

Code | Deutsch (German, de) | Nederlands (Dutch, nl)
... | keine Werte vorgeschlagen
0 | | Opname procedure
1 | | Primaire procedure
2 | | Secundaire procedures

4.3.15.421 HL7 Version 2 Table 0421

URL: https://hl7.org/fhir/R4/v2/0421/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0421
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0421
Version: | 2.9
Name: | v2.0421
Title: | v2 Severity of illness code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0421 (Severity of illness code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.421.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0421 defines the following codes:

Code | Display | Definition | Version
MI | Mild | | added v2.4
MO | en: Moderate nl: Gemiddeld | | added v2.4
SE | en: Severe nl: Ernstig | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0421 defines the following codes:

Code | Display | Definition | Version
MI | Mild | | added v2.4
MO | Moderate | | added v2.4
SE | Severe | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0421 definieert de volgende codes:

Code | Display | Definition | Versie
MI | Mild | | added v2.4
MO | Gemiddeld | | added v2.4
SE | Ernstig | | added v2.4

4.3.15.422 HL7 Version 2 Table 0422

URL: https://hl7.org/fhir/R4/v2/0422/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0422
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0422
Version: | 2.9
Name: | v2.0422
Title: | v2 Triage code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0422 (Triage code)

OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.422.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0422 defines the following codes:

Code | Display | Definition | Version
1 | en: Non-acute nl: Niet-acuut | | added v2.4
2 | en: Acute nl: Acuut | | added v2.4
3 | Urgent | | added v2.4
4 | en: Severe nl: Ernstig | | added v2.4
5 | en: Dead on Arrival (DOA) nl: Overleden bij aankomst (DOA) | | added v2.4
99 | en: Other nl: Anders | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0422 defines the following codes:

Code | Display | Definition | Version
1 | Non-acute | | added v2.4
2 | Acute | | added v2.4
3 | Urgent | | added v2.4
4 | Severe | | added v2.4
5 | Dead on Arrival (DOA) | | added v2.4
99 | Other | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0422 definieert de volgende codes:

Code | Display | Definition | Versie
1 | Niet-acuut | | added v2.4
2 | Acuut | | added v2.4
3 | Urgent | | added v2.4
4 | Ernstig | | added v2.4
5 | Overleden bij aankomst (DOA) | | added v2.4
99 | Anders | | added v2.4

4.3.15.423 HL7 Version 2 Table 0423

URL: https://hl7.org/fhir/R4/v2/0423/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0423
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0423
Version: | 2.9
Name: | v2.0423
Title: | v2 Case category code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0423 (Case category code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.423.1 Code System Content

Case Category Code

Code | Description | Comment | Version
D | Doctor's Office Closed | | added v2.4

4.3.15.424 HL7 Version 2 Table 0424

URL: https://hl7.org/fhir/R4/v2/0424/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0424
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0424
Version: | 2.9
Name: | v2.0424
Title: | v2 Gestation category code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0424 (Gestation category code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.424.1 Code System Content

• All Languages
• English
• Deutsch (German)

This code system http://terminology.hl7.org/CodeSystem/v2-0424 defines the following codes:

Code | Display | Definition | Version
1 | en: Premature / Pre-term de: vorzeitig | | added v2.4
2 | en: Full Term de: normal | | added v2.4
3 | en: Overdue / Post-term de: übertragen | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0424 defines the following codes:

Code | Display | Definition | Version
1 | Premature / Pre-term | | added v2.4
2 | Full Term | | added v2.4
3 | Overdue / Post-term | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0424 defines the following codes:

Code | Display | Definition | Version
1 | vorzeitig | | added v2.4
2 | normal | | added v2.4
3 | übertragen | | added v2.4

4.3.15.425 HL7 Version 2 Table 0425

URL: https://hl7.org/fhir/R4/v2/0425/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0425
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0425
Version: | 2.9
Name: | v2.0425
Title: | v2 Newborn code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0425 (Newborn code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.425.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0425 defines the following codes:

Code | Display | Definition | Version
1 | en: Born in facility de: in der Klinik nl: Geboren in instelling | | added v2.4

2 | en: Transfer in nl: Overplaatsing naar binnen | | added v2.4
3 | en: Born en route de: unterwegs nl: Onderweg geboren | | added v2.4
4 | en: Other de: sonstiger Ort nl: Anders | | added v2.4
5 | en: Born at home de: zuhause nl: Thuisgeboren | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0425 defines the following codes:

Code | Display | Definition | Version
1 | Born in facility | | added v2.4
2 | Transfer in | | added v2.4
3 | Born en route | | added v2.4
4 | Other | | added v2.4
5 | Born at home | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0425 defines the following codes:

Code | Display | Definition | Version
1 | in der Klinik | | added v2.4
2 | | | added v2.4
3 | unterwegs | | added v2.4
4 | sonstiger Ort | | added v2.4
5 | zuhause | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0425 definieert de volgende codes:

Code | Display | Definition | Versie
1 | Geboren in instelling | | added v2.4
2 | Overplaatsing naar binnen | | added v2.4
3 | Onderweg geboren | | added v2.4
4 | Anders | | added v2.4
5 | Thuisgeboren | | added v2.4

4.3.15.426 HL7 Version 2 Table 0426

URL: https://hl7.org/fhir/R4/v2/0426/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0426
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0426
Version: | 2.9
Name: | v2.0426
Title: | v2 Blood product code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0426 (Blood product code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.426.1 Code System Content

Blood Product Code

Code | Description | Comment | Version
CRYO | Cryoprecipitated AHF | | added v2.4
CRYOP | Pooled Cryoprecipitate | | added v2.4
FFP | Fresh Frozen Plasma | | added v2.4
FFPTH | Fresh Frozen Plasma - Thawed | | added v2.4
PC | Packed Cells | | added v2.4
PCA | Autologous Packed Cells | | added v2.4
PCNEO | Packed Cells - Neonatal | | added v2.4
PCW | Washed Packed Cells | | added v2.4
PLT | Platelet Concentrate | | added v2.4
PLTNEO | Reduced Volume Platelets | | added v2.4
PLTP | Pooled Platelets | | added v2.4
PLTPH | Platelet Pheresis | | added v2.4
PLTPHLR | Leukoreduced Platelet Pheresis | | added v2.4
RWB | Reconstituted Whole Blood | | added v2.4
WBA | Autologous Whole Blood | | added v2.4

4.3.15.427 HL7 Version 2 Table 0427

URL: https://hl7.org/fhir/R4/v2/0427/index.html

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0427
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0427
Version: | 2.9
Name: | v2.0427
Title: | v2 Risk management incident code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0427 (Risk management incident code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.427.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0427 defines the following codes:

Code | Display | Definition | Version
B | Body fluid exposure | | added v2.4
C | Contaminated Substance | | added v2.4
D | Diet Errors | | added v2.4
E | Equipment problem | | added v2.4
F | Patient fell (not from bed) | | added v2.4
H | Patient fell from bed | | added v2.4
I | Infusion error | | added v2.4
J | Foreign object left during surgery | | added v2.4
K | Sterile precaution violated | | added v2.4
O | en: Other nl: Anders | | added v2.4
P | Procedure error | | added v2.4
R | Pharmaceutical error | | added v2.4
S | Suicide Attempt | | added v2.4
T | Transfusion error | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0427 defines the following codes:

Code | Display | Definition | Version
B | Body fluid exposure | | added v2.4
C | Contaminated Substance | | added v2.4
D | Diet Errors | | added v2.4
E | Equipment problem | | added v2.4
F | Patient fell (not from bed) | | added v2.4
H | Patient fell from bed | | added v2.4
I | Infusion error | | added v2.4
J | Foreign object left during surgery | | added v2.4
K | Sterile precaution violated | | added v2.4
O | Other | | added v2.4
P | Procedure error | | added v2.4
R | Pharmaceutical error | | added v2.4
S | Suicide Attempt | | added v2.4
T | Transfusion error | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0427 definieert de volgende codes:

Code | Display | Definition | Versie
B | | | added v2.4
C | | | added v2.4
D | | | added v2.4
E | | | added v2.4
F | | | added v2.4
H | | | added v2.4
I | | | added v2.4
J | | | added v2.4
K | | | added v2.4
O | Anders | | added v2.4
P | | | added v2.4
R | | | added v2.4
S | | | added v2.4

T | | | added v2.4

4.3.15.428 HL7 Version 2 Table 0428

URL: https://hl7.org/fhir/R4/v2/0428/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0428
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0428
Version: | 2.9
Name: | v2.0428
Title: | v2 Incident type code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0428 (Incident type code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.428.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0428 defines the following codes:

Code | Display | Definition | Version
O | en: Other nl: Anders | | added v2.4
P | en: Preventable nl: Vermijdbaar | | added v2.4
U | en: User Error nl: Gebruikersfout | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0428 defines the following codes:

Code | Display | Definition | Version
O | Other | | added v2.4
P | Preventable | | added v2.4
U | User Error | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0428 definieert de volgende codes:

Code | Display | Definition | Versie
O | Anders | | added v2.4
P | Vermijdbaar | | added v2.4
U | Gebruikersfout | | added v2.4

4.3.15.429 HL7 Version 2 Table 0429

URL: https://hl7.org/fhir/R4/v2/0429/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0429
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0429
Version: | 2.9
Name: | v2.0429
Title: | v2 Production class Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0429 (Production class Code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.429.1 Code System Content

• All Languages
• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0429 defines the following codes:

Code | Display | Definition | Version
BR | en: Breeding/genetic stock nl: Fokken/genetische voorraad | | added v2.4
DA | en: Dairy nl: Melkproduct | | added v2.4
DR | Draft | | added v2.4
DU | en: Dual Purpose nl: Meervoudig doel | | added v2.4
LY | Layer, Includes Multiplier flocks | | added v2.4
MT | en: Meat nl: Vlees | | added v2.4
NA | en: Not Applicable nl: Niet van toepassing | | added v2.4
OT | en: Other nl: Anders | | added v2.4
PL | en: Pleasure nl: Hobby | | added v2.4
RA | en: Racing nl: Racen | | added v2.4
SH | Show | | added v2.4
U | en: Unknown nl: Onbekend | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0429 defines the following codes:

Code | Display | Definition | Version
BR | Breeding/genetic stock | | added v2.4
DA | Dairy | | added v2.4
DR | Draft | | added v2.4
DU | Dual Purpose | | added v2.4
LY | Layer, Includes Multiplier flocks | | added v2.4
MT | Meat | | added v2.4
NA | Not Applicable | | added v2.4
OT | Other | | added v2.4
PL | Pleasure | | added v2.4
RA | Racing | | added v2.4
SH | Show | | added v2.4
U | Unknown | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0429 definieert de volgende codes:

Code | Display | Definition | Versie
BR | Fokken/genetische voorraad | | added v2.4
DA | Melkproduct | | added v2.4
DR | | | added v2.4
DU | Meervoudig doel | | added v2.4
LY | | | added v2.4
MT | Vlees | | added v2.4
NA | Niet van toepassing | | added v2.4
OT | Anders | | added v2.4
PL | Hobby | | added v2.4
RA | Racen | | added v2.4
SH | Show | | added v2.4
U | Onbekend | | added v2.4

4.3.15.430 HL7 Version 2 Table 0430

URL: https://hl7.org/fhir/R4/v2/0430/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0430
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0430
Version: | 2.9
Name: | v2.0430
Title: | v2 Mode of arrival code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0430 (Mode of arrival code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is used in the following places:

• Extension: http://hl7.org/fhir/StructureDefinition/encounter-modeOfArrival: modeOfArrival (Coding / Example)

4.3.15.430.1 Code System Content

• All Languages

• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0430 defines the following codes:

Code | Display | Definition | Version
A | en: Ambulance de: Krankenwagen | | added v2.4
C | en: Car de: Auto nl: Auto | | added v2.4
F | en: On foot de: zu Fuß nl: Te voet | | added v2.4
H | Helicopter | | added v2.4
O | en: Other de: andere nl: Anders | | added v2.4
P | en: Public Transport de: öffentliche Verkehrsmittel nl: Openbaar vervoer | | added v2.4
U | en: Unknown de: unbekannt nl: Onbekend | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0430 defines the following codes:

Code | Display | Definition | Version
A | Ambulance | | added v2.4
C | Car | | added v2.4
F | On foot | | added v2.4
H | Helicopter | | added v2.4
O | Other | | added v2.4
P | Public Transport | | added v2.4
U | Unknown | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0430 defines the following codes:

Code | Display | Definition | Version
A | Krankenwagen | | added v2.4
C | Auto | | added v2.4
F | zu Fuß | | added v2.4
H | Helicopter | | added v2.4
O | andere | | added v2.4
P | öffentliche Verkehrsmittel | | added v2.4
U | unbekannt | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0430 definieert de volgende codes:

Code | Display | Definition | Versie
A | Ambulance | | added v2.4
C | Auto | | added v2.4
F | Te voet | | added v2.4
H | Helicopter | | added v2.4
O | Anders | | added v2.4
P | Openbaar vervoer | | added v2.4
U | Onbekend | | added v2.4

4.3.15.431 HL7 Version 2 Table 0431

URL: https://hl7.org/fhir/R4/v2/0431/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0431
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0431
Version: | 2.9
Name: | v2.0431
Title: | v2 Recreational drug use code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0431 (Recreational drug use code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.431.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0431 defines the following codes:

Code | Display | Definition | Version
A | en: Alcohol de: Alkohol | | added v2.4
C | en: Tobacco - chewed de: Tabak - gekaut nl: Tabak - gekauwd | | added v2.4
K | Kava | | added v2.4
M | en: Marijuana de: Marihuana nl: Marihuana | | added v2.4
O | en: Other de: andere nl: Anders | | added v2.4
T | en: Tobacco - smoked de: Tabak - geraucht nl: Tabak - gerookt | | added v2.4
U | en: Unknown de: unbekannt nl: Onbekend | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0431 defines the following codes:

Code | Display | Definition | Version
A | Alcohol | | added v2.4
C | Tobacco - chewed | | added v2.4
K | Kava | | added v2.4
M | Marijuana | | added v2.4
O | Other | | added v2.4
T | Tobacco - smoked | | added v2.4
U | Unknown | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0431 defines the following codes:

Code | Display | Definition | Version
A | Alkohol | | added v2.4
C | Tabak - gekaut | | added v2.4
K | Kava | | added v2.4
M | Marihuana | | added v2.4
O | andere | | added v2.4
T | Tabak - geraucht | | added v2.4
U | unbekannt | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0431 definieert de volgende codes:

Code | Display | Definition | Versie
A | Alcohol | | added v2.4
C | Tabak - gekauwd | | added v2.4
K | Kava | | added v2.4
M | Marihuana | | added v2.4
O | Anders | | added v2.4
T | Tabak - gerookt | | added v2.4
U | Onbekend | | added v2.4

4.3.15.432 HL7 Version 2 Table 0432

URL: https://hl7.org/fhir/R4/v2/0432/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0432
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0432
Version: | 2.9
Name: | v2.0432
Title: | v2 Admission level of care code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0432 (Admission level of care code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.432.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0432 defines the following codes:

Code | Display | Definition | Version
AC | en: Acute de: akut nl: Acuut | | added v2.4
CH | en: Chronic de: chronisch nl: Chronisch | | added v2.4

CO | en: Comatose de: komatös nl: Comateus | | added v2.4
CR | en: Critical de: kritisch nl: Kritiek | | added v2.4
IM | en: Improved de: verbessert nl: Verbeterd | | added v2.4
MO | en: Moribund nl: Stervende | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0432 defines the following codes:

Code | Display | Definition | Version
AC | Acute | | added v2.4
CH | Chronic | | added v2.4
CO | Comatose | | added v2.4
CR | Critical | | added v2.4
IM | Improved | | added v2.4
MO | Moribund | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0432 defines the following codes:

Code | Display | Definition | Version
AC | akut | | added v2.4
CH | chronisch | | added v2.4
CO | komatös | | added v2.4
CR | kritisch | | added v2.4
IM | verbessert | | added v2.4
MO | | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0432 definieert de volgende codes:

Code | Display | Definition | Versie
AC | Acuut | | added v2.4
CH | Chronisch | | added v2.4
CO | Comateus | | added v2.4
CR | Kritiek | | added v2.4
IM | Verbeterd | | added v2.4
MO | Stervende | | added v2.4

4.3.15.433 HL7 Version 2 Table 0433

URL: https://hl7.org/fhir/R4/v2/0433/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0433
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0433
Version: | 2.9
Name: | v2.0433
Title: | v2 Precaution code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0433 (Precaution code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.433.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0433 defines the following codes:

Code | Display | Definition | Version
A | en: Aggressive de: agressiv nl: Aggressief | | added v2.4
B | Blind | | added v2.4
C | en: Confused de: konfus nl: Verward | | added v2.4
D | en: Deaf de: taub nl: Doof | | added v2.4
I | en: On IV nl: Aan infuus | | added v2.4
N | en: Do not resuscitate nl: "Geen-code" (bijv. niet reanimeren) | | added v2.4
O | en: Other de: sonstiges nl: Anders | | added v2.4
P | en: Paraplegic nl: Dwarslaesie | | added v2.4
U | en: Unknown de: unbekannt nl: Onbekend | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0433 defines the following codes:

Code | Display | Definition | Version
A | Aggressive | | added v2.4
B | Blind | | added v2.4
C | Confused | | added v2.4
D | Deaf | | added v2.4
I | On IV | | added v2.4
N | Do not resuscitate | | added v2.4
O | Other | | added v2.4
P | Paraplegic | | added v2.4
U | Unknown | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0433 defines the following codes:

Code | Display | Definition | Version
A | agressiv | | added v2.4
B | blind | | added v2.4
C | konfus | | added v2.4
D | taub | | added v2.4
I | | | added v2.4
N | | | added v2.4
O | sonstiges | | added v2.4
P | | | added v2.4
U | unbekannt | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0433 definieert de volgende codes:

Code | Display | Definition | Versie
A | Aggressief | | added v2.4
B | Blind | | added v2.4
C | Verward | | added v2.4
D | Doof | | added v2.4
I | Aan infuus | | added v2.4
N | "Geen-code" (bijv. niet reanimeren) | | added v2.4
O | Anders | | added v2.4
P | Dwarslaesie | | added v2.4
U | Onbekend | | added v2.4

4.3.15.434 HL7 Version 2 Table 0434

URL: https://hl7.org/fhir/R4/v2/0434/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0434
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0434
Version: | 2.9
Name: | v2.0434
Title: | v2 Patient condition code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0434 (Patient condition code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.434.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0434 defines the following codes:

Code | Display | Definition | Version
A | en: Satisfactory de: zufriedenstellend nl: Goed | | added v2.4
C | en: Critical de: kritisch nl: Kritiek | | added v2.4
O | en: Other de: sonstiges nl: Anders | | added v2.4
P | en: Poor de: schlecht nl: Matig | | added v2.4
S | en: Stable de: stabil nl: Stabiel | | added v2.4
U | en: Unknown de: unbekannt nl: Onbekend | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0434 defines the following codes:

Code | Display | Definition | Version
A | Satisfactory | | added v2.4
C | Critical | | added v2.4
O | Other | | added v2.4
P | Poor | | added v2.4
S | Stable | | added v2.4
U | Unknown | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0434 defines the following codes:

Code | Display | Definition | Version
A | zufriedenstellend | | added v2.4
C | kritisch | | added v2.4
O | sonstiges | | added v2.4
P | schlecht | | added v2.4
S | stabil | | added v2.4
U | unbekannt | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0434 definieert de volgende codes:

Code | Display | Definition | Versie
A | Goed | | added v2.4
C | Kritiek | | added v2.4
O | Anders | | added v2.4
P | Matig | | added v2.4
S | Stabiel | | added v2.4
U | Onbekend | | added v2.4

4.3.15.435 HL7 Version 2 Table 0435

URL: https://hl7.org/fhir/R4/v2/0435/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0435
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0435
Version: | 2.9
Name: | v2.0435
Title: | v2 Advance directive code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0435 (Advance directive code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.435.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0435 defines the following codes:

Code | Display | Definition | Version
DNR | en: Do not resuscitate nl: Niet reanimeren | | added v2.4
N | en: No directive nl: Geen wilsverklaring | | added v2.6

This code system http://terminology.hl7.org/CodeSystem/v2-0435 defines the following codes:

Code | Display | Definition | Version
DNR | Do not resuscitate | | added v2.4
N | No directive | | added v2.6

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0435 definieert de volgende codes:

Code | Display | Definition | Versie
DNR | Niet reanimeren | | added v2.4
N | Geen wilsverklaring | | added v2.6

4.3.15.436 HL7 Version 2 Table 0436

URL: https://hl7.org/fhir/R4/v2/0436/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0436
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0436
Version: | 2.9
Name: | v2.0436
Title: | v2 Sensitivity to Causative Agent code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0436 (Sensitivity to Causative Agent code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.436.1 Code System Content

• All Languages
• English
• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0436 defines the following codes:

Code | Display | Definition | Version
AD | en: Adverse Reaction (Not otherwise classified) nl: Overgevoeligheidsreactie (niet verder gedefinieerd) | | added v2.4
AL | en: Allergy de: Allergie nl: Allergie | | added v2.4
CT | en: Contraindication nl: Contra-indicatie | | added v2.4
IN | en: Intolerance nl: Intolerantie | | added v2.4
SE | en: Side Effect nl: Bijwerking | | added v2.7

This code system http://terminology.hl7.org/CodeSystem/v2-0436 defines the following codes:

Code | Display | Definition | Version
AD | Adverse Reaction (Not otherwise classified) | | added v2.4
AL | Allergy | | added v2.4
CT | Contraindication | | added v2.4
IN | Intolerance | | added v2.4
SE | Side Effect | | added v2.7

This code system http://terminology.hl7.org/CodeSystem/v2-0436 defines the following codes:

Code | Display | Definition | Version
AD | | | added v2.4
AL | Allergie | | added v2.4
CT | | | added v2.4
IN | | | added v2.4
SE | | | added v2.7

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0436 definieert de volgende codes:

Code | Display | Definition | Versie
AD | Overgevoeligheidsreactie (niet verder gedefinieerd) | | added v2.4
AL | Allergie | | added v2.4
CT | Contra-indicatie | | added v2.4
IN | Intolerantie | | added v2.4
SE | Bijwerking | | added v2.7

4.3.15.437 HL7 Version 2 Table 0437

URL: https://hl7.org/fhir/R4/v2/0437/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0437
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0437
Version: | 2.9
Name: | v2.0437
Title: | v2 Alert device code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0437 (Alert device code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.437.1 Code System Content

• All Languages

• English

• Deutsch (German)

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0437 defines the following codes:

Code | Display | Definition | Version
B | en: Bracelet de: Armband nl: Armband | | added v2.4
N | en: Necklace de: Kette nl: Halsketting | | added v2.4
W | en: Wallet Card nl: Portemonnee kaart | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0437 defines the following codes:

Code | Display | Definition | Version
B | Bracelet | | added v2.4
N | Necklace | | added v2.4
W | Wallet Card | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0437 defines the following codes:

Code | Display | Definition | Version
B | Armband | | added v2.4
N | Kette | | added v2.4
W | | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0437 definieert de volgende codes:

Code | Display | Definition | Versie
B | Armband | | added v2.4
N | Halsketting | | added v2.4
W | Portemonnee kaart | | added v2.4

4.3.15.438 HL7 Version 2 Table 0438

URL: https://hl7.org/fhir/R4/v2/0438/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0438
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0438
Version: | 2.9
Name: | v2.0438
Title: | v2 Allergy clinical status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0438 (Allergy clinical status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.438.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0438 defines the following codes:

Code | Display | Definition | Version
C | en: Confirmed or verified nl: Bevestigd of gecontroleerd | | added v2.4
D | en: Doubt raised nl: Twijfelachtig | | added v2.4
E | en: Erroneous nl: Foutief | | added v2.4
I | en: Confirmed but inactive nl: Bevestigd maar inactief | | added v2.4
P | en: Pending nl: In bewerking | | added v2.4
S | en: Suspect nl: Verdacht | | added v2.4
U | en: Unconfirmed nl: Niet-bevestigd | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0438 defines the following codes:

Code | Display | Definition | Version
C | Confirmed or verified | | added v2.4
D | Doubt raised | | added v2.4
E | Erroneous | | added v2.4
I | Confirmed but inactive | | added v2.4
P | Pending | | added v2.4
S | Suspect | | added v2.4
U | Unconfirmed | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0438 definieert de volgende codes:

Code | Display | Definition | Versie
C | Bevestigd of gecontroleerd | | added v2.4
D | Twijfelachtig | | added v2.4
E | Foutief | | added v2.4
I | Bevestigd maar inactief | | added v2.4
P | In bewerking | | added v2.4
S | Verdacht | | added v2.4
U | Niet-bevestigd | | added v2.4

4.3.15.440 HL7 Version 2 Table 0440

URL: https://hl7.org/fhir/R4/v2/0440/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0440
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0440
Version: | 2.9
Name: | v2.0440
Title: | v2 Data types
Definition: | FHIR Value set/code system definition for HL7 v2 table 0440 (Data types)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.440.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0440 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
AD | en: Address nl: Adres | | | en: Replaced by XAD as of v 2.3 nl: Vervangen door XAD vanaf v2.3 | added v2.4
AUI | en: Authorization information nl: Autorisatie informatie | | | en: Replaces the CM data type used in sections 6.5.6.14 IN1-14, as of v 2.5. nl: Vervangt het datatype CM uit sectie 6.5.6.14 IN1-14 vanaf v2.5 | added v2.5
CCD | en: Charge code and date nl: Facturatiecode en datum | | | en: Replaces the CM data type used in section 4.5.2.1 BLG-1, as of v 2.5. nl: Vervangt het datatype CM uit sectie 4.5.2.1 BLG-1 vanaf v2.5 | added v2.5
CCP | en: Channel calibration parameters nl: Kanaalcalibratie parameters | | | en: Replaces the CM data type used in 7.14.1.5 OBX-5.3 where OBX-5Observation value (*) is data type CD as of v 2.5. nl: Vervangt het datatype CM uit sectie 7.14.1.5 OBX-5.3 vanaf v2.5 als OBX-5 Observation value (*) datatype CD heeft. | added v2.5
CD | en: Channel definition nl: Kanaaldefinitie | | | en: For waveform data only;. nl: Alleen voor waveform gegevens | added v2.4
CE | en: Coded element nl: Gecodeerd element | | | en: WITHDRAWN nl: VERVALLEN | added v2.4
CF | en: Coded element with formatted values nl: Gecodeerd element met waarden met opmaak | | | 65536 | added v2.4
CK | en: Composite ID with check digit nl: Samengesteld ID met controlegetal | | | en: WITHDRAWN nl: VERVALLEN | added v2.4
CM | en: Composite nl: Samengesteld | | | en: WITHDRAWN Replaced by numerous new unambiguous data types in v 2.5 nl: VERVALLEN Vervangen door vele nieuwe niet-ambigue datatypen in v2.5 | added v2.4
CN | en: Composite ID number and name nl: Samengesteld ID en naam | | | en: WITHDRAWN. Replaced by XCN as of v 2.3 nl: VERVALLEN Vervangen door XCN vanaf v2.3 | added v2.4
CNE | en: Coded with no exceptions nl: Gecodeerd zonder uitzonderingen | | | 705 | added v2.4

CNN | en: Composite ID number and name simplified nl: Samengesteld ID en naam vereenvoudigd | | | en: Restores the original data type CN as was initially implementable in the CM used in sections 4.5.3.32 and 7.4.1.32-(OBR-32), 4.5.3.33 and 7.4.1.33 - (OBR-33) 4.5.3.34 and 7.4.1.34 - (OBR-34) 4.5.3.35 and 7.4.1.35 - (OBR-35). Components 7 and 8, however, have been promoted to data type IS to be consistent with current practice without violating backward compatibility. nl: Brengt het oude datatype CN terug zoals oorspronkelijk implementeerbaar was in de CM van secties 4.5.3.32 en 7.4.1.32 (OBR-32), 4.5.3.33 en 7.4.1.33 (OBR-33) 4.5.3.34 en 7.4.1.34 (OBR-34) 4.5.3.35 en 7.4.1.35 (OBR-35). Componenten 7 en 8 zijn echter gepromoveerd tot datatype IS om consistent te zijn met de huidige praktijk zonder backward compatibiliteit te schaden. | added v2.7

CNS | Composite ID number and name simplified | | Deprecated | | added v2.5, removed after v2.6

CP | en: Composite price nl: Samengestelde prijs | | | . | added v2.4

CQ | en: Composite quantity with units nl: Samengestelde hoeveelheid met eenheden | | | en: CQ cannot be legally expressed when embedded within another data type. Its use is constrained to a segment field. nl: CQ kan niet correct worden uitgedrukt binnen een ander datatype. Het kan alleen worden gebruikt in een segmentveld. | added v2.4

CSU | en: Channel sensitivity and units nl: Kanaal gevoeligheid en eenheden | | | en: Replaces the CM data type used in 7.14.1.5 OBX-5.3 where OBX-5Observation value (*) is data type CD as of v 2.5. nl: Vervangt het CM datatype gebruikt in sectie 7.14.1.5 OBX-5-3 vanaf v2.5 waarbij OBX-5 Observation value (*) het datatype CD heeft. | added v2.5

CWE | en: Coded with exceptions nl: Gecodeerd met uitzonderingen | | | 705 | added v2.4

CX | en: Extended composite ID with check digit nl: Uitgebreid samengesteld ID met controlegetal | | | 1913 | added v2.4

DDI | en: Daily deductible information nl: Dagelijks aftrekbaar informatie | | | en: Replaces the CM data type used in section 6.5.7.30 IN2-30, as of v 2.5. nl: Vervangt het CM datatype gebruikt in sectie 6.5.7.30 IN2-30 vanaf v2.5 | added v2.5

DIN | en: Date and institution name nl: Datum en naam instelling | | | en: Replaces the CM data type used in sections 15.4.6.12 STF-12 and 15.4.6.14 STF-13, as of v 2.5. nl: Vervangt het CM datatype gebruikt in secties 15.4.6.12 STF-12 en 15.4.6.14 STF-13 vanaf v2.5 | added v2.5

DLD | en: Discharge to location and date nl: Ontslag naar locatie en datum | | | en: Replaces the CM data type used in section 8.8.4.9 - OM2-9, as of v 2.5 nl: Vervangt het CM datatype gebruikt in sectie 8.8.4.9 - OM2-9 vanaf v2.5 | added v2.5

DLN | en: Driver's license number nl: Rijbewijsnummer | | | 66 | added v2.4

DLT | Delta | | | 45 | added v2.5

DR | en: Date/time range nl: Datum/tijd bereik | | | 53 | added v2.4

DT | en: Date nl: Datum | | | 8 | added v2.4

DTM | en: Date/time nl: Datum/tijd | | | 24 | added v2.5

DTN | en: Day type and number nl: Dag type en nummer | | | en: Replaces the CM data type used in section 6.5.8.11 IN3-11, as of v 2.5. nl: Vervangt het CM datatype gebruikt in sectie 6.5.8.11 IN3-11 vanaf v2.5 | added v2.5

ED | en: Encapsulated data nl: Ingekapselde gegevens | | | en: Supports ASCII MIME-encoding of binary data. nl: Ondersteunt ASCII MIM-codering voor binaire gegevens | added v2.4

EI | en: Entity identifier nl: Entiteit identificatie | | | 427 | added v2.4

EIP | en: Entity identifier pair nl: Entiteit identificatie paar | | | en: Replaces the CM data type used in sections 4.5.1.8 - ORC-8, 4.5.3.29 - OBR-29, 7.3.1.29 - OBR-29, as of v 2.5. nl: Vervangt het CM datatype gebruikt in secties 4.5.1.8 - ORC-8, 4.5.3.29 - OBR-29, 7.3.1.29 - OBR-29 vanaf v2.5 | added v2.5

ELD | en: Error location and description nl: Foutlocatie en omschrijving | | | en: WITHDRAWN nl: VERVALLEN | added v2.5

ERL | en: Error location nl: Foutlocatie | | | 18 | added v2.5

FC | en: Financial class nl: Financiële klasse | | | 47 | added v2.4

FN | en: Family name nl: Achternaam | | | en: Appears ONLY in the PPN, XCN, and XPN. nl: Komt ALLEEN voor in PPN, XCN en XPN | added v2.4

FT | en: Formatted text nl: Tekst met opmaak | | | 65536 | added v2.4

GTS | en: General timing specification nl: Algemene specificatie van tijd | | | 199 | added v2.5

HD | en: Hierarchic designator nl: Hiërarchische aanduiding | | | 227 | added v2.4

ICD | en: Insurance certification definition nl: Verzekeringcertificatie definitie | | | en: Replaces the CM data type used in section 6.5.8.20 IN3-20, as of v 2.5. nl: Vervangt het CM datatype gebruikt in sectie 6.5.8.20 IN3-20 vanaf v2.5 | added v2.5

ID | en: Coded values for HL7 tables nl: Gecodeerd waarde voor HL7-tabellen | | | Variable | added v2.4

IS | en: Coded value for user-defined tables nl: Gecodeerde waarde voor gebruiker-gedefinieerde tabellen | | | 20 | added v2.4

JCC | en: Job code/class nl: Baan code/klassificatie | | | 292 | added v2.4

LA1 | en: Location with address variation 1 nl: Locatie met adres variatie 1 | | | en: Replaces the CM data type used in 4.14.1.8 RXO-8 and 4.14.4.8 RXE-8 as of v 2.5. Retained for backward compatibility only as of v 2.5 nl: Vervangt het CM datatype gebruikt in secties 4.14.1.8 RXO-8 en 4.14.4.8 RXE-8 vanaf v2.5. Behouden vanwege backward compatibiliteit vanaf v2.5. | added v2.5

LA2 | en: Location with address variation 2 nl: Locatie met adres variatie 2 | | | en: Replaces the CM data type used in 4.14.5.13 RXD-13, 4.14.6.11 RXG-11 and 4.14.7.11 RXA-11 as of v 2.5. Retained for backward compatibility only as of v 2.5, nl: Vervangt het CM datatype gebruikt in secties 4.14.5.13 RXD-13, 4.14.6.11 RXG-11 en 4.14.7.11 RXA-11 vanaf v2.5. Behouden vanwege backward compatibiliteit vanaf v2.5. | added v2.5

MA | en: Multiplexed array nl: Multiplexed arred | | | en: For waveform data only nl: Alleen voor waveformgegevens | added v2.4

MO | Money | | | 20 | added v2.4

MOC | en: Money and charge code nl: Geld en facturatiecode | | | en: Replaces the CM data type used in sections 4.5.3.23 OBR-23 and 7.4.1.23- OBR-23 as of v 2.5. nl: Vervangt het CM datatype gebruikt in secties 4.5.3.23 OBR-23 en 7.4.1.23 OBR-23 vanaf v2.5 | added v2.5

MOP | en: Money or percentage nl: Geld of percentage | | | en: Replaces the CM data type used in section 6.5.8.5 IN3-5, as of v 2.5. This data type is restricted to this field. nl: Vervangt het CM datatype gebruikt in sectie 6.5.8.5 IN3-5 vanaf v2.5. Dit datatype kan alleen in dit veld worden gebruikt. | added v2.5

MSG | en: Message type nl: Berichttype | | | en: Replaces the CM data type used in 2.16.9.9 MSH-9 as of v 2.5. nl: Vervangt het CM datatype gebruikt in sectie 2.16.9.9 MSH-9 vanaf v2.5 | added v2.5

NA | en: Numeric array nl: Numerieke array | | | en: For waveform data only nl: Alleen voor waveformgegevens | added v2.4

NDL | en: Name with date and location nl: Naam met datum en locatie | | | en: Replaces the CM data type used in sections 4.5.3.32 and 7.4.1.32-(OBR-32) , 4.5.3.33 and 7.4.1.33 - (OBR-33) 4.5.3.34 and 7.4.1.34 - (OBR-34) 4.5.3.35 and 7.4.1.35 - (OBR-35) as of v 2.5. nl: Vervangt het CM datatype gebruikt in secties 4.5.3.32 en 7.4.1.32- (OBR-32), 4.5.3.33 and 7.4.1.33 - (OBR-33) 4.5.3.34 and 7.4.1.34 - (OBR-34) 4.5.3.35 en 7.4.1.35 - (OBR-35) vanaf v2.5 | added v2.5

NM | en: Numeric nl: Numeriek | | | 16 | added v2.4

NR | en: Numeric range nl: Numeriek bereik | | | en: Replaces the CM data type used in sections 8.8.4.6.1- OM2-6.1, 8.8.4.6.3- OM2-6.3and 8.8.4.6.4- OM2-6.4, as of v 2.5. nl: Vervangt het CM datatype gebruikt in secties 8.8.4.6.1- OM2-6.1, 8.8.4.6.3-

OM2-6.3 en 8.8.4.6.4- OM2-6.4 vanaf v2.5 | added v2.5

OCD | en: Occurrence code and date nl: Gebeurtenis code en datum | | | en: Replaces the CM data type used in sections 6.5.10.10 UB1-16 and 6.5.11.7 UB2-7, as of v 2.5. nl: Vervangt het CM datatype gebruikt in sectie 6.5.10.10 UB1-16 en 6.5.11.7 UB2-7 vanaf v2.5 | added v2.5

OSD | en: Order sequence definition nl: Aanvraagvolgorde definitie | | | en: WITHDRAWN nl: VERVALLEN | added v2.5

OSP | en: Occurrence span code and date nl: Gebeurtenis spanne code en datum | | | en: Replaces the CM data type used in section 6.5.11.8 UB2-8, as of v 2.5. nl: Vervangt het CM datatype gebruikt in sectie 6.5.11.8 UB2-8 vanaf v2.5 | added v2.5

PIP | en: Practitioner institutional privileges nl: Zorgverlener instellingsprivileges | | | en: Replaces the CM data type used in 15.4.5.7 PRA-7 as of v 2.5. nl: Vervangt het CM datatype gebruikt in sectie 15.4.5.7 PRA-7 vanaf v2.5 | added v2.5

PL | en: Person location nl: Persoon locatie | | | 1230 | added v2.4

PLN | en: Practitioner license or other ID number nl: Zorgverlener licentie of ander ID | | | en: Replaces the CM data type used in 15.4.5.6 PRA-6, 11.6.3.7 PRD-7 and 11.6.4.7 CTD-7 as of v 2.5. nl: Vervangt het CM datatype gebruikt in secties 15.4.5.6 PRA-6, 11.6.3.7 PRD-7 en 11.6.4.7 CTD-7 vanaf v2.5 | added v2.5

PN | en: Person name nl: Persoonsnaam | | | en: WITHDRAWN nl: VERVALLEN | added v2.4

PPN | en: Performing person time stamp nl: Uivoerende persoon en tijdstip | | | en: equivalent of an XCN joined with a TS nl: Equivalent van een XCN met een TS | added v2.4

PRL | en: Parent result link nl: Parent resultaat link | | | en: Replaces the CM data type used in sections 4.5.3.26 - OBR-26 and 7.4.1.26 - OBR-26 as of v 2.5. nl: Vervangt het CM datatype gebruikt in secties 4.5.3.26 - OBR-26 en 7.4.1.26 - OBR-26 vanaf v2.5 | added v2.5

PT | en: Processing type nl: Verwerkingstype | | | 3 | added v2.4

PTA | en: Policy type and amount nl: Polistype en hoeveelheid | | | en: Replaces the CM data type used in section 6.5.7.29 IN2-29, as of v 2.5. nl: Vervangt het CM datatype gebruikt in sectie 6.5.7.29 IN2-29 vanaf v2.5 | added v2.5

QIP | en: Query input parameter list nl: Query invoerparameterlijst | | | 212 | added v2.4

QSC | en: Query selection criteria nl: Queryselectie criteria | | | 219 | added v2.4

RCD | en: Row column definition nl: Rij-kolom definitie | | | 19 | added v2.4

RFR | en: Reference range nl: Referentiewaardenbereik | | | en: Replaces the CM data type used in sections 8.8.4.6 - OM2-6, 8.8.4.7 - OM2-7 and8.8.4.8 - OM2-8 as of v 2.5. nl: Vervangt het CM datatype gebruikt in secties 8.8.4.6 CM2-6, 8.8.4.7 CM2-7 en 8.8.84.8 CM2-8 vanaf v2.5. | added v2.5

RI | en: Repeat interval nl: Herhaalinterval | | | 206 | added v2.4

RMC | en: Room coverage nl: Kamerdekking | | | en: Replaces the CM data type used in section 6.5.7.28 IN2-28, as of v 2.5. nl: Vervangt het CM datatype gebruikt in sectie 6.5.7.28 IN2-28 vanaf v2.5 | added v2.5

RP | en: Reference pointer nl: Verwijzing | | | 273 | added v2.4

RPT | en: Repeat pattern nl: Herhaalpatroon | | | 984 | added v2.5

SAD | en: Street Address nl: Straatadres | | | en: Appears ONLY in the XAD data type. nl: Komt ALLEEN voor in het XAD datatype | added v2.4

SCV | en: Scheduling class value pair nl: Planningsklasse waardepaar | | | en: For scheduling data only. See Chapter 10 nl: Ten behoeve van planningsgegevens. Zie hoofdstuk 10 | added v2.4

SI | Sequence ID | | | 4 | added v2.4

SN | en: Structured numeric nl: Gestructureerde numerieke waarde | | | 36 | added v2.4

SNM | en: String of telephone number digits nl: String met telefoonnummercijfers | | | en: Definition: a string whose characters are limited to "+" and the decimal digits 0 through 9. As a string, leading zeros are always considered significant. Maximum length: Not specified for the type. May be specified in the context of use. nl: Definitie: een string waarvan de tekens beperkt zijn tot "+" en de decimale getallen 0 tot 9. Als normaal in strings zijn voorloopnullen significant. Maximumlengte: niet bepaald. Kan in gebruikscontext worden bepaald. | added v2.7

SPD | en: Specialty description nl: Specialisme omschrijving | | | en: Replaces the CM data type used in 15.4.5.5 PRA-5 as of v 2.5. nl: Vervangt het CM datatype gebruikt in sectie 15.4.5.5 PRA-5 vanaf v2.5 | added v2.5

SPS | en: Specimen source nl: Monster bron | | | en: WITHDRAWN nl: VERVALLEN | added v2.5

SRT | en: Sort order nl: Sorteervolgorde | | | 15 | added v2.4

ST | en: String data nl: Platte tekst | | | 199 | added v2.4

TM | en: Time nl: Tijd | | | 16 | added v2.4

TN | en: Telephone number nl: Telefoonnummer | | | en: WITHDRAWN nl: VERVALLEN | added v2.4

TQ | en: Timing/quantity nl: Timing/hoeveelheid | | | en: WITHDRAWN nl: VERVALLEN | added v2.4

TS | en: Time stamp nl: Tijdstempel | | | en: WITHDRAWN nl: VERVALLEN | added v2.4

TX | en: Text data nl: Tekstuele gegevens | | | 65536 | added v2.4

UVC | en: UB value code and amount nl: UB waardecode en hoeveelheid | | | en: Replaces the CM data type used in sections 6.5.10.10 UB1-10 and 6.5.11.6 UB2-6, as of v 2.5. nl: Vervangt het CM datatype gebruikt in secties 6.5.10.10 UB1-10 en 6.5.11.6 UB2-6 vanaf v2.5 | added v2.5

VH | en: Visiting hours nl: Bezoekuren | | | 41 | added v2.4

VID | en: Version identifier nl: Versie identificatie | | | 973 | added v2.4

VR | en: Value range nl: Waardebereik | | | en: Replaces the CM data type used in 5.10.5.3.11 QRD-11 as of v 2.5. nl: Vervangt het CM datatype gebruikt in sectie 5.10.5.3.11 QRD-11 vanaf v2.5 | added v2.5

WVI | en: Channel Identifier nl: Kanaal identificatie | | | en: Replaces the CM data type used in 7.14.1.3.1 OBX-5.1 where OBX-5 Observation value (*) is data type CD as of v 2.5. nl: Vervangt het CM datatype gebruikt in sectie 7.14.1.3.1 OBX-5-1 vanaf v2.5 waarbij OBX-5 Observation value (*) datatype CD heeft | added v2.5

WVS | en: Waveform source nl: Waveform bron | | | en: Replaces the CM data type used in 7.14.1.4 OBX-5.2 where OBX-5 Observation value (*) is data type CD as of v 2.5. nl: Vervangt het CM datatype gebruikt in sectie7.14.1.4 OBX-5-2 vanaf v2.5 waarbij OBX-5 Observation value (*) datatype CD heeft | added v2.5

XAD | en: Extended address nl: Uitgebreid adres | | | en: Replaces AD as of v 2.3 nl: Vervangt AD vanaf v2.3 | added v2.4

XCN | en: Extended composite ID number and name for persons nl: Uitgebreide samengestelde ID en naam voor personen | | | en: Replaces CN as of v 2.3 nl: Vervangt CN vanaf v2.3 | added v2.4

XON | en: Extended composite name and ID number for organizations nl: Uitgebreide samengestelde ID en naam voor organisaties | | | 567 | added v2.4

XPN | en: Extended person name nl: Uitgebreide persoonsnaam | | | en: Replaces PN as of v 2.3. nl: Vervangt PN vanaf v2.3 | added v2.4

XTN | en: Extended telecommunications number nl: Uitgebreid telecommunicatienummer | | | en: Replaces TN as of v 2.3 nl: Vervangt TN vanaf v2.3 | added v2.4

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0440 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
AD | Address | | | Replaced by XAD as of v 2.3 | added v2.4
AUI | Authorization information | | | Replaces the CM data type used in sections 6.5.6.14 IN1-14, as of v 2.5. | added v2.5
CCD | Charge code and date | | | Replaces the CM data type used in section 4.5.2.1 BLG-1, as of v 2.5. | added v2.5
CCP | Channel calibration parameters | | | Replaces the CM data type used in 7.14.1.5 OBX-5.3 where OBX-5Observation value (*) is data type CD as of v 2.5. | added v2.5
CD | Channel definition | | | For waveform data only;. | added v2.4
CE | Coded element | | | WITHDRAWN | added v2.4
CF | Coded element with formatted values | | | 65536 | added v2.4
CK | Composite ID with check digit | | | WITHDRAWN | added v2.4
CM | Composite | | | WITHDRAWN Replaced by numerous new unambiguous data types in v 2.5 | added v2.4
CN | Composite ID number and name | | | WITHDRAWN. Replaced by XCN as of v 2.3 | added v2.4
CNE | Coded with no exceptions | | | 705 | added v2.4
CNN | Composite ID number and name simplified | | | Restores the original data type CN as was initially implementable in the CM used in sections 4.5.3.32 and 7.4.1.32-(OBR-32), 4.5.3.33 and 7.4.1.33 - (OBR-33) 4.5.3.34 and 7.4.1.34 - (OBR-34) 4.5.3.35 and 7.4.1.35 - (OBR-35). Components 7 and 8, however, have been promoted to data type IS to be consistent with current practice without violating backward compatibility. | added v2.7
CNS | Composite ID number and name simplified | | Deprecated | | added v2.5, removed after v2.6
CP | Composite price | | | . | added v2.4
CQ | Composite quantity with units | | | CQ cannot be legally expressed when embedded within another data type. Its use is constrained to a segment field. | added v2.4
CSU | Channel sensitivity and units | | | Replaces the CM data type used in 7.14.1.5 OBX-5.3 where OBX-5Observation value (*) is data type CD as of v 2.5. | added v2.5
CWE | Coded with exceptions | | | 705 | added v2.4
CX | Extended composite ID with check digit | | | 1913 | added v2.4
DDI | Daily deductible information | | | Replaces the CM data type used in section 6.5.7.30 IN2-30, as of v 2.5. | added v2.5
DIN | Date and institution name | | | Replaces the CM data type used in sections 15.4.6.12 STF-12 and 15.4.6.14 STF-13, as of v 2.5. | added v2.5
DLD | Discharge to location and date | | | Replaces the CM data type used in section 8.8.4.9 - OM2-9, as of v 2.5 | added v2.5
DLN | Driver's license number | | | 66 | added v2.4
DLT | Delta | | | 45 | added v2.5
DR | Date/time range | | | 53 | added v2.4
DT | Date | | | 8 | added v2.4
DTM | Date/time | | | 24 | added v2.5
DTN | Day type and number | | | Replaces the CM data type used in section 6.5.8.11 IN3-11, as of v 2.5. | added v2.5
ED | Encapsulated data | | | Supports ASCII MIME-encoding of binary data. | added v2.4
EI | Entity identifier | | | 427 | added v2.4
EIP | Entity identifier pair | | | Replaces the CM data type used in sections 4.5.1.8 - ORC-8, 4.5.3.29 - OBR-29, 7.3.1.29 - OBR-29, as of v 2.5. | added v2.5
ELD | Error location and description | | | WITHDRAWN | added v2.5
ERL | Error location | | | 18 | added v2.5
FC | Financial class | | | 47 | added v2.4
FN | Family name | | | Appears ONLY in the PPN, XCN, and XPN. | added v2.4
FT | Formatted text | | | 65536 | added v2.4
GTS | General timing specification | | | 199 | added v2.5
HD | Hierarchic designator | | | 227 | added v2.4
ICD | Insurance certification definition | | | Replaces the CM data type used in section 6.5.8.20 IN3-20, as of v 2.5. | added v2.5
ID | Coded values for HL7 tables | | | Variable | added v2.4
IS | Coded value for user-defined tables | | | 20 | added v2.4
JCC | Job code/class | | | 292 | added v2.4
LA1 | Location with address variation 1 | | | Replaces the CM data type used in 4.14.1.8 RXO-8 and 4.14.4.8 RXE-8 as of v 2.5. Retained for backward compatibility only as of v 2.5 | added v2.5
LA2 | Location with address variation 2 | | | Replaces the CM data type used in 4.14.5.13 RXD-13, 4.14.6.11 RXG-11 and 4.14.7.11 RXA-11 as of v 2.5. Retained for backward compatibility only as of v 2.5, | added v2.5
MA | Multiplexed array | | | For waveform data only | added v2.4
MO | Money | | | 20 | added v2.4
MOC | Money and charge code | | | Replaces the CM data type used in sections 4.5.3.23 OBR-23 and 7.4.1.23- OBR-23 as of v 2.5. | added v2.5
MOP | Money or percentage | | | Replaces the CM data type used in section 6.5.8.5 IN3-5, as of v 2.5. This data type is restricted to this field. | added v2.5
MSG | Message type | | | Replaces the CM data type used in 2.16.9.9 MSH-9 as of v 2.5. | added v2.5
NA | Numeric array | | | For waveform data only | added v2.4

NDL | Name with date and location | | | Replaces the CM data type used in sections 4.5.3.32 and 7.4.1.32-(OBR-32) , 4.5.3.33 and 7.4.1.33 - (OBR-33) 4.5.3.34 and 7.4.1.34 - (OBR-34) 4.5.3.35 and 7.4.1.35 - (OBR-35) as of v 2.5. | added v2.5
NM | Numeric | | | 16 | added v2.4
NR | Numeric range | | | Replaces the CM data type used in sections 8.8.4.6.1- OM2-6.1, 8.8.4.6.3- OM2-6.3and 8.8.4.6.4- OM2-6.4, as of v 2.5. | added v2.5
OCD | Occurrence code and date | | | Replaces the CM data type used in sections 6.5.10.10 UB1-16 and 6.5.11.7 UB2-7, as of v 2.5. | added v2.5
OSD | Order sequence definition | | | WITHDRAWN | added v2.5
OSP | Occurrence span code and date | | | Replaces the CM data type used in section 6.5.11.8 UB2-8, as of v 2.5. | added v2.5
PIP | Practitioner institutional privileges | | | Replaces the CM data type used in 15.4.5.7 PRA-7 as of v 2.5. | added v2.5
PL | Person location | | | 1230 | added v2.4
PLN | Practitioner license or other ID number | | | Replaces the CM data type used in 15.4.5.6 PRA-6, 11.6.3.7 PRD-7 and 11.6.4.7 CTD-7 as of v 2.5. | added v2.5
PN | Person name | | | WITHDRAWN | added v2.4
PPN | Performing person time stamp | | | equivalent of an XCN joined with a TS | added v2.4
PRL | Parent result link | | | Replaces the CM data type used in sections 4.5.3.26 - OBR-26 and 7.4.1.26 - OBR-26 as of v 2.5. | added v2.5
PT | Processing type | | | 3 | added v2.4
PTA | Policy type and amount | | | Replaces the CM data type used in section 6.5.7.29 IN2-29, as of v 2.5. | added v2.5
QIP | Query input parameter list | | | 212 | added v2.4
QSC | Query selection criteria | | | 219 | added v2.4
RCD | Row column definition | | | 19 | added v2.4
RFR | Reference range | | | Replaces the CM data type used in sections 8.8.4.6 - OM2-6, 8.8.4.7 - OM2-7 and8.8.4.8 - OM2-8 as of v 2.5. | added v2.5
RI | Repeat interval | | | 206 | added v2.4
RMC | Room coverage | | | Replaces the CM data type used in section 6.5.7.28 IN2-28, as of v 2.5. | added v2.5
RP | Reference pointer | | | 273 | added v2.4
RPT | Repeat pattern | | | 984 | added v2.5
SAD | Street Address | | | Appears ONLY in the XAD data type. | added v2.4
SCV | Scheduling class value pair | | | For scheduling data only. See Chapter 10 | added v2.4
SI | Sequence ID | | | 4 | added v2.4
SN | Structured numeric | | | 36 | added v2.4
SNM | String of telephone number digits | | | Definition: a string whose characters are limited to "+" and the decimal digits 0 through 9. As a string, leading zeros are always considered significant. Maximum length: Not specified for the type. May be specified in the context of use. | added v2.7
SPD | Specialty description | | | Replaces the CM data type used in 15.4.5.5 PRA-5 as of v 2.5. | added v2.5
SPS | Specimen source | | | WITHDRAWN | added v2.5
SRT | Sort order | | | 15 | added v2.4
ST | String data | | | 199 | added v2.4
TM | Time | | | 16 | added v2.4
TN | Telephone number | | | WITHDRAWN | added v2.4
TQ | Timing/quantity | | | WITHDRAWN | added v2.4
TS | Time stamp | | | WITHDRAWN | added v2.4
TX | Text data | | | 65536 | added v2.4
UVC | UB value code and amount | | | Replaces the CM data type used in sections 6.5.10.10 UB1-10 and 6.5.11.6 UB2-6, as of v 2.5. | added v2.5
VH | Visiting hours | | | 41 | added v2.4
VID | Version identifier | | | 973 | added v2.4
VR | Value range | | | Replaces the CM data type used in 5.10.5.3.11 QRD-11 as of v 2.5. | added v2.5
WVI | Channel Identifier | | | Replaces the CM data type used in 7.14.1.3.1 OBX-5.1 where OBX-5 Observation value (*) is data type CD as of v 2.5. | added v2.5
WVS | Waveform source | | | Replaces the CM data type used in 7.14.1.4 OBX-5.2 where OBX-5 Observation value (*) is data type CD as of v 2.5. | added v2.5
XAD | Extended address | | | Replaces AD as of v 2.3 | added v2.4
XCN | Extended composite ID number and name for persons | | | Replaces CN as of v 2.3 | added v2.4
XON | Extended composite name and ID number for organizations | | | 567 | added v2.4
XPN | Extended person name | | | Replaces PN as of v 2.3. | added v2.4
XTN | Extended telecommunications number | | | Replaces TN as of v 2.3 | added v2.4

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0440 definieert de volgende codes:

Code | Display | Definition | Verouderd | Commentaar | Versie
AD | Adres | | | Vervangen door XAD vanaf v2.3 | added v2.4
AUI | Autorisatie informatie | | | Vervangt het datatype CM uit sectie 6.5.6.14 IN1-14 vanaf v2.5 | added v2.5
CCD | Facturatiecode en datum | | | Vervangt het datatype CM uit sectie 4.5.2.1 BLG-1 vanaf v2.5 | added v2.5
CCP | Kanaalcalibratie parameters | | | Vervangt het datatype CM uit sectie 7.14.1.5 OBX-5.3 vanaf v2.5 als OBX-5 Observation value (*) datatype CD heeft. | added v2.5
CD | Kanaaldefinitie | | | Alleen voor waveform gegevens | added v2.4

CE | Gecodeerd element | | | VERVALLEN | added v2.4
CF | Gecodeerd element met waarden met opmaak | | | | added v2.4
CK | Samengesteld ID met controlegetal | | | VERVALLEN | added v2.4
CM | Samengesteld | | | VERVALLEN Vervangen door vele nieuwe niet-ambigue datatypen in v2.5 | added v2.4
CN | Samengesteld ID en naam | | | VERVALLEN Vervangen door XCN vanaf v2.3 | added v2.4
CNE | Gecodeerd zonder uitzonderingen | | | | added v2.4
CNN | Samengesteld ID en naam vereenvoudigd | | | Brengt het oude datatype CN terug zoals oorspronkelijk implementeerbaar was in de CM van secties 4.5.3.32 en 7.4.1.32 (OBR-32), 4.5.3.33 en 7.4.1.33 (OBR-33) 4.5.3.34 en 7.4.1.34 (OBR-34) 4.5.3.35 en 7.4.1.35 (OBR-35). Componenten 7 en 8 zijn echter gepromoveerd tot datatype IS om consistent te zijn met de huidige praktijk zonder backward compatibiliteit te schaden. | added v2.7
CNS | | | Verouderd | | added v2.5, removed after v2.6
CP | Samengestelde prijs | | | | added v2.4
CQ | Samengestelde hoeveelheid met eenheden | | | CQ kan niet correct worden uitgedrukt binnen een ander datatype. Het kan alleen worden gebruikt in een segmentveld. | added v2.4
CSU | Kanaal gevoeligheid en eenheden | | | Vervangt het CM datatype gebruikt in sectie 7.14.1.5 OBX-5-3 vanaf v2.5 waarbij OBX-5 Observation value (*) het datatype CD heeft. | added v2.5
CWE | Gecodeerd met uitzonderingen | | | | added v2.4
CX | Uitgebreid samengesteld ID met controlegetal | | | | added v2.4
DDI | Dagelijks aftrekbaar informatie | | | Vervangt het CM datatype gebruikt in sectie 6.5.7.30 IN2-30 vanaf v2.5 | added v2.5
DIN | Datum en naam instelling | | | Vervangt het CM datatype gebruikt in secties 15.4.6.12 STF-12 en 15.4.6.14 STF-13 vanaf v2.5 | added v2.5
DLD | Ontslag naar locatie en datum | | | Vervangt het CM datatype gebruikt in sectie 8.8.4.9 - OM2-9 vanaf v2.5 | added v2.5
DLN | Rijbewijsnummer | | | | added v2.4
DLT | Delta | | | | added v2.5
DR | Datum/tijd bereik | | | | added v2.4
DT | Datum | | | | added v2.4
DTM | Datum/tijd | | | | added v2.5
DTN | Dag type en nummer | | | Vervangt het CM datatype gebruikt in sectie 6.5.8.11 IN3-11 vanaf v2.5 | added v2.5
ED | Ingekapselde gegevens | | | Ondersteunt ASCII MIM-codering voor binaire gegevens | added v2.4
EI | Entiteit identificatie | | | | added v2.4
EIP | Entiteit identificatie paar | | | Vervangt het CM datatype gebruikt in secties 4.5.1.8 - ORC-8, 4.5.3.29 - OBR-29, 7.3.1.29 - OBR-29 vanaf v2.5 | added v2.5
ELD | Foutlocatie en omschrijving | | | VERVALLEN | added v2.5
ERL | Foutlocatie | | | | added v2.5
FC | Financiële klasse | | | | added v2.4
FN | Achternaam | | | Komt ALLEEN voor in PPN, XCN en XPN | added v2.4
FT | Tekst met opmaak | | | | added v2.4
GTS | Algemene specificatie van tijd | | | | added v2.5
HD | Hiërarchische aanduiding | | | | added v2.4
ICD | Verzekeringcertificatie definitie | | | Vervangt het CM datatype gebruikt in sectie 6.5.8.20 IN3-20 vanaf v2.5 | added v2.5
ID | Gecodeerd waarde voor HL7-tabellen | | | | added v2.4
IS | Gecodeerde waarde voor gebruiker-gedefinieerde tabellen | | | | added v2.4
JCC | Baan code/klassificatie | | | | added v2.4
LA1 | Locatie met adres variatie 1 | | | Vervangt het CM datatype gebruikt in secties 4.14.1.8 RXO-8 en 4.14.4.8 RXE-8 vanaf v2.5. Behouden vanwege backward compatibiliteit vanaf v2.5. | added v2.5
LA2 | Locatie met adres variatie 2 | | | Vervangt het CM datatype gebruikt in secties 4.14.5.13 RXD-13, 4.14.6.11 RXG-11 en 4.14.7.11 RXA-11 vanaf v2.5. Behouden vanwege backward compatibiliteit vanaf v2.5. | added v2.5
MA | Multiplexed arred | | | Alleen voor waveformgegevens | added v2.4
MO | | | | | added v2.4
MOC | Geld en facturatiecode | | | Vervangt het CM datatype gebruikt in secties 4.5.3.23 OBR-23 en 7.4.1.23 OBR-23 vanaf v2.5 | added v2.5
MOP | Geld of percentage | | | Vervangt het CM datatype gebruikt in sectie 6.5.8.5 IN3-5 vanaf v2.5. Dit datatype kan alleen in dit veld worden gebruikt. | added v2.5
MSG | Berichttype | | | Vervangt het CM datatype gebruikt in sectie 2.16.9.9 MSH-9 vanaf v2.5 | added v2.5
NA | Numerieke array | | | Alleen voor waveformgegevens | added v2.4
NDL | Naam met datum en locatie | | | Vervangt het CM datatype gebruikt in secties 4.5.3.32 en 7.4.1.32- (OBR-32), 4.5.3.33 and 7.4.1.33 - (OBR-33) 4.5.3.34 and 7.4.1.34 - (OBR-34) 4.5.3.35 en 7.4.1.35 - (OBR-35) vanaf v2.5 | added v2.5
NM | Numeriek | | | | added v2.4
NR | Numeriek bereik | | | Vervangt het CM datatype gebruikt in secties 8.8.4.6.1- OM2-6.1, 8.8.4.6.3- OM2-6.3 en 8.8.4.6.4- OM2-6.4 vanaf v2.5 | added v2.5
OCD | Gebeurtenis code en datum | | | Vervangt het CM datatype gebruikt in sectie 6.5.10.10 UB1-16 en 6.5.11.7 UB2-7 vanaf v2.5 | added v2.5
OSD | Aanvraagvolgorde definitie | | | VERVALLEN | added v2.5
OSP | Gebeurtenis spanne code en datum | | | Vervangt het CM datatype gebruikt in sectie 6.5.11.8 UB2-8 vanaf v2.5 | added v2.5
PIP | Zorgverlener instellingsprivileges | | | Vervangt het CM datatype gebruikt in sectie 15.4.5.7 PRA-7 vanaf v2.5 | added v2.5
PL | Persoon locatie | | | | added v2.4
PLN | Zorgverlener licentie of ander ID | | | Vervangt het CM datatype gebruikt in secties 15.4.5.6 PRA-6, 11.6.3.7 PRD-7 en 11.6.4.7 CTD-7 vanaf v2.5 | added v2.5
PN | Persoonsnaam | | | VERVALLEN | added v2.4
PPN | Uivoerende persoon en tijdstip | | | Equivalent van een XCN met een TS | added v2.4
PRL | Parent resultaat link | | | Vervangt het CM datatype gebruikt in secties 4.5.3.26 - OBR-26 en 7.4.1.26 - OBR-26 vanaf v2.5 | added v2.5
PT | Verwerkingstype | | | | added v2.4
PTA | Polistype en hoeveelheid | | | Vervangt het CM datatype gebruikt in sectie 6.5.7.29 IN2-29 vanaf v2.5 | added v2.5

QIP | Query invoerparameterlijst | | | | added v2.4
QSC | Queryselectie criteria | | | | added v2.4
RCD | Rij-kolom definitie | | | | added v2.4
RFR | Referentiewaardenbereik | | | Vervangt het CM datatype gebruikt in secties 8.8.4.6 CM2-6, 8.8.4.7 CM2-7 en 8.8.84.8 CM2-8 vanaf v2.5. | added v2.5
RI | Herhaalinterval | | | | added v2.4
RMC | Kamerdekking | | | Vervangt het CM datatype gebruikt in sectie 6.5.7.28 IN2-28 vanaf v2.5 | added v2.5
RP | Verwijzing | | | | added v2.4
RPT | Herhaalpatroon | | | | added v2.5
SAD | Straatadres | | | Komt ALLEEN voor in het XAD datatype | added v2.4
SCV | Planningsklasse waardepaar | | | Ten behoeve van planningsgegevens. Zie hoofdstuk 10 | added v2.4
SI | Sequence ID | | | | added v2.4
SN | Gestructureerde numerieke waarde | | | | added v2.4
SNM | String met telefoonnummercijfers | | | Definitie: een string waarvan de tekens beperkt zijn tot "+" en de decimale getallen 0 tot 9. Als normaal in strings zijn voorloopnullen significant. Maximumlengte: niet bepaald. Kan in gebruikscontext worden bepaald. | added v2.7
SPD | Specialisme omschrijving | | | Vervangt het CM datatype gebruikt in sectie 15.4.5.5 PRA-5 vanaf v2.5 | added v2.5
SPS | Monster bron | | | VERVALLEN | added v2.5
SRT | Sorteervolgorde | | | | added v2.4
ST | Platte tekst | | | | added v2.4
TM | Tijd | | | | added v2.4
TN | Telefoonnummer | | | VERVALLEN | added v2.4
TQ | Timing/hoeveelheid | | | VERVALLEN | added v2.4
TS | Tijdstempel | | | VERVALLEN | added v2.4
TX | Tekstuele gegevens | | | | added v2.4
UVC | UB waardecode en hoeveelheid | | | Vervangt het CM datatype gebruikt in secties 6.5.10.10 UB1-10 en 6.5.11.6 UB2-6 vanaf v2.5 | added v2.5
VH | Bezoekuren | | | | added v2.4
VID | Versie identificatie | | | | added v2.4
VR | Waardebereik | | | Vervangt het CM datatype gebruikt in sectie 5.10.5.3.11 QRD-11 vanaf v2.5 | added v2.5
WVI | Kanaal identificatie | | | Vervangt het CM datatype gebruikt in sectie 7.14.1.3.1 OBX-5-1 vanaf v2.5 waarbij OBX-5 Observation value (*) datatype CD heeft | added v2.5
WVS | Waveform bron | | | Vervangt het CM datatype gebruikt in sectie7.14.1.4 OBX-5-2 vanaf v2.5 waarbij OBX-5 Observation value (*) datatype CD heeft | added v2.5
XAD | Uitgebreid adres | | | Vervangt AD vanaf v2.3 | added v2.4
XCN | Uitgebreide samengestelde ID en naam voor personen | | | Vervangt CN vanaf v2.3 | added v2.4
XON | Uitgebreide samengestelde ID en naam voor organisaties | | | | added v2.4
XPN | Uitgebreide persoonsnaam | | | Vervangt PN vanaf v2.3 | added v2.4
XTN | Uitgebreid telecommunicatienummer | | | Vervangt TN vanaf v2.3 | added v2.4

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.440.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 95 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0440 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0440

Code | Display | Definition
AD | Address
AUI | Authorization information
CCD | Charge code and date
CCP | Channel calibration parameters
CD | Channel definition
CE | Coded element
CF | Coded element with formatted values
CK | Composite ID with check digit
CM | Composite
CN | Composite ID number and name
CNE | Coded with no exceptions
CNN | Composite ID number and name simplified
CP | Composite price
CQ | Composite quantity with units
CSU | Channel sensitivity and units
CWE | Coded with exceptions
CX | Extended composite ID with check digit
DDI | Daily deductible information
DIN | Date and institution name
DLD | Discharge to location and date
DLN | Driver's license number
DLT | Delta

DR | Date/time range
DT | Date
DTM | Date/time
DTN | Day type and number
ED | Encapsulated data
EI | Entity identifier
EIP | Entity identifier pair
ELD | Error location and description
ERL | Error location
FC | Financial class
FN | Family name
FT | Formatted text
GTS | General timing specification
HD | Hierarchic designator
ICD | Insurance certification definition
ID | Coded values for HL7 tables
IS | Coded value for user-defined tables
JCC | Job code/class
LA1 | Location with address variation 1
LA2 | Location with address variation 2
MA | Multiplexed array
MO | Money
MOC | Money and charge code
MOP | Money or percentage
MSG | Message type
NA | Numeric array
NDL | Name with date and location
NM | Numeric
NR | Numeric range
OCD | Occurrence code and date
OSD | Order sequence definition
OSP | Occurrence span code and date
PIP | Practitioner institutional privileges
PL | Person location
PLN | Practitioner license or other ID number
PN | Person name
PPN | Performing person time stamp
PRL | Parent result link
PT | Processing type
PTA | Policy type and amount
QIP | Query input parameter list
QSC | Query selection criteria
RCD | Row column definition
RFR | Reference range
RI | Repeat interval
RMC | Room coverage
RP | Reference pointer
RPT | Repeat pattern
SAD | Street Address
SCV | Scheduling class value pair
SI | Sequence ID
SN | Structured numeric
SNM | String of telephone number digits
SPD | Specialty description
SPS | Specimen source
SRT | Sort order
ST | String data
TM | Time
TN | Telephone number
TQ | Timing/quantity
TS | Time stamp
TX | Text data
UVC | UB value code and amount
VH | Visiting hours
VID | Version identifier
VR | Value range
WVI | Channel Identifier
WVS | Waveform source
XAD | Extended address
XCN | Extended composite ID number and name for persons
XON | Extended composite name and ID number for organizations
XPN | Extended person name

XTN | Extended telecommunications number

Additional Language Displays

Code | Nederlands (Dutch, nl)
AD | Adres
AUI | Autorisatie informatie
CCD | Facturatiecode en datum
CCP | Kanaalcalibratie parameters
CD | Kanaaldefinitie
CE | Gecodeerd element
CF | Gecodeerd element met waarden met opmaak
CK | Samengesteld ID met controlegetal
CM | Samengesteld
CN | Samengesteld ID en naam
CNE | Gecodeerd zonder uitzonderingen
CNN | Samengesteld ID en naam vereenvoudigd
CP | Samengestelde prijs
CQ | Samengestelde hoeveelheid met eenheden
CSU | Kanaal gevoeligheid en eenheden
CWE | Gecodeerd met uitzonderingen
CX | Uitgebreid samengesteld ID met controlegetal
DDI | Dagelijks aftrekbaar informatie
DIN | Datum en naam instelling
DLD | Ontslag naar locatie en datum
DLN | Rijbewijsnummer
DLT | Delta
DR | Datum/tijd bereik
DT | Datum
DTM | Datum/tijd
DTN | Dag type en nummer
ED | Ingekapselde gegevens
EI | Entiteit identificatie
EIP | Entiteit identificatie paar
ELD | Foutlocatie en omschrijving
ERL | Foutlocatie
FC | Financiële klasse
FN | Achternaam
FT | Tekst met opmaak
GTS | Algemene specificatie van tijd
HD | Hiërarchische aanduiding
ICD | Verzekeringcertificatie definitie
ID | Gecodeerd waarde voor HL7-tabellen
IS | Gecodeerde waarde voor gebruiker-gedefinieerde tabellen
JCC | Baan code/klassificatie
LA1 | Locatie met adres variatie 1
LA2 | Locatie met adres variatie 2
MA | Multiplexed arred
MO
MOC | Geld en facturatiecode
MOP | Geld of percentage
MSG | Berichttype
NA | Numerieke array
NDL | Naam met datum en locatie
NM | Numeriek
NR | Numeriek bereik
OCD | Gebeurtenis code en datum
OSD | Aanvraagvolgorde definitie
OSP | Gebeurtenis spanne code en datum
PIP | Zorgverlener instellingsprivileges
PL | Persoon locatie
PLN | Zorgverlener licentie of ander ID
PN | Persoonsnaam
PPN | Uivoerende persoon en tijdstip
PRL | Parent resultaat link
PT | Verwerkingstype
PTA | Polistype en hoeveelheid
QIP | Query invoerparameterlijst
QSC | Queryselectie criteria
RCD | Rij-kolom definitie
RFR | Referentiewaardenbereik
RI | Herhaalinterval
RMC | Kamerdekking

RP | Verwijzing
RPT | Herhaalpatroon
SAD | Straatadres
SCV | Planningsklasse waardepaar
SI | Sequence ID
SN | Gestructureerde numerieke waarde
SNM | String met telefoonnummercijfers
SPD | Specialisme omschrijving
SPS | Monster bron
SRT | Sorteervolgorde
ST | Platte tekst
TM | Tijd
TN | Telefoonnummer
TQ | Timing/hoeveelheid
TS | Tijdstempel
TX | Tekstuele gegevens
UVC | UB waardecode en hoeveelheid
VH | Bezoekuren
VID | Versie identificatie
VR | Waardebereik
WVI | Kanaal identificatie
WVS | Waveform bron
XAD | Uitgebreid adres
XCN | Uitgebreide samengestelde ID en naam voor personen
XON | Uitgebreide samengestelde ID en naam voor organisaties
XPN | Uitgebreide persoonsnaam
XTN | Uitgebreid telecommunicatienummer

4.3.15.441 HL7 Version 2 Table 0441

URL: https://hl7.org/fhir/R4/v2/0441/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0441
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0441
Version: | 2.9
Name: | v2.0441
Title: | v2 Immunization registry status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0441 (Immunization registry status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.441.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0441 defines the following codes:

Code | Display | Definition | Version
A | Active | | added v2.4
I | Inactive | | added v2.4
L | Inactive - Lost to follow-up (cancel contract) | | added v2.4
M | Inactive - Moved or gone elsewhere (cancel contract) | | added v2.4
O | en: Other nl: Anders | | added v2.4
P | Inactive - Permanently inactive (Do not reactivate or add new entries to the record) | | added v2.4
U | en: Unknown nl: Onbekend | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0441 defines the following codes:

Code | Display | Definition | Version
A | Active | | added v2.4
I | Inactive | | added v2.4
L | Inactive - Lost to follow-up (cancel contract) | | added v2.4
M | Inactive - Moved or gone elsewhere (cancel contract) | | added v2.4
O | Other | | added v2.4

P | Inactive - Permanently inactive (Do not reactivate or add new entries to the record) | | added v2.4
U | Unknown | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0441 definieert de volgende codes:

Code | Display | Definition | Versie
A | | | added v2.4
I | | | added v2.4
L | | | added v2.4
M | | | added v2.4
O | Anders | | added v2.4
P | | | added v2.4
U | Onbekend | | added v2.4

4.3.15.442 HL7 Version 2 Table 0442

URL: https://hl7.org/fhir/R4/v2/0442/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0442
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0442
Version: | 2.9
Name: | v2.0442
Title: | v2 Location service code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0442 (Location service code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.442.1 Code System Content

Location Service Code

Code | Description | Comment | Version
D | Diagnostic | | added v2.4
E | Emergency Room Casualty | | added v2.4
P | Primary Care | | added v2.4
T | Therapeutic | | added v2.4

4.3.15.443 HL7 Version 2 Table 0443

URL: https://hl7.org/fhir/R4/v2/0443/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0443
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0443
Version: | 2.9
Name: | v2.0443
Title: | v2 Provider role
Definition: | FHIR Value set/code system definition for HL7 v2 table 0443 (Provider role)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.443.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0443 defines the following codes:

Code | Display | Definition | Comments | Version
AD | en: Admitting de: Aufnehmender Arzt nl: PV1-17 Admitting doctor | | PV1-17 Admitting doctor | added v2.4
AI | en: Assistant/Alternate Interpreter de: alternativer (oder Assistent des) Befundsarzt nl: Assistent/tweede vertaler | | | added v2.6
AP | en: Administering Provider nl: RXA-10 Administering Provider | | RXA-10 Administering Provider | added v2.7
AT | en: Attending de: Behandelnder Arzt nl: PV1-7 Attending doctor | | PV1-7 Attending doctor | added v2.4
CLP | en: Collecting Provider nl: OBR-10 Collector Identifier | | OBR-10 Collector Identifier | added v2.7
CP | en: Consulting Provider de: Beratender Arzt | | | added v2.4
DP | en: Dispensing Provider nl: RXD-10 Dispensing Provider | | RXD-10 Dispensing Provider | added v2.7
EP | en: Entering Provider (probably not the same as transcriptionist?) nl: ORC-10 Entered By | | ORC-10 Entered By | added v2.7
FHCP | en: Family Health Care Professional de: Hausarzt | | | added v2.4
IP | en: Initiating Provider (as in action by) nl: ORC-19 Action By | | ORC-19 Action By | added v2.7
MDIR | en: Medical Director nl: OBX-25 Performing Organization Medical Director | | OBX-25 Performing Organization Medical Director | added v2.7
OP | en: Ordering Provider nl: ORC-12 Ordering Provider, OBR-16 Ordering Provider, RXO-14 Ordering Provider's DEA Number, RXE-13 Ordering Provider's DEA Number, ORC-24 Ordering Provider Address | | ORC-12 Ordering Provider, OBR-16 Ordering Provider, RXO-14 Ordering Provider's DEA Number, RXE-13 Ordering Provider's DEA Number, ORC-24 Ordering Provider Address | added v2.7
PH | en: Pharmacist (not sure how to dissect Pharmacist/Treatment Supplier's Verifier ID) nl: Apotheker (onduidelijk hoe je "Pharmacist/Treatment Supplier's Verifier ID" uit elkaar haalt) | | RXE-14 Pharmacist/Treatment Supplier's Verifier ID | added v2.7
PI | en: Primary Interpreter de: Verantwortlicher Übersetzer nl: Primaire tolk | | | added v2.6
PP | en: Primary Care Provider de: Durchgangsarzt nl: Eerstelijns zorgverlener | | | added v2.4
RO | en: Responsible Observer nl: Verantwoordelijk observator | | OBX-16 Responsible Observer | added v2.7
RP | en: Referring Provider de: überweisender/einweisender Arzt nl: Verwijzend | | PV1-8 Referring doctor | added v2.4
RT | en: Referred to Provider de: Überweisungsempfänger nl: Zorgverlener naar wie is verwezen | | | added v2.4
TN | en: Technician de: MTA nl: Technisch personeel | | | added v2.6
TR | en: Transcriptionist de: Schreibkraft nl: Transscribent | | | added v2.6
VP | en: Verifying Provider nl: Controlerend | | ORC-11 Verified By | added v2.7
VPS | en: Verifying Pharmaceutical Supplier (not sure how to dissect Pharmacist/Treatment Supplier's Verifier ID) nl: Controlerend farmaceutische leverancier (onduidelijk hoe je "Pharmacist/Treatment Supplier's Verifier ID" uit elkaar haalt) | | RXE-14 Pharmacist/Treatment Supplier's Verifier ID | added v2.7
VTS | en: Verifying Treatment Supplier (not sure how to dissect Pharmacist/Treatment Supplier's Verifier ID) nl: Controlerend behandeling leverancier (onduidelijk hoe je "Pharmacist/Treatment Supplier's Verifier ID" uit elkaar haalt) | | RXE-14 Pharmacist/Treatment Supplier's Verifier ID | added v2.7

This code system http://terminology.hl7.org/CodeSystem/v2-0443 defines the following codes:

Code | Display | Definition | Comments | Version
AD | Admitting | | PV1-17 Admitting doctor | added v2.4
AI | Assistant/Alternate Interpreter | | | added v2.6
AP | Administering Provider | | RXA-10 Administering Provider | added v2.7
AT | Attending | | PV1-7 Attending doctor | added v2.4
CLP | Collecting Provider | | OBR-10 Collector Identifier | added v2.7
CP | Consulting Provider | | | added v2.4
DP | Dispensing Provider | | RXD-10 Dispensing Provider | added v2.7
EP | Entering Provider (probably not the same as transcriptionist?) | | ORC-10 Entered By | added v2.7
FHCP | Family Health Care Professional | | | added v2.4
IP | Initiating Provider (as in action by) | | ORC-19 Action By | added v2.7
MDIR | Medical Director | | OBX-25 Performing Organization Medical Director | added v2.7
OP | Ordering Provider | | ORC-12 Ordering Provider, OBR-16 Ordering Provider, RXO-14 Ordering Provider's DEA Number, RXE-13 Ordering Provider's DEA Number, ORC-24 Ordering Provider Address | added v2.7
PH | Pharmacist (not sure how to dissect Pharmacist/Treatment Supplier's Verifier ID) | | RXE-14 Pharmacist/Treatment Supplier's Verifier ID | added v2.7
PI | Primary Interpreter | | | added v2.6
PP | Primary Care Provider | | | added v2.4
RO | Responsible Observer | | OBX-16 Responsible Observer | added v2.7
RP | Referring Provider | | PV1-8 Referring doctor | added v2.4
RT | Referred to Provider | | | added v2.4
TN | Technician | | | added v2.6
TR | Transcriptionist | | | added v2.6
VP | Verifying Provider | | ORC-11 Verified By | added v2.7
VPS | Verifying Pharmaceutical Supplier (not sure how to dissect Pharmacist/Treatment Supplier's Verifier ID) | | RXE-14 Pharmacist/Treatment Supplier's Verifier ID | added v2.7
VTS | Verifying Treatment Supplier (not sure how to dissect Pharmacist/Treatment Supplier's Verifier ID) | | RXE-14 Pharmacist/Treatment Supplier's Verifier ID | added v2.7

This code system http://terminology.hl7.org/CodeSystem/v2-0443 defines the following codes:

Code | Display | Definition | Comments | Version
AD | Aufnehmender Arzt | | | added v2.4
AI | alternativer (oder Assistent des) Befundsarzt | | | added v2.6
AP | | | | added v2.7
AT | Behandelnder Arzt | | | added v2.4
CLP | | | | added v2.7
CP | Beratender Arzt | | | added v2.4
DP | | | | added v2.7

EP | | | | added v2.7
FHCP | Hausarzt | | | added v2.4
IP | | | | added v2.7
MDIR | | | | added v2.7
OP | | | | added v2.7
PH | | | | added v2.7
PI | Verantwortlicher Übersetzer | | | added v2.6
PP | Durchgangsarzt | | | added v2.4
RO | | | | added v2.7
RP | überweisender/einweisender Arzt | | | added v2.4
RT | Überweisungsempfänger | | | added v2.4
TN | MTA | | | added v2.6
TR | Schreibkraft | | | added v2.6
VP | | | | added v2.7
VPS | | | | added v2.7
VTS | | | | added v2.7

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0443 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie
AD | PV1-17 Admitting doctor | | | added v2.4
AI | Assistent/tweede vertaler | | | added v2.6
AP | RXA-10 Administering Provider | | | added v2.7
AT | PV1-7 Attending doctor | | | added v2.4
CLP | OBR-10 Collector Identifier | | | added v2.7
CP | | | | added v2.4
DP | RXD-10 Dispensing Provider | | | added v2.7
EP | ORC-10 Entered By | | | added v2.7
FHCP | | | | added v2.4
IP | ORC-19 Action By | | | added v2.7
MDIR | OBX-25 Performing Organization Medical Director | | | added v2.7
OP | ORC-12 Ordering Provider, OBR-16 Ordering Provider, RXO-14 Ordering Provider's DEA Number, RXE-13 Ordering Provider's DEA Number, ORC-24 Ordering Provider Address | | | added v2.7
PH | Apotheker (onduidelijk hoe je "Pharmacist/Treatment Supplier's Verifier ID" uit elkaar haalt) | | RXE-14 Pharmacist/Treatment Supplier's Verifier ID | added v2.7
PI | Primaire tolk | | | added v2.6
PP | Eerstelijns zorgverlener | | | added v2.4
RO | Verantwoordelijk observator | | OBX-16 Responsible Observer | added v2.7
RP | Verwijzend | | PV1-8 Referring doctor | added v2.4
RT | Zorgverlener naar wie is verwezen | | | added v2.4
TN | Technisch personeel | | | added v2.6
TR | Transscribent | | | added v2.6
VP | Controlerend | | ORC-11 Verified By | added v2.7
VPS | Controlerend farmaceutische leverancier (onduidelijk hoe je "Pharmacist/Treatment Supplier's Verifier ID" uit elkaar haalt) | | RXE-14 Pharmacist/Treatment Supplier's Verifier ID | added v2.7
VTS | Controlerend behandeling leverancier (onduidelijk hoe je "Pharmacist/Treatment Supplier's Verifier ID" uit elkaar haalt) | | RXE-14 Pharmacist/Treatment Supplier's Verifier ID | added v2.7

4.3.15.444 HL7 Version 2 Table 0444

URL: https://hl7.org/fhir/R4/v2/0444/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0444
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0444
Version: | 2.9
Name: | v2.0444
Title: | v2 Name assembly order
Definition: | FHIR Value set/code system definition for HL7 v2 table 0444 (Name assembly order)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.444.1 Code System Content

- All Languages
- English

• Deutsch (German)
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0444 defines the following codes:

Code | Display | Definition | Version
F | en: Prefix Family Middle Given Suffix de: Familienname zuerst nl: Prefix Achternaam Middle Voornaam Suffix | | added v2.4
G | en: Prefix Given Middle Family Suffix de: Familienname hinten nl: Prefix Voornaam Middle Achternaam Suffix | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0444 defines the following codes:

Code | Display | Definition | Version
F | Prefix Family Middle Given Suffix | | added v2.4
G | Prefix Given Middle Family Suffix | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0444 defines the following codes:

Code | Display | Definition | Version
F | Familienname zuerst | | added v2.4
G | Familienname hinten | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0444 definieert de volgende codes:

Code | Display | Definition | Versie
F | Prefix Achternaam Middle Voornaam Suffix | | added v2.4
G | Prefix Voornaam Middle Achternaam Suffix | | added v2.4

4.3.15.445 HL7 Version 2 Table 0445

URL: https://hl7.org/fhir/R4/v2/0445/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0445
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0445
Version: | 2.9
Name: | v2.0445
Title: | v2 Identity Reliability Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0445 (Identity Reliability Code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.445.1 Code System Content

Identity Reliability Code

Code | Description | Comment | Version
AL | Patient/Person Name is an Alias | | added v2.4
UA | Unknown/Default Address | | added v2.4
UD | Unknown/Default Date of Birth | | added v2.4
US | Unknown/Default Social Security Number | | added v2.4

4.3.15.450 HL7 Version 2 Table 0450

URL: https://hl7.org/fhir/R4/v2/0450/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0450
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0450
Version: | 2.9
Name: | v2.0450
Title: | v2 Event type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0450 (Event type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.450.1 Code System Content

Event Type

Code | Description | Comment | Version
LOG | Log Event | | added v2.4
SER | Service Event | | added v2.4

4.3.15.455 HL7 Version 2 Table 0455

URL: https://hl7.org/fhir/R4/v2/0455/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0455
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0455
Version: | 2.9
Name: | v2.0455
Title: | v2 Type of bill code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0455 (Type of bill code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.455.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0455 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | en: No suggested values defined de: keine Werte vorgeschlagen nl: geen voorgestelde waarden | | | added v2.4
131 | Hospital - Outpatient - Admit thru Discharge Claim | | Deprecated | added v2.4, removed after v2.4
141 | Hospital - Other - Admit thru Discharge Claim | | Deprecated | added v2.4, removed after v2.4

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0455 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | No suggested values defined | | | added v2.4
131 | Hospital - Outpatient - Admit thru Discharge Claim | | Deprecated | added v2.4, removed after v2.4
141 | Hospital - Other - Admit thru Discharge Claim | | Deprecated | added v2.4, removed after v2.4

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0455 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | keine Werte vorgeschlagen | | | added v2.4
131 | | | Deprecated | added v2.4, removed after v2.4

141 | | | Deprecated | added v2.4, removed after v2.4

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0455 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
... | geen voorgestelde waarden | | | added v2.4
131 | | | Verouderd | added v2.4, removed after v2.4
141 | | | Verouderd | added v2.4, removed after v2.4

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.455.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 1 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0455 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0455

Code | Display | Definition
... | No suggested values defined

Additional Language Displays

Code | Deutsch (German, de) | Nederlands (Dutch, nl)
... | keine Werte vorgeschlagen | geen voorgestelde waarden

4.3.15.456 HL7 Version 2 Table 0456

URL: https://hl7.org/fhir/R4/v2/0456/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0456
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0456
Version: | 2.9
Name: | v2.0456
Title: | v2 Revenue code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0456 (Revenue code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.456.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0456 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | en: No suggested values defined de: keine Werte vorgeschlagen nl: geen voorgestelde waarden | | | added v2.4
260 | en: IV Therapy nl: Vruchtbaarheidstherapie | | Deprecated | added v2.4, removed after v2.4
280 | en: Oncology nl: Oncologie | | Deprecated | added v2.4, removed after v2.4
301 | en: Lab/Chemistry nl: Lab/chemie | | Deprecated | added v2.4, removed after v2.4
991 | en: Cafeteria /Guest Tray nl: Cafetaria/gastdienblad | | Deprecated | added v2.4, removed after v2.4

993 | en: Telephone/Telegraph nl: Telefoon/telegraaf | | Deprecated | added v2.4, removed after v2.4
994 | TV/Radio | | Deprecated | added v2.4, removed after v2.4

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0456 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | No suggested values defined | | | added v2.4
260 | IV Therapy | | Deprecated | added v2.4, removed after v2.4
280 | Oncology | | Deprecated | added v2.4, removed after v2.4
301 | Lab/Chemistry | | Deprecated | added v2.4, removed after v2.4
991 | Cafeteria /Guest Tray | | Deprecated | added v2.4, removed after v2.4
993 | Telephone/Telegraph | | Deprecated | added v2.4, removed after v2.4
994 | TV/Radio | | Deprecated | added v2.4, removed after v2.4

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0456 defines the following codes:

Code | Display | Definition | Deprecated | Version
... | keine Werte vorgeschlagen | | | added v2.4
260 | | | Deprecated | added v2.4, removed after v2.4
280 | | | Deprecated | added v2.4, removed after v2.4
301 | | | Deprecated | added v2.4, removed after v2.4
991 | | | Deprecated | added v2.4, removed after v2.4
993 | | | Deprecated | added v2.4, removed after v2.4
994 | | | Deprecated | added v2.4, removed after v2.4

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0456 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
... | geen voorgestelde waarden | | | added v2.4
260 | Vruchtbaarheidstherapie | | Verouderd | added v2.4, removed after v2.4
280 | Oncologie | | Verouderd | added v2.4, removed after v2.4
301 | Lab/chemie | | Verouderd | added v2.4, removed after v2.4
991 | Cafetaria/gastdienblad | | Verouderd | added v2.4, removed after v2.4
993 | Telefoon/telegraaf | | Verouderd | added v2.4, removed after v2.4
994 | TV/radio | | Verouderd | added v2.4, removed after v2.4

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.456.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 1 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0456 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0456

Code | Display | Definition
... | No suggested values defined

Additional Language Displays

Code | Deutsch (German, de) | Nederlands (Dutch, nl)
... | keine Werte vorgeschlagen | geen voorgestelde waarden

4.3.15.457 HL7 Version 2 Table 0457

URL: https://hl7.org/fhir/R4/v2/0457/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0457
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0457
Version: | 2.9
Name: | v2.0457
Title: | v2 Overall claim disposition code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0457 (Overall claim disposition code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.457.1 Code System Content

Overall Claim Disposition Code

Code | Description | Comment | Version
0 | No edits present on claim | | added v2.4
1 | Only edits present are for line item denial or rejection | | added v2.4
2 | Multiple-day claim with one or more days denied or rejected | | added v2.4
3 | Claim denied, rejected, suspended or returned to provider with only post payment edits | | added v2.4
4 | Claim denied, rejected, suspended or returned to provider with only pre payment edits | | added v2.4

4.3.15.459 HL7 Version 2 Table 0459

URL: https://hl7.org/fhir/R4/v2/0459/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0459
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0459
Version: | 2.9
Name: | v2.0459
Title: | v2 Reimbursement Action Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0459 (Reimbursement Action Code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.459.1 Code System Content

Reimbursement Action Code

Code | Description | Comment | Version
0 | OCE line item denial or rejection is not ignored | | added v2.4
1 | OCE line item denial or rejection is ignored | | added v2.4
2 | External line item denial. Line item is denied even if no OCE edits | | added v2.4
3 | External line item rejection. Line item is rejected even if no OCE edits | | added v2.4

4.3.15.460 HL7 Version 2 Table 0460

URL: https://hl7.org/fhir/R4/v2/0460/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0460
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0460
Version: | 2.9
Name: | v2.0460
Title: | v2 Denial or rejection code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0460 (Denial or rejection code)
OID: | ??
CodeSystem Resource | XML / JSON

ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.460.1 Code System Content

Denial or Rejection Code

Code | Description | Comment | Version
0 | Line item not denied or rejected | | added v2.4
1 | Line item denied or rejected | | added v2.4
2 | Line item is on a multiple-day claim. The line item is not denied or rejected, but occurs on a day that has been denied or rejected. | | added v2.4

4.3.15.465 HL7 Version 2 Table 0465

URL: https://hl7.org/fhir/R4/v2/0465/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0465
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0465
Version: | 2.9
Name: | v2.0465
Title: | v2 Name/address representation
Definition: | FHIR Value set/code system definition for HL7 v2 table 0465 (Name/address representation)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.465.1 Code System Content

- All Languages
- English
- Deutsch (German)

This code system http://terminology.hl7.org/CodeSystem/v2-0465 defines the following codes:

Code | Display | Definition | Version
A | en: Alphabetic (i.e., Default or some single-byte) de: alphabetisch | | added v2.4
I | Ideographic (i.e., Kanji) | | added v2.4
P | Phonetic (i.e., ASCII, Katakana, Hiragana, etc.) | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0465 defines the following codes:

Code | Display | Definition | Version
A | Alphabetic (i.e., Default or some single-byte) | | added v2.4
I | Ideographic (i.e., Kanji) | | added v2.4
P | Phonetic (i.e., ASCII, Katakana, Hiragana, etc.) | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0465 defines the following codes:

Code | Display | Definition | Version
A | alphabetisch | | added v2.4
I | | | added v2.4
P | | | added v2.4

4.3.15.466 HL7 Version 2 Table 0466

URL: https://hl7.org/fhir/R4/v2/0466/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0466
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0466
Version: | 2.9
Name: | v2.0466
Title: | v2 Ambulatory payment classification code

Definition: | FHIR Value set/code system definition for HL7 v2 table 0466 (Ambulatory payment classification code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.466.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0466 defines the following codes:

Code | Display | Definition | Version
... | en: No suggested values defined de: keine Werte vorgeschlagen | | added v2.4
031 | en: Dental procedures nl: Tandheelkundige behandeling | | added v2.4
163 | en: Excision/biopsy nl: Excisie/biopt | | added v2.4
181 | en: Level 1 skin repair. nl: Niveau 1 huidherstel | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0466 defines the following codes:

Code | Display | Definition | Version
... | No suggested values defined | | added v2.4
031 | Dental procedures | | added v2.4
163 | Excision/biopsy | | added v2.4
181 | Level 1 skin repair. | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0466 defines the following codes:

Code | Display | Definition | Version
... | keine Werte vorgeschlagen | | added v2.4
031 | | | added v2.4
163 | | | added v2.4
181 | | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0466 definieert de volgende codes:

Code | Display | Definition | Versie
... | | | added v2.4
031 | Tandheelkundige behandeling | | added v2.4
163 | Excisie/biopt | | added v2.4
181 | Niveau 1 huidherstel | | added v2.4

4.3.15.468 HL7 Version 2 Table 0468

URL: https://hl7.org/fhir/R4/v2/0468/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0468
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0468
Version: | 2.9
Name: | v2.0468
Title: | v2 Payment adjustment code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0468 (Payment adjustment code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.468.1 Code System Content

Payment Adjustment Code

Code | Description | Comment | Version
1 | No payment adjustment | | added v2.4
2 | Designated current drug or biological payment adjustment applies to APC (status indicator G) | | added v2.4
3 | Designated new device payment adjustment applies to APC (status indicator H) | | added v2.4
4 | Designated new drug or new biological payment adjustment applies to APC (status indicator J) | | added v2.4

5 | Deductible not applicable (specific list of HCPCS codes) | | added v2.4

4.3.15.469 HL7 Version 2 Table 0469

URL: https://hl7.org/fhir/R4/v2/0469/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0469
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0469
Version: | 2.9
Name: | v2.0469
Title: | v2 Packaging status code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0469 (Packaging status code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.469.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0469 defines the following codes:

Code | Display | Definition | Version
0 | en: Not packaged nl: Geen verpakking | | added v2.4
1 | en: Packaged service (status indicator N, or no HCPCS code and certain revenue codes) nl: Verpakte service (statusindicator N, of geen HCPCS code en bepaalde margecodes) | | added v2.4
2 | en: Packaged as part of partial hospitalization per diem or daily mental health service per diem nl: Verpakt als deel van een gedeeltelijke opname per dag of dagelijkse geestelijke verzorging per dag | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0469 defines the following codes:

Code | Display | Definition | Version
0 | Not packaged | | added v2.4
1 | Packaged service (status indicator N, or no HCPCS code and certain revenue codes) | | added v2.4
2 | Packaged as part of partial hospitalization per diem or daily mental health service per diem | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0469 definieert de volgende codes:

Code | Display | Definition | Versie
0 | Geen verpakking | | added v2.4
1 | Verpakte service (statusindicator N, of geen HCPCS code en bepaalde margecodes) | | added v2.4
2 | Verpakt als deel van een gedeeltelijke opname per dag of dagelijkse geestelijke verzorging per dag | | added v2.4

4.3.15.470 HL7 Version 2 Table 0470

URL: https://hl7.org/fhir/R4/v2/0470/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0470
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0470
Version: | 2.9
Name: | v2.0470
Title: | v2 Reimbursement type code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0470 (Reimbursement type code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.470.1 Code System Content

Reimbursement Type Code

Code | Description | Comment | Version
Crnl | Corneal Tissue APC | | added v2.4
DME | Durable Medical Equipment | | added v2.4
EPO | Epotein | | added v2.4
Lab | Clinical Laboratory APC | | added v2.4
Mamm | Screening Mammography APC | | added v2.4
NoPay | This APC is not paid | | added v2.4
OPPS | Outpatient Prospective Payment System | | added v2.4
PartH | Partial Hospitalization APC | | added v2.4
Pckg | Packaged APC | | added v2.4
Thrpy | Therapy APC | | added v2.4

4.3.15.472 HL7 Version 2 Table 0472

URL: https://hl7.org/fhir/R4/v2/0472/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0472
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0472
Version: | 2.9
Name: | v2.0472
Title: | v2 TQ Conjunction ID
Definition: | FHIR Value set/code system definition for HL7 v2 table 0472 (TQ Conjunction ID)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.472.1 Code System Content

- All Languages
- English
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0472 defines the following codes:

Code | Display | Definition | Comments | Version
A | en: Asynchronous nl: Asynchroon | | en: Do the next specification in parallel with this one (unless otherwise constrained by the following fields: TQ1-7-start date/time and TQ1-8-end date/time). The conjunction of "A" specifies two parallel instructions, as are sometimes used in medication, e.g., prednisone given at 1 tab on Monday, Wednesday, Friday, and at 1/2 tab on Tuesday, Thursday, Saturday, Sunday. nl: Doe de volgende specificatie parallel aan deze (tenzij anders aangegeven ion de volgende velden: TQ1-7-start date/time en TQ1-8-end date/time). Een specificatie "A" specificeert twee parallelle instructies, zoals soms bij medicatiedosering gebruikt, bijv. prednison 1 tablet op maandag, woesndag, vrijdag en een half tablet op dinsdag, donderdag, zaterdag en zondag. | added v2.4
C | en: Actuation Time nl: Actuatietijd | | en: It will be followed by a completion time for the service. This code allows one to distinguish between the time and priority at which a service should be actuated (e.g., blood should be drawn) and the time and priority at which a service should be completed (e.g., results should be reported). nl: Deze wordt gevolgd door een voltooiingstijd voor de service. Met deze code kan het verschil worden gemaakt tussen tijd en prioriteit waarop de service moet worden geactueerd (bijv. bloed moet worden afgenomen) en de tijd en prioriteit waarop de service moet zijn voltooid (bijv. wanneer resultaten moeten worden gemeld). | added v2.4
S | en: Synchronous nl: Synchroon | | en: Do the next specification after this one (unless otherwise constrained by the following fields: TQ1-7-start date/time and TQ1-8-end date/time). An "S" specification implies that the second timing sequence follows the first, e.g., when a service request is written to measure blood pressure Q15 minutes for the 1st hour, then every 2 hours for the next day. nl: Doe de volgende specificatie na deze (tenzij anders aangegeven ion de volgende velden: TQ1-7-start date/time en TQ1-8-end date/time). Een specificatie "S" impliceert dat de tweede tijdsequentie de eerste opvolgt, bijv. als een serviceverzoek wordt gedaan om bloeddruk te meten Q15 minuten na het eerste uur en dan de volgende dag elke twee uur. | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0472 defines the following codes:

Code | Display | Definition | Comments | Version
A | Asynchronous | | Do the next specification in parallel with this one (unless otherwise constrained by the following fields: TQ1-7-start date/time and TQ1-8-end date/time). The conjunction of "A" specifies two parallel instructions, as are sometimes used in medication, e.g., prednisone given at 1 tab on Monday, Wednesday, Friday, and at 1/2 tab on Tuesday, Thursday, Saturday, Sunday. | added v2.4
C | Actuation Time | | It will be followed by a completion time for the service. This code allows one to distinguish between the time and priority at which a service should be actuated (e.g., blood should be drawn) and the time and priority at which a service should be completed (e.g., results should be reported). | added v2.4
S | Synchronous | | Do the next specification after this one (unless otherwise constrained by the following fields: TQ1-7-start date/time and TQ1-8-end date/time). An "S" specification implies that the second timing sequence follows the first, e.g., when a service request is written to measure blood pressure Q15 minutes for the 1st hour, then every 2 hours for the next day. | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0472 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie
A | Asynchroon | | Doe de volgende specificatie parallel aan deze (tenzij anders aangegeven ion de volgende velden: TQ1-7-start date/time en TQ1-8-end date/time). Een specificatie "A" specificeert twee parallelle instructies, zoals soms bij medicatiedosering gebruikt, bijv. prednison 1 tablet op maandag, woesndag, vrijdag en een half tablet op dinsdag, donderdag, zaterdag en zondag. | added v2.4
C | Actuatietijd | | Deze wordt gevolgd door een voltooiingstijd voor de service. Met deze code kan het verschil worden gemaakt tussen tijd en prioriteit waarop de service moet worden geactueerd (bijv. bloed moet worden afgenomen) en de tijd en prioriteit waarop de service moet zijn voltooid (bijv. wanneer resultaten moeten worden gemeld). | added v2.4
S | Synchroon | | Doe de volgende specificatie na deze (tenzij anders aangegeven ion de volgende velden: TQ1-7-start date/time en TQ1-8-end date/time). Een specificatie "S" impliceert dat de tweede tijdsequentie de eerste opvolgt, bijv. als een serviceverzoek wordt gedaan om bloeddruk te meten Q15 minuten na het eerste uur en dan de volgende dag elke twee uur. | added v2.4

4.3.15.473 HL7 Version 2 Table 0473

URL: https://hl7.org/fhir/R4/v2/0473/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0473
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0473
Version: | 2.9
Name: | v2.0473
Title: | v2 Formulary status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0473 (Formulary status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.473.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0473 defines the following codes:

Code | Display | Definition | Version
G | en: This observation/service is on the formulary, and has guidelines nl: Deze test/service zit in het formularium en er zijn richtlijnen | | added v2.4
N | en: This observation/service is not on the formulary nl: Deze test/service zit niet in het formularium | | added v2.4
R | en: This observation/service is on the formulary, but is restricted nl: Deze test/service zit in het formularium maar er gelden beperkingen | | added v2.4
Y | en: This observation/service is on the formulary nl: Deze test/service zit in het formularium | | added v2.4

This code system http://terminology.hl7.org/CodeSystem/v2-0473 defines the following codes:

Code | Display | Definition | Version
G | This observation/service is on the formulary, and has guidelines | | added v2.4
N | This observation/service is not on the formulary | | added v2.4
R | This observation/service is on the formulary, but is restricted | | added v2.4
Y | This observation/service is on the formulary | | added v2.4

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0473 definieert de volgende codes:

Code | Display | Definition | Versie
G | Deze test/service zit in het formularium en er zijn richtlijnen | | added v2.4
N | Deze test/service zit niet in het formularium | | added v2.4
R | Deze test/service zit in het formularium maar er gelden beperkingen | | added v2.4
Y | Deze test/service zit in het formularium | | added v2.4

4.3.15.474 HL7 Version 2 Table 0474

URL: https://hl7.org/fhir/R4/v2/0474/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0474
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0474

Version: | 2.9
Name: | v2.0474
Title: | v2 Practitioner Organization Unit Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0474 (Practitioner Organization Unit Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.474.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0474 defines the following codes:

Code | Display | Definition | Deprecated | Version
D | en: Department nl: Afdeling | | | added v2.4
F | en: Facility nl: Kliniek | | | added v2.4
L | Local market area | | Deprecated | added v2.4, removed after v2.4
M | Medical Center Area | | Deprecated | added v2.4, removed after v2.4
S | en: Subdivision nl: Subdivisie | | | added v2.4
U | en: Subdepartment nl: Subafdeling | | | added v2.4
V | en: Division nl: Divisie | | | added v2.4

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0474 defines the following codes:

Code | Display | Definition | Deprecated | Version
D | Department | | | added v2.4
F | Facility | | | added v2.4
L | Local market area | | Deprecated | added v2.4, removed after v2.4
M | Medical Center Area | | Deprecated | added v2.4, removed after v2.4
S | Subdivision | | | added v2.4
U | Subdepartment | | | added v2.4
V | Division | | | added v2.4

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0474 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
D | Afdeling | | | added v2.4
F | Kliniek | | | added v2.4
L | | | Verouderd | added v2.4, removed after v2.4
M | | | Verouderd | added v2.4, removed after v2.4
S | Subdivisie | | | added v2.4
U | Subafdeling | | | added v2.4
V | Divisie | | | added v2.4

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.474.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0474 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0474

Code	Display	Definition
D	Department	
F	Facility	
S	Subdivision	
U	Subdepartment	
V	Division	

Additional Language Displays

Code	Nederlands (Dutch, nl)
D	Afdeling
F	Kliniek
S	Subdivisie
U	Subafdeling
V	Divisie

4.3.15.475 HL7 Version 2 Table 0475

URL: https://hl7.org/fhir/R4/v2/0475/index.html

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL:	http://terminology.hl7.org/CodeSystem/v2-0475
Value Set URL:	http://terminology.hl7.org/ValueSet/v2-0475
Version:	2.9
Name:	v2.0475
Title:	v2 Charge Type Reason
Definition:	FHIR Value set/code system definition for HL7 v2 table 0475 (Charge Type Reason)
OID:	??
CodeSystem Resource	XML / JSON
ValueSet Resource	XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.475.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0475 defines the following codes:

Code	Display	Definition	Version
01	en: Allergy nl: Allergie		added v2.5
02	en: Intolerance nl: Intolerantie		added v2.5
03	en: Treatment Failure nl: Behandeling mislukt		added v2.5
04	en: Patient Request nl: Patiëntverzoek		added v2.5
05	en: No Exception nl: Geen uitzondering		added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0475 defines the following codes:

Code	Display	Definition	Version
01	Allergy		added v2.5
02	Intolerance		added v2.5
03	Treatment Failure		added v2.5
04	Patient Request		added v2.5
05	No Exception		added v2.5

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0475 definieert de volgende codes:

Code	Display	Definition	Versie
01	Allergie		added v2.5
02	Intolerantie		added v2.5
03	Behandeling mislukt		added v2.5
04	Patiëntverzoek		added v2.5
05	Geen uitzondering		added v2.5

4.3.15.477 HL7 Version 2 Table 0477

URL: https://hl7.org/fhir/R4/v2/0477/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0477
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0477
Version: | 2.9
Name: | v2.0477
Title: | v2 Controlled Substance Schedule
Definition: | FHIR Value set/code system definition for HL7 v2 table 0477 (Controlled Substance Schedule)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.477.1 Code System Content

Controlled Substance Schedule

Code | Description | Comment | Version
I | Schedule I | Includes drugs that have a high potential for abuse, no currently accepted medical use in the United States and a lack of accepted safety for use under medical supervision. | added v2.5
II | Schedule II | Includes drugs having currently accepted medical use in the United States and a high abuse potential, with severe psychological or physical dependence liability. | added v2.5
III | Schedule III | Includes drugs having an abuse potential less than that of drugs listed in Schedules I and II. All CS III drugs have a currently accepted medical use in the United States. | added v2.5
IV | Schedule IV | Includes drugs having a lesser potential for abuse than those listed in Schedule III. CS IV drugs have a currently accepted medical use in the United States. | added v2.5
V | Schedule V | Includes drugs having low abuse potential and limited physical or psychological dependence relative to those listed in IV and have an accepted medical use in the United States. | added v2.5
VI | Schedule VI | State defined | added v2.5

4.3.15.478 HL7 Version 2 Table 0478

URL: https://hl7.org/fhir/R4/v2/0478/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0478
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0478
Version: | 2.9
Name: | v2.0478
Title: | v2 Formulary Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0478 (Formulary Status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.478.1 Code System Content

- All Languages
- English
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0478 defines the following codes:

Code | Display | Definition | Version
G | en: Pharmaceutical substance is in the formulary, but guidelines apply nl: Farmaceutische substantie zit in het formularium maar er zijn richtlijnen | | added v2.5
N | en: Pharmaceutical substance is NOT in the formulary nl: Farmaceutische substantie zit NIET in het formularium | | added v2.5
R | en: Pharmaceutical substance is in the formulary, but restrictions apply nl: Farmaceutische substantie zit in het formularium maar er zijn beperkingen | | added v2.5
Y | en: Pharmaceutical substance is in the formulary nl: Farmaceutische substantie zit in het formularium | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0478 defines the following codes:

Code | Display | Definition | Version

G | Pharmaceutical substance is in the formulary, but guidelines apply | | added v2.5
N | Pharmaceutical substance is NOT in the formulary | | added v2.5
R | Pharmaceutical substance is in the formulary, but restrictions apply | | added v2.5
Y | Pharmaceutical substance is in the formulary | | added v2.5

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0478 definieert de volgende codes:

Code | Display | Definition | Versie
G | Farmaceutische substantie zit in het formularium maar er zijn richtlijnen | | added v2.5
N | Farmaceutische substantie zit NIET in het formularium | | added v2.5
R | Farmaceutische substantie zit in het formularium maar er zijn beperkingen | | added v2.5
Y | Farmaceutische substantie zit in het formularium | | added v2.5

4.3.15.480 HL7 Version 2 Table 0480

URL: https://hl7.org/fhir/R4/v2/0480/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0480
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0480
Version: | 2.9
Name: | v2.0480
Title: | v2 Pharmacy Order Types
Definition: | FHIR Value set/code system definition for HL7 v2 table 0480 (Pharmacy Order Types)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.480.1 Code System Content

Pharmacy Order Types

Code | Description | Comment | Version
M | Medication | Default value. Includes, but is not limited to, tables, capsules, powders, puffs, and other non-injected/non-infused products. | added v2.5
O | Other solution as medication orders | Includes, but is not limited to, piggybacks and syringes | added v2.5
S | IV Large Volume Solutions | Includes, but is not limited to, TPNs, admixtures, solutions and drips. | added v2.5

4.3.15.482 HL7 Version 2 Table 0482

URL: https://hl7.org/fhir/R4/v2/0482/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0482
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0482
Version: | 2.9
Name: | v2.0482
Title: | v2 Order Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0482 (Order Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.482.1 Code System Content

- All Languages
- English
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0482 defines the following codes:

Code | Display | Definition | Version
I | en: Inpatient Order nl: Klinische aanvraag | | added v2.5

O | en: Outpatient Order nl: Poliklinische aanvraag | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0482 defines the following codes:

Code | Display | Definition | Version
I | Inpatient Order | | added v2.5
O | Outpatient Order | | added v2.5

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0482 definieert de volgende codes:

Code | Display | Definition | Versie
I | Klinische aanvraag | | added v2.5
O | Poliklinische aanvraag | | added v2.5

4.3.15.483 HL7 Version 2 Table 0483

URL: https://hl7.org/fhir/R4/v2/0483/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0483
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0483
Version: | 2.9
Name: | v2.0483
Title: | v2 Authorization Mode
Definition: | FHIR Value set/code system definition for HL7 v2 table 0483 (Authorization Mode)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.483.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0483 defines the following codes:

Code | Display | Definition | Version
EL | en: Electronic nl: Electronisch | | added v2.5
EM | E-mail | | added v2.5
FX | Fax | | added v2.5
IP | en: In Person nl: In persoon | | added v2.5
MA | en: Mail nl: Post | | added v2.5
PA | en: Paper nl: Papier | | added v2.5
PH | en: Phone nl: Telefoon | | added v2.5
RE | en: Reflexive (Automated system) nl: Reflexief (geautomatiseerd systeem) | | added v2.5
VC | en: Video-conference nl: Videoconferentie | | added v2.5
VO | en: Voice nl: Stem | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0483 defines the following codes:

Code | Display | Definition | Version
EL | Electronic | | added v2.5
EM | E-mail | | added v2.5
FX | Fax | | added v2.5
IP | In Person | | added v2.5
MA | Mail | | added v2.5
PA | Paper | | added v2.5
PH | Phone | | added v2.5
RE | Reflexive (Automated system) | | added v2.5
VC | Video-conference | | added v2.5
VO | Voice | | added v2.5

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0483 definieert de volgende codes:

Code | Display | Definition | Versie
EL | Electronisch | | added v2.5
EM | E-mail | | added v2.5
FX | Fax | | added v2.5
IP | In persoon | | added v2.5
MA | Post | | added v2.5
PA | Papier | | added v2.5

PH | Telefoon | | added v2.5
RE | Reflexief (geautomatiseerd systeem) | | added v2.5
VC | Videoconferentie | | added v2.5
VO | Stem | | added v2.5

4.3.15.484 HL7 Version 2 Table 0484

URL: https://hl7.org/fhir/R4/v2/0484/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0484
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0484
Version: | 2.9
Name: | v2.0484
Title: | v2 Dispense Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0484 (Dispense Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.484.1 Code System Content

Dispense Type

Code | Description | Comment | Version
B | Trial Quantity Balance | | added v2.5
C | Compassionate Fill | | added v2.5
N | New/Renew - Full Fill | | added v2.5
P | New/Renew - Part Fill | | added v2.5
Q | Refill - Part Fill | | added v2.5
R | Refill - Full Fill | | added v2.5
S | Manufacturer Sample | | added v2.5
T | Trial Quantity | | added v2.5
Z | Non-Prescription Fill | | added v2.5

4.3.15.485 HL7 Version 2 Table 0485

URL: https://hl7.org/fhir/R4/v2/0485/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0485
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0485
Version: | 2.9
Name: | v2.0485
Title: | v2 Extended Priority Codes
Definition: | FHIR Value set/code system definition for HL7 v2 table 0485 (Extended Priority Codes)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.485.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0485 defines the following codes:

Code | Display | Definition | Comments | Version
A | en: ASAP nl: Zo spoedig mogelijk | | Fill after S orders | added v2.5
C | en: Callback nl: Terugbellen | | | added v2.5
P | en: Preop nl: Pre-op | | | added v2.5

PRN | en: As needed nl: Zoals noodzakelijk | | | added v2.5
R | Routine | | Default | added v2.5
S | Stat | | en: With highest priority nl: Met hoogste prioriteit | added v2.5
T | en: Timing critical nl: Timing kritiek | | en: A request implying that it is critical to come as close as possible to the requested time, e.g., for a trough anti-microbial level. nl: Een aanvraag waaruit af te leiden is dat het belangrijk is om zo dicht mogelijk binnen de gevraagde tijd te blijven, bijv. voor een anti-microbieel niveau. | added v2.5
TD<integer> | en: Timing critical within <integer> days. nl: Timing kritiek binnen <integer> dagen. | | en: Timing critical within <integer> days. nl: Timing kritiek binnen <integer> dagen. | added v2.5
TH<integer> | en: Timing critical within <integer> hours. nl: Timing kritiek binnen <integer> uur. | | en: Timing critical within <integer> hours. nl: Timing kritiek binnen <integer> uur. | added v2.5
TL<integer> | en: Timing critical within <integer> months. nl: Timing kritiek binnen <integer> maanden. | | en: Timing critical within <integer> months. nl: Timing kritiek binnen <integer> maanden. | added v2.5
TM<integer> | en: Timing critical within <integer> minutes. nl: Timing kritiek binnen <integer> minuten. | | en: Timing critical within <integer> minutes. nl: Timing kritiek binnen <integer> minuten. | added v2.5
TS<integer> | en: Timing critical within <integer> seconds. nl: Timing kritiek binnen <integer> seconden. | | en: Timing critical within <integer> seconds. nl: Timing kritiek binnen <integer> seconden. | added v2.5
TW<integer> | en: Timing critical within <integer> weeks. nl: Timing kritiek binnen <integer> weken. | | en: Timing critical within <integer> weeks. nl: Timing kritiek binnen <integer> weken. | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0485 defines the following codes:

Code | Display | Definition | Comments | Version
A | ASAP | | Fill after S orders | added v2.5
C | Callback | | | added v2.5
P | Preop | | | added v2.5
PRN | As needed | | | added v2.5
R | Routine | | Default | added v2.5
S | Stat | | With highest priority | added v2.5
T | Timing critical | | A request implying that it is critical to come as close as possible to the requested time, e.g., for a trough anti-microbial level. | added v2.5
TD<integer> | Timing critical within <integer> days. | | Timing critical within <integer> days. | added v2.5
TH<integer> | Timing critical within <integer> hours. | | Timing critical within <integer> hours. | added v2.5
TL<integer> | Timing critical within <integer> months. | | Timing critical within <integer> months. | added v2.5
TM<integer> | Timing critical within <integer> minutes. | | Timing critical within <integer> minutes. | added v2.5
TS<integer> | Timing critical within <integer> seconds. | | Timing critical within <integer> seconds. | added v2.5
TW<integer> | Timing critical within <integer> weeks. | | Timing critical within <integer> weeks. | added v2.5

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0485 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie
A | Zo spoedig mogelijk | | | added v2.5
C | Terugbellen | | | added v2.5
P | Pre-op | | | added v2.5
PRN | Zoals noodzakelijk | | | added v2.5
R | Routine | | | added v2.5
S | STAT | | Met hoogste prioriteit | added v2.5
T | Timing kritiek | | Een aanvraag waaruit af te leiden is dat het belangrijk is om zo dicht mogelijk binnen de gevraagde tijd te blijven, bijv. voor een anti-microbieel niveau. | added v2.5
TD<integer> | Timing kritiek binnen <integer> dagen. | | Timing kritiek binnen <integer> dagen. | added v2.5
TH<integer> | Timing kritiek binnen <integer> uur. | | Timing kritiek binnen <integer> uur. | added v2.5
TL<integer> | Timing kritiek binnen <integer> maanden. | | Timing kritiek binnen <integer> maanden. | added v2.5
TM<integer> | Timing kritiek binnen <integer> minuten. | | Timing kritiek binnen <integer> minuten. | added v2.5
TS<integer> | Timing kritiek binnen <integer> seconden. | | Timing kritiek binnen <integer> seconden. | added v2.5
TW<integer> | Timing kritiek binnen <integer> weken. | | Timing kritiek binnen <integer> weken. | added v2.5

4.3.15.487 HL7 Version 2 Table 0487

URL: https://hl7.org/fhir/R4/v2/0487/index.html
Vocabulary Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0487
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0487
Version: | 2.9
Name: | v2.0487
Title: | v2 Specimen Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0487 (Specimen Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

Concept Maps for this value set:

to http://snomed.info/sct?fhir_vs | Specimen mapping from v2 table 0487 to SNOMED CT | XML | JSON
to http://snomed.info/sct?fhir_vs | Specimen mapping from v2 table 0487 to SNOMED CT | XML | JSON

This value set is used in the following places:

• ConceptMap: Translation source in Specimen mapping from v2 table 0487 to SNOMED CT

• Resource: Specimen.type (CodeableConcept / Example)

• Resource: SpecimenDefinition.typeCollected (CodeableConcept / Example)

• Resource: SpecimenDefinition.typeTested.type (CodeableConcept / Example)

• Extension: http://hl7.org/fhir/StructureDefinition/observation-specimenCode: specimenCode (CodeableConcept / Example)

4.3.15.487.1 Code System Content

• All Languages

• English

• Deutsch (German)

• Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0487 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
... | en: No suggested values de: keine Werte vorgeschlagen nl: geen voorgestelde waarden | | Deprecated | | added v2.6, removed after v2.6
ABS | en: Abscess de: Abszeß nl: Abces | | | | added v2.5
ACNE | en: Tissue, Acne nl: Weefsel, Acné | | | en: Tissue nl: Weefsel | added v2.5
ACNFLD | en: Fluid, Acne nl: Vocht, Acné | | | en: Fluid nl: Vocht | added v2.5
AIRS | en: Air Sample nl: Luchtmonster | | | en: Environment nl: Milieu | added v2.5
ALL | Allograft | | | en: Tissue nl: Weefsel | added v2.5
AMN | en: Amniotic fluid nl: Amniotisch vocht | | | | added v2.8.2
AMP | en: Amputation nl: Amputatie | | | en: Tissue nl: Weefsel | added v2.5
ANGI | Catheter Tip, Angio | | | Device | added v2.5
ARTC | Catheter Tip, Arterial | | | Device | added v2.5
ASERU | Serum, Acute | | | Blood | added v2.5
ASP | en: Aspirate nl: Aspiraat | | | | added v2.5
ATTE | Environment, Attest | | | Environment | added v2.5
AUTOA | Environmental, Autoclave Ampule | | | Environment | added v2.7
AUTOC | Environmental, Autoclave Capsule | | | Environment | added v2.5
AUTP | en: Autopsy nl: Autopsie | | | en: Tissue nl: Weefsel | added v2.5
BBL | en: Blood bag nl: Bloedzak | | | en: Blood nl: Bloed | added v2.5
BCYST | Cyst, Baker's | | | Condition | added v2.5
BDY | en: Whole body nl: Heel lichaam | | | en: Body submitted for autopsy / carcass submitted nl: Lichaam/karkas ten behoeve van autopsie | added v2.8.2
BIFL | en: Bile Fluid nl: Galvloeistof | | | | added v2.8.2
BITE | Bite | | | Conditions | added v2.5
BLD | Whole blood | | | | added v2.8.2
BLDA | en: Blood arterial nl: Arterieel bloed | | | | added v2.8.2
BLDCO | Cord blood | | | | added v2.8.2
BLDV | en: Blood venous nl: Veneus bloed | | | | added v2.8.2
BLEB | en: Bleb nl: Blaar | | | en: Condition, Fluid/Tissue nl: Conditie, vocht/weefsel | added v2.5
BLIST | en: Blister nl: Blaas | | | en: Condition, Fluid/Tissue nl: Conditie, vocht/weefsel | added v2.5
BOIL | Boil | | | Condition | added v2.5
BON | en: Bone nl: Bot | | | | added v2.5.1
BONE | Bone | | Deprecated | | added v2.5, removed after v2.5
BOWL | en: Bowel contents nl: Darminhoud | | | en: Condition nl: Conditie | added v2.5
BPH | Basophils | | | | added v2.8.2
BPU | Blood product unit | | | Blood | added v2.5
BRN | en: Burn nl: Verbranding | | | | added v2.5
BRSH | Brush | | | Product; Brush or brushing (these may be 2 separate entries as in a physical brush or a portion thereof vs the substance obtained after a surface has been brushed) | added v2.5
BRTH | en: Breath (use EXHLD) nl: Adem (gebruik (EXHLD) | | | | added v2.5
BRUS | Brushing | | | Product | added v2.5
BUB | Bubo | | | Condition | added v2.5
BULLA | Bulla/Bullae | | | Condition | added v2.5
BX | en: Biopsy nl: Biopt | | | en: Tissue nl: Weefsel | added v2.5
CALC | Calculus (=Stone) | | | | added v2.5

CARBU | Carbuncle | | | Condition | added v2.5
CAT | en: Catheter nl: Catether | | | en: Device nl: Apparaat | added v2.5
CBITE | Bite, Cat | | | Conditions | added v2.5
CDM | en: Cardiac muscle nl: Hartspier | | | | added v2.8.2
CLIPP | Clippings | | | Condition | added v2.5
CNJT | Conjunctiva | | | | added v2.5
CNL | Cannula | | | | added v2.8.2
COL | Colostrum | | | | added v2.5
CONE | Biospy, Cone | | | Tissue | added v2.5
CSCR | Scratch, Cat | | | Condition | added v2.5
CSERU | Serum, Convalescent | | | Blood | added v2.5
CSF | Cerebral spinal fluid | | | | added v2.8.2
CSITE | Catheter Insertion Site | | | Device | added v2.5
CSMY | Fluid, Cystostomy Tube | | | Fluid | added v2.5
CST | Fluid, Cyst | | | Fluid | added v2.5
CSVR | Blood, Cell Saver | | | Transfusion | added v2.5
CTP | Catheter tip | | | Device | added v2.5
CUR | Curretage | | | Uterine specimen obtained by curettage = Currettings | added v2.8.2
CVM | Cervical Mucus | | | | added v2.8.2
CVPS | Site, CVP | | | Site | added v2.5
CVPT | Catheter Tip, CVP | | | Device | added v2.5
CYN | Nodule, Cystic | | | Condition | added v2.5
CYST | Cyst | | | | added v2.5
DBITE | Bite, Dog | | | Conditions | added v2.5
DCS | Sputum, Deep Cough | | | Condition | added v2.5
DEC | Ulcer, Decubitus | | | Condition | added v2.5
DEION | Environmental, Water (Deionized) | | | Environment | added v2.5
DIA | Dialysate | | | Condition | added v2.5
DIAF | Dialysis Fluid | | | Fluid used for dialysis - is a product | added v2.8.2
DISCHG | Discharge | | | Condition | added v2.5
DIV | Diverticulum | | | Condition | added v2.5
DRN | Drain | | | Device | added v2.5
DRNG | Drainage, Tube | | | Device | added v2.5
DRNGP | Drainage, Penrose | | | Condition | added v2.5
DUFL | Duodenal fluid | | | | added v2.8.2
EARW | Ear wax (cerumen) | | | | added v2.5
EBRUSH | Brush, Esophageal | | | Product | added v2.5
EEYE | Environmental, Eye Wash | | | Environment | added v2.5
EFF | Environmental, Effluent | | | Environment | added v2.5
EFFUS | Effusion | | | Condition | added v2.5
EFOD | Environmental, Food | | | Environment | added v2.5
EISO | Environmental, Isolette | | | Environment | added v2.5
ELT | Electrode | | | | added v2.5
ENVIR | Environmental, Unidentified Substance | | | Environment | added v2.5
EOS | Eosinophils | | | | added v2.8.2
EOTH | Environmental, Other Substance | | | Environment; (Substance is Known but not in code Table) | added v2.5
ESOI | Environmental, Soil | | | Environment | added v2.5
ESOS | Environmental, Solution (Sterile) | | | Environment | added v2.5
ETA | Aspirate, Endotrach | | | Aspirate | added v2.5
ETTP | Catheter Tip, Endotracheal | | | Device | added v2.5
ETTUB | Tube, Endotracheal | | | Device | added v2.5
EWHI | Environmental, Whirlpool | | | Environment | added v2.5
EXG | Gas, exhaled (=breath) | | | | added v2.5
EXS | Shunt, External | | | Condition | added v2.5
EXUDTE | Exudate | | | Condition | added v2.5
FAW | Environmental, Water (Well) | | | Environment | added v2.5
FBLOOD | en: Blood, Fetal nl: Bloed, feutaal | | | en: Blood nl: Bloed | added v2.5
FGA | Fluid, Abdomen | | | Fluid | added v2.5
FIB | Fibroblasts | | | | added v2.8.2
FIST | en: Fistula nl: Fistel | | | | added v2.5
FLD | en: Fluid, Other nl: Vocht, anders | | | en: Fluid nl: Vocht | added v2.5
FLT | Filter | | | | added v2.5
FLU | en: Fluid, Body unsp nl: Vocht, lichaam niet-gesp. | | | | added v2.5
FLUID | en: Fluid nl: Vocht | | | en: Fluid nl: Vocht | added v2.5
FOLEY | Catheter Tip, Foley | | | Device | added v2.5
FRS | Fluid, Respiratory | | | Fluid | added v2.5
FSCLP | Scalp, Fetal | | | Condition | added v2.5
FUR | Furuncle | | | Condition | added v2.5
GAS | Gas | | | | added v2.5
GASA | Aspirate, Gastric | | | Aspirate | added v2.5
GASAN | Antrum, Gastric | | | Tissue | added v2.5
GASBR | Brushing, Gastric | | | Product | added v2.5

GASD | Drainage, Gastric | | | Condition | added v2.5
GAST | Fluid/contents, Gastric | | | | added v2.5
GENL | Genital lochia | | | | added v2.8.2
GENV | en: Genital vaginal nl: Genitaal vaginaal | | | | added v2.5
GRAFT | Graft | | | Condition | added v2.5
GRAFTS | Graft Site | | | Condition | added v2.7
GRANU | en: Granuloma nl: Granuloom | | | en: Condition nl: Conditie | added v2.5
GROSH | Catheter, Groshong | | | Device | added v2.5
GSOL | Solution, Gastrostomy | | | Product | added v2.5
GSPEC | en: Biopsy, Gastric nl: Biopt, maag | | | en: Tissue nl: Weefsel | added v2.5
GT | Tube, Gastric | | | Device | added v2.5
GTUBE | Drainage Tube, Drainage (Gastrostomy) | | | Condition | added v2.5
HAR | en: Hair nl: Haar | | | | added v2.8.2
HBITE | en: Bite, Human nl: Beet, menselijk | | | en: Conditions nl: Conditie | added v2.5
HBLUD | en: Blood, Autopsy nl: Bloed, autopsie | | | en: Blood nl: Bloed | added v2.5
HEMAQ | Catheter Tip, Hemaquit | | | Device | added v2.5
HEMO | Catheter Tip, Hemovac | | | Device | added v2.5
HERNI | Tissue, Herniated | | | Tissue | added v2.5
HEV | Drain, Hemovac | | | Device | added v2.5
HIC | Catheter, Hickman | | | Device | added v2.5
HYDC | Fluid, Hydrocele | | | Fluid | added v2.5
IBITE | Bite, Insect | | | Conditions | added v2.5
ICYST | Cyst, Inclusion | | | Condition | added v2.5
IDC | Catheter Tip, Indwelling | | | Device | added v2.5
IHG | Gas, Inhaled | | | | added v2.5
ILEO | Drainage, Ileostomy | | | Condition | added v2.5
ILLEG | Source of Specimen Is Illegible | | | | added v2.5
IMP | en: Implant nl: Implantaat | | | en: Device nl: Apparaat | added v2.5
INCI | Site, Incision/Surgical | | | Site | added v2.5
INFIL | Infiltrate | | | Condition | added v2.5
INS | Insect | | | Object | added v2.5
INTRD | Catheter Tip, Introducer | | | Device | added v2.5
ISLT | en: Isolate nl: Isolaat | | | | added v2.8.2
IT | en: Intubation tube nl: Intubatieslang | | | | added v2.5
IUD | Intrauterine Device | | | Device (Common Usage) | added v2.5
IVCAT | Catheter Tip, IV | | | Device | added v2.5
IVFLD | Fluid, IV | | | Fluid | added v2.5
IVTIP | Tubing Tip, IV | | | Device | added v2.5
JEJU | Drainage, Jejunal | | | Condition | added v2.5
JNTFLD | en: Fluid, Joint nl: Vocht, gewricht | | | en: Fluid nl: Vocht | added v2.5
JP | Drainage, Jackson Pratt | | | Condition | added v2.5
KELOI | Lavage | | | Product | added v2.5
KIDFLD | en: Fluid, Kidney nl: Vocht, nier | | | en: Fluid nl: Vocht | added v2.5
LAVG | Lavage, Bronhial | | | Product | added v2.5
LAVGG | Lavage, Gastric | | | Product | added v2.5
LAVGP | Lavage, Peritoneal | | | Product | added v2.5
LAVPG | Lavage, Pre-Bronch | | | Product | added v2.5
LENS1 | Contact Lens | | | Device | added v2.5
LENS2 | Contact Lens Case | | | Device | added v2.5
LESN | Lesion | | | Condition | added v2.5
LIQ | en: Liquid, Unspecified nl: Vocht, niet gespecificeerd | | | | added v2.5
LIQO | en: Liquid, Other nl: Vocht, anders | | | | added v2.5
LNA | Line arterial | | | Arterial blood collected via arterial line | added v2.8.2
LNV | Line venous | | | Venous blood collected via venous line | added v2.8.2
LSAC | Fluid, Lumbar Sac | | | Fluid | added v2.5
LYM | en: Lymphocytes nl: Lymfocyten | | | | added v2.8.2
MAC | Macrophages | | | | added v2.8.2
MAHUR | Catheter Tip, Makurkour | | | Device | added v2.5
MAR | en: Marrow nl: Merg | | | en: Bone marrow nl: Beenmerg | added v2.8.2
MASS | Mass | | | Condition | added v2.5
MBLD | en: Blood, Menstrual nl: Menstruatiebloed | | | en: Blood nl: Bloed | added v2.5
MEC | Meconium | | | | added v2.8.2
MILK | en: Breast milk nl: Borstmelk | | | en: Mother's milk specimen nl: Moedermelkmonster | added v2.8.2
MLK | en: Milk nl: Melk | | | | en: Food specimen nl: Voedselmonster | added v2.8.2
MUCOS | Mucosa | | | Condition | added v2.5
MUCUS | en: Mucus nl: Slijm | | | en: Condition nl: Conditie | added v2.5
NAIL | en: Nail nl: Nagel | | | en: Finger or toe nail sample nl: Vinger- of teennagel | added v2.8.2
NASDR | Drainage, Nasal | | | Condition | added v2.5
NEDL | en: Needle nl: Naald | | | en: Device nl: Apparaat | added v2.5
NEPH | Site, Nephrostomy | | | Site | added v2.5
NGASP | Aspirate, Nasogastric | | | Aspirate | added v2.5
NGAST | Drainage, Nasogastric | | | Condition | added v2.5

NGS | Site, Naso/Gastric | | | Site | added v2.5
NODUL | Nodule(s) | | | Condition | added v2.5
NSECR | en: Secretion, Nasal nl: Secretie, nasaal | | | en: Condition nl: Conditie | added v2.5
ORH | en: Other nl: Anders | | | | added v2.5
ORL | Lesion, Oral | | | Condition (Common Usage) | added v2.5
OTH | en: Source, Other nl: Bron, anders | | | | added v2.5
PACEM | Pacemaker | | | Device | added v2.5
PAFL | Pancreatic fluid | | | | added v2.8.2
PCFL | Fluid, Pericardial | | | | added v2.5
PDSIT | Site, Peritoneal Dialysis | | | Site | added v2.5
PDTS | Site, Peritoneal Dialysis Tunnel | | | Site | added v2.5
PELVA | Abscess, Pelvic | | | Condition | added v2.5
PENIL | Lesion, Penile | | | Condition (Common Usage) | added v2.5
PERIA | Abscess, Perianal | | | Condition, Abscess & Body Part | added v2.5
PILOC | Cyst, Pilonidal | | | Condition | added v2.5
PINS | Site, Pin | | | Site | added v2.5
PIS | Site, Pacemaker Insetion | | | Site | added v2.5
PLAN | en: Plant Material nl: Plantaardig materiaal | | | Object | added v2.5
PLAS | Plasma | | | en: Blood nl: Bloed | added v2.5
PLB | en: Plasma bag nl: Plasmazak | | | en: Blood nl: Bloed | added v2.5
PLC | Placenta | | | | added v2.8.2
PLEVS | Serum, Peak Level | | | Blood | added v2.5
PLR | Pleural fluid (thoracentesis fluid) | | | | added v2.8.2
PMN | Polymorphonuclear neutrophils | | | | added v2.8.2
PND | Drainage, Penile | | | Condition | added v2.5
POL | Polyps | | | Condition | added v2.5
POPGS | Graft Site, Popliteal | | | Condition | added v2.5
POPLG | Graft, Popliteal | | | Condition | added v2.5
POPLV | Site, Popliteal Vein | | | Site | added v2.5
PORTA | Catheter, Porta | | | Device | added v2.5
PPP | Plasma, Platelet poor | | | Blood | added v2.5
PROST | Prosthetic Device | | | Device | added v2.5
PRP | Plasma, Platelet rich | | | Blood | added v2.5
PSC | Pseudocyst | | | Condition | added v2.5
PUNCT | Wound, Puncture | | | Condition | added v2.5
PUS | Pus | | | | added v2.5.1
PUSFR | Pustule | | | Condition | added v2.5
PUST | Pus | | | Condition | added v2.5
QC3 | Quality Control | | | Environment | added v2.5
RANDU | Urine, Random | | | Condition | added v2.5
RBC | Erythrocytes | | | | added v2.8.2
RBITE | Bite, Reptile | | | Conditions | added v2.5
RECT | Drainage, Rectal | | | Condition | added v2.5
RECTA | Abscess, Rectal | | | Condition | added v2.5
RENALC | Cyst, Renal | | | Condition | added v2.5
RENC | Fluid, Renal Cyst | | | Fluid | added v2.5
RES | Respiratory | | | Condition (Ambiguous) | added v2.5
SAL | en: Saliva nl: Speeksel | | | | added v2.5
SCAR | Tissue, Keloid (Scar) | | | Tissue | added v2.5
SCLV | Catheter Tip, Subclavian | | | Device | added v2.5
SCROA | en: Abscess, Scrotal nl: Abces, scrotaal | | | en: Condition nl: Conditie | added v2.5
SECRE | en: Secretion(s) nl: Secretie(s) | | | en: Fluid/Secretion nl: Vocht/secretie | added v2.5
SER | Serum | | | | added v2.5
SHU | Site, Shunt | | | Site | added v2.5
SHUNF | Fluid, Shunt | | | Fluid | added v2.5
SHUNT | Shunt | | | Condition | added v2.5
SITE | Site | | | Site | added v2.5
SKBP | en: Biopsy, Skin nl: Biopt, huid | | | en: Tissue nl: Weefsel | added v2.5
SKN | en: Skin nl: Huid | | | | added v2.5
SMM | Mass, Sub-Mandibular | | | Condition | added v2.5
SMN | en: Seminal fluid nl: Seminaal vocht | | | | added v2.8.2
SNV | Fluid, synovial (Joint fluid) | | | | added v2.5
SPRM | en: Spermatozoa nl: Spermatozoïden | | | | added v2.5
SPRP | Catheter Tip, Suprapubic | | | Device | added v2.5
SPRPB | Cathether Tip, Suprapubic | | | Device | added v2.5
SPS | Environmental, Spore Strip | | | Environment | added v2.5
SPT | Sputum | | | | added v2.5
SPTC | en: Sputum - coughed nl: Sputum, opgehoest | | | | added v2.5
SPTT | Sputum - tracheal aspirate | | | | added v2.5
SPUT1 | Sputum, Simulated | | | Condition | added v2.5
SPUTIN | Sputum, Inducted | | | Condition | added v2.5
SPUTSP | Sputum, Spontaneous | | | Condition | added v2.5

STER | Environmental, Sterrad | | | Environment | added v2.5
STL | Stool = Fecal | | | | added v2.5
STONE | Stone, Kidney | | | Condition | added v2.5
SUBMA | Abscess, Submandibular | | | Condition | added v2.5
SUBMX | Abscess, Submaxillary | | | Condition | added v2.5
SUMP | Drainage, Sump | | | Condition | added v2.5
SUP | Suprapubic Tap | | | Product | added v2.5
SUTUR | Suture | | | Object | added v2.5
SWGZ | Catheter Tip, Swan Gantz | | | Device | added v2.5
SWT | en: Sweat nl: Zweet | | | | added v2.8.2
TASP | Aspirate, Tracheal | | | Aspirate | added v2.5
TEAR | en: Tears nl: Traanvocht | | | | added v2.8.2
THRB | Thrombocyte (platelet) | | | | added v2.8.2
TISS | en: Tissue nl: Weefsel | | | | added v2.5
TISU | Tissue ulcer | | | | added v2.5
TLC | Cathether Tip, Triple Lumen | | | Device | added v2.5
TRAC | Site, Tracheostomy | | | Site | added v2.5
TRANS | Transudate | | | Condition | added v2.5
TSERU | Serum, Trough | | | Blood | added v2.5
TSTES | Abscess, Testicular | | | Condition | added v2.5
TTRA | Aspirate, Transtracheal | | | Aspirate | added v2.5
TUBES | Tubes | | | Device | added v2.5
TUMOR | Tumor | | | en: Condition nl: Conditie | added v2.5
TZANC | Smear, Tzanck | | | | added v2.5
UDENT | Source, Unidentified | | | | added v2.5
UMED | Unknown Medicine | | | for forensic and possibly chemistry testing | added v2.8.2
UR | Urine | | | | added v2.5
URC | Urine clean catch | | | | added v2.5
URINB | Urine, Bladder Washings | | | Condition | added v2.5
URINC | Urine, Catheterized | | | Condition | added v2.5
URINM | Urine, Midstream | | | en: Condition nl: Conditie | added v2.5
URINN | Urine, Nephrostomy | | | Condition | added v2.5
URINP | Urine, Pedibag | | | Device | added v2.5
URNS | en: Urine sediment nl: Urine, sediment | | | | added v2.8.2
URT | Urine catheter | | | | added v2.5
USCOP | Urine, Cystoscopy | | | Condition | added v2.5
USPEC | en: Source, Unspecified nl: Bron, ongedefinieerd | | | | added v2.5
USUB | en: Unkown substance nl: Onbekende substantie | | | | added v2.8.2
VASTIP | Catheter Tip, Vas | | | Device | added v2.5
VENT | Catheter Tip, Ventricular | | | Device | added v2.5
VITF | Vitreous Fluid | | | | added v2.5
VOM | en: Vomitus nl: Braaksel | | | | added v2.5.1
WASH | Wash | | | Product | added v2.5
WASI | Washing, e.g. bronchial washing | | | Product | added v2.5
WAT | Water | | | | added v2.5
WB | Blood, Whole | | | Blood | added v2.5
WBC | en: Leukocytes nl: Leukocyten | | | | added v2.8.2
WEN | Wen | | | Tissue | added v2.5
WICK | en: Wick nl: Lont | | | | added v2.5
WND | en: Wound nl: Wond | | | | added v2.5
WNDA | en: Wound abscess nl: Wond abces | | | | added v2.5
WNDD | Wound drainage | | | | added v2.5
WNDE | Wound exudate | | | | added v2.5
WORM | Worm | | | Object | added v2.5
WRT | en: Wart nl: Wrat | | | en: Tissue nl: Weefsel | added v2.5
WWA | en: Environmental, Water nl: Milieu, water | | | en: Environment nl: Milieu | added v2.5
WWO | en: Environmental, Water (Ocean) nl: Milieu, water (oceaan) | | | | added v2.5
WWT | en: Environmental, Water (Tap) nl: Milieu, water (kraan) | | | en: Environment nl: Milieu | added v2.5

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0487 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
... | No suggested values | | Deprecated | | added v2.6, removed after v2.6
ABS | Abscess | | | | added v2.5
ACNE | Tissue, Acne | | | Tissue | added v2.5
ACNFLD | Fluid, Acne | | | Fluid | added v2.5
AIRS | Air Sample | | | Environment | added v2.5

ALL | Allograft | | | Tissue | added v2.5
AMN | Amniotic fluid | | | | added v2.8.2
AMP | Amputation | | | Tissue | added v2.5
ANGI | Catheter Tip, Angio | | | Device | added v2.5
ARTC | Catheter Tip, Arterial | | | Device | added v2.5
ASERU | Serum, Acute | | | Blood | added v2.5
ASP | Aspirate | | | | added v2.5
ATTE | Environment, Attest | | | Environment | added v2.5
AUTOA | Environmental, Autoclave Ampule | | | Environment | added v2.7
AUTOC | Environmental, Autoclave Capsule | | | Environment | added v2.5
AUTP | Autopsy | | | Tissue | added v2.5
BBL | Blood bag | | | Blood | added v2.5
BCYST | Cyst, Baker's | | | Condition | added v2.5
BDY | Whole body | | | Body submitted for autopsy / carcass submitted | added v2.8.2
BIFL | Bile Fluid | | | | added v2.8.2
BITE | Bite | | | Conditions | added v2.5
BLD | Whole blood | | | | added v2.8.2
BLDA | Blood arterial | | | | added v2.8.2
BLDCO | Cord blood | | | | added v2.8.2
BLDV | Blood venous | | | | added v2.8.2
BLEB | Bleb | | | Condition, Fluid/Tissue | added v2.5
BLIST | Blister | | | Condition, Fluid/Tissue | added v2.5
BOIL | Boil | | | Condition | added v2.5
BON | Bone | | | | added v2.5.1
BONE | Bone | | Deprecated | | added v2.5, removed after v2.5
BOWL | Bowel contents | | | Condition | added v2.5
BPH | Basophils | | | | added v2.8.2
BPU | Blood product unit | | | Blood | added v2.5
BRN | Burn | | | | added v2.5
BRSH | Brush | | | Product; Brush or brushing (these may be 2 separate entries as in a physical brush or a portion thereof vs the substance obtained after a surface has been brushed) | added v2.5
BRTH | Breath (use EXHLD) | | | | added v2.5
BRUS | Brushing | | | Product | added v2.5
BUB | Bubo | | | Condition | added v2.5
BULLA | Bulla/Bullae | | | Condition | added v2.5
BX | Biopsy | | | Tissue | added v2.5
CALC | Calculus (=Stone) | | | | added v2.5
CARBU | Carbuncle | | | Condition | added v2.5
CAT | Catheter | | | Device | added v2.5
CBITE | Bite, Cat | | | Conditions | added v2.5
CDM | Cardiac muscle | | | | added v2.8.2
CLIPP | Clippings | | | Condition | added v2.5
CNJT | Conjunctiva | | | | added v2.5
CNL | Cannula | | | | added v2.8.2
COL | Colostrum | | | | added v2.5
CONE | Biospy, Cone | | | Tissue | added v2.5
CSCR | Scratch, Cat | | | Condition | added v2.5
CSERU | Serum, Convalescent | | | Blood | added v2.5
CSF | Cerebral spinal fluid | | | | added v2.8.2
CSITE | Catheter Insertion Site | | | Device | added v2.5
CSMY | Fluid, Cystostomy Tube | | | Fluid | added v2.5
CST | Fluid, Cyst | | | Fluid | added v2.5
CSVR | Blood, Cell Saver | | | Transfusion | added v2.5
CTP | Catheter tip | | | Device | added v2.5
CUR | Curretage | | | Uterine specimen obtained by curettage = Currettings | added v2.8.2
CVM | Cervical Mucus | | | | added v2.8.2
CVPS | Site, CVP | | | Site | added v2.5
CVPT | Catheter Tip, CVP | | | Device | added v2.5
CYN | Nodule, Cystic | | | Condition | added v2.5
CYST | Cyst | | | | added v2.5
DBITE | Bite, Dog | | | Conditions | added v2.5
DCS | Sputum, Deep Cough | | | Condition | added v2.5
DEC | Ulcer, Decubitus | | | Condition | added v2.5
DEION | Environmental, Water (Deionized) | | | Environment | added v2.5
DIA | Dialysate | | | Condition | added v2.5
DIAF | Dialysis Fluid | | | Fluid used for dialysis - is a product | added v2.8.2
DISCHG | Discharge | | | Condition | added v2.5
DIV | Diverticulum | | | Condition | added v2.5
DRN | Drain | | | Device | added v2.5
DRNG | Drainage, Tube | | | Device | added v2.5
DRNGP | Drainage, Penrose | | | Condition | added v2.5
DUFL | Duodenal fluid | | | | added v2.8.2

EARW | Ear wax (cerumen) | | | | added v2.5
EBRUSH | Brush, Esophageal | | | Product | added v2.5
EEYE | Environmental, Eye Wash | | | Environment | added v2.5
EFF | Environmental, Effluent | | | Environment | added v2.5
EFFUS | Effusion | | | Condition | added v2.5
EFOD | Environmental, Food | | | Environment | added v2.5
EISO | Environmental, Isolette | | | Environment | added v2.5
ELT | Electrode | | | | added v2.5
ENVIR | Environmental, Unidentified Substance | | | Environment | added v2.5
EOS | Eosinophils | | | | added v2.8.2
EOTH | Environmental, Other Substance | | | Environment; (Substance is Known but not in code Table) | added v2.5
ESOI | Environmental, Soil | | | Environment | added v2.5
ESOS | Environmental, Solution (Sterile) | | | Environment | added v2.5
ETA | Aspirate, Endotrach | | | Aspirate | added v2.5
ETTP | Catheter Tip, Endotracheal | | | Device | added v2.5
ETTUB | Tube, Endotracheal | | | Device | added v2.5
EWHI | Environmental, Whirlpool | | | Environment | added v2.5
EXG | Gas, exhaled (=breath) | | | | added v2.5
EXS | Shunt, External | | | Condition | added v2.5
EXUDTE | Exudate | | | Condition | added v2.5
FAW | Environmental, Water (Well) | | | Environment | added v2.5
FBLOOD | Blood, Fetal | | | Blood | added v2.5
FGA | Fluid, Abdomen | | | Fluid | added v2.5
FIB | Fibroblasts | | | | added v2.8.2
FIST | Fistula | | | | added v2.5
FLD | Fluid, Other | | | Fluid | added v2.5
FLT | Filter | | | | added v2.5
FLU | Fluid, Body unsp | | | | added v2.5
FLUID | Fluid | | | Fluid | added v2.5
FOLEY | Catheter Tip, Foley | | | Device | added v2.5
FRS | Fluid, Respiratory | | | Fluid | added v2.5
FSCLP | Scalp, Fetal | | | Condition | added v2.5
FUR | Furuncle | | | Condition | added v2.5
GAS | Gas | | | | added v2.5
GASA | Aspirate, Gastric | | | Aspirate | added v2.5
GASAN | Antrum, Gastric | | | Tissue | added v2.5
GASBR | Brushing, Gastric | | | Product | added v2.5
GASD | Drainage, Gastric | | | Condition | added v2.5
GAST | Fluid/contents, Gastric | | | | added v2.5
GENL | Genital lochia | | | | added v2.8.2
GENV | Genital vaginal | | | | added v2.5
GRAFT | Graft | | | Condition | added v2.5
GRAFTS | Graft Site | | | Condition | added v2.7
GRANU | Granuloma | | | Condition | added v2.5
GROSH | Catheter, Groshong | | | Device | added v2.5
GSOL | Solution, Gastrostomy | | | Product | added v2.5
GSPEC | Biopsy, Gastric | | | Tissue | added v2.5
GT | Tube, Gastric | | | Device | added v2.5
GTUBE | Drainage Tube, Drainage (Gastrostomy) | | | Condition | added v2.5
HAR | Hair | | | | added v2.8.2
HBITE | Bite, Human | | | Conditions | added v2.5
HBLUD | Blood, Autopsy | | | Blood | added v2.5
HEMAQ | Catheter Tip, Hemaquit | | | Device | added v2.5
HEMO | Catheter Tip, Hemovac | | | Device | added v2.5
HERNI | Tissue, Herniated | | | Tissue | added v2.5
HEV | Drain, Hemovac | | | Device | added v2.5
HIC | Catheter, Hickman | | | Device | added v2.5
HYDC | Fluid, Hydrocele | | | Fluid | added v2.5
IBITE | Bite, Insect | | | Conditions | added v2.5
ICYST | Cyst, Inclusion | | | Condition | added v2.5
IDC | Catheter Tip, Indwelling | | | Device | added v2.5
IHG | Gas, Inhaled | | | | added v2.5
ILEO | Drainage, Ileostomy | | | Condition | added v2.5
ILLEG | Source of Specimen Is Illegible | | | | added v2.5
IMP | Implant | | | Device | added v2.5
INCI | Site, Incision/Surgical | | | Site | added v2.5
INFIL | Infiltrate | | | Condition | added v2.5
INS | Insect | | | Object | added v2.5
INTRD | Catheter Tip, Introducer | | | Device | added v2.5
ISLT | Isolate | | | | added v2.8.2
IT | Intubation tube | | | | added v2.5
IUD | Intrauterine Device | | | Device (Common Usage) | added v2.5

IVCAT | Catheter Tip, IV | | | Device | added v2.5
IVFLD | Fluid, IV | | | Fluid | added v2.5
IVTIP | Tubing Tip, IV | | | Device | added v2.5
JEJU | Drainage, Jejunal | | | Condition | added v2.5
JNTFLD | Fluid, Joint | | | Fluid | added v2.5
JP | Drainage, Jackson Pratt | | | Condition | added v2.5
KELOI | Lavage | | | Product | added v2.5
KIDFLD | Fluid, Kidney | | | Fluid | added v2.5
LAVG | Lavage, Bronhial | | | Product | added v2.5
LAVGG | Lavage, Gastric | | | Product | added v2.5
LAVGP | Lavage, Peritoneal | | | Product | added v2.5
LAVPG | Lavage, Pre-Bronch | | | Product | added v2.5
LENS1 | Contact Lens | | | Device | added v2.5
LENS2 | Contact Lens Case | | | Device | added v2.5
LESN | Lesion | | | Condition | added v2.5
LIQ | Liquid, Unspecified | | | | added v2.5
LIQO | Liquid, Other | | | | added v2.5
LNA | Line arterial | | | Arterial blood collected via arterial line | added v2.8.2
LNV | Line venous | | | Venous blood collected via venous line | added v2.8.2
LSAC | Fluid, Lumbar Sac | | | Fluid | added v2.5
LYM | Lymphocytes | | | | added v2.8.2
MAC | Macrophages | | | | added v2.8.2
MAHUR | Catheter Tip, Makurkour | | | Device | added v2.5
MAR | Marrow | | | Bone marrow | added v2.8.2
MASS | Mass | | | Condition | added v2.5
MBLD | Blood, Menstrual | | | Blood | added v2.5
MEC | Meconium | | | | added v2.8.2
MILK | Breast milk | | | Mother's milk specimen | added v2.8.2
MLK | Milk | | | Food specimen | added v2.8.2
MUCOS | Mucosa | | | Condition | added v2.5
MUCUS | Mucus | | | Condition | added v2.5
NAIL | Nail | | | Finger or toe nail sample | added v2.8.2
NASDR | Drainage, Nasal | | | Condition | added v2.5
NEDL | Needle | | | Device | added v2.5
NEPH | Site, Nephrostomy | | | Site | added v2.5
NGASP | Aspirate, Nasogastric | | | Aspirate | added v2.5
NGAST | Drainage, Nasogastric | | | Condition | added v2.5
NGS | Site, Naso/Gastric | | | Site | added v2.5
NODUL | Nodule(s) | | | Condition | added v2.5
NSECR | Secretion, Nasal | | | Condition | added v2.5
ORH | Other | | | | added v2.5
ORL | Lesion, Oral | | | Condition (Common Usage) | added v2.5
OTH | Source, Other | | | | added v2.5
PACEM | Pacemaker | | | Device | added v2.5
PAFL | Pancreatic fluid | | | | added v2.8.2
PCFL | Fluid, Pericardial | | | | added v2.5
PDSIT | Site, Peritoneal Dialysis | | | Site | added v2.5
PDTS | Site, Peritoneal Dialysis Tunnel | | | Site | added v2.5
PELVA | Abscess, Pelvic | | | Condition | added v2.5
PENIL | Lesion, Penile | | | Condition (Common Usage) | added v2.5
PERIA | Abscess, Perianal | | | Condition, Abscess & Body Part | added v2.5
PILOC | Cyst, Pilonidal | | | Condition | added v2.5
PINS | Site, Pin | | | Site | added v2.5
PIS | Site, Pacemaker Insetion | | | Site | added v2.5
PLAN | Plant Material | | | Object | added v2.5
PLAS | Plasma | | | Blood | added v2.5
PLB | Plasma bag | | | Blood | added v2.5
PLC | Placenta | | | | added v2.8.2
PLEVS | Serum, Peak Level | | | Blood | added v2.5
PLR | Pleural fluid (thoracentesis fluid) | | | | added v2.8.2
PMN | Polymorphonuclear neutrophils | | | | added v2.8.2
PND | Drainage, Penile | | | Condition | added v2.5
POL | Polyps | | | Condition | added v2.5
POPGS | Graft Site, Popliteal | | | Condition | added v2.5
POPLG | Graft, Popliteal | | | Condition | added v2.5
POPLV | Site, Popliteal Vein | | | Site | added v2.5
PORTA | Catheter, Porta | | | Device | added v2.5
PPP | Plasma, Platelet poor | | | Blood | added v2.5
PROST | Prosthetic Device | | | Device | added v2.5
PRP | Plasma, Platelet rich | | | Blood | added v2.5
PSC | Pseudocyst | | | Condition | added v2.5
PUNCT | Wound, Puncture | | | Condition | added v2.5

PUS | Pus | | | | added v2.5.1
PUSFR | Pustule | | | Condition | added v2.5
PUST | Pus | | | Condition | added v2.5
QC3 | Quality Control | | | Environment | added v2.5
RANDU | Urine, Random | | | Condition | added v2.5
RBC | Erythrocytes | | | | added v2.8.2
RBITE | Bite, Reptile | | | Conditions | added v2.5
RECT | Drainage, Rectal | | | Condition | added v2.5
RECTA | Abscess, Rectal | | | Condition | added v2.5
RENALC | Cyst, Renal | | | Condition | added v2.5
RENC | Fluid, Renal Cyst | | | Fluid | added v2.5
RES | Respiratory | | | Condition (Ambiguous) | added v2.5
SAL | Saliva | | | | added v2.5
SCAR | Tissue, Keloid (Scar) | | | Tissue | added v2.5
SCLV | Catheter Tip, Subclavian | | | Device | added v2.5
SCROA | Abscess, Scrotal | | | Condition | added v2.5
SECRE | Secretion(s) | | | Fluid/Secretion | added v2.5
SER | Serum | | | | added v2.5
SHU | Site, Shunt | | | Site | added v2.5
SHUNF | Fluid, Shunt | | | Fluid | added v2.5
SHUNT | Shunt | | | Condition | added v2.5
SITE | Site | | | Site | added v2.5
SKBP | Biopsy, Skin | | | Tissue | added v2.5
SKN | Skin | | | | added v2.5
SMM | Mass, Sub-Mandibular | | | Condition | added v2.5
SMN | Seminal fluid | | | | added v2.8.2
SNV | Fluid, synovial (Joint fluid) | | | | added v2.5
SPRM | Spermatozoa | | | | added v2.5
SPRP | Catheter Tip, Suprapubic | | | Device | added v2.5
SPRPB | Cathether Tip, Suprapubic | | | Device | added v2.5
SPS | Environmental, Spore Strip | | | Environment | added v2.5
SPT | Sputum | | | | added v2.5
SPTC | Sputum - coughed | | | | added v2.5
SPTT | Sputum - tracheal aspirate | | | | added v2.5
SPUT1 | Sputum, Simulated | | | Condition | added v2.5
SPUTIN | Sputum, Inducted | | | Condition | added v2.5
SPUTSP | Sputum, Spontaneous | | | Condition | added v2.5
STER | Environmental, Sterrad | | | Environment | added v2.5
STL | Stool = Fecal | | | | added v2.5
STONE | Stone, Kidney | | | Condition | added v2.5
SUBMA | Abscess, Submandibular | | | Condition | added v2.5
SUBMX | Abscess, Submaxillary | | | Condition | added v2.5
SUMP | Drainage, Sump | | | Condition | added v2.5
SUP | Suprapubic Tap | | | Product | added v2.5
SUTUR | Suture | | | Object | added v2.5
SWGZ | Catheter Tip, Swan Gantz | | | Device | added v2.5
SWT | Sweat | | | | added v2.8.2
TASP | Aspirate, Tracheal | | | Aspirate | added v2.5
TEAR | Tears | | | | added v2.8.2
THRB | Thrombocyte (platelet) | | | | added v2.8.2
TISS | Tissue | | | | added v2.5
TISU | Tissue ulcer | | | | added v2.5
TLC | Cathether Tip, Triple Lumen | | | Device | added v2.5
TRAC | Site, Tracheostomy | | | Site | added v2.5
TRANS | Transudate | | | Condition | added v2.5
TSERU | Serum, Trough | | | Blood | added v2.5
TSTES | Abscess, Testicular | | | Condition | added v2.5
TTRA | Aspirate, Transtracheal | | | Aspirate | added v2.5
TUBES | Tubes | | | Device | added v2.5
TUMOR | Tumor | | | Condition | added v2.5
TZANC | Smear, Tzanck | | | | added v2.5
UDENT | Source, Unidentified | | | | added v2.5
UMED | Unknown Medicine | | | for forensic and possibly chemistry testing | added v2.8.2
UR | Urine | | | | added v2.5
URC | Urine clean catch | | | | added v2.5
URINB | Urine, Bladder Washings | | | Condition | added v2.5
URINC | Urine, Catheterized | | | Condition | added v2.5
URINM | Urine, Midstream | | | Condition | added v2.5
URINN | Urine, Nephrostomy | | | Condition | added v2.5
URINP | Urine, Pedibag | | | Device | added v2.5
URNS | Urine sediment | | | | added v2.8.2
URT | Urine catheter | | | | added v2.5

USCOP | Urine, Cystoscopy | | | Condition | added v2.5
USPEC | Source, Unspecified | | | | added v2.5
USUB | Unkown substance | | | | added v2.8.2
VASTIP | Catheter Tip, Vas | | | Device | added v2.5
VENT | Catheter Tip, Ventricular | | | Device | added v2.5
VITF | Vitreous Fluid | | | | added v2.5
VOM | Vomitus | | | | added v2.5.1
WASH | Wash | | | Product | added v2.5
WASI | Washing, e.g. bronchial washing | | | Product | added v2.5
WAT | Water | | | | added v2.5
WB | Blood, Whole | | | Blood | added v2.5
WBC | Leukocytes | | | | added v2.8.2
WEN | Wen | | | Tissue | added v2.5
WICK | Wick | | | | added v2.5
WND | Wound | | | | added v2.5
WNDA | Wound abscess | | | | added v2.5
WNDD | Wound drainage | | | | added v2.5
WNDE | Wound exudate | | | | added v2.5
WORM | Worm | | | Object | added v2.5
WRT | Wart | | | Tissue | added v2.5
WWA | Environmental, Water | | | Environment | added v2.5
WWO | Environmental, Water (Ocean) | | | | added v2.5
WWT | Environmental, Water (Tap) | | | Environment | added v2.5

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0487 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
... | keine Werte vorgeschlagen | | Deprecated | | added v2.6, removed after v2.6
ABS | Abszeß | | | | added v2.5
ACNE | | | | | added v2.5
ACNFLD | | | | | added v2.5
AIRS | | | | | added v2.5
ALL | | | | | added v2.5
AMN | | | | | added v2.8.2
AMP | | | | | added v2.5
ANGI | | | | | added v2.5
ARTC | | | | | added v2.5
ASERU | | | | | added v2.5
ASP | | | | | added v2.5
ATTE | | | | | added v2.5
AUTOA | | | | | added v2.7
AUTOC | | | | | added v2.5
AUTP | | | | | added v2.5
BBL | | | | | added v2.5
BCYST | | | | | added v2.5
BDY | | | | | added v2.8.2
BIFL | | | | | added v2.8.2
BITE | | | | | added v2.5
BLD | | | | | added v2.8.2
BLDA | | | | | added v2.8.2
BLDCO | | | | | added v2.8.2
BLDV | | | | | added v2.8.2
BLEB | | | | | added v2.5
BLIST | | | | | added v2.5
BOIL | | | | | added v2.5
BON | | | | | added v2.5.1
BONE | | | Deprecated | | added v2.5, removed after v2.5
BOWL | | | | | added v2.5
BPH | | | | | added v2.8.2
BPU | | | | | added v2.5
BRN | | | | | added v2.5
BRSH | | | | | added v2.5
BRTH | | | | | added v2.5
BRUS | | | | | added v2.5
BUB | | | | | added v2.5
BULLA | | | | | added v2.5
BX | | | | | added v2.5

CALC | | | | | added v2.5
CARBU | | | | | added v2.5
CAT | | | | | added v2.5
CBITE | | | | | added v2.5
CDM | | | | | added v2.8.2
CLIPP | | | | | added v2.5
CNJT | | | | | added v2.5
CNL | | | | | added v2.8.2
COL | | | | | added v2.5
CONE | | | | | added v2.5
CSCR | | | | | added v2.5
CSERU | | | | | added v2.5
CSF | | | | | added v2.8.2
CSITE | | | | | added v2.5
CSMY | | | | | added v2.5
CST | | | | | added v2.5
CSVR | | | | | added v2.5
CTP | | | | | added v2.5
CUR | | | | | added v2.8.2
CVM | | | | | added v2.8.2
CVPS | | | | | added v2.5
CVPT | | | | | added v2.5
CYN | | | | | added v2.5
CYST | | | | | added v2.5
DBITE | | | | | added v2.5
DCS | | | | | added v2.5
DEC | | | | | added v2.5
DEION | | | | | added v2.5
DIA | | | | | added v2.5
DIAF | | | | | added v2.8.2
DISCHG | | | | | added v2.5
DIV | | | | | added v2.5
DRN | | | | | added v2.5
DRNG | | | | | added v2.5
DRNGP | | | | | added v2.5
DUFL | | | | | added v2.8.2
EARW | | | | | added v2.5
EBRUSH | | | | | added v2.5
EEYE | | | | | added v2.5
EFF | | | | | added v2.5
EFFUS | | | | | added v2.5
EFOD | | | | | added v2.5
EISO | | | | | added v2.5
ELT | | | | | added v2.5
ENVIR | | | | | added v2.5
EOS | | | | | added v2.8.2
EOTH | | | | | added v2.5
ESOI | | | | | added v2.5
ESOS | | | | | added v2.5
ETA | | | | | added v2.5
ETTP | | | | | added v2.5
ETTUB | | | | | added v2.5
EWHI | | | | | added v2.5
EXG | | | | | added v2.5
EXS | | | | | added v2.5
EXUDTE | | | | | added v2.5
FAW | | | | | added v2.5
FBLOOD | | | | | added v2.5
FGA | | | | | added v2.5
FIB | | | | | added v2.8.2
FIST | | | | | added v2.5
FLD | | | | | added v2.5
FLT | | | | | added v2.5
FLU | | | | | added v2.5
FLUID | | | | | added v2.5
FOLEY | | | | | added v2.5
FRS | | | | | added v2.5
FSCLP | | | | | added v2.5
FUR | | | | | added v2.5
GAS | | | | | added v2.5
GASA | | | | | added v2.5
GASAN | | | | | added v2.5

GASBR | | | | | added v2.5
GASD | | | | | added v2.5
GAST | | | | | added v2.5
GENL | | | | | added v2.8.2
GENV | | | | | added v2.5
GRAFT | | | | | added v2.5
GRAFTS | | | | | added v2.7
GRANU | | | | | added v2.5
GROSH | | | | | added v2.5
GSOL | | | | | added v2.5
GSPEC | | | | | added v2.5
GT | | | | | added v2.5
GTUBE | | | | | added v2.5
HAR | | | | | added v2.8.2
HBITE | | | | | added v2.5
HBLUD | | | | | added v2.5
HEMAQ | | | | | added v2.5
HEMO | | | | | added v2.5
HERNI | | | | | added v2.5
HEV | | | | | added v2.5
HIC | | | | | added v2.5
HYDC | | | | | added v2.5
IBITE | | | | | added v2.5
ICYST | | | | | added v2.5
IDC | | | | | added v2.5
IHG | | | | | added v2.5
ILEO | | | | | added v2.5
ILLEG | | | | | added v2.5
IMP | | | | | added v2.5
INCI | | | | | added v2.5
INFIL | | | | | added v2.5
INS | | | | | added v2.5
INTRD | | | | | added v2.5
ISLT | | | | | added v2.8.2
IT | | | | | added v2.5
IUD | | | | | added v2.5
IVCAT | | | | | added v2.5
IVFLD | | | | | added v2.5
IVTIP | | | | | added v2.5
JEJU | | | | | added v2.5
JNTFLD | | | | | added v2.5
JP | | | | | added v2.5
KELOI | | | | | added v2.5
KIDFLD | | | | | added v2.5
LAVG | | | | | added v2.5
LAVGG | | | | | added v2.5
LAVGP | | | | | added v2.5
LAVPG | | | | | added v2.5
LENS1 | | | | | added v2.5
LENS2 | | | | | added v2.5
LESN | | | | | added v2.5
LIQ | | | | | added v2.5
LIQO | | | | | added v2.5
LNA | | | | | added v2.8.2
LNV | | | | | added v2.8.2
LSAC | | | | | added v2.5
LYM | | | | | added v2.8.2
MAC | | | | | added v2.8.2
MAHUR | | | | | added v2.5
MAR | | | | | added v2.8.2
MASS | | | | | added v2.5
MBLD | | | | | added v2.5
MEC | | | | | added v2.8.2
MILK | | | | | added v2.8.2
MLK | | | | | added v2.8.2
MUCOS | | | | | added v2.5
MUCUS | | | | | added v2.5
NAIL | | | | | added v2.8.2
NASDR | | | | | added v2.5
NEDL | | | | | added v2.5
NEPH | | | | | added v2.5
NGASP | | | | | added v2.5

NGAST | | | | | added v2.5
NGS | | | | | added v2.5
NODUL | | | | | added v2.5
NSECR | | | | | added v2.5
ORH | | | | | added v2.5
ORL | | | | | added v2.5
OTH | | | | | added v2.5
PACEM | | | | | added v2.5
PAFL | | | | | added v2.8.2
PCFL | | | | | added v2.5
PDSIT | | | | | added v2.5
PDTS | | | | | added v2.5
PELVA | | | | | added v2.5
PENIL | | | | | added v2.5
PERIA | | | | | added v2.5
PILOC | | | | | added v2.5
PINS | | | | | added v2.5
PIS | | | | | added v2.5
PLAN | | | | | added v2.5
PLAS | | | | | added v2.5
PLB | | | | | added v2.5
PLC | | | | | added v2.8.2
PLEVS | | | | | added v2.5
PLR | | | | | added v2.8.2
PMN | | | | | added v2.8.2
PND | | | | | added v2.5
POL | | | | | added v2.5
POPGS | | | | | added v2.5
POPLG | | | | | added v2.5
POPLV | | | | | added v2.5
PORTA | | | | | added v2.5
PPP | | | | | added v2.5
PROST | | | | | added v2.5
PRP | | | | | added v2.5
PSC | | | | | added v2.5
PUNCT | | | | | added v2.5
PUS | | | | | added v2.5.1
PUSFR | | | | | added v2.5
PUST | | | | | added v2.5
QC3 | | | | | added v2.5
RANDU | | | | | added v2.5
RBC | | | | | added v2.8.2
RBITE | | | | | added v2.5
RECT | | | | | added v2.5
RECTA | | | | | added v2.5
RENALC | | | | | added v2.5
RENC | | | | | added v2.5
RES | | | | | added v2.5
SAL | | | | | added v2.5
SCAR | | | | | added v2.5
SCLV | | | | | added v2.5
SCROA | | | | | added v2.5
SECRE | | | | | added v2.5
SER | | | | | added v2.5
SHU | | | | | added v2.5
SHUNF | | | | | added v2.5
SHUNT | | | | | added v2.5
SITE | | | | | added v2.5
SKBP | | | | | added v2.5
SKN | | | | | added v2.5
SMM | | | | | added v2.5
SMN | | | | | added v2.8.2
SNV | | | | | added v2.5
SPRM | | | | | added v2.5
SPRP | | | | | added v2.5
SPRPB | | | | | added v2.5
SPS | | | | | added v2.5
SPT | | | | | added v2.5
SPTC | | | | | added v2.5
SPTT | | | | | added v2.5
SPUT1 | | | | | added v2.5
SPUTIN | | | | | added v2.5

SPUTSP | | | | | added v2.5
STER | | | | | added v2.5
STL | | | | | added v2.5
STONE | | | | | added v2.5
SUBMA | | | | | added v2.5
SUBMX | | | | | added v2.5
SUMP | | | | | added v2.5
SUP | | | | | added v2.5
SUTUR | | | | | added v2.5
SWGZ | | | | | added v2.5
SWT | | | | | added v2.8.2
TASP | | | | | added v2.5
TEAR | | | | | added v2.8.2
THRB | | | | | added v2.8.2
TISS | | | | | added v2.5
TISU | | | | | added v2.5
TLC | | | | | added v2.5
TRAC | | | | | added v2.5
TRANS | | | | | added v2.5
TSERU | | | | | added v2.5
TSTES | | | | | added v2.5
TTRA | | | | | added v2.5
TUBES | | | | | added v2.5
TUMOR | | | | | added v2.5
TZANC | | | | | added v2.5
UDENT | | | | | added v2.5
UMED | | | | | added v2.8.2
UR | | | | | added v2.5
URC | | | | | added v2.5
URINB | | | | | added v2.5
URINC | | | | | added v2.5
URINM | | | | | added v2.5
URINN | | | | | added v2.5
URINP | | | | | added v2.5
URNS | | | | | added v2.8.2
URT | | | | | added v2.5
USCOP | | | | | added v2.5
USPEC | | | | | added v2.5
USUB | | | | | added v2.8.2
VASTIP | | | | | added v2.5
VENT | | | | | added v2.5
VITF | | | | | added v2.5
VOM | | | | | added v2.5.1
WASH | | | | | added v2.5
WASI | | | | | added v2.5
WAT | | | | | added v2.5
WB | | | | | added v2.5
WBC | | | | | added v2.8.2
WEN | | | | | added v2.5
WICK | | | | | added v2.5
WND | | | | | added v2.5
WNDA | | | | | added v2.5
WNDD | | | | | added v2.5
WNDE | | | | | added v2.5
WORM | | | | | added v2.5
WRT | | | | | added v2.5
WWA | | | | | added v2.5
WWO | | | | | added v2.5
WWT | | | | | added v2.5

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0487 definieert de volgende codes:

Code | Display | Definition | Verouderd | Commentaar | Versie
... | geen voorgestelde waarden | | Verouderd | | added v2.6, removed after v2.6
ABS | Abces | | | | added v2.5
ACNE | Weefsel, Acné | | | Weefsel | added v2.5
ACNFLD | Vocht, Acné | | | Vocht | added v2.5

AIRS | Luchtmonster | | | Milieu | added v2.5
ALL | Allograft | | | Weefsel | added v2.5
AMN | Amniotisch vocht | | | | added v2.8.2
AMP | Amputatie | | | Weefsel | added v2.5
ANGI | | | | | added v2.5
ARTC | | | | | added v2.5
ASERU | | | | | added v2.5
ASP | Aspiraat | | | | added v2.5
ATTE | | | | | added v2.5
AUTOA | | | | | added v2.7
AUTOC | | | | | added v2.5
AUTP | Autopsie | | | Weefsel | added v2.5
BBL | Bloedzak | | | Bloed | added v2.5
BCYST | | | | | added v2.5
BDY | Heel lichaam | | | Lichaam/karkas ten behoeve van autopsie | added v2.8.2
BIFL | Galvloeistof | | | | added v2.8.2
BITE | | | | | added v2.5
BLD | | | | | added v2.8.2
BLDA | Arterieel bloed | | | | added v2.8.2
BLDCO | | | | | added v2.8.2
BLDV | Veneus bloed | | | | added v2.8.2
BLEB | Blaar | | | Conditie, vocht/weefsel | added v2.5
BLIST | Blaas | | | Conditie, vocht/weefsel | added v2.5
BOIL | | | | | added v2.5
BON | Bot | | | | added v2.5.1
BONE | | | Verouderd | | added v2.5, removed after v2.5
BOWL | Darminhoud | | | Conditie | added v2.5
BPH | | | | | added v2.8.2
BPU | | | | | added v2.5
BRN | Verbranding | | | | added v2.5
BRSH | | | | | added v2.5
BRTH | Adem (gebruik (EXHLD) | | | | added v2.5
BRUS | | | | | added v2.5
BUB | | | | | added v2.5
BULLA | | | | | added v2.5
BX | Biopt | | | Weefsel | added v2.5
CALC | | | | | added v2.5
CARBU | | | | | added v2.5
CAT | Catether | | | Apparaat | added v2.5
CBITE | | | | | added v2.5
CDM | Hartspier | | | | added v2.8.2
CLIPP | | | | | added v2.5
CNJT | | | | | added v2.5
CNL | | | | | added v2.8.2
COL | | | | | added v2.5
CONE | | | | | added v2.5
CSCR | | | | | added v2.5
CSERU | | | | | added v2.5
CSF | | | | | added v2.8.2
CSITE | | | | | added v2.5
CSMY | | | | | added v2.5
CST | | | | | added v2.5
CSVR | | | | | added v2.5
CTP | | | | | added v2.5
CUR | | | | | added v2.8.2
CVM | | | | | added v2.8.2
CVPS | | | | | added v2.5
CVPT | | | | | added v2.5
CYN | | | | | added v2.5
CYST | | | | | added v2.5
DBITE | | | | | added v2.5
DCS | | | | | added v2.5
DEC | | | | | added v2.5
DEION | | | | | added v2.5
DIA | | | | | added v2.5
DIAF | | | | | added v2.8.2
DISCHG | | | | | added v2.5
DIV | | | | | added v2.5
DRN | | | | | added v2.5
DRNG | | | | | added v2.5
DRNGP | | | | | added v2.5
DUFL | | | | | added v2.8.2

EARW | | | | | added v2.5
EBRUSH | | | | | added v2.5
EEYE | | | | | added v2.5
EFF | | | | | added v2.5
EFFUS | | | | | added v2.5
EFOD | | | | | added v2.5
EISO | | | | | added v2.5
ELT | | | | | added v2.5
ENVIR | | | | | added v2.5
EOS | | | | | added v2.8.2
EOTH | | | | | added v2.5
ESOI | | | | | added v2.5
ESOS | | | | | added v2.5
ETA | | | | | added v2.5
ETTP | | | | | added v2.5
ETTUB | | | | | added v2.5
EWHI | | | | | added v2.5
EXG | | | | | added v2.5
EXS | | | | | added v2.5
EXUDTE | | | | | added v2.5
FAW | | | | | added v2.5
FBLOOD | Bloed, feutaal | | | Bloed | added v2.5
FGA | | | | | added v2.5
FIB | | | | | added v2.8.2
FIST | Fistel | | | | added v2.5
FLD | Vocht, anders | | | Vocht | added v2.5
FLT | Filter | | | | added v2.5
FLU | Vocht, lichaam niet-gesp. | | | | added v2.5
FLUID | Vocht | | | Vocht | added v2.5
FOLEY | | | | | added v2.5
FRS | | | | | added v2.5
FSCLP | | | | | added v2.5
FUR | | | | | added v2.5
GAS | | | | | added v2.5
GASA | | | | | added v2.5
GASAN | | | | | added v2.5
GASBR | | | | | added v2.5
GASD | | | | | added v2.5
GAST | | | | | added v2.5
GENL | | | | | added v2.8.2
GENV | Genitaal vaginaal | | | | added v2.5
GRAFT | | | | | added v2.5
GRAFTS | | | | | added v2.7
GRANU | Granuloom | | | Conditie | added v2.5
GROSH | | | | | added v2.5
GSOL | | | | | added v2.5
GSPEC | Biopt, maag | | | Weefsel | added v2.5
GT | | | | | added v2.5
GTUBE | | | | | added v2.5
HAR | Haar | | | | added v2.8.2
HBITE | Beet, menselijk | | | Conditie | added v2.5
HBLUD | Bloed, autopsie | | | Bloed | added v2.5
HEMAQ | | | | | added v2.5
HEMO | | | | | added v2.5
HERNI | | | | | added v2.5
HEV | | | | | added v2.5
HIC | | | | | added v2.5
HYDC | | | | | added v2.5
IBITE | | | | | added v2.5
ICYST | | | | | added v2.5
IDC | | | | | added v2.5
IHG | | | | | added v2.5
ILEO | | | | | added v2.5
ILLEG | | | | | added v2.5
IMP | Implantaat | | | Apparaat | added v2.5
INCI | | | | | added v2.5
INFIL | | | | | added v2.5
INS | Insect | | | Object | added v2.5
INTRD | | | | | added v2.5
ISLT | Isolaat | | | | added v2.8.2
IT | Intubatieslang | | | | added v2.5
IUD | | | | | added v2.5

IVCAT | | | | | added v2.5
IVFLD | | | | | added v2.5
IVTIP | | | | | added v2.5
JEJU | | | | | added v2.5
JNTFLD | Vocht, gewricht | | | Vocht | added v2.5
JP | | | | | added v2.5
KELOI | | | | | added v2.5
KIDFLD | Vocht, nier | | | Vocht | added v2.5
LAVG | | | | | added v2.5
LAVGG | | | | | added v2.5
LAVGP | | | | | added v2.5
LAVPG | | | | | added v2.5
LENS1 | | | | | added v2.5
LENS2 | | | | | added v2.5
LESN | | | | | added v2.5
LIQ | Vocht, niet gespecificeerd | | | | added v2.5
LIQO | Vocht, anders | | | | added v2.5
LNA | | | | | added v2.8.2
LNV | | | | | added v2.8.2
LSAC | | | | | added v2.5
LYM | Lymfocyten | | | | added v2.8.2
MAC | | | | | added v2.8.2
MAHUR | | | | | added v2.5
MAR | Merg | | | Beenmerg | added v2.8.2
MASS | | | | | added v2.5
MBLD | Menstruatiebloed | | | Bloed | added v2.5
MEC | Meconium | | | | added v2.8.2
MILK | Borstmelk | | | Moedermelkmonster | added v2.8.2
MLK | Melk | | | Voedselmonster | added v2.8.2
MUCOS | | | | | added v2.5
MUCUS | Slijm | | | Conditie | added v2.5
NAIL | Nagel | | | Vinger- of teennagel | added v2.8.2
NASDR | | | | | added v2.5
NEDL | Naald | | | Apparaat | added v2.5
NEPH | | | | | added v2.5
NGASP | | | | | added v2.5
NGAST | | | | | added v2.5
NGS | | | | | added v2.5
NODUL | | | | | added v2.5
NSECR | Secretie, nasaal | | | Conditie | added v2.5
ORH | Anders | | | | added v2.5
ORL | | | | | added v2.5
OTH | Bron, anders | | | | added v2.5
PACEM | | | | | added v2.5
PAFL | | | | | added v2.8.2
PCFL | | | | | added v2.5
PDSIT | | | | | added v2.5
PDTS | | | | | added v2.5
PELVA | | | | | added v2.5
PENIL | | | | | added v2.5
PERIA | | | | | added v2.5
PILOC | | | | | added v2.5
PINS | | | | | added v2.5
PIS | | | | | added v2.5
PLAN | Plantaardig materiaal | | | Object | added v2.5
PLAS | Plasma | | | Bloed | added v2.5
PLB | Plasmazak | | | Bloed | added v2.5
PLC | Placenta | | | | added v2.8.2
PLEVS | | | | | added v2.5
PLR | | | | | added v2.8.2
PMN | | | | | added v2.8.2
PND | | | | | added v2.5
POL | | | | | added v2.5
POPGS | | | | | added v2.5
POPLG | | | | | added v2.5
POPLV | | | | | added v2.5
PORTA | | | | | added v2.5
PPP | | | | | added v2.5
PROST | | | | | added v2.5
PRP | | | | | added v2.5
PSC | | | | | added v2.5
PUNCT | | | | | added v2.5

PUS | Pus | | | | added v2.5.1
PUSFR | | | | | added v2.5
PUST | | | | | added v2.5
QC3 | | | | | added v2.5
RANDU | | | | | added v2.5
RBC | | | | | added v2.8.2
RBITE | | | | | added v2.5
RECT | | | | | added v2.5
RECTA | | | | | added v2.5
RENALC | | | | | added v2.5
RENC | | | | | added v2.5
RES | | | | | added v2.5
SAL | Speeksel | | | | added v2.5
SCAR | | | | | added v2.5
SCLV | | | | | added v2.5
SCROA | Abces, scrotaal | | | Conditie | added v2.5
SECRE | Secretie(s) | | | Vocht/secretie | added v2.5
SER | Serum | | | | added v2.5
SHU | | | | | added v2.5
SHUNF | | | | | added v2.5
SHUNT | | | | | added v2.5
SITE | | | | | added v2.5
SKBP | Biopt, huid | | | Weefsel | added v2.5
SKN | Huid | | | | added v2.5
SMM | | | | | added v2.5
SMN | Seminaal vocht | | | | added v2.8.2
SNV | | | | | added v2.5
SPRM | Spermatozoïden | | | | added v2.5
SPRP | | | | | added v2.5
SPRPB | | | | | added v2.5
SPS | | | | | added v2.5
SPT | Sputum | | | | added v2.5
SPTC | Sputum, opgehoest | | | | added v2.5
SPTT | | | | | added v2.5
SPUT1 | | | | | added v2.5
SPUTIN | | | | | added v2.5
SPUTSP | | | | | added v2.5
STER | | | | | added v2.5
STL | | | | | added v2.5
STONE | | | | | added v2.5
SUBMA | | | | | added v2.5
SUBMX | | | | | added v2.5
SUMP | | | | | added v2.5
SUP | | | | | added v2.5
SUTUR | | | | | added v2.5
SWGZ | | | | | added v2.5
SWT | Zweet | | | | added v2.8.2
TASP | | | | | added v2.5
TEAR | Traanvocht | | | | added v2.8.2
THRB | | | | | added v2.8.2
TISS | Weefsel | | | | added v2.5
TISU | | | | | added v2.5
TLC | | | | | added v2.5
TRAC | | | | | added v2.5
TRANS | | | | | added v2.5
TSERU | | | | | added v2.5
TSTES | | | | | added v2.5
TTRA | | | | | added v2.5
TUBES | | | | | added v2.5
TUMOR | Tumor | | | Conditie | added v2.5
TZANC | | | | | added v2.5
UDENT | | | | | added v2.5
UMED | | | | | added v2.8.2
UR | Urine | | | | added v2.5
URC | | | | | added v2.5
URINB | | | | | added v2.5
URINC | | | | | added v2.5
URINM | Urine, midstream | | | Conditie | added v2.5
URINN | | | | | added v2.5
URINP | | | | | added v2.5
URNS | Urine, sediment | | | | added v2.8.2
URT | | | | | added v2.5

USCOP | | | | | added v2.5
USPEC | Bron, ongedefinieerd | | | | added v2.5
USUB | Onbekende substantie | | | | added v2.8.2
VASTIP | | | | | added v2.5
VENT | | | | | added v2.5
VITF | | | | | added v2.5
VOM | Braaksel | | | | added v2.5.1
WASH | | | | | added v2.5
WASI | | | | | added v2.5
WAT | Water | | | | added v2.5
WB | | | | | added v2.5
WBC | Leukocyten | | | | added v2.8.2
WEN | | | | | added v2.5
WICK | Lont | | | | added v2.5
WND | Wond | | | | added v2.5
WNDA | Wond abces | | | | added v2.5
WNDD | | | | | added v2.5
WNDE | | | | | added v2.5
WORM | Worm | | | Object | added v2.5
WRT | Wrat | | | Weefsel | added v2.5
WWA | Milieu, water | | | Milieu | added v2.5
WWO | Milieu, water (oceaan) | | | | added v2.5
WWT | Milieu, water (kraan) | | | Milieu | added v2.5

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.487.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 313 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0487 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0487

Code | Display | Definition
ABS | Abscess
ACNE | Tissue, Acne
ACNFLD | Fluid, Acne
AIRS | Air Sample
ALL | Allograft
AMN | Amniotic fluid
AMP | Amputation
ANGI | Catheter Tip, Angio
ARTC | Catheter Tip, Arterial
ASERU | Serum, Acute
ASP | Aspirate
ATTE | Environment, Attest
AUTOA | Environmental, Autoclave Ampule
AUTOC | Environmental, Autoclave Capsule
AUTP | Autopsy
BBL | Blood bag
BCYST | Cyst, Baker's
BDY | Whole body
BIFL | Bile Fluid
BITE | Bite
BLD | Whole blood
BLDA | Blood arterial
BLDCO | Cord blood
BLDV | Blood venous
BLEB | Bleb
BLIST | Blister
BOIL | Boil
BON | Bone
BOWL | Bowel contents
BPH | Basophils
BPU | Blood product unit
BRN | Burn
BRSH | Brush
BRTH | Breath (use EXHLD)
BRUS | Brushing
BUB | Bubo
BULLA | Bulla/Bullae
BX | Biopsy

CALC | Calculus (=Stone)
CARBU | Carbuncle
CAT | Catheter
CBITE | Bite, Cat
CDM | Cardiac muscle
CLIPP | Clippings
CNJT | Conjunctiva
CNL | Cannula
COL | Colostrum
CONE | Biospy, Cone
CSCR | Scratch, Cat
CSERU | Serum, Convalescent
CSF | Cerebral spinal fluid
CSITE | Catheter Insertion Site
CSMY | Fluid, Cystostomy Tube
CST | Fluid, Cyst
CSVR | Blood, Cell Saver
CTP | Catheter tip
CUR | Curretage
CVM | Cervical Mucus
CVPS | Site, CVP
CVPT | Catheter Tip, CVP
CYN | Nodule, Cystic
CYST | Cyst
DBITE | Bite, Dog
DCS | Sputum, Deep Cough
DEC | Ulcer, Decubitus
DEION | Environmental, Water (Deionized)
DIA | Dialysate
DIAF | Dialysis Fluid
DISCHG | Discharge
DIV | Diverticulum
DRN | Drain
DRNG | Drainage, Tube
DRNGP | Drainage, Penrose
DUFL | Duodenal fluid
EARW | Ear wax (cerumen)
EBRUSH | Brush, Esophageal
EEYE | Environmental, Eye Wash
EFF | Environmental, Effluent
EFFUS | Effusion
EFOD | Environmental, Food
EISO | Environmental, Isolette
ELT | Electrode
ENVIR | Environmental, Unidentified Substance
EOS | Eosinophils
EOTH | Environmental, Other Substance
ESOI | Environmental, Soil
ESOS | Environmental, Solution (Sterile)
ETA | Aspirate, Endotrach
ETTP | Catheter Tip, Endotracheal
ETTUB | Tube, Endotracheal
EWHI | Environmental, Whirlpool
EXG | Gas, exhaled (=breath)
EXS | Shunt, External
EXUDTE | Exudate
FAW | Environmental, Water (Well)
FBLOOD | Blood, Fetal
FGA | Fluid, Abdomen
FIB | Fibroblasts
FIST | Fistula
FLD | Fluid, Other
FLT | Filter
FLU | Fluid, Body unsp
FLUID | Fluid
FOLEY | Catheter Tip, Foley
FRS | Fluid, Respiratory
FSCLP | Scalp, Fetal
FUR | Furuncle
GAS | Gas
GASA | Aspirate, Gastric
GASAN | Antrum, Gastric

GASBR | Brushing, Gastric
GASD | Drainage, Gastric
GAST | Fluid/contents, Gastric
GENL | Genital lochia
GENV | Genital vaginal
GRAFT | Graft
GRAFTS | Graft Site
GRANU | Granuloma
GROSH | Catheter, Groshong
GSOL | Solution, Gastrostomy
GSPEC | Biopsy, Gastric
GT | Tube, Gastric
GTUBE | Drainage Tube, Drainage (Gastrostomy)
HAR | Hair
HBITE | Bite, Human
HBLUD | Blood, Autopsy
HEMAQ | Catheter Tip, Hemaquit
HEMO | Catheter Tip, Hemovac
HERNI | Tissue, Herniated
HEV | Drain, Hemovac
HIC | Catheter, Hickman
HYDC | Fluid, Hydrocele
IBITE | Bite, Insect
ICYST | Cyst, Inclusion
IDC | Catheter Tip, Indwelling
IHG | Gas, Inhaled
ILEO | Drainage, Ileostomy
ILLEG | Source of Specimen Is Illegible
IMP | Implant
INCI | Site, Incision/Surgical
INFIL | Infiltrate
INS | Insect
INTRD | Catheter Tip, Introducer
ISLT | Isolate
IT | Intubation tube
IUD | Intrauterine Device
IVCAT | Catheter Tip, IV
IVFLD | Fluid, IV
IVTIP | Tubing Tip, IV
JEJU | Drainage, Jejunal
JNTFLD | Fluid, Joint
JP | Drainage, Jackson Pratt
KELOI | Lavage
KIDFLD | Fluid, Kidney
LAVG | Lavage, Bronhial
LAVGG | Lavage, Gastric
LAVGP | Lavage, Peritoneal
LAVPG | Lavage, Pre-Bronch
LENS1 | Contact Lens
LENS2 | Contact Lens Case
LESN | Lesion
LIQ | Liquid, Unspecified
LIQO | Liquid, Other
LNA | Line arterial
LNV | Line venous
LSAC | Fluid, Lumbar Sac
LYM | Lymphocytes
MAC | Macrophages
MAHUR | Catheter Tip, Makurkour
MAR | Marrow
MASS | Mass
MBLD | Blood, Menstrual
MEC | Meconium
MILK | Breast milk
MLK | Milk
MUCOS | Mucosa
MUCUS | Mucus
NAIL | Nail
NASDR | Drainage, Nasal
NEDL | Needle
NEPH | Site, Nephrostomy
NGASP | Aspirate, Nasogastric

NGAST | Drainage, Nasogastric
NGS | Site, Naso/Gastric
NODUL | Nodule(s)
NSECR | Secretion, Nasal
ORH | Other
ORL | Lesion, Oral
OTH | Source, Other
PACEM | Pacemaker
PAFL | Pancreatic fluid
PCFL | Fluid, Pericardial
PDSIT | Site, Peritoneal Dialysis
PDTS | Site, Peritoneal Dialysis Tunnel
PELVA | Abscess, Pelvic
PENIL | Lesion, Penile
PERIA | Abscess, Perianal
PILOC | Cyst, Pilonidal
PINS | Site, Pin
PIS | Site, Pacemaker Insetion
PLAN | Plant Material
PLAS | Plasma
PLB | Plasma bag
PLC | Placenta
PLEVS | Serum, Peak Level
PLR | Pleural fluid (thoracentesis fluid)
PMN | Polymorphonuclear neutrophils
PND | Drainage, Penile
POL | Polyps
POPGS | Graft Site, Popliteal
POPLG | Graft, Popliteal
POPLV | Site, Popliteal Vein
PORTA | Catheter, Porta
PPP | Plasma, Platelet poor
PROST | Prosthetic Device
PRP | Plasma, Platelet rich
PSC | Pseudocyst
PUNCT | Wound, Puncture
PUS | Pus
PUSFR | Pustule
PUST | Pus
QC3 | Quality Control
RANDU | Urine, Random
RBC | Erythrocytes
RBITE | Bite, Reptile
RECT | Drainage, Rectal
RECTA | Abscess, Rectal
RENALC | Cyst, Renal
RENC | Fluid, Renal Cyst
RES | Respiratory
SAL | Saliva
SCAR | Tissue, Keloid (Scar)
SCLV | Catheter Tip, Subclavian
SCROA | Abscess, Scrotal
SECRE | Secretion(s)
SER | Serum
SHU | Site, Shunt
SHUNF | Fluid, Shunt
SHUNT | Shunt
SITE | Site
SKBP | Biopsy, Skin
SKN | Skin
SMM | Mass, Sub-Mandibular
SMN | Seminal fluid
SNV | Fluid, synovial (Joint fluid)
SPRM | Spermatozoa
SPRP | Catheter Tip, Suprapubic
SPRPB | Cathether Tip, Suprapubic
SPS | Environmental, Spore Strip
SPT | Sputum
SPTC | Sputum - coughed
SPTT | Sputum - tracheal aspirate
SPUT1 | Sputum, Simulated
SPUTIN | Sputum, Inducted

SPUTSP | Sputum, Spontaneous
STER | Environmental, Sterrad
STL | Stool = Fecal
STONE | Stone, Kidney
SUBMA | Abscess, Submandibular
SUBMX | Abscess, Submaxillary
SUMP | Drainage, Sump
SUP | Suprapubic Tap
SUTUR | Suture
SWGZ | Catheter Tip, Swan Gantz
SWT | Sweat
TASP | Aspirate, Tracheal
TEAR | Tears
THRB | Thrombocyte (platelet)
TISS | Tissue
TISU | Tissue ulcer
TLC | Cathether Tip, Triple Lumen
TRAC | Site, Tracheostomy
TRANS | Transudate
TSERU | Serum, Trough
TSTES | Abscess, Testicular
TTRA | Aspirate, Transtracheal
TUBES | Tubes
TUMOR | Tumor
TZANC | Smear, Tzanck
UDENT | Source, Unidentified
UMED | Unknown Medicine
UR | Urine
URC | Urine clean catch
URINB | Urine, Bladder Washings
URINC | Urine, Catheterized
URINM | Urine, Midstream
URINN | Urine, Nephrostomy
URINP | Urine, Pedibag
URNS | Urine sediment
URT | Urine catheter
USCOP | Urine, Cystoscopy
USPEC | Source, Unspecified
USUB | Unkown substance
VASTIP | Catheter Tip, Vas
VENT | Catheter Tip, Ventricular
VITF | Vitreous Fluid
VOM | Vomitus
WASH | Wash
WASI | Washing, e.g. bronchial washing
WAT | Water
WB | Blood, Whole
WBC | Leukocytes
WEN | Wen
WICK | Wick
WND | Wound
WNDA | Wound abscess
WNDD | Wound drainage
WNDE | Wound exudate
WORM | Worm
WRT | Wart
WWA | Environmental, Water
WWO | Environmental, Water (Ocean)
WWT | Environmental, Water (Tap)

Additional Language Displays

Code | Deutsch (German, de) | Nederlands (Dutch, nl)
ABS | Abszeß | Abces
ACNE | | Weefsel, Acné
ACNFLD | | Vocht, Acné
AIRS | | Luchtmonster
ALL | | Allograft
AMN | | Amniotisch vocht
AMP | | Amputatie
ANGI
ARTC
ASERU

ASP | | Aspiraat
ATTE
AUTOA
AUTOC
AUTP | | Autopsie
BBL | | Bloedzak
BCYST
BDY | | Heel lichaam
BIFL | | Galvloeistof
BITE
BLD
BLDA | | Arterieel bloed
BLDCO
BLDV | | Veneus bloed
BLEB | | Blaar
BLIST | | Blaas
BOIL
BON | | Bot
BOWL | | Darminhoud
BPH
BPU
BRN | | Verbranding
BRSH
BRTH | | Adem (gebruik (EXHLD)
BRUS
BUB
BULLA
BX | | Biopt
CALC
CARBU
CAT | | Catether
CBITE
CDM | | Hartspier
CLIPP
CNJT
CNL
COL
CONE
CSCR
CSERU
CSF
CSITE
CSMY
CST
CSVR
CTP
CUR
CVM
CVPS
CVPT
CYN
CYST
DBITE
DCS
DEC
DEION
DIA
DIAF
DISCHG
DIV
DRN
DRNG
DRNGP
DUFL
EARW
EBRUSH
EEYE
EFF
EFFUS
EFOD
EISO
ELT

ENVIR
EOS
EOTH
ESOI
ESOS
ETA
ETTP
ETTUB
EWHI
EXG
EXS
EXUDTE
FAW
FBLOOD | | Bloed, feutaal
FGA
FIB
FIST | | Fistel
FLD | | Vocht, anders
FLT | | Filter
FLU | | Vocht, lichaam niet-gesp.
FLUID | | Vocht
FOLEY
FRS
FSCLP
FUR
GAS
GASA
GASAN
GASBR
GASD
GAST
GENL
GENV | | Genitaal vaginaal
GRAFT
GRAFTS
GRANU | | Granuloom
GROSH
GSOL
GSPEC | | Biopt, maag
GT
GTUBE
HAR | | Haar
HBITE | | Beet, menselijk
HBLUD | | Bloed, autopsie
HEMAQ
HEMO
HERNI
HEV
HIC
HYDC
IBITE
ICYST
IDC
IHG
ILEO
ILLEG
IMP | | Implantaat
INCI
INFIL
INS | | Insect
INTRD
ISLT | | Isolaat
IT | | Intubatieslang
IUD
IVCAT
IVFLD
IVTIP
JEJU
JNTFLD | | Vocht, gewricht
JP
KELOI
KIDFLD | | Vocht, nier

LAVG
LAVGG
LAVGP
LAVPG
LENS1
LENS2
LESN
LIQ | | Vocht, niet gespecificeerd
LIQO | | Vocht, anders
LNA
LNV
LSAC
LYM | | Lymfocyten
MAC
MAHUR
MAR | | Merg
MASS
MBLD | | Menstruatiebloed
MEC | | Meconium
MILK | | Borstmelk
MLK | | Melk
MUCOS
MUCUS | | Slijm
NAIL | | Nagel
NASDR
NEDL | | Naald
NEPH
NGASP
NGAST
NGS
NODUL
NSECR | | Secretie, nasaal
ORH | | Anders
ORL
OTH | | Bron, anders
PACEM
PAFL
PCFL
PDSIT
PDTS
PELVA
PENIL
PERIA
PILOC
PINS
PIS
PLAN | | Plantaardig materiaal
PLAS | | Plasma
PLB | | Plasmazak
PLC | | Placenta
PLEVS
PLR
PMN
PND
POL
POPGS
POPLG
POPLV
PORTA
PPP
PROST
PRP
PSC
PUNCT
PUS | | Pus
PUSFR
PUST
QC3
RANDU
RBC
RBITE
RECT

RECTA
RENALC
RENC
RES
SAL | | Speeksel
SCAR
SCLV
SCROA | | Abces, scrotaal
SECRE | | Secretie(s)
SER | | Serum
SHU
SHUNF
SHUNT
SITE
SKBP | | Biopt, huid
SKN | | Huid
SMM
SMN | | Seminaal vocht
SNV
SPRM | | Spermatozoïden
SPRP
SPRPB
SPS
SPT | | Sputum
SPTC | | Sputum, opgehoest
SPTT
SPUT1
SPUTIN
SPUTSP
STER
STL
STONE
SUBMA
SUBMX
SUMP
SUP
SUTUR
SWGZ
SWT | | Zweet
TASP
TEAR | | Traanvocht
THRB
TISS | | Weefsel
TISU
TLC
TRAC
TRANS
TSERU
TSTES
TTRA
TUBES
TUMOR | | Tumor
TZANC
UDENT
UMED
UR | | Urine
URC
URINB
URINC
URINM | | Urine, midstream
URINN
URINP
URNS | | Urine, sediment
URT
USCOP
USPEC | | Bron, ongedefinieerd
USUB | | Onbekende substantie
VASTIP
VENT
VITF
VOM | | Braaksel
WASH

WASI
WAT | | Water
WB
WBC | | Leukocyten
WEN
WICK | | Lont
WND | | Wond
WNDA | | Wond abces
WNDD
WNDE
WORM | | Worm
WRT | | Wrat
WWA | | Milieu, water
WWO | | Milieu, water (oceaan)
WWT | | Milieu, water (kraan)

4.3.15.488 HL7 Version 2 Table 0488

URL: https://hl7.org/fhir/R4/v2/0488/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0488
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0488
Version: | 2.9
Name: | v2.0488
Title: | v2 Specimen Collection Method
Definition: | FHIR Value set/code system definition for HL7 v2 table 0488 (Specimen Collection Method)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.488.1 Code System Content

Specimen Collection Method

Code | Description | Comment | Version
ANP | Plates, Anaerobic | | added v2.5
BAP | Plates, Blood Agar | | added v2.5
BCAE | Blood Culture, Aerobic Bottle | | added v2.5
BCAN | Blood Culture, Anaerobic Bottle | | added v2.5
BCPD | Blood Culture, Pediatric Bottle | | added v2.5
BIO | Biopsy | | added v2.5
CAP | Capillary Specimen | | added v2.5
CATH | Catheterized | | added v2.5
CVP | Line, CVP | | added v2.5
EPLA | Environmental, Plate | | added v2.5
ESWA | Environmental, Swab | | added v2.5
FNA | Aspiration, Fine Needle | | added v2.5
KOFFP | Plate, Cough | | added v2.5
LNA | Line, Arterial | | added v2.5
LNV | Line, Venous | | added v2.5
MARTL | Martin-Lewis Agar | | added v2.5
ML11 | Mod. Martin-Lewis Agar | | added v2.5
MLP | Plate, Martin-Lewis | | added v2.5
NYP | Plate, New York City | | added v2.5
PACE | Pace, Gen-Probe | | added v2.5
PIN | Pinworm Prep | | added v2.5
PNA | Arterial puncture | | added v2.5
PRIME | Pump Prime | | added v2.5
PUMP | Pump Specimen | | added v2.5
QC5 | Quality Control For Micro | | added v2.5
SCLP | Scalp, Fetal Vein | | added v2.5
SCRAPS | Scrapings | | added v2.5
SHA | Shaving | | added v2.5
SWA | Swab | | added v2.5
SWD | Swab, Dacron tipped | | added v2.5
TMAN | Transport Media, Anaerobic | | added v2.5

TMCH | Transport Media, Chalamydia | | added v2.5
TMM4 | Transport Media, M4 | | added v2.5
TMMY | Transport Media, Mycoplasma | | added v2.5
TMOT | Transport Media, | | added v2.5
TMP | Plate, Thayer-Martin | | added v2.5
TMPV | Transport Media, PVA | | added v2.5
TMSC | Transport Media, Stool Culture | | added v2.5
TMUP | Transport Media, Ureaplasma | | added v2.5
TMVI | Transport Media, Viral | | added v2.5
VENIP | Venipuncture | | added v2.5
WOOD | Swab, Wooden Shaft | | added v2.5

4.3.15.489 HL7 Version 2 Table 0489

URL: https://hl7.org/fhir/R4/v2/0489/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0489
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0489
Version: | 2.9
Name: | v2.0489
Title: | v2 Risk Codes
Definition: | FHIR Value set/code system definition for HL7 v2 table 0489 (Risk Codes)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.489.1 Code System Content

Risk Codes

Code | Description | Comment | Version
AGG | Aggressive | A danger that can be associated with certain living subjects, including humans. | added v2.5
BHZ | Biohazard | Material contains microorganisms that are an environmental hazard. Must be handled with special care. | added v2.5
BIO | Biological | The dangers associated with normal biological materials. I.e. potential risk of unknown infections. Routine biological materials from living subjects. | added v2.5
COR | Corrosive | Material is corrosive and may cause severe injury to skin, mucous membranes and eyes. Avoid any unprotected contact. | added v2.5
ESC | Escape Risk | The entity is at risk for escaping from containment or control. | added v2.5
EXP | Explosive | Material is an explosive mixture. Keep away from fire, sparks, and heat. | added v2.5
IFL | MaterialDangerInflammable | Material is highly inflammable and in certain mixtures (with air) may lead to explosions. Keep away from fire, sparks and excessive heat. | added v2.5
INF | MaterialDangerInfectious | Material known to be infectious with human pathogenic microorganisms. Those who handle this material must take precautions for their protection. | added v2.5
INJ | Injury Hazard | Material is solid and sharp (e.g., cannulas.) Dispose in hard container. | added v2.5
POI | Poison | Material is poisonous to humans and/or animals. Special care must be taken to avoid incorporation, even of small amounts. | added v2.5
RAD | Radioactive | Material is a source for ionizing radiation and must be handled with special care to avoid injury of those who handle it and to avoid environmental hazards. | added v2.5

4.3.15.490 HL7 Version 2 Table 0490

URL: https://hl7.org/fhir/R4/v2/0490/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0490
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0490
Version: | 2.9
Name: | v2.0490
Title: | v2 Specimen Reject Reason
Definition: | FHIR Value set/code system definition for HL7 v2 table 0490 (Specimen Reject Reason)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.490.1 Code System Content

Specimen Reject Reason

Code | Description | Comment | Version
EX | Expired | | added v2.5
QS | Quantity not sufficient | | added v2.5
RA | Missing patient ID number | | added v2.5
RB | Broken container | | added v2.5
RC | Clotting | | added v2.5
RD | Missing collection date | | added v2.5
RE | Missing patient name | | added v2.5
RH | Hemolysis | | added v2.5
RI | Identification problem | | added v2.5
RM | Labeling | | added v2.5
RN | Contamination | | added v2.5
RP | Missing phlebotomist ID | | added v2.5
RR | Improper storage | | added v2.5
RS | Name misspelling | | added v2.5

4.3.15.491 HL7 Version 2 Table 0491

URL: https://hl7.org/fhir/R4/v2/0491/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0491
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0491
Version: | 2.9
Name: | v2.0491
Title: | v2 Specimen Quality
Definition: | FHIR Value set/code system definition for HL7 v2 table 0491 (Specimen Quality)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.491.1 Code System Content

Specimen Quality

Code | Description | Comment | Version
E | Excellent | | added v2.5
F | Fair | | added v2.5
G | Good | | added v2.5
P | Poor | | added v2.5

4.3.15.492 HL7 Version 2 Table 0492

URL: https://hl7.org/fhir/R4/v2/0492/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0492
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0492
Version: | 2.9
Name: | v2.0492
Title: | v2 Specimen Appropriateness
Definition: | FHIR Value set/code system definition for HL7 v2 table 0492 (Specimen Appropriateness)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.492.1 Code System Content

Specimen Appropriateness

Code | Description | Comment | Version
?? | Inappropriate due to ... | deprecated | added v2.5, removed after v2.7.1
A | Appropriate | | added v2.5
I | Inappropriate | | added v2.5
P | Preferred | | added v2.5

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.492.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0492 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0492

Code | Display | Definition
A | Appropriate
I | Inappropriate
P | Preferred

4.3.15.493 HL7 Version 2 Table 0493

URL: https://hl7.org/fhir/R4/v2/0493/index.html
Vocabulary Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0493
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0493
Version: | 2.9
Name: | v2.0493
Title: | v2 Specimen Condition
Definition: | FHIR Value set/code system definition for HL7 v2 table 0493 (Specimen Condition)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is used in the following places:

• Resource: Specimen.condition (CodeableConcept / Extensible)

4.3.15.493.1 Code System Content

Specimen Condition

Code | Description | Comment | Version
AUT | Autolyzed | | added v2.5
CFU | Centrifuged | | added v2.8
CLOT | Clotted | | added v2.5
CON | Contaminated | | added v2.5
COOL | Cool | | added v2.5
FROZ | Frozen | | added v2.5
HEM | Hemolyzed | | added v2.5
LIVE | Live | | added v2.5
ROOM | Room temperature | | added v2.5
SNR | Sample not received | Deprecated in v 2.8 | added v2.5

4.3.15.494 HL7 Version 2 Table 0494

URL: https://hl7.org/fhir/R4/v2/0494/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0494
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0494
Version: | 2.9
Name: | v2.0494
Title: | v2 Specimen Child Role
Definition: | FHIR Value set/code system definition for HL7 v2 table 0494 (Specimen Child Role)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.494.1 Code System Content

Specimen Child Role

Code | Description | Comment | Version
A | Aliquot | | added v2.5
C | Component | | added v2.5
M | Modified from original specimen | | added v2.5

4.3.15.495 HL7 Version 2 Table 0495

URL: https://hl7.org/fhir/R4/v2/0495/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0495
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0495
Version: | 2.9
Name: | v2.0495
Title: | v2 Body Site Modifier
Definition: | FHIR Value set/code system definition for HL7 v2 table 0495 (Body Site Modifier)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.495.1 Code System Content

- All Languages
- English
- Deutsch (German)

This code system http://terminology.hl7.org/CodeSystem/v2-0495 defines the following codes:

Code | Display | Definition | Version
ANT | Anterior | | added v2.5
BIL | Bilateral | | added v2.5
DIS | Distal | | added v2.5
EXT | External | | added v2.5
L | en: Left de: links | | added v2.5
LAT | Lateral | | added v2.5
LLQ | Quadrant, Left Lower | | added v2.5
LOW | Lower | | added v2.5
LUQ | Quadrant, Left Upper | | added v2.5
MED | Medial | | added v2.5
POS | Posterior | | added v2.5
PRO | Proximal | | added v2.5
R | Right | | added v2.5
RLQ | Quadrant, Right Lower | | added v2.5
RUQ | Quadrant, Right Upper | | added v2.5
UPP | Upper | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0495 defines the following codes:

Code | Display | Definition | Version
ANT | Anterior | | added v2.5

BIL | Bilateral | | added v2.5
DIS | Distal | | added v2.5
EXT | External | | added v2.5
L | Left | | added v2.5
LAT | Lateral | | added v2.5
LLQ | Quadrant, Left Lower | | added v2.5
LOW | Lower | | added v2.5
LUQ | Quadrant, Left Upper | | added v2.5
MED | Medial | | added v2.5
POS | Posterior | | added v2.5
PRO | Proximal | | added v2.5
R | Right | | added v2.5
RLQ | Quadrant, Right Lower | | added v2.5
RUQ | Quadrant, Right Upper | | added v2.5
UPP | Upper | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0495 defines the following codes:

Code | Display | Definition | Version
ANT | | | added v2.5
BIL | | | added v2.5
DIS | | | added v2.5
EXT | | | added v2.5
L | links | | added v2.5
LAT | | | added v2.5
LLQ | | | added v2.5
LOW | | | added v2.5
LUQ | | | added v2.5
MED | | | added v2.5
POS | | | added v2.5
PRO | | | added v2.5
R | | | added v2.5
RLQ | | | added v2.5
RUQ | | | added v2.5
UPP | | | added v2.5

4.3.15.496 HL7 Version 2 Table 0496

URL: https://hl7.org/fhir/R4/v2/0496/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0496
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0496
Version: | 2.9
Name: | v2.0496
Title: | v2 Consent Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0496 (Consent Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.496.1 Code System Content

Consent Type

Code | Description | Comment | Version
001 | Release of Information/MR / Authorization to Disclosure Protected Health Information | Release of Info/ Disclosure | added v2.5
002 | Medical Procedure (invasive) | Medical Treatment/ Procedure | added v2.5
003 | Acknowledge Receipt of Privacy Notice | Acknowledgement/ Notification | added v2.5
004 | Abortion | Medical Treatment/ Procedure | added v2.5
005 | Abortion/Laminaria | Medical Treatment/ Procedure | added v2.5
006 | Accutane - Information | Medical Treatment/ Procedure | added v2.5
007 | Accutane - Woman | Medical Treatment/ Procedure | added v2.5
008 | Advanced Beneficiary Notice | Acknowledgement/ Notification | added v2.5
009 | AFP (Alpha Fetoprotein) Screening | Medical Treatment/ Procedure | added v2.5
010 | Amniocentesis (consent & refusal) | Medical Treatment/ Procedure | added v2.5
011 | Anatomical Gift (organ donation) | Administrative | added v2.5

012 | Anesthesia - Complications | Medical Treatment/ Procedure | added v2.5
013 | Anesthesia - Questionnaire | Medical Treatment/ Procedure | added v2.5
014 | Angiogram | Medical Treatment/ Procedure | added v2.5
015 | Angioplasty | Medical Treatment/ Procedure | added v2.5
016 | Anticancer Drugs | Medical Treatment/ Procedure | added v2.5
017 | Antipsychotic Medications | Medical Treatment/ Procedure | added v2.5
018 | Arthrogram | Medical Treatment/ Procedure | added v2.5
019 | Autopsy | Administrative | added v2.5
020 | AZT Therapy | Medical Treatment/ Procedure | added v2.5
021 | Biliary Drainage | Medical Treatment/ Procedure | added v2.5
022 | Biliary Stone Extraction | Medical Treatment/ Procedure | added v2.5
023 | Biopsy | Medical Treatment/ Procedure | added v2.5
024 | Bleeding Time Test | Medical Treatment/ Procedure | added v2.5
025 | Bronchogram | Medical Treatment/ Procedure | added v2.5
026 | Cardiac Catheterization | Medical Treatment/ Procedure | added v2.5
027 | Coronary Angiography | Medical Treatment/ Procedure | added v2.5
028 | Coronary Angiography w/o Surgery Capability | Medical Treatment/ Procedure | added v2.5
029 | Cataract Op/Implant of FDA Aprvd Lens | Medical Treatment/ Procedure | added v2.5
030 | Cataract Op/Implant of Investigational Lens | Medical Treatment/ Procedure | added v2.5
031 | Cataract Surgery | Medical Treatment/ Procedure | added v2.5
032 | Cholera Immunization | Medical Treatment/ Procedure | added v2.5
033 | Cholesterol Screening | Medical Treatment/ Procedure | added v2.5
034 | Circumcision - Newborn | Medical Treatment/ Procedure | added v2.5
035 | Colonoscopy | Medical Treatment/ Procedure | added v2.5
036 | Contact Lenses | Medical Treatment/ Procedure | added v2.5
037 | CT Scan - Cervical & Lumbar | Medical Treatment/ Procedure | added v2.5
038 | CT Scan w/ IV Contrast Media into Vein | Medical Treatment/ Procedure | added v2.5
039 | CVS (Chorionic Villus) Sampling | Medical Treatment/ Procedure | added v2.5
040 | Cystospy | Medical Treatment/ Procedure | added v2.5
041 | Disclosure of Protected Health Information to Family/Friends | Release of Info/ Disclosure | added v2.5
042 | D & C and Conization | Medical Treatment/ Procedure | added v2.5
043 | Dacryocystogram | Medical Treatment/ Procedure | added v2.5
044 | Diagnostic Isotope | Medical Treatment/ Procedure | added v2.5
045 | Drainage of an Abscess | Medical Treatment/ Procedure | added v2.5
046 | Drug Screening | Medical Treatment/ Procedure | added v2.5
047 | Electronic Monitoring of Labor - Refusal | Medical Treatment/ Procedure | added v2.5
048 | Endometrial Biopsy | Medical Treatment/ Procedure | added v2.5
049 | Endoscopy/Sclerosis of Esophageal Varices | Medical Treatment/ Procedure | added v2.5
050 | ERCP | Medical Treatment/ Procedure | added v2.5
051 | Exposure to reportable Communicable Disease | Medical Treatment/ Procedure | added v2.5
052 | External Version | Medical Treatment/ Procedure | added v2.5
053 | Fluorescein Angioscopy | Medical Treatment/ Procedure | added v2.5
054 | Hepatitis B - Consent/Declination | Medical Treatment/ Procedure | added v2.5
055 | Herniogram | Medical Treatment/ Procedure | added v2.5
056 | HIV Test - Consent Refusal | Medical Treatment/ Procedure | added v2.5
057 | HIV Test - Disclosure | Medical Treatment/ Procedure | added v2.5
058 | HIV Test - Prenatal | Medical Treatment/ Procedure | added v2.5
059 | Home IV Treatment Program | Medical Treatment/ Procedure | added v2.5
060 | Home Parenteral Treatment Program | Medical Treatment/ Procedure | added v2.5
061 | Hysterectomy | Medical Treatment/ Procedure | added v2.5
062 | Hysterosalpingogram | Medical Treatment/ Procedure | added v2.5
063 | Injection Slip/ Consent | Medical Treatment/ Procedure | added v2.5
064 | Intrauterine Device | Medical Treatment/ Procedure | added v2.5
065 | Intrauterine Device/Sterilization | Medical Treatment/ Procedure | added v2.5
066 | Intravascular Infusion of Streptokinase/Urokinase | Medical Treatment/ Procedure | added v2.5
067 | Intravenous Cholangiogram | Medical Treatment/ Procedure | added v2.5
068 | Intravenous Digital Angiography | Medical Treatment/ Procedure | added v2.5
069 | Iodine Administration | Medical Treatment/ Procedure | added v2.5
070 | ISG | Medical Treatment/ Procedure | added v2.5
071 | IVP | Medical Treatment/ Procedure | added v2.5
072 | Laser Photocoagulation | Medical Treatment/ Procedure | added v2.5
073 | Laser treatment | Medical Treatment/ Procedure | added v2.5
074 | Lithium Carbonate | Medical Treatment/ Procedure | added v2.5
075 | Liver Biopsy | Medical Treatment/ Procedure | added v2.5
076 | Lumbar Puncture | Medical Treatment/ Procedure | added v2.5
077 | Lymphangiogram | Medical Treatment/ Procedure | added v2.5
078 | MAO Inhibitors | Medical Treatment/ Procedure | added v2.5
079 | Med, Psych, and/or Drug/Alcohol | Release of Info/ Disclosure | added v2.5
080 | Medical Treatment - Refusal | Administrative | added v2.5
081 | Morning-after Pill | Medical Treatment/ Procedure | added v2.5
082 | MRI - Adult | Medical Treatment/ Procedure | added v2.5
083 | MRI - Pediatric | Medical Treatment/ Procedure | added v2.5

084 | Myelogram | Medical Treatment/ Procedure | added v2.5
085 | Needle Biopsy | Medical Treatment/ Procedure | added v2.5
086 | Needle Biopsy of Lung | Medical Treatment/ Procedure | added v2.5
087 | Newborn Treatment and Release | Medical Treatment/ Procedure | added v2.5
088 | Norplant Subdermal Birth Control Implant | Medical Treatment/ Procedure | added v2.5
089 | Operations, Anesthesia, Transfusions | Medical Treatment/ Procedure | added v2.5
090 | Oral Contraceptives | Medical Treatment/ Procedure | added v2.5
091 | Organ Donation | Administrative | added v2.5
092 | Patient Permits, Consents | Administrative | added v2.5
093 | Patient Treatment Permit, Release & Admission | Administrative | added v2.5
094 | Penile Injections | Medical Treatment/ Procedure | added v2.5
095 | Percutaneous Nephrostomy | Medical Treatment/ Procedure | added v2.5
096 | Percutaneous Transhepatic Cholangiogram | Medical Treatment/ Procedure | added v2.5
097 | Photographs | Release of Info/ Disclosure | added v2.5
098 | Photographs - Employee | Release of Info/ Disclosure | added v2.5
099 | Photographs - Medical Research | Release of Info/ Disclosure | added v2.5
100 | Photographs - news Media | Release of Info/ Disclosure | added v2.5
101 | Psychiatric Admission - Next of Kin | Medical Treatment/ Procedure | added v2.5
102 | Psychiatric Information During Hospital Stay | Release of Info/ Disclosure | added v2.5
103 | Public Release of Information | Release of Info/ Disclosure | added v2.5
104 | Radiologic Procedure | Medical Treatment/ Procedure | added v2.5
105 | Refusal of Treatment | Administrative | added v2.5
106 | Release of Body | Administrative | added v2.5
107 | Release of Limb | Administrative | added v2.5
108 | Rh Immune Globulin | Medical Treatment/ Procedure | added v2.5
109 | Rights of Medical Research Participants | Administrative | added v2.5
110 | Request to Restrict Access/Disclosure to Medical Record/Protected Health Information | Release of Info/ Disclosure | added v2.5
111 | Request for Remain Anonymous | Release of Info/ Disclosure | added v2.5
112 | Seat Belt Exemption | Administrative | added v2.5
113 | Sialogram | Medical Treatment/ Procedure | added v2.5
1137 | Voiding Cystogram | Medical Treatment/ Procedure | added v2.5
114 | Sigmoidoscopy | Medical Treatment/ Procedure | added v2.5
115 | Sterilization - Anesthesia & Medical Services | Medical Treatment/ Procedure | added v2.5
116 | Sterilization -Federally Funded | Medical Treatment/ Procedure | added v2.5
117 | Sterilization - Female | Medical Treatment/ Procedure | added v2.5
118 | Sterilization - Laparoscopy/Pomeroy | Medical Treatment/ Procedure | added v2.5
119 | Sterilization - Non-Federally Funded | Medical Treatment/ Procedure | added v2.5
120 | Sterilization - Secondary | Medical Treatment/ Procedure | added v2.5
121 | Tranquilizers | Medical Treatment/ Procedure | added v2.5
122 | Transfer - Acknowledgement | Medical Treatment/ Procedure | added v2.5
123 | Transfer - Authorization | Medical Treatment/ Procedure | added v2.5
124 | Transfer Certification - Physician | Medical Treatment/ Procedure | added v2.5
125 | Transfer/Discharge Request | Medical Treatment/ Procedure | added v2.5
126 | Transfer for Non-Medical Reasons | Medical Treatment/ Procedure | added v2.5
127 | Transfer - Interfaculty Neonatal | Medical Treatment/ Procedure | added v2.5
128 | Transfer Refusal | Medical Treatment/ Procedure | added v2.5
129 | Transfer Refusal of Further Treatment | Medical Treatment/ Procedure | added v2.5
130 | Treadmill & EKG | Medical Treatment/ Procedure | added v2.5
131 | Treadmill, Thallium-201 | Medical Treatment/ Procedure | added v2.5
132 | Typhoid | Medical Treatment/ Procedure | added v2.5
133 | Use of Investigational Device | Medical Treatment/ Procedure | added v2.5
134 | Use of Investigational Drug | Medical Treatment/ Procedure | added v2.5
135 | Venogram | Medical Treatment/ Procedure | added v2.5
136 | Videotape | Release of Info/ Disclosure | added v2.5

4.3.15.497 HL7 Version 2 Table 0497

URL: https://hl7.org/fhir/R4/v2/0497/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0497
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0497
Version: | 2.9
Name: | v2.0497
Title: | v2 Consent Mode
Definition: | FHIR Value set/code system definition for HL7 v2 table 0497 (Consent Mode)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.497.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0497 defines the following codes:

Code | Display | Definition | Version
T | en: Telephone nl: Telefonisch | | added v2.5
V | en: Verbal nl: Mondeling | | added v2.5
W | en: Written nl: Op schrift | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0497 defines the following codes:

Code | Display | Definition | Version
T | Telephone | | added v2.5
V | Verbal | | added v2.5
W | Written | | added v2.5

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0497 definieert de volgende codes:

Code | Display | Definition | Versie
T | Telefonisch | | added v2.5
V | Mondeling | | added v2.5
W | Op schrift | | added v2.5

4.3.15.498 HL7 Version 2 Table 0498

URL: https://hl7.org/fhir/R4/v2/0498/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0498
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0498
Version: | 2.9
Name: | v2.0498
Title: | v2 Consent Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0498 (Consent Status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.498.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0498 defines the following codes:

Code | Display | Definition | Version
A | en: Active - Consent has been granted nl: Actief - Toestemming is gegeven | | added v2.5
B | en: Bypassed (Consent not sought) nl: Overgeslagen - Toestemming is niet gevraagd | | added v2.5
L | en: Limited - Consent has been granted with limitations nl: Beperkt - Toestemming is gegeven met beperkingen | | added v2.5
P | en: Pending - Consent has not yet been sought nl: In bewerking - Toestemming is nog niet gevraagd | | added v2.5
R | en: Refused - Consent has been refused nl: Geweigerd - Toestemming is geweigerd | | added v2.5
X | en: Rescinded - Consent was initially granted, but was subsequently revoked or ended. nl: Ingetrokken - Toestemming is gegeven maar vervolgens ingetrokken of beëindigd | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0498 defines the following codes:

Code | Display | Definition | Version
A | Active - Consent has been granted | | added v2.5
B | Bypassed (Consent not sought) | | added v2.5
L | Limited - Consent has been granted with limitations | | added v2.5
P | Pending - Consent has not yet been sought | | added v2.5
R | Refused - Consent has been refused | | added v2.5

X | Rescinded - Consent was initially granted, but was subsequently revoked or ended. | | added v2.5

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0498 definieert de volgende codes:

Code | Display | Definition | Versie
A | Actief - Toestemming is gegeven | | added v2.5
B | Overgeslagen - Toestemming is niet gevraagd | | added v2.5
L | Beperkt - Toestemming is gegeven met beperkingen | | added v2.5
P | In bewerking - Toestemming is nog niet gevraagd | | added v2.5
R | Geweigerd - Toestemming is geweigerd | | added v2.5
X | Ingetrokken - Toestemming is gegeven maar vervolgens ingetrokken of beëindigd | | added v2.5

4.3.15.499 HL7 Version 2 Table 0499

URL: https://hl7.org/fhir/R4/v2/0499/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0499
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0499
Version: | 2.9
Name: | v2.0499
Title: | v2 Consent Bypass Reason
Definition: | FHIR Value set/code system definition for HL7 v2 table 0499 (Consent Bypass Reason)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.499.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0499 defines the following codes:

Code | Display | Definition | Version
E | en: Emergency nl: Noodgeval | | added v2.5
PJ | en: Professional Judgment nl: Professioneel oordeel | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0499 defines the following codes:

Code | Display | Definition | Version
E | Emergency | | added v2.5
PJ | Professional Judgment | | added v2.5

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0499 definieert de volgende codes:

Code | Display | Definition | Versie
E | Noodgeval | | added v2.5
PJ | Professioneel oordeel | | added v2.5

4.3.15.500 HL7 Version 2 Table 0500

URL: https://hl7.org/fhir/R4/v2/0500/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0500
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0500
Version: | 2.9
Name: | v2.0500
Title: | v2 Consent Disclosure Level
Definition: | FHIR Value set/code system definition for HL7 v2 table 0500 (Consent Disclosure Level)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.500.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0500 defines the following codes:

Code | Display | Definition | Version
F | en: Full Disclosure nl: Volledige toelichting | | added v2.5
N | en: No Disclosure nl: Geen toelichting | | added v2.5
P | en: Partial Disclosure nl: Gedeeltelijke toelichting | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0500 defines the following codes:

Code | Display | Definition | Version
F | Full Disclosure | | added v2.5
N | No Disclosure | | added v2.5
P | Partial Disclosure | | added v2.5

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0500 definieert de volgende codes:

Code | Display | Definition | Versie
F | Volledige toelichting | | added v2.5
N | Geen toelichting | | added v2.5
P | Gedeeltelijke toelichting | | added v2.5

4.3.15.501 HL7 Version 2 Table 0501

URL: https://hl7.org/fhir/R4/v2/0501/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0501
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0501
Version: | 2.9
Name: | v2.0501
Title: | v2 Consent Non-Disclosure Reason
Definition: | FHIR Value set/code system definition for HL7 v2 table 0501 (Consent Non-Disclosure Reason)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.501.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0501 defines the following codes:

Code | Display | Definition | Version
E | en: Emergency nl: Noodgeval | | added v2.5
PR | en: Patient Request nl: Op verzoek patiënt | | added v2.5
RX | en: Rx Private nl: Medicatie privacy | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0501 defines the following codes:

Code | Display | Definition | Version
E | Emergency | | added v2.5
PR | Patient Request | | added v2.5
RX | Rx Private | | added v2.5

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0501 definieert de volgende codes:

Code | Display | Definition | Versie
E | Noodgeval | | added v2.5
PR | Op verzoek patiënt | | added v2.5
RX | Medicatie privacy | | added v2.5

4.3.15.502 HL7 Version 2 Table 0502

URL: https://hl7.org/fhir/R4/v2/0502/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0502
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0502
Version: | 2.9
Name: | v2.0502
Title: | v2 Non-Subject Consenter Reason
Definition: | FHIR Value set/code system definition for HL7 v2 table 0502 (Non-Subject Consenter Reason)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.502.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0502 defines the following codes:

Code | Display | Definition | Version
LM | en: Legally mandated nl: Wettelijk vereist | | added v2.5
MIN | en: Subject is a minor nl: Subject is minderjairg | | added v2.5
NC | en: Subject is not competent to consent nl: Subject is niet in staat tot toestemming | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0502 defines the following codes:

Code | Display | Definition | Version
LM | Legally mandated | | added v2.5
MIN | Subject is a minor | | added v2.5
NC | Subject is not competent to consent | | added v2.5

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0502 definieert de volgende codes:

Code | Display | Definition | Versie
LM | Wettelijk vereist | | added v2.5
MIN | Subject is minderjairg | | added v2.5
NC | Subject is niet in staat tot toestemming | | added v2.5

4.3.15.503 HL7 Version 2 Table 0503

URL: https://hl7.org/fhir/R4/v2/0503/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0503
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0503
Version: | 2.9
Name: | v2.0503
Title: | v2 Sequence/Results Flag
Definition: | FHIR Value set/code system definition for HL7 v2 table 0503 (Sequence/Results Flag)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.503.1 Code System Content

Sequence/Results Flag

Code | Description | Comment | Version
C | Cyclical | Used for indicating a repeating cycle of service requests; for example, individual intravenous solutions used in a cyclical sequence (a.k.a. "Alternating IVs"). This value would be compatible with linking separate service requests or with having all cyclical service request components in a single service request. Likewise, the value would be compatible with either Parent-Child messages or a single service request message to communicate the service requests' sequencing | added v2.5
R | Reserved for future use | | added v2.5

S | Sequential | | added v2.5

4.3.15.504 HL7 Version 2 Table 0504

URL: https://hl7.org/fhir/R4/v2/0504/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0504
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0504
Version: | 2.9
Name: | v2.0504
Title: | v2 Sequence Condition Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0504 (Sequence Condition Code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.504.1 Code System Content

Sequence Condition Code

Code | Description | Comment | Version
EE | End related service request(s), end current service request. | | added v2.5
ES | End related service request(s), start current service request. | | added v2.5
SE | Start related service request(s), end current service request. | | added v2.5
SS | Start related service request(s), start current service request. | | added v2.5

4.3.15.505 HL7 Version 2 Table 0505

URL: https://hl7.org/fhir/R4/v2/0505/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0505
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0505
Version: | 2.9
Name: | v2.0505
Title: | v2 Cyclic Entry/Exit Indicator
Definition: | FHIR Value set/code system definition for HL7 v2 table 0505 (Cyclic Entry/Exit Indicator)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.505.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0505 defines the following codes:

Code | Display | Definition | Version
| en: The last service request in a cyclic group. nl: Het laatste serviceverzoek in een cyclische groep | | added v2.5
* | en: The first service request in a cyclic group nl: Het eerste serviceverzoek in een cyclische groep | | added v2.5
F | First service | | added v2.9
L | Last service | | added v2.9

This code system http://terminology.hl7.org/CodeSystem/v2-0505 defines the following codes:

Code | Display | Definition | Version
| The last service request in a cyclic group. | | added v2.5
* | The first service request in a cyclic group | | added v2.5
F | First service | | added v2.9
L | Last service | | added v2.9

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0505 definieert de volgende codes:

Code | Display | Definition | Versie
| Het laatste serviceverzoek in een cyclische groep | | added v2.5
* | Het eerste serviceverzoek in een cyclische groep | | added v2.5
F | | | added v2.9
L | | | added v2.9

4.3.15.506 HL7 Version 2 Table 0506

URL: https://hl7.org/fhir/R4/v2/0506/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0506
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0506
Version: | 2.9
Name: | v2.0506
Title: | v2 Service Request Relationship
Definition: | FHIR Value set/code system definition for HL7 v2 table 0506 (Service Request Relationship)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.506.1 Code System Content

Service Request Relationship

Code | Description | Comment | Version
C | Compound | A compound is an extempo order which may be made up of multiple drugs. For example, many hospitals have a standard item called "Magic Mouthwash". The item is ordered that way by the physician. The extempo items will contain multiple products, such as Maalox, Benadryl, Xylocaine, etc. They will all be mixed together and will be dispensed in a single container. | added v2.5
E | Exclusive | An exclusive order is an order where only one of the multiple items should be administered at any one dosage time. The nurse may chose between the alternatives, but should only give ONE of them. An example would be: Phenergan 25 mg PO, IM or R q6h prn (orally, intramuscularly, or rectally every 6 hours as needed). | added v2.5
N | Nurse prerogative | Where a set of two or more orders exist and the Nurse, or other caregiver, has the prerogative to choose which order will be administered at a particular point in time. For example, Milk of Magnesia PO 30 ml qhs (at bedtime) Dulcolax Supp R @ hs prn Colace 100 mg capsule PO bid The nurse would be administering MOM, but may add the Colace and may also give the Dulcolax Supp as needed to promote and maintain regularity. | added v2.5
S | Simultaneous | A simultaneous order is 2 or more drugs which are ordered to be given at the same time. A common example of this would be Demerol and Phenergan (Phenergan is given with the Demerol to control the nausea that Demerol can cause). The order could be: Demerol 50 mg IM with Phenergan 25 mg IM q4h prn (every 4 hours as needed). | added v2.5
T | Tapering | A tapering order is one in which the same drug is used, but it has a declining dosage over a number of days. For example, Decadron 0.5 mg is often ordered this way. The order would look like this: Decadron 0.5 mg qid (four times a day) for 2 days, then Decadron 0.5 mg tid (three times a day) for 2 days, then Decadron 0.5 mg bid (twice a day) for 2 days, then Decadron 0.5 mg qd (daily) for 2 days, then stop. | added v2.5

4.3.15.507 HL7 Version 2 Table 0507

URL: https://hl7.org/fhir/R4/v2/0507/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0507
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0507
Version: | 2.9
Name: | v2.0507
Title: | v2 Observation Result Handling
Definition: | FHIR Value set/code system definition for HL7 v2 table 0507 (Observation Result Handling)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.507.1 Code System Content

Observation Result Handling

Code | Description | Comment | Version
A | Alert provider when abnormal | | added v2.7.1
BCC | Blind copy | | added v2.7.1
CC | Copies requested | | added v2.7.1
F | Film-with-patient | | added v2.5
N | Notify provider when ready | | added v2.5

4.3.15.508 HL7 Version 2 Table 0508

URL: https://hl7.org/fhir/R4/v2/0508/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0508
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0508
Version: | 2.9
Name: | v2.0508
Title: | v2 Blood Product Processing Requirements
Definition: | FHIR Value set/code system definition for HL7 v2 table 0508 (Blood Product Processing Requirements)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.508.1 Code System Content

Blood Product Processing Requirements

Code | Description | Comment | Version
AU | Autologous Unit | | added v2.5
CM | CMV Negative | | added v2.5
CS | CMV Safe | | added v2.5
DI | Directed Unit | | added v2.5
FR | Fresh unit | | added v2.5
HB | Hemoglobin S Negative | | added v2.5
HL | HLA Matched | | added v2.5
IG | IgA Deficient | | added v2.5
IR | Irradiated | | added v2.5
LR | Leukoreduced | | added v2.5
WA | Washed | | added v2.5

4.3.15.510 HL7 Version 2 Table 0510

URL: https://hl7.org/fhir/R4/v2/0510/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0510
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0510
Version: | 2.9
Name: | v2.0510
Title: | v2 Blood Product Dispense Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0510 (Blood Product Dispense Status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.510.1 Code System Content

Blood Product Dispense Status

Code | Description | Comment | Version

CR | Released into inventory for general availability | Status determined by Filler | added v2.5
DS | Dispensed to patient location | Status determined by Filler | added v2.5
PT | Presumed transfused (dispensed and not returned) | Status determined by Filler | added v2.5
RA | Returned unused/no longer needed | Status determined by Filler | added v2.5
RD | Reserved and ready to dispense | Status determined by Filler | added v2.5
RE | Released (no longer allocated for the patient) | Status determined by Placer or Filler | added v2.5
RI | Received into inventory (for specified patient) | Status determined by Filler | added v2.5
RL | Returned unused/keep linked to patient for possible use later | Status determined by Filler | added v2.5
RQ | Request to dispense blood product | Status determined by Placer | added v2.5
RS | Reserved (ordered and product allocated for the patient) | Status determined by Filler | added v2.5
WA | Wasted (product no longer viable) | Status determined by Filler | added v2.5

4.3.15.511 HL7 Version 2 Table 0511

URL: https://hl7.org/fhir/R4/v2/0511/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0511
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0511
Version: | 2.9
Name: | v2.0511
Title: | v2 BP Observation Status Codes Interpretation
Definition: | FHIR Value set/code system definition for HL7 v2 table 0511 (BP Observation Status Codes Interpretation)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.511.1 Code System Content

BP Observation Status Codes Interpretation

Code | Description | Comment | Version
C | Record coming over is a correction and thus replaces a final status | | added v2.5
D | Deletes the BPX record | | added v2.5
F | Final status; Can only be changed with a corrected status | | added v2.5
O | Order detail description only (no status) | | added v2.5
P | Preliminary status | | added v2.5
W | Post original as wrong, e.g., transmitted for wrong patient | | added v2.5

4.3.15.513 HL7 Version 2 Table 0513

URL: https://hl7.org/fhir/R4/v2/0513/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0513
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0513
Version: | 2.9
Name: | v2.0513
Title: | v2 Blood Product Transfusion/Disposition Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0513 (Blood Product Transfusion/Disposition Status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.513.1 Code System Content

Blood Product Transfusion/Disposition Status

Code | Description | Comment | Version
RA | Returned unused/no longer needed | | added v2.5
RL | Returned unused/keep linked to patient for possible use later | | added v2.5
TR | Transfused with adverse reaction | | added v2.5

TX | Transfused | | added v2.5
WA | Wasted (product no longer viable) | | added v2.5

4.3.15.514 HL7 Version 2 Table 0514

URL: https://hl7.org/fhir/R4/v2/0514/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0514
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0514
Version: | 2.9
Name: | v2.0514
Title: | v2 Transfusion Adverse Reaction
Definition: | FHIR Value set/code system definition for HL7 v2 table 0514 (Transfusion Adverse Reaction)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.514.1 Code System Content

Transfusion Adverse Reaction

Code | Description | Comment | Version
ABOINC | ABO Incompatible Transfusion Reaction | | added v2.5
ACUTHEHTR | Acute Hemolytic Transfusion Reaction | | added v2.5
ALLERGIC1 | Allergic Reaction - First | | added v2.5
ALLERGIC2 | Allergic Reaction - Recurrent | | added v2.5
ALLERGICR | Allergic Reaction - Repeating | | added v2.5
ANAPHYLAC | Anaphylactic Reaction | | added v2.5
BACTCONTAM | Reaction to Bacterial Contamination | | added v2.5
DELAYEDHTR | Delayed Hemolytic Transfusion Reaction | | added v2.5
DELAYEDSTR | Delayed Serological Transfusion Reaction | | added v2.5
GVHD | Graft vs Host Disease - Transfusion - Associated | | added v2.5
HYPOTENS | Non-hemolytic Hypotensive Reaction | | added v2.5
NONHTR1 | Non-Hemolytic Fever Chill Transfusion Reaction - First | | added v2.5
NONHTR2 | Non-Hemolytic Fever Chill Transfusion Reaction - Recurrent | | added v2.5
NONHTRREC | Non-Hemolytic Fever Chill Transfusion Reaction - Repeating | | added v2.5
NONIMMUNE | Non-Immune Hemolysis | | added v2.5
NONSPEC | Non-Specific, Non-Hemolytic Transfusion Reaction | | added v2.5
NORXN | No Evidence of Transfusion Reaction | | added v2.5
PTP | Posttransfusion Purpura | | added v2.5
VOLOVER | Symptoms most likely due to volume overload | | added v2.5

4.3.15.516 HL7 Version 2 Table 0516

URL: https://hl7.org/fhir/R4/v2/0516/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0516
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0516
Version: | 2.9
Name: | v2.0516
Title: | v2 Error severity
Definition: | FHIR Value set/code system definition for HL7 v2 table 0516 (Error severity)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.516.1 Code System Content

- All Languages

• English
• Deutsch (German)

This code system http://terminology.hl7.org/CodeSystem/v2-0516 defines the following codes:

Code | Display | Definition | Comments | Version
E | en: Error de: Fehler | | Transaction was unsuccessful | added v2.5
F | Fatal Error | | Message not processed due to application or network failure condition | added v2.6
I | Information | | Transaction was successful but includes information e.g., inform patient | added v2.5
W | en: Warning de: Warnung | | Transaction successful, but there may issues | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0516 defines the following codes:

Code | Display | Definition | Comments | Version
E | Error | | Transaction was unsuccessful | added v2.5
F | Fatal Error | | Message not processed due to application or network failure condition | added v2.6
I | Information | | Transaction was successful but includes information e.g., inform patient | added v2.5
W | Warning | | Transaction successful, but there may issues | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0516 defines the following codes:

Code | Display | Definition | Comments | Version
E | Fehler | | | added v2.5
F | | | | added v2.6
I | Information | | | added v2.5
W | Warnung | | | added v2.5

4.3.15.517 HL7 Version 2 Table 0517

URL: https://hl7.org/fhir/R4/v2/0517/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0517
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0517
Version: | 2.9
Name: | v2.0517
Title: | v2 Inform person code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0517 (Inform person code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.517.1 Code System Content

Inform Person Code

Code | Description | Comment | Version
HD | Inform help desk | | added v2.5
NPAT | Do NOT inform patient | | added v2.5
PAT | Inform patient | | added v2.5
USR | Inform User | | added v2.5

4.3.15.518 HL7 Version 2 Table 0518

URL: https://hl7.org/fhir/R4/v2/0518/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0518
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0518
Version: | 2.9
Name: | v2.0518
Title: | v2 Override type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0518 (Override type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.518.1 Code System Content

Override Type

Code | Description | Comment | Version
EQV | Equivalence Override | Identifies an override where a service is being performed against an order that the system does not recognize as equivalent to the ordered service. | added v2.5
EXTN | Extension Override | Identifies an override where a service is being performed for longer than the ordered period of time. | added v2.5
INLV | Interval Override | Identifies an override where a repetition of service is being performed sooner than the ordered frequency. | added v2.5

4.3.15.520 HL7 Version 2 Table 0520

URL: https://hl7.org/fhir/R4/v2/0520/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0520
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0520
Version: | 2.9
Name: | v2.0520
Title: | v2 Message waiting priority
Definition: | FHIR Value set/code system definition for HL7 v2 table 0520 (Message waiting priority)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.520.1 Code System Content

Message Waiting Priority

Code | Description | Comment | Version
H | High | | added v2.6
L | Low | | added v2.6
M | Medium | | added v2.6

4.3.15.523 HL7 Version 2 Table 0523

URL: https://hl7.org/fhir/R4/v2/0523/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0523
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0523
Version: | 2.9
Name: | v2.0523
Title: | v2 Computation type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0523 (Computation type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.523.1 Code System Content

- All Languages
- English
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0523 defines the following codes:

Code | Display | Definition | Version
% | en: Indicates a percent change nl: Geeft een percentage aan | | added v2.5
a | en: Absolute Change nl: Absolute wijziging | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0523 defines the following codes:

Code | Display | Definition | Version
% | Indicates a percent change | | added v2.5
a | Absolute Change | | added v2.5

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0523 definieert de volgende codes:

Code | Display | Definition | Versie
% | Geeft een percentage aan | | added v2.5
a | Absolute wijziging | | added v2.5

4.3.15.524 HL7 Version 2 Table 0524

URL: https://hl7.org/fhir/R4/v2/0524/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0524
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0524
Version: | 2.9
Name: | v2.0524
Title: | v2 Sequence condition
Definition: | FHIR Value set/code system definition for HL7 v2 table 0524 (Sequence condition)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.524.1 Code System Content

Sequence condition

Code | Description | Comment | Version
C | Repeating cycle of orders | deprecated | added v2.5, removed after v2.6
R | Reserved for possible future use | deprecated | added v2.5, removed after v2.6
S | Sequence conditions | deprecated | added v2.5, removed after v2.6

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.524.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0524 version 2.9

Code | System | Display

4.3.15.527 HL7 Version 2 Table 0527

URL: https://hl7.org/fhir/R4/v2/0527/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0527
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0527
Version: | 2.9
Name: | v2.0527
Title: | v2 Calendar alignment
Definition: | FHIR Value set/code system definition for HL7 v2 table 0527 (Calendar alignment)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.527.1 Code System Content

- All Languages
- English
- Deutsch (German)

This code system http://terminology.hl7.org/CodeSystem/v2-0527 defines the following codes:

Code | Display | Definition | Version
DM | en: day of the month de: Tag des Monats | | added v2.5
DW | en: day of the week (begins with Monday) de: Tag der Woche (beginnend mit Montag) | | added v2.5
DY | en: day of the year de: Tag des Jahres | | added v2.5
HD | en: hour of the day de: Stunde | | added v2.5
MY | en: month of the year de: Monat | | added v2.5
NH | en: minute of the hour de: Minute | | added v2.5
SN | en: second of the minute de: Sekunde | | added v2.5
WY | en: week of the year de: Kalenderwoche | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0527 defines the following codes:

Code | Display | Definition | Version
DM | day of the month | | added v2.5
DW | day of the week (begins with Monday) | | added v2.5
DY | day of the year | | added v2.5
HD | hour of the day | | added v2.5
MY | month of the year | | added v2.5
NH | minute of the hour | | added v2.5
SN | second of the minute | | added v2.5
WY | week of the year | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0527 defines the following codes:

Code | Display | Definition | Version
DM | Tag des Monats | | added v2.5
DW | Tag der Woche (beginnend mit Montag) | | added v2.5
DY | Tag des Jahres | | added v2.5
HD | Stunde | | added v2.5
MY | Monat | | added v2.5
NH | Minute | | added v2.5
SN | Sekunde | | added v2.5
WY | Kalenderwoche | | added v2.5

4.3.15.528 HL7 Version 2 Table 0528

URL: https://hl7.org/fhir/R4/v2/0528/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0528
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0528
Version: | 2.9
Name: | v2.0528
Title: | v2 Event related period
Definition: | FHIR Value set/code system definition for HL7 v2 table 0528 (Event related period)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.528.1 Code System Content

- All Languages
- English
- Deutsch (German)

This code system http://terminology.hl7.org/CodeSystem/v2-0528 defines the following codes:

Code | Display | Definition | Version
AC | en: before meal (from lat. ante cibus) de: vor der Mahlzeit (from lat. Ante cibus) | | added v2.5
ACD | en: before lunch (from lat. ante cibus diurnus) de: vor dem Mittagessen (from lat. Ante cibus diurnus) | | added v2.5

ACM | en: before breakfast (from lat. ante cibus matutinus) de: vor dem Frühstück (from lat. Ante cibus matutinus) | | added v2.5
ACV | en: before dinner (from lat. ante cibus vespertinus) de: vor dem Abendessen (from lat. Ante cibus vespertinus) | | added v2.5
HS | the hour of sleep (e.g., H18-22) | | added v2.5
IC | between meals (from lat. inter cibus) | | added v2.5
ICD | between lunch and dinner | | added v2.5
ICM | between breakfast and lunch | | added v2.5
ICV | between dinner and the hour of sleep | | added v2.5
PC | after meal (from lat. post cibus) | | added v2.5
PCD | after lunch (from lat. post cibus diurnus) | | added v2.5
PCM | after breakfast (from lat. post cibus matutinus) | | added v2.5
PCV | after dinner (from lat. post cibus vespertinus) | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0528 defines the following codes:

Code | Display | Definition | Version
AC | before meal (from lat. ante cibus) | | added v2.5
ACD | before lunch (from lat. ante cibus diurnus) | | added v2.5
ACM | before breakfast (from lat. ante cibus matutinus) | | added v2.5
ACV | before dinner (from lat. ante cibus vespertinus) | | added v2.5
HS | the hour of sleep (e.g., H18-22) | | added v2.5
IC | between meals (from lat. inter cibus) | | added v2.5
ICD | between lunch and dinner | | added v2.5
ICM | between breakfast and lunch | | added v2.5
ICV | between dinner and the hour of sleep | | added v2.5
PC | after meal (from lat. post cibus) | | added v2.5
PCD | after lunch (from lat. post cibus diurnus) | | added v2.5
PCM | after breakfast (from lat. post cibus matutinus) | | added v2.5
PCV | after dinner (from lat. post cibus vespertinus) | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0528 defines the following codes:

Code | Display | Definition | Version
AC | vor der Mahlzeit (from lat. Ante cibus) | | added v2.5
ACD | vor dem Mittagessen (from lat. Ante cibus diurnus) | | added v2.5
ACM | vor dem Frühstück (from lat. Ante cibus matutinus) | | added v2.5
ACV | vor dem Abendessen (from lat. Ante cibus vespertinus) | | added v2.5
HS | | | added v2.5
IC | | | added v2.5
ICD | | | added v2.5
ICM | | | added v2.5
ICV | | | added v2.5
PC | | | added v2.5
PCD | | | added v2.5
PCM | | | added v2.5
PCV | | | added v2.5

4.3.15.529 HL7 Version 2 Table 0529

URL: https://hl7.org/fhir/R4/v2/0529/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0529
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0529
Version: | 2.9
Name: | v2.0529
Title: | v2 Precision
Definition: | FHIR Value set/code system definition for HL7 v2 table 0529 (Precision)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.529.1 Code System Content

• All Languages
• English
• Deutsch (German)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0529 defines the following codes:

Code | Display | Definition | Deprecated | Version
D | en: day de: Tag | | Deprecated | added v2.5, removed after v2.5.1
H | en: hour de: Stunde | | Deprecated | added v2.5, removed after v2.5.1
L | en: month de: Monat | | Deprecated | added v2.5, removed after v2.5.1
M | minute | | Deprecated | added v2.5, removed after v2.5.1
S | en: second de: Sekunde | | Deprecated | added v2.5, removed after v2.5.1
Y | en: year de: Jahr | | Deprecated | added v2.5, removed after v2.5.1

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0529 defines the following codes:

Code | Display | Definition | Deprecated | Version
D | day | | Deprecated | added v2.5, removed after v2.5.1
H | hour | | Deprecated | added v2.5, removed after v2.5.1
L | month | | Deprecated | added v2.5, removed after v2.5.1
M | minute | | Deprecated | added v2.5, removed after v2.5.1
S | second | | Deprecated | added v2.5, removed after v2.5.1
Y | year | | Deprecated | added v2.5, removed after v2.5.1

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0529 defines the following codes:

Code | Display | Definition | Deprecated | Version
D | Tag | | Deprecated | added v2.5, removed after v2.5.1
H | Stunde | | Deprecated | added v2.5, removed after v2.5.1
L | Monat | | Deprecated | added v2.5, removed after v2.5.1
M | Minute | | Deprecated | added v2.5, removed after v2.5.1
S | Sekunde | | Deprecated | added v2.5, removed after v2.5.1
Y | Jahr | | Deprecated | added v2.5, removed after v2.5.1

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.529.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0529 version 2.9

Code | System | Display

4.3.15.530 HL7 Version 2 Table 0530

URL: https://hl7.org/fhir/R4/v2/0530/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0530
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0530
Version: | 2.9
Name: | v2.0530
Title: | v2 Organization, agency, department
Definition: | FHIR Value set/code system definition for HL7 v2 table 0530 (Organization, agency, department)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.530.1 Code System Content

Organization, Agency, Department

Code | Description | Comment | Version
AE | American Express | | added v2.5
DEA | Drug Enforcement Agency | The US Drug Enforcement Administration does not solely assign DEA numbers in the United States. Hospitals have the authority to issue DEA numbers to their medical residents. These DEA numbers are based upon the hospital's DEA number, but the authority rests with the hospital on the assignment to the residents. Thus, DEA as an Assigning Authority is necessary in addition to DEA as an Identifier Type. | added v2.5
DOD | Department of Defense | In some countries e.g., the US, more than one department may issue a military identifier. Hence, US is not sufficient as the Assigning Authority. | added v2.5
MC | Master Card | | added v2.5
VA | Veterans Affairs | | added v2.5
VI | Visa | | added v2.5

4.3.15.532 HL7 Version 2 Table 0532

URL: https://hl7.org/fhir/R4/v2/0532/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0532
Version: | 2.9
Name: | v2.0532
Title: | v2 Expanded yes/no indicator
Definition: | FHIR Value set/code system definition for HL7 v2 table 0532 (Expanded yes/no indicator)
OID: | ??
ValueSet Resource | XML / JSON

This value set is not currently used

4.3.15.532.1 Logical Definition

Expanded Yes/no Indicator

Code | System | Description | Comment | Version
ASKU | http://terminology.hl7.org/CodeSystem/v3-NullFlavor | asked but unknown | Information was sought but not found (e.g., patient was asked but didn't know | added v2.5
N | http://terminology.hl7.org/CodeSystem/v2-0136 | No | | added v2.5
NA | http://terminology.hl7.org/CodeSystem/v3-NullFlavor | not applicable | No proper value is applicable in this context (e.g., last menstrual period for a male) | added v2.5
NASK | http://terminology.hl7.org/CodeSystem/v3-NullFlavor | not asked | This information has not been sought (e.g., patient was not asked | added v2.5
NAV | http://terminology.hl7.org/CodeSystem/v3-NullFlavor | temporarily unavailable | Information is not available at this time but it is expected that it will be available later | added v2.5
NI | http://terminology.hl7.org/CodeSystem/v3-NullFlavor | No Information | No information whatsoever can be inferred from this exceptional value. This is the most general exceptional value. It is also the default exceptional value | added v2.5
NP | http://terminology.hl7.org/CodeSystem/v3-NullFlavor | not present | Obsolete as of v 2.7. | added v2.5
UNK | http://terminology.hl7.org/CodeSystem/v3-NullFlavor | unknown | A proper value is applicable, but not known | added v2.5
Y | http://terminology.hl7.org/CodeSystem/v2-0136 | Yes | | added v2.5

4.3.15.534 HL7 Version 2 Table 0534

URL: https://hl7.org/fhir/R4/v2/0534/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0534
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0534
Version: | 2.9
Name: | v2.0534
Title: | v2 Notify Clergy Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0534 (Notify Clergy Code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.534.1 Code System Content

• All Languages

• English

• Deutsch (German)

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0534 defines the following codes:

Code | Display | Definition | Version
L | en: Last Rites only nl: Alleen laatste sacramenten | | added v2.5
N | en: No de: Nein nl: Nee | | added v2.5
O | en: Other nl: Anders | | added v2.5
U | en: Unknown de: unbekannt nl: Onbekend | | added v2.5
Y | en: Yes de: Ja nl: Ja | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0534 defines the following codes:

Code | Display | Definition | Version
L | Last Rites only | | added v2.5
N | No | | added v2.5
O | Other | | added v2.5
U | Unknown | | added v2.5
Y | Yes | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0534 defines the following codes:

Code | Display | Definition | Version
L | | | added v2.5
N | Nein | | added v2.5
O | | | added v2.5
U | unbekannt | | added v2.5
Y | Ja | | added v2.5

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0534 definieert de volgende codes:

Code | Display | Definition | Versie
L | Alleen laatste sacramenten | | added v2.5
N | Nee | | added v2.5
O | Anders | | added v2.5
U | Onbekend | | added v2.5
Y | Ja | | added v2.5

4.3.15.535 HL7 Version 2 Table 0535

URL: https://hl7.org/fhir/R4/v2/0535/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0535
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0535
Version: | 2.9
Name: | v2.0535
Title: | v2 Signature Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0535 (Signature Code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.535.1 Code System Content

Signature Code

Code | Description | Comment | Version
C | Signed CMS-1500 claim form on file, e.g., authorization for release of any medical or other information necessary to process this claim and assignment of benefits. | | added v2.5
M | Signed authorization for assignment of benefits on file. | | added v2.5
P | Signature generated by provider because the patient was not physically present for services. | | added v2.5

S | Signed authorization for release of any medical or other information necessary to process this claim on file. | | added v2.5

4.3.15.536 HL7 Version 2 Table 0536

URL: https://hl7.org/fhir/R4/v2/0536/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0536
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0536
Version: | 2.9
Name: | v2.0536
Title: | v2 Certificate Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0536 (Certificate Status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.536.1 Code System Content

• All Languages
• English
• Deutsch (German)

This code system http://terminology.hl7.org/CodeSystem/v2-0536 defines the following codes:

Code | Display | Definition | Version
E | en: Expired de: abgelaufen | | added v2.5
I | en: Inactive de: inaktiv | | added v2.5
P | Provisional | | added v2.5
R | en: Revoked de: zurückgezogen | | added v2.5
V | en: Active/Valid de: aktiv/gültig | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0536 defines the following codes:

Code | Display | Definition | Version
E | Expired | | added v2.5
I | Inactive | | added v2.5
P | Provisional | | added v2.5
R | Revoked | | added v2.5
V | Active/Valid | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0536 defines the following codes:

Code | Display | Definition | Version
E | abgelaufen | | added v2.5
I | inaktiv | | added v2.5
P | | | added v2.5
R | zurückgezogen | | added v2.5
V | aktiv/gültig | | added v2.5

4.3.15.538 HL7 Version 2 Table 0538

URL: https://hl7.org/fhir/R4/v2/0538/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0538
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0538
Version: | 2.9
Name: | v2.0538
Title: | v2 Institution Relationship Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0538 (Institution Relationship Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.538.1 Code System Content

• All Languages

• English

• Deutsch (German)

This code system http://terminology.hl7.org/CodeSystem/v2-0538 defines the following codes:

Code | Display | Definition | Version
CON | Contractor | | added v2.5
CST | Consultant | | added v2.5
EMP | en: Employee de: Angestellter | | added v2.5
VOL | Volunteer | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0538 defines the following codes:

Code | Display | Definition | Version
CON | Contractor | | added v2.5
CST | Consultant | | added v2.5
EMP | Employee | | added v2.5
VOL | Volunteer | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0538 defines the following codes:

Code | Display | Definition | Version
CON | | | added v2.5
CST | | | added v2.5
EMP | Angestellter | | added v2.5
VOL | | | added v2.5

4.3.15.540 HL7 Version 2 Table 0540

URL: https://hl7.org/fhir/R4/v2/0540/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0540
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0540
Version: | 2.9
Name: | v2.0540
Title: | v2 Inactive Reason Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0540 (Inactive Reason Code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.540.1 Code System Content

• All Languages

• English

• Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0540 defines the following codes:

Code | Display | Definition | Version
L | en: Leave of Absence nl: Verlof | | added v2.5
R | en: Retired nl: Verlopen | | added v2.5
T | en: Termination nl: Beëindiging | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0540 defines the following codes:

Code | Display | Definition | Version
L | Leave of Absence | | added v2.5
R | Retired | | added v2.5
T | Termination | | added v2.5

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0540 definieert de volgende codes:

Code | Display | Definition | Versie
L | Verlof | | added v2.5
R | Verlopen | | added v2.5
T | Beëindiging | | added v2.5

4.3.15.544 HL7 Version 2 Table 0544

URL: https://hl7.org/fhir/R4/v2/0544/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0544
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0544
Version: | 2.9
Name: | v2.0544
Title: | v2 Container Condition
Definition: | FHIR Value set/code system definition for HL7 v2 table 0544 (Container Condition)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.544.1 Code System Content

- All Languages
- English
- Deutsch (German)
- Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0544 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
... | en: No suggested values de: keine Werte vorgeschlagen nl: geen voorgestelde waarden | | Deprecated | | added v2.5.1, removed after v2.6
CC | Container Cracked | | | Container is cracked. | added v2.7
CL | Container Leaking | | | Container is leaking | added v2.7
CT | Container Torn | | | Container is torn | added v2.7
SB | Seal Broken | | | Container seal is broken. | added v2.7
XAMB | Not Ambient temperature | | | Failed to keep at ambient (room) temperature, approximately 22 +/- 2 degrees C. Accidental refrigeration or freezing is of little consequence | added v2.7
XC37 | Not Body temperature | | | Failed to keep at body temperature: 36 - 38 degrees C. | added v2.7
XCAMB | Not Critical ambient temperature | | | Failed to keep critical ambient. | added v2.7
XCATM | Exposed to Air | | | Exposed to atmosphere. | added v2.7
XCFRZ | Not Critical frozen temperature | | | Failed to keep critical frozen | added v2.7
XCREF | Not Critical refrigerated temperature | | | Failed to keep critical refrigerated. | added v2.7
XDFRZ | Not Deep frozen | | | Failed to keep deep frozen: -16 to -20 degree C. | added v2.7
XDRY | Not Dry | | | Failed to keep in a dry environment. | added v2.7
XFRZ | Not Frozen temperature | | | Failed to keep at frozen temperature: -4 degrees C. | added v2.7
XMTLF | Metal Exposed | | | Failed to keep container is free of heavy metals. | added v2.7
XNTR | Not Liquid nitrogen | | | Failed to keep in liquid nitrogen. | added v2.7
XPRTL | Not Protected from light | | | Failed to protect from light. | added v2.7
XPSA | Shaken | | | Shaken. | added v2.7
XPSO | Exposed to shock | | | Failed to protect from shock. | added v2.7
XREF | Not Refrigerated temperature | | | Failed to keep at refrigerated temperature: 4-8 degrees C. | added v2.7
XUFRZ | Not Ultra frozen | | | Failed to keep ultra cold frozen: ~ -75 to -85 degree C. (ultra cold freezer is typically at temperature of dry ice). | added v2.7
XUPR | Not Upright | | | Failed to keep upright. | added v2.7

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0544 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
... | No suggested values | | Deprecated | | added v2.5.1, removed after v2.6

CC | Container Cracked | | | Container is cracked. | added v2.7
CL | Container Leaking | | | Container is leaking | added v2.7
CT | Container Torn | | | Container is torn | added v2.7
SB | Seal Broken | | | Container seal is broken. | added v2.7
XAMB | Not Ambient temperature | | | Failed to keep at ambient (room) temperature, approximately 22 +/- 2 degrees C. Accidental refrigeration or freezing is of little consequence | added v2.7
XC37 | Not Body temperature | | | Failed to keep at body temperature: 36 - 38 degrees C. | added v2.7
XCAMB | Not Critical ambient temperature | | | Failed to keep critical ambient. | added v2.7
XCATM | Exposed to Air | | | Exposed to atmosphere. | added v2.7
XCFRZ | Not Critical frozen temperature | | | Failed to keep critical frozen | added v2.7
XCREF | Not Critical refrigerated temperature | | | Failed to keep critical refrigerated. | added v2.7
XDFRZ | Not Deep frozen | | | Failed to keep deep frozen: -16 to -20 degree C. | added v2.7
XDRY | Not Dry | | | Failed to keep in a dry environment. | added v2.7
XFRZ | Not Frozen temperature | | | Failed to keep at frozen temperature: -4 degrees C. | added v2.7
XMTLF | Metal Exposed | | | Failed to keep container is free of heavy metals. | added v2.7
XNTR | Not Liquid nitrogen | | | Failed to keep in liquid nitrogen. | added v2.7
XPRTL | Not Protected from light | | | Failed to protect from light. | added v2.7
XPSA | Shaken | | | Shaken. | added v2.7
XPSO | Exposed to shock | | | Failed to protect from shock. | added v2.7
XREF | Not Refrigerated temperature | | | Failed to keep at refrigerated temperature: 4-8 degrees C. | added v2.7
XUFRZ | Not Ultra frozen | | | Failed to keep ultra cold frozen: ~ -75 to -85 degree C. (ultra cold freezer is typically at temperature of dry ice). | added v2.7
XUPR | Not Upright | | | Failed to keep upright. | added v2.7

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0544 defines the following codes:

Code | Display | Definition | Deprecated | Comments | Version
... | keine Werte vorgeschlagen | | Deprecated | | added v2.5.1, removed after v2.6
CC | | | | | added v2.7
CL | | | | | added v2.7
CT | | | | | added v2.7
SB | | | | | added v2.7
XAMB | | | | | added v2.7
XC37 | | | | | added v2.7
XCAMB | | | | | added v2.7
XCATM | | | | | added v2.7
XCFRZ | | | | | added v2.7
XCREF | | | | | added v2.7
XDFRZ | | | | | added v2.7
XDRY | | | | | added v2.7
XFRZ | | | | | added v2.7
XMTLF | | | | | added v2.7
XNTR | | | | | added v2.7
XPRTL | | | | | added v2.7
XPSA | | | | | added v2.7
XPSO | | | | | added v2.7
XREF | | | | | added v2.7
XUFRZ | | | | | added v2.7
XUPR | | | | | added v2.7

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0544 definieert de volgende codes:

Code | Display | Definition | Verouderd | Commentaar | Versie
... | geen voorgestelde waarden | | Verouderd | | added v2.5.1, removed after v2.6
CC | | | | | added v2.7
CL | | | | | added v2.7
CT | | | | | added v2.7
SB | | | | | added v2.7
XAMB | | | | | added v2.7
XC37 | | | | | added v2.7
XCAMB | | | | | added v2.7
XCATM | | | | | added v2.7

XCFRZ | | | | | added v2.7
XCREF | | | | | added v2.7
XDFRZ | | | | | added v2.7
XDRY | | | | | added v2.7
XFRZ | | | | | added v2.7
XMTLF | | | | | added v2.7
XNTR | | | | | added v2.7
XPRTL | | | | | added v2.7
XPSA | | | | | added v2.7
XPSO | | | | | added v2.7
XREF | | | | | added v2.7
XUFRZ | | | | | added v2.7
XUPR | | | | | added v2.7

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.544.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 21 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0544 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0544

Code | Display | Definition
CC | Container Cracked
CL | Container Leaking
CT | Container Torn
SB | Seal Broken
XAMB | Not Ambient temperature
XC37 | Not Body temperature
XCAMB | Not Critical ambient temperature
XCATM | Exposed to Air
XCFRZ | Not Critical frozen temperature
XCREF | Not Critical refrigerated temperature
XDFRZ | Not Deep frozen
XDRY | Not Dry
XFRZ | Not Frozen temperature
XMTLF | Metal Exposed
XNTR | Not Liquid nitrogen
XPRTL | Not Protected from light
XPSA | Shaken
XPSO | Exposed to shock
XREF | Not Refrigerated temperature
XUFRZ | Not Ultra frozen
XUPR | Not Upright

4.3.15.547 HL7 Version 2 Table 0547

URL: https://hl7.org/fhir/R4/v2/0547/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0547
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0547
Version: | 2.9
Name: | v2.0547
Title: | v2 Jurisdictional Breadth
Definition: | FHIR Value set/code system definition for HL7 v2 table 0547 (Jurisdictional Breadth)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.547.1 Code System Content

- All Languages
- English

• Deutsch (German)

This code system http://terminology.hl7.org/CodeSystem/v2-0547 defines the following codes:

Code | Display | Definition | Version
C | County/Parish | | added v2.5
N | en: Country de: Land | | added v2.5
S | en: State/Province de: Bundesland | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0547 defines the following codes:

Code | Display | Definition | Version
C | County/Parish | | added v2.5
N | Country | | added v2.5
S | State/Province | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0547 defines the following codes:

Code | Display | Definition | Version
C | | | added v2.5
N | Land | | added v2.5
S | Bundesland | | added v2.5

4.3.15.548 HL7 Version 2 Table 0548

URL: https://hl7.org/fhir/R4/v2/0548/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0548
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0548
Version: | 2.9
Name: | v2.0548
Title: | v2 Signatory's Relationship to Subject
Definition: | FHIR Value set/code system definition for HL7 v2 table 0548 (Signatory's Relationship to Subject)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.548.1 Code System Content

• All Languages

• English

• Deutsch (German)

This code system http://terminology.hl7.org/CodeSystem/v2-0548 defines the following codes:

Code | Display | Definition | Version
1 | Self | | added v2.5
2 | en: Parent de: Eltern | | added v2.5
3 | Next of Kin | | added v2.5
4 | Durable Power of Attorney in Healthcare Affairs | | added v2.5
5 | Conservator | | added v2.5
6 | Emergent Practitioner (practitioner judging case as emergency requiring care without a consent) | | added v2.5
7 | Non-Emergent Practitioner (i.e. medical ethics committee) | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0548 defines the following codes:

Code | Display | Definition | Version
1 | Self | | added v2.5
2 | Parent | | added v2.5
3 | Next of Kin | | added v2.5
4 | Durable Power of Attorney in Healthcare Affairs | | added v2.5
5 | Conservator | | added v2.5
6 | Emergent Practitioner (practitioner judging case as emergency requiring care without a consent) | | added v2.5
7 | Non-Emergent Practitioner (i.e. medical ethics committee) | | added v2.5

This code system http://terminology.hl7.org/CodeSystem/v2-0548 defines the following codes:

Code | Display | Definition | Version
1 | | | added v2.5
2 | Eltern | | added v2.5
3 | | | added v2.5
4 | | | added v2.5

5 | | | added v2.5
6 | | | added v2.5
7 | | | added v2.5

4.3.15.550 HL7 Version 2 Table 0550

URL: https://hl7.org/fhir/R4/v2/0550/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0550
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0550
Version: | 2.9
Name: | v2.0550
Title: | v2 Body Parts
Definition: | FHIR Value set/code system definition for HL7 v2 table 0550 (Body Parts)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.550.1 Code System Content

Body Parts

Code | Description | Comment | Version
ACET | Acetabulum | | added v2.5
ACHIL | Achilles | | added v2.5
ADB | Abdomen | | added v2.5
ADE | Adenoids | | added v2.5
ADR | Adrenal | | added v2.5
AMN | Amniotic fluid | | added v2.5
AMS | Amniotic Sac | | added v2.5
ANAL | Anal | | added v2.5
ANKL | Ankle | | added v2.5
ANTEC | Antecubital | | added v2.5
ANTECF | Antecubital Fossa | | added v2.5
ANTR | Antrum | | added v2.5
ANUS | Anus | | added v2.5
AORTA | Aorta | | added v2.5
APDX | Appendix | | added v2.5
AR | Aortic Rim | | added v2.5
AREO | Areola | | added v2.5
ARM | Arm | | added v2.5
ARTE | Artery | | added v2.5
ASCIT | Ascites | | added v2.5
ASCT | Ascitic Fluid | | added v2.5
ATR | Atrium | | added v2.5
AURI | Auricular | | added v2.5
AV | Aortic Valve | | added v2.5
AXI | Axilla | | added v2.5
BACK | Back | | added v2.5
BARTD | Bartholin Duct | | added v2.5
BARTG | Bartholin Gland | | added v2.5
BCYS | Brain Cyst Fluid | | added v2.5
BDY | Body, Whole | | added v2.5
BID | Bile Duct | | added v2.5
BIFL | Bile fluid | | added v2.5
BLAD | Bladder | | added v2.5
BLD | Blood, Whole | | added v2.5
BLDA | Blood, Arterial | | added v2.5
BLDC | Blood, Capillary | | added v2.5
BLDV | Blood, Venous | | added v2.5
BLOOD | Blood | | added v2.5
BMAR | Bone marrow | | added v2.5
BON | Bone | | added v2.5
BOWEL | Bowel | | added v2.5
BOWLA | Bowel, Large | | added v2.5
BOWSM | Bowel, Small | | added v2.5

BPH | Basophils | | added v2.5
BRA | Brachial | | added v2.5
BRAIN | Brain | | added v2.5
BRO | Bronchial | | added v2.5
BROCH | Bronchiole/Bronchiolar | | added v2.5
BRONC | Bronchus/Bronchial | | added v2.5
BROW | Eyebrow | | added v2.5
BRST | Breast | | added v2.5
BRSTFL | Breast fluid | | added v2.5
BRTGF | Bartholin Gland Fluid | | added v2.5
BRV | Broviac | | added v2.5
BUCCA | Buccal | | added v2.5
BURSA | Bursa | | added v2.5
BURSF | Bursa Fluid | | added v2.5
BUTT | Buttocks | | added v2.5
CALF | Calf | | added v2.5
CANAL | Canal | | added v2.5
CANLI | Canaliculis | | added v2.5
CANTH | Canthus | | added v2.5
CARO | Carotid | | added v2.5
CARP | Carpal | | added v2.5
CAVIT | Cavity | | added v2.5
CBLD | Blood, Cord | | added v2.5
CDM | Cardiac Muscle | | added v2.5
CDUCT | Common Duct | | added v2.5
CECUM | Cecum/Cecal | | added v2.5
CERVUT | Cervix/Uterus | | added v2.5
CHE | Cavity, Chest | | added v2.5
CHEEK | Cheek | | added v2.5
CHES | Chest | | added v2.5
CHEST | Chest Tube | deprecated | added v2.5, removed after v2.7
CHESTÂ | Chest Tube | | added v2.7.1
CHIN | Chin | | added v2.5
CIRCU | Circumcision Site | | added v2.5
CLAVI | Clavicle/Clavicular | | added v2.5
CLIT | Clitoris | | added v2.5
CLITO | Clitoral | | added v2.5
CNL | Cannula | | added v2.5
COCCG | Coccygeal | | added v2.5
COCCY | Coccyx | | added v2.5
COLON | Colon | | added v2.5
COLOS | Colostomy | | added v2.5
CONJ | Conjunctiva | | added v2.5
COR | Cord | | added v2.5
CORAL | Coral | | added v2.5
CORD | Cord Blood | | added v2.5
CORN | Cornea | | added v2.5
COS | Colostomy Stoma | | added v2.5
CRANE | Cranium, ethmoid | | added v2.5
CRANF | Cranium, frontal | | added v2.5
CRANO | Cranium, occipital | | added v2.5
CRANP | Cranium, parietal | | added v2.5
CRANS | Cranium, sphenoid | | added v2.5
CRANT | Cranium, temporal | | added v2.5
CSF | Cerebral Spinal Fluid | | added v2.5
CUBIT | Cubitus | | added v2.5
CUFF | Cuff | | added v2.5
CULD | Cul De Sac | | added v2.5
CULDO | Culdocentesis | | added v2.5
CVX | Cervix | | added v2.5
DELT | Deltoid | | added v2.5
DEN | Dental Gingiva | | added v2.5
DENTA | Dental | | added v2.5
DIAF | Dialysis Fluid | | added v2.5
DIGIT | Digit | | added v2.5
DISC | Disc | | added v2.5
DORS | Dorsum/Dorsal | | added v2.5
DPH | Diaphragm | | added v2.5
DUFL | Duodenal Fluid | | added v2.5
DUODE | Duodenum/Duodenal | | added v2.5
DUR | Dura | | added v2.5
EAR | Ear | | added v2.5

EARBI | Ear bone, incus | | added v2.5
EARBM | Ear bone, malleus | | added v2.5
EARBS | Ear bone,stapes | | added v2.5
EARLO | Ear Lobe | | added v2.5
EC | Endocervical | | added v2.5
ELBOW | Elbow | | added v2.5
ELBOWJ | Elbow Joint | | added v2.5
ENDC | Endocardium | | added v2.5
ENDM | Endometrium | | added v2.5
EOLPH | endolpthamitis | | added v2.5
EOS | Eosinophils | | added v2.5
EPD | Epididymis | | added v2.5
EPICA | Epicardial | | added v2.5
EPICM | Epicardium | | added v2.5
EPIDU | Epidural | | added v2.5
EPIGL | Epiglottis | | added v2.5
ESO | Esophagus | | added v2.5
ESOPG | Esophageal | | added v2.5
ET | Endotracheal | | added v2.5
ETHMO | Ethmoid | | added v2.5
EUR | Endourethral | | added v2.5
EYE | Eye | | added v2.5
EYELI | Eyelid | | added v2.5
FACE | Face | | added v2.5
FALLT | Fallopian Tube | | added v2.5
FBINC | Facial bone, inferior nasal concha | | added v2.5
FBLAC | Facial bone, lacrimal | | added v2.5
FBMAX | Facial bone, maxilla | | added v2.5
FBNAS | Facial bone, nasal | | added v2.5
FBPAL | Facial bone, palatine | | added v2.5
FBVOM | Facial bone, vomer | | added v2.5
FBZYG | Facial bone, zygomatic | | added v2.5
FEMOR | Femoral | | added v2.5
FEMUR | Femur | | added v2.5
FET | Fetus | | added v2.5
FIBU | Fibula | | added v2.5
FING | Finger | | added v2.5
FINGN | Finger Nail | | added v2.5
FMH | Femoral Head | | added v2.5
FOL | Follicle | | added v2.5
FOOT | Foot | | added v2.5
FOREA | Forearm | | added v2.5
FOREH | Forehead | | added v2.5
FORES | Foreskin | | added v2.5
FOURC | Fourchette | | added v2.5
GB | Gall Bladder | | added v2.5
GEN | Genital | | added v2.5
GENC | Genital Cervix | | added v2.5
GENL | Genital Lochia | | added v2.5
GL | Genital Lesion | | added v2.5
GLAND | Gland | | added v2.5
GLANS | Glans | | added v2.5
GLUT | Gluteus | | added v2.5
GLUTE | Gluteal | | added v2.5
GLUTM | Gluteus Medius | | added v2.5
GROIN | Groin | | added v2.5
GUM | Gum | | added v2.5
GVU | Genital - Vulva | | added v2.5
HAL | Hallux | | added v2.5
HAND | Hand | | added v2.5
HAR | Hair | | added v2.5
HART | Heart | | added v2.5
HEAD | Head | | added v2.5
HEEL | Heel | | added v2.5
HEM | Hemorrhoid | | added v2.5
HIP | Hip | | added v2.5
HIPJ | Hip Joint | | added v2.5
HUMER | Humerus | | added v2.5
HV | Heart Valve | | added v2.5
HVB | Heart Valve, Bicuspid | | added v2.5
HVT | Heart Valve, Tricuspid | | added v2.5
HYMEN | Hymen | | added v2.5

ICX | Intracervical | | added v2.5
ILC | Ileal Conduit | | added v2.5
ILCON | Ilical Conduit | | added v2.5
ILCR | Iliac Crest | | added v2.5
ILE | Ileal Loop | | added v2.5
ILEOS | Ileostomy | | added v2.5
ILEUM | Ileum | | added v2.5
ILIAC | Iliac | | added v2.5
INASA | Intranasal | | added v2.5
INGUI | Inguinal | | added v2.5
INSTL | Intestine, Large | | added v2.5
INSTS | Intestine, Small | | added v2.5
INT | Intestine | | added v2.5
INTRO | Introitus | | added v2.5
INTRU | Intrauterine | | added v2.5
ISCHI | Ischium | | added v2.5
ISH | Loop, Ishial | | added v2.5
JAW | Jaw | | added v2.5
JUGE | Jugular, External | | added v2.5
JUGI | Jugular, Internal | | added v2.5
KIDN | Kidney | deprecated | added v2.5, removed after v2.8.2
KIDNÂ | Kidney | | added v2.7.1
KNEE | Knee | | added v2.5
KNEEF | Knee Fluid | | added v2.5
KNEEJ | Knee Joint | | added v2.5
LABIA | Labia | | added v2.5
LABMA | Labia Majora | | added v2.5
LABMI | Labia Minora | | added v2.5
LACRI | Lacrimal | | added v2.5
LAM | Lamella | | added v2.5
LARYN | Larynx | | added v2.5
LEG | Leg | | added v2.5
LENS | Lens | | added v2.5
LING | Lingual | | added v2.5
LINGU | Lingula | | added v2.5
LIP | Lip | | added v2.5
LIVER | Liver | | added v2.5
LMN | Lumen | | added v2.5
LN | Lymph Node | | added v2.5
LNG | Lymph Node, Groin | | added v2.5
LOBE | Lobe | | added v2.5
LOCH | Lochia | | added v2.5
LUMBA | Lumbar | | added v2.5
LUNG | Lung | | added v2.5
LYM | Lymphocytes | | added v2.5
MAC | Macrophages | | added v2.5
MALLE | Malleolus | | added v2.5
MANDI | Mandible/Mandibular | | added v2.5
MAR | Marrow | | added v2.5
MAST | Mastoid | | added v2.5
MAXIL | Maxilla/Maxillary | | added v2.5
MAXS | Maxillary Sinus | | added v2.5
MEATU | Meatus | | added v2.5
MEC | Meconium | | added v2.5
MEDST | Mediastinum | | added v2.5
MEDU | Medullary | | added v2.5
METAC | Metacarpal | | added v2.5
METAT | Metatarsal | | added v2.5
MILK | Milk, Breast | | added v2.5
MITRL | Mitral Valve | | added v2.5
MOLAR | Molar | | added v2.5
MONSU | Mons Ureteris | | added v2.5
MONSV | Mons Veneris(Mons Pubis) | | added v2.5
MOU | Membrane | | added v2.5
MOUTH | Mouth | | added v2.5
MP | Mons Pubis | | added v2.5
MPB | Meninges | | added v2.5
MRSA2 | Mrsa: | | added v2.5
MYO | Myocardium | | added v2.5
NAIL | Nail | | added v2.5
NAILB | Nail Bed | | added v2.5
NAILF | Nail, Finger | | added v2.5

NAILT | Nail, Toe | | added v2.5
NARES | Nares | | added v2.5
NASL | Nasal | | added v2.5
NAVEL | Navel | | added v2.5
NECK | Neck | | added v2.5
NERVE | Nerve | | added v2.5
NIPPL | Nipple | | added v2.5
NLACR | Nasolacrimal | | added v2.5
NOS | Nose (Nasal Passage) | | added v2.5
NOSE | Nose/Nose(outside) | | added v2.5
NOSTR | Nostril | | added v2.5
NP | Nasopharyngeal/Nasopharynx | | added v2.5
NSS | Nasal Septum | | added v2.5
NTRAC | Nasotracheal | | added v2.5
OCCIP | Occipital | | added v2.5
OLECR | Olecranon | | added v2.5
OMEN | Omentum | | added v2.5
ORBIT | Orbit/Orbital | | added v2.5
ORO | Oropharynx | | added v2.5
OSCOX | Os coxa (pelvic girdle) | | added v2.5
OVARY | Ovary | | added v2.5
PAFL | Pancreatic Fluid | | added v2.5
PALAT | Palate | | added v2.5
PALM | Palm | | added v2.5
PANAL | Perianal/Perirectal | | added v2.5
PANCR | Pancreas | | added v2.5
PARAT | Paratracheal | | added v2.5
PARIE | Parietal | | added v2.5
PARON | Paronychia | | added v2.5
PAROT | Parotid/Parotid Gland | | added v2.5
PAS | Parasternal | | added v2.5
PATEL | Patella | | added v2.5
PCARD | Pericardium | | added v2.5
PCLIT | Periclitoral | | added v2.5
PELV | Pelvis | | added v2.5
PENIS | Penis | | added v2.5
PENSH | Penile Shaft | | added v2.5
PER | Peritoneal | | added v2.5
PERI | Pericardial Fluid | | added v2.5
PERIH | Perihepatic | | added v2.5
PERIN | Perineal Abscess | | added v2.5
PERIS | Perisplenic | | added v2.5
PERIT | Peritoneum | | added v2.5
PERIU | Periurethal | | added v2.5
PERIV | Perivesicular | | added v2.5
PERRA | Perirectal | | added v2.5
PERT | Peritoneal Fluid | | added v2.5
PHALA | Phalanyx | | added v2.5
PILO | Pilonidal | | added v2.5
PINNA | Pinna | | added v2.5
PLACF | Placenta (Fetal Side) | | added v2.5
PLACM | Placenta (Maternal Side) | | added v2.5
PLANT | Plantar | | added v2.5
PLATH | Palate, Hard | | added v2.5
PLATS | Palate, Soft | | added v2.5
PLC | Placenta | | added v2.5
PLEU | Pleural Fluid | | added v2.5
PLEUR | Pleura | | added v2.5
PLR | Pleural Fluid (Thoracentesis Fld) | | added v2.5
PNEAL | Perineal | | added v2.5
PNEPH | Perinephric | | added v2.5
PNM | Perineum | | added v2.5
POPLI | Popliteal | | added v2.5
PORBI | Periorbital | | added v2.5
PREAU | Preauricular | | added v2.5
PRERE | Prerenal | | added v2.5
PROS | Prostatic Fluid | | added v2.5
PRST | Prostate Gland | | added v2.5
PTONS | Peritonsillar | | added v2.5
PUBIC | Pubic | | added v2.5
PUL | Pulmonary Artery | | added v2.5
RADI | Radial | | added v2.5

RADIUS | Radius | | added v2.5
RBC | Red Blood Cells | | added v2.5
RECTL | Rectal | | added v2.5
RECTU | Rectum | | added v2.5
RENL | Renal | | added v2.5
RIB | Rib | | added v2.5
RNP | Renal Pelvis | | added v2.5
RPERI | Retroperitoneal | | added v2.5
SAC | Uterine Cul/De/Sac | | added v2.5
SACIL | Sacroiliac | | added v2.5
SACRA | Sacral | | added v2.5
SACRO | Sacrococcygeal | | added v2.5
SACRU | Sacrum | | added v2.5
SALGL | Salivary Gland | | added v2.5
SCALP | Scalp | | added v2.5
SCAPU | Scapula/Scapular | | added v2.5
SCLAV | Supraclavicle/Supraclavicular | | added v2.5
SCLER | Sclera | | added v2.5
SCLV | Sub Clavian | | added v2.5
SCROT | Scrotum/Scrotal | | added v2.5
SDP | Subdiaphramatic | | added v2.5
SEM | Seminal Fluid | | added v2.5
SEMN | Semen | | added v2.5
SEPTU | Septum/Septal | | added v2.5
SEROM | Seroma | | added v2.5
SGF | Subgaleal Fluid | | added v2.5
SHIN | Shin | | added v2.5
SHOL | Shoulder | | added v2.5
SHOLJ | Sholder Joint | | added v2.5
SIGMO | Sigmoid | | added v2.5
SINUS | Sinus | | added v2.5
SKENE | Skene's Gland | | added v2.5
SKM | Skeletal Muscle | | added v2.5
SKULL | Skull | | added v2.5
SOLE | Sole | | added v2.5
SPCOR | Spinal Cord | | added v2.5
SPHEN | Sphenoid | | added v2.5
SPLN | Spleen | | added v2.5
SPRM | Spermatozoa | | added v2.5
SPX | Supra Cervical | | added v2.5
STER | Sternum/Sternal | | added v2.5
STOM | Stoma | | added v2.5
STOMA | Stomach | | added v2.5
STOOLL | Liquid Stool | | added v2.5
STUMP | Stump | | added v2.5
SUB | Subdural | | added v2.5
SUBD | Subdural Fluid | | added v2.5
SUBM | Submandibular | | added v2.5
SUBME | Submental | | added v2.5
SUBPH | Subphrenic | | added v2.5
SUBX | Submaxillary | | added v2.5
SUPB | Suprapubic Specimen | | added v2.5
SUPRA | Suprapubic | | added v2.5
SWT | Sweat | | added v2.5
SWTG | Sweat Gland | | added v2.5
SYN | Synovial Fluid | | added v2.5
SYNOL | Synovial | | added v2.5
SYNOV | Synovium | | added v2.5
TARS | Tarsal | | added v2.5
TBRON | Transbronchial | | added v2.5
TCN | Transcarina Asp | | added v2.5
TDUCT | Tear Duct | | added v2.5
TEAR | Tears | | added v2.5
TEMPL | Temple | | added v2.5
TEMPO | Temporal | | added v2.5
TESTI | Testicle(Testis) | | added v2.5
THIGH | Thigh | | added v2.5
THM | Thymus | | added v2.5
THORA | Thorax/Thoracic/Thoracentesis | | added v2.5
THRB | Throat | | added v2.5
THUMB | Thumb | | added v2.5
THYRD | Thyroid | | added v2.5

TIBIA | Tibia | | added v2.5
TML | Temporal Lobe | | added v2.5
TNL | Thumbnail | | added v2.5
TOE | Toe | | added v2.5
TOEN | Toe Nail | | added v2.5
TONG | Tongue | | added v2.5
TONS | Tonsil | | added v2.5
TOOTH | Tooth | | added v2.5
TRCHE | Trachea/Tracheal | | added v2.5
TSK | Tooth Socket | | added v2.5
ULNA | Ulna/Ulnar | | added v2.5
UMB | Umbilical Blood | | added v2.5
UMBL | Umbilicus/Umbilical | | added v2.5
URET | Ureter | | added v2.5
URTH | Urethra | | added v2.5
USTOM | Stoma, Urinary | | added v2.5
UTER | Uterus | | added v2.5
UTERI | Uterine | | added v2.5
VAGIN | Vagina/Vaginal | | added v2.5
VAL | Valve | | added v2.5
VAS | Vas Deferens | | added v2.5
VASTL | Vastus Lateralis | | added v2.5
VAULT | Vault | | added v2.5
VCSF | Ventricular CSF | | added v2.5
VCUFF | Vaginal Cuff | | added v2.5
VEIN | Vein | | added v2.5
VENTG | Ventragluteal | | added v2.5
VERMI | Vermis Cerebelli | | added v2.5
VERTC | Vertebra, cervical | | added v2.5
VERTL | Vertebra, lumbar | | added v2.5
VERTT | Vertebra, thoracic | | added v2.5
VESCL | Vesicular | | added v2.5
VESFLD | Vesicular Fluid | | added v2.5
VESI | Vesicle | | added v2.5
VESTI | Vestibule(Genital) | | added v2.5
VGV | Vaginal Vault | | added v2.5
VITR | Vitreous Fluid | | added v2.5
VOC | Vocal Cord | | added v2.5
VULVA | Vulva | | added v2.5
WBC | Leukocytes | | added v2.5
WRIST | Wrist | | added v2.5
| External Jugular | deprecated | added v2.5, removed after v2.5
Â | External Jugular | | added v2.6

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.550.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 443 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0550 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0550

Code | Display | Definition
ACET | Acetabulum
ACHIL | Achilles
ADB | Abdomen
ADE | Adenoids
ADR | Adrenal
AMN | Amniotic fluid
AMS | Amniotic Sac
ANAL | Anal
ANKL | Ankle
ANTEC | Antecubital
ANTECF | Antecubital Fossa
ANTR | Antrum
ANUS | Anus
AORTA | Aorta
APDX | Appendix
AR | Aortic Rim
AREO | Areola
ARM | Arm

ARTE | Artery
ASCIT | Ascites
ASCT | Ascitic Fluid
ATR | Atrium
AURI | Auricular
AV | Aortic Valve
AXI | Axilla
BACK | Back
BARTD | Bartholin Duct
BARTG | Bartholin Gland
BCYS | Brain Cyst Fluid
BDY | Body, Whole
BID | Bile Duct
BIFL | Bile fluid
BLAD | Bladder
BLD | Blood, Whole
BLDA | Blood, Arterial
BLDC | Blood, Capillary
BLDV | Blood, Venous
BLOOD | Blood
BMAR | Bone marrow
BON | Bone
BOWEL | Bowel
BOWLA | Bowel, Large
BOWSM | Bowel, Small
BPH | Basophils
BRA | Brachial
BRAIN | Brain
BRO | Bronchial
BROCH | Bronchiole/Bronchiolar
BRONC | Bronchus/Bronchial
BROW | Eyebrow
BRST | Breast
BRSTFL | Breast fluid
BRTGF | Bartholin Gland Fluid
BRV | Broviac
BUCCA | Buccal
BURSA | Bursa
BURSF | Bursa Fluid
BUTT | Buttocks
CALF | Calf
CANAL | Canal
CANLI | Canaliculis
CANTH | Canthus
CARO | Carotid
CARP | Carpal
CAVIT | Cavity
CBLD | Blood, Cord
CDM | Cardiac Muscle
CDUCT | Common Duct
CECUM | Cecum/Cecal
CERVUT | Cervix/Uterus
CHE | Cavity, Chest
CHEEK | Cheek
CHES | Chest
CHESTÂ | Chest Tube
CHIN | Chin
CIRCU | Circumcision Site
CLAVI | Clavicle/Clavicular
CLIT | Clitoris
CLITO | Clitoral
CNL | Cannula
COCCG | Coccygeal
COCCY | Coccyx
COLON | Colon
COLOS | Colostomy
CONJ | Conjunctiva
COR | Cord
CORAL | Coral
CORD | Cord Blood
CORN | Cornea
COS | Colostomy Stoma

CRANE | Cranium, ethmoid
CRANF | Cranium, frontal
CRANO | Cranium, occipital
CRANP | Cranium, parietal
CRANS | Cranium, sphenoid
CRANT | Cranium, temporal
CSF | Cerebral Spinal Fluid
CUBIT | Cubitus
CUFF | Cuff
CULD | Cul De Sac
CULDO | Culdocentesis
CVX | Cervix
DELT | Deltoid
DEN | Dental Gingiva
DENTA | Dental
DIAF | Dialysis Fluid
DIGIT | Digit
DISC | Disc
DORS | Dorsum/Dorsal
DPH | Diaphragm
DUFL | Duodenal Fluid
DUODE | Duodenum/Duodenal
DUR | Dura
EAR | Ear
EARBI | Ear bone, incus
EARBM | Ear bone, malleus
EARBS | Ear bone,stapes
EARLO | Ear Lobe
EC | Endocervical
ELBOW | Elbow
ELBOWJ | Elbow Joint
ENDC | Endocardium
ENDM | Endometrium
EOLPH | endolpthamitis
EOS | Eosinophils
EPD | Epididymis
EPICA | Epicardial
EPICM | Epicardium
EPIDU | Epidural
EPIGL | Epiglottis
ESO | Esophagus
ESOPG | Esophageal
ET | Endotracheal
ETHMO | Ethmoid
EUR | Endourethral
EYE | Eye
EYELI | Eyelid
FACE | Face
FALLT | Fallopian Tube
FBINC | Facial bone, inferior nasal concha
FBLAC | Facial bone, lacrimal
FBMAX | Facial bone, maxilla
FBNAS | Facial bone, nasal
FBPAL | Facial bone, palatine
FBVOM | Facial bone, vomer
FBZYG | Facial bone, zygomatic
FEMOR | Femoral
FEMUR | Femur
FET | Fetus
FIBU | Fibula
FING | Finger
FINGN | Finger Nail
FMH | Femoral Head
FOL | Follicle
FOOT | Foot
FOREA | Forearm
FOREH | Forehead
FORES | Foreskin
FOURC | Fourchette
GB | Gall Bladder
GEN | Genital
GENC | Genital Cervix

GENL | Genital Lochia
GL | Genital Lesion
GLAND | Gland
GLANS | Glans
GLUT | Gluteus
GLUTE | Gluteal
GLUTM | Gluteus Medius
GROIN | Groin
GUM | Gum
GVU | Genital - Vulva
HAL | Hallux
HAND | Hand
HAR | Hair
HART | Heart
HEAD | Head
HEEL | Heel
HEM | Hemorrhoid
HIP | Hip
HIPJ | Hip Joint
HUMER | Humerus
HV | Heart Valve
HVB | Heart Valve, Bicuspid
HVT | Heart Valve, Tricuspid
HYMEN | Hymen
ICX | Intracervical
ILC | Ileal Conduit
ILCON | Ilical Conduit
ILCR | Iliac Crest
ILE | Ileal Loop
ILEOS | Ileostomy
ILEUM | Ileum
ILIAC | Iliac
INASA | Intranasal
INGUI | Inguinal
INSTL | Intestine, Large
INSTS | Intestine, Small
INT | Intestine
INTRO | Introitus
INTRU | Intrauterine
ISCHI | Ischium
ISH | Loop, Ishial
JAW | Jaw
JUGE | Jugular, External
JUGI | Jugular, Internal
KIDNÂ | Kidney
KNEE | Knee
KNEEF | Knee Fluid
KNEEJ | Knee Joint
LABIA | Labia
LABMA | Labia Majora
LABMI | Labia Minora
LACRI | Lacrimal
LAM | Lamella
LARYN | Larynx
LEG | Leg
LENS | Lens
LING | Lingual
LINGU | Lingula
LIP | Lip
LIVER | Liver
LMN | Lumen
LN | Lymph Node
LNG | Lymph Node, Groin
LOBE | Lobe
LOCH | Lochia
LUMBA | Lumbar
LUNG | Lung
LYM | Lymphocytes
MAC | Macrophages
MALLE | Malleolus
MANDI | Mandible/Mandibular
MAR | Marrow

MAST | Mastoid
MAXIL | Maxilla/Maxillary
MAXS | Maxillary Sinus
MEATU | Meatus
MEC | Meconium
MEDST | Mediastinum
MEDU | Medullary
METAC | Metacarpal
METAT | Metatarsal
MILK | Milk, Breast
MITRL | Mitral Valve
MOLAR | Molar
MONSU | Mons Ureteris
MONSV | Mons Veneris(Mons Pubis)
MOU | Membrane
MOUTH | Mouth
MP | Mons Pubis
MPB | Meninges
MRSA2 | Mrsa:
MYO | Myocardium
NAIL | Nail
NAILB | Nail Bed
NAILF | Nail, Finger
NAILT | Nail, Toe
NARES | Nares
NASL | Nasal
NAVEL | Navel
NECK | Neck
NERVE | Nerve
NIPPL | Nipple
NLACR | Nasolacrimal
NOS | Nose (Nasal Passage)
NOSE | Nose/Nose(outside)
NOSTR | Nostril
NP | Nasopharyngeal/Nasopharynx
NSS | Nasal Septum
NTRAC | Nasotracheal
OCCIP | Occipital
OLECR | Olecranon
OMEN | Omentum
ORBIT | Orbit/Orbital
ORO | Oropharynx
OSCOX | Os coxa (pelvic girdle)
OVARY | Ovary
PAFL | Pancreatic Fluid
PALAT | Palate
PALM | Palm
PANAL | Perianal/Perirectal
PANCR | Pancreas
PARAT | Paratracheal
PARIE | Parietal
PARON | Paronychia
PAROT | Parotid/Parotid Gland
PAS | Parasternal
PATEL | Patella
PCARD | Pericardium
PCLIT | Periclitoral
PELV | Pelvis
PENIS | Penis
PENSH | Penile Shaft
PER | Peritoneal
PERI | Pericardial Fluid
PERIH | Perihepatic
PERIN | Perineal Abscess
PERIS | Perisplenic
PERIT | Peritoneum
PERIU | Periurethal
PERIV | Perivesicular
PERRA | Perirectal
PERT | Peritoneal Fluid
PHALA | Phalanyx
PILO | Pilonidal

PINNA | Pinna
PLACF | Placenta (Fetal Side)
PLACM | Placenta (Maternal Side)
PLANT | Plantar
PLATH | Palate, Hard
PLATS | Palate, Soft
PLC | Placenta
PLEU | Pleural Fluid
PLEUR | Pleura
PLR | Pleural Fluid (Thoracentesis Fld)
PNEAL | Perineal
PNEPH | Perinephric
PNM | Perineum
POPLI | Popliteal
PORBI | Periorbital
PREAU | Preauricular
PRERE | Prerenal
PROS | Prostatic Fluid
PRST | Prostate Gland
PTONS | Peritonsillar
PUBIC | Pubic
PUL | Pulmonary Artery
RADI | Radial
RADIUS | Radius
RBC | Red Blood Cells
RECTL | Rectal
RECTU | Rectum
RENL | Renal
RIB | Rib
RNP | Renal Pelvis
RPERI | Retroperitoneal
SAC | Uterine Cul/De/Sac
SACIL | Sacroiliac
SACRA | Sacral
SACRO | Sacrococcygeal
SACRU | Sacrum
SALGL | Salivary Gland
SCALP | Scalp
SCAPU | Scapula/Scapular
SCLAV | Supraclavicle/Supraclavicular
SCLER | Sclera
SCLV | Sub Clavian
SCROT | Scrotum/Scrotal
SDP | Subdiaphramatic
SEM | Seminal Fluid
SEMN | Semen
SEPTU | Septum/Septal
SEROM | Seroma
SGF | Subgaleal Fluid
SHIN | Shin
SHOL | Shoulder
SHOLJ | Sholder Joint
SIGMO | Sigmoid
SINUS | Sinus
SKENE | Skene's Gland
SKM | Skeletal Muscle
SKULL | Skull
SOLE | Sole
SPCOR | Spinal Cord
SPHEN | Sphenoid
SPLN | Spleen
SPRM | Spermatozoa
SPX | Supra Cervical
STER | Sternum/Sternal
STOM | Stoma
STOMA | Stomach
STOOLL | Liquid Stool
STUMP | Stump
SUB | Subdural
SUBD | Subdural Fluid
SUBM | Submandibular
SUBME | Submental

SUBPH | Subphrenic
SUBX | Submaxillary
SUPB | Suprapubic Specimen
SUPRA | Suprapubic
SWT | Sweat
SWTG | Sweat Gland
SYN | Synovial Fluid
SYNOL | Synovial
SYNOV | Synovium
TARS | Tarsal
TBRON | Transbronchial
TCN | Transcarina Asp
TDUCT | Tear Duct
TEAR | Tears
TEMPL | Temple
TEMPO | Temporal
TESTI | Testicle(Testis)
THIGH | Thigh
THM | Thymus
THORA | Thorax/Thoracic/Thoracentesis
THRB | Throat
THUMB | Thumb
THYRD | Thyroid
TIBIA | Tibia
TML | Temporal Lobe
TNL | Thumbnail
TOE | Toe
TOEN | Toe Nail
TONG | Tongue
TONS | Tonsil
TOOTH | Tooth
TRCHE | Trachea/Tracheal
TSK | Tooth Socket
ULNA | Ulna/Ulnar
UMB | Umbilical Blood
UMBL | Umbilicus/Umbilical
URET | Ureter
URTH | Urethra
USTOM | Stoma, Urinary
UTER | Uterus
UTERI | Uterine
VAGIN | Vagina/Vaginal
VAL | Valve
VAS | Vas Deferens
VASTL | Vastus Lateralis
VAULT | Vault
VCSF | Ventricular CSF
VCUFF | Vaginal Cuff
VEIN | Vein
VENTG | Ventragluteal
VERMI | Vermis Cerebelli
VERTC | Vertebra, cervical
VERTL | Vertebra, lumbar
VERTT | Vertebra, thoracic
VESCL | Vesicular
VESFLD | Vesicular Fluid
VESI | Vesicle
VESTI | Vestibule(Genital)
VGV | Vaginal Vault
VITR | Vitreous Fluid
VOC | Vocal Cord
VULVA | Vulva
WBC | Leukocytes
WRIST | Wrist
Â | External Jugular

4.3.15.553 HL7 Version 2 Table 0553

URL: https://hl7.org/fhir/R4/v2/0553/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0553
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0553
Version: | 2.9
Name: | v2.0553
Title: | v2 Invoice Control Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0553 (Invoice Control Code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.553.1 Code System Content

Invoice Control Code

Code | Description | Comment | Version
AA | Authorization request for inpatient admission | | added v2.6
AI | Combined Authorization and Adjudication request | | added v2.6
CA | Cancel Authorization request | | added v2.6
CG | Cancel Invoice Product/Service Group | Cancel a specific Product/Service Group in an Invoice | added v2.6
CL | Cancel Invoice Product/Service Line Item | Cancel a specific Product/Service Line Item in an Invoice | added v2.6
CN | Cancel Invoice | Can be used to reverse or cancel an invoice in progress or reverse a paid invoice. Receiver may only mark Invoice as cancelled, not purge records | added v2.6
CP | Copy of Invoice | | added v2.6
CQ | Coverage Register Query | | added v2.6
EA | Authorization request for inpatient stay extension | | added v2.6
OA | Original Authorization | | added v2.6
OR | Original Invoice | | added v2.6
PA | Pre-Authorization | | added v2.6
PD | Pre-Determination Invoice | Can be used to submit an invoice through a Payer's edit and adjudication engine to determine if the invoice will be paid - does not result in payment by Payer | added v2.6
RA | Re-Assessment | Used on EHC^E04 only | added v2.6
RC | Referral Pre-Authorization | | added v2.6
RU | Referral authorization | | added v2.6
SA | Special Authorization | | added v2.6

4.3.15.554 HL7 Version 2 Table 0554

URL: https://hl7.org/fhir/R4/v2/0554/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0554
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0554
Version: | 2.9
Name: | v2.0554
Title: | v2 Invoice Reason Codes
Definition: | FHIR Value set/code system definition for HL7 v2 table 0554 (Invoice Reason Codes)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.554.1 Code System Content

Invoice Reason Codes

Code | Description | Comment | Version
LATE | Late Invoice | Over the Payer's published time limit for this invoice | added v2.6
NORM | Normal submission | | added v2.6
SUB | Subscriber coverage problem | | added v2.6

4.3.15.555 HL7 Version 2 Table 0555

URL: https://hl7.org/fhir/R4/v2/0555/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0555
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0555
Version: | 2.9
Name: | v2.0555
Title: | v2 Invoice Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0555 (Invoice Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.555.1 Code System Content

Invoice Type

Code | Description | Comment | Version
BK | Block | | added v2.6
FN | Final | Final Invoice | added v2.6
FS | Fee for Service | | added v2.6
GP | Group | | added v2.6
IN | Information Only | Payee information not required for this Invoice Type | added v2.6
NP | Non Patient | Invoice without a patient. E.g. bulk invoicing for Pharmacy for a care facility. | added v2.6
PA | Partial | Partial Invoice | added v2.6
SL | Salary | | added v2.6
SS | By Session | | added v2.6
SU | Supplemental | Supplemental Invoice | added v2.6

4.3.15.556 HL7 Version 2 Table 0556

URL: https://hl7.org/fhir/R4/v2/0556/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0556
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0556
Version: | 2.9
Name: | v2.0556
Title: | v2 Benefit Group
Definition: | FHIR Value set/code system definition for HL7 v2 table 0556 (Benefit Group)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.556.1 Code System Content

Benefit Group

Code | Description | Comment | Version
AMB | AMBULATORY CARE | | added v2.6
DENT | DENTAL | | added v2.6

4.3.15.557 HL7 Version 2 Table 0557

URL: https://hl7.org/fhir/R4/v2/0557/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0557
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0557
Version: | 2.9
Name: | v2.0557
Title: | v2 Payee Type

Definition: | FHIR Value set/code system definition for HL7 v2 table 0557 (Payee Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.557.1 Code System Content

Payee Type

Code | Description | Comment | Version
EMPL | Employer | A legal entity that controls and directs a worker under an express or implied contract of employment and a salary or wages in compensation. In worker's compensation cases, the Employer may be the "organization" responsible for paying the healthcare charges for employment related illness or injury. | added v2.6
ORG | Payee Organization | The payee is not a person/individual/being, but an entity commonly identified as an organization. Examples could be a country healthcare payer, or an insurance company responsible for payment. | added v2.6
PERS | Person | A person/individual/being. | added v2.6
PPER | Pay Person | Person/individual/being responsible for payment. | added v2.6

4.3.15.558 HL7 Version 2 Table 0558

URL: https://hl7.org/fhir/R4/v2/0558/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0558
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0558
Version: | 2.9
Name: | v2.0558
Title: | v2 Payee Relationship to Invoice
Definition: | FHIR Value set/code system definition for HL7 v2 table 0558 (Payee Relationship to Invoice)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.558.1 Code System Content

Payee Relationship to Invoice

Code | Description | Comment | Version
FM | Family Member | | added v2.6
GT | Guarantor | | added v2.6
PT | Patient | | added v2.6
SB | Subscriber | | added v2.6

4.3.15.559 HL7 Version 2 Table 0559

URL: https://hl7.org/fhir/R4/v2/0559/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0559
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0559
Version: | 2.9
Name: | v2.0559
Title: | v2 Product/Service Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0559 (Product/Service Status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.559.1 Code System Content

Product/Service Status

Code | Description | Comment | Version
D | Denied | | added v2.6
P | Processed | | added v2.6
R | Rejected | | added v2.6

4.3.15.561 HL7 Version 2 Table 0561

URL: https://hl7.org/fhir/R4/v2/0561/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0561
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0561
Version: | 2.9
Name: | v2.0561
Title: | v2 Product/Services Clarification Codes
Definition: | FHIR Value set/code system definition for HL7 v2 table 0561 (Product/Services Clarification Codes)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.561.1 Code System Content

Product/Services Clarification Codes

Code | Description | Comment | Version
CLCTR | Claim Center | | added v2.6
DGAPP | Diagnostic Approval Number | MSP: assigned by MSP | added v2.6
DTCTR | Data Center Number | MSP: Data Center Number associated with the Provider's Network Application ID | added v2.6
ENC | Encounter Number | | added v2.6
GFTH | Good Faith Indicator | | added v2.6
OOP | Out of Province Indicator | | added v2.6
SEQ | Sequence Number | MSP: Must be sequential by Data Center Number | added v2.6

4.3.15.562 HL7 Version 2 Table 0562

URL: https://hl7.org/fhir/R4/v2/0562/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0562
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0562
Version: | 2.9
Name: | v2.0562
Title: | v2 Processing Consideration Codes
Definition: | FHIR Value set/code system definition for HL7 v2 table 0562 (Processing Consideration Codes)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.562.1 Code System Content

Processing Consideration Codes

Code | Description | Comment | Version
DFADJ | Deferred Adjudication Processing | If permitted by Payer | added v2.6
EFORM | Electronic form to follow | E30 transaction to follow | added v2.6
FAX | Fax to follow | | added v2.6
PAPER | Paper documentation to follow | | added v2.6
PYRDELAY | Delayed by a Previous Payer | Allows Provider to explain lateness of Invoice to a subsequent Payer | added v2.6
RTADJ | Real Time Adjudication Processing | If permitted by Payer | added v2.6

4.3.15.564 HL7 Version 2 Table 0564

URL: https://hl7.org/fhir/R4/v2/0564/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0564
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0564
Version: | 2.9
Name: | v2.0564
Title: | v2 Adjustment Category Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0564 (Adjustment Category Code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.564.1 Code System Content

Adjustment Category Code

Code	Description	Comment	Version
EA	Edit/Adjudication Response	Payer adjustment	added v2.6
IN	Information	Payer adjustment	added v2.6
PA	Provider Adjustment	Provider adjustment	added v2.6
PR	Processing Result	Payer adjustment	added v2.6

4.3.15.565 HL7 Version 2 Table 0565

URL: https://hl7.org/fhir/R4/v2/0565/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0565
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0565
Version: | 2.9
Name: | v2.0565
Title: | v2 Provider Adjustment Reason Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0565 (Provider Adjustment Reason Code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.565.1 Code System Content

Provider Adjustment Reason Code

Code	Description	Comment	Version
DISP	Dispensing Fee		added v2.6
GST	Goods and Services Tax		added v2.6
HST	Harmonized Sales Tax		added v2.6
MKUP	Mark up Fee		added v2.6
PST	Provincial Sales Tax		added v2.6

4.3.15.566 HL7 Version 2 Table 0566

URL: https://hl7.org/fhir/R4/v2/0566/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0566
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0566

Version: | 2.9
Name: | v2.0566
Title: | v2 Blood Unit Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0566 (Blood Unit Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.566.1 Code System Content

Blood Unit Type

Code	Description	Comment	Version
GRN	Granulocytes		added v2.8
LYM	Lymphocytes		added v2.8
PLS	Plasma		added v2.8
PLT	Platelets		added v2.8
PSC	Peripheral Stem Cells		added v2.8
RBC	Red Blood Cells		added v2.8
WBL	Whole Blood		added v2.8

4.3.15.569 HL7 Version 2 Table 0569

URL: https://hl7.org/fhir/R4/v2/0569/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0569
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0569
Version: | 2.9
Name: | v2.0569
Title: | v2 Adjustment Action
Definition: | FHIR Value set/code system definition for HL7 v2 table 0569 (Adjustment Action)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.569.1 Code System Content

Adjustment Action

Code	Description	Comment	Version
EOB	Print on EOB	Instructs party to print this adjustment on the EOB (Explanation of Benefits) handed to the patient	added v2.6
PAT	Inform Patient		added v2.6
PRO	Inform Provider		added v2.6

4.3.15.570 HL7 Version 2 Table 0570

URL: https://hl7.org/fhir/R4/v2/0570/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0570
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0570
Version: | 2.9
Name: | v2.0570
Title: | v2 Payment Method Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0570 (Payment Method Code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.570.1 Code System Content

Payment Method Code

Code | Description | Comment | Version
CASH | Cash | | added v2.6
CCCA | Credit Card | | added v2.6
CCHK | Cashier's Check | | added v2.6
CDAC | Credit/Debit Account | | added v2.6
CHCK | Check | | added v2.6
DDPO | Direct Deposit | EFT | added v2.6
DEBC | Debit Card | | added v2.6
SWFT | Society for Worldwide Interbank Financial Telecommunications (S.W.I.F.T.) | | added v2.6
TRAC | Traveler's Check | | added v2.6
VISN | VISA Special Electronic Funds Transfer Network | | added v2.6

4.3.15.571 HL7 Version 2 Table 0571

URL: https://hl7.org/fhir/R4/v2/0571/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0571
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0571
Version: | 2.9
Name: | v2.0571
Title: | v2 Invoice Processing Results Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0571 (Invoice Processing Results Status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.571.1 Code System Content

- All Languages
- English
- Deutsch (German)

This code system http://terminology.hl7.org/CodeSystem/v2-0571 defines the following codes:

Code | Display | Definition | Comments | Version
ACK | en: Acknowledge de: Empfangsbestätigung | | | added v2.6
ADJ | Adjudicated with Adjustments | | | added v2.6
ADJSUB | Adjudicated as Submitted | | | added v2.6
ADJZER | Adjudicated to Zero | | | added v2.6
PAID | Paid | | | added v2.6
PEND | Pending | | | added v2.6
PRED | Pre-Determination | | Indicates that the IPR has been adjudicated but will not be paid. Equivalent to ADJUD (Adjudicate) | added v2.6
REJECT | Reject | | | added v2.6

This code system http://terminology.hl7.org/CodeSystem/v2-0571 defines the following codes:

Code | Display | Definition | Comments | Version
ACK | Acknowledge | | | added v2.6
ADJ | Adjudicated with Adjustments | | | added v2.6
ADJSUB | Adjudicated as Submitted | | | added v2.6
ADJZER | Adjudicated to Zero | | | added v2.6
PAID | Paid | | | added v2.6
PEND | Pending | | | added v2.6
PRED | Pre-Determination | | Indicates that the IPR has been adjudicated but will not be paid. Equivalent to ADJUD (Adjudicate) | added v2.6
REJECT | Reject | | | added v2.6

This code system http://terminology.hl7.org/CodeSystem/v2-0571 defines the following codes:

Code | Display | Definition | Comments | Version

ACK | Empfangsbestätigung | | | added v2.6
ADJ | | | | added v2.6
ADJSUB | | | | added v2.6
ADJZER | | | | added v2.6
PAID | | | | added v2.6
PEND | | | | added v2.6
PRED | | | | added v2.6
REJECT | | | | added v2.6

4.3.15.572 HL7 Version 2 Table 0572

URL: https://hl7.org/fhir/R4/v2/0572/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0572
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0572
Version: | 2.9
Name: | v2.0572
Title: | v2 Tax status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0572 (Tax status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.572.1 Code System Content

Tax status

Code | Description | Comment | Version
RVAT | Registered in VAT register | | added v2.6
UVAT | Unregistered in VAT register | | added v2.6

4.3.15.615 HL7 Version 2 Table 0615

URL: https://hl7.org/fhir/R4/v2/0615/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0615
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0615
Version: | 2.9
Name: | v2.0615
Title: | v2 User Authentication Credential Type Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0615 (User Authentication Credential Type Code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.615.1 Code System Content

User Authentication Credential Type Code

Code | Description | Comment | Version
KERB | Kerberos Service Ticket | Structure defined by RFC 1510 | added v2.6
SAML | Authenticated User Identity Assertion | XML structure defined by the OASIS Security Assertion Markup Language (SAML) specification | added v2.6

4.3.15.616 HL7 Version 2 Table 0616

URL: https://hl7.org/fhir/R4/v2/0616/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0616
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0616
Version: | 2.9
Name: | v2.0616
Title: | v2 Address Expiration Reason
Definition: | FHIR Value set/code system definition for HL7 v2 table 0616 (Address Expiration Reason)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.616.1 Code System Content

Address Expiration Reason

Code | Description | Comment | Version
C | Corrected | The address has been replaced with a corrected version | added v2.6
E | Added in error | The address was incorrect and should never have been associated with the individual | added v2.6
M | Moved | The individual associated with the address has moved and is no longer reachable at the address | added v2.6
R | On request | The associated individual requested that the address be removed from their record | added v2.6

4.3.15.617 HL7 Version 2 Table 0617

URL: https://hl7.org/fhir/R4/v2/0617/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0617
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0617
Version: | 2.9
Name: | v2.0617
Title: | v2 Address Usage
Definition: | FHIR Value set/code system definition for HL7 v2 table 0617 (Address Usage)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.617.1 Code System Content

Address Usage

Code | Description | Comment | Version
C | Classification | Identifies an address used for the purpose of demographic classification or searching. Such addresses frequently contain insufficient information to be used as mailing or visit addresses. For example, they may only indicate country and postal code, without providing a street address. | added v2.6
M | Mailing | Identifies an address for mail correspondence from a healthcare provider as stipulated by the subject. For example, under the tenets of certain privacy regulations, it is exclusive to the patient and is typically maintained at the encounter or visit level versus the person level as it only has relevance to the specifics of a given encounter. This is an exception category of address in that the patient has stipulated that they want all correspondence relevant to a given encounter sent to this address in lieu of any other address on file. Providers are required to accommodate such requests under HIPAA promulgated regulation. Note that mailing and legal address may be mutually exclusive as defined below. (Implementors are reminded that although the privacy regulation requires the provider to honor such requests, it does require the provider to enquire whether the patient has a preferred address other than the one volunteered.) | added v2.6
V | Visit | Identifies an address at which the individual is physically located and may be visited. | added v2.6

4.3.15.618 HL7 Version 2 Table 0618

URL: https://hl7.org/fhir/R4/v2/0618/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0618
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0618
Version: | 2.9

Name: | v2.0618
Title: | v2 Protection Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0618 (Protection Code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.618.1 Code System Content

Protection Code

Code | Description | Comment | Version
LI | Listed | | added v2.6
UL | Unlisted (Should not appear in directories) | | added v2.6
UP | Unpublished | | added v2.6

4.3.15.625 HL7 Version 2 Table 0625

URL: https://hl7.org/fhir/R4/v2/0625/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0625
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0625
Version: | 2.9
Name: | v2.0625
Title: | v2 Item Status Codes
Definition: | FHIR Value set/code system definition for HL7 v2 table 0625 (Item Status Codes)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.625.1 Code System Content

Item Status Codes

Code | Description | Comment | Version
1 | Active | Item is available to be purchased or issued. | added v2.6
2 | Pending Inactive | Item is not available to be purchased, but is available to be issued. | added v2.6
3 | Inactive | Item is not available to be purchased or issued. | added v2.6

4.3.15.634 HL7 Version 2 Table 0634

URL: https://hl7.org/fhir/R4/v2/0634/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0634
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0634
Version: | 2.9
Name: | v2.0634
Title: | v2 Item Importance Codes
Definition: | FHIR Value set/code system definition for HL7 v2 table 0634 (Item Importance Codes)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.634.1 Code System Content

Item Importance Codes

Code | Description | Comment | Version
CRT | Critical | | added v2.6

4.3.15.642 HL7 Version 2 Table 0642

URL: https://hl7.org/fhir/R4/v2/0642/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0642
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0642
Version: | 2.9
Name: | v2.0642
Title: | v2 Reorder Theory Codes
Definition: | FHIR Value set/code system definition for HL7 v2 table 0642 (Reorder Theory Codes)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.642.1 Code System Content

Reorder Theory Codes

Code | Description | Comment | Version
D | DOP/DOQ | Corresponds to the theory that calculates the appropriate order point and recommends the quantity to order based on system parameters and historical trends. DOP stands for Dynamic Order Point, and DOQ stands for Dynamic Order Quantity. | added v2.6
M | MIN/MAX | Corresponds to theory - the quantity recommended is the Order Quantity, less the On Hand Quantity, and less the On Order Quantity. The Order Amount is the desired Maximum On Hand Quantity. | added v2.6
O | Override | The quantity recommended is the Order Quantity, less the On Order Quantity. The Order Amount is the amount to order when the On Hand reaches the Order Point. | added v2.6

4.3.15.651 HL7 Version 2 Table 0651

URL: https://hl7.org/fhir/R4/v2/0651/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0651
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0651
Version: | 2.9
Name: | v2.0651
Title: | v2 Labor Calculation Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0651 (Labor Calculation Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.651.1 Code System Content

Labor Calculation Type

Code | Description | Comment | Version
CST | Cost | | added v2.6
TME | Time | | added v2.6

4.3.15.653 HL7 Version 2 Table 0653

URL: https://hl7.org/fhir/R4/v2/0653/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0653

Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0653
Version: | 2.9
Name: | v2.0653
Title: | v2 Date Format
Definition: | FHIR Value set/code system definition for HL7 v2 table 0653 (Date Format)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.653.1 Code System Content

Date Format

Code | Description | Comment | Version
1 | mm/dd/yy | USA standard | added v2.6
2 | yy.mm.dd | ANSI standard | added v2.6
3 | dd/mm/yy | Britain/France standard | added v2.6
4 | dd.mm.yy | Germany standard | added v2.6
5 | yy/mm/dd | Japan standard | added v2.6
6 | Yymmdd | ISO standard | added v2.6

4.3.15.657 HL7 Version 2 Table 0657

URL: https://hl7.org/fhir/R4/v2/0657/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0657
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0657
Version: | 2.9
Name: | v2.0657
Title: | v2 Device Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0657 (Device Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.657.1 Code System Content

Device Type

Code | Description | Comment | Version
1 | EO Gas Sterilizer | | added v2.6
2 | Steam Sterilizer | | added v2.6
3 | Peracetic Acid | | added v2.6

4.3.15.659 HL7 Version 2 Table 0659

URL: https://hl7.org/fhir/R4/v2/0659/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0659
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0659
Version: | 2.9
Name: | v2.0659
Title: | v2 Lot Control
Definition: | FHIR Value set/code system definition for HL7 v2 table 0659 (Lot Control)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.659.1 Code System Content

Lot Control

Code | Description | Comment | Version
1 | OR Mode Without Operator | | added v2.6
2 | OR Mode with Operator | | added v2.6
3 | CPD Mode Without Operator | | added v2.6
4 | CPD Mode With Operator | | added v2.6
5 | Offline Mode | | added v2.6

4.3.15.667 HL7 Version 2 Table 0667

URL: https://hl7.org/fhir/R4/v2/0667/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0667
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0667
Version: | 2.9
Name: | v2.0667
Title: | v2 Device Data State
Definition: | FHIR Value set/code system definition for HL7 v2 table 0667 (Device Data State)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.667.1 Code System Content

Device Data State

Code | Description | Comment | Version
0 | Real Time Values | Display data | added v2.6
1 | Historic Values | Print data | added v2.6

4.3.15.669 HL7 Version 2 Table 0669

URL: https://hl7.org/fhir/R4/v2/0669/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0669
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0669
Version: | 2.9
Name: | v2.0669
Title: | v2 Load Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0669 (Load Status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.669.1 Code System Content

Load Status

Code | Description | Comment | Version
LCC | Load is Complete | The load is complete | added v2.6
LCN | Load Canceled | The load is canceled | added v2.6
LCP | Load In Process | The load is running | added v2.6
LLD | Building a Load | A load is being built | added v2.6

4.3.15.682 HL7 Version 2 Table 0682

URL: https://hl7.org/fhir/R4/v2/0682/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0682
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0682
Version: | 2.9
Name: | v2.0682
Title: | v2 Device Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0682 (Device Status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.682.1 Code System Content

Device Status

Code | Description | Comment | Version
0 | Ready | Door Locked | added v2.6
1 | Not Ready | Door Unlocked | added v2.6

4.3.15.702 HL7 Version 2 Table 0702

URL: https://hl7.org/fhir/R4/v2/0702/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0702
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0702
Version: | 2.9
Name: | v2.0702
Title: | v2 Cycle Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0702 (Cycle Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.702.1 Code System Content

Cycle Type

Code | Description | Comment | Version
2RS | Second Rinse | | added v2.6
ANR | Anesthesia/Respiratory | Special Wash cycle | added v2.6
BDP | Bedpans | | added v2.6
BWD | Bowie-Dick Test | A Bowie-Dick test cycle is a special cycle used to test the integrity of the sterilizer chamber to hold a vacuum. | added v2.6
CMW | Chemical Wash | A chemical wash cycle. | added v2.6
COD | Code | | added v2.6
CRT | Cart Wash | | added v2.6
DEC | Decontamination | | added v2.6
DRT | Dart | A dart cycle is a special cycle used to test the integrity of the sterilizer chamber to hold a vacuum. | added v2.6
DRW | Dart Warm-up Cycle | A dart warm-up cycle is used to bring the sterilizer chamber up to operating temperature in order to run a dart test cycle. | added v2.6
EOH | EO High Temperature | | added v2.6
EOL | EO Low Temperature | | added v2.6
EXP | Express | An express cycle is similar to a flash cycle but the supply item is wrapped. | added v2.6
FLS | Flash | Used to quickly sterilize instruments that were dropped during surgery. | added v2.6
GLS | Glassware | | added v2.6
GNP | Gen. Purpose | | added v2.6
GRV | Gravity | A gravity cycle is executed at atmospheric pressure. | added v2.6
GTL | Gentle | | added v2.6
ISO | Isothermal | | added v2.6

IST | Instrument Wash | | added v2.6
LKT | Leak Test | A leak test cycle tests the integrity of the sterilizer chamber to hold a vacuum over a specific period of time. | added v2.6
LQD | Liquid | A cycle specific to sterilizing liquids. | added v2.6
OPW | Optional Wash | Any Optional Wash cycle | added v2.6
PEA | Peracetic Acid | A peracetic acid cycle. | added v2.6
PLA | Plastic Goods Wash | | added v2.6
PRV | Prevac | A prevac cycle is vacuum assisted. | added v2.6
RNS | Rinse | | added v2.6
SFP | Steam Flush Pressure Pulse | An SFPP cycle uses steam pulses instead of a vacuum during the conditioning phase of the cycle when the supply item is wrapped. | added v2.6
THR | Thermal | | added v2.6
TRB | Tray/Basin | | added v2.6
UTL | Utensil Wash | | added v2.6
WFP | Wrap/Steam Flush Pressure Pulse (Wrap/SFPP) | A Wrap/SFPP cycle uses steam pulses instead of a vacuum during the conditioning phase of the cycle when the supply item is unwrapped. | added v2.6

4.3.15.717 HL7 Version 2 Table 0717

URL: https://hl7.org/fhir/R4/v2/0717/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0717
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0717
Version: | 2.9
Name: | v2.0717
Title: | v2 Access Restriction Value
Definition: | FHIR Value set/code system definition for HL7 v2 table 0717 (Access Restriction Value)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.717.1 Code System Content

Access Restriction Value

Code | Description | Comment | Version
ALL | All | | added v2.6
DEM | All demographic data | | added v2.6
DRG | Drug | | added v2.6
HIV | HIV status and results | | added v2.6
LOC | Patient Location | | added v2.6
NO | None | | added v2.6
OI | Opt in all registries (HIPAA) | | added v2.6
OO | Opt out all registries (HIPAA) | | added v2.6
PID-17 | Religion | | added v2.6
PID-7 | Date of Birth | | added v2.6
PSY | Psychiatric Mental health | | added v2.6
SMD | Sensitive medical data | | added v2.6
STD | Sexually transmitted diseases | | added v2.6

4.3.15.719 HL7 Version 2 Table 0719

URL: https://hl7.org/fhir/R4/v2/0719/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0719
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0719
Version: | 2.9
Name: | v2.0719
Title: | v2 Access Restriction Reason Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0719 (Access Restriction Reason Code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.719.1 Code System Content

Access Restriction Reason Code

Code | Description | Comment | Version
DIA | Diagnosis-related | deprecated | added v2.6, removed after v2.8.2
EMP | Employee of this organization | deprecated | added v2.6, removed after v2.8.2
ORG | Organizational policy or requirement | deprecated | added v2.6, removed after v2.8.2
PAT | Patient Request | deprecated | added v2.6, removed after v2.8.2
PHY | Physician Request | deprecated | added v2.6, removed after v2.8.2
REG | Regulatory requirement | deprecated | added v2.6, removed after v2.8.2
VIP | Very important person or celebrity | deprecated | added v2.6, removed after v2.8.2

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.719.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0719 version 2.9

Code | System | Display

4.3.15.725 HL7 Version 2 Table 0725

URL: https://hl7.org/fhir/R4/v2/0725/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0725
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0725
Version: | 2.9
Name: | v2.0725
Title: | v2 Mood Codes
Definition: | FHIR Value set/code system definition for HL7 v2 table 0725 (Mood Codes)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.725.1 Code System Content

- All Languages
- English
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0725 defines the following codes:

Code | Display | Definition | Comments | Version
APT | en: Appointment nl: Afspraak | | en: Planned act for specific time and place nl: Geplande activiteit op een bepaalde tijd en locatie | added v2.6
ARQ | en: Appointment Request nl: Afspraakverzoek | | en: Request for Booking of an Appointment nl: Aanvraag voor het boeken van een afspraak | added v2.6
EVN | Event | | en: Service actually happens or happened or is ongoing. nl: Service die werkelijk plaatsvindt, plaats heeft gevonden of nog gaande is. | added v2.6
EVN.CRT | en: Event Criterion nl: Criterium voor event | | en: Criterion applying to Events for another Service to be applied. This is an Act Mood Predicate. Similar uses of above moods may be defined. E.g. Use in Care Plans, nl: Crtierium voor uitvoering van Event voor een andere toe te passen Service. Dit is een Act Mood predicaat. | added v2.6
EXP | en: Expectation nl: Verwachting | | en: Expecting that something will occur independently of deliberate intent. E.g. expect a patient will discard medications. nl: Verwachting dat iets zal gebeuren, onafhankelijk van bedoelde intentie; bijv. verwachting dat een patiënt zijn medicati zal weggooien. | added v2.6
INT | en: Intent nl: Intentie | | en: Plan to perform a service nl: Plan voor het uitvoeren van een Service | added v2.6
PRMS | en: Promise nl: Belofte | | en: An intent to perform a service nl: Een intentie om een Service uit te voeren | added v2.6
PRP | en: Proposal nl: Voorstel | | en: Non-mandated intent to perform an act nl: Niet-vereiste intentie om iets uit te voeren | added v2.6

RQO | en: Request-Order nl: Aanvraag-Order | | en: Request or Order for a service nl: Aanvraag of Order van een Service | added v2.6

This code system http://terminology.hl7.org/CodeSystem/v2-0725 defines the following codes:

Code | Display | Definition | Comments | Version
APT | Appointment | | Planned act for specific time and place | added v2.6
ARQ | Appointment Request | | Request for Booking of an Appointment | added v2.6
EVN | Event | | Service actually happens or happened or is ongoing. | added v2.6
EVN.CRT | Event Criterion | | Criterion applying to Events for another Service to be applied. This is an Act Mood Predicate. Similar uses of above moods may be defined. E.g. Use in Care Plans, | added v2.6
EXP | Expectation | | Expecting that something will occur independently of deliberate intent. E.g. expect a patient will discard medications. | added v2.6
INT | Intent | | Plan to perform a service | added v2.6
PRMS | Promise | | An intent to perform a service | added v2.6
PRP | Proposal | | Non-mandated intent to perform an act | added v2.6
RQO | Request-Order | | Request or Order for a service | added v2.6

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0725 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie
APT | Afspraak | | Geplande activiteit op een bepaalde tijd en locatie | added v2.6
ARQ | Afspraakverzoek | | Aanvraag voor het boeken van een afspraak | added v2.6
EVN | Event | | Service die werkelijk plaatsvindt, plaats heeft gevonden of nog gaande is. | added v2.6
EVN.CRT | Criterium voor event | | Crtierium voor uitvoering van Event voor een andere toe te passen Service. Dit is een Act Mood predicaat. | added v2.6
EXP | Verwachting | | Verwachting dat iets zal gebeuren, onafhankelijk van bedoelde intentie; bijv. verwachting dat een patiënt zijn medicati zal weggooien. | added v2.6
INT | Intentie | | Plan voor het uitvoeren van een Service | added v2.6
PRMS | Belofte | | Een intentie om een Service uit te voeren | added v2.6
PRP | Voorstel | | Niet-vereiste intentie om iets uit te voeren | added v2.6
RQO | Aanvraag-Order | | Aanvraag of Order van een Service | added v2.6

4.3.15.728 HL7 Version 2 Table 0728

URL: https://hl7.org/fhir/R4/v2/0728/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0728
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0728
Version: | 2.9
Name: | v2.0728
Title: | v2 CCL Value
Definition: | FHIR Value set/code system definition for HL7 v2 table 0728 (CCL Value)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.728.1 Code System Content

CCL Value

Code | Description | Comment | Version
0 | Nothing obvious | | added v2.6
1 | Low | | added v2.6
2 | Moderate | | added v2.6
3 | High | | added v2.6
4 | Very high | | added v2.6

4.3.15.731 HL7 Version 2 Table 0731

URL: https://hl7.org/fhir/R4/v2/0731/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0731
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0731
Version: | 2.9
Name: | v2.0731

Title: | v2 DRG Diagnosis Determination Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0731 (DRG Diagnosis Determination Status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.731.1 Code System Content

DRG Diagnosis Determination Status

Code | Description | Comment | Version
0 | Valid code | | added v2.6
1 | Invalid code | | added v2.6
2 | Two primary diagnosis codes | | added v2.6
3 | Invalid for this gender | | added v2.6
4 | Invalid for this age | | added v2.6

4.3.15.734 HL7 Version 2 Table 0734

URL: https://hl7.org/fhir/R4/v2/0734/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0734
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0734
Version: | 2.9
Name: | v2.0734
Title: | v2 Grouper Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0734 (Grouper Status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.734.1 Code System Content

Grouper Status

Code | Description | Comment | Version
0 | Normal grouping | | added v2.6
1 | Invalid or missing primary diagnosis | | added v2.6
2 | Diagnosis is not allowed to be primary | | added v2.6
3 | Data does not fulfill DRG criteria | | added v2.6
4 | Invalid age, admission date, date of birth or discharge date | | added v2.6
5 | Invalid gender | | added v2.6
6 | Invalid discharge status | | added v2.6
7 | Invalid weight ad admission | | added v2.6
8 | Invalid length of stay | | added v2.6
9 | Invalid field "same day" | | added v2.6

4.3.15.739 HL7 Version 2 Table 0739

URL: https://hl7.org/fhir/R4/v2/0739/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0739
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0739
Version: | 2.9
Name: | v2.0739
Title: | v2 Status Patient
Definition: | FHIR Value set/code system definition for HL7 v2 table 0739 (Status Patient)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.739.1 Code System Content

DRG Status Patient

Code | Description | Comment | Version
1 | Normal length of stay | | added v2.6
2 | Short length of stay | | added v2.6
3 | Long length of stay | | added v2.6

4.3.15.742 HL7 Version 2 Table 0742

URL: https://hl7.org/fhir/R4/v2/0742/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0742
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0742
Version: | 2.9
Name: | v2.0742
Title: | v2 DRG Status Financial Calculation
Definition: | FHIR Value set/code system definition for HL7 v2 table 0742 (DRG Status Financial Calculation)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.742.1 Code System Content

DRG Status Financial Calculation

Code | Description | Comment | Version
00 | Effective weight calculated | | added v2.6
01 | Hospital specific contract | | added v2.6
03 | Eeffective weight for transfer/referral calculated | | added v2.6
04 | Referral from other hospital based on a cooperation (no DRG reimbursement) | | added v2.6
05 | Invalid length of stay | | added v2.6
10 | No information/entry in cost data for this DRG | | added v2.6
11 | No relative weight found for department (type) | | added v2.6

4.3.15.749 HL7 Version 2 Table 0749

URL: https://hl7.org/fhir/R4/v2/0749/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0749
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0749
Version: | 2.9
Name: | v2.0749
Title: | v2 DRG Grouping Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0749 (DRG Grouping Status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.749.1 Code System Content

DRG Grouping Status

Code | Description | Comment | Version
0 | Valid code; not used for grouping | | added v2.6

1 | Valid code; used for grouping | | added v2.6
2 | Invalid code; not used for grouping | | added v2.6
3 | Invalid code; code is relevant for grouping | | added v2.6

4.3.15.755 HL7 Version 2 Table 0755

URL: https://hl7.org/fhir/R4/v2/0755/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0755
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0755
Version: | 2.9
Name: | v2.0755
Title: | v2 Status Weight At Birth
Definition: | FHIR Value set/code system definition for HL7 v2 table 0755 (Status Weight At Birth)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.755.1 Code System Content

Status Weight At Birth

Code | Description | Comment | Version
0 | No weight reported at admission used for grouping | | added v2.6
1 | Weight reported at admission used for grouping | | added v2.6
2 | Default weight (>2499g) used for grouping | | added v2.6

4.3.15.757 HL7 Version 2 Table 0757

URL: https://hl7.org/fhir/R4/v2/0757/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0757
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0757
Version: | 2.9
Name: | v2.0757
Title: | v2 Status Respiration Minutes
Definition: | FHIR Value set/code system definition for HL7 v2 table 0757 (Status Respiration Minutes)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.757.1 Code System Content

DRG Status Respiration Minutes

Code | Description | Comment | Version
0 | Respiration minutes not used for grouping | | added v2.6
1 | Listed respiration minutes used for grouping | | added v2.6
2 | OPS code value used for grouping | | added v2.6

4.3.15.759 HL7 Version 2 Table 0759

URL: https://hl7.org/fhir/R4/v2/0759/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0759
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0759

Version: | 2.9
Name: | v2.0759
Title: | v2 Status Admission
Definition: | FHIR Value set/code system definition for HL7 v2 table 0759 (Status Admission)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.759.1 Code System Content

Status Admission

Code | Description | Comment | Version
0 | Admission status is valid; used for grouping | | added v2.6
1 | Admission status is valid; not used for grouping | | added v2.6
2 | Admission status is invalid; not used for grouping | | added v2.6
3 | Admission status is invalid; default value used for grouping | | added v2.6

4.3.15.761 HL7 Version 2 Table 0761

URL: https://hl7.org/fhir/R4/v2/0761/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0761
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0761
Version: | 2.9
Name: | v2.0761
Title: | v2 DRG Procedure Determination Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0761 (DRG Procedure Determination Status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.761.1 Code System Content

DRG Procedure Determination Status

Code | Description | Comment | Version
0 | Valid code | | added v2.6
1 | Invalid code | | added v2.6
2 | Not used | | added v2.6
3 | Invalid for this gender | | added v2.6
4 | Invalid for this age | | added v2.6

4.3.15.763 HL7 Version 2 Table 0763

URL: https://hl7.org/fhir/R4/v2/0763/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0763
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0763
Version: | 2.9
Name: | v2.0763
Title: | v2 DRG Procedure Relevance
Definition: | FHIR Value set/code system definition for HL7 v2 table 0763 (DRG Procedure Relevance)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.763.1 Code System Content

DRG Procedure Relevance

Code | Description | Comment | Version
0 | Neither operation relevant nor non-operation relevant procedure | | added v2.6
1 | Operation relevant procedure | | added v2.6
2 | Non-operation relevant procedure | | added v2.6

4.3.15.776 HL7 Version 2 Table 0776

URL: https://hl7.org/fhir/R4/v2/0776/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0776
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0776
Version: | 2.9
Name: | v2.0776
Title: | v2 Item Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0776 (Item Status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.776.1 Code System Content

Item Status

Code | Description | Comment | Version
A | Active | Item is available to be purchased or issued. | added v2.6
I | Inactive | Item is not available to be purchased or issued. | added v2.6
P | Pending Inactive | Item is not available to be purchased, but is available to be issued. | added v2.6

4.3.15.778 HL7 Version 2 Table 0778

URL: https://hl7.org/fhir/R4/v2/0778/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0778
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0778
Version: | 2.9
Name: | v2.0778
Title: | v2 Item Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0778 (Item Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.778.1 Code System Content

Item Type

Code | Description | Comment | Version
EQP | Equipment | | added v2.6
IMP | Implant | | added v2.6
MED | Medication | | added v2.6
SUP | Supply | | added v2.6
TDC | Tubes, Drains, and Catheters | | added v2.6

4.3.15.790 HL7 Version 2 Table 0790

URL: https://hl7.org/fhir/R4/v2/0790/index.html

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0790
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0790
Version: | 2.9
Name: | v2.0790
Title: | v2 Approving Regulatory Agency
Definition: | FHIR Value set/code system definition for HL7 v2 table 0790 (Approving Regulatory Agency)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.790.1 Code System Content

Approving Regulatory Agency

Code | Description | Comment | Version
AMA | American Medical Association | | added v2.6
FDA | Food and Drug Administration | | added v2.6

4.3.15.793 HL7 Version 2 Table 0793

URL: https://hl7.org/fhir/R4/v2/0793/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0793
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0793
Version: | 2.9
Name: | v2.0793
Title: | v2 Ruling Act
Definition: | FHIR Value set/code system definition for HL7 v2 table 0793 (Ruling Act)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.793.1 Code System Content

Ruling Act

Code | Description | Comment | Version
SMDA | Safe Medical Devices Act | | added v2.6

4.3.15.806 HL7 Version 2 Table 0806

URL: https://hl7.org/fhir/R4/v2/0806/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0806
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0806
Version: | 2.9
Name: | v2.0806
Title: | v2 Sterilization Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0806 (Sterilization Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.806.1 Code System Content

Sterilization Type

Code | Description | Comment | Version
EOG | Ethylene Oxide Gas | | added v2.6
PCA | Peracetic acid | | added v2.6
STM | Steam | | added v2.6

4.3.15.818 HL7 Version 2 Table 0818

URL: https://hl7.org/fhir/R4/v2/0818/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0818
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0818
Version: | 2.9
Name: | v2.0818
Title: | v2 Package
Definition: | FHIR Value set/code system definition for HL7 v2 table 0818 (Package)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.818.1 Code System Content

Package

Code | Description | Comment | Version
BX | Box | | added v2.6
CS | Case | | added v2.6
EA | Each | | added v2.6
SET | Set | | added v2.6

4.3.15.834 HL7 Version 2 Table 0834

URL: https://hl7.org/fhir/R4/v2/0834/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0834
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0834
Version: | 2.9
Name: | v2.0834
Title: | v2 MIME Types
Definition: | FHIR Value set/code system definition for HL7 v2 table 0834 (MIME Types)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.834.1 Code System Content

MIME Types

Code | Description | Comment | Version
application | Application data | | added v2.6
audio | Audio data | | added v2.6
image | Image data | | added v2.6
model | Model data | RFC 2077 | added v2.6
multipart | MIME multipart package | | added v2.6
text | Text data | | added v2.6
video | Video data | | added v2.6

4.3.15.868 HL7 Version 2 Table 0868

URL: https://hl7.org/fhir/R4/v2/0868/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0868
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0868
Version: | 2.9
Name: | v2.0868
Title: | v2 Telecommunication expiration reason
Definition: | FHIR Value set/code system definition for HL7 v2 table 0868 (Telecommunication expiration reason)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.868.1 Code System Content

Telecommunication Expiration Reason

Code | Description | Comment | Version
C | Corrected | The telecommunication address has been replaced with a corrected version. | added v2.6
E | Added in error | The telecommunication address was incorrect and should never have been associated with the individual. | added v2.6
M | Moved | The individual associated with the telecommunication address has moved and is no longer reachable at the address. | added v2.6
N | No longer in service | The telecommunication address is no longer connected or available | added v2.6
R | On request | The associated individual requested that the telecommunication address be removed from their record (though it may still be correct). | added v2.6

4.3.15.871 HL7 Version 2 Table 0871

URL: https://hl7.org/fhir/R4/v2/0871/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0871
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0871
Version: | 2.9
Name: | v2.0871
Title: | v2 Supply Risk Codes
Definition: | FHIR Value set/code system definition for HL7 v2 table 0871 (Supply Risk Codes)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.871.1 Code System Content

- All Languages
- English
- Nederlands (Dutch)

This code system http://terminology.hl7.org/CodeSystem/v2-0871 defines the following codes:

Code | Display | Definition | Comments | Version
COR | en: Corrosive nl: Corrosief | | en: Material is corrosive and may cause severe injury to skin, mucous membranes and eyes. Avoid any unprotected contact. nl: Materiaal is corrosief en kan ernstige verwondingen aan de huid, slijmvliezen en ogen veroorzaken. Vermijd onbeschermd contact. | added v2.6
EXP | en: Explosive nl: Explosief | | en: Material is an explosive mixture. Keep away from fire, sparks, and heat. nl: Materiaal is explosief mengsel. Houd weg van vuur, vonken en hitte. | added v2.6
FLA | en: Flammable nl: Brandbaar | | en: Material is highly flammable and in certain mixtures (with air) may lead to explosions. Keep away from fire, sparks and excessive heat. nl: Materiaal is licht ontvlambaar en kan in bepaalde mengsels (met lucht) leiden tot explosies. Houd weg van vuur, vonken en warmtebronnen. | added v2.6
INJ | en: Injury Hazard nl: Letselgevaar | | en: Material is solid and sharp (e.g., cannulas.) Dispose in hard container. nl: Materiaal is hard en scherp (bijv. canules). Verwijder in harde container. | added v2.6

RAD | en: Radioactive nl: Radioactief | | en: Material is a source for ionizing radiation and must be handled with special care to avoid injury of those who handle it and to avoid environmental hazards. nl: Materiaal is een bron voor ioniserende straling en moet met uiterste voorzorgen worden gebruikt om letsel te voorkomen van degene die het gebruiken en milieuschade. | added v2.6
TOX | en: Toxic nl: Toxisch | | en: Material is toxic to humans and/or animals. Special care must be taken to avoid incorporation, even of small amounts. nl: Materiaal is toxisch voor mensen en/of dieren. Let specifiek op vermijding van inname, ook van kleinere hoeveelheden. | added v2.6
UNK | en: Unknown nl: Onbekend | | Material hazard level is unknown. | added v2.6

This code system http://terminology.hl7.org/CodeSystem/v2-0871 defines the following codes:

Code | Display | Definition | Comments | Version
COR | Corrosive | | Material is corrosive and may cause severe injury to skin, mucous membranes and eyes. Avoid any unprotected contact. | added v2.6
EXP | Explosive | | Material is an explosive mixture. Keep away from fire, sparks, and heat. | added v2.6
FLA | Flammable | | Material is highly flammable and in certain mixtures (with air) may lead to explosions. Keep away from fire, sparks and excessive heat. | added v2.6
INJ | Injury Hazard | | Material is solid and sharp (e.g., cannulas.) Dispose in hard container. | added v2.6
RAD | Radioactive | | Material is a source for ionizing radiation and must be handled with special care to avoid injury of those who handle it and to avoid environmental hazards. | added v2.6
TOX | Toxic | | Material is toxic to humans and/or animals. Special care must be taken to avoid incorporation, even of small amounts. | added v2.6
UNK | Unknown | | Material hazard level is unknown. | added v2.6

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0871 definieert de volgende codes:

Code | Display | Definition | Commentaar | Versie
COR | Corrosief | | Materiaal is corrosief en kan ernstige verwondingen aan de huid, slijmvliezen en ogen veroorzaken. Vermijd onbeschermd contact. | added v2.6
EXP | Explosief | | Materiaal is explosief mengsel. Houd weg van vuur, vonken en hitte. | added v2.6
FLA | Brandbaar | | Materiaal is licht ontvlambaar en kan in bepaalde mengsels (met lucht) leiden tot explosies. Houd weg van vuur, vonken en warmtebronnen. | added v2.6
INJ | Letselgevaar | | Materiaal is hard en scherp (bijv. canules). Verwijder in harde container. | added v2.6
RAD | Radioactief | | Materiaal is een bron voor ioniserende straling en moet met uiterste voorzorgen worden gebruikt om letsel te voorkomen van degene die het gebruiken en milieuschade. | added v2.6
TOX | Toxisch | | Materiaal is toxisch voor mensen en/of dieren. Let specifiek op vermijding van inname, ook van kleinere hoeveelheden. | added v2.6
UNK | Onbekend | | Material hazard level is unknown. | added v2.6

4.3.15.881 HL7 Version 2 Table 0881

URL: https://hl7.org/fhir/R4/v2/0881/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0881
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0881
Version: | 2.9
Name: | v2.0881
Title: | v2 Role Executing Physician
Definition: | FHIR Value set/code system definition for HL7 v2 table 0881 (Role Executing Physician)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.881.1 Code System Content

Role Executing Physician

Code | Description | Comment | Version
B | Both | | added v2.6
P | Professional Part | | added v2.6
T | Technical Part | | added v2.6

4.3.15.882 HL7 Version 2 Table 0882

URL: https://hl7.org/fhir/R4/v2/0882/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0882

Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0882
Version: | 2.9
Name: | v2.0882
Title: | v2 Medical Role Executing Physician
Definition: | FHIR Value set/code system definition for HL7 v2 table 0882 (Medical Role Executing Physician)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.882.1 Code System Content

Medical Role Executing Physician

Code | Description | Comment | Version
E | Employed | | added v2.6
SE | Self-employed | | added v2.6

4.3.15.894 HL7 Version 2 Table 0894

URL: https://hl7.org/fhir/R4/v2/0894/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0894
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0894
Version: | 2.9
Name: | v2.0894
Title: | v2 Side of body
Definition: | FHIR Value set/code system definition for HL7 v2 table 0894 (Side of body)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.894.1 Code System Content

Side of body

Code | Description | Comment | Version
L | Left | | added v2.6
R | Right | | added v2.6

4.3.15.895 HL7 Version 2 Table 0895

URL: https://hl7.org/fhir/R4/v2/0895/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0895
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0895
Version: | 2.9
Name: | v2.0895
Title: | v2 Present On Admission (POA) Indicator
Definition: | FHIR Value set/code system definition for HL7 v2 table 0895 (Present On Admission (POA) Indicator)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.895.1 Code System Content

- All Languages

• English
• Deutsch (German)
• Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0895 defines the following codes:

Code | Display | Definition | Deprecated | Version
E | en: Exempt nl: Vrijgesteld | | Deprecated | added v2.6, removed after v2.8.2
N | en: No nl: Nee | | Deprecated | added v2.6, removed after v2.8.2
U | en: Unknown nl: Onbekend | | Deprecated | added v2.6, removed after v2.8.2
W | en: Not applicable nl: Niet van toepassing | | Deprecated | added v2.6, removed after v2.8.2
Y | en: Yes de: Ja nl: Ja | | Deprecated | added v2.6, removed after v2.8.2

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0895 defines the following codes:

Code | Display | Definition | Deprecated | Version
E | Exempt | | Deprecated | added v2.6, removed after v2.8.2
N | No | | Deprecated | added v2.6, removed after v2.8.2
U | Unknown | | Deprecated | added v2.6, removed after v2.8.2
W | Not applicable | | Deprecated | added v2.6, removed after v2.8.2
Y | Yes | | Deprecated | added v2.6, removed after v2.8.2

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-0895 defines the following codes:

Code | Display | Definition | Deprecated | Version
E | | | Deprecated | added v2.6, removed after v2.8.2
N | | | Deprecated | added v2.6, removed after v2.8.2
U | | | Deprecated | added v2.6, removed after v2.8.2
W | | | Deprecated | added v2.6, removed after v2.8.2
Y | Ja | | Deprecated | added v2.6, removed after v2.8.2

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-0895 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
E | Vrijgesteld | | Verouderd | added v2.6, removed after v2.8.2
N | Nee | | Verouderd | added v2.6, removed after v2.8.2
U | Onbekend | | Verouderd | added v2.6, removed after v2.8.2
W | Niet van toepassing | | Verouderd | added v2.6, removed after v2.8.2
Y | Ja | | Verouderd | added v2.6, removed after v2.8.2

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.895.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0895 version 2.9

Code | System | Display

4.3.15.904 HL7 Version 2 Table 0904

URL: https://hl7.org/fhir/R4/v2/0904/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0904
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0904
Version: | 2.9
Name: | v2.0904
Title: | v2 Security Check Scheme
Definition: | FHIR Value set/code system definition for HL7 v2 table 0904 (Security Check Scheme)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.904.1 Code System Content

Security Check Scheme

Code | Description | Comment | Version
BCV | Bank Card Validation Number | A non-embossed number included on bank cards and used to validate authenticity of the card and the person presenting the card | added v2.7
CCS | Credit Card Security code | | added v2.7
VID | Version ID | | added v2.7

4.3.15.905 HL7 Version 2 Table 0905

URL: https://hl7.org/fhir/R4/v2/0905/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0905
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0905
Version: | 2.9
Name: | v2.0905
Title: | v2 Shipment Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0905 (Shipment Status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.905.1 Code System Content

Shipment Status

Code | Description | Comment | Version
INV | Inventoried | | added v2.7
ONH | On Hold | | added v2.7
PRC | Processing | | added v2.7
REJ | Rejected | | added v2.7
TRN | In Transit | | added v2.7
TTL | Triaged to Lab | | added v2.7

4.3.15.906 HL7 Version 2 Table 0906

URL: https://hl7.org/fhir/R4/v2/0906/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0906
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0906
Version: | 2.9

Name: | v2.0906
Title: | v2 ActPriority
Definition: | FHIR Value set/code system definition for HL7 v2 table 0906 (ActPriority)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.906.1 Code System Content

ActPriority

Code | Description | Comment | Version
A | ASAP - As soon as possible, next highest priority after stat | | added v2.7
CR | Callback results - filler should contact the placer as soon as results are available, even for preliminary results | | added v2.7
CS | Callback for scheduling - Filler should contact the placer (or target) to schedule the service. | | added v2.7
CSP | Callback placer for scheduling - filler should contact the placer to schedule the service | | added v2.7
CSR | Contact recipient for scheduling - Filler should contact the service recipient (target) to schedule the service | | added v2.7
EL | Elective - Beneficial to the patient but not essential for survival. | | added v2.7
EM | Emergency - An unforeseen combination of circumstances or the resulting state that calls for immediate action | | added v2.7
P | Preop - Used to indicate that a service is to be performed prior to a scheduled surgery. When ordering a service and using the pre-op priority, a check is done to see the amount of time that must be allowed for performance of the service. When the order | | added v2.7
PRN | As needed - An "as needed" order should be accompanied by a description of what constitutes a need. This description is represented by an observation service predicate as a precondition. | | added v2.7
R | Routine - Routine service, do at usual work hours | | added v2.7
RR | Rush reporting - A report should be prepared and sent as quickly as possible | | added v2.7
S | Stat - With highest priority (e.g. emergency). | | added v2.7
T | Timing critical - It is critical to come as close as possible to the requested time (e.g. for a through antimicrobial level). | | added v2.7
UD | Use as directed - Drug is to be used as directed by the prescriber. | | added v2.7
UR | Urgent - Calls for prompt action | | added v2.7

4.3.15.907 HL7 Version 2 Table 0907

URL: https://hl7.org/fhir/R4/v2/0907/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0907
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0907
Version: | 2.9
Name: | v2.0907
Title: | v2 Confidentiality
Definition: | FHIR Value set/code system definition for HL7 v2 table 0907 (Confidentiality)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.907.1 Code System Content

Confidentiality

Code | Description | Comment | Version
B | Business - Since the service class can represent knowledge structures that may be considered a trade or business secret, there is sometimes (though rarely) the need to flag those items as of business level confidentiality. However, no patient related inf | | added v2.7
C | Celebrity - Celebrities are people of public interest (VIP) including employees, whose information require special protection. | | added v2.7
D | Clinician - Only clinicians may see this item, billing and administration persons can not access this item without special permission. | | added v2.7
ETH | Substance abuse related - Alcohol/drug-abuse related item | | added v2.7
HIV | HIV Related - HIV and AIDS related item | | added v2.7
I | Individual - Access only to individual persons who are mentioned explicitly as actors of this service and whose actor type warrants that access (cf. to actor typed code). | | added v2.7
L | Low - No patient record item can be of low confidentiality. However, some service objects are not patient related and therefore may have low confidentiality. | | added v2.7

N | Normal - Normal confidentiality rules (according to good health care practice) apply, that is, only authorized individuals with a legitimate medical or business need may access this item. | | added v2.7
PSY | Psychiatry related - Psychiatry related item | | added v2.7
R | Restricted - Restricted access, e.g. only to providers having a current care relationship to the patient. | | added v2.7
S | Sensitive - Information for which the patient seeks heightened confidentiality. Sensitive information is not to be shared with family members. Information reported by the patient about family members is sensitive by default. Flag can be set or cleared | | added v2.7
SDV | Sexual and domestic violence related - Sexual assault / domestic violence related item | | added v2.7
T | Taboo - Information not to be disclosed or discussed with patient except through physician assigned to patient in this case. This is usually a temporary constraint only; example use is a new fatal diagnosis or finding, such as malignancy or HIV. | | added v2.7
V | Very restricted - Very restricted access as declared by the Privacy Officer of the record holder. | | added v2.7

4.3.15.909 HL7 Version 2 Table 0909

URL: https://hl7.org/fhir/R4/v2/0909/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0909
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0909
Version: | 2.9
Name: | v2.0909
Title: | v2 Patient Results Release Categorization Scheme
Definition: | FHIR Value set/code system definition for HL7 v2 table 0909 (Patient Results Release Categorization Scheme)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.909.1 Code System Content

Patient Results Release Categorization Scheme

Code | Description | Comment | Version
SID | Share In1 Day -<p>Share result regardless of reference/therapeutic range after 1 or more business day as agreed to by the systems in play. | 1 day | added v2.7
SIDC | Share in 1 Day Conditionally -<p>Share result in reference ranges/therapeutic with patient after 1 or more business day as agreed to by the systems in play.<p>Withhold result out of reference/therapeutic range until physician release | 1 day Withhold | added v2.7
SIMM | Share Immediately -<p>Share result with patient immediately | Immediate | added v2.7
STBD | Share To Be Determined -<p>Category to be determined | NA | added v2.7
SWNL | Share Within Normal Limits -<p>Share result in reference/therapeutic range with patient immediately<p>Share result out of reference/therapeutic ranges with patient after 1 or more business day as agreed to by the systems in play. | immediate 1 day | added v2.7
SWTH | Share Withhold -<p>Withhold result regardless of reference/therapeutic ranges | Withhold | added v2.7

4.3.15.912 HL7 Version 2 Table 0912

URL: https://hl7.org/fhir/R4/v2/0912/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0912
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0912
Version: | 2.9
Name: | v2.0912
Title: | v2 Participation
Definition: | FHIR Value set/code system definition for HL7 v2 table 0912 (Participation)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.912.1 Code System Content

Participation

Code | Description | Comment | Version
AAP | Alert Acknowledging Provider | | added v2.8
AC | Administration Cosigner | | added v2.8
AD | Admitting Provider | PV1-17 Admitting doctor | added v2.7
AHP | Authorized Performing Health Professional | | added v2.9
AI | Assistant/Alternate Interpreter | | added v2.7
AP | Administering Provider | RXA-10 Administering Provider | added v2.7
APO | Authorized Performing Provider Organization | | added v2.9
ARI | Assistant Result Interpreter | | added v2.7
AT | Attending Provider | PV1-7 Attending doctor | added v2.7
AUT | Author/Event Initiator | Replaces ORC-19 Action By | added v2.7
CP | Consulting Provider | | added v2.7
DP | Dispensing Provider | RXD-10 Dispensing Provider | added v2.7
EARI | Expected Assistant Result Interpreter | | added v2.9
EP | Entering Person | Replaces ORC-10 Entered By | added v2.7
EPRI | Expected Principal Result Interpreter | | added v2.9
EQUIP | Equipment | | added v2.7
FHCP | Family Health Care Professional | | added v2.7
MDIR | Medical Director | OBX-25 Performing Organization Medical Director | added v2.7
OP | Ordering Provider | ORC-12 Ordering Provider, OBR-16 Ordering Provider, RXO-14 Ordering Provider's DEA Number, RXE-13 Ordering Provider's DEA Number, ORC-24 Ordering Provider Address | added v2.7
OS | Outside Site(s) Where Observation May Be Performed | Replacing OM1-27 Outside Site(s) Where Observation May Be Performed | added v2.8.2
PB | Packed by | | added v2.7
PH | Pharmacist | Replaces RXE-14 Pharmacist/Treatment Supplier's Verifier ID | added v2.7
PI | Primary Interpreter | | added v2.7
PO | Performing Organization | | added v2.7
POMD | Performing Organization Medical Director | | added v2.7
PP | Primary Care Provider | | added v2.7
PPH | Patient Preferred Pharmacy | | added v2.9
PRI | Principal Result Interpreter | | added v2.7
RCT | Results Copies To | | added v2.7
RHP | Referring Health Professional | | added v2.9
RO | Responsible Observer | OBX-16 Responsible Observer | added v2.7
RP | Referring Provider | PV1-8 Referring doctor | added v2.7
RPO | Referring Provider Organization | | added v2.9
RT | Referred to Provider | | added v2.7
SB | Send by | | added v2.7
SC | Specimen Collector | OBR-10 Collector Identifier | added v2.7
TN | Technician | | added v2.7
TR | Transcriptionist | | added v2.7
VP | Verifier (Verifying Person) | Replaces ORC-11 Verified By | added v2.7
VPS | Verifying Pharmaceutical Supplier (not sure how to dissect Pharmacist/Treatment Supplier's Verifier ID) | RXE-14 Pharmacist/Treatment Supplier's Verifier ID | added v2.7
VTS | Verifying Treatment Supplier (not sure how to dissect Pharmacist/Treatment Supplier's Verifier ID) | RXE-14 Pharmacist/Treatment Supplier's Verifier ID | added v2.7
WAY | Waypoint | | added v2.7
WAYR | Waypoint Recipient | | added v2.7

4.3.15.914 HL7 Version 2 Table 0914

URL: https://hl7.org/fhir/R4/v2/0914/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0914
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0914
Version: | 2.9
Name: | v2.0914
Title: | v2 Root Cause
Definition: | FHIR Value set/code system definition for HL7 v2 table 0914 (Root Cause)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.914.1 Code System Content

Root Cause

Code | Description | Comment | Version
AP | Analysis Process | Enter (AP) when ANALYSIS PROCESS is the reason due to: • Product or supply failure (reagents, calibrators, QC material) • Equipment or instrumentation failure | added v2.8
IM | Information Management | Enter (IM) when INFORMATION MANAGEMENT is the reason due to: • Database or Programming issues • Overriding of test results • Inaccurate calculations • Inaccurate flagging, reference ranges, units of measure • Incomplete/inaccurate transmission of test results • Other | added v2.8
L | Laboratory | Enter (L) when LABORATORY is the reason due to: â□¢ Data Entry error â□¢ Testing/Technical error â□¢ Repeat testing causing change to test result | added v2.8
NA | Not Applicable | Enter (NA) when NOT-APPLICABLE is the reason due to: • If no revisions performed or • unable to determine reason for revision Note: Do not use NA if result code status is not corrected (revised) or if a preliminary release of results with a correction (revision) | added v2.8
PD | Placer Data | Enter (PD) when new or changed PLACER DATA information is the reason due to: • Changed patient demographics or • Result code data provided by the client on the requisition or specimen manifest that will be entered during order entry (i.e. Previous Biopsy Date, Clinical Information, Source, etc...) | added v2.8

4.3.15.916 HL7 Version 2 Table 0916

URL: https://hl7.org/fhir/R4/v2/0916/index.html
Vocabulary Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0916
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0916
Version: | 2.9
Name: | v2.0916
Title: | v2 Relevant Clincial Information
Definition: | FHIR Value set/code system definition for HL7 v2 table 0916 (Relevant Clincial Information)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is used in the following places:

• Resource: Specimen.collection.fastingStatus[x] (CodeableConcept|Duration / Extensible)

4.3.15.916.1 Code System Content

Relevant Clinicial Information

Code | Description | Comment | Version
F | Patient was fasting prior to the procedure. | | added v2.7.1
FNA | Fasting not asked of the patient at time of procedure. | deprecated | added v2.7.1, removed after v2.7.1
NF | The patient indicated they did not fast prior to the procedure. | | added v2.7.1
NG | Not Given - Patient was not asked at the time of the procedure. | | added v2.7.1

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.916.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-0916 version 2.9

All codes from system http://terminology.hl7.org/CodeSystem/v2-0916

Code | Display | Definition
F | Patient was fasting prior to the procedure.
NF | The patient indicated they did not fast prior to the procedure.
NG | Not Given - Patient was not asked at the time of the procedure.

4.3.15.917 HL7 Version 2 Table 0917

URL: https://hl7.org/fhir/R4/v2/0917/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0917
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0917
Version: | 2.9
Name: | v2.0917

Title: | v2 Bolus Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0917 (Bolus Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.917.1 Code System Content

Bolus Type

Code | Description | Comment | Version
C | Supplemental | | added v2.8
L | Loading | | added v2.8

4.3.15.918 HL7 Version 2 Table 0918

URL: https://hl7.org/fhir/R4/v2/0918/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0918
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0918
Version: | 2.9
Name: | v2.0918
Title: | v2 PCA Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0918 (PCA Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.918.1 Code System Content

PCA Type

Code | Description | Comment | Version
C | Continuous | | added v2.8
P | PCA Only | | added v2.8
PC | PCA + Continuous | | added v2.8

4.3.15.919 HL7 Version 2 Table 0919

URL: https://hl7.org/fhir/R4/v2/0919/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0919
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0919
Version: | 2.9
Name: | v2.0919
Title: | v2 Exclusive Test
Definition: | FHIR Value set/code system definition for HL7 v2 table 0919 (Exclusive Test)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.919.1 Code System Content

Exclusive Test

Code | Description | Comment | Version

D | In some cases, this test should be only exclusively with like tests (examples are cyto or pathology) | When D is specified for this field, using field OM1-49 determines how tests must be grouped together. Tests within the same Diagnostic Service Sector may be on the same requisition, and therefore in the same message | added v2.8
N | This test can be included with any number of other tests | Default -.will be assumed when this field is empty | added v2.8
Y | This test should be exclusive | | added v2.8

4.3.15.920 HL7 Version 2 Table 0920

URL: https://hl7.org/fhir/R4/v2/0920/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0920
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0920
Version: | 2.9
Name: | v2.0920
Title: | v2 Preferred Specimen/Attribute Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0920 (Preferred Specimen/Attribute Status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.920.1 Code System Content

Preferred Specimen/Attribute Status

Code | Description | Comment | Version
A | Alternate | This is a specimen that is acceptable as a replacement for a preferred specimen. In the following field (OM4-17), the sequence number of the preferred specimen must be messaged. | added v2.8
P | Preferred | This specimen is Preferred for all attributes (Container and Additive) identified in the OM4 segment. | added v2.8

4.3.15.921 HL7 Version 2 Table 0921

URL: https://hl7.org/fhir/R4/v2/0921/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0921
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0921
Version: | 2.9
Name: | v2.0921
Title: | v2 Certification Type Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0921 (Certification Type Code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.921.1 Code System Content

Certification Type Code

Code | Description | Comment | Version
ADM | Admitting | | added v2.8
PROC | Procedure | | added v2.8
SERV | Service | | added v2.8

4.3.15.922 HL7 Version 2 Table 0922

URL: https://hl7.org/fhir/R4/v2/0922/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0922

Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0922
Version: | 2.9
Name: | v2.0922
Title: | v2 Certification Category Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0922 (Certification Category Code)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.922.1 Code System Content

Certification Category Code

Code | Description | Comment | Version
IR | Initial Request | | added v2.8
RA | Request for Appeal | | added v2.8
RE | Request for Extension | | added v2.8

4.3.15.923 HL7 Version 2 Table 0923

URL: https://hl7.org/fhir/R4/v2/0923/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0923
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0923
Version: | 2.9
Name: | v2.0923
Title: | v2 Process Interruption
Definition: | FHIR Value set/code system definition for HL7 v2 table 0923 (Process Interruption)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.923.1 Code System Content

Process Interruption

Code | Description | Comment | Version
ABR | Aborted Run: Process interrupted after the Phlebotomist inserts the needle in the Donor's arm | | added v2.8
NIN | Process was not interrupted | | added v2.8
WOT | Walk Out: Process interrupted before the Phlebotomist inserts the needle in the Donor's arm | | added v2.8

4.3.15.924 HL7 Version 2 Table 0924

URL: https://hl7.org/fhir/R4/v2/0924/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0924
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0924
Version: | 2.9
Name: | v2.0924
Title: | v2 Cumulative Dosage Limit UoM
Definition: | FHIR Value set/code system definition for HL7 v2 table 0924 (Cumulative Dosage Limit UoM)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.924.1 Code System Content

Cumulative Dosage Limit UoM

Code | Description | Comment | Version
A | Annual | | added v2.8
D | Per Day | | added v2.8
M | Per Month | | added v2.8
O | Duration of the Order | Not from UCUM | added v2.8
PL | Patients Lifetime | Not from UCUM | added v2.8
WK | Per Week | | added v2.8

4.3.15.925 HL7 Version 2 Table 0925

URL: https://hl7.org/fhir/R4/v2/0925/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0925
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0925
Version: | 2.9
Name: | v2.0925
Title: | v2 Phlebotomy Issue
Definition: | FHIR Value set/code system definition for HL7 v2 table 0925 (Phlebotomy Issue)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.925.1 Code System Content

• All Languages
• English
• Deutsch (German)

This code system http://terminology.hl7.org/CodeSystem/v2-0925 defines the following codes:

Code | Display | Definition | Version
ACN | en: Air Contamination de: Luftverschmutzung | | added v2.8
CLT | Clotted | | added v2.8
COL | Collapse | | added v2.8
DAK | Defective Apheresis Kit | | added v2.8
DBG | Defective Bag | | added v2.8
DMT | Defective Instrument | | added v2.8
DND | Defective Needle | | added v2.8
INF | Infiltration | | added v2.8
IPF | Instrument Power Failure | | added v2.8
MIS | Missed / in tissue | | added v2.8
NAD | Needle adjustment (this may not end a procedure, if successful will impact component production) | | added v2.8
PFL | Poor flow | | added v2.8
VSM | Vein Spasm | | added v2.8

This code system http://terminology.hl7.org/CodeSystem/v2-0925 defines the following codes:

Code | Display | Definition | Version
ACN | Air Contamination | | added v2.8
CLT | Clotted | | added v2.8
COL | Collapse | | added v2.8
DAK | Defective Apheresis Kit | | added v2.8
DBG | Defective Bag | | added v2.8
DMT | Defective Instrument | | added v2.8
DND | Defective Needle | | added v2.8
INF | Infiltration | | added v2.8
IPF | Instrument Power Failure | | added v2.8
MIS | Missed / in tissue | | added v2.8
NAD | Needle adjustment (this may not end a procedure, if successful will impact component production) | | added v2.8
PFL | Poor flow | | added v2.8
VSM | Vein Spasm | | added v2.8

This code system http://terminology.hl7.org/CodeSystem/v2-0925 defines the following codes:

Code | Display | Definition | Version
ACN | Luftverschmutzung | | added v2.8
CLT | | | added v2.8

COL | | | added v2.8
DAK | | | added v2.8
DBG | | | added v2.8
DMT | | | added v2.8
DND | | | added v2.8
INF | | | added v2.8
IPF | | | added v2.8
MIS | | | added v2.8
NAD | | | added v2.8
PFL | | | added v2.8
VSM | | | added v2.8

4.3.15.926 HL7 Version 2 Table 0926

URL: https://hl7.org/fhir/R4/v2/0926/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0926
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0926
Version: | 2.9
Name: | v2.0926
Title: | v2 Phlebotomy Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0926 (Phlebotomy Status)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.926.1 Code System Content

Phlebotomy Status

Code | Description | Comment | Version
NDR | Not Drawn | | added v2.8
SUC | Successful | Successful means a complete component was drawn | added v2.8
UL5 | Unsuccessful Less than 50 ml drawn | | added v2.8

4.3.15.927 HL7 Version 2 Table 0927

URL: https://hl7.org/fhir/R4/v2/0927/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0927
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0927
Version: | 2.9
Name: | v2.0927
Title: | v2 Arm Stick
Definition: | FHIR Value set/code system definition for HL7 v2 table 0927 (Arm Stick)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.927.1 Code System Content

Arm Stick

Code | Description | Comment | Version
B | Both Arms | | added v2.8
L | Left Arm | | added v2.8
R | Right Arm | | added v2.8

4.3.15.933 HL7 Version 2 Table 0933

URL: https://hl7.org/fhir/R4/v2/0933/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0933
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0933
Version: | 2.9
Name: | v2.0933
Title: | v2 Intended Procedure Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0933 (Intended Procedure Type)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.933.1 Code System Content

Intended Procedure Type

Code	Description	Comment	Version
2RC	Double Red Cells		added v2.8
GRN	Granulocytes		added v2.8
HEM	Hemachromatosis		added v2.8
HPC	Hematopoietic Progenitor Cells	Stem Cells and other cells classified as Hematopoietic	added v2.8
LYM	Lymphocytes		added v2.8
PLS	Plasma		added v2.8
PLT	Platelets		added v2.8
PNP	Platelets and Plasma		added v2.8
PNR	Platelets and Red Cells		added v2.8
PPR	Platelets, Plasma, and Red Cells		added v2.8
THA	Therapeutic Apheresis		added v2.8
THW	Therapeutic Whole Blood		added v2.8
WBL	Whole Blood		added v2.8

4.3.15.935 HL7 Version 2 Table 0935

URL: https://hl7.org/fhir/R4/v2/0935/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-0935
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-0935
Version: | 2.9
Name: | v2.0935
Title: | v2 Process Interruption Reason
Definition: | FHIR Value set/code system definition for HL7 v2 table 0935 (Process Interruption Reason)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.935.1 Code System Content

Process Interruption Reason

Code	Description	Comment	Version
ASC	Apheresis Software Crash		added v2.8
BSC	Manufacturing Software Crash		added v2.8
CFT	Couldn't follow through with donation (scared)		added v2.8
DBB	Bathroom		added v2.8
DCW	Couldn't wait		added v2.8
DNI	Phlebotomy Issue		added v2.8
GFE	General Facility Emergency	Power outage, natural disaster (tornado, flood, hurricane, etc.), air conditioning failure, etc.	added v2.8
NRG	No reason given, donor decided to stop without giving a reason		added v2.8
PCD	Phone Call-Donor		added v2.8

4.3.15.4000 HL7 Version 2 Table 4000

URL: https://hl7.org/fhir/R4/v2/4000/index.html
Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 .

Summary

Code System URL: | http://terminology.hl7.org/CodeSystem/v2-4000
Value Set URL: | http://terminology.hl7.org/ValueSet/v2-4000
Version: | 2.9
Name: | v2.4000
Title: | v2 Name/address representation
Definition: | FHIR Value set/code system definition for HL7 v2 table 4000 (Name/address representation)
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

Note: V2 code systems may or may not be case sensitive. V2 Code systems will have the CodeSystem.caseSensitive correctly populated in a future version of this specification.

This value set is not currently used

4.3.15.4000.1 Code System Content

• All Languages
• English
• Nederlands (Dutch)

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-4000 defines the following codes:

Code | Display | Definition | Deprecated | Version
A | en: Alphabetic (i.e., Default or some single-byte) nl: Alfabetisch (d.w.z. standaard of bepaalde 1-byte) | | Deprecated | added v2.3.1, removed after v2.3.1
I | en: Ideographic (i.e., Kanji) nl: Ideografisch (d.w.z. Kanjii) | | Deprecated | added v2.3.1, removed after v2.3.1
P | en: Phonetic (i.e., ASCII, Katakana, Hiragana, etc.) nl: Fonetisch (d.w.z. ASCII, Katakane, Hirogana, etc.) | | Deprecated | added v2.3.1, removed after v2.3.1

Properties

Code | URL | Description | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

This code system http://terminology.hl7.org/CodeSystem/v2-4000 defines the following codes:

Code | Display | Definition | Deprecated | Version
A | Alphabetic (i.e., Default or some single-byte) | | Deprecated | added v2.3.1, removed after v2.3.1
I | Ideographic (i.e., Kanji) | | Deprecated | added v2.3.1, removed after v2.3.1
P | Phonetic (i.e., ASCII, Katakana, Hiragana, etc.) | | Deprecated | added v2.3.1, removed after v2.3.1

Eigenschappen

Code | URL | Omschrijving | Type
status | http://hl7.org/fhir/concept-properties#status | A property that indicates the status of the concept. One of active, experimental, deprecated, retired | code
deprecationDate | http://hl7.org/fhir/concept-properties#deprecationDate | The date at which a concept was deprecated. Concepts that are deprecated but not inactive can still be used, but their use is discouraged | dateTime

Dit code systeem http://terminology.hl7.org/CodeSystem/v2-4000 definieert de volgende codes:

Code | Display | Definition | Verouderd | Versie
A | Alfabetisch (d.w.z. standaard of bepaalde 1-byte) | | Verouderd | added v2.3.1, removed after v2.3.1
I | Ideografisch (d.w.z. Kanjii) | | Verouderd | added v2.3.1, removed after v2.3.1
P | Fonetisch (d.w.z. ASCII, Katakane, Hirogana, etc.) | | Verouderd | added v2.3.1, removed after v2.3.1

A current expansion is provided for this table because it is not simply 'all codes in the table', or because some codes have been deprecated

4.3.15.4000.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v2-4000 version 2.9

Code | System | Display

4.3.16 HL7 v3 Namespaces (Code Systems and Value Sets)

URL: https://hl7.org/fhir/R4/terminologies-v3.html

Vocabulary Work Group | Maturity Level: N/A | Standards Status: External

These namespaces are defined for use in FHIR. Code Systems are used when representing codes that were defined as part of the HL7 v3 code systems. So if you are representing the code "M" from the code system AdministrativeGender in a FHIR instance, then you would use the system "http://terminology.hl7.org/CodeSystem/v3-AdministrativeGender" (note that the namespace is case sensitive).

Value Set namespaces are used as part of the specification itself, or in Profiles or other Value Sets where HL7 v3 code systems are used.

All of these namespaces are subject to further change.

CodeSystems

See below for value sets.

Name (URI = http://terminology.hl7.org/CodeSystem/v3-...) | Description | OID

AcknowledgementCondition | The codes identify the conditions under which accept acknowledgements are required to be returned in response to this message. Note that accept acknowledgement address two different issues at the same time: reliable transport as well as syntactical correctness | 2.16.840.1.113883.5.1050

AcknowledgementDetailCode | OpenIssue: Missing description. | 2.16.840.1.113883.5.1100

AcknowledgementDetailType | A code identifying the specific message to be provided. Discussion: A textual value may be specified as the print name, or for non-coded messages, as the original text. Examples: 'Required attribute xxx is missing', 'System will be unavailable March 19 from 0100 to 0300' | 2.16.840.1.113883.5.1082

AcknowledgementType | This attribute contains an acknowledgement code as described in the HL7 message processing rules. OpenIssue: Description was copied from attribute and needs to be improved to be appropriate for a code system. | 2.16.840.1.113883.5.18

ActClass | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.6

ActCode | A code specifying the particular kind of Act that the Act-instance represents within its class. Constraints: The kind of Act (e.g. physical examination, serum potassium, inpatient encounter, charge financial transaction, etc.) is specified with a code from one of several, typically external, coding systems. The coding system will depend on the class of Act, such as LOINC for observations, etc. Conceptually, the Act.code must be a specialization of the Act.classCode. This is why the structure of ActClass domain should be reflected in the superstructure of the ActCode domain and then individual codes or externally referenced vocabularies subordinated under these domains that reflect the ActClass structure. Act.classCode and Act.code are not modifiers of each other but the Act.code concept should really imply the Act.classCode concept. For a negative example, it is not appropriate to use an Act.code "potassium" together with and Act.classCode for "laboratory observation" to somehow mean "potassium laboratory observation" and then use the same Act.code for "potassium" together with Act.classCode for "medication" to mean "substitution of potassium". This mutually modifying use of Act.code and Act.classCode is not permitted. | 2.16.840.1.113883.5.4

ActExposureLevelCode | A qualitative measure of the degree of exposure to the causative agent. This includes concepts such as "low", "medium" and "high". This quantifies how the quantity that was available to be administered to the target differs from typical or background levels of the substance. | 2.16.840.1.113883.5.1114

ActInvoiceElementModifier | Processing consideration and clarification codes. | 2.16.840.1.113883.5.1051

ActMood | OpenIssue: In Ballot 2009May, a strong Negative vote was lodged against several of the concept definitions in the vocabulary used for Act.moodCode. The vote was found "Persuasive With Mod", with the understanding that M and M would undertake a detailed review of these concept definitions for a future release of the RIM. | 2.16.840.1.113883.5.1001

ActPriority | A set of codes (e.g., for routine, emergency), specifying the urgency under which the Act happened, can happen, is happening, is intended to happen, or is requested/demanded to happen. | 2.16.840.1.113883.5.7

ActReason | A set of codes specifying the motivation, cause, or rationale of an Act, when such rationale is not reasonably represented as an ActRelationship of type "has reason" linking to another Act. Examples: Example reasons that might qualify for being coded in this field might be: "routine requirement", "infectious disease reporting requirement", "on patient request", "required by law". | 2.16.840.1.113883.5.8

ActRelationshipCheckpoint | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.10

ActRelationshipJoin | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.12

ActRelationshipSplit | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.13

ActRelationshipSubset | <ns1:p>Used to indicate that the target of the relationship will be a filtered subset of the total related set of targets.</ns1:p><ns1:p>Used when there is a need to limit the number of components to the first, the last, the next, the total, the average or some other filtered or calculated subset.</ns1:p> | 2.16.840.1.113883.5.1099

ActRelationshipType | The source is an excerpt from the target. | 2.16.840.1.113883.5.1002

ActSite | An anatomical location on an organism which can be the focus of an act. | 2.16.840.1.113883.5.1052

ActStatus | Codes representing the defined possible states of an Act, as defined by the Act class state machine. | 2.16.840.1.113883.5.14

ActUSPrivacyLaw | A jurisdictional mandate in the US relating to privacy. Deprecation Comment: Content moved to ActCode under _ActPrivacyLaw; use that instead. | 2.16.840.1.113883.5.1138

ActUncertainty | OpenIssue: Missing Description | 2.16.840.1.113883.5.1053

AddressPartType | Description: Code that specifies whether an address part names the street, city, country, postal code, post box, etc. Discussion: The hierarchical nature of these concepts shows composition. E.g. "Street Name" is part of "Street Address Line" | 2.16.840.1.113883.5.16

AddressUse | Codes that provide guidance around the circumstances in which a given address should be used. | 2.16.840.1.113883.5.1119

AdministrativeGender | The gender of a person used for adminstrative purposes (as opposed to clinical gender) | 2.16.840.1.113883.5.1

AmericanIndianAlaskaNativeLanguages | American Indian and Alaska Native languages currently being used in the United States. | 2.16.840.1.113883.5.1054

Calendar | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.1055

CalendarCycle | Calendar cycle identifiers | 2.16.840.1.113883.5.9

CalendarType | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.1017

Charset | Internet Assigned Numbers Authority (IANA) Charset Types | 2.16.840.1.113883.5.21

CodingRationale | Identifies how to interpret the instance of the code, codeSystem value in a set of translations. Since HL7 (or a government body) may mandate that codes from certain code systems be sent in conformant messages, other synonyms that are sent in the translation set need to be distinguished among the originally captured source, the HL7 specified code, or some future role. When this code is NULL, it indicates that the translation is an undefined type. When valued, this property must contain one of the following values: SRC - Source (or original) code HL7 - HL7 Specified or Mandated SH - both HL7 mandated and the original code (precoordination) There may be additional values added to this value set as we work through the use of codes in messages and determine other Use Cases requiring special interpretation of the translations. | 2.16.840.1.113883.5.1074

CommunicationFunctionType | Describes the type of communication function that the associated entity plays in the associated transmission. | 2.16.840.1.113883.5.1056

CompressionAlgorithm | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.1009

Confidentiality | A set of codes specifying the security classification of acts and roles in accordance with the definition for concept domain "Confidentiality". | 2.16.840.1.113883.5.25

ContainerCap | The type of cap associated with a container | 2.16.840.1.113883.5.26

ContainerSeparator | A material in a blood collection container that facilites the separation of of blood cells from serum or plasma | 2.16.840.1.113883.5.27

ContentProcessingMode | Description: Identifies the order in which content should be processed. | 2.16.840.1.113883.5.1110

ContextControl | A code that specifies how an ActRelationship or Participation contributes to the context of an Act, and whether it may be propagated to descendent Acts whose association allows such propagation (see also attributes Participation.contextControlCode, ActRelationship.contextControlCode, ActRelationship.contextConductionInd). | 2.16.840.1.113883.5.1057

DataOperation | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.1123

Dentition | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.1080

DeviceAlertLevel | Domain values for the Device.Alert_levelCode | 2.16.840.1.113883.5.31

DocumentCompletion | Identifies the current completion state of a clinical document. | 2.16.840.1.113883.5.33

DocumentStorage | Identifies the storage status of a document. | 2.16.840.1.113883.5.34

EducationLevel | Years of education that a person has completed | 2.16.840.1.113883.5.1077

EmployeeJobClass | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.1059

EncounterAdmissionSource | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.37

EncounterSpecialCourtesy | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.40

EntityClass | Classifies the Entity class and all of its subclasses. The terminology is hierarchical. At the top is this HL7-defined domain of high-level categories (such as represented by the Entity subclasses). Each of these terms must be harmonized and is specializable. The value sets beneath are drawn from multiple, frequently external, domains that reflect much more fine-grained typing. | 2.16.840.1.113883.5.41

EntityCode | OpenIssue: Missing description. | 2.16.840.1.113883.5.1060

EntityDeterminer | EntityDeterminer in natural language grammar is the class of words that comprises articles, demonstrative pronouns, and quantifiers. In the RIM, determiner is a structural code in the Entity class to distinguish whether any given Entity object stands for some, any one, or a specific thing. | 2.16.840.1.113883.5.30

EntityHandling | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.42

EntityNamePartQualifier | OpenIssue: Needs description | 2.16.840.1.113883.5.43

EntityNamePartQualifierR2 | Description: The qualifier is a set of codes each of which specifies a certain subcategory of the name part in addition to the main name part type. For example, a given name may be flagged as a nickname, a family name may be a pseudonym or a name of public records. | 2.16.840.1.113883.5.1122

EntityNamePartType | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.44

EntityNamePartTypeR2 | Description: Indicates whether the name part is a given name, family name, prefix, suffix, etc. | 2.16.840.1.113883.5.1121

EntityNameUse | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.45

EntityNameUseR2 | Description: A set of codes advising a system or user which name in a set of names to select for a given purpose. | 2.16.840.1.113883.5.1120

EntityRisk | Kinds of risks associated with the handling of the material.. | 2.16.840.1.113883.5.46

EntityStatus | Codes representing the defined possible states of an Entity, as defined by the Entity class state machine. | 2.16.840.1.113883.5.1061

EquipmentAlertLevel | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.49

Ethnicity | In the United States, federal standards for classifying data on ethnicity determine the categories used by federal agencies and exert a strong influence on categorization by state and local agencies and private sector organizations. The federal standards do not conceptually define ethnicity, and they recognize the absence of an anthropological or scientific basis for ethnicity classification. Instead, the federal standards acknowledge that ethnicity is a social-political construct in which an individual's own identification with a particular ethnicity is preferred to observer identification. The standards specify two minimum ethnicity categories: Hispanic or Latino, and Not Hispanic or Latino. The standards define a Hispanic or Latino as a person of "Mexican, Puerto Rican, Cuban, South or Central America, or other Spanish culture or origin, regardless of race." The standards stipulate that ethnicity data need not be limited to the two minimum categories, but any expansion must be collapsible to those categories. In addition, the standards stipulate that an individual can be Hispanic or Latino or can be Not Hispanic or Latino, but cannot be both. | 2.16.840.1.113883.5.50

ExposureMode | Code for the mechanism by which the exposure agent was exchanged or potentially exchanged by the participants involved in the exposure. | 2.16.840.1.113883.5.1113

GTSAbbreviation | Open Issue: It appears that the printnames are suboptimal and should be improved for many of the existing codes. | 2.16.840.1.113883.5.1022

GenderStatus | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.51

HL7ContextConductionStyle | The styles of context conduction usable by relationships within a static model derived from tyhe HL7 Reference Information Model. | 2.16.840.1.113883.5.1129

HL7StandardVersionCode | This code system holds version codes for the Version 3 standards. Values are to be determined by HL7 and added with each new version of the HL7 Standard. | 2.16.840.1.113883.5.1097

HL7UpdateMode | The possible modes of updating that occur when an attribute is received by a system that already contains values for that attribute. | 2.16.840.1.113883.5.57

HtmlLinkType | HtmlLinkType values are drawn from HTML 4.0 and describe the relationship between the current document and the anchor that is the target of the link | 2.16.840.1.113883.5.58

IdentifierReliability | Specifies the reliability with which the identifier is known. This attribute MAY be used to assist with identifier matching algorithms. | 2.16.840.1.113883.5.1117

IdentifierScope | Description: Codes to specify the scope in which the identifier applies to the object with which it is associated, and used in the datatype property II. | 2.16.840.1.113883.5.1116

IntegrityCheckAlgorithm | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.1010

LanguageAbilityMode | A value representing the method of expression of the language. Example: Expressed spoken, expressed written, expressed signed, received spoken, received written, received signed. OpenIssue: Description copied from Concept Domain of same name. Must be verified. | 2.16.840.1.113883.5.60

LanguageAbilityProficiency | A value representing the level of proficiency in a language. Example: Excellent, good, fair, poor. OpenIssue: Description copied from Concept Domain of same name. Must be verified. | 2.16.840.1.113883.5.61

LivingArrangement | A code depicting the living arrangements of a person | 2.16.840.1.113883.5.63

LocalMarkupIgnore | Tells a receiver to ignore just the local markup tags (local_markup, local_header, local_attr) when value="markup", or to ignore the local markup tags and all contained content when value="all" | 2.16.840.1.113883.5.65

LocalRemoteControlState | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.66

ManagedParticipationStatus | Codes representing the defined possible states of a Managed Participation, as defined by the Managed Participation class state machine. | 2.16.840.1.113883.5.1062

MapRelationship | The closeness or quality of the mapping between the HL7 concept (as represented by the HL7 concept identifier) and the source coding system. The values are patterned after the similar relationships used in the UMLS Metathesaurus. Because the HL7 coding sy | 2.16.840.1.113883.5.67

MaritalStatus | * * * No description supplied * * * Open Issue: The specific meanings of these codes can vary somewhat by jurisdiction and implementation so caution should be used when determining equivalency. | 2.16.840.1.113883.5.2

MessageWaitingPriority | Indicates that the receiver has messages for the sender OpenIssue: Description does not make sense relative to name of coding system. Must be reviewed and improved. | 2.16.840.1.113883.5.1083

ModifyIndicator | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.81

NullFlavor | A collection of codes specifying why a valid value is not present. | 2.16.840.1.113883.5.1008

ObservationCategory | High level observation categories for the general type of observation being made. URL: http://hl7-fhir.github.io/valueset-observation-category.html This is an inline code system http://hl7.org/fhir/observation-category. | 2.16.840.1.113883.4.642.1.222

ObservationInterpretation | One or more codes providing a rough qualitative interpretation of the observation, such as "normal" / "abnormal", "low" / "high", "better" / "worse", "resistant" / "susceptible", "expected" / "not expected". The value set is intended to be for ANY use where coded representation of an interpretation is needed. | 2.16.840.1.113883.5.83

ObservationMethod | A code that provides additional detail about the means or technique used to ascertain the observation. Examples: Blood pressure measurement method: arterial puncture vs. sphygmomanometer (Riva-Rocci), sitting vs. supine position, etc. OpenIssue: Description copied from Concept Domain of same name. Must be verified. Note that the Domain has a full discussion about use of the attribute and constraining that is not appropriate for the code system description. Needs to be improved. | 2.16.840.1.113883.5.84

ObservationValue | This domain is the root domain to which all HL7-recognized value sets for the Observation.value attribute will be linked when Observation.value has a coded data type. OpenIssue: Description copied from Concept Domain of same name. Must be corrected.. | 2.16.840.1.113883.5.1063

ParticipationFunction | This code is used to specify the exact function an actor had in a service in all necessary detail. This domain may include local extensions (CWE). | 2.16.840.1.113883.5.88

ParticipationMode | A set of codes specifying the modality by which the Entity playing the Role is participating in the Act. Examples: Physically present, over the telephone, written communication. Rationale: Particularly for author (originator) participants this is used to specify whether the information represented by the act was initially provided verbally, (hand-)written, or electronically. Open Issue: There needs to be a reexamination of the hierarchies as there seems to be some muddling between ELECTRONIC and other concepts that involve electronic communication that are in other hierarchies. | 2.16.840.1.113883.5.1064

ParticipationSignature | A set of codes specifying whether and how the participant has attested his participation through a signature and or whether such a signature is needed. Examples: A surgical Procedure act object (representing a procedure report) requires a signature of the performing and responsible surgeon, and possibly other participants. (See also: Participation.signatureText.) | 2.16.840.1.113883.5.89

ParticipationType | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.90

PatientImportance | Patient VIP code | 2.16.840.1.113883.5.1075

PaymentTerms | Describes payment terms for a financial transaction, used in an invoice. This is typically expressed as a responsibility of the acceptor or payor of an invoice. | 2.16.840.1.113883.5.91

PersonDisabilityType | A code identifying a person's disability. | 2.16.840.1.113883.5.93

ProbabilityDistributionType | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.1020

ProcessingID | Codes used to specify whether a message is part of a production, training, or debugging system. | 2.16.840.1.113883.5.100

ProcessingMode | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.101

QueryParameterValue | The domain of coded values used as parameters within QueryByParameter queries. | 2.16.840.1.113883.5.1096

QueryPriority | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.102

QueryRequestLimit | Definition: Defines the units associated with the magnitude of the maximum size limit of a query response that can be accepted by the requesting application. | 2.16.840.1.113883.5.1112

QueryResponse | A code classifying the general nature of the response to a given query. Includes whether or not data was found, or whether an error occurred. | 2.16.840.1.113883.5.1067

QueryStatusCode | A code specifying the state of the Query. | 2.16.840.1.113883.5.103

Race | In the United States, federal standards for classifying data on race determine the categories used by federal agencies and exert a strong influence on categorization by state and local agencies and private sector organizations. The federal standards do not conceptually define race, and they recognize the absence of an anthropological or scientific basis for racial classification. Instead, the federal standards acknowledge that race is a social-political construct in which an individual's own identification with one more race categories is preferred to observer identification. The standards use a variety of features to define five minimum race categories. Among these features are descent from "the original peoples" of a specified region or nation. The minimum race categories are American Indian or Alaska Native, Asian, Black or African American, Native Hawaiian or Other Pacific Islander, and White. The federal standards stipulate that race data need not be limited to the five minimum categories, but any expansion must be collapsible to those categories. | 2.16.840.1.113883.5.104

RelationalOperator | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.105

RelationshipConjunction | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.106

ReligiousAffiliation | Assigment of spiritual faith affiliation | 2.16.840.1.113883.5.1076

ResponseLevel | Specifies whether a response is expected from the addressee of this interaction and what level of detail that response should include | 2.16.840.1.113883.5.108

ResponseModality | Defines the timing and grouping of the response instances. OpenIssue: Description copied from Concept Domain of same name. Must be verified. | 2.16.840.1.113883.5.109

ResponseMode | Specifies the mode, immediate versus deferred or queued, by which a receiver should communicate its receiver responsibilities. | 2.16.840.1.113883.5.1126

RoleClass | Codes for the Role class hierarchy. The values in this hierarchy, represent a Role which is an association or relationship between two entities - the entity that plays the role and the entity that scopes the role. Roles names are derived from the name of the playing entity in that role. The role hierarchy stems from three core concepts, or abstract domains: RoleClassOntological is an abstract domain that collects roles in which the playing entity is defined or specified by the scoping entity. RoleClassPartitive collects roles in which the playing entity is in some sense a "part" of the scoping entity. RoleClassAssociative collects all of the remaining forms of association between the playing entity and the scoping entity. This set of roles is further partitioned between: RoleClassPassive which are roles in which the playing entity is used, known, treated, handled, built, or destroyed, etc. under the auspices of the scoping entity. The playing entity is passive in these roles in that the role exists without an agreement from the playing entity. RoleClassMutualRelationship which are relationships based on mutual behavior of the two entities. The basis of these relationship may be formal agreements or they may bede facto behavior. Thus, this sub-domain is further divided into: RoleClassRelationshipFormal in which the relationship is formally defined, frequently by a contract or agreement. Personal relationship which inks two people in a personal relationship. The hierarchy discussed above is represented In the current vocabulary tables as a set of abstract domains, with the exception of the "Personal relationship" which is a leaf concept. OpenIssue: Description copied from Concept Domain of same name. Must be verified. | 2.16.840.1.113883.5.110

RoleCode | A set of codes further specifying the kind of Role; specific classification codes for further qualifying RoleClass codes. | 2.16.840.1.113883.5.111

RoleLinkStatus | Description: Codes representing possible states of a RoleLink, as defined by the RoleLink class state machine. | 2.16.840.1.113883.5.1137

RoleLinkType | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.107

RoleStatus | Codes representing the defined possible states of an Role, as defined by the Role class state machine. | 2.16.840.1.113883.5.1068

RouteOfAdministration | The path the administered medication takes to get into the body or into contact with the body. | 2.16.840.1.113883.5.112

Sequencing | Specifies sequence of sort order. | 2.16.840.1.113883.5.113

SetOperator | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.1069

SpecimenType | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.129

SubstitutionCondition | Identifies what sort of change is permitted or has occurred between the item that was ordered/requested and the one that was/will be provided. | 2.16.840.1.113883.5.1071

TableCellHorizontalAlign | These values are defined within the XHTML 4.0 Table Model | 2.16.840.1.113883.5.131

TableCellScope | These values are defined within the XHTML 4.0 Table Model | 2.16.840.1.113883.5.132

TableCellVerticalAlign | These values are defined within the XHTML 4.0 Table Model | 2.16.840.1.113883.5.133

TableFrame | These values are defined within the XHTML 4.0 Table Model | 2.16.840.1.113883.5.134

TableRules | These values are defined within the XHTML 4.0 Table Model | 2.16.840.1.113883.5.136

TargetAwareness | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.137

TelecommunicationCapabilities | Description: Concepts that define the telecommunication capabilities of a particular device. Used to identify the expected capabilities to be found at a particular telecommunication address. | 2.16.840.1.113883.5.1118

TimingEvent | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.139

TransmissionRelationshipTypeCode | Description: A code specifying the meaning and purpose of every TransmissionRelationship instance. Each of its values implies specific constraints to what kinds of Transmission objects can be related and in which way. | 2.16.840.1.113883.5.1111

TribalEntityUS | INDIAN ENTITIES RECOGNIZED AND ELIGIBLE TO RECEIVE SERVICES FROM THE UNITED STATES BUREAU OF INDIAN AFFAIRS | 2.16.840.1.113883.5.140

VaccineManufacturer | The manufacturer of a vaccine. | 2.16.840.1.113883.5.144

WorkClassificationODH | Code system of concepts representing a person's job type as defined by compensation and sector (e.g. paid vs. unpaid, self-employed vs. not self-employed, government vs. private, etc.). | 2.16.840.1.113883.5.1139

hl7ApprovalStatus | Description: Codes for concepts describing the approval level of HL7 artifacts. This code system reflects the concepts expressed in HL7's Governance & Operations Manual (GOM) past and present. | 2.16.840.1.113883.5.1130

hl7CMETAttribution | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.5.1132

hl7ITSType | Description: Codes identifying types of HL7 Implementation Technology Specifications | 2.16.840.1.113883.5.1135

hl7ITSVersionCode | HL7 implementation technology specification versions. These codes will document the ITS type and version for message encoding. The code will appear in the instances based upon rules expressed in the ITS, and do not appear in the abstract message, either as it is presented to received from the ITS. | 2.16.840.1.113883.5.1092

hl7PublishingDomain | Description: Codes for HL7 publishing domains (specific content area) | 2.16.840.1.113883.5.1136

hl7PublishingSection | Description: Codes for HL7 publishing sections (major business categories) | 2.16.840.1.113883.5.1133

hl7PublishingSubSection | Description: Codes for HL7 publishing sub-sections (business sub-categories) | 2.16.840.1.113883.5.1134

hl7Realm | Description: Coded concepts representing Binding Realms (used for Context Binding of terminology in HL7 models) and/or Namespace Realms (used to help ensure unique identification of HL7 artifacts). This code system is partitioned into three

sections: Affiliate realms, Binding realms and Namespace realms. All affiliate realm codes may automatically be used as both binding realms and namespace realms. Furthermore, affiliate realms are the only realms that have authority over the creation of binding realms. (Note that 'affiliate' includes the idea of both international affiliates and the HL7 International organization.) All other codes must be associated with an owning affiliate realm and must appear as a specialization of _BindingRealm or _NamespaceRealm. For affiliates whose concepts align with nations, the country codes from ISO 3166-1 2-character alpha are used for the code when possible so these codes should not be used for other realm types. It is recommended that binding realm and namespace codes submitted by affiliates use the realm code as a prefix to avoid possible collisions with ISO codes. However, tooling does not currently support namepace realm codes greater than 2 characters. Open Issue: The name of the concept property "owningAffiliate" should be changed to better reflect that the property value is the human readable name of the organizational entity that manages the Realm identified by the Realm Code. Open Issue: In spite of the inability of tooling to process codes longer than 2 characters, there is at least one realm codes ('SOA') that was added that is 3 characters in length. | 2.16.840.1.113883.5.1124

hl7V3Conformance | Description: Identifies allowed codes for HL7aTMs v3 conformance property. | 2.16.840.1.113883.5.1125

hl7VoteResolution | Description: Based on concepts for resolutions from HL7 ballot spreadsheet according to HL7's Governance & Operations Manual (GOM). | 2.16.840.1.113883.5.1131

orderableDrugForm | OpenIssue: Missing description. | 2.16.840.1.113883.5.85

policyHolderRole | This vocabulary is defined by Implementation Guide for CDA Release 2 - Level 1 - Care Record Summary (US realm). It describes roles recognized through the issuance of an insurance policy to a policyholder who a relationship with the covered party, such as spouse, child, etc. This vocabulary is essentially an inversion of the role relations of the HL7 CoverageRoleType vocabulary. It provides more detailed roles with respect to the underwriter (the scoping organization) for those participants in the policyholder role for a patient. Open Issue: The code values for this coding system must be extracted from the CDA documentation and brought forward through Harmonization for instantiation in this repository. | 2.16.840.1.113883.5.1128

styleType | <ns1:p>The style code is used within the CDA/SPL narrative block to give the instance author some control over various aspects of style</ns1:p> | 2.16.840.1.113883.5.1095

substanceAdminSubstitution | Identifies what sort of change is permitted or has occurred between the therapy that was ordered and the therapy that was/will be provided. | 2.16.840.1.113883.5.1070

triggerEventID | Description: This code system contains all HL7 artifacts of type TE (Trigger Event) that are created by HL7 or its affiliates or their designates using the realm namespacing rules approved by HL7. Local implementations who create trigger events outside of these namespacing rules, (e.g. using the ZZ realm code) must register their own code system. The specific list of legal codes can be found by consulting the HL7 publications (editions, ballots, implementation guides, etc.) published by HL7 Inc. and by the various HL7 affiliates and their designates. Codes shall be expressed in upper case, with separator as shown in HL7 publications with no version id. E.g. PORX_TE123456UV. | 2.16.840.1.113883.1.18

Value Sets

Name (URI = http://terminology.hl7.org/ValueSet/v3-...) | Name | OID

AcknowledgementCondition | The codes identify the conditions under which accept acknowledgements are required to be returned in response to this message. Note that accept acknowledgement address two different issues at the same time: reliable transport as well as syntactical correctness | 2.16.840.1.113883.1.11.155

AcknowledgementDetailCode | OpenIssue: Missing description. | --

AcknowledgementDetailType | A code identifying the specific message to be provided. Discussion: A textual value may be specified as the print name, or for non-coded messages, as the original text. Examples: 'Required attribute xxx is missing', 'System will be unavailable March 19 from 0100 to 0300' | 2.16.840.1.113883.1.11.19358

AcknowledgementType | This attribute contains an acknowledgement code as described in the HL7 message processing rules. OpenIssue: Description was copied from attribute and needs to be improved to be appropriate for a code system. | 2.16.840.1.113883.1.11.8

ActClass | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.11527

ActClassClinicalDocument | A clinical document is a documentation of clinical observations and services, with the following characteristics: (1) Persistence - A clinical document continues to exist in an unaltered state, for a time period defined by local and regulatory requirements; (2) Stewardship - A clinical document is maintained by a person or organization entrusted with its care; (3) Potential for authentication - A clinical document is an assemblage of information that is intended to be legally authenticated; (4) Wholeness - Authentication of a clinical document applies to the whole and does not apply to portions of the document without the full context of the document; (5) Human readability - A clinical document is human readable." | 2.16.840.1.113883.1.11.13948

ActClassDocument | Specialization of Act to add the characteristics unique to document management services. | 2.16.840.1.113883.1.11.18938

ActClassInvestigation | An formalized inquiry into the circumstances surrounding a particular unplanned event or potential event for the purposes of identifying possible causes and contributing factors for the event. This investigation could be conducted at a local institutional level or at the level of a local or national government. | 2.16.840.1.113883.1.11.20224

ActClassObservation | Description: An act that is intended to result in new information about a subject. The main difference between Observations and other Acts is that Observations have a value attribute. Thecode attribute of Observation and thevalue attribute of Observation must be considered in combination to determine the semantics of the observation. Discussion: Structurally, many observations are name-value-pairs, where the Observation.code (inherited from Act) is the name and the Observation.value is the value of the property. Such a construct is also known as a variable (a named feature that can assume a value) hence, the Observation class is always used to hold generic name-value-pairs or variables, even though the variable valuation may not be the result of an elaborate observation method. It may be a simple answer to a question or it may be an assertion or setting of a parameter. As with all Act statements, Observation statements describe what was done, and in the case of Observations, this includes a description of what was actually observed (results or answers); and those results or answers are part of the observation and not split off into other objects. The method of action is asserted by the Observation classCode or its subclasses at the least granular level, by the Observation.code attribute value at the medium level of granularity, and by the attribute value of observation.methodCode when a finer level of granularity is required. The method in whole or in part may also appear in the attribute value of Observation.value when using coded data types to express the value of the attribute. Relevant aspects of methodology may also be restated in value when the results themselves imply or state a methodology. An observation may consist of component observations each having their own Observation.code and Observation.value. In this case, the composite observation may not have an Observation.value for itself. For instance, a white blood cell count consists of the sub-observations for the counts of the various granulocytes, lymphocytes and other normal or abnormal blood cells (e.g., blasts). The overall white blood cell count Observation itself may therefore not have a value by itself (even though it could have one, e.g., the sum total of white blood cells). Thus, as long as an Act is essentially an Act of recognizing and noting information about a subject, it is an Observation, regardless of whether it has a simple value by itself or whether it has sub-observations. Even though observations are professional acts (see Act) and as such are intentional actions, this does not require that every possible outcome

of an observation be pondered in advance of it being actually made. For instance, differential white blood cell counts (WBC) rarely show blasts, but if they do, this is part of the WBC observation even though blasts might not be predefined in the structure of a normal WBC. Clinical documents commonly have Subjective and Objective findings, both of which are kinds of Observations. In addition, clinical documents commonly contain Assessments, which are also kinds of Observations. Thus, the establishment of a diagnosis is an Observation. Examples: Recording the results of a Family History Assessment Laboratory test and associated result Physical exam test and associated result Device temperature Soil lead level | 2.16.840.1.113883.1.11.11529

ActClassProcedure | An Act whose immediate and primary outcome (post-condition) is the alteration of the physical condition of the subject. Examples: : Procedures may involve the disruption of some body surface (e.g. an incision in a surgical procedure), but they also include conservative procedures such as reduction of a luxated join, chiropractic treatment, massage, balneotherapy, acupuncture, shiatsu, etc. Outside of clinical medicine, procedures may be such things as alteration of environments (e.g. straightening rivers, draining swamps, building dams) or the repair or change of machinery etc. | 2.16.840.1.113883.1.11.19665

ActClassROI | Regions of Interest (ROI) within a subject Act. Primarily used for making secondary observations on a subset of a subject observation. The relationship between a ROI and its referenced Act is specified through an ActRelationship of type "subject" (SUBJ), which must always be present. | 2.16.840.1.113883.1.11.17893

ActClassSupply | Supply orders and deliveries are simple Acts that focus on the delivered product. The product is associated with the Supply Act via Participation.typeCode="product". With general Supply Acts, the precise identification of the Material (manufacturer, serial numbers, etc.) is important. Most of the detailed information about the Supply should be represented using the Material class. If delivery needs to be scheduled, tracked, and billed separately, one can associate a Transportation Act with the Supply Act. Pharmacy dispense services are represented as Supply Acts, associated with a SubstanceAdministration Act. The SubstanceAdministration class represents the administration of medication, while dispensing is supply. | 2.16.840.1.113883.1.11.11535

ActCode | A code specifying the particular kind of Act that the Act-instance represents within its class. Constraints: The kind of Act (e.g. physical examination, serum potassium, inpatient encounter, charge financial transaction, etc.) is specified with a code from one of several, typically external, coding systems. The coding system will depend on the class of Act, such as LOINC for observations, etc. Conceptually, the Act.code must be a specialization of the Act.classCode. This is why the structure of ActClass domain should be reflected in the superstructure of the ActCode domain and then individual codes or externally referenced vocabularies subordinated under these domains that reflect the ActClass structure. Act.classCode and Act.code are not modifiers of each other but the Act.code concept should really imply the Act.classCode concept. For a negative example, it is not appropriate to use an Act.code "potassium" together with and Act.classCode for "laboratory observation" to somehow mean "potassium laboratory observation" and then use the same Act.code for "potassium" together with Act.classCode for "medication" to mean "substitution of potassium". This mutually modifying use of Act.code and Act.classCode is not permitted. | --

ActConsentDirective | ActConsentDirective codes are used to specify the type of Consent Directive to which a Consent Directive Act conforms. | 2.16.840.1.113883.1.11.20425

ActConsentType | Definition: The type of consent directive, e.g., to consent or dissent to collect, access, or use in specific ways within an EHRS or for health information exchange; or to disclose health information for purposes such as research. | 2.16.840.1.113883.1.11.19897

ActCoverageTypeCode | Definition: Set of codes indicating the type of insurance policy or program that pays for the cost of benefits provided to covered parties. | 2.16.840.1.113883.1.11.19855

ActEncounterCode | Domain provides codes that qualify the ActEncounterClass (ENC) | 2.16.840.1.113883.1.11.13955

ActExposureLevelCode | A qualitative measure of the degree of exposure to the causative agent. This includes concepts such as "low", "medium" and "high". This quantifies how the quantity that was available to be administered to the target differs from typical or background levels of the substance. | --

ActIncidentCode | Set of codes indicating the type of incident or accident. | 2.16.840.1.113883.1.11.16508

ActInvoiceElementModifier | Processing consideration and clarification codes. | 2.16.840.1.113883.1.11.17704

ActInvoiceGroupCode | Type of invoice element that is used to assist in describing an Invoice that is either submitted for adjudication or for which is returned on adjudication results. Invoice elements of this type signify a grouping of one or more children (detail) invoice elements. They do not have intrinsic costing associated with them, but merely reflect the sum of all costing for it's immediate children invoice elements. | 2.16.840.1.113883.1.11.19398

ActMood | OpenIssue: In Ballot 2009May, a strong Negative vote was lodged against several of the concept definitions in the vocabulary used for Act.moodCode. The vote was found "Persuasive With Mod", with the understanding that M and M would undertake a detailed review of these concept definitions for a future release of the RIM. | 2.16.840.1.113883.1.11.10196

ActMoodIntent | An intention or plan to perform a service. Historical note: in previous RIM versions, the intent mood was captured as a separate class hierarchy, called Service_intent_or_order. | 2.16.840.1.113883.1.11.10199

ActMoodPredicate | Any of the above service moods (e.g., event, intent, or goal) can be turned into a predicate used as a criterion to express conditionals (or queries.) However, currently we allow only criteria on service events. | 2.16.840.1.113883.1.11.10202

ActPharmacySupplyType | Identifies types of dispensing events | 2.16.840.1.113883.1.11.16208

ActPriority | A set of codes (e.g., for routine, emergency), specifying the urgency under which the Act happened, can happen, is happening, is intended to happen, or is requested/demanded to happen. | --

ActReason | A set of codes specifying the motivation, cause, or rationale of an Act, when such rationale is not reasonably represented as an ActRelationship of type "has reason" linking to another Act. Examples: Example reasons that might qualify for being coded in this field might be: "routine requirement", "infectious disease reporting requirement", "on patient request", "required by law". | --

ActRelationshipCheckpoint | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.10349

ActRelationshipConditional | Specifies under what circumstances (target Act) the source-Act may, must, must not or has occurred | 2.16.840.1.113883.1.11.18977

ActRelationshipFulfills | The source act fulfills (in whole or in part) the target act. Source act must be in a mood equal or more actual than the target act. | 2.16.840.1.113883.1.11.10342

ActRelationshipHasComponent | A collection of sub-services as steps or subtasks performed for the source service. Services may be performed sequentially or concurrently. | 2.16.840.1.113883.1.11.10318

ActRelationshipJoin | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.10360

ActRelationshipPertains | This is a very unspecific relationship from one item of clinical information to another. It does not judge about the role the pertinent information plays. | 2.16.840.1.113883.1.11.10329

ActRelationshipSplit | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.10355

ActRelationshipSubset | <ns1:p>Used to indicate that the target of the relationship will be a filtered subset of the total related set of targets.</ns1:p><ns1:p>Used when there is a need to limit the number of components to the first, the last, the next, the total, the average or some other filtered or calculated subset.</ns1:p> | 2.16.840.1.113883.1.11.19613

ActRelationshipType | The source is an excerpt from the target. | 2.16.840.1.113883.1.11.10317

ActSite | An anatomical location on an organism which can be the focus of an act. | --

ActStatus | Codes representing the defined possible states of an Act, as defined by the Act class state machine. | 2.16.840.1.113883.1.11.15933

ActSubstanceAdminSubstitutionCode | No Description Provided | 2.16.840.1.113883.1.11.16621

ActTaskCode | Description: A task or action that a user may perform in a clinical information system. | 2.16.840.1.113883.1.11.19846

ActUSPrivacyLaw | A jurisdictional mandate in the US relating to privacy. Deprecation Comment: Content moved to ActCode under _ActPrivacyLaw; use that instead. | --

ActUncertainty | OpenIssue: Missing Description | 2.16.840.1.113883.1.11.16899

AddressPartType | Description: Code that specifies whether an address part names the street, city, country, postal code, post box, etc. Discussion: The hierarchical nature of these concepts shows composition. E.g. "Street Name" is part of "Street Address Line" | 2.16.840.1.113883.1.11.10642

AddressUse | Codes that provide guidance around the circumstances in which a given address should be used. | 2.16.840.1.113883.1.11.190

AdministrativeGender | The gender of a person used for adminstrative purposes (as opposed to clinical gender) | 2.16.840.1.113883.1.11.1

AmericanIndianAlaskaNativeLanguages | American Indian and Alaska Native languages currently being used in the United States. | --

Calendar | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.17422

CalendarCycle | Calendar cycle identifiers | --

CalendarType | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.10682

Charset | Internet Assigned Numbers Authority (IANA) Charset Types | 2.16.840.1.113883.1.11.14853

CodingRationale | Identifies how to interpret the instance of the code, codeSystem value in a set of translations. Since HL7 (or a government body) may mandate that codes from certain code systems be sent in conformant messages, other synonyms that are sent in the translation set need to be distinguished among the originally captured source, the HL7 specified code, or some future role. When this code is NULL, it indicates that the translation is an undefined type. When valued, this property must contain one of the following values: SRC - Source (or original) code HL7 - HL7 Specified or Mandated SH - both HL7 mandated and the original code (precoordination) There may be additional values added to this value set as we work through the use of codes in messages and determine other Use Cases requiring special interpretation of the translations. | 2.16.840.1.113883.1.11.19250

CommunicationFunctionType | Describes the type of communication function that the associated entity plays in the associated transmission. | 2.16.840.1.113883.1.11.16031

Compartment | A named tag set for metadata used to populate a security category label field that "segments" an IT resource per policy by indicating that access and use is restricted to members of a defined community or project. (HL7 Healthcare Privacy and Security Classification System) Usage Note: This is the healthcare analog to the US Intelligence Community's concept of a Special Access Program. Compartment codes may be used in as a field value in an initiator's clearance to indicate permission to access and use an IT Resource with a security label having the same compartment value in security category label field. Map: Aligns with ISO 2382-8 definition of Compartment - "A division of data into isolated blocks with separate security controls for the purpose of reducing risk." | 2.16.840.1.113883.1.11.20478

CompressionAlgorithm | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.10620

Confidentiality | A set of codes specifying the security classification of acts and roles in accordance with the definition for concept domain "Confidentiality". | --

ConfidentialityClassification | Set of codes used to value Act.Confidentiality and Role.Confidentiality attribute in accordance with the definition for concept domain "Confidentiality". | 2.16.840.1.113883.1.11.10228

ContainerCap | The type of cap associated with a container | --

ContainerSeparator | A material in a blood collection container that facilites the separation of of blood cells from serum or plasma | 2.16.840.1.113883.1.11.14054

ContentProcessingMode | Description: Identifies the order in which content should be processed. | 2.16.840.1.113883.1.11.19823

ContextControl | A code that specifies how an ActRelationship or Participation contributes to the context of an Act, and whether it may be propagated to descendent Acts whose association allows such propagation (see also attributes Participation.contextControlCode, ActRelationship.contextControlCode, ActRelationship.contextConductionInd). | 2.16.840.1.113883.1.11.16478

DataOperation | **** MISSING DEFINITIONS **** | --

Dentition | **** MISSING DEFINITIONS **** | --

DeviceAlertLevel | Domain values for the Device.Alert_levelCode | 2.16.840.1.113883.1.11.14066

DocumentCompletion | Identifies the current completion state of a clinical document. | 2.16.840.1.113883.1.11.271

DocumentSectionType | The type of document section. Possible values: review of systems, medical history, family history, microscopic findings, etc. | 2.16.840.1.113883.1.11.10871

DocumentStorage | Identifies the storage status of a document. | --

EducationLevel | Years of education that a person has completed | 2.16.840.1.113883.1.11.19175

EmployeeJobClass | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.16036

EncounterAdmissionSource | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.12234

EncounterSpecialCourtesy | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.12242

EntityClass | Classifies the Entity class and all of its subclasses. The terminology is hierarchical. At the top is this HL7-defined domain of high-level categories (such as represented by the Entity subclasses). Each of these terms must be harmonized and is specializable. The value sets beneath are drawn from multiple, frequently external, domains that reflect much more fine-grained typing. | 2.16.840.1.113883.1.11.10882

EntityClassDevice | A subtype of ManufacturedMaterial used in an activity, without being substantially changed through that activity. The kind of device is identified by the code attribute inherited from Entity. Usage: This includes durable (reusable) medical equipment as well as disposable equipment. | 2.16.840.1.113883.1.11.11623

EntityClassLivingSubject | Anything that essentially has the property of life, independent of current state (a dead human corpse is still essentially a living subject.) | 2.16.840.1.113883.1.11.10884

EntityClassManufacturedMaterial | Corresponds to the ManufacturedMaterial class | 2.16.840.1.113883.1.11.13934

EntityClassOrganization | A social or legal structure formed by human beings. | 2.16.840.1.113883.1.11.10889

EntityClassPlace | A physicial place or site with its containing structure. May be natural or man-made. The geographic position of a place may or may not be constant. | 2.16.840.1.113883.1.11.10892

EntityClassRoot | Corresponds to the Entity class | 2.16.840.1.113883.1.11.13922

EntityCode | OpenIssue: Missing description. | --

EntityDeterminer | EntityDeterminer in natural language grammar is the class of words that comprises articles, demonstrative pronouns, and quantifiers. In the RIM, determiner is a structural code in the Entity class to distinguish whether any given Entity object stands for some, any one, or a specific thing. | 2.16.840.1.113883.1.11.10878

EntityDeterminerDetermined | The described determiner is used to indicate that the given Entity is taken as a general description of a kind of thing that can be taken in whole, in part, or in multiples. | 2.16.840.1.113883.1.11.10879

EntityHandling | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.13988

EntityNamePartQualifier | OpenIssue: Needs description | 2.16.840.1.113883.1.11.15888

EntityNamePartQualifierR2 | Description: The qualifier is a set of codes each of which specifies a certain subcategory of the name part in addition to the main name part type. For example, a given name may be flagged as a nickname, a family name may be a pseudonym or a name of public records. | 2.16.840.1.113883.1.11.20323

EntityNamePartType | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.15880

EntityNamePartTypeR2 | Description: Indicates whether the name part is a given name, family name, prefix, suffix, etc. | 2.16.840.1.113883.1.11.20322

EntityNameUse | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.15913

EntityNameUseR2 | Description: A set of codes advising a system or user which name in a set of names to select for a given purpose. | 2.16.840.1.113883.1.11.20321

EntityRisk | Kinds of risks associated with the handling of the material.. | --

EntityStatus | Codes representing the defined possible states of an Entity, as defined by the Entity class state machine. | 2.16.840.1.113883.1.11.16005

EquipmentAlertLevel | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.10896

Ethnicity | In the United States, federal standards for classifying data on ethnicity determine the categories used by federal agencies and exert a strong influence on categorization by state and local agencies and private sector organizations. The federal standards do not conceptually define ethnicity, and they recognize the absence of an anthropological or scientific basis for ethnicity classification. Instead, the federal standards acknowledge that ethnicity is a social-political construct in which an individual's own identification with a particular ethnicity is preferred to observer identification. The standards specify two minimum ethnicity categories: Hispanic or Latino, and Not Hispanic or Latino. The standards define a Hispanic or Latino as a person of "Mexican, Puerto Rican, Cuban, South or Central America, or other Spanish culture or origin, regardless of race." The standards stipulate that ethnicity data need not be limited to the two minimum categories, but any expansion must be collapsible to those categories. In addition, the standards stipulate that an individual can be Hispanic or Latino or can be Not Hispanic or Latino, but cannot be both. | --

ExposureMode | Code for the mechanism by which the exposure agent was exchanged or potentially exchanged by the participants involved in the exposure. | --

FamilyMember | A relationship between two people characterizing their "familial" relationship | 2.16.840.1.113883.1.11.19579

GTSAbbreviation | Open Issue: It appears that the printnames are suboptimal and should be improved for many of the existing codes. | --

GenderStatus | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.11523

GeneralPurposeOfUse | Supports communication of purpose of use at a general level. | 2.16.840.1.113883.1.11.20449

HL7ContextConductionStyle | The styles of context conduction usable by relationships within a static model derived from tyhe HL7 Reference Information Model. | 2.16.840.1.113883.1.11.20380

HL7StandardVersionCode | This code system holds version codes for the Version 3 standards. Values are to be determined by HL7 and added with each new version of the HL7 Standard. | 2.16.840.1.113883.1.11.19373

HL7UpdateMode | The possible modes of updating that occur when an attribute is received by a system that already contains values for that attribute. | 2.16.840.1.113883.1.11.10018

HtmlLinkType | HtmlLinkType values are drawn from HTML 4.0 and describe the relationship between the current document and the anchor that is the target of the link | 2.16.840.1.113883.1.11.11017

HumanLanguage | Codes for the representation of the names of human languages. | 2.16.840.1.113883.1.11.11526

IdentifierReliability | Specifies the reliability with which the identifier is known. This attribute MAY be used to assist with identifier matching algorithms. | 2.16.840.1.113883.1.11.20277

IdentifierScope | Description: Codes to specify the scope in which the identifier applies to the object with which it is associated, and used in the datatype property II. | 2.16.840.1.113883.1.11.20276

InformationSensitivityPolicy | Sensitivity codes are not useful for interoperability outside of a policy domain because sensitivity policies are typically localized and vary drastically across policy domains even for the same information category because of differing organizational business rules, security policies, and jurisdictional requirements. For example, an "employee" sensitivity code would make little sense for use outside of a policy domain. "Taboo" would rarely be useful outside of a policy domain unless there are jurisdictional requirements requiring that a provider disclose sensitive information to a patient directly. Sensitivity codes may be more appropriate in a legacy system's Master Files in order to notify those who access a patient's orders and observations about the sensitivity policies that apply. Newer systems may have a security engine that uses a sensitivity policy's criteria directly. The specializable Sensitivity Act.code may be useful in some scenarious if used in combination with a sensitivity identifier and/or Act.title. | 2.16.840.1.113883.1.11.20428

IntegrityCheckAlgorithm | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.17385

LanguageAbilityMode | A value representing the method of expression of the language. Example: Expressed spoken, expressed written, expressed signed, received spoken, received written, received signed. OpenIssue: Description copied from Concept Domain of same name. Must be verified. | 2.16.840.1.113883.1.11.12249

LanguageAbilityProficiency | A value representing the level of proficiency in a language. Example: Excellent, good, fair, poor. OpenIssue: Description copied from Concept Domain of same name. Must be verified. | 2.16.840.1.113883.1.11.12199

LivingArrangement | A code depicting the living arrangements of a person | --

LocalMarkupIgnore | Tells a receiver to ignore just the local markup tags (local_markup, local_header, local_attr) when value="markup", or to ignore the local markup tags and all contained content when value="all" | 2.16.840.1.113883.1.11.10975

LocalRemoteControlState | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.10893

ManagedParticipationStatus | Codes representing the defined possible states of a Managed Participation, as defined by the Managed Participation class state machine. | 2.16.840.1.113883.1.11.15992

MapRelationship | The closeness or quality of the mapping between the HL7 concept (as represented by the HL7 concept identifier) and the source coding system. The values are patterned after the similar relationships used in the UMLS Metathesaurus. Because the HL7 coding sy | 2.16.840.1.113883.1.11.11052

MaritalStatus | * * * No description supplied * * * Open Issue: The specific meanings of these codes can vary somewhat by jurisdiction and implementation so caution should be used when determining equivalency. | --

MessageWaitingPriority | Indicates that the receiver has messages for the sender OpenIssue: Description does not make sense relative to name of coding system. Must be reviewed and improved. | --

MilitaryRoleType | Definition: A person playing the role of program eligible under a program based on military status. Discussion: This CoveredPartyRoleType.code is typically used when the CoveredPartyRole class code is either "program eligible" or "subscriber" and the person's status as a member of the military meets jurisdictional or program criteria | 2.16.840.1.113883.1.11.19812

ModifyIndicator | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.395

NullFlavor | A collection of codes specifying why a valid value is not present. | 2.16.840.1.113883.1.11.10609

ObligationPolicy | Conveys the mandated workflow action that an information custodian, receiver, or user must perform. Examples: encrypt Usage Note: Per OASIS XACML, an obligation is an operation specified in a policy or policy that is performed in conjunction with the enforcement of an access control decision. | 2.16.840.1.113883.1.11.20445

ObservationCategory | High level observation categories for the general type of observation being made. URL: http://hl7-fhir.github.io/valueset-observation-category.html This is an inline code system http://hl7.org/fhir/observation-category. | 2.16.840.1.113883.4.642.2.222

ObservationInterpretation | One or more codes providing a rough qualitative interpretation of the observation, such as "normal" / "abnormal", "low" / "high", "better" / "worse", "resistant" / "susceptible", "expected" / "not expected". The value set is intended to be for ANY use where coded representation of an interpretation is needed. | 2.16.840.1.113883.1.11.78

ObservationMethod | A code that provides additional detail about the means or technique used to ascertain the observation. Examples: Blood pressure measurement method: arterial puncture vs. sphygmomanometer (Riva-Rocci), sitting vs. supine position, etc. OpenIssue: Description copied from Concept Domain of same name. Must be verified. Note that the Domain has a full discussion about use of the attribute and constraining that is not appropriate for the code system description. Needs to be improved. | 2.16.840.1.113883.1.11.20423

ObservationType | Identifies the kinds of observations that can be performed | 2.16.840.1.113883.1.11.16226

ObservationValue | This domain is the root domain to which all HL7-recognized value sets for the Observation.value attribute will be linked when Observation.value has a coded data type. OpenIssue: Description copied from Concept Domain of same name. Must be corrected.. | --

ParticipationFunction | This code is used to specify the exact function an actor had in a service in all necessary detail. This domain may include local extensions (CWE). | 2.16.840.1.113883.1.11.10267

ParticipationIndirectTarget | Target that is not substantially present in the act and which is not directly affected by the act, but which will be a focus of the record or documentation of the act. | 2.16.840.1.113883.1.11.19032

ParticipationInformationGenerator | Parties that may or should contribute or have contributed information to the Act. Such information includes information leading to the decision to perform the Act and how to perform the Act (e.g., consultant), information that the Act itself seeks to reveal (e.g., informant of clinical history), or information about what Act was performed (e.g., informant witness). | 2.16.840.1.113883.1.11.10251

ParticipationInformationTranscriber | An entity entering the data into the originating system. The data entry entity is collected optionally for internal quality control purposes. This includes the transcriptionist for dictated text transcribed into electronic form. | 2.16.840.1.113883.1.11.19676

ParticipationMode | A set of codes specifying the modality by which the Entity playing the Role is participating in the Act. Examples: Physically present, over the telephone, written communication. Rationale: Particularly for author (originator) participants this is used to specify whether the information represented by the act was initially provided verbally, (hand-)written, or electronically. Open Issue: There needs to be a reexamination of the hierarchies as there seems to be some muddling between ELECTRONIC and other concepts that involve electronic communication that are in other hierarchies. | --

ParticipationPhysicalPerformer | A person who actually and principally carries out the action. Need not be the principal responsible actor, e.g. a surgery resident operating under supervision of attending surgeon, and may be the patient in self-care, e.g. fingerstick blood sugar. The traditional order filler is a performer. This information should accompany every service event. | 2.16.840.1.113883.1.11.10248

ParticipationSignature | A set of codes specifying whether and how the participant has attested his participation through a signature and or whether such a signature is needed. Examples: A surgical Procedure act object (representing a procedure report) requires a signature of the performing and responsible surgeon, and possibly other participants. (See also: Participation.signatureText.) | 2.16.840.1.113883.1.11.10282

ParticipationTargetDirect | Target that is substantially present in the service and which is directly affected by the service action (includes consumed material, devices, etc.). | 2.16.840.1.113883.1.11.10286

ParticipationTargetLocation | The facility where the service is done. May be a static building (or room therein) or a moving location (e.g., ambulance, helicopter, aircraft, train, truck, ship, etc.) | 2.16.840.1.113883.1.11.10302

ParticipationTargetSubject | The principle target that the service acts on. E.g. the patient in physical examination, a specimen in a lab observation. May also be a patient's family member (teaching) or a device or room (cleaning, disinfecting, housekeeping). Note: not all direct targets are subjects, consumables, and devices used as tools for a service are not subjects. However, a device may be a subject of a maintenance service. | 2.16.840.1.113883.1.11.19584

ParticipationType | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.10901

ParticipationVerifier | A person who verifies the correctness and appropriateness of the service (plan, order, event, etc.) and hence takes on accountability. | 2.16.840.1.113883.1.11.10259

PatientImportance | Patient VIP code | 2.16.840.1.113883.1.11.19265

PaymentTerms | Describes payment terms for a financial transaction, used in an invoice. This is typically expressed as a responsibility of the acceptor or payor of an invoice. | 2.16.840.1.113883.1.11.14908

PersonDisabilityType | A code identifying a person's disability. | --

PersonalRelationshipRoleType | Types of personal relationships between two living subjects. Example: Parent, sibling, unrelated friend, neighbor | 2.16.840.1.113883.1.11.19563

ProbabilityDistributionType | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.10747

ProcessingID | Codes used to specify whether a message is part of a production, training, or debugging system. | 2.16.840.1.113883.1.11.103

ProcessingMode | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.207

ProvenanceEventCurrentState | Specifies the state change of a target Act, such as a document or an entry, from its previous state as a predecessor Act. For example, if the target Act is the result of a predecessor Act being "obsoleted" and replaced with the target Act, the source ProvenanceEventCurrentState Act code would be "obsoleted". | 2.16.840.1.113883.1.11.20547

ProvenanceEventCurrentState-AS | Specifies the state change of a target Act, using ActStatus codes, from its previous state as a predecessor Act. For example, if the target Act is the result of a predecessor Act being "obsoleted" and replaced with the target Act, the source ProvenanceEventCurrentState Act code would be "obsoleted". | 2.16.840.1.113883.1.11.20545

ProvenanceEventCurrentState-DC | Specifies the state change of a target Act using DocuymentCompletion codes, from its previous state as a predecessor Act. For example, if the target Act is the result of a predecessor Act being "obsoleted" and replaced with the target Act, the source ProvenanceEventCurrentState Act code would be "obsoleted". | 2.16.840.1.113883.1.11.20546

PurposeOfUse | Supports communication of purpose of use at a general level. | 2.16.840.1.113883.1.11.20448

QueryParameterValue | The domain of coded values used as parameters within QueryByParameter queries. | --

QueryPriority | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.91

QueryRequestLimit | Definition: Defines the units associated with the magnitude of the maximum size limit of a query response that can be accepted by the requesting application. | --

QueryResponse | A code classifying the general nature of the response to a given query. Includes whether or not data was found, or whether an error occurred. | 2.16.840.1.113883.1.11.208

QueryStatusCode | A code specifying the state of the Query. | 2.16.840.1.113883.1.11.18899

Race | In the United States, federal standards for classifying data on race determine the categories used by federal agencies and exert a strong influence on categorization by state and local agencies and private sector organizations. The federal standards do not conceptually define race, and they recognize the absence of an anthropological or scientific basis for racial classification. Instead, the federal standards acknowledge that race is a social-political construct in which an individual's own identification with one more race categories is preferred to observer identification. The standards use a variety of features to define five minimum race categories. Among these features are descent from "the original peoples" of a specified region or nation. The minimum race categories are American Indian or Alaska Native, Asian, Black or African American, Native Hawaiian or Other Pacific Islander, and White. The federal standards stipulate that race data need not be limited to the five minimum categories, but any expansion must be collapsible to those categories. | --

RefrainPolicy | Conveys prohibited actions which an information custodian, receiver, or user is not permitted to perform unless otherwise authorized or permitted under specified circumstances. Examples: prohibit redisclosure without consent directive | 2.16.840.1.113883.1.11.20446

RelationalOperator | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.209

RelationshipConjunction | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.10365

ReligiousAffiliation | Assigment of spiritual faith affiliation | --

ResponseLevel | Specifies whether a response is expected from the addressee of this interaction and what level of detail that response should include | 2.16.840.1.113883.1.11.14761

ResponseModality | Defines the timing and grouping of the response instances. OpenIssue: Description copied from Concept Domain of same name. Must be verified. | 2.16.840.1.113883.1.11.394

ResponseMode | Specifies the mode, immediate versus deferred or queued, by which a receiver should communicate its receiver responsibilities. | 2.16.840.1.113883.1.11.19650

RoleClass | Codes for the Role class hierarchy. The values in this hierarchy, represent a Role which is an association or relationship between two entities - the entity that plays the role and the entity that scopes the role. Roles names are derived from the name of the playing entity in that role. The role hierarchy stems from three core concepts, or abstract domains: RoleClassOntological is an abstract domain that collects roles in which the playing entity is defined or specified by the scoping entity. RoleClassPartitive collects roles in which the playing entity is in some sense a "part" of the scoping entity. RoleClassAssociative collects all of the remaining forms of association between the playing entity and the scoping entity. This set of roles is further partitioned between: RoleClassPassive which are roles in which the playing entity is used, known, treated, handled, built, or destroyed, etc. under the auspices of the scoping entity. The playing entity is passive in these roles in that the role exists without an agreement from the playing entity. RoleClassMutualRelationship which are relationships based on mutual behavior of the two entities. The basis of these relationship may be formal agreements or they may bede facto behavior. Thus, this sub-domain is further divided into: RoleClassRelationshipFormal in which the relationship is formally defined, frequently by a contract or agreement. Personal relationship which inks two people in a personal relationship. The hierarchy discussed above is represented In the current vocabulary tables as a set of abstract domains, with the exception of the "Personal relationship" which is a leaf concept. OpenIssue: Description copied from Concept Domain of same name. Must be verified. | 2.16.840.1.113883.1.11.11555

RoleClassAgent | An entity (player) that acts or is authorized to act on behalf of another entity (scoper). | 2.16.840.1.113883.1.11.14006

RoleClassAssociative | A general association between two entities that is neither partitive nor ontological. | 2.16.840.1.113883.1.11.19313

RoleClassManufacturedProduct | Scoped by the manufacturer | 2.16.840.1.113883.1.11.11580

RoleClassMutualRelationship | A relationship that is based on mutual behavior of the two Entities as being related. The basis of such relationship may be agreements (e.g., spouses, contract parties) or they may bede facto behavior (e.g. friends) or may be an incidental involvement with each other (e.g. parties over a dispute, siblings, children). | 2.16.840.1.113883.1.11.19316

RoleClassPartitive | An association between two Entities where the playing Entity is considered in some way "part" of the scoping Entity, e.g., as a member, component, ingredient, or content. Being "part" in the broadest sense of the word can mean anything from being an integral structural component to a mere incidental temporary association of a playing Entity with a (generally larger) scoping Entity. | 2.16.840.1.113883.1.11.10429

RoleClassPassive | An association for a playing Entity that is used, known, treated, handled, built, or destroyed, etc. under the auspices of the scoping Entity. The playing Entity is passive in these roles (even though it may be active in other roles), in the sense that the kinds of things done to it in this role happen without an agreement from the playing Entity. | 2.16.840.1.113883.1.11.19105

RoleClassRelationshipFormal | A relationship between two entities that is formally recognized, frequently by a contract or similar agreement. | 2.16.840.1.113883.1.11.10416

RoleClassRoot | Corresponds to the Role class | 2.16.840.1.113883.1.11.13940

RoleClassServiceDeliveryLocation | A role played by a place at which services may be provided. | 2.16.840.1.113883.1.11.16927

RoleClassSpecimen | A role played by a material entity that is a specimen for an act. It is scoped by the source of the specimen. | 2.16.840.1.113883.1.11.11591

RoleCode | A set of codes further specifying the kind of Role; specific classification codes for further qualifying RoleClass codes. | --

RoleLinkStatus | Description: Codes representing possible states of a RoleLink, as defined by the RoleLink class state machine. | 2.16.840.1.113883.1.11.20413

RoleLinkType | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.11603

RoleStatus | Codes representing the defined possible states of an Role, as defined by the Role class state machine. | 2.16.840.1.113883.1.11.15999

RouteOfAdministration | The path the administered medication takes to get into the body or into contact with the body. | --

SecurityControlObservationValue | Security observation values used to indicate security control metadata. V:SecurityControl is the union of V:SecurityPolicy,V:ObligationPolicy, V:RefrainPolicy, V:PurposeOfUse, and V:GeneralPurpose of Use used to populate the SecurityControlObservationValue attribute in order to convey one or more nonhierarchical security control metadata dictating handling caveats, purpose of use, dissemination controls and other refrain policies, and obligations to which a custodian or receiver is required to comply. | 2.16.840.1.113883.1.11.20471

SecurityIntegrityObservationValue | No Description Provided | 2.16.840.1.113883.1.11.20481

SecurityPolicy | Types of security policies that further specify the ActClassPolicy value set. Examples: encrypt prohibit redisclosure without consent directive | 2.16.840.1.113883.1.11.20444

Sequencing | Specifies sequence of sort order. | 2.16.840.1.113883.1.11.390

ServiceDeliveryLocationRoleType | A role of a place that further classifies the setting (e.g., accident site, road side, work site, community location) in which services are delivered. | 2.16.840.1.113883.1.11.17660

SetOperator | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.17416

SeverityObservation | Potential values for observations of severity. | 2.16.840.1.113883.1.11.16643

SpecimenType | **** MISSING DEFINITIONS **** | --

SubstanceAdminSubstitutionReason | No Description Provided | 2.16.840.1.113883.1.11.19377

SubstitutionCondition | Identifies what sort of change is permitted or has occurred between the item that was ordered/requested and the one that was/will be provided. | --

TableCellHorizontalAlign | These values are defined within the XHTML 4.0 Table Model | 2.16.840.1.113883.1.11.10981

TableCellScope | These values are defined within the XHTML 4.0 Table Model | 2.16.840.1.113883.1.11.11012

TableCellVerticalAlign | These values are defined within the XHTML 4.0 Table Model | 2.16.840.1.113883.1.11.10987

TableFrame | These values are defined within the XHTML 4.0 Table Model | 2.16.840.1.113883.1.11.10992

TableRules | These values are defined within the XHTML 4.0 Table Model | 2.16.840.1.113883.1.11.11002

TargetAwareness | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.10310

TelecommunicationCapabilities | Description: Concepts that define the telecommunication capabilities of a particular device. Used to identify the expected capabilities to be found at a particular telecommunication address. | 2.16.840.1.113883.1.11.20312

TimingEvent | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.10706

TransmissionRelationshipTypeCode | Description: A code specifying the meaning and purpose of every TransmissionRelationship instance. Each of its values implies specific constraints to what kinds of Transmission objects can be related and in which way. | 2.16.840.1.113883.1.11.19833

TribalEntityUS | INDIAN ENTITIES RECOGNIZED AND ELIGIBLE TO RECEIVE SERVICES FROM THE UNITED STATES BUREAU OF INDIAN AFFAIRS | --

VaccineManufacturer | The manufacturer of a vaccine. | 2.16.840.1.113883.1.11.227

VerificationMethod | No Description Provided | 2.16.840.1.113883.1.11.19707

WorkClassificationODH | Code system of concepts representing a person's job type as defined by compensation and sector (e.g. paid vs. unpaid, self-employed vs. not self-employed, government vs. private, etc.). | 2.16.840.1.113883.1.11.20560

WorkScheduleODH | Describes an individual's typical arrangement of working hours for an occupation. | 2.16.840.1.113883.1.11.20561

employmentStatusODH | Concepts representing whether a person does or does not currently have a job or is not currently in the labor pool seeking employment. | 2.16.840.1.113883.1.11.20562

hl7ApprovalStatus | Description: Codes for concepts describing the approval level of HL7 artifacts. This code system reflects the concepts expressed in HL7's Governance & Operations Manual (GOM) past and present. | --

hl7CMETAttribution | **** MISSING DEFINITIONS **** | --

hl7ITSType | Description: Codes identifying types of HL7 Implementation Technology Specifications | --

hl7ITSVersionCode | HL7 implementation technology specification versions. These codes will document the ITS type and version for message encoding. The code will appear in the instances based upon rules expressed in the ITS, and do not appear in the abstract message, either as it is presented to received from the ITS. | --

hl7PublishingDomain | Description: Codes for HL7 publishing domains (specific content area) | --

hl7PublishingSection | Description: Codes for HL7 publishing sections (major business categories) | --

hl7PublishingSubSection | Description: Codes for HL7 publishing sub-sections (business sub-categories) | --

hl7Realm | Description: Coded concepts representing Binding Realms (used for Context Binding of terminology in HL7 models) and/or Namespace Realms (used to help ensure unique identification of HL7 artifacts). This code system is partitioned into three sections: Affiliate realms, Binding realms and Namespace realms. All affiliate realm codes may automatically be used as both binding realms and namespace realms. Furthermore, affiliate realms are the only realms that have authority over the creation of binding realms. (Note that 'affiliate' includes the idea of both international affiliates and the HL7 International organization.) All other codes must be associated with an owning affiliate realm and must appear as a specialization of _BindingRealm or _NamespaceRealm. For affiliates whose concepts align with nations, the country codes from ISO 3166-1 2-character alpha are used for the code when possible so these codes should not be used for other realm types. It is recommended that binding realm and namespace codes submitted by affiliates use the realm code as a prefix to avoid possible collisions with ISO codes. However, tooling does not currently support namepace realm codes greater than 2 characters. Open Issue: The name of the concept property "owningAffiliate" should be changed to better reflect that the property value is the human readable name of the organizational entity that manages the Realm identified by the Realm Code. Open Issue: In spite of the inability of tooling to process codes longer than 2 characters, there is at least one realm codes ('SOA') that was added that is 3 characters in length. | 2.16.840.1.113883.1.11.20355

hl7V3Conformance | Description: Identifies allowed codes for HL7aTMs v3 conformance property. | --

hl7VoteResolution | Description: Based on concepts for resolutions from HL7 ballot spreadsheet according to HL7's Governance & Operations Manual (GOM). | --

orderableDrugForm | OpenIssue: Missing description. | --

policyHolderRole | This vocabulary is defined by Implementation Guide for CDA Release 2 - Level 1 - Care Record Summary (US realm). It describes roles recognized through the issuance of an insurance policy to a policyholder who a relationship with the covered party, such as spouse, child, etc. This vocabulary is essentially an inversion of the role relations of the HL7 CoverageRoleType vocabulary. It provides more detailed roles with respect to the underwriter (the scoping organization) for those participants in the policyholder role for a patient. Open Issue: The code values for this coding system must be extracted from the CDA documentation and brought forward through Harmonization for instantiation in this repository. | --

styleType | <ns1:p>The style code is used within the CDA/SPL narrative block to give the instance author some control over various aspects of style</ns1:p> | --
substanceAdminSubstitution | Identifies what sort of change is permitted or has occurred between the therapy that was ordered and the therapy that was/will be provided. | --
triggerEventID | Description: This code system contains all HL7 artifacts of type TE (Trigger Event) that are created by HL7 or its affiliates or their designates using the realm namespacing rules approved by HL7. Local implementations who create trigger events outside of these namespacing rules, (e.g. using the ZZ realm code) must register their own code system. The specific list of legal codes can be found by consulting the HL7 publications (editions, ballots, implementation guides, etc.) published by HL7 Inc. and by the various HL7 affiliates and their designates. Codes shall be expressed in upper case, with separator as shown in HL7 publications with no version id. E.g. PORX_TE123456UV. | 2.16.840.1.113883.1.11.20324
xBasicConfidentialityKind | Description: Used to enumerate the typical confidentiality constraints placed upon a clinical document. Usage Note: x_BasicConfidentialityKind is a subset of Confidentiality codes that are used as metadata indicating the receiver responsibility to comply with normally applicable jurisdictional privacy law or disclosure authorization; that the receiver may not disclose this information except as directed by the information custodian, who may be the information subject; or that the receiver may not disclose this information except as directed by the information custodian, who may be the information subject. | 2.16.840.1.113883.1.11.16926

4.4 Value Sets Defined in FHIR

URL: https://hl7.org/fhir/R4/terminologies-valuesets.html

4.4.0 Value Sets Defined in FHIR

FHIR Infrastructure Work Group | Maturity Level: N/A | Standards Status: Informative

This table contains a list of all the value sets defined as part of the FHIR specification. Some of these value sets include codes defined elsewhere, some contain their own inline code system definitions, and some do both. Any implicit code systems are case sensitive, though FHIR will never define codes that only differ by case.

Note that these value sets are available as FHIR resources - see the Downloads Page (as part of the FHIR definitions)

- FHIR
- HL7 V3
- HL7 v2

Name | Definition | Source | Id
Namespace: http://hl7.org/fhir/ValueSet
FHIR-version N | All published FHIR Versions. | Internal | 1309
abstract-types N | A list of the base types defined by this version of the FHIR specification - types that are defined, but for which only specializations actually are created. | Internal | 23
account-status | Indicates whether the account is available to be used. | Internal | 726
account-type | This examples value set defines the set of codes that can be used to represent the type of an account. | V3 | 728
action-cardinality-behavior | Defines behavior for an action or a group for how many times that item may be repeated. | Internal | 807
action-condition-kind | Defines the kinds of conditions that can appear on actions. | Internal | 815
action-grouping-behavior | Defines organization behavior of a group. | Internal | 799
action-participant-role | Either a practitioner role or a relationship type. | Other | 796
action-participant-type | The type of participant for the action. | Internal | 811
action-precheck-behavior | Defines selection frequency behavior for an action or group. | Internal | 805
action-relationship-type | Defines the types of relationships between actions. | Internal | 813
action-required-behavior | Defines expectations around whether an action or action group is required. | Internal | 803
action-selection-behavior | Defines selection behavior of a group. | Internal | 801
action-type | The type of action to be performed. | Other | 809
activity-definition-category | High-level categorization of the type of activity. | Other | 792
additional-instruction-codes | This value set includes all SNOMED CT Additional Dosage Instructions. | SNOMED CT | 95
additionalmaterials | This value set includes sample additional material type codes. | Internal | 529
address-type N | The type of an address (physical / postal). | Internal | 69
address-use N | The use of an address. | Internal | 67
adjudication | This value set includes a smattering of Adjudication Value codes which includes codes to indicate the amounts eligible under the plan, the amount of benefit, copays etc. | Other | 596
adjudication-error | This value set includes a smattering of adjudication codes. | Other | 39
adjudication-reason | This value set includes smattering of Adjudication Reason codes. | Other | 598
administration-method-codes | This value set includes some method codes from SNOMED CT - provided as an exemplar | SNOMED CT | 97
administrative-gender N | The gender of a person used for administrative purposes. | Internal | 1
adverse-event-actuality | Overall nature of the adverse event, e.g. real or potential. | Internal | 831
adverse-event-category | Overall categorization of the event, e.g. product-related or situational. | Other | 833
adverse-event-causality-assess | Codes for the assessment of whether the entity caused the event. | Other | 840
adverse-event-causality-method | TODO. | Other | 842
adverse-event-outcome | TODO (and should this be required?). | Other | 836
adverse-event-seriousness | Overall seriousness of this event for the patient. | Other | 838
adverse-event-severity | The severity of the adverse event itself, in direct relation to the subject. | Other | 844
adverse-event-type | This value set includes all SNOMED CT Clinical Findings. | SNOMED CT | 835

age-units | Unified Code for Units of Measure (UCUM). This value set includes all UCUM codes | FHIR | 19
all-distance-units | Unified Code for Units of Measure (UCUM). This value set includes all UCUM codes for units of length | FHIR | null
all-languages N | This value set includes all possible codes from BCP-47 (http://tools.ietf.org/html/bcp47) | Other | 21
all-time-units | Unified Code for Units of Measure (UCUM). This value set includes all UCUM codes for units of time | FHIR | null
all-types N | A list of all the concrete types defined in this version of the FHIR specification - Abstract Types, Data Types and Resource Types. | Internal | 25
allelename | European Bioinformatics Institute | Other | 1045
allerg-intol-substance-exp-risk | The risk of an adverse reaction (allergy or intolerance) for this patient upon exposure to the substance (including pharmaceutical products). | Other | 940
allergy-intolerance-category | Category of an identified substance associated with allergies or intolerances. | Internal | 133
allergy-intolerance-criticality | Estimate of the potential clinical harm, or seriousness, of a reaction to an identified substance. | Internal | 129
allergy-intolerance-type | Identification of the underlying physiological mechanism for a Reaction Risk. | Internal | 131
allergyintolerance-clinical | Preferred value set for AllergyIntolerance Clinical Status. | Other | 1372
allergyintolerance-code | This value set includes concept codes for specific substances/pharmaceutical products, allergy or intolerance conditions, and negation/exclusion codes to specify the absence of specific types of allergies or intolerances. | Other, SNOMED CT | 137
allergyintolerance-verification | Preferred value set for AllergyIntolerance Verification Status. | Other | 1370
animal-breeds | This example value set defines a set of codes that can be used to indicate breeds of species. | SNOMED CT | 422
animal-genderstatus | This example value set defines a set of codes that can be used to indicate the current state of the animal's reproductive organs. | Internal | 418
animal-species | This example value set defines a set of codes that can be used to indicate species of animal patients. | SNOMED CT | 420
appointment-cancellation-reason | This example value set defines a set of reasons for the cancellation of an appointment. | Other | 1381
appointmentstatus | The free/busy status of an appointment. | Internal | 484
approach-site-codes | This value set includes Anatomical Structure codes from SNOMED CT - provided as an exemplar. | SNOMED CT | 346
assert-direction-codes | The type of direction to use for assertion. | Internal | 706
assert-operator-codes | The type of operator to use for assertion. | Internal | 708
assert-response-code-types | The type of response code to use for assertion. | Internal | 710
asset-availability | This value set has asset availability codes. | Internal | 1295
audit-entity-type | Code for the entity type involved in the audit event. | Other, Internal | 458
audit-event-action | Indicator for type of action performed during the event that generated the event. | Internal | 452
audit-event-outcome | Indicates whether the event succeeded or failed. | Internal | 454
audit-event-sub-type | More detailed code concerning the type of the audit event - defined by DICOM with some FHIR specific additions. | DICOM, Internal | 464
audit-event-type | Event Types for Audit Events - defined by DICOM with some FHIR specific additions. | DICOM, Other | 462
audit-source-type | The type of process where the audit event originated from. | Other | 466
basic-resource-type | This value set defines codes for resources not yet supported by (or which will never be supported by) FHIR. Many of the codes listed here will eventually be turned into official resources. However, there is no guarantee that any particular resource will be created nor that the scope will be exactly as defined by the codes presented here. Codes in this set will be deprecated if/when formal resources are defined that encompass these concepts. | Other | 138
benefit-network | This value set includes a smattering of Network type codes. | Other | 608
benefit-term | This value set includes a smattering of Benefit Term codes. | Other | 612
benefit-type | This value set includes a smattering of Benefit type codes. | Other | 606
benefit-unit | This value set includes a smattering of Unit type codes. | Other | 610
binding-strength N | Indication of the degree of conformance expectations associated with a binding. | Internal | 43
body-site | This value set includes all codes from [SNOMED CT](http://snomed.info/sct) where concept is-a 442083009 (Anatomical or acquired body site (body structure)). | SNOMED CT | 141
bodysite-laterality | Laterality: SNOMED-CT concepts for 'left', 'right', and 'bilateral' | SNOMED CT | 287
bodystructure-code | This value set includes all codes from [SNOMED CT](http://snomed.info/sct) where concept is-a 442083009 (Anatomical or acquired body site (body structure)). | SNOMED CT | 142
bodystructure-relative-location | SNOMED-CT concepts modifying the anatomic location | SNOMED CT | 140
bundle-type N | Indicates the purpose of a bundle - how it is intended to be used. | Internal | 620
c80-doc-typecodes | This is the code specifying the precise type of document (e.g. Pulmonary History and Physical, Discharge Summary, Ultrasound Report, etc.). The Document Type value set includes all LOINC values listed in HITSP C80 Table 2-144 Document Class Value Set Definition above used for Document Class, and all LOINC values whose SCALE is DOC in the LOINC database. | LOINC | 47
c80-facilitycodes | This is the code representing the type of organizational setting where the clinical encounter, service, interaction, or treatment occurred. The value set used for Healthcare Facility Type has been defined by HITSP to be the value set reproduced from HITSP C80 Table 2-147. | SNOMED CT | 67
c80-practice-codes | This is the code representing the clinical specialty of the clinician or provider who interacted with, treated, or provided a service to/for the patient. The value set used for clinical specialty has been limited by HITSP to the value set reproduced from HITSP C80 Table 2-149 Clinical Specialty Value Set Definition. | SNOMED CT | 72
capability-statement-kind N | How a capability statement is intended to be used. | Internal | 198
care-plan-activity-kind | Resource types defined as part of FHIR that can be represented as in-line definitions of a care plan activity. | Internal | 145
care-plan-activity-outcome | Example codes indicating the outcome of a care plan activity. Note that these are in no way complete and might not even be appropriate for some uses. | SNOMED CT | 149
care-plan-activity-status | Codes that reflect the current state of a care plan activity within its overall life cycle. | Internal | 146
care-plan-category | Example codes indicating the category a care plan falls within. Note that these are in no way complete and might not even be appropriate for some uses. | SNOMED CT | 148
care-plan-intent | Codes indicating the degree of authority/intentionality associated with a care plan. | Internal | 150
care-team-category | Indicates the type of care team. | LOINC | 155

care-team-status | Indicates the status of the care team. | Internal | 153
catalogType | The type of catalog. | Other | 968
cdshooks-indicator | This value set captures the set of indicator codes defined by the CDS Hooks specification. | Other | 1065
certainty-subcomponent-rating | The quality rating of the subcomponent of a quality of evidence rating. | Other | 1361
certainty-subcomponent-type | The subcomponent classification of quality of evidence rating systems. | Other | 1359
chargeitem-billingcodes | Example set of codes that can be used for billing purposes. | Other | 848
chargeitem-status | Codes identifying the lifecycle stage of a ChargeItem. | Internal | 846
choice-list-orientation | Direction in which lists of possible answers should be displayed. | Other | 933
chromosome-human | Chromosome number for human. | Other | 224
claim-careteamrole | This value set includes sample Claim Care Team Role codes. | Other | 586
claim-exception | This value set includes sample Exception codes. | Other | 580
claim-informationcategory | This value set includes sample Information Category codes. | Other | 582
claim-modifiers | This value set includes sample Modifier type codes. | Other | 536
claim-subtype | This value set includes sample Claim SubType codes which are used to distinguish the claim types for example within type institutional there may be subtypes for emergency services, bed stay and transportation. | Other | 566
claim-type | This value set includes Claim Type codes. | Other | 558
claim-use | The purpose of the Claim: predetermination, preauthorization, claim. | Internal | 544
clinical-findings | This value set includes all the "Clinical finding" [SNOMED CT](http://snomed.info/sct) codes - concepts where concept is-a 404684003 (Clinical finding (finding)). | SNOMED CT | 232
clinicalimpression-prognosis | Example value set for clinical impression prognosis. | SNOMED CT | 160
clinicalimpression-status | Codes that reflect the current state of a clinical impression within its overall lifecycle. | Internal | 1046
clinvar | NCBI central repository for curating pathogenicity of potentially clinically relevant variants | Other | 1041
code-search-support | The degree to which the server supports the code search parameter on ValueSet, if it is supported. | Internal | 860
codesystem-altcode-kind | Indicates the type of use for which the code is defined. | Other | 952
codesystem-content-mode N | The extent of the content of the code system (the concepts and codes it defines) are represented in a code system resource. | Internal | 782
codesystem-hierarchy-meaning N | The meaning of the hierarchy of concepts in a code system. | Internal | 784
common-tags | Common Tag Codes defined by FHIR project | Other | 79
communication-category | Codes for general categories of communications such as alerts, instructions, etc. | Other | 172
communication-not-done-reason | Codes for the reason why a communication did not happen. | Other | 174
communication-topic | Codes describing the purpose or content of the communication. | Other | 983
compartment-type | Which type a compartment definition describes. | Internal | 786
composite-measure-scoring | The composite scoring method of the measure. | Other | 773
composition-altcode-kind | Indicates the type of use for which the code is defined. | Other | 1405
composition-attestation-mode | The way in which a person authenticated a composition. | Internal | 238
composition-status | The workflow/clinical status of the composition. | Internal | 241
concept-map-equivalence | The degree of equivalence between concepts. | Internal | 17
concept-property-type N | The type of a property value. | Internal | 780
concept-subsumption-outcome | The subsumption relationship between code/Coding "A" and code/Coding "B". There are 4 possible codes to be returned: equivalent, subsumes, subsumed-by, and not-subsumed. If the server is unable to determine the relationship between the codes/Codings, then it returns an error (i.e. an OperationOutcome). | Internal | 1238
conceptmap-unmapped-mode | Defines which action to take if there is no match in the group. | Internal | 480
condition-category | Preferred value set for Condition Categories. | Other | 162
condition-cause | Example value set for Cause of Condition codes | SNOMED CT | 965
condition-clinical | Preferred value set for Condition Clinical Status. | Other | 164
condition-code | Example value set for Condition/Problem/Diagnosis codes. | SNOMED CT | 161
condition-outcome | Example value set for condition outcomes. | SNOMED CT | 967
condition-predecessor | Example value set for condition predecessor codes. | SNOMED CT | 966
condition-severity | Preferred value set for Condition/Diagnosis severity grading. | SNOMED CT | 168
condition-stage | Example value set for stages of cancer and other conditions. | SNOMED CT | 170
condition-stage-type | Example value set for the type of stages of cancer and other conditions | SNOMED CT | 171
condition-state | Enumeration indicating whether the condition is currently active, inactive, or has been resolved. | Other | 963
condition-ver-status | The verification status to support or decline the clinical status of the condition or diagnosis. | Other | 166
conditional-delete-status N | A code that indicates how the server supports conditional delete. | Internal | 194
conditional-read-status N | A code that indicates how the server supports conditional read. | Internal | 200
conformance-expectation | Indicates the degree of adherence to a specified behavior or capability expected for a system to be deemed conformant with a specification. | Other | 919
consent-action | This value set includes sample Consent Action codes. | Other | 753
consent-category | This value set includes sample Consent Directive Type codes, including several consent directive related LOINC codes; HL7 VALUE SET: ActConsentType(2.16.840.1.113883.1.11.19897); examples of US realm consent directive legal descriptions and references to online and/or downloadable forms such as the SSA-827 Authorization to Disclose Information to the Social Security Administration; and other anticipated consent directives related to participation in a clinical trial, medical procedures, reproductive procedures; health care directive (Living Will); advance directive, do not resuscitate (DNR); Physician Orders for Life-Sustaining Treatment (POLST) | Other, LOINC | 751
consent-content-class | This value set includes the FHIR resource types, along with some other important content class codes | Other, Internal | 747
consent-content-code | This example value set contains all LOINC code | LOINC | 748
consent-data-meaning | How a resource reference is interpreted when testing consent restrictions. | Internal | 759
consent-performer | This value set includes sample Performer Role codes. | Internal | 1016
consent-policy | This value set includes sample Regulatory consent policy types from the US and other regions. | Other | 1014
consent-provision-type | How a rule statement is applied, such as adding additional consent or removing consent. | Internal | 757
consent-scope | This value set includes the four Consent scope codes. | Other | 761

consent-state-codes | Indicates the state of the consent. | Internal | 755
consistency-type | FluidConsistencyType : Codes used to represent the consistency of fluids and liquids provided to the patient. This value set includes concepts from [SNOMED CT](http://snomed.info/sct)(US Extension) where concept is a 435681000124103 (Dietary liquid consistency diet (regime/therapy)). It is provided as a suggestive example. | SNOMED CT | 389
constraint-severity N | SHALL applications comply with this constraint? | Internal | 81
contact-point-system N | Telecommunications form for contact point. | Internal | 71
contact-point-use N | Use of contact point. | Internal | 73
contactentity-type | This example value set defines a set of codes that can be used to indicate the purpose for which you would contact a contact party. | Other | 416
container-cap | Color of the container cap. | Other | 850
container-material | This value set includes SNOMED CT codes for materials that specimen containers are made of | SNOMED CT | 1400
contract-action | This value set includes sample Contract Action codes. | Other | 739
contract-actionstatus | This value set contract specific codes for action status. | Internal | 1303
contract-actorrole | This value set includes sample Contract Actor Role codes. | Other | 741
contract-assetcontext | This value set contract specific codes for asset context. | Internal | 1297
contract-assetscope | This value set contract specific codes for asset scope. | Internal | 1293
contract-assetsubtype | This value set contract specific codes for asset subtype. | Internal | 1301
contract-assettype | This value set contract specific codes for asset type. | Internal | 1299
contract-content-derivative | This is an example set of Content Derivative type codes, which represent the minimal content derived from the basal information source at a specific stage in its lifecycle, which is sufficient to manage that source information, for example, in a repository, registry, processes and workflows, for making access control decisions, and providing query responses. | Other | 745
contract-data-meaning | How a resource reference is interpreted when evaluating contract offers. | Other | 749
contract-decision-mode | This value set contract specific codes for decision modes. | Internal | 1291
contract-definition-subtype | This value set contract specific codes for status. | Internal | 1212
contract-definition-type | This value set contract specific codes for status. | Internal | 1210
contract-expiration-type | This value set contract specific codes for status. | Internal | 1214
contract-legalstate | This value set contract specific codes for status. | Internal | 1206
contract-party-role | This value set contract specific codes for offer party participation. | Internal | 1224
contract-publicationstatus | This value set contract specific codes for status. | Internal | 1208
contract-scope | This value set contract specific codes for scope. | Internal | 1216
contract-security-category | This value set contract specific codes for security category. | Internal | 1220
contract-security-classification | This value set contract specific codes for security classification. | Internal | 1218
contract-security-control | This value set contract specific codes for security control. | Internal | 1222
contract-signer-type | This value set includes sample Contract Signer Type codes. | Other | 737
contract-status | This value set contract specific codes for status. | Internal | 743
contract-subtype | This value set includes sample Contract Subtype codes. | Other | 731
contract-term-subtype | This value set includes sample Contract Term SubType codes. | Other | 735
contract-term-type | This value set includes sample Contract Term Type codes. | Other | 733
contract-type | This value set includes sample Contract Type codes. | Other | 729
contributor-type | The type of contributor. | Internal | 93
copy-number-event | Copy Number Event. | Other | 226
cosmic | COSMIC : Catalogue Of Somatic Mutations In Cancer | Other | 912
coverage-class | This value set includes Coverage Class codes. | Other | 1009
coverage-copay-type | This value set includes sample Coverage Copayment Type codes. | Other | 527
coverage-financial-exception | This value set includes Example Coverage Financial Exception Codes. | Other | 1328
coverage-selfpay | This value set includes Coverage SelfPay codes. | Other | 525
coverage-type | This value set includes Coverage Type codes. | Other | 520
coverageeligibilityresponse-ex-auth-support | This value set includes CoverageEligibilityResponse Auth Support codes. | Other | 1393
cpt-all | A value set that includes all CPT codes | Other | null
currencies N | Currency codes from ISO 4217 (see https://www.iso.org/iso-4217-currency-codes.html) | Other | 1025
data-absent-reason N | Used to specify why the normally expected content of the data element is missing. | Other | 5
data-types N | A version specific list of the data types defined by the FHIR specification for use as an element type (any of the FHIR defined data types). | Internal | 22
dataelement-sdcobjectclass | The allowed codes for identifying the ISO 11179 ObjectClass for a particular data element if intended for registration/use within the U.S. Structured Data Capture (SDC) project. | SNOMED CT, LOINC, Other | 910
dataelement-sdcobjectclassproperty | The allowed codes for identifying the ISO 11179 ObjectClass Property for a particular data element if intended for registration/use within the U.S. Structured Data Capture (SDC) project. | SNOMED CT, LOINC, Other | 911
days-of-week N | The days of the week. | Internal | 512
dbsnp | DBSNP : Single Nucleotide Polymorphism database | Other | 284
defined-types N | A list of all the concrete types defined in this version of the FHIR specification - Data Types and Resource Types. | Internal | 24
definition-resource-types | A list of all the definition resource types defined in this version of the FHIR specification. | Internal | 1056
definition-status | Codes identifying the lifecycle stage of a definition. | Other | 107
definition-topic | High-level categorization of the definition, used for searching, sorting, and filtering. | Other | 794
definition-use N | Structure Definition Use Codes / Keywords | Other | 1190
designation-use N | Details of how a designation would be used | SNOMED CT | 264
detectedissue-category | Kinds of issues or contraindications, such as 'drug-drug interaction', 'duplicate therapy', etc. | V3 | 204
detectedissue-mitigation-action | Kinds of mitigating actions and observations that can be associated with a detected issue or contraindication, such as 'added concurrent therapy', 'prior therapy documented', etc. | V3 | 205

detectedissue-severity | Indicates the potential degree of impact of the identified issue on the patient. | Internal | 206
device-action | Example codes indicating the change that happened to the device during the procedure. Note that these are in no way complete and might not even be appropriate for some uses. | SNOMED CT | 425
device-component-property | Codes for identifying device properties. This is based upon IEEE/HCD specified codes. | Other | 634
device-definition-status | Codes representing the current status of the device - on, off, suspended, etc. | Internal | 1307
device-kind | Codes used to identify medical devices. Includes concepts from SNOMED CT (http://www.snomed.org/) where concept is-a 49062001 (Device) and is provided as a suggestive example. | SNOMED CT | 208
device-nametype | The type of name the device is referred by. | Internal | 1083
device-safety | Codes used to identify medical devices safety characteristics. These codes are taken from the [NCI Thesaurus](https://ncit.nci.nih.gov/ncitbrowser/pages/home.jsf) and are provided here as a suggestive example. | Other | 213
device-statement-status | A coded concept indicating the current status of the Device Usage. | Internal | 214
device-status | The availability status of the device. | Internal | 209
device-status-reason | The availability status reason of the device. | Other | 1081
device-type | Codes used to identify medical devices. Includes concepts from SNOMED CT (http://www.snomed.org/) where concept is-a 49062001 (Device) and is provided as a suggestive example. | SNOMED CT | 1376
devicemetric-type | Codes used to identify health care device metric types and units and component types as part of the ISO/IEEE 11073-10101 Medical Device Communication Nomenclature. | Other | 645
diagnosis-role | This value set defines a set of codes that can be used to express the role of a diagnosis on the Encounter or EpisodeOfCare record. | Other | 49
diagnostic-based-on-snomed | Diagnostic Attachment Type codes from [SNOMED CT](http://snomed.info/sct) where concept is-a 182836005 (Review of medication (procedure)) or is-a 404684003 (Clinical finding (finding)) | SNOMED CT | 960
diagnostic-report-status | The status of the diagnostic report. | Internal | 235
diagnostic-service-sections | This value set includes all the codes in HL7 V2 table 0074. | V2 | 234
dicm-405-mediatype | Media Type Code | DICOM | 908
diet-type | Codes that can be used to indicate the type of food being ordered for a patient. This value set is provided as a suggestive example. It includes codes from [SNOMED CT](http://snomed.info/sct) where concept is-a 182922004 (Dietary regime (regime/therapy)) | SNOMED CT | 385
discriminator-type N | How an element value is interpreted when discrimination is evaluated. | Internal | 91
distance-units | Unified Code for Units of Measure (UCUM). This value set includes common UCUM codes for units of distance | FHIR | 62
doc-section-codes | Document section codes (LOINC codes used in CCDA sections). | LOINC | 237
doc-typecodes | FHIR Document Codes - all LOINC codes where scale type = 'DOC'. | LOINC | 240
document-classcodes | This is the code specifying the high-level kind of document (e.g. Prescription, Discharge Summary, Report, etc.). Note: Class code for documents comes from LOINC, and is based upon one of the following:The type of service described by the document. It is described at a very high level in Section 7.3 of the LOINC Manual. The type study performed. It was determined by identifying modalities for study reports. The section of the chart where the document is placed. It was determined from the SETs created for Claims Attachment requests. | LOINC | 46
document-mode N | Whether the application produces or consumes documents. | Internal | 186
document-reference-status | The status of the document reference. | Internal | 7
document-relationship-type | The type of relationship between documents. | Internal | 244
dose-rate-type | The kind of dose or rate specified. | Other | 981
duration-units N | Unified Code for Units of Measure (UCUM). This value set includes all UCUM codes | FHIR | 61
effect-estimate-type | Whether the effect estimate is an absolute effect estimate (absolute difference) or a relative effect estimate (relative difference), and the specific type of effect estimate (eg relative risk or median difference). | Other | 1355
eligibilityrequest-purpose | A code specifying the types of information being requested. | Internal | 1182
eligibilityresponse-purpose | A code specifying the types of information being requested. | Internal | 1184
encounter-admit-source | This value set defines a set of codes that can be used to indicate from where the patient came in. | Other | 257
encounter-diet | This value set defines a set of codes that can be used to indicate dietary preferences or restrictions a patient may have. | Other | 255
encounter-discharge-disposition | This value set defines a set of codes that can be used to where the patient left the hospital. | Other | 259
encounter-location-status | The status of the location. | Internal | 262
encounter-participant-type | This value set defines a set of codes that can be used to indicate how an individual participates in an encounter. | V3, Other | 250
encounter-reason | This examples value set defines the set of codes that can be used to indicate reasons for an encounter. | SNOMED CT | 261
encounter-special-arrangements | This value set defines a set of codes that can be used to indicate the kinds of special arrangements in place for a patients visit. | Other | 253
encounter-special-courtesy | This value set defines a set of codes that can be used to indicate special courtesies provided to the patient. | V3 | 252
encounter-status | Current state of the encounter. | Internal | 246
encounter-type | This example value set defines a set of codes that can be used to indicate the type of encounter: a specific code indicating type of service provided. | Other | 248
endpoint-connection-type | This is an example value set defined by the FHIR project, that could be used to represent possible connection type profile values. | Other | 498
endpoint-payload-type | This is an example value set defined by the FHIR project, that could be used to represent possible payload document types. | Other | 496
endpoint-status | The status of the endpoint. | Internal | 494
ensembl | ENSEMBL reference sequence identifiers | Other | 1040
enteral-route | EnteralRouteOfAdministration: Codes specifying the route of administration of enteral formula. This value set is composed of HL7 V3 codes and is provided as a suggestive example. | V3 | 394
entformula-additive | EnteralFormulaAdditiveType: Codes for the type of modular component such as protein, carbohydrate or fiber to be provided in addition to or mixed with the base formula. This value set is provided as a suggestive example. | Other | 392

entformula-type | EnteralFormulaType : Codes for type of enteral formula to be administered to patient. This value set is composed of SNOMED CT (US Extension) Concepts from SCTID 470581016 (Enteral+supplement feeds hierarchy (product)) and is provided as a suggestive example. | SNOMED CT | 391
episode-of-care-status | The status of the episode of care. | Internal | 664
episodeofcare-type | This example value set defines a set of codes that can be used to express the usage type of an EpisodeOfCare record. | Other | 666
event-capability-mode N | The mode of a message capability statement. | Internal | 182
event-or-request-resource-types | This value set lists all the event or request resource types defined in this version of the specification. | Other | 1064
event-resource-types | A list of all the event resource types defined in this version of the FHIR specification. | Internal | 1060
event-status | Codes identifying the lifecycle stage of an event. | Internal | 109
event-timing N | Real world event relating to the schedule. | Internal, V3 | 75
evidence-quality | A rating system that describes the quality of evidence such as the GRADE, DynaMed, or Oxford CEBM systems. | Other | 1020
evidence-variant-state | Used for results by exposure in variant states such as low-risk, medium-risk and high-risk states. | Other | 1353
ex-benefitcategory | This value set includes examples of Benefit Category codes. | Other | 1174
ex-diagnosis-on-admission | This value set includes example Diagnosis on Admission codes. | Other | 1169
ex-diagnosisrelatedgroup | This value set includes example Diagnosis Related Group codes. | Other | 588
ex-diagnosistype | This value set includes example Diagnosis Type codes. | Other | 590
ex-onsettype | This value set includes sample Service Modifier codes. | Internal | 578
ex-payee-resource-type | The type of Claim payee Resource. | Other | 584
ex-paymenttype | This value set includes example Payment Type codes. | Other | 616
ex-procedure-type | This value set includes example Procedure Type codes. | Other | 1387
ex-program-code | This value set includes sample Program Reason Span codes. | Other | 576
ex-revenue-center | This value set includes sample Revenue Center codes. | Other | 594
example-expansion | This is an example value set that includes all the LOINC codes for serum/plasma cholesterol from v2.36. | LOINC | null
example-extensional | This is an example value set that includes all the LOINC codes for serum/plasma cholesterol from v2.36. | LOINC | null
example-filter | ACME Codes for Cholesterol: Plasma only - demonstrating the use of a filter defined in a CodeSystem | Internal | null
example-hierarchical | Demonstration of extensions that build a hierarchical contains | Other | null
example-intensional | This is an example value set that includes all the LOINC codes for serum/plasma cholesterol from v2.36. | LOINC | null
examplescenario-actor-type | The type of actor - system or human. | Internal | 858
expansion-parameter-source | Declares what the source of a parameter is. | Other | 1278
expansion-processing-rule | Defines how concepts are processed into the expansion when it's for UI presentation. | Other | 1280
explanationofbenefit-status | A code specifying the state of the resource instance. | Internal | 618
exposure-state | Whether the results by exposure is describing the results for the primary exposure of interest (exposure) or the alternative state (exposureAlternative). | Internal | 1351
expression-language | The media type of the expression language. | Internal | 105
extension-context-type N | How an extension context is interpreted. | Internal | 1012
feeding-device | Materials used or needed to feed the patient. | Internal, SNOMED CT | 961
filter-operator N | The kind of operation to perform as a part of a property based filter. | Internal | 478
financial-taskcode | This value set includes Financial Task codes. | Other | 1389
financial-taskinputtype | This value set includes Financial Task Input Type codes. | Other | 1391
flag-category | Example list of general categories for flagged issues. (Not complete or necessarily appropriate.) | Other | 122
flag-code | Example list of detail codes for flagged issues. (Not complete or necessarily appropriate.) | SNOMED CT | 124
flag-priority | This value set is provided as an exemplar. The value set is driven by IHE Table B.8-4: Abnormal Flags, Alert Priority. | Internal | 950
flag-status | Indicates whether this flag is active and needs to be displayed to a user, or whether it is no longer needed or was entered in error. | Internal | 120
fm-conditions | This value set includes sample Conditions codes. | Internal | 556
fm-itemtype | This value set includes sample Item Type codes. | Internal | 548
fm-status | This value set includes Status codes. | Internal | 592
focal-subject | Example value set composed from SNOMED CT and HL7 V3 codes for observation targets such as donor, fetus or spouse. As use cases are discovered, more values may be added. | SNOMED CT, V3 | 954
food-type | This value set represents codes for types of foods and is provided as a suggestive example. It include codes from [SNOMED CT](http://snomed.info/sct) where concept is-a 255620007 (Foods (substance)). | SNOMED CT | 384
formatcodes | The value set is defined to be the set of format codes defined by the IHE Technical Framework, and also including additional format codes defined by the HL7. The value set is listed in HITSP C80 Table 2-153 Format Code Value Set Definition, with additions published later by IHE as published at http://wiki.ihe.net/index.php?title=IHE_Format_Codes and with additions published later by HL7 as published at https://confluence.hl7.org/display/SD/Format+Codes+for+IHE+XDS. This is the code specifying the technical format of the document. Along with the typeCode, it should provide sufficient information to allow any potential document consumer to know if it will be able to process the document. The code shall be sufficiently specific to ensure processing/display by identifying a document encoding, structure and template. The actual list of codes here is incomplete | Other | 1
forms | This value set includes a sample set of Forms codes. | Other | 37
fundsreserve | This value set includes sample funds reservation type codes. | Other | 33
gender-identity | This example value set defines a set of codes that can be used to indicate a patient's gender identity. | Internal | 972
genenames | HGNC: Human Gene Nomenclature Committee | Other | 281
goal-acceptance-status | Codes indicating whether the goal has been accepted by a stakeholder. | Other | 917

goal-achievement | Describes the progression, or lack thereof, towards the goal against the target. | Other | 1374
goal-category | Example codes for grouping goals to use for filtering or presentation. | Other | 275
goal-priority | Indicates the level of importance associated with reaching or sustaining a goal. | Other | 273
goal-relationship-type | Types of relationships between two goals. | Other | 915
goal-start-event | Identifies types of events that might trigger the start of a goal. | SNOMED CT | 279
goal-status | Codes that reflect the current state of a goal and whether the goal is still being targeted. | Internal | 271
goal-status-reason | Example codes indicating the reason for a current status. Note that these are in no way complete and might not even be appropriate for some uses. | Internal | 277
graph-compartment-rule | How a compartment must be linked. | Internal | 280
graph-compartment-use | Defines how a compartment rule is used. | Internal | 282
group-measure | Possible group measure aggregates (E.g. Mean, Median). | Internal | 1345
group-type | Types of resources that are part of group. | Internal | 284
guidance-response-status | The status of a guidance response. | Internal | 817
guide-page-generation | A code that indicates how the page is generated. | Internal | 998
guide-parameter-code | Code of parameter that is input to the guide. | Internal | 996
handling-condition | Set of handling instructions prior testing of the specimen. | Other | 854
history-absent-reason | Codes describing the reason why a family member's history is not available. | Other | 269
history-status | A code that identifies the status of the family history record. | Internal | 267
hl7-work-group | An HL7 administrative unit that owns artifacts in the FHIR specification. | Other | 944
http-operations | The allowable request method or HTTP operation codes. | Internal | 716
http-verb N | HTTP verbs (in the HTTP command line). See [HTTP rfc](https://tools.ietf.org/html/rfc7231) for details. | Internal | 624
icd-10 | This value set includes sample ICD-10 codes. | Internal | 531
icd-10-procedures | This value set includes sample ICD-10 Procedure codes. | Internal | 574
identifier-type N | A coded type for an identifier that can be used to determine which identifier to use for a specific purpose. | V2 | 45
identifier-use N | Identifies the purpose for this identifier, if known . | Internal | 57
identity-assuranceLevel | The level of confidence that this link represents the same actual person, based on NIST Authentication Levels. | Internal | 656
imagingstudy-status | The status of the ImagingStudy. | Internal | 990
immunization-evaluation-dose-status | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the validity of a dose relative to a particular recommended schedule. This value set is provided as a suggestive example. | Other | 301
immunization-evaluation-dose-status-reason | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the reason why an administered dose has been assigned a particular status. Often, this reason describes why a dose is considered invalid. This value set is provided as a suggestive example. | Other | 303
immunization-evaluation-status | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the current status of the evaluation for vaccine administration event. | Other | 299
immunization-evaluation-target-disease | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the disease that the evaluation is against. This value set is provided as a suggestive example and includes the SNOMED CT concepts from the 64572001 (Disease) hierarchy. | SNOMED CT | 300
immunization-function | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the function a practitioner or organization may play in the immunization event. This value set is provided as a suggestive example. | V2 | 995
immunization-funding-source | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the source of the vaccine administered. This value set is provided as a suggestive example. | Other | 293
immunization-origin | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the source of the data when the report of the immunization event is not based on information from the person, entity or organization who administered the vaccine. This value set is provided as a suggestive example. | Other | 296
immunization-program-eligibility | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the patient's eligibility for a vaccination program. This value set is provided as a suggestive example. | Other | 291
immunization-reason | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the reason why a dose of vaccine was administered. This value set is provided as a suggestive example. | SNOMED CT | 290
immunization-recommendation-date-criterion | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support the definition of dates relevant to recommendations for future doses of vaccines. This value set is provided as a suggestive example. | LOINC | 308
immunization-recommendation-reason | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the reasons why a given recommendation status is assigned. This value set is provided as a suggestive example and includes SNOMED CT concepts. | SNOMED CT | 307
immunization-recommendation-status | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the status of the patient towards perceived immunity against a vaccine preventable disease. This value set is provided as a suggestive example. | Other | 305
immunization-recommendation-target-disease | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the disease targeted by a vaccination recommendation. This value set is provided as a suggestive example and includes the SNOMED CT concepts from the 64572001 (Disease) hierarchy. | SNOMED CT | 309
immunization-route | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the administrative routes used during vaccination. This value set is provided as a suggestive example. | V3 | 289

immunization-site | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the body site where the vaccination occurred. This value set is provided as a suggestive example. | V3 | 288
immunization-status | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the current status of the administered dose of vaccine. | Internal | 295
immunization-status-reason | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the reason why a dose of vaccine was not administered. This value set is provided as a suggestive example. | V3, SNOMED CT | 992
immunization-subpotent-reason | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the reason why a dose is considered to be subpotent. This value set is provided as a suggestive example. | Other | 993
immunization-target-disease | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the disease that the dose is being administered against. This value set is provided as a suggestive example and includes the SNOMED CT concepts from the 64572001 (Disease) hierarchy. | SNOMED CT | 1047
implantStatus | A set codes that define the functional status of an implanted device. | Other | 1282
inactive | HL7 v3 ActMood Predicate codes, including inactive codes | V3 | null
instance-availability | Availability of the resource. | DICOM | 811
insuranceplan-applicability | Whether the cost applies to in-network or out-of-network providers. | Other | 0
insuranceplan-type | This example value set defines a set of codes that can be used to indicate a type of insurance plan. | Other | 870
intervention | This value set includes sample Intervention codes. | Internal | 532
investigation-sets | Example value set for investigation type. | SNOMED CT | 157
invoice-priceComponentType | Codes indicating the kind of the price component. | Internal | 868
invoice-status | Codes identifying the lifecycle stage of an Invoice. | Internal | 866
iso3166-1-2 | This value set defines the ISO 3166 Part 1 2-letter codes | Other | null
iso3166-1-3 | This value set defines the ISO 3166 Part 1 3-letter codes | Other | null
iso3166-1-N | This value set defines the ISO 3166 Part 1 Numeric codes | Other | null
issue-severity N | How the issue affects the success of the action. | Internal | 408
issue-type N | A code that describes the type of issue. | Internal | 410
item-type | Distinguishes groups from questions and display text and indicates data type for questions. | Internal | 444
jurisdiction N | This value set defines a base set of codes for country, country subdivision and region for indicating where a resource is intended to be used. Note: The codes for countries and country subdivisions are taken from [ISO 3166](https://www.iso.org/iso-3166-country-codes.html) while the codes for "supra-national" regions are from [UN Standard country or area codes for statistical use (M49)](http://unstats.un.org/unsd/methods/m49/m49.htm). | Other | 48
knowledge-resource-types | A list of all the knowledge resource types defined in this version of the FHIR specification. | Internal | 1062
language-preference-type | This value set defines the set of codes for describing the type or mode of the patient's preferred language. | Internal | 1022
languages | This value set includes common codes from BCP-47 (http://tools.ietf.org/html/bcp47) | Other | 20
ldlcholesterol-codes | LDL Cholesterol codes - measured or calculated | LOINC | 959
library-type | The type of knowledge asset this library contains. | Other | 763
link-type N | The type of link between this patient resource and another patient resource. | Internal | 423
linkage-type | Used to distinguish different roles a resource can play within a set of linked resources. | Internal | 314
list-empty-reason | General reasons for a list to be empty. Reasons are either related to a summary list (i.e. problem or medication list) or to a workflow related list (i.e. consultation list). | Other | 322
list-example-codes | Example use codes for the List resource - typical kinds of use. | Other | 316
list-item-flag | Example Item Flags for the List Resource. In this case, these are the kind of flags that would be used on a medication list at the end of a consultation. | Other | 320
list-mode | The processing mode that applies to this list. | Internal | 318
list-order | Base values for the order of the items in a list resource. | Other | 324
list-status | The current state of the list. | Internal | 326
location-mode | Indicates whether a resource instance represents a specific location or a class of locations. | Internal | 330
location-physical-type | This example value set defines a set of codes that can be used to indicate the physical form of the Location. | Other | 328
location-status | Indicates whether the location is still in use. | Internal | 332
manifestation-or-symptom | Example value set for Manifestation and Symptom codes. | SNOMED CT | 169
map-context-type | How to interpret the context. | Internal | 679
map-group-type-mode | If this is the default rule set to apply for the source type, or this combination of types. | Internal | 687
map-input-mode | Mode for this instance of data. | Internal | 677
map-model-mode | How the referenced structure is used in this mapping. | Internal | 675
map-source-list-mode | If field is a list, how to manage the source. | Internal | 683
map-target-list-mode | If field is a list, how to manage the production. | Internal | 685
map-transform | How data is copied/created. | Internal | 681
marital-status N | This value set defines the set of codes that can be used to indicate the marital status of a person. | V3 | 29
match-grade | A Master Patient Index (MPI) assessment of whether a candidate patient record is a match or not. | Other | 970
measure-data-usage | The intended usage for supplemental data elements in the measure. | Other | 771
measure-improvement-notation | Observation values that indicate what change in a measurement value or score is indicative of an improvement in the measured item or scored issue. | Other | 1236
measure-population | The type of population. | Other | 765
measure-report-status | The status of the measure report. | Internal | 776
measure-report-type | The type of the measure report. | Internal | 778
measure-scoring | The scoring type of the measure. | Other | 767
measure-type | The type of measure (includes codes from 2.16.840.1.113883.1.11.20368). | Other | 769

med-admin-perform-function | MedicationAdministration Performer Function Codes | Other | 349
media-modality | Detailed information about the type of the image - its kind, purpose, or the kind of equipment used to generate it. | Other | 1001
media-type | Codes for high level media categories. | Other | 1000
media-view | Codes defined in SNOMED CT that can be used to record Media Recording views. | SNOMED CT | 337
medication-admin-category | MedicationAdministration Category Codes | Other | 347
medication-admin-status | MedicationAdministration Status Codes | Other | 340
medication-as-needed-reason | This value set includes all clinical findings from SNOMED CT - provided as an exemplar value set. | SNOMED CT | 96
medication-codes | This value set includes all drug or medicament substance codes and all pharmaceutical/biologic products from SNOMED CT - provided as an exemplar value set. | SNOMED CT | 375
medication-form-codes | This value set includes all dose form codes from SNOMED CT - provided as an exemplar. | SNOMED CT | 374
medication-statement-category | Medication Status Codes | Other | 370
medication-statement-status | Medication Status Codes | Internal | 367
medication-status | Medication Status Codes | Internal | 376
medicationdispense-category | MedicationDispense Category Codes | Other | 1314
medicationdispense-performer-function | MedicationDispense Performer Function Codes | Other | 1318
medicationdispense-status | MedicationDispense Status Codes | Other | 1312
medicationdispense-status-reason | MedicationDispense Status Codes | Other | 1316
medicationknowledge-characteristic | MedicationKnowledge Characteristic Codes | Other | 1337
medicationknowledge-package-type | MedicationKnowledge Package Type Codes | Other | 1339
medicationknowledge-status | MedicationKnowledge Status Codes | Other | 1335
medicationrequest-category | MedicationRequest Category Codes | Other | 1322
medicationrequest-course-of-therapy | MedicationRequest Course of Therapy Codes | Other | 1326
medicationrequest-intent | MedicationRequest Intent Codes | Internal | 1321
medicationrequest-status | MedicationRequest Status Codes | Internal | 1320
medicationrequest-status-reason | MedicationRequest Status Reason Codes | Other | 1324
message-events | One of the message events defined as part of this version of FHIR. | Internal | 26
message-reason-encounter | Example Message Reasons. These are the set of codes that might be used an updating an encounter using admin-update. | Other | 378
message-significance-category | The impact of the content of a message. | Internal | 188
message-transport N | The protocol used for message transport. | Other | 184
messageheader-response-request | HL7-defined table of codes which identify conditions under which acknowledgments are required to be returned in response to a message. | Internal | 924
metric-calibration-state | Describes the state of a metric calibration. | Internal | 652
metric-calibration-type | Describes the type of a metric calibration. | Internal | 650
metric-category | Describes the category of the metric. | Internal | 648
metric-color | Describes the typical color of representation. | Internal | 654
metric-operational-status | Describes the operational status of the DeviceMetric. | Internal | 646
mimetypes N | This value set includes all possible codes from BCP-13 (http://tools.ietf.org/html/bcp13) | Other | 1024
missing-tooth-reason | This value set includes sample Missing Tooth Reason codes. | Other | 534
modified-foodtype | TextureModifiedFoodType: Codes for types of foods that are texture-modified. This value set is composed SNOMED CT Concepts from SCTID 255620007 Foods (substance) and is provided as a suggestive example. | SNOMED CT | 388
name-assembly-order | A code that represents the preferred display order of the components of a human name. | Other, V2, V3 | 913
name-part-qualifier | A set of codes each of which specifies a certain subcategory of the name part in addition to the main name part type. | V3 | 906
name-use N | The use of a human name. | Internal | 65
name-v3-representation | A set of codes for each different representation of a name. | V3 | 909
namingsystem-identifier-type | Identifies the style of unique identifier used to identify a namespace. | Internal | 492
namingsystem-type | Identifies the purpose of the naming system. | Internal | 490
narrative-status | The status of a resource narrative. | Internal | 55
network-type | The type of network access point of this agent in the audit event. | Internal | 456
nhin-purposeofuse | This value set is suitable for use with the provenance resource. It is derived from, but not compatible with, the HL7 v3 Purpose of use Code system. | Other | null
note-type | The presentation types of notes. | Internal | 15
nutrient-code | NutrientModifier : Codes for types of nutrients that are being modified such as carbohydrate or sodium. This value set includes codes from [SNOMED CT](http://snomed.info/sct) where concept is-a 226355009 (Nutrients(substance)), and the concepts for Sodium, Potassium and Fluid. This is provided as a suggestive example. | SNOMED CT | 386
object-lifecycle-events | This example FHIR value set is comprised of lifecycle event codes. The FHIR Actor value set is based on DICOM Audit Message, ParticipantObjectDataLifeCycle; ISO Standard, TS 21089-2017; | Other | null
object-role | Code representing the role the entity played in the audit event. | Other | 460
observation-category | Observation Category codes. | Other | 403
observation-codes | This value set includes all LOINC codes | LOINC | 396
observation-interpretation N | A categorical assessment, providing a rough qualitative interpretation of the observation value, such as “normal”/ “abnormal”,”low” / “high”, “better” / “worse”, “susceptible” / “resistant”, “expected”/ “not expected”. The value set is intended to be for ANY use where coded representation of an interpretation is needed. Notes: This is being communicated in v2.x in OBX-8 (Observation Interpretation), in v3 in ObservationInterpretation (CWE) in R1 (Representative Realm) and in FHIR in Observation.interpretation. Historically these values come from the laboratory domain, and these codes are extensively used. The value set binding is extensible, so codes outside the value set that are needed for interpretation concepts (i.e. particular meanings) that are not included in the value set can be used, and these new codes may also be added to the value set and published in a future version. | V3 | 399

observation-methods | Observation Method codes from [SNOMED CT](http://snomed.info/sct) where concept is-a 272394005 (Technique (qualifier value)) or is-a 129264002 (Action (qualifier value)) or is-a 386053000 (Evaluation procedure(procedure)) | SNOMED CT | 395
observation-range-category | Codes identifying the category of observation range. | Internal | 1333
observation-statistics | The statistical operation parameter -"statistic" codes. | Other | 405
observation-status N | Codes providing the status of an observation. | Internal | 400
observation-vitalsignresult | This value set indicates the allowed vital sign result types. The LOINC code for Vitals Signs panel (85353-1) is a grouping structure for a set of vital signs and includes related links (with type=has-member) to the Observations in this set (e.g. respiratory rate, heart rate, BP). The Blood pressure panel (85354-9) is used to group the component observations Systolic blood pressure (8480-6) and Diastolic blood pressure (8462-4). | LOINC | 62
operation-kind N | Whether an operation is a normal operation or a query. | Internal | 506
operation-outcome | Operation Outcome codes used by FHIR test servers (see Implementation file translations.xml) | Other | 412
operation-parameter-use N | Whether an operation parameter is an input or an output parameter. | Internal | 508
oral-prosthodontic-material | This value set includes sample Oral Prosthodontic Material type codes. | Internal | 538
organization-role | This example value set defines a set of codes that can be used to indicate the role of one Organization in relation to another. | Internal | 880
organization-type | This example value set defines a set of codes that can be used to indicate a type of organization. | Other | 414
orientation-type | Type for orientation. | Internal | 987
parameter-group | Codes identifying groupings of parameters; e.g. Cardiovascular. | Other | 632
parent-relationship-codes | The value set includes the v3 RoleCode PRN (parent), TWIN (twin) and all of their specializations. It covers the relationships needed to establish genetic pedigree relationships between family members. | V3 | 921
participant-role | Roles of participants that may be included in a care team. Defined as: Is a Person, Healthcare professional (occupation) or Healthcare related organization (qualifier value). | SNOMED CT | 152
participantrequired | Is the Participant required to attend the appointment. | Internal | 488
participation-role-type | This FHIR value set is comprised of Actor participation Type codes, which can be used to value FHIR agents, actors, and other role elements. The FHIR Actor participation type value set is based on DICOM Audit Message, C402; ASTM Standard, E1762-95 [2013]; selected codes and derived actor roles from HL7 RoleClass OID 2.16.840.1.113883.5.110; HL7 Role Code 2.16.840.1.113883.5.111, including AgentRoleType; HL7 ParticipationType OID: 2.16.840.1.113883.5.90; and HL7 ParticipationFunction codes OID: 2.16.840.1.113883.5.88. This value set includes, by reference, role codes from external code systems: NUCC Health Care Provider Taxonomy OID: 2.16.840.1.113883.6.101; North American Industry Classification System [NAICS]OID: 2.16.840.1.113883.6.85; IndustryClassificationSystem 2.16.840.1.113883.1.11.16039; and US Census Occupation Code OID: 2.16.840.1.113883.6.243 for relevant recipient or custodian codes not included in this value set. If no source is indicated in the definition comments, then these are example FHIR codes. | Other, V3, DICOM | 54
participationstatus | The Participation status of an appointment. | Internal | 486
patient-contactrelationship N | The nature of the relationship between the patient and the contact person. | V2 | 1130
payeetype | This value set includes sample Payee Type codes. | Other | 31
payment-adjustment-reason | This value set includes smattering of Payment Adjustment Reason codes. | Other | 600
payment-status | This value set includes a sample set of Payment Status codes. | Other | 643
payment-type | This value set includes sample Payment Type codes. | Other | 641
performer-function | The types of involvement of the performer in the Event. | V3 | null
performer-role | This example value set defines the set of codes that can be used to indicate a role of a procedure performer. | SNOMED CT | 433
permitted-data-type | Permitted data type for observation value. | Internal | 1331
plan-definition-type | The type of PlanDefinition. | Other | 797
postal-address-use | Uses of an address not included in Address.use. | V3 | 908
practitioner-role | This example value set defines a set of codes that can be used to indicate the role of a Practitioner. | Other, SNOMED CT | 439
practitioner-specialty | This example value set defines a set of codes that can be used to indicate the specialty of a Practitioner. | Internal | 441
precision-estimate-type | Method of reporting variability of estimates, such as confidence intervals, interquartile range or standard deviation. | Other | 1357
prepare-patient-prior-specimen-collection | Checks on the patient prior specimen collection. All SNOMED CT concepts descendants of 703763000 |Precondition value (qualifier value)| | SNOMED CT | 1399
probability-distribution-type | Codes specifying the type of probability distribution. | V3 | 907
procedure-category | Procedure Category code: A selection of relevant SNOMED CT codes. | SNOMED CT | 430
procedure-code | Procedure Code: All SNOMED CT procedure codes. | SNOMED CT | 427
procedure-followup | Procedure follow up codes: A selection of SNOMED CT codes relevant to procedure follow up. | SNOMED CT | 429
procedure-not-performed-reason | Situation codes describing the reason that a procedure, which might otherwise be expected, was not performed, or a procedure that was started and was not completed. Consists of SNOMED CT codes, children of procedure contraindicated (183932001), procedure discontinued (416406003), procedure not done (416237000), procedure not indicated (428119001), procedure not offered (416064006), procedure not wanted (416432009), procedure refused (183944003), and procedure stopped (394908001). | SNOMED CT | 431
procedure-outcome | Procedure Outcome code: A selection of relevant SNOMED CT codes. | SNOMED CT | 428
procedure-progress-status-codes | This value set is provided as an example. The value set to instantiate this attribute should be drawn from a robust terminology code system that consists of or contains concepts to support the procedure performance process. | Internal | 946
procedure-reason | This example value set defines the set of codes that can be used to indicate a reason for a procedure. | SNOMED CT | 432
process-priority | This value set includes the financial processing priority codes. | Other | 552
product-category | Biologically Derived Product Category. | Internal | 900
product-status | Biologically Derived Product Status. | Internal | 902
product-storage-scale | BiologicallyDerived Product Storage Scale. | Internal | 904
program | This value set defines an example set of codes that could be can be used to classify groupings of service-types/specialties. | Other | 1383

property-representation N | How a property is represented when serialized. | Internal | 87
provenance-activity-type | This value set contains representative Activity Type codes, which includes codes from the HL7 DocumentCompletion, ActStatus, and DataOperations code system, W3C PROV-DM and PROV-N concepts and display names, several HL7 Lifecycle Event codes for which there are agreed upon definitions, and non-duplicated codes from the HL7 Security and Privacy Ontology Operations codes. | V3 | 438
provenance-agent-role | The role that a provenance participant played | Internal | 1305
provenance-agent-type | The type of participation a provenance participant. | Other | 1003
provenance-entity-role | How an entity was used in an activity. | Internal | 436
provenance-history-agent-type | Types of roles indicating how a particular agent was involved with the creation or modification of a resource for use when exposing event history | V3 | 927
provenance-history-record-activity | Codes for Provenance activities that are relevant when capturing event history for resources. | V3 | 926
provider-qualification | This value set includes sample Provider Qualification codes. | Other | 570
provider-taxonomy | NUCC Healthcare Provider Taxonomy codes | Other | 51
publication-status N | The lifecycle status of an artifact. | Internal | 3
quality-type | Type for quality report. | Internal | 228
quantity-comparator N | How the Quantity should be understood and represented. | Internal | 59
question-max-occurs | Flags an element as having unlimited repetitions. | Other | 929
questionnaire-answers | Example list of codes for answers to questions. (Not complete or necessarily appropriate.) | SNOMED CT | 446
questionnaire-answers-status | Lifecycle status of the questionnaire response. | Internal | required
questionnaire-category | Example list of potential categories for questionnaires. | SNOMED CT | 928
questionnaire-display-category | Codes defining the purpose of a Questionnaire item of type 'text'. | Internal | 935
questionnaire-enable-behavior | Controls how multiple enableWhen values are interpreted - whether all or any must be true. | Internal | 1007
questionnaire-enable-operator | The criteria by which a question is enabled. | Internal | 1005
questionnaire-item-control | Starter set of user interface control/display mechanisms that might be used when rendering an item in a questionnaire. | Internal | 931
questionnaire-questions | Example list of codes for questions and groups of questions. (Not necessarily complete or appropriate.) | LOINC | 443
questionnaire-usage-mode | Identifies the modes of usage of a questionnaire that should enable a particular questionnaire item. | Other | 937
questionnaireresponse-mode | Codes describing how the QuestionnaireResponse was populated | V3 | 1290
reaction-event-certainty | Statement about the degree of clinical certainty that a specific substance was the cause of the manifestation in a reaction event. | Other | 942
reaction-event-severity | Clinical assessment of the severity of a reaction event as a whole, potentially considering multiple different manifestations. | Internal | 135
reason-medication-given-codes | This value set is provided as an example. The value set to instantiate this attribute should be drawn from a robust terminology code system that consists of or contains concepts to support the medication process. | Other | 344
reason-medication-not-given-codes | This value set includes all medication refused, medication not administered, and non-administration of necessary drug or medicine codes from SNOMED CT - provided as an exemplar value set. | SNOMED CT | 342
reason-medication-status-codes | This value set includes some taken and not taken reason codes from SNOMED CT - provided as an exemplar | SNOMED CT | 369
recommendation-strength | A rating system that describes the strength of the recommendation, such as the GRADE, DynaMed, or HGPS systems. | Other | 1021
ref-sequences | REFSEQ : National Center for Biotechnology Information (NCBI) Reference Sequences | Other | 280
reference-handling-policy N | A set of flags that defines how references are supported. | Internal | 202
reference-version-rules N | Whether a reference needs to be version specific or version independent, or whether either can be used. | Internal | 89
referencerange-appliesto | This value set defines a set of codes that can be used to indicate the particular target population the reference range applies to. | Other, SNOMED CT | 407
referencerange-meaning | This value set defines a set of codes that can be used to indicate the meaning/use of a reference range for a particular target population. | Other | 397
rejection-criteria | Criterion for rejection of the specimen by laboratory. | Other | 856
related-artifact-type | The type of relationship to the related artifact. | Internal | 99
related-claim-relationship | This value set includes sample Related Claim Relationship codes. | Other | 568
relatedperson-relationshiptype | A set of codes that can be used to indicate the relationship between a Patient and a Related Person. | V2, V3 | 449
relation-type | The type of relations between entries. | Internal | 1028
relationship | This value set includes the Patient to subscriber relationship codes. | Internal | 35
remittance-outcome | This value set includes Claim Processing Outcome codes. | Internal | 13
report-action-result-codes | The results of executing an action. | Internal | 720
report-codes | This value set includes LOINC codes that relate to Diagnostic Observations. | LOINC | 233
report-participant-type | The type of participant. | Internal | 722
report-result-codes | The reported execution result. | Internal | 718
report-status-codes | The current status of the test report. | Internal | 724
repository-type | Type for access of external URI. | Internal | 230
request-intent | Codes indicating the degree of authority/intentionality associated with a request. | Internal | 113
request-priority | The clinical priority of a diagnostic order. | Internal | 115
request-resource-types | A list of all the request resource types defined in this version of the FHIR specification. | Internal | 1058
request-status | Codes identifying the lifecycle stage of a request. | Internal | 111
research-element-type | The possible types of research elements (E.g. Population, Exposure, Outcome). | Internal | 1341
research-study-objective-type | Codes for the kind of study objective. | Other | 823

research-study-phase | Codes for the stage in the progression of a therapy from initial experimental use in humans in clinical trials to post-market evaluation. | Other | 821
research-study-prim-purp-type | Codes for the main intent of the study. | Other | 827
research-study-reason-stopped | Codes for why the study ended prematurely. | Other | 825
research-study-status | Codes that convey the current status of the research study. | Internal | 819
research-subject-status | Indicates the progression of a study subject through a study. | Internal | 829
resource-aggregation-mode N | How resource references can be aggregated. | Internal | 85
resource-security-category | Provides general guidance around the kind of access Control to Read, Search, Create, Update, or Delete a resource. | Other | 1403
resource-slicing-rules N | How slices are interpreted when evaluating an instance. | Internal | 83
resource-status | The master set of status codes used throughout FHIR. All status codes are mapped to one of these codes. | Internal | 117
resource-type-link | The type of payee Resource. | Other | 614
resource-types N | One of the resource types defined as part of this version of FHIR. | Internal | 27
resource-validation-mode | Codes indicating the type of validation to perform. | Internal | 118
response-code | The kind of response to a message. | Internal | 380
restful-capability-mode N | The mode of a RESTful capability statement. | Internal | 176
restful-security-service N | Types of security services used with FHIR. | Other | 178
risk-estimate-type | Whether the risk estimate is dichotomous, continuous or qualitative and the specific type of risk estimate (eg proportion or median). | Other | 1363
risk-probability | Codes representing the likelihood of a particular outcome in a risk assessment. | Other | 450
route-codes | This value set includes all Route codes from SNOMED CT - provided as an exemplar. | SNOMED CT | 98
search-comparator | What Search Comparator Codes are supported in search. | Internal | 637
search-entry-mode N | Why an entry is in the result set - whether it's included as a match or because of an _include requirement, or to convey information or warning information about the search process. | Internal | 622
search-modifier-code | A supported modifier for a search parameter. | Internal | 639
search-param-type N | Data types allowed to be used for search parameters. | Internal | 11
search-xpath-usage | How a search parameter relates to the set of elements returned by evaluating its xpath query. | Internal | 635
secondary-finding | Codes to denote a guideline or policy statement.when a genetic test result is being shared as a secondary finding. | Internal | 1285
security-labels N | A single value set for all security labels defined by FHIR. | Other | 47
security-role-type | This example FHIR value set is comprised of example Actor Type codes, which can be used to value FHIR agents, actors, and other role elements such as those specified in financial transactions. The FHIR Actor value set is based on DICOM Audit Message, C402; ASTM Standard, E1762-95 [2013]; selected codes and derived actor roles from HL7 RoleClass OID 2.16.840.1.113883.5.110; HL7 Role Code 2.16.840.1.113883.5.111, including AgentRoleType; HL7 ParticipationType OID: 2.16.840.1.113883.5.90; and HL7 ParticipationFunction codes OID: 2.16.840.1.113883.5.88. This value set includes, by reference, role codes from external code systems: NUCC Health Care Provider Taxonomy OID: 2.16.840.1.113883.6.101; North American Industry Classification System [NAICS]OID: 2.16.840.1.113883.6.85; IndustryClassificationSystem 2.16.840.1.113883.1.11.16039; and US Census Occupation Code OID: 2.16.840.1.113883.6.243 for relevant recipient or custodian codes not included in this value set. If no source is indicated in the definition comments, then these are example FHIR codes. It can be extended with appropriate roles described by SNOMED as well as those described in the HL7 Role Based Access Control Catalog and the HL7 Healthcare (Security and Privacy) Access Control Catalog. In Role-Based Access Control (RBAC), permissions are operations on an object that a user wishes to access. Permissions are grouped into roles. A role characterizes the functions a user is allowed to perform. Roles are assigned to users. If the user's role has the appropriate permissions to access an object, then that user is granted access to the object. FHIR readily enables RBAC, as FHIR Resources are object types and the CRUDE events (the FHIR equivalent to permissions in the RBAC scheme) are operations on those objects. In Attribute-Based Access Control (ABAC), a user requests to perform operations on objects. That user's access request is granted or denied based on a set of access control policies that are specified in terms of attributes and conditions. FHIR readily enables ABAC, as instances of a Resource in FHIR (again, Resources are object types) can have attributes associated with them. These attributes include security tags, environment conditions, and a host of user and object characteristics, which are the same attributes as those used in ABAC. Attributes help define the access control policies that determine the operations a user may perform on a Resource (in FHIR) or object (in ABAC). For example, a tag (or attribute) may specify that the identified Resource (object) is not to be further disclosed without explicit consent from the patient. | Other, V3, DICOM | 978
sequence-quality-method | This value set includes sequence quality method | Other | 223
sequence-quality-standardSequence | This value set includes sequence quality standard | Other | 222
sequence-referenceSeq | This value set includes all Reference codes | Other | 221
sequence-species | Codes identifying atomic results of observations when value is type codeableConcept. This value set includes all the children of SNOMED CT Concepts from SCTIDs 404684003 Clinical finding (finding), 410607006 Organism (organism),362981000 Qualifier value (qualifier value), 105590001 Substance (substance), and 123037004 Body structure (body structure). It is provided as a suggestive example | SNOMED CT | 216
sequence-type | Type if a sequence -- DNA, RNA, or amino acid sequence. | Internal | 219
sequenceontology | Sequence Ontology | Other | 1044
series-performer-function | Performer function of an agent in an imaging study series | V3 | 989
service-category | This value set defines an example set of codes that can be used to classify groupings of service-types/specialties. | Other | 516
service-modifiers | This value set includes sample Service Modifier codes. | Internal | 572
service-pharmacy | This value set includes a smattering of Pharmacy Service codes. | Internal | 562
service-place | This value set includes a smattering of Service Place codes. | Other | 564
service-product | This value set includes a smattering of Service/Product codes. | Internal | 560
service-provision-conditions | The code(s) that detail the conditions under which the healthcare service is available/offered. | Other | 514
service-referral-method | The methods of referral can be used when referring to a specific HealthCareService resource. | Other | 510
service-type | This value set defines an example set of codes of service-types. | Other | 518

service-uscls | This value set includes a smattering of USCLS codes. | Other | 542
servicerequest-category | An example value set of SNOMED CT concepts that can classify a requested service | SNOMED CT | 434
servicerequest-orderdetail | An example value set of Codified order entry details concepts. These concepts only make sense in the context of what is being ordered. This example is for a patient ventilation order | SNOMED CT | 435
sibling-relationship-codes | The value set includes the v3 RoleCode SIB (sibling) and all of its specializations. It covers the relationships needed to establish genetic pedigree relationships between family members. | V3 | 922
signature-type | The Digital Signature Purposes, an indication of the reason an entity signs a document. This is included in the signed information and can be used when determining accountability for various actions concerning the document. Examples include: author, transcriptionist/recorder, and witness. | Other | 12
slotstatus | The free/busy status of the slot. | Internal | 482
smart-capabilities | Codes that define what the server is capable of. | Other | 1018
sort-direction | The possible sort directions, ascending or descending. | Internal | 979
spdx-license | The license that applies to an Implementation Guide (using an SPDX license Identifiers, or 'not-open-source'). The binding is required but new SPDX license Identifiers are allowed to be used (https://spdx.org/licenses/). | Internal | 1026
special-values | A set of generally useful codes defined so they can be included in value sets. | Other | 9
specimen-collection | Actions that can be taken for the collection of specimen from a subject. | SNOMED CT | 1398
specimen-collection-method | This example value set defines a set of codes that can be used to indicate the method by which a specimen was collected. | SNOMED CT | 468
specimen-collection-priority | This example value set defines a set of codes that can be used to indicate the priority of collection of a specimen. | Other | 939
specimen-contained-preference | Degree of preference of a type of conditioned specimen. | Internal | 852
specimen-container-type | Checks on the patient prior specimen collection. All SNOMED CT concepts descendants of 706041008 |Device for body fluid and tissue collection/transfer/processing (physical object)| | SNOMED CT | 470
specimen-processing-procedure | The technique that is used to perform the process or preserve the specimen. | V2 | 469
specimen-status | Codes providing the status/availability of a specimen. | Internal | 471
standards-status | HL7 Ballot/Standards status of artifact. | Other | 1365
strand-type | Type for strand. | Internal | 985
structure-definition-kind N | Defines the type of structure that a definition is describing. | Internal | 668
study-type | Types of research studies (types of research methods). | Other | 1349
subject-type | Possible types of subjects. | Internal | 775
subscriber-relationship | This value set includes codes for the relationship between the Subscriber and the Beneficiary (insured/covered party/patient). | Other | 1385
subscription-channel-type | The type of method used to execute a subscription. | Internal | 500
subscription-status | The status of a subscription. | Internal | 502
subscription-tag | Tags to put on a resource after subscriptions have been sent. | Other | 504
substance-category | Substance category codes | Other | 476
substance-code | This value set contains concept codes for specific substances. It includes codes from [SNOMED](http://snomed.info/sct) where concept is-a 105590001 (Substance (substance)) and where concept is-a 373873005 (Pharmaceutical / biologic product (product)) | SNOMED CT | 473
substance-status | A code to indicate if the substance is actively used. | Internal | 474
supplement-type | SupplementType : Codes for nutritional supplements to be provided to the patient. This value set is composed of SNOMED CT (US Extension) Concepts from SCTID 470581016 (Enteral+supplement feeds hierarchy (product)) and is provided as a suggestive example. | SNOMED CT | 390
supply-item | This value set includes [SNOMED CT](http://snomed.info/sct) where concept is-a 105590001 (Substance (substance)) or concept is-a 260787004 (Physical object) and provided as an example value set. | SNOMED CT | 699
supplydelivery-status | Status of the supply delivery. | Internal | 700
supplydelivery-type | This value sets refers to a specific supply item. | Other | 702
supplyrequest-kind | This value sets refers to a Category of supply. | Other | 693
supplyrequest-reason | The reason why the supply item was requested. | Other | 697
supplyrequest-status | Status of the supply request. | Internal | 695
surface | This value set includes a smattering of FDI tooth surface codes. | Other | 546
synthesis-type | Types of combining results from a body of evidence (eg. summary data meta-analysis). | Other | 1347
system-restful-interaction N | Operations supported by REST at the system level. | Internal | 181
task-code | Codes indicating the type of action that is expected to be performed | Internal | 1396
task-intent | Distinguishes whether the task is a proposal, plan or full order. | Internal | 1240
task-status | The current status of the task. | Internal | 790
teeth | This value set includes the FDI Teeth codes. | Internal | 550
template-status-code | The status indicates the level of maturity of the design and may be used to manage the use of the design. | Other | 8
testscript-operation-codes | This value set defines a set of codes that are used to indicate the supported operations of a testing engine or tool. | Other | 704
testscript-profile-destination-types | This value set defines a set of codes that are used to indicate the profile type of a test system when acting as the destination within a TestScript. | Other | 714
testscript-profile-origin-types | This value set defines a set of codes that are used to indicate the profile type of a test system when acting as the origin within a TestScript. | Other | 712
texture-code | TextureModifier: Codes for food consistency types or texture modifications to apply to foods. This value set is composed of SNOMED CT (US Extension and Core) Concepts from SCTID 229961002 Food consistency types (substance) hierarchy and is provided as a suggestive example. | SNOMED CT | 387
timezones | IANA Timezone Codes | Other | 1036
timing-abbreviation | Code for a known / defined timing pattern. | V3 | 78
tooth | This value set includes a smattering of FDI oral site codes. | Other | 540
transaction-mode | A code that indicates how transactions are supported. | Internal | 192
trigger-type | The type of trigger. | Internal | 103
type-derivation-rule N | How a type relates to its baseDefinition. | Internal | 673

type-restful-interaction N | Operations supported by REST at the type or instance level. | Internal | 180
ucum-bodylength | UCUM units for recording body length measures such as height and head circumference | FHIR | 958
ucum-bodytemp | UCUM units for recording Body Temperature | FHIR | 957
ucum-bodyweight | UCUM units for recording Body Weight | FHIR | 956
ucum-common | Commonly encountered UCUM units (for purposes of helping populate look ups. | FHIR | null
ucum-units | Unified Code for Units of Measure (UCUM). This value set includes all UCUM codes | FHIR | 912
ucum-vitals-common | Common UCUM units for recording Vital Signs | FHIR | 955
udi | This value set includes sample UDI codes. | Internal | 554
udi-entry-type | Codes to identify how UDI data was entered. | Internal | 211
units-of-time N | A unit of time (units from UCUM). | FHIR | 77
unknown-content-code | A code that indicates whether an application accepts unknown elements or extensions when reading resources. | Internal | 196
usage-context-type | A code that specifies a type of context being specified by a usage context. | Other | 101
use-context | This value set defines a base set of codes that can be used to indicate that the content in a resource was developed with a focus and intent of supporting use within particular contexts. | Other, SNOMED CT | 28
vaccine-code | This identifies the vaccine substance administered - CVX codes. | Internal, Other | 22
variable-type | The possible types of variables for exposures or outcomes (E.g. Dichotomous, Continuous, Descriptive). | Internal | 1343
variant-state | Codes providing the status of the variant test result. | Other | 217
variants | HGVS : Human Genome Variation Society | Other | 282
verificationresult-can-push-updates | Ability of the primary source to push updates/alerts | Other | 896
verificationresult-communication-method | Attested information may be validated by process that are manual or automated. For automated processes it may accomplished by the system of record reaching out through another system's API or information may be sent to the system of record. This value set defines a set of codes to describing the process, the how, a resource or data element is validated. | Other | 1401
verificationresult-failure-action | The result if validation fails | Other | 890
verificationresult-need | The frequency with which the target must be validated | Other | 882
verificationresult-primary-source-type | Type of the validation primary source | Other | 892
verificationresult-push-type-available | Type of alerts/updates the primary source can send | Other | 898
verificationresult-status | The validation status of the target | Internal | 884
verificationresult-validation-process | The primary process by which the target is validated | Other | 888
verificationresult-validation-status | Status of the validation of the target against the primary source | Other | 894
verificationresult-validation-type | What the target is validated against | Other | 886
versioning-policy N | How the system supports versioning for a resource. | Internal | 190
vision-base-codes | A coded concept listing the base codes. | Internal | 662
vision-eye-codes | A coded concept listing the eye codes. | Internal | 660
vision-product | This value set includes a smattering of Prescription Product codes. | Other | 658
written-language | This value set includes common codes from BCP-47 (http://tools.ietf.org/html/bcp47) for the purpose of writing; this value set (unlike the common languages value set) doesn't include dialects except where they are relevant for written languages | Other | null
yesnodontknow | For Capturing simple yes-no-don't know answers | Other | null
Namespace: http://dicom.nema.org/medical/dicom/current/output/chtml/part16
sect_CID_29.html | Transitive closure of CID 29 AcquisitionModality | DICOM | 19
sect_CID_29.html|20121129 | Transitive closure of CID 29 AcquisitionModality | DICOM | 19

Name (URI = http://terminology.hl7.org/ValueSet/v3-...) | Name | OID
AcknowledgementCondition | The codes identify the conditions under which accept acknowledgements are required to be returned in response to this message. Note that accept acknowledgement address two different issues at the same time: reliable transport as well as syntactical correctness | 2.16.840.1.113883.1.11.155
AcknowledgementDetailCode | OpenIssue: Missing description. | --
AcknowledgementDetailType | A code identifying the specific message to be provided. Discussion: A textual value may be specified as the print name, or for non-coded messages, as the original text. Examples: 'Required attribute xxx is missing', 'System will be unavailable March 19 from 0100 to 0300' | 2.16.840.1.113883.1.11.19358
AcknowledgementType | This attribute contains an acknowledgement code as described in the HL7 message processing rules. OpenIssue: Description was copied from attribute and needs to be improved to be appropriate for a code system. | 2.16.840.1.113883.1.11.8
ActClass | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.11527
ActClassClinicalDocument | A clinical document is a documentation of clinical observations and services, with the following characteristics: (1) Persistence - A clinical document continues to exist in an unaltered state, for a time period defined by local and regulatory requirements; (2) Stewardship - A clinical document is maintained by a person or organization entrusted with its care; (3) Potential for authentication - A clinical document is an assemblage of information that is intended to be legally authenticated; (4) Wholeness - Authentication of a clinical document applies to the whole and does not apply to portions of the document without the full context of the document; (5) Human readability - A clinical document is human readable." | 2.16.840.1.113883.1.11.13948
ActClassDocument | Specialization of Act to add the characteristics unique to document management services. | 2.16.840.1.113883.1.11.18938
ActClassInvestigation | An formalized inquiry into the circumstances surrounding a particular unplanned event or potential event for the purposes of identifying possible causes and contributing factors for the event. This investigation could be conducted at a local institutional level or at the level of a local or national government. | 2.16.840.1.113883.1.11.20224
ActClassObservation | Description: An act that is intended to result in new information about a subject. The main difference between Observations and other Acts is that Observations have a value attribute. Thecode attribute of Observation and thevalue attribute of Observation must be considered in combination to determine the semantics of the observation. Discussion: Structurally, many observations are name-value-pairs, where the Observation.code (inherited from Act) is the name and the Observation.value is the value of the property. Such a construct is also known as a variable (a named feature that can assume a value) hence, the Observation class is always used to hold generic name-value-pairs or variables, even though the variable valuation may not be the result of an elaborate observation method. It may be a simple answer to a question or it may be an assertion or setting of a parameter. As with all Act statements, Observation statements describe what was done, and in the case

of Observations, this includes a description of what was actually observed (results or answers); and those results or answers are part of the observation and not split off into other objects. The method of action is asserted by the Observation classCode or its subclasses at the least granular level, by the Observation.code attribute value at the medium level of granularity, and by the attribute value of observation.methodCode when a finer level of granularity is required. The method in whole or in part may also appear in the attribute value of Observation.value when using coded data types to express the value of the attribute. Relevant aspects of methodology may also be restated in value when the results themselves imply or state a methodology. An observation may consist of component observations each having their own Observation.code and Observation.value. In this case, the composite observation may not have an Observation.value for itself. For instance, a white blood cell count consists of the sub-observations for the counts of the various granulocytes, lymphocytes and other normal or abnormal blood cells (e.g., blasts). The overall white blood cell count Observation itself may therefore not have a value by itself (even though it could have one, e.g., the sum total of white blood cells). Thus, as long as an Act is essentially an Act of recognizing and noting information about a subject, it is an Observation, regardless of whether it has a simple value by itself or whether it has sub-observations. Even though observations are professional acts (see Act) and as such are intentional actions, this does not require that every possible outcome of an observation be pondered in advance of it being actually made. For instance, differential white blood cell counts (WBC) rarely show blasts, but if they do, this is part of the WBC observation even though blasts might not be predefined in the structure of a normal WBC. Clinical documents commonly have Subjective and Objective findings, both of which are kinds of Observations. In addition, clinical documents commonly contain Assessments, which are also kinds of Observations. Thus, the establishment of a diagnosis is an Observation. Examples: Recording the results of a Family History Assessment Laboratory test and associated result Physical exam test and associated result Device temperature Soil lead level | 2.16.840.1.113883.1.11.11529

ActClassProcedure | An Act whose immediate and primary outcome (post-condition) is the alteration of the physical condition of the subject. Examples: : Procedures may involve the disruption of some body surface (e.g. an incision in a surgical procedure), but they also include conservative procedures such as reduction of a luxated join, chiropractic treatment, massage, balneotherapy, acupuncture, shiatsu, etc. Outside of clinical medicine, procedures may be such things as alteration of environments (e.g. straightening rivers, draining swamps, building dams) or the repair or change of machinery etc. | 2.16.840.1.113883.1.11.19665

ActClassROI | Regions of Interest (ROI) within a subject Act. Primarily used for making secondary observations on a subset of a subject observation. The relationship between a ROI and its referenced Act is specified through an ActRelationship of type "subject" (SUBJ), which must always be present. | 2.16.840.1.113883.1.11.17893

ActClassSupply | Supply orders and deliveries are simple Acts that focus on the delivered product. The product is associated with the Supply Act via Participation.typeCode="product". With general Supply Acts, the precise identification of the Material (manufacturer, serial numbers, etc.) is important. Most of the detailed information about the Supply should be represented using the Material class. If delivery needs to be scheduled, tracked, and billed separately, one can associate a Transportation Act with the Supply Act. Pharmacy dispense services are represented as Supply Acts, associated with a SubstanceAdministration Act. The SubstanceAdministration class represents the administration of medication, while dispensing is supply. | 2.16.840.1.113883.1.11.11535

ActCode | A code specifying the particular kind of Act that the Act-instance represents within its class. Constraints: The kind of Act (e.g. physical examination, serum potassium, inpatient encounter, charge financial transaction, etc.) is specified with a code from one of several, typically external, coding systems. The coding system will depend on the class of Act, such as LOINC for observations, etc. Conceptually, the Act.code must be a specialization of the Act.classCode. This is why the structure of ActClass domain should be reflected in the superstructure of the ActCode domain and then individual codes or externally referenced vocabularies subordinated under these domains that reflect the ActClass structure. Act.classCode and Act.code are not modifiers of each other but the Act.code concept should really imply the Act.classCode concept. For a negative example, it is not appropriate to use an Act.code "potassium" together with and Act.classCode for "laboratory observation" to somehow mean "potassium laboratory observation" and then use the same Act.code for "potassium" together with Act.classCode for "medication" to mean "substitution of potassium". This mutually modifying use of Act.code and Act.classCode is not permitted. | --

ActConsentDirective | ActConsentDirective codes are used to specify the type of Consent Directive to which a Consent Directive Act conforms. | 2.16.840.1.113883.1.11.20425

ActConsentType | Definition: The type of consent directive, e.g., to consent or dissent to collect, access, or use in specific ways within an EHRS or for health information exchange; or to disclose health information for purposes such as research. | 2.16.840.1.113883.1.11.19897

ActCoverageTypeCode | Definition: Set of codes indicating the type of insurance policy or program that pays for the cost of benefits provided to covered parties. | 2.16.840.1.113883.1.11.19855

ActEncounterCode | Domain provides codes that qualify the ActEncounterClass (ENC) | 2.16.840.1.113883.1.11.13955

ActExposureLevelCode | A qualitative measure of the degree of exposure to the causative agent. This includes concepts such as "low", "medium" and "high". This quantifies how the quantity that was available to be administered to the target differs from typical or background levels of the substance. | --

ActIncidentCode | Set of codes indicating the type of incident or accident. | 2.16.840.1.113883.1.11.16508

ActInvoiceElementModifier | Processing consideration and clarification codes. | 2.16.840.1.113883.1.11.17704

ActInvoiceGroupCode | Type of invoice element that is used to assist in describing an Invoice that is either submitted for adjudication or for which is returned on adjudication results. Invoice elements of this type signify a grouping of one or more children (detail) invoice elements. They do not have intrinsic costing associated with them, but merely reflect the sum of all costing for it's immediate children invoice elements. | 2.16.840.1.113883.1.11.19398

ActMood | OpenIssue: In Ballot 2009May, a strong Negative vote was lodged against several of the concept definitions in the vocabulary used for Act.moodCode. The vote was found "Persuasive With Mod", with the understanding that M and M would undertake a detailed review of these concept definitions for a future release of the RIM. | 2.16.840.1.113883.1.11.10196

ActMoodIntent | An intention or plan to perform a service. Historical note: in previous RIM versions, the intent mood was captured as a separate class hierarchy, called Service_intent_or_order. | 2.16.840.1.113883.1.11.10199

ActMoodPredicate | Any of the above service moods (e.g., event, intent, or goal) can be turned into a predicate used as a criterion to express conditionals (or queries.) However, currently we allow only criteria on service events. | 2.16.840.1.113883.1.11.10202

ActPharmacySupplyType | Identifies types of dispensing events | 2.16.840.1.113883.1.11.16208

ActPriority | A set of codes (e.g., for routine, emergency), specifying the urgency under which the Act happened, can happen, is happening, is intended to happen, or is requested/demanded to happen. | --

ActReason | A set of codes specifying the motivation, cause, or rationale of an Act, when such rationale is not reasonably represented as an ActRelationship of type "has reason" linking to another Act. Examples: Example reasons that might qualify for being coded in this field might be: "routine requirement", "infectious disease reporting requirement", "on patient request", "required by law". | --

ActRelationshipCheckpoint | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.10349

ActRelationshipConditional | Specifies under what circumstances (target Act) the source-Act may, must, must not or has occurred | 2.16.840.1.113883.1.11.18977

ActRelationshipFulfills | The source act fulfills (in whole or in part) the target act. Source act must be in a mood equal or more actual than the target act. | 2.16.840.1.113883.1.11.10342

ActRelationshipHasComponent | A collection of sub-services as steps or subtasks performed for the source service. Services may be performed sequentially or concurrently. | 2.16.840.1.113883.1.11.10318

ActRelationshipJoin | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.10360

ActRelationshipPertains | This is a very unspecific relationship from one item of clinical information to another. It does not judge about the role the pertinent information plays. | 2.16.840.1.113883.1.11.10329

ActRelationshipSplit | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.10355

ActRelationshipSubset | <ns1:p>Used to indicate that the target of the relationship will be a filtered subset of the total related set of targets.</ns1:p><ns1:p>Used when there is a need to limit the number of components to the first, the last, the next, the total, the average or some other filtered or calculated subset.</ns1:p> | 2.16.840.1.113883.1.11.19613

ActRelationshipType | The source is an excerpt from the target. | 2.16.840.1.113883.1.11.10317

ActSite | An anatomical location on an organism which can be the focus of an act. | --

ActStatus | Codes representing the defined possible states of an Act, as defined by the Act class state machine. | 2.16.840.1.113883.1.11.15933

ActSubstanceAdminSubstitutionCode | No Description Provided | 2.16.840.1.113883.1.11.16621

ActTaskCode | Description: A task or action that a user may perform in a clinical information system. | 2.16.840.1.113883.1.11.19846

ActUSPrivacyLaw | A jurisdictional mandate in the US relating to privacy. Deprecation Comment: Content moved to ActCode under _ActPrivacyLaw; use that instead. | --

ActUncertainty | OpenIssue: Missing Description | 2.16.840.1.113883.1.11.16899

AddressPartType | Description: Code that specifies whether an address part names the street, city, country, postal code, post box, etc. Discussion: The hierarchical nature of these concepts shows composition. E.g. "Street Name" is part of "Street Address Line" | 2.16.840.1.113883.1.11.10642

AddressUse | Codes that provide guidance around the circumstances in which a given address should be used. | 2.16.840.1.113883.1.11.190

AdministrativeGender | The gender of a person used for adminstrative purposes (as opposed to clinical gender) | 2.16.840.1.113883.1.11.1

AmericanIndianAlaskaNativeLanguages | American Indian and Alaska Native languages currently being used in the United States. | --

Calendar | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.17422

CalendarCycle | Calendar cycle identifiers | --

CalendarType | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.10682

Charset | Internet Assigned Numbers Authority (IANA) Charset Types | 2.16.840.1.113883.1.11.14853

CodingRationale | Identifies how to interpret the instance of the code, codeSystem value in a set of translations. Since HL7 (or a government body) may mandate that codes from certain code systems be sent in conformant messages, other synonyms that are sent in the translation set need to be distinguished among the originally captured source, the HL7 specified code, or some future role. When this code is NULL, it indicates that the translation is an undefined type. When valued, this property must contain one of the following values: SRC - Source (or original) code HL7 - HL7 Specified or Mandated SH - both HL7 mandated and the original code (precoordination) There may be additional values added to this value set as we work through the use of codes in messages and determine other Use Cases requiring special interpretation of the translations. | 2.16.840.1.113883.1.11.19250

CommunicationFunctionType | Describes the type of communication function that the associated entity plays in the associated transmission. | 2.16.840.1.113883.1.11.16031

Compartment | A named tag set for metadata used to populate a security category label field that "segments" an IT resource per policy by indicating that access and use is restricted to members of a defined community or project. (HL7 Healthcare Privacy and Security Classification System) Usage Note: This is the healthcare analog to the US Intelligence Community's concept of a Special Access Program. Compartment codes may be used in as a field value in an initiator's clearance to indicate permission to access and use an IT Resource with a security label having the same compartment value in security category label field. Map: Aligns with ISO 2382-8 definition of Compartment - "A division of data into isolated blocks with separate security controls for the purpose of reducing risk." | 2.16.840.1.113883.1.11.20478

CompressionAlgorithm | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.10620

Confidentiality | A set of codes specifying the security classification of acts and roles in accordance with the definition for concept domain "Confidentiality". | --

ConfidentialityClassification | Set of codes used to value Act.Confidentiality and Role.Confidentiality attribute in accordance with the definition for concept domain "Confidentiality". | 2.16.840.1.113883.1.11.10228

ContainerCap | The type of cap associated with a container | --

ContainerSeparator | A material in a blood collection container that facilites the separation of of blood cells from serum or plasma | 2.16.840.1.113883.1.11.14054

ContentProcessingMode | Description: Identifies the order in which content should be processed. | 2.16.840.1.113883.1.11.19823

ContextControl | A code that specifies how an ActRelationship or Participation contributes to the context of an Act, and whether it may be propagated to descendent Acts whose association allows such propagation (see also attributes Participation.contextControlCode, ActRelationship.contextControlCode, ActRelationship.contextConductionInd). | 2.16.840.1.113883.1.11.16478

DataOperation | **** MISSING DEFINITIONS **** | --

Dentition | **** MISSING DEFINITIONS **** | --

DeviceAlertLevel | Domain values for the Device.Alert_levelCode | 2.16.840.1.113883.1.11.14066

DocumentCompletion | Identifies the current completion state of a clinical document. | 2.16.840.1.113883.1.11.271

DocumentSectionType | The type of document section. Possible values: review of systems, medical history, family history, microscopic findings, etc. | 2.16.840.1.113883.1.11.10871

DocumentStorage | Identifies the storage status of a document. | --

EducationLevel | Years of education that a person has completed | 2.16.840.1.113883.1.11.19175

EmployeeJobClass | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.16036

EncounterAdmissionSource | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.12234

EncounterSpecialCourtesy | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.12242

EntityClass | Classifies the Entity class and all of its subclasses. The terminology is hierarchical. At the top is this HL7-defined domain of high-level categories (such as represented by the Entity subclasses). Each of these terms must be harmonized and is specializable. The value sets beneath are drawn from multiple, frequently external, domains that reflect much more fine-grained typing. | 2.16.840.1.113883.1.11.10882

EntityClassDevice | A subtype of ManufacturedMaterial used in an activity, without being substantially changed through that activity. The kind of device is identified by the code attribute inherited from Entity. Usage: This includes durable (reusable) medical equipment as well as disposable equipment. | 2.16.840.1.113883.1.11.11623

EntityClassLivingSubject | Anything that essentially has the property of life, independent of current state (a dead human corpse is still essentially a living subject.) | 2.16.840.1.113883.1.11.10884

EntityClassManufacturedMaterial | Corresponds to the ManufacturedMaterial class | 2.16.840.1.113883.1.11.13934

EntityClassOrganization | A social or legal structure formed by human beings. | 2.16.840.1.113883.1.11.10889

EntityClassPlace | A physicial place or site with its containing structure. May be natural or man-made. The geographic position of a place may or may not be constant. | 2.16.840.1.113883.1.11.10892

EntityClassRoot | Corresponds to the Entity class | 2.16.840.1.113883.1.11.13922

EntityCode | OpenIssue: Missing description. | --

EntityDeterminer | EntityDeterminer in natural language grammar is the class of words that comprises articles, demonstrative pronouns, and quantifiers. In the RIM, determiner is a structural code in the Entity class to distinguish whether any given Entity object stands for some, any one, or a specific thing. | 2.16.840.1.113883.1.11.10878

EntityDeterminerDetermined | The described determiner is used to indicate that the given Entity is taken as a general description of a kind of thing that can be taken in whole, in part, or in multiples. | 2.16.840.1.113883.1.11.10879

EntityHandling | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.13988

EntityNamePartQualifier | OpenIssue: Needs description | 2.16.840.1.113883.1.11.15888

EntityNamePartQualifierR2 | Description: The qualifier is a set of codes each of which specifies a certain subcategory of the name part in addition to the main name part type. For example, a given name may be flagged as a nickname, a family name may be a pseudonym or a name of public records. | 2.16.840.1.113883.1.11.20323

EntityNamePartType | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.15880

EntityNamePartTypeR2 | Description: Indicates whether the name part is a given name, family name, prefix, suffix, etc. | 2.16.840.1.113883.1.11.20322

EntityNameUse | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.15913

EntityNameUseR2 | Description: A set of codes advising a system or user which name in a set of names to select for a given purpose. | 2.16.840.1.113883.1.11.20321

EntityRisk | Kinds of risks associated with the handling of the material.. | --

EntityStatus | Codes representing the defined possible states of an Entity, as defined by the Entity class state machine. | 2.16.840.1.113883.1.11.16005

EquipmentAlertLevel | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.10896

Ethnicity | In the United States, federal standards for classifying data on ethnicity determine the categories used by federal agencies and exert a strong influence on categorization by state and local agencies and private sector organizations. The federal standards do not conceptually define ethnicity, and they recognize the absence of an anthropological or scientific basis for ethnicity classification. Instead, the federal standards acknowledge that ethnicity is a social-political construct in which an individual's own identification with a particular ethnicity is preferred to observer identification. The standards specify two minimum ethnicity categories: Hispanic or Latino, and Not Hispanic or Latino. The standards define a Hispanic or Latino as a person of "Mexican, Puerto Rican, Cuban, South or Central America, or other Spanish culture or origin, regardless of race." The standards stipulate that ethnicity data need not be limited to the two minimum categories, but any expansion must be collapsible to those categories. In addition, the standards stipulate that an individual can be Hispanic or Latino or can be Not Hispanic or Latino, but cannot be both. | --

ExposureMode | Code for the mechanism by which the exposure agent was exchanged or potentially exchanged by the participants involved in the exposure. | --

FamilyMember | A relationship between two people characterizing their "familial" relationship | 2.16.840.1.113883.1.11.19579

GTSAbbreviation | Open Issue: It appears that the printnames are suboptimal and should be improved for many of the existing codes. | --

GenderStatus | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.11523

GeneralPurposeOfUse | Supports communication of purpose of use at a general level. | 2.16.840.1.113883.1.11.20449

HL7ContextConductionStyle | The styles of context conduction usable by relationships within a static model derived from tyhe HL7 Reference Information Model. | 2.16.840.1.113883.1.11.20380

HL7StandardVersionCode | This code system holds version codes for the Version 3 standards. Values are to be determined by HL7 and added with each new version of the HL7 Standard. | 2.16.840.1.113883.1.11.19373

HL7UpdateMode | The possible modes of updating that occur when an attribute is received by a system that already contains values for that attribute. | 2.16.840.1.113883.1.11.10018

HtmlLinkType | HtmlLinkType values are drawn from HTML 4.0 and describe the relationship between the current document and the anchor that is the target of the link | 2.16.840.1.113883.1.11.11017

HumanLanguage | Codes for the representation of the names of human languages. | 2.16.840.1.113883.1.11.11526

IdentifierReliability | Specifies the reliability with which the identifier is known. This attribute MAY be used to assist with identifier matching algorithms. | 2.16.840.1.113883.1.11.20277

IdentifierScope | Description: Codes to specify the scope in which the identifier applies to the object with which it is associated, and used in the datatype property II. | 2.16.840.1.113883.1.11.20276

InformationSensitivityPolicy | Sensitivity codes are not useful for interoperability outside of a policy domain because sensitivity policies are typically localized and vary drastically across policy domains even for the same information category because of differing organizational business rules, security policies, and jurisdictional requirements. For example, an "employee" sensitivity code would make little sense for use outside of a policy domain. "Taboo" would rarely be useful outside of a policy domain unless there are jurisdictional requirements requiring that a provider disclose sensitive information to a patient directly. Sensitivity codes may be more appropriate in a legacy system's Master Files in order to notify those who access a patient's orders and observations about the sensitivity policies that apply. Newer systems may have a security engine that uses a sensitivity policy's criteria directly. The specializable Sensitivity Act.code may be useful in some scenarious if used in combination with a sensitivity identifier and/or Act.title. | 2.16.840.1.113883.1.11.20428

IntegrityCheckAlgorithm | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.17385

LanguageAbilityMode | A value representing the method of expression of the language. Example: Expressed spoken, expressed written, expressed signed, received spoken, received written, received signed. OpenIssue: Description copied from Concept Domain of same name. Must be verified. | 2.16.840.1.113883.1.11.12249

LanguageAbilityProficiency | A value representing the level of proficiency in a language. Example: Excellent, good, fair, poor. OpenIssue: Description copied from Concept Domain of same name. Must be verified. | 2.16.840.1.113883.1.11.12199

LivingArrangement | A code depicting the living arrangements of a person | --

LocalMarkupIgnore | Tells a receiver to ignore just the local markup tags (local_markup, local_header, local_attr) when value="markup", or to ignore the local markup tags and all contained content when value="all" | 2.16.840.1.113883.1.11.10975

LocalRemoteControlState | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.10893

ManagedParticipationStatus | Codes representing the defined possible states of a Managed Participation, as defined by the Managed Participation class state machine. | 2.16.840.1.113883.1.11.15992

MapRelationship | The closeness or quality of the mapping between the HL7 concept (as represented by the HL7 concept identifier) and the source coding system. The values are patterned after the similar relationships used in the UMLS Metathesaurus. Because the HL7 coding sy | 2.16.840.1.113883.1.11.11052

MaritalStatus | * * * No description supplied * * * Open Issue: The specific meanings of these codes can vary somewhat by jurisdiction and implementation so caution should be used when determining equivalency. | --

MessageWaitingPriority | Indicates that the receiver has messages for the sender OpenIssue: Description does not make sense relative to name of coding system. Must be reviewed and improved. | --

MilitaryRoleType | Definition: A person playing the role of program eligible under a program based on military status. Discussion: This CoveredPartyRoleType.code is typically used when the CoveredPartyRole class code is either "program eligible" or "subscriber" and the person's status as a member of the military meets jurisdictional or program criteria | 2.16.840.1.113883.1.11.19812

ModifyIndicator | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.395

NullFlavor | A collection of codes specifying why a valid value is not present. | 2.16.840.1.113883.1.11.10609

ObligationPolicy | Conveys the mandated workflow action that an information custodian, receiver, or user must perform. Examples: encrypt Usage Note: Per OASIS XACML, an obligation is an operation specified in a policy or policy that is performed in conjunction with the enforcement of an access control decision. | 2.16.840.1.113883.1.11.20445

ObservationCategory | High level observation categories for the general type of observation being made. URL: http://hl7-fhir.github.io/valueset-observation-category.html This is an inline code system http://hl7.org/fhir/observation-category. | 2.16.840.1.113883.4.642.2.222

ObservationInterpretation | One or more codes providing a rough qualitative interpretation of the observation, such as "normal" / "abnormal", "low" / "high", "better" / "worse", "resistant" / "susceptible", "expected" / "not expected". The value set is intended to be for ANY use where coded representation of an interpretation is needed. | 2.16.840.1.113883.1.11.78

ObservationMethod | A code that provides additional detail about the means or technique used to ascertain the observation. Examples: Blood pressure measurement method: arterial puncture vs. sphygmomanometer (Riva-Rocci), sitting vs. supine position, etc. OpenIssue: Description copied from Concept Domain of same name. Must be verified. Note that the Domain has a full discussion about use of the attribute and constraining that is not appropriate for the code system description. Needs to be improved. | 2.16.840.1.113883.1.11.20423

ObservationType | Identifies the kinds of observations that can be performed | 2.16.840.1.113883.1.11.16226

ObservationValue | This domain is the root domain to which all HL7-recognized value sets for the Observation.value attribute will be linked when Observation.value has a coded data type. OpenIssue: Description copied from Concept Domain of same name. Must be corrected.. | --

ParticipationFunction | This code is used to specify the exact function an actor had in a service in all necessary detail. This domain may include local extensions (CWE). | 2.16.840.1.113883.1.11.10267

ParticipationIndirectTarget | Target that is not substantially present in the act and which is not directly affected by the act, but which will be a focus of the record or documentation of the act. | 2.16.840.1.113883.1.11.19032

ParticipationInformationGenerator | Parties that may or should contribute or have contributed information to the Act. Such information includes information leading to the decision to perform the Act and how to perform the Act (e.g., consultant), information that the Act itself seeks to reveal (e.g., informant of clinical history), or information about what Act was performed (e.g., informant witness). | 2.16.840.1.113883.1.11.10251

ParticipationInformationTranscriber | An entity entering the data into the originating system. The data entry entity is collected optionally for internal quality control purposes. This includes the transcriptionist for dictated text transcribed into electronic form. | 2.16.840.1.113883.1.11.19676

ParticipationMode | A set of codes specifying the modality by which the Entity playing the Role is participating in the Act. Examples: Physically present, over the telephone, written communication. Rationale: Particularly for author (originator) participants this is used to specify whether the information represented by the act was initially provided verbally, (hand-)written, or electronically. Open Issue: There needs to be a reexamination of the hierarchies as there seems to be some muddling between ELECTRONIC and other concepts that involve electronic communication that are in other hierarchies. | --

ParticipationPhysicalPerformer | A person who actually and principally carries out the action. Need not be the principal responsible actor, e.g. a surgery resident operating under supervision of attending surgeon, and may be the patient in self-care, e.g. fingerstick blood sugar. The traditional order filler is a performer. This information should accompany every service event. | 2.16.840.1.113883.1.11.10248

ParticipationSignature | A set of codes specifying whether and how the participant has attested his participation through a signature and or whether such a signature is needed. Examples: A surgical Procedure act object (representing a procedure report) requires a signature of the performing and responsible surgeon, and possibly other participants. (See also: Participation.signatureText.) | 2.16.840.1.113883.1.11.10282

ParticipationTargetDirect | Target that is substantially present in the service and which is directly affected by the service action (includes consumed material, devices, etc.). | 2.16.840.1.113883.1.11.10286

ParticipationTargetLocation | The facility where the service is done. May be a static building (or room therein) or a moving location (e.g., ambulance, helicopter, aircraft, train, truck, ship, etc.) | 2.16.840.1.113883.1.11.10302

ParticipationTargetSubject | The principle target that the service acts on. E.g. the patient in physical examination, a specimen in a lab observation. May also be a patient's family member (teaching) or a device or room (cleaning, disinfecting, housekeeping). Note: not all direct targets are subjects, consumables, and devices used as tools for a service are not subjects. However, a device may be a subject of a maintenance service. | 2.16.840.1.113883.1.11.19584

ParticipationType | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.10901

ParticipationVerifier | A person who verifies the correctness and appropriateness of the service (plan, order, event, etc.) and hence takes on accountability. | 2.16.840.1.113883.1.11.10259

PatientImportance | Patient VIP code | 2.16.840.1.113883.1.11.19265

PaymentTerms | Describes payment terms for a financial transaction, used in an invoice. This is typically expressed as a responsibility of the acceptor or payor of an invoice. | 2.16.840.1.113883.1.11.14908

PersonDisabilityType | A code identifying a person's disability. | --

PersonalRelationshipRoleType | Types of personal relationships between two living subjects. Example: Parent, sibling, unrelated friend, neighbor | 2.16.840.1.113883.1.11.19563

ProbabilityDistributionType | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.10747

ProcessingID | Codes used to specify whether a message is part of a production, training, or debugging system. | 2.16.840.1.113883.1.11.103

ProcessingMode | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.207

ProvenanceEventCurrentState | Specifies the state change of a target Act, such as a document or an entry, from its previous state as a predecessor Act. For example, if the target Act is the result of a predecessor Act being "obsoleted" and replaced with the target Act, the source ProvenanceEventCurrentState Act code would be "obsoleted". | 2.16.840.1.113883.1.11.20547

ProvenanceEventCurrentState-AS | Specifies the state change of a target Act, using ActStatus codes, from its previous state as a predecessor Act. For example, if the target Act is the result of a predecessor Act being "obsoleted" and replaced with the target Act, the source ProvenanceEventCurrentState Act code would be "obsoleted". | 2.16.840.1.113883.1.11.20545

ProvenanceEventCurrentState-DC | Specifies the state change of a target Act using DocuymentCompletion codes, from its previous state as a predecessor Act. For example, if the target Act is the result of a predecessor Act being "obsoleted" and replaced with the target Act, the source ProvenanceEventCurrentState Act code would be "obsoleted". | 2.16.840.1.113883.1.11.20546

PurposeOfUse | Supports communication of purpose of use at a general level. | 2.16.840.1.113883.1.11.20448

QueryParameterValue | The domain of coded values used as parameters within QueryByParameter queries. | --

QueryPriority | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.91

QueryRequestLimit | Definition: Defines the units associated with the magnitude of the maximum size limit of a query response that can be accepted by the requesting application. | --

QueryResponse | A code classifying the general nature of the response to a given query. Includes whether or not data was found, or whether an error occurred. | 2.16.840.1.113883.1.11.208

QueryStatusCode | A code specifying the state of the Query. | 2.16.840.1.113883.1.11.18899

Race | In the United States, federal standards for classifying data on race determine the categories used by federal agencies and exert a strong influence on categorization by state and local agencies and private sector organizations. The federal standards do not conceptually define race, and they recognize the absence of an anthropological or scientific basis for racial classification. Instead, the federal standards acknowledge that race is a social-political construct in which an individual's own identification with one more race categories is preferred to observer identification. The standards use a variety of features to define five minimum race categories. Among these features are descent from "the original peoples" of a specified region or nation. The minimum race categories are American Indian or Alaska Native, Asian, Black or African American, Native Hawaiian or Other Pacific Islander, and White. The federal standards stipulate that race data need not be limited to the five minimum categories, but any expansion must be collapsible to those categories. | --

RefrainPolicy | Conveys prohibited actions which an information custodian, receiver, or user is not permitted to perform unless otherwise authorized or permitted under specified circumstances. Examples: prohibit redisclosure without consent directive | 2.16.840.1.113883.1.11.20446

RelationalOperator | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.209

RelationshipConjunction | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.10365

ReligiousAffiliation | Assigment of spiritual faith affiliation | --

ResponseLevel | Specifies whether a response is expected from the addressee of this interaction and what level of detail that response should include | 2.16.840.1.113883.1.11.14761

ResponseModality | Defines the timing and grouping of the response instances. OpenIssue: Description copied from Concept Domain of same name. Must be verified. | 2.16.840.1.113883.1.11.394

ResponseMode | Specifies the mode, immediate versus deferred or queued, by which a receiver should communicate its receiver responsibilities. | 2.16.840.1.113883.1.11.19650

RoleClass | Codes for the Role class hierarchy. The values in this hierarchy, represent a Role which is an association or relationship between two entities - the entity that plays the role and the entity that scopes the role. Roles names are derived from the name of the playing entity in that role. The role hierarchy stems from three core concepts, or abstract domains: RoleClassOntological is an abstract domain that collects roles in which the playing entity is defined or specified by the scoping entity. RoleClassPartitive collects roles in which the playing entity is in some sense a "part" of the scoping entity. RoleClassAssociative collects all of the remaining forms of association between the playing entity and the scoping entity. This set of roles is further partitioned between: RoleClassPassive which are roles in which the playing entity is used, known, treated, handled, built, or destroyed, etc. under the auspices of the scoping entity. The playing entity is passive in these roles in that the role exists without an agreement from the playing entity. RoleClassMutualRelationship which are relationships based on mutual behavior of the two entities. The basis of these relationship may be formal agreements or they may bede facto behavior. Thus, this sub-domain is further divided into: RoleClassRelationshipFormal in which the relationship is formally defined, frequently by a contract or agreement. Personal relationship which inks two people in a personal relationship. The hierarchy discussed above is represented In the current vocabulary tables as a set of abstract domains, with the exception of the "Personal relationship" which is a leaf concept. OpenIssue: Description copied from Concept Domain of same name. Must be verified. | 2.16.840.1.113883.1.11.11555

RoleClassAgent | An entity (player) that acts or is authorized to act on behalf of another entity (scoper). | 2.16.840.1.113883.1.11.14006

RoleClassAssociative | A general association between two entities that is neither partitive nor ontological. | 2.16.840.1.113883.1.11.19313

RoleClassManufacturedProduct | Scoped by the manufacturer | 2.16.840.1.113883.1.11.11580

RoleClassMutualRelationship | A relationship that is based on mutual behavior of the two Entities as being related. The basis of such relationship may be agreements (e.g., spouses, contract parties) or they may bede facto behavior (e.g. friends) or may be an incidental involvement with each other (e.g. parties over a dispute, siblings, children). | 2.16.840.1.113883.1.11.19316

RoleClassPartitive | An association between two Entities where the playing Entity is considered in some way "part" of the scoping Entity, e.g., as a member, component, ingredient, or content. Being "part" in the broadest sense of the word can mean anything from being an integral structural component to a mere incidental temporary association of a playing Entity with a (generally larger) scoping Entity. | 2.16.840.1.113883.1.11.10429

RoleClassPassive | An association for a playing Entity that is used, known, treated, handled, built, or destroyed, etc. under the auspices of the scoping Entity. The playing Entity is passive in these roles (even though it may be active in other roles), in the

sense that the kinds of things done to it in this role happen without an agreement from the playing Entity. | 2.16.840.1.113883.1.11.19105
RoleClassRelationshipFormal | A relationship between two entities that is formally recognized, frequently by a contract or similar agreement. | 2.16.840.1.113883.1.11.10416
RoleClassRoot | Corresponds to the Role class | 2.16.840.1.113883.1.11.13940
RoleClassServiceDeliveryLocation | A role played by a place at which services may be provided. | 2.16.840.1.113883.1.11.16927
RoleClassSpecimen | A role played by a material entity that is a specimen for an act. It is scoped by the source of the specimen. | 2.16.840.1.113883.1.11.11591
RoleCode | A set of codes further specifying the kind of Role; specific classification codes for further qualifying RoleClass codes. | --
RoleLinkStatus | Description: Codes representing possible states of a RoleLink, as defined by the RoleLink class state machine. | 2.16.840.1.113883.1.11.20413
RoleLinkType | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.11603
RoleStatus | Codes representing the defined possible states of an Role, as defined by the Role class state machine. | 2.16.840.1.113883.1.11.15999
RouteOfAdministration | The path the administered medication takes to get into the body or into contact with the body. | --
SecurityControlObservationValue | Security observation values used to indicate security control metadata. V:SecurityControl is the union of V:SecurityPolicy,V:ObligationPolicy, V:RefrainPolicy, V:PurposeOfUse, and V:GeneralPurpose of Use used to populate the SecurityControlObservationValue attribute in order to convey one or more nonhierarchical security control metadata dictating handling caveats, purpose of use, dissemination controls and other refrain policies, and obligations to which a custodian or receiver is required to comply. | 2.16.840.1.113883.1.11.20471
SecurityIntegrityObservationValue | No Description Provided | 2.16.840.1.113883.1.11.20481
SecurityPolicy | Types of security policies that further specify the ActClassPolicy value set. Examples: encrypt prohibit redisclosure without consent directive | 2.16.840.1.113883.1.11.20444
Sequencing | Specifies sequence of sort order. | 2.16.840.1.113883.1.11.390
ServiceDeliveryLocationRoleType | A role of a place that further classifies the setting (e.g., accident site, road side, work site, community location) in which services are delivered. | 2.16.840.1.113883.1.11.17660
SetOperator | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.17416
SeverityObservation | Potential values for observations of severity. | 2.16.840.1.113883.1.11.16643
SpecimenType | **** MISSING DEFINITIONS **** | --
SubstanceAdminSubstitutionReason | No Description Provided | 2.16.840.1.113883.1.11.19377
SubstitutionCondition | Identifies what sort of change is permitted or has occurred between the item that was ordered/requested and the one that was/will be provided. | --
TableCellHorizontalAlign | These values are defined within the XHTML 4.0 Table Model | 2.16.840.1.113883.1.11.10981
TableCellScope | These values are defined within the XHTML 4.0 Table Model | 2.16.840.1.113883.1.11.11012
TableCellVerticalAlign | These values are defined within the XHTML 4.0 Table Model | 2.16.840.1.113883.1.11.10987
TableFrame | These values are defined within the XHTML 4.0 Table Model | 2.16.840.1.113883.1.11.10992
TableRules | These values are defined within the XHTML 4.0 Table Model | 2.16.840.1.113883.1.11.11002
TargetAwareness | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.10310
TelecommunicationCapabilities | Description: Concepts that define the telecommunication capabilities of a particular device. Used to identify the expected capabilities to be found at a particular telecommunication address. | 2.16.840.1.113883.1.11.20312
TimingEvent | **** MISSING DEFINITIONS **** | 2.16.840.1.113883.1.11.10706
TransmissionRelationshipTypeCode | Description: A code specifying the meaning and purpose of every TransmissionRelationship instance. Each of its values implies specific constraints to what kinds of Transmission objects can be related and in which way. | 2.16.840.1.113883.1.11.19833
TribalEntityUS | INDIAN ENTITIES RECOGNIZED AND ELIGIBLE TO RECEIVE SERVICES FROM THE UNITED STATES BUREAU OF INDIAN AFFAIRS | --
VaccineManufacturer | The manufacturer of a vaccine. | 2.16.840.1.113883.1.11.227
VerificationMethod | No Description Provided | 2.16.840.1.113883.1.11.19707
WorkClassificationODH | Code system of concepts representing a person's job type as defined by compensation and sector (e.g. paid vs. unpaid, self-employed vs. not self-employed, government vs. private, etc.). | 2.16.840.1.113883.1.11.20560
WorkScheduleODH | Describes an individual's typical arrangement of working hours for an occupation. | 2.16.840.1.113883.1.11.20561
employmentStatusODH | Concepts representing whether a person does or does not currently have a job or is not currently in the labor pool seeking employment. | 2.16.840.1.113883.1.11.20562
hl7ApprovalStatus | Description: Codes for concepts describing the approval level of HL7 artifacts. This code system reflects the concepts expressed in HL7's Governance & Operations Manual (GOM) past and present. | --
hl7CMETAttribution | **** MISSING DEFINITIONS **** | --
hl7ITSType | Description: Codes identifying types of HL7 Implementation Technology Specifications | --
hl7ITSVersionCode | HL7 implementation technology specification versions. These codes will document the ITS type and version for message encoding. The code will appear in the instances based upon rules expressed in the ITS, and do not appear in the abstract message, either as it is presented to received from the ITS. | --
hl7PublishingDomain | Description: Codes for HL7 publishing domains (specific content area) | --
hl7PublishingSection | Description: Codes for HL7 publishing sections (major business categories) | --
hl7PublishingSubSection | Description: Codes for HL7 publishing sub-sections (business sub-categories) | --
hl7Realm | Description: Coded concepts representing Binding Realms (used for Context Binding of terminology in HL7 models) and/or Namespace Realms (used to help ensure unique identification of HL7 artifacts). This code system is partitioned into three sections: Affiliate realms, Binding realms and Namespace realms. All affiliate realm codes may automatically be used as both binding realms and namespace realms. Furthermore, affiliate realms are the only realms that have authority over the creation of binding realms. (Note that 'affiliate' includes the idea of both international affiliates and the HL7 International organization.) All other codes must be associated with an owning affiliate realm and must appear as a specialization of _BindingRealm or _NamespaceRealm. For affiliates whose concepts align with nations, the country codes from ISO 3166-1 2-character alpha are used for the code when possible so these codes should not be used for other realm types. It is recommended that binding realm and namespace codes submitted by affiliates use the realm code as a prefix to avoid possible collisions with ISO codes. However, tooling does not currently support namepace realm codes greater than 2 characters. Open Issue: The name of the concept property "owningAffiliate" should be changed to better reflect that the property value is the human readable name of the

organizational entity that manages the Realm identified by the Realm Code. Open Issue: In spite of the inability of tooling to process codes longer than 2 characters, there is at least one realm codes ('SOA') that was added that is 3 characters in length. | 2.16.840.1.113883.1.11.20355

hl7V3Conformance | Description: Identifies allowed codes for HL7aTMs v3 conformance property. | --

hl7VoteResolution | Description: Based on concepts for resolutions from HL7 ballot spreadsheet according to HL7's Governance & Operations Manual (GOM). | --

orderableDrugForm | OpenIssue: Missing description. | --

policyHolderRole | This vocabulary is defined by Implementation Guide for CDA Release 2 - Level 1 - Care Record Summary (US realm). It describes roles recognized through the issuance of an insurance policy to a policyholder who a relationship with the covered party, such as spouse, child, etc. This vocabulary is essentially an inversion of the role relations of the HL7 CoverageRoleType vocabulary. It provides more detailed roles with respect to the underwriter (the scoping organization) for those participants in the policyholder role for a patient. Open Issue: The code values for this coding system must be extracted from the CDA documentation and brought forward through Harmonization for instantiation in this repository. | --

styleType | <ns1:p>The style code is used within the CDA/SPL narrative block to give the instance author some control over various aspects of style</ns1:p> | --

substanceAdminSubstitution | Identifies what sort of change is permitted or has occurred between the therapy that was ordered and the therapy that was/will be provided. | --

triggerEventID | Description: This code system contains all HL7 artifacts of type TE (Trigger Event) that are created by HL7 or its affiliates or their designates using the realm namespacing rules approved by HL7. Local implementations who create trigger events outside of these namespacing rules, (e.g. using the ZZ realm code) must register their own code system. The specific list of legal codes can be found by consulting the HL7 publications (editions, ballots, implementation guides, etc.) published by HL7 Inc. and by the various HL7 affiliates and their designates. Codes shall be expressed in upper case, with separator as shown in HL7 publications with no version id. E.g. PORX_TE123456UV. | 2.16.840.1.113883.1.11.20324

xBasicConfidentialityKind | Description: Used to enumerate the typical confidentiality constraints placed upon a clinical document. Usage Note: x_BasicConfidentialityKind is a subset of Confidentiality codes that are used as metadata indicating the receiver responsibility to comply with normally applicable jurisdictional privacy law or disclosure authorization; that the receiver may not disclose this information except as directed by the information custodian, who may be the information subject; or that the receiver may not disclose this information except as directed by the information custodian, who may be the information subject. | 2.16.840.1.113883.1.11.16926

URI | Description | OID

URI (all prefixed with http://terminology.hl7.org/CodeSystem/v2-/) | ID | OID

0001 | Administrative Sex
0002 | Marital Status
0003 | Event Type
0004 | Patient Class
0005 | Race
0006 | ReligionVersion Dependent. Use one of: 2.1+ 2.4+
0007 | Admission Type
0008 | Acknowledgment code
0009 | Ambulatory Status
0012 | STOCK LOCATION
0017 | Transaction Type
0023 | Admit Source
0027 | Priority
0033 | ROUTE
0034 | SITE ADMINISTERED
0038 | Order status
0043 | Condition Code
0048 | What subject filter
0052 | Diagnosis Type
0061 | Check Digit Scheme
0062 | Event Reason
0063 | Relationship
0065 | Specimen Action Code
0066 | Employment Status
0069 | Hospital Service
0070 | Specimen Source Codes
0074 | Diagnostic Service Section ID
0076 | Message Type
0078 | Interpretation Codes
0080 | Nature of Abnormal Testing
0083 | Outlier Type
0085 | Observation Result Status Codes Interpretation
0091 | Query Priority
0092 | Re-Admission Indicator
0098 | Type of Agreement
0100 | Invocation event
0102 | Delayed acknowledgment type
0103 | Processing ID
0104 | Version ID
0105 | Source of Comment
0106 | Query/response format code
0107 | Deferred response type
0108 | Query results level

0109 | Report priority
0116 | Bed Status
0119 | Order Control Codes
0121 | Response Flag
0122 | Charge Type
0123 | Result Status
0124 | Transportation Mode
0125 | Value Type
0126 | Quantity Limited Request
0127 | Allergen Type
0128 | Allergy Severity
0130 | Visit User Code
0131 | Contact Role
0133 | Procedure Practitioner Identifier Code Type
0135 | Assignment of Benefits
0136 | Yes/no Indicator
0137 | Mail Claim Party
0140 | Military Service
0141 | Military Rank/Grade
0142 | Military Status
0144 | Eligibility Source
0145 | Room Type
0146 | Amount Type
0147 | Policy Type
0148 | Money or Percentage Indicator
0149 | Day Type
0150 | Certification Patient Type
0153 | Value Code
0155 | Accept/Application Acknowledgment Conditions
0156 | Which date/time qualifier
0157 | Which date/time status qualifier
0158 | Date/time selection qualifier
0159 | Diet Code Specification Type
0160 | Tray Type
0161 | Allow Substitution
0162 | Route of Administration
0163 | Body Site
0164 | Administration Device
0165 | Administration Method
0166 | RX Component Type
0167 | Substitution Status
0168 | Processing Priority
0169 | Reporting Priority
0170 | Derived Specimen
0173 | Coordination of Benefits
0174 | Nature of Service/Test/Observation
0175 | Master File Identifier Code
0177 | Confidentiality Code
0178 | File Level Event Code
0179 | Response Level
0180 | Masterfile Action Code
0181 | MFN Record-level Error Return
0183 | Active/Inactive
0185 | Preferred Method of Contact
0187 | Provider Billing
0189 | Ethnic Group
0190 | Address Type
0191 | Type of Referenced Data
0193 | Amount Class
0200 | Name Type
0201 | Telecommunication Use Code
0202 | Telecommunication Equipment Type
0203 | Identifier Type
0204 | Organizational Name Type
0205 | Price Type
0206 | Segment Action Code
0207 | Processing Mode
0208 | Query Response Status
0209 | Relational Operator
0210 | Relational Conjunction
0211 | Alternate Character Sets
0213 | Purge Status Code

0214 | Special Program Code
0215 | Publicity Code
0216 | Patient Status Code
0217 | Visit Priority Code
0220 | Living Arrangement
0223 | Living Dependency
0224 | Transport Arranged
0225 | Escort Required
0227 | Manufacturers of Vaccines (code=MVX)
0228 | Diagnosis Classification
0229 | DRG Payor
0230 | Procedure Functional Type
0231 | Student Status
0232 | - Insurance Company Contact Reason
0234 | Report Timing
0235 | Report Source
0236 | Event Reported To
0237 | Event Qualification
0238 | Event Seriousness
0239 | Event Expected
0240 | Event Consequence
0241 | Patient Outcome
0242 | Primary Observer's Qualification
0243 | Identity May Be Divulged
0247 | Status of Evaluation
0248 | Product Source
0250 | Relatedness Assessment
0251 | Action Taken in Response to the Event
0252 | Causality Observations
0253 | Indirect Exposure Mechanism
0254 | Kind of Quantity
0255 | Duration Categories
0256 | Time Delay Post Challenge
0257 | Nature of Challenge
0258 | Relationship Modifier
0259 | Modality
0260 | Patient Location Type
0261 | Location Equipment
0262 | Privacy Level
0263 | Level of Care
0265 | Specialty Type
0267 | Days of the Week
0268 | Override
0269 | Charge On Indicator
0270 | Document Type
0271 | Document Completion Status
0272 | Document Confidentiality Status
0273 | Document Availability Status
0275 | Document Storage Status
0276 | Appointment reason codes
0277 | Appointment Type Codes
0278 | Filler status codes
0279 | Allow Substitution Codes
0280 | Referral Priority
0281 | Referral Type
0282 | Referral Disposition
0283 | Referral Status
0284 | Referral Category
0286 | Provider Role
0287 | Problem/Goal Action Code
0290 | MIME base64 encoding characters
0291 | Subtype of Referenced Data
0292 | Vaccines Administered
0294 | Time Selection Criteria Parameter Class Codes
0298 | CP Range Type
0299 | Encoding
0301 | Universal ID Type
0305 | Person Location Type
0309 | Coverage Type
0311 | Job Status
0315 | Living Will Code
0316 | Organ Donor Code

0317 | Annotations
0321 | Dispense Method
0322 | Completion Status
0323 | Action Code
0324 | Location Characteristic ID
0325 | Location Relationship ID
0326 | Visit Indicator
0329 | Quantity Method
0330 | Marketing Basis
0331 | Facility Type
0332 | Source Type
0334 | Disabled Person Code
0335 | Repeat Pattern
0336 | Referral Reason
0337 | Certification Status
0338 | Practitioner ID Number Type
0339 | Advanced Beneficiary Notice Code
0344 | Patient's Relationship to Insured
0350 | Occurrence Code
0351 | Occurrence Span
0353 | CWE statuses
0354 | Message Structure
0355 | Primary Key Value Type
0356 | Alternate Character Set Handling Scheme
0357 | Message Error Condition Codes
0359 | Diagnosis Priority
0360 | Degree/License/CertificateVersion Dependent. Use one of: 2.3.1+ 2.7+
0363 | Assigning Authority
0364 | Comment Type
0365 | Equipment State
0366 | Local/Remote Control State
0367 | Alert Level
0368 | Remote Control Command
0369 | Specimen Role
0370 | Container Status
0371 | Additive/Preservative
0372 | Specimen Component
0373 | Treatment
0374 | System Induced Contaminants
0375 | Artificial Blood
0376 | Special Handling Code
0377 | Other Environmental Factors
0383 | Substance Status
0384 | Substance Type
0387 | Command Response
0388 | Processing Type
0389 | Analyte Repeat Status
0391 | Segment GroupVersion Dependent. Use one of: 2.4+ 2.6+
0392 | Match Reason
0393 | Match Algorithms
0394 | Response Modality
0395 | Modify Indicator
0396 | Coding System
0397 | Sequencing
0398 | Continuation Style Code
0401 | Government Reimbursement Program
0402 | School Type
0403 | Language Ability
0404 | Language Proficiency
0406 | Participant Organization Unit Type
0409 | Application Change Type
0411 | Supplemental Service Information Values
0415 | Transfer Type
0416 | Procedure DRG Type
0417 | Tissue Type Code
0418 | Procedure Priority
0421 | Severity of Illness Code
0422 | Triage Code
0423 | Case Category Code
0424 | Gestation Category Code
0425 | Newborn Code
0426 | Blood Product Code

0427 | Risk Management Incident Code
0428 | Incident Type Code
0429 | Production Class Code
0430 | Mode of Arrival Code
0431 | Recreational Drug Use Code
0432 | Admission Level of Care Code
0433 | Precaution Code
0434 | Patient Condition Code
0435 | Advance Directive Code
0436 | Sensitivity to Causative Agent Code
0437 | Alert Device Code
0438 | Allergy Clinical Status
0440 | Data Types
0441 | Immunization Registry Status
0442 | Location Service Code
0443 | Provider Role
0444 | Name Assembly Order
0445 | Identity Reliability Code
0450 | Event Type
0455 | Type of Bill Code
0456 | Revenue code
0457 | Overall Claim Disposition Code
0459 | Reimbursement Action Code
0460 | Denial or Rejection Code
0465 | Name/Address Representation
0466 | Ambulatory Payment Classification Code
0468 | Payment Adjustment Code
0469 | Packaging Status Code
0470 | Reimbursement Type Code
0472 | TQ Conjunction ID
0473 | Formulary Status
0474 | Practitioner Organization Unit Type
0475 | Charge Type Reason
0477 | Controlled Substance Schedule
0478 | Formulary Status
0480 | Pharmacy Order Types
0482 | Order Type
0483 | Authorization Mode
0484 | Dispense Type
0485 | Extended Priority Codes
0487 | Specimen Type
0488 | Specimen Collection Method
0489 | Risk Codes
0490 | Specimen Reject Reason
0491 | Specimen Quality
0492 | Specimen Appropriateness
0493 | Specimen Condition
0494 | Specimen Child Role
0495 | Body Site Modifier
0496 | Consent Type
0497 | Consent Mode
0498 | Consent Status
0499 | Consent Bypass Reason
0500 | Consent Disclosure Level
0501 | Consent Non-Disclosure Reason
0502 | Non-Subject Consenter Reason
0503 | Sequence/Results Flag
0504 | Sequence Condition Code
0505 | Cyclic Entry/Exit Indicator
0506 | Service Request Relationship
0507 | Observation Result Handling
0508 | Blood Product Processing Requirements
0510 | Blood Product Dispense Status
0511 | BP Observation Status Codes Interpretation
0513 | Blood Product Transfusion/Disposition Status
0514 | Transfusion Adverse Reaction
0516 | Error Severity
0517 | Inform Person Code
0518 | Override Type
0520 | Message Waiting Priority
0523 | Computation Type
0524 | Sequence condition

0527 | Calendar Alignment
0528 | Event Related Period
0529 | Precision
0530 | Organization, Agency, Department
0532 | Expanded Yes/no Indicator
0534 | Notify Clergy Code
0535 | Signature Code
0536 | Certificate Status
0538 | Institution Relationship Type
0540 | Inactive Reason Code
0544 | Container Condition
0547 | Jurisdictional Breadth
0548 | Signatory's Relationship to Subject
0550 | Body Parts
0553 | Invoice Control Code
0554 | Invoice Reason Codes
0555 | Invoice Type
0556 | Benefit Group
0557 | Payee Type
0558 | Payee Relationship to Invoice
0559 | Product/Service Status
0561 | Product/Services Clarification Codes
0562 | Processing Consideration Codes
0564 | Adjustment Category Code
0565 | Provider Adjustment Reason Code
0566 | Blood Unit Type
0569 | Adjustment Action
0570 | Payment Method Code
0571 | Invoice Processing Results Status
0572 | Tax status
0615 | User Authentication Credential Type Code
0616 | Address Expiration Reason
0617 | Address Usage
0618 | Protection Code
0625 | Item Status Codes
0634 | Item Importance Codes
0642 | Reorder Theory Codes
0651 | Labor Calculation Type
0653 | Date Format
0657 | Device Type
0659 | Lot Control
0667 | Device Data State
0669 | Load Status
0682 | Device Status
0702 | Cycle Type
0717 | Access Restriction Value
0719 | Access Restriction Reason Code
0725 | Mood Codes
0728 | CCL Value
0731 | DRG Diagnosis Determination Status
0734 | Grouper Status
0739 | DRG Status Patient
0742 | DRG Status Financial Calculation
0749 | DRG Grouping Status
0755 | Status Weight At Birth
0757 | DRG Status Respiration Minutes
0759 | Status Admission
0761 | DRG Procedure Determination Status
0763 | DRG Procedure Relevance
0776 | Item Status
0778 | Item Type
0790 | Approving Regulatory Agency
0793 | Ruling Act
0806 | Sterilization Type
0818 | Package
0834 | MIME Types
0868 | Telecommunication Expiration Reason
0871 | Supply Risk Codes
0881 | Role Executing Physician
0882 | Medical Role Executing Physician
0894 | Side of body
0895 | Present On Admission (POA) Indicator

0904 | Security Check Scheme
0905 | Shipment Status
0906 | ActPriority
0907 | Confidentiality
0909 | Patient Results Release Categorization Scheme
0912 | Participation
0914 | Root Cause
0916 | Relevant Clinicial Information
0917 | Bolus Type
0918 | PCA Type
0919 | Exclusive Test
0920 | Preferred Specimen/Attribute Status
0921 | Certification Type Code
0922 | Certification Category Code
0923 | Process Interruption
0924 | Cumulative Dosage Limit UoM
0925 | Phlebotomy Issue
0926 | Phlebotomy Status
0927 | Arm Stick
0933 | Intended Procedure Type
0935 | Process Interruption Reason
4000 | Name/address representation

4.4.1.1 Value Set http://hl7.org/fhir/ValueSet/ex-program-code

URL: https://hl7.org/fhir/R4/valueset-ex-program-code.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/ex-program-code
Version: | 4.0.1
Name: | ExampleProgramReasonCodes
Title: | Example Program Reason Codes
Definition: | This value set includes sample Program Reason Span codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.576 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ExampleProgramReasonCodes
• Resource: ExplanationOfBenefit.item.programCode (CodeableConcept / Example)
• Resource: ExplanationOfBenefit.item.detail.programCode (CodeableConcept / Example)
• Resource: ExplanationOfBenefit.item.detail.subDetail.programCode (CodeableConcept / Example)
• Resource: ExplanationOfBenefit.addItem.programCode (CodeableConcept / Example)
• Resource: ClaimResponse.addItem.programCode (CodeableConcept / Example)

4.4.1.1.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/ex-programcode

4.4.1.1.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/ex-programcode version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/ex-programcode

Code | Display | Definition
as | Child Asthma | Child Asthma Program
hd | Hemodialysis | Hemodialysis Program.
auscr | Autism Screening | Autism Screening Program.
none | None | No program code applies.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.2 Value Set http://hl7.org/fhir/ValueSet/procedure-outcome

URL: https://hl7.org/fhir/R4/valueset-procedure-outcome.html
Patient Care Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/procedure-outcome
Version: | 4.0.1
Name: | ProcedureOutcomeCodes(SNOMEDCT)
Title: | Procedure Outcome Codes (SNOMED CT)
Definition: | Procedure Outcome code: A selection of relevant SNOMED CT codes.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.428 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Procedure.outcome (CodeableConcept / Example)

4.4.1.2.1 Content Logical Definition

This value set includes codes from the following code systems:

http://snomed.info/sct

Code | Display
385669000 | Successful
385671000 | Unsuccessful
385670004 | Partially successful

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.3 Value Set http://hl7.org/fhir/ValueSet/resource-security-category

URL: https://hl7.org/fhir/R4/valueset-resource-security-category.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/resource-security-category
Version: | 4.0.1
Name: | ResourceSecurityCategory
Title: | ResourceSecurityCategory
Definition: | Provides general guidance around the kind of access Control to Read, Search, Create, Update, or Delete a resource.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.1403 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ResourceSecurityCategory

4.4.1.3.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/resource-security-category

4.4.1.3.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/resource-security-category version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/resource-security-category

Code | Display | Definition

anonymous | Anonymous READ Access Resource | These resources tend to not contain any individual data, or business sensitive data. Most often these Resources will be available for anonymous access, meaning there is no access control based on the user or system requesting. However these Resources do tend to contain important information that must be authenticated back to the source publishing them, and protected from integrity failures in communication. For this reason server authenticated https (TLS) is recommended to provide authentication of the server and integrity protection in transit. This is normal web-server use of https.

business | Business Sensitive Resource | These Resources tend to not contain any individual data, but do have data that describe business or service sensitive data. The use of the term Business is not intended to only mean an incorporated business, but rather the more broad concept of an organization, location, or other group that is not identifable as individuals. Often these resources will require some for of client authentication to assure that only authorized access is given. The client access control may be to individuals, or may be to system identity. For this purpose possible client authentication methods such as: mutual-authenticated-TLS, APIKey, App signed JWT, or App OAuth client-id JWT For example: a App that uses a Business protected Provider Directory to determine other business endpoint details.

individual | Individual Sensitive Resource | These Resources do NOT contain Patient data, but do contain individual information about other participants. These other individuals are Practitioners, PractionerRole, CareTeam, or other users. These identities are needed to enable the practice of healthcare. These identities are identities under general privacy regulations, and thus must consider Privacy risk. Often access to these other identities are covered by business relationships. For this purpose access to these Resources will tend to be Role specific using methods such as RBAC or ABAC.

patient | Patient Sensitive | These Resources make up the bulk of FHIR and therefore are the most commonly understood. These Resources contain highly sesitive health information, or are closely linked to highly sensitive health information. These Resources will often use the security labels to differentiate various confidentiality levels within this broad group of Patient Sensitive data. Access to these Resources often requires a declared Purpose Of Use. Access to these Resources is often controlled by a Privacy Consent.

not-classified | Not classified | Some Resources can be used for a wide scope of use-cases that span very sensitive to very non-sensitive. These Resources do not fall into any of the above classifications, as their sensitivity is highly variable. These Resources will need special handling. These Resources often contain metadata that describes the content in a way that can be used for Access Control decisions.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.4.1.4 Value Set http://hl7.org/fhir/ValueSet/event-or-request-resource-types

URL: https://hl7.org/fhir/R4/valueset-event-or-request-resource-types.html

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/event-or-request-resource-types

Version: | 4.0.1

Name: | Event Or Request Resource Types

Title: | EventOrRequestResourceTypes

Definition: | This value set lists all the event or request resource types defined in this version of the specification.

Committee: | Vocabulary Work Group

OID: | 2.16.840.1.113883.4.642.3.1064 (for OID based terminology systems)

Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or

info@snomed.org
Source Resource | XML / JSON

This value set is not currently used

4.4.1.4.1 Content Logical Definition

This value set includes codes from the following code systems:

• Import all the codes that are contained in http://hl7.org/fhir/ValueSet/event-resource-types

• Import all the codes that are contained in http://hl7.org/fhir/ValueSet/request-resource-types

4.4.1.4.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 49 concepts

Expansion based on http://hl7.org/fhir/ValueSet/request-resource-types version 4.0.1, http://hl7.org/fhir/request-resource-types version 4.0.1, http://hl7.org/fhir/ValueSet/event-resource-types version 4.0.1, http://hl7.org/fhir/event-resource-types version 4.0.1

Code | System | Display | Definition

ChargeItem | http://hl7.org/fhir/event-resource-types | ChargeItem | Item containing charge code(s) associated with the provision of healthcare provider products.

ClaimResponse | http://hl7.org/fhir/event-resource-types | ClaimResponse | Remittance resource.

ClinicalImpression | http://hl7.org/fhir/event-resource-types | ClinicalImpression | A clinical assessment performed when planning treatments and management strategies for a patient.

Communication | http://hl7.org/fhir/event-resource-types | Communication | A record of information transmitted from a sender to a receiver.

Composition | http://hl7.org/fhir/event-resource-types | Composition | A set of resources composed into a single coherent clinical statement with clinical attestation.

Condition | http://hl7.org/fhir/event-resource-types | Condition | Detailed information about conditions, problems or diagnoses.

Consent | http://hl7.org/fhir/event-resource-types | Consent | A healthcare consumer's policy choices to permits or denies recipients or roles to perform actions for specific purposes and periods of time.

Coverage | http://hl7.org/fhir/event-resource-types | Coverage | Insurance or medical plan or a payment agreement.

DeviceUseStatement | http://hl7.org/fhir/event-resource-types | DeviceUseStatement | Record of use of a device.

DiagnosticReport | http://hl7.org/fhir/event-resource-types | DiagnosticReport | A Diagnostic report - a combination of request information, atomic results, images, interpretation, as well as formatted reports.

DocumentManifest | http://hl7.org/fhir/event-resource-types | DocumentManifest | A list that defines a set of documents.

DocumentReference | http://hl7.org/fhir/event-resource-types | DocumentReference | A reference to a document.

Encounter | http://hl7.org/fhir/event-resource-types | Encounter | An interaction during which services are provided to the patient.

EnrollmentResponse | http://hl7.org/fhir/event-resource-types | EnrollmentResponse | EnrollmentResponse resource.

EpisodeOfCare | http://hl7.org/fhir/event-resource-types | EpisodeOfCare | An association of a Patient with an Organization and Healthcare Provider(s) for a period of time that the Organization assumes some level of responsibility.

ExplanationOfBenefit | http://hl7.org/fhir/event-resource-types | ExplanationOfBenefit | Explanation of Benefit resource.

FamilyMemberHistory | http://hl7.org/fhir/event-resource-types | FamilyMemberHistory | Information about patient's relatives, relevant for patient.

GuidanceResponse | http://hl7.org/fhir/event-resource-types | GuidanceResponse | The formal response to a guidance request.

ImagingStudy | http://hl7.org/fhir/event-resource-types | ImagingStudy | A set of images produced in single study (one or more series of references images).

Immunization | http://hl7.org/fhir/event-resource-types | Immunization | Immunization event information.

MeasureReport | http://hl7.org/fhir/event-resource-types | MeasureReport | Results of a measure evaluation.

Media | http://hl7.org/fhir/event-resource-types | Media | A photo, video, or audio recording acquired or used in healthcare. The actual content may be inline or provided by direct reference.

MedicationAdministration | http://hl7.org/fhir/event-resource-types | MedicationAdministration | Administration of medication to a patient.

MedicationDispense | http://hl7.org/fhir/event-resource-types | MedicationDispense | Dispensing a medication to a named patient.

MedicationStatement | http://hl7.org/fhir/event-resource-types | MedicationStatement | Record of medication being taken by a patient.

Observation | http://hl7.org/fhir/event-resource-types | Observation | Measurements and simple assertions.

PaymentNotice | http://hl7.org/fhir/event-resource-types | PaymentNotice | PaymentNotice request.

PaymentReconciliation | http://hl7.org/fhir/event-resource-types | PaymentReconciliation | PaymentReconciliation resource.

Procedure | http://hl7.org/fhir/event-resource-types | Procedure | An action that is being or was performed on a patient.

ProcessResponse | http://hl7.org/fhir/event-resource-types | ProcessResponse | ProcessResponse resource.

QuestionnaireResponse | http://hl7.org/fhir/event-resource-types | QuestionnaireResponse | A structured set of questions and their answers.

RiskAssessment | http://hl7.org/fhir/event-resource-types | RiskAssessment | Potential outcomes for a subject with likelihood.

SupplyDelivery | http://hl7.org/fhir/event-resource-types | SupplyDelivery | Delivery of bulk Supplies.

Task | http://hl7.org/fhir/event-resource-types | Task | A task to be performed.

Appointment | http://hl7.org/fhir/request-resource-types | Appointment | A booking of a healthcare event among patient(s), practitioner(s), related person(s) and/or device(s) for a specific date/time. This may result in one or more Encounter(s).

AppointmentResponse | http://hl7.org/fhir/request-resource-types | AppointmentResponse | A reply to an appointment request for a patient and/or practitioner(s), such as a confirmation or rejection.

CarePlan | http://hl7.org/fhir/request-resource-types | CarePlan | Healthcare plan for patient or group.

Claim | http://hl7.org/fhir/request-resource-types | Claim | Claim, Pre-determination or Pre-authorization.

CommunicationRequest | http://hl7.org/fhir/request-resource-types | CommunicationRequest | A request for information to be sent to a receiver.
Contract | http://hl7.org/fhir/request-resource-types | Contract | Legal Agreement.
DeviceRequest | http://hl7.org/fhir/request-resource-types | DeviceRequest | Medical device request.
EnrollmentRequest | http://hl7.org/fhir/request-resource-types | EnrollmentRequest | Enrollment request.
ImmunizationRecommendation | http://hl7.org/fhir/request-resource-types | ImmunizationRecommendation | Guidance or advice relating to an immunization.
MedicationRequest | http://hl7.org/fhir/request-resource-types | MedicationRequest | Ordering of medication for patient or group.
NutritionOrder | http://hl7.org/fhir/request-resource-types | NutritionOrder | Diet, formula or nutritional supplement request.
ServiceRequest | http://hl7.org/fhir/request-resource-types | ServiceRequest | A record of a request for service such as diagnostic investigations, treatments, or operations to be performed.
SupplyRequest | http://hl7.org/fhir/request-resource-types | SupplyRequest | Request for a medication, substance or device.
Task | http://hl7.org/fhir/request-resource-types | Task | A task to be performed.
VisionPrescription | http://hl7.org/fhir/request-resource-types | VisionPrescription | Prescription for vision correction products for a patient.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.5 Value Set http://hl7.org/fhir/ValueSet/testscript-profile-destination-types

URL: https://hl7.org/fhir/R4/valueset-testscript-profile-destination-types.html
FHIR Infrastructure Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/testscript-profile-destination-types
Version: | 4.0.1
Name: | TestScriptProfileDestinationType
Title: | Test script profile destination type
Definition: | This value set defines a set of codes that are used to indicate the profile type of a test system when acting as the destination within a TestScript.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.714 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for TestScriptProfileDestinationType

• Resource: TestScript.destination.profile (Coding / Extensible)

4.4.1.5.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/testscript-profile-destination-types

4.4.1.5.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/testscript-profile-destination-types version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/testscript-profile-destination-types

Code | Display | Definition
FHIR-Server | FHIR Server | General FHIR server used to respond to operations sent from a FHIR client.
FHIR-SDC-FormManager | FHIR SDC FormManager | A FHIR server acting as a Structured Data Capture Form Manager.
FHIR-SDC-FormProcessor | FHIR SDC FormProcessor | A FHIR server acting as a Structured Data Capture Form Processor.
FHIR-SDC-FormReceiver | FHIR SDC FormReceiver | A FHIR server acting as a Structured Data Capture Form Receiver.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.6 Value Set http://hl7.org/fhir/ValueSet/condition-stage-type

URL: https://hl7.org/fhir/R4/valueset-condition-stage-type.html
Patient Care Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined at http://www.hl7.org/Special/committees/patientcare/ .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/condition-stage-type
Version: | 4.0.1
Name: | ConditionStageType
Title: | Condition Stage Type
Definition: | Example value set for the type of stages of cancer and other conditions
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.171 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Condition.stage.type (CodeableConcept / Example)

4.4.1.6.1 Content Logical Definition

This value set includes codes from the following code systems:

http://snomed.info/sct

Code | Display
261023001 | Pathological staging (qualifier value)

http://snomed.info/sct

Code | Display
260998006 | Clinical staging (qualifier value)

• Include codes from http://snomed.info/sct where concept is-a 254291000 (Staging and scales)

4.4.1.6.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 1002 concepts

All codes from system http://snomed.info/sct

Code | Display | Definition
261023001 | Pathological staging (qualifier value)
260998006 | Clinical staging (qualifier value)
13808002 | WR stage 3
15972002 | Walter Reed (WR) stage 2
42114005 | Walter Reed (WR) stage 1
66470009 | WR stage 5
74542008 | WR stage 4
83200007 | WR stage 6
106241006 | Gleason's microscopic prostatic carcinoma grading system
106242004 | Walter Reed staging of prostatic cancer
106244003 | FIGO staging system for endometrial carcinoma
106245002 | FIGO Vulva tumor staging
106246001 | FIGO staging system for vulvar melanoma
106247005 | FIGO staging system for epithelial tumor of ovary
106250008 | FIGO Cervical tumor staging
106252000 | Lymphoma staging descriptors
110375007 | Overlapping tumor
134438001 | Canadian Cardiovascular Society classification of angina
135831005 | Cardiovascular Limitations and Symptoms Profile angina score

135832003 | Cardiovascular Limitations and Symptoms Profile ankle swelling score
135833008 | Cardiovascular limitations and symptoms profile shortness of breath score
135877001 | Stroke risk
160723003 | Housing dependency scale
165270003 | Physical disability assessment score
165271004 | Physical disability admission score
165272006 | Physical disability inpatient score
165273001 | Physical disability discharge score
165274007 | Physical disability outpatient score
165275008 | Physical disability DV score
251893009 | Symptom ratings
251894003 | Exertion rating
251895002 | Leg fatigue rating
251896001 | Breathlessness rating
251897005 | Chest pain rating
254292007 | Tumor staging
254293002 | TNM tumor staging system
254294008 | Tumor-node-metastasis (TNM) head and neck tumor staging
254295009 | Tumor-node-metastasis (TNM) lip and oral cavity tumor staging
254296005 | Tumor-node-metastasis (TNM) oropharynx tumor staging
254297001 | Tumor-node-metastasis (TNM) nasopharynx tumor staging
254298006 | Tumor-node-metastasis (TNM) hypopharynx tumor staging
254299003 | Tumor-node-metastasis (TNM) supraglottic larynx tumor staging
254300006 | Tumor-node-metastasis (TNM) glottic larynx tumor staging
254301005 | Tumor-node-metastasis (TNM) subglottic larynx tumor staging
254302003 | Tumor-node-metastasis (TNM) maxillary sinus tumor staging
254303008 | Tumor-node-metastasis (TNM) salivary glands tumor staging
254304002 | Tumor-node-metastasis (TNM) thyroid gland tumor staging
254305001 | Tumor-node-metastasis (TNM) digestive system tumor staging
254306000 | Tumor-node-metastasis (TNM) esophagus tumor staging
254307009 | Tumor-node-metastasis (TNM) stomach tumor staging
254309007 | Tumor-node-metastasis (TNM) Small intestine tumor staging
254310002 | Tumor-node-metastasis (TNM) Colon and rectum tumor staging
254311003 | Tumor-node-metastasis (TNM) anal canal tumor staging
254312005 | Tumor-node-metastasis (TNM) liver tumor staging
254313000 | Tumor-node-metastasis (TNM) gallbladder tumor staging
254314006 | Tumor-node-metastasis (TNM) extrahepatic bile ducts tumor staging
254315007 | Tumor-node-metastasis (TNM) ampulla of vater tumor staging
254316008 | Tumor-node-metastasis (TNM) pancreas tumor staging
254317004 | Tumor-node-metastasis (TNM) lung and pleural tumor staging
254318009 | Tumor-node-metastasis (TNM) lung tumor staging
254319001 | Tumor-node-metastasis (TNM) pleural mesothelioma tumor staging
254320007 | Tumor-node-metastasis (TNM) bone and soft tissue tumor staging
254321006 | Tumor-node-metastasis (TNM) bone tumor staging
254322004 | Tumor-node-metastasis (TNM) soft tissues tumor staging
254323009 | Tumor-node-metastasis (TNM) skin tumor staging
254324003 | Tumor-node-metastasis (TNM) carcinoma of skin tumor staging
254325002 | Tumor-node-metastasis (TNM) malignant melanoma of skin staging
254326001 | Tumor-node-metastasis (TNM) breast tumor staging
254327005 | Tumor-node-metastasis (TNM) gynecological tumor staging
254328000 | Tumor-node-metastasis (TNM) vulva tumor staging
254329008 | Tumor-node-metastasis (TNM) vaginal tumor staging
254330003 | Tumor-node-metastasis (TNM) cervix uteri tumor staging
254331004 | Tumor-node-metastasis (TNM) corpus uteri tumor staging
254332006 | Tumor-node-metastasis (TNM) ovary tumor staging
254333001 | Tumor-node-metastasis (TNM) urological tumor staging
254334007 | Tumor-node-metastasis (TNM) penis tumor staging
254335008 | Tumor-node-metastasis (TNM) Prostate tumor staging
254336009 | Tumor-node-metastasis (TNM) testis tumor staging
254337000 | Tumor-node-metastasis (TNM) kidney tumor staging
254338005 | Tumor-node-metastasis (TNM) renal pelvis and ureter tumor staging
254339002 | Tumor-node-metastasis (TNM) urinary bladder tumor staging
254340000 | Tumor-node-metastasis (TNM) urethra tumor staging
254341001 | Tumor-node-metastasis (TNM) ophthalmic tumor staging
254342008 | Tumor-node-metastasis (TNM) carcinoma of eyelid staging
254343003 | Tumor-node-metastasis (TNM) malignant melanoma of eyelid staging
254344009 | Tumor-node-metastasis (TNM) carcinoma of conjunctiva staging
254345005 | Tumor-node-metastasis (TNM) malignant melanoma of conjunctiva staging
254346006 | Tumor-node-metastasis (TNM) malignant melanoma of uvea staging
254347002 | Tumor-node-metastasis (TNM) malignant melanoma of iris staging
254348007 | Tumor-node-metastasis (TNM) malignant melanoma of ciliary body staging
254349004 | Tumor-node-metastasis (TNM) malignant melanoma of choroid staging

254350004 | Tumor-node-metastasis (TNM) retinoblastoma staging
254351000 | Tumor-node-metastasis (TNM) sarcoma of orbit staging
254352007 | Tumor-node-metastasis (TNM) lacrimal gland carcinoma staging
254353002 | Tumor-node-metastasis (TNM) brain tumor staging
254354008 | Tumor-node-metastasis (TNM) Hodgkin's disease staging
254355009 | Tumor-node-metastasis (TNM) non-Hodgkin's lymphoma staging
254356005 | Tumor-node-metastasis (TNM) pediatric tumor staging
254357001 | Tumor-node-metastasis (TNM) Wilms' tumor staging
254358006 | Tumor-node-metastasis (TNM) neuroblastoma staging
254359003 | Tumor-node-metastasis (TNM) soft tissue sarcoma staging
254360008 | Dukes staging system
254361007 | Astler-Coller staging system
254362000 | Modified Astler-Coller staging system
254363005 | International neuroblastoma staging system
254364004 | NWTS - National Wilms' tumor study staging system
254365003 | Siopel liver staging system
254366002 | Stannard staging system for retinoblastoma
254368001 | United Kingdom children's cancer study group central nervous system tumor staging system
254370005 | St Jude malignant histiocytosis tumor staging system
254371009 | St Jude non-Hodgkin lymphoma staging system
254372002 | Ann Arbor lymphoma staging system
254373007 | Ann Arbor Hodgkin disease tumor staging system
254374001 | Ann Arbor non-Hodgkin lymphoma tumor staging system
254375000 | Cotswolds Hodgkin disease tumor staging system
254376004 | Testicular tumor staging systems
254378003 | Walter Reed testicular tumor staging system
254379006 | Indiana University testicular tumor staging system
254380009 | Marshall Modification of Jewett-Strong staging system for urinary bladder tumor
254381008 | American Urological Association staging system for prostate cancer
254382001 | Trophoblastic malignancy staging system
254383006 | FIGO staging system of gynecological malignancy
254384000 | FIGO Vaginal tumor staging system
254385004 | FIGO uterine tumor staging system
254386003 | FIGO ovarian tumor staging system
254387007 | HIV - Human immunodeficiency virus infection classification systems
258232002 | Cancer staging
258233007 | Generic tumor staging descriptor
258234001 | Tumor-node-metastasis (TNM) tumor staging classifications
258235000 | International Union Against Cancer (UICC)
258236004 | American Joint Committee on Cancer (AJCC)
258244004 | G status
258246002 | L status
258247006 | V status
258257007 | Additional tumor staging descriptor
258258002 | (f)
258259005 | is
258260000 | (d)
258267002 | Generic tumor risk status stages
258268007 | Low risk tumor
258269004 | Medium risk tumor
258270003 | High risk tumor
258271004 | Specific tumor staging descriptor
258272006 | Liver tumor staging descriptor
258273001 | Liver tumor size index
258276009 | Timing of liver tumor staging
258279002 | Lymphoma staging symptom status values
258280004 | Lymphomatous extranodal involvement status values
258281000 | Spleen-positive minimal lymphomatous extranodal involvement
258282007 | Spleen-positive extensive lymphomatous extranodal involvement
258283002 | Lymphomatous nodal involvement
258284008 | Stannards retinoblastoma stages
258285009 | Optic nerve tumor invasion status in retinoblastoma staging
258286005 | Choroidal tumor invasion status in retinoblastoma staging
258292004 | Lymph nodal tumor invasion status in retinoblastoma staging
258293009 | Brain tumor invasion status in retinoblastoma staging
258301001 | Langerhans cell histiocytosis stage
258302008 | Number of organ systems involved with Langerhans cell histiocytosis
258303003 | Single system involvement
258304009 | Multisystem involvement
258305005 | Organ failure due to Langerhans cell histiocytosis
258306006 | Vital organ failure
258307002 | Non-vital organ failure

258309004 | Generic lymph node tumor invasion status stage
258310009 | Neck node tumor involvement
258311008 | M+
258312001 | Axillary lymph node level
258313006 | Level I
258314000 | Midaxilla
258315004 | Level III
258316003 | Retroperitoneal lymph node tumor invasion status
258318002 | Generic anatomical site tumor invasion status
258319005 | Lung involvement stages
258320004 | Lung stage L2
258321000 | Lung stage L3
258322007 | H+
258323002 | Liver sectors
258324008 | Liver sector 1
258325009 | Liver sector 2
258326005 | Liver sector 3
258327001 | Liver sector 4
258328006 | Markers for liver tumor staging
261663004 | Tumor stage Ta
261731003 | Central nervous system (CNS) metastases
261789009 | Extra central nervous system metastases
261985008 | No metastases
263487004 | Borg scale
263638005 | Endometriosis classification of American Fertility Society
273249006 | Assessment scales
273251005 | Aachen aphasia test
273252003 | ABC chart
273253008 | ABC test for movement
273254002 | AIS - Abbreviated injury scale
273255001 | Abbreviated mental test
273256000 | AIMS - Abnormal involuntary movement scale
273257009 | Acute physiology and chronic health evaluation
273258004 | APACHE II - Acute physiology and chronic health evaluation II
273259007 | Acute physiology and chronic health evaluation III
273260002 | Addiction severity index
273261003 | Adult personality rating schedule
273262005 | ABS - Affect balance scale
273263000 | Acquired immunodeficiency syndrome (AIDS) risk behavior knowledge test
273264006 | ADS - Alcohol dependence scale
273265007 | Alcohol use disorders identification test
273266008 | Alcohol use inventory
273267004 | Allen cognitive level screening tool
273268009 | Allen cognitive performance test
273269001 | Alzheimer disease assessment scale
273270000 | American Society of Anesthesiologists physical status classification
273271001 | Amsterdam-Nijmegen Everyday Language Test
273272008 | Anomalous sentence repetition test - Weeks
273273003 | Anomalous sentence test - Kopelman
273274009 | Anorexic attitudes questionnaire
273275005 | ABS - Anorexic behavior scales
273276006 | Aphasia language performance scales
273277002 | Whurr - Aphasia screening test
273279004 | Apraxia battery for adults
273280001 | Arizona battery for communication disorders of dementia
273281002 | AIMS I - Arthritis impact measurement scale I
273282009 | Arthritis impact measurement scale II
273283004 | ASEPSIS score for wound infection
273284005 | Ashworth assessment scale
273285006 | Assessing reading difficulties
273286007 | Assessment and therapy program for dysfluent children
273287003 | Assessment of intelligibility
273288008 | Assessment of motor and process skills
273289000 | AOF - Assessment of occupational function
273290009 | Assessment protocol of pragmatic linguistic skills
273291008 | Aston index
273292001 | Attributional style questionnaire
273293006 | Auditory comprehension test for sentences
273294000 | Augmentative communication profile
273295004 | Autistic features checklist
273296003 | Autobiographical memory interview
273298002 | Bamford Kowal and Bench non-picture related

273299005 | BKBPR - Bamford Kowal and Bench picture related
273300002 | Bangor dyslexia test
273301003 | Bankson language test
273302005 | Barthel index
273305007 | Bayley scale of infant development
273306008 | Beck depression inventory
273307004 | Beck anxiety standardized rating scale
273308009 | BEST - Bedside evaluation and screening test of aphasia
273309001 | Beery-Buktenica test of visual motor integration
273310006 | Behavior and mood disturbance scale
273311005 | Behavior assessment battery
273312003 | Behavior problem checklist
273313008 | Behavior rating scale
273314002 | Behavioral inattention test
273315001 | BOS - Behavioral observation schedule
273316000 | Behavioral screening questionnaire
273317009 | Bennett test of manual dexterity
273319007 | Bexley-Maudsley automated psychological screening
273320001 | Binge eating scale
273321002 | BORB - Birmingham object recognition battery
273322009 | Blakely dyspraxia assessment
273323004 | Blessed dementia rating scale
273324005 | Blissymbols test
273325006 | Body shape questionnaire
273326007 | Boehm test of basic concepts
273327003 | Booker heterotopic ossification score
273328008 | Boston aphasia scale
273329000 | Boston diagnostic aphasia examination
273330005 | Boston naming test
273331009 | Bracken test of basic concept scale
273332002 | Brief activities of daily living
273333007 | BDRS - Brief depression rating scale
273334001 | Bristol language assessment scale
273335000 | British ability scales
273336004 | BASR - British ability scales - revised
273337008 | British ability scales reading test
273338003 | BAS - British ability scales spelling test
273339006 | British isles lupus assessment group score
273341007 | Bryant and Bradley rhyming task
273342000 | Buffalo assessment profile - Wilson
273343005 | Bulimia test
273344004 | Bulimic investigation test - Edinburgh
273345003 | Bus story
273347006 | Cage questionnaire
273348001 | California personality inventory
273349009 | Callier-Azusa scale
273350009 | Camberwell assessment for the needs of the elderly
273351008 | CAB - Cambridge apraxia battery
273352001 | Cantril ladder assessment
273353006 | CELI - Carrow elicited language inventory
273354000 | Carrow screening test of auditory comprehension
273355004 | Chailey Heritage lying assessment
273356003 | Chailey Heritage seating assessment
273357007 | Checklist of communicative competence
273358002 | Checklist of conversational abilities
273359005 | Checklist of listening behaviors
273360000 | OT - Chessington occupational therapy neurological assessment battery
273361001 | Child assessment schedule
273362008 | CDS - Child depression scale
273363003 | Children's coma scale
273364009 | Crohn disease activity index
273365005 | CAPE - Clifton assessment procedures for the elderly
273366006 | Clinical anxiety scale
273367002 | Clinical dementia rating scale
273368007 | CEDRI - Clinical eating disorder rating instrument
273369004 | Clinical evaluation of language function revised
273370003 | Clinical evaluation of language function revised - screening test
273371004 | Clinical evaluation of language function revised - preschool test
273372006 | Clinical observation of motor and postural skills
273373001 | CAAP - Cocaine abuse assessment profile
273374007 | Cognitions questionnaire
273375008 | Cognitive failures questionnaire

273376009 | CASP - Communication assessment profile for adults with a mental handicap
273377000 | Communicative abilities in daily living
273378005 | CIDI - Composite international diagnostic interview
273379002 | Comprehensive drinker profile
273380004 | CRIS - Comprehensive injury scale
273381000 | Comprehensive occupational therapy evaluation scale
273382007 | CES - Compulsive eating scale
273383002 | Constant and Murley shoulder assessment score
273384008 | Consumer satisfaction questionnaire
273385009 | Co-op function charts
273386005 | PFCT - Cooper personalized fluency control therapy
273387001 | Coping responses inventory
273388006 | Crichton vocabulary scale
273389003 | Daily activities questionnaire
273390007 | Dallas pain questionnaire
273391006 | Daniels and Diack reading tests
273392004 | Daniels and Diack graded word spelling test
273393009 | De Gangi-Berk sensory functioning in infants
273394003 | Delighted-terrible faces scale
273395002 | Denver development scale
273396001 | Denver developmental subscale - gross motor
273397005 | Denver developmental subscale - language
273398000 | Denver developmental subscale - personal/social
273399008 | Denver developmental subscale - fine motor/adaptive
273400001 | Denver development scale screening test
273401002 | Denver development scale screening test - schedule for growing skills
273402009 | Depression anxiety scale
273403004 | Depression self rating scale
273408008 | Dermatology life quality index
273409000 | DSFI - Derogatis sexual functioning inventory
273411009 | Diabetes clinic satisfaction questionnaire
273412002 | DTSQ - Diabetes treatment satisfaction questionnaire
273413007 | Diabetes wellbeing questionnaire
273414001 | DICA - Diagnostic interview for children and adolescents
273415000 | Diagnostic interview schedule
273416004 | DSDT - Diagnostic speech discrimination test
273417008 | Diagnostic survey for eating disorders
273418003 | DINE - Dietary instrument for nutrition education questionnaire
273419006 | Digit sequence learning
273420000 | Disability assessment schedule
273421001 | Disability rating scale
273422008 | Discourse abilities profile
273423003 | Dol scale
273424009 | Doyle articular index
273425005 | Drinking problem scale
273426006 | DAST - Drug abuse screening test
273427002 | Dubowitz score
273428007 | Duke UNC health profile
273429004 | Dundee cardiovascular risk score
273430009 | Durrell test of listening comprehension
273431008 | Eakin index
273432001 | Eating attitudes test
273433006 | EAT 26 - Abbreviated eating attitudes test
273434000 | EBRS - Eating behavior rating scale
273435004 | Eating disorders inventory
273436003 | Eating inventory
273437007 | Eastern Cooperative Oncology Group (ECOG) scale for physical assessment
273438002 | Edinburgh articulation test
273439005 | EFCP - Edinburgh functional communication profile
273440007 | Revised Edinburgh functional communication profile
273441006 | Edinburgh postnatal depression scale
273442004 | Edmans ADL index - Edmans activities of daily living index
273443009 | Elia normogram
273444003 | British picture vocabulary scale
273445002 | Enthesitis index
273446001 | European Organization for Research and Treatment of Cancer (EORTC) - Quality of life questionnaire
273447005 | EuroQOL
273448000 | Extended activities of daily living scale
273449008 | EPI - Eysenck personality inventory
273450008 | Facial recognition test
273451007 | Fagerstrom tolerance questionnaire
273452000 | RTQ - Revised tolerance questionnaire

273453005 | Fagerstrom test for nicotine dependence
273454004 | Fear of acquired immunodeficiency syndrome scale
273455003 | Fear survey schedule
273456002 | Feeding assessment schedule
273457006 | Feelings of fatness questionnaire
273458001 | FTT - Finger tapping test
273459009 | FIRST screening test
273460004 | Frankel grading system for spinal cord injury
273461000 | FAI - Frenchay activities index
273462007 | Frenchay aphasia screening test
273463002 | FDA - Frenchay dysarthria assessment
273465009 | Fullerton language test for adolescents
273466005 | Functional assessment measure
273467001 | Functional communication assessment for physically handicapped children
273468006 | Functional communication profile
273469003 | FIM - Functional independence measure
273470002 | Functional limitation profile
273471003 | FMPS - Functional meal preparation scale
273472005 | Functional status index
273473000 | FSST - Fundamental speech skills test
273474006 | Galveston orientation and amnesia test
273475007 | Gathercole - non-word repetition task
273477004 | General assessment of neurological impairment
273478009 | General clerical test
273479001 | General health questionnaire
273480003 | GWBS - General wellbeing schedule
273481004 | Geriatric depression scale
273482006 | German test of wordfinding
273483001 | Glasgow abbreviated mental test score
273484007 | Glasgow outcome scale
273485008 | Goldman cardiac risk index
273486009 | Goldman Fristoe test
273487000 | Golombrok-Rust inventory of sexual satisfaction
273488005 | Goodenough draw-a-man test
273489002 | Goodenough norms
273490006 | Grade-Rough-Breathy-Asthenic-Strain (GRBAS) scale
273492003 | Graded naming test
273493008 | Graham-Kendall memory for designs test
273494002 | Grammatical analysis of elicited language
273495001 | Grammatical contrasts test
273496000 | Gunzberg primary progress assessment chart of social development
273497009 | Gunzberg progress assessment chart of social development number 1
273498004 | Gunzberg progress assessment chart of social development number 2
273499007 | Hachinski ischemia score
273500003 | Hall and Baker rehabilitation evaluation
273501004 | Halstead-Reitan battery
273502006 | Hamb hip score
273503001 | Hamilton rating scale for depression
273504007 | Lorr's modified multidimensional scale for rating psychiatric patients
273505008 | Hampshire assessment for living with others
273507000 | Hanen early language program
273508005 | Harvey and Bradshaw index
273509002 | Hauser ambulatory categories
273510007 | Health assessment questionnaire
273511006 | MHAQ - Modified health assessment questionnaire
273512004 | Healthcare assessment questionnaire - Sidney Benjamin
273513009 | Health of the Nation Outcome Scale (generic version)
273514003 | Health status index
273515002 | Hearing handicap inventory for the elderly
273516001 | HHS - Hearing handicap scale
273517005 | Hidden figures test
273520002 | Hopelessness scale
273521003 | Hopkins symptom checklist
273522005 | Hornsby articulation test
273523000 | Hornsby test of language development
273524006 | Hospital anxiety and depression scale
273525007 | Hospital trauma index
273526008 | Human interaction assessment
273527004 | Illinois test of psycholinguistic abilities
273528009 | IISI - Illness-injury severity index
273529001 | Illness behavior questionnaire
273530006 | Impact of event scale

273531005 | Index of independence in activities of daily living
273533008 | ISS - Injury severity score
273534002 | Instrumental ADL
273535001 | INREAL - Inter-reactive language analysis
273536000 | Interaction checklist for augmentative communication
273537009 | Interest checklist
273538004 | IOWA low back rating scale
273539007 | IOWA structured psychiatric interview
273540009 | Ischemia score
273542001 | Jarman index
273543006 | Jebsen hand function test
273544000 | Jones word order test
273546003 | Karnofsky index
273547007 | Katz activities of daily living
273548002 | KASR - Katz adjustment scale - relatives form
273549005 | Kendrick battery for detection of dementia in the elderly
273550005 | Kenny index of ADL
273551009 | Kielhofner role checklist
273552002 | Kirwan Thompson articular index
273553007 | Klein-Bell Activities of Daily Living scale
273554001 | Kurtzke multiple sclerosis rating scale
273555000 | LCS - Lambeth communication scale
273556004 | Lambeth disability screening questionnaire
273557008 | Lamh assessment checklist
273558003 | Language assessment remediation and screening procedure
273559006 | Lansbury articular index
273560001 | Last six months of drinking questionnaire
273561002 | Learning development aids - handwriting assessment
273562009 | Leeds scales for the self-assessment of anxiety and depression
273564005 | Leiter international performance scale
273565006 | Lequesne index
273566007 | Lequesne index - hip
273567003 | Lequesne index - knee
273568008 | Letter cancelation test
273569000 | Life events and difficulties scale
273570004 | Life events inventory
273571000 | Life satisfaction index
273572007 | LSIA - Life satisfaction index A
273573002 | Life satisfaction index B
273574008 | LSIZ - Life satisfaction index Z
273575009 | Likert scale
273576005 | Lincoln rehabilitation assessment
273577001 | Lindamood auditory conceptualization test
273578006 | Lowenstein occupational therapy cognitive assessment
273580000 | London hospital pain chart assessment
273581001 | Luria neuropsychological battery
273582008 | MacAndrew scale
273583003 | MacMillan reading test
273584009 | Make-a-picture story test
273585005 | Mallampati scale
273586006 | Master questionnaire
273587002 | Revised Master questionnaire
273588007 | Matson assessment
273589004 | McConkey score
273590008 | McCormick miniature toy discrimination test
273591007 | McCormick miniature toy discrimination test - automated
273592000 | McCormick miniature toy discrimination test - manual
273593005 | McGill pain chart questionnaire
273594004 | MHIQ - McMaster health index questionnaire
273595003 | McTears assessment of conversation
273596002 | Medical outcomes study short form general health survey
273597006 | Medical outcomes study short form general health survey - 36
273598001 | MOS SF - 20 - Medical outcomes study short form general health survey - 20
273599009 | Medical Research Council motor power scale
273600007 | Medical Research Council questionnaire
273601006 | Mental status questionnaire
273602004 | Mental test quotient
273603009 | Mental test score - long version
273604003 | Merle d'Aubigne - Charnley hip score
273608000 | Michigan alcoholism screening test
273609008 | BMAST - Brief Michigan alcoholism screening test
273610003 | Short Michigan alcoholism screening test

273611004 | MEAMS - Middlesex elderly assessment of mental state
273613001 | Midlands spelling test
273614007 | Mill Hill vocabulary scale
273615008 | Miller assessment for preschoolers
273616009 | Milwaukee evaluation of daily living skills
273617000 | Mini-mental state examination
273619002 | Modified mini-mental state 3MS examination
273621007 | Minnesota test for differential diagnosis of aphasia
273622000 | Shortened Schuell - Shortened Minnesota test for differential diagnosis of aphasia
273623005 | Modified card sorting test
273624004 | MISS - Modified injury severity scale
273625003 | Modified word learning test
273626002 | Monterey fluency program
273627006 | Mood adjective checklist
273628001 | Morgan-Barry auditory discrimination and attention test
273629009 | Morningside rehabilitation status scale
273630004 | Mortality probability model
273631000 | Mortality prediction model II
273632007 | MFS - Motives for smoking scale
273633002 | Motor assessment scale
273634008 | Motricity index
273635009 | Mount Wilga high level language screening assessment
273636005 | Movement of upper limb evaluation
273637001 | Multilevel informal language inventory
273638006 | Multilingual aphasia examination
273639003 | Munich alcoholism test
273640001 | NART - National adult reading test
273641002 | Neale analysis of reading ability
273642009 | Nelson schedule of growing skills
273643004 | Neurobehavioral cognitive status examination
273644005 | Neuropsychological battery
273645006 | Newcastle articulation test
273646007 | Newcastle dyspraxia assessment
273647003 | Newcastle phonology assessment
273648008 | Nine hole peg test
273649000 | Norris functional scale
273650000 | Northwest syntax screening test
273651001 | Northwick Park index of independence in activities of daily living
273652008 | NHP - Nottingham health profile
273654009 | Nuffield dyspraxia assessment
273656006 | Object naming test
273657002 | Occasions for smoking scale
273658007 | Occupational case analysis interview and rating scale
273659004 | Occupational performance history interview
273660009 | Odstock hand assessment
273661008 | Office of Population Census and Surveys (OPCS) disability scales
273662001 | Office of Population Census and Surveys (OPCS) behavior disability scale
273663006 | Office of Population Census and Surveys (OPCS) communication disability scale
273664000 | Office of Population Census and Surveys (OPCS) consciousness disability scale
273665004 | Office of Population Census and Surveys (OPCS) continence disability scale
273666003 | Office of Population Census and Surveys (OPCS) dexterity disability scale
273667007 | Office of Population Census and Surveys (OPCS) disfigurement disability scale
273668002 | Office of Population Census and Surveys (OPCS) eating, drinking and digestion disability scale
273669005 | Office of Population Census and Surveys (OPCS) hearing disability scale
273670006 | Office of Population Census and Surveys (OPCS) intellectual functioning disability scale
273671005 | Office of Population Census and Surveys (OPCS) locomotion disability scale
273672003 | Office of Population Census and Surveys (OPCS) personal care disability scale
273673008 | Office of Population Census and Surveys (OPCS) reaching and stretching disability scale
273674002 | Office of Population Census and Surveys (OPCS) seeing disability scale
273675001 | Oswestry disability index
273676000 | Oswestry pain questionnaire
273677009 | Oxford grading scale for muscle strength
273680005 | Padua inventory
273681009 | Pediatric clinical test of sensory integration and balance
273682002 | Pediatric oral skills profile
273683007 | PRISM - Pediatric risk of mortality
273684001 | Pediatric trauma score
273685000 | Pain diary
273686004 | Pantomime test
273687008 | Partners in augmentative communication training
273688003 | Patient activity checklist
273689006 | Patient satisfaction score

273690002 | 16PF - Personality factor questionnaire
273691003 | Phonological Evaluation and Transcription of Audio-Visual Language (PETAL) speech assessment procedure
273692005 | Peabody picture vocabulary test
273693000 | PSI - Perceptions of stuttering inventory
273694006 | Performance test of activities of daily living
273695007 | Personality assessment schedule
273696008 | Philadelphia geriatric center morale scale
273697004 | Phonological assessment of child speech
273699001 | PIP developmental charts
273701001 | Picture pointing test
273702008 | Porch index of communicative ability
273703003 | PANSS - Positive and negative syndrome scale
273704009 | Pragmatics profile
273705005 | Pragmatics profile of early communication skills
273706006 | Preschool behavior check list
273707002 | Pre-school Boehm
273709004 | Pre-speech assessment scale
273711008 | Preschool language scale
273712001 | Previous intelligence quotient assessment by pronunciation
273713006 | Probability of death score
273714000 | Problem oriented medical record
273715004 | PRISM - Profile in semantics
273716003 | Profile of communicative appropriateness
273717007 | Profile of mood states
273718002 | PALPA - Psycholinguistic assessments of language processing in aphasia
273719005 | Psychological adjustment to illness scale
273720004 | PULSES profile
273721000 | Purdue pegboard scale
273722007 | Pyramids and palm trees test
273723002 | Tetraplegia index of function
273724008 | QALYs - Quality adjusted life years
273725009 | Quality of life scale
273726005 | Quality of wellbeing scale
273727001 | Rancho scale - levels of cognitive functioning
273728006 | Rand functional limitations battery
273729003 | Rankin scale
273730008 | Rappaport disability rating scale
273731007 | Rating communicative behavior in head injured adults
273732000 | Ravens colored progressive matrices
273733005 | Ravens standard progressive matrices
273735003 | Read word discrimination test
273736002 | Reading comprehension battery for aphasia
273737006 | RFES - Reasons for eating scale
273738001 | Reasons for smoking scale
273739009 | Bzoch and League test
273740006 | RMT - Recognition memory test
273741005 | Relatives' stress scale
273742003 | RI - Renal index
273743008 | RAPT - Renfrew action picture test
273744002 | Renfrew articulation test
273745001 | Renfrew wordfinding
273746000 | Repertory grid
273747009 | Reporters tests
273748004 | Resistance to change grid
273749007 | Respiratory index
273750007 | Restrained eating inventory
273751006 | Revised Iowa scale for rating severity
273752004 | Reynell developmental language scales
273753009 | Reynell receptive language assessment
273754003 | Reynell expressive language assessment
273756001 | Reynell Zinkin language scale for the visually impaired
273757005 | Right hemisphere battery
273758000 | Ritchie articular index
273759008 | Rivermead activities of daily living index
273761004 | RBMT - Rivermead behavioral memory test
273762006 | RMA - Rivermead motor assessment
273763001 | Rivermead perceptual assessment battery
273764007 | Robertson dysarthria assessment
273765008 | Robertson dysarthria profile
273766009 | Roehampton activities of daily living for amputees
273767000 | Rose Summers pragmatic profile
273768005 | Ross information processing assessment

273769002 | Rosser classification of illness states
273770001 | Roth and Spekman list of communicative intentions
273771002 | Rotterdam symptom check list
273772009 | Routine task inventory
273774005 | Rutter behavior questionnaire
273775006 | Rutter A scale
273776007 | Rutter B scale
273777003 | Rutter B2 scale
273778008 | S scale Andrews and Cutler
273779000 | Salford reading test
273780002 | Samaritan orientation test
273781003 | Sandwell bilingual comprehension test
273782005 | Santa Clara valley medical center functional assessment measure
273783000 | Savary Miller scale
273784006 | Scale of early communication skills for hearing impaired children
273785007 | Schwachmann score
273786008 | Schedules for clinical assessment in neuropsychiatry
273787004 | Schnijders Ooman test for deaf children
273788009 | Schofield equation
273789001 | Schonell graded word reading test
273790005 | Schonell graded word spelling test
273791009 | Scissor skills checklist
273792002 | Screening for developmental apraxia of speech
273793007 | Screening test for auditory processing disorders
273795000 | SIPT
273797008 | SCT - Sentence comprehension test
273798003 | Serial sevens test
273799006 | Severity of alcohol dependence questionnaire
273800005 | SODQ - Severity of opiate dependence questionnaire
273801009 | Shaper index
273802002 | Short alcohol dependence data
273803007 | Short orientation - memory - concentration test
273804001 | Short orientation-memory-concentration test - alternative version
273805000 | Short-term memory test
273806004 | Shulman test of pragmatic skills
273807008 | Sickness impact profile
273809006 | Silvers cerebral function test
273811002 | Simplified acute physiology score
273812009 | Simplified acute physiology scale II
273813004 | SCQ - Situational confidence questionnaire
273814005 | Situations for eating scale
273815006 | Smith cognitive questionnaire
273816007 | Social adjustment scale
273817003 | SAS II - Social adjustment scale II
273818008 | Social adjustment scale self - report
273819000 | Social behavior assessment scale
273820006 | Social support questionnaire
273821005 | Social use of language program
273822003 | STAP - South Tyneside assessment of phonology
273823008 | South Tyneside assessment of syntactic structures
273824002 | FGP - Southern California figure ground visual perception test
273825001 | Southern California postrotary nystagmus test
273826000 | Southern California sensory integration test
273827009 | Spare time activities questionnaire
273828004 | Special hospitals assessment of personality
273829007 | Speech intelligibility assessment procedure
273830002 | Spielberger state-trait anxiety inventory
273831003 | Quality of life index
273833000 | St George hospital respiratory questionnaire
273834006 | St Thomas disability questionnaire
273835007 | SAP - Standardized assessment of personality
273836008 | Terman Merrill scale
273837004 | Steinbrocker functional classification
273838009 | Stimulus response inventory
273839001 | Stocker probe technique for diagnosis and treatment of stuttering in young children
273840004 | Stockton geriatric rating scale
273841000 | Story completion test
273842007 | Structured observation test of function
273843002 | Structured clinical interview for Diagnostic and Statistical Manual of Mental Disorders-Third Edition Revised
273844008 | Structured interview for Diagnostic and Statistical Manual of Mental Disorders, Third Edition, personality disorders
273845009 | Stuttering intervention program
273846005 | Stuttering prediction instrument

273847001 | Stuttering severity instrument
273848006 | Stycar hearing test
273849003 | Subjective global assessment
273850003 | Substance use disorder diagnostic schedule
273851004 | Sue Spence assessment
273852006 | Suicide risk scale
273853001 | Sunnybrook cord injury scale
273854007 | Supplementary language test
273856009 | Swollen joint count
273857000 | Symbol digit modalities test
273858005 | Symbolic play test
273859002 | Symptom checklist
273860007 | SLT - Synonym learning test
273861006 | Systematic fluency training for young children
273862004 | Systemic lupus activity measure
273863009 | SLEDAI - Systemic lupus erythematosus disease activity index
273864003 | Tamb test
273865002 | Tender joint count
273867005 | Test for auditory perception of speech
273868000 | TACL - Test of auditory comprehension of language
273869008 | Test of auditory discrimination
273870009 | Test of language competence
273871008 | Test of language development 2
273872001 | Test of motor impairment - Stott-Moyes-Henderson
273873006 | Test of pragmatic skills
273874000 | Test of reception of grammar
273875004 | TSA - Test of syntactic abilities
273876003 | Test of word finding in discourse
273877007 | Test of word knowledge
273878002 | Therapeutic intervention scoring system
273879005 | TLFB - Time line follow back
273880008 | Time trade off analysis
273881007 | Token test
273882000 | Trail making test
273883005 | Trauma index
273884004 | Trauma score
273885003 | RTS - Revised trauma score
273886002 | Trauma and injury severity score
273887006 | Triage index
273888001 | Valentine auditory memory test
273889009 | Valpar 17 pre-vocational readiness battery
273891001 | Vernon Cloze procedure reading test
273892008 | Vernon graded word reading test
273893003 | Vineland maturity scales adapted for the blind
273894009 | Vineland social maturity scale
273895005 | Vineland subquotient - general self-help
273896006 | Vineland subquotient - communication
273897002 | Vineland subquotient - locomotion
273898007 | Vineland subquotient - occupation
273899004 | Vineland subquotient - self-help in eating
273900009 | Vineland subquotient - socialization
273901008 | Vineland behavioral assessment
273902001 | Visick symptom grade
273903006 | VAS - Visual analog scale
273904000 | Visual analog pain scale
273905004 | Visual and perceptual assessment program
273906003 | Visual object and spatial perception test
273908002 | Voice assessment sheet - Martin
273909005 | Voice evaluation form
273910000 | Voice skills assessment
273912008 | Waddell disability index
273913003 | Wakefield self-assessment depression inventory
273914009 | Ward behavior rating scale
273915005 | Warner dysphagia assessment
273916006 | Wechsler adult intelligence scale
273917002 | Wechsler adult intelligence test - revised
273918007 | Wechsler intelligence scale for children
273919004 | Wechsler intelligence non-verbal performance assessment
273920005 | Wechsler intelligence verbal assessment
273921009 | Logical memory paragraph recall
273922002 | Wechsler pre-school and primary scale of intelligence
273923007 | Weigl - Goldstein - Scheerer color form sorting test

273924001 | Wepman Auditory Sequential Memory Test
273925000 | Wepman Auditory Discrimination Test
273926004 | Wessex revised portage language checklist
273927008 | Western aphasia battery
273928003 | WPTAS - Westmead Post-Traumatic Amnesia Scale
273929006 | World Health Organization (WHO) depression scale
273930001 | World Health Organization (WHO) handicap scale
273931002 | World Health Organization (WHO) classification of impairments, disabilities and handicap scale
273932009 | World Health Organization (WHO) economic self-sufficiency handicap scale
273933004 | World Health Organization (WHO) mobility handicap scale
273934005 | World Health Organization (WHO) occupation handicap scale
273935006 | World Health Organization (WHO) orientation handicap scale
273936007 | World Health Organization (WHO) physical independence handicap scale
273937003 | World Health Organization (WHO) social integration handicap scale
273938008 | Winslow feeding checklist
273939000 | Wisconsin card sorting test
273940003 | SDS - Zung self-rating depression scale
273941004 | Zung anxiety status inventory
273942006 | Zung self-rating anxiety scale
277318003 | (m)
277457005 | Histological grading systems
277459008 | Daumas-Duport grading system
277460003 | World Health Organization (WHO) central nervous system (CNS) tumor grading system
277645005 | Additional TNM descriptors
277646006 | a - At autopsy
277647002 | r - Tumor recurrence
277649004 | y - During therapy/following treatment
277650004 | m - Multiple tumors
277652007 | f - Family history
277676004 | d - Retinal involvement
278241006 | Node stage G1 in retinoblastoma
278242004 | Node stage G2 in retinoblastoma
278247005 | Lung stage L1
278699003 | Parsonnet score
278896008 | Short form McGill pain questionnaire
278897004 | Waterlow pressure sore risk score
278898009 | Norton score
279101002 | Verbal rating scale
281113000 | Health of the Nation Outcome Scale - summated (generic version)
281114006 | Health of the Nation Outcome Scale subscale (generic version)
281115007 | Health of the Nation Outcome Scale item 1 - aggressive/disruptive behavior
281116008 | Health of the Nation Outcome Scale item 2 - non-accidental self injury
281117004 | HoNOS item 3 - alcohol/drug problem
281118009 | Health of the Nation Outcome Scale item 4 - cognitive problems
281119001 | HoNOS item 5
281120007 | Health of the Nation Outcome Scale item 6 - hallucinations/delusions
281121006 | HoNOS item 7
281122004 | Health of the Nation Outcome Scale item 8 - other mental/behavioral problems
281123009 | HoNOS item 9
281124003 | HoNOS item 10
281125002 | Health of the Nation Outcome scale item 11 - living conditions
281126001 | HoNOS item 12
281400004 | Ramsay sedation scale
281692008 | Griffiths mental developmental scale
281693003 | Gessell developmental scale
281844006 | Health of the Nation Outcome subscale A
281845007 | HoNOS subscale B
281846008 | Health of the Nation Outcome subscale C
281848009 | HoNOS subscale D
281849001 | Health of the Nation Outcome Scale item (generic version)
282402005 | V - Hepatic vein marker
282403000 | P - Portal vein marker
282404006 | E - Extrahepatic marker
282405007 | M - Metastatic marker
282436004 | E - Extralymphatic organ involvement marker
282437008 | S - Splenic involvement marker
282466006 | Suicide intent score scale
282467002 | Suicide intent score scale - summated
282468007 | Suicide intent score subscale
282469004 | Suicide intent score subscale - attempt circumstances
282470003 | Suicide intent score subscale - self report
282471004 | Suicide intent score subscale - risk

284061009 | Global assessment of functioning - 1993 Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition adaptation
284064001 | BPRS - Brief psychiatric rating scale - 1962
284464005 | Health of the Nation Outcome Scales
285713000 | GEMS - Guide to early movement skills checklist
285714006 | BSTS - Bereweeke skill teaching system checklist
300991009 | Webster score
302029005 | Ferriman and Galway score
303807002 | Rule of nines
304705008 | American Association on Mental Retardation (AAMR) adaptive behavior scale
304706009 | Acceptance of illness scale
304707000 | Anomalous sentences repetition test
304708005 | Arthritis impact measurement scale
304709002 | Attitudes towards doctors and medicine scale
304710007 | Beck hopelessness scale
304711006 | Beck anxiety inventory
304712004 | Beck scale for suicide ideation
304713009 | BPCQ - Beliefs about pain control questionnaire
304714003 | Bellak children's apperception test
304715002 | Bender visual motor gestalt test
304716001 | Bruininks-Oseretsky test of motor proficiency
304717005 | Cancer attitude inventory
304718000 | Child depression scale, second research edition
304719008 | Children's health locus of control scale
304720002 | CECS - Courtauld emotional control scale
304721003 | Middlesex hospital questionnaire
304722005 | Culture-free self-esteem inventory
304723000 | Delusions-symptoms-states inventory
304724006 | Eysenck personality questionnaire
304725007 | Family relations test
304726008 | Forced choice ratings of health-related attributes
304727004 | Framingham anger measure
304728009 | Framingham type A behavior pattern measure
304729001 | Fuld object memory evaluation
304730006 | Functional performance record
304731005 | General preventative health behaviors checklist
304732003 | Hassles scale
304733008 | Health knowledge measurement
304734002 | Health value scale
304735001 | Illinois test of psycholinguistic abilities, revised edition
304736000 | Inventory of drinking situations
304738004 | Kaufman assessment battery for children
304739007 | Life experiences checklist
304740009 | LOT - Life orientation test
304741008 | Luria-Nebraska neuropsychological battery, children's revision
304742001 | Luria-Nebraska neuropsychological battery, form 1
304743006 | Marlow-Crowne scale
304744000 | MISS - Medical interview satisfaction scale
304745004 | Mental adjustment to cancer scale
304746003 | Merril-Palmer preschool performance scale
304747007 | Motivation analysis test
304748002 | Multidimensional health locus of control scale
304749005 | Object relations technique
304750005 | Pain coping strategies questionnaire
304751009 | PILL - Pennebaker inventory of linguid languidness
304752002 | Perceived control of insulin-dependent diabetes
304753007 | PSS - Perceived stress scale
304754001 | Personality deviance scale
304755000 | PANAS - Positive and negative affect schedule
304756004 | Prejudicial evaluation and social interaction scale
304757008 | Profile of mood states, bipolar
304758003 | Quick neurological screening test
304759006 | Raven progressive matrices and vocabulary scales
304760001 | RLOC - Recovery locus of control scale
304761002 | Reported health behaviors checklist
304762009 | Revised token test
304763004 | Reynell developmental language scales, second revision
304764005 | Reynell Zinkin scale for young visually handicapped children
304765006 | Rogers personal adjustment inventory, revised
304766007 | RSES - Rosenberg self-esteem scale
304767003 | Rust inventory of schizotypal cognitions
304768008 | Satisfaction with life scale

304769000 | Screening test for the Luria-Nebraska neuropsychological battery
304770004 | Short form social support questionnaire
304771000 | SOS - Significant others scale
304772007 | Snijders-Oomen non-verbal intelligence scale, revised
304773002 | Stanford Binet intelligence scale, fourth edition
304774008 | Stanford Binet form L/M
304775009 | State-trait anger expression inventory
304776005 | Stroop neuropsychological screening test
304777001 | Symbolic play test, second edition
304778006 | Token test for children
304779003 | Uplifts scale
304780000 | Varni-Thompson pediatric pain questionnaire
304781001 | Vineland adaptive behavior scales
304915008 | Duke treadmill score
307791002 | Strange situation test
307792009 | Rey figure test
307793004 | Test of everyday attention
307794005 | Test of everyday attention - adult
307795006 | Test of everyday attention - child
307801002 | Rivermead behavioral memory test - adult version
307802009 | Rivermead behavioral memory test - child version
307803004 | Wechsler objective numerical dimensions test
307804005 | WOLD - Wechsler objective language dimensions test
307805006 | Health of the Nation Outcome Scale for children
307806007 | Health of the Nation Outcome Scale for adolescents
307807003 | Maudsley addiction profile
309593006 | Education score - diabetes
311404002 | Attention process training questionnaire
311405001 | Rating scale of attentional behavior
311406000 | Everyday memory questionnaire
311457001 | Behavior assessment of the dysexecutive syndrome
311458006 | Doors and people assessment
311471009 | Extended 2 & 7 test
311472002 | Alphabet number alteration test
311473007 | Vigil/W test
311474001 | Attentional capacity test
311475000 | Consonant trigrams test
311477008 | Buschke selective reminding test
311478003 | California verbal learning test
311480009 | Williams memory assessment scales
311481008 | Wechsler memory scale revised
311483006 | Association for neuropsychological research and development prospective memory test
311484000 | PASAT - Paced auditory stimulation test
311485004 | Category test
311486003 | Profile of executive control system
311512008 | Brixton test
311513003 | Hayling test
311514009 | Microcog - assessment of cognitive function

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.7 Value Set http://hl7.org/fhir/ValueSet/contactentity-type

URL: https://hl7.org/fhir/R4/valueset-contactentity-type.html
Patient Administration Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contactentity-type
Version: | 4.0.1

Name: | ContactEntityType
Title: | Contact entity type
Definition: | This example value set defines a set of codes that can be used to indicate the purpose for which you would contact a contact party.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.416 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ContactEntityType
• Resource: Organization.contact.purpose (CodeableConcept / Extensible)
• Resource: InsurancePlan.contact.purpose (CodeableConcept / Extensible)

4.4.1.7.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/contactentity-type

4.4.1.7.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 6 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/contactentity-type version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/contactentity-type

Code | Display | Definition
BILL | Billing | Contact details for information regarding to billing/general finance enquiries.
ADMIN | Administrative | Contact details for administrative enquiries.
HR | Human Resource | Contact details for issues related to Human Resources, such as staff matters, OH&S etc.
PAYOR | Payor | Contact details for dealing with issues related to insurance claims/adjudication/payment.
PATINF | Patient | Generic information contact for patients.
PRESS | Press | Dedicated contact point for matters relating to press enquiries.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.8 Value Set http://hl7.org/fhir/ValueSet/conditional-read-status

URL: https://hl7.org/fhir/R4/valueset-conditional-read-status.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Conformance Package for further details.

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/conditional-read-status
Version: | 4.0.1
Name: | ConditionalReadStatus
Title: | ConditionalReadStatus
Definition: | A code that indicates how the server supports conditional read.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.200 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ConditionalReadStatus
• Resource: CapabilityStatement.rest.resource.conditionalRead (code / Required)

4.4.1.8.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/conditional-read-status

4.4.1.8.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/conditional-read-status version 4.0.1

All codes from system http://hl7.org/fhir/conditional-read-status

Code | Display | Definition
not-supported | Not Supported | No support for conditional reads.
modified-since | If-Modified-Since | Conditional reads are supported, but only with the If-Modified-Since HTTP Header.
not-match | If-None-Match | Conditional reads are supported, but only with the If-None-Match HTTP Header.
full-support | Full Support | Conditional reads are supported, with both If-Modified-Since and If-None-Match HTTP Headers.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.9 Value Set http://hl7.org/fhir/ValueSet/reaction-event-certainty

URL: https://hl7.org/fhir/R4/valueset-reaction-event-certainty.html
Patient Care Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/reaction-event-certainty
Version: | 4.0.1
Name: | AllergyIntoleranceCertainty
Title: | AllergyIntoleranceCertainty
Definition: | Statement about the degree of clinical certainty that a specific substance was the cause of the manifestation in a reaction event.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.942 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for AllergyIntoleranceCertainty

• Extension: http://hl7.org/fhir/StructureDefinition/allergyintolerance-certainty: certainty (CodeableConcept / Extensible)

4.4.1.9.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/reaction-event-certainty

4.4.1.9.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/reaction-event-certainty version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/reaction-event-certainty

Code | Display | Definition
unlikely | Unlikely | There is a low level of clinical certainty that the reaction was caused by the identified substance.
likely | Likely | There is a high level of clinical certainty that the reaction was caused by the identified substance.
confirmed | Confirmed | There is a very high level of clinical certainty that the reaction was due to the identified substance, which may include clinical evidence by testing or rechallenge.
unknown | Unknown | The clinical certainty that the reaction was caused by the identified substance is unknown. It is an explicit assertion that certainty is not known.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.10 Value Set http://hl7.org/fhir/ValueSet/immunization-status

URL: https://hl7.org/fhir/R4/valueset-immunization-status.html
Public Health and Emergency Response Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/immunization-status
Version: | 4.0.1
Name: | ImmunizationStatusCodes
Title: | Immunization Status Codes
Definition: | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the current status of the administered dose of vaccine.
Committee: | Public Health and Emergency Response Work Group
OID: | 2.16.840.1.113883.4.642.3.295 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• ConceptMap: Translation source in Canonical Mapping for "Immunization Status Codes"
• Resource: Immunization.status (code / Required)

4.4.1.10.1 Content Logical Definition

This value set includes codes from the following code systems:

http://hl7.org/fhir/event-status

Code | Display | Canonical Status
completed | Completed | The event has now concluded.
entered-in-error | Entered in Error | This electronic record should never have existed, though it is possible that real-world decisions were based on it. (If real-world activity has occurred, the status should be "stopped" rather than "entered-in-error".).
not-done | Not Done | The event was terminated prior to any activity beyond preparation. I.e. The 'main' activity has not yet begun. The boundary between preparatory and the 'main' activity is context-specific.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.11 Value Set http://hl7.org/fhir/ValueSet/medication-admin-category

URL: https://hl7.org/fhir/R4/valueset-medication-admin-category.html
Pharmacy Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medication-admin-category
Version: | 4.0.1
Name: | MedicationAdministration Category Codes
Title: | Medication administration category codes
Definition: | MedicationAdministration Category Codes
Committee: | Pharmacy Work Group

OID: | 2.16.840.1.113883.4.642.3.347 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for MedicationAdministration Category Codes

• Resource: MedicationAdministration.category (CodeableConcept / Preferred)

4.4.1.11.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/medication-admin-category

4.4.1.11.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/medication-admin-category version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/medication-admin-category

Code | Display | Definition
inpatient | Inpatient | Includes administrations in an inpatient or acute care setting
outpatient | Outpatient | Includes administrations in an outpatient setting (for example, Emergency Department, Outpatient Clinic, Outpatient Surgery, Doctor's office)
community | Community | Includes administrations by the patient in their home (this would include long term care or nursing homes, hospices, etc.)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.12 Value Set http://hl7.org/fhir/ValueSet/detectedissue-severity

URL: https://hl7.org/fhir/R4/valueset-detectedissue-severity.html
Clinical Decision Support Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/detectedissue-severity
Version: | 4.0.1
Name: | DetectedIssueSeverity
Title: | DetectedIssueSeverity
Definition: | Indicates the potential degree of impact of the identified issue on the patient.
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.206 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for DetectedIssueSeverity

• ConceptMap: Translation source in v3 map for DetectedIssueSeverity

• Resource: DetectedIssue.severity (code / Required)

4.4.1.12.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/detectedissue-severity

4.4.1.12.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/detectedissue-severity version 4.0.1

All codes from system http://hl7.org/fhir/detectedissue-severity

Code | Display | Definition
high | High | Indicates the issue may be life-threatening or has the potential to cause permanent injury.
moderate | Moderate | Indicates the issue may result in noticeable adverse consequences but is unlikely to be life-threatening or cause permanent injury.
low | Low | Indicates the issue may result in some adverse consequences but is unlikely to substantially affect the situation of the subject.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.13 Value Set http://hl7.org/fhir/ValueSet/encounter-special-arrangements

URL: https://hl7.org/fhir/R4/valueset-encounter-special-arrangements.html
Patient Administration Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/encounter-special-arrangements
Version: | 4.0.1
Name: | SpecialArrangements
Title: | Special arrangements
Definition: | This value set defines a set of codes that can be used to indicate the kinds of special arrangements in place for a patients visit.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.253 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for SpecialArrangements
• Resource: Encounter.hospitalization.specialArrangement (CodeableConcept / Preferred)

4.4.1.13.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/encounter-special-arrangements

4.4.1.13.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/encounter-special-arrangements version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/encounter-special-arrangements

Code | Display | Definition
wheel | Wheelchair | The patient requires a wheelchair to be made available for the encounter.
add-bed | Additional bedding | An additional bed made available for a person accompanying the patient, for example a parent accompanying a child.
int | Interpreter | The patient is not fluent in the local language and requires an interpreter to be available. Refer to the Patient.Language property for the type of interpreter required.
att | Attendant | A person who accompanies a patient to provide assistive services necessary for the patient's care during the encounter.
dog | Guide dog | The patient has a guide dog and the location used for the encounter should be able to support the presence of the service animal.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.14 Value Set http://hl7.org/fhir/ValueSet/fm-status

URL: https://hl7.org/fhir/R4/valueset-fm-status.html
Financial Management Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/fm-status
Version: | 4.0.1
Name: | FinancialResourceStatusCodes
Title: | Financial Resource Status Codes
Definition: | This value set includes Status codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.592 (for OID based terminology systems)
Copyright: | HL7 International.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for FinancialResourceStatusCodes
• ConceptMap: Translation source in Canonical Mapping for "Financial Resource Status Codes"
• Resource: EnrollmentRequest.status (code / Required)
• Resource: CoverageEligibilityResponse.status (code / Required)
• Resource: PaymentNotice.status (code / Required)
• Resource: VisionPrescription.status (code / Required)
• Resource: EnrollmentResponse.status (code / Required)
• Resource: ClaimResponse.status (code / Required)
• Resource: PaymentReconciliation.status (code / Required)
• Resource: Coverage.status (code / Required)
• Resource: CoverageEligibilityRequest.status (code / Required)
• Resource: Claim.status (code / Required)

4.4.1.14.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/fm-status

4.4.1.14.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/fm-status version 4.0.1

All codes from system http://hl7.org/fhir/fm-status

Code | Display | Definition | Canonical Status
active | Active | The instance is currently in-force. | ~active
cancelled | Cancelled | The instance is withdrawn, rescinded or reversed. | ~abandoned
draft | Draft | A new instance the contents of which is not complete. | ~draft
entered-in-error | Entered in Error | The instance was entered in error. | ~error

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.15 Value Set http://hl7.org/fhir/ValueSet/action-cardinality-behavior

URL: https://hl7.org/fhir/R4/valueset-action-cardinality-behavior.html
Clinical Decision Support Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/action-cardinality-behavior
Version: | 4.0.1
Name: | ActionCardinalityBehavior
Title: | ActionCardinalityBehavior
Definition: | Defines behavior for an action or a group for how many times that item may be repeated.
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.807 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ActionCardinalityBehavior
• Resource: RequestGroup.action.cardinalityBehavior (code / Required)
• Resource: PlanDefinition.action.cardinalityBehavior (code / Required)

4.4.1.15.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/action-cardinality-behavior

4.4.1.15.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/action-cardinality-behavior version 4.0.1

All codes from system http://hl7.org/fhir/action-cardinality-behavior

Code | Display | Definition
single | Single | The action may only be selected one time.
multiple | Multiple | The action may be selected multiple times.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.16 Value Set http://hl7.org/fhir/ValueSet/organization-role

URL: https://hl7.org/fhir/R4/valueset-organization-role.html
Patient Administration Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/organization-role
Version: | 4.0.1
Name: | OrganizationAffiliationRole
Title: | Organization Affiliation Role
Definition: | This example value set defines a set of codes that can be used to indicate the role of one Organization in relation to another.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.880 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for OrganizationAffiliationRole

• Resource: OrganizationAffiliation.code (CodeableConcept / Example)

4.4.1.16.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/organization-role

4.4.1.16.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 8 concepts

Expansion based on http://hl7.org/fhir/organization-role version 4.0.1

All codes from system http://hl7.org/fhir/organization-role

Code | Display | Definition
provider | Provider
agency | Agency | An organization such as a public health agency, community/social services provider, etc.
research | Research | An organization providing research-related services such as conducting research, recruiting research participants, analyzing data, etc.
payer | Payer | An organization providing reimbursement, payment, or related services
diagnostics | Diagnostics | An organization providing diagnostic testing/laboratory services
supplier | Supplier | An organization that provides medical supplies (e.g. medical devices, equipment, pharmaceutical products, etc.)
HIE/HIO | HIE/HIO | An organization that facilitates electronic clinical data exchange between entities
member | Member | A type of non-ownership relationship between entities (encompasses partnerships, collaboration, joint ventures, etc.)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.17 Value Set http://hl7.org/fhir/ValueSet/ex-procedure-type

URL: https://hl7.org/fhir/R4/valueset-ex-procedure-type.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/ex-procedure-type
Version: | 4.0.1
Name: | ExampleProcedureTypeCodes
Title: | Example Procedure Type Codes
Definition: | This value set includes example Procedure Type codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.1387 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ExampleProcedureTypeCodes

• Resource: ExplanationOfBenefit.procedure.type (CodeableConcept / Example)

• Resource: Claim.procedure.type (CodeableConcept / Example)

4.4.1.17.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/ex-procedure-type

4.4.1.17.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/ex-procedure-type version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/ex-procedure-type

Code | Display | Definition
primary | Primary procedure | The first procedure in a series required to produce and overall patient outcome.
secondary | Secondary procedure | The second procedure in a series required to produce and overall patient outcome.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.18 Value Set http://hl7.org/fhir/ValueSet/encounter-discharge-disposition

URL: https://hl7.org/fhir/R4/valueset-encounter-discharge-disposition.html
Patient Administration Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/encounter-discharge-disposition
Version: | 4.0.1
Name: | DischargeDisposition
Title: | Discharge disposition
Definition: | This value set defines a set of codes that can be used to where the patient left the hospital.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.259 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for DischargeDisposition
• Resource: Encounter.hospitalization.dischargeDisposition (CodeableConcept / Example)

4.4.1.18.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/discharge-disposition

4.4.1.18.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 11 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/discharge-disposition version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/discharge-disposition

Code | Display | Definition
home | Home | The patient was dicharged and has indicated that they are going to return home afterwards.
alt-home | Alternative home | The patient was discharged and has indicated that they are going to return home afterwards, but not the patient's home - e.g. a family member's home.
other-hcf | Other healthcare facility | The patient was transferred to another healthcare facility.
hosp | Hospice | The patient has been discharged into palliative care.
long | Long-term care | The patient has been discharged into long-term care where is likely to be monitored through an ongoing episode-of-care.
aadvice | Left against advice | The patient self discharged against medical advice.
exp | Expired | The patient has deceased during this encounter.
psy | Psychiatric hospital | The patient has been transferred to a psychiatric facility.
rehab | Rehabilitation | The patient was discharged and is to receive post acute care rehabilitation services.
snf | Skilled nursing facility | The patient has been discharged to a skilled nursing facility for the patient to receive additional care.
oth | Other | The discharge disposition has not otherwise defined.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.19 Value Set http://hl7.org/fhir/ValueSet/conceptmap-unmapped-mode

URL: https://hl7.org/fhir/R4/valueset-conceptmap-unmapped-mode.html
Vocabulary Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/conceptmap-unmapped-mode
Version: | 4.0.1
Name: | ConceptMapGroupUnmappedMode
Title: | ConceptMapGroupUnmappedMode
Definition: | Defines which action to take if there is no match in the group.
Committee: | Vocabulary Work Group
OID: | 2.16.840.1.113883.4.642.3.480 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ConceptMapGroupUnmappedMode

• Resource: ConceptMap.group.unmapped.mode (code / Required)

4.4.1.19.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/conceptmap-unmapped-mode

4.4.1.19.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/conceptmap-unmapped-mode version 4.0.1

All codes from system http://hl7.org/fhir/conceptmap-unmapped-mode

Code | Display | Definition
provided | Provided Code | Use the code as provided in the $translate request.
fixed | Fixed Code | Use the code explicitly provided in the group.unmapped.
other-map | Other Map | Use the map identified by the canonical URL in the url element.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.20 Value Set http://hl7.org/fhir/ValueSet/composition-attestation-mode

URL: https://hl7.org/fhir/R4/valueset-composition-attestation-mode.html
Structured Documents Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/composition-attestation-mode

Version: | 4.0.1
Name: | CompositionAttestationMode
Title: | CompositionAttestationMode
Definition: | The way in which a person authenticated a composition.
Committee: | Structured Documents Work Group
OID: | 2.16.840.1.113883.4.642.3.238 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for CompositionAttestationMode

• Resource: Composition.attester.mode (code / Required)

4.4.1.20.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/composition-attestation-mode

4.4.1.20.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/composition-attestation-mode version 4.0.1

All codes from system http://hl7.org/fhir/composition-attestation-mode

Code | Display | Definition
personal | Personal | The person authenticated the content in their personal capacity.
professional | Professional | The person authenticated the content in their professional capacity.
legal | Legal | The person authenticated the content and accepted legal responsibility for its content.
official | Official | The organization authenticated the content as consistent with their policies and procedures.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.21 Value Set http://hl7.org/fhir/ValueSet/ex-diagnosis-on-admission

URL: https://hl7.org/fhir/R4/valueset-ex-diagnosis-on-admission.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/ex-diagnosis-on-admission
Version: | 4.0.1
Name: | ExampleDiagnosisOnAdmissionCodes
Title: | Example Diagnosis on Admission Codes
Definition: | This value set includes example Diagnosis on Admission codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.1169 (for OID based terminology systems)
Copyright: | These codes have been appropriated from the UB04 code set owned and managed by the AHA . Users require a license from the AHA in order to use these codes. Note: the codes have been withdrawn in a later version
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ExampleDiagnosisOnAdmissionCodes

• Resource: ExplanationOfBenefit.diagnosis.onAdmission (CodeableConcept / Example)

• Resource: Claim.diagnosis.onAdmission (CodeableConcept / Example)

4.4.1.21.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/ex-diagnosis-on-admission

4.4.1.21.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/ex-diagnosis-on-admission version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/ex-diagnosis-on-admission

Code	Display	Definition
y	Yes	Diagnosis was present at time of inpatient admission.
n	No	Diagnosis was not present at time of inpatient admission.
u	Unknown	Documentation insufficient to determine if condition was present at the time of inpatient admission.
w	Undetermined	Clinically undetermined. Provider unable to clinically determine whether the condition was present at the time of inpatient admission.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.22 Value Set http://hl7.org/fhir/ValueSet/location-status

URL: https://hl7.org/fhir/R4/valueset-location-status.html
Patient Administration Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/location-status
Version: | 4.0.1
Name: | LocationStatus
Title: | LocationStatus
Definition: | Indicates whether the location is still in use.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.332 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for LocationStatus
• ConceptMap: Translation source in Canonical Mapping for "LocationStatus"
• Resource: Location.status (code / Required)

4.4.1.22.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/location-status

4.4.1.22.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/location-status version 4.0.1

All codes from system http://hl7.org/fhir/location-status

Code	Display	Definition	Canonical Status
active	Active	The location is operational.	~active
suspended	Suspended	The location is temporarily closed.	~suspended
inactive	Inactive	The location is no longer used.	~inactive

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.23 Value Set http://hl7.org/fhir/ValueSet/payment-adjustment-reason

URL: https://hl7.org/fhir/R4/valueset-payment-adjustment-reason.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/payment-adjustment-reason
Version: | 4.0.1
Name: | PaymentAdjustmentReasonCodes
Title: | Payment Adjustment Reason Codes
Definition: | This value set includes smattering of Payment Adjustment Reason codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.600 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for PaymentAdjustmentReasonCodes

• Resource: ExplanationOfBenefit.payment.adjustmentReason (CodeableConcept / Example)

• Resource: ClaimResponse.payment.adjustmentReason (CodeableConcept / Example)

4.4.1.23.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/payment-adjustment-reason

4.4.1.23.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/payment-adjustment-reason version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/payment-adjustment-reason

Code | Display | Definition
a001 | Prior Payment Reversal | Prior Payment Reversal
a002 | Prior Overpayment | Prior Overpayment

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.24 Value Set http://hl7.org/fhir/ValueSet/claim-use

URL: https://hl7.org/fhir/R4/valueset-claim-use.html
Financial Management Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/claim-use
Version: | 4.0.1
Name: | Use
Title: | Use

Definition: | The purpose of the Claim: predetermination, preauthorization, claim.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.544 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for Use
• Resource: ExplanationOfBenefit.use (code / Required)
• Resource: ClaimResponse.use (code / Required)
• Resource: Claim.use (code / Required)

4.4.1.24.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/claim-use

4.4.1.24.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/claim-use version 4.0.1

All codes from system http://hl7.org/fhir/claim-use

Code | Display | Definition
claim | Claim | The treatment is complete and this represents a Claim for the services.
preauthorization | Preauthorization | The treatment is proposed and this represents a Pre-authorization for the services.
predetermination | Predetermination | The treatment is proposed and this represents a Pre-determination for the services.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.25 Value Set http://hl7.org/fhir/ValueSet/identifier-use

URL: https://hl7.org/fhir/R4/valueset-identifier-use.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/identifier-use
Version: | 4.0.1
Name: | IdentifierUse
Title: | IdentifierUse
Definition: | Identifies the purpose for this identifier, if known .
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.57 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for IdentifierUse
• Resource: Identifier.use (code / Required)

4.4.1.25.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/identifier-use

4.4.1.25.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/identifier-use version 4.0.1

All codes from system http://hl7.org/fhir/identifier-use

Code | Display | Definition
usual | Usual | The identifier recommended for display and use in real-world interactions.
official | Official | The identifier considered to be most trusted for the identification of this item. Sometimes also known as "primary" and "main". The determination of "official" is subjective and implementation guides often provide additional guidelines for use.
temp | Temp | A temporary identifier.
secondary | Secondary | An identifier that was assigned in secondary use - it serves to identify the object in a relative context, but cannot be consistently assigned to the same object again in a different context.
old | Old | The identifier id no longer considered valid, but may be relevant for search purposes. E.g. Changes to identifier schemes, account merges, etc.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.26 Value Set http://hl7.org/fhir/ValueSet/immunization-recommendation-reason

URL: https://hl7.org/fhir/R4/valueset-immunization-recommendation-reason.html
Public Health and Emergency Response Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/immunization-recommendation-reason
Version: | 4.0.1
Name: | ImmunizationRecommendationReasonCodes
Title: | Immunization Recommendation Reason Codes
Definition: | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the reasons why a given recommendation status is assigned. This value set is provided as a suggestive example and includes SNOMED CT concepts.
Committee: | Public Health and Emergency Response Work Group
OID: | 2.16.840.1.113883.4.642.3.307 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: ImmunizationRecommendation.recommendation.forecastReason (CodeableConcept / Example)

4.4.1.26.1 Content Logical Definition

This value set includes codes from the following code systems:

http://snomed.info/sct

Code | Display
77176002 | Smoker
77386006 | Pregnancy not delivered

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.27 Value Set http://hl7.org/fhir/ValueSet/goal-relationship-type

URL: https://hl7.org/fhir/R4/valueset-goal-relationship-type.html
Patient Care Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/goal-relationship-type
Version: | 4.0.1
Name: | GoalRelationshipType
Title: | GoalRelationshipType
Definition: | Types of relationships between two goals.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.915 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for GoalRelationshipType

• Extension: http://hl7.org/fhir/StructureDefinition/goal-relationship: relationship (CodeableConcept / Extensible)

4.4.1.27.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/goal-relationship-type

4.4.1.27.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/goal-relationship-type version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/goal-relationship-type

Code | Display | Definition
predecessor | Predecessor | Indicates that the target goal is one which must be met before striving for the current goal.
successor | Successor | Indicates that the target goal is a desired objective once the current goal is met.
replacement | Replacement | Indicates that this goal has been replaced by the target goal.
milestone | Milestone | Indicates that the target goal is considered to be a "piece" of attaining this goal.
other | Other | Indicates that the relationship is not covered by one of the pre-defined codes. (An extension may convey more information about the meaning of the relationship.).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.28 Value Set http://hl7.org/fhir/ValueSet/transaction-mode

URL: https://hl7.org/fhir/R4/valueset-transaction-mode.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/transaction-mode
Version: | 4.0.1
Name: | TransactionMode
Title: | TransactionMode
Definition: | A code that indicates how transactions are supported.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.192 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for TransactionMode

4.4.1.28.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/transaction-mode

4.4.1.28.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/transaction-mode version 4.0.1

All codes from system http://hl7.org/fhir/transaction-mode

Code	Display	Definition
not-supported	None	Neither batch or transaction is supported.
batch	Batches supported	Batches are supported.
transaction	Transactions Supported	Transactions are supported.
both	Batches & Transactions	Both batches and transactions are supported.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.29 Value Set http://hl7.org/fhir/ValueSet/media-view

URL: https://hl7.org/fhir/R4/valueset-media-view.html
Orders and Observations Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/media-view
Version: | 4.0.1
Name: | MediaCollectionView/Projection
Title: | Media Collection View/Projection
Definition: | Codes defined in SNOMED CT that can be used to record Media Recording views.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.337 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Media.view (CodeableConcept / Example)

4.4.1.29.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://snomed.info/sct where concept is-a 260419006 (Projection)

4.4.1.29.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 276 concepts

All codes from system http://snomed.info/sct

Code	Display	Definition
260421001	LLO projection	
260422008	C1-C2 left oblique	
260424009	RLO projection	
260425005	C1-C2 right oblique	

260426006 | Medial oblique
260427002 | Oblique lateral
260428007 | Mandible X-ray - lateral oblique
260430009 | Anteroposterior left lateral decubitus
260431008 | C1-C2 left lateral
260432001 | Left true lateral
260434000 | Anteroposterior right lateral decubitus
260435004 | C1-C2 right lateral
260436003 | Right true lateral
260437007 | Lateral vertical beam
260438002 | Lateral horizontal beam
260439005 | Lateral inverted
260440007 | True lateral of mandible
260441006 | Frog lateral
260442004 | Erect lateral
260443009 | Anteroposterior inverted
260444003 | PA - Rotated posteroanterior
260445002 | Posteroanterior 20 degree
260446001 | Posteroanterior in ulnar deviation
260447005 | Penetrated posteroanterior
260450008 | Lordotic projection
260451007 | Supine decubitus
260452000 | Decubitus
260453005 | Internal/external rotation
260454004 | 45 degree projection
260455003 | Head and neck projection
260458001 | Slit Towne
260459009 | Reverse Towne
260460004 | Slit 35 degree fronto-occipital
260461000 | Vertex projection
260463002 | Left Stenver
260464008 | Right Stenver
260465009 | Occipitofrontal projection
260466005 | Occipitomental projection
260467001 | Occipitomental - erect
260468006 | Occipitomental - tilted
260469003 | Occipitomental - prone
260470002 | Occipitomental - 15 degree
260471003 | Occipitomental - 30 degree
260472005 | Occipitomental - 45 degree
260473000 | Waters - 35 degree tilt to radiographic baseline
260475007 | Submentovertical reduced exposure for zygomatic arches
260476008 | Slit SMV
260477004 | Dental/oral projection
260478009 | Body - molar
260479001 | Body - premolar
260481004 | Ramus projection
260482006 | Bimolar projection
260483001 | Toller projection
260484007 | Transmaxillary projection
260485008 | Temporomandibular joint setting
260486009 | Maxillary sinus setting
260487000 | Dental panoramic
260489002 | Implant setting projection
260490006 | Segmental setting
260491005 | Axial view for sesamoid bones
260492003 | Brewerton projection
260493008 | Harris Beath axial projection
260494002 | Tunnel projection
260496000 | Judet projection
260497009 | Mortice projection
260499007 | Occlusal projection
260500003 | Projected oblique occlusal
260501004 | Lower true occlusal
260502006 | Power grip series
260503001 | Radial head projection
260504007 | Skyline projection
260506009 | Van Rosen projection
272455005 | Inferosuperior projection
272456006 | Apical projection
272457002 | Vertical projection
272458007 | Prone projection

272459004 | Supine projection
272460009 | Anterior projection
272461008 | Right posterior projection
272462001 | Left posterior projection
272464000 | Perorbital projection
272465004 | Temporomandibular joint projection
272466003 | Optic foramen projection
272467007 | Lateral facial skeleton projection
272468002 | Ear projection
272469005 | Mid face projection
272470006 | Cervical spine projection
272472003 | Macro projection
272473008 | Outlet projection
272474002 | Swimmer's projection
272475001 | Tibial tuberosity projection
272476000 | Transthoracic projection
272478004 | Transcranial projection
272479007 | Posteroanterior projection
272480005 | Horizontal projection
272481009 | Erect projection
272482002 | Adduction projection
272483007 | True projection
272484001 | Contralateral projection
278255003 | Posterior projection
278267001 | Abduction projection
278318001 | Zimmer projection
398996004 | Leonard-George projection
399000008 | Mayer projection
399001007 | Posterior emissive projection
399002000 | Nolke projection
399003005 | Hughston projection
399004004 | Oblique axial projection
399005003 | Miller projection
399006002 | Left posterior oblique projection
399011000 | Axillary tail mammography view
399012007 | Medial-lateral emissive projection
399013002 | Chassard-Lapin projection
399022001 | Pirie projection
399024000 | May projection
399025004 | Ischerwood projection
399026003 | Zanelli projection
399028002 | Clements projection
399033003 | Frontal projection
399037002 | Lewis projection
399038007 | Right posterior oblique projection
399059000 | Postero-anterior oblique projection
399061009 | Axial projection
399065000 | Causton projection
399067008 | Lateral projection
399071006 | Plantodorsal projection
399073009 | Fuchs projection
399074003 | Left anterior oblique emissive projection
399075002 | Right posterior oblique emissive projection
399080006 | Kuchendorf projection
399082003 | Gaynor-Hart projection
399083008 | Hsieh projection
399089007 | Oblique axial emissive projection
399098005 | Staunig projection
399099002 | Latero-medial oblique projection
399101009 | Cranio-caudal projection exaggerated medially
399103007 | Friedman projection
399108003 | Right anterior oblique emissive projection
399110001 | Tangential projection
399113004 | Eponymous projection
399118008 | Left lateral emissive projection
399125001 | Twining projection
399127009 | Teufel projection
399129007 | Holly projection
399130002 | West Point projection
399132005 | Frontal-oblique axial projection
399135007 | Left anterior oblique projection
399136008 | Left posterior oblique emissive projection

399138009 | Penner projection
399142007 | Albers-Schonberg projection
399146005 | Grashey projection
399148006 | Chamberlain projection
399152006 | Kandel projection
399156009 | Laquerriere-Pierquin projection
399157000 | Norgaard's projection
399159002 | Latero-medial oblique emissive projection
399160007 | Frontal oblique projection
399161006 | Cleavage mammography view
399162004 | Cranio-caudal projection
399163009 | Magnified projection
399168000 | Hough projection
399169008 | Lauenstein projection
399171008 | Ottonello projection
399173006 | Left lateral projection
399179005 | Lawrence projection
399181007 | Pawlow projection
399182000 | Oblique projection
399184004 | Left oblique projection
399188001 | Superolateral to inferomedial oblique projection
399192008 | Cranio-caudal projection exaggerated laterally
399196006 | Caudo-cranial projection
399198007 | Right lateral projection
399199004 | Henschen projection
399201002 | Judd projection
399206007 | Law projection
399212002 | Camp-Coventry projection
399215000 | Wigby-Taylor projection
399218003 | Arcelin projection
399225005 | Oblique caudo-cranial projection
399227002 | Kemp Harper projection
399234000 | Rhese projection
399236003 | Right oblique projection
399237007 | Alexander projection
399241006 | Titterington projection
399242004 | Acanthioparietal projection
399243009 | Settegast projection
399245002 | Cleaves projection
399246001 | Blackett-Healy projection
399247005 | Tarrant projection
399251007 | Lorenz projection
399255003 | Submentovertical projection
399260004 | Medial-lateral projection
399263002 | Beclere projection
399265009 | Exaggerated cranio-caudal projection
399268006 | Medio-lateral oblique emissive projection
399270002 | Towne's projection
399272005 | Parietoacanthial projection
399273000 | Sagittal-oblique axial emissive projection
399277004 | Hickey projection
399278009 | Cahoon projection
399280003 | Kasabach projection
399281004 | Fleischner projection
399284007 | Merchant projection
399285008 | Holmblad projection
399288005 | Oblique cranio-caudal projection
399290006 | Schuller projection
399292003 | Stecher projection
399296000 | Taylor projection
399297009 | Right lateral emissive projection
399300004 | Lateral-medial emissive projection
399303002 | Dunlap projection
399308006 | Lindblom projection
399311007 | Grandy projection
399312000 | Antero-posterior oblique projection
399313005 | Swanson projection
399316002 | Parieto-orbital projection
399318001 | Kovacs projection
399320003 | Clements-Nakayama projection
399321004 | Anterior emissive projection
399325008 | Sagittal-oblique axial projection

399327000 | Low-Beer projection
399330007 | Valdini projection
399332004 | Kurzbauer projection
399335002 | Dorsoplantar projection
399341009 | Haas projection
399342002 | Lilienfeld projection
399344001 | Broden projection
399348003 | Antero-posterior projection
399349006 | Stenver's projection
399351005 | Orbito-parietal projection
399352003 | Lateral-medial projection
399355001 | Chausse projection
399356000 | Right anterior oblique projection
399358004 | Caldwell projection
399360002 | Verticosubmental projection
399361003 | Nuclear medicine projection
399362005 | Bertel projection
399365007 | Pearson projection
399368009 | Medio-lateral oblique projection
399370000 | Lysholm projection
399372008 | Ferguson projection
408723005 | Cranial LAO
408724004 | Caudal LAO
408725003 | Cranial RAO
408726002 | Caudal RAO
422534007 | Rafert-Long projection
422568001 | Moore projection
422670003 | Apple projection
422795009 | Neer projection
422861003 | Burman projection
422954003 | Stryker projection
422996004 | Wolf projection
423091003 | Colcher-Sussman projection
423720000 | Rafer projection
424086005 | Hirtz Modification projection
424655003 | Eraso Modification projection
424811006 | Danelius-Miller projection
424962005 | Fisk projection
425030002 | Kite projection
425035007 | Robert projection
425042007 | Rosenberg projection
425157002 | Folio projection
425188003 | Garth projection
441505008 | Dorsopalmar projection
441555000 | Inferomedial to superolateral oblique view
441672003 | Dorso-ventral projection
441753009 | Mammography view
442361004 | Stereoscopic view
442441009 | Ventro-dorsal projection
442580003 | Axillary tissue mammography view
442581004 | Nipple in profile mammography view
442593008 | Infra-mammary fold mammography view
442594002 | Right stereoscopic view
442640004 | Left stereoscopic view
442653001 | Stereoscopic view incremented from baseline
442667005 | Stereoscopic view decremented from baseline

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.30 Value Set http://hl7.org/fhir/ValueSet/encounter-diet

URL: https://hl7.org/fhir/R4/valueset-encounter-diet.html

Patient Administration Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/encounter-diet
Version: | 4.0.1
Name: | Diet
Title: | Diet
Definition: | This value set defines a set of codes that can be used to indicate dietary preferences or restrictions a patient may have.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.255 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for Diet
• Resource: Encounter.hospitalization.dietPreference (CodeableConcept / Example)
• Resource: NutritionOrder.foodPreferenceModifier (CodeableConcept / Example)

4.4.1.30.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/diet

4.4.1.30.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 7 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/diet version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/diet

Code | Display | Definition
vegetarian | Vegetarian | Food without meat, poultry or seafood.
dairy-free | Dairy Free | Excludes dairy products.
nut-free | Nut Free | Excludes ingredients containing nuts.
gluten-free | Gluten Free | Excludes ingredients containing gluten.
vegan | Vegan | Food without meat, poultry, seafood, eggs, dairy products and other animal-derived substances.
halal | Halal | Foods that conform to Islamic law.
kosher | Kosher | Foods that conform to Jewish dietary law.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.31 Value Set http://hl7.org/fhir/ValueSet/encounter-reason

URL: https://hl7.org/fhir/R4/valueset-encounter-reason.html
Patient Administration Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/encounter-reason
Version: | 4.0.1
Name: | EncounterReasonCodes
Title: | Encounter Reason Codes
Definition: | This examples value set defines the set of codes that can be used to indicate reasons for an encounter.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.261 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org

Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Appointment.reasonCode (CodeableConcept / Preferred)

• Resource: Encounter.reasonCode (CodeableConcept / Preferred)

4.4.1.31.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://snomed.info/sct where concept is-a 404684003 (Clinical finding)

• Include codes from http://snomed.info/sct where concept is-a 71388002 (Procedure)

• Include codes from http://snomed.info/sct where concept is-a 243796009 (Context-dependent categories)

• Include codes from http://snomed.info/sct where concept is-a 272379006 (Events)

4.4.1.31.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4000 concepts

All codes from system http://snomed.info/sct

Code | Display | Definition

109006 | Anxiety disorder of childhood OR adolescence

122003 | Choroidal hemorrhage

127009 | Spontaneous abortion with laceration of cervix

129007 | Homoiothermia

134006 | Decreased hair growth

140004 | Chronic pharyngitis

144008 | Normal peripheral vision

147001 | Superficial foreign body of scrotum without major open wound but with infection

150003 | Abnormal bladder continence

151004 | Meningitis due to gonococcus

162004 | Severe manic bipolar I disorder without psychotic features

165002 | Accident-prone

168000 | Typhlolithiasis

171008 | Injury of ascending right colon without open wound into abdominal cavity

172001 | Endometritis following molar AND/OR ectopic pregnancy

175004 | Supraorbital neuralgia

177007 | Poisoning by sawfly larvae

179005 | Apraxia of dressing

181007 | Hemorrhagic bronchopneumonia

183005 | Autoimmune pancytopenia

184004 | Withdrawal arrhythmia

188001 | Intercostal artery injury

192008 | Congenital syphilitic hepatomegaly

193003 | Benign hypertensive renal disease

195005 | Illegal abortion with endometritis

198007 | Disease due to Filoviridae

199004 | Decreased lactation

208008 | Neurocutaneous melanosis sequence

216004 | Delusion of persecution

219006 | Alcohol user

222008 | Acute epiglottitis with obstruction

223003 | Tumor of body of uterus affecting pregnancy

228007 | Lucio phenomenon

241006 | Motor simple partial status

242004 | Noninfectious jejunitis

253005 | Sycosis

257006 | Acne rosacea, erythematous telangiectatic type

258001 | Pseudoknuckle pad

264008 | Blind hypertensive eye

276008 | Oxytocin poisoning

279001 | Senile myocarditis

281004 | Alcoholic dementia

282006 | Acute myocardial infarction of basal-lateral wall

290006 | Melnick-Fraser syndrome

292003 | EEG finding

297009 | Acute myringitis

299007 | Paraffinoma of skin

303002 | Apoplectic pancreatitis

308006 | Pearly penile papules

310008 | Penile boil

313005 | Déjà vu
317006 | Reactive hypoglycemia
320003 | Cervical dilatation, 1cm
324007 | Plaster ulcer
330007 | Occipital headache
335002 | Pylorospasm
341009 | ABO incompatibility reaction
349006 | Absent tendon reflex
355001 | Hemorrhagic shock
357009 | Closed fracture trapezoid
358004 | Smallpox vaccine poisoning
359007 | Kernicterus due to isoimmunization
360002 | Acute radiation disease
364006 | Acute left-sided heart failure
366008 | Hidromeiosis
368009 | Heart valve disorder
369001 | Normal jugular venous pressure
378007 | Morquio syndrome
382009 | Legal history finding relating to child
383004 | Finding of passive range of hip extension
385006 | Secondary peripheral neuropathy
387003 | Melanuria
398002 | Left axis deviation greater than -90 degrees by EKG
407000 | Congenital hepatomegaly
408005 | Tooth chattering
409002 | Food allergy diet
426008 | Superficial injury of ankle without infection
431005 | Hypertrophy of scrotum
437009 | Abnormal composition of urine
440009 | Persistent hyperphenylalaninemia
442001 | Secondary hypopituitarism
443006 | Cystocele affecting pregnancy
447007 | Coach in sports activity accident
450005 | Ulcerative stomatitis
452002 | Blister of groin without infection
460001 | Squamous metaplasia of prostate gland
467003 | Old laceration of pelvic floor muscle
470004 | Vitreous touch syndrome
479003 | Graves' disease with pretibial myxedema AND with thyrotoxic crisis
486006 | Acute vascular insufficiency
488007 | Fibroid myocarditis
490008 | Upper respiratory tract hypersensitivity reaction
496002 | Closed traumatic dislocation of third cervical vertebra
504009 | Androgen-dependent hirsutism
517007 | Foreign body in hypopharynx
518002 | Multiple aggregation
520004 | Congenital bent nose
527001 | Spontaneous fetal evolution, Roederer's method
536002 | Glissonian cirrhosis
539009 | Conjunctival argyrosis
547009 | Hypersecretion of calcitonin
548004 | 13p partial trisomy syndrome
554003 | 2p partial trisomy syndrome
555002 | Dicentra species poisoning
563001 | Nystagmus
568005 | Habit disorder
586008 | Contact dermatitis due to primrose
590005 | Congenital aneurysm of anterior communicating artery
596004 | Premenstrual dysphoric disorder
599006 | Persistent pneumothorax
600009 | Pyromania
602001 | Ross river fever
607007 | Decreased vital capacity
610000 | Spastic aphonia
613003 | FRAXA - Fragile X syndrome
615005 | Obstruction due to foreign body accidentally left in operative wound AND/OR body cavity during a procedure
616006 | Sensorimotor disorder of eyelid
626004 | Hypercortisolism due to nonpituitary tumor
631002 | Transfusion reaction due to minor incompatibility
634005 | Saddle boil
640003 | Injury of pneumogastric nerve
643001 | Hypertrophy of lip

646009 | Idiopathic cyst of anterior chamber
649002 | Open fracture of distal end of ulna
651003 | Root work
652005 | Gangrenous tonsillitis
655007 | Abnormal fetal heart beat noted before labor in liveborn infant
658009 | Injury of colon without open wound into abdominal cavity
663008 | Pulmonary embolism following molar AND/OR ectopic pregnancy
664002 | Delayed ovulation
666000 | Poisoning by antivaricose drug AND/OR sclerosing agent
675003 | Torsion of intestine
682004 | Thrombosis complicating pregnancy AND/OR puerperium
685002 | Acquired telangiectasia of small AND/OR large intestines
701003 | Adult osteochondritis of spine
703000 | Congenital adhesion of tongue
714002 | Abrasion AND/OR friction burn of toe with infection
715001 | Nontraumatic rupture of urethra
718004 | Acute bronchiolitis with obstruction
733007 | Superficial foreign body of groin without major open wound but with infection
734001 | Opocephalus
736004 | Abscess of hip
750009 | Schistosoma mansoni infection
755004 | Postgastrectomy phytobezoar
756003 | Chronic rheumatic myopericarditis
758002 | Cyst of uterus
775008 | Open wound of head with complication
776009 | Partial arterial retinal occlusion
781000 | Cestrum diurnum poisoning
786005 | Clinical stage I B
787001 | Rheumatic mitral stenosis with regurgitation
788006 | Disease-related diet
792004 | CJD - Creutzfeldt-Jakob disease
799008 | Sigmoid colon ulcer
801006 | Insect bite, nonvenomous, of foot, infected
805002 | Pneumoconiosis due to silica
811004 | Flail motion
813001 | Ankle instability
815008 | Episcleritis
816009 | Genetic recombination
818005 | Third degree burn of multiple sites of lower limb
825003 | Superficial injury of axilla with infection
827006 | Late congenital syphilis, latent (+ sero., - C.S.F., 2 years OR more)
832007 | Moderate major depression
834008 | Chair-seated facing coital position
841002 | Congenital absence of skull bone
842009 | Consanguinity
843004 | Poliomyelomalacia
844005 | Finding relating to behavior
845006 | Inferior mesenteric artery injury
849000 | Total cataract
857002 | Erythema simplex
862001 | Anemia due to chlorate
865004 | Hyperalimentation formula for ileus
871005 | Contracted pelvis
874002 | Therapeutic diuresis
875001 | Chalcosis of eye
888003 | Foetal or neonatal effect of maternal blood loss
890002 | Deep third degree burn of elbow
899001 | Axis I diagnosis
903008 | Chorioretinal infarction
904002 | Pinard's sign
908004 | Superficial injury of interscapular region without infection
919001 | Pseudohomosexual state
928000 | Musculoskeletal disorder
931004 | Gestation period, 9 weeks
932006 | Flat affect
934007 | Thalassemia intermedia
943003 | Congenital retinal aneurysm
954008 | Renon-Delille syndrome
961007 | Erythema nodosum, acute form
962000 | Disability evaluation, disability 6%
964004 | Open wound of pharynx without complication
965003 | Toxic amblyopia

975000 | Anorectal agenesis
978003 | Chronic infantile eczema
981008 | Hemorrhagic proctitis
984000 | Perirectal cellulitis
987007 | Cellulitis of temple region
991002 | Wide QRS complex
998008 | Chagas' disease with heart involvement
1003002 | Religious discrimination
1020003 | Disease due to Nairovirus
1023001 | Apneic
1027000 | Biliary esophagitis
1031006 | Open wound of trachea without complication
1033009 | Thoracic arthritis
1034003 | Mesenteric-portal fistula
1038000 | Disaccharidurіa
1045000 | Colonospasm
1046004 | Ureteritis glandularis
1051005 | Hyperplasia of islet alpha cells with gastrin excess
1055001 | Stenosis of precerebral artery
1059007 | Opisthorchiasis
1070000 | Facial myokymia
1073003 | Xeroderma pigmentosum group B
1074009 | Glucocorticoid-responsive primary hyperaldosteronism
1077002 | Septal infarction by EKG
1079004 | Macular retinal cyst
1085006 | Vulval candidiasis
1089000 | Congenital sepsis
1102005 | Intraerythrocytic parasitosis by Nuttallia
1107004 | Early latent syphilis, positive serology, negative cerebrospinal fluid, with relapse after treatment
1108009 | Female pattern alopecia
1111005 | Normal sebaceous gland activity
1112003 | Degenerative disorder of eyelid
1116000 | Chronic aggressive type B viral hepatitis
1124005 | Postpartum period, 6 days
1125006 | Septicemia during labor
1126007 | Knee locking
1131009 | Congenital valvular insufficiency
1134001 | Muehrcke lines
1135000 | Solar retinitis
1139006 | Confrontation (visual) test
1140008 | Thermal hypesthesia
1141007 | Circumoral paresthesia
1145003 | DSD - Developmental speech disorder
1150009 | Congenital microcheilia
1151008 | Constricted visual field
1152001 | Skin reaction negative
1155004 | Myocardial hypertrophy, determined by electrocardiogram
1156003 | Cavitary prostatitis
1168007 | Allotype
1184008 | Glasgow coma scale, 10
1192004 | Familial amyloid neuropathy, Finnish type
1194003 | Disease condition determination, well controlled
1196001 | Chronic bipolar II disorder, most recent episode major depressive
1197005 | Carbuncle of heel
1201005 | Benign essential hypertension
1203008 | Deep third degree burn of forehead AND/OR cheek with loss of body part
1207009 | Optic disc glaucomatous atrophy
1208004 | Gastroptosis
1212005 | Juvenile dermatomyositis
1214006 | Infection by Strongyloides
1230003 | No diagnosis on Axis 1
1232006 | Congenital articular rigidity with myopathy
1239002 | Congenital anteversion of femoral neck
1240000 | Lying prone
1259003 | Schistosis
1261007 | Multiple fractures of ribs
1264004 | Injury of descending left colon without open wound into abdominal cavity
1271009 | Knuckle pads, leuconychia and deafness
1280009 | Isologous chimera
1282001 | Laryngeal perichondritis
1283006 | Visual acuity less than .02 (1/60, count fingers 1 meter) or visual field less than 5 degrees, but better than 5.
1284000 | Abnormal jaw closure

1286003 | Vitamin K deficiency coagulation disorder
1287007 | Congenital absence of bile duct
1297003 | Infection by Cladosporium carrionii
1308001 | Complication of reimplant
1310004 | Impaired glucose tolerance associated with genetic syndrome
1317001 | Injury of ovary without open wound into abdominal cavity
1318006 | Post-translational genetic protein processing
1323006 | Kanamycin poisoning
1332008 | Conjugated visual deviation
1335005 | Peyronies disease
1343000 | DTA - Deep transverse arrest
1345007 | Hang nail
1351002 | Iliac artery injury
1356007 | Calculus of common duct with obstruction
1361009 | Leucocoria
1363007 | Fetal or neonatal effect of chronic maternal respiratory disease
1367008 | Injury of superior mesenteric artery
1370007 | Open fracture of metacarpal bone(s)
1372004 | Unicornate uterus
1376001 | Obsessive compulsive personality disorder
1378000 | Supination-eversion injury of ankle
1380006 | Agoraphobia without history of panic disorder with limited symptom attacks
1383008 | Hallucinogen induced mood disorder
1384002 | Diffuse cholesteatosis of middle ear
1386000 | Intracranial hemorrhage
1387009 | Solanum nigrum poisoning
1388004 | Metabolic alkalosis
1393001 | Lenz-Majewski dysplasia
1395008 | Complication of ultrasound therapy
1402001 | Frightened
1412008 | Anterior subcapsular polar cataract
1415005 | Inflammation of lymphatics
1418007 | Hypoplastic chondrodystrophy
1419004 | Injury of prostate without open wound into abdominal cavity
1426004 | Necrotizing glomerulonephritis
1427008 | Intraspinal abscess
1430001 | Intracranial hemorrhage following injury without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) without return to pre-existing level
1447000 | Icthyoparasitism
1469007 | Miscarriage with urinary tract infection
1474004 | Hypertensive heart AND renal disease complicating AND/OR reason for care during childbirth
1475003 | Herpes labialis
1478001 | Obliteration of lymphatic vessel
1479009 | 20q partial trisomy syndrome
1482004 | Chalazion
1486001 | Orbital congestion
1488000 | PONV - Postoperative nausea and vomiting
1489008 | External hordeolum
1492007 | Congenital anomaly of large intestine
1493002 | Acute endophthalmitis
1499003 | Bipolar I disorder, single manic episode with postpartum onset
1512006 | Congenital stricture of bile duct
1515008 | Gorham disease
1518005 | Splenitis
1519002 | Congenital phlebectasia
1521007 | Blister of buttock without infection
1523005 | Clinical stage IV B
1525003 | Blister of foot without infection
1531000 | Nitrofuran derivative poisoning
1532007 | Viral pharyngitis
1534008 | Palsy of conjugate gaze
1538006 | Central nervous system malformation in foetus affecting obstetrical care
1539003 | Nodular tendinous disease of finger
1542009 | Omphalocele with obstruction
1544005 | Open dislocation of knee
1551001 | Osteomyelitis of femur
1556006 | Clark melanoma level 4
1563006 | Protein S deficiency
1567007 | Chronic gastric ulcer without hemorrhage, without perforation AND without obstruction
1588003 | Heterosexual precocious puberty
1592005 | Failed attempted termination of pregnancy with uremia
1593000 | Infantile hemiplegia

1606009 | Infection caused by Macracanthorhynchus hirudinaceus
1608005 | Increased capillary permeability
1639007 | Abnormality of organs AND/OR soft tissues of pelvis affecting pregnancy
1647007 | Primaquine poisoning
1648002 | Lymphocytic pseudotumor of lung
1654001 | Steroid-induced glaucoma
1657008 | Toxic effect of phosdrin
1658003 | Closed fracture clavicle, lateral end
1663004 | Tumor grade G2
1667003 | Early fontanel closure
1670004 | Cerebral hemiparesis
1671000 | Sago spleen
1674008 | Meesman's epithelial corneal dystrophy
1679003 | Arthritis associated with another disorder
1682008 | Transitory amino acid metabolic disorder
1685005 | Rat-bite fever
1686006 | Sedative, hypnotic AND/OR anxiolytic-induced anxiety disorder
1694004 | Accessory lobe of lung
1698001 | Ulcer of bile duct
1703007 | Increased leg circumference
1705000 | Closed fracture of base of neck of femur
1708003 | Open dislocation of clavicle
1714005 | Photokeratitis
1717003 | Guttate hypomelanosis
1723008 | Urethral stricture due to schistosomiasis
1724002 | Infection caused by Crenosoma
1734006 | Fracture of vertebral column with spinal cord injury
1735007 | Thrill
1739001 | Occipital fracture
1742007 | Female hypererotism
1744008 | Connation of teeth
1748006 | Thrombophlebitis of deep femoral vein
1755008 | Healed coronary
1761006 | Biliary cirrhosis
1763009 | Stromal keratitis
1767005 | Fisher syndrome
1769008 | Thoracodidymus
1771008 | Insulin biosynthesis defect
1776003 | RTA - Renal tubular acidosis
1777007 | Increased molecular dissociation
1778002 | Malocclusion due to abnormal swallowing
1779005 | OFD II - Orofacial-digital syndrome II
1794009 | Idiopathic corneal edema
1816003 | Panic disorder with agoraphobia, severe agoraphobic avoidance AND mild panic attacks
1821000 | Chemoreceptor apnea
1822007 | Impaired glucose tolerance associated with pancreatic disease
1824008 | Allergic gastritis
1826005 | Granuloma of lip
1828006 | Infestation caused by Gasterophilus hemorrhoidalis
1829003 | Microcephalus
1833005 | Phacoanaphylactic endophthalmitis
1835003 | Necrosis of pancreas
1837006 | Orciprenaline poisoning
1845001 | Paraparesis
1847009 | Endophthalmitis
1848004 | Poisoning caused by gaseous anesthetic
1852004 | Traumatic injury of sixth cranial nerve
1855002 | Developmental academic disorder
1856001 | Accessory nose
1857005 | Congenital rubella syndrome
1858000 | Infection caused by Stilesia globipunctata
1860003 | Fluid volume disorder
1865008 | Impaired intestinal protein absorption
1869002 | Rupture of iris sphincter
1881003 | Increased nutritional requirement
1892002 | Star figure at the macula
1896004 | Ectopic breast tissue
1897008 | Amsinckia species poisoning
1899006 | Autosomal hereditary disorder
1903004 | Infestation caused by Psorergates ovis
1908008 | von Willebrand disease, type IIC
1909000 | Impairment level: better eye: severe impairment: lesser eye: near-total impairment

1922008 | Congenital absence of urethra
1926006 | Osteopetrosis
1938002 | Emotional AND/OR mental disease in mother complicating pregnancy, childbirth AND/OR puerperium
1939005 | Abnormal vascular flow
1943009 | Left-right confusion
1953005 | Congenital deficiency of pigment of skin
1954004 | Dilated cardiomyopathy secondary to toxic reaction
1955003 | Preauricular pit
1959009 | Encephalartos species poisoning
1961000 | Chronic polyarticular juvenile rheumatoid arthritis
1963002 | PNH - Paroxysmal nocturnal hemoglobinuria
1965009 | Normal skin pH
1967001 | Congenital absence of forearm only
1973000 | Sedative, hypnotic AND/OR anxiolytic-induced psychotic disorder with delusions
1977004 | Oxymetholone poisoning
1979001 | Focal choroiditis
1980003 | Seromucinous otitis media
1981004 | Urhidrosis
1988005 | Late effect of injury to nerve roots, spinal plexus AND/OR other nerves of trunk
1989002 | Burn of vagina AND/OR uterus
2004005 | Normotensive
2012002 | Fracture of lunate
2024009 | Dilated cardiomyopathy secondary to metazoal myocarditis
2028007 | Erythema induratum
2032001 | Cerebral edema
2036003 | Acquired factor VII deficiency disease
2040007 | Neurogenic thoracic outlet syndrome
2041006 | Eunuchoid gigantism
2043009 | Alcoholic gastritis
2053005 | Late effect of injury to blood vessels of thorax, abdomen AND/OR pelvis
2055003 | Recurrent erosion syndrome
2058001 | Bilateral loss of labyrinthine reactivity
2061000 | Conductive hearing loss of combined sites
2065009 | Autosomal dominant optic atrophy
2066005 | Gastric ulcer with hemorrhage AND perforation but without obstruction
2070002 | Burning sensation in eye
2073000 | Delusions
2087000 | Pulmonary nocardiosis
2089002 | Pagets disease of bone
2091005 | Pharyngeal diverticulitis
2094002 | Carbon disulfide causing toxic effect
2102007 | Deep corneal vascularization
2103002 | Reflex sympathetic dystrophy of upper extremity
2107001 | Anisomelia
2109003 | Isolated somatotropin deficiency
2114004 | Infection caused by Cysticercus pisiformis
2116002 | Intramembranous bone formation
2120003 | Weak cry
2121004 | Ethopropazine poisoning
2128005 | Disorder of adenoid
2129002 | Edema of pharynx
2132004 | Meconium in amniotic fluid noted before labor in liveborn infant
2134003 | Diffuse pain
2136001 | Open wound of jaw with complication
2138000 | LSP - Left sacroposterior position
2145000 | Anal intercourse
2149006 | Decreased hormone production
2158004 | Infection caused by Contracaecum
2167004 | Retinal hemangioblastomatosis
2169001 | Thoracic radiculitis
2170000 | Gallop rhythm
2176006 | Halogen acne
2177002 | PHN - Post-herpetic neuralgia
2186007 | Compensated metabolic alkalosis
2198002 | Visceral epilepsy
2202000 | Open posterior dislocation of distal end of femur
2204004 | Acquired deformity of pinna
2213002 | Congenital anomaly of vena cava
2216005 | Nocturnal emission
2217001 | Superficial injury of perineum without infection
2219003 | Disability evaluation, disability 100%
2224000 | Selenium poisoning

2228002 | Scintillating scotoma
2229005 | Chimera
2231001 | Nerve plexus disorder
2237002 | Painful breathing -pleurodynia
2239004 | Previous pregnancies 6
2241003 | X-linked absence of thyroxine-binding globulin
2243000 | Hypercalcemia due to hyperthyroidism
2245007 | Foreign body in nasopharynx
2251002 | Primary hypotony of eye
2256007 | Monovular twins
2261009 | Obstetrical pulmonary fat embolism
2268003 | Victim of homosexual aggression
2284002 | Pulsating exophthalmos
2295008 | Closed fracture of upper end of forearm
2296009 | Iron dextran toxicity
2298005 | Focal facial dermal dysplasia
2301009 | Psychosomatic factor in physical condition, psychological component of unknown degree
2303007 | Inguinal hernia with gangrene
2304001 | Intervertebral discitis
2307008 | Peripancreatic fat necrosis
2308003 | Silent alleles
2312009 | Reactive attachment disorder of infancy OR early childhood, inhibited type
2314005 | Unprotected intercourse
2326000 | Marriage annulment
2339001 | Sexual overexposure
2341000 | Infection caused by Moniliformis
2351004 | Genetic transduction
2355008 | Rud syndrome
2359002 | Hyper-beta-alaninemia
2365002 | Simple chronic pharyngitis
2366001 | Late effect of dislocation
2367005 | Acute hemorrhagic gastritis
2374000 | Monofascicular block
2385003 | Cellulitis of pectoral region
2388001 | Normal variation in translucency
2390000 | Acute gonococcal vulvovaginitis
2391001 | Achondrogenesis
2396006 | Malignant pyoderma
2398007 | Quinidine toxicity by electrocardiogram
2403008 | Dependence syndrome
2415007 | Lumbosacral root lesion
2418009 | Polyester fume causing toxic effect
2419001 | Open wound of forehead with complication
2420007 | Third degree burn of multiple sites of upper limb
2432006 | Cerebrospinal fluid circulation disorder
2435008 | Ascaridiasis
2437000 | Placenta circumvallata
2438005 | Iniencephaly
2439002 | Purulent endocarditis
2443003 | Hydrogen sulfide poisoning
2452007 | Fetal rotation
2463005 | Acquired heterochromia of iris
2469009 | Onychomalacia
2470005 | Brain damage
2471009 | Intra-abdominal abscess postprocedure
2472002 | Passes no urine
2473007 | Intermittent vertical squint
2477008 | Superficial phlebitis
2492009 | Disorder of nutrition
2495006 | Congenital cerebral arteriovenous aneurysm
2496007 | Acalculia
2506003 | Early onset dysthymia
2513003 | Tinea capitis caused by Trichophyton
2518007 | Cryptogenic sexual precocity
2521009 | Bone conduction better than air
2523007 | Salmonella pneumonia
2526004 | Noninflammatory disorder of the female genital organs
2528003 | Viremia
2532009 | Choroidal rupture
2534005 | Congenital absence of vena cava
2538008 | Ketosis
2541004 | Compulsive buying

2554006 | Acute purulent pericarditis
2556008 | Disease of supporting structures of teeth
2560006 | Complex syndactyly of fingers
2562003 | Athanasia trifurcata poisoning
2576002 | Trachoma
2581006 | Clasp knife rigidity
2582004 | Deep third degree burn of multiple sites of lower limb
2583009 | Filigreed network of venous valves
2584003 | Cerebral degeneration in childhood
2585002 | Pneumococcal pleurisy
2589008 | Acute dacryoadenitis
2591000 | Crush injury of shoulder region
2593002 | Dubowitz syndrome
2602008 | Hemarthrosis of shoulder
2606006 | Boil of perineum
2615004 | Graafian follicle cyst
2618002 | Chronic recurrent major depressive disorder
2622007 | Infected ulcer of skin
2624008 | Prepubertal periodontitis
2625009 | Senter syndrome
2630008 | Open wound of finger without complication
2634004 | Decreased blood erythrocyte volume
2638001 | Hypercalcemia caused by a drug
2640006 | Clinical stage 4
2651006 | Closed traumatic dislocation of elbow joint
2655002 | Invalidism
2657005 | Overflow proteinuria
2663001 | Palpatory proteinuria
2665008 | Coordinate convulsion
2683000 | Nonvenomous insect bite of axilla without infection
2689001 | Dominant dystrophic epidermolysis bullosa with absence of skin
2694001 | Myelophthisic anemia
2704003 | Acute disease
2707005 | Necrotizing enterocolitis
2713001 | Closed pneumothorax
2724004 | Auditory recruitment
2725003 | Previous abnormality of glucose tolerance
2733002 | Heel pain
2736005 | Honeycomb atrophy of face
2740001 | Gouty proteinuria
2749000 | Congenital deformity of hip
2751001 | Fibrocalculous pancreatic diabetes
2761008 | Decreased stool caliber
2764000 | Joint crackle
2770006 | Fetal or neonatal effect of antibiotic transmitted via placenta and/or breast milk
2772003 | Epidermolysis bullosa acquisita
2775001 | Intra-articular loose body
2776000 | Organic brain syndrome
2781009 | Miscarriage complicated by delayed and/or excessive hemorrhage
2782002 | Temporomandibular dysplasia
2783007 | Gastrojejunal ulcer without hemorrhage AND without perforation
2786004 | Epithelial ovarian tumor, International Federation of Gynecology and Obstetrics stage III
2790002 | Impairment level: one eye: total impairment: other eye: not specified
2805007 | Phosmet poisoning
2806008 | Impaired psychomotor development
2807004 | Chronic gastrojejunal ulcer with perforation
2808009 | Infection caused by Prosthenorchis elegans
2815001 | Sexual pyromania
2816000 | Dilated cardiomyopathy secondary to myotonic dystrophy
2818004 | Congenital vascular anomaly of eye
2819007 | Magnesium sulfate poisoning
2825006 | Abrasion and/or friction burn of gum without infection
2828008 | Congenital stenosis of nares
2829000 | Uhl disease
2831009 | Pyloric antral vascular ectasia
2835000 | Hemolytic anemia due to cardiac trauma
2836004 | Butane causing toxic effect
2838003 | Piblokto
2840008 | Open fracture of vault of skull with cerebral laceration AND/OR contusion
2850009 | Infection caused by Schistosoma incognitum
2853006 | Macular keratitis
2856003 | Vitamin A-responsive dermatosis

2858002 | Postpartum sepsis
2884008 | Spherophakia-brachymorphia syndrome
2893009 | Anomaly of chromosome pair 10
2897005 | Immune thrombocytopenia
2899008 | Thought blocking
2900003 | Fibromuscular dysplasia of renal artery
2901004 | Altered blood passed per rectum
2902006 | Decreased lymphocyte life span
2904007 | Male infertility
2910007 | Discharge from penis
2912004 | Cystic-bullous disease of the lung
2917005 | Transient hypothyroidism
2918000 | Infection caused by Bacteroides
2919008 | Nausea, vomiting and diarrhea
2929001 | Arterial occlusion
2935001 | Antiasthmatic poisoning
2940009 | Intrabasal vesicular dermatitis
2946003 | Osmotic diarrhea
2951009 | Atopic cataract
2955000 | Chronic ulcerative pulpitis
2965006 | Nevoid congenital alopecia
2967003 | Non-comitant strabismus
2972007 | Occlusion of anterior spinal artery
2973002 | Pelvic organ injury without open wound into abdominal cavity
2978006 | Aneurysm of conjunctiva
2981001 | Pulsatile mass of abdomen
2989004 | Complication following molar AND/OR ectopic pregnancy
2990008 | Lymphocytic leukemoid reaction
2992000 | Pigmentary pallidal degeneration
2994004 | Brain fag
2999009 | Injury of ear region
3002002 | Thyroid hemorrhage
3004001 | Congenital dilatation of esophagus
3006004 | Altered consciousness
3009006 | Solanum malacoxylon poisoning
3013004 | Open wound of ear drum without complication
3014005 | Autoeczematization
3018008 | Penetration of eyeball with magnetic foreign body
3019000 | Closed anterior dislocation of elbow
3021005 | Normal gastric acidity
3023008 | Acute peptic ulcer without hemorrhage, without perforation AND without obstruction
3032005 | Nonvenomous insect bite of cheek without infection
3033000 | Bone AND/OR joint disorder of pelvis in mother complicating pregnancy, childbirth AND/OR puerperium
3038009 | Acute lymphangitis of umbilicus
3044008 | Vitreous prolapse
3053001 | Poisoning caused by nitroglycerin
3059002 | Acute lymphangitis of thigh
3067005 | Weak C phenotype
3071008 | Widow
3072001 | Hormone-induced hypopituitarism
3073006 | Ruvalcaba syndrome
3084004 | Nonvenomous insect bite of gum without infection
3089009 | Disability evaluation, impairment, class 7
3094009 | Vomiting in infants AND/OR children
3095005 | Induced malaria
3097002 | Superficial injury of lip with infection
3098007 | Ventricular septal rupture
3105002 | Intron
3109008 | Secondary dysthymia early onset
3110003 | AOM - Acute otitis media
3119002 | Brain stem laceration with open intracranial wound AND loss of consciousness
3129009 | Infarction of ovary
3135009 | OE - Otitis externa
3140001 | Citrullinemia, subacute type
3144005 | Staphylococcal pleurisy
3158007 | Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND panic attacks in partial remission
3160009 | Infertility of cervical origin
3163006 | Acute adenoviral follicular conjunctivitis
3168002 | Thrombophlebitis of intracranial venous sinus
3185000 | Mood-congruent delusion
3199001 | Sprain of shoulder joint
3200003 | Sacrocoxalgia

3208005 | Open wound of ossicles without complication
3214003 | Invasive pulmonary aspergillosis
3217005 | Open dislocation of sixth cervical vertebra
3218000 | Mycotic disease
3219008 | Disease type AND/OR category unknown
3228009 | Closed fracture of the radial shaft
3229001 | Tracheal ulcer
3230006 | Illegal termination of pregnancy with afibrinogenemia
3238004 | Pericarditis
3239007 | Lymphocyte disorder
3253007 | Dyschromia
3254001 | Infection caused by Strongyloides westeri
3259006 | Homeria species poisoning
3261002 | Migratory osteolysis
3263004 | Verumontanitis
3272007 | Stomatocytosis
3274008 | Flat chest
3275009 | Behcet syndrome, vascular type
3276005 | Toad poisoning
3277001 | Terminal mood insomnia
3282008 | Arc eye
3283003 | Feeling of sand or foreign body in eye
3286006 | Patient status determination, greatly improved
3289004 | Anisometropia
3291007 | Closed fracture of two ribs
3298001 | Amnestic syndrome
3303004 | Disease caused by Arenavirus
3304005 | Bronchial compression
3305006 | Disorder of lymphatic vessel
3308008 | Atrophic-hyperplastic gastritis
3310005 | Foreign body granuloma of skin
3321001 | Renal abscess
3323003 | Leukoplakia of penis
3327002 | Acquired jerk nystagmus
3331008 | Open fracture of neck of metacarpal bone
3344003 | Toxic labyrinthitis
3345002 | Idiopathic osteoporosis
3355003 | Anti-common cold drug poisoning
3358001 | Lichen ruber moniliformis
3368006 | Dull chest pain
3376008 | Pseudoptyalism
3381004 | Open fracture of astragalus
3387000 | Auditory discrimination aphasia
3391005 | Negative for tumor cells
3393008 | Phlebitis following infusion, perfusion AND/OR transfusion
3398004 | Cadmium poisoning
3401001 | Cercopithecus herpesvirus 1 disease
3415004 | Cyanosis
3419005 | Faucial diphtheria
3421000 | Open blow-out fracture orbit
3424008 | Heart rate fast
3426005 | Retained magnetic intraocular foreign body
3427001 | Nonglucosuric melituria
3434004 | Myotonia
3439009 | Severe combined immunodeficiency (SCID) due to absent peripheral T cell maturation
3441005 | Disorder of sebaceous gland
3446000 | Open fracture of T7-T12 level with spinal cord injury
3449007 | Finger agnosia
3456001 | Chronic progressive non-hereditary chorea
3458000 | Myositis ossificans associated with dermato / polymyositis
3461004 | Deep third degree burn of thumb
3464007 | Infection caused by Oesophagostomum dentatum
3468005 | Neonatal infective mastitis
3469002 | Partial thickness burn of thumb
3472009 | Spondylolisthesis, grade 4
3474005 | Glycine max poisoning
3480002 | Burn of wrist
3482005 | Postoperative esophagitis
3483000 | Chronic peptic ulcer with perforation
3487004 | Pulmonary candidiasis
3500002 | Open wound of ossicles with complication
3502005 | Cervical lymphadenitis

3503000 | Gender identity disorder of adolescence, previously asexual
3505007 | Nonallopathic lesion of the arm
3506008 | Stenosis of retinal artery
3507004 | Abscess of thigh
3511005 | Infectious thyroiditis
3514002 | Peribronchial fibrosis of lung
3519007 | Disorder of synovium
3528008 | Restricted carbohydrate fat controlled diet
3529000 | Infection caused by Sanguinicola
3530005 | Bipolar 1 disorder, single manic episode, full remission
3531009 | Intrapsychic conflict
3533007 | Acute palmoplantar pustular psoriasis
3539006 | Enteromenia
3542000 | Laceration extending into parenchyma of spleen with open wound into abdominal cavity
3544004 | Hair-splitting
3545003 | Diastolic dysfunction
3548001 | Brachial plexus disorder
3549009 | Pancreatic acinar atrophy
3558002 | Mesenteric infarction
3560000 | Bilateral recurrent inguinal hernia
3570003 | Increased blood erythrocyte volume
3571004 | Megaloblastic anemia due to pancreatic insufficiency
3577000 | Lattice retinal degeneration
3585009 | Blinking
3586005 | Psychogenic fugue
3589003 | Syphilitic pericarditis
3590007 | Enteroenteric fistula
3591006 | Metabolic acidosis, normal anion gap, bicarbonate losses
3598000 | Partial recent retinal detachment with single defect
3611003 | Demeton poisoning
3633001 | Abscess of hand
3634007 | Legal termination of pregnancy complicated by metabolic disorder
3639002 | Glossoptosis
3640000 | Late effect of traumatic amputation
3641001 | Infection caused by Coenurosis serialis
3642008 | Steryl-sulfate sulfohydrolase deficiency
3644009 | Macerated skin
3649004 | Contusion, multiple sites of trunk
3650004 | Congenital absence of liver,total
3652007 | Overproduction of growth hormone
3657001 | Osteospermum species poisoning
3660008 | Lethal glossopharyngeal defect
3662000 | Rolling hiatus hernia
3677008 | Academic problem
3680009 | Monocephalus tripus dibrachius
3681008 | Thrombophlebitis of torcular Herophili
3696007 | Functional dyspepsia
3699000 | Transverse deficiency of arm
3703002 | Ischiatic hernia with gangrene
3704008 | Diffuse endocapillary proliferative glomerulonephritis
3705009 | Congenital malformation of anterior chamber of eye
3712000 | Degenerated eye
3716002 | Thyroid goiter
3720003 | Abnormal presence of hemoglobin
3723001 | Joint inflammation
3733009 | Congenital eventration of right crus of diaphragm
3736001 | Open wound of thumbnail with tendon involvement
3738000 | VH - Viral hepatitis
3744001 | Hyperlipoproteinemia
3745000 | Sleep rhythm problem
3747008 | EC - Ejection click
3750006 | Arteriospasm
3751005 | Contusion of labium
3752003 | Infection by Trichuris
3754002 | Dysplasia of vagina
3755001 | PRP - Pityriasis rubra pilaris
3756000 | Static ataxia
3759007 | Injury of heart with open wound into thorax
3760002 | Familial multiple factor deficiency syndrome, type V
3762005 | Bilateral recurrent femoral hernia with gangrene
3763000 | Expected bereavement due to life event
3783004 | Enamel pearls

3797007 | Periodontal cyst
3798002 | Premature birth of identical twins, both stillborn
3815005 | Crohn disease of rectum
3820005 | Inner ear conductive hearing loss
3827008 | Aneurysm of artery of neck
3830001 | Subcutaneous emphysema
3841004 | Blister of cheek with infection
3845008 | Duplication of intestine
3855007 | Disorder of pancreas
3859001 | Late effect of open wound of extremities without tendon injury
3873005 | Failed attempted termination of pregnancy with acute necrosis of liver
3885002 | ABO isoimmunization in pregnancy
3886001 | Congenital fecaliths
3899003 | Neutropenic typhlitis
3900008 | Mixed sensory-motor polyneuropathy
3902000 | Non dose-related drug-induced neutropenia
3903005 | Closed traumatic pneumothorax
3908001 | Infestation caused by Haematopinus
3909009 | Coeur en sabot
3913002 | Injury of gastrointestinal tract with open wound into abdominal cavity
3914008 | Mental disorder in childhood
3928002 | Zika virus disease
3939004 | Bacterial colony density, transparent
3944006 | X-linked placental steryl-sulfatase deficiency
3947004 | High oxygen affinity hemoglobin polycythemia
3950001 | Birth
3951002 | Proctitis
3972004 | Idiopathic insomnia
3975002 | Deep third degree burn of lower limb
3978000 | AIHA - Warm autoimmune hemolytic anemia
3987009 | Congenital absence of trachea
3993001 | Infection caused by Muellerius
3999002 | Acute pyelitis without renal medullary necrosis
4003003 | Alphavirus disease
4004009 | Monster with cranial anomalies
4006006 | Foetal tachycardia affecting management of mother
4009004 | Lower urinary tract infection
4016003 | Empyema of mastoid
4017007 | Increased stratum corneum adhesiveness
4022007 | Vulvitis circumscripta plasmacellularis
4026005 | Interstitial mastitis associated with childbirth
4030008 | Le Dantec virus disease
4038001 | Myrotheciotoxicosis
4039009 | Multiple vitamin deficiency disease
4040006 | Hassall-Henle bodies
4041005 | Congenital anomaly of macula
4046000 | Degenerative spondylolisthesis
4062006 | Lumbosacral plexus lesion
4063001 | Achillodynia
4069002 | Anoxic brain damage during AND/OR resulting from a procedure
4070001 | Palinphrasia
4075006 | Peganum harmala poisoning
4082005 | Syphilitic myocarditis
4088009 | Acquired hydrocephalus
4089001 | Meningococcemia
4092002 | Nonallopathic lesion of costovertebral region
4103001 | Complex partial seizure
4106009 | Rotator cuff rupture
4107000 | Infertile male syndrome
4113009 | Arrested hydrocephalus
4120002 | Bronchiolitis
4124006 | Insect bite, nonvenomous, of vagina, infected
4127004 | Prostatic obstruction
4129001 | Argyll-Robertson pupil
4135001 | 11p partial monosomy syndrome
4136000 | Macrodactylia of toes
4142001 | Muscular asthenopia
4152002 | Acquired hypoprothrombinemia
4160001 | Congenital anomaly of upper respiratory system
4168008 | Tibial plateau chondromalacia
4170004 | Ehlers-Danlos syndrome, procollagen proteinase resistant
4174008 | Tripartite placenta

4175009 | Infestation by Estrus
4178006 | Partial recent retinal detachment with multiple defects
4181001 | Normal peak expiratory flow rate
4183003 | Charcot-Marie-Tooth disease, type IC
4184009 | Congenital malformation of the endocrine glands
4191007 | Scaphoid head
4195003 | Duplication of anus
4197006 | Disability evaluation, impairment, class 5
4199009 | 18p partial trisomy syndrome
4208000 | Closed multiple fractures of both lower limbs
4210003 | OH - Ocular hypertension
4223005 | Parkinsonism caused by drug
4224004 | Complication of infusion
4225003 | Nasal tuberculosis
4229009 | Phthisical eye
4232007 | Chronic vulvitis
4237001 | Suppurative pulpitis
4240001 | Rupture of aorta
4241002 | Listeria infection
4242009 | 18q partial monosomy syndrome
4244005 | Urticaria neonatorum
4248008 | Synovitis AND/OR tenosynovitis associated with another disease
4249000 | Poor peripheral circulation
4251001 | Internal eye sign
4260009 | Sacral spinal cord injury without bone injury
4262001 | Phlebitis of superior sagittal sinus
4264000 | Chronic pericoronitis
4269005 | Chronic gastrojejunal ulcer without hemorrhage AND without perforation
4273008 | Closed posterior dislocation of elbow
4275001 | Conjugate gaze spasm
4278004 | Superficial foreign body of axilla without major open wound but with infection
4283007 | Mirizzi syndrome
4287008 | Chordee of penis
4294006 | Isosexual precocious puberty
4300009 | Deep third degree burn of forearm
4301008 | Autoimmune state
4306003 | Cluster B personality disorder
4307007 | Pregestational diabetes mellitus AND/OR impaired glucose tolerance, modified White class F
4308002 | RSIS - Repetitive strain injury syndrome
4310000 | Third degree burn of wrist AND/OR hand
4313003 | Acardiacus anceps
4316006 | Myometritis
4320005 | Factor V deficiency
4324001 | Subacute cystitis
4325000 | 11q partial monosomy syndrome
4332009 | Subarachnoid hemorrhage following injury without open intracranial wound AND with concussion
4338008 | Arnold nerve reflex cough syndrome
4340003 | Acrodermatitis chronica atrophicans
4349002 | Open fracture of multiple sites of metacarpus
4354006 | Open dislocation of scapula
4356008 | Gingival soft tissue recession
4359001 | Early congenital syphilis
4364002 | Structure of associations
4367009 | Hoover sign
4373005 | Clubbing of nail
4374004 | TV - Congenital tricuspid valve abnormality
4381006 | Verbal paraphasia
4386001 | Bronchospasm
4390004 | Chronic lithium nephrotoxicity
4397001 | Partial congenital duodenal obstruction
4399003 | Acute hemorrhagic pancreatitis
4403007 | Exclamation point hair
4406004 | Congenital anomaly of male genital system
4409006 | Combined methylmalonic acidemia and homocystinuria due to defects in adenosylcobalamin and methylcobalamin synthesis
4410001 | Retroperitoneal hernia with obstruction
4412009 | Digital nerve injury
4414005 | Infection caused by Setaria
4416007 | Heerfordt syndrome
4418008 | Gangrenous ergotism
4426000 | Ten previous induced terminations of pregnancy
4434006 | BS - Bloom syndrome

4439001 | Axenfeld-Schurenberg syndrome
4441000 | Severe bipolar disorder with psychotic features
4445009 | TB - Urogenital tuberculosis
4448006 | Allergic headache
4451004 | Illegal termination of pregnancy with renal tubular necrosis
4461006 | Complication of administrative procedure
4463009 | Indiana-Maryland type amyloid polyneuropathy
4464003 | Rocio virus disease
4465002 | Spherophakia
4468000 | Oppenheim gait
4470009 | Blanching of skin
4473006 | Migraine with aura
4477007 | Juvenile myopathy AND lactate acidosis
4478002 | Multiple fractures of upper AND lower limbs
4481007 | Abnormal gastric secretion regulation
4483005 | Syphilitic punched out ulcer
104001 | Excision of lesion of patella
115006 | Fit removable orthodontic appliance
119000 | Thoracoscopic partial lobectomy of lung
121005 | Retrobulbar injection of therapeutic agent
128004 | Hand microscope examination of skin
133000 | Percutaneous implantation of neurostimulator electrodes into neuromuscular component
135007 | Arthrotomy of wrist joint with exploration and biopsy
142007 | Excision of tumor from shoulder area, deep, intramuscular
146005 | Repair of nonunion of metatarsal with bone graft
153001 | Cystourethroscopy with resection of ureterocele
160007 | Removal of foreign body of tendon and/or tendon sheath
166001 | Behavioral therapy
170009 | Special potency disk identification, vancomycin test
174000 | Harrison-Richardson operation on vagina
176003 | Anastomosis of rectum
189009 | Excision of lesion of artery
197002 | Mold to yeast conversion test
230009 | Miller operation, urethrovesical suspension
243009 | Replacement of cerebral ventricular tube
245002 | Division of nerve ganglion
262007 | Percutaneous aspiration of renal pelvis
267001 | Anal fistulectomy, multiple
285008 | Incision and drainage of vulva
294002 | Excisional biopsy of joint structure of spine
295001 | Nonexcisional destruction of cyst of ciliary body
306005 | US kidneys
316002 | Partial dacryocystectomy
334003 | Panorex examination of mandible
342002 | Amobarbital interview
346004 | Periodontal scaling and root planing, per quadrant
348003 | Radionuclide dynamic function study
351005 | Urinary undiversion of ureteral anastomosis
352003 | Reagent RBC, preparation antibody sensitized pool
353008 | IV/irrigation monitoring
374009 | Costosternoplasty for pectus excavatum repair
388008 | Blepharorrhaphy
389000 | Tobramycin level
401004 | Distal subtotal pancreatectomy
406009 | Fulguration of stomach lesion
417005 | Hospital re-admission
435001 | Pulmonary inhalation study
445004 | Repair of malunion of tibia
456004 | Total abdominal colectomy with ileostomy
459006 | Closed condylotomy of mandible
463004 | Closed reduction of coxofemoral joint dislocation with splint
468008 | Glutathione measurement
474008 | Esophagoenteric anastomosis, intrathoracic
489004 | Ferritin level
493005 | Urobilinogen measurement, 48-hour, feces
494004 | Excision of lesion of tonsil
497006 | Replacement of cochlear prosthesis, multiple channels
503003 | Corneal gluing
531007 | Open pulmonary valve commissurotomy with inflow occlusion
533005 | Repair of vesicocolic fistula
535003 | Closure of ureterovesicovaginal fistula
540006 | Antibody to single and double stranded DNA measurement

543008 | Choledochostomy with transduodenal sphincteroplasty
545001 | Operative procedure on lower leg
549007 | Incision of intracranial vein
550007 | Excision of lesion of adenoids
559008 | Excision of varicose vein
570001 | Vaccination for arthropod-borne viral encephalitis
574005 | Benzodiazepine measurement
603006 | Synchondrotomy
617002 | Bone graft of mandible
618007 | Frontal sinusectomy
625000 | Removal of supernumerary digit
628003 | Steinman test
629006 | Lysis of adhesions of urethra
633004 | Chart review by physician
637003 | Lysis of adhesions of nose
642006 | Cerebral thermography
645008 | Diagnostic procedure on vitreous
647000 | Excision of cervix by electroconization
657004 | Operation on bursa
665001 | Partial meniscectomy of temporomandibular joint
670008 | Electrosurgical epilation of eyebrow
671007 | Transplantation of testis
673005 | Indirect examination of larynx
674004 | Abduction test
676002 | Peritoneal dialysis including cannulation
680007 | Radiation physics consultation
687005 | Albumin/Globulin ratio
695009 | Destructive procedure of lesion on skin of trunk
697001 | Hepatitis A virus antibody measurement
710006 | Thromboendarterectomy with graft of mesenteric artery
712003 | Closed chest suction
721002 | Medical procedure on periurethral tissue
722009 | Fine needle biopsy of thymus
726007 | Pathology consultation, comprehensive, records and specimen with report
730005 | Incision of subcutaneous tissue
741007 | Operation on prostate
746002 | Chiropractic adjustment of coccyx subluxation
753006 | Manipulation of ankle AND foot
754000 | Total urethrectomy
759005 | Intracerebral electroencephalogram
762008 | Computerized axial tomography of cervical spine with contrast
764009 | Arthrodesis of interphalangeal joint of great toe
767002 | White blood cell count - observation
789003 | Cranial decompression, subtemporal, supratentorial
791006 | Dressing and fixation procedure
807005 | Excision of brain
814007 | Electrophoresis measurement
817000 | Excision of cyst of spleen
831000 | Drawer test
851001 | Root canal therapy, molar, excluding final restoration
853003 | Fecal fat measurement, 72-hour collection
867007 | Hypoglossofacial anastomosis
870006 | Carbamazepine measurement
879007 | Special blood coagulation test, explain by report
881009 | Separation of ciliary body
893000 | Tumor antigen measurement
897004 | Radical maxillary antrotomy
910002 | MHPG measurement, urine
911003 | Removal of subarachnoid-ureteral shunt
913000 | Chiropractic patient education
926001 | Embolectomy with catheter of radial artery by arm incision
935008 | Excision of bulbourethral gland
941001 | Endoscopy of pituitary gland
945005 | Excision of tibia and fibula for graft
948007 | Phlebectomy of intracranial varicose vein
951000 | Ultrasonic guidance for endomyocardial biopsy
956005 | Anesthesia for procedure on thoracic esophagus
967006 | Drug treatment education
969009 | Incision and exploration of larynx
971009 | Prosthetic construction and fitting
1001000 | Cauterization of Bartholin's gland
1008006 | Operation on nerve ganglion

1019009 | Removal of corneal epithelium
1021004 | Repair of scrotum
1029002 | Fetoscopy
1032004 | Enucleation of parotid gland cyst
1035002 | Minimum bactericidal concentration test, microdilution method
1036001 | Insertion of intravascular device in common iliac vein, complete
1041009 | Debridement of open fracture of phalanges of foot
1042002 | Paternity testing
1043007 | Doppler color flow velocity mapping
1044001 | Diagnostic ultrasound of abdomen and retroperitoneum
1048003 | Capillary blood sampling
1054002 | Sphincterotomy of papilla of Vater
1071001 | Proximal splenorenal anastomosis
1084005 | Excision of perinephric cyst
1093006 | Excision of abdominal varicose vein
1103000 | Transcrural mobilization of stapes
1104006 | Triad knee repair
1115001 | Decortication
1119007 | Closed reduction of dislocation of foot and toe
1121002 | Kinetic activities for range of motion
1127003 | Interstitial radium application
1133007 | Removal of intact mammary implant, bilateral
1163003 | Ureteroenterostomy
1176009 | Incision of inguinal region
1181000 | Excision of tendon for graft
1186005 | Anesthesia for procedure on bony pelvis
1198000 | Excisional biopsy of bone of scapula
1209007 | Arthroscopic repair lateral meniscus
1225002 | Upper arm X-ray
1227005 | Incision of subvalvular tissue for discrete subvalvular aortic stenosis
1235008 | Muscle transfer
1237000 | Application of cast, sugar tong
1238005 | Epiphyseal arrest by stapling of distal radius
1251000 | Incisional biopsy of testis
1253002 | Refusion of spine
1258006 | Excision of meniscus of wrist
1266002 | Closure of tympanic membrane perforation
1267006 | Electrocoagulation of lesion of vagina
1278003 | Open reduction of closed shoulder dislocation with fracture of greater tuberosity
1279006 | Repair of cardiac pacemaker pocket in skin AND/OR subcutaneous tissue
1292009 | MRI of bladder
1299000 | Excision of appendiceal stump
1315009 | Reconstruction of eyebrow
1316005 | Upper partial denture, cast metal base without resin saddles, including any conventional clasps, rests and teeth
1324000 | Cerebrospinal fluid immunoglobulin G ratio and immunoglobulin G index
1327007 | Procedure on Meckel diverticulum
1328002 | Ilioiliac shunt
1329005 | Division of congenital web of larynx
1337002 | Colosigmoidostomy
1339004 | Manual evacuation of feces
1347004 | Medical procedure on palate
1352009 | Anterior spinal rhizotomy
1358008 | Anti-human globulin test, enzyme technique, titer
1366004 | Breathing treatment
1385001 | Echography, scan B-mode for foetal age determination
1390003 | Laparoscopic sigmoid colectomy
1398005 | Direct thrombectomy of iliac vein by leg incision
1399002 | Incision and exploration of ureter
1407007 | Application of long leg cast, brace type
1410000 | Anesthesia for tympanotomy
1411001 | Operation on papillary muscle of heart
1413003 | Penetrating keratoplasty with homograft
1414009 | Angiography of arteriovenous shunt
1417002 | Operation on face
1431002 | pexy
1440003 | Repair with resection-recession
1449002 | Removal of hair
1453000 | Biofeedback, galvanic skin response
1455007 | Cerclage
1457004 | Truncal vagotomy with pyloroplasty and gastrostomy
1494008 | Osmolarity measurement
1500007 | Bilateral epididymovasostomy

1501006 | Altemeier operation, perineal rectal pull-through
1505002 | Hospital admission for isolation
1529009 | Aspiration of soft tissue
1533002 | Ureteroplication
1550000 | Amikacin level
1555005 | Brief group psychotherapy
1559004 | Interleukin (IL)-2 assay
1576000 | Repair of intestinouterine fistula
1577009 | Implantation of cardiac single-chamber device replacement, rate-responsive
1578004 | Reconstruction of ossicles with stapedectomy
1583007 | Tractotomy of mesencephalon
1585000 | Lengthening of gastrocnemius muscle
1596008 | Anesthesia for total elbow replacement
1597004 | Skeletal X-ray of ankle and foot
1602006 | Social service interview with planning
1614003 | Bilateral repair of inguinal hernia, direct
1615002 | Reline upper partial denture, chairside
1616001 | Galactosylceramide beta-galactosidase measurement, leukocytes
1636000 | Injection of sclerosing agent in varicose vein
1638004 | Cineplasty with cineplastic prosthesis of extremity
1640009 | History and physical examination, insurance
1645004 | Transduodenal sphincterotomy
1651009 | Excision of tendon sheath
1653007 | Internal fixation of bone without fracture reduction
1669000 | Making occupied bed
1677001 | Haagensen test
1678006 | Endoscopic procedure of nerve
1680000 | Secondary chemoprophylaxis
1683003 | Direct closure of laceration of conjunctiva
1689004 | Local excision of ovary
1691007 | Drainage of abscess of tonsil
1699009 | Special dosimetry
1702002 | Labial veneer, resin laminate, laboratory
1704001 | Correction of tibial pseudoarthrosis
1709006 | Breast reconstruction, bilateral, with bilateral pedicle transverse rectus abdominis myocutaneous flaps
1712009 | Immunoglobulin typing, immunoglobulin G
1713004 | Hypothermia, total body, induction and maintenance
1730002 | Suture of skin wound of hindfoot
1746005 | Buckling of sclera using implant
1747001 | Replacement of skeletal muscle stimulator
1753001 | Resection of uveal tissue
1757000 | Arthroscopy of wrist with partial synovectomy
1759002 | Assessment of nutritional status
1770009 | Mitral valvotomy
1774000 | Nasopharyngeal rehabilitation
1775004 | Submaxillary incision with drainage
1784004 | Fecal stercobilin, qualitative
1787006 | Ultrasonic guidance for pericardiocentesis
1788001 | Blood unit collection for directed donation, donor
1801001 | Endoscopic biopsy of duodenum
1805005 | Take-down of stoma
1811008 | Aspiration of bursa of hand
1813006 | Cryotherapy of genital warts
1820004 | Ethanol measurement, breath
1830008 | Open reduction of open sacral fracture
1836002 | Excision of diverticulum of ventricle of heart
1844002 | Plication of ligament
1854003 | Incision of nose
1859008 | Hand tendon foreign body removed
1861004 | Anesthesia for closed procedure on humerus and elbow
1862006 | Thoracic phlebectomy
1866009 | Bilateral total nephrectomy
1868005 | FB - Removal of foreign body from brain
1870001 | Insertion of halo device of skull with synchronous skeletal traction
1871002 | Repair of aneurysm of coronary artery
1872009 | Suture of male perineum
1876007 | Recession of prognathic jaw
1879000 | Fluorescent antigen measurement
1889001 | Patient transfer, in-hospital, unit-to-unit
1906007 | Insertion of prosthesis or prosthetic device of arm, bioelectric or cineplastic
1907003 | Bifurcation of bone
1917008 | Patient discharge, deceased, medicolegal case

1924009 | Hepaticotomy with drainage
1950008 | Drainage of nasal septal abscess
1958001 | Grafting of bone of thumb with transfer of skin flap
1966005 | Central block anesthesia
1983001 | Total urethrectomy including cystostomy in female
1995001 | Stripping of cerebral meninges
1999007 | Psychologic test
2002009 | Construction of subcutaneous tunnel without esophageal anastomosis
2021001 | Internal fixation of radius and ulna without fracture reduction
2051007 | Red cell iron utilization study
2054004 | Barbiturates measurement, quantitative and qualitative
2067001 | Implantation of electromagnetic hearing aid
2069003 | Dental subperiosteal implant
2078009 | Puncture of bursa of hand
2079001 | Reimplantation of anomalous pulmonary artery
2080003 | Angiectomy with anastomosis of lower limb artery
2098004 | Open reduction of open mandibular fracture with external fixation
2115003 | Dental prophylaxis, children
2119009 | Repair of blood vessel
2127000 | Reduction of closed sacral fracture
2137005 | Excision of pericardial tumor
2153008 | Cardiac catheterization education
2161003 | Operation on vulva
2164006 | Injection of aorta
2166008 | Bicuspidization of aortic valve
2171001 | Excision of tonsil tags
2178007 | Ureterocentesis
2181002 | Operation for bone injury of tarsals and metatarsals
2188008 | Suture of tendon to skeletal attachment
2193006 | Repair of ruptured aneurysm with graft of celiac artery
2196003 | Gas liquid chromatography, electron capture type
2199005 | Excision of lesion of cul-de-sac
2214008 | Curette test of skin
2220009 | Complement component assay
2225004 | Sensititer system test
2234009 | Proctosigmoidopexy
2238007 | Stone operation, anoplasty
2242005 | Reconstruction of eyelid
2244006 | Arthroscopy of wrist with internal fixation for instability
2250001 | Resection of ascending aorta with anastomosis
2252009 | Hospital admission, urgent, 48 hours
2266004 | Venography of adrenal, bilateral
2267008 | Replacement of tracheostomy tube
2270007 | Correction of cleft hand
2276001 | Exploration of popliteal artery
2278000 | Urinalysis, automated
2279008 | Antibody detection, red blood cell, enzyme, 1 stage technique, including anti-human globulin
2290003 | Microbial culture, anaerobic, initial isolation
2315006 | Brain meninges operation
2318008 | Anesthesia for cast procedure on forearm, wrist or hand
2321005 | Delivery by Ritgen maneuver
2322003 | Suture of recent wound of eyelid, direct closure, full-thickness
2337004 | Adductor tenotomy
2344008 | Complicated cystorrhaphy
2347001 | Diagnostic model construction
2364003 | Radical resection of tumor of soft tissue of wrist area
2371008 | Tympanoplasty type II with graft against incus or malleus
2373006 | Buffy coat smear evaluation
2382000 | Application of breast pump
2386002 | Closed reduction of dislocation of patella
2393003 | Ligation of vein of lower limb
2406000 | Chart periodontal pocket
2407009 | Excision of mediastinal tumor
2408004 | Hexosaminidase A and total hexosaminidase measurement, serum
2409007 | Replantation of toe
2425002 | Epstein-Barr virus serologic test
2442008 | Incision of lacrimal canaliculus
2448007 | Cell count of synovial fluid with differential count
2455009 | Revision of lumbosubarachnoid shunt
2457001 | Blind rehabilitation
2458006 | Educational therapy
2459003 | Destructive procedure of artery of upper extremity

2461007 | Tennis elbow test
2474001 | Repair of malunion of metatarsal bones
2475000 | Twenty-four hour collection of urine
2480009 | Debridement of skin, subcutaneous tissue, muscle and bone
2486003 | Destructive procedure of breast
2488002 | Provision of contact lens
2494005 | Nurse to nurse communication
2498008 | Rebase of upper partial denture
2507007 | 5' Nucleotidase measurement
2508002 | Retrograde urography with kidney-ureter-bladder
2514009 | Manual reduction of closed supracondylar fracture of humerus with traction
2517002 | Stroke rehabilitation
2530001 | Chiropractic visit
2531002 | Mononuclear cell function assay
2535006 | Removal of pulp - complete
2536007 | Injection of medication in anterior chamber of eye
2547000 | Excision of keloid
2552005 | Incision of cerebral subarachnoid space
2564002 | Creation of lumbar shunt including laminectomy
2566000 | Osteoplasty of radius
2567009 | Resection of rib by transaxillary approach
2580007 | Transplant of hair follicles to scalp
2598006 | Open heart surgery
2601001 | Removal of bone flap of skull
2607002 | Operation of supporting structures of uterus
2613006 | Implantation of joint prosthesis of hand
2614000 | Removal of ligature from fallopian tube
2616003 | Repair of bifid digit of hand
2619005 | Psychiatric interpretation to family or parents of patient
2629003 | Intracranial/cerebral perfusion pressure monitoring
2632000 | Incision and drainage of infected bursa of upper arm
2642003 | Prefabricated post and core in addition to crown
2643008 | Ligation of varicose vein of head and neck
2644002 | Cauterization of liver
2645001 | Intelligence test/WB1
2646000 | Incision and exploration of vas deferens
2658000 | Social service interview of patient
2659008 | Suture of ligament of lower extremity
2668005 | Recementation of space maintainer
2670001 | Diagnostic procedure on cornea
2673004 | Incision and drainage of masticator space by extraoral approach
2677003 | Stripping
2690005 | MRI of pelvis
2693007 | Stool fat, quantitative measurement
2696004 | Hepatic venography with hemodynamic evaluation
2697008 | Stripping and ligation of great saphenous vein
2716009 | Dermal-fat-fascia graft
2722000 | Interleukin-3 assay
2731000 | Serologic test for influenza virus A
2732007 | Recession of tendon of hand
2737001 | Exploratory craniotomy, infratentorial
2742009 | Destruction of Bartholin's gland
2743004 | Operative endoscopy of ileum
2745006 | Epiplopexy
2752008 | Incudopexy
2780005 | Osteoplasty of facial bones
2794006 | Cauterization of navel
2802005 | Manual dilation and stretching
2811005 | Cineradiography of pharynx
2813008 | Nephroureterocystectomy
2837008 | Transposition of ulnar nerve at elbow
2842000 | Gas chromatography measurement
2843005 | Revision of urinary conduit
2847006 | Cervical myelography
2851008 | Arthrotomy for synovectomy of sternoclavicular joint
2854000 | Bursectomy of hand
2857007 | Pinealectomy
2866006 | Obliteration of lymphatic structure
2875008 | Implantation of joint prosthesis of elbow
2876009 | Hospital admission, type unclassified, explain by report
2885009 | Intradermal allergen test
2891006 | Arthroscopy of elbow with partial synovectomy

2898000 | Deoxyribonucleic acid analysis, antenatal, blood
2903001 | Diagnostic procedure on anterior chamber of eye
2908005 | Cryotherapy to hemorrhoid
2914003 | Anterior sclerotomy
2915002 | Suture of capsule of ankle
2933008 | Pneumogynecography
2945004 | Suprapubic diverticulectomy of urinary bladder
2947007 | Therapeutic compound measurement
2960001 | Closure of fistula of uterine cervix
2968008 | Craniectomy with treatment of penetrating wound of brain
2970004 | Metacarpal lengthening and transfer of local flap
2971000 | Closure of acquired urethrovaginal fistula
2977001 | Thrombectomy of lower limb vein
3001009 | Total lobectomy with bronchoplasty
3010001 | Removal of silastic tubes from ear
3016007 | Removal of Crutchfield tongs from skull
3025001 | Calcitonin measurement
3026000 | Tibiotalar arthrodesis
3029007 | Peripheral nervous system disease rehabilitation
3041000 | Repair of stomach
3047001 | Kowa fundus photography
3060007 | Forequarter amputation, right
3061006 | Complete excision of nail AND nail matrix
3063009 | Gastroscopy through artificial stoma
3075004 | Nonoperative removal of prosthesis of bile duct
3078002 | Embolectomy with catheter of renal artery by abdominal incision
3083005 | Removal of device from thorax
3088001 | Anesthesia for endoscopic procedure on upper extremity
3090000 | Aneurysmectomy with graft replacement of lower limb artery
3112006 | Restraint removal
3116009 | Clotting screening
3130004 | Monitoring of cardiac output by electrocardiogram
3133002 | Patient discharge, deceased, autopsy
3137001 | Replacement
3143004 | Visual field examination and evaluation, intermediate
3162001 | Gadolinium measurement
3164000 | Open reduction of closed mandibular fracture with interdental fixation
3165004 | Irrigation of muscle of hand
3166003 | Closure of fistula of salivary gland
3177009 | Internal obstetrical version
3183007 | Closure of colostomy
3186004 | Excision of Skene gland
3190002 | Epilation by forceps
3204007 | Destructive procedure of nerve
3241008 | Correction of chordee with mobilization of urethra
3249005 | Surgical construction of filtration bleb
3251009 | Mayo operation, herniorrhaphy
3256004 | Cervical lymphangiogram
3257008 | Empty and measure peritoneal dialysis fluid
3258003 | Cerebral arteriography
3268008 | Transplantation of tissue of pelvic region
3270004 | Implantation of neurostimulator in spine
3278006 | Lysis of adhesions of bursa of hand
3287002 | Cholecystogastrostomy
3320000 | Abt - autologous blood transfusion
3324009 | Laser beam photocoagulation
3326006 | Excision of exostosis of head of fifth metatarsal
3328007 | Incision of vein of head and neck
3333006 | Application of short arm splint, forearm to hand, static
3338002 | Open reduction of open radial shaft fracture
3352000 | PTH - Parathyroid hormone level
3357006 | Iron kinetics
3360004 | Biliary anastomosis
3390006 | Verification procedure
3399007 | Reduction of torsion of omentum
3407002 | Creation of lesion of spinal cord by percutaneous method
3413006 | Blood cell morphology
3418002 | Chondrectomy of spine
3432000 | Preventive dental service
3443008 | Pulp capping
3448004 | Fixation of contralateral testis
3450007 | Lymphocytes, T & B cell evaluation

3457005 | Referral procedure
3479000 | Removal of heart assist system with replacement
3498003 | Total excision of pituitary gland by transsphenoidal approach
3499006 | Aspiration of vitreous with replacement
3509001 | Streptococcus vaccination
3512003 | Angiography of arteries of extremity
3515001 | Replacement of electronic heart device, pulse generator
3517009 | Removal of foreign body of pelvis from subcutaneous tissue
3518004 | Aversive psychotherapy
3527003 | Antibody measurement
3546002 | CVG - Coronary vein graft
3559005 | Insertion of ureteral stent with ureterotomy
3562008 | Rodney Smith operation, radical subtotal pancreatectomy
3564009 | Removal of foreign body from fallopian tube
3575008 | Repair of fascia with graft of fascia
3580004 | Removal of calculus of pharynx
3605001 | Reduction of ciliary body
3607009 | Transplantation of mesenteric tissue
3620007 | Red cell survival study with hepatic sequestration
3625002 | Anesthesia for brachial arteriograms, retrograde
3651000 | Morphometric analysis, nerve
3654008 | Excision of lingula
3659003 | Incision of inner ear
3664004 | Closure of scleral fistula
3666002 | Repair of peripheral nerve by suturing
3669009 | Fitting of prosthesis or prosthetic device of upper arm
3673007 | Leadbetter urethral reconstruction
3683006 | Selenium measurement, urine
3686003 | Zancolli operation for tendon transfer of biceps
3688002 | Anesthesia for lens surgery
3690001 | Shunt of left subclavian to descending aorta by Blalock-Park operation
3691002 | Wedge osteotomy of tarsals and metatarsals
3697003 | Tissue processing technique, routine, embed, cut and stain, per autopsy
3700004 | Erysophake extraction of lens
3701000 | Removal of foreign body of hip from subcutaneous tissue
3713005 | Release for de Quervain tenosynovitis of hand
3717006 | Dilute Russell viper venom time
3734003 | SSG - Split skin graft
3735002 | Coproporphyrin III measurement
3740005 | Removal of foreign body of canthus by incision
3748003 | Biopsy of perirenal tissue
3749006 | Reduction of closed ischial fracture
3758004 | Thrombectomy with catheter of subclavian artery by neck incision
3770000 | Ward urine dip stick testing
3778007 | Scrotum manipulation
3780001 | Routine patient disposition, no follow-up planned
3784005 | Delayed hypersensitivity skin test for streptokinase-streptodornase
3786007 | Excision of lesion of pharynx
3787003 | Ultrasonic guidance for needle biopsy
3794000 | Pregnanetriol measurement
3796003 | Excision of redundant mucosa from jejunostomy
3799005 | Radiography of adenoids
3802001 | Topical application of tooth medicament - desensitizing agent
3819004 | Embolization of thoracic artery
3826004 | Blepharotomy with drainage of abscess of eyelid
3828003 | Open biopsy of vertebral body of thoracic region
3831002 | Chiropractic application of ice
3843001 | Removal of foreign body from fascia
3858009 | Echography of thyroid, A-mode
3861005 | Aneurysmectomy with anastomosis of lower limb artery
3862003 | Total vital capacity measurement
3864002 | Excisional biopsy of scrotum
3880007 | Excision of lesion of fibula
3881006 | Incision and drainage of submental space by extraoral approach
3887005 | Wart ligation
3889008 | Suture of lip
3891000 | Comprehensive orthodontic treatment, permanent dentition, for class I malocclusion
3895009 | Dressing
3907006 | Incision and drainage of retroperitoneal abscess
3911000 | Transplantation of muscle
3915009 | Excision of artery of thorax and abdomen
3917001 | Excisional biopsy of phalanges of foot

3918006 | Plastic repair with lengthening
3926003 | Lactate measurement
3929005 | Patient transfer, in-hospital, bed-to-bed
3936006 | Making Foster bed
3938007 | Cerclage for retinal reattachment
3942005 | Cystopexy
3955006 | Antibody elution from red blood cells
3957003 | Arteriectomy of thoracoabdominal aorta
3963007 | Operation on submaxillary gland
3967008 | Fluorescence polarization immunoassay
3968003 | Excision of spinal facet joint
3969006 | Removal of osteocartilagenous loose body from joint structures
3971006 | Duchenne muscular dystrophy carrier detection
3980006 | Partial excision of esophagus
3981005 | Carrier detection, molecular genetics
3985001 | Anesthesia for procedure on arteries of lower leg with bypass graft
3991004 | MRI of pelvis, prostate and bladder
3998005 | Bone imaging of limited area
4007002 | Anti-human globulin test, indirect, titer, non-gamma
4008007 | Phlebography of neck
4010009 | Oophorectomy of remaining ovary with tube
4027001 | Implantation of electronic stimulator into phrenic nerve
4034004 | Closed reduction of facial fracture, except mandible
4035003 | Restoration, resin, two surfaces, posterior, permanent
4036002 | Arthroscopy of elbow with extensive debridement
4037006 | Removal of vascular graft or prosthesis
4044002 | Construction of permanent colostomy
4045001 | Drainage of cerebral ventricle by incision
4052004 | Percutaneous aspiration of spinal cord cyst
4064007 | Specimen aliquoting
4068005 | Removal of ventricular reservoir with synchronous replacement
4083000 | Fitting of prosthesis or prosthetic device of lower arm
4084006 | Repair of tendon of hand by graft or implant of muscle
4090005 | Replacement of transvenous atrial and ventricular pacemaker electrode leads
4094001 | Reduction of retroversion of uterus by suppository
4101004 | Revision of spinal pleurothecal shunt
4102006 | Root canal therapy, anterior, excluding final restoration
4114003 | Parenteral chemotherapy for malignant neoplasm
4116001 | Construction of window
4119008 | Intracranial phlebectomy with anastomosis
4131005 | Implantation into pelvic region
4134002 | Operative block anesthesia
4139007 | Posterior spinal cordotomy
4143006 | Injection into anterior chamber of eye
4149005 | Bone histomorphometry, aluminum stain
4154001 | Incision and drainage of penis
4165006 | Delayed hypersensitivity skin test for staphage lysate
4176005 | Fothergill repair
4192000 | Toxicology testing for organophosphate insecticide
4213001 | Implantation of Ommaya reservoir
4214007 | Intracardiac injection for cardiac resuscitation
4226002 | Excision of lesion of thoracic vein
4252008 | Aneurysmectomy with graft replacement by interposition
4263006 | Biopsy of soft tissue of elbow area, superficial
4266003 | Patient referral for drug addiction rehabilitation
4285000 | Insertion of bone growth stimulator into femur
4293000 | Reduction of intussusception by laparotomy
4304000 | Excision of cusp of tricuspid valve
4319004 | Rebase of complete lower denture
4321009 | Bilateral leg arteriogram
4323007 | Destruction of lesion of sclera
4331002 | Anesthesia for hernia repair in lower abdomen
4333004 | Incision and drainage of perisplenic space
4336007 | Lloyd-Davies operation, abdominoperineal resection
4337003 | Homogentisic acid measurement
4339000 | Repair of nasolabial fistula
4341004 | Complete submucous resection of turbinate
4344007 | Cryopexy
4348005 | Musculoplasty of hand
4350002 | Removal of implant of cornea
4363008 | Endoscopic brush biopsy of trachea
4365001 | Surgical repair

4380007 | Transposition of vulvar tissue
4387005 | Valvuloplasty of pulmonary valve in total repair of tetralogy of Fallot
4388000 | Repair of splenocolic fistula
4407008 | Slitting of lacrimal canaliculus for passage of tube
4411002 | Removal of device from female genital tract
4420006 | Incision and drainage of parapharyngeal abscess by external approach
4424002 | Making orthopedic bed
4436008 | Methylatable chemotaxis protein (MCP) receptor measurement
4438009 | Venography of vena cava
4443002 | Decortication of ovary
4447001 | Autopsy, gross and microscopic examination, stillborn or newborn without central nervous system
4449003 | Manipulation of spinal meninges
4450003 | Application of Kirschner wire
4455008 | Open reduction of open elbow dislocation
4457000 | Insertion of mold into vagina
4466001 | Exploration of upper limb artery
4467005 | Excision of tumor of ankle area, deep, intramuscular
4475004 | Cyanide level
4487006 | Norepinephrine measurement, supine
4489009 | Neurolysis of trigeminal nerve
4496006 | Mouthcare procedure
4503005 | Removal of foreign body of sclera without use of magnet
4504004 | Potter obstetrical version with extraction
4505003 | Tenolysis of flexor tendon of forearm
4507006 | Decompression fasciotomy of wrist, flexor and extensor compartment
4511000 | Restoration, inlay, composite/resin, one surface, laboratory processed
4516005 | Iridencleisis and iridotasis
4520009 | Anastomosis of esophagus, antesternal or antethoracic, with insertion of prosthesis
4525004 | Seen by casualty - service
4533003 | Ligation of artery of lower limb
4535005 | Incision of pelvirectal tissue
4539004 | Excision of cyst of bronchus
4542005 | Closed reduction of fracture of foot
4544006 | Excision of subcutaneous tumor of extremities
4558008 | Anterior resection of rectum
4563007 | Hospital admission, transfer from other hospital or health care facility
4570007 | Chemopallidectomy
4579008 | Creation of ventriculoatrial shunt
4581005 | Coreoplasty
4585001 | Decompression of tendon of hand
4587009 | Epiphysiodesis of distal radius
4589007 | Care relating to reproduction and pregnancy
4593001 | Cauterization of sclera with iridectomy
4594007 | Coproporphyrin isomers, series I & III, urine
4613005 | Radioimmunoassay
4625008 | Apical pulse taking
4626009 | Take-down of arterial anastomosis
4636001 | Denker operation for radical maxillary antrotomy
4640005 | Ligation of fallopian tubes by abdominal approach
4642002 | Removal of inflatable penile prosthesis, with pump, reservoir and cylinders
4660002 | Diagnostic procedure on phalanges of foot
4670000 | Catheterization of bronchus
4671001 | Excision of lesion from sphenoid sinus
4672008 | Medical procedure on the nervous system
4691008 | Identification of rotavirus antigen in feces
4692001 | Transplantation of artery of upper extremity
4694000 | Percutaneous biopsy of muscle
4699005 | Alpha naphthyl butyrate stain method, blood or bone marrow
4701005 | Colony forming unit-granulocyte-monocyte-erythroid-megakaryocyte assay
4707009 | Partial excision of calcaneus
4712005 | Removal of Gardner Wells tongs from skull
4713000 | Endoscopy and photography
4719001 | Psychologic cognitive testing and assessment
4727005 | Lipoprotein electrophoresis
4734007 | Irrigation of wound catheter of integument
4737000 | Mycobacteria culture
4756005 | Cryotherapy of subcutaneous tissue
4758006 | Incudostapediopexy
4764004 | Jet ventilation procedure
4765003 | Insertion of ocular implant following or secondary to enucleation
4770005 | Colporrhaphy for repair of urethrocele
4772002 | Reduction of torsion of spermatic cord

4784000 | Operation on sublingual gland
4804005 | Microbial identification test
4811009 | Reconstruction of diaphragm
4815000 | Antibody identification, red blood cell antibody panel, enzyme, 2 stage technique including anti-human globulin
4820000 | Incision of labial frenum
4827002 | Shower hydrotherapy
4829004 | Excision of small intestine for interposition
4847005 | Anesthesia for cesarean section
4849008 | Ovarian biopsy
4862007 | Revision of anastomosis of large intestine
4877004 | Extracapsular extraction of lens with iridectomy
4891005 | Proctostomy
4895001 | Construction of sigmoid bladder
4902005 | Ethchlorvynol measurement
4903000 | Serum protein electrophoresis
4904006 | Dilation of anal sphincter under nonlocal anesthesia
4914002 | Treatment planning for teletherapy
4929000 | Local perfusion of kidney
4930005 | Repair of thoracogastric fistula
4934001 | Salpingography
4957007 | Cervical spinal fusion for pseudoarthrosis
4966006 | Extracorporeal perfusion
4970003 | Venography
4974007 | Liver operation
4976009 | Anesthesia for endoscopic procedure on lower extremity
4987001 | Osteoplasty of cranium with flap of bone
4992004 | Cardiac catheterization, left heart, retrograde, percutaneous
4993009 | Ischemic limb exercise with electromyography and lactic acid determination
5016005 | Pontic, resin with high noble metal
5019003 | Direct laryngoscopy with biopsy
5021008 | Aldosterone measurement, standing, normal salt diet
5022001 | Lysergic acid diethylamide measurement
5025004 | Semen analysis, presence and motility of sperm
5032008 | Labial veneer, porcelain laminate, laboratory
5034009 | Graft to hair-bearing skin
5048009 | External cephalic version with tocolysis
5055006 | Uniscept system test
5057003 | Radical orbitomaxillectomy
5065000 | Reduction of closed traumatic hip dislocation with anesthesia
5091004 | Peripheral vascular disease study
5105000 | Endoscopy of renal pelvis
5110001 | Ultrasound peripheral imaging, real time scan
5113004 | FT4 - Free thyroxine level
5119000 | Epiglottidectomy
5121005 | Wedge osteotomy of pelvic bone
5123008 | Anesthesia for procedure on pericardium with pump oxygenator
5130002 | Needling of lens for cataract
5131003 | Radiography of chest wall
5135007 | Diagnostic procedure on scapula
5147001 | Excision of lesion of ankle joint
5151004 | Manual reduction of rectal hemorrhoids
5154007 | Communication enhancement: speech deficit
5161006 | Specialty clinic admission
5162004 | Excision of pressure ulcer
5165002 | Division of thoracic artery
5176003 | Thromboendarterectomy with graft of renal artery
5182000 | Total body perfusion
5184004 | Osteotomy of shaft of femur with fixation
5186002 | Arthrotomy for synovectomy of glenohumeral joint
5190000 | Cell fusion
5191001 | Surgical treatment of missed miscarriage of second trimester
5212002 | Excision of lesion of lacrimal gland by frontal approach
5216004 | Three dimensional ultrasound imaging of heart
5233006 | Lateral fasciotomy
5243009 | Suture of adenoid fossa
5245002 | Transplantation of peripheral vein
5246001 | Breakpoint cluster region analysis
5264008 | Total bile acids measurement
5267001 | Adrenal artery ligation
5270002 | Bilateral destruction of fallopian tubes
5273000 | Manual reduction of closed fracture of proximal end of ulna
5282006 | Operation on oropharynx

5290006 | Incision and drainage of Ludwig angina
5298004 | Incision and drainage of deep hematoma of thigh region
5304008 | DXT - Radiotherapy
5316002 | Closed osteotomy of mandibular ramus
5317006 | Radical amputation of penis with bilateral pelvic lymphadenectomy
5326009 | Administration of dermatologic formulation
5328005 | Shortening of Achilles tendon
5337005 | Trocar biopsy
5338000 | Nicotine measurement
5342002 | Prophylactic treatment of tibia with methyl methacrylate
5348003 | Repair of endocardial cushion defect
5357009 | Leukocyte poor blood preparation
5373003 | Stress breaker
5384005 | Excision of part of frontal cortex
5391008 | Artificial voice rehabilitation
5393006 | Exploration of parathyroid with mediastinal exploration by sternal split approach
5402006 | Manipulation of thoracic artery
5407000 | Injection of fallopian tube
5415002 | Destruction of lesion of liver
5419008 | Lysis of adhesions of tendon of hand
5422005 | Amylase measurement, peritoneal fluid
5429001 | Diagnostic procedure on nipple
5431005 | Percutaneous transluminal angioplasty
5433008 | Skeletal X-ray of lower limb
5446003 | Excision of cervical rib for outlet compression syndrome with sympathectomy
5447007 | Transfusion
5452002 | Core needle biopsy of thymus
5456004 | Graft of lymphatic structure
5457008 | Serologic test for Rickettsia conorii
5460001 | Removal of prosthesis from fallopian tube
5479003 | Select picture audiometry
5482008 | Serologic test for Blastomyces
5486006 | Delayed suture of tendon of hand
5489004 | Diagnostic procedure on radius
5506006 | Incision and exploration of abdominal wall
5517007 | Restoration, inlay, porcelain/ceramic, per tooth, in addition to inlay
5521000 | Open reduction of fracture of phalanges of foot
5536002 | Arthrodesis of carpometacarpal joint of digits, other than thumb
5545001 | Repair of carotid body
5551006 | Direct laryngoscopy with arytenoidectomy with operating microscope
5556001 | Manually assisted spontaneous delivery
5570001 | Arthrotomy for infection with exploration and drainage of carpometacarpal joint
5571002 | Excision of lesion of aorta with end-to-end anastomosis
5572009 | Incision of kidney pelvis
5586008 | Aminolevulinic acid dehydratase measurement
5608002 | Excretion measurement
5616006 | Osteoplasty of tibia
5621009 | Excision of malignant lesion of skin of extremities
5632009 | Open biopsy of bronchus
5636007 | Fistulectomy of bone
5638008 | Carbohydrate measurement
5648005 | Surgical repair and revision of shunt
5651003 | Arylsulfatase A measurement
5663008 | Phlebectomy of varicose vein of head and neck
5669007 | Portable electroencephalogram awake and asleep with stimulation
5671007 | Magnet extraction of foreign body from ciliary body
5687005 | Removal of foreign body from ovary
5690004 | Incision of seminal vesicle
5694008 | Crisis intervention with follow-up
5721002 | Repair of eyebrow
5722009 | Surgical reanastomosis of colon
5726007 | Removal of epicardial electrodes
5728008 | Anoscopy for removal of foreign body
5731009 | Hemosiderin, quantitative measurement
5733007 | Fluorescent identification of anti-nuclear antibody
5738003 | Biopsy of cul-de-sac
5745003 | Excision ampulla of Vater with reimplantation of common duct
5760000 | Osteoplasty of radius and ulna, shortening
5771004 | Blepharotomy
5777000 | Flexorplasty of elbow
5781000 | Operation on nasal septum
5785009 | Forensic autopsy

5787001 | Elevation of bone fragments of orbit of skull with debridement
5789003 | Lysis of adhesions of intestines
5796001 | Excision of external thrombotic hemorrhoid
5806001 | Revision of tracheostomy scar
5807005 | Fenestration of inner ear, initial
5809008 | Selective vagotomy with pyloroplasty and gastrostomy
5812006 | Laboratory reporting, fax
5818005 | Flocculation test
5821007 | Ligation, division and complete stripping of long and short saphenous veins
5823005 | Diagnostic radiography, left
5832007 | Partial ostectomy of thorax, ribs or sternum
5845006 | Emulsification procedure
5846007 | Diagnostic radiography of toes
5857002 | Complement mediated cytotoxicity assay
5865004 | Open reduction of dislocation of toe
5870006 | Tertiary closure of abdominal wall
5880005 | Clinical examination
5892005 | Mastoid antrotomy
5894006 | Methyl red test
5897004 | Removal of Scribner shunt
5902003 | History and physical examination, complete
5925002 | Incision and drainage of hematoma of wrist
5930003 | Cardiac monitor removal
5947002 | Consultation for hearing and/or speech problem
5961007 | Division of blood vessels of cornea
5966002 | Removal of foreign body from elbow area, deep
5971009 | Incision and drainage of axilla
5983006 | Repair of spermatic cord
5986003 | Non-sensitized spontaneous sheep erythrocyte binding, E-rosette
5992009 | Midtarsal arthrodesis, multiple
5995006 | Gas liquid chromatography, flame photometric type
5997003 | Drainage of cerebral subarachnoid space by aspiration
5998008 | Radical dissection of groin
6005008 | Transplantation of vitreous by anterior approach
6007000 | Magnetic resonance imaging of chest
6019008 | Endoscopy of large intestine
6025007 | Laparoscopic appendectomy
6026008 | Removal of coronary artery obstruction by percutaneous transluminal balloon with thrombolytic agent
6029001 | Augmentation of outflow tract of pulmonary valve
6035001 | Chart abstracting
6063004 | Kanamycin measurement
6069000 | Panniculotomy
6082008 | Perforation of footplate
6092000 | Aspiration of nasal sinus by puncture
6100001 | Fenestration of stapes footplate with vein graft
6108008 | Subdural tap through fontanel, infant, initial
6119006 | Local destruction of lesion of bony palate
6125005 | Change of gastrostomy tube
6126006 | Fitzgerald factor assay
6127002 | Diagnostic radiography of abdomen, oblique standard
6130009 | Surgical exposure of impacted or unerupted tooth to aid eruption
6133006 | Lymphokine assay
6143009 | Diabetic education
6146001 | Repair of heart septum with prosthesis
6148000 | Chondrectomy of semilunar cartilage of knee
6157006 | Endoscopic retrograde cholangiopancreatography with biopsy
6159009 | Galactose measurement
6161000 | Excision of lesion of capsule of toes
6164008 | Osteoclasis of clavicle
6166005 | Nephropyeloureterostomy
6177004 | Southern blot assay
6187000 | Repair of aneurysm with graft of common femoral artery
6188005 | Arthrotomy of knee
6189002 | Excision of aberrant tissue of breast
6190006 | Colopexy
6195001 | Transurethral drainage of prostatic abscess
6198004 | Repair of fracture with Sofield type procedure
6200005 | Excision of lesion of female perineum
6205000 | Fluorescent antigen, titer
6213004 | Prescribing corneoscleral contact lens
6221005 | Suture of colon
6225001 | Antibody detection, RBC, enzyme, 2 stage technique, including anti-human globulin

6226000 | Visual rehabilitation, eye motion defect
6227009 | Relationship psychotherapy
6231003 | Graft of palate
6238009 | Diagnostic radiography of sacroiliac joints
6240004 | Operative procedure on knee
6255008 | Resection of abdominal artery with replacement
6271008 | Echography, immersion B-scan
6274000 | Excision of aural glomus tumor, extended, extratemporal
6286002 | Destructive procedure on ovaries and fallopian tubes
6289009 | White blood cell histogram evaluation
6295005 | Sequestrectomy of pelvic bone
6307005 | Keratophakia
6309008 | Fecal fat differential, quantitative
6319002 | Beta lactamase, chromogenic cephalosporin susceptibility test
6337001 | Ligation of aortic arch
6339003 | Conditioning play audiometry
6343004 | Forensic bite mark comparison technique
6353003 | Mitsuda reaction to lepromin
6354009 | Sedimentation rate, Westergren
6355005 | Removal of internal fixation device of radius
6358007 | Capsulorrhaphy of joint
6361008 | Anesthesia for popliteal thromboendarterectomy
6363006 | Dilation of lacrimal punctum with irrigation
6370006 | Chemosurgery of stomach lesion
6384001 | Removal of device from digestive system
6385000 | Exploration of disc space
6388003 | TdT stain
6396008 | Galactokinase measurement
6397004 | Muscular strength development exercise
6399001 | Division of arteriovenous fistula with ligation
6402000 | Excision of common bile duct
6403005 | Lengthening of muscle of hand
6419003 | Excision of tumor from elbow area, deep, subfascial
6429005 | Heteroautogenous transplantation
6433003 | Closed heart valvotomy of mitral valve
6434009 | Seminal fluid detection
6438007 | Exploration of ciliary body
6439004 | Destruction of lesion of peripheral nerve
6443000 | Pontic, porcelain fused to predominantly base metal
6444006 | Enlargement of eye socket
6465000 | Arthrotomy of glenohumeral joint for infection with drainage
6466004 | Administration of Rh immune globulin
6470007 | Laparoamnioscopy
6473009 | Suture of old obstetrical laceration of uterus
6480006 | Urinary bladder residual urine study
6486000 | Curettage of sclera
6487009 | Hand tendon pulley reconstruction with tendon prosthesis
6491004 | Protein S, free assay
6499002 | Tsuge operation on finger for macrodactyly repair
6502003 | Complete lower denture
6506000 | Placing a patient on a bedpan
6519001 | Operation on multiple extraocular muscles with temporary detachment from globe
6521006 | Polytomography
6527005 | Uchida fimbriectomy with tubal ligation by endoscopy
6535008 | Excision of cyst of hand
6536009 | Implantation of tricuspid valve with tissue graft
6543003 | Complicated catheterization of bladder
6547002 | Repair with closure of non-surgical wound
6555009 | Insertion of infusion pump beneath skin
6556005 | Reticulin antibody measurement
6562000 | Destruction of lesion of tongue
6563005 | Transposition of muscle of hand
6567006 | Pulmonary valve commissurotomy by transvenous balloon method
6568001 | Diagnostic procedure on eyelid
6585004 | Closed reduction of fracture of tarsal or metatarsal
6589005 | Antibody titration, high protein
6601003 | Removal of foreign body from skin of axilla
6614002 | Antibody to single stranded DNA measurement
6615001 | Electroretinography with medical evaluation
6622009 | Add clasp to existing partial denture
6634001 | Destruction of hemorrhoids, internal
6639006 | Replacement of obstructed valve in shunt system

6650009 | Radionuclide lacrimal flow study
6656003 | Acoustic stimulation test
6657007 | Maintenance drug therapy for mental disorder
6658002 | Removal of foreign body from alveolus
6661001 | King-Steelquist hindquarter operation
6665005 | Restoration, crown, porcelain fused to noble metal
6668007 | Fibrinogen assay, quantitative
6670003 | Closure of external fistula of trachea
702005 | Angiography of renal artery, unilateral
837001 | Unilateral exploration of adrenal
1296007 | Unilateral recurrent femoral hernia without obstruction AND without gangrene
1807002 | Forceps delivery failed
2636002 | Unilateral imaging of adrenal artery
2769005 | Unilateral caudal displacement of diaphragm
3267003 | Unilateral incomplete cleft lip
5462009 | Breast reconstruction, unilateral, with single pedicle TRAM flap
5761001 | Primary repair of cleft lip, unilateral, partial
6192003 | Unilateral mammography
7185004 | Unilateral small kidney
7335003 | Angiography of cervical vertebral artery, unilateral
7729001 | Unilateral traumatic amputation of arm with complication
8115005 | Unilateral radical mastectomy
11363007 | Unilateral inguinal hernia with gangrene AND obstruction
11981004 | Angiography of arteries of extremity, unilateral
13117000 | Absence of stress
14252008 | Unilateral vasotomy
15274006 | Breast reconstruction, unilateral, with single pedicle TRAM flap and opposite breast reduction/mastopexy
17397008 | Unilateral partial excision of fallopian tube
17862002 | Unilateral implant of silicone into breast
18253009 | Unilateral recurrent inguinal hernia with obstruction but no gangrene
18385005 | Unilateral congenital macrostomia
19853007 | Unilateral imaging of vein of upper extremity
20210009 | Unilateral traumatic amputation at OR above elbow with complication
20729004 | Cleft hard palate with cleft soft palate, unilateral
22964006 | Unilateral simple mastectomy
23125004 | Unilateral congenital dysplasia of lung with vascular anomalies
24609004 | Unilateral femoral hernia with gangrene
25007007 | Unilateral imaging of external carotid artery
26684009 | Unilateral repair of direct inguinal hernia
27139003 | Unilateral repair of indirect inguinal hernia
28281004 | No bacterial antibody present
29150008 | Unilateral excision of hydrocele
29450001 | Unilateral femoral hernia with gangrene AND obstruction
30459002 | Unilateral traumatic amputation of leg with complication
31518001 | Unilateral inguinal hernia with gangrene
32001009 | Laparoscopic unilateral repair of inguinal hernia with prosthesis or graft
33159007 | Unilateral excision of ovary
33543001 | Unilateral congenital dislocation of hip
33678008 | On examination - no disease present
33993005 | Disease type AND/OR category not applicable
34189007 | Absence of aura
37012003 | Unilateral incision of frontal sinus by transorbital approach unilateral
38897008 | Unilateral obstructed femoral hernia
40220006 | Unilateral excision of epididymis
40462002 | Planned tracheostomy
40893006 | Partial unilateral paresis
41302009 | Unilateral reconstruction of breast with bipedicle TRAM flap and opposite breast reduction/mastopexy
41518004 | Unilateral diagnostic radiographic imaging with contrast media
41769001 | Disease suspected
43000004 | Unilateral loss of labyrinthine reactivity
44409003 | Unilateral lymphangiography of upper extremity
44442002 | Unilateral incomplete cleft palate
44473003 | Unilateral repair of femoral hernia with prosthesis or graft
45145000 | MacLeod's unilateral emphysema
45780005 | Unilateral insertion of breast prosthesis
46029008 | Unilateral wedge resection of ovary
46508005 | Unilateral traumatic amputation of leg at OR above knee with complication
47354006 | Unilateral destruction of fallopian tube
47426000 | Unilateral excision of ovotestis
47768001 | Unilateral reconstruction of breast with bipedicle TRAM flap
48591001 | Unilateral imaging of bronchus with positive contrast media
48994000 | Renal homotransplantation with unilateral recipient nephrectomy

50433005 | Unilateral lymphangiography of lower extremity
51435005 | Unilateral imaging of coronary artery bypass graft
51436006 | Unilateral traumatic amputation below elbow without complication
51738008 | Unilateral complete paralysis of vocal cords
52018002 | Unilateral recurrent inguinal hernia with gangrene AND obstruction
52278004 | Unilateral inguinal hernia
52787007 | Unilateral paralysis of tongue
54267006 | Unilateral cryptorchiectomy
54897008 | Unilateral repair of direct in indirect inguinal hernia
55493009 | Unilateral imaging of cervical carotid artery
55618006 | Unilateral traumatic amputation of leg without complication
55726006 | Unilateral agenesis of kidney
55993003 | Unilateral obstructed inguinal hernia
56199006 | Unilateral epididymovasostomy
56330003 | Unilateral traumatic amputation at OR above elbow without complication
57177007 | FH - Family history
57600009 | Unilateral vasectomy for contraception
58064004 | Unilateral posterior vestibuloplasty
59383005 | Unilateral pelvic lymphangiography
59738006 | Unilateral imaging of pulmonary artery
60016005 | Unilateral simple femoral hernia
60521000 | Venography of adrenal, unilateral
60801006 | Angiography of upper extremity arteries, unilateral
61236006 | Aortocoronary artery bypass graft, repeated
61269006 | Electromyography, cranial nerve supplied muscles, unilateral
62120000 | Unilateral recurrent inguinal hernia
62232005 | Unilateral recurrent femoral hernia with gangrene
62696001 | Complete unilateral cleft lip
62965008 | Venography of lower extremity, unilateral
63196005 | Diagnostic radiography with contrast media by injection, positive contrast, unilateral
65329004 | Lhermitte's phenomenon
66325000 | Partial unilateral vulvectomy
66678007 | Disease type AND/OR category not assigned
68034005 | Unilateral thyroid lobectomy
70790008 | Absence of nausea and vomiting
71101001 | Unilateral modified radical neck dissection
71738007 | Partial unilateral paralysis
72269009 | Modified radical mastectomy, unilateral
72375002 | Unilateral traumatic amputation of leg below knee with complication
72604007 | Unilateral radical neck dissection
73359007 | Unilateral mastectomy
73487002 | Unilateral nephrotomography
75151002 | Unilateral vulvectomy
75538004 | Angiography of internal carotid artery, unilateral
75584009 | Unilateral recurrent inguinal hernia with gangrene
75844008 | Diagnostic radiography with contrast media by injection, positive and negative contrast, unilateral
76063002 | Pelvic and abdominal lymphangiography, unilateral
77291009 | Complete unilateral paresis
77670007 | Radical unilateral orchiectomy
77739005 | Unilateral orchidectomy
78698008 | USO - Unilateral salpingo-oophorectomy
79622006 | Unilateral repair of inguinal hernia with prosthesis or graft
81585005 | Unilateral hypoactive labyrinth
81765008 | No pain
81993002 | Unilateral condylar hyperplasia of mandible
82120007 | Bacterial growth absent
82630002 | Unilateral bisection of ovary
85125009 | Unilateral retrograde pyelography
86699002 | Afebrile
86894005 | Unilateral salpingectomy
86914005 | Unilateral traumatic amputation of foot without complication
87246008 | Unilateral adrenalectomy
87351004 | Angiography of lower extremity arteries, unilateral
88500006 | Unilateral traumatic amputation of leg at OR above knee without complication
88715005 | Complete unilateral paralysis
88764002 | Unilateral mastectomy extended simple
88994001 | Unilateral nephrectomy
89777000 | Tenderness absent
90075008 | Unilateral recurrent femoral hernia with obstruction but no gangrene
90232009 | Unilateral recurrent femoral hernia with gangrene AND obstruction
90881001 | Abdominal lymphangiography, unilateral
91436001 | Diagnostic radiography with contrast media by injection, unilateral

91559009 | Unilateral traumatic amputation of leg below knee without complication
95311001 | Unilateral cartilaginous centrum of cervical vertebra
95312008 | Unilateral cartilaginous centrum of lumbar vertebra
95313003 | Unilateral cartilaginous centrum of sacral vertebra
95314009 | Unilateral cartilaginous centrum of thoracic vertebra
95667004 | Unilateral facial paresis
95672008 | Unilateral sensory loss of face and trunk, opposite sides
95721006 | Unilateral cataract
95819006 | Unilateral hearing loss
102905003 | Absence of guilt
103006007 | Unilateral headache
103709008 | Failed attempted procedure
105480006 | Refusal of treatment by patient
109547005 | Unilateral cleft of primary palate
109719008 | Unilateral coronoid hyperplasia of mandible
109723000 | Unilateral coronoid hypoplasia of mandible
111690007 | Unilateral traumatic amputation of arm without complication
116789007 | Autologous whole blood issued
116791004 | Cytomegalovirus immune globulin issued
116794007 | Cryoprecipitate issued
116796009 | Factor IX issued
116799002 | Factor VIII issued
116801004 | Hepatitis B Virus immune globulin, human, issued
116804007 | Dispensing of human immune serum globulin, intravenous (IVIg)
116807000 | Plasma product issued
116809002 | Platelet product issued
116811006 | Rh immune globulin issued
116814003 | Varicella virus immune globulin issued
116860001 | Fresh frozen plasma issued
116862009 | Packed red blood cells issued
116864005 | Whole blood issued
116866007 | Albumin issued
117067008 | Plateletpheresis product issued
117068003 | Platelet concentrate issued
117077005 | Autologous red blood cells issued
117079008 | Cryo-poor plasma issued
117080006 | Factor VII issued
117082003 | Botulism immune globulin, human, issued
117084002 | Rabies immune globulin, human, issued
117088004 | Respiratory syncytial virus immune globulin, human, issued
117091004 | Tetanus immune globulin, human, issued
117094007 | Vaccinia immune globulin, human, issued
117097000 | Leukocyte product issued
117098005 | Red blood cells issued
117099002 | Solvent-detergent treated plasma product issued
117100005 | Human immune globulin product issued
117101009 | Coagulation factor product issued
124743003 | Kernig sign positive
124744009 | Brudzinski sign positive
124745005 | Chvostek sign positive
124746006 | Trousseau sign positive
127377003 | Unilateral paresis
129125009 | Context-dependent procedure
134385008 | Referral to dietician declined
134386009 | Referral to chiropodist declined
134390006 | Angiotensin converting enzyme inhibitor not indicated
134391005 | Statin not indicated
134392003 | Warfarin not indicated
134394002 | Aspirin not indicated
134396000 | Statin declined
134397009 | Angiotensin converting enzyme inhibitor declined
134398004 | Warfarin declined
134405005 | Suspected breast cancer
134420004 | No suicidal thoughts
134439009 | FH: premature coronary heart disease
135794007 | Drug indicated
135795008 | Nitrate indicated
135796009 | Calcium channel blocker indicated
135797000 | Lipid lowering therapy indicated
135798005 | Diuretic indicated
135799002 | Angiotensin converting enzyme inhibitor indicated
135800003 | Aspirin indicated

135801004 | Beta blocker indicated
135803001 | Warfarin indicated
135805008 | Nitrate not indicated
135806009 | Calcium channel blocker not indicated
135807000 | Lipid lowering therapy not indicated
135808005 | Diuretic not indicated
135809002 | Nitrate contraindicated
135811006 | Diuretic contraindicated
135812004 | Nitrate declined
135814003 | Diuretic declined
135822005 | Lipid lowering therapy contraindicated
135823000 | Calcium channel blocker contraindicated
135825007 | Calcium channel blocker declined
135826008 | Lipid lowering therapy declined
135844000 | Assessment of needs of carer completed
135866007 | Partially informed of test results
135879003 | H/O: dislocated shoulder
146922001 | Rubella screening not offered
147022006 | Double test not offered
148176006 | Luteinizing hormone and follicle stimulating hormone checked
148297000 | Travel vaccination given
148324002 | Screening not offered
148477008 | Immunization not offered
149129005 | Lung adhesions freed
150159003 | Hand muscle foreign body removed
160240006 | Brief history taken
160241005 | Intermediate history taken
160242003 | Full history taken
160245001 | No current problems or disability
160250007 | No family history of malignancy
160252004 | No family history of cardiovascular accident or stroke
160253009 | No significant social history
160254003 | No history of cardiovascular system disease
160255002 | No history of gastrointestinal tract disease
160256001 | No history of genitourinary tract disease
160257005 | No history of central nervous system disease
160258000 | No history of respiratory system disease
160259008 | No history of psychiatric disorder
160265008 | Family history taken
160266009 | No significant family history
160267000 | No family history of glaucoma
160268005 | No FH: Allergy
160269002 | FH: Longevity
160270001 | No significant family history of cardiovascular disease
160271002 | No FH: CVA/Stroke/TIA
160273004 | No significant family history of hypertension
160274005 | No significant family history of diabetes
160279000 | FH: Infectious disease
160280002 | FH: Tuberculosis
160281003 | FH: Syphilis
160282005 | FH: Gonorrhea
160288009 | FH: neoplasm of skin
160290005 | FH: neoplasm of male genital organ
160291009 | Family history of urological neoplasm
160292002 | FH: leukemia
160297008 | FH: neoplasm of ovary
160298003 | FH: neoplasm of cervix
160299006 | FH: neoplasm of uterus
160301004 | FH: Endocrine disorders
160302006 | FH: Thyroid disorder
160303001 | FH: Diabetes mellitus
160305008 | FH: Metabolic disorder
160306009 | FH: Nutritional deficiency
160308005 | FH: Gout
160309002 | FH: Cystic fibrosis
160310007 | FH: Porphyria
160311006 | FH: Obesity
160312004 | FH: Cholinesterase deficiency
160313009 | FH: Osteoporosis
160314003 | FH: Hypercholesterolemia
160316001 | FH: Blood disorder
160318000 | Family history of hereditary spherocytosis

160319008 | FH: Thalassemia
160320002 | Family history of sickle cell anemia
160321003 | FH: Sickle cell trait
160324006 | Family history of mental disorder
160325007 | FH: Senile dementia
160327004 | FH: Drug dependency
160328009 | Family history of schizophrenia
160329001 | FH: Depression
160331005 | FH: Manic-depressive state
160332003 | Family history of anxiety disorder
160333008 | FH: Suicide
160336000 | Family history of Huntington's chorea
160337009 | FH: Multiple sclerosis
160338004 | FH: Hemiplegia
160339007 | FH: Paraplegia
160340009 | Family history: Cerebral palsy
160341008 | FH: Epilepsy
160342001 | Family history of migraine
160343006 | FH: Muscular dystrophy
160344000 | Family history of motor neurone disease
160346003 | FH: Eye disorder
160347007 | Family history of glaucoma
160348002 | FH: Cataract
160350005 | FH: Squint
160352002 | FH: Ear disorder
160353007 | Family history of deafness
160354001 | FH: Otosclerosis
160357008 | Family history of hypertension
160362009 | Family history of atherosclerosis
160363004 | FH: TIA
160364005 | FH: Congen heart disease
160377001 | FH: Asthma
160378006 | FH: Occupational lung dis.
160379003 | FH: Hay fever
160381001 | FH: Gastrointestinal disease
160386006 | Family history of Crohn's disease
160389004 | Family history of polycystic kidney
160390008 | FH: Male infertility
160391007 | Family history of female infertility
160392000 | FH: Breast disease
160393005 | FH: Period problem
160394004 | FH: Early menarche
160396002 | FH: Late menarche
160397006 | FH: Early menopause
160398001 | FH: Late menopause
160400002 | Family history of obstetric disorder
160401003 | FH: Raised B.P. in pregnancy
160402005 | FH: Diabetes in pregnancy
160403000 | FH: Puerperal depression
160406008 | FH: Skin disease
160407004 | FH: Eczema
160408009 | FH: Psoriasis
160409001 | FH: Alopecia
160410006 | FH: Hirsutism
160413008 | FH: Rheumatoid arthritis
160414002 | FH: Osteoarthritis
160417009 | FH: Congenital anomaly
160418004 | FH: Anencephaly
160419007 | FH: Spina bifida
160421002 | FH: Congenital RS anomaly
160422009 | FH: Congenital GIT anomaly
160423004 | FH: Congenital GU anomaly
160424005 | FH: Cong. orthopedic anomaly
160425006 | FH: Chromosomal anomaly
160427003 | FH: Mother
160428008 | FH: Mother alive and well
160429000 | FH: Mother alive with problem
160430005 | FH: Mother dead
160431009 | FH: Mother unwell
160433007 | FH: Father
160434001 | FH: Father alive and well
160435000 | FH: Father alive with problem

160436004 | FH: Father dead
160437008 | FH: Father deaf
160439006 | FH: Sister
160440008 | FH: Sister alive and well
160441007 | FH: Sister alive with problem
160442000 | FH: Sister dead
160444004 | FH: Brother
160445003 | FH: Brother alive and well
160446002 | FH: Brother alive with problem
160447006 | FH: Brother dead
160449009 | FH: Son
160450009 | FH: Son alive and well
160451008 | FH: Son alive with problem
160452001 | FH: Son dead
160454000 | FH: Daughter
160455004 | FH: Daughter alive and well
160456003 | FH: Daughter alive with problem
160457007 | FH: Daughter dead
160460000 | FH: Maternal grandfather
160461001 | FH: Paternal grandfather
160462008 | FH: Maternal grandmother
160463003 | FH: Paternal grandmother
160464009 | FH: Aunt
160465005 | FH: Uncle
160469004 | FH: Allergy
160471004 | History of - cot death in family
160472006 | FH: Child battering
160473001 | FH: Death under 60 years
160474007 | FH: Atopy
160475008 | FH: Consanguinity
160776008 | Home help organized
160806000 | Father remarried
160807009 | Mother remarried
160853002 | Partner begins work
160854008 | Partner stops work
160855009 | Partner retires
160856005 | Partner works after retirement
160859003 | Imprisonment of family member
160860008 | Husband in prison
160861007 | Spouse arrested
160875000 | Partner unemployed
160884000 | Wife pregnant
160885004 | Wife well
160886003 | Wife alive
160888002 | Family member on protection register
160890001 | Family member removed from protection register
160891002 | Vulnerable child in family
160947001 | Parent is handicapped
160948006 | Spouse is handicapped
160949003 | Sibling is handicapped
160953001 | Relative - acute medical disorder
161062006 | Child abuse in family
161067000 | Legal problem in family
161075006 | Spouse works away from home
161077003 | Father smokes
161078008 | Mother smokes
161079000 | Both parents smoke
161413004 | H/O: infectious disease
161414005 | H/O: tuberculosis
161415006 | H/O: poliomyelitis
161416007 | H/O: malaria
161417003 | H/O: scarlatina
161419000 | H/O: measles
161420006 | H/O: mumps
161421005 | H/O: rubella
161422003 | H/O: pertussis
161423008 | H/O: chickenpox
161424002 | H/O: viral illness
161432005 | H/O Malignant melanoma
161436008 | H/O: leukemia
161442007 | H/O: hyperthyroidism
161443002 | H/O: hypothyroidism

161445009 | H/O: diabetes mellitus
161449003 | H/O: nutrition disorder
161450003 | H/O: raised blood lipids
161451004 | H/O: gout
161453001 | H/O: obesity
161456009 | H/O: anemia - iron deficient
161457000 | History of anemia vitamin B12 deficient
161458005 | H/O: hemolytic anemia
161460007 | H/O: bleeding disorder
161461006 | H/O: purpura
161462004 | H/O: Failed blood donor test
161464003 | H/O: psychiatric disorder
161465002 | H/O: dementia
161466001 | H/O: alcoholism
161467005 | H/O: drug dependency
161468000 | H/O: schizophrenia
161469008 | H/O: depression
161470009 | H/O: anxiety state
161471008 | H/O: anorexia nervosa
161472001 | H/O: psychological trauma
161473006 | H/O: behavior problem
161474000 | H/O: attempted suicide
161478002 | H/O: meningitis
161479005 | H/O: encephalitis
161480008 | H/O: epilepsy
161481007 | H/O: migraine
161482000 | H/O: trigeminal neuralgia
161483005 | H/O: Bell's palsy
161486002 | H/O: eye disorder
161487006 | H/O: retinal detachment
161488001 | H/O: glaucoma
161489009 | H/O: cataract
161490000 | H/O: visual disturbance
161491001 | H/O: corneal ulcer
161494009 | H/O: ear disorder
161496006 | H/O: chronic ear infection
161497002 | H/O: hearing problem
161500008 | H/O: rheumatic fever
161501007 | H/O: hypertension
161502000 | H/O: myocardial infarct at less than 60
161503005 | H/O: myocardial infarct at greater than 60
161504004 | H/O: angina pectoris
161505003 | H/O: heart failure
161508001 | H/O: Deep vein thrombosis
161509009 | H/O: varicose veins
161511000 | H/O: TIA
161512007 | H/O: pulmonary embolus
161513002 | H/O ventricular fibrillation
161514008 | H/O: aortic aneurysm
161515009 | H/O subarachnoid hemorrhage
161523006 | H/O: respiratory disease
161524000 | H/O: hay fever
161525004 | H/O: pneumonia
161527007 | H/O: asthma
161528002 | H/O: pneumothorax
161532008 | H/O: appendicitis
161533003 | H/O: abdominal hernia
161535005 | H/O: liver disease
161536006 | H/O: jaundice
161538007 | H/O: hematemesis
161539004 | H/O: melena
161541003 | H/O upper GIT neoplasm
161542005 | H/O lower GIT neoplasm
161546008 | H/O: nephritis
161547004 | H/O: kidney infection
161548009 | H/O: urinary stone
161549001 | H/O: recurrent cystitis
161550001 | H/O: hematuria
161551002 | H/O: urethral stricture
161554005 | H/O: male genital disorder
161555006 | H/O: prostatism
161556007 | H/O: infertility - male

161558008 | H/O: vasectomy
161560005 | H/O: skin disorder
161561009 | H/O: eczema
161562002 | H/O: psoriasis
161563007 | H/O: chronic skin ulcer
161567008 | H/O: rheumatoid arthritis
161568003 | H/O: osteoarthritis
161570007 | H/O: back problem
161572004 | H/O: congenital anomaly
161573009 | H/O: cardiac anomaly
161574003 | H/O: cleft palate
161575002 | H/O: cleft lip
161576001 | H/O: urinary anomaly
161577005 | History of congenital dislocation of hip
161579008 | H/O: perinatal problem
161580006 | H/O: birth trauma
161581005 | H/O: birth asphyxia
161582003 | H/O: hemolytic disease
161583008 | H/O: perinatal convulsion
161584002 | History of perinatal cerebral irritability
161586000 | H/O: injury
161587009 | H/O: head injury
161589007 | H/O: poisoning
161611007 | H/O: non-drug allergy
161614004 | H/O: multiple allergies
161615003 | H/O: surgery
161616002 | H/O: major vascular surgery
161617006 | H/O: major abdominal surgery
161618001 | H/O: major orthopedic surgery
161619009 | H/O Spinal surgery
161621004 | H/O: upper limb amputation
161622006 | H/O: lower limb amputation
161624007 | H/O: pneumonectomy
161625008 | H/O cardiac surgery
161626009 | H/O splenectomy
161627000 | H/O orchidectomy
161632004 | H/O: risk factor
161633009 | H/O: radiation exposure
161635002 | H/O: asbestos exposure
161636001 | H/O: isocyanate exposure
161637005 | Insurance refused - medical reasons
161638000 | Hepatitis B Occupational risk
161646004 | H/O: high risk medication
161647008 | H/O: anticoagulant therapy
161648003 | H/O: steroid therapy
161649006 | H/O: insulin therapy
161650006 | H/O: anticonvulsant therapy
161651005 | History of immunosuppressive therapy
161652003 | H/O: hormone replacement (HRT)
161653008 | H/O: chemotherapy
161656000 | H/O: repeat medication
161659007 | H/O: kidney donation
161660002 | H/O: skin donation
161663000 | H/O: tissue/organ recipient
161664006 | H/O: blood transfusion
161665007 | H/O: kidney recipient
161666008 | H/O: heart recipient
161667004 | H/O: heart valve recipient
161668009 | H/O: skin recipient
161669001 | H/O: bone tissue recipient
161670000 | H/O: cornea recipient
161671001 | H/O: liver recipient
161672008 | H/O: lung recipient
161674009 | H/O: artificial organ/tissue
161675005 | H/O: artificial eyeglobe
161676006 | H/O: artificial eye lens
161677002 | H/O: artificial heart valve
161678007 | H/O: artificial blood vessel
161679004 | H/O: artificial joint
161680001 | H/O: artificial limb
161681002 | H/O: artificial heart
161682009 | H/O: artificial bladder

161685006 | H/O: tracheostomy
161686007 | H/O: ileostomy
161687003 | H/O: colostomy
161689000 | H/O: gastrostomy
161692001 | H/O: cardiac pacemaker in situ
161693006 | H/O: kidney dialysis
161694000 | H/O: CSF drainage device
161696003 | H/O: arthrodesis
161697007 | History of arthrodesis of interphalangeal joint of toe
161700006 | H/O: machine dependence
161701005 | H/O: respirator dependence
161743003 | H/O: stillbirth
161744009 | H/O: miscarriage
161745005 | No history of miscarriage
161747002 | H/O: 1 miscarriage
161748007 | H/O: 2 miscarriages
161749004 | H/O: 3 miscarriages
161750004 | H/O: 4 miscarriages
161751000 | H/O: 5 miscarriages
161752007 | H/O: 6 miscarriages
161755009 | No history of abortion
161763005 | H/O: ectopic pregnancy
161765003 | H/O: premature delivery
161767006 | H/O: infant feeding method
161768001 | H/O: infant breast fed
161769009 | H/O: infant bottle fed
161772002 | H/O: oral contraceptive usage
161773007 | H/O: IUD usage
161774001 | H/O: contraceptive cap usage
161775000 | H/O: condom usage
161779006 | H/O: menstrual disorder
161780009 | H/O: amenorrhea
161781008 | H/O: polymenorrhea
161782001 | H/O: heavy periods
161783006 | H/O: painful periods
161786003 | H/O: postcoital bleeding
161787007 | H/O: inter-menstrual bleeding
161788002 | H/O: postmenopausal bleeding
161792009 | History of recurrent vaginal discharge
161794005 | H/O: stress incontinence
161796007 | H/O: dyspareunia
161797003 | H/O: breast problem
161798008 | H/O: infertility - female
161800001 | H/O: hysterectomy
161803004 | H/O: obstetric problem
161804005 | H/O: antepartum hemorrhage
161805006 | H/O: cesarean section
161806007 | H/O: eclampsia
161807003 | H/O: severe pre-eclampsia
161808008 | H/O:manual removal of placenta
161809000 | H/O: postpartum hemorrhage
161810005 | H/O: long labor
161811009 | H/O: perinatal fetal loss
161813007 | H/O: previous forceps delivery
161851007 | No temperature symptom
161869003 | Not tired
161881004 | No stiff neck
161886009 | Does not bruise easily
161890006 | No backache
161915001 | No general symptom
161922009 | No cough
161927003 | Night cough present
161928008 | Night cough absent
161938003 | No breathlessness
161953006 | No hiccough
161954000 | Hiccough present
161962008 | No respiratory symptoms
161966006 | No palpitations
161971004 | Chest pain not present
161980004 | No edema present
162001003 | No cardiovascular symptom
162005007 | No tooth problem

162010006 | No mouth problem
162019007 | No problem chewing
162023004 | No problem swallowing
162037008 | No abdominal pain
162056003 | No nausea
162057007 | Nausea present
162062008 | No vomiting
162069004 | Abdomen not distended
162075008 | No excessive upper gastrointestinal gas
162085009 | No tenesmus
162086005 | Tenesmus present
162104009 | Diarrhea not present
162111008 | No gastrointestinal symptom
162139009 | No genitourinary pain
162154003 | No urethral discharge
162157005 | Vaginal discharge absent
162158000 | Vaginal discharge present
162161004 | No breast lump
162162006 | Breast lump present
162185007 | No genitourinary symptom
162235006 | No motor symptom
162241004 | Paralysis present
162258009 | Coordinated
162260006 | Dizziness present
162261005 | Giddiness present
162264002 | No consciousness disturbance
162271007 | Felt faint
162275003 | No visual symptom
162293002 | Speech normal
162298006 | No headache
162342008 | Unilateral deafness
162350004 | No tinnitus present
162357001 | No earache
162358006 | Unilateral earache
162363005 | Ear discharge absent
162364004 | Ear discharge present
162368001 | Does not sneeze
162372002 | Does not have nosebleeds
162376004 | Does not snore
162379006 | No nasal symptoms
162387007 | No sore throat
162388002 | Sore throat present
162395006 | No throat symptom
162406001 | No ear, nose or throat symptom
162467007 | Free of symptoms
162572001 | Suspected cancer
162573006 | Suspected lung cancer
162591001 | Suspected drug abuse
162592008 | Suspected abuse soft drugs
162593003 | Suspected abuse hard drugs
162594009 | Suspected deafness
162596006 | Suspected victim of child abuse
162649008 | Depth of examination
162650008 | Patient not examined
162651007 | Patient examined
162653005 | One or more organs examined
162654004 | One or more systems examined
162655003 | Full examination performed
162674006 | Depth of general examination
162675007 | General examination not done
162780006 | O/E - edema not present
162784002 | Unilateral leg edema
162811006 | O/E - cataract present
162838004 | On examination - unilateral thyroid swelling
162881001 | Depth of respiratory system examination
162882008 | Respiratory system not examined
162963000 | O/E - no adventitious sounds
162971001 | O/E - consolidation present
162972008 | O/E - cavitation
162979004 | Depth of CVS examination
162980001 | CVS not examined
163045005 | O/E - no arterial bruit

163046006 | O/E - carotid bruit present
163047002 | O/E - femoral bruit present
163048007 | O/E - renal bruit present
163068001 | O/E - no cardiac thrill
163084000 | O/E - pericardial rub absent
163088002 | O/E - no cardiac murmur
163127007 | Depth of GIT examination
163128002 | GIT not examined
163142005 | O/E - mouth examined
163198005 | On examination - no abdominal movement
163207001 | On examination - no intra-abdominal movement
163213005 | On examination - no abdominal pain on palpation
163225008 | O/E - no guarding on palpation
163237005 | O/E - no rebound tenderness
163249006 | O/E - no abdominal rigidity
163253008 | O/E - liver not palpable
163266008 | O/E - liver not painful
163271001 | O/E - gallbladder not palpable
163279004 | On examination - abdominal mass not palpated
163310006 | O/E - ascites not demonstrated
163316000 | O/E - no hernia demonstrated
163347006 | Depth of genitourinary examination
163348001 | GU system not examined
163354000 | O/E - kidney palpated
163355004 | O/E - kidneys not palpable
163361001 | O/E - bladder not palpable
163375008 | O/E - no scrotal swelling
163423003 | O/E - no vaginal discharge
163458001 | O/E - no nipple discharge
163466005 | O/E - no breast lump palpable
163492003 | O/E - breast lump not tethered
163536000 | O/E - no fetal movements
163543006 | O/E - fetal heart not heard
163557008 | O/E - VE - pelvis not adequate
163560001 | O/E - VE - cervix not ripe
163581001 | Depth of nervous system examination
163582008 | Nervous system not examined
163589004 | O/E - no fit/convulsion seen
163599009 | O/E - no paralysis
163628001 | Sensory system not examined
163631000 | O/E - no trophic changes
163657002 | O/E - no muscle contracture
163663006 | O/E - no involuntary movements
163731007 | O/E - analgesia present
163757005 | O/E - no suppression
163763001 | O/E - no visual agnosia
163764007 | O/E - visual agnosia present
163772009 | O/E - past pointing present
163773004 | O/E - dysdiadochokinesia
163846005 | O/E - no clonus
163900009 | O/E - CNS not examined
163904000 | O/E - no raised I/C pressure
163909005 | O/E - meningism absent
163913003 | O/E - Kernig's sign negative
163915005 | O/E-Brudzinski's sign negative
163918007 | O/E - no speech defect
164016004 | O/E - ptosis absent
164041006 | O/E - accommod-pupil not react
164073000 | O/E - no nystagmus
164140005 | O/E - not clinically anemic
164163000 | O/E - spleen not palpable
164176006 | ENT examination not performed
164183004 | O/E - no nasal discharge
164212007 | O/E - no discharge from ear
164220009 | O/E - ear not painful
164273009 | O/E - no laryngeal signs
164286000 | O/E - temperature not taken
164321005 | O/E - skin not examined
164329007 | O/E - no macules
164332005 | O/E - ecchymoses present
164333000 | O/E - capillary nevi present
164336008 | O/E - papules not present

164340004 | O/E - skin nodules not present
164344008 | O/E - vesicles not present
164348006 | O/E - skin bullae not present
164355008 | O/E - no pustules present
164362004 | On examination - wheals not present
164366001 | O/E - skin scales not present
164372001 | O/E - no skin burrows
164376003 | O/E - blackheads not present
164377007 | O/E - blackheads present
164380008 | O/E - no skin plaque
164384004 | O/E - skin cyst not present
164390000 | O/E - no skin fissures
164396006 | O/E - no skin ulcer
164400006 | O/E - no skin scarring
164406000 | O/E - no skin crust
164415007 | O/E - skin sinus not present
164445005 | O/E - extremities not examined
164503006 | Orthopedic exam. not done
164507007 | O/E - no joint abnormality
164525000 | O/E - joint not swollen
164549002 | O/E - joint not stiff
164558009 | O/E - no joint contraction
164574004 | O/E - no bone abnormal
164588000 | O/E - no bone abnormality
164598006 | O/E-no soft tissue abnormality
164618002 | General sign qualifications
164682005 | O/E - sign not tethered
164689001 | O/E - sign not painful
164695000 | O/E - sign not pulsatile
164713001 | Neurological diagnostic procedure - not done
164715008 | Neurological diagnostic procedure - done
164719002 | Sensory mapping carried out
164725003 | Visual testing not done
164726002 | Visual testing done
164746007 | Auditory/vestibular test not done
164747003 | Auditory/vestibular test done
164766003 | Special ENT procedure not done
164767007 | Special ENT procedure done
164776000 | Special CVS test not done
164777009 | Special CVS test done
164786004 | Special GIT test not done
164787008 | Special GIT test done
164795007 | Special urinary test not done
164796008 | Special urinary test done
164808009 | Special female test not done
164810006 | Special female test done
164823004 | Special male test not done
164824005 | Special male test done
164831009 | Musculoskeletal test not done
164832002 | Musculoskeletal test done
164846002 | ECG requested
164853006 | ECG not done
164963004 | Susceptibility skin test done
164964005 | Susceptibility skin test not done
164977001 | Mantoux test done
164978006 | Mantoux test not done
164984009 | Kveim test done
164985005 | Kveim test not done
164996002 | Hypersensitivity skin test done
164997006 | Hypersensitivity skin test not done
165007007 | Allergy testing done
165008002 | Allergy testing not done
165016006 | Lung function testing done
165017002 | Lung function testing not done
165025000 | Lung volume test done
165026004 | Lung volume test not done
165034005 | Respiratory flow rate measured
165035006 | Respiratory flow rate not measured
165068004 | Ovulation temperature chart started
165073005 | Cardiac function test done
165074004 | Cardiac function test not done
165080007 | Exercise tolerance test done

165081006 | Exercise tolerance test not done
165104002 | Metabolic function not tested
165121006 | Non-surgical biopsy done
165122004 | Non-surgical biopsy not done
165137000 | Endoscopy arranged
165138005 | Endoscopy carried out
165139002 | Endoscopy not carried out
165146006 | Check endoscopy - condition resolved
165278005 | Biopsy specimen not retrieved
165330008 | Laboratory test not necessary
165331007 | Laboratory procedure performed
165332000 | Laboratory test requested
165333005 | Sample sent to laboratory for test
165334004 | Stool sample sent to lab.
165335003 | Blood sample sent to hematology laboratory
165336002 | Blood sample sent to biochemistry laboratory
165337006 | Blood sample sent to microbiology laboratory
165339009 | Urine sample sent to Lab
165340006 | Swab sent to Lab
165342003 | Patient refused laboratory test
165343008 | Laboratory test requested - not done
165346000 | Laboratory test result abnormal
165348004 | Laboratory test due
165349007 | Blood test due
165350007 | Urine test due
165351006 | Feces test due
165352004 | CSF test due
165353009 | Semen analysis due
165355002 | Patient informed - test result
165356001 | Test result by letter to patient
165357005 | Test result to patient by telephone
165358000 | Test result to patient personally
165372009 | Hematology test not needed
165373004 | Hematology test performed
165374005 | Hematology test requested
165375006 | Blood sent for hematology test
165376007 | Patient refused hematology test
165377003 | Hematology test request - not done
165378008 | Hematology result not back yet
165393007 | Hemoglobin not estimated
165394001 | Hemoglobin requested
165395000 | Hemoglobin - sample sent
165742001 | Blood sent for grouping
165761002 | Blood sent for cross-matching
165762009 | Blood been cross-matched
165766007 | Transfusion center ref. no.
165768008 | Rhesus antibody absent
165790008 | Blood sent - rubella antibody
165803005 | Blood sent: SH-antigen test
165814008 | Blood sent for HTLV-3 serology
165819003 | Blood sent for legionella test
165824000 | Blood sent - infectious titers
165928001 | L.E. cells absent
166314008 | Blood sent for chemistry
166557002 | Blood sent: alpha-fetoprotein
166660001 | Blood sent: cardiac enzymes
166684009 | Blood sent for electrolytes
166813006 | Blood sent for serum lipids
167007008 | Blood sent for toxicology
167056009 | Carcinoembryonic antigen absent
167219008 | Urine not examined
167220002 | Urinalysis requested
167223000 | MSU sent to lab.
167253007 | Urine pregnancy test requested
167260001 | Urine glucose test not done
167272007 | Urine protein test not done
167286006 | Urine ketone test not done
167296002 | Urine blood test not done
167306007 | Urine pH test not done
167317008 | Urine bacteria test not done
167322008 | Urine urobilinogen not tested
167331008 | Urine sent for microscopy

167594003 | Feces not examined
167595002 | Feces sent for examination
167666002 | Fecal occult blood requested
167701000 | CSF: not examined
167702007 | CSF: sent for examination
167728005 | CSF chemistry - not tested
167760002 | Semen sent for examination
167822002 | Vomit sent for examination
167854006 | Vomit sent for toxicology
167861005 | Synovial fluid sent for examination
167909009 | Bone marrow sent for examination
167946008 | Pleural fluid sent for examination
167984002 | Sputum sent for examination
168009009 | Ascitic fluid sent for examination
168033003 | Calculus sent for examination
168085001 | Amniotic fluid sent for examination
168123008 | Sample sent for examination
168173006 | Sweat collected for test
168195005 | Sample sent for bacteriology
168196006 | Sample sent for culture/sensitivities
168215000 | Sample sent for mycology
168221001 | Sample sent for parasitology
168286009 | Eye swab sent for C/S
168287000 | Eye swab for virology
168302007 | Sputum sent for C/S
168305009 | Skin swab taken
168306005 | Skin scrapings taken
168307001 | Skin ulcer swab taken
168308006 | Skin wound swab taken
168312000 | Gastrointestinal tract sample for organism
168313005 | Stomach washings for C/S
168314004 | Intestinal washings for C/S
168315003 | Rectal wall scraping for C/S
168316002 | Stool sample for C/S
168321004 | Mouth swab
168330007 | Blood sent for culture
168331006 | Blood sent for virology
168332004 | Blood sent for bacteriology
168336001 | MSU sent for C/S
168337005 | MSU sent for bacteriology
168338000 | Urine sent for culture
168339008 | Catheter urine sent for culture
168342002 | Urethral swab taken
168345000 | High vaginal swab taken
168352003 | Low vaginal swab taken
168353008 | Vulval swab taken
168354002 | Cervical swab taken
168359007 | Penile swab taken
168364006 | Miscellaneous sample for organism
168369001 | Peritoneal fluid for organism
168372008 | Semen sent for C/S
168373003 | Nail clippings
168374009 | Nail clippings fungus positive
168375005 | Nail clippings fungus negative
168395004 | Tissue sent for histology
168396003 | Specimen sent for histology
168428009 | Cervical smear - action needed
168429001 | Cervical smear: repeat after treatment
168430006 | Cervical smear: repeat 1 month
168431005 | Cervical smear: repeat 3 months
168432003 | Cervical smear: repeat 4 months
168433008 | Cervical smear: repeat 6 months
168434002 | Cervical smear: repeat 9 months
168435001 | Cervical smear: repeat 12 months
168436000 | Cervical smear: colposcopy needed
168437009 | Cervical smear - cervical biopsy needed
168438004 | Cervical smear: uterine curettage needed
168441008 | Tissue sent for cytology
168446003 | Cell chromosome examination request
168451009 | Forensic examination requested
168462009 | Postmortem examination requested
168465006 | Postmortem examination done

891003 | Suicide by self-administered drug
1210002 | Struck by falling lumber
1428003 | Asphyxia due to foreign body in larynx
1762004 | Fetal death from asphyxia AND/OR anoxia during labor
1912002 | Fall
2617007 | Fall from scaffolding
3974003 | Contact with sharp leaves
4521008 | Fall from cliff
5062002 | Death by immolation
5193003 | Lightning
5236003 | Justifiable homicide
5331006 | Postoperative death
5866003 | Postpartum maternal death
5941001 | Gangland style homicide
6300007 | Exposed to noise
6476001 | Death by electrocution
7420003 | Drowning in brackish water
7878000 | Accidental death
8766005 | Earthquake
9855000 | Natural death with unknown cause
10588007 | PND - Perinatal death
10598001 | Contact with hand tool
11385001 | Assault and battery
12994004 | Asphyxiation by environmental oxygen lack
13234002 | Death during anesthetic induction
13278006 | Fall from swing
13711007 | Fall from slide
13935005 | Fall down elevator shaft
14035003 | Death by hanging
14047009 | Fall from building
15185003 | Contact with machinery
15355001 | Unattended death
15654006 | Drowning in liquid other than water
16445007 | Homosexual forcible assault
16983000 | Death in hospital
17542004 | Work accident
17766007 | Fetal death from asphyxia AND/OR anoxia, not clear if noted before OR after onset of labor
17886000 | Fall involving wheelchair
17982002 | Exposure to attack by reptile
18055005 | Murder of friend
18870005 | Murder of spouse
18893004 | Non-traffic vehicular accidental death
19224001 | Tidal wave
19349004 | Struck by falling tree
20757006 | Judicial execution by hanging
20902002 | Fall involving bed
20936008 | Fire storm
20974000 | Matricide
21902005 | Struck by falling rock or stone
22439003 | Forcible intercourse
23233009 | Previous known suicide attempt
23321002 | Striking against or struck by sports equipment
23361001 | Exposure to sting or bite by insect
23546003 | Suicide while incarcerated
23776007 | Incestuous child concubinage
23791009 | Judicial execution by guillotine
24454008 | Torrential rain
24780005 | Sororicide
25318002 | Death by strangulation
25455001 | Overlaying accident
25692008 | Murder of acquaintance
26636000 | Sudden death
26878008 | Death due to trampling
27792001 | Intrapartum maternal death
27935005 | Homicide
28064001 | Fratricide
28631002 | Euthanasia
29444006 | Murder of relative
31868001 | Antepartum maternal death
32175001 | Asphyxia by plastic bag
33036003 | Fall on same level
34468006 | Sudden death of unknown cause during the puerperium

35149008 | Suffocation by bedclothes
35314007 | Hurricane
35468003 | Caught, crushed, jammed or pinched in or between objects
36153001 | First known suicide attempt
36882002 | Death due to assault AND battery
37169002 | Collision
37383006 | Exposure to attack by mammal
37806009 | Suffocation by pressure
37933009 | Flash flood
38605008 | Natural death
39109007 | Fall involving sports equipment
39262008 | Second degree murder
39379000 | Forcible sexual assault
39399006 | Natural death with probable cause suspected
39826003 | Struck by explosion
40104005 | Fall in home
40358007 | Non-judicial execution
40537000 | Cold exposure
40785002 | Car crash
40947009 | Drowning
41358001 | Child concubinage
41411008 | Fall involving playground equipment
42310008 | Judicial execution by firing squad
43682008 | Water transport accident
44174001 | Fetal death from asphyxia AND/OR anoxia before onset of labor
44188002 | Fall in shower
44301001 | Suicide
44633000 | Accidental death in public place
45216005 | Iatrogenic death
45224000 | Struck by missile
45477008 | Exposure to vibration
46851004 | Contact with plants
47044002 | Sinking
47193005 | Murder of stranger
47235009 | Contact with power tool
48015001 | Fall through window
48071004 | Cyclone
48981002 | Parasuicide
49061008 | Landslide
49113003 | Blizzard
49215004 | Struck by building collapse
49250007 | Manslaughter
49380000 | Anesthetic death
49713007 | Unexpected death
49905000 | Fall down embankment
50032005 | Air crash
50084004 | Battery
50105002 | Undetermined manner of death, natural causes suspected
50109008 | Drowning in fresh water
50363002 | Asphyxiation by environmental toxic gas
50514002 | Instantaneous death
51347003 | Incest
51709005 | Assisted suicide
52136000 | Intraoperative death
52684005 | Assault
53559009 | Death in less than 24 hours from onset of symptoms
53846008 | Suicide attempt by adequate means
54670004 | Slipping
54719000 | Exposure to human stampede
55225009 | Neonatal death of female (within 7 days, World Health Organization)
55554002 | Parasuicide
55566008 | Accidental physical contact
56102008 | Neonatal death of female (within 4 weeks, United States of America)
56307009 | Fall from table
56962005 | Fall on snow
57135007 | Accident involving land transport vehicle
57371001 | Oil spill
57701003 | Accident while engaged in sports activity
57741007 | Fall from bridge
58538004 | Striking against or bumped into by another person
58908002 | Exposure to attack by amphibian
59262002 | Snow storm

59283008 | Maternal mortality
59510000 | Struck by cave-in
60257006 | Neonatal death of male (within 7 days, WHO)
60594001 | Fall while being carried
62475002 | Undetermined manner of death, accidental means suspected
63148005 | Murder
63409001 | Struck by firearm discharge
65037004 | Undetermined manner of death
65819004 | Accidental death in home
66360006 | Natural death with proved cause
66411002 | Undetermined manner of death, homicide suspected
66466001 | Asphyxiation
67223001 | Fall on escalator
67292001 | Suffocation by cave-in
67313008 | Fetal death due to termination of pregnancy
67622000 | Asphyxiation by injury to air passages
67786008 | Death by fire
67916006 | Undetermined manner of death, accidental cause suspected
68023007 | Undetermined manner of death, suicide suspected
68062003 | Fall at construction site
68274007 | Fall into hole
69129000 | Struck by sharp object
69165005 | Struck by falling earth
70055007 | Unexpected sudden death of adult
70167006 | Non-incestuous child concubinage
70579001 | Homicide attempt
71893005 | Struck by falling object
72738009 | Fall from carousel
74105006 | Murder by hired killer
74148000 | Death unattended by physician
74332007 | Death by asphyxiation
74376000 | Drowning in salt water
74509007 | Death by cremation
74541001 | Fall from bench
74601003 | Struck by instrument of aggression
74660000 | Accidental death in industrial place
74683002 | Struck by falling machine equipment
75354000 | Fall on ice
75941004 | Tripping
77105004 | Garrotment
77588008 | Exposure to animate mechanical force
77740007 | Struck by falling tool
77993003 | Exposure to attack by other person
78070009 | Suicide by multiple means
78078002 | Struck by falling liquid matter
78331008 | Fall from gymnastic bars
78361000 | Engaged in falling
78387000 | Asphyxiation by sustained compression of chest
78427001 | Occupational noise exposure
78583002 | Infanticide
78672002 | Judicial execution by gas chamber
78857004 | Natural death with proved cause without autopsy
79573009 | Accident while engaged in household activity
79835004 | Judicial execution by electric chair
79867001 | Traffic vehicular accidental death
80295006 | Judicial execution
80580005 | Exposure to attack by marine animal
81840004 | Natural death reportable to medicolegal authority
82145005 | Avalanche
82313006 | Suicide attempt
82612009 | Stumbling
82621005 | Natural death with proved cause by autopsy
82947003 | Fall from tree
83208000 | Exposure to mechanical force
83468000 | Fall from chair
84026000 | Fall from moving vehicle
84768009 | Train derailment
84829006 | Struck by projectile
85261005 | Contact with plant thorns
86591008 | Fall from ladder
87281005 | Death from overwork
87309006 | Death - cause unknown

88051009 | Contact with plant spines
88644004 | Tornado
88817006 | Exposure to inanimate mechanical force
90049009 | Unexplained sudden death
90097005 | First degree murder
90569008 | Wind
90619006 | Fall in bathtub
90639005 | Fall from window
90757003 | Patricide
90978007 | Volcanic eruption
91519006 | Neonatal death of male (within 4 weeks, USA)
95866005 | Exposure to extreme temperature, non-occupational
95871003 | Exposure to mercury
95875007 | Exposure to carbon monoxide
95920001 | Homicide by overkill
95921002 | Abuse of elderly person
95922009 | Child sex abuse
102406006 | Mud slide
102410009 | Pollution
102411008 | Environmental pollution
102412001 | Noise polution
102413006 | Air pollution
102414000 | Water pollution
102415004 | Drinking water pollution
102416003 | Bathing water pollution
102417007 | Soil pollution
102418002 | Dust pollution
102420004 | Exposure to pollution
102421000 | Exposure to environmental pollution
102422007 | Exposure to environmental pollution, occupational
102423002 | Exposure to environmental pollution, non-occupational
102424008 | Exposure to polluted air
102425009 | Exposure to polluted air, occupational
102426005 | Exposure to polluted air, non-occupational
102427001 | Exposure to water pollution
102428006 | Exposure to polluted water, occupational
102429003 | Exposure to polluted water, non-occupational
102430008 | Exposure to polluted drinking water
102431007 | Exposure to polluted bathing water
102432000 | Exposure to polluted soil
102433005 | Exposure to polluted soil, occupational
102434004 | Exposure to polluted soil, non-occupational
102435003 | Exposure to chemical pollution
102436002 | Exposure to chemical pollution, occupational
102437006 | Exposure to chemical pollution, non-occupational
102439009 | Exposure to toxic waste, occupational
102440006 | Exposure to toxic waste, non-occupational
102441005 | Exposure to toxic agricultural agents
102442003 | Exposure to toxic agricultural agents, occupational
102443008 | Exposure to toxic agricultural agents, non-occupational
102444002 | Exposure to toxic dust
102445001 | Exposure to toxic dust, occupational
102446000 | Exposure to toxic dust, non-occupational
105441003 | Death of spouse
105442005 | Death of companion
105443000 | Death of parent
105444006 | Death of child
105445007 | Death of sibling
105446008 | Suicide of relative
105447004 | Death of pet
111056004 | Floods
111942003 | Judicial execution by lethal injection
115964003 | Exposure to non-mechanical force
115965002 | Exposure to magnetic field
122866006 | Exposure to ionizing radiation
129674006 | Asphyxiation by hanging
135829001 | Accidental ingestion of white spirit
135868008 | Death of partner
160956009 | Death of infant
160957000 | Sudden infant death
160958005 | Death of son
160960007 | Death of daughter

160961006 | Death of father
160962004 | Death of mother
160963009 | Death of brother
160964003 | Death of sister
160965002 | Suicide of close relative
160966001 | Relative killed
161151009 | Death of unrelated person
170475009 | Anthrax exposure
199607009 | Intrauterine death - delivered
199608004 | Intrauterine death with antenatal problem
200155004 | Death from any obstetric cause occurring more than 42 days but less than one year after delivery
200156003 | Death from sequelae of direct obstetric cause
206258000 | Fetal death due to prelabor anoxia
206259008 | Fetal death due to labor anoxia
212976008 | Suffocation by strangulation
212979001 | Suffocation by mechanical cause
213004004 | Nutritional deprivation of child
213007006 | Multiple deprivation of child
213017001 | Sexual abuse
213770003 | Railway accident
213771004 | Train accident involving collision with rolling stock
213772006 | Collision between railway vehicles of any kind
213773001 | Collision between railway vehicles, railway employee injured
213774007 | Collision between railway vehicles, passenger injured
213775008 | Collision between railway vehicles, pedestrian injured
213776009 | Collision between railway vehicles, pedal cyclist injured
213779002 | Collision between railway vehicles followed by derailment
213780004 | Collision between railway vehicles followed by derailment, railway employee injured
213781000 | Collision between railway vehicles followed by derailment, passenger injured
213782007 | Collision between railway vehicles followed by derailment, pedestrian injured
213783002 | Collision between railway vehicles followed by derailment, pedal cyclist injured
213795002 | Train collision with buffers
213796001 | Train collision with buffers, railway employee injured
213797005 | Train collision with buffers, passenger injured
213798000 | Train collision with buffers, pedestrian injured
213799008 | Train collision with buffers, pedal cyclist injured
213802004 | Train collision with fallen tree on railway
213803009 | Train collision with fallen tree, railway employee injured
213804003 | Train collision with fallen tree, passenger injured
213805002 | Train collision with fallen tree, pedestrian injured
213806001 | Train collision with fallen tree, pedal cyclist injured
213809008 | Train collision with gates
213810003 | Train collision with gates, railway employee injured
213811004 | Train collision with gates, passenger injured
213812006 | Train collision with gates, pedestrian injured
213813001 | Train collision with gates, pedal cyclist injured
213816009 | Train collision with platform
213817000 | Train collision with platform, railway employee injured
213818005 | Train collision with platform, passenger injured
213819002 | Train collision with platform, pedestrian injured
213820008 | Train collision with platform, pedal cyclist injured
213823005 | Train collision with rock on railway
213824004 | Train collision with rock, railway employee injured
213825003 | Train collision with rock, passenger injured
213826002 | Train collision with rock, pedestrian injured
213827006 | Train collision with rock, pedal cyclist injured
213831000 | Train collision with streetcar, railway employee injured
213833002 | Train collision with streetcar, passenger injured
213834008 | Train collision with streetcar, pedestrian injured
213835009 | Train collision with streetcar, pedal cyclist injured
213859004 | Railway accident involving derailment without antecedent collision
213860009 | Derailment due to track problem without antecedent collision
213861008 | Derailment due to track problem, without antecedent collision, railway employee injured
213862001 | Derailment due to track problem, without antecedent collision, passenger injured
213863006 | Derailment due to track problem, without antecedent collision, pedestrian injured
213864000 | Derailment due to track problem, without antecedent collision, pedal cyclist injured
213867007 | Derailment due to train problem, without antecedent collision
213869005 | Derailment due to train problem, without antecedent collision, passenger injured
213870006 | Derailment due to train problem, without antecedent collision, pedestrian injured
213871005 | Derailment due to train problem, without antecedent collision, pedal cyclist injured
213881009 | Train accident involving explosion, fire or burning
213882002 | Train accident involving explosion

213883007 | Train accident involving explosion, railway employee injured
213884001 | Train accident involving explosion, passenger injured
213885000 | Train accident involving explosion, pedestrian injured
213886004 | Train accident involving explosion, pedal cyclist injured
213889006 | Train accident involving fire
213890002 | Train accident involving fire, railway employee injured
213893000 | Train accident involving fire, pedestrian injured
213894006 | Train accident involving fire, pedal cyclist injured
213897004 | Train accident involving burning
213898009 | Train accident involving burning, railway employee injured
213899001 | Train accident involving burning, passenger injured
213900006 | Train accident involving burning, pedestrian injured
213901005 | Train accident involving burning, pedal cyclist injured
213911003 | Fall in, on, or from train
213912005 | Fall in train
213913000 | Fall in train, railway employee injured
213914006 | Fall in train, passenger injured
213917004 | Fall on train
213918009 | Fall on train, railway employee injured
213919001 | Fall on train, passenger injured
213920007 | Fall on train, pedestrian injured
213922004 | Fall on train, pedal cyclist injured
213925002 | Fall from train
213926001 | Fall from train, railway employee injured
213927005 | Fall from train, passenger injured
213937000 | Hit by railway rolling stock
213938005 | Crushed by rolling stock
213939002 | Crushed by rolling stock - railway employee
213940000 | Crushed by rolling stock - passenger
213941001 | Crushed by rolling stock - pedestrian
213942008 | Crushed by rolling stock - pedal cyclist
213945005 | Knocked down by rolling stock
213946006 | Knocked down by rolling stock - railway employee
213947002 | Knocked down by rolling stock - passenger
213948007 | Knocked down by rolling stock - pedestrian
213949004 | Knocked down by rolling stock - pedal cyclist
213952007 | Run over by rolling stock
213953002 | Run over by rolling stock - railway employee
213954008 | Run over by rolling stock - passenger
213955009 | Run over by rolling stock - pedestrian
213956005 | Run over by rolling stock - pedal cyclist
213959003 | Killed by rolling stock
213960008 | Killed by rolling stock - railway employee
213961007 | Killed by rolling stock - passenger
213962000 | Killed by rolling stock - pedestrian
213963005 | Killed by rolling stock - pedal cyclist
213974001 | Hit by object falling in train
213975000 | Hit by object falling in train - railway employee
213976004 | Hit by object falling in train - passenger
213980009 | Injured by train door or window - railway employee
213981008 | Injured by train door or window - passenger
213982001 | Injured by train door or window - pedestrian
213983006 | Injured by train door or window - pedal cyclist
213986003 | Injured by object set in motion by train
213987007 | Injured by object set in motion by train - railway employee
213988002 | Injured by object set in motion by train - passenger
213989005 | Injured by object set in motion by train - pedestrian
213990001 | Injured by object set in motion by train - pedal cyclist
213993004 | Train hit by falling object
213995006 | Train hit by falling object - railway employee injured
213996007 | Train hit by falling object - passenger injured
213997003 | Train hit by falling object - pedestrian injured
213998008 | Train hit by falling object - pedal cyclist injured
214031005 | Motor vehicle traffic accident
214032003 | Motor vehicle on road in collision with train
214056004 | Motor vehicle traffic accident involving re-entrant collision with another motor vehicle
214080000 | Motor vehicle on road in collision with parked motor vehicle
214081001 | Motor vehicle traffic accident involving collision with another motor vehicle, parked, driver of motor vehicle injured
214082008 | Motor vehicle traffic accident involving collision with another motor vehicle, parked, passenger of motor vehicle injured
214085005 | Motor vehicle traffic accident involving collision with another motor vehicle, parked, passenger on motor cycle injured

214086006 | Motor vehicle traffic accident involving collision with another motor vehicle, parked, occupant of tram injured
214089004 | Motor vehicle traffic accident involving collision with another motor vehicle, parked, pedestrian injured
214090008 | Motor vehicle traffic accident involving collision with another motor vehicle, parked, other specified person injured
214092000 | Motor vehicle on road in collision with stopped motor vehicle
214095003 | Motor vehicle traffic accident involving collision with another motor vehicle, stopped, motor cyclist injured
214096002 | Motor vehicle traffic accident involving collision with another motor vehicle, stopped, passenger on motor cycle injured
214098001 | Motor vehicle traffic accident involving collision with another motor vehicle, stopped, occupant of tram injured
214099009 | Motor vehicle traffic accident involving collision with another motor vehicle, stopped, rider of animal or occupant of animal-drawn vehicle injured
214100001 | Motor vehicle traffic accident involving collision with another motor vehicle, stopped, pedal cyclist injured
214101002 | Motor vehicle traffic accident involving collision with another motor vehicle, stopped, pedestrian injured
214102009 | Motor vehicle traffic accident involving collision with another motor vehicle, stopped, other specified person injured
214104005 | Motor vehicle traffic accident involving collision with another motor vehicle, stalled
214106007 | Motor vehicle traffic accident involving collision with another motor vehicle, stalled, passenger of motor vehicle injured
214107003 | Motor vehicle traffic accident involving collision with another motor vehicle, stalled, motor cyclist injured
214108008 | Motor vehicle traffic accident involving collision with another motor vehicle, stalled, passenger on motor cycle injured
214109000 | Motor vehicle traffic accident involving collision with another motor vehicle, stalled, occupant of tram injured
214110005 | Motor vehicle traffic accident involving collision with another motor vehicle, stalled, rider of animal or occupant of animal-drawn vehicle injured
214111009 | Motor vehicle traffic accident involving collision with another motor vehicle, stalled, pedal cyclist injured
214112002 | Motor vehicle traffic accident involving collision with another motor vehicle, stalled, pedestrian injured
214113007 | Motor vehicle traffic accident involving collision with another motor vehicle, stalled, other specified person injured
214115000 | Motor vehicle on road in collision with disabled motor vehicle
214116004 | Motor vehicle traffic accident involving collision with another motor vehicle, disabled, driver of motor vehicle injured
214118003 | Motor vehicle traffic accident involving collision with another motor vehicle, disabled, motor cyclist injured
214119006 | Motor vehicle traffic accident involving collision with another motor vehicle, disabled, passenger on motor cycle injured
214120000 | Motor vehicle traffic accident involving collision with another motor vehicle, disabled, occupant of tram injured
214121001 | Motor vehicle traffic accident involving collision with another motor vehicle, disabled, rider of animal or occupant of animal-drawn vehicle injured
214123003 | Motor vehicle traffic accident involving collision with another motor vehicle, disabled, pedestrian injured
214124009 | Motor vehicle traffic accident involving collision with another motor vehicle, disabled, other specified person injured
214126006 | Motor vehicle on road in collision with abandoned motor vehicle
214127002 | Motor vehicle traffic accident involving collision with another motor vehicle, abandoned on highway, driver of motor vehicle injured
214128007 | Motor vehicle traffic accident involving collision with another motor vehicle, abandoned on highway, passenger of motor vehicle injured
214129004 | Motor vehicle traffic accident involving collision with another motor vehicle, abandoned on highway, motor cyclist injured
214131008 | Motor vehicle traffic accident involving collision with another motor vehicle, abandoned on highway, occupant of tram injured
214132001 | Motor vehicle traffic accident involving collision with another motor vehicle, abandoned on highway, rider of animal or occupant of animal-drawn vehicle injured
214134000 | Motor vehicle traffic accident involving collision with another motor vehicle, abandoned on highway, pedestrian injured
214135004 | Motor vehicle traffic accident involving collision with another motor vehicle, abandoned on highway, other specified person injured
214149008 | Motor vehicle on road in collision with ridden animal
214150008 | Motor vehicle traffic accident involving collision between motor vehicle and animal carrying a person, driver of motor vehicle injured
214151007 | Motor vehicle traffic accident involving collision between motor vehicle and animal carrying a person, passenger of motor vehicle injured
214154004 | Motor vehicle traffic accident involving collision between motor vehicle and animal carrying a person, occupant of tram injured
214155003 | Motor vehicle traffic accident involving collision between motor vehicle and animal carrying a person, rider of animal or occupant of animal-drawn vehicle injured
214156002 | Motor vehicle traffic accident involving collision between motor vehicle and animal carrying a person, pedal cyclist injured
214160004 | Motor vehicle on road in collision with animal-drawn vehicle
214161000 | Motor vehicle traffic accident involving collision between motor vehicle and animal-drawn vehicle, driver of motor vehicle injured
214162007 | Motor vehicle traffic accident involving collision between motor vehicle and animal-drawn vehicle, passenger of motor vehicle injured
214164008 | Motor vehicle traffic accident involving collision between motor vehicle and animal-drawn vehicle, passenger on motor cycle injured
214165009 | Motor vehicle traffic accident involving collision between motor vehicle and animal-drawn vehicle, occupant of tram injured
214166005 | Motor vehicle traffic accident involving collision between motor vehicle and animal-drawn vehicle, rider of animal or occupant of animal-drawn vehicle injured
214168006 | Motor vehicle traffic accident involving collision between motor vehicle and animal-drawn vehicle, pedestrian injured
214171003 | Motor vehicle on road in collision with pedal cycle

214172005 | Motor vehicle traffic accident involving collision between motor vehicle and pedal cycle, driver of motor vehicle injured
214174006 | Motor vehicle traffic accident involving collision between motor vehicle and pedal cycle, passenger of motor vehicle injured
214175007 | Motor vehicle traffic accident involving collision between motor vehicle and pedal cycle, motor cyclist injured
214176008 | Motor vehicle traffic accident involving collision between motor vehicle and pedal cycle, passenger on motor cycle injured
214177004 | Motor vehicle traffic accident involving collision between motor vehicle and pedal cycle, occupant of tram injured
214179001 | Motor vehicle traffic accident involving collision between motor vehicle and pedal cycle, pedal cyclist injured
214180003 | Motor vehicle traffic accident involving collision between motor vehicle and pedal cycle, pedestrian injured
214183001 | Motor vehicle on road in collision with tram
214184007 | Motor vehicle traffic accident involving collision between motor vehicle and tramcar, driver of motor vehicle injured
214185008 | Motor vehicle traffic accident involving collision between motor vehicle and tramcar, passenger of motor vehicle injured
214186009 | Motor vehicle traffic accident involving collision between motor vehicle and tramcar, motor cyclist injured
214188005 | Motor vehicle traffic accident involving collision between motor vehicle and tramcar, occupant of tram injured
214189002 | Motor vehicle traffic accident involving collision between motor vehicle and tramcar, rider of animal or occupant of animal-drawn vehicle injured
214190006 | Motor vehicle traffic accident involving collision between motor vehicle and tramcar, pedal cyclist injured
214191005 | Motor vehicle traffic accident involving collision between motor vehicle and tramcar, pedestrian injured
214206004 | Motor vehicle on road in collision with pedestrian
214207008 | Pedestrian dragged by motor vehicle
214208003 | Motor vehicle traffic accident involving pedestrian dragged by motor vehicle, driver of motor vehicle injured
214209006 | Motor vehicle traffic accident involving pedestrian dragged by motor vehicle, passenger of motor vehicle injured
214210001 | Motor vehicle traffic accident involving pedestrian dragged by motor vehicle, motor cyclist injured
214211002 | Motor vehicle traffic accident involving pedestrian dragged by motor vehicle, passenger on motor cycle injured
214212009 | Motor vehicle traffic accident involving pedestrian dragged by motor vehicle, occupant of tram injured
214213004 | Motor vehicle traffic accident involving pedestrian dragged by motor vehicle, rider of animal or occupant of animal-drawn vehicle injured
214215006 | Motor vehicle traffic accident involving pedestrian dragged by motor vehicle, pedestrian injured
214218008 | Pedestrian hit by motor vehicle
214219000 | Motor vehicle traffic accident involving pedestrian hit by motor vehicle, driver of motor vehicle injured
214220006 | Motor vehicle traffic accident involving pedestrian hit by motor vehicle, passenger of motor vehicle injured
214221005 | Motor vehicle traffic accident involving pedestrian hit by motor vehicle, motor cyclist injured
214222003 | Motor vehicle traffic accident involving pedestrian hit by motor vehicle, passenger on motor cycle injured
214223008 | Motor vehicle traffic accident involving pedestrian hit by motor vehicle, occupant of tram injured
214224002 | Motor vehicle traffic accident involving pedestrian hit by motor vehicle, rider of animal or occupant of animal-drawn vehicle injured
214225001 | Motor vehicle traffic accident involving pedestrian hit by motor vehicle, pedal cyclist injured
214227009 | Motor vehicle traffic accident involving pedestrian hit by motor vehicle, pedestrian injured
214230002 | Pedestrian run over by motor vehicle
214231003 | Motor vehicle traffic accident involving pedestrian run over by motor vehicle, driver of motor vehicle injured
214232005 | Motor vehicle traffic accident involving pedestrian run over by motor vehicle, passenger of motor vehicle injured
214233000 | Motor vehicle traffic accident involving pedestrian run over by motor vehicle, motor cyclist injured
214234006 | Motor vehicle traffic accident involving pedestrian run over by motor vehicle, passenger on motor cycle injured
214235007 | Motor vehicle traffic accident involving pedestrian run over by motor vehicle, occupant of tram injured
214236008 | Motor vehicle traffic accident involving pedestrian run over by motor vehicle, rider of animal or occupant of animal-drawn vehicle injured
214237004 | Motor vehicle traffic accident involving pedestrian run over by motor vehicle, pedal cyclist injured
214253001 | Motor vehicle on road in collision between motor vehicle and bridge
214254007 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and bridge, driver of motor vehicle injured
214255008 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and bridge, passenger of motor vehicle injured
214256009 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and bridge, motor cyclist injured
214257000 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and bridge, passenger on motor cycle injured
214258005 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and bridge, occupant of tram injured
214259002 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and bridge, rider of animal or occupant of animal-drawn vehicle injured
214260007 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and bridge, pedal cyclist injured
214265002 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and animal
214266001 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and animal, driver of motor vehicle injured
214267005 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and animal, passenger of motor vehicle injured
214269008 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and animal, passenger on motor cycle injured
214270009 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and animal, occupant of tram injured
214271008 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and animal, rider of animal or occupant of animal-drawn vehicle injured
214272001 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and animal, pedal cyclist injured

214273006 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and animal, pedestrian injured
214276003 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and fallen stone, traffic sign, tree or utility pole
214277007 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and fallen stone, traffic sign, tree or utility pole, driver of motor vehicle injured
214278002 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and fallen stone, traffic sign, tree or utility pole, passenger of motor vehicle injured
214279005 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and fallen stone, traffic sign, tree or utility pole, motor cyclist injured
214280008 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and fallen stone, traffic sign, tree or utility pole, passenger on motor cycle injured
214281007 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and fallen stone, traffic sign, tree or utility pole, occupant of tram injured
214282000 | Motor vehicle traffic accident involving collision,on highway, between motor vehicle and fallen stone, traffic sign, tree or utility pole, rider of animal or occupant of animal-drawn vehicle injured
214284004 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and fallen stone, traffic sign, tree or utility pole, pedestrian injured
214287006 | Motor vehicle on road in collision with thrown object
214288001 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and object thrown in front of motor vehicle, driver of motor vehicle injured
214289009 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and object thrown in front of motor vehicle, passenger of motor vehicle injured
214291001 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and object thrown in front of motor vehicle, motor cyclist injured
214292008 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and object thrown in front of motor vehicle, passenger on motor cycle injured
214293003 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and object thrown in front of motor vehicle, occupant of tram injured
214294009 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and object thrown in front of motor vehicle, rider of animal or occupant of animal-drawn vehicle injured
214295005 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and object thrown in front of motor vehicle, pedal cyclist injured
214296006 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and object thrown in front of motor vehicle, pedestrian injured
214299004 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and boundary fence
214300007 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and boundary fence or guard rail, driver of motor vehicle injured
214301006 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and boundary fence or guard rail, passenger of motor vehicle injured
214304003 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and boundary fence or guard rail, passenger on motor cycle injured
214305002 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and boundary fence or guard rail, occupant of tram injured
214306001 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and boundary fence or guard rail, rider of animal or occupant of animal-drawn vehicle injured
214307005 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and boundary fence or guard rail, pedal cyclist injured
214308000 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and boundary fence or guard rail, pedestrian injured
214311004 | Motor vehicle on road in collision with landslide
214312006 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and landslide, driver of motor vehicle injured
214313001 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and landslide, passenger of motor vehicle injured
214314007 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and landslide, motor cyclist injured
214315008 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and landslide, passenger on motor cycle injured
214316009 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and landslide, occupant of tram injured
214317000 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and landslide, rider of animal or occupant of animal-drawn vehicle injured
214318005 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and landslide, pedal cyclist injured
214319002 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and landslide, pedestrian injured
214322000 | Motor vehicle on road in collision with safety island
214323005 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and safety island, driver of motor vehicle injured
214324004 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and safety island, passenger of motor vehicle injured
214325003 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and safety island, motor cyclist injured
214326002 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and safety island, passenger on motor cycle injured

214327006 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and safety island, occupant of tram injured
214328001 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and safety island, rider of animal or occupant of animal-drawn vehicle injured
214329009 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and safety island, pedal cyclist injured
214330004 | Motor vehicle traffic accident involving collision, on highway, between motor vehicle and safety island, pedestrian injured
214344005 | Motor vehicle traffic accident due to loss of control, without collision on the highway
214345006 | Motor vehicle traffic accident due to motor vehicle failing to make curve, without collision on the highway
214346007 | Motor vehicle traffic accident due to motor vehicle failing to make curve, without collision on the highway, driver of motor vehicle injured
214347003 | Motor vehicle traffic accident due to motor vehicle failing to make curve, without collision on the highway, passenger of motor vehicle injured
214348008 | Motor vehicle traffic accident due to motor vehicle failing to make curve, without collision on the highway, motor cyclist injured
214349000 | Motor vehicle traffic accident due to motor vehicle failing to make curve, without collision on the highway, passenger on motor cycle injured
214350000 | Motor vehicle traffic accident due to motor vehicle failing to make curve, without collision on the highway, occupant of tram injured
214352008 | Motor vehicle traffic accident due to motor vehicle failing to make curve, without collision on the highway, pedal cyclist injured
214353003 | Motor vehicle traffic accident due to motor vehicle failing to make curve, without collision on the highway, pedestrian injured
214356006 | Motor vehicle traffic accident due to motor vehicle going out of control due to blowout, without collision on the highway
214357002 | Motor vehicle traffic accident due to motor vehicle going out of control due to blowout, without collision on the highway, driver of motor vehicle injured
214358007 | Motor vehicle traffic accident due to motor vehicle going out of control due to blowout, without collision on the highway, passenger of motor vehicle injured
214359004 | Motor vehicle traffic accident due to motor vehicle going out of control due to blowout, without collision on the highway, motor cyclist injured
214360009 | Motor vehicle traffic accident due to motor vehicle going out of control due to blowout, without collision on the highway, passenger on motor cycle injured
214361008 | Motor vehicle traffic accident due to motor vehicle going out of control due to blowout, without collision on the highway, occupant of tram injured
214362001 | Motor vehicle traffic accident due to motor vehicle going out of control due to blowout, without collision on the highway, rider of animal or occupant of animal-drawn vehicle injured
214363006 | Motor vehicle traffic accident due to motor vehicle going out of control due to blowout, without collision on the highway, pedal cyclist injured
214364000 | Motor vehicle traffic accident due to motor vehicle going out of control due to blowout, without collision on the highway, pedestrian injured
214367007 | Motor vehicle traffic accident due to motor vehicle going out of control due to burst tire, without collision on the highway
214368002 | Motor vehicle traffic accident due to motor vehicle going out of control due to burst tire, without collision on the highway, driver of motor vehicle injured
214369005 | Motor vehicle traffic accident due to motor vehicle going out of control due to burst tire, without collision on the highway, passenger of motor vehicle injured
214370006 | Motor vehicle traffic accident due to motor vehicle going out of control due to burst tire, without collision on the highway, motor cyclist injured
214371005 | Motor vehicle traffic accident due to motor vehicle going out of control due to burst tire, without collision on the highway, passenger on motor cycle injured
214372003 | Motor vehicle traffic accident due to motor vehicle going out of control due to burst tire, without collision on the highway, occupant of tram injured
214373008 | Motor vehicle traffic accident due to motor vehicle going out of control due to burst tire, without collision on the highway, rider of animal or occupant of animal-drawn vehicle injured
214374002 | Motor vehicle traffic accident due to motor vehicle going out of control due to burst tire, without collision on the highway, pedal cyclist injured
214378004 | Motor vehicle traffic accident due to motor vehicle going out of control due to driver falling asleep, without collision on the highway
214379007 | Motor vehicle traffic accident due to motor vehicle going out of control due to driver falling asleep, without collision on the highway, driver of motor vehicle injured
214380005 | Motor vehicle traffic accident due to motor vehicle going out of control due to driver falling asleep, without collision on the highway, passenger of motor vehicle injured
214381009 | Motor vehicle traffic accident due to motor vehicle going out of control due to driver falling asleep, without collision on the highway, motor cyclist injured
214384001 | Motor vehicle traffic accident due to motor vehicle going out of control due to driver falling asleep, without collision on the highway, rider of animal or occupant of animal-drawn vehicle injured
214385000 | Motor vehicle traffic accident due to motor vehicle going out of control due to driver falling asleep, without collision on the highway, pedal cyclist injured
214386004 | Motor vehicle traffic accident due to motor vehicle going out of control due to driver falling asleep, without collision on the highway, pedestrian injured
214389006 | Motor vehicle traffic accident due to motor vehicle going out of control due to driver inattention, without collision on the highway
214390002 | Motor vehicle traffic accident due to motor vehicle going out of control due to driver inattention, without collision on the highway, driver of motor vehicle injured

214391003 | Motor vehicle traffic accident due to motor vehicle going out of control due to driver inattention, without collision on the highway, passenger of motor vehicle injured
214392005 | Motor vehicle traffic accident due to motor vehicle going out of control due to driver inattention, without collision on the highway, motor cyclist injured
214393000 | Motor vehicle traffic accident due to motor vehicle going out of control due to driver inattention, without collision on the highway, passenger on motor cycle injured
214394006 | Motor vehicle traffic accident due to motor vehicle going out of control due to driver inattention, without collision on the highway, occupant of tram injured
214395007 | Motor vehicle traffic accident due to motor vehicle going out of control due to driver inattention, without collision on the highway, rider of animal or occupant of animal-drawn vehicle injured
214396008 | Motor vehicle traffic accident due to motor vehicle going out of control due to driver inattention, without collision on the highway, pedal cyclist injured
214397004 | Motor vehicle traffic accident due to motor vehicle going out of control due to driver inattention, without collision on the highway, pedestrian injured
214400008 | Motor vehicle traffic accident due to motor vehicle going out of control due to excessive speed, without collision on the highway
214401007 | Motor vehicle traffic accident due to motor vehicle going out of control due to excessive speed, without collision on the highway, driver of motor vehicle injured
214402000 | Motor vehicle traffic accident due to motor vehicle going out of control due to excessive speed, without collision on the highway, passenger of motor vehicle injured
214403005 | Motor vehicle traffic accident due to motor vehicle going out of control due to excessive speed, without collision on the highway, motor cyclist injured
214405003 | Motor vehicle traffic accident due to motor vehicle going out of control due to excessive speed, without collision on the highway, passenger on motor cycle injured
214406002 | Motor vehicle traffic accident due to motor vehicle going out of control due to excessive speed, without collision on the highway, occupant of tram injured
214407006 | Motor vehicle traffic accident due to motor vehicle going out of control due to excessive speed, without collision on the highway, rider of animal or occupant of animal-drawn vehicle injured
214408001 | Motor vehicle traffic accident due to motor vehicle going out of control due to excessive speed, without collision on the highway, pedal cyclist injured
214409009 | Motor vehicle traffic accident due to motor vehicle going out of control due to excessive speed, without collision on the highway, pedestrian injured
214412007 | Motor vehicle traffic accident due to motor vehicle going out of control due to failure of mechanical part, without collision on the highway
214413002 | Motor vehicle traffic accident due to motor vehicle going out of control due to failure of mechanical part, without collision on the highway, driver of motor vehicle injured
214414008 | Motor vehicle traffic accident due to motor vehicle going out of control due to failure of mechanical part, without collision on the highway, passenger of motor vehicle injured
214415009 | Motor vehicle traffic accident due to motor vehicle going out of control due to failure of mechanical part, without collision on the highway, motor cyclist injured
214416005 | Motor vehicle traffic accident due to motor vehicle going out of control due to failure of mechanical part, without collision on the highway, passenger on motor cycle injured
214417001 | Motor vehicle traffic accident due to motor vehicle going out of control due to failure of mechanical part, without collision on the highway, occupant of tram injured
214418006 | Motor vehicle traffic accident due to motor vehicle going out of control due to failure of mechanical part, without collision on highway, rider of animal or occupant of animal-drawn vehicle injured
214419003 | Motor vehicle traffic accident due to motor vehicle going out of control due to failure of mechanical part, without collision on the highway, pedal cyclist injured
214420009 | Motor vehicle traffic accident due to motor vehicle going out of control due to failure of mechanical part, without collision on the highway, pedestrian injured
214435005 | Noncollision motor vehicle traffic accident while boarding or alighting
214436006 | Noncollision motor vehicle traffic accident involving fall down stairs of motor bus while boarding or alighting
214437002 | Noncollision motor vehicle traffic accident involving fall down stairs of motor bus while boarding or alighting, driver of motor vehicle injured
214438007 | Noncollision motor vehicle traffic accident involving fall down stairs of motor bus while boarding or alighting, passenger of motor vehicle injured
214439004 | Noncollision motor vehicle traffic accident involving fall down stairs of motor bus while boarding or alighting, motor cyclist injured
214440002 | Noncollision motor vehicle traffic accident involving fall down stairs of motor bus while boarding or alighting, passenger on motor cycle injured
214441003 | Noncollision motor vehicle traffic accident involving fall down stairs of motor bus while boarding or alighting, occupant of tram injured
214442005 | Noncollision motor vehicle traffic accident involving fall down stairs of motor bus while boarding or alighting, rider of animal or occupant of animal-drawn vehicle injured
214443000 | Noncollision motor vehicle traffic accident involving fall down stairs of motor bus while boarding or alighting, pedal cyclist injured
214444006 | Noncollision motor vehicle traffic accident involving fall down stairs of motor bus while boarding or alighting, pedestrian injured
214447004 | Noncollision motor vehicle traffic accident involving fall from car in street while boarding or alighting
214448009 | Noncollision motor vehicle traffic accident involving fall from car in street while boarding or alighting, driver of motor vehicle injured
214449001 | Noncollision motor vehicle traffic accident involving fall from car in street while boarding or alighting, passenger of motor vehicle injured
214450001 | Noncollision motor vehicle traffic accident involving fall from car in street while boarding or alighting, motor cyclist injured

214451002 | Noncollision motor vehicle traffic accident involving fall from car in street while boarding or alighting, passenger on motor cycle injured
214452009 | Noncollision motor vehicle traffic accident involving fall from car in street while boarding or alighting, occupant of tram injured
214453004 | Noncollision motor vehicle traffic accident involving fall from car in street while boarding or alighting, rider of animal or occupant of animal-drawn vehicle injured
214454005 | Noncollision motor vehicle traffic accident involving fall from car in street while boarding or alighting, pedal cyclist injured
214455006 | Noncollision motor vehicle traffic accident involving fall from car in street while boarding or alighting, pedestrian injured
214458008 | Noncollision motor vehicle traffic accident involving injury by moving part of the vehicle while boarding or alighting
214459000 | Noncollision motor vehicle traffic accident involving injury by moving part of the vehicle while boarding or alighting, driver of motor vehicle injured
214460005 | Noncollision motor vehicle traffic accident involving injury by moving part of the vehicle while boarding or alighting, passenger of motor vehicle injured
214462002 | Noncollision motor vehicle traffic accident involving injury by moving part of the vehicle while boarding or alighting, passenger on motor cycle injured
214464001 | Noncollision motor vehicle traffic accident involving injury by moving part of the vehicle while boarding or alighting, rider of animal or occupant of animal-drawn vehicle injured
214465000 | Noncollision motor vehicle traffic accident involving injury by moving part of the vehicle while boarding or alighting, pedal cyclist injured
214466004 | Noncollision motor vehicle traffic accident involving injury by moving part of the vehicle while boarding or alighting, pedestrian injured
214469006 | Noncollision motor vehicle traffic accident involving being trapped by door of motor bus while boarding or alighting
214471006 | Noncollision motor vehicle traffic accident involving being trapped by door of motor bus while boarding or alighting, passenger of motor vehicle injured
214472004 | Noncollision motor vehicle traffic accident involving being trapped by door of motor bus while boarding or alighting, motor cyclist injured
214473009 | Noncollision motor vehicle traffic accident involving being trapped by door of motor bus while boarding or alighting, passenger on motor cycle injured
214474003 | Noncollision motor vehicle traffic accident involving being trapped by door of motor bus while boarding or alighting, occupant of tram injured
214475002 | Noncollision motor vehicle traffic accident involving being trapped by door of motor bus while boarding or alighting, rider of animal or occupant of animal-drawn vehicle injured
214476001 | Noncollision motor vehicle traffic accident involving being trapped by door of motor bus while boarding or alighting, pedal cyclist injured
214477005 | Noncollision motor vehicle traffic accident involving being trapped by door of motor bus while boarding or alighting, pedestrian injured
214515007 | Accident due to breakage of any part of moving motor vehicle on road
214516008 | Noncollision motor vehicle traffic accident involving breakage of any part of motor vehicle while in motion, driver of motor vehicle injured
214517004 | Noncollision motor vehicle traffic accident involving breakage of any part of motor vehicle while in motion, passenger of motor vehicle injured
214518009 | Noncollision motor vehicle traffic accident involving breakage of any part of motor vehicle while in motion, motor cyclist injured
214520007 | Noncollision motor vehicle traffic accident involving breakage of any part of motor vehicle while in motion, occupant of tram injured
214521006 | Noncollision motor vehicle traffic accident involving breakage of any part of motor vehicle while in motion, rider of animal or occupant of animal-drawn vehicle injured
214523009 | Noncollision motor vehicle traffic accident involving breakage of any part of motor vehicle while in motion, pedestrian injured
214526001 | Accident due to explosion in moving motor vehicle on road
214527005 | Noncollision motor vehicle traffic accident involving explosion of any part of motor vehicle while in motion, driver of motor vehicle injured
214528000 | Noncollision motor vehicle traffic accident involving explosion of any part of motor vehicle while in motion, passenger of motor vehicle injured
214529008 | Noncollision motor vehicle traffic accident involving explosion of any part of motor vehicle while in motion, motor cyclist injured
214530003 | Noncollision motor vehicle traffic accident involving explosion of any part of motor vehicle while in motion, passenger on motor cycle injured
214531004 | Noncollision motor vehicle traffic accident involving explosion of any part of motor vehicle while in motion, occupant of tram injured
214532006 | Noncollision motor vehicle traffic accident involving explosion of any part of motor vehicle while in motion, rider of animal or occupant of animal-drawn vehicle injured
214533001 | Noncollision motor vehicle traffic accident involving explosion of any part of motor vehicle while in motion, pedal cyclist injured
214534007 | Noncollision motor vehicle traffic accident involving explosion of any part of motor vehicle while in motion, pedestrian injured
214537000 | Fall from moving motor vehicle on road
214538005 | Noncollision motor vehicle traffic accident involving fall from motor vehicle while in motion, driver of motor vehicle injured
214539002 | Noncollision motor vehicle traffic accident involving fall from motor vehicle while in motion, passenger of motor vehicle injured
214540000 | Noncollision motor vehicle traffic accident involving fall from motor vehicle while in motion, motor cyclist injured

214541001 | Noncollision motor vehicle traffic accident involving fall from motor vehicle while in motion, passenger on motor cycle injured
214542008 | Noncollision motor vehicle traffic accident involving fall from motor vehicle while in motion, occupant of tram injured
214543003 | Noncollision motor vehicle traffic accident involving fall from motor vehicle while in motion, rider of animal or occupant of animal-drawn vehicle injured
214544009 | Noncollision motor vehicle traffic accident involving fall from motor vehicle while in motion, pedal cyclist injured
214545005 | Noncollision motor vehicle traffic accident involving fall from motor vehicle while in motion, pedestrian injured
214548007 | Accident due to jumping from moving motor vehicle on road
214549004 | Noncollision motor vehicle traffic accident involving jump from motor vehicle while in motion, driver of motor vehicle injured
214550004 | Noncollision motor vehicle traffic accident involving jump from motor vehicle while in motion, passenger of motor vehicle injured
214551000 | Noncollision motor vehicle traffic accident involving jump from motor vehicle while in motion, motor cyclist injured
214552007 | Noncollision motor vehicle traffic accident involving jump from motor vehicle while in motion, passenger on motor cycle injured
214553002 | Noncollision motor vehicle traffic accident involving jump from motor vehicle while in motion, occupant of tram injured
214555009 | Noncollision motor vehicle traffic accident involving jump from motor vehicle while in motion, pedal cyclist injured
214556005 | Noncollision motor vehicle traffic accident involving jump from motor vehicle while in motion, pedestrian injured
214559003 | Accidentally pushed from moving motor vehicle on road
214560008 | Noncollision motor vehicle traffic accident involving being accidentally pushed from motor vehicle while in motion, driver of motor vehicle injured
214561007 | Noncollision motor vehicle traffic accident involving being accidentally pushed from motor vehicle while in motion, passenger of motor vehicle injured
214562000 | Noncollision motor vehicle traffic accident involving being accidentally pushed from motor vehicle while in motion, motor cyclist injured
214563005 | Noncollision motor vehicle traffic accident involving being accidentally pushed from motor vehicle while in motion, passenger on motor cycle injured
214564004 | Noncollision motor vehicle traffic accident involving being accidentally pushed from motor vehicle while in motion, occupant of tram injured
214565003 | Noncollision motor vehicle traffic accident involving being accidentally pushed from motor vehicle while in motion, rider of animal or occupant of animal-drawn vehicle injured
214566002 | Noncollision motor vehicle traffic accident involving being accidentally pushed from motor vehicle while in motion, pedal cyclist injured
214570005 | Fire starting in motor vehicle while in motion on road
214571009 | Noncollision motor vehicle traffic accident involving fire starting in motor vehicle while in motion, driver of motor vehicle injured
214572002 | Noncollision motor vehicle traffic accident involving fire starting in motor vehicle while in motion, passenger of motor vehicle injured
214573007 | Noncollision motor vehicle traffic accident involving fire starting in motor vehicle while in motion, motor cyclist injured
214574001 | Noncollision motor vehicle traffic accident involving fire starting in motor vehicle while in motion, passenger on motor cycle injured
214575000 | Noncollision motor vehicle traffic accident involving fire starting in motor vehicle while in motion, occupant of tram injured
214576004 | Noncollision motor vehicle traffic accident involving fire starting in motor vehicle while in motion, rider of animal or occupant of animal-drawn vehicle injured
214577008 | Noncollision motor vehicle traffic accident involving fire starting in motor vehicle while in motion, pedal cyclist injured
214578003 | Noncollision motor vehicle traffic accident involving fire starting in motor vehicle while in motion, pedestrian injured
214581008 | Hit by object thrown into or on moving motor vehicle on road
214582001 | Noncollision motor vehicle traffic accident involving being hit by object thrown into or on motor vehicle while in motion, driver of motor vehicle injured
214584000 | Noncollision motor vehicle traffic accident involving being hit by object thrown into or on motor vehicle while in motion, motor cyclist injured
214585004 | Noncollision motor vehicle traffic accident involving being hit by object thrown into or on motor vehicle while in motion, passenger on motor cycle injured
214586003 | Noncollision motor vehicle traffic accident involving being hit by object thrown into or on motor vehicle while in motion, occupant of tram injured
214587007 | Noncollision motor vehicle traffic accident involving being hit by object thrown into or on motor vehicle while in motion, rider of animal or occupant of animal-drawn vehicle injured
214588002 | Noncollision motor vehicle traffic accident involving being hit by object thrown into or on motor vehicle while in motion, pedal cyclist injured
214589005 | Noncollision motor vehicle traffic accident involving being hit by object thrown into or on motor vehicle while in motion, pedestrian injured
214592009 | Injured by being thrown against moving motor vehicle on road
214593004 | Noncollision motor vehicle traffic accident involving injury by being thrown against some part of, or object in, motor vehicle while in motion, driver of motor vehicle injured
214594005 | Noncollision motor vehicle traffic accident involving injury by being thrown against some part of, or object in, motor vehicle while in motion, passenger of motor vehicle injured
214595006 | Noncollision motor vehicle traffic accident involving injury by being thrown against some part of, or object in, motor vehicle while in motion, motor cyclist injured
214596007 | Noncollision motor vehicle traffic accident involving injury by being thrown against some part of, or object in, motor vehicle while in motion, passenger on motor cycle injured
214597003 | Noncollision motor vehicle traffic accident involving injury by being thrown against some part of, or object in, motor vehicle while in motion, occupant of tram injured

214598008 | Noncollision motor vehicle traffic accident with injury by being thrown against some part of, or object in, motor vehicle while in motion, rider of animal or occupant of animal-drawn vehicle injured
214599000 | Noncollision motor vehicle traffic accident involving injury by being thrown against some part of, or object in, motor vehicle while in motion, pedal cyclist injured
214601003 | Noncollision motor vehicle traffic accident involving injury by being thrown against some part of, or object in, motor vehicle while in motion, pedestrian injured
214604006 | Accident due to object falling in or on moving motor vehicle on road
214605007 | Noncollision motor vehicle traffic accident involving object falling in or on motor vehicle while in motion, driver of motor vehicle injured
214606008 | Noncollision motor vehicle traffic accident involving object falling in or on motor vehicle while in motion, passenger of motor vehicle injured
214607004 | Noncollision motor vehicle traffic accident involving object falling in or on motor vehicle while in motion, motor cyclist injured
214609001 | Noncollision motor vehicle traffic accident involving object falling in or on motor vehicle while in motion, passenger on motor cycle injured
214610006 | Noncollision motor vehicle traffic accident involving object falling in or on motor vehicle while in motion, occupant of tram injured
214611005 | Noncollision motor vehicle traffic accident involving object falling in or on motor vehicle while in motion, rider of animal or occupant of animal-drawn vehicle injured
214613008 | Noncollision motor vehicle traffic accident involving object falling in or on motor vehicle while in motion, pedestrian injured
214640008 | Motor vehicle accident off public road
214641007 | Accident off public road involving motor-driven snow vehicle
214642000 | Accident with breakage of part of motor-driven snow vehicle
214643005 | Nontraffic accident involving breakage of part of motor-driven snow vehicle, driver of motor vehicle injured
214644004 | Nontraffic accident involving breakage of part of motor-driven snow vehicle, passenger of motor vehicle injured
214645003 | Nontraffic accident involving breakage of part of motor-driven snow vehicle, motor cyclist injured
214646002 | Nontraffic accident involving breakage of part of motor-driven snow vehicle, passenger on motorcycle injured
214647006 | Nontraffic accident involving breakage of part of motor-driven snow vehicle, occupant of tram injured
214648001 | Nontraffic accident involving breakage of part of motor-driven snow vehicle, rider of animal or occupant of animal-drawn vehicle injured
214649009 | Nontraffic accident involving breakage of part of motor-driven snow vehicle, pedal cyclist injured
214650009 | Nontraffic accident involving breakage of part of motor-driven snow vehicle, pedestrian injured
214653006 | Fall from motor-driven snow vehicle
214654000 | Nontraffic accident involving fall from motor-driven snow vehicle, driver of motor vehicle injured
214656003 | Nontraffic accident involving fall from motor-driven snow vehicle, motor cyclist injured
214657007 | Nontraffic accident involving fall from motor-driven snow vehicle, passenger on motor cycle injured
214658002 | Nontraffic accident involving fall from motor-driven snow vehicle, occupant of tram injured
214659005 | Nontraffic accident involving fall from motor-driven snow vehicle, rider of animal or occupant of animal-drawn vehicle injured
214661001 | Nontraffic accident involving fall from motor-driven snow vehicle, pedal cyclist injured
214662008 | Nontraffic accident involving fall from motor-driven snow vehicle, pedestrian injured
214665005 | Hit by motor-driven snow vehicle
214666006 | Nontraffic accident involving being hit by motor-driven snow vehicle, driver of motor vehicle injured
214667002 | Nontraffic accident involving being hit by motor-driven snow vehicle, passenger of motor vehicle injured
214668007 | Nontraffic accident involving being hit by motor-driven snow vehicle, motor cyclist injured
214669004 | Nontraffic accident involving being hit by motor-driven snow vehicle, passenger on motor cycle injured
214670003 | Nontraffic accident involving being hit by motor-driven snow vehicle, occupant of tram injured
214671004 | Nontraffic accident involving being hit by motor-driven snow vehicle, rider of animal or occupant of animal-drawn vehicle injured
214672006 | Nontraffic accident involving being hit by motor-driven snow vehicle, pedal cyclist injured
214673001 | Nontraffic accident involving being hit by motor-driven snow vehicle, pedestrian injured
214676009 | Overturning of motor-driven snow vehicle
214678005 | Nontraffic accident involving overturning of motor-driven snow vehicle, passenger of motor vehicle injured
214680004 | Nontraffic accident involving overturning of motor-driven snow vehicle, passenger on motor cycle injured
214681000 | Nontraffic accident involving overturning of motor-driven snow vehicle, occupant of tram injured
214682007 | Nontraffic accident involving overturning of motor-driven snow vehicle, rider of animal or occupant of animal-drawn vehicle injured
214683002 | Nontraffic accident involving overturning of motor-driven snow vehicle, pedal cyclist injured
214687001 | Nontraffic accident involving being run over or dragged by motor-driven snow vehicle
214688006 | Nontraffic accident involving being run over or dragged by motor-driven snow vehicle, driver of motor vehicle injured
214689003 | Nontraffic accident involving being run over or dragged by motor-driven snow vehicle, passenger of motor vehicle injured
214690007 | Nontraffic accident involving being run over or dragged by motor-driven snow vehicle, motor cyclist injured
214691006 | Nontraffic accident involving being run over or dragged by motor-driven snow vehicle, passenger on motor cycle injured
214692004 | Nontraffic accident involving being run over or dragged by motor-driven snow vehicle, occupant of tram injured
214693009 | Nontraffic accident involving being run over or dragged by motor-driven snow vehicle, rider of animal or occupant of animal-drawn vehicle injured
214694003 | Nontraffic accident involving being run over or dragged by motor-driven snow vehicle, pedal cyclist injured
214695002 | Nontraffic accident involving being run over or dragged by motor-driven snow vehicle, pedestrian injured
214698000 | Nontraffic accident involving collision of motor-driven snow vehicle, not on public highway
214699008 | Nontraffic accident involving collision of motor-driven snow vehicle, not on public highway, driver of motor vehicle injured

214702001 | Nontraffic accident involving collision of motor-driven snow vehicle, not on public highway, passenger on motor cycle injured
214703006 | Nontraffic accident involving collision of motor-driven snow vehicle, not on public highway, occupant of tram injured
214704000 | Nontraffic accident involving collision of motor-driven snow vehicle, not on public highway, rider of animal or occupant of animal-drawn vehicle injured
214705004 | Nontraffic accident involving collision of motor-driven snow vehicle, not on public highway, pedal cyclist injured
214722002 | Nontraffic accident involving breakage of part of off-road motor vehicle, except snow vehicle
214724001 | Nontraffic accident involving breakage of part of off-road motor vehicle, except snow vehicle, passenger of motor vehicle injured
214725000 | Nontraffic accident involving breakage of part of off-road motor vehicle, except snow vehicle, motor cyclist injured
214726004 | Nontraffic accident involving breakage of part of off-road motor vehicle, except snow vehicle, passenger on motor cycle injured
214727008 | Nontraffic accident involving breakage of part of off-road motor vehicle, except snow vehicle, occupant of tram injured
214728003 | Nontraffic accident involving breakage of part of off-road motor vehicle, except snow vehicle, rider of animal or occupant of animal-drawn vehicle injured
214729006 | Nontraffic accident involving breakage of part of off-road motor vehicle, except snow vehicle, pedal cyclist injured
214730001 | Nontraffic accident involving breakage of part of off-road motor vehicle, except snow vehicle, pedestrian injured
214733004 | Fall from off-road land motor vehicle
214734005 | Nontraffic accident involving fall from off-road motor vehicle, except snow vehicle, driver of motor vehicle injured
214735006 | Nontraffic accident involving fall from off-road motor vehicle, except snow vehicle, passenger of motor vehicle injured
214736007 | Nontraffic accident involving fall from off-road motor vehicle, except snow vehicle, motor cyclist injured
214737003 | Nontraffic accident involving fall from off-road motor vehicle, except snow vehicle, passenger on motor cycle injured
214738008 | Nontraffic accident involving fall from off-road motor vehicle, except snow vehicle, occupant of tram injured
214740003 | Nontraffic accident involving fall from off-road motor vehicle, except snow vehicle, pedal cyclist injured
214741004 | Nontraffic accident involving fall from off-road motor vehicle, except snow vehicle, pedestrian injured
214744007 | Hit by off-road land motor vehicle
214745008 | Nontraffic accident involving being hit by off-road motor vehicle, except snow vehicle, driver of motor vehicle injured
214746009 | Nontraffic accident involving being hit by off-road motor vehicle, except snow vehicle, passenger of motor vehicle injured
214747000 | Nontraffic accident involving being hit by off-road motor vehicle, except snow vehicle, motor cyclist injured
214748005 | Nontraffic accident involving being hit by off-road motor vehicle, except snow vehicle, passenger on motor cycle injured
214749002 | Nontraffic accident involving being hit by off-road motor vehicle, except snow vehicle, occupant of tram injured
214750002 | Nontraffic accident involving being hit by off-road motor vehicle, except snow vehicle, rider of animal or occupant of animal-drawn vehicle injured
214751003 | Nontraffic accident involving being hit by off-road motor vehicle, except snow vehicle, pedal cyclist injured
214752005 | Nontraffic accident involving being hit by off-road motor vehicle, except snow vehicle, pedestrian injured
214755007 | Nontraffic accident involving overturning of off-road motor vehicle, except snow vehicle
214756008 | Nontraffic accident involving overturning of off-road motor vehicle, except snow vehicle, driver of motor vehicle injured
214757004 | Nontraffic accident involving overturning of off-road motor vehicle, except snow vehicle, passenger of motor vehicle injured
214758009 | Nontraffic accident involving overturning of off-road motor vehicle, except snow vehicle, motor cyclist injured
214759001 | Nontraffic accident involving overturning of off-road motor vehicle, except snow vehicle, passenger on motor cycle injured
214760006 | Nontraffic accident involving overturning of off-road motor vehicle, except snow vehicle, occupant of tram injured
214761005 | Nontraffic accident involving overturning of off-road motor vehicle, except snow vehicle, rider of animal or occupant of animal-drawn vehicle injured
214762003 | Nontraffic accident involving overturning of off-road motor vehicle, except snow vehicle, pedal cyclist injured
214763008 | Nontraffic accident involving overturning of off-road motor vehicle, except snow vehicle, pedestrian injured
214766000 | Nontraffic accident involving being run over or dragged by off-road motor vehicle, except snow vehicle
214767009 | Nontraffic accident involving being run over or dragged by off-road motor vehicle, except snow vehicle, driver of motor vehicle injured
214768004 | Nontraffic accident involving being run over or dragged by off-road motor vehicle, except snow vehicle, passenger of motor vehicle injured
214769007 | Nontraffic accident involving being run over or dragged by off-road motor vehicle, except snow vehicle, motor cyclist injured
214770008 | Nontraffic accident involving being run over or dragged by off-road motor vehicle, except snow vehicle, passenger on motor cycle injured
214771007 | Nontraffic accident involving being run over or dragged by off-road motor vehicle, except snow vehicle, occupant of tram injured
214772000 | Nontraffic accident involving being run over or dragged by off-road motor vehicle, except snow vehicle, rider of animal or occupant of animal-drawn vehicle injured
214773005 | Nontraffic accident involving being run over or dragged by off-road motor vehicle, except snow vehicle, pedal cyclist injured
214774004 | Nontraffic accident involving being run over or dragged by off-road motor vehicle, except snow vehicle, pedestrian injured
214777006 | Nontraffic accident involving being thrown against some part of or object in, off-road motor vehicle, except snow vehicle
214778001 | Nontraffic accident involving being thrown against some part of or object in, off-road motor vehicle, except snow vehicle, of motor vehicle injured
214779009 | Nontraffic accident involving being thrown against some part of or object in, off-road motor vehicle, except snow vehicle, passenger of motor vehicle injured

214780007 | Nontraffic accident involving being thrown against some part of or object in, off-road motor vehicle, except snow vehicle, motor cyclist injured
214781006 | Nontraffic accident involving being thrown against some part of or object in, off-road motor vehicle, except snow vehicle, passenger on motor cycle injured
214782004 | Nontraffic accident involving being thrown against some part of or object in, off-road motor vehicle, except snow vehicle, occupant of tram injured
214783009 | Nontraffic accident involving being thrown against some part of or object in, off-road motor vehicle, except snow vehicle, rider of animal or occupant of animal-drawn vehicle injured
214784003 | Nontraffic accident involving being thrown against some part of or object in, off-road motor vehicle, except snow vehicle, pedal cyclist injured
214788000 | Nontraffic accident involving collision between off-road motor vehicle, except snow vehicle, and animal being ridden or animal-drawn vehicle
214790004 | Nontraffic accident involving collision between off-road motor vehicle, except snow vehicle, and animal being ridden or animal-drawn vehicle, passenger of motor vehicle injured
214791000 | Nontraffic accident involving collision between off-road motor vehicle, except snow vehicle, and animal being ridden or animal-drawn vehicle, motor cyclist injured
214792007 | Nontraffic accident involving collision between off-road motor vehicle, except snow vehicle, and animal being ridden or animal-drawn vehicle, passenger on motor cycle injured
214793002 | Nontraffic accident involving collision between off-road motor vehicle, except snow vehicle, and animal being ridden or animal-drawn vehicle, occupant of tram injured
214794008 | Nontraffic accident involving collision between off-road motor vehicle, except snow vehicle, and animal being ridden or animal-drawn vehicle, rider of animal or animal-drawn vehicle occupant injured
214795009 | Nontraffic accident involving collision between off-road motor vehicle, except snow vehicle, and animal being ridden or animal-drawn vehicle, pedal cyclist injured
214796005 | Nontraffic accident involving collision between off-road motor vehicle, except snow vehicle, and animal being ridden or animal-drawn vehicle, pedestrian injured
214834003 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and animal
214835002 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and animal, driver of motor vehicle injured
214836001 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and animal, passenger of motor vehicle injured
214837005 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and animal, motor cyclist injured
214838000 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and animal, passenger on motor cycle injured
214839008 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and animal, occupant of tram injured
214840005 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle,and animal,rider of animal or animal-drawn vehicle occupant injured
214841009 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and animal, pedal cyclist injured
214842002 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and animal, pedestrian injured
214845000 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and nonmotor vehicle
214846004 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and nonmotor vehicle, driver of motor vehicle injured
214847008 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and nonmotor vehicle, passenger of motor vehicle injured
214848003 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and nonmotor vehicle, motor cyclist injured
214849006 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and nonmotor vehicle, passenger on motor cycle injured
214850006 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and nonmotor vehicle, occupant of tram injured
214851005 | Nontraffic accident involving collision, not on public highway, between motor vehicle,except off-road motor vehicle, and nonmotor vehicle, rider of animal or occupant of animal-drawn vehicle injured
214852003 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and nonmotor vehicle, pedal cyclist injured
214853008 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and nonmotor vehicle, pedestrian injured
214867004 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and pedestrian
214868009 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and pedestrian, driver of motor vehicle injured
214869001 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and pedestrian, passenger of motor vehicle injured
214870000 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and pedestrian, motor cyclist injured
214871001 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and pedestrian, passenger on motor cycle injured
214872008 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and pedestrian, occupant of tram injured
214873003 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle,except off-road vehicle,and pedestrian, rider of animal or animal-drawn vehicle occupant injured

214874009 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and pedestrian, pedal cyclist injured
214875005 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and pedestrian, pedestrian injured
214878007 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and railway train
214879004 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and railway train, driver of motor vehicle injured
214880001 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and railway train, passenger of motor vehicle injured
214881002 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and railway train, motor cyclist injured
214882009 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and railway train, passenger on motor cycle injured
214883004 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and railway train, occupant of tram injured
214884005 | Motor vehicle nontraffic accident involving collision,not on public highway, between motor vehicle,except off-road vehicle,and railway train, rider of animal or animal-drawn vehicle occupant injured
214885006 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and railway train, pedal cyclist injured
214886007 | Motor vehicle nontraffic accident involving collision, not on public highway, between motor vehicle, except off-road motor vehicle, and railway train, pedestrian injured
214914000 | Motor vehicle nontraffic accident involving fall while boarding or alighting from motor vehicle, except off-road motor vehicle, not on public highway
214915004 | Motor vehicle nontraffic accident involving fall while boarding or alighting from motor vehicle, except off-road motor vehicle, not on public highway, driver of motor vehicle injured
214916003 | Motor vehicle nontraffic accident involving fall while boarding or alighting from motor vehicle, except off-road motor vehicle, not on public highway, passenger of motor vehicle injured
214917007 | Motor vehicle nontraffic accident involving fall while boarding or alighting from motor vehicle, except off-road motor vehicle, not on public highway, motor cyclist injured
214918002 | Motor vehicle nontraffic accident involving fall while boarding or alighting from motor vehicle, except off-road motor vehicle, not on public highway, passenger on motor cycle injured
214919005 | Motor vehicle nontraffic accident involving fall while boarding or alighting from motor vehicle, except off-road motor vehicle, not on public highway, occupant of tram injured
214921000 | Motor vehicle nontraffic accident involving fall while boarding or alighting from motor vehicle, except off-road motor vehicle, not on public highway, pedal cyclist injured
214922007 | Motor vehicle nontraffic accident involving fall while boarding or alighting from motor vehicle, except off-road motor vehicle, not on public highway, pedestrian injured
214925009 | Motor vehicle nontraffic accident involving injury from moving part of motor vehicle while boarding or alighting from motor vehicle, except off-road motor vehicle, not on public highway
214926005 | Nontraffic accident involving injury from moving part of motor vehicle while boarding or alighting from motor vehicle, except off-road vehicle, not on highway, driver of motor vehicle injured
214927001 | Nontraffic accident involving injury from moving part of motor vehicle while boarding or alighting from motor vehicle, except off-road vehicle, not on highway, passenger of motor vehicle injured
214928006 | Nontraffic accident involving injury from moving part of motor vehicle while boarding or alighting from motor vehicle, except off-road vehicle, not on highway, motor cyclist injured
214929003 | Nontraffic accident involving injury from moving part of motor vehicle while boarding or alighting from motor vehicle, except off-road vehicle, not on highway, passenger on motor cycle injured
214930008 | Nontraffic accident involving injury from moving part of motor vehicle while boarding or alighting from motor vehicle, except off-road vehicle, not on highway, occupant of tram injured
214931007 | Nontraffic accident with injury from moving part of motor vehicle when boarding or alighting from vehicle,not off-road vehicle,not on highway,rider of animal or animal-drawn vehicle occupant injured
214933005 | Nontraffic accident involving injury from moving part of motor vehicle while boarding or alighting from motor vehicle, except off-road vehicle, not on highway, pedestrian injured
214936002 | Motor vehicle nontraffic accident involving being trapped by door of motor vehicle while boarding or alighting from motor vehicle, except off-road motor vehicle, not on public highway
214937006 | Nontraffic accident involving being trapped by door of motor vehicle while boarding or alighting from motor vehicle, except off-road vehicle, not on highway, driver of motor vehicle injured
214938001 | Nontraffic accident involving being trapped by door of motor vehicle while boarding or alighting from motor vehicle, except off-road vehicle, not on highway, passenger of motor vehicle injured
214939009 | Nontraffic accident involving being trapped by door of motor vehicle while boarding or alighting from motor vehicle, except off-road vehicle, not on highway, motor cyclist injured
214940006 | Nontraffic accident involving being trapped by door of motor vehicle while boarding or alighting from motor vehicle, except off-road vehicle, not on highway, passenger on motor cycle injured
214941005 | Nontraffic accident involving being trapped by door of motor vehicle while boarding or alighting from motor vehicle, except off-road vehicle, not on highway, occupant of tram injured
214942003 | Nontraffic accident involving trapped by door of motor vehicle when boarding or alighting from vehicle, not off-road vehicle, not on highway, rider of animal or animal-drawn vehicle occupant injured
214943008 | Nontraffic accident involving being trapped by door of motor vehicle while boarding or alighting from motor vehicle, except off-road vehicle, not on highway, pedal cyclist injured
214944002 | Nontraffic accident involving being trapped by door of motor vehicle while boarding or alighting from motor vehicle, except off-road vehicle, not on highway, pedestrian injured
214970001 | Motor vehicle nontraffic accident involving breakage of part of motor vehicle, except off-road motor vehicle, while in motion, not on public highway
214971002 | Nontraffic accident involving breakage of part of motor vehicle, except off-road motor vehicle, while in motion, not on public highway, driver of motor vehicle injured

214972009 | Nontraffic accident involving breakage of part of motor vehicle, except off-road motor vehicle, while in motion, not on public highway, passenger of motor vehicle injured
214974005 | Nontraffic accident involving breakage of part of motor vehicle, except off-road motor vehicle, while in motion, not on public highway, passenger on motor cycle injured
214975006 | Nontraffic accident involving breakage of part of motor vehicle, except off-road motor vehicle, while in motion, not on public highway, occupant of tram injured
214977003 | Nontraffic accident involving breakage of part of motor vehicle, except off-road motor vehicle, while in motion, not on public highway, pedal cyclist injured
214978008 | Nontraffic accident involving breakage of part of motor vehicle, except off-road motor vehicle, while in motion, not on public highway, pedestrian injured
214981003 | Motor vehicle nontraffic accident involving explosion of any part of motor vehicle, except off-road motor vehicle, while in motion, not on public highway
214982005 | Nontraffic accident involving explosion of any part of motor vehicle, except off-road motor vehicle, while in motion, not on public highway, driver of motor vehicle injured
214983000 | Nontraffic accident involving explosion of any part of motor vehicle, except off-road motor vehicle, while in motion, not on public highway, passenger of motor vehicle injured
214984006 | Nontraffic accident involving explosion of any part of motor vehicle, except off-road motor vehicle, while in motion, not on public highway, motor cyclist injured
214985007 | Nontraffic accident involving explosion of any part of motor vehicle, except off-road motor vehicle, while in motion, not on public highway, passenger on motor cycle injured
214987004 | Nontraffic accident involving explosion of any part of motor vehicle, except off-road motor vehicle, while in motion, not on public highway, rider of animal or animal-drawn vehicle occupant injured
214989001 | Nontraffic accident involving explosion of any part of motor vehicle, except off-road motor vehicle, while in motion, not on public highway, pedestrian injured
214992002 | Motor vehicle nontraffic accident involving fall from motor vehicle, except off-road motor vehicle, while in motion, not on public highway
214994001 | Nontraffic accident involving fall from motor vehicle, except off-road motor vehicle, while in motion, not on public highway, passenger of motor vehicle injured
214995000 | Nontraffic accident involving fall from motor vehicle, except off-road motor vehicle, while in motion, not on public highway, motor cyclist injured
214996004 | Nontraffic accident involving fall from motor vehicle, except off-road motor vehicle, while in motion, not on public highway, passenger on motor cycle injured
214997008 | Nontraffic accident involving fall from motor vehicle, except off-road motor vehicle, while in motion, not on public highway, occupant of tram injured
215000006 | Nontraffic accident involving fall from motor vehicle, except off-road motor vehicle, while in motion, not on public highway, pedestrian injured
215003008 | Motor vehicle nontraffic accident involving jump from motor vehicle, except off-road motor vehicle, while in motion, not on public highway
215004002 | Nontraffic accident involving jump from motor vehicle, except off-road motor vehicle, while in motion, not on public highway, driver of motor vehicle injured
215005001 | Nontraffic accident involving jump from motor vehicle, except off-road motor vehicle, while in motion, not on public highway, passenger of motor vehicle injured
215006000 | Nontraffic accident involving jump from motor vehicle, except off-road motor vehicle, while in motion, not on public highway, motor cyclist injured
215007009 | Nontraffic accident involving jump from motor vehicle, except off-road motor vehicle, while in motion, not on public highway, passenger on motor cycle injured
215008004 | Nontraffic accident involving jump from motor vehicle, except off-road motor vehicle, while in motion, not on public highway, occupant of tram injured
215009007 | Nontraffic accident involving jump from motor vehicle, except off-road motor vehicle, while in motion, not on public highway, rider of animal or occupant of animal-drawn vehicle injured
215010002 | Nontraffic accident involving jump from motor vehicle, except off-road motor vehicle, while in motion, not on public highway, pedal cyclist injured
215011003 | Nontraffic accident involving jump from motor vehicle, except off-road motor vehicle, while in motion, not on public highway, pedestrian injured
215015007 | Motor vehicle nontraffic accident involving being accidentally pushed from motor vehicle, except off-road motor vehicle, while in motion, not on public highway
215016008 | Nontraffic accident involving being accidentally pushed from motor vehicle, except off-road motor vehicle, while in motion, not on public highway, driver of motor vehicle injured
215017004 | Nontraffic accident involving being accidentally pushed from motor vehicle, except off-road motor vehicle, while in motion, not on public highway, passenger of motor vehicle injured
215018009 | Nontraffic accident involving being accidentally pushed from motor vehicle, except off-road motor vehicle, while in motion, not on public highway, motor cyclist injured
215019001 | Nontraffic accident involving being accidentally pushed from motor vehicle, except off-road motor vehicle, while in motion, not on public highway, passenger on motor cycle injured
215020007 | Nontraffic accident involving being accidentally pushed from motor vehicle, except off-road motor vehicle, while in motion, not on public highway, occupant of tram injured
215021006 | Nontraffic accident involving being accidentally pushed from motor vehicle, except off-road vehicle, while in motion, not on public highway, rider of animal or animal-drawn vehicle occupant injured
215022004 | Nontraffic accident involving being accidentally pushed from motor vehicle, except off-road motor vehicle, while in motion, not on public highway, pedal cyclist injured
215023009 | Nontraffic accident involving being accidentally pushed from motor vehicle, except off-road motor vehicle, while in motion, not on public highway, pedestrian injured
215026001 | Motor vehicle nontraffic accident involving fire starting in motor vehicle, except off-road motor vehicle, while in motion, not on public highway
215027005 | Nontraffic accident involving fire starting in motor vehicle, except off-road motor vehicle, while in motion, not on public highway, driver of motor vehicle injured

215028000 | Nontraffic accident involving fire starting in motor vehicle, except off-road motor vehicle, while in motion, not on public highway, passenger of motor vehicle injured
215029008 | Nontraffic accident involving fire starting in motor vehicle, except off-road motor vehicle, while in motion, not on public highway, motor cyclist injured
215030003 | Nontraffic accident involving fire starting in motor vehicle, except off-road motor vehicle, while in motion, not on public highway, passenger on motor cycle injured
215031004 | Nontraffic accident involving fire starting in motor vehicle, except off-road motor vehicle, while in motion, not on public highway, occupant of tram injured
215032006 | Nontraffic accident involving fire starting in motor vehicle, except off-road motor vehicle, while in motion, not on public highway, rider of animal or occupant of animal-drawn vehicle injured
215033001 | Nontraffic accident involving fire starting in motor vehicle, except off-road motor vehicle, while in motion, not on public highway, pedal cyclist injured
215034007 | Nontraffic accident involving fire starting in motor vehicle, except off-road motor vehicle, while in motion, not on public highway, pedestrian injured
215037000 | Motor vehicle nontraffic accident involving being hit by object thrown into motor vehicle, except off-road motor vehicle, while in motion, not on public highway
215038005 | Nontraffic accident involving being hit by object thrown into motor vehicle, except off-road motor vehicle, while in motion, not on public highway, driver of motor vehicle injured
215039002 | Nontraffic accident involving being hit by object thrown into motor vehicle, except off-road motor vehicle, while in motion, not on public highway, passenger of motor vehicle injured
215040000 | Nontraffic accident involving being hit by object thrown into motor vehicle, except off-road motor vehicle, while in motion, not on public highway, motor cyclist injured
215041001 | Nontraffic accident involving being hit by object thrown into motor vehicle, except off-road motor vehicle, while in motion, not on public highway, passenger on motor cycle injured
215042008 | Nontraffic accident involving being hit by object thrown into motor vehicle, except off-road motor vehicle, while in motion, not on public highway, occupant of tram injured
215043003 | Nontraffic accident involving hit by object thrown into motor vehicle, except off-road vehicle, while in motion, not on public highway, rider of animal or occupant of animal-drawn vehicle injured
215044009 | Nontraffic accident involving being hit by object thrown into motor vehicle, except off-road motor vehicle, while in motion, not on public highway, pedal cyclist injured
215045005 | Nontraffic accident involving being hit by object thrown into motor vehicle, except off-road motor vehicle, while in motion, not on public highway, pedestrian injured
215048007 | Motor vehicle nontraffic accident involving being hit by object thrown on motor vehicle, except off-road motor vehicle, while in motion, not on public highway
215049004 | Nontraffic accident involving being hit by object thrown on motor vehicle, except off-road motor vehicle, while in motion, not on public highway, driver of motor vehicle injured
215050004 | Nontraffic accident involving being hit by object thrown on motor vehicle, except off-road motor vehicle, while in motion, not on public highway, passenger of motor vehicle injured
215051000 | Nontraffic accident involving being hit by object thrown on motor vehicle, except off-road motor vehicle, while in motion, not on public highway, motor cyclist injured
215053002 | Nontraffic accident involving being hit by object thrown on motor vehicle, except off-road motor vehicle, while in motion, not on public highway, occupant of tram injured
215054008 | Nontraffic accident involving hit by object thrown on motor vehicle,except off-road motor vehicle, while in motion, not on public highway, rider of animal or occupant of animal-drawn vehicle injured
215055009 | Nontraffic accident involving being hit by object thrown on motor vehicle, except off-road motor vehicle, while in motion, not on public highway, pedal cyclist injured
215056005 | Nontraffic accident involving being hit by object thrown on motor vehicle, except off-road motor vehicle, while in motion, not on public highway, pedestrian injured
215059003 | Motor vehicle nontraffic accident involving injury by being thrown against some part of, or object in motor vehicle, except off-road motor vehicle, while in motion, not on public highway
215060008 | Nontraffic accident involving injury by being thrown against part of,or object in, moving motor vehicle, except off-road vehicle, not on highway, driver of motor vehicle injured
215061007 | Nontraffic accident involving injury by being thrown against part of,or object in, moving motor vehicle, except off-road vehicle, not on highway, passenger of motor vehicle injured
215062000 | Nontraffic accident involving injury by being thrown against part of,or object in, moving motor vehicle, except off-road vehicle, not on highway, motor cyclist injured
215063005 | Nontraffic accident involving injury by being thrown against part of,or object in, moving motor vehicle, except off-road vehicle, not on highway, passenger on motor cycle injured
215064004 | Nontraffic accident involving injury by being thrown against part of,or object in, moving motor vehicle, except off-road vehicle, not on highway, occupant of tram injured
215066002 | Nontraffic accident involving injury by being thrown against part of,or object in,moving motor vehicle, not off-road vehicle, not on highway, rider of animal or animal-drawn vehicle occupant injured
215067006 | Nontraffic accident involving injury by being thrown against part of,or object in, moving motor vehicle, except off-road vehicle, not on highway, pedal cyclist injured
215068001 | Nontraffic accident involving injury by being thrown against part of,or object in, moving motor vehicle, except off-road vehicle, not on highway, pedestrian injured
215071009 | Motor vehicle nontraffic accident involving injury from moving part of motor vehicle, except off-road motor vehicle, while in motion, not on public highway
215072002 | Nontraffic accident involving injury from moving part of motor vehicle, except off-road motor vehicle, while in motion, not on public highway, driver of motor vehicle injured
215073007 | Nontraffic accident involving injury from moving part of motor vehicle, except off-road motor vehicle, while in motion, not on public highway, passenger of motor vehicle injured
215074001 | Nontraffic accident involving injury from moving part of motor vehicle, except off-road motor vehicle, while in motion, not on public highway, motor cyclist injured
215075000 | Nontraffic accident involving injury from moving part of motor vehicle, except off-road motor vehicle, while in motion, not on public highway, passenger on motor cycle injured

215076004 | Nontraffic accident involving injury from moving part of motor vehicle, except off-road motor vehicle, while in motion, not on public highway, occupant of tram injured
215077008 | Nontraffic accident involving injury from moving part of motor vehicle,except off-road motor vehicle, while in motion, not on public highway, rider of animal or animal-drawn vehicle occupant injured
215078003 | Nontraffic accident involving injury from moving part of motor vehicle, except off-road motor vehicle, while in motion, not on public highway, pedal cyclist injured
215079006 | Nontraffic accident involving injury from moving part of motor vehicle, except off-road motor vehicle, while in motion, not on public highway, pedestrian injured

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.32 Value Set http://hl7.org/fhir/ValueSet/asset-availability

URL: https://hl7.org/fhir/R4/valueset-asset-availability.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/asset-availability
Version: | 4.0.1
Name: | ContractResourceAssetAvailiabilityCodes
Title: | Contract Resource Asset Availiability codes
Definition: | This value set has asset availability codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.1295 (for OID based terminology systems)
Copyright: | HL7 International.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ContractResourceAssetAvailiabilityCodes

• Resource: Contract.term.asset.periodType (CodeableConcept / Example)

4.4.1.32.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/asset-availability

4.4.1.32.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 1 concepts

Expansion based on http://hl7.org/fhir/asset-availability version 4.0.1

All codes from system http://hl7.org/fhir/asset-availability

Code | Display | Definition
lease | Lease | To be completed

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.33 Value Set http://hl7.org/fhir/ValueSet/location-mode

URL: https://hl7.org/fhir/R4/valueset-location-mode.html
Patient Administration Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/location-mode
Version: | 4.0.1
Name: | LocationMode
Title: | LocationMode
Definition: | Indicates whether a resource instance represents a specific location or a class of locations.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.330 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for LocationMode

• Resource: Location.mode (code / Required)

4.4.1.33.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/location-mode

4.4.1.33.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/location-mode version 4.0.1

All codes from system http://hl7.org/fhir/location-mode

Code | Display | Definition
instance | Instance | The Location resource represents a specific instance of a location (e.g. Operating Theatre 1A).
kind | Kind | The Location represents a class of locations (e.g. Any Operating Theatre) although this class of locations could be constrained within a specific boundary (such as organization, or parent location, address etc.).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.34 Value Set http://hl7.org/fhir/ValueSet/condition-state

URL: https://hl7.org/fhir/R4/valueset-condition-state.html
Patient Care Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/condition-state
Version: | 4.0.1
Name: | ConditionState
Title: | ConditionState
Definition: | Enumeration indicating whether the condition is currently active, inactive, or has been resolved.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.963 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ConditionState

4.4.1.34.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/condition-state

4.4.1.34.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/condition-state version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/condition-state

Code | Display | Definition
active | Active | The condition is active.
inactive | Inactive | The condition is inactive, but not resolved.
resolved | Resolved | The condition is resolved.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.35 Value Set http://hl7.org/fhir/ValueSet/property-representation

URL: https://hl7.org/fhir/R4/valueset-property-representation.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/property-representation
Version: | 4.0.1
Name: | PropertyRepresentation
Title: | PropertyRepresentation
Definition: | How a property is represented when serialized.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.87 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for PropertyRepresentation
• Resource: ElementDefinition.representation (code / Required)

4.4.1.35.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/property-representation

4.4.1.35.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/property-representation version 4.0.1

All codes from system http://hl7.org/fhir/property-representation

Code | Display | Definition
xmlAttr | XML Attribute | In XML, this property is represented as an attribute not an element.
xmlText | XML Text | This element is represented using the XML text attribute (primitives only).
typeAttr | Type Attribute | The type of this element is indicated using xsi:type.
cdaText | CDA Text Format | Use CDA narrative instead of XHTML.
xhtml | XHTML | The property is represented using XHTML.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.36 Value Set http://hl7.org/fhir/ValueSet/measure-scoring

URL: https://hl7.org/fhir/R4/valueset-measure-scoring.html
Clinical Quality Information Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/measure-scoring
Version: | 4.0.1
Name: | MeasureScoring
Title: | MeasureScoring
Definition: | The scoring type of the measure.
Committee: | Clinical Quality Information Work Group
OID: | 2.16.840.1.113883.4.642.3.767 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for MeasureScoring
• Resource: Measure.scoring (CodeableConcept / Extensible)
• Profile: ShareableMeasure: Measure.scoring (CodeableConcept / Extensible)

4.4.1.36.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/measure-scoring

4.4.1.36.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/measure-scoring version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/measure-scoring

Code | Display | Definition
proportion | Proportion | The measure score is defined using a proportion.
ratio | Ratio | The measure score is defined using a ratio.
continuous-variable | Continuous Variable | The score is defined by a calculation of some quantity.
cohort | Cohort | The measure is a cohort definition.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.37 Value Set http://hl7.org/fhir/ValueSet/communication-category

URL: https://hl7.org/fhir/R4/valueset-communication-category.html
Patient Care Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/communication-category
Version: | 4.0.1
Name: | CommunicationCategory
Title: | CommunicationCategory
Definition: | Codes for general categories of communications such as alerts, instructions, etc.

Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.172 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for CommunicationCategory

• Resource: Communication.category (CodeableConcept / Example)

• Resource: CommunicationRequest.category (CodeableConcept / Example)

4.4.1.37.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/communication-category

4.4.1.37.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/communication-category version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/communication-category

Code | Display | Definition
alert | Alert | The communication conveys an alert.
notification | Notification | The communication conveys a notification.
reminder | Reminder | The communication conveys a reminder.
instruction | Instruction | The communication conveys an instruction.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.38 Value Set http://hl7.org/fhir/ValueSet/chromosome-human

URL: https://hl7.org/fhir/R4/valueset-chromosome-human.html
Clinical Genomics Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/chromosome-human
Version: | 4.0.1
Name: | chromosome-human
Title: | chromosome-human
Definition: | Chromosome number for human.
Committee: | Clinical Genomics Work Group
OID: | 2.16.840.1.113883.4.642.3.224 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for chromosome-human

• Resource: MolecularSequence.referenceSeq.chromosome (CodeableConcept / Example)

4.4.1.38.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/chromosome-human

4.4.1.38.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 24 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/chromosome-human version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/chromosome-human

Code | Display | Definition
1 | chromosome 1 | chromosome 1.
2 | chromosome 2 | chromosome 2.
3 | chromosome 3 | chromosome 3.
4 | chromosome 4 | chromosome 4.
5 | chromosome 5 | chromosome 5.
6 | chromosome 6 | chromosome 6.
7 | chromosome 7 | chromosome 7.
8 | chromosome 8 | chromosome 8.
9 | chromosome 9 | chromosome 9.
10 | chromosome 10 | chromosome 10.
11 | chromosome 11 | chromosome 11.
12 | chromosome 12 | chromosome 12.
13 | chromosome 13 | chromosome 13.
14 | chromosome 14 | chromosome 14.
15 | chromosome 15 | chromosome 15.
16 | chromosome 16 | chromosome 16.
17 | chromosome 17 | chromosome 17.
18 | chromosome 18 | chromosome 18.
19 | chromosome 19 | chromosome 19.
20 | chromosome 20 | chromosome 20.
21 | chromosome 21 | chromosome 21.
22 | chromosome 22 | chromosome 22.
X | chromosome X | chromosome X.
Y | chromosome Y | chromosome Y.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.39 Value Set http://hl7.org/fhir/ValueSet/immunization-status-reason

URL: https://hl7.org/fhir/R4/valueset-immunization-status-reason.html
Public Health and Emergency Response Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/immunization-status-reason
Version: | 4.0.1
Name: | ImmunizationStatusReasonCodes
Title: | Immunization Status Reason Codes
Definition: | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the reason why a dose of vaccine was not administered. This value set is provided as a suggestive example.
Committee: | Public Health and Emergency Response Work Group
OID: | 2.16.840.1.113883.4.642.3.992 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Immunization.statusReason (CodeableConcept / Example)

4.4.1.39.1 Content Logical Definition

This value set includes codes from the following code systems:

http://terminology.hl7.org/CodeSystem/v3-ActReason

Code | Display

IMMUNE | immunity | Definition:Testing has shown that the patient already has immunity to the agent targeted by the immunization.
MEDPREC | medical precaution | Definition:The patient currently has a medical condition for which the vaccine is contraindicated or for which precaution is warranted.
OSTOCK | product out of stock | Definition:There was no supply of the product on hand to perform the service.
PATOBJ | patient objection | Definition:The patient or their guardian objects to receiving the vaccine.

• Include codes from http://snomed.info/sct where concept is-a 310376006 (Immunization consent not given)

4.4.1.39.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 27 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v3-ActReason version 2018-08-12

Code | System | Display | Definition
IMMUNE | http://terminology.hl7.org/CodeSystem/v3-ActReason | immunity | Definition:Testing has shown that the patient already has immunity to the agent targeted by the immunization.
MEDPREC | http://terminology.hl7.org/CodeSystem/v3-ActReason | medical precaution | Definition:The patient currently has a medical condition for which the vaccine is contraindicated or for which precaution is warranted.
OSTOCK | http://terminology.hl7.org/CodeSystem/v3-ActReason | product out of stock | Definition:There was no supply of the product on hand to perform the service.
PATOBJ | http://terminology.hl7.org/CodeSystem/v3-ActReason | patient objection | Definition:The patient or their guardian objects to receiving the vaccine.
171257003 | http://snomed.info/sct | No consent - Tetanus/low dose diphtheria vaccine
171265000 | http://snomed.info/sct | Pertussis vaccine refused
171266004 | http://snomed.info/sct | No consent - diphtheria immunization
171267008 | http://snomed.info/sct | No consent - tetanus immunization
171268003 | http://snomed.info/sct | Polio immunization refused
171269006 | http://snomed.info/sct | No consent - measles immunization
171270007 | http://snomed.info/sct | No consent - rubella immunization
171271006 | http://snomed.info/sct | No consent - BCG
171272004 | http://snomed.info/sct | No consent - influenza immunization
171280006 | http://snomed.info/sct | No consent for MMR
171283008 | http://snomed.info/sct | No consent for any primary immunization
171285001 | http://snomed.info/sct | No consent - pre-school vaccinations
171286000 | http://snomed.info/sct | No consent - school exit vaccinations
171291004 | http://snomed.info/sct | No consent - Haemophilus influenzae type B immunization
171292006 | http://snomed.info/sct | No consent pneumococcal immunization
171293001 | http://snomed.info/sct | No consent for MR - Measles/rubella vaccine
268559007 | http://snomed.info/sct | No consent for any immunization
310839003 | http://snomed.info/sct | No consent for MMR1
310840001 | http://snomed.info/sct | No consent for second measles, mumps and rubella vaccine
314768003 | http://snomed.info/sct | No consent diphtheria, tetanus, pertussis immunization
314769006 | http://snomed.info/sct | No consent tetanus plus diphtheria immunization
314936001 | http://snomed.info/sct | No consent for meningitis C immunization
407598009 | http://snomed.info/sct | No consent for 3rd HIB booster

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.40 Value Set http://hl7.org/fhir/ValueSet/audit-event-action

URL: https://hl7.org/fhir/R4/valueset-audit-event-action.html
Security Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/audit-event-action
Version: | 4.0.1
Name: | AuditEventAction
Title: | AuditEventAction
Definition: | Indicator for type of action performed during the event that generated the event.

Committee: | Security Work Group
OID: | 2.16.840.1.113883.4.642.3.452 (for OID based terminology systems)
Copyright: | These codes are excerpted from Digital Imaging and Communications in Medicine (DICOM) Standard, Part 16: Content Mapping Resource, Copyright © 2011 by the National Electrical Manufacturers Association.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for AuditEventAction

• Resource: AuditEvent.action (code / Required)

4.4.1.40.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/audit-event-action

4.4.1.40.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/audit-event-action version 4.0.1

All codes from system http://hl7.org/fhir/audit-event-action

Code | Display | Definition
C | Create | Create a new database object, such as placing an order.
R | Read/View/Print | Display or print data, such as a doctor census.
U | Update | Update data, such as revise patient information.
D | Delete | Delete items, such as a doctor master file record.
E | Execute | Perform a system or application function such as log-on, program execution or use of an object's method, or perform a query/search operation.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.41 Value Set http://hl7.org/fhir/ValueSet/supplyrequest-status

URL: https://hl7.org/fhir/R4/valueset-supplyrequest-status.html
Orders and Observations Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/supplyrequest-status
Version: | 4.0.1
Name: | SupplyRequestStatus
Title: | SupplyRequestStatus
Definition: | Status of the supply request.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.695 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for SupplyRequestStatus

• ConceptMap: Translation source in Canonical Mapping for "SupplyRequestStatus"

• Resource: SupplyRequest.status (code / Required)

4.4.1.41.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/supplyrequest-status

4.4.1.41.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 7 concepts

Expansion based on http://hl7.org/fhir/supplyrequest-status version 4.0.1

All codes from system http://hl7.org/fhir/supplyrequest-status

Code | Display | Definition | Canonical Status
draft | Draft | The request has been created but is not yet complete or ready for action. | ~draft
active | Active | The request is ready to be acted upon. | ~active
suspended | Suspended | The authorization/request to act has been temporarily withdrawn but is expected to resume in the future. | ~suspended
cancelled | Cancelled | The authorization/request to act has been terminated prior to the full completion of the intended actions. No further activity should occur. | ~abandoned
completed | Completed | Activity against the request has been sufficiently completed to the satisfaction of the requester. | ~complete
entered-in-error | Entered in Error | This electronic record should never have existed, though it is possible that real-world decisions were based on it. (If real-world activity has occurred, the status should be "cancelled" rather than "entered-in-error".). | ~error
unknown | Unknown | The authoring/source system does not know which of the status values currently applies for this observation. Note: This concept is not to be used for "other" - one of the listed statuses is presumed to apply, but the authoring/source system does not know which. | ~unknown

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.42 Value Set http://hl7.org/fhir/ValueSet/claim-exception

URL: https://hl7.org/fhir/R4/valueset-claim-exception.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/claim-exception
Version: | 4.0.1
Name: | ExceptionCodes
Title: | Exception Codes
Definition: | This value set includes sample Exception codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.580 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ExceptionCodes
• Resource: ExplanationOfBenefit.supportingInfo.code (CodeableConcept / Example)
• Resource: Claim.supportingInfo.code (CodeableConcept / Example)

4.4.1.42.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/claim-exception

4.4.1.42.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/claim-exception version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/claim-exception

Code | Display | Definition
student | Student (Fulltime) | Fulltime Student
disabled | Disabled | Disabled

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.43 Value Set http://hl7.org/fhir/ValueSet/contract-security-category

URL: https://hl7.org/fhir/R4/valueset-contract-security-category.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contract-security-category
Version: | 4.0.1
Name: | ContractResourceScopeCodes
Title: | Contract Resource Scope codes
Definition: | This value set contract specific codes for security category.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.1220 (for OID based terminology systems)
Copyright: | HL7 International.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ContractResourceScopeCodes

• Resource: Contract.term.securityLabel.category (Coding / Example)

4.4.1.43.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/contract-security-category

4.4.1.43.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 1 concepts

Expansion based on http://hl7.org/fhir/contract-security-category version 4.0.1

All codes from system http://hl7.org/fhir/contract-security-category

Code | Display | Definition
policy | Policy | To be completed

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.44 Value Set http://hl7.org/fhir/ValueSet/research-study-status

URL: https://hl7.org/fhir/R4/valueset-research-study-status.html
Biomedical Research and Regulation Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/research-study-status
Version: | 4.0.1

Name: | ResearchStudyStatus
Title: | ResearchStudyStatus
Definition: | Codes that convey the current status of the research study.
Committee: | Biomedical Research and Regulation Work Group
OID: | 2.16.840.1.113883.4.642.3.819 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ResearchStudyStatus

• ConceptMap: Translation source in Canonical Mapping for "ResearchStudyStatus"

• Resource: ResearchStudy.status (code / Required)

4.4.1.44.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/research-study-status

4.4.1.44.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 11 concepts

Expansion based on http://hl7.org/fhir/research-study-status version 4.0.1

All codes from system http://hl7.org/fhir/research-study-status

Code | Display | Definition | Canonical Status
active | Active | Study is opened for accrual.
administratively-completed | Administratively Completed | Study is completed prematurely and will not resume; patients are no longer examined nor treated.
approved | Approved | Protocol is approved by the review board. | ~accepted
closed-to-accrual | Closed to Accrual | Study is closed for accrual; patients can be examined and treated.
closed-to-accrual-and-intervention | Closed to Accrual and Intervention | Study is closed to accrual and intervention, i.e. the study is closed to enrollment, all study subjects have completed treatment or intervention but are still being followed according to the primary objective of the study.
completed | Completed | Study is closed to accrual and intervention, i.e. the study is closed to enrollment, all study subjects have completed treatment or intervention but are still being followed according to the primary objective of the study.
disapproved | Disapproved | Protocol was disapproved by the review board. | ~declined
in-review | In Review | Protocol is submitted to the review board for approval. | ~draft
temporarily-closed-to-accrual | Temporarily Closed to Accrual | Study is temporarily closed for accrual; can be potentially resumed in the future; patients can be examined and treated.
temporarily-closed-to-accrual-and-intervention | Temporarily Closed to Accrual and Intervention | Study is temporarily closed for accrual and intervention and potentially can be resumed in the future.
withdrawn | Withdrawn | Protocol was withdrawn by the lead organization. | ~abandoned

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.45 Value Set http://hl7.org/fhir/ValueSet/list-status

URL: https://hl7.org/fhir/R4/valueset-list-status.html
FHIR Infrastructure Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/list-status
Version: | 4.0.1
Name: | ListStatus
Title: | ListStatus
Definition: | The current state of the list.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.326 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ListStatus
• ConceptMap: Translation source in Canonical Mapping for "ListStatus"
• Resource: List.status (code / Required)

4.4.1.45.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/list-status

4.4.1.45.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/list-status version 4.0.1

All codes from system http://hl7.org/fhir/list-status

Code | Display | Definition | Canonical Status
current | Current | The list is considered to be an active part of the patient's record. | ~active
retired | Retired | The list is "old" and should no longer be considered accurate or relevant. | ~inactive
entered-in-error | Entered In Error | The list was never accurate. It is retained for medico-legal purposes only. | ~error

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.46 Value Set http://hl7.org/fhir/ValueSet/service-category

URL: https://hl7.org/fhir/R4/valueset-service-category.html
Patient Administration Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/service-category
Version: | 4.0.1
Name: | ServiceCategory
Title: | Service category
Definition: | This value set defines an example set of codes that can be used to classify groupings of service-types/specialties.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.516 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ServiceCategory
• Resource: Appointment.serviceCategory (CodeableConcept / Example)
• Resource: Slot.serviceCategory (CodeableConcept / Example)
• Resource: HealthcareService.category (CodeableConcept / Example)
• Resource: Schedule.serviceCategory (CodeableConcept / Example)

4.4.1.46.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/service-category

4.4.1.46.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 38 concepts

All codes from system http://terminology.hl7.org/CodeSystem/service-category

Code | Display | Definition
1 | Adoption | Adoption

2 | Aged Care | Aged Care
34 | Allied Health | Allied Health
3 | Alternative/Complementary Therapies | Alternative & Complementary Therapies
4 | Child Care /Kindergarten | Child Care and/or Kindergarten
5 | Child Development | Child Development
6 | Child Protection & Family Services | Child Protection & Family Services
7 | Community Health Care | Community Health Care
8 | Counselling | Counselling
36 | Crisis Line (GPAH use only) | Crisis Line (GPAH use only)
9 | Death Services | Death Services
10 | Dental | Dental
11 | Disability Support | Disability Support
12 | Drug/Alcohol | Drug/Alcohol
13 | Education & Learning | Education & Learning
14 | Emergency Department | Emergency Department
15 | Employment | Employment
16 | Financial & Material Aid | Financial & Material aid
17 | General Practice | General Practice/GP (doctor)
35 | Hospital | Hospital
18 | Housing/Homelessness | Housing/Homelessness
19 | Interpreting | Interpreting
20 | Justice | Justice
21 | Legal | Legal
22 | Mental Health | Mental Health
38 | NDIA | NDIA
23 | Physical Activity & Recreation | Physical Activity & Recreation
24 | Regulation | Regulation
25 | Respite/Carer Support | Respite/Carer Support
26 | Specialist Clinical Pathology | Specialist Clinical Pathology - requires referral
27 | Specialist Medical | Specialist Medical - requires referral
28 | Specialist Obstetrics & Gynecology | Specialist Obstetrics & Gynecology - requires referral
29 | Specialist Paediatric | Specialist Paediatric - requires referral
30 | Specialist Radiology/Imaging | Specialist Radiology/Imaging - requires referral
31 | Specialist Surgical | Specialist Surgical - requires referral
32 | Support Group/s | Support group/s
37 | Test Message (HSD admin) | Test Message (HSD admin use only)
33 | Transport | Transport

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.47 Value Set http://hl7.org/fhir/ValueSet/expansion-processing-rule

URL: https://hl7.org/fhir/R4/valueset-expansion-processing-rule.html
Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/expansion-processing-rule
Version: | 4.0.1
Name: | ExpansionProcessingRule
Title: | ExpansionProcessingRule
Definition: | Defines how concepts are processed into the expansion when it's for UI presentation.
Committee: | Vocabulary Work Group
OID: | 2.16.840.1.113883.4.642.3.1280 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ExpansionProcessingRule

4.4.1.47.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/expansion-processing-rule

4.4.1.47.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/expansion-processing-rule version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/expansion-processing-rule

Code | Display | Definition
all-codes | All Codes | The expansion (when in UI mode) includes all codes *and* any defined groups (in extensions).
ungrouped | Groups + Ungrouped codes | The expanion (when in UI mode) lists the groups, and then any codes that have not been included in a group.
groups-only | Groups Only | The expansion (when in UI mode) only includes the defined groups.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.48 Value Set http://hl7.org/fhir/ValueSet/map-input-mode

URL: https://hl7.org/fhir/R4/valueset-map-input-mode.html
FHIR Infrastructure Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/map-input-mode
Version: | 4.0.1
Name: | StructureMapInputMode
Title: | StructureMapInputMode
Definition: | Mode for this instance of data.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.677 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for StructureMapInputMode

• Resource: StructureMap.group.input.mode (code / Required)

4.4.1.48.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/map-input-mode

4.4.1.48.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/map-input-mode version 4.0.1

All codes from system http://hl7.org/fhir/map-input-mode

Code | Display | Definition
source | Source Instance | Names an input instance used a source for mapping.
target | Target Instance | Names an instance that is being populated.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.49 Value Set http://hl7.org/fhir/ValueSet/immunization-evaluation-dose-status

URL: https://hl7.org/fhir/R4/valueset-immunization-evaluation-dose-status.html
Public Health and Emergency Response Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/immunization-evaluation-dose-status
Version: | 4.0.1
Name: | ImmunizationEvaluationDoseStatusCodes
Title: | Immunization Evaluation Dose Status codes
Definition: | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the validity of a dose relative to a particular recommended schedule. This value set is provided as a suggestive example.
Committee: | Public Health and Emergency Response Work Group
OID: | 2.16.840.1.113883.4.642.3.301 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ImmunizationEvaluationDoseStatusCodes

• Resource: ImmunizationEvaluation.doseStatus (CodeableConcept / Example)

4.4.1.49.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/immunization-evaluation-dose-status

4.4.1.49.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/immunization-evaluation-dose-status version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/immunization-evaluation-dose-status

Code | Display | Definition
valid | Valid | The dose counts toward fulfilling a path to immunity for a patient, providing protection against the target disease.
notvalid | Not valid | The dose does not count toward fulfilling a path to immunity for a patient.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.50 Value Set http://hl7.org/fhir/ValueSet/event-resource-types

URL: https://hl7.org/fhir/R4/valueset-event-resource-types.html
Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/event-resource-types
Version: | 4.0.1

Name: | EventResourceType
Title: | EventResourceType
Definition: | A list of all the event resource types defined in this version of the FHIR specification.
Committee: | Vocabulary Work Group
OID: | 2.16.840.1.113883.4.642.3.1060 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for EventResourceType

4.4.1.50.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/event-resource-types

4.4.1.50.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 34 concepts

Expansion based on http://hl7.org/fhir/event-resource-types version 4.0.1

All codes from system http://hl7.org/fhir/event-resource-types

Code | Display | Definition
ChargeItem | ChargeItem | Item containing charge code(s) associated with the provision of healthcare provider products.
ClaimResponse | ClaimResponse | Remittance resource.
ClinicalImpression | ClinicalImpression | A clinical assessment performed when planning treatments and management strategies for a patient.
Communication | Communication | A record of information transmitted from a sender to a receiver.
Composition | Composition | A set of resources composed into a single coherent clinical statement with clinical attestation.
Condition | Condition | Detailed information about conditions, problems or diagnoses.
Consent | Consent | A healthcare consumer's policy choices to permits or denies recipients or roles to perform actions for specific purposes and periods of time.
Coverage | Coverage | Insurance or medical plan or a payment agreement.
DeviceUseStatement | DeviceUseStatement | Record of use of a device.
DiagnosticReport | DiagnosticReport | A Diagnostic report - a combination of request information, atomic results, images, interpretation, as well as formatted reports.
DocumentManifest | DocumentManifest | A list that defines a set of documents.
DocumentReference | DocumentReference | A reference to a document.
Encounter | Encounter | An interaction during which services are provided to the patient.
EnrollmentResponse | EnrollmentResponse | EnrollmentResponse resource.
EpisodeOfCare | EpisodeOfCare | An association of a Patient with an Organization and Healthcare Provider(s) for a period of time that the Organization assumes some level of responsibility.
ExplanationOfBenefit | ExplanationOfBenefit | Explanation of Benefit resource.
FamilyMemberHistory | FamilyMemberHistory | Information about patient's relatives, relevant for patient.
GuidanceResponse | GuidanceResponse | The formal response to a guidance request.
ImagingStudy | ImagingStudy | A set of images produced in single study (one or more series of references images).
Immunization | Immunization | Immunization event information.
MeasureReport | MeasureReport | Results of a measure evaluation.
Media | Media | A photo, video, or audio recording acquired or used in healthcare. The actual content may be inline or provided by direct reference.
MedicationAdministration | MedicationAdministration | Administration of medication to a patient.
MedicationDispense | MedicationDispense | Dispensing a medication to a named patient.
MedicationStatement | MedicationStatement | Record of medication being taken by a patient.
Observation | Observation | Measurements and simple assertions.
PaymentNotice | PaymentNotice | PaymentNotice request.
PaymentReconciliation | PaymentReconciliation | PaymentReconciliation resource.
Procedure | Procedure | An action that is being or was performed on a patient.
ProcessResponse | ProcessResponse | ProcessResponse resource.
QuestionnaireResponse | QuestionnaireResponse | A structured set of questions and their answers.
RiskAssessment | RiskAssessment | Potential outcomes for a subject with likelihood.
SupplyDelivery | SupplyDelivery | Delivery of bulk Supplies.
Task | Task | A task to be performed.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.4.1.51 Value Set http://hl7.org/fhir/ValueSet/resource-types

URL: https://hl7.org/fhir/R4/valueset-resource-types.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Conformance Package for further details.

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/resource-types
Version: | 4.0.1
Name: | ResourceType
Title: | ResourceType
Definition: | One of the resource types defined as part of this version of FHIR.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.27 (for OID based terminology systems)
Source Resource | XML / JSON

This Value Set is normative - it is generated based on the information defined in this specification. The definition will remain fixed across versions, but the actual contents will change from version to version

This value set is used in the following places:

• Resource: MessageDefinition.focus.code (code / Required)
• Resource: CapabilityStatement.rest.resource.type (code / Required)
• Resource: GraphDefinition.start (code / Required)
• Resource: GraphDefinition.link.target.type (code / Required)
• Resource: ImplementationGuide.global.type (code / Required)
• Resource: SearchParameter.base (code / Required)
• Resource: SearchParameter.target (code / Required)
• Resource: Questionnaire.subjectType (code / Required)
• Resource: OperationDefinition.resource (code / Required)
• Resource: CompartmentDefinition.resource.code (code / Required)
• Resource: ExampleScenario.instance.resourceType (code / Required)
• Resource: Reference.type (uri / Extensible)

4.4.1.51.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/resource-types

4.4.1.51.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 148 concepts

Expansion based on http://hl7.org/fhir/resource-types version 4.0.1

All codes from system http://hl7.org/fhir/resource-types

Code | Display | Definition
Account | Account | A financial tool for tracking value accrued for a particular purpose. In the healthcare field, used to track charges for a patient, cost centers, etc.
ActivityDefinition | ActivityDefinition | This resource allows for the definition of some activity to be performed, independent of a particular patient, practitioner, or other performance context.
AdverseEvent | AdverseEvent | Actual or potential/avoided event causing unintended physical injury resulting from or contributed to by medical care, a research study or other healthcare setting factors that requires additional monitoring, treatment, or hospitalization, or that results in death.
AllergyIntolerance | AllergyIntolerance | Risk of harmful or undesirable, physiological response which is unique to an individual and associated with exposure to a substance.
Appointment | Appointment | A booking of a healthcare event among patient(s), practitioner(s), related person(s) and/or device(s) for a specific date/time. This may result in one or more Encounter(s).
AppointmentResponse | AppointmentResponse | A reply to an appointment request for a patient and/or practitioner(s), such as a confirmation or rejection.
AuditEvent | AuditEvent | A record of an event made for purposes of maintaining a security log. Typical uses include detection of intrusion attempts and monitoring for inappropriate usage.
Basic | Basic | Basic is used for handling concepts not yet defined in FHIR, narrative-only resources that don't map to an existing resource, and custom resources not appropriate for inclusion in the FHIR specification.
Binary | Binary | A resource that represents the data of a single raw artifact as digital content accessible in its native format. A Binary resource can contain any content, whether text, image, pdf, zip archive, etc.

BiologicallyDerivedProduct | BiologicallyDerivedProduct | A material substance originating from a biological entity intended to be transplanted or infused into another (possibly the same) biological entity.

BodyStructure | BodyStructure | Record details about an anatomical structure. This resource may be used when a coded concept does not provide the necessary detail needed for the use case.

Bundle | Bundle | A container for a collection of resources.

CapabilityStatement | CapabilityStatement | A Capability Statement documents a set of capabilities (behaviors) of a FHIR Server for a particular version of FHIR that may be used as a statement of actual server functionality or a statement of required or desired server implementation.

CarePlan | CarePlan | Describes the intention of how one or more practitioners intend to deliver care for a particular patient, group or community for a period of time, possibly limited to care for a specific condition or set of conditions.

CareTeam | CareTeam | The Care Team includes all the people and organizations who plan to participate in the coordination and delivery of care for a patient.

CatalogEntry | CatalogEntry | Catalog entries are wrappers that contextualize items included in a catalog.

ChargeItem | ChargeItem | The resource ChargeItem describes the provision of healthcare provider products for a certain patient, therefore referring not only to the product, but containing in addition details of the provision, like date, time, amounts and participating organizations and persons. Main Usage of the ChargeItem is to enable the billing process and internal cost allocation.

ChargeItemDefinition | ChargeItemDefinition | The ChargeItemDefinition resource provides the properties that apply to the (billing) codes necessary to calculate costs and prices. The properties may differ largely depending on type and realm, therefore this resource gives only a rough structure and requires profiling for each type of billing code system.

Claim | Claim | A provider issued list of professional services and products which have been provided, or are to be provided, to a patient which is sent to an insurer for reimbursement.

ClaimResponse | ClaimResponse | This resource provides the adjudication details from the processing of a Claim resource.

ClinicalImpression | ClinicalImpression | A record of a clinical assessment performed to determine what problem(s) may affect the patient and before planning the treatments or management strategies that are best to manage a patient's condition. Assessments are often 1:1 with a clinical consultation / encounter, but this varies greatly depending on the clinical workflow. This resource is called "ClinicalImpression" rather than "ClinicalAssessment" to avoid confusion with the recording of assessment tools such as Apgar score.

CodeSystem | CodeSystem | The CodeSystem resource is used to declare the existence of and describe a code system or code system supplement and its key properties, and optionally define a part or all of its content.

Communication | Communication | An occurrence of information being transmitted; e.g. an alert that was sent to a responsible provider, a public health agency that was notified about a reportable condition.

CommunicationRequest | CommunicationRequest | A request to convey information; e.g. the CDS system proposes that an alert be sent to a responsible provider, the CDS system proposes that the public health agency be notified about a reportable condition.

CompartmentDefinition | CompartmentDefinition | A compartment definition that defines how resources are accessed on a server.

Composition | Composition | A set of healthcare-related information that is assembled together into a single logical package that provides a single coherent statement of meaning, establishes its own context and that has clinical attestation with regard to who is making the statement. A Composition defines the structure and narrative content necessary for a document. However, a Composition alone does not constitute a document. Rather, the Composition must be the first entry in a Bundle where Bundle.type=document, and any other resources referenced from Composition must be included as subsequent entries in the Bundle (for example Patient, Practitioner, Encounter, etc.).

ConceptMap | ConceptMap | A statement of relationships from one set of concepts to one or more other concepts - either concepts in code systems, or data element/data element concepts, or classes in class models.

Condition | Condition | A clinical condition, problem, diagnosis, or other event, situation, issue, or clinical concept that has risen to a level of concern.

Consent | Consent | A record of a healthcare consumer’s choices, which permits or denies identified recipient(s) or recipient role(s) to perform one or more actions within a given policy context, for specific purposes and periods of time.

Contract | Contract | Legally enforceable, formally recorded unilateral or bilateral directive i.e., a policy or agreement.

Coverage | Coverage | Financial instrument which may be used to reimburse or pay for health care products and services. Includes both insurance and self-payment.

CoverageEligibilityRequest | CoverageEligibilityRequest | The CoverageEligibilityRequest provides patient and insurance coverage information to an insurer for them to respond, in the form of an CoverageEligibilityResponse, with information regarding whether the stated coverage is valid and in-force and optionally to provide the insurance details of the policy.

CoverageEligibilityResponse | CoverageEligibilityResponse | This resource provides eligibility and plan details from the processing of an CoverageEligibilityRequest resource.

DetectedIssue | DetectedIssue | Indicates an actual or potential clinical issue with or between one or more active or proposed clinical actions for a patient; e.g. Drug-drug interaction, Ineffective treatment frequency, Procedure-condition conflict, etc.

Device | Device | A type of a manufactured item that is used in the provision of healthcare without being substantially changed through that activity. The device may be a medical or non-medical device.

DeviceDefinition | DeviceDefinition | The characteristics, operational status and capabilities of a medical-related component of a medical device.

DeviceMetric | DeviceMetric | Describes a measurement, calculation or setting capability of a medical device.

DeviceRequest | DeviceRequest | Represents a request for a patient to employ a medical device. The device may be an implantable device, or an external assistive device, such as a walker.

DeviceUseStatement | DeviceUseStatement | A record of a device being used by a patient where the record is the result of a report from the patient or another clinician.

DiagnosticReport | DiagnosticReport | The findings and interpretation of diagnostic tests performed on patients, groups of patients, devices, and locations, and/or specimens derived from these. The report includes clinical context such as requesting and provider information, and some mix of atomic results, images, textual and coded interpretations, and formatted representation of diagnostic reports.

DocumentManifest | DocumentManifest | A collection of documents compiled for a purpose together with metadata that applies to the collection.

DocumentReference | DocumentReference | A reference to a document of any kind for any purpose. Provides metadata about the document so that the document can be discovered and managed. The scope of a document is any seralized object with a mime-type, so includes formal patient centric documents (CDA), cliical notes, scanned paper, and non-patient specific documents like policy text.

DomainResource | DomainResource | A resource that includes narrative, extensions, and contained resources.

EffectEvidenceSynthesis | EffectEvidenceSynthesis | The EffectEvidenceSynthesis resource describes the difference in an outcome between exposures states in a population where the effect estimate is derived from a combination of research studies.
Encounter | Encounter | An interaction between a patient and healthcare provider(s) for the purpose of providing healthcare service(s) or assessing the health status of a patient.
Endpoint | Endpoint | The technical details of an endpoint that can be used for electronic services, such as for web services providing XDS.b or a REST endpoint for another FHIR server. This may include any security context information.
EnrollmentRequest | EnrollmentRequest | This resource provides the insurance enrollment details to the insurer regarding a specified coverage.
EnrollmentResponse | EnrollmentResponse | This resource provides enrollment and plan details from the processing of an EnrollmentRequest resource.
EpisodeOfCare | EpisodeOfCare | An association between a patient and an organization / healthcare provider(s) during which time encounters may occur. The managing organization assumes a level of responsibility for the patient during this time.
EventDefinition | EventDefinition | The EventDefinition resource provides a reusable description of when a particular event can occur.
Evidence | Evidence | The Evidence resource describes the conditional state (population and any exposures being compared within the population) and outcome (if specified) that the knowledge (evidence, assertion, recommendation) is about.
EvidenceVariable | EvidenceVariable | The EvidenceVariable resource describes a "PICO" element that knowledge (evidence, assertion, recommendation) is about.
ExampleScenario | ExampleScenario | Example of workflow instance.
ExplanationOfBenefit | ExplanationOfBenefit | This resource provides: the claim details; adjudication details from the processing of a Claim; and optionally account balance information, for informing the subscriber of the benefits provided.
FamilyMemberHistory | FamilyMemberHistory | Significant health conditions for a person related to the patient relevant in the context of care for the patient.
Flag | Flag | Prospective warnings of potential issues when providing care to the patient.
Goal | Goal | Describes the intended objective(s) for a patient, group or organization care, for example, weight loss, restoring an activity of daily living, obtaining herd immunity via immunization, meeting a process improvement objective, etc.
GraphDefinition | GraphDefinition | A formal computable definition of a graph of resources - that is, a coherent set of resources that form a graph by following references. The Graph Definition resource defines a set and makes rules about the set.
Group | Group | Represents a defined collection of entities that may be discussed or acted upon collectively but which are not expected to act collectively, and are not formally or legally recognized; i.e. a collection of entities that isn't an Organization.
GuidanceResponse | GuidanceResponse | A guidance response is the formal response to a guidance request, including any output parameters returned by the evaluation, as well as the description of any proposed actions to be taken.
HealthcareService | HealthcareService | The details of a healthcare service available at a location.
ImagingStudy | ImagingStudy | Representation of the content produced in a DICOM imaging study. A study comprises a set of series, each of which includes a set of Service-Object Pair Instances (SOP Instances - images or other data) acquired or produced in a common context. A series is of only one modality (e.g. X-ray, CT, MR, ultrasound), but a study may have multiple series of different modalities.
Immunization | Immunization | Describes the event of a patient being administered a vaccine or a record of an immunization as reported by a patient, a clinician or another party.
ImmunizationEvaluation | ImmunizationEvaluation | Describes a comparison of an immunization event against published recommendations to determine if the administration is "valid" in relation to those recommendations.
ImmunizationRecommendation | ImmunizationRecommendation | A patient's point-in-time set of recommendations (i.e. forecasting) according to a published schedule with optional supporting justification.
ImplementationGuide | ImplementationGuide | A set of rules of how a particular interoperability or standards problem is solved - typically through the use of FHIR resources. This resource is used to gather all the parts of an implementation guide into a logical whole and to publish a computable definition of all the parts.
InsurancePlan | InsurancePlan | Details of a Health Insurance product/plan provided by an organization.
Invoice | Invoice | Invoice containing collected ChargeItems from an Account with calculated individual and total price for Billing purpose.
Library | Library | The Library resource is a general-purpose container for knowledge asset definitions. It can be used to describe and expose existing knowledge assets such as logic libraries and information model descriptions, as well as to describe a collection of knowledge assets.
Linkage | Linkage | Identifies two or more records (resource instances) that refer to the same real-world "occurrence".
List | List | A list is a curated collection of resources.
Location | Location | Details and position information for a physical place where services are provided and resources and participants may be stored, found, contained, or accommodated.
Measure | Measure | The Measure resource provides the definition of a quality measure.
MeasureReport | MeasureReport | The MeasureReport resource contains the results of the calculation of a measure; and optionally a reference to the resources involved in that calculation.
Media | Media | A photo, video, or audio recording acquired or used in healthcare. The actual content may be inline or provided by direct reference.
Medication | Medication | This resource is primarily used for the identification and definition of a medication for the purposes of prescribing, dispensing, and administering a medication as well as for making statements about medication use.
MedicationAdministration | MedicationAdministration | Describes the event of a patient consuming or otherwise being administered a medication. This may be as simple as swallowing a tablet or it may be a long running infusion. Related resources tie this event to the authorizing prescription, and the specific encounter between patient and health care practitioner.
MedicationDispense | MedicationDispense | Indicates that a medication product is to be or has been dispensed for a named person/patient. This includes a description of the medication product (supply) provided and the instructions for administering the medication. The medication dispense is the result of a pharmacy system responding to a medication order.
MedicationKnowledge | MedicationKnowledge | Information about a medication that is used to support knowledge.
MedicationRequest | MedicationRequest | An order or request for both supply of the medication and the instructions for administration of the medication to a patient. The resource is called "MedicationRequest" rather than "MedicationPrescription" or "MedicationOrder" to generalize the use across inpatient and outpatient settings, including care plans, etc., and to harmonize with workflow patterns.
MedicationStatement | MedicationStatement | A record of a medication that is being consumed by a patient. A MedicationStatement may indicate that the patient may be taking the medication now or has taken the medication in the past or

will be taking the medication in the future. The source of this information can be the patient, significant other (such as a family member or spouse), or a clinician. A common scenario where this information is captured is during the history taking process during a patient visit or stay. The medication information may come from sources such as the patient's memory, from a prescription bottle, or from a list of medications the patient, clinician or other party maintains. The primary difference between a medication statement and a medication administration is that the medication administration has complete administration information and is based on actual administration information from the person who administered the medication. A medication statement is often, if not always, less specific. There is no required date/time when the medication was administered, in fact we only know that a source has reported the patient is taking this medication, where details such as time, quantity, or rate or even medication product may be incomplete or missing or less precise. As stated earlier, the medication statement information may come from the patient's memory, from a prescription bottle or from a list of medications the patient, clinician or other party maintains. Medication administration is more formal and is not missing detailed information.

MedicinalProduct | MedicinalProduct | Detailed definition of a medicinal product, typically for uses other than direct patient care (e.g. regulatory use).

MedicinalProductAuthorization | MedicinalProductAuthorization | The regulatory authorization of a medicinal product.

MedicinalProductContraindication | MedicinalProductContraindication | The clinical particulars - indications, contraindications etc. of a medicinal product, including for regulatory purposes.

MedicinalProductIndication | MedicinalProductIndication | Indication for the Medicinal Product.

MedicinalProductIngredient | MedicinalProductIngredient | An ingredient of a manufactured item or pharmaceutical product.

MedicinalProductInteraction | MedicinalProductInteraction | The interactions of the medicinal product with other medicinal products, or other forms of interactions.

MedicinalProductManufactured | MedicinalProductManufactured | The manufactured item as contained in the packaged medicinal product.

MedicinalProductPackaged | MedicinalProductPackaged | A medicinal product in a container or package.

MedicinalProductPharmaceutical | MedicinalProductPharmaceutical | A pharmaceutical product described in terms of its composition and dose form.

MedicinalProductUndesirableEffect | MedicinalProductUndesirableEffect | Describe the undesirable effects of the medicinal product.

MessageDefinition | MessageDefinition | Defines the characteristics of a message that can be shared between systems, including the type of event that initiates the message, the content to be transmitted and what response(s), if any, are permitted.

MessageHeader | MessageHeader | The header for a message exchange that is either requesting or responding to an action. The reference(s) that are the subject of the action as well as other information related to the action are typically transmitted in a bundle in which the MessageHeader resource instance is the first resource in the bundle.

MolecularSequence | MolecularSequence | Raw data describing a biological sequence.

NamingSystem | NamingSystem | A curated namespace that issues unique symbols within that namespace for the identification of concepts, people, devices, etc. Represents a "System" used within the Identifier and Coding data types.

NutritionOrder | NutritionOrder | A request to supply a diet, formula feeding (enteral) or oral nutritional supplement to a patient/resident.

Observation | Observation | Measurements and simple assertions made about a patient, device or other subject.

ObservationDefinition | ObservationDefinition | Set of definitional characteristics for a kind of observation or measurement produced or consumed by an orderable health care service.

OperationDefinition | OperationDefinition | A formal computable definition of an operation (on the RESTful interface) or a named query (using the search interaction).

OperationOutcome | OperationOutcome | A collection of error, warning, or information messages that result from a system action.

Organization | Organization | A formally or informally recognized grouping of people or organizations formed for the purpose of achieving some form of collective action. Includes companies, institutions, corporations, departments, community groups, healthcare practice groups, payer/insurer, etc.

OrganizationAffiliation | OrganizationAffiliation | Defines an affiliation/assotiation/relationship between 2 distinct oganizations, that is not a part-of relationship/sub-division relationship.

Parameters | Parameters | This resource is a non-persisted resource used to pass information into and back from an [operation](operations.html). It has no other use, and there is no RESTful endpoint associated with it.

Patient | Patient | Demographics and other administrative information about an individual or animal receiving care or other health-related services.

PaymentNotice | PaymentNotice | This resource provides the status of the payment for goods and services rendered, and the request and response resource references.

PaymentReconciliation | PaymentReconciliation | This resource provides the details including amount of a payment and allocates the payment items being paid.

Person | Person | Demographics and administrative information about a person independent of a specific health-related context.

PlanDefinition | PlanDefinition | This resource allows for the definition of various types of plans as a sharable, consumable, and executable artifact. The resource is general enough to support the description of a broad range of clinical artifacts such as clinical decision support rules, order sets and protocols.

Practitioner | Practitioner | A person who is directly or indirectly involved in the provisioning of healthcare.

PractitionerRole | PractitionerRole | A specific set of Roles/Locations/specialties/services that a practitioner may perform at an organization for a period of time.

Procedure | Procedure | An action that is or was performed on or for a patient. This can be a physical intervention like an operation, or less invasive like long term services, counseling, or hypnotherapy.

Provenance | Provenance | Provenance of a resource is a record that describes entities and processes involved in producing and delivering or otherwise influencing that resource. Provenance provides a critical foundation for assessing authenticity, enabling trust, and allowing reproducibility. Provenance assertions are a form of contextual metadata and can themselves become important records with their own provenance. Provenance statement indicates clinical significance in terms of confidence in authenticity, reliability, and trustworthiness, integrity, and stage in lifecycle (e.g. Document Completion - has the artifact been legally authenticated), all of which may impact security, privacy, and trust policies.

Questionnaire | Questionnaire | A structured set of questions intended to guide the collection of answers from end-users. Questionnaires provide detailed control over order, presentation, phraseology and grouping to allow coherent, consistent data collection.

QuestionnaireResponse | QuestionnaireResponse | A structured set of questions and their answers. The questions are ordered and grouped into coherent subsets, corresponding to the structure of the grouping of the questionnaire being responded to.

RelatedPerson | RelatedPerson | Information about a person that is involved in the care for a patient, but who is not the target of healthcare, nor has a formal responsibility in the care process.

RequestGroup | RequestGroup | A group of related requests that can be used to capture intended activities that have inter-dependencies such as "give this medication after that one".

ResearchDefinition | ResearchDefinition | The ResearchDefinition resource describes the conditional state (population and any exposures being compared within the population) and outcome (if specified) that the knowledge (evidence, assertion, recommendation) is about.

ResearchElementDefinition | ResearchElementDefinition | The ResearchElementDefinition resource describes a "PICO" element that knowledge (evidence, assertion, recommendation) is about.

ResearchStudy | ResearchStudy | A process where a researcher or organization plans and then executes a series of steps intended to increase the field of healthcare-related knowledge. This includes studies of safety, efficacy, comparative effectiveness and other information about medications, devices, therapies and other interventional and investigative techniques. A ResearchStudy involves the gathering of information about human or animal subjects.

ResearchSubject | ResearchSubject | A physical entity which is the primary unit of operational and/or administrative interest in a study.

Resource | Resource | This is the base resource type for everything.

RiskAssessment | RiskAssessment | An assessment of the likely outcome(s) for a patient or other subject as well as the likelihood of each outcome.

RiskEvidenceSynthesis | RiskEvidenceSynthesis | The RiskEvidenceSynthesis resource describes the likelihood of an outcome in a population plus exposure state where the risk estimate is derived from a combination of research studies.

Schedule | Schedule | A container for slots of time that may be available for booking appointments.

SearchParameter | SearchParameter | A search parameter that defines a named search item that can be used to search/filter on a resource.

ServiceRequest | ServiceRequest | A record of a request for service such as diagnostic investigations, treatments, or operations to be performed.

Slot | Slot | A slot of time on a schedule that may be available for booking appointments.

Specimen | Specimen | A sample to be used for analysis.

SpecimenDefinition | SpecimenDefinition | A kind of specimen with associated set of requirements.

StructureDefinition | StructureDefinition | A definition of a FHIR structure. This resource is used to describe the underlying resources, data types defined in FHIR, and also for describing extensions and constraints on resources and data types.

StructureMap | StructureMap | A Map of relationships between 2 structures that can be used to transform data.

Subscription | Subscription | The subscription resource is used to define a push-based subscription from a server to another system. Once a subscription is registered with the server, the server checks every resource that is created or updated, and if the resource matches the given criteria, it sends a message on the defined "channel" so that another system can take an appropriate action.

Substance | Substance | A homogeneous material with a definite composition.

SubstanceNucleicAcid | SubstanceNucleicAcid | Nucleic acids are defined by three distinct elements: the base, sugar and linkage. Individual substance/moiety IDs will be created for each of these elements. The nucleotide sequence will be always entered in the 5’-3’ direction.

SubstancePolymer | SubstancePolymer | Todo.

SubstanceProtein | SubstanceProtein | A SubstanceProtein is defined as a single unit of a linear amino acid sequence, or a combination of subunits that are either covalently linked or have a defined invariant stoichiometric relationship. This includes all synthetic, recombinant and purified SubstanceProteins of defined sequence, whether the use is therapeutic or prophylactic. This set of elements will be used to describe albumins, coagulation factors, cytokines, growth factors, peptide/SubstanceProtein hormones, enzymes, toxins, toxoids, recombinant vaccines, and immunomodulators.

SubstanceReferenceInformation | SubstanceReferenceInformation | Todo.

SubstanceSourceMaterial | SubstanceSourceMaterial | Source material shall capture information on the taxonomic and anatomical origins as well as the fraction of a material that can result in or can be modified to form a substance. This set of data elements shall be used to define polymer substances isolated from biological matrices. Taxonomic and anatomical origins shall be described using a controlled vocabulary as required. This information is captured for naturally derived polymers (. starch) and structurally diverse substances. For Organisms belonging to the Kingdom Plantae the Substance level defines the fresh material of a single species or infraspecies, the Herbal Drug and the Herbal preparation. For Herbal preparations, the fraction information will be captured at the Substance information level and additional information for herbal extracts will be captured at the Specified Substance Group 1 information level. See for further explanation the Substance Class: Structurally Diverse and the herbal annex.

SubstanceSpecification | SubstanceSpecification | The detailed description of a substance, typically at a level beyond what is used for prescribing.

SupplyDelivery | SupplyDelivery | Record of delivery of what is supplied.

SupplyRequest | SupplyRequest | A record of a request for a medication, substance or device used in the healthcare setting.

Task | Task | A task to be performed.

TerminologyCapabilities | TerminologyCapabilities | A TerminologyCapabilities resource documents a set of capabilities (behaviors) of a FHIR Terminology Server that may be used as a statement of actual server functionality or a statement of required or desired server implementation.

TestReport | TestReport | A summary of information based on the results of executing a TestScript.

TestScript | TestScript | A structured set of tests against a FHIR server or client implementation to determine compliance against the FHIR specification.

ValueSet | ValueSet | A ValueSet resource instance specifies a set of codes drawn from one or more code systems, intended for use in a particular context. Value sets link between [[[CodeSystem]]] definitions and their use in [coded elements](terminologies.html).

VerificationResult | VerificationResult | Describes validation requirements, source(s), status and dates for one or more elements.

VisionPrescription | VisionPrescription | An authorization for the provision of glasses and/or contact lenses to a patient.

Additional Language Displays

Code | English (English, en) | Spanish (es) | French (fr) | Italian (it) | □□ (Chinese, zh)

Account | Account | Cuenta | | | □□

ActivityDefinition | ActivityDefinition | DefinicionDeActividad | | DefinizioneAttivita | □□□□

AdverseEvent | AdverseEvent | EventoAdverso | | EventoAvverso | □□□□

AllergyIntolerance | AllergyIntolerance | AllergiaIntolerancia | IntoléranceAllergique | AllergiaIntolleranza | □□□□□□□□
Appointment | Appointment | Cita | RendezVous | Appuntamento | □□
AppointmentResponse | AppointmentResponse | CitaRespuesta | RéponseRendezVous | RispostaAppuntamento | □□□□
AuditEvent | AuditEvent | EventoSeguridad | ÉvènementSécurité | | □□□□
Basic | Basic | Basico | Basique | | □□□□
Binary | Binary | Binario | Binaire | Binario | □□□□□
BiologicallyDerivedProduct | BiologicallyDerivedProduct
BodyStructure | BodyStructure | EstructuraDelCuerpo | MorphologieDeCorps | StrutturaDelCorpo | □□□□
Bundle | Bundle | Paquete | Paquet | | □□
CapabilityStatement | CapabilityStatement | DeclaracionDeCapacidad | | | □□□□
CarePlan | CarePlan | PlanDeCuidado | PlanDeSoins | PianoDiCura | □□□□
CareTeam | CareTeam | EquipoDeCuidado | | | □□□□
CatalogEntry | CatalogEntry | EntradaDeCatalogo | | | □□□□
ChargeItem | ChargeItem | CargoDeItem | | | □□□□
ChargeItemDefinition | ChargeItemDefinition
Claim | Claim | Reclamación / Factura | Réclamation | | □□
ClaimResponse | ClaimResponse | | RéponseARéclamation | | □□□□
ClinicalImpression | ClinicalImpression | HallazgoClinico | ImpressionClinique | ImpressioneClinica | □□□□
CodeSystem | CodeSystem | SistemaDeCodigos | | SistemaDiCodifica | □□□□
Communication | Communication | Comunicación | Communication | Comunicazione | □□
CommunicationRequest | CommunicationRequest | ComunicaciónRequerimiento | DemandeDeCommunication |
RichiestaDiComunicazione | □□□□
CompartmentDefinition | CompartmentDefinition | DefinicionDeCompartimento | | | □□□□□□
Composition | Composition | Composición | Composition | Composizione | □□□□□
ConceptMap | ConceptMap | MapaDeConceptos | CarteDeConcepts | MappaDiConcetti | □□□□
Condition | Condition | Condición | Condition | Condizione | □□
Consent | Consent | Consentimiento | | Consenso | □□□
Contract | Contract | Contato | Contrat | Contratto | □□
Coverage | Coverage | Cobertura | Couverture | Copertura | □□□□
CoverageEligibilityRequest | CoverageEligibilityRequest | | CouvertureDemandeEligibilité | RichiestaEleggibilitaCopertura | □□□□
CoverageEligibilityResponse | CoverageEligibilityResponse | | | RéponseEligibilitéCouverture | RispostaEleggibilitaCopertura | □□□□
DetectedIssue | DetectedIssue | Problema-Detectado /ProblemaDetectado | Problème Détecté | ProblemaRilevato | □□□□□
Device | Device | Dispositivo | Dispositif | Dispositivo | □□
DeviceDefinition | DeviceDefinition | DefiniciónDeDispositivo | DéfinitionDeDispositif | | □□□□
DeviceMetric | DeviceMetric | MetricaDeDispositivo | MétriqueDispositif | | □□□□
DeviceRequest | DeviceRequest | SolicitudDeDispositivo | DemandeUtilisationDispositif | RichiestaDispositivo | □□□□
DeviceUseStatement | DeviceUseStatement | | | □□□□□□
DiagnosticReport | DiagnosticReport | InformeDiagnostico | RapportDiagnostique | RefertoDiagnostico | □□□□
DocumentManifest | DocumentManifest | ManifestoDocumento | Manifeste | | □□□□
DocumentReference | DocumentReference | ReferenciaDocumento | RéférenceDocument | RiferimentoDocumento | □□□□
DomainResource | DomainResource | RecursoDeDominio | | | □□□□
EffectEvidenceSynthesis | EffectEvidenceSynthesis
Encounter | Encounter | Encuentro | Venue | | □□□□
Endpoint | Endpoint | Endpoint | | | □□
EnrollmentRequest | EnrollmentRequest | SolicitudDeEnrolamiento | DemandeInscription | RichiestaIscrizione | □□□□□□
EnrollmentResponse | EnrollmentResponse | RespuestaDeEnrolamiento | RéponseInscription | RispostaIscrizione | □□□□□□
EpisodeOfCare | EpisodeOfCare | EpisodioDeCuidado | ÉpisodeDeSoins | EpisodioDiCura | □□□□□□
EventDefinition | EventDefinition | DefinitionDeEvento | | DefinizioneEvento | □□□□
Evidence | Evidence
EvidenceVariable | EvidenceVariable
ExampleScenario | ExampleScenario | EjemploDeEscenario | | ScenarioDiEsempio | □□□□
ExplanationOfBenefit | ExplanationOfBenefit | | ExplicationDuBénéfice | | □□□□
FamilyMemberHistory | FamilyMemberHistory | HistorialMiembroFamiliar | HistoireMembreFamille | | □□□
Flag | Flag | Bandera | Drapeau | | □□
Goal | Goal | Objetivo | But | | □□
GraphDefinition | GraphDefinition | DefinitionGrafico | | | □□□□
Group | Group | Grupo | Groupe | Gruppo | □□
GuidanceResponse | GuidanceResponse | RespuestaDeOrientacion | | | □□□□□□
HealthcareService | HealthcareService | ServicioDeCuidado | ServiceDeSanté | ServizioSanitario | □□□□□□□□
ImagingStudy | ImagingStudy | EstudioImagen / EstudioImagen | EtudeImagerie | | □□□□
Immunization | Immunization | Inmunización | Immunisation | Immunizzazione | □□□□
ImmunizationEvaluation | ImmunizationEvaluation
ImmunizationRecommendation | ImmunizationRecommendation | RecomendaciónInmunización / | RecommendationImmunisation
| | □□□□□□
ImplementationGuide | ImplementationGuide | GuiaDeImplementacion | | | □□□□
InsurancePlan | InsurancePlan
Invoice | Invoice
Library | Library | Librería | | | □
Linkage | Linkage | Enlace / Conexión / Vinculo / Acoplamiento | | | □□□□
List | List | Lista | Liste | Lista | □□
Location | Location | Locacion | Localisation | | □□
Measure | Measure | Medida | | Misura | □□

MeasureReport | MeasureReport | ReporteMedida | | | □□□□
Media | Media | Medio | Média | Media | □□
Medication | Medication | Medicación /Medicamento | Médication | | □□
MedicationAdministration | MedicationAdministration | AdministraciónMedicación / AdministracionMedicamento | AdministrationMédicaments | | □□□□
MedicationDispense | MedicationDispense | DispensaciónMedicación /DispensacionMedicamento | DispensationMédicaments | | □□□□
MedicationKnowledge | MedicationKnowledge
MedicationRequest | MedicationRequest | PrescripciónMedicaciónTODO /PrescripcionMedicamento | PrescriptionMédicamenteuseTODO | | □□□□
MedicationStatement | MedicationStatement | ResumenMedicación /ResumenMedicamento | ÉtatMédication | | □□□□
MedicinalProduct | MedicinalProduct | | | ProdottoMedicinale
MedicinalProductAuthorization | MedicinalProductAuthorization | | | AutorizzazioneProdottoMedicinale
MedicinalProductContraindication | MedicinalProductContraindication
MedicinalProductIndication | MedicinalProductInteraction
MedicinalProductIngredient | MedicinalProductIngredient | | | IngredienteProdottoMedicinale
MedicinalProductInteraction | MedicinalProductInteraction
MedicinalProductManufactured | MedicinalProductManufactured
MedicinalProductPackaged | MedicinalProductPackaged
MedicinalProductPharmaceutical | MedicinalProductPharmaceutical
MedicinalProductUndesirableEffect | MedicinalProductUndesirableEffect
MessageDefinition | MessageDefinition | DefinicionMensaje | | DefinizioneMessaggio | □□□□
MessageHeader | MessageHeader | CabeceraMensaje | EntêteMessage | | □□□□
MolecularSequence | MolecularSequence | SecuenciaMolecular | | | □□□□
NamingSystem | NamingSystem | SistemaDeNombres | SystèmeDeNommage | | □□□□
NutritionOrder | NutritionOrder | OrdenNutrición | OrdreNutrition | | □□□□
Observation | Observation | Observación | Observation | Osservazione | □□
ObservationDefinition | ObservationDefinition | DefinicionDeEspecimen | | DefinizioneOsservazione | □□□□
OperationDefinition | OperationDefinition | DefinicionDeOperacion | DéfinitionOpération | DefinizioneOperazione | □□□□
OperationOutcome | OperationOutcome | ResultadoOperación | RésultatOpération | RisultatoOperazione | □□□□
Organization | Organization | Organización | Organisation | Organizzazione | □□□□
OrganizationAffiliation | OrganizationAffiliation
Parameters | Parameters | Parametros | | | □□
Patient | Patient | Paciente | Patient | Paziente | □□
PaymentNotice | PaymentNotice | AvisoDePago | AvisPaiement | AvvisoDiPagamento | □□□□
PaymentReconciliation | PaymentReconciliation | ConciliacionDePago | RéconciliationPaiement | RiconciliazionePagamento | □□□□
Person | Person | Persona | Personne | Persona | □□
PlanDefinition | PlanDefinition | DefinicionDePlan | | | □□□□
Practitioner | Practitioner | Practicante / Profesional | Praticien | | □□□□
PractitionerRole | PractitionerRole | RolProfesional | | | □□□□□□
Procedure | Procedure | Procedimiento | Procédure | Procedura | □□□□
Provenance | Provenance | Procedencia | Provenance | Provenienza | □□
Questionnaire | Questionnaire | Cuestionario | Questionnaire | Questionario | □□□□
QuestionnaireResponse | QuestionnaireResponse | RespuestaAlCuestionario | RéponseQuestionnaire | RispostaQuestionario | □□□□□□
RelatedPerson | RelatedPerson | PersonaRelacionada | PersonneEnRelation | PersonaCorrelata | □□□□
RequestGroup | RequestGroup | GrupoDeSolicitudes | | GruppoDiRichieste | □□□□
ResearchDefinition | ResearchDefinition
ResearchElementDefinition | ResearchElementDefinition
ResearchStudy | ResearchStudy | EstudioDeInvestigacion | | | □□□□
ResearchSubject | ResearchSubject | SujetoDeInvestigacion | | | □□□□
Resource | Resource | Recurso | | | □□
RiskAssessment | RiskAssessment | EvaluacionDeRiesgo | ÉvaluationRisques | | □□□□
RiskEvidenceSynthesis | RiskEvidenceSynthesis
Schedule | Schedule | Agenda | | | □□□□
SearchParameter | SearchParameter | ParametroDeBusqueda | ParamètreRecherche | ParametroDiRicerca | □□□□
ServiceRequest | ServiceRequest | PeticiónServicio | DemandeService | RichiestaDiServizio | □□□□□□
Slot | Slot | Hueco / Zocalo / Espacio | Slot | | □□
Specimen | Specimen | Especimen | Spécimen | Campione | □□
SpecimenDefinition | SpecimenDefinition | DefinicionDeEspecimen | | DefinizioneCampione | □□□□
StructureDefinition | StructureDefinition | DefinicionDeEstructura | DéfinitionStructure | DefinizioneStruttura | □□□□
StructureMap | StructureMap | MapaDeEstructura | | | □□□□
Subscription | Subscription | Suscripción | Souscription | Sottoscrizione | □□
Substance | Substance | Sustancia | Substance | Sostanza | □□
SubstanceNucleicAcid | SubstanceNucleicAcid
SubstancePolymer | SubstancePolymer
SubstanceProtein | SubstanceProtein
SubstanceReferenceInformation | SubstanceReferenceInformation
SubstanceSourceMaterial | SubstanceSourceMaterial
SubstanceSpecification | SubstanceSpecification
SupplyDelivery | SupplyDelivery | Entrega de Suministro | Supply Livraison | | □□□□
SupplyRequest | SupplyRequest | Solicitud de Suministro | Demande d'approvisionnement | | □□□□
Task | Task | Tarea | | | □□

TerminologyCapabilities | TerminologyCapabilities | CapacidadTerminologica | | □□□□□□
TestReport | TestReport | ReporteDePrueba | RapportTest | | □□□□
TestScript | TestScript | ScriptDePrueba | ScriptTest | | □□□□
ValueSet | ValueSet | ConjuntoValores / ConjuntoDeValores | EnsembleValeurs | | □□□□
VerificationResult | VerificationResult
VisionPrescription | VisionPrescription | PrescripcionDeVision | PrescriptionVision | | □□□□

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.52 Value Set http://hl7.org/fhir/ValueSet/resource-status

URL: https://hl7.org/fhir/R4/valueset-resource-status.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/resource-status
Version: | 4.0.1
Name: | CanonicalStatusCodesForFHIRResources
Title: | Canonical Status Codes for FHIR Resources
Definition: | The master set of status codes used throughout FHIR. All status codes are mapped to one of these codes.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.117 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for Canonical Status Codes for FHIR Resources
• ConceptMap: Translation target in Canonical Mapping for "SupplyDeliveryStatus"
• ConceptMap: Translation target in Canonical Mapping for "TestReportStatus"
• ConceptMap: Translation target in Canonical Mapping for "CarePlanActivityStatus"
• ConceptMap: Translation target in Canonical Mapping for "Medication status codes"
• ConceptMap: Translation target in Canonical Mapping for "DeviceMetricOperationalStatus"
• ConceptMap: Translation target in Canonical Mapping for "ResearchStudyStatus"
• ConceptMap: Translation target in Canonical Mapping for "Medication status codes"
• ConceptMap: Translation target in Canonical Mapping for "Financial Resource Status Codes"
• ConceptMap: Translation target in Canonical Mapping for "TaskStatus"
• ConceptMap: Translation target in Canonical Mapping for "DocumentReferenceStatus"
• ConceptMap: Translation target in Canonical Mapping for "DiagnosticReportStatus"
• ConceptMap: Translation target in Canonical Mapping for "GuidanceResponseStatus"
• ConceptMap: Translation target in Canonical Mapping for "EncounterLocationStatus"
• ConceptMap: Translation target in Canonical Mapping for "CareTeamStatus"
• ConceptMap: Translation target in Canonical Mapping for "SubscriptionStatus"
• ConceptMap: Translation target in Canonical Mapping for "Clinical Impression Status"
• ConceptMap: Translation target in Canonical Mapping for "FlagStatus"
• ConceptMap: Translation target in Canonical Mapping for "InvoiceStatus"
• ConceptMap: Translation target in Canonical Mapping for "Goal achievement status"
• ConceptMap: Translation target in Canonical Mapping for "QuestionnaireResponseStatus"
• ConceptMap: Translation target in Canonical Mapping for "GoalLifecycleStatus"
• ConceptMap: Translation target in Canonical Mapping for "ImagingStudyStatus"
• ConceptMap: Translation target in Canonical Mapping for "Contract Resource Publication Status codes"
• ConceptMap: Translation target in Canonical Mapping for "FHIRDeviceStatus"

- ConceptMap: Translation target in Canonical Mapping for "LocationStatus"
- ConceptMap: Translation target in Canonical Mapping for "ConditionVerificationStatus"
- ConceptMap: Translation target in Canonical Mapping for "EpisodeOfCareStatus"
- ConceptMap: Translation target in Canonical Mapping for "EncounterStatus"
- ConceptMap: Translation target in Canonical Mapping for "AllergyIntolerance Clinical Status Codes"
- ConceptMap: Translation target in Canonical Mapping for "BiologicallyDerivedProductStatus"
- ConceptMap: Translation target in Canonical Mapping for "PublicationStatus"
- ConceptMap: Translation target in Canonical Mapping for "AllergyIntolerance Verification Status Codes"
- ConceptMap: Translation target in Canonical Mapping for "FamilyHistoryStatus"
- ConceptMap: Translation target in Canonical Mapping for "CompositionStatus"
- ConceptMap: Translation target in Canonical Mapping for "Validation-status"
- ConceptMap: Translation target in Canonical Mapping for "RequestStatus"
- ConceptMap: Translation target in Canonical Mapping for "ObservationStatus"
- ConceptMap: Translation target in Canonical Mapping for "Immunization Evaluation Status Codes"
- ConceptMap: Translation target in Canonical Mapping for "EventStatus"
- ConceptMap: Translation target in Canonical Mapping for "ExplanationOfBenefitStatus"
- ConceptMap: Translation target in Canonical Mapping for "Contract Resource Status Codes"
- ConceptMap: Translation target in Canonical Mapping for "SupplyRequestStatus"
- ConceptMap: Translation target in Canonical Mapping for "AppointmentStatus"
- ConceptMap: Translation target in Canonical Mapping for "ResearchSubjectStatus"
- ConceptMap: Translation target in Canonical Mapping for "Medication administration status codes"
- ConceptMap: Translation target in Canonical Mapping for "Medication knowledge status codes"
- ConceptMap: Translation target in Canonical Mapping for "Immunization Status Codes"
- ConceptMap: Translation target in Canonical Mapping for "Medicationrequest status"
- ConceptMap: Translation target in Canonical Mapping for "Status"
- ConceptMap: Translation target in Canonical Mapping for "ParticipationStatus"
- ConceptMap: Translation target in Canonical Mapping for "DeviceUseStatementStatus"
- ConceptMap: Translation target in Canonical Mapping for "ChargeItemStatus"
- ConceptMap: Translation target in Canonical Mapping for "ListStatus"
- ConceptMap: Translation target in Canonical Mapping for "ConsentState"
- ConceptMap: Translation target in Canonical Mapping for "SlotStatus"
- ConceptMap: Translation target in Canonical Mapping for "FHIRSubstanceStatus"
- ConceptMap: Translation target in Canonical Mapping for "Medication dispense status codes"
- ConceptMap: Translation target in Canonical Mapping for "MeasureReportStatus"
- ConceptMap: Translation target in Canonical Mapping for "SpecimenStatus"
- ConceptMap: Translation target in Canonical Mapping for "AccountStatus"
- ConceptMap: Translation target in Canonical Mapping for "EndpointStatus"

4.4.1.52.1 Content Logical Definition

This value set includes codes from the following code systems:

- Include all codes defined in http://hl7.org/fhir/resource-status

4.4.1.52.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 31 concepts

Expansion based on http://hl7.org/fhir/resource-status version 4.0.1

All codes from system http://hl7.org/fhir/resource-status

Code | Display | Definition
error | error | The resource was created in error, and should not be treated as valid (note: in many cases, for various data integrity related reasons, the information cannot be removed from the record)
proposed | proposed | The resource describes an action or plan that is proposed, and not yet approved by the participants
planned | planned | The resource describes a course of action that is planned and agreed/approved, but at the time of recording was still future
draft | draft | The information in the resource is still being prepared and edited
requested | requested | A fulfiller has been asked to perform this action, but it has not yet occurred
received | received | The fulfiller has received the request, but not yet agreed to carry out the action

declined | declined | The fulfiller chose not to perform the action
accepted | accepted | The fulfiller has decided to perform the action, and plans are in train to do this in the future
arrived | arrived | The pre-conditions for the action are all fulfilled, and it is imminent
active | active | The resource describes information that is currently valid or a process that is presently occuring
suspended | suspended | The process described/requested in this resource has been halted for some reason
failed | failed | The process described/requested in the resource could not be completed, and no further action is planned
replaced | replaced | The information in this resource has been replaced by information in another resource
complete | complete | The process described/requested in the resource has been completed, and no further action is planned
inactive | inactive | The resource describes information that is no longer valid or a process that is stopped occurring
abandoned | abandoned | The process described/requested in the resource did not complete - usually due to some workflow error, and no further action is planned
unknown | unknown | Authoring system does not know the status
unconfirmed | unconfirmed | The information in this resource is not yet approved
confirmed | confirmed | The information in this resource is approved
resolved | resolved | The issue identified by this resource is no longer of concern
refuted | refuted | This information has been ruled out by testing and evaluation
differential | differential | Potentially true?
partial | partial | This information is still being assembled
busy-unavailable | busy-unavailable | not available at this time/location
free | free | Free for scheduling
on-target | on-target | Ready to act
ahead-of-target | ahead-of-target | Ahead of the planned timelines
behind-target | behind-target
not-ready | not-ready | Behind the planned timelines
transduc-discon | transduc-discon | The device transducer is disconnected
hw-discon | hw-discon | The hardware is disconnected

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.53 Value Set http://hl7.org/fhir/ValueSet/capability-statement-kind

URL: https://hl7.org/fhir/R4/valueset-capability-statement-kind.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Conformance Package for further details.

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/capability-statement-kind
Version: | 4.0.1
Name: | CapabilityStatementKind
Title: | CapabilityStatementKind
Definition: | How a capability statement is intended to be used.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.198 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for CapabilityStatementKind
• Resource: CapabilityStatement.kind (code / Required)
• Resource: TerminologyCapabilities.kind (code / Required)

4.4.1.53.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/capability-statement-kind

4.4.1.53.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/capability-statement-kind version 4.0.1

All codes from system http://hl7.org/fhir/capability-statement-kind

Code | Display | Definition
instance | Instance | The CapabilityStatement instance represents the present capabilities of a specific system instance. This is the kind returned by /metadata for a FHIR server end-point.
capability | Capability | The CapabilityStatement instance represents the capabilities of a system or piece of software, independent of a particular installation.
requirements | Requirements | The CapabilityStatement instance represents a set of requirements for other systems to meet; e.g. as part of an implementation guide or 'request for proposal'.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.54 Value Set http://hl7.org/fhir/ValueSet/ex-revenue-center

URL: https://hl7.org/fhir/R4/valueset-ex-revenue-center.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/ex-revenue-center
Version: | 4.0.1
Name: | ExampleRevenueCenterCodes
Title: | Example Revenue Center Codes
Definition: | This value set includes sample Revenue Center codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.594 (for OID based terminology systems)
Copyright: | These codes have been appropriated from the UB04 code set owned and managed by the AHA . Users require a license from the AHA in order to use these codes. Note: the codes have been withdrawn in a later version
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ExampleRevenueCenterCodes
• Resource: ExplanationOfBenefit.item.revenue (CodeableConcept / Example)
• Resource: ExplanationOfBenefit.item.detail.revenue (CodeableConcept / Example)
• Resource: ExplanationOfBenefit.item.detail.subDetail.revenue (CodeableConcept / Example)
• Resource: Claim.item.revenue (CodeableConcept / Example)
• Resource: Claim.item.detail.revenue (CodeableConcept / Example)
• Resource: Claim.item.detail.subDetail.revenue (CodeableConcept / Example)

4.4.1.54.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/ex-revenue-center

4.4.1.54.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 9 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/ex-revenue-center version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/ex-revenue-center

Code | Display | Definition
0370 | Anaesthesia | Anaesthesia.
0420 | Physical Therapy | Physical Therapy.
0421 | Physical Therapy - | Physical Therapy - visit charge.
0440 | Speech-Language Pathology | Speech-Language Pathology.
0441 | Speech-Language Pathology - Visit | Speech-Language Pathology- visit charge

0450 | Emergency Room | Emergency Room
0451 | Emergency Room - EM/EMTALA | Emergency Room - EM/EMTALA
0452 | Emergency Room - beyond EMTALA | Emergency Room - beyond EMTALA
0010 | Vision Clinic | Vision Clinic

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.55 Value Set http://hl7.org/fhir/ValueSet/contract-scope

URL: https://hl7.org/fhir/R4/valueset-contract-scope.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contract-scope
Version: | 4.0.1
Name: | ContractResourceScopeCodes
Title: | Contract Resource Scope codes
Definition: | This value set contract specific codes for scope.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.1216 (for OID based terminology systems)
Copyright: | HL7 International.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ContractResourceScopeCodes

• Resource: Contract.scope (CodeableConcept / Example)

4.4.1.55.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/contract-scope

4.4.1.55.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 1 concepts

Expansion based on http://hl7.org/fhir/contract-scope version 4.0.1

All codes from system http://hl7.org/fhir/contract-scope

Code | Display | Definition
policy | Policy | To be completed

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.56 Value Set http://hl7.org/fhir/ValueSet/surface

URL: https://hl7.org/fhir/R4/valueset-surface.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/surface
Version: | 4.0.1
Name: | SurfaceCodes
Title: | Surface Codes
Definition: | This value set includes a smattering of FDI tooth surface codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.546 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for SurfaceCodes
• Resource: ExplanationOfBenefit.item.subSite (CodeableConcept / Example)
• Resource: ExplanationOfBenefit.addItem.subSite (CodeableConcept / Example)
• Resource: ClaimResponse.addItem.subSite (CodeableConcept / Example)
• Resource: Claim.item.subSite (CodeableConcept / Example)

4.4.1.56.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/FDI-surface

4.4.1.56.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 11 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/FDI-surface version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/FDI-surface

Code | Display | Definition
M | Mesial | The surface of a tooth that is closest to the midline (middle) of the face.
O | Occlusal | The chewing surface of posterior teeth.
I | Incisal | The biting edge of anterior teeth.
D | Distal | The surface of a tooth that faces away from the midline of the face.
B | Buccal | The surface of a posterior tooth facing the cheeks.
V | Ventral | The surface of a tooth facing the lips.
L | Lingual | The surface of a tooth facing the tongue.
MO | Mesioclusal | The Mesioclusal surfaces of a tooth.
DO | Distoclusal | The Distoclusal surfaces of a tooth.
DI | Distoincisal | The Distoincisal surfaces of a tooth.
MOD | Mesioclusodistal | The Mesioclusodistal surfaces of a tooth.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.57 Value Set http://hl7.org/fhir/ValueSet/composite-measure-scoring

URL: https://hl7.org/fhir/R4/valueset-composite-measure-scoring.html
Clinical Quality Information Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/composite-measure-scoring
Version: | 4.0.1
Name: | CompositeMeasureScoring
Title: | CompositeMeasureScoring
Definition: | The composite scoring method of the measure.
Committee: | Clinical Quality Information Work Group
OID: | 2.16.840.1.113883.4.642.3.773 (for OID based terminology systems)

Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for CompositeMeasureScoring

• Resource: Measure.compositeScoring (CodeableConcept / Extensible)

• Profile: ShareableMeasure: Measure.compositeScoring (CodeableConcept / Extensible)

4.4.1.57.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/composite-measure-scoring

4.4.1.57.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/composite-measure-scoring version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/composite-measure-scoring

Code | Display | Definition
opportunity | Opportunity | Opportunity scoring combines the scores from component measures by combining the numerators and denominators for each component.
all-or-nothing | All-or-nothing | All-or-nothing scoring includes an individual in the numerator of the composite measure if they are in the numerators of all of the component measures in which they are in the denominator.
linear | Linear | Linear scoring gives an individual a score based on the number of numerators in which they appear.
weighted | Weighted | Weighted scoring gives an individual a score based on a weighted factor for each component numerator in which they appear.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.58 Value Set http://hl7.org/fhir/ValueSet/questionnaire-answers-status

URL: https://hl7.org/fhir/R4/valueset-questionnaire-answers-status.html
FHIR Infrastructure Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/questionnaire-answers-status
Version: | 4.0.1
Name: | QuestionnaireResponseStatus
Title: | QuestionnaireResponseStatus
Definition: | Lifecycle status of the questionnaire response.
Committee: | FHIR Infrastructure Work Group
OID: | required (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for QuestionnaireResponseStatus

• ConceptMap: Translation source in Canonical Mapping for "QuestionnaireResponseStatus"

• Resource: QuestionnaireResponse.status (code / Required)

4.4.1.58.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/questionnaire-answers-status

4.4.1.58.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/questionnaire-answers-status version 4.0.1

All codes from system http://hl7.org/fhir/questionnaire-answers-status

Code | Display | Definition | Canonical Status
in-progress | In Progress | This QuestionnaireResponse has been partially filled out with answers but changes or additions are still expected to be made to it. | ~active
completed | Completed | This QuestionnaireResponse has been filled out with answers and the current content is regarded as definitive. | ~complete
amended | Amended | This QuestionnaireResponse has been filled out with answers, then marked as complete, yet changes or additions have been made to it afterwards. | ~replaced
entered-in-error | Entered in Error | This QuestionnaireResponse was entered in error and voided. | ~error
stopped | Stopped | This QuestionnaireResponse has been partially filled out with answers but has been abandoned. It is unknown whether changes or additions are expected to be made to it. | ~failed

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.59 Value Set http://hl7.org/fhir/ValueSet/hl7-work-group

URL: https://hl7.org/fhir/R4/valueset-hl7-work-group.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/hl7-work-group
Version: | 4.0.1
Name: | HL7Workgroup
Title: | HL7Workgroup
Definition: | An HL7 administrative unit that owns artifacts in the FHIR specification.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.944 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for HL7Workgroup

4.4.1.59.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/hl7-work-group

4.4.1.59.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 24 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/hl7-work-group version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/hl7-work-group

Code | Display | Definition
cbcc | Community Based Collaborative Care | Community Based Collaborative Care (http://www.hl7.org/Special/committees/cbcc/index.cfm).
cds | Clinical Decision Support | Clinical Decision Support (http://www.hl7.org/Special/committees/dss/index.cfm).
cqi | Clinical Quality Information | Clinical Quality Information (http://www.hl7.org/Special/committees/cqi/index.cfm).
cg | Clinical Genomics | Clinical Genomics (http://www.hl7.org/Special/committees/clingenomics/index.cfm).
dev | Health Care Devices | Health Care Devices (http://www.hl7.org/Special/committees/healthcaredevices/index.cfm).
ehr | Electronic Health Records | Electronic Health Records (http://www.hl7.org/special/committees/ehr/index.cfm).
fhir | FHIR Infrastructure | FHIR Infrastructure (http://www.hl7.org/Special/committees/fiwg/index.cfm).
fm | Financial Management | Financial Management (http://www.hl7.org/Special/committees/fm/index.cfm).
hsi | Health Standards Integration | Health Standards Integration (http://www.hl7.org/Special/committees/hsi/index.cfm).
ii | Imaging Integration | Imaging Integration (http://www.hl7.org/Special/committees/imagemgt/index.cfm).
inm | Infrastructure And Messaging | Infrastructure And Messaging (http://www.hl7.org/special/committees/inm/index.cfm).
its | Implementable Technology Specifications | Implementable Technology Specifications (http://www.hl7.org/special/committees/xml/index.cfm).

mnm | Modeling and Methodology | Modeling and Methodology (http://www.hl7.org/Special/committees/mnm/index.cfm).
oo | Orders and Observations | Orders and Observations (http://www.hl7.org/Special/committees/orders/index.cfm).
pa | Patient Administration | Patient Administration (http://www.hl7.org/Special/committees/pafm/index.cfm).
pc | Patient Care | Patient Care (http://www.hl7.org/Special/committees/patientcare/index.cfm).
pher | Public Health and Emergency Response | Public Health and Emergency Response (http://www.hl7.org/Special/committees/pher/index.cfm).
phx | Pharmacy | Pharmacy (http://www.hl7.org/Special/committees/medication/index.cfm).
brr | Biomedical Research and Regulation | Biomedical Research and Regulation (http://www.hl7.org/Special/committees/rcrim/index.cfm).
sd | Structured Documents | Structured Documents (http://www.hl7.org/Special/committees/structure/index.cfm).
sec | Security | Security (http://www.hl7.org/Special/committees/secure/index.cfm).
us | US Realm Taskforce | US Realm Taskforce (http://www.hl7.org/Special/committees/usrealm/index.cfm).
vocab | Vocabulary | Vocabulary (http://www.hl7.org/Special/committees/Vocab/index.cfm).
aid | Application Implementation and Design | Application Implementation and Design (http://www.hl7.org/Special/committees/java/index.cfm).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.60 Value Set http://hl7.org/fhir/ValueSet/care-team-status

URL: https://hl7.org/fhir/R4/valueset-care-team-status.html
Patient Care Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/care-team-status
Version: | 4.0.1
Name: | CareTeamStatus
Title: | CareTeamStatus
Definition: | Indicates the status of the care team.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.153 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for CareTeamStatus
• ConceptMap: Translation source in Canonical Mapping for "CareTeamStatus"
• Resource: CareTeam.status (code / Required)

4.4.1.60.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/care-team-status

4.4.1.60.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/care-team-status version 4.0.1

All codes from system http://hl7.org/fhir/care-team-status

Code | Display | Definition | Canonical Status
proposed | Proposed | The care team has been drafted and proposed, but not yet participating in the coordination and delivery of patient care. | ~proposed
active | Active | The care team is currently participating in the coordination and delivery of care. | ~active
suspended | Suspended | The care team is temporarily on hold or suspended and not participating in the coordination and delivery of care. | ~suspended
inactive | Inactive | The care team was, but is no longer, participating in the coordination and delivery of care. | ~inactive
entered-in-error | Entered in Error | The care team should have never existed. | ~error

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.61 Value Set http://hl7.org/fhir/ValueSet/servicerequest-category

URL: https://hl7.org/fhir/R4/valueset-servicerequest-category.html
Orders and Observations Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined at http://www.hl7.org/Special/committees/orders/index.cfm .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/servicerequest-category
Version: | 4.0.1
Name: | ServiceRequestCategoryCodes
Title: | Service Request Category Codes
Definition: | An example value set of SNOMED CT concepts that can classify a requested service
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.434 (for OID based terminology systems)
Copyright: | This specification includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org.
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: ServiceRequest.category (CodeableConcept / Example)
• Profile: ServiceRequest-Genetics: ServiceRequest.category (CodeableConcept / Example)

4.4.1.61.1 Content Logical Definition

This value set includes codes from the following code systems:

http://snomed.info/sct

Code | Display
108252007 | Laboratory procedure
363679005 | Imaging
409063005 | Counselling
409073007 | Education
387713003 | Surgical procedure

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.62 Value Set http://hl7.org/fhir/ValueSet/consent-performer

URL: https://hl7.org/fhir/R4/valueset-consent-performer.html
Community Based Collaborative Care Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/consent-performer
Version: | 4.0.1
Name: | PerformerRoleCodes

Title: | Performer Role Codes
Definition: | This value set includes sample Performer Role codes.
Committee: | Community Based Collaborative Care Work Group
OID: | 2.16.840.1.113883.4.642.3.1016 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for PerformerRoleCodes

4.4.1.62.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/consentperformer

4.4.1.62.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/consentperformer version 4.0.1

All codes from system http://hl7.org/fhir/consentperformer

Code | Display | Definition
consenter | Consenter | An entity or an entity's delegatee who is the grantee in an agreement such as a consent for services, advanced directive, or a privacy consent directive in accordance with jurisdictional, organizational, or patient policy.
grantee | Grantee | An entity which accepts certain rights or authority from a grantor.
grantor | Grantor | An entity which agrees to confer certain rights or authority to a grantee.
delegatee | Delegatee | A party to whom some right or authority is granted by a delegator.
delegator | Delegator | A party that grants all or some portion its right or authority to another party.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.63 Value Set http://hl7.org/fhir/ValueSet/communication-not-done-reason

URL: https://hl7.org/fhir/R4/valueset-communication-not-done-reason.html
Patient Care Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/communication-not-done-reason
Version: | 4.0.1
Name: | CommunicationNotDoneReason
Title: | CommunicationNotDoneReason
Definition: | Codes for the reason why a communication did not happen.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.174 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for CommunicationNotDoneReason

• Resource: Communication.statusReason (CodeableConcept / Example)

4.4.1.63.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/communication-not-done-reason

4.4.1.63.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 6 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/communication-not-done-reason version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/communication-not-done-reason

Code | Display | Definition
unknown | Unknown | The communication was not done due to an unknown reason.
system-error | System Error | The communication was not done due to a system error.
invalid-phone-number | Invalid Phone Number | The communication was not done due to an invalid phone number.
recipient-unavailable | Recipient Unavailable | The communication was not done due to the recipient being unavailable.
family-objection | Family Objection | The communication was not done due to a family objection.
patient-objection | Patient Objection | The communication was not done due to a patient objection.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.64 Value Set http://hl7.org/fhir/ValueSet/audit-event-outcome

URL: https://hl7.org/fhir/R4/valueset-audit-event-outcome.html
Security Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/audit-event-outcome
Version: | 4.0.1
Name: | AuditEventOutcome
Title: | AuditEventOutcome
Definition: | Indicates whether the event succeeded or failed.
Committee: | Security Work Group
OID: | 2.16.840.1.113883.4.642.3.454 (for OID based terminology systems)
Copyright: | These codes are excerpted from Digital Imaging and Communications in Medicine (DICOM) Standard, Part 16: Content Mapping Resource, Copyright © 2011 by the National Electrical Manufacturers Association.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for AuditEventOutcome
• Resource: AuditEvent.outcome (code / Required)

4.4.1.64.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/audit-event-outcome

4.4.1.64.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/audit-event-outcome version 4.0.1

All codes from system http://hl7.org/fhir/audit-event-outcome

Code | Display | Definition
0 | Success | The operation completed successfully (whether with warnings or not).
4 | Minor failure | The action was not successful due to some kind of minor failure (often equivalent to an HTTP 400 response).
8 | Serious failure | The action was not successful due to some kind of unexpected error (often equivalent to an HTTP 500 response).
12 | Major failure | An error of such magnitude occurred that the system is no longer available for use (i.e. the system died).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.65 Value Set http://hl7.org/fhir/ValueSet/adjudication-error

URL: https://hl7.org/fhir/R4/valueset-adjudication-error.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/adjudication-error
Version: | 4.0.1
Name: | Adjudication Error Codes
Title: | AdjudicationError
Definition: | This value set includes a smattering of adjudication codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.39 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for Adjudication Error Codes
• Resource: CoverageEligibilityResponse.error.code (CodeableConcept / Example)
• Resource: ClaimResponse.error.code (CodeableConcept / Example)

4.4.1.65.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/adjudication-error

4.4.1.65.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/adjudication-error version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/adjudication-error

Code | Display | Definition
a001 | Missing Identifier | Missing Identifier
a002 | Missing Creation Date | Missing Creation Date

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.66 Value Set http://hl7.org/fhir/ValueSet/map-context-type

URL: https://hl7.org/fhir/R4/valueset-map-context-type.html
FHIR Infrastructure Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/map-context-type
Version: | 4.0.1
Name: | StructureMapContextType
Title: | StructureMapContextType

Definition: | How to interpret the context.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.679 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for StructureMapContextType

• Resource: StructureMap.group.rule.target.contextType (code / Required)

4.4.1.66.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/map-context-type

4.4.1.66.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/map-context-type version 4.0.1

All codes from system http://hl7.org/fhir/map-context-type

Code | Display | Definition
type | Type | The context specifies a type.
variable | Variable | The context specifies a variable.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.67 Value Set http://hl7.org/fhir/ValueSet/ref-sequences

URL: https://hl7.org/fhir/R4/valueset-ref-sequences.html

This value set could not be expanded by the publication tooling: Error from server: Unable to provide support for code system http://www.ncbi.nlm.nih.gov/nuccore

Orders and Observations Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/ref-sequences
Version: | 4.0.1
Name: | REFSEQ
Title: | R e f s e q
Definition: | REFSEQ : National Center for Biotechnology Information (NCBI) Reference Sequences
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.6.280 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is not currently used

4.4.1.67.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://www.ncbi.nlm.nih.gov/nuccore

4.4.1.67.2 Expansion

This expansion generated 01 Nov 2019

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.68 Value Set http://hl7.org/fhir/ValueSet/ex-payee-resource-type

URL: https://hl7.org/fhir/R4/valueset-ex-payee-resource-type.html
Financial Management Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/ex-payee-resource-type
Version: | 4.0.1
Name: | ClaimPayeeResourceType
Title: | ClaimPayeeResourceType
Definition: | The type of Claim payee Resource.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.584 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ClaimPayeeResourceType

4.4.1.68.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/ex-payee-resource-type

4.4.1.68.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/ex-payee-resource-type version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/ex-payee-resource-type

Code | Display | Definition
organization | Organization | Organization resource.
patient | Patient | Patient resource.
practitioner | Practitioner | Practitioner resource.
relatedperson | RelatedPerson | RelatedPerson resource.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.69 Value Set http://hl7.org/fhir/ValueSet/measure-data-usage

URL: https://hl7.org/fhir/R4/valueset-measure-data-usage.html
Clinical Quality Information Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/measure-data-usage
Version: | 4.0.1
Name: | MeasureDataUsage
Title: | MeasureDataUsage
Definition: | The intended usage for supplemental data elements in the measure.
Committee: | Clinical Quality Information Work Group
OID: | 2.16.840.1.113883.4.642.3.771 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for MeasureDataUsage

• Resource: Measure.supplementalData.usage (CodeableConcept / Extensible)

• Profile: ShareableMeasure: Measure.supplementalData.usage (CodeableConcept / Extensible)

4.4.1.69.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/measure-data-usage

4.4.1.69.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/measure-data-usage version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/measure-data-usage

Code | Display | Definition
supplemental-data | Supplemental Data | The data is intended to be provided as additional information alongside the measure results.
risk-adjustment-factor | Risk Adjustment Factor | The data is intended to be used to calculate and apply a risk adjustment model for the measure.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.70 Value Set http://hl7.org/fhir/ValueSet/c80-doc-typecodes

URL: https://hl7.org/fhir/R4/valueset-c80-doc-typecodes.html
Structured Documents Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/c80-doc-typecodes
Version: | 4.0.1
Name: | DocumentTypeValueSet
Title: | Document Type Value Set
Definition: | This is the code specifying the precise type of document (e.g. Pulmonary History and Physical, Discharge Summary, Ultrasound Report, etc.). The Document Type value set includes all LOINC values listed in HITSP C80 Table 2-144 Document Class Value Set Definition above used for Document Class, and all LOINC values whose SCALE is DOC in the LOINC database.
Committee: | Structured Documents Work Group
OID: | 2.16.840.1.113883.3.88.12.80.47 (for OID based terminology systems)
Copyright: | This content from LOINC® is copyright © 1995 Regenstrief Institute, Inc. and the LOINC Committee, and available at no cost under the license at http://loinc.org/terms-of-use.
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: DocumentReference.type (CodeableConcept / Preferred)

4.4.1.70.1 Content Logical Definition

This value set includes codes from the following code systems:

http://loinc.org

Code | Display
55107-7 | Addendum Document
74155-3 | ADHD action plan
51851-4 | Administrative note
67851-6 | Admission evaluation note
34744-3 | Nurse Admission evaluation note
34873-0 | Surgery Admission evaluation note

68552-9 | Emergency medicine Emergency department Admission evaluation note
67852-4 | Hospital Admission evaluation note
68471-2 | Cardiology Hospital Admission evaluation note
68483-7 | Cardiology Medical student Hospital Admission evaluation note
64058-1 | Critical Care Medicine Hospital Admission evaluation note
64070-6 | Critical care medicine Medical student Hospital Admission evaluation note
64053-2 | General medicine Hospital Admission evaluation note
64054-0 | General medicine Medical student Hospital Admission evaluation note
34862-3 | General medicine Physician attending Hospital Admission evaluation note
64062-3 | Pulmonary Hospital Admission evaluation note
64078-9 | Pulmonary Medical student Hospital Admission evaluation note
64066-4 | Surgery Medical student Hospital Admission evaluation note
64060-7 | Thoracic surgery Hospital Admission evaluation note
64074-8 | Thoracic surgery Medical student Hospital Admission evaluation note
51849-8 | Admission history and physical note
34763-3 | General medicine Admission history and physical note
47039-3 | Hospital Admission history and physical note
34094-3 | Cardiology Hospital Admission history and physical note
57830-2 | Admission request Document
48765-2 | Allergies and adverse reactions Document
74152-0 | Anaphylaxis action plan
61359-6 | Patient Anesthesia consent
57055-6 | Antepartum summary note
56446-8 | Appointment summary Document
51848-0 | Assessment note
68814-3 | Pediatrics Assessment note
64064-9 | Pastoral care Hospital Assessment note
51847-2 | Assessment + Plan note
69981-9 | Asthma action plan
74154-6 | Autism action plan
71230-7 | Birth certificate Document
72134-0 | Cancer event report
55108-5 | Clinical presentation Document
73568-8 | Communication of critical results [Description] Document
74144-7 | Complex medical conditions action plan
55109-3 | Complications Document
34095-0 | Comprehensive history and physical note
34096-8 | Nursing facility Comprehensive history and physical note
63485-7 | Computer generated recommendation Document
55110-1 | Conclusions Document
34098-4 | Conference note
34097-6 | Nursing facility Conference note
47040-1 | Consultation 2nd opinion
47041-9 | Hospital Consultation 2nd opinion
59284-0 | Patient Consent
11488-4 | Consult note
34099-2 | Cardiology Consult note
34756-7 | Dentistry Consult note
34758-3 | Dermatology Consult note
34760-9 | Diabetology Consult note
34879-7 | Endocrinology Consult note
34761-7 | Gastroenterology Consult note
34764-1 | General medicine Consult note
34776-5 | Geriatric medicine Consult note
34779-9 | Hematology+Medical Oncology Consult note
34781-5 | Infectious disease Consult note
72555-6 | Interventional radiology Consult note
34783-1 | Kinesiotherapy Consult note
34785-6 | Mental health Consult note
34795-5 | Nephrology Consult note
34798-9 | Neurological surgery Consult note
34797-1 | Neurology Consult note
34800-3 | Nutrition and dietetics Consult note
34777-3 | Obstetrics and Gynecology Consult note
34803-7 | Occupational medicine Consult note
34855-7 | Occupational therapy Consult note
34805-2 | Oncology Consult note
34807-8 | Ophthalmology Consult note
34810-2 | Optometry Consult note
34812-8 | Oral and Maxillofacial Surgery Consult note
34814-4 | Orthopaedic surgery Consult note
34816-9 | Otolaryngology Consult note

34820-1 | Pharmacy Consult note
34822-7 | Physical medicine and rehabilitation Consult note
34824-3 | Physical therapy Consult note
34826-8 | Plastic surgery Consult note
34828-4 | Podiatry Consult note
34788-0 | Psychiatry Consult note
34791-4 | Psychology Consult note
34103-2 | Pulmonary Consult note
34831-8 | Radiation oncology Consult note
73575-3 | Radiology Consult note
34833-4 | Recreational therapy Consult note
34837-5 | Respiratory therapy Consult note
34839-1 | Rheumatology Consult note
34841-7 | Social work Consult note
34845-8 | Speech-language pathology+Audiology Consult note
34847-4 | Surgery Consult note
34849-0 | Thoracic surgery Consult note
34851-6 | Urology Consult note
34853-2 | Vascular surgery Consult note
51846-4 | Emergency department Consult note
34104-0 | Hospital Consult note
68619-6 | Adolescent medicine Hospital Consult note
68633-7 | Allergy and immunology Hospital Consult note
68639-4 | Audiology Hospital Consult note
68486-0 | Cardiology Medical student Hospital Consult note
68648-5 | Child and adolescent psychiatry Hospital Consult note
68651-9 | Clinical biochemical genetics Hospital Consult note
68661-8 | Clinical genetics Hospital Consult note
64072-2 | Critical care medicine Medical student Hospital Consult note
68551-1 | Dermatology Hospital Consult note
68670-9 | Developmental-behavioral pediatrics Hospital Consult note
64056-5 | General medicine Medical student Hospital Consult note
68681-6 | Multi-specialty program Hospital Consult note
68685-7 | Neonatal perinatal medicine Hospital Consult note
68694-9 | Neurological surgery Hospital Consult note
68705-3 | Neurology with special qualifications in child neurology Hospital Consult note
68566-9 | Obstetrics and Gynecology Hospital Consult note
68570-1 | Occupational therapy Hospital Consult note
68575-0 | Ophthalmology Hospital Consult note
68716-0 | Pain medicine Hospital Consult note
68469-6 | Pastoral care Hospital Consult note
68727-7 | Pediatric cardiology Hospital Consult note
68892-9 | Pediatric dermatology Hospital Consult note
68897-8 | Pediatric endocrinology Hospital Consult note
68746-7 | Pediatric gastroenterology Hospital Consult note
68757-4 | Pediatric hematology-oncology Hospital Consult note
68765-7 | Pediatric infectious diseases Hospital Consult note
68869-7 | Pediatric nephrology Hospital Consult note
68874-7 | Pediatric otolaryngology Hospital Consult note
68787-1 | Pediatric pulmonology Hospital Consult note
68879-6 | Pediatric rheumatology Hospital Consult note
68802-8 | Pediatric surgery Hospital Consult note
68864-8 | Pediatric transplant hepatology Hospital Consult note
68812-7 | Pediatric urology Hospital Consult note
68821-8 | Pediatrics Hospital Consult note
68586-7 | Pharmacy Hospital Consult note
68590-9 | Physical therapy Hospital Consult note
68597-4 | Plastic surgery Hospital Consult note
68837-4 | Primary care Hospital Consult note
34102-4 | Psychiatry Hospital Consult note
64080-5 | Pulmonary Medical student Hospital Consult note
68846-5 | Speech-language pathology Hospital Consult note
64068-0 | Surgery Medical student Hospital Consult note
64076-3 | Thoracic surgery Medical student Hospital Consult note
68852-3 | Transplant surgery Hospital Consult note
34100-8 | Intensive care unit Consult note
51854-8 | Long term care facility Consult note
51845-6 | Outpatient Consult note
34749-2 | Anesthesiology Outpatient Consult note
34101-6 | General medicine Outpatient Consult note
47042-7 | Counseling note
34864-9 | Mental health Counseling note

34869-8 | Pharmacy Counseling note
34865-6 | Psychiatry Counseling note
34866-4 | Psychology Counseling note
34872-2 | Social work Counseling note
55111-9 | Current imaging procedure descriptions Document
74148-8 | Cystic fibrosis action plan
64297-5 | Death certificate
74208-0 | Demographic information + History of occupation Document
51899-3 | Details Document
74150-4 | Diabetes type I action plan
74151-2 | Diabetes type II action plan
47048-4 | Diagnostic interventional study report Interventional radiology
70004-7 | Diagnostic study note
68611-3 | Adolescent medicine Diagnostic study note
68625-3 | Allergy and immunology Diagnostic study note
68635-2 | Audiology Diagnostic study note
68641-0 | Child and adolescent psychiatry Diagnostic study note
68652-7 | Clinical genetics Diagnostic study note
68673-3 | Multi-specialty program Diagnostic study note
68687-3 | Neurological surgery Diagnostic study note
68556-0 | Neurology Diagnostic study note
68696-4 | Neurology with special qualifications in child neurology Diagnostic study note
68557-8 | Obstetrics and Gynecology Diagnostic study note
68577-6 | Orthopaedic surgery Diagnostic study note
68708-7 | Pain medicine Diagnostic study note
68718-6 | Pediatric cardiology Diagnostic study note
68748-3 | Pediatric hematology-oncology Diagnostic study note
68767-3 | Pediatric nephrology Diagnostic study note
68778-0 | Pediatric pulmonology Diagnostic study note
68794-7 | Pediatric surgery Diagnostic study note
68855-6 | Pediatric transplant hepatology Diagnostic study note
68804-4 | Pediatric urology Diagnostic study note
68604-8 | Radiology Diagnostic study note
68640-2 | Audiology Hospital Diagnostic study note
68706-1 | Neurology with special qualifications in child neurology Hospital Diagnostic study note
68788-9 | Pediatric pulmonology Hospital Diagnostic study note
68822-6 | Pediatrics Hospital Diagnostic study note
74213-0 | Discharge instructions
60280-5 | Emergency department Discharge instructions
8653-8 | Hospital Discharge instructions
18842-5 | Discharge summary
68612-1 | Adolescent medicine Discharge summary
68626-1 | Allergy and immunology Discharge summary
68642-8 | Child and adolescent psychiatry Discharge summary
68653-5 | Clinical genetics Discharge summary
68663-4 | Developmental-behavioral pediatrics Discharge summary
68674-1 | Multi-specialty program Discharge summary
68688-1 | Neurological surgery Discharge summary
68697-2 | Neurology with special qualifications in child neurology Discharge summary
34745-0 | Nurse Discharge summary
68558-6 | Obstetrics and Gynecology Discharge summary
68572-7 | Ophthalmology Discharge summary
68578-4 | Orthopaedic surgery Discharge summary
68709-5 | Pain medicine Discharge summary
68719-4 | Pediatric cardiology Discharge summary
68733-5 | Pediatric endocrinology Discharge summary
68738-4 | Pediatric gastroenterology Discharge summary
68749-1 | Pediatric hematology-oncology Discharge summary
68768-1 | Pediatric nephrology Discharge summary
68773-1 | Pediatric otolaryngology Discharge summary
68779-8 | Pediatric pulmonology Discharge summary
68795-4 | Pediatric surgery Discharge summary
68856-4 | Pediatric transplant hepatology Discharge summary
68805-1 | Pediatric urology Discharge summary
68815-0 | Pediatrics Discharge summary
68591-7 | Plastic surgery Discharge summary
68831-7 | Primary care Discharge summary
59259-2 | Psychiatry Discharge summary
68841-6 | Speech-language pathology Discharge summary
59258-4 | Emergency department Discharge summary
34105-7 | Hospital Discharge summary
68823-4 | Pediatrics Hospital Discharge summary

34106-5 | Physician Hospital Discharge summary
55112-7 | Document summary
34895-3 | Education note
34897-9 | Diabetology Education note
67854-0 | Geriatric medicine Education note
68477-9 | Nurse Hospital Education note
68605-5 | Recreational therapy Hospital Education note
67855-7 | Outpatient Education note
34902-7 | Geriatric medicine Outpatient Education note
34107-3 | Patient's home Education note
34856-5 | Evaluation and management of anticoagulation note
34859-9 | Evaluation and management of hyperlipidemia
34860-7 | Evaluation and management of hypertension
70005-4 | Evaluation and management of smoking cessation
64142-3 | Hospital Evaluation and management of smoking cessation
34857-3 | Evaluation and management of substance abuse note
72267-8 | Evaluation of mental and physical incapacity certificate Document
47420-5 | Functional status assessment note
47043-5 | Group counseling note
34787-2 | Mental health Group counseling note
34790-6 | Psychiatry Group counseling note
34793-0 | Psychology Group counseling note
34843-3 | Social work Group counseling note
34114-9 | Hospital Group counseling note
64290-0 | Health insurance card
64291-8 | Health insurance-related form
57024-2 | Health Quality Measure document
64289-2 | Health record cover sheet
51897-7 | Healthcare Associated Infection report Document
56444-3 | Healthcare communication Document
74146-2 | Heart disease action plan
34117-2 | History and physical note
68614-7 | Adolescent medicine History and physical note
68622-0 | Advanced heart failure and transplant cardiology History and physical note
68628-7 | Allergy and immunology History and physical note
68637-8 | Audiology History and physical note
68644-4 | Child and adolescent psychiatry History and physical note
68655-0 | Clinical genetics History and physical note
68665-9 | Developmental-behavioral pediatrics History and physical note
68676-6 | Multi-specialty program History and physical note
68683-2 | Neonatal perinatal medicine History and physical note
68690-7 | Neurological surgery History and physical note
68699-8 | Neurology with special qualifications in child neurology History and physical note
68560-2 | Obstetrics and Gynecology History and physical note
68573-5 | Ophthalmology History and physical note
68580-0 | Orthopaedic surgery History and physical note
68711-1 | Pain medicine History and physical note
68721-0 | Pediatric cardiology History and physical note
68731-9 | Pediatric dermatology History and physical note
68735-0 | Pediatric endocrinology History and physical note
68740-0 | Pediatric gastroenterology History and physical note
68751-7 | Pediatric hematology-oncology History and physical note
68760-8 | Pediatric infectious diseases History and physical note
68770-7 | Pediatric nephrology History and physical note
68775-6 | Pediatric otolaryngology History and physical note
68781-4 | Pediatric pulmonology History and physical note
68791-3 | Pediatric rheumatology History and physical note
68797-0 | Pediatric surgery History and physical note
68858-0 | Pediatric transplant hepatology History and physical note
68807-7 | Pediatric urology History and physical note
68817-6 | Pediatrics History and physical note
28626-0 | Physician History and physical note
68592-5 | Plastic surgery History and physical note
68833-3 | Primary care History and physical note
68599-0 | Psychiatry History and physical note
68843-2 | Speech-language pathology History and physical note
34774-0 | Surgery History and physical note
68849-9 | Transplant surgery History and physical note
11492-6 | Provider-unspecifed, History and physical note
34115-6 | Medical student Hospital History and physical note
68825-9 | Pediatrics Hospital History and physical note
67856-5 | Nursing facility History and physical note

34116-4 | Physician Nursing facility History and physical note
74264-3 | HIV summary registry report Document
74149-6 | Inflammatory bowel disease action plan
28636-9 | Provider-unspecified Initial assessment
28581-7 | Chiropractic medicine Initial assessment note
68553-7 | Hematology+Medical Oncology Initial assessment note
18740-1 | Speech-language pathology Initial assessment note
47044-3 | Hospital Initial assessment note
64065-6 | Case manager Hospital Initial assessment note
68470-4 | Respiratory therapy Hospital Initial assessment note
34119-8 | Nursing facility Initial assessment note
34120-6 | Outpatient Initial assessment note
34118-0 | Patient's home Initial assessment note
74209-8 | Injury event summary Document
74188-4 | InterRAI Acute Care (AC) Hospital Document
74194-2 | InterRAI Community Health Assessment (CHA) Document
74191-8 | InterRAI Community Health Assessment - Assisted Living Supplement (CHA-AL) Document
74190-0 | InterRAI Community Health Assessment - Deafblind Supplement (CHA-Db) Document
74193-4 | InterRAI Community Health Assessment - Functional Supplement (CHA-FS) Document
74192-6 | InterRAI Community Health Assessment - Mental Health Supplement (CHA-MH) Document
74197-5 | InterRAI Contact Assessment (CA) Document
74187-6 | InterRAI Emergency Screener for Psychiatry (ESP) Document
74196-7 | InterRAI Home Care (HC) Document
74195-9 | InterRAI Long Term Care Facility (LTCF) Document
74189-2 | InterRAI Palliative Care (PC) Document
34121-4 | Interventional procedure note
34896-1 | Cardiology Interventional procedure note
34899-5 | Gastroenterology Interventional procedure note
55113-5 | Key images Document Radiology
57056-4 | Labor and delivery admission history and physical note
57057-2 | Labor and delivery summary note
64299-1 | Legal document
51852-2 | Letter
68684-0 | Neonatal perinatal medicine Letter
68866-3 | Pediatric nephrology Letter
68593-3 | Plastic surgery Letter
68609-7 | Hospital Letter
68620-4 | Adolescent medicine Hospital Letter
68624-6 | Advanced heart failure and transplant cardiology Hospital Letter
68634-5 | Allergy and immunology Hospital Letter
68649-3 | Child and adolescent psychiatry Hospital Letter
68662-6 | Clinical genetics Hospital Letter
68671-7 | Developmental-behavioral pediatrics Hospital Letter
68555-2 | Hematology+Medical Oncology Hospital Letter
68682-4 | Multi-specialty program Hospital Letter
68686-5 | Neonatal perinatal medicine Hospital Letter
68695-6 | Neurological surgery Hospital Letter
68707-9 | Neurology with special qualifications in child neurology Hospital Letter
68567-7 | Obstetrics and Gynecology Hospital Letter
68571-9 | Occupational therapy Hospital Letter
68576-8 | Ophthalmology Hospital Letter
68585-9 | Orthopaedic surgery Hospital Letter
68717-8 | Pain medicine Hospital Letter
68728-5 | Pediatric cardiology Hospital Letter
68893-7 | Pediatric dermatology Hospital Letter
68898-6 | Pediatric endocrinology Hospital Letter
68747-5 | Pediatric gastroenterology Hospital Letter
68758-2 | Pediatric hematology-oncology Hospital Letter
68766-5 | Pediatric infectious diseases Hospital Letter
68870-5 | Pediatric nephrology Hospital Letter
68875-4 | Pediatric otolaryngology Hospital Letter
68789-7 | Pediatric pulmonology Hospital Letter
68880-4 | Pediatric rheumatology Hospital Letter
68803-6 | Pediatric surgery Hospital Letter
68865-5 | Pediatric transplant hepatology Hospital Letter
68813-5 | Pediatric urology Hospital Letter
68826-7 | Pediatrics Hospital Letter
68598-2 | Plastic surgery Hospital Letter
68838-2 | Primary care Hospital Letter
68847-3 | Speech-language pathology Hospital Letter
68853-1 | Transplant surgery Hospital Letter
57058-0 | Maternal discharge summary note

64285-0 | Medical history screening form
60590-7 | Medication dispensed.brief Document
60593-1 | Medication dispensed.extended Document
70006-2 | Medication management note
68587-5 | Pharmacy Hospital Medication management note
61357-0 | Medication pharmaceutical advice.brief Document
61356-2 | Medication pharmaceutical advice.extended Document
56445-0 | Medication summary Document
74145-4 | Multiple sclerosis action plan
74147-0 | Muscular dystrophy action plan
59268-3 | Neonatal care report
34109-9 | Note
68615-4 | Adolescent medicine Note
68621-2 | Advanced heart failure and transplant cardiology Note
68629-5 | Allergy and immunology Note
34750-0 | Anesthesiology Note
68636-0 | Audiology Note
34752-6 | Cardiology Note
68645-1 | Child and adolescent psychiatry Note
68650-1 | Clinical biochemical genetics Note
68656-8 | Clinical genetics Note
34754-2 | Critical Care Medicine Note
28618-7 | Dentistry Note
34759-1 | Dermatology Note
68666-7 | Developmental-behavioral pediatrics Note
34861-5 | Diabetology Note
34878-9 | Emergency medicine Note
34898-7 | Endocrinology Note
34762-5 | Gastroenterology Note
34765-8 | General medicine Note
34767-4 | General medicine Medical student Note
34768-2 | General medicine Nurse Note
34769-0 | General medicine Physician attending Note
34780-7 | Hematology+Medical Oncology Note
34782-3 | Infectious disease Note
34794-8 | Interdisciplinary Note
34784-9 | Kinesiotherapy Note
34786-4 | Mental health Note
68677-4 | Multi-specialty program Note
34796-3 | Nephrology Note
34799-7 | Neurological surgery Note
34905-0 | Neurology Note
68700-4 | Neurology with special qualifications in child neurology Note
34746-8 | Nurse Note
34801-1 | Nutrition and dietetics Note
34778-1 | Obstetrics and Gynecology Note
34802-9 | Occupational medicine Note
28578-3 | Occupational therapy Note
34806-0 | Oncology Note
34808-6 | Ophthalmology Note
34811-0 | Optometry Note
34813-6 | Oral and Maxillofacial Surgery Note
34815-1 | Orthopaedic surgery Note
34817-7 | Otolaryngology Note
34858-1 | Pain medicine Note
34906-8 | Pastoral care Note
51855-5 | Patient Note
68722-8 | Pediatric cardiology Note
68889-5 | Pediatric dermatology Note
68894-5 | Pediatric endocrinology Note
68741-8 | Pediatric gastroenterology Note
68752-5 | Pediatric hematology-oncology Note
68761-6 | Pediatric infectious diseases Note
68867-1 | Pediatric nephrology Note
68871-3 | Pediatric otolaryngology Note
68782-2 | Pediatric pulmonology Note
68854-9 | Pediatric rehabilitation medicine Note
68876-2 | Pediatric rheumatology Note
68881-2 | Pediatric surgery Note
68859-8 | Pediatric transplant hepatology Note
68882-0 | Pediatric urology Note
68818-4 | Pediatrics Note

34821-9 | Pharmacy Note
34823-5 | Physical medicine and rehabilitation Note
28579-1 | Physical therapy Note
34827-6 | Plastic surgery Note
34829-2 | Podiatry Note
68834-1 | Primary care Note
28628-6 | Psychiatry Note
34792-2 | Psychology Note
34830-0 | Pulmonary Note
34832-6 | Radiation oncology Note
34834-2 | Recreational therapy Note
68839-0 | Research Note
34838-3 | Respiratory therapy Note
34840-9 | Rheumatology Note
28653-4 | Social work Note
28571-8 | Speech-language pathology Note
34846-6 | Speech-language pathology+Audiology Note
34848-2 | Surgery Note
34773-2 | Surgery Physician attending Note
68848-1 | Transplant surgery Note
34852-4 | Urology Note
34111-5 | Emergency department Note
57053-1 | Nurse Emergency department Note
34112-3 | Hospital Note
64069-8 | Critical care medicine Physician attending Hospital Note
68827-5 | Pediatrics Hospital Note
64077-1 | Pulmonary Physician attending Hospital Note
64073-0 | Thoracic surgery Physician attending Hospital Note
34113-1 | Nursing facility Note
34108-1 | Outpatient Note
34753-4 | Cardiology Outpatient Note
34110-7 | Diabetology Outpatient Note
34766-6 | General medicine Outpatient Note
68601-4 | Psychiatry Outpatient Note
34850-8 | Thoracic surgery Outpatient Note
34854-0 | Vascular surgery Outpatient Note
68672-5 | Geriatric medicine Skilled nursing facility Note
34748-4 | Telephone encounter Note
34139-6 | Nurse Telephone encounter Note
34844-1 | Social work Telephone encounter Note
74166-0 | Occupational summary note
74156-1 | Oncology treatment plan and summary Document
64300-7 | Organ donation consent
60591-5 | Patient summary Document
60592-3 | Patient summary.unexpected contact Document
57834-4 | Patient transportation request Document
48768-6 | Payment sources Document
53576-5 | Personal health monitoring report Document
64296-7 | Personal health monitoring report Automated
72170-4 | Photographic image Unspecified body region Document
56447-6 | Plan of care note
64295-9 | Nurse Plan of care note
51900-9 | Population Summary note
67860-7 | Postoperative evaluation and management note
67861-5 | Ophthalmology Postoperative evaluation and management note
34875-5 | Surgery Postoperative evaluation and management note
34880-5 | Surgery Nurse Postoperative evaluation and management note
68610-5 | Hospital Postoperative evaluation and management note
68606-3 | Surgery Hospital Postoperative evaluation and management note
34867-2 | Ophthalmology Outpatient Postoperative evaluation and management note
64298-3 | Power of attorney
74207-2 | Prehospital summary Document
67862-3 | Preoperative evaluation and management note
68616-2 | Adolescent medicine Preoperative evaluation and management note
68623-8 | Advanced heart failure and transplant cardiology Preoperative evaluation and management note
34751-8 | Anesthesiology Preoperative evaluation and management note
68638-6 | Audiology Preoperative evaluation and management note
68657-6 | Clinical genetics Preoperative evaluation and management note
68550-3 | Dermatology Preoperative evaluation and management note
68678-2 | Multi-specialty program Preoperative evaluation and management note
68691-5 | Neurological surgery Preoperative evaluation and management note
68701-2 | Neurology with special qualifications in child neurology Preoperative evaluation and management note

34747-6 | Nurse Preoperative evaluation and management note
68562-8 | Obstetrics and Gynecology Preoperative evaluation and management note
34809-4 | Ophthalmology Preoperative evaluation and management note
68581-8 | Orthopaedic surgery Preoperative evaluation and management note
68713-7 | Pain medicine Preoperative evaluation and management note
68723-6 | Pediatric cardiology Preoperative evaluation and management note
68732-7 | Pediatric dermatology Preoperative evaluation and management note
68736-8 | Pediatric endocrinology Preoperative evaluation and management note
68742-6 | Pediatric gastroenterology Preoperative evaluation and management note
68753-3 | Pediatric hematology-oncology Preoperative evaluation and management note
68762-4 | Pediatric infectious diseases Preoperative evaluation and management note
68771-5 | Pediatric nephrology Preoperative evaluation and management note
68776-4 | Pediatric otolaryngology Preoperative evaluation and management note
68783-0 | Pediatric pulmonology Preoperative evaluation and management note
68792-1 | Pediatric rheumatology Preoperative evaluation and management note
68798-8 | Pediatric surgery Preoperative evaluation and management note
68860-6 | Pediatric transplant hepatology Preoperative evaluation and management note
68808-5 | Pediatric urology Preoperative evaluation and management note
68819-2 | Pediatrics Preoperative evaluation and management note
68594-1 | Plastic surgery Preoperative evaluation and management note
68835-8 | Primary care Preoperative evaluation and management note
68844-0 | Speech-language pathology Preoperative evaluation and management note
34876-3 | Surgery Preoperative evaluation and management note
34881-3 | Surgery Nurse Preoperative evaluation and management note
68850-7 | Transplant surgery Preoperative evaluation and management note
34123-0 | Anesthesiology Hospital Preoperative evaluation and management note
68828-3 | Pediatrics Hospital Preoperative evaluation and management note
57832-8 | Prescription for diagnostic or specialist care Document
64288-4 | Prescription for eyewear
57829-4 | Prescription for medical equipment or product Document
57833-6 | Prescription for medication Document
57831-0 | Prescription for rehabilitation Document
57828-6 | Prescription list Document
73709-8 | Prescription request Pharmacy Document from Pharmacist
55114-3 | Prior imaging procedure descriptions Document
57017-6 | Privacy policy Organization Document
57016-8 | Privacy policy acknowledgment Document
64293-4 | Procedure consent
68630-3 | Allergy and immunology procedure note
68658-4 | Clinical genetics procedure note
68667-5 | Developmental-behavioral pediatrics procedure note
68692-3 | Neurological surgery procedure note
68702-0 | Neurology with special qualifications in child neurology procedure note
68563-6 | Obstetrics and Gynecology procedure note
68714-5 | Pain medicine procedure note
68724-4 | Pediatric cardiology procedure note
68890-3 | Pediatric dermatology procedure note
68895-2 | Pediatric endocrinology procedure note
68743-4 | Pediatric gastroenterology procedure note
68754-1 | Pediatric hematology-oncology procedure note
68868-9 | Pediatric nephrology procedure note
68872-1 | Pediatric otolaryngology procedure note
68784-8 | Pediatric pulmonology procedure note
68877-0 | Pediatric rheumatology procedure note
68799-6 | Pediatric surgery procedure note
68861-4 | Pediatric transplant hepatology procedure note
68809-3 | Pediatric urology procedure note
68820-0 | Pediatrics procedure note
68836-6 | Primary care procedure note
68851-5 | Transplant surgery procedure note
68729-3 | Pediatric critical care medicine Hospital procedure note
68829-1 | Pediatrics Hospital procedure note
68607-1 | Progress letter
11506-3 | Provider-unspecified Progress note
68617-0 | Adolescent medicine Progress note
68631-1 | Allergy and immunology Progress note
68646-9 | Child and adolescent psychiatry Progress note
28580-9 | Chiropractic medicine Progress note
68659-2 | Clinical genetics Progress note
28617-9 | Dentistry Progress note
68668-3 | Developmental-behavioral pediatrics Progress note
34900-1 | General medicine Progress note

68554-5 | Hematology+Medical Oncology Progress note
72556-4 | Interventional radiology Progress note
34904-3 | Mental health Progress note
68679-0 | Multi-specialty program Progress note
68693-1 | Neurological surgery Progress note
68703-8 | Neurology with special qualifications in child neurology Progress note
28623-7 | Nurse Progress note
28575-9 | Nurse practitioner Progress note
68564-4 | Obstetrics and Gynecology Progress note
11507-1 | Occupational therapy Progress note
68574-3 | Ophthalmology Progress note
68582-6 | Orthopaedic surgery Progress note
68725-1 | Pediatric cardiology Progress note
68891-1 | Pediatric dermatology Progress note
68896-0 | Pediatric endocrinology Progress note
68744-2 | Pediatric gastroenterology Progress note
68755-8 | Pediatric hematology-oncology Progress note
68763-2 | Pediatric infectious diseases Progress note
68873-9 | Pediatric otolaryngology Progress note
68785-5 | Pediatric pulmonology Progress note
68878-8 | Pediatric rheumatology Progress note
68800-2 | Pediatric surgery Progress note
68862-2 | Pediatric transplant hepatology Progress note
68810-1 | Pediatric urology Progress note
11508-9 | Physical therapy Progress note
18733-6 | Physician attending Progress note
28569-2 | Physician consulting Progress note
68595-8 | Plastic surgery Progress note
11509-7 | Podiatry Progress note
28627-8 | Psychiatry Progress note
11510-5 | Psychology Progress note
68840-8 | Research Progress note
28656-7 | Social work Progress note
11512-1 | Speech-language pathology Progress note
15507-7 | Provider-unspecified ED Progress note
34130-5 | Hospital Progress note
68472-0 | Cardiology Hospital Progress note
68485-2 | Cardiology Medical student Hospital Progress note
68484-5 | Cardiology Physician attending Hospital Progress note
64059-9 | Critical Care Medicine Hospital Progress note
64071-4 | Critical care medicine Medical student Hospital Progress note
68473-8 | Critical care medicine Physician attending Hospital Progress note
64055-7 | General medicine Medical student Hospital Progress note
68475-3 | General medicine Physician attending Hospital Progress note
68830-9 | Pediatrics Hospital Progress note
64063-1 | Pulmonary Hospital Progress note
64079-7 | Pulmonary Medical student Hospital Progress note
68478-7 | Pulmonary Physician attending Hospital Progress note
68479-5 | Respiratory therapy Hospital Progress note
64057-3 | Surgery Hospital Progress note
64067-2 | Surgery Medical student Hospital Progress note
68480-3 | Surgery Physician attending Hospital Progress note
64061-5 | Thoracic surgery Hospital Progress note
64075-5 | Thoracic surgery Medical student Hospital Progress note
68481-1 | Thoracic surgery Physician attending Hospital Progress note
70238-1 | Transplant surgery Hospital Progress note
34126-3 | Intensive care unit Progress note
34131-3 | Outpatient Progress note
34124-8 | Cardiology Outpatient Progress note
34128-9 | Dentistry Outpatient Progress note
34127-1 | Dentistry Hygienist Outpatient Progress note
34901-9 | General medicine Outpatient Progress note
34132-1 | Pharmacy Outpatient Progress note
34129-7 | Patient's home Progress note
34125-5 | Case manager Patient's home Progress note
74468-0 | Questionnaire form definition section Document
74465-6 | Questionnaire response section Document
73569-6 | Radiation exposure and protection information [Description] Document Diagnostic imaging
64294-2 | Readiness for duty letter
64284-3 | Readiness for duty assessment
57133-1 | Referral note
57170-3 | Cardiology Referral note

57178-6 | Critical Care Medicine Referral note
57134-9 | Dentistry Referral note
57135-6 | Dermatology Referral note
57136-4 | Diabetology Referral note
57137-2 | Endocrinology Referral note
69438-0 | Referral note Forensic medicine
57138-0 | Gastroenterology Referral note
57139-8 | General medicine Referral note
57171-1 | Geriatric medicine Referral note
57172-9 | Hematology+Medical Oncology Referral note
57141-4 | Infectious disease Referral note
57142-2 | Kinesiotherapy Referral note
57143-0 | Mental health Referral note
57144-8 | Nephrology Referral note
57146-3 | Neurological surgery Referral note
57145-5 | Neurology Referral note
57173-7 | Nutrition and dietetics Referral note
57179-4 | Obstetrics and Gynecology Referral note
57147-1 | Occupational medicine Referral note
57148-9 | Occupational therapy Referral note
57149-7 | Oncology Referral note
57150-5 | Ophthalmology Referral note
57151-3 | Optometry Referral note
57174-5 | Oral and Maxillofacial Surgery Referral note
57175-2 | Orthopaedic surgery Referral note
57176-0 | Otolaryngology Referral note
57152-1 | Pharmacy Referral note
57153-9 | Physical medicine and rehabilitation Referral note
57154-7 | Physical therapy Referral note
57155-4 | Plastic surgery Referral note
57156-2 | Podiatry Referral note
57157-0 | Psychiatry Referral note
57158-8 | Psychology Referral note
57177-8 | Pulmonary Referral note
57159-6 | Radiation oncology Referral note
57160-4 | Recreational therapy Referral note
57162-0 | Respiratory therapy Referral note
57163-8 | Rheumatology Referral note
57164-6 | Social work Referral note
57165-3 | Speech-language pathology Referral note
57166-1 | Surgery Referral note
57167-9 | Thoracic surgery Referral note
57168-7 | Urology Referral note
57169-5 | Vascular surgery Referral note
64292-6 | Release of information consent
55115-0 | Requested imaging studies information Document
70007-0 | Restraint note
68476-1 | Nurse Hospital Restraint note
68474-6 | Physician Hospital Restraint note
71482-4 | Risk assessment Document
51898-5 | Risk factors Document
74153-8 | Seizure disorder action plan
59282-4 | Stress cardiac echo study report US
47045-0 | Study report
68608-9 | Summary note
61143-4 | Nurse Summary note
68602-2 | Radiation oncology Summary note
68603-0 | Radiation oncology Hospital Summary note
47046-8 | Summary of death note
34133-9 | Summary of episode note
74211-4 | Summary of episode note Emergency department+Hospital
48764-5 | Summary purpose CCD Document
47047-6 | Supervisory note
67865-6 | Outpatient Supervisory note
34135-4 | Cardiology Physician attending Outpatient Supervisory note
34136-2 | Gastroenterology Physician attending Outpatient Supervisory note
34134-7 | Physician attending Outpatient Supervisory note
61358-8 | Patient Surgical operation consent
11504-8 | Provider-unspecified Operation note
34868-0 | Orthopaedic surgery Surgical operation note
34818-5 | Otolaryngology Surgical operation note
34870-6 | Plastic surgery Surgical operation note

28624-5 | Podiatry Operation note
34874-8 | Surgery Surgical operation note
34877-1 | Urology Surgical operation note
34137-0 | Outpatient Surgical operation note
34138-8 | Targeted history and physical note
18761-7 | Provider-unspecified Transfer summary
68618-8 | Adolescent medicine Transfer summary note
68632-9 | Allergy and immunology Transfer summary note
68647-7 | Child and adolescent psychiatry Transfer summary note
68660-0 | Clinical genetics Transfer summary note
34755-9 | Critical care medicine Transfer summary note
68669-1 | Developmental-behavioral pediatrics Transfer summary note
34770-8 | General medicine Transfer summary note
68680-8 | Multi-specialty program Transfer summary note
68704-6 | Neurology with special qualifications in child neurology Transfer summary note
68565-1 | Obstetrics and Gynecology Transfer summary note
68569-3 | Occupational therapy Transfer summary note
68887-9 | Ophthalmology Transfer summary note
68583-4 | Orthopaedic surgery Transfer summary note
68715-2 | Pain medicine Transfer summary note
68726-9 | Pediatric cardiology Transfer summary note
68737-6 | Pediatric endocrinology Transfer summary note
68745-9 | Pediatric gastroenterology Transfer summary note
68756-6 | Pediatric hematology-oncology Transfer summary note
68764-0 | Pediatric infectious diseases Transfer summary note
68772-3 | Pediatric nephrology Transfer summary note
68777-2 | Pediatric otolaryngology Transfer summary note
68786-3 | Pediatric pulmonology Transfer summary note
68793-9 | Pediatric rheumatology Transfer summary note
68801-0 | Pediatric surgery Transfer summary note
68863-0 | Pediatric transplant hepatology Transfer summary note
68811-9 | Pediatric urology Transfer summary note
68883-8 | Pediatrics Transfer summary note
68596-6 | Plastic surgery Transfer summary note
68482-9 | Nurse Hospital Transfer summary note
68884-6 | Pediatrics Hospital Transfer summary note
59281-6 | Transthoracic cardiac echo study report US
74198-3 | Trauma summary registry report Document
54094-8 | Emergency department Triage note
57054-9 | Nurse Emergency department Triage+care note
38932-0 | VA Compensation and Pension (C and P) examination acromegaly
38933-8 | VA Compensation and Pension (C and P) examination aid and attendance/housebound
38934-6 | VA Compensation and Pension (C and P) examination arrhythmias
38936-1 | VA Compensation and Pension (C and P) examination audio
38937-9 | VA Compensation and Pension (C and P) examination bones fractures/bone disease
38938-7 | VA Compensation and Pension (C and P) examination brain/spinal cord
38939-5 | VA Compensation and Pension (C and P) examination chronic fatigue syndrome
38940-3 | VA Compensation and Pension (C and P) examination cold injury protocol
38941-1 | VA Compensation and Pension (C and P) examination cranial nerves
38942-9 | VA Compensation and Pension (C and P) examination Cushings syndrome
38943-7 | VA Compensation and Pension (C and P) examination dental/oral
38944-5 | VA Compensation and Pension (C and P) examination diabetes mellitus
38956-9 | VA Compensation and Pension (C and P) examination disability in gulf war veterans
38946-0 | VA Compensation and Pension (C and P) examination ear disease
38949-4 | VA Compensation and Pension (C and P) examination epilepsy/narcolepsy
38950-2 | VA Compensation and Pension (C and P) examination esophagus/hiatal hernia
38966-8 | VA Compensation and Pension (C and P) examination extremity joints
38951-0 | VA Compensation and Pension (C and P) examination eye
38952-8 | VA Compensation and Pension (C and P) examination feet
38953-6 | VA Compensation and Pension (C and P) examination fibromyalgia
38954-4 | VA Compensation and Pension (C and P) examination general medical
38969-2 | VA Compensation and Pension (C and P) examination general mental disorders
38955-1 | VA Compensation and Pension (C and P) examination genitourinary
38957-7 | VA Compensation and Pension (C and P) examination gynecological conditions/disorders of the breast
38958-5 | VA Compensation and Pension (C and P) examination hand/thumb/fingers
38959-3 | VA Compensation and Pension (C and P) examination heart
38960-1 | VA Compensation and Pension (C and P) examination hemic disorders
38961-9 | VA Compensation and Pension (C and P) examination HIV-related illness
38962-7 | VA Compensation and Pension (C and P) examination hypertension
38963-5 | VA Compensation and Pension (C and P) examination infectious/immune/nutritional disabilities
38964-3 | VA Compensation and Pension (C and P) examination initial evaluation post-traumatic stress disorder
38965-0 | VA Compensation and Pension (C and P) examination large/small intestines

38967-6 | VA Compensation and Pension (C and P) examination liver/gall bladder/pancreas
38968-4 | VA Compensation and Pension (C and P) examination lymphatic disorders
38947-8 | VA Compensation and Pension (C and P) examination mental health eating disorders
38935-3 | VA Compensation and Pension (C and P) examination miscellaneous arteries/veins
38945-2 | VA Compensation and Pension (C and P) examination miscellaneous digestive conditions
38948-6 | VA Compensation and Pension (C and P) examination miscellaneous endocrine diseases
38972-6 | VA Compensation and Pension (C and P) examination miscellaneous neurological disorders
38980-9 | VA Compensation and Pension (C and P) examination miscellaneous respiratory diseases
38970-0 | VA Compensation and Pension (C and P) examination mouth/lips/tongue
38971-8 | VA Compensation and Pension (C and P) examination muscles
38973-4 | VA Compensation and Pension (C and P) examination nose/sinus/larynx/pharynx
38979-1 | VA Compensation and Pension (C and P) examination obstructive/restrictive/interstitial respiratory diseases
38974-2 | VA Compensation and Pension (C and P) examination peripheral nerves
38975-9 | VA Compensation and Pension (C and P) examination prisoner of war protocol
38976-7 | VA Compensation and Pension (C and P) examination pulmonary tuberculosis/mycobacterial diseases
38977-5 | VA Compensation and Pension (C and P) examination rectum/anus
38978-3 | VA Compensation and Pension (C and P) examination residuals of amputations
38981-7 | VA Compensation and Pension (C and P) examination review evaluation post-traumatic stress disorder
38982-5 | VA Compensation and Pension (C and P) examination scars
38983-3 | VA Compensation and Pension (C and P) examination sense of smell/taste
38984-1 | VA Compensation and Pension (C and P) examination skin diseases other than scars
38985-8 | VA Compensation and Pension (C and P) examination social/industrial survey
38986-6 | VA Compensation and Pension (C and P) examination spine
38987-4 | VA Compensation and Pension (C and P) examination stomach/duodenum/peritoneal adhesions
38988-2 | VA Compensation and Pension (C and P) examination thyroid/parathyroid diseases
59283-2 | Well child visit note
52027-0 | Abortion consent
24754-4 | Administration of vasodilator into catheter of Vein
26376-4 | Administration of vasodilator into catheter of Vein - bilateral
26377-2 | Administration of vasodilator into catheter of Vein - left
26378-0 | Administration of vasodilator into catheter of Vein - right
53243-2 | Advanced beneficiary notice
11485-0 | Anesthesia records
30649-8 | Peripheral artery Fluoroscopic angiogram Additional angioplasty W contrast IA
30641-5 | Vein Fluoroscopic angiogram Additional angioplasty W contrast IV
36760-7 | AV shunt Fluoroscopic angiogram Angioplasty W contrast
36762-3 | Extremity vessel Fluoroscopic angiogram Angioplasty W contrast
69067-7 | Unspecified body region Fluoroscopic angiogram Angioplasty W contrast
24543-1 | Aorta Fluoroscopic angiogram Angioplasty W contrast IA
24580-3 | Brachiocephalic artery Fluoroscopic angiogram Angioplasty W contrast IA
26368-1 | Brachiocephalic artery - left Fluoroscopic angiogram Angioplasty W contrast IA
26369-9 | Brachiocephalic artery - right Fluoroscopic angiogram Angioplasty W contrast IA
24614-0 | Carotid artery extracranial Fluoroscopic angiogram Angioplasty W contrast IA
24615-7 | Carotid artery intracranial Fluoroscopic angiogram Angioplasty W contrast IA
35881-2 | Extremity artery Fluoroscopic angiogram Angioplasty W contrast IA
24698-3 | Femoral artery Fluoroscopic angiogram Angioplasty W contrast IA
36763-1 | Femoral artery and Popliteal artery Fluoroscopic angiogram Angioplasty W contrast IA
24766-8 | Iliac artery Fluoroscopic angiogram Angioplasty W contrast IA
26370-7 | Iliac artery - bilateral Fluoroscopic angiogram Angioplasty W contrast IA
26371-5 | Iliac artery - left Fluoroscopic angiogram Angioplasty W contrast IA
26372-3 | Iliac artery - right Fluoroscopic angiogram Angioplasty W contrast IA
24832-8 | Mesenteric artery Fluoroscopic angiogram Angioplasty W contrast IA
30648-0 | Peripheral artery Fluoroscopic angiogram Angioplasty W contrast IA
25081-1 | Renal vessel Fluoroscopic angiogram Angioplasty W contrast IA
25012-6 | Tibial artery Fluoroscopic angiogram Angioplasty W contrast IA
26373-1 | Tibial artery - bilateral Fluoroscopic angiogram Angioplasty W contrast IA
26374-9 | Tibial artery - left Fluoroscopic angiogram Angioplasty W contrast IA
26375-6 | Tibial artery - right Fluoroscopic angiogram Angioplasty W contrast IA
43793-9 | Tibioperoneal arteries Fluoroscopic angiogram Angioplasty W contrast IA
43794-7 | Tibioperoneal arteries - bilateral Fluoroscopic angiogram Angioplasty W contrast IA
43795-4 | Tibioperoneal arteries - left Fluoroscopic angiogram Angioplasty W contrast IA
43792-1 | Tibioperoneal arteries - right Fluoroscopic angiogram Angioplasty W contrast IA
25064-7 | Vessel Fluoroscopic angiogram Angioplasty W contrast IA
30836-1 | Visceral artery Fluoroscopic angiogram Angioplasty W contrast IA
37426-4 | Lower extremity vein Fluoroscopic angiogram Angioplasty W contrast IV
30640-7 | Vein Fluoroscopic angiogram Angioplasty W contrast IV
35882-0 | Inferior vena cava Fluoroscopic angiogram Angioplasty W contrast IV
52032-0 | Appeal denial letter
36764-9 | Femoral vessel and Popliteal artery Fluoroscopic angiogram Atherectomy W contrast
69135-2 | Iliac artery Fluoroscopic angiogram Atherectomy W contrast
69253-3 | Renal vessels Fluoroscopic angiogram Atherectomy W contrast
36765-6 | Vessel Fluoroscopic angiogram Atherectomy W contrast

35883-8 | Aorta Fluoroscopic angiogram Atherectomy W contrast IA
36766-4 | Coronary arteries Fluoroscopic angiogram Atherectomy W contrast IA
24568-8 | AV fistula Fluoroscopic angiogram Atherectomy W contrast IV
28615-3 | Audiology study
52065-0 | Automobile liability
18743-5 | Autopsy report
36761-5 | Biliary ducts Fluoroscopy Balloon dilatation W contrast
33720-4 | Blood bank consult
52041-1 | Blood glucose monitors
38268-9 | Skeletal system DXA Bone density
43562-8 | Skeletal system.axial Scan Bone density
43563-6 | Skeletal system.peripheral Scan Bone density
48807-2 | Bone marrow aspiration report
24631-4 | Unspecified body region Fluoroscopy Central vein catheter placement check
53242-4 | Charge ticket or encounter form
54095-5 | Chemotherapy effectiveness panel [Identifier] - Blood or Tissue
11486-8 | Chemotherapy records
71428-7 | CMS - history of present illness panel
71421-2 | CMS - past family - social history panel
71388-3 | CMS - physical exam panel
71406-3 | CMS - review of systems panel
25062-1 | Unspecified body region X-ray Comparison view
24611-6 | Outpatient Consultation 2nd opinion
60570-9 | Pathology Consult note
60571-7 | Pathology Consult note.synoptic
52042-9 | Continuous positive airway pressure (CPAP)
25038-1 | Unspecified body region Courtesy consultation
29751-5 | Critical care records
50007-4 | Cytology report of Bronchoalveolar lavage Cyto stain
47523-6 | Cytology report of Body fluid Cyto stain
47530-1 | Cytology report of Breast ductal lavage Cyto stain
47521-0 | Cytology report of Breast fine needle aspirate Cyto stain
50971-1 | Cytology report of Bronchial brush Cyto stain
47528-5 | Cytology report of Cervical or vaginal smear or scraping Cyto stain
47527-7 | Cytology report of Cervical or vaginal smear or scraping Cyto stain.thin prep
47522-8 | Cytology report of Nipple discharge Cyto stain
47520-2 | Cytology report of Sputum Cyto stain
47524-4 | Cytology report of Thyroid fine needle aspirate Cyto stain
47529-3 | Cytology report of Tissue Other stain
33718-8 | Cytology report of Tissue fine needle aspirate Cyto stain
47525-1 | Cytology report of Urine Cyto stain
47526-9 | Cytology report of Unspecified specimen Cyto stain
52040-3 | Dental X-rays and other images (not DICOM)
29749-9 | Dialysis records
28622-9 | Nurse Discharge assessment
28574-2 | Discharge note
29761-4 | Dentist Discharge summary
11490-0 | Physician Discharge summary
28655-9 | Physician attending Discharge summary
53245-7 | Driver license image
53247-3 | Eligibility acknowledgement
24684-3 | Extracranial vessels Fluoroscopic angiogram Embolectomy W contrast IA
24887-2 | Pulmonary artery Fluoroscopic angiogram Embolectomy W contrast IA
24553-0 | Vessel intracranial Fluoroscopic angiogram Embolectomy W contrast IV
24554-8 | Artery Fluoroscopic angiogram Embolization W contrast IA
52071-8 | Employee assistance program
67796-3 | EMS patient care report - version 3.1 Document NEMSIS
52043-7 | Enteral nutrition
30600-1 | Small bowel CT Views Enteroclysis W contrast PO via duodenal intubation
24923-5 | Small bowel Fluoroscopy Views Enteroclysis W contrast PO via duodenal intubation
52030-4 | Explanation of benefits
52031-2 | Explanation of benefits to subscriber
52044-5 | External infusion pump
29272-2 | Eye ultrasound study
52064-3 | First report of injury
57129-9 | Full newborn screening summary report for display or printing
52045-2 | Gait trainers
52033-8 | General correspondence
51969-4 | Genetic analysis summary report in Blood or Tissue Document by Molecular genetics method
46365-3 | CT Guidance for ablation of tissue of Celiac plexus
44228-5 | CT Guidance for ablation of tissue of Kidney
44156-8 | US Guidance for ablation of tissue of Kidney

44101-4 | CT Guidance for ablation of tissue of Liver
44155-0 | US Guidance for ablation of tissue of Liver
58747-7 | CT Guidance for ablation of tissue of Unspecified body region
58743-6 | US Guidance for ablation of tissue of Unspecified body region
35884-6 | CT Guidance for abscess drainage of Abdomen
42280-8 | CT Guidance for abscess drainage of Appendix
42705-4 | US Guidance for abscess drainage of Appendix
42281-6 | CT Guidance for abscess drainage of Chest
42285-7 | CT Guidance for abscess drainage of Kidney
44167-5 | US Guidance for abscess drainage of Kidney
42282-4 | CT Guidance for abscess drainage of Liver
42133-9 | US Guidance for abscess drainage of Liver
39361-1 | Fluoroscopy Guidance for abscess drainage of Liver
69120-4 | Fluoroscopy Guidance for abscess drainage of Neck
69122-0 | Fluoroscopy Guidance for abscess drainage of Pancreas
42286-5 | CT Guidance for abscess drainage of Pelvis
44168-3 | US Guidance for abscess drainage of Pelvis
44169-1 | US Guidance for abscess drainage of Peritoneal space
42284-0 | CT Guidance for abscess drainage of Pleural space
69123-8 | Fluoroscopy Guidance for abscess drainage of Pleural space
43502-4 | CT Guidance for abscess drainage of Subphrenic space
44166-7 | US Guidance for abscess drainage of Subphrenic space
30578-9 | CT Guidance for abscess drainage of Unspecified body region
39451-0 | US Guidance for abscess drainage of Unspecified body region
35885-3 | Fluoroscopy Guidance for abscess drainage of Unspecified body region
39620-0 | Scan Guidance for abscess localization limited
39623-4 | Scan Guidance for abscess localization whole body
39622-6 | SPECT Guidance for abscess localization whole body
39621-8 | SPECT Guidance for abscess localization
72533-3 | US Guidance for ambulatory phlebectomy of Extremity vein - left
72532-5 | US Guidance for ambulatory phlebectomy of Extremity vein - right
24623-1 | CT Guidance for anesthetic block injection of Celiac plexus
42688-2 | CT Guidance for anesthetic block injection of Spine
35886-1 | CT Guidance for aspiration of Breast
24598-5 | Mammogram Guidance for aspiration of Breast
43756-6 | US Guidance for aspiration of Breast
69278-0 | US Guidance for aspiration of Breast - bilateral
69292-1 | US Guidance for aspiration of Breast - left
69296-2 | US Guidance for aspiration of Breast - right
35888-7 | Fluoroscopy Guidance for aspiration of Hip
24771-8 | Fluoroscopy Guidance for aspiration of Joint space
48434-5 | US Guidance for aspiration of Kidney
24811-2 | CT Guidance for aspiration of Liver
24822-9 | CT Guidance for aspiration of Lung
69287-1 | US Guidance for aspiration of Lymph node
24837-7 | CT Guidance for aspiration of Neck
39452-8 | US Guidance for aspiration of Ovary
24856-7 | CT Guidance for aspiration of Pancreas
24863-3 | CT Guidance for aspiration of Pelvis
30703-3 | US Guidance for aspiration of Pericardial space
37491-8 | CT Guidance for aspiration of Pleural space
24662-9 | US Guidance for aspiration of Pleural space
37887-7 | Fluoroscopy Guidance for aspiration of Pleural space
24973-0 | Fluoroscopy Guidance for aspiration of Spine Lumbar Space
42134-7 | US Guidance for aspiration of Thyroid
25043-1 | CT Guidance for aspiration of Unspecified body region
30878-3 | US Guidance for aspiration of Unspecified body region
36926-4 | CT Guidance for aspiration and placement of drainage tube of Abdomen
37210-2 | CT Guidance for aspiration of cyst of Abdomen
69306-9 | Fluoroscopy Guidance for aspiration of cyst of Bone
24594-4 | Mammogram Guidance for aspiration of cyst of Breast
69192-3 | MRI Guidance for aspiration of cyst of Breast
30653-0 | US Guidance for aspiration of cyst of Breast
26343-4 | Mammogram Guidance for aspiration of cyst of Breast - bilateral
38012-1 | US Guidance for aspiration of cyst of Breast - bilateral
26344-2 | Mammogram Guidance for aspiration of cyst of Breast - left
42450-7 | US Guidance for aspiration of cyst of Breast - left
26345-9 | Mammogram Guidance for aspiration of cyst of Breast - right
42458-0 | US Guidance for aspiration of cyst of Breast - right
38126-9 | US Guidance for aspiration of cyst of Kidney
69121-2 | Fluoroscopy Guidance for aspiration of cyst of Ovary
38133-5 | US Guidance for aspiration of cyst of Pancreas

42447-3 | US Guidance for aspiration of cyst of Thyroid
35887-9 | CT Guidance for aspiration of cyst of Unspecified body region
30698-5 | US Guidance for aspiration of cyst of Unspecified body region
24671-0 | Fluoroscopy Guidance for aspiration of cyst of Unspecified body region
25042-3 | CT Guidance for aspiration or biopsy of Unspecified body region
25041-5 | CT Guidance for aspiration or biopsy of Unspecified body region-- W contrast IV
46281-2 | CT Guidance for aspiration or injection of cyst of Unspecified body region
46282-0 | US Guidance for aspiration or injection of cyst of Unspecified body region
30602-7 | CT Guidance for fine needle aspiration of Abdomen
44107-1 | CT Guidance for fine needle aspiration of Abdomen retroperitoneum
44108-9 | CT Guidance for fine needle aspiration of Adrenal gland
46387-7 | Mammogram Guidance for fine needle aspiration of Breast
44160-0 | US Guidance for fine needle aspiration of Breast
46284-6 | Mammogram Guidance for fine needle aspiration of Breast - left
38026-1 | US Guidance for fine needle aspiration of Breast - left
46283-8 | Mammogram Guidance for fine needle aspiration of Breast - right
38033-7 | US Guidance for fine needle aspiration of Breast - right
38135-0 | US Guidance for fine needle aspiration of Deep tissue
44221-0 | Fluoroscopy Guidance for fine needle aspiration of Deep tissue
43757-4 | CT Guidance for fine needle aspiration of Kidney
44159-2 | US Guidance for fine needle aspiration of Kidney
44217-8 | Fluoroscopy Guidance for fine needle aspiration of Kidney
30608-4 | CT Guidance for fine needle aspiration of Kidney - bilateral
30603-5 | CT Guidance for fine needle aspiration of Liver
44158-4 | US Guidance for fine needle aspiration of Liver
44220-2 | Fluoroscopy Guidance for fine needle aspiration of Liver
30595-3 | CT Guidance for fine needle aspiration of Lung
44103-0 | CT Guidance for fine needle aspiration of Lymph node
44219-4 | Fluoroscopy Guidance for fine needle aspiration of Lymph node
44104-8 | CT Guidance for fine needle aspiration of Mediastinum
44105-5 | CT Guidance for fine needle aspiration of Muscle
30605-0 | CT Guidance for fine needle aspiration of Pancreas
44157-6 | US Guidance for fine needle aspiration of Pancreas
44218-6 | Fluoroscopy Guidance for fine needle aspiration of Pancreas
30606-8 | CT Guidance for fine needle aspiration of Pelvis
44106-3 | CT Guidance for fine needle aspiration of Prostate
38017-0 | US Guidance for fine needle aspiration of Prostate
30610-0 | CT Guidance for fine needle aspiration of Spleen
38136-8 | US Guidance for fine needle aspiration of Superficial tissue
69124-6 | Fluoroscopy Guidance for fine needle aspiration of Superficial tissue
38019-6 | US Guidance for fine needle aspiration of Thyroid
44216-0 | Fluoroscopy Guidance for fine needle aspiration of Thyroid
30580-5 | CT Guidance for fine needle aspiration of Unspecified body region
38018-8 | US Guidance for fine needle aspiration of Unspecified body region
44215-2 | Fluoroscopy Guidance for fine needle aspiration of Unspecified body region
24755-1 | Fluoroscopic angiogram Guidance for atherectomy of Vein-- W contrast IV
26298-0 | Fluoroscopic angiogram Guidance for atherectomy of Vein - bilateral-- W contrast IV
26299-8 | Fluoroscopic angiogram Guidance for atherectomy of Vein - left-- W contrast IV
26300-4 | Fluoroscopic angiogram Guidance for atherectomy of Vein - right-- W contrast IV
30601-9 | CT Guidance for biopsy of Abdomen
37913-1 | US Guidance for biopsy of Abdomen
35890-3 | Fluoroscopy Guidance for biopsy of Abdomen
44117-0 | CT Guidance for biopsy of Abdomen retroperitoneum
44162-6 | US Guidance for biopsy of Abdomen retroperitoneum
36767-2 | CT Guidance for biopsy of Adrenal gland
35891-1 | CT Guidance for biopsy of Bone
69076-8 | Fluoroscopy Guidance for biopsy of Bone
37211-0 | CT Guidance for biopsy of Bone marrow
35893-7 | CT Guidance for biopsy of Breast
24602-5 | Mammogram Guidance for biopsy of Breast
37914-9 | US Guidance for biopsy of Breast
26337-6 | Mammogram Guidance for biopsy of Breast - bilateral
69169-1 | MRI Guidance for biopsy of Breast - bilateral
37912-3 | US Guidance for biopsy of Breast - bilateral
26338-4 | Mammogram Guidance for biopsy of Breast - left
69203-8 | MRI Guidance for biopsy of Breast - left
42449-9 | US Guidance for biopsy of Breast - left
26339-2 | Mammogram Guidance for biopsy of Breast - right
69213-7 | MRI Guidance for biopsy of Breast - right
42457-2 | US Guidance for biopsy of Breast - right
35895-2 | CT Guidance for biopsy of Chest
37915-6 | US Guidance for biopsy of Chest

35894-5 | Fluoroscopy Guidance for biopsy of Chest
37492-6 | CT Guidance for biopsy of Chest.pleura
42333-5 | US Guidance for biopsy of Chest.pleura
43567-7 | CT Guidance for biopsy of Deep bone
43565-1 | US Guidance for biopsy of Deep bone
44109-7 | CT Guidance for biopsy of Deep muscle
42463-0 | US Guidance for biopsy of Endomyocardium
37212-8 | CT Guidance for biopsy of Epididymis
69387-9 | US Guidance for biopsy of Epididymis
36927-2 | CT Guidance for biopsy of Facial bones and Maxilla
35892-9 | CT Guidance for biopsy of Head
42136-2 | CT Guidance for biopsy of Heart
42279-0 | CT Guidance for biopsy of Kidney
24772-6 | US Guidance for biopsy of Kidney
35899-4 | Fluoroscopy Guidance for biopsy of Kidney
38766-2 | US Guidance for biopsy of Kidney transplant
30607-6 | CT Guidance for biopsy of Kidney - bilateral
26340-0 | US Guidance for biopsy of Kidney - bilateral
26341-8 | US Guidance for biopsy of Kidney - left
26342-6 | US Guidance for biopsy of Kidney - right
24812-0 | CT Guidance for biopsy of Liver
24816-1 | US Guidance for biopsy of Liver
35900-0 | Fluoroscopy Guidance for biopsy of Liver
38765-4 | US Guidance for biopsy of Liver transplant
35896-0 | CT Guidance for biopsy of Lower extremity
24823-7 | CT Guidance for biopsy of Lung
44161-8 | US Guidance for biopsy of Lung
30634-0 | Fluoroscopy Guidance for biopsy of Lung
35901-8 | CT Guidance for biopsy of Lymph node
39522-8 | US Guidance for biopsy of Lymph node
37213-6 | CT Guidance for biopsy of Mediastinum
42137-0 | US Guidance for biopsy of Mediastinum
36768-0 | CT Guidance for biopsy of Muscle
37917-2 | US Guidance for biopsy of Muscle
24838-5 | CT Guidance for biopsy of Neck
37918-0 | US Guidance for biopsy of Neck
30604-3 | CT Guidance for biopsy of Pancreas
37919-8 | US Guidance for biopsy of Pancreas
35902-6 | Fluoroscopy Guidance for biopsy of Pancreas
24864-1 | CT Guidance for biopsy of Pelvis
69074-3 | Fluoroscopy Guidance for biopsy of Pelvis
35903-4 | CT Guidance for biopsy of Prostate
24883-1 | US Guidance for biopsy of Prostate
41802-0 | Fluoroscopy Guidance for biopsy of Prostate
35898-6 | CT Guidance for biopsy of Salivary gland
37920-6 | US Guidance for biopsy of Salivary gland
69075-0 | Fluoroscopy Guidance for biopsy of Salivary gland
38132-7 | US Guidance for biopsy of Scrotum and Testicle
69396-0 | US Guidance for biopsy of Spinal cord
24986-2 | CT Guidance for biopsy of Spine
35904-2 | CT Guidance for biopsy of Spine Cervical
35905-9 | CT Guidance for biopsy of Spine Lumbar
35906-7 | CT Guidance for biopsy of Spine Thoracic
30609-2 | CT Guidance for biopsy of Spleen
35907-5 | Fluoroscopy Guidance for biopsy of Spleen
42265-9 | CT Guidance for biopsy of Superficial bone
42135-4 | US Guidance for biopsy of Superficial bone
38154-1 | Fluoroscopy Guidance for biopsy of Superficial bone
43797-0 | US Guidance for biopsy of Superficial lymph node
43564-4 | US Guidance for biopsy of Superficial muscle
37214-4 | CT Guidance for biopsy of Superficial tissue
35908-3 | CT Guidance for biopsy of Thyroid
25009-2 | US Guidance for biopsy of Thyroid
35897-8 | CT Guidance for biopsy of Upper extremity
25044-9 | CT Guidance for biopsy of Unspecified body region
25059-7 | US Guidance for biopsy of Unspecified body region
25069-6 | Fluoroscopy Guidance for biopsy of Unspecified body region
24670-2 | US Guidance for biopsy of cyst of Unspecified body region
30651-4 | US Guidance for core needle biopsy of Breast
24813-8 | CT Guidance for core needle biopsy of Liver
69279-8 | US Guidance for core needle biopsy of Lymph node
46285-3 | US Guidance for core needle biopsy of Thyroid

38024-6 | US Guidance for core needle biopsy of Unspecified body region
69073-5 | Fluoroscopy Guidance for core needle biopsy of Unspecified body region
42448-1 | US Guidance for excisional biopsy of Breast
30652-2 | US Guidance for fine needle biopsy of Breast
42288-1 | CT Guidance for needle biopsy of Abdomen
69224-4 | Fluoroscopy Guidance for needle biopsy of Abdomen
46367-9 | CT Guidance for needle biopsy of Adrenal gland
46368-7 | CT Guidance for needle biopsy of Breast
46286-1 | Mammogram Guidance for needle biopsy of Breast
38028-7 | US Guidance for needle biopsy of Breast
41803-8 | Fluoroscopy Guidance for needle biopsy of Breast
43462-1 | US Guidance for needle biopsy of Breast - left
43447-2 | Mammogram Guidance for needle biopsy of Breast - right
69290-5 | US Guidance for needle biopsy of Breast - right
38029-5 | US Guidance for needle biopsy of Chest
69225-1 | Fluoroscopy Guidance for needle biopsy of Chest
69099-0 | CT Guidance for needle biopsy of Chest.pleura
44171-7 | US Guidance for needle biopsy of Chest.pleura
69127-9 | Fluoroscopy Guidance for needle biopsy of Chest.pleura
43568-5 | CT Guidance for needle biopsy of Deep bone
42289-9 | CT Guidance for needle biopsy of Kidney
38027-9 | US Guidance for needle biopsy of Kidney - bilateral
69097-4 | CT Guidance for needle biopsy of Liver
69197-2 | MRI Guidance for needle biopsy of Liver
44170-9 | US Guidance for needle biopsy of Liver
69125-3 | Fluoroscopy Guidance for needle biopsy of Liver
42267-5 | CT Guidance for needle biopsy of Lymph node
37916-4 | US Guidance for needle biopsy of Lymph node
69098-2 | CT Guidance for needle biopsy of Muscle
69198-0 | MRI Guidance for needle biopsy of Muscle
69288-9 | US Guidance for needle biopsy of Muscle
69226-9 | Fluoroscopy Guidance for needle biopsy of Muscle
46369-5 | US Guidance for needle biopsy of Ovary
42290-7 | CT Guidance for needle biopsy of Pancreas
69199-8 | MRI Guidance for needle biopsy of Pancreas
69289-7 | US Guidance for needle biopsy of Pancreas
69126-1 | Fluoroscopy Guidance for needle biopsy of Pancreas
46370-3 | US Guidance for needle biopsy of Pelvis
69200-4 | MRI Guidance for needle biopsy of Pleura
69227-7 | Fluoroscopy Guidance for needle biopsy of Pleura
46288-7 | US Guidance for needle biopsy of Prostate
69228-5 | Fluoroscopy Guidance for needle biopsy of Prostate
69100-6 | CT Guidance for needle biopsy of Salivary gland
69201-2 | MRI Guidance for needle biopsy of Salivary gland
69291-3 | US Guidance for needle biopsy of Salivary gland
69128-7 | Fluoroscopy Guidance for needle biopsy of Salivary gland
43571-9 | CT Guidance for needle biopsy of Soft bone
69401-8 | US Guidance for needle biopsy of Spinal cord
38030-3 | US Guidance for needle biopsy of Spleen
42266-7 | CT Guidance for needle biopsy of Superficial bone
69101-4 | CT Guidance for needle biopsy of Thyroid
69202-0 | MRI Guidance for needle biopsy of Thyroid
38031-1 | US Guidance for needle biopsy of Thyroid
69129-5 | Fluoroscopy Guidance for needle biopsy of Thyroid
46287-9 | CT Guidance for needle biopsy of Unspecified body region
30700-9 | US Guidance for needle biopsy of Unspecified body region
44225-1 | Fluoroscopy Guidance for needle biopsy of Liver-- W contrast IV
24718-9 | Fluoroscopy Guidance for transjugular biopsy of Liver-- W contrast IV
35910-9 | CT Guidance for biopsy of Chest-- W and WO contrast IV
46289-5 | CT Guidance for biopsy of Unspecified body region-- W and WO contrast IV
35909-1 | CT Guidance for biopsy of Chest-- W contrast IV
69093-3 | CT Guidance for biopsy of Pelvis-- W contrast IV
42260-0 | CT Guidance for biopsy of Unspecified body region-- W contrast IV
46366-1 | SPECT Guidance for biopsy of Bone
46384-4 | SPECT Guidance for biopsy of Superficial bone
69083-4 | CT Guidance for biopsy of Abdomen-- WO contrast
35911-7 | CT Guidance for biopsy of Chest-- WO contrast
69092-5 | CT Guidance for biopsy of Liver-- WO contrast
69094-1 | CT Guidance for biopsy of Pelvis-- WO contrast
46290-3 | CT Guidance for biopsy of Unspecified body region-- WO contrast
35889-5 | Fluoroscopy Guidance for bronchoscopy of Chest
64998-8 | Fluoroscopy Guidance for catheterization of Fallopian tube - left-- transcervical

64999-6 | Fluoroscopy Guidance for catheterization of Fallopian tube -right-- transcervical
30818-9 | Fluoroscopy Guidance for catheterization of Fallopian tubes-- transcervical
30892-4 | Fluoroscopy Guidance for catheterization of Biliary ducts and Pancreatic duct-- W contrast retrograde
24624-9 | Fluoroscopic angiogram Guidance for change of central catheter in Central vein-- W contrast IV
26331-9 | Fluoroscopic angiogram Guidance for change of central catheter in Central vein - bilateral-- W contrast IV
26332-7 | Fluoroscopic angiogram Guidance for change of central catheter in Central vein - left-- W contrast IV
26333-5 | Fluoroscopic angiogram Guidance for change of central catheter in Central vein - right-- W contrast IV
43558-6 | Fluoroscopy Guidance for change of dialysis catheter in Unspecified body region-- W contrast IV
36769-8 | CT Guidance for change of nephrostomy tube in Kidney
24781-7 | Fluoroscopy Guidance for change of percutaneous nephrostomy tube in Kidney - bilateral-- W contrast
46371-1 | X-ray Guidance for change of percutaneous tube in Unspecified body region-- W contrast
30646-4 | Fluoroscopy Guidance for change of tube in Sinus tract-- W contrast
69400-0 | US Guidance for chorionic villus sampling
69391-1 | US Guidance for cordocentesis
38127-7 | US Guidance for CSF aspiration of Spine
70915-4 | US Guidance for CSF aspiration of Spine Cervical
70916-2 | US Guidance for CSF aspiration of Spine Lumbar
70917-0 | US Guidance for CSF aspiration of Spine Thoracic
24680-1 | Fluoroscopy Guidance for dilation of Esophagus
35913-3 | CT Guidance for drainage of Abdomen
42287-3 | CT Guidance for drainage of Abdomen retroperitoneum
41809-5 | US Guidance for drainage of Abdomen retroperitoneum
35914-1 | CT Guidance for drainage of Anus
35915-8 | CT Guidance for drainage of Appendix
36770-6 | CT Guidance for drainage of Biliary ducts and Gallbladder
35916-6 | CT Guidance for drainage of Chest
69078-4 | Fluoroscopy Guidance for drainage of Chest
24692-6 | US Guidance for drainage of Extremity
26325-1 | US Guidance for drainage of Extremity - bilateral
26326-9 | US Guidance for drainage of Extremity - left
26327-7 | US Guidance for drainage of Extremity - right
35917-4 | CT Guidance for drainage of Gallbladder
69133-7 | Fluoroscopy Guidance for drainage of Hip
35918-2 | CT Guidance for drainage of Kidney
24896-3 | US Guidance for drainage of Kidney
26328-5 | US Guidance for drainage of Kidney - bilateral
26329-3 | US Guidance for drainage of Kidney - left
26330-1 | US Guidance for drainage of Kidney - right
35919-0 | CT Guidance for drainage of Liver
35920-8 | CT Guidance for drainage of Lymph node
42283-2 | CT Guidance for drainage of Pancreas
44172-5 | US Guidance for drainage of Pancreas
35921-6 | CT Guidance for drainage of Pelvis
24868-2 | US Guidance for drainage of Pelvis
41800-4 | Fluoroscopy Guidance for drainage of Pharynx
41798-0 | US Guidance for drainage of Prostate
35922-4 | CT Guidance for drainage of Unspecified body region
30699-3 | US Guidance for drainage of Unspecified body region
43537-0 | Fluoroscopy Guidance for drainage of Unspecified body region
42478-8 | US Guidance for drainage of cyst of Kidney
46291-1 | CT Guidance for drainage of Unspecified body region-- W and WO contrast IV
35923-2 | CT Guidance for drainage of Chest-- W contrast IV
46292-9 | CT Guidance for drainage of Unspecified body region-- W contrast IV
35924-0 | CT Guidance for drainage of Chest-- WO contrast
46293-7 | CT Guidance for drainage of Unspecified body region-- WO contrast
35925-7 | Fluoroscopy Guidance for endoscopy of Stomach
43478-7 | Fluoroscopy Guidance for endoscopy of Biliary ducts and Pancreatic duct-- 1.5 hours post contrast retrograde
43474-6 | Fluoroscopy Guidance for endoscopy of Biliary ducts and Pancreatic duct-- 15 minutes post contrast retrograde
43477-9 | Fluoroscopy Guidance for endoscopy of Biliary ducts and Pancreatic duct-- 1 hour post contrast retrograde
43473-8 | Fluoroscopy Guidance for endoscopy of Biliary ducts and Pancreatic duct-- 2 hours post contrast retrograde
43475-3 | Fluoroscopy Guidance for endoscopy of Biliary ducts and Pancreatic duct-- 30 minutes post contrast retrograde
43476-1 | Fluoroscopy Guidance for endoscopy of Biliary ducts and Pancreatic duct-- 45 minutes post contrast retrograde
72248-8 | Abdomen MRCP with and without contrast IV
44214-5 | Fluoroscopy Guidance for endoscopy of Biliary ducts-- W contrast retrograde
30815-5 | Fluoroscopy Guidance for endoscopy of Biliary ducts and Pancreatic duct-- W contrast retrograde
44213-7 | Fluoroscopy Guidance for endoscopy of Pancreatic duct-- W contrast retrograde
58740-2 | Abdomen MRCP WO contrast
72541-6 | Fluoroscopy Guidance for facet joint denervation of Spine Cervical
72542-4 | Fluoroscopy Guidance for facet joint denervation of Spine Lumbar
72540-8 | Fluoroscopy Guidance for facet joint denervation of Spine
35926-5 | Fluoroscopy Guidance for gastrostomy of Stomach
30638-1 | Fluoroscopy Guidance for injection of Hip

24769-2 | CT Guidance for injection of Joint space
42334-3 | Fluoroscopy Guidance for injection of Mammary artery.internal - left
42706-2 | US Guidance for injection of Pleural space
24901-1 | CT Guidance for injection of Sacroiliac Joint
35927-3 | Fluoroscopy Guidance for injection of Sacroiliac Joint
26319-4 | CT Guidance for injection of Sacroiliac joint - bilateral
26320-2 | CT Guidance for injection of Sacroiliac joint - left
26321-0 | CT Guidance for injection of Sacroiliac joint - right
48435-2 | Fluoroscopy Guidance for injection of Salivary gland - bilateral
46392-7 | Fluoroscopy Guidance for injection of Sinuses
37427-2 | Fluoroscopy Guidance for injection of Spine
30579-7 | CT Guidance for injection of Spine facet joint
24931-8 | Fluoroscopy Guidance for injection of Spine facet joint
26322-8 | Fluoroscopy Guidance for injection of Spine facet joint - bilateral
26323-6 | Fluoroscopy Guidance for injection of Spine facet joint - left
26324-4 | Fluoroscopy Guidance for injection of Spine facet joint - right
70918-8 | Fluoroscopy Guidance for injection of Spine Cervical
30812-2 | Fluoroscopy Guidance for injection of Spine Cervical Facet Joint
37493-4 | CT Guidance for injection of Spine.disc.cervical
70919-6 | Fluoroscopy Guidance for injection of Spine Lumbar
30817-1 | Fluoroscopy Guidance for injection of Spine Lumbar Facet Joint
70920-4 | Fluoroscopy Guidance for injection of Spine Thoracic
30814-8 | Fluoroscopy Guidance for injection of Spine Thoracic Facet Joint
30702-5 | US Guidance for injection of Thyroid
72530-9 | US Guidance for injection of Joint
36771-4 | Fluoroscopy Guidance for injection of Joint
37494-2 | Fluoroscopy Guidance for injection of Tendon
72537-4 | US Guidance for injection of sclerosing agent of Extremity vein - bilateral
72645-5 | US Guidance for injection of sclerosing agent of Extremity vein - left
72644-8 | US Guidance for injection of sclerosing agent of Extremity vein - right
72536-6 | US Guidance for injection of sclerosing agent of Extremity veins - bilateral
72643-0 | US Guidance for injection of sclerosing agent of Extremity veins - left
72642-2 | US Guidance for injection of sclerosing agent of Extremity veins - right
72543-2 | Fluoroscopy Guidance for intercostal nerve devervation of Spine Thoracic
72552-3 | Fluoroscopy Guidance for kyphoplasty of Spine Lumbar
72553-1 | Fluoroscopy Guidance for kyphoplasty of Spine Thoracic
72535-8 | US Guidance for laser ablation of vein(s) of Extremity vein - left
72534-1 | US Guidance for laser ablation of vein(s) of Extremity vein - right
48735-5 | Mammogram Guidance for localization of Breast
43759-0 | US Guidance for localization of Breast - bilateral
35928-1 | CT Guidance for localization of Breast - left
42296-4 | Mammogram Guidance for localization of Breast - left
43758-2 | US Guidance for localization of Breast - left
35929-9 | CT Guidance for localization of Breast - right
42297-2 | Mammogram Guidance for localization of Breast - right
43760-8 | US Guidance for localization of Breast - right
37608-7 | US Guidance for localization of foreign body of Eye
42701-3 | CT Guidance for localization of placenta of Uterus
39760-4 | Scan Guidance for localization of tumor limited
39759-6 | SPECT Guidance for localization of tumor limited
39761-2 | Scan Guidance for localization of tumor limited-- W Tc-99m Sestamibi IV
39953-5 | Scan Guidance for localization of tumor multiple areas
39763-8 | Scan Guidance for localization of tumor
39762-0 | SPECT Guidance for localization of tumor
39758-8 | Scan Guidance for localization of tumor of Breast
44110-5 | CT Guidance for needle localization of Breast
24600-9 | US Guidance for needle localization of Breast
69068-5 | Mammogram Guidance for needle localization of Breast - bilateral
26313-7 | US Guidance for needle localization of Breast - bilateral
26314-5 | US Guidance for needle localization of Breast - left
26318-6 | US Guidance for needle localization of Breast - right
37921-4 | US Guidance for needle localization of Chest
42021-6 | CT Guidance for needle localization of Spine Cervical
42020-8 | CT Guidance for needle localization of Spine Lumbar
39026-0 | CT Guidance for needle localization of Unspecified body region
39028-6 | MRI Guidance for needle localization of Unspecified body region
38032-9 | US Guidance for needle localization of Unspecified body region
39027-8 | Fluoroscopy Guidance for needle localization of Unspecified body region
24595-1 | Mammogram Guidance for needle localization of mass of Breast
26315-2 | Mammogram Guidance for needle localization of mass of Breast - bilateral
26316-0 | Mammogram Guidance for needle localization of mass of Breast - left
26317-8 | Mammogram Guidance for needle localization of mass of Breast - right

44118-8 | CT Guidance for needle localization of Breast-- W and WO contrast IV
35930-7 | CT Guidance for nerve block of Abdomen
35931-5 | CT Guidance for nerve block of Pelvis
70921-2 | CT Guidance for nerve block of Spine Cervical
35932-3 | CT Guidance for nerve block of Spine Lumbar
70922-0 | CT Guidance for nerve block of Spine Thoracic
69240-0 | Fluoroscopy Guidance for percutaneous biopsy of Abdomen
42139-6 | US Guidance for percutaneous biopsy of Muscle
24609-0 | Mammogram Guidance for core needle percutaneous biopsy of Breast
26334-3 | Mammogram Guidance for core needle percutaneous biopsy of Breast - bilateral
26335-0 | Mammogram Guidance for core needle percutaneous biopsy of Breast - left
38023-8 | US Guidance for core needle percutaneous biopsy of Breast - left
26336-8 | Mammogram Guidance for core needle percutaneous biopsy of Breast - right
38025-3 | US Guidance for core needle percutaneous biopsy of Breast - right
44121-2 | Mammogram Guidance for percutaneous needle biopsy of Breast
69245-9 | Fluoroscopy Guidance for percutaneous needle biopsy of Kidney
69246-7 | Fluoroscopy Guidance for percutaneous needle biopsy of Liver
44204-6 | Fluoroscopy Guidance for percutaneous needle biopsy of Lung
69247-5 | Fluoroscopy Guidance for percutaneous needle biopsy of Salivary gland
46372-9 | Fluoroscopy Guidance for percutaneous drainage of Biliary ducts
62494-0 | US Guidance for percutaneous drainage of Cavity
24621-5 | Fluoroscopy Guidance for percutaneous drainage of Cavity
69241-8 | Fluoroscopy Guidance for percutaneous drainage of abscess of Abdomen
69242-6 | Fluoroscopy Guidance for percutaneous drainage of abscess of Appendix
42422-6 | Fluoroscopy Guidance for percutaneous drainage of abscess of Breast
43444-9 | CT Guidance for percutaneous drainage of abscess of Cavity
42423-4 | Fluoroscopy Guidance for percutaneous drainage of abscess of Chest
69243-4 | Fluoroscopy Guidance for percutaneous drainage of abscess of Lung
44223-6 | Fluoroscopy Guidance for percutaneous drainage of abscess of Ovary
69244-2 | Fluoroscopy Guidance for percutaneous drainage of abscess of Pelvis
42421-8 | Fluoroscopy Guidance for percutaneous drainage of abscess of Unspecified body region
35933-1 | CT Guidance for percutaneous vertebroplasty of Spine
35936-4 | Fluoroscopy Guidance for percutaneous vertebroplasty of Spine
70923-8 | Fluoroscopy Guidance for percutaneous vertebroplasty of Spine Cervical
35934-9 | CT Guidance for percutaneous vertebroplasty of Spine Lumbar
70924-6 | Fluoroscopy Guidance for percutaneous vertebroplasty of Spine Lumbar
35935-6 | CT Guidance for percutaneous vertebroplasty of Spine Thoracic
70925-3 | Fluoroscopy Guidance for percutaneous vertebroplasty of Spine Thoracic
72539-0 | Fluoroscopy Guidance for peripheral nerve denervation of Unspecified body region
30643-1 | US Guidance for placement of catheter in Central vein
35912-5 | Fluoroscopy Guidance for placement of catheter in Unspecified body region
25028-2 | Fluoroscopic angiogram Guidance for placement of catheter for adminstration of thrombolytic in Vessel
25029-0 | Fluoroscopic angiogram Guidance for placement of catheter for vasoconstrictor infusion in Vessels
24613-2 | Fluoroscopic angiogram Guidance for placement of catheter in artery in Central cardiovascular artery
30644-9 | US Guidance for placement of catheter in Central vein-- Tunneled
25077-9 | Fluoroscopic angiogram Guidance for placement of catheter in Hepatic artery-- W contrast IA
24625-6 | Fluoroscopic angiogram Guidance for placement of catheter in Central vein-- W contrast IV
26310-3 | Fluoroscopic angiogram Guidance for placement of catheter in Central vein - bilateral-- W contrast IV
26311-1 | Fluoroscopic angiogram Guidance for placement of catheter in Central vein - left-- W contrast IV
26312-9 | Fluoroscopic angiogram Guidance for placement of catheter in Central vein - right-- W contrast IV
41801-2 | Fluoroscopic angiogram Guidance for placement of catheter in Portal vein-- W contrast IV
24716-3 | Fluoroscopy Guidance for placement of decompression tube in Gastrointestine
62491-6 | Fluoroscopic angiogram Guidance for placement of ilio-iliac tube endoprosthesis in Iliac artery - left-- W contrast IA
62492-4 | Fluoroscopic angiogram Guidance for placement of ilio-iliac tube endoprosthesis in Iliac artery - right-- W contrast IA
25072-0 | Guidance for placement of infusion port in Unspecified body region
62450-2 | Fluoroscopic angiogram Guidance for placement of intraperitoneal catheter in Abdomen
25026-6 | Fluoroscopic angiogram Guidance for placement of IVC filter in Inferior vena cava-- W contrast IV
25027-4 | Guidance for placement of large bore catheter into vessel in Central vein
26307-9 | Guidance for placement of large bore catheter into vessel in Central vein - bilateral
26308-7 | Guidance for placement of large bore catheter into vessel in Central vein - left
26309-5 | Guidance for placement of large bore catheter into vessel in Central vein - right
25024-1 | Fluoroscopic angiogram Guidance for placement of longterm peripheral catheter in Central vein
26304-6 | Fluoroscopic angiogram Guidance for placement of longterm peripheral catheter in Central vein - bilateral
26305-3 | Fluoroscopic angiogram Guidance for placement of longterm peripheral catheter in Central vein - left
26306-1 | Fluoroscopic angiogram Guidance for placement of longterm peripheral catheter in Central vein - right
64993-9 | US Guidance for placement of needle in Unspecified body region
42456-4 | US Guidance for placement of needle wire in Breast
36772-2 | CT Guidance for placement of nephrostomy tube in Kidney
24779-1 | Fluoroscopy Guidance for placement of percutaneous nephrostomy in Kidney - bilateral-- W contrast via tube
24782-5 | Fluoroscopy Guidance for placement of percutaneous nephroureteral stent in Kidney - bilateral
35937-2 | CT Guidance for placement of radiation therapy fields in Unspecified body region
43487-8 | US Guidance for placement of radiation therapy fields in Unspecified body region

65797-3 | Fluoroscopic angiogram Guidance for placement of stent in Artery - left
65798-1 | Fluoroscopic angiogram Guidance for placement of stent in Artery - right
69134-5 | Fluoroscopic angiogram Guidance for placement of stent in Iliac artery
25078-7 | Fluoroscopy Guidance for placement of stent in Intrahepatic portal system
24756-9 | Fluoroscopic angiogram Guidance for placement of stent in Vein
26301-2 | Fluoroscopic angiogram Guidance for placement of stent in Vein - bilateral
26302-0 | Fluoroscopic angiogram Guidance for placement of stent in Vein - left
26303-8 | Fluoroscopic angiogram Guidance for placement of stent in Vein - right
24555-5 | Fluoroscopic angiogram Guidance for placement of stent in Artery
51391-1 | Fluoroscopic angiogram Guidance for placement of transjugular intrahepatic portosystemic shunt in Portal vein and Hepatic vein
35938-0 | CT Guidance for placement of tube in Chest
42140-4 | US Guidance for placement of tube in Chest
39362-9 | Fluoroscopy Guidance for placement of tube in Chest
30637-3 | Fluoroscopy Guidance for placement of tube in Gastrointestine
41799-8 | Fluoroscopy Guidance for placement of tube in Liver
24995-3 | Fluoroscopy Guidance for placement of tube in Stomach
44224-4 | Fluoroscopy Guidance for placement of tube in Unspecified body region
46373-7 | SPECT Guidance for placement of tube in Chest
44102-2 | CT Guidance for procedure of Joint space
44222-8 | Fluoroscopy Guidance for procedure of Joint space
30629-0 | Fluoroscopy Guidance for procedure of Unspecified body region
30581-3 | CT Guidance for radiation treatment of Unspecified body region-- W contrast IV
30664-7 | MRI Guidance for radiation treatment of Unspecified body region-- W contrast IV
30582-1 | CT Guidance for radiation treatment of Unspecified body region-- WO contrast
30665-4 | MRI Guidance for radiation treatment of Unspecified body region-- WO contrast
25053-0 | CT Guidance for radiosurgery of Unspecified body region
25054-8 | CT Guidance for radiosurgery of Unspecified body region-- W contrast IV
24537-3 | US Guidance for removal of amniotic fluid from Uterus
42141-2 | US Guidance for removal of catheter from Central vein-- Tunneled
72549-9 | Fluoroscopy Guidance for removal of catheter from Central vein-- Tunneled
72548-1 | Fluoroscopic angiogram Guidance for removal of catheter from Central vein-- W contrast IV
72547-3 | Fluoroscopy Guidance for removal of CVA device obstruction from Central vein
72546-5 | Fluoroscopy Guidance for removal of CVA lumen obstruction from Central vein
41810-3 | CT Guidance for removal of fluid from Abdomen
24559-7 | US Guidance for removal of fluid from Abdomen
38142-6 | US Guidance for removal of fluid from Chest
30628-2 | Fluoroscopy Guidance for removal of foreign body from Unspecified body region
72538-2 | Fluoroscopic angiogram Guidance for removal of longterm peripheral catheter from Central vein
72544-0 | Fluoroscopy Guidance for removal of percutaneous nephrostomy tube from Kidney - bilateral-- W contrast
24885-6 | US Guidance for repair of Pseudoaneurysm/AV fistula
72550-7 | Fluoroscopy Guidance for repair of CVA catheter with port or pump of Central vein
72551-5 | Fluoroscopy Guidance for repair of CVA catheter without port or pump of Central vein
42017-4 | Fluoroscopy Guidance for replacement of percutaneous cholecystostomy in Abdomen
52790-3 | CT Guidance for replacement of percutaneous drainage tube in Abdomen
72545-7 | Fluoroscopy Guidance for replacement of percutaneous drainage tube in Biliary ducts and Gallbladder
52791-1 | CT Guidance for replacement of percutaneous drainage tube in Pelvis
46294-5 | Fluoroscopy Guidance for replacement of percutaneous drainage tube in Stomach
24996-1 | Fluoroscopy Guidance for replacement of percutaneous gastrostomy in Stomach
24626-4 | Fluoroscopic angiogram Guidance for reposition of catheter in Central vein-- W contrast IV
26295-6 | Fluoroscopic angiogram Guidance for reposition of catheter in Central vein - bilateral-- W contrast IV
26296-4 | Fluoroscopic angiogram Guidance for reposition of catheter in Central vein - left-- W contrast IV
26297-2 | Fluoroscopic angiogram Guidance for reposition of catheter in Central vein - right-- W contrast IV
48740-5 | Mammogram Guidance for sentinel lymph node injection of Breast
48736-3 | Mammogram Guidance for sentinel lymph node injection of Breast - left
48739-7 | Mammogram Guidance for sentinel lymph node injection of Breast - right
24570-4 | Fluoroscopy Guidance for stone removal of Biliary duct common-- W contrast intra biliary duct
43763-2 | Fluoroscopic angiogram Guidance for thrombectomy of Vein-- W contrast IV
43761-6 | Fluoroscopic angiogram Guidance for thrombectomy of Vein - bilateral-- W contrast IV
43762-4 | Fluoroscopic angiogram Guidance for thrombectomy of Vein - left-- W contrast IV
43764-0 | Fluoroscopic angiogram Guidance for thrombectomy of Vein - right-- W contrast IV
72554-9 | Fluoroscopy Guidance for trigger point injection of Muscle
39138-3 | Fluoroscopic angiogram Guidance for vascular access of Vessel
39139-1 | US Guidance for vascular access of Unspecified body region
36936-3 | MRI Guidance.stereotactic for biopsy of Brain
24603-3 | Mammogram Guidance.stereotactic for biopsy of Breast
26292-3 | Mammogram Guidance.stereotactic for biopsy of Breast - bilateral
26293-1 | Mammogram Guidance.stereotactic for biopsy of Breast - left
26294-9 | Mammogram Guidance.stereotactic for biopsy of Breast - right
36928-0 | CT Guidance.stereotactic for biopsy of Head
46296-0 | Mammogram Guidance.stereotactic for core needle biopsy of Breast
46295-2 | Mammogram Guidance.stereotactic for core needle biopsy of Breast - left

42433-3 | Mammogram Guidance.stereotactic for core needle biopsy of Breast - right
69160-0 | Mammogram Guidance.stereotactic for needle biopsy of Breast
24585-2 | CT Guidance.stereotactic for biopsy of Head-- W contrast IV
36929-8 | CT Guidance.stereotactic for biopsy of Head-- WO contrast
44122-0 | MRI Guidance.stereotactic for localization in Brain-- W and WO contrast IV
30656-3 | MRI Guidance.stereotactic for localization in Brain-- W contrast IV
30800-7 | MRI Guidance.stereotactic for localization in Brain-- WO contrast
28632-8 | Heterophoria study
46264-8 | History of medical device use
47519-4 | History of Procedures Document
47245-6 | HIV treatment form Document
52035-3 | Home health claims
52036-1 | Home health prior authorization
52046-0 | Hospital beds
18841-7 | Hospital consultations Document
52028-8 | Hysterectomy consent
24655-3 | Chest Fluoroscopy Image intensifier during surgery
52047-8 | Immunosuppressive drugs
65806-2 | Inhalation challenge test report Document --W methacholine inhaled
11500-6 | Occupational therapy Initial assessment note at First encounter
11495-9 | Physical therapy Initial assessment note at First encounter
11494-2 | Physician Initial assessment note at First encounter
11496-7 | Podiatry Initial assessment note at First encounter
11497-5 | Psychology Initial assessment note at First encounter
11498-3 | Social work Initial assessment note at First encounter
28572-6 | Dentist Initial assessment note
28621-1 | Nurse practitioner Initial assessment note
29753-1 | Nurse Initial assessment note
18734-4 | Occupational therapy Initial assessment note
18735-1 | Physical therapy Initial assessment note
18736-9 | Physician Initial assessment note
28654-2 | Physician attending Initial assessment note
18763-3 | Physician consulting Initial assessment note
18737-7 | Podiatry Initial assessment note
28635-1 | Psychiatry Initial assessment note
18738-5 | Psychology Initial assessment note
18739-3 | Social work Initial assessment note
46214-3 | Intracardiac ablation study
15508-5 | Labor and delivery records
11502-2 | Laboratory report
24717-1 | Ileal conduit X-ray Loopogram
52048-6 | Lymphedema pumps
52049-4 | Manual wheelchair
55186-1 | Measure Document
55185-3 | Measure set Document
11503-0 | Medical records
52037-9 | Member ID card copy
24672-8 | Diaphragm US Motion
30632-4 | Diaphragm Fluoroscopy Motion
52050-2 | Motorized wheelchair
35990-1 | Fetal MRI
41806-1 | Abdomen CT
24556-3 | Abdomen MRI
24558-9 | Abdomen US
30762-9 | Abdomen X-ray tomograph
24566-2 | Abdomen retroperitoneum CT
24531-6 | Abdomen retroperitoneum US
24532-4 | Abdomen RUQ US
44115-4 | Abdomen and Pelvis CT
36781-3 | Abdominal veins MRI angiogram
30864-3 | Abdominal veins and IVC MRI angiogram
36791-2 | Abdominal vessels MRI angiogram
24534-0 | Abdominal vessels US.doppler
39494-0 | Abdominal wall US
36930-6 | Adrenal gland CT
36931-4 | Adrenal gland MRI
69277-2 | Adrenal gland US
36792-0 | Adrenal vessels MRI angiogram
35940-6 | Ankle CT
24538-1 | Ankle MRI
35939-8 | Ankle X-ray tomograph
35941-4 | Ankle - bilateral CT

26208-9 | Ankle - bilateral MRI
35942-2 | Ankle - left CT
26209-7 | Ankle - left MRI
35943-0 | Ankle - left X-ray tomograph
35944-8 | Ankle - right CT
26210-5 | Ankle - right MRI
37674-9 | Ankle - right X-ray tomograph
37222-7 | Ankle and Foot MRI
24542-3 | Anus US
35945-5 | Aorta CT
35947-1 | Aorta MRI
35946-3 | Aorta MRI angiogram
24547-2 | Aorta US
46388-5 | Aorta US.doppler
35948-9 | Aorta abdominal CT
35949-7 | Aorta abdominal MRI
69276-4 | Aorta abdominal US
37216-9 | Aorta.endograft CT
24544-9 | Aorta thoracic CT
35950-5 | Aorta thoracic MRI
24660-3 | Aorta thoracic MRI angiogram
30863-5 | Abdominal Aorta and Arteries MRI angiogram
35951-3 | Aortic arch MRI angiogram
30861-9 | Aortic arch and Neck vessels MRI angiogram
35952-1 | Appendix CT
24548-0 | Appendix US
39040-1 | AV fistula US
43508-1 | Axilla - left MRI
72529-1 | Axilla - left US
43510-7 | Axilla - right MRI
72528-3 | Axilla - right US
37219-3 | Biliary ducts MRI
38021-2 | Biliary ducts and Gallbladder US
37220-1 | Biliary ducts and Pancreatic duct MRI
39039-3 | Brachiocephalic artery US.doppler
24590-2 | Brain MRI
58748-5 | Brain Functional MRI
44138-6 | Brain PET
37217-7 | Brain Stem and Nerves.cranial MRI
37218-5 | Brain.temporal MRI
43772-3 | Brain and Internal auditory canal MRI
42385-5 | Brain and Pituitary and Sella turcica MRI
30794-2 | Breast MRI
24601-7 | Breast US
69165-9 | Breast implant - bilateral MRI
38057-6 | Breast implant - left MRI
38058-4 | Breast implant - right MRI
24596-9 | Breast specimen US
69397-8 | Breast vessels US.doppler
30795-9 | Breast - bilateral MRI
26214-7 | Breast - bilateral US
35954-7 | Breast - left MRI
26215-4 | Breast - left US
35955-4 | Breast - right MRI
26216-2 | Breast - right US
46299-4 | Breast - unilateral MRI
36010-7 | Calcaneus CT
36011-5 | Calcaneus X-ray tomograph
24616-5 | Carotid artery US
42146-1 | Carotid artery US.doppler
26217-0 | Carotid artery - bilateral US
43765-7 | Carotid artery - bilateral US.doppler
26218-8 | Carotid artery - left US
39427-0 | Carotid artery - left US.doppler
26219-6 | Carotid artery - right US
39437-9 | Carotid artery - right US.doppler
43552-9 | Carotid artery - unilateral US
36793-8 | Carotid vessel MRI angiogram
30859-3 | Carotid vessels and Neck Vessels MRI angiogram
30865-0 | Celiac vessels and Superior mesenteric Vessels MRI angiogram
46374-5 | Cerebral artery US
24627-2 | Chest CT

24629-8 | Chest MRI
24630-6 | Chest US
24657-9 | Chest X-ray tomograph
30862-7 | Chest vessels MRI angiogram
38016-2 | Chest wall US
37235-9 | Circle of Willis MRI angiogram
35960-4 | Clavicle CT
35961-2 | Clavicle MRI
35959-6 | Clavicle X-ray tomograph
44120-4 | Colon CT
24757-7 | Coronary arteries CT fast
35962-0 | Elbow CT
24674-4 | Elbow MRI
35963-8 | Elbow X-ray tomograph
35965-3 | Elbow - bilateral CT
26220-4 | Elbow - bilateral MRI
35964-6 | Elbow - bilateral X-ray tomograph
35966-1 | Elbow - left CT
26221-2 | Elbow - left MRI
35967-9 | Elbow - left X-ray tomograph
35968-7 | Elbow - right CT
26222-0 | Elbow - right MRI
37688-9 | Elbow - right X-ray tomograph
35969-5 | Esophagus CT
57823-7 | Esophagus PET
24690-0 | Extremity CT
69193-1 | Extremity MRI
24693-4 | Extremity US
35970-3 | Extremity X-ray tomograph
39042-7 | Extremity artery US.doppler
39031-0 | Extremity artery - bilateral US.doppler
69293-9 | Extremity artery - left US
39428-8 | Extremity artery - left US.doppler
69297-0 | Extremity artery - right US
39439-5 | Extremity artery - right US.doppler
39449-4 | Extremity vein US.doppler
39418-9 | Extremity vein - bilateral US.doppler
42145-3 | Extremity vein - left US
39429-6 | Extremity vein - left US.doppler
42144-6 | Extremity vein - right US
39440-3 | Extremity vein - right US.doppler
30876-7 | Extremity veins MRI angiogram
69283-0 | Extremity veins - bilateral US.doppler
41835-0 | Extremity veins - left US
41816-0 | Extremity veins - right US
36794-6 | Extremity vessels MRI angiogram
43771-5 | Extremity vessels US.doppler
39495-7 | Extremity vessels - bilateral US.doppler
69398-6 | Extremity vessels Left US.doppler
39503-8 | Extremity vessels - right US.doppler
26224-6 | Extremity - bilateral CT
26223-8 | Extremity - bilateral US
26226-1 | Extremity - left CT
26225-3 | Extremity - left US
26231-1 | Extremity - right CT
26230-3 | Extremity - right US
24853-4 | Eye+Orbit - bilateral US
35953-9 | Face MRI
41808-7 | Facial bones and Maxilla CT
24696-7 | Facial bones and Sinuses CT
69389-5 | Femoral artery and Popliteal artery US
69399-4 | Femoral vein and Popliteal vein US
30871-8 | Femoral vessels MRI angiogram
38134-3 | Femoral vessels US
38128-5 | Femoral vessels - bilateral US
39498-1 | Femoral vessels - left US.doppler
39504-6 | Femoral vessels - right US.doppler
35984-4 | Femur CT
35985-1 | Femur X-ray tomograph
35986-9 | Femur - bilateral X-ray tomograph
35987-7 | Femur - left CT
38037-8 | Femur - left US

35988-5 | Femur - left X-ray tomograph
35989-3 | Femur - right CT
38048-5 | Femur - right US
38768-8 | Femur - right X-ray tomograph
24705-6 | Finger MRI
26238-6 | Finger - bilateral MRI
26239-4 | Finger - left MRI
26240-2 | Finger - right MRI
37221-9 | Fistula CT
35991-9 | Foot CT
24707-2 | Foot MRI
35992-7 | Foot X-ray tomograph
30872-6 | Foot vessels MRI angiogram
46362-0 | Foot vessels US.doppler
35993-5 | Foot - bilateral CT
26241-0 | Foot - bilateral MRI
35994-3 | Foot - left CT
26242-8 | Foot - left MRI
35995-0 | Foot - left X-ray tomograph
35996-8 | Foot - right CT
26243-6 | Foot - right MRI
37706-9 | Foot - right X-ray tomograph
35997-6 | Forearm CT
24710-6 | Forearm MRI
30873-4 | Forearm vessels MRI angiogram
35998-4 | Forearm - bilateral CT
26244-4 | Forearm - bilateral MRI
35999-2 | Forearm - left CT
26245-1 | Forearm - left MRI
36000-8 | Forearm - right CT
26246-9 | Forearm - right MRI
24711-4 | Gallbladder US
36001-6 | Gallbladder X-ray tomograph
39415-5 | Gastrointestine US
39416-3 | Genitourinary system US
37236-7 | Great vessel MRI
24719-7 | Groin US
36002-4 | Hand CT
24720-5 | Hand MRI
36003-2 | Hand X-ray tomograph
46382-8 | Hand vessels US.doppler
36004-0 | Hand - bilateral CT
26247-7 | Hand - bilateral MRI
36005-7 | Hand - left CT
26248-5 | Hand - left MRI
36006-5 | Hand - left X-ray tomograph
36007-3 | Hand - right CT
26249-3 | Hand - right MRI
37717-6 | Hand - right X-ray tomograph
24725-4 | Head CT
24728-8 | Head CT cine
24731-2 | Head US
58741-0 | Head to thigh PET
30858-5 | Head veins MRI angiogram
30856-9 | Head vessels MRI angiogram
24733-8 | Head vessels US.doppler
42304-6 | Head vessels and Neck vessels MRI angiogram
30880-9 | Head vessels and Neck vessels US.doppler
30655-5 | Head Cistern MRI
24746-0 | Head Sagittal Sinus MRI
58742-8 | Head and Neck PET
44164-2 | Head and Neck US
58744-4 | Heart CT
24748-6 | Heart MRI
36009-9 | Heart MRI angiogram
44137-8 | Heart PET
42148-7 | Heart US
36014-9 | Hip CT
36013-1 | Hip MRI
24760-1 | Hip US
36012-3 | Hip X-ray tomograph
36016-4 | Hip - bilateral CT

36017-2 | Hip - bilateral MRI
26250-1 | Hip - bilateral US
36015-6 | Hip - bilateral X-ray tomograph
36018-0 | Hip - left CT
36020-6 | Hip - left MRI
26251-9 | Hip - left US
36019-8 | Hip - left X-ray tomograph
36021-4 | Hip - right CT
36022-2 | Hip - right MRI
26252-7 | Hip - right US
37735-8 | Hip - right X-ray tomograph
43566-9 | Hip and Thigh US
36024-8 | Humerus X-ray tomograph
39425-4 | Iliac artery US.doppler
42147-9 | Iliac graft US.doppler
39497-3 | Iliac vessels US.doppler
38129-3 | Iliac vessels - bilateral US
38137-6 | Iliac vessels - left US
38141-8 | Iliac vessels - right US
35958-8 | Internal auditory canal CT
35956-2 | Internal auditory canal MRI
24767-6 | Internal auditory canal X-ray tomograph
26253-5 | Internal auditory canal - bilateral X-ray tomograph
35957-0 | Internal auditory canal - left CT
26254-3 | Internal auditory canal - left X-ray tomograph
38767-0 | Internal auditory canal - right CT
26255-0 | Internal auditory canal - right X-ray tomograph
24735-3 | Internal auditory canal and Posterior fossa MRI
36033-9 | Kidney MRI
38036-0 | Kidney US
36032-1 | Kidney X-ray tomograph
39032-8 | Kidney transplant US
42477-0 | Kidney vessels transplant US.doppler
43767-3 | Kidney - bilateral CT
36034-7 | Kidney - bilateral MRI
43774-9 | Kidney - bilateral US
24789-0 | Kidney - bilateral X-ray tomograph
69402-6 | Kidney Bilateral and Bladder US
36035-4 | Kidney - left MRI
38038-6 | Kidney - left US
69113-9 | Kidney - right CT
36036-2 | Kidney - right MRI
38049-3 | Kidney - right US
36037-0 | Knee CT
24802-1 | Knee MRI
36038-8 | Knee X-ray tomograph
36799-5 | Knee vessels MRI angiogram
36800-1 | Knee vessels - left MRI angiogram
36801-9 | Knee vessels - right MRI angiogram
36040-4 | Knee - bilateral CT
26256-8 | Knee - bilateral MRI
36039-6 | Knee - bilateral X-ray tomograph
36041-2 | Knee - left CT
26257-6 | Knee - left MRI
36042-0 | Knee - left X-ray tomograph
36043-8 | Knee - right CT
26258-4 | Knee - right MRI
37760-6 | Knee - right X-ray tomograph
36045-3 | Larynx MRI
36044-6 | Larynx X-ray tomograph
24814-6 | Liver CT
36046-1 | Liver MRI
28614-6 | Liver US
39454-4 | Liver transplant US
24818-7 | Liver and Diaphragm US
35971-1 | Lower extremity CT
30692-8 | Lower extremity MRI
30709-0 | Lower extremity US
35972-9 | Lower extremity X-ray tomograph
48693-6 | Lower extremity artery US
39434-6 | Lower extremity artery US.doppler
38130-1 | Lower extremity artery - bilateral US

39421-3 | Lower extremity artery - bilateral US.doppler
41834-3 | Lower extremity artery - left US
39499-9 | Lower extremity artery - left US.doppler
41815-2 | Lower extremity artery - right US
39505-3 | Lower extremity artery - right US.doppler
46363-8 | Lower extremity vein US
30881-7 | Lower extremity vein US.doppler
46364-6 | Lower extremity vein - bilateral US
39420-5 | Lower extremity vein - bilateral US.doppler
48692-8 | Lower extremity vein - left US
39432-0 | Lower extremity vein - left US.doppler
48691-0 | Lower extremity vein - right US
39443-7 | Lower extremity vein - right US.doppler
36079-2 | Lower extremity veins MRI angiogram
69385-3 | Lower extremity veins - bilateral US
36784-7 | Lower extremity veins - left MRI angiogram
69392-9 | Lower extremity veins - left US
36785-4 | Lower extremity veins - right MRI angiogram
42461-4 | Lower extremity vessel graft - left US.doppler
42462-2 | Lower extremity vessel graft - right US.doppler
30874-2 | Lower extremity vessels MRI angiogram
44174-1 | Lower extremity vessels US.doppler
35974-5 | Lower extremity vessels - bilateral MRI angiogram
39422-1 | Lower extremity vessels - bilateral US.doppler
36795-3 | Lower extremity vessels - left MRI angiogram
39431-2 | Lower extremity vessels - left US.doppler
36796-1 | Lower extremity vessels - right MRI angiogram
39442-9 | Lower extremity vessels - right US.doppler
35973-7 | Lower extremity - bilateral CT
35975-2 | Lower extremity - bilateral MRI
38013-9 | Lower extremity - bilateral US
24687-6 | Lower Extremity Joint MRI
26227-9 | Lower extremity joint - bilateral MRI
26228-7 | Lower extremity joint - left MRI
26229-5 | Lower extremity joint - right MRI
35976-0 | Lower extremity - left CT
35978-6 | Lower extremity - left MRI
38040-2 | Lower extremity - left US
35977-8 | Lower extremity - left X-ray tomograph
35979-4 | Lower extremity - right CT
35980-2 | Lower extremity - right MRI
38051-9 | Lower extremity - right US
37766-3 | Lower extremity - right X-ray tomograph
36074-3 | Lower leg CT
24821-1 | Lower leg MRI
43513-1 | Lower leg vessels - left MRI angiogram
43556-0 | Lower leg vessels - right MRI angiogram
42696-5 | Lower leg - bilateral MRI
36075-0 | Lower leg - left MRI
36076-8 | Lower leg - right MRI
30866-8 | Lumbar plexus MRI
57822-9 | Lung PET
36047-9 | Mandible CT
36048-7 | Mandible X-ray tomograph
38043-6 | Mastoid US
36776-3 | Mastoid X-ray tomograph
46298-6 | Mastoid - bilateral CT
36050-3 | Maxilla CT
36049-5 | Maxilla and Mandible CT
37234-2 | Mediastinum MRI
38044-4 | Mediastinum US
37233-4 | Mediastinum X-ray tomograph
69394-5 | Mesenteric artery US
69211-1 | Nasal bones MRI
37606-1 | Nasal bones X-ray tomograph
30860-1 | Nasopharynx MRI
24835-1 | Nasopharynx and Neck CT
36051-1 | Neck CT
24839-3 | Neck MRI
24842-7 | Neck US
36788-8 | Neck veins MRI angiogram
36085-9 | Neck vessels MRI angiogram

44175-8 | Neck vessels US.doppler
30857-7 | Nerves cranial MRI
41807-9 | Orbit CT
36777-1 | Orbit MRI
36802-7 | Orbit vessels MRI angiogram
24848-4 | Orbit - bilateral CT
37611-1 | Orbit - bilateral X-ray tomograph
38836-3 | Orbit - left MRI
36778-9 | Orbit - right MRI
42303-8 | Orbit and Face MRI
43530-5 | Orbit and Face and Neck MRI
43455-5 | Oropharynx MRI
39502-0 | Ovarian vessels US.doppler
36779-7 | Ovary MRI
69390-3 | Ovary US
43506-5 | Ovary - bilateral MRI
24857-5 | Pancreas CT
36052-9 | Pancreas MRI
24859-1 | Pancreas US
39509-5 | Pancreas transplant US
36053-7 | Parathyroid MRI
38045-1 | Parathyroid US
37223-5 | Parotid gland CT
37224-3 | Parotid gland MRI
38138-4 | Parotid gland US
24865-8 | Pelvis CT
24867-4 | Pelvis MRI
24869-0 | Pelvis US
37632-7 | Pelvis X-ray tomograph
36789-6 | Pelvis veins MRI angiogram
30867-6 | Pelvis vessels MRI angiogram
24870-8 | Pelvis vessels US.doppler
24872-4 | Pelvis and Hip MRI
26259-2 | Pelvis and Hip - bilateral MRI
26260-0 | Pelvis and Hip - left MRI
26261-8 | Pelvis and Hip - right MRI
38140-0 | Penis US
38139-2 | Penis vessels US
24877-3 | Petrous bone CT
36932-2 | Pituitary and Sella turcica CT
24880-7 | Pituitary and Sella turcica MRI
24881-5 | Popliteal space US
26262-6 | Popliteal space - bilateral US
26263-4 | Popliteal space - left US
26264-2 | Popliteal space - right US
36077-6 | Portal vein MRI angiogram
69284-8 | Portal vein and Hepatic vein US.doppler
36055-2 | Posterior fossa CT
36056-0 | Posterior fossa MRI
36057-8 | Prostate CT
30675-3 | Prostate MRI
24884-9 | Prostate US
43445-6 | Pulmonary system CT
43454-8 | Pulmonary system MRI
36803-5 | Pulmonary vessels MRI angiogram
24892-2 | Rectum US
69294-7 | Renal artery US
39435-3 | Renal artery US.doppler
36078-4 | Renal vein MRI angiogram
30868-4 | Renal vessels MRI angiogram
69295-4 | Renal vessels US
39426-2 | Renal vessels US.doppler
36804-3 | Renal vessels - bilateral MRI angiogram
39419-7 | Renal vessels - bilateral US.doppler
30619-1 | Sacroiliac Joint CT
36031-3 | Sacroiliac Joint MRI
36058-6 | Sacrum CT
36059-4 | Sacrum MRI
38053-5 | Sacrum US
37653-3 | Sacrum X-ray tomograph
69116-2 | Sacrum and Coccyx CT
36060-2 | Sacrum and Coccyx MRI

36933-0 | Salivary gland MRI
69298-8 | Salivary gland US
69117-0 | Scapula CT
36061-0 | Scapula MRI
36073-5 | Scrotum and Testicle MRI
25002-7 | Scrotum and Testicle US
48742-1 | Scrotum and Testicle US.doppler
26271-7 | Scrotum and Testicle - bilateral US
26272-5 | Scrotum and Testicle - left US
26273-3 | Scrotum and Testicle - right US
42437-4 | Sella turcica X-ray tomograph
36062-8 | Shoulder CT
24905-2 | Shoulder MRI
24907-8 | Shoulder US
37850-5 | Shoulder X-ray tomograph
36805-0 | Shoulder vessels MRI angiogram
36806-8 | Shoulder vessels - left MRI angiogram
36807-6 | Shoulder vessels - right MRI angiogram
36063-6 | Shoulder - bilateral CT
26266-7 | Shoulder - bilateral MRI
26265-9 | Shoulder - bilateral US
36064-4 | Shoulder - left CT
26268-3 | Shoulder - left MRI
26267-5 | Shoulder - left US
36065-1 | Shoulder - left X-ray tomograph
36066-9 | Shoulder - right CT
26270-9 | Shoulder - right MRI
26269-1 | Shoulder - right US
37811-7 | Shoulder - right X-ray tomograph
30588-8 | Sinuses CT
24914-4 | Sinuses MRI
37866-1 | Sinuses X-ray tomograph
37874-5 | Skull X-ray tomograph
37495-9 | Skull.base CT
28566-8 | Spine CT
36067-7 | Spine MRI
24926-8 | Spine US
37497-5 | Spine vessels MRI angiogram
24932-6 | Spine Cervical CT
24935-9 | Spine Cervical MRI
70926-1 | Spine Cervical US
36068-5 | Spine Cervical X-ray tomograph
43457-1 | Spine Cervical and Spine Thoracic MRI
42698-1 | Spine Cervical and Thoracic and Lumbar MRI
24963-1 | Spine Lumbar CT
24968-0 | Spine Lumbar MRI
69393-7 | Spine Lumbar US
36069-3 | Spine Lumbar X-ray tomograph
37232-6 | Spine Lumbosacral Junction CT
24978-9 | Spine Thoracic CT
24980-5 | Spine Thoracic MRI
70927-9 | Spine Thoracic US
37911-5 | Spine Thoracic X-ray tomograph
49565-5 | Thoracic Spine vessels MRI angiogram
24988-8 | Spleen CT
36070-1 | Spleen MRI
24990-4 | Spleen US
37225-0 | Sternoclavicular Joint CT
36071-9 | Sternum CT
36072-7 | Sternum MRI
37885-1 | Sternum X-ray tomograph
36782-1 | Subclavian artery MRI angiogram
38131-9 | Subclavian vessels - bilateral US
46359-6 | Superior mesenteric vessels MRI angiogram
44235-0 | Superior mesenteric vessels US.doppler
42468-9 | Surgical specimen US
38059-2 | Talus CT
36773-0 | Temporal bone CT
37226-8 | Temporomandibular joint CT
24999-5 | Temporomandibular joint MRI
30719-9 | Temporomandibular joint X-ray tomograph
37228-4 | Temporomandibular joint - bilateral MRI

37227-6 | Temporomandibular joint - bilateral X-ray tomograph
37230-0 | Temporomandibular joint - left MRI
37229-2 | Temporomandibular joint - left X-ray tomograph
37231-8 | Temporomandibular joint - right MRI
37819-0 | Temporomandibular joint - right X-ray tomograph
39446-0 | Testicle vessels US.doppler
24702-3 | Thigh MRI
26235-2 | Thigh - bilateral MRI
26236-0 | Thigh - left MRI
26237-8 | Thigh - right MRI
36054-5 | Thoracic outlet CT
24582-9 | Thoracic outlet MRI
44163-4 | Thoracic outlet US
26211-3 | Thoracic outlet - bilateral MRI
26212-1 | Thoracic outlet - left MRI
26213-9 | Thoracic outlet - right MRI
43507-3 | Thymus gland MRI
42300-4 | Thyroid MRI
25010-0 | Thyroid US
37898-4 | Tibia and Fibula X-ray tomograph
30888-2 | Tibioperoneal vessels MRI angiogram
36780-5 | Toe MRI
69285-5 | Umbilical artery US.doppler
39508-7 | Umbilical vessels US.doppler
36023-0 | Upper arm CT
36025-5 | Upper arm MRI
36026-3 | Upper arm - bilateral CT
69180-8 | Upper arm - bilateral MRI
36027-1 | Upper arm - left CT
36028-9 | Upper arm - left MRI
36029-7 | Upper arm - right CT
36030-5 | Upper arm - right MRI
35981-0 | Upper extremity CT
24688-4 | Upper extremity MRI
30710-8 | Upper extremity US
37923-0 | Upper extremity X-ray tomograph
48448-5 | Upper extremity artery US
39447-8 | Upper extremity artery US.doppler
38014-7 | Upper extremity artery - bilateral US
39423-9 | Upper extremity artery - bilateral US.doppler
41833-5 | Upper extremity artery - left US
39500-4 | Upper extremity artery - left US.doppler
41814-5 | Upper extremity artery - right US
39506-1 | Upper extremity artery - right US.doppler
30882-5 | Upper extremity vein US.doppler
48690-2 | Upper extremity vein - bilateral US
39496-5 | Upper extremity vein - bilateral US.doppler
48689-4 | Upper extremity vein - left US
39501-2 | Upper extremity vein - left US.doppler
48688-6 | Upper extremity vein - right US
39507-9 | Upper extremity vein - right US.doppler
36080-0 | Upper extremity veins MRI angiogram
69395-2 | Upper extremity veins US
36786-2 | Upper extremity veins - left MRI angiogram
36787-0 | Upper extremity veins - right MRI angiogram
46385-1 | Upper extremity vessel graft US.doppler
44236-8 | Upper extremity vessel graft - bilateral US.doppler
42475-4 | Upper extremity vessel graft - left US.doppler
42476-2 | Upper extremity vessel graft - right US.doppler
36084-2 | Upper extremity vessels MRI angiogram
39448-6 | Upper extremity vessels US.doppler
46379-4 | Upper extremity vessels - bilateral US.doppler
36797-9 | Upper extremity vessels - left MRI angiogram
39433-8 | Upper extremity vessels - left US.doppler
36798-7 | Upper extremity vessels - right MRI angiogram
39444-5 | Upper extremity vessels - right US.doppler
26232-9 | Upper extremity - bilateral MRI
30875-9 | Upper extremity .joint MRI
36774-8 | Upper extremity joint - left MRI
36775-5 | Upper extremity joint - right MRI
35982-8 | Upper extremity - left CT
26233-7 | Upper extremity - left MRI

38041-0 | Upper extremity - left US
35983-6 | Upper extremity - right CT
26234-5 | Upper extremity - right MRI
38052-7 | Upper extremity - right US
25019-1 | Urinary bladder US
42301-2 | Uterus MRI
30705-8 | Uterus and Fallopian tubes US
39036-9 | Vein US
39525-1 | Vein US.doppler
39030-2 | Vein - bilateral US
36783-9 | Veins MRI angiogram
69222-8 | Vena cava MRI
36081-8 | Vena cava MRI angiogram
36083-4 | Inferior vena cava MRI
36082-6 | Inferior vena cava MRI angiogram
36790-4 | Vena cava.inferior and Lower extremity veins MRI angiogram
39445-2 | Vessels US.doppler
38054-3 | Visceral artery US
37428-0 | Wrist CT
25033-2 | Wrist MRI
25036-5 | Wrist US
37932-1 | Wrist X-ray tomograph
37430-6 | Wrist - bilateral CT
26277-4 | Wrist - bilateral MRI
26278-2 | Wrist - bilateral US
37429-8 | Wrist - bilateral X-ray tomograph
37431-4 | Wrist - left CT
26279-0 | Wrist - left MRI
26280-8 | Wrist - left US
37432-2 | Wrist - left X-ray tomograph
69209-5 | Wrist - left and Hand - left MRI
37433-0 | Wrist - right CT
26281-6 | Wrist - right MRI
26282-4 | Wrist - right US
37644-2 | Wrist - right X-ray tomograph
69219-4 | Wrist - right and Hand - right MRI
36008-1 | Wrist and Hand MRI
25045-6 | Unspecified body region CT
25040-7 | Unspecified body region CT 3D
25056-3 | Unspecified body region MRI
44136-0 | Unspecified body region PET
25061-3 | Unspecified body region US
25071-2 | Unspecified body region X-ray tomograph
46375-2 | Artery US
39523-6 | Artery US.doppler
44229-3 | Bones CT
28576-7 | Joint MRI
39453-6 | Tendon US
36957-9 | Facial bones and Maxilla CT and 3D reconstruction
37294-6 | Head CT and 3D reconstruction
41804-6 | Unspecified body region CT and 3D reconstruction
39043-5 | Unspecified body region MRI and 3D reconstruction
44165-9 | Unspecified body region US and 3D reconstruction
58745-1 | Coronary arteries CT angiogram and 3D reconstruction W contrast IV
59255-0 | Left atrium and Pulmonary veins CT angiogram and 3D reconstruction W contrast IV
69082-6 | Head CT and 3D reconstruction WO contrast
37295-3 | Femur and Hip CT and anteversion measurement
72830-3 | Extremity arteries - bilateral US.doppler Multisection and physiologic artery study
72832-9 | Extremity arteries - bilateral US.doppler Multisection and physiologic artery study at rest and with exercise
39879-2 | Bone SPECT 1 phase
39881-8 | Bone SPECT 3 phase whole body
30760-3 | Kidney - bilateral X-ray tomograph 3 views W contrast IV
25055-5 | Unspecified body region MRI additional sequence
39408-0 | Spine Thoracic X-ray tomograph AP
39862-8 | Heart SPECT blood pool at rest and W radionuclide IV
47378-5 | Liver SPECT blood pool
37435-5 | Temporomandibular joint MRI cine
42693-2 | Urinary Bladder and Urethra MRI cine
39140-9 | Heart MRI cine for blood flow velocity mapping
44126-1 | Heart MRI cine for blood flow velocity mapping W contrast IV
42386-3 | Brain MRI cine for CSF flow
42387-1 | Unspecified body region MRI cine for CSF flow

37434-8 | Heart MRI cine for function
46300-0 | Sinuses CT coronal
72139-9 | Breast - bilateral FFD mammogram-tomosynthesis diagnostic
72138-1 | Breast - left FFD mammogram-tomosynthesis diagnostic
72137-3 | Breast - right FFD mammogram-tomosynthesis diagnostic
37436-3 | Brain MRI diffusion weighted
43555-2 | Ankle - left MRI dynamic W contrast IV
43449-8 | Ankle - right MRI dynamic W contrast IV
37437-1 | Breast MRI dynamic W contrast IV
36114-7 | Breast - bilateral MRI dynamic W contrast IV
43450-6 | Elbow - left MRI dynamic W contrast IV
43451-4 | Elbow - right MRI dynamic W contrast IV
46394-3 | Head CT dynamic W contrast IV
43452-2 | Knee - left MRI dynamic W contrast IV
43453-0 | Knee - right MRI dynamic W contrast IV
37438-9 | Pituitary and Sella turcica CT dynamic W contrast IV
43527-1 | Unspecified body region CT dynamic W contrast IV
39637-4 | Brain SPECT flow
43655-0 | Liver SPECT flow
43652-7 | Liver and Spleen SPECT flow
69235-0 | Scrotum and Testicle SPECT flow
43670-9 | Spleen SPECT flow
43673-3 | Thyroid SPECT flow
43662-6 | Renal vessels SPECT flow W Tc-99m glucoheptonate IV
39684-6 | SPECT for abscess W GA-67 IV
39811-5 | SPECT for abscess
39141-7 | Bone marrow MRI for blood flow
39656-4 | Heart SPECT for infarct
39654-9 | Heart SPECT for infarct W Tc-99m PYP IV
39655-6 | Heart SPECT for infarct W Tc-99m Sestamibi IV
39675-4 | SPECT for infection W GA-67 IV
11525-3 | US Pelvis and Fetus for pregnancy
72251-2 | Chest vessels CT Multisection for pulmonary embolus
24889-8 | Pylorus US for pyloric stenosis
36934-8 | Heart CT for scoring
36935-5 | Heart CT for scoring W contrast IV
43446-4 | CT for tumor whole body
69237-6 | SPECT for tumor whole body
39678-8 | SPECT for tumor W GA-67 IV
39748-9 | SPECT for tumor W Tc-99m Sestamibi IV
42292-3 | SPECT for tumor W Tl-201 IV
46395-0 | Heart SPECT gated and ejection fraction at rest and W stress and W radionuclide IV
39913-9 | Heart SPECT gated and ejection fraction
39918-8 | Heart SPECT gated and wall motion
46396-8 | Heart SPECT gated at rest and W Tc-99m Sestamibi IV
39916-2 | Heart SPECT gated
39930-3 | Heart SPECT gated W stress and W radionuclide IV
37439-7 | Chest CT high resolution
37440-5 | Chest CT high resolution W contrast IV
37441-3 | Chest CT high resolution WO contrast
39409-8 | Spine Thoracic X-ray tomograph lateral
36086-7 | Abdomen CT limited
30704-1 | Abdomen US limited
38047-7 | Abdomen retroperitoneum US limited
43572-7 | Abdominal vessels US.doppler limited
38011-3 | Aorta US limited
69280-6 | Bladder US limited
24599-3 | Breast US limited
26286-5 | Breast - bilateral US limited
26288-1 | Breast - left US limited
26290-7 | Breast - right US limited
38015-4 | Carotid artery US limited
42149-5 | Carotid artery - left US limited
42151-1 | Carotid artery - right US limited
36089-1 | Chest CT limited
69281-4 | Chest US limited
36090-9 | Extremity CT limited
39526-9 | Extremity US limited
46301-8 | Extremity vein - bilateral US.doppler limited
39424-7 | Extremity vessels US.doppler limited
62451-0 | Extremity - left US limited
62452-8 | Extremity - right US limited

69286-3 | Eye US limited
36937-1 | Facial bones and Maxilla CT limited
38020-4 | Gallbladder US limited
36087-5 | Head CT limited
38034-5 | Head US limited
36808-4 | Head vessels MRI angiogram limited
39044-3 | Head vessels US.doppler limited
36091-7 | Heart MRI limited
42707-0 | Heart US limited
36092-5 | Hip CT limited
43776-4 | Iliac artery US.doppler limited
42150-3 | Iliac graft US.doppler limited
36088-3 | Internal auditory canal MRI limited
38035-2 | Kidney US limited
69300-2 | Kidney transplant US limited
41812-9 | Lower extremity artery US limited
38042-8 | Lower extremity artery US.doppler limited
39430-4 | Lower extremity vessels - left US.doppler limited
39441-1 | Lower extremity vessels - right US.doppler limited
36093-3 | Lower Extremity Joint MRI limited
38039-4 | Lower extremity - left US limited
38050-1 | Lower extremity - right US limited
44116-2 | Mandible CT limited
48461-8 | Neck MRI limited
69212-9 | Pelvis MRI limited
38046-9 | Pelvis US limited
42152-9 | Pelvis vessels US.doppler limited
44173-3 | Peripheral artery US limited
39436-1 | Renal vessels US.doppler limited
69299-6 | Scrotum and Testicle US limited
24913-6 | Sinuses CT limited
41813-7 | Upper extremity artery US limited
38143-4 | Upper extremity artery US.doppler limited
46302-6 | Upper extremity artery - bilateral US.doppler limited
44237-6 | Upper extremity vessel graft - bilateral US.doppler limited
46303-4 | Upper extremity vessels US.doppler limited
36094-1 | Upper extremity .joint MRI limited
39045-0 | Vein US limited
39524-4 | Vein US.doppler limited
25039-9 | Unspecified body region CT limited
48460-0 | Unspecified body region MRI limited
69282-2 | Unspecified body region US.doppler limited
72831-1 | Extremity arteries - bilateral US.doppler Multisection limited and physiologic artery study
44127-9 | Heart MRI limited cine for function
39046-8 | Pelvis CT limited pelvimetry WO contrast
36102-2 | Abdomen CT limited W and WO contrast IV
36095-8 | Abdomen CT limited W contrast IV
36096-6 | Brain MRI limited W contrast IV
69096-6 | Chest CT limited W contrast IV
36098-2 | Pelvis CT limited W contrast IV
36099-0 | Spine Cervical CT limited W contrast IV
36100-6 | Spine Lumbar MRI limited W contrast IV
36101-4 | Spine Thoracic MRI limited W contrast IV
36097-4 | Upper extremity CT limited W contrast IV
39681-2 | SPECT limited W GA-67 IV
39813-1 | Bone SPECT limited
39821-4 | Bone marrow SPECT limited
36103-0 | Abdomen CT limited WO contrast
36105-5 | Brain MRI limited WO contrast
47366-0 | Chest CT limited WO contrast
36938-9 | Facial bones and Maxilla CT limited WO contrast
36104-8 | Head CT limited WO contrast
36106-3 | Lower extremity CT limited WO contrast
36107-1 | Lower extremity joint - left MRI limited WO contrast
38769-6 | Lower extremity joint - right MRI limited WO contrast
36108-9 | Pelvis CT limited WO contrast
46304-2 | Sinuses CT limited WO contrast
36109-7 | Spine Cervical CT limited WO contrast
36110-5 | Spine Lumbar CT limited WO contrast
36111-3 | Spine Lumbar MRI limited WO contrast
36112-1 | Spine Thoracic MRI limited WO contrast
39905-5 | Bone SPECT multiple areas

39906-3 | Bone marrow SPECT multiple areas
39527-7 | Unspecified body region US of foreign body
49569-7 | Heart SPECT perfusion and wall motion at rest and W stress and W Tl-201 IV and W Tc-99m Sestamibi IV
43659-2 | Heart SPECT perfusion qualitative at rest and W radionuclide IV
39725-7 | Heart SPECT perfusion at rest and W adenosine and W Tl-201 IV
39718-2 | Heart SPECT perfusion at rest and W radionuclide IV
39724-0 | Heart SPECT perfusion at rest and W stress and W radionuclide IV
39723-2 | Heart SPECT perfusion at rest and W stress and W Tl-201 IV
49568-9 | Heart SPECT perfusion at rest and W stress and W Tl-201 IV and W Tc-99m Sestamibi IV
39729-9 | Heart SPECT perfusion at rest and W Tl-201 IV
39700-0 | Heart SPECT perfusion W adenosine and W radionuclide IV
49567-1 | Heart SPECT perfusion W adenosine and W Tc-99m Sestamibi IV
39142-5 | Head CT perfusion W contrast IV
39712-5 | Heart SPECT perfusion
39734-9 | Heart SPECT perfusion W stress and W radionuclide IV
39736-4 | Heart SPECT perfusion W stress and W Tc-99m Sestamibi IV
39710-9 | Heart SPECT perfusion W Tc-99m Sestamibi IV
39711-7 | Heart SPECT perfusion W Tl-201 IV
38060-0 | Spine.lumbosacral+Cervical+Thoracic MRI sagittal
25052-2 | Unspecified body region CT sagittal and coronal
25050-6 | Unspecified body region CT 3D sagittal and coronal disarticulation
42132-1 | Breast US screening
72142-3 | Breast - bilateral FFD mammogram-tomosynthesis screening
72141-5 | Breast - left FFD mammogram-tomosynthesis screening
72140-7 | Breast - right FFD mammogram-tomosynthesis screening
37442-1 | Brain MRI spectroscopy
37443-9 | Unspecified body region MRI spectroscopy
36939-7 | Spine CT stereotactic
70929-5 | Spine Cervical CT stereotactic
70928-7 | Spine Lumbar CT stereotactic
70930-3 | Spine Thoracic CT stereotactic
36940-5 | Unspecified body region CT stereotactic
42455-6 | Pelvis US transabdominal and transvaginal
24677-7 | Pelvis US transvaginal
42390-5 | Transvaginal MRI
39838-8 | Lung SPECT ventilation and perfusion W radionuclide inhaled and W radionuclide IV
39898-2 | Lung SPECT ventilation W radionuclide aerosol inhaled
39872-7 | Heart SPECT wall motion
46305-9 | CT whole body
46358-8 | MRI whole body
44139-4 | PET whole body
46306-7 | CT whole body W contrast IV
39680-4 | SPECT whole body W GA-67 IV
39816-4 | Bone SPECT whole body
39825-5 | Bone marrow SPECT whole body
41837-6 | SPECT whole body W Tc-99m Arcitumomab IV
39658-0 | Heart SPECT at rest and W radionuclide IV
39662-2 | Heart SPECT at rest and W stress and W Tc-99m Sestamibi IV
49566-3 | Heart SPECT at rest and W Tc-99m Sestamibi IV
30711-6 | Hip US developmental joint assessment
24732-0 | Head US during surgery
30706-6 | Liver US during surgery
30701-7 | Unspecified body region US during surgery
69388-7 | Urinary bladder US post void
69086-7 | Aorta CT W and WO contrast
69108-9 | Pulmonary vessels CT angiogram W and WO contrast
69085-9 | Renal vessels CT angiogram W and WO contrast
69207-9 | Hip - left MRI W and WO contrast intraarticular
69217-8 | Hip - right MRI W and WO contrast intraarticular
69208-7 | Shoulder - left MRI W and WO contrast intraarticular
69218-6 | Shoulder - right MRI W and WO contrast intraarticular
48442-8 | Spine CT W and WO contrast IT
48450-1 | Spine Cervical MRI W and WO contrast IT
44114-7 | Spine Lumbar CT W and WO contrast IT
48452-7 | Spine Lumbar MRI W and WO contrast IT
44113-9 | Spine Thoracic CT W and WO contrast IT
48441-0 | Spine Thoracic MRI W and WO contrast IT
36267-3 | Abdomen CT W and WO contrast IV
24557-1 | Abdomen MRI W and WO contrast IV
48743-9 | Abdomen retroperitoneum CT W and WO contrast IV
42274-1 | Abdomen and Pelvis CT W and WO contrast IV
36846-4 | Abdominal veins MRI angiogram W and WO contrast IV

30805-6 | Abdominal vessels CT angiogram W and WO contrast IV
36855-5 | Abdominal vessels MRI angiogram W and WO contrast IV
36950-4 | Adrenal gland CT W and WO contrast IV
36951-2 | Adrenal gland MRI W and WO contrast IV
36268-1 | Ankle CT W and WO contrast IV
24539-9 | Ankle MRI W and WO contrast IV
26187-5 | Ankle - bilateral MRI W and WO contrast IV
36269-9 | Ankle - left CT W and WO contrast IV
26188-3 | Ankle - left MRI W and WO contrast IV
36270-7 | Ankle - right CT W and WO contrast IV
26189-1 | Ankle - right MRI W and WO contrast IV
44131-1 | Aorta MRI angiogram W and WO contrast IV
36271-5 | Aorta abdominal CT W and WO contrast IV
36273-1 | Aorta abdominal MRI W and WO contrast IV
36272-3 | Aorta abdominal MRI angiogram W and WO contrast IV
36274-9 | Aorta thoracic MRI angiogram W and WO contrast IV
30806-4 | Aorta and Femoral artery - bilateral CT angiogram W and WO contrast IV
46360-4 | Aortic arch MRI angiogram W and WO contrast IV
43509-9 | Axilla - left MRI W and WO contrast IV
43511-5 | Axilla - right MRI W and WO contrast IV
36944-7 | Biliary ducts and Pancreatic duct MRI W and WO contrast IV
24587-8 | Brain MRI W and WO contrast IV
48694-4 | Brain.temporal MRI W and WO contrast IV
43769-9 | Brain and Internal auditory canal MRI W and WO contrast IV
42392-1 | Brain and Pituitary and Sella turcica MRI W and WO contrast IV
36276-4 | Breast MRI W and WO contrast IV
69189-9 | Breast implant MRI W and WO contrast IV
69166-7 | Breast implant - bilateral MRI W and WO contrast IV
38870-2 | Breast implant - left MRI W and WO contrast IV
38062-6 | Breast implant - right MRI W and WO contrast IV
36277-2 | Breast - bilateral MRI W and WO contrast IV
36278-0 | Breast - left MRI W and WO contrast IV
36279-8 | Breast - right MRI W and WO contrast IV
43528-9 | Breast - unilateral MRI W and WO contrast IV
36358-0 | Calcaneus CT W and WO contrast IV
36280-6 | Calcaneus - left CT W and WO contrast IV
36281-4 | Calcaneus - right CT W and WO contrast IV
36856-3 | Carotid vessel MRI angiogram W and WO contrast IV
30598-7 | Chest CT W and WO contrast IV
36283-0 | Chest MRI W and WO contrast IV
36848-0 | Chest veins MRI angiogram W and WO contrast IV
30804-9 | Chest vessels CT angiogram W and WO contrast IV
36420-8 | Chest vessels MRI angiogram W and WO contrast IV
42277-4 | Chest and Abdomen CT W and WO contrast IV
36284-8 | Chest and Abdomen MRI W and WO contrast IV
72252-0 | Chest and Abdomen and Pelvis CT W and WO contrast IV
69161-8 | Circle of Willis MRI angiogram W and WO contrast IV
42299-8 | Clavicle MRI W and WO contrast IV
48455-0 | Clavicle - left MRI W and WO contrast IV
48454-3 | Clavicle - right MRI W and WO contrast IV
36285-5 | Elbow CT W and WO contrast IV
24675-1 | Elbow MRI W and WO contrast IV
26193-3 | Elbow - bilateral MRI W and WO contrast IV
36286-3 | Elbow - left CT W and WO contrast IV
26194-1 | Elbow - left MRI W and WO contrast IV
36287-1 | Elbow - right CT W and WO contrast IV
26195-8 | Elbow - right MRI W and WO contrast IV
42268-3 | Extremity CT W and WO contrast IV
24694-2 | Face MRI W and WO contrast IV
30803-1 | Facial bones and Maxilla CT W and WO contrast IV
36338-2 | Femur CT W and WO contrast IV
36339-0 | Femur - left CT W and WO contrast IV
36340-8 | Femur - right CT W and WO contrast IV
69194-9 | Finger MRI W and WO contrast IV
69204-6 | Finger - left MRI W and WO contrast IV
69214-5 | Finger - right MRI W and WO contrast IV
36341-6 | Foot CT W and WO contrast IV
30682-9 | Foot MRI W and WO contrast IV
36342-4 | Foot - bilateral MRI W and WO contrast IV
36343-2 | Foot - left CT W and WO contrast IV
36344-0 | Foot - left MRI W and WO contrast IV
36345-7 | Foot - right CT W and WO contrast IV

36346-5 | Foot - right MRI W and WO contrast IV
36347-3 | Forearm CT W and WO contrast IV
30684-5 | Forearm MRI W and WO contrast IV
69174-1 | Forearm - bilateral MRI W and WO contrast IV
36348-1 | Forearm - left CT W and WO contrast IV
36349-9 | Forearm - left MRI W and WO contrast IV
36350-7 | Forearm - right CT W and WO contrast IV
36351-5 | Forearm - right MRI W and WO contrast IV
36352-3 | Hand CT W and WO contrast IV
30686-0 | Hand MRI W and WO contrast IV
69177-4 | Hand - bilateral MRI W and WO contrast IV
36353-1 | Hand - left CT W and WO contrast IV
36354-9 | Hand - left MRI W and WO contrast IV
36355-6 | Hand - right CT W and WO contrast IV
36356-4 | Hand - right MRI W and WO contrast IV
24726-2 | Head CT W and WO contrast IV
24729-6 | Head CT cine W and WO contrast IV
36847-2 | Head veins MRI angiogram W and WO contrast IV
30593-8 | Head vessels CT angiogram W and WO contrast IV
36857-1 | Head vessels MRI angiogram W and WO contrast IV
36357-2 | Heart MRI W and WO contrast IV
36359-8 | Hip CT W and WO contrast IV
30688-6 | Hip MRI W and WO contrast IV
36360-6 | Hip - bilateral CT W and WO contrast IV
36361-4 | Hip - bilateral MRI W and WO contrast IV
36362-2 | Hip - left CT W and WO contrast IV
36363-0 | Hip - left MRI W and WO contrast IV
36364-8 | Hip - right CT W and WO contrast IV
36365-5 | Hip - right MRI W and WO contrast IV
36282-2 | Internal auditory canal CT W and WO contrast IV
30659-7 | Internal auditory canal MRI W and WO contrast IV
24740-3 | Internal auditory canal and Posterior fossa MRI W and WO contrast IV
43768-1 | Kidney CT W and WO contrast IV
43775-6 | Kidney MRI W and WO contrast IV
36377-0 | Kidney - bilateral CT W and WO contrast IV
36378-8 | Kidney - bilateral MRI W and WO contrast IV
24784-1 | Kidney - bilateral X-ray tomograph W and WO contrast IV
36379-6 | Knee CT W and WO contrast IV
24803-9 | Knee MRI W and WO contrast IV
38837-1 | Knee vessels - left MRI angiogram W and WO contrast IV
36862-1 | Knee vessels - right MRI angiogram W and WO contrast IV
26199-0 | Knee - bilateral MRI W and WO contrast IV
36380-4 | Knee - left CT W and WO contrast IV
26200-6 | Knee - left MRI W and WO contrast IV
36381-2 | Knee - right CT W and WO contrast IV
26201-4 | Knee - right MRI W and WO contrast IV
36382-0 | Larynx MRI W and WO contrast IV
30612-6 | Liver CT W and WO contrast IV
30670-4 | Liver MRI W and WO contrast IV
36288-9 | Lower extremity CT W and WO contrast IV
39291-0 | Lower extremity MRI W and WO contrast IV
36416-6 | Lower extremity veins MRI angiogram W and WO contrast IV
36849-8 | Lower extremity veins - left MRI angiogram W and WO contrast IV
36850-6 | Lower extremity veins - right MRI angiogram W and WO contrast IV
30807-2 | Lower extremity vessels CT angiogram W and WO contrast IV
44128-7 | Lower extremity vessels MRI angiogram W and WO contrast IV
46308-3 | Lower extremity vessels - left CT angiogram W and WO contrast IV
36858-9 | Lower extremity vessels - left MRI angiogram W and WO contrast IV
46307-5 | Lower extremity vessels - right CT angiogram W and WO contrast IV
36859-7 | Lower extremity vessels - right MRI angiogram W and WO contrast IV
36289-7 | Lower extremity - bilateral MRI W and WO contrast IV
36371-3 | Lower Extremity Joint MRI W and WO contrast IV
36372-1 | Lower extremity joint - left MRI W and WO contrast IV
36373-9 | Lower extremity joint - right MRI W and WO contrast IV
36290-5 | Lower extremity - left CT W and WO contrast IV
36291-3 | Lower extremity - left MRI W and WO contrast IV
36292-1 | Lower extremity - right CT W and WO contrast IV
36333-3 | Lower extremity - right MRI W and WO contrast IV
36408-3 | Lower leg CT W and WO contrast IV
30870-0 | Lower leg MRI W and WO contrast IV
42697-3 | Lower leg - bilateral MRI W and WO contrast IV
36409-1 | Lower leg - left CT W and WO contrast IV

36410-9 | Lower leg - left MRI W and WO contrast IV
36411-7 | Lower leg - right CT W and WO contrast IV
36412-5 | Lower leg - right MRI W and WO contrast IV
36383-8 | Mandible CT W and WO contrast IV
37272-2 | Mediastinum MRI W and WO contrast IV
48443-6 | Nasopharynx CT W and WO contrast IV
36384-6 | Nasopharynx MRI W and WO contrast IV
30586-2 | Neck CT W and WO contrast IV
24840-1 | Neck MRI W and WO contrast IV
36853-0 | Neck veins MRI angiogram W and WO contrast IV
30594-6 | Neck vessels CT angiogram W and WO contrast IV
36423-2 | Neck vessels MRI angiogram W and WO contrast IV
48451-9 | Orbit CT W and WO contrast IV
36842-3 | Orbit MRI W and WO contrast IV
43458-9 | Orbit vessels MRI angiogram W and WO contrast IV
24849-2 | Orbit - bilateral CT W and WO contrast IV
24851-8 | Orbit - bilateral MRI W and WO contrast IV
36843-1 | Orbit - left MRI W and WO contrast IV
36844-9 | Orbit - right MRI W and WO contrast IV
39029-4 | Orbit and Face MRI W and WO contrast IV
46310-9 | Orbit and Face and Neck MRI W and WO contrast IV
36845-6 | Ovary MRI W and WO contrast IV
30614-2 | Pancreas CT W and WO contrast IV
36385-3 | Pancreas MRI W and WO contrast IV
46311-7 | Parotid gland CT W and WO contrast IV
37265-6 | Parotid gland MRI W and WO contrast IV
30616-7 | Pelvis CT W and WO contrast IV
30674-6 | Pelvis MRI W and WO contrast IV
36854-8 | Pelvis veins MRI angiogram W and WO contrast IV
30623-3 | Pelvis vessels CT angiogram W and WO contrast IV
36863-9 | Pelvis vessels MRI angiogram W and WO contrast IV
30672-0 | Pelvis and Hip MRI W and WO contrast IV
36835-7 | Petrous bone CT W and WO contrast IV
24904-5 | Pituitary and Sella turcica CT W and WO contrast IV
24879-9 | Pituitary and Sella turcica MRI W and WO contrast IV
36414-1 | Portal vein MRI angiogram W and WO contrast IV
36387-9 | Posterior fossa CT W and WO contrast IV
36388-7 | Posterior fossa MRI W and WO contrast IV
36389-5 | Prostate MRI W and WO contrast IV
36275-6 | Renal artery MRI angiogram W and WO contrast IV
36415-8 | Renal vein MRI angiogram W and WO contrast IV
44134-5 | Renal vessels MRI angiogram W and WO contrast IV
36375-4 | Sacroiliac Joint CT W and WO contrast IV
36376-2 | Sacroiliac Joint MRI W and WO contrast IV
36390-3 | Sacrum CT W and WO contrast IV
36391-1 | Sacrum MRI W and WO contrast IV
36392-9 | Sacrum and Coccyx MRI W and WO contrast IV
36393-7 | Scapula - left MRI W and WO contrast IV
36394-5 | Scapula - right MRI W and WO contrast IV
36406-7 | Scrotum and Testicle MRI W and WO contrast IV
36395-2 | Shoulder CT W and WO contrast IV
24906-0 | Shoulder MRI W and WO contrast IV
36864-7 | Shoulder vessels - left MRI angiogram W and WO contrast IV
36865-4 | Shoulder vessels - right MRI angiogram W and WO contrast IV
26202-2 | Shoulder - bilateral MRI W and WO contrast IV
36396-0 | Shoulder - left CT W and WO contrast IV
26203-0 | Shoulder - left MRI W and WO contrast IV
36397-8 | Shoulder - right CT W and WO contrast IV
26204-8 | Shoulder - right MRI W and WO contrast IV
36398-6 | Sinuses CT W and WO contrast IV
30663-9 | Sinuses MRI W and WO contrast IV
44111-3 | Skull.base CT W and WO contrast IV
69220-2 | Skull.base MRI W and WO contrast IV
37277-1 | Spinal vein MRI angiogram W and WO contrast IV
36399-4 | Spine CT W and WO contrast IV
36400-0 | Spine MRI W and WO contrast IV
37505-5 | Spine vessels MRI angiogram W and WO contrast IV
36401-8 | Spine Cervical CT W and WO contrast IV
24937-5 | Spine Cervical MRI W and WO contrast IV
37506-3 | Cervical Spine vessels MRI angiogram W and WO contrast IV
43456-3 | Spine Cervical and Spine Thoracic MRI W and WO contrast IV
30855-1 | Spine Cervical and Thoracic and Lumbar MRI W and WO contrast IV

36402-6 | Spine Lumbar CT W and WO contrast IV
24967-2 | Spine Lumbar MRI W and WO contrast IV
37507-1 | Lumbar Spine vessels MRI angiogram W and WO contrast IV
36403-4 | Spine Thoracic CT W and WO contrast IV
24981-3 | Spine Thoracic MRI W and WO contrast IV
37508-9 | Thoracic Spine vessels MRI angiogram W and WO contrast IV
24989-6 | Spleen CT W and WO contrast IV
36404-2 | Spleen MRI W and WO contrast IV
37266-4 | Sternoclavicular Joint CT W and WO contrast IV
36405-9 | Sternum CT W and WO contrast IV
44231-9 | Superior mesenteric vessels MRI angiogram W and WO contrast IV
36837-3 | Temporal bone CT W and WO contrast IV
37267-2 | Temporomandibular joint CT W and WO contrast IV
37268-0 | Temporomandibular joint MRI W and WO contrast IV
37269-8 | Temporomandibular joint - bilateral MRI W and WO contrast IV
37270-6 | Temporomandibular joint - left MRI W and WO contrast IV
37271-4 | Temporomandibular joint - right MRI W and WO contrast IV
24703-1 | Thigh MRI W and WO contrast IV
26196-6 | Thigh - bilateral MRI W and WO contrast IV
26197-4 | Thigh - left MRI W and WO contrast IV
26198-2 | Thigh - right MRI W and WO contrast IV
24583-7 | Thoracic outlet MRI W and WO contrast IV
26190-9 | Thoracic outlet - bilateral MRI W and WO contrast IV
26191-7 | Thoracic outlet - left MRI W and WO contrast IV
26192-5 | Thoracic outlet - right MRI W and WO contrast IV
36407-5 | Thyroid MRI W and WO contrast IV
72241-3 | Toes - left MRI W and WO contrast IV
72238-9 | Toes - right MRI W and WO contrast IV
36366-3 | Upper arm CT W and WO contrast IV
30690-2 | Upper arm MRI W and WO contrast IV
69181-6 | Upper arm - bilateral MRI W and WO contrast IV
36367-1 | Upper arm - left CT W and WO contrast IV
36368-9 | Upper arm - left MRI W and WO contrast IV
36369-7 | Upper arm - right CT W and WO contrast IV
36370-5 | Upper arm - right MRI W and WO contrast IV
36334-1 | Upper extremity CT W and WO contrast IV
39034-4 | Upper extremity MRI W and WO contrast IV
36417-4 | Upper extremity veins MRI angiogram W and WO contrast IV
36851-4 | Upper extremity veins - left MRI angiogram W and WO contrast IV
36852-2 | Upper extremity veins - right MRI angiogram W and WO contrast IV
36421-6 | Upper extremity vessels CT angiogram W and WO contrast IV
36422-4 | Upper extremity vessels MRI angiogram W and WO contrast IV
46312-5 | Upper extremity vessels - left CT angiogram W and WO contrast IV
36860-5 | Upper extremity vessels - left MRI angiogram W and WO contrast IV
46309-1 | Upper extremity vessels - right CT angiogram W and WO contrast IV
36861-3 | Upper extremity vessels - right MRI angiogram W and WO contrast IV
69186-5 | Upper extremity - bilateral MRI W and WO contrast IV
36374-7 | Upper extremity .joint MRI W and WO contrast IV
36840-7 | Upper extremity joint - left MRI W and WO contrast IV
36841-5 | Upper extremity joint - right MRI W and WO contrast IV
36335-8 | Upper extremity - left CT W and WO contrast IV
38831-4 | Upper extremity - left MRI W and WO contrast IV
36336-6 | Upper extremity - right CT W and WO contrast IV
36337-4 | Upper extremity - right MRI W and WO contrast IV
36413-3 | Uterus MRI W and WO contrast IV
36418-2 | Inferior vena cava MRI W and WO contrast IV
36419-0 | Superior vena cava MRI W and WO contrast IV
37457-9 | Wrist CT W and WO contrast IV
25035-7 | Wrist MRI W and WO contrast IV
26205-5 | Wrist - bilateral MRI W and WO contrast IV
37458-7 | Wrist - left CT W and WO contrast IV
26206-3 | Wrist - left MRI W and WO contrast IV
38802-5 | Wrist - right CT W and WO contrast IV
26207-1 | Wrist - right MRI W and WO contrast IV
42298-0 | Unspecified body region MRI W and WO contrast IV
24588-6 | Brain MRI W and WO contrast IV and W anesthesia
72244-7 | Pelvis MRI W and WO contrast IV and W endorectal coil
43448-0 | Liver MRI W and WO ferumoxides IV
46318-2 | Abdomen CT W and WO reduced contrast volume IV
46317-4 | Chest CT W and WO reduced contrast volume IV
46315-8 | Facial bones and Maxilla CT W and WO reduced contrast volume IV
46316-6 | Head CT W and WO reduced contrast volume IV

46314-1 | Internal auditory canal CT W and WO reduced contrast volume IV
46313-3 | Pelvis CT W and WO reduced contrast volume IV
60515-4 | Rectum and Colon CT 3D W air contrast PR
24586-0 | Brain MRI W anesthesia
24936-7 | Spine Cervical MRI W anesthesia
24977-1 | Spine Lumbar MRI W anesthesia
25046-4 | Unspecified body region CT W anesthesia
38022-0 | Gallbladder US W cholecystokinin
25047-2 | Unspecified body region CT W conscious sedation
25057-1 | Unspecified body region MRI W conscious sedation
30599-5 | Abdomen CT W contrast
24567-0 | Abdomen retroperitoneum CT W contrast
38055-0 | Unspecified body region US W contrast
36809-2 | Hepatic artery CT angiogram W contrast IA
69162-6 | Pulmonary artery - bilateral MRI angiogram W contrast IA
69238-4 | Urinary Bladder and Urethra SPECT W contrast intra bladder during voiding
30853-6 | Breast duct US W contrast intra duct
36941-3 | Salivary gland CT W contrast intra salivary duct
37237-5 | Sinus tract CT W contrast intra sinus tract
36115-4 | Ankle MRI W contrast intraarticular
69102-2 | Ankle - left CT W contrast intraarticular
36116-2 | Ankle - left MRI W contrast intraarticular
69109-7 | Ankle - right CT W contrast intraarticular
36117-0 | Ankle - right MRI W contrast intraarticular
46319-0 | Elbow MRI W contrast intraarticular
69103-0 | Elbow - left CT W contrast intraarticular
36118-8 | Elbow - left MRI W contrast intraarticular
69110-5 | Elbow - right CT W contrast intraarticular
36119-6 | Elbow - right MRI W contrast intraarticular
36120-4 | Hip MRI W contrast intraarticular
69105-5 | Hip - left CT W contrast intraarticular
36121-2 | Hip - left MRI W contrast intraarticular
69112-1 | Hip - right CT W contrast intraarticular
36122-0 | Hip - right MRI W contrast intraarticular
36124-6 | Knee CT W contrast intraarticular
36125-3 | Knee MRI W contrast intraarticular
69106-3 | Knee - left CT W contrast intraarticular
36126-1 | Knee - left MRI W contrast intraarticular
69114-7 | Knee - right CT W contrast intraarticular
36127-9 | Knee - right MRI W contrast intraarticular
37238-3 | Lower Extremity Joint CT W contrast intraarticular
69210-3 | Lower Extremity Joint MRI W contrast intraarticular
36123-8 | Sacroiliac Joint CT W contrast intraarticular
36128-7 | Shoulder CT W contrast intraarticular
36129-5 | Shoulder MRI W contrast intraarticular
38828-0 | Shoulder - left CT W contrast intraarticular
36130-3 | Shoulder - left MRI W contrast intraarticular
36131-1 | Shoulder - right CT W contrast intraarticular
36132-9 | Shoulder - right MRI W contrast intraarticular
36810-0 | Upper Joint CT W contrast intraarticular
37444-7 | Wrist MRI W contrast intraarticular
69107-1 | Wrist - left CT W contrast intraarticular
37445-4 | Wrist - left MRI W contrast intraarticular
69115-4 | Wrist - right CT W contrast intraarticular
37446-2 | Wrist - right MRI W contrast intraarticular
36811-8 | Joint CT W contrast intraarticular
36812-6 | Joint MRI W contrast intraarticular
39322-3 | Spine CT W contrast intradisc
37496-7 | Spine Cervical CT W contrast intradisc
37509-7 | Spine Lumbar CT W contrast intradisc
70931-1 | Spine Thoracic CT W contrast intradisc
24734-6 | Head Cistern CT W contrast IT
47985-7 | Spine CT W contrast IT
24934-2 | Spine Cervical CT W contrast IT
48447-7 | Spine Cervical MRI W contrast IT
24965-6 | Spine Lumbar CT W contrast IT
48436-0 | Spine Lumbar MRI W contrast IT
30596-1 | Spine Thoracic CT W contrast IT
48439-4 | Spine Thoracic MRI W contrast IT
36134-5 | Abdomen MRI W contrast IV
36813-4 | Abdomen and Pelvis CT W contrast IV
36828-2 | Abdominal vessels CT angiogram W contrast IV

24533-2 | Abdominal vessels MRI angiogram W contrast IV
69908-2 | Abdominal vessels and Pelvis vessels CT angiogram W contrast IV
36943-9 | Adrenal gland CT W contrast IV
44124-6 | Adrenal gland MRI W contrast IV
36135-2 | Ankle CT W contrast IV
36136-0 | Ankle MRI W contrast IV
69163-4 | Ankle - bilateral MRI W contrast IV
36137-8 | Ankle - left CT W contrast IV
36138-6 | Ankle - left MRI W contrast IV
36139-4 | Ankle - right CT W contrast IV
36140-2 | Ankle - right MRI W contrast IV
36142-8 | Aorta CT W contrast IV
36141-0 | Aorta CT angiogram W contrast IV
36143-6 | Aorta abdominal CT W contrast IV
24545-6 | Aorta thoracic CT W contrast IV
72255-3 | Aorta and Femoral artery - bilateral CT angiogram W contrast IV
43503-2 | Aorta and Lower extremity vessels CT angiogram W contrast IV
36144-4 | Aortic arch CT angiogram W contrast IV
37499-1 | Aortic stent CT angiogram W contrast IV
36145-1 | Appendix CT W contrast IV
43504-0 | Axilla - left MRI W contrast IV
43505-7 | Axilla - right MRI W contrast IV
44125-3 | Biliary ducts and Pancreatic duct MRI W contrast IV
69095-8 | Bladder CT W contrast IV
24589-4 | Brain MRI W contrast IV
48444-4 | Brain.temporal MRI W contrast IV
37239-1 | Brain and Internal auditory canal MRI W contrast IV
37215-1 | Brain and Larynx MRI W contrast IV
42391-3 | Brain and Pituitary and Sella turcica MRI W contrast IV
36149-3 | Breast MRI W contrast IV
69190-7 | Breast implant MRI W contrast IV
69167-5 | Breast implant - bilateral MRI W contrast IV
36150-1 | Breast - bilateral MRI W contrast IV
36151-9 | Breast - left MRI W contrast IV
36152-7 | Breast - right MRI W contrast IV
46323-2 | Breast - unilateral MRI W contrast IV
36198-0 | Calcaneus CT W contrast IV
36153-5 | Calcaneus - left CT W contrast IV
36154-3 | Calcaneus - right CT W contrast IV
36146-9 | Carotid artery CT angiogram W contrast IV
36829-0 | Carotid vessel MRI angiogram W contrast IV
24628-0 | Chest CT W contrast IV
36156-8 | Chest MRI W contrast IV
36266-5 | Chest vessels CT angiogram W contrast IV
24659-5 | Chest vessels MRI angiogram W contrast IV
42275-8 | Chest and Abdomen CT W contrast IV
36942-1 | Chest and Abdomen MRI W contrast IV
72254-6 | Chest and Abdomen and Pelvis CT W contrast IV
37254-0 | Circle of Willis MRI angiogram W contrast IV
42694-0 | Clavicle MRI W contrast IV
48457-6 | Clavicle - left MRI W contrast IV
48456-8 | Clavicle - right MRI W contrast IV
36157-6 | Elbow CT W contrast IV
36158-4 | Elbow MRI W contrast IV
69170-9 | Elbow - bilateral MRI W contrast IV
36159-2 | Elbow - left CT W contrast IV
36160-0 | Elbow - left MRI W contrast IV
36161-8 | Elbow - right CT W contrast IV
36162-6 | Elbow - right MRI W contrast IV
24691-8 | Extremity CT W contrast IV
26184-2 | Extremity - bilateral CT W contrast IV
26185-9 | Extremity - left CT W contrast IV
26186-7 | Extremity - right CT W contrast IV
36148-5 | Face MRI W contrast IV
30801-5 | Facial bones and Maxilla CT W contrast IV
24697-5 | Facial bones and Sinuses CT W contrast IV
36172-5 | Femur CT W contrast IV
69172-5 | Femur - bilateral MRI W contrast IV
36174-1 | Femur - left CT W contrast IV
36176-6 | Femur - right CT W contrast IV
69195-6 | Finger MRI W contrast IV
69205-3 | Finger - left MRI W contrast IV

69215-2 | Finger - right MRI W contrast IV
36178-2 | Foot CT W contrast IV
36179-0 | Foot MRI W contrast IV
36180-8 | Foot - bilateral MRI W contrast IV
36181-6 | Foot - left CT W contrast IV
36182-4 | Foot - left MRI W contrast IV
36183-2 | Foot - right CT W contrast IV
36184-0 | Foot - right MRI W contrast IV
36185-7 | Forearm CT W contrast IV
36186-5 | Forearm MRI W contrast IV
69175-8 | Forearm - bilateral MRI W contrast IV
36187-3 | Forearm - left CT W contrast IV
36188-1 | Forearm - left MRI W contrast IV
36189-9 | Forearm - right CT W contrast IV
36190-7 | Forearm - right MRI W contrast IV
36191-5 | Hand CT W contrast IV
36192-3 | Hand MRI W contrast IV
69178-2 | Hand - bilateral MRI W contrast IV
36193-1 | Hand - left CT W contrast IV
36194-9 | Hand - left MRI W contrast IV
36195-6 | Hand - right CT W contrast IV
36196-4 | Hand - right MRI W contrast IV
24727-0 | Head CT W contrast IV
36814-2 | Head arteries CT angiogram W contrast IV
36826-6 | Head veins MRI angiogram W contrast IV
36830-8 | Head vessels CT angiogram W contrast IV
24593-6 | Head vessels MRI angiogram W contrast IV
37498-3 | Head vessels and Neck vessels CT angiogram W contrast IV
24747-8 | Head Sagittal Sinus MRI angiogram W contrast IV
36197-2 | Heart MRI W contrast IV
36200-4 | Hip CT W contrast IV
36199-8 | Hip MRI W contrast IV
36201-2 | Hip - bilateral CT W contrast IV
36202-0 | Hip - bilateral MRI W contrast IV
36203-8 | Hip - left CT W contrast IV
36204-6 | Hip - left MRI W contrast IV
36205-3 | Hip - right CT W contrast IV
36206-1 | Hip - right MRI W contrast IV
30583-9 | Internal auditory canal CT W contrast IV
36155-0 | Internal auditory canal MRI W contrast IV
46322-4 | Kidney CT W contrast IV
36113-9 | Kidney MRI W contrast IV
43766-5 | Kidney - bilateral CT W contrast IV
36219-4 | Kidney - bilateral MRI W contrast IV
24790-8 | Kidney - bilateral X-ray tomograph W contrast IV
36220-2 | Kidney - left MRI W contrast IV
36221-0 | Kidney - right MRI W contrast IV
36222-8 | Knee CT W contrast IV
36223-6 | Knee MRI W contrast IV
69088-3 | Knee - bilateral CT W contrast IV
36224-4 | Knee - bilateral MRI W contrast IV
36225-1 | Knee - left CT W contrast IV
36226-9 | Knee - left MRI W contrast IV
36227-7 | Knee - right CT W contrast IV
36228-5 | Knee - right MRI W contrast IV
36229-3 | Larynx CT W contrast IV
36230-1 | Larynx MRI W contrast IV
24815-3 | Liver CT W contrast IV
36231-9 | Liver MRI W contrast IV
30624-1 | Lower extremity CT W contrast IV
39293-6 | Lower extremity MRI W contrast IV
36824-1 | Lower extremity veins - left CT W contrast IV
36825-8 | Lower extremity veins - right CT W contrast IV
36831-6 | Lower extremity vessels CT angiogram W contrast IV
46324-0 | Lower extremity vessels MRI angiogram W contrast IV
44135-2 | Lower extremity vessels - bilateral MRI angiogram W contrast IV
50755-8 | Lower extremity - bilateral CT W contrast IV
36163-4 | Lower extremity - bilateral MRI W contrast IV
36213-7 | Lower Extremity Joint MRI W contrast IV
36214-5 | Lower extremity joint - left MRI W contrast IV
36215-2 | Lower extremity joint - right MRI W contrast IV
36164-2 | Lower extremity - left CT W contrast IV

36165-9 | Lower extremity - left MRI W contrast IV
36166-7 | Lower extremity - right CT W contrast IV
36167-5 | Lower extremity - right MRI W contrast IV
36258-2 | Lower leg CT W contrast IV
36259-0 | Lower leg MRI W contrast IV
24820-3 | Lower leg vessels MRI angiogram W contrast IV
43512-3 | Lower leg vessels - bilateral MRI angiogram W contrast IV
42695-7 | Lower leg - bilateral MRI W contrast IV
36260-8 | Lower leg - left CT W contrast IV
36261-6 | Lower leg - left MRI W contrast IV
36262-4 | Lower leg - right CT W contrast IV
36263-2 | Lower leg - right MRI W contrast IV
36232-7 | Mandible CT W contrast IV
48446-9 | Nasopharynx CT W contrast IV
36233-5 | Nasopharynx MRI W contrast IV
24836-9 | Nasopharynx and Neck CT W contrast IV
36235-0 | Neck CT W contrast IV
24841-9 | Neck MRI W contrast IV
36827-4 | Neck veins MRI angiogram W contrast IV
36234-3 | Neck vessels CT angiogram W contrast IV
24844-3 | Neck vessels MRI angiogram W contrast IV
48449-3 | Orbit CT W contrast IV
36820-9 | Orbit MRI W contrast IV
36832-4 | Orbit vessels MRI angiogram W contrast IV
24850-0 | Orbit - bilateral CT W contrast IV
24852-6 | Orbit - bilateral MRI W contrast IV
36821-7 | Orbit - left MRI W contrast IV
36822-5 | Orbit - right MRI W contrast IV
46320-8 | Orbit and Face CT W contrast IV
39038-5 | Orbit and Face MRI W contrast IV
46321-6 | Orbit and Face and Neck MRI W contrast IV
36823-3 | Ovary MRI W contrast IV
24858-3 | Pancreas CT W contrast IV
36236-8 | Pancreas MRI W contrast IV
37240-9 | Parotid gland CT W contrast IV
37241-7 | Parotid gland MRI W contrast IV
24866-6 | Pelvis CT W contrast IV
36237-6 | Pelvis MRI W contrast IV
42294-9 | Pelvis vessels CT angiogram W contrast IV
24873-2 | Pelvis vessels MRI angiogram W contrast IV
24878-1 | Petrous bone CT W contrast IV
30590-4 | Pituitary and Sella turcica CT W contrast IV
36238-4 | Pituitary and Sella turcica MRI W contrast IV
36242-6 | Posterior fossa CT W contrast IV
36243-4 | Posterior fossa MRI W contrast IV
36244-2 | Prostate MRI W contrast IV
36147-7 | Pulmonary artery CT angiogram W contrast IV
36833-2 | Renal vessels CT angiogram W contrast IV
30887-4 | Renal vessels MRI angiogram W contrast IV
36217-8 | Sacroiliac Joint CT W contrast IV
36218-6 | Sacroiliac Joint MRI W contrast IV
36245-9 | Sacrum CT W contrast IV
36246-7 | Sacrum MRI W contrast IV
36247-5 | Sacrum and Coccyx MRI W contrast IV
36248-3 | Scapula - left MRI W contrast IV
36249-1 | Scapula - right MRI W contrast IV
69221-0 | Scrotum and Testicle MRI W contrast IV
36250-9 | Shoulder CT W contrast IV
36251-7 | Shoulder MRI W contrast IV
69184-0 | Shoulder - bilateral MRI W contrast IV
36252-5 | Shoulder - left CT W contrast IV
38830-6 | Shoulder - left MRI W contrast IV
36253-3 | Shoulder - right CT W contrast IV
36254-1 | Shoulder - right MRI W contrast IV
36255-8 | Sinuses CT W contrast IV
24915-1 | Sinuses MRI W contrast IV
48440-2 | Skull.base MRI W contrast IV
37253-2 | Soft tissue MRI W contrast IV
24987-0 | Spine CT W contrast IV
36256-6 | Spine MRI W contrast IV
37500-6 | Spine vessels MRI angiogram W contrast IV
24933-4 | Spine Cervical CT W contrast IV

24938-3 | Spine Cervical MRI W contrast IV
37501-4 | Cervical Spine vessels MRI angiogram W contrast IV
38061-8 | Spine Cervical and Spine Thoracic and Spine Lumbar and Sacrum MRI W contrast IV
24964-9 | Spine Lumbar CT W contrast IV
30678-7 | Spine Lumbar MRI W contrast IV
37502-2 | Lumbar Spine vessels MRI angiogram W contrast IV
24979-7 | Spine Thoracic CT W contrast IV
24982-1 | Spine Thoracic MRI W contrast IV
37503-0 | Thoracic Spine vessels MRI angiogram W contrast IV
30622-5 | Spleen CT W contrast IV
37242-5 | Sternoclavicular Joint CT W contrast IV
36257-4 | Sternum CT W contrast IV
36815-9 | Temporal bone CT W contrast IV
38835-5 | Temporal bone - left CT W contrast IV
36816-7 | Temporal bone - right CT W contrast IV
37243-3 | Temporomandibular joint CT W contrast IV
37244-1 | Temporomandibular joint MRI W contrast IV
37245-8 | Temporomandibular joint - bilateral MRI W contrast IV
37246-6 | Temporomandibular joint - left CT W contrast IV
37247-4 | Temporomandibular joint - left MRI W contrast IV
37248-2 | Temporomandibular joint - right CT W contrast IV
37249-0 | Temporomandibular joint - right MRI W contrast IV
36173-3 | Thigh MRI W contrast IV
25003-5 | Thigh vessels MRI angiogram W contrast IV
36175-8 | Thigh - left MRI W contrast IV
36177-4 | Thigh - right MRI W contrast IV
36239-2 | Thoracic outlet MRI W contrast IV
24584-5 | Thoracic outlet vessels MRI angiogram W contrast IV
26181-8 | Thoracic outlet vessels - bilateral MRI angiogram W contrast IV
26182-6 | Thoracic outlet vessels - left MRI angiogram W contrast IV
26183-4 | Thoracic outlet vessels - right MRI angiogram W contrast IV
36240-0 | Thoracic outlet - left MRI W contrast IV
36241-8 | Thoracic outlet - right MRI W contrast IV
72243-9 | Toes - left MRI W contrast IV
72240-5 | Toes - right MRI W contrast IV
36207-9 | Upper arm CT W contrast IV
36208-7 | Upper arm MRI W contrast IV
69182-4 | Upper arm - bilateral MRI W contrast IV
36209-5 | Upper arm - left CT W contrast IV
36210-3 | Upper arm - left MRI W contrast IV
36211-1 | Upper arm - right CT W contrast IV
36212-9 | Upper arm - right MRI W contrast IV
30626-6 | Upper extremity CT W contrast IV
39037-7 | Upper extremity MRI W contrast IV
42295-6 | Upper extremity vessels CT angiogram W contrast IV
24549-8 | Upper extremity vessels MRI angiogram W contrast IV
36168-3 | Upper extremity - bilateral CT W contrast IV
69187-3 | Upper extremity - bilateral MRI W contrast IV
36216-0 | Upper extremity .joint MRI W contrast IV
36817-5 | Upper extremity joint - bilateral MRI W contrast IV
36818-3 | Upper extremity joint - left MRI W contrast IV
36819-1 | Upper extremity joint - right MRI W contrast IV
36169-1 | Upper extremity - left CT W contrast IV
38829-8 | Upper extremity - left MRI W contrast IV
36170-9 | Upper extremity - right CT W contrast IV
36171-7 | Upper extremity - right MRI W contrast IV
36264-0 | Uterus CT W contrast IV
36265-7 | Uterus MRI W contrast IV
36834-0 | Vessel CT angiogram W contrast IV
37447-0 | Wrist CT W contrast IV
37448-8 | Wrist MRI W contrast IV
69091-7 | Wrist - bilateral CT W contrast IV
37449-6 | Wrist - bilateral MRI W contrast IV
37450-4 | Wrist - left CT W contrast IV
37451-2 | Wrist - left MRI W contrast IV
37452-0 | Wrist - right CT W contrast IV
37453-8 | Wrist - right MRI W contrast IV
24753-6 | Unspecified body region CT W contrast IV
49507-7 | Unspecified body region MRI W contrast IV
25058-9 | Unspecified body region MRI angiogram W contrast IV
72531-7 | Rectum and Colon CT 3D W contrast IV and W air contrast PR
39450-2 | Gastrointestine US W contrast PO

72246-2 | Abdomen and Pelvis MRI W contrast PO and W and WO contrast IV
72250-4 | Abdomen and Pelvis CT W contrast PO and W contrast IV
72247-0 | Abdomen and Pelvis MRI W contrast PO and WO contrast IV
72245-4 | Pelvis MRI W contrast PR at rest and maxmal sphincter contraction during straining and defecation
39648-1 | Heart SPECT W dipyridamole and W radionuclide IV
44154-3 | Heart SPECT W dipyridamole and W Tc-99m Sestamibi IV
42389-7 | Pelvis MRI W endorectal coil
42388-9 | Prostate MRI W endorectal coil
42270-9 | Spine Cervical MRI W flexion and W extension
39682-0 | SPECT W GA-67 IV
39638-2 | Brain SPECT W I-123 IV
39755-4 | Thyroid SPECT W I-131 IV
39839-6 | SPECT W I-131 MIBG IV
39844-6 | SPECT W In-111 Satumomab IV
41838-4 | Prostate SPECT W In-111 Satumomab IV
41772-5 | Bone SPECT W In-111 tagged WBC IV
46297-8 | SPECT
39823-0 | Bone marrow SPECT
24578-7 | Bones SPECT
39632-5 | Brain SPECT
39644-0 | Breast SPECT
39770-3 | Gastrointestine SPECT
39649-9 | Heart SPECT
42310-3 | Kidney SPECT
39852-9 | Kidney - bilateral SPECT
39692-9 | Liver SPECT
39876-8 | Liver and Spleen SPECT
39628-3 | Meckels diverticulum SPECT
39740-6 | Parathyroid SPECT
43526-3 | Unspecified body region SPECT
39938-6 | Joint SPECT
46330-7 | Abdomen CT W reduced contrast volume IV
46327-3 | Chest CT W reduced contrast volume IV
46326-5 | Facial bones and Maxilla CT W reduced contrast volume IV
46328-1 | Head CT W reduced contrast volume IV
46325-7 | Internal auditory canal CT W reduced contrast volume IV
46329-9 | Pelvis CT W reduced contrast volume IV
42143-8 | Uterus and Fallopian tubes US W saline intrauterine
58750-1 | Heart MRI W stress
58749-3 | Heart MRI W stress and W and WO contrast IV
39668-9 | Heart SPECT W stress and W radionuclide IV
44152-7 | Brain SPECT W Tc-99m bicisate IV
39743-0 | Prostate SPECT W Tc-99m capromab pendatide IV
39640-8 | Brain SPECT W Tc-99m DTPA IV
39641-6 | Brain SPECT W Tc-99m glucoheptonate IV
44153-5 | Kidney SPECT W Tc-99m glucoheptonate IV
39631-7 | Brain SPECT W Tc-99m HMPAO IV
24817-9 | Liver SPECT W Tc-99m IV
39851-1 | Kidney - bilateral SPECT W Tc-99m Mertiatide IV
69229-3 | Liver SPECT W Tc-99m SC IV
44151-9 | Heart SPECT W Tc-99m Sestamibi IV
39691-1 | Liver SPECT W Tc-99m tagged RBC IV
69234-3 | Spleen SPECT W Tc-99m tagged RBC IV
39647-3 | Heart SPECT W Tc-99m Tetrofosmin IV
39639-0 | Brain SPECT W Tl-201 IV
42377-2 | Brain CT W Xe-133 inhaled
46393-5 | Liver CT W Xe-133 inhaled
42394-7 | Pulmonary system CT W Xe-133 inhaled
36424-0 | Abdomen CT WO contrast
30668-8 | Abdomen MRI WO contrast
42291-5 | Abdomen retroperitoneum CT WO contrast
36952-0 | Abdomen and Pelvis CT WO contrast
36878-7 | Abdominal vessels MRI angiogram WO contrast
36496-8 | Acromioclavicular Joint MRI WO contrast
36953-8 | Adrenal gland CT WO contrast
36954-6 | Adrenal gland MRI WO contrast
36425-7 | Ankle CT WO contrast
30680-3 | Ankle MRI WO contrast
36879-5 | Ankle vessels MRI angiogram WO contrast
69087-5 | Ankle - bilateral CT WO contrast
69164-2 | Ankle - bilateral MRI WO contrast
36426-5 | Ankle - left CT WO contrast

36427-3 | Ankle - left MRI WO contrast
36428-1 | Ankle - right CT WO contrast
36429-9 | Ankle - right MRI WO contrast
36430-7 | Aorta CT WO contrast
44132-9 | Aorta MRI angiogram WO contrast
36431-5 | Aorta abdominal CT WO contrast
36432-3 | Aorta abdominal MRI angiogram WO contrast
69119-6 | Aorta thoracic CT angiogram WO contrast
36433-1 | Aorta thoracic MRI angiogram WO contrast
44130-3 | Aortic arch MRI angiogram WO contrast
36434-9 | Appendix CT WO contrast
44123-8 | Biliary ducts and Pancreatic duct MRI WO contrast
30657-1 | Brain MRI WO contrast
48453-5 | Brain.temporal MRI WO contrast
37278-9 | Brain and Internal auditory canal MRI WO contrast
37279-7 | Brain and Larynx MRI WO contrast
42393-9 | Brain and Pituitary and Sella turcica MRI WO contrast
36436-4 | Breast MRI WO contrast
69191-5 | Breast implant MRI WO contrast
69168-3 | Breast implant - bilateral MRI WO contrast
38064-2 | Breast implant - left MRI WO contrast
38817-3 | Breast implant - right MRI WO contrast
44119-6 | Breast - bilateral CT WO contrast
36437-2 | Breast - bilateral MRI WO contrast
36438-0 | Breast - left MRI WO contrast
36439-8 | Breast - right MRI WO contrast
46333-1 | Breast - unilateral MRI WO contrast
36483-6 | Calcaneus CT WO contrast
36440-6 | Calcaneus - left CT WO contrast
36441-4 | Calcaneus - right CT WO contrast
36880-3 | Carotid vessel MRI angiogram WO contrast
29252-4 | Chest CT WO contrast
36442-2 | Chest MRI WO contrast
69084-2 | Chest vessels CT angiogram WO contrast
36547-8 | Chest vessels MRI angiogram WO contrast
42276-6 | Chest and Abdomen CT WO contrast
72253-8 | Chest and Abdomen and Pelvis CT WO contrast
42302-0 | Clavicle MRI WO contrast
48459-2 | Clavicle - left MRI WO contrast
48458-4 | Clavicle - right MRI WO contrast
36443-0 | Elbow CT WO contrast
30796-7 | Elbow MRI WO contrast
36444-8 | Elbow - bilateral CT WO contrast
69171-7 | Elbow - bilateral MRI WO contrast
36445-5 | Elbow - left CT WO contrast
36446-3 | Elbow - left MRI WO contrast
36447-1 | Elbow - right CT WO contrast
36448-9 | Elbow - right MRI WO contrast
42278-2 | Extremity CT WO contrast
69104-8 | Extremity - left CT WO contrast
69111-3 | Extremity - right CT WO contrast
36435-6 | Face MRI WO contrast
30802-3 | Facial bones and Maxilla CT WO contrast
72249-6 | Facial bones and Sinuses CT WO contrast
36460-4 | Femur CT WO contrast
69173-3 | Femur - bilateral MRI WO contrast
36462-0 | Femur - left CT WO contrast
36464-6 | Femur - right CT WO contrast
69196-4 | Finger MRI WO contrast
69206-1 | Finger - left MRI WO contrast
69216-0 | Finger - right MRI WO contrast
36466-1 | Foot CT WO contrast
30681-1 | Foot MRI WO contrast
36467-9 | Foot - bilateral MRI WO contrast
36468-7 | Foot - left CT WO contrast
36469-5 | Foot - left MRI WO contrast
36470-3 | Foot - right CT WO contrast
36471-1 | Foot - right MRI WO contrast
36472-9 | Forearm CT WO contrast
30683-7 | Forearm MRI WO contrast
69176-6 | Forearm - bilateral MRI WO contrast
36473-7 | Forearm - left CT WO contrast

36474-5 | Forearm - left MRI WO contrast
36475-2 | Forearm - right CT WO contrast
36476-0 | Forearm - right MRI WO contrast
36477-8 | Hand CT WO contrast
30685-2 | Hand MRI WO contrast
69179-0 | Hand - bilateral MRI WO contrast
36478-6 | Hand - left CT WO contrast
36479-4 | Hand - left MRI WO contrast
36480-2 | Hand - right CT WO contrast
36481-0 | Hand - right MRI WO contrast
30799-1 | Head CT WO contrast
36876-1 | Head veins MRI angiogram WO contrast
42293-1 | Head vessels CT angiogram WO contrast
36881-1 | Head vessels MRI angiogram WO contrast
36482-8 | Heart MRI WO contrast
36484-4 | Hip CT WO contrast
30687-8 | Hip MRI WO contrast
36485-1 | Hip - bilateral CT WO contrast
36486-9 | Hip - bilateral MRI WO contrast
36487-7 | Hip - left CT WO contrast
36488-5 | Hip - left MRI WO contrast
36489-3 | Hip - right CT WO contrast
36490-1 | Hip - right MRI WO contrast
30584-7 | Internal auditory canal CT WO contrast
30658-9 | Internal auditory canal MRI WO contrast
43770-7 | Kidney CT WO contrast
43773-1 | Kidney MRI WO contrast
36503-1 | Kidney - bilateral CT WO contrast
36504-9 | Kidney - bilateral MRI WO contrast
39359-5 | Kidney - bilateral X-ray tomograph WO contrast
36505-6 | Knee CT WO contrast
30691-0 | Knee MRI WO contrast
69089-1 | Knee - bilateral CT WO contrast
36506-4 | Knee - bilateral MRI WO contrast
36507-2 | Knee - left CT WO contrast
36508-0 | Knee - left MRI WO contrast
36509-8 | Knee - right CT WO contrast
36510-6 | Knee - right MRI WO contrast
36511-4 | Larynx CT WO contrast
48445-1 | Larynx MRI WO contrast
30611-8 | Liver CT WO contrast
30669-6 | Liver MRI WO contrast
30625-8 | Lower extremity CT WO contrast
39292-8 | Lower extremity MRI WO contrast
44129-5 | Lower extremity vessels MRI angiogram WO contrast
36450-5 | Lower extremity vessels - bilateral MRI angiogram WO contrast
36882-9 | Lower extremity vessels - left MRI angiogram WO contrast
38773-8 | Lower extremity vessels - right MRI angiogram WO contrast
36449-7 | Lower extremity - bilateral CT WO contrast
36451-3 | Lower extremity - bilateral MRI WO contrast
36497-6 | Lower Extremity Joint MRI WO contrast
36498-4 | Lower extremity joint - left MRI WO contrast
36499-2 | Lower extremity joint - right MRI WO contrast
36452-1 | Lower extremity - left CT WO contrast
36453-9 | Lower extremity - left MRI WO contrast
36454-7 | Lower extremity - right CT WO contrast
36455-4 | Lower extremity - right MRI WO contrast
36537-9 | Lower leg CT WO contrast
30869-2 | Lower leg MRI WO contrast
69185-7 | Lower leg - bilateral MRI WO contrast
36538-7 | Lower leg - left CT WO contrast
36539-5 | Lower leg - left MRI WO contrast
36540-3 | Lower leg - right CT WO contrast
36541-1 | Lower leg - right MRI WO contrast
36512-2 | Mandible CT WO contrast
36513-0 | Nasopharynx MRI WO contrast
30585-4 | Nasopharynx and Neck CT WO contrast
36514-8 | Neck CT WO contrast
30660-5 | Neck MRI WO contrast
36877-9 | Neck veins MRI angiogram WO contrast
36549-4 | Neck vessels MRI angiogram WO contrast
46331-5 | Orbit CT WO contrast

36872-0 | Orbit MRI WO contrast
30587-0 | Orbit - bilateral CT WO contrast
30661-3 | Orbit - bilateral MRI WO contrast
36873-8 | Orbit - left MRI WO contrast
36874-6 | Orbit - right MRI WO contrast
36956-1 | Orbit and Face MRI WO contrast
46332-3 | Orbit and Face and Neck MRI WO contrast
36875-3 | Ovary MRI WO contrast
30613-4 | Pancreas CT WO contrast
36515-5 | Pancreas MRI WO contrast
37280-5 | Parotid gland CT WO contrast
37281-3 | Parotid gland MRI WO contrast
30615-9 | Pelvis CT WO contrast
30673-8 | Pelvis MRI WO contrast
36883-7 | Pelvis vessels MRI angiogram WO contrast
30671-2 | Pelvis and Hip MRI WO contrast
30589-6 | Petrous bone CT WO contrast
30591-2 | Pituitary and Sella turcica CT WO contrast
30666-2 | Pituitary and Sella turcica MRI WO contrast
36543-7 | Portal vein MRI angiogram WO contrast
36517-1 | Posterior fossa CT WO contrast
36518-9 | Posterior fossa MRI WO contrast
36519-7 | Prostate MRI WO contrast
36544-5 | Renal vein MRI angiogram WO contrast
44133-7 | Renal vessels MRI angiogram WO contrast
36501-5 | Sacroiliac Joint CT WO contrast
36502-3 | Sacroiliac Joint MRI WO contrast
36520-5 | Sacrum CT WO contrast
36521-3 | Sacrum MRI WO contrast
36522-1 | Sacrum and Coccyx MRI WO contrast
69118-8 | Scapula CT WO contrast
36523-9 | Scapula - left MRI WO contrast
38770-4 | Scapula - right MRI WO contrast
36535-3 | Scrotum and Testicle MRI WO contrast
36524-7 | Shoulder CT WO contrast
30693-6 | Shoulder MRI WO contrast
69090-9 | Shoulder - bilateral CT WO contrast
36525-4 | Shoulder - bilateral MRI WO contrast
36526-2 | Shoulder - left CT WO contrast
38834-8 | Shoulder - left MRI WO contrast
36527-0 | Shoulder - right CT WO contrast
36528-8 | Shoulder - right MRI WO contrast
36529-6 | Sinuses CT WO contrast
30662-1 | Sinuses MRI WO contrast
44112-1 | Skull.base CT WO contrast
48687-8 | Skull.base MRI WO contrast
37293-8 | Soft tissue MRI WO contrast
36530-4 | Spine CT WO contrast
36531-2 | Spine MRI WO contrast
37510-5 | Spine vessels MRI angiogram WO contrast
30592-0 | Spine Cervical CT WO contrast
30667-0 | Spine Cervical MRI WO contrast
37511-3 | Cervical Spine vessels MRI angiogram WO contrast
30854-4 | Spine Cervical and Thoracic and Lumbar MRI WO contrast
30620-9 | Spine Lumbar CT WO contrast
30679-5 | Spine Lumbar MRI WO contrast
37994-1 | Lumbar Spine vessels MRI angiogram WO contrast
37288-8 | Spine Lumbosacral Junction CT WO contrast
30597-9 | Spine Thoracic CT WO contrast
36532-0 | Spine Thoracic MRI WO contrast
37512-1 | Thoracic Spine vessels MRI angiogram WO contrast
30621-7 | Spleen CT WO contrast
36533-8 | Spleen MRI WO contrast
37282-1 | Sternoclavicular Joint CT WO contrast
36534-6 | Sternum CT WO contrast
44230-1 | Superior mesenteric vessels MRI angiogram WO contrast
36866-2 | Temporal bone CT WO contrast
36867-0 | Temporal bone - left CT WO contrast
36868-8 | Temporal bone - right CT WO contrast
37283-9 | Temporomandibular joint CT WO contrast
37284-7 | Temporomandibular joint MRI WO contrast
37285-4 | Temporomandibular joint - bilateral MRI WO contrast

37286-2 | Temporomandibular joint - left MRI WO contrast
37287-0 | Temporomandibular joint - right MRI WO contrast
36461-2 | Thigh MRI WO contrast
43514-9 | Thigh vessels - left MRI angiogram WO contrast
43515-6 | Thigh vessels - right MRI angiogram WO contrast
36463-8 | Thigh - left MRI WO contrast
36465-3 | Thigh - right MRI WO contrast
30654-8 | Thoracic outlet MRI WO contrast
38833-0 | Thoracic outlet - left MRI WO contrast
36516-3 | Thoracic outlet - right MRI WO contrast
36955-3 | Thyroid CT WO contrast
36536-1 | Thyroid MRI WO contrast
72242-1 | Toes - left MRI WO contrast
72239-7 | Toes - right MRI WO contrast
36491-9 | Upper arm CT WO contrast
30689-4 | Upper arm MRI WO contrast
69183-2 | Upper arm - bilateral MRI WO contrast
36492-7 | Upper arm - left CT WO contrast
36493-5 | Upper arm - left MRI WO contrast
36494-3 | Upper arm - right CT WO contrast
36495-0 | Upper arm - right MRI WO contrast
30627-4 | Upper extremity CT WO contrast
39033-6 | Upper extremity MRI WO contrast
36548-6 | Upper extremity vessels MRI angiogram WO contrast
36456-2 | Upper extremity - bilateral CT WO contrast
69188-1 | Upper extremity - bilateral MRI WO contrast
36500-7 | Upper extremity .joint MRI WO contrast
36869-6 | Upper extremity joint - left MRI WO contrast
36870-4 | Upper extremity joint - right MRI WO contrast
36457-0 | Upper extremity - left CT WO contrast
38832-2 | Upper extremity - left MRI WO contrast
36458-8 | Upper extremity - right CT WO contrast
36459-6 | Upper extremity - right MRI WO contrast
36542-9 | Uterus MRI WO contrast
36545-2 | Inferior vena cava MRI WO contrast
36546-0 | Superior vena cava MRI WO contrast
37459-5 | Wrist CT WO contrast
37460-3 | Wrist MRI WO contrast
43516-4 | Wrist vessels - left MRI angiogram WO contrast
43517-2 | Wrist vessels - right MRI angiogram WO contrast
37461-1 | Wrist - bilateral CT WO contrast
37462-9 | Wrist - bilateral MRI WO contrast
37463-7 | Wrist - left CT WO contrast
37464-5 | Wrist - left MRI WO contrast
37465-2 | Wrist - right CT WO contrast
37466-0 | Wrist - right MRI WO contrast
43525-5 | Unspecified body region CT WO contrast
69223-6 | Unspecified body region MRI WO contrast
36871-2 | Joint MRI WO contrast
24787-4 | Kidney - bilateral X-ray tomograph WO contrast and 10M post contrast IV
30712-4 | Hip US WO developmental joint assessment
25051-4 | Unspecified body region CT Multisectional sagittal
29750-7 | Neonatal intensive care records
25060-5 | Unspecified body region US No charge
52072-6 | Non-emergency transportation
53246-5 | Non-medical services
46210-1 | Case manager Note
34819-3 | Pathology Evaluation and management note
46215-0 | Wound care management Note
28568-4 | Physician Emergency department Note
11536-0 | Nurse Notes
52066-8 | Notice of Discharge Medicare Appeal Rights (NODMAR) form
53244-0 | Notice of privacy practices receipt
11543-6 | Nursery records
46208-5 | Nursing notes
52051-0 | Orthotics/Prosthetics
52052-8 | Osteogenesis stimulators
52053-6 | Oxygen
52054-4 | Parenteral
52067-6 | Past filing limit justification
24620-7 | Catheter Fluoroscopy Patency check W contrast via catheter
33721-2 | Bone marrow Pathology biopsy report

34122-2 | Pathology procedure note
55188-7 | Patient data Document
55750-4 | Patient safety report Event Document
52034-6 | Payer letter
24882-3 | Popliteal artery Fluoroscopic angiogram Percutaneous transluminal angioplasty of vessel W contrast IA
69252-5 | Pulmonary artery Fluoroscopic angiogram Percutaneous transluminal angioplasty of vessel W contrast IA
69248-3 | Renal artery Fluoroscopic angiogram Percutaneous transluminal angioplasty of vessel W contrast IA
42018-2 | Vein Fluoroscopic angiogram Percutaneous transluminal angioplasty of vessel W contrast IA
69301-0 | Upper extremity vein Fluoroscopic angiogram Percutaneous transluminal angioplasty of vessel W contrast IV
28629-4 | Perimetry study
74030-8 | Periodontal service attachment
29752-3 | Perioperative records
24875-7 | Peripheral vessel US.doppler Peripheral plane
51965-2 | Pharmacogenetic analysis report in Blood or Tissue Document by Molecular genetics method
51850-6 | Physical findings of Head and Ears and Eyes and Nose and Throat
24998-7 | Placement check of gastrostomy tube W contrast via GI tube
52055-1 | Power operated vehicles
52063-5 | Prescription for durable medical equipment (DME)
18836-7 | Cardiac stress study Procedure
28570-0 | Provider-unspecified Procedure note
28577-5 | Dentist procedure note
11505-5 | Physician procedure note
28625-2 | Podiatry procedure note
52068-4 | Property and casualty state mandated forms
46209-3 | Provider orders
55751-2 | Public health case report Document
52075-9 | Purchase invoice
55184-6 | Quality Reporting Document Architecture calculated summary report population Document
55182-0 | Quality Reporting Document Architecture incidence report Document
55183-8 | Quality Reporting Document Architecture patient list report population Document
62385-0 | Recommendation [interpretation] Document
11514-7 | Chiropractic Records total Encounter
11521-2 | Occupational therapy Records total Encounter
11515-4 | Physical therapy Records total Encounter
11516-2 | Physician Records total Encounter
11517-0 | Podiatry Records total Encounter
11518-8 | Psychology Records total Encounter
11519-6 | Social service Records total Encounter
11520-4 | Speech therapy Records total Encounter
44226-9 | Colon Fluoroscopy Reduction W views W barium contrast PR
30636-5 | Colon Fluoroscopy Reduction W views W contrast PR
18823-5 | Alcohol and/or substance abuse service attachment
18824-3 | Cardiac service attachment
18825-0 | Medical social services attachment
18826-8 | Occupational therapy service attachment
19002-5 | Physical therapy service attachment
18594-2 | Psychiatric service attachment
52184-9 | Pulmonary therapy service attachment
19003-3 | Respiratory therapy service attachment
19004-1 | Skilled nursing service attachment
29206-0 | Speech therapy service attachment
25073-8 | Vessel Fluoroscopic angiogram Removal of foreign body from vascular space
52056-9 | Repair of durable medical equipment
25015-9 | Upper GI tract Replacement of percutaneous gastrojejunostomy
60569-1 | Report addendum.synoptic Document
55187-9 | Reporting parameters Document
52057-7 | Seat lift mechanism
52058-5 | Seating systems
52039-5 | Skilled Nursing Facility (SNF) record
52059-3 | Speech generating device
52060-1 | Standers/standing frames
52029-6 | Sterilization consent
55228-1 | Cytogenetics study
18752-6 | Exercise stress test study
29755-6 | Nerve conduction study
11526-1 | Pathology study
28633-6 | Polysomnography (sleep) study
11527-9 | Psychiatry study
58477-1 | Pulmonary function report
11529-5 | Surgical pathology study
55230-7 | Immunophenotyping study
11523-8 | EEG study

11541-0 | MRI Brain study
29757-2 | Colposcopy study
33717-0 | Cytology Cervical or vaginal smear or scraping study
18745-0 | Cardiac catheterization study
11524-6 | EKG study
18750-0 | Electrophysiology study
18754-2 | Holter monitor study
18746-8 | Colonoscopy study
18753-4 | Flexible sigmoidoscopy study
29756-4 | Peritoneoscopy study
18744-3 | Bronchoscopy study
18759-1 | Spirometry study
38269-7 | Study report Skeletal system DXA
18756-7 | MRI Spine study
17787-3 | Thyroid Scan Study report
55229-9 | Immune stain study
18751-8 | Endoscopy study
18742-7 | Arthroscopy study
33716-2 | Non-gynecological cytology method study
18748-4 | Diagnostic imaging study
18749-2 | Electromyogram study
33719-6 | Flow cytometry study
29754-9 | Nystagmogram study
52038-7 | Subscriber Information including retroactive and presumptive eligibility
52061-9 | Support surfaces
28583-3 | Dentist Operation note
28573-4 | Physician, Operation note
60568-3 | Synoptic report
52069-2 | Tax ID number - IRS form W9
11534-5 | Temperature charts
46213-5 | Tilt table study
28630-2 | Tonometry study
52062-7 | Transcutaneous electrical neural stimulation (TENS)
28651-8 | Nurse Transfer note
28616-1 | Physician Transfer note
69409-1 | U.S. standard certificate of death - 2003 revision
24783-3 | Kidney - bilateral Fluoroscopy Urodynamics
25065-4 | Unspecified body region Fluoroscopy 15 minutes
25068-8 | Unspecified body region Fluoroscopy 1 hour
43471-2 | Unspecified body region Fluoroscopy 2 hour
25066-2 | Unspecified body region Fluoroscopy 30 minutes
25067-0 | Unspecified body region Fluoroscopy 45 minutes
43472-0 | Unspecified body region Fluoroscopy 90 minutes
42702-1 | Unspecified body region Fluoroscopy Greater than 1 hour
42703-9 | Unspecified body region Fluoroscopy Less than 1 hour
36550-2 | Abdomen X-ray Single view
36551-0 | Ankle X-ray Single view
69307-7 | Ankle - left X-ray Single view
69314-3 | Ankle - right X-ray Single view
46335-6 | Breast - bilateral Mammogram Single view
46336-4 | Breast - left Mammogram Single view
46337-2 | Breast - right Mammogram Single view
46338-0 | Breast - unilateral Mammogram Single view
36564-3 | Calcaneus X-ray Single view
69311-9 | Calcaneus - left X-ray Single view
69319-2 | Calcaneus - right X-ray Single view
36554-4 | Chest X-ray Single view
42699-9 | Chest and Abdomen X-ray Single view
36555-1 | Clavicle X-ray Single view
36556-9 | Elbow X-ray Single view
69308-5 | Elbow - left X-ray Single view
69315-0 | Elbow - right X-ray Single view
42153-7 | Extremity X-ray Single view
36559-3 | Femur X-ray Single view
36560-1 | Femur - left X-ray Single view
37689-7 | Femur - right X-ray Single view
36561-9 | Foot X-ray Single view
69309-3 | Foot - left X-ray Single view
69316-8 | Foot - right X-ray Single view
36563-5 | Hand X-ray Single view
69310-1 | Hand - left X-ray Single view
69318-4 | Hand - right X-ray Single view

24761-9 | Hip X-ray Single view
26400-2 | Hip - bilateral X-ray Single view
26401-0 | Hip - left X-ray Single view
26402-8 | Hip - right X-ray Single view
36565-0 | Humerus X-ray Single view
69312-7 | Humerus - left X-ray Single view
69320-0 | Humerus - right X-ray Single view
36566-8 | Knee - bilateral X-ray Single view
36567-6 | Knee - left X-ray Single view
37741-6 | Knee - right X-ray Single view
36557-7 | Lower extremity - bilateral X-ray Single view
36558-5 | Lower extremity - left X-ray Single view
37764-8 | Lower extremity - right X-ray Single view
37614-5 | Patella X-ray Single view
69152-7 | Patella - left X-ray Single view
69260-8 | Patella - right X-ray Single view
37616-0 | Pelvis X-ray Single view
69317-6 | Radius - right and Ulna - right X-ray Single view
42313-7 | Ribs - left X-ray Single view
42314-5 | Ribs - right X-ray Single view
37654-1 | Scapula X-ray Single view
30748-8 | Shoulder X-ray Single view
36568-4 | Shoulder - bilateral X-ray Single view
36569-2 | Shoulder - left X-ray Single view
37792-9 | Shoulder - right X-ray Single view
37851-3 | Sinuses X-ray Single view
24917-7 | Skull X-ray Single view
48695-1 | Skull.base X-ray Single view
37875-2 | Spine X-ray Single view
24940-9 | Spine Cervical X-ray Single view
30773-6 | Spine Lumbar X-ray Single view
37904-0 | Spine Thoracic X-ray Single view
38121-0 | Spine Thoracic and Lumbar X-ray Single view
69313-5 | Tibia - left and Fibula - left X-ray Single view
69321-8 | Tibia - right and Fibula - right X-ray Single view
37894-3 | Tibia and Fibula X-ray Single view
37924-8 | Wrist X-ray Single view
42419-2 | Wrist - bilateral X-ray Single view
36570-0 | Wrist - left X-ray Single view
37825-7 | Wrist - right X-ray Single view
30642-3 | Unspecified body region Fluoroscopy Single view
30787-6 | Joint X-ray Single view
44176-6 | Hip X-ray Single view portable
41775-8 | Pelvis X-ray Single view portable
30749-6 | Shoulder X-ray Single view portable
30722-3 | Skull X-ray Single view portable
30724-9 | Spine Cervical X-ray Single view portable
30774-4 | Spine Lumbar X-ray Single view portable
70932-9 | Spine Thoracic X-ray Single view portable
25063-9 | Vessel Fluoroscopic angiogram Single view W contrast IA
69268-1 | Breast duct Mammogram Single view W contrast intra duct
49510-1 | Breast duct - left Mammogram Single view W contrast intra duct
49509-3 | Breast duct - right Mammogram Single view W contrast intra duct
24715-5 | Gastrointestine upper Fluoroscopy Single view W contrast PO
37513-9 | Tibia - bilateral X-ray 10 degree caudal angle
37514-7 | Tibia - left X-ray 10 degree caudal angle
38806-6 | Tibia - right X-ray 10 degree caudal angle
37467-8 | Acromioclavicular Joint X-ray 10 degree cephalic angle
37468-6 | Shoulder - bilateral X-ray 30 degree caudal angle
42431-7 | Knee - right X-ray 30 degree standing
69079-2 | Clavicle X-ray 45 degree cephalic angle
37469-4 | Clavicle - bilateral X-ray 45 degree cephalic angle
37470-2 | Clavicle - left X-ray 45 degree cephalic angle
38803-3 | Clavicle - right X-ray 45 degree cephalic angle
24799-9 | Abdomen X-ray AP single view
36583-3 | Acromioclavicular joint - left X-ray AP single view
37662-4 | Acromioclavicular joint - right X-ray AP single view
36571-8 | Ankle X-ray AP single view
36572-6 | Chest X-ray AP single view
36573-4 | Clavicle X-ray AP single view
36575-9 | Femur X-ray AP single view
36576-7 | Finger fifth X-ray AP single view

36577-5 | Finger fourth X-ray AP single view
36578-3 | Finger third X-ray AP single view
36579-1 | Foot X-ray AP single view
36580-9 | Foot - bilateral X-ray AP single view
36581-7 | Hip X-ray AP single view
36582-5 | Hip - left X-ray AP single view
37726-7 | Hip - right X-ray AP single view
36584-1 | Knee X-ray AP single view
36585-8 | Knee - bilateral X-ray AP single view
48462-6 | Knee - left X-ray AP single view
48463-4 | Knee - right X-ray AP single view
36574-2 | Lower extremity X-ray AP single view
42439-0 | Neck X-ray AP single view
37622-8 | Pelvis X-ray AP single view
39050-0 | Ribs X-ray AP single view
36958-7 | Ribs - bilateral X-ray AP single view
36959-5 | Ribs - left X-ray AP single view
37783-8 | Ribs - right X-ray AP single view
39048-4 | Scapula X-ray AP single view
37842-2 | Shoulder X-ray AP single view
36586-6 | Shoulder - bilateral X-ray AP single view
36587-4 | Shoulder - left X-ray AP single view
37798-6 | Shoulder - right X-ray AP single view
69269-9 | Skull X-ray AP single view
37877-8 | Spine X-ray AP single view
30725-6 | Spine Cervical X-ray AP single view
24948-2 | Spine Cervical Odontoid and Cervical axis X-ray AP single view
30777-7 | Spine Lumbar X-ray AP single view
30752-0 | Spine Thoracic X-ray AP single view
39049-2 | Spine Thoracic and Lumbar X-ray AP single view
37880-2 | Sternoclavicular Joint X-ray AP single view
37890-1 | Thumb X-ray AP single view
37897-6 | Tibia and Fibula X-ray AP single view
39402-3 | Shoulder X-ray AP (W internal rotation and W external rotation)
37634-3 | Pelvis X-ray AP 20 degree cephalic angle
30734-8 | Chest X-ray AP lateral-decubitus
30735-5 | Chest X-ray AP lateral-decubitus portable
24561-3 | Abdomen X-ray AP left lateral-decubitus
24637-1 | Chest X-ray AP left lateral-decubitus
24560-5 | Abdomen X-ray AP left lateral-decubitus portable
24636-3 | Chest X-ray AP left lateral-decubitus portable
36588-2 | Abdomen X-ray AP portable single view
36589-0 | Chest X-ray AP portable single view
30727-2 | Spine Cervical X-ray AP portable single view
30729-8 | Spine Cervical Odontoid and Cervical axis X-ray AP portable single view
30755-3 | Spine Thoracic X-ray AP portable single view
24563-9 | Abdomen X-ray AP right lateral-decubitus
43466-2 | Chest X-ray AP right lateral-decubitus
24652-0 | Chest X-ray AP right lateral-decubitus portable
43778-0 | Chest X-ray AP supine portable
24564-7 | Abdomen X-ray AP upright portable
36960-3 | Chest X-ray AP upright portable
24807-0 | Knee X-ray AP single view standing
26358-2 | Knee - bilateral X-ray AP single view standing
26359-0 | Knee - left X-ray AP single view standing
26360-8 | Knee - right X-ray AP single view standing
44177-4 | Lower extremity - bilateral X-ray AP single view standing
38849-6 | Lower extremity - left X-ray AP single view standing
37733-3 | Lower extremity - right X-ray AP single view standing
42420-0 | Pelvis X-ray AP single view standing
42378-0 | Spine Lumbar X-ray AP single view W left bending
39410-6 | Spine Thoracic X-ray AP single view W left bending
42379-8 | Spine Lumbar X-ray AP single view W right bending
39411-4 | Spine Thoracic X-ray AP single view W right bending
24723-9 | Hand X-ray arthritis
26355-8 | Hand - bilateral X-ray arthritis
26356-6 | Hand - left X-ray arthritis
26357-4 | Hand - right X-ray arthritis
42395-4 | Foot sesamoid bones - bilateral X-ray axial
42396-2 | Foot sesamoid bones - left X-ray axial
36962-9 | Breast Mammogram axillary
37849-7 | Shoulder X-ray axillary

36963-7 | Shoulder - bilateral X-ray axillary
36964-5 | Shoulder - left X-ray axillary
37800-0 | Shoulder - right X-ray axillary
36965-2 | Hand X-ray Ball Catcher
37471-0 | Hand - bilateral X-ray Bora
37472-8 | Hand - left X-ray Bora
38804-1 | Hand - right X-ray Bora
36966-0 | Hand - bilateral X-ray Brewerton
36967-8 | Hand - left X-ray Brewerton
38775-3 | Hand - right X-ray Brewerton
37928-9 | Wrist X-ray Brewerton
37857-0 | Sinuses X-ray Caldwell
69132-9 | Hip X-ray Danelius Miller
69141-0 | Hip - left X-ray Danelius Miller
39514-5 | Hip - right X-ray Danelius Miller
37625-1 | Pelvis X-ray Ferguson
37650-9 | Sacroiliac Joint X-ray Ferguson
65799-9 | Kidney - bilateral Fluoroscopy View for cyst examination
65800-5 | Kidney - left Fluoroscopy View for cyst examination
65801-3 | Kidney - right Fluoroscopy View for cyst examination
37297-9 | Abdomen and Fetus X-ray View for fetal age
39149-0 | Gastrointestinal system and Respiratory system X-ray for foreign body
36973-6 | Hip X-ray Friedman
37843-0 | Shoulder X-ray Garth
36974-4 | Shoulder - left X-ray Garth
37801-8 | Shoulder - right X-ray Garth
37844-8 | Shoulder X-ray Grashey
37035-3 | Shoulder - bilateral X-ray Grashey
37473-6 | Shoulder - left X-ray Grashey
38805-8 | Shoulder - right X-ray Grashey
36975-1 | Calcaneus - bilateral X-ray Harris
36977-7 | Calcaneus - left X-ray Harris
38776-1 | Calcaneus - right X-ray Harris
36976-9 | Foot X-ray Harris
36978-5 | Knee X-ray Holmblad
37628-5 | Pelvis X-ray inlet
36979-3 | Elbow X-ray Jones
36980-1 | Elbow - left X-ray Jones
38777-9 | Elbow - right X-ray Jones
36981-9 | Hip X-ray Judet
36982-7 | Hip - bilateral X-ray Judet
36983-5 | Hip - left X-ray Judet
37732-5 | Hip - right X-ray Judet
36620-3 | Chest X-ray left anterior oblique
36591-6 | Abdomen X-ray lateral
36592-4 | Ankle X-ray lateral
39051-8 | Chest X-ray lateral
36593-2 | Femur X-ray lateral
36594-0 | Finger fifth X-ray lateral
36595-7 | Finger fourth X-ray lateral
36596-5 | Finger second X-ray lateral
36597-3 | Finger third X-ray lateral
36598-1 | Foot - left X-ray lateral
37703-6 | Foot - right X-ray lateral
36599-9 | Hand X-ray lateral
36600-5 | Hand - bilateral X-ray lateral
36601-3 | Hand - left X-ray lateral
37712-7 | Hand - right X-ray lateral
36602-1 | Hip X-ray lateral
36603-9 | Hip - left X-ray lateral
37730-9 | Hip - right X-ray lateral
36604-7 | Knee X-ray lateral
36605-4 | Knee - bilateral X-ray lateral
36606-2 | Knee - left X-ray lateral
37751-5 | Knee - right X-ray lateral
24843-5 | Neck X-ray lateral
37629-3 | Pelvis X-ray lateral
39053-4 | Ribs X-ray lateral
38857-9 | Ribs - left X-ray lateral
37784-6 | Ribs - right X-ray lateral
37858-8 | Sinuses X-ray lateral
24920-1 | Skull X-ray lateral

39052-6 | Spine X-ray lateral
24943-3 | Spine Cervical X-ray lateral
24969-8 | Spine Lumbar X-ray lateral
30756-1 | Spine Thoracic X-ray lateral
37891-9 | Thumb X-ray lateral
37893-5 | Tibia and Fibula X-ray lateral
37930-5 | Wrist X-ray lateral
36984-3 | Abdomen X-ray lateral crosstable
36985-0 | Hip X-ray lateral crosstable
36986-8 | Hip - bilateral X-ray lateral crosstable
36987-6 | Hip - left X-ray lateral crosstable
37727-5 | Hip - right X-ray lateral crosstable
36988-4 | Knee X-ray lateral crosstable
37872-9 | Skull X-ray lateral crosstable
37878-6 | Spine X-ray lateral crosstable
36989-2 | Spine Cervical X-ray lateral crosstable
36990-0 | Spine Lumbar X-ray lateral crosstable
37903-2 | Spine Thoracic X-ray lateral crosstable
36991-8 | Spine Cervical X-ray lateral crosstable portable
36992-6 | Spine Lumbar X-ray lateral crosstable portable
30786-8 | Hip X-ray lateral frog
36993-4 | Hip - bilateral X-ray lateral frog
36994-2 | Hip - left X-ray lateral frog
37729-1 | Hip - right X-ray lateral frog
37626-9 | Pelvis X-ray lateral frog
36999-1 | Knee - bilateral X-ray lateral hyperextension
37000-7 | Knee - left X-ray lateral hyperextension
37750-7 | Knee - right X-ray lateral hyperextension
37909-9 | Spine Thoracic X-ray lateral hyperextension
41774-1 | Neck X-ray lateral portable
30757-9 | Spine Thoracic X-ray lateral portable
37515-4 | Spine Lumbosacral Junction X-ray lateral spot
37516-2 | Spine Lumbosacral Junction X-ray lateral spot standing
38066-7 | Hip - left X-ray lateral during surgery
38819-9 | Hip - right X-ray lateral during surgery
37001-5 | Foot X-ray lateral standing
37002-3 | Knee - left X-ray lateral standing
37754-9 | Knee - right X-ray lateral standing
42442-4 | Spine X-ray lateral standing
37003-1 | Spine Lumbar X-ray lateral standing
37910-7 | Spine Thoracic X-ray lateral standing
36997-5 | Spine Cervical X-ray lateral W extension
36971-0 | Wrist - left X-ray lateral W extension
37833-1 | Wrist - right X-ray lateral W extension
36998-3 | Spine Cervical X-ray lateral W flexion
36972-8 | Wrist - left X-ray lateral W flexion
37834-9 | Wrist - right X-ray lateral W flexion
37004-9 | Knee X-ray Laurin
36995-9 | Abdomen X-ray left lateral
30737-1 | Chest X-ray left lateral
30738-9 | Chest X-ray left lateral portable
24639-7 | Chest X-ray left lateral upright
24638-9 | Chest X-ray left lateral upright portable
37008-0 | Chest X-ray left oblique
37009-8 | Spine Lumbar X-ray left oblique
24641-3 | Chest X-ray left oblique portable
24640-5 | Chest X-ray lordotic
38069-1 | Abdomen X-ray left posterior oblique
37005-6 | Breast - left Mammogram magnification
37773-9 | Breast - right Mammogram magnification
42441-6 | Neck X-ray magnification
24801-3 | Knee X-ray Merchants
26283-2 | Knee - bilateral X-ray Merchants
26284-0 | Knee - left X-ray Merchants
26285-7 | Knee - right X-ray Merchants
37006-4 | Breast - bilateral Mammogram MLO
37007-2 | Ankle X-ray Mortise
37475-1 | Ankle - left X-ray Mortise W manual stress
37671-5 | Ankle - right X-ray Mortise W manual stress
38067-5 | Breast - bilateral Mammogram nipple profile
36607-0 | Abdomen X-ray oblique single view
36609-6 | Femur X-ray oblique single view

36610-4 | Finger fifth X-ray oblique single view
36611-2 | Finger fourth X-ray oblique single view
36612-0 | Finger second X-ray oblique single view
36613-8 | Finger third X-ray oblique single view
36614-6 | Foot X-ray oblique single view
36615-3 | Foot - left X-ray oblique single view
37704-4 | Foot - right X-ray oblique single view
36616-1 | Hand X-ray oblique single view
36617-9 | Hip X-ray oblique single view
36618-7 | Hip - bilateral X-ray oblique single view
42689-0 | Spine X-ray oblique single view
30778-5 | Spine Lumbar X-ray oblique single view
30758-7 | Spine Thoracic X-ray oblique single view
37892-7 | Thumb X-ray oblique single view
44178-2 | Spine Lumbar X-ray oblique view and (views W right bending and W left bending)
37545-1 | Hip - left X-ray oblique crosstable
37728-3 | Hip - right X-ray oblique crosstable
30759-5 | Spine Thoracic X-ray oblique portable
37631-9 | Pelvis X-ray outlet
37845-5 | Shoulder X-ray outlet
37012-2 | Shoulder - bilateral X-ray outlet
37013-0 | Shoulder - left X-ray outlet
37802-6 | Shoulder - right X-ray outlet
36621-1 | Hand X-ray PA
36622-9 | Hand - bilateral X-ray PA
36623-7 | Hand - left X-ray PA
37714-3 | Hand - right X-ray PA
69270-7 | Skull X-ray PA
37931-3 | Wrist X-ray PA
36624-5 | Wrist - bilateral X-ray PA
37015-5 | Abdomen X-ray PA prone
24648-8 | Chest X-ray PA upright
37014-8 | Knee - left X-ray PA standing
37755-6 | Knee - right X-ray PA standing
37477-7 | Knee X-ray PA standing and W 45 degree flexion
37476-9 | Knee X-ray PA W 45 degree flexion
39324-9 | Wrist - left X-ray PA W clenched fist
69263-2 | Wrist - right X-ray PA W clenched fist
24828-6 | Mandible X-ray panorex
24871-6 | Pelvis X-ray pelvimetry
37998-2 | Elbow X-ray radial head capitellar
37999-0 | Elbow - bilateral X-ray radial head capitellar
38000-6 | Elbow - left X-ray radial head capitellar
38006-3 | Elbow - right X-ray radial head capitellar
38068-3 | Chest X-ray right anterior oblique
36996-7 | Abdomen X-ray right lateral
37010-6 | Chest X-ray right oblique
37011-4 | Spine Lumbar X-ray right oblique
37018-9 | Knee X-ray Rosenberg standing
37020-5 | Knee - bilateral X-ray Rosenberg standing
37019-7 | Knee - left X-ray Rosenberg standing
37752-3 | Knee - right X-ray Rosenberg standing
39323-1 | Abdomen X-ray right posterior oblique
49511-9 | Femoral artery Fluoroscopic angiogram runoff W and WO contrast IA
24699-1 | Femoral artery Fluoroscopic angiogram runoff W contrast IA
26178-4 | Femoral artery - bilateral Fluoroscopic angiogram runoff W contrast IA
26179-2 | Femoral artery - left Fluoroscopic angiogram runoff W contrast IA
26180-0 | Femoral artery - right Fluoroscopic angiogram runoff W contrast IA
42812-8 | Wrist X-ray scaphoid single view
42813-6 | Wrist - bilateral X-ray scaphoid single view
42814-4 | Wrist - left X-ray scaphoid single view
42811-0 | Wrist - right X-ray scaphoid single view
44206-1 | Spine Thoracic and Lumbar X-ray scoliosis single view
30714-0 | Spine Thoracic and Lumbar X-ray scoliosis AP
42426-7 | Spine Thoracic and Lumbar X-ray scoliosis AP sitting
37659-0 | Spine Thoracic and Lumbar X-ray scoliosis AP standing
42428-3 | Spine Thoracic and Lumbar X-ray scoliosis AP standing and in brace
42429-1 | Spine Thoracic and Lumbar X-ray scoliosis AP standing and W right bending
42427-5 | Spine Thoracic and Lumbar X-ray scoliosis lateral sitting
37660-8 | Spine Thoracic and Lumbar X-ray scoliosis lateral standing
37846-3 | Sternoclavicular Joint X-ray Serendipity
37298-7 | Sternoclavicular joint - bilateral X-ray Serendipity

37299-5 | Sternoclavicular joint - left X-ray Serendipity
37808-3 | Sternoclavicular joint - right X-ray Serendipity
43671-7 | Thyroid Scan spot
42471-3 | Pelvis X-ray stereo
42474-7 | Skull X-ray stereo
39516-0 | Shoulder X-ray Stryker Notch
37024-7 | Shoulder - bilateral X-ray Stryker Notch
37025-4 | Shoulder - left X-ray Stryker Notch
37791-1 | Shoulder - right X-ray Stryker Notch
39517-8 | Shoulder X-ray Stryker Notch and West Point
37861-2 | Sinuses X-ray submentovertex
37026-2 | Skull X-ray submentovertex
43780-6 | Knee X-ray Sunrise
37027-0 | Knee - bilateral X-ray Sunrise
43779-8 | Knee - left X-ray Sunrise
69256-6 | Knee - right X-ray Sunrise
69239-2 | Patella X-ray Sunrise
69069-3 | Patella - bilateral X-ray Sunrise
69064-4 | Knee - bilateral X-ray Sunrise and (views standing)
69149-3 | Knee - left X-ray Sunrise and (views standing)
42432-5 | Knee - right X-ray Sunrise and (views standing)
24944-1 | Spine Cervical X-ray Swimmers
37028-8 | Breast Mammogram tangential
37029-6 | Breast - bilateral Mammogram tangential
37030-4 | Breast - left Mammogram tangential
37770-5 | Breast - right Mammogram tangential
37870-3 | Skull X-ray Towne
24668-6 | Colon Fluoroscopy transit Post solid contrast
37031-2 | Humerus X-ray transthoracic
37032-0 | Humerus - bilateral X-ray transthoracic
37033-8 | Humerus - left X-ray transthoracic
38007-1 | Humerus - right X-ray transthoracic
37034-6 | Shoulder - left X-ray transthoracic
38779-5 | Shoulder - right X-ray transthoracic
37300-1 | Spine Lumbosacral Junction X-ray true AP
37037-9 | Breast Mammogram true lateral
37038-7 | Breast - bilateral Mammogram true lateral
38855-3 | Breast - left Mammogram true lateral
37771-3 | Breast - right Mammogram true lateral
37039-5 | Hip X-ray true lateral
37040-3 | Hip - left X-ray true lateral
38772-0 | Hip - right X-ray true lateral
30790-0 | Knee X-ray tunnel
37041-1 | Knee - bilateral X-ray tunnel
37042-9 | Knee - left X-ray tunnel
37761-4 | Knee - right X-ray tunnel
38842-1 | Wrist - left X-ray tunnel.carpal
37677-2 | Wrist - right X-ray tunnel.carpal
37043-7 | Knee - left X-ray tunnel standing
37756-4 | Knee - right X-ray tunnel standing
37044-5 | Wrist - left X-ray ulnar deviation
37645-9 | Wrist - right X-ray ulnar deviation
37045-2 | Wrist - bilateral X-ray ulnar variance
37046-0 | Abdomen X-ray upright
37047-8 | Shoulder - bilateral X-ray Velpeau axillary
37048-6 | Shoulder - left X-ray Velpeau axillary
38780-3 | Shoulder - right X-ray Velpeau axillary
37049-4 | Hip X-ray Von rossen
37613-7 | Orbit - bilateral X-ray Waters
37863-8 | Sinuses X-ray Waters
24921-9 | Skull X-ray Waters
42473-9 | Sinuses X-ray Waters stereo
38117-8 | Sinuses X-ray Waters upright
30751-2 | Shoulder X-ray West Point
37050-2 | Shoulder - bilateral X-ray West Point
37051-0 | Shoulder - left X-ray West Point
37809-1 | Shoulder - right X-ray West Point
42680-9 | Breast Mammogram XCCL
37052-8 | Breast - bilateral Mammogram XCCL
37053-6 | Breast - left Mammogram XCCL
37772-1 | Breast - right Mammogram XCCL
37656-6 | Scapula X-ray Y

37055-1 | Scapula - bilateral X-ray Y
37054-4 | Scapula - left X-ray Y
37790-3 | Scapula - right X-ray Y
37847-1 | Shoulder X-ray Y
38858-7 | Shoulder - left X-ray Y
37805-9 | Shoulder - right X-ray Y
37848-9 | Acromioclavicular Joint X-ray Zanca
37056-9 | Acromioclavicular joint - bilateral X-ray Zanca
37057-7 | Acromioclavicular joint - left X-ray Zanca
37810-9 | Acromioclavicular joint - right X-ray Zanca
41793-1 | Abdomen X-ray during surgery
41790-7 | Chest X-ray during surgery
24656-1 | Chest Fluoroscopy during surgery
39047-6 | Hip Fluoroscopy during surgery
38065-9 | Hip - left X-ray during surgery
38818-1 | Hip - right X-ray during surgery
42008-3 | Humerus X-ray during surgery
24893-0 | Rectum Fluoroscopy post contrast PR during defecation
37058-5 | Calcaneus - bilateral X-ray standing
37059-3 | Hip - bilateral X-ray standing
37207-8 | Hip - left X-ray standing
37731-7 | Hip - right X-ray standing
44205-3 | Lower extremity - bilateral X-ray standing
38850-4 | Lower extremity - left X-ray standing
37734-1 | Lower extremity - right X-ray standing
37633-5 | Pelvis X-ray standing
39144-1 | Gastrointestine upper Fluoroscopy W air contrast PO
41795-6 | Upper Gastrointestine and Small bowel Fluoroscopy W air contrast PO
69302-8 | Wrist X-ray W clenched fist
36968-6 | Wrist - bilateral X-ray W clenched fist
30639-9 | Vessel Fluoroscopic angiogram W contrast
42470-5 | Gastrointestine upper and Gallbladder Fluoroscopy W contrast PO
30809-8 | Upper Gastrointestine and Small bowel Fluoroscopy W contrast PO
42469-7 | Gastrointestine upper and Small bowel and Gallbladder Fluoroscopy W contrast PO
38001-4 | Chest X-ray W expiration
38002-2 | Chest X-ray W inspiration
37060-1 | Fetal X-ray
37636-8 | Abdomen X-ray
46341-4 | Abdomen Fluoroscopy
24535-7 | Acetabulum X-ray
26133-9 | Acetabulum - bilateral X-ray
26134-7 | Acetabulum - left X-ray
26135-4 | Acetabulum - right X-ray
24536-5 | Acromioclavicular Joint X-ray
26136-2 | Acromioclavicular joint - bilateral X-ray
26137-0 | Acromioclavicular joint - left X-ray
26138-8 | Acromioclavicular joint - right X-ray
24541-5 | Ankle X-ray
26097-6 | Ankle - bilateral X-ray
26098-4 | Ankle - left X-ray
51395-2 | Ankle - left and Foot.left X-ray
26099-2 | Ankle - right X-ray
51394-5 | Ankle - right and Foot - right X-ray
36625-2 | Breast Mammogram
46342-2 | Breast FFD mammogram
38070-9 | Breast implant Mammogram
38071-7 | Breast implant - bilateral Mammogram
38072-5 | Breast implant - left Mammogram
38820-7 | Breast implant - right Mammogram
46380-2 | Breast Implant - unilateral Mammogram
24597-7 | Breast specimen Mammogram
38079-0 | Breast specimen - bilateral Mammogram
38080-8 | Breast specimen - left Mammogram
38821-5 | Breast specimen - right Mammogram
36626-0 | Breast - bilateral Mammogram
36627-8 | Breast - left Mammogram
37774-7 | Breast - right Mammogram
46339-8 | Breast - unilateral Mammogram
24612-4 | Calcaneus X-ray
26100-8 | Calcaneus - bilateral X-ray
26101-6 | Calcaneus - left X-ray
26102-4 | Calcaneus - right X-ray

30745-4 | Chest X-ray
30631-6 | Chest Fluoroscopy
42269-1 | Chest and Abdomen X-ray
24664-5 | Clavicle X-ray
26106-5 | Clavicle - bilateral X-ray
26107-3 | Clavicle - left X-ray
26108-1 | Clavicle - right X-ray
30883-3 | Coccyx X-ray
24676-9 | Elbow X-ray
26109-9 | Elbow - bilateral X-ray
26110-7 | Elbow - left X-ray
26111-5 | Elbow - right X-ray
46381-0 | Elbow+Radius+Ulna X-ray
37637-6 | Extremity X-ray
24695-9 | Facial bones X-ray
37303-5 | Facial bones and Zygomatic arch X-ray
24704-9 | Femur X-ray
26118-0 | Femur - bilateral X-ray
26120-6 | Femur - left X-ray
26122-2 | Femur - right X-ray
24706-4 | Finger X-ray
26124-8 | Finger - bilateral X-ray
30783-5 | Finger fifth X-ray
37517-0 | Finger fifth - bilateral X-ray
37518-8 | Finger fifth - left X-ray
38147-5 | Finger fifth - right X-ray
30782-7 | Finger fourth X-ray
37519-6 | Finger fourth - bilateral X-ray
37520-4 | Finger fourth - left X-ray
38146-7 | Finger fourth - right X-ray
26125-5 | Finger - left X-ray
26126-3 | Finger - right X-ray
30780-1 | Finger second X-ray
37521-2 | Finger second - bilateral X-ray
37522-0 | Finger second - left X-ray
38144-2 | Finger second - right X-ray
30781-9 | Finger third X-ray
37523-8 | Finger third - bilateral X-ray
37524-6 | Finger third - left X-ray
38145-9 | Finger third - right X-ray
24709-8 | Foot X-ray
26127-1 | Foot - bilateral X-ray
26128-9 | Foot - left X-ray
26129-7 | Foot - right X-ray
42399-6 | Foot sesamoid bones X-ray
42400-2 | Foot sesamoid bones - bilateral X-ray
43641-0 | Foot sesamoid bones - left X-ray
42434-1 | Foot sesamoid bones - right X-ray
37532-9 | Great toe - bilateral X-ray
37533-7 | Great toe - left X-ray
38152-5 | Great toe - right X-ray
28582-5 | Hand X-ray
36629-4 | Hand - bilateral X-ray
36630-2 | Hand - left X-ray
37716-8 | Hand - right X-ray
24752-8 | Heart Fluoroscopy video
24762-7 | Hip X-ray
26130-5 | Hip - bilateral X-ray
26131-3 | Hip - left X-ray
26132-1 | Hip - right X-ray
28567-6 | Humerus X-ray
37319-1 | Humerus bicipital groove X-ray
37321-7 | Humerus bicipital groove - bilateral X-ray
37320-9 | Humerus bicipital groove - left X-ray
38797-7 | Humerus bicipital groove - right X-ray
37062-7 | Humerus - bilateral X-ray
36632-8 | Humerus - left X-ray
37738-2 | Humerus - right X-ray
36628-6 | Internal auditory canal X-ray
28565-0 | Knee X-ray
36635-1 | Knee - bilateral X-ray
36636-9 | Knee - left X-ray

37758-0 | Knee - right X-ray
48465-9 | Larynx Fluoroscopy
24686-8 | Lower extremity X-ray
26112-3 | Lower extremity - bilateral X-ray
26113-1 | Lower extremity - left X-ray
26114-9 | Lower extremity - right X-ray
24829-4 | Mandible X-ray
48745-4 | Mandible - left X-ray
43533-9 | Mandible - right X-ray
24830-2 | Mastoid X-ray
26139-6 | Mastoid - bilateral X-ray
26140-4 | Mastoid - left X-ray
26141-2 | Mastoid - right X-ray
36637-7 | Maxilla X-ray
24834-4 | Nasal bones X-ray
37639-2 | Neck X-ray
37332-4 | Olecranon - left X-ray
38798-5 | Olecranon - right X-ray
24846-8 | Optic foramen X-ray
26142-0 | Optic foramen - bilateral X-ray
26143-8 | Optic foramen - left X-ray
26144-6 | Optic foramen - right X-ray
36886-0 | Orbit X-ray
24854-2 | Orbit - bilateral X-ray
36887-8 | Orbit - left X-ray
38774-6 | Orbit - right X-ray
43529-7 | Orbit + Facial bones X-ray
24855-9 | Oropharynx Fluoroscopy video
30791-8 | Patella X-ray
36638-5 | Patella - bilateral X-ray
36639-3 | Patella - left X-ray
37777-0 | Patella - right X-ray
28561-9 | Pelvis X-ray
30885-8 | Pelvis symphysis pubis X-ray
30767-8 | Pelvis and Hip X-ray
30768-6 | Pelvis and Hip - bilateral X-ray
36631-0 | Pelvis and Hip - left X-ray
38771-2 | Pelvis and Hip - right X-ray
47984-0 | Pelvis and Spine Lumbar X-ray
24745-2 | Petrous bone X-ray
26146-1 | Radius - bilateral and Ulna - bilateral X-ray
26148-7 | Radius - left and Ulna.left X-ray
26150-3 | Radius - right and Ulna - right X-ray
24891-4 | Radius and Ulna X-ray
24899-7 | Ribs X-ray
37937-0 | Ribs anterior X-ray
38073-3 | Ribs anterior - bilateral X-ray
38074-1 | Ribs anterior - left X-ray
37963-6 | Ribs anterior - right X-ray
38868-6 | Ribs anterior and posterior - left X-ray
37962-8 | Ribs anterior and posterior - right X-ray
26151-1 | Ribs - bilateral X-ray
69071-9 | Ribs - bilateral and Chest X-ray
26152-9 | Ribs - left X-ray
39326-4 | Ribs - left and Chest X-ray
38866-0 | Ribs lower - left X-ray
39489-0 | Ribs lower posterior X-ray
42381-4 | Ribs lower posterior - left X-ray
39493-2 | Ribs lower posterior - right X-ray
37960-2 | Ribs lower - right X-ray
37938-8 | Ribs posterior X-ray
39352-0 | Ribs posterior - bilateral X-ray
38869-4 | Ribs posterior - left X-ray
37964-4 | Ribs posterior - right X-ray
26153-7 | Ribs - right X-ray
39351-2 | Ribs upper anterior and posterior - left X-ray
39491-6 | Ribs upper anterior and posterior - right X-ray
38867-8 | Ribs upper - left X-ray
39353-8 | Ribs upper posterior - left X-ray
39492-4 | Ribs upper posterior - right X-ray
37961-0 | Ribs upper - right X-ray
24900-3 | Sacroiliac Joint X-ray

36633-6 | Sacroiliac joint - bilateral X-ray
36634-4 | Sacroiliac joint - left X-ray
37786-1 | Sacroiliac joint - right X-ray
30884-1 | Sacrum X-ray
24665-2 | Sacrum and Coccyx X-ray
39058-3 | Salivary gland X-ray
24903-7 | Scapula X-ray
26154-5 | Scapula - bilateral X-ray
26155-2 | Scapula - left X-ray
26156-0 | Scapula - right X-ray
42159-4 | Sella turcica X-ray
24909-4 | Shoulder X-ray
26157-8 | Shoulder - bilateral X-ray
26158-6 | Shoulder - left X-ray
26159-4 | Shoulder - right X-ray
42160-2 | Shunt X-ray
24911-0 | Shunt Fluoroscopy
24916-9 | Sinuses X-ray
28564-3 | Skull X-ray
48697-7 | Skull.base X-ray
37338-1 | Skull and Facial bones and Mandible X-ray
28613-8 | Spine X-ray
24946-6 | Spine Cervical X-ray
36640-1 | Spine Cervical Fluoroscopy
43538-8 | Spine Cervical Fluoroscopy video
37481-9 | Spine Cervical and Spine Thoracic X-ray
38008-9 | Spine Cervical and Thoracic and Lumbar X-ray
43781-4 | Spine Cervicothoracic Junction X-ray
24972-2 | Spine Lumbar X-ray
43536-2 | Spine Lumbar Fluoroscopy video
24975-5 | Spine.lumbar and Sacroiliac joint - bilateral X-ray
37340-7 | Spine Lumbar and Sacrum X-ray
37341-5 | Spine Lumbar and Sacrum and Coccyx X-ray
37342-3 | Spine Lumbar and Sacrum and Sacroiliac Joint and Coccyx X-ray
46340-6 | Spine Lumbosacral Junction X-ray
24983-9 | Spine Thoracic X-ray
42692-4 | Spine Thoracic and Lumbar X-ray
37975-0 | Spine Thoracolumbar Junction X-ray
37323-3 | Sternoclavicular joint - bilateral X-ray
37324-1 | Sternoclavicular joint - left X-ray
37965-1 | Sternoclavicular joint - right X-ray
24993-8 | Sternoclavicular Joints X-ray
24994-6 | Sternum X-ray
72876-6 | Surgical specimen X-ray
25000-1 | Temporomandibular joint X-ray
37325-8 | Temporomandibular joint - bilateral X-ray
30889-0 | Temporomandibular joint - left X-ray
30890-8 | Temporomandibular joint - right X-ray
25006-8 | Thumb X-ray
26160-2 | Thumb - bilateral X-ray
26161-0 | Thumb - left X-ray
26162-8 | Thumb - right X-ray
26163-6 | Tibia - bilateral and Fibula - bilateral X-ray
26164-4 | Tibia - left and Fibula - left X-ray
26165-1 | Tibia - right and Fibula - right X-ray
25011-8 | Tibia and Fibula X-ray
37530-3 | Toe fifth - left X-ray
38151-7 | Toe fifth - right X-ray
37531-1 | Toe fourth - left X-ray
38150-9 | Toe fourth - right X-ray
37534-5 | Toe second - left X-ray
38148-3 | Toe second - right X-ray
37535-2 | Toe third - left X-ray
38149-1 | Toe third - right X-ray
25013-4 | Toes X-ray
26166-9 | Toes - bilateral X-ray
26167-7 | Toes - left X-ray
26168-5 | Toes - right X-ray
44238-4 | Trachea X-ray
48464-2 | Trachea Fluoroscopy
24689-2 | Upper extremity X-ray
26115-6 | Upper extremity - bilateral X-ray

26116-4 | Upper extremity - left X-ray
26117-2 | Upper extremity - right X-ray
24619-9 | Wrist X-ray
26169-3 | Wrist - bilateral X-ray
26170-1 | Wrist - left X-ray
51392-9 | Wrist - left and Hand - left X-ray
26171-9 | Wrist - right X-ray
51388-7 | Wrist - right and Hand - right X-ray
43468-8 | Unspecified body region X-ray
49512-7 | Unspecified body region Fluoroscopy
25074-6 | Zygomatic arch X-ray
26172-7 | Zygomatic arch - bilateral X-ray
26173-5 | Zygomatic arch - left X-ray
26174-3 | Zygomatic arch - right X-ray
51387-9 | Knee - bilateral X-ray and (AP view standing)
39370-2 | Ankle - right X-ray and (view W manual stress)
30635-7 | Gastrointestine upper Fluoroscopy and AP W contrast PO
42162-8 | Gastrointestine upper Fluoroscopy and AP W water soluble contrast PO
39400-7 | Wrist - right X-ray and carpal tunnel
69131-1 | Hip X-ray and Danelius Miller
69140-2 | Hip - left X-ray and Danelius Miller
39513-7 | Hip - right X-ray and Danelius Miller
39360-3 | Pelvis X-ray and inlet and outlet
69059-4 | Hip - bilateral X-ray and lateral crosstable
69139-4 | Hip - left X-ray and lateral crosstable
39377-7 | Hip - right X-ray and lateral crosstable
37583-2 | Pelvis and Hip - bilateral X-ray and lateral frog
39372-8 | Ankle - right X-ray and Mortise
39373-6 | Elbow - right X-ray and oblique
39390-0 | Knee - right X-ray and oblique
39511-1 | Pelvis X-ray and oblique
39376-9 | Radius - right and Ulna - right X-ray and oblique
42164-4 | Spine Cervical X-ray and oblique
42163-6 | Spine Lumbar X-ray and oblique
39414-8 | Spine Thoracic X-ray and oblique
39398-3 | Tibia - right and Fibula - right X-ray and oblique
69056-0 | Elbow - bilateral X-ray and obliques
41811-1 | Ribs - bilateral and Chest X-ray and PA chest
41832-7 | Ribs - left and Chest X-ray and PA chest
42010-9 | Ribs - right and Chest X-ray and PA chest
42165-1 | Ribs and Chest X-ray and PA chest
46389-3 | Elbow - bilateral X-ray and radial head capitellar
39391-8 | Knee - right X-ray and Sunrise
39412-2 | Spine Thoracic X-ray and Swimmers
69148-5 | Knee - left X-ray and tunnel
39389-2 | Knee - right X-ray and tunnel
30694-4 | Thyroid Scan and uptake.single
42271-7 | Thyroid Scan and uptake W I-123 IV
60527-9 | Thyroid Scan and uptake W I-123 PO
25008-4 | Thyroid Scan and uptake W I-131 IV
69236-8 | Thyroid Scan and uptake W I-131 PO
43672-5 | Thyroid Scan and uptake
44147-7 | Thyroid Scan and uptake W Tc-99m pertechnetate IV
42405-1 | Knee X-ray (AP^standing) and (lateral^W hyperextension)
42401-0 | Spine Lumbar X-ray (AP W R-bending and W L-bending and WO bending) and Lateral
42411-9 | Spine Lumbar X-ray (AP^W R-bending and W L-bending) and (lateral^W flexion and W extension)
39392-6 | Shoulder - right X-ray (W internal rotation and W external rotation) and axillary
44199-8 | Facial bones X-ray 1 or 2 views
44198-0 | Knee X-ray 1 or 2 views
47373-6 | Knee - left X-ray 1 or 2 views
47375-1 | Knee - right X-ray 1 or 2 views
43521-4 | Mandible X-ray 1 or 2 views
47983-2 | Mastoid - bilateral X-ray 1 or 2 views
48489-9 | Mastoid - left X-ray 1 or 2 views
48488-1 | Mastoid - right X-ray 1 or 2 views
43522-2 | Pelvis X-ray 1 or 2 views
48467-5 | Sacroiliac Joint X-ray 1 or 2 views
43523-0 | Sinuses X-ray 1 or 2 views
44202-0 | Knee X-ray 1 or 2 views portable
44201-2 | Pelvis X-ray 1 or 2 views portable
36641-9 | Abdomen X-ray 2 views
37064-3 | Acetabulum - left X-ray 2 views

37664-0 | Acetabulum - right X-ray 2 views
36665-8 | Acromioclavicular joint - left X-ray 2 views
37661-6 | Acromioclavicular joint - right X-ray 2 views
24540-7 | Ankle X-ray 2 views
26385-5 | Ankle - bilateral X-ray 2 views
26386-3 | Ankle - left X-ray 2 views
26387-1 | Ankle - right X-ray 2 views
36642-7 | Breast - left Mammogram 2 views
37768-9 | Breast - right Mammogram 2 views
36661-7 | Calcaneus X-ray 2 views
48433-7 | Calcaneus - bilateral X-ray 2 views
36662-5 | Calcaneus - left X-ray 2 views
37718-4 | Calcaneus - right X-ray 2 views
36643-5 | Chest X-ray 2 views
36644-3 | Chest Fluoroscopy 2 views
36645-0 | Clavicle X-ray 2 views
36646-8 | Clavicle - left X-ray 2 views
37679-8 | Clavicle - right X-ray 2 views
36647-6 | Coccyx X-ray 2 views
36648-4 | Elbow X-ray 2 views
36649-2 | Elbow - bilateral X-ray 2 views
36650-0 | Elbow - left X-ray 2 views
37681-4 | Elbow - right X-ray 2 views
36652-6 | Femur X-ray 2 views
36653-4 | Femur - bilateral X-ray 2 views
36654-2 | Femur - left X-ray 2 views
37690-5 | Femur - right X-ray 2 views
36655-9 | Finger X-ray 2 views
36656-7 | Finger - left X-ray 2 views
37694-7 | Finger - right X-ray 2 views
30784-3 | Foot X-ray 2 views
36657-5 | Foot - bilateral X-ray 2 views
38846-2 | Foot - left X-ray 2 views
37697-0 | Foot - right X-ray 2 views
24721-3 | Hand X-ray 2 views
26388-9 | Hand - bilateral X-ray 2 views
26389-7 | Hand - left X-ray 2 views
26390-5 | Hand - right X-ray 2 views
36663-3 | Hip X-ray 2 views
69058-6 | Hip - bilateral X-ray 2 views
36664-1 | Hip - left X-ray 2 views
37721-8 | Hip - right X-ray 2 views
24765-0 | Humerus X-ray 2 views
26391-3 | Humerus - bilateral X-ray 2 views
26392-1 | Humerus - left X-ray 2 views
26393-9 | Humerus - right X-ray 2 views
24806-2 | Knee X-ray 2 views
26394-7 | Knee - bilateral X-ray 2 views
26395-4 | Knee - left X-ray 2 views
26396-2 | Knee - right X-ray 2 views
36651-8 | Lower extremity X-ray 2 views
69257-4 | Lower extremity - right X-ray 2 views
24861-7 | Patella X-ray 2 views
26397-0 | Patella - bilateral X-ray 2 views
26398-8 | Patella - left X-ray 2 views
26399-6 | Patella - right X-ray 2 views
37617-8 | Pelvis X-ray 2 views
42685-8 | Pelvis and Hip - left X-ray 2 views
42686-6 | Pelvis and Hip - right X-ray 2 views
36659-1 | Radius - bilateral and Ulna - bilateral X-ray 2 views
36660-9 | Radius - left and Ulna.left X-ray 2 views
37707-7 | Radius - right and Ulna - right X-ray 2 views
36658-3 | Radius and Ulna X-ray 2 views
39060-9 | Ribs X-ray 2 views
42687-4 | Ribs - bilateral X-ray 2 views
37066-8 | Ribs - left X-ray 2 views
37780-4 | Ribs - right X-ray 2 views
37651-7 | Sacrum X-ray 2 views
44179-0 | Sacrum and Coccyx X-ray 2 views
37655-8 | Scapula X-ray 2 views
36666-6 | Scapula - left X-ray 2 views
37787-9 | Scapula - right X-ray 2 views

42435-8 | Sella turcica X-ray 2 views
37840-6 | Shoulder X-ray 2 views
36667-4 | Shoulder - bilateral X-ray 2 views
36668-2 | Shoulder - left X-ray 2 views
37793-7 | Shoulder - right X-ray 2 views
37853-9 | Sinuses X-ray 2 views
37867-9 | Skull X-ray 2 views
37879-4 | Spine X-ray 2 views
36669-0 | Spine Cervical X-ray 2 views
43784-8 | Spine Cervical and Thoracic and Lumbar X-ray 2 views
36670-8 | Spine Lumbar X-ray 2 views
37905-7 | Spine Thoracic X-ray 2 views
24984-7 | Spine Thoracic and Lumbar X-ray 2 views
69273-1 | Spine Thoracolumbar Junction X-ray 2 views
37883-6 | Sternum X-ray 2 views
36671-6 | Tibia - bilateral and Fibula - bilateral X-ray 2 views
36672-4 | Tibia - left and Fibula - left X-ray 2 views
37815-8 | Tibia - right and Fibula - right X-ray 2 views
37895-0 | Tibia and Fibula X-ray 2 views
37902-4 | Toes X-ray 2 views
37348-0 | Toes - bilateral X-ray 2 views
36673-2 | Toes - left X-ray 2 views
37821-6 | Toes - right X-ray 2 views
37922-2 | Upper extremity X-ray 2 views
37925-5 | Wrist X-ray 2 views
37482-7 | Wrist - bilateral X-ray 2 views
37483-5 | Wrist - left X-ray 2 views
37826-5 | Wrist - right X-ray 2 views
69305-1 | Zygomatic arch X-ray 2 views
42430-9 | Knee - right X-ray 2 views and (views standing)
42009-1 | Chest X-ray 2 views and apical
39378-5 | Knee - right X-ray 2 views and oblique
48468-3 | Ribs - bilateral and Chest X-ray 2 views and PA chest
43467-0 | Chest X-ray 2 views and right oblique and left oblique
69060-2 | Knee - bilateral X-ray 2 views and Sunrise
69142-8 | Knee - left X-ray 2 views and Sunrise
39379-3 | Knee - right X-ray 2 views and Sunrise
39380-1 | Knee - right X-ray 2 views and Sunrise and tunnel
69061-0 | Knee - bilateral X-ray 2 views and tunnel
41819-4 | Knee - left X-ray 2 views and tunnel
39381-9 | Knee - right X-ray 2 views and tunnel
69143-6 | Knee - left X-ray 2 views and tunnel standing
39382-7 | Knee - right X-ray 2 views and tunnel standing
38118-6 | Neck X-ray 2 views lateral
38844-7 | Elbow - left X-ray 2 views Oblique
37686-3 | Elbow - right X-ray 2 views Oblique
38871-0 | Knee - left X-ray 2 views Oblique
38108-7 | Knee - right X-ray 2 views Oblique
38874-4 | Tibia - left and Fibula - left X-ray 2 views Oblique
38114-5 | Tibia - right and Fibula - right X-ray 2 views Oblique
44181-6 | Sacroiliac Joint X-ray 2 or 3 views
43539-6 | Spine Cervical X-ray 2 or 3 views
48469-1 | Spine Lumbar X-ray 2 or 3 views
39880-0 | Bone Scan 2 views phase
44184-0 | Elbow X-ray 2 views portable
44182-4 | Hand X-ray 2 views portable
44183-2 | Radius and Ulna X-ray 2 views portable
36674-0 | Spine Lumbar X-ray 2 views portable
37658-2 | Spine Thoracic and Lumbar X-ray 2 views scoliosis
38843-9 | Wrist - left X-ray 2 views tunnel.carpal
37678-0 | Wrist - right X-ray 2 views tunnel.carpal
42166-9 | Heart Scan 2 views at rest and W Tl-201 IV
38841-3 | Ankle - left X-ray 2 views standing
37675-6 | Ankle - right X-ray 2 views standing
37068-4 | Foot - bilateral X-ray 2 views standing
37069-2 | Foot - left X-ray 2 views standing
37698-8 | Foot - right X-ray 2 views standing
36945-4 | Knee - bilateral X-ray 2 views standing
38851-2 | Knee - left X-ray 2 views standing
37762-2 | Knee - right X-ray 2 views standing
36946-2 | Spine Lumbar X-ray 2 views standing
69274-9 | Spine Thoracic X-ray 2 views standing

38840-5 | Ankle - left X-ray 2 views W manual stress
37672-3 | Ankle - right X-ray 2 views W manual stress
37067-6 | Chest X-ray 2 views W nipple markers
36293-9 | Abdomen X-ray 3 views
37635-0 | Acetabulum X-ray 3 views
36294-7 | Ankle X-ray 3 views
36295-4 | Ankle - bilateral X-ray 3 views
36296-2 | Ankle - left X-ray 3 views
37665-7 | Ankle - right X-ray 3 views
36298-8 | Chest X-ray 3 views
36299-6 | Elbow X-ray 3 views
36300-2 | Elbow - bilateral X-ray 3 views
36301-0 | Elbow - left X-ray 3 views
37682-2 | Elbow - right X-ray 3 views
36297-0 | Facial bones X-ray 3 views
36302-8 | Femur X-ray 3 views
36303-6 | Finger X-ray 3 views
36304-4 | Finger - left X-ray 3 views
37695-4 | Finger - right X-ray 3 views
36305-1 | Foot X-ray 3 views
36306-9 | Foot - bilateral X-ray 3 views
36307-7 | Foot - left X-ray 3 views
37699-6 | Foot - right X-ray 3 views
24722-1 | Hand X-ray 3 views
26379-8 | Hand - bilateral X-ray 3 views
26380-6 | Hand - left X-ray 3 views
26381-4 | Hand - right X-ray 3 views
36308-5 | Hip - bilateral X-ray 3 views
36309-3 | Hip - left X-ray 3 views
37722-6 | Hip - right X-ray 3 views
30788-4 | Knee X-ray 3 views
36310-1 | Knee - bilateral X-ray 3 views
36311-9 | Knee - left X-ray 3 views
37742-4 | Knee - right X-ray 3 views
36312-7 | Mandible X-ray 3 views
36838-1 | Mastoid X-ray 3 views
48470-9 | Mastoid - left X-ray 3 views
48471-7 | Mastoid - right X-ray 3 views
37604-6 | Nasal bones X-ray 3 views
69261-6 | Patella - right X-ray 3 views
30766-0 | Pelvis X-ray 3 views
37256-5 | Pelvis and Spine Lumbar X-ray 3 views
39062-5 | Ribs X-ray 3 views
36313-5 | Ribs - bilateral X-ray 3 views
36314-3 | Ribs - left X-ray 3 views
37781-2 | Ribs - right X-ray 3 views
37648-3 | Sacroiliac Joint X-ray 3 views
39061-7 | Sacrum and Coccyx X-ray 3 views
24908-6 | Shoulder X-ray 3 views
26382-2 | Shoulder - bilateral X-ray 3 views
26383-0 | Shoulder - left X-ray 3 views
26384-8 | Shoulder - right X-ray 3 views
37854-7 | Sinuses X-ray 3 views
24918-5 | Skull X-ray 3 views
24941-7 | Spine Cervical X-ray 3 views
30775-1 | Spine Lumbar X-ray 3 views
37257-3 | Spine Lumbar and Sacroiliac Joint X-ray 3 views
37259-9 | Spine Lumbar and Sacrum X-ray 3 views
37260-7 | Spine Lumbar and Sacrum and Coccyx X-ray 3 views
37261-5 | Spine Lumbar and Sacrum and Sacroiliac Joint and Coccyx X-ray 3 views
37906-5 | Spine Thoracic X-ray 3 views
37881-0 | Sternoclavicular Joint X-ray 3 views
37888-5 | Thumb X-ray 3 views
36315-0 | Thumb - left X-ray 3 views
37812-5 | Thumb - right X-ray 3 views
36316-8 | Toes - left X-ray 3 views
37820-8 | Toes - right X-ray 3 views
37926-3 | Wrist X-ray 3 views
37454-6 | Wrist - bilateral X-ray 3 views
48738-9 | Wrist - bilateral and Hand - bilateral X-ray 3 views
37455-3 | Wrist - left X-ray 3 views
37827-3 | Wrist - right X-ray 3 views

48737-1 | Wrist and Hand X-ray 3 views
37933-9 | Zygomatic arch X-ray 3 views
69154-3 | Shoulder - left X-ray 3 views and axillary
39393-4 | Shoulder - right X-ray 3 views and axillary
39399-1 | Wrist - right X-ray 3 views and carpal tunnel
39364-5 | Wrist - right X-ray 3 views and radial deviation
39404-9 | Sinuses X-ray 3 views and submentovertex
39383-5 | Knee - right X-ray 3 views and Sunrise
48472-5 | Spine Thoracic X-ray 3 views and Swimmers
39365-2 | Wrist - right X-ray 3 views and ulnar deviation
69155-0 | Shoulder - left X-ray 3 views and Y
39394-2 | Shoulder - right X-ray 3 views and Y
43499-3 | Foot - left X-ray 3 or 4 views
43483-7 | Foot - right X-ray 3 or 4 views
39901-4 | Bone Scan 3 views phase multiple areas
39902-2 | Bone Scan 3 views phase single area
39882-6 | Bone Scan 3 views phase whole body
39883-4 | Bone Scan 3 views phase
30776-9 | Spine Lumbar X-ray 3 views portable
69151-9 | Wrist - left X-ray 3 views scaphoid
24778-3 | Kidney - bilateral X-ray 3 views serial W and WO contrast IV
69138-6 | Ankle - left X-ray 3 views standing
69254-1 | Ankle - right X-ray 3 views standing
36947-0 | Foot - bilateral X-ray 3 views standing
36948-8 | Foot - left X-ray 3 views standing
37700-2 | Foot - right X-ray 3 views standing
36949-6 | Spine Lumbar X-ray 3 views standing
42443-2 | Spine Thoracic X-ray 3 views standing
36317-6 | Ankle X-ray 4 views
36319-2 | Breast Mammogram 4 views
36320-0 | Chest X-ray 4 views
36321-8 | Chest Fluoroscopy 4 views
36322-6 | Elbow - bilateral X-ray 4 views
36323-4 | Elbow - left X-ray 4 views
37683-0 | Elbow - right X-ray 4 views
36318-4 | Facial bones X-ray 4 views
36324-2 | Femur - left X-ray 4 views
37691-3 | Femur - right X-ray 4 views
30789-2 | Knee X-ray 4 views
36325-9 | Knee - bilateral X-ray 4 views
36326-7 | Knee - left X-ray 4 views
37743-2 | Knee - right X-ray 4 views
36327-5 | Mandible X-ray 4 views
43534-7 | Mandible - left X-ray 4 views
43535-4 | Mandible - right X-ray 4 views
36839-9 | Mastoid X-ray 4 views
37609-5 | Optic foramen X-ray 4 views
37612-9 | Orbit - bilateral X-ray 4 views
36328-3 | Ribs - bilateral X-ray 4 views
69265-7 | Shoulder X-ray 4 views
36329-1 | Shoulder - bilateral X-ray 4 views
36330-9 | Shoulder - left X-ray 4 views
37794-5 | Shoulder - right X-ray 4 views
37855-4 | Sinuses X-ray 4 views
37868-7 | Skull X-ray 4 views
37876-0 | Spine X-ray 4 views
36331-7 | Spine Cervical X-ray 4 views
36332-5 | Spine Lumbar X-ray 4 views
48473-3 | Spine Lumbar and Sacrum X-ray 4 views
37907-3 | Spine Thoracic X-ray 4 views
37882-8 | Sternoclavicular Joint X-ray 4 views
38155-8 | Wrist X-ray 4 views
37070-0 | Wrist - bilateral X-ray 4 views
37071-8 | Wrist - left X-ray 4 views
37828-1 | Wrist - right X-ray 4 views
37934-7 | Zygomatic arch X-ray 4 views
69144-4 | Knee - left X-ray 4 views and AP standing
39384-3 | Knee - right X-ray 4 views and AP standing
39385-0 | Knee - right X-ray 4 views and oblique
39413-0 | Spine Thoracic X-ray 4 views and oblique
39099-7 | Ribs - bilateral and Chest X-ray 4 views and PA chest
69063-6 | Knee - bilateral X-ray 4 views and Sunrise and tunnel

39387-6 | Knee - right X-ray 4 views and Sunrise and tunnel
69145-1 | Knee - left X-ray 4 views and tunnel
39386-8 | Knee - right X-ray 4 views and tunnel
69062-8 | Knee - bilateral X-ray 4 views standing
38852-0 | Knee - left X-ray 4 views standing
37763-0 | Knee - right X-ray 4 views standing
36675-7 | Facial bones X-ray 5 views
36676-5 | Knee - left X-ray 5 views
37744-0 | Knee - right X-ray 5 views
36890-2 | Mastoid X-ray 5 views
37351-4 | Pelvis and Spine Lumbar X-ray 5 views
30750-4 | Shoulder X-ray 5 views
36677-3 | Shoulder - left X-ray 5 views
37795-2 | Shoulder - right X-ray 5 views
37856-2 | Sinuses X-ray 5 views
24922-7 | Skull X-ray 5 views
24939-1 | Spine Cervical X-ray 5 views
30797-5 | Spine Lumbar X-ray 5 views
37353-0 | Spine Lumbar and Sacroiliac Joint X-ray 5 views
37355-5 | Spine Lumbar and Sacrum X-ray 5 views
37356-3 | Spine Lumbar and Sacrum and Coccyx X-ray 5 views
37357-1 | Spine Lumbar and Sacrum and Sacroiliac Joint and Coccyx X-ray 5 views
37350-6 | Temporomandibular joint - bilateral X-ray 5 views
37072-6 | Wrist - left X-ray 5 views
37829-9 | Wrist - right X-ray 5 views
39407-2 | Spine Thoracic X-ray 5 views and oblique
69081-8 | Spine Cervical X-ray 5 views and Swimmers
37073-4 | Spine Lumbar X-ray 5 views standing
69080-0 | Spine Cervical X-ray 5 views W flexion and W extension
39063-3 | Spine Lumbar X-ray 5 views W flexion and W extension
42273-3 | Ankle - bilateral X-ray 6 views
36678-1 | Knee - bilateral X-ray 6 views
36679-9 | Shoulder - left X-ray 6 views
37796-0 | Shoulder - right X-ray 6 views
42691-6 | Spine Cervical X-ray 6 views
38156-6 | Wrist X-ray 6 views
37074-2 | Wrist - left X-ray 6 views
37830-7 | Wrist - right X-ray 6 views
36680-7 | Spine Cervical X-ray 7 views
36681-5 | Spine Lumbar X-ray 7 views
36682-3 | Knee - bilateral X-ray 8 views
36683-1 | Wrist - left X-ray 8 views
37831-5 | Wrist - right X-ray 8 views
42412-7 | Shoulder - left X-ray 90 degree abduction
39064-1 | Ribs X-ray anterior and lateral
69070-1 | Ribs - bilateral X-ray anterior and lateral
38856-1 | Ribs - left X-ray anterior and lateral
37782-0 | Ribs - right X-ray anterior and lateral
24796-5 | Abdomen X-ray AP and AP left lateral-decubitus
24792-4 | Abdomen X-ray AP and AP left lateral-decubitus portable
24653-8 | Chest X-ray AP and AP right lateral-decubitus
24654-6 | Chest X-ray AP and AP right lateral-decubitus portable
37080-9 | Shoulder - bilateral X-ray AP and axillary
37081-7 | Shoulder - bilateral X-ray AP and axillary and outlet
37082-5 | Shoulder - left X-ray AP and axillary and outlet
38781-1 | Shoulder - right X-ray AP and axillary and outlet
39339-7 | Shoulder - bilateral X-ray AP and axillary and outlet and 30 degree caudal angle
37083-3 | Shoulder - left X-ray AP and axillary and outlet and Zanca
38782-9 | Shoulder - right X-ray AP and axillary and outlet and Zanca
37126-0 | Shoulder - bilateral X-ray AP and axillary and Y
37084-1 | Shoulder - left X-ray AP and axillary and Y
38783-7 | Shoulder - right X-ray AP and axillary and Y
39512-9 | Hip - right X-ray AP and Danelius Miller
39401-5 | Shoulder X-ray AP and Grashey and axillary
69153-5 | Shoulder - left X-ray AP and Grashey and axillary
69262-4 | Shoulder - right X-ray AP and Grashey and axillary
37618-6 | Pelvis X-ray AP and inlet
37623-6 | Pelvis X-ray AP and inlet and outlet
39065-8 | Pelvis X-ray AP and inlet and outlet and oblique
37619-4 | Pelvis X-ray AP and Judet
24794-0 | Abdomen X-ray AP and lateral
30779-3 | Ankle X-ray AP and lateral

36684-9 | Ankle - bilateral X-ray AP and lateral
36685-6 | Ankle - left X-ray AP and lateral
37667-3 | Ankle - right X-ray AP and lateral
36686-4 | Calcaneus - bilateral X-ray AP and lateral
36701-1 | Calcaneus - left X-ray AP and lateral
37719-2 | Calcaneus - right X-ray AP and lateral
36687-2 | Chest X-ray AP and lateral
39066-6 | Chest Fluoroscopy AP and lateral
36688-0 | Coccyx X-ray AP and lateral
36689-8 | Elbow X-ray AP and lateral
36690-6 | Elbow - bilateral X-ray AP and lateral
36691-4 | Elbow - left X-ray AP and lateral
37684-8 | Elbow - right X-ray AP and lateral
36693-0 | Femur X-ray AP and lateral
36694-8 | Femur - bilateral X-ray AP and lateral
36695-5 | Femur - left X-ray AP and lateral
37692-1 | Femur - right X-ray AP and lateral
39069-0 | Foot X-ray AP and lateral
36696-3 | Foot - bilateral X-ray AP and lateral
36697-1 | Foot - left X-ray AP and lateral
37701-0 | Foot - right X-ray AP and lateral
42409-3 | Foot sesamoid bones X-ray AP and lateral
69130-3 | Hand X-ray AP and lateral
48474-1 | Hand - bilateral X-ray AP and lateral
38847-0 | Hand - left X-ray AP and lateral
37710-1 | Hand - right X-ray AP and lateral
36702-9 | Hip X-ray AP and lateral
36703-7 | Hip - bilateral X-ray AP and lateral
36704-5 | Hip - left X-ray AP and lateral
37725-9 | Hip - right X-ray AP and lateral
36706-0 | Humerus X-ray AP and lateral
36707-8 | Humerus - bilateral X-ray AP and lateral
36708-6 | Humerus - left X-ray AP and lateral
37736-6 | Humerus - right X-ray AP and lateral
36709-4 | Knee X-ray AP and lateral
36590-8 | Knee - bilateral X-ray AP and lateral
36710-2 | Knee - left X-ray AP and lateral
37745-7 | Knee - right X-ray AP and lateral
36692-2 | Lower extremity X-ray AP and lateral
69258-2 | Lower extremity - right X-ray AP and lateral
36711-0 | Mandible X-ray AP and lateral
42438-2 | Neck X-ray AP and lateral
36712-8 | Patella - bilateral X-ray AP and lateral
36713-6 | Patella - left X-ray AP and lateral
37776-2 | Patella - right X-ray AP and lateral
37620-2 | Pelvis X-ray AP and lateral
36705-2 | Pelvis and Hip X-ray AP and lateral
36699-7 | Radius - bilateral and Ulna - bilateral X-ray AP and lateral
36700-3 | Radius - left and Ulna.left X-ray AP and lateral
37708-5 | Radius - right and Ulna - right X-ray AP and lateral
36698-9 | Radius and Ulna X-ray AP and lateral
37652-5 | Sacrum X-ray AP and lateral
36714-4 | Scapula - bilateral X-ray AP and lateral
36715-1 | Scapula - left X-ray AP and lateral
37788-7 | Scapula - right X-ray AP and lateral
37841-4 | Shoulder X-ray AP and lateral
36716-9 | Shoulder - bilateral X-ray AP and lateral
24919-3 | Skull X-ray AP and lateral
24928-4 | Spine X-ray AP and lateral
24942-5 | Spine Cervical X-ray AP and lateral
37361-3 | Spine Cervical and Spine Thoracic X-ray AP and lateral
39067-4 | Spine Cervical and Thoracic and Lumbar X-ray AP and lateral
43785-5 | Spine Cervicothoracic Junction X-ray AP and lateral
24970-6 | Spine Lumbar X-ray AP and lateral
30753-8 | Spine Thoracic X-ray AP and lateral
38123-6 | Spine Thoracic and Lumbar X-ray AP and lateral
37974-3 | Spine Thoracolumbar Junction X-ray AP and lateral
37889-3 | Thumb X-ray AP and lateral
36717-7 | Tibia - bilateral and Fibula - bilateral X-ray AP and lateral
36718-5 | Tibia - left and Fibula - left X-ray AP and lateral
37816-6 | Tibia - right and Fibula - right X-ray AP and lateral
37896-8 | Tibia and Fibula X-ray AP and lateral

36719-3 | Toes - left X-ray AP and lateral
37822-4 | Toes - right X-ray AP and lateral
30793-4 | Wrist X-ray AP and lateral
38860-3 | Wrist - left X-ray AP and lateral
37832-3 | Wrist - right X-ray AP and lateral
37839-8 | Shoulder X-ray AP and lateral and axillary
39070-8 | Chest X-ray AP and lateral and lordotic
42404-4 | Hip - left X-ray AP and lateral and measurement
39071-6 | Knee X-ray AP and lateral and Merchants
37095-7 | Ankle X-ray AP and lateral and Mortise
37096-5 | Ankle - bilateral X-ray AP and lateral and Mortise
37097-3 | Ankle - left X-ray AP and lateral and Mortise
37666-5 | Ankle - right X-ray AP and lateral and Mortise
39072-4 | Ankle X-ray AP and lateral and oblique
36720-1 | Ankle - bilateral X-ray AP and lateral and oblique
36721-9 | Ankle - left X-ray AP and lateral and oblique
37668-1 | Ankle - right X-ray AP and lateral and oblique
36731-8 | Calcaneus X-ray AP and lateral and oblique
36722-7 | Elbow X-ray AP and lateral and oblique
36723-5 | Elbow - bilateral X-ray AP and lateral and oblique
36724-3 | Elbow - left X-ray AP and lateral and oblique
37685-5 | Elbow - right X-ray AP and lateral and oblique
36725-0 | Finger X-ray AP and lateral and oblique
36726-8 | Finger - bilateral X-ray AP and lateral and oblique
36727-6 | Finger - left X-ray AP and lateral and oblique
37696-2 | Finger - right X-ray AP and lateral and oblique
36728-4 | Foot X-ray AP and lateral and oblique
36729-2 | Foot - bilateral X-ray AP and lateral and oblique
36730-0 | Foot - left X-ray AP and lateral and oblique
37702-8 | Foot - right X-ray AP and lateral and oblique
69057-8 | Hand - bilateral X-ray AP and lateral and oblique
38848-8 | Hand - left X-ray AP and lateral and oblique
37711-9 | Hand - right X-ray AP and lateral and oblique
36732-6 | Knee - bilateral X-ray AP and lateral and oblique
36733-4 | Knee - left X-ray AP and lateral and oblique
37748-1 | Knee - right X-ray AP and lateral and oblique
37624-4 | Pelvis X-ray AP and lateral and oblique
36734-2 | Spine Cervical X-ray AP and lateral and oblique
36735-9 | Spine Lumbar X-ray AP and lateral and oblique
37908-1 | Spine Thoracic X-ray AP and lateral and oblique
36736-7 | Thumb - left X-ray AP and lateral and oblique
37813-3 | Thumb - right X-ray AP and lateral and oblique
37927-1 | Wrist X-ray AP and lateral and oblique
37099-9 | Spine Cervical X-ray AP and lateral and oblique and odontoid
38083-2 | Spine Cervical X-ray AP and lateral and oblique and odontoid and swimmer
37101-3 | Spine Lumbar X-ray AP and lateral and oblique and spot
42410-1 | Spine Lumbar X-ray AP and lateral and oblique and spot standing
37102-1 | Knee - bilateral X-ray AP and lateral and oblique and Sunrise
37118-7 | Knee - bilateral X-ray AP and lateral and oblique and Sunrise and tunnel
37115-3 | Knee X-ray AP and lateral and oblique and tunnel
69137-8 | Ankle - left X-ray AP and lateral and oblique standing
39371-0 | Ankle - right X-ray AP and lateral and oblique standing
39334-8 | Foot - left X-ray AP and lateral and oblique standing
39375-1 | Foot - right X-ray AP and lateral and oblique standing
42417-6 | Ankle - bilateral X-ray AP and lateral and oblique W manual stress
42418-4 | Ankle - left X-ray AP and lateral and oblique W manual stress
39369-4 | Ankle - right X-ray AP and lateral and oblique W manual stress
37103-9 | Spine Cervical X-ray AP and lateral and odontoid
37079-1 | Spine Cervical X-ray AP and lateral and odontoid portable
39074-0 | Chest X-ray AP and lateral and right oblique and left oblique
39073-2 | Knee X-ray AP and lateral and right oblique and left oblique
69147-7 | Knee - left X-ray AP and lateral and right oblique and left oblique
39388-4 | Knee - right X-ray AP and lateral and right oblique and left oblique
37105-4 | Spine Lumbar X-ray AP and lateral and spot
37106-2 | Knee X-ray AP and lateral and Sunrise
37107-0 | Knee - bilateral X-ray AP and lateral and Sunrise
37108-8 | Knee - left X-ray AP and lateral and Sunrise
37749-9 | Knee - right X-ray AP and lateral and Sunrise
37109-6 | Patella - bilateral X-ray AP and lateral and Sunrise
37110-4 | Patella - left X-ray AP and lateral and Sunrise
38786-0 | Patella - right X-ray AP and lateral and Sunrise
37111-2 | Knee X-ray AP and lateral and Sunrise and tunnel

37116-1 | Knee - bilateral X-ray AP and lateral and Sunrise and tunnel
37117-9 | Knee - left X-ray AP and lateral and Sunrise and tunnel
37740-8 | Knee - right X-ray AP and lateral and Sunrise and tunnel
38009-7 | Spine Thoracic X-ray AP and lateral and Swimmers
37112-0 | Knee X-ray AP and lateral and tunnel
37113-8 | Knee - bilateral X-ray AP and lateral and tunnel
37114-6 | Knee - left X-ray AP and lateral and tunnel
37747-3 | Knee - right X-ray AP and lateral and tunnel
69065-1 | Abdomen X-ray AP and lateral crosstable
37086-6 | Hip X-ray AP and lateral crosstable
37087-4 | Hip - left X-ray AP and lateral crosstable
37723-4 | Hip - right X-ray AP and lateral crosstable
37090-8 | Knee X-ray AP and lateral crosstable
69146-9 | Knee - left X-ray AP and lateral crosstable
37089-0 | Pelvis and Hip X-ray AP and lateral crosstable
37088-2 | Pelvis and Hip - left X-ray AP and lateral crosstable
38784-5 | Pelvis and Hip - right X-ray AP and lateral crosstable
30763-7 | Abdomen X-ray AP and lateral crosstable portable
37077-5 | Hip X-ray AP and lateral crosstable portable
37091-6 | Hip X-ray AP and lateral frog
37092-4 | Hip - bilateral X-ray AP and lateral frog
37093-2 | Hip - left X-ray AP and lateral frog
37724-2 | Hip - right X-ray AP and lateral frog
30770-2 | Pelvis and Hip X-ray AP and lateral frog
42167-7 | Pelvis and Hip - bilateral X-ray AP and lateral frog
37094-0 | Pelvis and Hip - left X-ray AP and lateral frog
38785-2 | Pelvis and Hip - right X-ray AP and lateral frog
41776-6 | Pelvis and Hip - right X-ray AP and lateral frog portable
24793-2 | Abdomen X-ray AP and lateral portable
44185-7 | Femur X-ray AP and lateral portable
44186-5 | Foot X-ray AP and lateral portable
41817-8 | Hip - left X-ray AP and lateral portable
41777-4 | Hip - right X-ray AP and lateral portable
30726-4 | Spine Cervical X-ray AP and lateral portable
37078-3 | Spine Lumbar X-ray AP and lateral portable
30754-6 | Spine Thoracic X-ray AP and lateral portable
39330-6 | Ankle - bilateral X-ray AP and lateral standing
42380-6 | Ankle - left X-ray AP and lateral standing
39368-6 | Ankle - right X-ray AP and lateral standing
39068-2 | Foot X-ray AP and lateral standing
39331-4 | Foot - bilateral X-ray AP and lateral standing
39332-2 | Foot - left X-ray AP and lateral standing
39374-4 | Foot - right X-ray AP and lateral standing
24805-4 | Knee X-ray AP and lateral standing
26364-0 | Knee - bilateral X-ray AP and lateral standing
26365-7 | Knee - left X-ray AP and lateral standing
26366-5 | Knee - right X-ray AP and lateral standing
39333-0 | Spine Lumbar X-ray AP and lateral standing
38084-0 | Abdomen X-ray AP and left posterior oblique
37119-5 | Abdomen X-ray AP and oblique
39076-5 | Foot X-ray AP and oblique
37621-0 | Pelvis X-ray AP and oblique
37649-1 | Sacroiliac Joint X-ray AP and oblique
39075-7 | Toes X-ray AP and oblique
37098-1 | Spine Cervical X-ray AP and oblique and lateral W flexion and W extension
44187-3 | Spine Cervical X-ray AP and oblique and odontoid and lateral portable W flexion and W extension
37100-5 | Spine Cervical X-ray AP and oblique and odontoid and lateral W flexion and W extension
24797-3 | Abdomen X-ray AP and oblique prone
37120-3 | Spine Cervical X-ray AP and odontoid and lateral crosstable
37104-7 | Spine Cervical X-ray AP and odontoid and lateral W flexion and W extension
42011-7 | Chest and Abdomen X-ray AP and PA chest
24642-1 | Chest X-ray AP and PA upright
24808-8 | Knee X-ray AP and PA standing
26361-6 | Knee - bilateral X-ray AP and PA standing
26362-4 | Knee - left X-ray AP and PA standing
26363-2 | Knee - right X-ray AP and PA standing
37121-1 | Clavicle - left X-ray AP and Serendipity
37680-6 | Clavicle - right X-ray AP and Serendipity
37122-9 | Shoulder - left X-ray AP and Stryker Notch
37797-8 | Shoulder - right X-ray AP and Stryker Notch
37485-0 | Humerus X-ray AP and transthoracic
39077-3 | Shoulder X-ray AP and transthoracic

46349-7 | Shoulder - bilateral X-ray AP and transthoracic
38082-4 | Shoulder - left X-ray AP and transthoracic
38822-3 | Shoulder - right X-ray AP and transthoracic
37123-7 | Shoulder - left X-ray AP and West Point
38787-8 | Shoulder - right X-ray AP and West Point
36961-1 | Shoulder - left X-ray AP and West Point and outlet
37799-4 | Shoulder - right X-ray AP and West Point and outlet
37124-5 | Scapula - left X-ray AP and Y
37789-5 | Scapula - right X-ray AP and Y
69266-5 | Shoulder X-ray AP and Y
37125-2 | Shoulder - left X-ray AP and Y
38788-6 | Shoulder - right X-ray AP and Y
24562-1 | Abdomen X-ray AP (left lateral-decubitus and right lateral-decubitus)
24650-4 | Chest X-ray AP (right lateral-decubitus and left lateral-decubitus)
24649-6 | Chest X-ray AP (right lateral-decubitus and left lateral-decubitus) portable
37085-8 | Abdomen X-ray AP (supine and lateral-decubitus)
37076-7 | Abdomen X-ray AP (supine and lateral-decubitus) portable
24798-1 | Abdomen X-ray AP (supine and upright)
43463-9 | Chest and Abdomen X-ray AP (supine and upright) and PA chest
24795-7 | Abdomen X-ray AP (supine and upright) portable
42019-0 | Abdomen X-ray AP (upright and left lateral decubitus)
39329-8 | Shoulder - bilateral X-ray AP (W internal rotation and W external rotation)
39328-0 | Shoulder - left X-ray AP (W internal rotation and W external rotation)
39395-9 | Shoulder - right X-ray AP (W internal rotation and W external rotation)
39321-5 | Shoulder X-ray AP (W internal rotation and W external rotation) and axillary
39336-3 | Shoulder - bilateral X-ray AP (W internal rotation and W external rotation) and axillary
39335-5 | Shoulder - left X-ray AP (W internal rotation and W external rotation) and axillary
39337-1 | Shoulder - bilateral X-ray AP (W internal rotation and W external rotation) and axillary and outlet
39344-7 | Shoulder - bilateral X-ray AP (W internal rotation and W external rotation) and axillary and Y
39338-9 | Shoulder - left X-ray AP (W internal rotation and W external rotation) and axillary and Y
39397-5 | Shoulder - right X-ray AP (W internal rotation and W external rotation) and West Point
39343-9 | Shoulder - bilateral X-ray AP (W internal rotation and W external rotation) and Y
39348-8 | Shoulder - left X-ray AP (W internal rotation and W external rotation) and Y
39325-6 | Shoulder - left X-ray AP (W internal rotation) and Grashey and axillary and outlet
39346-2 | Shoulder - bilateral X-ray AP (W internal rotation) and West Point
39347-0 | Shoulder - left X-ray AP (W internal rotation) and West Point
39396-7 | Shoulder - right X-ray AP (W internal rotation) and West Point
24632-2 | Chest X-ray AP portable
37075-9 | Hip X-ray AP portable
43561-0 | Chest and Abdomen X-ray AP upright and AP chest
38003-0 | Foot - left X-ray AP standing
38815-7 | Foot - right X-ray AP standing
42406-9 | Spine Lumbar X-ray AP W and WO left bending
42407-7 | Spine Lumbar X-ray AP W and WO right bending
42445-7 | Spine Thoracic X-ray AP W left bending and WO bending
37484-3 | Knee - left X-ray AP W manual stress
37746-5 | Knee - right X-ray AP W manual stress
42403-6 | Spine Lumbar X-ray AP W right bending and W left bending
42408-5 | Spine Lumbar X-ray AP W right bending and W left bending and WO bending
42444-0 | Spine Thoracic X-ray AP W right bending and W left bending and WO bending
42446-5 | Spine Thoracic X-ray AP W right bending and WO bending
39403-1 | Shoulder X-ray axillary and transcapular
37127-8 | Shoulder - bilateral X-ray axillary and Y
37128-6 | Shoulder - left X-ray axillary and Y
37807-5 | Shoulder - right X-ray axillary and Y
46386-9 | Teeth X-ray bitewing
39884-2 | Bone Scan blood pool
39861-0 | Heart Scan blood pool
42709-6 | Liver Scan blood pool
39860-2 | Heart Scan blood pool W stress and W radionuclide IV
26352-5 | Wrist - bilateral and Hand - bilateral X-ray bone age
26353-3 | Wrist - left and Hand - left X-ray bone age
26354-1 | Wrist - right and Hand - right X-ray bone age
24724-7 | Wrist and Hand X-ray bone age
37362-1 | Bones X-ray bone age
24591-0 | Brain Scan brain death protocol W Tc-99m HMPAO IV
37996-6 | Calcaneus X-ray Broden
37995-8 | Calcaneus - bilateral X-ray Broden
37997-4 | Calcaneus - left X-ray Broden
38814-0 | Calcaneus - right X-ray Broden
37486-8 | Ankle X-ray Broden W manual stress
37852-1 | Sinuses X-ray Caldwell and Waters

39859-4 | Brain Scan delayed static
39875-0 | Scan delayed W GA-67 IV
39840-4 | Scan delayed W I-131 MIBG IV
39842-0 | Scan delayed W In-111 Satumomab IV
39874-3 | Head Cistern Scan delayed W radionuclide IT
39819-8 | Bone Scan delayed
39741-4 | Parathyroid Scan delayed
24605-8 | Breast Mammogram diagnostic
39152-4 | Breast FFD mammogram diagnostic
69158-4 | Breast implant X-ray diagnostic
48475-8 | Breast implant - bilateral Mammogram diagnostic
69150-1 | Breast implant - left Mammogram diagnostic
69259-0 | Breast implant - right Mammogram diagnostic
26346-7 | Breast - bilateral Mammogram diagnostic
39154-0 | Breast - bilateral FFD mammogram diagnostic
26347-5 | Breast - left Mammogram diagnostic
42169-3 | Breast - left FFD mammogram diagnostic
26348-3 | Breast - right Mammogram diagnostic
42168-5 | Breast - right FFD mammogram diagnostic
46350-5 | Breast - unilateral Mammogram diagnostic
24604-1 | Breast Mammogram diagnostic limited
26349-1 | Breast - bilateral Mammogram diagnostic limited
26350-9 | Breast - left Mammogram diagnostic limited
26351-7 | Breast - right Mammogram diagnostic limited
46351-3 | Breast implant - bilateral Mammogram displacement
39895-8 | Gallbladder Scan ejection fraction W Tc-99m DISIDA IV
39887-5 | Heart Scan first pass and ejection fraction at rest and W radionuclide IV
39889-1 | Heart Scan first pass and ejection fraction
39885-9 | Heart Scan first pass and ventricular volume
39910-5 | Heart Scan first pass and wall motion and ejection fraction
39912-1 | Heart Scan first pass and wall motion and ventricular volume and ejection fraction
39909-7 | Heart Scan first pass and wall motion and ventricular volume and ejection fraction W stress and W radionuclide IV
39908-9 | Heart Scan first pass and wall motion and ventricular volume W stress and W radionuclide IV
39886-7 | Heart Scan first pass and wall motion at rest and W radionuclide IV
39890-9 | Heart Scan first pass and wall motion
39888-3 | Heart Scan first pass and wall motion W stress and W radionuclide IV
39867-7 | Heart Scan first pass at rest and W radionuclide IV
39863-6 | Heart Scan first pass at rest and W stress and W radionuclide IV
39866-9 | Heart Scan first pass at rest and W Tc-99m Sestamibi IV
39864-4 | Heart Scan first pass
39865-1 | Left ventricle Scan first pass
39869-3 | Heart Scan first pass W stress and W radionuclide IV
39868-5 | Heart Scan first pass W stress and W Tc-99m Sestamibi IV
39893-3 | Heart Scan flow for shunt detection
43644-4 | Brain Scan flow limited
39858-6 | Bone Scan flow
39636-6 | Brain Scan flow
39871-9 | Heart Scan flow
42261-8 | Kidney - bilateral Scan flow
42262-6 | Liver Scan flow
43653-5 | Liver and Spleen Scan flow
39847-9 | Parotid gland Scan flow
39899-0 | Salivary gland Scan flow
42308-7 | Scrotum and Testicle Scan flow
42263-4 | Spleen Scan flow
39856-0 | Thyroid Scan flow
43500-8 | Vessel Scan flow
44148-5 | Brain Scan flow W Tc-99m bicisate IV
43642-8 | Brain Scan flow W Tc-99m DTPA IV
43664-2 | Renal vessels Scan flow W Tc-99m DTPA IV
43643-6 | Brain Scan flow W Tc-99m glucoheptonate IV
43666-7 | Kidney - bilateral and Renal vessels Scan flow W Tc-99m glucoheptonate IV
43663-4 | Renal vessels Scan flow W Tc-99m glucoheptonate IV
43665-9 | Renal vessels Scan flow W Tc-99m Mertiatide IV
39870-1 | Heart Scan flow W Tc-99m pertechnetate IV
43654-3 | Liver Scan flow W Tc-99m tagged RBC IV
39685-3 | Scan for abscess W GA-67 IV
39940-2 | Lung Scan Clearance W Tc-99m DTPA aerosol inhaled
43787-1 | Skull and Facial bones and Mandible X-ray for dental measurement
43648-5 | Scan for endocrine tumor multiple areas W I-131 MIBG IV
43649-3 | Scan for endocrine tumor multiple areas W In-111 pentetreotide IV
39827-1 | Scan for endocrine tumor whole body W I-131 MIBG IV

39828-9 | Scan for endocrine tumor whole body W In-111 pentetreotide IV
39327-2 | Abdomen and Fetus X-ray for fetal age
44208-7 | Orbit X-ray for foreign body
30720-7 | Orbit - bilateral X-ray for foreign body
42311-1 | Orbit - left X-ray for foreign body
42312-9 | Orbit - right X-ray for foreign body
39768-7 | Stomach Scan for gastric emptying W Tc-99m SC PO
39767-9 | Stomach Scan for gastric emptying liquid phase W radionuclide PO
24997-9 | Stomach Scan for gastric emptying solid phase W Tc-99m SC PO
39769-5 | Stomach Scan for gastric emptying W radionuclide PO
39892-5 | Heart Scan for infarct and first pass
39891-7 | Heart Scan for infarct and first pass W Tc-99m PYP IV
43646-9 | Heart Scan for infarct qualitative and quantitative
43645-1 | Heart Scan for infarct qualitative
43647-7 | Heart Scan for infarct quantitative
39653-1 | Heart Scan for infarct
39657-2 | Heart Scan for infarct W Tc-99m PYP IV
39933-7 | Scan for infection multiple areas W GA-67 IV
39830-5 | Scan for infection whole body W GA-67 IV
39677-0 | Scan for infection W GA-67 IV
39490-8 | Femur - right and Tibia - right X-ray for leg length
24700-7 | Femur and Tibia X-ray for leg length
39686-1 | Scan for lymphoma W GA-67 IV
42170-1 | Scan for lymphoma
39672-1 | Esophagus Scan for motility W radionuclide PO
72256-1 | Abdomen X-ray for motility with radioopaque markers
24571-2 | Biliary ducts and Gallbladder Scan for patency of biliary structures and ejection fraction W sincalide and W radionuclide IV
24572-0 | Biliary ducts and Gallbladder Scan for patency of biliary structures W Tc-99m IV
43788-9 | Tube Fluoroscopy for patency W contrast via tube
43789-7 | Liver and Biliary ducts and Gallbladder Scan for patency W Tc-99m IV
39673-9 | Esophagus Scan for reflux W radionuclide PO
30650-6 | Unspecified body region Fluoroscopy for shunt
39665-5 | Heart Scan for shunt detection
39664-8 | Heart Scan for shunt detection W Tc-99m MAA IV
39848-7 | Peritoneovenous shunt Scan for patency W In-111 IT
39849-5 | Peritoneovenous shunt Scan for patency W radionuclide IT
24876-5 | Peritoneovenous shunt Scan for patency W Tc-99m DTPA IT
44149-3 | Peritoneovenous shunt Scan for patency W Tc-99m MAA inj
39954-3 | Vein Scan for thrombosis
44140-2 | Abdomen and Pelvis Scan for tumor
39831-3 | Scan for tumor limited W GA-67 IV
39951-9 | Scan for tumor multiple area W Tc-99m Sestamibi IV
39934-5 | Scan for tumor multiple areas W GA-67 IV
39829-7 | Scan for tumor whole body W GA-67 IV
42171-9 | Scan for tumor whole body
39749-7 | Scan for tumor whole body W Tc-99m Sestamibi IV
39679-6 | Scan for tumor W GA-67 IV
39750-5 | Scan for tumor W Tc-99m Sestamibi IV
42305-3 | Scan for tumor W Tl-201 IV
42397-0 | Chest X-ray frontal stereo
39923-8 | Heart Scan gated and ejection fraction at rest and W radionuclide IV
39917-0 | Heart Scan gated and ejection fraction
39919-6 | Heart Scan gated and first pass
39925-3 | Heart Scan gated and wall motion and ejection fraction at rest and W radionuclide IV
39931-1 | Heart Scan gated and wall motion and ejection fraction
42306-1 | Heart Scan gated and wall motion
39929-5 | Heart Scan gated and wall motion W stress and W radionuclide IV
39921-2 | Heart Scan gated at rest and W radionuclide IV
39924-6 | Heart Scan gated at rest and W stress and W radionuclide IV
39922-0 | Heart Scan gated at rest and W Tc-99m pertechnetate IV
39920-4 | Heart Scan gated at rest and W Tc-99m Sestamibi IV
39915-4 | Heart Scan gated
39928-7 | Heart Scan gated W stress and W radionuclide IV
39927-9 | Heart Scan gated W stress and W Tc-99m pertechnetate IV
39914-7 | Heart Scan gated W Tc-99m Sestamibi IV
46348-9 | Chest X-ray GE 2 and PA and Lateral views
44210-3 | Ankle X-ray GE 3 views
48480-8 | Ankle - bilateral X-ray GE 3 views
46390-1 | Ankle - left X-ray GE 3 views
46347-1 | Ankle - right X-ray GE 3 views
48481-6 | Elbow - bilateral X-ray GE 3 views

46344-8 | Elbow - left X-ray GE 3 views
46345-5 | Elbow - right X-ray GE 3 views
48479-0 | Facial bones X-ray GE 3 views
43492-8 | Finger fifth - left X-ray GE 3 views
43497-7 | Finger fifth - right X-ray GE 3 views
43491-0 | Finger fourth - left X-ray GE 3 views
43496-9 | Finger fourth - right X-ray GE 3 views
43489-4 | Finger second - left X-ray GE 3 views
43494-4 | Finger second - right X-ray GE 3 views
43490-2 | Finger third - left X-ray GE 3 views
43495-1 | Finger third - right X-ray GE 3 views
44188-1 | Foot X-ray GE 3 views
48478-2 | Foot - bilateral X-ray GE 3 views
48477-4 | Foot - left X-ray GE 3 views
48476-6 | Foot - right X-ray GE 3 views
47370-2 | Hand - left X-ray GE 3 views
47371-0 | Hand - right X-ray GE 3 views
43498-5 | Knee - left X-ray GE 3 views
43482-9 | Knee - right X-ray GE 3 views
47381-9 | Mastoid X-ray GE 3 views
43543-8 | Pelvis X-ray GE 3 views
44189-9 | Sacroiliac Joint X-ray GE 3 views
48746-2 | Sacroiliac joint - bilateral X-ray GE 3 views
43486-0 | Sinuses X-ray GE 3 views
46377-8 | Skull X-ray GE 3 views
48482-4 | Sternoclavicular Joints X-ray GE 3 views
43488-6 | Thumb - left X-ray GE 3 views
43493-6 | Thumb - right X-ray GE 3 views
44190-7 | Wrist X-ray GE 3 views
48483-2 | Wrist - bilateral X-ray GE 3 views
46346-3 | Wrist - left X-ray GE 3 views
46343-0 | Wrist - right X-ray GE 3 views
48485-7 | Ribs - bilateral and Chest X-ray GE 3 and PA Chest views
48486-5 | Ribs - left and Chest X-ray GE 3 and PA Chest views
48484-0 | Ribs - right and Chest X-ray GE 3 and PA Chest views
44191-5 | Ribs and Chest X-ray GE 3 and PA Chest views
44239-2 | Ribs - unilateral and Chest X-ray Ge 3 and PA Chest Portable views
44193-1 | Hand X-ray GE 3 Portable views
44192-3 | Pelvis X-ray GE 3 Portable views
44211-1 | Chest X-ray GE 4 views
47367-8 | Chest Fluoroscopy GE 4 views
47374-4 | Knee - left X-ray GE 4 views
47376-9 | Knee - right X-ray GE 4 views
47379-3 | Mandible X-ray GE 4 views
48747-0 | Orbit - bilateral X-ray GE 4 views
48487-3 | Skull X-ray GE 4 views
44212-9 | Spine Cervical X-ray GE 4 views
47382-7 | Spine Lumbar X-ray GE 4 views
47368-6 | Chest X-ray GE 4 and Pa and Lateral views
44194-9 | Spine X-ray GE 4 views W right bending and W left bending
44195-6 | Knee X-ray GE 5 views
43524-8 | Skull X-ray GE 5 views
44197-2 | Knee - bilateral X-ray GE 5 views standing
44196-4 | Spine Lumbar X-ray GE 5 views W right bending and W left bending
49570-5 | Ankle - bilateral X-ray GE 6 views
37160-9 | Shoulder - left X-ray Grashey and axillary
38793-6 | Shoulder - right X-ray Grashey and axillary
37158-3 | Shoulder - left X-ray Grashey and axillary and outlet
37806-7 | Shoulder - right X-ray Grashey and axillary and outlet
37161-7 | Shoulder - bilateral X-ray Grashey and axillary and outlet and Zanca
69267-3 | Shoulder X-ray Grashey and axillary and Y
37538-6 | Shoulder - left X-ray Grashey and axillary and Y
38789-4 | Shoulder - right X-ray Grashey and axillary and Y
37157-5 | Shoulder - left X-ray Grashey and outlet
38791-0 | Shoulder - right X-ray Grashey and outlet
39350-4 | Shoulder - bilateral X-ray Grashey and outlet and Serendipity
37162-5 | Shoulder - left X-ray Grashey and outlet and Serendipity
38794-4 | Shoulder - right X-ray Grashey and outlet and Serendipity
37167-4 | Shoulder - left X-ray Grashey and West Point
38795-1 | Shoulder - right X-ray Grashey and West Point
69156-8 | Shoulder - left X-ray Grashey and Y
43790-5 | Shoulder - right X-ray Grashey and Y

38004-8 | Shoulder - left X-ray Grashey W and WO weight
38816-5 | Shoulder - right X-ray Grashey W and WO weight
37539-4 | Breast Mammogram grid
37540-2 | Knee - bilateral X-ray Holmblad standing
30771-0 | Pelvis X-ray inlet and outlet
37627-7 | Pelvis X-ray inlet and outlet and oblique
37164-1 | Facial bones X-ray lateral and Caldwell and Waters
37864-6 | Sinuses X-ray lateral and Caldwell and Waters
37165-8 | Facial bones X-ray lateral and Caldwell and Waters and submentovertex
37166-6 | Facial bones X-ray lateral and Caldwell and Waters and submentovertex and Towne
37871-1 | Skull X-ray lateral and Caldwell and Waters and Towne
37134-4 | Ankle - bilateral X-ray lateral and Mortise
37135-1 | Ankle - left X-ray lateral and Mortise
37670-7 | Ankle - right X-ray lateral and Mortise
42382-2 | Ankle - left X-ray lateral and Mortise and Broden W manual stress
39366-0 | Scapula X-ray lateral and outlet
43464-7 | Ribs - bilateral and Chest X-ray lateral and PA chest
37603-8 | Ribs - left and Chest X-ray lateral and PA chest
39100-3 | Ribs - right and Chest X-ray lateral and PA chest
39101-1 | Ribs and Chest X-ray lateral and PA chest
39341-3 | Chest X-ray lateral and PA W inspiration and expiration
39406-4 | Sternum X-ray lateral and right anterior oblique
39405-6 | Sternum X-ray lateral and right oblique and left oblique
42436-6 | Sella turcica X-ray lateral and Towne
37869-5 | Skull X-ray lateral and Towne
37605-3 | Nasal bones X-ray lateral and Waters
37862-0 | Sinuses X-ray lateral and Waters
37136-9 | Shoulder - left X-ray lateral and Y
37803-4 | Shoulder - right X-ray lateral and Y
39340-5 | Spine Lumbar X-ray lateral standing and W flexion and W extension
37133-6 | Spine Cervical X-ray lateral W flexion and W extension
37132-8 | Spine Lumbar X-ray lateral W flexion and W extension
38010-5 | Spine Thoracic X-ray lateral W flexion and W extension
37929-7 | Wrist X-ray lateral W flexion and W extension
69157-6 | Wrist - left X-ray lateral W flexion and W extension
39515-2 | Wrist - right X-ray lateral W flexion and W extension
37474-4 | Ankle - left X-ray lateral W manual stress
37669-9 | Ankle - right X-ray lateral W manual stress
43480-3 | Joint X-ray lateral W manual stress
37541-0 | Mastoid - bilateral X-ray law and Mayer and Stenver and Towne
47380-1 | Mandible X-ray LE 3 views
43470-4 | Skull X-ray LE 3 views
47377-7 | Knee - right X-ray LE 4 views
24610-8 | Breast Mammogram limited
26287-3 | Breast - bilateral Mammogram limited
26289-9 | Breast - left Mammogram limited
26291-5 | Breast - right Mammogram limited
41826-9 | Elbow - left X-ray limited
41785-7 | Elbow - right X-ray limited
36737-5 | Facial bones X-ray limited
41830-1 | Hand - left X-ray limited
41789-9 | Hand - right X-ray limited
36738-3 | Mandible X-ray limited
36893-6 | Mastoid X-ray limited
42007-5 | Mastoid - bilateral X-ray limited
37646-7 | Sacroiliac Joint X-ray limited
44209-5 | Sinuses X-ray limited
48466-7 | Skull X-ray limited
42710-4 | Spine Cervical X-ray limited
36739-1 | Wrist - bilateral X-ray limited
38838-9 | Wrist - left X-ray limited
37642-6 | Wrist - right X-ray limited
41797-2 | Colon Fluoroscopy limited W air and barium contrast PR
42335-0 | Spine Cervical Fluoroscopy limited W contrast IT
38125-1 | Spine Cervical and Thoracic and Lumbar Fluoroscopy limited W contrast IT
38120-2 | Spine Thoracic Fluoroscopy limited W contrast IT
37137-7 | Kidney X-ray limited W contrast IV
39687-9 | Scan limited W GA-67 IV
39754-7 | Thyroid Scan limited W I-131 IV
49571-3 | Scan limited W I-131 MIBG IV
39843-8 | Scan limited W In-111 Satumomab IV
41836-8 | Bone Scan limited W In-111 tagged WBC IV

39627-5 | Bone Scan limited
39822-2 | Bone marrow Scan limited
39645-7 | Breast Scan limited
39695-2 | Lung Scan limited
39936-0 | Joint Scan limited
37542-8 | Breast Mammogram magnification
37543-6 | Breast - bilateral Mammogram magnification
37554-3 | Breast - bilateral Mammogram magnification and spot
38854-6 | Breast - left Mammogram magnification and spot
37769-7 | Breast - right Mammogram magnification and spot
30769-4 | Pelvis and Hip - bilateral X-ray max abduction
38086-5 | Knee X-ray Merchants 30 and 45 and 60 degrees
39935-2 | Scan multiple areas W GA-67 IV
39949-3 | Scan multiple areas W In-111 Satumomab IV
39904-8 | Bone Scan multiple areas
39907-1 | Bone marrow Scan multiple areas
39937-8 | Joint Scan multiple areas
39950-1 | Prostate Scan multiple areas W Tc-99m capromab pendatide IV
36608-8 | Elbow X-ray oblique
36740-9 | Elbow - bilateral X-ray oblique
36741-7 | Elbow - left X-ray oblique
37687-1 | Elbow - right X-ray oblique
36744-1 | Humerus - left X-ray oblique
37737-4 | Humerus - right X-ray oblique
36619-5 | Knee X-ray oblique
36745-8 | Knee - bilateral X-ray oblique
36746-6 | Knee - left X-ray oblique
37757-2 | Knee - right X-ray oblique
36747-4 | Mandible X-ray oblique
37630-1 | Pelvis X-ray oblique
36742-5 | Radius - bilateral and Ulna - bilateral X-ray oblique
36743-3 | Radius - left and Ulna.left X-ray oblique
37709-3 | Radius - right and Ulna - right X-ray oblique
48748-8 | Spine X-ray oblique
36748-2 | Spine Cervical X-ray oblique
43791-3 | Spine Lumbar X-ray oblique
48749-6 | Spine Thoracic X-ray oblique
36749-0 | Tibia - left and Fibula - left X-ray oblique
37817-4 | Tibia - right and Fibula - right X-ray oblique
36894-4 | Tibia and Fibula X-ray oblique
37544-4 | Wrist - bilateral X-ray oblique
38839-7 | Wrist - left X-ray oblique
37643-4 | Wrist - right X-ray oblique
42398-8 | Foot X-ray oblique and (AP and lateral) standing
37139-3 | Spine Cervical X-ray oblique and lateral W flexion and W extension
37154-2 | Knee X-ray oblique and Sunrise
37155-9 | Knee X-ray oblique and Sunrise and tunnel
43469-6 | Unspecified body region X-ray of foreign body
37063-5 | Unspecified body region Fluoroscopy of foreign body
37546-9 | Temporomandibular joint - bilateral X-ray open and closed mouth
48491-5 | Temporomandibular joint - left X-ray open and closed mouth
48490-7 | Temporomandibular joint - right X-ray open and closed mouth
48699-3 | Temporomandibular Joint - unilateral X-ray open and closed mouth
37152-6 | Shoulder - bilateral X-ray outlet and Y
37140-1 | Shoulder - left X-ray outlet and Y
37804-2 | Shoulder - right X-ray outlet and Y
36750-8 | Chest X-ray PA and AP lateral-decubitus
42272-5 | Chest X-ray PA and lateral
36751-6 | Chest Fluoroscopy PA and lateral
36752-4 | Hand - bilateral X-ray PA and lateral
36753-2 | Hand - left X-ray PA and lateral
37713-5 | Hand - right X-ray PA and lateral
36754-0 | Mandible X-ray PA and lateral
30721-5 | Sinuses X-ray PA and lateral
37547-7 | Wrist - bilateral X-ray PA and lateral
37548-5 | Wrist - left X-ray PA and lateral
37835-6 | Wrist - right X-ray PA and lateral
37143-5 | Chest X-ray PA and lateral and AP lateral-decubitus
37144-3 | Chest X-ray PA and lateral and AP left lateral-decubitus
37145-0 | Chest X-ray PA and lateral and AP right lateral-decubitus
37142-7 | Hand - bilateral X-ray PA and lateral and Ball Catcher
37860-4 | Sinuses X-ray PA and lateral and Caldwell and Waters

37146-8 | Chest X-ray PA and lateral and left oblique
30741-3 | Chest X-ray PA and lateral and lordotic upright
39078-1 | Finger X-ray PA and lateral and oblique
36755-7 | Hand X-ray PA and lateral and oblique
36756-5 | Hand - bilateral X-ray PA and lateral and oblique
36757-3 | Hand - left X-ray PA and lateral and oblique
37715-0 | Hand - right X-ray PA and lateral and oblique
37884-4 | Sternum X-ray PA and lateral and oblique
37549-3 | Wrist - bilateral X-ray PA and lateral and oblique
37550-1 | Wrist - left X-ray PA and lateral and oblique
37836-4 | Wrist - right X-ray PA and lateral and oblique
36758-1 | Chest X-ray PA and lateral and oblique and lordotic
37148-4 | Mandible X-ray PA and lateral and oblique and Towne
37147-6 | Chest X-ray PA and lateral and right oblique
30742-1 | Chest X-ray PA and lateral and right oblique and left oblique
30743-9 | Chest X-ray PA and lateral and right oblique and left oblique portable
30744-7 | Chest X-ray PA and lateral and right or-left oblique
24643-9 | Chest X-ray PA and lateral and right or-left oblique upright
37149-2 | Patella - left X-ray PA and lateral and Sunrise
38790-2 | Patella - right X-ray PA and lateral and Sunrise
37859-6 | Sinuses X-ray PA and lateral and Waters
69271-5 | Skull X-ray PA and lateral and Waters and Towne
24647-0 | Chest X-ray PA and lateral upright
24644-7 | Chest X-ray PA and lateral upright portable
36759-9 | Chest X-ray PA and lordotic
39079-9 | Hand X-ray PA and oblique
37141-9 | Chest X-ray PA and right lateral
39519-4 | Skull X-ray PA and right lateral and left lateral
39521-0 | Skull X-ray PA and right lateral and left lateral and Caldwell and Towne
39520-2 | Skull X-ray PA and right lateral and left lateral and Towne
24646-2 | Chest X-ray PA and right lateral and right oblique and left oblique upright
24645-4 | Chest X-ray PA and right lateral and right oblique and left oblique upright portable
37150-0 | Chest X-ray PA and right oblique and left oblique
24635-5 | Chest X-ray PA upright W inspiration and expiration
46378-6 | Knee - bilateral X-ray PA standing and W flexion
43660-0 | Heart Scan perfusion qualitative at rest and W radionuclide IV
43661-8 | Heart Scan perfusion quantitative at rest and W radionuclide IV
43658-4 | Heart Scan perfusion quantitative
43656-8 | Lung Scan perfusion quantitative
39719-0 | Heart Scan perfusion at rest and W adenosine and W radionuclide IV
43777-2 | Heart Scan perfusion at rest and W adenosine and W Tl-201 IV
39722-4 | Heart Scan perfusion at rest and W dipyridamole and W radionuclide IV
39720-8 | Heart Scan perfusion at rest and W dipyridamole and W Tc-99m Sestamibi IV
39728-1 | Heart Scan perfusion at rest and W radionuclide IV
39726-5 | Heart Scan perfusion at rest and W stress and W radionuclide IV
39727-3 | Heart Scan perfusion at rest and W stress and W Tc-99m Sestamibi IV
39699-4 | Heart Scan perfusion at rest and W Tc-99m Sestamibi IV
39701-8 | Heart Scan perfusion W adenosine and W radionuclide IV
39731-5 | Heart Scan perfusion W adenosine and W Tc-99m Sestamibi IV
39735-6 | Heart Scan perfusion W adenosine and W Tl-201 IV
39708-3 | Heart Scan perfusion W dipyridamole and W radionuclide IV
39709-1 | Heart Scan perfusion W dipyridamole and W Tc-99m IV
39705-9 | Heart Scan perfusion W dipyridamole and W Tc-99m Sestamibi IV
39707-5 | Heart Scan perfusion W dipyridamole and W Tl-201 IV
39703-4 | Heart Scan perfusion W dobutamine and W radionuclide IV
39702-6 | Heart Scan perfusion W dobutamine and W Tc-99m Sestamibi IV
39733-1 | Heart Scan perfusion W dobutamine and W Tl-201 IV
39941-0 | Lung Scan perfusion W particulate radionuclide IV
39833-9 | Lung Scan perfusion W radionuclide gaseous inhaled
39716-6 | Heart Scan perfusion
39697-8 | Lung Scan perfusion
39730-7 | Heart Scan perfusion W stress and W radionuclide IV
39732-3 | Heart Scan perfusion W stress and W Tc-99m Sestamibi IV
39715-8 | Heart Scan perfusion W stress and W Tl-201 IV
39704-2 | Heart Scan perfusion W Tc-99m Sestamibi IV
39714-1 | Heart Scan perfusion W Tl-201 IV
39713-3 | Heart Scan perfusion W Tl-201 IV and Tc-99m Tetrofosmin IV
30765-2 | Acetabulum X-ray portable
30764-5 | Acetabulum - bilateral X-ray portable
41823-6 | Ankle - left X-ray portable
41782-4 | Ankle - right X-ray portable
30746-2 | Chest X-ray portable

41827-7 | Elbow - left X-ray portable
41786-5 | Elbow - right X-ray portable
41773-3 | Facial bones X-ray portable
41818-6 | Femur - left X-ray portable
41778-2 | Femur - right X-ray portable
43570-1 | Hand X-ray portable
41829-3 | Hand - left X-ray portable
41788-1 | Hand - right X-ray portable
37168-2 | Hip X-ray portable
37169-0 | Hip - left X-ray portable
38796-9 | Hip - right X-ray portable
37170-8 | Humerus X-ray portable
41825-1 | Humerus - left X-ray portable
41784-0 | Humerus - right X-ray portable
41820-2 | Knee - left X-ray portable
41779-0 | Knee - right X-ray portable
30792-6 | Patella X-ray portable
30772-8 | Pelvis X-ray portable
30747-0 | Ribs X-ray portable
41831-9 | Ribs - left X-ray portable
41791-5 | Ribs - right X-ray portable
46391-9 | Shoulder X-ray portable
41824-4 | Shoulder - left X-ray portable
41783-2 | Shoulder - right X-ray portable
30723-1 | Skull X-ray portable
37171-6 | Spine Cervical X-ray portable
44203-8 | Spine Cervical and Thoracic and Lumbar X-ray portable
37172-4 | Spine Lumbar X-ray portable
41828-5 | Wrist - left X-ray portable
41787-3 | Wrist - right X-ray portable
37151-8 | Unspecified body region Fluoroscopy portable
30731-4 | Zygomatic arch X-ray portable
30730-6 | Zygomatic arch - bilateral X-ray portable
24634-8 | Chest X-ray portable W inspiration and expiration
24824-5 | Lung Scan portable
42402-8 | Unspecified body region X-ray post mortem
43657-6 | Lung Scan quantitative
30733-0 | Chest X-ray right and left oblique portable
37131-0 | Abdomen X-ray right lateral and left lateral
37138-5 | Abdomen X-ray right oblique and left oblique
41792-3 | Chest X-ray right oblique and left oblique
24651-2 | Chest X-ray right oblique and left oblique upright
42414-3 | Chest X-ray right oblique and left oblique W nipple markers
37016-3 | Breast - bilateral Mammogram roll
37017-1 | Breast - left Mammogram roll
37775-4 | Breast - right Mammogram roll
30740-5 | Chest X-ray right or-left oblique
30739-7 | Chest X-ray right or-left oblique portable
43479-5 | Aorta abdominal Fluoroscopic angiogram runoff W contrast IA
30838-7 | Aorta and Femoral artery - bilateral Fluoroscopic angiogram runoff W contrast IA
37364-7 | Aorta and Femoral artery - left Fluoroscopic angiogram runoff W contrast IA
38799-3 | Aorta and Femoral artery - right Fluoroscopic angiogram runoff W contrast IA
38107-9 | Wrist X-ray scaphoid
37304-3 | Wrist - bilateral X-ray scaphoid
37302-7 | Wrist - left X-ray scaphoid
38115-2 | Wrist - right X-ray scaphoid
24930-0 | Spine Thoracic and Lumbar X-ray scoliosis
30715-7 | Spine Thoracic and Lumbar X-ray scoliosis AP and lateral
42424-2 | Spine Thoracic and Lumbar X-ray scoliosis AP and lateral sitting
39367-8 | Spine Thoracic and Lumbar X-ray scoliosis AP and lateral standing
42472-1 | Spine Thoracic and Lumbar X-ray scoliosis AP in traction
42425-9 | Spine Thoracic and Lumbar X-ray scoliosis AP standing and W right bending and W left bending and WO bending
43569-3 | Spine Thoracic and Lumbar X-ray scoliosis AP upright and supine
30716-5 | Spine Thoracic and Lumbar X-ray scoliosis lateral
30717-3 | Spine Thoracic and Lumbar X-ray scoliosis standing
24929-2 | Spine Thoracic and Lumbar X-ray scoliosis W flexion and W extension
24606-6 | Breast Mammogram screening
39153-2 | Breast FFD mammogram screening
69159-2 | Breast implant X-ray screening
48492-3 | Breast implant - bilateral Mammogram screening
26175-0 | Breast - bilateral Mammogram screening
42174-3 | Breast - bilateral FFD mammogram screening

26176-8 | Breast - left Mammogram screening
46355-4 | Breast - left FFD mammogram screening
26177-6 | Breast - right Mammogram screening
46354-7 | Breast - right FFD mammogram screening
46356-2 | Breast - unilateral Mammogram screening
37022-1 | Calcaneus X-ray ski jump
37021-3 | Calcaneus - bilateral X-ray ski jump
37023-9 | Calcaneus - left X-ray ski jump
38778-7 | Calcaneus - right X-ray ski jump
37551-9 | Breast Mammogram spot
37552-7 | Breast - bilateral Mammogram spot
38807-4 | Breast - right Mammogram spot
37553-5 | Breast - left Mammogram spot compression
43550-3 | Brain Scan static and flow
39952-7 | Scrotum and Testicle Scan static and flow
39676-2 | Scan static for infection W GA-67 IV
39894-1 | Heart Scan static for shunt detection
39896-6 | Scan static for tumor W GA-67 IV
39814-9 | Bone Scan static limited
39634-1 | Brain Scan static limited
39903-0 | Bone Scan static multiple areas
39817-2 | Bone Scan static whole body
39815-6 | Bone Scan static
39824-8 | Bone marrow Scan static
39633-3 | Brain Scan static
39853-7 | Kidney - bilateral Scan static
39832-1 | Liver Scan static
39878-4 | Liver and Spleen Scan static
39900-6 | Salivary gland Scan static
39855-2 | Scrotum and Testicle Scan static
43501-6 | Vessel Scan static
44150-1 | Brain Scan static W Tc-99m bicisate IV
39854-5 | Kidney - bilateral Scan static W Tc-99m DMSA IV
37153-4 | Mastoid X-ray Stenver and Arcelin
69136-0 | Knee X-ray Sunrise and tunnel
37163-3 | Knee - bilateral X-ray Sunrise and tunnel
37156-7 | Knee - left X-ray Sunrise and tunnel
37759-8 | Knee - right X-ray Sunrise and tunnel
39345-4 | Knee - left X-ray Sunrise and tunnel standing
69255-8 | Knee - right X-ray Sunrise and tunnel standing
38088-1 | Knee - bilateral X-ray Sunrise 20 and 40 and 60 degrees
38087-3 | Knee - left X-ray Sunrise 20 and 40 and 60 degrees
38824-9 | Knee - right X-ray Sunrise 20 and 40 and 60 degrees
24579-5 | Bones long X-ray survey
43518-0 | Bones X-ray survey
37365-4 | Bones X-ray survey for metastasis
39518-6 | Bones long X-ray survey limited
43519-8 | Bones X-ray survey limited
38089-9 | Bones X-ray survey limited for metastasis
37159-1 | Foot - left X-ray tarsal
38792-8 | Foot - right X-ray tarsal
43796-2 | Wrist - bilateral X-ray tunnel.carpal
69304-4 | Wrist X-ray ulnar deviation
69303-6 | Wrist X-ray ulnar deviation and radial deviation
69072-7 | Wrist - bilateral X-ray ulnar deviation and radial deviation
37555-0 | Wrist - left X-ray ulnar deviation and radial deviation
38808-2 | Wrist - right X-ray ulnar deviation and radial deviation
43532-1 | Chest and Abdomen X-ray upright and PA chest
39944-4 | Lung Scan ventilation and equilibrium and washout W radionuclide inhaled
39948-5 | Lung Scan ventilation and equilibrium and washout W radionuclide inhaled single breath
39947-7 | Lung Scan ventilation and equilibrium W radionuclide inhaled single breath
39946-9 | Lung Scan ventilation and perfusion and differential W radionuclide inhaled and W radionuclide IV
39943-6 | Lung Scan ventilation and perfusion W radionuclide inhaled and W particulate radionuclide IV
30697-7 | Pulmonary system Scan ventilation and perfusion W radionuclide inhaled and W radionuclide IV
39942-8 | Lung Scan ventilation and perfusion W radionuclide inhaled single breath and W particulate radionuclide IV
24888-0 | Pulmonary system Scan ventilation and perfusion W Xe-133 inhaled and W Tc-99m MAA IV
39835-4 | Lung Scan ventilation W radionuclide aerosol inhaled
39836-2 | Lung Scan ventilation W radionuclide gaseous inhaled
39945-1 | Lung Scan ventilation W radionuclide gaseous inhaled single breath
39837-0 | Lung Scan ventilation W radionuclide inhaled
39834-7 | Lung Scan ventilation W Tc-99m DTPA aerosol inhaled
46361-2 | Lung Scan ventilation W Xe-133 inhaled

39932-9 | Heart Scan wall motion and ejection fraction
39873-5 | Heart Scan wall motion
39683-8 | Scan whole body W GA-67 IV
39698-6 | Scan whole body W I-131 MIBG IV
39845-3 | Scan whole body W In-111 Satumomab IV
42711-2 | Scan whole body W In-111 tagged WBC IV
42175-0 | Scan whole body
39818-0 | Bone Scan whole body
39826-3 | Bone marrow Scan whole body
39669-7 | Scan whole body W Tc-99m Arcitumomab IV
24713-0 | Gallbladder X-ray 48 hours post contrast PO
39660-6 | Heart Scan at rest and W dipyridamole and W radionuclide IV
39661-4 | Heart Scan at rest and W dobutamine and W radionuclide IV
39663-0 | Heart Scan at rest and W stress and W radionuclide IV
42309-5 | Heart Scan at rest and W stress and W Tl-201 IV
24750-2 | Heart Scan at rest and W Tl-201 IV
43459-7 | Brain Scan during electroconvulsive shock treatment
24577-9 | Bone X-ray during surgery
47372-8 | Hip X-ray during surgery
25070-4 | Unspecified body region Fluoroscopy during surgery
24574-6 | Biliary ducts and Gallbladder Fluoroscopy during surgery W contrast biliary duct
46352-1 | Breast duct Mammogram during surgery W contrast intra duct
43485-2 | Kidney X-ray during surgery W contrast retrograde
39150-8 | Breast FFD mammogram Post Localization
69251-7 | Breast Mammogram Post Wire Placement
42415-0 | Breast - bilateral Mammogram Post Wire Placement
42416-8 | Breast - left Mammogram Post Wire Placement
37201-1 | Ankle X-ray standing
37202-9 | Ankle - bilateral X-ray standing
37203-7 | Ankle - left X-ray standing
37676-4 | Ankle - right X-ray standing
37205-2 | Calcaneus X-ray standing
37206-0 | Calcaneus - left X-ray standing
37720-0 | Calcaneus - right X-ray standing
38845-4 | Femur - left X-ray standing
37693-9 | Femur - right X-ray standing
24708-0 | Foot X-ray standing
26094-3 | Foot - bilateral X-ray standing
26095-0 | Foot - left X-ray standing
26096-8 | Foot - right X-ray standing
37584-0 | Great toe - left X-ray standing
38810-8 | Great toe - right X-ray standing
24809-6 | Knee X-ray standing
26085-1 | Knee - bilateral X-ray standing
26086-9 | Knee - left X-ray standing
26087-7 | Knee - right X-ray standing
37204-5 | Lower extremity X-ray standing
69264-0 | Sacrum X-ray standing
37208-6 | Spine Lumbar X-ray standing
69275-6 | Spine Thoracic X-ray standing
38124-4 | Spine Thoracic and Lumbar X-ray standing
37899-2 | Tibia and Fibula X-ray standing
37209-4 | Toes - left X-ray standing
37823-2 | Toes - right X-ray standing
44233-5 | Kidney - bilateral Scan W and WO Tc-99m DTPA IV
44232-7 | Kidney - bilateral Scan W and WO Tc-99m Mertiatide IV
37579-0 | Acromioclavicular Joint X-ray W and WO weight
37580-8 | Acromioclavicular joint - bilateral X-ray W and WO weight
37581-6 | Acromioclavicular joint - left X-ray W and WO weight
37663-2 | Acromioclavicular joint - right X-ray W and WO weight
39651-5 | Heart Scan W adenosine and W Tl-201 IV
38090-7 | Breast - bilateral Mammogram W air
38091-5 | Breast - left Mammogram W air
39059-1 | Gastrointestine upper Fluoroscopy W air and barium contrast PO
24666-0 | Colon Fluoroscopy W air and barium contrast PR
46357-0 | Colon Fluoroscopy W air contrast PR
30633-2 | Esophagus Fluoroscopy W barium contrast PO
42683-3 | Gastrointestine upper Fluoroscopy W barium contrast PO
43574-3 | Upper Gastrointestine and Small bowel Fluoroscopy W barium contrast PO
44227-7 | Colon Fluoroscopy W barium contrast PR
37565-9 | Unspecified body region Fluoroscopy W barium contrast via fistula
38092-3 | Urinary bladder Fluoroscopy W chain and contrast intra bladder

41770-9 | Gallbladder Scan W cholecystokinin and W radionuclide IV
43650-1 | Liver and Biliary ducts and Gallbladder Scan W cholecystokinin and W radionuclide IV
30630-8 | Head Cistern Fluoroscopy video W contrast
30824-7 | Intercranial vessel and Neck Vessel Fluoroscopic angiogram W contrast
37585-7 | Jejunum Fluoroscopy W contrast
38853-8 | Lower extremity vessels - left Fluoroscopic angiogram W contrast
37765-5 | Lower extremity vessels - right Fluoroscopic angiogram W contrast
37615-2 | Pelvis vessels Fluoroscopic angiogram W contrast
37936-2 | Peripheral vessels Fluoroscopic angiogram W contrast
37640-0 | Renal vessels Fluoroscopic angiogram W contrast
64140-7 | Renal vessels - left Fluoroscopic angiogram W contrast
64141-5 | Renal vessels - right Fluoroscopic angiogram W contrast
38094-9 | Spine.cavity Fluoroscopy W contrast
37973-5 | Testicle vessels Fluoroscopy W contrast
25005-0 | Three vessels Fluoroscopic angiogram W contrast
25014-2 | Two vessels Fluoroscopic angiogram W contrast
37976-8 | Upper extremity vessels Fluoroscopic angiogram W contrast
42014-1 | Urinary Bladder and Urethra Fluoroscopy W contrast
37980-0 | Vertebral vessels Fluoroscopic angiogram W contrast
37981-8 | Visceral vessels Fluoroscopic angiogram W contrast
37575-8 | Gallbladder X-ray W contrast and fatty meal PO
38101-2 | Kidney X-ray W contrast antegrade
46376-0 | Kidney - bilateral Fluoroscopy W contrast antegrade
38100-4 | Urinary Bladder and Urethra Fluoroscopy W contrast antegrade
38102-0 | Kidney X-ray W contrast antegrade via pyelostomy
25030-8 | Abdominal Arteries Fluoroscopic angiogram W contrast IA
30832-0 | Adrenal artery Fluoroscopic angiogram W contrast IA
30831-2 | Adrenal artery - bilateral Fluoroscopic angiogram W contrast IA
37387-8 | Adrenal artery - left Fluoroscopic angiogram W contrast IA
37939-6 | Adrenal artery - right Fluoroscopic angiogram W contrast IA
38861-1 | Ankle arteries - left Fluoroscopic angiogram W contrast IA
37941-2 | Ankle arteries - right Fluoroscopic angiogram W contrast IA
24658-7 | Aorta Fluoroscopic angiogram W contrast IA
30837-9 | Aorta abdominal Fluoroscopic angiogram W contrast IA
24546-4 | Aorta arch and Neck Fluoroscopic angiogram W contrast IA
37366-2 | Abdominal Aorta and Arteries Fluoroscopic angiogram W contrast IA
69054-5 | Aortic arch Fluoroscopic angiogram W contrast IA
37380-3 | Aortic arch and Brachial artery Fluoroscopic angiogram W contrast IA
37381-1 | Aortic arch and Carotid artery Fluoroscopic angiogram W contrast IA
37587-3 | Aortic arch and Carotid artery - bilateral and Vertebral artery - bilateral Fluoroscopic angiogram W contrast IA
37588-1 | Aortic arch and Carotid artery.common - bilateral Fluoroscopic angiogram W contrast IA
37589-9 | Aortic arch and Carotid artery.common - left Fluoroscopic angiogram W contrast IA
37590-7 | Aortic arch and Carotid artery.common - right Fluoroscopic angiogram W contrast IA
37591-5 | Aortic arch and Carotid artery.external - bilateral Fluoroscopic angiogram W contrast IA
37592-3 | Aortic arch and Carotid artery.external - left Fluoroscopic angiogram W contrast IA
37593-1 | Aortic arch and Carotid artery.external - right Fluoroscopic angiogram W contrast IA
37594-9 | Aortic arch and Carotid artery and Vertebral artery Fluoroscopic angiogram W contrast IA
37382-9 | Aortic arch and Subclavian artery Fluoroscopic angiogram W contrast IA
37383-7 | Aortic arch and Subclavian artery - left Fluoroscopic angiogram W contrast IA
38800-9 | Aortic arch and Subclavian artery - right Fluoroscopic angiogram W contrast IA
37379-5 | Aortic arch and Upper Extremity artery Fluoroscopic angiogram W contrast IA
37384-5 | Aortic arch and Vertebral artery Fluoroscopic angiogram W contrast IA
37385-2 | Aortic arch and Vertebral artery - left Fluoroscopic angiogram W contrast IA
37386-0 | Aortic arch and Vertebral artery - right Fluoroscopic angiogram W contrast IA
24551-4 | AV fistula Fluoroscopic angiogram W contrast IA
30828-8 | Brachial artery Fluoroscopic angiogram W contrast IA
37388-6 | Brachial artery - bilateral Fluoroscopic angiogram W contrast IA
24581-1 | Brachial artery and Subclavian artery Fluoroscopic angiogram W contrast IA
69077-6 | Brachiocephalic artery Fluoroscopic angiogram W contrast IA
37389-4 | Bronchial artery Fluoroscopic angiogram W contrast IA
24617-3 | Carotid artery Fluoroscopic angiogram W contrast IA
26079-4 | Carotid artery - bilateral Fluoroscopic angiogram W contrast IA
39097-1 | Carotid artery - bilateral and Cerebral artery - bilateral Fluoroscopic angiogram W contrast IA
39094-8 | Carotid artery.cervical Fluoroscopic angiogram W contrast IA
39098-9 | Carotid artery.cervical - bilateral Fluoroscopic angiogram W contrast IA
38863-7 | Carotid artery.cervical - left Fluoroscopic angiogram W contrast IA
37945-3 | Carotid artery.cervical - right Fluoroscopic angiogram W contrast IA
30821-3 | Carotid artery.external Fluoroscopic angiogram W contrast IA
30820-5 | Carotid artery.external - bilateral Fluoroscopic angiogram W contrast IA
37390-2 | Carotid artery.external - left Fluoroscopic angiogram W contrast IA
37948-7 | Carotid artery.external - right Fluoroscopic angiogram W contrast IA
38864-5 | Carotid artery.internal - left Fluoroscopic angiogram W contrast IA

37952-9 | Carotid artery.internal - right Fluoroscopic angiogram W contrast IA
26080-2 | Carotid artery - left Fluoroscopic angiogram W contrast IA
26081-0 | Carotid artery - right Fluoroscopic angiogram W contrast IA
39095-5 | Carotid artery and Cerebral artery Fluoroscopic angiogram W contrast IA
38865-2 | Carotid artery and Cerebral artery internal - left Fluoroscopic angiogram W contrast IA
37953-7 | Carotid artery and Cerebral artery internal - right Fluoroscopic angiogram W contrast IA
38862-9 | Carotid artery and Cerebral artery - left Fluoroscopic angiogram W contrast IA
37944-6 | Carotid artery and Cerebral artery - right Fluoroscopic angiogram W contrast IA
37391-0 | Carotid artery and Vertebral artery Fluoroscopic angiogram W contrast IA
37392-8 | Carotid artery and Vertebral artery - bilateral Fluoroscopic angiogram W contrast IA
37393-6 | Carotid artery+Vertebral artery - left Fluoroscopic angiogram W contrast IA
37943-8 | Carotid artery+Vertebral artery - right Fluoroscopic angiogram W contrast IA
24622-3 | Celiac artery Fluoroscopic angiogram W contrast IA
37403-3 | Celiac artery and Gastric artery - left and Superior mesenteric artery Fluoroscopic angiogram W contrast IA
37394-4 | Celiac artery and Superior mesenteric artery and Inferior mesenteric artery Fluoroscopic angiogram W contrast IA
37173-2 | Cerebral artery Fluoroscopic angiogram W contrast IA
30891-6 | Cervicocerebral artery Fluoroscopic angiogram W contrast IA
37174-0 | Coronary arteries Fluoroscopic angiogram W contrast IA
37595-6 | Coronary graft Fluoroscopic angiogram W contrast IA
30848-6 | Extremity arteries Fluoroscopic angiogram W contrast IA
30849-4 | Extremity arteries - bilateral Fluoroscopic angiogram W contrast IA
37395-1 | Extremity arteries - left Fluoroscopic angiogram W contrast IA
37949-5 | Extremity arteries - right Fluoroscopic angiogram W contrast IA
37175-7 | Femoral artery Fluoroscopic angiogram W contrast IA
37176-5 | Femoral artery and Popliteal artery Fluoroscopic angiogram W contrast IA
37397-7 | Gastric artery Fluoroscopic angiogram W contrast IA
37398-5 | Gastric artery - left Fluoroscopic angiogram W contrast IA
38801-7 | Gastric artery - right Fluoroscopic angiogram W contrast IA
37399-3 | Gastroduodenal artery Fluoroscopic angiogram W contrast IA
30822-1 | Head artery - bilateral and Neck artery - bilateral Fluoroscopic angiogram W contrast IA
62448-6 | Head artery.left+Neck artery.left Fluoroscopic angiogram W contrast IA
62449-4 | Head artery.right+Neck artery.right Fluoroscopic angiogram W contrast IA
30823-9 | Head artery and Neck artery Fluoroscopic angiogram W contrast IA
25076-1 | Hepatic artery Fluoroscopic angiogram W contrast IA
43782-2 | Iliac artery Fluoroscopic angiogram W contrast IA
37177-3 | Iliac artery - bilateral Fluoroscopic angiogram W contrast IA
24862-5 | Iliac artery Internal Fluoroscopic angiogram W contrast IA
37178-1 | Iliac artery - left Fluoroscopic angiogram W contrast IA
37739-0 | Iliac artery - right Fluoroscopic angiogram W contrast IA
37179-9 | Inferior mesenteric artery Fluoroscopic angiogram W contrast IA
25079-5 | Kidney arteries Fluoroscopic angiogram W contrast IA
37487-6 | Lower extremity arteries Fluoroscopic angiogram W contrast IA
47986-5 | Lower extremity arteries - left Fluoroscopic angiogram W contrast IA
47987-3 | Lower extremity arteries - right Fluoroscopic angiogram W contrast IA
30829-6 | Internal mammary artery Fluoroscopic angiogram W contrast IA
64995-4 | Mammary artery.internal - left Fluoroscopic angiogram W contrast IA
65000-2 | Mammary artery.internal - right Fluoroscopic angiogram W contrast IA
37401-7 | Maxillary artery.internal Fluoroscopic angiogram W contrast IA
24833-6 | Mesenteric artery Fluoroscopic angiogram W contrast IA
24860-9 | Pancreatic artery Fluoroscopic angiogram W contrast IA
30833-8 | Pelvis arteries Fluoroscopic angiogram W contrast IA
37935-4 | Pelvis arteries and Lower extremity arteries - bilateral Fluoroscopic angiogram W contrast IA
24874-0 | Peripheral arteries Fluoroscopic angiogram W contrast IA
44240-0 | Peripheral arteries - bilateral Fluoroscopic angiogram W contrast IA
69249-1 | Popliteal artery Fluoroscopic angiogram W contrast IA
37181-5 | Popliteal artery - left Fluoroscopic angiogram W contrast IA
37778-8 | Popliteal artery - right Fluoroscopic angiogram W contrast IA
37404-1 | Pudendal artery.internal Fluoroscopic angiogram W contrast IA
39057-5 | Pulmonary artery Fluoroscopic angiogram W contrast IA
30830-4 | Pulmonary artery - bilateral Fluoroscopic angiogram W contrast IA
37182-3 | Pulmonary artery - left Fluoroscopic angiogram W contrast IA
37779-6 | Pulmonary artery - right Fluoroscopic angiogram W contrast IA
30834-6 | Renal artery - bilateral Fluoroscopic angiogram W contrast IA
62446-0 | Renal artery - left Fluoroscopic angiogram W contrast IA
62447-8 | Renal artery - right Fluoroscopic angiogram W contrast IA
24925-0 | Spinal artery Fluoroscopic angiogram W contrast IA
26082-8 | Spinal artery - bilateral Fluoroscopic angiogram W contrast IA
26083-6 | Spinal artery - left Fluoroscopic angiogram W contrast IA
26084-4 | Spinal artery - right Fluoroscopic angiogram W contrast IA
24992-0 | Splenic artery Fluoroscopic angiogram W contrast IA
24991-2 | Splenic vein and Portal vein Fluoroscopic angiogram W contrast IA
37886-9 | Subclavian artery Fluoroscopic angiogram W contrast IA

37405-8 | Subclavian artery - bilateral Fluoroscopic angiogram W contrast IA
37406-6 | Subclavian artery - left Fluoroscopic angiogram W contrast IA
37966-9 | Subclavian artery - right Fluoroscopic angiogram W contrast IA
37180-7 | Superior mesenteric artery Fluoroscopic angiogram W contrast IA
37402-5 | Superior mesenteric artery and Inferior mesenteric artery Fluoroscopic angiogram W contrast IA
38119-4 | Thoracic artery Fluoroscopic angiogram W contrast IA
37900-8 | Tibial artery Fluoroscopic angiogram W contrast IA
37489-2 | Tibioperoneal arteries Fluoroscopic angiogram W contrast IA
37977-6 | Upper extremity arteries Fluoroscopic angiogram W contrast IA
37396-9 | Upper extremity arteries - bilateral Fluoroscopic angiogram W contrast IA
37488-4 | Upper extremity arteries - left Fluoroscopic angiogram W contrast IA
37967-7 | Upper extremity arteries - right Fluoroscopic angiogram W contrast IA
24576-1 | Urinary bladder arteries Fluoroscopic angiogram W contrast IA
37979-2 | Uterine artery Fluoroscopic angiogram W contrast IA
37407-4 | Vertebral artery - bilateral Fluoroscopic angiogram W contrast IA
37490-0 | Vertebral artery - left Fluoroscopic angiogram W contrast IA
37968-5 | Vertebral artery - right Fluoroscopic angiogram W contrast IA
42156-0 | Vessels Fluoroscopic angiogram W contrast IA
25017-5 | Urinary Bladder and Urethra Fluoroscopy W contrast intra bladder
43559-4 | Urinary Bladder and Urethra Fluoroscopy W contrast intra bladder during voiding
37586-5 | Penis Fluoroscopy W contrast intra corpus cavernosum
39054-2 | Breast duct Mammogram W contrast intra duct
38095-6 | Breast duct - bilateral Mammogram W contrast intra duct
38096-4 | Breast duct - left Mammogram W contrast intra duct
38825-6 | Breast duct - right Mammogram W contrast intra duct
30810-6 | Lacrimal duct Fluoroscopy W contrast intra lacrimal duct
38098-0 | Lacrimal duct - bilateral Fluoroscopy W contrast intra lacrimal duct
38099-8 | Lacrimal duct - left Fluoroscopy W contrast intra lacrimal duct
38827-2 | Lacrimal duct - right Fluoroscopy W contrast intra lacrimal duct
24845-0 | Neck Fluoroscopy W contrast intra larynx
30850-2 | Extremity lymphatics Fluoroscopy W contrast intra lymphatic
30851-0 | Extremity lymphatics - bilateral Fluoroscopy W contrast intra lymphatic
37599-8 | Extremity lymphatics - left Fluoroscopy W contrast intra lymphatic
38812-4 | Extremity lymphatics - right Fluoroscopy W contrast intra lymphatic
24827-8 | Lymphatics Fluoroscopy W contrast intra lymphatic
30839-5 | Lymphatics abdominal Fluoroscopy W contrast intra lymphatic
30840-3 | Lymphatics abdominal - bilateral Fluoroscopy W contrast intra lymphatic
37597-2 | Lymphatics abdominal and Lymphatics pelvic Fluoroscopy W contrast intra lymphatic
37598-0 | Lymphatics abdominal and Lymphatics pelvic - bilateral Fluoroscopy W contrast intra lymphatic
37596-4 | Lymphatics abdominal and Lymphatics pelvic - left Fluoroscopy W contrast intra lymphatic
38811-6 | Lymphatics abdominal and Lymphatics pelvic - right Fluoroscopy W contrast intra lymphatic
37600-4 | Lymphatics - left Fluoroscopy W contrast intra lymphatic
39510-3 | Lymphatics pelvic Fluoroscopy W contrast intra lymphatic
37601-2 | Lymphatics pelvic - bilateral Fluoroscopy W contrast intra lymphatic
38813-2 | Lymphatics - right Fluoroscopy W contrast intra lymphatic
39148-2 | Breast duct Mammogram W contrast intra multiple ducts
39146-6 | Breast duct - bilateral Mammogram W contrast intra multiple ducts
39145-8 | Breast duct - left Mammogram W contrast intra multiple ducts
39147-4 | Breast duct - right Mammogram W contrast intra multiple ducts
24661-1 | Pleural space Fluoroscopy W contrast intra pleural space
38116-0 | Parotid gland Fluoroscopy W contrast intra salivary duct
38097-2 | Parotid gland - left Fluoroscopy W contrast intra salivary duct
38826-4 | Parotid gland - right Fluoroscopy W contrast intra salivary duct
24902-9 | Salivary gland Fluoroscopy W contrast intra salivary duct
26067-9 | Salivary gland - bilateral Fluoroscopy W contrast intra salivary duct
26068-7 | Salivary gland - left Fluoroscopy W contrast intra salivary duct
26069-5 | Salivary gland - right Fluoroscopy W contrast intra salivary duct
38153-3 | Submandibular gland Fluoroscopy W contrast intra salivary duct
48698-5 | Submandibular gland - bilateral Fluoroscopy W contrast intra salivary duct
42460-6 | Submandibular gland - left Fluoroscopy W contrast intra salivary duct
48696-9 | Submandibular gland - right Fluoroscopy W contrast intra salivary duct
24912-8 | Sinus tract Fluoroscopy W contrast intra sinus tract
24552-2 | Stent Fluoroscopy W contrast intra stent
25016-7 | Urethra Fluoroscopy W contrast intra urethra
39151-6 | Vas deferens Fluoroscopy W contrast intra vas deferens
37183-1 | Ankle Fluoroscopy W contrast intraarticular
37184-9 | Ankle - bilateral Fluoroscopy W contrast intraarticular
37185-6 | Ankle - left Fluoroscopy W contrast intraarticular
37942-0 | Ankle - right Fluoroscopy W contrast intraarticular
37186-4 | Elbow Fluoroscopy W contrast intraarticular
37187-2 | Elbow - bilateral Fluoroscopy W contrast intraarticular
37188-0 | Elbow - left Fluoroscopy W contrast intraarticular

37947-9 | Elbow - right Fluoroscopy W contrast intraarticular
24764-3 | Hip Fluoroscopy W contrast intraarticular
26070-3 | Hip - bilateral Fluoroscopy W contrast intraarticular
26071-1 | Hip - left Fluoroscopy W contrast intraarticular
26072-9 | Hip - right Fluoroscopy W contrast intraarticular
24800-5 | Knee Fluoroscopy W contrast intraarticular
26073-7 | Knee - bilateral Fluoroscopy W contrast intraarticular
26074-5 | Knee - left Fluoroscopy W contrast intraarticular
26075-2 | Knee - right Fluoroscopy W contrast intraarticular
37647-5 | Sacroiliac Joint Fluoroscopy W contrast intraarticular
37189-8 | Sacroiliac joint - bilateral Fluoroscopy W contrast intraarticular
37190-6 | Sacroiliac joint - left Fluoroscopy W contrast intraarticular
37785-3 | Sacroiliac joint - right Fluoroscopy W contrast intraarticular
24910-2 | Shoulder Fluoroscopy W contrast intraarticular
26076-0 | Shoulder - bilateral Fluoroscopy W contrast intraarticular
26077-8 | Shoulder - left Fluoroscopy W contrast intraarticular
26078-6 | Shoulder - right Fluoroscopy W contrast intraarticular
37901-6 | Temporomandibular joint Fluoroscopy W contrast intraarticular
37409-0 | Temporomandibular joint - bilateral Fluoroscopy W contrast intraarticular
37410-8 | Temporomandibular joint - left Fluoroscopy W contrast intraarticular
37818-2 | Temporomandibular joint - right Fluoroscopy W contrast intraarticular
25034-0 | Wrist Fluoroscopy W contrast intraarticular
37570-9 | Wrist - bilateral Fluoroscopy W contrast intraarticular
37571-7 | Wrist - left Fluoroscopy W contrast intraarticular
37641-8 | Wrist - right Fluoroscopy W contrast intraarticular
37191-4 | Joint Fluoroscopy W contrast intraarticular
24825-2 | Lung X-ray W contrast intrabronchial
30813-0 | Lung - bilateral X-ray W contrast intrabronchial
64996-2 | Lung - left X-ray W contrast intrabronchial
64997-0 | Lung - right X-ray W contrast intrabronchial
24927-6 | Spine Fluoroscopy W contrast intradisc
37192-2 | Spine Cervical Fluoroscopy W contrast intradisc
37193-0 | Spine Lumbar Fluoroscopy W contrast intradisc
70933-7 | Spine Thoracic Fluoroscopy W contrast intradisc
25022-5 | Uterus and Fallopian tubes Fluoroscopy W contrast intrauterine
30811-4 | Posterior fossa Fluoroscopy W contrast IT
37572-5 | Spine Fluoroscopy W contrast IT
24947-4 | Spine Cervical Fluoroscopy W contrast IT
38103-8 | Spine Cervical and Spine Lumbar Fluoroscopy W contrast IT
30808-0 | Spine Cervical and Thoracic and Lumbar Fluoroscopy W contrast IT
38104-6 | Spine.epidural space Fluoroscopy W contrast IT
24974-8 | Spine Lumbar Fluoroscopy W contrast IT
24985-4 | Spine Thoracic Fluoroscopy W contrast IT
69066-9 | Abdominal vessels Fluoroscopic angiogram W contrast IV
30843-7 | Adrenal vein Fluoroscopic angiogram W contrast IV
37602-0 | Adrenal vein left Fluoroscopic angiogram W contrast IV
30844-5 | Adrenal vein - bilateral Fluoroscopic angiogram W contrast IV
37940-4 | Adrenal vein - right Fluoroscopic angiogram W contrast IV
58746-9 | AV fistula Fluoroscopic angiogram W contrast IV
24569-6 | AV shunt Fluoroscopic angiogram W contrast IV
37411-6 | Azygos vein Fluoroscopic angiogram W contrast IV
24573-8 | Biliary ducts and Gallbladder X-ray W contrast IV
37195-5 | Cerebral vein Fluoroscopic angiogram W contrast IV
30819-7 | Epidural veins Fluoroscopic angiogram W contrast IV
39055-9 | Extremity veins Fluoroscopic angiogram W contrast IV
37412-4 | Extremity veins - bilateral Fluoroscopic angiogram W contrast IV
37413-2 | Extremity veins - left Fluoroscopic angiogram W contrast IV
37950-3 | Extremity veins - right Fluoroscopic angiogram W contrast IV
42157-8 | Extremity vessels Fluoroscopic angiogram W contrast IV
37416-5 | Femoral vein Fluoroscopic angiogram W contrast IV
39093-0 | Hepatic veins Fluoroscopic angiogram W contrast IV
37421-5 | Inferior mesenteric vein Fluoroscopic angiogram W contrast IV
37419-9 | Intraosseous veins Fluoroscopic angiogram W contrast IV
37197-1 | Jugular vein Fluoroscopic angiogram W contrast IV
37420-7 | Jugular vein - left Fluoroscopic angiogram W contrast IV
37954-5 | Jugular vein - right Fluoroscopic angiogram W contrast IV
37607-9 | Kidney X-ray W contrast IV
24788-2 | Kidney - bilateral X-ray W contrast IV
37414-0 | Lower extremity veins - bilateral Fluoroscopic angiogram W contrast IV
37196-3 | Lower extremity veins - left Fluoroscopic angiogram W contrast IV
37767-1 | Lower extremity veins - right Fluoroscopic angiogram W contrast IV
37574-1 | Lower extremity vessels Fluoroscopic angiogram W contrast IV

30825-4 | Orbit veins Fluoroscopic angiogram W contrast IV
37422-3 | Orbit veins - left Fluoroscopic angiogram W contrast IV
37958-6 | Orbit veins - right Fluoroscopic angiogram W contrast IV
30852-8 | Peripheral veins - bilateral Fluoroscopic angiogram W contrast IV
24685-0 | Peripheral veins Fluoroscopic angiogram W contrast IV
69250-9 | Portal vein Fluoroscopic angiogram W contrast IV
30847-8 | Renal vein Fluoroscopic angiogram W contrast IV
30846-0 | Renal vein - bilateral Fluoroscopic angiogram W contrast IV
37423-1 | Renal vein - left Fluoroscopic angiogram W contrast IV
37959-4 | Renal vein - right Fluoroscopic angiogram W contrast IV
30827-0 | Sagittal sinus vein Fluoroscopic angiogram W contrast IV
65803-9 | Sagittal sinus vein - left Fluoroscopic angiogram W contrast IV
65802-1 | Sagittal sinus and Jugular veins - left Fluoroscopic angiogram W contrast IV
65804-7 | Sagittal sinus vein - right Fluoroscopic angiogram W contrast IV
65805-4 | Sagittal sinus and Jugular veins - right Fluoroscopic angiogram W contrast IV
30826-2 | Sagittal sinus and Jugular veins Fluoroscopic angiogram W contrast IV
37969-3 | Sinus vein Fluoroscopic angiogram W contrast IV
37970-1 | Splenic vein Fluoroscopic angiogram W contrast IV
37971-9 | Subclavian vein Fluoroscopic angiogram W contrast IV
37972-7 | Superior mesenteric vein Fluoroscopic angiogram W contrast IV
24550-6 | Upper extremity veins Fluoroscopic angiogram W contrast IV
37415-7 | Upper extremity veins - bilateral Fluoroscopic angiogram W contrast IV
38859-5 | Upper extremity veins - left Fluoroscopic angiogram W contrast IV
37824-0 | Upper extremity veins - right Fluoroscopic angiogram W contrast IV
25023-3 | Vein Fluoroscopic angiogram W contrast IV
26064-6 | Vein - bilateral Fluoroscopic angiogram W contrast IV
26065-3 | Vein - left Fluoroscopic angiogram W contrast IV
26066-1 | Vein - right Fluoroscopic angiogram W contrast IV
25025-8 | Vena cava Fluoroscopic angiogram W contrast IV
30845-2 | Inferior vena cava Fluoroscopic angiogram W contrast IV
30645-6 | Superior vena cava Fluoroscopic angiogram W contrast IV
43554-5 | vessels - left Fluoroscopic angiogram W contrast IV
39096-3 | Hepatic veins Fluoroscopic angiogram W contrast IV and W hemodynamics
43783-0 | Renal vein Fluoroscopic angiogram W contrast IV and W renin sampling
25080-3 | Renal vein - bilateral Fluoroscopic angiogram W contrast IV and W renin sampling
30816-3 | Peritoneum Fluoroscopic angiogram W contrast percutaneous
24575-3 | Biliary ducts and Gallbladder Fluoroscopy W contrast percutaneous transhepatic
37200-3 | Chest X-ray W contrast PO
37199-7 | Chest Fluoroscopy W contrast PO
37198-9 | Esophagus X-ray W contrast PO
24678-5 | Esophagus Fluoroscopy W contrast PO
24712-2 | Gallbladder X-ray W contrast PO
42459-8 | Gastrointestine upper Fluoroscopy W contrast PO
24924-3 | Small bowel Fluoroscopy W contrast PO
24673-6 | Duodenum Fluoroscopy W contrast PO and hypotonic agent per ng
24681-9 | Esophagus and Hypopharynx Fluoroscopy video W contrast PO during swallowing
24667-8 | Colon Fluoroscopy W contrast PR
24894-8 | Rectum and Urinary bladder Fluoroscopy W contrast PR and intra bladder during defecation and voiding
39363-7 | Fistula Fluoroscopy W contrast retrograde
38105-3 | Kidney X-ray W contrast retrograde
39349-6 | Kidney - bilateral Fluoroscopy W contrast retrograde
30761-1 | Kidney - bilateral Fluoroscopy W contrast retrograde via urethra
38873-6 | Kidney - left and Collecting system Fluoroscopy W contrast retrograde via urethra
38113-7 | Kidney - right and Collecting system Fluoroscopy W contrast retrograde via urethra
25020-9 | Urinary Bladder and Urethra Fluoroscopy W contrast retrograde via urethra
30841-1 | Portal vein Fluoroscopic angiogram W contrast transhepatic
30842-9 | Portal vein Fluoroscopic angiogram W contrast transhepatic and W hemodynamics
37566-7 | Unspecified body region Fluoroscopy W contrast via catheter
37567-5 | Colon Fluoroscopy W contrast via colostomy
37568-3 | Unspecified body region Fluoroscopy W contrast via fistula
69272-3 | Small bowel Fluoroscopy W contrast via ileostomy
24780-9 | Kidney - bilateral Fluoroscopy W contrast via nephrostomy tube
38872-8 | Kidney - left and Collecting system Fluoroscopy W contrast via nephrostomy tube
38112-9 | Kidney - right and Collecting system Fluoroscopy W contrast via nephrostomy tube
37569-1 | Urinary bladder Fluoroscopy W contrast via suprapubic tube
30647-2 | Biliary ducts and Gallbladder Fluoroscopy W contrast via T-tube
39696-0 | Lung Scan W depreotide and W radionuclide IV
42161-0 | Heart Scan W dobutamine and W radionuclide IV
39652-3 | Heart Scan W dobutamine and W Tl-201 IV
42383-0 | Gallbladder X-ray W double dose contrast PO
42690-8 | Spine X-ray W flexion and W extension
24945-8 | Spine Cervical X-ray W flexion and W extension

24971-4 | Spine Lumbar X-ray W flexion and W extension
43481-1 | Joint X-ray W flexion and W extension
30785-0 | Foot X-ray W forced dorsiflexion
43461-3 | Kidney - bilateral Scan W furosemide and W radionuclide IV
39688-7 | Scan W GA-67 IV
24679-3 | Esophagus Fluoroscopy W gastrografin PO
42684-1 | Gastrointestine upper Fluoroscopy W gastrografin PO
42681-7 | Colon Fluoroscopy W gastrografin PR
37576-6 | Unspecified body region Fluoroscopy W gastrografin via fistula
39850-3 | Kidney - bilateral Scan W I-131 IV
25007-6 | Thyroid Scan W I-131 IV
39841-2 | Scan W I-131 MIBG IV
39857-8 | Adrenal gland Scan W I-131 MIBG IV
39624-2 | Adrenal gland Scan W I-131 NP59 IV
24770-0 | Joint Scan W In-111 intrajoint
39846-1 | Scan W In-111 Satumomab IV
39738-0 | Abdomen Scan W In-111 Satumomab IV
25032-4 | Bone Scan W In-111 tagged WBC IV
42708-8 | Scan W In-111 tiuxetan IV
30736-3 | Chest X-ray W inspiration and expiration
24682-7 | Esophagus and Hypopharynx Fluoroscopy video W liquid and paste contrast PO during swallowing
37556-8 | Ankle X-ray W manual stress
37557-6 | Ankle - bilateral X-ray W manual stress
37558-4 | Ankle - left X-ray W manual stress
37673-1 | Ankle - right X-ray W manual stress
37559-2 | Foot - left X-ray W manual stress
37705-1 | Foot - right X-ray W manual stress
37560-0 | Knee X-ray W manual stress
37561-8 | Knee - bilateral X-ray W manual stress
37562-6 | Knee - left X-ray W manual stress
37753-1 | Knee - right X-ray W manual stress
37563-4 | Thumb - bilateral X-ray W manual stress
37564-2 | Thumb - left X-ray W manual stress
37814-1 | Thumb - right X-ray W manual stress
39056-7 | Unspecified body region X-ray W manual stress
38093-1 | Chest X-ray W nipple markers
39670-5 | Lacrimal duct Scan W radionuclide intra lacrimal duct
64051-6 | Breast lymphatics - left Scan W radionuclide intra lymphatic
64052-4 | Breast lymphatics - right Scan W radionuclide intra lymphatic
24826-0 | Lymphatics Scan W radionuclide intra lymphatic
24663-7 | Head Cistern Scan W radionuclide IT
42158-6 | Adrenal gland Scan
42776-5 | AV shunt Scan
25031-6 | Bone Scan
24730-4 | Brain Scan
39643-2 | Brain veins Scan
39646-5 | Breast Scan
39650-7 | Heart Scan
24776-7 | Kidney - bilateral Scan
30877-5 | Kidney - bilateral and Renal vessels Scan
24804-7 | Knee Scan
26088-5 | Knee - bilateral Scan
26089-3 | Knee - left Scan
26090-1 | Knee - right Scan
39693-7 | Liver Scan
39694-5 | Liver transplant Scan
43557-8 | Liver and Biliary ducts and Gallbladder Scan
39897-4 | Liver and Lung Scan
39877-6 | Liver and Spleen Scan
39629-1 | Meckels diverticulum Scan
39737-2 | Neck Scan
39739-8 | Pancreas Scan
39742-2 | Parathyroid Scan
39619-2 | Pulmonary system Scan
43669-1 | Renal vessels Scan
39747-1 | Salivary gland Scan
30696-9 | Scrotum and Testicle Scan
39751-3 | Spleen Scan
30695-1 | Thyroid Scan
25018-3 | Urinary bladder Scan
39626-7 | Vein - bilateral Scan
49118-3 | Unspecified body region Scan

39939-4 | Joint Scan
39671-3 | Rectum Scan W radionuclide PO
39752-1 | Spleen Scan W radionuclide tagged heat damaged RBC IV
24773-4 | Kidney - bilateral Scan W radionuclide transplant scan
30713-2 | Spine X-ray W right bending and W left bending
42413-5 | Spine Lumbar X-ray W right bending and W left bending
43651-9 | Liver and Biliary ducts and Gallbladder Scan W sincalide and W radionuclide IV
39820-6 | Bone Scan W SM153 IV
39666-3 | Heart Scan W stress and W 201 Th IV
39667-1 | Heart Scan W stress and W radionuclide IV
69231-9 | Heart Scan W stress and W Tc-99m IV
69232-7 | Heart Scan W stress and W Tc-99m Sestamibi IV
24819-5 | Liver and Spleen Scan W Tc-99m calcium colloid IV
39744-8 | Prostate Scan W Tc-99m capromab pendatide IV
39674-7 | Gallbladder Scan W Tc-99m DISIDA IV
41771-7 | Kidney - bilateral Scan W Tc-99m DMSA IV
39625-9 | Artery Scan W Tc-99m DTPA IA
39745-5 | Kidney - bilateral Scan W Tc-99m DTPA IV
43667-5 | Kidney - bilateral and Renal vessels Scan W Tc-99m DTPA IV
39753-9 | Scrotum and Testicle Scan W Tc-99m DTPA IV
39765-3 | Vein Scan W Tc-99m DTPA IV
39642-4 | Brain Scan W Tc-99m glucoheptonate IV
44234-3 | Kidney - bilateral Scan W Tc-99m glucoheptonate IV
39766-1 | Vein Scan W Tc-99m HDP IV
39812-3 | Bone Scan W Tc-99m HMPAO IV
39630-9 | Brain Scan W Tc-99m HMPAO IV
39757-0 | Thyroid Scan W Tc-99m IV
24831-0 | Meckels diverticulum Scan W Tc-99m M04 IV
44141-0 | Liver and Spleen Scan W Tc-99m MAA IV
44142-8 | Bone Scan W Tc-99m medronate IV
39746-3 | Kidney - bilateral Scan W Tc-99m Mertiatide IV
69233-5 | Parotid gland Scan W Tc-99m pertechnetate IV
25001-9 | Scrotum and Testicle Scan W Tc-99m pertechnetate IV
26091-9 | Scrotum and Testicle - bilateral Scan W Tc-99m pertechnetate IV
26092-7 | Scrotum and Testicle - left Scan W Tc-99m pertechnetate IV
26093-5 | Scrotum and Testicle - right Scan W Tc-99m pertechnetate IV
44146-9 | Bone marrow Scan W Tc-99m SC IV
39689-5 | Gastrointestine Scan W Tc-99m SC IV
69230-1 | Liver Scan W Tc-99m SC IV
39764-6 | Vein Scan W Tc-99m SC IV
24683-5 | Esophagus and Stomach Scan W Tc-99m SC PO
44145-1 | Parathyroid Scan W Tc-99m Sestamibi IV
39756-2 | Thyroid Scan W Tc-99m Sestamibi IV
24714-8 | Gastrointestine Scan W Tc-99m tagged RBC IV
44143-6 | Heart Scan W Tc-99m tagged RBC IV
39690-3 | Liver Scan W Tc-99m tagged RBC IV
42700-5 | Bone Scan W Tc-99m tagged WBC IV
24751-0 | Parathyroid Scan W Tl-201 subtraction Tc-99m IV
39635-8 | Brain Scan W Tl-201 IV
51389-5 | Breast Scan W Tl-201 IV
42012-5 | Gastrointestine upper Fluoroscopy W water soluble contrast PO
24669-4 | Colon Fluoroscopy W water soluble contrast PR
37577-4 | Acromioclavicular Joint X-ray W weight
37578-2 | Acromioclavicular joint - bilateral X-ray W weight
44144-4 | Liver Scan W Xe-133 inhaled
37582-4 | Acromioclavicular Joint X-ray WO weight
69055-2 | Acromioclavicular joint - bilateral X-ray WO weight
52073-4 | Vision attachment
28631-0 | Visual acuity study
46242-4 | Fetal Document Vital signs measurements
52070-0 | Workers compensation
74282-5 | Individual counseling note
71683-7 | FDA package insert PMI - Stop taking and call your doctor section
71685-2 | FDA package insert PMI - Tell your doctor before taking section
34086-9 | FDA package insert Abuse section
60555-0 | FDA package insert Accessories
34084-4 | FDA package insert Adverse reactions section
69761-5 | FDA package insert Alarms
70946-9 | Ancillary eye tests Narrative
34091-9 | FDA package insert Animal pharmacology/toxicology section
48767-8 | Annotation comment Narrative
60556-8 | FDA package insert Assembly or installation instructions

35519-8 | Clinical trial protocol Assessment of safety section
35517-2 | Clinical trial protocol Assessment section
35511-5 | Clinical trial protocol Background information section
34066-1 | FDA package insert Boxed warning section
60557-6 | FDA package insert Calibration instructions
72135-7 | Cancer diagnosis Narrative
34083-6 | FDA package insert Carcinogenesis and mutagenesis and impairment of fertility section
60684-8 | FDA product label Cellular therapy
60558-4 | FDA package insert Cleaning, disinfecting, and sterilization instructions
34090-1 | FDA package insert Clinical pharmacology section
34092-7 | FDA package insert Clinical studies section
35528-9 | Clinical trial protocol Clinical trial protocol
69760-7 | FDA package insert Compatible accessories
60559-2 | FDA package insert Components
70940-2 | Confrontation visual field Narrative
34070-3 | FDA package insert Contraindications section
34085-1 | FDA package insert Controlled substance section
57826-0 | Co-payment amount Narrative
57025-9 | Data criteria Narrative
35524-8 | Clinical trial protocol Data handling and record keeping section
34087-7 | FDA package insert Dependence section
34089-3 | FDA package insert Description section
69758-1 | FDA package insert Diagram of device
35521-4 | Clinical trial protocol Direct access to source data+documents section
69763-1 | FDA package insert Disposal and waste handling
34068-7 | FDA package insert Dosage and administration section
43678-2 | FDA package insert Dosage forms and strengths section
34074-5 | FDA package insert Drug/laboratory test interactions section
42227-9 | FDA package insert Drug abuse and dependence section
34073-7 | FDA package insert Drug interactions section
35518-0 | Clinical trial protocol Efficacy assessment section
35523-0 | Clinical trial protocol Ethics section
61147-5 | Expected outcomes Narrative
70943-6 | Eye anterior segment Narrative
70941-0 | Eye external Narrative
70944-4 | Eye posterior segment Narrative
35525-5 | Clinical trial protocol Financing and insurance section
35510-7 | Clinical trial protocol General information section
34072-9 | FDA package insert General precautions section
71743-9 | FDA product label Generic drug facility identification submission
34082-8 | FDA package insert Geriatric use section
61146-7 | Goals Narrative
71744-7 | FDA package insert Health care provider letter
69719-3 | FDA product label Health claim section
69670-8 | Health quality measure supplemental data Narrative
34069-5 | FDA package insert How supplied section
72090-4 | FDA product label Identification of CBER-regulated generic drug facility
64123-3 | FDA package insert Indexing - adverse reaction
71446-9 | FDA package insert Indexing - billing unit
60685-5 | FDA package insert Indexing - pharmacologic class
73815-3 | FDA package insert Indexing - product concept
64124-1 | FDA package insert Indexing - substance
34067-9 | FDA package insert Indications and usage section
34076-0 | FDA package insert Information for patients section
69730-0 | Instructions [Text] Narrative
59845-8 | FDA package insert Instructions for use section
60560-0 | FDA package insert Intended use of the device
62387-6 | Interventions Narrative
34079-4 | FDA package insert Labor and delivery section
34075-2 | FDA package insert Laboratory tests section
70945-1 | Lacrimal Narrative
70939-4 | Lensometry measurements Narrative
66105-8 | FDA package insert Lot distribution data
74045-6 | Measure description Narrative
57027-5 | Measure observations Narrative
43679-0 | FDA package insert Mechanism of action section
49489-8 | FDA package insert Microbiology section
43680-8 | FDA package insert Nonclinical toxicology section
34078-6 | FDA package insert Nonteratogenic effects section
34080-2 | FDA package insert Nursing mothers section
61149-1 | Objective Narrative
70942-8 | Ocular alignment and motility Narrative

70934-5 | Ocular history Narrative
70948-5 | Ocular physical exam Narrative
70935-2 | Ophthalmic medications Narrative
60561-8 | FDA package insert Other safety information
34088-5 | FDA package insert Overdosage section
51941-3 | FDA product label Back panel of package
51947-0 | FDA product label Bottom panel of package
51948-8 | FDA product label Flap panel of package
51945-4 | FDA product label Principal display panel of package
51944-7 | FDA product label Side panel of package
51943-9 | FDA product label Side panel of package Left
51942-1 | FDA product label Side panel of package Right
51946-2 | FDA product label Top panel of package
34081-0 | FDA package insert Pediatric use section
43681-6 | FDA package insert Pharmacodynamics section
66106-6 | FDA package insert Pharmacogenomics section
43682-4 | FDA package insert Pharmacokinetics section
59772-4 | Planned procedure Narrative
60683-0 | FDA product label Plasma derivative
71681-1 | FDA package insert PMI - Common side effects section
71684-5 | FDA package insert PMI - Directions for use section
71686-0 | FDA package insert PMI - Do not take section
71682-9 | FDA package insert PMI - Get emergency medical help section
71687-8 | FDA package insert PMI - Important information section
71688-6 | FDA package insert PMI - Uses section
57026-7 | Population criteria Narrative
69669-0 | Population stratification description Narrative
59769-0 | Postprocedure diagnosis Narrative
42232-9 | FDA package insert Precautions section
42228-7 | FDA package insert Pregnancy section
57059-8 | Pregnancy visit summary note Narrative
59774-0 | Procedure anesthesia Narrative
59775-7 | Procedure disposition Narrative
59770-8 | Procedure estimated blood loss Narrative
59776-5 | Procedure findings Narrative
59771-6 | Procedure implants Narrative
59768-2 | Procedure indications Narrative
59773-2 | Procedure specimens taken Narrative
35526-3 | Clinical trial protocol Publication policy section
35522-2 | Clinical trial protocol Quality control and quality assurance section
57827-8 | Reason for co-payment exemption Narrative
43683-2 | FDA package insert Recent major changes section
34093-5 | FDA package insert References section
70938-6 | Refractive measurements Narrative
69759-9 | FDA package insert Risks
48779-3 | FDA package insert Structured product labelling indexing data elements section
48780-1 | FDA package insert Structured product labelling listing data elements section
42231-1 | FDA package insert Structured product labelling medguide section
42230-3 | FDA package insert Structured product laballing patient package insert section
38056-8 | FDA package insert Structured product laballing supplemental patient material
42229-5 | FDA package insert Structured patient labelling unclassified section
69718-5 | FDA product label Statement of identity section
35520-6 | Clinical trial protocol Statistics section
44425-7 | FDA package insert Storage and handling section
35515-6 | Clinical trial protocol Subject participation + epochs section
35514-9 | Clinical trial protocol Subject selection and withdrawal section
61150-9 | Subjective Narrative
35527-1 | Clinical trial protocol Supplements section
55122-6 | Surgical operation note implants Narrative
34077-8 | FDA package insert Teratogenic effects section
35516-4 | Clinical trial protocol Treatment of subjects + epochs section
35513-1 | Clinical trial protocol Trial design section
42796-3 | Clinical trial protocol Trial name
35512-3 | Clinical trial protocol Trial objectives and purpose section
69762-3 | FDA package insert Troubleshooting
43684-0 | FDA package insert Use in specific populations section
54433-8 | FDA package insert User safety warnings section
70936-0 | Vision testing Narrative
43685-7 | FDA package insert Warnings and precautions section
34071-1 | FDA package insert Warnings section
74477-1 | Clinical document Kind of document from LOINC Document Ontology
74479-7 | Clinical document Role from LOINC Document Ontology

74476-3 | Clinical document Setting from LOINC Document Ontology
74480-5 | Clinical document Subject matter domain from LOINC Document Ontology
74478-9 | Clinical document Type of service from LOINC Document Ontology
42566-0 | Contributing Factor communication/Documentation MERSTH
21862-8 | Source of document used to abstract Cancer
69764-9 | Document type
48766-0 | Information source
70949-3 | Pathology report.section heading
60572-5 | Report template ID
60573-3 | Report template source
60574-1 | Report template version ID
73983-9 | Report.section heading Unspecified body region
40811-2 | 11-Deoxycorticosterone [Presence] in Serum or Plasma
29112-0 | Photo documentation Eye - left
29111-2 | Photo documentation Eye - right
72169-6 | Permission to release immunization data from school record
44943-9 | Self management
11206-0 | 18-Hydroxydeoxycorticosterone [Mass/volume] in Serum or Plasma
26988-6 | 18-Hydroxydeoxycorticosterone [Mass/time] in 24 hour Urine
50081-9 | 18-Hydroxydeoxycorticosterone [Moles/volume] in Serum or Plasma
57553-0 | 18-Hydroxydeoxycorticosterone [Moles/volume] in Serum or Plasma --1 hour post dose corticotropin
57552-2 | 18-Hydroxydeoxycorticosterone [Moles/volume] in Serum or Plasma --30 minutes post dose corticotropin
57551-4 | 18-Hydroxydeoxycorticosterone [Moles/volume] in Serum or Plasma --pre dose corticotropin
53347-1 | 11-Deoxycorticosterone [Mass/volume] in Dried blood spot
1656-8 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma
42855-7 | 11-Deoxycorticosterone [Mass/volume] in Urine
16110-9 | 11-Deoxycorticosterone [Mass/time] in 24 hour Urine
40818-7 | 11-Deoxycorticosterone [Moles/volume] in 24 hour Urine
53348-9 | 11-Deoxycorticosterone [Moles/volume] in Dried blood spot
25561-2 | 11-Deoxycorticosterone [Moles/volume] in Serum or Plasma
55808-0 | 11-Deoxycorticosterone [Moles/time] in 24 hour Urine
56611-7 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --1.5 hours post XXX challenge
56608-3 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --15 minutes post XXX challenge
57493-9 | 11-Deoxycorticosterone [Moles/volume] in Serum or Plasma --1 hour post 250 ug corticotropin
40816-1 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --1 hour post XXX challenge
56602-6 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --1st specimen post XXX challenge
56613-3 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --2.5 hours post XXX challenge
56609-1 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --20 minutes post XXX challenge
56612-5 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --2 hours post XXX challenge
56603-4 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --2nd specimen post XXX challenge
57492-1 | 11-Deoxycorticosterone [Moles/volume] in Serum or Plasma --30 minutes post 250 ug corticotropin
56556-4 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --30 minutes post XXX challenge
56604-2 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --3rd specimen post XXX challenge
56610-9 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --40 minutes post XXX challenge
56605-9 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --4th specimen post XXX challenge
59987-8 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --5th specimen post XXX challenge
59986-0 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --6th specimen post XXX challenge
59985-2 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --7th specimen post XXX challenge
59984-5 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --8th specimen post XXX challenge
56555-6 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --baseline
16294-1 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --post XXX challenge
57491-3 | 11-Deoxycorticosterone [Moles/volume] in Serum or Plasma --pre 250 ug corticotropin
56606-7 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --pre XXX challenge
13480-9 | 18-Hydroxydeoxycortisol/Creatinine [Mass Ratio] in Urine
44729-2 | Progesterone/11-Deoxycorticosterone [Mass Ratio] in Serum or Plasma
69799-5 | 21-Deoxycorticosterone [Moles/volume] in Serum or Plasma
57562-1 | 21-Deoxycorticosterone [Moles/volume] in Serum or Plasma --1 hour post dose corticotropin
57561-3 | 21-Deoxycorticosterone [Moles/volume] in Serum or Plasma --30 minutes post dose corticotropin
57560-5 | 21-Deoxycorticosterone [Moles/volume] in Serum or Plasma --pre dose corticotropin
72510-1 | Performance rate Reporting period population Calculated
72509-3 | Reporting rate Reporting period population Calculated

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.4.1.71 Value Set http://hl7.org/fhir/ValueSet/medication-statement-status

URL: https://hl7.org/fhir/R4/valueset-medication-statement-status.html
Pharmacy Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medication-statement-status
Version: | 4.0.1
Name: | Medication Status Codes
Title: | Medication status codes
Definition: | Medication Status Codes
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.367 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for Medication Status Codes
• ConceptMap: Translation source in Canonical Mapping for "Medication status codes"
• Resource: MedicationStatement.status (code / Required)

4.4.1.71.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/CodeSystem/medication-statement-status

4.4.1.71.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 8 concepts

Expansion based on http://hl7.org/fhir/CodeSystem/medication-statement-status version 4.0.1

All codes from system http://hl7.org/fhir/CodeSystem/medication-statement-status

Code | Display | Definition | Canonical Status
active | Active | The medication is still being taken. | ~active
completed | Completed | The medication is no longer being taken. | ~complete
entered-in-error | Entered in Error | Some of the actions that are implied by the medication statement may have occurred. For example, the patient may have taken some of the medication. Clinical decision support systems should take this status into account. | ~error
intended | Intended | The medication may be taken at some time in the future. | ~planned
stopped | Stopped | Actions implied by the statement have been permanently halted, before all of them occurred. This should not be used if the statement was entered in error. | ~failed
on-hold | On Hold | Actions implied by the statement have been temporarily halted, but are expected to continue later. May also be called 'suspended'. | ~suspended
unknown | Unknown | The state of the medication use is not currently known. | ~unknown
not-taken | Not Taken | The medication was not consumed by the patient | ~not-done

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.72 Value Set http://hl7.org/fhir/ValueSet/ex-onsettype

URL: https://hl7.org/fhir/R4/valueset-ex-onsettype.html
Financial Management Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/ex-onsettype
Version: | 4.0.1

Name: | ExampleOnsetType(Reason)Codes
Title: | Example Onset Type (Reason) Codes
Definition: | This value set includes sample Service Modifier codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.578 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ExampleOnsetType(Reason)Codes

4.4.1.72.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/ex-onsettype

4.4.1.72.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/ex-onsettype version 4.0.1

All codes from system http://hl7.org/fhir/ex-onsettype

Code | Display | Definition
lxm | Last Exam | Date of last examination.
sym | Start of Symptoms | Date when symptoms were first noticed.
lmn | Last Menstruation | Start date of last menstruation.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.73 Value Set http://hl7.org/fhir/ValueSet/map-group-type-mode

URL: https://hl7.org/fhir/R4/valueset-map-group-type-mode.html
FHIR Infrastructure Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/map-group-type-mode
Version: | 4.0.1
Name: | StructureMapGroupTypeMode
Title: | StructureMapGroupTypeMode
Definition: | If this is the default rule set to apply for the source type, or this combination of types.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.687 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for StructureMapGroupTypeMode

• Resource: StructureMap.group.typeMode (code / Required)

4.4.1.73.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/map-group-type-mode

4.4.1.73.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/map-group-type-mode version 4.0.1

All codes from system http://hl7.org/fhir/map-group-type-mode

Code | Display | Definition
none | Not a Default | This group is not a default group for the types.
types | Default for Type Combination | This group is a default mapping group for the specified types and for the primary source type.
type-and-types | Default for type + combination | This group is a default mapping group for the specified types.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.74 Value Set http://hl7.org/fhir/ValueSet/service-product

URL: https://hl7.org/fhir/R4/valueset-service-product.html
Financial Management Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/service-product
Version: | 4.0.1
Name: | ExampleService/ProductCodes
Title: | Example Service/Product Codes
Definition: | This value set includes a smattering of Service/Product codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.560 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ExampleService/ProductCodes

4.4.1.74.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/ex-serviceproduct

4.4.1.74.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/ex-serviceproduct version 4.0.1

All codes from system http://hl7.org/fhir/ex-serviceproduct

Code | Display | Definition
exam | Exam | Exam
flushot | Flu shot | Flu shot

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.75 Value Set http://hl7.org/fhir/ValueSet/ex-diagnosistype

URL: https://hl7.org/fhir/R4/valueset-ex-diagnosistype.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/ex-diagnosistype
Version: | 4.0.1
Name: | ExampleDiagnosisTypeCodes
Title: | Example Diagnosis Type Codes
Definition: | This value set includes example Diagnosis Type codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.590 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ExampleDiagnosisTypeCodes

• Resource: ExplanationOfBenefit.diagnosis.type (CodeableConcept / Example)

• Resource: Claim.diagnosis.type (CodeableConcept / Example)

4.4.1.75.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/ex-diagnosistype

4.4.1.75.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 12 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/ex-diagnosistype version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/ex-diagnosistype

Code | Display | Definition
admitting | Admitting Diagnosis | The diagnosis given as the reason why the patient was admitted to the hospital.
clinical | Clinical Diagnosis | A diagnosis made on the basis of medical signs and patient-reported symptoms, rather than diagnostic tests.
differential | Differential Diagnosis | One of a set of the possible diagnoses that could be connected to the signs, symptoms, and lab findings.
discharge | Discharge Diagnosis | The diagnosis given when the patient is discharged from the hospital.
laboratory | Laboratory Diagnosis | A diagnosis based significantly on laboratory reports or test results, rather than the physical examination of the patient.
nursing | Nursing Diagnosis | A diagnosis which identifies people's responses to situations in their lives, such as a readiness to change or a willingness to accept assistance.
prenatal | Prenatal Diagnosis | A diagnosis determined prior to birth.
principal | Principal Diagnosis | The single medical diagnosis that is most relevant to the patient's chief complaint or need for treatment.
radiology | Radiology Diagnosis | A diagnosis based primarily on the results from medical imaging studies.
remote | Remote Diagnosis | A diagnosis determined using telemedicine techniques.
retrospective | Retrospective Diagnosis | The labeling of an illness in a specific historical event using modern knowledge, methods and disease classifications.
self | Self Diagnosis | A diagnosis determined by the patient.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.76 Value Set http://hl7.org/fhir/ValueSet/allergy-intolerance-type

URL: https://hl7.org/fhir/R4/valueset-allergy-intolerance-type.html
Patient Care Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/allergy-intolerance-type
Version: | 4.0.1
Name: | AllergyIntoleranceType
Title: | AllergyIntoleranceType
Definition: | Identification of the underlying physiological mechanism for a Reaction Risk.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.131 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for AllergyIntoleranceType

• Resource: AllergyIntolerance.type (code / Required)

4.4.1.76.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/allergy-intolerance-type

4.4.1.76.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/allergy-intolerance-type version 4.0.1

All codes from system http://hl7.org/fhir/allergy-intolerance-type

Code | Display | Definition
allergy | Allergy | A propensity for hypersensitive reaction(s) to a substance. These reactions are most typically type I hypersensitivity, plus other "allergy-like" reactions, including pseudoallergy.
intolerance | Intolerance | A propensity for adverse reactions to a substance that is not judged to be allergic or "allergy-like". These reactions are typically (but not necessarily) non-immune. They are to some degree idiosyncratic and/or patient-specific (i.e. are not a reaction that is expected to occur with most or all patients given similar circumstances).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.77 Value Set http://hl7.org/fhir/ValueSet/reason-medication-given-codes

URL: https://hl7.org/fhir/R4/valueset-reason-medication-given-codes.html
Pharmacy Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/reason-medication-given-codes
Version: | 4.0.1
Name: | ReasonMedicationGivenCodes
Title: | Reason Medication Given Codes
Definition: | This value set is provided as an example. The value set to instantiate this attribute should be drawn from a robust terminology code system that consists of or contains concepts to support the medication process.
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.344 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ReasonMedicationGivenCodes

• Resource: MedicationAdministration.reasonCode (CodeableConcept / Example)

4.4.1.77.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/reason-medication-given

4.4.1.77.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/reason-medication-given version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/reason-medication-given

Code	Display	Definition
a	None	No reason known.
b	Given as Ordered	The administration was following an ordered protocol.
c	Emergency	The administration was needed to treat an emergency.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.78 Value Set http://hl7.org/fhir/ValueSet/group-measure

URL: https://hl7.org/fhir/R4/valueset-group-measure.html
Clinical Decision Support Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/group-measure
Version: | 4.0.1
Name: | GroupMeasure
Title: | GroupMeasure
Definition: | Possible group measure aggregates (E.g. Mean, Median).
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.1345 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for GroupMeasure

• Resource: EvidenceVariable.characteristic.groupMeasure (code / Required)

4.4.1.78.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/group-measure

4.4.1.78.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/group-measure version 4.0.1

All codes from system http://hl7.org/fhir/group-measure

Code	Display	Definition
mean	Mean	Aggregated using Mean of participant values.
median	Median	Aggregated using Median of participant values.
mean-of-mean	Mean of Study Means	Aggregated using Mean of study mean values.
mean-of-median	Mean of Study Medins	Aggregated using Mean of study median values.
median-of-mean	Median of Study Means	Aggregated using Median of study mean values.
median-of-median	Median of Study Medians	Aggregated using Median of study median values.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.79 Value Set http://hl7.org/fhir/ValueSet/abstract-types

URL: https://hl7.org/fhir/R4/valueset-abstract-types.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/abstract-types
Version: | 4.0.1
Name: | AbstractType
Title: | AbstractType
Definition: | A list of the base types defined by this version of the FHIR specification - types that are defined, but for which only specializations actually are created.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.23 (for OID based terminology systems)
Source Resource | XML / JSON

This Value Set is normative - it is generated based on the information defined in this specification. The definition will remain fixed across versions, but the actual contents will change from version to version

This value set is not currently used

4.4.1.79.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/abstract-types

4.4.1.79.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/abstract-types version 4.0.1

All codes from system http://hl7.org/fhir/abstract-types

Code | Display | Definition
Type | Type | A place holder that means any kind of data type
Any | Any | A place holder that means any kind of resource

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.80 Value Set http://hl7.org/fhir/ValueSet/definition-status

URL: https://hl7.org/fhir/R4/valueset-definition-status.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/definition-status
Version: | 4.0.1
Name: | DefinitionStatus
Title: | DefinitionStatus

Definition: | Codes identifying the lifecycle stage of a definition.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.107 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for DefinitionStatus

4.4.1.80.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/definition-status

4.4.1.80.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/definition-status version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/definition-status

Code | Display | Definition
draft | Draft | The definition is in the design stage and is not yet considered to be "ready for use".
active | Active | The definition is considered ready for use.
withdrawn | Withdrawn | The definition should no longer be used.
unknown | Unknown | The authoring/source system does not know which of the status values currently applies for this resource. Note: This concept is not to be used for "other" - one of the listed statuses is presumed to apply, but the authoring/source system does not know which.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.81 Value Set http://hl7.org/fhir/ValueSet/operation-parameter-use

URL: https://hl7.org/fhir/R4/valueset-operation-parameter-use.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Conformance Package for further details.

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/operation-parameter-use
Version: | 4.0.1
Name: | OperationParameterUse
Title: | OperationParameterUse
Definition: | Whether an operation parameter is an input or an output parameter.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.508 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for OperationParameterUse
• Resource: OperationDefinition.parameter.use (code / Required)
• Resource: ParameterDefinition.use (code / Required)

4.4.1.81.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/operation-parameter-use

4.4.1.81.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/operation-parameter-use version 4.0.1

All codes from system http://hl7.org/fhir/operation-parameter-use

Code | Display | Definition
in | In | This is an input parameter.
out | Out | This is an output parameter.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.82 Value Set http://hl7.org/fhir/ValueSet/language-preference-type

URL: https://hl7.org/fhir/R4/valueset-language-preference-type.html
Patient Administration Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/language-preference-type
Version: | 4.0.1
Name: | LanguagePreferenceType
Title: | Language preference type
Definition: | This value set defines the set of codes for describing the type or mode of the patient's preferred language.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.1022 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• Extension: http://hl7.org/fhir/StructureDefinition/patient-preferenceType: preferenceType (Coding / Extensible)

4.4.1.82.1 Content Logical Definition

This value set includes codes from the following code systems:

http://hl7.org/fhir/language-preference-type

Code | Display
verbal | verbal | The patient prefers to verbally communicate with the associated language.
written | written | The patient prefers to communicate in writing with the associated language.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.83 Value Set http://hl7.org/fhir/ValueSet/code-search-support

URL: https://hl7.org/fhir/R4/valueset-code-search-support.html
Vocabulary Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/code-search-support

Version: | 4.0.1
Name: | CodeSearchSupport
Title: | CodeSearchSupport
Definition: | The degree to which the server supports the code search parameter on ValueSet, if it is supported.
Committee: | Vocabulary Work Group
OID: | 2.16.840.1.113883.4.642.3.860 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for CodeSearchSupport
• Resource: TerminologyCapabilities.codeSearch (code / Required)

4.4.1.83.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/code-search-support

4.4.1.83.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/code-search-support version 4.0.1

All codes from system http://hl7.org/fhir/code-search-support

Code | Display | Definition
explicit | Explicit Codes | The search for code on ValueSet only includes codes explicitly detailed on includes or expansions.
all | Implicit Codes | The search for code on ValueSet only includes all codes based on the expansion of the value set.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.84 Value Set http://hl7.org/fhir/ValueSet/benefit-term

URL: https://hl7.org/fhir/R4/valueset-benefit-term.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/benefit-term
Version: | 4.0.1
Name: | BenefitTermCodes
Title: | Benefit Term Codes
Definition: | This value set includes a smattering of Benefit Term codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.612 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for BenefitTermCodes
• Resource: CoverageEligibilityResponse.insurance.item.term (CodeableConcept / Example)
• Resource: ExplanationOfBenefit.benefitBalance.term (CodeableConcept / Example)

4.4.1.84.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/benefit-term

4.4.1.84.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/benefit-term version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/benefit-term

Code | Display | Definition
annual | Annual | Annual, renewing on the anniversary
day | Day | Per day
lifetime | Lifetime | For the total term, lifetime, of the policy or coverage

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.85 Value Set http://hl7.org/fhir/ValueSet/dataelement-sdcobjectclass

URL: https://hl7.org/fhir/R4/valueset-dataelement-sdcobjectclass.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined at http://healthit.gov .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/dataelement-sdcobjectclass
Version: | 4.0.1
Name: | DataElementSDCObjectClass
Title: | DataElement SDC Object Class
Definition: | The allowed codes for identifying the ISO 11179 ObjectClass for a particular data element if intended for registration/use within the U.S. Structured Data Capture (SDC) project.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.910 (for OID based terminology systems)
Copyright: | This value set includes content from LOINC®, which is copyright © 1995 Regenstrief Institute, Inc. and the LOINC Committee, and available at no cost under the license at http://loinc.org/terms-of-use. This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Extension: http://hl7.org/fhir/StructureDefinition/11179-objectClass: objectClass (Coding / Example)

4.4.1.85.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://snomed.info/sct
• Include all codes defined in http://loinc.org
• Include all codes defined in http://www.nlm.nih.gov/research/umls/rxnorm

4.4.1.85.2 Expansion

This expansion generated 01 Nov 2019

This value set cannot be expanded because of the way it is defined - it has an infinite number of members

Code | System | Display

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.86 Value Set http://hl7.org/fhir/ValueSet/object-role

URL: https://hl7.org/fhir/R4/valueset-object-role.html
Security Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/object-role
Version: | 4.0.1
Name: | AuditEventEntityRole
Title: | AuditEventEntityRole
Definition: | Code representing the role the entity played in the audit event.
Committee: | Security Work Group
OID: | 2.16.840.1.113883.4.642.3.460 (for OID based terminology systems)
Copyright: | These codes are excerpted from Digital Imaging and Communications in Medicine (DICOM) Standard, Part 16: Content Mapping Resource, Copyright © 2011 by the National Electrical Manufacturers Association.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for AuditEventEntityRole
• Resource: AuditEvent.entity.role (Coding / Extensible)

4.4.1.86.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/object-role

4.4.1.86.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 24 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/object-role version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/object-role

Code | Display | Definition
1 | Patient | This object is the patient that is the subject of care related to this event. It is identifiable by patient ID or equivalent. The patient may be either human or animal.
2 | Location | This is a location identified as related to the event. This is usually the location where the event took place. Note that for shipping, the usual events are arrival at a location or departure from a location.
3 | Report | This object is any kind of persistent document created as a result of the event. This could be a paper report, film, electronic report, DICOM Study, etc. Issues related to medical records life cycle management are conveyed elsewhere.
4 | Domain Resource | A logical object related to a health record event. This is any healthcare specific resource (object) not restricted to FHIR defined Resources.
5 | Master file | This is any configurable file used to control creation of documents. Examples include the objects maintained by the HL7 Master File transactions, Value Sets, etc.
6 | User | A human participant not otherwise identified by some other category.
7 | List | (deprecated).
8 | Doctor | Typically, a licensed person who is providing or performing care related to the event, generally a physician. The key distinction between doctor and practitioner is with regards to their role, not the licensing. The doctor is the human who actually performed the work. The practitioner is the human or organization that is responsible for the work.
9 | Subscriber | A person or system that is being notified as part of the event. This is relevant in situations where automated systems provide notifications to other parties when an event took place.
10 | Guarantor | Insurance company, or any other organization who accepts responsibility for paying for the healthcare event.
11 | Security User Entity | A person or active system object involved in the event with a security role.
12 | Security User Group | A person or system object involved in the event with the authority to modify security roles of other objects.
13 | Security Resource | A passive object, such as a role table, that is relevant to the event.
14 | Security Granularity Definition | (deprecated) Relevant to certain RBAC security methodologies.
15 | Practitioner | Any person or organization responsible for providing care. This encompasses all forms of care, licensed or otherwise, and all sorts of teams and care groups. Note the distinction between practitioner and the doctor that actually provided the care to the patient.
16 | Data Destination | The source or destination for data transfer, when it does not match some other role.
17 | Data Repository | A source or destination for data transfer that acts as an archive, database, or similar role.
18 | Schedule | An object that holds schedule information. This could be an appointment book, availability information, etc.
19 | Customer | An organization or person that is the recipient of services. This could be an organization that is buying services for a patient, or a person that is buying services for an animal.
20 | Job | An order, task, work item, procedure step, or other description of work to be performed; e.g. a particular instance of an MPPS.
21 | Job Stream | A list of jobs or a system that provides lists of jobs; e.g. an MWL SCP.
22 | Table | (Deprecated).
23 | Routing Criteria | An object that specifies or controls the routing or delivery of items. For example, a distribution list is the routing criteria for mail. The items delivered may be documents, jobs, or other objects.

24 | Query | The contents of a query. This is used to capture the contents of any kind of query. For security surveillance purposes knowing the queries being made is very important.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.87 Value Set http://hl7.org/fhir/ValueSet/measure-type

URL: https://hl7.org/fhir/R4/valueset-measure-type.html
Clinical Quality Information Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/measure-type
Version: | 4.0.1
Name: | MeasureType
Title: | MeasureType
Definition: | The type of measure (includes codes from 2.16.840.1.113883.1.11.20368).
Committee: | Clinical Quality Information Work Group
OID: | 2.16.840.1.113883.4.642.3.769 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for MeasureType
• Resource: Measure.type (CodeableConcept / Extensible)
• Profile: ShareableMeasure: Measure.type (CodeableConcept / Extensible)

4.4.1.87.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/measure-type

4.4.1.87.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/measure-type version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/measure-type

Code | Display | Definition
process | Process | A measure which focuses on a process which leads to a certain outcome, meaning that a scientific basis exists for believing that the process, when executed well, will increase the probability of achieving a desired outcome.
outcome | Outcome | A measure that indicates the result of the performance (or non-performance) of a function or process.
structure | Structure | A measure that focuses on a health care provider's capacity, systems, and processes to provide high-quality care.
patient-reported-outcome | Patient Reported Outcome | A measure that focuses on patient-reported information such as patient engagement or patient experience measures.
composite | Composite | A measure that combines multiple component measures in to a single quality measure.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.88 Value Set http://hl7.org/fhir/ValueSet/contract-security-control

URL: https://hl7.org/fhir/R4/valueset-contract-security-control.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contract-security-control
Version: | 4.0.1
Name: | ContractResourceSecurityControlCodes
Title: | Contract Resource Security Control codes
Definition: | This value set contract specific codes for security control.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.1222 (for OID based terminology systems)
Copyright: | HL7 International.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ContractResourceSecurityControlCodes

• Resource: Contract.term.securityLabel.control (Coding / Example)

4.4.1.88.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/contract-security-control

4.4.1.88.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 1 concepts

Expansion based on http://hl7.org/fhir/contract-security-control version 4.0.1

All codes from system http://hl7.org/fhir/contract-security-control

Code | Display | Definition
policy | Policy | To be completed

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.89 Value Set http://hl7.org/fhir/ValueSet/postal-address-use

URL: https://hl7.org/fhir/R4/valueset-postal-address-use.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/postal-address-use
Version: | 4.0.1
Name: | PostalAddressUse
Title: | PostalAddressUse
Definition: | Uses of an address not included in Address.use.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.908 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is not currently used

4.4.1.89.1 Content Logical Definition

This value set includes codes from the following code systems:

http://terminology.hl7.org/CodeSystem/v3-AddressUse

Code | Display | Definition
BAD | bad address | A flag indicating that the address is bad, in fact, useless.
CONF | confidential address | Indicates that the address is considered sensitive and should only be shared or published in accordance with organizational controls governing patient demographic information with increased sensitivity. Uses of Addresses. Lloyd to supply more complete description.
HP | primary home | The primary home, to reach a person after business hours.
HV | vacation home | A vacation home, to reach a person while on vacation.
DIR | direct | Indicates a work place address or telecommunication address that reaches the individual or organization directly without intermediaries. For phones, often referred to as a 'private line'.
PUB | public | Indicates a work place address or telecommunication address that is a 'standard' address which may reach a reception service, mail-room, or other intermediary prior to the target entity.
PHYS | physical visit address | Used primarily to visit an address.
PST | postal address | Used to send mail.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.90 Value Set http://hl7.org/fhir/ValueSet/questionnaire-display-category

URL: https://hl7.org/fhir/R4/valueset-questionnaire-display-category.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined at http://www.hl7.org/Special/committees/patientcare .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/questionnaire-display-category
Version: | 4.0.1
Name: | QuestionnaireTextCategories
Title: | Questionnaire Text Categories
Definition: | Codes defining the purpose of a Questionnaire item of type 'text'.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.935 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for QuestionnaireTextCategories

• Extension: http://hl7.org/fhir/StructureDefinition/questionnaire-displayCategory: displayCategory (CodeableConcept / Extensible)

4.4.1.90.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/questionnaire-display-category

4.4.1.90.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/questionnaire-display-category version 4.0.1

All codes from system http://hl7.org/fhir/questionnaire-display-category

Code | Display | Definition
instructions | Instructions | The text provides guidance on how to populate or use a portion of the questionnaire (or the questionnaire as a whole).
security | Security | The text provides guidance on how the information should be or will be handled from a security/confidentiality/access control perspective when completed
help | Help | The text provides additional guidance on populating the containing item. Help text isn't necessarily expected to be rendered as part of the form, but may instead be made available through fly-over, pop-up button, link to a "help" page, etc.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.91 Value Set http://hl7.org/fhir/ValueSet/media-type

URL: https://hl7.org/fhir/R4/valueset-media-type.html
Orders and Observations Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/media-type
Version: | 4.0.1
Name: | MediaType
Title: | Media Type
Definition: | Codes for high level media categories.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.1000 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for MediaType
• Resource: Media.type (CodeableConcept / Extensible)

4.4.1.91.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/media-type

4.4.1.91.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/media-type version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/media-type

Code | Display | Definition
image | Image | The media consists of one or more unmoving images, including photographs, computer-generated graphs and charts, and scanned documents
video | Video | The media consists of a series of frames that capture a moving image
audio | Audio | The media consists of a sound recording

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.92 Value Set http://hl7.org/fhir/ValueSet/device-nametype

URL: https://hl7.org/fhir/R4/valueset-device-nametype.html
Orders and Observations Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/device-nametype
Version: | 4.0.1
Name: | DeviceNameType
Title: | DeviceNameType
Definition: | The type of name the device is referred by.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.1083 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for DeviceNameType

• Resource: DeviceDefinition.deviceName.type (code / Required)

4.4.1.92.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/device-nametype

4.4.1.92.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/device-nametype version 4.0.1

All codes from system http://hl7.org/fhir/device-nametype

Code | Display | Definition
udi-label-name | UDI Label name | UDI Label name.
user-friendly-name | User Friendly name | User Friendly name.
patient-reported-name | Patient Reported name | Patient Reported name.
manufacturer-name | Manufacturer name | Manufacturer name.
model-name | Model name | Model name.
other | other | other.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.93 Value Set http://hl7.org/fhir/ValueSet/encounter-location-status

URL: https://hl7.org/fhir/R4/valueset-encounter-location-status.html
Patient Administration Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/encounter-location-status
Version: | 4.0.1
Name: | EncounterLocationStatus
Title: | EncounterLocationStatus
Definition: | The status of the location.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.262 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for EncounterLocationStatus

• ConceptMap: Translation source in Canonical Mapping for "EncounterLocationStatus"

• Resource: Encounter.location.status (code / Required)

4.4.1.93.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/encounter-location-status

4.4.1.93.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/encounter-location-status version 4.0.1

All codes from system http://hl7.org/fhir/encounter-location-status

Code | Display | Definition | Canonical Status
planned | Planned | The patient is planned to be moved to this location at some point in the future. | ~planned
active | Active | The patient is currently at this location, or was between the period specified. A system may update these records when the patient leaves the location to either reserved, or completed. | ~active
reserved | Reserved | This location is held empty for this patient. | ~accepted
completed | Completed | The patient was at this location during the period specified. Not to be used when the patient is currently at the location. | ~complete

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.94 Value Set http://hl7.org/fhir/ValueSet/examplescenario-actor-type

URL: https://hl7.org/fhir/R4/valueset-examplescenario-actor-type.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/examplescenario-actor-type
Version: | 4.0.1
Name: | ExampleScenarioActorType
Title: | ExampleScenarioActorType
Definition: | The type of actor - system or human.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.858 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ExampleScenarioActorType
• Resource: ExampleScenario.actor.type (code / Required)

4.4.1.94.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/examplescenario-actor-type

4.4.1.94.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/examplescenario-actor-type version 4.0.1

All codes from system http://hl7.org/fhir/examplescenario-actor-type

Code | Display | Definition
person | Person | A person.
entity | System | A system.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.95 Value Set http://hl7.org/fhir/ValueSet/name-part-qualifier

URL: https://hl7.org/fhir/R4/valueset-name-part-qualifier.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/name-part-qualifier
Version: | 4.0.1
Name: | EntityNamePartQualifier
Title: | EntityNamePartQualifier
Definition: | A set of codes each of which specifies a certain subcategory of the name part in addition to the main name part type.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.906 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is not currently used

4.4.1.95.1 Content Logical Definition

This value set includes codes from the following code systems:

http://terminology.hl7.org/CodeSystem/v3-EntityNamePartQualifierR2

Code | Display | Definition
LS | Legal status | For organizations a suffix indicating the legal status, e.g., Inc., "Co.", "AG", "GmbH", "B.V." "S.A.", "Ltd." Etc.
AC | Academic | Indicates that a prefix like "Dr." or a suffix like "M.D." or "Ph.D." is an academic title.
NB | Nobility | In Europe and Asia, there are still people with nobility titles (aristocrats). German "von" is generally a nobility title, not a mere voorvoegsel. Others are "Earl of" or "His Majesty King of..." etc. Rarely used nowadays, but some systems do keep track of this.
PR | Professional | Primarily in the British Imperial culture people tend to have an abbreviation of their professional organization as part of their credential suffices
HON | Honorific | An honorific such as "The Right Honourable" or "Weledelgeleerde Heer".
BR | Birth | A name that a person was given at birth or established as a consequence of adoption. NOTE: This is not used for temporary names assigned at birth such as 'Baby of Smith' – which is just a name with a use code of TEMP
AD | Acquired | A name part a person acquired. The name part may be acquired by adoption, or the person may have chosen to use the name part for some other reason. NOTE This differs from an other/psuedonym/alias in that an acquired name part is acquired on a formal basis rather than an informal one (e.g. registered as part of the official name)
SP | Spouse | The name assumed from the partner in a marital relationship. Usually the spouse‘s family name. No inference about gender may be made from the existence of spouse names
MID | Middle Name | Indicates that the name part is a middle name. In general, the English "middle name" concept is all of the given names after the first. This qualifier may be used to explicitly indicate which given names are considered to be middle names. The middle name qualifier may also be used with family names. This is a Scandinavian use case, matching the concept of "mellomnavn"/"mellannamn". There are specific rules that indicate what names may be taken as a mellannamnin different Scandinavian countries
CL | Call me | Callme is used to indicate which of the various name parts is used when interacting with the person
IN | Initial | Indicates that a name part is just an initial. Initials do not imply a trailing period since this would not work with non-Latin scripts. Initials may consist of more than one letter, e.g., "Ph." could stand for "Philippe" or "Th." for "Thomas"

http://terminology.hl7.org/CodeSystem/v3-EntityNamePartQualifier

Code | Display | Definition
VV | Voorvoegsel | A Dutch "voorvoegsel" is something like "van" or "de" that might have indicated nobility in the past but no longer so. Similar prefixes exist in other languages such as German, Spanish, French or Portugese

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.96 Value Set http://hl7.org/fhir/ValueSet/care-plan-activity-kind

URL: https://hl7.org/fhir/R4/valueset-care-plan-activity-kind.html
Patient Care Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined at http://www.hl7.org/Special/committees/patientcare/ .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/care-plan-activity-kind
Version: | 4.0.1
Name: | CarePlanActivityKind
Title: | Care Plan Activity Kind
Definition: | Resource types defined as part of FHIR that can be represented as in-line definitions of a care plan activity.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.145 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: CarePlan.activity.detail.kind (code / Required)

4.4.1.96.1 Content Logical Definition

This value set includes codes from the following code systems:

http://hl7.org/fhir/resource-types

Code | Display
Appointment | Appointment | A booking of a healthcare event among patient(s), practitioner(s), related person(s) and/or device(s) for a specific date/time. This may result in one or more Encounter(s).
CommunicationRequest | CommunicationRequest | A request to convey information; e.g. the CDS system proposes that an alert be sent to a responsible provider, the CDS system proposes that the public health agency be notified about a reportable condition.
DeviceRequest | DeviceRequest | Represents a request for a patient to employ a medical device. The device may be an implantable device, or an external assistive device, such as a walker.
MedicationRequest | MedicationRequest | An order or request for both supply of the medication and the instructions for administration of the medication to a patient. The resource is called "MedicationRequest" rather than "MedicationPrescription" or "MedicationOrder" to generalize the use across inpatient and outpatient settings, including care plans, etc., and to harmonize with workflow patterns.
NutritionOrder | NutritionOrder | A request to supply a diet, formula feeding (enteral) or oral nutritional supplement to a patient/resident.
Task | Task | A task to be performed.
ServiceRequest | ServiceRequest | A record of a request for service such as diagnostic investigations, treatments, or operations to be performed.
VisionPrescription | VisionPrescription | An authorization for the provision of glasses and/or contact lenses to a patient.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.97 Value Set http://hl7.org/fhir/ValueSet/device-definition-status

URL: https://hl7.org/fhir/R4/valueset-device-definition-status.html
Orders and Observations Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/device-definition-status
Version: | 4.0.1
Name: | FHIRDeviceStatus
Title: | FHIRDeviceStatus
Definition: | Codes representing the current status of the device - on, off, suspended, etc.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.1307 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for FHIRDeviceStatus

4.4.1.97.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/device-definition-status

4.4.1.97.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/device-definition-status version 4.0.1

All codes from system http://hl7.org/fhir/device-definition-status

Code | Display | Definition
active | Active | The device is available for use. Note: For *implanted devices* this means that the device is implanted in the patient.
inactive | Inactive | The device is no longer available for use (e.g. lost, expired, damaged). Note: For *implanted devices* this means that the device has been removed from the patient.
entered-in-error | Entered in Error | The device was entered in error and voided.
unknown | Unknown | The status of the device has not been determined.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.98 Value Set http://hl7.org/fhir/ValueSet/message-events

URL: https://hl7.org/fhir/R4/valueset-message-events.html
FHIR Infrastructure Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/message-events
Version: | 4.0.1
Name: | MessageEvent
Title: | MessageEvent
Definition: | One of the message events defined as part of this version of FHIR.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.26 (for OID based terminology systems)
Source Resource | XML / JSON

This Value Set is generated based on the information defined in this specification. The definition will remain fixed across versions, but the actual contents will change from version to version

This value set is used in the following places:

• Resource: MessageDefinition.event[x] (Coding|uri / Example)

• Resource: MessageHeader.event[x] (Coding|uri / Example)

4.4.1.98.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/message-events

4.4.1.98.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Expansion based on http://hl7.org/fhir/message-events version 4.0.1

Code | System | Display

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.99 Value Set http://hl7.org/fhir/ValueSet/c80-practice-codes

URL: https://hl7.org/fhir/R4/valueset-c80-practice-codes.html
Structured Documents Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/c80-practice-codes
Version: | 4.0.1
Name: | PracticeSettingCodeValueSet
Title: | Practice Setting Code Value Set
Definition: | This is the code representing the clinical specialty of the clinician or provider who interacted with, treated, or provided a service to/for the patient. The value set used for clinical specialty has been limited by HITSP to the value set reproduced from HITSP C80 Table 2-149 Clinical Specialty Value Set Definition.
Committee: | Structured Documents Work Group
OID: | 2.16.840.1.113883.3.88.12.80.72 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

- Resource: Appointment.specialty (CodeableConcept / Preferred)
- Resource: DocumentReference.context.practiceSetting (CodeableConcept / Example)
- Resource: PractitionerRole.specialty (CodeableConcept / Preferred)
- Resource: Slot.specialty (CodeableConcept / Preferred)
- Resource: OrganizationAffiliation.specialty (CodeableConcept / Preferred)
- Resource: HealthcareService.specialty (CodeableConcept / Preferred)
- Resource: Schedule.specialty (CodeableConcept / Preferred)

4.4.1.99.1 Content Logical Definition

This value set includes codes from the following code systems:

http://snomed.info/sct

Code | Display
408467006 | Adult mental illness
394577000 | Anesthetics
394578005 | Audiological medicine
421661004 | Blood banking and transfusion medicine
408462000 | Burns care
394579002 | Cardiology
394804000 | Clinical cytogenetics and molecular genetics
394580004 | Clinical genetics
394803006 | Clinical hematology
408480009 | Clinical immunology
408454008 | Clinical microbiology
394809005 | Clinical neuro-physiology
394592004 | Clinical oncology
394600006 | Clinical pharmacology
394601005 | Clinical physiology
394581000 | Community medicine
408478003 | Critical care medicine
394812008 | Dental medicine specialties
408444009 | Dental-General dental practice
394582007 | Dermatology
408475000 | Diabetic medicine
410005002 | Dive medicine
394583002 | Endocrinology
419772000 | Family practice
394584008 | Gastroenterology
408443003 | General medical practice
394802001 | General medicine

394915009 | General pathology
394814009 | General practice
394808002 | Genito-urinary medicine
394811001 | Geriatric medicine
408446006 | Gynecological oncology
394586005 | Gynecology
394916005 | Hematopathology
408472002 | Hepatology
394597005 | Histopathology
394598000 | Immunopathology
394807007 | Infectious diseases
419192003 | Internal medicine
408468001 | Learning disability
394593009 | Medical oncology
394813003 | Medical ophthalmology
410001006 | Military medicine
394589003 | Nephrology
394591006 | Neurology
394599008 | Neuropathology
394649004 | Nuclear medicine
408470005 | Obstetrics
394585009 | Obstetrics and gynecology
394821009 | Occupational medicine
422191005 | Ophthalmic surgery
394594003 | Ophthalmology
416304004 | Osteopathic manipulative medicine
418960008 | Otolaryngology
394882004 | Pain management
394806003 | Palliative medicine
394588006 | Pediatric (Child and adolescent) psychiatry
408459003 | Pediatric cardiology
394607009 | Pediatric dentistry
419610006 | Pediatric endocrinology
418058008 | Pediatric gastroenterology
420208008 | Pediatric genetics
418652005 | Pediatric hematology
418535003 | Pediatric immunology
418862001 | Pediatric infectious diseases
419365004 | Pediatric nephrology
418002000 | Pediatric oncology
419983000 | Pediatric ophthalmology
419170002 | Pediatric pulmonology
419472004 | Pediatric rheumatology
394539006 | Pediatric surgery
420112009 | Pediatric surgery-bone marrow transplantation
409968004 | Preventive medicine
394587001 | Psychiatry
394913002 | Psychotherapy
408440000 | Public health medicine
418112009 | Pulmonary medicine
419815003 | Radiation oncology
394914008 | Radiology
408455009 | Radiology-Interventional radiology
394602003 | Rehabilitation
408447002 | Respite care
394810000 | Rheumatology
408450004 | Sleep studies
408476004 | Surgery-Bone and marrow transplantation
408469009 | Surgery-Breast surgery
408466002 | Surgery-Cardiac surgery
408471009 | Surgery-Cardiothoracic transplantation
408464004 | Surgery-Colorectal surgery
408441001 | Surgery-Dental-Endodontics
408465003 | Surgery-Dental-Oral and maxillofacial surgery
394605001 | Surgery-Dental-Oral surgery
394608004 | Surgery-Dental-Orthodontics
408461007 | Surgery-Dental-Periodontal surgery
408460008 | Surgery-Dental-Prosthetic dentistry (Prosthodontics)
408460008 | Surgery-Dental-surgical-Prosthodontics
394606000 | Surgery-Dentistry-Restorative dentistry
408449004 | Surgery-Dentistry--surgical
394608004 | Surgery-Dentistry-surgical-Orthodontics

418018006 | Surgery-Dermatologic surgery
394604002 | Surgery-Ear, nose and throat surgery
394609007 | Surgery-general
408474001 | Surgery-Hepatobiliary and pancreatic surgery
394610002 | Surgery-Neurosurgery
394611003 | Surgery-Plastic surgery
408477008 | Surgery-Transplantation surgery
394801008 | Surgery-Trauma and orthopedics
408463005 | Surgery-Vascular
419321007 | Surgical oncology
394576009 | Surgical-Accident & emergency
394590007 | Thoracic medicine
409967009 | Toxicology
408448007 | Tropical medicine
419043006 | Urological oncology
394612005 | Urology
394733009 | Medical specialty--OTHER--NOT LISTED
394732004 | Surgical specialty--OTHER-NOT LISTED

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.100 Value Set http://hl7.org/fhir/ValueSet/filter-operator

URL: https://hl7.org/fhir/R4/valueset-filter-operator.html
Vocabulary Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Conformance Package for further details.

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/filter-operator
Version: | 4.0.1
Name: | FilterOperator
Title: | FilterOperator
Definition: | The kind of operation to perform as a part of a property based filter.
Committee: | Vocabulary Work Group
OID: | 2.16.840.1.113883.4.642.3.478 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for FilterOperator
• Resource: ValueSet.compose.include.filter.op (code / Required)
• Resource: CodeSystem.filter.operator (code / Required)

4.4.1.100.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/filter-operator

4.4.1.100.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 9 concepts

Expansion based on http://hl7.org/fhir/filter-operator version 4.0.1

All codes from system http://hl7.org/fhir/filter-operator

Code | Display | Definition
= | Equals | The specified property of the code equals the provided value.
is-a | Is A (by subsumption) | Includes all concept ids that have a transitive is-a relationship with the concept Id provided as the value, including the provided concept itself (include descendant codes and self).
descendent-of | Descendent Of (by subsumption) | Includes all concept ids that have a transitive is-a relationship with the concept Id provided as the value, excluding the provided concept itself i.e. include descendant codes only).

is-not-a | Not (Is A) (by subsumption) | The specified property of the code does not have an is-a relationship with the provided value.
regex | Regular Expression | The specified property of the code matches the regex specified in the provided value.
in | In Set | The specified property of the code is in the set of codes or concepts specified in the provided value (comma separated list).
not-in | Not in Set | The specified property of the code is not in the set of codes or concepts specified in the provided value (comma separated list).
generalizes | Generalizes (by Subsumption) | Includes all concept ids that have a transitive is-a relationship from the concept Id provided as the value, including the provided concept itself (i.e. include ancestor codes and self).
exists | Exists | The specified property of the code has at least one value (if the specified value is true; if the specified value is false, then matches when the specified property of the code has no values).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.101 Value Set http://hl7.org/fhir/ValueSet/audit-event-type

URL: https://hl7.org/fhir/R4/valueset-audit-event-type.html
Security Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/audit-event-type
Version: | 4.0.1
Name: | AuditEventID
Title: | Audit Event ID
Definition: | Event Types for Audit Events - defined by DICOM with some FHIR specific additions.
Committee: | Security Work Group
OID: | 2.16.840.1.113883.4.642.3.462 (for OID based terminology systems)
Copyright: | These codes are excerpted from Digital Imaging and Communications in Medicine (DICOM) Standard, Part 16: Content Mapping Resource, Copyright © 2011 by the National Electrical Manufacturers Association.
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: AuditEvent.type (Coding / Extensible)

4.4.1.101.1 Content Logical Definition

This value set includes codes from the following code systems:

http://dicom.nema.org/resources/ontology/DCM

Code | Display
110100 | Application Activity | Audit event: Application Activity has taken place
110101 | Audit Log Used | Audit event: Audit Log has been used
110102 | Begin Transferring DICOM Instances | Audit event: Storage of DICOM Instances has begun
110103 | DICOM Instances Accessed | Audit event: DICOM Instances have been created, read, updated, or deleted
110104 | DICOM Instances Transferred | Audit event: Storage of DICOM Instances has been completed
110105 | DICOM Study Deleted | Audit event: Entire Study has been deleted
110106 | Export | Audit event: Data has been exported out of the system
110107 | Import | Audit event: Data has been imported into the system
110108 | Network Entry | Audit event: System has joined or left network
110109 | Order Record | Audit event: Order has been created, read, updated or deleted
110110 | Patient Record | Audit event: Patient Record has been created, read, updated, or deleted
110111 | Procedure Record | Audit event: Procedure Record has been created, read, updated, or deleted
110112 | Query | Audit event: Query has been made
110113 | Security Alert | Audit event: Security Alert has been raised
110114 | User Authentication | Audit event: User Authentication has been attempted

• Include all codes defined in http://terminology.hl7.org/CodeSystem/audit-event-type
• Include all codes defined in http://terminology.hl7.org/CodeSystem/iso-21089-lifecycle

4.4.1.101.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 43 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/audit-event-type version 4.0.1, DICOM version 01

Code | System | Display | Definition

110100 | http://dicom.nema.org/resources/ontology/DCM | Application Activity | Audit event: Application Activity has taken place

110101 | http://dicom.nema.org/resources/ontology/DCM | Audit Log Used | Audit event: Audit Log has been used

110102 | http://dicom.nema.org/resources/ontology/DCM | Begin Transferring DICOM Instances | Audit event: Storage of DICOM Instances has begun

110103 | http://dicom.nema.org/resources/ontology/DCM | DICOM Instances Accessed | Audit event: DICOM Instances have been created, read, updated, or deleted

110104 | http://dicom.nema.org/resources/ontology/DCM | DICOM Instances Transferred | Audit event: Storage of DICOM Instances has been completed

110105 | http://dicom.nema.org/resources/ontology/DCM | DICOM Study Deleted | Audit event: Entire Study has been deleted

110106 | http://dicom.nema.org/resources/ontology/DCM | Export | Audit event: Data has been exported out of the system

110107 | http://dicom.nema.org/resources/ontology/DCM | Import | Audit event: Data has been imported into the system

110108 | http://dicom.nema.org/resources/ontology/DCM | Network Entry | Audit event: System has joined or left network

110109 | http://dicom.nema.org/resources/ontology/DCM | Order Record | Audit event: Order has been created, read, updated or deleted

110110 | http://dicom.nema.org/resources/ontology/DCM | Patient Record | Audit event: Patient Record has been created, read, updated, or deleted

110111 | http://dicom.nema.org/resources/ontology/DCM | Procedure Record | Audit event: Procedure Record has been created, read, updated, or deleted

110112 | http://dicom.nema.org/resources/ontology/DCM | Query | Audit event: Query has been made

110113 | http://dicom.nema.org/resources/ontology/DCM | Security Alert | Audit event: Security Alert has been raised

110114 | http://dicom.nema.org/resources/ontology/DCM | User Authentication | Audit event: User Authentication has been attempted

rest | http://terminology.hl7.org/CodeSystem/audit-event-type | RESTful Operation | Audit Event: Execution of a RESTful operation as defined by FHIR.

access | http://terminology.hl7.org/CodeSystem/iso-21089-lifecycle | Access/View Record Lifecycle Event | Occurs when an agent causes the system to obtain and open a record entry for inspection or review.

hold | http://terminology.hl7.org/CodeSystem/iso-21089-lifecycle | Add Legal Hold Record Lifecycle Event | Occurs when an agent causes the system to tag or otherwise indicate special access management and suspension of record entry deletion/destruction, if deemed relevant to a lawsuit or which are reasonably anticipated to be relevant or to fulfill organizational policy under the legal doctrine of “duty to preserve”.

amend | http://terminology.hl7.org/CodeSystem/iso-21089-lifecycle | Amend (Update) Record Lifecycle Event | Occurs when an agent makes any change to record entry content currently residing in storage considered permanent (persistent).

archive | http://terminology.hl7.org/CodeSystem/iso-21089-lifecycle | Archive Record Lifecycle Event | Occurs when an agent causes the system to create and move archive artifacts containing record entry content, typically to long-term offline storage.

attest | http://terminology.hl7.org/CodeSystem/iso-21089-lifecycle | Attest Record Lifecycle Event | Occurs when an agent causes the system to capture the agent’s digital signature (or equivalent indication) during formal validation of record entry content.

decrypt | http://terminology.hl7.org/CodeSystem/iso-21089-lifecycle | Decrypt Record Lifecycle Event | Occurs when an agent causes the system to decode record entry content from a cipher.

deidentify | http://terminology.hl7.org/CodeSystem/iso-21089-lifecycle | De-Identify (Anononymize) Record Lifecycle Event | Occurs when an agent causes the system to scrub record entry content to reduce the association between a set of identifying data and the data subject in a way that might or might not be reversible.

deprecate | http://terminology.hl7.org/CodeSystem/iso-21089-lifecycle | Deprecate Record Lifecycle Event | Occurs when an agent causes the system to tag record entry(ies) as obsolete, erroneous or untrustworthy, to warn against its future use.

destroy | http://terminology.hl7.org/CodeSystem/iso-21089-lifecycle | Destroy/Delete Record Lifecycle Event | Occurs when an agent causes the system to permanently erase record entry content from the system.

disclose | http://terminology.hl7.org/CodeSystem/iso-21089-lifecycle | Disclose Record Lifecycle Event | Occurs when an agent causes the system to release, transfer, provision access to, or otherwise divulge record entry content.

encrypt | http://terminology.hl7.org/CodeSystem/iso-21089-lifecycle | Encrypt Record Lifecycle Event | Occurs when an agent causes the system to encode record entry content in a cipher.

extract | http://terminology.hl7.org/CodeSystem/iso-21089-lifecycle | Extract Record Lifecycle Event | Occurs when an agent causes the system to selectively pull out a subset of record entry content, based on explicit criteria.

link | http://terminology.hl7.org/CodeSystem/iso-21089-lifecycle | Link Record Lifecycle Event | Occurs when an agent causes the system to connect related record entries.

merge | http://terminology.hl7.org/CodeSystem/iso-21089-lifecycle | Merge Record Lifecycle Event | Occurs when an agent causes the system to combine or join content from two or more record entries, resulting in a single logical record entry.

originate | http://terminology.hl7.org/CodeSystem/iso-21089-lifecycle | Originate/Retain Record Lifecycle Event | Occurs when an agent causes the system to: a) initiate capture of potential record content, and b) incorporate that content into the storage considered a permanent part of the health record.

pseudonymize | http://terminology.hl7.org/CodeSystem/iso-21089-lifecycle | Pseudonymize Record Lifecycle Event | Occurs when an agent causes the system to remove record entry content to reduce the association between a set of identifying data and the data subject in a way that may be reversible.

reactivate | http://terminology.hl7.org/CodeSystem/iso-21089-lifecycle | Re-activate Record Lifecycle Event | Occurs when an agent causes the system to recreate or restore full status to record entries previously deleted or deprecated.

receive | http://terminology.hl7.org/CodeSystem/iso-21089-lifecycle | Receive/Retain Record Lifecycle Event | Occurs when an agent causes the system to a) initiate capture of data content from elsewhere, and b) incorporate that content into the storage considered a permanent part of the health record.

reidentify | http://terminology.hl7.org/CodeSystem/iso-21089-lifecycle | Re-identify Record Lifecycle Event | Occurs when an agent causes the system to restore information to data that allows identification of information source and/or information subject.

unhold | http://terminology.hl7.org/CodeSystem/iso-21089-lifecycle | Remove Legal Hold Record Lifecycle Event | Occurs when an agent causes the system to remove a tag or other cues for special access management had required to fulfill organizational policy

under the legal doctrine of “duty to preserve”.
report | http://terminology.hl7.org/CodeSystem/iso-21089-lifecycle | Report (Output) Record Lifecycle Event | Occurs when an agent causes the system to produce and deliver record entry content in a particular form and manner.
restore | http://terminology.hl7.org/CodeSystem/iso-21089-lifecycle | Restore Record Lifecycle Event | Occurs when an agent causes the system to recreate record entries and their content from a previous created archive artefact.
transform | http://terminology.hl7.org/CodeSystem/iso-21089-lifecycle | Transform/Translate Record Lifecycle Event | Occurs when an agent causes the system to change the form, language or code system used to represent record entry content.
transmit | http://terminology.hl7.org/CodeSystem/iso-21089-lifecycle | Transmit Record Lifecycle Event | Occurs when an agent causes the system to send record entry content from one (EHR/PHR/other) system to another.
unlink | http://terminology.hl7.org/CodeSystem/iso-21089-lifecycle | Unlink Record Lifecycle Event | Occurs when an agent causes the system to disconnect two or more record entries previously connected, rendering them separate (disconnected) again.
unmerge | http://terminology.hl7.org/CodeSystem/iso-21089-lifecycle | Unmerge Record Lifecycle Event | Occurs when an agent causes the system to reverse a previous record entry merge operation, rendering them separate again.
verify | http://terminology.hl7.org/CodeSystem/iso-21089-lifecycle | Verify Record Lifecycle Event | Occurs when an agent causes the system to confirm compliance of data or data objects with regulations, requirements, specifications, or other imposed conditions based on organizational policy.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.102 Value Set http://hl7.org/fhir/ValueSet/adverse-event-actuality

URL: https://hl7.org/fhir/R4/valueset-adverse-event-actuality.html
Patient Care Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/adverse-event-actuality
Version: | 4.0.1
Name: | AdverseEventActuality
Title: | AdverseEventActuality
Definition: | Overall nature of the adverse event, e.g. real or potential.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.831 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for AdverseEventActuality
• Resource: AdverseEvent.actuality (code / Required)

4.4.1.102.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/adverse-event-actuality

4.4.1.102.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/adverse-event-actuality version 4.0.1

All codes from system http://hl7.org/fhir/adverse-event-actuality

Code | Display | Definition
actual | Adverse Event | The adverse event actually happened regardless of whether anyone was affected or harmed.
potential | Potential Adverse Event | A potential adverse event.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.103 Value Set http://hl7.org/fhir/ValueSet/insuranceplan-applicability

URL: https://hl7.org/fhir/R4/valueset-insuranceplan-applicability.html
Patient Administration Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/insuranceplan-applicability
Version: | 4.0.1
Name: | BenefitCostApplicability
Title: | Benefit cost applicability
Definition: | Whether the cost applies to in-network or out-of-network providers.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.0 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for BenefitCostApplicability
• Resource: InsurancePlan.plan.specificCost.benefit.cost.applicability (CodeableConcept / Required)

4.4.1.103.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/applicability

4.4.1.103.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/applicability version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/applicability

Code | Display | Definition
in-network | In Network | Provider is contracted with the health insurance company to provide services to plan members for specific pre-negotiated rates
out-of-network | Out of Network | Provider is not contracted with the health insurance company to provide services to plan members for specific pre-negotiated rates
other | Other | Other applicability

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.104 Value Set http://hl7.org/fhir/ValueSet/action-selection-behavior

URL: https://hl7.org/fhir/R4/valueset-action-selection-behavior.html
Clinical Decision Support Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/action-selection-behavior
Version: | 4.0.1
Name: | ActionSelectionBehavior

Title: | ActionSelectionBehavior
Definition: | Defines selection behavior of a group.
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.801 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ActionSelectionBehavior
• Resource: RequestGroup.action.selectionBehavior (code / Required)
• Resource: PlanDefinition.action.selectionBehavior (code / Required)

4.4.1.104.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/action-selection-behavior

4.4.1.104.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/action-selection-behavior version 4.0.1

All codes from system http://hl7.org/fhir/action-selection-behavior

Code | Display | Definition
any | Any | Any number of the actions in the group may be chosen, from zero to all.
all | All | All the actions in the group must be selected as a single unit.
all-or-none | All Or None | All the actions in the group are meant to be chosen as a single unit: either all must be selected by the end user, or none may be selected.
exactly-one | Exactly One | The end user must choose one and only one of the selectable actions in the group. The user SHALL NOT choose none of the actions in the group.
at-most-one | At Most One | The end user may choose zero or at most one of the actions in the group.
one-or-more | One Or More | The end user must choose a minimum of one, and as many additional as desired.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.105 Value Set http://hl7.org/fhir/ValueSet/variable-type

URL: https://hl7.org/fhir/R4/valueset-variable-type.html
Clinical Decision Support Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/variable-type
Version: | 4.0.1
Name: | EvidenceVariableType
Title: | EvidenceVariableType
Definition: | The possible types of variables for exposures or outcomes (E.g. Dichotomous, Continuous, Descriptive).
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.1343 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for EvidenceVariableType
• Resource: EvidenceVariable.type (code / Required)

4.4.1.105.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/variable-type

4.4.1.105.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/variable-type version 4.0.1

All codes from system http://hl7.org/fhir/variable-type

Code | Display | Definition
dichotomous | Dichotomous | The variable is dichotomous, such as present or absent.
continuous | Continuous | The variable is a continuous result such as a quantity.
descriptive | Descriptive | The variable is described narratively rather than quantitatively.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.106 Value Set http://hl7.org/fhir/ValueSet/process-priority

URL: https://hl7.org/fhir/R4/valueset-process-priority.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/process-priority
Version: | 4.0.1
Name: | ProcessPriorityCodes
Title: | Process Priority Codes
Definition: | This value set includes the financial processing priority codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.552 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ProcessPriorityCodes
• Resource: CoverageEligibilityRequest.priority (CodeableConcept / Example)
• Resource: Claim.priority (CodeableConcept / Example)

4.4.1.106.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/processpriority

4.4.1.106.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/processpriority version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/processpriority

Code | Display | Definition
stat | Immediate | Immediately in real time.
normal | Normal | With best effort.
deferred | Deferred | Later, when possible.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.107 Value Set http://hl7.org/fhir/ValueSet/procedure-followup

URL: https://hl7.org/fhir/R4/valueset-procedure-followup.html
Patient Care Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/procedure-followup
Version: | 4.0.1
Name: | ProcedureFollowUpCodes(SNOMEDCT)
Title: | Procedure Follow up Codes (SNOMED CT)
Definition: | Procedure follow up codes: A selection of SNOMED CT codes relevant to procedure follow up.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.429 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Procedure.followUp (CodeableConcept / Example)

4.4.1.107.1 Content Logical Definition

This value set includes codes from the following code systems:

http://snomed.info/sct

Code | Display
18949003 | Change of dressing
30549001 | Removal of suture
241031001 | Removal of drain
35963001 | Removal of staples
225164002 | Removal of ligature
447346005 | Cardiopulmonary exercise test
229506003 | Scar tissue massage
274441001 | Suction drainage
394725008 | Diabetes medication review
359825008 | Cytopathology, review of bronchioalveolar lavage specimen

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.108 Value Set http://hl7.org/fhir/ValueSet/subscription-status

URL: https://hl7.org/fhir/R4/valueset-subscription-status.html
FHIR Infrastructure Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/subscription-status
Version: | 4.0.1
Name: | SubscriptionStatus
Title: | SubscriptionStatus
Definition: | The status of a subscription.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.502 (for OID based terminology systems)

Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for SubscriptionStatus

• ConceptMap: Translation source in Canonical Mapping for "SubscriptionStatus"

• Resource: Subscription.status (code / Required)

4.4.1.108.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/subscription-status

4.4.1.108.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/subscription-status version 4.0.1

All codes from system http://hl7.org/fhir/subscription-status

Code | Display | Definition | Canonical Status
requested | Requested | The client has requested the subscription, and the server has not yet set it up. | ~requested
active | Active | The subscription is active. | ~active
error | Error | The server has an error executing the notification. | ~failed
off | Off | Too many errors have occurred or the subscription has expired. | ~inactive

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.109 Value Set http://hl7.org/fhir/ValueSet/action-condition-kind

URL: https://hl7.org/fhir/R4/valueset-action-condition-kind.html
Clinical Decision Support Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/action-condition-kind
Version: | 4.0.1
Name: | ActionConditionKind
Title: | ActionConditionKind
Definition: | Defines the kinds of conditions that can appear on actions.
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.815 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ActionConditionKind

• Resource: RequestGroup.action.condition.kind (code / Required)

• Resource: PlanDefinition.action.condition.kind (code / Required)

4.4.1.109.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/action-condition-kind

4.4.1.109.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/action-condition-kind version 4.0.1

All codes from system http://hl7.org/fhir/action-condition-kind

Code | Display | Definition
applicability | Applicability | The condition describes whether or not a given action is applicable.
start | Start | The condition is a starting condition for the action.
stop | Stop | The condition is a stop, or exit condition for the action.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.110 Value Set http://hl7.org/fhir/ValueSet/compartment-type

URL: https://hl7.org/fhir/R4/valueset-compartment-type.html
FHIR Infrastructure Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/compartment-type
Version: | 4.0.1
Name: | CompartmentType
Title: | CompartmentType
Definition: | Which type a compartment definition describes.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.786 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for CompartmentType
• Resource: GraphDefinition.link.target.compartment.code (code / Required)
• Resource: CompartmentDefinition.code (code / Required)

4.4.1.110.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/compartment-type

4.4.1.110.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/compartment-type version 4.0.1

All codes from system http://hl7.org/fhir/compartment-type

Code | Display | Definition
Patient | Patient | The compartment definition is for the patient compartment.
Encounter | Encounter | The compartment definition is for the encounter compartment.
RelatedPerson | RelatedPerson | The compartment definition is for the related-person compartment.
Practitioner | Practitioner | The compartment definition is for the practitioner compartment.
Device | Device | The compartment definition is for the device compartment.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.111 Value Set http://hl7.org/fhir/ValueSet/observation-range-category

URL: https://hl7.org/fhir/R4/valueset-observation-range-category.html
Orders and Observations Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/observation-range-category
Version: | 4.0.1
Name: | ObservationRangeCategory
Title: | ObservationRangeCategory
Definition: | Codes identifying the category of observation range.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.1333 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ObservationRangeCategory
• Resource: ObservationDefinition.qualifiedInterval.category (code / Required)

4.4.1.111.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/observation-range-category

4.4.1.111.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/observation-range-category version 4.0.1

All codes from system http://hl7.org/fhir/observation-range-category

Code | Display | Definition
reference | reference range | Reference (Normal) Range for Ordinal and Continuous Observations.
critical | critical range | Critical Range for Ordinal and Continuous Observations.
absolute | absolute range | Absolute Range for Ordinal and Continuous Observations. Results outside this range are not possible.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.112 Value Set http://hl7.org/fhir/ValueSet/condition-severity

URL: https://hl7.org/fhir/R4/valueset-condition-severity.html
Patient Care Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/condition-severity
Version: | 4.0.1
Name: | Condition/DiagnosisSeverity
Title: | Condition/Diagnosis Severity
Definition: | Preferred value set for Condition/Diagnosis severity grading.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.168 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Condition.severity (CodeableConcept / Preferred)

• Extension: http://hl7.org/fhir/StructureDefinition/familymemberhistory-severity: severity (CodeableConcept / Example)

4.4.1.112.1 Content Logical Definition

This value set includes codes from the following code systems:

http://snomed.info/sct

Code | Display
24484000 | Severe
6736007 | Moderate
255604002 | Mild

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.113 Value Set http://hl7.org/fhir/ValueSet/teeth

URL: https://hl7.org/fhir/R4/valueset-teeth.html
Financial Management Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/teeth
Version: | 4.0.1
Name: | TeethCodes
Title: | Teeth Codes
Definition: | This value set includes the FDI Teeth codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.550 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for TeethCodes

4.4.1.113.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/ex-fdi

4.4.1.113.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 32 concepts

Expansion based on http://hl7.org/fhir/ex-fdi version 4.0.1

All codes from system http://hl7.org/fhir/ex-fdi

Code | Display | Definition
11 | 11 | Upper Right Tooth 1 from the central axis, permanent dentition.
12 | 12 | Upper Right Tooth 2 from the central axis, permanent dentition.
13 | 13 | Upper Right Tooth 3 from the central axis, permanent dentition.
14 | 14 | Upper Right Tooth 4 from the central axis, permanent dentition.
15 | 15 | Upper Right Tooth 5 from the central axis, permanent dentition.
16 | 16 | Upper Right Tooth 6 from the central axis, permanent dentition.
17 | 17 | Upper Right Tooth 7 from the central axis, permanent dentition.
18 | 18 | Upper Right Tooth 8 from the central axis, permanent dentition.
21 | 21 | Upper Left Tooth 1 from the central axis, permanent dentition.
22 | 22 | Upper Left Tooth 2 from the central axis, permanent dentition.
23 | 23 | Upper Left Tooth 3 from the central axis, permanent dentition.
24 | 24 | Upper Left Tooth 4 from the central axis, permanent dentition.

25 | 25 | Upper Left Tooth 5 from the central axis, permanent dentition.
26 | 26 | Upper Left Tooth 6 from the central axis, permanent dentition.
27 | 27 | Upper Left Tooth 7 from the central axis, permanent dentition.
28 | 28 | Upper Left Tooth 8 from the central axis, permanent dentition.
31 | 31 | Lower Left Tooth 1 from the central axis, permanent dentition.
32 | 32 | Lower Left Tooth 2 from the central axis, permanent dentition.
33 | 33 | Lower Left Tooth 3 from the central axis, permanent dentition.
34 | 34 | Lower Left Tooth 4 from the central axis, permanent dentition.
35 | 35 | Lower Left Tooth 5 from the central axis, permanent dentition.
36 | 36 | Lower Left Tooth 6 from the central axis, permanent dentition.
37 | 37 | Lower Left Tooth 7 from the central axis, permanent dentition.
38 | 38 | Lower Left Tooth 8 from the central axis, permanent dentition.
41 | 41 | Lower Right Tooth 1 from the central axis, permanent dentition.
42 | 42 | Lower Right Tooth 2 from the central axis, permanent dentition.
43 | 43 | Lower Right Tooth 3 from the central axis, permanent dentition.
44 | 44 | Lower Right Tooth 4 from the central axis, permanent dentition.
45 | 45 | Lower Right Tooth 5 from the central axis, permanent dentition.
46 | 46 | Lower Right Tooth 6 from the central axis, permanent dentition.
47 | 47 | Lower Right Tooth 7 from the central axis, permanent dentition.
48 | 48 | Lower Right Tooth 8 from the central axis, permanent dentition.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.114 Value Set http://hl7.org/fhir/ValueSet/verificationresult-communication-method

URL: https://hl7.org/fhir/R4/valueset-verificationresult-communication-method.html
Patient Administration Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/verificationresult-communication-method
Version: | 4.0.1
Name: | verificationresult-communication-method
Title: | VerificationResult Communication Method
Definition: | Attested information may be validated by process that are manual or automated. For automated processes it may accomplished by the system of record reaching out through another system's API or information may be sent to the system of record. This value set defines a set of codes to describing the process, the how, a resource or data element is validated.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.1401 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for verificationresult-communication-method

• Resource: VerificationResult.primarySource.communicationMethod (CodeableConcept / Example)

• Resource: VerificationResult.attestation.communicationMethod (CodeableConcept / Example)

4.4.1.114.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/verificationresult-communication-method

4.4.1.114.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/verificationresult-communication-method version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/verificationresult-communication-method

Code | Display | Definition
manual | Manual | The information is submitted/retrieved manually (e.g. by phone, fax, paper-based)
portal | Portal | The information is submitted/retrieved via a portal
pull | Pull | The information is retrieved (i.e. pulled) from a source (e.g. over an API)
push | Push | The information is sent (i.e. pushed) from a source (e.g. over an API, asynchronously, secure messaging)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.115 Value Set http://hl7.org/fhir/ValueSet/substance-code

URL: https://hl7.org/fhir/R4/valueset-substance-code.html
Orders and Observations Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/substance-code
Version: | 4.0.1
Name: | SubstanceCode
Title: | Substance Code
Definition: | This value set contains concept codes for specific substances. It includes codes from SNOMED where concept is-a 105590001 (Substance (substance)) and where concept is-a 373873005 (Pharmaceutical / biologic product (product))
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.473 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Substance.ingredient.substance[x] (CodeableConcept|Reference(Substance) / Example)

• Resource: AllergyIntolerance.reaction.substance (CodeableConcept / Example)

• Extension: http://hl7.org/fhir/StructureDefinition/allergyintolerance-substanceExposureRisk: substanceExposureRisk (CodeableConcept / Example)

4.4.1.115.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://snomed.info/sct where concept is-a 105590001 (Substance)

• Include codes from http://snomed.info/sct where concept is-a 373873005 (Pharmaceutical / biologic product)

4.4.1.115.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2000 concepts

All codes from system http://snomed.info/sct

Code | Display | Definition
102002 | Hemoglobin Okaloosa
120006 | Ornithine racemase
125001 | Ferrous sulfate Fe^59^
126000 | Galactosyl-N-acetylglucosaminylgalactosylglucosylceramide alpha-galactosyltransferase
130002 | Hemoglobin Hopkins-II
131003 | Dolichyl-phosphate mannosyltransferase
159002 | Ferrocyanide salt
164003 | Phosphoenolpyruvate-protein phosphotransferase
178002 | Uridyl diphosphate galactose
186002 | HLA-Cw9 antigen

187006 | Cyanocobalamin Co^57^
200001 | Berberine
217008 | Blood group antigen IH
231008 | 3-Hydroxyisobutyrate dehydrogenase
238002 | Heptachlor
261000 | Codeine phosphate
296000 | Coumachlor
322006 | Octylphenoxy P.H. ethanol
327000 | ^76^Arsenic
329002 | ^127^Antimony
336001 | Fibrinogen Tokyo II
340005 | Enzyme variant
363000 | Fibrinogen San Juan
370000 | beta>2S< Glycoprotein
371001 | Acylcarnitine hydrolase
377002 | Sparteine
392001 | ^151^Gadolinium
395004 | Immunoglobulin pentamer
412004 | Ribose-5-phosphate isomerase
424006 | Citramalyl-CoA lyase
425007 | Hemoglobin Nagoya
432003 | Carminic acid
438004 | 2-Hydroxyglutarate dehydrogenase
462009 | Urease (ATP-hydrolysing)
472007 | Vegetable textile fiber
476005 | CD1b - Cluster of differentiation antigen 1b
498001 | Nitrilase
501001 | Blood group antibody Sf^a^
505005 | Blood group antibody M'
506006 | 3-Oxosteroid delta^1^-dehydrogenase
515004 | Blood group antigen Giaigue
519005 | Free protein S
521000 | ^197^Mercury
529003 | Guanosine
538001 | 2,3-Dihydroxybenzoate 3,4-dioxygenase
566009 | Acrosin
576007 | Blood group antibody Duck
578008 | Hemoglobin Jianghua
584006 | Blood group antibody Wr^b^
585007 | SP - Substance P
591009 | 2-Oxoisovalerate dehydrogenase (acylating)
593007 | Blood group antibody Holmes
594001 | 2-Oxoglutarate synthase
597008 | ^247^Californium
604000 | Plant sapogenin glycoside
611001 | Hippurate hydrolase
620005 | Trichlorophenol
648005 | Oil of calamus
662003 | Aeromonas proteolytica aminopeptidase
668004 | ^185^Osmium
683009 | Mercuric acetate
686001 | Plastoquinol-plastocyanin reductase
693002 | Trichothecene
698006 | Erythromycin lactobionate
699003 | Coal tar extract
704006 | Blood group antigen Rx
732002 | N-valeraldehyde
735000 | Blood group antigen Jobbins
747006 | Oxamniquine
773001 | Hemoglobin M-Iwate
785009 | Dextranase
804003 | Creosotic acid
819002 | Lytic antibody
850000 | Stizolobate synthase
859004 | Peptide-N^4^-(N-acetyl-b-glucosaminyl) asparagine amidase
860009 | Immunoglobulin, aggregated
873008 | Urethan
876000 | D antigen
877009 | Carboxypeptidase A
889006 | [Acetyl-CoA carboxylase] kinase
896008 | Ice
905001 | o-Dihydroxycoumarin O^7^-glucosyltransferase

923009 | Complement component 2
925002 | Sodium iodipamide
963005 | Pyridoxine 4-dehydrogenase
974001 | Adenosylmethionine decarboxylase
979006 | Carbamate kinase
993004 | Palladium compound
1002007 | Mannotetraose 2-alpha-N-acetylglucosaminyltransferase
1010008 | N-Acetylneuraminate monooxygenase
1018001 | Nornicotine
1025008 | ^93^Molybdenum
1047008 | Guanine deaminase
1050006 | Melilotate 3-monooxygenase
1057009 | Phosphate salt
1065007 | E. coli periplasmic proteinase
1080001 | ^202^Thallium
1091008 | Coagulation factor inhibitor
1097007 | Blood group antigen M^A^
1105007 | Isochorismate synthase
1113008 | Pancreatic ribonuclease
1137008 | ^240^Uranium
1149009 | Hemoglobin Barcelona
1160000 | Antibody to antigen in ISBT system LU
1166006 | Ti - Titanium
1169004 | Hemoglobin Gower-2
1171004 | Fibrinogen Kawaguchi
1185009 | Hemoglobin Roseau-Pointe à Pitre
1189003 | Hemoglobin F-M-Osaka
1190007 | Mephenoxalone
1219001 | Diethyl xanthogen disulfide
1223009 | Blood group antigen Marks
1244009 | Fibrinogen Madrid I
1248007 | Leucostoma neutral proteinase
1269009 | Amikacin sulfate
1272002 | Pteridine oxidase
1273007 | Blood group antibody Evelyn
1313002 | Nitrate reductase (cytochrome)
1319003 | Blood group antibody K18
1320009 | Hemoglobin Manitoba
1325004 | Metocurine iodide
1331001 | Methamidophos
1334009 | Estradiol receptor
1336006 | Deoxycortone
1341003 | Hemoglobin Ta-li
1346008 | Blue shade eosin stain
1355006 | Coagulation factor IX Oxford 3 variant
1368003 | Iodine 131
1371006 | Blood group antigen Big
1373009 | ^93^Zirconium
1381005 | ^126^Iodine
1394007 | Iron pentacarbonyl
1396009 | Actinium
1405004 | Blood group antibody M^e^
1408002 | Blood group antibody 1123K
1416006 | Radium compound
1450002 | Methylpentynol
1466000 | Cyclomaltodextrinase
1471007 | Elastin
1472000 | Adenosine-phosphate deaminase
1476002 | Codeine sulfate
1477006 | Hemoglobin Yatsushiro
1496005 | Proto-oncogene
1506001 | CH1 (ISBT symbol)
1517000 | HLA - Human leukocyte antigen B21
1530004 | 6-Carboxyhexanoate-coenzyme A ligase
1535009 | Nitrogen fluoride
1536005 | Pargyline hydrochloride
1540001 | Tellurium radioisotope
1545006 | Uridine phosphorylase
1557002 | Talc dusting powder
1565004 | Blood group antibody Buckalew
1575001 | Maltose tetrapalmitate
1603001 | Cobalt isotope

1607000 | Homoserine kinase
1609002 | N-octyl isosafrole sulfoxide
1634002 | Blood group antigen Ven
1649005 | Blood group antigen Sul
1656004 | Hemoglobin Shaare Zedek
1660001 | Plant seeds
1668008 | Ceforanide
1672007 | Ligase
1673002 | Xylenol
1675009 | ^86^Rubidium
1676005 | Blood group antibody LW^ab^
1681001 | Blood group antibody BLe^b^
1696002 | 12-Hydroperoxy eicosatetraenoic acid
1701009 | ^191^Gold
1710001 | UA - Uric acid
1726000 | Diamond
1727009 | Deoxylimonate A-ring-lactonase
1740004 | Deoxy cytidine triphosphate
1764003 | Saccharopine dehydrogenase (nicotinamide adenine dinucleotide phosphate ^+^,L-glutamate-forming)
1768000 | Sucrose phosphorylase
1786002 | Leucine-transfer ribonucleic acid ligase
1793003 | Sodium trichloroacetate
1795005 | Glyodin
1798007 | Hemoglobin Hammersmith
1799004 | L-Lysine oxidase
1823002 | Hemoglobin Tochigi
1827001 | Ribonuclease T>1<
1886008 | Verdoglobin
1904005 | Galactoside 3-fucosyltransferase
1914001 | von Willebrand factor antibody
1916004 | Boroglycerin
1940007 | Immunoglobulin, GM>21< allotype
1944003 | Coagulation factor X Patient variant
1956002 | Buclizine hydrochloride
1971003 | Loxapine hydrochloride
1975007 | Blood group antibody Niemetz
1978009 | Site-specific methyltransferase (cytosine-specific)
1985008 | Vomitus
1991005 | Lignin
2000001 | Heavy nitrogen
2006007 | Inosine diphosphate
2008008 | ^67^Gallium
2009000 | Cobalt carbonyl
2017008 | Deoxyribonucleic acid topoisomerase
2027002 | Alternaria serine proteinase
2029004 | Fibrinogen Oslo II
2038002 | Blood group antibody Bg^b^
2039005 | sym-Norspermidine synthase
2050008 | Choloylglycine hydrolase
2064008 | L-Xylulokinase
2082006 | Vitronectin receptor alpha chain
2085008 | Oncogene protein TCL
2088005 | Page blue G-90 stain
2096000 | Nicotinamide adenine dinucleotide ^+^ adenosine diphosphate-ribosyltransferase
2100004 | Sulfonethylmethane
2101000 | Yeast proteinase B
2125008 | Betazole
2130007 | Cyclohexane-1,2-diol dehydrogenase
2141009 | Hydrogen
2147008 | Blood group antigen Paular
2151005 | Pyridoxamine-pyruvate aminotransferase
2154002 | Tagaturonate reductase
2159007 | Acid red 27
2163000 | Dicofol
2168009 | Bisphosphoglycerate mutase
2179004 | Malonate-semialdehyde dehydratase
2189000 | Hemoglobin F-Dammam
2194000 | ^101^Rhodium
2195004 | Tocainide hydrochloride
2197007 | Boric acid topical agent
2201007 | Bacteriopurpurin
2208001 | Phenylserine aldolase

2212007 | Fibrinogen Bethesda II
2215009 | Azuresin
2240002 | Guanidinobutyrase
2249001 | Gentamicin sulfate
2254005 | Orotate
2260005 | Human leukocyte antigen DRw18
2262002 | Cellulose polysulfatase
2264001 | Selenium isotope
2309006 | Au - Gold
2311002 | Prostacyclin synthase
2329007 | Blood group antibody Vel
2331003 | Saccharide
2338009 | Root
2343002 | Guthion
2346005 | Vascormone
2354007 | 3'-Nucleotidase
2358005 | Glass fragment, device
2369008 | Indole-3-acetate beta-glucosyltransferase
2370009 | Uridine diphosphate-N-acetylmuramate-alanine ligase
2376003 | Mercury compound
2384004 | ^230^Uranium
2404002 | Blood group antibody St^a^
2405001 | b- Propiolactone
2414006 | Prolactin receptor
2430003 | Silicon radioisotope
2431004 | Blood group antibody Friedberg
2441001 | Mercury radioisotope
2444009 | Human leukocyte antigen Dw25
2450004 | Mannosamine
2462000 | Glucose dehydrogenase (nicotinamide adenine dinucleotide phosphate ^+^)
2466002 | Chloride peroxidase
2500009 | Lymphocyte antigen CDw41b
2509005 | D-Glutamate oxidase
2516006 | Metallic sulfide compound
2522002 | Extravascular blood
2529006 | Hemoglobin Wood
2537003 | Antituberculosis agent
2568004 | Blood group antigen McAuley
2573005 | Immunoglobulin, GM>13< allotype
2575003 | Zinc alpha-2 glycoprotein
2595009 | ^119m^Tellurium
2597001 | Alpha-1 globulin
2611008 | Blood group antibody La Fave
2637006 | Indium isotope
2648004 | Bile vomitus
2649007 | Azo-dye
2660003 | Sodium dehydrocholate
2671002 | 3-Methyl-2-oxobutanoate hydroxy-methyltransferase
2674005 | ^128^Cesium
2676007 | C3(H20)
2678008 | Hemoglobin New Mexico
2680002 | Factor XIII antibody
2698003 | Natural gas
2705002 | ^72^Arsenic
2706001 | Blood group antigen Vennera
2719002 | Tartrate dehydratase
2721007 | Blood group antigen McC^f^
2728001 | Lewis system antigen
2753003 | Blood group antibody M>1<
2754009 | Hemoglobin F-Kennestone
2765004 | SC3 (ISBT symbol)
2778004 | Pleural fluid
2796008 | Methanthelinium
2799001 | Methylbenzethonium
2823004 | Hemoglobin Bristol
2832002 | Molybdenum compound
2846002 | Hemoglobin Saitama
2869004 | Ethanoic acid
2878005 | Pethidine hydrochloride
2880004 | Calcium sulfate
2883002 | Exopolygalacturonate lyase
2913009 | Immunoglobulin Epsilon chain

2916001 | ^22^Neon
2925007 | Fluoromethalone
2927004 | Rescinnamine
2938004 | Pyrazole
2942001 | Carbon^14^ D-xylose
2950005 | Hemoglobin L-Persian Gulf
2958003 | Zinc caprylate
2964005 | Dimethoxyamphetamine
2974008 | Trichophyton schoenleinii collagenase
2988007 | Human leukocyte antigen Aw
2991007 | Mecamylamine hydrochloride
2995003 | Arecoline
3027009 | ^133^Barium
3031003 | Dihydroxyaluminum sodium carbonate
3040004 | Technetium Tc^99m^ disofenin
3045009 | Nitrochlorobenzene
3052006 | Ornithine ketoacid aminotransferase
3066001 | Triiodothyroacetic acid
3070009 | Aspartate-ammonia ligase
3087006 | Oil of male fern
3107005 | Hemoglobin Shuangfeng
3108000 | Aspergillus deoxyribonuclease K>1<
3131000 | Blood group antigen Middel
3136005 | Cefoperazone sodium
3142009 | Azacyclonol
3145006 | Penicillic acid
3150000 | Sialate O-acetylesterase
3151001 | Left upper lobe mucus
3155005 | 3-Phosphoglyceroyl-phosphate-polyphosphate phosphotransferase
3161008 | 3-Methylhistidine
3167007 | Hard coal
3187008 | Blood group antigen Nielsen
3193000 | alpha-1,4-Glucan-protein synthase (uridine diphosphate-forming)
3197004 | Inosine monophosphate
3209002 | Pancuronium sodium
3212004 | Manganese sulfate
3225007 | Fibrinogen Seattle I
3232003 | o-Benzyl-parachlorophenol
3271000 | Hemoglobin Southampton
3273002 | Tyrosine-ester sulfotransferase
3300001 | Euphorbain
3318003 | Vaginal secretions
3325005 | Lipopolysaccharide
3339005 | (R)-20-Hydroxysteroid dehydrogenase
3340007 | Diastase
3342004 | Copper isotope
3346001 | Hemoglobin Brest
3378009 | Imipramine hydrochloride
3379001 | Merthiolate
3392003 | Aldehyde dehydrogenase (acceptor)
3405005 | 2-Hydroxy-3-oxoadipate synthase
3411008 | bis-(Dimethylthiocarbamyl) disulfide
3437006 | Hydroxymethylglutaryl-coenzyme A hydrolase
3440006 | Biotin carboxylase
3455002 | Discontinued pesticide
3463001 | L-Amino-acid dehydrogenase
3465008 | Deoxyribonucleic acid topoisomerase (adenosine triphosphate [ATP]-hydrolysing)
3466009 | Dimethylamine
3492002 | Galactinol-sucrose galactosyltransferase
3493007 | Smegma clitoridis
3495000 | Cystine aminopeptidase
3501003 | Isoxsuprine hydrochloride
3523004 | Hemoglobin Q-India
3532002 | Laryngeal mucus
3555004 | Blood group antigen Morrison
3579002 | ^129^Cesium
3581000 | Glucose-6-phosphatase
3587001 | Malate dehydrogenase (decarboxylating)
3588006 | Complement enzyme
3592004 | Short-acting thyroid stimulator
3597005 | Acebutolol hydrochloride
3601005 | Ether solvent

3602003 | Warm antibody
3610002 | Epoxide hydrolase
3617004 | ^79^Selenium
3648007 | Glucocorticoid receptor
3655009 | Hb - Hemoglobin Constant Spring
3672002 | Fibrinogen Caracas
3684000 | Phenylacetic acid
3689005 | Hemoglobin Mizushi
3692009 | Sodium sulfite
3693004 | Fibrinogen Dusart
3702007 | Cytidine diphosphate (CDP) glycerol glycerophosphotransferase
3710008 | Prostaglandin-endoperoxide synthase
3718001 | Cow's milk
3726009 | Valine-transfer ribonucleic acid ligase
3727000 | Hemoglobin F-Port Royal
3730007 | Blood group antigen Lanthois
3737005 | Nitrate reductase (reduced nicotinamide adenine dinucleotide)
3742002 | Extracellular crystal
3757009 | Gossypol
3771001 | Neuromelanin
3775005 | Choline dehydrogenase
3776006 | Xanthine dehydrogenase
3792001 | AA - Arachidonic acid
3793006 | Soluble barium compound
3800009 | Acetate kinase
3807007 | RH4 (ISBT symbol)
3811001 | Magnesium-protoporphyrin methyltransferase
3812008 | Beryllium isotope
3816006 | Vanadium isotope
3823007 | Prochlorperazine edisylate
3829006 | Fe - Iron
3834005 | CMP-N-acetylneuraminate-(alpha-N-acetyl-neuraminyl-2,3-beta-galactosyl-1,3)-N-acetyl-galactosaminide alpha-2,6-sialyltransferase
3836007 | Glutaminase
3844007 | Protoaphin-aglucone dehydratase (cyclizing)
3848005 | Nitrotoluene
3849002 | Carbon black
3854006 | bis-Chloro methyl ether
3874004 | Hydrocodone bitartrate
3892007 | Thymidine
3896005 | p-Hydroxybenzoate ester
3897001 | MNS30 (ISBT symbol)
3906002 | Rectified birch tar oil
3920009 | Hemoglobin Atago
3930000 | Manufactured gas
3932008 | ^64^Copper
3941003 | Metronidazole hydrochloride
3945007 | Tin isotope
3958008 | ^245^Californium
3961009 | Blood group antigen Ritherford
3976001 | Blood group antigen HEMPAS
3982003 | Oxaloacetate decarboxylase
3983008 | N,-N-dimethyltryptamine
3990003 | Alkaline phosphatase bone isoenzyme
3994007 | Hemoglobin Tampa
4014000 | Sulfisomidine
4024008 | Soft metal
4025009 | Captodiame
4043008 | Etidocaine hydrochloride
4047009 | cis-1,2-Dihydrobenzene-1,2-diol dehydrogenase
4048004 | 1,1,2,2-Tetrachloro-1,2- difluoroethane
4067000 | Chorismate mutase
4076007 | PTH - Parathyroid hormone
4077003 | Dihydrolipoamide succinyltransferase
4080002 | Hemoglobin Grady, Dakar
4091009 | Enteropeptidase
4097008 | Apo-SAA complex
4104007 | Chondroitin sulfate
4105008 | Adenylate cyclase
4115002 | Blood group antibody Norlander
4137009 | sec-Butyl acetate
4153007 | Long-chain-enoyl-coenzyme A hydratase

4167003 | PECAM-1 - Platelet endothelial cell adhesion molecule-1
4169000 | Blood group antibody Le^bH^
4177001 | Hemoglobin Long Island-Marseille
4182008 | Cytidine diphosphate (CDP) diacylglycerol-serine O-phosphatidyl-transferase
4188007 | Fibrinogen Sydney II
4200007 | Neriifolin
4201006 | 6-Aminohexanoate-dimer hydrolase
4203009 | Imipramine pamoate
4207005 | Cortisone beta-reductase
4217000 | Fluorosilicate salt
4218005 | Immunoglobulin, GM>23< allotype
4231000 | Gallium isotope
4239003 | Glycerol dehydrogenase
4255005 | Americium 241
4289006 | Keyhole-limpet hemocyanin
4290002 | Linamarin synthase
4314009 | Blood group antibody Allchurch
4334005 | Tar oil
4342006 | 2-Aminopyridine
4353000 | Di-n-butylphthalate
4355007 | Coagulation factor IX San Dimas variant
4362003 | 4-Coumarate-coenzyme A ligase
4370008 | Acetone
4393002 | Blood group antigen Fedor
4401009 | Blood group antibody H>T<
4413004 | Benzypyrinium
4422003 | Blood group antigen
4423008 | Fibrinogen New York II
4425001 | Blood group antibody Binge
4435007 | Sulfuryl fluoride
4437004 | ^127^Cesium
4471008 | ^244^Californium
4479005 | Hemoglobin Brockton
4480008 | Sulfaethidole
4509009 | Plant phenanthrene toxin
4518006 | Buthenal
4534009 | ^208^Bismuth
4540002 | Adenosine diphosphate (ADP) deaminase
4546008 | Tetradecanoic acid
4555006 | Blood group antibody Rils
4560005 | Hemoglobin Mizuho
4561009 | Arginine decarboxylase
4564001 | Blood group antibody Sisson
4567008 | Galactose-1-phosphate thymidylyltransferase
4582003 | Blood group antigen N^A^
4591004 | MNS22 (ISBT symbol)
4610008 | Senile cardiac protein
4616002 | Triclobisonium chloride
4629002 | Hypoglycin B
4635002 | Arterial blood
4643007 | Calf thymus ribonuclease H
4656000 | Alcian blue 8GX stain
4674009 | 2,3-Dihydroxybenzoate serine ligase
4681002 | Potassium permanganate
4693006 | Chromium^51^ albumin
4700006 | Bovine insulin
4706000 | Chlorine monoxide
4714006 | ^183m^Osmium
4728000 | Scopulariopsis proteinase
4731004 | Aluminum pyro powder
4732006 | Oncogene protein P55, V-MYC
4746006 | Hemoglobin Mito
4761007 | CD30 - Cluster of differentiation antigen 30
4762000 | Platelet antigen HPA-3b
4777008 | Fluroxene
4780009 | Secbutabarbital sodium
4786003 | beta-1,4-Mannosyl-glycoprotein beta-1,4-N-acetylglucosaminyltransferase
4789005 | Blood group antibody Bultar
4793004 | Azobenzene reductase
4814001 | Valethamate
4824009 | MAO - Monoamine oxidase
4825005 | Peptidyl-glycinamidase

4831008 | Arabinose-5-phosphate isomerase
4832001 | Technetium Tc^99m^ mebrofenin
4833006 | Glucan endo-1,3-alpha-glucosidase
4844003 | 3,3' Diiodothyronine
4864008 | AMP - Adenosine monophosphate
4872005 | Glucosulfone
4878009 | Human leukocyte antigen Dw3
4882006 | Ichthyoallyeinotoxin
4889002 | Xylulokinase
4901003 | Pyruvate oxidase (coenzyme A-acetylating)
4925006 | Oncogene protein V-ABC
4933007 | Leukocyte M1
4940008 | Tattoo dye
4955004 | Neoplastic structural gene
4962008 | Tree bark
4963003 | Neutral amino acid
4965005 | Glutathione reductase
4968007 | Acumentin
4986005 | Magnesium borate
5003005 | Hemoglobin Swan River
5004004 | Blood group antibody Panzar
5007006 | Papain
5024000 | Fresh water
5031001 | 3-3'Dichlorobenzidine
5040002 | Cesium
5043000 | Erythrosin Y stain
5045007 | Oncogene protein TCL4
5059000 | ^97^Technetium
5060005 | ^132^Cesium
5061009 | Protein-methionine-S-oxide reductase
5064001 | Blood group antibody D 1276
5081005 | RH31 (ISBT symbol)
5086000 | Gelsolin
5094007 | Blood group antigen Rios
5098005 | Fennel oil
5109006 | Methylated-deoxyribonucleic acid-protein-cysteine methyltransferase
5142007 | Coagulation factor II Houston variant
5160007 | Metal compound
5163009 | Scombrotoxin
5167005 | Zinc chloride fumes
5172001 | Coagulation factor Xa
5179005 | Connective tissue fiber
5200001 | trans-Epoxysuccinate hydrolase
5206007 | Cyanate compound
5220000 | Bacitracin
5226006 | Flavone O^7^-beta-glucosyltransferase
5250008 | Thymus-independent antigen
5252000 | Hafnium radioisotope
5253005 | Hemoglobin Woodville
5259009 | Blood group antigen Braden
5289002 | Scilliroside
5303002 | Hemoglobin Hoshida
5305009 | Polynucleotide
5307001 | Blood group antigen Hamet
5312000 | ^65^Zinc
5323001 | Uridine diphosphate glucuronic acid
5330007 | Actin-binding protein
5339008 | L-Glycol dehydrogenase
5340005 | Blood group antigen Swietlik
5392001 | Propylene glycol monomethyl ether
5395004 | Pyridoxamine-phosphate oxidase
5404007 | Lymphocyte antigen CD45RA
5405008 | ^60^Cobalt
5406009 | beta-L-Arabinosidase
5420002 | Accessory sinus mucus
5439007 | Blood group antibody Do^a^
5442001 | Page blue 83
5453007 | Iridium isotope
5471000 | Hemoglobin G-Coushatta
5474008 | Propionate-CoA ligase
5477001 | Ferric subsulfate
5483003 | Oxalate CoA-transferase

5504009 | Blood group antigen Fuerhart
5511008 | Inosinate nucleosidase
5513006 | Immunoglobulin, Alpha chain
5515004 | Rhodium fumes
5533005 | Blood group antibody Kp^a^
5537006 | Immunoglobulin, Delta chain
5540006 | Calcium
5547009 | ^233^Plutonium
5548004 | 2-Dehydro-3-deoxy-D-pentonate aldolase
5568005 | Hemoglobin Hijiyama
5573004 | Blood group antigen Oca
5589001 | Licodione O^2'^-methyltransferase
5590005 | Beryllium radioisotope
5628003 | Hemoglobin I-High Wycombe
5629006 | Cytidylic acid
5637003 | HLA-DQw6 antigen
5641004 | Valproate semisodium
5647000 | Griseofulvin ultramicrosize
5656008 | ^116m^Antimony
5657004 | Coal tar topical solution
5659001 | Hemoglobin J-Tongariki
5670008 | Gold isotope
5681006 | Ceftizoxime sodium
5691000 | Absorbable gelatin sponge
5692007 | Cyanocobalamin Co^58^
5699003 | Somatomedin C
5700002 | Blood group antibody Gomez
5702005 | ^106m^Silver
5704006 | Galactokinase
5705007 | 1,3-Propanediol dehydrogenase
5739006 | Stramonium
5746002 | ^118m^Antimony
5757007 | HLA-Cw8 antigen
5762008 | Heterogeneous nuclear RNA
5764009 | ^242^Plutonium
5767002 | Sulfamerazine
5774007 | White petrolatum
5800007 | tRNA (5-methylaminomethyl-2-thiouridylate)-methyltransferase
5813001 | Malate dehydrogenase
5826002 | Ethyl-4-bis-(hydroxypropyl)-1-aminobenzoate
5827006 | Crotonaldehyde
5829009 | Hemoglobin Vaasa
5830004 | Hemoglobin Bart
5840001 | Blood group antibody Wj
5858007 | ^110m^Indium
5863006 | Vitexin beta-glucosyltransferase
5896008 | Hellebrin
5899001 | Bacterial structural gene
5907009 | Quinidine polygalacturonate
5910002 | Oncogene protein PP60, V-SRC
5915007 | Blood group antigen Gladding
5927005 | Lactaldehyde dehydrogenase
5931004 | Technetium Tc^99m^ sulfur colloid
5932006 | Cysteine
5950004 | 3',5'-Cyclic-nucleotide phosphodiesterase
5955009 | Diethylene glycol
5977008 | Blood group antigen Bullock
5989005 | Immunoglobulin, GM>17< allotype
5991002 | D-Fuconate dehydratase
6021003 | ^88^Yttrium
6038004 | Oxygen radioisotope
6043006 | Bone cement
6044000 | Carbon disulfide
6054001 | Doxylamine succinate
6056004 | Blood group antibody Wk^a^
6068008 | Blood group antigen Mil
6083003 | Hydroxylysine
6085005 | Synovial fluid
6088007 | Benzfetamine hydrochloride
6089004 | Lochia alba
6091007 | Blood group antibody L Harris
6107003 | Asparagusate reductase (NADH)

6109000 | Aromatic-amino-acid aminotransferase
6115000 | Blood group antibody Anuszewska
6135004 | Blood group antigen Duck
6138002 | Blood group antigen Le Provost
6162007 | Meclocycline
6170002 | Heat labile antibody
6172005 | Fatty-acid methyltransferase
6178009 | Lymphocyte antigen CD63
6179001 | o-Methy-bufotenine
6182006 | Chloroacetone
6197009 | Blood group antigen Zd
6237004 | Bemegride
6249003 | Potassium metabisulfite
6256009 | Ribose isomerase
6257000 | Sodium chloride Na^22^
6260007 | Protokylol
6261006 | Indoklon
6263009 | Plant residue
6264003 | Diazinon
6287006 | Methidathion
6291001 | N-Acetylglucosamine-1-phosphodiester N-acetylglucosaminidase
6301006 | ^178^Tantalum
6310003 | Particulate antigen
6314007 | Phenol beta-glucosyltransferase
6333002 | Squill extract
6338006 | Imidazolonepropionase
6356006 | Chlorodiallylacetamide
6360009 | Kallidin II
6367007 | ^95m^Technetium
6386004 | N-Acetylneuraminate O^4^-acetyltransferase
6394006 | Phentermine hydrochloride
6401007 | Lichenase
6409009 | Morpholine
6411000 | Interleukin-12
6422001 | HLA-DRw14 antigen
6451002 | Chlorobenzilate
6455006 | Chloroprene
6469006 | delta^1^-Piperideine-2-carboxylate reductase
6478000 | 6-Phosphofructokinase
6495008 | Fibrinogen Montreal II
6507009 | Blood group antigen Much
6513000 | Flumethiazide
6516008 | Indium^111^-Fe(OH)>3<
6524003 | Distilled spirits
6529008 | Blood group antigen Cl^a^
6532006 | Macrophage activating factor
6590001 | Galactosylceramidase
6592009 | HLA-Dw12 antigen
6602005 | Aminoacridine
6611005 | Diethylaminoethanol
6612003 | Chloramphenicol sodium succinate
6619007 | Bilirubin Y transport protein
6642000 | Opsonin
6644004 | Homoserine dehydrogenase
6671004 | Blood group antigen Caw
6672006 | Phosphoadenylate 3'-nucleotidase
6699008 | Titanium radioisotope
6701008 | Lissamine fast red B
6702001 | Ethyl mercaptoethyl diethyl thiophosphate
6709005 | Gentamicin 2''-nucleotidyltransferase
6710000 | Nitric oxide
6713003 | ^91^Yttrium
6717002 | Nifuroxime
6725000 | Methylene blue
6730001 | ^234^Uranium
6741004 | Anti DNA antibody
6755007 | TL antigen
6786001 | Silver difluoride
6790004 | Aminopterin
6792007 | Veratrine
6808006 | Ferrous iron compound
6809003 | Phomopsin

6814004 | Discadenine synthase
6817006 | Oxidized glutathione
6826009 | Sterol hormone
6837005 | Dextropropoxyphene napsylate
6854002 | ^188^Platinum
6865007 | Theophylline calcium salicylate
6873003 | Cefapirin sodium
6879004 | 5,8,11-Eicosatrienoic acid
6881002 | Magnesium fumes
6884005 | (S)-3-Amino-2-methylpropionate aminotransferase
6890009 | 3-Deoxy-manno-octulosonate-8-phosphatase
6896003 | Thiopurine methyltransferase
6910009 | Sodium fluoride
6911008 | Deoxycytidylate methyltransferase
6916003 | Bowieine
6924008 | Exopolyphosphatase
6925009 | Leucine acetyltransferase
6927001 | ^121^Tin
6937006 | Thymidylate synthase
6945001 | Blood group antigen Le^bH^
6952004 | ^121m^Tin
6958000 | Blood group antibody Frando
6961004 | Lysolecithin acylmutase
6970001 | 4-Hydroxyproline epimerase
6973004 | Chromium^51^ chloride
6983000 | Acrylamide
6992002 | Triflupromazine hydrochloride
6993007 | Seminal fluid
6999006 | Ammonium compound
7008002 | beta-Carotene 15,15'-dioxygenase
7018007 | Malate-CoA ligase
7029006 | Blood group antigen Greenlee
7030001 | Globoside
7034005 | Diclofenac
7045008 | Lycorine
7047000 | Asphyxiant atmosphere
7049002 | Pyruvate carboxylase
7054006 | Hemoglobin Poissy
7056008 | 3-Propylmalate synthase
7059001 | N-Acylneuraminate-9-phosphatase
7061005 | Anthocyanidin O^3^-glucosyltransferase
7070008 | Convallamarin
7084003 | Fibrinogen Buenos Aires II
7110002 | ^69^Germanium
7120007 | Antigen
7132006 | ^73^Gallium
7139002 | Acid-CoA ligase (GDP-forming)
7146006 | Cyclohexene oxide
7152007 | Chlorthion
7156005 | Phosphorus isotope
7158006 | HLA-Dw19 antigen
7161007 | Complement component C2a
7179006 | Prekallikrein
7191002 | Methenyltetrahydrofolate cyclohydrolase
7208009 | Thiol oxidase
7211005 | Blood group antibody Haakestad
7237008 | Galactonate dehydratase
7243005 | Methyl isocyanate
7269004 | Th - Thorium
7271004 | Mixed dust
7280004 | dTDP4-dehydrorhamnose reductase
7281000 | Technetium Tc^99m^ lidofenin
7284008 | Mercaptan compound
7294003 | tert-Butyl acetate
7302008 | Ambuphylline
7318002 | Bacteriochlorophyll
7321000 | Pyrimidine
7325009 | Calcium hydroxide
7327001 | Sulfurous acid
7328006 | Red petrolatum
7330008 | Shellac
7337006 | Blood group antibody Tr^a^

7348004 | Factor II
7382005 | Aminoalcohol ester
7401000 | Heme-hemopexin complex
7411007 | Blood group antibody HLA-B8
7427000 | Sepiapterin reductase
7434003 | Erythrosin B
7446004 | Ruthenium
7451005 | Tobramycin ophthalmic agent
7460002 | ^127^Tellurium
7470000 | p-tert-Butyltoluene
7489000 | Homocytotropic antibody
7503004 | ^72^Gallium
7509000 | Mannitol hexanitrate
7515000 | Hepatotoxic mycotoxin
7537007 | Stizolobinate synthase
7547005 | Hemoglobin Lincoln Park
7549008 | Fibrinogen Bethesda I
7588005 | Blood group antibody Sk^a^
7608003 | Triethylene glycol
7616007 | Blood group antibody Pruitt
7648006 | HLA-Bw70 antigen
7661006 | Fish bone
7670009 | Aminobutyraldehyde dehydrogenase
7675004 | Blood group antigen Towey
7679005 | Strong oxidizing compound
7685003 | Blood group antibody Bg^c^
7696006 | Ferrovanadium dust
7716001 | Isovaleryl coenzyme A dehydrogenase
7737009 | Chlortetracycline hydrochloride
7738004 | HLA-B49 antigen
7761002 | ^111^Silver
7770004 | ^89^Strontium
7774008 | Neo-b-vitamin A>1<
7779003 | ^103^Ruthenium
7785005 | Sphingomyelin phosphodiesterase D
7790008 | 1-Monoacylglycerol
7791007 | Soy protein
7795003 | Oxalate oxidase
7801007 | Tetrahydroxypteridine cycloisomerase
7816005 | Antazoline hydrochloride
7834009 | Acetyl digitoxin
7846008 | Sphingomyelin phosphodiesterase
7848009 | 1-Phosphatidylinositol phosphodiesterase
7868003 | beta-Cyclopiazonate dehydrogenase
7879008 | ^218^Radon
7900007 | Hemoglobin Presbyterian
7904003 | Deanol
7909008 | Arginine carboxypeptidase
7924004 | Diflorasone
7938006 | D-Arabinitol dehydrogenase
7945006 | Orsellinate-depside hydrolase
7948008 | Reed-Sternberg antibody
7953003 | Thioneb
7957002 | Phosphatidate cytidylyltransferase
7961008 | Hemoglobin F-Shanghai
7970006 | Allograft
7974002 | Blood group antibody Dalman
7975001 | Amiphenazole
7979007 | 3'-Phosphoadenylylsulfate 3'-phosphatase
7983007 | Sodium rhodanide
7985000 | Sulfur isotope
7997004 | Butyl mercaptan
8000007 | Cucurbitacin delta^23^-reductase
8002004 | Blood group antibody Fleming
8025003 | Blood group antibody Gibson
8029009 | Allyl glycidyl ether
8030004 | PEG - Polyethylene glycol
8035009 | Cholestenol delta-isomerase
8048008 | Blood group antigen Th
8054009 | Orotate reductase (NADPH)
8055005 | Galactoside acetyltransferase
8105004 | Hemoglobin Leiden

8108002 | Undecaprenyl-diphosphatase
8123007 | Blood group antibody Schuppenhauer
8132009 | Magnesium acetylsalicylate
8143001 | Diosmin
8153000 | Homoproline
8156008 | Immunoglobulin, Fd fragment
8164002 | Cluster of differentiation antigen 67
8168004 | Uracil-5-carboxylate decarboxylase
8179009 | Cevadilline
8184003 | Convallamarogenin
8190004 | Diaminopimelate epimerase
8202008 | ^43^Potassium
8203003 | Human menopausal gonadotropin
8204009 | Polyester
8222007 | Coagulation factor II Padua variant
8227001 | ^106^Ruthenium
8230008 | Streptococcal cysteine proteinase
8237006 | Strobane
8252004 | Chlorothiazide sodium
8257005 | Abnormal hemoglobin
8261004 | Potassium thiosulfate
8268005 | Blood group antibody Hildebrandt
8270001 | tRNA adenylyltransferase
8275006 | Methionine-S-oxide reductase
8295000 | Uromucoid protein
8300003 | Cyclohexanol
8310007 | Hemoglobin Madrid
8313009 | RNA-directed DNA polymerase
8340009 | Procollagen-lysine,2-oxoglutarate 5-dioxygenase
8342001 | Brilliant cresyl blue
8343006 | Blood group antibody Re^a^
8354001 | Manganese ethylene bis-dithiocarbamate
8355000 | Hafnium isotope
8362009 | Anti c
8365006 | Oil of pennyroyal-European
8368008 | Xylan 1,44-beta-xylosidase
8376005 | Duffy blood group antibody
8385005 | Acid alpha-glucosidase
8397006 | Nicotine resin complex
8406008 | Nitroethane oxidase
8429000 | Brilliant orange
8450009 | Lemon grass oil
8452001 | Blood group antigen Sisson
8456003 | Methyl ethyl ketone peroxide
8460000 | Blood group antibody Vg^a^
8473001 | Homocysteine methyltransferase
8474007 | Lead oleate
8484008 | Blood group antigen Mur
8485009 | Oncogene protein P210, BCR-ABL
8486005 | HLA-DRw15 antigen
8487001 | ^48^Vanadium
8491006 | Complement inhibitor
8492004 | Allantoicase
8498000 | Short neurotoxin venom
8507001 | Cyclohexane
8514004 | Ornithine
8520003 | Hemoglobin Machida
8525008 | ^183^Osmium
8529002 | Urinary protein of low molecular weight
8534003 | ^110^Tin
8537005 | Solution
8578007 | Potassium cyanate
8591008 | Dichlorodifluoromethane
8612007 | Tumor necrosis factor
8620009 | Oncogene protein TCL6
8631001 | Potassium chloride
8653004 | Rubijervine
8660005 | Complement component C3c
8687009 | Gum arabic
8689007 | Kanamycin sulfate
8701002 | Sulfachlorpyridazine
8705006 | 4-Hydroxybenzoate decarboxylase

8731008 | Blood group antibody Austin
8740007 | C3(H20)Bb
8761000 | Adenylylsulfate kinase
8767001 | Santonin
8785008 | Chlorine dioxide
8786009 | Blood group antigen Wd^a^
8795001 | Hb F - Hemoglobin F
8817004 | LH receptor site
8818009 | Blood group antibody Tri W
8822004 | Linoleic acid
8830003 | Nitrate reductase (NAD(P)H)
8836009 | Gallocyanine
8844009 | Hydroxybutyrate-dimer hydrolase
8858006 | Strontium nitrate Sr^85^
8865003 | Graphite
8878003 | Blood group antigen Evelyn
8882001 | 3-Hydroxybenzoate 6-monooxygenase
8886003 | Flecainide acetate
8908003 | Blood group antibody I^T^
8914005 | Endolymph
8919000 | Biotin
8926000 | Azur B
8945009 | Phosphopantothenate-cysteine ligase
8953001 | 2,3-Dihydroxyindole 2,3-dioxygenase
8963009 | N-Acetylmuramoyl-L-alanine amidase
8969008 | Bulbourethral secretions
8977007 | Blood group antibody Tarplee
8982000 | Oleate hydratase
8987006 | Cycle-phase specific agent
8991001 | Ribulokinase
9010006 | Methyl blue
9013008 | Dephospho-CoA kinase
9021002 | Carbaryl
9024005 | G6PD - Glucose-6-phosphate dehydrogenase
9045003 | Radon radioisotope
9052001 | Allspice oil
9054000 | Human leukocyte antigen B15
9103003 | Retinol fatty-acyltransferase
9110009 | Mercuric compound
9125009 | Sempervirine
9159008 | Triacetate-lactonase
9172009 | Blood group antibody Alda
9174005 | Fibrinogen Poitiers
9183000 | beta-N-Acetylgalactosaminidase
9189001 | CMP-N-acetylneuraminate-lactosylceramide alpha-2,3-sialyltransferase
9195000 | Immunoglobulin gene INV allotype
9197008 | Apiose reductase
9205004 | Hemoglobin Tarrant
9220005 | Plant phenol oil
9223007 | Borneol dehydrogenase
9234005 | Chlorobutanol
9246009 | ^118^Tellurium
9253000 | HLA-DRw16 antigen
9270008 | Catecholamine receptor
9271007 | Fibrinogen Pontoise
169008 | Hypothalamic releasing factor preparation
211009 | Norethandrolone preparation
302007 | Spiramycin
439007 | Therapeutic radiopharmaceuticals
449005 | Procaine penicillin
544002 | Melphalan
669007 | Vaccinia virus vaccine
716000 | Hematological agents
796001 | Digoxin product
847003 | D-thyroxine preparation
902003 | Experimental drug
922004 | Pralidoxime
1039008 | 6MP - Mercaptopurine
1148001 | Ticarcillin
1182007 | Hypotensive agent
1206000 | Alpha 2 adrenergic blocking agent
1222004 | Metronidazole

1389007 | Beclometasone
1434005 | Calamine
1528001 | Folinic acid product
1552008 | Saluretic drug
1594006 | Azatadine
1613009 | Dexbrompheniramine maleate
1756009 | Antipruritic topical anesthetic
1758005 | Motilin preparation
1842003 | Diphemanil
1878008 | Hexachlorophane product
1887004 | Permethrin
1982006 | Bacitracin ophthalmic preparation
2016004 | Dextromethorphan
2037007 | Otic anti-inflammatory preparation
2183004 | Tetryzoline
2190009 | Benzhexol
2497003 | Hexetidine
2571007 | Busulfan
2596005 | Lincomycin
2679000 | Oxandrolone
2944000 | Depilatory agent
2949005 | Diagnostic agents
3037004 | Flumethasone preparation
3046005 | Enalapril maleate
3127006 | 5FU - Fluorouracil
3221003 | Ringer solution
3334000 | Cefotaxime
3361000 | Anti-heparin agent
3526007 | Rabies vaccine, human
3593009 | Otic anti-infective preparation
3814009 | Propylthiouracil product
3822002 | Suxamethonium
4126008 | Fluprednisolone preparation
4194004 | Mazindol
4219002 | Penicillamine
4220008 | Tolazoline
4382004 | Centrally acting antihypertensive agent
4704002 | Iothiouracil
4741001 | Sodium folate preparation
4753002 | Triamcinolone dental paste
4865009 | Prolactin releasing factor preparation
4937008 | Cefaclor
5067008 | Antithyroid drugs
5465006 | Propitocaine hydrochloride
5478006 | Trifluperidol
5487002 | Therapeutic agent
5606003 | Dexamethasone nasal preparation
5720001 | Latrodectus mactans antivenin
5737008 | Demeclocycline
5776009 | Anesthetic
5786005 | Chlorothiazide
5797005 | Clotrimazole
5924003 | Isosorbide dinitrate
5975000 | Niclosamide
6028009 | Triamcinolone preparation
6067003 | Orciprenaline
6071000 | Coal tar preparation
6102009 | Baclofen
6116004 | Oxymetholone preparation
6122008 | Class Ia antiarrhythmic drug
6232005 | Naphazoline
6247001 | Folic acid preparation
6259002 | Hydrogen peroxide solution 3%
6369005 | Penicillin -class of antibiotic-
6425004 | Antihistamine
6517004 | Butyrophenone derivative antipsychotic agent
6526001 | Nalorphine
6625006 | Zinc sulfate
6652001 | Calcium pantothenate preparation
6716006 | Abortient agent
6960003 | Polymyxin B
6985007 | Opium preparation

7092007 | Metoprolol
7140000 | Radiographic contrast media
7168001 | Magnesium carbonate
7230005 | Brucella vaccine
7235000 | Ethylenediamine derivative antihistamine
7292004 | Indocyanine green
7336002 | Trazodone
7561000 | Dexamethasone preparation
7577004 | Ciprofloxacin
7624002 | Sodium perborate product
7836006 | Expectorants
7947003 | Acetylsalicylic acid
7959004 | Teniposide
7982002 | Phenmetrazine hydrochloride
8028001 | Butacaine
8109005 | Alimemazine
8163008 | Nitroprusside
8348002 | Cyclopentolate
8372007 | Promethazine
8416000 | Dicloxacillin
8571001 | Vasoconstrictor
8658008 | Human serum albumin preparation
8661009 | Replacement preparation
8692006 | Metamfetamine
8696009 | Antispasmodic
9190005 | Tropicamide
9268004 | Butabarbitone
9307009 | Animal serum globulin preparation
9500005 | MAOI - Phenelzine
9542007 | Antihepatitis B immunoglobulin
9690006 | Nikethamide
9745007 | Sucrose product
9778000 | Cytomegalovirus immune globulin
9944001 | Chlorphenamine
10099000 | Ketoprofen
10135005 | Cinchona alkaloid
10243007 | Benzoic and salicylic acid ointment
10312003 | Prednisone preparation
10332002 | Vaccine - bacterin - toxoid
10355004 | Injectable vitamin preparation
10356003 | Undecylenic acid and undecylenate salt
10368007 | Colloidal oatmeal powder
10422008 | Nitropentaerythrol
10504007 | Doxycycline
10515002 | Lututrin preparation
10555000 | Tocainide
10632007 | Multivitamin preparation
10668002 | Skin anti-infective
10712001 | Glucagon product
10756001 | Haloperidol
10784006 | Anti-psychotic agent
11185009 | Autogenous vaccine - autogenous bacterin
11260008 | Ophthalmic anti-infective preparation
11402001 | Medicinal enzyme
11430001 | Tetracyclic antidepressant drug
11563006 | Vitamin D preparation
11719000 | Cetylpyridinium
11777007 | Ophthalmic antibiotic
11783005 | Stool softener
11796006 | Methysergide
11841005 | Doxepin
11847009 | Naproxen
11866009 | Plague vaccine
11959009 | Procainamide
12096000 | Nystatin
12236006 | Pancreatin product
12289007 | Whole blood product
12335007 | Diatrizoate
12369008 | Oxytocin product
12425002 | Human white blood cell product
12436009 | Vinblastine
12495006 | Magnesium citrate

12512008 | Triamterene
12559001 | Emetine
12657005 | Fludrocortisone acetate preparation
12839006 | Estradiol product
12968008 | Vitamin products
13132007 | Dextran product
13154009 | Chlormethine
13178004 | Rickettsial vaccine
13252002 | Salsalate
13414000 | Cefadroxil
13432000 | Nortriptyline
13512003 | Minocycline
13525006 | Acetylcholine preparation
13565005 | Bisacodyl
13592004 | Pyrazinamide
13664004 | BAL - British Anti-Lewisite
13790009 | Oral form iron preparation
13800009 | Naftifine
13813003 | Biotin preparation
13929005 | Spironolactone
13936006 | Butorphanol
13965000 | Valproic acid
14054003 | Vitamin B complex preps
14103001 | Opiate antagonist
14170004 | Capreomycin
14542005 | Caffeine and sodium benzoate injection solution vial
14601000 | Anticholinergic agent
14706000 | Pheneticillin
14728000 | Chloroquine
14745005 | Hepatitis A vaccine
14814001 | Trimethobenzamide
14816004 | Cocaine product
15117003 | Coagulant
15222008 | Enalapril
15375005 | Phenanthrene derivative
15383004 | Levodopa
15389000 | Hydantoin derivative anticonvulsant
15432003 | Ethinylestradiol
15772006 | Beta 1 blocking product
15857002 | Ethanolamine derivative antihistamine
16031005 | Dexchlorpheniramine
16037009 | Terfenadine product
16047007 | Benzodiazepine
16131008 | Animal antiserum
16403005 | Non-steroidal anti-inflammatory agent
16602005 | Hydrocortisone preparation
16787005 | Streptococcus equisimilis - suis antiserum
16791000 | Cefradine
16832004 | Conjugated estrogens
16858004 | Urea
16867004 | Sulfathiazole
16970001 | Proguanil
16977003 | Lithium carbonate
17016006 | Animal gamma globulin
17055007 | Systemic acidifier
17308007 | Dapsone
17386008 | Anti-infective agent
17502009 | Gallamine triethiodide
17554004 | Paramethasone preparation
17558001 | Corn oil
17600005 | Diagnostic radiopharmaceuticals
17805003 | Lithium citrate
17859000 | Polyvalent crotalidae antivenin
17893001 | Skeletal muscle relaxant
18002004 | Auranofin
18125000 | Fluocinonide
18335001 | Aureolic acid
18340009 | Oxychlorosene
18381001 | Prindolol
18511007 | Generic drug
18548003 | Methylphenidate
18679008 | Potassium-removing resin

18811003 | L-asparaginase preparation
18914005 | Hydroflumethiazide
18952006 | Econazole
19194001 | ddI
19225000 | Lorazepam
19232009 | Prilocaine
19261005 | Sulfinpyrazone
19315007 | Pyridoxine hydrochloride preparation
19403009 | Flurazepam
19405002 | Netilmicin
19581007 | Parasympathomimetic agent
19583005 | Diclofenamide
19630009 | Silver sulfadiazine
19768003 | Alkylating drugs
19841008 | Ceftriaxone
20091003 | Somatotropin releasing factor preparation
20201001 | Nafoxidine
20237006 | Dihydrotachysterol preparation
20249007 | Progestin preparation
20303001 | Vinblastine sulfate
20320002 | Hydrocodone
20577002 | HCG - Human chorionic gonadotrophin product
20865003 | Diflunisal
20969008 | Polyvalent snake antivenin
21069002 | Lipotropic agent
21159006 | Pargyline
21451004 | Indium-113m chloride
21691008 | Magnesium trisilicate
21701005 | Cromoglicic acid
21767006 | Iron dextran complex
21788002 | Phenazopyridine hydrochloride
21986005 | Erysipelothrix rhusiopathiae antiserum
22091006 | Hormone preparation
22168005 | Glycopyrronium
22198003 | Metolazone
22274004 | Methandriol preparation
22474002 | Aldosterone preparation
22587006 | Depolarizing muscle relaxant
22657006 | Calcitonin product
22672005 | Amfetamine group
22696000 | Hydralazine
22801004 | Sterile water solution
22826008 | Ammonia detoxicant
22969001 | Oxytetracycline
23079006 | Vincristine
23222006 | Antisera
23343005 | Human platelet product
23532003 | Phenmetrazine
23822003 | Human plasma fraction
23827009 | Sulfacetamide
23838009 | Nonspecific alpha-adrenergic blocking agent
23888001 | Cascara
24036003 | Antianemia drug
24450004 | Ethambutolol
24504000 | Methylcellulose
24866006 | Salmonella typhimurium antiserum
24891006 | Sodium amidotrizoate
25014009 | Tripelennamine
25057004 | Mercurial diuretic product
25076002 | Carisoprodol
25085002 | Cholecystokinin preparation
25142008 | Trilostane
25246002 | Allopurinol
25398003 | Ichthammol
25419009 | Barium sulfate
25465007 | Escherichia coli monoclonal antibody
25673006 | Omeprazole
25716001 | Tetanus toxoid, human
25849001 | SNP - Sodium nitroprusside
25860005 | Terconazole
25912006 | Menadiol sodium diphosphate preparation
25995007 | Triprolidine

26122009 | Dimetindene
26124005 | Glipizide product
26244009 | Antimuscarinic
26303005 | Hexestrol preparation
26370007 | Hemostatic agent
26456008 | Levothyroxine sodium preparation
26458009 | Diphenhydramine
26462003 | Cyproheptadine
26503009 | Deserpidine
26523005 | Dobutamine
26548008 | Pancreatic hormone product
26574002 | Droperidol
26580005 | Digestant
26736008 | Ferrous gluconate
26800000 | Midazolam
26842003 | Burbot liver oil preparation
27035007 | Heavy metal antagonist
27085003 | Sodium polystyrene sulphonate
27196008 | Bupivacaine
27242001 | Methylprednisolone preparation
27479000 | AZT - Azidothymidine
27518004 | Parathyroid hormone
27548001 | LA - Local anesthetic drug
27566006 | Drug vehicle preservative
27638005 | T-PA - tissue-type plasminogen activator
27658006 | Amoxicilline
27707001 | Medroxyprogesterone acetate preparation
27754002 | Pyrazinobutazone
27867009 | Antineoplastic
28028002 | Synthetic hormone preparation
28149003 | Pentostatin
28235004 | Doxapram
28240007 | Eye cosmetic
28410007 | alpha-Carboxypenicillin
28415002 | Methscopolamine
28426008 | Fluocinolone
28506006 | Flucytosine
28748001 | Chloral hydrate
28841002 | Anhydrohydroxyprogesterone
28906000 | Percoid liver oil preparation
29051009 | Loop diuretic product
29058003 | Halcinonide
29089004 | Dibromomannitol
29121001 | Mersalyl
29129004 | Oxymetazoline
29156002 | Mechlorethamine
29175007 | Rifampicin product
29237004 | Arachnida antivenin
29439004 | Captopril
29620001 | beta-Tocopherol preparation
29840005 | Amoxapine
29877002 | MAOI - Isocarboxazid
29883004 | Class IV antiarrhythmic
29896003 | Betamethasone
29987004 | Vitamins A and D preparation
30010009 | Cyanocobalamin product
30125007 | Senna product
30306003 | Vitamin B1 preparation
30317002 | Cisapride
30427009 | Erythromycin product
30466001 | Chloramiphene
30492008 | Diuretic
30666008 | Toxoid (human)
30729008 | Iron preparation
30761007 | Mannitol product
30964009 | Methyprylone
30988006 | Dienestrol preparation
31025003 | Dibenzoxazepine derivative antipsychotic agent
31087008 | Ampicillin
31181006 | Injectable testosterone preparation
31231007 | H2O2 - Hydrogen peroxide
31305008 | Streptococcus equisimilis antiserum

31306009 | Quinidine
31352002 | Normal colostral whey
31587003 | Almond oil liquid
31684002 | Buprenorphine
31690003 | Bethanechol
31692006 | Pentamidine
31716004 | Frozen plasma product, human
31865003 | Fluconazole
31872002 | Pramocaine
31970009 | Nitrate vasodilator
32249005 | Antiviral drugs
32313007 | Enflurane
32460003 | Beclometasone dipropionate nasal preparation
32462006 | Melanocyte stimulating hormone releasing factor preparation
32473004 | Spider antivenin
32474005 | Probucol
32583002 | Antiseborrheic drug
32647002 | Ergotamine
32653002 | Ergosterol preparation
32792001 | Trimethoprim
32823007 | Maprotiline
32841004 | NaCl - Sodium chloride solution
32955006 | Domperidone
32960005 | Thiosalicylate
33124007 | Butamidum
33133009 | Ophthalmic anti-inflammatory preparation
33219003 | Tricyclic antidepressant
33231001 | Pentobarbital
33234009 | Var/Vac
33236006 | Cortisone acetate preparation
33252009 | beta-adrenoceptor blocking drug
33378002 | Desipramine
33484000 | Proprietary drug
33588000 | Thioridazine
33589008 | Cardiac glycoside
33664007 | Acetazolamide
33675006 | Carbachol
33682005 | Mydriatic
33815001 | Streptococcus suis antiserum
34012005 | Sulfonylurea product
34217006 | Oxyquinoline
34364009 | Mefenamic acid
34393009 | Tolazamide
34462007 | Natamycin
34598001 | Immunobiologic agent available from the Centers for Disease Control and Prevention
34599009 | Thyroglobulin preparation
34689006 | Hepatitis B vaccine
34693000 | Zalcitabine
34696008 | Sodium ascorbate preparation
34731007 | Carbenicillin
34816007 | Cod liver oil
34833000 | Hydrocortisone ophthalmic preparation
34929006 | Benzethonium
35035001 | Orphenadrine
35063004 | Ribavirin
35097006 | Flea antigen
35282000 | Gemfibrozil
35300007 | Daunorubicin
35324004 | Paraldehyde product
35392005 | Calcium-removing resin
35476001 | Silver nitrate product
35531004 | Hydrocortamate preparation
35736007 | Cholera vaccines
35768004 | Oxybutynin
35792007 | Peritoneal dialysis solution
35967000 | Medazepam
35983000 | Cellular blood product, human
36068003 | Pyrantel
36113004 | Imipramine
36168000 | Anti-infective nasal preparations
36218003 | Thiethylperazine
36236003 | Antidepressant

36391008 | Primaquine
36537006 | Ambenonium
36594001 | Tiabendazole
36621009 | Medroxyprogesterone
36642006 | Propantheline
36763003 | Immune globulin IM
36795002 | Piperazine estrone sulfate
36893000 | Ceftazidime
36909007 | Phenindamine
36940000 | Thioxanthene derivative antipsychotic agent
36944009 | Vitamin B6 preparation
37084008 | 4-quinolones
37146000 | Typhus vaccine
37306000 | Vidarabine
37400007 | Magnesium sulfate
37628007 | Cefalotin
37643009 | Autogenous bacterin
37773009 | Diphenylbutylpiperidine derivative antipsychotic agent
37803001 | d-TC - Tubocurarine
38076006 | Sodium thyroxine
38131009 | Synthetic drug
38166006 | Tolnaftate
38181000 | Antineoplastic antibiotic
38231004 | Polysaccharide iron complex
38268001 | Propionic acid-ibuprofen
38314008 | Isotretinoin
38413003 | Otic dosage form product
38578004 | Megestrol preparation
38828006 | Sodium thiosulfate
38900001 | Proliferant agent
39064002 | Acetohexamide
39124003 | Methohexital
39128000 | Famotidine
39142008 | Phendimetrazine
39252001 | Water balance agent
39359008 | Penicillin V
39432004 | Deodorant
39487003 | Regular insulin product
39516004 | Disulfiram product
39598004 | Marijuana derivative
39608003 | Pentazocine
39707000 | Aminobenzoic acid
39741008 | Drug groups primarily affecting the gastro-intestinal system
39860005 | Fructose product
39939003 | Phenyltoloxamine
40162007 | Bulk-forming laxatives
40232005 | Ketoconazole
40339003 | Calcium lactate
40429005 | Etomidate
40430000 | Bromelains
40556005 | Phenytoin product
40562000 | Methylergonovine preparation
40589005 | Amitriptyline
40606008 | Orphan drug
40648001 | Fentanyl product
40652001 | Cromolyn sodium
40820003 | Carbamazepine product
40877002 | Streptomycin
40901001 | Desferrioxamine mesylate
40905005 | Beractant
40974005 | Phenylpiperone
40999006 | CCNU - Lomustine
41001009 | Dinoprost
41015006 | Metaraminol
41147003 | Perphenazine
41193000 | Aciclovir
41324009 | Propiomazine
41365009 | Fluphenazine
41367001 | Enterogastrone preparation
41399007 | Oxazolidinedione
41470001 | Corbadrine
41493007 | Dicycloverine

41549009 | Angiotensin-converting enzyme inhibitor
41985001 | Bitolterol
42082003 | Vancomycin
42098005 | Dexamethasone ophthalmic preparation
42271003 | Glutamic acid product
42348003 | Methyltestosterone
42374009 | Dextromethorphan hydrobromide
42444000 | Secobarbital
42514000 | Procaine product
42638008 | Methylrosanilium chloride
42714002 | Escherichia coli antiserum
42720001 | Miconazole
42863006 | Desmopressin acetate preparation
43343000 | Magaldrate
43499003 | Injectable interferon
43533002 | Chloramphenicol ophthalmic preparation
43594006 | Skin bleaching preparations
43684009 | Misoprostol product
43747001 | Drug excipient
43753001 | Dydrogesterone
43879000 | Flunisolide
43927002 | Analeptic agent
44175000 | Diperodon
44418001 | Percomorph liver oil preparation
44658005 | Promazine
44731005 | Otic form hydrocortisone
44790008 | Ethosuximide
44798001 | Dinoprostone product
44938006 | Cefoperazone
44990002 | Procyclidine
45218006 | Meclastine
45311002 | Terbutaline
45313004 | Propylpiperazine derivative of phenothiazine
45355008 | Rocky Mountain spotted fever vaccine
45518007 | Thiazide diuretic product
45680002 | Tolmetin
45844004 | Sulfasalazine
45888006 | gamma-Tocopherol preparation
45923000 | E331 - Sodium citrate
46009007 | Chlorambucil
46063005 | Psychotherapeutic agent
46123006 | Ascorbic acid product
46233009 | FLU - Influenza vaccine
46436003 | Haloprogin
46479001 | Encainide
46532003 | Brilliant green
46547007 | Labetalol
46576005 | Flecainide
46709004 | Methylphenobarbital
46741005 | SA - Salicylic acid
46913003 | Edrophonium
47065008 | Quinine
47120002 | Hexamidinum
47124006 | Aminoglutethimide
47140009 | Medrysone
47331002 | CPZ - Chlorpromazine
47527007 | Phenindione
47602007 | Nalidixic acid
47755009 | Potassium sparing diuretic
47772002 | Fenfluramine hydrochloride
47898004 | Verapamil
48028008 | Haemophilus influenzae Type b (Hib)/diphtheria/tetanus/pertussis vaccine
48174005 | Ranitidine
48256008 | Benzyl benzoate
48279009 | Emollient product
48351000 | Butadione
48546005 | Diazepam product
48603004 | Warfarin
48614001 | Clobetasol
48647005 | Pancrelipase
48698004 | Calcium-channel blocker
48836000 | Amikacin

48875009 | Dihydroergotamine product
48899009 | Hyoscyamine
49019002 | Prednisolone ophthalmic preparation
49157004 | Uricosuric product
49192007 | Antiflatulent agent
49267000 | Hydroxyphenylbutazone
49299006 | Protriptyline
49485009 | Norfloxacin
49577002 | Minoxidil
49590009 | Class I antiarrhythmic
49600008 | Normal animal plasma
49617001 | Disodium enoxolone
49663007 | Sunscreening preparations
49669006 | Escherichia coli - pasteurella multocida - salmonella typhimurium antiserum
49688004 | Hexocyclium
49694007 | Mucolytics
49705006 | Idoxuridine
49802003 | Anti-D (Rh) immunoglobulin
49860008 | Gold product
49953001 | Pheniramine
49992008 | Dexamethasone sodium phosphate
50094009 | Hetastarch
50137001 | Glycine solution
50182002 | Hemodialysis fluid
50244000 | Intravenous anesthetic
50256004 | Antitrichomonal agent
50318003 | Luteal hormone
50335004 | Levorphanol
50520001 | Neomycin B
50841004 | Otic form chloramphenicol
50868004 | Dexamfetamine
51013009 | Sulfadimethoxine
51073002 | Phenobarbital product
51103004 | Hypertonic saline
51126006 | Benzestrol preparation
51132001 | Hyaluronidase product
51326002 | BCNU - Carmustine
51334008 | Cycloserine
51361008 | Amantadine
51425004 | Scorpion antivenin
51555009 | Desiccated liver preparation
51752005 | Chologon
51758009 | Amidine
51779009 | Cephalosporin -class of antibiotic-
51908007 | Prenylamine
51992002 | Gastrin preparation
52017007 | Antiemetic
52108005 | Ferrous fumarate
52215008 | Desonide
52388000 | Prednisolone
52412009 | Methylergonovine maleate preparation
52423008 | Tar preparation
52451004 | Dihydroindolone derivative antipsychotic agent
52489009 | Vasopressin tannate preparation
52628005 | Typhoid-paratyphoid vaccine
52761007 | Anticholinesterase parasympathomimetic
52883001 | para-Hydroxyamphetamine
52896000 | Chinoform
53009005 | Analgesic
53480001 | Phentermine
53584007 | Methacholine
53640004 | Fluoxetine
53641000 | Flavoxate
53691001 | Calcium gluconate
53793005 | Escherichia coli antibody
53800008 | Dithranol
53848009 | Metyrapone
53855006 | Neostigmine bromide
54142000 | Domiphen
54344006 | Flurbiprofen
54391004 | Levamisole
54406003 | Methoxamine

54541002 | Ergometrine preparation
54544005 | Pethidine
54577009 | Ceftizoxime
54659006 | Thiamine hydrochloride preparation
54705000 | Temazepam
54765002 | Phenylephrine
54824008 | Isometheptene
54882005 | Amfepramone
54887004 | Cefalexin
54972005 | Tretinoin
54982006 | Promethestrol preparation
55015008 | E325 - Sodium lactate
55217007 | Calcium carbonate
55432002 | Azlocillin
55556000 | Tetracaine
55673009 | Iothalamate sodium I^125^
55745002 | Propranolol
55782006 | Amide-type anesthetic
55784007 | Natural hormone preparation
55830003 | Menotrophin
55867006 | Aminophylline
55889005 | Praziquantel
56011005 | Stinging insects immunotherapy extract
56014002 | Hydroxyprogesterone
56032002 | Androstanolone
56059005 | Mebendazole product
56123002 | Hexamine
56230001 | Bretylium
56234005 | Growth hormone product
56240003 | Paramethasone acetate preparation
56281006 | Anesthetic ether
56480005 | Parabromdylamine
56549003 | Metoclopramide
56602009 | Hydroxycarbamide
56615000 | Polyestradiol phosphate preparation
56656002 | Magnesium-based antacid
56844000 | Yellow fever vaccine product
56928005 | Etoposide product
56934003 | PVP - Polyvinylpyrrolidone
57002000 | Chlorprothixene
57066004 | Cisplatin product
57123008 | Urinary acidifier
57191001 | Chloramphenicol product
57263002 | Oxiconazole
57376006 | Monosodium carbonate
57538001 | Chlortetracycline
57616006 | STD - Sodium tetradecyl sulfate
57670008 | Cefoxitin
57752001 | Gentamicin product
57811004 | Dihydrocodeine
57819002 | Somatotropin inhibiting factor preparation
57845006 | Isoprenaline
57853003 | Clidinium
57893000 | Chlortalidone
57952007 | Lipid lowering drug
58050004 | Antiparkinsonian agent
58098008 | Tetanus toxoid adsorbed
58360000 | Phenazocine
58467001 | Papaverine
58502006 | Propylamine derivative antihistamine
58760003 | Antimetabolites
58805000 | Pituitary hormone preparation
58883005 | Clindamycin
58892008 | F3T - trifluorothymidine
58905004 | Diazoxide
58944007 | Vasodilator
59057006 | Antihemophilic factor preparation
59187003 | Dopamine product
59240002 | MMC-Mitomycin-C
59245007 | Hypophysiostatic factor preparation
59255006 | Sulfonamide
59261009 | Oral contraceptive preparation

59270007 | Loxapine
59456005 | Astemizole
59589008 | Pyrimethamine product
59594008 | Nondepolarizing agent
59751001 | Cough suppressant
59799001 | Osmotic diuretic product
59941008 | Diltiazem
59953007 | Pyridostigmine
59999009 | Tetanus and diphtheria toxoid adsorbed for adult use
60090003 | Soft drug
60093001 | Phenylpropanolamine hydrochloride
60149003 | Indometacin
60169008 | Antacid
60468008 | Magnesium hydroxide
60520004 | Thiamine mononitrate preparation
60533005 | Astringent drug
60541005 | Lanatoside C
60682004 | Echothiophate
60731009 | Diethylcarbamazine
60767002 | Normal animal serum
60881009 | Heroin
60972002 | Irrigating solution
60978003 | Barbiturate
61020000 | Thyroid preparation
61093008 | Prolactin inhibiting factor preparation
61123001 | Amobarbital sodium
61132004 | Gas gangrene antitoxin
61153008 | Measles, mumps and rubella vaccine
61181002 | Meprednisone preparation
61408004 | Molindone
61457001 | Adrenal hormone preparation
61602008 | Pertussis vaccine
61621000 | Laxative
61623002 | Buclizine
61650007 | Niacinamide preparation
61651006 | Cefamandole
61862008 | Meticillin
61939007 | Diphenylmethane laxative
61946003 | Estrogenic preparation
62051009 | Dichlorisone preparation
62063004 | Nasal anti-inflammatory preparation
62191005 | Injectable liver preparation
62288001 | Anthelmintic
62294009 | Varicella-zoster immune globulin
62353003 | Clomifene citrate
62354009 | Bronchitis vaccine
62529008 | Tiotixene
62560008 | Fluorometholone ophthalmic preparation
62782004 | Clonidine
63094006 | Anticonvulsant
63136007 | Phytonadione preparation
63318000 | Benzoic acid
63338004 | Drug flavoring
63470003 | Fluoxymesterone preparation
63639004 | Niacin preparation
63682003 | Halothane
63758001 | Norethindrone preparation
63822004 | Vitamin E preparation
64083002 | Genitourinary smooth muscle relaxant
64115004 | Amodiaquin
64127001 | Dactinomycin
64240003 | Methandrostenolone preparation
64296005 | Staphylococcus toxoid
64349004 | Griseofulvin
64462001 | Terpin
64558005 | Metixene
64851009 | Diiodohydroxyquin
64878006 | Methylthiouracil
65020006 | Benzocaine
65026000 | Ephedrine
65041000 | Biperiden
65092008 | Chloropyrilene

65265006 | Thromboplastin
65461004 | Adrenal cortex extract
65484006 | Prostacycline PGI>2< preparation
65502005 | Epinephrine preparation
65505007 | Gastrointestinal smooth muscle relaxant
65627005 | 4-Amino-2-methyl-1-naphthol hydrate preparation
65628000 | Skin agent
65638005 | Corticotropin zinc hydroxide preparation
65695006 | General inhalation anesthetic
65823007 | Protective agent
65884003 | Antrapurol
65965000 | Micrurus fulvius antivenin
66065008 | Saline laxative
66094001 | Probenecid
66125007 | Flunisolide nasal preparation
66243004 | Norethindrone acetate preparation
66261008 | Tetracycline
66349002 | Androgenic preparation
66441000 | Pantothenic acid preparation
66492008 | Isoflurane
66493003 | Theophylline
66602007 | Stanozolol preparation
66672008 | Ester type local anesthetic
66742008 | Pigmenting agent
66854004 | Betamethasone valerate
66859009 | Dipyridamole
66860004 | Aluminum chloride
66919007 | Methyclothiazide
66971004 | Colestipol
67213005 | Lymphocyte immune globulin
67423003 | Acylaminopenicillin
67440007 | Alpha-adrenergic blocking agent
67477004 | Valproate
67507000 | Antiarrhythmic drug
67585005 | Topical anesthetic
67735003 | Paclitaxel
67891001 | Second generation cephalosporin
67939000 | Apomorphine
68088000 | Acebutolol
68113000 | Hib oligosaccharide conjugate (diphtheria CRM>197< protein conjugate) vaccine
68206008 | Calcitriol preparation
68208009 | Diphtheria and tetanus toxoid adsorbed
68395000 | Calcium chloride
68398003 | Somatomedin preparation
68402007 | Carbonic anhydrase inhibitor
68407001 | Hydrogen peroxide solution 30%
68422006 | Cloxacillin
68424007 | Isoflurophate
68444001 | Doxorubicin
68461003 | Surgical jelly
68490009 | Sodium propionate
68622003 | Secretin preparation
68702006 | Sodium aurothiomalate
68774008 | Isoxsuprine
68864001 | Polyvalent reptile antivenin
68887009 | Methotrexate
68892006 | Penicillinase-resistant penicillin
69107004 | Dantrolene
69204002 | Guanadrel
69227005 | Class II antiarrhythmic drug
69236009 | Amiodarone
69242008 | Miotic
69331001 | Aminocyclohexylpenicillin
69431002 | Immunosuppressant
69509008 | Biological agent
69576000 | Menadione preparation
69708003 | Clonazepam
69801001 | Sodium estrone sulfate preparation
69879000 | Altretamine
69918003 | Aztreonam
69967001 | Sucralfate
70047000 | Sulfamethoxazole

70216000 | Undecylenate salt
70254000 | Sulfamethizole
70343008 | Piperazine derivative antihistamine
70379000 | Sodium chloride
70447008 | Polyvalent pneumococcal vaccine
70460002 | Fish liver oil preparation
70702006 | Deferoxamine
70776005 | Pemoline
70841003 | Chymotrypsin preparation
70864001 | Meprobamate
70934008 | Demecarium
71181003 | Vaccine
71289008 | Snake antivenin
71338005 | Vasopressin preparation
71451001 | Kanamycin
71453003 | Mupirocin
71455005 | Flurandrenolone preparation
71462001 | Podophyllum resin
71516007 | Ergocalciferol preparation
71584004 | Sodium phosphate
71634000 | Chlormezanone
71699007 | Trifluoperazine
71724000 | Ferrous sulfate
71731001 | Medrysone ophthalmic preparation
71759000 | Nitroglycerin
71770007 | Monoamine oxidase inhibitor
71798005 | Fenoprofen
71837009 | Cytotoxic agent
72312007 | Cyclandelate
72398005 | Ophthalmic sulfonamide preparation
72416006 | Metacycline
72623000 | 2-Amino-6-mercaptopurine
72824008 | Cholestyramine
72870001 | Scopolamine
72924009 | Clofazimine
72968006 | Sodium salicylate
72996000 | Drug builder
73074003 | Colistin
73093001 | Neomycin
73133000 | Colchicine
73170009 | Menthol
73212002 | Adipiodone
73228007 | Non-steroidal estrogen preparation
73274006 | Human plasma cryoprecipitate
73277004 | Mecamylamine
73454001 | Desmopressin preparation
73572009 | Morphine
73585007 | Phenytoin sodium
73627008 | Caloric agent
73639000 | Prescription drug
73647000 | Dipivefrine
73756003 | Amobarbital
73763003 | Extended spectrum penicillin
73805002 | Thyrotropin releasing hormone preparation
73949004 | Atropine
73986003 | Cefuroxime
74022005 | Mepenzolate
74065006 | Prazepam
74074008 | Atracurium
74147005 | Edetate disodium
74213004 | Indapamide
74226000 | Vitamin K preparation
74470007 | Cyclophosphamide
74480006 | Potassium supplement
74575000 | Piperacillin
74583006 | Hydroquinone product
74626007 | Drug diluent
74632002 | Succinimide
74674007 | Propofol
74771007 | Phenoxybenzamine
74780007 | Anthraquinone laxatives
74782004 | Naturally occurring alkaloid

74798006 | Pipenzolate
74819009 | Acetohydroxamic acid
75029008 | Desoxycorticosterone preparation
75201000 | Bacterin - toxoid
75203002 | Mometasone
75292001 | Vincristine sulfate
75366006 | Sodium calciumedetate
75429004 | Dexbrompheniramine
75501004 | Bromazine
75661008 | delta-Tocopherol preparation
75748004 | Theophylline sodium glycinate
75770001 | Urea topical preparation
75927008 | Floxuridine
75959001 | Tamoxifen
75969007 | Gonadotropin releasing factor preparation
76058001 | Prazosin
76155001 | Iopanoic acid
76286000 | Gallamine
76289007 | Xylometazoline
76385003 | Alpha 1 adrenergic blocking agent
76390000 | Practolol
76591000 | Bleomycin
76696004 | Noscapine
76759004 | Disopyramide product
76962009 | Iproniazid
77035009 | Clofibrate
77048008 | Dip/ser
77237006 | Emetic
77331005 | Normal animal globulin concentrate
77390008 | Benzatropine
77398001 | Antidiarrhea agent
77549006 | Terpene
77657003 | Illegal drug
77731008 | N-Acetylcysteine
77750008 | Dacarbazine
77856005 | Esmolol
77885004 | Mestranol product
77898008 | Simethicone
78025001 | Ganciclovir product
78057000 | Carbol-fuchsin topical solution
78174002 | Mezlocillin
78379001 | Reserpine
78411008 | Thiopental sodium
78439009 | Citrate salt
78449007 | Nitrazepam
78507004 | Benzylpenicillin
78542000 | Potassium citrate product

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.116 Value Set http://hl7.org/fhir/ValueSet/concept-map-equivalence

URL: https://hl7.org/fhir/R4/valueset-concept-map-equivalence.html
FHIR Infrastructure Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/concept-map-equivalence
Version: | 4.0.1
Name: | ConceptMapEquivalence

Title: | ConceptMapEquivalence
Definition: | The degree of equivalence between concepts.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.17 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ConceptMapEquivalence
• Resource: ConceptMap.group.element.target.equivalence (code / Required)

4.4.1.116.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/concept-map-equivalence

4.4.1.116.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 10 concepts

Expansion based on http://hl7.org/fhir/concept-map-equivalence version 4.0.1

All codes from system http://hl7.org/fhir/concept-map-equivalence

Lvl | Code | Display | Definition
0 | relatedto | Related To | The concepts are related to each other, and have at least some overlap in meaning, but the exact relationship is not known.
1 | equivalent | Equivalent | The definitions of the concepts mean the same thing (including when structural implications of meaning are considered) (i.e. extensionally identical).
2 | equal | Equal | The definitions of the concepts are exactly the same (i.e. only grammatical differences) and structural implications of meaning are identical or irrelevant (i.e. intentionally identical).
1 | wider | Wider | The target mapping is wider in meaning than the source concept.
1 | subsumes | Subsumes | The target mapping subsumes the meaning of the source concept (e.g. the source is-a target).
1 | narrower | Narrower | The target mapping is narrower in meaning than the source concept. The sense in which the mapping is narrower SHALL be described in the comments in this case, and applications should be careful when attempting to use these mappings operationally.
1 | specializes | Specializes | The target mapping specializes the meaning of the source concept (e.g. the target is-a source).
1 | inexact | Inexact | The target mapping overlaps with the source concept, but both source and target cover additional meaning, or the definitions are imprecise and it is uncertain whether they have the same boundaries to their meaning. The sense in which the mapping is inexact SHALL be described in the comments in this case, and applications should be careful when attempting to use these mappings operationally.
0 | unmatched | Unmatched | There is no match for this concept in the target code system.
1 | disjoint | Disjoint | This is an explicit assertion that there is no mapping between the source and target concept.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.117 Value Set http://hl7.org/fhir/ValueSet/udi-entry-type

URL: https://hl7.org/fhir/R4/valueset-udi-entry-type.html
Orders and Observations Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/udi-entry-type
Version: | 4.0.1
Name: | UDIEntryType
Title: | UDIEntryType
Definition: | Codes to identify how UDI data was entered.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.211 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for UDIEntryType

• Resource: Device.udiCarrier.entryType (code / Required)

4.4.1.117.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/udi-entry-type

4.4.1.117.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/udi-entry-type version 4.0.1

All codes from system http://hl7.org/fhir/udi-entry-type

Code | Display | Definition
barcode | Barcode | a barcodescanner captured the data from the device label.
rfid | RFID | An RFID chip reader captured the data from the device label.
manual | Manual | The data was read from the label by a person and manually entered. (e.g. via a keyboard).
card | Card | The data originated from a patient's implant card and was read by an operator.
self-reported | Self Reported | The data originated from a patient source and was not directly scanned or read from a label or card.
unknown | Unknown | The method of data capture has not been determined.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.118 Value Set http://hl7.org/fhir/ValueSet/condition-code

URL: https://hl7.org/fhir/R4/valueset-condition-code.html
Patient Care Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/condition-code
Version: | 4.0.1
Name: | Condition/Problem/DiagnosisCodes
Title: | Condition/Problem/Diagnosis Codes
Definition: | Example value set for Condition/Problem/Diagnosis codes.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.161 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: FamilyMemberHistory.condition.code (CodeableConcept / Example)
• Profile: FamilyMemberHistory-Genetic: FamilyMemberHistory.condition.code (CodeableConcept / Example)
• Resource: DeviceRequest.reasonCode (CodeableConcept / Example)
• Resource: ResearchStudy.condition (CodeableConcept / Example)
• Resource: Procedure.complication (CodeableConcept / Example)
• Resource: MedicationRequest.reasonCode (CodeableConcept / Example)
• Resource: MedicationStatement.reasonCode (CodeableConcept / Example)
• Resource: Condition.code (CodeableConcept / Example)
• Resource: ClinicalImpression.finding.itemCodeableConcept (CodeableConcept / Example)
• Resource: PlanDefinition.goal.addresses (CodeableConcept / Example)
• Profile: ShareablePlanDefinition: PlanDefinition.goal.addresses (CodeableConcept / Example)
• Profile: ComputablePlanDefinition: PlanDefinition.goal.addresses (CodeableConcept / Example)
• Profile: CDSHooksServicePlanDefinition: PlanDefinition.goal.addresses (CodeableConcept / Example)

4.4.1.118.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://snomed.info/sct where concept is-a 404684003 (Clinical finding)

http://snomed.info/sct

Code	Display
160245001	No current problems or disability

4.4.1.118.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 1001 concepts

All codes from system http://snomed.info/sct

Code	Display	Definition
109006	Anxiety disorder of childhood OR adolescence	
122003	Choroidal hemorrhage	
127009	Spontaneous abortion with laceration of cervix	
129007	Homoiothermia	
134006	Decreased hair growth	
140004	Chronic pharyngitis	
144008	Normal peripheral vision	
147001	Superficial foreign body of scrotum without major open wound but with infection	
150003	Abnormal bladder continence	
151004	Meningitis due to gonococcus	
162004	Severe manic bipolar I disorder without psychotic features	
165002	Accident-prone	
168000	Typhlolithiasis	
171008	Injury of ascending right colon without open wound into abdominal cavity	
172001	Endometritis following molar AND/OR ectopic pregnancy	
175004	Supraorbital neuralgia	
177007	Poisoning by sawfly larvae	
179005	Apraxia of dressing	
181007	Hemorrhagic bronchopneumonia	
183005	Autoimmune pancytopenia	
184004	Withdrawal arrhythmia	
188001	Intercostal artery injury	
192008	Congenital syphilitic hepatomegaly	
193003	Benign hypertensive renal disease	
195005	Illegal abortion with endometritis	
198007	Disease due to Filoviridae	
199004	Decreased lactation	
208008	Neurocutaneous melanosis sequence	
216004	Delusion of persecution	
219006	Alcohol user	
222008	Acute epiglottitis with obstruction	
223003	Tumor of body of uterus affecting pregnancy	
228007	Lucio phenomenon	
241006	Motor simple partial status	
242004	Noninfectious jejunitis	
253005	Sycosis	
257006	Acne rosacea, erythematous telangiectatic type	
258001	Pseudoknuckle pad	
264008	Blind hypertensive eye	
276008	Oxytocin poisoning	
279001	Senile myocarditis	
281004	Alcoholic dementia	
282006	Acute myocardial infarction of basal-lateral wall	
290006	Melnick-Fraser syndrome	
292003	EEG finding	
297009	Acute myringitis	
299007	Paraffinoma of skin	
303002	Apoplectic pancreatitis	
308006	Pearly penile papules	
310008	Penile boil	
313005	Déjà vu	
317006	Reactive hypoglycemia	
320003	Cervical dilatation, 1cm	
324007	Plaster ulcer	
330007	Occipital headache	
335002	Pylorospasm	

341009 | ABO incompatibility reaction
349006 | Absent tendon reflex
355001 | Hemorrhagic shock
357009 | Closed fracture trapezoid
358004 | Smallpox vaccine poisoning
359007 | Kernicterus due to isoimmunization
360002 | Acute radiation disease
364006 | Acute left-sided heart failure
366008 | Hidromeiosis
368009 | Heart valve disorder
369001 | Normal jugular venous pressure
378007 | Morquio syndrome
382009 | Legal history finding relating to child
383004 | Finding of passive range of hip extension
385006 | Secondary peripheral neuropathy
387003 | Melanuria
398002 | Left axis deviation greater than -90 degrees by EKG
407000 | Congenital hepatomegaly
408005 | Tooth chattering
409002 | Food allergy diet
426008 | Superficial injury of ankle without infection
431005 | Hypertrophy of scrotum
437009 | Abnormal composition of urine
440009 | Persistent hyperphenylalaninemia
442001 | Secondary hypopituitarism
443006 | Cystocele affecting pregnancy
447007 | Coach in sports activity accident
450005 | Ulcerative stomatitis
452002 | Blister of groin without infection
460001 | Squamous metaplasia of prostate gland
467003 | Old laceration of pelvic floor muscle
470004 | Vitreous touch syndrome
479003 | Graves' disease with pretibial myxedema AND with thyrotoxic crisis
486006 | Acute vascular insufficiency
488007 | Fibroid myocarditis
490008 | Upper respiratory tract hypersensitivity reaction
496002 | Closed traumatic dislocation of third cervical vertebra
504009 | Androgen-dependent hirsutism
517007 | Foreign body in hypopharynx
518002 | Multiple aggregation
520004 | Congenital bent nose
527001 | Spontaneous fetal evolution, Roederer's method
536002 | Glissonian cirrhosis
539009 | Conjunctival argyrosis
547009 | Hypersecretion of calcitonin
548004 | 13p partial trisomy syndrome
554003 | 2p partial trisomy syndrome
555002 | Dicentra species poisoning
563001 | Nystagmus
568005 | Habit disorder
586008 | Contact dermatitis due to primrose
590005 | Congenital aneurysm of anterior communicating artery
596004 | Premenstrual dysphoric disorder
599006 | Persistent pneumothorax
600009 | Pyromania
602001 | Ross river fever
607007 | Decreased vital capacity
610000 | Spastic aphonia
613003 | FRAXA - Fragile X syndrome
615005 | Obstruction due to foreign body accidentally left in operative wound AND/OR body cavity during a procedure
616006 | Sensorimotor disorder of eyelid
626004 | Hypercortisolism due to nonpituitary tumor
631002 | Transfusion reaction due to minor incompatibility
634005 | Saddle boil
640003 | Injury of pneumogastric nerve
643001 | Hypertrophy of lip
646009 | Idiopathic cyst of anterior chamber
649002 | Open fracture of distal end of ulna
651003 | Root work
652005 | Gangrenous tonsillitis
655007 | Abnormal fetal heart beat noted before labor in liveborn infant
658009 | Injury of colon without open wound into abdominal cavity

663008 | Pulmonary embolism following molar AND/OR ectopic pregnancy
664002 | Delayed ovulation
666000 | Poisoning by antivaricose drug AND/OR sclerosing agent
675003 | Torsion of intestine
682004 | Thrombosis complicating pregnancy AND/OR puerperium
685002 | Acquired telangiectasia of small AND/OR large intestines
701003 | Adult osteochondritis of spine
703000 | Congenital adhesion of tongue
714002 | Abrasion AND/OR friction burn of toe with infection
715001 | Nontraumatic rupture of urethra
718004 | Acute bronchiolitis with obstruction
733007 | Superficial foreign body of groin without major open wound but with infection
734001 | Opocephalus
736004 | Abscess of hip
750009 | Schistosoma mansoni infection
755004 | Postgastrectomy phytobezoar
756003 | Chronic rheumatic myopericarditis
758002 | Cyst of uterus
775008 | Open wound of head with complication
776009 | Partial arterial retinal occlusion
781000 | Cestrum diurnum poisoning
786005 | Clinical stage I B
787001 | Rheumatic mitral stenosis with regurgitation
788006 | Disease-related diet
792004 | CJD - Creutzfeldt-Jakob disease
799008 | Sigmoid colon ulcer
801006 | Insect bite, nonvenomous, of foot, infected
805002 | Pneumoconiosis due to silica
811004 | Flail motion
813001 | Ankle instability
815008 | Episcleritis
816009 | Genetic recombination
818005 | Third degree burn of multiple sites of lower limb
825003 | Superficial injury of axilla with infection
827006 | Late congenital syphilis, latent (+ sero., - C.S.F., 2 years OR more)
832007 | Moderate major depression
834008 | Chair-seated facing coital position
841002 | Congenital absence of skull bone
842009 | Consanguinity
843004 | Poliomyelomalacia
844005 | Finding relating to behavior
845006 | Inferior mesenteric artery injury
849000 | Total cataract
857002 | Erythema simplex
862001 | Anemia due to chlorate
865004 | Hyperalimentation formula for ileus
871005 | Contracted pelvis
874002 | Therapeutic diuresis
875001 | Chalcosis of eye
888003 | Foetal or neonatal effect of maternal blood loss
890002 | Deep third degree burn of elbow
899001 | Axis I diagnosis
903008 | Chorioretinal infarction
904002 | Pinard's sign
908004 | Superficial injury of interscapular region without infection
919001 | Pseudohomosexual state
928000 | Musculoskeletal disorder
931004 | Gestation period, 9 weeks
932006 | Flat affect
934007 | Thalassemia intermedia
943003 | Congenital retinal aneurysm
954008 | Renon-Delille syndrome
961007 | Erythema nodosum, acute form
962000 | Disability evaluation, disability 6%
964004 | Open wound of pharynx without complication
965003 | Toxic amblyopia
975000 | Anorectal agenesis
978003 | Chronic infantile eczema
981008 | Hemorrhagic proctitis
984000 | Perirectal cellulitis
987007 | Cellulitis of temple region
991002 | Wide QRS complex

998008 | Chagas' disease with heart involvement
1003002 | Religious discrimination
1020003 | Disease due to Nairovirus
1023001 | Apneic
1027000 | Biliary esophagitis
1031006 | Open wound of trachea without complication
1033009 | Thoracic arthritis
1034003 | Mesenteric-portal fistula
1038000 | Disaccharidurіa
1045000 | Colonospasm
1046004 | Ureteritis glandularis
1051005 | Hyperplasia of islet alpha cells with gastrin excess
1055001 | Stenosis of precerebral artery
1059007 | Opisthorchiasis
1070000 | Facial myokymia
1073003 | Xeroderma pigmentosum group B
1074009 | Glucocorticoid-responsive primary hyperaldosteronism
1077002 | Septal infarction by EKG
1079004 | Macular retinal cyst
1085006 | Vulval candidiasis
1089000 | Congenital sepsis
1102005 | Intraerythrocytic parasitosis by Nuttallia
1107004 | Early latent syphilis, positive serology, negative cerebrospinal fluid, with relapse after treatment
1108009 | Female pattern alopecia
1111005 | Normal sebaceous gland activity
1112003 | Degenerative disorder of eyelid
1116000 | Chronic aggressive type B viral hepatitis
1124005 | Postpartum period, 6 days
1125006 | Septicemia during labor
1126007 | Knee locking
1131009 | Congenital valvular insufficiency
1134001 | Muehrcke lines
1135000 | Solar retinitis
1139006 | Confrontation (visual) test
1140008 | Thermal hypesthesia
1141007 | Circumoral paresthesia
1145003 | DSD - Developmental speech disorder
1150009 | Congenital microcheilia
1151008 | Constricted visual field
1152001 | Skin reaction negative
1155004 | Myocardial hypertrophy, determined by electrocardiogram
1156003 | Cavitary prostatitis
1168007 | Allotype
1184008 | Glasgow coma scale, 10
1192004 | Familial amyloid neuropathy, Finnish type
1194003 | Disease condition determination, well controlled
1196001 | Chronic bipolar II disorder, most recent episode major depressive
1197005 | Carbuncle of heel
1201005 | Benign essential hypertension
1203008 | Deep third degree burn of forehead AND/OR cheek with loss of body part
1207009 | Optic disc glaucomatous atrophy
1208004 | Gastroptosis
1212005 | Juvenile dermatomyositis
1214006 | Infection by Strongyloides
1230003 | No diagnosis on Axis 1
1232006 | Congenital articular rigidity with myopathy
1239002 | Congenital anteversion of femoral neck
1240000 | Lying prone
1259003 | Schistosis
1261007 | Multiple fractures of ribs
1264004 | Injury of descending left colon without open wound into abdominal cavity
1271009 | Knuckle pads, leuconychia and deafness
1280009 | Isologous chimera
1282001 | Laryngeal perichondritis
1283006 | Visual acuity less than .02 (1/60, count fingers 1 meter) or visual field less than 5 degrees, but better than 5.
1284000 | Abnormal jaw closure
1286003 | Vitamin K deficiency coagulation disorder
1287007 | Congenital absence of bile duct
1297003 | Infection by Cladosporium carrionii
1308001 | Complication of reimplant
1310004 | Impaired glucose tolerance associated with genetic syndrome
1317001 | Injury of ovary without open wound into abdominal cavity

1318006 | Post-translational genetic protein processing
1323006 | Kanamycin poisoning
1332008 | Conjugated visual deviation
1335005 | Peyronies disease
1343000 | DTA - Deep transverse arrest
1345007 | Hang nail
1351002 | Iliac artery injury
1356007 | Calculus of common duct with obstruction
1361009 | Leucocoria
1363007 | Fetal or neonatal effect of chronic maternal respiratory disease
1367008 | Injury of superior mesenteric artery
1370007 | Open fracture of metacarpal bone(s)
1372004 | Unicornate uterus
1376001 | Obsessive compulsive personality disorder
1378000 | Supination-eversion injury of ankle
1380006 | Agoraphobia without history of panic disorder with limited symptom attacks
1383008 | Hallucinogen induced mood disorder
1384002 | Diffuse cholesteatosis of middle ear
1386000 | Intracranial hemorrhage
1387009 | Solanum nigrum poisoning
1388004 | Metabolic alkalosis
1393001 | Lenz-Majewski dysplasia
1395008 | Complication of ultrasound therapy
1402001 | Frightened
1412008 | Anterior subcapsular polar cataract
1415005 | Inflammation of lymphatics
1418007 | Hypoplastic chondrodystrophy
1419004 | Injury of prostate without open wound into abdominal cavity
1426004 | Necrotizing glomerulonephritis
1427008 | Intraspinal abscess
1430001 | Intracranial hemorrhage following injury without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) without return to pre-existing level
1447000 | Icthyoparasitism
1469007 | Miscarriage with urinary tract infection
1474004 | Hypertensive heart AND renal disease complicating AND/OR reason for care during childbirth
1475003 | Herpes labialis
1478001 | Obliteration of lymphatic vessel
1479009 | 20q partial trisomy syndrome
1482004 | Chalazion
1486001 | Orbital congestion
1488000 | PONV - Postoperative nausea and vomiting
1489008 | External hordeolum
1492007 | Congenital anomaly of large intestine
1493002 | Acute endophthalmitis
1499003 | Bipolar I disorder, single manic episode with postpartum onset
1512006 | Congenital stricture of bile duct
1515008 | Gorham disease
1518005 | Splenitis
1519002 | Congenital phlebectasia
1521007 | Blister of buttock without infection
1523005 | Clinical stage IV B
1525003 | Blister of foot without infection
1531000 | Nitrofuran derivative poisoning
1532007 | Viral pharyngitis
1534008 | Palsy of conjugate gaze
1538006 | Central nervous system malformation in foetus affecting obstetrical care
1539003 | Nodular tendinous disease of finger
1542009 | Omphalocele with obstruction
1544005 | Open dislocation of knee
1551001 | Osteomyelitis of femur
1556006 | Clark melanoma level 4
1563006 | Protein S deficiency
1567007 | Chronic gastric ulcer without hemorrhage, without perforation AND without obstruction
1588003 | Heterosexual precocious puberty
1592005 | Failed attempted termination of pregnancy with uremia
1593000 | Infantile hemiplegia
1606009 | Infection caused by Macracanthorhynchus hirudinaceus
1608005 | Increased capillary permeability
1639007 | Abnormality of organs AND/OR soft tissues of pelvis affecting pregnancy
1647007 | Primaquine poisoning
1648002 | Lymphocytic pseudotumor of lung
1654001 | Steroid-induced glaucoma

1657008 | Toxic effect of phosdrin
1658003 | Closed fracture clavicle, lateral end
1663004 | Tumor grade G2
1667003 | Early fontanel closure
1670004 | Cerebral hemiparesis
1671000 | Sago spleen
1674008 | Meesman's epithelial corneal dystrophy
1679003 | Arthritis associated with another disorder
1682008 | Transitory amino acid metabolic disorder
1685005 | Rat-bite fever
1686006 | Sedative, hypnotic AND/OR anxiolytic-induced anxiety disorder
1694004 | Accessory lobe of lung
1698001 | Ulcer of bile duct
1703007 | Increased leg circumference
1705000 | Closed fracture of base of neck of femur
1708003 | Open dislocation of clavicle
1714005 | Photokeratitis
1717003 | Guttate hypomelanosis
1723008 | Urethral stricture due to schistosomiasis
1724002 | Infection caused by Crenosoma
1734006 | Fracture of vertebral column with spinal cord injury
1735007 | Thrill
1739001 | Occipital fracture
1742007 | Female hypererotism
1744008 | Connation of teeth
1748006 | Thrombophlebitis of deep femoral vein
1755008 | Healed coronary
1761006 | Biliary cirrhosis
1763009 | Stromal keratitis
1767005 | Fisher syndrome
1769008 | Thoracodidymus
1771008 | Insulin biosynthesis defect
1776003 | RTA - Renal tubular acidosis
1777007 | Increased molecular dissociation
1778002 | Malocclusion due to abnormal swallowing
1779005 | OFD II - Orofacial-digital syndrome II
1794009 | Idiopathic corneal edema
1816003 | Panic disorder with agoraphobia, severe agoraphobic avoidance AND mild panic attacks
1821000 | Chemoreceptor apnea
1822007 | Impaired glucose tolerance associated with pancreatic disease
1824008 | Allergic gastritis
1826005 | Granuloma of lip
1828006 | Infestation caused by Gasterophilus hemorrhoidalis
1829003 | Microcephalus
1833005 | Phacoanaphylactic endophthalmitis
1835003 | Necrosis of pancreas
1837006 | Orciprenaline poisoning
1845001 | Paraparesis
1847009 | Endophthalmitis
1848004 | Poisoning caused by gaseous anesthetic
1852004 | Traumatic injury of sixth cranial nerve
1855002 | Developmental academic disorder
1856001 | Accessory nose
1857005 | Congenital rubella syndrome
1858000 | Infection caused by Stilesia globipunctata
1860003 | Fluid volume disorder
1865008 | Impaired intestinal protein absorption
1869002 | Rupture of iris sphincter
1881003 | Increased nutritional requirement
1892002 | Star figure at the macula
1896004 | Ectopic breast tissue
1897008 | Amsinckia species poisoning
1899006 | Autosomal hereditary disorder
1903004 | Infestation caused by Psorergates ovis
1908008 | von Willebrand disease, type IIC
1909000 | Impairment level: better eye: severe impairment: lesser eye: near-total impairment
1922008 | Congenital absence of urethra
1926006 | Osteopetrosis
1938002 | Emotional AND/OR mental disease in mother complicating pregnancy, childbirth AND/OR puerperium
1939005 | Abnormal vascular flow
1943009 | Left-right confusion
1953005 | Congenital deficiency of pigment of skin

1954004 | Dilated cardiomyopathy secondary to toxic reaction
1955003 | Preauricular pit
1959009 | Encephalartos species poisoning
1961000 | Chronic polyarticular juvenile rheumatoid arthritis
1963002 | PNH - Paroxysmal nocturnal hemoglobinuria
1965009 | Normal skin pH
1967001 | Congenital absence of forearm only
1973000 | Sedative, hypnotic AND/OR anxiolytic-induced psychotic disorder with delusions
1977004 | Oxymetholone poisoning
1979001 | Focal choroiditis
1980003 | Seromucinous otitis media
1981004 | Urhidrosis
1988005 | Late effect of injury to nerve roots, spinal plexus AND/OR other nerves of trunk
1989002 | Burn of vagina AND/OR uterus
2004005 | Normotensive
2012002 | Fracture of lunate
2024009 | Dilated cardiomyopathy secondary to metazoal myocarditis
2028007 | Erythema induratum
2032001 | Cerebral edema
2036003 | Acquired factor VII deficiency disease
2040007 | Neurogenic thoracic outlet syndrome
2041006 | Eunuchoid gigantism
2043009 | Alcoholic gastritis
2053005 | Late effect of injury to blood vessels of thorax, abdomen AND/OR pelvis
2055003 | Recurrent erosion syndrome
2058001 | Bilateral loss of labyrinthine reactivity
2061000 | Conductive hearing loss of combined sites
2065009 | Autosomal dominant optic atrophy
2066005 | Gastric ulcer with hemorrhage AND perforation but without obstruction
2070002 | Burning sensation in eye
2073000 | Delusions
2087000 | Pulmonary nocardiosis
2089002 | Pagets disease of bone
2091005 | Pharyngeal diverticulitis
2094002 | Carbon disulfide causing toxic effect
2102007 | Deep corneal vascularization
2103002 | Reflex sympathetic dystrophy of upper extremity
2107001 | Anisomelia
2109003 | Isolated somatotropin deficiency
2114004 | Infection caused by Cysticercus pisiformis
2116002 | Intramembranous bone formation
2120003 | Weak cry
2121004 | Ethopropazine poisoning
2128005 | Disorder of adenoid
2129002 | Edema of pharynx
2132004 | Meconium in amniotic fluid noted before labor in liveborn infant
2134003 | Diffuse pain
2136001 | Open wound of jaw with complication
2138000 | LSP - Left sacroposterior position
2145000 | Anal intercourse
2149006 | Decreased hormone production
2158004 | Infection caused by Contracaecum
2167004 | Retinal hemangioblastomatosis
2169001 | Thoracic radiculitis
2170000 | Gallop rhythm
2176006 | Halogen acne
2177002 | PHN - Post-herpetic neuralgia
2186007 | Compensated metabolic alkalosis
2198002 | Visceral epilepsy
2202000 | Open posterior dislocation of distal end of femur
2204004 | Acquired deformity of pinna
2213002 | Congenital anomaly of vena cava
2216005 | Nocturnal emission
2217001 | Superficial injury of perineum without infection
2219003 | Disability evaluation, disability 100%
2224000 | Selenium poisoning
2228002 | Scintillating scotoma
2229005 | Chimera
2231001 | Nerve plexus disorder
2237002 | Painful breathing -pleurodynia
2239004 | Previous pregnancies 6
2241003 | X-linked absence of thyroxine-binding globulin

2243000 | Hypercalcemia due to hyperthyroidism
2245007 | Foreign body in nasopharynx
2251002 | Primary hypotony of eye
2256007 | Monovular twins
2261009 | Obstetrical pulmonary fat embolism
2268003 | Victim of homosexual aggression
2284002 | Pulsating exophthalmos
2295008 | Closed fracture of upper end of forearm
2296009 | Iron dextran toxicity
2298005 | Focal facial dermal dysplasia
2301009 | Psychosomatic factor in physical condition, psychological component of unknown degree
2303007 | Inguinal hernia with gangrene
2304001 | Intervertebral discitis
2307008 | Peripancreatic fat necrosis
2308003 | Silent alleles
2312009 | Reactive attachment disorder of infancy OR early childhood, inhibited type
2314005 | Unprotected intercourse
2326000 | Marriage annulment
2339001 | Sexual overexposure
2341000 | Infection caused by Moniliformis
2351004 | Genetic transduction
2355008 | Rud syndrome
2359002 | Hyper-beta-alaninemia
2365002 | Simple chronic pharyngitis
2366001 | Late effect of dislocation
2367005 | Acute hemorrhagic gastritis
2374000 | Monofascicular block
2385003 | Cellulitis of pectoral region
2388001 | Normal variation in translucency
2390000 | Acute gonococcal vulvovaginitis
2391001 | Achondrogenesis
2396006 | Malignant pyoderma
2398007 | Quinidine toxicity by electrocardiogram
2403008 | Dependence syndrome
2415007 | Lumbosacral root lesion
2418009 | Polyester fume causing toxic effect
2419001 | Open wound of forehead with complication
2420007 | Third degree burn of multiple sites of upper limb
2432006 | Cerebrospinal fluid circulation disorder
2435008 | Ascaridiasis
2437000 | Placenta circumvallata
2438005 | Iniencephaly
2439002 | Purulent endocarditis
2443003 | Hydrogen sulfide poisoning
2452007 | Fetal rotation
2463005 | Acquired heterochromia of iris
2469009 | Onychomalacia
2470005 | Brain damage
2471009 | Intra-abdominal abscess postprocedure
2472002 | Passes no urine
2473007 | Intermittent vertical squint
2477008 | Superficial phlebitis
2492009 | Disorder of nutrition
2495006 | Congenital cerebral arteriovenous aneurysm
2496007 | Acalculia
2506003 | Early onset dysthymia
2513003 | Tinea capitis caused by Trichophyton
2518007 | Cryptogenic sexual precocity
2521009 | Bone conduction better than air
2523007 | Salmonella pneumonia
2526004 | Noninflammatory disorder of the female genital organs
2528003 | Viremia
2532009 | Choroidal rupture
2534005 | Congenital absence of vena cava
2538008 | Ketosis
2541004 | Compulsive buying
2554006 | Acute purulent pericarditis
2556008 | Disease of supporting structures of teeth
2560006 | Complex syndactyly of fingers
2562003 | Athanasia trifurcata poisoning
2576002 | Trachoma
2581006 | Clasp knife rigidity

2582004 | Deep third degree burn of multiple sites of lower limb
2583009 | Filigreed network of venous valves
2584003 | Cerebral degeneration in childhood
2585002 | Pneumococcal pleurisy
2589008 | Acute dacryoadenitis
2591000 | Crush injury of shoulder region
2593002 | Dubowitz syndrome
2602008 | Hemarthrosis of shoulder
2606006 | Boil of perineum
2615004 | Graafian follicle cyst
2618002 | Chronic recurrent major depressive disorder
2622007 | Infected ulcer of skin
2624008 | Prepubertal periodontitis
2625009 | Senter syndrome
2630008 | Open wound of finger without complication
2634004 | Decreased blood erythrocyte volume
2638001 | Hypercalcemia caused by a drug
2640006 | Clinical stage 4
2651006 | Closed traumatic dislocation of elbow joint
2655002 | Invalidism
2657005 | Overflow proteinuria
2663001 | Palpatory proteinuria
2665008 | Coordinate convulsion
2683000 | Nonvenomous insect bite of axilla without infection
2689001 | Dominant dystrophic epidermolysis bullosa with absence of skin
2694001 | Myelophthisic anemia
2704003 | Acute disease
2707005 | Necrotizing enterocolitis
2713001 | Closed pneumothorax
2724004 | Auditory recruitment
2725003 | Previous abnormality of glucose tolerance
2733002 | Heel pain
2736005 | Honeycomb atrophy of face
2740001 | Gouty proteinuria
2749000 | Congenital deformity of hip
2751001 | Fibrocalculous pancreatic diabetes
2761008 | Decreased stool caliber
2764000 | Joint crackle
2770006 | Fetal or neonatal effect of antibiotic transmitted via placenta and/or breast milk
2772003 | Epidermolysis bullosa acquisita
2775001 | Intra-articular loose body
2776000 | Organic brain syndrome
2781009 | Miscarriage complicated by delayed and/or excessive hemorrhage
2782002 | Temporomandibular dysplasia
2783007 | Gastrojejunal ulcer without hemorrhage AND without perforation
2786004 | Epithelial ovarian tumor, International Federation of Gynecology and Obstetrics stage III
2790002 | Impairment level: one eye: total impairment: other eye: not specified
2805007 | Phosmet poisoning
2806008 | Impaired psychomotor development
2807004 | Chronic gastrojejunal ulcer with perforation
2808009 | Infection caused by Prosthenorchis elegans
2815001 | Sexual pyromania
2816000 | Dilated cardiomyopathy secondary to myotonic dystrophy
2818004 | Congenital vascular anomaly of eye
2819007 | Magnesium sulfate poisoning
2825006 | Abrasion and/or friction burn of gum without infection
2828008 | Congenital stenosis of nares
2829000 | Uhl disease
2831009 | Pyloric antral vascular ectasia
2835000 | Hemolytic anemia due to cardiac trauma
2836004 | Butane causing toxic effect
2838003 | Piblokto
2840008 | Open fracture of vault of skull with cerebral laceration AND/OR contusion
2850009 | Infection caused by Schistosoma incognitum
2853006 | Macular keratitis
2856003 | Vitamin A-responsive dermatosis
2858002 | Postpartum sepsis
2884008 | Spherophakia-brachymorphia syndrome
2893009 | Anomaly of chromosome pair 10
2897005 | Immune thrombocytopenia
2899008 | Thought blocking
2900003 | Fibromuscular dysplasia of renal artery

2901004 | Altered blood passed per rectum
2902006 | Decreased lymphocyte life span
2904007 | Male infertility
2910007 | Discharge from penis
2912004 | Cystic-bullous disease of the lung
2917005 | Transient hypothyroidism
2918000 | Infection caused by Bacteroides
2919008 | Nausea, vomiting and diarrhea
2929001 | Arterial occlusion
2935001 | Antiasthmatic poisoning
2940009 | Intrabasal vesicular dermatitis
2946003 | Osmotic diarrhea
2951009 | Atopic cataract
2955000 | Chronic ulcerative pulpitis
2965006 | Nevoid congenital alopecia
2967003 | Non-comitant strabismus
2972007 | Occlusion of anterior spinal artery
2973002 | Pelvic organ injury without open wound into abdominal cavity
2978006 | Aneurysm of conjunctiva
2981001 | Pulsatile mass of abdomen
2989004 | Complication following molar AND/OR ectopic pregnancy
2990008 | Lymphocytic leukemoid reaction
2992000 | Pigmentary pallidal degeneration
2994004 | Brain fag
2999009 | Injury of ear region
3002002 | Thyroid hemorrhage
3004001 | Congenital dilatation of esophagus
3006004 | Altered consciousness
3009006 | Solanum malacoxylon poisoning
3013004 | Open wound of ear drum without complication
3014005 | Autoeczematization
3018008 | Penetration of eyeball with magnetic foreign body
3019000 | Closed anterior dislocation of elbow
3021005 | Normal gastric acidity
3023008 | Acute peptic ulcer without hemorrhage, without perforation AND without obstruction
3032005 | Nonvenomous insect bite of cheek without infection
3033000 | Bone AND/OR joint disorder of pelvis in mother complicating pregnancy, childbirth AND/OR puerperium
3038009 | Acute lymphangitis of umbilicus
3044008 | Vitreous prolapse
3053001 | Poisoning caused by nitroglycerin
3059002 | Acute lymphangitis of thigh
3067005 | Weak C phenotype
3071008 | Widow
3072001 | Hormone-induced hypopituitarism
3073006 | Ruvalcaba syndrome
3084004 | Nonvenomous insect bite of gum without infection
3089009 | Disability evaluation, impairment, class 7
3094009 | Vomiting in infants AND/OR children
3095005 | Induced malaria
3097002 | Superficial injury of lip with infection
3098007 | Ventricular septal rupture
3105002 | Intron
3109008 | Secondary dysthymia early onset
3110003 | AOM - Acute otitis media
3119002 | Brain stem laceration with open intracranial wound AND loss of consciousness
3129009 | Infarction of ovary
3135009 | OE - Otitis externa
3140001 | Citrullinemia, subacute type
3144005 | Staphylococcal pleurisy
3158007 | Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND panic attacks in partial remission
3160009 | Infertility of cervical origin
3163006 | Acute adenoviral follicular conjunctivitis
3168002 | Thrombophlebitis of intracranial venous sinus
3185000 | Mood-congruent delusion
3199001 | Sprain of shoulder joint
3200003 | Sacrocoxalgia
3208005 | Open wound of ossicles without complication
3214003 | Invasive pulmonary aspergillosis
3217005 | Open dislocation of sixth cervical vertebra
3218000 | Mycotic disease
3219008 | Disease type AND/OR category unknown
3228009 | Closed fracture of the radial shaft

3229001 | Tracheal ulcer
3230006 | Illegal termination of pregnancy with afibrinogenemia
3238004 | Pericarditis
3239007 | Lymphocyte disorder
3253007 | Dyschromia
3254001 | Infection caused by Strongyloides westeri
3259006 | Homeria species poisoning
3261002 | Migratory osteolysis
3263004 | Verumontanitis
3272007 | Stomatocytosis
3274008 | Flat chest
3275009 | Behcet syndrome, vascular type
3276005 | Toad poisoning
3277001 | Terminal mood insomnia
3282008 | Arc eye
3283003 | Feeling of sand or foreign body in eye
3286006 | Patient status determination, greatly improved
3289004 | Anisometropia
3291007 | Closed fracture of two ribs
3298001 | Amnestic syndrome
3303004 | Disease caused by Arenavirus
3304005 | Bronchial compression
3305006 | Disorder of lymphatic vessel
3308008 | Atrophic-hyperplastic gastritis
3310005 | Foreign body granuloma of skin
3321001 | Renal abscess
3323003 | Leukoplakia of penis
3327002 | Acquired jerk nystagmus
3331008 | Open fracture of neck of metacarpal bone
3344003 | Toxic labyrinthitis
3345002 | Idiopathic osteoporosis
3355003 | Anti-common cold drug poisoning
3358001 | Lichen ruber moniliformis
3368006 | Dull chest pain
3376008 | Pseudoptyalism
3381004 | Open fracture of astragalus
3387000 | Auditory discrimination aphasia
3391005 | Negative for tumor cells
3393008 | Phlebitis following infusion, perfusion AND/OR transfusion
3398004 | Cadmium poisoning
3401001 | Cercopithecus herpesvirus 1 disease
3415004 | Cyanosis
3419005 | Faucial diphtheria
3421000 | Open blow-out fracture orbit
3424008 | Heart rate fast
3426005 | Retained magnetic intraocular foreign body
3427001 | Nonglucosuric melituria
3434004 | Myotonia
3439009 | Severe combined immunodeficiency (SCID) due to absent peripheral T cell maturation
3441005 | Disorder of sebaceous gland
3446000 | Open fracture of T7-T12 level with spinal cord injury
3449007 | Finger agnosia
3456001 | Chronic progressive non-hereditary chorea
3458000 | Myositis ossificans associated with dermato / polymyositis
3461004 | Deep third degree burn of thumb
3464007 | Infection caused by Oesophagostomum dentatum
3468005 | Neonatal infective mastitis
3469002 | Partial thickness burn of thumb
3472009 | Spondylolisthesis, grade 4
3474005 | Glycine max poisoning
3480002 | Burn of wrist
3482005 | Postoperative esophagitis
3483000 | Chronic peptic ulcer with perforation
3487004 | Pulmonary candidiasis
3500002 | Open wound of ossicles with complication
3502005 | Cervical lymphadenitis
3503000 | Gender identity disorder of adolescence, previously asexual
3505007 | Nonallopathic lesion of the arm
3506008 | Stenosis of retinal artery
3507004 | Abscess of thigh
3511005 | Infectious thyroiditis
3514002 | Peribronchial fibrosis of lung

3519007 | Disorder of synovium
3528008 | Restricted carbohydrate fat controlled diet
3529000 | Infection caused by Sanguinicola
3530005 | Bipolar 1 disorder, single manic episode, full remission
3531009 | Intrapsychic conflict
3533007 | Acute palmoplantar pustular psoriasis
3539006 | Enteromenia
3542000 | Laceration extending into parenchyma of spleen with open wound into abdominal cavity
3544004 | Hair-splitting
3545003 | Diastolic dysfunction
3548001 | Brachial plexus disorder
3549009 | Pancreatic acinar atrophy
3558002 | Mesenteric infarction
3560000 | Bilateral recurrent inguinal hernia
3570003 | Increased blood erythrocyte volume
3571004 | Megaloblastic anemia due to pancreatic insufficiency
3577000 | Lattice retinal degeneration
3585009 | Blinking
3586005 | Psychogenic fugue
3589003 | Syphilitic pericarditis
3590007 | Enteroenteric fistula
3591006 | Metabolic acidosis, normal anion gap, bicarbonate losses
3598000 | Partial recent retinal detachment with single defect
3611003 | Demeton poisoning
3633001 | Abscess of hand
3634007 | Legal termination of pregnancy complicated by metabolic disorder
3639002 | Glossoptosis
3640000 | Late effect of traumatic amputation
3641001 | Infection caused by Coenurosis serialis
3642008 | Steryl-sulfate sulfohydrolase deficiency
3644009 | Macerated skin
3649004 | Contusion, multiple sites of trunk
3650004 | Congenital absence of liver,total
3652007 | Overproduction of growth hormone
3657001 | Osteospermum species poisoning
3660008 | Lethal glossopharyngeal defect
3662000 | Rolling hiatus hernia
3677008 | Academic problem
3680009 | Monocephalus tripus dibrachius
3681008 | Thrombophlebitis of torcular Herophili
3696007 | Functional dyspepsia
3699000 | Transverse deficiency of arm
3703002 | Ischiatic hernia with gangrene
3704008 | Diffuse endocapillary proliferative glomerulonephritis
3705009 | Congenital malformation of anterior chamber of eye
3712000 | Degenerated eye
3716002 | Thyroid goiter
3720003 | Abnormal presence of hemoglobin
3723001 | Joint inflammation
3733009 | Congenital eventration of right crus of diaphragm
3736001 | Open wound of thumbnail with tendon involvement
3738000 | VH - Viral hepatitis
3744001 | Hyperlipoproteinemia
3745000 | Sleep rhythm problem
3747008 | EC - Ejection click
3750006 | Arteriospasm
3751005 | Contusion of labium
3752003 | Infection by Trichuris
3754002 | Dysplasia of vagina
3755001 | PRP - Pityriasis rubra pilaris
3756000 | Static ataxia
3759007 | Injury of heart with open wound into thorax
3760002 | Familial multiple factor deficiency syndrome, type V
3762005 | Bilateral recurrent femoral hernia with gangrene
3763000 | Expected bereavement due to life event
3783004 | Enamel pearls
3797007 | Periodontal cyst
3798002 | Premature birth of identical twins, both stillborn
3815005 | Crohn disease of rectum
3820005 | Inner ear conductive hearing loss
3827008 | Aneurysm of artery of neck
3830001 | Subcutaneous emphysema

3841004 | Blister of cheek with infection
3845008 | Duplication of intestine
3855007 | Disorder of pancreas
3859001 | Late effect of open wound of extremities without tendon injury
3873005 | Failed attempted termination of pregnancy with acute necrosis of liver
3885002 | ABO isoimmunization in pregnancy
3886001 | Congenital fecaliths
3899003 | Neutropenic typhlitis
3900008 | Mixed sensory-motor polyneuropathy
3902000 | Non dose-related drug-induced neutropenia
3903005 | Closed traumatic pneumothorax
3908001 | Infestation caused by Haematopinus
3909009 | Coeur en sabot
3913002 | Injury of gastrointestinal tract with open wound into abdominal cavity
3914008 | Mental disorder in childhood
3928002 | Zika virus disease
3939004 | Bacterial colony density, transparent
3944006 | X-linked placental steryl-sulfatase deficiency
3947004 | High oxygen affinity hemoglobin polycythemia
3950001 | Birth
3951002 | Proctitis
3972004 | Idiopathic insomnia
3975002 | Deep third degree burn of lower limb
3978000 | AIHA - Warm autoimmune hemolytic anemia
3987009 | Congenital absence of trachea
3993001 | Infection caused by Muellerius
3999002 | Acute pyelitis without renal medullary necrosis
4003003 | Alphavirus disease
4004009 | Monster with cranial anomalies
4006006 | Foetal tachycardia affecting management of mother
4009004 | Lower urinary tract infection
4016003 | Empyema of mastoid
4017007 | Increased stratum corneum adhesiveness
4022007 | Vulvitis circumscripta plasmacellularis
4026005 | Interstitial mastitis associated with childbirth
4030008 | Le Dantec virus disease
4038001 | Myrotheciotoxicosis
4039009 | Multiple vitamin deficiency disease
4040006 | Hassall-Henle bodies
4041005 | Congenital anomaly of macula
4046000 | Degenerative spondylolisthesis
4062006 | Lumbosacral plexus lesion
4063001 | Achillodynia
4069002 | Anoxic brain damage during AND/OR resulting from a procedure
4070001 | Palinphrasia
4075006 | Peganum harmala poisoning
4082005 | Syphilitic myocarditis
4088009 | Acquired hydrocephalus
4089001 | Meningococcemia
4092002 | Nonallopathic lesion of costovertebral region
4103001 | Complex partial seizure
4106009 | Rotator cuff rupture
4107000 | Infertile male syndrome
4113009 | Arrested hydrocephalus
4120002 | Bronchiolitis
4124006 | Insect bite, nonvenomous, of vagina, infected
4127004 | Prostatic obstruction
4129001 | Argyll-Robertson pupil
4135001 | 11p partial monosomy syndrome
4136000 | Macrodactylia of toes
4142001 | Muscular asthenopia
4152002 | Acquired hypoprothrombinemia
4160001 | Congenital anomaly of upper respiratory system
4168008 | Tibial plateau chondromalacia
4170004 | Ehlers-Danlos syndrome, procollagen proteinase resistant
4174008 | Tripartite placenta
4175009 | Infestation by Estrus
4178006 | Partial recent retinal detachment with multiple defects
4181001 | Normal peak expiratory flow rate
4183003 | Charcot-Marie-Tooth disease, type IC
4184009 | Congenital malformation of the endocrine glands
4191007 | Scaphoid head

4195003 | Duplication of anus
4197006 | Disability evaluation, impairment, class 5
4199009 | 18p partial trisomy syndrome
4208000 | Closed multiple fractures of both lower limbs
4210003 | OH - Ocular hypertension
4223005 | Parkinsonism caused by drug
4224004 | Complication of infusion
4225003 | Nasal tuberculosis
4229009 | Phthisical eye
4232007 | Chronic vulvitis
4237001 | Suppurative pulpitis
4240001 | Rupture of aorta
4241002 | Listeria infection
4242009 | 18q partial monosomy syndrome
4244005 | Urticaria neonatorum
4248008 | Synovitis AND/OR tenosynovitis associated with another disease
4249000 | Poor peripheral circulation
4251001 | Internal eye sign
4260009 | Sacral spinal cord injury without bone injury
4262001 | Phlebitis of superior sagittal sinus
4264000 | Chronic pericoronitis
4269005 | Chronic gastrojejunal ulcer without hemorrhage AND without perforation
4273008 | Closed posterior dislocation of elbow
4275001 | Conjugate gaze spasm
4278004 | Superficial foreign body of axilla without major open wound but with infection
4283007 | Mirizzi syndrome
4287008 | Chordee of penis
4294006 | Isosexual precocious puberty
4300009 | Deep third degree burn of forearm
4301008 | Autoimmune state
4306003 | Cluster B personality disorder
4307007 | Pregestational diabetes mellitus AND/OR impaired glucose tolerance, modified White class F
4308002 | RSIS - Repetitive strain injury syndrome
4310000 | Third degree burn of wrist AND/OR hand
4313003 | Acardiacus anceps
4316006 | Myometritis
4320005 | Factor V deficiency
4324001 | Subacute cystitis
4325000 | 11q partial monosomy syndrome
4332009 | Subarachnoid hemorrhage following injury without open intracranial wound AND with concussion
4338008 | Arnold nerve reflex cough syndrome
4340003 | Acrodermatitis chronica atrophicans
4349002 | Open fracture of multiple sites of metacarpus
4354006 | Open dislocation of scapula
4356008 | Gingival soft tissue recession
4359001 | Early congenital syphilis
4364002 | Structure of associations
4367009 | Hoover sign
4373005 | Clubbing of nail
4374004 | TV - Congenital tricuspid valve abnormality
4381006 | Verbal paraphasia
4386001 | Bronchospasm
4390004 | Chronic lithium nephrotoxicity
4397001 | Partial congenital duodenal obstruction
4399003 | Acute hemorrhagic pancreatitis
4403007 | Exclamation point hair
4406004 | Congenital anomaly of male genital system
4409006 | Combined methylmalonic acidemia and homocystinuria due to defects in adenosylcobalamin and methylcobalamin synthesis
4410001 | Retroperitoneal hernia with obstruction
4412009 | Digital nerve injury
4414005 | Infection caused by Setaria
4416007 | Heerfordt syndrome
4418008 | Gangrenous ergotism
4426000 | Ten previous induced terminations of pregnancy
4434006 | BS - Bloom syndrome
4439001 | Axenfeld-Schurenberg syndrome
4441000 | Severe bipolar disorder with psychotic features
4445009 | TB - Urogenital tuberculosis
4448006 | Allergic headache
4451004 | Illegal termination of pregnancy with renal tubular necrosis
4461006 | Complication of administrative procedure

4463009 | Indiana-Maryland type amyloid polyneuropathy
4464003 | Rocio virus disease
4465002 | Spherophakia
4468000 | Oppenheim gait
4470009 | Blanching of skin
4473006 | Migraine with aura
4477007 | Juvenile myopathy AND lactate acidosis
4478002 | Multiple fractures of upper AND lower limbs
4481007 | Abnormal gastric secretion regulation
4483005 | Syphilitic punched out ulcer
160245001 | No current problems or disability

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.119 Value Set http://hl7.org/fhir/ValueSet/care-plan-category

URL: https://hl7.org/fhir/R4/valueset-care-plan-category.html

This value set could not be expanded by the publication tooling: Error from server: The Snomed Concept 734163000 was not known

Patient Care Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined at http://www.hl7.org/Special/committees/patientcare/ .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/care-plan-category
Version: | 4.0.1
Name: | CarePlanCategory
Title: | Care Plan Category
Definition: | Example codes indicating the category a care plan falls within. Note that these are in no way complete and might not even be appropriate for some uses.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.148 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: CarePlan.category (CodeableConcept / Example)

4.4.1.119.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://snomed.info/sct where concept is-a 734163000 (Care plan)

4.4.1.119.2 Expansion

This expansion generated 01 Nov 2019

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.120 Value Set http://hl7.org/fhir/ValueSet/condition-outcome

URL: https://hl7.org/fhir/R4/valueset-condition-outcome.html
Patient Care Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/condition-outcome
Version: | 4.0.1
Name: | ConditionOutcomeCodes
Title: | Condition Outcome Codes
Definition: | Example value set for condition outcomes.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.967 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: FamilyMemberHistory.condition.outcome (CodeableConcept / Example)

• Profile: FamilyMemberHistory-Genetic: FamilyMemberHistory.condition.outcome (CodeableConcept / Example)

• Extension: http://hl7.org/fhir/StructureDefinition/condition-outcome: outcome (CodeableConcept / Example)

4.4.1.120.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://snomed.info/sct where concept is-a 404684003 (Clinical finding)

4.4.1.120.2 Expansion

This expansion generated 01 Nov 2019

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code | Display | Definition
109006 | Anxiety disorder of childhood OR adolescence
122003 | Choroidal hemorrhage
127009 | Spontaneous abortion with laceration of cervix
129007 | Homoiothermia
134006 | Decreased hair growth
140004 | Chronic pharyngitis
144008 | Normal peripheral vision
147001 | Superficial foreign body of scrotum without major open wound but with infection
150003 | Abnormal bladder continence
151004 | Meningitis due to gonococcus
162004 | Severe manic bipolar I disorder without psychotic features
165002 | Accident-prone
168000 | Typhlolithiasis
171008 | Injury of ascending right colon without open wound into abdominal cavity
172001 | Endometritis following molar AND/OR ectopic pregnancy
175004 | Supraorbital neuralgia
177007 | Poisoning by sawfly larvae
179005 | Apraxia of dressing
181007 | Hemorrhagic bronchopneumonia
183005 | Autoimmune pancytopenia
184004 | Withdrawal arrhythmia
188001 | Intercostal artery injury
192008 | Congenital syphilitic hepatomegaly
193003 | Benign hypertensive renal disease
195005 | Illegal abortion with endometritis
198007 | Disease due to Filoviridae
199004 | Decreased lactation
208008 | Neurocutaneous melanosis sequence
216004 | Delusion of persecution
219006 | Alcohol user
222008 | Acute epiglottitis with obstruction

223003 | Tumor of body of uterus affecting pregnancy
228007 | Lucio phenomenon
241006 | Motor simple partial status
242004 | Noninfectious jejunitis
253005 | Sycosis
257006 | Acne rosacea, erythematous telangiectatic type
258001 | Pseudoknuckle pad
264008 | Blind hypertensive eye
276008 | Oxytocin poisoning
279001 | Senile myocarditis
281004 | Alcoholic dementia
282006 | Acute myocardial infarction of basal-lateral wall
290006 | Melnick-Fraser syndrome
292003 | EEG finding
297009 | Acute myringitis
299007 | Paraffinoma of skin
303002 | Apoplectic pancreatitis
308006 | Pearly penile papules
310008 | Penile boil
313005 | Déjà vu
317006 | Reactive hypoglycemia
320003 | Cervical dilatation, 1cm
324007 | Plaster ulcer
330007 | Occipital headache
335002 | Pylorospasm
341009 | ABO incompatibility reaction
349006 | Absent tendon reflex
355001 | Hemorrhagic shock
357009 | Closed fracture trapezoid
358004 | Smallpox vaccine poisoning
359007 | Kernicterus due to isoimmunization
360002 | Acute radiation disease
364006 | Acute left-sided heart failure
366008 | Hidromeiosis
368009 | Heart valve disorder
369001 | Normal jugular venous pressure
378007 | Morquio syndrome
382009 | Legal history finding relating to child
383004 | Finding of passive range of hip extension
385006 | Secondary peripheral neuropathy
387003 | Melanuria
398002 | Left axis deviation greater than -90 degrees by EKG
407000 | Congenital hepatomegaly
408005 | Tooth chattering
409002 | Food allergy diet
426008 | Superficial injury of ankle without infection
431005 | Hypertrophy of scrotum
437009 | Abnormal composition of urine
440009 | Persistent hyperphenylalaninemia
442001 | Secondary hypopituitarism
443006 | Cystocele affecting pregnancy
447007 | Coach in sports activity accident
450005 | Ulcerative stomatitis
452002 | Blister of groin without infection
460001 | Squamous metaplasia of prostate gland
467003 | Old laceration of pelvic floor muscle
470004 | Vitreous touch syndrome
479003 | Graves' disease with pretibial myxedema AND with thyrotoxic crisis
486006 | Acute vascular insufficiency
488007 | Fibroid myocarditis
490008 | Upper respiratory tract hypersensitivity reaction
496002 | Closed traumatic dislocation of third cervical vertebra
504009 | Androgen-dependent hirsutism
517007 | Foreign body in hypopharynx
518002 | Multiple aggregation
520004 | Congenital bent nose
527001 | Spontaneous fetal evolution, Roederer's method
536002 | Glissonian cirrhosis
539009 | Conjunctival argyrosis
547009 | Hypersecretion of calcitonin
548004 | 13p partial trisomy syndrome
554003 | 2p partial trisomy syndrome

555002 | Dicentra species poisoning
563001 | Nystagmus
568005 | Habit disorder
586008 | Contact dermatitis due to primrose
590005 | Congenital aneurysm of anterior communicating artery
596004 | Premenstrual dysphoric disorder
599006 | Persistent pneumothorax
600009 | Pyromania
602001 | Ross river fever
607007 | Decreased vital capacity
610000 | Spastic aphonia
613003 | FRAXA - Fragile X syndrome
615005 | Obstruction due to foreign body accidentally left in operative wound AND/OR body cavity during a procedure
616006 | Sensorimotor disorder of eyelid
626004 | Hypercortisolism due to nonpituitary tumor
631002 | Transfusion reaction due to minor incompatibility
634005 | Saddle boil
640003 | Injury of pneumogastric nerve
643001 | Hypertrophy of lip
646009 | Idiopathic cyst of anterior chamber
649002 | Open fracture of distal end of ulna
651003 | Root work
652005 | Gangrenous tonsillitis
655007 | Abnormal fetal heart beat noted before labor in liveborn infant
658009 | Injury of colon without open wound into abdominal cavity
663008 | Pulmonary embolism following molar AND/OR ectopic pregnancy
664002 | Delayed ovulation
666000 | Poisoning by antivaricose drug AND/OR sclerosing agent
675003 | Torsion of intestine
682004 | Thrombosis complicating pregnancy AND/OR puerperium
685002 | Acquired telangiectasia of small AND/OR large intestines
701003 | Adult osteochondritis of spine
703000 | Congenital adhesion of tongue
714002 | Abrasion AND/OR friction burn of toe with infection
715001 | Nontraumatic rupture of urethra
718004 | Acute bronchiolitis with obstruction
733007 | Superficial foreign body of groin without major open wound but with infection
734001 | Opocephalus
736004 | Abscess of hip
750009 | Schistosoma mansoni infection
755004 | Postgastrectomy phytobezoar
756003 | Chronic rheumatic myopericarditis
758002 | Cyst of uterus
775008 | Open wound of head with complication
776009 | Partial arterial retinal occlusion
781000 | Cestrum diurnum poisoning
786005 | Clinical stage I B
787001 | Rheumatic mitral stenosis with regurgitation
788006 | Disease-related diet
792004 | CJD - Creutzfeldt-Jakob disease
799008 | Sigmoid colon ulcer
801006 | Insect bite, nonvenomous, of foot, infected
805002 | Pneumoconiosis due to silica
811004 | Flail motion
813001 | Ankle instability
815008 | Episcleritis
816009 | Genetic recombination
818005 | Third degree burn of multiple sites of lower limb
825003 | Superficial injury of axilla with infection
827006 | Late congenital syphilis, latent (+ sero., - C.S.F., 2 years OR more)
832007 | Moderate major depression
834008 | Chair-seated facing coital position
841002 | Congenital absence of skull bone
842009 | Consanguinity
843004 | Poliomyelomalacia
844005 | Finding relating to behavior
845006 | Inferior mesenteric artery injury
849000 | Total cataract
857002 | Erythema simplex
862001 | Anemia due to chlorate
865004 | Hyperalimentation formula for ileus
871005 | Contracted pelvis

874002 | Therapeutic diuresis
875001 | Chalcosis of eye
888003 | Foetal or neonatal effect of maternal blood loss
890002 | Deep third degree burn of elbow
899001 | Axis I diagnosis
903008 | Chorioretinal infarction
904002 | Pinard's sign
908004 | Superficial injury of interscapular region without infection
919001 | Pseudohomosexual state
928000 | Musculoskeletal disorder
931004 | Gestation period, 9 weeks
932006 | Flat affect
934007 | Thalassemia intermedia
943003 | Congenital retinal aneurysm
954008 | Renon-Delille syndrome
961007 | Erythema nodosum, acute form
962000 | Disability evaluation, disability 6%
964004 | Open wound of pharynx without complication
965003 | Toxic amblyopia
975000 | Anorectal agenesis
978003 | Chronic infantile eczema
981008 | Hemorrhagic proctitis
984000 | Perirectal cellulitis
987007 | Cellulitis of temple region
991002 | Wide QRS complex
998008 | Chagas' disease with heart involvement
1003002 | Religious discrimination
1020003 | Disease due to Nairovirus
1023001 | Apneic
1027000 | Biliary esophagitis
1031006 | Open wound of trachea without complication
1033009 | Thoracic arthritis
1034003 | Mesenteric-portal fistula
1038000 | Disaccharidurie
1045000 | Colonospasm
1046004 | Ureteritis glandularis
1051005 | Hyperplasia of islet alpha cells with gastrin excess
1055001 | Stenosis of precerebral artery
1059007 | Opisthorchiasis
1070000 | Facial myokymia
1073003 | Xeroderma pigmentosum group B
1074009 | Glucocorticoid-responsive primary hyperaldosteronism
1077002 | Septal infarction by EKG
1079004 | Macular retinal cyst
1085006 | Vulval candidiasis
1089000 | Congenital sepsis
1102005 | Intraerythrocytic parasitosis by Nuttallia
1107004 | Early latent syphilis, positive serology, negative cerebrospinal fluid, with relapse after treatment
1108009 | Female pattern alopecia
1111005 | Normal sebaceous gland activity
1112003 | Degenerative disorder of eyelid
1116000 | Chronic aggressive type B viral hepatitis
1124005 | Postpartum period, 6 days
1125006 | Septicemia during labor
1126007 | Knee locking
1131009 | Congenital valvular insufficiency
1134001 | Muehrcke lines
1135000 | Solar retinitis
1139006 | Confrontation (visual) test
1140008 | Thermal hypesthesia
1141007 | Circumoral paresthesia
1145003 | DSD - Developmental speech disorder
1150009 | Congenital microcheilia
1151008 | Constricted visual field
1152001 | Skin reaction negative
1155004 | Myocardial hypertrophy, determined by electrocardiogram
1156003 | Cavitary prostatitis
1168007 | Allotype
1184008 | Glasgow coma scale, 10
1192004 | Familial amyloid neuropathy, Finnish type
1194003 | Disease condition determination, well controlled
1196001 | Chronic bipolar II disorder, most recent episode major depressive

1197005 | Carbuncle of heel
1201005 | Benign essential hypertension
1203008 | Deep third degree burn of forehead AND/OR cheek with loss of body part
1207009 | Optic disc glaucomatous atrophy
1208004 | Gastroptosis
1212005 | Juvenile dermatomyositis
1214006 | Infection by Strongyloides
1230003 | No diagnosis on Axis 1
1232006 | Congenital articular rigidity with myopathy
1239002 | Congenital anteversion of femoral neck
1240000 | Lying prone
1259003 | Schistosis
1261007 | Multiple fractures of ribs
1264004 | Injury of descending left colon without open wound into abdominal cavity
1271009 | Knuckle pads, leuconychia and deafness
1280009 | Isologous chimera
1282001 | Laryngeal perichondritis
1283006 | Visual acuity less than .02 (1/60, count fingers 1 meter) or visual field less than 5 degrees, but better than 5.
1284000 | Abnormal jaw closure
1286003 | Vitamin K deficiency coagulation disorder
1287007 | Congenital absence of bile duct
1297003 | Infection by Cladosporium carrionii
1308001 | Complication of reimplant
1310004 | Impaired glucose tolerance associated with genetic syndrome
1317001 | Injury of ovary without open wound into abdominal cavity
1318006 | Post-translational genetic protein processing
1323006 | Kanamycin poisoning
1332008 | Conjugated visual deviation
1335005 | Peyronies disease
1343000 | DTA - Deep transverse arrest
1345007 | Hang nail
1351002 | Iliac artery injury
1356007 | Calculus of common duct with obstruction
1361009 | Leucocoria
1363007 | Fetal or neonatal effect of chronic maternal respiratory disease
1367008 | Injury of superior mesenteric artery
1370007 | Open fracture of metacarpal bone(s)
1372004 | Unicornate uterus
1376001 | Obsessive compulsive personality disorder
1378000 | Supination-eversion injury of ankle
1380006 | Agoraphobia without history of panic disorder with limited symptom attacks
1383008 | Hallucinogen induced mood disorder
1384002 | Diffuse cholesteatosis of middle ear
1386000 | Intracranial hemorrhage
1387009 | Solanum nigrum poisoning
1388004 | Metabolic alkalosis
1393001 | Lenz-Majewski dysplasia
1395008 | Complication of ultrasound therapy
1402001 | Frightened
1412008 | Anterior subcapsular polar cataract
1415005 | Inflammation of lymphatics
1418007 | Hypoplastic chondrodystrophy
1419004 | Injury of prostate without open wound into abdominal cavity
1426004 | Necrotizing glomerulonephritis
1427008 | Intraspinal abscess
1430001 | Intracranial hemorrhage following injury without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) without return to pre-existing level
1447000 | Icthyoparasitism
1469007 | Miscarriage with urinary tract infection
1474004 | Hypertensive heart AND renal disease complicating AND/OR reason for care during childbirth
1475003 | Herpes labialis
1478001 | Obliteration of lymphatic vessel
1479009 | 20q partial trisomy syndrome
1482004 | Chalazion
1486001 | Orbital congestion
1488000 | PONV - Postoperative nausea and vomiting
1489008 | External hordeolum
1492007 | Congenital anomaly of large intestine
1493002 | Acute endophthalmitis
1499003 | Bipolar I disorder, single manic episode with postpartum onset
1512006 | Congenital stricture of bile duct
1515008 | Gorham disease

1518005 | Splenitis
1519002 | Congenital phlebectasia
1521007 | Blister of buttock without infection
1523005 | Clinical stage IV B
1525003 | Blister of foot without infection
1531000 | Nitrofuran derivative poisoning
1532007 | Viral pharyngitis
1534008 | Palsy of conjugate gaze
1538006 | Central nervous system malformation in foetus affecting obstetrical care
1539003 | Nodular tendinous disease of finger
1542009 | Omphalocele with obstruction
1544005 | Open dislocation of knee
1551001 | Osteomyelitis of femur
1556006 | Clark melanoma level 4
1563006 | Protein S deficiency
1567007 | Chronic gastric ulcer without hemorrhage, without perforation AND without obstruction
1588003 | Heterosexual precocious puberty
1592005 | Failed attempted termination of pregnancy with uremia
1593000 | Infantile hemiplegia
1606009 | Infection caused by Macracanthorhynchus hirudinaceus
1608005 | Increased capillary permeability
1639007 | Abnormality of organs AND/OR soft tissues of pelvis affecting pregnancy
1647007 | Primaquine poisoning
1648002 | Lymphocytic pseudotumor of lung
1654001 | Steroid-induced glaucoma
1657008 | Toxic effect of phosdrin
1658003 | Closed fracture clavicle, lateral end
1663004 | Tumor grade G2
1667003 | Early fontanel closure
1670004 | Cerebral hemiparesis
1671000 | Sago spleen
1674008 | Meesman's epithelial corneal dystrophy
1679003 | Arthritis associated with another disorder
1682008 | Transitory amino acid metabolic disorder
1685005 | Rat-bite fever
1686006 | Sedative, hypnotic AND/OR anxiolytic-induced anxiety disorder
1694004 | Accessory lobe of lung
1698001 | Ulcer of bile duct
1703007 | Increased leg circumference
1705000 | Closed fracture of base of neck of femur
1708003 | Open dislocation of clavicle
1714005 | Photokeratitis
1717003 | Guttate hypomelanosis
1723008 | Urethral stricture due to schistosomiasis
1724002 | Infection caused by Crenosoma
1734006 | Fracture of vertebral column with spinal cord injury
1735007 | Thrill
1739001 | Occipital fracture
1742007 | Female hypererotism
1744008 | Connation of teeth
1748006 | Thrombophlebitis of deep femoral vein
1755008 | Healed coronary
1761006 | Biliary cirrhosis
1763009 | Stromal keratitis
1767005 | Fisher syndrome
1769008 | Thoracodidymus
1771008 | Insulin biosynthesis defect
1776003 | RTA - Renal tubular acidosis
1777007 | Increased molecular dissociation
1778002 | Malocclusion due to abnormal swallowing
1779005 | OFD II - Orofacial-digital syndrome II
1794009 | Idiopathic corneal edema
1816003 | Panic disorder with agoraphobia, severe agoraphobic avoidance AND mild panic attacks
1821000 | Chemoreceptor apnea
1822007 | Impaired glucose tolerance associated with pancreatic disease
1824008 | Allergic gastritis
1826005 | Granuloma of lip
1828006 | Infestation caused by Gasterophilus hemorrhoidalis
1829003 | Microcephalus
1833005 | Phacoanaphylactic endophthalmitis
1835003 | Necrosis of pancreas
1837006 | Orciprenaline poisoning

1845001 | Paraparesis
1847009 | Endophthalmitis
1848004 | Poisoning caused by gaseous anesthetic
1852004 | Traumatic injury of sixth cranial nerve
1855002 | Developmental academic disorder
1856001 | Accessory nose
1857005 | Congenital rubella syndrome
1858000 | Infection caused by Stilesia globipunctata
1860003 | Fluid volume disorder
1865008 | Impaired intestinal protein absorption
1869002 | Rupture of iris sphincter
1881003 | Increased nutritional requirement
1892002 | Star figure at the macula
1896004 | Ectopic breast tissue
1897008 | Amsinckia species poisoning
1899006 | Autosomal hereditary disorder
1903004 | Infestation caused by Psorergates ovis
1908008 | von Willebrand disease, type IIC
1909000 | Impairment level: better eye: severe impairment: lesser eye: near-total impairment
1922008 | Congenital absence of urethra
1926006 | Osteopetrosis
1938002 | Emotional AND/OR mental disease in mother complicating pregnancy, childbirth AND/OR puerperium
1939005 | Abnormal vascular flow
1943009 | Left-right confusion
1953005 | Congenital deficiency of pigment of skin
1954004 | Dilated cardiomyopathy secondary to toxic reaction
1955003 | Preauricular pit
1959009 | Encephalartos species poisoning
1961000 | Chronic polyarticular juvenile rheumatoid arthritis
1963002 | PNH - Paroxysmal nocturnal hemoglobinuria
1965009 | Normal skin pH
1967001 | Congenital absence of forearm only
1973000 | Sedative, hypnotic AND/OR anxiolytic-induced psychotic disorder with delusions
1977004 | Oxymetholone poisoning
1979001 | Focal choroiditis
1980003 | Seromucinous otitis media
1981004 | Urhidrosis
1988005 | Late effect of injury to nerve roots, spinal plexus AND/OR other nerves of trunk
1989002 | Burn of vagina AND/OR uterus
2004005 | Normotensive
2012002 | Fracture of lunate
2024009 | Dilated cardiomyopathy secondary to metazoal myocarditis
2028007 | Erythema induratum
2032001 | Cerebral edema
2036003 | Acquired factor VII deficiency disease
2040007 | Neurogenic thoracic outlet syndrome
2041006 | Eunuchoid gigantism
2043009 | Alcoholic gastritis
2053005 | Late effect of injury to blood vessels of thorax, abdomen AND/OR pelvis
2055003 | Recurrent erosion syndrome
2058001 | Bilateral loss of labyrinthine reactivity
2061000 | Conductive hearing loss of combined sites
2065009 | Autosomal dominant optic atrophy
2066005 | Gastric ulcer with hemorrhage AND perforation but without obstruction
2070002 | Burning sensation in eye
2073000 | Delusions
2087000 | Pulmonary nocardiosis
2089002 | Pagets disease of bone
2091005 | Pharyngeal diverticulitis
2094002 | Carbon disulfide causing toxic effect
2102007 | Deep corneal vascularization
2103002 | Reflex sympathetic dystrophy of upper extremity
2107001 | Anisomelia
2109003 | Isolated somatotropin deficiency
2114004 | Infection caused by Cysticercus pisiformis
2116002 | Intramembranous bone formation
2120003 | Weak cry
2121004 | Ethopropazine poisoning
2128005 | Disorder of adenoid
2129002 | Edema of pharynx
2132004 | Meconium in amniotic fluid noted before labor in liveborn infant
2134003 | Diffuse pain

2136001 | Open wound of jaw with complication
2138000 | LSP - Left sacroposterior position
2145000 | Anal intercourse
2149006 | Decreased hormone production
2158004 | Infection caused by Contracaecum
2167004 | Retinal hemangioblastomatosis
2169001 | Thoracic radiculitis
2170000 | Gallop rhythm
2176006 | Halogen acne
2177002 | PHN - Post-herpetic neuralgia
2186007 | Compensated metabolic alkalosis
2198002 | Visceral epilepsy
2202000 | Open posterior dislocation of distal end of femur
2204004 | Acquired deformity of pinna
2213002 | Congenital anomaly of vena cava
2216005 | Nocturnal emission
2217001 | Superficial injury of perineum without infection
2219003 | Disability evaluation, disability 100%
2224000 | Selenium poisoning
2228002 | Scintillating scotoma
2229005 | Chimera
2231001 | Nerve plexus disorder
2237002 | Painful breathing -pleurodynia
2239004 | Previous pregnancies 6
2241003 | X-linked absence of thyroxine-binding globulin
2243000 | Hypercalcemia due to hyperthyroidism
2245007 | Foreign body in nasopharynx
2251002 | Primary hypotony of eye
2256007 | Monovular twins
2261009 | Obstetrical pulmonary fat embolism
2268003 | Victim of homosexual aggression
2284002 | Pulsating exophthalmos
2295008 | Closed fracture of upper end of forearm
2296009 | Iron dextran toxicity
2298005 | Focal facial dermal dysplasia
2301009 | Psychosomatic factor in physical condition, psychological component of unknown degree
2303007 | Inguinal hernia with gangrene
2304001 | Intervertebral discitis
2307008 | Peripancreatic fat necrosis
2308003 | Silent alleles
2312009 | Reactive attachment disorder of infancy OR early childhood, inhibited type
2314005 | Unprotected intercourse
2326000 | Marriage annulment
2339001 | Sexual overexposure
2341000 | Infection caused by Moniliformis
2351004 | Genetic transduction
2355008 | Rud syndrome
2359002 | Hyper-beta-alaninemia
2365002 | Simple chronic pharyngitis
2366001 | Late effect of dislocation
2367005 | Acute hemorrhagic gastritis
2374000 | Monofascicular block
2385003 | Cellulitis of pectoral region
2388001 | Normal variation in translucency
2390000 | Acute gonococcal vulvovaginitis
2391001 | Achondrogenesis
2396006 | Malignant pyoderma
2398007 | Quinidine toxicity by electrocardiogram
2403008 | Dependence syndrome
2415007 | Lumbosacral root lesion
2418009 | Polyester fume causing toxic effect
2419001 | Open wound of forehead with complication
2420007 | Third degree burn of multiple sites of upper limb
2432006 | Cerebrospinal fluid circulation disorder
2435008 | Ascaridiasis
2437000 | Placenta circumvallata
2438005 | Iniencephaly
2439002 | Purulent endocarditis
2443003 | Hydrogen sulfide poisoning
2452007 | Fetal rotation
2463005 | Acquired heterochromia of iris
2469009 | Onychomalacia

2470005 | Brain damage
2471009 | Intra-abdominal abscess postprocedure
2472002 | Passes no urine
2473007 | Intermittent vertical squint
2477008 | Superficial phlebitis
2492009 | Disorder of nutrition
2495006 | Congenital cerebral arteriovenous aneurysm
2496007 | Acalculia
2506003 | Early onset dysthymia
2513003 | Tinea capitis caused by Trichophyton
2518007 | Cryptogenic sexual precocity
2521009 | Bone conduction better than air
2523007 | Salmonella pneumonia
2526004 | Noninflammatory disorder of the female genital organs
2528003 | Viremia
2532009 | Choroidal rupture
2534005 | Congenital absence of vena cava
2538008 | Ketosis
2541004 | Compulsive buying
2554006 | Acute purulent pericarditis
2556008 | Disease of supporting structures of teeth
2560006 | Complex syndactyly of fingers
2562003 | Athanasia trifurcata poisoning
2576002 | Trachoma
2581006 | Clasp knife rigidity
2582004 | Deep third degree burn of multiple sites of lower limb
2583009 | Filigreed network of venous valves
2584003 | Cerebral degeneration in childhood
2585002 | Pneumococcal pleurisy
2589008 | Acute dacryoadenitis
2591000 | Crush injury of shoulder region
2593002 | Dubowitz syndrome
2602008 | Hemarthrosis of shoulder
2606006 | Boil of perineum
2615004 | Graafian follicle cyst
2618002 | Chronic recurrent major depressive disorder
2622007 | Infected ulcer of skin
2624008 | Prepubertal periodontitis
2625009 | Senter syndrome
2630008 | Open wound of finger without complication
2634004 | Decreased blood erythrocyte volume
2638001 | Hypercalcemia caused by a drug
2640006 | Clinical stage 4
2651006 | Closed traumatic dislocation of elbow joint
2655002 | Invalidism
2657005 | Overflow proteinuria
2663001 | Palpatory proteinuria
2665008 | Coordinate convulsion
2683000 | Nonvenomous insect bite of axilla without infection
2689001 | Dominant dystrophic epidermolysis bullosa with absence of skin
2694001 | Myelophthisic anemia
2704003 | Acute disease
2707005 | Necrotizing enterocolitis
2713001 | Closed pneumothorax
2724004 | Auditory recruitment
2725003 | Previous abnormality of glucose tolerance
2733002 | Heel pain
2736005 | Honeycomb atrophy of face
2740001 | Gouty proteinuria
2749000 | Congenital deformity of hip
2751001 | Fibrocalculous pancreatic diabetes
2761008 | Decreased stool caliber
2764000 | Joint crackle
2770006 | Fetal or neonatal effect of antibiotic transmitted via placenta and/or breast milk
2772003 | Epidermolysis bullosa acquisita
2775001 | Intra-articular loose body
2776000 | Organic brain syndrome
2781009 | Miscarriage complicated by delayed and/or excessive hemorrhage
2782002 | Temporomandibular dysplasia
2783007 | Gastrojejunal ulcer without hemorrhage AND without perforation
2786004 | Epithelial ovarian tumor, International Federation of Gynecology and Obstetrics stage III
2790002 | Impairment level: one eye: total impairment: other eye: not specified

2805007 | Phosmet poisoning
2806008 | Impaired psychomotor development
2807004 | Chronic gastrojejunal ulcer with perforation
2808009 | Infection caused by Prosthenorchis elegans
2815001 | Sexual pyromania
2816000 | Dilated cardiomyopathy secondary to myotonic dystrophy
2818004 | Congenital vascular anomaly of eye
2819007 | Magnesium sulfate poisoning
2825006 | Abrasion and/or friction burn of gum without infection
2828008 | Congenital stenosis of nares
2829000 | Uhl disease
2831009 | Pyloric antral vascular ectasia
2835000 | Hemolytic anemia due to cardiac trauma
2836004 | Butane causing toxic effect
2838003 | Piblokto
2840008 | Open fracture of vault of skull with cerebral laceration AND/OR contusion
2850009 | Infection caused by Schistosoma incognitum
2853006 | Macular keratitis
2856003 | Vitamin A-responsive dermatosis
2858002 | Postpartum sepsis
2884008 | Spherophakia-brachymorphia syndrome
2893009 | Anomaly of chromosome pair 10
2897005 | Immune thrombocytopenia
2899008 | Thought blocking
2900003 | Fibromuscular dysplasia of renal artery
2901004 | Altered blood passed per rectum
2902006 | Decreased lymphocyte life span
2904007 | Male infertility
2910007 | Discharge from penis
2912004 | Cystic-bullous disease of the lung
2917005 | Transient hypothyroidism
2918000 | Infection caused by Bacteroides
2919008 | Nausea, vomiting and diarrhea
2929001 | Arterial occlusion
2935001 | Antiasthmatic poisoning
2940009 | Intrabasal vesicular dermatitis
2946003 | Osmotic diarrhea
2951009 | Atopic cataract
2955000 | Chronic ulcerative pulpitis
2965006 | Nevoid congenital alopecia
2967003 | Non-comitant strabismus
2972007 | Occlusion of anterior spinal artery
2973002 | Pelvic organ injury without open wound into abdominal cavity
2978006 | Aneurysm of conjunctiva
2981001 | Pulsatile mass of abdomen
2989004 | Complication following molar AND/OR ectopic pregnancy
2990008 | Lymphocytic leukemoid reaction
2992000 | Pigmentary pallidal degeneration
2994004 | Brain fag
2999009 | Injury of ear region
3002002 | Thyroid hemorrhage
3004001 | Congenital dilatation of esophagus
3006004 | Altered consciousness
3009006 | Solanum malacoxylon poisoning
3013004 | Open wound of ear drum without complication
3014005 | Autoeczematization
3018008 | Penetration of eyeball with magnetic foreign body
3019000 | Closed anterior dislocation of elbow
3021005 | Normal gastric acidity
3023008 | Acute peptic ulcer without hemorrhage, without perforation AND without obstruction
3032005 | Nonvenomous insect bite of cheek without infection
3033000 | Bone AND/OR joint disorder of pelvis in mother complicating pregnancy, childbirth AND/OR puerperium
3038009 | Acute lymphangitis of umbilicus
3044008 | Vitreous prolapse
3053001 | Poisoning caused by nitroglycerin
3059002 | Acute lymphangitis of thigh
3067005 | Weak C phenotype
3071008 | Widow
3072001 | Hormone-induced hypopituitarism
3073006 | Ruvalcaba syndrome
3084004 | Nonvenomous insect bite of gum without infection
3089009 | Disability evaluation, impairment, class 7

3094009 | Vomiting in infants AND/OR children
3095005 | Induced malaria
3097002 | Superficial injury of lip with infection
3098007 | Ventricular septal rupture
3105002 | Intron
3109008 | Secondary dysthymia early onset
3110003 | AOM - Acute otitis media
3119002 | Brain stem laceration with open intracranial wound AND loss of consciousness
3129009 | Infarction of ovary
3135009 | OE - Otitis externa
3140001 | Citrullinemia, subacute type
3144005 | Staphylococcal pleurisy
3158007 | Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND panic attacks in partial remission
3160009 | Infertility of cervical origin
3163006 | Acute adenoviral follicular conjunctivitis
3168002 | Thrombophlebitis of intracranial venous sinus
3185000 | Mood-congruent delusion
3199001 | Sprain of shoulder joint
3200003 | Sacrocoxalgia
3208005 | Open wound of ossicles without complication
3214003 | Invasive pulmonary aspergillosis
3217005 | Open dislocation of sixth cervical vertebra
3218000 | Mycotic disease
3219008 | Disease type AND/OR category unknown
3228009 | Closed fracture of the radial shaft
3229001 | Tracheal ulcer
3230006 | Illegal termination of pregnancy with afibrinogenemia
3238004 | Pericarditis
3239007 | Lymphocyte disorder
3253007 | Dyschromia
3254001 | Infection caused by Strongyloides westeri
3259006 | Homeria species poisoning
3261002 | Migratory osteolysis
3263004 | Verumontanitis
3272007 | Stomatocytosis
3274008 | Flat chest
3275009 | Behcet syndrome, vascular type
3276005 | Toad poisoning
3277001 | Terminal mood insomnia
3282008 | Arc eye
3283003 | Feeling of sand or foreign body in eye
3286006 | Patient status determination, greatly improved
3289004 | Anisometropia
3291007 | Closed fracture of two ribs
3298001 | Amnestic syndrome
3303004 | Disease caused by Arenavirus
3304005 | Bronchial compression
3305006 | Disorder of lymphatic vessel
3308008 | Atrophic-hyperplastic gastritis
3310005 | Foreign body granuloma of skin
3321001 | Renal abscess
3323003 | Leukoplakia of penis
3327002 | Acquired jerk nystagmus
3331008 | Open fracture of neck of metacarpal bone
3344003 | Toxic labyrinthitis
3345002 | Idiopathic osteoporosis
3355003 | Anti-common cold drug poisoning
3358001 | Lichen ruber moniliformis
3368006 | Dull chest pain
3376008 | Pseudoptyalism
3381004 | Open fracture of astragalus
3387000 | Auditory discrimination aphasia
3391005 | Negative for tumor cells
3393008 | Phlebitis following infusion, perfusion AND/OR transfusion
3398004 | Cadmium poisoning
3401001 | Cercopithecus herpesvirus 1 disease
3415004 | Cyanosis
3419005 | Faucial diphtheria
3421000 | Open blow-out fracture orbit
3424008 | Heart rate fast
3426005 | Retained magnetic intraocular foreign body
3427001 | Nonglucosuric melituria

3434004 | Myotonia
3439009 | Severe combined immunodeficiency (SCID) due to absent peripheral T cell maturation
3441005 | Disorder of sebaceous gland
3446000 | Open fracture of T7-T12 level with spinal cord injury
3449007 | Finger agnosia
3456001 | Chronic progressive non-hereditary chorea
3458000 | Myositis ossificans associated with dermato / polymyositis
3461004 | Deep third degree burn of thumb
3464007 | Infection caused by Oesophagostomum dentatum
3468005 | Neonatal infective mastitis
3469002 | Partial thickness burn of thumb
3472009 | Spondylolisthesis, grade 4
3474005 | Glycine max poisoning
3480002 | Burn of wrist
3482005 | Postoperative esophagitis
3483000 | Chronic peptic ulcer with perforation
3487004 | Pulmonary candidiasis
3500002 | Open wound of ossicles with complication
3502005 | Cervical lymphadenitis
3503000 | Gender identity disorder of adolescence, previously asexual
3505007 | Nonallopathic lesion of the arm
3506008 | Stenosis of retinal artery
3507004 | Abscess of thigh
3511005 | Infectious thyroiditis
3514002 | Peribronchial fibrosis of lung
3519007 | Disorder of synovium
3528008 | Restricted carbohydrate fat controlled diet
3529000 | Infection caused by Sanguinicola
3530005 | Bipolar 1 disorder, single manic episode, full remission
3531009 | Intrapsychic conflict
3533007 | Acute palmoplantar pustular psoriasis
3539006 | Enteromenia
3542000 | Laceration extending into parenchyma of spleen with open wound into abdominal cavity
3544004 | Hair-splitting
3545003 | Diastolic dysfunction
3548001 | Brachial plexus disorder
3549009 | Pancreatic acinar atrophy
3558002 | Mesenteric infarction
3560000 | Bilateral recurrent inguinal hernia
3570003 | Increased blood erythrocyte volume
3571004 | Megaloblastic anemia due to pancreatic insufficiency
3577000 | Lattice retinal degeneration
3585009 | Blinking
3586005 | Psychogenic fugue
3589003 | Syphilitic pericarditis
3590007 | Enteroenteric fistula
3591006 | Metabolic acidosis, normal anion gap, bicarbonate losses
3598000 | Partial recent retinal detachment with single defect
3611003 | Demeton poisoning
3633001 | Abscess of hand
3634007 | Legal termination of pregnancy complicated by metabolic disorder
3639002 | Glossoptosis
3640000 | Late effect of traumatic amputation
3641001 | Infection caused by Coenurosis serialis
3642008 | Steryl-sulfate sulfohydrolase deficiency
3644009 | Macerated skin
3649004 | Contusion, multiple sites of trunk
3650004 | Congenital absence of liver,total
3652007 | Overproduction of growth hormone
3657001 | Osteospermum species poisoning
3660008 | Lethal glossopharyngeal defect
3662000 | Rolling hiatus hernia
3677008 | Academic problem
3680009 | Monocephalus tripus dibrachius
3681008 | Thrombophlebitis of torcular Herophili
3696007 | Functional dyspepsia
3699000 | Transverse deficiency of arm
3703002 | Ischiatic hernia with gangrene
3704008 | Diffuse endocapillary proliferative glomerulonephritis
3705009 | Congenital malformation of anterior chamber of eye
3712000 | Degenerated eye
3716002 | Thyroid goiter

3720003 | Abnormal presence of hemoglobin
3723001 | Joint inflammation
3733009 | Congenital eventration of right crus of diaphragm
3736001 | Open wound of thumbnail with tendon involvement
3738000 | VH - Viral hepatitis
3744001 | Hyperlipoproteinemia
3745000 | Sleep rhythm problem
3747008 | EC - Ejection click
3750006 | Arteriospasm
3751005 | Contusion of labium
3752003 | Infection by Trichuris
3754002 | Dysplasia of vagina
3755001 | PRP - Pityriasis rubra pilaris
3756000 | Static ataxia
3759007 | Injury of heart with open wound into thorax
3760002 | Familial multiple factor deficiency syndrome, type V
3762005 | Bilateral recurrent femoral hernia with gangrene
3763000 | Expected bereavement due to life event
3783004 | Enamel pearls
3797007 | Periodontal cyst
3798002 | Premature birth of identical twins, both stillborn
3815005 | Crohn disease of rectum
3820005 | Inner ear conductive hearing loss
3827008 | Aneurysm of artery of neck
3830001 | Subcutaneous emphysema
3841004 | Blister of cheek with infection
3845008 | Duplication of intestine
3855007 | Disorder of pancreas
3859001 | Late effect of open wound of extremities without tendon injury
3873005 | Failed attempted termination of pregnancy with acute necrosis of liver
3885002 | ABO isoimmunization in pregnancy
3886001 | Congenital fecaliths
3899003 | Neutropenic typhlitis
3900008 | Mixed sensory-motor polyneuropathy
3902000 | Non dose-related drug-induced neutropenia
3903005 | Closed traumatic pneumothorax
3908001 | Infestation caused by Haematopinus
3909009 | Coeur en sabot
3913002 | Injury of gastrointestinal tract with open wound into abdominal cavity
3914008 | Mental disorder in childhood
3928002 | Zika virus disease
3939004 | Bacterial colony density, transparent
3944006 | X-linked placental steryl-sulfatase deficiency
3947004 | High oxygen affinity hemoglobin polycythemia
3950001 | Birth
3951002 | Proctitis
3972004 | Idiopathic insomnia
3975002 | Deep third degree burn of lower limb
3978000 | AIHA - Warm autoimmune hemolytic anemia
3987009 | Congenital absence of trachea
3993001 | Infection caused by Muellerius
3999002 | Acute pyelitis without renal medullary necrosis
4003003 | Alphavirus disease
4004009 | Monster with cranial anomalies
4006006 | Foetal tachycardia affecting management of mother
4009004 | Lower urinary tract infection
4016003 | Empyema of mastoid
4017007 | Increased stratum corneum adhesiveness
4022007 | Vulvitis circumscripta plasmacellularis
4026005 | Interstitial mastitis associated with childbirth
4030008 | Le Dantec virus disease
4038001 | Myrotheciotoxicosis
4039009 | Multiple vitamin deficiency disease
4040006 | Hassall-Henle bodies
4041005 | Congenital anomaly of macula
4046000 | Degenerative spondylolisthesis
4062006 | Lumbosacral plexus lesion
4063001 | Achillodynia
4069002 | Anoxic brain damage during AND/OR resulting from a procedure
4070001 | Palinphrasia
4075006 | Peganum harmala poisoning
4082005 | Syphilitic myocarditis

4088009 | Acquired hydrocephalus
4089001 | Meningococcemia
4092002 | Nonallopathic lesion of costovertebral region
4103001 | Complex partial seizure
4106009 | Rotator cuff rupture
4107000 | Infertile male syndrome
4113009 | Arrested hydrocephalus
4120002 | Bronchiolitis
4124006 | Insect bite, nonvenomous, of vagina, infected
4127004 | Prostatic obstruction
4129001 | Argyll-Robertson pupil
4135001 | 11p partial monosomy syndrome
4136000 | Macrodactylia of toes
4142001 | Muscular asthenopia
4152002 | Acquired hypoprothrombinemia
4160001 | Congenital anomaly of upper respiratory system
4168008 | Tibial plateau chondromalacia
4170004 | Ehlers-Danlos syndrome, procollagen proteinase resistant
4174008 | Tripartite placenta
4175009 | Infestation by Estrus
4178006 | Partial recent retinal detachment with multiple defects
4181001 | Normal peak expiratory flow rate
4183003 | Charcot-Marie-Tooth disease, type IC
4184009 | Congenital malformation of the endocrine glands
4191007 | Scaphoid head
4195003 | Duplication of anus
4197006 | Disability evaluation, impairment, class 5
4199009 | 18p partial trisomy syndrome
4208000 | Closed multiple fractures of both lower limbs
4210003 | OH - Ocular hypertension
4223005 | Parkinsonism caused by drug
4224004 | Complication of infusion
4225003 | Nasal tuberculosis
4229009 | Phthisical eye
4232007 | Chronic vulvitis
4237001 | Suppurative pulpitis
4240001 | Rupture of aorta
4241002 | Listeria infection
4242009 | 18q partial monosomy syndrome
4244005 | Urticaria neonatorum
4248008 | Synovitis AND/OR tenosynovitis associated with another disease
4249000 | Poor peripheral circulation
4251001 | Internal eye sign
4260009 | Sacral spinal cord injury without bone injury
4262001 | Phlebitis of superior sagittal sinus
4264000 | Chronic pericoronitis
4269005 | Chronic gastrojejunal ulcer without hemorrhage AND without perforation
4273008 | Closed posterior dislocation of elbow
4275001 | Conjugate gaze spasm
4278004 | Superficial foreign body of axilla without major open wound but with infection
4283007 | Mirizzi syndrome
4287008 | Chordee of penis
4294006 | Isosexual precocious puberty
4300009 | Deep third degree burn of forearm
4301008 | Autoimmune state
4306003 | Cluster B personality disorder
4307007 | Pregestational diabetes mellitus AND/OR impaired glucose tolerance, modified White class F
4308002 | RSIS - Repetitive strain injury syndrome
4310000 | Third degree burn of wrist AND/OR hand
4313003 | Acardiacus anceps
4316006 | Myometritis
4320005 | Factor V deficiency
4324001 | Subacute cystitis
4325000 | 11q partial monosomy syndrome
4332009 | Subarachnoid hemorrhage following injury without open intracranial wound AND with concussion
4338008 | Arnold nerve reflex cough syndrome
4340003 | Acrodermatitis chronica atrophicans
4349002 | Open fracture of multiple sites of metacarpus
4354006 | Open dislocation of scapula
4356008 | Gingival soft tissue recession
4359001 | Early congenital syphilis
4364002 | Structure of associations

4367009 | Hoover sign
4373005 | Clubbing of nail
4374004 | TV - Congenital tricuspid valve abnormality
4381006 | Verbal paraphasia
4386001 | Bronchospasm
4390004 | Chronic lithium nephrotoxicity
4397001 | Partial congenital duodenal obstruction
4399003 | Acute hemorrhagic pancreatitis
4403007 | Exclamation point hair
4406004 | Congenital anomaly of male genital system
4409006 | Combined methylmalonic acidemia and homocystinuria due to defects in adenosylcobalamin and methylcobalamin synthesis
4410001 | Retroperitoneal hernia with obstruction
4412009 | Digital nerve injury
4414005 | Infection caused by Setaria
4416007 | Heerfordt syndrome
4418008 | Gangrenous ergotism
4426000 | Ten previous induced terminations of pregnancy
4434006 | BS - Bloom syndrome
4439001 | Axenfeld-Schurenberg syndrome
4441000 | Severe bipolar disorder with psychotic features
4445009 | TB - Urogenital tuberculosis
4448006 | Allergic headache
4451004 | Illegal termination of pregnancy with renal tubular necrosis
4461006 | Complication of administrative procedure
4463009 | Indiana-Maryland type amyloid polyneuropathy
4464003 | Rocio virus disease
4465002 | Spherophakia
4468000 | Oppenheim gait
4470009 | Blanching of skin
4473006 | Migraine with aura
4477007 | Juvenile myopathy AND lactate acidosis
4478002 | Multiple fractures of upper AND lower limbs
4481007 | Abnormal gastric secretion regulation
4483005 | Syphilitic punched out ulcer

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.121 Value Set http://hl7.org/fhir/ValueSet/action-participant-type

URL: https://hl7.org/fhir/R4/valueset-action-participant-type.html
Clinical Decision Support Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/action-participant-type
Version: | 4.0.1
Name: | ActionParticipantType
Title: | ActionParticipantType
Definition: | The type of participant for the action.
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.811 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ActionParticipantType
• Resource: ActivityDefinition.participant.type (code / Required)
• Resource: PlanDefinition.action.participant.type (code / Required)

4.4.1.121.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/action-participant-type

4.4.1.121.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/action-participant-type version 4.0.1

All codes from system http://hl7.org/fhir/action-participant-type

Code	Display	Definition
patient	Patient	The participant is the patient under evaluation.
practitioner	Practitioner	The participant is a practitioner involved in the patient's care.
related-person	Related Person	The participant is a person related to the patient.
device	Device	The participant is a system or device used in the care of the patient.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.122 Value Set http://hl7.org/fhir/ValueSet/service-modifiers

URL: https://hl7.org/fhir/R4/valueset-service-modifiers.html
Financial Management Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/service-modifiers
Version: | 4.0.1
Name: | ExampleServiceModifierCodes
Title: | Example Service Modifier Codes
Definition: | This value set includes sample Service Modifier codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.572 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ExampleServiceModifierCodes

4.4.1.122.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/ex-servicemodifier

4.4.1.122.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/ex-servicemodifier version 4.0.1

All codes from system http://hl7.org/fhir/ex-servicemodifier

Code	Display	Definition
sr	Side of the Road	Services provided on the side of the road or such other non-conventional setting.
ah	After hours	Services provided outside or normal business hours.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.123 Value Set http://hl7.org/fhir/ValueSet/appointmentstatus

URL: https://hl7.org/fhir/R4/valueset-appointmentstatus.html
Patient Administration Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/appointmentstatus
Version: | 4.0.1
Name: | AppointmentStatus
Title: | AppointmentStatus
Definition: | The free/busy status of an appointment.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.484 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for AppointmentStatus
• ConceptMap: Translation source in Canonical Mapping for "AppointmentStatus"
• Resource: Appointment.status (code / Required)

4.4.1.123.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/appointmentstatus

4.4.1.123.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 10 concepts

Expansion based on http://hl7.org/fhir/appointmentstatus version 4.0.1

All codes from system http://hl7.org/fhir/appointmentstatus

Code | Display | Definition | Canonical Status
proposed | Proposed | None of the participant(s) have finalized their acceptance of the appointment request, and the start/end time might not be set yet.
pending | Pending | Some or all of the participant(s) have not finalized their acceptance of the appointment request. | ~draft
booked | Booked | All participant(s) have been considered and the appointment is confirmed to go ahead at the date/times specified. | ~accepted
arrived | Arrived | The patient/patients has/have arrived and is/are waiting to be seen. | ~arrived
fulfilled | Fulfilled | The planning stages of the appointment are now complete, the encounter resource will exist and will track further status changes. Note that an encounter may exist before the appointment status is fulfilled for many reasons. | ~complete
cancelled | Cancelled | The appointment has been cancelled. | ~abandoned
noshow | No Show | Some or all of the participant(s) have not/did not appear for the appointment (usually the patient). | ~suspended
entered-in-error | Entered in error | This instance should not have been part of this patient's medical record. | ~error
checked-in | Checked In | When checked in, all pre-encounter administrative work is complete, and the encounter may begin. (where multiple patients are involved, they are all present). | ~partial
waitlist | Waitlisted | The appointment has been placed on a waitlist, to be scheduled/confirmed in the future when a slot/service is available. A specific time might or might not be pre-allocated.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.124 Value Set http://hl7.org/fhir/ValueSet/request-priority

URL: https://hl7.org/fhir/R4/valueset-request-priority.html
Patient Care Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/request-priority
Version: | 4.0.1
Name: | RequestPriority
Title: | Request priority
Definition: | The clinical priority of a diagnostic order.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.115 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

- CodeSystem: This value set is the designated 'entire code system' value set for RequestPriority
- Resource: ServiceRequest.priority (code / Required)
- Resource: SupplyRequest.priority (code / Required)
- Resource: Communication.priority (code / Required)
- Resource: ActivityDefinition.priority (code / Required)
- Resource: RequestGroup.priority (code / Required)
- Resource: RequestGroup.action.priority (code / Required)
- Resource: DeviceRequest.priority (code / Required)
- Resource: Task.priority (code / Required)
- Resource: MedicationRequest.priority (code / Required)
- Resource: CommunicationRequest.priority (code / Required)
- Resource: PlanDefinition.action.priority (code / Required)

4.4.1.124.1 Content Logical Definition

This value set includes codes from the following code systems:

- Include all codes defined in http://hl7.org/fhir/request-priority

4.4.1.124.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/request-priority version 4.0.1

All codes from system http://hl7.org/fhir/request-priority

Code | Display | Definition
routine | Routine | The request has normal priority.
urgent | Urgent | The request should be actioned promptly - higher priority than routine.
asap | ASAP | The request should be actioned as soon as possible - higher priority than urgent.
stat | STAT | The request should be actioned immediately - highest possible priority. E.g. an emergency.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.125 Value Set http://hl7.org/fhir/ValueSet/servicerequest-orderdetail

URL: https://hl7.org/fhir/R4/valueset-servicerequest-orderdetail.html
Orders and Observations Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined at http://www.hl7.org/Special/committees/orders/index.cfm .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/servicerequest-orderdetail
Version: | 4.0.1
Name: | ServiceRequestOrderDetailsCodes
Title: | Service Request Order Details Codes
Definition: | An example value set of Codified order entry details concepts. These concepts only make sense in the context of what is being ordered. This example is for a patient ventilation order
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.435 (for OID based terminology systems)
Copyright: | This specification includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org.
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: ServiceRequest.orderDetail (CodeableConcept / Example)

• Profile: ServiceRequest-Genetics: ServiceRequest.orderDetail (CodeableConcept / Example)

4.4.1.125.1 Content Logical Definition

This value set includes codes from the following code systems:

http://snomed.info/sct

Code | Display
47545007 | Continuous positive airway pressure ventilation treatment (regime/therapy)
286812008 | Pressure controlled ventilation (procedure)
243144002 | Patient triggered inspiratory assistance (procedure)
243150007 | Assisted controlled mandatory ventilation (procedure)
59427005 | Synchronized intermittent mandatory ventilation (procedure)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.126 Value Set http://hl7.org/fhir/ValueSet/template-status-code

URL: https://hl7.org/fhir/R4/valueset-template-status-code.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/template-status-code
Version: | 4.0.1
Name: | TemplateStatusCode
Title: | TemplateStatusCode
Definition: | The status indicates the level of maturity of the design and may be used to manage the use of the design.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.3.1937.98.11.8 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is not currently used

4.4.1.126.1 Content Logical Definition

This value set includes codes from the following code systems:

urn:oid:2.16.840.1.113883.3.1937.98.5.8

Code | Display | Definition
draft | Draft | Design is under development (nascent)
pending | Under pre-publication review | Design is completed and is being reviewed
active | Active | Design has been deemed fit for the intended purpose and is published by the governance group

review | In Review | Design is active, but is under review. The review may result in a change to the design. The change may necessitate a new version to be created. This in turn may result in the prior version of the template to be retired. Alternatively, the review may result in a change to the design that does not require a new version to be created, or it may result in no change to the design at all

cancelled | Cancelled | A drafted design is determined to be erroneous or not fit for intended purpose and is discontinued before ever being published in an active state

rejected | Rejected | A previously drafted design is determined to be erroneous or not fit for intended purpose and is discontinued before ever being published for consideration in a pending state

retired | Retired | A previously active design is discontinued from use. It should no longer be used for future designs, but for historical purposes may be used to process data previously recorded using this design. A newer design might or might not exist. The design is published in the retired state

terminated | Terminated | A design is determined to be erroneous or not fit for the intended purpose and should no longer be used, even for historical purposes. No new designs can be developed for this template. The associated template no longer needs to be published, but if published, is shown in the terminated state

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.4.1.127 Value Set http://hl7.org/fhir/ValueSet/response-code

URL: https://hl7.org/fhir/R4/valueset-response-code.html

Infrastructure And Messaging Work Group | Maturity Level: 4 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/response-code

Version: | 4.0.1

Name: | ResponseType

Title: | ResponseType

Definition: | The kind of response to a message.

Committee: | Infrastructure And Messaging Work Group

OID: | 2.16.840.1.113883.4.642.3.380 (for OID based terminology systems)

Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ResponseType

• Resource: MessageHeader.response.code (code / Required)

4.4.1.127.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/response-code

4.4.1.127.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/response-code version 4.0.1

All codes from system http://hl7.org/fhir/response-code

Code | Display | Definition

ok | OK | The message was accepted and processed without error.

transient-error | Transient Error | Some internal unexpected error occurred - wait and try again. Note - this is usually used for things like database unavailable, which may be expected to resolve, though human intervention may be required.

fatal-error | Fatal Error | The message was rejected because of a problem with the content. There is no point in re-sending without change. The response narrative SHALL describe the issue.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.128 Value Set http://hl7.org/fhir/ValueSet/episodeofcare-type

URL: https://hl7.org/fhir/R4/valueset-episodeofcare-type.html
Patient Administration Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/episodeofcare-type
Version: | 4.0.1
Name: | EpisodeOfCareType
Title: | Episode of care type
Definition: | This example value set defines a set of codes that can be used to express the usage type of an EpisodeOfCare record.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.666 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for EpisodeOfCareType
• Resource: EpisodeOfCare.type (CodeableConcept / Example)

4.4.1.128.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/episodeofcare-type

4.4.1.128.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/episodeofcare-type version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/episodeofcare-type

Code | Display | Definition
hacc | Home and Community Care
pac | Post Acute Care
diab | Post coordinated diabetes program
da | Drug and alcohol rehabilitation
cacp | Community-based aged care

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.129 Value Set http://hl7.org/fhir/ValueSet/allergyintolerance-clinical

URL: https://hl7.org/fhir/R4/valueset-allergyintolerance-clinical.html
Patient Care Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/allergyintolerance-clinical
Version: | 4.0.1
Name: | AllergyIntoleranceClinicalStatusCodes
Title: | AllergyIntolerance Clinical Status Codes
Definition: | Preferred value set for AllergyIntolerance Clinical Status.

Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.1372 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for AllergyIntoleranceClinicalStatusCodes

• ConceptMap: Translation source in Canonical Mapping for "AllergyIntolerance Clinical Status Codes"

• Resource: AllergyIntolerance.clinicalStatus (CodeableConcept / Required)

4.4.1.129.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/allergyintolerance-clinical

4.4.1.129.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/allergyintolerance-clinical version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/allergyintolerance-clinical

Lvl | Code | Display | Definition | Canonical Status
0 | active | Active | The subject is currently experiencing, or is at risk of, a reaction to the identified substance. | ~active
0 | inactive | Inactive | The subject is no longer at risk of a reaction to the identified substance. | ~inactive
1 | resolved | Resolved | A reaction to the identified substance has been clinically reassessed by testing or re-exposure and is considered no longer to be present. Re-exposure could be accidental, unplanned, or outside of any clinical setting. | ~resolved

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.130 Value Set http://hl7.org/fhir/ValueSet/composition-altcode-kind

URL: https://hl7.org/fhir/R4/valueset-composition-altcode-kind.html
Structured Documents Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/composition-altcode-kind
Version: | 4.0.1
Name: | AlternativeCodeKind
Title: | AlternativeCodeKind
Definition: | Indicates the type of use for which the code is defined.
Committee: | Structured Documents Work Group
OID: | 2.16.840.1.113883.4.642.3.1405 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for AlternativeCodeKind

4.4.1.130.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/composition-altcode-kind

4.4.1.130.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/composition-altcode-kind version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/composition-altcode-kind

Code | Display | Definition
alternate | Alternate Code | The code is an alternative code that can be used in any of the circumstances that the primary code can be used.
deprecated | Deprecated | The code should no longer be used, but was used in the past.
case-insensitive | Case Insensitive | The code is an alternative to be used when a case insensitive code is required (when the primary codes are case sensitive).
case-sensitive | Case Sensitive | The code is an alternative to be used when a case sensitive code is required (when the primary codes are case insensitive).
expression | Expression | The code is an alternative for the primary code that is built using the expression grammar defined by the code system.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.131 Value Set http://hl7.org/fhir/ValueSet/immunization-recommendation-status

URL: https://hl7.org/fhir/R4/valueset-immunization-recommendation-status.html
Public Health and Emergency Response Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/immunization-recommendation-status
Version: | 4.0.1
Name: | ImmunizationRecommendationStatusCodes
Title: | Immunization Recommendation Status Codes
Definition: | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the status of the patient towards perceived immunity against a vaccine preventable disease. This value set is provided as a suggestive example.
Committee: | Public Health and Emergency Response Work Group
OID: | 2.16.840.1.113883.4.642.3.305 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ImmunizationRecommendationStatusCodes

• Resource: ImmunizationRecommendation.recommendation.forecastStatus (CodeableConcept / Example)

4.4.1.131.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/immunization-recommendation-status

4.4.1.131.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/immunization-recommendation-status version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/immunization-recommendation-status

Code | Display | Definition
due | Due | The patient is due for their next vaccination.
overdue | Overdue | The patient is considered overdue for their next vaccination.
immune | Immune | The patient is immune to the target disease and further immunization against the disease is not likely to provide benefit.
contraindicated | Contraindicated | The patient is contraindicated for futher doses.
complete | Complete | The patient is fully protected and no further doses are recommended.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.132 Value Set http://hl7.org/fhir/ValueSet/investigation-sets

URL: https://hl7.org/fhir/R4/valueset-investigation-sets.html
Patient Care Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/investigation-sets
Version: | 4.0.1
Name: | InvestigationType
Title: | Investigation Type
Definition: | Example value set for investigation type.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.157 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: ClinicalImpression.investigation.code (CodeableConcept / Example)

4.4.1.132.1 Content Logical Definition

This value set includes codes from the following code systems:

http://snomed.info/sct

Code | Display
271336007 | Examination / signs
160237006 | History/symptoms

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.133 Value Set http://hl7.org/fhir/ValueSet/questionnaire-questions

URL: https://hl7.org/fhir/R4/valueset-questionnaire-questions.html
FHIR Infrastructure Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined at http://www.hl7.org/Special/committees/patientcare .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/questionnaire-questions
Version: | 4.0.1
Name: | QuestionnaireQuestionCodes
Title: | Questionnaire Question Codes
Definition: | Example list of codes for questions and groups of questions. (Not necessarily complete or appropriate.)
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.443 (for OID based terminology systems)
Copyright: | This content from LOINC® is copyright © 1995 Regenstrief Institute, Inc. and the LOINC Committee, and available at no cost under the license at http://loinc.org/terms-of-use.

Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Questionnaire.code (Coding / Example)

• Resource: Questionnaire.item.code (Coding / Example)

• Profile: CQF-Questionnaire: Questionnaire.code (Coding / Example)

• Profile: CQF-Questionnaire: Questionnaire.item.code (Coding / Example)

4.4.1.133.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://loinc.org

4.4.1.133.2 Expansion

This expansion generated 01 Nov 2019

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://loinc.org

Code	Display
1-8	Acyclovir [Susceptibility]
10-9	Amdinocillin [Susceptibility] by Serum bactericidal titer
100-8	Cefoperazone [Susceptibility] by Minimum inhibitory concentration (MIC)
1000-9	DBG Ab [Presence] in Serum or Plasma from Blood product unit
10000-8	R wave duration in lead AVR
10001-6	R wave duration in lead I
10002-4	R wave duration in lead II
10003-2	R wave duration in lead III
10004-0	R wave duration in lead V1
10005-7	R wave duration in lead V2
10006-5	R wave duration in lead V3
10007-3	R wave duration in lead V4
10008-1	R wave duration in lead V5
10009-9	R wave duration in lead V6
1001-7	DBG Ab [Presence] in Serum or Plasma from Donor
10010-7	R' wave amplitude in lead AVF
10011-5	R' wave amplitude in lead AVL
10012-3	R' wave amplitude in lead AVR
10013-1	R' wave amplitude in lead I
10014-9	R' wave amplitude in lead II
10015-6	R' wave amplitude in lead III
10016-4	R' wave amplitude in lead V1
10017-2	R' wave amplitude in lead V2
10018-0	R' wave amplitude in lead V3
10019-8	R' wave amplitude in lead V4
1002-5	DBG Ab [Presence] in Serum or Plasma
10020-6	R' wave amplitude in lead V5
10021-4	R' wave amplitude in lead V6
10022-2	R' wave duration in lead AVF
10023-0	R' wave duration in lead AVL
10024-8	R' wave duration in lead AVR
10025-5	R' wave duration in lead I
10026-3	R' wave duration in lead II
10027-1	R' wave duration in lead III
10028-9	R' wave duration in lead V1
10029-7	R' wave duration in lead V2
1003-3	Indirect antiglobulin test.complement specific reagent [Presence] in Serum or Plasma
10030-5	R' wave duration in lead V3
10031-3	R' wave duration in lead V4
10032-1	R' wave duration in lead V5
10033-9	R' wave duration in lead V6
10034-7	S wave amplitude in lead AVF
10035-4	S wave amplitude in lead AVL
10036-2	S wave amplitude in lead AVR
10037-0	S wave amplitude in lead I
10038-8	S wave amplitude in lead II
10039-6	S wave amplitude in lead III
1004-1	Direct antiglobulin test.complement specific reagent [Presence] on Red Blood Cells
10040-4	S wave amplitude in lead V1
10041-2	S wave amplitude in lead V2
10042-0	S wave amplitude in lead V3

10043-8 | S wave amplitude in lead V4
10044-6 | S wave amplitude in lead V5
10045-3 | S wave amplitude in lead V6
10046-1 | S wave duration in lead AVF
10047-9 | S wave duration in lead AVL
10048-7 | S wave duration in lead AVR
10049-5 | S wave duration in lead I
1005-8 | Indirect antiglobulin test.IgG specific reagent [Presence] in Serum or Plasma
10050-3 | S wave duration in lead II
10051-1 | S wave duration in lead III
10052-9 | S wave duration in lead V1
10053-7 | S wave duration in lead V2
10054-5 | S wave duration in lead V3
10055-2 | S wave duration in lead V4
10056-0 | S wave duration in lead V5
10057-8 | S wave duration in lead V6
10058-6 | S' wave amplitude in lead AVF
10059-4 | S' wave amplitude in lead AVL
1006-6 | Direct antiglobulin test.IgG specific reagent [Interpretation] on Red Blood Cells
10060-2 | S' wave amplitude in lead AVR
10061-0 | S' wave amplitude in lead I
10062-8 | S' wave amplitude in lead II
10063-6 | S' wave amplitude in lead III
10064-4 | S' wave amplitude in lead V1
10065-1 | S' wave amplitude in lead V2
10066-9 | S' wave amplitude in lead V3
10067-7 | S' wave amplitude in lead V4
10068-5 | S' wave amplitude in lead V5
10069-3 | S' wave amplitude in lead V6
1007-4 | Direct antiglobulin test.poly specific reagent [Presence] on Red Blood Cells
10070-1 | S' wave duration in lead AVF
10071-9 | S' wave duration in lead AVL
10072-7 | S' wave duration in lead AVR
10073-5 | S' wave duration in lead I
10074-3 | S' wave duration in lead II
10075-0 | S' wave duration in lead III
10076-8 | S' wave duration in lead V1
10077-6 | S' wave duration in lead V2
10078-4 | S' wave duration in lead V3
10079-2 | S' wave duration in lead V4
1008-2 | Indirect antiglobulin test.poly specific reagent [Presence] in Serum or Plasma
10080-0 | S' wave duration in lead V5
10081-8 | S' wave duration in lead V6
10082-6 | ST initial amplitude 6 ms in lead AVF
10083-4 | ST initial amplitude 6 ms in lead AVL
10084-2 | ST initial amplitude 6 ms in lead AVR
10085-9 | ST initial amplitude 6 ms in lead I
10086-7 | ST initial amplitude 6 ms in lead II
10087-5 | ST initial amplitude 6 ms in lead III
10088-3 | ST initial amplitude 6 ms in lead V1
10089-1 | ST initial amplitude 6 ms in lead V2
1009-0 | Deprecated Direct antiglobulin test.poly specific reagent [Presence] on Red Blood Cells
10090-9 | ST initial amplitude 6 ms in lead V3
10091-7 | ST initial amplitude 6 ms in lead V4
10092-5 | ST initial amplitude 6 ms in lead V5
10093-3 | ST initial amplitude 6 ms in lead V6
10094-1 | ST slope in lead AVF
10095-8 | ST slope in lead AVL
10096-6 | ST slope in lead AVR
10097-4 | ST slope in lead I
10098-2 | ST slope in lead II
10099-0 | ST slope in lead III
101-6 | Cefoperazone [Susceptibility] by Disk diffusion (KB)
1010-8 | E sup(w) Ab [Presence] in Serum or Plasma from Blood product unit
10100-6 | ST slope in lead V1
10101-4 | ST slope in lead V2
10102-2 | ST slope in lead V3
10103-0 | ST slope in lead V4
10104-8 | ST slope in lead V5
10105-5 | ST slope in lead V6
10106-3 | ST wave end displacement in lead AVF
10107-1 | ST wave end displacement in lead AVL

10108-9 | ST wave end displacement in lead AVR
10109-7 | ST wave end displacement in lead I
1011-6 | E sup(w) Ab [Presence] in Serum or Plasma from Donor
10110-5 | ST wave end displacement in lead II
10111-3 | ST wave end displacement in lead III
10112-1 | ST wave end displacement in lead V1
10113-9 | ST wave end displacement in lead V2
10114-7 | ST wave end displacement in lead V3
10115-4 | ST wave end displacement in lead V4
10116-2 | ST wave end displacement in lead V5
10117-0 | ST wave end displacement in lead V6
10118-8 | ST wave mid displacement in lead AVF
10119-6 | ST wave mid displacement in lead AVL
1012-4 | E sup(w) Ab [Presence] in Serum or Plasma
10120-4 | ST wave mid displacement in lead AVR
10121-2 | ST wave mid displacement in lead I
10122-0 | ST wave mid displacement in lead II
10123-8 | ST wave mid displacement in lead III
10124-6 | ST wave mid displacement in lead V1
10125-3 | ST wave mid displacement in lead V2
10126-1 | ST wave mid displacement in lead V3
10127-9 | ST wave mid displacement in lead V4
10128-7 | ST wave mid displacement in lead V5
10129-5 | ST wave mid displacement in lead V6
1013-2 | E sup(w) Ag [Presence] on Red Blood Cells from Blood product unit
10130-3 | T' wave amplitude in lead AVF
10131-1 | T' wave amplitude in lead AVL
10132-9 | T' wave amplitude in lead AVR
10133-7 | T' wave amplitude in lead I
10134-5 | T' wave amplitude in lead II
10135-2 | T' wave amplitude in lead III
10136-0 | T' wave amplitude in lead V1
10137-8 | T' wave amplitude in lead V2
10138-6 | T' wave amplitude in lead V3
10139-4 | T' wave amplitude in lead V4
1014-0 | E sup(w) Ag [Presence] on Red Blood Cells from Donor
10140-2 | T' wave amplitude in lead V5
10141-0 | T' wave amplitude in lead V6
10142-8 | T wave amplitude in lead AVF
10143-6 | T wave amplitude in lead AVL
10144-4 | T wave amplitude in lead AVR
10145-1 | T wave amplitude in lead I
10146-9 | T wave amplitude in lead II
10147-7 | T wave amplitude in lead III
10148-5 | T wave amplitude in lead V1
10149-3 | T wave amplitude in lead V2
1015-7 | E sup(w) Ag [Presence] on Red Blood Cells
10150-1 | T wave amplitude in lead V3
10151-9 | T wave amplitude in lead V4
10152-7 | T wave amplitude in lead V5
10153-5 | T wave amplitude in lead V6
10154-3 | Chief complaint Narrative - Reported
10155-0 | History of allergies, reported
10156-8 | History of Childhood diseases Narrative
10157-6 | History of family member diseases Narrative
10158-4 | History of Functional status Narrative
10159-2 | History of Industrial exposure Narrative
1016-5 | E Ab [Presence] in Serum or Plasma from Blood product unit
10160-0 | History of Medication use Narrative
10161-8 | History of Occupational exposure Narrative
10162-6 | History of pregnancies Narrative
10163-4 | History of pregnancies
10164-2 | History of Present illness Narrative
10165-9 | Deprecated History of psychiatric symptoms and diseases Narrative
10166-7 | History of Social function Narrative
10167-5 | History of Surgical procedures Narrative
10168-3 | History of Cardiovascular system disorders Narrative
10169-1 | History of Ear disorders Narrative
1017-3 | E Ab [Presence] in Serum or Plasma from Donor
10170-9 | History of Endocrine system disorders Narrative
10171-7 | History of Eyes disorders Narrative
10172-5 | History of Hematologic system disorders Narrative

10173-3 | History of Musculoskeletal system disorders Narrative
10174-1 | History of Nose disorders Narrative
10175-8 | History of Oral cavity disorders Narrative
10176-6 | History of Reproductive system disorders Narrative
10177-4 | History of Respiratory system disorders Narrative
10178-2 | History of Skin disorders Narrative
10179-0 | History of Throat and Neck disorders Narrative
1018-1 | E Ab [Presence] in Serum or Plasma
10180-8 | History of Throat and Neck disorders
10181-6 | History of Urinary tract disorders Narrative
10182-4 | History of Travel Narrative
10183-2 | Hospital discharge medications Narrative
10184-0 | Hospital discharge physical findings Narrative
10185-7 | Hospital discharge procedures Narrative
10186-5 | Identifying information Narrative Observed
10187-3 | Review of systems Narrative - Reported
10188-1 | Review of systems overview Narrative - Reported
10189-9 | Review of systems overview - Reported
1019-9 | E Ag [Presence] on Red Blood Cells from Blood product unit
10190-7 | Mental status Narrative
10191-5 | Physical findings of Abdomen Narrative
10192-3 | Physical findings of Back Narrative
10193-1 | Physical findings of Breasts Narrative
10194-9 | Physical findings of Neurologic deep tendon reflexes Narrative
10195-6 | Physical findings of Ear Narrative
10196-4 | Physical findings of Extremities Narrative
10197-2 | Physical findings of Eye Narrative
10198-0 | Physical findings of Genitourinary tract Narrative
10199-8 | Physical findings of Head Narrative
102-4 | Cefoperazone [Susceptibility] by Serum bactericidal titer
1020-7 | E Ag [Presence] on Red Blood Cells from Donor
10200-4 | Physical findings of Heart Narrative
10201-2 | Physical findings of Mouth and Throat and Teeth Narrative
10202-0 | Physical findings of Nervous system Narrative
10203-8 | Physical findings of Nose Narrative
10204-6 | Physical findings of Pelvis Narrative
10205-3 | Physical findings of Rectum Narrative
10206-1 | Physical findings of Skin Narrative
10207-9 | Physical findings of Thorax and Lungs Narrative
10208-7 | Physical findings of Vessels Narrative
10209-5 | Physical findings of Neurologic balance and Coordination Narrative
1021-5 | E Ag [Presence] on Red Blood Cells
10210-3 | Physical findings of General status Narrative
10211-1 | Physical findings of Sense of touch Narrative
10212-9 | Physical findings of Strength Narrative
10213-7 | Surgical operation note anesthesia Narrative
10214-5 | Surgical operation note anesthesia duration
10215-2 | Surgical operation note findings Narrative
10216-0 | Surgical operation note fluids Narrative
10217-8 | Surgical operation note indications [Interpretation] Narrative
10218-6 | Surgical operation note postoperative diagnosis Narrative
10219-4 | Surgical operation note preoperative diagnosis Narrative
1022-3 | Fy sup(a) Ab [Presence] in Serum or Plasma from Blood product unit
10220-2 | Surgical operation note prep time duration
10221-0 | Surgical operation note specimens taken Narrative
10222-8 | Surgical operation note surgical complications [Interpretation] Narrative
10223-6 | Surgical operation note surgical procedure Narrative
10224-4 | Hemodynamic method special circumstances
10225-1 | Cardiac measurement device Institution inventory number
10226-9 | Oxygen content in Intravascular space
10227-7 | Cardiac measurement device Vendor model number
10228-5 | Cardiac measurement device Vendor serial number
10229-3 | Hemodynamic method Type of
1023-1 | Fy sup(a) Ab [Presence] in Serum or Plasma from Donor
10230-1 | Left ventricular Ejection fraction
10231-9 | Right ventricular Ejection fraction
10232-7 | Oxygen content in Aorta root
10233-5 | Oxygen content in Left atrium
10234-3 | Oxygen content in Right atrium
10235-0 | Oxygen content in High right atrium
10236-8 | Oxygen content in Low right atrium
10237-6 | Oxygen content in Mid right atrium

10238-4 | Oxygen content in Left ventricle
10239-2 | Oxygen content in Right ventricular outflow tract
1024-9 | Fy sup(a) Ab [Presence] in Serum or Plasma
10240-0 | Oxygen content in Right ventricle
10241-8 | Oxygen content in Coronary sinus
10242-6 | Oxygen content in Ductus arteriosus
10243-4 | Oxygen content in Inferior vena cava
10244-2 | Oxygen content in Left pulmonary artery
10245-9 | Oxygen content in Main pulmonary artery
10246-7 | Oxygen content in Right pulmonary artery
10247-5 | Oxygen content in Pulmonary wedge
10248-3 | Oxygen content in Superior vena cava
10249-1 | Heart rate device Institution inventory number
1025-6 | Fy sup(a) Ag [Presence] on Red Blood Cells from Blood product unit
10250-9 | Heart rate device Vendor model number
10251-7 | Heart rate device Vendor serial number
10252-5 | Biliary drain site
10253-3 | Type of Biliary drain
10254-1 | Type of Peritoneal drain
10255-8 | Type of Subarachnoid drain
10256-6 | Biliary drain Institution inventory number
10257-4 | Chest tube Institution inventory number
10258-2 | Enteral tube Institution inventory number
10259-0 | Gastrostomy tube Institution inventory number
1026-4 | Fy sup(a) Ag [Presence] on Red Blood Cells from Donor
10260-8 | GI tube Institution inventory number
10261-6 | Intravascular tube Institution inventory number
10262-4 | IO tube Institution inventory number
10263-2 | Nasogastric tube Institution inventory number
10264-0 | Oral tube Institution inventory number
10265-7 | Peritoneal drain Institution inventory number
10266-5 | Peritoneal tube Institution inventory number
10267-3 | Rate control device Institution inventory number
10268-1 | Stool collection device Institution inventory number
10269-9 | Subarachnoid drain Institution inventory number
1027-2 | Fy sup(a) Ag [Presence] on Red Blood Cells
10270-7 | Synovial drain Institution inventory number
10271-5 | Tube or drain Institution inventory number
10272-3 | Upper GI tube Institution inventory number
10273-1 | Bladder irrigation tube Institution inventory number
10274-9 | Urine tube Institution inventory number
10275-6 | Wound drain device Institution inventory number
10276-4 | Peritoneal drain site
10277-2 | Stool collection site
10278-0 | Subarachnoid drain site
10279-8 | Biliary drain Vendor model number
1028-0 | Fy sup(b) Ab [Presence] in Serum or Plasma from Blood product unit
10280-6 | Chest tube Vendor model number
10281-4 | Enteral tube Vendor model number
10282-2 | Gastrostomy tube Vendor model number
10283-0 | GI tube Vendor model number
10284-8 | Intravascular tube Vendor model number
10285-5 | IO tube Vendor model number
10286-3 | Nasogastric tube Vendor model number
10287-1 | Oral tube Vendor model number
10288-9 | Peritoneal drain Vendor model number
10289-7 | Peritoneal tube Vendor model number
1029-8 | Fy sup(b) Ab [Presence] in Serum or Plasma from Donor
10290-5 | Rate control device Vendor model number
10291-3 | Stool collection device Vendor model number
10292-1 | Subarachnoid drain Vendor model number
10293-9 | Synovial drain Vendor model number
10294-7 | Tube or drain Vendor model number
10295-4 | Upper GI tube Vendor model number
10296-2 | Bladder irrigation tube Vendor model number
10297-0 | Urine tube Vendor model number
10298-8 | Wound drain device Vendor model number
10299-6 | Biliary drain Vendor serial number
103-2 | Ceforanide [Susceptibility] by Minimum lethal concentration (MLC)
1030-6 | Fy sup(b) Ab [Presence] in Serum or Plasma
10300-2 | Chest tube Vendor serial number
10301-0 | Enteral tube Vendor serial number

10302-8 | Gastrostomy tube Vendor serial number
10303-6 | GI tube Vendor serial number
10304-4 | Intravascular tube Vendor serial number
10305-1 | IO tube Vendor serial number
10306-9 | Nasogastric tube Vendor serial number
10307-7 | Oral tube Vendor serial number
10308-5 | Peritoneal drain Vendor serial number
10309-3 | Peritoneal tube Vendor serial number
1031-4 | Fy sup(b) Ag [Presence] on Red Blood Cells from Blood product unit
10310-1 | Rate control device Vendor serial number
10311-9 | Stool collection device Vendor serial number
10312-7 | Subarachnoid drain Vendor serial number
10313-5 | Synovial drain Vendor serial number
10314-3 | Tube or drain Vendor serial number
10315-0 | Upper GI tube Vendor serial number
10316-8 | Bladder irrigation tube Vendor serial number
10317-6 | Urine tube Vendor serial number
10318-4 | Wound drain device Vendor serial number
10319-2 | Enema device Institution inventory number
1032-2 | Fy sup(b) Ag [Presence] on Red Blood Cells from Donor
10320-0 | Enema device Vendor model number
10321-8 | Enema device Vendor serial number
10322-6 | Potassium intake 24 hour
10323-4 | Wound drain fluid [Appearance] Lower GI tract
10324-2 | Breath rate device Institution inventory number
10325-9 | Breath rate device Vendor model number
10326-7 | Breath rate device Vendor serial number
10327-5 | Eosinophils/100 leukocytes in Sputum by Manual count
10328-3 | Lymphocytes/100 leukocytes in Cerebral spinal fluid by Manual count
10329-1 | Monocytes/100 leukocytes in Cerebral spinal fluid by Manual count
1033-0 | Fy sup(b) Ag [Presence] on Red Blood Cells
10330-9 | Monocytes/100 leukocytes in Body fluid by Manual count
10331-7 | Rh [Type] in Blood
10332-5 | Cortisol [Mass/volume] in Serum or Plasma --pre 250 ug corticotropin IM
10333-3 | Appearance of Cerebral spinal fluid
10334-1 | Cancer Ag 125 [Units/volume] in Serum or Plasma
10335-8 | Color of Cerebral spinal fluid
10336-6 | Gonadotropin peptide [Mass/volume] in Urine
10337-4 | Procollagen type I [Mass/volume] in Serum
10338-2 | Barbiturates [Mass/volume] in Serum or Plasma
10339-0 | Fluoxetine+Norfluoxetine [Mass/volume] in Serum or Plasma
1034-8 | Fetal cell screen [Interpretation] in Blood
10340-8 | Molindone [Mass/volume] in Serum or Plasma
10341-6 | Norpropoxyphene [Mass/volume] in Serum or Plasma
10342-4 | Sulfamethoxazole [Mass/volume] in Serum or Plasma
10343-2 | Temazepam [Mass/volume] in Serum or Plasma
10344-0 | Tranylcypromine [Mass/volume] in Serum or Plasma
10345-7 | Trihexyphenidyl [Mass/volume] in Urine
10346-5 | Hemoglobin A [Units/volume] in Blood by Electrophoresis
10347-3 | Babesia microti identified in Blood by Light microscopy
10348-1 | Bordetella parapertussis Ab [Presence] in Serum
10349-9 | Brucella sp Ab [Units/volume] in Serum
1035-5 | Fresh frozen plasma given [Volume]
10350-7 | Herpes simplex virus IgM Ab [Titer] in Serum by Immunoassay
10351-5 | HIV 1 RNA [Units/volume] (viral load) in Serum or Plasma by Probe with amplification
10352-3 | Bacteria identified in Genital specimen by Aerobe culture
10353-1 | Bacteria identified in Nose by Aerobe culture
10354-9 | Bacteria identified in Urethra by Culture
10355-6 | Microscopic observation [Identifier] in Bone marrow by Wright Giemsa stain
10356-4 | Deprecated Microscopic observation [Identifier] in Stool by Trichrome stain
10357-2 | Microscopic observation [Identifier] in Wound by Gram stain
10358-0 | Teichoate Ab [Titer] in Serum by Immune diffusion (ID)
10359-8 | Asialoganglioside GM1 IgM Ab [Titer] in Serum
1036-3 | G Ab [Presence] in Serum or Plasma from Blood product unit
10360-6 | DNA single strand IgG Ab [Units/volume] in Serum
10361-4 | DNA single strand IgM Ab [Units/volume] in Serum
10362-2 | Endomysium IgA Ab [Presence] in Serum
10363-0 | Barbiturates [Presence] in Unspecified specimen
10364-8 | Cotinine [Mass/mass] in Hair
10365-5 | Cotinine [Mass/volume] in Serum or Plasma
10366-3 | Cotinine [Mass/volume] in Urine
10367-1 | Ethanol [Mass/volume] in Gastric fluid

10368-9 | Lead [Mass/volume] in Capillary blood
10369-7 | Opiates [Mass/mass] in Hair
1037-1 | G Ab [Presence] in Serum or Plasma from Donor
10370-5 | Phencyclidine [Mass/mass] in Hair
10371-3 | Bite cells [Presence] in Blood by Light microscopy
10372-1 | Blister cells [Presence] in Blood by Light microscopy
10373-9 | Fragments [Presence] in Blood by Light microscopy
10374-7 | Helmet cells [Presence] in Blood by Light microscopy
10375-4 | Irregularly contracted cells [Presence] in Blood by Light microscopy
10376-2 | Oval macrocytes [Presence] in Blood by Light microscopy
10377-0 | Pencil cells [Presence] in Blood by Light microscopy
10378-8 | Polychromasia [Presence] in Blood by Light microscopy
10379-6 | Erythrocytes.dual population [Presence] in Blood by Light microscopy
1038-9 | G Ab [Presence] in Serum or Plasma
10380-4 | Stomatocytes [Presence] in Blood by Light microscopy
10381-2 | Target cells [Presence] in Blood by Light microscopy
10382-0 | A,B variant NOS Ag [Presence] on Red Blood Cells from Blood product unit
10383-8 | A,B variant NOS Ag [Presence] on Red Blood Cells from Donor
10384-6 | A,B variant NOS Ag [Presence] on Red Blood Cells
10385-3 | Albumin concentration given
10386-1 | Albumin given [Volume]
10387-9 | Autologous erythrocytes given [Volume]
10388-7 | Autologous whole blood given [Volume]
10389-5 | Blood product.other [Type]
1039-7 | G Ag [Presence] on Red Blood Cells from Blood product unit
10390-3 | Blood product special preparation [Type]
10391-1 | Cytomegalovirus immune globulin given [Volume]
10392-9 | Cryoprecipitate given [Volume]
10393-7 | Factor IX given [Type]
10394-5 | Factor IX given [Volume]
10395-2 | Factor VIII given [Type]
10396-0 | Factor VIII given [Volume]
10397-8 | Hepatitis B immune globulin given [Volume]
10398-6 | I Ag [Presence] on Red Blood Cells from Blood product unit
10399-4 | I Ag [Presence] on Red Blood Cells from Donor
104-0 | Ceforanide [Susceptibility] by Minimum inhibitory concentration (MIC)
1040-5 | G Ag [Presence] on Red Blood Cells from Donor
10400-0 | I Ag [Presence] on Red Blood Cells
10401-8 | Immune serum globulin given [Type]
10402-6 | Immune serum globulin given [Volume]
10403-4 | Inject immune serum globulin [Volume]
10404-2 | Inject Rh immune globulin [Volume]
10405-9 | Inject varicella zoster virus immune globulin [Volume]
10406-7 | little i Ag [Presence] on Red Blood Cells from Blood product unit
10407-5 | little i Ag [Presence] on Red Blood Cells from Donor
10408-3 | little i Ag [Presence] on Red Blood Cells
10409-1 | Pentaspan given [Volume]
1041-3 | G Ag [Presence] on Red Blood Cells
10410-9 | Plasma given [Type]
10411-7 | Plasma given [Volume]
10412-5 | Platelets given [Type]
10413-3 | Rh immune globulin given [Volume]
10414-1 | Transfuse albumin [Volume]
10415-8 | Transfuse blood exchange transfusion [Volume]
10416-6 | Transfuse blood product other [Volume]
10417-4 | Transfuse cryoprecipitate [Volume]
10418-2 | Transfuse factor IX [Volume]
10419-0 | Transfuse factor VIII [Volume]
1042-1 | H Ab [Presence] in Serum or Plasma from Blood product unit
10420-8 | Transfuse immune serum globulin [Volume]
10421-6 | Transfuse Pentaspan [Volume]
10422-4 | Transfuse plasma [Volume]
10423-2 | Transfuse platelets [Volume]
10424-0 | Transfuse erythrocytes [Volume]
10425-7 | Transfuse Rh immune globulin [Volume]
10426-5 | Transfuse whole blood [Volume]
10427-3 | Transfuse whole blood autologous [Volume]
10428-1 | Varicella zoster virus immune globulin given [Volume]
10429-9 | AE 1 Ag [Presence] in Tissue by Immune stain
1043-9 | H Ab [Presence] in Serum or Plasma from Donor
10430-7 | AE 3 Ag [Presence] in Tissue by Immune stain
10431-5 | B-cell Ag [Presence] in Tissue by Immune stain

10432-3 | CD30 Ag [Presence] in Tissue by Immune stain
10433-1 | BR-2 Ag [Presence] in Tissue by Immune stain
10434-9 | Complement C3 Ag [Presence] in Tissue by Immune stain
10435-6 | C5B-9 Ag [Presence] in Tissue by Immune stain
10436-4 | CD15 Ag [Presence] in Tissue by Immune stain
10437-2 | CD16 Ag [Presence] in Tissue by Immune stain
10438-0 | CD20 Ag [Presence] in Tissue by Immune stain
10439-8 | CD3 Ag [Presence] in Tissue by Immune stain
1044-7 | H Ab [Presence] in Serum
10440-6 | Deprecated CD30 Ag [Presence] in Tissue by Immune stain
10441-4 | CD34 Ag [Presence] in Tissue by Immune stain
10442-2 | CD56 Ag [Presence] in Tissue by Immune stain
10443-0 | CD43 T-cell monocyte+myeloid cell Ag [Presence] in Tissue by Immune stain
10444-8 | CD57 Ag [Presence] in Tissue by Immune stain
10445-5 | CD11c Ag [Presence] in Tissue by Immune stain
10446-3 | Leukocyte common Ag [Presence] in Tissue by Immune stain
10447-1 | M-5 Ag [Presence] in Tissue by Immune stain
10448-9 | T-cell Ag [Presence] in Tissue by Immune stain
10449-7 | Glucose [Mass/volume] in Serum or Plasma --1 hour post meal
1045-4 | H NOS Ab [Presence] in Serum or Plasma from Blood product unit
10450-5 | Glucose [Mass/volume] in Serum or Plasma --10 hours fasting
10451-3 | Proinsulin [Moles/volume] in Serum or Plasma --12 hours fasting
10452-1 | Xylose [Mass/volume] in Serum or Plasma --1 hour post 25 g xylose PO
10453-9 | Xylose [Mass/volume] in Serum or Plasma --1 hour post dose xylose PO
10454-7 | Xylose [Mass/volume] in Serum or Plasma --2 hours post 25 g xylose PO
10455-4 | Xylose [Mass/volume] in Serum or Plasma --30 minutes post 25 g xylose PO
10456-2 | Xylose [Mass/volume] in Serum or Plasma --6 hours fasting
10457-0 | Actin Ag [Presence] in Tissue by Immune stain
10458-8 | Alkaline phosphatase.placental Ag [Presence] in Tissue by Immune stain
10459-6 | Alpha-1-Fetoprotein Ag [Presence] in Tissue by Immune stain
1046-2 | H NOS Ab [Presence] in Serum or Plasma from Donor
10460-4 | Lactalbumin alpha Ag [Presence] in Tissue by Immune stain
10461-2 | Alpha-1-Antichymotrypsin Ag [Presence] in Tissue by Immune stain
10462-0 | Alpha 1 antitrypsin Ag [Presence] in Tissue by Immune stain
10463-8 | Amyloid A component Ag [Presence] in Tissue by Immune stain
10464-6 | Amyloid P component Ag [Presence] in Tissue by Immune stain
10465-3 | Amyloid.prealbumin Ag [Presence] in Tissue by Immune stain
10466-1 | Anion gap 3 in Serum or Plasma
10467-9 | Beta-2-Microglobulin amyloid Ag [Presence] in Tissue by Immune stain
10468-7 | Calcitonin Ag [Presence] in Tissue by Immune stain
10469-5 | Carcinoembryonic Ag [Presence] in Tissue by Immune stain
1047-0 | H NOS Ab [Presence] in Serum or Plasma
10470-3 | Choriogonadotropin Ag [Presence] in Tissue by Immune stain
10471-1 | Chromogranin A Ag [Presence] in Tissue by Immune stain
10472-9 | Chromogranin Ag [Presence] in Tissue by Immune stain
10473-7 | Chymotrypsin Ag [Presence] in Tissue by Immune stain
10474-5 | Collagen type 4 Ag [Presence] in Tissue by Immune stain
10475-2 | Corticotropin Ag [Presence] in Tissue by Immune stain
10476-0 | Desmin Ag [Presence] in Tissue by Immune stain
10477-8 | Enolase.neuron specific Ag [Presence] in Tissue by Immune stain
10478-6 | Eosinophil major basic protein Ag [Presence] in Tissue by Immune stain
10479-4 | CD227 Ag [Presence] in Tissue by Immune stain
1048-8 | H NOS Ag [Presence] on Red Blood Cells from Blood product unit
10480-2 | Estrogen+Progesterone receptor Ag [Presence] in Tissue by Immune stain
10481-0 | Follitropin.alpha subunit Ag [Presence] in Tissue by Immune stain
10482-8 | Follitropin.beta subunit Ag [Presence] in Tissue by Immune stain
10483-6 | Gastrin Ag [Presence] in Tissue by Immune stain
10484-4 | Glial fibrillary acidic protein Ag [Presence] in Tissue by Immune stain
10485-1 | Glucagon Ag [Presence] in Tissue by Immune stain
10486-9 | Hemoglobin Ag [Presence] in Tissue by Immune stain
10487-7 | HMB-45 Ag [Presence] in Tissue by Immune stain
10488-5 | IgA Ag [Presence] in Tissue by Immune stain
10489-3 | IgA.heavy chain Ag [Presence] in Tissue by Immune stain
1049-6 | H NOS Ag [Presence] on Red Blood Cells from Donor
10490-1 | IgE Ag [Presence] in Tissue by Immune stain
10491-9 | IgG Ag [Presence] in Tissue by Immune stain
10492-7 | IgG.heavy chain Ag [Presence] in Tissue by Immune stain
10493-5 | IgM Ag [Presence] in Tissue by Immune stain
10494-3 | IgM.heavy chain Ag [Presence] in Tissue by Immune stain
10495-0 | Insulin Ag [Presence] in Tissue by Immune stain
10496-8 | Kappa light chains Ag [Presence] in Tissue by Immune stain
10497-6 | Immunoglobulin light chains.kappa amyloid Ag [Presence] in Tissue by Immune stain

10498-4 | Keratin Ag [Presence] in Tissue by Immune stain
10499-2 | Lambda light chains Ag [Presence] in Tissue by Immune stain
105-7 | Ceforanide [Susceptibility] by Disk diffusion (KB)
1050-4 | H NOS Ag [Presence] on Red Blood Cells
10500-7 | Immunoglobulin light chains.lambda amyloid Ag [Presence] in Tissue by Immune stain
10501-5 | Lutropin [Units/volume] in Serum or Plasma
10502-3 | Lutropin Ag [Presence] in Tissue by Immune stain
10503-1 | Lysozyme Ag [Presence] in Tissue by Immune stain
10504-9 | Myelin basic protein Ag [Presence] in Tissue by Immune stain
10505-6 | Myoglobin Ag [Presence] in Tissue by Immune stain
10506-4 | Peanut agglutinin Ag [Presence] in Tissue by Immune stain
10507-2 | Prolactin Ag [Presence] in Tissue by Immune stain
10508-0 | Prostate specific Ag [Presence] in Tissue by Immune stain
10509-8 | Prostatic acid phosphatase Ag [Presence] in Tissue by Immune stain
1051-2 | Hemolytic disease of newborn screen [Interpretation] in Blood
10510-6 | S-100 Ag Ag [Presence] in Tissue by Immune stain
10511-4 | Serotonin Ag [Presence] in Tissue by Immune stain
10512-2 | Somatostatin Ag [Presence] in Tissue by Immune stain
10513-0 | Somatotropin Ag [Presence] in Tissue by Immune stain
10514-8 | Synaptophysin Ag [Presence] in Tissue by Immune stain
10515-5 | Thyroglobulin Ag [Presence] in Tissue by Immune stain
10516-3 | Thyrotropin Ag [Presence] in Tissue by Immune stain
10517-1 | Trypsin Ag [Presence] in Tissue by Immune stain
10518-9 | Ulex europaeus I lectin Ag [Presence] in Tissue by Immune stain
10519-7 | Vimentin Ag [Presence] in Tissue by Immune stain
1052-0 | Deprecated I (intermediate) subtype [Presence] in Serum or Plasma from Blood product unit
10520-5 | Coagulation factor VI Ag [Presence] in Tissue by Immune stain
10521-3 | Coagulation factor VIII Ag [Presence] in Tissue by Immune stain
10522-1 | Coagulation factor XIII Ag [Presence] in Tissue by Immune stain
10523-9 | Fibrinogen Ag [Presence] in Tissue by Immune stain
10524-7 | Microscopic observation [Identifier] in Cervix by Cyto stain
10525-4 | Microscopic observation [Identifier] in Unspecified specimen by Cyto stain
10526-2 | Microscopic observation [Identifier] in Sputum by Cyto stain
10527-0 | Microscopic observation [Identifier] in Tissue by Cyto stain
10528-8 | Acetophenazine [Mass/volume] in Serum or Plasma
10529-6 | Amoxapine metabolite [Mass/volume] in Serum or Plasma
1053-8 | Deprecated I (intermediate) subtype [Presence] in serum or plasma from donor
10530-4 | Aprobarbital [Mass/volume] in Serum or Plasma
10531-2 | Bretylium [Mass/volume] in Serum or Plasma
10532-0 | Deprecated Desethylamiodarone [Mass/volume] in Serum or Plasma
10533-8 | Propoxyphene+Acetaminophen [Mass/volume] in Serum or Plasma
10534-6 | Diazoxide [Mass/volume] in Serum or Plasma
10535-3 | Digoxin [Mass/volume] in Serum or Plasma
10536-1 | Dipyridamole [Mass/volume] in Serum or Plasma
10537-9 | Deprecated Doxepin+Nordoxepin [Mass/volume] in Serum or Plasma
10538-7 | Deprecated Fluoxetine+Norfluoxetine [Mass/volume] in Serum or Plasma
10539-5 | Glipizide [Mass/volume] in Serum or Plasma
1054-6 | Deprecated I (intermediate) subtype [Presence] in srum
10540-3 | Glyburide [Mass/volume] in Serum or Plasma
10541-1 | Mepivacaine [Mass/volume] in Serum or Plasma
10542-9 | Metharbital [Mass/volume] in Serum or Plasma
10543-7 | Methsuximide+Normethsuximide [Mass/volume] in Serum or Plasma
10544-5 | Normeperidine [Presence] in Serum or Plasma
10545-2 | Normephenytoin [Mass/volume] in Serum or Plasma
10546-0 | Normethsuximide [Mass/volume] in Serum or Plasma
10547-8 | Primidone+Phenobarbital [Mass/volume] in Serum or Plasma
10548-6 | Phenytoin Free/Phenytoin.total in Serum or Plasma
10549-4 | Pirmenol [Mass/volume] in Serum or Plasma
1055-3 | Deprecated I (intermediate) subtype [Presence] on Red Blood Cells from Blood product unit
10550-2 | Deprecated Temazepam [Mass/volume] in Serum or Plasma
10551-0 | Triamterene [Mass/volume] in Serum or Plasma
10552-8 | Tricyclic antidepressants [Mass/volume] in Serum or Plasma
10553-6 | Prostatic acid phosphatase [Enzymatic activity/volume] in Genital fluid
10554-4 | Deprecated Prostatic acid phosphatase [Enzymatic activity/volume] in Seminal plasma
10555-1 | Acrosin [Entitic Catalytic Activity] in Spermatozoa
10556-9 | Deprecated Adenosine triphosphatase [Enzymatic activity/volume] in Seminal plasma
10557-7 | Adenosine triphosphate [Moles/volume] in Semen
10558-5 | Albumin [Moles/volume] in Semen
10559-3 | Deprecated Calcium [Molecules/volume] in Semen
1056-1 | Deprecated I (intermediate) subtype [Presence] on Red Blood Cells from donor
10560-1 | Carcinoembryonic Ag [Units/volume] in Semen
10561-9 | Carnitine [Moles/volume] in Semen

10562-7 | Cells [#/volume] in Cervical mucus
10563-5 | Cells other than spermatozoa [#/volume] in Semen
10564-3 | Cervical mucus [Volume]
10565-0 | Choriogonadotropin [Units/volume] in Semen
10566-8 | Deprecated Choriogonadotropin [Molecules/volume] in Semen
10567-6 | Citrate [Moles/volume] in Semen
10568-4 | Clarity of Semen
10569-2 | Color of Semen
1057-9 | Deprecated I (intermediate) subtype [Presence] on Red Blood Cells
10570-0 | Consistency of Cervical mucus
10571-8 | Deprecated Consistency of Semen
10572-6 | Deprecated Duration^post ejaculation
10573-4 | Ferning [Type] in Cervical mucus
10574-2 | Fructose [Moles/volume] in Semen
10575-9 | Deprecated Gamma glutamyl transferase [Enzymatic activity/volume] in Semen
10576-7 | Germ cells.immature [#/volume] in Semen
10577-5 | Glucosidase [Enzymatic activity/volume] in Seminal plasma
10578-3 | Glycerophosphocholine [Moles/volume] in Seminal plasma
10579-1 | Leukocytes [#/volume] in Semen
1058-7 | I Ab [Presence] in Serum or Plasma from Blood product unit
10580-9 | Liquefaction [Time] in Semen
10581-7 | Deprecated Number of entities [#] in Spermatozoa
10582-5 | pH of Cervical mucus
10583-3 | Prostaglandin F1 alpha [Moles/volume] in Semen
10584-1 | Deprecated Protein [Mass/volume] in Semen
10585-8 | Round cells [#/volume] in Semen
10586-6 | Deprecated Volume of Semen
10587-4 | Sexual abstinence duration
10588-2 | Spermatogonia [#/volume] in Semen
10589-0 | Spermatids [#/volume] in Semen by Streptoavidin-biotin method (SAB)
1059-5 | I Ab [Presence] in Serum or Plasma from Donor
10590-8 | Spermatids [#/volume] in Semen by Sertoli cell barrier method (SCB)
10591-6 | Primary Spermatocytes [#/volume] in Semen
10592-4 | Secondary Spermatocytes [#/volume] in Semen
10593-2 | Spermatozoa Pyriform Head/100 spermatozoa in Semen
10594-0 | Spermatozoa Tapering Head/100 spermatozoa in Semen
10595-7 | Deprecated Spermatozoa [#/volume] in Semen
10596-5 | Deprecated Spermatozoa Ab in cervical mucosa
10597-3 | Deprecated Spermatozoa Ab in semen
10598-1 | Deprecated Spermatozoa Ab in serum
10599-9 | Spermatozoa penetration [Presence] in Seminal fluid and Cervical mucosa by Kremer test
106-5 | Ceforanide [Susceptibility] by Serum bactericidal titer
1060-3 | I Ab [Presence] in Serum or Plasma
10600-5 | Spermatozoa penetration [Presence] in Seminal fluid and Cervical mucosa
10601-3 | Spermatozoa penetration [Presence] in Seminal fluid and Cervical mucosa --post coitus
10602-1 | Spermatozoa Abnormal Head/100 spermatozoa in Semen
10603-9 | Spermatozoa Abnormal Midpiece/100 spermatozoa in Semen
10604-7 | Spermatozoa Abnormal Tail/100 spermatozoa in Semen
10605-4 | Spermatozoa Agglutinated/100 spermatozoa in Semen
10606-2 | Spermatozoa Amorphous Head/100 spermatozoa in Semen
10607-0 | Spermatozoa Coiled Tail/100 spermatozoa in Semen
10608-8 | Spermatozoa Cytoplasmic Droplet/100 spermatozoa in Semen
10609-6 | Spermatozoa Duplicate Head/100 spermatozoa in Semen
1061-1 | I NOS Ab [Presence] in Serum or Plasma from Blood product unit
10610-4 | Spermatozoa Duplicate Tail/100 spermatozoa in Semen
10611-2 | Spermatozoa Immotile/100 spermatozoa in Semen
10612-0 | Spermatozoa Large Oval Head/100 spermatozoa in Semen
10613-8 | Spermatozoa Viable/100 spermatozoa in Semen
10614-6 | Spermatozoa Motile w IgA/100 spermatozoa in Semen by Immunobead
10615-3 | Spermatozoa Motile w IgA/100 spermatozoa in Semen by Mixed antiglobulin reaction
10616-1 | Spermatozoa Motile w IgG/100 spermatozoa in Semen by Immunobead
10617-9 | Spermatozoa Motile w IgG/100 spermatozoa in Semen by Mixed antiglobulin reaction
10618-7 | Spermatozoa Motile w IgM/100 spermatozoa in Semen by Immunobead
10619-5 | Spermatozoa Motile w IgM/100 spermatozoa in Semen by Mixed antiglobulin reaction
1062-9 | I NOS Ab [Presence] in Serum or Plasma from Donor
10620-3 | Spermatozoa Nonprogressive/100 spermatozoa in Semen
10621-1 | Spermatozoa Normal Head/100 spermatozoa in Semen
10622-9 | Spermatozoa Normal/100 spermatozoa in Semen
10623-7 | Spermatozoa Pin Head/100 spermatozoa in Semen
10624-5 | Spermatozoa Rapid/100 spermatozoa in Semen
10625-2 | Spermatozoa Round Head/100 spermatozoa in Semen
10626-0 | Spermatozoa Slow/100 spermatozoa in Semen

10627-8 | Spermatozoa Small Oval Head/100 spermatozoa in Semen
10628-6 | Spermatozoa Tail Swelling/100 spermatozoa in Semen
10629-4 | Spermatozoa Vacuolated Head/100 spermatozoa in Semen
1063-7 | I NOS Ab [Presence] in Serum or Plasma
10630-2 | Spinnbarkeit [Length] in Cervical mucus
10631-0 | Testosterone [Moles/volume] in Semen
10632-8 | Time until next menstrual period
10633-6 | Zinc [Moles/volume] in Semen
10634-4 | Complement C1 esterase inhibitor.functional/Complement C1 esterase inhibitor.total in Serum or Plasma
10635-1 | Acanthamoeba sp identified in Eye by Organism specific culture
10636-9 | Acanthamoeba sp identified in Eye by Wet preparation
10637-7 | Microscopic observation [Identifier] in Tissue by Night blue stain
10638-5 | Thermophilic Actinomycetes colony count [#/volume] in Unspecified specimen by Organism specific culture
10639-3 | Thermophilic Actinomycetes identified in Unspecified specimen by Organism specific culture
1064-5 | I NOS Ag [Presence] on Red Blood Cells from Blood product unit
10640-1 | Deprecated Adenovirus 40+41 [Identifier] in Stool by Electron microscopy
10641-9 | Amoeba identified in Aspirate by Immune stain
10642-7 | Amoeba identified in Aspirate by Wet preparation
10643-5 | Amoeba identified in Stool by Organism specific culture
10644-3 | Arthropod identified in Unspecified specimen
10645-0 | Aspergillus fumigatus Ag [Presence] in Tissue by Immunofluorescence
10646-8 | Astrovirus [Identifier] in Stool by Electron microscopy
10647-6 | Babesia sp identified in Blood by Thick film
10648-4 | Babesia sp identified in Blood by Thin film
10649-2 | Calicivirus [Identifier] in Stool by Electron microscopy
1065-2 | I NOS Ag [Presence] on Red Blood Cells from Donor
10650-0 | Candida sp DNA [Presence] in Blood by Probe with amplification
10651-8 | Chlamydophila pneumoniae Ag [Presence] in Sputum or Bronchial
10652-6 | Chlamydophila pneumoniae DNA [Presence] in Sputum or Bronchial by Probe with amplification
10653-4 | Clotrimazole [Susceptibility] by Minimum inhibitory concentration (MIC)
10654-2 | Clotrimazole [Susceptibility] by Minimum lethal concentration (MLC)
10655-9 | Coccidia identified in Duodenal fluid by Acid fast stain
10656-7 | Coccidia identified in Stool by Acid fast stain
10657-5 | Deprecated Cryptococcus neoformans Ag [Presence] in Tissue by Immunofluorescence
10658-3 | Cyanobacterium identified in Water by Light microscopy
10659-1 | Cyclospora sp identified in Stool by Acid fast stain
1066-0 | I NOS Ag [Presence] on Red Blood Cells
10660-9 | Cytomegalovirus Ag [Presence] in Tissue by Immune stain
10661-7 | Dinoflagellate identified in Water by Light microscopy
10662-5 | Filaria identified in Blood by Concentration
10663-3 | Filaria identified in Blood by Thick film
10664-1 | Filaria identified in Blood by Thin film
10665-8 | Fungus colony count [#/volume] in Unspecified specimen by Environmental culture
10666-6 | Fungus identified in Tissue by Fontana-Masson stain
10667-4 | Fungus identified in Unspecified specimen by Animal inoculation
10668-2 | Fungus identified in Unspecified specimen by Environmental culture
10669-0 | Fungus identified in Unspecified specimen by Sticky tape for environmental fungus
1067-8 | Jk sup(a) Ab [Presence] in Serum or Plasma from Blood product unit
10670-8 | Giardia lamblia [Presence] in Stool by Organism specific culture
10671-6 | Helminth identified in Unspecified specimen
10672-4 | Helminth+Arthropod identified in Unspecified specimen
10673-2 | Hepatitis B virus core Ag [Presence] in Tissue by Immune stain
10674-0 | Hepatitis B virus surface Ag [Presence] in Tissue by Immune stain
10675-7 | Hepatitis B virus surface Ag [Presence] in Tissue by Orcein stain
10676-5 | Hepatitis C virus RNA [Units/volume] (viral load) in Serum or Plasma by Probe with amplification
10677-3 | Herpes simplex virus 1 Ag [Presence] in Tissue by Immune stain
10678-1 | Herpes simplex virus 1+2 Ag [Presence] in Tissue by Immune stain
10679-9 | Herpes simplex virus 2 Ag [Presence] in Tissue by Immune stain
1068-6 | Jk sup(a) Ab [Presence] in Serum or Plasma from Donor
10680-7 | Herpes simplex virus identified in Cerebral spinal fluid by Electron microscopy
10681-5 | Herpes simplex virus identified in Tissue by Electron microscopy
10682-3 | Deprecated HIV 1 RNA [Units/volume] in Serum or Plasma by Probe with amplification
10683-1 | Hydatid cyst identified in Aspirate by Immune stain
10684-9 | Hydatid cyst identified in Liver by Wet preparation
10685-6 | Hydatid cyst identified in Lung tissue by Wet preparation
10686-4 | Leishmania sp identified in Tissue by Giemsa stain
10687-2 | Leishmania sp identified in Tissue by Organism specific culture
10688-0 | Microscopic observation [Identifier] in Hair by KOH preparation
10689-8 | Microscopic observation [Identifier] in Nail by KOH preparation
1069-4 | Jk sup(a) Ab [Presence] in Serum or Plasma
10690-6 | Microsporidia identified in Duodenal fluid by Trichrome stain modified
10691-4 | Mushroom.toxic identified by Inspection

10692-2 | Mushroom.toxic identified in Food by Light microscopy
10693-0 | Mushroom.toxic identified in Vomitus by Light microscopy
10694-8 | Naegleria sp identified in Tissue by Organism specific culture
10695-5 | Naegleria sp identified in Tissue by Wet preparation
10696-3 | Norovirus [Identifier] in Stool by Electron microscopy
10697-1 | Nystatin [Susceptibility] by Minimum inhibitory concentration (MIC)
10698-9 | Nystatin [Susceptibility] by Minimum lethal concentration (MLC)
10699-7 | Onchocerca sp identified in Tissue by Wet preparation
107-3 | Cefotaxime [Susceptibility] by Minimum lethal concentration (MLC)
1070-2 | Jk sup(a) Ag [Presence] on Red Blood Cells from Blood product unit
10700-3 | Orthopoxvirus [Identifier] in Skin by Electron microscopy
10701-1 | Ova and parasites identified in Stool by Concentration
10702-9 | Ova and parasites identified in Stool by Immune stain
10703-7 | Ova and parasites identified in Stool by Kinyoun iron hematoxylin stain
10704-5 | Ova and parasites identified in Stool by Light microscopy
10705-2 | Human papilloma virus Ag [Presence] in Tissue by Immune stain
10706-0 | Picornavirus [Identifier] in Stool by Electron microscopy
10707-8 | Toxic Plant identified in Plant specimen by Inspection
10708-6 | Toxic Plant identified in Vomitus by Light microscopy
10709-4 | Plasmodium falciparum Ag [Units/volume] in Blood by Immunofluorescence
1071-0 | Jk sup(a) Ag [Presence] on Red Blood Cells from Donor
10710-2 | Plasmodium sp identified in Blood by Thin film
10711-0 | Plasmodium vivax Ag [Units/volume] in Blood by Immunofluorescence
10712-8 | Pneumocystis sp identified in Lung tissue
10713-6 | Prototheca identified in Unspecified specimen by Culture
10714-4 | Deprecated Rotavirus [Identifier] in Stool by Electron microscopy
10715-1 | Schistosoma sp identified in Urine sediment by Light microscopy
10716-9 | Schistosoma sp identified in Unspecified specimen by Organism specific culture
10717-7 | Streptococcus pneumoniae Ab [Units/volume] in Serum by Latex agglutination
10718-5 | Strongyloides sp Ab [Units/volume] in Serum by Immunoassay
10719-3 | Taenia solium adult Ab [Units/volume] in Serum by Immunoblot
1072-8 | Jk sup(a) Ag [Presence] on Red Blood Cells
10720-1 | Terbinafine [Susceptibility] by Minimum inhibitory concentration (MIC)
10721-9 | Terbinafine [Susceptibility] by Minimum lethal concentration (MLC)
10722-7 | Torovirus [Identifier] in Stool by Electron microscopy
10723-5 | Toxoplasma gondii IgA Ab [Units/volume] in Serum by Immunoassay
10724-3 | Toxoplasma gondii IgE Ab [Units/volume] in Serum by Immunoassay
10725-0 | Toxoplasma gondii DNA [Units/volume] in Body fluid by Probe with amplification
10726-8 | Toxoplasma gondii [Presence] in Tissue by Giemsa stain
10727-6 | Toxoplasma gondii identified in Tissue
10728-4 | Trichomonas sp identified in Genital specimen by Organism specific culture
10729-2 | Trypanosoma sp identified in Blood by Light microscopy
1073-6 | Jk sup(b) Ab [Presence] in Serum or Plasma from Blood product unit
10730-0 | Trypanosoma sp identified in Blood by Organism specific culture
10731-8 | Trypanosoma sp identified in Blood by Thick film
10732-6 | Trypanosoma sp identified in Blood by Thin film
10733-4 | Trypanosoma sp identified in Blood by Wet preparation
10734-2 | Varicella zoster virus identified in Skin by Electron microscopy
10735-9 | Viral sequencing [Identifier] in Serum by Sequencing
10736-7 | Virus identified in Cerebral spinal fluid by Electron microscopy
10737-5 | Virus identified in Stool by Electron microscopy
10738-3 | Virus identified in Tissue by Electron microscopy
10739-1 | Virus identified in Unspecified specimen by Electron microscopy
1074-4 | Jk sup(b) Ab [Presence] in Serum or Plasma from Donor
10740-9 | Aluminum.microscopic observation [Identifier] in Bone by Histomorphometry stain
10741-7 | Amyloid.microscopic observation [Identifier] in Brain by Thioflavine-S stain
10742-5 | Amyloid.microscopic observation [Identifier] in Tissue by Bennhold stain.Putchler modified
10743-3 | Amyloid.microscopic observation [Identifier] in Tissue by Highman stain
10744-1 | Amyloid.microscopic observation [Identifier] in Tissue by Vassar-culling stain
10745-8 | Bile.microscopic observation [Identifier] in Tissue by Fouchet stain
10746-6 | Calcium.microscopic observation [Identifier] in Tissue by Von Kossa stain
10747-4 | Collagen fibers+Elastic fibers.microscopic observation [Identifier] in Tissue by Lawson-Van Gieson stain
10748-2 | Collagen fibers+Elastic fibers.microscopic observation [Identifier] in Tissue by Verhoeff-Van Gieson stain
10749-0 | Collagen fibers.microscopic observation [Identifier] in Tissue by Van Gieson stain
1075-1 | Jk sup(b) Ab [Presence] in Serum or Plasma
10750-8 | Connective tissue.microscopic observation [Identifier] in Tissue by Trichrome stain.Masson
10751-6 | Copper.microscopic observation [Identifier] in Tissue by Rhodamine stain
10752-4 | Fat.microscopic observation [Identifier] in Milk by Sudan IV stain
10753-2 | Fat.microscopic observation [Identifier] in Stool by Sudan IV stain
10754-0 | Fat.microscopic observation [Identifier] in Tissue by Sudan IV stain
10755-7 | Fungus.microscopic observation [Identifier] in Tissue by Methenamine silver stain.Grocott
10756-5 | Glial fibers.microscopic observation [Identifier] in Tissue by Holzer stain

10757-3 | Hematologic+Nuclear elements.microscopic observation [Identifier] in Tissue by Giemsa stain.May-Grunwald
10758-1 | Iron.microscopic observation [Identifier] in Bone by Histomorphometry stain
10759-9 | Iron.microscopic observation [Identifier] in Sputum by Gomori stain
1076-9 | Jk sup(b) Ag [Presence] on Red Blood Cells from Blood product unit
10760-7 | Iron.microscopic observation [Identifier] in Tissue by Gomori stain
10761-5 | Iron.microscopic observation [Identifier] in Tissue by Other stain
10762-3 | Microscopic observation [Identifier] in Blood by Hemosiderin stain
10763-1 | Microscopic observation [Identifier] in Body fluid by Sudan black stain
10764-9 | Microscopic observation [Identifier] in Sputum by Silver stain
10765-6 | Microscopic observation [Identifier] in Tissue by Acetate esterase stain
10766-4 | Microscopic observation [Identifier] in Tissue by Alcian blue stain
10767-2 | Microscopic observation [Identifier] in Tissue by Alcian blue stain.sulfated
10768-0 | Microscopic observation [Identifier] in Tissue by Alcian blue stain.with periodic acid-Schiff
10769-8 | Microscopic observation [Identifier] in Tissue by Alizarin red S stain
1077-7 | Jk sup(b) Ag [Presence] on Red Blood Cells from Donor
10770-6 | Microscopic observation [Identifier] in Tissue by Argentaffin stain
10771-4 | Deprecated Microscopic observation [Identifier] in Tissue by Rhodamine-auramine fluorochrome stain
10772-2 | Microscopic observation [Identifier] in Tissue by Azure-eosin stain
10773-0 | Microscopic observation [Identifier] in Tissue by Basic fuchsin stain
10774-8 | Microscopic observation [Identifier] in Tissue by Bielschowsky stain
10775-5 | Microscopic observation [Identifier] in Tissue by Bleach stain
10776-3 | Microscopic observation [Identifier] in Tissue by Bodian stain
10777-1 | Microscopic observation [Identifier] in Tissue by Brown and Brenn stain
10778-9 | Microscopic observation [Identifier] in Tissue by Butyrate esterase stain
10779-7 | Microscopic observation [Identifier] in Tissue by Carmine stain.Best
1078-5 | Jk sup(b) Ag [Presence] on Red Blood Cells
10780-5 | Microscopic observation [Identifier] in Tissue by Chloracetate esterase stain
10781-3 | Microscopic observation [Identifier] in Tissue by Churukian-Schenk stain
10782-1 | Microscopic observation [Identifier] in Tissue by Congo red stain
10783-9 | Microscopic observation [Identifier] in Tissue by Crystal violet stain
10784-7 | Microscopic observation [Identifier] in Tissue by Esterase stain.non-specific
10785-4 | Microscopic observation [Identifier] in Tissue by Fite-Faraco stain
10786-2 | Deprecated Microscopic observation [Identifier] in Tissue by Giemsa stain.3 micron
10787-0 | Microscopic observation [Identifier] in Tissue by Gridley stain
10788-8 | Microscopic observation [Identifier] in Tissue by Hansel stain
10789-6 | Microscopic observation [Identifier] in Tissue by Hematoxylin-eosin-Harris regressive stain
1079-3 | Js sup(a) Ab [Presence] in Serum or Plasma from Blood product unit
10790-4 | Microscopic observation [Identifier] in Tissue by Hematoxylin-eosin-Mayers progressive stain
10791-2 | Microscopic observation [Identifier] in Tissue by Mallory-Heidenhain stain
10792-0 | Microscopic observation [Identifier] in Tissue by Methenamine silver stain.Jones
10793-8 | Microscopic observation [Identifier] in Tissue by Methyl green stain
10794-6 | Microscopic observation [Identifier] in Tissue by Methyl green-pyronine Y stain
10795-3 | Microscopic observation [Identifier] in Tissue by Methyl violet stain
10796-1 | Microscopic observation [Identifier] in Tissue by Mucicarmine stain
10797-9 | Microscopic observation [Identifier] in Tissue by Neutral red stain
10798-7 | Microscopic observation [Identifier] in Tissue by Oil red O stain
10799-5 | Microscopic observation [Identifier] in Tissue by Pentachrome stain.Movat
108-1 | Cefotaxime [Susceptibility] by Minimum inhibitory concentration (MIC)
1080-1 | Js sup(a) Ab [Presence] in Serum or Plasma from Donor
10800-1 | Microscopic observation [Identifier] in Tissue by Periodic acid-Schiff stain with diatase digestion
10801-9 | Microscopic observation [Identifier] in Tissue by Phosphotungstic acid Hematoxylin (PTAH) Stain
10802-7 | Microscopic observation [Identifier] in Tissue by Prussian blue stain
10803-5 | Microscopic observation [Identifier] in Tissue by Quinacrine fluorescent stain
10804-3 | Microscopic observation [Identifier] in Tissue by Reticulin stain
10805-0 | Microscopic observation [Identifier] in Tissue by Safranin stain
10806-8 | Microscopic observation [Identifier] in Tissue by Schmorl stain
10807-6 | Microscopic observation [Identifier] in Tissue by Sevier-Munger stain
10808-4 | Microscopic observation [Identifier] in Tissue by Silver impregnation stain.Dieterle
10809-2 | Microscopic observation [Identifier] in Tissue by Silver nitrate stain
1081-9 | Js sup(a) Ab [Presence] in Serum or Plasma
10810-0 | Microscopic observation [Identifier] in Tissue by Silver stain.Fontana-Masson
10811-8 | Microscopic observation [Identifier] in Tissue by Silver stain.Grimelius
10812-6 | Microscopic observation [Identifier] in Tissue by Steiner stain
10813-4 | Microscopic observation [Identifier] in Tissue by Sudan black stain
10814-2 | Microscopic observation [Identifier] in Tissue by Supravital stain
10815-9 | Microscopic observation [Identifier] in Tissue by Tetrachrome stain
10816-7 | Deprecated Microscopic observation [Identifier] in Tissue by Toluidine blue O stain
10817-5 | Microscopic observation [Identifier] in Tissue by Trichrome stain.Gomori-Wheatley
10818-3 | Microscopic observation [Identifier] in Tissue by Trichrome stain.Masson modified
10819-1 | Microscopic observation [Identifier] in Tissue by Wade stain
1082-7 | Js sup(a) Ag [Presence] on Red Blood Cells from Blood product unit
10820-9 | Deprecated Microscopic observation [Identifier] in Tissue by Warthin-Starry stain

10821-7 | Deprecated Microscopic observation [Identifier] in Tissue by Wright Giemsa stain
10822-5 | Mucin.microscopic observation [Identifier] in Tissue by Mucicarmine stain.Mayer
10823-3 | Mucopolysaccharides.microscopic observation [Identifier] in Tissue by Colloidal ferric oxide stain.Hale
10824-1 | Myelin+Myelin breakdown products.microscopic observation [Identifier] in Tissue by Luxol fast blue/Periodic acid-Schiff stain
10825-8 | Myelin+Nerve cells.microscopic observation [Identifier] in Tissue by Luxol fast blue/Cresyl violet stain
10826-6 | Nissel.microscopic observation [Identifier] in Tissue by Cresyl echt violet stain
10827-4 | Reticulum.microscopic observation [Identifier] in Tissue by Gomori stain
10828-2 | Urate crystals.microscopic observation [type] in Tissue by De Galantha stain
10829-0 | Silicon [Mass/volume] in Serum or Plasma
1083-5 | Js sup(a) Ag [Presence] on Red Blood Cells from Donor
10830-8 | Deprecated Surgical operation note complications
10831-6 | Surgical operation note complications [Interpretation]
10832-4 | Glucose [Mass/volume] in Serum or Plasma --15 minutes post 50 g lactose PO
10833-2 | Insulin [Mass/volume] in Serum or Plasma --7 hours post 75 g glucose PO
10834-0 | Globulin [Mass/volume] in Serum by calculation
10835-7 | Lipoprotein a [Mass/volume] in Serum or Plasma
10836-5 | Niacin [Mass/volume] in Blood
10837-3 | Organic acids [Presence] in Serum or Plasma
10838-1 | Phosphoserine [Mass/volume] in Serum or Plasma
10839-9 | Troponin I.cardiac [Mass/volume] in Serum or Plasma
1084-3 | Js sup(a) Ag [Presence] on Red Blood Cells
10840-7 | Atropine [Mass/volume] in Urine
10841-5 | Methazolamide [Mass/volume] in Serum or Plasma
10842-3 | Deprecated HLA-DQ1 [Presence]
10843-1 | Deprecated HLA-DQ2 [Presence]
10844-9 | Deprecated HLA-DQ3 [Presence]
10845-6 | Deprecated HLA-DQ4 [Presence]
10846-4 | Borrelia burgdorferi DNA [Presence] in Blood by Probe with amplification
10847-2 | Borrelia burgdorferi DNA [Presence] in Body fluid by Probe with amplification
10848-0 | Chlamydia sp IgG Ab [Titer] in Serum by Immunofluorescence
10849-8 | Chlamydia sp IgM Ab [Titer] in Serum by Immunofluorescence
1085-0 | Js sup(b) Ab [Presence] in Serum or Plasma from Blood product unit
10850-6 | Cyclospora cayetanensis [Presence] in Unspecified specimen
10851-4 | Escherichia coli O157:H7 [Presence] in Stool by Organism specific culture
10852-2 | Deprecated Fungus identified in Blood by Culture
10853-0 | Isospora belli [Presence] in Unspecified specimen by Acid fast stain.Kinyoun modified
10854-8 | Deprecated Midrofilaria identified in Blood by Concentration
10855-5 | Ova and parasites identified in Duodenal fluid or Gastric fluid by Light microscopy
10856-3 | Microscopic observation [Identifier] in Genital mucus by Gram stain
10857-1 | Microsporidia identified in Unspecified specimen by Light microscopy
10858-9 | Teichoate Ab [Presence] in Serum
10859-7 | Trypanosoma sp [Identifier] in Blood by Acridine Orange + Giemsa Stain
1086-8 | Js sup(b) Ab [Presence] in Serum or Plasma from Donor
10860-5 | Varicella zoster virus [Presence] in Unspecified specimen by Organism specific culture
10861-3 | Progesterone receptor [Mass/mass] in Tissue
10862-1 | Basement membrane Ab [Titer] in Serum
10863-9 | Endomysium IgA Ab [Titer] in Serum
10864-7 | Immune complex [Units/volume] in Serum or Plasma by Raji cell assay
10865-4 | Intercellular substance Ab [Presence] in Serum
10866-2 | Sulfatide IgG Ab [Titer] in Serum
10867-0 | Sulfatide IgM Ab [Titer] in Serum
10868-8 | Bacitracin [Susceptibility] by Disk diffusion (KB)
10869-6 | Xylose [Mass/volume] in Blood --3 hours post 25 g xylose PO
1087-6 | Js sup(b) Ab [Presence] in Serum or Plasma
10870-4 | Xylose [Mass/volume] in Blood --4 hours post 25 g xylose PO
10871-2 | Xylose [Mass/volume] in Blood --5 hours post 25 g xylose PO
10872-0 | Xylose [Mass/volume] in Blood --baseline
10873-8 | Beta-2-Microglobulin [Mass/time] in 24 hour Urine
10874-6 | Bombesin [Mass/volume] in Plasma
10875-3 | Carnitine esters [Mass/volume] in Urine
10876-1 | Carnitine esters [Mass/volume] in Serum or Plasma
10877-9 | Carnitine free (C0) [Mass/volume] in Urine
10878-7 | Iodine.protein bound [Mass/volume] in Serum or Plasma
10879-5 | Isovalerylglycine [Mass/volume] in Urine
1088-4 | Js sup(b) Ag [Presence] on Red Blood Cells from Blood product unit
10880-3 | Magnesium [Mass/mass] in Stool
10881-1 | Pentacarboxylporphyrins [Mass/volume] in Red Blood Cells
10882-9 | Pentacarboxylporphyrins [Mass/volume] in Serum or Plasma
10883-7 | Phenolphthalein [Mass/mass] in Stool
10884-5 | Phosphate [Mass/mass] in Stool
10885-2 | Porphyrins [Mass/time] in 24 hour Urine

10886-0 | Prostate Specific Ag Free [Mass/volume] in Serum or Plasma
10887-8 | Pyridinoline [Mass/time] in 24 hour Urine
10888-6 | Lipase [Enzymatic activity/volume] in Urine
10889-4 | Bisacodyl [Mass/mass] in Stool
1089-2 | Js sup(b) Ag [Presence] on Red Blood Cells from Donor
10890-2 | Deprecated Normethsuximide [Mass/volume] in Serum or Plasma
10891-0 | Oxyphenisatin [Mass/mass] in Stool
10892-8 | Pentoxifylline [Mass/volume] in Serum or Plasma
10893-6 | Trenbolone [Mass/volume] in Urine
10894-4 | Aspergillus niger Ab [Presence] in Serum by Immune diffusion (ID)
10895-1 | Clostridium difficile toxin B [Presence] in Stool
10896-9 | Eastern equine encephalitis virus IgG Ab [Titer] in Serum by Immunofluorescence
10897-7 | Eastern equine encephalitis virus IgG Ab [Titer] in Cerebral spinal fluid by Immunofluorescence
10898-5 | Eastern equine encephalitis virus IgM Ab [Titer] in Serum by Immunofluorescence

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.134 Value Set http://hl7.org/fhir/ValueSet/http-verb

URL: https://hl7.org/fhir/R4/valueset-http-verb.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Infrastructure Package for further details.

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/http-verb
Version: | 4.0.1
Name: | HTTPVerb
Title: | HTTPVerb
Definition: | HTTP verbs (in the HTTP command line). See HTTP rfc for details.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.624 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for HTTPVerb
• Resource: Bundle.entry.request.method (code / Required)

4.4.1.134.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/http-verb

4.4.1.134.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/http-verb version 4.0.1

All codes from system http://hl7.org/fhir/http-verb

Code | Display | Definition
GET | GET | HTTP GET Command.
HEAD | HEAD | HTTP HEAD Command.
POST | POST | HTTP POST Command.
PUT | PUT | HTTP PUT Command.
DELETE | DELETE | HTTP DELETE Command.
PATCH | PATCH | HTTP PATCH Command.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.135 Value Set http://hl7.org/fhir/ValueSet/codesystem-hierarchy-meaning

URL: https://hl7.org/fhir/R4/valueset-codesystem-hierarchy-meaning.html
Vocabulary Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Conformance Package for further details.

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/codesystem-hierarchy-meaning
Version: | 4.0.1
Name: | CodeSystemHierarchyMeaning
Title: | CodeSystemHierarchyMeaning
Definition: | The meaning of the hierarchy of concepts in a code system.
Committee: | Vocabulary Work Group
OID: | 2.16.840.1.113883.4.642.3.784 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for CodeSystemHierarchyMeaning

• Resource: CodeSystem.hierarchyMeaning (code / Required)

4.4.1.135.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/codesystem-hierarchy-meaning

4.4.1.135.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/codesystem-hierarchy-meaning version 4.0.1

All codes from system http://hl7.org/fhir/codesystem-hierarchy-meaning

Code | Display | Definition
grouped-by | Grouped By | No particular relationship between the concepts can be assumed, except what can be determined by inspection of the definitions of the elements (possible reasons to use this: importing from a source where this is not defined, or where various parts of the hierarchy have different meanings).
is-a | Is-A | A hierarchy where the child concepts have an IS-A relationship with the parents - that is, all the properties of the parent are also true for its child concepts. Not that is-a is a property of the concepts, so additional subsumption relationships may be defined using properties or the [subsumes](extension-codesystem-subsumes.html) extension.
part-of | Part Of | Child elements list the individual parts of a composite whole (e.g. body site).
classified-with | Classified With | Child concepts in the hierarchy may have only one parent, and there is a presumption that the code system is a "closed world" meaning all things must be in the hierarchy. This results in concepts such as "not otherwise classified.".

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.136 Value Set http://hl7.org/fhir/ValueSet/document-classcodes

URL: https://hl7.org/fhir/R4/valueset-document-classcodes.html

Structured Documents Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/document-classcodes
Version: | 4.0.1
Name: | DocumentClassValueSet
Title: | Document Class Value Set
Definition: | This is the code specifying the high-level kind of document (e.g. Prescription, Discharge Summary, Report, etc.). Note: Class code for documents comes from LOINC, and is based upon one of the following:The type of service described by the document. It is described at a very high level in Section 7.3 of the LOINC Manual. The type study performed. It was determined by identifying modalities for study reports. The section of the chart where the document is placed. It was determined from the SETs created for Claims Attachment requests.
Committee: | Structured Documents Work Group
OID: | 2.16.840.1.113883.3.88.12.80.46 (for OID based terminology systems)
Copyright: | This content from LOINC® is copyright © 1995 Regenstrief Institute, Inc. and the LOINC Committee, and available at no cost under the license at http://loinc.org/terms-of-use.
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: DocumentReference.category (CodeableConcept / Example)
• Resource: Composition.category (CodeableConcept / Example)
• Profile: ClinicalDocument: Composition.category (CodeableConcept / Example)

4.4.1.136.1 Content Logical Definition

This value set includes codes from the following code systems:

http://loinc.org

Code	Display
11369-6	History of Immunization
11485-0	Anesthesia records
11486-8	Chemotherapy records
11488-4	Consult Note
11506-3	Provider-unspecified progress note
11543-6	Nursery records
15508-5	Labor and delivery records
18726-0	Radiology studies (set)
18761-7	Provider-unspecified transfer summary
18842-5	Discharge summary
26436-6	Laboratory Studies (set)
26441-6	Cardiology studies (set)
26442-4	Obstetrical studies (set)
27895-2	Gastroenterology endoscopy studies (set)
27896-0	Pulmonary studies (set)
27897-8	Neuromuscular electrophysiology studies (set)
27898-6	Pathology studies (set)
28570-0	Provider-unspecified procedure note
28619-5	Ophthalmology/optometry studies (set)
28634-4	Miscellaneous studies (set)
29749-9	Dialysis records
29750-7	Neonatal intensive care records
29751-5	Critical care records
29752-3	Perioperative records
34109-9	Evaluation and management note
34117-2	Provider-unspecified, History and physical note
34121-4	Interventional procedure note
34122-2	Pathology procedure note
34133-9	Summarization of episode note
34140-4	Transfer of care referral note
34748-4	Telephone encounter note
34775-7	General surgery Pre-operative evaluation and management note
47039-3	Inpatient Admission history and physical note
47042-7	Counseling note
47045-0	Study report Document
47046-8	Summary of death
47049-2	Non-patient Communication
57017-6	Privacy Policy Organization Document
57016-8	Privacy Policy Acknowledgment Document
56445-0	Medication Summary Document
53576-5	Personal health monitoring report Document
56447-6	Plan of care note
18748-4	Diagnostic imaging study

11504-8 | Surgical operation note
57133-1 | Referral note

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.137 Value Set http://hl7.org/fhir/ValueSet/medication-statement-category

URL: https://hl7.org/fhir/R4/valueset-medication-statement-category.html
Pharmacy Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medication-statement-category
Version: | 4.0.1
Name: | Medication usage category codes
Title: | Medication usage category codes
Definition: | Medication Status Codes
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.370 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for Medication usage category codes

• Resource: MedicationStatement.category (CodeableConcept / Preferred)

4.4.1.137.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/medication-statement-category

4.4.1.137.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/medication-statement-category version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/medication-statement-category

Code | Display | Definition
inpatient | Inpatient | Includes orders for medications to be administered or consumed in an inpatient or acute care setting
outpatient | Outpatient | Includes orders for medications to be administered or consumed in an outpatient setting (for example, Emergency Department, Outpatient Clinic, Outpatient Surgery, Doctor's office)
community | Community | Includes orders for medications to be administered or consumed by the patient in their home (this would include long term care or nursing homes, hospices, etc.).
patientspecified | Patient Specified | Includes statements about medication use, including over the counter medication, provided by the patient, agent or another provider

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.138 Value Set http://hl7.org/fhir/ValueSet/questionnaire-usage-mode

URL: https://hl7.org/fhir/R4/valueset-questionnaire-usage-mode.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/questionnaire-usage-mode
Version: | 4.0.1
Name: | QuestionnaireItemUsageMode
Title: | QuestionnaireItemUsageMode
Definition: | Identifies the modes of usage of a questionnaire that should enable a particular questionnaire item.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.937 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for QuestionnaireItemUsageMode

4.4.1.138.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/questionnaire-usage-mode

4.4.1.138.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/questionnaire-usage-mode version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/questionnaire-usage-mode

Code | Display | Definition
capture-display | Capture & Display | Render the item regardless of usage mode.
capture | Capture Only | Render the item only when capturing data.
display | Display Only | Render the item only when displaying a completed form.
display-non-empty | Display when Answered | Render the item only when displaying a completed form and the item has been answered (or has child items that have been answered).
capture-display-non-empty | Capture or, if answered, Display | Render the item when capturing data or when displaying a completed form and the item has been answered (or has child items that have been answered).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.139 Value Set http://hl7.org/fhir/ValueSet/doc-section-codes

URL: https://hl7.org/fhir/R4/valueset-doc-section-codes.html
Structured Documents Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined at http://hl7.org .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/doc-section-codes
Version: | 4.0.1
Name: | DocumentSectionCodes
Title: | Document Section Codes
Definition: | Document section codes (LOINC codes used in CCDA sections).
Committee: | Structured Documents Work Group
OID: | 2.16.840.1.113883.4.642.3.237 (for OID based terminology systems)
Copyright: | This content from LOINC® is copyright © 1995 Regenstrief Institute, Inc. and the LOINC Committee, and available at no cost under the license at http://loinc.org/terms-of-use.

Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Composition.section.code (CodeableConcept / Example)

• Profile: ClinicalDocument: Composition.section.code (CodeableConcept / Example)

• Profile: Catalog: Composition.section.code (CodeableConcept / Example)

4.4.1.139.1 Content Logical Definition

This value set includes codes from the following code systems:

http://loinc.org

Code	Display
10154-3	Chief complaint Narrative - Reported
10157-6	History of family member diseases Narrative
10160-0	History of medication use Narrative
10164-2	History of present illness Narrative
10183-2	Hospital discharge medications Narrative
10184-0	Hospital discharge physical findings Narrative
10187-3	Review of systems Narrative - Reported
10210-3	Physical findings of General status Narrative
10216-0	Surgical operation note fluids Narrative
10218-6	Surgical operation note postoperative diagnosis Narrative
10218-6	Surgical operation note postoperative diagnosis Narrative
10223-6	Surgical operation note surgical procedure Narrative
10222-8	Surgical operation note surgical complications [interpretation] Narrative
11329-0	History general Narrative - Reported
11348-0	History of past illness Narrative
11369-6	History of immunization Narrative
57852-6	Problem list Narrative - Reported
11493-4	Hospital discharge studies summary Narrative
11535-2	Hospital discharge Dx Narrative
11537-8	Surgical drains Narrative
18776-5	Plan of treatment (narrative)
18841-7	Hospital consultations Document
29299-5	Reason for visit Narrative
29545-1	Physical findings Narrative
29549-3	Medication administered Narrative
29554-3	Procedure Narrative
29762-2	Social history Narrative
30954-2	Relevant diagnostic tests/laboratory data Narrative
42344-2	Discharge diet (narrative)
42346-7	Medications on admission (narrative)
42348-3	Advance directives (narrative)
42349-1	Reason for referral (narrative)
46240-8	History of hospitalizations+History of outpatient visits Narrative
46241-6	Hospital admission diagnosis Narrative - Reported
46264-8	History of medical device use
47420-5	Functional status assessment note
47519-4	History of Procedures Document
48765-2	Allergies and adverse reactions Document
48768-6	Payment sources Document
51848-0	Evaluation note
55109-3	Complications Document
55122-6	Surgical operation note implants Narrative
59768-2	Procedure indications [interpretation] Narrative
59769-0	Postprocedure diagnosis Narrative
59770-8	Procedure estimated blood loss Narrative
59771-6	Procedure implants Narrative
59772-4	Planned procedure Narrative
59773-2	Procedure specimens taken Narrative
59775-7	Procedure disposition Narrative
59776-5	Procedure findings Narrative
61149-1	Objective Narrative
61150-9	Subjective Narrative
61150-9	Subjective Narrative
69730-0	Instructions
8648-8	Hospital course Narrative
8653-8	Hospital Discharge instructions
8716-3	Vital signs

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.140 Value Set http://hl7.org/fhir/ValueSet/contract-assetscope

URL: https://hl7.org/fhir/R4/valueset-contract-assetscope.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contract-assetscope
Version: | 4.0.1
Name: | ContractResourceAssetScopeCodes
Title: | Contract Resource Asset Scope codes
Definition: | This value set contract specific codes for asset scope.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.1293 (for OID based terminology systems)
Copyright: | HL7 International.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ContractResourceAssetScopeCodes

• Resource: Contract.term.asset.scope (CodeableConcept / Example)

4.4.1.140.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/contract-asset-scope

4.4.1.140.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 1 concepts

Expansion based on http://hl7.org/fhir/contract-asset-scope version 4.0.1

All codes from system http://hl7.org/fhir/contract-asset-scope

Code | Display | Definition
thing | Thing | To be completed

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.141 Value Set http://hl7.org/fhir/ValueSet/contract-status

URL: https://hl7.org/fhir/R4/valueset-contract-status.html
Financial Management Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contract-status
Version: | 4.0.1

Name: | ContractResourceStatusCodes
Title: | Contract Resource Status Codes
Definition: | This value set contract specific codes for status.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.743 (for OID based terminology systems)
Copyright: | HL7 International.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ContractResourceStatusCodes

• ConceptMap: Translation source in Canonical Mapping for "Contract Resource Status Codes"

• Resource: Contract.status (code / Required)

4.4.1.141.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/contract-status

4.4.1.141.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 15 concepts

Expansion based on http://hl7.org/fhir/contract-status version 4.0.1

All codes from system http://hl7.org/fhir/contract-status

Code | Display | Definition | Canonical Status
amended | Amended | Contract is augmented with additional information to correct errors in a predecessor or to updated values in a predecessor. Usage: Contract altered within effective time. Precedence Order = 9. Comparable FHIR and v.3 status codes: revised; replaced.
appended | Appended | Contract is augmented with additional information that was missing from a predecessor Contract. Usage: Contract altered within effective time. Precedence Order = 9. Comparable FHIR and v.3 status codes: updated, replaced.
cancelled | Cancelled | Contract is terminated due to failure of the Grantor and/or the Grantee to fulfil one or more contract provisions. Usage: Abnormal contract termination. Precedence Order = 10. Comparable FHIR and v.3 status codes: stopped; failed; aborted.
disputed | Disputed | Contract is pended to rectify failure of the Grantor or the Grantee to fulfil contract provision(s). E.g., Grantee complaint about Grantor's failure to comply with contract provisions. Usage: Contract pended. Precedence Order = 7. Comparable FHIR and v.3 status codes: on hold; pended; suspended. | ~suspended
entered-in-error | Entered in Error | Contract was created in error. No Precedence Order. Status may be applied to a Contract with any status. | ~error
executable | Executable | Contract execution pending; may be executed when either the Grantor or the Grantee accepts the contract provisions by signing. I.e., where either the Grantor or the Grantee has signed, but not both. E.g., when an insurance applicant signs the insurers application, which references the policy. Usage: Optional first step of contract execution activity. May be skipped and contracting activity moves directly to executed state. Precedence Order = 3. Comparable FHIR and v.3 status codes: draft; preliminary; planned; intended; active.
executed | Executed | Contract is activated for period stipulated when both the Grantor and Grantee have signed it. Usage: Required state for normal completion of contracting activity. Precedence Order = 6. Comparable FHIR and v.3 status codes: accepted; completed. | ~complete
negotiable | Negotiable | Contract execution is suspended while either or both the Grantor and Grantee propose and consider new or revised contract provisions. I.e., where the party which has not signed proposes changes to the terms. E .g., a life insurer declines to agree to the signed application because the life insurer has evidence that the applicant, who asserted to being younger or a non-smoker to get a lower premium rate - but offers instead to agree to a higher premium based on the applicants actual age or smoking status. Usage: Optional contract activity between executable and executed state. Precedence Order = 4. Comparable FHIR and v.3 status codes: in progress; review; held.
offered | Offered | Contract is a proposal by either the Grantor or the Grantee. Aka - A Contract hard copy or electronic 'template', 'form' or 'application'. E.g., health insurance application; consent directive form. Usage: Beginning of contract negotiation, which may have been completed as a precondition because used for 0..* contracts. Precedence Order = 2. Comparable FHIR and v.3 status codes: requested; new. | ~proposed
policy | Policy | Contract template is available as the basis for an application or offer by the Grantor or Grantee. E.g., health insurance policy; consent directive policy. Usage: Required initial contract activity, which may have been completed as a precondition because used for 0..* contracts. Precedence Order = 1. Comparable FHIR and v.3 status codes: proposed; intended.
rejected | Rejected | Execution of the Contract is not completed because either or both the Grantor and Grantee decline to accept some or all of the contract provisions. Usage: Optional contract activity between executable and abnormal termination. Precedence Order = 5. Comparable FHIR and v.3 status codes: stopped; cancelled.
renewed | Renewed | Beginning of a successor Contract at the termination of predecessor Contract lifecycle. Usage: Follows termination of a preceding Contract that has reached its expiry date. Precedence Order = 13. Comparable FHIR and v.3 status codes: superseded.
revoked | Revoked | A Contract that is rescinded. May be required prior to replacing with an updated Contract. Comparable FHIR and v.3 status codes: nullified. | ~failed
resolved | Resolved | Contract is reactivated after being pended because of faulty execution. *E.g., competency of the signer(s), or where the policy is substantially different from and did not accompany the application/form so that the applicant could not compare them. Aka - ''reactivated''. Usage: Optional stage where a pended contract is reactivated. Precedence Order = 8. Comparable FHIR and v.3 status codes: reactivated.
terminated | Terminated | Contract reaches its expiry date. It might or might not be renewed or renegotiated. Usage: Normal end of contract period. Precedence Order = 12. Comparable FHIR and v.3 status codes: Obsoleted.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.142 Value Set http://hl7.org/fhir/ValueSet/additional-instruction-codes

URL: https://hl7.org/fhir/R4/valueset-additional-instruction-codes.html
Pharmacy Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/additional-instruction-codes
Version: | 4.0.1
Name: | SNOMEDCTAdditionalDosageInstructions
Title: | SNOMED CT Additional Dosage Instructions
Definition: | This value set includes all SNOMED CT Additional Dosage Instructions.
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.95 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is not currently used

4.4.1.142.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://snomed.info/sct where concept is-a 419492006 (Additional dosage instructions)

4.4.1.142.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 40 concepts

All codes from system http://snomed.info/sct

Code | Display | Definition
311501008 | Half to one hour before food
311504000 | With or after food
417929005 | Times
417980006 | Contains aspirin
417995008 | Dissolve or mix with water before taking
418071006 | Warning. Causes drowsiness which may continue the next day. If affected do not drive or operate machinery. Avoid alcoholic drink
418194009 | Contains an aspirin-like medicine
418281004 | Do not take anything containing aspirin while taking this medicine
418443006 | Do not take more than . . . in 24 hours or . . . in any one week
418521000 | Avoid exposure of skin to direct sunlight or sun lamps
418577003 | Take at regular intervals. Complete the prescribed course unless otherwise directed
418637003 | Do not take with any other paracetamol products
418639000 | Warning. May cause drowsiness
418693002 | Swallowed whole, not chewed
418849000 | Warning. Follow the printed instructions you have been given with this medicine
418850000 | Contains aspirin and paracetamol. Do not take with any other paracetamol products
418914006 | Warning. May cause drowsiness. If affected do not drive or operate machinery. Avoid alcoholic drink
418954008 | Warning. May cause drowsiness. If affected do not drive or operate machinery
418991002 | Sucked or chewed
419111009 | Allow to dissolve under the tongue. Do not transfer from this container. Keep tightly closed. Discard eight weeks after opening
419115000 | Do not take milk, indigestion remedies, or medicines containing iron or zinc at the same time of day as this medicine
419303009 | With plenty of water
419437002 | Do not take more than 2 at any one time. Do not take more than 8 in 24 hours

419439004 | Caution flammable: keep away from fire or flames
419444006 | Do not stop taking this medicine except on your doctor's advice
419473009 | Each
419529008 | Dissolved under the tongue
419822006 | Warning. Avoid alcoholic drink
419974005 | This medicine may color the urine
420003005 | Do not take more than . . . in 24 hours
420082003 | Do not take indigestion remedies or medicines containing iron or zinc at the same time of day as this medicine
420110001 | Do not take indigestion remedies at the same time of day as this medicine
420162004 | To be spread thinly
420652005 | Until gone
421484000 | Then discontinue
421769005 | Follow directions
421984009 | Until finished
422327006 | Then stop
428579001 | Use with caution
717154004 | Take on an empty stomach

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.143 Value Set http://hl7.org/fhir/ValueSet/consent-scope

URL: https://hl7.org/fhir/R4/valueset-consent-scope.html
Community Based Collaborative Care Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/consent-scope
Version: | 4.0.1
Name: | ConsentScopeCodes
Title: | Consent Scope Codes
Definition: | This value set includes the four Consent scope codes.
Committee: | Community Based Collaborative Care Work Group
OID: | 2.16.840.1.113883.4.642.3.761 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ConsentScopeCodes
• Resource: Consent.scope (CodeableConcept / Extensible)

4.4.1.143.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/consentscope

4.4.1.143.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/consentscope version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/consentscope

Code | Display | Definition
adr | Advanced Care Directive | Actions to be taken if they are no longer able to make decisions for themselves
research | Research | Consent to participate in research protocol and information sharing required
patient-privacy | Privacy Consent | Agreement to collect, access, use or disclose (share) information
treatment | Treatment | Consent to undergo a specific treatment

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.144 Value Set http://hl7.org/fhir/ValueSet/units-of-time

URL: https://hl7.org/fhir/R4/valueset-units-of-time.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/units-of-time
Version: | 4.0.1
Name: | UnitsOfTime
Title: | UnitsOfTime
Definition: | A unit of time (units from UCUM).
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.77 (for OID based terminology systems)
Copyright: | These codes are excerpted from UCUM (THE UNIFIED CODE FOR UNITS OF MEASURE). UCUM is Copyright © 1989-2013 Regenstrief Institute, Inc. and The UCUM Organization, Indianapolis, IN. All rights reserved. See http://unitsofmeasure.org/trac//wiki/TermsOfUse for details.
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Timing.repeat.durationUnit (code / Required)
• Resource: Timing.repeat.periodUnit (code / Required)

4.4.1.144.1 Content Logical Definition

This value set includes codes from the following code systems:

http://unitsofmeasure.org

Code | Display | Definition
s | second | second
min | minute | minute
h | hour | hour
d | day | day
wk | week | week
mo | month | month
a | year | year

Additional Language Displays

Code | □□ (Chinese, zh)
s | □
min | □□
h | □□
d | □
wk | □□
mo | □
a | □

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.145 Value Set http://hl7.org/fhir/ValueSet/restful-security-service

URL: https://hl7.org/fhir/R4/valueset-restful-security-service.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Conformance Package for further details.

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/restful-security-service
Version: | 4.0.1
Name: | RestfulSecurityService
Title: | RestfulSecurityService
Definition: | Types of security services used with FHIR.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.178 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for RestfulSecurityService

• Resource: CapabilityStatement.rest.security.service (CodeableConcept / Extensible)

4.4.1.145.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/restful-security-service

4.4.1.145.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 6 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/restful-security-service version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/restful-security-service

Code | Display | Definition
OAuth | OAuth | OAuth (unspecified version see oauth.net).
SMART-on-FHIR | SMART-on-FHIR | OAuth2 using SMART-on-FHIR profile (see http://docs.smarthealthit.org/).
NTLM | NTLM | Microsoft NTLM Authentication.
Basic | Basic | Basic authentication defined in HTTP specification.
Kerberos | Kerberos | see http://www.ietf.org/rfc/rfc4120.txt.
Certificates | Certificates | SSL where client must have a certificate registered with the server.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.146 Value Set http://hl7.org/fhir/ValueSet/ucum-vitals-common

URL: https://hl7.org/fhir/R4/valueset-ucum-vitals-common.html
Orders and Observations Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/ucum-vitals-common
Version: | 4.0.1
Name: | VitalSignsUnits
Title: | Vital Signs Units
Definition: | Common UCUM units for recording Vital Signs
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.955 (for OID based terminology systems)
Copyright: | UCUM is Copyright © 1999-2013 Regenstrief Institute, Inc. and The UCUM Organization, Indianapolis, IN. All rights reserved. See http://unitsofmeasure.org/trac//wiki/TermsOfUse for details
Source Resource | XML / JSON

This value set is not currently used

4.4.1.146.1 Content Logical Definition

This value set includes codes from the following code systems:

http://unitsofmeasure.org

Code | Display
% | percent
cm | centimeter
[in_i] | inch (international)
kg | kilogram
g | gram
[lb_av] | pound (US and British)
Cel | degree Celsius
[degF] | degree Fahrenheit
mm[Hg] | millimeter of mercury
/min | per minute
kg/m2 | kilogram / (meter ^ 2)
m2 | square meter

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.147 Value Set http://hl7.org/fhir/ValueSet/age-units

URL: https://hl7.org/fhir/R4/valueset-age-units.html
FHIR Infrastructure Work Group | Maturity Level: 5 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/age-units
Version: | 4.0.1
Name: | CommonUCUMCodesForAge
Title: | Common UCUM Codes for Age
Definition: | Unified Code for Units of Measure (UCUM). This value set includes all UCUM codes
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.19 (for OID based terminology systems)
Copyright: | The UCUM codes, UCUM table (regardless of format), and UCUM Specification are copyright © 1999-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures (UCUM) Organization. All rights reserved.
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Age (Quantity / Extensible)

4.4.1.147.1 Content Logical Definition

This value set includes codes from the following code systems:

http://unitsofmeasure.org

Code | Display
min | minutes
h | hours
d | days
wk | weeks
mo | months
a | years

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.148 Value Set http://hl7.org/fhir/ValueSet/flag-status

URL: https://hl7.org/fhir/R4/valueset-flag-status.html
Patient Care Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/flag-status
Version: | 4.0.1
Name: | FlagStatus
Title: | FlagStatus
Definition: | Indicates whether this flag is active and needs to be displayed to a user, or whether it is no longer needed or was entered in error.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.120 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for FlagStatus
• ConceptMap: Translation source in Canonical Mapping for "FlagStatus"
• Resource: Flag.status (code / Required)

4.4.1.148.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/flag-status

4.4.1.148.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/flag-status version 4.0.1

All codes from system http://hl7.org/fhir/flag-status

Code | Display | Definition | Canonical Status
active | Active | A current flag that should be displayed to a user. A system may use the category to determine which user roles should view the flag. | ~active
inactive | Inactive | The flag no longer needs to be displayed. | ~inactive
entered-in-error | Entered in Error | The flag was added in error and should no longer be displayed. | ~error

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.149 Value Set http://hl7.org/fhir/ValueSet/medicationknowledge-status

URL: https://hl7.org/fhir/R4/valueset-medicationknowledge-status.html
Pharmacy Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medicationknowledge-status
Version: | 4.0.1
Name: | MedicationKnowledge Status Codes
Title: | Medication knowledge status codes
Definition: | MedicationKnowledge Status Codes
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.1335 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for MedicationKnowledge Status Codes

• ConceptMap: Translation source in Canonical Mapping for "Medication knowledge status codes"

• Resource: MedicationKnowledge.status (code / Required)

4.4.1.149.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/medicationknowledge-status

4.4.1.149.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/medicationknowledge-status version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/medicationknowledge-status

Code | Display | Definition | Canonical Status
active | Active | The medication is available for use. | ~active
inactive | Inactive | The medication is not available for use. | ~inactive
entered-in-error | Entered in Error | The medication was entered in error. | ~error

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.150 Value Set http://hl7.org/fhir/ValueSet/task-intent

URL: https://hl7.org/fhir/R4/valueset-task-intent.html
Orders and Observations Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/task-intent
Version: | 4.0.1
Name: | TaskIntent
Title: | TaskIntent
Definition: | Distinguishes whether the task is a proposal, plan or full order.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.1240 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Task.intent (code / Required)

4.4.1.150.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/task-intent

http://hl7.org/fhir/request-intent

Code | Display
proposal | Proposal | The request is a suggestion made by someone/something that does not have an intention to ensure it occurs and without providing an authorization to act.
plan | Plan | The request represents an intention to ensure something occurs without providing an authorization for others to act.
order | Order | The request represents a request/demand and authorization for action by a Practitioner.
original-order | Original Order | The request represents an original authorization for action.
reflex-order | Reflex Order | The request represents an automatically generated supplemental authorization for action based on a parent authorization together with initial results of the action taken against that parent authorization.
filler-order | Filler Order | The request represents the view of an authorization instantiated by a fulfilling system representing the details of the fulfiller's intention to act upon a submitted order.

instance-order | Instance Order | An order created in fulfillment of a broader order that represents the authorization for a single activity occurrence. E.g. The administration of a single dose of a drug.
option | Option | The request represents a component or option for a RequestGroup that establishes timing, conditionality and/or other constraints among a set of requests. Refer to [[[RequestGroup]]] for additional information on how this status is used.

4.4.1.150.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 9 concepts

Expansion based on http://hl7.org/fhir/request-intent version 4.0.1, http://hl7.org/fhir/task-intent version 4.0.1

Code | System | Display | Definition
unknown | http://hl7.org/fhir/task-intent | Unknown | The intent is not known. When dealing with Task, it's not always known (or relevant) how the task was initiated - i.e. whether it was proposed, planned, ordered or just done spontaneously.
proposal | http://hl7.org/fhir/request-intent | Proposal | The request is a suggestion made by someone/something that does not have an intention to ensure it occurs and without providing an authorization to act.
plan | http://hl7.org/fhir/request-intent | Plan | The request represents an intention to ensure something occurs without providing an authorization for others to act.
order | http://hl7.org/fhir/request-intent | Order | The request represents a request/demand and authorization for action by a Practitioner.
original-order | http://hl7.org/fhir/request-intent | Original Order | The request represents an original authorization for action.
reflex-order | http://hl7.org/fhir/request-intent | Reflex Order | The request represents an automatically generated supplemental authorization for action based on a parent authorization together with initial results of the action taken against that parent authorization.
filler-order | http://hl7.org/fhir/request-intent | Filler Order | The request represents the view of an authorization instantiated by a fulfilling system representing the details of the fulfiller's intention to act upon a submitted order.
instance-order | http://hl7.org/fhir/request-intent | Instance Order | An order created in fulfillment of a broader order that represents the authorization for a single activity occurrence. E.g. The administration of a single dose of a drug.
option | http://hl7.org/fhir/request-intent | Option | The request represents a component or option for a RequestGroup that establishes timing, conditionality and/or other constraints among a set of requests. Refer to [[[RequestGroup]]] for additional information on how this status is used.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.151 Value Set http://hl7.org/fhir/ValueSet/product-status

URL: https://hl7.org/fhir/R4/valueset-product-status.html
Orders and Observations Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/product-status
Version: | 4.0.1
Name: | BiologicallyDerivedProductStatus
Title: | BiologicallyDerivedProductStatus
Definition: | Biologically Derived Product Status.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.902 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for BiologicallyDerivedProductStatus

• ConceptMap: Translation source in Canonical Mapping for "BiologicallyDerivedProductStatus"

• Resource: BiologicallyDerivedProduct.status (code / Required)

4.4.1.151.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/product-status

4.4.1.151.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/product-status version 4.0.1

All codes from system http://hl7.org/fhir/product-status

Code | Display | Definition | Canonical Status
available | Available | Product is currently available for use. | ~active
unavailable | Unavailable | Product is not currently available for use. | ~busy-unavailable

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.152 Value Set http://hl7.org/fhir/ValueSet/modified-foodtype

URL: https://hl7.org/fhir/R4/valueset-modified-foodtype.html
Orders and Observations Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/modified-foodtype
Version: | 4.0.1
Name: | TextureModifiedFoodTypeCodes
Title: | Texture Modified Food Type Codes
Definition: | TextureModifiedFoodType: Codes for types of foods that are texture-modified. This value set is composed SNOMED CT Concepts from SCTID 255620007 Foods (substance) and is provided as a suggestive example.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.388 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: NutritionOrder.oralDiet.texture.foodType (CodeableConcept / Example)

4.4.1.152.1 Content Logical Definition

This value set includes codes from the following code systems:

http://snomed.info/sct

Code | Display
255620007 | Foods
28647000 | Meat
22836000 | Vegetables
72511004 | Fruit
226760005 | Dairy foods
226887002 | Dietary Fats and Oils
102263004 | Eggs
74242007 | Food Starch
227415002 | Fruit Nuts and Seeds
264331002 | Grain
227518002 | Sauce seasonings and soups
44027008 | Seafood
226529007 | Starchy food
227210005 | Vegetables plus herbs and spices

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.153 Value Set http://hl7.org/fhir/ValueSet/certainty-subcomponent-type

URL: https://hl7.org/fhir/R4/valueset-certainty-subcomponent-type.html
Clinical Decision Support Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/certainty-subcomponent-type
Version: | 4.0.1
Name: | CertaintySubcomponentType
Title: | CertaintySubcomponentType
Definition: | The subcomponent classification of quality of evidence rating systems.
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.1359 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for CertaintySubcomponentType
• Resource: EffectEvidenceSynthesis.certainty.certaintySubcomponent.type (CodeableConcept / Extensible)
• Resource: RiskEvidenceSynthesis.certainty.certaintySubcomponent.type (CodeableConcept / Extensible)

4.4.1.153.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/certainty-subcomponent-type

4.4.1.153.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 8 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/certainty-subcomponent-type version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/certainty-subcomponent-type

Code | Display | Definition
RiskOfBias | Risk of bias | methodologic concerns reducing internal validity.
Inconsistency | Inconsistency | concerns that findings are not similar enough to support certainty.
Indirectness | Indirectness | concerns reducing external validity.
Imprecision | Imprecision | High quality evidence.
PublicationBias | Publication bias | likelihood that what is published misrepresents what is available to publish.
DoseResponseGradient | Dose response gradient | higher certainty due to dose response relationship.
PlausibleConfounding | Plausible confounding | higher certainty due to risk of bias in opposite direction.
LargeEffect | Large effect | higher certainty due to large effect size.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.154 Value Set http://hl7.org/fhir/ValueSet/oral-prosthodontic-material

URL: https://hl7.org/fhir/R4/valueset-oral-prosthodontic-material.html
Financial Management Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/oral-prosthodontic-material
Version: | 4.0.1
Name: | OralProsthoMaterialTypeCodes
Title: | Oral Prostho Material type Codes
Definition: | This value set includes sample Oral Prosthodontic Material type codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.538 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for OralProsthoMaterialTypeCodes

4.4.1.154.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/ex-oralprostho

4.4.1.154.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/ex-oralprostho version 4.0.1

All codes from system http://hl7.org/fhir/ex-oralprostho

Code	Display	Definition
1	Fixed Bridge	Fixed Bridge
2	Maryland Bridge	Maryland Bridge
3	Denture Acrylic	Denture Acrylic
4	Denture Chrome Cobalt	Denture Chrome Cobalt

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.155 Value Set http://hl7.org/fhir/ValueSet/cosmic

URL: https://hl7.org/fhir/R4/valueset-cosmic.html

This value set could not be expanded by the publication tooling: Error from server: Unable to provide support for code system http://cancer.sanger.ac.uk/cancergenome/projects/cosmic

Orders and Observations Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/cosmic
Version: | 4.0.1
Name: | COSMIC
Title: | C o s m i c
Definition: | COSMIC : Catalogue Of Somatic Mutations In Cancer
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.3.912 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is not currently used

4.4.1.155.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://cancer.sanger.ac.uk/cancergenome/projects/cosmic

4.4.1.155.2 Expansion

This expansion generated 01 Nov 2019

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.156 Value Set http://hl7.org/fhir/ValueSet/detectedissue-mitigation-action

URL: https://hl7.org/fhir/R4/valueset-detectedissue-mitigation-action.html
Clinical Decision Support Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/detectedissue-mitigation-action
Version: | 4.0.1
Name: | DetectedIssueMitigationAction
Title: | Detected Issue Mitigation Action
Definition: | Kinds of mitigating actions and observations that can be associated with a detected issue or contraindication, such as 'added concurrent therapy', 'prior therapy documented', etc.
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.205 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: DetectedIssue.mitigation.action (CodeableConcept / Preferred)

4.4.1.156.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://terminology.hl7.org/CodeSystem/v3-ActCode where concept is-a _ActDetectedIssueManagementCode

4.4.1.156.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 24 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v3-ActCode version 2018-08-12

All codes from system http://terminology.hl7.org/CodeSystem/v3-ActCode

Lvl | Code | Display | Definition
0 | _ActDetectedIssueManagementCode | ActDetectedIssueManagementCode | Codes dealing with the management of Detected Issue observations
1 | _ActAdministrativeDetectedIssueManagementCode | ActAdministrativeDetectedIssueManagementCode | Codes dealing with the management of Detected Issue observations for the administrative and patient administrative acts domains.
2 | _AuthorizationIssueManagementCode | Authorization Issue Management Code | Authorization Issue Management Code
3 | EMAUTH | emergency authorization override | Used to temporarily override normal authorization rules to gain access to data in a case of emergency. Use of this override code will typically be monitored, and a procedure to verify its proper use may be triggered when used.
4 | 21 | authorization confirmed | Description: Indicates that the permissions have been externally verified and the request should be processed.
1 | 1 | Therapy Appropriate | Confirmed drug therapy appropriate
2 | 19 | Consulted Supplier | Consulted other supplier/pharmacy, therapy confirmed
2 | 2 | Assessed Patient | Assessed patient, therapy is appropriate
2 | 22 | appropriate indication or diagnosis | Description: The patient has the appropriate indication or diagnosis for the action to be taken.
2 | 23 | prior therapy documented | Description: It has been confirmed that the appropriate pre-requisite therapy has been tried.
2 | 3 | Patient Explanation | Patient gave adequate explanation
2 | 4 | Consulted Other Source | Consulted other supply source, therapy still appropriate
2 | 5 | Consulted Prescriber | Consulted prescriber, therapy confirmed
3 | 6 | Prescriber Declined Change | Consulted prescriber and recommended change, prescriber declined
2 | 7 | Interacting Therapy No Longer Active/Planned | Concurrent therapy triggering alert is no longer on-going or planned

1 | 14 | Supply Appropriate | Confirmed supply action appropriate
2 | 15 | Replacement | Patient's existing supply was lost/wasted
2 | 16 | Vacation Supply | Supply date is due to patient vacation
2 | 17 | Weekend Supply | Supply date is intended to carry patient over weekend
2 | 18 | Leave of Absence | Supply is intended for use during a leave of absence from an institution.
2 | 20 | additional quantity on separate dispense | Description: Supply is different than expected as an additional quantity has been supplied in a separate dispense.
1 | 8 | Other Action Taken | Order is performed as issued, but other action taken to mitigate potential adverse effects
2 | 10 | Provided Patient Education | Provided education or training to the patient on appropriate therapy use
2 | 11 | Added Concurrent Therapy | Instituted an additional therapy to mitigate potential negative effects
2 | 12 | Temporarily Suspended Concurrent Therapy | Suspended existing therapy that triggered interaction for the duration of this therapy
2 | 13 | Stopped Concurrent Therapy | Aborted existing therapy that triggered interaction.
2 | 9 | Instituted Ongoing Monitoring Program | Arranged to monitor patient for adverse effects

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.157 Value Set http://hl7.org/fhir/ValueSet/sequence-species

URL: https://hl7.org/fhir/R4/valueset-sequence-species.html
Clinical Genomics Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/sequence-species
Version: | 4.0.1
Name: | SNOMEDCTCodesForSpecies
Title: | SNOMED CT Codes for species
Definition: | Codes identifying atomic results of observations when value is type codeableConcept. This value set includes all the children of SNOMED CT Concepts from SCTIDs 404684003 Clinical finding (finding), 410607006 Organism (organism),362981000 Qualifier value (qualifier value), 105590001 Substance (substance), and 123037004 Body structure (body structure). It is provided as a suggestive example
Committee: | Clinical Genomics Work Group
OID: | 2.16.840.1.113883.4.642.3.216 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement
Source Resource | XML / JSON

This value set is not currently used

4.4.1.157.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://snomed.info/sct

4.4.1.157.2 Expansion

This expansion generated 01 Nov 2019

This value set cannot be expanded because of the way it is defined - it has an infinite number of members

Code | System | Display

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.4.1.158 Value Set http://hl7.org/fhir/ValueSet/measure-report-type

URL: https://hl7.org/fhir/R4/valueset-measure-report-type.html
Clinical Quality Information Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/measure-report-type
Version: | 4.0.1
Name: | MeasureReportType
Title: | MeasureReportType
Definition: | The type of the measure report.
Committee: | Clinical Quality Information Work Group
OID: | 2.16.840.1.113883.4.642.3.778 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for MeasureReportType

• Resource: MeasureReport.type (code / Required)

4.4.1.158.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/measure-report-type

4.4.1.158.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/measure-report-type version 4.0.1

All codes from system http://hl7.org/fhir/measure-report-type

Code | Display | Definition
individual | Individual | An individual report that provides information on the performance for a given measure with respect to a single subject.
subject-list | Subject List | A subject list report that includes a listing of subjects that satisfied each population criteria in the measure.
summary | Summary | A summary report that returns the number of members in each population criteria for the measure.
data-collection | Data Collection | A data collection report that contains data-of-interest for the measure.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.159 Value Set http://hl7.org/fhir/ValueSet/claim-careteamrole

URL: https://hl7.org/fhir/R4/valueset-claim-careteamrole.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/claim-careteamrole
Version: | 4.0.1
Name: | ClaimCareTeamRoleCodes
Title: | Claim Care Team Role Codes
Definition: | This value set includes sample Claim Care Team Role codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.586 (for OID based terminology systems)

Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ClaimCareTeamRoleCodes

• Resource: ExplanationOfBenefit.careTeam.role (CodeableConcept / Example)

• Resource: Claim.careTeam.role (CodeableConcept / Example)

4.4.1.159.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/claimcareteamrole

4.4.1.159.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/claimcareteamrole version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/claimcareteamrole

Code | Display | Definition
primary | Primary provider | The primary care provider.
assist | Assisting Provider | Assisting care provider.
supervisor | Supervising Provider | Supervising care provider.
other | Other | Other role on the care team.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.160 Value Set http://hl7.org/fhir/ValueSet/evidence-variant-state

URL: https://hl7.org/fhir/R4/valueset-evidence-variant-state.html
Clinical Decision Support Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/evidence-variant-state
Version: | 4.0.1
Name: | EvidenceVariantState
Title: | EvidenceVariantState
Definition: | Used for results by exposure in variant states such as low-risk, medium-risk and high-risk states.
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.1353 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for EvidenceVariantState

• Resource: EffectEvidenceSynthesis.resultsByExposure.variantState (CodeableConcept / Extensible)

• Resource: EffectEvidenceSynthesis.effectEstimate.variantState (CodeableConcept / Extensible)

4.4.1.160.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/evidence-variant-state

4.4.1.160.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/evidence-variant-state version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/evidence-variant-state

Code | Display | Definition
low-risk | low risk | low risk estimate.
medium-risk | medium risk | medium risk estimate.
high-risk | high risk | high risk estimate.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.161 Value Set http://hl7.org/fhir/ValueSet/messageheader-response-request

URL: https://hl7.org/fhir/R4/valueset-messageheader-response-request.html
Infrastructure And Messaging Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/messageheader-response-request
Version: | 4.0.1
Name: | messageheader-response-request
Title: | messageheader-response-request
Definition: | HL7-defined table of codes which identify conditions under which acknowledgments are required to be returned in response to a message.
Committee: | Infrastructure And Messaging Work Group
OID: | 2.16.840.1.113883.4.642.3.924 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for messageheader-response-request

• Resource: MessageDefinition.responseRequired (code / Required)

4.4.1.161.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/messageheader-response-request

4.4.1.161.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/messageheader-response-request version 4.0.1

All codes from system http://hl7.org/fhir/messageheader-response-request

Code | Display | Definition
always | Always | initiator expects a response for this message.
on-error | Error/reject conditions only | initiator expects a response only if in error.
never | Never | initiator does not expect a response.
on-success | Successful completion only | initiator expects a response only if successful.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code