HL7 FHIR R4 — Chapter 4: Terminology Module — part 4 of 6 (sections 4.4.1.162 – 4.4.1.481)

Source: HL7 FHIR R4 (v4.0.1) specification, https://hl7.org/fhir/R4/ — text-only rendition for AI ingestion; page order follows toc.html.

4.4.1.162 Value Set http://hl7.org/fhir/ValueSet/medication-as-needed-reason

URL: https://hl7.org/fhir/R4/valueset-medication-as-needed-reason.html
Pharmacy Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medication-as-needed-reason
Version: | 4.0.1
Name: | SNOMEDCTMedicationAsNeededReasonCodes
Title: | SNOMED CT Medication As Needed Reason Codes
Definition: | This value set includes all clinical findings from SNOMED CT - provided as an exemplar value set.
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.96 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: ServiceRequest.asNeeded[x] (boolean|CodeableConcept / Example)

• Profile: ServiceRequest-Genetics: ServiceRequest.asNeeded[x] (boolean, CodeableConcept / Example)

4.4.1.162.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://snomed.info/sct where concept is-a 404684003 (Clinical finding)

4.4.1.162.2 Expansion

This expansion generated 01 Nov 2019

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code | Display | Definition
109006 | Anxiety disorder of childhood OR adolescence
122003 | Choroidal hemorrhage
127009 | Spontaneous abortion with laceration of cervix
129007 | Homoiothermia
134006 | Decreased hair growth
140004 | Chronic pharyngitis
144008 | Normal peripheral vision
147001 | Superficial foreign body of scrotum without major open wound but with infection
150003 | Abnormal bladder continence
151004 | Meningitis due to gonococcus
162004 | Severe manic bipolar I disorder without psychotic features
165002 | Accident-prone
168000 | Typhlolithiasis
171008 | Injury of ascending right colon without open wound into abdominal cavity
172001 | Endometritis following molar AND/OR ectopic pregnancy
175004 | Supraorbital neuralgia
177007 | Poisoning by sawfly larvae
179005 | Apraxia of dressing
181007 | Hemorrhagic bronchopneumonia
183005 | Autoimmune pancytopenia
184004 | Withdrawal arrhythmia
188001 | Intercostal artery injury
192008 | Congenital syphilitic hepatomegaly
193003 | Benign hypertensive renal disease
195005 | Illegal abortion with endometritis
198007 | Disease due to Filoviridae
199004 | Decreased lactation

208008 | Neurocutaneous melanosis sequence
216004 | Delusion of persecution
219006 | Alcohol user
222008 | Acute epiglottitis with obstruction
223003 | Tumor of body of uterus affecting pregnancy
228007 | Lucio phenomenon
241006 | Motor simple partial status
242004 | Noninfectious jejunitis
253005 | Sycosis
257006 | Acne rosacea, erythematous telangiectatic type
258001 | Pseudoknuckle pad
264008 | Blind hypertensive eye
276008 | Oxytocin poisoning
279001 | Senile myocarditis
281004 | Alcoholic dementia
282006 | Acute myocardial infarction of basal-lateral wall
290006 | Melnick-Fraser syndrome
292003 | EEG finding
297009 | Acute myringitis
299007 | Paraffinoma of skin
303002 | Apoplectic pancreatitis
308006 | Pearly penile papules
310008 | Penile boil
313005 | Déjà vu
317006 | Reactive hypoglycemia
320003 | Cervical dilatation, 1cm
324007 | Plaster ulcer
330007 | Occipital headache
335002 | Pylorospasm
341009 | ABO incompatibility reaction
349006 | Absent tendon reflex
355001 | Hemorrhagic shock
357009 | Closed fracture trapezoid
358004 | Smallpox vaccine poisoning
359007 | Kernicterus due to isoimmunization
360002 | Acute radiation disease
364006 | Acute left-sided heart failure
366008 | Hidromeiosis
368009 | Heart valve disorder
369001 | Normal jugular venous pressure
378007 | Morquio syndrome
382009 | Legal history finding relating to child
383004 | Finding of passive range of hip extension
385006 | Secondary peripheral neuropathy
387003 | Melanuria
398002 | Left axis deviation greater than -90 degrees by EKG
407000 | Congenital hepatomegaly
408005 | Tooth chattering
409002 | Food allergy diet
426008 | Superficial injury of ankle without infection
431005 | Hypertrophy of scrotum
437009 | Abnormal composition of urine
440009 | Persistent hyperphenylalaninemia
442001 | Secondary hypopituitarism
443006 | Cystocele affecting pregnancy
447007 | Coach in sports activity accident
450005 | Ulcerative stomatitis
452002 | Blister of groin without infection
460001 | Squamous metaplasia of prostate gland
467003 | Old laceration of pelvic floor muscle
470004 | Vitreous touch syndrome
479003 | Graves' disease with pretibial myxedema AND with thyrotoxic crisis
486006 | Acute vascular insufficiency
488007 | Fibroid myocarditis
490008 | Upper respiratory tract hypersensitivity reaction
496002 | Closed traumatic dislocation of third cervical vertebra
504009 | Androgen-dependent hirsutism
517007 | Foreign body in hypopharynx
518002 | Multiple aggregation
520004 | Congenital bent nose
527001 | Spontaneous fetal evolution, Roederer's method
536002 | Glissonian cirrhosis

539009 | Conjunctival argyrosis
547009 | Hypersecretion of calcitonin
548004 | 13p partial trisomy syndrome
554003 | 2p partial trisomy syndrome
555002 | Dicentra species poisoning
563001 | Nystagmus
568005 | Habit disorder
586008 | Contact dermatitis due to primrose
590005 | Congenital aneurysm of anterior communicating artery
596004 | Premenstrual dysphoric disorder
599006 | Persistent pneumothorax
600009 | Pyromania
602001 | Ross river fever
607007 | Decreased vital capacity
610000 | Spastic aphonia
613003 | FRAXA - Fragile X syndrome
615005 | Obstruction due to foreign body accidentally left in operative wound AND/OR body cavity during a procedure
616006 | Sensorimotor disorder of eyelid
626004 | Hypercortisolism due to nonpituitary tumor
631002 | Transfusion reaction due to minor incompatibility
634005 | Saddle boil
640003 | Injury of pneumogastric nerve
643001 | Hypertrophy of lip
646009 | Idiopathic cyst of anterior chamber
649002 | Open fracture of distal end of ulna
651003 | Root work
652005 | Gangrenous tonsillitis
655007 | Abnormal fetal heart beat noted before labor in liveborn infant
658009 | Injury of colon without open wound into abdominal cavity
663008 | Pulmonary embolism following molar AND/OR ectopic pregnancy
664002 | Delayed ovulation
666000 | Poisoning by antivaricose drug AND/OR sclerosing agent
675003 | Torsion of intestine
682004 | Thrombosis complicating pregnancy AND/OR puerperium
685002 | Acquired telangiectasia of small AND/OR large intestines
701003 | Adult osteochondritis of spine
703000 | Congenital adhesion of tongue
714002 | Abrasion AND/OR friction burn of toe with infection
715001 | Nontraumatic rupture of urethra
718004 | Acute bronchiolitis with obstruction
733007 | Superficial foreign body of groin without major open wound but with infection
734001 | Opocephalus
736004 | Abscess of hip
750009 | Schistosoma mansoni infection
755004 | Postgastrectomy phytobezoar
756003 | Chronic rheumatic myopericarditis
758002 | Cyst of uterus
775008 | Open wound of head with complication
776009 | Partial arterial retinal occlusion
781000 | Cestrum diurnum poisoning
786005 | Clinical stage I B
787001 | Rheumatic mitral stenosis with regurgitation
788006 | Disease-related diet
792004 | CJD - Creutzfeldt-Jakob disease
799008 | Sigmoid colon ulcer
801006 | Insect bite, nonvenomous, of foot, infected
805002 | Pneumoconiosis due to silica
811004 | Flail motion
813001 | Ankle instability
815008 | Episcleritis
816009 | Genetic recombination
818005 | Third degree burn of multiple sites of lower limb
825003 | Superficial injury of axilla with infection
827006 | Late congenital syphilis, latent (+ sero., - C.S.F., 2 years OR more)
832007 | Moderate major depression
834008 | Chair-seated facing coital position
841002 | Congenital absence of skull bone
842009 | Consanguinity
843004 | Poliomyelomalacia
844005 | Finding relating to behavior
845006 | Inferior mesenteric artery injury
849000 | Total cataract

857002 | Erythema simplex
862001 | Anemia due to chlorate
865004 | Hyperalimentation formula for ileus
871005 | Contracted pelvis
874002 | Therapeutic diuresis
875001 | Chalcosis of eye
888003 | Foetal or neonatal effect of maternal blood loss
890002 | Deep third degree burn of elbow
899001 | Axis I diagnosis
903008 | Chorioretinal infarction
904002 | Pinard's sign
908004 | Superficial injury of interscapular region without infection
919001 | Pseudohomosexual state
928000 | Musculoskeletal disorder
931004 | Gestation period, 9 weeks
932006 | Flat affect
934007 | Thalassemia intermedia
943003 | Congenital retinal aneurysm
954008 | Renon-Delille syndrome
961007 | Erythema nodosum, acute form
962000 | Disability evaluation, disability 6%
964004 | Open wound of pharynx without complication
965003 | Toxic amblyopia
975000 | Anorectal agenesis
978003 | Chronic infantile eczema
981008 | Hemorrhagic proctitis
984000 | Perirectal cellulitis
987007 | Cellulitis of temple region
991002 | Wide QRS complex
998008 | Chagas' disease with heart involvement
1003002 | Religious discrimination
1020003 | Disease due to Nairovirus
1023001 | Apneic
1027000 | Biliary esophagitis
1031006 | Open wound of trachea without complication
1033009 | Thoracic arthritis
1034003 | Mesenteric-portal fistula
1038000 | Disaccharidurie
1045000 | Colonospasm
1046004 | Ureteritis glandularis
1051005 | Hyperplasia of islet alpha cells with gastrin excess
1055001 | Stenosis of precerebral artery
1059007 | Opisthorchiasis
1070000 | Facial myokymia
1073003 | Xeroderma pigmentosum group B
1074009 | Glucocorticoid-responsive primary hyperaldosteronism
1077002 | Septal infarction by EKG
1079004 | Macular retinal cyst
1085006 | Vulval candidiasis
1089000 | Congenital sepsis
1102005 | Intraerythrocytic parasitosis by Nuttallia
1107004 | Early latent syphilis, positive serology, negative cerebrospinal fluid, with relapse after treatment
1108009 | Female pattern alopecia
1111005 | Normal sebaceous gland activity
1112003 | Degenerative disorder of eyelid
1116000 | Chronic aggressive type B viral hepatitis
1124005 | Postpartum period, 6 days
1125006 | Septicemia during labor
1126007 | Knee locking
1131009 | Congenital valvular insufficiency
1134001 | Muehrcke lines
1135000 | Solar retinitis
1139006 | Confrontation (visual) test
1140008 | Thermal hypesthesia
1141007 | Circumoral paresthesia
1145003 | DSD - Developmental speech disorder
1150009 | Congenital microcheilia
1151008 | Constricted visual field
1152001 | Skin reaction negative
1155004 | Myocardial hypertrophy, determined by electrocardiogram
1156003 | Cavitary prostatitis
1168007 | Allotype

1184008 | Glasgow coma scale, 10
1192004 | Familial amyloid neuropathy, Finnish type
1194003 | Disease condition determination, well controlled
1196001 | Chronic bipolar II disorder, most recent episode major depressive
1197005 | Carbuncle of heel
1201005 | Benign essential hypertension
1203008 | Deep third degree burn of forehead AND/OR cheek with loss of body part
1207009 | Optic disc glaucomatous atrophy
1208004 | Gastroptosis
1212005 | Juvenile dermatomyositis
1214006 | Infection by Strongyloides
1230003 | No diagnosis on Axis 1
1232006 | Congenital articular rigidity with myopathy
1239002 | Congenital anteversion of femoral neck
1240000 | Lying prone
1259003 | Schistosis
1261007 | Multiple fractures of ribs
1264004 | Injury of descending left colon without open wound into abdominal cavity
1271009 | Knuckle pads, leuconychia and deafness
1280009 | Isologous chimera
1282001 | Laryngeal perichondritis
1283006 | Visual acuity less than .02 (1/60, count fingers 1 meter) or visual field less than 5 degrees, but better than 5.
1284000 | Abnormal jaw closure
1286003 | Vitamin K deficiency coagulation disorder
1287007 | Congenital absence of bile duct
1297003 | Infection by Cladosporium carrionii
1308001 | Complication of reimplant
1310004 | Impaired glucose tolerance associated with genetic syndrome
1317001 | Injury of ovary without open wound into abdominal cavity
1318006 | Post-translational genetic protein processing
1323006 | Kanamycin poisoning
1332008 | Conjugated visual deviation
1335005 | Peyronies disease
1343000 | DTA - Deep transverse arrest
1345007 | Hang nail
1351002 | Iliac artery injury
1356007 | Calculus of common duct with obstruction
1361009 | Leucocoria
1363007 | Fetal or neonatal effect of chronic maternal respiratory disease
1367008 | Injury of superior mesenteric artery
1370007 | Open fracture of metacarpal bone(s)
1372004 | Unicornate uterus
1376001 | Obsessive compulsive personality disorder
1378000 | Supination-eversion injury of ankle
1380006 | Agoraphobia without history of panic disorder with limited symptom attacks
1383008 | Hallucinogen induced mood disorder
1384002 | Diffuse cholesteatosis of middle ear
1386000 | Intracranial hemorrhage
1387009 | Solanum nigrum poisoning
1388004 | Metabolic alkalosis
1393001 | Lenz-Majewski dysplasia
1395008 | Complication of ultrasound therapy
1402001 | Frightened
1412008 | Anterior subcapsular polar cataract
1415005 | Inflammation of lymphatics
1418007 | Hypoplastic chondrodystrophy
1419004 | Injury of prostate without open wound into abdominal cavity
1426004 | Necrotizing glomerulonephritis
1427008 | Intraspinal abscess
1430001 | Intracranial hemorrhage following injury without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) without return to pre-existing level
1447000 | Icthyoparasitism
1469007 | Miscarriage with urinary tract infection
1474004 | Hypertensive heart AND renal disease complicating AND/OR reason for care during childbirth
1475003 | Herpes labialis
1478001 | Obliteration of lymphatic vessel
1479009 | 20q partial trisomy syndrome
1482004 | Chalazion
1486001 | Orbital congestion
1488000 | PONV - Postoperative nausea and vomiting
1489008 | External hordeolum
1492007 | Congenital anomaly of large intestine

1493002 | Acute endophthalmitis
1499003 | Bipolar I disorder, single manic episode with postpartum onset
1512006 | Congenital stricture of bile duct
1515008 | Gorham disease
1518005 | Splenitis
1519002 | Congenital phlebectasia
1521007 | Blister of buttock without infection
1523005 | Clinical stage IV B
1525003 | Blister of foot without infection
1531000 | Nitrofuran derivative poisoning
1532007 | Viral pharyngitis
1534008 | Palsy of conjugate gaze
1538006 | Central nervous system malformation in foetus affecting obstetrical care
1539003 | Nodular tendinous disease of finger
1542009 | Omphalocele with obstruction
1544005 | Open dislocation of knee
1551001 | Osteomyelitis of femur
1556006 | Clark melanoma level 4
1563006 | Protein S deficiency
1567007 | Chronic gastric ulcer without hemorrhage, without perforation AND without obstruction
1588003 | Heterosexual precocious puberty
1592005 | Failed attempted termination of pregnancy with uremia
1593000 | Infantile hemiplegia
1606009 | Infection caused by Macracanthorhynchus hirudinaceus
1608005 | Increased capillary permeability
1639007 | Abnormality of organs AND/OR soft tissues of pelvis affecting pregnancy
1647007 | Primaquine poisoning
1648002 | Lymphocytic pseudotumor of lung
1654001 | Steroid-induced glaucoma
1657008 | Toxic effect of phosdrin
1658003 | Closed fracture clavicle, lateral end
1663004 | Tumor grade G2
1667003 | Early fontanel closure
1670004 | Cerebral hemiparesis
1671000 | Sago spleen
1674008 | Meesman's epithelial corneal dystrophy
1679003 | Arthritis associated with another disorder
1682008 | Transitory amino acid metabolic disorder
1685005 | Rat-bite fever
1686006 | Sedative, hypnotic AND/OR anxiolytic-induced anxiety disorder
1694004 | Accessory lobe of lung
1698001 | Ulcer of bile duct
1703007 | Increased leg circumference
1705000 | Closed fracture of base of neck of femur
1708003 | Open dislocation of clavicle
1714005 | Photokeratitis
1717003 | Guttate hypomelanosis
1723008 | Urethral stricture due to schistosomiasis
1724002 | Infection caused by Crenosoma
1734006 | Fracture of vertebral column with spinal cord injury
1735007 | Thrill
1739001 | Occipital fracture
1742007 | Female hypererotism
1744008 | Connation of teeth
1748006 | Thrombophlebitis of deep femoral vein
1755008 | Healed coronary
1761006 | Biliary cirrhosis
1763009 | Stromal keratitis
1767005 | Fisher syndrome
1769008 | Thoracodidymus
1771008 | Insulin biosynthesis defect
1776003 | RTA - Renal tubular acidosis
1777007 | Increased molecular dissociation
1778002 | Malocclusion due to abnormal swallowing
1779005 | OFD II - Orofacial-digital syndrome II
1794009 | Idiopathic corneal edema
1816003 | Panic disorder with agoraphobia, severe agoraphobic avoidance AND mild panic attacks
1821000 | Chemoreceptor apnea
1822007 | Impaired glucose tolerance associated with pancreatic disease
1824008 | Allergic gastritis
1826005 | Granuloma of lip
1828006 | Infestation caused by Gasterophilus hemorrhoidalis

1829003 | Microcephalus
1833005 | Phacoanaphylactic endophthalmitis
1835003 | Necrosis of pancreas
1837006 | Orciprenaline poisoning
1845001 | Paraparesis
1847009 | Endophthalmitis
1848004 | Poisoning caused by gaseous anesthetic
1852004 | Traumatic injury of sixth cranial nerve
1855002 | Developmental academic disorder
1856001 | Accessory nose
1857005 | Congenital rubella syndrome
1858000 | Infection caused by Stilesia globipunctata
1860003 | Fluid volume disorder
1865008 | Impaired intestinal protein absorption
1869002 | Rupture of iris sphincter
1881003 | Increased nutritional requirement
1892002 | Star figure at the macula
1896004 | Ectopic breast tissue
1897008 | Amsinckia species poisoning
1899006 | Autosomal hereditary disorder
1903004 | Infestation caused by Psorergates ovis
1908008 | von Willebrand disease, type IIC
1909000 | Impairment level: better eye: severe impairment: lesser eye: near-total impairment
1922008 | Congenital absence of urethra
1926006 | Osteopetrosis
1938002 | Emotional AND/OR mental disease in mother complicating pregnancy, childbirth AND/OR puerperium
1939005 | Abnormal vascular flow
1943009 | Left-right confusion
1953005 | Congenital deficiency of pigment of skin
1954004 | Dilated cardiomyopathy secondary to toxic reaction
1955003 | Preauricular pit
1959009 | Encephalartos species poisoning
1961000 | Chronic polyarticular juvenile rheumatoid arthritis
1963002 | PNH - Paroxysmal nocturnal hemoglobinuria
1965009 | Normal skin pH
1967001 | Congenital absence of forearm only
1973000 | Sedative, hypnotic AND/OR anxiolytic-induced psychotic disorder with delusions
1977004 | Oxymetholone poisoning
1979001 | Focal choroiditis
1980003 | Seromucinous otitis media
1981004 | Urhidrosis
1988005 | Late effect of injury to nerve roots, spinal plexus AND/OR other nerves of trunk
1989002 | Burn of vagina AND/OR uterus
2004005 | Normotensive
2012002 | Fracture of lunate
2024009 | Dilated cardiomyopathy secondary to metazoal myocarditis
2028007 | Erythema induratum
2032001 | Cerebral edema
2036003 | Acquired factor VII deficiency disease
2040007 | Neurogenic thoracic outlet syndrome
2041006 | Eunuchoid gigantism
2043009 | Alcoholic gastritis
2053005 | Late effect of injury to blood vessels of thorax, abdomen AND/OR pelvis
2055003 | Recurrent erosion syndrome
2058001 | Bilateral loss of labyrinthine reactivity
2061000 | Conductive hearing loss of combined sites
2065009 | Autosomal dominant optic atrophy
2066005 | Gastric ulcer with hemorrhage AND perforation but without obstruction
2070002 | Burning sensation in eye
2073000 | Delusions
2087000 | Pulmonary nocardiosis
2089002 | Pagets disease of bone
2091005 | Pharyngeal diverticulitis
2094002 | Carbon disulfide causing toxic effect
2102007 | Deep corneal vascularization
2103002 | Reflex sympathetic dystrophy of upper extremity
2107001 | Anisomelia
2109003 | Isolated somatotropin deficiency
2114004 | Infection caused by Cysticercus pisiformis
2116002 | Intramembranous bone formation
2120003 | Weak cry
2121004 | Ethopropazine poisoning

2128005 | Disorder of adenoid
2129002 | Edema of pharynx
2132004 | Meconium in amniotic fluid noted before labor in liveborn infant
2134003 | Diffuse pain
2136001 | Open wound of jaw with complication
2138000 | LSP - Left sacroposterior position
2145000 | Anal intercourse
2149006 | Decreased hormone production
2158004 | Infection caused by Contracaecum
2167004 | Retinal hemangioblastomatosis
2169001 | Thoracic radiculitis
2170000 | Gallop rhythm
2176006 | Halogen acne
2177002 | PHN - Post-herpetic neuralgia
2186007 | Compensated metabolic alkalosis
2198002 | Visceral epilepsy
2202000 | Open posterior dislocation of distal end of femur
2204004 | Acquired deformity of pinna
2213002 | Congenital anomaly of vena cava
2216005 | Nocturnal emission
2217001 | Superficial injury of perineum without infection
2219003 | Disability evaluation, disability 100%
2224000 | Selenium poisoning
2228002 | Scintillating scotoma
2229005 | Chimera
2231001 | Nerve plexus disorder
2237002 | Painful breathing -pleurodynia
2239004 | Previous pregnancies 6
2241003 | X-linked absence of thyroxine-binding globulin
2243000 | Hypercalcemia due to hyperthyroidism
2245007 | Foreign body in nasopharynx
2251002 | Primary hypotony of eye
2256007 | Monovular twins
2261009 | Obstetrical pulmonary fat embolism
2268003 | Victim of homosexual aggression
2284002 | Pulsating exophthalmos
2295008 | Closed fracture of upper end of forearm
2296009 | Iron dextran toxicity
2298005 | Focal facial dermal dysplasia
2301009 | Psychosomatic factor in physical condition, psychological component of unknown degree
2303007 | Inguinal hernia with gangrene
2304001 | Intervertebral discitis
2307008 | Peripancreatic fat necrosis
2308003 | Silent alleles
2312009 | Reactive attachment disorder of infancy OR early childhood, inhibited type
2314005 | Unprotected intercourse
2326000 | Marriage annulment
2339001 | Sexual overexposure
2341000 | Infection caused by Moniliformis
2351004 | Genetic transduction
2355008 | Rud syndrome
2359002 | Hyper-beta-alaninemia
2365002 | Simple chronic pharyngitis
2366001 | Late effect of dislocation
2367005 | Acute hemorrhagic gastritis
2374000 | Monofascicular block
2385003 | Cellulitis of pectoral region
2388001 | Normal variation in translucency
2390000 | Acute gonococcal vulvovaginitis
2391001 | Achondrogenesis
2396006 | Malignant pyoderma
2398007 | Quinidine toxicity by electrocardiogram
2403008 | Dependence syndrome
2415007 | Lumbosacral root lesion
2418009 | Polyester fume causing toxic effect
2419001 | Open wound of forehead with complication
2420007 | Third degree burn of multiple sites of upper limb
2432006 | Cerebrospinal fluid circulation disorder
2435008 | Ascaridiasis
2437000 | Placenta circumvallata
2438005 | Iniencephaly
2439002 | Purulent endocarditis

2443003 | Hydrogen sulfide poisoning
2452007 | Fetal rotation
2463005 | Acquired heterochromia of iris
2469009 | Onychomalacia
2470005 | Brain damage
2471009 | Intra-abdominal abscess postprocedure
2472002 | Passes no urine
2473007 | Intermittent vertical squint
2477008 | Superficial phlebitis
2492009 | Disorder of nutrition
2495006 | Congenital cerebral arteriovenous aneurysm
2496007 | Acalculia
2506003 | Early onset dysthymia
2513003 | Tinea capitis caused by Trichophyton
2518007 | Cryptogenic sexual precocity
2521009 | Bone conduction better than air
2523007 | Salmonella pneumonia
2526004 | Noninflammatory disorder of the female genital organs
2528003 | Viremia
2532009 | Choroidal rupture
2534005 | Congenital absence of vena cava
2538008 | Ketosis
2541004 | Compulsive buying
2554006 | Acute purulent pericarditis
2556008 | Disease of supporting structures of teeth
2560006 | Complex syndactyly of fingers
2562003 | Athanasia trifurcata poisoning
2576002 | Trachoma
2581006 | Clasp knife rigidity
2582004 | Deep third degree burn of multiple sites of lower limb
2583009 | Filigreed network of venous valves
2584003 | Cerebral degeneration in childhood
2585002 | Pneumococcal pleurisy
2589008 | Acute dacryoadenitis
2591000 | Crush injury of shoulder region
2593002 | Dubowitz syndrome
2602008 | Hemarthrosis of shoulder
2606006 | Boil of perineum
2615004 | Graafian follicle cyst
2618002 | Chronic recurrent major depressive disorder
2622007 | Infected ulcer of skin
2624008 | Prepubertal periodontitis
2625009 | Senter syndrome
2630008 | Open wound of finger without complication
2634004 | Decreased blood erythrocyte volume
2638001 | Hypercalcemia caused by a drug
2640006 | Clinical stage 4
2651006 | Closed traumatic dislocation of elbow joint
2655002 | Invalidism
2657005 | Overflow proteinuria
2663001 | Palpatory proteinuria
2665008 | Coordinate convulsion
2683000 | Nonvenomous insect bite of axilla without infection
2689001 | Dominant dystrophic epidermolysis bullosa with absence of skin
2694001 | Myelophthisic anemia
2704003 | Acute disease
2707005 | Necrotizing enterocolitis
2713001 | Closed pneumothorax
2724004 | Auditory recruitment
2725003 | Previous abnormality of glucose tolerance
2733002 | Heel pain
2736005 | Honeycomb atrophy of face
2740001 | Gouty proteinuria
2749000 | Congenital deformity of hip
2751001 | Fibrocalculous pancreatic diabetes
2761008 | Decreased stool caliber
2764000 | Joint crackle
2770006 | Fetal or neonatal effect of antibiotic transmitted via placenta and/or breast milk
2772003 | Epidermolysis bullosa acquisita
2775001 | Intra-articular loose body
2776000 | Organic brain syndrome
2781009 | Miscarriage complicated by delayed and/or excessive hemorrhage

2782002 | Temporomandibular dysplasia
2783007 | Gastrojejunal ulcer without hemorrhage AND without perforation
2786004 | Epithelial ovarian tumor, International Federation of Gynecology and Obstetrics stage III
2790002 | Impairment level: one eye: total impairment: other eye: not specified
2805007 | Phosmet poisoning
2806008 | Impaired psychomotor development
2807004 | Chronic gastrojejunal ulcer with perforation
2808009 | Infection caused by Prosthenorchis elegans
2815001 | Sexual pyromania
2816000 | Dilated cardiomyopathy secondary to myotonic dystrophy
2818004 | Congenital vascular anomaly of eye
2819007 | Magnesium sulfate poisoning
2825006 | Abrasion and/or friction burn of gum without infection
2828008 | Congenital stenosis of nares
2829000 | Uhl disease
2831009 | Pyloric antral vascular ectasia
2835000 | Hemolytic anemia due to cardiac trauma
2836004 | Butane causing toxic effect
2838003 | Piblokto
2840008 | Open fracture of vault of skull with cerebral laceration AND/OR contusion
2850009 | Infection caused by Schistosoma incognitum
2853006 | Macular keratitis
2856003 | Vitamin A-responsive dermatosis
2858002 | Postpartum sepsis
2884008 | Spherophakia-brachymorphia syndrome
2893009 | Anomaly of chromosome pair 10
2897005 | Immune thrombocytopenia
2899008 | Thought blocking
2900003 | Fibromuscular dysplasia of renal artery
2901004 | Altered blood passed per rectum
2902006 | Decreased lymphocyte life span
2904007 | Male infertility
2910007 | Discharge from penis
2912004 | Cystic-bullous disease of the lung
2917005 | Transient hypothyroidism
2918000 | Infection caused by Bacteroides
2919008 | Nausea, vomiting and diarrhea
2929001 | Arterial occlusion
2935001 | Antiasthmatic poisoning
2940009 | Intrabasal vesicular dermatitis
2946003 | Osmotic diarrhea
2951009 | Atopic cataract
2955000 | Chronic ulcerative pulpitis
2965006 | Nevoid congenital alopecia
2967003 | Non-comitant strabismus
2972007 | Occlusion of anterior spinal artery
2973002 | Pelvic organ injury without open wound into abdominal cavity
2978006 | Aneurysm of conjunctiva
2981001 | Pulsatile mass of abdomen
2989004 | Complication following molar AND/OR ectopic pregnancy
2990008 | Lymphocytic leukemoid reaction
2992000 | Pigmentary pallidal degeneration
2994004 | Brain fag
2999009 | Injury of ear region
3002002 | Thyroid hemorrhage
3004001 | Congenital dilatation of esophagus
3006004 | Altered consciousness
3009006 | Solanum malacoxylon poisoning
3013004 | Open wound of ear drum without complication
3014005 | Autoeczematization
3018008 | Penetration of eyeball with magnetic foreign body
3019000 | Closed anterior dislocation of elbow
3021005 | Normal gastric acidity
3023008 | Acute peptic ulcer without hemorrhage, without perforation AND without obstruction
3032005 | Nonvenomous insect bite of cheek without infection
3033000 | Bone AND/OR joint disorder of pelvis in mother complicating pregnancy, childbirth AND/OR puerperium
3038009 | Acute lymphangitis of umbilicus
3044008 | Vitreous prolapse
3053001 | Poisoning caused by nitroglycerin
3059002 | Acute lymphangitis of thigh
3067005 | Weak C phenotype
3071008 | Widow

3072001 | Hormone-induced hypopituitarism
3073006 | Ruvalcaba syndrome
3084004 | Nonvenomous insect bite of gum without infection
3089009 | Disability evaluation, impairment, class 7
3094009 | Vomiting in infants AND/OR children
3095005 | Induced malaria
3097002 | Superficial injury of lip with infection
3098007 | Ventricular septal rupture
3105002 | Intron
3109008 | Secondary dysthymia early onset
3110003 | AOM - Acute otitis media
3119002 | Brain stem laceration with open intracranial wound AND loss of consciousness
3129009 | Infarction of ovary
3135009 | OE - Otitis externa
3140001 | Citrullinemia, subacute type
3144005 | Staphylococcal pleurisy
3158007 | Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND panic attacks in partial remission
3160009 | Infertility of cervical origin
3163006 | Acute adenoviral follicular conjunctivitis
3168002 | Thrombophlebitis of intracranial venous sinus
3185000 | Mood-congruent delusion
3199001 | Sprain of shoulder joint
3200003 | Sacrocoxalgia
3208005 | Open wound of ossicles without complication
3214003 | Invasive pulmonary aspergillosis
3217005 | Open dislocation of sixth cervical vertebra
3218000 | Mycotic disease
3219008 | Disease type AND/OR category unknown
3228009 | Closed fracture of the radial shaft
3229001 | Tracheal ulcer
3230006 | Illegal termination of pregnancy with afibrinogenemia
3238004 | Pericarditis
3239007 | Lymphocyte disorder
3253007 | Dyschromia
3254001 | Infection caused by Strongyloides westeri
3259006 | Homeria species poisoning
3261002 | Migratory osteolysis
3263004 | Verumontanitis
3272007 | Stomatocytosis
3274008 | Flat chest
3275009 | Behcet syndrome, vascular type
3276005 | Toad poisoning
3277001 | Terminal mood insomnia
3282008 | Arc eye
3283003 | Feeling of sand or foreign body in eye
3286006 | Patient status determination, greatly improved
3289004 | Anisometropia
3291007 | Closed fracture of two ribs
3298001 | Amnestic syndrome
3303004 | Disease caused by Arenavirus
3304005 | Bronchial compression
3305006 | Disorder of lymphatic vessel
3308008 | Atrophic-hyperplastic gastritis
3310005 | Foreign body granuloma of skin
3321001 | Renal abscess
3323003 | Leukoplakia of penis
3327002 | Acquired jerk nystagmus
3331008 | Open fracture of neck of metacarpal bone
3344003 | Toxic labyrinthitis
3345002 | Idiopathic osteoporosis
3355003 | Anti-common cold drug poisoning
3358001 | Lichen ruber moniliformis
3368006 | Dull chest pain
3376008 | Pseudoptyalism
3381004 | Open fracture of astragalus
3387000 | Auditory discrimination aphasia
3391005 | Negative for tumor cells
3393008 | Phlebitis following infusion, perfusion AND/OR transfusion
3398004 | Cadmium poisoning
3401001 | Cercopithecus herpesvirus 1 disease
3415004 | Cyanosis
3419005 | Faucial diphtheria

3421000 | Open blow-out fracture orbit
3424008 | Heart rate fast
3426005 | Retained magnetic intraocular foreign body
3427001 | Nonglucosuric melituria
3434004 | Myotonia
3439009 | Severe combined immunodeficiency (SCID) due to absent peripheral T cell maturation
3441005 | Disorder of sebaceous gland
3446000 | Open fracture of T7-T12 level with spinal cord injury
3449007 | Finger agnosia
3456001 | Chronic progressive non-hereditary chorea
3458000 | Myositis ossificans associated with dermato / polymyositis
3461004 | Deep third degree burn of thumb
3464007 | Infection caused by Oesophagostomum dentatum
3468005 | Neonatal infective mastitis
3469002 | Partial thickness burn of thumb
3472009 | Spondylolisthesis, grade 4
3474005 | Glycine max poisoning
3480002 | Burn of wrist
3482005 | Postoperative esophagitis
3483000 | Chronic peptic ulcer with perforation
3487004 | Pulmonary candidiasis
3500002 | Open wound of ossicles with complication
3502005 | Cervical lymphadenitis
3503000 | Gender identity disorder of adolescence, previously asexual
3505007 | Nonallopathic lesion of the arm
3506008 | Stenosis of retinal artery
3507004 | Abscess of thigh
3511005 | Infectious thyroiditis
3514002 | Peribronchial fibrosis of lung
3519007 | Disorder of synovium
3528008 | Restricted carbohydrate fat controlled diet
3529000 | Infection caused by Sanguinicola
3530005 | Bipolar 1 disorder, single manic episode, full remission
3531009 | Intrapsychic conflict
3533007 | Acute palmoplantar pustular psoriasis
3539006 | Enteromenia
3542000 | Laceration extending into parenchyma of spleen with open wound into abdominal cavity
3544004 | Hair-splitting
3545003 | Diastolic dysfunction
3548001 | Brachial plexus disorder
3549009 | Pancreatic acinar atrophy
3558002 | Mesenteric infarction
3560000 | Bilateral recurrent inguinal hernia
3570003 | Increased blood erythrocyte volume
3571004 | Megaloblastic anemia due to pancreatic insufficiency
3577000 | Lattice retinal degeneration
3585009 | Blinking
3586005 | Psychogenic fugue
3589003 | Syphilitic pericarditis
3590007 | Enteroenteric fistula
3591006 | Metabolic acidosis, normal anion gap, bicarbonate losses
3598000 | Partial recent retinal detachment with single defect
3611003 | Demeton poisoning
3633001 | Abscess of hand
3634007 | Legal termination of pregnancy complicated by metabolic disorder
3639002 | Glossoptosis
3640000 | Late effect of traumatic amputation
3641001 | Infection caused by Coenurosis serialis
3642008 | Steryl-sulfate sulfohydrolase deficiency
3644009 | Macerated skin
3649004 | Contusion, multiple sites of trunk
3650004 | Congenital absence of liver,total
3652007 | Overproduction of growth hormone
3657001 | Osteospermum species poisoning
3660008 | Lethal glossopharyngeal defect
3662000 | Rolling hiatus hernia
3677008 | Academic problem
3680009 | Monocephalus tripus dibrachius
3681008 | Thrombophlebitis of torcular Herophili
3696007 | Functional dyspepsia
3699000 | Transverse deficiency of arm
3703002 | Ischiatic hernia with gangrene

3704008 | Diffuse endocapillary proliferative glomerulonephritis
3705009 | Congenital malformation of anterior chamber of eye
3712000 | Degenerated eye
3716002 | Thyroid goiter
3720003 | Abnormal presence of hemoglobin
3723001 | Joint inflammation
3733009 | Congenital eventration of right crus of diaphragm
3736001 | Open wound of thumbnail with tendon involvement
3738000 | VH - Viral hepatitis
3744001 | Hyperlipoproteinemia
3745000 | Sleep rhythm problem
3747008 | EC - Ejection click
3750006 | Arteriospasm
3751005 | Contusion of labium
3752003 | Infection by Trichuris
3754002 | Dysplasia of vagina
3755001 | PRP - Pityriasis rubra pilaris
3756000 | Static ataxia
3759007 | Injury of heart with open wound into thorax
3760002 | Familial multiple factor deficiency syndrome, type V
3762005 | Bilateral recurrent femoral hernia with gangrene
3763000 | Expected bereavement due to life event
3783004 | Enamel pearls
3797007 | Periodontal cyst
3798002 | Premature birth of identical twins, both stillborn
3815005 | Crohn disease of rectum
3820005 | Inner ear conductive hearing loss
3827008 | Aneurysm of artery of neck
3830001 | Subcutaneous emphysema
3841004 | Blister of cheek with infection
3845008 | Duplication of intestine
3855007 | Disorder of pancreas
3859001 | Late effect of open wound of extremities without tendon injury
3873005 | Failed attempted termination of pregnancy with acute necrosis of liver
3885002 | ABO isoimmunization in pregnancy
3886001 | Congenital fecaliths
3899003 | Neutropenic typhlitis
3900008 | Mixed sensory-motor polyneuropathy
3902000 | Non dose-related drug-induced neutropenia
3903005 | Closed traumatic pneumothorax
3908001 | Infestation caused by Haematopinus
3909009 | Coeur en sabot
3913002 | Injury of gastrointestinal tract with open wound into abdominal cavity
3914008 | Mental disorder in childhood
3928002 | Zika virus disease
3939004 | Bacterial colony density, transparent
3944006 | X-linked placental steryl-sulfatase deficiency
3947004 | High oxygen affinity hemoglobin polycythemia
3950001 | Birth
3951002 | Proctitis
3972004 | Idiopathic insomnia
3975002 | Deep third degree burn of lower limb
3978000 | AIHA - Warm autoimmune hemolytic anemia
3987009 | Congenital absence of trachea
3993001 | Infection caused by Muellerius
3999002 | Acute pyelitis without renal medullary necrosis
4003003 | Alphavirus disease
4004009 | Monster with cranial anomalies
4006006 | Foetal tachycardia affecting management of mother
4009004 | Lower urinary tract infection
4016003 | Empyema of mastoid
4017007 | Increased stratum corneum adhesiveness
4022007 | Vulvitis circumscripta plasmacellularis
4026005 | Interstitial mastitis associated with childbirth
4030008 | Le Dantec virus disease
4038001 | Myrotheciotoxicosis
4039009 | Multiple vitamin deficiency disease
4040006 | Hassall-Henle bodies
4041005 | Congenital anomaly of macula
4046000 | Degenerative spondylolisthesis
4062006 | Lumbosacral plexus lesion
4063001 | Achillodynia

4069002 | Anoxic brain damage during AND/OR resulting from a procedure
4070001 | Palinphrasia
4075006 | Peganum harmala poisoning
4082005 | Syphilitic myocarditis
4088009 | Acquired hydrocephalus
4089001 | Meningococcemia
4092002 | Nonallopathic lesion of costovertebral region
4103001 | Complex partial seizure
4106009 | Rotator cuff rupture
4107000 | Infertile male syndrome
4113009 | Arrested hydrocephalus
4120002 | Bronchiolitis
4124006 | Insect bite, nonvenomous, of vagina, infected
4127004 | Prostatic obstruction
4129001 | Argyll-Robertson pupil
4135001 | 11p partial monosomy syndrome
4136000 | Macrodactylia of toes
4142001 | Muscular asthenopia
4152002 | Acquired hypoprothrombinemia
4160001 | Congenital anomaly of upper respiratory system
4168008 | Tibial plateau chondromalacia
4170004 | Ehlers-Danlos syndrome, procollagen proteinase resistant
4174008 | Tripartite placenta
4175009 | Infestation by Estrus
4178006 | Partial recent retinal detachment with multiple defects
4181001 | Normal peak expiratory flow rate
4183003 | Charcot-Marie-Tooth disease, type IC
4184009 | Congenital malformation of the endocrine glands
4191007 | Scaphoid head
4195003 | Duplication of anus
4197006 | Disability evaluation, impairment, class 5
4199009 | 18p partial trisomy syndrome
4208000 | Closed multiple fractures of both lower limbs
4210003 | OH - Ocular hypertension
4223005 | Parkinsonism caused by drug
4224004 | Complication of infusion
4225003 | Nasal tuberculosis
4229009 | Phthisical eye
4232007 | Chronic vulvitis
4237001 | Suppurative pulpitis
4240001 | Rupture of aorta
4241002 | Listeria infection
4242009 | 18q partial monosomy syndrome
4244005 | Urticaria neonatorum
4248008 | Synovitis AND/OR tenosynovitis associated with another disease
4249000 | Poor peripheral circulation
4251001 | Internal eye sign
4260009 | Sacral spinal cord injury without bone injury
4262001 | Phlebitis of superior sagittal sinus
4264000 | Chronic pericoronitis
4269005 | Chronic gastrojejunal ulcer without hemorrhage AND without perforation
4273008 | Closed posterior dislocation of elbow
4275001 | Conjugate gaze spasm
4278004 | Superficial foreign body of axilla without major open wound but with infection
4283007 | Mirizzi syndrome
4287008 | Chordee of penis
4294006 | Isosexual precocious puberty
4300009 | Deep third degree burn of forearm
4301008 | Autoimmune state
4306003 | Cluster B personality disorder
4307007 | Pregestational diabetes mellitus AND/OR impaired glucose tolerance, modified White class F
4308002 | RSIS - Repetitive strain injury syndrome
4310000 | Third degree burn of wrist AND/OR hand
4313003 | Acardiacus anceps
4316006 | Myometritis
4320005 | Factor V deficiency
4324001 | Subacute cystitis
4325000 | 11q partial monosomy syndrome
4332009 | Subarachnoid hemorrhage following injury without open intracranial wound AND with concussion
4338008 | Arnold nerve reflex cough syndrome
4340003 | Acrodermatitis chronica atrophicans
4349002 | Open fracture of multiple sites of metacarpus

4354006 | Open dislocation of scapula
4356008 | Gingival soft tissue recession
4359001 | Early congenital syphilis
4364002 | Structure of associations
4367009 | Hoover sign
4373005 | Clubbing of nail
4374004 | TV - Congenital tricuspid valve abnormality
4381006 | Verbal paraphasia
4386001 | Bronchospasm
4390004 | Chronic lithium nephrotoxicity
4397001 | Partial congenital duodenal obstruction
4399003 | Acute hemorrhagic pancreatitis
4403007 | Exclamation point hair
4406004 | Congenital anomaly of male genital system
4409006 | Combined methylmalonic acidemia and homocystinuria due to defects in adenosylcobalamin and methylcobalamin synthesis
4410001 | Retroperitoneal hernia with obstruction
4412009 | Digital nerve injury
4414005 | Infection caused by Setaria
4416007 | Heerfordt syndrome
4418008 | Gangrenous ergotism
4426000 | Ten previous induced terminations of pregnancy
4434006 | BS - Bloom syndrome
4439001 | Axenfeld-Schurenberg syndrome
4441000 | Severe bipolar disorder with psychotic features
4445009 | TB - Urogenital tuberculosis
4448006 | Allergic headache
4451004 | Illegal termination of pregnancy with renal tubular necrosis
4461006 | Complication of administrative procedure
4463009 | Indiana-Maryland type amyloid polyneuropathy
4464003 | Rocio virus disease
4465002 | Spherophakia
4468000 | Oppenheim gait
4470009 | Blanching of skin
4473006 | Migraine with aura
4477007 | Juvenile myopathy AND lactate acidosis
4478002 | Multiple fractures of upper AND lower limbs
4481007 | Abnormal gastric secretion regulation
4483005 | Syphilitic punched out ulcer

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.163 Value Set http://hl7.org/fhir/ValueSet/udi

URL: https://hl7.org/fhir/R4/valueset-udi.html
Financial Management Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/udi
Version: | 4.0.1
Name: | UDICodes
Title: | UDI Codes
Definition: | This value set includes sample UDI codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.554 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for UDICodes

4.4.1.163.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/ex-udi

4.4.1.163.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 1 concepts

Expansion based on http://hl7.org/fhir/ex-udi version 4.0.1

All codes from system http://hl7.org/fhir/ex-udi

Code | Display | Definition
gudid | GUDID (FDA) | GUDID (FDA) US Repository

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.164 Value Set http://hl7.org/fhir/ValueSet/library-type

URL: https://hl7.org/fhir/R4/valueset-library-type.html
Clinical Decision Support Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/library-type
Version: | 4.0.1
Name: | LibraryType
Title: | LibraryType
Definition: | The type of knowledge asset this library contains.
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.763 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for LibraryType
• Resource: Library.type (CodeableConcept / Extensible)
• Profile: ShareableLibrary: Library.type (CodeableConcept / Extensible)
• Profile: CQLLibrary: Library.type (CodeableConcept / Extensible)

4.4.1.164.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/library-type

4.4.1.164.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/library-type version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/library-type

Code | Display | Definition
logic-library | Logic Library | The resource is a shareable library of formalized knowledge.
model-definition | Model Definition | The resource is a definition of an information model.
asset-collection | Asset Collection | The resource is a collection of knowledge assets.
module-definition | Module Definition | The resource defines the dependencies, parameters, and data requirements for a particular module or evaluation context.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.165 Value Set http://hl7.org/fhir/ValueSet/ucum-units

URL: https://hl7.org/fhir/R4/valueset-ucum-units.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/ucum-units
Version: | 4.0.1
Name: | UCUMCodes
Title: | UCUM Codes
Definition: | Unified Code for Units of Measure (UCUM). This value set includes all UCUM codes
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.912 (for OID based terminology systems)
Copyright: | The UCUM codes, UCUM table (regardless of format), and UCUM Specification are copyright © 1999-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures (UCUM) Organization. All rights reserved.
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: ResearchElementDefinition.characteristic.unitOfMeasure (CodeableConcept / Required)
• Resource: EffectEvidenceSynthesis.effectEstimate.unitOfMeasure (CodeableConcept / Required)
• Resource: RiskEvidenceSynthesis.riskEstimate.unitOfMeasure (CodeableConcept / Required)

4.4.1.165.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://unitsofmeasure.org

4.4.1.165.2 Expansion

This expansion generated 01 Nov 2019

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://unitsofmeasure.org

Code | Display
% | percent
%/100{WBC} | percent / 100 WBC
%{0to3Hours} | percent 0to3Hours
%{Abnormal} | percent Abnormal
%{Activity} | percent Activity
%{BasalActivity} | percent BasalActivity
%{Binding} | percent Binding
%{Blockade} | percent Blockade
%{Carboxyhemoglobin} | percent Carboxyhemoglobin
%{Conversion} | percent Conversion
%{Cound} | percent Cound
%{EosSeen} | percent EosSeen
%{Excretion} | percent Excretion
%{Fat} | percent Fat
%{FetalErythrocytes} | percent FetalErythrocytes
%{Hemoglobin} | percent Hemoglobin
%{HemoglobinA1C} | percent HemoglobinA1C
%{HemoglobinSaturation} | percent HemoglobinSaturation
%{Hemolysis} | percent Hemolysis
%{HumanResponse} | percent HumanResponse
%{Index} | percent Index
%{Inhibition} | percent Inhibition
%{Live} | percent Live
%{Negative Control} | percent Negative Control
%{Normal} | percent Normal
%{NormalControl} | percent NormalControl

%{NormalPooledPlasma} | percent NormalPooledPlasma
%{ofAvailable} | percent ofAvailable
%{ofBacteria} | percent ofBacteria
%{OfLymphocytes} | percent OfLymphocytes
%{OfWBCs} | percent OfWBCs
%{Oxygen} | percent Oxygen
%{Positive} | percent Positive
%{Precipitate} | percent Precipitate
%{Reactivity} | percent Reactivity
%{response} | percent response
%{risk} | percent risk
%{SpermMotility} | percent SpermMotility
%{Total} | percent Total
%{TotalProtein} | percent TotalProtein
%{Tot'Cholesterol} | percent Tot'Cholesterol
%{Tot'Hgb} | percent Tot'Hgb
%{Uptake} | percent Uptake
%{vol} | VolumePercent
%{WeightToWeight} | percent WeightToWeight
/(12.h) | per 12 * hour
/[arb'U] | per arbitrary unit
/[HPF] | per high power field
/[iU] | per international unit
/[LPF] | per low power field
/{Entity} | per Entity
/[HPF] | per hpf
/[LPF] | per LPF
/{oif} | per oif
/{Specimen} | per Specimen
/{tot} | per tot
/10*10 | PerTenGiga
/10*12 | PerTrillion
/10*12{rbc} | PerTrillionRedBloodCells
/10*6 | PerMillion
/10*9 | PerBillion
/100 | per 100
/100{cells} | per 100 cells
/100{neutrophils} | per 100 neutrophils
/100{spermatozoa} | per 100 spermatozoa
/100{WBC} | Per100WBC
/100{WBCs} | Per100WBC
/a | / year
/cm[H2O] | per centimeter of water
/d | per day
/dL | per deciliter
/g | per gram
/g{creat} | per gram creat
/g{hgb} | per gram hgb
/g{tot'nit} | per gram tot'nit
/g{tot'prot} | per gram tot'prot
/g{wet'tis} | per gram wet'tis
/h | per hour
/kg | per kilogram
/kg{body'wt} | per kilogram body wt
/L | per liter
/m2 | per square meter
/mg | per milligram
/min | per minute
/mL | per milliliter
/mm3 | per cubic millimeter
/mmol | per millimole
/mo | per month
/s | per second
/U | per enzyme unit
/ug | per microgram
/uL | per microliter
/wk | per week
[APL'U] | IgA anticardiolipin unit
[APL'U]/mL | IgA anticardiolipin unit per milliliter
[arb'U] | arbitrary unit
[arb'U]/L | arbitary unit / liter
[arb'U]/mL | arbitrary unit per milliliter

[AU] | allergy unit
[BAU] | bioequivalent allergen unit
[beth'U] | Bethesda unit
[CFU] | colony forming unit
[CFU]/L | colony forming unit per liter
[CFU]/mL | colony forming unit per milliliter
[Ch] | French (catheter gauge)
[cin_i] | cubic inch
[cup_us] | cup
[degF] | degree Fahrenheit
[dr_av] | Dram (US and British)
[drp] | drop
[drp]/[HPF] | drop / HPF
[drp]/h | drop / hour
[drp]/min | drop / minute
[drp]/mL | drop / milliliter
[drp]/s | drop / second
[fdr_us] | fluid dram
[foz_br] | fluid ounce
[foz_us] | fluid ounce
[ft_i] | Feet
[fth_i] | fathom
[gal_br] | gallon
[gal_us] | Queen Anne's wine gallon
[GPL'U] | IgG anticardiolipin unit
[gr] | grain
[in_i] | inch (international)
[iU] | international unit
[IU]/(2.h) | international unit per 2 hour
[IU]/(24.h) | international unit per 24 hour
[IU]/10*9{RBCs} | international unit per billion red blood cells
[IU]/d | international unit per day
[IU]/dL | international unit per deciliter
[IU]/g | international unit per gram
[IU]/g{Hb} | international unit per gram of hemoglobin
[iU]/g{Hgb} | international unit / gram Hgb
[IU]/h | international unit per hour
[IU]/kg | international unit per kilogram
[IU]/kg/d | international unit per kilogram per day
[IU]/L | international unit per liter
[IU]/min | international unit per minute
[IU]/mL | international unit per milliliter
[lb_av] | pound (US and British)
[mi_i] | statute mile
[mi_us] | mile
[min_us] | minim
[MPL'U] | IgM anticardiolipin unit
[nmi_i] | nautical mile
[oz_av] | ounce (US and British)
[oz_tr] | ounce
[pH] | pH
[pi].rad/min | the number pi * radian / minute
[ppb] | part per billion
[ppm] | part per million
[ppm]{v/v} | part per million in volume per volume
[pptr] | part per trillion
[ppth] | parts per thousand
[pptr] | parts per trillion
[psi] | pound per square inch
[pt_br] | pint
[qt_br] | quart
[qt_us] | quart
[sft_i] | square foot (international)
[sin_i] | square inch (international)
[ston_av] | short ton U.S. ton
[syd_i] | square yard
[tbs_us] | tablespoon (US)
[tb'U] | tuberculin unit
[todd'U] | Todd unit
[tsp_us] | teaspoon
[yd_i] | yard
{# of calculi} | # of calculi

{# of donor informative markers} | # of donor informative markers
{# of fetuses} | # of fetuses
{# of informative markers} | # of informative markers
{#} | #
{2 or 3 times}/d | 2 or 3 times / day
{3 times}/d | 3 times / day
{4 times}/d | 4 times / day
{5 times}/d | 5 times / day
{absorbance} | absorbance
{Absorbance'U} | Absorbance'U
{Absorbance'U}/mL | Absorbance'U / milliliter
{activity} | activity
{ActivityCoefficient} | ActivityCoefficient
{AHF'U} | AHF'U
{AntibodyResponse'U} | AntibodyResponse'U
{Applicator} | Applicator
{APS'U} | IgA antiphosphatidylserine unit
{AspirinReaction'U} | AspirinReaction'U
{Bead} | Bead
{Beats}/min | Beats / minute
{Bottle} | Bottle
{Bowls}/d | Bowls / day
{Breaths}/min | Breaths / minute
{CAE'U} | complement activity enzyme unit
{CagRepeat} | CagRepeat
{Can} | Can
{Cans}/wk | Cans / week
{Capsule} | Capsule
{Cell} | Cell
{cells} | cells
{cells}/[HPF] | cells per high power field
{Cells}/mL | Cells / milliliter
{cells}/uL | cells per microliter
{CfTiter} | CfTiter
{cfu} | cfu
{cfu}/mL | cfu / milliliter
{CGG_repeats} | CGG_repeats
{CGG} | CGG
{CH100'U} | complement CH100 unit
{clock time} | clock time
{clock_time} | clock_time
{ComplementActivityEnzyme'U} | ComplementActivityEnzyme'U
{ComplementCH100'U} | ComplementCH100'U
{ComplementCH50'U} | ComplementCH50'U
{copies}/mL | copies per milliliter
{copies}/ug | copies per microgram
{Copies}/uL | Copies / microliter
{Count} | Count
{Counts}/min | Counts / minute
{Dalton} | Dalton
{DdTiter} | DdTiter
{DeltaOpticalDensity} | DeltaOpticalDensity
{Dilution} | dilution
{Disintegrations}/min | Disintegrations / minute
{Dose} | Dose
{Drinks}/d | Drinks / day
{Each} | Each
{Ehrlich'U} | Ehrlich unit
{Ehrlich'U}/(2.h) | Ehrlich unit per 2 hour
{Ehrlich'U}/100.g | Ehrlich unit per 100 gram
{Ehrlich'U}/d | Ehrlich unit per day
{Ehrlich'U}/dL | Ehrilich unit per deciliter
{Ehrlich'U}/mL | Ehrlich'U / milliliter
{EIAIndex} | EIA index
{EIATiter} | EIA titer
{EIA'U} | EIA unit
{EIA'U}/U | EIA unit per enzyme Unit
{ElisaIndex} | ElisaIndex
{ELISA'U} | ELISA unit
{Elisa'U}/mL | Elisa'U / milliliter
{ElisaValue} | ElisaValue
{ERY}/uL | erythrocyte per microliter

{Events} | Events
{FluorescenceIntensity'U} | FluorescenceIntensity'U
U{G} | G unit
{GliadinIndexValue} | GliadinIndexValue
{G-PortionPhospholipids} | G-PortionPhospholipids
{HaTiter} | HaTiter
{IfaIndex} | IfaIndex
{IfaTiter} | IfaTiter
{IgAAntiphosphatidyleserine'U} | IgAAntiphosphatidyleserine'U
{IgAPhospholipid'U} | IgAPhospholipid'U
{IgGAntiphosphatidyleserine'U} | IgGAntiphosphatidyleserine'U
{IgGIndex} | IgGIndex
{IgMAntiphosphatidyleserine'U} | IgMAntiphosphatidyleserine'U
{IgMIndex} | IgMIndex
{ImmuneComplex'U} | immune complex unit
{ImmuneStatusRatio} | ImmuneStatusRatio
{Immunity} | Immunity
{Index_val} | Index_val
{index} | index
{IndexValue} | IndexValue
{InhaledTobaccoUseAmountYears} | InhaledTobaccoUseAmountYears
{InhaledTobaccoUsePacks}/d | InhaledTobaccoUsePacks / day
{INR} | international normalized ratio
{INR'unit} | INR'unit
{JDF'U} | Juvenile Diabetes Foundation unit
{JDF'U}/L | Juvenile Diabetes Foundation unit per liter
{JuvenileDiabetesFound'U} | JuvenileDiabetesFound'U
{KCT'U} | kaolin clotting time
{KRONU'U}/L | Kronus unit per liter
{KRONU'U}/mL | Kronus unit per milliliter
{lgCopies}/ml | lgCopies / milliliter
{log_copies}/mL | log (base 10) copies per milliliter
{log_IU}/mL | log (base 10) international unit per milliliter
{LymeIndexValue} | LymeIndexValue
{M.o.M.} | M.o.M.
{M.o.M} | multiple of the median
{Markers} | Markers
{minidrp} | minidrp
{Molecule}/{Platelet} | Molecule / Platelet
{M-PortionPhospholipids} | M-PortionPhospholipids
{MPS'U} | IgM antiphosphatidylserine unit
{MPS'U}/mL | IgM antiphosphatidylserine unit per milliliter
{MultOfMean} | MultOfMean
{NonspecificOunce} | NonspecificOunce
{Number} | Number
{OD_unit} | optical density unit
{Once}/d | Once / day
{OpticalDensity} | OpticalDensity
{OpticalDensityIndex} | OpticalDensityIndex
{OpticalDensityRatio} | OpticalDensityRatio
{P2Y12 Reaction Units} | P2Y12 Reaction Units
{Package} | Package
{Packs}/d | Packs / day
{PackYears} | PackYears
{Patch} | Patch
{Percentile} | Percentile
{Pill} | Pill
{Pouches}/wk | Pouches / week
{RadioactiveT3UptakeRatio} | RadioactiveT3UptakeRatio
{ratio} | ratio
{RBC}/uL | red blood cell per microliter
{RecTiter} | RecTiter
{Relative'U} | Relative'U
{RelativeViscosity} | RelativeViscosity
{RPI'U} | RPI'U
{RubellaVirus} | RubellaVirus
{SatIndex} | SatIndex
{Scoop} | Scoop
{ScoreOf} | ScoreOf
{shift} | shift
{spermatozoa}/mL | spermatozoa per milliliter
{spray} | spray

{StandardDeviation} | StandardDeviation
{StandardIgA'U} | StandardIgA'U
{StandardIgG'U} | StandardIgG'U
{StandardIgM'U} | StandardIgM'U
{StdDeviation'U} | StdDeviation'U
{StimulatingIndex} | StimulatingIndex
{Streptozyme'U} | Streptozyme'U
{ThyroxinUptake'U} | ThyroxinUptake'U
{TIBC'U} | TIBC'U
{Times}/wk | Times / week
{Tine'U} | Tine'U
{titer} | titer
{ToxoplasmaIndexValue} | ToxoplasmaIndexValue
{Vial} | Vial
{Volume}/{Vvolume} | Volume / Vvolume
{WeeksDays} | WeeksDays
{WhiteBloodCell} | WhiteBloodCell
1/d | one per day
1/min | one per minute
10*12/L | trillion per liter
10*3 | Thousand
10*3.{RBC} | Thousand Red Blood Cells
10*3.U | Thousand Per * Unit
10*3/L | Thousand Per Liter
10*3/mL | Thousand Per MilliLiter
10*3/uL | Thousands Per MicroLiter
10*3{Copies}/mL | Thousand Copies Per MilliLiter
10*-3{Polarization'U} | (the number ten for arbitrary powers ^ -3) Polarization'U
10*5 | OneHundredThousand
10*6 | Million
10*6.[iU] | MillionInternationalUnit
10*6.eq/mL | MillionEquivalentsPerMilliLiter
10*6.U | (the number ten for arbitrary powers ^ 6) * Unit
10*6/{Specimen} | MillionPerSpecimen
10*6/kg | million per kilogram
10*6/L | million per liter
10*6/mL | million per milliliter
10*6/mm3 | (the number ten for arbitrary powers ^ 6) / (millimeter ^ 3)
10*6/uL | million per microliter
10*-6{Immunofluorescence'U} | (the number ten for arbitrary powers ^ -6) Immunofluorescence'U
10*8 | TenToEighth
10*9/L | billion per liter
10*9/mL | billion per milliliter
10*9/uL | billion per microliter
10.L/(min.m2) | 10 liter per minute per square meter
10.L/min | 10 liter per minute
10.uN.s/(cm.m2) | 10 * microNewton * second / centimeter * (meter ^ 2)
10.uN.s/cm | 10 * microNewton * second / centimeter
10.uN.s/cm2 | 10 * microNewton * second / (centimeter ^ 2)
a | year
A/m | Ampère / meter
att | technical atmosphere
bar | bar
Cel | degree Celsius
cg | centigram
cL | centiliter
cm | centimeter
cm[H2O] | centimeter of water
cm[H2O]/(s.m) | centimeter of water column / second * meter
cm[H2O]/L/s | centimeter of water per liter per second
cm[Hg] | centimeter of mercury
cm2 | square centimeter
cm2/s | square centimeter per second
cm3 | cubic centimeter
cP | centiPoise
cSt | centiStokes
d | day
dB | decibel
deg | degree
deg/s | degree per second
dg | decigram
dL | deciliter

dm | decimeter
dm2/s2 | square decimeter per square second
eq | equivalents
eq/L | equivalents / liter
eq/mL | equivalents / milliliter
eq/mmol | equivalents / millimole
eq/umol | equivalents / micromole
erg | erg
eV | electronvolt
fg | femtogram
fL | femtoliter
fL/nL | femtoliter / nanoliter
fm | femtometer
fmol | femtomole
fmol/g | femtomole per gram
fmol/L | femtomole per liter
fmol/mg | femtomole / milligram
fmol/mL | femtomole / milliliter
g | gram
g.m | gram * meter
g.m/({hb}.m2) | gram * meter / hb * (meter ^ 2)
g.m/{hb} | gram * meter / hb
g/(100.g) | gram per 100 gram
g/(12.h) | gram per 12 hour
g/(24.h) | gram per 24 hour
g/(3.d) | gram per 3 days
g/(4.h) | gram per 4 hour
g/(48.h) | gram per 48 hour
g/(5.h) | gram per 5 hour
g/(6.h) | gram per 6 hour
g/(72.h) | gram per 72 hour
g/(8.h) | gram / 8 * hour
g/(8.kg.h) | gram / 8 * kilogram * hour
g/(kg.h) | gram / kilogram * hour
g/(kg.min) | gram / kilogram * minute
g/{TotalWeight} | gram / TotalWeight
g/d | gram per day
g/dL | gram per deciliter
g/g | gram per gram
g/g{Cre} | gram / gram Cre
g/g{creat} | gram / gram creat
g/g{tissue} | gram per gram of tissue
g/h | gram per hour
g/h/m2 | gram per hour per square meter
g/kg | gram per kilogram
g/kg/d | gram per kilogram per day
g/L | gram per liter
g/m2 | grams Per Square Meter
g/mg | gram per milligram
g/min | gram per minute
g/mL | gram per milliliter
g/mmol | gram per millimole
g/mmol{creat} | gram / millimole creat
g/mol | gram per mole
GBq | gigaBecquerel
h | hour
hL | hectoliter
Hz | Hertz
J | joule
J/L | joule per liter
K | Kelvin
K/W | Kelvin / Watt
k[IU]/L | kilo international unit per liter
k[IU]/mL | kilo international unit per milliliter
kat/kg | katal / kilogram
kat/L | katal / liter
kBq | kiloBecquerel
kcal | kilocalorie
kcal/(8.h) | kilocalorie / 8 * hour
kcal/h | kilocalorie per hour
kg | kilogram
kg.m/s | kilogram meter per second

kg/(s.m2) | kilogram per second per square meter
kg/h | kilogram per hour
kg/L | kilogram per liter
kg/m2 | kilogram / (meter ^ 2)
kg/m3 | kilogram / (meter ^ 3)
kg/min | kilogram / minute
kg/mol | kilogram per mole
kg/s | kilogram / second
kL | kiloliter
km | kilometer
kPa | kiloPascal
ks | kilosecond
kU/g | kiloenzyme Unit per gram
kU/h | kiloUnit / hour
kU/L | kiloenzyme Unit per liter
kU/mL | kilo enzyme unit per milliliter
L | liter
L.s2/s | liter * (second ^ 2) / second
L/(8.h) | liter per 8 hour
L/(min.m2) | liter per minute per square meter
L/d | liter per day
L/h | liter per hour
L/kg | liter per kilogram
L/L | liter per liter
L/min | liter per minute
L/s | liter / second
lm/m2 | lumen / (meter ^ 2)
m | meter
m/s | meter per second
m/s2 | meter per square second
m[iU] | milliinternational unit
m[IU]/L | milli international unit per liter
m[IU]/mL | milli international unit per milliliter
m2 | square meter
m2/s | square meter per second
m3/s | cubic meter per second
mA | milliAmpère
mbar | millibar
mbar.s/L | millibar second per liter
MBq | megaBecquerel
mCi | milliCurie
meq | milliequivalent
meq/(12.h) | milliequivalent per 12 hour
meq/(2.h) | milliequivalent per 2 hour
meq/(24.h) | milliequivalent per 24 hour
meq/(8.h) | milliequivalent per 8 hour
meq/(8.h.kg) | milliequivalents / 8 * hour * kilogram
meq/(kg.d) | milliequivalents / kilogram * day
meq/{Specimen} | milliequivalents / Specimen
meq/d | milliequivalent per day
meq/dL | milliequivalent per deciliter
meq/g | milliequivalent per gram
meq/g{Cre} | milliequivalents / gram Cre
meq/h | milliequivalent per hour
meq/kg | milliequivalent per kilogram
meq/kg/h | milliequivalent per kilogram per hour
meq/kg/min | milliequivalents / kilogram / minute
meq/L | milliequivalent per liter
meq/m2 | milliequivalent per square meter
meq/min | milliequivalent per minute
meq/mL | milliequivalent per milliliter
mg | milligram
mg/(10.h) | milligram per 10 hour
mg/(12.h) | milligram per 12 hour
mg/(18.h) | milligram per 18 hour
mg/(2.h) | milligram per 2 hour
mg/(24.h) | milligram per 24 hour
mg/(72.h) | milligram per 72 hour
mg/(8.h) | milligram per 8 hour
mg/(8.h.kg) | milligram / 8 * hour * kilogram
mg/(kg.h) | milligram / kilogram * hour
mg/{Hgb}/g | milligram / Hgb / gram

mg/{Specimen} | milligram / Specimen
mg/{Tot'Volume} | milligram / Tot'Volume
mg/{Volume} | milligram / Volume
mg/d | milligram per day
mg/d/(173.10*-2.m2) | milligram / day / 173 * (the number ten for arbitrary powers ^ -2) * (meter ^ 2)
mg/dL | milligram per deciliter
mg/g | milligram per gram
mg/g{Cre} | milligram / gram Cre
mg/g{creat} | milligram per gram of creatinine
mg/h | milligram per hour
mg/kg | milligram per kilogram
mg/kg/(24.h) | milligram / kilogram / 24 * hour
mg/kg/d | milligram per kilogram per day
mg/kg/min | milligram per kilogram per minute
mg/L | milligram per liter
mg/m2 | milligram per square meter
mg/m3 | milligram per cubic meter
mg/mg | milligram per milligram
mg/mg{cre} | milligram / milligram cre
mg/min | milligram per minute
mg/mL | milligram per milliliter
mg/mmol | milligram per millimole
mg/mmol{Cre} | milligram / millimole Cre
mg/mmol{creat} | milligram per millimole of creatinine
mg/wk | milligram per week
mg{Phenylketones}/dL | milligram Phenylketones / deciliter
min | minute
mL | milliliter
mL/({h'b}.m2) | milliliter / h'b * (meter ^ 2)
mL/(10.h) | milliliter per 10 hour
mL/(12.h) | milliliter per 12 hour
mL/(2.h) | milliliter per 2 hour
mL/(24.h) | milliliter per 24 hour
mL/(4.h) | milliliter per 4 hour
mL/(72.h) | milliliter per 72 hour
mL/(8.h) | milliliter per 8 hour
mL/(kg.min) | milliliter / kilogram * minute
mL/[sin_i] | milliliter per square inch (international)
mL/{h'b} | MilliLitersPerHeartbeat [SI Volume Units]
mL/cm[H2O] | milliliter / centimeter of water column
mL/d | milliliter per day
mL/dL | milliliter per deciliter
mL/h | milliliter per hour
mL/kg | milliliter per kilogram
mL/kg/(8.h) | milliliter per kilogram per 8 hour
mL/kg/d | milliliter per kilogram per day
mL/kg/h | milliliter per kilogram per hour
mL/kg/min | milliliter per kilogram per minute
mL/L | milliliter per liter
mL/m2 | milliliter per square meter
mL/mbar | milliliter per millibar
mL/min | milliliter per minute
mL/min/(173.10*-2.m2) | milliliter / minute / 173 * (the number ten for arbitrary powers ^ -2) * (meter ^ 2)
mL/min/{1.73_m2} | milliliter per minute per 1.73 square meter
mL/min/m2 | milliliter per minute per square meter
mL/mm | milliliter per millimeter
mL/s | milliliter per second
mm | millimeter
mm/h | millimeter per hour
mm/min | millimeter per minute
mm[H2O] | millimeter of water
mm[Hg] | millimeter of mercury
mm2 | square millimeter
mm3 | cubic millimeter
mmol | millimole
mmol/(12.h) | millimole per 12 hour
mmol/(18.h) | millimole per 18 hour
mmol/(2.h) | millimole per 2 hour
mmol/(24.h) | millimole per 24 hour
mmol/(6.h) | millimole per 6 hour
mmol/(8.h) | millimole per 8 hour
mmol/(8.h.kg) | millimole / 8 * hour * kilogram

mmol/{Tot'Volume} | millimole / Tot'Volume
mmol/d | millimole per day
mmol/dL | millimole per deciliter
mmol/g | millimole per gram
mmol/g{creat} | millimole per gram of creatinine
mmol/g{hemoglobin} | millimole per gram of hemoglobin
mmol/h | millimole per hour
mmol/h/mg{Hb} | millimole per hour per milligram of hemoglobin
mmol/h/mg{protein} | millimole per hour per milligram of protein
mmol/kg | millimole per kilogram
mmol/kg/d | millimole per kilogram per day
mmol/kg/h | millimole per kilogram per hour
mmol/kg/min | millimole per kilogram per minute
mmol/kg{H2O} | millimole per kilogram of water
mmol/L | millimole per liter
mmol/L/s | millimole per liter per second
mmol/m | millimole / meter
mmol/m2 | millimole per square meter
mmol/min | millimole per minute
mmol/mmol | millimole per millimole
mmol/mol | millimole per mole
mmol/mol{creat} | millimole per mole of creatinine
mmol/s/L | millimole per second per liter
mo | month
mol | mole
mol/d | mole per day
mol/kg | mole per kilogram
mol/kg/s | mole per kilogram per second
mol/L | mole per liter
mol/m3 | mole per cubic meter
mol/mL | mole per milliliter
mol/mol | mole per mole
mol/mol{creat} | mole / mole creat
mol/s | mole per second
mosm | milliosmole
mosm/kg | milliosmole per kilogram
mosm/L | milliosmole per liter
mPa | millipascal
ms | millisecond
mU | millienzyme Unit
mU/g | millienzyme Unit per gram
mU/g{Hgb} | milliUnit / gram Hgb
mU/L | millienzyme Unit per liter
mU/mg | milliUnit / milligram
mU/mg{Cre} | milliUnit / milligram Cre
mU/min | milliUnit / minute
mU/mL | millienzyme Unit per milliliter
mU/mL/min | millienzyme Unit per milliliter per minute
mU/mmol{creatinine} | millienzyme Unit per millimole of creatinine
mU/mmol{RBCs} | millienzyme Unit per millimole of red blood cells
mV | milliVolt
N | Newton
N.cm | Newton centimeter
N.s | Newton second
nCi | nanoCurie
ng | nanogram
ng/(24.h) | nanogram per 24 hour
ng/(8.h) | nanogram per 8 hour
ng/(8.h.kg) | nanogram / 8 * hour * kilogram
ng/(kg.d) | nanogram / kilogram * day
ng/(kg.h) | nanogram / kilogram * hour
ng/(kg.min) | nanogram / kilogram * minute
ng/10*6 | nanogram per million
ng/d | nanogram per day
ng/dL | nanogram per deciliter
ng/dL/h | nanogram / deciliter / hour
ng/g | nanogram per gram
ng/g{Cre} | nanogram / gram Cre
ng/g{creat} | nanogram per gram of creatinine
ng/h | nanogram per hour
ng/kg | nanogram per kilogram
ng/kg/(8.h) | nanogram per kilogram per 8 hour

ng/kg/h | nanogram per kilogram per hour
ng/kg/min | nanogram per kilogram per minute
ng/L | nanogram per liter
ng/m2 | nanogram per square meter
ng/mg | nanogram per milligram
ng/mg/h | nanogram per milligram per hour
ng/mg{Protein} | nanogram / milligram Protein
ng/min | nanogram per minute
ng/mL | nanogram per millliiter
ng/mL/h | nanogram per milliliter per hour
ng/mL{rbc} | nanogram / milliliter rbc
ng/s | nanogram per second
nkat | nanokatal
nL | nanoliter
nm | nanometer
nm/s/L | nanometer per second per liter
nmol | nanomole
nmol/(24.h) | nanomole per 24 hour
nmol/d | nanomole per day
nmol/dL | nanomole per deciliter
nmol/g | nanomole per gram
nmol/g{Cre} | nanomole / gram Cre
nmol/g{creat} | nanomole per gram of creatinine
nmol/g{dry_wt} | nanomole per gram of dry weight
nmol/h/L | nanomole per hour per liter
nmol/h/mg{protein} | nanomole per hour per milligram of protein
nmol/h/mL | nanomole per hour per milliliter
nmol/L | nanomole per liter
nmol/L/mmol{creat} | nanomole per liter per millimole of creatinine
nmol/L/s | nanomole per liter per second
nmol/L{RBCs} | nanomole per liter of red blood cells
nmol/m/mg{protein} | nanomole per meter per milligram of protein
nmol/mg | nanomole per milligram
nmol/mg/h | nanomole per milligram per hour
nmol/min/mg{hemoglobin} | nanomole per minute per milligram of hemoglobin
nmol/min/mg{protein} | nanomole per minute per milligram of protein
nmol/min/mL | nanomole per minute per milliliter
nmol/mL | nanomole per milliliter
nmol/mL/h | nanomole per milliliter per hour
nmol/mL/min | nanomole per milliliter per minute
nmol/mmol | nanomole per millimole
nmol/mmol{Cre} | nanomole / millimole Cre
nmol/mmol{creat} | nanomole per millimole of creatinine
nmol/mol | nanomole per mole
nmol/nmol | nanomole per nanomole
nmol/s | nanomole per second
nmol/s/L | nanomole per second per liter
nmol/umol{creat} | nanomole per micromole of creatinine
ns | nanosecond
Ohm | Ohm
osm/kg | osmole per kilogram
osm/L | osmole per liter
Pa | Pascal
pg | picogram
pg/dL | picogram per deciliter
pg/L | picogram per liter
pg/mg | picogram per milligram
pg/mL | picogram per milliliter
pg/mm | picogram per millimeter
pkat | picokatal
pL | picoliter
pm | picometer
pmol | picomole
pmol/d | picomole per day
pmol/dL | picomole per deciliter
pmol/g | picomole per gram
pmol/h/mg{protein} | picomole per hour per milligram of protein
pmol/h/mL | picomole per hour per milliliter
pmol/L | picomole per liter
pmol/mg{protein} | picomole per milligram of protein
pmol/min | picomole per minute
pmol/min/mg{protein} | picomole per minute per milligram of protein

pmol/mL | picomole per milliliter
pmol/mmol | picomole per millimole
pmol/mmol{creat} | picomole per millimole of creatinine
pmol/mol | picomole per mole
pmol/umol | picomole per micromole
pmol/umol{creat} | picomole per micromole of creatinine
ps | picosecond
pT | picotesla
s | second
St | Stokes
t | tonne
U | enzyme Unit
U/(1.h) | enzyme Unit per 1 hour
U/(12.h) | enzyme unit per 12 hour
U/(18.h) | enzyme Unit per 18 hour
U/(2.h) | enzyme unit per 2 hour
U/(24.h) | enzyme unit per 24 hour
U/10*10{cells} | enzyme unit per 10 billion cells
U/10*12 | enzyme unit per trillion
U/10*6 | enzyme unit per million
U/10*9 | enzyme unit per billion
U/d | enzyme unit per day
U/dL | enzyme unit per deciliter
U/g | enzyme unit per gram
U/g{Cre} | Unit / gram Cre
U/g{Hb} | enzyme unit per gram of hemoglobin
U/g{hemoglobin} | enzyme Unit per gram of hemoglobin
U/g{Hgb} | UnitsPerGramHemoglobin
U/h | enzyme unit per hour
U/kg/h | Unit / kilogram / hour
U/kg{Hb} | enzyme unit per kilogram of hemoglobin
U/kg{hemoglobin} | enzyme Unit per kilogram of hemoglobin
U/L | enzyme unit per liter
U/min | enzyme unit per minute
U/mL | enzyme unit per milliliter
U/mL{RBC} | Unit / milliliter RBC
U/mL{RBCs} | enzyme unit per milliliter of red blood cells
U/mmol{creat} | enzyme unit per millimole of creatinine
U/mol | enzyme Unit per mole
U/s | enzyme unit per second
U/umol | enzyme Unit per micromole
u[IU] | micro international unit
u[IU]/L | microinternational unit per liter
u[IU]/mL | micro international unit per milliliter
ueq | microequivalents
ueq/L | microequivalent per liter
ueq/mL | microequivalent per milliliter
ug | microgram
ug/(24.h) | microgram per 24 hour
ug/(8.h) | microgram per 8 hour
ug/(kg.d) | microgram / kilogram * day
ug/(kg.h) | microgram / kilogram * hour
ug/{Specimen} | microgram / Specimen
ug/{TotalVolume} | MicroGramsPerTotalVolume
ug/d | microgram per day
ug/dL | microgram per deciliter
ug/dL{rbc} | microgram / deciliter rbc
ug/g | microgram per gram
ug/g{Cre} | microgram / gram Cre
ug/g{creat} | microgram per gram of creatinine
ug/g{DryWeight} | microgram / gram DryWeight
ug/g{Hgb} | microgram / gram Hgb
ug/g{Tissue} | microgram / gram Tissue
ug/h | microgram per hour
ug/kg | microgram per kilogram
ug/kg/(8.h) | microgram per kilogram per 8 hour
ug/kg/d | microgram per kilogram per day
ug/kg/h | microgram per kilogram per hour
ug/kg/min | microgram per kilogram per minute
ug/L | microgram per liter
ug/L/(24.h) | microgram per liter per 24 hour
ug/L{DDU} | microgram / liter DDU

ug/m2 | microgram per square meter
ug/mg | microgram per milligram
ug/mg{Cre} | microgram / milligram Cre
ug/mg{creat} | microgram per milligram of creatinine
ug/min | microgram per minute
ug/mL | microgram per milliliter
ug/mL{FEU} | microgram / milliliter FEU
ug/mmol | microgram per millimole
ug/ng | microgram per nanogram
ug{T4}/dL | microgram T4 / deciliter
ukat | microkatal
uL | microliter
uL/(2.h) | microliter per 2 hour
uL/h | microliter per hour
um | micrometer
um/s | micrometer per second
umol | micromole
umol/(24.h) | micromole per 24 hour
umol/d | micromole per day
umol/dL | micromole per deciliter
umol/g | micromole per gram
umol/g{Cre} | micromole / gram Cre
umol/g{creat} | micromole per gram of creatinine
umol/g{Hb} | micromole per gram of hemoglobin
umol/g{hemoglobin} | micromole per gram of hemoglobin
umol/g{Hgb} | micromole / gram Hgb
umol/h | micromole per hour
umol/h/g | micromole / hour / gram
umol/h/L | micromole per hour per liter
umol/h/mg{protein} | micromole per hour per milligram of protein
umol/kg | micromole per kilogram
umol/L | micromole per liter
umol/L/h | micromole per liter per hour
umol/L{rbc} | micromole per liter of red blood cells
umol/m | micromole / meter
umol/mg | micromole per milligram
umol/mg{Cre} | micromole / milligram Cre
umol/min | micromole per minute
umol/min/g | micromole per minute per gram
umol/min/g{prot} | micromole / minute / gram prot
umol/min/g{protein} | micromole per minute per gram of protein
umol/min/L | micromole per minute per liter
umol/mL | micromole per milliliter
umol/mL/min | micromole per milliliter per minute
umol/mmol | micromole per millimole
umol/mol | micromole per mole
umol/mol{Cre} | micromole / mole Cre
umol/mol{creat} | micromole per mole of creatinine
umol/mol{Hb} | micromole per mole of hemoglobin
umol/umol | micromole per micromole
uOhm | microOhm
us | microsecond
uU | microUnit
uU/g | micro enzyme unit per gram
uU/L | micro enzyme unit per liter
uU/mL | micro enzyme unit per milliliter
uV | microvolt
V | volt
wk | week
10.uN.s/(cm5.m2) | 10 micronewton second per centimeter to the fifth power per square meter
10*4/uL | 10 thousand per microliter
24.h | 24 hour
A | Ampère
{ARU} | aspirin response unit
atm | standard atmosphere
ag/{cell} | attogram per cell
Bq | Becquerel
{binding_index} | binding index
[bdsk'U] | Bodansky unit
{CAG_repeats} | CAG trinucleotide repeats
cal | calorie
cm[H2O]/s/m | centimeter of water per second per meter

{delta_OD} | change in (delta) optical density
{copies} | copies
{count} | count
{CPM} | counts per minute
{CPM}/10*3{cell} | counts per minute per thousand cells
daL/min | dekaliter per minute
daL/min/m2 | dekaliter per minute per square meter
{dilution} | dilution
dyn.s/cm | dyne second per centimeter
dyn.s/(cm.m2) | dyne second per centimeter per square meter
{EIA_index} | EIA index
{EIA_titer} | EIA titer
{EV} | EIA value
U/10 | enzyme unit per 10
U/10*10 | enzyme unit per 10 billion
U/(10.g){feces} | enzyme unit per 10 gram of feces
U/g{creat} | enzyme unit per gram of creatinine
U/g{protein} | enzyme unit per gram of protein
U{25Cel}/L | enzyme unit per liter at 25 deg Celsius
U{37Cel}/L | enzyme unit per liter at 37 deg Celsius
U/10*12{RBCs} | enzyme unit per trillion red blood cells
F | Farad
fmol/mg{cytosol_protein} | femtomole per milligram of cytosol protein
fmol/mg{protein} | femtomole per milligram of protein
{FIU} | fluorescent intensity unit
{fraction} | fraction
{GAA_repeats} | GAA trinucleotide repeats
{genomes}/mL | genomes per milliliter
{Globules}/[HPF] | globules (drops) per high power field
g.m/{beat} | gram meter per heart beat
g{creat} | gram of creatinine
g{Hb} | gram of hemoglobin
g{total_nit} | gram of total nitrogen
g{total_prot} | gram of total protein
g{wet_tissue} | gram of wet tissue
g/kg/(8.h) | gram per kilogram per 8 hour
g/(8.h){shift} | gram per 8 hour shift
g/cm3 | gram per cubic centimeter
g/g{globulin} | gram per gram of globulin
g/kg/(8.h){shift} | gram per kilogram per 8 hour shift
g/kg/h | gram per kilogram per hour
g/kg/min | gram per kilogram per minute
g/mol{creat} | gram per mole of creatinine
g/{specimen} | gram per specimen
g/{total_output} | gram per total output
g/{total_weight} | gram per total weight
Gy | Gray
{beats}/min | heart beats per minute
H | Henry
[HPF] | high power field
[GPL'U]/mL | IgG anticardiolipin unit per milliliter**
{GPS'U} | IgG antiphosphatidylserine unit
[MPL'U]/mL | IgM anticardiolipin unit per milliliter**
{ISR} | immune status ratio
{IFA_index} | immunofluorescence assay index
{IFA_titer} | Immunofluorescence assay titer
[in_i'H2O] | inch (international) of water
{index_val} | index value
{HA_titer} | influenza hemagglutination titer
[IU] | international unit
[IU]/L{37Cel} | international unit per liter at 37 degrees Celsius
[IU]/mg{creat} | international unit per milligram of creatinine
kat | katal
kU | kilo enzyme unit
kU/L{class} | kilo enzyme unit per liter class
kcal/d | kilocalorie per day
kcal/kg/(24.h) | kilocalorie per kilogram per 24 hour
kcal/[oz_av] | kilocalorie per ounce (US & British)
[ka'U] | King Armstrong unit
L/(24.h) | liter per 24 hour
L/s/s2 | liter per second per square second
{Log_copies}/mL | log (base 10) copies per milliliter

{Log_IU} | log (base 10) international unit
{Log_IU}/mL | log (base 10) international unit per milliliter
{Log} | log base 10
[LPF] | low power field
lm | lumen
lm.m2 | lumen square meter
{Lyme_index_value} | Lyme index value
[mclg'U] | Mac Lagan unit
Ms | megasecond
ug/g{feces} | microgram per gram of feces
ug{FEU}/mL | microgram fibrinogen equivalent unit per milliliter
ug/(100.g) | microgram per 100 gram
ug/m3 | microgram per cubic meter
ug/dL{RBCs} | microgram per deciliter of red blood cells
ug/g{dry_tissue} | microgram per gram of dry tissue
ug/g{dry_wt} | microgram per gram of dry weight
ug/g{hair} | microgram per gram of hair
ug/g{Hb} | microgram per gram of hemoglobin
ug/g{tissue} | microgram per gram of tissue
ug/L{RBCs} | microgram per liter of red blood cells
ug/mL{class} | microgram per milliliter class
ug/mL{eqv} | microgram per milliliter equivalent
ug/mmol{creat} | microgram per millimole of creatinine
ug/{specimen} | microgram per specimen
ug/[sft_i] | microgram per square foot (international)
umol{BCE}/mol | micromole bone collagen equivalent per mole
umol/(2.h) | micromole per 2 hour
umol/(8.h) | micromole per 8 hour
umol/dL{GF} | micromole per deciliter of glomerular filtrate
umol/kg{feces} | micromole per kilogram of feces
umol/L{RBCs} | micromole per liter of red blood cells
umol/umol{creat} | micromole per micromole of creatinine
umol/mg{creat} | micromole per milligram of creatinine
umol/mmol{creat} | micromole per millimole of creatinine
umol/min/g{mucosa} | micromole per minute per gram of mucosa
mU/mmol{creat} | milli enzyme unit per millimole of creatinine
mU/g{Hb} | milli enzyme unit per gram of hemoglobin
mU/g{protein} | milli enzyme unit per gram of protein

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.166 Value Set http://hl7.org/fhir/ValueSet/document-mode

URL: https://hl7.org/fhir/R4/valueset-document-mode.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Conformance Package for further details.

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/document-mode
Version: | 4.0.1
Name: | DocumentMode
Title: | DocumentMode
Definition: | Whether the application produces or consumes documents.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.186 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for DocumentMode

• Resource: CapabilityStatement.document.mode (code / Required)

4.4.1.166.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/document-mode

4.4.1.166.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/document-mode version 4.0.1

All codes from system http://hl7.org/fhir/document-mode

Code | Display | Definition
producer | Producer | The application produces documents of the specified type.
consumer | Consumer | The application consumes documents of the specified type.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.167 Value Set http://hl7.org/fhir/ValueSet/related-claim-relationship

URL: https://hl7.org/fhir/R4/valueset-related-claim-relationship.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/related-claim-relationship
Version: | 4.0.1
Name: | ExampleRelatedClaimRelationshipCodes
Title: | Example Related Claim Relationship Codes
Definition: | This value set includes sample Related Claim Relationship codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.568 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ExampleRelatedClaimRelationshipCodes

• Resource: ExplanationOfBenefit.related.relationship (CodeableConcept / Example)

4.4.1.167.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/ex-relatedclaimrelationship

4.4.1.167.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/ex-relatedclaimrelationship version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/ex-relatedclaimrelationship

Code | Display | Definition
prior | Prior Claim | A prior claim instance for the same intended suite of services.
associated | Associated Claim | A claim for a different suite of services which is related the suite claimed here.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.168 Value Set http://hl7.org/fhir/ValueSet/medicationknowledge-characteristic

URL: https://hl7.org/fhir/R4/valueset-medicationknowledge-characteristic.html
Pharmacy Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medicationknowledge-characteristic
Version: | 4.0.1
Name: | medicationKnowledge Characteristic Codes
Title: | Medication knowledge characteristic codes
Definition: | MedicationKnowledge Characteristic Codes
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.1337 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for medicationKnowledge Characteristic Codes

• Resource: MedicationKnowledge.drugCharacteristic.type (CodeableConcept / Example)

4.4.1.168.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/medicationknowledge-characteristic

4.4.1.168.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 7 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/medicationknowledge-characteristic version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/medicationknowledge-characteristic

Code | Display | Definition
imprintcd | Imprint Code | Identyifying marks on product
size | Size | Description of size of the product
shape | Shape | Description of the shape of the product
color | Color | Description of the color of the product
coating | Coating | Description of the coating of the product
scoring | Scoring | Description of the scoring of the product
logo | Logo | Description of the Logo of the product

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.169 Value Set http://hl7.org/fhir/ValueSet/immunization-program-eligibility

URL: https://hl7.org/fhir/R4/valueset-immunization-program-eligibility.html
Public Health and Emergency Response Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined at http://www.hl7.org/Special/committees/pher/index.cfm .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/immunization-program-eligibility
Version: | 4.0.1
Name: | ImmunizationProgramEligibility
Title: | Immunization Program Eligibility
Definition: | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the patient's eligibility for a vaccination program. This value set is provided as a suggestive example.
Committee: | Public Health and Emergency Response Work Group
OID: | 2.16.840.1.113883.4.642.3.291 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ImmunizationProgramEligibility

• Resource: Immunization.programEligibility (CodeableConcept / Example)

4.4.1.169.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/immunization-program-eligibility

4.4.1.169.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/immunization-program-eligibility version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/immunization-program-eligibility

Code | Display | Definition
ineligible | Not Eligible | The patient is not eligible for the funding program.
uninsured | Uninsured | The patient is eligible for the funding program because they are uninsured.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.170 Value Set http://hl7.org/fhir/ValueSet/ensembl

URL: https://hl7.org/fhir/R4/valueset-ensembl.html

This value set could not be expanded by the publication tooling: Error from server: Unable to provide support for code system http://www.ensembl.org

Orders and Observations Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/ensembl
Version: | 4.0.1
Name: | ENSEMBL
Title: | E n s e m b l
Definition: | ENSEMBL reference sequence identifiers
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.1040 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is not currently used

4.4.1.170.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://www.ensembl.org

4.4.1.170.2 Expansion

This expansion generated 01 Nov 2019

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.171 Value Set http://hl7.org/fhir/ValueSet/data-types

URL: https://hl7.org/fhir/R4/valueset-data-types.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/data-types
Version: | 4.0.1
Name: | DataType
Title: | DataType
Definition: | A version specific list of the data types defined by the FHIR specification for use as an element type (any of the FHIR defined data types).
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.22 (for OID based terminology systems)
Source Resource | XML / JSON

This Value Set is normative - it is generated based on the information defined in this specification. The definition will remain fixed across versions, but the actual contents will change from version to version

This value set is not currently used

4.4.1.171.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/data-types

4.4.1.171.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 63 concepts

Expansion based on http://hl7.org/fhir/data-types version 4.0.1

All codes from system http://hl7.org/fhir/data-types

Code | Display | Definition
Address | Address | An address expressed using postal conventions (as opposed to GPS or other location definition formats). This data type may be used to convey addresses for use in delivering mail as well as for visiting locations which might not be valid for mail delivery. There are a variety of postal address formats defined around the world.
Age | Age | A duration of time during which an organism (or a process) has existed.
Annotation | Annotation | A text note which also contains information about who made the statement and when.
Attachment | Attachment | For referring to data content defined in other formats.
BackboneElement | BackboneElement | Base definition for all elements that are defined inside a resource - but not those in a data type.
CodeableConcept | CodeableConcept | A concept that may be defined by a formal reference to a terminology or ontology or may be provided by text.
Coding | Coding | A reference to a code defined by a terminology system.
ContactDetail | ContactDetail | Specifies contact information for a person or organization.
ContactPoint | ContactPoint | Details for all kinds of technology mediated contact points for a person or organization, including telephone, email, etc.
Contributor | Contributor | A contributor to the content of a knowledge asset, including authors, editors, reviewers, and endorsers.
Count | Count | A measured amount (or an amount that can potentially be measured). Note that measured amounts include amounts that are not precisely quantified, including amounts involving arbitrary units and floating currencies.
DataRequirement | DataRequirement | Describes a required data item for evaluation in terms of the type of data, and optional code or date-based filters of the data.
Distance | Distance | A length - a value with a unit that is a physical distance.
Dosage | Dosage | Indicates how the medication is/was taken or should be taken by the patient.
Duration | Duration | A length of time.
Element | Element | Base definition for all elements in a resource.

ElementDefinition | ElementDefinition | Captures constraints on each element within the resource, profile, or extension.
Expression | Expression | A expression that is evaluated in a specified context and returns a value. The context of use of the expression must specify the context in which the expression is evaluated, and how the result of the expression is used.
Extension | Extension | Optional Extension Element - found in all resources.
HumanName | HumanName | A human's name with the ability to identify parts and usage.
Identifier | Identifier | An identifier - identifies some entity uniquely and unambiguously. Typically this is used for business identifiers.
MarketingStatus | MarketingStatus | The marketing status describes the date when a medicinal product is actually put on the market or the date as of which it is no longer available.
Meta | Meta | The metadata about a resource. This is content in the resource that is maintained by the infrastructure. Changes to the content might not always be associated with version changes to the resource.
Money | Money | An amount of economic utility in some recognized currency.
MoneyQuantity | MoneyQuantity
Narrative | Narrative | A human-readable summary of the resource conveying the essential clinical and business information for the resource.
ParameterDefinition | ParameterDefinition | The parameters to the module. This collection specifies both the input and output parameters. Input parameters are provided by the caller as part of the $evaluate operation. Output parameters are included in the GuidanceResponse.
Period | Period | A time period defined by a start and end date and optionally time.
Population | Population | A populatioof people with some set of grouping criteria.
ProdCharacteristic | ProdCharacteristic | The marketing status describes the date when a medicinal product is actually put on the market or the date as of which it is no longer available.
ProductShelfLife | ProductShelfLife | The shelf-life and storage information for a medicinal product item or container can be described using this class.
Quantity | Quantity | A measured amount (or an amount that can potentially be measured). Note that measured amounts include amounts that are not precisely quantified, including amounts involving arbitrary units and floating currencies.
Range | Range | A set of ordered Quantities defined by a low and high limit.
Ratio | Ratio | A relationship of two Quantity values - expressed as a numerator and a denominator.
Reference | Reference | A reference from one resource to another.
RelatedArtifact | RelatedArtifact | Related artifacts such as additional documentation, justification, or bibliographic references.
SampledData | SampledData | A series of measurements taken by a device, with upper and lower limits. There may be more than one dimension in the data.
Signature | Signature | A signature along with supporting context. The signature may be a digital signature that is cryptographic in nature, or some other signature acceptable to the domain. This other signature may be as simple as a graphical image representing a hand-written signature, or a signature ceremony Different signature approaches have different utilities.
SimpleQuantity | SimpleQuantity
SubstanceAmount | SubstanceAmount | Chemical substances are a single substance type whose primary defining element is the molecular structure. Chemical substances shall be defined on the basis of their complete covalent molecular structure; the presence of a salt (counter-ion) and/or solvates (water, alcohols) is also captured. Purity, grade, physical form or particle size are not taken into account in the definition of a chemical substance or in the assignment of a Substance ID.
Timing | Timing | Specifies an event that may occur multiple times. Timing schedules are used to record when things are planned, expected or requested to occur. The most common usage is in dosage instructions for medications. They are also used when planning care of various kinds, and may be used for reporting the schedule to which past regular activities were carried out.
TriggerDefinition | TriggerDefinition | A description of a triggering event. Triggering events can be named events, data events, or periodic, as determined by the type element.
UsageContext | UsageContext | Specifies clinical/business/etc. metadata that can be used to retrieve, index and/or categorize an artifact. This metadata can either be specific to the applicable population (e.g., age category, DRG) or the specific context of care (e.g., venue, care setting, provider of care).
base64Binary | base64Binary | A stream of bytes
boolean | boolean | Value of "true" or "false"
canonical | canonical | A URI that is a reference to a canonical URL on a FHIR resource
code | code | A string which has at least one character and no leading or trailing whitespace and where there is no whitespace other than single spaces in the contents
date | date | A date or partial date (e.g. just year or year + month). There is no time zone. The format is a union of the schema types gYear, gYearMonth and date. Dates SHALL be valid dates.
dateTime | dateTime | A date, date-time or partial date (e.g. just year or year + month). If hours and minutes are specified, a time zone SHALL be populated. The format is a union of the schema types gYear, gYearMonth, date and dateTime. Seconds must be provided due to schema type constraints but may be zero-filled and may be ignored. Dates SHALL be valid dates.
decimal | decimal | A rational number with implicit precision
id | id | Any combination of letters, numerals, "-" and ".", with a length limit of 64 characters. (This might be an integer, an unprefixed OID, UUID or any other identifier pattern that meets these constraints.) Ids are case-insensitive.
instant | instant | An instant in time - known at least to the second
integer | integer | A whole number
markdown | markdown | A string that may contain Github Flavored Markdown syntax for optional processing by a mark down presentation engine
oid | oid | An OID represented as a URI
positiveInt | positiveInt | An integer with a value that is positive (e.g. >0)
string | string | A sequence of Unicode characters
time | time | A time during the day, with no date specified
unsignedInt | unsignedInt | An integer with a value that is not negative (e.g. >= 0)
uri | uri | String of characters used to identify a name or a resource
url | url | A URI that is a literal reference
uuid | uuid | A UUID, represented as a URI
xhtml | XHTML | XHTML format, as defined by W3C, but restricted usage (mainly, no active content)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.172 Value Set http://hl7.org/fhir/ValueSet/guide-page-generation

URL: https://hl7.org/fhir/R4/valueset-guide-page-generation.html
FHIR Infrastructure Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/guide-page-generation
Version: | 4.0.1
Name: | GuidePageGeneration
Title: | GuidePageGeneration
Definition: | A code that indicates how the page is generated.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.998 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for GuidePageGeneration
• Resource: ImplementationGuide.definition.page.generation (code / Required)

4.4.1.172.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/guide-page-generation

4.4.1.172.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/guide-page-generation version 4.0.1

All codes from system http://hl7.org/fhir/guide-page-generation

Code | Display | Definition
html | HTML | Page is proper xhtml with no templating. Will be brought across unchanged for standard post-processing.
markdown | Markdown | Page is markdown with templating. Will use the template to create a file that imports the markdown file prior to post-processing.
xml | XML | Page is xml with templating. Will use the template to create a file that imports the source file and run the nominated XSLT transform (see parameters) if present prior to post-processing.
generated | Generated | Page will be generated by the publication process - no source to bring across.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.173 Value Set http://hl7.org/fhir/ValueSet/contract-publicationstatus

URL: https://hl7.org/fhir/R4/valueset-contract-publicationstatus.html
Financial Management Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contract-publicationstatus
Version: | 4.0.1
Name: | ContractResourcePublicationStatusCodes
Title: | Contract Resource Publication Status codes
Definition: | This value set contract specific codes for status.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.1208 (for OID based terminology systems)
Copyright: | HL7 International.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ContractResourcePublicationStatusCodes

• ConceptMap: Translation source in Canonical Mapping for "Contract Resource Publication Status codes"

• Resource: Contract.contentDefinition.publicationStatus (code / Required)

4.4.1.173.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/contract-publicationstatus

4.4.1.173.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 15 concepts

Expansion based on http://hl7.org/fhir/contract-publicationstatus version 4.0.1

All codes from system http://hl7.org/fhir/contract-publicationstatus

Code | Display | Definition | Canonical Status
amended | Amended | Contract is augmented with additional information to correct errors in a predecessor or to updated values in a predecessor. Usage: Contract altered within effective time. Precedence Order = 9. Comparable FHIR and v.3 status codes: revised; replaced.
appended | Appended | Contract is augmented with additional information that was missing from a predecessor Contract. Usage: Contract altered within effective time. Precedence Order = 9. Comparable FHIR and v.3 status codes: updated, replaced.
cancelled | Cancelled | Contract is terminated due to failure of the Grantor and/or the Grantee to fulfil one or more contract provisions. Usage: Abnormal contract termination. Precedence Order = 10. Comparable FHIR and v.3 status codes: stopped; failed; aborted.
disputed | Disputed | Contract is pended to rectify failure of the Grantor or the Grantee to fulfil contract provision(s). E.g., Grantee complaint about Grantor's failure to comply with contract provisions. Usage: Contract pended. Precedence Order = 7. Comparable FHIR and v.3 status codes: on hold; pended; suspended. | ~suspended
entered-in-error | Entered in Error | Contract was created in error. No Precedence Order. Status may be applied to a Contract with any status. | ~error
executable | Executable | Contract execution pending; may be executed when either the Grantor or the Grantee accepts the contract provisions by signing. I.e., where either the Grantor or the Grantee has signed, but not both. E.g., when an insurance applicant signs the insurers application, which references the policy. Usage: Optional first step of contract execution activity. May be skipped and contracting activity moves directly to executed state. Precedence Order = 3. Comparable FHIR and v.3 status codes: draft; preliminary; planned; intended; active.
executed | Executed | Contract is activated for period stipulated when both the Grantor and Grantee have signed it. Usage: Required state for normal completion of contracting activity. Precedence Order = 6. Comparable FHIR and v.3 status codes: accepted; completed. | ~complete
negotiable | Negotiable | Contract execution is suspended while either or both the Grantor and Grantee propose and consider new or revised contract provisions. I.e., where the party which has not signed proposes changes to the terms. E .g., a life insurer declines to agree to the signed application because the life insurer has evidence that the applicant, who asserted to being younger or a non-smoker to get a lower premium rate - but offers instead to agree to a higher premium based on the applicants actual age or smoking status. Usage: Optional contract activity between executable and executed state. Precedence Order = 4. Comparable FHIR and v.3 status codes: in progress; review; held.
offered | Offered | Contract is a proposal by either the Grantor or the Grantee. Aka - A Contract hard copy or electronic 'template', 'form' or 'application'. E.g., health insurance application; consent directive form. Usage: Beginning of contract negotiation, which may have been completed as a precondition because used for 0..* contracts. Precedence Order = 2. Comparable FHIR and v.3 status codes: requested; new. | ~proposed
policy | Policy | Contract template is available as the basis for an application or offer by the Grantor or Grantee. E.g., health insurance policy; consent directive policy. Usage: Required initial contract activity, which may have been completed as a precondition because used for 0..* contracts. Precedence Order = 1. Comparable FHIR and v.3 status codes: proposed; intended.
rejected | Rejected | Execution of the Contract is not completed because either or both the Grantor and Grantee decline to accept some or all of the contract provisions. Usage: Optional contract activity between executable and abnormal termination. Precedence Order = 5. Comparable FHIR and v.3 status codes: stopped; cancelled.
renewed | Renewed | Beginning of a successor Contract at the termination of predecessor Contract lifecycle. Usage: Follows termination of a preceding Contract that has reached its expiry date. Precedence Order = 13. Comparable FHIR and v.3 status codes: superseded.
revoked | Revoked | A Contract that is rescinded. May be required prior to replacing with an updated Contract. Comparable FHIR and v.3 status codes: nullified. | ~failed

resolved | Resolved | Contract is reactivated after being pended because of faulty execution. *E.g., competency of the signer(s), or where the policy is substantially different from and did not accompany the application/form so that the applicant could not compare them. Aka - ''reactivated''. Usage: Optional stage where a pended contract is reactivated. Precedence Order = 8. Comparable FHIR and v.3 status codes: reactivated.

terminated | Terminated | Contract reaches its expiry date. It might or might not be renewed or renegotiated. Usage: Normal end of contract period. Precedence Order = 12. Comparable FHIR and v.3 status codes: Obsoleted.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.4.1.174 Value Set http://hl7.org/fhir/ValueSet/gender-identity

URL: https://hl7.org/fhir/R4/valueset-gender-identity.html

Patient Administration Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/gender-identity

Version: | 4.0.1

Name: | GenderIdentity

Title: | Gender identity

Definition: | This example value set defines a set of codes that can be used to indicate a patient's gender identity.

Committee: | Patient Administration Work Group

OID: | 2.16.840.1.113883.4.642.3.972 (for OID based terminology systems)

Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org

Source Resource | XML / JSON

This value set is used in the following places:

• Extension: http://hl7.org/fhir/StructureDefinition/patient-genderIdentity: genderIdentity (CodeableConcept / Example)

4.4.1.174.1 Content Logical Definition

This value set includes codes from the following code systems:

http://hl7.org/fhir/gender-identity

Code | Display

male | male | the patient identifies as male

female | female | the patient identifies as female

non-binary | non-binary | the patient identifies with neither/both female and male

transgender-male | transgender male | the patient identifies as transgender female-to-male

transgender-female | transgender female | the patient identifies as transgender male-to-female

other | other | other gender identity

non-disclose | does not wish to disclose | the patient does not wish to disclose his gender identity

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.4.1.175 Value Set http://hl7.org/fhir/ValueSet/referencerange-meaning

URL: https://hl7.org/fhir/R4/valueset-referencerange-meaning.html
Orders and Observations Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/referencerange-meaning
Version: | 4.0.1
Name: | ObservationReferenceRangeMeaningCodes
Title: | Observation Reference Range Meaning Codes
Definition: | This value set defines a set of codes that can be used to indicate the meaning/use of a reference range for a particular target population.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.397 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ObservationReferenceRangeMeaningCodes
• Resource: ObservationDefinition.qualifiedInterval.context (CodeableConcept / Extensible)
• Profile: DeviceMetricObservation: Observation.referenceRange.type (CodeableConcept / Preferred)
• Profile: Observation-Genetics: Observation.referenceRange.type (CodeableConcept / Preferred)
• Profile: VitalSigns: Observation.referenceRange.type (CodeableConcept / Preferred)
• Profile: BodyWeight: Observation.referenceRange.type (CodeableConcept / Preferred)
• Profile: VitalsPanel: Observation.referenceRange.type (CodeableConcept / Preferred)
• Profile: BodyHeight: Observation.referenceRange.type (CodeableConcept / Preferred)
• Profile: RespRate: Observation.referenceRange.type (CodeableConcept / Preferred)
• Profile: HeartRate: Observation.referenceRange.type (CodeableConcept / Preferred)
• Profile: BodyTemp: Observation.referenceRange.type (CodeableConcept / Preferred)
• Profile: HeadCircum: Observation.referenceRange.type (CodeableConcept / Preferred)
• Profile: OxygenSat: Observation.referenceRange.type (CodeableConcept / Preferred)
• Profile: BMI: Observation.referenceRange.type (CodeableConcept / Preferred)
• Profile: BP: Observation.referenceRange.type (CodeableConcept / Preferred)
• Profile: Cholesterol: Observation.referenceRange.type (CodeableConcept / Preferred)
• Profile: Triglyceride: Observation.referenceRange.type (CodeableConcept / Preferred)
• Profile: HDLCholesterol: Observation.referenceRange.type (CodeableConcept / Preferred)
• Profile: LDLCholesterol: Observation.referenceRange.type (CodeableConcept / Preferred)

4.4.1.175.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/referencerange-meaning

4.4.1.175.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 13 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/referencerange-meaning version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/referencerange-meaning

Lvl | Code | Display | Definition
0 | type | Type | General types of reference range.
1 | normal | Normal Range | Values expected for a normal member of the relevant control population being measured. Typically each results producer such as a laboratory has specific normal ranges and they are usually defined as within two standard deviations from the mean and account for 95.45% of this population.
1 | recommended | Recommended Range | The range that is recommended by a relevant professional body.
1 | treatment | Treatment Range | The range at which treatment would/should be considered.
1 | therapeutic | Therapeutic Desired Level | The optimal range for best therapeutic outcomes.
2 | pre | Pre Therapeutic Desired Level | The optimal range for best therapeutic outcomes for a specimen taken immediately before administration.
2 | post | Post Therapeutic Desired Level | The optimal range for best therapeutic outcomes for a specimen taken immediately after administration.
0 | endocrine | Endocrine | Endocrine related states that change the expected value.
1 | pre-puberty | Pre-Puberty | An expected range in an individual prior to puberty.
1 | follicular | Follicular Stage | An expected range in an individual during the follicular stage of the cycle.
1 | midcycle | MidCycle | An expected range in an individual during the midcycle stage of the cycle.
1 | luteal | Luteal | An expected range in an individual during the luteal stage of the cycle.

1 | postmenopausal | Post-Menopause | An expected range in an individual post-menopause.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.176 Value Set http://hl7.org/fhir/ValueSet/expression-language

URL: https://hl7.org/fhir/R4/valueset-expression-language.html
FHIR Infrastructure Work Group | Maturity Level: 5 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/expression-language
Version: | 4.0.1
Name: | ExpressionLanguage
Title: | ExpressionLanguage
Definition: | The media type of the expression language.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.105 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ExpressionLanguage

• Resource: Expression.language (code / Extensible)

4.4.1.176.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/expression-language

4.4.1.176.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/expression-language version 4.0.1

All codes from system http://hl7.org/fhir/expression-language

Code | Display | Definition
text/cql | CQL | Clinical Quality Language.
text/fhirpath | FHIRPath | FHIRPath.
application/x-fhir-query | FHIR Query | FHIR's RESTful query syntax - typically independent of base URL.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.177 Value Set http://hl7.org/fhir/ValueSet/spdx-license

URL: https://hl7.org/fhir/R4/valueset-spdx-license.html
FHIR Infrastructure Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/spdx-license
Version: | 4.0.1
Name: | SPDXLicense
Title: | SPDXLicense
Definition: | The license that applies to an Implementation Guide (using an SPDX license Identifiers, or 'not-open-source'). The binding is required but new SPDX license Identifiers are allowed to be used (https://spdx.org/licenses/).
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.1026 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for SPDXLicense

• Resource: ImplementationGuide.license (code / Required)

4.4.1.177.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/spdx-license

4.4.1.177.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 346 concepts

Expansion based on http://hl7.org/fhir/spdx-license version 4.0.1

All codes from system http://hl7.org/fhir/spdx-license

Code | Display | Definition
not-open-source | Not open source | Not an open source license.
0BSD | BSD Zero Clause License | BSD Zero Clause License.
AAL | Attribution Assurance License | Attribution Assurance License.
Abstyles | Abstyles License | Abstyles License.
Adobe-2006 | Adobe Systems Incorporated Source Code License Agreement | Adobe Systems Incorporated Source Code License Agreement.
Adobe-Glyph | Adobe Glyph List License | Adobe Glyph List License.
ADSL | Amazon Digital Services License | Amazon Digital Services License.
AFL-1.1 | Academic Free License v1.1 | Academic Free License v1.1.
AFL-1.2 | Academic Free License v1.2 | Academic Free License v1.2.
AFL-2.0 | Academic Free License v2.0 | Academic Free License v2.0.
AFL-2.1 | Academic Free License v2.1 | Academic Free License v2.1.
AFL-3.0 | Academic Free License v3.0 | Academic Free License v3.0.
Afmparse | Afmparse License | Afmparse License.
AGPL-1.0-only | Affero General Public License v1.0 only | Affero General Public License v1.0 only.
AGPL-1.0-or-later | Affero General Public License v1.0 or later | Affero General Public License v1.0 or later.
AGPL-3.0-only | GNU Affero General Public License v3.0 only | GNU Affero General Public License v3.0 only.
AGPL-3.0-or-later | GNU Affero General Public License v3.0 or later | GNU Affero General Public License v3.0 or later.
Aladdin | Aladdin Free Public License | Aladdin Free Public License.
AMDPLPA | AMD's plpa_map.c License | AMD's plpa_map.c License.
AML | Apple MIT License | Apple MIT License.
AMPAS | Academy of Motion Picture Arts and Sciences BSD | Academy of Motion Picture Arts and Sciences BSD.
ANTLR-PD | ANTLR Software Rights Notice | ANTLR Software Rights Notice.
Apache-1.0 | Apache License 1.0 | Apache License 1.0.
Apache-1.1 | Apache License 1.1 | Apache License 1.1.
Apache-2.0 | Apache License 2.0 | Apache License 2.0.
APAFML | Adobe Postscript AFM License | Adobe Postscript AFM License.
APL-1.0 | Adaptive Public License 1.0 | Adaptive Public License 1.0.
APSL-1.0 | Apple Public Source License 1.0 | Apple Public Source License 1.0.
APSL-1.1 | Apple Public Source License 1.1 | Apple Public Source License 1.1.
APSL-1.2 | Apple Public Source License 1.2 | Apple Public Source License 1.2.
APSL-2.0 | Apple Public Source License 2.0 | Apple Public Source License 2.0.
Artistic-1.0-cl8 | Artistic License 1.0 w/clause 8 | Artistic License 1.0 w/clause 8.
Artistic-1.0-Perl | Artistic License 1.0 (Perl) | Artistic License 1.0 (Perl).
Artistic-1.0 | Artistic License 1.0 | Artistic License 1.0.
Artistic-2.0 | Artistic License 2.0 | Artistic License 2.0.
Bahyph | Bahyph License | Bahyph License.
Barr | Barr License | Barr License.
Beerware | Beerware License | Beerware License.
BitTorrent-1.0 | BitTorrent Open Source License v1.0 | BitTorrent Open Source License v1.0.
BitTorrent-1.1 | BitTorrent Open Source License v1.1 | BitTorrent Open Source License v1.1.
Borceux | Borceux license | Borceux license.
BSD-1-Clause | BSD 1-Clause License | BSD 1-Clause License.
BSD-2-Clause-FreeBSD | BSD 2-Clause FreeBSD License | BSD 2-Clause FreeBSD License.
BSD-2-Clause-NetBSD | BSD 2-Clause NetBSD License | BSD 2-Clause NetBSD License.

BSD-2-Clause-Patent | BSD-2-Clause Plus Patent License | BSD-2-Clause Plus Patent License.
BSD-2-Clause | BSD 2-Clause "Simplified" License | BSD 2-Clause "Simplified" License.
BSD-3-Clause-Attribution | BSD with attribution | BSD with attribution.
BSD-3-Clause-Clear | BSD 3-Clause Clear License | BSD 3-Clause Clear License.
BSD-3-Clause-LBNL | Lawrence Berkeley National Labs BSD variant license | Lawrence Berkeley National Labs BSD variant license.
BSD-3-Clause-No-Nuclear-License-2014 | BSD 3-Clause No Nuclear License 2014 | BSD 3-Clause No Nuclear License 2014.
BSD-3-Clause-No-Nuclear-License | BSD 3-Clause No Nuclear License | BSD 3-Clause No Nuclear License.
BSD-3-Clause-No-Nuclear-Warranty | BSD 3-Clause No Nuclear Warranty | BSD 3-Clause No Nuclear Warranty.
BSD-3-Clause | BSD 3-Clause "New" or "Revised" License | BSD 3-Clause "New" or "Revised" License.
BSD-4-Clause-UC | BSD-4-Clause (University of California-Specific) | BSD-4-Clause (University of California-Specific).
BSD-4-Clause | BSD 4-Clause "Original" or "Old" License | BSD 4-Clause "Original" or "Old" License.
BSD-Protection | BSD Protection License | BSD Protection License.
BSD-Source-Code | BSD Source Code Attribution | BSD Source Code Attribution.
BSL-1.0 | Boost Software License 1.0 | Boost Software License 1.0.
bzip2-1.0.5 | bzip2 and libbzip2 License v1.0.5 | bzip2 and libbzip2 License v1.0.5.
bzip2-1.0.6 | bzip2 and libbzip2 License v1.0.6 | bzip2 and libbzip2 License v1.0.6.
Caldera | Caldera License | Caldera License.
CATOSL-1.1 | Computer Associates Trusted Open Source License 1.1 | Computer Associates Trusted Open Source License 1.1.
CC-BY-1.0 | Creative Commons Attribution 1.0 Generic | Creative Commons Attribution 1.0 Generic.
CC-BY-2.0 | Creative Commons Attribution 2.0 Generic | Creative Commons Attribution 2.0 Generic.
CC-BY-2.5 | Creative Commons Attribution 2.5 Generic | Creative Commons Attribution 2.5 Generic.
CC-BY-3.0 | Creative Commons Attribution 3.0 Unported | Creative Commons Attribution 3.0 Unported.
CC-BY-4.0 | Creative Commons Attribution 4.0 International | Creative Commons Attribution 4.0 International.
CC-BY-NC-1.0 | Creative Commons Attribution Non Commercial 1.0 Generic | Creative Commons Attribution Non Commercial 1.0 Generic.
CC-BY-NC-2.0 | Creative Commons Attribution Non Commercial 2.0 Generic | Creative Commons Attribution Non Commercial 2.0 Generic.
CC-BY-NC-2.5 | Creative Commons Attribution Non Commercial 2.5 Generic | Creative Commons Attribution Non Commercial 2.5 Generic.
CC-BY-NC-3.0 | Creative Commons Attribution Non Commercial 3.0 Unported | Creative Commons Attribution Non Commercial 3.0 Unported.
CC-BY-NC-4.0 | Creative Commons Attribution Non Commercial 4.0 International | Creative Commons Attribution Non Commercial 4.0 International.
CC-BY-NC-ND-1.0 | Creative Commons Attribution Non Commercial No Derivatives 1.0 Generic | Creative Commons Attribution Non Commercial No Derivatives 1.0 Generic.
CC-BY-NC-ND-2.0 | Creative Commons Attribution Non Commercial No Derivatives 2.0 Generic | Creative Commons Attribution Non Commercial No Derivatives 2.0 Generic.
CC-BY-NC-ND-2.5 | Creative Commons Attribution Non Commercial No Derivatives 2.5 Generic | Creative Commons Attribution Non Commercial No Derivatives 2.5 Generic.
CC-BY-NC-ND-3.0 | Creative Commons Attribution Non Commercial No Derivatives 3.0 Unported | Creative Commons Attribution Non Commercial No Derivatives 3.0 Unported.
CC-BY-NC-ND-4.0 | Creative Commons Attribution Non Commercial No Derivatives 4.0 International | Creative Commons Attribution Non Commercial No Derivatives 4.0 International.
CC-BY-NC-SA-1.0 | Creative Commons Attribution Non Commercial Share Alike 1.0 Generic | Creative Commons Attribution Non Commercial Share Alike 1.0 Generic.
CC-BY-NC-SA-2.0 | Creative Commons Attribution Non Commercial Share Alike 2.0 Generic | Creative Commons Attribution Non Commercial Share Alike 2.0 Generic.
CC-BY-NC-SA-2.5 | Creative Commons Attribution Non Commercial Share Alike 2.5 Generic | Creative Commons Attribution Non Commercial Share Alike 2.5 Generic.
CC-BY-NC-SA-3.0 | Creative Commons Attribution Non Commercial Share Alike 3.0 Unported | Creative Commons Attribution Non Commercial Share Alike 3.0 Unported.
CC-BY-NC-SA-4.0 | Creative Commons Attribution Non Commercial Share Alike 4.0 International | Creative Commons Attribution Non Commercial Share Alike 4.0 International.
CC-BY-ND-1.0 | Creative Commons Attribution No Derivatives 1.0 Generic | Creative Commons Attribution No Derivatives 1.0 Generic.
CC-BY-ND-2.0 | Creative Commons Attribution No Derivatives 2.0 Generic | Creative Commons Attribution No Derivatives 2.0 Generic.
CC-BY-ND-2.5 | Creative Commons Attribution No Derivatives 2.5 Generic | Creative Commons Attribution No Derivatives 2.5 Generic.
CC-BY-ND-3.0 | Creative Commons Attribution No Derivatives 3.0 Unported | Creative Commons Attribution No Derivatives 3.0 Unported.
CC-BY-ND-4.0 | Creative Commons Attribution No Derivatives 4.0 International | Creative Commons Attribution No Derivatives 4.0 International.
CC-BY-SA-1.0 | Creative Commons Attribution Share Alike 1.0 Generic | Creative Commons Attribution Share Alike 1.0 Generic.
CC-BY-SA-2.0 | Creative Commons Attribution Share Alike 2.0 Generic | Creative Commons Attribution Share Alike 2.0 Generic.
CC-BY-SA-2.5 | Creative Commons Attribution Share Alike 2.5 Generic | Creative Commons Attribution Share Alike 2.5 Generic.
CC-BY-SA-3.0 | Creative Commons Attribution Share Alike 3.0 Unported | Creative Commons Attribution Share Alike 3.0 Unported.
CC-BY-SA-4.0 | Creative Commons Attribution Share Alike 4.0 International | Creative Commons Attribution Share Alike 4.0 International.
CC0-1.0 | Creative Commons Zero v1.0 Universal | Creative Commons Zero v1.0 Universal.
CDDL-1.0 | Common Development and Distribution License 1.0 | Common Development and Distribution License 1.0.
CDDL-1.1 | Common Development and Distribution License 1.1 | Common Development and Distribution License 1.1.
CDLA-Permissive-1.0 | Community Data License Agreement Permissive 1.0 | Community Data License Agreement Permissive 1.0.
CDLA-Sharing-1.0 | Community Data License Agreement Sharing 1.0 | Community Data License Agreement Sharing 1.0.

CECILL-1.0 | CeCILL Free Software License Agreement v1.0 | CeCILL Free Software License Agreement v1.0.
CECILL-1.1 | CeCILL Free Software License Agreement v1.1 | CeCILL Free Software License Agreement v1.1.
CECILL-2.0 | CeCILL Free Software License Agreement v2.0 | CeCILL Free Software License Agreement v2.0.
CECILL-2.1 | CeCILL Free Software License Agreement v2.1 | CeCILL Free Software License Agreement v2.1.
CECILL-B | CeCILL-B Free Software License Agreement | CeCILL-B Free Software License Agreement.
CECILL-C | CeCILL-C Free Software License Agreement | CeCILL-C Free Software License Agreement.
ClArtistic | Clarified Artistic License | Clarified Artistic License.
CNRI-Jython | CNRI Jython License | CNRI Jython License.
CNRI-Python-GPL-Compatible | CNRI Python Open Source GPL Compatible License Agreement | CNRI Python Open Source GPL Compatible License Agreement.
CNRI-Python | CNRI Python License | CNRI Python License.
Condor-1.1 | Condor Public License v1.1 | Condor Public License v1.1.
CPAL-1.0 | Common Public Attribution License 1.0 | Common Public Attribution License 1.0.
CPL-1.0 | Common Public License 1.0 | Common Public License 1.0.
CPOL-1.02 | Code Project Open License 1.02 | Code Project Open License 1.02.
Crossword | Crossword License | Crossword License.
CrystalStacker | CrystalStacker License | CrystalStacker License.
CUA-OPL-1.0 | CUA Office Public License v1.0 | CUA Office Public License v1.0.
Cube | Cube License | Cube License.
curl | curl License | curl License.
D-FSL-1.0 | Deutsche Freie Software Lizenz | Deutsche Freie Software Lizenz.
diffmark | diffmark license | diffmark license.
DOC | DOC License | DOC License.
Dotseqn | Dotseqn License | Dotseqn License.
DSDP | DSDP License | DSDP License.
dvipdfm | dvipdfm License | dvipdfm License.
ECL-1.0 | Educational Community License v1.0 | Educational Community License v1.0.
ECL-2.0 | Educational Community License v2.0 | Educational Community License v2.0.
EFL-1.0 | Eiffel Forum License v1.0 | Eiffel Forum License v1.0.
EFL-2.0 | Eiffel Forum License v2.0 | Eiffel Forum License v2.0.
eGenix | eGenix.com Public License 1.1.0 | eGenix.com Public License 1.1.0.
Entessa | Entessa Public License v1.0 | Entessa Public License v1.0.
EPL-1.0 | Eclipse Public License 1.0 | Eclipse Public License 1.0.
EPL-2.0 | Eclipse Public License 2.0 | Eclipse Public License 2.0.
ErlPL-1.1 | Erlang Public License v1.1 | Erlang Public License v1.1.
EUDatagrid | EU DataGrid Software License | EU DataGrid Software License.
EUPL-1.0 | European Union Public License 1.0 | European Union Public License 1.0.
EUPL-1.1 | European Union Public License 1.1 | European Union Public License 1.1.
EUPL-1.2 | European Union Public License 1.2 | European Union Public License 1.2.
Eurosym | Eurosym License | Eurosym License.
Fair | Fair License | Fair License.
Frameworx-1.0 | Frameworx Open License 1.0 | Frameworx Open License 1.0.
FreeImage | FreeImage Public License v1.0 | FreeImage Public License v1.0.
FSFAP | FSF All Permissive License | FSF All Permissive License.
FSFUL | FSF Unlimited License | FSF Unlimited License.
FSFULLR | FSF Unlimited License (with License Retention) | FSF Unlimited License (with License Retention).
FTL | Freetype Project License | Freetype Project License.
GFDL-1.1-only | GNU Free Documentation License v1.1 only | GNU Free Documentation License v1.1 only.
GFDL-1.1-or-later | GNU Free Documentation License v1.1 or later | GNU Free Documentation License v1.1 or later.
GFDL-1.2-only | GNU Free Documentation License v1.2 only | GNU Free Documentation License v1.2 only.
GFDL-1.2-or-later | GNU Free Documentation License v1.2 or later | GNU Free Documentation License v1.2 or later.
GFDL-1.3-only | GNU Free Documentation License v1.3 only | GNU Free Documentation License v1.3 only.
GFDL-1.3-or-later | GNU Free Documentation License v1.3 or later | GNU Free Documentation License v1.3 or later.
Giftware | Giftware License | Giftware License.
GL2PS | GL2PS License | GL2PS License.
Glide | 3dfx Glide License | 3dfx Glide License.
Glulxe | Glulxe License | Glulxe License.
gnuplot | gnuplot License | gnuplot License.
GPL-1.0-only | GNU General Public License v1.0 only | GNU General Public License v1.0 only.
GPL-1.0-or-later | GNU General Public License v1.0 or later | GNU General Public License v1.0 or later.
GPL-2.0-only | GNU General Public License v2.0 only | GNU General Public License v2.0 only.
GPL-2.0-or-later | GNU General Public License v2.0 or later | GNU General Public License v2.0 or later.
GPL-3.0-only | GNU General Public License v3.0 only | GNU General Public License v3.0 only.
GPL-3.0-or-later | GNU General Public License v3.0 or later | GNU General Public License v3.0 or later.
gSOAP-1.3b | gSOAP Public License v1.3b | gSOAP Public License v1.3b.
HaskellReport | Haskell Language Report License | Haskell Language Report License.
HPND | Historical Permission Notice and Disclaimer | Historical Permission Notice and Disclaimer.
IBM-pibs | IBM PowerPC Initialization and Boot Software | IBM PowerPC Initialization and Boot Software.
ICU | ICU License | ICU License.
IJG | Independent JPEG Group License | Independent JPEG Group License.
ImageMagick | ImageMagick License | ImageMagick License.
iMatix | iMatix Standard Function Library Agreement | iMatix Standard Function Library Agreement.

Imlib2 | Imlib2 License | Imlib2 License.
Info-ZIP | Info-ZIP License | Info-ZIP License.
Intel-ACPI | Intel ACPI Software License Agreement | Intel ACPI Software License Agreement.
Intel | Intel Open Source License | Intel Open Source License.
Interbase-1.0 | Interbase Public License v1.0 | Interbase Public License v1.0.
IPA | IPA Font License | IPA Font License.
IPL-1.0 | IBM Public License v1.0 | IBM Public License v1.0.
ISC | ISC License | ISC License.
JasPer-2.0 | JasPer License | JasPer License.
JSON | JSON License | JSON License.
LAL-1.2 | Licence Art Libre 1.2 | Licence Art Libre 1.2.
LAL-1.3 | Licence Art Libre 1.3 | Licence Art Libre 1.3.
Latex2e | Latex2e License | Latex2e License.
Leptonica | Leptonica License | Leptonica License.
LGPL-2.0-only | GNU Library General Public License v2 only | GNU Library General Public License v2 only.
LGPL-2.0-or-later | GNU Library General Public License v2 or later | GNU Library General Public License v2 or later.
LGPL-2.1-only | GNU Lesser General Public License v2.1 only | GNU Lesser General Public License v2.1 only.
LGPL-2.1-or-later | GNU Lesser General Public License v2.1 or later | GNU Lesser General Public License v2.1 or later.
LGPL-3.0-only | GNU Lesser General Public License v3.0 only | GNU Lesser General Public License v3.0 only.
LGPL-3.0-or-later | GNU Lesser General Public License v3.0 or later | GNU Lesser General Public License v3.0 or later.
LGPLLR | Lesser General Public License For Linguistic Resources | Lesser General Public License For Linguistic Resources.
Libpng | libpng License | libpng License.
libtiff | libtiff License | libtiff License.
LiLiQ-P-1.1 | Licence Libre du Québec – Permissive version 1.1 | Licence Libre du Québec – Permissive version 1.1.
LiLiQ-R-1.1 | Licence Libre du Québec – Réciprocité version 1.1 | Licence Libre du Québec – Réciprocité version 1.1.
LiLiQ-Rplus-1.1 | Licence Libre du Québec – Réciprocité forte version 1.1 | Licence Libre du Québec – Réciprocité forte version 1.1.
Linux-OpenIB | Linux Kernel Variant of OpenIB.org license | Linux Kernel Variant of OpenIB.org license.
LPL-1.0 | Lucent Public License Version 1.0 | Lucent Public License Version 1.0.
LPL-1.02 | Lucent Public License v1.02 | Lucent Public License v1.02.
LPPL-1.0 | LaTeX Project Public License v1.0 | LaTeX Project Public License v1.0.
LPPL-1.1 | LaTeX Project Public License v1.1 | LaTeX Project Public License v1.1.
LPPL-1.2 | LaTeX Project Public License v1.2 | LaTeX Project Public License v1.2.
LPPL-1.3a | LaTeX Project Public License v1.3a | LaTeX Project Public License v1.3a.
LPPL-1.3c | LaTeX Project Public License v1.3c | LaTeX Project Public License v1.3c.
MakeIndex | MakeIndex License | MakeIndex License.
MirOS | MirOS License | MirOS License.
MIT-0 | MIT No Attribution | MIT No Attribution.
MIT-advertising | Enlightenment License (e16) | Enlightenment License (e16).
MIT-CMU | CMU License | CMU License.
MIT-enna | enna License | enna License.
MIT-feh | feh License | feh License.
MIT | MIT License | MIT License.
MITNFA | MIT +no-false-attribs license | MIT +no-false-attribs license.
Motosoto | Motosoto License | Motosoto License.
mpich2 | mpich2 License | mpich2 License.
MPL-1.0 | Mozilla Public License 1.0 | Mozilla Public License 1.0.
MPL-1.1 | Mozilla Public License 1.1 | Mozilla Public License 1.1.
MPL-2.0-no-copyleft-exception | Mozilla Public License 2.0 (no copyleft exception) | Mozilla Public License 2.0 (no copyleft exception).
MPL-2.0 | Mozilla Public License 2.0 | Mozilla Public License 2.0.
MS-PL | Microsoft Public License | Microsoft Public License.
MS-RL | Microsoft Reciprocal License | Microsoft Reciprocal License.
MTLL | Matrix Template Library License | Matrix Template Library License.
Multics | Multics License | Multics License.
Mup | Mup License | Mup License.
NASA-1.3 | NASA Open Source Agreement 1.3 | NASA Open Source Agreement 1.3.
Naumen | Naumen Public License | Naumen Public License.
NBPL-1.0 | Net Boolean Public License v1 | Net Boolean Public License v1.
NCSA | University of Illinois/NCSA Open Source License | University of Illinois/NCSA Open Source License.
Net-SNMP | Net-SNMP License | Net-SNMP License.
NetCDF | NetCDF license | NetCDF license.
Newsletr | Newsletr License | Newsletr License.
NGPL | Nethack General Public License | Nethack General Public License.
NLOD-1.0 | Norwegian Licence for Open Government Data | Norwegian Licence for Open Government Data.
NLPL | No Limit Public License | No Limit Public License.
Nokia | Nokia Open Source License | Nokia Open Source License.
NOSL | Netizen Open Source License | Netizen Open Source License.
Noweb | Noweb License | Noweb License.
NPL-1.0 | Netscape Public License v1.0 | Netscape Public License v1.0.
NPL-1.1 | Netscape Public License v1.1 | Netscape Public License v1.1.
NPOSL-3.0 | Non-Profit Open Software License 3.0 | Non-Profit Open Software License 3.0.
NRL | NRL License | NRL License.

NTP | NTP License | NTP License.
OCCT-PL | Open CASCADE Technology Public License | Open CASCADE Technology Public License.
OCLC-2.0 | OCLC Research Public License 2.0 | OCLC Research Public License 2.0.
ODbL-1.0 | ODC Open Database License v1.0 | ODC Open Database License v1.0.
OFL-1.0 | SIL Open Font License 1.0 | SIL Open Font License 1.0.
OFL-1.1 | SIL Open Font License 1.1 | SIL Open Font License 1.1.
OGTSL | Open Group Test Suite License | Open Group Test Suite License.
OLDAP-1.1 | Open LDAP Public License v1.1 | Open LDAP Public License v1.1.
OLDAP-1.2 | Open LDAP Public License v1.2 | Open LDAP Public License v1.2.
OLDAP-1.3 | Open LDAP Public License v1.3 | Open LDAP Public License v1.3.
OLDAP-1.4 | Open LDAP Public License v1.4 | Open LDAP Public License v1.4.
OLDAP-2.0.1 | Open LDAP Public License v2.0.1 | Open LDAP Public License v2.0.1.
OLDAP-2.0 | Open LDAP Public License v2.0 (or possibly 2.0A and 2.0B) | Open LDAP Public License v2.0 (or possibly 2.0A and 2.0B).
OLDAP-2.1 | Open LDAP Public License v2.1 | Open LDAP Public License v2.1.
OLDAP-2.2.1 | Open LDAP Public License v2.2.1 | Open LDAP Public License v2.2.1.
OLDAP-2.2.2 | Open LDAP Public License 2.2.2 | Open LDAP Public License 2.2.2.
OLDAP-2.2 | Open LDAP Public License v2.2 | Open LDAP Public License v2.2.
OLDAP-2.3 | Open LDAP Public License v2.3 | Open LDAP Public License v2.3.
OLDAP-2.4 | Open LDAP Public License v2.4 | Open LDAP Public License v2.4.
OLDAP-2.5 | Open LDAP Public License v2.5 | Open LDAP Public License v2.5.
OLDAP-2.6 | Open LDAP Public License v2.6 | Open LDAP Public License v2.6.
OLDAP-2.7 | Open LDAP Public License v2.7 | Open LDAP Public License v2.7.
OLDAP-2.8 | Open LDAP Public License v2.8 | Open LDAP Public License v2.8.
OML | Open Market License | Open Market License.
OpenSSL | OpenSSL License | OpenSSL License.
OPL-1.0 | Open Public License v1.0 | Open Public License v1.0.
OSET-PL-2.1 | OSET Public License version 2.1 | OSET Public License version 2.1.
OSL-1.0 | Open Software License 1.0 | Open Software License 1.0.
OSL-1.1 | Open Software License 1.1 | Open Software License 1.1.
OSL-2.0 | Open Software License 2.0 | Open Software License 2.0.
OSL-2.1 | Open Software License 2.1 | Open Software License 2.1.
OSL-3.0 | Open Software License 3.0 | Open Software License 3.0.
PDDL-1.0 | ODC Public Domain Dedication & License 1.0 | ODC Public Domain Dedication & License 1.0.
PHP-3.0 | PHP License v3.0 | PHP License v3.0.
PHP-3.01 | PHP License v3.01 | PHP License v3.01.
Plexus | Plexus Classworlds License | Plexus Classworlds License.
PostgreSQL | PostgreSQL License | PostgreSQL License.
psfrag | psfrag License | psfrag License.
psutils | psutils License | psutils License.
Python-2.0 | Python License 2.0 | Python License 2.0.
Qhull | Qhull License | Qhull License.
QPL-1.0 | Q Public License 1.0 | Q Public License 1.0.
Rdisc | Rdisc License | Rdisc License.
RHeCos-1.1 | Red Hat eCos Public License v1.1 | Red Hat eCos Public License v1.1.
RPL-1.1 | Reciprocal Public License 1.1 | Reciprocal Public License 1.1.
RPL-1.5 | Reciprocal Public License 1.5 | Reciprocal Public License 1.5.
RPSL-1.0 | RealNetworks Public Source License v1.0 | RealNetworks Public Source License v1.0.
RSA-MD | RSA Message-Digest License | RSA Message-Digest License.
RSCPL | Ricoh Source Code Public License | Ricoh Source Code Public License.
Ruby | Ruby License | Ruby License.
SAX-PD | Sax Public Domain Notice | Sax Public Domain Notice.
Saxpath | Saxpath License | Saxpath License.
SCEA | SCEA Shared Source License | SCEA Shared Source License.
Sendmail | Sendmail License | Sendmail License.
SGI-B-1.0 | SGI Free Software License B v1.0 | SGI Free Software License B v1.0.
SGI-B-1.1 | SGI Free Software License B v1.1 | SGI Free Software License B v1.1.
SGI-B-2.0 | SGI Free Software License B v2.0 | SGI Free Software License B v2.0.
SimPL-2.0 | Simple Public License 2.0 | Simple Public License 2.0.
SISSL-1.2 | Sun Industry Standards Source License v1.2 | Sun Industry Standards Source License v1.2.
SISSL | Sun Industry Standards Source License v1.1 | Sun Industry Standards Source License v1.1.
Sleepycat | Sleepycat License | Sleepycat License.
SMLNJ | Standard ML of New Jersey License | Standard ML of New Jersey License.
SMPPL | Secure Messaging Protocol Public License | Secure Messaging Protocol Public License.
SNIA | SNIA Public License 1.1 | SNIA Public License 1.1.
Spencer-86 | Spencer License 86 | Spencer License 86.
Spencer-94 | Spencer License 94 | Spencer License 94.
Spencer-99 | Spencer License 99 | Spencer License 99.
SPL-1.0 | Sun Public License v1.0 | Sun Public License v1.0.
SugarCRM-1.1.3 | SugarCRM Public License v1.1.3 | SugarCRM Public License v1.1.3.
SWL | Scheme Widget Library (SWL) Software License Agreement | Scheme Widget Library (SWL) Software License Agreement.
TCL | TCL/TK License | TCL/TK License.

TCP-wrappers | TCP Wrappers License | TCP Wrappers License.
TMate | TMate Open Source License | TMate Open Source License.
TORQUE-1.1 | TORQUE v2.5+ Software License v1.1 | TORQUE v2.5+ Software License v1.1.
TOSL | Trusster Open Source License | Trusster Open Source License.
Unicode-DFS-2015 | Unicode License Agreement - Data Files and Software (2015) | Unicode License Agreement - Data Files and Software (2015).
Unicode-DFS-2016 | Unicode License Agreement - Data Files and Software (2016) | Unicode License Agreement - Data Files and Software (2016).
Unicode-TOU | Unicode Terms of Use | Unicode Terms of Use.
Unlicense | The Unlicense | The Unlicense.
UPL-1.0 | Universal Permissive License v1.0 | Universal Permissive License v1.0.
Vim | Vim License | Vim License.
VOSTROM | VOSTROM Public License for Open Source | VOSTROM Public License for Open Source.
VSL-1.0 | Vovida Software License v1.0 | Vovida Software License v1.0.
W3C-19980720 | W3C Software Notice and License (1998-07-20) | W3C Software Notice and License (1998-07-20).
W3C-20150513 | W3C Software Notice and Document License (2015-05-13) | W3C Software Notice and Document License (2015-05-13).
W3C | W3C Software Notice and License (2002-12-31) | W3C Software Notice and License (2002-12-31).
Watcom-1.0 | Sybase Open Watcom Public License 1.0 | Sybase Open Watcom Public License 1.0.
Wsuipa | Wsuipa License | Wsuipa License.
WTFPL | Do What The F*ck You Want To Public License | Do What The F*ck You Want To Public License.
X11 | X11 License | X11 License.
Xerox | Xerox License | Xerox License.
XFree86-1.1 | XFree86 License 1.1 | XFree86 License 1.1.
xinetd | xinetd License | xinetd License.
Xnet | X.Net License | X.Net License.
xpp | XPP License | XPP License.
XSkat | XSkat License | XSkat License.
YPL-1.0 | Yahoo! Public License v1.0 | Yahoo! Public License v1.0.
YPL-1.1 | Yahoo! Public License v1.1 | Yahoo! Public License v1.1.
Zed | Zed License | Zed License.
Zend-2.0 | Zend License v2.0 | Zend License v2.0.
Zimbra-1.3 | Zimbra Public License v1.3 | Zimbra Public License v1.3.
Zimbra-1.4 | Zimbra Public License v1.4 | Zimbra Public License v1.4.
zlib-acknowledgement | zlib/libpng License with Acknowledgement | zlib/libpng License with Acknowledgement.
Zlib | zlib License | zlib License.
ZPL-1.1 | Zope Public License 1.1 | Zope Public License 1.1.
ZPL-2.0 | Zope Public License 2.0 | Zope Public License 2.0.
ZPL-2.1 | Zope Public License 2.1 | Zope Public License 2.1.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.178 Value Set http://hl7.org/fhir/ValueSet/narrative-status

URL: https://hl7.org/fhir/R4/valueset-narrative-status.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/narrative-status
Version: | 4.0.1
Name: | NarrativeStatus
Title: | NarrativeStatus
Definition: | The status of a resource narrative.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.55 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for NarrativeStatus

• Resource: Narrative.status (code / Required)

4.4.1.178.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/narrative-status

4.4.1.178.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/narrative-status version 4.0.1

All codes from system http://hl7.org/fhir/narrative-status

Code | Display | Definition
generated | Generated | The contents of the narrative are entirely generated from the core elements in the content.
extensions | Extensions | The contents of the narrative are entirely generated from the core elements in the content and some of the content is generated from extensions. The narrative SHALL reflect the impact of all modifier extensions.
additional | Additional | The contents of the narrative may contain additional information not found in the structured data. Note that there is no computable way to determine what the extra information is, other than by human inspection.
empty | Empty | The contents of the narrative are some equivalent of "No human-readable text provided in this case".

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.179 Value Set http://hl7.org/fhir/ValueSet/name-use

URL: https://hl7.org/fhir/R4/valueset-name-use.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/name-use
Version: | 4.0.1
Name: | NameUse
Title: | NameUse
Definition: | The use of a human name.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.65 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for NameUse
• ConceptMap: Translation source in v2 map for NameUse
• ConceptMap: Translation source in v3 map for NameUse
• Resource: HumanName.use (code / Required)

4.4.1.179.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/name-use

4.4.1.179.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 7 concepts

Expansion based on http://hl7.org/fhir/name-use version 4.0.1

All codes from system http://hl7.org/fhir/name-use

Lvl | Code | Display | Definition
0 | usual | Usual | Known as/conventional/the one you normally use.

0 | official | Official | The formal name as registered in an official (government) registry, but which name might not be commonly used. May be called "legal name".
0 | temp | Temp | A temporary name. Name.period can provide more detailed information. This may also be used for temporary names assigned at birth or in emergency situations.
0 | nickname | Nickname | A name that is used to address the person in an informal manner, but is not part of their formal or usual name.
0 | anonymous | Anonymous | Anonymous assigned name, alias, or pseudonym (used to protect a person's identity for privacy reasons).
0 | old | Old | This name is no longer in use (or was never correct, but retained for records).
1 | maiden | Name changed for Marriage | A name used prior to changing name because of marriage. This name use is for use by applications that collect and store names that were used prior to a marriage. Marriage naming customs vary greatly around the world, and are constantly changing. This term is not gender specific. The use of this term does not imply any particular history for a person's name.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.180 Value Set http://hl7.org/fhir/ValueSet/parent-relationship-codes

URL: https://hl7.org/fhir/R4/valueset-parent-relationship-codes.html
Patient Care Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/parent-relationship-codes
Version: | 4.0.1
Name: | ParentRelationshipCodes
Title: | Parent Relationship Codes
Definition: | The value set includes the v3 RoleCode PRN (parent), TWIN (twin) and all of their specializations. It covers the relationships needed to establish genetic pedigree relationships between family members.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.921 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is not currently used

4.4.1.180.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://terminology.hl7.org/CodeSystem/v3-RoleCode where concept is-a PRN
• Include codes from http://terminology.hl7.org/CodeSystem/v3-RoleCode where concept is-a TWIN

4.4.1.180.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 21 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v3-RoleCode version 2018-08-12

All codes from system http://terminology.hl7.org/CodeSystem/v3-RoleCode

Code | Display | Definition
PRN | parent | The player of the role is one who begets, gives birth to, or nurtures and raises the scoping entity (child).
ADOPTP | adoptive parent | The player of the role (parent) has taken the scoper (child) into their family through legal means and raises them as his or her own child.
ADOPTF | adoptive father | The player of the role (father) is a male who has taken the scoper (child) into their family through legal means and raises them as his own child.
ADOPTM | adoptive mother | The player of the role (father) is a female who has taken the scoper (child) into their family through legal means and raises them as her own child.
FTH | father | The player of the role is a male who begets or raises or nurtures the scoping entity (child).
FTHFOST | foster father | The player of the role (parent) who is a male state-certified caregiver responsible for the scoper (child) who has been placed in the parent's care. The placement of the child is usually arranged through the government or a social-service agency, and temporary. The state, via a jurisdiction recognized child protection agency, stands as in loco parentis to the child, making all legal decisions while the foster parent is responsible for the day-to-day care of the specified child.
NFTH | natural father | The player of the role is a male who begets the scoping entity (child).

NFTHF | natural father of fetus | Indicates the biologic male parent of a fetus.
STPFTH | stepfather | The player of the role is the husband of scoping person's mother and not the scoping person's natural father.
MTH | mother | The player of the role is a female who conceives, gives birth to, or raises and nurtures the scoping entity (child).
GESTM | gestational mother | The player is a female whose womb carries the fetus of the scoper. Generally used when the gestational mother and natural mother are not the same.
MTHFOST | foster mother | The player of the role (parent) who is a female state-certified caregiver responsible for the scoper (child) who has been placed in the parent's care. The placement of the child is usually arranged through the government or a social-service agency, and temporary. The state, via a jurisdiction recognized child protection agency, stands as in loco parentis to the child, making all legal decisions while the foster parent is responsible for the day-to-day care of the specified child.
NMTH | natural mother | The player of the role is a female who conceives or gives birth to the scoping entity (child).
NMTHF | natural mother of fetus | The player is the biologic female parent of the scoping fetus.
STPMTH | stepmother | The player of the role is the wife of scoping person's father and not the scoping person's natural mother.
NPRN | natural parent | natural parent
PRNFOST | foster parent | The player of the role (parent) who is a state-certified caregiver responsible for the scoper (child) who has been placed in the parent's care. The placement of the child is usually arranged through the government or a social-service agency, and temporary. The state, via a jurisdiction recognized child protection agency, stands as in loco parentis to the child, making all legal decisions while the foster parent is responsible for the day-to-day care of the specified child.
STPPRN | step parent | The player of the role is the spouse of the scoping person's parent and not the scoping person's natural parent.
TWIN | twin | The scoper and player were carried in the same womb and shared common biological parents.
FTWIN | fraternal twin | The scoper and player were carried in the same womb and share common biological parents but are the product of distinct egg/sperm pairs.
ITWIN | identical twin | The scoper and player are offspring of the same egg-sperm pair.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.181 Value Set http://hl7.org/fhir/ValueSet/fm-itemtype

URL: https://hl7.org/fhir/R4/valueset-fm-itemtype.html
Financial Management Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/fm-itemtype
Version: | 4.0.1
Name: | ClaimItemTypeCodes
Title: | Claim Item Type Codes
Definition: | This value set includes sample Item Type codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.548 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ClaimItemTypeCodes

4.4.1.181.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/ex-claimitemtype

4.4.1.181.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/ex-claimitemtype version 4.0.1

All codes from system http://hl7.org/fhir/ex-claimitemtype

Code | Display | Definition
group | Group | A group of products and/or Services, amount ar the summary or detail level products and services.
product | Product | A billed product line item.
service | Service | A billed service line item.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.182 Value Set http://hl7.org/fhir/ValueSet/claim-type

URL: https://hl7.org/fhir/R4/valueset-claim-type.html
Financial Management Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/claim-type
Version: | 4.0.1
Name: | ClaimTypeCodes
Title: | Claim Type Codes
Definition: | This value set includes Claim Type codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.558 (for OID based terminology systems)
Copyright: | HL7 Inc.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ClaimTypeCodes
• Resource: ExplanationOfBenefit.type (CodeableConcept / Extensible)
• Resource: ClaimResponse.type (CodeableConcept / Extensible)
• Resource: Claim.type (CodeableConcept / Extensible)

4.4.1.182.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/claim-type

4.4.1.182.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/claim-type version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/claim-type

Code | Display | Definition
institutional | Institutional | Hospital, clinic and typically inpatient claims.
oral | Oral | Dental, Denture and Hygiene claims.
pharmacy | Pharmacy | Pharmacy claims for goods and services.
professional | Professional | Typically, outpatient claims from Physician, Psychological, Chiropractor, Physiotherapy, Speech Pathology, rehabilitative, consulting.
vision | Vision | Vision claims for professional services and products such as glasses and contact lenses.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.183 Value Set http://hl7.org/fhir/ValueSet/clinvar

URL: https://hl7.org/fhir/R4/valueset-clinvar.html

This value set could not be expanded by the publication tooling: Error from server: Unable to provide support for code system http://www.ncbi.nlm.nih.gov/clinvar

Orders and Observations Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/clinvar
Version: | 4.0.1
Name: | ClinVar
Title: | Clin var
Definition: | NCBI central repository for curating pathogenicity of potentially clinically relevant variants
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.1041 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• Extension: http://hl7.org/fhir/StructureDefinition/observation-geneticsVariant: Variant (CodeableConcept / Preferred)

• Extension: http://hl7.org/fhir/StructureDefinition/observation-geneticsAminoAcidChange: AminoAcidChange (CodeableConcept / Preferred)

4.4.1.183.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://www.ncbi.nlm.nih.gov/clinvar

4.4.1.183.2 Expansion

This expansion generated 01 Nov 2019

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.184 Value Set http://hl7.org/fhir/ValueSet/c80-facilitycodes

URL: https://hl7.org/fhir/R4/valueset-c80-facilitycodes.html
Structured Documents Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/c80-facilitycodes
Version: | 4.0.1
Name: | FacilityTypeCodeValueSet
Title: | Facility Type Code Value Set
Definition: | This is the code representing the type of organizational setting where the clinical encounter, service, interaction, or treatment occurred. The value set used for Healthcare Facility Type has been defined by HITSP to be the value set reproduced from HITSP C80 Table 2-147.
Committee: | Structured Documents Work Group
OID: | 2.16.840.1.113883.3.88.12.80.67 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: DocumentReference.context.facilityType (CodeableConcept / Example)

4.4.1.184.1 Content Logical Definition

This value set includes codes from the following code systems:

http://snomed.info/sct

Code | Display
82242000 | Hospital-children's
225732001 | Hospital-community
79993009 | Hospital-government
32074000 | Hospital-long term care
4322002 | Hospital-military field
224687002 | Hospital-prison
62480006 | Hospital-psychiatric
80522000 | Hospital-rehabilitation
36125001 | Hospital-trauma center
48311003 | Hospital-Veterans' Administration
284546000 | Hospice facility
42665001 | Nursing home
45618002 | Skilled nursing facility
418518002 | Dialysis unit--hospital
73770003 | Emergency department--hospital
69362002 | Hospital ambulatory surgery facility
52668009 | Hospital birthing center
360957003 | Hospital outpatient allergy clinic
10206005 | Hospital outpatient dental clinic
37550003 | Hospital outpatient dermatology clinic
73644007 | Hospital outpatient endocrinology clinic
31628002 | Hospital outpatient family medicine clinic
58482006 | Hospital outpatient gastroenterology clinic
90484001 | Hospital outpatient general surgery clinic
1814000 | Hospital outpatient geriatric health center
22549003 | Hospital outpatient gynecology clinic
56293002 | Hospital outpatient hematology clinic
360966004 | Hospital outpatient immunology clinic
2849009 | Hospital outpatient infectious disease clinic
14866005 | Hospital outpatient mental health center
38238005 | Hospital outpatient neurology clinic
56189001 | Hospital outpatient obstetrical clinic
89972002 | Hospital outpatient oncology clinic
78088001 | Hospital outpatient ophthalmology clinic
78001009 | Hospital outpatient orthopedics clinic
23392004 | Hospital outpatient otorhinolaryngology clinic
36293008 | Hospital outpatient pain clinic
3729002 | Hospital outpatient pediatric clinic
5584006 | Hospital outpatient peripheral vascular clinic
37546005 | Hospital outpatient rehabilitation clinic
57159002 | Hospital outpatient respiratory disease clinic
331006 | Hospital outpatient rheumatology clinic
50569004 | Hospital outpatient urology clinic
79491001 | Hospital radiology facility
33022008 | Hospital-based outpatient clinic or department--OTHER-NOT LISTED
19602009 | Fee-for-service private physicians' group office
39350007 | Private physicians' group office
83891005 | Solo practice private office
394759007 | Independent ambulatory care provider site--OTHER--NOT LISTED
405607001 | Ambulatory surgery center
309900005 | Care of the elderly day hospital
275576008 | Elderly assessment clinic
10531005 | Free-standing ambulatory surgery facility
91154008 | Free-standing birthing center
41844007 | Free-standing geriatric health center
45899008 | Free-standing laboratory facility
51563005 | Free-standing mental health center
1773006 | Free-standing radiology facility
72311000 | Health maintenance organization
6827000 | Local community health center
309898008 | Psychogeriatric day hospital
39913001 | Residential school infirmary
77931003 | Rural health center
25681007 | Sexually transmitted disease health center
20078004 | Substance abuse treatment center
46224007 | Vaccination clinic
81234003 | Walk-in clinic
35971002 | Ambulatory care site--OTHER--NOT LISTED
11424001 | Ambulance-based care
409519008 | Contained casualty setting
901005 | Helicopter-based care

2081004 | Hospital ship
59374000 | Traveler's aid clinic
413456002 | Adult day care center
413817003 | Child day care center
310205006 | Private residential home
419955002 | Residential institution
272501009 | Sports facility
394777002 | Health encounter site--NOT LISTED

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.185 Value Set http://hl7.org/fhir/ValueSet/goal-acceptance-status

URL: https://hl7.org/fhir/R4/valueset-goal-acceptance-status.html
Patient Care Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/goal-acceptance-status
Version: | 4.0.1
Name: | GoalAcceptanceStatus
Title: | GoalAcceptanceStatus
Definition: | Codes indicating whether the goal has been accepted by a stakeholder.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.917 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for GoalAcceptanceStatus

4.4.1.185.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/goal-acceptance-status

4.4.1.185.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/goal-acceptance-status version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/goal-acceptance-status

Code | Display | Definition
agree | Agree | Stakeholder supports pursuit of the goal.
disagree | Disagree | Stakeholder is not in support of the pursuit of the goal.
pending | Pending | Stakeholder has not yet made a decision on whether they support the goal.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.186 Value Set http://hl7.org/fhir/ValueSet/observation-category

URL: https://hl7.org/fhir/R4/valueset-observation-category.html
Orders and Observations Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/observation-category
Version: | 4.0.1
Name: | ObservationCategoryCodes
Title: | Observation Category Codes
Definition: | Observation Category codes.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.403 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

- CodeSystem: This value set is the designated 'entire code system' value set for ObservationCategoryCodes
- Resource: ObservationDefinition.category (CodeableConcept / Example)
- Profile: DeviceMetricObservation: Observation.category (CodeableConcept / Preferred)
- Profile: Observation-Genetics: Observation.category (CodeableConcept / Preferred)
- Profile: VitalSigns: Observation.category (CodeableConcept / Preferred)
- Profile: BodyWeight: Observation.category (CodeableConcept / Preferred)
- Profile: VitalsPanel: Observation.category (CodeableConcept / Preferred)
- Profile: BodyHeight: Observation.category (CodeableConcept / Preferred)
- Profile: RespRate: Observation.category (CodeableConcept / Preferred)
- Profile: HeartRate: Observation.category (CodeableConcept / Preferred)
- Profile: BodyTemp: Observation.category (CodeableConcept / Preferred)
- Profile: HeadCircum: Observation.category (CodeableConcept / Preferred)
- Profile: OxygenSat: Observation.category (CodeableConcept / Preferred)
- Profile: BMI: Observation.category (CodeableConcept / Preferred)
- Profile: BP: Observation.category (CodeableConcept / Preferred)
- Profile: Cholesterol: Observation.category (CodeableConcept / Preferred)
- Profile: Triglyceride: Observation.category (CodeableConcept / Preferred)
- Profile: HDLCholesterol: Observation.category (CodeableConcept / Preferred)
- Profile: LDLCholesterol: Observation.category (CodeableConcept / Preferred)

4.4.1.186.1 Content Logical Definition

This value set includes codes from the following code systems:

- Include all codes defined in http://terminology.hl7.org/CodeSystem/observation-category

4.4.1.186.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 9 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/observation-category version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/observation-category

Code	Display	Definition
social-history	Social History	Social History Observations define the patient's occupational, personal (e.g., lifestyle), social, familial, and environmental history and health risk factors that may impact the patient's health.
vital-signs	Vital Signs	Clinical observations measure the body's basic functions such as blood pressure, heart rate, respiratory rate, height, weight, body mass index, head circumference, pulse oximetry, temperature, and body surface area.
imaging	Imaging	Observations generated by imaging. The scope includes observations regarding plain x-ray, ultrasound, CT, MRI, angiography, echocardiography, and nuclear medicine.
laboratory	Laboratory	The results of observations generated by laboratories. Laboratory results are typically generated by laboratories providing analytic services in areas such as chemistry, hematology, serology, histology, cytology, anatomic pathology (including digital pathology), microbiology, and/or virology. These observations are based on analysis of specimens obtained from the patient and submitted to the laboratory.
procedure	Procedure	Observations generated by other procedures. This category includes observations resulting from interventional and non-interventional procedures excluding laboratory and imaging (e.g., cardiology catheterization, endoscopy, electrodiagnostics, etc.). Procedure results are typically generated by a clinician to provide more granular information about component observations made during a procedure. An example would be when a gastroenterologist reports the size of a polyp observed during a colonoscopy.

survey | Survey | Assessment tool/survey instrument observations (e.g., Apgar Scores, Montreal Cognitive Assessment (MoCA)).
exam | Exam | Observations generated by physical exam findings including direct observations made by a clinician and use of simple instruments and the result of simple maneuvers performed directly on the patient's body.
therapy | Therapy | Observations generated by non-interventional treatment protocols (e.g. occupational, physical, radiation, nutritional and medication therapy)
activity | Activity | Observations that measure or record any bodily activity that enhances or maintains physical fitness and overall health and wellness. Not under direct supervision of practitioner such as a physical therapist. (e.g., laps swum, steps, sleep data)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.187 Value Set http://hl7.org/fhir/ValueSet/invoice-priceComponentType

URL: https://hl7.org/fhir/R4/valueset-invoice-priceComponentType.html
Financial Management Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/invoice-priceComponentType
Version: | 4.0.1
Name: | InvoicePriceComponentType
Title: | InvoicePriceComponentType
Definition: | Codes indicating the kind of the price component.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.868 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for InvoicePriceComponentType
• Resource: Invoice.lineItem.priceComponent.type (code / Required)
• Resource: ChargeItemDefinition.propertyGroup.priceComponent.type (code / Required)

4.4.1.187.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/invoice-priceComponentType

4.4.1.187.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/invoice-priceComponentType version 4.0.1

All codes from system http://hl7.org/fhir/invoice-priceComponentType

Code | Display | Definition
base | base price | the amount is the base price used for calculating the total price before applying surcharges, discount or taxes.
surcharge | surcharge | the amount is a surcharge applied on the base price.
deduction | deduction | the amount is a deduction applied on the base price.
discount | discount | the amount is a discount applied on the base price.
tax | tax | the amount is the tax component of the total price.
informational | informational | the amount is of informational character, it has not been applied in the calculation of the total price.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.188 Value Set http://hl7.org/fhir/ValueSet/days-of-week

URL: https://hl7.org/fhir/R4/valueset-days-of-week.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/days-of-week
Version: | 4.0.1
Name: | DaysOfWeek
Title: | DaysOfWeek
Definition: | The days of the week.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.512 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for DaysOfWeek
• Resource: PractitionerRole.availableTime.daysOfWeek (code / Required)
• Resource: HealthcareService.availableTime.daysOfWeek (code / Required)
• Resource: Location.hoursOfOperation.daysOfWeek (code / Required)
• Resource: Timing.repeat.dayOfWeek (code / Required)

4.4.1.188.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/days-of-week

4.4.1.188.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 7 concepts

Expansion based on http://hl7.org/fhir/days-of-week version 4.0.1

All codes from system http://hl7.org/fhir/days-of-week

Code | Display | Definition
mon | Monday | Monday.
tue | Tuesday | Tuesday.
wed | Wednesday | Wednesday.
thu | Thursday | Thursday.
fri | Friday | Friday.
sat | Saturday | Saturday.
sun | Sunday | Sunday.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.189 Value Set http://hl7.org/fhir/ValueSet/evidence-quality

URL: https://hl7.org/fhir/R4/valueset-evidence-quality.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/evidence-quality
Version: | 4.0.1
Name: | QualityOfEvidenceRating

Title: | QualityOfEvidenceRating
Definition: | A rating system that describes the quality of evidence such as the GRADE, DynaMed, or Oxford CEBM systems.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.1020 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for QualityOfEvidenceRating

• Resource: EffectEvidenceSynthesis.certainty.rating (CodeableConcept / Extensible)

• Resource: RiskEvidenceSynthesis.certainty.rating (CodeableConcept / Extensible)

• Extension: http://hl7.org/fhir/StructureDefinition/cqf-qualityOfEvidence: qualityOfEvidence (CodeableConcept / Example)

4.4.1.189.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/evidence-quality

4.4.1.189.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/evidence-quality version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/evidence-quality

Code | Display | Definition
high | High quality | High quality evidence.
moderate | Moderate quality | Moderate quality evidence.
low | Low quality | Low quality evidence.
very-low | Very low quality | Very low quality evidence.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.190 Value Set http://hl7.org/fhir/ValueSet/care-team-category

URL: https://hl7.org/fhir/R4/valueset-care-team-category.html
Patient Care Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/care-team-category
Version: | 4.0.1
Name: | CareTeamCategory
Title: | Care Team category
Definition: | Indicates the type of care team.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.155 (for OID based terminology systems)
Copyright: | This content from LOINC® is copyright © 1995 Regenstrief Institute, Inc. and the LOINC Committee, and available at no cost under the license at http://loinc.org/terms-of-use.
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: CareTeam.category (CodeableConcept / Example)

4.4.1.190.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://loinc.org where concept is-a LA27975-4 (Event-focused care team)

• Include codes from http://loinc.org where concept is-a LA27976-2 (Encounter-focused care team)

• Include codes from http://loinc.org where concept is-a LA27977-0 (Episode of care-focused care team)

• Include codes from http://loinc.org where concept is-a LA27978-8 (Condition-focused care team)

• Include codes from http://loinc.org where concept is-a LA28865-6 (Longitudinal care-coordination focused care team)

• Include codes from http://loinc.org where concept is-a LA28866-4 (Home & Community Based Services (HCBS)-focused care team)

• Include codes from http://loinc.org where concept is-a LA27980-4 (Clinical research-focused care team)

• Include codes from http://loinc.org where concept is-a LA28867-2 (Public health-focused care team)

4.4.1.190.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 0 concepts

Code | System | Display

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.191 Value Set http://hl7.org/fhir/ValueSet/permitted-data-type

URL: https://hl7.org/fhir/R4/valueset-permitted-data-type.html
Orders and Observations Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/permitted-data-type
Version: | 4.0.1
Name: | ObservationDataType
Title: | ObservationDataType
Definition: | Permitted data type for observation value.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.1331 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ObservationDataType

• Resource: ObservationDefinition.permittedDataType (code / Required)

4.4.1.191.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/permitted-data-type

4.4.1.191.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 11 concepts

Expansion based on http://hl7.org/fhir/permitted-data-type version 4.0.1

All codes from system http://hl7.org/fhir/permitted-data-type

Code | Display | Definition
Quantity | Quantity | A measured amount.
CodeableConcept | CodeableConcept | A coded concept from a reference terminology and/or text.
string | string | A sequence of Unicode characters.
boolean | boolean | true or false.
integer | integer | A signed integer.
Range | Range | A set of values bounded by low and high.
Ratio | Ratio | A ratio of two Quantity values - a numerator and a denominator.
SampledData | SampledData | A series of measurements taken by a device.

time | time | A time during the day, in the format hh:mm:ss.
dateTime | dateTime | A date, date-time or partial date (e.g. just year or year + month) as used in human communication.
Period | Period | A time range defined by start and end date/time.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.192 Value Set http://hl7.org/fhir/ValueSet/metric-color

URL: https://hl7.org/fhir/R4/valueset-metric-color.html
Health Care Devices Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/metric-color
Version: | 4.0.1
Name: | DeviceMetricColor
Title: | DeviceMetricColor
Definition: | Describes the typical color of representation.
Committee: | Health Care Devices Work Group
OID: | 2.16.840.1.113883.4.642.3.654 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for DeviceMetricColor
• Resource: DeviceMetric.color (code / Required)

4.4.1.192.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/metric-color

4.4.1.192.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 8 concepts

Expansion based on http://hl7.org/fhir/metric-color version 4.0.1

All codes from system http://hl7.org/fhir/metric-color

Code | Display | Definition
black | Color Black | Color for representation - black.
red | Color Red | Color for representation - red.
green | Color Green | Color for representation - green.
yellow | Color Yellow | Color for representation - yellow.
blue | Color Blue | Color for representation - blue.
magenta | Color Magenta | Color for representation - magenta.
cyan | Color Cyan | Color for representation - cyan.
white | Color White | Color for representation - white.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.193 Value Set http://hl7.org/fhir/ValueSet/provenance-activity-type

URL: https://hl7.org/fhir/R4/valueset-provenance-activity-type.html
Security Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/provenance-activity-type
Version: | 4.0.1
Name: | ProvenanceActivityType
Title: | Provenance activity type
Definition: | This value set contains representative Activity Type codes, which includes codes from the HL7 DocumentCompletion, ActStatus, and DataOperations code system, W3C PROV-DM and PROV-N concepts and display names, several HL7 Lifecycle Event codes for which there are agreed upon definitions, and non-duplicated codes from the HL7 Security and Privacy Ontology Operations codes.
Committee: | Security Work Group
OID: | 2.16.840.1.113883.4.642.3.438 (for OID based terminology systems)
Copyright: | This is a value set of representative Activity Type codes.
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Provenance.activity (CodeableConcept / Extensible)

4.4.1.193.1 Content Logical Definition

This value set includes codes from the following code systems:

http://terminology.hl7.org/CodeSystem/v3-DocumentCompletion

Code | Display
LA | legally authenticated | A completion status in which a document has been signed manually or electronically by the individual who is legally responsible for that document. This is the most mature state in the workflow progression.

http://terminology.hl7.org/CodeSystem/v3-ActCode

Code | Display
ANONY | anonymize | Custodian system must remove any information that could result in identifying the information subject.
DEID | deidentify | Custodian system must strip information of data that would allow the identification of the source of the information or the information subject.
MASK | mask | Custodian system must render information unreadable and unusable by algorithmically transforming plaintext into ciphertext. User may be provided a key to decrypt per license or "shared secret".
LABEL | assign security label | Custodian security system must assign and bind security labels in order to classify information created in the information systems under its control for collection, access, use and disclosure in accordance with applicable jurisdictional privacy policies associated with the target information. The system must retain an immutable record of the assignment and binding. Usage Note: In security systems, security policy label assignments do not change, they may supersede prior assignments, and such reassignments are always tracked for auditing and other purposes.
PSEUD | pseudonymize | Custodian system must strip information of data that would allow the identification of the source of the information or the information subject. Custodian may retain a key to relink data necessary to reidentify the information subject.

http://terminology.hl7.org/CodeSystem/v3-DataOperation

Code | Display
CREATE | create | Description:Fundamental operation in an Information System (IS) that results only in the act of bringing an object into existence. Note: The preceding definition is taken from the HL7 RBAC specification. There is no restriction on how the operation is invoked, e.g., via a user interface. For an HL7 Act, the state transitions per the HL7 Reference Information Model.
DELETE | delete | Description:Fundamental operation in an Information System (IS) that results only in the removal of information about an object from memory or storage. Note: The preceding definition is taken from the HL7 RBAC specification. There is no restriction on how the operation is invoked, e.g., via a user interface.
UPDATE | revise | Definition:Fundamental operation in an Information System (IS) that results only in the revision or alteration of an object. Note: The preceding definition is taken from the HL7 RBAC specification. There is no restriction on how the operation is invoked, e.g., via a user interface.
APPEND | append | Description:Fundamental operation in an Information System (IS) that results only in the addition of information to an object already in existence. Note: The preceding definition is taken from the HL7 RBAC specification. There is no restriction on how the operation is invoked, e.g., via a user interface.
NULLIFY | nullify | Description:Change the status of an object representing an Act to "nullified", i.e., treat as though it never existed. For an HL7 Act, the state transitions per the HL7 Reference Information Model.

• Include all codes defined in http://terminology.hl7.org/CodeSystem/v3-ParticipationType

4.4.1.193.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 70 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v3-DocumentCompletion version 2018-08-12, http://terminology.hl7.org/CodeSystem/v3-DataOperation version 2018-08-12, http://terminology.hl7.org/CodeSystem/v3-ActCode version 2018-08-12, http://terminology.hl7.org/CodeSystem/v3-ParticipationType version 2018-08-12

Code | System | Display | Definition
LA | http://terminology.hl7.org/CodeSystem/v3-DocumentCompletion | legally authenticated | A completion status in which a document has been signed manually or electronically by the individual who is legally responsible for that document. This is the most mature state in the workflow progression.
ANONY | http://terminology.hl7.org/CodeSystem/v3-ActCode | anonymize | Custodian system must remove any information that could result in identifying the information subject.
DEID | http://terminology.hl7.org/CodeSystem/v3-ActCode | deidentify | Custodian system must strip information of data that would allow the identification of the source of the information or the information subject.
MASK | http://terminology.hl7.org/CodeSystem/v3-ActCode | mask | Custodian system must render information unreadable and unusable by algorithmically transforming plaintext into ciphertext. User may be provided a key to decrypt per license or "shared secret".
LABEL | http://terminology.hl7.org/CodeSystem/v3-ActCode | assign security label | Custodian security system must assign and bind security labels in order to classify information created in the information systems under its control for collection, access, use and disclosure in accordance with applicable jurisdictional privacy policies associated with the target information. The system must retain an immutable record of the assignment and binding. Usage Note: In security systems, security policy label assignments do not change, they may supersede prior assignments, and such reassignments are always tracked for auditing and other purposes.
PSEUD | http://terminology.hl7.org/CodeSystem/v3-ActCode | pseudonymize | Custodian system must strip information of data that would allow the identification of the source of the information or the information subject. Custodian may retain a key to relink data necessary to reidentify the information subject.
CREATE | http://terminology.hl7.org/CodeSystem/v3-DataOperation | create | Description:Fundamental operation in an Information System (IS) that results only in the act of bringing an object into existence. Note: The preceding definition is taken from the HL7 RBAC specification. There is no restriction on how the operation is invoked, e.g., via a user interface. For an HL7 Act, the state transitions per the HL7 Reference Information Model.
DELETE | http://terminology.hl7.org/CodeSystem/v3-DataOperation | delete | Description:Fundamental operation in an Information System (IS) that results only in the removal of information about an object from memory or storage. Note: The preceding definition is taken from the HL7 RBAC specification. There is no restriction on how the operation is invoked, e.g., via a user interface.
UPDATE | http://terminology.hl7.org/CodeSystem/v3-DataOperation | revise | Definition:Fundamental operation in an Information System (IS) that results only in the revision or alteration of an object. Note: The preceding definition is taken from the HL7 RBAC specification. There is no restriction on how the operation is invoked, e.g., via a user interface.
APPEND | http://terminology.hl7.org/CodeSystem/v3-DataOperation | append | Description:Fundamental operation in an Information System (IS) that results only in the addition of information to an object already in existence. Note: The preceding definition is taken from the HL7 RBAC specification. There is no restriction on how the operation is invoked, e.g., via a user interface.
NULLIFY | http://terminology.hl7.org/CodeSystem/v3-DataOperation | nullify | Description:Change the status of an object representing an Act to "nullified", i.e., treat as though it never existed. For an HL7 Act, the state transitions per the HL7 Reference Information Model.
PART | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | Participation | Indicates that the target of the participation is involved in some manner in the act, but does not qualify how.
ADM | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | admitter | The practitioner who is responsible for admitting a patient to a patient encounter.
ATND | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | attender | The practitioner that has responsibility for overseeing a patient's care during a patient encounter.
CALLBCK | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | callback contact | A person or organization who should be contacted for follow-up questions about the act in place of the author.
CON | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | consultant | An advisor participating in the service by performing evaluations and making recommendations.
DIS | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | discharger | The practitioner who is responsible for the discharge of a patient from a patient encounter.
ESC | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | escort | Only with Transportation services. A person who escorts the patient.
REF | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | referrer | A person having referred the subject of the service to the performer (referring physician). Typically, a referring physician will receive a report.
AUT | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | author (originator) | Definition: A party that originates the Act and therefore has responsibility for the information given in the Act and ownership of this Act. Example: the report writer, the person writing the act definition, the guideline author, the placer of an order, the EKG cart (device) creating a report etc. Every Act should have an author. Authorship is regardless of mood always actual authorship. Examples of such policies might include: The author and anyone they explicitly delegate may update the report; All administrators within the same clinic may cancel and reschedule appointments created by other administrators within that clinic; A party that is neither an author nor a party who is extended authorship maintenance rights by policy, may only amend, reverse, override, replace, or follow up in other ways on this Act, whereby the Act remains intact and is linked to another Act authored by that other party.
INF | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | informant | A source of reported information (e.g., a next of kin who answers questions about the patient's history). For history questions, the patient is logically an informant, yet the informant of history questions is implicitly the subject.
TRANS | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | Transcriber | An entity entering the data into the originating system. The data entry entity is collected optionally for internal quality control purposes. This includes the transcriptionist for dictated text transcribed into electronic form.
ENT | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | data entry person | A person entering the data into the originating system. The data entry person is collected optionally for internal quality control purposes. This includes the transcriptionist for dictated text.
WIT | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | witness | Only with service events. A person witnessing the action happening without doing anything. A witness is not necessarily aware, much less approves of anything stated in the service event. Example for a witness is students watching an operation or an advanced directive witness.
CST | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | custodian | An entity (person, organization or device) that is in charge of maintaining the information of this act (e.g., who maintains the report or the master service catalog item, etc.).
DIR | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | direct target | Target participant that is substantially present in the act and which is directly involved in the action (includes consumed material, devices, etc.).

ALY | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | analyte | The target of an Observation action. Links an observation to a Role whose player is the substance or most specific component entity (material, micro-organism, etc.) being measured within the subject. Examples: A "plasma porcelain substance concentration" has analyte a Role with player substance Entity "porcelain". UsageNotes: The Role that this participation connects to may be any Role whose player is that substance measured. Very often, the scoper may indicate the system in which the component is being measured. E.g., for "plasma porcelain" the scoper could be "Plasma".

BBY | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | baby | In an obstetric service, the baby.

CAT | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | catalyst | The catalyst of a chemical reaction, such as an enzyme or a platinum surface. In biochemical reactions, connects the enzyme with the molecular interaction

CSM | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | consumable | Participant material that is taken up, diminished, altered, or disappears in the act.

TPA | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | therapeutic agent | Something incorporated in the subject of a therapy service to achieve a physiologic effect (e.g., heal, relieve, provoke a condition, etc.) on the subject. In an administration service the therapeutic agent is a consumable, in a preparation or dispense service, it is a product. Thus, consumable or product must be specified in accordance with the kind of service.

DEV | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | device | Participant used in performing the act without being substantially affected by the act (i.e. durable or inert with respect to that particular service). Examples: monitoring equipment, tools, but also access/drainage lines, prostheses, pace maker, etc.

NRD | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | non-reuseable device | A device that changes ownership due to the service, e.g., a pacemaker, a prosthesis, an insulin injection equipment (pen), etc. Such material may need to be restocked after he service.

RDV | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | reusable device | A device that does not change ownership due to the service, i.e., a surgical instrument or tool or an endoscope. The distinction between reuseable and non-reuseable must be made in order to know whether material must be re-stocked.

DON | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | donor | In some organ transplantation services and rarely in transfusion services a donor will be a target participant in the service. However, in most cases transplantation is decomposed in three services: explantation, transport, and implantation. The identity of the donor (recipient) is often irrelevant for the explantation (implantation) service.

EXPAGNT | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | ExposureAgent | Description: The entity playing the associated role is the physical (including energy), chemical or biological substance that is participating in the exposure. For example in communicable diseases, the associated playing entity is the disease causing pathogen.

EXPART | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | ExposureParticipation | Description:Direct participation in an exposure act where it is unknown that the participant is the source or subject of the exposure. If the participant is known to be the contact of an exposure then the SBJ participation type should be used. If the participant is known to be the source then the EXSRC participation type should be used.

EXPTRGT | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | ExposureTarget | Description: The entity playing the associated role is the target (contact) of exposure.

EXSRC | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | ExposureSource | Description:The entity playing the associated role is the source of exposure.

PRD | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | product | Participant material that is brought forth (produced) in the act (e.g., specimen in a specimen collection, access or drainage in a placement service, medication package in a dispense service). It does not matter whether the material produced had existence prior to the service, or whether it is created in the service (e.g., in supply services the product is taken from a stock).

SBJ | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | subject | The principle target on which the action happens. Examples: The patient in physical examination, a specimen in a lab observation. May also be a patient's family member (teaching) or a device or room (cleaning, disinfecting, housekeeping). UsageNotes: Not all direct targets are subjects. Consumables and devices used as tools for an act are not subjects. However, a device may be a subject of a maintenance action.

SPC | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | specimen | The subject of non-clinical (e.g. laboratory) observation services is a specimen.

IND | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | indirect target | Target that is not substantially present in the act and which is not directly affected by the act, but which will be a focus of the record or documentation of the act.

BEN | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | beneficiary | Target on behalf of whom the service happens, but that is not necessarily present in the service. Can occur together with direct target to indicate that a target is both, as in the case where the patient is the indirect beneficiary of a service rendered to a family member, e.g. counseling or given home care instructions. This concept includes a participant, such as a covered party, who derives benefits from a service act covered by a coverage act. Note that the semantic role of the intended recipient who benefits from the happening denoted by the verb in the clause. Thus, a patient who has no coverage under a policy or program may be a beneficiary of a health service while not being the beneficiary of coverage for that service.

CAGNT | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | causative agent | Definition: A factor, such as a microorganism, chemical substance, or form of radiation, whose presence, excessive presence, or (in deficiency diseases) relative absence is essential, in whole or in part, for the occurrence of a condition. Constraint: The use of this participation is limited to observations.

COV | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | coverage target | The target participation for an individual in a health care coverage act in which the target role is either the policy holder of the coverage, or a covered party under the coverage.

GUAR | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | guarantor party | The target person or organization contractually recognized by the issuer as a participant who has assumed fiscal responsibility for another personaTMs financial obligations by guaranteeing to pay for amounts owed to a particular account Example:The subscriber of the patientaTMs health insurance policy signs a contract with the provider to be fiscally responsible for the patient billing account balance amount owed.

HLD | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | holder | Participant who posses an instrument such as a financial contract (insurance policy) usually based on some agreement with the author.

RCT | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | record target | The record target indicates whose medical record holds the documentation of this act. This is especially important when the subject of a service is not the patient himself.

RCV | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | receiver | The person (or organization) who receives the product of an Act.

IRCP | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | information recipient | A party, who may or should receive or who has recieved the Act or subsequent or derivative information of that Act. Information recipient is inert, i.e., independent of

mood." Rationale: this is a generalization of a too diverse family that the definition can't be any more specific, and the concept is abstract so one of the specializations should be used.
NOT | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | ugent notification contact | An information recipient to notify for urgent matters about this Act. (e.g., in a laboratory order, critical results are being called by phone right away, this is the contact to call; or for an inpatient encounter, a next of kin to notify when the patient becomes critically ill).
PRCP | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | primary information recipient | Information recipient to whom an act statement is primarily directed. E.g., a primary care provider receiving a discharge letter from a hospitalist, a health department receiving information on a suspected case of infectious disease. Multiple of these participations may exist on the same act without requiring that recipients be ranked as primary vs. secondary.
REFB | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | Referred By | A participant (e.g. provider) who has referred the subject of an act (e.g. patient). Typically, a referred by participant will provide a report (e.g. referral).
REFT | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | Referred to | The person who receives the patient
TRC | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | tracker | A secondary information recipient, who receives copies (e.g., a primary care provider receiving copies of results as ordered by specialist).
LOC | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | location | The facility where the service is done. May be a static building (or room therein) or a moving location (e.g., ambulance, helicopter, aircraft, train, truck, ship, etc.)
DST | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | destination | The destination for services. May be a static building (or room therein) or a movable facility (e.g., ship).
ELOC | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | entry location | A location where data about an Act was entered.
ORG | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | origin | The location of origin for services. May be a static building (or room therein) or a movable facility (e.g., ship).
RML | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | remote | Some services take place at multiple concurrent locations (e.g., telemedicine, telephone consultation). The location where the principal performing actor is located is taken as the primary location (LOC) while the other location(s) are considered "remote."
VIA | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | via | For services, an intermediate location that specifies a path between origin an destination.
PRF | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | performer | Definition: A person, non-person living subject, organization or device that who actually and principally carries out the action. Device should only be assigned as a performer in circumstances where the device is performing independent of human intervention. Need not be the principal responsible actor. Exampe: A surgery resident operating under supervision of attending surgeon, a search and rescue dog locating survivors, an electronic laboratory analyzer or the laboratory discipline requested to perform a laboratory test. The performer may also be the patient in self-care, e.g. fingerstick blood sugar. The traditional order filler is a performer. This information should accompany every service event. Note: that existing HL7 designs assign an organization as the playing entity of the Role that is the performer. These designs should be revised in subsequent releases to make this the scooping entity for the role involved.
DIST | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | distributor | Distributes material used in or generated during the act.
PPRF | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | primary performer | The principal or primary performer of the act.
SPRF | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | secondary performer | A person assisting in an act through his substantial presence and involvement This includes: assistants, technicians, associates, or whatever the job titles may be.
RESP | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | responsible party | The person or organization that has primary responsibility for the act. The responsible party is not necessarily present in an action, but is accountable for the action through the power to delegate, and the duty to review actions with the performing actor after the fact. This responsibility may be ethical, legal, contractual, fiscal, or fiduciary in nature. Example: A person who is the head of a biochemical laboratory; a sponsor for a policy or government program.
VRF | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | verifier | A person who verifies the correctness and appropriateness of the service (plan, order, event, etc.) and hence takes on accountability.
AUTHEN | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | authenticator | A verifier who attests to the accuracy of an act, but who does not have privileges to legally authenticate the act. An example would be a resident physician who sees a patient and dictates a note, then later signs it. Their signature constitutes an authentication.
LA | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | legal authenticator | A verifier who legally authenticates the accuracy of an act. An example would be a staff physician who sees a patient and dictates a note, then later signs it. Their signature constitutes a legal authentication.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.194 Value Set http://hl7.org/fhir/ValueSet/ucum-bodytemp

URL: https://hl7.org/fhir/R4/valueset-ucum-bodytemp.html
Orders and Observations Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/ucum-bodytemp
Version: | 4.0.1
Name: | BodyTemperatureUnits
Title: | Body Temperature Units
Definition: | UCUM units for recording Body Temperature
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.957 (for OID based terminology systems)
Copyright: | UCUM is Copyright © 1999-2013 Regenstrief Institute, Inc. and The UCUM Organization, Indianapolis, IN. All rights reserved. See http://unitsofmeasure.org/trac//wiki/TermsOfUse for details
Source Resource | XML / JSON

This value set is not currently used

4.4.1.194.1 Content Logical Definition

This value set includes codes from the following code systems:

http://unitsofmeasure.org

Code | Display
Cel | Cel
[degF] | degF

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.195 Value Set http://hl7.org/fhir/ValueSet/claim-informationcategory

URL: https://hl7.org/fhir/R4/valueset-claim-informationcategory.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/claim-informationcategory
Version: | 4.0.1
Name: | ClaimInformationCategoryCodes
Title: | Claim Information Category Codes
Definition: | This value set includes sample Information Category codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.582 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ClaimInformationCategoryCodes

• Resource: ExplanationOfBenefit.supportingInfo.category (CodeableConcept / Example)

• Resource: Claim.supportingInfo.category (CodeableConcept / Example)

4.4.1.195.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/claiminformationcategory

4.4.1.195.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 14 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/claiminformationcategory version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/claiminformationcategory

Code | Display | Definition
info | Information | Codes conveying additional situation and condition information.

discharge | Discharge | Discharge status and discharge to locations.
onset | Onset | Period, start or end dates of aspects of the Condition.
related | Related Services | Nature and date of the related event e.g. Last exam, service, X-ray etc.
exception | Exception | Insurance policy exceptions.
material | Materials Forwarded | Materials being forwarded, e.g. Models, molds, images, documents.
attachment | Attachment | Materials attached such as images, documents and resources.
missingtooth | Missing Tooth | Teeth which are missing for any reason, for example: prior extraction, never developed.
prosthesis | Prosthesis | The type of prosthesis and date of supply if a previously supplied prosthesis.
other | Other | Other information identified by the type.system.
hospitalized | Hospitalized | An indication that the patient was hospitalized, the period if known otherwise a Yes/No (boolean).
employmentimpacted | EmploymentImpacted | An indication that the patient was unable to work, the period if known otherwise a Yes/No (boolean).
externalcause | External Caause | The external cause of an illness or injury.
patientreasonforvisit | Patient Reason for Visit | The reason for the patient visit.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.196 Value Set http://hl7.org/fhir/ValueSet/encounter-status

URL: https://hl7.org/fhir/R4/valueset-encounter-status.html
Patient Administration Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/encounter-status
Version: | 4.0.1
Name: | EncounterStatus
Title: | EncounterStatus
Definition: | Current state of the encounter.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.246 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for EncounterStatus
• ConceptMap: Translation source in Canonical Mapping for "EncounterStatus"
• Resource: Encounter.status (code / Required)
• Resource: Encounter.statusHistory.status (code / Required)

4.4.1.196.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/encounter-status

4.4.1.196.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 9 concepts

Expansion based on http://hl7.org/fhir/encounter-status version 4.0.1

All codes from system http://hl7.org/fhir/encounter-status

Code | Display | Definition | Canonical Status
planned | Planned | The Encounter has not yet started. | ~planned
arrived | Arrived | The Patient is present for the encounter, however is not currently meeting with a practitioner. | ~arrived
triaged | Triaged | The patient has been assessed for the priority of their treatment based on the severity of their condition. | ~accepted
in-progress | In Progress | The Encounter has begun and the patient is present / the practitioner and the patient are meeting. | ~active
onleave | On Leave | The Encounter has begun, but the patient is temporarily on leave. | ~suspended
finished | Finished | The Encounter has ended. | ~complete

cancelled | Cancelled | The Encounter has ended before it has begun. | ~abandoned
entered-in-error | Entered in Error | This instance should not have been part of this patient's medical record. | ~error
unknown | Unknown | The encounter status is unknown. Note that "unknown" is a value of last resort and every attempt should be made to provide a meaningful value other than "unknown". | ~unknown

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.197 Value Set http://hl7.org/fhir/ValueSet/device-safety

URL: https://hl7.org/fhir/R4/valueset-device-safety.html
Orders and Observations Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/device-safety
Version: | 4.0.1
Name: | DeviceSafety
Title: | Device safety
Definition: | Codes used to identify medical devices safety characteristics. These codes are taken from the NCI Thesaurus and are provided here as a suggestive example.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.213 (for OID based terminology systems)
Copyright: | MRI safety definitions reprinted, with permission, from F2503-08 Standard Practice for Marking Medical Devices and Other Items for Safety in the Magnetic Resonance Environment, copyright ASTM International, 100 Barr Harbor Drive, West Conshohocken, PA 19428. See ASTM F2503 .
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: DeviceDefinition.safety (CodeableConcept / Example)

4.4.1.197.1 Content Logical Definition

This value set includes codes from the following code systems:

urn:oid:2.16.840.1.113883.3.26.1.1

Code | Display | Definition
C106046 | Magnetic Resonance Conditional | A device with demonstrated safety in the MR environment within defined conditions. At a minimum, address the conditions of the static magnetic field, the switched gradient magnetic field and the radiofrequency fields. Additional conditions, including specific configurations of the item, may be required. See ASTM F2503
C106045 | Magnetic Resonance Safe | The device poses no known hazards resulting from exposure to any MR environment. MR Safe items are composed of materials that are electrically nonconductive, nonmetallic, and nonmagnetic. See ASTM F2503
C106047 | Magnetic Resonance Unsafe | The device which poses unacceptable risks to the patient, medical staff or other persons within the MR environment. See ASTM F2503
C113844 | Labeling does not Contain MRI Safety Information | Information on the safety of using a device in a magnetic resonance (MR) environment has not been provided in the labeling by the labeler.
C101673 | Labeled as Containing Natural Rubber Latex | The device label indicates natural rubber latex as a component.
C106038 | Not Made with Natural Rubber Latex | The composition of the materials of an item do not contain natural rubber latex.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.198 Value Set http://hl7.org/fhir/ValueSet/financial-taskinputtype

URL: https://hl7.org/fhir/R4/valueset-financial-taskinputtype.html
Financial Management Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/financial-taskinputtype
Version: | 4.0.1
Name: | FinancialTaskInputTypeCodes
Title: | Financial Task Input Type Codes
Definition: | This value set includes Financial Task Input Type codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.1391 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for FinancialTaskInputTypeCodes

4.4.1.198.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/financialtaskinputtype

4.4.1.198.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 7 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/financialtaskinputtype version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/financialtaskinputtype

Code | Display | Definition
include | Include | The name of a resource to include in a selection.
exclude | Exclude | The name of a resource to not include in a selection.
origresponse | Original Response | A reference to the response resource to the original processing of a resource.
reference | Reference Number | A reference value which must be quoted to authorize an action.
item | Item Number | The sequence number associated with an item for reprocessing.
period | Period | The reference period for the action being requested.
status | Status code | The processing status from a check on the processing status of a resource such as the adjudication of a claim.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.199 Value Set http://hl7.org/fhir/ValueSet/report-codes

URL: https://hl7.org/fhir/R4/valueset-report-codes.html
Orders and Observations Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/report-codes
Version: | 4.0.1
Name: | LOINCDiagnosticReportCodes
Title: | LOINC Diagnostic Report Codes
Definition: | This value set includes LOINC codes that relate to Diagnostic Observations.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.233 (for OID based terminology systems)
Copyright: | This content from LOINC® is copyright © 1995 Regenstrief Institute, Inc. and the LOINC Committee, and available at no cost under the license at http://loinc.org/terms-of-use.
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: DiagnosticReport.code (CodeableConcept / Preferred)
• Profile: LipidProfile: DiagnosticReport.code (CodeableConcept / Preferred)
• Profile: DiagnosticReport-Genetics: DiagnosticReport.code (CodeableConcept / Preferred)
• Profile: HLAResult: DiagnosticReport.code (CodeableConcept / Preferred)

4.4.1.199.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://loinc.org

4.4.1.199.2 Expansion

This expansion generated 01 Nov 2019

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://loinc.org

Code | Display
1-8 | Acyclovir [Susceptibility]
10-9 | Amdinocillin [Susceptibility] by Serum bactericidal titer
100-8 | Cefoperazone [Susceptibility] by Minimum inhibitory concentration (MIC)
1000-9 | DBG Ab [Presence] in Serum or Plasma from Blood product unit
10000-8 | R wave duration in lead AVR
10001-6 | R wave duration in lead I
10002-4 | R wave duration in lead II
10003-2 | R wave duration in lead III
10004-0 | R wave duration in lead V1
10005-7 | R wave duration in lead V2
10006-5 | R wave duration in lead V3
10007-3 | R wave duration in lead V4
10008-1 | R wave duration in lead V5
10009-9 | R wave duration in lead V6
1001-7 | DBG Ab [Presence] in Serum or Plasma from Donor
10010-7 | R' wave amplitude in lead AVF
10011-5 | R' wave amplitude in lead AVL
10012-3 | R' wave amplitude in lead AVR
10013-1 | R' wave amplitude in lead I
10014-9 | R' wave amplitude in lead II
10015-6 | R' wave amplitude in lead III
10016-4 | R' wave amplitude in lead V1
10017-2 | R' wave amplitude in lead V2
10018-0 | R' wave amplitude in lead V3
10019-8 | R' wave amplitude in lead V4
1002-5 | DBG Ab [Presence] in Serum or Plasma
10020-6 | R' wave amplitude in lead V5
10021-4 | R' wave amplitude in lead V6
10022-2 | R' wave duration in lead AVF
10023-0 | R' wave duration in lead AVL
10024-8 | R' wave duration in lead AVR
10025-5 | R' wave duration in lead I
10026-3 | R' wave duration in lead II
10027-1 | R' wave duration in lead III
10028-9 | R' wave duration in lead V1
10029-7 | R' wave duration in lead V2
1003-3 | Indirect antiglobulin test.complement specific reagent [Presence] in Serum or Plasma
10030-5 | R' wave duration in lead V3
10031-3 | R' wave duration in lead V4
10032-1 | R' wave duration in lead V5
10033-9 | R' wave duration in lead V6
10034-7 | S wave amplitude in lead AVF
10035-4 | S wave amplitude in lead AVL
10036-2 | S wave amplitude in lead AVR
10037-0 | S wave amplitude in lead I
10038-8 | S wave amplitude in lead II
10039-6 | S wave amplitude in lead III
1004-1 | Direct antiglobulin test.complement specific reagent [Presence] on Red Blood Cells
10040-4 | S wave amplitude in lead V1
10041-2 | S wave amplitude in lead V2
10042-0 | S wave amplitude in lead V3
10043-8 | S wave amplitude in lead V4
10044-6 | S wave amplitude in lead V5

10045-3 | S wave amplitude in lead V6
10046-1 | S wave duration in lead AVF
10047-9 | S wave duration in lead AVL
10048-7 | S wave duration in lead AVR
10049-5 | S wave duration in lead I
1005-8 | Indirect antiglobulin test.IgG specific reagent [Presence] in Serum or Plasma
10050-3 | S wave duration in lead II
10051-1 | S wave duration in lead III
10052-9 | S wave duration in lead V1
10053-7 | S wave duration in lead V2
10054-5 | S wave duration in lead V3
10055-2 | S wave duration in lead V4
10056-0 | S wave duration in lead V5
10057-8 | S wave duration in lead V6
10058-6 | S' wave amplitude in lead AVF
10059-4 | S' wave amplitude in lead AVL
1006-6 | Direct antiglobulin test.IgG specific reagent [Interpretation] on Red Blood Cells
10060-2 | S' wave amplitude in lead AVR
10061-0 | S' wave amplitude in lead I
10062-8 | S' wave amplitude in lead II
10063-6 | S' wave amplitude in lead III
10064-4 | S' wave amplitude in lead V1
10065-1 | S' wave amplitude in lead V2
10066-9 | S' wave amplitude in lead V3
10067-7 | S' wave amplitude in lead V4
10068-5 | S' wave amplitude in lead V5
10069-3 | S' wave amplitude in lead V6
1007-4 | Direct antiglobulin test.poly specific reagent [Presence] on Red Blood Cells
10070-1 | S' wave duration in lead AVF
10071-9 | S' wave duration in lead AVL
10072-7 | S' wave duration in lead AVR
10073-5 | S' wave duration in lead I
10074-3 | S' wave duration in lead II
10075-0 | S' wave duration in lead III
10076-8 | S' wave duration in lead V1
10077-6 | S' wave duration in lead V2
10078-4 | S' wave duration in lead V3
10079-2 | S' wave duration in lead V4
1008-2 | Indirect antiglobulin test.poly specific reagent [Presence] in Serum or Plasma
10080-0 | S' wave duration in lead V5
10081-8 | S' wave duration in lead V6
10082-6 | ST initial amplitude 6 ms in lead AVF
10083-4 | ST initial amplitude 6 ms in lead AVL
10084-2 | ST initial amplitude 6 ms in lead AVR
10085-9 | ST initial amplitude 6 ms in lead I
10086-7 | ST initial amplitude 6 ms in lead II
10087-5 | ST initial amplitude 6 ms in lead III
10088-3 | ST initial amplitude 6 ms in lead V1
10089-1 | ST initial amplitude 6 ms in lead V2
1009-0 | Deprecated Direct antiglobulin test.poly specific reagent [Presence] on Red Blood Cells
10090-9 | ST initial amplitude 6 ms in lead V3
10091-7 | ST initial amplitude 6 ms in lead V4
10092-5 | ST initial amplitude 6 ms in lead V5
10093-3 | ST initial amplitude 6 ms in lead V6
10094-1 | ST slope in lead AVF
10095-8 | ST slope in lead AVL
10096-6 | ST slope in lead AVR
10097-4 | ST slope in lead I
10098-2 | ST slope in lead II
10099-0 | ST slope in lead III
101-6 | Cefoperazone [Susceptibility] by Disk diffusion (KB)
1010-8 | E sup(w) Ab [Presence] in Serum or Plasma from Blood product unit
10100-6 | ST slope in lead V1
10101-4 | ST slope in lead V2
10102-2 | ST slope in lead V3
10103-0 | ST slope in lead V4
10104-8 | ST slope in lead V5
10105-5 | ST slope in lead V6
10106-3 | ST wave end displacement in lead AVF
10107-1 | ST wave end displacement in lead AVL
10108-9 | ST wave end displacement in lead AVR
10109-7 | ST wave end displacement in lead I

1011-6 | E sup(w) Ab [Presence] in Serum or Plasma from Donor
10110-5 | ST wave end displacement in lead II
10111-3 | ST wave end displacement in lead III
10112-1 | ST wave end displacement in lead V1
10113-9 | ST wave end displacement in lead V2
10114-7 | ST wave end displacement in lead V3
10115-4 | ST wave end displacement in lead V4
10116-2 | ST wave end displacement in lead V5
10117-0 | ST wave end displacement in lead V6
10118-8 | ST wave mid displacement in lead AVF
10119-6 | ST wave mid displacement in lead AVL
1012-4 | E sup(w) Ab [Presence] in Serum or Plasma
10120-4 | ST wave mid displacement in lead AVR
10121-2 | ST wave mid displacement in lead I
10122-0 | ST wave mid displacement in lead II
10123-8 | ST wave mid displacement in lead III
10124-6 | ST wave mid displacement in lead V1
10125-3 | ST wave mid displacement in lead V2
10126-1 | ST wave mid displacement in lead V3
10127-9 | ST wave mid displacement in lead V4
10128-7 | ST wave mid displacement in lead V5
10129-5 | ST wave mid displacement in lead V6
1013-2 | E sup(w) Ag [Presence] on Red Blood Cells from Blood product unit
10130-3 | T' wave amplitude in lead AVF
10131-1 | T' wave amplitude in lead AVL
10132-9 | T' wave amplitude in lead AVR
10133-7 | T' wave amplitude in lead I
10134-5 | T' wave amplitude in lead II
10135-2 | T' wave amplitude in lead III
10136-0 | T' wave amplitude in lead V1
10137-8 | T' wave amplitude in lead V2
10138-6 | T' wave amplitude in lead V3
10139-4 | T' wave amplitude in lead V4
1014-0 | E sup(w) Ag [Presence] on Red Blood Cells from Donor
10140-2 | T' wave amplitude in lead V5
10141-0 | T' wave amplitude in lead V6
10142-8 | T wave amplitude in lead AVF
10143-6 | T wave amplitude in lead AVL
10144-4 | T wave amplitude in lead AVR
10145-1 | T wave amplitude in lead I
10146-9 | T wave amplitude in lead II
10147-7 | T wave amplitude in lead III
10148-5 | T wave amplitude in lead V1
10149-3 | T wave amplitude in lead V2
1015-7 | E sup(w) Ag [Presence] on Red Blood Cells
10150-1 | T wave amplitude in lead V3
10151-9 | T wave amplitude in lead V4
10152-7 | T wave amplitude in lead V5
10153-5 | T wave amplitude in lead V6
10154-3 | Chief complaint Narrative - Reported
10155-0 | History of allergies, reported
10156-8 | History of Childhood diseases Narrative
10157-6 | History of family member diseases Narrative
10158-4 | History of Functional status Narrative
10159-2 | History of Industrial exposure Narrative
1016-5 | E Ab [Presence] in Serum or Plasma from Blood product unit
10160-0 | History of Medication use Narrative
10161-8 | History of Occupational exposure Narrative
10162-6 | History of pregnancies Narrative
10163-4 | History of pregnancies
10164-2 | History of Present illness Narrative
10165-9 | Deprecated History of psychiatric symptoms and diseases Narrative
10166-7 | History of Social function Narrative
10167-5 | History of Surgical procedures Narrative
10168-3 | History of Cardiovascular system disorders Narrative
10169-1 | History of Ear disorders Narrative
1017-3 | E Ab [Presence] in Serum or Plasma from Donor
10170-9 | History of Endocrine system disorders Narrative
10171-7 | History of Eyes disorders Narrative
10172-5 | History of Hematologic system disorders Narrative
10173-3 | History of Musculoskeletal system disorders Narrative
10174-1 | History of Nose disorders Narrative

10175-8 | History of Oral cavity disorders Narrative
10176-6 | History of Reproductive system disorders Narrative
10177-4 | History of Respiratory system disorders Narrative
10178-2 | History of Skin disorders Narrative
10179-0 | History of Throat and Neck disorders Narrative
1018-1 | E Ab [Presence] in Serum or Plasma
10180-8 | History of Throat and Neck disorders
10181-6 | History of Urinary tract disorders Narrative
10182-4 | History of Travel Narrative
10183-2 | Hospital discharge medications Narrative
10184-0 | Hospital discharge physical findings Narrative
10185-7 | Hospital discharge procedures Narrative
10186-5 | Identifying information Narrative Observed
10187-3 | Review of systems Narrative - Reported
10188-1 | Review of systems overview Narrative - Reported
10189-9 | Review of systems overview - Reported
1019-9 | E Ag [Presence] on Red Blood Cells from Blood product unit
10190-7 | Mental status Narrative
10191-5 | Physical findings of Abdomen Narrative
10192-3 | Physical findings of Back Narrative
10193-1 | Physical findings of Breasts Narrative
10194-9 | Physical findings of Neurologic deep tendon reflexes Narrative
10195-6 | Physical findings of Ear Narrative
10196-4 | Physical findings of Extremities Narrative
10197-2 | Physical findings of Eye Narrative
10198-0 | Physical findings of Genitourinary tract Narrative
10199-8 | Physical findings of Head Narrative
102-4 | Cefoperazone [Susceptibility] by Serum bactericidal titer
1020-7 | E Ag [Presence] on Red Blood Cells from Donor
10200-4 | Physical findings of Heart Narrative
10201-2 | Physical findings of Mouth and Throat and Teeth Narrative
10202-0 | Physical findings of Nervous system Narrative
10203-8 | Physical findings of Nose Narrative
10204-6 | Physical findings of Pelvis Narrative
10205-3 | Physical findings of Rectum Narrative
10206-1 | Physical findings of Skin Narrative
10207-9 | Physical findings of Thorax and Lungs Narrative
10208-7 | Physical findings of Vessels Narrative
10209-5 | Physical findings of Neurologic balance and Coordination Narrative
1021-5 | E Ag [Presence] on Red Blood Cells
10210-3 | Physical findings of General status Narrative
10211-1 | Physical findings of Sense of touch Narrative
10212-9 | Physical findings of Strength Narrative
10213-7 | Surgical operation note anesthesia Narrative
10214-5 | Surgical operation note anesthesia duration
10215-2 | Surgical operation note findings Narrative
10216-0 | Surgical operation note fluids Narrative
10217-8 | Surgical operation note indications [Interpretation] Narrative
10218-6 | Surgical operation note postoperative diagnosis Narrative
10219-4 | Surgical operation note preoperative diagnosis Narrative
1022-3 | Fy sup(a) Ab [Presence] in Serum or Plasma from Blood product unit
10220-2 | Surgical operation note prep time duration
10221-0 | Surgical operation note specimens taken Narrative
10222-8 | Surgical operation note surgical complications [Interpretation] Narrative
10223-6 | Surgical operation note surgical procedure Narrative
10224-4 | Hemodynamic method special circumstances
10225-1 | Cardiac measurement device Institution inventory number
10226-9 | Oxygen content in Intravascular space
10227-7 | Cardiac measurement device Vendor model number
10228-5 | Cardiac measurement device Vendor serial number
10229-3 | Hemodynamic method Type of
1023-1 | Fy sup(a) Ab [Presence] in Serum or Plasma from Donor
10230-1 | Left ventricular Ejection fraction
10231-9 | Right ventricular Ejection fraction
10232-7 | Oxygen content in Aorta root
10233-5 | Oxygen content in Left atrium
10234-3 | Oxygen content in Right atrium
10235-0 | Oxygen content in High right atrium
10236-8 | Oxygen content in Low right atrium
10237-6 | Oxygen content in Mid right atrium
10238-4 | Oxygen content in Left ventricle
10239-2 | Oxygen content in Right ventricular outflow tract

1024-9 | Fy sup(a) Ab [Presence] in Serum or Plasma
10240-0 | Oxygen content in Right ventricle
10241-8 | Oxygen content in Coronary sinus
10242-6 | Oxygen content in Ductus arteriosus
10243-4 | Oxygen content in Inferior vena cava
10244-2 | Oxygen content in Left pulmonary artery
10245-9 | Oxygen content in Main pulmonary artery
10246-7 | Oxygen content in Right pulmonary artery
10247-5 | Oxygen content in Pulmonary wedge
10248-3 | Oxygen content in Superior vena cava
10249-1 | Heart rate device Institution inventory number
1025-6 | Fy sup(a) Ag [Presence] on Red Blood Cells from Blood product unit
10250-9 | Heart rate device Vendor model number
10251-7 | Heart rate device Vendor serial number
10252-5 | Biliary drain site
10253-3 | Type of Biliary drain
10254-1 | Type of Peritoneal drain
10255-8 | Type of Subarachnoid drain
10256-6 | Biliary drain Institution inventory number
10257-4 | Chest tube Institution inventory number
10258-2 | Enteral tube Institution inventory number
10259-0 | Gastrostomy tube Institution inventory number
1026-4 | Fy sup(a) Ag [Presence] on Red Blood Cells from Donor
10260-8 | GI tube Institution inventory number
10261-6 | Intravascular tube Institution inventory number
10262-4 | IO tube Institution inventory number
10263-2 | Nasogastric tube Institution inventory number
10264-0 | Oral tube Institution inventory number
10265-7 | Peritoneal drain Institution inventory number
10266-5 | Peritoneal tube Institution inventory number
10267-3 | Rate control device Institution inventory number
10268-1 | Stool collection device Institution inventory number
10269-9 | Subarachnoid drain Institution inventory number
1027-2 | Fy sup(a) Ag [Presence] on Red Blood Cells
10270-7 | Synovial drain Institution inventory number
10271-5 | Tube or drain Institution inventory number
10272-3 | Upper GI tube Institution inventory number
10273-1 | Bladder irrigation tube Institution inventory number
10274-9 | Urine tube Institution inventory number
10275-6 | Wound drain device Institution inventory number
10276-4 | Peritoneal drain site
10277-2 | Stool collection site
10278-0 | Subarachnoid drain site
10279-8 | Biliary drain Vendor model number
1028-0 | Fy sup(b) Ab [Presence] in Serum or Plasma from Blood product unit
10280-6 | Chest tube Vendor model number
10281-4 | Enteral tube Vendor model number
10282-2 | Gastrostomy tube Vendor model number
10283-0 | GI tube Vendor model number
10284-8 | Intravascular tube Vendor model number
10285-5 | IO tube Vendor model number
10286-3 | Nasogastric tube Vendor model number
10287-1 | Oral tube Vendor model number
10288-9 | Peritoneal drain Vendor model number
10289-7 | Peritoneal tube Vendor model number
1029-8 | Fy sup(b) Ab [Presence] in Serum or Plasma from Donor
10290-5 | Rate control device Vendor model number
10291-3 | Stool collection device Vendor model number
10292-1 | Subarachnoid drain Vendor model number
10293-9 | Synovial drain Vendor model number
10294-7 | Tube or drain Vendor model number
10295-4 | Upper GI tube Vendor model number
10296-2 | Bladder irrigation tube Vendor model number
10297-0 | Urine tube Vendor model number
10298-8 | Wound drain device Vendor model number
10299-6 | Biliary drain Vendor serial number
103-2 | Ceforanide [Susceptibility] by Minimum lethal concentration (MLC)
1030-6 | Fy sup(b) Ab [Presence] in Serum or Plasma
10300-2 | Chest tube Vendor serial number
10301-0 | Enteral tube Vendor serial number
10302-8 | Gastrostomy tube Vendor serial number
10303-6 | GI tube Vendor serial number

10304-4 | Intravascular tube Vendor serial number
10305-1 | IO tube Vendor serial number
10306-9 | Nasogastric tube Vendor serial number
10307-7 | Oral tube Vendor serial number
10308-5 | Peritoneal drain Vendor serial number
10309-3 | Peritoneal tube Vendor serial number
1031-4 | Fy sup(b) Ag [Presence] on Red Blood Cells from Blood product unit
10310-1 | Rate control device Vendor serial number
10311-9 | Stool collection device Vendor serial number
10312-7 | Subarachnoid drain Vendor serial number
10313-5 | Synovial drain Vendor serial number
10314-3 | Tube or drain Vendor serial number
10315-0 | Upper GI tube Vendor serial number
10316-8 | Bladder irrigation tube Vendor serial number
10317-6 | Urine tube Vendor serial number
10318-4 | Wound drain device Vendor serial number
10319-2 | Enema device Institution inventory number
1032-2 | Fy sup(b) Ag [Presence] on Red Blood Cells from Donor
10320-0 | Enema device Vendor model number
10321-8 | Enema device Vendor serial number
10322-6 | Potassium intake 24 hour
10323-4 | Wound drain fluid [Appearance] Lower GI tract
10324-2 | Breath rate device Institution inventory number
10325-9 | Breath rate device Vendor model number
10326-7 | Breath rate device Vendor serial number
10327-5 | Eosinophils/100 leukocytes in Sputum by Manual count
10328-3 | Lymphocytes/100 leukocytes in Cerebral spinal fluid by Manual count
10329-1 | Monocytes/100 leukocytes in Cerebral spinal fluid by Manual count
1033-0 | Fy sup(b) Ag [Presence] on Red Blood Cells
10330-9 | Monocytes/100 leukocytes in Body fluid by Manual count
10331-7 | Rh [Type] in Blood
10332-5 | Cortisol [Mass/volume] in Serum or Plasma --pre 250 ug corticotropin IM
10333-3 | Appearance of Cerebral spinal fluid
10334-1 | Cancer Ag 125 [Units/volume] in Serum or Plasma
10335-8 | Color of Cerebral spinal fluid
10336-6 | Gonadotropin peptide [Mass/volume] in Urine
10337-4 | Procollagen type I [Mass/volume] in Serum
10338-2 | Barbiturates [Mass/volume] in Serum or Plasma
10339-0 | Fluoxetine+Norfluoxetine [Mass/volume] in Serum or Plasma
1034-8 | Fetal cell screen [Interpretation] in Blood
10340-8 | Molindone [Mass/volume] in Serum or Plasma
10341-6 | Norpropoxyphene [Mass/volume] in Serum or Plasma
10342-4 | Sulfamethoxazole [Mass/volume] in Serum or Plasma
10343-2 | Temazepam [Mass/volume] in Serum or Plasma
10344-0 | Tranylcypromine [Mass/volume] in Serum or Plasma
10345-7 | Trihexyphenidyl [Mass/volume] in Urine
10346-5 | Hemoglobin A [Units/volume] in Blood by Electrophoresis
10347-3 | Babesia microti identified in Blood by Light microscopy
10348-1 | Bordetella parapertussis Ab [Presence] in Serum
10349-9 | Brucella sp Ab [Units/volume] in Serum
1035-5 | Fresh frozen plasma given [Volume]
10350-7 | Herpes simplex virus IgM Ab [Titer] in Serum by Immunoassay
10351-5 | HIV 1 RNA [Units/volume] (viral load) in Serum or Plasma by Probe with amplification
10352-3 | Bacteria identified in Genital specimen by Aerobe culture
10353-1 | Bacteria identified in Nose by Aerobe culture
10354-9 | Bacteria identified in Urethra by Culture
10355-6 | Microscopic observation [Identifier] in Bone marrow by Wright Giemsa stain
10356-4 | Deprecated Microscopic observation [Identifier] in Stool by Trichrome stain
10357-2 | Microscopic observation [Identifier] in Wound by Gram stain
10358-0 | Teichoate Ab [Titer] in Serum by Immune diffusion (ID)
10359-8 | Asialoganglioside GM1 IgM Ab [Titer] in Serum
1036-3 | G Ab [Presence] in Serum or Plasma from Blood product unit
10360-6 | DNA single strand IgG Ab [Units/volume] in Serum
10361-4 | DNA single strand IgM Ab [Units/volume] in Serum
10362-2 | Endomysium IgA Ab [Presence] in Serum
10363-0 | Barbiturates [Presence] in Unspecified specimen
10364-8 | Cotinine [Mass/mass] in Hair
10365-5 | Cotinine [Mass/volume] in Serum or Plasma
10366-3 | Cotinine [Mass/volume] in Urine
10367-1 | Ethanol [Mass/volume] in Gastric fluid
10368-9 | Lead [Mass/volume] in Capillary blood
10369-7 | Opiates [Mass/mass] in Hair

1037-1 | G Ab [Presence] in Serum or Plasma from Donor
10370-5 | Phencyclidine [Mass/mass] in Hair
10371-3 | Bite cells [Presence] in Blood by Light microscopy
10372-1 | Blister cells [Presence] in Blood by Light microscopy
10373-9 | Fragments [Presence] in Blood by Light microscopy
10374-7 | Helmet cells [Presence] in Blood by Light microscopy
10375-4 | Irregularly contracted cells [Presence] in Blood by Light microscopy
10376-2 | Oval macrocytes [Presence] in Blood by Light microscopy
10377-0 | Pencil cells [Presence] in Blood by Light microscopy
10378-8 | Polychromasia [Presence] in Blood by Light microscopy
10379-6 | Erythrocytes.dual population [Presence] in Blood by Light microscopy
1038-9 | G Ab [Presence] in Serum or Plasma
10380-4 | Stomatocytes [Presence] in Blood by Light microscopy
10381-2 | Target cells [Presence] in Blood by Light microscopy
10382-0 | A,B variant NOS Ag [Presence] on Red Blood Cells from Blood product unit
10383-8 | A,B variant NOS Ag [Presence] on Red Blood Cells from Donor
10384-6 | A,B variant NOS Ag [Presence] on Red Blood Cells
10385-3 | Albumin concentration given
10386-1 | Albumin given [Volume]
10387-9 | Autologous erythrocytes given [Volume]
10388-7 | Autologous whole blood given [Volume]
10389-5 | Blood product.other [Type]
1039-7 | G Ag [Presence] on Red Blood Cells from Blood product unit
10390-3 | Blood product special preparation [Type]
10391-1 | Cytomegalovirus immune globulin given [Volume]
10392-9 | Cryoprecipitate given [Volume]
10393-7 | Factor IX given [Type]
10394-5 | Factor IX given [Volume]
10395-2 | Factor VIII given [Type]
10396-0 | Factor VIII given [Volume]
10397-8 | Hepatitis B immune globulin given [Volume]
10398-6 | I Ag [Presence] on Red Blood Cells from Blood product unit
10399-4 | I Ag [Presence] on Red Blood Cells from Donor
104-0 | Ceforanide [Susceptibility] by Minimum inhibitory concentration (MIC)
1040-5 | G Ag [Presence] on Red Blood Cells from Donor
10400-0 | I Ag [Presence] on Red Blood Cells
10401-8 | Immune serum globulin given [Type]
10402-6 | Immune serum globulin given [Volume]
10403-4 | Inject immune serum globulin [Volume]
10404-2 | Inject Rh immune globulin [Volume]
10405-9 | Inject varicella zoster virus immune globulin [Volume]
10406-7 | little i Ag [Presence] on Red Blood Cells from Blood product unit
10407-5 | little i Ag [Presence] on Red Blood Cells from Donor
10408-3 | little i Ag [Presence] on Red Blood Cells
10409-1 | Pentaspan given [Volume]
1041-3 | G Ag [Presence] on Red Blood Cells
10410-9 | Plasma given [Type]
10411-7 | Plasma given [Volume]
10412-5 | Platelets given [Type]
10413-3 | Rh immune globulin given [Volume]
10414-1 | Transfuse albumin [Volume]
10415-8 | Transfuse blood exchange transfusion [Volume]
10416-6 | Transfuse blood product other [Volume]
10417-4 | Transfuse cryoprecipitate [Volume]
10418-2 | Transfuse factor IX [Volume]
10419-0 | Transfuse factor VIII [Volume]
1042-1 | H Ab [Presence] in Serum or Plasma from Blood product unit
10420-8 | Transfuse immune serum globulin [Volume]
10421-6 | Transfuse Pentaspan [Volume]
10422-4 | Transfuse plasma [Volume]
10423-2 | Transfuse platelets [Volume]
10424-0 | Transfuse erythrocytes [Volume]
10425-7 | Transfuse Rh immune globulin [Volume]
10426-5 | Transfuse whole blood [Volume]
10427-3 | Transfuse whole blood autologous [Volume]
10428-1 | Varicella zoster virus immune globulin given [Volume]
10429-9 | AE 1 Ag [Presence] in Tissue by Immune stain
1043-9 | H Ab [Presence] in Serum or Plasma from Donor
10430-7 | AE 3 Ag [Presence] in Tissue by Immune stain
10431-5 | B-cell Ag [Presence] in Tissue by Immune stain
10432-3 | CD30 Ag [Presence] in Tissue by Immune stain
10433-1 | BR-2 Ag [Presence] in Tissue by Immune stain

10434-9 | Complement C3 Ag [Presence] in Tissue by Immune stain
10435-6 | C5B-9 Ag [Presence] in Tissue by Immune stain
10436-4 | CD15 Ag [Presence] in Tissue by Immune stain
10437-2 | CD16 Ag [Presence] in Tissue by Immune stain
10438-0 | CD20 Ag [Presence] in Tissue by Immune stain
10439-8 | CD3 Ag [Presence] in Tissue by Immune stain
1044-7 | H Ab [Presence] in Serum
10440-6 | Deprecated CD30 Ag [Presence] in Tissue by Immune stain
10441-4 | CD34 Ag [Presence] in Tissue by Immune stain
10442-2 | CD56 Ag [Presence] in Tissue by Immune stain
10443-0 | CD43 T-cell monocyte+myeloid cell Ag [Presence] in Tissue by Immune stain
10444-8 | CD57 Ag [Presence] in Tissue by Immune stain
10445-5 | CD11c Ag [Presence] in Tissue by Immune stain
10446-3 | Leukocyte common Ag [Presence] in Tissue by Immune stain
10447-1 | M-5 Ag [Presence] in Tissue by Immune stain
10448-9 | T-cell Ag [Presence] in Tissue by Immune stain
10449-7 | Glucose [Mass/volume] in Serum or Plasma --1 hour post meal
1045-4 | H NOS Ab [Presence] in Serum or Plasma from Blood product unit
10450-5 | Glucose [Mass/volume] in Serum or Plasma --10 hours fasting
10451-3 | Proinsulin [Moles/volume] in Serum or Plasma --12 hours fasting
10452-1 | Xylose [Mass/volume] in Serum or Plasma --1 hour post 25 g xylose PO
10453-9 | Xylose [Mass/volume] in Serum or Plasma --1 hour post dose xylose PO
10454-7 | Xylose [Mass/volume] in Serum or Plasma --2 hours post 25 g xylose PO
10455-4 | Xylose [Mass/volume] in Serum or Plasma --30 minutes post 25 g xylose PO
10456-2 | Xylose [Mass/volume] in Serum or Plasma --6 hours fasting
10457-0 | Actin Ag [Presence] in Tissue by Immune stain
10458-8 | Alkaline phosphatase.placental Ag [Presence] in Tissue by Immune stain
10459-6 | Alpha-1-Fetoprotein Ag [Presence] in Tissue by Immune stain
1046-2 | H NOS Ab [Presence] in Serum or Plasma from Donor
10460-4 | Lactalbumin alpha Ag [Presence] in Tissue by Immune stain
10461-2 | Alpha-1-Antichymotrypsin Ag [Presence] in Tissue by Immune stain
10462-0 | Alpha 1 antitrypsin Ag [Presence] in Tissue by Immune stain
10463-8 | Amyloid A component Ag [Presence] in Tissue by Immune stain
10464-6 | Amyloid P component Ag [Presence] in Tissue by Immune stain
10465-3 | Amyloid.prealbumin Ag [Presence] in Tissue by Immune stain
10466-1 | Anion gap 3 in Serum or Plasma
10467-9 | Beta-2-Microglobulin amyloid Ag [Presence] in Tissue by Immune stain
10468-7 | Calcitonin Ag [Presence] in Tissue by Immune stain
10469-5 | Carcinoembryonic Ag [Presence] in Tissue by Immune stain
1047-0 | H NOS Ab [Presence] in Serum or Plasma
10470-3 | Choriogonadotropin Ag [Presence] in Tissue by Immune stain
10471-1 | Chromogranin A Ag [Presence] in Tissue by Immune stain
10472-9 | Chromogranin Ag [Presence] in Tissue by Immune stain
10473-7 | Chymotrypsin Ag [Presence] in Tissue by Immune stain
10474-5 | Collagen type 4 Ag [Presence] in Tissue by Immune stain
10475-2 | Corticotropin Ag [Presence] in Tissue by Immune stain
10476-0 | Desmin Ag [Presence] in Tissue by Immune stain
10477-8 | Enolase.neuron specific Ag [Presence] in Tissue by Immune stain
10478-6 | Eosinophil major basic protein Ag [Presence] in Tissue by Immune stain
10479-4 | CD227 Ag [Presence] in Tissue by Immune stain
1048-8 | H NOS Ag [Presence] on Red Blood Cells from Blood product unit
10480-2 | Estrogen+Progesterone receptor Ag [Presence] in Tissue by Immune stain
10481-0 | Follitropin.alpha subunit Ag [Presence] in Tissue by Immune stain
10482-8 | Follitropin.beta subunit Ag [Presence] in Tissue by Immune stain
10483-6 | Gastrin Ag [Presence] in Tissue by Immune stain
10484-4 | Glial fibrillary acidic protein Ag [Presence] in Tissue by Immune stain
10485-1 | Glucagon Ag [Presence] in Tissue by Immune stain
10486-9 | Hemoglobin Ag [Presence] in Tissue by Immune stain
10487-7 | HMB-45 Ag [Presence] in Tissue by Immune stain
10488-5 | IgA Ag [Presence] in Tissue by Immune stain
10489-3 | IgA.heavy chain Ag [Presence] in Tissue by Immune stain
1049-6 | H NOS Ag [Presence] on Red Blood Cells from Donor
10490-1 | IgE Ag [Presence] in Tissue by Immune stain
10491-9 | IgG Ag [Presence] in Tissue by Immune stain
10492-7 | IgG.heavy chain Ag [Presence] in Tissue by Immune stain
10493-5 | IgM Ag [Presence] in Tissue by Immune stain
10494-3 | IgM.heavy chain Ag [Presence] in Tissue by Immune stain
10495-0 | Insulin Ag [Presence] in Tissue by Immune stain
10496-8 | Kappa light chains Ag [Presence] in Tissue by Immune stain
10497-6 | Immunoglobulin light chains.kappa amyloid Ag [Presence] in Tissue by Immune stain
10498-4 | Keratin Ag [Presence] in Tissue by Immune stain
10499-2 | Lambda light chains Ag [Presence] in Tissue by Immune stain

105-7 | Ceforanide [Susceptibility] by Disk diffusion (KB)
1050-4 | H NOS Ag [Presence] on Red Blood Cells
10500-7 | Immunoglobulin light chains.lambda amyloid Ag [Presence] in Tissue by Immune stain
10501-5 | Lutropin [Units/volume] in Serum or Plasma
10502-3 | Lutropin Ag [Presence] in Tissue by Immune stain
10503-1 | Lysozyme Ag [Presence] in Tissue by Immune stain
10504-9 | Myelin basic protein Ag [Presence] in Tissue by Immune stain
10505-6 | Myoglobin Ag [Presence] in Tissue by Immune stain
10506-4 | Peanut agglutinin Ag [Presence] in Tissue by Immune stain
10507-2 | Prolactin Ag [Presence] in Tissue by Immune stain
10508-0 | Prostate specific Ag [Presence] in Tissue by Immune stain
10509-8 | Prostatic acid phosphatase Ag [Presence] in Tissue by Immune stain
1051-2 | Hemolytic disease of newborn screen [Interpretation] in Blood
10510-6 | S-100 Ag Ag [Presence] in Tissue by Immune stain
10511-4 | Serotonin Ag [Presence] in Tissue by Immune stain
10512-2 | Somatostatin Ag [Presence] in Tissue by Immune stain
10513-0 | Somatotropin Ag [Presence] in Tissue by Immune stain
10514-8 | Synaptophysin Ag [Presence] in Tissue by Immune stain
10515-5 | Thyroglobulin Ag [Presence] in Tissue by Immune stain
10516-3 | Thyrotropin Ag [Presence] in Tissue by Immune stain
10517-1 | Trypsin Ag [Presence] in Tissue by Immune stain
10518-9 | Ulex europaeus I lectin Ag [Presence] in Tissue by Immune stain
10519-7 | Vimentin Ag [Presence] in Tissue by Immune stain
1052-0 | Deprecated I (intermediate) subtype [Presence] in Serum or Plasma from Blood product unit
10520-5 | Coagulation factor VI Ag [Presence] in Tissue by Immune stain
10521-3 | Coagulation factor VIII Ag [Presence] in Tissue by Immune stain
10522-1 | Coagulation factor XIII Ag [Presence] in Tissue by Immune stain
10523-9 | Fibrinogen Ag [Presence] in Tissue by Immune stain
10524-7 | Microscopic observation [Identifier] in Cervix by Cyto stain
10525-4 | Microscopic observation [Identifier] in Unspecified specimen by Cyto stain
10526-2 | Microscopic observation [Identifier] in Sputum by Cyto stain
10527-0 | Microscopic observation [Identifier] in Tissue by Cyto stain
10528-8 | Acetophenazine [Mass/volume] in Serum or Plasma
10529-6 | Amoxapine metabolite [Mass/volume] in Serum or Plasma
1053-8 | Deprecated I (intermediate) subtype [Presence] in serum or plasma from donor
10530-4 | Aprobarbital [Mass/volume] in Serum or Plasma
10531-2 | Bretylium [Mass/volume] in Serum or Plasma
10532-0 | Deprecated Desethylamiodarone [Mass/volume] in Serum or Plasma
10533-8 | Propoxyphene+Acetaminophen [Mass/volume] in Serum or Plasma
10534-6 | Diazoxide [Mass/volume] in Serum or Plasma
10535-3 | Digoxin [Mass/volume] in Serum or Plasma
10536-1 | Dipyridamole [Mass/volume] in Serum or Plasma
10537-9 | Deprecated Doxepin+Nordoxepin [Mass/volume] in Serum or Plasma
10538-7 | Deprecated Fluoxetine+Norfluoxetine [Mass/volume] in Serum or Plasma
10539-5 | Glipizide [Mass/volume] in Serum or Plasma
1054-6 | Deprecated I (intermediate) subtype [Presence] in srum
10540-3 | Glyburide [Mass/volume] in Serum or Plasma
10541-1 | Mepivacaine [Mass/volume] in Serum or Plasma
10542-9 | Metharbital [Mass/volume] in Serum or Plasma
10543-7 | Methsuximide+Normethsuximide [Mass/volume] in Serum or Plasma
10544-5 | Normeperidine [Presence] in Serum or Plasma
10545-2 | Normephenytoin [Mass/volume] in Serum or Plasma
10546-0 | Normethsuximide [Mass/volume] in Serum or Plasma
10547-8 | Primidone+Phenobarbital [Mass/volume] in Serum or Plasma
10548-6 | Phenytoin Free/Phenytoin.total in Serum or Plasma
10549-4 | Pirmenol [Mass/volume] in Serum or Plasma
1055-3 | Deprecated I (intermediate) subtype [Presence] on Red Blood Cells from Blood product unit
10550-2 | Deprecated Temazepam [Mass/volume] in Serum or Plasma
10551-0 | Triamterene [Mass/volume] in Serum or Plasma
10552-8 | Tricyclic antidepressants [Mass/volume] in Serum or Plasma
10553-6 | Prostatic acid phosphatase [Enzymatic activity/volume] in Genital fluid
10554-4 | Deprecated Prostatic acid phosphatase [Enzymatic activity/volume] in Seminal plasma
10555-1 | Acrosin [Entitic Catalytic Activity] in Spermatozoa
10556-9 | Deprecated Adenosine triphosphatase [Enzymatic activity/volume] in Seminal plasma
10557-7 | Adenosine triphosphate [Moles/volume] in Semen
10558-5 | Albumin [Moles/volume] in Semen
10559-3 | Deprecated Calcium [Molecules/volume] in Semen
1056-1 | Deprecated I (intermediate) subtype [Presence] on Red Blood Cells from donor
10560-1 | Carcinoembryonic Ag [Units/volume] in Semen
10561-9 | Carnitine [Moles/volume] in Semen
10562-7 | Cells [#/volume] in Cervical mucus
10563-5 | Cells other than spermatozoa [#/volume] in Semen

10564-3 | Cervical mucus [Volume]
10565-0 | Choriogonadotropin [Units/volume] in Semen
10566-8 | Deprecated Choriogonadotropin [Molecules/volume] in Semen
10567-6 | Citrate [Moles/volume] in Semen
10568-4 | Clarity of Semen
10569-2 | Color of Semen
1057-9 | Deprecated I (intermediate) subtype [Presence] on Red Blood Cells
10570-0 | Consistency of Cervical mucus
10571-8 | Deprecated Consistency of Semen
10572-6 | Deprecated Duration^post ejaculation
10573-4 | Ferning [Type] in Cervical mucus
10574-2 | Fructose [Moles/volume] in Semen
10575-9 | Deprecated Gamma glutamyl transferase [Enzymatic activity/volume] in Semen
10576-7 | Germ cells.immature [#/volume] in Semen
10577-5 | Glucosidase [Enzymatic activity/volume] in Seminal plasma
10578-3 | Glycerophosphocholine [Moles/volume] in Seminal plasma
10579-1 | Leukocytes [#/volume] in Semen
1058-7 | I Ab [Presence] in Serum or Plasma from Blood product unit
10580-9 | Liquefaction [Time] in Semen
10581-7 | Deprecated Number of entities [#] in Spermatozoa
10582-5 | pH of Cervical mucus
10583-3 | Prostaglandin F1 alpha [Moles/volume] in Semen
10584-1 | Deprecated Protein [Mass/volume] in Semen
10585-8 | Round cells [#/volume] in Semen
10586-6 | Deprecated Volume of Semen
10587-4 | Sexual abstinence duration
10588-2 | Spermatogonia [#/volume] in Semen
10589-0 | Spermatids [#/volume] in Semen by Streptoavidin-biotin method (SAB)
1059-5 | I Ab [Presence] in Serum or Plasma from Donor
10590-8 | Spermatids [#/volume] in Semen by Sertoli cell barrier method (SCB)
10591-6 | Primary Spermatocytes [#/volume] in Semen
10592-4 | Secondary Spermatocytes [#/volume] in Semen
10593-2 | Spermatozoa Pyriform Head/100 spermatozoa in Semen
10594-0 | Spermatozoa Tapering Head/100 spermatozoa in Semen
10595-7 | Deprecated Spermatozoa [#/volume] in Semen
10596-5 | Deprecated Spermatozoa Ab in cervical mucosa
10597-3 | Deprecated Spermatozoa Ab in semen
10598-1 | Deprecated Spermatozoa Ab in serum
10599-9 | Spermatozoa penetration [Presence] in Seminal fluid and Cervical mucosa by Kremer test
106-5 | Ceforanide [Susceptibility] by Serum bactericidal titer
1060-3 | I Ab [Presence] in Serum or Plasma
10600-5 | Spermatozoa penetration [Presence] in Seminal fluid and Cervical mucosa
10601-3 | Spermatozoa penetration [Presence] in Seminal fluid and Cervical mucosa --post coitus
10602-1 | Spermatozoa Abnormal Head/100 spermatozoa in Semen
10603-9 | Spermatozoa Abnormal Midpiece/100 spermatozoa in Semen
10604-7 | Spermatozoa Abnormal Tail/100 spermatozoa in Semen
10605-4 | Spermatozoa Agglutinated/100 spermatozoa in Semen
10606-2 | Spermatozoa Amorphous Head/100 spermatozoa in Semen
10607-0 | Spermatozoa Coiled Tail/100 spermatozoa in Semen
10608-8 | Spermatozoa Cytoplasmic Droplet/100 spermatozoa in Semen
10609-6 | Spermatozoa Duplicate Head/100 spermatozoa in Semen
1061-1 | I NOS Ab [Presence] in Serum or Plasma from Blood product unit
10610-4 | Spermatozoa Duplicate Tail/100 spermatozoa in Semen
10611-2 | Spermatozoa Immotile/100 spermatozoa in Semen
10612-0 | Spermatozoa Large Oval Head/100 spermatozoa in Semen
10613-8 | Spermatozoa Viable/100 spermatozoa in Semen
10614-6 | Spermatozoa Motile w IgA/100 spermatozoa in Semen by Immunobead
10615-3 | Spermatozoa Motile w IgA/100 spermatozoa in Semen by Mixed antiglobulin reaction
10616-1 | Spermatozoa Motile w IgG/100 spermatozoa in Semen by Immunobead
10617-9 | Spermatozoa Motile w IgG/100 spermatozoa in Semen by Mixed antiglobulin reaction
10618-7 | Spermatozoa Motile w IgM/100 spermatozoa in Semen by Immunobead
10619-5 | Spermatozoa Motile w IgM/100 spermatozoa in Semen by Mixed antiglobulin reaction
1062-9 | I NOS Ab [Presence] in Serum or Plasma from Donor
10620-3 | Spermatozoa Nonprogressive/100 spermatozoa in Semen
10621-1 | Spermatozoa Normal Head/100 spermatozoa in Semen
10622-9 | Spermatozoa Normal/100 spermatozoa in Semen
10623-7 | Spermatozoa Pin Head/100 spermatozoa in Semen
10624-5 | Spermatozoa Rapid/100 spermatozoa in Semen
10625-2 | Spermatozoa Round Head/100 spermatozoa in Semen
10626-0 | Spermatozoa Slow/100 spermatozoa in Semen
10627-8 | Spermatozoa Small Oval Head/100 spermatozoa in Semen
10628-6 | Spermatozoa Tail Swelling/100 spermatozoa in Semen

10629-4 | Spermatozoa Vacuolated Head/100 spermatozoa in Semen
1063-7 | I NOS Ab [Presence] in Serum or Plasma
10630-2 | Spinnbarkeit [Length] in Cervical mucus
10631-0 | Testosterone [Moles/volume] in Semen
10632-8 | Time until next menstrual period
10633-6 | Zinc [Moles/volume] in Semen
10634-4 | Complement C1 esterase inhibitor.functional/Complement C1 esterase inhibitor.total in Serum or Plasma
10635-1 | Acanthamoeba sp identified in Eye by Organism specific culture
10636-9 | Acanthamoeba sp identified in Eye by Wet preparation
10637-7 | Microscopic observation [Identifier] in Tissue by Night blue stain
10638-5 | Thermophilic Actinomycetes colony count [#/volume] in Unspecified specimen by Organism specific culture
10639-3 | Thermophilic Actinomycetes identified in Unspecified specimen by Organism specific culture
1064-5 | I NOS Ag [Presence] on Red Blood Cells from Blood product unit
10640-1 | Deprecated Adenovirus 40+41 [Identifier] in Stool by Electron microscopy
10641-9 | Amoeba identified in Aspirate by Immune stain
10642-7 | Amoeba identified in Aspirate by Wet preparation
10643-5 | Amoeba identified in Stool by Organism specific culture
10644-3 | Arthropod identified in Unspecified specimen
10645-0 | Aspergillus fumigatus Ag [Presence] in Tissue by Immunofluorescence
10646-8 | Astrovirus [Identifier] in Stool by Electron microscopy
10647-6 | Babesia sp identified in Blood by Thick film
10648-4 | Babesia sp identified in Blood by Thin film
10649-2 | Calicivirus [Identifier] in Stool by Electron microscopy
1065-2 | I NOS Ag [Presence] on Red Blood Cells from Donor
10650-0 | Candida sp DNA [Presence] in Blood by Probe with amplification
10651-8 | Chlamydophila pneumoniae Ag [Presence] in Sputum or Bronchial
10652-6 | Chlamydophila pneumoniae DNA [Presence] in Sputum or Bronchial by Probe with amplification
10653-4 | Clotrimazole [Susceptibility] by Minimum inhibitory concentration (MIC)
10654-2 | Clotrimazole [Susceptibility] by Minimum lethal concentration (MLC)
10655-9 | Coccidia identified in Duodenal fluid by Acid fast stain
10656-7 | Coccidia identified in Stool by Acid fast stain
10657-5 | Deprecated Cryptococcus neoformans Ag [Presence] in Tissue by Immunofluorescence
10658-3 | Cyanobacterium identified in Water by Light microscopy
10659-1 | Cyclospora sp identified in Stool by Acid fast stain
1066-0 | I NOS Ag [Presence] on Red Blood Cells
10660-9 | Cytomegalovirus Ag [Presence] in Tissue by Immune stain
10661-7 | Dinoflagellate identified in Water by Light microscopy
10662-5 | Filaria identified in Blood by Concentration
10663-3 | Filaria identified in Blood by Thick film
10664-1 | Filaria identified in Blood by Thin film
10665-8 | Fungus colony count [#/volume] in Unspecified specimen by Environmental culture
10666-6 | Fungus identified in Tissue by Fontana-Masson stain
10667-4 | Fungus identified in Unspecified specimen by Animal inoculation
10668-2 | Fungus identified in Unspecified specimen by Environmental culture
10669-0 | Fungus identified in Unspecified specimen by Sticky tape for environmental fungus
1067-8 | Jk sup(a) Ab [Presence] in Serum or Plasma from Blood product unit
10670-8 | Giardia lamblia [Presence] in Stool by Organism specific culture
10671-6 | Helminth identified in Unspecified specimen
10672-4 | Helminth+Arthropod identified in Unspecified specimen
10673-2 | Hepatitis B virus core Ag [Presence] in Tissue by Immune stain
10674-0 | Hepatitis B virus surface Ag [Presence] in Tissue by Immune stain
10675-7 | Hepatitis B virus surface Ag [Presence] in Tissue by Orcein stain
10676-5 | Hepatitis C virus RNA [Units/volume] (viral load) in Serum or Plasma by Probe with amplification
10677-3 | Herpes simplex virus 1 Ag [Presence] in Tissue by Immune stain
10678-1 | Herpes simplex virus 1+2 Ag [Presence] in Tissue by Immune stain
10679-9 | Herpes simplex virus 2 Ag [Presence] in Tissue by Immune stain
1068-6 | Jk sup(a) Ab [Presence] in Serum or Plasma from Donor
10680-7 | Herpes simplex virus identified in Cerebral spinal fluid by Electron microscopy
10681-5 | Herpes simplex virus identified in Tissue by Electron microscopy
10682-3 | Deprecated HIV 1 RNA [Units/volume] in Serum or Plasma by Probe with amplification
10683-1 | Hydatid cyst identified in Aspirate by Immune stain
10684-9 | Hydatid cyst identified in Liver by Wet preparation
10685-6 | Hydatid cyst identified in Lung tissue by Wet preparation
10686-4 | Leishmania sp identified in Tissue by Giemsa stain
10687-2 | Leishmania sp identified in Tissue by Organism specific culture
10688-0 | Microscopic observation [Identifier] in Hair by KOH preparation
10689-8 | Microscopic observation [Identifier] in Nail by KOH preparation
1069-4 | Jk sup(a) Ab [Presence] in Serum or Plasma
10690-6 | Microsporidia identified in Duodenal fluid by Trichrome stain modified
10691-4 | Mushroom.toxic identified by Inspection
10692-2 | Mushroom.toxic identified in Food by Light microscopy
10693-0 | Mushroom.toxic identified in Vomitus by Light microscopy

10694-8 | Naegleria sp identified in Tissue by Organism specific culture
10695-5 | Naegleria sp identified in Tissue by Wet preparation
10696-3 | Norovirus [Identifier] in Stool by Electron microscopy
10697-1 | Nystatin [Susceptibility] by Minimum inhibitory concentration (MIC)
10698-9 | Nystatin [Susceptibility] by Minimum lethal concentration (MLC)
10699-7 | Onchocerca sp identified in Tissue by Wet preparation
107-3 | Cefotaxime [Susceptibility] by Minimum lethal concentration (MLC)
1070-2 | Jk sup(a) Ag [Presence] on Red Blood Cells from Blood product unit
10700-3 | Orthopoxvirus [Identifier] in Skin by Electron microscopy
10701-1 | Ova and parasites identified in Stool by Concentration
10702-9 | Ova and parasites identified in Stool by Immune stain
10703-7 | Ova and parasites identified in Stool by Kinyoun iron hematoxylin stain
10704-5 | Ova and parasites identified in Stool by Light microscopy
10705-2 | Human papilloma virus Ag [Presence] in Tissue by Immune stain
10706-0 | Picornavirus [Identifier] in Stool by Electron microscopy
10707-8 | Toxic Plant identified in Plant specimen by Inspection
10708-6 | Toxic Plant identified in Vomitus by Light microscopy
10709-4 | Plasmodium falciparum Ag [Units/volume] in Blood by Immunofluorescence
1071-0 | Jk sup(a) Ag [Presence] on Red Blood Cells from Donor
10710-2 | Plasmodium sp identified in Blood by Thin film
10711-0 | Plasmodium vivax Ag [Units/volume] in Blood by Immunofluorescence
10712-8 | Pneumocystis sp identified in Lung tissue
10713-6 | Prototheca identified in Unspecified specimen by Culture
10714-4 | Deprecated Rotavirus [Identifier] in Stool by Electron microscopy
10715-1 | Schistosoma sp identified in Urine sediment by Light microscopy
10716-9 | Schistosoma sp identified in Unspecified specimen by Organism specific culture
10717-7 | Streptococcus pneumoniae Ab [Units/volume] in Serum by Latex agglutination
10718-5 | Strongyloides sp Ab [Units/volume] in Serum by Immunoassay
10719-3 | Taenia solium adult Ab [Units/volume] in Serum by Immunoblot
1072-8 | Jk sup(a) Ag [Presence] on Red Blood Cells
10720-1 | Terbinafine [Susceptibility] by Minimum inhibitory concentration (MIC)
10721-9 | Terbinafine [Susceptibility] by Minimum lethal concentration (MLC)
10722-7 | Torovirus [Identifier] in Stool by Electron microscopy
10723-5 | Toxoplasma gondii IgA Ab [Units/volume] in Serum by Immunoassay
10724-3 | Toxoplasma gondii IgE Ab [Units/volume] in Serum by Immunoassay
10725-0 | Toxoplasma gondii DNA [Units/volume] in Body fluid by Probe with amplification
10726-8 | Toxoplasma gondii [Presence] in Tissue by Giemsa stain
10727-6 | Toxoplasma gondii identified in Tissue
10728-4 | Trichomonas sp identified in Genital specimen by Organism specific culture
10729-2 | Trypanosoma sp identified in Blood by Light microscopy
1073-6 | Jk sup(b) Ab [Presence] in Serum or Plasma from Blood product unit
10730-0 | Trypanosoma sp identified in Blood by Organism specific culture
10731-8 | Trypanosoma sp identified in Blood by Thick film
10732-6 | Trypanosoma sp identified in Blood by Thin film
10733-4 | Trypanosoma sp identified in Blood by Wet preparation
10734-2 | Varicella zoster virus identified in Skin by Electron microscopy
10735-9 | Viral sequencing [Identifier] in Serum by Sequencing
10736-7 | Virus identified in Cerebral spinal fluid by Electron microscopy
10737-5 | Virus identified in Stool by Electron microscopy
10738-3 | Virus identified in Tissue by Electron microscopy
10739-1 | Virus identified in Unspecified specimen by Electron microscopy
1074-4 | Jk sup(b) Ab [Presence] in Serum or Plasma from Donor
10740-9 | Aluminum.microscopic observation [Identifier] in Bone by Histomorphometry stain
10741-7 | Amyloid.microscopic observation [Identifier] in Brain by Thioflavine-S stain
10742-5 | Amyloid.microscopic observation [Identifier] in Tissue by Bennhold stain.Putchler modified
10743-3 | Amyloid.microscopic observation [Identifier] in Tissue by Highman stain
10744-1 | Amyloid.microscopic observation [Identifier] in Tissue by Vassar-culling stain
10745-8 | Bile.microscopic observation [Identifier] in Tissue by Fouchet stain
10746-6 | Calcium.microscopic observation [Identifier] in Tissue by Von Kossa stain
10747-4 | Collagen fibers+Elastic fibers.microscopic observation [Identifier] in Tissue by Lawson-Van Gieson stain
10748-2 | Collagen fibers+Elastic fibers.microscopic observation [Identifier] in Tissue by Verhoeff-Van Gieson stain
10749-0 | Collagen fibers.microscopic observation [Identifier] in Tissue by Van Gieson stain
1075-1 | Jk sup(b) Ab [Presence] in Serum or Plasma
10750-8 | Connective tissue.microscopic observation [Identifier] in Tissue by Trichrome stain.Masson
10751-6 | Copper.microscopic observation [Identifier] in Tissue by Rhodamine stain
10752-4 | Fat.microscopic observation [Identifier] in Milk by Sudan IV stain
10753-2 | Fat.microscopic observation [Identifier] in Stool by Sudan IV stain
10754-0 | Fat.microscopic observation [Identifier] in Tissue by Sudan IV stain
10755-7 | Fungus.microscopic observation [Identifier] in Tissue by Methenamine silver stain.Grocott
10756-5 | Glial fibers.microscopic observation [Identifier] in Tissue by Holzer stain
10757-3 | Hematologic+Nuclear elements.microscopic observation [Identifier] in Tissue by Giemsa stain.May-Grunwald
10758-1 | Iron.microscopic observation [Identifier] in Bone by Histomorphometry stain

10759-9 | Iron.microscopic observation [Identifier] in Sputum by Gomori stain
1076-9 | Jk sup(b) Ag [Presence] on Red Blood Cells from Blood product unit
10760-7 | Iron.microscopic observation [Identifier] in Tissue by Gomori stain
10761-5 | Iron.microscopic observation [Identifier] in Tissue by Other stain
10762-3 | Microscopic observation [Identifier] in Blood by Hemosiderin stain
10763-1 | Microscopic observation [Identifier] in Body fluid by Sudan black stain
10764-9 | Microscopic observation [Identifier] in Sputum by Silver stain
10765-6 | Microscopic observation [Identifier] in Tissue by Acetate esterase stain
10766-4 | Microscopic observation [Identifier] in Tissue by Alcian blue stain
10767-2 | Microscopic observation [Identifier] in Tissue by Alcian blue stain.sulfated
10768-0 | Microscopic observation [Identifier] in Tissue by Alcian blue stain.with periodic acid-Schiff
10769-8 | Microscopic observation [Identifier] in Tissue by Alizarin red S stain
1077-7 | Jk sup(b) Ag [Presence] on Red Blood Cells from Donor
10770-6 | Microscopic observation [Identifier] in Tissue by Argentaffin stain
10771-4 | Deprecated Microscopic observation [Identifier] in Tissue by Rhodamine-auramine fluorochrome stain
10772-2 | Microscopic observation [Identifier] in Tissue by Azure-eosin stain
10773-0 | Microscopic observation [Identifier] in Tissue by Basic fuchsin stain
10774-8 | Microscopic observation [Identifier] in Tissue by Bielschowsky stain
10775-5 | Microscopic observation [Identifier] in Tissue by Bleach stain
10776-3 | Microscopic observation [Identifier] in Tissue by Bodian stain
10777-1 | Microscopic observation [Identifier] in Tissue by Brown and Brenn stain
10778-9 | Microscopic observation [Identifier] in Tissue by Butyrate esterase stain
10779-7 | Microscopic observation [Identifier] in Tissue by Carmine stain.Best
1078-5 | Jk sup(b) Ag [Presence] on Red Blood Cells
10780-5 | Microscopic observation [Identifier] in Tissue by Chloracetate esterase stain
10781-3 | Microscopic observation [Identifier] in Tissue by Churukian-Schenk stain
10782-1 | Microscopic observation [Identifier] in Tissue by Congo red stain
10783-9 | Microscopic observation [Identifier] in Tissue by Crystal violet stain
10784-7 | Microscopic observation [Identifier] in Tissue by Esterase stain.non-specific
10785-4 | Microscopic observation [Identifier] in Tissue by Fite-Faraco stain
10786-2 | Deprecated Microscopic observation [Identifier] in Tissue by Giemsa stain.3 micron
10787-0 | Microscopic observation [Identifier] in Tissue by Gridley stain
10788-8 | Microscopic observation [Identifier] in Tissue by Hansel stain
10789-6 | Microscopic observation [Identifier] in Tissue by Hematoxylin-eosin-Harris regressive stain
1079-3 | Js sup(a) Ab [Presence] in Serum or Plasma from Blood product unit
10790-4 | Microscopic observation [Identifier] in Tissue by Hematoxylin-eosin-Mayers progressive stain
10791-2 | Microscopic observation [Identifier] in Tissue by Mallory-Heidenhain stain
10792-0 | Microscopic observation [Identifier] in Tissue by Methenamine silver stain.Jones
10793-8 | Microscopic observation [Identifier] in Tissue by Methyl green stain
10794-6 | Microscopic observation [Identifier] in Tissue by Methyl green-pyronine Y stain
10795-3 | Microscopic observation [Identifier] in Tissue by Methyl violet stain
10796-1 | Microscopic observation [Identifier] in Tissue by Mucicarmine stain
10797-9 | Microscopic observation [Identifier] in Tissue by Neutral red stain
10798-7 | Microscopic observation [Identifier] in Tissue by Oil red O stain
10799-5 | Microscopic observation [Identifier] in Tissue by Pentachrome stain.Movat
108-1 | Cefotaxime [Susceptibility] by Minimum inhibitory concentration (MIC)
1080-1 | Js sup(a) Ab [Presence] in Serum or Plasma from Donor
10800-1 | Microscopic observation [Identifier] in Tissue by Periodic acid-Schiff stain with diatase digestion
10801-9 | Microscopic observation [Identifier] in Tissue by Phosphotungstic acid Hematoxylin (PTAH) Stain
10802-7 | Microscopic observation [Identifier] in Tissue by Prussian blue stain
10803-5 | Microscopic observation [Identifier] in Tissue by Quinacrine fluorescent stain
10804-3 | Microscopic observation [Identifier] in Tissue by Reticulin stain
10805-0 | Microscopic observation [Identifier] in Tissue by Safranin stain
10806-8 | Microscopic observation [Identifier] in Tissue by Schmorl stain
10807-6 | Microscopic observation [Identifier] in Tissue by Sevier-Munger stain
10808-4 | Microscopic observation [Identifier] in Tissue by Silver impregnation stain.Dieterle
10809-2 | Microscopic observation [Identifier] in Tissue by Silver nitrate stain
1081-9 | Js sup(a) Ab [Presence] in Serum or Plasma
10810-0 | Microscopic observation [Identifier] in Tissue by Silver stain.Fontana-Masson
10811-8 | Microscopic observation [Identifier] in Tissue by Silver stain.Grimelius
10812-6 | Microscopic observation [Identifier] in Tissue by Steiner stain
10813-4 | Microscopic observation [Identifier] in Tissue by Sudan black stain
10814-2 | Microscopic observation [Identifier] in Tissue by Supravital stain
10815-9 | Microscopic observation [Identifier] in Tissue by Tetrachrome stain
10816-7 | Deprecated Microscopic observation [Identifier] in Tissue by Toluidine blue O stain
10817-5 | Microscopic observation [Identifier] in Tissue by Trichrome stain.Gomori-Wheatley
10818-3 | Microscopic observation [Identifier] in Tissue by Trichrome stain.Masson modified
10819-1 | Microscopic observation [Identifier] in Tissue by Wade stain
1082-7 | Js sup(a) Ag [Presence] on Red Blood Cells from Blood product unit
10820-9 | Deprecated Microscopic observation [Identifier] in Tissue by Warthin-Starry stain
10821-7 | Deprecated Microscopic observation [Identifier] in Tissue by Wright Giemsa stain
10822-5 | Mucin.microscopic observation [Identifier] in Tissue by Mucicarmine stain.Mayer

10823-3 | Mucopolysaccharides.microscopic observation [Identifier] in Tissue by Colloidal ferric oxide stain.Hale
10824-1 | Myelin+Myelin breakdown products.microscopic observation [Identifier] in Tissue by Luxol fast blue/Periodic acid-Schiff stain
10825-8 | Myelin+Nerve cells.microscopic observation [Identifier] in Tissue by Luxol fast blue/Cresyl violet stain
10826-6 | Nissel.microscopic observation [Identifier] in Tissue by Cresyl echt violet stain
10827-4 | Reticulum.microscopic observation [Identifier] in Tissue by Gomori stain
10828-2 | Urate crystals.microscopic observation [type] in Tissue by De Galantha stain
10829-0 | Silicon [Mass/volume] in Serum or Plasma
1083-5 | Js sup(a) Ag [Presence] on Red Blood Cells from Donor
10830-8 | Deprecated Surgical operation note complications
10831-6 | Surgical operation note complications [Interpretation]
10832-4 | Glucose [Mass/volume] in Serum or Plasma --15 minutes post 50 g lactose PO
10833-2 | Insulin [Mass/volume] in Serum or Plasma --7 hours post 75 g glucose PO
10834-0 | Globulin [Mass/volume] in Serum by calculation
10835-7 | Lipoprotein a [Mass/volume] in Serum or Plasma
10836-5 | Niacin [Mass/volume] in Blood
10837-3 | Organic acids [Presence] in Serum or Plasma
10838-1 | Phosphoserine [Mass/volume] in Serum or Plasma
10839-9 | Troponin I.cardiac [Mass/volume] in Serum or Plasma
1084-3 | Js sup(a) Ag [Presence] on Red Blood Cells
10840-7 | Atropine [Mass/volume] in Urine
10841-5 | Methazolamide [Mass/volume] in Serum or Plasma
10842-3 | Deprecated HLA-DQ1 [Presence]
10843-1 | Deprecated HLA-DQ2 [Presence]
10844-9 | Deprecated HLA-DQ3 [Presence]
10845-6 | Deprecated HLA-DQ4 [Presence]
10846-4 | Borrelia burgdorferi DNA [Presence] in Blood by Probe with amplification
10847-2 | Borrelia burgdorferi DNA [Presence] in Body fluid by Probe with amplification
10848-0 | Chlamydia sp IgG Ab [Titer] in Serum by Immunofluorescence
10849-8 | Chlamydia sp IgM Ab [Titer] in Serum by Immunofluorescence
1085-0 | Js sup(b) Ab [Presence] in Serum or Plasma from Blood product unit
10850-6 | Cyclospora cayetanensis [Presence] in Unspecified specimen
10851-4 | Escherichia coli O157:H7 [Presence] in Stool by Organism specific culture
10852-2 | Deprecated Fungus identified in Blood by Culture
10853-0 | Isospora belli [Presence] in Unspecified specimen by Acid fast stain.Kinyoun modified
10854-8 | Deprecated Midrofilaria identified in Blood by Concentration
10855-5 | Ova and parasites identified in Duodenal fluid or Gastric fluid by Light microscopy
10856-3 | Microscopic observation [Identifier] in Genital mucus by Gram stain
10857-1 | Microsporidia identified in Unspecified specimen by Light microscopy
10858-9 | Teichoate Ab [Presence] in Serum
10859-7 | Trypanosoma sp [Identifier] in Blood by Acridine Orange + Giemsa Stain
1086-8 | Js sup(b) Ab [Presence] in Serum or Plasma from Donor
10860-5 | Varicella zoster virus [Presence] in Unspecified specimen by Organism specific culture
10861-3 | Progesterone receptor [Mass/mass] in Tissue
10862-1 | Basement membrane Ab [Titer] in Serum
10863-9 | Endomysium IgA Ab [Titer] in Serum
10864-7 | Immune complex [Units/volume] in Serum or Plasma by Raji cell assay
10865-4 | Intercellular substance Ab [Presence] in Serum
10866-2 | Sulfatide IgG Ab [Titer] in Serum
10867-0 | Sulfatide IgM Ab [Titer] in Serum
10868-8 | Bacitracin [Susceptibility] by Disk diffusion (KB)
10869-6 | Xylose [Mass/volume] in Blood --3 hours post 25 g xylose PO
1087-6 | Js sup(b) Ab [Presence] in Serum or Plasma
10870-4 | Xylose [Mass/volume] in Blood --4 hours post 25 g xylose PO
10871-2 | Xylose [Mass/volume] in Blood --5 hours post 25 g xylose PO
10872-0 | Xylose [Mass/volume] in Blood --baseline
10873-8 | Beta-2-Microglobulin [Mass/time] in 24 hour Urine
10874-6 | Bombesin [Mass/volume] in Plasma
10875-3 | Carnitine esters [Mass/volume] in Urine
10876-1 | Carnitine esters [Mass/volume] in Serum or Plasma
10877-9 | Carnitine free (C0) [Mass/volume] in Urine
10878-7 | Iodine.protein bound [Mass/volume] in Serum or Plasma
10879-5 | Isovalerylglycine [Mass/volume] in Urine
1088-4 | Js sup(b) Ag [Presence] on Red Blood Cells from Blood product unit
10880-3 | Magnesium [Mass/mass] in Stool
10881-1 | Pentacarboxylporphyrins [Mass/volume] in Red Blood Cells
10882-9 | Pentacarboxylporphyrins [Mass/volume] in Serum or Plasma
10883-7 | Phenolphthalein [Mass/mass] in Stool
10884-5 | Phosphate [Mass/mass] in Stool
10885-2 | Porphyrins [Mass/time] in 24 hour Urine
10886-0 | Prostate Specific Ag Free [Mass/volume] in Serum or Plasma
10887-8 | Pyridinoline [Mass/time] in 24 hour Urine

10888-6 | Lipase [Enzymatic activity/volume] in Urine
10889-4 | Bisacodyl [Mass/mass] in Stool
1089-2 | Js sup(b) Ag [Presence] on Red Blood Cells from Donor
10890-2 | Deprecated Normethsuximide [Mass/volume] in Serum or Plasma
10891-0 | Oxyphenisatin [Mass/mass] in Stool
10892-8 | Pentoxifylline [Mass/volume] in Serum or Plasma
10893-6 | Trenbolone [Mass/volume] in Urine
10894-4 | Aspergillus niger Ab [Presence] in Serum by Immune diffusion (ID)
10895-1 | Clostridium difficile toxin B [Presence] in Stool
10896-9 | Eastern equine encephalitis virus IgG Ab [Titer] in Serum by Immunofluorescence
10897-7 | Eastern equine encephalitis virus IgG Ab [Titer] in Cerebral spinal fluid by Immunofluorescence
10898-5 | Eastern equine encephalitis virus IgM Ab [Titer] in Serum by Immunofluorescence

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.200 Value Set http://hl7.org/fhir/ValueSet/name-assembly-order

URL: https://hl7.org/fhir/R4/valueset-name-assembly-order.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/name-assembly-order
Version: | 4.0.1
Name: | HumanNameAssemblyOrder
Title: | HumanNameAssemblyOrder
Definition: | A code that represents the preferred display order of the components of a human name.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.913 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is not currently used

4.4.1.200.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/name-assembly-order

http://terminology.hl7.org/CodeSystem/v2-0444

Code | Display
F | Prefix Family Given Suffix
G | Prefix Given Family Suffix

http://terminology.hl7.org/CodeSystem/v3-NullFlavor

Code | Display
UNK | Unknown | Description:A proper value is applicable, but not known. Usage Notes: This means the actual value is not known. If the only thing that is unknown is how to properly express the value in the necessary constraints (value set, datatype, etc.), then the OTH or UNC flavor should be used. No properties should be included for a datatype with this property unless: Those properties themselves directly translate to a semantic of "unknown". (E.g. a local code sent as a translation that conveys 'unknown') Those properties further qualify the nature of what is unknown. (E.g. specifying a use code of "H" and a URL prefix of "tel:" to convey that it is the home phone number that is unknown.)

4.4.1.200.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 7 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/name-assembly-order version 4.0.1, http://terminology.hl7.org/CodeSystem/v2-0444 version 2.9, http://terminology.hl7.org/CodeSystem/v3-NullFlavor version 2018-08-12

Code | System | Display | Definition
NL1 | http://terminology.hl7.org/CodeSystem/name-assembly-order | Own Name

NL2 | http://terminology.hl7.org/CodeSystem/name-assembly-order | Partner Name
NL3 | http://terminology.hl7.org/CodeSystem/name-assembly-order | Partner Name followed by Maiden Name
NL4 | http://terminology.hl7.org/CodeSystem/name-assembly-order | Own Name followed by Partner Name
F | http://terminology.hl7.org/CodeSystem/v2-0444 | Prefix Family Given Suffix
G | http://terminology.hl7.org/CodeSystem/v2-0444 | Prefix Given Family Suffix
UNK | http://terminology.hl7.org/CodeSystem/v3-NullFlavor | Unknown | Description:A proper value is applicable, but not known. Usage Notes: This means the actual value is not known. If the only thing that is unknown is how to properly express the value in the necessary constraints (value set, datatype, etc.), then the OTH or UNC flavor should be used. No properties should be included for a datatype with this property unless: Those properties themselves directly translate to a semantic of "unknown". (E.g. a local code sent as a translation that conveys 'unknown') Those properties further qualify the nature of what is unknown. (E.g. specifying a use code of "H" and a URL prefix of "tel:" to convey that it is the home phone number that is unknown.)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.201 Value Set http://hl7.org/fhir/ValueSet/dose-rate-type

URL: https://hl7.org/fhir/R4/valueset-dose-rate-type.html
FHIR Infrastructure Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/dose-rate-type
Version: | 4.0.1
Name: | DoseAndRateType
Title: | DoseAndRateType
Definition: | The kind of dose or rate specified.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.981 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for DoseAndRateType
• Resource: Dosage.doseAndRate.type (CodeableConcept / Example)

4.4.1.201.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/dose-rate-type

4.4.1.201.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/dose-rate-type version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/dose-rate-type

Code | Display | Definition
calculated | Calculated | The dose specified is calculated by the prescriber or the system.
ordered | Ordered | The dose specified is as ordered by the prescriber.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.202 Value Set http://hl7.org/fhir/ValueSet/allergy-intolerance-category

URL: https://hl7.org/fhir/R4/valueset-allergy-intolerance-category.html
Patient Care Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/allergy-intolerance-category
Version: | 4.0.1
Name: | AllergyIntoleranceCategory
Title: | AllergyIntoleranceCategory
Definition: | Category of an identified substance associated with allergies or intolerances.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.133 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for AllergyIntoleranceCategory
• Resource: AllergyIntolerance.category (code / Required)

4.4.1.202.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/allergy-intolerance-category

4.4.1.202.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/allergy-intolerance-category version 4.0.1

All codes from system http://hl7.org/fhir/allergy-intolerance-category

Code | Display | Definition
food | Food | Any substance consumed to provide nutritional support for the body.
medication | Medication | Substances administered to achieve a physiological effect.
environment | Environment | Any substances that are encountered in the environment, including any substance not already classified as food, medication, or biologic.
biologic | Biologic | A preparation that is synthesized from living organisms or their products, especially a human or animal protein, such as a hormone or antitoxin, that is used as a diagnostic, preventive, or therapeutic agent. Examples of biologic medications include: vaccines; allergenic extracts, which are used for both diagnosis and treatment (for example, allergy shots); gene therapies; cellular therapies. There are other biologic products, such as tissues, which are not typically associated with allergies.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.203 Value Set http://hl7.org/fhir/ValueSet/contract-subtype

URL: https://hl7.org/fhir/R4/valueset-contract-subtype.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contract-subtype
Version: | 4.0.1
Name: | ContractSubtypeCodes
Title: | Contract Subtype Codes
Definition: | This value set includes sample Contract Subtype codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.731 (for OID based terminology systems)
Copyright: | This is an example set.

Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ContractSubtypeCodes

• Resource: Contract.subType (CodeableConcept / Example)

4.4.1.203.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/contractsubtypecodes

4.4.1.203.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/contractsubtypecodes version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/contractsubtypecodes

Code	Display	Definition
disclosure-ca	Disclosure-CA	Canadian health information disclosure policy.
disclosure-us	Disclosure-US	United States health information disclosure policy.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.204 Value Set http://hl7.org/fhir/ValueSet/contract-definition-type

URL: https://hl7.org/fhir/R4/valueset-contract-definition-type.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contract-definition-type
Version: | 4.0.1
Name: | ContractResourceDefinitionTypeCodes
Title: | Contract Resource Definition Type codes
Definition: | This value set contract specific codes for status.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.1210 (for OID based terminology systems)
Copyright: | HL7 International.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ContractResourceDefinitionTypeCodes

• Resource: Contract.contentDefinition.type (CodeableConcept / Example)

4.4.1.204.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/contract-definition-type

4.4.1.204.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 1 concepts

Expansion based on http://hl7.org/fhir/contract-definition-type version 4.0.1

All codes from system http://hl7.org/fhir/contract-definition-type

Code	Display	Definition
temp	Temporary Value	To be completed

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.205 Value Set http://hl7.org/fhir/ValueSet/participantrequired

URL: https://hl7.org/fhir/R4/valueset-participantrequired.html
Patient Administration Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/participantrequired
Version: | 4.0.1
Name: | ParticipantRequired
Title: | ParticipantRequired
Definition: | Is the Participant required to attend the appointment.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.488 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ParticipantRequired
• Resource: Appointment.participant.required (code / Required)

4.4.1.205.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/participantrequired

4.4.1.205.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/participantrequired version 4.0.1

All codes from system http://hl7.org/fhir/participantrequired

Code | Display | Definition
required | Required | The participant is required to attend the appointment.
optional | Optional | The participant may optionally attend the appointment.
information-only | Information Only | The participant is excluded from the appointment, and might not be informed of the appointment taking place. (Appointment is about them, not for them - such as 2 doctors discussing results about a patient's test).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.206 Value Set http://hl7.org/fhir/ValueSet/synthesis-type

URL: https://hl7.org/fhir/R4/valueset-synthesis-type.html
Clinical Decision Support Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/synthesis-type
Version: | 4.0.1
Name: | SynthesisType
Title: | SynthesisType
Definition: | Types of combining results from a body of evidence (eg. summary data meta-analysis).
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.1347 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for SynthesisType

• Resource: EffectEvidenceSynthesis.synthesisType (CodeableConcept / Extensible)

• Resource: RiskEvidenceSynthesis.synthesisType (CodeableConcept / Extensible)

4.4.1.206.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/synthesis-type

4.4.1.206.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 6 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/synthesis-type version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/synthesis-type

Code | Display | Definition
std-MA | summary data meta-analysis | A meta-analysis of the summary data of estimates from individual studies or data sets.
IPD-MA | individual patient data meta-analysis | A meta-analysis of the individual participant data from individual studies or data sets.
indirect-NMA | indirect network meta-analysis | An indirect meta-analysis derived from 2 or more direct comparisons in a network meta-analysis.
combined-NMA | combined direct plus indirect network meta-analysis | An composite meta-analysis derived from direct comparisons and indirect comparisons in a network meta-analysis.
range | range of results | A range of results across a body of evidence.
classification | classifcation of results | An approach describing a body of evidence by categorically classifying individual studies (eg 3 studies showed beneft and 2 studied found no effect).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.207 Value Set http://hl7.org/fhir/ValueSet/unknown-content-code

URL: https://hl7.org/fhir/R4/valueset-unknown-content-code.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/unknown-content-code
Version: | 4.0.1
Name: | UnknownContentCode
Title: | UnknownContentCode
Definition: | A code that indicates whether an application accepts unknown elements or extensions when reading resources.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.196 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for UnknownContentCode

4.4.1.207.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/unknown-content-code

4.4.1.207.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/unknown-content-code version 4.0.1

All codes from system http://hl7.org/fhir/unknown-content-code

Code | Display | Definition
no | Neither Elements or Extensions | The application does not accept either unknown elements or extensions.
extensions | Unknown Extensions | The application accepts unknown extensions, but not unknown elements.
elements | Unknown Elements | The application accepts unknown elements, but not unknown extensions.
both | Unknown Elements and Extensions | The application accepts unknown elements and extensions.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.208 Value Set http://hl7.org/fhir/ValueSet/immunization-funding-source

URL: https://hl7.org/fhir/R4/valueset-immunization-funding-source.html
Public Health and Emergency Response Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined at http://www.hl7.org/Special/committees/pher/index.cfm .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/immunization-funding-source
Version: | 4.0.1
Name: | ImmunizationFundingSource
Title: | Immunization Funding Source
Definition: | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the source of the vaccine administered. This value set is provided as a suggestive example.
Committee: | Public Health and Emergency Response Work Group
OID: | 2.16.840.1.113883.4.642.3.293 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ImmunizationFundingSource

• Resource: Immunization.fundingSource (CodeableConcept / Example)

4.4.1.208.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/immunization-funding-source

4.4.1.208.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/immunization-funding-source version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/immunization-funding-source

Code | Display | Definition
private | Private | The vaccine was purchased with private funds.
public | Public | The vaccine was purchased with public funds.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.209 Value Set http://hl7.org/fhir/ValueSet/definition-resource-types

URL: https://hl7.org/fhir/R4/valueset-definition-resource-types.html
Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/definition-resource-types
Version: | 4.0.1
Name: | DefinitionResourceType
Title: | DefinitionResourceType
Definition: | A list of all the definition resource types defined in this version of the FHIR specification.
Committee: | Vocabulary Work Group
OID: | 2.16.840.1.113883.4.642.3.1056 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for DefinitionResourceType

4.4.1.209.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/definition-resource-types

4.4.1.209.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/definition-resource-types version 4.0.1

All codes from system http://hl7.org/fhir/definition-resource-types

Code | Display | Definition
ActivityDefinition | ActivityDefinition | This resource allows for the definition of some activity to be performed, independent of a particular patient, practitioner, or other performance context.
EventDefinition | EventDefinition | The EventDefinition resource provides a reusable description of when a particular event can occur.
Measure | Measure | The Measure resource provides the definition of a quality measure.
OperationDefinition | OperationDefinition | A formal computable definition of an operation (on the RESTful interface) or a named query (using the search interaction).
PlanDefinition | PlanDefinition | This resource allows for the definition of various types of plans as a sharable, consumable, and executable artifact. The resource is general enough to support the description of a broad range of clinical artifacts such as clinical decision support rules, order sets and protocols.
Questionnaire | Questionnaire | A structured set of questions intended to guide the collection of answers from end-users. Questionnaires provide detailed control over order, presentation, phraseology and grouping to allow coherent, consistent data collection.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.210 Value Set http://hl7.org/fhir/ValueSet/sequence-quality-method

URL: https://hl7.org/fhir/R4/valueset-sequence-quality-method.html

This value set could not be expanded by the publication tooling: Error from server: Unable to provide support for code system https://precision.fda.gov/apps/

Clinical Genomics Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/sequence-quality-method
Version: | 4.0.1
Name: | FDA-Method
Title: | F d a- method
Definition: | This value set includes sequence quality method
Committee: | Clinical Genomics Work Group
OID: | 2.16.840.1.113883.4.642.3.223 (for OID based terminology systems)
Copyright: | Unless otherwise noted, the contents of the FDA website (www.fda.gov)—both text and graphics—are not copyrighted. They are in the public domain and may be republished, reprinted and otherwise used freely by anyone without the need to obtain permission from FDA. Credit to the U.S. Food and Drug Administration as the source is appreciated but not required. FDA appreciates being informed about the use of website materials. Contact FDA, HFI-50, Rockville, MD 20857 or email webmail@oc.fda.gov.
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: MolecularSequence.quality.method (CodeableConcept / Example)

4.4.1.210.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in https://precision.fda.gov/apps/

• Include all codes defined in https://precision.fda.gov/jobs/

4.4.1.210.2 Expansion

This expansion generated 01 Nov 2019

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.211 Value Set http://hl7.org/fhir/ValueSet/rejection-criteria

URL: https://hl7.org/fhir/R4/valueset-rejection-criteria.html
Orders and Observations Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/rejection-criteria
Version: | 4.0.1
Name: | RejectionCriterion
Title: | RejectionCriterion
Definition: | Criterion for rejection of the specimen by laboratory.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.856 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for RejectionCriterion

• Resource: SpecimenDefinition.typeTested.rejectionCriterion (CodeableConcept / Example)

4.4.1.211.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/rejection-criteria

4.4.1.211.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/rejection-criteria version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/rejection-criteria

Code | Display | Definition
hemolized | hemolized specimen | blood specimen hemolized.
insufficient | insufficient specimen volume | insufficient quantity of specimen.
broken | broken specimen container | specimen container broken.
clotted | specimen clotted | specimen clotted.
wrong-temperature | specimen temperature inappropriate | specimen temperature inappropriate.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.212 Value Set http://hl7.org/fhir/ValueSet/container-cap

URL: https://hl7.org/fhir/R4/valueset-container-cap.html
Orders and Observations Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/container-cap
Version: | 4.0.1
Name: | ContainerCap
Title: | ContainerCap
Definition: | Color of the container cap.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.850 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ContainerCap
• Resource: SpecimenDefinition.typeTested.container.cap (CodeableConcept / Example)

4.4.1.212.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/container-cap

4.4.1.212.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 12 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/container-cap version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/container-cap

Code | Display | Definition
red | red cap | red cap.
yellow | yellow cap | yellow cap.
dark-yellow | dark yellow cap | dark yellow cap.
grey | grey cap | grey cap.
light-blue | light blue cap | light blue cap.
black | black cap | black cap.
green | green cap | green cap.
light-green | light green cap | light green cap.
lavender | lavender cap | lavender cap.
brown | brown cap | brown cap.
white | white cap | white cap.
pink | pink cap | pink cap.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.213 Value Set http://hl7.org/fhir/ValueSet/provenance-agent-role

URL: https://hl7.org/fhir/R4/valueset-provenance-agent-role.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/provenance-agent-role
Version: | 4.0.1
Name: | ProvenanceParticipantRole
Title: | Provenance participant role
Definition: | The role that a provenance participant played
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.1305 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ProvenanceParticipantRole
• Resource: Contract.term.action.performerRole (CodeableConcept / Example)

4.4.1.213.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/provenance-participant-role

4.4.1.213.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 10 concepts

Expansion based on http://hl7.org/fhir/provenance-participant-role version 4.0.1

All codes from system http://hl7.org/fhir/provenance-participant-role

Lvl | Code | Display | Definition
0 | enterer | Enterer | A person entering the data into the originating system
0 | performer | Performer | A person, animal, organization or device that who actually and principally carries out the activity
0 | author | Author | A party that originates the resource and therefore has responsibility for the information given in the resource and ownership of this resource
0 | verifier | Verifier | A person who verifies the correctness and appropriateness of activity
1 | legal | Legal Authenticator | The person authenticated the content and accepted legal responsibility for its content
0 | attester | Attester | A verifier who attests to the accuracy of the resource
0 | informant | Informant | A person who reported information that contributed to the resource
0 | custodian | Custodian | The entity that is accountable for maintaining a true an accurate copy of the original record
0 | assembler | Assembler | A device that operates independently of an author on custodian's algorithms for data extraction of existing information for purpose of generating a new artifact.
0 | composer | Composer | A device used by an author to record new information, which may also be used by the author to select existing information for aggregation with newly recorded information for the purpose of generating a new artifact.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.214 Value Set http://hl7.org/fhir/ValueSet/identity-assuranceLevel

URL: https://hl7.org/fhir/R4/valueset-identity-assuranceLevel.html
Patient Administration Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/identity-assuranceLevel
Version: | 4.0.1
Name: | IdentityAssuranceLevel
Title: | IdentityAssuranceLevel
Definition: | The level of confidence that this link represents the same actual person, based on NIST Authentication Levels.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.656 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for IdentityAssuranceLevel

• Resource: Person.link.assurance (code / Required)

4.4.1.214.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/identity-assuranceLevel

4.4.1.214.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/identity-assuranceLevel version 4.0.1

All codes from system http://hl7.org/fhir/identity-assuranceLevel

Code	Display	Definition
level1	Level 1	Little or no confidence in the asserted identity's accuracy.
level2	Level 2	Some confidence in the asserted identity's accuracy.
level3	Level 3	High confidence in the asserted identity's accuracy.
level4	Level 4	Very high confidence in the asserted identity's accuracy.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.215 Value Set http://hl7.org/fhir/ValueSet/sequenceontology

URL: https://hl7.org/fhir/R4/valueset-sequenceontology.html

This value set could not be expanded by the publication tooling: Error from server: Unable to provide support for code system http://www.sequenceontology.org

Orders and Observations Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/sequenceontology
Version: | 4.0.1
Name: | SequenceOntology
Title: | Sequence ontology
Definition: | Sequence Ontology
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.1044 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is not currently used

4.4.1.215.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://www.sequenceontology.org

4.4.1.215.2 Expansion

This expansion generated 01 Nov 2019

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.216 Value Set http://hl7.org/fhir/ValueSet/payeetype

URL: https://hl7.org/fhir/R4/valueset-payeetype.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/payeetype
Version: | 4.0.1
Name: | Claim Payee Type Codes
Title: | PayeeType
Definition: | This value set includes sample Payee Type codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.31 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for Claim Payee Type Codes
• Resource: ExplanationOfBenefit.payee.type (CodeableConcept / Example)
• Resource: ClaimResponse.payeeType (CodeableConcept / Example)
• Resource: Claim.payee.type (CodeableConcept / Example)

4.4.1.216.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/payeetype

4.4.1.216.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/payeetype version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/payeetype

Code | Display | Definition
subscriber | Subscriber | The subscriber (policy holder) will be reimbursed.
provider | Provider | Any benefit payable will be paid to the provider (Assignment of Benefit).
other | Provider | Any benefit payable will be paid to a third party such as a guarrantor.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.217 Value Set http://hl7.org/fhir/ValueSet/supplyrequest-reason

URL: https://hl7.org/fhir/R4/valueset-supplyrequest-reason.html
Orders and Observations Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/supplyrequest-reason
Version: | 4.0.1
Name: | SupplyRequestReason
Title: | SupplyRequestReason
Definition: | The reason why the supply item was requested.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.697 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for SupplyRequestReason

• Resource: SupplyRequest.reasonCode (CodeableConcept / Example)

4.4.1.217.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/supplyrequest-reason

4.4.1.217.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/supplyrequest-reason version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/supplyrequest-reason

Code | Display | Definition
patient-care | Patient Care | The supply has been requested for use in direct patient care.
ward-stock | Ward Stock | The supply has been requested for creating or replenishing ward stock.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.218 Value Set http://hl7.org/fhir/ValueSet/audit-entity-type

URL: https://hl7.org/fhir/R4/valueset-audit-entity-type.html
Security Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/audit-entity-type
Version: | 4.0.1
Name: | AuditEventEntityType
Title: | Audit event entity type
Definition: | Code for the entity type involved in the audit event.
Committee: | Security Work Group
OID: | 2.16.840.1.113883.4.642.3.458 (for OID based terminology systems)
Copyright: | These codes are excerpted from Digital Imaging and Communications in Medicine (DICOM) Standard, Part 16: Content Mapping Resource, Copyright © 2011 by the National Electrical Manufacturers Association.
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: AuditEvent.entity.type (Coding / Extensible)

4.4.1.218.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/audit-entity-type

• Include all codes defined in http://hl7.org/fhir/resource-types

4.4.1.218.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 152 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/audit-entity-type version 4.0.1, http://hl7.org/fhir/resource-types version 4.0.1

Code | System | Display | Definition

1 | http://terminology.hl7.org/CodeSystem/audit-entity-type | Person | Person

2 | http://terminology.hl7.org/CodeSystem/audit-entity-type | System Object | System Object

3 | http://terminology.hl7.org/CodeSystem/audit-entity-type | Organization | Organization

4 | http://terminology.hl7.org/CodeSystem/audit-entity-type | Other | Other

Account | http://hl7.org/fhir/resource-types | Account | A financial tool for tracking value accrued for a particular purpose. In the healthcare field, used to track charges for a patient, cost centers, etc.

ActivityDefinition | http://hl7.org/fhir/resource-types | ActivityDefinition | This resource allows for the definition of some activity to be performed, independent of a particular patient, practitioner, or other performance context.

AdverseEvent | http://hl7.org/fhir/resource-types | AdverseEvent | Actual or potential/avoided event causing unintended physical injury resulting from or contributed to by medical care, a research study or other healthcare setting factors that requires additional monitoring, treatment, or hospitalization, or that results in death.

AllergyIntolerance | http://hl7.org/fhir/resource-types | AllergyIntolerance | Risk of harmful or undesirable, physiological response which is unique to an individual and associated with exposure to a substance.

Appointment | http://hl7.org/fhir/resource-types | Appointment | A booking of a healthcare event among patient(s), practitioner(s), related person(s) and/or device(s) for a specific date/time. This may result in one or more Encounter(s).

AppointmentResponse | http://hl7.org/fhir/resource-types | AppointmentResponse | A reply to an appointment request for a patient and/or practitioner(s), such as a confirmation or rejection.

AuditEvent | http://hl7.org/fhir/resource-types | AuditEvent | A record of an event made for purposes of maintaining a security log. Typical uses include detection of intrusion attempts and monitoring for inappropriate usage.

Basic | http://hl7.org/fhir/resource-types | Basic | Basic is used for handling concepts not yet defined in FHIR, narrative-only resources that don't map to an existing resource, and custom resources not appropriate for inclusion in the FHIR specification.

Binary | http://hl7.org/fhir/resource-types | Binary | A resource that represents the data of a single raw artifact as digital content accessible in its native format. A Binary resource can contain any content, whether text, image, pdf, zip archive, etc.

BiologicallyDerivedProduct | http://hl7.org/fhir/resource-types | BiologicallyDerivedProduct | A material substance originating from a biological entity intended to be transplanted or infused into another (possibly the same) biological entity.

BodyStructure | http://hl7.org/fhir/resource-types | BodyStructure | Record details about an anatomical structure. This resource may be used when a coded concept does not provide the necessary detail needed for the use case.

Bundle | http://hl7.org/fhir/resource-types | Bundle | A container for a collection of resources.

CapabilityStatement | http://hl7.org/fhir/resource-types | CapabilityStatement | A Capability Statement documents a set of capabilities (behaviors) of a FHIR Server for a particular version of FHIR that may be used as a statement of actual server functionality or a statement of required or desired server implementation.

CarePlan | http://hl7.org/fhir/resource-types | CarePlan | Describes the intention of how one or more practitioners intend to deliver care for a particular patient, group or community for a period of time, possibly limited to care for a specific condition or set of conditions.

CareTeam | http://hl7.org/fhir/resource-types | CareTeam | The Care Team includes all the people and organizations who plan to participate in the coordination and delivery of care for a patient.

CatalogEntry | http://hl7.org/fhir/resource-types | CatalogEntry | Catalog entries are wrappers that contextualize items included in a catalog.

ChargeItem | http://hl7.org/fhir/resource-types | ChargeItem | The resource ChargeItem describes the provision of healthcare provider products for a certain patient, therefore referring not only to the product, but containing in addition details of the provision, like date, time, amounts and participating organizations and persons. Main Usage of the ChargeItem is to enable the billing process and internal cost allocation.

ChargeItemDefinition | http://hl7.org/fhir/resource-types | ChargeItemDefinition | The ChargeItemDefinition resource provides the properties that apply to the (billing) codes necessary to calculate costs and prices. The properties may differ largely depending on type and realm, therefore this resource gives only a rough structure and requires profiling for each type of billing code system.

Claim | http://hl7.org/fhir/resource-types | Claim | A provider issued list of professional services and products which have been provided, or are to be provided, to a patient which is sent to an insurer for reimbursement.

ClaimResponse | http://hl7.org/fhir/resource-types | ClaimResponse | This resource provides the adjudication details from the processing of a Claim resource.

ClinicalImpression | http://hl7.org/fhir/resource-types | ClinicalImpression | A record of a clinical assessment performed to determine what problem(s) may affect the patient and before planning the treatments or management strategies that are best to manage a patient's condition. Assessments are often 1:1 with a clinical consultation / encounter, but this varies greatly depending on the clinical workflow. This resource is called "ClinicalImpression" rather than "ClinicalAssessment" to avoid confusion with the recording of assessment tools such as Apgar score.

CodeSystem | http://hl7.org/fhir/resource-types | CodeSystem | The CodeSystem resource is used to declare the existence of and describe a code system or code system supplement and its key properties, and optionally define a part or all of its content.

Communication | http://hl7.org/fhir/resource-types | Communication | An occurrence of information being transmitted; e.g. an alert that was sent to a responsible provider, a public health agency that was notified about a reportable condition.

CommunicationRequest | http://hl7.org/fhir/resource-types | CommunicationRequest | A request to convey information; e.g. the CDS system proposes that an alert be sent to a responsible provider, the CDS system proposes that the public health agency be notified about a reportable condition.

CompartmentDefinition | http://hl7.org/fhir/resource-types | CompartmentDefinition | A compartment definition that defines how resources are accessed on a server.

Composition | http://hl7.org/fhir/resource-types | Composition | A set of healthcare-related information that is assembled together into a single logical package that provides a single coherent statement of meaning, establishes its own context and that has clinical attestation with regard to who is making the statement. A Composition defines the structure and narrative content necessary for a document. However, a Composition alone does not constitute a document. Rather, the Composition must be the first entry in a Bundle where Bundle.type=document, and any other resources referenced from Composition must be included as subsequent entries in the Bundle (for example Patient, Practitioner, Encounter, etc.).

ConceptMap | http://hl7.org/fhir/resource-types | ConceptMap | A statement of relationships from one set of concepts to one or more other concepts - either concepts in code systems, or data element/data element concepts, or classes in class models.

Condition | http://hl7.org/fhir/resource-types | Condition | A clinical condition, problem, diagnosis, or other event, situation, issue, or clinical concept that has risen to a level of concern.

Consent | http://hl7.org/fhir/resource-types | Consent | A record of a healthcare consumer’s choices, which permits or denies identified recipient(s) or recipient role(s) to perform one or more actions within a given policy context, for specific purposes and periods of time.

Contract | http://hl7.org/fhir/resource-types | Contract | Legally enforceable, formally recorded unilateral or bilateral directive i.e., a policy or agreement.

Coverage | http://hl7.org/fhir/resource-types | Coverage | Financial instrument which may be used to reimburse or pay for health care products and services. Includes both insurance and self-payment.

CoverageEligibilityRequest | http://hl7.org/fhir/resource-types | CoverageEligibilityRequest | The CoverageEligibilityRequest provides patient and insurance coverage information to an insurer for them to respond, in the form of an CoverageEligibilityResponse, with information regarding whether the stated coverage is valid and in-force and optionally to provide the insurance details of the policy.

CoverageEligibilityResponse | http://hl7.org/fhir/resource-types | CoverageEligibilityResponse | This resource provides eligibility and plan details from the processing of an CoverageEligibilityRequest resource.

DetectedIssue | http://hl7.org/fhir/resource-types | DetectedIssue | Indicates an actual or potential clinical issue with or between one or more active or proposed clinical actions for a patient; e.g. Drug-drug interaction, Ineffective treatment frequency, Procedure-condition conflict, etc.

Device | http://hl7.org/fhir/resource-types | Device | A type of a manufactured item that is used in the provision of healthcare without being substantially changed through that activity. The device may be a medical or non-medical device.

DeviceDefinition | http://hl7.org/fhir/resource-types | DeviceDefinition | The characteristics, operational status and capabilities of a medical-related component of a medical device.

DeviceMetric | http://hl7.org/fhir/resource-types | DeviceMetric | Describes a measurement, calculation or setting capability of a medical device.

DeviceRequest | http://hl7.org/fhir/resource-types | DeviceRequest | Represents a request for a patient to employ a medical device. The device may be an implantable device, or an external assistive device, such as a walker.

DeviceUseStatement | http://hl7.org/fhir/resource-types | DeviceUseStatement | A record of a device being used by a patient where the record is the result of a report from the patient or another clinician.

DiagnosticReport | http://hl7.org/fhir/resource-types | DiagnosticReport | The findings and interpretation of diagnostic tests performed on patients, groups of patients, devices, and locations, and/or specimens derived from these. The report includes clinical context such as requesting and provider information, and some mix of atomic results, images, textual and coded interpretations, and formatted representation of diagnostic reports.

DocumentManifest | http://hl7.org/fhir/resource-types | DocumentManifest | A collection of documents compiled for a purpose together with metadata that applies to the collection.

DocumentReference | http://hl7.org/fhir/resource-types | DocumentReference | A reference to a document of any kind for any purpose. Provides metadata about the document so that the document can be discovered and managed. The scope of a document is any seralized object with a mime-type, so includes formal patient centric documents (CDA), cliical notes, scanned paper, and non-patient specific documents like policy text.

DomainResource | http://hl7.org/fhir/resource-types | DomainResource | A resource that includes narrative, extensions, and contained resources.

EffectEvidenceSynthesis | http://hl7.org/fhir/resource-types | EffectEvidenceSynthesis | The EffectEvidenceSynthesis resource describes the difference in an outcome between exposures states in a population where the effect estimate is derived from a combination of research studies.

Encounter | http://hl7.org/fhir/resource-types | Encounter | An interaction between a patient and healthcare provider(s) for the purpose of providing healthcare service(s) or assessing the health status of a patient.

Endpoint | http://hl7.org/fhir/resource-types | Endpoint | The technical details of an endpoint that can be used for electronic services, such as for web services providing XDS.b or a REST endpoint for another FHIR server. This may include any security context information.

EnrollmentRequest | http://hl7.org/fhir/resource-types | EnrollmentRequest | This resource provides the insurance enrollment details to the insurer regarding a specified coverage.

EnrollmentResponse | http://hl7.org/fhir/resource-types | EnrollmentResponse | This resource provides enrollment and plan details from the processing of an EnrollmentRequest resource.

EpisodeOfCare | http://hl7.org/fhir/resource-types | EpisodeOfCare | An association between a patient and an organization / healthcare provider(s) during which time encounters may occur. The managing organization assumes a level of responsibility for the patient during this time.

EventDefinition | http://hl7.org/fhir/resource-types | EventDefinition | The EventDefinition resource provides a reusable description of when a particular event can occur.

Evidence | http://hl7.org/fhir/resource-types | Evidence | The Evidence resource describes the conditional state (population and any exposures being compared within the population) and outcome (if specified) that the knowledge (evidence, assertion, recommendation) is about.

EvidenceVariable | http://hl7.org/fhir/resource-types | EvidenceVariable | The EvidenceVariable resource describes a "PICO" element that knowledge (evidence, assertion, recommendation) is about.

ExampleScenario | http://hl7.org/fhir/resource-types | ExampleScenario | Example of workflow instance.

ExplanationOfBenefit | http://hl7.org/fhir/resource-types | ExplanationOfBenefit | This resource provides: the claim details; adjudication details from the processing of a Claim; and optionally account balance information, for informing the subscriber of the benefits provided.

FamilyMemberHistory | http://hl7.org/fhir/resource-types | FamilyMemberHistory | Significant health conditions for a person related to the patient relevant in the context of care for the patient.

Flag | http://hl7.org/fhir/resource-types | Flag | Prospective warnings of potential issues when providing care to the patient.

Goal | http://hl7.org/fhir/resource-types | Goal | Describes the intended objective(s) for a patient, group or organization care, for example, weight loss, restoring an activity of daily living, obtaining herd immunity via immunization, meeting a process improvement objective, etc.

GraphDefinition | http://hl7.org/fhir/resource-types | GraphDefinition | A formal computable definition of a graph of resources - that is, a coherent set of resources that form a graph by following references. The Graph Definition resource defines a set and makes rules about the set.

Group | http://hl7.org/fhir/resource-types | Group | Represents a defined collection of entities that may be discussed or acted upon collectively but which are not expected to act collectively, and are not formally or legally recognized; i.e. a collection of entities that isn't an Organization.

GuidanceResponse | http://hl7.org/fhir/resource-types | GuidanceResponse | A guidance response is the formal response to a guidance request, including any output parameters returned by the evaluation, as well as the description of any proposed actions to be taken.

HealthcareService | http://hl7.org/fhir/resource-types | HealthcareService | The details of a healthcare service available at a location.

ImagingStudy | http://hl7.org/fhir/resource-types | ImagingStudy | Representation of the content produced in a DICOM imaging study. A study comprises a set of series, each of which includes a set of Service-Object Pair Instances (SOP Instances - images or other data) acquired or produced in a common context. A series is of only one modality (e.g. X-ray, CT, MR, ultrasound), but a study may have multiple series of different modalities.

Immunization | http://hl7.org/fhir/resource-types | Immunization | Describes the event of a patient being administered a vaccine or a record of an immunization as reported by a patient, a clinician or another party.

ImmunizationEvaluation | http://hl7.org/fhir/resource-types | ImmunizationEvaluation | Describes a comparison of an immunization event against published recommendations to determine if the administration is "valid" in relation to those recommendations.

ImmunizationRecommendation | http://hl7.org/fhir/resource-types | ImmunizationRecommendation | A patient's point-in-time set of recommendations (i.e. forecasting) according to a published schedule with optional supporting justification.

ImplementationGuide | http://hl7.org/fhir/resource-types | ImplementationGuide | A set of rules of how a particular interoperability or standards problem is solved - typically through the use of FHIR resources. This resource is used to gather all the parts of an implementation guide into a logical whole and to publish a computable definition of all the parts.

InsurancePlan | http://hl7.org/fhir/resource-types | InsurancePlan | Details of a Health Insurance product/plan provided by an organization.

Invoice | http://hl7.org/fhir/resource-types | Invoice | Invoice containing collected ChargeItems from an Account with calculated individual and total price for Billing purpose.

Library | http://hl7.org/fhir/resource-types | Library | The Library resource is a general-purpose container for knowledge asset definitions. It can be used to describe and expose existing knowledge assets such as logic libraries and information model descriptions, as well as to describe a collection of knowledge assets.

Linkage | http://hl7.org/fhir/resource-types | Linkage | Identifies two or more records (resource instances) that refer to the same real-world "occurrence".

List | http://hl7.org/fhir/resource-types | List | A list is a curated collection of resources.

Location | http://hl7.org/fhir/resource-types | Location | Details and position information for a physical place where services are provided and resources and participants may be stored, found, contained, or accommodated.

Measure | http://hl7.org/fhir/resource-types | Measure | The Measure resource provides the definition of a quality measure.

MeasureReport | http://hl7.org/fhir/resource-types | MeasureReport | The MeasureReport resource contains the results of the calculation of a measure; and optionally a reference to the resources involved in that calculation.

Media | http://hl7.org/fhir/resource-types | Media | A photo, video, or audio recording acquired or used in healthcare. The actual content may be inline or provided by direct reference.

Medication | http://hl7.org/fhir/resource-types | Medication | This resource is primarily used for the identification and definition of a medication for the purposes of prescribing, dispensing, and administering a medication as well as for making statements about medication use.

MedicationAdministration | http://hl7.org/fhir/resource-types | MedicationAdministration | Describes the event of a patient consuming or otherwise being administered a medication. This may be as simple as swallowing a tablet or it may be a long running infusion. Related resources tie this event to the authorizing prescription, and the specific encounter between patient and health care practitioner.

MedicationDispense | http://hl7.org/fhir/resource-types | MedicationDispense | Indicates that a medication product is to be or has been dispensed for a named person/patient. This includes a description of the medication product (supply) provided and the instructions for administering the medication. The medication dispense is the result of a pharmacy system responding to a medication order.

MedicationKnowledge | http://hl7.org/fhir/resource-types | MedicationKnowledge | Information about a medication that is used to support knowledge.

MedicationRequest | http://hl7.org/fhir/resource-types | MedicationRequest | An order or request for both supply of the medication and the instructions for administration of the medication to a patient. The resource is called "MedicationRequest" rather than "MedicationPrescription" or "MedicationOrder" to generalize the use across inpatient and outpatient settings, including care plans, etc., and to harmonize with workflow patterns.

MedicationStatement | http://hl7.org/fhir/resource-types | MedicationStatement | A record of a medication that is being consumed by a patient. A MedicationStatement may indicate that the patient may be taking the medication now or has taken the medication in the past or will be taking the medication in the future. The source of this information can be the patient, significant other (such as a family member or spouse), or a clinician. A common scenario where this information is captured is during the history taking process during a patient visit or stay. The medication information may come from sources such as the patient's memory, from a prescription bottle, or from a list of medications the patient, clinician or other party maintains. The primary difference between a medication statement and a medication administration is that the medication administration has complete administration information and is based on actual administration information from the person who administered the medication. A medication statement is often, if not always, less specific. There is no required date/time when the medication was administered, in fact we only know that a source has reported the patient is taking this medication, where details such as time, quantity, or rate or even

medication product may be incomplete or missing or less precise. As stated earlier, the medication statement information may come from the patient's memory, from a prescription bottle or from a list of medications the patient, clinician or other party maintains. Medication administration is more formal and is not missing detailed information.

MedicinalProduct | http://hl7.org/fhir/resource-types | MedicinalProduct | Detailed definition of a medicinal product, typically for uses other than direct patient care (e.g. regulatory use).

MedicinalProductAuthorization | http://hl7.org/fhir/resource-types | MedicinalProductAuthorization | The regulatory authorization of a medicinal product.

MedicinalProductContraindication | http://hl7.org/fhir/resource-types | MedicinalProductContraindication | The clinical particulars - indications, contraindications etc. of a medicinal product, including for regulatory purposes.

MedicinalProductIndication | http://hl7.org/fhir/resource-types | MedicinalProductIndication | Indication for the Medicinal Product.

MedicinalProductIngredient | http://hl7.org/fhir/resource-types | MedicinalProductIngredient | An ingredient of a manufactured item or pharmaceutical product.

MedicinalProductInteraction | http://hl7.org/fhir/resource-types | MedicinalProductInteraction | The interactions of the medicinal product with other medicinal products, or other forms of interactions.

MedicinalProductManufactured | http://hl7.org/fhir/resource-types | MedicinalProductManufactured | The manufactured item as contained in the packaged medicinal product.

MedicinalProductPackaged | http://hl7.org/fhir/resource-types | MedicinalProductPackaged | A medicinal product in a container or package.

MedicinalProductPharmaceutical | http://hl7.org/fhir/resource-types | MedicinalProductPharmaceutical | A pharmaceutical product described in terms of its composition and dose form.

MedicinalProductUndesirableEffect | http://hl7.org/fhir/resource-types | MedicinalProductUndesirableEffect | Describe the undesirable effects of the medicinal product.

MessageDefinition | http://hl7.org/fhir/resource-types | MessageDefinition | Defines the characteristics of a message that can be shared between systems, including the type of event that initiates the message, the content to be transmitted and what response(s), if any, are permitted.

MessageHeader | http://hl7.org/fhir/resource-types | MessageHeader | The header for a message exchange that is either requesting or responding to an action. The reference(s) that are the subject of the action as well as other information related to the action are typically transmitted in a bundle in which the MessageHeader resource instance is the first resource in the bundle.

MolecularSequence | http://hl7.org/fhir/resource-types | MolecularSequence | Raw data describing a biological sequence.

NamingSystem | http://hl7.org/fhir/resource-types | NamingSystem | A curated namespace that issues unique symbols within that namespace for the identification of concepts, people, devices, etc. Represents a "System" used within the Identifier and Coding data types.

NutritionOrder | http://hl7.org/fhir/resource-types | NutritionOrder | A request to supply a diet, formula feeding (enteral) or oral nutritional supplement to a patient/resident.

Observation | http://hl7.org/fhir/resource-types | Observation | Measurements and simple assertions made about a patient, device or other subject.

ObservationDefinition | http://hl7.org/fhir/resource-types | ObservationDefinition | Set of definitional characteristics for a kind of observation or measurement produced or consumed by an orderable health care service.

OperationDefinition | http://hl7.org/fhir/resource-types | OperationDefinition | A formal computable definition of an operation (on the RESTful interface) or a named query (using the search interaction).

OperationOutcome | http://hl7.org/fhir/resource-types | OperationOutcome | A collection of error, warning, or information messages that result from a system action.

Organization | http://hl7.org/fhir/resource-types | Organization | A formally or informally recognized grouping of people or organizations formed for the purpose of achieving some form of collective action. Includes companies, institutions, corporations, departments, community groups, healthcare practice groups, payer/insurer, etc.

OrganizationAffiliation | http://hl7.org/fhir/resource-types | OrganizationAffiliation | Defines an affiliation/assotiation/relationship between 2 distinct oganizations, that is not a part-of relationship/sub-division relationship.

Parameters | http://hl7.org/fhir/resource-types | Parameters | This resource is a non-persisted resource used to pass information into and back from an [operation](operations.html). It has no other use, and there is no RESTful endpoint associated with it.

Patient | http://hl7.org/fhir/resource-types | Patient | Demographics and other administrative information about an individual or animal receiving care or other health-related services.

PaymentNotice | http://hl7.org/fhir/resource-types | PaymentNotice | This resource provides the status of the payment for goods and services rendered, and the request and response resource references.

PaymentReconciliation | http://hl7.org/fhir/resource-types | PaymentReconciliation | This resource provides the details including amount of a payment and allocates the payment items being paid.

Person | http://hl7.org/fhir/resource-types | Person | Demographics and administrative information about a person independent of a specific health-related context.

PlanDefinition | http://hl7.org/fhir/resource-types | PlanDefinition | This resource allows for the definition of various types of plans as a sharable, consumable, and executable artifact. The resource is general enough to support the description of a broad range of clinical artifacts such as clinical decision support rules, order sets and protocols.

Practitioner | http://hl7.org/fhir/resource-types | Practitioner | A person who is directly or indirectly involved in the provisioning of healthcare.

PractitionerRole | http://hl7.org/fhir/resource-types | PractitionerRole | A specific set of Roles/Locations/specialties/services that a practitioner may perform at an organization for a period of time.

Procedure | http://hl7.org/fhir/resource-types | Procedure | An action that is or was performed on or for a patient. This can be a physical intervention like an operation, or less invasive like long term services, counseling, or hypnotherapy.

Provenance | http://hl7.org/fhir/resource-types | Provenance | Provenance of a resource is a record that describes entities and processes involved in producing and delivering or otherwise influencing that resource. Provenance provides a critical foundation for assessing authenticity, enabling trust, and allowing reproducibility. Provenance assertions are a form of contextual metadata and can themselves become important records with their own provenance. Provenance statement indicates clinical significance in terms of confidence in authenticity, reliability, and trustworthiness, integrity, and stage in lifecycle (e.g. Document Completion - has the artifact been legally authenticated), all of which may impact security, privacy, and trust policies.

Questionnaire | http://hl7.org/fhir/resource-types | Questionnaire | A structured set of questions intended to guide the collection of answers from end-users. Questionnaires provide detailed control over order, presentation, phraseology and grouping to allow coherent, consistent data collection.

QuestionnaireResponse | http://hl7.org/fhir/resource-types | QuestionnaireResponse | A structured set of questions and their answers. The questions are ordered and grouped into coherent subsets, corresponding to the structure of the grouping of the questionnaire being responded to.

RelatedPerson | http://hl7.org/fhir/resource-types | RelatedPerson | Information about a person that is involved in the care for a patient, but who is not the target of healthcare, nor has a formal responsibility in the care process.

RequestGroup | http://hl7.org/fhir/resource-types | RequestGroup | A group of related requests that can be used to capture intended activities that have inter-dependencies such as "give this medication after that one".

ResearchDefinition | http://hl7.org/fhir/resource-types | ResearchDefinition | The ResearchDefinition resource describes the conditional state (population and any exposures being compared within the population) and outcome (if specified) that the knowledge (evidence, assertion, recommendation) is about.

ResearchElementDefinition | http://hl7.org/fhir/resource-types | ResearchElementDefinition | The ResearchElementDefinition resource describes a "PICO" element that knowledge (evidence, assertion, recommendation) is about.

ResearchStudy | http://hl7.org/fhir/resource-types | ResearchStudy | A process where a researcher or organization plans and then executes a series of steps intended to increase the field of healthcare-related knowledge. This includes studies of safety, efficacy, comparative effectiveness and other information about medications, devices, therapies and other interventional and investigative techniques. A ResearchStudy involves the gathering of information about human or animal subjects.

ResearchSubject | http://hl7.org/fhir/resource-types | ResearchSubject | A physical entity which is the primary unit of operational and/or administrative interest in a study.

Resource | http://hl7.org/fhir/resource-types | Resource | This is the base resource type for everything.

RiskAssessment | http://hl7.org/fhir/resource-types | RiskAssessment | An assessment of the likely outcome(s) for a patient or other subject as well as the likelihood of each outcome.

RiskEvidenceSynthesis | http://hl7.org/fhir/resource-types | RiskEvidenceSynthesis | The RiskEvidenceSynthesis resource describes the likelihood of an outcome in a population plus exposure state where the risk estimate is derived from a combination of research studies.

Schedule | http://hl7.org/fhir/resource-types | Schedule | A container for slots of time that may be available for booking appointments.

SearchParameter | http://hl7.org/fhir/resource-types | SearchParameter | A search parameter that defines a named search item that can be used to search/filter on a resource.

ServiceRequest | http://hl7.org/fhir/resource-types | ServiceRequest | A record of a request for service such as diagnostic investigations, treatments, or operations to be performed.

Slot | http://hl7.org/fhir/resource-types | Slot | A slot of time on a schedule that may be available for booking appointments.

Specimen | http://hl7.org/fhir/resource-types | Specimen | A sample to be used for analysis.

SpecimenDefinition | http://hl7.org/fhir/resource-types | SpecimenDefinition | A kind of specimen with associated set of requirements.

StructureDefinition | http://hl7.org/fhir/resource-types | StructureDefinition | A definition of a FHIR structure. This resource is used to describe the underlying resources, data types defined in FHIR, and also for describing extensions and constraints on resources and data types.

StructureMap | http://hl7.org/fhir/resource-types | StructureMap | A Map of relationships between 2 structures that can be used to transform data.

Subscription | http://hl7.org/fhir/resource-types | Subscription | The subscription resource is used to define a push-based subscription from a server to another system. Once a subscription is registered with the server, the server checks every resource that is created or updated, and if the resource matches the given criteria, it sends a message on the defined "channel" so that another system can take an appropriate action.

Substance | http://hl7.org/fhir/resource-types | Substance | A homogeneous material with a definite composition.

SubstanceNucleicAcid | http://hl7.org/fhir/resource-types | SubstanceNucleicAcid | Nucleic acids are defined by three distinct elements: the base, sugar and linkage. Individual substance/moiety IDs will be created for each of these elements. The nucleotide sequence will be always entered in the 5’-3’ direction.

SubstancePolymer | http://hl7.org/fhir/resource-types | SubstancePolymer | Todo.

SubstanceProtein | http://hl7.org/fhir/resource-types | SubstanceProtein | A SubstanceProtein is defined as a single unit of a linear amino acid sequence, or a combination of subunits that are either covalently linked or have a defined invariant stoichiometric relationship. This includes all synthetic, recombinant and purified SubstanceProteins of defined sequence, whether the use is therapeutic or prophylactic. This set of elements will be used to describe albumins, coagulation factors, cytokines, growth factors, peptide/SubstanceProtein hormones, enzymes, toxins, toxoids, recombinant vaccines, and immunomodulators.

SubstanceReferenceInformation | http://hl7.org/fhir/resource-types | SubstanceReferenceInformation | Todo.

SubstanceSourceMaterial | http://hl7.org/fhir/resource-types | SubstanceSourceMaterial | Source material shall capture information on the taxonomic and anatomical origins as well as the fraction of a material that can result in or can be modified to form a substance. This set of data elements shall be used to define polymer substances isolated from biological matrices. Taxonomic and anatomical origins shall be described using a controlled vocabulary as required. This information is captured for naturally derived polymers (. starch) and structurally diverse substances. For Organisms belonging to the Kingdom Plantae the Substance level defines the fresh material of a single species or infraspecies, the Herbal Drug and the Herbal preparation. For Herbal preparations, the fraction information will be captured at the Substance information level and additional information for herbal extracts will be captured at the Specified Substance Group 1 information level. See for further explanation the Substance Class: Structurally Diverse and the herbal annex.

SubstanceSpecification | http://hl7.org/fhir/resource-types | SubstanceSpecification | The detailed description of a substance, typically at a level beyond what is used for prescribing.

SupplyDelivery | http://hl7.org/fhir/resource-types | SupplyDelivery | Record of delivery of what is supplied.

SupplyRequest | http://hl7.org/fhir/resource-types | SupplyRequest | A record of a request for a medication, substance or device used in the healthcare setting.

Task | http://hl7.org/fhir/resource-types | Task | A task to be performed.

TerminologyCapabilities | http://hl7.org/fhir/resource-types | TerminologyCapabilities | A TerminologyCapabilities resource documents a set of capabilities (behaviors) of a FHIR Terminology Server that may be used as a statement of actual server functionality or a statement of required or desired server implementation.

TestReport | http://hl7.org/fhir/resource-types | TestReport | A summary of information based on the results of executing a TestScript.

TestScript | http://hl7.org/fhir/resource-types | TestScript | A structured set of tests against a FHIR server or client implementation to determine compliance against the FHIR specification.

ValueSet | http://hl7.org/fhir/resource-types | ValueSet | A ValueSet resource instance specifies a set of codes drawn from one or more code systems, intended for use in a particular context. Value sets link between [[[CodeSystem]]] definitions and their use in [coded elements](terminologies.html).
VerificationResult | http://hl7.org/fhir/resource-types | VerificationResult | Describes validation requirements, source(s), status and dates for one or more elements.
VisionPrescription | http://hl7.org/fhir/resource-types | VisionPrescription | An authorization for the provision of glasses and/or contact lenses to a patient.

Additional Language Displays

Code | English (English, en) | Spanish (es) | French (fr) | Italian (it) | □□ (Chinese, zh)
1
2
3
4
Account | Account | Cuenta | | | □□
ActivityDefinition | ActivityDefinition | DefinicionDeActividad | | DefinizioneAttivita | □□□□
AdverseEvent | AdverseEvent | EventoAdverso | | EventoAvverso | □□□□
AllergyIntolerance | AllergyIntolerance | AllergiaIntolerancia | IntoléranceAllergique | AllergiaIntolleranza | □□□□□□□□
Appointment | Appointment | Cita | RendezVous | Appuntamento | □□
AppointmentResponse | AppointmentResponse | CitaRespuesta | RéponseRendezVous | RispostaAppuntamento | □□□□
AuditEvent | AuditEvent | EventoSeguridad | ÉvènementSécurité | | □□□□
Basic | Basic | Basico | Basique | | □□□□
Binary | Binary | Binario | Binaire | Binario | □□□□□
BiologicallyDerivedProduct | BiologicallyDerivedProduct
BodyStructure | BodyStructure | EstructuraDelCuerpo | MorphologieDeCorps | StrutturaDelCorpo | □□□□
Bundle | Bundle | Paquete | Paquet | | □□
CapabilityStatement | CapabilityStatement | DeclaracionDeCapacidad | | | □□□□
CarePlan | CarePlan | PlanDeCuidado | PlanDeSoins | PianoDiCura | □□□□
CareTeam | CareTeam | EquipoDeCuidado | | | □□□□
CatalogEntry | CatalogEntry | EntradaDeCatalogo | | | □□□□
ChargeItem | ChargeItem | CargoDeItem | | | □□□□
ChargeItemDefinition | ChargeItemDefinition
Claim | Claim | Reclamación / Factura | Réclamation | | □□
ClaimResponse | ClaimResponse | | RéponseARéclamation | | □□□□
ClinicalImpression | ClinicalImpression | HallazgoClinico | ImpressionClinique | ImpressioneClinica | □□□□
CodeSystem | CodeSystem | SistemaDeCodigos | | SistemaDiCodifica | □□□□
Communication | Communication | Comunicación | Communication | Comunicazione | □□
CommunicationRequest | CommunicationRequest | ComunicaciónRequerimiento | DemandeDeCommunication | RichiestaDiComunicazione | □□□□
CompartmentDefinition | CompartmentDefinition | DefinicionDeCompartimento | | | □□□□□□
Composition | Composition | Composición | Composition | Composizione | □□□□□
ConceptMap | ConceptMap | MapaDeConceptos | CarteDeConcepts | MappaDiConcetti | □□□□
Condition | Condition | Condición | Condition | Condizione | □□
Consent | Consent | Consentimiento | | Consenso | □□□
Contract | Contract | Contato | Contrat | Contratto | □□
Coverage | Coverage | Cobertura | Couverture | Copertura | □□□□
CoverageEligibilityRequest | CoverageEligibilityRequest | | CouvertureDemandeEligibilité | RichiestaEleggibilitaCopertura | □□□□
CoverageEligibilityResponse | CoverageEligibilityResponse | | RéponseEligibilitéCouverture | RispostaEleggibilitaCopertura | □□□□
DetectedIssue | DetectedIssue | Problema-Detectado /ProblemaDetectado | Problème Détecté | ProblemaRilevato | □□□□□
Device | Device | Dispositivo | Dispositif | Dispositivo | □□
DeviceDefinition | DeviceDefinition | DefiniciónDeDispositivo | DéfinitionDeDispositif | | □□□□
DeviceMetric | DeviceMetric | MetricaDeDispositivo | MétriqueDispositif | | □□□□
DeviceRequest | DeviceRequest | SolicitudDeDispositivo | DemandeUtilisationDispositif | RichiestaDispositivo | □□□□
DeviceUseStatement | DeviceUseStatement | | | □□□□□□
DiagnosticReport | DiagnosticReport | InformeDiagnostico | RapportDiagnostique | RefertoDiagnostico | □□□□
DocumentManifest | DocumentManifest | ManifestoDocumento | Manifeste | | □□□□
DocumentReference | DocumentReference | ReferenciaDocumento | RéférenceDocument | RiferimentoDocumento | □□□□
DomainResource | DomainResource | RecursoDeDominio | | | □□□□
EffectEvidenceSynthesis | EffectEvidenceSynthesis
Encounter | Encounter | Encuentro | Venue | | □□□□
Endpoint | Endpoint | Endpoint | | | □□
EnrollmentRequest | EnrollmentRequest | SolicitudDeEnrolamiento | DemandeInscription | RichiestaIscrizione | □□□□□□
EnrollmentResponse | EnrollmentResponse | RespuestaDeEnrolamiento | RéponseInscription | RispostaIscrizione | □□□□□□
EpisodeOfCare | EpisodeOfCare | EpisodioDeCuidado | ÉpisodeDeSoins | EpisodioDiCura | □□□□□□
EventDefinition | EventDefinition | DefinitionDeEvento | | DefinizioneEvento | □□□□
Evidence | Evidence
EvidenceVariable | EvidenceVariable
ExampleScenario | ExampleScenario | EjemploDeEscenario | | ScenarioDiEsempio | □□□□
ExplanationOfBenefit | ExplanationOfBenefit | | ExplicationDuBénéfice | | □□□□
FamilyMemberHistory | FamilyMemberHistory | HistorialMiembroFamiliar | HistoireMembreFamille | | □□□
Flag | Flag | Bandera | Drapeau | | □□
Goal | Goal | Objetivo | But | | □□
GraphDefinition | GraphDefinition | DefinitionGrafico | | | □□□□

Group | Group | Grupo | Groupe | Gruppo | □□
GuidanceResponse | GuidanceResponse | RespuestaDeOrientacion | | | □□□□□□
HealthcareService | HealthcareService | ServicioDeCuidado | ServiceDeSanté | ServizioSanitario | □□□□□□□□
ImagingStudy | ImagingStudy | EstudioImagen / EstudioImagen | EtudeImagerie | | □□□□
Immunization | Immunization | Inmunización | Immunisation | Immunizzazione | □□□□
ImmunizationEvaluation | ImmunizationEvaluation
ImmunizationRecommendation | ImmunizationRecommendation | RecomendaciónInmunización / | RecommendationImmunisation | | □□□□□□
ImplementationGuide | ImplementationGuide | GuiaDeImplementacion | | | □□□□
InsurancePlan | InsurancePlan
Invoice | Invoice
Library | Library | Librería | | | □
Linkage | Linkage | Enlace / Conexión / Vinculo / Acoplamiento | | | □□□□
List | List | Lista | Liste | Lista | □□
Location | Location | Locacion | Localisation | | □□
Measure | Measure | Medida | | Misura | □□
MeasureReport | MeasureReport | ReporteMedida | | | □□□□
Media | Media | Medio | Média | Media | □□
Medication | Medication | Medicación /Medicamento | Médication | | □□
MedicationAdministration | MedicationAdministration | AdministraciónMedicación / AdministracionMedicamento | AdministrationMédicaments | | □□□□
MedicationDispense | MedicationDispense | DispensaciónMedicación /DispensacionMedicamento | DispensationMédicaments | | □□□□
MedicationKnowledge | MedicationKnowledge
MedicationRequest | MedicationRequest | PrescripciónMedicaciónTODO /PrescripcionMedicamento | PrescriptionMédicamenteuseTODO | | □□□□
MedicationStatement | MedicationStatement | ResumenMedicación /ResumenMedicamento | ÉtatMédication | | □□□□
MedicinalProduct | MedicinalProduct | | | ProdottoMedicinale
MedicinalProductAuthorization | MedicinalProductAuthorization | | | AutorizzazioneProdottoMedicinale
MedicinalProductContraindication | MedicinalProductContraindication
MedicinalProductIndication | MedicinalProductInteraction
MedicinalProductIngredient | MedicinalProductIngredient | | | IngredienteProdottoMedicinale
MedicinalProductInteraction | MedicinalProductInteraction
MedicinalProductManufactured | MedicinalProductManufactured
MedicinalProductPackaged | MedicinalProductPackaged
MedicinalProductPharmaceutical | MedicinalProductPharmaceutical
MedicinalProductUndesirableEffect | MedicinalProductUndesirableEffect
MessageDefinition | MessageDefinition | DefinicionMensaje | | DefinizioneMessaggio | □□□□
MessageHeader | MessageHeader | CabeceraMensaje | EntêteMessage | | □□□□
MolecularSequence | MolecularSequence | SecuenciaMolecular | | | □□□□
NamingSystem | NamingSystem | SistemaDeNombres | SystèmeDeNommage | | □□□□
NutritionOrder | NutritionOrder | OrdenNutrición | OrdreNutrition | | □□□□
Observation | Observation | Observación | Observation | Osservazione | □□
ObservationDefinition | ObservationDefinition | DefinicionDeEspecimen | | DefinizioneOsservazione | □□□□
OperationDefinition | OperationDefinition | DefinicionDeOperacion | DéfinitionOpération | DefinizioneOperazione | □□□□
OperationOutcome | OperationOutcome | ResultadoOperación | RésultatOpération | RisultatoOperazione | □□□□
Organization | Organization | Organización | Organisation | Organizzazione | □□□□
OrganizationAffiliation | OrganizationAffiliation
Parameters | Parameters | Parametros | | | □□
Patient | Patient | Paciente | Patient | Paziente | □□
PaymentNotice | PaymentNotice | AvisoDePago | AvisPaiement | AvvisoDiPagamento | □□□□
PaymentReconciliation | PaymentReconciliation | ConciliacionDePago | RéconciliationPaiement | RiconciliazionePagamento | □□□□
Person | Person | Persona | Personne | Persona | □□
PlanDefinition | PlanDefinition | DefinicionDePlan | | | □□□□
Practitioner | Practitioner | Practicante / Profesional | Praticien | | □□□□
PractitionerRole | PractitionerRole | RolProfesional | | | □□□□□□
Procedure | Procedure | Procedimiento | Procédure | Procedura | □□□□
Provenance | Provenance | Procedencia | Provenance | Provenienza | □□
Questionnaire | Questionnaire | Cuestionario | Questionnaire | Questionario | □□□□
QuestionnaireResponse | QuestionnaireResponse | RespuestaAlCuestionario | RéponseQuestionnaire | RispostaQuestionario | □□□□□□
RelatedPerson | RelatedPerson | PersonaRelacionada | PersonneEnRelation | PersonaCorrelata | □□□□
RequestGroup | RequestGroup | GrupoDeSolicitudes | | GruppoDiRichieste | □□□□
ResearchDefinition | ResearchDefinition
ResearchElementDefinition | ResearchElementDefinition
ResearchStudy | ResearchStudy | EstudioDeInvestigacion | | | □□□□
ResearchSubject | ResearchSubject | SujetoDeInvestigacion | | | □□□□
Resource | Resource | Recurso | | | □□
RiskAssessment | RiskAssessment | EvaluacionDeRiesgo | ÉvaluationRisques | | □□□□
RiskEvidenceSynthesis | RiskEvidenceSynthesis
Schedule | Schedule | Agenda | | | □□□□
SearchParameter | SearchParameter | ParametroDeBusqueda | ParamètreRecherche | ParametroDiRicerca | □□□□
ServiceRequest | ServiceRequest | PeticiónServicio | DemandeService | RichiestaDiServizio | □□□□□□

Slot | Slot | Hueco / Zocalo / Espacio | Slot | | □□
Specimen | Specimen | Especimen | Spécimen | Campione | □□
SpecimenDefinition | SpecimenDefinition | DefinicionDeEspecimen | | DefinizioneCampione | □□□□
StructureDefinition | StructureDefinition | DefinicionDeEstructura | DéfinitionStructure | DefinizioneStruttura | □□□□
StructureMap | StructureMap | MapaDeEstructura | | | □□□□
Subscription | Subscription | Suscripción | Souscription | Sottoscrizione | □□
Substance | Substance | Sustancia | Substance | Sostanza | □□
SubstanceNucleicAcid | SubstanceNucleicAcid
SubstancePolymer | SubstancePolymer
SubstanceProtein | SubstanceProtein
SubstanceReferenceInformation | SubstanceReferenceInformation
SubstanceSourceMaterial | SubstanceSourceMaterial
SubstanceSpecification | SubstanceSpecification
SupplyDelivery | SupplyDelivery | Entrega de Suministro | Supply Livraison | | □□□□
SupplyRequest | SupplyRequest | Solicitud de Suministro | Demande d'approvisionnement | | □□□□
Task | Task | Tarea | | | □□
TerminologyCapabilities | TerminologyCapabilities | CapacidadTerminologica | | | □□□□□□
TestReport | TestReport | ReporteDePrueba | RapportTest | | □□□□
TestScript | TestScript | ScriptDePrueba | ScriptTest | | □□□□
ValueSet | ValueSet | ConjuntoValores / ConjuntoDeValores | EnsembleValeurs | | □□□□
VerificationResult | VerificationResult
VisionPrescription | VisionPrescription | PrescripcionDeVision | PrescriptionVision | | □□□□

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.219 Value Set http://hl7.org/fhir/ValueSet/network-type

URL: https://hl7.org/fhir/R4/valueset-network-type.html
Security Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/network-type
Version: | 4.0.1
Name: | AuditEventAgentNetworkType
Title: | AuditEventAgentNetworkType
Definition: | The type of network access point of this agent in the audit event.
Committee: | Security Work Group
OID: | 2.16.840.1.113883.4.642.3.456 (for OID based terminology systems)
Copyright: | These codes are excerpted from Digital Imaging and Communications in Medicine (DICOM) Standard, Part 16: Content Mapping Resource, Copyright © 2011 by the National Electrical Manufacturers Association.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for AuditEventAgentNetworkType

• Resource: AuditEvent.agent.network.type (code / Required)

4.4.1.219.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/network-type

4.4.1.219.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/network-type version 4.0.1

All codes from system http://hl7.org/fhir/network-type

Code | Display | Definition
1 | Machine Name | The machine name, including DNS name.

2 | IP Address | The assigned Internet Protocol (IP) address.
3 | Telephone Number | The assigned telephone number.
4 | Email address | The assigned email address.
5 | URI | URI (User directory, HTTP-PUT, ftp, etc.).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.220 Value Set http://hl7.org/fhir/ValueSet/vision-base-codes

URL: https://hl7.org/fhir/R4/valueset-vision-base-codes.html
Financial Management Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/vision-base-codes
Version: | 4.0.1
Name: | VisionBase
Title: | VisionBase
Definition: | A coded concept listing the base codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.662 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for VisionBase

• Resource: VisionPrescription.lensSpecification.prism.base (code / Required)

4.4.1.220.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/vision-base-codes

4.4.1.220.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/vision-base-codes version 4.0.1

All codes from system http://hl7.org/fhir/vision-base-codes

Code | Display | Definition
up | Up | top.
down | Down | bottom.
in | In | inner edge.
out | Out | outer edge.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.221 Value Set http://hl7.org/fhir/ValueSet/entformula-additive

URL: https://hl7.org/fhir/R4/valueset-entformula-additive.html
Orders and Observations Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/entformula-additive
Version: | 4.0.1
Name: | EnteralFormulaAdditiveTypeCode
Title: | Enteral Formula Additive Type Code
Definition: | EnteralFormulaAdditiveType: Codes for the type of modular component such as protein, carbohydrate or fiber to be provided in addition to or mixed with the base formula. This value set is provided as a suggestive example.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.392 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for EnteralFormulaAdditiveTypeCode

• Resource: NutritionOrder.enteralFormula.additiveType (CodeableConcept / Example)

4.4.1.221.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/entformula-additive

4.4.1.221.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/entformula-additive version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/entformula-additive

Code	Display	Definition
lipid	Lipid	Modular lipid enteral formula component
protein	Protein	Modular protein enteral formula component
carbohydrate	Carbohydrate	Modular carbohydrate enteral formula component
fiber	Fiber	Modular fiber enteral formula component
water	Water	Added water

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.222 Value Set http://hl7.org/fhir/ValueSet/supply-item

URL: https://hl7.org/fhir/R4/valueset-supply-item.html
Orders and Observations Work Group | Maturity Level: 1 | Draft | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/supply-item
Version: | 4.0.1
Name: | SNOMEDCTSupplyItem
Title: | SNOMED CT Supply Item
Definition: | This value set includes SNOMED CT where concept is-a 105590001 (Substance (substance)) or concept is-a 260787004 (Physical object) and provided as an example value set.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.699 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: SupplyRequest.item[x] (CodeableConcept|Reference(Medication|Substance|Device) / Example)

• Resource: SupplyDelivery.suppliedItem.item[x] (CodeableConcept|Reference(Medication|Substance|Device) / Example)

4.4.1.222.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://snomed.info/sct where concept is-a 105590001 (Substance)

• Include codes from http://snomed.info/sct where concept is-a 260787004 (Physical object)

4.4.1.222.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2000 concepts

All codes from system http://snomed.info/sct

Code	Display	Definition
102002	Hemoglobin Okaloosa	
120006	Ornithine racemase	
125001	Ferrous sulfate Fe^59^	
126000	Galactosyl-N-acetylglucosaminylgalactosylglucosylceramide alpha-galactosyltransferase	
130002	Hemoglobin Hopkins-II	
131003	Dolichyl-phosphate mannosyltransferase	
159002	Ferrocyanide salt	
164003	Phosphoenolpyruvate-protein phosphotransferase	
178002	Uridyl diphosphate galactose	
186002	HLA-Cw9 antigen	
187006	Cyanocobalamin Co^57^	
200001	Berberine	
217008	Blood group antigen IH	
231008	3-Hydroxyisobutyrate dehydrogenase	
238002	Heptachlor	
261000	Codeine phosphate	
296000	Coumachlor	
322006	Octylphenoxy P.H. ethanol	
327000	^76^Arsenic	
329002	^127^Antimony	
336001	Fibrinogen Tokyo II	
340005	Enzyme variant	
363000	Fibrinogen San Juan	
370000	beta>2S< Glycoprotein	
371001	Acylcarnitine hydrolase	
377002	Sparteine	
392001	^151^Gadolinium	
395004	Immunoglobulin pentamer	
412004	Ribose-5-phosphate isomerase	
424006	Citramalyl-CoA lyase	
425007	Hemoglobin Nagoya	
432003	Carminic acid	
438004	2-Hydroxyglutarate dehydrogenase	
462009	Urease (ATP-hydrolysing)	
472007	Vegetable textile fiber	
476005	CD1b - Cluster of differentiation antigen 1b	
498001	Nitrilase	
501001	Blood group antibody Sf^a^	
505005	Blood group antibody M'	
506006	3-Oxosteroid delta^1^-dehydrogenase	
515004	Blood group antigen Giaigue	
519005	Free protein S	
521000	^197^Mercury	
529003	Guanosine	
538001	2,3-Dihydroxybenzoate 3,4-dioxygenase	
566009	Acrosin	
576007	Blood group antibody Duck	
578008	Hemoglobin Jianghua	
584006	Blood group antibody Wr^b^	
585007	SP - Substance P	
591009	2-Oxoisovalerate dehydrogenase (acylating)	
593007	Blood group antibody Holmes	
594001	2-Oxoglutarate synthase	
597008	^247^Californium	
604000	Plant sapogenin glycoside	

611001 | Hippurate hydrolase
620005 | Trichlorophenol
648005 | Oil of calamus
662003 | Aeromonas proteolytica aminopeptidase
668004 | ^185^Osmium
683009 | Mercuric acetate
686001 | Plastoquinol-plastocyanin reductase
693002 | Trichothecene
698006 | Erythromycin lactobionate
699003 | Coal tar extract
704006 | Blood group antigen Rx
732002 | N-valeraldehyde
735000 | Blood group antigen Jobbins
747006 | Oxamniquine
773001 | Hemoglobin M-Iwate
785009 | Dextranase
804003 | Creosotic acid
819002 | Lytic antibody
850000 | Stizolobate synthase
859004 | Peptide-N^4^-(N-acetyl-b-glucosaminyl) asparagine amidase
860009 | Immunoglobulin, aggregated
873008 | Urethan
876000 | D antigen
877009 | Carboxypeptidase A
889006 | [Acetyl-CoA carboxylase] kinase
896008 | Ice
905001 | o-Dihydroxycoumarin O^7^-glucosyltransferase
923009 | Complement component 2
925002 | Sodium iodipamide
963005 | Pyridoxine 4-dehydrogenase
974001 | Adenosylmethionine decarboxylase
979006 | Carbamate kinase
993004 | Palladium compound
1002007 | Mannotetraose 2-alpha-N-acetylglucosaminyltransferase
1010008 | N-Acetylneuraminate monooxygenase
1018001 | Nornicotine
1025008 | ^93^Molybdenum
1047008 | Guanine deaminase
1050006 | Melilotate 3-monooxygenase
1057009 | Phosphate salt
1065007 | E. coli periplasmic proteinase
1080001 | ^202^Thallium
1091008 | Coagulation factor inhibitor
1097007 | Blood group antigen M^A^
1105007 | Isochorismate synthase
1113008 | Pancreatic ribonuclease
1137008 | ^240^Uranium
1149009 | Hemoglobin Barcelona
1160000 | Antibody to antigen in ISBT system LU
1166006 | Ti - Titanium
1169004 | Hemoglobin Gower-2
1171004 | Fibrinogen Kawaguchi
1185009 | Hemoglobin Roseau-Pointe à Pitre
1189003 | Hemoglobin F-M-Osaka
1190007 | Mephenoxalone
1219001 | Diethyl xanthogen disulfide
1223009 | Blood group antigen Marks
1244009 | Fibrinogen Madrid I
1248007 | Leucostoma neutral proteinase
1269009 | Amikacin sulfate
1272002 | Pteridine oxidase
1273007 | Blood group antibody Evelyn
1313002 | Nitrate reductase (cytochrome)
1319003 | Blood group antibody K18
1320009 | Hemoglobin Manitoba
1325004 | Metocurine iodide
1331001 | Methamidophos
1334009 | Estradiol receptor
1336006 | Deoxycortone
1341003 | Hemoglobin Ta-li
1346008 | Blue shade eosin stain
1355006 | Coagulation factor IX Oxford 3 variant

1368003 | Iodine 131
1371006 | Blood group antigen Big
1373009 | ^93^Zirconium
1381005 | ^126^Iodine
1394007 | Iron pentacarbonyl
1396009 | Actinium
1405004 | Blood group antibody M^e^
1408002 | Blood group antibody 1123K
1416006 | Radium compound
1450002 | Methylpentynol
1466000 | Cyclomaltodextrinase
1471007 | Elastin
1472000 | Adenosine-phosphate deaminase
1476002 | Codeine sulfate
1477006 | Hemoglobin Yatsushiro
1496005 | Proto-oncogene
1506001 | CH1 (ISBT symbol)
1517000 | HLA - Human leukocyte antigen B21
1530004 | 6-Carboxyhexanoate-coenzyme A ligase
1535009 | Nitrogen fluoride
1536005 | Pargyline hydrochloride
1540001 | Tellurium radioisotope
1545006 | Uridine phosphorylase
1557002 | Talc dusting powder
1565004 | Blood group antibody Buckalew
1575001 | Maltose tetrapalmitate
1603001 | Cobalt isotope
1607000 | Homoserine kinase
1609002 | N-octyl isosafrole sulfoxide
1634002 | Blood group antigen Ven
1649005 | Blood group antigen Sul
1656004 | Hemoglobin Shaare Zedek
1660001 | Plant seeds
1668008 | Ceforanide
1672007 | Ligase
1673002 | Xylenol
1675009 | ^86^Rubidium
1676005 | Blood group antibody LW^ab^
1681001 | Blood group antibody BLe^b^
1696002 | 12-Hydroperoxy eicosatetraenoic acid
1701009 | ^191^Gold
1710001 | UA - Uric acid
1726000 | Diamond
1727009 | Deoxylimonate A-ring-lactonase
1740004 | Deoxy cytidine triphosphate
1764003 | Saccharopine dehydrogenase (nicotinamide adenine dinucleotide phosphate ^+^,L-glutamate-forming)
1768000 | Sucrose phosphorylase
1786002 | Leucine-transfer ribonucleic acid ligase
1793003 | Sodium trichloroacetate
1795005 | Glyodin
1798007 | Hemoglobin Hammersmith
1799004 | L-Lysine oxidase
1823002 | Hemoglobin Tochigi
1827001 | Ribonuclease T>1<
1886008 | Verdoglobin
1904005 | Galactoside 3-fucosyltransferase
1914001 | von Willebrand factor antibody
1916004 | Boroglycerin
1940007 | Immunoglobulin, GM>21< allotype
1944003 | Coagulation factor X Patient variant
1956002 | Buclizine hydrochloride
1971003 | Loxapine hydrochloride
1975007 | Blood group antibody Niemetz
1978009 | Site-specific methyltransferase (cytosine-specific)
1985008 | Vomitus
1991005 | Lignin
2000001 | Heavy nitrogen
2006007 | Inosine diphosphate
2008008 | ^67^Gallium
2009000 | Cobalt carbonyl
2017008 | Deoxyribonucleic acid topoisomerase
2027002 | Alternaria serine proteinase

2029004 | Fibrinogen Oslo II
2038002 | Blood group antibody Bg^b^
2039005 | sym-Norspermidine synthase
2050008 | Choloylglycine hydrolase
2064008 | L-Xylulokinase
2082006 | Vitronectin receptor alpha chain
2085008 | Oncogene protein TCL
2088005 | Page blue G-90 stain
2096000 | Nicotinamide adenine dinucleotide ^+^ adenosine diphosphate-ribosyltransferase
2100004 | Sulfonethylmethane
2101000 | Yeast proteinase B
2125008 | Betazole
2130007 | Cyclohexane-1,2-diol dehydrogenase
2141009 | Hydrogen
2147008 | Blood group antigen Paular
2151005 | Pyridoxamine-pyruvate aminotransferase
2154002 | Tagaturonate reductase
2159007 | Acid red 27
2163000 | Dicofol
2168009 | Bisphosphoglycerate mutase
2179004 | Malonate-semialdehyde dehydratase
2189000 | Hemoglobin F-Dammam
2194000 | ^101^Rhodium
2195004 | Tocainide hydrochloride
2197007 | Boric acid topical agent
2201007 | Bacteriopurpurin
2208001 | Phenylserine aldolase
2212007 | Fibrinogen Bethesda II
2215009 | Azuresin
2240002 | Guanidinobutyrase
2249001 | Gentamicin sulfate
2254005 | Orotate
2260005 | Human leukocyte antigen DRw18
2262002 | Cellulose polysulfatase
2264001 | Selenium isotope
2309006 | Au - Gold
2311002 | Prostacyclin synthase
2329007 | Blood group antibody Vel
2331003 | Saccharide
2338009 | Root
2343002 | Guthion
2346005 | Vascormone
2354007 | 3'-Nucleotidase
2358005 | Glass fragment, device
2369008 | Indole-3-acetate beta-glucosyltransferase
2370009 | Uridine diphosphate-N-acetylmuramate-alanine ligase
2376003 | Mercury compound
2384004 | ^230^Uranium
2404002 | Blood group antibody St^a^
2405001 | b- Propiolactone
2414006 | Prolactin receptor
2430003 | Silicon radioisotope
2431004 | Blood group antibody Friedberg
2441001 | Mercury radioisotope
2444009 | Human leukocyte antigen Dw25
2450004 | Mannosamine
2462000 | Glucose dehydrogenase (nicotinamide adenine dinucleotide phosphate ^+^)
2466002 | Chloride peroxidase
2500009 | Lymphocyte antigen CDw41b
2509005 | D-Glutamate oxidase
2516006 | Metallic sulfide compound
2522002 | Extravascular blood
2529006 | Hemoglobin Wood
2537003 | Antituberculosis agent
2568004 | Blood group antigen McAuley
2573005 | Immunoglobulin, GM>13< allotype
2575003 | Zinc alpha-2 glycoprotein
2595009 | ^119m^Tellurium
2597001 | Alpha-1 globulin
2611008 | Blood group antibody La Fave
2637006 | Indium isotope
2648004 | Bile vomitus

2649007 | Azo-dye
2660003 | Sodium dehydrocholate
2671002 | 3-Methyl-2-oxobutanoate hydroxy-methyltransferase
2674005 | ^128^Cesium
2676007 | C3(H20)
2678008 | Hemoglobin New Mexico
2680002 | Factor XIII antibody
2698003 | Natural gas
2705002 | ^72^Arsenic
2706001 | Blood group antigen Vennera
2719002 | Tartrate dehydratase
2721007 | Blood group antigen McC^f^
2728001 | Lewis system antigen
2753003 | Blood group antibody M>1<
2754009 | Hemoglobin F-Kennestone
2765004 | SC3 (ISBT symbol)
2778004 | Pleural fluid
2796008 | Methanthelinium
2799001 | Methylbenzethonium
2823004 | Hemoglobin Bristol
2832002 | Molybdenum compound
2846002 | Hemoglobin Saitama
2869004 | Ethanoic acid
2878005 | Pethidine hydrochloride
2880004 | Calcium sulfate
2883002 | Exopolygalacturonate lyase
2913009 | Immunoglobulin Epsilon chain
2916001 | ^22^Neon
2925007 | Fluoromethalone
2927004 | Rescinnamine
2938004 | Pyrazole
2942001 | Carbon^14^ D-xylose
2950005 | Hemoglobin L-Persian Gulf
2958003 | Zinc caprylate
2964005 | Dimethoxyamphetamine
2974008 | Trichophyton schoenleinii collagenase
2988007 | Human leukocyte antigen Aw
2991007 | Mecamylamine hydrochloride
2995003 | Arecoline
3027009 | ^133^Barium
3031003 | Dihydroxyaluminum sodium carbonate
3040004 | Technetium Tc^99m^ disofenin
3045009 | Nitrochlorobenzene
3052006 | Ornithine ketoacid aminotransferase
3066001 | Triiodothyroacetic acid
3070009 | Aspartate-ammonia ligase
3087006 | Oil of male fern
3107005 | Hemoglobin Shuangfeng
3108000 | Aspergillus deoxyribonuclease K>1<
3131000 | Blood group antigen Middel
3136005 | Cefoperazone sodium
3142009 | Azacyclonol
3145006 | Penicillic acid
3150000 | Sialate O-acetylesterase
3151001 | Left upper lobe mucus
3155005 | 3-Phosphoglyceroyl-phosphate-polyphosphate phosphotransferase
3161008 | 3-Methylhistidine
3167007 | Hard coal
3187008 | Blood group antigen Nielsen
3193000 | alpha-1,4-Glucan-protein synthase (uridine diphosphate-forming)
3197004 | Inosine monophosphate
3209002 | Pancuronium sodium
3212004 | Manganese sulfate
3225007 | Fibrinogen Seattle I
3232003 | o-Benzyl-parachlorophenol
3271000 | Hemoglobin Southampton
3273002 | Tyrosine-ester sulfotransferase
3300001 | Euphorbain
3318003 | Vaginal secretions
3325005 | Lipopolysaccharide
3339005 | (R)-20-Hydroxysteroid dehydrogenase
3340007 | Diastase

3342004 | Copper isotope
3346001 | Hemoglobin Brest
3378009 | Imipramine hydrochloride
3379001 | Merthiolate
3392003 | Aldehyde dehydrogenase (acceptor)
3405005 | 2-Hydroxy-3-oxoadipate synthase
3411008 | bis-(Dimethylthiocarbamyl) disulfide
3437006 | Hydroxymethylglutaryl-coenzyme A hydrolase
3440006 | Biotin carboxylase
3455002 | Discontinued pesticide
3463001 | L-Amino-acid dehydrogenase
3465008 | Deoxyribonucleic acid topoisomerase (adenosine triphosphate [ATP]-hydrolysing)
3466009 | Dimethylamine
3492002 | Galactinol-sucrose galactosyltransferase
3493007 | Smegma clitoridis
3495000 | Cystine aminopeptidase
3501003 | Isoxsuprine hydrochloride
3523004 | Hemoglobin Q-India
3532002 | Laryngeal mucus
3555004 | Blood group antigen Morrison
3579002 | ^129^Cesium
3581000 | Glucose-6-phosphatase
3587001 | Malate dehydrogenase (decarboxylating)
3588006 | Complement enzyme
3592004 | Short-acting thyroid stimulator
3597005 | Acebutolol hydrochloride
3601005 | Ether solvent
3602003 | Warm antibody
3610002 | Epoxide hydrolase
3617004 | ^79^Selenium
3648007 | Glucocorticoid receptor
3655009 | Hb - Hemoglobin Constant Spring
3672002 | Fibrinogen Caracas
3684000 | Phenylacetic acid
3689005 | Hemoglobin Mizushi
3692009 | Sodium sulfite
3693004 | Fibrinogen Dusart
3702007 | Cytidine diphosphate (CDP) glycerol glycerophosphotransferase
3710008 | Prostaglandin-endoperoxide synthase
3718001 | Cow's milk
3726009 | Valine-transfer ribonucleic acid ligase
3727000 | Hemoglobin F-Port Royal
3730007 | Blood group antigen Lanthois
3737005 | Nitrate reductase (reduced nicotinamide adenine dinucleotide)
3742002 | Extracellular crystal
3757009 | Gossypol
3771001 | Neuromelanin
3775005 | Choline dehydrogenase
3776006 | Xanthine dehydrogenase
3792001 | AA - Arachidonic acid
3793006 | Soluble barium compound
3800009 | Acetate kinase
3807007 | RH4 (ISBT symbol)
3811001 | Magnesium-protoporphyrin methyltransferase
3812008 | Beryllium isotope
3816006 | Vanadium isotope
3823007 | Prochlorperazine edisylate
3829006 | Fe - Iron
3834005 | CMP-N-acetylneuraminate-(alpha-N-acetyl-neuraminyl-2,3-beta-galactosyl-1,3)-N-acetyl-galactosaminide alpha-2,6-sialyltransferase
3836007 | Glutaminase
3844007 | Protoaphin-aglucone dehydratase (cyclizing)
3848005 | Nitrotoluene
3849002 | Carbon black
3854006 | bis-Chloro methyl ether
3874004 | Hydrocodone bitartrate
3892007 | Thymidine
3896005 | p-Hydroxybenzoate ester
3897001 | MNS30 (ISBT symbol)
3906002 | Rectified birch tar oil
3920009 | Hemoglobin Atago
3930000 | Manufactured gas

3932008 | ^64^Copper
3941003 | Metronidazole hydrochloride
3945007 | Tin isotope
3958008 | ^245^Californium
3961009 | Blood group antigen Ritherford
3976001 | Blood group antigen HEMPAS
3982003 | Oxaloacetate decarboxylase
3983008 | N,-N-dimethyltryptamine
3990003 | Alkaline phosphatase bone isoenzyme
3994007 | Hemoglobin Tampa
4014000 | Sulfisomidine
4024008 | Soft metal
4025009 | Captodiame
4043008 | Etidocaine hydrochloride
4047009 | cis-1,2-Dihydrobenzene-1,2-diol dehydrogenase
4048004 | 1,1,2,2-Tetrachloro-1,2- difluoroethane
4067000 | Chorismate mutase
4076007 | PTH - Parathyroid hormone
4077003 | Dihydrolipoamide succinyltransferase
4080002 | Hemoglobin Grady, Dakar
4091009 | Enteropeptidase
4097008 | Apo-SAA complex
4104007 | Chondroitin sulfate
4105008 | Adenylate cyclase
4115002 | Blood group antibody Norlander
4137009 | sec-Butyl acetate
4153007 | Long-chain-enoyl-coenzyme A hydratase
4167003 | PECAM-1 - Platelet endothelial cell adhesion molecule-1
4169000 | Blood group antibody Le^bH^
4177001 | Hemoglobin Long Island-Marseille
4182008 | Cytidine diphosphate (CDP) diacylglycerol-serine O-phosphatidyl-transferase
4188007 | Fibrinogen Sydney II
4200007 | Neriifolin
4201006 | 6-Aminohexanoate-dimer hydrolase
4203009 | Imipramine pamoate
4207005 | Cortisone beta-reductase
4217000 | Fluorosilicate salt
4218005 | Immunoglobulin, GM>23< allotype
4231000 | Gallium isotope
4239003 | Glycerol dehydrogenase
4255005 | Americium 241
4289006 | Keyhole-limpet hemocyanin
4290002 | Linamarin synthase
4314009 | Blood group antibody Allchurch
4334005 | Tar oil
4342006 | 2-Aminopyridine
4353000 | Di-n-butylphthalate
4355007 | Coagulation factor IX San Dimas variant
4362003 | 4-Coumarate-coenzyme A ligase
4370008 | Acetone
4393002 | Blood group antigen Fedor
4401009 | Blood group antibody H>T<
4413004 | Benzypyrinium
4422003 | Blood group antigen
4423008 | Fibrinogen New York II
4425001 | Blood group antibody Binge
4435007 | Sulfuryl fluoride
4437004 | ^127^Cesium
4471008 | ^244^Californium
4479005 | Hemoglobin Brockton
4480008 | Sulfaethidole
4509009 | Plant phenanthrene toxin
4518006 | Buthenal
4534009 | ^208^Bismuth
4540002 | Adenosine diphosphate (ADP) deaminase
4546008 | Tetradecanoic acid
4555006 | Blood group antibody Rils
4560005 | Hemoglobin Mizuho
4561009 | Arginine decarboxylase
4564001 | Blood group antibody Sisson
4567008 | Galactose-1-phosphate thymidylyltransferase
4582003 | Blood group antigen N^A^

4591004 | MNS22 (ISBT symbol)
4610008 | Senile cardiac protein
4616002 | Triclobisonium chloride
4629002 | Hypoglycin B
4635002 | Arterial blood
4643007 | Calf thymus ribonuclease H
4656000 | Alcian blue 8GX stain
4674009 | 2,3-Dihydroxybenzoate serine ligase
4681002 | Potassium permanganate
4693006 | Chromium^51^ albumin
4700006 | Bovine insulin
4706000 | Chlorine monoxide
4714006 | ^183m^Osmium
4728000 | Scopulariopsis proteinase
4731004 | Aluminum pyro powder
4732006 | Oncogene protein P55, V-MYC
4746006 | Hemoglobin Mito
4761007 | CD30 - Cluster of differentiation antigen 30
4762000 | Platelet antigen HPA-3b
4777008 | Fluroxene
4780009 | Secbutabarbital sodium
4786003 | beta-1,4-Mannosyl-glycoprotein beta-1,4-N-acetylglucosaminyltransferase
4789005 | Blood group antibody Bultar
4793004 | Azobenzene reductase
4814001 | Valethamate
4824009 | MAO - Monoamine oxidase
4825005 | Peptidyl-glycinamidase
4831008 | Arabinose-5-phosphate isomerase
4832001 | Technetium Tc^99m^ mebrofenin
4833006 | Glucan endo-1,3-alpha-glucosidase
4844003 | 3,3' Diiodothyronine
4864008 | AMP - Adenosine monophosphate
4872005 | Glucosulfone
4878009 | Human leukocyte antigen Dw3
4882006 | Ichthyoallyeinotoxin
4889002 | Xylulokinase
4901003 | Pyruvate oxidase (coenzyme A-acetylating)
4925006 | Oncogene protein V-ABC
4933007 | Leukocyte M1
4940008 | Tattoo dye
4955004 | Neoplastic structural gene
4962008 | Tree bark
4963003 | Neutral amino acid
4965005 | Glutathione reductase
4968007 | Acumentin
4986005 | Magnesium borate
5003005 | Hemoglobin Swan River
5004004 | Blood group antibody Panzar
5007006 | Papain
5024000 | Fresh water
5031001 | 3-3'Dichlorobenzidine
5040002 | Cesium
5043000 | Erythrosin Y stain
5045007 | Oncogene protein TCL4
5059000 | ^97^Technetium
5060005 | ^132^Cesium
5061009 | Protein-methionine-S-oxide reductase
5064001 | Blood group antibody D 1276
5081005 | RH31 (ISBT symbol)
5086000 | Gelsolin
5094007 | Blood group antigen Rios
5098005 | Fennel oil
5109006 | Methylated-deoxyribonucleic acid-protein-cysteine methyltransferase
5142007 | Coagulation factor II Houston variant
5160007 | Metal compound
5163009 | Scombrotoxin
5167005 | Zinc chloride fumes
5172001 | Coagulation factor Xa
5179005 | Connective tissue fiber
5200001 | trans-Epoxysuccinate hydrolase
5206007 | Cyanate compound
5220000 | Bacitracin

5226006 | Flavone O^7^-beta-glucosyltransferase
5250008 | Thymus-independent antigen
5252000 | Hafnium radioisotope
5253005 | Hemoglobin Woodville
5259009 | Blood group antigen Braden
5289002 | Scilliroside
5303002 | Hemoglobin Hoshida
5305009 | Polynucleotide
5307001 | Blood group antigen Hamet
5312000 | ^65^Zinc
5323001 | Uridine diphosphate glucuronic acid
5330007 | Actin-binding protein
5339008 | L-Glycol dehydrogenase
5340005 | Blood group antigen Swietlik
5392001 | Propylene glycol monomethyl ether
5395004 | Pyridoxamine-phosphate oxidase
5404007 | Lymphocyte antigen CD45RA
5405008 | ^60^Cobalt
5406009 | beta-L-Arabinosidase
5420002 | Accessory sinus mucus
5439007 | Blood group antibody Do^a^
5442001 | Page blue 83
5453007 | Iridium isotope
5471000 | Hemoglobin G-Coushatta
5474008 | Propionate-CoA ligase
5477001 | Ferric subsulfate
5483003 | Oxalate CoA-transferase
5504009 | Blood group antigen Fuerhart
5511008 | Inosinate nucleosidase
5513006 | Immunoglobulin, Alpha chain
5515004 | Rhodium fumes
5533005 | Blood group antibody Kp^a^
5537006 | Immunoglobulin, Delta chain
5540006 | Calcium
5547009 | ^233^Plutonium
5548004 | 2-Dehydro-3-deoxy-D-pentonate aldolase
5568005 | Hemoglobin Hijiyama
5573004 | Blood group antigen Oca
5589001 | Licodione O^2'^-methyltransferase
5590005 | Beryllium radioisotope
5628003 | Hemoglobin I-High Wycombe
5629006 | Cytidylic acid
5637003 | HLA-DQw6 antigen
5641004 | Valproate semisodium
5647000 | Griseofulvin ultramicrosize
5656008 | ^116m^Antimony
5657004 | Coal tar topical solution
5659001 | Hemoglobin J-Tongariki
5670008 | Gold isotope
5681006 | Ceftizoxime sodium
5691000 | Absorbable gelatin sponge
5692007 | Cyanocobalamin Co^58^
5699003 | Somatomedin C
5700002 | Blood group antibody Gomez
5702005 | ^106m^Silver
5704006 | Galactokinase
5705007 | 1,3-Propanediol dehydrogenase
5739006 | Stramonium
5746002 | ^118m^Antimony
5757007 | HLA-Cw8 antigen
5762008 | Heterogeneous nuclear RNA
5764009 | ^242^Plutonium
5767002 | Sulfamerazine
5774007 | White petrolatum
5800007 | tRNA (5-methylaminomethyl-2-thiouridylate)-methyltransferase
5813001 | Malate dehydrogenase
5826002 | Ethyl-4-bis-(hydroxypropyl)-1-aminobenzoate
5827006 | Crotonaldehyde
5829009 | Hemoglobin Vaasa
5830004 | Hemoglobin Bart
5840001 | Blood group antibody Wj
5858007 | ^110m^Indium

5863006 | Vitexin beta-glucosyltransferase
5896008 | Hellebrin
5899001 | Bacterial structural gene
5907009 | Quinidine polygalacturonate
5910002 | Oncogene protein PP60, V-SRC
5915007 | Blood group antigen Gladding
5927005 | Lactaldehyde dehydrogenase
5931004 | Technetium Tc^99m^ sulfur colloid
5932006 | Cysteine
5950004 | 3',5'-Cyclic-nucleotide phosphodiesterase
5955009 | Diethylene glycol
5977008 | Blood group antigen Bullock
5989005 | Immunoglobulin, GM>17< allotype
5991002 | D-Fuconate dehydratase
6021003 | ^88^Yttrium
6038004 | Oxygen radioisotope
6043006 | Bone cement
6044000 | Carbon disulfide
6054001 | Doxylamine succinate
6056004 | Blood group antibody Wk^a^
6068008 | Blood group antigen Mil
6083003 | Hydroxylysine
6085005 | Synovial fluid
6088007 | Benzfetamine hydrochloride
6089004 | Lochia alba
6091007 | Blood group antibody L Harris
6107003 | Asparagusate reductase (NADH)
6109000 | Aromatic-amino-acid aminotransferase
6115000 | Blood group antibody Anuszewska
6135004 | Blood group antigen Duck
6138002 | Blood group antigen Le Provost
6162007 | Meclocycline
6170002 | Heat labile antibody
6172005 | Fatty-acid methyltransferase
6178009 | Lymphocyte antigen CD63
6179001 | o-Methy-bufotenine
6182006 | Chloroacetone
6197009 | Blood group antigen Zd
6237004 | Bemegride
6249003 | Potassium metabisulfite
6256009 | Ribose isomerase
6257000 | Sodium chloride Na^22^
6260007 | Protokylol
6261006 | Indoklon
6263009 | Plant residue
6264003 | Diazinon
6287006 | Methidathion
6291001 | N-Acetylglucosamine-1-phosphodiester N-acetylglucosaminidase
6301006 | ^178^Tantalum
6310003 | Particulate antigen
6314007 | Phenol beta-glucosyltransferase
6333002 | Squill extract
6338006 | Imidazolonepropionase
6356006 | Chlorodiallylacetamide
6360009 | Kallidin II
6367007 | ^95m^Technetium
6386004 | N-Acetylneuraminate O^4^-acetyltransferase
6394006 | Phentermine hydrochloride
6401007 | Lichenase
6409009 | Morpholine
6411000 | Interleukin-12
6422001 | HLA-DRw14 antigen
6451002 | Chlorobenzilate
6455006 | Chloroprene
6469006 | delta^1^-Piperideine-2-carboxylate reductase
6478000 | 6-Phosphofructokinase
6495008 | Fibrinogen Montreal II
6507009 | Blood group antigen Much
6513000 | Flumethiazide
6516008 | Indium^111^-Fe(OH)>3<
6524003 | Distilled spirits
6529008 | Blood group antigen Cl^a^

6532006 | Macrophage activating factor
6590001 | Galactosylceramidase
6592009 | HLA-Dw12 antigen
6602005 | Aminoacridine
6611005 | Diethylaminoethanol
6612003 | Chloramphenicol sodium succinate
6619007 | Bilirubin Y transport protein
6642000 | Opsonin
6644004 | Homoserine dehydrogenase
6671004 | Blood group antigen Caw
6672006 | Phosphoadenylate 3'-nucleotidase
6699008 | Titanium radioisotope
6701008 | Lissamine fast red B
6702001 | Ethyl mercaptoethyl diethyl thiophosphate
6709005 | Gentamicin 2''-nucleotidyltransferase
6710000 | Nitric oxide
6713003 | ^91^Yttrium
6717002 | Nifuroxime
6725000 | Methylene blue
6730001 | ^234^Uranium
6741004 | Anti DNA antibody
6755007 | TL antigen
6786001 | Silver difluoride
6790004 | Aminopterin
6792007 | Veratrine
6808006 | Ferrous iron compound
6809003 | Phomopsin
6814004 | Discadenine synthase
6817006 | Oxidized glutathione
6826009 | Sterol hormone
6837005 | Dextropropoxyphene napsylate
6854002 | ^188^Platinum
6865007 | Theophylline calcium salicylate
6873003 | Cefapirin sodium
6879004 | 5,8,11-Eicosatrienoic acid
6881002 | Magnesium fumes
6884005 | (S)-3-Amino-2-methylpropionate aminotransferase
6890009 | 3-Deoxy-manno-octulosonate-8-phosphatase
6896003 | Thiopurine methyltransferase
6910009 | Sodium fluoride
6911008 | Deoxycytidylate methyltransferase
6916003 | Bowieine
6924008 | Exopolyphosphatase
6925009 | Leucine acetyltransferase
6927001 | ^121^Tin
6937006 | Thymidylate synthase
6945001 | Blood group antigen Le^bH^
6952004 | ^121m^Tin
6958000 | Blood group antibody Frando
6961004 | Lysolecithin acylmutase
6970001 | 4-Hydroxyproline epimerase
6973004 | Chromium^51^ chloride
6983000 | Acrylamide
6992002 | Triflupromazine hydrochloride
6993007 | Seminal fluid
6999006 | Ammonium compound
7008002 | beta-Carotene 15,15'-dioxygenase
7018007 | Malate-CoA ligase
7029006 | Blood group antigen Greenlee
7030001 | Globoside
7034005 | Diclofenac
7045008 | Lycorine
7047000 | Asphyxiant atmosphere
7049002 | Pyruvate carboxylase
7054006 | Hemoglobin Poissy
7056008 | 3-Propylmalate synthase
7059001 | N-Acylneuraminate-9-phosphatase
7061005 | Anthocyanidin O^3^-glucosyltransferase
7070008 | Convallamarin
7084003 | Fibrinogen Buenos Aires II
7110002 | ^69^Germanium
7120007 | Antigen

7132006 | ^73^Gallium
7139002 | Acid-CoA ligase (GDP-forming)
7146006 | Cyclohexene oxide
7152007 | Chlorthion
7156005 | Phosphorus isotope
7158006 | HLA-Dw19 antigen
7161007 | Complement component C2a
7179006 | Prekallikrein
7191002 | Methenyltetrahydrofolate cyclohydrolase
7208009 | Thiol oxidase
7211005 | Blood group antibody Haakestad
7237008 | Galactonate dehydratase
7243005 | Methyl isocyanate
7269004 | Th - Thorium
7271004 | Mixed dust
7280004 | dTDP4-dehydrorhamnose reductase
7281000 | Technetium Tc^99m^ lidofenin
7284008 | Mercaptan compound
7294003 | tert-Butyl acetate
7302008 | Ambuphylline
7318002 | Bacteriochlorophyll
7321000 | Pyrimidine
7325009 | Calcium hydroxide
7327001 | Sulfurous acid
7328006 | Red petrolatum
7330008 | Shellac
7337006 | Blood group antibody Tr^a^
7348004 | Factor II
7382005 | Aminoalcohol ester
7401000 | Heme-hemopexin complex
7411007 | Blood group antibody HLA-B8
7427000 | Sepiapterin reductase
7434003 | Erythrosin B
7446004 | Ruthenium
7451005 | Tobramycin ophthalmic agent
7460002 | ^127^Tellurium
7470000 | p-tert-Butyltoluene
7489000 | Homocytotropic antibody
7503004 | ^72^Gallium
7509000 | Mannitol hexanitrate
7515000 | Hepatotoxic mycotoxin
7537007 | Stizolobinate synthase
7547005 | Hemoglobin Lincoln Park
7549008 | Fibrinogen Bethesda I
7588005 | Blood group antibody Sk^a^
7608003 | Triethylene glycol
7616007 | Blood group antibody Pruitt
7648006 | HLA-Bw70 antigen
7661006 | Fish bone
7670009 | Aminobutyraldehyde dehydrogenase
7675004 | Blood group antigen Towey
7679005 | Strong oxidizing compound
7685003 | Blood group antibody Bg^c^
7696006 | Ferrovanadium dust
7716001 | Isovaleryl coenzyme A dehydrogenase
7737009 | Chlortetracycline hydrochloride
7738004 | HLA-B49 antigen
7761002 | ^111^Silver
7770004 | ^89^Strontium
7774008 | Neo-b-vitamin A>1<
7779003 | ^103^Ruthenium
7785005 | Sphingomyelin phosphodiesterase D
7790008 | 1-Monoacylglycerol
7791007 | Soy protein
7795003 | Oxalate oxidase
7801007 | Tetrahydroxypteridine cycloisomerase
7816005 | Antazoline hydrochloride
7834009 | Acetyl digitoxin
7846008 | Sphingomyelin phosphodiesterase
7848009 | 1-Phosphatidylinositol phosphodiesterase
7868003 | beta-Cyclopiazonate dehydrogenase
7879008 | ^218^Radon

7900007 | Hemoglobin Presbyterian
7904003 | Deanol
7909008 | Arginine carboxypeptidase
7924004 | Diflorasone
7938006 | D-Arabinitol dehydrogenase
7945006 | Orsellinate-depside hydrolase
7948008 | Reed-Sternberg antibody
7953003 | Thioneb
7957002 | Phosphatidate cytidylyltransferase
7961008 | Hemoglobin F-Shanghai
7970006 | Allograft
7974002 | Blood group antibody Dalman
7975001 | Amiphenazole
7979007 | 3'-Phosphoadenylylsulfate 3'-phosphatase
7983007 | Sodium rhodanide
7985000 | Sulfur isotope
7997004 | Butyl mercaptan
8000007 | Cucurbitacin delta^23^-reductase
8002004 | Blood group antibody Fleming
8025003 | Blood group antibody Gibson
8029009 | Allyl glycidyl ether
8030004 | PEG - Polyethylene glycol
8035009 | Cholestenol delta-isomerase
8048008 | Blood group antigen Th
8054009 | Orotate reductase (NADPH)
8055005 | Galactoside acetyltransferase
8105004 | Hemoglobin Leiden
8108002 | Undecaprenyl-diphosphatase
8123007 | Blood group antibody Schuppenhauer
8132009 | Magnesium acetylsalicylate
8143001 | Diosmin
8153000 | Homoproline
8156008 | Immunoglobulin, Fd fragment
8164002 | Cluster of differentiation antigen 67
8168004 | Uracil-5-carboxylate decarboxylase
8179009 | Cevadilline
8184003 | Convallamarogenin
8190004 | Diaminopimelate epimerase
8202008 | ^43^Potassium
8203003 | Human menopausal gonadotropin
8204009 | Polyester
8222007 | Coagulation factor II Padua variant
8227001 | ^106^Ruthenium
8230008 | Streptococcal cysteine proteinase
8237006 | Strobane
8252004 | Chlorothiazide sodium
8257005 | Abnormal hemoglobin
8261004 | Potassium thiosulfate
8268005 | Blood group antibody Hildebrandt
8270001 | tRNA adenylyltransferase
8275006 | Methionine-S-oxide reductase
8295000 | Uromucoid protein
8300003 | Cyclohexanol
8310007 | Hemoglobin Madrid
8313009 | RNA-directed DNA polymerase
8340009 | Procollagen-lysine,2-oxoglutarate 5-dioxygenase
8342001 | Brilliant cresyl blue
8343006 | Blood group antibody Re^a^
8354001 | Manganese ethylene bis-dithiocarbamate
8355000 | Hafnium isotope
8362009 | Anti c
8365006 | Oil of pennyroyal-European
8368008 | Xylan 1,44-beta-xylosidase
8376005 | Duffy blood group antibody
8385005 | Acid alpha-glucosidase
8397006 | Nicotine resin complex
8406008 | Nitroethane oxidase
8429000 | Brilliant orange
8450009 | Lemon grass oil
8452001 | Blood group antigen Sisson
8456003 | Methyl ethyl ketone peroxide
8460000 | Blood group antibody Vg^a^

8473001 | Homocysteine methyltransferase
8474007 | Lead oleate
8484008 | Blood group antigen Mur
8485009 | Oncogene protein P210, BCR-ABL
8486005 | HLA-DRw15 antigen
8487001 | ^48^Vanadium
8491006 | Complement inhibitor
8492004 | Allantoicase
8498000 | Short neurotoxin venom
8507001 | Cyclohexane
8514004 | Ornithine
8520003 | Hemoglobin Machida
8525008 | ^183^Osmium
8529002 | Urinary protein of low molecular weight
8534003 | ^110^Tin
8537005 | Solution
8578007 | Potassium cyanate
8591008 | Dichlorodifluoromethane
8612007 | Tumor necrosis factor
8620009 | Oncogene protein TCL6
8631001 | Potassium chloride
8653004 | Rubijervine
8660005 | Complement component C3c
8687009 | Gum arabic
8689007 | Kanamycin sulfate
8701002 | Sulfachlorpyridazine
8705006 | 4-Hydroxybenzoate decarboxylase
8731008 | Blood group antibody Austin
8740007 | C3(H20)Bb
8761000 | Adenylylsulfate kinase
8767001 | Santonin
8785008 | Chlorine dioxide
8786009 | Blood group antigen Wd^a^
8795001 | Hb F - Hemoglobin F
8817004 | LH receptor site
8818009 | Blood group antibody Tri W
8822004 | Linoleic acid
8830003 | Nitrate reductase (NAD(P)H)
8836009 | Gallocyanine
8844009 | Hydroxybutyrate-dimer hydrolase
8858006 | Strontium nitrate Sr^85^
8865003 | Graphite
8878003 | Blood group antigen Evelyn
8882001 | 3-Hydroxybenzoate 6-monooxygenase
8886003 | Flecainide acetate
8908003 | Blood group antibody I^T^
8914005 | Endolymph
8919000 | Biotin
8926000 | Azur B
8945009 | Phosphopantothenate-cysteine ligase
8953001 | 2,3-Dihydroxyindole 2,3-dioxygenase
8963009 | N-Acetylmuramoyl-L-alanine amidase
8969008 | Bulbourethral secretions
8977007 | Blood group antibody Tarplee
8982000 | Oleate hydratase
8987006 | Cycle-phase specific agent
8991001 | Ribulokinase
9010006 | Methyl blue
9013008 | Dephospho-CoA kinase
9021002 | Carbaryl
9024005 | G6PD - Glucose-6-phosphate dehydrogenase
9045003 | Radon radioisotope
9052001 | Allspice oil
9054000 | Human leukocyte antigen B15
9103003 | Retinol fatty-acyltransferase
9110009 | Mercuric compound
9125009 | Sempervirine
9159008 | Triacetate-lactonase
9172009 | Blood group antibody Alda
9174005 | Fibrinogen Poitiers
9183000 | beta-N-Acetylgalactosaminidase
9189001 | CMP-N-acetylneuraminate-lactosylceramide alpha-2,3-sialyltransferase

9195000 | Immunoglobulin gene INV allotype
9197008 | Apiose reductase
9205004 | Hemoglobin Tarrant
9220005 | Plant phenol oil
9223007 | Borneol dehydrogenase
9234005 | Chlorobutanol
9246009 | ^118^Tellurium
9253000 | HLA-DRw16 antigen
9270008 | Catecholamine receptor
9271007 | Fibrinogen Pontoise
156009 | Spine board
210005 | Arrow
271003 | Bone plate
287000 | Air receiver
291005 | Atomizer
641004 | Artillery missile
678001 | Epilator
739006 | Bicycle ergometer
793009 | Mechanical power press
882002 | Diagnostic implant
972002 | Air filter, device
989005 | Linen cloth
994005 | Brush, device
995006 | Farm tool, device
1058004 | Helicopter, device
1066008 | Instrument of strangulation, device
1211003 | Treadmill, device
1333003 | Emesis basin, device
1422002 | Plastic mold, device
1579007 | Surgical drill, device
1766001 | Toboggan, device
1941006 | Silk cloth
1962007 | Dike, device
2248009 | Tracheal tube cuff
2282003 | Breast implant
2287009 | Nail file, device
2468001 | Breath analyzer, device
2478003 | Ocular prosthesis
2491002 | Intra-aortic balloon catheter, device
3024002 | Cross-bow, device
3201004 | Tent, device
3319006 | Artificial liver, device
3385008 | Cigarette lighter, device
4408003 | Endoscopic camera, device
4502000 | Garbage disposal appliance, device
4632004 | Hair cloth
4816004 | Metal device
4841006 | Atomic weapon, device
4909001 | Kitchen sink, device
5041003 | Adhesive strip, device
5042005 | Patient scale, device
5159002 | Physiologic monitoring system, device
5676002 | Railway passenger car
5679009 | Bed sheet
6012004 | Hearing aid
6097006 | T-tube
6662008 | Hydrofoil
6806005 | Personal effect of patient
6822006 | Microwave oven
6919005 | Protective clothing material
6972009 | Lithotripter
6982005 | Blasting cap
7007007 | Radiographic-fluoroscopic unit
7402007 | Probe
7406005 | Crib
7473003 | Hospital bath
7704007 | Stabilizing appliance
7733008 | Hydrocephalic shunt catheter
7968002 | Three-wheeled all-terrain vehicle
7971005 | Fogarty catheter
8060009 | Denture
8118007 | Crane

8170008 | Adhesive
8384009 | Band saw
8407004 | Bile collection bag
8434001 | Gaol
8451008 | Intramedullary nail
8615009 | Blood electrolyte analyzer
8643000 | Mortising machine
8682003 | Protective shield
9016000 | Pistol
9017009 | Ventricular intracranial catheter
9020001 | Blunt instrument
9096001 | Support
9129003 | Feeding catheter
9149007 | Zip gun
9419002 | Bobsled
9458007 | Elastic bandage
9583005 | Oil tanker
9611009 | Dermatotome
9883003 | Cargo handling gear
9916002 | Hunting arrow
10172004 | Heater
10244001 | Needle guide
10371004 | Electrostimulating analgesia unit
10507000 | Toeboard
10533008 | Land vehicle
10826000 | Industrial saw
10850003 | Radiographic-therapeutic unit
10906003 | Vein stripper
11141007 | Bone growth stimulator
11158002 | Electromyographic monitor and recorder
11358008 | Prosthetic valve
11987000 | Clinical chemistry analyzer
12121004 | Clothesdryer
12150006 | Cannula
12183004 | Upper limb prosthesis
12198002 | Ice skate
12247004 | Truck
12561005 | Waterborne craft
12698003 | Surface craft
12953007 | File
13118005 | Wool cloth
13219008 | Gastroscope
13268008 | Home furnace
13288007 | Monitors
13459008 | Temporary artificial heart prosthesis
13764006 | Uterine sound
13855007 | Pillow
13905003 | Tennis ball
14026005 | Hang glider
14069002 | Guided missile
14106009 | Cardiac pacemaker implant
14108005 | Cage
14116001 | Analgesia unit
14208000 | Oil well
14288003 | Nasal septum button
14294006 | Carbine
14339000 | Button
14364002 | Camera
14397001 | Shower bath
14423008 | Adhesive bandage
14519003 | Aspirator
14548009 | Harrington rod
14762000 | Alloy steel chain sling
14789005 | Prosthetic implant
15000008 | Air-conditioner
15237007 | Sitz bath chair
15340005 | Wood's light
15447007 | Arthroplasty prosthesis
15644007 | Anesthesia unit
15869005 | Dosimeter, device
15873008 | Boiler, device
15922004 | Gown, device

16056004 | Boots
16127002 | Clotheswringer, device
16349000 | Orthopedic equipment
16417001 | Commercial breathing supply hoses diving operation, device
16470007 | Electrode, device
16497000 | Electric clipper, device
16524003 | Cotton cloth
16540000 | Umbrella catheter, device
16650009 | Splint, device
16916003 | Tank - military vehicle
17102003 | NG - Nasogastric tube
17107009 | Prosthetic mitral valve
17207004 | Mattress, device
17306006 | Hernia belt, device
17404008 | Cardiac compression board, device
17472008 | Knife, device
18100009 | Electrical outlet, device
18151003 | Punch, device
18153000 | Fluorescence immunoassay analyzer, device
18411005 | Chisel, device
18492004 | Canister, device
18666004 | Finespun glass
18813000 | Ultralight powered glider, device
19257004 | Defibrillator, device
19328000 | Blanket, device
19443004 | Radioactive implant, device
19627002 | Leather
19762002 | Leather belt
19817005 | Fan blade, device
19892000 | Scale, device
19902007 | Rope ligature, device
19923001 | Catheter, device
19966008 | Farm machine, device
20032007 | Bathinette, device
20195009 | Leg prosthesis, device
20235003 | Toothbrush, device
20273004 | Industrial machine, device
20359006 | Contraceptive diaphragm, device
20406008 | Back rests, device
20428008 | Oxygen tent, device
20513005 | Power tool, device
20568009 | Urinary catheter, device
20613002 | Cystoscope, device
20861007 | Plug pack, device
20867006 | Experimental implant, device
20873007 | Plastic cloth-like material
20909006 | Combine, device
20997002 | Hand tool, device
21079000 | Carbon monoxide analyzer, device
21249000 | Rowing boat
21546008 | Icebox
21735008 | Correcting paper, device
21753002 | Aircraft, device
21812002 | Ocean liner, device
21870002 | Transluminal extraction catheter, device
21944004 | Abdominal binder, device
22251003 | Timer, device
22283009 | Artificial membrane, device
22566001 | Cytology brush, device
22662007 | Retaining harness, device
22674006 | Motor bus, device
22679001 | Handcuffs, device
22744006 | Artificial hair wig, device
22852002 | Therapeutic implant, device
23076004 | Household furniture, device
23228005 | Arthroscope, device
23366006 | Motorized wheelchair device
23562009 | Household ventilator, device
23699001 | Baseball, device
23785007 | Arthroscopic irrigation/distension pump, device
23973005 | Indwelling urinary catheter, device
24073000 | Mechanical cardiac valve prosthesis

24110008 | Anoscope, device
24174009 | Bronchoscope, device
24219003 | Hand gun
24230000 | Vibrator, device
24290003 | Cardiac valve bioprosthesis
24402003 | Stepladder, device
24439002 | Powered industrial truck, device
24470005 | Wrench, device
24513003 | Plastic boots
24561005 | Sailing craft
24697008 | Ostomy belt, device
24761008 | Truck-trailer, device
24767007 | Eustachian tube prosthesis, device
25005004 | Snare, device
25062003 | Feeding tube, device
25139002 | Moped, device
25152007 | Squeeze cage, device
25510005 | Heart valve prosthesis
25632005 | Hockey puck, device
25680008 | Scaffold, device
25742001 | Orthodontic appliance, device
25851002 | Ferry, device
25864001 | Carbon paper, device
25923005 | Kayak, device
25937001 | Neurostimulation device
26128008 | Bougie, device
26239002 | Soccer ball, device
26334009 | Dockboard, device
26397000 | Reservoir bag
26412008 | ET - Endotracheal tube
26579007 | Holter valve, device
26719000 | Celestin tube, device
26744008 | Ocean freighter, device
26882005 | Rongeur, device
27036008 | Bed board, device
27042007 | Needle adapter, device
27065002 | Suture
27091001 | Dumbwaiter, device
27126002 | Power belt, device
27229001 | Spray booth, device
27606000 | Dental prosthesis, device
27676004 | Land mine, device
27785006 | Athletic supporter, device
27812008 | Electric heating pad, device
27976001 | Woodworking machinery, device
27991004 | Thermometer, device
28026003 | Hairbrush, device
28422005 | Glider, device
28519005 | Side-delivery hay rake, device
29292008 | Fur garment
29319002 | Forceps, device
29339003 | Dart, device
29396008 | Resuscitator, device
29873003 | Leather accessory
30002008 | Fireplace, device
30012001 | Elevator, device
30070001 | Multistage suspension scaffolding, device
30115002 | Shield, device
30176005 | Baseball bat, device
30234008 | Medical laboratory analyzer, device
30610008 | Epidural catheter, device
30661003 | Cosmetic prosthesis, device
30784000 | Aerosol sprayer, device
30926007 | Firework
30929000 | Ligator, device
30968007 | Drainage bag, device
31030004 | Peritoneal catheter, device
31031000 | Internal fixator
31174004 | Lumbosacral belt, device
31209004 | Shotgun, device
31493009 | Pedal cycle, device
31791005 | Traction belt, device

31878003 | Surgical scissors, device
32033000 | Arterial pressure monitor, device
32130004 | Machine gun, device
32356002 | Machine guarding, device
32472009 | Medical helicopter, device
32476007 | Construction vehicle, device
32504006 | Screwdriver, device
32634007 | Fixed ladder, device
32667006 | Oral airway
32711007 | Ostomy collection bag, device
32712000 | Drain, device
32871007 | Tweezer, device
33194000 | Welding equipment, device
33336008 | Matches, device
33352006 | Ax, device
33388001 | Carbon dioxide analyzer, device
33482001 | Rubber boots
33686008 | Stylet, device
33690005 | Sharp instrument, device
33802005 | Enema bag, device
33894003 | Experimental device
33918000 | Rubberized cloth
34160005 | Lamp, device
34164001 | POP - Plaster of Paris cast
34188004 | Straightjacket, device
34234003 | Plastic tube, device
34263000 | Medical balloon, device
34362008 | Vascular device
34396001 | Airgun pellet
34759008 | Urethral catheter, device
34942006 | Muzzle loading gun, device
35018000 | Heavy land transport vehicle, device
35398009 | Ostomy appliance, device
35593004 | Wire ligature, device
35870000 | Cerebrospinal catheter, device
36011000 | Spike harrow, device
36030000 | Transport vehicle, device
36365007 | Ice-pick, device
36370000 | Aspirator trap bottle, device
36531007 | Dirigible airship
36645008 | Stimulator, device
36761001 | Natural hair wig, device
36965003 | Hemodialysis machine, device
36977008 | Peripheral nerve stimulator
37189001 | Magnetic detector, device
37270008 | Endoscope, device
37284003 | Bag, device
37299003 | Trike
37311003 | Stone retrieval basket, device
37347002 | Dildo, device
37360008 | Patient isolator, device
37503007 | Protective blind, device
37759000 | Surgical instrument, device
37823000 | Medium land transport vehicle, device
37874008 | Continuing positive airway pressure unit, device
37953008 | Bedside rails, device
38126007 | Protective lenses
38141007 | Tourniquet, device
38277008 | Protective device
38472000 | Medical alert identification bracelet, device
38485002 | Nuclear weapon, device
38548008 | Streetcar, device
38806006 | Hockey stick, device
38862006 | Sheet metal bending equipment
38871002 | Metallic cloth
38988005 | Spacecraft, device
39374005 | Military ship, device
39590006 | Air compressor, device
39661006 | Light anywhere matches, device
39690000 | Sphygmomanometer, device
39752002 | Railway locomotive, device
39768008 | Rasp, device

39790008 | Non-electric heating pad, device
39802000 | Tongue blade, device
39821008 | Positron emission tomography unit, device
39849001 | Nasal oxygen cannula
39869006 | Alarm, device
40188005 | Domestic object
40353003 | Commercial fixed-wing aircraft, device
40388003 | Biomedical implant
40519001 | Binder, device
41157002 | Orthopedic immobilizer
41323003 | Urinary collection bag, device
41338002 | Catamaran, device
41430008 | Shotgun slug, device
41456001 | Wagon, device
41525006 | Artificial structure, device
41684000 | Industrial tool, device
42119000 | Archery bolt, device
42152006 | Metal tube, device
42305009 | Ambulation device
42380001 | Ear plug, device
42451009 | Blood warmer, device
42716000 | Wool
42882002 | Hypodermic spray, device
42974001 | Club, device
43001000 | Phlebotomy kit, device
43192004 | Bone pencil, device
43252007 | Cochlear implant
43423007 | Unicycle, device
43725001 | Airway equipment
43734006 | Blood administration set, device
43770009 | Doppler device
43983001 | Shoes
44056008 | Caliper, device
44396004 | Magnet, device
44468009 | Missile, device
44492001 | Industrial robot, device
44613004 | Ground transport ambulance, device
44668000 | Pump, device
44738004 | Laryngoscope, device
44806002 | Esophageal bougie, device
44845007 | Golf ball, device
44907005 | Four-wheeled all-terrain vehicle, device
44959004 | Angioplasty balloon catheter, device
45633005 | Peritoneal dialyzer, device
45901004 | Penrose drain, device
45984009 | Hospital shower bath, device
46074001 | Plastic explosive, device
46160005 | Motorized road traffic vehicle
46181005 | Automatic fire extinguisher system, device
46265007 | Artificial lashes, device
46274009 | Jet airplane, device
46299005 | Sanitary belt, device
46364009 | Clamp, device
46440007 | Basketball, device
46542001 | Railway freight car, device
46625003 | Suppository
46666003 | Chain, device
46880008 | Inboard motorboat, device
46949002 | Deck machinery, device
47006006 | Balloon aircraft
47162009 | Mirror, device
47326004 | Electrical utilization equipment, device
47424002 | Apgar scoring timer, device
47528002 | Ureteric catheter
47731004 | Birthing chair, device
47734007 | Chromic catgut suture
47776004 | Mittens
47793004 | Homemade firearm, device
47942000 | Proctoscope, device
48066006 | Circular portable saw, device
48096001 | Bathtub rails, device
48240003 | Training equipment, device

48246009 | Studgun, device
48295009 | Vascular filter, device
48306000 | School bus, device
48473008 | Protective body armor, device
48545009 | Fireplace lighter, device
48822005 | Bilirubin light, device
48990009 | Strap, device
49062001 | Device
49122002 | Ambulance, device
49133004 | Bulldozer, device
49448001 | Razor, device
49623006 | Powered craft
49890001 | Hospital cart, device
49980008 | Tractor
50121007 | Glasses
50268008 | Bow string, device
50457005 | Workover rig service to oil well, device
50483000 | Oil rig
50488009 | Costume jewelry
50833004 | Paper, device
50851003 | Penile tumescence monitor, device
51016001 | Hammer, device
51086006 | Shower curtain, device
51287006 | Thermonuclear weapon, device
51324004 | Stripper, device
51685009 | Roller skate, device
51791000 | Measuring tape, device
51832004 | Valved tube, device
51883004 | Sling, device
52065008 | Diaper, device
52124006 | Central line
52161002 | Molten lava
52291003 | Gloves
52325000 | Hay wagon, device
52387005 | Taxi, device
52495005 | Blood drawing chair, device
52520009 | Ladder, device
52537002 | Aspirator collection canister, device
52624007 | Radiofrequency generator, device
52773007 | Ski, device
52809000 | Nasopharyngeal catheter, device
52893008 | Blood gas/pH analyzer, device
53167006 | Platform suspended boom, device
53177008 | Nasal balloon, device
53217009 | Artificial lung, device
53350007 | Prosthesis, device
53535004 | Retractor, device
53639001 | Stethoscope, device
53671008 | Gastric balloon, device
53680008 | Target arrow, device
53811000 | Delta-wing aircraft, device
53977009 | Military mobile weapon carrier, device
53996008 | Penile prosthesis, device
54234007 | Cryogenic analgesia unit, device
54638004 | Towel, device
54752006 | Unidentified flying object, device
54807002 | Unexploded bomb
54953005 | Computerized axial tomography scanner, device
55091003 | Blood coagulation analyzer, device
55121009 | Light land transport vehicle, device
55206006 | Suture button, device
55216003 | Amnioscope, device
55263001 | Photography paper, device
55287004 | Writing paper, device
55337009 | Auscultoscope, device
55567004 | Bassinet, device
55658008 | Hot object
55674003 | Air gun, device
55684002 | Homemade bomb, device
55964003 | Munition, device
55980008 | Firecracker, device
55986002 | Tong, device

56144002 | Back braces, device
56353002 | Staple, device
56547001 | Trephine, device
56667001 | Buggy, device
56896002 | Pacemaker catheter, device
56961003 | Cardiac transvenous pacemaker, device
57010004 | Arquebus, device
57118008 | Perfusion pump, device
57134006 | Clinical instrument
57295001 | Ricochet missile, device
57368009 | Contact lens
57395004 | Physical restraint equipment, device
57512001 | Revolver, device
57730005 | Abrasive grinding, device
58068001 | Experimental aircraft, device
58153004 | Android, device
58222006 | Interplanetary craft, device
58253008 | Suction catheter, device
58514003 | Infant scale, device
58824002 | Grenade, device
58878002 | Protective vest, device
58938008 | WC - Wheelchair
59102007 | Ice bag, device
59127000 | Apnea alarm, device
59153008 | Barge, device
59160002 | Chipguard, device
59181002 | Oxygen analyzer, device
59402003 | Primary missile, device
59432006 | Ligature, device
59647009 | Safety matches, device
59711004 | Aerial bomb, device
59746007 | Needle holder, device
59772003 | Culdoscope, device
59782002 | Speculum, device
59833007 | Collapsible balloon, device
60054005 | SB - Seat belt
60110001 | Wig, device
60150003 | Skipole, device
60161006 | Acupuncture needle, device
60185003 | Carbon dioxide absorber, device
60311007 | Leather boots
60320003 | Spear
60638008 | Planetary surface craft
60773001 | Injector
60806001 | Whirlpool bath
60957001 | Otoscope
60977008 | Harrow
61119009 | Outboard motorboat
61284002 | Machine
61330002 | Nasopharyngeal airway device
61433001 | Glassware
61512008 | Tennis racket
61835000 | Dilator
61968008 | Syringe
61979003 | Antiembolic device
62193008 | Railway train
62336005 | Electric cable
62495008 | Gamma counter
62614002 | Overhead and gantry crane
62980002 | Tubular bandage
63112008 | Bone wire
63173005 | Hat band
63289001 | Metal nail
63336000 | Bone plug
63496001 | Fork lift truck
63548003 | Derrick
63562005 | Cervical collar
63619003 | Fiberoptic cable
63653004 | Medical device
63797009 | Traction unit
63830003 | Private fixed-wing aircraft
63839002 | Electroejaculator

63958005 | Tracked personnel carrier
63995005 | Bandage
64174005 | Snowmobile
64223007 | Dump truck
64255007 | Esophageal balloon
64565002 | Air tool
64571008 | Hair clipper
64867003 | Pellet gun missile
64883003 | Inhalation analgesia unit
64973003 | Scissors
64989000 | Escalator
65053001 | Electrical battery
65105002 | Surgical drapes
65268008 | Chart recorder
65473004 | Microscope
65493007 | Surfboard
65577000 | X-ray shield
65818007 | Stent
65893002 | Archery bow
66113009 | Explosive device
66222000 | Hospital robot
66373005 | Kite
66415006 | Audiometric testing equipment
66435007 | Electric bed
66494009 | Face cloth
66567008 | Launch craft
67270000 | Hip prosthesis
67387001 | Coronary perfusion catheter
67604003 | Household appliance
67651001 | Fist
67670006 | Radiographic-tomographic unit
67777003 | Moving walk
67829007 | Esophagoscope
67920005 | Aerial lift
67966000 | Enema tube
68080007 | Radiographic unit
68181008 | Vibrating electric heating pad
68183006 | Bone screw
68276009 | Bottle
68325009 | Sound
68597009 | Support belt
68685003 | Household robot
68842005 | Gastroduodenoscope
69670004 | Patient utensil kit
69805005 | Insulin pump
69861004 | Firearm
69922008 | Tracheostomy button
70080007 | Bayonet
70224005 | Bicycle
70300000 | Skull tongs
70303003 | Freezer
70453008 | Sled
70665002 | Blood pressure cuff
70793005 | Recreation equipment
70872004 | Wash basin
71384000 | Warmer
71483007 | Diving stage
71545009 | Humidifier
71601002 | Proctosigmoidoscope
71667001 | Bone wax
71783008 | Automobile
71948003 | Autoclave
72070000 | Ring
72125006 | Slingshot missile
72188006 | Tissue expander
72259003 | Rifle
72302000 | Lead cable
72506001 | Implantable defibrillator
72742007 | Aspirator collection bottle
73027007 | Infant incubator
73378007 | Flying debris
73534004 | Artificial skin

73562006 | Transilluminator
73571002 | Intravenous analgesia unit
73618007 | Power saw
73878004 | Hand saw
73957001 | Air transport ambulance
73985004 | Face protection in construction industry
74094004 | Belt
74108008 | Recorder
74300007 | Sanitary pad
74444006 | AL - Artificial limb
74453004 | Electric razor
74566002 | Crutch
74695002 | Formed air gun pellet
74812000 | Railway car
74884005 | Boatswain's chair
75075000 | Shoring and bracing (masonry and woodwork)
75187009 | Local anesthesia kit
75192006 | Arterial cannula
75751006 | Manual respirator
75780002 | Artificial kidney
75926004 | Lighter
75963008 | Skateboard
75988000 | Bathtub
76091005 | Stainless steel wire suture
76123001 | Glass tube
76428000 | Elbow joint prosthesis
76433001 | Apron
76664007 | Artificial pancreas
76705002 | Applicator stick
76757002 | Disc harrow
76825006 | Abrasive wheel machinery
76937009 | Guillotine
77081009 | Submarine
77264007 | Boomerang
77301004 | Shotgun shot
77444004 | Pins
77508006 | Truck-tractor
77541009 | Band
77720000 | Clips
77755003 | Chemical fiber cloth
77777004 | Bone staple
78279003 | Nail clipper
78412001 | Clotheswasher
78489001 | Canoe
78498003 | Testicular prosthesis
78641001 | Nylon suture
78886001 | Electronic monitor
79051006 | Greenfield filter
79068005 | Needle
79218005 | Vehicle-mounted work platform
79287008 | Tampon
79401009 | Chute
79406004 | Platinum jewelry
79438009 | Foot protection
79481007 | Swing or sliding cut-off saw
79593001 | Transvenous electrode
79618001 | Storage tank
79641009 | Silver jewelry
79811009 | Electric blanket
79834000 | Hickman line
79952001 | Swan-Ganz catheter, device
80278003 | Pediatric bed
80404000 | Chain fall
80519002 | Hospital furniture
80617005 | Analysers
80664005 | Motor home
80840006 | Fragmentation bomb
80853009 | Tendon hammer
80919006 | Jewelry
80950008 | Oven
81293006 | Textile material
81317009 | Socket wrench

81320001 | Enzyme immunoassay analyzer
81381000 | Hay rake
81427002 | Meteorite
81826000 | All-terrain vehicle
81892008 | Radial saw
82192009 | Hunting bow
82379000 | Hemostat
82449006 | Peripheral intravenous catheter
82652006 | Artillery shell
82657000 | Bony tissue forceps
82830000 | Robotic arm
82879008 | Safety belt
82924004 | Power chopper
83059008 | Tube
83315005 | Audio analgesia unit
83320005 | Dip tank
83369007 | Plastic shoes
83517001 | Robot
83887000 | Rescue vehicle
83903000 | Man lift
83930005 | Propeller airplane
84023008 | Ski tow
84151001 | Orbiting craft
84330009 | Pliers
84444002 | Chain saw
84546002 | Barricade
84599008 | Detonating cord
84610002 | Implantable dental prosthesis
84683006 | Aortic valve prosthesis
84756000 | Adhesive tape
85106006 | Boring machine
85329008 | Abortion pump
85455005 | Cart
85590000 | Lawn mower
85684007 | Engraving press
85935002 | Photocopy paper
86056006 | Golf club
86118007 | Raft
86122002 | Bullet
86174004 | Laparoscope
86184003 | Electrocardiographic monitor and recorder
86407004 | Table
86453006 | Defibrillator paddle
86572008 | Arteriovenous shunt catheter
86768006 | Balloon pump
86816008 | Diving ladder
86967005 | Tool
87088005 | Soldering iron
87140005 | Clothing material
87405001 | Cane
87710003 | Physical restraint structure
87717000 | Tester
87761008 | Target bow
87851008 | Blood cell counter and analyzer
87985005 | Inflatable boat
88063004 | Footwear
88168006 | Maximum security cell
88208003 | Intravenous anesthesia administration set
88765001 | Artificial tissue
88959008 | Hypodermic needle
89149003 | Stretcher
89236003 | Leather shoes
89509004 | Blood culture analyzer
90003000 | Magnetic resonance imaging unit
90035000 | Alcohol sponge
90082007 | Cast cutter
90134004 | Metal periosteal implant
90277006 | Gold jewelry
90335008 | Hovercraft
90412006 | Colonoscope
90504001 | Auricular prosthesis
90748009 | Motorbike

90913005 | Rubber shoes
90948003 | Abrasive blast by cleaning nozzles
90963000 | Animal-drawn vehicle
91032009 | Toy
91294003 | Thomas collar
91318002 | Hyperbaric chamber
91535004 | Basin
91537007 | Hospital bed
91556002 | Fishing vessel
91582006 | Hay bailer
91656009 | Stove
102303004 | Vascular prosthesis
102304005 | Measuring ruler
102305006 | Intramedullary reamer
102306007 | Reamer
102307003 | Surgical knife
102308008 | Scalpel
102309000 | Surgical saw
102310005 | Gigli's wire saw
102311009 | Starck dilator
102312002 | Atherectomy device
102313007 | Rotational atherectomy device
102314001 | Embolization coil
102315000 | Embolization ball
102316004 | Embolization particulate
102317008 | Guiding catheter
102318003 | Implantable venous catheter
102319006 | Percutaneous transluminal angioplasty balloon
102320000 | Detachable balloon
102321001 | Operating microscope
102322008 | External prosthesis for sonographic procedure
102323003 | Water bag prosthesis for imaging procedure
102324009 | Saline bag prosthesis for imaging procedure
102325005 | Gel prosthesis for imaging procedure
102326006 | Dagger
102327002 | Dirk
102328007 | Sword
102329004 | Modified firearm
102330009 | Semi-automatic firearm
102331008 | Automatic firearm
102332001 | Sawed-off shotgun
102333006 | Soft-nose bullet
102334000 | Lead bullet
102335004 | Solid-nose bullet
102336003 | Nickel-covered bullet
102337007 | Steel-jacket bullet
102338002 | Lance
102339005 | Pike
102340007 | Surface-to-air missile
102341006 | Surface-to-surface missile
102342004 | Shrapnel
102344003 | .21 inch caliber bullet
102345002 | .22 inch caliber bullet
102346001 | 6 mm caliber bullet
102347005 | .25 inch caliber bullet
102348000 | 6.5 mm caliber bullet
102349008 | .270 inch caliber bullet
102350008 | .28 inch caliber bullet
102351007 | 7 mm caliber bullet
102352000 | .30 inch caliber bullet
102353005 | .303 inch caliber bullet
102354004 | 8 mm caliber bullet
102355003 | .32 inch caliber bullet
102356002 | .338 inch caliber bullet
102357006 | .35 inch caliber bullet
102358001 | 9 mm caliber bullet
102359009 | .375 inch caliber bullet
102360004 | .38 inch caliber bullet
102361000 | 10 mm caliber bullet
102362007 | .40 inch caliber bullet
102363002 | .41 inch caliber bullet
102364008 | .44 inch caliber bullet

102365009 | .45 inch caliber bullet
102366005 | .50 inch caliber bullet
102367001 | .55 inch caliber bullet
102368006 | .60 inch caliber bullet
102384007 | Motor vehicle airbag
102385008 | Front airbag
102386009 | Front driver airbag
102387000 | Front passenger airbag
102388005 | Side airbag
102389002 | Jet ski
102390006 | Inflatable motorized craft
102391005 | Inflatable raft
102392003 | Inflatable rowboat
102402008 | Snowboard
102403003 | Water ski
105784003 | Life support equipment
105785002 | Adhesive, bandage AND/OR suture
105787005 | Belt AND/OR binder
105788000 | Probe, sound, bougie AND/OR airway
105789008 | Cannula, tube AND/OR catheter
105790004 | Bag, balloon AND/OR bottle
105791000 | Pump, injector AND/OR aspirator
105792007 | Analgesia AND/OR anesthesia unit
105793002 | Monitor, alarm AND/OR stimulator
105794008 | Scope AND/OR camera
105797001 | Archery bow AND/OR arrow
105799003 | Household device
105800004 | Home AND/OR farm machine AND/OR tool
105801000 | Air AND/OR spacecraft
105802007 | Clothing material AND/OR accessory
105803002 | Clothing material AND/OR footwear
105809003 | Physical restraint equipment AND/OR structure
108874005 | Silicone plug
109184000 | Pregnancy testing kit
109226007 | Dental pin
109227003 | Hand joint prosthesis
109228008 | Knee joint prosthesis
111041008 | Artificial nails
111042001 | Artificial organ
111043006 | Medical tuning fork
111044000 | Bone tap
111045004 | Exerciser
111046003 | Identification bracelet
111047007 | Urethral bougie
111048002 | Rhinoscope
111050005 | Bullet fragment
111051009 | Secondary missile
111052002 | Protective breast plate
111053007 | Clothesiron
111054001 | Snowblower
111060001 | Industrial sewing machine
111062009 | Food waste disposal equipment
115961006 | Soft Cast
115962004 | Fiberglass cast
116146000 | Blood product unit
116204000 | Catheter tip
116205004 | Blood bag
116206003 | Plasma bag
116250002 | Filter
116251003 | Wick
118294000 | Solid-state laser
118295004 | Gas laser
118296003 | Chemical laser
118297007 | Excimer laser
118298002 | Dye laser
118299005 | Diode laser
118301003 | Nd:YVO>4< laser
118302005 | Nd:YLF laser
118303000 | Nd:Glass laser
118304006 | Chromium sapphire laser device
118305007 | Er:Glass laser
118306008 | Erbium-YAG laser

118307004 | Ho:YLF laser
118308009 | Holmium-YAG laser
118309001 | Ti:sapphire laser device
118310006 | Alexandrite laser
118311005 | Argon laser
118312003 | CO2 laser
118313008 | He laser
118314002 | Helium cadmium laser
118315001 | HeNe laser
118316000 | Krypton laser
118317009 | Neon gas laser
118318004 | Nitrogen gas laser
118319007 | Xenon gas laser
118320001 | Copper vapor laser
118321002 | Gold vapor laser
118322009 | DF laser
118323004 | DF-CO>2< laser device
118324005 | HF laser
118325006 | ArF laser
118326007 | KrF laser
118327003 | KrCl laser
118328008 | XeCl laser
118329000 | XeFl laser
118330005 | Free electron laser
118331009 | Tunable dye laser
118332002 | Tunable dye argon laser
118333007 | Gallium arsenide laser
118334001 | Gallium aluminum arsenide laser
118335000 | Lead-salt laser
118336004 | Rhodamine 6G dye laser
118337008 | Coumarin C30 dye laser
118338003 | Coumarin 102 dye laser
118342000 | Diode pumped laser
118343005 | Flashlamp pumped laser device
118346002 | Pulsed dye laser
118347006 | QS laser
118348001 | Flashlamp pulsed dye laser
118349009 | CW CO>2< laser
118350009 | High energy pulsed CO>2< laser
118351008 | Frequency doubled Nd:YAG laser
118354000 | Continuous wave laser
118355004 | Pulsed laser
118356003 | Metal vapor laser
118357007 | KTP laser
118371004 | Ion laser
118372006 | Plastic implant
118373001 | Silastic implant
118374007 | Silicone implant
118375008 | Cardiac septum prosthesis
118376009 | Thermocouple
118377000 | Biopsy needle
118378005 | Pacemaker pulse generator
118379002 | Automatic implantable cardioverter sensing electrodes
118380004 | Implantable defibrillator leads
118381000 | Implantable cardioverter leads
118382007 | Neuropacemaker device
118383002 | External fixation device
118384008 | Long arm splint
118385009 | Short arm splint
118386005 | Figure of eight plaster cast
118387001 | Halo jacket
118388006 | Body cast, shoulder to hips
118389003 | Body cast, shoulder to hips including head, Minerva type
118390007 | Body cast, shoulder to hips including one thigh
118391006 | Body cast, shoulder to hips including both thighs
118392004 | Shoulder cast
118393009 | Long arm cylinder
118394003 | Forearm cylinder
118396001 | Cylinder cast, thigh to ankle
118397005 | Long leg cast
118398000 | Long leg cast, walker or ambulatory type
118399008 | Long leg cast, brace type

118400001 | Short leg cast below knee to toes
118401002 | Short leg cast below knee to toes, walking or ambulatory type

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.223 Value Set http://hl7.org/fhir/ValueSet/research-study-phase

URL: https://hl7.org/fhir/R4/valueset-research-study-phase.html
Biomedical Research and Regulation Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/research-study-phase
Version: | 4.0.1
Name: | ResearchStudyPhase
Title: | ResearchStudyPhase
Definition: | Codes for the stage in the progression of a therapy from initial experimental use in humans in clinical trials to post-market evaluation.
Committee: | Biomedical Research and Regulation Work Group
OID: | 2.16.840.1.113883.4.642.3.821 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ResearchStudyPhase
• Resource: ResearchStudy.phase (CodeableConcept / Example)

4.4.1.223.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/research-study-phase

4.4.1.223.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 8 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/research-study-phase version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/research-study-phase

Code | Display | Definition
n-a | N/A | Trials without phases (for example, studies of devices or behavioral interventions).
early-phase-1 | Early Phase 1 | Designation for optional exploratory trials conducted in accordance with the United States Food and Drug Administration's (FDA) 2006 Guidance on Exploratory Investigational New Drug (IND) Studies. Formerly called Phase 0.
phase-1 | Phase 1 | Includes initial studies to determine the metabolism and pharmacologic actions of drugs in humans, the side effects associated with increasing doses, and to gain early evidence of effectiveness; may include healthy participants and/or patients.
phase-1-phase-2 | Phase 1/Phase 2 | Trials that are a combination of phases 1 and 2.
phase-2 | Phase 2 | Includes controlled clinical studies conducted to evaluate the effectiveness of the drug for a particular indication or indications in participants with the disease or condition under study and to determine the common short-term side effects and risks.
phase-2-phase-3 | Phase 2/Phase 3 | Trials that are a combination of phases 2 and 3.
phase-3 | Phase 3 | Includes trials conducted after preliminary evidence suggesting effectiveness of the drug has been obtained, and are intended to gather additional information to evaluate the overall benefit-risk relationship of the drug.
phase-4 | Phase 4 | Studies of FDA-approved drugs to delineate additional information including the drug's risks, benefits, and optimal use.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.224 Value Set http://hl7.org/fhir/ValueSet/chargeitem-billingcodes

URL: https://hl7.org/fhir/R4/valueset-chargeitem-billingcodes.html
Patient Administration Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/chargeitem-billingcodes
Version: | 4.0.1
Name: | ChargeItemCode
Title: | ChargeItemCode
Definition: | Example set of codes that can be used for billing purposes.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.848 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ChargeItemCode
• Resource: ChargeItem.code (CodeableConcept / Example)
• Resource: ChargeItemDefinition.code (CodeableConcept / Example)

4.4.1.224.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/chargeitem-billingcodes

4.4.1.224.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/chargeitem-billingcodes version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/chargeitem-billingcodes

Code | Display | Definition
1100 | Unvorhergesehene Inanspruchnahme | From German EBM billing system: Unvorhergesehene Inanspruchnahme des Vertragsarztes durch einen Patienten;zwischen 19:00 und 22:00 Uhr;an Samstagen, Sonntagen und gesetzlichen Feiertagen, am 24.12. und 31.12. zwischen 07:00 und 19:00 Uhr.
1210 | Notfallpauschale | From German EBM billing system: Notfallpauschale im organisierten Not(-fall)dienst und für nicht an der vertragsärztlichen Versorgung teilnehmende Ärzte, Institute und Krankenhäuser bei Inanspruchnahme;zwischen 07:00 und 19:00 Uhr.
1320 | Grundpauschale | From German EBM billing system: Grundpauschale für Ärzte, Institute und Krankenhäuser, die zur Erbringung von Leistungen innerhalb mindestens eines der Fachgebiete Anästhesiologie, Frauenheilkunde und Geburtshilfe, Haut- und Geschlechtskrankheiten, Mund-, Kiefer- und Gesichtschirurgie und Humangenetik ermächtigt sind.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.225 Value Set http://hl7.org/fhir/ValueSet/diagnostic-based-on-snomed

URL: https://hl7.org/fhir/R4/valueset-diagnostic-based-on-snomed.html
Orders and Observations Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/diagnostic-based-on-snomed
Version: | 4.0.1
Name: | DiagnosticAttachmentType
Title: | Diagnostic attachment type
Definition: | Diagnostic Attachment Type codes from SNOMED CT where concept is-a 182836005 (Review of medication (procedure)) or is-a 404684003 (Clinical finding (finding))
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.960 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Extension: http://hl7.org/fhir/StructureDefinition/DiagnosticReport-geneticsReferences: References (CodeableConcept / Example)

4.4.1.225.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://snomed.info/sct where concept is-a 182836005 (Medication review)

• Include codes from http://snomed.info/sct where concept is-a 404684003 (Clinical finding)

4.4.1.225.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 1025 concepts

All codes from system http://snomed.info/sct

Code | Display | Definition
391156007 | Medication review without patient
394720003 | Asthma medication review
394724007 | Coronary heart disease medication review
394725008 | Diabetes medication review
395005007 | Medicine labeling amended
401062003 | Epilepsy medication review
413143000 | Mental health medication review
413974004 | Depression medication review
415693003 | Synchronisation of repeat medication
473219007 | Cardiovascular disorder medication review
473220001 | Hematologic disorder medication review
473221002 | Pulmonary disorder medication review
473223004 | Chronic obstructive pulmonary disease medication review
473224005 | Gout medication review
473225006 | Hypertension medication review
473226007 | Heart failure medication review
473227003 | Metabolic disorder medication review
473228008 | Neurological disorder medication review
473230005 | Gastrointestinal disorder medication review
473231009 | Renal disorder medication review
473232002 | Infectious disease medication review
473233007 | Human immunodeficiency virus medication review
473234001 | Dyslipidemia medication review
473235000 | Endocrine disorder medication review
718017007 | Bisphosphonate medication review
109006 | Anxiety disorder of childhood OR adolescence
122003 | Choroidal hemorrhage
127009 | Spontaneous abortion with laceration of cervix
129007 | Homoiothermia
134006 | Decreased hair growth
140004 | Chronic pharyngitis
144008 | Normal peripheral vision
147001 | Superficial foreign body of scrotum without major open wound but with infection
150003 | Abnormal bladder continence
151004 | Meningitis due to gonococcus
162004 | Severe manic bipolar I disorder without psychotic features
165002 | Accident-prone
168000 | Typhlolithiasis
171008 | Injury of ascending right colon without open wound into abdominal cavity
172001 | Endometritis following molar AND/OR ectopic pregnancy

175004 | Supraorbital neuralgia
177007 | Poisoning by sawfly larvae
179005 | Apraxia of dressing
181007 | Hemorrhagic bronchopneumonia
183005 | Autoimmune pancytopenia
184004 | Withdrawal arrhythmia
188001 | Intercostal artery injury
192008 | Congenital syphilitic hepatomegaly
193003 | Benign hypertensive renal disease
195005 | Illegal abortion with endometritis
198007 | Disease due to Filoviridae
199004 | Decreased lactation
208008 | Neurocutaneous melanosis sequence
216004 | Delusion of persecution
219006 | Alcohol user
222008 | Acute epiglottitis with obstruction
223003 | Tumor of body of uterus affecting pregnancy
228007 | Lucio phenomenon
241006 | Motor simple partial status
242004 | Noninfectious jejunitis
253005 | Sycosis
257006 | Acne rosacea, erythematous telangiectatic type
258001 | Pseudoknuckle pad
264008 | Blind hypertensive eye
276008 | Oxytocin poisoning
279001 | Senile myocarditis
281004 | Alcoholic dementia
282006 | Acute myocardial infarction of basal-lateral wall
290006 | Melnick-Fraser syndrome
292003 | EEG finding
297009 | Acute myringitis
299007 | Paraffinoma of skin
303002 | Apoplectic pancreatitis
308006 | Pearly penile papules
310008 | Penile boil
313005 | Déjà vu
317006 | Reactive hypoglycemia
320003 | Cervical dilatation, 1cm
324007 | Plaster ulcer
330007 | Occipital headache
335002 | Pylorospasm
341009 | ABO incompatibility reaction
349006 | Absent tendon reflex
355001 | Hemorrhagic shock
357009 | Closed fracture trapezoid
358004 | Smallpox vaccine poisoning
359007 | Kernicterus due to isoimmunization
360002 | Acute radiation disease
364006 | Acute left-sided heart failure
366008 | Hidromeiosis
368009 | Heart valve disorder
369001 | Normal jugular venous pressure
378007 | Morquio syndrome
382009 | Legal history finding relating to child
383004 | Finding of passive range of hip extension
385006 | Secondary peripheral neuropathy
387003 | Melanuria
398002 | Left axis deviation greater than -90 degrees by EKG
407000 | Congenital hepatomegaly
408005 | Tooth chattering
409002 | Food allergy diet
426008 | Superficial injury of ankle without infection
431005 | Hypertrophy of scrotum
437009 | Abnormal composition of urine
440009 | Persistent hyperphenylalaninemia
442001 | Secondary hypopituitarism
443006 | Cystocele affecting pregnancy
447007 | Coach in sports activity accident
450005 | Ulcerative stomatitis
452002 | Blister of groin without infection
460001 | Squamous metaplasia of prostate gland
467003 | Old laceration of pelvic floor muscle

470004 | Vitreous touch syndrome
479003 | Graves' disease with pretibial myxedema AND with thyrotoxic crisis
486006 | Acute vascular insufficiency
488007 | Fibroid myocarditis
490008 | Upper respiratory tract hypersensitivity reaction
496002 | Closed traumatic dislocation of third cervical vertebra
504009 | Androgen-dependent hirsutism
517007 | Foreign body in hypopharynx
518002 | Multiple aggregation
520004 | Congenital bent nose
527001 | Spontaneous fetal evolution, Roederer's method
536002 | Glissonian cirrhosis
539009 | Conjunctival argyrosis
547009 | Hypersecretion of calcitonin
548004 | 13p partial trisomy syndrome
554003 | 2p partial trisomy syndrome
555002 | Dicentra species poisoning
563001 | Nystagmus
568005 | Habit disorder
586008 | Contact dermatitis due to primrose
590005 | Congenital aneurysm of anterior communicating artery
596004 | Premenstrual dysphoric disorder
599006 | Persistent pneumothorax
600009 | Pyromania
602001 | Ross river fever
607007 | Decreased vital capacity
610000 | Spastic aphonia
613003 | FRAXA - Fragile X syndrome
615005 | Obstruction due to foreign body accidentally left in operative wound AND/OR body cavity during a procedure
616006 | Sensorimotor disorder of eyelid
626004 | Hypercortisolism due to nonpituitary tumor
631002 | Transfusion reaction due to minor incompatibility
634005 | Saddle boil
640003 | Injury of pneumogastric nerve
643001 | Hypertrophy of lip
646009 | Idiopathic cyst of anterior chamber
649002 | Open fracture of distal end of ulna
651003 | Root work
652005 | Gangrenous tonsillitis
655007 | Abnormal fetal heart beat noted before labor in liveborn infant
658009 | Injury of colon without open wound into abdominal cavity
663008 | Pulmonary embolism following molar AND/OR ectopic pregnancy
664002 | Delayed ovulation
666000 | Poisoning by antivaricose drug AND/OR sclerosing agent
675003 | Torsion of intestine
682004 | Thrombosis complicating pregnancy AND/OR puerperium
685002 | Acquired telangiectasia of small AND/OR large intestines
701003 | Adult osteochondritis of spine
703000 | Congenital adhesion of tongue
714002 | Abrasion AND/OR friction burn of toe with infection
715001 | Nontraumatic rupture of urethra
718004 | Acute bronchiolitis with obstruction
733007 | Superficial foreign body of groin without major open wound but with infection
734001 | Opocephalus
736004 | Abscess of hip
750009 | Schistosoma mansoni infection
755004 | Postgastrectomy phytobezoar
756003 | Chronic rheumatic myopericarditis
758002 | Cyst of uterus
775008 | Open wound of head with complication
776009 | Partial arterial retinal occlusion
781000 | Cestrum diurnum poisoning
786005 | Clinical stage I B
787001 | Rheumatic mitral stenosis with regurgitation
788006 | Disease-related diet
792004 | CJD - Creutzfeldt-Jakob disease
799008 | Sigmoid colon ulcer
801006 | Insect bite, nonvenomous, of foot, infected
805002 | Pneumoconiosis due to silica
811004 | Flail motion
813001 | Ankle instability
815008 | Episcleritis

816009 | Genetic recombination
818005 | Third degree burn of multiple sites of lower limb
825003 | Superficial injury of axilla with infection
827006 | Late congenital syphilis, latent (+ sero., - C.S.F., 2 years OR more)
832007 | Moderate major depression
834008 | Chair-seated facing coital position
841002 | Congenital absence of skull bone
842009 | Consanguinity
843004 | Poliomyelomalacia
844005 | Finding relating to behavior
845006 | Inferior mesenteric artery injury
849000 | Total cataract
857002 | Erythema simplex
862001 | Anemia due to chlorate
865004 | Hyperalimentation formula for ileus
871005 | Contracted pelvis
874002 | Therapeutic diuresis
875001 | Chalcosis of eye
888003 | Foetal or neonatal effect of maternal blood loss
890002 | Deep third degree burn of elbow
899001 | Axis I diagnosis
903008 | Chorioretinal infarction
904002 | Pinard's sign
908004 | Superficial injury of interscapular region without infection
919001 | Pseudohomosexual state
928000 | Musculoskeletal disorder
931004 | Gestation period, 9 weeks
932006 | Flat affect
934007 | Thalassemia intermedia
943003 | Congenital retinal aneurysm
954008 | Renon-Delille syndrome
961007 | Erythema nodosum, acute form
962000 | Disability evaluation, disability 6%
964004 | Open wound of pharynx without complication
965003 | Toxic amblyopia
975000 | Anorectal agenesis
978003 | Chronic infantile eczema
981008 | Hemorrhagic proctitis
984000 | Perirectal cellulitis
987007 | Cellulitis of temple region
991002 | Wide QRS complex
998008 | Chagas' disease with heart involvement
1003002 | Religious discrimination
1020003 | Disease due to Nairovirus
1023001 | Apneic
1027000 | Biliary esophagitis
1031006 | Open wound of trachea without complication
1033009 | Thoracic arthritis
1034003 | Mesenteric-portal fistula
1038000 | Disaccharidurie
1045000 | Colonospasm
1046004 | Ureteritis glandularis
1051005 | Hyperplasia of islet alpha cells with gastrin excess
1055001 | Stenosis of precerebral artery
1059007 | Opisthorchiasis
1070000 | Facial myokymia
1073003 | Xeroderma pigmentosum group B
1074009 | Glucocorticoid-responsive primary hyperaldosteronism
1077002 | Septal infarction by EKG
1079004 | Macular retinal cyst
1085006 | Vulval candidiasis
1089000 | Congenital sepsis
1102005 | Intraerythrocytic parasitosis by Nuttallia
1107004 | Early latent syphilis, positive serology, negative cerebrospinal fluid, with relapse after treatment
1108009 | Female pattern alopecia
1111005 | Normal sebaceous gland activity
1112003 | Degenerative disorder of eyelid
1116000 | Chronic aggressive type B viral hepatitis
1124005 | Postpartum period, 6 days
1125006 | Septicemia during labor
1126007 | Knee locking
1131009 | Congenital valvular insufficiency

1134001 | Muehrcke lines
1135000 | Solar retinitis
1139006 | Confrontation (visual) test
1140008 | Thermal hypesthesia
1141007 | Circumoral paresthesia
1145003 | DSD - Developmental speech disorder
1150009 | Congenital microcheilia
1151008 | Constricted visual field
1152001 | Skin reaction negative
1155004 | Myocardial hypertrophy, determined by electrocardiogram
1156003 | Cavitary prostatitis
1168007 | Allotype
1184008 | Glasgow coma scale, 10
1192004 | Familial amyloid neuropathy, Finnish type
1194003 | Disease condition determination, well controlled
1196001 | Chronic bipolar II disorder, most recent episode major depressive
1197005 | Carbuncle of heel
1201005 | Benign essential hypertension
1203008 | Deep third degree burn of forehead AND/OR cheek with loss of body part
1207009 | Optic disc glaucomatous atrophy
1208004 | Gastroptosis
1212005 | Juvenile dermatomyositis
1214006 | Infection by Strongyloides
1230003 | No diagnosis on Axis 1
1232006 | Congenital articular rigidity with myopathy
1239002 | Congenital anteversion of femoral neck
1240000 | Lying prone
1259003 | Schistosis
1261007 | Multiple fractures of ribs
1264004 | Injury of descending left colon without open wound into abdominal cavity
1271009 | Knuckle pads, leuconychia and deafness
1280009 | Isologous chimera
1282001 | Laryngeal perichondritis
1283006 | Visual acuity less than .02 (1/60, count fingers 1 meter) or visual field less than 5 degrees, but better than 5.
1284000 | Abnormal jaw closure
1286003 | Vitamin K deficiency coagulation disorder
1287007 | Congenital absence of bile duct
1297003 | Infection by Cladosporium carrionii
1308001 | Complication of reimplant
1310004 | Impaired glucose tolerance associated with genetic syndrome
1317001 | Injury of ovary without open wound into abdominal cavity
1318006 | Post-translational genetic protein processing
1323006 | Kanamycin poisoning
1332008 | Conjugated visual deviation
1335005 | Peyronies disease
1343000 | DTA - Deep transverse arrest
1345007 | Hang nail
1351002 | Iliac artery injury
1356007 | Calculus of common duct with obstruction
1361009 | Leucocoria
1363007 | Fetal or neonatal effect of chronic maternal respiratory disease
1367008 | Injury of superior mesenteric artery
1370007 | Open fracture of metacarpal bone(s)
1372004 | Unicornate uterus
1376001 | Obsessive compulsive personality disorder
1378000 | Supination-eversion injury of ankle
1380006 | Agoraphobia without history of panic disorder with limited symptom attacks
1383008 | Hallucinogen induced mood disorder
1384002 | Diffuse cholesteatosis of middle ear
1386000 | Intracranial hemorrhage
1387009 | Solanum nigrum poisoning
1388004 | Metabolic alkalosis
1393001 | Lenz-Majewski dysplasia
1395008 | Complication of ultrasound therapy
1402001 | Frightened
1412008 | Anterior subcapsular polar cataract
1415005 | Inflammation of lymphatics
1418007 | Hypoplastic chondrodystrophy
1419004 | Injury of prostate without open wound into abdominal cavity
1426004 | Necrotizing glomerulonephritis
1427008 | Intraspinal abscess

1430001 | Intracranial hemorrhage following injury without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) without return to pre-existing level
1447000 | Icthyoparasitism
1469007 | Miscarriage with urinary tract infection
1474004 | Hypertensive heart AND renal disease complicating AND/OR reason for care during childbirth
1475003 | Herpes labialis
1478001 | Obliteration of lymphatic vessel
1479009 | 20q partial trisomy syndrome
1482004 | Chalazion
1486001 | Orbital congestion
1488000 | PONV - Postoperative nausea and vomiting
1489008 | External hordeolum
1492007 | Congenital anomaly of large intestine
1493002 | Acute endophthalmitis
1499003 | Bipolar I disorder, single manic episode with postpartum onset
1512006 | Congenital stricture of bile duct
1515008 | Gorham disease
1518005 | Splenitis
1519002 | Congenital phlebectasia
1521007 | Blister of buttock without infection
1523005 | Clinical stage IV B
1525003 | Blister of foot without infection
1531000 | Nitrofuran derivative poisoning
1532007 | Viral pharyngitis
1534008 | Palsy of conjugate gaze
1538006 | Central nervous system malformation in foetus affecting obstetrical care
1539003 | Nodular tendinous disease of finger
1542009 | Omphalocele with obstruction
1544005 | Open dislocation of knee
1551001 | Osteomyelitis of femur
1556006 | Clark melanoma level 4
1563006 | Protein S deficiency
1567007 | Chronic gastric ulcer without hemorrhage, without perforation AND without obstruction
1588003 | Heterosexual precocious puberty
1592005 | Failed attempted termination of pregnancy with uremia
1593000 | Infantile hemiplegia
1606009 | Infection caused by Macracanthorhynchus hirudinaceus
1608005 | Increased capillary permeability
1639007 | Abnormality of organs AND/OR soft tissues of pelvis affecting pregnancy
1647007 | Primaquine poisoning
1648002 | Lymphocytic pseudotumor of lung
1654001 | Steroid-induced glaucoma
1657008 | Toxic effect of phosdrin
1658003 | Closed fracture clavicle, lateral end
1663004 | Tumor grade G2
1667003 | Early fontanel closure
1670004 | Cerebral hemiparesis
1671000 | Sago spleen
1674008 | Meesman's epithelial corneal dystrophy
1679003 | Arthritis associated with another disorder
1682008 | Transitory amino acid metabolic disorder
1685005 | Rat-bite fever
1686006 | Sedative, hypnotic AND/OR anxiolytic-induced anxiety disorder
1694004 | Accessory lobe of lung
1698001 | Ulcer of bile duct
1703007 | Increased leg circumference
1705000 | Closed fracture of base of neck of femur
1708003 | Open dislocation of clavicle
1714005 | Photokeratitis
1717003 | Guttate hypomelanosis
1723008 | Urethral stricture due to schistosomiasis
1724002 | Infection caused by Crenosoma
1734006 | Fracture of vertebral column with spinal cord injury
1735007 | Thrill
1739001 | Occipital fracture
1742007 | Female hypererotism
1744008 | Connation of teeth
1748006 | Thrombophlebitis of deep femoral vein
1755008 | Healed coronary
1761006 | Biliary cirrhosis
1763009 | Stromal keratitis
1767005 | Fisher syndrome

1769008 | Thoracodidymus
1771008 | Insulin biosynthesis defect
1776003 | RTA - Renal tubular acidosis
1777007 | Increased molecular dissociation
1778002 | Malocclusion due to abnormal swallowing
1779005 | OFD II - Orofacial-digital syndrome II
1794009 | Idiopathic corneal edema
1816003 | Panic disorder with agoraphobia, severe agoraphobic avoidance AND mild panic attacks
1821000 | Chemoreceptor apnea
1822007 | Impaired glucose tolerance associated with pancreatic disease
1824008 | Allergic gastritis
1826005 | Granuloma of lip
1828006 | Infestation caused by Gasterophilus hemorrhoidalis
1829003 | Microcephalus
1833005 | Phacoanaphylactic endophthalmitis
1835003 | Necrosis of pancreas
1837006 | Orciprenaline poisoning
1845001 | Paraparesis
1847009 | Endophthalmitis
1848004 | Poisoning caused by gaseous anesthetic
1852004 | Traumatic injury of sixth cranial nerve
1855002 | Developmental academic disorder
1856001 | Accessory nose
1857005 | Congenital rubella syndrome
1858000 | Infection caused by Stilesia globipunctata
1860003 | Fluid volume disorder
1865008 | Impaired intestinal protein absorption
1869002 | Rupture of iris sphincter
1881003 | Increased nutritional requirement
1892002 | Star figure at the macula
1896004 | Ectopic breast tissue
1897008 | Amsinckia species poisoning
1899006 | Autosomal hereditary disorder
1903004 | Infestation caused by Psorergates ovis
1908008 | von Willebrand disease, type IIC
1909000 | Impairment level: better eye: severe impairment: lesser eye: near-total impairment
1922008 | Congenital absence of urethra
1926006 | Osteopetrosis
1938002 | Emotional AND/OR mental disease in mother complicating pregnancy, childbirth AND/OR puerperium
1939005 | Abnormal vascular flow
1943009 | Left-right confusion
1953005 | Congenital deficiency of pigment of skin
1954004 | Dilated cardiomyopathy secondary to toxic reaction
1955003 | Preauricular pit
1959009 | Encephalartos species poisoning
1961000 | Chronic polyarticular juvenile rheumatoid arthritis
1963002 | PNH - Paroxysmal nocturnal hemoglobinuria
1965009 | Normal skin pH
1967001 | Congenital absence of forearm only
1973000 | Sedative, hypnotic AND/OR anxiolytic-induced psychotic disorder with delusions
1977004 | Oxymetholone poisoning
1979001 | Focal choroiditis
1980003 | Seromucinous otitis media
1981004 | Urhidrosis
1988005 | Late effect of injury to nerve roots, spinal plexus AND/OR other nerves of trunk
1989002 | Burn of vagina AND/OR uterus
2004005 | Normotensive
2012002 | Fracture of lunate
2024009 | Dilated cardiomyopathy secondary to metazoal myocarditis
2028007 | Erythema induratum
2032001 | Cerebral edema
2036003 | Acquired factor VII deficiency disease
2040007 | Neurogenic thoracic outlet syndrome
2041006 | Eunuchoid gigantism
2043009 | Alcoholic gastritis
2053005 | Late effect of injury to blood vessels of thorax, abdomen AND/OR pelvis
2055003 | Recurrent erosion syndrome
2058001 | Bilateral loss of labyrinthine reactivity
2061000 | Conductive hearing loss of combined sites
2065009 | Autosomal dominant optic atrophy
2066005 | Gastric ulcer with hemorrhage AND perforation but without obstruction
2070002 | Burning sensation in eye

2073000 | Delusions
2087000 | Pulmonary nocardiosis
2089002 | Pagets disease of bone
2091005 | Pharyngeal diverticulitis
2094002 | Carbon disulfide causing toxic effect
2102007 | Deep corneal vascularization
2103002 | Reflex sympathetic dystrophy of upper extremity
2107001 | Anisomelia
2109003 | Isolated somatotropin deficiency
2114004 | Infection caused by Cysticercus pisiformis
2116002 | Intramembranous bone formation
2120003 | Weak cry
2121004 | Ethopropazine poisoning
2128005 | Disorder of adenoid
2129002 | Edema of pharynx
2132004 | Meconium in amniotic fluid noted before labor in liveborn infant
2134003 | Diffuse pain
2136001 | Open wound of jaw with complication
2138000 | LSP - Left sacroposterior position
2145000 | Anal intercourse
2149006 | Decreased hormone production
2158004 | Infection caused by Contracaecum
2167004 | Retinal hemangioblastomatosis
2169001 | Thoracic radiculitis
2170000 | Gallop rhythm
2176006 | Halogen acne
2177002 | PHN - Post-herpetic neuralgia
2186007 | Compensated metabolic alkalosis
2198002 | Visceral epilepsy
2202000 | Open posterior dislocation of distal end of femur
2204004 | Acquired deformity of pinna
2213002 | Congenital anomaly of vena cava
2216005 | Nocturnal emission
2217001 | Superficial injury of perineum without infection
2219003 | Disability evaluation, disability 100%
2224000 | Selenium poisoning
2228002 | Scintillating scotoma
2229005 | Chimera
2231001 | Nerve plexus disorder
2237002 | Painful breathing -pleurodynia
2239004 | Previous pregnancies 6
2241003 | X-linked absence of thyroxine-binding globulin
2243000 | Hypercalcemia due to hyperthyroidism
2245007 | Foreign body in nasopharynx
2251002 | Primary hypotony of eye
2256007 | Monovular twins
2261009 | Obstetrical pulmonary fat embolism
2268003 | Victim of homosexual aggression
2284002 | Pulsating exophthalmos
2295008 | Closed fracture of upper end of forearm
2296009 | Iron dextran toxicity
2298005 | Focal facial dermal dysplasia
2301009 | Psychosomatic factor in physical condition, psychological component of unknown degree
2303007 | Inguinal hernia with gangrene
2304001 | Intervertebral discitis
2307008 | Peripancreatic fat necrosis
2308003 | Silent alleles
2312009 | Reactive attachment disorder of infancy OR early childhood, inhibited type
2314005 | Unprotected intercourse
2326000 | Marriage annulment
2339001 | Sexual overexposure
2341000 | Infection caused by Moniliformis
2351004 | Genetic transduction
2355008 | Rud syndrome
2359002 | Hyper-beta-alaninemia
2365002 | Simple chronic pharyngitis
2366001 | Late effect of dislocation
2367005 | Acute hemorrhagic gastritis
2374000 | Monofascicular block
2385003 | Cellulitis of pectoral region
2388001 | Normal variation in translucency
2390000 | Acute gonococcal vulvovaginitis

2391001 | Achondrogenesis
2396006 | Malignant pyoderma
2398007 | Quinidine toxicity by electrocardiogram
2403008 | Dependence syndrome
2415007 | Lumbosacral root lesion
2418009 | Polyester fume causing toxic effect
2419001 | Open wound of forehead with complication
2420007 | Third degree burn of multiple sites of upper limb
2432006 | Cerebrospinal fluid circulation disorder
2435008 | Ascaridiasis
2437000 | Placenta circumvallata
2438005 | Iniencephaly
2439002 | Purulent endocarditis
2443003 | Hydrogen sulfide poisoning
2452007 | Fetal rotation
2463005 | Acquired heterochromia of iris
2469009 | Onychomalacia
2470005 | Brain damage
2471009 | Intra-abdominal abscess postprocedure
2472002 | Passes no urine
2473007 | Intermittent vertical squint
2477008 | Superficial phlebitis
2492009 | Disorder of nutrition
2495006 | Congenital cerebral arteriovenous aneurysm
2496007 | Acalculia
2506003 | Early onset dysthymia
2513003 | Tinea capitis caused by Trichophyton
2518007 | Cryptogenic sexual precocity
2521009 | Bone conduction better than air
2523007 | Salmonella pneumonia
2526004 | Noninflammatory disorder of the female genital organs
2528003 | Viremia
2532009 | Choroidal rupture
2534005 | Congenital absence of vena cava
2538008 | Ketosis
2541004 | Compulsive buying
2554006 | Acute purulent pericarditis
2556008 | Disease of supporting structures of teeth
2560006 | Complex syndactyly of fingers
2562003 | Athanasia trifurcata poisoning
2576002 | Trachoma
2581006 | Clasp knife rigidity
2582004 | Deep third degree burn of multiple sites of lower limb
2583009 | Filigreed network of venous valves
2584003 | Cerebral degeneration in childhood
2585002 | Pneumococcal pleurisy
2589008 | Acute dacryoadenitis
2591000 | Crush injury of shoulder region
2593002 | Dubowitz syndrome
2602008 | Hemarthrosis of shoulder
2606006 | Boil of perineum
2615004 | Graafian follicle cyst
2618002 | Chronic recurrent major depressive disorder
2622007 | Infected ulcer of skin
2624008 | Prepubertal periodontitis
2625009 | Senter syndrome
2630008 | Open wound of finger without complication
2634004 | Decreased blood erythrocyte volume
2638001 | Hypercalcemia caused by a drug
2640006 | Clinical stage 4
2651006 | Closed traumatic dislocation of elbow joint
2655002 | Invalidism
2657005 | Overflow proteinuria
2663001 | Palpatory proteinuria
2665008 | Coordinate convulsion
2683000 | Nonvenomous insect bite of axilla without infection
2689001 | Dominant dystrophic epidermolysis bullosa with absence of skin
2694001 | Myelophthisic anemia
2704003 | Acute disease
2707005 | Necrotizing enterocolitis
2713001 | Closed pneumothorax
2724004 | Auditory recruitment

2725003 | Previous abnormality of glucose tolerance
2733002 | Heel pain
2736005 | Honeycomb atrophy of face
2740001 | Gouty proteinuria
2749000 | Congenital deformity of hip
2751001 | Fibrocalculous pancreatic diabetes
2761008 | Decreased stool caliber
2764000 | Joint crackle
2770006 | Fetal or neonatal effect of antibiotic transmitted via placenta and/or breast milk
2772003 | Epidermolysis bullosa acquisita
2775001 | Intra-articular loose body
2776000 | Organic brain syndrome
2781009 | Miscarriage complicated by delayed and/or excessive hemorrhage
2782002 | Temporomandibular dysplasia
2783007 | Gastrojejunal ulcer without hemorrhage AND without perforation
2786004 | Epithelial ovarian tumor, International Federation of Gynecology and Obstetrics stage III
2790002 | Impairment level: one eye: total impairment: other eye: not specified
2805007 | Phosmet poisoning
2806008 | Impaired psychomotor development
2807004 | Chronic gastrojejunal ulcer with perforation
2808009 | Infection caused by Prosthenorchis elegans
2815001 | Sexual pyromania
2816000 | Dilated cardiomyopathy secondary to myotonic dystrophy
2818004 | Congenital vascular anomaly of eye
2819007 | Magnesium sulfate poisoning
2825006 | Abrasion and/or friction burn of gum without infection
2828008 | Congenital stenosis of nares
2829000 | Uhl disease
2831009 | Pyloric antral vascular ectasia
2835000 | Hemolytic anemia due to cardiac trauma
2836004 | Butane causing toxic effect
2838003 | Piblokto
2840008 | Open fracture of vault of skull with cerebral laceration AND/OR contusion
2850009 | Infection caused by Schistosoma incognitum
2853006 | Macular keratitis
2856003 | Vitamin A-responsive dermatosis
2858002 | Postpartum sepsis
2884008 | Spherophakia-brachymorphia syndrome
2893009 | Anomaly of chromosome pair 10
2897005 | Immune thrombocytopenia
2899008 | Thought blocking
2900003 | Fibromuscular dysplasia of renal artery
2901004 | Altered blood passed per rectum
2902006 | Decreased lymphocyte life span
2904007 | Male infertility
2910007 | Discharge from penis
2912004 | Cystic-bullous disease of the lung
2917005 | Transient hypothyroidism
2918000 | Infection caused by Bacteroides
2919008 | Nausea, vomiting and diarrhea
2929001 | Arterial occlusion
2935001 | Antiasthmatic poisoning
2940009 | Intrabasal vesicular dermatitis
2946003 | Osmotic diarrhea
2951009 | Atopic cataract
2955000 | Chronic ulcerative pulpitis
2965006 | Nevoid congenital alopecia
2967003 | Non-comitant strabismus
2972007 | Occlusion of anterior spinal artery
2973002 | Pelvic organ injury without open wound into abdominal cavity
2978006 | Aneurysm of conjunctiva
2981001 | Pulsatile mass of abdomen
2989004 | Complication following molar AND/OR ectopic pregnancy
2990008 | Lymphocytic leukemoid reaction
2992000 | Pigmentary pallidal degeneration
2994004 | Brain fag
2999009 | Injury of ear region
3002002 | Thyroid hemorrhage
3004001 | Congenital dilatation of esophagus
3006004 | Altered consciousness
3009006 | Solanum malacoxylon poisoning
3013004 | Open wound of ear drum without complication

3014005 | Autoeczematization
3018008 | Penetration of eyeball with magnetic foreign body
3019000 | Closed anterior dislocation of elbow
3021005 | Normal gastric acidity
3023008 | Acute peptic ulcer without hemorrhage, without perforation AND without obstruction
3032005 | Nonvenomous insect bite of cheek without infection
3033000 | Bone AND/OR joint disorder of pelvis in mother complicating pregnancy, childbirth AND/OR puerperium
3038009 | Acute lymphangitis of umbilicus
3044008 | Vitreous prolapse
3053001 | Poisoning caused by nitroglycerin
3059002 | Acute lymphangitis of thigh
3067005 | Weak C phenotype
3071008 | Widow
3072001 | Hormone-induced hypopituitarism
3073006 | Ruvalcaba syndrome
3084004 | Nonvenomous insect bite of gum without infection
3089009 | Disability evaluation, impairment, class 7
3094009 | Vomiting in infants AND/OR children
3095005 | Induced malaria
3097002 | Superficial injury of lip with infection
3098007 | Ventricular septal rupture
3105002 | Intron
3109008 | Secondary dysthymia early onset
3110003 | AOM - Acute otitis media
3119002 | Brain stem laceration with open intracranial wound AND loss of consciousness
3129009 | Infarction of ovary
3135009 | OE - Otitis externa
3140001 | Citrullinemia, subacute type
3144005 | Staphylococcal pleurisy
3158007 | Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND panic attacks in partial remission
3160009 | Infertility of cervical origin
3163006 | Acute adenoviral follicular conjunctivitis
3168002 | Thrombophlebitis of intracranial venous sinus
3185000 | Mood-congruent delusion
3199001 | Sprain of shoulder joint
3200003 | Sacrocoxalgia
3208005 | Open wound of ossicles without complication
3214003 | Invasive pulmonary aspergillosis
3217005 | Open dislocation of sixth cervical vertebra
3218000 | Mycotic disease
3219008 | Disease type AND/OR category unknown
3228009 | Closed fracture of the radial shaft
3229001 | Tracheal ulcer
3230006 | Illegal termination of pregnancy with afibrinogenemia
3238004 | Pericarditis
3239007 | Lymphocyte disorder
3253007 | Dyschromia
3254001 | Infection caused by Strongyloides westeri
3259006 | Homeria species poisoning
3261002 | Migratory osteolysis
3263004 | Verumontanitis
3272007 | Stomatocytosis
3274008 | Flat chest
3275009 | Behcet syndrome, vascular type
3276005 | Toad poisoning
3277001 | Terminal mood insomnia
3282008 | Arc eye
3283003 | Feeling of sand or foreign body in eye
3286006 | Patient status determination, greatly improved
3289004 | Anisometropia
3291007 | Closed fracture of two ribs
3298001 | Amnestic syndrome
3303004 | Disease caused by Arenavirus
3304005 | Bronchial compression
3305006 | Disorder of lymphatic vessel
3308008 | Atrophic-hyperplastic gastritis
3310005 | Foreign body granuloma of skin
3321001 | Renal abscess
3323003 | Leukoplakia of penis
3327002 | Acquired jerk nystagmus
3331008 | Open fracture of neck of metacarpal bone
3344003 | Toxic labyrinthitis

3345002 | Idiopathic osteoporosis
3355003 | Anti-common cold drug poisoning
3358001 | Lichen ruber moniliformis
3368006 | Dull chest pain
3376008 | Pseudoptyalism
3381004 | Open fracture of astragalus
3387000 | Auditory discrimination aphasia
3391005 | Negative for tumor cells
3393008 | Phlebitis following infusion, perfusion AND/OR transfusion
3398004 | Cadmium poisoning
3401001 | Cercopithecus herpesvirus 1 disease
3415004 | Cyanosis
3419005 | Faucial diphtheria
3421000 | Open blow-out fracture orbit
3424008 | Heart rate fast
3426005 | Retained magnetic intraocular foreign body
3427001 | Nonglucosuric melituria
3434004 | Myotonia
3439009 | Severe combined immunodeficiency (SCID) due to absent peripheral T cell maturation
3441005 | Disorder of sebaceous gland
3446000 | Open fracture of T7-T12 level with spinal cord injury
3449007 | Finger agnosia
3456001 | Chronic progressive non-hereditary chorea
3458000 | Myositis ossificans associated with dermato / polymyositis
3461004 | Deep third degree burn of thumb
3464007 | Infection caused by Oesophagostomum dentatum
3468005 | Neonatal infective mastitis
3469002 | Partial thickness burn of thumb
3472009 | Spondylolisthesis, grade 4
3474005 | Glycine max poisoning
3480002 | Burn of wrist
3482005 | Postoperative esophagitis
3483000 | Chronic peptic ulcer with perforation
3487004 | Pulmonary candidiasis
3500002 | Open wound of ossicles with complication
3502005 | Cervical lymphadenitis
3503000 | Gender identity disorder of adolescence, previously asexual
3505007 | Nonallopathic lesion of the arm
3506008 | Stenosis of retinal artery
3507004 | Abscess of thigh
3511005 | Infectious thyroiditis
3514002 | Peribronchial fibrosis of lung
3519007 | Disorder of synovium
3528008 | Restricted carbohydrate fat controlled diet
3529000 | Infection caused by Sanguinicola
3530005 | Bipolar 1 disorder, single manic episode, full remission
3531009 | Intrapsychic conflict
3533007 | Acute palmoplantar pustular psoriasis
3539006 | Enteromenia
3542000 | Laceration extending into parenchyma of spleen with open wound into abdominal cavity
3544004 | Hair-splitting
3545003 | Diastolic dysfunction
3548001 | Brachial plexus disorder
3549009 | Pancreatic acinar atrophy
3558002 | Mesenteric infarction
3560000 | Bilateral recurrent inguinal hernia
3570003 | Increased blood erythrocyte volume
3571004 | Megaloblastic anemia due to pancreatic insufficiency
3577000 | Lattice retinal degeneration
3585009 | Blinking
3586005 | Psychogenic fugue
3589003 | Syphilitic pericarditis
3590007 | Enteroenteric fistula
3591006 | Metabolic acidosis, normal anion gap, bicarbonate losses
3598000 | Partial recent retinal detachment with single defect
3611003 | Demeton poisoning
3633001 | Abscess of hand
3634007 | Legal termination of pregnancy complicated by metabolic disorder
3639002 | Glossoptosis
3640000 | Late effect of traumatic amputation
3641001 | Infection caused by Coenurosis serialis
3642008 | Steryl-sulfate sulfohydrolase deficiency

3644009 | Macerated skin
3649004 | Contusion, multiple sites of trunk
3650004 | Congenital absence of liver,total
3652007 | Overproduction of growth hormone
3657001 | Osteospermum species poisoning
3660008 | Lethal glossopharyngeal defect
3662000 | Rolling hiatus hernia
3677008 | Academic problem
3680009 | Monocephalus tripus dibrachius
3681008 | Thrombophlebitis of torcular Herophili
3696007 | Functional dyspepsia
3699000 | Transverse deficiency of arm
3703002 | Ischiatic hernia with gangrene
3704008 | Diffuse endocapillary proliferative glomerulonephritis
3705009 | Congenital malformation of anterior chamber of eye
3712000 | Degenerated eye
3716002 | Thyroid goiter
3720003 | Abnormal presence of hemoglobin
3723001 | Joint inflammation
3733009 | Congenital eventration of right crus of diaphragm
3736001 | Open wound of thumbnail with tendon involvement
3738000 | VH - Viral hepatitis
3744001 | Hyperlipoproteinemia
3745000 | Sleep rhythm problem
3747008 | EC - Ejection click
3750006 | Arteriospasm
3751005 | Contusion of labium
3752003 | Infection by Trichuris
3754002 | Dysplasia of vagina
3755001 | PRP - Pityriasis rubra pilaris
3756000 | Static ataxia
3759007 | Injury of heart with open wound into thorax
3760002 | Familial multiple factor deficiency syndrome, type V
3762005 | Bilateral recurrent femoral hernia with gangrene
3763000 | Expected bereavement due to life event
3783004 | Enamel pearls
3797007 | Periodontal cyst
3798002 | Premature birth of identical twins, both stillborn
3815005 | Crohn disease of rectum
3820005 | Inner ear conductive hearing loss
3827008 | Aneurysm of artery of neck
3830001 | Subcutaneous emphysema
3841004 | Blister of cheek with infection
3845008 | Duplication of intestine
3855007 | Disorder of pancreas
3859001 | Late effect of open wound of extremities without tendon injury
3873005 | Failed attempted termination of pregnancy with acute necrosis of liver
3885002 | ABO isoimmunization in pregnancy
3886001 | Congenital fecaliths
3899003 | Neutropenic typhlitis
3900008 | Mixed sensory-motor polyneuropathy
3902000 | Non dose-related drug-induced neutropenia
3903005 | Closed traumatic pneumothorax
3908001 | Infestation caused by Haematopinus
3909009 | Coeur en sabot
3913002 | Injury of gastrointestinal tract with open wound into abdominal cavity
3914008 | Mental disorder in childhood
3928002 | Zika virus disease
3939004 | Bacterial colony density, transparent
3944006 | X-linked placental steryl-sulfatase deficiency
3947004 | High oxygen affinity hemoglobin polycythemia
3950001 | Birth
3951002 | Proctitis
3972004 | Idiopathic insomnia
3975002 | Deep third degree burn of lower limb
3978000 | AIHA - Warm autoimmune hemolytic anemia
3987009 | Congenital absence of trachea
3993001 | Infection caused by Muellerius
3999002 | Acute pyelitis without renal medullary necrosis
4003003 | Alphavirus disease
4004009 | Monster with cranial anomalies
4006006 | Foetal tachycardia affecting management of mother

4009004 | Lower urinary tract infection
4016003 | Empyema of mastoid
4017007 | Increased stratum corneum adhesiveness
4022007 | Vulvitis circumscripta plasmacellularis
4026005 | Interstitial mastitis associated with childbirth
4030008 | Le Dantec virus disease
4038001 | Myrotheciotoxicosis
4039009 | Multiple vitamin deficiency disease
4040006 | Hassall-Henle bodies
4041005 | Congenital anomaly of macula
4046000 | Degenerative spondylolisthesis
4062006 | Lumbosacral plexus lesion
4063001 | Achillodynia
4069002 | Anoxic brain damage during AND/OR resulting from a procedure
4070001 | Palinphrasia
4075006 | Peganum harmala poisoning
4082005 | Syphilitic myocarditis
4088009 | Acquired hydrocephalus
4089001 | Meningococcemia
4092002 | Nonallopathic lesion of costovertebral region
4103001 | Complex partial seizure
4106009 | Rotator cuff rupture
4107000 | Infertile male syndrome
4113009 | Arrested hydrocephalus
4120002 | Bronchiolitis
4124006 | Insect bite, nonvenomous, of vagina, infected
4127004 | Prostatic obstruction
4129001 | Argyll-Robertson pupil
4135001 | 11p partial monosomy syndrome
4136000 | Macrodactylia of toes
4142001 | Muscular asthenopia
4152002 | Acquired hypoprothrombinemia
4160001 | Congenital anomaly of upper respiratory system
4168008 | Tibial plateau chondromalacia
4170004 | Ehlers-Danlos syndrome, procollagen proteinase resistant
4174008 | Tripartite placenta
4175009 | Infestation by Estrus
4178006 | Partial recent retinal detachment with multiple defects
4181001 | Normal peak expiratory flow rate
4183003 | Charcot-Marie-Tooth disease, type IC
4184009 | Congenital malformation of the endocrine glands
4191007 | Scaphoid head
4195003 | Duplication of anus
4197006 | Disability evaluation, impairment, class 5
4199009 | 18p partial trisomy syndrome
4208000 | Closed multiple fractures of both lower limbs
4210003 | OH - Ocular hypertension
4223005 | Parkinsonism caused by drug
4224004 | Complication of infusion
4225003 | Nasal tuberculosis
4229009 | Phthisical eye
4232007 | Chronic vulvitis
4237001 | Suppurative pulpitis
4240001 | Rupture of aorta
4241002 | Listeria infection
4242009 | 18q partial monosomy syndrome
4244005 | Urticaria neonatorum
4248008 | Synovitis AND/OR tenosynovitis associated with another disease
4249000 | Poor peripheral circulation
4251001 | Internal eye sign
4260009 | Sacral spinal cord injury without bone injury
4262001 | Phlebitis of superior sagittal sinus
4264000 | Chronic pericoronitis
4269005 | Chronic gastrojejunal ulcer without hemorrhage AND without perforation
4273008 | Closed posterior dislocation of elbow
4275001 | Conjugate gaze spasm
4278004 | Superficial foreign body of axilla without major open wound but with infection
4283007 | Mirizzi syndrome
4287008 | Chordee of penis
4294006 | Isosexual precocious puberty
4300009 | Deep third degree burn of forearm
4301008 | Autoimmune state

4306003 | Cluster B personality disorder
4307007 | Pregestational diabetes mellitus AND/OR impaired glucose tolerance, modified White class F
4308002 | RSIS - Repetitive strain injury syndrome
4310000 | Third degree burn of wrist AND/OR hand
4313003 | Acardiacus anceps
4316006 | Myometritis
4320005 | Factor V deficiency
4324001 | Subacute cystitis
4325000 | 11q partial monosomy syndrome
4332009 | Subarachnoid hemorrhage following injury without open intracranial wound AND with concussion
4338008 | Arnold nerve reflex cough syndrome
4340003 | Acrodermatitis chronica atrophicans
4349002 | Open fracture of multiple sites of metacarpus
4354006 | Open dislocation of scapula
4356008 | Gingival soft tissue recession
4359001 | Early congenital syphilis
4364002 | Structure of associations
4367009 | Hoover sign
4373005 | Clubbing of nail
4374004 | TV - Congenital tricuspid valve abnormality
4381006 | Verbal paraphasia
4386001 | Bronchospasm
4390004 | Chronic lithium nephrotoxicity
4397001 | Partial congenital duodenal obstruction
4399003 | Acute hemorrhagic pancreatitis
4403007 | Exclamation point hair
4406004 | Congenital anomaly of male genital system
4409006 | Combined methylmalonic acidemia and homocystinuria due to defects in adenosylcobalamin and methylcobalamin synthesis
4410001 | Retroperitoneal hernia with obstruction
4412009 | Digital nerve injury
4414005 | Infection caused by Setaria
4416007 | Heerfordt syndrome
4418008 | Gangrenous ergotism
4426000 | Ten previous induced terminations of pregnancy
4434006 | BS - Bloom syndrome
4439001 | Axenfeld-Schurenberg syndrome
4441000 | Severe bipolar disorder with psychotic features
4445009 | TB - Urogenital tuberculosis
4448006 | Allergic headache
4451004 | Illegal termination of pregnancy with renal tubular necrosis
4461006 | Complication of administrative procedure
4463009 | Indiana-Maryland type amyloid polyneuropathy
4464003 | Rocio virus disease
4465002 | Spherophakia
4468000 | Oppenheim gait
4470009 | Blanching of skin
4473006 | Migraine with aura
4477007 | Juvenile myopathy AND lactate acidosis
4478002 | Multiple fractures of upper AND lower limbs
4481007 | Abnormal gastric secretion regulation
4483005 | Syphilitic punched out ulcer

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.226 Value Set http://hl7.org/fhir/ValueSet/specimen-status

URL: https://hl7.org/fhir/R4/valueset-specimen-status.html
Orders and Observations Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/specimen-status
Version: | 4.0.1
Name: | SpecimenStatus
Title: | SpecimenStatus
Definition: | Codes providing the status/availability of a specimen.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.471 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for SpecimenStatus

• ConceptMap: Translation source in Canonical Mapping for "SpecimenStatus"

• Resource: Specimen.status (code / Required)

4.4.1.226.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/specimen-status

4.4.1.226.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/specimen-status version 4.0.1

All codes from system http://hl7.org/fhir/specimen-status

Code | Display | Definition | Canonical Status
available | Available | The physical specimen is present and in good condition. | ~active
unavailable | Unavailable | There is no physical specimen because it is either lost, destroyed or consumed. | ~inactive
unsatisfactory | Unsatisfactory | The specimen cannot be used because of a quality issue such as a broken container, contamination, or too old. | ~failed
entered-in-error | Entered in Error | The specimen was entered in error and therefore nullified. | ~error

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.227 Value Set http://hl7.org/fhir/ValueSet/verificationresult-status

URL: https://hl7.org/fhir/R4/valueset-verificationresult-status.html
Patient Administration Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/verificationresult-status
Version: | 4.0.1
Name: | status
Title: | Status
Definition: | The validation status of the target
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.884 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for status

• ConceptMap: Translation source in Canonical Mapping for "Status"

• Resource: VerificationResult.status (code / Required)

4.4.1.227.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/CodeSystem/status

4.4.1.227.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/CodeSystem/status version 4.0.1

All codes from system http://hl7.org/fhir/CodeSystem/status

Code | Display | Definition | Canonical Status
attested | Attested | ***TODO*** | ~draft
validated | Validated | ***TODO*** | ~accepted
in-process | In process | ***TODO*** | ~active
req-revalid | Requires revalidation | ***TODO*** | ~replaced
val-fail | Validation failed | ***TODO***
reval-fail | Re-Validation failed | ***TODO***

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.228 Value Set http://hl7.org/fhir/ValueSet/restful-capability-mode

URL: https://hl7.org/fhir/R4/valueset-restful-capability-mode.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Conformance Package for further details.

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/restful-capability-mode
Version: | 4.0.1
Name: | RestfulCapabilityMode
Title: | RestfulCapabilityMode
Definition: | The mode of a RESTful capability statement.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.176 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for RestfulCapabilityMode

• Resource: CapabilityStatement.rest.mode (code / Required)

4.4.1.228.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/restful-capability-mode

4.4.1.228.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/restful-capability-mode version 4.0.1

All codes from system http://hl7.org/fhir/restful-capability-mode

Code | Display | Definition
client | Client | The application acts as a client for this resource.
server | Server | The application acts as a server for this resource.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.229 Value Set http://hl7.org/fhir/ValueSet/consistency-type

URL: https://hl7.org/fhir/R4/valueset-consistency-type.html
Orders and Observations Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/consistency-type
Version: | 4.0.1
Name: | FluidConsistencyTypeCodes
Title: | Fluid Consistency Type Codes
Definition: | FluidConsistencyType : Codes used to represent the consistency of fluids and liquids provided to the patient. This value set includes concepts from SNOMED CT (US Extension) where concept is a 435681000124103 (Dietary liquid consistency diet (regime/therapy)). It is provided as a suggestive example.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.389 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: NutritionOrder.oralDiet.fluidConsistencyType (CodeableConcept / Example)

4.4.1.229.1 Content Logical Definition

This value set includes codes from the following code systems:

http://snomed.info/sct

Code | Display
439031000124108 | honey thick liquid
439021000124105 | nectar thick liquid
439041000124103 | spoon thick liquid
439081000124109 | thin liquid

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.230 Value Set http://hl7.org/fhir/ValueSet/search-comparator

URL: https://hl7.org/fhir/R4/valueset-search-comparator.html
FHIR Infrastructure Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/search-comparator
Version: | 4.0.1
Name: | SearchComparator
Title: | SearchComparator
Definition: | What Search Comparator Codes are supported in search.

Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.637 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for SearchComparator

• Resource: SearchParameter.comparator (code / Required)

4.4.1.230.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/search-comparator

4.4.1.230.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 9 concepts

Expansion based on http://hl7.org/fhir/search-comparator version 4.0.1

All codes from system http://hl7.org/fhir/search-comparator

Code	Display	Definition
eq	Equals	the value for the parameter in the resource is equal to the provided value.
ne	Not Equals	the value for the parameter in the resource is not equal to the provided value.
gt	Greater Than	the value for the parameter in the resource is greater than the provided value.
lt	Less Than	the value for the parameter in the resource is less than the provided value.
ge	Greater or Equals	the value for the parameter in the resource is greater or equal to the provided value.
le	Less of Equal	the value for the parameter in the resource is less or equal to the provided value.
sa	Starts After	the value for the parameter in the resource starts after the provided value.
eb	Ends Before	the value for the parameter in the resource ends before the provided value.
ap	Approximately	the value for the parameter in the resource is approximately the same to the provided value.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.231 Value Set http://hl7.org/fhir/ValueSet/message-reason-encounter

URL: https://hl7.org/fhir/R4/valueset-message-reason-encounter.html
Infrastructure And Messaging Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/message-reason-encounter
Version: | 4.0.1
Name: | ExampleMessageReasonCodes
Title: | Example Message Reason Codes
Definition: | Example Message Reasons. These are the set of codes that might be used an updating an encounter using admin-update.
Committee: | Infrastructure And Messaging Work Group
OID: | 2.16.840.1.113883.4.642.3.378 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ExampleMessageReasonCodes

• Resource: MessageHeader.reason (CodeableConcept / Example)

4.4.1.231.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/message-reasons-encounter

4.4.1.231.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 6 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/message-reasons-encounter version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/message-reasons-encounter

Code | Display | Definition
admit | Admit | The patient has been admitted.
discharge | Discharge | The patient has been discharged.
absent | Absent | The patient has temporarily left the institution.
return | Returned | The patient has returned from a temporary absence.
moved | Moved | The patient has been moved to a new location.
edit | Edit | Encounter details have been updated (e.g. to correct a coding error).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.232 Value Set http://hl7.org/fhir/ValueSet/plan-definition-type

URL: https://hl7.org/fhir/R4/valueset-plan-definition-type.html
Clinical Decision Support Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/plan-definition-type
Version: | 4.0.1
Name: | PlanDefinitionType
Title: | PlanDefinitionType
Definition: | The type of PlanDefinition.
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.797 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

- CodeSystem: This value set is the designated 'entire code system' value set for PlanDefinitionType
- Resource: PlanDefinition.type (CodeableConcept / Extensible)
- Profile: ShareablePlanDefinition: PlanDefinition.type (CodeableConcept / Extensible)
- Profile: ComputablePlanDefinition: PlanDefinition.type (CodeableConcept / Extensible)
- Profile: CDSHooksServicePlanDefinition: PlanDefinition.type (CodeableConcept / Extensible)

4.4.1.232.1 Content Logical Definition

This value set includes codes from the following code systems:

- Include all codes defined in http://terminology.hl7.org/CodeSystem/plan-definition-type

4.4.1.232.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/plan-definition-type version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/plan-definition-type

Code | Display | Definition
order-set | Order Set | A pre-defined and approved group of orders related to a particular clinical condition (e.g. hypertension treatment and monitoring) or stage of care (e.g. hospital admission to Coronary Care Unit). An order set is used as a checklist for the clinician when managing a patient with a specific condition. It is a structured collection of orders relevant to that condition and presented to the clinician in a computerized provider order entry (CPOE) system.
clinical-protocol | Clinical Protocol | Defines a desired/typical sequence of clinical activities including preconditions, triggers and temporal relationships.

eca-rule | ECA Rule | A decision support rule of the form [on Event] if Condition then Action. It is intended to be a shareable, computable definition of actions that should be taken whenever some condition is met in response to a particular event or events.
workflow-definition | Workflow Definition | Defines the steps for a group of one or more systems in an event flow process along with the step constraints, sequence, pre-conditions and decision points to complete a particular objective.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.233 Value Set http://hl7.org/fhir/ValueSet/devicemetric-type

URL: https://hl7.org/fhir/R4/valueset-devicemetric-type.html

This value set could not be expanded by the publication tooling: Error from server: Unable to provide support for code system urn:iso:std:iso:11073:10101

Health Care Devices Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/devicemetric-type
Version: | 4.0.1
Name: | DeviceMetricAndComponentTypes
Title: | Device Metric and Component Types
Definition: | Codes used to identify health care device metric types and units and component types as part of the ISO/IEEE 11073-10101 Medical Device Communication Nomenclature.
Committee: | Health Care Devices Work Group
OID: | 2.16.840.1.113883.4.642.3.645 (for OID based terminology systems)
Copyright: | This value set is available IEEE (https://standards.ieee.org/findstds/standard/11073-10101a-2015.html) as well as at https://rtmms.nist.gov/rtmms/index.htm#!hrosetta through NIST's Rosetta Terminology Mapping Management System which has a Royalty Free Agreement with IEEE to make the terminology [specifically five attributes: Reference ID, Terminology Code, Description, Systematic Name, and Common Term] available for development of IEEE 11073 compliant products.
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: DeviceMetric.unit (CodeableConcept / Preferred)

4.4.1.233.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in urn:iso:std:iso:11073:10101

4.4.1.233.2 Expansion

This expansion generated 01 Nov 2019

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.234 Value Set http://hl7.org/fhir/ValueSet/vaccine-code

URL: https://hl7.org/fhir/R4/valueset-vaccine-code.html
Public Health and Emergency Response Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/vaccine-code
Version: | 4.0.1
Name: | VaccineAdministeredValueSet
Title: | Vaccine Administered Value Set
Definition: | This identifies the vaccine substance administered - CVX codes.
Committee: | Public Health and Emergency Response Work Group
OID: | 2.16.840.1.113883.3.88.12.80.22 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: ImmunizationRecommendation.recommendation.vaccineCode (CodeableConcept / Example)

• Resource: ImmunizationRecommendation.recommendation.contraindicatedVaccineCode (CodeableConcept / Example)

• Resource: Immunization.vaccineCode (CodeableConcept / Example)

4.4.1.234.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/sid/cvx

• Include all codes defined in urn:oid:1.2.36.1.2001.1005.17

4.4.1.234.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 268 concepts

Code | System | Display
143 | http://hl7.org/fhir/sid/cvx | Adenovirus types 4 and 7
54 | http://hl7.org/fhir/sid/cvx | adenovirus, type 4
55 | http://hl7.org/fhir/sid/cvx | adenovirus, type 7
82 | http://hl7.org/fhir/sid/cvx | adenovirus, unspecified formulation
24 | http://hl7.org/fhir/sid/cvx | anthrax
181 | http://hl7.org/fhir/sid/cvx | anthrax immune globulin
801 | http://hl7.org/fhir/sid/cvx | AS03 Adjuvant
19 | http://hl7.org/fhir/sid/cvx | BCG
27 | http://hl7.org/fhir/sid/cvx | botulinum antitoxin
173 | http://hl7.org/fhir/sid/cvx | cholera, BivWC
174 | http://hl7.org/fhir/sid/cvx | cholera, live attenuated
26 | http://hl7.org/fhir/sid/cvx | cholera, unspecified formulation
172 | http://hl7.org/fhir/sid/cvx | cholera, WC-rBS
29 | http://hl7.org/fhir/sid/cvx | CMVIG
56 | http://hl7.org/fhir/sid/cvx | dengue fever
12 | http://hl7.org/fhir/sid/cvx | diphtheria antitoxin
28 | http://hl7.org/fhir/sid/cvx | DT (pediatric)
20 | http://hl7.org/fhir/sid/cvx | DTaP
106 | http://hl7.org/fhir/sid/cvx | DTaP, 5 pertussis antigens
107 | http://hl7.org/fhir/sid/cvx | DTaP, unspecified formulation
146 | http://hl7.org/fhir/sid/cvx | DTaP,IPV,Hib,HepB
110 | http://hl7.org/fhir/sid/cvx | DTaP-Hep B-IPV
50 | http://hl7.org/fhir/sid/cvx | DTaP-Hib
120 | http://hl7.org/fhir/sid/cvx | DTaP-Hib-IPV
130 | http://hl7.org/fhir/sid/cvx | DTaP-IPV
132 | http://hl7.org/fhir/sid/cvx | DTaP-IPV-HIB-HEP B, historical
170 | http://hl7.org/fhir/sid/cvx | DTAP/IPV/HIB - non-US
01 | http://hl7.org/fhir/sid/cvx | DTP
22 | http://hl7.org/fhir/sid/cvx | DTP-Hib
102 | http://hl7.org/fhir/sid/cvx | DTP-Hib-Hep B
57 | http://hl7.org/fhir/sid/cvx | hantavirus
30 | http://hl7.org/fhir/sid/cvx | HBIG
52 | http://hl7.org/fhir/sid/cvx | Hep A, adult
154 | http://hl7.org/fhir/sid/cvx | Hep A, IG
169 | http://hl7.org/fhir/sid/cvx | Hep A, live attenuated
83 | http://hl7.org/fhir/sid/cvx | Hep A, ped/adol, 2 dose
84 | http://hl7.org/fhir/sid/cvx | Hep A, ped/adol, 3 dose
31 | http://hl7.org/fhir/sid/cvx | Hep A, pediatric, unspecified formulation
85 | http://hl7.org/fhir/sid/cvx | Hep A, unspecified formulation
104 | http://hl7.org/fhir/sid/cvx | Hep A-Hep B
193 | http://hl7.org/fhir/sid/cvx | Hep A-Hep B, pediatric/adolescent
08 | http://hl7.org/fhir/sid/cvx | Hep B, adolescent or pediatric
42 | http://hl7.org/fhir/sid/cvx | Hep B, adolescent/high risk infant
43 | http://hl7.org/fhir/sid/cvx | Hep B, adult
44 | http://hl7.org/fhir/sid/cvx | Hep B, dialysis

45 | http://hl7.org/fhir/sid/cvx | Hep B, unspecified formulation
58 | http://hl7.org/fhir/sid/cvx | Hep C
59 | http://hl7.org/fhir/sid/cvx | Hep E
189 | http://hl7.org/fhir/sid/cvx | HepB-CpG
60 | http://hl7.org/fhir/sid/cvx | herpes simplex 2
47 | http://hl7.org/fhir/sid/cvx | Hib (HbOC)
46 | http://hl7.org/fhir/sid/cvx | Hib (PRP-D)
49 | http://hl7.org/fhir/sid/cvx | Hib (PRP-OMP)
48 | http://hl7.org/fhir/sid/cvx | Hib (PRP-T)
17 | http://hl7.org/fhir/sid/cvx | Hib, unspecified formulation
51 | http://hl7.org/fhir/sid/cvx | Hib-Hep B
61 | http://hl7.org/fhir/sid/cvx | HIV
118 | http://hl7.org/fhir/sid/cvx | HPV, bivalent
62 | http://hl7.org/fhir/sid/cvx | HPV, quadrivalent
137 | http://hl7.org/fhir/sid/cvx | HPV, unspecified formulation
165 | http://hl7.org/fhir/sid/cvx | HPV9
86 | http://hl7.org/fhir/sid/cvx | IG
14 | http://hl7.org/fhir/sid/cvx | IG, unspecified formulation
87 | http://hl7.org/fhir/sid/cvx | IGIV
160 | http://hl7.org/fhir/sid/cvx | Influenza A monovalent (H5N1), ADJUVANTED-2013
151 | http://hl7.org/fhir/sid/cvx | influenza nasal, unspecified formulation
123 | http://hl7.org/fhir/sid/cvx | influenza, H5N1-1203
135 | http://hl7.org/fhir/sid/cvx | Influenza, high dose seasonal
153 | http://hl7.org/fhir/sid/cvx | Influenza, injectable, MDCK, preservative free
171 | http://hl7.org/fhir/sid/cvx | Influenza, injectable, MDCK, preservative free, quadrivalent
186 | http://hl7.org/fhir/sid/cvx | Influenza, injectable, MDCK, quadrivalent, preservative
158 | http://hl7.org/fhir/sid/cvx | influenza, injectable, quadrivalent
150 | http://hl7.org/fhir/sid/cvx | influenza, injectable, quadrivalent, preservative free
161 | http://hl7.org/fhir/sid/cvx | Influenza, injectable,quadrivalent, preservative free, pediatric
166 | http://hl7.org/fhir/sid/cvx | influenza, intradermal, quadrivalent, preservative free
111 | http://hl7.org/fhir/sid/cvx | influenza, live, intranasal
149 | http://hl7.org/fhir/sid/cvx | influenza, live, intranasal, quadrivalent
155 | http://hl7.org/fhir/sid/cvx | influenza, recombinant, injectable, preservative free
185 | http://hl7.org/fhir/sid/cvx | influenza, recombinant, quadrivalent,injectable, preservative free
141 | http://hl7.org/fhir/sid/cvx | Influenza, seasonal, injectable
140 | http://hl7.org/fhir/sid/cvx | Influenza, seasonal, injectable, preservative free
144 | http://hl7.org/fhir/sid/cvx | influenza, seasonal, intradermal, preservative free
15 | http://hl7.org/fhir/sid/cvx | influenza, split (incl. purified surface antigen)
168 | http://hl7.org/fhir/sid/cvx | influenza, trivalent, adjuvanted
88 | http://hl7.org/fhir/sid/cvx | influenza, unspecified formulation
16 | http://hl7.org/fhir/sid/cvx | influenza, whole
10 | http://hl7.org/fhir/sid/cvx | IPV
134 | http://hl7.org/fhir/sid/cvx | Japanese Encephalitis IM
39 | http://hl7.org/fhir/sid/cvx | Japanese encephalitis SC
129 | http://hl7.org/fhir/sid/cvx | Japanese Encephalitis, unspecified formulation
63 | http://hl7.org/fhir/sid/cvx | Junin virus
64 | http://hl7.org/fhir/sid/cvx | leishmaniasis
65 | http://hl7.org/fhir/sid/cvx | leprosy
66 | http://hl7.org/fhir/sid/cvx | Lyme disease
04 | http://hl7.org/fhir/sid/cvx | M/R
67 | http://hl7.org/fhir/sid/cvx | malaria
05 | http://hl7.org/fhir/sid/cvx | measles
68 | http://hl7.org/fhir/sid/cvx | melanoma
191 | http://hl7.org/fhir/sid/cvx | meningococcal A polysaccharide (non-US)
192 | http://hl7.org/fhir/sid/cvx | meningococcal AC polysaccharide (non-US)
108 | http://hl7.org/fhir/sid/cvx | meningococcal ACWY, unspecified formulation
163 | http://hl7.org/fhir/sid/cvx | meningococcal B, OMV
162 | http://hl7.org/fhir/sid/cvx | meningococcal B, recombinant
164 | http://hl7.org/fhir/sid/cvx | meningococcal B, unspecified
103 | http://hl7.org/fhir/sid/cvx | meningococcal C conjugate
148 | http://hl7.org/fhir/sid/cvx | Meningococcal C/Y-HIB PRP
147 | http://hl7.org/fhir/sid/cvx | meningococcal MCV4, unspecified formulation
136 | http://hl7.org/fhir/sid/cvx | Meningococcal MCV4O
114 | http://hl7.org/fhir/sid/cvx | meningococcal MCV4P
32 | http://hl7.org/fhir/sid/cvx | meningococcal MPSV4
167 | http://hl7.org/fhir/sid/cvx | meningococcal, unknown serogroups
03 | http://hl7.org/fhir/sid/cvx | MMR
94 | http://hl7.org/fhir/sid/cvx | MMRV
07 | http://hl7.org/fhir/sid/cvx | mumps
127 | http://hl7.org/fhir/sid/cvx | Novel influenza-H1N1-09
128 | http://hl7.org/fhir/sid/cvx | Novel Influenza-H1N1-09, all formulations
125 | http://hl7.org/fhir/sid/cvx | Novel Influenza-H1N1-09, nasal

126 | http://hl7.org/fhir/sid/cvx | Novel influenza-H1N1-09, preservative-free
02 | http://hl7.org/fhir/sid/cvx | OPV
179 | http://hl7.org/fhir/sid/cvx | OPV ,monovalent, unspecified
178 | http://hl7.org/fhir/sid/cvx | OPV bivalent
182 | http://hl7.org/fhir/sid/cvx | OPV, Unspecified
69 | http://hl7.org/fhir/sid/cvx | parainfluenza-3
177 | http://hl7.org/fhir/sid/cvx | PCV10
11 | http://hl7.org/fhir/sid/cvx | pertussis
23 | http://hl7.org/fhir/sid/cvx | plague
133 | http://hl7.org/fhir/sid/cvx | Pneumococcal conjugate PCV 13
100 | http://hl7.org/fhir/sid/cvx | pneumococcal conjugate PCV 7
152 | http://hl7.org/fhir/sid/cvx | Pneumococcal Conjugate, unspecified formulation
33 | http://hl7.org/fhir/sid/cvx | pneumococcal polysaccharide PPV23
109 | http://hl7.org/fhir/sid/cvx | pneumococcal, unspecified formulation
89 | http://hl7.org/fhir/sid/cvx | polio, unspecified formulation
70 | http://hl7.org/fhir/sid/cvx | Q fever
175 | http://hl7.org/fhir/sid/cvx | Rabies - IM Diploid cell culture
176 | http://hl7.org/fhir/sid/cvx | Rabies - IM fibroblast culture
40 | http://hl7.org/fhir/sid/cvx | rabies, intradermal injection
18 | http://hl7.org/fhir/sid/cvx | rabies, intramuscular injection
90 | http://hl7.org/fhir/sid/cvx | rabies, unspecified formulation
72 | http://hl7.org/fhir/sid/cvx | rheumatic fever
159 | http://hl7.org/fhir/sid/cvx | Rho(D) - Unspecified formulation
157 | http://hl7.org/fhir/sid/cvx | Rho(D) -IG IM
156 | http://hl7.org/fhir/sid/cvx | Rho(D)-IG
73 | http://hl7.org/fhir/sid/cvx | Rift Valley fever
34 | http://hl7.org/fhir/sid/cvx | RIG
119 | http://hl7.org/fhir/sid/cvx | rotavirus, monovalent
116 | http://hl7.org/fhir/sid/cvx | rotavirus, pentavalent
74 | http://hl7.org/fhir/sid/cvx | rotavirus, tetravalent
122 | http://hl7.org/fhir/sid/cvx | rotavirus, unspecified formulation
71 | http://hl7.org/fhir/sid/cvx | RSV-IGIV
93 | http://hl7.org/fhir/sid/cvx | RSV-MAb
145 | http://hl7.org/fhir/sid/cvx | RSV-MAb (new)
06 | http://hl7.org/fhir/sid/cvx | rubella
38 | http://hl7.org/fhir/sid/cvx | rubella/mumps
76 | http://hl7.org/fhir/sid/cvx | Staphylococcus bacterio lysate
138 | http://hl7.org/fhir/sid/cvx | Td (adult)
09 | http://hl7.org/fhir/sid/cvx | Td (adult), 2 Lf tetanus toxoid, preservative free, adsorbed
113 | http://hl7.org/fhir/sid/cvx | Td (adult), 5 Lf tetanus toxoid, preservative free, adsorbed
139 | http://hl7.org/fhir/sid/cvx | Td(adult) unspecified formulation
115 | http://hl7.org/fhir/sid/cvx | Tdap
180 | http://hl7.org/fhir/sid/cvx | tetanus immune globulin
35 | http://hl7.org/fhir/sid/cvx | tetanus toxoid, adsorbed
142 | http://hl7.org/fhir/sid/cvx | tetanus toxoid, not adsorbed
112 | http://hl7.org/fhir/sid/cvx | tetanus toxoid, unspecified formulation
77 | http://hl7.org/fhir/sid/cvx | tick-borne encephalitis
13 | http://hl7.org/fhir/sid/cvx | TIG
98 | http://hl7.org/fhir/sid/cvx | TST, unspecified formulation
95 | http://hl7.org/fhir/sid/cvx | TST-OT tine test
96 | http://hl7.org/fhir/sid/cvx | TST-PPD intradermal
97 | http://hl7.org/fhir/sid/cvx | TST-PPD tine test
78 | http://hl7.org/fhir/sid/cvx | tularemia vaccine
190 | http://hl7.org/fhir/sid/cvx | Typhoid conjugate vaccine (TCV)
25 | http://hl7.org/fhir/sid/cvx | typhoid, oral
41 | http://hl7.org/fhir/sid/cvx | typhoid, parenteral
53 | http://hl7.org/fhir/sid/cvx | typhoid, parenteral, AKD (U.S. military)
91 | http://hl7.org/fhir/sid/cvx | typhoid, unspecified formulation
101 | http://hl7.org/fhir/sid/cvx | typhoid, ViCPs
131 | http://hl7.org/fhir/sid/cvx | typhus, historical
75 | http://hl7.org/fhir/sid/cvx | vaccinia (smallpox)
105 | http://hl7.org/fhir/sid/cvx | vaccinia (smallpox) diluted
79 | http://hl7.org/fhir/sid/cvx | vaccinia immune globulin
21 | http://hl7.org/fhir/sid/cvx | varicella
81 | http://hl7.org/fhir/sid/cvx | VEE, inactivated
80 | http://hl7.org/fhir/sid/cvx | VEE, live
92 | http://hl7.org/fhir/sid/cvx | VEE, unspecified formulation
36 | http://hl7.org/fhir/sid/cvx | VZIG
117 | http://hl7.org/fhir/sid/cvx | VZIG (IND)
37 | http://hl7.org/fhir/sid/cvx | yellow fever
183 | http://hl7.org/fhir/sid/cvx | Yellow fever vaccine - alt
184 | http://hl7.org/fhir/sid/cvx | Yellow fever, unspecified formulation

121 | http://hl7.org/fhir/sid/cvx | zoster live
187 | http://hl7.org/fhir/sid/cvx | zoster recombinant
188 | http://hl7.org/fhir/sid/cvx | zoster, unspecified formulation
998 | http://hl7.org/fhir/sid/cvx | no vaccine administered
99 | http://hl7.org/fhir/sid/cvx | RESERVED - do not use
999 | http://hl7.org/fhir/sid/cvx | unknown
AGRPAL | urn:oid:1.2.36.1.2001.1005.17 | Agrippal
AVAXM | urn:oid:1.2.36.1.2001.1005.17 | Avaxim
BCG | urn:oid:1.2.36.1.2001.1005.17 | BCG
CDT | urn:oid:1.2.36.1.2001.1005.17 | CDT
CMX | urn:oid:1.2.36.1.2001.1005.17 | COMVAX
DTP | urn:oid:1.2.36.1.2001.1005.17 | Triple Antigen
DTPA | urn:oid:1.2.36.1.2001.1005.17 | DTPa
ENGP | urn:oid:1.2.36.1.2001.1005.17 | Engerix B
FLRIX | urn:oid:1.2.36.1.2001.1005.17 | Fluarix
FLUVAX | urn:oid:1.2.36.1.2001.1005.17 | Fluvax
FLVRN | urn:oid:1.2.36.1.2001.1005.17 | Fluvirin
FVXJNR | urn:oid:1.2.36.1.2001.1005.17 | Fluvax Junior
GNDIP | urn:oid:1.2.36.1.2001.1005.17 | Diphtheria
GNFLU | urn:oid:1.2.36.1.2001.1005.17 | Influenza
GNHEP | urn:oid:1.2.36.1.2001.1005.17 | Hepatitis B
GNHIB | urn:oid:1.2.36.1.2001.1005.17 | HIB
GNHPA | urn:oid:1.2.36.1.2001.1005.17 | Hepatitis A
GNJEN | urn:oid:1.2.36.1.2001.1005.17 | Japanese Encephalitis
GNMEA | urn:oid:1.2.36.1.2001.1005.17 | Measles
GNMEN | urn:oid:1.2.36.1.2001.1005.17 | Meningococcal C
GNMUM | urn:oid:1.2.36.1.2001.1005.17 | Mumps
GNPNE | urn:oid:1.2.36.1.2001.1005.17 | Pneumococcal
GNPOL | urn:oid:1.2.36.1.2001.1005.17 | Polio
GNROX | urn:oid:1.2.36.1.2001.1005.17 | Rotavirus
GNRUB | urn:oid:1.2.36.1.2001.1005.17 | Rubella
GNTET | urn:oid:1.2.36.1.2001.1005.17 | Tetanus
GNVAR | urn:oid:1.2.36.1.2001.1005.17 | Varicella
HATWNJ | urn:oid:1.2.36.1.2001.1005.17 | Twinrix Junior
HAVAQ | urn:oid:1.2.36.1.2001.1005.17 | Vaqta Paed/Adol
HAVJ | urn:oid:1.2.36.1.2001.1005.17 | Havrix Junior
HBOC | urn:oid:1.2.36.1.2001.1005.17 | HibTITER
HBV | urn:oid:1.2.36.1.2001.1005.17 | HBV
HBVP | urn:oid:1.2.36.1.2001.1005.17 | HBVAX II
HBX | urn:oid:1.2.36.1.2001.1005.17 | Hiberix
IFHX | urn:oid:1.2.36.1.2001.1005.17 | Infanrix Hexa
IFIP | urn:oid:1.2.36.1.2001.1005.17 | Infanrix-IPV
IFPA | urn:oid:1.2.36.1.2001.1005.17 | Infanrix Penta
IFX | urn:oid:1.2.36.1.2001.1005.17 | Infanrix
IFXB | urn:oid:1.2.36.1.2001.1005.17 | InfanrixHepB
INFLUV | urn:oid:1.2.36.1.2001.1005.17 | Influvac
IPV | urn:oid:1.2.36.1.2001.1005.17 | IPOL
JEVAX | urn:oid:1.2.36.1.2001.1005.17 | JE-VAX
MENJUG | urn:oid:1.2.36.1.2001.1005.17 | Menjugate
MENTEC | urn:oid:1.2.36.1.2001.1005.17 | Meningitec
MENUME | urn:oid:1.2.36.1.2001.1005.17 | Menomune
MENVAX | urn:oid:1.2.36.1.2001.1005.17 | Mencevax ACWY
MMR | urn:oid:1.2.36.1.2001.1005.17 | MMR
MMRCSL | urn:oid:1.2.36.1.2001.1005.17 | MMR II
MMRSKB | urn:oid:1.2.36.1.2001.1005.17 | Priorix
MNTRX | urn:oid:1.2.36.1.2001.1005.17 | Menitorix
NEISVC | urn:oid:1.2.36.1.2001.1005.17 | NeisVac-C
OPV | urn:oid:1.2.36.1.2001.1005.17 | Polio
P | urn:oid:1.2.36.1.2001.1005.17 | Pertussis
PANVAX | urn:oid:1.2.36.1.2001.1005.17 | Panvax
PDCL | urn:oid:1.2.36.1.2001.1005.17 | Pediacel
PLCL | urn:oid:1.2.36.1.2001.1005.17 | Poliacel
PNEUMO | urn:oid:1.2.36.1.2001.1005.17 | Pneumovax
PRPD | urn:oid:1.2.36.1.2001.1005.17 | ProHIBit
PROQAD | urn:oid:1.2.36.1.2001.1005.17 | ProQuad
PRPOMP | urn:oid:1.2.36.1.2001.1005.17 | PedvaxHIB
PRPT | urn:oid:1.2.36.1.2001.1005.17 | ActHIB
PRVNR | urn:oid:1.2.36.1.2001.1005.17 | Prevenar 7
PRVTH | urn:oid:1.2.36.1.2001.1005.17 | Prevenar 13
PRXTEX | urn:oid:1.2.36.1.2001.1005.17 | Priorix-Tetra
QDCL | urn:oid:1.2.36.1.2001.1005.17 | Quadracel
ROTRIX | urn:oid:1.2.36.1.2001.1005.17 | Rotarix

ROTTEQ | urn:oid:1.2.36.1.2001.1005.17 | Rotateq
SYNFLX | urn:oid:1.2.36.1.2001.1005.17 | Synflorix
TCL | urn:oid:1.2.36.1.2001.1005.17 | Tripacel
VAXGRP | urn:oid:1.2.36.1.2001.1005.17 | Vaxigrip
VGRJNR | urn:oid:1.2.36.1.2001.1005.17 | Vaxigrip Junior
VLRIX | urn:oid:1.2.36.1.2001.1005.17 | Varilrix
VRVAX | urn:oid:1.2.36.1.2001.1005.17 | Varivax

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.235 Value Set http://hl7.org/fhir/ValueSet/allelename

URL: https://hl7.org/fhir/R4/valueset-allelename.html

This value set could not be expanded by the publication tooling: Error from server: Unable to provide support for code system http://www.ebi.ac.uk/ipd/imgt/hla

Orders and Observations Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/allelename
Version: | 4.0.1
Name: | HLA
Title: | H l a
Definition: | European Bioinformatics Institute
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.1045 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• Extension: http://hl7.org/fhir/StructureDefinition/observation-geneticsAllele: Allele (CodeableConcept / Preferred)

4.4.1.235.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://www.ebi.ac.uk/ipd/imgt/hla

4.4.1.235.2 Expansion

This expansion generated 01 Nov 2019

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.236 Value Set http://hl7.org/fhir/ValueSet/metric-operational-status

URL: https://hl7.org/fhir/R4/valueset-metric-operational-status.html
Health Care Devices Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/metric-operational-status
Version: | 4.0.1
Name: | DeviceMetricOperationalStatus
Title: | DeviceMetricOperationalStatus
Definition: | Describes the operational status of the DeviceMetric.
Committee: | Health Care Devices Work Group
OID: | 2.16.840.1.113883.4.642.3.646 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for DeviceMetricOperationalStatus

• ConceptMap: Translation source in Canonical Mapping for "DeviceMetricOperationalStatus"

• Resource: DeviceMetric.operationalStatus (code / Required)

4.4.1.236.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/metric-operational-status

4.4.1.236.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/metric-operational-status version 4.0.1

All codes from system http://hl7.org/fhir/metric-operational-status

Code | Display | Definition | Canonical Status
on | On | The DeviceMetric is operating and will generate DeviceObservations. | ~active
off | Off | The DeviceMetric is not operating. | ~inactive
standby | Standby | The DeviceMetric is operating, but will not generate any DeviceObservations. | ~suspended
entered-in-error | Entered In Error | The DeviceMetric was entered in error. | ~error

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.237 Value Set http://hl7.org/fhir/ValueSet/tooth

URL: https://hl7.org/fhir/R4/valueset-tooth.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/tooth
Version: | 4.0.1
Name: | OralSiteCodes
Title: | Oral Site Codes
Definition: | This value set includes a smattering of FDI oral site codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.540 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for OralSiteCodes

• Resource: ExplanationOfBenefit.item.bodySite (CodeableConcept / Example)

• Resource: ExplanationOfBenefit.addItem.bodySite (CodeableConcept / Example)

• Resource: ClaimResponse.addItem.bodySite (CodeableConcept / Example)

• Resource: Claim.item.bodySite (CodeableConcept / Example)

4.4.1.237.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/ex-tooth

4.4.1.237.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 41 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/ex-tooth version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/ex-tooth

Code | Display | Definition
0 | Oral cavity | Oral cavity.
1 | 1 | Permanent teeth Maxillary right.
2 | 2 | Permanent teeth Maxillary left.
3 | 3 | Permanent teeth Mandibular right.
4 | 4 | Permanent teeth Mandibular left.
5 | 5 | Deciduous teeth Maxillary right.
6 | 6 | Deciduous teeth Maxillary left.
7 | 7 | Deciduous teeth Mandibular right.
8 | 8 | Deciduous teeth Mandibular left.
11 | 11 | Upper Right Tooth 1 from the central axis, permanent dentition.
12 | 12 | Upper Right Tooth 2 from the central axis, permanent dentition.
13 | 13 | Upper Right Tooth 3 from the central axis, permanent dentition.
14 | 14 | Upper Right Tooth 4 from the central axis, permanent dentition.
15 | 15 | Upper Right Tooth 5 from the central axis, permanent dentition.
16 | 16 | Upper Right Tooth 6 from the central axis, permanent dentition.
17 | 17 | Upper Right Tooth 7 from the central axis, permanent dentition.
18 | 18 | Upper Right Tooth 8 from the central axis, permanent dentition.
21 | 21 | Upper Left Tooth 1 from the central axis, permanent dentition.
22 | 22 | Upper Left Tooth 2 from the central axis, permanent dentition.
23 | 23 | Upper Left Tooth 3 from the central axis, permanent dentition.
24 | 24 | Upper Left Tooth 4 from the central axis, permanent dentition.
25 | 25 | Upper Left Tooth 5 from the central axis, permanent dentition.
26 | 26 | Upper Left Tooth 6 from the central axis, permanent dentition.
27 | 27 | Upper Left Tooth 7 from the central axis, permanent dentition.
28 | 28 | Upper Left Tooth 8 from the central axis, permanent dentition.
31 | 31 | Lower Left Tooth 1 from the central axis, permanent dentition.
32 | 32 | Lower Left Tooth 2 from the central axis, permanent dentition.
33 | 33 | Lower Left Tooth 3 from the central axis, permanent dentition.
34 | 34 | Lower Left Tooth 4 from the central axis, permanent dentition.
35 | 35 | Lower Left Tooth 5 from the central axis, permanent dentition.
36 | 36 | Lower Left Tooth 6 from the central axis, permanent dentition.
37 | 37 | Lower Left Tooth 7 from the central axis, permanent dentition.
38 | 38 | Lower Left Tooth 8 from the central axis, permanent dentition.
41 | 41 | Lower Right Tooth 1 from the central axis, permanent dentition.
42 | 42 | Lower Right Tooth 2 from the central axis, permanent dentition.
43 | 43 | Lower Right Tooth 3 from the central axis, permanent dentition.
44 | 44 | Lower Right Tooth 4 from the central axis, permanent dentition.
45 | 45 | Lower Right Tooth 5 from the central axis, permanent dentition.
46 | 46 | Lower Right Tooth 6 from the central axis, permanent dentition.
47 | 47 | Lower Right Tooth 7 from the central axis, permanent dentition.
48 | 48 | Lower Right Tooth 8 from the central axis, permanent dentition.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.238 Value Set http://hl7.org/fhir/ValueSet/FHIR-version

URL: https://hl7.org/fhir/R4/valueset-FHIR-version.html
Vocabulary Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Conformance Package for further details.

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/FHIR-version
Version: | 4.0.1
Name: | FHIRVersion
Title: | FHIRVersion
Definition: | All published FHIR Versions.
Committee: | Vocabulary Work Group
OID: | 2.16.840.1.113883.4.642.3.1309 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for FHIRVersion
• Resource: CapabilityStatement.fhirVersion (code / Required)
• Resource: ImplementationGuide.fhirVersion (code / Required)
• Resource: ImplementationGuide.definition.resource.fhirVersion (code / Required)
• Resource: StructureDefinition.fhirVersion (code / Required)

4.4.1.238.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/FHIR-version

4.4.1.238.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 22 concepts

Expansion based on http://hl7.org/fhir/FHIR-version version 4.0.1

All codes from system http://hl7.org/fhir/FHIR-version

Code | Display | Definition
0.01 | 0.01 | Oldest archived version of FHIR.
0.05 | 0.05 | 1st Draft for Comment (Sept 2012 Ballot).
0.06 | 0.06 | 2nd Draft for Comment (January 2013 Ballot).
0.11 | 0.11 | DSTU 1 Ballot version.
0.0.80 | 0.0.80 | DSTU 1 Official version.
0.0.81 | 0.0.81 | DSTU 1 Official version Technical Errata #1.
0.0.82 | 0.0.82 | DSTU 1 Official version Technical Errata #2.
0.4.0 | 0.4.0 | Draft For Comment (January 2015 Ballot).
0.5.0 | 0.5.0 | DSTU 2 Ballot version (May 2015 Ballot).
1.0.0 | 1.0.0 | DSTU 2 QA Preview + CQIF Ballot (Sep 2015).
1.0.1 | 1.0.1 | DSTU 2 (Official version).
1.0.2 | 1.0.2 | DSTU 2 (Official version) with 1 technical errata.
1.1.0 | 1.1.0 | GAO Ballot + draft changes to main FHIR standard.
1.4.0 | 1.4.0 | CQF on FHIR Ballot + Connectathon 12 (Montreal).
1.6.0 | 1.6.0 | FHIR STU3 Ballot + Connectathon 13 (Baltimore).
1.8.0 | 1.8.0 | FHIR STU3 Candidate + Connectathon 14 (San Antonio).
3.0.0 | 3.0.0 | FHIR Release 3 (STU).
3.0.1 | 3.0.1 | FHIR Release 3 (STU) with 1 technical errata.
3.3.0 | 3.3.0 | R4 Ballot #1.
3.5.0 | 3.5.0 | R4 Ballot #2.
4.0.0 | 4.0.0 | FHIR Release 4 (Normative + STU).
4.0.1 | 4.0.1 | FHIR Release 4 Technical Correction.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.239 Value Set http://hl7.org/fhir/ValueSet/resource-validation-mode

URL: https://hl7.org/fhir/R4/valueset-resource-validation-mode.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/resource-validation-mode
Version: | 4.0.1
Name: | ResourceValidationMode
Title: | ResourceValidationMode
Definition: | Codes indicating the type of validation to perform.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.118 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ResourceValidationMode

• Operation: Parameter $validate.mode (code /: (Required))

4.4.1.239.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/resource-validation-mode

4.4.1.239.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/resource-validation-mode version 4.0.1

All codes from system http://hl7.org/fhir/resource-validation-mode

Code | Display | Definition
create | Validate for Create | The server checks the content, and then checks that the content would be acceptable as a create (e.g. that the content would not violate any uniqueness constraints).
update | Validate for Update | The server checks the content, and then checks that it would accept it as an update against the nominated specific resource (e.g. that there are no changes to immutable fields the server does not allow to change and checking version integrity if appropriate).
delete | Validate for Delete | The server ignores the content and checks that the nominated resource is allowed to be deleted (e.g. checking referential integrity rules).
profile | Validate Against a Profile | The server checks an existing resource (must be nominated by id, not provided as a parameter) as valid against the nominated profile.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.240 Value Set http://hl7.org/fhir/ValueSet/instance-availability

URL: https://hl7.org/fhir/R4/valueset-instance-availability.html
Imaging Integration Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/instance-availability
Version: | 4.0.1
Name: | InstanceAvailability
Title: | InstanceAvailability
Definition: | Availability of the resource.
Committee: | Imaging Integration Work Group
OID: | 1.2.840.10008.6.1.811 (for OID based terminology systems)
Copyright: | These codes are excerpted from Digital Imaging and Communications in Medicine (DICOM) Standard, Part 16: Content Mapping Resource, Copyright 2011 by the National Electrical Manufacturers Association
Source Resource | XML / JSON

This value set is not currently used

4.4.1.240.1 Content Logical Definition

This value set includes codes from the following code systems:

http://dicom.nema.org/resources/ontology/DCM

Code | Display | Definition
ONLINE | Online | Resources are immediately available.
OFFLINE | Offline | Resources need to be retrieved by manual intervention.
NEARLINE | Nearline | Resources need to be retrieved from relatively slow media.
UNAVAILABLE | Unavailable | Resources cannot be retrieved.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.241 Value Set http://hl7.org/fhir/ValueSet/intervention

URL: https://hl7.org/fhir/R4/valueset-intervention.html
Financial Management Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/intervention
Version: | 4.0.1
Name: | InterventionCodes
Title: | Intervention Codes
Definition: | This value set includes sample Intervention codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.532 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for InterventionCodes

4.4.1.241.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/intervention

4.4.1.241.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/intervention version 4.0.1

All codes from system http://hl7.org/fhir/intervention

Code | Display | Definition
unknown | Unknown | Unknown
other | Other | Other

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.242 Value Set http://hl7.org/fhir/ValueSet/questionnaire-item-control

URL: https://hl7.org/fhir/R4/valueset-questionnaire-item-control.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined at http://www.hl7.org/Special/committees/patientcare .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/questionnaire-item-control
Version: | 4.0.1
Name: | QuestionnaireItemUIControlCodes
Title: | Questionnaire Item UI Control Codes
Definition: | Starter set of user interface control/display mechanisms that might be used when rendering an item in a questionnaire.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.931 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for QuestionnaireItemUIControlCodes

• Extension: http://hl7.org/fhir/StructureDefinition/questionnaire-itemControl: itemControl (CodeableConcept / Extensible)

4.4.1.242.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/questionnaire-item-control

4.4.1.242.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 25 concepts

Expansion based on http://hl7.org/fhir/questionnaire-item-control version 4.0.1

All codes from system http://hl7.org/fhir/questionnaire-item-control

Lvl | Code | Display | Definition
0 | group | | UI controls relevant to organizing groups of questions
1 | list | List | Questions within the group should be listed sequentially
1 | table | Vertical Answer Table | Questions within the group are rows in the table with possible answers as columns. Used for 'choice' questions.
1 | htable | Horizontal Answer Table | Questions within the group are columns in the table with possible answers as rows. Used for 'choice' questions.
1 | gtable | Group Table | Questions within the group are columns in the table with each group repetition as a row. Used for single-answer questions.
1 | atable | Answer Table | This table has one row - for the question. Permitted answers are columns. Used for choice questions.
1 | header | Header | The group is to be continuously visible at the top of the questionnaire
1 | footer | Footer | The group is to be continuously visible at the bottom of the questionnaire
0 | text | | UI controls relevant to rendering questionnaire text items
1 | inline | In-line | Text is displayed as a paragraph in a sequential position between sibling items (default behavior)
1 | prompt | Prompt | Text is displayed immediately below or within the answer-entry area of the containing question item (typically as a guide for what to enter)
1 | unit | Unit | Text is displayed adjacent (horizontally or vertically) to the answer space for the parent question, typically to indicate a unit of measure
1 | lower | Lower-bound | Text is displayed to the left of the set of answer choices or a scaling control for the parent question item to indicate the meaning of the 'lower' bound. E.g. 'Strongly disagree'
1 | upper | Upper-bound | Text is displayed to the right of the set of answer choices or a scaling control for the parent question item to indicate the meaning of the 'upper' bound. E.g. 'Strongly agree'
1 | flyover | Fly-over | Text is temporarily visible over top of an item if the mouse is positioned over top of the text for the containing item
1 | help | Help-Button | Text is displayed in a dialog box or similar control if invoked by pushing a button or some other UI-appropriate action to request 'help' for a question, group or the questionnaire as a whole (depending what the text is nested within)
0 | question | | UI controls relevant to capturing question data
1 | autocomplete | Auto-complete | A control which provides a list of potential matches based on text entered into a control. Used for large choice sets where text-matching is an appropriate discovery mechanism.
1 | drop-down | Drop down | A control where an item (or multiple items) can be selected from a list that is only displayed when the user is editing the field.
1 | check-box | Check-box | A control where choices are listed with a box beside them. The box can be toggled to select or de-select a given choice. Multiple selections may be possible.
1 | lookup | Lookup | A control where editing an item spawns a separate dialog box or screen permitting a user to navigate, filter or otherwise discover an appropriate match. Useful for large choice sets where text matching is not an appropriate discovery mechanism. Such screens must generally be tuned for the specific choice list structure.

1 | radio-button | Radio Button | A control where choices are listed with a button beside them. The button can be toggled to select or de-select a given choice. Selecting one item deselects all others.
1 | slider | Slider | A control where an axis is displayed between the high and low values and the control can be visually manipulated to select a value anywhere on the axis.
1 | spinner | Spinner | A control where a list of numeric or other ordered values can be scrolled through via arrows.
1 | text-box | Text Box | A control where a user can type in their answer freely.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.243 Value Set http://hl7.org/fhir/ValueSet/bundle-type

URL: https://hl7.org/fhir/R4/valueset-bundle-type.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Infrastructure Package for further details.

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/bundle-type
Version: | 4.0.1
Name: | BundleType
Title: | BundleType
Definition: | Indicates the purpose of a bundle - how it is intended to be used.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.620 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for BundleType
• Resource: Bundle.type (code / Required)

4.4.1.243.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/bundle-type

4.4.1.243.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 9 concepts

Expansion based on http://hl7.org/fhir/bundle-type version 4.0.1

All codes from system http://hl7.org/fhir/bundle-type

Code | Display | Definition
document | Document | The bundle is a document. The first resource is a Composition.
message | Message | The bundle is a message. The first resource is a MessageHeader.
transaction | Transaction | The bundle is a transaction - intended to be processed by a server as an atomic commit.
transaction-response | Transaction Response | The bundle is a transaction response. Because the response is a transaction response, the transaction has succeeded, and all responses are error free.
batch | Batch | The bundle is a set of actions - intended to be processed by a server as a group of independent actions.
batch-response | Batch Response | The bundle is a batch response. Note that as a batch, some responses may indicate failure and others success.
history | History List | The bundle is a list of resources from a history interaction on a server.
searchset | Search Results | The bundle is a list of resources returned as a result of a search/query interaction, operation, or message.
collection | Collection | The bundle is a set of resources collected into a single package for ease of distribution that imposes no processing obligations or behavioral rules beyond persistence.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.244 Value Set http://hl7.org/fhir/ValueSet/verificationresult-push-type-available

URL: https://hl7.org/fhir/R4/valueset-verificationresult-push-type-available.html
Patient Administration Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/verificationresult-push-type-available
Version: | 4.0.1
Name: | push-type-available
Title: | Push-type-available
Definition: | Type of alerts/updates the primary source can send
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.898 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for push-type-available
• Resource: VerificationResult.primarySource.pushTypeAvailable (CodeableConcept / Preferred)

4.4.1.244.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/push-type-available

4.4.1.244.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/push-type-available version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/push-type-available

Code | Display | Definition
specific | Specific requested changes
any | Any changes
source | As defined by source

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.245 Value Set http://hl7.org/fhir/ValueSet/report-status-codes

URL: https://hl7.org/fhir/R4/valueset-report-status-codes.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/report-status-codes
Version: | 4.0.1
Name: | TestReportStatus
Title: | TestReportStatus
Definition: | The current status of the test report.

Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.724 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for TestReportStatus
• ConceptMap: Translation source in Canonical Mapping for "TestReportStatus"
• Resource: TestReport.status (code / Required)

4.4.1.245.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/report-status-codes

4.4.1.245.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/report-status-codes version 4.0.1

All codes from system http://hl7.org/fhir/report-status-codes

Code | Display | Definition | Canonical Status
completed | Completed | All test operations have completed. | ~complete
in-progress | In Progress | A test operations is currently executing. | ~active
waiting | Waiting | A test operation is waiting for an external client request. | ~suspended
stopped | Stopped | The test script execution was manually stopped. | ~failed
entered-in-error | Entered In Error | This test report was entered or created in error. | ~error

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.246 Value Set http://hl7.org/fhir/ValueSet/benefit-type

URL: https://hl7.org/fhir/R4/valueset-benefit-type.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/benefit-type
Version: | 4.0.1
Name: | BenefitTypeCodes
Title: | Benefit Type Codes
Definition: | This value set includes a smattering of Benefit type codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.606 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for BenefitTypeCodes
• Resource: CoverageEligibilityResponse.insurance.item.benefit.type (CodeableConcept / Example)
• Resource: ExplanationOfBenefit.benefitBalance.financial.type (CodeableConcept / Example)

4.4.1.246.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/benefit-type

4.4.1.246.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 12 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/benefit-type version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/benefit-type

Code | Display | Definition
benefit | Benefit | Maximum benefit allowable.
deductible | Deductible | Cost to be incurred before benefits are applied
visit | Visit | Service visit
room | Room | Type of room
copay | Copayment per service | Copayment per service
copay-percent | Copayment Percent per service | Copayment percentage per service
copay-maximum | Copayment maximum per service | Copayment maximum per service
vision-exam | Vision Exam | Vision Exam
vision-glasses | Vision Glasses | Frames and lenses
vision-contacts | Vision Contacts Coverage | Contact Lenses
medical-primarycare | Medical Primary Health Coverage | Medical Primary Health Coverage
pharmacy-dispense | Pharmacy Dispense Coverage | Pharmacy Dispense Coverage

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.247 Value Set http://hl7.org/fhir/ValueSet/distance-units

URL: https://hl7.org/fhir/R4/valueset-distance-units.html
FHIR Infrastructure Work Group | Maturity Level: 5 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/distance-units
Version: | 4.0.1
Name: | CommonUCUMCodesForDistance
Title: | Common UCUM Codes for Distance
Definition: | Unified Code for Units of Measure (UCUM). This value set includes common UCUM codes for units of distance
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.62 (for OID based terminology systems)
Copyright: | The UCUM codes, UCUM table (regardless of format), and UCUM Specification are copyright © 1999-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures (UCUM) Organization. All rights reserved.
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Distance (Quantity / Extensible)

4.4.1.247.1 Content Logical Definition

This value set includes codes from the following code systems:

http://unitsofmeasure.org

Code | Display
nm | nanometers
um | micrometers
mm | millimeters
m | meters
km | kilometers

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.248 Value Set http://hl7.org/fhir/ValueSet/recommendation-strength

URL: https://hl7.org/fhir/R4/valueset-recommendation-strength.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/recommendation-strength
Version: | 4.0.1
Name: | StrengthOfRecommendationRating
Title: | StrengthOfRecommendationRating
Definition: | A rating system that describes the strength of the recommendation, such as the GRADE, DynaMed, or HGPS systems.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.1021 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for StrengthOfRecommendationRating

• Extension: http://hl7.org/fhir/StructureDefinition/cqf-strengthOfRecommendation: strengthOfRecommendation (CodeableConcept / Example)

4.4.1.248.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/recommendation-strength

4.4.1.248.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/recommendation-strength version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/recommendation-strength

Code | Display | Definition
strong | Strong | Strong recommendation.
weak | Weak | Weak recommendation.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.249 Value Set http://hl7.org/fhir/ValueSet/ldlcholesterol-codes

URL: https://hl7.org/fhir/R4/valueset-ldlcholesterol-codes.html
Orders and Observations Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/ldlcholesterol-codes
Version: | 4.0.1
Name: | LDLCodes
Title: | L d l codes
Definition: | LDL Cholesterol codes - measured or calculated
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.959 (for OID based terminology systems)
Copyright: | This content from LOINC© is copyright © 1995 Regenstrief Institute, Inc. and the LOINC Committee, and available at no cost under the license at http://loinc.org/terms-of-use.
Source Resource | XML / JSON

This value set is not currently used

4.4.1.249.1 Content Logical Definition

This value set includes codes from the following code systems:

http://loinc.org

Code | Display
18262-6 | LDL Cholesterol (Assay)
13457-7 | Cholesterol in LDL [Mass/volume] in Serum or Plasma by calculation

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.250 Value Set http://hl7.org/fhir/ValueSet/timing-abbreviation

URL: https://hl7.org/fhir/R4/valueset-timing-abbreviation.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/timing-abbreviation
Version: | 4.0.1
Name: | TimingAbbreviation
Title: | TimingAbbreviation
Definition: | Code for a known / defined timing pattern.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.78 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Timing.code (CodeableConcept / Preferred)

4.4.1.250.1 Content Logical Definition

This value set includes codes from the following code systems:

http://terminology.hl7.org/CodeSystem/v3-GTSAbbreviation

Code | Display | Definition
BID | BID | Two times a day at institution specified time
TID | TID | Three times a day at institution specified time
QID | QID | Four times a day at institution specified time
AM | AM | Every morning at institution specified times
PM | PM | Every afternoon at institution specified times
QD | QD | Every Day at institution specified times
QOD | QOD | Every Other Day at institution specified times
Q1H | every hour | Every hour at institution specified times
Q2H | every 2 hours | Every 2 hours at institution specified times
Q3H | every 3 hours | Every 3 hours at institution specified times
Q4H | Q4H | Every 4 hours at institution specified times
Q6H | Q6H | Every 6 Hours at institution specified times
Q8H | every 8 hours | Every 8 hours at institution specified times
BED | at bedtime | At bedtime (institution specified time)
WK | weekly | Weekly at institution specified time
MO | monthly | Monthly at institution specified time

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.251 Value Set http://hl7.org/fhir/ValueSet/certainty-subcomponent-rating

URL: https://hl7.org/fhir/R4/valueset-certainty-subcomponent-rating.html
Clinical Decision Support Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/certainty-subcomponent-rating
Version: | 4.0.1
Name: | CertaintySubcomponentRating
Title: | CertaintySubcomponentRating
Definition: | The quality rating of the subcomponent of a quality of evidence rating.
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.1361 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for CertaintySubcomponentRating

• Resource: EffectEvidenceSynthesis.certainty.certaintySubcomponent.rating (CodeableConcept / Extensible)

• Resource: RiskEvidenceSynthesis.certainty.certaintySubcomponent.rating (CodeableConcept / Extensible)

4.4.1.251.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/certainty-subcomponent-rating

4.4.1.251.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 11 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/certainty-subcomponent-rating version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/certainty-subcomponent-rating

Code | Display | Definition
no-change | no change to rating | no change to quality rating.
downcode1 | reduce rating: -1 | reduce quality rating by 1.
downcode2 | reduce rating: -2 | reduce quality rating by 2.
downcode3 | reduce rating: -3 | reduce quality rating by 3.
upcode1 | increase rating: +1 | increase quality rating by 1.
upcode2 | increase rating: +2 | increase quality rating by 2.
no-concern | no serious concern | no serious concern.
serious-concern | serious concern | serious concern.
critical-concern | critical concern | critical concern.
present | present | possible reason for increasing quality rating was checked and found to bepresent.
absent | absent | possible reason for increasing quality rating was checked and found to be absent.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.252 Value Set http://hl7.org/fhir/ValueSet/series-performer-function

URL: https://hl7.org/fhir/R4/valueset-series-performer-function.html
Imaging Integration Work Group | Maturity Level: 3 | Trial Use | Use Context: Not yet ready for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/series-performer-function
Version: | 4.0.1
Name: | ImagingStudySeriesPerformerFunction
Title: | ImagingStudy series performer function
Definition: | Performer function of an agent in an imaging study series
Committee: | Imaging Integration Work Group
OID: | 2.16.840.1.113883.4.642.3.989 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: ImagingStudy.series.performer.function (CodeableConcept / Extensible)

4.4.1.252.1 Content Logical Definition

This value set includes codes from the following code systems:

http://terminology.hl7.org/CodeSystem/v3-ParticipationType

Code | Display
CON | consultant | An advisor participating in the service by performing evaluations and making recommendations.
VRF | verifier | A person who verifies the correctness and appropriateness of the service (plan, order, event, etc.) and hence takes on accountability.
PRF | performer | Definition: A person, non-person living subject, organization or device that who actually and principally carries out the action. Device should only be assigned as a performer in circumstances where the device is performing independent of human intervention. Need not be the principal responsible actor. Exampe: A surgery resident operating under supervision of attending surgeon, a search and rescue dog locating survivors, an electronic laboratory analyzer or the laboratory discipline requested to perform a laboratory test. The performer may also be the patient in self-care, e.g. fingerstick blood sugar. The traditional order filler is a performer. This information should accompany every service event. Note: that existing HL7 designs assign an organization as the playing entity of the Role that is the performer. These designs should be revised in subsequent releases to make this the scooping entity for the role involved.
SPRF | secondary performer | A person assisting in an act through his substantial presence and involvement This includes: assistants, technicians, associates, or whatever the job titles may be.
REF | referrer | A person having referred the subject of the service to the performer (referring physician). Typically, a referring physician will receive a report.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.253 Value Set http://hl7.org/fhir/ValueSet/imagingstudy-status

URL: https://hl7.org/fhir/R4/valueset-imagingstudy-status.html
Imaging Integration Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/imagingstudy-status
Version: | 4.0.1
Name: | ImagingStudyStatus
Title: | ImagingStudyStatus
Definition: | The status of the ImagingStudy.
Committee: | Imaging Integration Work Group
OID: | 2.16.840.1.113883.4.642.3.990 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ImagingStudyStatus
• ConceptMap: Translation source in Canonical Mapping for "ImagingStudyStatus"
• Resource: ImagingStudy.status (code / Required)

4.4.1.253.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/imagingstudy-status

4.4.1.253.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/imagingstudy-status version 4.0.1

All codes from system http://hl7.org/fhir/imagingstudy-status

Code | Display | Definition | Canonical Status
registered | Registered | The existence of the imaging study is registered, but there is nothing yet available. | ~received
available | Available | At least one instance has been associated with this imaging study. | ~active
cancelled | Cancelled | The imaging study is unavailable because the imaging study was not started or not completed (also sometimes called "aborted"). | ~abandoned
entered-in-error | Entered in Error | The imaging study has been withdrawn following a previous final release. This electronic record should never have existed, though it is possible that real-world decisions were based on it. (If real-world activity has occurred, the status should be "cancelled" rather than "entered-in-error".). | ~error
unknown | Unknown | The system does not know which of the status values currently applies for this request. Note: This concept is not to be used for "other" - one of the listed statuses is presumed to apply, it's just not known which one. | ~unknown

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.254 Value Set http://hl7.org/fhir/ValueSet/assert-direction-codes

URL: https://hl7.org/fhir/R4/valueset-assert-direction-codes.html
FHIR Infrastructure Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/assert-direction-codes
Version: | 4.0.1
Name: | AssertionDirectionType
Title: | AssertionDirectionType
Definition: | The type of direction to use for assertion.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.706 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for AssertionDirectionType
• Resource: TestScript.setup.action.assert.direction (code / Required)

4.4.1.254.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/assert-direction-codes

4.4.1.254.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/assert-direction-codes version 4.0.1

All codes from system http://hl7.org/fhir/assert-direction-codes

Code | Display | Definition
response | response | The assertion is evaluated on the response. This is the default value.
request | request | The assertion is evaluated on the request.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.255 Value Set http://hl7.org/fhir/ValueSet/definition-topic

URL: https://hl7.org/fhir/R4/valueset-definition-topic.html
Clinical Decision Support Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/definition-topic
Version: | 4.0.1
Name: | DefinitionTopic
Title: | DefinitionTopic
Definition: | High-level categorization of the definition, used for searching, sorting, and filtering.
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.794 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

- CodeSystem: This value set is the designated 'entire code system' value set for DefinitionTopic
- Resource: EventDefinition.topic (CodeableConcept / Example)
- Resource: Measure.topic (CodeableConcept / Example)
- Profile: ShareableMeasure: Measure.topic (CodeableConcept / Example)
- Resource: ResearchDefinition.topic (CodeableConcept / Example)
- Resource: ResearchElementDefinition.topic (CodeableConcept / Example)
- Resource: ActivityDefinition.topic (CodeableConcept / Example)
- Profile: ShareableActivityDefinition: ActivityDefinition.topic (CodeableConcept / Example)
- Resource: EffectEvidenceSynthesis.topic (CodeableConcept / Example)
- Resource: EvidenceVariable.topic (CodeableConcept / Example)
- Profile: PICOElement: EvidenceVariable.topic (CodeableConcept / Example)
- Resource: RiskEvidenceSynthesis.topic (CodeableConcept / Example)
- Resource: Library.topic (CodeableConcept / Example)
- Profile: ShareableLibrary: Library.topic (CodeableConcept / Example)
- Profile: CQLLibrary: Library.topic (CodeableConcept / Example)
- Resource: Evidence.topic (CodeableConcept / Example)
- Profile: Synthesis: Evidence.topic (CodeableConcept / Example)
- Resource: PlanDefinition.topic (CodeableConcept / Example)
- Profile: ShareablePlanDefinition: PlanDefinition.topic (CodeableConcept / Example)
- Profile: ComputablePlanDefinition: PlanDefinition.topic (CodeableConcept / Example)
- Profile: CDSHooksServicePlanDefinition: PlanDefinition.topic (CodeableConcept / Example)

4.4.1.255.1 Content Logical Definition

This value set includes codes from the following code systems:

- Include all codes defined in http://terminology.hl7.org/CodeSystem/definition-topic

4.4.1.255.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/definition-topic version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/definition-topic

Code | Display | Definition
treatment | Treatment | The definition is related to treatment of the patient.

education | Education | The definition is related to education of the patient.
assessment | Assessment | The definition is related to assessment of the patient.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.256 Value Set http://hl7.org/fhir/ValueSet/coverage-class

URL: https://hl7.org/fhir/R4/valueset-coverage-class.html
Financial Management Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/coverage-class
Version: | 4.0.1
Name: | CoverageClassCodes
Title: | Coverage Class Codes
Definition: | This value set includes Coverage Class codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.1009 (for OID based terminology systems)
Copyright: | HL7 Inc.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for CoverageClassCodes
• Resource: Coverage.class.type (CodeableConcept / Extensible)

4.4.1.256.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/coverage-class

4.4.1.256.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 11 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/coverage-class version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/coverage-class

Code | Display | Definition
group | Group | An employee group
subgroup | SubGroup | A sub-group of an employee group
plan | Plan | A specific suite of benefits.
subplan | SubPlan | A subset of a specific suite of benefits.
class | Class | A class of benefits.
subclass | SubClass | A subset of a class of benefits.
sequence | Sequence | A sequence number associated with a short-term continuance of the coverage.
rxbin | RX BIN | Pharmacy benefit manager's Business Identification Number.
rxpcn | RX PCN | A Pharmacy Benefit Manager specified Processor Control Number.
rxid | RX Id | A Pharmacy Benefit Manager specified Member ID.
rxgroup | RX Group | A Pharmacy Benefit Manager specified Group number.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.257 Value Set http://hl7.org/fhir/ValueSet/map-model-mode

URL: https://hl7.org/fhir/R4/valueset-map-model-mode.html
FHIR Infrastructure Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/map-model-mode
Version: | 4.0.1
Name: | StructureMapModelMode
Title: | StructureMapModelMode
Definition: | How the referenced structure is used in this mapping.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.675 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for StructureMapModelMode
• Resource: StructureMap.structure.mode (code / Required)

4.4.1.257.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/map-model-mode

4.4.1.257.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/map-model-mode version 4.0.1

All codes from system http://hl7.org/fhir/map-model-mode

Code | Display | Definition
source | Source Structure Definition | This structure describes an instance passed to the mapping engine that is used a source of data.
queried | Queried Structure Definition | This structure describes an instance that the mapping engine may ask for that is used a source of data.
target | Target Structure Definition | This structure describes an instance passed to the mapping engine that is used a target of data.
produced | Produced Structure Definition | This structure describes an instance that the mapping engine may ask to create that is used a target of data.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.258 Value Set http://hl7.org/fhir/ValueSet/financial-taskcode

URL: https://hl7.org/fhir/R4/valueset-financial-taskcode.html
Financial Management Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/financial-taskcode
Version: | 4.0.1
Name: | FinancialTaskCodes
Title: | Financial Task Codes
Definition: | This value set includes Financial Task codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.1389 (for OID based terminology systems)
Copyright: | This is an example set.

Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for FinancialTaskCodes

4.4.1.258.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/financialtaskcode

4.4.1.258.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/financialtaskcode version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/financialtaskcode

Code | Display | Definition
cancel | Cancel | Cancel or reverse a resource, such as a claim or preauthorization, which is in-process or complete.
poll | Poll | Retrieve selected or all queued resources or messages.
release | Release | Release any reserved funds or material obligations associated with a resource. For example, any unused but reserved funds or treatment allowance associated with a preauthorization once treatment is complete.
reprocess | Reprocess | Indication that the processing of a resource, such as a claim, for some or all of the required work is now being requested.
status | Status check | Check on the processing status of a resource such as the adjudication of a claim.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.259 Value Set http://hl7.org/fhir/ValueSet/designation-use

URL: https://hl7.org/fhir/R4/valueset-designation-use.html
Vocabulary Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Conformance Package for further details.

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/designation-use
Version: | 4.0.1
Name: | DesignationUse
Title: | Designation Use
Definition: | Details of how a designation would be used
Committee: | Vocabulary Work Group
OID: | 2.16.840.1.113883.4.642.3.264 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

Note for Implementer:

Licensing note: this value set has an extensible binding, and includes concepts from SNOMED CT. The SNOMED CT concepts included in this value set - description types for SCT terms - are for use with SNOMED-CT, and not expected to be used with other code systems.

This value set is used in the following places:

• Resource: ValueSet.compose.include.concept.designation.use (Coding / Extensible)
• Profile: ShareableValueSet: ValueSet.compose.include.concept.designation.use (Coding / Extensible)
• Resource: CodeSystem.concept.designation.use (Coding / Extensible)
• Profile: ShareableCodeSystem: CodeSystem.concept.designation.use (Coding / Extensible)

4.4.1.259.1 Content Logical Definition

This value set includes codes from the following code systems:

http://snomed.info/sct

Code | Display
900000000000003001 | Fully specified name
900000000000013009 | Synonym

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.260 Value Set http://hl7.org/fhir/ValueSet/endpoint-connection-type

URL: https://hl7.org/fhir/R4/valueset-endpoint-connection-type.html
Patient Administration Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/endpoint-connection-type
Version: | 4.0.1
Name: | EndpointConnectionType
Title: | Endpoint Connection Type
Definition: | This is an example value set defined by the FHIR project, that could be used to represent possible connection type profile values.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.498 (for OID based terminology systems)
Copyright: | Some content from IHE® Copyright © 2015 IHE International, Inc. This content is from the IHE Technical Frameworks and Supplements, available for free download and use at http://www.ihe.net/Technical_Frameworks/
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for EndpointConnectionType
• Resource: Endpoint.connectionType (Coding / Extensible)

4.4.1.260.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/endpoint-connection-type

4.4.1.260.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 14 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/endpoint-connection-type version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/endpoint-connection-type

Code | Display | Definition
ihe-xcpd | IHE XCPD | IHE Cross Community Patient Discovery Profile (XCPD) - http://wiki.ihe.net/index.php/Cross-Community_Patient_Discovery
ihe-xca | IHE XCA | IHE Cross Community Access Profile (XCA) - http://wiki.ihe.net/index.php/Cross-Community_Access
ihe-xdr | IHE XDR | IHE Cross-Enterprise Document Reliable Exchange (XDR) - http://wiki.ihe.net/index.php/Cross-enterprise_Document_Reliable_Interchange
ihe-xds | IHE XDS | IHE Cross-Enterprise Document Sharing (XDS) - http://wiki.ihe.net/index.php/Cross-Enterprise_Document_Sharing
ihe-iid | IHE IID | IHE Invoke Image Display (IID) - http://wiki.ihe.net/index.php/Invoke_Image_Display
dicom-wado-rs | DICOM WADO-RS | DICOMweb RESTful Image Retrieve - http://dicom.nema.org/medical/dicom/current/output/chtml/part18/sect_6.5.html
dicom-qido-rs | DICOM QIDO-RS | DICOMweb RESTful Image query - http://dicom.nema.org/medical/dicom/current/output/chtml/part18/sect_6.7.html
dicom-stow-rs | DICOM STOW-RS | DICOMweb RESTful image sending and storage - http://dicom.nema.org/medical/dicom/current/output/chtml/part18/sect_6.6.html

dicom-wado-uri | DICOM WADO-URI | DICOMweb Image Retrieve - http://dicom.nema.org/dicom/2013/output/chtml/part18/sect_6.3.html
hl7-fhir-rest | HL7 FHIR | Interact with the server interface using FHIR's RESTful interface. For details on its version/capabilities you should connect the value in Endpoint.address and retrieve the FHIR CapabilityStatement.
hl7-fhir-msg | HL7 FHIR Messaging | Use the servers FHIR Messaging interface. Details can be found on the messaging.html page in the FHIR Specification. The FHIR server's base address is specified in the Endpoint.address property.
hl7v2-mllp | HL7 v2 MLLP | HL7v2 messages over an LLP TCP connection
secure-email | Secure email | Email delivery using a digital certificate to encrypt the content using the public key, receiver must have the private key to decrypt the content
direct-project | Direct Project | Direct Project information - http://wiki.directproject.org/

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.261 Value Set http://hl7.org/fhir/ValueSet/verificationresult-validation-status

URL: https://hl7.org/fhir/R4/valueset-verificationresult-validation-status.html
Patient Administration Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/verificationresult-validation-status
Version: | 4.0.1
Name: | validation-status
Title: | Validation-status
Definition: | Status of the validation of the target against the primary source
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.894 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for validation-status
• ConceptMap: Translation source in Canonical Mapping for "Validation-status"
• Resource: VerificationResult.primarySource.validationStatus (CodeableConcept / Preferred)

4.4.1.261.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/validation-status

4.4.1.261.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/validation-status version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/validation-status

Code | Display | Definition | Canonical Status
successful | Successful | | ~active
failed | Failed | | ~failed
unknown | Unknown | The validations status has not been determined yet | ~unknown

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.262 Value Set http://hl7.org/fhir/ValueSet/verificationresult-can-push-updates

URL: https://hl7.org/fhir/R4/valueset-verificationresult-can-push-updates.html
Patient Administration Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/verificationresult-can-push-updates
Version: | 4.0.1
Name: | can-push-updates
Title: | Can-push-updates
Definition: | Ability of the primary source to push updates/alerts
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.896 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for can-push-updates
• Resource: VerificationResult.primarySource.canPushUpdates (CodeableConcept / Preferred)

4.4.1.262.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/can-push-updates

4.4.1.262.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/can-push-updates version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/can-push-updates

Code | Display | Definition
yes | Yes
no | No
undetermined | Undetermined

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.263 Value Set http://hl7.org/fhir/ValueSet/substance-status

URL: https://hl7.org/fhir/R4/valueset-substance-status.html
Orders and Observations Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/substance-status
Version: | 4.0.1
Name: | FHIRSubstanceStatus
Title: | FHIRSubstanceStatus
Definition: | A code to indicate if the substance is actively used.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.474 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for FHIRSubstanceStatus
• ConceptMap: Translation source in Canonical Mapping for "FHIRSubstanceStatus"
• Resource: Substance.status (code / Required)

4.4.1.263.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/substance-status

4.4.1.263.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/substance-status version 4.0.1

All codes from system http://hl7.org/fhir/substance-status

Code | Display | Definition | Canonical Status
active | Active | The substance is considered for use or reference. | ~active
inactive | Inactive | The substance is considered for reference, but not for use. | ~inactive
entered-in-error | Entered in Error | The substance was entered in error. | ~error

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.264 Value Set http://hl7.org/fhir/ValueSet/diagnostic-report-status

URL: https://hl7.org/fhir/R4/valueset-diagnostic-report-status.html
Orders and Observations Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/diagnostic-report-status
Version: | 4.0.1
Name: | DiagnosticReportStatus
Title: | DiagnosticReportStatus
Definition: | The status of the diagnostic report.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.235 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for DiagnosticReportStatus
• ConceptMap: Translation source in Canonical Mapping for "DiagnosticReportStatus"
• Resource: DiagnosticReport.status (code / Required)

4.4.1.264.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/diagnostic-report-status

4.4.1.264.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 10 concepts

Expansion based on http://hl7.org/fhir/diagnostic-report-status version 4.0.1

All codes from system http://hl7.org/fhir/diagnostic-report-status

Lvl | Code | Display | Definition | Canonical Status
0 | registered | Registered | The existence of the report is registered, but there is nothing yet available. | ~received
0 | partial | Partial | This is a partial (e.g. initial, interim or preliminary) report: data in the report may be incomplete or unverified.

1 | preliminary | Preliminary | Verified early results are available, but not all results are final.
0 | final | Final | The report is complete and verified by an authorized person. | ~complete
0 | amended | Amended | Subsequent to being final, the report has been modified. This includes any change in the results, diagnosis, narrative text, or other content of a report that has been issued.
1 | corrected | Corrected | Subsequent to being final, the report has been modified to correct an error in the report or referenced results.
1 | appended | Appended | Subsequent to being final, the report has been modified by adding new content. The existing content is unchanged.
0 | cancelled | Cancelled | The report is unavailable because the measurement was not started or not completed (also sometimes called "aborted"). | ~abandoned
0 | entered-in-error | Entered in Error | The report has been withdrawn following a previous final release. This electronic record should never have existed, though it is possible that real-world decisions were based on it. (If real-world activity has occurred, the status should be "cancelled" rather than "entered-in-error".). | ~error
0 | unknown | Unknown | The authoring/source system does not know which of the status values currently applies for this observation. Note: This concept is not to be used for "other" - one of the listed statuses is presumed to apply, but the authoring/source system does not know which. | ~unknown

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.265 Value Set http://hl7.org/fhir/ValueSet/risk-probability

URL: https://hl7.org/fhir/R4/valueset-risk-probability.html
Clinical Decision Support Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/risk-probability
Version: | 4.0.1
Name: | RiskProbability
Title: | Risk Probability
Definition: | Codes representing the likelihood of a particular outcome in a risk assessment.
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.450 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for RiskProbability
• Resource: RiskAssessment.prediction.qualitativeRisk (CodeableConcept / Example)

4.4.1.265.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/risk-probability

4.4.1.265.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/risk-probability version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/risk-probability

Code | Display | Definition
negligible | Negligible likelihood | The specified outcome is exceptionally unlikely.
low | Low likelihood | The specified outcome is possible but unlikely.
moderate | Moderate likelihood | The specified outcome has a reasonable likelihood of occurrence.
high | High likelihood | The specified outcome is more likely to occur than not.
certain | Certain | The specified outcome is effectively guaranteed.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.266 Value Set http://hl7.org/fhir/ValueSet/contract-security-classification

URL: https://hl7.org/fhir/R4/valueset-contract-security-classification.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contract-security-classification
Version: | 4.0.1
Name: | ContractResourceScopeCodes
Title: | Contract Resource Scope codes
Definition: | This value set contract specific codes for security classification.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.1218 (for OID based terminology systems)
Copyright: | HL7 International.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ContractResourceScopeCodes

• Resource: Contract.term.securityLabel.classification (Coding / Example)

4.4.1.266.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/contract-security-classification

4.4.1.266.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 1 concepts

Expansion based on http://hl7.org/fhir/contract-security-classification version 4.0.1

All codes from system http://hl7.org/fhir/contract-security-classification

Code | Display | Definition
policy | Policy | To be completed

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.267 Value Set http://hl7.org/fhir/ValueSet/encounter-participant-type

URL: https://hl7.org/fhir/R4/valueset-encounter-participant-type.html
Patient Administration Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/encounter-participant-type
Version: | 4.0.1

Name: | ParticipantType
Title: | Participant type
Definition: | This value set defines a set of codes that can be used to indicate how an individual participates in an encounter.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.250 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Appointment.participant.type (CodeableConcept / Extensible)

• Resource: Encounter.participant.type (CodeableConcept / Extensible)

• Resource: AppointmentResponse.participantType (CodeableConcept / Extensible)

4.4.1.267.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://terminology.hl7.org/CodeSystem/v3-ParticipationType where concept is-a _ParticipationAncillary

http://terminology.hl7.org/CodeSystem/v3-ParticipationType

Code | Display
SPRF | secondary performer | A person assisting in an act through his substantial presence and involvement This includes: assistants, technicians, associates, or whatever the job titles may be.
PPRF | primary performer | The principal or primary performer of the act.
PART | Participation | Indicates that the target of the participation is involved in some manner in the act, but does not qualify how.

• Include all codes defined in http://terminology.hl7.org/CodeSystem/participant-type

http://terminology.hl7.org/CodeSystem/v3-ParticipationType

Code | Display
_ParticipationAncillary | ParticipationAncillary | Participations related, but not primary to an act. The Referring, Admitting, and Discharging practitioners must be the same person as those authoring the ControlAct event for their respective trigger events.

4.4.1.267.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 12 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/participant-type version 4.0.1, http://terminology.hl7.org/CodeSystem/v3-ParticipationType version 2018-08-12

Code | System | Display | Definition
ADM | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | admitter | The practitioner who is responsible for admitting a patient to a patient encounter.
ATND | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | attender | The practitioner that has responsibility for overseeing a patient's care during a patient encounter.
CALLBCK | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | callback contact | A person or organization who should be contacted for follow-up questions about the act in place of the author.
CON | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | consultant | An advisor participating in the service by performing evaluations and making recommendations.
DIS | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | discharger | The practitioner who is responsible for the discharge of a patient from a patient encounter.
ESC | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | escort | Only with Transportation services. A person who escorts the patient.
REF | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | referrer | A person having referred the subject of the service to the performer (referring physician). Typically, a referring physician will receive a report.
SPRF | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | secondary performer | A person assisting in an act through his substantial presence and involvement This includes: assistants, technicians, associates, or whatever the job titles may be.
PPRF | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | primary performer | The principal or primary performer of the act.
PART | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | Participation | Indicates that the target of the participation is involved in some manner in the act, but does not qualify how.
translator | http://terminology.hl7.org/CodeSystem/participant-type | Translator | A translator who is facilitating communication with the patient during the encounter.
emergency | http://terminology.hl7.org/CodeSystem/participant-type | Emergency | A person to be contacted in case of an emergency during the encounter.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.268 Value Set http://hl7.org/fhir/ValueSet/specimen-collection-method

URL: https://hl7.org/fhir/R4/valueset-specimen-collection-method.html
Orders and Observations Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/specimen-collection-method
Version: | 4.0.1
Name: | FHIRSpecimenCollectionMethod
Title: | FHIR Specimen Collection Method
Definition: | This example value set defines a set of codes that can be used to indicate the method by which a specimen was collected.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.468 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Specimen.collection.method (CodeableConcept / Example)

4.4.1.268.1 Content Logical Definition

This value set includes codes from the following code systems:

http://snomed.info/sct

Code | Display
129316008 | Aspiration - action
129314006 | Biopsy - action
129300006 | Puncture - action
129304002 | Excision - action
129323009 | Scraping - action
73416001 | Urine specimen collection, clean catch
225113003 | Timed urine collection
70777001 | Urine specimen collection, catheterized
386089008 | Collection of coughed sputum
278450005 | Finger-prick sampling

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.269 Value Set http://hl7.org/fhir/ValueSet/route-codes

URL: https://hl7.org/fhir/R4/valueset-route-codes.html
Pharmacy Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/route-codes
Version: | 4.0.1
Name: | SNOMEDCTRouteCodes
Title: | SNOMED CT Route Codes
Definition: | This value set includes all Route codes from SNOMED CT - provided as an exemplar.
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.98 (for OID based terminology systems)

Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002 International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: AllergyIntolerance.reaction.exposureRoute (CodeableConcept / Example)

• Resource: MedicationAdministration.dosage.route (CodeableConcept / Example)

• Resource: MedicationKnowledge.intendedRoute (CodeableConcept / Example)

4.4.1.269.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://snomed.info/sct where concept is-a 284009009 (Route of administration values)

4.4.1.269.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 150 concepts

All codes from system http://snomed.info/sct

Code	Display	Definition
6064005	Topical route	
10547007	Auricular use	
12130007	Intra-articular route	
16857009	Vaginal use	
26643006	Oral use	
34206005	SC use	
37161004	Rectal use	
37737002	Intraluminal use	
37839007	Sublingual use	
38239002	Intraperitoneal use	
45890007	Transdermal use	
46713006	Nasal use	
47625008	Intravenous use	
54471007	Buccal use	
54485002	Ophthalmic use	
58100008	Intra-arterial use	
60213007	Intramedullary route	
62226000	Intrauterine route	
72607000	Intrathecal route	
78421000	Intramuscular use	
90028008	Urethral use	
127490009	Gastrostomy use	
127491008	Jejunostomy use	
127492001	Nasogastric use	
372449004	Dental use	
372450004	Endocervical use	
372451000	Endosinusial use	
372452007	Endotracheopulmonary use	
372453002	Extra-amniotic use	
372454008	Gastroenteral use	
372457001	Gingival use	
372458006	Intraamniotic use	
372459003	Intrabursal use	
372460008	Intracardiac use	
372461007	Intracavernous use	
372463005	Intracoronary use	
372464004	Intradermal use	
372465003	Intradiscal use	
372466002	Intralesional use	
372467006	Intralymphatic use	
372468001	Intraocular use	
372469009	Intrapleural use	
372470005	Intrasternal use	
372471009	Intravesical use	
372473007	Oromucosal use	
372474001	Periarticular use	
372475000	Perineural use	
372476004	Subconjunctival use	
404815008	Transmucosal route	
404818005	Intratracheal route	

404819002 | Intrabiliary route
404820008 | Epidural route
416174007 | Suborbital route
417070009 | Caudal route
417255000 | Intraosseous route
417950001 | Intrathoracic route
417985001 | Enteral route
417989007 | Intraductal route
418091004 | Intratympanic route
418114005 | Intravenous central route
418133000 | Intramyometrial route
418136008 | Gastro-intestinal stoma route
418162004 | Colostomy route
418204005 | Periurethral route
418287000 | Intracoronal route
418321004 | Retrobulbar route
418331006 | Intracartilaginous route
418401004 | Intravitreal route
418418000 | Intraspinal route
418441008 | Orogastric route
418511008 | Transurethral route
418586008 | Intratendinous route
418608002 | Intracorneal route
418664002 | Oropharyngeal route
418722009 | Peribulbar route
418730005 | Nasojejunal route
418743005 | Fistula route
418813001 | Surgical drain route
418821007 | Intracameral route
418851001 | Paracervical route
418877009 | Intrasynovial route
418887008 | Intraduodenal route
418892005 | Intracisternal route
418947002 | Intratesticular route
418987007 | Intracranial route
419021003 | Tumor cavity route
419165009 | Paravertebral route
419231003 | Intrasinal route
419243002 | Transcervical route
419320008 | Subtendinous route
419396008 | Intraabdominal route
419601003 | Subgingival route
419631009 | Intraovarian route
419684008 | Ureteral route
419762003 | Peritendinous route
419778001 | Intrabronchial route
419810008 | Intraprostatic route
419874009 | Submucosal route
419894000 | Surgical cavity route
419954003 | Ileostomy route
419993007 | Intravenous peripheral route
420047004 | Periosteal route
420163009 | Esophagostomy route
420168000 | Urostomy route
420185003 | Laryngeal route
420201002 | Intrapulmonary route
420204005 | Mucous fistula route
420218003 | Nasoduodenal route
420254004 | Body cavity route
420287000 | Intraventricular route - cardiac
420719007 | Intracerebroventricular route
428191002 | Percutaneous route
429817007 | Interstitial route
445752009 | Intraesophageal route
445754005 | Intragingival route
445755006 | Intravascular route
445756007 | Intradural route
445767008 | Intrameningeal route
445768003 | Intragastric route
445769006 | Intracorpus cavernosum route
445771006 | Intrapericardial route
445913005 | Intralingual route

445941009 | Intrahepatic route
446105004 | Conjunctival route
446407004 | Intraepicardial route
446435000 | Transendocardial route
446442000 | Transplacental route
446540005 | Intracerebral route
447026006 | Intraileal route
447052000 | Periodontal route
447080003 | Peridural route
447081004 | Lower respiratory tract route
447121004 | Intramammary route
447122006 | Intratumor route
447227007 | Transtympanic route
447229005 | Transtracheal route
447694001 | Respiratory tract route
447964005 | Digestive tract route
448077001 | Intraepidermal route
448491004 | Intrajejunal route
448492006 | Intracolonic route
448598008 | Cutaneous route
697971008 | Arteriovenous fistula route
711360002 | Intraneural route
711378007 | Intramural route
714743009 | Extracorporeal route
718329006 | Infiltration route
1611000175109 | Sublesional route
180677251000087104 | Intraventricular
461657851000087101 | Translingual

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.270 Value Set http://hl7.org/fhir/ValueSet/subscriber-relationship

URL: https://hl7.org/fhir/R4/valueset-subscriber-relationship.html
Financial Management Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/subscriber-relationship
Version: | 4.0.1
Name: | SubscriberRelationshipCodes
Title: | SubscriberPolicyholder Relationship Codes
Definition: | This value set includes codes for the relationship between the Subscriber and the Beneficiary (insured/covered party/patient).
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.1385 (for OID based terminology systems)
Copyright: | This is an extensible set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for SubscriberRelationshipCodes

• Resource: Coverage.relationship (CodeableConcept / Extensible)

4.4.1.270.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/subscriber-relationship

4.4.1.270.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 7 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/subscriber-relationship version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/subscriber-relationship

Code	Display	Definition
child	Child	The Beneficiary is a child of the Subscriber
parent	Parent	The Beneficiary is a parent of the Subscriber
spouse	Spouse	The Beneficiary is a spouse or equivalent of the Subscriber
common	Common Law Spouse	The Beneficiary is a common law spouse or equivalent of the Subscriber
other	Other	The Beneficiary has some other relationship the Subscriber
self	Self	The Beneficiary is the Subscriber
injured	Injured Party	The Beneficiary is covered under insurance of the subscriber due to an injury.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl	A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.4.1.271 Value Set http://hl7.org/fhir/ValueSet/specimen-collection

URL: https://hl7.org/fhir/R4/valueset-specimen-collection.html

Orders and Observations Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/specimen-collection
Version:	4.0.1
Name:	SpecimenCollection
Title:	Specimen collection methods
Definition:	Actions that can be taken for the collection of specimen from a subject.
Committee:	Orders and Observations Work Group
OID:	2.16.840.1.113883.4.642.3.1398 (for OID based terminology systems)
Copyright:	This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource	XML / JSON

This value set is used in the following places:

• Resource: SpecimenDefinition.collection (CodeableConcept / Example)

4.4.1.271.1 Content Logical Definition

This value set includes codes from the following code systems:

http://snomed.info/sct

Code	Display
129316008	Aspiration - action
129314006	Biopsy - action
129300006	Puncture - action
129304002	Excision - action
129323009	Scraping - action
73416001	Urine specimen collection, clean catch
225113003	Timed urine collection
70777001	Urine specimen collection, catheterized
386089008	Collection of coughed sputum
278450005	Finger-prick sampling

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl	A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.272 Value Set http://hl7.org/fhir/ValueSet/action-relationship-type

URL: https://hl7.org/fhir/R4/valueset-action-relationship-type.html
Clinical Decision Support Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/action-relationship-type
Version: | 4.0.1
Name: | ActionRelationshipType
Title: | ActionRelationshipType
Definition: | Defines the types of relationships between actions.
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.813 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ActionRelationshipType
• Resource: RequestGroup.action.relatedAction.relationship (code / Required)
• Resource: PlanDefinition.action.relatedAction.relationship (code / Required)

4.4.1.272.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/action-relationship-type

4.4.1.272.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 9 concepts

Expansion based on http://hl7.org/fhir/action-relationship-type version 4.0.1

All codes from system http://hl7.org/fhir/action-relationship-type

Code | Display | Definition
before-start | Before Start | The action must be performed before the start of the related action.
before | Before | The action must be performed before the related action.
before-end | Before End | The action must be performed before the end of the related action.
concurrent-with-start | Concurrent With Start | The action must be performed concurrent with the start of the related action.
concurrent | Concurrent | The action must be performed concurrent with the related action.
concurrent-with-end | Concurrent With End | The action must be performed concurrent with the end of the related action.
after-start | After Start | The action must be performed after the start of the related action.
after | After | The action must be performed after the related action.
after-end | After End | The action must be performed after the end of the related action.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.273 Value Set http://hl7.org/fhir/ValueSet/quantity-comparator

URL: https://hl7.org/fhir/R4/valueset-quantity-comparator.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/quantity-comparator
Version: | 4.0.1
Name: | QuantityComparator
Title: | QuantityComparator
Definition: | How the Quantity should be understood and represented.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.59 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for QuantityComparator

• Resource: Quantity.comparator (code / Required)

4.4.1.273.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/quantity-comparator

4.4.1.273.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/quantity-comparator version 4.0.1

All codes from system http://hl7.org/fhir/quantity-comparator

Code | Display | Definition
< | Less than | The actual value is less than the given value.
<= | Less or Equal to | The actual value is less than or equal to the given value.
>= | Greater or Equal to | The actual value is greater than or equal to the given value.
> | Greater than | The actual value is greater than the given value.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.274 Value Set http://hl7.org/fhir/ValueSet/name-v3-representation

URL: https://hl7.org/fhir/R4/valueset-name-v3-representation.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/name-v3-representation
Version: | 4.0.1
Name: | NameRepresentationUse
Title: | NameRepresentationUse
Definition: | A set of codes for each different representation of a name.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.909 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is not currently used

4.4.1.274.1 Content Logical Definition

This value set includes codes from the following code systems:

http://terminology.hl7.org/CodeSystem/v3-EntityNameUse

Code | Display
ABC | Alphabetic | Alphabetic transcription of name (Japanese: romaji)
IDE | Ideographic | Ideographic representation of name (e.g., Japanese kanji, Chinese characters)

SYL | Syllabic | Syllabic transcription of name (e.g., Japanese kana, Korean hangul)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.275 Value Set http://hl7.org/fhir/ValueSet/contract-content-derivative

URL: https://hl7.org/fhir/R4/valueset-contract-content-derivative.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contract-content-derivative
Version: | 4.0.1
Name: | ContractContentDerivationCodes
Title: | Contract Content Derivation Codes
Definition: | This is an example set of Content Derivative type codes, which represent the minimal content derived from the basal information source at a specific stage in its lifecycle, which is sufficient to manage that source information, for example, in a repository, registry, processes and workflows, for making access control decisions, and providing query responses.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.745 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ContractContentDerivationCodes

• Resource: Contract.contentDerivative (CodeableConcept / Example)

4.4.1.275.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/contract-content-derivative

4.4.1.275.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/contract-content-derivative version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/contract-content-derivative

Code | Display | Definition
registration | Content Registration | Content derivative that conveys sufficient information needed to register the source basal content from which it is derived. This derivative content may be used to register the basal content as it changes status in its lifecycle. For example, content registration may occur when the basal content is created, updated, inactive, or deleted.
retrieval | Content Retrieval | A content derivative that conveys sufficient information to locate and retrieve the content.
statement | Content Statement | Content derivative that has less than full fidelity to the basal information source from which it was 'transcribed'. It provides recipients with the full content representation they may require for compliance purposes, and typically include a reference to or an attached unstructured representation for recipients needing an exact copy of the legal agreement.
shareable | Shareable Content | A Content Derivative that conveys sufficient information to determine the authorized entities with which the content may be shared.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.276 Value Set http://hl7.org/fhir/ValueSet/contact-point-system

URL: https://hl7.org/fhir/R4/valueset-contact-point-system.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contact-point-system
Version: | 4.0.1
Name: | ContactPointSystem
Title: | ContactPointSystem
Definition: | Telecommunications form for contact point.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.71 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ContactPointSystem
• ConceptMap: Translation source in v2 map for ContactPointSystem
• Resource: ContactPoint.system (code / Required)

4.4.1.276.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/contact-point-system

4.4.1.276.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 7 concepts

Expansion based on http://hl7.org/fhir/contact-point-system version 4.0.1

All codes from system http://hl7.org/fhir/contact-point-system

Code | Display | Definition
phone | Phone | The value is a telephone number used for voice calls. Use of full international numbers starting with + is recommended to enable automatic dialing support but not required.
fax | Fax | The value is a fax machine. Use of full international numbers starting with + is recommended to enable automatic dialing support but not required.
email | Email | The value is an email address.
pager | Pager | The value is a pager number. These may be local pager numbers that are only usable on a particular pager system.
url | URL | A contact that is not a phone, fax, pager or email address and is expressed as a URL. This is intended for various institutional or personal contacts including web sites, blogs, Skype, Twitter, Facebook, etc. Do not use for email addresses.
sms | SMS | A contact that can be used for sending an sms message (e.g. mobile phones, some landlines).
other | Other | A contact that is not a phone, fax, page or email address and is not expressible as a URL. E.g. Internal mail address. This SHOULD NOT be used for contacts that are expressible as a URL (e.g. Skype, Twitter, Facebook, etc.) Extensions may be used to distinguish "other" contact types.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.277 Value Set http://hl7.org/fhir/ValueSet/provenance-entity-role

URL: https://hl7.org/fhir/R4/valueset-provenance-entity-role.html
Security Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/provenance-entity-role
Version: | 4.0.1
Name: | ProvenanceEntityRole
Title: | ProvenanceEntityRole
Definition: | How an entity was used in an activity.
Committee: | Security Work Group
OID: | 2.16.840.1.113883.4.642.3.436 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ProvenanceEntityRole

• Resource: Provenance.entity.role (code / Required)

4.4.1.277.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/provenance-entity-role

4.4.1.277.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/provenance-entity-role version 4.0.1

All codes from system http://hl7.org/fhir/provenance-entity-role

Lvl | Code | Display | Definition
0 | derivation | Derivation | A transformation of an entity into another, an update of an entity resulting in a new one, or the construction of a new entity based on a pre-existing entity.
1 | revision | Revision | A derivation for which the resulting entity is a revised version of some original.
1 | quotation | Quotation | The repeat of (some or all of) an entity, such as text or image, by someone who might or might not be its original author.
1 | source | Source | A primary source for a topic refers to something produced by some agent with direct experience and knowledge about the topic, at the time of the topic's study, without benefit from hindsight.
1 | removal | Removal | A derivation for which the entity is removed from accessibility usually through the use of the Delete operation.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.278 Value Set http://hl7.org/fhir/ValueSet/ex-diagnosisrelatedgroup

URL: https://hl7.org/fhir/R4/valueset-ex-diagnosisrelatedgroup.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/ex-diagnosisrelatedgroup
Version: | 4.0.1
Name: | ExampleDiagnosisRelatedGroupCodes
Title: | Example Diagnosis Related Group Codes
Definition: | This value set includes example Diagnosis Related Group codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.588 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ExampleDiagnosisRelatedGroupCodes

• Resource: ExplanationOfBenefit.diagnosis.packageCode (CodeableConcept / Example)

• Resource: Claim.diagnosis.packageCode (CodeableConcept / Example)

4.4.1.278.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/ex-diagnosisrelatedgroup

4.4.1.278.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/ex-diagnosisrelatedgroup version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/ex-diagnosisrelatedgroup

Code	Display	Definition
100	Normal Vaginal Delivery	Normal Vaginal Delivery.
101	Appendectomy - uncomplicated	Appendectomy without rupture or other complications.
300	Tooth abscess	Emergency department treatment of a tooth abscess.
400	Head trauma - concussion	Head trauma - concussion.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.279 Value Set http://hl7.org/fhir/ValueSet/group-type

URL: https://hl7.org/fhir/R4/valueset-group-type.html
FHIR Infrastructure Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/group-type
Version: | 4.0.1
Name: | GroupType
Title: | GroupType
Definition: | Types of resources that are part of group.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.284 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for GroupType

• Resource: Group.type (code / Required)

4.4.1.279.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/group-type

4.4.1.279.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/group-type version 4.0.1

All codes from system http://hl7.org/fhir/group-type

Code	Display	Definition
person	Person	Group contains "person" Patient resources.
animal	Animal	Group contains "animal" Patient resources.
practitioner	Practitioner	Group contains healthcare practitioner resources (Practitioner or PractitionerRole).
device	Device	Group contains Device resources.
medication	Medication	Group contains Medication resources.
substance	Substance	Group contains Substance resources.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.280 Value Set http://hl7.org/fhir/ValueSet/search-entry-mode

URL: https://hl7.org/fhir/R4/valueset-search-entry-mode.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Infrastructure Package for further details.

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/search-entry-mode
Version: | 4.0.1
Name: | SearchEntryMode
Title: | SearchEntryMode
Definition: | Why an entry is in the result set - whether it's included as a match or because of an _include requirement, or to convey information or warning information about the search process.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.622 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for SearchEntryMode
• Resource: Bundle.entry.search.mode (code / Required)

4.4.1.280.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/search-entry-mode

4.4.1.280.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/search-entry-mode version 4.0.1

All codes from system http://hl7.org/fhir/search-entry-mode

Code | Display | Definition
match | Match | This resource matched the search specification.
include | Include | This resource is returned because it is referred to from another resource in the search set.
outcome | Outcome | An OperationOutcome that provides additional information about the processing of a search.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.281 Value Set http://hl7.org/fhir/ValueSet/procedure-reason

URL: https://hl7.org/fhir/R4/valueset-procedure-reason.html
Patient Care Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/procedure-reason
Version: | 4.0.1
Name: | ProcedureReasonCodes
Title: | Procedure Reason Codes
Definition: | This example value set defines the set of codes that can be used to indicate a reason for a procedure.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.432 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: ServiceRequest.reasonCode (CodeableConcept / Example)
• Profile: ServiceRequest-Genetics: ServiceRequest.reasonCode (CodeableConcept / Example)
• Resource: ImagingStudy.reasonCode (CodeableConcept / Example)
• Resource: Procedure.reasonCode (CodeableConcept / Example)
• Resource: Media.reasonCode (CodeableConcept / Example)

4.4.1.281.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://snomed.info/sct where concept is-a 404684003 (Clinical finding)
• Include codes from http://snomed.info/sct where concept is-a 71388002 (Procedure)

4.4.1.281.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2000 concepts

All codes from system http://snomed.info/sct

Code	Display	Definition
109006	Anxiety disorder of childhood OR adolescence	
122003	Choroidal hemorrhage	
127009	Spontaneous abortion with laceration of cervix	
129007	Homoiothermia	
134006	Decreased hair growth	
140004	Chronic pharyngitis	
144008	Normal peripheral vision	
147001	Superficial foreign body of scrotum without major open wound but with infection	
150003	Abnormal bladder continence	
151004	Meningitis due to gonococcus	
162004	Severe manic bipolar I disorder without psychotic features	
165002	Accident-prone	
168000	Typhlolithiasis	
171008	Injury of ascending right colon without open wound into abdominal cavity	
172001	Endometritis following molar AND/OR ectopic pregnancy	
175004	Supraorbital neuralgia	
177007	Poisoning by sawfly larvae	
179005	Apraxia of dressing	
181007	Hemorrhagic bronchopneumonia	
183005	Autoimmune pancytopenia	
184004	Withdrawal arrhythmia	
188001	Intercostal artery injury	
192008	Congenital syphilitic hepatomegaly	
193003	Benign hypertensive renal disease	
195005	Illegal abortion with endometritis	
198007	Disease due to Filoviridae	
199004	Decreased lactation	
208008	Neurocutaneous melanosis sequence	
216004	Delusion of persecution	
219006	Alcohol user	
222008	Acute epiglottitis with obstruction	
223003	Tumor of body of uterus affecting pregnancy	
228007	Lucio phenomenon	
241006	Motor simple partial status	
242004	Noninfectious jejunitis	

253005 | Sycosis
257006 | Acne rosacea, erythematous telangiectatic type
258001 | Pseudoknuckle pad
264008 | Blind hypertensive eye
276008 | Oxytocin poisoning
279001 | Senile myocarditis
281004 | Alcoholic dementia
282006 | Acute myocardial infarction of basal-lateral wall
290006 | Melnick-Fraser syndrome
292003 | EEG finding
297009 | Acute myringitis
299007 | Paraffinoma of skin
303002 | Apoplectic pancreatitis
308006 | Pearly penile papules
310008 | Penile boil
313005 | Déjà vu
317006 | Reactive hypoglycemia
320003 | Cervical dilatation, 1cm
324007 | Plaster ulcer
330007 | Occipital headache
335002 | Pylorospasm
341009 | ABO incompatibility reaction
349006 | Absent tendon reflex
355001 | Hemorrhagic shock
357009 | Closed fracture trapezoid
358004 | Smallpox vaccine poisoning
359007 | Kernicterus due to isoimmunization
360002 | Acute radiation disease
364006 | Acute left-sided heart failure
366008 | Hidromeiosis
368009 | Heart valve disorder
369001 | Normal jugular venous pressure
378007 | Morquio syndrome
382009 | Legal history finding relating to child
383004 | Finding of passive range of hip extension
385006 | Secondary peripheral neuropathy
387003 | Melanuria
398002 | Left axis deviation greater than -90 degrees by EKG
407000 | Congenital hepatomegaly
408005 | Tooth chattering
409002 | Food allergy diet
426008 | Superficial injury of ankle without infection
431005 | Hypertrophy of scrotum
437009 | Abnormal composition of urine
440009 | Persistent hyperphenylalaninemia
442001 | Secondary hypopituitarism
443006 | Cystocele affecting pregnancy
447007 | Coach in sports activity accident
450005 | Ulcerative stomatitis
452002 | Blister of groin without infection
460001 | Squamous metaplasia of prostate gland
467003 | Old laceration of pelvic floor muscle
470004 | Vitreous touch syndrome
479003 | Graves' disease with pretibial myxedema AND with thyrotoxic crisis
486006 | Acute vascular insufficiency
488007 | Fibroid myocarditis
490008 | Upper respiratory tract hypersensitivity reaction
496002 | Closed traumatic dislocation of third cervical vertebra
504009 | Androgen-dependent hirsutism
517007 | Foreign body in hypopharynx
518002 | Multiple aggregation
520004 | Congenital bent nose
527001 | Spontaneous fetal evolution, Roederer's method
536002 | Glissonian cirrhosis
539009 | Conjunctival argyrosis
547009 | Hypersecretion of calcitonin
548004 | 13p partial trisomy syndrome
554003 | 2p partial trisomy syndrome
555002 | Dicentra species poisoning
563001 | Nystagmus
568005 | Habit disorder
586008 | Contact dermatitis due to primrose

590005 | Congenital aneurysm of anterior communicating artery
596004 | Premenstrual dysphoric disorder
599006 | Persistent pneumothorax
600009 | Pyromania
602001 | Ross river fever
607007 | Decreased vital capacity
610000 | Spastic aphonia
613003 | FRAXA - Fragile X syndrome
615005 | Obstruction due to foreign body accidentally left in operative wound AND/OR body cavity during a procedure
616006 | Sensorimotor disorder of eyelid
626004 | Hypercortisolism due to nonpituitary tumor
631002 | Transfusion reaction due to minor incompatibility
634005 | Saddle boil
640003 | Injury of pneumogastric nerve
643001 | Hypertrophy of lip
646009 | Idiopathic cyst of anterior chamber
649002 | Open fracture of distal end of ulna
651003 | Root work
652005 | Gangrenous tonsillitis
655007 | Abnormal fetal heart beat noted before labor in liveborn infant
658009 | Injury of colon without open wound into abdominal cavity
663008 | Pulmonary embolism following molar AND/OR ectopic pregnancy
664002 | Delayed ovulation
666000 | Poisoning by antivaricose drug AND/OR sclerosing agent
675003 | Torsion of intestine
682004 | Thrombosis complicating pregnancy AND/OR puerperium
685002 | Acquired telangiectasia of small AND/OR large intestines
701003 | Adult osteochondritis of spine
703000 | Congenital adhesion of tongue
714002 | Abrasion AND/OR friction burn of toe with infection
715001 | Nontraumatic rupture of urethra
718004 | Acute bronchiolitis with obstruction
733007 | Superficial foreign body of groin without major open wound but with infection
734001 | Opocephalus
736004 | Abscess of hip
750009 | Schistosoma mansoni infection
755004 | Postgastrectomy phytobezoar
756003 | Chronic rheumatic myopericarditis
758002 | Cyst of uterus
775008 | Open wound of head with complication
776009 | Partial arterial retinal occlusion
781000 | Cestrum diurnum poisoning
786005 | Clinical stage I B
787001 | Rheumatic mitral stenosis with regurgitation
788006 | Disease-related diet
792004 | CJD - Creutzfeldt-Jakob disease
799008 | Sigmoid colon ulcer
801006 | Insect bite, nonvenomous, of foot, infected
805002 | Pneumoconiosis due to silica
811004 | Flail motion
813001 | Ankle instability
815008 | Episcleritis
816009 | Genetic recombination
818005 | Third degree burn of multiple sites of lower limb
825003 | Superficial injury of axilla with infection
827006 | Late congenital syphilis, latent (+ sero., - C.S.F., 2 years OR more)
832007 | Moderate major depression
834008 | Chair-seated facing coital position
841002 | Congenital absence of skull bone
842009 | Consanguinity
843004 | Poliomyelomalacia
844005 | Finding relating to behavior
845006 | Inferior mesenteric artery injury
849000 | Total cataract
857002 | Erythema simplex
862001 | Anemia due to chlorate
865004 | Hyperalimentation formula for ileus
871005 | Contracted pelvis
874002 | Therapeutic diuresis
875001 | Chalcosis of eye
888003 | Foetal or neonatal effect of maternal blood loss
890002 | Deep third degree burn of elbow

899001 | Axis I diagnosis
903008 | Chorioretinal infarction
904002 | Pinard's sign
908004 | Superficial injury of interscapular region without infection
919001 | Pseudohomosexual state
928000 | Musculoskeletal disorder
931004 | Gestation period, 9 weeks
932006 | Flat affect
934007 | Thalassemia intermedia
943003 | Congenital retinal aneurysm
954008 | Renon-Delille syndrome
961007 | Erythema nodosum, acute form
962000 | Disability evaluation, disability 6%
964004 | Open wound of pharynx without complication
965003 | Toxic amblyopia
975000 | Anorectal agenesis
978003 | Chronic infantile eczema
981008 | Hemorrhagic proctitis
984000 | Perirectal cellulitis
987007 | Cellulitis of temple region
991002 | Wide QRS complex
998008 | Chagas' disease with heart involvement
1003002 | Religious discrimination
1020003 | Disease due to Nairovirus
1023001 | Apneic
1027000 | Biliary esophagitis
1031006 | Open wound of trachea without complication
1033009 | Thoracic arthritis
1034003 | Mesenteric-portal fistula
1038000 | Disaccharidurie
1045000 | Colonospasm
1046004 | Ureteritis glandularis
1051005 | Hyperplasia of islet alpha cells with gastrin excess
1055001 | Stenosis of precerebral artery
1059007 | Opisthorchiasis
1070000 | Facial myokymia
1073003 | Xeroderma pigmentosum group B
1074009 | Glucocorticoid-responsive primary hyperaldosteronism
1077002 | Septal infarction by EKG
1079004 | Macular retinal cyst
1085006 | Vulval candidiasis
1089000 | Congenital sepsis
1102005 | Intraerythrocytic parasitosis by Nuttallia
1107004 | Early latent syphilis, positive serology, negative cerebrospinal fluid, with relapse after treatment
1108009 | Female pattern alopecia
1111005 | Normal sebaceous gland activity
1112003 | Degenerative disorder of eyelid
1116000 | Chronic aggressive type B viral hepatitis
1124005 | Postpartum period, 6 days
1125006 | Septicemia during labor
1126007 | Knee locking
1131009 | Congenital valvular insufficiency
1134001 | Muehrcke lines
1135000 | Solar retinitis
1139006 | Confrontation (visual) test
1140008 | Thermal hypesthesia
1141007 | Circumoral paresthesia
1145003 | DSD - Developmental speech disorder
1150009 | Congenital microcheilia
1151008 | Constricted visual field
1152001 | Skin reaction negative
1155004 | Myocardial hypertrophy, determined by electrocardiogram
1156003 | Cavitary prostatitis
1168007 | Allotype
1184008 | Glasgow coma scale, 10
1192004 | Familial amyloid neuropathy, Finnish type
1194003 | Disease condition determination, well controlled
1196001 | Chronic bipolar II disorder, most recent episode major depressive
1197005 | Carbuncle of heel
1201005 | Benign essential hypertension
1203008 | Deep third degree burn of forehead AND/OR cheek with loss of body part
1207009 | Optic disc glaucomatous atrophy

1208004 | Gastroptosis
1212005 | Juvenile dermatomyositis
1214006 | Infection by Strongyloides
1230003 | No diagnosis on Axis 1
1232006 | Congenital articular rigidity with myopathy
1239002 | Congenital anteversion of femoral neck
1240000 | Lying prone
1259003 | Schistosis
1261007 | Multiple fractures of ribs
1264004 | Injury of descending left colon without open wound into abdominal cavity
1271009 | Knuckle pads, leuconychia and deafness
1280009 | Isologous chimera
1282001 | Laryngeal perichondritis
1283006 | Visual acuity less than .02 (1/60, count fingers 1 meter) or visual field less than 5 degrees, but better than 5.
1284000 | Abnormal jaw closure
1286003 | Vitamin K deficiency coagulation disorder
1287007 | Congenital absence of bile duct
1297003 | Infection by Cladosporium carrionii
1308001 | Complication of reimplant
1310004 | Impaired glucose tolerance associated with genetic syndrome
1317001 | Injury of ovary without open wound into abdominal cavity
1318006 | Post-translational genetic protein processing
1323006 | Kanamycin poisoning
1332008 | Conjugated visual deviation
1335005 | Peyronies disease
1343000 | DTA - Deep transverse arrest
1345007 | Hang nail
1351002 | Iliac artery injury
1356007 | Calculus of common duct with obstruction
1361009 | Leucocoria
1363007 | Fetal or neonatal effect of chronic maternal respiratory disease
1367008 | Injury of superior mesenteric artery
1370007 | Open fracture of metacarpal bone(s)
1372004 | Unicornate uterus
1376001 | Obsessive compulsive personality disorder
1378000 | Supination-eversion injury of ankle
1380006 | Agoraphobia without history of panic disorder with limited symptom attacks
1383008 | Hallucinogen induced mood disorder
1384002 | Diffuse cholesteatosis of middle ear
1386000 | Intracranial hemorrhage
1387009 | Solanum nigrum poisoning
1388004 | Metabolic alkalosis
1393001 | Lenz-Majewski dysplasia
1395008 | Complication of ultrasound therapy
1402001 | Frightened
1412008 | Anterior subcapsular polar cataract
1415005 | Inflammation of lymphatics
1418007 | Hypoplastic chondrodystrophy
1419004 | Injury of prostate without open wound into abdominal cavity
1426004 | Necrotizing glomerulonephritis
1427008 | Intraspinal abscess
1430001 | Intracranial hemorrhage following injury without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) without return to pre-existing level
1447000 | Icthyoparasitism
1469007 | Miscarriage with urinary tract infection
1474004 | Hypertensive heart AND renal disease complicating AND/OR reason for care during childbirth
1475003 | Herpes labialis
1478001 | Obliteration of lymphatic vessel
1479009 | 20q partial trisomy syndrome
1482004 | Chalazion
1486001 | Orbital congestion
1488000 | PONV - Postoperative nausea and vomiting
1489008 | External hordeolum
1492007 | Congenital anomaly of large intestine
1493002 | Acute endophthalmitis
1499003 | Bipolar I disorder, single manic episode with postpartum onset
1512006 | Congenital stricture of bile duct
1515008 | Gorham disease
1518005 | Splenitis
1519002 | Congenital phlebectasia
1521007 | Blister of buttock without infection
1523005 | Clinical stage IV B

1525003 | Blister of foot without infection
1531000 | Nitrofuran derivative poisoning
1532007 | Viral pharyngitis
1534008 | Palsy of conjugate gaze
1538006 | Central nervous system malformation in foetus affecting obstetrical care
1539003 | Nodular tendinous disease of finger
1542009 | Omphalocele with obstruction
1544005 | Open dislocation of knee
1551001 | Osteomyelitis of femur
1556006 | Clark melanoma level 4
1563006 | Protein S deficiency
1567007 | Chronic gastric ulcer without hemorrhage, without perforation AND without obstruction
1588003 | Heterosexual precocious puberty
1592005 | Failed attempted termination of pregnancy with uremia
1593000 | Infantile hemiplegia
1606009 | Infection caused by Macracanthorhynchus hirudinaceus
1608005 | Increased capillary permeability
1639007 | Abnormality of organs AND/OR soft tissues of pelvis affecting pregnancy
1647007 | Primaquine poisoning
1648002 | Lymphocytic pseudotumor of lung
1654001 | Steroid-induced glaucoma
1657008 | Toxic effect of phosdrin
1658003 | Closed fracture clavicle, lateral end
1663004 | Tumor grade G2
1667003 | Early fontanel closure
1670004 | Cerebral hemiparesis
1671000 | Sago spleen
1674008 | Meesman's epithelial corneal dystrophy
1679003 | Arthritis associated with another disorder
1682008 | Transitory amino acid metabolic disorder
1685005 | Rat-bite fever
1686006 | Sedative, hypnotic AND/OR anxiolytic-induced anxiety disorder
1694004 | Accessory lobe of lung
1698001 | Ulcer of bile duct
1703007 | Increased leg circumference
1705000 | Closed fracture of base of neck of femur
1708003 | Open dislocation of clavicle
1714005 | Photokeratitis
1717003 | Guttate hypomelanosis
1723008 | Urethral stricture due to schistosomiasis
1724002 | Infection caused by Crenosoma
1734006 | Fracture of vertebral column with spinal cord injury
1735007 | Thrill
1739001 | Occipital fracture
1742007 | Female hypererotism
1744008 | Connation of teeth
1748006 | Thrombophlebitis of deep femoral vein
1755008 | Healed coronary
1761006 | Biliary cirrhosis
1763009 | Stromal keratitis
1767005 | Fisher syndrome
1769008 | Thoracodidymus
1771008 | Insulin biosynthesis defect
1776003 | RTA - Renal tubular acidosis
1777007 | Increased molecular dissociation
1778002 | Malocclusion due to abnormal swallowing
1779005 | OFD II - Orofacial-digital syndrome II
1794009 | Idiopathic corneal edema
1816003 | Panic disorder with agoraphobia, severe agoraphobic avoidance AND mild panic attacks
1821000 | Chemoreceptor apnea
1822007 | Impaired glucose tolerance associated with pancreatic disease
1824008 | Allergic gastritis
1826005 | Granuloma of lip
1828006 | Infestation caused by Gasterophilus hemorrhoidalis
1829003 | Microcephalus
1833005 | Phacoanaphylactic endophthalmitis
1835003 | Necrosis of pancreas
1837006 | Orciprenaline poisoning
1845001 | Paraparesis
1847009 | Endophthalmitis
1848004 | Poisoning caused by gaseous anesthetic
1852004 | Traumatic injury of sixth cranial nerve

1855002 | Developmental academic disorder
1856001 | Accessory nose
1857005 | Congenital rubella syndrome
1858000 | Infection caused by Stilesia globipunctata
1860003 | Fluid volume disorder
1865008 | Impaired intestinal protein absorption
1869002 | Rupture of iris sphincter
1881003 | Increased nutritional requirement
1892002 | Star figure at the macula
1896004 | Ectopic breast tissue
1897008 | Amsinckia species poisoning
1899006 | Autosomal hereditary disorder
1903004 | Infestation caused by Psorergates ovis
1908008 | von Willebrand disease, type IIC
1909000 | Impairment level: better eye: severe impairment: lesser eye: near-total impairment
1922008 | Congenital absence of urethra
1926006 | Osteopetrosis
1938002 | Emotional AND/OR mental disease in mother complicating pregnancy, childbirth AND/OR puerperium
1939005 | Abnormal vascular flow
1943009 | Left-right confusion
1953005 | Congenital deficiency of pigment of skin
1954004 | Dilated cardiomyopathy secondary to toxic reaction
1955003 | Preauricular pit
1959009 | Encephalartos species poisoning
1961000 | Chronic polyarticular juvenile rheumatoid arthritis
1963002 | PNH - Paroxysmal nocturnal hemoglobinuria
1965009 | Normal skin pH
1967001 | Congenital absence of forearm only
1973000 | Sedative, hypnotic AND/OR anxiolytic-induced psychotic disorder with delusions
1977004 | Oxymetholone poisoning
1979001 | Focal choroiditis
1980003 | Seromucinous otitis media
1981004 | Urhidrosis
1988005 | Late effect of injury to nerve roots, spinal plexus AND/OR other nerves of trunk
1989002 | Burn of vagina AND/OR uterus
2004005 | Normotensive
2012002 | Fracture of lunate
2024009 | Dilated cardiomyopathy secondary to metazoal myocarditis
2028007 | Erythema induratum
2032001 | Cerebral edema
2036003 | Acquired factor VII deficiency disease
2040007 | Neurogenic thoracic outlet syndrome
2041006 | Eunuchoid gigantism
2043009 | Alcoholic gastritis
2053005 | Late effect of injury to blood vessels of thorax, abdomen AND/OR pelvis
2055003 | Recurrent erosion syndrome
2058001 | Bilateral loss of labyrinthine reactivity
2061000 | Conductive hearing loss of combined sites
2065009 | Autosomal dominant optic atrophy
2066005 | Gastric ulcer with hemorrhage AND perforation but without obstruction
2070002 | Burning sensation in eye
2073000 | Delusions
2087000 | Pulmonary nocardiosis
2089002 | Pagets disease of bone
2091005 | Pharyngeal diverticulitis
2094002 | Carbon disulfide causing toxic effect
2102007 | Deep corneal vascularization
2103002 | Reflex sympathetic dystrophy of upper extremity
2107001 | Anisomelia
2109003 | Isolated somatotropin deficiency
2114004 | Infection caused by Cysticercus pisiformis
2116002 | Intramembranous bone formation
2120003 | Weak cry
2121004 | Ethopropazine poisoning
2128005 | Disorder of adenoid
2129002 | Edema of pharynx
2132004 | Meconium in amniotic fluid noted before labor in liveborn infant
2134003 | Diffuse pain
2136001 | Open wound of jaw with complication
2138000 | LSP - Left sacroposterior position
2145000 | Anal intercourse
2149006 | Decreased hormone production

2158004 | Infection caused by Contracaecum
2167004 | Retinal hemangioblastomatosis
2169001 | Thoracic radiculitis
2170000 | Gallop rhythm
2176006 | Halogen acne
2177002 | PHN - Post-herpetic neuralgia
2186007 | Compensated metabolic alkalosis
2198002 | Visceral epilepsy
2202000 | Open posterior dislocation of distal end of femur
2204004 | Acquired deformity of pinna
2213002 | Congenital anomaly of vena cava
2216005 | Nocturnal emission
2217001 | Superficial injury of perineum without infection
2219003 | Disability evaluation, disability 100%
2224000 | Selenium poisoning
2228002 | Scintillating scotoma
2229005 | Chimera
2231001 | Nerve plexus disorder
2237002 | Painful breathing -pleurodynia
2239004 | Previous pregnancies 6
2241003 | X-linked absence of thyroxine-binding globulin
2243000 | Hypercalcemia due to hyperthyroidism
2245007 | Foreign body in nasopharynx
2251002 | Primary hypotony of eye
2256007 | Monovular twins
2261009 | Obstetrical pulmonary fat embolism
2268003 | Victim of homosexual aggression
2284002 | Pulsating exophthalmos
2295008 | Closed fracture of upper end of forearm
2296009 | Iron dextran toxicity
2298005 | Focal facial dermal dysplasia
2301009 | Psychosomatic factor in physical condition, psychological component of unknown degree
2303007 | Inguinal hernia with gangrene
2304001 | Intervertebral discitis
2307008 | Peripancreatic fat necrosis
2308003 | Silent alleles
2312009 | Reactive attachment disorder of infancy OR early childhood, inhibited type
2314005 | Unprotected intercourse
2326000 | Marriage annulment
2339001 | Sexual overexposure
2341000 | Infection caused by Moniliformis
2351004 | Genetic transduction
2355008 | Rud syndrome
2359002 | Hyper-beta-alaninemia
2365002 | Simple chronic pharyngitis
2366001 | Late effect of dislocation
2367005 | Acute hemorrhagic gastritis
2374000 | Monofascicular block
2385003 | Cellulitis of pectoral region
2388001 | Normal variation in translucency
2390000 | Acute gonococcal vulvovaginitis
2391001 | Achondrogenesis
2396006 | Malignant pyoderma
2398007 | Quinidine toxicity by electrocardiogram
2403008 | Dependence syndrome
2415007 | Lumbosacral root lesion
2418009 | Polyester fume causing toxic effect
2419001 | Open wound of forehead with complication
2420007 | Third degree burn of multiple sites of upper limb
2432006 | Cerebrospinal fluid circulation disorder
2435008 | Ascaridiasis
2437000 | Placenta circumvallata
2438005 | Iniencephaly
2439002 | Purulent endocarditis
2443003 | Hydrogen sulfide poisoning
2452007 | Fetal rotation
2463005 | Acquired heterochromia of iris
2469009 | Onychomalacia
2470005 | Brain damage
2471009 | Intra-abdominal abscess postprocedure
2472002 | Passes no urine
2473007 | Intermittent vertical squint

2477008 | Superficial phlebitis
2492009 | Disorder of nutrition
2495006 | Congenital cerebral arteriovenous aneurysm
2496007 | Acalculia
2506003 | Early onset dysthymia
2513003 | Tinea capitis caused by Trichophyton
2518007 | Cryptogenic sexual precocity
2521009 | Bone conduction better than air
2523007 | Salmonella pneumonia
2526004 | Noninflammatory disorder of the female genital organs
2528003 | Viremia
2532009 | Choroidal rupture
2534005 | Congenital absence of vena cava
2538008 | Ketosis
2541004 | Compulsive buying
2554006 | Acute purulent pericarditis
2556008 | Disease of supporting structures of teeth
2560006 | Complex syndactyly of fingers
2562003 | Athanasia trifurcata poisoning
2576002 | Trachoma
2581006 | Clasp knife rigidity
2582004 | Deep third degree burn of multiple sites of lower limb
2583009 | Filigreed network of venous valves
2584003 | Cerebral degeneration in childhood
2585002 | Pneumococcal pleurisy
2589008 | Acute dacryoadenitis
2591000 | Crush injury of shoulder region
2593002 | Dubowitz syndrome
2602008 | Hemarthrosis of shoulder
2606006 | Boil of perineum
2615004 | Graafian follicle cyst
2618002 | Chronic recurrent major depressive disorder
2622007 | Infected ulcer of skin
2624008 | Prepubertal periodontitis
2625009 | Senter syndrome
2630008 | Open wound of finger without complication
2634004 | Decreased blood erythrocyte volume
2638001 | Hypercalcemia caused by a drug
2640006 | Clinical stage 4
2651006 | Closed traumatic dislocation of elbow joint
2655002 | Invalidism
2657005 | Overflow proteinuria
2663001 | Palpatory proteinuria
2665008 | Coordinate convulsion
2683000 | Nonvenomous insect bite of axilla without infection
2689001 | Dominant dystrophic epidermolysis bullosa with absence of skin
2694001 | Myelophthisic anemia
2704003 | Acute disease
2707005 | Necrotizing enterocolitis
2713001 | Closed pneumothorax
2724004 | Auditory recruitment
2725003 | Previous abnormality of glucose tolerance
2733002 | Heel pain
2736005 | Honeycomb atrophy of face
2740001 | Gouty proteinuria
2749000 | Congenital deformity of hip
2751001 | Fibrocalculous pancreatic diabetes
2761008 | Decreased stool caliber
2764000 | Joint crackle
2770006 | Fetal or neonatal effect of antibiotic transmitted via placenta and/or breast milk
2772003 | Epidermolysis bullosa acquisita
2775001 | Intra-articular loose body
2776000 | Organic brain syndrome
2781009 | Miscarriage complicated by delayed and/or excessive hemorrhage
2782002 | Temporomandibular dysplasia
2783007 | Gastrojejunal ulcer without hemorrhage AND without perforation
2786004 | Epithelial ovarian tumor, International Federation of Gynecology and Obstetrics stage III
2790002 | Impairment level: one eye: total impairment: other eye: not specified
2805007 | Phosmet poisoning
2806008 | Impaired psychomotor development
2807004 | Chronic gastrojejunal ulcer with perforation
2808009 | Infection caused by Prosthenorchis elegans

2815001 | Sexual pyromania
2816000 | Dilated cardiomyopathy secondary to myotonic dystrophy
2818004 | Congenital vascular anomaly of eye
2819007 | Magnesium sulfate poisoning
2825006 | Abrasion and/or friction burn of gum without infection
2828008 | Congenital stenosis of nares
2829000 | Uhl disease
2831009 | Pyloric antral vascular ectasia
2835000 | Hemolytic anemia due to cardiac trauma
2836004 | Butane causing toxic effect
2838003 | Piblokto
2840008 | Open fracture of vault of skull with cerebral laceration AND/OR contusion
2850009 | Infection caused by Schistosoma incognitum
2853006 | Macular keratitis
2856003 | Vitamin A-responsive dermatosis
2858002 | Postpartum sepsis
2884008 | Spherophakia-brachymorphia syndrome
2893009 | Anomaly of chromosome pair 10
2897005 | Immune thrombocytopenia
2899008 | Thought blocking
2900003 | Fibromuscular dysplasia of renal artery
2901004 | Altered blood passed per rectum
2902006 | Decreased lymphocyte life span
2904007 | Male infertility
2910007 | Discharge from penis
2912004 | Cystic-bullous disease of the lung
2917005 | Transient hypothyroidism
2918000 | Infection caused by Bacteroides
2919008 | Nausea, vomiting and diarrhea
2929001 | Arterial occlusion
2935001 | Antiasthmatic poisoning
2940009 | Intrabasal vesicular dermatitis
2946003 | Osmotic diarrhea
2951009 | Atopic cataract
2955000 | Chronic ulcerative pulpitis
2965006 | Nevoid congenital alopecia
2967003 | Non-comitant strabismus
2972007 | Occlusion of anterior spinal artery
2973002 | Pelvic organ injury without open wound into abdominal cavity
2978006 | Aneurysm of conjunctiva
2981001 | Pulsatile mass of abdomen
2989004 | Complication following molar AND/OR ectopic pregnancy
2990008 | Lymphocytic leukemoid reaction
2992000 | Pigmentary pallidal degeneration
2994004 | Brain fag
2999009 | Injury of ear region
3002002 | Thyroid hemorrhage
3004001 | Congenital dilatation of esophagus
3006004 | Altered consciousness
3009006 | Solanum malacoxylon poisoning
3013004 | Open wound of ear drum without complication
3014005 | Autoeczematization
3018008 | Penetration of eyeball with magnetic foreign body
3019000 | Closed anterior dislocation of elbow
3021005 | Normal gastric acidity
3023008 | Acute peptic ulcer without hemorrhage, without perforation AND without obstruction
3032005 | Nonvenomous insect bite of cheek without infection
3033000 | Bone AND/OR joint disorder of pelvis in mother complicating pregnancy, childbirth AND/OR puerperium
3038009 | Acute lymphangitis of umbilicus
3044008 | Vitreous prolapse
3053001 | Poisoning caused by nitroglycerin
3059002 | Acute lymphangitis of thigh
3067005 | Weak C phenotype
3071008 | Widow
3072001 | Hormone-induced hypopituitarism
3073006 | Ruvalcaba syndrome
3084004 | Nonvenomous insect bite of gum without infection
3089009 | Disability evaluation, impairment, class 7
3094009 | Vomiting in infants AND/OR children
3095005 | Induced malaria
3097002 | Superficial injury of lip with infection
3098007 | Ventricular septal rupture

3105002 | Intron
3109008 | Secondary dysthymia early onset
3110003 | AOM - Acute otitis media
3119002 | Brain stem laceration with open intracranial wound AND loss of consciousness
3129009 | Infarction of ovary
3135009 | OE - Otitis externa
3140001 | Citrullinemia, subacute type
3144005 | Staphylococcal pleurisy
3158007 | Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND panic attacks in partial remission
3160009 | Infertility of cervical origin
3163006 | Acute adenoviral follicular conjunctivitis
3168002 | Thrombophlebitis of intracranial venous sinus
3185000 | Mood-congruent delusion
3199001 | Sprain of shoulder joint
3200003 | Sacrocoxalgia
3208005 | Open wound of ossicles without complication
3214003 | Invasive pulmonary aspergillosis
3217005 | Open dislocation of sixth cervical vertebra
3218000 | Mycotic disease
3219008 | Disease type AND/OR category unknown
3228009 | Closed fracture of the radial shaft
3229001 | Tracheal ulcer
3230006 | Illegal termination of pregnancy with afibrinogenemia
3238004 | Pericarditis
3239007 | Lymphocyte disorder
3253007 | Dyschromia
3254001 | Infection caused by Strongyloides westeri
3259006 | Homeria species poisoning
3261002 | Migratory osteolysis
3263004 | Verumontanitis
3272007 | Stomatocytosis
3274008 | Flat chest
3275009 | Behcet syndrome, vascular type
3276005 | Toad poisoning
3277001 | Terminal mood insomnia
3282008 | Arc eye
3283003 | Feeling of sand or foreign body in eye
3286006 | Patient status determination, greatly improved
3289004 | Anisometropia
3291007 | Closed fracture of two ribs
3298001 | Amnestic syndrome
3303004 | Disease caused by Arenavirus
3304005 | Bronchial compression
3305006 | Disorder of lymphatic vessel
3308008 | Atrophic-hyperplastic gastritis
3310005 | Foreign body granuloma of skin
3321001 | Renal abscess
3323003 | Leukoplakia of penis
3327002 | Acquired jerk nystagmus
3331008 | Open fracture of neck of metacarpal bone
3344003 | Toxic labyrinthitis
3345002 | Idiopathic osteoporosis
3355003 | Anti-common cold drug poisoning
3358001 | Lichen ruber moniliformis
3368006 | Dull chest pain
3376008 | Pseudoptyalism
3381004 | Open fracture of astragalus
3387000 | Auditory discrimination aphasia
3391005 | Negative for tumor cells
3393008 | Phlebitis following infusion, perfusion AND/OR transfusion
3398004 | Cadmium poisoning
3401001 | Cercopithecus herpesvirus 1 disease
3415004 | Cyanosis
3419005 | Faucial diphtheria
3421000 | Open blow-out fracture orbit
3424008 | Heart rate fast
3426005 | Retained magnetic intraocular foreign body
3427001 | Nonglucosuric melituria
3434004 | Myotonia
3439009 | Severe combined immunodeficiency (SCID) due to absent peripheral T cell maturation
3441005 | Disorder of sebaceous gland
3446000 | Open fracture of T7-T12 level with spinal cord injury

3449007 | Finger agnosia
3456001 | Chronic progressive non-hereditary chorea
3458000 | Myositis ossificans associated with dermato / polymyositis
3461004 | Deep third degree burn of thumb
3464007 | Infection caused by Oesophagostomum dentatum
3468005 | Neonatal infective mastitis
3469002 | Partial thickness burn of thumb
3472009 | Spondylolisthesis, grade 4
3474005 | Glycine max poisoning
3480002 | Burn of wrist
3482005 | Postoperative esophagitis
3483000 | Chronic peptic ulcer with perforation
3487004 | Pulmonary candidiasis
3500002 | Open wound of ossicles with complication
3502005 | Cervical lymphadenitis
3503000 | Gender identity disorder of adolescence, previously asexual
3505007 | Nonallopathic lesion of the arm
3506008 | Stenosis of retinal artery
3507004 | Abscess of thigh
3511005 | Infectious thyroiditis
3514002 | Peribronchial fibrosis of lung
3519007 | Disorder of synovium
3528008 | Restricted carbohydrate fat controlled diet
3529000 | Infection caused by Sanguinicola
3530005 | Bipolar 1 disorder, single manic episode, full remission
3531009 | Intrapsychic conflict
3533007 | Acute palmoplantar pustular psoriasis
3539006 | Enteromenia
3542000 | Laceration extending into parenchyma of spleen with open wound into abdominal cavity
3544004 | Hair-splitting
3545003 | Diastolic dysfunction
3548001 | Brachial plexus disorder
3549009 | Pancreatic acinar atrophy
3558002 | Mesenteric infarction
3560000 | Bilateral recurrent inguinal hernia
3570003 | Increased blood erythrocyte volume
3571004 | Megaloblastic anemia due to pancreatic insufficiency
3577000 | Lattice retinal degeneration
3585009 | Blinking
3586005 | Psychogenic fugue
3589003 | Syphilitic pericarditis
3590007 | Enteroenteric fistula
3591006 | Metabolic acidosis, normal anion gap, bicarbonate losses
3598000 | Partial recent retinal detachment with single defect
3611003 | Demeton poisoning
3633001 | Abscess of hand
3634007 | Legal termination of pregnancy complicated by metabolic disorder
3639002 | Glossoptosis
3640000 | Late effect of traumatic amputation
3641001 | Infection caused by Coenurosis serialis
3642008 | Steryl-sulfate sulfohydrolase deficiency
3644009 | Macerated skin
3649004 | Contusion, multiple sites of trunk
3650004 | Congenital absence of liver,total
3652007 | Overproduction of growth hormone
3657001 | Osteospermum species poisoning
3660008 | Lethal glossopharyngeal defect
3662000 | Rolling hiatus hernia
3677008 | Academic problem
3680009 | Monocephalus tripus dibrachius
3681008 | Thrombophlebitis of torcular Herophili
3696007 | Functional dyspepsia
3699000 | Transverse deficiency of arm
3703002 | Ischiatic hernia with gangrene
3704008 | Diffuse endocapillary proliferative glomerulonephritis
3705009 | Congenital malformation of anterior chamber of eye
3712000 | Degenerated eye
3716002 | Thyroid goiter
3720003 | Abnormal presence of hemoglobin
3723001 | Joint inflammation
3733009 | Congenital eventration of right crus of diaphragm
3736001 | Open wound of thumbnail with tendon involvement

3738000 | VH - Viral hepatitis
3744001 | Hyperlipoproteinemia
3745000 | Sleep rhythm problem
3747008 | EC - Ejection click
3750006 | Arteriospasm
3751005 | Contusion of labium
3752003 | Infection by Trichuris
3754002 | Dysplasia of vagina
3755001 | PRP - Pityriasis rubra pilaris
3756000 | Static ataxia
3759007 | Injury of heart with open wound into thorax
3760002 | Familial multiple factor deficiency syndrome, type V
3762005 | Bilateral recurrent femoral hernia with gangrene
3763000 | Expected bereavement due to life event
3783004 | Enamel pearls
3797007 | Periodontal cyst
3798002 | Premature birth of identical twins, both stillborn
3815005 | Crohn disease of rectum
3820005 | Inner ear conductive hearing loss
3827008 | Aneurysm of artery of neck
3830001 | Subcutaneous emphysema
3841004 | Blister of cheek with infection
3845008 | Duplication of intestine
3855007 | Disorder of pancreas
3859001 | Late effect of open wound of extremities without tendon injury
3873005 | Failed attempted termination of pregnancy with acute necrosis of liver
3885002 | ABO isoimmunization in pregnancy
3886001 | Congenital fecaliths
3899003 | Neutropenic typhlitis
3900008 | Mixed sensory-motor polyneuropathy
3902000 | Non dose-related drug-induced neutropenia
3903005 | Closed traumatic pneumothorax
3908001 | Infestation caused by Haematopinus
3909009 | Coeur en sabot
3913002 | Injury of gastrointestinal tract with open wound into abdominal cavity
3914008 | Mental disorder in childhood
3928002 | Zika virus disease
3939004 | Bacterial colony density, transparent
3944006 | X-linked placental steryl-sulfatase deficiency
3947004 | High oxygen affinity hemoglobin polycythemia
3950001 | Birth
3951002 | Proctitis
3972004 | Idiopathic insomnia
3975002 | Deep third degree burn of lower limb
3978000 | AIHA - Warm autoimmune hemolytic anemia
3987009 | Congenital absence of trachea
3993001 | Infection caused by Muellerius
3999002 | Acute pyelitis without renal medullary necrosis
4003003 | Alphavirus disease
4004009 | Monster with cranial anomalies
4006006 | Foetal tachycardia affecting management of mother
4009004 | Lower urinary tract infection
4016003 | Empyema of mastoid
4017007 | Increased stratum corneum adhesiveness
4022007 | Vulvitis circumscripta plasmacellularis
4026005 | Interstitial mastitis associated with childbirth
4030008 | Le Dantec virus disease
4038001 | Myrotheciotoxicosis
4039009 | Multiple vitamin deficiency disease
4040006 | Hassall-Henle bodies
4041005 | Congenital anomaly of macula
4046000 | Degenerative spondylolisthesis
4062006 | Lumbosacral plexus lesion
4063001 | Achillodynia
4069002 | Anoxic brain damage during AND/OR resulting from a procedure
4070001 | Palinphrasia
4075006 | Peganum harmala poisoning
4082005 | Syphilitic myocarditis
4088009 | Acquired hydrocephalus
4089001 | Meningococcemia
4092002 | Nonallopathic lesion of costovertebral region
4103001 | Complex partial seizure

4106009 | Rotator cuff rupture
4107000 | Infertile male syndrome
4113009 | Arrested hydrocephalus
4120002 | Bronchiolitis
4124006 | Insect bite, nonvenomous, of vagina, infected
4127004 | Prostatic obstruction
4129001 | Argyll-Robertson pupil
4135001 | 11p partial monosomy syndrome
4136000 | Macrodactylia of toes
4142001 | Muscular asthenopia
4152002 | Acquired hypoprothrombinemia
4160001 | Congenital anomaly of upper respiratory system
4168008 | Tibial plateau chondromalacia
4170004 | Ehlers-Danlos syndrome, procollagen proteinase resistant
4174008 | Tripartite placenta
4175009 | Infestation by Estrus
4178006 | Partial recent retinal detachment with multiple defects
4181001 | Normal peak expiratory flow rate
4183003 | Charcot-Marie-Tooth disease, type IC
4184009 | Congenital malformation of the endocrine glands
4191007 | Scaphoid head
4195003 | Duplication of anus
4197006 | Disability evaluation, impairment, class 5
4199009 | 18p partial trisomy syndrome
4208000 | Closed multiple fractures of both lower limbs
4210003 | OH - Ocular hypertension
4223005 | Parkinsonism caused by drug
4224004 | Complication of infusion
4225003 | Nasal tuberculosis
4229009 | Phthisical eye
4232007 | Chronic vulvitis
4237001 | Suppurative pulpitis
4240001 | Rupture of aorta
4241002 | Listeria infection
4242009 | 18q partial monosomy syndrome
4244005 | Urticaria neonatorum
4248008 | Synovitis AND/OR tenosynovitis associated with another disease
4249000 | Poor peripheral circulation
4251001 | Internal eye sign
4260009 | Sacral spinal cord injury without bone injury
4262001 | Phlebitis of superior sagittal sinus
4264000 | Chronic pericoronitis
4269005 | Chronic gastrojejunal ulcer without hemorrhage AND without perforation
4273008 | Closed posterior dislocation of elbow
4275001 | Conjugate gaze spasm
4278004 | Superficial foreign body of axilla without major open wound but with infection
4283007 | Mirizzi syndrome
4287008 | Chordee of penis
4294006 | Isosexual precocious puberty
4300009 | Deep third degree burn of forearm
4301008 | Autoimmune state
4306003 | Cluster B personality disorder
4307007 | Pregestational diabetes mellitus AND/OR impaired glucose tolerance, modified White class F
4308002 | RSIS - Repetitive strain injury syndrome
4310000 | Third degree burn of wrist AND/OR hand
4313003 | Acardiacus anceps
4316006 | Myometritis
4320005 | Factor V deficiency
4324001 | Subacute cystitis
4325000 | 11q partial monosomy syndrome
4332009 | Subarachnoid hemorrhage following injury without open intracranial wound AND with concussion
4338008 | Arnold nerve reflex cough syndrome
4340003 | Acrodermatitis chronica atrophicans
4349002 | Open fracture of multiple sites of metacarpus
4354006 | Open dislocation of scapula
4356008 | Gingival soft tissue recession
4359001 | Early congenital syphilis
4364002 | Structure of associations
4367009 | Hoover sign
4373005 | Clubbing of nail
4374004 | TV - Congenital tricuspid valve abnormality
4381006 | Verbal paraphasia

4386001 | Bronchospasm
4390004 | Chronic lithium nephrotoxicity
4397001 | Partial congenital duodenal obstruction
4399003 | Acute hemorrhagic pancreatitis
4403007 | Exclamation point hair
4406004 | Congenital anomaly of male genital system
4409006 | Combined methylmalonic acidemia and homocystinuria due to defects in adenosylcobalamin and methylcobalamin synthesis
4410001 | Retroperitoneal hernia with obstruction
4412009 | Digital nerve injury
4414005 | Infection caused by Setaria
4416007 | Heerfordt syndrome
4418008 | Gangrenous ergotism
4426000 | Ten previous induced terminations of pregnancy
4434006 | BS - Bloom syndrome
4439001 | Axenfeld-Schurenberg syndrome
4441000 | Severe bipolar disorder with psychotic features
4445009 | TB - Urogenital tuberculosis
4448006 | Allergic headache
4451004 | Illegal termination of pregnancy with renal tubular necrosis
4461006 | Complication of administrative procedure
4463009 | Indiana-Maryland type amyloid polyneuropathy
4464003 | Rocio virus disease
4465002 | Spherophakia
4468000 | Oppenheim gait
4470009 | Blanching of skin
4473006 | Migraine with aura
4477007 | Juvenile myopathy AND lactate acidosis
4478002 | Multiple fractures of upper AND lower limbs
4481007 | Abnormal gastric secretion regulation
4483005 | Syphilitic punched out ulcer
104001 | Excision of lesion of patella
115006 | Fit removable orthodontic appliance
119000 | Thoracoscopic partial lobectomy of lung
121005 | Retrobulbar injection of therapeutic agent
128004 | Hand microscope examination of skin
133000 | Percutaneous implantation of neurostimulator electrodes into neuromuscular component
135007 | Arthrotomy of wrist joint with exploration and biopsy
142007 | Excision of tumor from shoulder area, deep, intramuscular
146005 | Repair of nonunion of metatarsal with bone graft
153001 | Cystourethroscopy with resection of ureterocele
160007 | Removal of foreign body of tendon and/or tendon sheath
166001 | Behavioral therapy
170009 | Special potency disk identification, vancomycin test
174000 | Harrison-Richardson operation on vagina
176003 | Anastomosis of rectum
189009 | Excision of lesion of artery
197002 | Mold to yeast conversion test
230009 | Miller operation, urethrovesical suspension
243009 | Replacement of cerebral ventricular tube
245002 | Division of nerve ganglion
262007 | Percutaneous aspiration of renal pelvis
267001 | Anal fistulectomy, multiple
285008 | Incision and drainage of vulva
294002 | Excisional biopsy of joint structure of spine
295001 | Nonexcisional destruction of cyst of ciliary body
306005 | US kidneys
316002 | Partial dacryocystectomy
334003 | Panorex examination of mandible
342002 | Amobarbital interview
346004 | Periodontal scaling and root planing, per quadrant
348003 | Radionuclide dynamic function study
351005 | Urinary undiversion of ureteral anastomosis
352003 | Reagent RBC, preparation antibody sensitized pool
353008 | IV/irrigation monitoring
374009 | Costosternoplasty for pectus excavatum repair
388008 | Blepharorrhaphy
389000 | Tobramycin level
401004 | Distal subtotal pancreatectomy
406009 | Fulguration of stomach lesion
417005 | Hospital re-admission
435001 | Pulmonary inhalation study

445004 | Repair of malunion of tibia
456004 | Total abdominal colectomy with ileostomy
459006 | Closed condylotomy of mandible
463004 | Closed reduction of coxofemoral joint dislocation with splint
468008 | Glutathione measurement
474008 | Esophagoenteric anastomosis, intrathoracic
489004 | Ferritin level
493005 | Urobilinogen measurement, 48-hour, feces
494004 | Excision of lesion of tonsil
497006 | Replacement of cochlear prosthesis, multiple channels
503003 | Corneal gluing
531007 | Open pulmonary valve commissurotomy with inflow occlusion
533005 | Repair of vesicocolic fistula
535003 | Closure of ureterovesicovaginal fistula
540006 | Antibody to single and double stranded DNA measurement
543008 | Choledochostomy with transduodenal sphincteroplasty
545001 | Operative procedure on lower leg
549007 | Incision of intracranial vein
550007 | Excision of lesion of adenoids
559008 | Excision of varicose vein
570001 | Vaccination for arthropod-borne viral encephalitis
574005 | Benzodiazepine measurement
603006 | Synchondrotomy
617002 | Bone graft of mandible
618007 | Frontal sinusectomy
625000 | Removal of supernumerary digit
628003 | Steinman test
629006 | Lysis of adhesions of urethra
633004 | Chart review by physician
637003 | Lysis of adhesions of nose
642006 | Cerebral thermography
645008 | Diagnostic procedure on vitreous
647000 | Excision of cervix by electroconization
657004 | Operation on bursa
665001 | Partial meniscectomy of temporomandibular joint
670008 | Electrosurgical epilation of eyebrow
671007 | Transplantation of testis
673005 | Indirect examination of larynx
674004 | Abduction test
676002 | Peritoneal dialysis including cannulation
680007 | Radiation physics consultation
687005 | Albumin/Globulin ratio
695009 | Destructive procedure of lesion on skin of trunk
697001 | Hepatitis A virus antibody measurement
710006 | Thromboendarterectomy with graft of mesenteric artery
712003 | Closed chest suction
721002 | Medical procedure on periurethral tissue
722009 | Fine needle biopsy of thymus
726007 | Pathology consultation, comprehensive, records and specimen with report
730005 | Incision of subcutaneous tissue
741007 | Operation on prostate
746002 | Chiropractic adjustment of coccyx subluxation
753006 | Manipulation of ankle AND foot
754000 | Total urethrectomy
759005 | Intracerebral electroencephalogram
762008 | Computerized axial tomography of cervical spine with contrast
764009 | Arthrodesis of interphalangeal joint of great toe
767002 | White blood cell count - observation
789003 | Cranial decompression, subtemporal, supratentorial
791006 | Dressing and fixation procedure
807005 | Excision of brain
814007 | Electrophoresis measurement
817000 | Excision of cyst of spleen
831000 | Drawer test
851001 | Root canal therapy, molar, excluding final restoration
853003 | Fecal fat measurement, 72-hour collection
867007 | Hypoglossofacial anastomosis
870006 | Carbamazepine measurement
879007 | Special blood coagulation test, explain by report
881009 | Separation of ciliary body
893000 | Tumor antigen measurement
897004 | Radical maxillary antrotomy

910002 | MHPG measurement, urine
911003 | Removal of subarachnoid-ureteral shunt
913000 | Chiropractic patient education
926001 | Embolectomy with catheter of radial artery by arm incision
935008 | Excision of bulbourethral gland
941001 | Endoscopy of pituitary gland
945005 | Excision of tibia and fibula for graft
948007 | Phlebectomy of intracranial varicose vein
951000 | Ultrasonic guidance for endomyocardial biopsy
956005 | Anesthesia for procedure on thoracic esophagus
967006 | Drug treatment education
969009 | Incision and exploration of larynx
971009 | Prosthetic construction and fitting
1001000 | Cauterization of Bartholin's gland
1008006 | Operation on nerve ganglion
1019009 | Removal of corneal epithelium
1021004 | Repair of scrotum
1029002 | Fetoscopy
1032004 | Enucleation of parotid gland cyst
1035002 | Minimum bactericidal concentration test, microdilution method
1036001 | Insertion of intravascular device in common iliac vein, complete
1041009 | Debridement of open fracture of phalanges of foot
1042002 | Paternity testing
1043007 | Doppler color flow velocity mapping
1044001 | Diagnostic ultrasound of abdomen and retroperitoneum
1048003 | Capillary blood sampling
1054002 | Sphincterotomy of papilla of Vater
1071001 | Proximal splenorenal anastomosis
1084005 | Excision of perinephric cyst
1093006 | Excision of abdominal varicose vein
1103000 | Transcrural mobilization of stapes
1104006 | Triad knee repair
1115001 | Decortication
1119007 | Closed reduction of dislocation of foot and toe
1121002 | Kinetic activities for range of motion
1127003 | Interstitial radium application
1133007 | Removal of intact mammary implant, bilateral
1163003 | Ureteroenterostomy
1176009 | Incision of inguinal region
1181000 | Excision of tendon for graft
1186005 | Anesthesia for procedure on bony pelvis
1198000 | Excisional biopsy of bone of scapula
1209007 | Arthroscopic repair lateral meniscus
1225002 | Upper arm X-ray
1227005 | Incision of subvalvular tissue for discrete subvalvular aortic stenosis
1235008 | Muscle transfer
1237000 | Application of cast, sugar tong
1238005 | Epiphyseal arrest by stapling of distal radius
1251000 | Incisional biopsy of testis
1253002 | Refusion of spine
1258006 | Excision of meniscus of wrist
1266002 | Closure of tympanic membrane perforation
1267006 | Electrocoagulation of lesion of vagina
1278003 | Open reduction of closed shoulder dislocation with fracture of greater tuberosity
1279006 | Repair of cardiac pacemaker pocket in skin AND/OR subcutaneous tissue
1292009 | MRI of bladder
1299000 | Excision of appendiceal stump
1315009 | Reconstruction of eyebrow
1316005 | Upper partial denture, cast metal base without resin saddles, including any conventional clasps, rests and teeth
1324000 | Cerebrospinal fluid immunoglobulin G ratio and immunoglobulin G index
1327007 | Procedure on Meckel diverticulum
1328002 | Ilioiliac shunt
1329005 | Division of congenital web of larynx
1337002 | Colosigmoidostomy
1339004 | Manual evacuation of feces
1347004 | Medical procedure on palate
1352009 | Anterior spinal rhizotomy
1358008 | Anti-human globulin test, enzyme technique, titer
1366004 | Breathing treatment
1385001 | Echography, scan B-mode for foetal age determination
1390003 | Laparoscopic sigmoid colectomy
1398005 | Direct thrombectomy of iliac vein by leg incision

1399002 | Incision and exploration of ureter
1407007 | Application of long leg cast, brace type
1410000 | Anesthesia for tympanotomy
1411001 | Operation on papillary muscle of heart
1413003 | Penetrating keratoplasty with homograft
1414009 | Angiography of arteriovenous shunt
1417002 | Operation on face
1431002 | pexy
1440003 | Repair with resection-recession
1449002 | Removal of hair
1453000 | Biofeedback, galvanic skin response
1455007 | Cerclage
1457004 | Truncal vagotomy with pyloroplasty and gastrostomy
1494008 | Osmolarity measurement
1500007 | Bilateral epididymovasostomy
1501006 | Altemeier operation, perineal rectal pull-through
1505002 | Hospital admission for isolation
1529009 | Aspiration of soft tissue
1533002 | Ureteroplication
1550000 | Amikacin level
1555005 | Brief group psychotherapy
1559004 | Interleukin (IL)-2 assay
1576000 | Repair of intestinouterine fistula
1577009 | Implantation of cardiac single-chamber device replacement, rate-responsive
1578004 | Reconstruction of ossicles with stapedectomy
1583007 | Tractotomy of mesencephalon
1585000 | Lengthening of gastrocnemius muscle
1596008 | Anesthesia for total elbow replacement
1597004 | Skeletal X-ray of ankle and foot
1602006 | Social service interview with planning
1614003 | Bilateral repair of inguinal hernia, direct
1615002 | Reline upper partial denture, chairside
1616001 | Galactosylceramide beta-galactosidase measurement, leukocytes
1636000 | Injection of sclerosing agent in varicose vein
1638004 | Cineplasty with cineplastic prosthesis of extremity
1640009 | History and physical examination, insurance
1645004 | Transduodenal sphincterotomy
1651009 | Excision of tendon sheath
1653007 | Internal fixation of bone without fracture reduction
1669000 | Making occupied bed
1677001 | Haagensen test
1678006 | Endoscopic procedure of nerve
1680000 | Secondary chemoprophylaxis
1683003 | Direct closure of laceration of conjunctiva
1689004 | Local excision of ovary
1691007 | Drainage of abscess of tonsil
1699009 | Special dosimetry
1702002 | Labial veneer, resin laminate, laboratory
1704001 | Correction of tibial pseudoarthrosis
1709006 | Breast reconstruction, bilateral, with bilateral pedicle transverse rectus abdominis myocutaneous flaps
1712009 | Immunoglobulin typing, immunoglobulin G
1713004 | Hypothermia, total body, induction and maintenance
1730002 | Suture of skin wound of hindfoot
1746005 | Buckling of sclera using implant
1747001 | Replacement of skeletal muscle stimulator
1753001 | Resection of uveal tissue
1757000 | Arthroscopy of wrist with partial synovectomy
1759002 | Assessment of nutritional status
1770009 | Mitral valvotomy
1774000 | Nasopharyngeal rehabilitation
1775004 | Submaxillary incision with drainage
1784004 | Fecal stercobilin, qualitative
1787006 | Ultrasonic guidance for pericardiocentesis
1788001 | Blood unit collection for directed donation, donor
1801001 | Endoscopic biopsy of duodenum
1805005 | Take-down of stoma
1811008 | Aspiration of bursa of hand
1813006 | Cryotherapy of genital warts
1820004 | Ethanol measurement, breath
1830008 | Open reduction of open sacral fracture
1836002 | Excision of diverticulum of ventricle of heart
1844002 | Plication of ligament

1854003 | Incision of nose
1859008 | Hand tendon foreign body removed
1861004 | Anesthesia for closed procedure on humerus and elbow
1862006 | Thoracic phlebectomy
1866009 | Bilateral total nephrectomy
1868005 | FB - Removal of foreign body from brain
1870001 | Insertion of halo device of skull with synchronous skeletal traction
1871002 | Repair of aneurysm of coronary artery
1872009 | Suture of male perineum
1876007 | Recession of prognathic jaw
1879000 | Fluorescent antigen measurement
1889001 | Patient transfer, in-hospital, unit-to-unit
1906007 | Insertion of prosthesis or prosthetic device of arm, bioelectric or cineplastic
1907003 | Bifurcation of bone
1917008 | Patient discharge, deceased, medicolegal case
1924009 | Hepaticotomy with drainage
1950008 | Drainage of nasal septal abscess
1958001 | Grafting of bone of thumb with transfer of skin flap
1966005 | Central block anesthesia
1983001 | Total urethrectomy including cystostomy in female
1995001 | Stripping of cerebral meninges
1999007 | Psychologic test
2002009 | Construction of subcutaneous tunnel without esophageal anastomosis
2021001 | Internal fixation of radius and ulna without fracture reduction
2051007 | Red cell iron utilization study
2054004 | Barbiturates measurement, quantitative and qualitative
2067001 | Implantation of electromagnetic hearing aid
2069003 | Dental subperiosteal implant
2078009 | Puncture of bursa of hand
2079001 | Reimplantation of anomalous pulmonary artery
2080003 | Angiectomy with anastomosis of lower limb artery
2098004 | Open reduction of open mandibular fracture with external fixation
2115003 | Dental prophylaxis, children
2119009 | Repair of blood vessel
2127000 | Reduction of closed sacral fracture
2137005 | Excision of pericardial tumor
2153008 | Cardiac catheterization education
2161003 | Operation on vulva
2164006 | Injection of aorta
2166008 | Bicuspidization of aortic valve
2171001 | Excision of tonsil tags
2178007 | Ureterocentesis
2181002 | Operation for bone injury of tarsals and metatarsals
2188008 | Suture of tendon to skeletal attachment
2193006 | Repair of ruptured aneurysm with graft of celiac artery
2196003 | Gas liquid chromatography, electron capture type
2199005 | Excision of lesion of cul-de-sac
2214008 | Curette test of skin
2220009 | Complement component assay
2225004 | Sensititer system test
2234009 | Proctosigmoidopexy
2238007 | Stone operation, anoplasty
2242005 | Reconstruction of eyelid
2244006 | Arthroscopy of wrist with internal fixation for instability
2250001 | Resection of ascending aorta with anastomosis
2252009 | Hospital admission, urgent, 48 hours
2266004 | Venography of adrenal, bilateral
2267008 | Replacement of tracheostomy tube
2270007 | Correction of cleft hand
2276001 | Exploration of popliteal artery
2278000 | Urinalysis, automated
2279008 | Antibody detection, red blood cell, enzyme, 1 stage technique, including anti-human globulin
2290003 | Microbial culture, anaerobic, initial isolation
2315006 | Brain meninges operation
2318008 | Anesthesia for cast procedure on forearm, wrist or hand
2321005 | Delivery by Ritgen maneuver
2322003 | Suture of recent wound of eyelid, direct closure, full-thickness
2337004 | Adductor tenotomy
2344008 | Complicated cystorrhaphy
2347001 | Diagnostic model construction
2364003 | Radical resection of tumor of soft tissue of wrist area
2371008 | Tympanoplasty type II with graft against incus or malleus

2373006 | Buffy coat smear evaluation
2382000 | Application of breast pump
2386002 | Closed reduction of dislocation of patella
2393003 | Ligation of vein of lower limb
2406000 | Chart periodontal pocket
2407009 | Excision of mediastinal tumor
2408004 | Hexosaminidase A and total hexosaminidase measurement, serum
2409007 | Replantation of toe
2425002 | Epstein-Barr virus serologic test
2442008 | Incision of lacrimal canaliculus
2448007 | Cell count of synovial fluid with differential count
2455009 | Revision of lumbosubarachnoid shunt
2457001 | Blind rehabilitation
2458006 | Educational therapy
2459003 | Destructive procedure of artery of upper extremity
2461007 | Tennis elbow test
2474001 | Repair of malunion of metatarsal bones
2475000 | Twenty-four hour collection of urine
2480009 | Debridement of skin, subcutaneous tissue, muscle and bone
2486003 | Destructive procedure of breast
2488002 | Provision of contact lens
2494005 | Nurse to nurse communication
2498008 | Rebase of upper partial denture
2507007 | 5' Nucleotidase measurement
2508002 | Retrograde urography with kidney-ureter-bladder
2514009 | Manual reduction of closed supracondylar fracture of humerus with traction
2517002 | Stroke rehabilitation
2530001 | Chiropractic visit
2531002 | Mononuclear cell function assay
2535006 | Removal of pulp - complete
2536007 | Injection of medication in anterior chamber of eye
2547000 | Excision of keloid
2552005 | Incision of cerebral subarachnoid space
2564002 | Creation of lumbar shunt including laminectomy
2566000 | Osteoplasty of radius
2567009 | Resection of rib by transaxillary approach
2580007 | Transplant of hair follicles to scalp
2598006 | Open heart surgery
2601001 | Removal of bone flap of skull
2607002 | Operation of supporting structures of uterus
2613006 | Implantation of joint prosthesis of hand
2614000 | Removal of ligature from fallopian tube
2616003 | Repair of bifid digit of hand
2619005 | Psychiatric interpretation to family or parents of patient
2629003 | Intracranial/cerebral perfusion pressure monitoring
2632000 | Incision and drainage of infected bursa of upper arm
2642003 | Prefabricated post and core in addition to crown
2643008 | Ligation of varicose vein of head and neck
2644002 | Cauterization of liver
2645001 | Intelligence test/WB1
2646000 | Incision and exploration of vas deferens
2658000 | Social service interview of patient
2659008 | Suture of ligament of lower extremity
2668005 | Recementation of space maintainer
2670001 | Diagnostic procedure on cornea
2673004 | Incision and drainage of masticator space by extraoral approach
2677003 | Stripping
2690005 | MRI of pelvis
2693007 | Stool fat, quantitative measurement
2696004 | Hepatic venography with hemodynamic evaluation
2697008 | Stripping and ligation of great saphenous vein
2716009 | Dermal-fat-fascia graft
2722000 | Interleukin-3 assay
2731000 | Serologic test for influenza virus A
2732007 | Recession of tendon of hand
2737001 | Exploratory craniotomy, infratentorial
2742009 | Destruction of Bartholin's gland
2743004 | Operative endoscopy of ileum
2745006 | Epiplopexy
2752008 | Incudopexy
2780005 | Osteoplasty of facial bones
2794006 | Cauterization of navel

2802005 | Manual dilation and stretching
2811005 | Cineradiography of pharynx
2813008 | Nephroureterocystectomy
2837008 | Transposition of ulnar nerve at elbow
2842000 | Gas chromatography measurement
2843005 | Revision of urinary conduit
2847006 | Cervical myelography
2851008 | Arthrotomy for synovectomy of sternoclavicular joint
2854000 | Bursectomy of hand
2857007 | Pinealectomy
2866006 | Obliteration of lymphatic structure
2875008 | Implantation of joint prosthesis of elbow
2876009 | Hospital admission, type unclassified, explain by report
2885009 | Intradermal allergen test
2891006 | Arthroscopy of elbow with partial synovectomy
2898000 | Deoxyribonucleic acid analysis, antenatal, blood
2903001 | Diagnostic procedure on anterior chamber of eye
2908005 | Cryotherapy to hemorrhoid
2914003 | Anterior sclerotomy
2915002 | Suture of capsule of ankle
2933008 | Pneumogynecography
2945004 | Suprapubic diverticulectomy of urinary bladder
2947007 | Therapeutic compound measurement
2960001 | Closure of fistula of uterine cervix
2968008 | Craniectomy with treatment of penetrating wound of brain
2970004 | Metacarpal lengthening and transfer of local flap
2971000 | Closure of acquired urethrovaginal fistula
2977001 | Thrombectomy of lower limb vein
3001009 | Total lobectomy with bronchoplasty
3010001 | Removal of silastic tubes from ear
3016007 | Removal of Crutchfield tongs from skull
3025001 | Calcitonin measurement
3026000 | Tibiotalar arthrodesis
3029007 | Peripheral nervous system disease rehabilitation
3041000 | Repair of stomach
3047001 | Kowa fundus photography
3060007 | Forequarter amputation, right
3061006 | Complete excision of nail AND nail matrix
3063009 | Gastroscopy through artificial stoma
3075004 | Nonoperative removal of prosthesis of bile duct
3078002 | Embolectomy with catheter of renal artery by abdominal incision
3083005 | Removal of device from thorax
3088001 | Anesthesia for endoscopic procedure on upper extremity
3090000 | Aneurysmectomy with graft replacement of lower limb artery
3112006 | Restraint removal
3116009 | Clotting screening
3130004 | Monitoring of cardiac output by electrocardiogram
3133002 | Patient discharge, deceased, autopsy
3137001 | Replacement
3143004 | Visual field examination and evaluation, intermediate
3162001 | Gadolinium measurement
3164000 | Open reduction of closed mandibular fracture with interdental fixation
3165004 | Irrigation of muscle of hand
3166003 | Closure of fistula of salivary gland
3177009 | Internal obstetrical version
3183007 | Closure of colostomy
3186004 | Excision of Skene gland
3190002 | Epilation by forceps
3204007 | Destructive procedure of nerve
3241008 | Correction of chordee with mobilization of urethra
3249005 | Surgical construction of filtration bleb
3251009 | Mayo operation, herniorrhaphy
3256004 | Cervical lymphangiogram
3257008 | Empty and measure peritoneal dialysis fluid
3258003 | Cerebral arteriography
3268008 | Transplantation of tissue of pelvic region
3270004 | Implantation of neurostimulator in spine
3278006 | Lysis of adhesions of bursa of hand
3287002 | Cholecystogastrostomy
3320000 | Abt - autologous blood transfusion
3324009 | Laser beam photocoagulation
3326006 | Excision of exostosis of head of fifth metatarsal

3328007 | Incision of vein of head and neck
3333006 | Application of short arm splint, forearm to hand, static
3338002 | Open reduction of open radial shaft fracture
3352000 | PTH - Parathyroid hormone level
3357006 | Iron kinetics
3360004 | Biliary anastomosis
3390006 | Verification procedure
3399007 | Reduction of torsion of omentum
3407002 | Creation of lesion of spinal cord by percutaneous method
3413006 | Blood cell morphology
3418002 | Chondrectomy of spine
3432000 | Preventive dental service
3443008 | Pulp capping
3448004 | Fixation of contralateral testis
3450007 | Lymphocytes, T & B cell evaluation
3457005 | Referral procedure
3479000 | Removal of heart assist system with replacement
3498003 | Total excision of pituitary gland by transsphenoidal approach
3499006 | Aspiration of vitreous with replacement
3509001 | Streptococcus vaccination
3512003 | Angiography of arteries of extremity
3515001 | Replacement of electronic heart device, pulse generator
3517009 | Removal of foreign body of pelvis from subcutaneous tissue
3518004 | Aversive psychotherapy
3527003 | Antibody measurement
3546002 | CVG - Coronary vein graft
3559005 | Insertion of ureteral stent with ureterotomy
3562008 | Rodney Smith operation, radical subtotal pancreatectomy
3564009 | Removal of foreign body from fallopian tube
3575008 | Repair of fascia with graft of fascia
3580004 | Removal of calculus of pharynx
3605001 | Reduction of ciliary body
3607009 | Transplantation of mesenteric tissue
3620007 | Red cell survival study with hepatic sequestration
3625002 | Anesthesia for brachial arteriograms, retrograde
3651000 | Morphometric analysis, nerve
3654008 | Excision of lingula
3659003 | Incision of inner ear
3664004 | Closure of scleral fistula
3666002 | Repair of peripheral nerve by suturing
3669009 | Fitting of prosthesis or prosthetic device of upper arm
3673007 | Leadbetter urethral reconstruction
3683006 | Selenium measurement, urine
3686003 | Zancolli operation for tendon transfer of biceps
3688002 | Anesthesia for lens surgery
3690001 | Shunt of left subclavian to descending aorta by Blalock-Park operation
3691002 | Wedge osteotomy of tarsals and metatarsals
3697003 | Tissue processing technique, routine, embed, cut and stain, per autopsy
3700004 | Erysophake extraction of lens
3701000 | Removal of foreign body of hip from subcutaneous tissue
3713005 | Release for de Quervain tenosynovitis of hand
3717006 | Dilute Russell viper venom time
3734003 | SSG - Split skin graft
3735002 | Coproporphyrin III measurement
3740005 | Removal of foreign body of canthus by incision
3748003 | Biopsy of perirenal tissue
3749006 | Reduction of closed ischial fracture
3758004 | Thrombectomy with catheter of subclavian artery by neck incision
3770000 | Ward urine dip stick testing
3778007 | Scrotum manipulation
3780001 | Routine patient disposition, no follow-up planned
3784005 | Delayed hypersensitivity skin test for streptokinase-streptodornase
3786007 | Excision of lesion of pharynx
3787003 | Ultrasonic guidance for needle biopsy
3794000 | Pregnanetriol measurement
3796003 | Excision of redundant mucosa from jejunostomy
3799005 | Radiography of adenoids
3802001 | Topical application of tooth medicament - desensitizing agent
3819004 | Embolization of thoracic artery
3826004 | Blepharotomy with drainage of abscess of eyelid
3828003 | Open biopsy of vertebral body of thoracic region
3831002 | Chiropractic application of ice

3843001 | Removal of foreign body from fascia
3858009 | Echography of thyroid, A-mode
3861005 | Aneurysmectomy with anastomosis of lower limb artery
3862003 | Total vital capacity measurement
3864002 | Excisional biopsy of scrotum
3880007 | Excision of lesion of fibula
3881006 | Incision and drainage of submental space by extraoral approach
3887005 | Wart ligation
3889008 | Suture of lip
3891000 | Comprehensive orthodontic treatment, permanent dentition, for class I malocclusion
3895009 | Dressing
3907006 | Incision and drainage of retroperitoneal abscess
3911000 | Transplantation of muscle
3915009 | Excision of artery of thorax and abdomen
3917001 | Excisional biopsy of phalanges of foot
3918006 | Plastic repair with lengthening
3926003 | Lactate measurement
3929005 | Patient transfer, in-hospital, bed-to-bed
3936006 | Making Foster bed
3938007 | Cerclage for retinal reattachment
3942005 | Cystopexy
3955006 | Antibody elution from red blood cells
3957003 | Arteriectomy of thoracoabdominal aorta
3963007 | Operation on submaxillary gland
3967008 | Fluorescence polarization immunoassay
3968003 | Excision of spinal facet joint
3969006 | Removal of osteocartilagenous loose body from joint structures
3971006 | Duchenne muscular dystrophy carrier detection
3980006 | Partial excision of esophagus
3981005 | Carrier detection, molecular genetics
3985001 | Anesthesia for procedure on arteries of lower leg with bypass graft
3991004 | MRI of pelvis, prostate and bladder
3998005 | Bone imaging of limited area
4007002 | Anti-human globulin test, indirect, titer, non-gamma
4008007 | Phlebography of neck
4010009 | Oophorectomy of remaining ovary with tube
4027001 | Implantation of electronic stimulator into phrenic nerve
4034004 | Closed reduction of facial fracture, except mandible
4035003 | Restoration, resin, two surfaces, posterior, permanent
4036002 | Arthroscopy of elbow with extensive debridement
4037006 | Removal of vascular graft or prosthesis
4044002 | Construction of permanent colostomy
4045001 | Drainage of cerebral ventricle by incision
4052004 | Percutaneous aspiration of spinal cord cyst
4064007 | Specimen aliquoting
4068005 | Removal of ventricular reservoir with synchronous replacement
4083000 | Fitting of prosthesis or prosthetic device of lower arm
4084006 | Repair of tendon of hand by graft or implant of muscle
4090005 | Replacement of transvenous atrial and ventricular pacemaker electrode leads
4094001 | Reduction of retroversion of uterus by suppository
4101004 | Revision of spinal pleurothecal shunt
4102006 | Root canal therapy, anterior, excluding final restoration
4114003 | Parenteral chemotherapy for malignant neoplasm
4116001 | Construction of window
4119008 | Intracranial phlebectomy with anastomosis
4131005 | Implantation into pelvic region
4134002 | Operative block anesthesia
4139007 | Posterior spinal cordotomy
4143006 | Injection into anterior chamber of eye
4149005 | Bone histomorphometry, aluminum stain
4154001 | Incision and drainage of penis
4165006 | Delayed hypersensitivity skin test for staphage lysate
4176005 | Fothergill repair
4192000 | Toxicology testing for organophosphate insecticide
4213001 | Implantation of Ommaya reservoir
4214007 | Intracardiac injection for cardiac resuscitation
4226002 | Excision of lesion of thoracic vein
4252008 | Aneurysmectomy with graft replacement by interposition
4263006 | Biopsy of soft tissue of elbow area, superficial
4266003 | Patient referral for drug addiction rehabilitation
4285000 | Insertion of bone growth stimulator into femur
4293000 | Reduction of intussusception by laparotomy

4304000 | Excision of cusp of tricuspid valve
4319004 | Rebase of complete lower denture
4321009 | Bilateral leg arteriogram
4323007 | Destruction of lesion of sclera
4331002 | Anesthesia for hernia repair in lower abdomen
4333004 | Incision and drainage of perisplenic space
4336007 | Lloyd-Davies operation, abdominoperineal resection
4337003 | Homogentisic acid measurement
4339000 | Repair of nasolabial fistula
4341004 | Complete submucous resection of turbinate
4344007 | Cryopexy
4348005 | Musculoplasty of hand
4350002 | Removal of implant of cornea
4363008 | Endoscopic brush biopsy of trachea
4365001 | Surgical repair
4380007 | Transposition of vulvar tissue
4387005 | Valvuloplasty of pulmonary valve in total repair of tetralogy of Fallot
4388000 | Repair of splenocolic fistula
4407008 | Slitting of lacrimal canaliculus for passage of tube
4411002 | Removal of device from female genital tract
4420006 | Incision and drainage of parapharyngeal abscess by external approach
4424002 | Making orthopedic bed
4436008 | Methylatable chemotaxis protein (MCP) receptor measurement
4438009 | Venography of vena cava
4443002 | Decortication of ovary
4447001 | Autopsy, gross and microscopic examination, stillborn or newborn without central nervous system
4449003 | Manipulation of spinal meninges
4450003 | Application of Kirschner wire
4455008 | Open reduction of open elbow dislocation
4457000 | Insertion of mold into vagina
4466001 | Exploration of upper limb artery
4467005 | Excision of tumor of ankle area, deep, intramuscular
4475004 | Cyanide level
4487006 | Norepinephrine measurement, supine
4489009 | Neurolysis of trigeminal nerve
4496006 | Mouthcare procedure
4503005 | Removal of foreign body of sclera without use of magnet
4504004 | Potter obstetrical version with extraction
4505003 | Tenolysis of flexor tendon of forearm
4507006 | Decompression fasciotomy of wrist, flexor and extensor compartment
4511000 | Restoration, inlay, composite/resin, one surface, laboratory processed
4516005 | Iridencleisis and iridotasis
4520009 | Anastomosis of esophagus, antesternal or antethoracic, with insertion of prosthesis
4525004 | Seen by casualty - service
4533003 | Ligation of artery of lower limb
4535005 | Incision of pelvirectal tissue
4539004 | Excision of cyst of bronchus
4542005 | Closed reduction of fracture of foot
4544006 | Excision of subcutaneous tumor of extremities
4558008 | Anterior resection of rectum
4563007 | Hospital admission, transfer from other hospital or health care facility
4570007 | Chemopallidectomy
4579008 | Creation of ventriculoatrial shunt
4581005 | Coreoplasty
4585001 | Decompression of tendon of hand
4587009 | Epiphysiodesis of distal radius
4589007 | Care relating to reproduction and pregnancy
4593001 | Cauterization of sclera with iridectomy
4594007 | Coproporphyrin isomers, series I & III, urine
4613005 | Radioimmunoassay
4625008 | Apical pulse taking
4626009 | Take-down of arterial anastomosis
4636001 | Denker operation for radical maxillary antrotomy
4640005 | Ligation of fallopian tubes by abdominal approach
4642002 | Removal of inflatable penile prosthesis, with pump, reservoir and cylinders
4660002 | Diagnostic procedure on phalanges of foot
4670000 | Catheterization of bronchus
4671001 | Excision of lesion from sphenoid sinus
4672008 | Medical procedure on the nervous system
4691008 | Identification of rotavirus antigen in feces
4692001 | Transplantation of artery of upper extremity
4694000 | Percutaneous biopsy of muscle

4699005 | Alpha naphthyl butyrate stain method, blood or bone marrow
4701005 | Colony forming unit-granulocyte-monocyte-erythroid-megakaryocyte assay
4707009 | Partial excision of calcaneus
4712005 | Removal of Gardner Wells tongs from skull
4713000 | Endoscopy and photography
4719001 | Psychologic cognitive testing and assessment
4727005 | Lipoprotein electrophoresis
4734007 | Irrigation of wound catheter of integument
4737000 | Mycobacteria culture
4756005 | Cryotherapy of subcutaneous tissue
4758006 | Incudostapediopexy
4764004 | Jet ventilation procedure
4765003 | Insertion of ocular implant following or secondary to enucleation
4770005 | Colporrhaphy for repair of urethrocele
4772002 | Reduction of torsion of spermatic cord
4784000 | Operation on sublingual gland
4804005 | Microbial identification test
4811009 | Reconstruction of diaphragm
4815000 | Antibody identification, red blood cell antibody panel, enzyme, 2 stage technique including anti-human globulin
4820000 | Incision of labial frenum
4827002 | Shower hydrotherapy
4829004 | Excision of small intestine for interposition
4847005 | Anesthesia for cesarean section
4849008 | Ovarian biopsy
4862007 | Revision of anastomosis of large intestine
4877004 | Extracapsular extraction of lens with iridectomy
4891005 | Proctostomy
4895001 | Construction of sigmoid bladder
4902005 | Ethchlorvynol measurement
4903000 | Serum protein electrophoresis
4904006 | Dilation of anal sphincter under nonlocal anesthesia
4914002 | Treatment planning for teletherapy
4929000 | Local perfusion of kidney
4930005 | Repair of thoracogastric fistula
4934001 | Salpingography
4957007 | Cervical spinal fusion for pseudoarthrosis
4966006 | Extracorporeal perfusion
4970003 | Venography
4974007 | Liver operation
4976009 | Anesthesia for endoscopic procedure on lower extremity
4987001 | Osteoplasty of cranium with flap of bone
4992004 | Cardiac catheterization, left heart, retrograde, percutaneous
4993009 | Ischemic limb exercise with electromyography and lactic acid determination
5016005 | Pontic, resin with high noble metal
5019003 | Direct laryngoscopy with biopsy
5021008 | Aldosterone measurement, standing, normal salt diet
5022001 | Lysergic acid diethylamide measurement
5025004 | Semen analysis, presence and motility of sperm
5032008 | Labial veneer, porcelain laminate, laboratory
5034009 | Graft to hair-bearing skin
5048009 | External cephalic version with tocolysis
5055006 | Uniscept system test
5057003 | Radical orbitomaxillectomy
5065000 | Reduction of closed traumatic hip dislocation with anesthesia
5091004 | Peripheral vascular disease study
5105000 | Endoscopy of renal pelvis
5110001 | Ultrasound peripheral imaging, real time scan
5113004 | FT4 - Free thyroxine level
5119000 | Epiglottidectomy
5121005 | Wedge osteotomy of pelvic bone
5123008 | Anesthesia for procedure on pericardium with pump oxygenator
5130002 | Needling of lens for cataract
5131003 | Radiography of chest wall
5135007 | Diagnostic procedure on scapula
5147001 | Excision of lesion of ankle joint
5151004 | Manual reduction of rectal hemorrhoids
5154007 | Communication enhancement: speech deficit
5161006 | Specialty clinic admission
5162004 | Excision of pressure ulcer
5165002 | Division of thoracic artery
5176003 | Thromboendarterectomy with graft of renal artery
5182000 | Total body perfusion

5184004 | Osteotomy of shaft of femur with fixation
5186002 | Arthrotomy for synovectomy of glenohumeral joint
5190000 | Cell fusion
5191001 | Surgical treatment of missed miscarriage of second trimester
5212002 | Excision of lesion of lacrimal gland by frontal approach
5216004 | Three dimensional ultrasound imaging of heart
5233006 | Lateral fasciotomy
5243009 | Suture of adenoid fossa
5245002 | Transplantation of peripheral vein
5246001 | Breakpoint cluster region analysis
5264008 | Total bile acids measurement
5267001 | Adrenal artery ligation
5270002 | Bilateral destruction of fallopian tubes
5273000 | Manual reduction of closed fracture of proximal end of ulna
5282006 | Operation on oropharynx
5290006 | Incision and drainage of Ludwig angina
5298004 | Incision and drainage of deep hematoma of thigh region
5304008 | DXT - Radiotherapy
5316002 | Closed osteotomy of mandibular ramus
5317006 | Radical amputation of penis with bilateral pelvic lymphadenectomy
5326009 | Administration of dermatologic formulation
5328005 | Shortening of Achilles tendon
5337005 | Trocar biopsy
5338000 | Nicotine measurement
5342002 | Prophylactic treatment of tibia with methyl methacrylate
5348003 | Repair of endocardial cushion defect
5357009 | Leukocyte poor blood preparation
5373003 | Stress breaker
5384005 | Excision of part of frontal cortex
5391008 | Artificial voice rehabilitation
5393006 | Exploration of parathyroid with mediastinal exploration by sternal split approach
5402006 | Manipulation of thoracic artery
5407000 | Injection of fallopian tube
5415002 | Destruction of lesion of liver
5419008 | Lysis of adhesions of tendon of hand
5422005 | Amylase measurement, peritoneal fluid
5429001 | Diagnostic procedure on nipple
5431005 | Percutaneous transluminal angioplasty
5433008 | Skeletal X-ray of lower limb
5446003 | Excision of cervical rib for outlet compression syndrome with sympathectomy
5447007 | Transfusion
5452002 | Core needle biopsy of thymus
5456004 | Graft of lymphatic structure
5457008 | Serologic test for Rickettsia conorii
5460001 | Removal of prosthesis from fallopian tube
5479003 | Select picture audiometry
5482008 | Serologic test for Blastomyces
5486006 | Delayed suture of tendon of hand
5489004 | Diagnostic procedure on radius
5506006 | Incision and exploration of abdominal wall
5517007 | Restoration, inlay, porcelain/ceramic, per tooth, in addition to inlay
5521000 | Open reduction of fracture of phalanges of foot
5536002 | Arthrodesis of carpometacarpal joint of digits, other than thumb
5545001 | Repair of carotid body
5551006 | Direct laryngoscopy with arytenoidectomy with operating microscope
5556001 | Manually assisted spontaneous delivery
5570001 | Arthrotomy for infection with exploration and drainage of carpometacarpal joint
5571002 | Excision of lesion of aorta with end-to-end anastomosis
5572009 | Incision of kidney pelvis
5586008 | Aminolevulinic acid dehydratase measurement
5608002 | Excretion measurement
5616006 | Osteoplasty of tibia
5621009 | Excision of malignant lesion of skin of extremities
5632009 | Open biopsy of bronchus
5636007 | Fistulectomy of bone
5638008 | Carbohydrate measurement
5648005 | Surgical repair and revision of shunt
5651003 | Arylsulfatase A measurement
5663008 | Phlebectomy of varicose vein of head and neck
5669007 | Portable electroencephalogram awake and asleep with stimulation
5671007 | Magnet extraction of foreign body from ciliary body
5687005 | Removal of foreign body from ovary

5690004 | Incision of seminal vesicle
5694008 | Crisis intervention with follow-up
5721002 | Repair of eyebrow
5722009 | Surgical reanastomosis of colon
5726007 | Removal of epicardial electrodes
5728008 | Anoscopy for removal of foreign body
5731009 | Hemosiderin, quantitative measurement
5733007 | Fluorescent identification of anti-nuclear antibody
5738003 | Biopsy of cul-de-sac
5745003 | Excision ampulla of Vater with reimplantation of common duct
5760000 | Osteoplasty of radius and ulna, shortening
5771004 | Blepharotomy
5777000 | Flexorplasty of elbow
5781000 | Operation on nasal septum
5785009 | Forensic autopsy
5787001 | Elevation of bone fragments of orbit of skull with debridement
5789003 | Lysis of adhesions of intestines
5796001 | Excision of external thrombotic hemorrhoid
5806001 | Revision of tracheostomy scar
5807005 | Fenestration of inner ear, initial
5809008 | Selective vagotomy with pyloroplasty and gastrostomy
5812006 | Laboratory reporting, fax
5818005 | Flocculation test
5821007 | Ligation, division and complete stripping of long and short saphenous veins
5823005 | Diagnostic radiography, left
5832007 | Partial ostectomy of thorax, ribs or sternum
5845006 | Emulsification procedure
5846007 | Diagnostic radiography of toes
5857002 | Complement mediated cytotoxicity assay
5865004 | Open reduction of dislocation of toe
5870006 | Tertiary closure of abdominal wall
5880005 | Clinical examination
5892005 | Mastoid antrotomy
5894006 | Methyl red test
5897004 | Removal of Scribner shunt
5902003 | History and physical examination, complete
5925002 | Incision and drainage of hematoma of wrist
5930003 | Cardiac monitor removal
5947002 | Consultation for hearing and/or speech problem
5961007 | Division of blood vessels of cornea
5966002 | Removal of foreign body from elbow area, deep
5971009 | Incision and drainage of axilla
5983006 | Repair of spermatic cord
5986003 | Non-sensitized spontaneous sheep erythrocyte binding, E-rosette
5992009 | Midtarsal arthrodesis, multiple
5995006 | Gas liquid chromatography, flame photometric type
5997003 | Drainage of cerebral subarachnoid space by aspiration
5998008 | Radical dissection of groin
6005008 | Transplantation of vitreous by anterior approach
6007000 | Magnetic resonance imaging of chest
6019008 | Endoscopy of large intestine
6025007 | Laparoscopic appendectomy
6026008 | Removal of coronary artery obstruction by percutaneous transluminal balloon with thrombolytic agent
6029001 | Augmentation of outflow tract of pulmonary valve
6035001 | Chart abstracting
6063004 | Kanamycin measurement
6069000 | Panniculotomy
6082008 | Perforation of footplate
6092000 | Aspiration of nasal sinus by puncture
6100001 | Fenestration of stapes footplate with vein graft
6108008 | Subdural tap through fontanel, infant, initial
6119006 | Local destruction of lesion of bony palate
6125005 | Change of gastrostomy tube
6126006 | Fitzgerald factor assay
6127002 | Diagnostic radiography of abdomen, oblique standard
6130009 | Surgical exposure of impacted or unerupted tooth to aid eruption
6133006 | Lymphokine assay
6143009 | Diabetic education
6146001 | Repair of heart septum with prosthesis
6148000 | Chondrectomy of semilunar cartilage of knee
6157006 | Endoscopic retrograde cholangiopancreatography with biopsy
6159009 | Galactose measurement

6161000 | Excision of lesion of capsule of toes
6164008 | Osteoclasis of clavicle
6166005 | Nephropyeloureterostomy
6177004 | Southern blot assay
6187000 | Repair of aneurysm with graft of common femoral artery
6188005 | Arthrotomy of knee
6189002 | Excision of aberrant tissue of breast
6190006 | Colopexy
6195001 | Transurethral drainage of prostatic abscess
6198004 | Repair of fracture with Sofield type procedure
6200005 | Excision of lesion of female perineum
6205000 | Fluorescent antigen, titer
6213004 | Prescribing corneoscleral contact lens
6221005 | Suture of colon
6225001 | Antibody detection, RBC, enzyme, 2 stage technique, including anti-human globulin
6226000 | Visual rehabilitation, eye motion defect
6227009 | Relationship psychotherapy
6231003 | Graft of palate
6238009 | Diagnostic radiography of sacroiliac joints
6240004 | Operative procedure on knee
6255008 | Resection of abdominal artery with replacement
6271008 | Echography, immersion B-scan
6274000 | Excision of aural glomus tumor, extended, extratemporal
6286002 | Destructive procedure on ovaries and fallopian tubes
6289009 | White blood cell histogram evaluation
6295005 | Sequestrectomy of pelvic bone
6307005 | Keratophakia
6309008 | Fecal fat differential, quantitative
6319002 | Beta lactamase, chromogenic cephalosporin susceptibility test
6337001 | Ligation of aortic arch
6339003 | Conditioning play audiometry
6343004 | Forensic bite mark comparison technique
6353003 | Mitsuda reaction to lepromin
6354009 | Sedimentation rate, Westergren
6355005 | Removal of internal fixation device of radius
6358007 | Capsulorrhaphy of joint
6361008 | Anesthesia for popliteal thromboendarterectomy
6363006 | Dilation of lacrimal punctum with irrigation
6370006 | Chemosurgery of stomach lesion
6384001 | Removal of device from digestive system
6385000 | Exploration of disc space
6388003 | TdT stain
6396008 | Galactokinase measurement
6397004 | Muscular strength development exercise
6399001 | Division of arteriovenous fistula with ligation
6402000 | Excision of common bile duct
6403005 | Lengthening of muscle of hand
6419003 | Excision of tumor from elbow area, deep, subfascial
6429005 | Heteroautogenous transplantation
6433003 | Closed heart valvotomy of mitral valve
6434009 | Seminal fluid detection
6438007 | Exploration of ciliary body
6439004 | Destruction of lesion of peripheral nerve
6443000 | Pontic, porcelain fused to predominantly base metal
6444006 | Enlargement of eye socket
6465000 | Arthrotomy of glenohumeral joint for infection with drainage
6466004 | Administration of Rh immune globulin
6470007 | Laparoamnioscopy
6473009 | Suture of old obstetrical laceration of uterus
6480006 | Urinary bladder residual urine study
6486000 | Curettage of sclera
6487009 | Hand tendon pulley reconstruction with tendon prosthesis
6491004 | Protein S, free assay
6499002 | Tsuge operation on finger for macrodactyly repair
6502003 | Complete lower denture
6506000 | Placing a patient on a bedpan
6519001 | Operation on multiple extraocular muscles with temporary detachment from globe
6521006 | Polytomography
6527005 | Uchida fimbriectomy with tubal ligation by endoscopy
6535008 | Excision of cyst of hand
6536009 | Implantation of tricuspid valve with tissue graft
6543003 | Complicated catheterization of bladder

6547002 | Repair with closure of non-surgical wound
6555009 | Insertion of infusion pump beneath skin
6556005 | Reticulin antibody measurement
6562000 | Destruction of lesion of tongue
6563005 | Transposition of muscle of hand
6567006 | Pulmonary valve commissurotomy by transvenous balloon method
6568001 | Diagnostic procedure on eyelid
6585004 | Closed reduction of fracture of tarsal or metatarsal
6589005 | Antibody titration, high protein
6601003 | Removal of foreign body from skin of axilla
6614002 | Antibody to single stranded DNA measurement
6615001 | Electroretinography with medical evaluation
6622009 | Add clasp to existing partial denture
6634001 | Destruction of hemorrhoids, internal
6639006 | Replacement of obstructed valve in shunt system
6650009 | Radionuclide lacrimal flow study
6656003 | Acoustic stimulation test
6657007 | Maintenance drug therapy for mental disorder
6658002 | Removal of foreign body from alveolus
6661001 | King-Steelquist hindquarter operation
6665005 | Restoration, crown, porcelain fused to noble metal
6668007 | Fibrinogen assay, quantitative
6670003 | Closure of external fistula of trachea

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.282 Value Set http://hl7.org/fhir/ValueSet/account-status

URL: https://hl7.org/fhir/R4/valueset-account-status.html
Patient Administration Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/account-status
Version: | 4.0.1
Name: | AccountStatus
Title: | AccountStatus
Definition: | Indicates whether the account is available to be used.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.726 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for AccountStatus
• ConceptMap: Translation source in Canonical Mapping for "AccountStatus"
• Resource: Account.status (code / Required)

4.4.1.282.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/account-status

4.4.1.282.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/account-status version 4.0.1

All codes from system http://hl7.org/fhir/account-status

Code | Display | Definition | Canonical Status
active | Active | This account is active and may be used. | ~active

inactive | Inactive | This account is inactive and should not be used to track financial information. | ~inactive
entered-in-error | Entered in error | This instance should not have been part of this patient's medical record. | ~error
on-hold | On Hold | This account is on hold. | ~suspended
unknown | Unknown | The account status is unknown. | ~unknown

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.283 Value Set http://hl7.org/fhir/ValueSet/service-provision-conditions

URL: https://hl7.org/fhir/R4/valueset-service-provision-conditions.html
Patient Administration Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/service-provision-conditions
Version: | 4.0.1
Name: | ServiceProvisionConditions
Title: | ServiceProvisionConditions
Definition: | The code(s) that detail the conditions under which the healthcare service is available/offered.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.514 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ServiceProvisionConditions
• Resource: HealthcareService.serviceProvisionCode (CodeableConcept / Example)

4.4.1.283.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/service-provision-conditions

4.4.1.283.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/service-provision-conditions version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/service-provision-conditions

Code | Display | Definition
free | Free | This service is available for no patient cost.
disc | Discounts Available | There are discounts available on this service for qualifying patients.
cost | Fees apply | Fees apply for this service.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.284 Value Set http://hl7.org/fhir/ValueSet/currencies

URL: https://hl7.org/fhir/R4/valueset-currencies.html
Vocabulary Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/currencies
Version: | 4.0.1
Name: | Currencies
Title: | CurrencyCode
Definition: | Currency codes from ISO 4217 (see https://www.iso.org/iso-4217-currency-codes.html)
Committee: | Vocabulary Work Group
OID: | 2.16.840.1.113883.4.642.3.1025 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Money.currency (code / Required)

4.4.1.284.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in urn:iso:std:iso:4217

4.4.1.284.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 182 concepts

All codes from system urn:iso:std:iso:4217

Code | Display
AED | United Arab Emirates dirham
AFN | Afghan afghani
ALL | Albanian lek
AMD | Armenian dram
ANG | Netherlands Antillean guilder
AOA | Angolan kwanza
ARS | Argentine peso
AUD | Australian dollar
AWG | Aruban florin
AZN | Azerbaijani manat
BAM | Bosnia and Herzegovina convertible mark
BBD | Barbados dollar
BDT | Bangladeshi taka
BGN | Bulgarian lev
BHD | Bahraini dinar
BIF | Burundian franc
BMD | Bermudian dollar
BND | Brunei dollar
BOB | Boliviano
BOV | Bolivian Mvdol (funds code)
BRL | Brazilian real
BSD | Bahamian dollar
BTN | Bhutanese ngultrum
BWP | Botswana pula
BYN | Belarusian ruble
BZD | Belize dollar
CAD | Canadian dollar
CDF | Congolese franc
CHE | WIR Euro (complementary currency)
CHF | Swiss franc
CHW | WIR Franc (complementary currency)
CLF | Unidad de Fomento (funds code)
CLP | Chilean peso
CNY | Renminbi (Chinese) yuan[8]
COP | Colombian peso
COU | Unidad de Valor Real (UVR) (funds code)[9]
CRC | Costa Rican colon
CUC | Cuban convertible peso
CUP | Cuban peso
CVE | Cape Verde escudo
CZK | Czech koruna
DJF | Djiboutian franc
DKK | Danish krone
DOP | Dominican peso
DZD | Algerian dinar
EGP | Egyptian pound

ERN | Eritrean nakfa
ETB | Ethiopian birr
EUR | Euro
FJD | Fiji dollar
FKP | Falkland Islands pound
GBP | Pound sterling
GEL | Georgian lari
GGP | Guernsey Pound
GHS | Ghanaian cedi
GIP | Gibraltar pound
GMD | Gambian dalasi
GNF | Guinean franc
GTQ | Guatemalan quetzal
GYD | Guyanese dollar
HKD | Hong Kong dollar
HNL | Honduran lempira
HRK | Croatian kuna
HTG | Haitian gourde
HUF | Hungarian forint
IDR | Indonesian rupiah
ILS | Israeli new shekel
IMP | Isle of Man Pound
INR | Indian rupee
IQD | Iraqi dinar
IRR | Iranian rial
ISK | Icelandic króna
JEP | Jersey Pound
JMD | Jamaican dollar
JOD | Jordanian dinar
JPY | Japanese yen
KES | Kenyan shilling
KGS | Kyrgyzstani som
KHR | Cambodian riel
KMF | Comoro franc
KPW | North Korean won
KRW | South Korean won
KWD | Kuwaiti dinar
KYD | Cayman Islands dollar
KZT | Kazakhstani tenge
LAK | Lao kip
LBP | Lebanese pound
LKR | Sri Lankan rupee
LRD | Liberian dollar
LSL | Lesotho loti
LYD | Libyan dinar
MAD | Moroccan dirham
MDL | Moldovan leu
MGA | Malagasy ariary
MKD | Macedonian denar
MMK | Myanmar kyat
MNT | Mongolian tögrög
MOP | Macanese pataca
MRU | Mauritanian ouguiya
MUR | Mauritian rupee
MVR | Maldivian rufiyaa
MWK | Malawian kwacha
MXN | Mexican peso
MXV | Mexican Unidad de Inversion (UDI) (funds code)
MYR | Malaysian ringgit
MZN | Mozambican metical
NAD | Namibian dollar
NGN | Nigerian naira
NIO | Nicaraguan córdoba
NOK | Norwegian krone
NPR | Nepalese rupee
NZD | New Zealand dollar
OMR | Omani rial
PAB | Panamanian balboa
PEN | Peruvian Sol
PGK | Papua New Guinean kina
PHP | Philippine piso[13]
PKR | Pakistani rupee

PLN | Polish złoty
PYG | Paraguayan guaraní
QAR | Qatari riyal
RON | Romanian leu
RSD | Serbian dinar
RUB | Russian ruble
RWF | Rwandan franc
SAR | Saudi riyal
SBD | Solomon Islands dollar
SCR | Seychelles rupee
SDG | Sudanese pound
SEK | Swedish krona/kronor
SGD | Singapore dollar
SHP | Saint Helena pound
SLL | Sierra Leonean leone
SOS | Somali shilling
SRD | Surinamese dollar
SSP | South Sudanese pound
STN | São Tomé and Príncipe dobra
SVC | Salvadoran colón
SYP | Syrian pound
SZL | Swazi lilangeni
THB | Thai baht
TJS | Tajikistani somoni
TMT | Turkmenistan manat
TND | Tunisian dinar
TOP | Tongan pa‘anga
TRY | Turkish lira
TTD | Trinidad and Tobago dollar
TVD | Tuvalu Dollar
TWD | New Taiwan dollar
TZS | Tanzanian shilling
UAH | Ukrainian hryvnia
UGX | Ugandan shilling
USD | United States dollar
USN | United States dollar (next day) (funds code)
UYI | Uruguay Peso en Unidades Indexadas (URUIURUI) (funds code)
UYU | Uruguayan peso
UZS | Uzbekistan som
VEF | Venezuelan bolívar
VND | Vietnamese đồng
VUV | Vanuatu vatu
WST | Samoan tala
XAF | CFA franc BEAC
XAG | Silver (one troy ounce)
XAU | Gold (one troy ounce)
XBA | European Composite Unit (EURCO) (bond market unit)
XBB | European Monetary Unit (E.M.U.-6) (bond market unit)
XBC | European Unit of Account 9 (E.U.A.-9) (bond market unit)
XBD | European Unit of Account 17 (E.U.A.-17) (bond market unit)
XCD | East Caribbean dollar
XDR | Special drawing rights
XOF | CFA franc BCEAO
XPD | Palladium (one troy ounce)
XPF | CFP franc (franc Pacifique)
XPT | Platinum (one troy ounce)
XSU | SUCRE
XTS | Code reserved for testing purposes
XUA | ADB Unit of Account
XXX | No currency
YER | Yemeni rial
ZAR | South African rand
ZMW | Zambian kwacha
ZWL | Zimbabwean dollar A/10

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.285 Value Set http://hl7.org/fhir/ValueSet/marital-status

URL: https://hl7.org/fhir/R4/valueset-marital-status.html
Patient Administration Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Patient Package for further details.

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/marital-status
Version: | 4.0.1
Name: | Marital Status Codes
Title: | MaritalStatus
Definition: | This value set defines the set of codes that can be used to indicate the marital status of a person.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.29 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Patient.maritalStatus (CodeableConcept / Extensible)

4.4.1.285.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/v3-MaritalStatus

http://terminology.hl7.org/CodeSystem/v3-NullFlavor

Code | Display
UNK | unknown | Description:A proper value is applicable, but not known. Usage Notes: This means the actual value is not known. If the only thing that is unknown is how to properly express the value in the necessary constraints (value set, datatype, etc.), then the OTH or UNC flavor should be used. No properties should be included for a datatype with this property unless: Those properties themselves directly translate to a semantic of "unknown". (E.g. a local code sent as a translation that conveys 'unknown') Those properties further qualify the nature of what is unknown. (E.g. specifying a use code of "H" and a URL prefix of "tel:" to convey that it is the home phone number that is unknown.)

4.4.1.285.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 11 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v3-MaritalStatus version 2018-08-12, http://terminology.hl7.org/CodeSystem/v3-NullFlavor version 2018-08-12

Code | System | Display | Definition
A | http://terminology.hl7.org/CodeSystem/v3-MaritalStatus | Annulled | Marriage contract has been declared null and to not have existed
D | http://terminology.hl7.org/CodeSystem/v3-MaritalStatus | Divorced | Marriage contract has been declared dissolved and inactive
I | http://terminology.hl7.org/CodeSystem/v3-MaritalStatus | Interlocutory | Subject to an Interlocutory Decree.
L | http://terminology.hl7.org/CodeSystem/v3-MaritalStatus | Legally Separated | Legally Separated
M | http://terminology.hl7.org/CodeSystem/v3-MaritalStatus | Married | A current marriage contract is active
P | http://terminology.hl7.org/CodeSystem/v3-MaritalStatus | Polygamous | More than 1 current spouse
S | http://terminology.hl7.org/CodeSystem/v3-MaritalStatus | Never Married | No marriage contract has ever been entered
T | http://terminology.hl7.org/CodeSystem/v3-MaritalStatus | Domestic partner | Person declares that a domestic partner relationship exists.
U | http://terminology.hl7.org/CodeSystem/v3-MaritalStatus | unmarried | Currently not in a marriage contract.
W | http://terminology.hl7.org/CodeSystem/v3-MaritalStatus | Widowed | The spouse has died
UNK | http://terminology.hl7.org/CodeSystem/v3-NullFlavor | unknown | Description:A proper value is applicable, but not known. Usage Notes: This means the actual value is not known. If the only thing that is unknown is how to properly express the value in the necessary constraints (value set, datatype, etc.), then the OTH or UNC flavor should be used. No properties should be included for a datatype with this property unless: Those properties themselves directly translate to a semantic of "unknown". (E.g. a local code sent as a translation that conveys 'unknown') Those properties further qualify the nature of what is unknown. (E.g. specifying a use code of "H" and a URL prefix of "tel:" to convey that it is the home phone number that is unknown.)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.286 Value Set http://hl7.org/fhir/ValueSet/document-reference-status

URL: https://hl7.org/fhir/R4/valueset-document-reference-status.html
Structured Documents Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/document-reference-status
Version: | 4.0.1
Name: | DocumentReferenceStatus
Title: | DocumentReferenceStatus
Definition: | The status of the document reference.
Committee: | Structured Documents Work Group
OID: | 2.16.840.1.113883.4.642.3.7 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for DocumentReferenceStatus
• ConceptMap: Translation source in Canonical Mapping for "DocumentReferenceStatus"
• ConceptMap: Translation source in v3 map for DocumentReferenceStatus
• Resource: DocumentManifest.status (code / Required)
• Resource: DocumentReference.status (code / Required)

4.4.1.286.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/document-reference-status

4.4.1.286.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/document-reference-status version 4.0.1

All codes from system http://hl7.org/fhir/document-reference-status

Code | Display | Definition | Canonical Status
current | Current | This is the current reference for this document. | ~active
superseded | Superseded | This reference has been superseded by another reference. | ~inactive
entered-in-error | Entered in Error | This reference was created in error. | ~error

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.287 Value Set http://hl7.org/fhir/ValueSet/usage-context-type

URL: https://hl7.org/fhir/R4/valueset-usage-context-type.html
FHIR Infrastructure Work Group | Maturity Level: 5 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/usage-context-type

Version: | 4.0.1
Name: | UsageContextType
Title: | UsageContextType
Definition: | A code that specifies a type of context being specified by a usage context.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.101 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for UsageContextType

• Resource: UsageContext.code (Coding / Extensible)

4.4.1.287.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/usage-context-type

4.4.1.287.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 9 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/usage-context-type version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/usage-context-type

Code | Display | Definition
gender | Gender | The gender of the patient. For this context type, appropriate values can be found in the http://hl7.org/fhir/ValueSet/administrative-gender value set.
age | Age Range | The age of the patient. For this context type, the value could be a range that specifies the applicable ages or a code from an appropriate value set such as the MeSH value set http://terminology.hl7.org/ValueSet/v3-AgeGroupObservationValue.
focus | Clinical Focus | The clinical concept(s) addressed by the artifact. For example, disease, diagnostic test interpretation, medication ordering as in http://hl7.org/fhir/ValueSet/condition-code.
user | User Type | The clinical specialty of the context in which the patient is being treated - For example, PCP, Patient, Cardiologist, Behavioral Professional, Oral Health Professional, Prescriber, etc... taken from a specialty value set such as the NUCC Health Care provider taxonomy value set http://hl7.org/fhir/ValueSet/provider-taxonomy.
workflow | Workflow Setting | The settings in which the artifact is intended for use. For example, admission, pre-op, etc. For example, the ActEncounterCode value set http://terminology.hl7.org/ValueSet/v3-ActEncounterCode.
task | Workflow Task | The context for the clinical task(s) represented by this artifact. For example, this could be any task context represented by the HL7 ActTaskCode value set http://terminology.hl7.org/ValueSet/v3-ActTaskCode. General categories include: order entry, patient documentation and patient information review.
venue | Clinical Venue | The venue in which an artifact could be used. For example, Outpatient, Inpatient, Home, Nursing home. The code value may originate from the HL7 ServiceDeliveryLocationRoleType value set (http://terminology.hl7.org/ValueSet/v3-ServiceDeliveryLocationRoleType).
species | Species | The species to which an artifact applies. For example, SNOMED - 387961004 | Kingdom Animalia (organism).
program | Program | A program/project of work for which this artifact is applicable.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.288 Value Set http://hl7.org/fhir/ValueSet/action-type

URL: https://hl7.org/fhir/R4/valueset-action-type.html
Clinical Decision Support Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/action-type
Version: | 4.0.1
Name: | ActionType
Title: | ActionType
Definition: | The type of action to be performed.
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.809 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ActionType
• Resource: RequestGroup.action.type (CodeableConcept / Extensible)
• Profile: CDSHooksRequestGroup: RequestGroup.action.type (CodeableConcept / Extensible)
• Resource: PlanDefinition.action.type (CodeableConcept / Extensible)
• Profile: ShareablePlanDefinition: PlanDefinition.action.type (CodeableConcept / Extensible)
• Profile: ComputablePlanDefinition: PlanDefinition.action.type (CodeableConcept / Extensible)
• Profile: CDSHooksServicePlanDefinition: PlanDefinition.action.type (CodeableConcept / Extensible)

4.4.1.288.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/action-type

4.4.1.288.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/action-type version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/action-type

Code | Display | Definition
create | Create | The action is to create a new resource.
update | Update | The action is to update an existing resource.
remove | Remove | The action is to remove an existing resource.
fire-event | Fire Event | The action is to fire a specific event.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.289 Value Set http://hl7.org/fhir/ValueSet/risk-estimate-type

URL: https://hl7.org/fhir/R4/valueset-risk-estimate-type.html
Clinical Decision Support Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/risk-estimate-type
Version: | 4.0.1
Name: | RiskEstimateType
Title: | RiskEstimateType
Definition: | Whether the risk estimate is dichotomous, continuous or qualitative and the specific type of risk estimate (eg proportion or median).
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.1363 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for RiskEstimateType
• Resource: RiskEvidenceSynthesis.riskEstimate.type (CodeableConcept / Extensible)

4.4.1.289.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/risk-estimate-type

4.4.1.289.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 6 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/risk-estimate-type version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/risk-estimate-type

Code | Display | Definition
proportion | proportion | dichotomous measure (present or absent) reported as a ratio compared to the denominator of 1 (A percentage is a proportion with denominator of 100).
derivedProportion | derivedProportion | A special use case where the proportion is derived from a formula rather than derived from summary evidence.
mean | mean | continuous numerical measure reported as an average.
median | median | continuous numerical measure reported as the middle of the range.
count | count | descriptive measure reported as total number of items.
descriptive | descriptive | descriptive measure reported as narrative.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.290 Value Set http://hl7.org/fhir/ValueSet/dataelement-sdcobjectclassproperty

URL: https://hl7.org/fhir/R4/valueset-dataelement-sdcobjectclassproperty.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined at http://healthit.gov .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/dataelement-sdcobjectclassproperty
Version: | 4.0.1
Name: | DataElementSDCObjectClass
Title: | DataElement SDC Object Class
Definition: | The allowed codes for identifying the ISO 11179 ObjectClass Property for a particular data element if intended for registration/use within the U.S. Structured Data Capture (SDC) project.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.911 (for OID based terminology systems)
Copyright: | This value set includes content from LOINC®, which is copyright © 1995 Regenstrief Institute, Inc. and the LOINC Committee, and available at no cost under the license at http://loinc.org/terms-of-use. This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Extension: http://hl7.org/fhir/StructureDefinition/11179-objectClassProperty: objectClassProperty (Coding / Example)

4.4.1.290.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://snomed.info/sct

• Include all codes defined in http://loinc.org

• Include all codes defined in http://www.nlm.nih.gov/research/umls/rxnorm

4.4.1.290.2 Expansion

This expansion generated 01 Nov 2019

This value set cannot be expanded because of the way it is defined - it has an infinite number of members

Code | System | Display

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.291 Value Set http://hl7.org/fhir/ValueSet/payment-status

URL: https://hl7.org/fhir/R4/valueset-payment-status.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/payment-status
Version: | 4.0.1
Name: | PaymentStatusCodes
Title: | Payment Status Codes
Definition: | This value set includes a sample set of Payment Status codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.643 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for PaymentStatusCodes

• Resource: PaymentNotice.paymentStatus (CodeableConcept / Example)

4.4.1.291.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/paymentstatus

4.4.1.291.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/paymentstatus version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/paymentstatus

Code | Display | Definition
paid | Paid | The payment has been sent physically or electronically.
cleared | Cleared | The payment has been received by the payee.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.292 Value Set http://hl7.org/fhir/ValueSet/manifestation-or-symptom

URL: https://hl7.org/fhir/R4/valueset-manifestation-or-symptom.html
Patient Care Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/manifestation-or-symptom
Version: | 4.0.1
Name: | ManifestationAndSymptomCodes
Title: | Manifestation and Symptom Codes
Definition: | Example value set for Manifestation and Symptom codes.

Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.169 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Condition.evidence.code (CodeableConcept / Example)

• Resource: DetectedIssue.evidence.code (CodeableConcept / Example)

4.4.1.292.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://snomed.info/sct where concept is-a 404684003 (Clinical finding)

4.4.1.292.2 Expansion

This expansion generated 01 Nov 2019

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code | Display | Definition
109006 | Anxiety disorder of childhood OR adolescence
122003 | Choroidal hemorrhage
127009 | Spontaneous abortion with laceration of cervix
129007 | Homoiothermia
134006 | Decreased hair growth
140004 | Chronic pharyngitis
144008 | Normal peripheral vision
147001 | Superficial foreign body of scrotum without major open wound but with infection
150003 | Abnormal bladder continence
151004 | Meningitis due to gonococcus
162004 | Severe manic bipolar I disorder without psychotic features
165002 | Accident-prone
168000 | Typhlolithiasis
171008 | Injury of ascending right colon without open wound into abdominal cavity
172001 | Endometritis following molar AND/OR ectopic pregnancy
175004 | Supraorbital neuralgia
177007 | Poisoning by sawfly larvae
179005 | Apraxia of dressing
181007 | Hemorrhagic bronchopneumonia
183005 | Autoimmune pancytopenia
184004 | Withdrawal arrhythmia
188001 | Intercostal artery injury
192008 | Congenital syphilitic hepatomegaly
193003 | Benign hypertensive renal disease
195005 | Illegal abortion with endometritis
198007 | Disease due to Filoviridae
199004 | Decreased lactation
208008 | Neurocutaneous melanosis sequence
216004 | Delusion of persecution
219006 | Alcohol user
222008 | Acute epiglottitis with obstruction
223003 | Tumor of body of uterus affecting pregnancy
228007 | Lucio phenomenon
241006 | Motor simple partial status
242004 | Noninfectious jejunitis
253005 | Sycosis
257006 | Acne rosacea, erythematous telangiectatic type
258001 | Pseudoknuckle pad
264008 | Blind hypertensive eye
276008 | Oxytocin poisoning
279001 | Senile myocarditis
281004 | Alcoholic dementia
282006 | Acute myocardial infarction of basal-lateral wall
290006 | Melnick-Fraser syndrome
292003 | EEG finding
297009 | Acute myringitis
299007 | Paraffinoma of skin
303002 | Apoplectic pancreatitis

308006 | Pearly penile papules
310008 | Penile boil
313005 | Déjà vu
317006 | Reactive hypoglycemia
320003 | Cervical dilatation, 1cm
324007 | Plaster ulcer
330007 | Occipital headache
335002 | Pylorospasm
341009 | ABO incompatibility reaction
349006 | Absent tendon reflex
355001 | Hemorrhagic shock
357009 | Closed fracture trapezoid
358004 | Smallpox vaccine poisoning
359007 | Kernicterus due to isoimmunization
360002 | Acute radiation disease
364006 | Acute left-sided heart failure
366008 | Hidromeiosis
368009 | Heart valve disorder
369001 | Normal jugular venous pressure
378007 | Morquio syndrome
382009 | Legal history finding relating to child
383004 | Finding of passive range of hip extension
385006 | Secondary peripheral neuropathy
387003 | Melanuria
398002 | Left axis deviation greater than -90 degrees by EKG
407000 | Congenital hepatomegaly
408005 | Tooth chattering
409002 | Food allergy diet
426008 | Superficial injury of ankle without infection
431005 | Hypertrophy of scrotum
437009 | Abnormal composition of urine
440009 | Persistent hyperphenylalaninemia
442001 | Secondary hypopituitarism
443006 | Cystocele affecting pregnancy
447007 | Coach in sports activity accident
450005 | Ulcerative stomatitis
452002 | Blister of groin without infection
460001 | Squamous metaplasia of prostate gland
467003 | Old laceration of pelvic floor muscle
470004 | Vitreous touch syndrome
479003 | Graves' disease with pretibial myxedema AND with thyrotoxic crisis
486006 | Acute vascular insufficiency
488007 | Fibroid myocarditis
490008 | Upper respiratory tract hypersensitivity reaction
496002 | Closed traumatic dislocation of third cervical vertebra
504009 | Androgen-dependent hirsutism
517007 | Foreign body in hypopharynx
518002 | Multiple aggregation
520004 | Congenital bent nose
527001 | Spontaneous fetal evolution, Roederer's method
536002 | Glissonian cirrhosis
539009 | Conjunctival argyrosis
547009 | Hypersecretion of calcitonin
548004 | 13p partial trisomy syndrome
554003 | 2p partial trisomy syndrome
555002 | Dicentra species poisoning
563001 | Nystagmus
568005 | Habit disorder
586008 | Contact dermatitis due to primrose
590005 | Congenital aneurysm of anterior communicating artery
596004 | Premenstrual dysphoric disorder
599006 | Persistent pneumothorax
600009 | Pyromania
602001 | Ross river fever
607007 | Decreased vital capacity
610000 | Spastic aphonia
613003 | FRAXA - Fragile X syndrome
615005 | Obstruction due to foreign body accidentally left in operative wound AND/OR body cavity during a procedure
616006 | Sensorimotor disorder of eyelid
626004 | Hypercortisolism due to nonpituitary tumor
631002 | Transfusion reaction due to minor incompatibility
634005 | Saddle boil

640003 | Injury of pneumogastric nerve
643001 | Hypertrophy of lip
646009 | Idiopathic cyst of anterior chamber
649002 | Open fracture of distal end of ulna
651003 | Root work
652005 | Gangrenous tonsillitis
655007 | Abnormal fetal heart beat noted before labor in liveborn infant
658009 | Injury of colon without open wound into abdominal cavity
663008 | Pulmonary embolism following molar AND/OR ectopic pregnancy
664002 | Delayed ovulation
666000 | Poisoning by antivaricose drug AND/OR sclerosing agent
675003 | Torsion of intestine
682004 | Thrombosis complicating pregnancy AND/OR puerperium
685002 | Acquired telangiectasia of small AND/OR large intestines
701003 | Adult osteochondritis of spine
703000 | Congenital adhesion of tongue
714002 | Abrasion AND/OR friction burn of toe with infection
715001 | Nontraumatic rupture of urethra
718004 | Acute bronchiolitis with obstruction
733007 | Superficial foreign body of groin without major open wound but with infection
734001 | Opocephalus
736004 | Abscess of hip
750009 | Schistosoma mansoni infection
755004 | Postgastrectomy phytobezoar
756003 | Chronic rheumatic myopericarditis
758002 | Cyst of uterus
775008 | Open wound of head with complication
776009 | Partial arterial retinal occlusion
781000 | Cestrum diurnum poisoning
786005 | Clinical stage I B
787001 | Rheumatic mitral stenosis with regurgitation
788006 | Disease-related diet
792004 | CJD - Creutzfeldt-Jakob disease
799008 | Sigmoid colon ulcer
801006 | Insect bite, nonvenomous, of foot, infected
805002 | Pneumoconiosis due to silica
811004 | Flail motion
813001 | Ankle instability
815008 | Episcleritis
816009 | Genetic recombination
818005 | Third degree burn of multiple sites of lower limb
825003 | Superficial injury of axilla with infection
827006 | Late congenital syphilis, latent (+ sero., - C.S.F., 2 years OR more)
832007 | Moderate major depression
834008 | Chair-seated facing coital position
841002 | Congenital absence of skull bone
842009 | Consanguinity
843004 | Poliomyelomalacia
844005 | Finding relating to behavior
845006 | Inferior mesenteric artery injury
849000 | Total cataract
857002 | Erythema simplex
862001 | Anemia due to chlorate
865004 | Hyperalimentation formula for ileus
871005 | Contracted pelvis
874002 | Therapeutic diuresis
875001 | Chalcosis of eye
888003 | Foetal or neonatal effect of maternal blood loss
890002 | Deep third degree burn of elbow
899001 | Axis I diagnosis
903008 | Chorioretinal infarction
904002 | Pinard's sign
908004 | Superficial injury of interscapular region without infection
919001 | Pseudohomosexual state
928000 | Musculoskeletal disorder
931004 | Gestation period, 9 weeks
932006 | Flat affect
934007 | Thalassemia intermedia
943003 | Congenital retinal aneurysm
954008 | Renon-Delille syndrome
961007 | Erythema nodosum, acute form
962000 | Disability evaluation, disability 6%

964004 | Open wound of pharynx without complication
965003 | Toxic amblyopia
975000 | Anorectal agenesis
978003 | Chronic infantile eczema
981008 | Hemorrhagic proctitis
984000 | Perirectal cellulitis
987007 | Cellulitis of temple region
991002 | Wide QRS complex
998008 | Chagas' disease with heart involvement
1003002 | Religious discrimination
1020003 | Disease due to Nairovirus
1023001 | Apneic
1027000 | Biliary esophagitis
1031006 | Open wound of trachea without complication
1033009 | Thoracic arthritis
1034003 | Mesenteric-portal fistula
1038000 | Disaccharidurіa
1045000 | Colonospasm
1046004 | Ureteritis glandularis
1051005 | Hyperplasia of islet alpha cells with gastrin excess
1055001 | Stenosis of precerebral artery
1059007 | Opisthorchiasis
1070000 | Facial myokymia
1073003 | Xeroderma pigmentosum group B
1074009 | Glucocorticoid-responsive primary hyperaldosteronism
1077002 | Septal infarction by EKG
1079004 | Macular retinal cyst
1085006 | Vulval candidiasis
1089000 | Congenital sepsis
1102005 | Intraerythrocytic parasitosis by Nuttallia
1107004 | Early latent syphilis, positive serology, negative cerebrospinal fluid, with relapse after treatment
1108009 | Female pattern alopecia
1111005 | Normal sebaceous gland activity
1112003 | Degenerative disorder of eyelid
1116000 | Chronic aggressive type B viral hepatitis
1124005 | Postpartum period, 6 days
1125006 | Septicemia during labor
1126007 | Knee locking
1131009 | Congenital valvular insufficiency
1134001 | Muehrcke lines
1135000 | Solar retinitis
1139006 | Confrontation (visual) test
1140008 | Thermal hypesthesia
1141007 | Circumoral paresthesia
1145003 | DSD - Developmental speech disorder
1150009 | Congenital microcheilia
1151008 | Constricted visual field
1152001 | Skin reaction negative
1155004 | Myocardial hypertrophy, determined by electrocardiogram
1156003 | Cavitary prostatitis
1168007 | Allotype
1184008 | Glasgow coma scale, 10
1192004 | Familial amyloid neuropathy, Finnish type
1194003 | Disease condition determination, well controlled
1196001 | Chronic bipolar II disorder, most recent episode major depressive
1197005 | Carbuncle of heel
1201005 | Benign essential hypertension
1203008 | Deep third degree burn of forehead AND/OR cheek with loss of body part
1207009 | Optic disc glaucomatous atrophy
1208004 | Gastroptosis
1212005 | Juvenile dermatomyositis
1214006 | Infection by Strongyloides
1230003 | No diagnosis on Axis 1
1232006 | Congenital articular rigidity with myopathy
1239002 | Congenital anteversion of femoral neck
1240000 | Lying prone
1259003 | Schistosis
1261007 | Multiple fractures of ribs
1264004 | Injury of descending left colon without open wound into abdominal cavity
1271009 | Knuckle pads, leuconychia and deafness
1280009 | Isologous chimera
1282001 | Laryngeal perichondritis

1283006 | Visual acuity less than .02 (1/60, count fingers 1 meter) or visual field less than 5 degrees, but better than 5.
1284000 | Abnormal jaw closure
1286003 | Vitamin K deficiency coagulation disorder
1287007 | Congenital absence of bile duct
1297003 | Infection by Cladosporium carrionii
1308001 | Complication of reimplant
1310004 | Impaired glucose tolerance associated with genetic syndrome
1317001 | Injury of ovary without open wound into abdominal cavity
1318006 | Post-translational genetic protein processing
1323006 | Kanamycin poisoning
1332008 | Conjugated visual deviation
1335005 | Peyronies disease
1343000 | DTA - Deep transverse arrest
1345007 | Hang nail
1351002 | Iliac artery injury
1356007 | Calculus of common duct with obstruction
1361009 | Leucocoria
1363007 | Fetal or neonatal effect of chronic maternal respiratory disease
1367008 | Injury of superior mesenteric artery
1370007 | Open fracture of metacarpal bone(s)
1372004 | Unicornate uterus
1376001 | Obsessive compulsive personality disorder
1378000 | Supination-eversion injury of ankle
1380006 | Agoraphobia without history of panic disorder with limited symptom attacks
1383008 | Hallucinogen induced mood disorder
1384002 | Diffuse cholesteatosis of middle ear
1386000 | Intracranial hemorrhage
1387009 | Solanum nigrum poisoning
1388004 | Metabolic alkalosis
1393001 | Lenz-Majewski dysplasia
1395008 | Complication of ultrasound therapy
1402001 | Frightened
1412008 | Anterior subcapsular polar cataract
1415005 | Inflammation of lymphatics
1418007 | Hypoplastic chondrodystrophy
1419004 | Injury of prostate without open wound into abdominal cavity
1426004 | Necrotizing glomerulonephritis
1427008 | Intraspinal abscess
1430001 | Intracranial hemorrhage following injury without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) without return to pre-existing level
1447000 | Icthyoparasitism
1469007 | Miscarriage with urinary tract infection
1474004 | Hypertensive heart AND renal disease complicating AND/OR reason for care during childbirth
1475003 | Herpes labialis
1478001 | Obliteration of lymphatic vessel
1479009 | 20q partial trisomy syndrome
1482004 | Chalazion
1486001 | Orbital congestion
1488000 | PONV - Postoperative nausea and vomiting
1489008 | External hordeolum
1492007 | Congenital anomaly of large intestine
1493002 | Acute endophthalmitis
1499003 | Bipolar I disorder, single manic episode with postpartum onset
1512006 | Congenital stricture of bile duct
1515008 | Gorham disease
1518005 | Splenitis
1519002 | Congenital phlebectasia
1521007 | Blister of buttock without infection
1523005 | Clinical stage IV B
1525003 | Blister of foot without infection
1531000 | Nitrofuran derivative poisoning
1532007 | Viral pharyngitis
1534008 | Palsy of conjugate gaze
1538006 | Central nervous system malformation in foetus affecting obstetrical care
1539003 | Nodular tendinous disease of finger
1542009 | Omphalocele with obstruction
1544005 | Open dislocation of knee
1551001 | Osteomyelitis of femur
1556006 | Clark melanoma level 4
1563006 | Protein S deficiency
1567007 | Chronic gastric ulcer without hemorrhage, without perforation AND without obstruction
1588003 | Heterosexual precocious puberty

1592005 | Failed attempted termination of pregnancy with uremia
1593000 | Infantile hemiplegia
1606009 | Infection caused by Macracanthorhynchus hirudinaceus
1608005 | Increased capillary permeability
1639007 | Abnormality of organs AND/OR soft tissues of pelvis affecting pregnancy
1647007 | Primaquine poisoning
1648002 | Lymphocytic pseudotumor of lung
1654001 | Steroid-induced glaucoma
1657008 | Toxic effect of phosdrin
1658003 | Closed fracture clavicle, lateral end
1663004 | Tumor grade G2
1667003 | Early fontanel closure
1670004 | Cerebral hemiparesis
1671000 | Sago spleen
1674008 | Meesman's epithelial corneal dystrophy
1679003 | Arthritis associated with another disorder
1682008 | Transitory amino acid metabolic disorder
1685005 | Rat-bite fever
1686006 | Sedative, hypnotic AND/OR anxiolytic-induced anxiety disorder
1694004 | Accessory lobe of lung
1698001 | Ulcer of bile duct
1703007 | Increased leg circumference
1705000 | Closed fracture of base of neck of femur
1708003 | Open dislocation of clavicle
1714005 | Photokeratitis
1717003 | Guttate hypomelanosis
1723008 | Urethral stricture due to schistosomiasis
1724002 | Infection caused by Crenosoma
1734006 | Fracture of vertebral column with spinal cord injury
1735007 | Thrill
1739001 | Occipital fracture
1742007 | Female hypererotism
1744008 | Connation of teeth
1748006 | Thrombophlebitis of deep femoral vein
1755008 | Healed coronary
1761006 | Biliary cirrhosis
1763009 | Stromal keratitis
1767005 | Fisher syndrome
1769008 | Thoracodidymus
1771008 | Insulin biosynthesis defect
1776003 | RTA - Renal tubular acidosis
1777007 | Increased molecular dissociation
1778002 | Malocclusion due to abnormal swallowing
1779005 | OFD II - Orofacial-digital syndrome II
1794009 | Idiopathic corneal edema
1816003 | Panic disorder with agoraphobia, severe agoraphobic avoidance AND mild panic attacks
1821000 | Chemoreceptor apnea
1822007 | Impaired glucose tolerance associated with pancreatic disease
1824008 | Allergic gastritis
1826005 | Granuloma of lip
1828006 | Infestation caused by Gasterophilus hemorrhoidalis
1829003 | Microcephalus
1833005 | Phacoanaphylactic endophthalmitis
1835003 | Necrosis of pancreas
1837006 | Orciprenaline poisoning
1845001 | Paraparesis
1847009 | Endophthalmitis
1848004 | Poisoning caused by gaseous anesthetic
1852004 | Traumatic injury of sixth cranial nerve
1855002 | Developmental academic disorder
1856001 | Accessory nose
1857005 | Congenital rubella syndrome
1858000 | Infection caused by Stilesia globipunctata
1860003 | Fluid volume disorder
1865008 | Impaired intestinal protein absorption
1869002 | Rupture of iris sphincter
1881003 | Increased nutritional requirement
1892002 | Star figure at the macula
1896004 | Ectopic breast tissue
1897008 | Amsinckia species poisoning
1899006 | Autosomal hereditary disorder
1903004 | Infestation caused by Psorergates ovis

1908008 | von Willebrand disease, type IIC
1909000 | Impairment level: better eye: severe impairment: lesser eye: near-total impairment
1922008 | Congenital absence of urethra
1926006 | Osteopetrosis
1938002 | Emotional AND/OR mental disease in mother complicating pregnancy, childbirth AND/OR puerperium
1939005 | Abnormal vascular flow
1943009 | Left-right confusion
1953005 | Congenital deficiency of pigment of skin
1954004 | Dilated cardiomyopathy secondary to toxic reaction
1955003 | Preauricular pit
1959009 | Encephalartos species poisoning
1961000 | Chronic polyarticular juvenile rheumatoid arthritis
1963002 | PNH - Paroxysmal nocturnal hemoglobinuria
1965009 | Normal skin pH
1967001 | Congenital absence of forearm only
1973000 | Sedative, hypnotic AND/OR anxiolytic-induced psychotic disorder with delusions
1977004 | Oxymetholone poisoning
1979001 | Focal choroiditis
1980003 | Seromucinous otitis media
1981004 | Urhidrosis
1988005 | Late effect of injury to nerve roots, spinal plexus AND/OR other nerves of trunk
1989002 | Burn of vagina AND/OR uterus
2004005 | Normotensive
2012002 | Fracture of lunate
2024009 | Dilated cardiomyopathy secondary to metazoal myocarditis
2028007 | Erythema induratum
2032001 | Cerebral edema
2036003 | Acquired factor VII deficiency disease
2040007 | Neurogenic thoracic outlet syndrome
2041006 | Eunuchoid gigantism
2043009 | Alcoholic gastritis
2053005 | Late effect of injury to blood vessels of thorax, abdomen AND/OR pelvis
2055003 | Recurrent erosion syndrome
2058001 | Bilateral loss of labyrinthine reactivity
2061000 | Conductive hearing loss of combined sites
2065009 | Autosomal dominant optic atrophy
2066005 | Gastric ulcer with hemorrhage AND perforation but without obstruction
2070002 | Burning sensation in eye
2073000 | Delusions
2087000 | Pulmonary nocardiosis
2089002 | Pagets disease of bone
2091005 | Pharyngeal diverticulitis
2094002 | Carbon disulfide causing toxic effect
2102007 | Deep corneal vascularization
2103002 | Reflex sympathetic dystrophy of upper extremity
2107001 | Anisomelia
2109003 | Isolated somatotropin deficiency
2114004 | Infection caused by Cysticercus pisiformis
2116002 | Intramembranous bone formation
2120003 | Weak cry
2121004 | Ethopropazine poisoning
2128005 | Disorder of adenoid
2129002 | Edema of pharynx
2132004 | Meconium in amniotic fluid noted before labor in liveborn infant
2134003 | Diffuse pain
2136001 | Open wound of jaw with complication
2138000 | LSP - Left sacroposterior position
2145000 | Anal intercourse
2149006 | Decreased hormone production
2158004 | Infection caused by Contracaecum
2167004 | Retinal hemangioblastomatosis
2169001 | Thoracic radiculitis
2170000 | Gallop rhythm
2176006 | Halogen acne
2177002 | PHN - Post-herpetic neuralgia
2186007 | Compensated metabolic alkalosis
2198002 | Visceral epilepsy
2202000 | Open posterior dislocation of distal end of femur
2204004 | Acquired deformity of pinna
2213002 | Congenital anomaly of vena cava
2216005 | Nocturnal emission
2217001 | Superficial injury of perineum without infection

2219003 | Disability evaluation, disability 100%
2224000 | Selenium poisoning
2228002 | Scintillating scotoma
2229005 | Chimera
2231001 | Nerve plexus disorder
2237002 | Painful breathing -pleurodynia
2239004 | Previous pregnancies 6
2241003 | X-linked absence of thyroxine-binding globulin
2243000 | Hypercalcemia due to hyperthyroidism
2245007 | Foreign body in nasopharynx
2251002 | Primary hypotony of eye
2256007 | Monovular twins
2261009 | Obstetrical pulmonary fat embolism
2268003 | Victim of homosexual aggression
2284002 | Pulsating exophthalmos
2295008 | Closed fracture of upper end of forearm
2296009 | Iron dextran toxicity
2298005 | Focal facial dermal dysplasia
2301009 | Psychosomatic factor in physical condition, psychological component of unknown degree
2303007 | Inguinal hernia with gangrene
2304001 | Intervertebral discitis
2307008 | Peripancreatic fat necrosis
2308003 | Silent alleles
2312009 | Reactive attachment disorder of infancy OR early childhood, inhibited type
2314005 | Unprotected intercourse
2326000 | Marriage annulment
2339001 | Sexual overexposure
2341000 | Infection caused by Moniliformis
2351004 | Genetic transduction
2355008 | Rud syndrome
2359002 | Hyper-beta-alaninemia
2365002 | Simple chronic pharyngitis
2366001 | Late effect of dislocation
2367005 | Acute hemorrhagic gastritis
2374000 | Monofascicular block
2385003 | Cellulitis of pectoral region
2388001 | Normal variation in translucency
2390000 | Acute gonococcal vulvovaginitis
2391001 | Achondrogenesis
2396006 | Malignant pyoderma
2398007 | Quinidine toxicity by electrocardiogram
2403008 | Dependence syndrome
2415007 | Lumbosacral root lesion
2418009 | Polyester fume causing toxic effect
2419001 | Open wound of forehead with complication
2420007 | Third degree burn of multiple sites of upper limb
2432006 | Cerebrospinal fluid circulation disorder
2435008 | Ascaridiasis
2437000 | Placenta circumvallata
2438005 | Iniencephaly
2439002 | Purulent endocarditis
2443003 | Hydrogen sulfide poisoning
2452007 | Fetal rotation
2463005 | Acquired heterochromia of iris
2469009 | Onychomalacia
2470005 | Brain damage
2471009 | Intra-abdominal abscess postprocedure
2472002 | Passes no urine
2473007 | Intermittent vertical squint
2477008 | Superficial phlebitis
2492009 | Disorder of nutrition
2495006 | Congenital cerebral arteriovenous aneurysm
2496007 | Acalculia
2506003 | Early onset dysthymia
2513003 | Tinea capitis caused by Trichophyton
2518007 | Cryptogenic sexual precocity
2521009 | Bone conduction better than air
2523007 | Salmonella pneumonia
2526004 | Noninflammatory disorder of the female genital organs
2528003 | Viremia
2532009 | Choroidal rupture
2534005 | Congenital absence of vena cava

2538008 | Ketosis
2541004 | Compulsive buying
2554006 | Acute purulent pericarditis
2556008 | Disease of supporting structures of teeth
2560006 | Complex syndactyly of fingers
2562003 | Athanasia trifurcata poisoning
2576002 | Trachoma
2581006 | Clasp knife rigidity
2582004 | Deep third degree burn of multiple sites of lower limb
2583009 | Filigreed network of venous valves
2584003 | Cerebral degeneration in childhood
2585002 | Pneumococcal pleurisy
2589008 | Acute dacryoadenitis
2591000 | Crush injury of shoulder region
2593002 | Dubowitz syndrome
2602008 | Hemarthrosis of shoulder
2606006 | Boil of perineum
2615004 | Graafian follicle cyst
2618002 | Chronic recurrent major depressive disorder
2622007 | Infected ulcer of skin
2624008 | Prepubertal periodontitis
2625009 | Senter syndrome
2630008 | Open wound of finger without complication
2634004 | Decreased blood erythrocyte volume
2638001 | Hypercalcemia caused by a drug
2640006 | Clinical stage 4
2651006 | Closed traumatic dislocation of elbow joint
2655002 | Invalidism
2657005 | Overflow proteinuria
2663001 | Palpatory proteinuria
2665008 | Coordinate convulsion
2683000 | Nonvenomous insect bite of axilla without infection
2689001 | Dominant dystrophic epidermolysis bullosa with absence of skin
2694001 | Myelophthisic anemia
2704003 | Acute disease
2707005 | Necrotizing enterocolitis
2713001 | Closed pneumothorax
2724004 | Auditory recruitment
2725003 | Previous abnormality of glucose tolerance
2733002 | Heel pain
2736005 | Honeycomb atrophy of face
2740001 | Gouty proteinuria
2749000 | Congenital deformity of hip
2751001 | Fibrocalculous pancreatic diabetes
2761008 | Decreased stool caliber
2764000 | Joint crackle
2770006 | Fetal or neonatal effect of antibiotic transmitted via placenta and/or breast milk
2772003 | Epidermolysis bullosa acquisita
2775001 | Intra-articular loose body
2776000 | Organic brain syndrome
2781009 | Miscarriage complicated by delayed and/or excessive hemorrhage
2782002 | Temporomandibular dysplasia
2783007 | Gastrojejunal ulcer without hemorrhage AND without perforation
2786004 | Epithelial ovarian tumor, International Federation of Gynecology and Obstetrics stage III
2790002 | Impairment level: one eye: total impairment: other eye: not specified
2805007 | Phosmet poisoning
2806008 | Impaired psychomotor development
2807004 | Chronic gastrojejunal ulcer with perforation
2808009 | Infection caused by Prosthenorchis elegans
2815001 | Sexual pyromania
2816000 | Dilated cardiomyopathy secondary to myotonic dystrophy
2818004 | Congenital vascular anomaly of eye
2819007 | Magnesium sulfate poisoning
2825006 | Abrasion and/or friction burn of gum without infection
2828008 | Congenital stenosis of nares
2829000 | Uhl disease
2831009 | Pyloric antral vascular ectasia
2835000 | Hemolytic anemia due to cardiac trauma
2836004 | Butane causing toxic effect
2838003 | Piblokto
2840008 | Open fracture of vault of skull with cerebral laceration AND/OR contusion
2850009 | Infection caused by Schistosoma incognitum

2853006 | Macular keratitis
2856003 | Vitamin A-responsive dermatosis
2858002 | Postpartum sepsis
2884008 | Spherophakia-brachymorphia syndrome
2893009 | Anomaly of chromosome pair 10
2897005 | Immune thrombocytopenia
2899008 | Thought blocking
2900003 | Fibromuscular dysplasia of renal artery
2901004 | Altered blood passed per rectum
2902006 | Decreased lymphocyte life span
2904007 | Male infertility
2910007 | Discharge from penis
2912004 | Cystic-bullous disease of the lung
2917005 | Transient hypothyroidism
2918000 | Infection caused by Bacteroides
2919008 | Nausea, vomiting and diarrhea
2929001 | Arterial occlusion
2935001 | Antiasthmatic poisoning
2940009 | Intrabasal vesicular dermatitis
2946003 | Osmotic diarrhea
2951009 | Atopic cataract
2955000 | Chronic ulcerative pulpitis
2965006 | Nevoid congenital alopecia
2967003 | Non-comitant strabismus
2972007 | Occlusion of anterior spinal artery
2973002 | Pelvic organ injury without open wound into abdominal cavity
2978006 | Aneurysm of conjunctiva
2981001 | Pulsatile mass of abdomen
2989004 | Complication following molar AND/OR ectopic pregnancy
2990008 | Lymphocytic leukemoid reaction
2992000 | Pigmentary pallidal degeneration
2994004 | Brain fag
2999009 | Injury of ear region
3002002 | Thyroid hemorrhage
3004001 | Congenital dilatation of esophagus
3006004 | Altered consciousness
3009006 | Solanum malacoxylon poisoning
3013004 | Open wound of ear drum without complication
3014005 | Autoeczematization
3018008 | Penetration of eyeball with magnetic foreign body
3019000 | Closed anterior dislocation of elbow
3021005 | Normal gastric acidity
3023008 | Acute peptic ulcer without hemorrhage, without perforation AND without obstruction
3032005 | Nonvenomous insect bite of cheek without infection
3033000 | Bone AND/OR joint disorder of pelvis in mother complicating pregnancy, childbirth AND/OR puerperium
3038009 | Acute lymphangitis of umbilicus
3044008 | Vitreous prolapse
3053001 | Poisoning caused by nitroglycerin
3059002 | Acute lymphangitis of thigh
3067005 | Weak C phenotype
3071008 | Widow
3072001 | Hormone-induced hypopituitarism
3073006 | Ruvalcaba syndrome
3084004 | Nonvenomous insect bite of gum without infection
3089009 | Disability evaluation, impairment, class 7
3094009 | Vomiting in infants AND/OR children
3095005 | Induced malaria
3097002 | Superficial injury of lip with infection
3098007 | Ventricular septal rupture
3105002 | Intron
3109008 | Secondary dysthymia early onset
3110003 | AOM - Acute otitis media
3119002 | Brain stem laceration with open intracranial wound AND loss of consciousness
3129009 | Infarction of ovary
3135009 | OE - Otitis externa
3140001 | Citrullinemia, subacute type
3144005 | Staphylococcal pleurisy
3158007 | Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND panic attacks in partial remission
3160009 | Infertility of cervical origin
3163006 | Acute adenoviral follicular conjunctivitis
3168002 | Thrombophlebitis of intracranial venous sinus
3185000 | Mood-congruent delusion

3199001 | Sprain of shoulder joint
3200003 | Sacrocoxalgia
3208005 | Open wound of ossicles without complication
3214003 | Invasive pulmonary aspergillosis
3217005 | Open dislocation of sixth cervical vertebra
3218000 | Mycotic disease
3219008 | Disease type AND/OR category unknown
3228009 | Closed fracture of the radial shaft
3229001 | Tracheal ulcer
3230006 | Illegal termination of pregnancy with afibrinogenemia
3238004 | Pericarditis
3239007 | Lymphocyte disorder
3253007 | Dyschromia
3254001 | Infection caused by Strongyloides westeri
3259006 | Homeria species poisoning
3261002 | Migratory osteolysis
3263004 | Verumontanitis
3272007 | Stomatocytosis
3274008 | Flat chest
3275009 | Behcet syndrome, vascular type
3276005 | Toad poisoning
3277001 | Terminal mood insomnia
3282008 | Arc eye
3283003 | Feeling of sand or foreign body in eye
3286006 | Patient status determination, greatly improved
3289004 | Anisometropia
3291007 | Closed fracture of two ribs
3298001 | Amnestic syndrome
3303004 | Disease caused by Arenavirus
3304005 | Bronchial compression
3305006 | Disorder of lymphatic vessel
3308008 | Atrophic-hyperplastic gastritis
3310005 | Foreign body granuloma of skin
3321001 | Renal abscess
3323003 | Leukoplakia of penis
3327002 | Acquired jerk nystagmus
3331008 | Open fracture of neck of metacarpal bone
3344003 | Toxic labyrinthitis
3345002 | Idiopathic osteoporosis
3355003 | Anti-common cold drug poisoning
3358001 | Lichen ruber moniliformis
3368006 | Dull chest pain
3376008 | Pseudoptyalism
3381004 | Open fracture of astragalus
3387000 | Auditory discrimination aphasia
3391005 | Negative for tumor cells
3393008 | Phlebitis following infusion, perfusion AND/OR transfusion
3398004 | Cadmium poisoning
3401001 | Cercopithecus herpesvirus 1 disease
3415004 | Cyanosis
3419005 | Faucial diphtheria
3421000 | Open blow-out fracture orbit
3424008 | Heart rate fast
3426005 | Retained magnetic intraocular foreign body
3427001 | Nonglucosuric melituria
3434004 | Myotonia
3439009 | Severe combined immunodeficiency (SCID) due to absent peripheral T cell maturation
3441005 | Disorder of sebaceous gland
3446000 | Open fracture of T7-T12 level with spinal cord injury
3449007 | Finger agnosia
3456001 | Chronic progressive non-hereditary chorea
3458000 | Myositis ossificans associated with dermato / polymyositis
3461004 | Deep third degree burn of thumb
3464007 | Infection caused by Oesophagostomum dentatum
3468005 | Neonatal infective mastitis
3469002 | Partial thickness burn of thumb
3472009 | Spondylolisthesis, grade 4
3474005 | Glycine max poisoning
3480002 | Burn of wrist
3482005 | Postoperative esophagitis
3483000 | Chronic peptic ulcer with perforation
3487004 | Pulmonary candidiasis

3500002 | Open wound of ossicles with complication
3502005 | Cervical lymphadenitis
3503000 | Gender identity disorder of adolescence, previously asexual
3505007 | Nonallopathic lesion of the arm
3506008 | Stenosis of retinal artery
3507004 | Abscess of thigh
3511005 | Infectious thyroiditis
3514002 | Peribronchial fibrosis of lung
3519007 | Disorder of synovium
3528008 | Restricted carbohydrate fat controlled diet
3529000 | Infection caused by Sanguinicola
3530005 | Bipolar 1 disorder, single manic episode, full remission
3531009 | Intrapsychic conflict
3533007 | Acute palmoplantar pustular psoriasis
3539006 | Enteromenia
3542000 | Laceration extending into parenchyma of spleen with open wound into abdominal cavity
3544004 | Hair-splitting
3545003 | Diastolic dysfunction
3548001 | Brachial plexus disorder
3549009 | Pancreatic acinar atrophy
3558002 | Mesenteric infarction
3560000 | Bilateral recurrent inguinal hernia
3570003 | Increased blood erythrocyte volume
3571004 | Megaloblastic anemia due to pancreatic insufficiency
3577000 | Lattice retinal degeneration
3585009 | Blinking
3586005 | Psychogenic fugue
3589003 | Syphilitic pericarditis
3590007 | Enteroenteric fistula
3591006 | Metabolic acidosis, normal anion gap, bicarbonate losses
3598000 | Partial recent retinal detachment with single defect
3611003 | Demeton poisoning
3633001 | Abscess of hand
3634007 | Legal termination of pregnancy complicated by metabolic disorder
3639002 | Glossoptosis
3640000 | Late effect of traumatic amputation
3641001 | Infection caused by Coenurosis serialis
3642008 | Steryl-sulfate sulfohydrolase deficiency
3644009 | Macerated skin
3649004 | Contusion, multiple sites of trunk
3650004 | Congenital absence of liver,total
3652007 | Overproduction of growth hormone
3657001 | Osteospermum species poisoning
3660008 | Lethal glossopharyngeal defect
3662000 | Rolling hiatus hernia
3677008 | Academic problem
3680009 | Monocephalus tripus dibrachius
3681008 | Thrombophlebitis of torcular Herophili
3696007 | Functional dyspepsia
3699000 | Transverse deficiency of arm
3703002 | Ischiatic hernia with gangrene
3704008 | Diffuse endocapillary proliferative glomerulonephritis
3705009 | Congenital malformation of anterior chamber of eye
3712000 | Degenerated eye
3716002 | Thyroid goiter
3720003 | Abnormal presence of hemoglobin
3723001 | Joint inflammation
3733009 | Congenital eventration of right crus of diaphragm
3736001 | Open wound of thumbnail with tendon involvement
3738000 | VH - Viral hepatitis
3744001 | Hyperlipoproteinemia
3745000 | Sleep rhythm problem
3747008 | EC - Ejection click
3750006 | Arteriospasm
3751005 | Contusion of labium
3752003 | Infection by Trichuris
3754002 | Dysplasia of vagina
3755001 | PRP - Pityriasis rubra pilaris
3756000 | Static ataxia
3759007 | Injury of heart with open wound into thorax
3760002 | Familial multiple factor deficiency syndrome, type V
3762005 | Bilateral recurrent femoral hernia with gangrene

3763000 | Expected bereavement due to life event
3783004 | Enamel pearls
3797007 | Periodontal cyst
3798002 | Premature birth of identical twins, both stillborn
3815005 | Crohn disease of rectum
3820005 | Inner ear conductive hearing loss
3827008 | Aneurysm of artery of neck
3830001 | Subcutaneous emphysema
3841004 | Blister of cheek with infection
3845008 | Duplication of intestine
3855007 | Disorder of pancreas
3859001 | Late effect of open wound of extremities without tendon injury
3873005 | Failed attempted termination of pregnancy with acute necrosis of liver
3885002 | ABO isoimmunization in pregnancy
3886001 | Congenital fecaliths
3899003 | Neutropenic typhlitis
3900008 | Mixed sensory-motor polyneuropathy
3902000 | Non dose-related drug-induced neutropenia
3903005 | Closed traumatic pneumothorax
3908001 | Infestation caused by Haematopinus
3909009 | Coeur en sabot
3913002 | Injury of gastrointestinal tract with open wound into abdominal cavity
3914008 | Mental disorder in childhood
3928002 | Zika virus disease
3939004 | Bacterial colony density, transparent
3944006 | X-linked placental steryl-sulfatase deficiency
3947004 | High oxygen affinity hemoglobin polycythemia
3950001 | Birth
3951002 | Proctitis
3972004 | Idiopathic insomnia
3975002 | Deep third degree burn of lower limb
3978000 | AIHA - Warm autoimmune hemolytic anemia
3987009 | Congenital absence of trachea
3993001 | Infection caused by Muellerius
3999002 | Acute pyelitis without renal medullary necrosis
4003003 | Alphavirus disease
4004009 | Monster with cranial anomalies
4006006 | Foetal tachycardia affecting management of mother
4009004 | Lower urinary tract infection
4016003 | Empyema of mastoid
4017007 | Increased stratum corneum adhesiveness
4022007 | Vulvitis circumscripta plasmacellularis
4026005 | Interstitial mastitis associated with childbirth
4030008 | Le Dantec virus disease
4038001 | Myrotheciotoxicosis
4039009 | Multiple vitamin deficiency disease
4040006 | Hassall-Henle bodies
4041005 | Congenital anomaly of macula
4046000 | Degenerative spondylolisthesis
4062006 | Lumbosacral plexus lesion
4063001 | Achillodynia
4069002 | Anoxic brain damage during AND/OR resulting from a procedure
4070001 | Palinphrasia
4075006 | Peganum harmala poisoning
4082005 | Syphilitic myocarditis
4088009 | Acquired hydrocephalus
4089001 | Meningococcemia
4092002 | Nonallopathic lesion of costovertebral region
4103001 | Complex partial seizure
4106009 | Rotator cuff rupture
4107000 | Infertile male syndrome
4113009 | Arrested hydrocephalus
4120002 | Bronchiolitis
4124006 | Insect bite, nonvenomous, of vagina, infected
4127004 | Prostatic obstruction
4129001 | Argyll-Robertson pupil
4135001 | 11p partial monosomy syndrome
4136000 | Macrodactylia of toes
4142001 | Muscular asthenopia
4152002 | Acquired hypoprothrombinemia
4160001 | Congenital anomaly of upper respiratory system
4168008 | Tibial plateau chondromalacia

4170004 | Ehlers-Danlos syndrome, procollagen proteinase resistant
4174008 | Tripartite placenta
4175009 | Infestation by Estrus
4178006 | Partial recent retinal detachment with multiple defects
4181001 | Normal peak expiratory flow rate
4183003 | Charcot-Marie-Tooth disease, type IC
4184009 | Congenital malformation of the endocrine glands
4191007 | Scaphoid head
4195003 | Duplication of anus
4197006 | Disability evaluation, impairment, class 5
4199009 | 18p partial trisomy syndrome
4208000 | Closed multiple fractures of both lower limbs
4210003 | OH - Ocular hypertension
4223005 | Parkinsonism caused by drug
4224004 | Complication of infusion
4225003 | Nasal tuberculosis
4229009 | Phthisical eye
4232007 | Chronic vulvitis
4237001 | Suppurative pulpitis
4240001 | Rupture of aorta
4241002 | Listeria infection
4242009 | 18q partial monosomy syndrome
4244005 | Urticaria neonatorum
4248008 | Synovitis AND/OR tenosynovitis associated with another disease
4249000 | Poor peripheral circulation
4251001 | Internal eye sign
4260009 | Sacral spinal cord injury without bone injury
4262001 | Phlebitis of superior sagittal sinus
4264000 | Chronic pericoronitis
4269005 | Chronic gastrojejunal ulcer without hemorrhage AND without perforation
4273008 | Closed posterior dislocation of elbow
4275001 | Conjugate gaze spasm
4278004 | Superficial foreign body of axilla without major open wound but with infection
4283007 | Mirizzi syndrome
4287008 | Chordee of penis
4294006 | Isosexual precocious puberty
4300009 | Deep third degree burn of forearm
4301008 | Autoimmune state
4306003 | Cluster B personality disorder
4307007 | Pregestational diabetes mellitus AND/OR impaired glucose tolerance, modified White class F
4308002 | RSIS - Repetitive strain injury syndrome
4310000 | Third degree burn of wrist AND/OR hand
4313003 | Acardiacus anceps
4316006 | Myometritis
4320005 | Factor V deficiency
4324001 | Subacute cystitis
4325000 | 11q partial monosomy syndrome
4332009 | Subarachnoid hemorrhage following injury without open intracranial wound AND with concussion
4338008 | Arnold nerve reflex cough syndrome
4340003 | Acrodermatitis chronica atrophicans
4349002 | Open fracture of multiple sites of metacarpus
4354006 | Open dislocation of scapula
4356008 | Gingival soft tissue recession
4359001 | Early congenital syphilis
4364002 | Structure of associations
4367009 | Hoover sign
4373005 | Clubbing of nail
4374004 | TV - Congenital tricuspid valve abnormality
4381006 | Verbal paraphasia
4386001 | Bronchospasm
4390004 | Chronic lithium nephrotoxicity
4397001 | Partial congenital duodenal obstruction
4399003 | Acute hemorrhagic pancreatitis
4403007 | Exclamation point hair
4406004 | Congenital anomaly of male genital system
4409006 | Combined methylmalonic acidemia and homocystinuria due to defects in adenosylcobalamin and methylcobalamin synthesis
4410001 | Retroperitoneal hernia with obstruction
4412009 | Digital nerve injury
4414005 | Infection caused by Setaria
4416007 | Heerfordt syndrome
4418008 | Gangrenous ergotism

4426000 | Ten previous induced terminations of pregnancy
4434006 | BS - Bloom syndrome
4439001 | Axenfeld-Schurenberg syndrome
4441000 | Severe bipolar disorder with psychotic features
4445009 | TB - Urogenital tuberculosis
4448006 | Allergic headache
4451004 | Illegal termination of pregnancy with renal tubular necrosis
4461006 | Complication of administrative procedure
4463009 | Indiana-Maryland type amyloid polyneuropathy
4464003 | Rocio virus disease
4465002 | Spherophakia
4468000 | Oppenheim gait
4470009 | Blanching of skin
4473006 | Migraine with aura
4477007 | Juvenile myopathy AND lactate acidosis
4478002 | Multiple fractures of upper AND lower limbs
4481007 | Abnormal gastric secretion regulation
4483005 | Syphilitic punched out ulcer

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.293 Value Set http://hl7.org/fhir/ValueSet/goal-status

URL: https://hl7.org/fhir/R4/valueset-goal-status.html
Patient Care Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/goal-status
Version: | 4.0.1
Name: | GoalLifecycleStatus
Title: | GoalLifecycleStatus
Definition: | Codes that reflect the current state of a goal and whether the goal is still being targeted.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.271 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for GoalLifecycleStatus
• ConceptMap: Translation source in Canonical Mapping for "GoalLifecycleStatus"
• Resource: Goal.lifecycleStatus (code / Required)

4.4.1.293.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/goal-status

4.4.1.293.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 9 concepts

Expansion based on http://hl7.org/fhir/goal-status version 4.0.1

All codes from system http://hl7.org/fhir/goal-status

Lvl | Code | Display | Definition | Canonical Status
0 | proposed | Proposed | A goal is proposed for this patient. | ~proposed
0 | planned | Planned | A goal is planned for this patient. | ~planned
0 | accepted | Accepted | A proposed goal was accepted or acknowledged. | ~accepted
1 | active | Active | The goal is being sought actively. | ~active
1 | on-hold | On Hold | The goal remains a long term objective but is no longer being actively pursued for a temporary period of time. | ~suspended
1 | completed | Completed | The goal is no longer being sought. | ~complete

0 | cancelled | Cancelled | The goal has been abandoned. | ~abandoned
0 | entered-in-error | Entered in Error | The goal was entered in error and voided. | ~error
0 | rejected | Rejected | A proposed goal was rejected. | ~declined

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.294 Value Set http://hl7.org/fhir/ValueSet/encounter-type

URL: https://hl7.org/fhir/R4/valueset-encounter-type.html
Patient Administration Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/encounter-type
Version: | 4.0.1
Name: | EncounterType
Title: | Encounter type
Definition: | This example value set defines a set of codes that can be used to indicate the type of encounter: a specific code indicating type of service provided.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.248 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for EncounterType
• Resource: Encounter.type (CodeableConcept / Example)

4.4.1.294.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/encounter-type

4.4.1.294.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/encounter-type version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/encounter-type

Code | Display | Definition
ADMS | Annual diabetes mellitus screening
BD/BM-clin | Bone drilling/bone marrow punction in clinic
CCS60 | Infant colon screening - 60 minutes
OKI | Outpatient Kenacort injection

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.295 Value Set http://hl7.org/fhir/ValueSet/sibling-relationship-codes

URL: https://hl7.org/fhir/R4/valueset-sibling-relationship-codes.html
Patient Care Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/sibling-relationship-codes
Version: | 4.0.1
Name: | SiblingRelationshipCodes
Title: | Sibling Relationship Codes
Definition: | The value set includes the v3 RoleCode SIB (sibling) and all of its specializations. It covers the relationships needed to establish genetic pedigree relationships between family members.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.922 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is not currently used

4.4.1.295.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://terminology.hl7.org/CodeSystem/v3-RoleCode where concept is-a SIB

4.4.1.295.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 21 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v3-RoleCode version 2018-08-12

All codes from system http://terminology.hl7.org/CodeSystem/v3-RoleCode

Lvl | Code | Display | Definition
0 | SIB | sibling | The player of the role shares one or both parents in common with the scoping entity.
1 | BRO | brother | The player of the role is a male sharing one or both parents in common with the scoping entity.
2 | HBRO | half-brother | The player of the role is a male related to the scoping entity by sharing only one biological parent.
2 | NBRO | natural brother | The player of the role is a male having the same biological parents as the scoping entity.
3 | TWINBRO | twin brother | The scoper was carried in the same womb as the male player and shares common biological parents.
4 | FTWINBRO | fraternal twin brother | The scoper was carried in the same womb as the male player and shares common biological parents but is the product of a distinct egg/sperm pair.
4 | ITWINBRO | identical twin brother | The male scoper is an offspring of the same egg-sperm pair as the male player.
2 | STPBRO | stepbrother | The player of the role is a son of the scoping person's stepparent.
1 | HSIB | half-sibling | The player of the role is related to the scoping entity by sharing only one biological parent.
2 | HSIS | half-sister | The player of the role is a female related to the scoping entity by sharing only one biological parent.
1 | NSIB | natural sibling | The player of the role has both biological parents in common with the scoping entity.
2 | NSIS | natural sister | The player of the role is a female having the same biological parents as the scoping entity.
3 | TWINSIS | twin sister | The scoper was carried in the same womb as the female player and shares common biological parents.
4 | FTWINSIS | fraternal twin sister | The scoper was carried in the same womb as the female player and shares common biological parents but is the product of a distinct egg/sperm pair.
4 | ITWINSIS | identical twin sister | The female scoper is an offspring of the same egg-sperm pair as the female player.
2 | TWIN | twin | The scoper and player were carried in the same womb and shared common biological parents.
3 | FTWIN | fraternal twin | The scoper and player were carried in the same womb and share common biological parents but are the product of distinct egg/sperm pairs.
3 | ITWIN | identical twin | The scoper and player are offspring of the same egg-sperm pair.
1 | SIS | sister | The player of the role is a female sharing one or both parents in common with the scoping entity.
2 | STPSIS | stepsister | The player of the role is a daughter of the scoping person's stepparent.
1 | STPSIB | step sibling | The player of the role is a child of the scoping person's stepparent.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.296 Value Set http://hl7.org/fhir/ValueSet/report-participant-type

URL: https://hl7.org/fhir/R4/valueset-report-participant-type.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/report-participant-type
Version: | 4.0.1
Name: | TestReportParticipantType
Title: | TestReportParticipantType
Definition: | The type of participant.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.722 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for TestReportParticipantType

• Resource: TestReport.participant.type (code / Required)

4.4.1.296.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/report-participant-type

4.4.1.296.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/report-participant-type version 4.0.1

All codes from system http://hl7.org/fhir/report-participant-type

Code | Display | Definition
test-engine | Test Engine | The test execution engine.
client | Client | A FHIR Client.
server | Server | A FHIR Server.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.297 Value Set http://hl7.org/fhir/ValueSet/graph-compartment-rule

URL: https://hl7.org/fhir/R4/valueset-graph-compartment-rule.html
FHIR Infrastructure Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/graph-compartment-rule
Version: | 4.0.1
Name: | GraphCompartmentRule
Title: | GraphCompartmentRule
Definition: | How a compartment must be linked.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.280 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for GraphCompartmentRule

• Resource: GraphDefinition.link.target.compartment.rule (code / Required)

4.4.1.297.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/graph-compartment-rule

4.4.1.297.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/graph-compartment-rule version 4.0.1

All codes from system http://hl7.org/fhir/graph-compartment-rule

Code | Display | Definition
identical | Identical | The compartment must be identical (the same literal reference).
matching | Matching | The compartment must be the same - the record must be about the same patient, but the reference may be different.
different | Different | The compartment must be different.
custom | Custom | The compartment rule is defined in the accompanying FHIRPath expression.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.298 Value Set http://hl7.org/fhir/ValueSet/immunization-evaluation-status

URL: https://hl7.org/fhir/R4/valueset-immunization-evaluation-status.html
Public Health and Emergency Response Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/immunization-evaluation-status
Version: | 4.0.1
Name: | ImmunizationEvaluationStatusCodes
Title: | Immunization Evaluation Status Codes
Definition: | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the current status of the evaluation for vaccine administration event.
Committee: | Public Health and Emergency Response Work Group
OID: | 2.16.840.1.113883.4.642.3.299 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• ConceptMap: Translation source in Canonical Mapping for "Immunization Evaluation Status Codes"

• Resource: ImmunizationEvaluation.status (code / Required)

4.4.1.298.1 Content Logical Definition

This value set includes codes from the following code systems:

http://terminology.hl7.org/CodeSystem/medication-admin-status

Code | Display | Canonical Status
completed | Completed | All actions that are implied by the administration have occurred.
entered-in-error | Entered in Error | The administration was entered in error and therefore nullified.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.299 Value Set http://hl7.org/fhir/ValueSet/request-resource-types

URL: https://hl7.org/fhir/R4/valueset-request-resource-types.html
Vocabulary Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/request-resource-types
Version: | 4.0.1
Name: | RequestResourceType
Title: | RequestResourceType
Definition: | A list of all the request resource types defined in this version of the FHIR specification.
Committee: | Vocabulary Work Group
OID: | 2.16.840.1.113883.4.642.3.1058 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for RequestResourceType

• Resource: ActivityDefinition.kind (code / Required)

4.4.1.299.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/request-resource-types

4.4.1.299.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 15 concepts

Expansion based on http://hl7.org/fhir/request-resource-types version 4.0.1

All codes from system http://hl7.org/fhir/request-resource-types

Code | Display | Definition
Appointment | Appointment | A booking of a healthcare event among patient(s), practitioner(s), related person(s) and/or device(s) for a specific date/time. This may result in one or more Encounter(s).
AppointmentResponse | AppointmentResponse | A reply to an appointment request for a patient and/or practitioner(s), such as a confirmation or rejection.
CarePlan | CarePlan | Healthcare plan for patient or group.
Claim | Claim | Claim, Pre-determination or Pre-authorization.
CommunicationRequest | CommunicationRequest | A request for information to be sent to a receiver.
Contract | Contract | Legal Agreement.
DeviceRequest | DeviceRequest | Medical device request.
EnrollmentRequest | EnrollmentRequest | Enrollment request.
ImmunizationRecommendation | ImmunizationRecommendation | Guidance or advice relating to an immunization.
MedicationRequest | MedicationRequest | Ordering of medication for patient or group.
NutritionOrder | NutritionOrder | Diet, formula or nutritional supplement request.
ServiceRequest | ServiceRequest | A record of a request for service such as diagnostic investigations, treatments, or operations to be performed.
SupplyRequest | SupplyRequest | Request for a medication, substance or device.
Task | Task | A task to be performed.
VisionPrescription | VisionPrescription | Prescription for vision correction products for a patient.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.300 Value Set http://hl7.org/fhir/ValueSet/list-empty-reason

URL: https://hl7.org/fhir/R4/valueset-list-empty-reason.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/list-empty-reason

Version: | 4.0.1
Name: | ListEmptyReasons
Title: | List Empty Reasons
Definition: | General reasons for a list to be empty. Reasons are either related to a summary list (i.e. problem or medication list) or to a workflow related list (i.e. consultation list).
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.322 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ListEmptyReasons
• Resource: List.emptyReason (CodeableConcept / Preferred)
• Resource: Composition.section.emptyReason (CodeableConcept / Preferred)
• Profile: ClinicalDocument: Composition.section.emptyReason (CodeableConcept / Preferred)
• Profile: Catalog: Composition.section.emptyReason (CodeableConcept / Preferred)

4.4.1.300.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/list-empty-reason

4.4.1.300.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 6 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/list-empty-reason version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/list-empty-reason

Code | Display | Definition
nilknown | Nil Known | Clinical judgment that there are no known items for this list after reasonable investigation. Note that this a positive statement by a clinical user, and not a default position asserted by a computer system in the lack of other information. Example uses: * For allergies: the patient or patient's agent/guardian has asserted that he/she is not aware of any allergies (NKA - nil known allergies) * For medications: the patient or patient's agent/guardian has asserted that the patient is known to be taking no medications * For diagnoses, problems and procedures: the patient or patient's agent/guardian has asserted that there is no known event to record.
notasked | Not Asked | The investigation to find out whether there are items for this list has not occurred.
withheld | Information Withheld | The content of the list was not provided due to privacy or confidentiality concerns. Note that it should not be assumed that this means that the particular information in question was withheld due to its contents - it can also be a policy decision.
unavailable | Unavailable | Information to populate this list cannot be obtained; e.g. unconscious patient.
notstarted | Not Started | The work to populate this list has not yet begun.
closed | Closed | This list has now closed or has ceased to be relevant or useful.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.301 Value Set http://hl7.org/fhir/ValueSet/resource-slicing-rules

URL: https://hl7.org/fhir/R4/valueset-resource-slicing-rules.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/resource-slicing-rules
Version: | 4.0.1
Name: | SlicingRules
Title: | SlicingRules
Definition: | How slices are interpreted when evaluating an instance.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.83 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for SlicingRules

• Resource: ElementDefinition.slicing.rules (code / Required)

4.4.1.301.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/resource-slicing-rules

4.4.1.301.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/resource-slicing-rules version 4.0.1

All codes from system http://hl7.org/fhir/resource-slicing-rules

Code | Display | Definition
closed | Closed | No additional content is allowed other than that described by the slices in this profile.
open | Open | Additional content is allowed anywhere in the list.
openAtEnd | Open at End | Additional content is allowed, but only at the end of the list. Note that using this requires that the slices be ordered, which makes it hard to share uses. This should only be done where absolutely required.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.302 Value Set http://hl7.org/fhir/ValueSet/clinicalimpression-prognosis

URL: https://hl7.org/fhir/R4/valueset-clinicalimpression-prognosis.html
Patient Care Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/clinicalimpression-prognosis
Version: | 4.0.1
Name: | ClinicalImpressionPrognosis
Title: | Clinical Impression Prognosis
Definition: | Example value set for clinical impression prognosis.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.160 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: ClinicalImpression.prognosisCodeableConcept (CodeableConcept / Example)

4.4.1.302.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://snomed.info/sct where concept is-a 365858006 (Prognosis/outlook finding)

4.4.1.302.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 6 concepts

All codes from system http://snomed.info/sct

Code | Display | Definition
60484009 | Conditional prognosis

65872000 | Fair prognosis
67334001 | Guarded prognosis
170968001 | Good prognosis
170969009 | Poor prognosis
170970005 | Prognosis uncertain

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.303 Value Set http://hl7.org/fhir/ValueSet/reference-version-rules

URL: https://hl7.org/fhir/R4/valueset-reference-version-rules.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/reference-version-rules
Version: | 4.0.1
Name: | ReferenceVersionRules
Title: | ReferenceVersionRules
Definition: | Whether a reference needs to be version specific or version independent, or whether either can be used.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.89 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ReferenceVersionRules
• Resource: ElementDefinition.type.versioning (code / Required)

4.4.1.303.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/reference-version-rules

4.4.1.303.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/reference-version-rules version 4.0.1

All codes from system http://hl7.org/fhir/reference-version-rules

Code | Display | Definition
either | Either Specific or independent | The reference may be either version independent or version specific.
independent | Version independent | The reference must be version independent.
specific | Version Specific | The reference must be version specific.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.304 Value Set http://hl7.org/fhir/ValueSet/media-modality

URL: https://hl7.org/fhir/R4/valueset-media-modality.html

This value set could not be expanded by the publication tooling: Error from server: Unable to find value set "http://hl7.org/fhir/ValueSet/dicom-cid29"

Orders and Observations Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/media-modality
Version: | 4.0.1
Name: | MediaModality
Title: | Media Modality
Definition: | Detailed information about the type of the image - its kind, purpose, or the kind of equipment used to generate it.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.1001 (for OID based terminology systems)
Copyright: | This resource includes content from the Digital Imaging and Communications in Medicine (DICOM) Standard, Copyright 2011 by the National Electrical Manufacturers Association
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Media.modality (CodeableConcept / Example)

4.4.1.304.1 Content Logical Definition

This value set includes codes from the following code systems:

• Import all the codes that are contained in http://hl7.org/fhir/ValueSet/dicom-cid29

• Include all codes defined in http://terminology.hl7.org/CodeSystem/media-modality

4.4.1.304.2 Expansion

This expansion generated 01 Nov 2019

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.305 Value Set http://hl7.org/fhir/ValueSet/program

URL: https://hl7.org/fhir/R4/valueset-program.html
Patient Administration Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/program
Version: | 4.0.1
Name: | Program
Title: | Program
Definition: | This value set defines an example set of codes that could be can be used to classify groupings of service-types/specialties.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.1383 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for Program

• Resource: HealthcareService.program (CodeableConcept / Example)

4.4.1.305.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/program

4.4.1.305.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 45 concepts

All codes from system http://terminology.hl7.org/CodeSystem/program

Code | Display | Definition
1 | Acquired Brain Injury (ABI) Program
2 | ABI Slow To Recover (ABI STR) Program
3 | Access Programs
4 | Adult and Further Education (ACFE) Program
5 | Adult Day Activity and Support Services (ADASS) Program
6 | Adult Day Care Program
7 | ATSS (Adult Training Support Service)
8 | Community Aged Care Packages (CACP)
9 | Care Coordination & Supplementary Services (CCSS)
10 | Cognitive Dementia Memory Service (CDAMS)
11 | ChildFIRST
12 | Children's Contact Services
13 | Community Visitors Scheme
14 | CPP (Community Partners Program)
15 | Closing the Gap (CTG)
16 | Coordinated Veterans' Care (CVC) Program
17 | Day Program
18 | Drop In Program
19 | Early Years Program
20 | Employee Assistance Program
21 | Home And Community Care (HACC)
22 | Hospital Admission Risk Program (HARP)
23 | Hospital in the Home (HITH) Program
24 | ICTP (Intensive Community Treatment Program)
25 | IFSS (Intensive Family Support Program)
26 | JPET (Job Placement, Education and Training)
27 | Koori Juvenile Justice Program
28 | Language Literacy and Numeracy Program
29 | Life Skills Program
30 | LMP (Lifestyle Modification Program)
31 | MedsCheck Program
32 | Methadone/Buprenorphine Program
33 | National Disabilities Insurance Scheme (NDIS)
34 | National Diabetes Services Scheme (NDSS)
35 | Needle/Syringe Program
36 | nPEP Program
37 | Personal Support Program
38 | Partners in Recovery (PIR) Program
39 | Pre-employment Program
40 | Reconnect Program
41 | Sexual Abuse Counselling and Prevention Program (SACPP)
42 | Social Support Programs
43 | Supported Residential Service (SRS)
44 | Tasmanian Aboriginal Centre (TAC)
45 | Victim's Assistance Program

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.306 Value Set http://hl7.org/fhir/ValueSet/immunization-target-disease

URL: https://hl7.org/fhir/R4/valueset-immunization-target-disease.html
Public Health and Emergency Response Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/immunization-target-disease
Version: | 4.0.1

Name: | ImmunizationTargetDiseaseCodes
Title: | Immunization Target Disease Codes
Definition: | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the disease that the dose is being administered against. This value set is provided as a suggestive example and includes the SNOMED CT concepts from the 64572001 (Disease) hierarchy.
Committee: | Public Health and Emergency Response Work Group
OID: | 2.16.840.1.113883.4.642.3.1047 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Immunization.protocolApplied.targetDisease (CodeableConcept / Example)

4.4.1.306.1 Content Logical Definition

This value set includes codes from the following code systems:

http://snomed.info/sct

Code | Display
1857005 | Gestational rubella syndrome
397430003 | Diphtheria due to Corynebacterium diphtheriae
14189004 | Measles
36989005 | Mumps
36653000 | Rubella
76902006 | Tetanus
709410003 | Haemophilus influenzae type b infection
27836007 | Pertussis
398102009 | Acute poliomyelitis

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.307 Value Set http://hl7.org/fhir/ValueSet/measure-population

URL: https://hl7.org/fhir/R4/valueset-measure-population.html
Clinical Quality Information Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/measure-population
Version: | 4.0.1
Name: | MeasurePopulationType
Title: | MeasurePopulationType
Definition: | The type of population.
Committee: | Clinical Quality Information Work Group
OID: | 2.16.840.1.113883.4.642.3.765 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for MeasurePopulationType
• Resource: Measure.group.population.code (CodeableConcept / Extensible)
• Profile: ShareableMeasure: Measure.group.population.code (CodeableConcept / Extensible)
• Resource: MeasureReport.group.population.code (CodeableConcept / Extensible)
• Resource: MeasureReport.group.stratifier.stratum.population.code (CodeableConcept / Extensible)

4.4.1.307.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/measure-population

4.4.1.307.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 9 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/measure-population version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/measure-population

Code | Display | Definition
initial-population | Initial Population | The initial population refers to all patients or events to be evaluated by a quality measure involving patients who share a common set of specified characterstics. All patients or events counted (for example, as numerator, as denominator) are drawn from the initial population.
numerator | Numerator | The upper portion of a fraction used to calculate a rate, proportion, or ratio. Also called the measure focus, it is the target process, condition, event, or outcome. Numerator criteria are the processes or outcomes expected for each patient, or event defined in the denominator. A numerator statement describes the clinical action that satisfies the conditions of the measure.
numerator-exclusion | Numerator Exclusion | Numerator exclusion criteria define patients or events to be removed from the numerator. Numerator exclusions are used in proportion and ratio measures to help narrow the numerator (for inverted measures).
denominator | Denominator | The lower portion of a fraction used to calculate a rate, proportion, or ratio. The denominator can be the same as the initial population, or a subset of the initial population to further constrain the population for the purpose of the measure.
denominator-exclusion | Denominator Exclusion | Denominator exclusion criteria define patients or events that should be removed from the denominator before determining if numerator criteria are met. Denominator exclusions are used in proportion and ratio measures to help narrow the denominator. For example, patients with bilateral lower extremity amputations would be listed as a denominator exclusion for a measure requiring foot exams.
denominator-exception | Denominator Exception | Denominator exceptions are conditions that should remove a patient or event from the denominator of a measure only if the numerator criteria are not met. Denominator exception allows for adjustment of the calculated score for those providers with higher risk populations. Denominator exception criteria are only used in proportion measures.
measure-population | Measure Population | Measure population criteria define the patients or events for which the individual observation for the measure should be taken. Measure populations are used for continuous variable measures rather than numerator and denominator criteria.
measure-population-exclusion | Measure Population Exclusion | Measure population criteria define the patients or events that should be removed from the measure population before determining the outcome of one or more continuous variables defined for the measure observation. Measure population exclusion criteria are used within continuous variable measures to help narrow the measure population.
measure-observation | Measure Observation | Defines the individual observation to be performed for each patient or event in the measure population. Measure observations for each case in the population are aggregated to determine the overall measure score for the population.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.308 Value Set http://hl7.org/fhir/ValueSet/search-xpath-usage

URL: https://hl7.org/fhir/R4/valueset-search-xpath-usage.html
FHIR Infrastructure Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/search-xpath-usage
Version: | 4.0.1
Name: | XPathUsageType
Title: | XPathUsageType
Definition: | How a search parameter relates to the set of elements returned by evaluating its xpath query.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.635 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for XPathUsageType

• Resource: SearchParameter.xpathUsage (code / Required)

4.4.1.308.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/search-xpath-usage

4.4.1.308.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/search-xpath-usage version 4.0.1

All codes from system http://hl7.org/fhir/search-xpath-usage

Code | Display | Definition
normal | Normal | The search parameter is derived directly from the selected nodes based on the type definitions.
phonetic | Phonetic | The search parameter is derived by a phonetic transform from the selected nodes.
nearby | Nearby | The search parameter is based on a spatial transform of the selected nodes.
distance | Distance | The search parameter is based on a spatial transform of the selected nodes, using physical distance from the middle.
other | Other | The interpretation of the xpath statement is unknown (and can't be automated).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.309 Value Set http://hl7.org/fhir/ValueSet/episode-of-care-status

URL: https://hl7.org/fhir/R4/valueset-episode-of-care-status.html
Patient Administration Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/episode-of-care-status
Version: | 4.0.1
Name: | EpisodeOfCareStatus
Title: | EpisodeOfCareStatus
Definition: | The status of the episode of care.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.664 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for EpisodeOfCareStatus
• ConceptMap: Translation source in Canonical Mapping for "EpisodeOfCareStatus"
• Resource: EpisodeOfCare.status (code / Required)
• Resource: EpisodeOfCare.statusHistory.status (code / Required)

4.4.1.309.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/episode-of-care-status

4.4.1.309.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 7 concepts

Expansion based on http://hl7.org/fhir/episode-of-care-status version 4.0.1

All codes from system http://hl7.org/fhir/episode-of-care-status

Code | Display | Definition | Canonical Status

planned | Planned | This episode of care is planned to start at the date specified in the period.start. During this status, an organization may perform assessments to determine if the patient is eligible to receive services, or be organizing to make resources available to provide care services. | ~planned
waitlist | Waitlist | This episode has been placed on a waitlist, pending the episode being made active (or cancelled). | ~draft
active | Active | This episode of care is current. | ~active
onhold | On Hold | This episode of care is on hold; the organization has limited responsibility for the patient (such as while on respite). | ~suspended
finished | Finished | This episode of care is finished and the organization is not expecting to be providing further care to the patient. Can also be known as "closed", "completed" or other similar terms. | ~complete
cancelled | Cancelled | The episode of care was cancelled, or withdrawn from service, often selected during the planned stage as the patient may have gone elsewhere, or the circumstances have changed and the organization is unable to provide the care. It indicates that services terminated outside the planned/expected workflow. | ~abandoned
entered-in-error | Entered in Error | This instance should not have been part of this patient's medical record. | ~error

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.310 Value Set http://hl7.org/fhir/ValueSet/invoice-status

URL: https://hl7.org/fhir/R4/valueset-invoice-status.html
Financial Management Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/invoice-status
Version: | 4.0.1
Name: | InvoiceStatus
Title: | InvoiceStatus
Definition: | Codes identifying the lifecycle stage of an Invoice.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.866 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for InvoiceStatus
• ConceptMap: Translation source in Canonical Mapping for "InvoiceStatus"
• Resource: Invoice.status (code / Required)

4.4.1.310.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/invoice-status

4.4.1.310.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/invoice-status version 4.0.1

All codes from system http://hl7.org/fhir/invoice-status

Code | Display | Definition | Canonical Status
draft | draft | the invoice has been prepared but not yet finalized. | ~draft
issued | issued | the invoice has been finalized and sent to the recipient. | ~active
balanced | balanced | the invoice has been balaced / completely paid. | ~complete
cancelled | cancelled | the invoice was cancelled. | ~failed
entered-in-error | entered in error | the invoice was determined as entered in error before it was issued. | ~error

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.311 Value Set http://hl7.org/fhir/ValueSet/verificationresult-failure-action

URL: https://hl7.org/fhir/R4/valueset-verificationresult-failure-action.html
Patient Administration Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/verificationresult-failure-action
Version: | 4.0.1
Name: | failure-action
Title: | Failure-action
Definition: | The result if validation fails
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.890 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for failure-action
• Resource: VerificationResult.failureAction (CodeableConcept / Preferred)

4.4.1.311.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/failure-action

4.4.1.311.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/failure-action version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/failure-action

Code | Display | Definition
fatal | Fatal
warn | Warning
rec-only | Record only
none | None

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.312 Value Set http://hl7.org/fhir/ValueSet/request-status

URL: https://hl7.org/fhir/R4/valueset-request-status.html
FHIR Infrastructure Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/request-status
Version: | 4.0.1
Name: | RequestStatus
Title: | RequestStatus
Definition: | Codes identifying the lifecycle stage of a request.
Committee: | FHIR Infrastructure Work Group

OID: | 2.16.840.1.113883.4.642.3.111 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for RequestStatus
• ConceptMap: Translation source in Canonical Mapping for "RequestStatus"
• Resource: ServiceRequest.status (code / Required)
• Resource: RequestGroup.status (code / Required)
• Resource: DeviceRequest.status (code / Required)
• Resource: CarePlan.status (code / Required)
• Resource: CommunicationRequest.status (code / Required)
• Resource: NutritionOrder.status (code / Required)

4.4.1.312.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/request-status

4.4.1.312.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 7 concepts

Expansion based on http://hl7.org/fhir/request-status version 4.0.1

All codes from system http://hl7.org/fhir/request-status

Code | Display | Definition | Canonical Status
draft | Draft | The request has been created but is not yet complete or ready for action. | ~draft
active | Active | The request is in force and ready to be acted upon. | ~active
on-hold | On Hold | The request (and any implicit authorization to act) has been temporarily withdrawn but is expected to resume in the future. | ~suspended
revoked | Revoked | The request (and any implicit authorization to act) has been terminated prior to the known full completion of the intended actions. No further activity should occur. | ~failed
completed | Completed | The activity described by the request has been fully performed. No further activity will occur. | ~complete
entered-in-error | Entered in Error | This request should never have existed and should be considered 'void'. (It is possible that real-world decisions were based on it. If real-world activity has occurred, the status should be "revoked" rather than "entered-in-error".). | ~error
unknown | Unknown | The authoring/source system does not know which of the status values currently applies for this request. Note: This concept is not to be used for "other" - one of the listed statuses is presumed to apply, but the authoring/source system does not know which. | ~unknown

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.313 Value Set http://hl7.org/fhir/ValueSet/contract-decision-mode

URL: https://hl7.org/fhir/R4/valueset-contract-decision-mode.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contract-decision-mode
Version: | 4.0.1
Name: | ContractResourceDecisionModeCodes
Title: | Contract Resource Decision Mode codes
Definition: | This value set contract specific codes for decision modes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.1291 (for OID based terminology systems)
Copyright: | HL7 International.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ContractResourceDecisionModeCodes

• Resource: Contract.term.offer.decisionMode (CodeableConcept / Example)

4.4.1.313.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/contract-decision-mode

4.4.1.313.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 1 concepts

Expansion based on http://hl7.org/fhir/contract-decision-mode version 4.0.1

All codes from system http://hl7.org/fhir/contract-decision-mode

Code	Display	Definition
policy	Policy	To be completed

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.314 Value Set http://hl7.org/fhir/ValueSet/coverage-type

URL: https://hl7.org/fhir/R4/valueset-coverage-type.html
Financial Management Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/coverage-type
Version: | 4.0.1
Name: | CoverageTypeAndSelf-PayCodes
Title: | Coverage Type and Self-Pay Codes
Definition: | This value set includes Coverage Type codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.520 (for OID based terminology systems)
Copyright: | HL7 International.
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Coverage.type (CodeableConcept / Preferred)

4.4.1.314.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/coverage-selfpay

• Import all the codes that are contained in http://terminology.hl7.org/ValueSet/v3-ActCoverageTypeCode

4.4.1.314.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 53 concepts

Expansion based on http://terminology.hl7.org/ValueSet/v3-ActCoverageTypeCode version 2014-03-26, http://terminology.hl7.org/CodeSystem/coverage-selfpay version 4.0.1, http://terminology.hl7.org/CodeSystem/v3-ActCode version 2018-08-12

Code	System	Display	Definition
pay	http://terminology.hl7.org/CodeSystem/coverage-selfpay	Pay	An individual or organization is paying directly for goods and services.
EHCPOL	http://terminology.hl7.org/CodeSystem/v3-ActCode	extended healthcare	Private insurance policy that provides coverage in addition to other policies (e.g. in addition to a Public Healthcare insurance policy).

HSAPOL | http://terminology.hl7.org/CodeSystem/v3-ActCode | health spending account | Insurance policy that provides for an allotment of funds replenished on a periodic (e.g. annual) basis. The use of the funds under this policy is at the discretion of the covered party.

AUTOPOL | http://terminology.hl7.org/CodeSystem/v3-ActCode | automobile | Insurance policy for injuries sustained in an automobile accident. Will also typically covered non-named parties to the policy, such as pedestrians and passengers.

COL | http://terminology.hl7.org/CodeSystem/v3-ActCode | collision coverage policy | Definition: An automobile insurance policy under which the insurance company will cover the cost of damages to an automobile owned by the named insured that are caused by accident or intentionally by another party.

UNINSMOT | http://terminology.hl7.org/CodeSystem/v3-ActCode | uninsured motorist policy | Definition: An automobile insurance policy under which the insurance company will indemnify a loss for which another motorist is liable if that motorist is unable to pay because he or she is uninsured. Coverage under the policy applies to bodily injury damages only. Injuries to the covered party caused by a hit-and-run driver are also covered.

PUBLICPOL | http://terminology.hl7.org/CodeSystem/v3-ActCode | public healthcare | Insurance policy funded by a public health system such as a provincial or national health plan. Examples include BC MSP (British Columbia Medical Services Plan) OHIP (Ontario Health Insurance Plan), NHS (National Health Service).

DENTPRG | http://terminology.hl7.org/CodeSystem/v3-ActCode | dental program | Definition: A public or government health program that administers and funds coverage for dental care to assist program eligible who meet financial and health status criteria.

DISEASEPRG | http://terminology.hl7.org/CodeSystem/v3-ActCode | public health program | Definition: A public or government health program that administers and funds coverage for health and social services to assist program eligible who meet financial and health status criteria related to a particular disease. Example: Reproductive health, sexually transmitted disease, and end renal disease programs.

CANPRG | http://terminology.hl7.org/CodeSystem/v3-ActCode | women's cancer detection program | Definition: A program that provides low-income, uninsured, and underserved women access to timely, high-quality screening and diagnostic services, to detect breast and cervical cancer at the earliest stages. Example: To improve women's access to screening for breast and cervical cancers, Congress passed the Breast and Cervical Cancer Mortality Prevention Act of 1990, which guided CDC in creating the National Breast and Cervical Cancer Early Detection Program (NBCCEDP), which provides access to critical breast and cervical cancer screening services for underserved women in the United States. An estimated 7 to 10% of U.S. women of screening age are eligible to receive NBCCEDP services. Federal guidelines establish an eligibility baseline to direct services to uninsured and underinsured women at or below 250% of federal poverty level; ages 18 to 64 for cervical screening; ages 40 to 64 for breast screening.

ENDRENAL | http://terminology.hl7.org/CodeSystem/v3-ActCode | end renal program | Definition: A public or government program that administers publicly funded coverage of kidney dialysis and kidney transplant services. Example: In the U.S., the Medicare End-stage Renal Disease program (ESRD), the National Kidney Foundation (NKF) American Kidney Fund (AKF) The Organ Transplant Fund.

HIVAIDS | http://terminology.hl7.org/CodeSystem/v3-ActCode | HIV-AIDS program | Definition: Government administered and funded HIV-AIDS program for beneficiaries meeting financial and health status criteria. Administration, funding levels, eligibility criteria, covered benefits, provider types, and financial participation are typically set by a regulatory process. Payer responsibilities for administering the program may be delegated to contractors. Example: In the U.S., the Ryan White program, which is administered by the Health Resources and Services Administration.

MANDPOL | http://terminology.hl7.org/CodeSystem/v3-ActCode | mandatory health program | mandatory health program

MENTPRG | http://terminology.hl7.org/CodeSystem/v3-ActCode | mental health program | Definition: Government administered and funded mental health program for beneficiaries meeting financial and mental health status criteria. Administration, funding levels, eligibility criteria, covered benefits, provider types, and financial participation are typically set by a regulatory process. Payer responsibilities for administering the program may be delegated to contractors. Example: In the U.S., states receive funding for substance use programs from the Substance Abuse Mental Health Administration (SAMHSA).

SAFNET | http://terminology.hl7.org/CodeSystem/v3-ActCode | safety net clinic program | Definition: Government administered and funded program to support provision of care to underserved populations through safety net clinics. Example: In the U.S., safety net providers such as federally qualified health centers (FQHC) receive funding under PHSA Section 330 grants administered by the Health Resources and Services Administration.

SUBPRG | http://terminology.hl7.org/CodeSystem/v3-ActCode | substance use program | Definition: Government administered and funded substance use program for beneficiaries meeting financial, substance use behavior, and health status criteria. Beneficiaries may be required to enroll as a result of legal proceedings. Administration, funding levels, eligibility criteria, covered benefits, provider types, and financial participation are typically set by a regulatory process. Payer responsibilities for administering the program may be delegated to contractors. Example: In the U.S., states receive funding for substance use programs from the Substance Abuse Mental Health Administration (SAMHSA).

SUBSIDIZ | http://terminology.hl7.org/CodeSystem/v3-ActCode | subsidized health program | Definition: A government health program that provides coverage for health services to persons meeting eligibility criteria such as income, location of residence, access to other coverages, health condition, and age, the cost of which is to some extent subsidized by public funds.

SUBSIDMC | http://terminology.hl7.org/CodeSystem/v3-ActCode | subsidized managed care program | Definition: A government health program that provides coverage through managed care contracts for health services to persons meeting eligibility criteria such as income, location of residence, access to other coverages, health condition, and age, the cost of which is to some extent subsidized by public funds. Discussion: The structure and business processes for underwriting and administering a subsidized managed care program is further specified by the Underwriter and Payer Role.class and Role.code.

SUBSUPP | http://terminology.hl7.org/CodeSystem/v3-ActCode | subsidized supplemental health program | Definition: A government health program that provides coverage for health services to persons meeting eligibility criteria for a supplemental health policy or program such as income, location of residence, access to other coverages, health condition, and age, the cost of which is to some extent subsidized by public funds. Example: Supplemental health coverage program may cover the cost of a health program or policy financial participations, such as the copays and the premiums, and may provide coverage for services in addition to those covered under the supplemented health program or policy. In the U.S., Medicaid programs may pay the premium for a covered party who is also covered under the Medicare program or a private health policy. Discussion: The structure and business processes for underwriting and administering a subsidized supplemental retiree health program is further specified by the Underwriter and Payer Role.class and Role.code.

WCBPOL | http://terminology.hl7.org/CodeSystem/v3-ActCode | worker's compensation | Insurance policy for injuries sustained in the work place or in the course of employment.

DENTAL | http://terminology.hl7.org/CodeSystem/v3-ActCode | dental care policy | Definition: A health insurance policy that that covers benefits for dental services.

DISEASE | http://terminology.hl7.org/CodeSystem/v3-ActCode | disease specific policy | Definition: A health insurance policy that covers benefits for healthcare services provided for named conditions under the policy, e.g., cancer, diabetes, or HIV-AIDS.

DRUGPOL | http://terminology.hl7.org/CodeSystem/v3-ActCode | drug policy | Definition: A health insurance policy that covers benefits for prescription drugs, pharmaceuticals, and supplies.

HIP | http://terminology.hl7.org/CodeSystem/v3-ActCode | health insurance plan policy | Definition: A health insurance policy that covers healthcare benefits by protecting covered parties from medical expenses arising from health conditions, sickness, or accidental injury as well as preventive care. Health insurance policies explicitly exclude coverage for losses insured under a disability policy, workers' compensation program, liability insurance (including automobile insurance); or for medical expenses, coverage for on-site medical clinics or for limited dental or vision benefits when these are provided under a separate policy. Discussion: Health insurance policies are offered by health insurance plans that typically reimburse providers for covered services on a fee-for-service basis, that is, a fee that is the allowable amount that a provider may charge. This is in contrast to managed care plans, which typically prepay providers a per-member/per-month amount or capitation as reimbursement for all covered services rendered. Health insurance plans include indemnity and healthcare services plans.

LTC | http://terminology.hl7.org/CodeSystem/v3-ActCode | long term care policy | Definition: An insurance policy that covers benefits for long-term care services people need when they no longer can care for themselves. This may be due to an accident, disability, prolonged illness or the simple process of aging. Long-term care services assist with activities of daily living including: Help at home with day-to-day activities, such as cooking, cleaning, bathing and dressing Care in the community, such as in an adult day care facility Supervised care provided in an assisted living facility Skilled care provided in a nursing home

MCPOL | http://terminology.hl7.org/CodeSystem/v3-ActCode | managed care policy | Definition: Government mandated program providing coverage, disability income, and vocational rehabilitation for injuries sustained in the work place or in the course of employment. Employers may either self-fund the program, purchase commercial coverage, or pay a premium to a government entity that administers the program. Employees may be required to pay premiums toward the cost of coverage as well. Managed care policies specifically exclude coverage for losses insured under a disability policy, workers' compensation program, liability insurance (including automobile insurance); or for medical expenses, coverage for on-site medical clinics or for limited dental or vision benefits when these are provided under a separate policy. Discussion: Managed care policies are offered by managed care plans that contract with selected providers or health care organizations to provide comprehensive health care at a discount to covered parties and coordinate the financing and delivery of health care. Managed care uses medical protocols and procedures agreed on by the medical profession to be cost effective, also known as medical practice guidelines. Providers are typically reimbursed for covered services by a capitated amount on a per member per month basis that may reflect difference in the health status and level of services anticipated to be needed by the member.

POS | http://terminology.hl7.org/CodeSystem/v3-ActCode | point of service policy | Definition: A policy for a health plan that has features of both an HMO and a FFS plan. Like an HMO, a POS plan encourages the use its HMO network to maintain discounted fees with participating providers, but recognizes that sometimes covered parties want to choose their own provider. The POS plan allows a covered party to use providers who are not part of the HMO network (non-participating providers). However, there is a greater cost associated with choosing these non-network providers. A covered party will usually pay deductibles and coinsurances that are substantially higher than the payments when he or she uses a plan provider. Use of non-participating providers often requires the covered party to pay the provider directly and then to file a claim for reimbursement, like in an FFS plan.

HMO | http://terminology.hl7.org/CodeSystem/v3-ActCode | health maintenance organization policy | Definition: A policy for a health plan that provides coverage for health care only through contracted or employed physicians and hospitals located in particular geographic or service areas. HMOs emphasize prevention and early detection of illness. Eligibility to enroll in an HMO is determined by where a covered party lives or works.

PPO | http://terminology.hl7.org/CodeSystem/v3-ActCode | preferred provider organization policy | Definition: A network-based, managed care plan that allows a covered party to choose any health care provider. However, if care is received from a "preferred" (participating in-network) provider, there are generally higher benefit coverage and lower deductibles.

MENTPOL | http://terminology.hl7.org/CodeSystem/v3-ActCode | mental health policy | Definition: A health insurance policy that covers benefits for mental health services and prescriptions.

SUBPOL | http://terminology.hl7.org/CodeSystem/v3-ActCode | substance use policy | Definition: A health insurance policy that covers benefits for substance use services.

VISPOL | http://terminology.hl7.org/CodeSystem/v3-ActCode | vision care policy | Definition: Set of codes for a policy that provides coverage for health care expenses arising from vision services. A health insurance policy that covers benefits for vision care services, prescriptions, and products.

DIS | http://terminology.hl7.org/CodeSystem/v3-ActCode | disability insurance policy | Definition: An insurance policy that provides a regular payment to compensate for income lost due to the covered party's inability to work because of illness or injury.

EWB | http://terminology.hl7.org/CodeSystem/v3-ActCode | employee welfare benefit plan policy | Definition: An insurance policy under a benefit plan run by an employer or employee organization for the purpose of providing benefits other than pension-related to employees and their families. Typically provides health-related benefits, benefits for disability, disease or unemployment, or day care and scholarship benefits, among others. An employer sponsored health policy includes coverage of health care expenses arising from sickness or accidental injury, coverage for on-site medical clinics or for dental or vision benefits, which are typically provided under a separate policy. Coverage excludes health care expenses covered by accident or disability, workers' compensation, liability or automobile insurance.

FLEXP | http://terminology.hl7.org/CodeSystem/v3-ActCode | flexible benefit plan policy | Definition: An insurance policy that covers qualified benefits under a Flexible Benefit plan such as group medical insurance, long and short term disability income insurance, group term life insurance for employees only up to $50,000 face amount, specified disease coverage such as a cancer policy, dental and/or vision insurance, hospital indemnity insurance, accidental death and dismemberment insurance, a medical expense reimbursement plan and a dependent care reimbursement plan. Discussion: See UnderwriterRoleTypeCode flexible benefit plan which is defined as a benefit plan that allows employees to choose from several life, health, disability, dental, and other insurance plans according to their individual needs. Also known as cafeteria plans. Authorized under Section 125 of the Revenue Act of 1978.

LIFE | http://terminology.hl7.org/CodeSystem/v3-ActCode | life insurance policy | Definition: A policy under which the insurer agrees to pay a sum of money upon the occurrence of the covered partys death. In return, the policyholder agrees to pay a stipulated amount called a premium at regular intervals. Life insurance indemnifies the beneficiary for the loss of the insurable interest that a beneficiary has in the life of a covered party. For persons related by blood, a substantial interest established through love and affection, and for all other persons, a lawful and substantial economic interest in having the life of the insured continue. An insurable interest is required when purchasing life insurance on another person. Specific exclusions are often written into the contract to limit the liability of the insurer; for example claims resulting from suicide or relating to war, riot and civil commotion. Discussion:A life insurance policy may be used by the covered party as a source of health care coverage in the case of a viatical settlement, which is the sale of a life insurance policy by the policy owner, before the policy matures. Such a sale, at a price discounted from the face amount of the policy but usually in excess of the premiums paid or current cash surrender value,

provides the seller an immediate cash settlement. Generally, viatical settlements involve insured individuals with a life expectancy of less than two years. In countries without state-subsidized healthcare and high healthcare costs (e.g. United States), this is a practical way to pay extremely high health insurance premiums that severely ill people face. Some people are also familiar with life settlements, which are similar transactions but involve insureds with longer life expectancies (two to fifteen years).

ANNU | http://terminology.hl7.org/CodeSystem/v3-ActCode | annuity policy | Definition: A policy that, after an initial premium or premiums, pays out a sum at pre-determined intervals. For example, a policy holder may pay $10,000, and in return receive $150 each month until he dies; or $1,000 for each of 14 years or death benefits if he dies before the full term of the annuity has elapsed.

TLIFE | http://terminology.hl7.org/CodeSystem/v3-ActCode | term life insurance policy | Definition: Life insurance under which the benefit is payable only if the insured dies during a specified period. If an insured dies during that period, the beneficiary receives the death payments. If the insured survives, the policy ends and the beneficiary receives nothing.

ULIFE | http://terminology.hl7.org/CodeSystem/v3-ActCode | universal life insurance policy | Definition: Life insurance under which the benefit is payable upon the insuredaTMs death or diagnosis of a terminal illness. If an insured dies during that period, the beneficiary receives the death payments. If the insured survives, the policy ends and the beneficiary receives nothing

PNC | http://terminology.hl7.org/CodeSystem/v3-ActCode | property and casualty insurance policy | Definition: A type of insurance that covers damage to or loss of the policyholderaTMs property by providing payments for damages to property damage or the injury or death of living subjects. The terms "casualty" and "liability" insurance are often used interchangeably. Both cover the policyholder's legal liability for damages caused to other persons and/or their property.

REI | http://terminology.hl7.org/CodeSystem/v3-ActCode | reinsurance policy | Definition: An agreement between two or more insurance companies by which the risk of loss is proportioned. Thus the risk of loss is spread and a disproportionately large loss under a single policy does not fall on one insurance company. Acceptance by an insurer, called a reinsurer, of all or part of the risk of loss of another insurance company. Discussion: Reinsurance is a means by which an insurance company can protect itself against the risk of losses with other insurance companies. Individuals and corporations obtain insurance policies to provide protection for various risks (hurricanes, earthquakes, lawsuits, collisions, sickness and death, etc.). Reinsurers, in turn, provide insurance to insurance companies. For example, an HMO may purchase a reinsurance policy to protect itself from losing too much money from one insured's particularly expensive health care costs. An insurance company issuing an automobile liability policy, with a limit of $100,000 per accident may reinsure its liability in excess of $10,000. A fire insurance company which issues a large policy generally reinsures a portion of the risk with one or several other companies. Also called risk control insurance or stop-loss insurance.

SURPL | http://terminology.hl7.org/CodeSystem/v3-ActCode | surplus line insurance policy | Definition: A risk or part of a risk for which there is no normal insurance market available. Insurance written by unauthorized insurance companies. Surplus lines insurance is insurance placed with unauthorized insurance companies through licensed surplus lines agents or brokers.

UMBRL | http://terminology.hl7.org/CodeSystem/v3-ActCode | umbrella liability insurance policy | Definition: A form of insurance protection that provides additional liability coverage after the limits of your underlying policy are reached. An umbrella liability policy also protects you (the insured) in many situations not covered by the usual liability policies.

CHAR | http://terminology.hl7.org/CodeSystem/v3-ActCode | charity program | Definition: A program that covers the cost of services provided directly to a beneficiary who typically has no other source of coverage without charge.

CRIME | http://terminology.hl7.org/CodeSystem/v3-ActCode | crime victim program | Definition: A program that covers the cost of services provided to crime victims for injuries or losses related to the occurrence of a crime.

EAP | http://terminology.hl7.org/CodeSystem/v3-ActCode | employee assistance program | Definition: An employee assistance program is run by an employer or employee organization for the purpose of providing benefits and covering all or part of the cost for employees to receive counseling, referrals, and advice in dealing with stressful issues in their lives. These may include substance abuse, bereavement, marital problems, weight issues, or general wellness issues. The services are usually provided by a third-party, rather than the company itself, and the company receives only summary statistical data from the service provider. Employee's names and services received are kept confidential.

GOVEMP | http://terminology.hl7.org/CodeSystem/v3-ActCode | government employee health program | Definition: A set of codes used to indicate a government program that is an organized structure for administering and funding coverage of a benefit package for covered parties meeting eligibility criteria, typically related to employment, health and financial status. Government programs are established or permitted by legislation with provisions for ongoing government oversight. Regulation mandates the structure of the program, the manner in which it is funded and administered, covered benefits, provider types, eligibility criteria and financial participation. A government agency is charged with implementing the program in accordance to the regulation Example: Federal employee health benefit program in the U.S.

HIRISK | http://terminology.hl7.org/CodeSystem/v3-ActCode | high risk pool program | Definition: A government program that provides health coverage to individuals who are considered medically uninsurable or high risk, and who have been denied health insurance due to a serious health condition. In certain cases, it also applies to those who have been quoted very high premiums a" again, due to a serious health condition. The pool charges premiums for coverage. Because the pool covers high-risk people, it incurs a higher level of claims than premiums can cover. The insurance industry pays into the pool to make up the difference and help it remain viable.

IND | http://terminology.hl7.org/CodeSystem/v3-ActCode | indigenous peoples health program | Definition: Services provided directly and through contracted and operated indigenous peoples health programs. Example: Indian Health Service in the U.S.

MILITARY | http://terminology.hl7.org/CodeSystem/v3-ActCode | military health program | Definition: A government program that provides coverage for health services to military personnel, retirees, and dependents. A covered party who is a subscriber can choose from among Fee-for-Service (FFS) plans, and their Preferred Provider Organizations (PPO), or Plans offering a Point of Service (POS) Product, or Health Maintenance Organizations. Example: In the U.S., TRICARE, CHAMPUS.

RETIRE | http://terminology.hl7.org/CodeSystem/v3-ActCode | retiree health program | Definition: A government mandated program with specific eligibility requirements based on premium contributions made during employment, length of employment, age, and employment status, e.g., being retired, disabled, or a dependent of a covered party under this program. Benefits typically include ambulatory, inpatient, and long-term care, such as hospice care, home health care and respite care.

SOCIAL | http://terminology.hl7.org/CodeSystem/v3-ActCode | social service program | Definition: A social service program funded by a public or governmental entity. Example: Programs providing habilitation, food, lodging, medicine, transportation, equipment, devices, products, education, training, counseling, alteration of living or work space, and other resources to persons meeting eligibility criteria.

VET | http://terminology.hl7.org/CodeSystem/v3-ActCode | veteran health program | Definition: Services provided directly and through contracted and operated veteran health programs.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.315 Value Set http://hl7.org/fhir/ValueSet/map-transform

URL: https://hl7.org/fhir/R4/valueset-map-transform.html
FHIR Infrastructure Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/map-transform
Version: | 4.0.1
Name: | StructureMapTransform
Title: | StructureMapTransform
Definition: | How data is copied/created.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.681 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for StructureMapTransform
• Resource: StructureMap.group.rule.target.transform (code / Required)

4.4.1.315.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/map-transform

4.4.1.315.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 17 concepts

Expansion based on http://hl7.org/fhir/map-transform version 4.0.1

All codes from system http://hl7.org/fhir/map-transform

Code | Display | Definition
create | create | create(type : string) - type is passed through to the application on the standard API, and must be known by it.
copy | copy | copy(source).
truncate | truncate | truncate(source, length) - source must be stringy type.
escape | escape | escape(source, fmt1, fmt2) - change source from one kind of escaping to another (plain, java, xml, json). note that this is for when the string itself is escaped.
cast | cast | cast(source, type?) - case source from one type to another. target type can be left as implicit if there is one and only one target type known.
append | append | append(source...) - source is element or string.
translate | translate | translate(source, uri_of_map) - use the translate operation.
reference | reference | reference(source : object) - return a string that references the provided tree properly.
dateOp | dateOp | Perform a date operation. *Parameters to be documented*.
uuid | uuid | Generate a random UUID (in lowercase). No Parameters.
pointer | pointer | Return the appropriate string to put in a reference that refers to the resource provided as a parameter.
evaluate | evaluate | Execute the supplied FHIRPath expression and use the value returned by that.
cc | cc | Create a CodeableConcept. Parameters = (text) or (system. Code[, display]).
c | c | Create a Coding. Parameters = (system. Code[, display]).
qty | qty | Create a quantity. Parameters = (text) or (value, unit, [system, code]) where text is the natural representation e.g. [comparator]value[space]unit.
id | id | Create an identifier. Parameters = (system, value[, type]) where type is a code from the identifier type value set.
cp | cp | Create a contact details. Parameters = (value) or (system, value). If no system is provided, the system should be inferred from the content of the value.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.316 Value Set http://hl7.org/fhir/ValueSet/supplement-type

URL: https://hl7.org/fhir/R4/valueset-supplement-type.html
Orders and Observations Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/supplement-type
Version: | 4.0.1
Name: | SupplementTypeCodes
Title: | Supplement Type Codes
Definition: | SupplementType : Codes for nutritional supplements to be provided to the patient. This value set is composed of SNOMED CT (US Extension) Concepts from SCTID 470581016 (Enteral+supplement feeds hierarchy (product)) and is provided as a suggestive example.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.390 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: NutritionOrder.supplement.type (CodeableConcept / Example)

4.4.1.316.1 Content Logical Definition

This value set includes codes from the following code systems:

http://snomed.info/sct

Code | Display
442901000124106 | Adult clear liquid supplement
443031000124106 | Adult critical care formula
443051000124104 | Adult diabetes specialty formula
442911000124109 | Adult elemental formula
443021000124108 | Adult hepatic specialty formula
442971000124100 | Adult high energy formula
442981000124102 | Adult hydrolyzed protein formula
442991000124104 | Adult high protein formula
443011000124100 | Adult high protein high fiber formula
442961000124107 | Adult low carbohydrate formula
442951000124105 | Adult pulmonary specialty formula
442941000124108 | Adult renal specialty formula
442921000124101 | Adult standard formula
442931000124103 | Adult soy protein isolate formula
444331000124106 | Diabetic meal replacement bar
443361000124100 | Pediatric Formula
443391000124108 | Pediatric clear liquid supplement
443401000124105 | Pediatric elemental formula
443491000124103 | Pediatric high energy formula
443501000124106 | Pediatric high energy formula with increased fiber
443421000124100 | Pediatric hydrolyzed protein formula
443471000124104 | Pediatric increased fiber formula
444431000124104 | Pediatric reduced energy formula
443451000124109 | Pediatric standard formula
444321000124108 | Standard pudding oral supplement
441561000124106 | Standard enteral formula with fiber
443461000124106 | Standard Formula
441531000124102 | Standard Enteral Formula
443561000124107 | Soy based formula
443481000124101 | Renal Formula
441571000124104 | High energy enteral formula with fiber
441591000124103 | Diabetic enteral formula with fiber
441601000124106 | Diabetic high calorie high protein enteral formula with fiber
443351000124102 | Increased fiber formula
443771000124106 | Hydrolyzed protein formula
441671000124100 | Hydrolyzed peptide-based high protein enteral formula

443111000124101 | High protein formula
443431000124102 | High Energy Formula
443411000124108 | Elemental Formula
443361000124102 | Electrolyte replacement supplement
444401000124107 | Frozen electrolyte replacement supplement
443381000124107 | Liquid electrolyte replacement supplement
443371000124109 | Powdered electrolyte replacement supplement
443441000124107 | Clear liquid supplement
442651000124102 | Adult formula

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.317 Value Set http://hl7.org/fhir/ValueSet/relatedperson-relationshiptype

URL: https://hl7.org/fhir/R4/valueset-relatedperson-relationshiptype.html
Patient Administration Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/relatedperson-relationshiptype
Version: | 4.0.1
Name: | PatientRelationshipType
Title: | Patient relationship type
Definition: | A set of codes that can be used to indicate the relationship between a Patient and a Related Person.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.449 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: RelatedPerson.relationship (CodeableConcept / Preferred)

4.4.1.317.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/v2-0131

• Include codes from http://terminology.hl7.org/CodeSystem/v3-RoleCode where concept is-a _PersonalRelationshipRoleType

4.4.1.317.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 117 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v3-RoleCode version 2018-08-12, http://terminology.hl7.org/CodeSystem/v2-0131 version 2.9

Code | System | Display | Definition
C | http://terminology.hl7.org/CodeSystem/v2-0131 | Emergency Contact
E | http://terminology.hl7.org/CodeSystem/v2-0131 | Employer
F | http://terminology.hl7.org/CodeSystem/v2-0131 | Federal Agency
I | http://terminology.hl7.org/CodeSystem/v2-0131 | Insurance Company
N | http://terminology.hl7.org/CodeSystem/v2-0131 | Next-of-Kin
O | http://terminology.hl7.org/CodeSystem/v2-0131 | Other
S | http://terminology.hl7.org/CodeSystem/v2-0131 | State Agency
U | http://terminology.hl7.org/CodeSystem/v2-0131 | Unknown
FAMMEMB | http://terminology.hl7.org/CodeSystem/v3-RoleCode | family member | A relationship between two people characterizing their "familial" relationship
CHILD | http://terminology.hl7.org/CodeSystem/v3-RoleCode | child | The player of the role is a child of the scoping entity.
CHLDADOPT | http://terminology.hl7.org/CodeSystem/v3-RoleCode | adopted child | The player of the role is a child taken into a family through legal means and raised by the scoping person (parent) as his or her own child.
DAUADOPT | http://terminology.hl7.org/CodeSystem/v3-RoleCode | adopted daughter | The player of the role is a female child taken into a family through legal means and raised by the scoping person (parent) as his or her own child.

SONADOPT | http://terminology.hl7.org/CodeSystem/v3-RoleCode | adopted son | The player of the role is a male child taken into a family through legal means and raised by the scoping person (parent) as his or her own child.
CHLDFOST | http://terminology.hl7.org/CodeSystem/v3-RoleCode | foster child | The player of the role is a child receiving parental care and nurture from the scoping person (parent) but not related to him or her through legal or blood ties.
DAUFOST | http://terminology.hl7.org/CodeSystem/v3-RoleCode | foster daughter | The player of the role is a female child receiving parental care and nurture from the scoping person (parent) but not related to him or her through legal or blood ties.
SONFOST | http://terminology.hl7.org/CodeSystem/v3-RoleCode | foster son | The player of the role is a male child receiving parental care and nurture from the scoping person (parent) but not related to him or her through legal or blood ties.
DAUC | http://terminology.hl7.org/CodeSystem/v3-RoleCode | daughter | Description: The player of the role is a female child (of any type) of scoping entity (parent)
DAU | http://terminology.hl7.org/CodeSystem/v3-RoleCode | natural daughter | The player of the role is a female offspring of the scoping entity (parent).
STPDAU | http://terminology.hl7.org/CodeSystem/v3-RoleCode | stepdaughter | The player of the role is a daughter of the scoping person's spouse by a previous union.
NCHILD | http://terminology.hl7.org/CodeSystem/v3-RoleCode | natural child | The player of the role is an offspring of the scoping entity as determined by birth.
SON | http://terminology.hl7.org/CodeSystem/v3-RoleCode | natural son | The player of the role is a male offspring of the scoping entity (parent).
SONC | http://terminology.hl7.org/CodeSystem/v3-RoleCode | son | Description: The player of the role is a male child (of any type) of scoping entity (parent)
STPSON | http://terminology.hl7.org/CodeSystem/v3-RoleCode | stepson | The player of the role is a son of the scoping person's spouse by a previous union.
STPCHLD | http://terminology.hl7.org/CodeSystem/v3-RoleCode | step child | The player of the role is a child of the scoping person's spouse by a previous union.
EXT | http://terminology.hl7.org/CodeSystem/v3-RoleCode | extended family member | Description: A family member not having an immediate genetic or legal relationship e.g. Aunt, cousin, great grandparent, grandchild, grandparent, niece, nephew or uncle.
AUNT | http://terminology.hl7.org/CodeSystem/v3-RoleCode | aunt | The player of the role is a sister of the scoping person's mother or father.
MAUNT | http://terminology.hl7.org/CodeSystem/v3-RoleCode | maternal aunt | Description:The player of the role is a biological sister of the scoping person's biological mother.
PAUNT | http://terminology.hl7.org/CodeSystem/v3-RoleCode | paternal aunt | Description:The player of the role is a biological sister of the scoping person's biological father.
COUSN | http://terminology.hl7.org/CodeSystem/v3-RoleCode | cousin | The player of the role is a relative of the scoping person descended from a common ancestor, such as a grandparent, by two or more steps in a diverging line.
MCOUSN | http://terminology.hl7.org/CodeSystem/v3-RoleCode | maternal cousin | Description:The player of the role is a biological relative of the scoping person descended from a common ancestor on the player's mother's side, such as a grandparent, by two or more steps in a diverging line.
PCOUSN | http://terminology.hl7.org/CodeSystem/v3-RoleCode | paternal cousin | Description:The player of the role is a biological relative of the scoping person descended from a common ancestor on the player's father's side, such as a grandparent, by two or more steps in a diverging line.
GGRPRN | http://terminology.hl7.org/CodeSystem/v3-RoleCode | great grandparent | The player of the role is a parent of the scoping person's grandparent.
GGRFTH | http://terminology.hl7.org/CodeSystem/v3-RoleCode | great grandfather | The player of the role is the father of the scoping person's grandparent.
MGGRFTH | http://terminology.hl7.org/CodeSystem/v3-RoleCode | maternal great-grandfather | Description:The player of the role is the biological father of the scoping person's biological mother's parent.
PGGRFTH | http://terminology.hl7.org/CodeSystem/v3-RoleCode | paternal great-grandfather | Description:The player of the role is the biological father of the scoping person's biological father's parent.
GGRMTH | http://terminology.hl7.org/CodeSystem/v3-RoleCode | great grandmother | The player of the role is the mother of the scoping person's grandparent.
MGGRMTH | http://terminology.hl7.org/CodeSystem/v3-RoleCode | maternal great-grandmother | Description:The player of the role is the biological mother of the scoping person's biological mother's parent.
PGGRMTH | http://terminology.hl7.org/CodeSystem/v3-RoleCode | paternal great-grandmother | Description:The player of the role is the biological mother of the scoping person's biological father's parent.
MGGRPRN | http://terminology.hl7.org/CodeSystem/v3-RoleCode | maternal great-grandparent | Description:The player of the role is a biological parent of the scoping person's biological mother's parent.
PGGRPRN | http://terminology.hl7.org/CodeSystem/v3-RoleCode | paternal great-grandparent | Description:The player of the role is a biological parent of the scoping person's biological father's parent.
GRNDCHILD | http://terminology.hl7.org/CodeSystem/v3-RoleCode | grandchild | The player of the role is a child of the scoping person's son or daughter.
GRNDDAU | http://terminology.hl7.org/CodeSystem/v3-RoleCode | granddaughter | The player of the role is a daughter of the scoping person's son or daughter.
GRNDSON | http://terminology.hl7.org/CodeSystem/v3-RoleCode | grandson | The player of the role is a son of the scoping person's son or daughter.
GRPRN | http://terminology.hl7.org/CodeSystem/v3-RoleCode | grandparent | The player of the role is a parent of the scoping person's mother or father.
GRFTH | http://terminology.hl7.org/CodeSystem/v3-RoleCode | grandfather | The player of the role is the father of the scoping person's mother or father.
MGRFTH | http://terminology.hl7.org/CodeSystem/v3-RoleCode | maternal grandfather | Description:The player of the role is the biological father of the scoping person's biological mother.
PGRFTH | http://terminology.hl7.org/CodeSystem/v3-RoleCode | paternal grandfather | Description:The player of the role is the biological father of the scoping person's biological father.
GRMTH | http://terminology.hl7.org/CodeSystem/v3-RoleCode | grandmother | The player of the role is the mother of the scoping person's mother or father.
MGRMTH | http://terminology.hl7.org/CodeSystem/v3-RoleCode | maternal grandmother | Description:The player of the role is the biological mother of the scoping person's biological mother.

PGRMTH | http://terminology.hl7.org/CodeSystem/v3-RoleCode | paternal grandmother | Description:The player of the role is the biological mother of the scoping person's biological father.
MGRPRN | http://terminology.hl7.org/CodeSystem/v3-RoleCode | maternal grandparent | Description:The player of the role is the biological parent of the scoping person's biological mother.
PGRPRN | http://terminology.hl7.org/CodeSystem/v3-RoleCode | paternal grandparent | Description:The player of the role is the biological parent of the scoping person's biological father.
INLAW | http://terminology.hl7.org/CodeSystem/v3-RoleCode | inlaw | A relationship between an individual and a member of their spousal partner's immediate family.
CHLDINLAW | http://terminology.hl7.org/CodeSystem/v3-RoleCode | child-in-law | The player of the role is the spouse of scoping person's child.
DAUINLAW | http://terminology.hl7.org/CodeSystem/v3-RoleCode | daughter in-law | The player of the role is the wife of scoping person's son.
SONINLAW | http://terminology.hl7.org/CodeSystem/v3-RoleCode | son in-law | The player of the role is the husband of scoping person's daughter.
PRNINLAW | http://terminology.hl7.org/CodeSystem/v3-RoleCode | parent in-law | The player of the role is the parent of scoping person's husband or wife.
FTHINLAW | http://terminology.hl7.org/CodeSystem/v3-RoleCode | father-in-law | The player of the role is the father of the scoping person's husband or wife.
MTHINLAW | http://terminology.hl7.org/CodeSystem/v3-RoleCode | mother-in-law | The player of the role is the mother of the scoping person's husband or wife.
SIBINLAW | http://terminology.hl7.org/CodeSystem/v3-RoleCode | sibling in-law | The player of the role is: (1) a sibling of the scoping person's spouse, or (2) the spouse of the scoping person's sibling, or (3) the spouse of a sibling of the scoping person's spouse.
BROINLAW | http://terminology.hl7.org/CodeSystem/v3-RoleCode | brother-in-law | The player of the role is: (1) a brother of the scoping person's spouse, or (2) the husband of the scoping person's sister, or (3) the husband of a sister of the scoping person's spouse.
SISINLAW | http://terminology.hl7.org/CodeSystem/v3-RoleCode | sister-in-law | The player of the role is: (1) a sister of the scoping person's spouse, or (2) the wife of the scoping person's brother, or (3) the wife of a brother of the scoping person's spouse.
NIENEPH | http://terminology.hl7.org/CodeSystem/v3-RoleCode | niece/nephew | The player of the role is a child of scoping person's brother or sister or of the brother or sister of the scoping person's spouse.
NEPHEW | http://terminology.hl7.org/CodeSystem/v3-RoleCode | nephew | The player of the role is a son of the scoping person's brother or sister or of the brother or sister of the scoping person's spouse.
NIECE | http://terminology.hl7.org/CodeSystem/v3-RoleCode | niece | The player of the role is a daughter of the scoping person's brother or sister or of the brother or sister of the scoping person's spouse.
UNCLE | http://terminology.hl7.org/CodeSystem/v3-RoleCode | uncle | The player of the role is a brother of the scoping person's mother or father.
MUNCLE | http://terminology.hl7.org/CodeSystem/v3-RoleCode | maternal uncle | Description:The player of the role is a biological brother of the scoping person's biological mother.
PUNCLE | http://terminology.hl7.org/CodeSystem/v3-RoleCode | paternal uncle | Description:The player of the role is a biological brother of the scoping person's biological father.
PRN | http://terminology.hl7.org/CodeSystem/v3-RoleCode | parent | The player of the role is one who begets, gives birth to, or nurtures and raises the scoping entity (child).
ADOPTP | http://terminology.hl7.org/CodeSystem/v3-RoleCode | adoptive parent | The player of the role (parent) has taken the scoper (child) into their family through legal means and raises them as his or her own child.
ADOPTF | http://terminology.hl7.org/CodeSystem/v3-RoleCode | adoptive father | The player of the role (father) is a male who has taken the scoper (child) into their family through legal means and raises them as his own child.
ADOPTM | http://terminology.hl7.org/CodeSystem/v3-RoleCode | adoptive mother | The player of the role (father) is a female who has taken the scoper (child) into their family through legal means and raises them as her own child.
FTH | http://terminology.hl7.org/CodeSystem/v3-RoleCode | father | The player of the role is a male who begets or raises or nurtures the scoping entity (child).
FTHFOST | http://terminology.hl7.org/CodeSystem/v3-RoleCode | foster father | The player of the role (parent) who is a male state-certified caregiver responsible for the scoper (child) who has been placed in the parent's care. The placement of the child is usually arranged through the government or a social-service agency, and temporary. The state, via a jurisdiction recognized child protection agency, stands as in loco parentis to the child, making all legal decisions while the foster parent is responsible for the day-to-day care of the specified child.
NFTH | http://terminology.hl7.org/CodeSystem/v3-RoleCode | natural father | The player of the role is a male who begets the scoping entity (child).
NFTHF | http://terminology.hl7.org/CodeSystem/v3-RoleCode | natural father of fetus | Indicates the biologic male parent of a fetus.
STPFTH | http://terminology.hl7.org/CodeSystem/v3-RoleCode | stepfather | The player of the role is the husband of scoping person's mother and not the scoping person's natural father.
MTH | http://terminology.hl7.org/CodeSystem/v3-RoleCode | mother | The player of the role is a female who conceives, gives birth to, or raises and nurtures the scoping entity (child).
GESTM | http://terminology.hl7.org/CodeSystem/v3-RoleCode | gestational mother | The player is a female whose womb carries the fetus of the scoper. Generally used when the gestational mother and natural mother are not the same.
MTHFOST | http://terminology.hl7.org/CodeSystem/v3-RoleCode | foster mother | The player of the role (parent) who is a female state-certified caregiver responsible for the scoper (child) who has been placed in the parent's care. The placement of the child is usually arranged through the government or a social-service agency, and temporary. The state, via a jurisdiction recognized child protection agency, stands as in loco parentis to the child, making all legal decisions while the foster parent is responsible for the day-to-day care of the specified child.
NMTH | http://terminology.hl7.org/CodeSystem/v3-RoleCode | natural mother | The player of the role is a female who conceives or gives birth to the scoping entity (child).
NMTHF | http://terminology.hl7.org/CodeSystem/v3-RoleCode | natural mother of fetus | The player is the biologic female parent of the scoping fetus.
STPMTH | http://terminology.hl7.org/CodeSystem/v3-RoleCode | stepmother | The player of the role is the wife of scoping person's father and not the scoping person's natural mother.

NPRN | http://terminology.hl7.org/CodeSystem/v3-RoleCode | natural parent | natural parent
PRNFOST | http://terminology.hl7.org/CodeSystem/v3-RoleCode | foster parent | The player of the role (parent) who is a state-certified caregiver responsible for the scoper (child) who has been placed in the parent's care. The placement of the child is usually arranged through the government or a social-service agency, and temporary. The state, via a jurisdiction recognized child protection agency, stands as in loco parentis to the child, making all legal decisions while the foster parent is responsible for the day-to-day care of the specified child.
STPPRN | http://terminology.hl7.org/CodeSystem/v3-RoleCode | step parent | The player of the role is the spouse of the scoping person's parent and not the scoping person's natural parent.
SIB | http://terminology.hl7.org/CodeSystem/v3-RoleCode | sibling | The player of the role shares one or both parents in common with the scoping entity.
BRO | http://terminology.hl7.org/CodeSystem/v3-RoleCode | brother | The player of the role is a male sharing one or both parents in common with the scoping entity.
HBRO | http://terminology.hl7.org/CodeSystem/v3-RoleCode | half-brother | The player of the role is a male related to the scoping entity by sharing only one biological parent.
NBRO | http://terminology.hl7.org/CodeSystem/v3-RoleCode | natural brother | The player of the role is a male having the same biological parents as the scoping entity.
TWINBRO | http://terminology.hl7.org/CodeSystem/v3-RoleCode | twin brother | The scoper was carried in the same womb as the male player and shares common biological parents.
FTWINBRO | http://terminology.hl7.org/CodeSystem/v3-RoleCode | fraternal twin brother | The scoper was carried in the same womb as the male player and shares common biological parents but is the product of a distinct egg/sperm pair.
ITWINBRO | http://terminology.hl7.org/CodeSystem/v3-RoleCode | identical twin brother | The male scoper is an offspring of the same egg-sperm pair as the male player.
STPBRO | http://terminology.hl7.org/CodeSystem/v3-RoleCode | stepbrother | The player of the role is a son of the scoping person's stepparent.
HSIB | http://terminology.hl7.org/CodeSystem/v3-RoleCode | half-sibling | The player of the role is related to the scoping entity by sharing only one biological parent.
HSIS | http://terminology.hl7.org/CodeSystem/v3-RoleCode | half-sister | The player of the role is a female related to the scoping entity by sharing only one biological parent.
NSIB | http://terminology.hl7.org/CodeSystem/v3-RoleCode | natural sibling | The player of the role has both biological parents in common with the scoping entity.
NSIS | http://terminology.hl7.org/CodeSystem/v3-RoleCode | natural sister | The player of the role is a female having the same biological parents as the scoping entity.
TWINSIS | http://terminology.hl7.org/CodeSystem/v3-RoleCode | twin sister | The scoper was carried in the same womb as the female player and shares common biological parents.
FTWINSIS | http://terminology.hl7.org/CodeSystem/v3-RoleCode | fraternal twin sister | The scoper was carried in the same womb as the female player and shares common biological parents but is the product of a distinct egg/sperm pair.
ITWINSIS | http://terminology.hl7.org/CodeSystem/v3-RoleCode | identical twin sister | The female scoper is an offspring of the same egg-sperm pair as the female player.
TWIN | http://terminology.hl7.org/CodeSystem/v3-RoleCode | twin | The scoper and player were carried in the same womb and shared common biological parents.
FTWIN | http://terminology.hl7.org/CodeSystem/v3-RoleCode | fraternal twin | The scoper and player were carried in the same womb and share common biological parents but are the product of distinct egg/sperm pairs.
ITWIN | http://terminology.hl7.org/CodeSystem/v3-RoleCode | identical twin | The scoper and player are offspring of the same egg-sperm pair.
SIS | http://terminology.hl7.org/CodeSystem/v3-RoleCode | sister | The player of the role is a female sharing one or both parents in common with the scoping entity.
STPSIS | http://terminology.hl7.org/CodeSystem/v3-RoleCode | stepsister | The player of the role is a daughter of the scoping person's stepparent.
STPSIB | http://terminology.hl7.org/CodeSystem/v3-RoleCode | step sibling | The player of the role is a child of the scoping person's stepparent.
SIGOTHR | http://terminology.hl7.org/CodeSystem/v3-RoleCode | significant other | A person who is important to one's well being; especially a spouse or one in a similar relationship. (The player is the one who is important)
DOMPART | http://terminology.hl7.org/CodeSystem/v3-RoleCode | domestic partner | The player of the role cohabits with the scoping person but is not the scoping person's spouse.
FMRSPS | http://terminology.hl7.org/CodeSystem/v3-RoleCode | former spouse | Player of the role was previously joined to the scoping person in marriage and this marriage is now dissolved and inactive. Usage Note: This is significant to indicate as some jurisdictions have different legal requirements for former spouse to access the patient's record, from a general friend.
SPS | http://terminology.hl7.org/CodeSystem/v3-RoleCode | spouse | The player of the role is a marriage partner of the scoping person.
HUSB | http://terminology.hl7.org/CodeSystem/v3-RoleCode | husband | The player of the role is a man joined to a woman (scoping person) in marriage.
WIFE | http://terminology.hl7.org/CodeSystem/v3-RoleCode | wife | The player of the role is a woman joined to a man (scoping person) in marriage.
FRND | http://terminology.hl7.org/CodeSystem/v3-RoleCode | unrelated friend | The player of the role is a person who is known, liked, and trusted by the scoping person.
NBOR | http://terminology.hl7.org/CodeSystem/v3-RoleCode | neighbor | The player of the role lives near or next to the scoping person.
ONESELF | http://terminology.hl7.org/CodeSystem/v3-RoleCode | self | The relationship that a person has with his or her self.
ROOM | http://terminology.hl7.org/CodeSystem/v3-RoleCode | Roommate | One who shares living quarters with the subject.

Additional Language Displays

Code | Deutsch (German, de) | Nederlands (Dutch, nl)
C | Ansprechpartner in Notfällen | Contact bij nood
E | Arbeitgeber | Werkgever
F | Bundesbehörde | Federale overheidsinstelling
I | Versicherung | Verzekeraar

N | Kontaktperson | Familielid
O | andere | Anders
S | Landesbehörde | Staat overheidsinstelling
U | unbekannt | Onbekend
FAMMEMB
CHILD
CHLDADOPT
DAUADOPT
SONADOPT
CHLDFOST
DAUFOST
SONFOST
DAUC
DAU
STPDAU
NCHILD
SON
SONC
STPSON
STPCHLD
EXT
AUNT
MAUNT
PAUNT
COUSN
MCOUSN
PCOUSN
GGRPRN
GGRFTH
MGGRFTH
PGGRFTH
GGRMTH
MGGRMTH
PGGRMTH
MGGRPRN
PGGRPRN
GRNDCHILD
GRNDDAU
GRNDSON
GRPRN
GRFTH
MGRFTH
PGRFTH
GRMTH
MGRMTH
PGRMTH
MGRPRN
PGRPRN
INLAW
CHLDINLAW
DAUINLAW
SONINLAW
PRNINLAW
FTHINLAW
MTHINLAW
SIBINLAW
BROINLAW
SISINLAW
NIENEPH
NEPHEW
NIECE
UNCLE
MUNCLE
PUNCLE
PRN
ADOPTP
ADOPTF
ADOPTM
FTH
FTHFOST
NFTH
NFTHF

STPFTH
MTH
GESTM
MTHFOST
NMTH
NMTHF
STPMTH
NPRN
PRNFOST
STPPRN
SIB
BRO
HBRO
NBRO
TWINBRO
FTWINBRO
ITWINBRO
STPBRO
HSIB
HSIS
NSIB
NSIS
TWINSIS
FTWINSIS
ITWINSIS
TWIN
FTWIN
ITWIN
SIS
STPSIS
STPSIB
SIGOTHR
DOMPART
FMRSPS
SPS
HUSB
WIFE
FRND
NBOR
ONESELF
ROOM

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.318 Value Set http://hl7.org/fhir/ValueSet/reason-medication-not-given-codes

URL: https://hl7.org/fhir/R4/valueset-reason-medication-not-given-codes.html
Pharmacy Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/reason-medication-not-given-codes
Version: | 4.0.1
Name: | SNOMEDCTReasonMedicationNotGivenCodes
Title: | SNOMED CT Reason Medication Not Given Codes
Definition: | This value set includes all medication refused, medication not administered, and non-administration of necessary drug or medicine codes from SNOMED CT - provided as an exemplar value set.
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.342 (for OID based terminology systems)

Copyright: | This value set includes content from SNOMED CT, which is copyright 2002 International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: MedicationAdministration.statusReason (CodeableConcept / Example)

4.4.1.318.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://snomed.info/sct where concept is-a 242990004 (Drug not available for administration)

• Include codes from http://snomed.info/sct where concept is-a 182895007 (Drug declined by patient)

4.4.1.318.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 8 concepts

All codes from system http://snomed.info/sct

Code | Display | Definition
182896008 | Drug declined by patient - dislikes taste
182897004 | Drug declined by patient - side effects
182898009 | Drug declined by patient - inconvenient
182899001 | Drug declined by patient - problem swallowing
182900006 | Drug declined by patient - patient beliefs
182901005 | Drug declined by patient - alternative therapy
182902003 | Drug declined by patient - cannot pay script
182903008 | Drug declined by patient - reason unknown

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.319 Value Set http://hl7.org/fhir/ValueSet/procedure-code

URL: https://hl7.org/fhir/R4/valueset-procedure-code.html
Patient Care Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/procedure-code
Version: | 4.0.1
Name: | ProcedureCodes(SNOMEDCT)
Title: | Procedure Codes (SNOMED CT)
Definition: | Procedure Code: All SNOMED CT procedure codes.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.427 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: ServiceRequest.code (CodeableConcept / Example)

• Profile: ServiceRequest-Genetics: ServiceRequest.code (CodeableConcept / Example)

• Resource: ActivityDefinition.code (CodeableConcept / Example)

• Profile: ShareableActivityDefinition: ActivityDefinition.code (CodeableConcept / Example)

• Resource: CarePlan.activity.detail.code (CodeableConcept / Example)

• Resource: Procedure.code (CodeableConcept / Example)
• Resource: BiologicallyDerivedProduct.processing.procedure (CodeableConcept / Example)

4.4.1.319.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://snomed.info/sct where concept is-a 71388002 (Procedure)

4.4.1.319.2 Expansion

This expansion generated 01 Nov 2019

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code	Display	Definition
104001	Excision of lesion of patella	
115006	Fit removable orthodontic appliance	
119000	Thoracoscopic partial lobectomy of lung	
121005	Retrobulbar injection of therapeutic agent	
128004	Hand microscope examination of skin	
133000	Percutaneous implantation of neurostimulator electrodes into neuromuscular component	
135007	Arthrotomy of wrist joint with exploration and biopsy	
142007	Excision of tumor from shoulder area, deep, intramuscular	
146005	Repair of nonunion of metatarsal with bone graft	
153001	Cystourethroscopy with resection of ureterocele	
160007	Removal of foreign body of tendon and/or tendon sheath	
166001	Behavioral therapy	
170009	Special potency disk identification, vancomycin test	
174000	Harrison-Richardson operation on vagina	
176003	Anastomosis of rectum	
189009	Excision of lesion of artery	
197002	Mold to yeast conversion test	
230009	Miller operation, urethrovesical suspension	
243009	Replacement of cerebral ventricular tube	
245002	Division of nerve ganglion	
262007	Percutaneous aspiration of renal pelvis	
267001	Anal fistulectomy, multiple	
285008	Incision and drainage of vulva	
294002	Excisional biopsy of joint structure of spine	
295001	Nonexcisional destruction of cyst of ciliary body	
306005	US kidneys	
316002	Partial dacryocystectomy	
334003	Panorex examination of mandible	
342002	Amobarbital interview	
346004	Periodontal scaling and root planing, per quadrant	
348003	Radionuclide dynamic function study	
351005	Urinary undiversion of ureteral anastomosis	
352003	Reagent RBC, preparation antibody sensitized pool	
353008	IV/irrigation monitoring	
374009	Costosternoplasty for pectus excavatum repair	
388008	Blepharorrhaphy	
389000	Tobramycin level	
401004	Distal subtotal pancreatectomy	
406009	Fulguration of stomach lesion	
417005	Hospital re-admission	
435001	Pulmonary inhalation study	
445004	Repair of malunion of tibia	
456004	Total abdominal colectomy with ileostomy	
459006	Closed condylotomy of mandible	
463004	Closed reduction of coxofemoral joint dislocation with splint	
468008	Glutathione measurement	
474008	Esophagoenteric anastomosis, intrathoracic	
489004	Ferritin level	
493005	Urobilinogen measurement, 48-hour, feces	
494004	Excision of lesion of tonsil	
497006	Replacement of cochlear prosthesis, multiple channels	
503003	Corneal gluing	
531007	Open pulmonary valve commissurotomy with inflow occlusion	
533005	Repair of vesicocolic fistula	
535003	Closure of ureterovesicovaginal fistula	
540006	Antibody to single and double stranded DNA measurement	

543008 | Choledochostomy with transduodenal sphincteroplasty
545001 | Operative procedure on lower leg
549007 | Incision of intracranial vein
550007 | Excision of lesion of adenoids
559008 | Excision of varicose vein
570001 | Vaccination for arthropod-borne viral encephalitis
574005 | Benzodiazepine measurement
603006 | Synchondrotomy
617002 | Bone graft of mandible
618007 | Frontal sinusectomy
625000 | Removal of supernumerary digit
628003 | Steinman test
629006 | Lysis of adhesions of urethra
633004 | Chart review by physician
637003 | Lysis of adhesions of nose
642006 | Cerebral thermography
645008 | Diagnostic procedure on vitreous
647000 | Excision of cervix by electroconization
657004 | Operation on bursa
665001 | Partial meniscectomy of temporomandibular joint
670008 | Electrosurgical epilation of eyebrow
671007 | Transplantation of testis
673005 | Indirect examination of larynx
674004 | Abduction test
676002 | Peritoneal dialysis including cannulation
680007 | Radiation physics consultation
687005 | Albumin/Globulin ratio
695009 | Destructive procedure of lesion on skin of trunk
697001 | Hepatitis A virus antibody measurement
710006 | Thromboendarterectomy with graft of mesenteric artery
712003 | Closed chest suction
721002 | Medical procedure on periurethral tissue
722009 | Fine needle biopsy of thymus
726007 | Pathology consultation, comprehensive, records and specimen with report
730005 | Incision of subcutaneous tissue
741007 | Operation on prostate
746002 | Chiropractic adjustment of coccyx subluxation
753006 | Manipulation of ankle AND foot
754000 | Total urethrectomy
759005 | Intracerebral electroencephalogram
762008 | Computerized axial tomography of cervical spine with contrast
764009 | Arthrodesis of interphalangeal joint of great toe
767002 | White blood cell count - observation
789003 | Cranial decompression, subtemporal, supratentorial
791006 | Dressing and fixation procedure
807005 | Excision of brain
814007 | Electrophoresis measurement
817000 | Excision of cyst of spleen
831000 | Drawer test
851001 | Root canal therapy, molar, excluding final restoration
853003 | Fecal fat measurement, 72-hour collection
867007 | Hypoglossofacial anastomosis
870006 | Carbamazepine measurement
879007 | Special blood coagulation test, explain by report
881009 | Separation of ciliary body
893000 | Tumor antigen measurement
897004 | Radical maxillary antrotomy
910002 | MHPG measurement, urine
911003 | Removal of subarachnoid-ureteral shunt
913000 | Chiropractic patient education
926001 | Embolectomy with catheter of radial artery by arm incision
935008 | Excision of bulbourethral gland
941001 | Endoscopy of pituitary gland
945005 | Excision of tibia and fibula for graft
948007 | Phlebectomy of intracranial varicose vein
951000 | Ultrasonic guidance for endomyocardial biopsy
956005 | Anesthesia for procedure on thoracic esophagus
967006 | Drug treatment education
969009 | Incision and exploration of larynx
971009 | Prosthetic construction and fitting
1001000 | Cauterization of Bartholin's gland
1008006 | Operation on nerve ganglion

1019009 | Removal of corneal epithelium
1021004 | Repair of scrotum
1029002 | Fetoscopy
1032004 | Enucleation of parotid gland cyst
1035002 | Minimum bactericidal concentration test, microdilution method
1036001 | Insertion of intravascular device in common iliac vein, complete
1041009 | Debridement of open fracture of phalanges of foot
1042002 | Paternity testing
1043007 | Doppler color flow velocity mapping
1044001 | Diagnostic ultrasound of abdomen and retroperitoneum
1048003 | Capillary blood sampling
1054002 | Sphincterotomy of papilla of Vater
1071001 | Proximal splenorenal anastomosis
1084005 | Excision of perinephric cyst
1093006 | Excision of abdominal varicose vein
1103000 | Transcrural mobilization of stapes
1104006 | Triad knee repair
1115001 | Decortication
1119007 | Closed reduction of dislocation of foot and toe
1121002 | Kinetic activities for range of motion
1127003 | Interstitial radium application
1133007 | Removal of intact mammary implant, bilateral
1163003 | Ureteroenterostomy
1176009 | Incision of inguinal region
1181000 | Excision of tendon for graft
1186005 | Anesthesia for procedure on bony pelvis
1198000 | Excisional biopsy of bone of scapula
1209007 | Arthroscopic repair lateral meniscus
1225002 | Upper arm X-ray
1227005 | Incision of subvalvular tissue for discrete subvalvular aortic stenosis
1235008 | Muscle transfer
1237000 | Application of cast, sugar tong
1238005 | Epiphyseal arrest by stapling of distal radius
1251000 | Incisional biopsy of testis
1253002 | Refusion of spine
1258006 | Excision of meniscus of wrist
1266002 | Closure of tympanic membrane perforation
1267006 | Electrocoagulation of lesion of vagina
1278003 | Open reduction of closed shoulder dislocation with fracture of greater tuberosity
1279006 | Repair of cardiac pacemaker pocket in skin AND/OR subcutaneous tissue
1292009 | MRI of bladder
1299000 | Excision of appendiceal stump
1315009 | Reconstruction of eyebrow
1316005 | Upper partial denture, cast metal base without resin saddles, including any conventional clasps, rests and teeth
1324000 | Cerebrospinal fluid immunoglobulin G ratio and immunoglobulin G index
1327007 | Procedure on Meckel diverticulum
1328002 | Ilioiliac shunt
1329005 | Division of congenital web of larynx
1337002 | Colosigmoidostomy
1339004 | Manual evacuation of feces
1347004 | Medical procedure on palate
1352009 | Anterior spinal rhizotomy
1358008 | Anti-human globulin test, enzyme technique, titer
1366004 | Breathing treatment
1385001 | Echography, scan B-mode for foetal age determination
1390003 | Laparoscopic sigmoid colectomy
1398005 | Direct thrombectomy of iliac vein by leg incision
1399002 | Incision and exploration of ureter
1407007 | Application of long leg cast, brace type
1410000 | Anesthesia for tympanotomy
1411001 | Operation on papillary muscle of heart
1413003 | Penetrating keratoplasty with homograft
1414009 | Angiography of arteriovenous shunt
1417002 | Operation on face
1431002 | pexy
1440003 | Repair with resection-recession
1449002 | Removal of hair
1453000 | Biofeedback, galvanic skin response
1455007 | Cerclage
1457004 | Truncal vagotomy with pyloroplasty and gastrostomy
1494008 | Osmolarity measurement
1500007 | Bilateral epididymovasostomy

1501006 | Altemeier operation, perineal rectal pull-through
1505002 | Hospital admission for isolation
1529009 | Aspiration of soft tissue
1533002 | Ureteroplication
1550000 | Amikacin level
1555005 | Brief group psychotherapy
1559004 | Interleukin (IL)-2 assay
1576000 | Repair of intestinouterine fistula
1577009 | Implantation of cardiac single-chamber device replacement, rate-responsive
1578004 | Reconstruction of ossicles with stapedectomy
1583007 | Tractotomy of mesencephalon
1585000 | Lengthening of gastrocnemius muscle
1596008 | Anesthesia for total elbow replacement
1597004 | Skeletal X-ray of ankle and foot
1602006 | Social service interview with planning
1614003 | Bilateral repair of inguinal hernia, direct
1615002 | Reline upper partial denture, chairside
1616001 | Galactosylceramide beta-galactosidase measurement, leukocytes
1636000 | Injection of sclerosing agent in varicose vein
1638004 | Cineplasty with cineplastic prosthesis of extremity
1640009 | History and physical examination, insurance
1645004 | Transduodenal sphincterotomy
1651009 | Excision of tendon sheath
1653007 | Internal fixation of bone without fracture reduction
1669000 | Making occupied bed
1677001 | Haagensen test
1678006 | Endoscopic procedure of nerve
1680000 | Secondary chemoprophylaxis
1683003 | Direct closure of laceration of conjunctiva
1689004 | Local excision of ovary
1691007 | Drainage of abscess of tonsil
1699009 | Special dosimetry
1702002 | Labial veneer, resin laminate, laboratory
1704001 | Correction of tibial pseudoarthrosis
1709006 | Breast reconstruction, bilateral, with bilateral pedicle transverse rectus abdominis myocutaneous flaps
1712009 | Immunoglobulin typing, immunoglobulin G
1713004 | Hypothermia, total body, induction and maintenance
1730002 | Suture of skin wound of hindfoot
1746005 | Buckling of sclera using implant
1747001 | Replacement of skeletal muscle stimulator
1753001 | Resection of uveal tissue
1757000 | Arthroscopy of wrist with partial synovectomy
1759002 | Assessment of nutritional status
1770009 | Mitral valvotomy
1774000 | Nasopharyngeal rehabilitation
1775004 | Submaxillary incision with drainage
1784004 | Fecal stercobilin, qualitative
1787006 | Ultrasonic guidance for pericardiocentesis
1788001 | Blood unit collection for directed donation, donor
1801001 | Endoscopic biopsy of duodenum
1805005 | Take-down of stoma
1811008 | Aspiration of bursa of hand
1813006 | Cryotherapy of genital warts
1820004 | Ethanol measurement, breath
1830008 | Open reduction of open sacral fracture
1836002 | Excision of diverticulum of ventricle of heart
1844002 | Plication of ligament
1854003 | Incision of nose
1859008 | Hand tendon foreign body removed
1861004 | Anesthesia for closed procedure on humerus and elbow
1862006 | Thoracic phlebectomy
1866009 | Bilateral total nephrectomy
1868005 | FB - Removal of foreign body from brain
1870001 | Insertion of halo device of skull with synchronous skeletal traction
1871002 | Repair of aneurysm of coronary artery
1872009 | Suture of male perineum
1876007 | Recession of prognathic jaw
1879000 | Fluorescent antigen measurement
1889001 | Patient transfer, in-hospital, unit-to-unit
1906007 | Insertion of prosthesis or prosthetic device of arm, bioelectric or cineplastic
1907003 | Bifurcation of bone
1917008 | Patient discharge, deceased, medicolegal case

1924009 | Hepaticotomy with drainage
1950008 | Drainage of nasal septal abscess
1958001 | Grafting of bone of thumb with transfer of skin flap
1966005 | Central block anesthesia
1983001 | Total urethrectomy including cystostomy in female
1995001 | Stripping of cerebral meninges
1999007 | Psychologic test
2002009 | Construction of subcutaneous tunnel without esophageal anastomosis
2021001 | Internal fixation of radius and ulna without fracture reduction
2051007 | Red cell iron utilization study
2054004 | Barbiturates measurement, quantitative and qualitative
2067001 | Implantation of electromagnetic hearing aid
2069003 | Dental subperiosteal implant
2078009 | Puncture of bursa of hand
2079001 | Reimplantation of anomalous pulmonary artery
2080003 | Angiectomy with anastomosis of lower limb artery
2098004 | Open reduction of open mandibular fracture with external fixation
2115003 | Dental prophylaxis, children
2119009 | Repair of blood vessel
2127000 | Reduction of closed sacral fracture
2137005 | Excision of pericardial tumor
2153008 | Cardiac catheterization education
2161003 | Operation on vulva
2164006 | Injection of aorta
2166008 | Bicuspidization of aortic valve
2171001 | Excision of tonsil tags
2178007 | Ureterocentesis
2181002 | Operation for bone injury of tarsals and metatarsals
2188008 | Suture of tendon to skeletal attachment
2193006 | Repair of ruptured aneurysm with graft of celiac artery
2196003 | Gas liquid chromatography, electron capture type
2199005 | Excision of lesion of cul-de-sac
2214008 | Curette test of skin
2220009 | Complement component assay
2225004 | Sensititer system test
2234009 | Proctosigmoidopexy
2238007 | Stone operation, anoplasty
2242005 | Reconstruction of eyelid
2244006 | Arthroscopy of wrist with internal fixation for instability
2250001 | Resection of ascending aorta with anastomosis
2252009 | Hospital admission, urgent, 48 hours
2266004 | Venography of adrenal, bilateral
2267008 | Replacement of tracheostomy tube
2270007 | Correction of cleft hand
2276001 | Exploration of popliteal artery
2278000 | Urinalysis, automated
2279008 | Antibody detection, red blood cell, enzyme, 1 stage technique, including anti-human globulin
2290003 | Microbial culture, anaerobic, initial isolation
2315006 | Brain meninges operation
2318008 | Anesthesia for cast procedure on forearm, wrist or hand
2321005 | Delivery by Ritgen maneuver
2322003 | Suture of recent wound of eyelid, direct closure, full-thickness
2337004 | Adductor tenotomy
2344008 | Complicated cystorrhaphy
2347001 | Diagnostic model construction
2364003 | Radical resection of tumor of soft tissue of wrist area
2371008 | Tympanoplasty type II with graft against incus or malleus
2373006 | Buffy coat smear evaluation
2382000 | Application of breast pump
2386002 | Closed reduction of dislocation of patella
2393003 | Ligation of vein of lower limb
2406000 | Chart periodontal pocket
2407009 | Excision of mediastinal tumor
2408004 | Hexosaminidase A and total hexosaminidase measurement, serum
2409007 | Replantation of toe
2425002 | Epstein-Barr virus serologic test
2442008 | Incision of lacrimal canaliculus
2448007 | Cell count of synovial fluid with differential count
2455009 | Revision of lumbosubarachnoid shunt
2457001 | Blind rehabilitation
2458006 | Educational therapy
2459003 | Destructive procedure of artery of upper extremity

2461007 | Tennis elbow test
2474001 | Repair of malunion of metatarsal bones
2475000 | Twenty-four hour collection of urine
2480009 | Debridement of skin, subcutaneous tissue, muscle and bone
2486003 | Destructive procedure of breast
2488002 | Provision of contact lens
2494005 | Nurse to nurse communication
2498008 | Rebase of upper partial denture
2507007 | 5' Nucleotidase measurement
2508002 | Retrograde urography with kidney-ureter-bladder
2514009 | Manual reduction of closed supracondylar fracture of humerus with traction
2517002 | Stroke rehabilitation
2530001 | Chiropractic visit
2531002 | Mononuclear cell function assay
2535006 | Removal of pulp - complete
2536007 | Injection of medication in anterior chamber of eye
2547000 | Excision of keloid
2552005 | Incision of cerebral subarachnoid space
2564002 | Creation of lumbar shunt including laminectomy
2566000 | Osteoplasty of radius
2567009 | Resection of rib by transaxillary approach
2580007 | Transplant of hair follicles to scalp
2598006 | Open heart surgery
2601001 | Removal of bone flap of skull
2607002 | Operation of supporting structures of uterus
2613006 | Implantation of joint prosthesis of hand
2614000 | Removal of ligature from fallopian tube
2616003 | Repair of bifid digit of hand
2619005 | Psychiatric interpretation to family or parents of patient
2629003 | Intracranial/cerebral perfusion pressure monitoring
2632000 | Incision and drainage of infected bursa of upper arm
2642003 | Prefabricated post and core in addition to crown
2643008 | Ligation of varicose vein of head and neck
2644002 | Cauterization of liver
2645001 | Intelligence test/WB1
2646000 | Incision and exploration of vas deferens
2658000 | Social service interview of patient
2659008 | Suture of ligament of lower extremity
2668005 | Recementation of space maintainer
2670001 | Diagnostic procedure on cornea
2673004 | Incision and drainage of masticator space by extraoral approach
2677003 | Stripping
2690005 | MRI of pelvis
2693007 | Stool fat, quantitative measurement
2696004 | Hepatic venography with hemodynamic evaluation
2697008 | Stripping and ligation of great saphenous vein
2716009 | Dermal-fat-fascia graft
2722000 | Interleukin-3 assay
2731000 | Serologic test for influenza virus A
2732007 | Recession of tendon of hand
2737001 | Exploratory craniotomy, infratentorial
2742009 | Destruction of Bartholin's gland
2743004 | Operative endoscopy of ileum
2745006 | Epiplopexy
2752008 | Incudopexy
2780005 | Osteoplasty of facial bones
2794006 | Cauterization of navel
2802005 | Manual dilation and stretching
2811005 | Cineradiography of pharynx
2813008 | Nephroureterocystectomy
2837008 | Transposition of ulnar nerve at elbow
2842000 | Gas chromatography measurement
2843005 | Revision of urinary conduit
2847006 | Cervical myelography
2851008 | Arthrotomy for synovectomy of sternoclavicular joint
2854000 | Bursectomy of hand
2857007 | Pinealectomy
2866006 | Obliteration of lymphatic structure
2875008 | Implantation of joint prosthesis of elbow
2876009 | Hospital admission, type unclassified, explain by report
2885009 | Intradermal allergen test
2891006 | Arthroscopy of elbow with partial synovectomy

2898000 | Deoxyribonucleic acid analysis, antenatal, blood
2903001 | Diagnostic procedure on anterior chamber of eye
2908005 | Cryotherapy to hemorrhoid
2914003 | Anterior sclerotomy
2915002 | Suture of capsule of ankle
2933008 | Pneumogynecography
2945004 | Suprapubic diverticulectomy of urinary bladder
2947007 | Therapeutic compound measurement
2960001 | Closure of fistula of uterine cervix
2968008 | Craniectomy with treatment of penetrating wound of brain
2970004 | Metacarpal lengthening and transfer of local flap
2971000 | Closure of acquired urethrovaginal fistula
2977001 | Thrombectomy of lower limb vein
3001009 | Total lobectomy with bronchoplasty
3010001 | Removal of silastic tubes from ear
3016007 | Removal of Crutchfield tongs from skull
3025001 | Calcitonin measurement
3026000 | Tibiotalar arthrodesis
3029007 | Peripheral nervous system disease rehabilitation
3041000 | Repair of stomach
3047001 | Kowa fundus photography
3060007 | Forequarter amputation, right
3061006 | Complete excision of nail AND nail matrix
3063009 | Gastroscopy through artificial stoma
3075004 | Nonoperative removal of prosthesis of bile duct
3078002 | Embolectomy with catheter of renal artery by abdominal incision
3083005 | Removal of device from thorax
3088001 | Anesthesia for endoscopic procedure on upper extremity
3090000 | Aneurysmectomy with graft replacement of lower limb artery
3112006 | Restraint removal
3116009 | Clotting screening
3130004 | Monitoring of cardiac output by electrocardiogram
3133002 | Patient discharge, deceased, autopsy
3137001 | Replacement
3143004 | Visual field examination and evaluation, intermediate
3162001 | Gadolinium measurement
3164000 | Open reduction of closed mandibular fracture with interdental fixation
3165004 | Irrigation of muscle of hand
3166003 | Closure of fistula of salivary gland
3177009 | Internal obstetrical version
3183007 | Closure of colostomy
3186004 | Excision of Skene gland
3190002 | Epilation by forceps
3204007 | Destructive procedure of nerve
3241008 | Correction of chordee with mobilization of urethra
3249005 | Surgical construction of filtration bleb
3251009 | Mayo operation, herniorrhaphy
3256004 | Cervical lymphangiogram
3257008 | Empty and measure peritoneal dialysis fluid
3258003 | Cerebral arteriography
3268008 | Transplantation of tissue of pelvic region
3270004 | Implantation of neurostimulator in spine
3278006 | Lysis of adhesions of bursa of hand
3287002 | Cholecystogastrostomy
3320000 | Abt - autologous blood transfusion
3324009 | Laser beam photocoagulation
3326006 | Excision of exostosis of head of fifth metatarsal
3328007 | Incision of vein of head and neck
3333006 | Application of short arm splint, forearm to hand, static
3338002 | Open reduction of open radial shaft fracture
3352000 | PTH - Parathyroid hormone level
3357006 | Iron kinetics
3360004 | Biliary anastomosis
3390006 | Verification procedure
3399007 | Reduction of torsion of omentum
3407002 | Creation of lesion of spinal cord by percutaneous method
3413006 | Blood cell morphology
3418002 | Chondrectomy of spine
3432000 | Preventive dental service
3443008 | Pulp capping
3448004 | Fixation of contralateral testis
3450007 | Lymphocytes, T & B cell evaluation

3457005 | Referral procedure
3479000 | Removal of heart assist system with replacement
3498003 | Total excision of pituitary gland by transsphenoidal approach
3499006 | Aspiration of vitreous with replacement
3509001 | Streptococcus vaccination
3512003 | Angiography of arteries of extremity
3515001 | Replacement of electronic heart device, pulse generator
3517009 | Removal of foreign body of pelvis from subcutaneous tissue
3518004 | Aversive psychotherapy
3527003 | Antibody measurement
3546002 | CVG - Coronary vein graft
3559005 | Insertion of ureteral stent with ureterotomy
3562008 | Rodney Smith operation, radical subtotal pancreatectomy
3564009 | Removal of foreign body from fallopian tube
3575008 | Repair of fascia with graft of fascia
3580004 | Removal of calculus of pharynx
3605001 | Reduction of ciliary body
3607009 | Transplantation of mesenteric tissue
3620007 | Red cell survival study with hepatic sequestration
3625002 | Anesthesia for brachial arteriograms, retrograde
3651000 | Morphometric analysis, nerve
3654008 | Excision of lingula
3659003 | Incision of inner ear
3664004 | Closure of scleral fistula
3666002 | Repair of peripheral nerve by suturing
3669009 | Fitting of prosthesis or prosthetic device of upper arm
3673007 | Leadbetter urethral reconstruction
3683006 | Selenium measurement, urine
3686003 | Zancolli operation for tendon transfer of biceps
3688002 | Anesthesia for lens surgery
3690001 | Shunt of left subclavian to descending aorta by Blalock-Park operation
3691002 | Wedge osteotomy of tarsals and metatarsals
3697003 | Tissue processing technique, routine, embed, cut and stain, per autopsy
3700004 | Erysophake extraction of lens
3701000 | Removal of foreign body of hip from subcutaneous tissue
3713005 | Release for de Quervain tenosynovitis of hand
3717006 | Dilute Russell viper venom time
3734003 | SSG - Split skin graft
3735002 | Coproporphyrin III measurement
3740005 | Removal of foreign body of canthus by incision
3748003 | Biopsy of perirenal tissue
3749006 | Reduction of closed ischial fracture
3758004 | Thrombectomy with catheter of subclavian artery by neck incision
3770000 | Ward urine dip stick testing
3778007 | Scrotum manipulation
3780001 | Routine patient disposition, no follow-up planned
3784005 | Delayed hypersensitivity skin test for streptokinase-streptodornase
3786007 | Excision of lesion of pharynx
3787003 | Ultrasonic guidance for needle biopsy
3794000 | Pregnanetriol measurement
3796003 | Excision of redundant mucosa from jejunostomy
3799005 | Radiography of adenoids
3802001 | Topical application of tooth medicament - desensitizing agent
3819004 | Embolization of thoracic artery
3826004 | Blepharotomy with drainage of abscess of eyelid
3828003 | Open biopsy of vertebral body of thoracic region
3831002 | Chiropractic application of ice
3843001 | Removal of foreign body from fascia
3858009 | Echography of thyroid, A-mode
3861005 | Aneurysmectomy with anastomosis of lower limb artery
3862003 | Total vital capacity measurement
3864002 | Excisional biopsy of scrotum
3880007 | Excision of lesion of fibula
3881006 | Incision and drainage of submental space by extraoral approach
3887005 | Wart ligation
3889008 | Suture of lip
3891000 | Comprehensive orthodontic treatment, permanent dentition, for class I malocclusion
3895009 | Dressing
3907006 | Incision and drainage of retroperitoneal abscess
3911000 | Transplantation of muscle
3915009 | Excision of artery of thorax and abdomen
3917001 | Excisional biopsy of phalanges of foot

3918006 | Plastic repair with lengthening
3926003 | Lactate measurement
3929005 | Patient transfer, in-hospital, bed-to-bed
3936006 | Making Foster bed
3938007 | Cerclage for retinal reattachment
3942005 | Cystopexy
3955006 | Antibody elution from red blood cells
3957003 | Arteriectomy of thoracoabdominal aorta
3963007 | Operation on submaxillary gland
3967008 | Fluorescence polarization immunoassay
3968003 | Excision of spinal facet joint
3969006 | Removal of osteocartilagenous loose body from joint structures
3971006 | Duchenne muscular dystrophy carrier detection
3980006 | Partial excision of esophagus
3981005 | Carrier detection, molecular genetics
3985001 | Anesthesia for procedure on arteries of lower leg with bypass graft
3991004 | MRI of pelvis, prostate and bladder
3998005 | Bone imaging of limited area
4007002 | Anti-human globulin test, indirect, titer, non-gamma
4008007 | Phlebography of neck
4010009 | Oophorectomy of remaining ovary with tube
4027001 | Implantation of electronic stimulator into phrenic nerve
4034004 | Closed reduction of facial fracture, except mandible
4035003 | Restoration, resin, two surfaces, posterior, permanent
4036002 | Arthroscopy of elbow with extensive debridement
4037006 | Removal of vascular graft or prosthesis
4044002 | Construction of permanent colostomy
4045001 | Drainage of cerebral ventricle by incision
4052004 | Percutaneous aspiration of spinal cord cyst
4064007 | Specimen aliquoting
4068005 | Removal of ventricular reservoir with synchronous replacement
4083000 | Fitting of prosthesis or prosthetic device of lower arm
4084006 | Repair of tendon of hand by graft or implant of muscle
4090005 | Replacement of transvenous atrial and ventricular pacemaker electrode leads
4094001 | Reduction of retroversion of uterus by suppository
4101004 | Revision of spinal pleurothecal shunt
4102006 | Root canal therapy, anterior, excluding final restoration
4114003 | Parenteral chemotherapy for malignant neoplasm
4116001 | Construction of window
4119008 | Intracranial phlebectomy with anastomosis
4131005 | Implantation into pelvic region
4134002 | Operative block anesthesia
4139007 | Posterior spinal cordotomy
4143006 | Injection into anterior chamber of eye
4149005 | Bone histomorphometry, aluminum stain
4154001 | Incision and drainage of penis
4165006 | Delayed hypersensitivity skin test for staphage lysate
4176005 | Fothergill repair
4192000 | Toxicology testing for organophosphate insecticide
4213001 | Implantation of Ommaya reservoir
4214007 | Intracardiac injection for cardiac resuscitation
4226002 | Excision of lesion of thoracic vein
4252008 | Aneurysmectomy with graft replacement by interposition
4263006 | Biopsy of soft tissue of elbow area, superficial
4266003 | Patient referral for drug addiction rehabilitation
4285000 | Insertion of bone growth stimulator into femur
4293000 | Reduction of intussusception by laparotomy
4304000 | Excision of cusp of tricuspid valve
4319004 | Rebase of complete lower denture
4321009 | Bilateral leg arteriogram
4323007 | Destruction of lesion of sclera
4331002 | Anesthesia for hernia repair in lower abdomen
4333004 | Incision and drainage of perisplenic space
4336007 | Lloyd-Davies operation, abdominoperineal resection
4337003 | Homogentisic acid measurement
4339000 | Repair of nasolabial fistula
4341004 | Complete submucous resection of turbinate
4344007 | Cryopexy
4348005 | Musculoplasty of hand
4350002 | Removal of implant of cornea
4363008 | Endoscopic brush biopsy of trachea
4365001 | Surgical repair

4380007 | Transposition of vulvar tissue
4387005 | Valvuloplasty of pulmonary valve in total repair of tetralogy of Fallot
4388000 | Repair of splenocolic fistula
4407008 | Slitting of lacrimal canaliculus for passage of tube
4411002 | Removal of device from female genital tract
4420006 | Incision and drainage of parapharyngeal abscess by external approach
4424002 | Making orthopedic bed
4436008 | Methylatable chemotaxis protein (MCP) receptor measurement
4438009 | Venography of vena cava
4443002 | Decortication of ovary
4447001 | Autopsy, gross and microscopic examination, stillborn or newborn without central nervous system
4449003 | Manipulation of spinal meninges
4450003 | Application of Kirschner wire
4455008 | Open reduction of open elbow dislocation
4457000 | Insertion of mold into vagina
4466001 | Exploration of upper limb artery
4467005 | Excision of tumor of ankle area, deep, intramuscular
4475004 | Cyanide level
4487006 | Norepinephrine measurement, supine
4489009 | Neurolysis of trigeminal nerve
4496006 | Mouthcare procedure
4503005 | Removal of foreign body of sclera without use of magnet
4504004 | Potter obstetrical version with extraction
4505003 | Tenolysis of flexor tendon of forearm
4507006 | Decompression fasciotomy of wrist, flexor and extensor compartment
4511000 | Restoration, inlay, composite/resin, one surface, laboratory processed
4516005 | Iridencleisis and iridotasis
4520009 | Anastomosis of esophagus, antesternal or antethoracic, with insertion of prosthesis
4525004 | Seen by casualty - service
4533003 | Ligation of artery of lower limb
4535005 | Incision of pelvirectal tissue
4539004 | Excision of cyst of bronchus
4542005 | Closed reduction of fracture of foot
4544006 | Excision of subcutaneous tumor of extremities
4558008 | Anterior resection of rectum
4563007 | Hospital admission, transfer from other hospital or health care facility
4570007 | Chemopallidectomy
4579008 | Creation of ventriculoatrial shunt
4581005 | Coreoplasty
4585001 | Decompression of tendon of hand
4587009 | Epiphysiodesis of distal radius
4589007 | Care relating to reproduction and pregnancy
4593001 | Cauterization of sclera with iridectomy
4594007 | Coproporphyrin isomers, series I & III, urine
4613005 | Radioimmunoassay
4625008 | Apical pulse taking
4626009 | Take-down of arterial anastomosis
4636001 | Denker operation for radical maxillary antrotomy
4640005 | Ligation of fallopian tubes by abdominal approach
4642002 | Removal of inflatable penile prosthesis, with pump, reservoir and cylinders
4660002 | Diagnostic procedure on phalanges of foot
4670000 | Catheterization of bronchus
4671001 | Excision of lesion from sphenoid sinus
4672008 | Medical procedure on the nervous system
4691008 | Identification of rotavirus antigen in feces
4692001 | Transplantation of artery of upper extremity
4694000 | Percutaneous biopsy of muscle
4699005 | Alpha naphthyl butyrate stain method, blood or bone marrow
4701005 | Colony forming unit-granulocyte-monocyte-erythroid-megakaryocyte assay
4707009 | Partial excision of calcaneus
4712005 | Removal of Gardner Wells tongs from skull
4713000 | Endoscopy and photography
4719001 | Psychologic cognitive testing and assessment
4727005 | Lipoprotein electrophoresis
4734007 | Irrigation of wound catheter of integument
4737000 | Mycobacteria culture
4756005 | Cryotherapy of subcutaneous tissue
4758006 | Incudostapediopexy
4764004 | Jet ventilation procedure
4765003 | Insertion of ocular implant following or secondary to enucleation
4770005 | Colporrhaphy for repair of urethrocele
4772002 | Reduction of torsion of spermatic cord

4784000 | Operation on sublingual gland
4804005 | Microbial identification test
4811009 | Reconstruction of diaphragm
4815000 | Antibody identification, red blood cell antibody panel, enzyme, 2 stage technique including anti-human globulin
4820000 | Incision of labial frenum
4827002 | Shower hydrotherapy
4829004 | Excision of small intestine for interposition
4847005 | Anesthesia for cesarean section
4849008 | Ovarian biopsy
4862007 | Revision of anastomosis of large intestine
4877004 | Extracapsular extraction of lens with iridectomy
4891005 | Proctostomy
4895001 | Construction of sigmoid bladder
4902005 | Ethchlorvynol measurement
4903000 | Serum protein electrophoresis
4904006 | Dilation of anal sphincter under nonlocal anesthesia
4914002 | Treatment planning for teletherapy
4929000 | Local perfusion of kidney
4930005 | Repair of thoracogastric fistula
4934001 | Salpingography
4957007 | Cervical spinal fusion for pseudoarthrosis
4966006 | Extracorporeal perfusion
4970003 | Venography
4974007 | Liver operation
4976009 | Anesthesia for endoscopic procedure on lower extremity
4987001 | Osteoplasty of cranium with flap of bone
4992004 | Cardiac catheterization, left heart, retrograde, percutaneous
4993009 | Ischemic limb exercise with electromyography and lactic acid determination
5016005 | Pontic, resin with high noble metal
5019003 | Direct laryngoscopy with biopsy
5021008 | Aldosterone measurement, standing, normal salt diet
5022001 | Lysergic acid diethylamide measurement
5025004 | Semen analysis, presence and motility of sperm
5032008 | Labial veneer, porcelain laminate, laboratory
5034009 | Graft to hair-bearing skin
5048009 | External cephalic version with tocolysis
5055006 | Uniscept system test
5057003 | Radical orbitomaxillectomy
5065000 | Reduction of closed traumatic hip dislocation with anesthesia
5091004 | Peripheral vascular disease study
5105000 | Endoscopy of renal pelvis
5110001 | Ultrasound peripheral imaging, real time scan
5113004 | FT4 - Free thyroxine level
5119000 | Epiglottidectomy
5121005 | Wedge osteotomy of pelvic bone
5123008 | Anesthesia for procedure on pericardium with pump oxygenator
5130002 | Needling of lens for cataract
5131003 | Radiography of chest wall
5135007 | Diagnostic procedure on scapula
5147001 | Excision of lesion of ankle joint
5151004 | Manual reduction of rectal hemorrhoids
5154007 | Communication enhancement: speech deficit
5161006 | Specialty clinic admission
5162004 | Excision of pressure ulcer
5165002 | Division of thoracic artery
5176003 | Thromboendarterectomy with graft of renal artery
5182000 | Total body perfusion
5184004 | Osteotomy of shaft of femur with fixation
5186002 | Arthrotomy for synovectomy of glenohumeral joint
5190000 | Cell fusion
5191001 | Surgical treatment of missed miscarriage of second trimester
5212002 | Excision of lesion of lacrimal gland by frontal approach
5216004 | Three dimensional ultrasound imaging of heart
5233006 | Lateral fasciotomy
5243009 | Suture of adenoid fossa
5245002 | Transplantation of peripheral vein
5246001 | Breakpoint cluster region analysis
5264008 | Total bile acids measurement
5267001 | Adrenal artery ligation
5270002 | Bilateral destruction of fallopian tubes
5273000 | Manual reduction of closed fracture of proximal end of ulna
5282006 | Operation on oropharynx

5290006 | Incision and drainage of Ludwig angina
5298004 | Incision and drainage of deep hematoma of thigh region
5304008 | DXT - Radiotherapy
5316002 | Closed osteotomy of mandibular ramus
5317006 | Radical amputation of penis with bilateral pelvic lymphadenectomy
5326009 | Administration of dermatologic formulation
5328005 | Shortening of Achilles tendon
5337005 | Trocar biopsy
5338000 | Nicotine measurement
5342002 | Prophylactic treatment of tibia with methyl methacrylate
5348003 | Repair of endocardial cushion defect
5357009 | Leukocyte poor blood preparation
5373003 | Stress breaker
5384005 | Excision of part of frontal cortex
5391008 | Artificial voice rehabilitation
5393006 | Exploration of parathyroid with mediastinal exploration by sternal split approach
5402006 | Manipulation of thoracic artery
5407000 | Injection of fallopian tube
5415002 | Destruction of lesion of liver
5419008 | Lysis of adhesions of tendon of hand
5422005 | Amylase measurement, peritoneal fluid
5429001 | Diagnostic procedure on nipple
5431005 | Percutaneous transluminal angioplasty
5433008 | Skeletal X-ray of lower limb
5446003 | Excision of cervical rib for outlet compression syndrome with sympathectomy
5447007 | Transfusion
5452002 | Core needle biopsy of thymus
5456004 | Graft of lymphatic structure
5457008 | Serologic test for Rickettsia conorii
5460001 | Removal of prosthesis from fallopian tube
5479003 | Select picture audiometry
5482008 | Serologic test for Blastomyces
5486006 | Delayed suture of tendon of hand
5489004 | Diagnostic procedure on radius
5506006 | Incision and exploration of abdominal wall
5517007 | Restoration, inlay, porcelain/ceramic, per tooth, in addition to inlay
5521000 | Open reduction of fracture of phalanges of foot
5536002 | Arthrodesis of carpometacarpal joint of digits, other than thumb
5545001 | Repair of carotid body
5551006 | Direct laryngoscopy with arytenoidectomy with operating microscope
5556001 | Manually assisted spontaneous delivery
5570001 | Arthrotomy for infection with exploration and drainage of carpometacarpal joint
5571002 | Excision of lesion of aorta with end-to-end anastomosis
5572009 | Incision of kidney pelvis
5586008 | Aminolevulinic acid dehydratase measurement
5608002 | Excretion measurement
5616006 | Osteoplasty of tibia
5621009 | Excision of malignant lesion of skin of extremities
5632009 | Open biopsy of bronchus
5636007 | Fistulectomy of bone
5638008 | Carbohydrate measurement
5648005 | Surgical repair and revision of shunt
5651003 | Arylsulfatase A measurement
5663008 | Phlebectomy of varicose vein of head and neck
5669007 | Portable electroencephalogram awake and asleep with stimulation
5671007 | Magnet extraction of foreign body from ciliary body
5687005 | Removal of foreign body from ovary
5690004 | Incision of seminal vesicle
5694008 | Crisis intervention with follow-up
5721002 | Repair of eyebrow
5722009 | Surgical reanastomosis of colon
5726007 | Removal of epicardial electrodes
5728008 | Anoscopy for removal of foreign body
5731009 | Hemosiderin, quantitative measurement
5733007 | Fluorescent identification of anti-nuclear antibody
5738003 | Biopsy of cul-de-sac
5745003 | Excision ampulla of Vater with reimplantation of common duct
5760000 | Osteoplasty of radius and ulna, shortening
5771004 | Blepharotomy
5777000 | Flexorplasty of elbow
5781000 | Operation on nasal septum
5785009 | Forensic autopsy

5787001 | Elevation of bone fragments of orbit of skull with debridement
5789003 | Lysis of adhesions of intestines
5796001 | Excision of external thrombotic hemorrhoid
5806001 | Revision of tracheostomy scar
5807005 | Fenestration of inner ear, initial
5809008 | Selective vagotomy with pyloroplasty and gastrostomy
5812006 | Laboratory reporting, fax
5818005 | Flocculation test
5821007 | Ligation, division and complete stripping of long and short saphenous veins
5823005 | Diagnostic radiography, left
5832007 | Partial ostectomy of thorax, ribs or sternum
5845006 | Emulsification procedure
5846007 | Diagnostic radiography of toes
5857002 | Complement mediated cytotoxicity assay
5865004 | Open reduction of dislocation of toe
5870006 | Tertiary closure of abdominal wall
5880005 | Clinical examination
5892005 | Mastoid antrotomy
5894006 | Methyl red test
5897004 | Removal of Scribner shunt
5902003 | History and physical examination, complete
5925002 | Incision and drainage of hematoma of wrist
5930003 | Cardiac monitor removal
5947002 | Consultation for hearing and/or speech problem
5961007 | Division of blood vessels of cornea
5966002 | Removal of foreign body from elbow area, deep
5971009 | Incision and drainage of axilla
5983006 | Repair of spermatic cord
5986003 | Non-sensitized spontaneous sheep erythrocyte binding, E-rosette
5992009 | Midtarsal arthrodesis, multiple
5995006 | Gas liquid chromatography, flame photometric type
5997003 | Drainage of cerebral subarachnoid space by aspiration
5998008 | Radical dissection of groin
6005008 | Transplantation of vitreous by anterior approach
6007000 | Magnetic resonance imaging of chest
6019008 | Endoscopy of large intestine
6025007 | Laparoscopic appendectomy
6026008 | Removal of coronary artery obstruction by percutaneous transluminal balloon with thrombolytic agent
6029001 | Augmentation of outflow tract of pulmonary valve
6035001 | Chart abstracting
6063004 | Kanamycin measurement
6069000 | Panniculotomy
6082008 | Perforation of footplate
6092000 | Aspiration of nasal sinus by puncture
6100001 | Fenestration of stapes footplate with vein graft
6108008 | Subdural tap through fontanel, infant, initial
6119006 | Local destruction of lesion of bony palate
6125005 | Change of gastrostomy tube
6126006 | Fitzgerald factor assay
6127002 | Diagnostic radiography of abdomen, oblique standard
6130009 | Surgical exposure of impacted or unerupted tooth to aid eruption
6133006 | Lymphokine assay
6143009 | Diabetic education
6146001 | Repair of heart septum with prosthesis
6148000 | Chondrectomy of semilunar cartilage of knee
6157006 | Endoscopic retrograde cholangiopancreatography with biopsy
6159009 | Galactose measurement
6161000 | Excision of lesion of capsule of toes
6164008 | Osteoclasis of clavicle
6166005 | Nephropyeloureterostomy
6177004 | Southern blot assay
6187000 | Repair of aneurysm with graft of common femoral artery
6188005 | Arthrotomy of knee
6189002 | Excision of aberrant tissue of breast
6190006 | Colopexy
6195001 | Transurethral drainage of prostatic abscess
6198004 | Repair of fracture with Sofield type procedure
6200005 | Excision of lesion of female perineum
6205000 | Fluorescent antigen, titer
6213004 | Prescribing corneoscleral contact lens
6221005 | Suture of colon
6225001 | Antibody detection, RBC, enzyme, 2 stage technique, including anti-human globulin

6226000 | Visual rehabilitation, eye motion defect
6227009 | Relationship psychotherapy
6231003 | Graft of palate
6238009 | Diagnostic radiography of sacroiliac joints
6240004 | Operative procedure on knee
6255008 | Resection of abdominal artery with replacement
6271008 | Echography, immersion B-scan
6274000 | Excision of aural glomus tumor, extended, extratemporal
6286002 | Destructive procedure on ovaries and fallopian tubes
6289009 | White blood cell histogram evaluation
6295005 | Sequestrectomy of pelvic bone
6307005 | Keratophakia
6309008 | Fecal fat differential, quantitative
6319002 | Beta lactamase, chromogenic cephalosporin susceptibility test
6337001 | Ligation of aortic arch
6339003 | Conditioning play audiometry
6343004 | Forensic bite mark comparison technique
6353003 | Mitsuda reaction to lepromin
6354009 | Sedimentation rate, Westergren
6355005 | Removal of internal fixation device of radius
6358007 | Capsulorrhaphy of joint
6361008 | Anesthesia for popliteal thromboendarterectomy
6363006 | Dilation of lacrimal punctum with irrigation
6370006 | Chemosurgery of stomach lesion
6384001 | Removal of device from digestive system
6385000 | Exploration of disc space
6388003 | TdT stain
6396008 | Galactokinase measurement
6397004 | Muscular strength development exercise
6399001 | Division of arteriovenous fistula with ligation
6402000 | Excision of common bile duct
6403005 | Lengthening of muscle of hand
6419003 | Excision of tumor from elbow area, deep, subfascial
6429005 | Heteroautogenous transplantation
6433003 | Closed heart valvotomy of mitral valve
6434009 | Seminal fluid detection
6438007 | Exploration of ciliary body
6439004 | Destruction of lesion of peripheral nerve
6443000 | Pontic, porcelain fused to predominantly base metal
6444006 | Enlargement of eye socket
6465000 | Arthrotomy of glenohumeral joint for infection with drainage
6466004 | Administration of Rh immune globulin
6470007 | Laparoamnioscopy
6473009 | Suture of old obstetrical laceration of uterus
6480006 | Urinary bladder residual urine study
6486000 | Curettage of sclera
6487009 | Hand tendon pulley reconstruction with tendon prosthesis
6491004 | Protein S, free assay
6499002 | Tsuge operation on finger for macrodactyly repair
6502003 | Complete lower denture
6506000 | Placing a patient on a bedpan
6519001 | Operation on multiple extraocular muscles with temporary detachment from globe
6521006 | Polytomography
6527005 | Uchida fimbriectomy with tubal ligation by endoscopy
6535008 | Excision of cyst of hand
6536009 | Implantation of tricuspid valve with tissue graft
6543003 | Complicated catheterization of bladder
6547002 | Repair with closure of non-surgical wound
6555009 | Insertion of infusion pump beneath skin
6556005 | Reticulin antibody measurement
6562000 | Destruction of lesion of tongue
6563005 | Transposition of muscle of hand
6567006 | Pulmonary valve commissurotomy by transvenous balloon method
6568001 | Diagnostic procedure on eyelid
6585004 | Closed reduction of fracture of tarsal or metatarsal
6589005 | Antibody titration, high protein
6601003 | Removal of foreign body from skin of axilla
6614002 | Antibody to single stranded DNA measurement
6615001 | Electroretinography with medical evaluation
6622009 | Add clasp to existing partial denture
6634001 | Destruction of hemorrhoids, internal
6639006 | Replacement of obstructed valve in shunt system

6650009 | Radionuclide lacrimal flow study
6656003 | Acoustic stimulation test
6657007 | Maintenance drug therapy for mental disorder
6658002 | Removal of foreign body from alveolus
6661001 | King-Steelquist hindquarter operation
6665005 | Restoration, crown, porcelain fused to noble metal
6668007 | Fibrinogen assay, quantitative
6670003 | Closure of external fistula of trachea

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.320 Value Set http://hl7.org/fhir/ValueSet/request-intent

URL: https://hl7.org/fhir/R4/valueset-request-intent.html
FHIR Infrastructure Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/request-intent
Version: | 4.0.1
Name: | RequestIntent
Title: | RequestIntent
Definition: | Codes indicating the degree of authority/intentionality associated with a request.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.113 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for RequestIntent
• Resource: ServiceRequest.intent (code / Required)
• Resource: ActivityDefinition.intent (code / Required)
• Resource: RequestGroup.intent (code / Required)
• Resource: DeviceRequest.intent (code / Required)
• Resource: NutritionOrder.intent (code / Required)

4.4.1.320.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/request-intent

4.4.1.320.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 9 concepts

Expansion based on http://hl7.org/fhir/request-intent version 4.0.1

All codes from system http://hl7.org/fhir/request-intent

Lvl | Code | Display | Definition
0 | proposal | Proposal | The request is a suggestion made by someone/something that does not have an intention to ensure it occurs and without providing an authorization to act.
0 | plan | Plan | The request represents an intention to ensure something occurs without providing an authorization for others to act.
0 | directive | Directive | The request represents a legally binding instruction authored by a Patient or RelatedPerson.
0 | order | Order | The request represents a request/demand and authorization for action by a Practitioner.
1 | original-order | Original Order | The request represents an original authorization for action.
1 | reflex-order | Reflex Order | The request represents an automatically generated supplemental authorization for action based on a parent authorization together with initial results of the action taken against that parent authorization.
1 | filler-order | Filler Order | The request represents the view of an authorization instantiated by a fulfilling system representing the details of the fulfiller's intention to act upon a submitted order.
2 | instance-order | Instance Order | An order created in fulfillment of a broader order that represents the authorization for a single activity occurrence. E.g. The administration of a single dose of a drug.

0 | option | Option | The request represents a component or option for a RequestGroup that establishes timing, conditionality and/or other constraints among a set of requests. Refer to [[[RequestGroup]]] for additional information on how this status is used.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.321 Value Set http://hl7.org/fhir/ValueSet/consent-category

URL: https://hl7.org/fhir/R4/valueset-consent-category.html
Community Based Collaborative Care Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/consent-category
Version: | 4.0.1
Name: | ConsentCategoryCodes
Title: | Consent Category Codes
Definition: | This value set includes sample Consent Directive Type codes, including several consent directive related LOINC codes; HL7 VALUE SET: ActConsentType(2.16.840.1.113883.1.11.19897); examples of US realm consent directive legal descriptions and references to online and/or downloadable forms such as the SSA-827 Authorization to Disclose Information to the Social Security Administration; and other anticipated consent directives related to participation in a clinical trial, medical procedures, reproductive procedures; health care directive (Living Will); advance directive, do not resuscitate (DNR); Physician Orders for Life-Sustaining Treatment (POLST)
Committee: | Community Based Collaborative Care Work Group
OID: | 2.16.840.1.113883.4.642.3.751 (for OID based terminology systems)
Copyright: | This value set includes content from LOINC® which is copyright © 1995 Regenstrief Institute, Inc. and the LOINC Committee, and available at no cost under the license at http://loinc.org/terms-of-use
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Consent.category (CodeableConcept / Extensible)

4.4.1.321.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/consentcategorycodes

• Import all the codes that are contained in http://terminology.hl7.org/ValueSet/v3-ActConsentType

http://loinc.org

Code | Display
59284-0 | Patient Consent
57016-8 | Privacy policy acknowledgement Document
57017-6 | Privacy policy Organization Document
64292-6 | Release of information consent

4.4.1.321.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 22 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v3-ActCode version 2018-08-12, http://terminology.hl7.org/ValueSet/v3-ActConsentType version 2014-03-26, http://terminology.hl7.org/CodeSystem/consentcategorycodes version 4.0.1

Code | System | Display | Definition
acd | http://terminology.hl7.org/CodeSystem/consentcategorycodes | Advance Directive | Any instructions, written or given verbally by a patient to a health care provider in anticipation of potential need for medical treatment. [2005 Honor My Wishes]
dnr | http://terminology.hl7.org/CodeSystem/consentcategorycodes | Do Not Resuscitate | A legal document, signed by both the patient and their provider, stating a desire not to have CPR initiated in case of a cardiac event. Note: This form was replaced in 2003 with the Physician Orders for Life-Sustaining Treatment [POLST].
emrgonly | http://terminology.hl7.org/CodeSystem/consentcategorycodes | Emergency Only | Opt-in to disclosure of health information for emergency only consent directive. Comment: This general consent directive specifically limits disclosure of health information for purpose of emergency treatment. Additional parameters may further limit the disclosure to specific users, roles, duration, types of information, and impose uses obligations. [ActConsentDirective (2.16.840.1.113883.1.11.20425)]

hcd | http://terminology.hl7.org/CodeSystem/consentcategorycodes | Health Care Directive | Patient's document telling patient's health care provider what the patient wants or does not want if the patient is diagnosed as being terminally ill and in a persistent vegetative state or in a permanently unconscious condition.[2005 Honor My Wishes]

npp | http://terminology.hl7.org/CodeSystem/consentcategorycodes | Notice of Privacy Practices | Acknowledgement of custodian notice of privacy practices. Usage Notes: This type of consent directive acknowledges a custodian's notice of privacy practices including its permitted collection, access, use and disclosure of health information to users and for purposes of use specified. [ActConsentDirective (2.16.840.1.113883.1.11.20425)]

polst | http://terminology.hl7.org/CodeSystem/consentcategorycodes | POLST | The Physician Order for Life-Sustaining Treatment form records a person's health care wishes for end of life emergency treatment and translates them into an order by the physician. It must be reviewed and signed by both the patient and the physician, Advanced Registered Nurse Practitioner or Physician Assistant. [2005 Honor My Wishes] Comment: Opt-in Consent Directive with restrictions.

research | http://terminology.hl7.org/CodeSystem/consentcategorycodes | Research Information Access | Consent to have healthcare information in an electronic health record accessed for research purposes. [VALUE SET: ActConsentType (2.16.840.1.113883.1.11.19897)]

rsdid | http://terminology.hl7.org/CodeSystem/consentcategorycodes | De-identified Information Access | Consent to have de-identified healthcare information in an electronic health record that is accessed for research purposes, but without consent to re-identify the information under any circumstance. [VALUE SET: ActConsentType (2.16.840.1.113883.1.11.19897)

rsreid | http://terminology.hl7.org/CodeSystem/consentcategorycodes | Re-identifiable Information Access | Consent to have de-identified healthcare information in an electronic health record that is accessed for research purposes re-identified under specific circumstances outlined in the consent. [VALUE SET: ActConsentType (2.16.840.1.113883.1.11.19897)]

ICOL | http://terminology.hl7.org/CodeSystem/v3-ActCode | information collection | Definition: Consent to have healthcare information collected in an electronic health record. This entails that the information may be used in analysis, modified, updated.

IDSCL | http://terminology.hl7.org/CodeSystem/v3-ActCode | information disclosure | Definition: Consent to have collected healthcare information disclosed.

INFA | http://terminology.hl7.org/CodeSystem/v3-ActCode | information access | Definition: Consent to access healthcare information.

INFAO | http://terminology.hl7.org/CodeSystem/v3-ActCode | access only | Definition: Consent to access or "read" only, which entails that the information is not to be copied, screen printed, saved, emailed, stored, re-disclosed or altered in any way. This level ensures that data which is masked or to which access is restricted will not be. Example: Opened and then emailed or screen printed for use outside of the consent directive purpose.

INFASO | http://terminology.hl7.org/CodeSystem/v3-ActCode | access and save only | Definition: Consent to access and save only, which entails that access to the saved copy will remain locked.

IRDSCL | http://terminology.hl7.org/CodeSystem/v3-ActCode | information redisclosure | Definition: Information re-disclosed without the patient's consent.

RESEARCH | http://terminology.hl7.org/CodeSystem/v3-ActCode | research information access | Definition: Consent to have healthcare information in an electronic health record accessed for research purposes.

RSDID | http://terminology.hl7.org/CodeSystem/v3-ActCode | de-identified information access | Definition: Consent to have de-identified healthcare information in an electronic health record that is accessed for research purposes, but without consent to re-identify the information under any circumstance.

RSREID | http://terminology.hl7.org/CodeSystem/v3-ActCode | re-identifiable information access | Definition: Consent to have de-identified healthcare information in an electronic health record that is accessed for research purposes re-identified under specific circumstances outlined in the consent. Example:: Where there is a need to inform the subject of potential health issues.

59284-0 | http://loinc.org | Patient Consent

57016-8 | http://loinc.org | Privacy policy acknowledgement Document

57017-6 | http://loinc.org | Privacy policy Organization Document

64292-6 | http://loinc.org | Release of information consent

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.4.1.322 Value Set http://hl7.org/fhir/ValueSet/referencerange-appliesto

URL: https://hl7.org/fhir/R4/valueset-referencerange-appliesto.html

Orders and Observations Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/referencerange-appliesto

Version: | 4.0.1

Name: | ObservationReferenceRangeAppliesToCodes

Title: | Observation Reference Range Applies To Codes

Definition: | This value set defines a set of codes that can be used to indicate the particular target population the reference range applies to.

Committee: | Orders and Observations Work Group

OID: | 2.16.840.1.113883.4.642.3.407 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

- Resource: ObservationDefinition.qualifiedInterval.appliesTo (CodeableConcept / Example)
- Profile: DeviceMetricObservation: Observation.referenceRange.appliesTo (CodeableConcept / Example)
- Profile: Observation-Genetics: Observation.referenceRange.appliesTo (CodeableConcept / Example)
- Profile: VitalSigns: Observation.referenceRange.appliesTo (CodeableConcept / Example)
- Profile: BodyWeight: Observation.referenceRange.appliesTo (CodeableConcept / Example)
- Profile: VitalsPanel: Observation.referenceRange.appliesTo (CodeableConcept / Example)
- Profile: BodyHeight: Observation.referenceRange.appliesTo (CodeableConcept / Example)
- Profile: RespRate: Observation.referenceRange.appliesTo (CodeableConcept / Example)
- Profile: HeartRate: Observation.referenceRange.appliesTo (CodeableConcept / Example)
- Profile: BodyTemp: Observation.referenceRange.appliesTo (CodeableConcept / Example)
- Profile: HeadCircum: Observation.referenceRange.appliesTo (CodeableConcept / Example)
- Profile: OxygenSat: Observation.referenceRange.appliesTo (CodeableConcept / Example)
- Profile: BMI: Observation.referenceRange.appliesTo (CodeableConcept / Example)
- Profile: BP: Observation.referenceRange.appliesTo (CodeableConcept / Example)
- Profile: Cholesterol: Observation.referenceRange.appliesTo (CodeableConcept / Example)
- Profile: Triglyceride: Observation.referenceRange.appliesTo (CodeableConcept / Example)
- Profile: HDLCholesterol: Observation.referenceRange.appliesTo (CodeableConcept / Example)
- Profile: LDLCholesterol: Observation.referenceRange.appliesTo (CodeableConcept / Example)

4.4.1.322.1 Content Logical Definition

This value set includes codes from the following code systems:

- Import all the codes that are contained in http://terminology.hl7.org/ValueSet/v3-Race

http://snomed.info/sct

Code | Display
248153007 | Male
248152002 | Female
77386006 | Pregnancy not delivered

4.4.1.322.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 924 concepts

Expansion based on http://terminology.hl7.org/ValueSet/v3-Race version 2018-08-12, http://terminology.hl7.org/CodeSystem/v3-Race version 2018-08-12

Code | System | Display | Definition
1002-5 | http://terminology.hl7.org/CodeSystem/v3-Race | American Indian or Alaska Native | American Indian or Alaska Native
1004-1 | http://terminology.hl7.org/CodeSystem/v3-Race | American Indian | American Indian
1006-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Abenaki | Abenaki
1008-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Algonquian | Algonquian
1010-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Apache | Apache
1011-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Chiricahua | Chiricahua
1012-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Fort Sill Apache | Fort Sill Apache
1013-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Jicarilla Apache | Jicarilla Apache
1014-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Lipan Apache | Lipan Apache
1015-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Mescalero Apache | Mescalero Apache
1016-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Oklahoma Apache | Oklahoma Apache
1017-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Payson Apache | Payson Apache
1018-1 | http://terminology.hl7.org/CodeSystem/v3-Race | San Carlos Apache | San Carlos Apache
1019-9 | http://terminology.hl7.org/CodeSystem/v3-Race | White Mountain Apache | White Mountain Apache
1021-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Arapaho | Arapaho
1022-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Northern Arapaho | Northern Arapaho
1023-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Southern Arapaho | Southern Arapaho
1024-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Wind River Arapaho | Wind River Arapaho
1026-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Arikara | Arikara
1028-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Assiniboine | Assiniboine
1030-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Assiniboine Sioux | Assiniboine Sioux

1031-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Fort Peck Assiniboine Sioux | Fort Peck Assiniboine Sioux
1033-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Bannock | Bannock
1035-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Blackfeet | Blackfeet
1037-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Brotherton | Brotherton
1039-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Burt Lake Band | Burt Lake Band
1041-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Caddo | Caddo
1042-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Oklahoma Cado | Oklahoma Cado
1044-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Cahuilla | Cahuilla
1045-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Agua Caliente Cahuilla | Agua Caliente Cahuilla
1046-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Augustine | Augustine
1047-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Cabazon | Cabazon
1048-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Los Coyotes | Los Coyotes
1049-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Morongo | Morongo
1050-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Santa Rosa Cahuilla | Santa Rosa Cahuilla
1051-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Torres-Martinez | Torres-Martinez
1053-8 | http://terminology.hl7.org/CodeSystem/v3-Race | California Tribes | California Tribes
1054-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Cahto | Cahto
1055-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Chimariko | Chimariko
1056-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Coast Miwok | Coast Miwok
1057-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Digger | Digger
1058-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Kawaiisu | Kawaiisu
1059-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Kern River | Kern River
1060-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Mattole | Mattole
1061-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Red Wood | Red Wood
1062-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Santa Rosa | Santa Rosa
1063-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Takelma | Takelma
1064-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Wappo | Wappo
1065-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Yana | Yana
1066-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Yuki | Yuki
1068-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Canadian and Latin American Indian | Canadian and Latin American Indian
1069-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Canadian Indian | Canadian Indian
1070-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Central American Indian | Central American Indian
1071-0 | http://terminology.hl7.org/CodeSystem/v3-Race | French American Indian | French American Indian
1072-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Mexican American Indian | Mexican American Indian
1073-6 | http://terminology.hl7.org/CodeSystem/v3-Race | South American Indian | South American Indian
1074-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Spanish American Indian | Spanish American Indian
1076-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Catawba | Catawba
1741-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Alatna | Alatna
1742-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Alexander | Alexander
1743-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Allakaket | Allakaket
1744-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Alanvik | Alanvik
1745-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Anvik | Anvik
1746-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Arctic | Arctic
1747-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Beaver | Beaver
1748-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Birch Creek | Birch Creek
1749-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Cantwell | Cantwell
1750-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Chalkyitsik | Chalkyitsik
1751-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Chickaloon | Chickaloon
1752-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Chistochina | Chistochina
1753-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Chitina | Chitina
1754-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Circle | Circle
1755-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Cook Inlet | Cook Inlet
1756-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Copper Center | Copper Center
1757-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Copper River | Copper River
1758-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Dot Lake | Dot Lake
1759-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Doyon | Doyon
1760-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Eagle | Eagle
1761-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Eklutna | Eklutna
1762-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Evansville | Evansville
1763-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Fort Yukon | Fort Yukon
1764-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Gakona | Gakona
1765-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Galena | Galena
1766-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Grayling | Grayling
1767-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Gulkana | Gulkana
1768-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Healy Lake | Healy Lake
1769-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Holy Cross | Holy Cross
1770-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Hughes | Hughes
1771-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Huslia | Huslia
1772-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Iliamna | Iliamna
1773-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Kaltag | Kaltag
1774-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Kluti Kaah | Kluti Kaah

1775-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Knik | Knik
1776-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Koyukuk | Koyukuk
1777-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Lake Minchumina | Lake Minchumina
1778-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Lime | Lime
1779-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Mcgrath | Mcgrath
1780-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Manley Hot Springs | Manley Hot Springs
1781-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Mentasta Lake | Mentasta Lake
1782-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Minto | Minto
1783-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Nenana | Nenana
1784-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Nikolai | Nikolai
1785-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Ninilchik | Ninilchik
1786-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Nondalton | Nondalton
1787-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Northway | Northway
1788-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Nulato | Nulato
1789-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Pedro Bay | Pedro Bay
1790-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Rampart | Rampart
1791-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Ruby | Ruby
1792-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Salamatof | Salamatof
1793-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Seldovia | Seldovia
1794-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Slana | Slana
1795-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Shageluk | Shageluk
1796-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Stevens | Stevens
1797-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Stony River | Stony River
1798-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Takotna | Takotna
1799-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Tanacross | Tanacross
1800-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Tanaina | Tanaina
1801-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Tanana | Tanana
1802-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Tanana Chiefs | Tanana Chiefs
1803-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Tazlina | Tazlina
1804-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Telida | Telida
1805-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Tetlin | Tetlin
1806-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Tok | Tok
1807-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Tyonek | Tyonek
1808-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Venetie | Venetie
1809-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Wiseman | Wiseman
1078-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Cayuse | Cayuse
1080-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Chehalis | Chehalis
1082-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Chemakuan | Chemakuan
1083-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Hoh | Hoh
1084-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Quileute | Quileute
1086-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Chemehuevi | Chemehuevi
1088-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Cherokee | Cherokee
1089-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Cherokee Alabama | Cherokee Alabama
1090-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Cherokees of Northeast Alabama | Cherokees of Northeast Alabama
1091-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Cherokees of Southeast Alabama | Cherokees of Southeast Alabama
1092-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Eastern Cherokee | Eastern Cherokee
1093-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Echota Cherokee | Echota Cherokee
1094-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Etowah Cherokee | Etowah Cherokee
1095-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Northern Cherokee | Northern Cherokee
1096-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Tuscola | Tuscola
1097-5 | http://terminology.hl7.org/CodeSystem/v3-Race | United Keetowah Band of Cherokee | United Keetowah Band of Cherokee
1098-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Western Cherokee | Western Cherokee
1100-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Cherokee Shawnee | Cherokee Shawnee
1102-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Cheyenne | Cheyenne
1103-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Northern Cheyenne | Northern Cheyenne
1104-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Southern Cheyenne | Southern Cheyenne
1106-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Cheyenne-Arapaho | Cheyenne-Arapaho
1108-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Chickahominy | Chickahominy
1109-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Eastern Chickahominy | Eastern Chickahominy
1110-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Western Chickahominy | Western Chickahominy
1112-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Chickasaw | Chickasaw
1114-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Chinook | Chinook
1115-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Clatsop | Clatsop
1116-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Columbia River Chinook | Columbia River Chinook
1117-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Kathlamet | Kathlamet
1118-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Upper Chinook | Upper Chinook
1119-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Wakiakum Chinook | Wakiakum Chinook
1120-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Willapa Chinook | Willapa Chinook
1121-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Wishram | Wishram
1123-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Chippewa | Chippewa
1124-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Bad River | Bad River

1125-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Bay Mills Chippewa | Bay Mills Chippewa
1126-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Bois Forte | Bois Forte
1127-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Burt Lake Chippewa | Burt Lake Chippewa
1128-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Fond du Lac | Fond du Lac
1129-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Grand Portage | Grand Portage
1130-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Grand Traverse Band of Ottawa-Chippewa | Grand Traverse Band of Ottawa-Chippewa
1131-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Keweenaw | Keweenaw
1132-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Lac Courte Oreilles | Lac Courte Oreilles
1133-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Lac du Flambeau | Lac du Flambeau
1134-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Lac Vieux Desert Chippewa | Lac Vieux Desert Chippewa
1135-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Lake Superior | Lake Superior
1136-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Leech Lake | Leech Lake
1137-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Little Shell Chippewa | Little Shell Chippewa
1138-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Mille Lacs | Mille Lacs
1139-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Minnesota Chippewa | Minnesota Chippewa
1140-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Ontonagon | Ontonagon
1141-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Red Cliff Chippewa | Red Cliff Chippewa
1142-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Red Lake Chippewa | Red Lake Chippewa
1143-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Saginaw Chippewa | Saginaw Chippewa
1144-5 | http://terminology.hl7.org/CodeSystem/v3-Race | St. Croix Chippewa | St. Croix Chippewa
1145-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Sault Ste. Marie Chippewa | Sault Ste. Marie Chippewa
1146-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Sokoagon Chippewa | Sokoagon Chippewa
1147-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Turtle Mountain | Turtle Mountain
1148-6 | http://terminology.hl7.org/CodeSystem/v3-Race | White Earth | White Earth
1150-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Chippewa Cree | Chippewa Cree
1151-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Rocky Boy's Chippewa Cree | Rocky Boy's Chippewa Cree
1153-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Chitimacha | Chitimacha
1155-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Choctaw | Choctaw
1156-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Clifton Choctaw | Clifton Choctaw
1157-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Jena Choctaw | Jena Choctaw
1158-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Mississippi Choctaw | Mississippi Choctaw
1159-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Mowa Band of Choctaw | Mowa Band of Choctaw
1160-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Oklahoma Choctaw | Oklahoma Choctaw
1162-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Chumash | Chumash
1163-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Santa Ynez | Santa Ynez
1165-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Clear Lake | Clear Lake
1167-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Coeur D'Alene | Coeur D'Alene
1169-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Coharie | Coharie
1171-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Colorado River | Colorado River
1173-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Colville | Colville
1175-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Comanche | Comanche
1176-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Oklahoma Comanche | Oklahoma Comanche
1178-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Coos, Lower Umpqua, Siuslaw | Coos, Lower Umpqua, Siuslaw
1180-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Coos | Coos
1182-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Coquilles | Coquilles
1184-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Costanoan | Costanoan
1186-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Coushatta | Coushatta
1187-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Alabama Coushatta | Alabama Coushatta
1189-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Cowlitz | Cowlitz
1191-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Cree | Cree
1193-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Creek | Creek
1194-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Alabama Creek | Alabama Creek
1195-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Alabama Quassarte | Alabama Quassarte
1196-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Eastern Creek | Eastern Creek
1197-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Eastern Muscogee | Eastern Muscogee
1198-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Kialegee | Kialegee
1199-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Lower Muscogee | Lower Muscogee
1200-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Machis Lower Creek Indian | Machis Lower Creek Indian
1201-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Poarch Band | Poarch Band
1202-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Principal Creek Indian Nation | Principal Creek Indian Nation
1203-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Star Clan of Muscogee Creeks | Star Clan of Muscogee Creeks
1204-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Thlopthlocco | Thlopthlocco
1205-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Tuckabachee | Tuckabachee
1207-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Croatan | Croatan
1209-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Crow | Crow
1211-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Cupeno | Cupeno
1212-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Agua Caliente | Agua Caliente
1214-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Delaware | Delaware
1215-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Eastern Delaware | Eastern Delaware
1216-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Lenni-Lenape | Lenni-Lenape
1217-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Munsee | Munsee

1218-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Oklahoma Delaware | Oklahoma Delaware
1219-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Rampough Mountain | Rampough Mountain
1220-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Sand Hill | Sand Hill
1222-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Diegueno | Diegueno
1223-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Campo | Campo
1224-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Capitan Grande | Capitan Grande
1225-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Cuyapaipe | Cuyapaipe
1226-0 | http://terminology.hl7.org/CodeSystem/v3-Race | La Posta | La Posta
1227-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Manzanita | Manzanita
1228-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Mesa Grande | Mesa Grande
1229-4 | http://terminology.hl7.org/CodeSystem/v3-Race | San Pasqual | San Pasqual
1230-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Santa Ysabel | Santa Ysabel
1231-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Sycuan | Sycuan
1233-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Eastern Tribes | Eastern Tribes
1234-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Attacapa | Attacapa
1235-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Biloxi | Biloxi
1236-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Georgetown | Georgetown
1237-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Moor | Moor
1238-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Nansemond | Nansemond
1239-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Natchez | Natchez
1240-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Nausu Waiwash | Nausu Waiwash
1241-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Nipmuc | Nipmuc
1242-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Paugussett | Paugussett
1243-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Pocomoke Acohonock | Pocomoke Acohonock
1244-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Southeastern Indians | Southeastern Indians
1245-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Susquehanock | Susquehanock
1246-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Tunica Biloxi | Tunica Biloxi
1247-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Waccamaw-Siousan | Waccamaw-Siousan
1248-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Wicomico | Wicomico
1250-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Esselen | Esselen
1252-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Fort Belknap | Fort Belknap
1254-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Fort Berthold | Fort Berthold
1256-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Fort Mcdowell | Fort Mcdowell
1258-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Fort Hall | Fort Hall
1260-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Gabrieleno | Gabrieleno
1262-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Grand Ronde | Grand Ronde
1264-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Gros Ventres | Gros Ventres
1265-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Atsina | Atsina
1267-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Haliwa | Haliwa
1269-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Hidatsa | Hidatsa
1271-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Hoopa | Hoopa
1272-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Trinity | Trinity
1273-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Whilkut | Whilkut
1275-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Hoopa Extension | Hoopa Extension
1277-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Houma | Houma
1279-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Inaja-Cosmit | Inaja-Cosmit
1281-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Iowa | Iowa
1282-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Iowa of Kansas-Nebraska | Iowa of Kansas-Nebraska
1283-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Iowa of Oklahoma | Iowa of Oklahoma
1285-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Iroquois | Iroquois
1286-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Cayuga | Cayuga
1287-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Mohawk | Mohawk
1288-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Oneida | Oneida
1289-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Onondaga | Onondaga
1290-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Seneca | Seneca
1291-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Seneca Nation | Seneca Nation
1292-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Seneca-Cayuga | Seneca-Cayuga
1293-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Tonawanda Seneca | Tonawanda Seneca
1294-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Tuscarora | Tuscarora
1295-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Wyandotte | Wyandotte
1297-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Juaneno | Juaneno
1299-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Kalispel | Kalispel
1301-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Karuk | Karuk
1303-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Kaw | Kaw
1305-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Kickapoo | Kickapoo
1306-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Oklahoma Kickapoo | Oklahoma Kickapoo
1307-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Texas Kickapoo | Texas Kickapoo
1309-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Kiowa | Kiowa
1310-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Oklahoma Kiowa | Oklahoma Kiowa
1312-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Klallam | Klallam
1313-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Jamestown | Jamestown
1314-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Lower Elwha | Lower Elwha

1315-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Port Gamble Klallam | Port Gamble Klallam
1317-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Klamath | Klamath
1319-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Konkow | Konkow
1321-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Kootenai | Kootenai
1323-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Lassik | Lassik
1325-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Long Island | Long Island
1326-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Matinecock | Matinecock
1327-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Montauk | Montauk
1328-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Poospatuck | Poospatuck
1329-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Setauket | Setauket
1331-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Luiseno | Luiseno
1332-6 | http://terminology.hl7.org/CodeSystem/v3-Race | La Jolla | La Jolla
1333-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Pala | Pala
1334-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Pauma | Pauma
1335-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Pechanga | Pechanga
1336-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Soboba | Soboba
1337-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Twenty-Nine Palms | Twenty-Nine Palms
1338-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Temecula | Temecula
1340-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Lumbee | Lumbee
1342-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Lummi | Lummi
1344-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Maidu | Maidu
1345-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Mountain Maidu | Mountain Maidu
1346-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Nishinam | Nishinam
1348-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Makah | Makah
1350-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Maliseet | Maliseet
1352-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Mandan | Mandan
1354-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Mattaponi | Mattaponi
1356-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Menominee | Menominee
1358-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Miami | Miami
1359-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Illinois Miami | Illinois Miami
1360-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Indiana Miami | Indiana Miami
1361-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Oklahoma Miami | Oklahoma Miami
1363-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Miccosukee | Miccosukee
1365-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Micmac | Micmac
1366-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Aroostook | Aroostook
1368-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Mission Indians | Mission Indians
1370-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Miwok | Miwok
1372-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Modoc | Modoc
1374-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Mohegan | Mohegan
1376-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Mono | Mono
1378-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Nanticoke | Nanticoke
1380-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Narragansett | Narragansett
1382-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Navajo | Navajo
1383-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Alamo Navajo | Alamo Navajo
1384-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Canoncito Navajo | Canoncito Navajo
1385-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Ramah Navajo | Ramah Navajo
1387-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Nez Perce | Nez Perce
1389-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Nomalaki | Nomalaki
1391-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Northwest Tribes | Northwest Tribes
1392-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Alsea | Alsea
1393-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Celilo | Celilo
1394-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Columbia | Columbia
1395-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Kalapuya | Kalapuya
1396-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Molala | Molala
1397-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Talakamish | Talakamish
1398-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Tenino | Tenino
1399-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Tillamook | Tillamook
1400-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Wenatchee | Wenatchee
1401-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Yahooskin | Yahooskin
1403-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Omaha | Omaha
1405-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Oregon Athabaskan | Oregon Athabaskan
1407-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Osage | Osage
1409-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Otoe-Missouria | Otoe-Missouria
1411-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Ottawa | Ottawa
1412-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Burt Lake Ottawa | Burt Lake Ottawa
1413-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Michigan Ottawa | Michigan Ottawa
1414-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Oklahoma Ottawa | Oklahoma Ottawa
1416-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Paiute | Paiute
1417-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Bishop | Bishop
1418-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Bridgeport | Bridgeport
1419-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Burns Paiute | Burns Paiute
1420-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Cedarville | Cedarville

1421-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Fort Bidwell | Fort Bidwell
1422-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Fort Independence | Fort Independence
1423-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Kaibab | Kaibab
1424-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Las Vegas | Las Vegas
1425-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Lone Pine | Lone Pine
1426-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Lovelock | Lovelock
1427-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Malheur Paiute | Malheur Paiute
1428-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Moapa | Moapa
1429-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Northern Paiute | Northern Paiute
1430-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Owens Valley | Owens Valley
1431-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Pyramid Lake | Pyramid Lake
1432-4 | http://terminology.hl7.org/CodeSystem/v3-Race | San Juan Southern Paiute | San Juan Southern Paiute
1433-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Southern Paiute | Southern Paiute
1434-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Summit Lake | Summit Lake
1435-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Utu Utu Gwaitu Paiute | Utu Utu Gwaitu Paiute
1436-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Walker River | Walker River
1437-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Yerington Paiute | Yerington Paiute
1439-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Pamunkey | Pamunkey
1441-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Passamaquoddy | Passamaquoddy
1442-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Indian Township | Indian Township
1443-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Pleasant Point Passamaquoddy | Pleasant Point Passamaquoddy
1445-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Pawnee | Pawnee
1446-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Oklahoma Pawnee | Oklahoma Pawnee
1448-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Penobscot | Penobscot
1450-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Peoria | Peoria
1451-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Oklahoma Peoria | Oklahoma Peoria
1453-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Pequot | Pequot
1454-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Marshantucket Pequot | Marshantucket Pequot
1456-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Pima | Pima
1457-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Gila River Pima-Maricopa | Gila River Pima-Maricopa
1458-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Salt River Pima-Maricopa | Salt River Pima-Maricopa
1460-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Piscataway | Piscataway
1462-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Pit River | Pit River
1464-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Pomo | Pomo
1465-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Central Pomo | Central Pomo
1466-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Dry Creek | Dry Creek
1467-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Eastern Pomo | Eastern Pomo
1468-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Kashia | Kashia
1469-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Northern Pomo | Northern Pomo
1470-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Scotts Valley | Scotts Valley
1471-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Stonyford | Stonyford
1472-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Sulphur Bank | Sulphur Bank
1474-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Ponca | Ponca
1475-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Nebraska Ponca | Nebraska Ponca
1476-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Oklahoma Ponca | Oklahoma Ponca
1478-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Potawatomi | Potawatomi
1479-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Citizen Band Potawatomi | Citizen Band Potawatomi
1480-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Forest County | Forest County
1481-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Hannahville | Hannahville
1482-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Huron Potawatomi | Huron Potawatomi
1483-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Pokagon Potawatomi | Pokagon Potawatomi
1484-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Prairie Band | Prairie Band
1485-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Wisconsin Potawatomi | Wisconsin Potawatomi
1487-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Powhatan | Powhatan
1489-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Pueblo | Pueblo
1490-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Acoma | Acoma
1491-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Arizona Tewa | Arizona Tewa
1492-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Cochiti | Cochiti
1493-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Hopi | Hopi
1494-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Isleta | Isleta
1495-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Jemez | Jemez
1496-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Keres | Keres
1497-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Laguna | Laguna
1498-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Nambe | Nambe
1499-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Picuris | Picuris
1500-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Piro | Piro
1501-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Pojoaque | Pojoaque
1502-4 | http://terminology.hl7.org/CodeSystem/v3-Race | San Felipe | San Felipe
1503-2 | http://terminology.hl7.org/CodeSystem/v3-Race | San Ildefonso | San Ildefonso
1504-0 | http://terminology.hl7.org/CodeSystem/v3-Race | San Juan Pueblo | San Juan Pueblo
1505-7 | http://terminology.hl7.org/CodeSystem/v3-Race | San Juan De | San Juan De
1506-5 | http://terminology.hl7.org/CodeSystem/v3-Race | San Juan | San Juan

1507-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Sandia | Sandia
1508-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Santa Ana | Santa Ana
1509-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Santa Clara | Santa Clara
1510-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Santo Domingo | Santo Domingo
1511-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Taos | Taos
1512-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Tesuque | Tesuque
1513-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Tewa | Tewa
1514-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Tigua | Tigua
1515-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Zia | Zia
1516-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Zuni | Zuni
1518-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Puget Sound Salish | Puget Sound Salish
1519-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Duwamish | Duwamish
1520-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Kikiallus | Kikiallus
1521-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Lower Skagit | Lower Skagit
1522-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Muckleshoot | Muckleshoot
1523-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Nisqually | Nisqually
1524-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Nooksack | Nooksack
1525-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Port Madison | Port Madison
1526-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Puyallup | Puyallup
1527-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Samish | Samish
1528-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Sauk-Suiattle | Sauk-Suiattle
1529-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Skokomish | Skokomish
1530-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Skykomish | Skykomish
1531-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Snohomish | Snohomish
1532-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Snoqualmie | Snoqualmie
1533-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Squaxin Island | Squaxin Island
1534-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Steilacoom | Steilacoom
1535-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Stillaguamish | Stillaguamish
1536-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Suquamish | Suquamish
1537-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Swinomish | Swinomish
1538-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Tulalip | Tulalip
1539-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Upper Skagit | Upper Skagit
1541-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Quapaw | Quapaw
1543-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Quinault | Quinault
1545-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Rappahannock | Rappahannock
1547-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Reno-Sparks | Reno-Sparks
1549-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Round Valley | Round Valley
1551-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Sac and Fox | Sac and Fox
1552-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Iowa Sac and Fox | Iowa Sac and Fox
1553-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Missouri Sac and Fox | Missouri Sac and Fox
1554-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Oklahoma Sac and Fox | Oklahoma Sac and Fox
1556-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Salinan | Salinan
1558-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Salish | Salish
1560-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Salish and Kootenai | Salish and Kootenai
1562-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Schaghticoke | Schaghticoke
1564-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Scott Valley | Scott Valley
1566-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Seminole | Seminole
1567-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Big Cypress | Big Cypress
1568-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Brighton | Brighton
1569-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Florida Seminole | Florida Seminole
1570-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Hollywood Seminole | Hollywood Seminole
1571-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Oklahoma Seminole | Oklahoma Seminole
1573-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Serrano | Serrano
1574-3 | http://terminology.hl7.org/CodeSystem/v3-Race | San Manual | San Manual
1576-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Shasta | Shasta
1578-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Shawnee | Shawnee
1579-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Absentee Shawnee | Absentee Shawnee
1580-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Eastern Shawnee | Eastern Shawnee
1582-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Shinnecock | Shinnecock
1584-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Shoalwater Bay | Shoalwater Bay
1586-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Shoshone | Shoshone
1587-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Battle Mountain | Battle Mountain
1588-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Duckwater | Duckwater
1589-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Elko | Elko
1590-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Ely | Ely
1591-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Goshute | Goshute
1592-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Panamint | Panamint
1593-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Ruby Valley | Ruby Valley
1594-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Skull Valley | Skull Valley
1595-8 | http://terminology.hl7.org/CodeSystem/v3-Race | South Fork Shoshone | South Fork Shoshone
1596-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Te-Moak Western Shoshone | Te-Moak Western Shoshone
1597-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Timbi-Sha Shoshone | Timbi-Sha Shoshone

1598-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Washakie | Washakie
1599-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Wind River Shoshone | Wind River Shoshone
1600-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Yomba | Yomba
1602-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Shoshone Paiute | Shoshone Paiute
1603-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Duck Valley | Duck Valley
1604-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Fallon | Fallon
1605-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Fort McDermitt | Fort McDermitt
1607-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Siletz | Siletz
1609-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Sioux | Sioux
1610-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Blackfoot Sioux | Blackfoot Sioux
1611-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Brule Sioux | Brule Sioux
1612-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Cheyenne River Sioux | Cheyenne River Sioux
1613-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Crow Creek Sioux | Crow Creek Sioux
1614-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Dakota Sioux | Dakota Sioux
1615-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Flandreau Santee | Flandreau Santee
1616-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Fort Peck | Fort Peck
1617-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Lake Traverse Sioux | Lake Traverse Sioux
1618-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Lower Brule Sioux | Lower Brule Sioux
1619-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Lower Sioux | Lower Sioux
1620-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Mdewakanton Sioux | Mdewakanton Sioux
1621-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Miniconjou | Miniconjou
1622-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Oglala Sioux | Oglala Sioux
1623-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Pine Ridge Sioux | Pine Ridge Sioux
1624-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Pipestone Sioux | Pipestone Sioux
1625-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Prairie Island Sioux | Prairie Island Sioux
1626-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Prior Lake Sioux | Prior Lake Sioux
1627-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Rosebud Sioux | Rosebud Sioux
1628-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Sans Arc Sioux | Sans Arc Sioux
1629-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Santee Sioux | Santee Sioux
1630-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Sisseton-Wahpeton | Sisseton-Wahpeton
1631-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Sisseton Sioux | Sisseton Sioux
1632-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Spirit Lake Sioux | Spirit Lake Sioux
1633-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Standing Rock Sioux | Standing Rock Sioux
1634-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Teton Sioux | Teton Sioux
1635-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Two Kettle Sioux | Two Kettle Sioux
1636-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Upper Sioux | Upper Sioux
1637-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Wahpekute Sioux | Wahpekute Sioux
1638-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Wahpeton Sioux | Wahpeton Sioux
1639-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Wazhaza Sioux | Wazhaza Sioux
1640-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Yankton Sioux | Yankton Sioux
1641-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Yanktonai Sioux | Yanktonai Sioux
1643-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Siuslaw | Siuslaw
1645-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Spokane | Spokane
1647-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Stewart | Stewart
1649-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Stockbridge | Stockbridge
1651-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Susanville | Susanville
1653-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Tohono O'Odham | Tohono O'Odham
1654-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Ak-Chin | Ak-Chin
1655-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Gila Bend | Gila Bend
1656-8 | http://terminology.hl7.org/CodeSystem/v3-Race | San Xavier | San Xavier
1657-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Sells | Sells
1659-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Tolowa | Tolowa
1661-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Tonkawa | Tonkawa
1663-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Tygh | Tygh
1665-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Umatilla | Umatilla
1667-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Umpqua | Umpqua
1668-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Cow Creek Umpqua | Cow Creek Umpqua
1670-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Ute | Ute
1671-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Allen Canyon | Allen Canyon
1672-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Uintah Ute | Uintah Ute
1673-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Ute Mountain Ute | Ute Mountain Ute
1675-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Wailaki | Wailaki
1677-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Walla-Walla | Walla-Walla
1679-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Wampanoag | Wampanoag
1680-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Gay Head Wampanoag | Gay Head Wampanoag
1681-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Mashpee Wampanoag | Mashpee Wampanoag
1683-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Warm Springs | Warm Springs
1685-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Wascopum | Wascopum
1687-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Washoe | Washoe
1688-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Alpine | Alpine
1689-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Carson | Carson
1690-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Dresslerville | Dresslerville

1692-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Wichita | Wichita
1694-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Wind River | Wind River
1696-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Winnebago | Winnebago
1697-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Ho-chunk | Ho-chunk
1698-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Nebraska Winnebago | Nebraska Winnebago
1700-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Winnemucca | Winnemucca
1702-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Wintun | Wintun
1704-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Wiyot | Wiyot
1705-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Table Bluff | Table Bluff
1707-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Yakama | Yakama
1709-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Yakama Cowlitz | Yakama Cowlitz
1711-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Yaqui | Yaqui
1712-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Barrio Libre | Barrio Libre
1713-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Pascua Yaqui | Pascua Yaqui
1715-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Yavapai Apache | Yavapai Apache
1717-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Yokuts | Yokuts
1718-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Chukchansi | Chukchansi
1719-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Tachi | Tachi
1720-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Tule River | Tule River
1722-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Yuchi | Yuchi
1724-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Yuman | Yuman
1725-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Cocopah | Cocopah
1726-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Havasupai | Havasupai
1727-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Hualapai | Hualapai
1728-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Maricopa | Maricopa
1729-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Mohave | Mohave
1730-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Quechan | Quechan
1731-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Yavapai | Yavapai
1732-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Yurok | Yurok
1733-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Coast Yurok | Coast Yurok
1735-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Alaska Native | Alaska Native
1737-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Alaska Indian | Alaska Indian
1739-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Alaskan Athabascan | Alaskan Athabascan
1740-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Ahtna | Ahtna
1811-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Southeast Alaska | Southeast Alaska
1813-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Tlingit-Haida | Tlingit-Haida
1814-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Angoon | Angoon
1815-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Central Council of Tlingit and Haida Tribes | Central Council of Tlingit and Haida Tribes
1816-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Chilkat | Chilkat
1817-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Chilkoot | Chilkoot
1818-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Craig | Craig
1819-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Douglas | Douglas
1820-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Haida | Haida
1821-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Hoonah | Hoonah
1822-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Hydaburg | Hydaburg
1823-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Kake | Kake
1824-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Kasaan | Kasaan
1825-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Kenaitze | Kenaitze
1826-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Ketchikan | Ketchikan
1827-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Klawock | Klawock
1828-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Pelican | Pelican
1829-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Petersburg | Petersburg
1830-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Saxman | Saxman
1831-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Sitka | Sitka
1832-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Tenakee Springs | Tenakee Springs
1833-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Tlingit | Tlingit
1834-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Wrangell | Wrangell
1835-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Yakutat | Yakutat
1837-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Tsimshian | Tsimshian
1838-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Metlakatla | Metlakatla
1840-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Eskimo | Eskimo
1842-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Greenland Eskimo | Greenland Eskimo
1844-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Inupiat Eskimo | Inupiat Eskimo
1845-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Ambler | Ambler
1846-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Anaktuvuk | Anaktuvuk
1847-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Anaktuvuk Pass | Anaktuvuk Pass
1848-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Arctic Slope Inupiat | Arctic Slope Inupiat
1849-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Arctic Slope Corporation | Arctic Slope Corporation
1850-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Atqasuk | Atqasuk
1851-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Barrow | Barrow
1852-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Bering Straits Inupiat | Bering Straits Inupiat

1853-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Brevig Mission | Brevig Mission
1854-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Buckland | Buckland
1855-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Chinik | Chinik
1856-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Council | Council
1857-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Deering | Deering
1858-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Elim | Elim
1859-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Golovin | Golovin
1860-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Inalik Diomede | Inalik Diomede
1861-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Inupiaq | Inupiaq
1862-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Kaktovik | Kaktovik
1863-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Kawerak | Kawerak
1864-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Kiana | Kiana
1865-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Kivalina | Kivalina
1866-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Kobuk | Kobuk
1867-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Kotzebue | Kotzebue
1868-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Koyuk | Koyuk
1869-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Kwiguk | Kwiguk
1870-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Mauneluk Inupiat | Mauneluk Inupiat
1871-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Nana Inupiat | Nana Inupiat
1872-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Noatak | Noatak
1873-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Nome | Nome
1874-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Noorvik | Noorvik
1875-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Nuiqsut | Nuiqsut
1876-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Point Hope | Point Hope
1877-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Point Lay | Point Lay
1878-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Selawik | Selawik
1879-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Shaktoolik | Shaktoolik
1880-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Shishmaref | Shishmaref
1881-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Shungnak | Shungnak
1882-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Solomon | Solomon
1883-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Teller | Teller
1884-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Unalakleet | Unalakleet
1885-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Wainwright | Wainwright
1886-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Wales | Wales
1887-9 | http://terminology.hl7.org/CodeSystem/v3-Race | White Mountain | White Mountain
1888-7 | http://terminology.hl7.org/CodeSystem/v3-Race | White Mountain Inupiat | White Mountain Inupiat
1889-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Mary's Igloo | Mary's Igloo
1891-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Siberian Eskimo | Siberian Eskimo
1892-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Gambell | Gambell
1893-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Savoonga | Savoonga
1894-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Siberian Yupik | Siberian Yupik
1896-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Yupik Eskimo | Yupik Eskimo
1897-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Akiachak | Akiachak
1898-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Akiak | Akiak
1899-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Alakanuk | Alakanuk
1900-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Aleknagik | Aleknagik
1901-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Andreafsky | Andreafsky
1902-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Aniak | Aniak
1903-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Atmautluak | Atmautluak
1904-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Bethel | Bethel
1905-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Bill Moore's Slough | Bill Moore's Slough
1906-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Bristol Bay Yupik | Bristol Bay Yupik
1907-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Calista Yupik | Calista Yupik
1908-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Chefornak | Chefornak
1909-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Chevak | Chevak
1910-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Chuathbaluk | Chuathbaluk
1911-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Clark's Point | Clark's Point
1912-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Crooked Creek | Crooked Creek
1913-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Dillingham | Dillingham
1914-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Eek | Eek
1915-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Ekuk | Ekuk
1916-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Ekwok | Ekwok
1917-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Emmonak | Emmonak
1918-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Goodnews Bay | Goodnews Bay
1919-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Hooper Bay | Hooper Bay
1920-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Iqurmuit (Russian Mission) | Iqurmuit (Russian Mission)
1921-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Kalskag | Kalskag
1922-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Kasigluk | Kasigluk
1923-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Kipnuk | Kipnuk
1924-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Koliganek | Koliganek
1925-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Kongiganak | Kongiganak
1926-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Kotlik | Kotlik

1927-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Kwethluk | Kwethluk
1928-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Kwigillingok | Kwigillingok
1929-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Levelock | Levelock
1930-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Lower Kalskag | Lower Kalskag
1931-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Manokotak | Manokotak
1932-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Marshall | Marshall
1933-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Mekoryuk | Mekoryuk
1934-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Mountain Village | Mountain Village
1935-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Naknek | Naknek
1936-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Napaumute | Napaumute
1937-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Napakiak | Napakiak
1938-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Napaskiak | Napaskiak
1939-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Newhalen | Newhalen
1940-6 | http://terminology.hl7.org/CodeSystem/v3-Race | New Stuyahok | New Stuyahok
1941-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Newtok | Newtok
1942-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Nightmute | Nightmute
1943-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Nunapitchukv | Nunapitchukv
1944-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Oscarville | Oscarville
1945-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Pilot Station | Pilot Station
1946-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Pitkas Point | Pitkas Point
1947-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Platinum | Platinum
1948-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Portage Creek | Portage Creek
1949-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Quinhagak | Quinhagak
1950-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Red Devil | Red Devil
1951-3 | http://terminology.hl7.org/CodeSystem/v3-Race | St. Michael | St. Michael
1952-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Scammon Bay | Scammon Bay
1953-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Sheldon's Point | Sheldon's Point
1954-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Sleetmute | Sleetmute
1955-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Stebbins | Stebbins
1956-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Togiak | Togiak
1957-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Toksook | Toksook
1958-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Tulukskak | Tulukskak
1959-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Tuntutuliak | Tuntutuliak
1960-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Tununak | Tununak
1961-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Twin Hills | Twin Hills
1962-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Georgetown | Georgetown
1963-8 | http://terminology.hl7.org/CodeSystem/v3-Race | St. Mary's | St. Mary's
1964-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Umkumiate | Umkumiate
1966-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Aleut | Aleut
1968-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Alutiiq Aleut | Alutiiq Aleut
1969-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Tatitlek | Tatitlek
1970-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Ugashik | Ugashik
1972-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Bristol Bay Aleut | Bristol Bay Aleut
1973-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Chignik | Chignik
1974-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Chignik Lake | Chignik Lake
1975-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Egegik | Egegik
1976-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Igiugig | Igiugig
1977-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Ivanof Bay | Ivanof Bay
1978-6 | http://terminology.hl7.org/CodeSystem/v3-Race | King Salmon | King Salmon
1979-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Kokhanok | Kokhanok
1980-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Perryville | Perryville
1981-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Pilot Point | Pilot Point
1982-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Port Heiden | Port Heiden
1984-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Chugach Aleut | Chugach Aleut
1985-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Chenega | Chenega
1986-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Chugach Corporation | Chugach Corporation
1987-7 | http://terminology.hl7.org/CodeSystem/v3-Race | English Bay | English Bay
1988-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Port Graham | Port Graham
1990-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Eyak | Eyak
1992-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Koniag Aleut | Koniag Aleut
1993-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Akhiok | Akhiok
1994-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Agdaagux | Agdaagux
1995-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Karluk | Karluk
1996-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Kodiak | Kodiak
1997-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Larsen Bay | Larsen Bay
1998-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Old Harbor | Old Harbor
1999-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Ouzinkie | Ouzinkie
2000-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Port Lions | Port Lions
2002-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Sugpiaq | Sugpiaq
2004-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Suqpigaq | Suqpigaq
2006-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Unangan Aleut | Unangan Aleut
2007-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Akutan | Akutan

2008-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Aleut Corporation | Aleut Corporation
2009-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Aleutian | Aleutian
2010-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Aleutian Islander | Aleutian Islander
2011-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Atka | Atka
2012-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Belkofski | Belkofski
2013-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Chignik Lagoon | Chignik Lagoon
2014-9 | http://terminology.hl7.org/CodeSystem/v3-Race | King Cove | King Cove
2015-6 | http://terminology.hl7.org/CodeSystem/v3-Race | False Pass | False Pass
2016-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Nelson Lagoon | Nelson Lagoon
2017-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Nikolski | Nikolski
2018-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Pauloff Harbor | Pauloff Harbor
2019-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Qagan Toyagungin | Qagan Toyagungin
2020-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Qawalangin | Qawalangin
2021-4 | http://terminology.hl7.org/CodeSystem/v3-Race | St. George | St. George
2022-2 | http://terminology.hl7.org/CodeSystem/v3-Race | St. Paul | St. Paul
2023-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Sand Point | Sand Point
2024-8 | http://terminology.hl7.org/CodeSystem/v3-Race | South Naknek | South Naknek
2025-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Unalaska | Unalaska
2026-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Unga | Unga
2028-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Asian | Asian
2029-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Asian Indian | Asian Indian
2030-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Bangladeshi | Bangladeshi
2031-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Bhutanese | Bhutanese
2032-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Burmese | Burmese
2033-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Cambodian | Cambodian
2034-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Chinese | Chinese
2035-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Taiwanese | Taiwanese
2036-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Filipino | Filipino
2037-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Hmong | Hmong
2038-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Indonesian | Indonesian
2039-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Japanese | Japanese
2040-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Korean | Korean
2041-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Laotian | Laotian
2042-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Malaysian | Malaysian
2043-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Okinawan | Okinawan
2044-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Pakistani | Pakistani
2045-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Sri Lankan | Sri Lankan
2046-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Thai | Thai
2047-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Vietnamese | Vietnamese
2048-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Iwo Jiman | Iwo Jiman
2049-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Maldivian | Maldivian
2050-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Nepalese | Nepalese
2051-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Singaporean | Singaporean
2052-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Madagascar | Madagascar
2054-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Black or African American | Black or African American
2056-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Black | Black
2058-6 | http://terminology.hl7.org/CodeSystem/v3-Race | African American | African American
2060-2 | http://terminology.hl7.org/CodeSystem/v3-Race | African | African
2061-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Botswanan | Botswanan
2062-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Ethiopian | Ethiopian
2063-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Liberian | Liberian
2064-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Namibian | Namibian
2065-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Nigerian | Nigerian
2066-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Zairean | Zairean
2067-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Bahamian | Bahamian
2068-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Barbadian | Barbadian
2069-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Dominican | Dominican
2070-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Dominica Islander | Dominica Islander
2071-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Haitian | Haitian
2072-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Jamaican | Jamaican
2073-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Tobagoan | Tobagoan
2074-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Trinidadian | Trinidadian
2075-0 | http://terminology.hl7.org/CodeSystem/v3-Race | West Indian | West Indian
2076-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Native Hawaiian or Other Pacific Islander | Native Hawaiian or Other Pacific Islander
2078-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Polynesian | Polynesian
2079-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Native Hawaiian | Native Hawaiian
2080-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Samoan | Samoan
2081-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Tahitian | Tahitian
2082-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Tongan | Tongan
2083-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Tokelauan | Tokelauan
2085-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Micronesian | Micronesian

2086-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Guamanian or Chamorro | Guamanian or Chamorro
2087-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Guamanian | Guamanian
2088-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Chamorro | Chamorro
2089-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Mariana Islander | Mariana Islander
2090-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Marshallese | Marshallese
2091-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Palauan | Palauan
2092-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Carolinian | Carolinian
2093-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Kosraean | Kosraean
2094-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Pohnpeian | Pohnpeian
2095-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Saipanese | Saipanese
2096-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Kiribati | Kiribati
2097-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Chuukese | Chuukese
2098-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Yapese | Yapese
2100-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Melanesian | Melanesian
2101-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Fijian | Fijian
2102-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Papua New Guinean | Papua New Guinean
2103-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Solomon Islander | Solomon Islander
2104-8 | http://terminology.hl7.org/CodeSystem/v3-Race | New Hebrides | New Hebrides
2500-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Other Pacific Islander | Note that this term remains in the table for completeness, even though within HL7, the notion of Other code is deprecated.
2106-3 | http://terminology.hl7.org/CodeSystem/v3-Race | White | White
2108-9 | http://terminology.hl7.org/CodeSystem/v3-Race | European | European
2109-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Armenian | Armenian
2110-5 | http://terminology.hl7.org/CodeSystem/v3-Race | English | English
2111-3 | http://terminology.hl7.org/CodeSystem/v3-Race | French | French
2112-1 | http://terminology.hl7.org/CodeSystem/v3-Race | German | German
2113-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Irish | Irish
2114-7 | http://terminology.hl7.org/CodeSystem/v3-Race | Italian | Italian
2115-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Polish | Polish
2116-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Scottish | Scottish
2118-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Middle Eastern or North African | Middle Eastern or North African
2119-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Assyrian | Assyrian
2120-4 | http://terminology.hl7.org/CodeSystem/v3-Race | Egyptian | Egyptian
2121-2 | http://terminology.hl7.org/CodeSystem/v3-Race | Iranian | Iranian
2122-0 | http://terminology.hl7.org/CodeSystem/v3-Race | Iraqi | Iraqi
2123-8 | http://terminology.hl7.org/CodeSystem/v3-Race | Lebanese | Lebanese
2124-6 | http://terminology.hl7.org/CodeSystem/v3-Race | Palestinian | Palestinian
2125-3 | http://terminology.hl7.org/CodeSystem/v3-Race | Syrian | Syrian
2126-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Afghanistani | Afghanistani
2127-9 | http://terminology.hl7.org/CodeSystem/v3-Race | Israeili | Israeili
2129-5 | http://terminology.hl7.org/CodeSystem/v3-Race | Arab | Arab
2131-1 | http://terminology.hl7.org/CodeSystem/v3-Race | Other Race | Note that this term remains in the table for completeness, even though within HL7, the notion of Other code is deprecated.
248153007 | http://snomed.info/sct | Male
248152002 | http://snomed.info/sct | Female
77386006 | http://snomed.info/sct | Pregnancy confirmed

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.323 Value Set http://hl7.org/fhir/ValueSet/contract-definition-subtype

URL: https://hl7.org/fhir/R4/valueset-contract-definition-subtype.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contract-definition-subtype
Version: | 4.0.1
Name: | ContractResourceDefinitionSubtypeCodes
Title: | Contract Resource Definition Subtype codes

Definition: | This value set contract specific codes for status.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.1212 (for OID based terminology systems)
Copyright: | HL7 International.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ContractResourceDefinitionSubtypeCodes

• Resource: Contract.contentDefinition.subType (CodeableConcept / Example)

4.4.1.323.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/contract-definition-subtype

4.4.1.323.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 1 concepts

Expansion based on http://hl7.org/fhir/contract-definition-subtype version 4.0.1

All codes from system http://hl7.org/fhir/contract-definition-subtype

Code | Display | Definition
temp | Temporary Value | To be completed

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.324 Value Set http://hl7.org/fhir/ValueSet/versioning-policy

URL: https://hl7.org/fhir/R4/valueset-versioning-policy.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Conformance Package for further details.

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/versioning-policy
Version: | 4.0.1
Name: | ResourceVersionPolicy
Title: | ResourceVersionPolicy
Definition: | How the system supports versioning for a resource.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.190 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ResourceVersionPolicy

• Resource: CapabilityStatement.rest.resource.versioning (code / Required)

4.4.1.324.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/versioning-policy

4.4.1.324.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/versioning-policy version 4.0.1

All codes from system http://hl7.org/fhir/versioning-policy

Code | Display | Definition
no-version | No VersionId Support | VersionId meta-property is not supported (server) or used (client).
versioned | Versioned | VersionId meta-property is supported (server) or used (client).
versioned-update | VersionId tracked fully | VersionId must be correct for updates (server) or will be specified (If-match header) for updates (client).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.325 Value Set http://hl7.org/fhir/ValueSet/contract-type

URL: https://hl7.org/fhir/R4/valueset-contract-type.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contract-type
Version: | 4.0.1
Name: | ContractTypeCodes
Title: | Contract Type Codes
Definition: | This value set includes sample Contract Type codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.729 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ContractTypeCodes
• Resource: Contract.type (CodeableConcept / Example)

4.4.1.325.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/contract-type

4.4.1.325.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/contract-type version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/contract-type

Code | Display | Definition
privacy | Privacy | Privacy policy.
disclosure | Disclosure | Information disclosure policy.
healthinsurance | Health Insurance | Health Insurance policy.
supply | Supply Contract | Contract to supply goods or services.
consent | Consent | Consent Directive.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.326 Value Set http://hl7.org/fhir/ValueSet/immunization-origin

URL: https://hl7.org/fhir/R4/valueset-immunization-origin.html
Public Health and Emergency Response Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined at http://www.hl7.org/Special/committees/pher/index.cfm .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/immunization-origin
Version: | 4.0.1
Name: | ImmunizationOriginCodes
Title: | Immunization Origin Codes
Definition: | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the source of the data when the report of the immunization event is not based on information from the person, entity or organization who administered the vaccine. This value set is provided as a suggestive example.
Committee: | Public Health and Emergency Response Work Group
OID: | 2.16.840.1.113883.4.642.3.296 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Immunization.reportOrigin (CodeableConcept / Example)

4.4.1.326.1 Content Logical Definition

This value set includes codes from the following code systems:

http://terminology.hl7.org/CodeSystem/immunization-origin

Code | Display
provider | Other Provider | The data for the immunization event originated with another provider.
record | Written Record | The data for the immunization event originated with a written record for the patient.
recall | Parent/Guardian/Patient Recall | The data for the immunization event originated from the recollection of the patient or parent/guardian of the patient.
school | School Record | The data for the immunization event originated with a school record for the patient.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.327 Value Set http://hl7.org/fhir/ValueSet/list-example-codes

URL: https://hl7.org/fhir/R4/valueset-list-example-codes.html
FHIR Infrastructure Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/list-example-codes
Version: | 4.0.1
Name: | ExampleUseCodesForList
Title: | Example Use Codes for List
Definition: | Example use codes for the List resource - typical kinds of use.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.316 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ExampleUseCodesForList
• Resource: List.code (CodeableConcept / Example)

4.4.1.327.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/list-example-use-codes

4.4.1.327.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 9 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/list-example-use-codes version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/list-example-use-codes

Code | Display | Definition
alerts | Alerts | A list of alerts for the patient.
adverserxns | Adverse Reactions | A list of part adverse reactions.
allergies | Allergies | A list of Allergies for the patient.
medications | Medication List | A list of medication statements for the patient.
problems | Problem List | A list of problems that the patient is known of have (or have had in the past).
worklist | Worklist | A list of items that constitute a set of work to be performed (typically this code would be specialized for more specific uses, such as a ward round list).
waiting | Waiting List | A list of items waiting for an event (perhaps a surgical patient waiting list).
protocols | Protocols | A set of protocols to be followed.
plans | Care Plans | A set of care plans that apply in a particular context of care.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.328 Value Set http://hl7.org/fhir/ValueSet/medicationdispense-status

URL: https://hl7.org/fhir/R4/valueset-medicationdispense-status.html
Pharmacy Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medicationdispense-status
Version: | 4.0.1
Name: | MedicationDispense Status Codes
Title: | Medication dispense status codes
Definition: | MedicationDispense Status Codes
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.1312 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for MedicationDispense Status Codes

• ConceptMap: Translation source in Canonical Mapping for "Medication dispense status codes"

• Resource: MedicationDispense.status (code / Required)

4.4.1.328.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/medicationdispense-status

4.4.1.328.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 9 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/medicationdispense-status version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/medicationdispense-status

Code | Display | Definition | Canonical Status
preparation | Preparation | The core event has not started yet, but some staging activities have begun (e.g. initial compounding or packaging of medication). Preparation stages may be tracked for billing purposes. | ~planned
in-progress | In Progress | The dispensed product is ready for pickup. | ~active
cancelled | Cancelled | The dispensed product was not and will never be picked up by the patient.

on-hold | On Hold | The dispense process is paused while waiting for an external event to reactivate the dispense. For example, new stock has arrived or the prescriber has called. | ~suspended
completed | Completed | The dispensed product has been picked up. | ~complete
entered-in-error | Entered in Error | The dispense was entered in error and therefore nullified. | ~error
stopped | Stopped | Actions implied by the dispense have been permanently halted, before all of them occurred. | ~failed
declined | Declined | The dispense was declined and not performed.
unknown | Unknown | The authoring system does not know which of the status values applies for this medication dispense. Note: this concept is not to be used for other - one of the listed statuses is presumed to apply, it's just now known which one. | ~unknown

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.329 Value Set http://hl7.org/fhir/ValueSet/strand-type

URL: https://hl7.org/fhir/R4/valueset-strand-type.html
Clinical Genomics Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/strand-type
Version: | 4.0.1
Name: | strandType
Title: | strandType
Definition: | Type for strand.
Committee: | Clinical Genomics Work Group
OID: | 2.16.840.1.113883.4.642.3.985 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for strandType
• Resource: MolecularSequence.referenceSeq.strand (code / Required)

4.4.1.329.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/strand-type

4.4.1.329.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/strand-type version 4.0.1

All codes from system http://hl7.org/fhir/strand-type

Code | Display | Definition
watson | Watson strand of referenceSeq | Watson strand of reference sequence.
crick | Crick strand of referenceSeq | Crick strand of reference sequence.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.330 Value Set http://hl7.org/fhir/ValueSet/definition-use

URL: https://hl7.org/fhir/R4/valueset-definition-use.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Conformance Package for further details.

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/definition-use
Version: | 4.0.1
Name: | DefinitionUseCodes
Title: | Structure Definition Use Codes / Keywords
Definition: | Structure Definition Use Codes / Keywords
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.1190 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for DefinitionUseCodes

• Resource: StructureDefinition.keyword (Coding / Extensible)

4.4.1.330.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/definition-use

4.4.1.330.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 6 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/definition-use version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/definition-use

Code | Display | Definition
fhir-structure | FHIR Structure | This structure is defined as part of the base FHIR Specification
custom-resource | Custom Resource | This structure is intended to be treated like a FHIR resource (e.g. on the FHIR API)
dam | Domain Analysis Model | This structure captures an analysis of a domain
wire-format | Wire Format | This structure represents and existing structure (e.g. CDA, HL7 v2)
archetype | Domain Analysis Model | This structure captures an analysis of a domain
template | Template | This structure is a template (n.b: 'template' has many meanings)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.331 Value Set http://hl7.org/fhir/ValueSet/questionnaire-category

URL: https://hl7.org/fhir/R4/valueset-questionnaire-category.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined at http://www.hl7.org/Special/committees/patientcare .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/questionnaire-category
Version: | 4.0.1
Name: | QuestionnaireCategoryCodes
Title: | Questionnaire Category Codes
Definition: | Example list of potential categories for questionnaires.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.928 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is not currently used

4.4.1.331.1 Content Logical Definition

This value set includes codes from the following code systems:

http://snomed.info/sct

Code | Display
273601006 | Mental status questionnaire
273820006 | Social support questionnaire
273479001 | General health questionnaire
273384008 | Consumer satisfaction questionnaire
304784009 | Administrative form

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.332 Value Set http://hl7.org/fhir/ValueSet/namingsystem-type

URL: https://hl7.org/fhir/R4/valueset-namingsystem-type.html
FHIR Infrastructure Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/namingsystem-type
Version: | 4.0.1
Name: | NamingSystemType
Title: | NamingSystemType
Definition: | Identifies the purpose of the naming system.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.490 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for NamingSystemType

• Resource: NamingSystem.kind (code / Required)

4.4.1.332.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/namingsystem-type

4.4.1.332.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/namingsystem-type version 4.0.1

All codes from system http://hl7.org/fhir/namingsystem-type

Code | Display | Definition
codesystem | Code System | The naming system is used to define concepts and symbols to represent those concepts; e.g. UCUM, LOINC, NDC code, local lab codes, etc.
identifier | Identifier | The naming system is used to manage identifiers (e.g. license numbers, order numbers, etc.).
root | Root | The naming system is used as the root for other identifiers and naming systems.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.333 Value Set http://hl7.org/fhir/ValueSet/assert-response-code-types

URL: https://hl7.org/fhir/R4/valueset-assert-response-code-types.html
FHIR Infrastructure Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/assert-response-code-types
Version: | 4.0.1
Name: | AssertionResponseTypes
Title: | AssertionResponseTypes
Definition: | The type of response code to use for assertion.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.710 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for AssertionResponseTypes
• Resource: TestScript.setup.action.assert.response (code / Required)

4.4.1.333.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/assert-response-code-types

4.4.1.333.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 12 concepts

Expansion based on http://hl7.org/fhir/assert-response-code-types version 4.0.1

All codes from system http://hl7.org/fhir/assert-response-code-types

Code | Display | Definition
okay | okay | Response code is 200.
created | created | Response code is 201.
noContent | noContent | Response code is 204.
notModified | notModified | Response code is 304.
bad | bad | Response code is 400.
forbidden | forbidden | Response code is 403.
notFound | notFound | Response code is 404.
methodNotAllowed | methodNotAllowed | Response code is 405.
conflict | conflict | Response code is 409.
gone | gone | Response code is 410.
preconditionFailed | preconditionFailed | Response code is 412.
unprocessable | unprocessable | Response code is 422.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.334 Value Set http://hl7.org/fhir/ValueSet/ex-paymenttype

URL: https://hl7.org/fhir/R4/valueset-ex-paymenttype.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/ex-paymenttype
Version: | 4.0.1
Name: | ExamplePaymentTypeCodes
Title: | Example Payment Type Codes
Definition: | This value set includes example Payment Type codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.616 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ExamplePaymentTypeCodes
• Resource: ExplanationOfBenefit.payment.type (CodeableConcept / Example)
• Resource: ClaimResponse.payment.type (CodeableConcept / Example)

4.4.1.334.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/ex-paymenttype

4.4.1.334.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/ex-paymenttype version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/ex-paymenttype

Code | Display | Definition
complete | Complete | Complete (final) payment of the benefit under the Claim less any adjustments.
partial | Partial | Partial payment of the benefit under the Claim less any adjustments.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.335 Value Set http://hl7.org/fhir/ValueSet/observation-methods

URL: https://hl7.org/fhir/R4/valueset-observation-methods.html
Orders and Observations Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/observation-methods
Version: | 4.0.1
Name: | ObservationMethods
Title: | Observation Methods
Definition: | Observation Method codes from SNOMED CT where concept is-a 272394005 (Technique (qualifier value)) or is-a 129264002 (Action (qualifier value)) or is-a 386053000 (Evaluation procedure(procedure))
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.395 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: ObservationDefinition.method (CodeableConcept / Example)
• Profile: DeviceMetricObservation: Observation.method (CodeableConcept / Example)
• Profile: Observation-Genetics: Observation.method (CodeableConcept / Example)

- Profile: VitalSigns: Observation.method (CodeableConcept / Example)
- Profile: BodyWeight: Observation.method (CodeableConcept / Example)
- Profile: VitalsPanel: Observation.method (CodeableConcept / Example)
- Profile: BodyHeight: Observation.method (CodeableConcept / Example)
- Profile: RespRate: Observation.method (CodeableConcept / Example)
- Profile: HeartRate: Observation.method (CodeableConcept / Example)
- Profile: BodyTemp: Observation.method (CodeableConcept / Example)
- Profile: HeadCircum: Observation.method (CodeableConcept / Example)
- Profile: OxygenSat: Observation.method (CodeableConcept / Example)
- Profile: BMI: Observation.method (CodeableConcept / Example)
- Profile: BP: Observation.method (CodeableConcept / Example)
- Profile: Cholesterol: Observation.method (CodeableConcept / Example)
- Profile: Triglyceride: Observation.method (CodeableConcept / Example)
- Profile: HDLCholesterol: Observation.method (CodeableConcept / Example)
- Profile: LDLCholesterol: Observation.method (CodeableConcept / Example)

4.4.1.335.1 Content Logical Definition

This value set includes codes from the following code systems:

- Include codes from http://snomed.info/sct where concept is-a 272394005 (Technique)
- Include codes from http://snomed.info/sct where concept is-a 129264002 (Action)
- Include codes from http://snomed.info/sct where concept is-a 386053000 (Patient evaluation procedure)

4.4.1.335.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 1905 concepts

All codes from system http://snomed.info/sct

Code | Display | Definition
58207001 | Competitive protein binding assay technique
115341008 | Total measurement
246363001 | Acquisition technique
246502009 | Bladder filling technique
246503004 | Catheter movement technique
246504005 | Near reading technique
246505006 | Photon detection technique
246506007 | Provocation technique
246507003 | Stimulation technique
255459008 | Flash
255463001 | Single tetany technique
255583002 | Retruded jaw relation technique
256233002 | Rectally infused saline solution
257414001 | Adult N types
257425005 | Bright field microscopy technique
257428007 | Dent sleeve technique
257452000 | Sbisa bar
257456002 | Solid sphere technique
257460004 | Swept spatial frequency bars
257465009 | Wax wafer technique
257740006 | V-Y advancement technique
257771002 | Cementing
257772009 | Cementing with normal viscosity cement
257774005 | Cementing with low viscosity cement
257775006 | Cementing with normal viscosity cement containing antibiotic
257776007 | Cementing with low viscosity cement containing antibiotic
257827009 | Press-fit component fixation
257932009 | Direct suturing technique
258005004 | Accelerometry technique
258006003 | Acidometric method
258009005 | Boyden chamber technique
258010000 | Catheter tip manometry technique
258011001 | Chessboard method
258012008 | Confocal laser scanning fluorescence technique
258013003 | Conventional manometry technique
258014009 | Dilution and colorimetry technique

258017002 | Double sampling dye-dilution test
258018007 | Drainage bottle measurement
258019004 | Drainage measurement
258020005 | Dye dilution technique
258021009 | Dye test
258022002 | E test
258025000 | Enzyme mediated immunotransferase assay technique
258026004 | Enzyme method
258027008 | Equilibration method
258030001 | Gradient method
258031002 | Helium single breath technique
258033004 | Helium steady state technique
258034005 | Helium dilution
258035006 | High pressure liquid chromatography
258036007 | Immunoblotting
258037003 | Immunoradiometry
258038008 | Indicator dilution technique
258039000 | Iodometric method
258041004 | Isoenzyme typing
258044007 | Lectin typing
258045008 | Lipopolysaccharide typing
258047000 | Metabolic inhibition test
258048005 | Microbiological method
258053000 | Moorfields reading book test
258054006 | Natural filling
258055007 | Nitrocefin method
258056008 | Nitrogen washout
258059001 | Pharmacological stimulation
258060006 | Phenotyping
258063008 | Pneumatic otoscopy
258065001 | Polyethylene glycol precipitation
258066000 | Polymerase chain reaction
258067009 | Post-tetanic count stimulation
258068004 | Protein profiling
258069007 | Pyrolysis mass spectrometry
258070008 | Rapid-pull through
258071007 | Rebreathing method
258075003 | Serotyping
258076002 | Sham feed technique
258077006 | Sheridan Gardiner technique
258078001 | Station pull-through
258080007 | Thermodilution technique
258081006 | Ultraviolet absorption
258082004 | Vector volume analysis
258083009 | Visual estimation
258084003 | Weighing of swabs
258086001 | Zymodeme typing
258087005 | Agar dilution
258094008 | Dark ground microscopy technique
258099003 | Fluorescence microscopy technique
258100006 | Heterophoria method
258102003 | Intermittent withdrawal technique
258109007 | Restriction fragment length polymorphism technique
258110002 | Saline method
258112005 | Sequence specific oligonucleotide probe
258113000 | Sequence specific primers-polymerase chain reaction
258114006 | SRH - Single radial hemolysis
258118009 | Suction drainage measurement
258119001 | Thermal test
258120007 | Vapor pressure depression
258121006 | Ungated equilibrium
258122004 | Whole cell long chain fatty acid methyl ester analysis
258123009 | Electrocardiogram gated technique
258124003 | Gated equilibrium
258125002 | Freezing point depression
258126001 | Phase contrast microscopy technique
258128000 | Sjögren hand technique
258129008 | Snellen technique
258131004 | Sucrose density gradient separation
258133001 | Plate assay technique
258144009 | Position change
258150004 | Transmission

258159003 | Slime production typing
258164004 | Seldinger technique
258169009 | Remodeled pouch method
258171009 | Blind technique
258173007 | Direct vision technique
258178003 | Blood aspiration technique
258179006 | Blood flashback technique
258180009 | Pressure waveform analysis
258181008 | Electrocardiogram analysis
258182001 | Cold light transillumination
258183006 | Gas injection and auscultation
260223001 | Maximum intercuspation technique
260227000 | Solid phase immune technique
260231006 | Van Slyke technique
260710009 | Obturation technique
260931002 | Post-processing
260982004 | Anticurvature technique
261006005 | Digital X-ray
261009003 | Dual cure method
261018001 | Mechanical
261032004 | Turnover
261033009 | Ultrasonic endodontic technique
261039008 | Valsalva maneuver
261069001 | Double contrast technique
261070000 | Double flare technique
261190007 | Dautrey method
261192004 | Balanced force technique
261194003 | Cine study
261196001 | Direct application technique
261208004 | Intermittent administration
261209007 | Nipple sharing technique
261212005 | Percutaneous with automated instrumentation
261213000 | Percutaneous with endoscopic instrumentation
261214006 | Percutaneous with laser instrumentation
261215007 | Percutaneous with manual instrumentation
261216008 | Radionuclide plethysmography
261271009 | Thermal plastic technique
261272002 | Thermal solid technique
261338007 | Adhesive with supplementary suture technique
261373009 | Implant technique
261504003 | Close rectal dissection technique
261510003 | Conventional angiography
261548008 | Periarticular osteotomy
261561008 | Shelf technique
261567007 | Thermal injection technique
261573008 | Thyrotrophin releasing hormone stimulation
261671000 | Air contrast technique
261699009 | Before the filter
261700005 | Benchekroun technique
261708003 | Biochemical bond component fixation
261710001 | Bisecting angle technique
261714005 | Bone ingrowth system
261732005 | Corticotrophin releasing hormone stimulation
261754007 | Continuous infusion
261787006 | Explant technique
261790000 | Extra-high resolution technique
261793003 | Flow-directed technique
261856001 | Isaacs technique
261909000 | Light cure method
261940007 | Mechanical grab method
261943009 | Mitrofanoff technique
261947005 | Modified double flare technique
261958001 | Multiplanar reconstruction
261981004 | Neutral zone
262041006 | Paralleling technique
262048000 | Patient cycled method
262062007 | Power output
262063002 | Powered method
262064008 | Powered flexible method
262065009 | Powered rigid method
262069003 | Pressure controlled method
262092003 | Reciprocal mechanical technique

262095001 | Remaining connected
262110008 | Rotary mechanical endodontic technique
262136001 | Self-cure method
262148003 | Single contrast technique
262162005 | Sonic endodontic technique
262174009 | Standardized technique
262180001 | Stepback technique
262181002 | Stepdown technique
262201007 | Thallium uptake method
262207006 | Time cycled method
262265000 | Volume controlled method
262278000 | Warming intravenous fluid technique
262293001 | Wire guided technique
262295008 | With clearance measurement
262296009 | Cross-compression technique
262300005 | With glomerular filtration rate
262305000 | With separation
262310001 | With ureteric peristalsis analysis
262313004 | Without remount
262320006 | Xenon clearance method
262323008 | After the filter
263664004 | Altered cast technique
263696007 | Broth dilution
263725008 | Constant acceleration technique
263746004 | Electrosensitivity technique
263781002 | Impulse
263809005 | Microvascular
263902000 | Transcutaneous method
264220008 | Superior pedicle technique
264268002 | Agarose technique
264269005 | Amino acid signature pattern analysis
264270006 | Central pedicle technique
264271005 | Complement component 1q binding assay technique
264272003 | Conductivity technique
264273008 | Continuous withdrawal technique
264275001 | Fluorescence polarization immunoassay technique
264276000 | Half chessboard method
264277009 | Heel bounce
264279007 | Hydroxylamine method
264280005 | Inferior pedicle technique
264281009 | Dufourmental technique
264282002 | Maclure N test
264283007 | Multiple-breath technique
264284001 | Single-breath technique
264355007 | Ffooks technique
264582003 | Antibiogram typing
264583008 | Auxotyping
264584002 | Bacteriocin typing
264590003 | Hypothalamic stimulation
264619009 | 100 hue technique
264773007 | Dienes typing
264782001 | AMBER
264788002 | Biotyping
264826006 | Children's N tests
264828007 | City University technique
264859009 | Maclure technique
264863002 | Morphotyping
264896000 | Nucleic acid analysis
264903000 | Pattern onset/offset stimulation technique
264933007 | Thomas tank engine test
264934001 | Toxin typing
264935000 | Transluminal prosthetic method
264946002 | White noise masking of opposite ear
272389005 | Analysis
272390001 | Dilution
272391002 | Measurement technique
272392009 | Assay technique
272393004 | Tests
272395006 | Typings
276857005 | Transthoracic impedance
277337007 | Surface palpation technique
277581000 | Suturing techniques

277620007 | Dental techniques
277768009 | Automated endodontic technique
277769001 | Hand technique
277835006 | Flap valve technique
277853000 | Submucosal tunnel technique
277913002 | Washing of swabs
278283001 | Percutaneous techniques
278289002 | Microscopy technique
278300004 | Pull-through technique
278394000 | Fluid replacement technique
278395004 | Imaging technique
278440009 | Copy denture technique
281408006 | Flow triggering
281409003 | Pressure triggering
281410008 | Differential lung ventilation
281417006 | One lung ventilation
281418001 | Left lung ventilation
281419009 | Right lung ventilation
281420003 | Bilateral lung ventilation
284466007 | Anger management technique
284467003 | Relaxation technique
286811001 | Pressure limited cycling method
302554003 | Contrast imaging technique
304033004 | Specific stimulation technique
304364007 | Fixation of prosthetic joint component
304367000 | Uncemented component fixation
309796000 | Loss of resistance technique
309797009 | Loss of resistance to air
309798004 | Loss of resistance to saline
312245009 | Angiography technique
312246005 | Digital subtraction angiography
312348008 | Image post-processing
313115005 | Flap transfer technique
313116006 | Advancement technique
313201001 | Simple suture technique
313202008 | Z-plasty technique
313281003 | Forward sliding
362943005 | Manual method
371871002 | Single beats - numeric estimation technique
371912002 | Best value
371913007 | Point source - numeric estimation technique
371914001 | Peak to peak - numeric estimation technique
371916004 | Representative - numeric estimation technique
371921001 | Averaged - numeric estimation technique
373098007 | Mean - numeric estimation technique
373099004 | Median - numeric estimation technique
373100007 | Mode - numeric estimation technique
373115008 | Routine - numeric estimation technique
397801003 | Single bolus
397850009 | Intravascular confirmation method
397884008 | Intermittent bolus
397916001 | Loss of resistance technique - other fluid
398037009 | Vessel location technique
398129004 | Loss of resistance technique - both saline and air
398317000 | Finder needle technique
404655007 | Autofluorescence
414378002 | Hanging drop technique
414456005 | Imaging guidance technique
414611008 | Line placement technique
415037003 | Paresthesia technique
415741008 | Transarterial technique
416238005 | Intubation technique
416423007 | Tracheal intubation technique
417453009 | Bronchial intubation technique
418449005 | Gently
418694008 | Rapidly
419125005 | Liberally
419443000 | Slowly
419913006 | Vigorously
420004004 | Swallowed whole
424457002 | Intrathecal confirmation technique
445911007 | Extracorporeal technique

446402005 | Hemodialysis technique
446406008 | Inhalation technique
446947001 | Electroosmosis technique
447027002 | Irrigation technique
447056002 | Occlusive dressing technique
447120003 | Injection technique
447692002 | Percutaneous gastrostomy (button) technique
447693007 | Peritoneal dialysis technique
447826007 | Infusion technique
447963004 | Intravenous push technique
448076005 | Iontophoresis technique
449137004 | Intravenous piggyback technique
449225005 | Hemodiafiltration technique
702658000 | Microbial culture
702659008 | Automated count
702660003 | Test strip
702661004 | Light microscopy
702662006 | High power field light microscopy
702663001 | Manual count
702664007 | Immunological method
702665008 | Cytology stain
702666009 | Cytology
702667000 | Clearance calculation formula
702668005 | Modification of diet in renal disease formula
702669002 | Direct assay
702673004 | Deoxyribonucleic acid probe
702674005 | Nucleic acid hybridization probe
702675006 | Probe with target amplification
702872006 | Detection limit equal to or less than 20 mg/L
702873001 | Calculation technique
702940009 | Filtration
702941008 | Paraffin embedding
702942001 | Concentration
702943006 | DNA extraction
702944000 | RNA extraction
702945004 | Estimated from glycated hemoglobin
702946003 | Coagulation technique
702947007 | Corrected for nucleated erythrocytes
703436002 | Detection limit equal to or less than 0.005 mIU/L
703437006 | Detection limit equal to or less than 0.01 ng/mL
703438001 | Detection limit equal to or less than 0.05 mIU/L
703439009 | Detection limit equal to or less than 1.0 ng/dL
703440006 | Detection limit equal to or less than 3.47 pmol/L
703441005 | Wright stain method
703442003 | Gradient strip susceptibility test
703443008 | Fungus stain method
703444002 | Fluorescent immunoassay
703445001 | Ion selective electrode measurement
703446000 | Immunoblot assay
703447009 | EIA technique
703448004 | Latex agglutination test
703449007 | Radioimmunoassay
703450007 | Electrophoresis
703451006 | Low power field light microscopy
703452004 | Electrical impedance technique
703454003 | Centrifugation technique
703455002 | Rapid Plasma Reagin technique
703456001 | Venereal Disease Research Laboratory technique
703457005 | Wet preparation technique
703458000 | Neutralization method
703459008 | Westergren technique
703460003 | Wintrobe technique
703461004 | Concentration of parasites method
703462006 | Cockcroft-Gault formula
703463001 | Calculated from oxygen partial pressure
703488009 | Coagulation 1:1 saline mixture technique
703490005 | Transcutaneous CO2 monitor
703492002 | Transcutaneous O2 monitor
703497008 | Calculated from signal to cutoff ratio
703501003 | Toxicology screening technique
703505007 | Clearance calculation relative to 1.73 square meters body surface area
703506008 | Clearance calculation relative to 1.73 square meters body surface area and adjusted for African race

703507004 | Clearance calculation relative to 1.73 square meters body surface area and adjusted for non-African race
703689005 | High sensitivity method for C-reactive protein
703690001 | Confirmatory technique
703724007 | High sensitivity method for estradiol
703725008 | Culture
703750006 | Aerobic culture
703751005 | Anaerobic culture
703752003 | Organism specific culture
703753008 | Detecting without classifying
703754002 | Detecting by light microscopy without classifying
703856008 | Organism staining technique
703857004 | Staining technique
703858009 | Numeric estimation technique
703950001 | High sensitivity method for bioavailable testosterone
707682000 | Adjusted measurement technique
707683005 | Adjusted for diabetes technique
707684004 | Adjusted for multiple gestations technique
707685003 | Adjusted for sex hormone binding globulin technique
707687006 | Adjusted for weight technique
707688001 | Adjusted to patients actual temperature technique
707689009 | Adjusted to pH 7.4 technique
707690000 | Corrected for albumin technique
707691001 | Corrected for background technique
707692008 | Corrected for glucose technique
707693003 | Corrected for total protein technique
707694009 | Saturation adjusted to 0.5 technique
707695005 | Standard base excess technique
707696006 | Standard base excess adjusted for oxygen saturation technique
707698007 | Ion selective membrane electrode output adjusted to pH 7.4
707699004 | Helium single breath output adjusted for hemoglobin
707700003 | Automated count output corrected for nucleated erythrocytes
707701004 | Calculated and adjusted for body weight
707702006 | Calculated output adjusted to standard
708056006 | Acid fast stain
708058007 | Flow cytometry
708060009 | Genotype determination
708061008 | Gram stain
708062001 | Immunodiffusion
708063006 | Immunoelectrophoresis
708064000 | Immunofixation
708065004 | Pulse oximetry
708066003 | Trichrome stain
708067007 | Wright-Giemsa stain
708068002 | Molecular genetics
708069005 | Chromogenic technique
708070006 | Solubility test
708071005 | Smearing technique
708072003 | Multiple allergen-bearing disc
708073008 | Minimum inhibitory concentration susceptibility test
708074002 | LISS
708075001 | KOH preparation
708076000 | Kleihauer-Betke technique
708077009 | Infrared spectroscopy
708078004 | India ink staining technique
708097004 | Immunohistochemistry
708099001 | Rapid immunoassay
708104000 | Agglutination technique
708125000 | Cold incubation, 24 hours
708128003 | Acid fast Kinyoun's cold carbolfuchsin stain
708130001 | Coombs test
708131002 | Anti human globulin test, direct
708132009 | Anti human globulin test, indirect
708133004 | Complement fixation
708532004 | Platelet aggregation technique
718496006 | Bacterial bacteriophage typing
129265001 | Patient evaluation - action
129266000 | Measurement - action
129267009 | Administrative action
129268004 | Observation - action
129269007 | Assisting - action
129271007 | Management - action
129272000 | Stimulation - action

129273005 | Admission - action
129274004 | Discharge - action
129275003 | Administrative transfer - action
129276002 | Referral - action
129277006 | Administrative disposition - action
129278001 | Audit - action
129279009 | Medicolegal action
129280007 | Medicolegal testimony - action
129283009 | Training - action
129284003 | Surgical action values
129286001 | Microsurgery - action
129287005 | Incision - action
129288000 | Exploratory incision - action
129289008 | Drainage - action
129291000 | Drilling - action
129292007 | Evacuation - action
129293002 | Dissection - action
129294008 | Discission - action
129295009 | Slitting - action
129296005 | Bisection - action
129297001 | Bifurcation - action
129298006 | Surgical division
129299003 | Release - action
129300006 | Puncture - action
129301005 | Scarification - action
129303008 | Removal - action
129304002 | Excision - action
129305001 | Wedge excision - action
129306000 | Surgical removal - action
129307009 | Expulsion - action
129308004 | Reexcision - action
129309007 | Amputation - action
129310002 | Transfixion - action
129311003 | Evisceration - action
129312005 | Enucleation - action
129313000 | Trephine - action
129314006 | BX - Biopsy
129315007 | Incision biopsy
129316008 | Aspiration - action
129317004 | Debridement - action
129318009 | Saucerization - action
129319001 | Curettage - action
129321006 | Trimming - action
129322004 | Shaving - action
129323009 | Scraping - action
129324003 | Filleting - action
129325002 | Introduction - action
129326001 | Injection
129327005 | Tattooing - action
129328000 | Inflation - action
129330003 | Infusion - action
129331004 | Perfusion - action
129332006 | Irrigation - action
129333001 | Insufflation - action
129334007 | Instillation - action
129335008 | Embolization - action
129337000 | Replantation
129339002 | Intubation - action
129340000 | Sounding - action
129344009 | Surgical recession - action
129345005 | Resection-recession - action
129346006 | Radial incision - action
129347002 | Transfer - action
129348007 | Z-plasty - action
129349004 | Lengthening procedure
129350004 | Shortening
129351000 | Augmentation
129352007 | Advancement
129353002 | Suspension and fixation - action
129354008 | Exteriorization - action
129355009 | Marsupialization - action
129356005 | Reinforcement - action

129357001 | Closure - action
129358006 | Layered closure - action
129360008 | Oversewing - action
129366002 | Closure by buckling - action
129368001 | Cerclage - action
129369009 | Ligation - action
129371009 | Fixation - action
129372002 | Cryopexy - action
129373007 | Plication - action
129374001 | Imbrication - action
129376004 | Creation
129377008 | Reconstruction - action
129378003 | Stabilization - action
129379006 | Fusion - action
129380009 | Anchoring - action
129381008 | Enlargement - action
129382001 | Destruction - action
129383006 | Avulsion - action
129384000 | Decortication - action
129385004 | Stripping - action
129386003 | Stripping and ligation - action
129387007 | Abrasion - action
129388002 | Salabrasion - action
129389005 | Grinding - action
129390001 | Coagulation - action
129391002 | Obliteration - action
129392009 | Cauterization - action
129393004 | Cryosurgery - action
129394005 | Thermocautery - action
129395006 | Fulguration - action
129396007 | Electrodesiccation - action
129397003 | Electrocoagulation - action
129398008 | Electrocautery
129399000 | Electrodestruction - action
129400007 | Crushing - action
129401006 | Fragmentation - action
129402004 | Emulsification - action
129403009 | Chemosurgery - action
129404003 | Chemical cautery
129405002 | Photocoagulation - action
129406001 | Transplantation - action
129407005 | Grafting
129408000 | Manipulative procedure
129409008 | Mobilization - action
129410003 | Remobilization - action
129411004 | Traction - action
129412006 | Manual reduction - action
129413001 | Elevation - action
129414007 | Instrumental elevation - action
129415008 | Extraction - action
129416009 | Surgical extraction - action
129418005 | Expression - action
129419002 | Dilatation - action
129420008 | Surgical stretching
129421007 | Dilation and stretching - action
129423005 | Bouginage
129424004 | Fitting - action
129425003 | Application actions
129426002 | Adjustment - action
129427006 | Reduction - action
129430004 | Consultation - action
129431000 | History taking - action
129433002 | Inspection
129434008 | Palpation - action
129435009 | Percussion - action
129436005 | Listening - action
129437001 | Optical transillumination - action
129438006 | Prescription - action
129441002 | Counseling - action
129442009 | Iontophoresis - action
129443004 | Electrolysis - action
129444005 | Surgical galvanism - action

129445006 | Administration - action
129449000 | Functional assessment - action
183648002 | Long-term assistance
245854003 | Proximal anastomosis
245855002 | Distal anastomosis
255595002 | Debulking - action
256644001 | Darning - action
257729003 | Ablation
257730008 | Chemical destruction
257739009 | Open adjustment
257741005 | Anastomosis
257742003 | Direct anastomosis - action
257743008 | Lecompte maneuver
257744002 | End-to-end anastomosis - action
257745001 | Double barrelled end-to-end anastomosis - action
257746000 | End-to-side anastomosis - action
257747009 | Roux-en-Y - action
257748004 | End-to-side anastomosis without tunnel
257749007 | End-to-side anastomosis with tunnel
257750007 | Side-to-side anastomosis
257751006 | Wallace "69" side-to-end anastomosis - action
257759008 | Fine needle aspiration biopsy - action
257768005 | Binding - action
257777003 | Chemical inactivation
257778008 | Chemodissolution
257780002 | Mass closure
257781003 | Interrupted mass closure
257782005 | Continuous mass closure
257783000 | Thermocoagulation
257784006 | Semm thermal coagulation
257785007 | Wolf thermal coagulation
257786008 | Cryotherapy - action
257788009 | Delamination
257789001 | Hydrodelamination
257791009 | Desiccation - action
257802002 | Anterior displacement
257803007 | Posterior displacement
257804001 | Lateral displacement
257805000 | Medial displacement
257806004 | Close rectal dissection
257808003 | Ultrasonic dissection
257811002 | External drainage
257817003 | Digital evacuation
257821005 | Manual expression
257822003 | Extracapsular extraction
257824002 | Intracapsular extraction
257825001 | Fenestration - action
257846005 | Ballistic fragmentation
257850003 | Mechanical fragmentation
257855008 | Electromagnetic pulse fragmentation
257857000 | Galvanism
257859002 | High intensity focused ultrasound
257863009 | Radioactive destruction
257867005 | Insertion - action
257878002 | Keeling - action
257880008 | Localization
257884004 | Immobilization - action
257885003 | Occlusion
257886002 | Operative ultrasound
257889009 | Padding
257890000 | Peeling - action
257893003 | Pressure
257894009 | One handed pressure
257895005 | Two handed pressure
257897002 | Realignment - action
257903006 | Surgical repair
257905004 | Keel repair
257906003 | Mayo repair
257907007 | Patching - action
257911001 | Repair of recurrence
257912008 | Rotation - action
257913003 | IR - Internal rotation

257914009 | External rotation
257915005 | Sampling
257916006 | Bilateral sampling
257917002 | Bilateral sequential sampling
257918007 | Bilateral simultaneous sampling
257923007 | Sampling without trap
257926004 | Unilateral sampling
257928003 | Segmentation
257933004 | Tamponade - action
257935006 | Tapering - action
257937003 | Soft tissue transfer
257938008 | Transfer of bone block
257940003 | Transposition - action
258061005 | Photic stimulation
260222006 | Single photon emission computed tomography - action
261027000 | Sequential anastomosis
261191006 | Open extraction - action
261197005 | Doppler color flow
261198000 | Doppler continuous wave
261199008 | Doppler pulsed
261391004 | Resurfacing - action
261398005 | Alloplastic grafting
261498006 | Bone-patellar tendon-bone reconstruction
261499003 | Braided prosthetic ligament reconstruction
261518005 | Cystodiathermy - action
261519002 | Diathermy excision
261520008 | Diathermy snare - action
261526002 | Electromagnetic fragmentation
261545006 | Loop diathermy excision
261553003 | REDY - Regeneration of dialysate
261569005 | Thermocompaction
261576000 | Ultrasound fragmentation - action
262143007 | Side-to-end anastomosis - action
263720003 | Compression
264592006 | Intravesical drug therapy
264594007 | Laser - action
264730003 | Lateral rotation - action
264739002 | Medial rotation - action
264947006 | Prescription of optical aid - action
272381008 | Microvascular anastomosis - action
274392008 | EUA - Examination under anesthetic
276734006 | Mechanical assistance
277261002 | Excision biopsy
277607009 | Digital removal
277763000 | Refashioning
277851003 | Conduit anastomosis
277852005 | Reservoir anastomosis
278110001 | Radiographic imaging - action
278292003 | Ultrasound imaging - action
278312000 | Reattachment - action
278313005 | Regeneration - action
278420002 | Sealing
281609006 | Cryoablation - action
281613004 | Decompression - action
281615006 | Exploration - action
281698007 | Cryocautery - action
281767003 | Manual dilatation
281838007 | Disarticulation - action
281839004 | Exenteration
282015008 | Shave biopsy - action
282089006 | Replacement - action
282722008 | Ultrasound destruction
286553006 | Plastic operation
286637000 | Block dissection
286792001 | Denervation
287682008 | Application of caustics
288324002 | Eversion - action
288466002 | Diathermy incision
288468001 | Disimpaction - action
289928003 | Surgical reduction
289930001 | Enzyme destruction
289936007 | Shave excision

289938008 | Microsurgical repair
290001001 | Recession - action
297179000 | Microsurgical anastomosis
297183000 | Revascularization
298053008 | Devascularization - action
298116000 | Application of substance
299712004 | Osteoclasis - action
299713009 | Osteotomy - action
299893001 | Interposition anastomosis - action
302193003 | Actions by modality
302196006 | Freeing - action
302199004 | Clinical examination - action
302204005 | Ultrasound - action
302205006 | Microwave - action
303893007 | Functional modification
303894001 | Structural modification
303955003 | Transfusion - action
303996000 | Terminalization
303998004 | Unused action values
304054006 | Structural support - action
304904003 | Manual evacuation
312236008 | Duplex ultrasound
312250003 | Magnetic resonance imaging - action
312251004 | Computed tomography imaging - action
312254007 | Plain film technique
312275004 | Fluoroscopic imaging - action
312336005 | Opening - action
312337001 | Thermography imaging - action
312421008 | Radionuclide imaging - action
312883004 | Desensitization - action
313029009 | Brachytherapy - action
360017003 | Clipping - action
360018008 | Stimulus dosing technique
360020006 | Extirpation - action
360021005 | Bypass - action
360025001 | Harvesting - action
360027009 | Interposition - action
360028004 | Surgical biopsy - action
360029007 | Nonsurgical biopsy - action
360032005 | Flap reconstruction - action
360037004 | Imaging method
360038009 | Gluing - action
360051004 | Surgical toilet - action
360060007 | Approximation - action
360082000 | Apposition - action
360084004 | Septation - action
360087006 | Indirect anastomosis - action
360146007 | Repositioning - action
360147003 | Attention - action
360148008 | Obstetric action
360149000 | Delivery - action
360150000 | Inlay replacement - action
360152008 | Monitoring - action
360153003 | Take impression - action
360154009 | Trial fit of device - action
360160009 | Checking - action
360161008 | Induction - action
360163006 | Infiltration - action
360165004 | Apheresis - action
360166003 | Filtration - action
360220002 | Mapping - action
360222005 | Massage - action
360223000 | Cine imaging - action
360226008 | Electrical discharge - action
360231005 | Video imaging - action
360232003 | Spectroscopy - action
360239007 | Termination - action
360240009 | Connection - action
360270004 | Therapy - action
360272007 | Discussion - action
360273002 | Provision - action
360314001 | Cutting - action

360315000 | Filing - action
360323003 | Restore - action
360324009 | Obturation - action
360325005 | Simple removal - action
360393008 | Disinsertion - action
362939006 | Dissolution - action
363659002 | Pacing - action
363678002 | Positron emission tomographic imaging - action
367529003 | Lending - action
367558000 | Contouring - action
367559008 | Preparation - action
367560003 | Buckling - action
367642006 | Inversion - action
367740008 | Suspension - action
369242005 | Hyfrecation - action
386746003 | Maintenance - action
399009009 | B mode ultrasound
399015009 | Tomographic imaging, plain radiologic - action
399035005 | Tomographic imaging - action
399064001 | 2D mode ultrasound
399155008 | M-mode ultrasound
410460000 | Illumination
410461001 | Dual diffuse direct illumination
410462008 | Fine slit beam direct illumination
410463003 | Broad tangential direct illumination
410464009 | Indirect sclerotic scatter illumination
410465005 | Indirect retroillumination from the iris
410466006 | Indirect retroillumination from the retina
410467002 | Indirect iris transillumination
410756002 | Surgical decompression - action
410757006 | Decompressive excision - action
410758001 | Decompressive incision - action
410759009 | Decompressive division - action
410769003 | Elevation reduction - action
410814006 | Surgical reduction - action
410817004 | Dilation repair - action
410820007 | Surgical transplantation - action
415186003 | Proximal illumination - action
416677001 | Internal drainage - action
419385000 | Use
419652001 | Take
419656003 | Examination AND/OR history taking - action
419988009 | Action of drug administration
424208002 | Shunt - action
424832003 | Surgical introduction - action
424900004 | Recommendation - action
425362007 | Surgical insertion - action
425689005 | Teaching - action
425704008 | Power doppler ultrasound
425764006 | Transection - action
426413004 | Closed reduction - action
426530000 | Open reduction - action
426865009 | 3D mode ultrasound
428010000 | Open embolization - action
428381003 | Diathermy - action
430975009 | Surgical piercing - action
439054007 | Surgical cataract aspiration - action
439237009 | Mechanical repair - action
439315000 | Wedge osteotomy - action
439417007 | Closed manual reduction - action
439513008 | Surgical size reduction - action
440338007 | Dispensing - action
440647007 | Mechanical construction - action
441504007 | Surgical manipulation - action
442837002 | Excision debridement - action
445103003 | Fixation by wedging - action
698788008 | Transmission illumination
698789000 | Reflection illumination
698790009 | Epifluorescence illumination
698792001 | Brightfield illumination
698793006 | Darkfield illumination
698794000 | Oblique illumination

698796003 | Phase contrast illumination
698797007 | Differential interference contrast
698798002 | Total internal reflection fluorescence
702569007 | Cone beam computed tomography imaging - action
713295009 | Surgical replacement - action
128004 | Hand microscope examination of skin
135007 | Arthrotomy of wrist joint with exploration and biopsy
153001 | Cystourethroscopy with resection of ureterocele
170009 | Special potency disk identification, vancomycin test
197002 | Mold to yeast conversion test
306005 | US kidneys
334003 | Panorex examination of mandible
352003 | Reagent RBC, preparation antibody sensitized pool
353008 | IV/irrigation monitoring
389000 | Tobramycin level
435001 | Pulmonary inhalation study
468008 | Glutathione measurement
489004 | Ferritin level
493005 | Urobilinogen measurement, 48-hour, feces
540006 | Antibody to single and double stranded DNA measurement
574005 | Benzodiazepine measurement
628003 | Steinman test
642006 | Cerebral thermography
673005 | Indirect examination of larynx
674004 | Abduction test
687005 | Albumin/Globulin ratio
697001 | Hepatitis A virus antibody measurement
759005 | Intracerebral electroencephalogram
762008 | Computerized axial tomography of cervical spine with contrast
767002 | White blood cell count - observation
814007 | Electrophoresis measurement
831000 | Drawer test
853003 | Fecal fat measurement, 72-hour collection
870006 | Carbamazepine measurement
879007 | Special blood coagulation test, explain by report
893000 | Tumor antigen measurement
910002 | MHPG measurement, urine
941001 | Endoscopy of pituitary gland
951000 | Ultrasonic guidance for endomyocardial biopsy
969009 | Incision and exploration of larynx
1029002 | Fetoscopy
1035002 | Minimum bactericidal concentration test, microdilution method
1043007 | Doppler color flow velocity mapping
1044001 | Diagnostic ultrasound of abdomen and retroperitoneum
1225002 | Upper arm X-ray
1292009 | MRI of bladder
1324000 | Cerebrospinal fluid immunoglobulin G ratio and immunoglobulin G index
1358008 | Anti-human globulin test, enzyme technique, titer
1385001 | Echography, scan B-mode for foetal age determination
1399002 | Incision and exploration of ureter
1414009 | Angiography of arteriovenous shunt
1494008 | Osmolarity measurement
1550000 | Amikacin level
1559004 | Interleukin (IL)-2 assay
1597004 | Skeletal X-ray of ankle and foot
1616001 | Galactosylceramide beta-galactosidase measurement, leukocytes
1640009 | History and physical examination, insurance
1677001 | Haagensen test
1712009 | Immunoglobulin typing, immunoglobulin G
1757000 | Arthroscopy of wrist with partial synovectomy
1759002 | Assessment of nutritional status
1784004 | Fecal stercobilin, qualitative
1787006 | Ultrasonic guidance for pericardiocentesis
1820004 | Ethanol measurement, breath
1879000 | Fluorescent antigen measurement
2054004 | Barbiturates measurement, quantitative and qualitative
2196003 | Gas liquid chromatography, electron capture type
2214008 | Curette test of skin
2220009 | Complement component assay
2225004 | Sensititer system test
2244006 | Arthroscopy of wrist with internal fixation for instability
2266004 | Venography of adrenal, bilateral

2276001 | Exploration of popliteal artery
2278000 | Urinalysis, automated
2279008 | Antibody detection, red blood cell, enzyme, 1 stage technique, including anti-human globulin
2290003 | Microbial culture, anaerobic, initial isolation
2347001 | Diagnostic model construction
2373006 | Buffy coat smear evaluation
2408004 | Hexosaminidase A and total hexosaminidase measurement, serum
2425002 | Epstein-Barr virus serologic test
2448007 | Cell count of synovial fluid with differential count
2461007 | Tennis elbow test
2507007 | 5' Nucleotidase measurement
2508002 | Retrograde urography with kidney-ureter-bladder
2531002 | Mononuclear cell function assay
2629003 | Intracranial/cerebral perfusion pressure monitoring
2646000 | Incision and exploration of vas deferens
2690005 | MRI of pelvis
2693007 | Stool fat, quantitative measurement
2696004 | Hepatic venography with hemodynamic evaluation
2722000 | Interleukin-3 assay
2731000 | Serologic test for influenza virus A
2737001 | Exploratory craniotomy, infratentorial
2743004 | Operative endoscopy of ileum
2811005 | Cineradiography of pharynx
2842000 | Gas chromatography measurement
2847006 | Cervical myelography
2885009 | Intradermal allergen test
2891006 | Arthroscopy of elbow with partial synovectomy
2898000 | Deoxyribonucleic acid analysis, antenatal, blood
2933008 | Pneumogynecography
2947007 | Therapeutic compound measurement
3025001 | Calcitonin measurement
3047001 | Kowa fundus photography
3063009 | Gastroscopy through artificial stoma
3116009 | Clotting screening
3130004 | Monitoring of cardiac output by electrocardiogram
3143004 | Visual field examination and evaluation, intermediate
3162001 | Gadolinium measurement
3256004 | Cervical lymphangiogram
3257008 | Empty and measure peritoneal dialysis fluid
3258003 | Cerebral arteriography
3352000 | PTH - Parathyroid hormone level
3357006 | Iron kinetics
3413006 | Blood cell morphology
3450007 | Lymphocytes, T & B cell evaluation
3512003 | Angiography of arteries of extremity
3527003 | Antibody measurement
3620007 | Red cell survival study with hepatic sequestration
3683006 | Selenium measurement, urine
3717006 | Dilute Russell viper venom time
3735002 | Coproporphyrin III measurement
3770000 | Ward urine dip stick testing
3784005 | Delayed hypersensitivity skin test for streptokinase-streptodornase
3787003 | Ultrasonic guidance for needle biopsy
3794000 | Pregnanetriol measurement
3799005 | Radiography of adenoids
3858009 | Echography of thyroid, A-mode
3862003 | Total vital capacity measurement
3926003 | Lactate measurement
3955006 | Antibody elution from red blood cells
3967008 | Fluorescence polarization immunoassay
3971006 | Duchenne muscular dystrophy carrier detection
3991004 | MRI of pelvis, prostate and bladder
3998005 | Bone imaging of limited area
4007002 | Anti-human globulin test, indirect, titer, non-gamma
4008007 | Phlebography of neck
4036002 | Arthroscopy of elbow with extensive debridement
4165006 | Delayed hypersensitivity skin test for staphage lysate
4192000 | Toxicology testing for organophosphate insecticide
4321009 | Bilateral leg arteriogram
4337003 | Homogentisic acid measurement
4436008 | Methylatable chemotaxis protein (MCP) receptor measurement
4438009 | Venography of vena cava

4447001 | Autopsy, gross and microscopic examination, stillborn or newborn without central nervous system
4466001 | Exploration of upper limb artery
4475004 | Cyanide level
4487006 | Norepinephrine measurement, supine
4525004 | Seen by casualty - service
4594007 | Coproporphyrin isomers, series I & III, urine
4613005 | Radioimmunoassay
4625008 | Apical pulse taking
4691008 | Identification of rotavirus antigen in feces
4701005 | Colony forming unit-granulocyte-monocyte-erythroid-megakaryocyte assay
4713000 | Endoscopy and photography
4727005 | Lipoprotein electrophoresis
4737000 | Mycobacteria culture
4804005 | Microbial identification test
4815000 | Antibody identification, red blood cell antibody panel, enzyme, 2 stage technique including anti-human globulin
4902005 | Ethchlorvynol measurement
4903000 | Serum protein electrophoresis
4934001 | Salpingography
4970003 | Venography
4993009 | Ischemic limb exercise with electromyography and lactic acid determination
5019003 | Direct laryngoscopy with biopsy
5021008 | Aldosterone measurement, standing, normal salt diet
5022001 | Lysergic acid diethylamide measurement
5025004 | Semen analysis, presence and motility of sperm
5055006 | Uniscept system test
5091004 | Peripheral vascular disease study
5105000 | Endoscopy of renal pelvis
5110001 | Ultrasound peripheral imaging, real time scan
5113004 | FT4 - Free thyroxine level
5131003 | Radiography of chest wall
5190000 | Cell fusion
5216004 | Three dimensional ultrasound imaging of heart
5264008 | Total bile acids measurement
5338000 | Nicotine measurement
5393006 | Exploration of parathyroid with mediastinal exploration by sternal split approach
5422005 | Amylase measurement, peritoneal fluid
5433008 | Skeletal X-ray of lower limb
5457008 | Serologic test for Rickettsia conorii
5479003 | Select picture audiometry
5482008 | Serologic test for Blastomyces
5506006 | Incision and exploration of abdominal wall
5551006 | Direct laryngoscopy with arytenoidectomy with operating microscope
5570001 | Arthrotomy for infection with exploration and drainage of carpometacarpal joint
5586008 | Aminolevulinic acid dehydratase measurement
5608002 | Excretion measurement
5638008 | Carbohydrate measurement
5651003 | Arylsulfatase A measurement
5669007 | Portable electroencephalogram awake and asleep with stimulation
5731009 | Hemosiderin, quantitative measurement
5733007 | Fluorescent identification of anti-nuclear antibody
5785009 | Forensic autopsy
5818005 | Flocculation test
5823005 | Diagnostic radiography, left
5846007 | Diagnostic radiography of toes
5857002 | Complement mediated cytotoxicity assay
5880005 | Clinical examination
5894006 | Methyl red test
5902003 | History and physical examination, complete
5986003 | Non-sensitized spontaneous sheep erythrocyte binding, E-rosette
5995006 | Gas liquid chromatography, flame photometric type
6007000 | Magnetic resonance imaging of chest
6019008 | Endoscopy of large intestine
6063004 | Kanamycin measurement
6126006 | Fitzgerald factor assay
6127002 | Diagnostic radiography of abdomen, oblique standard
6133006 | Lymphokine assay
6157006 | Endoscopic retrograde cholangiopancreatography with biopsy
6159009 | Galactose measurement
6177004 | Southern blot assay
6205000 | Fluorescent antigen, titer
6225001 | Antibody detection, RBC, enzyme, 2 stage technique, including anti-human globulin
6238009 | Diagnostic radiography of sacroiliac joints

6271008 | Echography, immersion B-scan
6289009 | White blood cell histogram evaluation
6309008 | Fecal fat differential, quantitative
6319002 | Beta lactamase, chromogenic cephalosporin susceptibility test
6339003 | Conditioning play audiometry
6353003 | Mitsuda reaction to lepromin
6354009 | Sedimentation rate, Westergren
6385000 | Exploration of disc space
6396008 | Galactokinase measurement
6434009 | Seminal fluid detection
6438007 | Exploration of ciliary body
6470007 | Laparoamnioscopy
6480006 | Urinary bladder residual urine study
6491004 | Protein S, free assay
6521006 | Polytomography
6556005 | Reticulin antibody measurement
6589005 | Antibody titration, high protein
6614002 | Antibody to single stranded DNA measurement
6615001 | Electroretinography with medical evaluation
6650009 | Radionuclide lacrimal flow study
6656003 | Acoustic stimulation test
6668007 | Fibrinogen assay, quantitative
6689003 | Immunodiffusion, qualitative
6690007 | Sulfonamide measurement
6728003 | Radiologic examination of complete spine, anteroposterior and lateral
6745008 | Indirect laryngoscopy with removal of foreign body
6748005 | Electron microscopy technique, glass knife making
6782004 | Methylene blue plating test
6880001 | C3e receptor measurement
6943008 | Aldosterone measurement, normal salt diet, urine
6986008 | Precipitin test for blood group, species identification
7103008 | Trypsin, duodenal fluid
7164004 | Toxoplasmosis dye test
7174001 | Ultrasound peripheral imaging, B-scan
7239006 | Proctosigmoidoscopy for dilation
7256003 | Counter-current immunoelectrophoresis
7288006 | Febrile agglutinins, qualitative
7301001 | Haptoglobin measurement, chemical
7370001 | Diagnostic radiography, serial films
7375006 | Bronchoscopy through tracheostomy with biopsy of bronchus
7421004 | Bone marrow imaging, limited area
7510005 | Color vision examination
7541006 | Exploration of testis
7546001 | History and physical examination, follow-up for neoplastic disease
7557006 | Vitamin E measurement
7562007 | Radioisotope study of endocrine system
7576008 | Spinal angiography, selective
7606004 | Methemoglobin measurement, qualitative
7656009 | Isotope study for renal plasma flow
7677007 | Consonant differential pressure test
7740009 | Fructosamine measurement
7750005 | Flexible fiberoptic laryngoscopy with biopsy
7786006 | VDRL - Venereal diseases research laboratory test
7812007 | Radiologic examination of thoracolumbar spine, anteroposterior and lateral
7837002 | Mercury measurement, hair
7839004 | Incision and exploration of male perineum
7887009 | Palmitate measurement
7918005 | Ward glucometer test
7932007 | Clonazepam measurement
7962001 | Ethosuximide measurement
7992005 | DNA binding autoantibody level
7993000 | Bone marrow imaging, whole body
7995007 | Angiography of lower extremity arteries with serialography
8031000 | Vaginogram
8073008 | Ultrasonic guidance for aspiration of ova
8138008 | Antithrombin III assay, functional
8151003 | Echocardiography for detecting cardiac output
8180007 | Fiberoptic colonoscopy through colostomy
8196005 | Clotting factor VII assay
8243008 | Measurement of interstitial fluid pressure
8244002 | Alkaline phosphatase isoenzymes measurement
8246000 | Electroencephalogram during carotid surgery

8294001 | Rhogam crossmatch
8306009 | Ultrasonic Doppler
8321003 | Erichsen's test
8358003 | Diagnostic radiography, bilateral
8364005 | Phosphorus measurement
8404006 | Chemotaxis assay
8424005 | Alpha-fucosidase measurement, leukocytes
8446002 | Quantitative immunologic identification of antigen or antibody
8449009 | Radiography of sacrococcygeal spine
8463003 | Microbial identification kit, API 20A method
8478005 | Gastric fluid analysis, pH titration
8503002 | Diagnostic radiography with contrast media, bilateral
8541009 | Germanium measurement
8574009 | Platelet estimate
8606002 | Transillumination of nasal sinuses
8611000 | 2,3-diphosphoglycerate measurement, erythrocytes
8642005 | Beryllium measurement
8655006 | Lead measurement, quantitative, blood
8693001 | Radionuclide identification of eye tumor
8698005 | Parathyroid hormone (PTH) immunochemiluminescent measurement
8706007 | Arginine tolerance test
8777004 | Incision and exploration of large intestine
8848007 | Cystourethroscopy with ureteral catheterization and brush biopsy
8874001 | Arthroscopy of knee with medial and lateral meniscectomy
8879006 | Creatinine measurement, 24 hour urine
8890001 | Heavy metal screen on urine
8959002 | Mass spectrometry measurement
8992008 | Bacterial serologic study
8994009 | Radioiron oral absorption study
9002005 | Manual testing of muscle function
9011005 | Haptoglobin measurement, electrophoresis
9087001 | Exploration of cranial nerve
9104009 | Exploration of soft tissue
9106006 | Intraoperative cardiac pacing and mapping
9134004 | Ballistocardiography
9173004 | Heavy metal screen on gastric fluid
9213003 | Gastric fluid analysis, free acid measurement
9232009 | FTA(Abs) - Fluorescent treponemal antibody test
9330003 | Penicillin measurement
9336009 | Chemical test, qualitative and quantitative
9381008 | Antibody identification, RBC, saline and AHG
9403009 | Diagnostic radiography, minifilm
9456006 | Blood venous pH level
9474002 | Endoscopy and calibration
9486004 | Quantitative microbial culture, filter paper method
9517003 | Mirror examination
9518008 | Fistulogram of abdominal wall
9525001 | Shoulder depression test
9564003 | Complete blood count with white cell differential, automated
9606007 | Growth on MacConkey agar without crystal violet test
9616004 | Tetracaine measurement
9698004 | Transfer of culture to holding media
9704004 | Computerized tomography, limited studies
9718006 | Polymerase chain reaction analysis
9759000 | Lysozyme resistance test
9777005 | Urine bile pigment level
9833008 | Ward specific gravity test
9897006 | Receptor binding site activity
9915003 | Clotting factor X assay
9954002 | Serologic test for rubella
9988008 | Computerized tomography, oblique
10071009 | Anti-streptokinase assay
10072002 | Fluorescent antibody measurement
10104004 | Flow cytometric crossmatch, two colors
10110004 | Platelet adhesiveness test
10140002 | Opiates, qualitative
10181005 | Diagnostic radiography of sacrococcygeal joint
10187009 | Ketone bodies measurement, qualitative
10199002 | Phonocardiogram with ECG lead
10223001 | Fat stain, urine
10239008 | Rheumatoid factor, quantitative
10268009 | Immunochemiluminescent assay

10374007 | Echography, contact B-scan
10428007 | Radiologic guidance for dilation of ureters
10447005 | Maprotiline measurement
10489002 | Nasal endoscopy with nasal polypectomy
10563004 | Sleep disorder function test
10666003 | Exploration for removal of deep foreign body of forearm
10670006 | Oxazepam measurement
10672003 | Minimum bactericidal concentration test, macrodilution method
10688003 | Anodic stripping voltammetry measurement
10689006 | Exploration of nerve
10812009 | Blood gases, capillary measurement
10820006 | Beta-lactamase activity
10821005 | Gastric fluid analysis, food, forensic
10822003 | Fecal trypsin, qualitative 24-hour specimen
10829007 | Test of esophageal sensation using acid perfusion
10847001 | Bronchoscopy
10909005 | Audiometric group testing
10910000 | Crossed immunoelectrophoresis measurement
10919004 | Atomic absorption, flame type
10939000 | Iron uptake test
10946009 | Fajersztajn test
10956008 | Clot retraction, inhibition by drug
10967009 | Eosinophil count, nasal
11017006 | Thromboxane B2 assay
11078007 | Fletcher factor assay
11138003 | Acid mucopolysaccharides measurement
11148001 | Intracardiac electrophysiologic procedure with ECG
11175008 | Insect identification procedure
11184008 | Urinalysis, blood, qualitative
11198000 | Carnitine measurement, tissue
11269009 | Isotope study for plasma volume
11274001 | Lactate dehydrogenase level
11278003 | Kidney imaging with vascular flow and function study
11295006 | Brachial arteriography
11304004 | Diphtheria skin test
11343000 | Anoscopy with biopsy
11362002 | Epstein-Barr MA antibody measurement
11377005 | Direct laryngoscopy with excision of tumor
11390003 | US Retroperitoneum, limited
11405004 | Gelatin liquefaction test
11415005 | Antibody identification, RBC antibody panel, standard technique
11485002 | Electron microscopy for viral identification rapid
11560009 | Endoscopy of adenoid
11561008 | C1q receptor measurement
11582002 | Intraoperative echography
11610007 | Arylsulfatase A measurement, fibroblasts
11634002 | Diagnostic radiography, supine and erect studies
11732005 | Simple cystometrogram
11743002 | Semen analysis, post vasectomy
11756009 | Factor H receptor measurement
11758005 | Quantitative photoplethysmography, venous
11760007 | Fluoroscopy during operation
11819005 | Ocular thermography
11821000 | Pharmacometric study
11829003 | Vitamin B6 measurement
11846000 | Aniline measurement
11892002 | Computerized tomography, sagittal
11895000 | Tracer study of eye
11900001 | Seminal examination
11905006 | Pasco system test
11909000 | Immunoprecipitin test, quantitative
11913007 | Mephenytoin measurement
11921001 | Heinz body determination, induced
11971003 | Pulmonary ventilation-perfusion study by radioactive krypton
12065009 | Monitoring of coronary blood flow
12118001 | Phlebography of portal system
12124007 | Radioisotope scan of pancreas
12199005 | Vitamin D, 25-hydroxy measurement
12224000 | Parathyroid related protein measurement
12234009 | RBC antibody detection, warm with titration
12243000 | Exploration of femoral artery
12271006 | Complement fixation test for syphilis

12282003 | Dental pulp vitality test
12305000 | Microbial identification, quadFERM and method
12319000 | Mexiletine measurement
12324002 | Exploratory laparotomy with biopsy
12341000 | Isotope study for glomerular filtration rate
12350003 | Colonoscopy with rigid sigmoidoscope through colotomy
12356009 | Diagnostic radiography, stereotactic localization in head
12357000 | Radiologic examination of renal cyst, translumbar approach
12359002 | Microbial identification, Neisseria hemophilus identification card method
12386002 | Patient status determination
12387006 | Microbial subculture
12389009 | Xeromammography
12429008 | Granulocyte migration inhibitor factor assay
12455009 | Calcium measurement, 24H stool
12513003 | Diagnostic radiography of hip, bilateral
12586001 | Physician direction of emergency medical systems
12652004 | Urine zinc level
12700007 | Meat inspection for toxicology
12712006 | Antimony measurement, urine
12717000 | Culture for viruses
12736005 | Beta lactamase, acidimetric susceptibility test
12744005 | Perineal urethroscopy
12749000 | Radiologic guidance for percutaneous placement of enteroclysis tube
12780005 | Indirect laryngoscopy with removal of lesion
12787008 | D-xylose, blood
12810006 | Cell mediated lympholysis assay
12836004 | Autobac series II system test
12838003 | Incision and exploration of neck
12843005 | Subsequent hospital visit by physician
12845003 | Malaria smear
12889003 | Microbial culture, complex
12894003 | Functional assessment
13004001 | Rigid proctosigmoidoscopy
13021005 | Electron microscopy study, examination and report
13042007 | Elbow flexion test
13046005 | Cholylglycine measurement
13067005 | Cholesteryl esters measurement
13070009 | Hepatitis A virus antibody, IgG type
13072001 | Antibody identification, RBC, albumin
13088001 | Corpora cavernosography
13142009 | Direct laryngoscopy with insertion of obturator
13153003 | Circulation time, one test
13165004 | Measurement of glucose 3 hours after glucose challenge for glucose tolerance test
13167007 | Angiocardiography by cineradiography
13205008 | Transvaginal ultrasound scan
13227004 | Acetaldehyde measurement
13256004 | Dynamic function study, blood clearance
13362007 | Gas liquid chromatography, Hall conductivity type
13374006 | Hemolysin detection, cold, quantitative
13378009 | Thyroid uptake with discharge
13385008 | Mediate auscultation
13405005 | Plasma clot lysis time
13416003 | Ober's test
13437006 | Alpha globulin gene analysis, blood
13450007 | Mammary ductogram of multiple ducts
13478008 | Electrocardiogram, intracardiac, His bundle recording
13518004 | Computerized tomography without IV contrast followed by IV contrast and more sections
13578005 | Diagnostic radiography, combined AP and lateral
13587001 | Gas liquid chromatography, mass analyzer type
13607009 | Manual examination of breast
13661007 | Lidocaine measurement
13714004 | Arthroscopic procedure
13728005 | Gastric analysis
13745000 | Dermographia test
13801008 | Puncture test
13837003 | Inborn errors of metabolism screen
13845008 | Gastrointestinal aspirate for localization of blood loss
13852005 | Transabdominal gastroscopy
13892007 | Progesterone receptor assay measurement
13949001 | Fluorescent treponemal absorption test, double staining test
13956007 | Urine concentration test
13966004 | Incision and exploration of nipple

14089001 | Red blood cell count
14129001 | History and physical examination, follow-up for emotional or mental disease
14211004 | CT guidance for needle biopsy
14227006 | Sickle cell identification
14233002 | Quantitative microbial culture, pad culture method
14275001 | Boronate affinity chromatography measurement
14305004 | Vasography
14348005 | Membrane stability test
14393002 | Wedge pressure determination
14412009 | Endoscopic destruction of lesion of peritoneum
14421005 | Serologic test for herpes virus
14431003 | Electrocardiogram, single lead
14452006 | Head distraction test
14456009 | Measuring height of patient
14471008 | Serologic test for Fungus
14513002 | Arthroscopy of ankle with removal of foreign body
14563007 | Endoscopy of pelvic cavity
14573009 | Endoscopy of epididymis
14577005 | Hexosaminidase A and total hexosaminidase measurement, amniotic fluid cells
14598005 | Vitamin B12 measurement
14603002 | Apnea monitor surveillance
14612000 | Immunoassay for detection of antibody to infectious agent, paired sample
14663000 | Chloride measurement, urine
14671001 | Thoracoscopy
14736009 | Patient evaluation and management
14740000 | Triglycerides measurement
14768001 | Peripheral blood smear interpretation
14769009 | Tilt table test
14788002 | Antimicrobial susceptibility test
14826006 | Cystourethroscopy with insertion of radioactive substance
14830009 | Electrolytes measurement, urine
14864008 | Endoscopy of thyroid
14881004 | Provocative intraocular pressure test
14902005 | Autoagglutination test
14932002 | Urine: Bence Jones' protein level
15022001 | Maximum breathing capacity measurement
15057003 | Range of motion measurements and report for hand
15175004 | HIV-1 dot blot immunobinding assay
15220000 | Laboratory test
15282006 | Fetal echocardiography, real time with image documentation (2D) with M-mode recording
15291005 | Left ventricular recording
15351005 | Radiocalcium absorption study
15356000 | Factor VIII R: R Co assay
15364006 | Scanning or imaging, perfusion study, particulate
15376006 | Infant development screening
15380001 | Granulocyte migration factor assay
15403001 | N-acetylglucosaminidase A & B measurement
15435001 | Inhalation bronchial challenge testing
15460001 | Paraldehyde measurement
15613003 | Ischemic forearm exercise test
15695009 | Stimulation test
15719007 | Fine needle aspirate with routine interpretation and report
15749009 | Cerebral ventriculography, air contrast
15757007 | Serialography, single plane
15774007 | Maxillary sinus endoscopy with removal of mucous membrane and polyps
15886004 | Neoplasm screening
15921006 | Passive agglutination test
15979006 | Endoscopy of heart
16020002 | Laryngeal function studies
16029001 | Esophagoscopy through artificial stoma
16099009 | Northern blot assay
16132001 | Bleeding time, Ivy
16151007 | Microbial identification and susceptibility test
16152000 | Norepinephrine measurement, standing
16245009 | Angiography of renal arteries, bilateral
16254007 | Lipid panel
16278002 | Radiologic supervision and interpretation of procedure
16298007 | Rate measurement
16306001 | Ocular photography for medical evaluation and documentation, slit lamp photography
16308000 | Beta-galactosidase measurement
16310003 | Ultrasonography
16314007 | Microbial smear examination

16361008 | Autopsy, gross and microscopic examination, stillborn or newborn
16391003 | Cystine measurement, quantitative
16400008 | Heterophile antibody measurement
16413002 | C1q precipitation test
16450001 | Leukocyte migration inhibitor factor assay
16493001 | Platelet aggregation with ADP test
16533001 | Silica measurement, tissue
16572002 | Butalbital measurement
16608009 | Endoscopy of lung
16614002 | Creatine kinase isoenzyme level
16620001 | Kidney stone analysis
16669004 | Hexosaminidase A and total hexosaminidase measurement
16690007 | Prothrombin consumption time
16692004 | C>1< complement assay
16742006 | Indirect antiglobulin test
16747000 | Percutaneous transhepatic cholangiogram
16771007 | Skin test, anergy testing
16775003 | Eikonometric examination including prescribing lenses
16830007 | Visual acuity testing
16860002 | Vestibular function test with observation and evaluation by physician
16890009 | Insulin level
16908007 | Linoleate measurement
16910009 | Oral contrast cholecystography
16939009 | Compatibility test, crossmatch, screening for compatible unit, saline and/or high protein
16942003 | Probing of lacrimal canaliculi with irrigation
16948004 | Immunoglobulin G subclass, G4 measurement
16960003 | Amino acid screen
17026004 | Radionuclide tissue clearance study
17092007 | Hepatitis E antibody measurement
17103008 | Skeletal muscle function study
17130003 | T3 - Triiodothyronine uptake
17146006 | NIBP - Non-invasive blood pressure monitoring
17164004 | Thyroglobulin antibody measurement
17188002 | Carnitine measurement, serum
17259005 | Ocular motility study
17297005 | Mercury level
17353009 | Microbial growth rate, slow
17374005 | Queckenstedt test
17375006 | Ultrasonic guidance for renal pelvis aspiration
17424007 | Intracarotid amobarbital test
17508008 | Paraaminohippurate measurement
17515000 | Radioimmunoprecipitation assay
17612009 | History and physical examination, known or suspected carrier
17624002 | Splenoportography, positive contrast
17652006 | Serologic test for Rickettsia rickettsii
17705008 | Lymphocyte transformation, phytohemagglutination
17711006 | Diagnostic radiography, combined posteroanterior and lateral
17724006 | Continuous wave Doppler analog wave form analysis of upper extremity arteries
17745004 | Radiography of male genital organs
17776005 | Arthrography of elbow
17814008 | Differential solubility measurement
17823006 | Boric acid measurement, blood
17831001 | Free fatty acids measurement
17882003 | Direct laryngoscopy with arytenoidectomy
17888004 | HDL measurement
17923005 | Incision and exploration of urethra
17969005 | T-cell antigen detection
17984001 | Acute gastrointestinal blood loss imaging
18000007 | Muscle-testing with torque curves during isometric and isokinetic exercise
18005002 | Intrinsic-plus test
18019002 | Heavy metal screen on blood
18044005 | Endoscopy of trachea
18049000 | Bronchoscopy with destruction of tumor by laser surgery
18091003 | Electronystagmography with vertical electrodes
18102001 | Mammary ductogram
18114009 | Prenatal examination and care of mother
18123007 | Latex agglutination inhibition assay
18178001 | Evaluation for hearing aid and testing
18188000 | Ophthalmoscopy under general anesthesia
18207002 | Urea nitrogen/creatinine ratio, serum
18284006 | Phospholipid measurement
18304007 | Yeast identification, germ tube test

18360001 | Red blood cell antibody detection, cold with titration
18370004 | Radiologic examination of upper gastrointestinal tract with kidney-ureter-bladder
18408009 | Culture of semen for Brucella
18418004 | Hepatitis C virus recombinant immunoblot measurement
18479002 | Testicular imaging with vascular flow
18481000 | Electron microscopy technique, staining, thin section
18499008 | Radionuclide study, protein kinetics
18529002 | Diagnostic radiography of pelvis, stereo views
18603005 | Time kill assay test
18640002 | Echography, M-mode
18648009 | Sleep EEG
18649001 | Rectal temperature taking
18691004 | Alpha-subunit of pituitary glycoprotein hormone measurement
18706007 | Complement sixth component
18721001 | Cosyntropin test
18736003 | Middle ear exploration through ear canal incision
18747005 | Radiologic examination of elbow, anteroposterior and lateral views
18762007 | Exploration of vein of lower limb
18785008 | Microbial dry smear
18840000 | Virus identification by tissue culture inoculation and observation
18843003 | Mass spectrometry, chemical ionization type
18848007 | Echography of chest, B-scan with image documentation
18856005 | Arthroscopy of shoulder with extensive debridement
18912009 | Radiography of soft tissue of elbow
18922003 | Thomas test
18980008 | Red blood cell antibody detection with saline
19086005 | Radioisotope study of respiratory system
19116003 | Cytochrome b5 reductase measurement
19165008 | Measurement of limb length
19218007 | Incision and exploration of gallbladder
19229006 | Pesticides screen
19247000 | Endoscopy of tonsil
19252005 | Isotope study for gastrointestinal blood loss
19271007 | Fibrin split products, ethanol gel assay
19294008 | Endomysium antibody level
19401006 | Oxytocinase measurement
19426002 | Exploration of abdominal artery
19433002 | Direct laryngoscopy with foreign body removal
19490002 | Radiography of ankle
19505000 | Immunoglobulin typing, immunoglobulin M
19507008 | Measurement of deoxyribonuclease C antibody
19518008 | Protein measurement, urine, quantitative 24 hour
19540004 | Arthroscopy of knee with lysis of adhesions with manipulation
19566001 | Sperm evaluation by cervical mucus penetration test
19589009 | Radiography of mandible
19671003 | Bone thermography
19681004 | Nursing evaluation of patient and report
19720009 | Electron microscopy for viral identification, smear, transmission
19731001 | Ultrasound study of eye
19739004 | Platelet aggregation assay
19748009 | Cyanide measurement, tissue
19806009 | Direct laryngoscopy, diagnostic, with operating microscope
19815002 | Toluidine red unheated serum test
19821003 | Carboxyhemoglobin measurement
19838004 | In-vitro immunologic test
19851009 | Microbiology test
19869000 | Rapid plasma reagin test
19876005 | Ankle dorsiflexion test
19957009 | White blood cell (WBC) enzyme determination
19961003 | Cephalometric analysis
20003009 | BACTEC susceptibility test by direct method
20006001 | Passive hemagglutination assay
20067007 | Retinal photography
20099001 | Blood typing, ABO, Rho(D) and red blood cell antibody screening
20109005 | Electrolytes measurement, serum
20130001 | Endoscopy of skin of trunk
20135006 | Health screening
20174004 | Rickettsial serologic study, paired samples
20191000 | Radial immunodiffusion measurement
20284006 | Sceptor system test
20308005 | C>1<r complement assay
20312004 | Gibberelic acid measurement

20350005 | Amniography
20370004 | Microbial identification, Key rapid test
20384009 | Radioisotope scan of pituitary
20436004 | Testosterone measurement, unbound
20469004 | Protein S level
20480004 | Arthrotomy of mediocarpal joint for infection with exploration and drainage
20481000 | Determination of prognosis
20501000 | Urine specific gravity level
20508006 | Esculin hydrolysis test
20521004 | Basic pure tone audiometry, air and bone
20536001 | Direct immunobead assay
20552003 | Plethysmography
20563000 | Estriol measurement, serum
20592001 | Eosinophil count, stool
20603005 | Special echography procedure
20630000 | Laparoscopic cholecystectomy with cholangiography
20661009 | Respirations counting and evaluation
20688004 | Antibody detection, red blood cell, saline, high protein and anti-human globulin technique
20726006 | Pressure measurement of sphincter of Oddi
20740007 | Pelvic echography, B-scan, complete
20798004 | Radiologic examination of foot, anteroposterior and lateral views
20811003 | Quantitative photoplethysmography, vascular
20816008 | OM - Esophageal manometry
20817004 | Wedge pressure determination of hepatic vein
20836009 | CT of posterior fossa with contrast
20857001 | Phencyclidine measurement
20868001 | Duchenne muscular dystrophy carrier detection, blood
20883006 | N-methylimidazoleacetic acid measurement, urine
20933000 | Endoscopy of liver
20939001 | Quinine measurement
21032000 | Cardiac mapping
21062006 | Phenylpropanolamine measurement
21126008 | Hepatobiliary ductal system imaging including gallbladder
21151009 | Intracranial pressure monitor maintenance
21221007 | B blood group typing
21331002 | Arthrotomy of knee with joint exploration and biopsy
21339000 | Radiography of intestine
21354006 | Leukocyte histamine release test
21393002 | Lymphocyte transformation, antigen induced
21403007 | Yeast identification, direct mount
21423008 | Sigmoidoscopy through artificial stoma
21424002 | Phosphatidylinositol measurement
21487006 | Sulfadiazine measurement
21537002 | Parathyroidectomy with mediastinal exploration by sternal split approach
21562002 | Theophylline measurement, saliva
21593001 | Ophthalmodynamography
21613005 | Radiologic examination of cervical spine, anteroposterior and lateral
21623001 | Biophysical profile of fetus
21685006 | Ocular photography for medical evaluation and documentation, stereophotography
21689000 | Endoscopy of adrenal gland
21727005 | Audiometric test
21796007 | Direct laryngoscopy with dilation
21808008 | Environmental culture
21831008 | Incision and exploration of bronchus
21862007 | Visual field examination and evaluation, limited
21970003 | Radiography of ribs
22031009 | Urine porphyrin levels
22034001 | Echography of prostate, transrectal approach
22059005 | Computerized tomography, bone density study
22089003 | Pulmonary ventilation-perfusion study by radioactive oxygen
22189001 | Methotrexate level
22238008 | Pulmonary stress testing
22260006 | C1q solid phase assay
22289008 | Radiography of symphysis menti
22369009 | Platinum measurement
22400007 | Three-dimensional reconstruction
22446007 | Diagnostic radiography of chest, minifilm
22458007 | Epidural venography
22494006 | Immediate percussion
22530002 | Arthrography of hip with positive contrast
22546005 | Esophagogastroscopy through stoma
22569008 | Glucose measurement, serum

22642004 | Bacterial bacteriophage typing
22644003 | Low density lipoprotein measurement
22677004 | Autopsy, gross examination, teaching, limited
22705003 | Nasal endoscopy with removal of foreign body
22714008 | Antigen capture assay
22760005 | Xeroradiography
22761009 | Perineogram
22766004 | Interleukin-6 assay
22791004 | X-ray of lumbosacral spine
22820002 | Urine free cortisol level
22872007 | Stimulation of carotid sinus with simultaneous electrocardiographic monitoring
22873002 | Pulmonary phlebography
22874008 | Trifluoperazine measurement
22891007 | Radiography of teeth
22901000 | Diagnostic radiography, survey
22923001 | Factor D complement assay
22948003 | Radiologic examination of wrist, anteroposterior and lateral views
22981002 | Ortolani test
22998002 | Digital examination of colostomy stoma
23025002 | Gastric transit study
23054008 | Maxillary sinus endoscopy with removal of foreign body
23093004 | Microbial identification, Minitek biochemical differentiation disk method
23162002 | Electroencephalogram awake and asleep with stimulation
23170007 | Phosphofructokinase measurement, erythrocytes
23197000 | Air culture for fungus
23225008 | Gastrointestinal protein loss study
23244001 | Hemoglobin F level
23297007 | Catalase test
23394003 | Radiography of sternum
23405006 | Schamroth test
23426006 | Lung function tests
23461000 | Diagnostic radiography, posteroanterior
23463002 | Gentamicin level
23479001 | High performance liquid chromatography, ultra-violet type
23481004 | Gas liquid chromatography, microwave plasma type
23516001 | Alpha-n-acetylglucosaminidase measurement, fibroblasts
23529001 | Mercury measurement, blood
23567003 | Biotinidase measurement
23572007 | Transmission bone density study
23576005 | Plant identification procedure
23638006 | Electrocardiogram with maximal exercise test
23738001 | US scan of digestive system
23779000 | Crystal identification, urine
23796004 | IL-7 assay
23818008 | Scanning or imaging, perfusion study, gaseous
23828004 | Immunodiffusion, qualitative by Ouchterlony technique
23846005 | Radiography of soft tissue of thigh
23852006 | Cardiac monitoring
23931002 | Ultrasonography of head and neck
24046001 | Ethylene glycol measurement
24053005 | Heterophile antibody screen
24058001 | Echocardiography for determining posterior left ventricular wall thickness
24103002 | Endoscopy of skin of head
24135002 | Ultrasonography of total body
24139008 | Endoscopic examination of bladder
24200008 | Calculus analysis, quantitative, X-ray diffraction
24205003 | Uric acid measurement, urine
24229005 | Esophagoscopy for removal of polypoid lesion
24247004 | Euglobulin lysis time
24252009 | Porphyrin measurement, total, plasma
24267008 | Soft tissue X-ray of shoulder and upper limb
24420007 | SIGy - Sigmoidoscopy
24426001 | Arsenic measurement, gastric
24509005 | Urea nitrogen measurement
24512008 | Special chemical test, explain by report
24519004 | Free radical assay technique measurement
24580007 | Raji assay
24592007 | Serologic test for Ehrlichia sennetsu
24593002 | Fibrinolytic system test
24599003 | Pulmonary artery pressure monitoring
24623002 | Screening mammography
24625009 | Ely test

24643008 | Circulating inhibitor assay, factor IX
24644002 | Leukocyte migration factor assay
24646000 | Abdominal aortography, translumbar with serialography
24683000 | Uptake measurement
24689001 | Computed tomography guidance for treatment planning, teletherapy
24714007 | Microbial growth rate, rapid
24715008 | Splenoportogram by splenic arteriography
24727006 | Temperature gradient studies
24737001 | Echography of scrotum and contents
24753003 | Sex hormone binding globulin level
24799001 | Bicarbonate loading test
24808009 | Iron chelation study
24831009 | Intestinal alkaline phosphatase measurement
24848001 | Ultrasonography of pelvis
24856003 | Diagnostic radiography of coccyx
24892004 | Antineuronal nuclear antibody-type I measurement
24899008 | Infection control culture overnight
24968008 | Endoscopy of skin of extremities
24985005 | Visual field examination and evaluation, extended
25096005 | Phosphatidylglycerol measurement, semi-quantitative, amniotic fluid
25104002 | Haloperidol measurement
25117004 | Incision and exploration of adrenal
25164004 | Ketone bodies measurement, quantitative
25197003 | Sodium measurement
25219007 | Antibody to nuclear matrix measurement
25284008 | Carbon dioxide measurement, partial pressure
25306006 | Thermography - deep veins
25340006 | Neutrophil band count
25347009 | Venography of lower extremity, bilateral
25383000 | Interleukin-1 alpha assay
25411007 | Hysterography
25434003 | Limited eye examination
25459007 | Coated particle agglutination inhibition assay
25464006 | Thromboplastin generation test, Hicks-Pitney modification
25469001 | Anion gap measurement
25485006 | Exploration of lower limb artery
25514001 | Digoxin measurement
25528007 | Microbial identification kit, Enterotube II method
25570002 | Endoscopy of nose
25578009 | Human immunodeficiency virus HIV-1 passive hemagglutination assay
25579001 | Oxygen measurement, partial pressure, arterial
25630002 | Testicular imaging
25643002 | Cryoglobulin measurement, type I
25645009 | Endoscopy of perineum
25652006 | alpha-L-iduronidase measurement
25656009 | Physical examination, complete
25696006 | Venereal Disease Research Laboratory (VDRL), qualitative
25697002 | Renin, low salt intake measurement, upright, 4 hours
25704007 | Antigen capture enzyme immunoassay test
25732003 | Fiberoptic colonoscopy with biopsy
25741008 | Special audiometric function test
25759006 | Radionuclide scanning for hot spot
25760001 | Angiography of cervicocerebral arteries
25775009 | Gastric fluid analysis, free and total acid measurement
25846008 | Cystourethroscopy with internal male urethrotomy
25850001 | US scan of chest
25884002 | Immunoelectrophoresis
25918005 | Cystourethroscopy with biopsy of bladder
25925003 | Concentration for ova and cysts
26046004 | Cardiovascular stress test using bicycle ergometer
26047008 | Aspirin tolerance test
26052003 | Manganese measurement
26055001 | Evoked stimulus response testing
26058004 | Thoracoscopy and biopsy
26086007 | Bone marrow laboratory procedure
26154000 | Base deficit measurement
26234007 | Platelet aggregation with collagen test
26262000 | Phlebography of head
26300008 | Protein C, functional assay
26308001 | Deep fine needle aspiration biopsy under radiologic guidance
26337002 | Exploratory thoracotomy
26354005 | Sleep electroencephalogram, all night

26448005 | Malonate test
26488000 | Plasminogen assay, antigenic
26491000 | Special potency disk identification test
26504003 | Arthrotomy of knee with joint exploration
26537001 | Diagnostic radiography of lumbar spine, combined anteroposterior and lateral
26542009 | Ward urine dip stick testing for sugar
26562001 | Phenothiazine measurement, quantitative
26589006 | Antibody identification, leukocyte antibody
26604007 | FBC - Full blood count
26631005 | Silica measurement, urine
26648002 | Diagnostic radiography, special views
26661002 | Probing of lacrimal canaliculi
26758005 | Albumin measurement
26762004 | Autopsy, gross examination, teaching, complete
26769008 | Bleeding time, Duke
26832000 | Alpha-galactosidase measurement, fibroblasts
26914001 | Tributyrin test
26946001 | CT of upper extremity with contrast
26958001 | LFT - Liver function test
26962007 | Urease test, Wayne method
26970002 | Hexosaminidase A and total hexosaminidase measurement, serum and leukocytes
26981004 | O-nitrophenyl-beta-o-galactopyranoside test
27032005 | Nose and throat examination
27051004 | Blood arterial pH level
27083005 | Immunoglobulin G subclass measurement
27107005 | Osmotic fragility, immediate
27115008 | Microsomal thyroid antibody measurement
27171005 | Urinalysis
27198009 | Rh system genotype
27220002 | Alpha-1-Fetoprotein measurement, amniotic fluid
27260001 | Urinalysis, routine and microscopic
27300001 | Molegraphy
27310005 | Gold measurement
27311009 | Ethylene glycol opacity test
27322008 | 17-Ketogenic steroids measurement
27323003 | Secretory immunoglobulin A measurement
27375007 | Gallstone analysis
27419005 | Amino acids measurement
27469002 | Percutaneous transhepatic portography with hemodynamic evaluation
27483000 | Diagnostic radiography with contrast media
27494001 | Human immunodeficiency virus HIV-2 antibody assay
27496004 | Delayed hypersensitivity skin test
27498003 | Positive contrast bronchography, bilateral
27532002 | Endoscopy and removal of foreign material
27563003 | Congo red test
27567002 | Microcytotoxicity crossmatch, NIH type
27593009 | Bacterial biotyping
27621006 | Acetylsalicylic acid measurement, qualitative
27662000 | Calibration of urethra
27709003 | Ascorbic acid measurement
27761003 | Amphotericin measurement
27808002 | Video and radio-telemetered electroencephalographic monitoring
27821009 | Venography of jugular vein
27851003 | Myelography of entire spinal canal
27854006 | Urine metanephrine
27904004 | Antibody to SS-B measurement
27965000 | Methamphetamine measurement
27994007 | Theophylline measurement, blood
28033003 | Fluoroscopic localization for needle biopsy in chest
28034009 | Follow-up examination of nose and throat
28036006 | High density lipoprotein cholesterol level
28040002 | General health panel
28101009 | Total vital capacity with timed forced expiratory volume and peak flow rate measurement
28148006 | Re-exploration of parathyroid gland
28160007 | Pelvic lymphangiography, bilateral
28163009 | Skin test for tuberculosis, Tine test
28261000 | Beta-glucosidase measurement
28275007 | Body plethysmography
28297009 | Galactosylceramide beta-galactosidase measurement, fibroblasts

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.336 Value Set http://hl7.org/fhir/ValueSet/guidance-response-status

URL: https://hl7.org/fhir/R4/valueset-guidance-response-status.html
Clinical Decision Support Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/guidance-response-status
Version: | 4.0.1
Name: | GuidanceResponseStatus
Title: | GuidanceResponseStatus
Definition: | The status of a guidance response.
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.817 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for GuidanceResponseStatus
• ConceptMap: Translation source in Canonical Mapping for "GuidanceResponseStatus"
• Resource: GuidanceResponse.status (code / Required)

4.4.1.336.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/guidance-response-status

4.4.1.336.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/guidance-response-status version 4.0.1

All codes from system http://hl7.org/fhir/guidance-response-status

Code | Display | Definition | Canonical Status
success | Success | The request was processed successfully. | ~complete
data-requested | Data Requested | The request was processed successfully, but more data may result in a more complete evaluation. | ~draft
data-required | Data Required | The request was processed, but more data is required to complete the evaluation. | ~declined
in-progress | In Progress | The request is currently being processed. | ~active
failure | Failure | The request was not processed successfully. | ~failed
entered-in-error | Entered In Error | The response was entered in error. | ~error

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.337 Value Set http://hl7.org/fhir/ValueSet/smart-capabilities

URL: https://hl7.org/fhir/R4/valueset-smart-capabilities.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/smart-capabilities
Version: | 4.0.1
Name: | SmartCapabilities
Title: | SmartCapabilities
Definition: | Codes that define what the server is capable of.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.1018 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for SmartCapabilities

4.4.1.337.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/smart-capabilities

4.4.1.337.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 14 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/smart-capabilities version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/smart-capabilities

Code | Display | Definition
launch-ehr | EHR Launch Mode | support for SMART’s EHR Launch mode.
launch-standalone | Standalone Launch Mode | support for SMART’s Standalone Launch mode.
client-public | Public Client Profile | support for SMART’s public client profile (no client authentication).
client-confidential-symmetric | Confidential Client Profile | support for SMART’s confidential client profile (symmetric client secret authentication).
sso-openid-connect | Supports OpenID Connect | support for SMART’s OpenID Connect profile.
context-passthrough-banner | Allows "Need Patient Banner" | support for “need patient banner” launch context (conveyed via need_patient_banner token parameter).
context-passthrough-style | Allows "Smart Style Style" | support for “SMART style URL” launch context (conveyed via smart_style_url token parameter).
context-ehr-patient | Allows "Patient Level Launch Context (EHR)" | support for patient-level launch context (requested by launch/patient scope, conveyed via patient token parameter).
context-ehr-encounter | Allows "Encounter Level Launch Context (EHR)" | support for encounter-level launch context (requested by launch/encounter scope, conveyed via encounter token parameter).
context-standalone-patient | Allows "Patient Level Launch Context (STANDALONE)" | support for patient-level launch context (requested by launch/patient scope, conveyed via patient token parameter).
context-standalone-encounter | Allows "Encounter Level Launch Context (STANDALONE)" | support for encounter-level launch context (requested by launch/encounter scope, conveyed via encounter token parameter).
permission-offline | Supports Refresh Token | support for refresh tokens (requested by offline_access scope).
permission-patient | Supports Patient Level Scopes | support for patient-level scopes (e.g. patient/Observation.read).
permission-user | Supports User Level Scopes | support for user-level scopes (e.g. user/Appointment.read).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.338 Value Set http://hl7.org/fhir/ValueSet/all-languages

URL: https://hl7.org/fhir/R4/valueset-all-languages.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Conformance Package for further details.

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/all-languages
Version: | 4.0.1
Name: | AllLanguages

Title: | All Languages
Definition: | This value set includes all possible codes from BCP-47 (http://tools.ietf.org/html/bcp47)
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.21 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• Max ValueSet: Resource.language (code / Preferred)
• Max ValueSet: RelatedPerson.communication.language (CodeableConcept / Preferred)
• Max ValueSet: Practitioner.communication (CodeableConcept / Preferred)
• Max ValueSet: ExplanationOfBenefit.processNote.language (CodeableConcept / Preferred)
• Max ValueSet: ValueSet.compose.include.concept.designation.language (code / Preferred)
• Max ValueSet: CodeSystem.concept.designation.language (code / Preferred)
• Max ValueSet: ClaimResponse.processNote.language (CodeableConcept / Preferred)
• Max ValueSet: HealthcareService.communication (CodeableConcept / Preferred)
• Max ValueSet: Patient.communication.language (CodeableConcept / Preferred)
• Max ValueSet: Attachment.language (code / Preferred)

4.4.1.338.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in urn:ietf:bcp:47

4.4.1.338.2 Expansion

This expansion generated 01 Nov 2019

This value set cannot be expanded because of the way it is defined - it has an infinite number of members

Code | System | Display

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.339 Value Set http://hl7.org/fhir/ValueSet/use-context

URL: https://hl7.org/fhir/R4/valueset-use-context.html

This value set could not be expanded by the publication tooling: Error from server: Unable to find value set "http://hl7.org/fhir/ValueSet/usps-state"

FHIR Infrastructure Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/use-context
Version: | 4.0.1
Name: | Context of Use ValueSet
Title: | ConformanceUseContext
Definition: | This value set defines a base set of codes that can be used to indicate that the content in a resource was developed with a focus and intent of supporting use within particular contexts.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.28 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org. This value set includes content from NUCC Health Care Provider Taxonomy Code Set for providers which is copyright © 2016+ American Medical Association. For commercial use, including sales or licensing, a license must be obtained
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: UsageContext.value[x] (CodeableConcept|Quantity|Range|Reference(PlanDefinition|ResearchStudy|InsurancePlan|HealthcareService|Group|Location|Organization) / Example)

• Extension: http://hl7.org/fhir/StructureDefinition/elementdefinition-bestpractice: bestpractice (boolean, CodeableConcept / Extensible)

4.4.1.339.1 Content Logical Definition

This value set includes codes from the following code systems:

• Import all the codes that are contained in http://hl7.org/fhir/ValueSet/usps-state
• Import all the codes that are contained in http://hl7.org/fhir/ValueSet/practitioner-specialty
• Include codes from http://snomed.info/sct where concept is-a 394733009 (Medical specialties)
• Include all codes defined in urn:iso:std:iso:3166
• Include all codes defined in urn:iso:std:iso:3166
• Include codes from http://unstats.un.org/unsd/methods/m49/m49.htm where class = region
• Include codes from http://snomed.info/sct where concept is-a 387961004 (Kingdom Animalia)
• Import all the codes that are contained in http://hl7.org/fhir/ValueSet/administrative-gender
• Import all the codes that are contained in http://hl7.org/fhir/ValueSet/condition-code
• Include all codes defined in http://nucc.org/provider-taxonomy
• Import all the codes that are contained in http://terminology.hl7.org/ValueSet/v3-ActEncounterCode
• Import all the codes that are contained in http://terminology.hl7.org/ValueSet/v3-ActTaskCode

4.4.1.339.2 Expansion

This expansion generated 01 Nov 2019

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.340 Value Set http://hl7.org/fhir/ValueSet/goal-status-reason

URL: https://hl7.org/fhir/R4/valueset-goal-status-reason.html
Patient Care Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined at http://www.hl7.org/Special/committees/patientcare/ .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/goal-status-reason
Version: | 4.0.1
Name: | GoalStatusReason
Title: | Goal status reason
Definition: | Example codes indicating the reason for a current status. Note that these are in no way complete and might not even be appropriate for some uses.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.277 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for GoalStatusReason

4.4.1.340.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/goal-status-reason

4.4.1.340.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 9 concepts

Expansion based on http://hl7.org/fhir/goal-status-reason version 4.0.1

All codes from system http://hl7.org/fhir/goal-status-reason

Code | Display | Definition
surgery | Surgery | Goal suspended or ended because of a surgical procedure.
life-event | Life Event | Goal suspended or ended because of a significant life event (marital change, bereavement, etc.).
replaced | Replaced | Goal has been superseded by a new goal.
patient-request | Patient Request | Patient wishes the goal to be set aside, at least temporarily.
temp-not-attainable | Goal Not Attainable Temporarily | Goal cannot be reached temporarily.
permanent-not-attainable | Goal Not Attainable Permanently | Goal cannot be reached permanently.
financial-barrier | Financial Reason | Goal cannot be reached due to financial barrier or reason.
lack-of-transportation | Lack Of Transportation | Goal cannot be reached due to a lack of transportation.
lack-of-social-support | Lack Of Social Support | Goal cannot be reached due to a lack of social support.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.341 Value Set http://hl7.org/fhir/ValueSet/consent-content-class

URL: https://hl7.org/fhir/R4/valueset-consent-content-class.html
Community Based Collaborative Care Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/consent-content-class
Version: | 4.0.1
Name: | ConsentContentClass
Title: | Consent Content Class
Definition: | This value set includes the FHIR resource types, along with some other important content class codes
Committee: | Community Based Collaborative Care Work Group
OID: | 2.16.840.1.113883.4.642.3.747 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Consent.provision.class (Coding / Extensible)

4.4.1.341.1 Content Logical Definition

This value set includes codes from the following code systems:

• Import all the codes that are contained in http://hl7.org/fhir/ValueSet/formatcodes

• Include all codes defined in http://hl7.org/fhir/resource-types

urn:ietf:rfc:3986

Code | Display
http://hl7.org/fhir/StructureDefinition/lipidprofile | Lipid Lab Report

urn:ietf:bcp:13

Code | Display
application/hl7-cda+xml | CDA Documents

4.4.1.341.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 224 concepts

Expansion based on http://hl7.org/fhir/resource-types version 4.0.1, http://hl7.org/fhir/ValueSet/formatcodes version 4.0.1

Code | System | Display | Definition
urn:ihe:pcc:xphr:2007 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Personal Health Records. Also known as HL7 CCD and HITSP C32
urn:ihe:pcc:aps:2007 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | IHE Antepartum Summary
urn:ihe:pcc:xds-ms:2007 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | XDS Medical Summaries
urn:ihe:pcc:edr:2007 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Emergency Department Referral (EDR)
urn:ihe:pcc:edes:2007 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Emergency Department Encounter Summary (EDES)

urn:ihe:pcc:apr:handp:2008 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Antepartum Record (APR) - History and Physical
urn:ihe:pcc:apr:lab:2008 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Antepartum Record (APR) - Laboratory
urn:ihe:pcc:apr:edu:2008 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Antepartum Record (APR) - Education
urn:ihe:pcc:crc:2008 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Cancer Registry Content (CRC)
urn:ihe:pcc:cm:2008 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Care Management (CM)
urn:ihe:pcc:ic:2008 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Immunization Content (IC)
urn:ihe:pcc:tn:2007 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | PCC TN
urn:ihe:pcc:nn:2007 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | PCC NN
urn:ihe:pcc:ctn:2007 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | PCC CTN
urn:ihe:pcc:edpn:2007 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | PCC EDPN
urn:ihe:pcc:hp:2008 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | PCC HP
urn:ihe:pcc:ldhp:2009 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | PCC LDHP
urn:ihe:pcc:lds:2009 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | PCC LDS
urn:ihe:pcc:mds:2009 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | PCC MDS
urn:ihe:pcc:nds:2010 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | PCC NDS
urn:ihe:pcc:ppvs:2010 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | PCC PPVS
urn:ihe:pcc:trs:2011 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | PCC TRS
urn:ihe:pcc:ets:2011 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | PCC ETS
urn:ihe:pcc:its:2011 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | PCC ITS
urn:ihe:pcc:ript:2017 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Routine Interfacility Patient Transport (RIPT)
urn:ihe:iti:bppc:2007 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Basic Patient Privacy Consents
urn:ihe:iti:bppc-sd:2007 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Basic Patient Privacy Consents with Scanned Document
urn:ihe:iti:xds-sd:pdf:2008 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | PDF embedded in CDA per XDS-SD profile
urn:ihe:iti:xds-sd:text:2008 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Text embedded in CDA per XDS-SD profile
urn:ihe:iti:xdw:2011:workflowDoc | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | XDW Workflow Document
urn:ihe:iti:dsg:detached:2014 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | DSG Detached Document
urn:ihe:iti:dsg:enveloping:2014 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | DSG Enveloping Document
urn:ihe:iti:appc:2016:consent | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Advanced Patient Privacy Consents
urn:ihe:iti:xds:2017:mimeTypeSufficient | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | mimeType Sufficient | Code to be used when the mimeType is sufficient to understanding the technical format. May be used when no more specific FormatCode is available and the mimeType is sufficient to identify the technical format
urn:ihe:lab:xd-lab:2008 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | CDA Laboratory Report
urn:ihe:rad:TEXT | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Radiology XDS-I Text
urn:ihe:rad:PDF | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Radiology XDS-I PDF
urn:ihe:rad:CDA:ImagingReportStructuredHeadings:2013 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Radiology XDS-I Structured CDA
urn:ihe:card:imaging:2011 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Cardiac Imaging Report
urn:ihe:card:CRC:2012 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Cardiology CRC
urn:ihe:card:EPRC-IE:2014 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Cardiology EPRC-IE
urn:ihe:dent:TEXT | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Dental Text
urn:ihe:dent:PDF | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Dental PDF
urn:ihe:dent:CDA:ImagingReportStructuredHeadings:2013 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Dental CDA
urn:ihe:pat:apsr:all:2010 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Anatomic Pathology Structured Report All
urn:ihe:pat:apsr:cancer:all:2010 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Anatomic Pathology Structured Report Cancer All
urn:ihe:pat:apsr:cancer:breast:2010 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Anatomic Pathology Structured Report Cancer Breast
urn:ihe:pat:apsr:cancer:colon:2010 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Anatomic Pathology Structured Report Cancer Colon
urn:ihe:pat:apsr:cancer:prostate:2010 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Anatomic Pathology Structured Report Cancer Prostate
urn:ihe:pat:apsr:cancer:thyroid:2010 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Anatomic Pathology Structured Report Cancer Thyroid
urn:ihe:pat:apsr:cancer:lung:2010 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Anatomic Pathology Structured Report Cancer Lung
urn:ihe:pat:apsr:cancer:skin:2010 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Anatomic Pathology Structured Report Cancer Skin
urn:ihe:pat:apsr:cancer:kidney:2010 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Anatomic Pathology Structured Report Cancer Kidney
urn:ihe:pat:apsr:cancer:cervix:2010 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Anatomic Pathology Structured Report Cancer Cervix
urn:ihe:pat:apsr:cancer:endometrium:2010 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Anatomic Pathology Structured Report Cancer Endometrium
urn:ihe:pat:apsr:cancer:ovary:2010 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Anatomic Pathology Structured Report Cancer Ovary
urn:ihe:pat:apsr:cancer:esophagus:2010 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Anatomic Pathology Structured Report Cancer Esophagus
urn:ihe:pat:apsr:cancer:stomach:2010 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Anatomic Pathology Structured Report Cancer Stomach
urn:ihe:pat:apsr:cancer:liver:2010 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Anatomic Pathology Structured Report Cancer Liver

urn:ihe:pat:apsr:cancer:pancreas:2010 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Anatomic Pathology Structured Report Cancer Pancreas
urn:ihe:pat:apsr:cancer:testis:2010 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Anatomic Pathology Structured Report Cancer Testis
urn:ihe:pat:apsr:cancer:urinary_bladder:2010 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Anatomic Pathology Structured Report Cancer Urinary Bladder
urn:ihe:pat:apsr:cancer:lip_oral_cavity:2010 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Anatomic Pathology Structured Report Cancer Lip Oral Cavity
urn:ihe:pat:apsr:cancer:pharynx:2010 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Anatomic Pathology Structured Report Cancer Pharynx
urn:ihe:pat:apsr:cancer:salivary_gland:2010 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Anatomic Pathology Structured Report Cancer Salivary Gland
urn:ihe:pat:apsr:cancer:larynx:2010 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Anatomic Pathology Structured Report Cancer Larynx
urn:ihe:pharm:pre:2010 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Pharmacy Pre
urn:ihe:pharm:padv:2010 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Pharmacy PADV
urn:ihe:pharm:dis:2010 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Pharmacy DIS
urn:ihe:pharm:pml:2013 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | Pharmacy PML
urn:hl7-org:sdwg:ccda-structuredBody:1.1 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | For documents following C-CDA 1.1 constraints using a structured body.
urn:hl7-org:sdwg:ccda-nonXMLBody:1.1 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | For documents following C-CDA 1.1 constraints using a non structured body.
urn:hl7-org:sdwg:ccda-structuredBody:2.1 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | For documents following C-CDA 2.1 constraints using a structured body.
urn:hl7-org:sdwg:ccda-nonXMLBody:2.1 | http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem | For documents following C-CDA 2.1 constraints using a non structured body.
Account | http://hl7.org/fhir/resource-types | Account | A financial tool for tracking value accrued for a particular purpose. In the healthcare field, used to track charges for a patient, cost centers, etc.
ActivityDefinition | http://hl7.org/fhir/resource-types | ActivityDefinition | This resource allows for the definition of some activity to be performed, independent of a particular patient, practitioner, or other performance context.
AdverseEvent | http://hl7.org/fhir/resource-types | AdverseEvent | Actual or potential/avoided event causing unintended physical injury resulting from or contributed to by medical care, a research study or other healthcare setting factors that requires additional monitoring, treatment, or hospitalization, or that results in death.
AllergyIntolerance | http://hl7.org/fhir/resource-types | AllergyIntolerance | Risk of harmful or undesirable, physiological response which is unique to an individual and associated with exposure to a substance.
Appointment | http://hl7.org/fhir/resource-types | Appointment | A booking of a healthcare event among patient(s), practitioner(s), related person(s) and/or device(s) for a specific date/time. This may result in one or more Encounter(s).
AppointmentResponse | http://hl7.org/fhir/resource-types | AppointmentResponse | A reply to an appointment request for a patient and/or practitioner(s), such as a confirmation or rejection.
AuditEvent | http://hl7.org/fhir/resource-types | AuditEvent | A record of an event made for purposes of maintaining a security log. Typical uses include detection of intrusion attempts and monitoring for inappropriate usage.
Basic | http://hl7.org/fhir/resource-types | Basic | Basic is used for handling concepts not yet defined in FHIR, narrative-only resources that don't map to an existing resource, and custom resources not appropriate for inclusion in the FHIR specification.
Binary | http://hl7.org/fhir/resource-types | Binary | A resource that represents the data of a single raw artifact as digital content accessible in its native format. A Binary resource can contain any content, whether text, image, pdf, zip archive, etc.
BiologicallyDerivedProduct | http://hl7.org/fhir/resource-types | BiologicallyDerivedProduct | A material substance originating from a biological entity intended to be transplanted or infused into another (possibly the same) biological entity.
BodyStructure | http://hl7.org/fhir/resource-types | BodyStructure | Record details about an anatomical structure. This resource may be used when a coded concept does not provide the necessary detail needed for the use case.
Bundle | http://hl7.org/fhir/resource-types | Bundle | A container for a collection of resources.
CapabilityStatement | http://hl7.org/fhir/resource-types | CapabilityStatement | A Capability Statement documents a set of capabilities (behaviors) of a FHIR Server for a particular version of FHIR that may be used as a statement of actual server functionality or a statement of required or desired server implementation.
CarePlan | http://hl7.org/fhir/resource-types | CarePlan | Describes the intention of how one or more practitioners intend to deliver care for a particular patient, group or community for a period of time, possibly limited to care for a specific condition or set of conditions.
CareTeam | http://hl7.org/fhir/resource-types | CareTeam | The Care Team includes all the people and organizations who plan to participate in the coordination and delivery of care for a patient.
CatalogEntry | http://hl7.org/fhir/resource-types | CatalogEntry | Catalog entries are wrappers that contextualize items included in a catalog.
ChargeItem | http://hl7.org/fhir/resource-types | ChargeItem | The resource ChargeItem describes the provision of healthcare provider products for a certain patient, therefore referring not only to the product, but containing in addition details of the provision, like date, time, amounts and participating organizations and persons. Main Usage of the ChargeItem is to enable the billing process and internal cost allocation.
ChargeItemDefinition | http://hl7.org/fhir/resource-types | ChargeItemDefinition | The ChargeItemDefinition resource provides the properties that apply to the (billing) codes necessary to calculate costs and prices. The properties may differ largely depending on type and realm, therefore this resource gives only a rough structure and requires profiling for each type of billing code system.
Claim | http://hl7.org/fhir/resource-types | Claim | A provider issued list of professional services and products which have been provided, or are to be provided, to a patient which is sent to an insurer for reimbursement.
ClaimResponse | http://hl7.org/fhir/resource-types | ClaimResponse | This resource provides the adjudication details from the processing of a Claim resource.
ClinicalImpression | http://hl7.org/fhir/resource-types | ClinicalImpression | A record of a clinical assessment performed to determine what problem(s) may affect the patient and before planning the treatments or management strategies that are best to manage a patient's condition. Assessments are often 1:1 with a clinical consultation / encounter, but this varies greatly depending on the clinical workflow. This resource is called "ClinicalImpression" rather than "ClinicalAssessment" to avoid confusion with the recording of assessment tools such as Apgar score.

CodeSystem | http://hl7.org/fhir/resource-types | CodeSystem | The CodeSystem resource is used to declare the existence of and describe a code system or code system supplement and its key properties, and optionally define a part or all of its content.

Communication | http://hl7.org/fhir/resource-types | Communication | An occurrence of information being transmitted; e.g. an alert that was sent to a responsible provider, a public health agency that was notified about a reportable condition.

CommunicationRequest | http://hl7.org/fhir/resource-types | CommunicationRequest | A request to convey information; e.g. the CDS system proposes that an alert be sent to a responsible provider, the CDS system proposes that the public health agency be notified about a reportable condition.

CompartmentDefinition | http://hl7.org/fhir/resource-types | CompartmentDefinition | A compartment definition that defines how resources are accessed on a server.

Composition | http://hl7.org/fhir/resource-types | Composition | A set of healthcare-related information that is assembled together into a single logical package that provides a single coherent statement of meaning, establishes its own context and that has clinical attestation with regard to who is making the statement. A Composition defines the structure and narrative content necessary for a document. However, a Composition alone does not constitute a document. Rather, the Composition must be the first entry in a Bundle where Bundle.type=document, and any other resources referenced from Composition must be included as subsequent entries in the Bundle (for example Patient, Practitioner, Encounter, etc.).

ConceptMap | http://hl7.org/fhir/resource-types | ConceptMap | A statement of relationships from one set of concepts to one or more other concepts - either concepts in code systems, or data element/data element concepts, or classes in class models.

Condition | http://hl7.org/fhir/resource-types | Condition | A clinical condition, problem, diagnosis, or other event, situation, issue, or clinical concept that has risen to a level of concern.

Consent | http://hl7.org/fhir/resource-types | Consent | A record of a healthcare consumer’s choices, which permits or denies identified recipient(s) or recipient role(s) to perform one or more actions within a given policy context, for specific purposes and periods of time.

Contract | http://hl7.org/fhir/resource-types | Contract | Legally enforceable, formally recorded unilateral or bilateral directive i.e., a policy or agreement.

Coverage | http://hl7.org/fhir/resource-types | Coverage | Financial instrument which may be used to reimburse or pay for health care products and services. Includes both insurance and self-payment.

CoverageEligibilityRequest | http://hl7.org/fhir/resource-types | CoverageEligibilityRequest | The CoverageEligibilityRequest provides patient and insurance coverage information to an insurer for them to respond, in the form of an CoverageEligibilityResponse, with information regarding whether the stated coverage is valid and in-force and optionally to provide the insurance details of the policy.

CoverageEligibilityResponse | http://hl7.org/fhir/resource-types | CoverageEligibilityResponse | This resource provides eligibility and plan details from the processing of an CoverageEligibilityRequest resource.

DetectedIssue | http://hl7.org/fhir/resource-types | DetectedIssue | Indicates an actual or potential clinical issue with or between one or more active or proposed clinical actions for a patient; e.g. Drug-drug interaction, Ineffective treatment frequency, Procedure-condition conflict, etc.

Device | http://hl7.org/fhir/resource-types | Device | A type of a manufactured item that is used in the provision of healthcare without being substantially changed through that activity. The device may be a medical or non-medical device.

DeviceDefinition | http://hl7.org/fhir/resource-types | DeviceDefinition | The characteristics, operational status and capabilities of a medical-related component of a medical device.

DeviceMetric | http://hl7.org/fhir/resource-types | DeviceMetric | Describes a measurement, calculation or setting capability of a medical device.

DeviceRequest | http://hl7.org/fhir/resource-types | DeviceRequest | Represents a request for a patient to employ a medical device. The device may be an implantable device, or an external assistive device, such as a walker.

DeviceUseStatement | http://hl7.org/fhir/resource-types | DeviceUseStatement | A record of a device being used by a patient where the record is the result of a report from the patient or another clinician.

DiagnosticReport | http://hl7.org/fhir/resource-types | DiagnosticReport | The findings and interpretation of diagnostic tests performed on patients, groups of patients, devices, and locations, and/or specimens derived from these. The report includes clinical context such as requesting and provider information, and some mix of atomic results, images, textual and coded interpretations, and formatted representation of diagnostic reports.

DocumentManifest | http://hl7.org/fhir/resource-types | DocumentManifest | A collection of documents compiled for a purpose together with metadata that applies to the collection.

DocumentReference | http://hl7.org/fhir/resource-types | DocumentReference | A reference to a document of any kind for any purpose. Provides metadata about the document so that the document can be discovered and managed. The scope of a document is any seralized object with a mime-type, so includes formal patient centric documents (CDA), cliical notes, scanned paper, and non-patient specific documents like policy text.

DomainResource | http://hl7.org/fhir/resource-types | DomainResource | A resource that includes narrative, extensions, and contained resources.

EffectEvidenceSynthesis | http://hl7.org/fhir/resource-types | EffectEvidenceSynthesis | The EffectEvidenceSynthesis resource describes the difference in an outcome between exposures states in a population where the effect estimate is derived from a combination of research studies.

Encounter | http://hl7.org/fhir/resource-types | Encounter | An interaction between a patient and healthcare provider(s) for the purpose of providing healthcare service(s) or assessing the health status of a patient.

Endpoint | http://hl7.org/fhir/resource-types | Endpoint | The technical details of an endpoint that can be used for electronic services, such as for web services providing XDS.b or a REST endpoint for another FHIR server. This may include any security context information.

EnrollmentRequest | http://hl7.org/fhir/resource-types | EnrollmentRequest | This resource provides the insurance enrollment details to the insurer regarding a specified coverage.

EnrollmentResponse | http://hl7.org/fhir/resource-types | EnrollmentResponse | This resource provides enrollment and plan details from the processing of an EnrollmentRequest resource.

EpisodeOfCare | http://hl7.org/fhir/resource-types | EpisodeOfCare | An association between a patient and an organization / healthcare provider(s) during which time encounters may occur. The managing organization assumes a level of responsibility for the patient during this time.

EventDefinition | http://hl7.org/fhir/resource-types | EventDefinition | The EventDefinition resource provides a reusable description of when a particular event can occur.

Evidence | http://hl7.org/fhir/resource-types | Evidence | The Evidence resource describes the conditional state (population and any exposures being compared within the population) and outcome (if specified) that the knowledge (evidence, assertion, recommendation) is about.

EvidenceVariable | http://hl7.org/fhir/resource-types | EvidenceVariable | The EvidenceVariable resource describes a "PICO" element that knowledge (evidence, assertion, recommendation) is about.

ExampleScenario | http://hl7.org/fhir/resource-types | ExampleScenario | Example of workflow instance.

ExplanationOfBenefit | http://hl7.org/fhir/resource-types | ExplanationOfBenefit | This resource provides: the claim details; adjudication details from the processing of a Claim; and optionally account balance information, for informing the subscriber of the benefits provided.

FamilyMemberHistory | http://hl7.org/fhir/resource-types | FamilyMemberHistory | Significant health conditions for a person related to the patient relevant in the context of care for the patient.

Flag | http://hl7.org/fhir/resource-types | Flag | Prospective warnings of potential issues when providing care to the patient.

Goal | http://hl7.org/fhir/resource-types | Goal | Describes the intended objective(s) for a patient, group or organization care, for example, weight loss, restoring an activity of daily living, obtaining herd immunity via immunization, meeting a process improvement objective, etc.

GraphDefinition | http://hl7.org/fhir/resource-types | GraphDefinition | A formal computable definition of a graph of resources - that is, a coherent set of resources that form a graph by following references. The Graph Definition resource defines a set and makes rules about the set.

Group | http://hl7.org/fhir/resource-types | Group | Represents a defined collection of entities that may be discussed or acted upon collectively but which are not expected to act collectively, and are not formally or legally recognized; i.e. a collection of entities that isn't an Organization.

GuidanceResponse | http://hl7.org/fhir/resource-types | GuidanceResponse | A guidance response is the formal response to a guidance request, including any output parameters returned by the evaluation, as well as the description of any proposed actions to be taken.

HealthcareService | http://hl7.org/fhir/resource-types | HealthcareService | The details of a healthcare service available at a location.

ImagingStudy | http://hl7.org/fhir/resource-types | ImagingStudy | Representation of the content produced in a DICOM imaging study. A study comprises a set of series, each of which includes a set of Service-Object Pair Instances (SOP Instances - images or other data) acquired or produced in a common context. A series is of only one modality (e.g. X-ray, CT, MR, ultrasound), but a study may have multiple series of different modalities.

Immunization | http://hl7.org/fhir/resource-types | Immunization | Describes the event of a patient being administered a vaccine or a record of an immunization as reported by a patient, a clinician or another party.

ImmunizationEvaluation | http://hl7.org/fhir/resource-types | ImmunizationEvaluation | Describes a comparison of an immunization event against published recommendations to determine if the administration is "valid" in relation to those recommendations.

ImmunizationRecommendation | http://hl7.org/fhir/resource-types | ImmunizationRecommendation | A patient's point-in-time set of recommendations (i.e. forecasting) according to a published schedule with optional supporting justification.

ImplementationGuide | http://hl7.org/fhir/resource-types | ImplementationGuide | A set of rules of how a particular interoperability or standards problem is solved - typically through the use of FHIR resources. This resource is used to gather all the parts of an implementation guide into a logical whole and to publish a computable definition of all the parts.

InsurancePlan | http://hl7.org/fhir/resource-types | InsurancePlan | Details of a Health Insurance product/plan provided by an organization.

Invoice | http://hl7.org/fhir/resource-types | Invoice | Invoice containing collected ChargeItems from an Account with calculated individual and total price for Billing purpose.

Library | http://hl7.org/fhir/resource-types | Library | The Library resource is a general-purpose container for knowledge asset definitions. It can be used to describe and expose existing knowledge assets such as logic libraries and information model descriptions, as well as to describe a collection of knowledge assets.

Linkage | http://hl7.org/fhir/resource-types | Linkage | Identifies two or more records (resource instances) that refer to the same real-world "occurrence".

List | http://hl7.org/fhir/resource-types | List | A list is a curated collection of resources.

Location | http://hl7.org/fhir/resource-types | Location | Details and position information for a physical place where services are provided and resources and participants may be stored, found, contained, or accommodated.

Measure | http://hl7.org/fhir/resource-types | Measure | The Measure resource provides the definition of a quality measure.

MeasureReport | http://hl7.org/fhir/resource-types | MeasureReport | The MeasureReport resource contains the results of the calculation of a measure; and optionally a reference to the resources involved in that calculation.

Media | http://hl7.org/fhir/resource-types | Media | A photo, video, or audio recording acquired or used in healthcare. The actual content may be inline or provided by direct reference.

Medication | http://hl7.org/fhir/resource-types | Medication | This resource is primarily used for the identification and definition of a medication for the purposes of prescribing, dispensing, and administering a medication as well as for making statements about medication use.

MedicationAdministration | http://hl7.org/fhir/resource-types | MedicationAdministration | Describes the event of a patient consuming or otherwise being administered a medication. This may be as simple as swallowing a tablet or it may be a long running infusion. Related resources tie this event to the authorizing prescription, and the specific encounter between patient and health care practitioner.

MedicationDispense | http://hl7.org/fhir/resource-types | MedicationDispense | Indicates that a medication product is to be or has been dispensed for a named person/patient. This includes a description of the medication product (supply) provided and the instructions for administering the medication. The medication dispense is the result of a pharmacy system responding to a medication order.

MedicationKnowledge | http://hl7.org/fhir/resource-types | MedicationKnowledge | Information about a medication that is used to support knowledge.

MedicationRequest | http://hl7.org/fhir/resource-types | MedicationRequest | An order or request for both supply of the medication and the instructions for administration of the medication to a patient. The resource is called "MedicationRequest" rather than "MedicationPrescription" or "MedicationOrder" to generalize the use across inpatient and outpatient settings, including care plans, etc., and to harmonize with workflow patterns.

MedicationStatement | http://hl7.org/fhir/resource-types | MedicationStatement | A record of a medication that is being consumed by a patient. A MedicationStatement may indicate that the patient may be taking the medication now or has taken the medication in the past or will be taking the medication in the future. The source of this information can be the patient, significant other (such as a family member or spouse), or a clinician. A common scenario where this information is captured is during the history taking process during a patient visit or stay. The medication information may come from sources such as the patient's memory, from a prescription bottle, or from a list of medications the patient, clinician or other party maintains. The primary difference between a medication statement and a medication administration is that the medication administration has complete administration

information and is based on actual administration information from the person who administered the medication. A medication statement is often, if not always, less specific. There is no required date/time when the medication was administered, in fact we only know that a source has reported the patient is taking this medication, where details such as time, quantity, or rate or even medication product may be incomplete or missing or less precise. As stated earlier, the medication statement information may come from the patient's memory, from a prescription bottle or from a list of medications the patient, clinician or other party maintains. Medication administration is more formal and is not missing detailed information.

MedicinalProduct | http://hl7.org/fhir/resource-types | MedicinalProduct | Detailed definition of a medicinal product, typically for uses other than direct patient care (e.g. regulatory use).

MedicinalProductAuthorization | http://hl7.org/fhir/resource-types | MedicinalProductAuthorization | The regulatory authorization of a medicinal product.

MedicinalProductContraindication | http://hl7.org/fhir/resource-types | MedicinalProductContraindication | The clinical particulars - indications, contraindications etc. of a medicinal product, including for regulatory purposes.

MedicinalProductIndication | http://hl7.org/fhir/resource-types | MedicinalProductIndication | Indication for the Medicinal Product.

MedicinalProductIngredient | http://hl7.org/fhir/resource-types | MedicinalProductIngredient | An ingredient of a manufactured item or pharmaceutical product.

MedicinalProductInteraction | http://hl7.org/fhir/resource-types | MedicinalProductInteraction | The interactions of the medicinal product with other medicinal products, or other forms of interactions.

MedicinalProductManufactured | http://hl7.org/fhir/resource-types | MedicinalProductManufactured | The manufactured item as contained in the packaged medicinal product.

MedicinalProductPackaged | http://hl7.org/fhir/resource-types | MedicinalProductPackaged | A medicinal product in a container or package.

MedicinalProductPharmaceutical | http://hl7.org/fhir/resource-types | MedicinalProductPharmaceutical | A pharmaceutical product described in terms of its composition and dose form.

MedicinalProductUndesirableEffect | http://hl7.org/fhir/resource-types | MedicinalProductUndesirableEffect | Describe the undesirable effects of the medicinal product.

MessageDefinition | http://hl7.org/fhir/resource-types | MessageDefinition | Defines the characteristics of a message that can be shared between systems, including the type of event that initiates the message, the content to be transmitted and what response(s), if any, are permitted.

MessageHeader | http://hl7.org/fhir/resource-types | MessageHeader | The header for a message exchange that is either requesting or responding to an action. The reference(s) that are the subject of the action as well as other information related to the action are typically transmitted in a bundle in which the MessageHeader resource instance is the first resource in the bundle.

MolecularSequence | http://hl7.org/fhir/resource-types | MolecularSequence | Raw data describing a biological sequence.

NamingSystem | http://hl7.org/fhir/resource-types | NamingSystem | A curated namespace that issues unique symbols within that namespace for the identification of concepts, people, devices, etc. Represents a "System" used within the Identifier and Coding data types.

NutritionOrder | http://hl7.org/fhir/resource-types | NutritionOrder | A request to supply a diet, formula feeding (enteral) or oral nutritional supplement to a patient/resident.

Observation | http://hl7.org/fhir/resource-types | Observation | Measurements and simple assertions made about a patient, device or other subject.

ObservationDefinition | http://hl7.org/fhir/resource-types | ObservationDefinition | Set of definitional characteristics for a kind of observation or measurement produced or consumed by an orderable health care service.

OperationDefinition | http://hl7.org/fhir/resource-types | OperationDefinition | A formal computable definition of an operation (on the RESTful interface) or a named query (using the search interaction).

OperationOutcome | http://hl7.org/fhir/resource-types | OperationOutcome | A collection of error, warning, or information messages that result from a system action.

Organization | http://hl7.org/fhir/resource-types | Organization | A formally or informally recognized grouping of people or organizations formed for the purpose of achieving some form of collective action. Includes companies, institutions, corporations, departments, community groups, healthcare practice groups, payer/insurer, etc.

OrganizationAffiliation | http://hl7.org/fhir/resource-types | OrganizationAffiliation | Defines an affiliation/assotiation/relationship between 2 distinct oganizations, that is not a part-of relationship/sub-division relationship.

Parameters | http://hl7.org/fhir/resource-types | Parameters | This resource is a non-persisted resource used to pass information into and back from an [operation](operations.html). It has no other use, and there is no RESTful endpoint associated with it.

Patient | http://hl7.org/fhir/resource-types | Patient | Demographics and other administrative information about an individual or animal receiving care or other health-related services.

PaymentNotice | http://hl7.org/fhir/resource-types | PaymentNotice | This resource provides the status of the payment for goods and services rendered, and the request and response resource references.

PaymentReconciliation | http://hl7.org/fhir/resource-types | PaymentReconciliation | This resource provides the details including amount of a payment and allocates the payment items being paid.

Person | http://hl7.org/fhir/resource-types | Person | Demographics and administrative information about a person independent of a specific health-related context.

PlanDefinition | http://hl7.org/fhir/resource-types | PlanDefinition | This resource allows for the definition of various types of plans as a sharable, consumable, and executable artifact. The resource is general enough to support the description of a broad range of clinical artifacts such as clinical decision support rules, order sets and protocols.

Practitioner | http://hl7.org/fhir/resource-types | Practitioner | A person who is directly or indirectly involved in the provisioning of healthcare.

PractitionerRole | http://hl7.org/fhir/resource-types | PractitionerRole | A specific set of Roles/Locations/specialties/services that a practitioner may perform at an organization for a period of time.

Procedure | http://hl7.org/fhir/resource-types | Procedure | An action that is or was performed on or for a patient. This can be a physical intervention like an operation, or less invasive like long term services, counseling, or hypnotherapy.

Provenance | http://hl7.org/fhir/resource-types | Provenance | Provenance of a resource is a record that describes entities and processes involved in producing and delivering or otherwise influencing that resource. Provenance provides a critical foundation for assessing authenticity, enabling trust, and allowing reproducibility. Provenance assertions are a form of contextual metadata and can themselves become important records with their own provenance. Provenance statement indicates clinical significance in terms of confidence in authenticity, reliability, and trustworthiness, integrity, and stage in lifecycle (e.g. Document Completion - has the artifact been legally authenticated), all of which may impact security, privacy, and trust policies.

Questionnaire | http://hl7.org/fhir/resource-types | Questionnaire | A structured set of questions intended to guide the collection of answers from end-users. Questionnaires provide detailed control over order, presentation, phraseology and grouping to allow coherent, consistent data collection.

QuestionnaireResponse | http://hl7.org/fhir/resource-types | QuestionnaireResponse | A structured set of questions and their answers. The questions are ordered and grouped into coherent subsets, corresponding to the structure of the grouping of the questionnaire being responded to.

RelatedPerson | http://hl7.org/fhir/resource-types | RelatedPerson | Information about a person that is involved in the care for a patient, but who is not the target of healthcare, nor has a formal responsibility in the care process.

RequestGroup | http://hl7.org/fhir/resource-types | RequestGroup | A group of related requests that can be used to capture intended activities that have inter-dependencies such as "give this medication after that one".

ResearchDefinition | http://hl7.org/fhir/resource-types | ResearchDefinition | The ResearchDefinition resource describes the conditional state (population and any exposures being compared within the population) and outcome (if specified) that the knowledge (evidence, assertion, recommendation) is about.

ResearchElementDefinition | http://hl7.org/fhir/resource-types | ResearchElementDefinition | The ResearchElementDefinition resource describes a "PICO" element that knowledge (evidence, assertion, recommendation) is about.

ResearchStudy | http://hl7.org/fhir/resource-types | ResearchStudy | A process where a researcher or organization plans and then executes a series of steps intended to increase the field of healthcare-related knowledge. This includes studies of safety, efficacy, comparative effectiveness and other information about medications, devices, therapies and other interventional and investigative techniques. A ResearchStudy involves the gathering of information about human or animal subjects.

ResearchSubject | http://hl7.org/fhir/resource-types | ResearchSubject | A physical entity which is the primary unit of operational and/or administrative interest in a study.

Resource | http://hl7.org/fhir/resource-types | Resource | This is the base resource type for everything.

RiskAssessment | http://hl7.org/fhir/resource-types | RiskAssessment | An assessment of the likely outcome(s) for a patient or other subject as well as the likelihood of each outcome.

RiskEvidenceSynthesis | http://hl7.org/fhir/resource-types | RiskEvidenceSynthesis | The RiskEvidenceSynthesis resource describes the likelihood of an outcome in a population plus exposure state where the risk estimate is derived from a combination of research studies.

Schedule | http://hl7.org/fhir/resource-types | Schedule | A container for slots of time that may be available for booking appointments.

SearchParameter | http://hl7.org/fhir/resource-types | SearchParameter | A search parameter that defines a named search item that can be used to search/filter on a resource.

ServiceRequest | http://hl7.org/fhir/resource-types | ServiceRequest | A record of a request for service such as diagnostic investigations, treatments, or operations to be performed.

Slot | http://hl7.org/fhir/resource-types | Slot | A slot of time on a schedule that may be available for booking appointments.

Specimen | http://hl7.org/fhir/resource-types | Specimen | A sample to be used for analysis.

SpecimenDefinition | http://hl7.org/fhir/resource-types | SpecimenDefinition | A kind of specimen with associated set of requirements.

StructureDefinition | http://hl7.org/fhir/resource-types | StructureDefinition | A definition of a FHIR structure. This resource is used to describe the underlying resources, data types defined in FHIR, and also for describing extensions and constraints on resources and data types.

StructureMap | http://hl7.org/fhir/resource-types | StructureMap | A Map of relationships between 2 structures that can be used to transform data.

Subscription | http://hl7.org/fhir/resource-types | Subscription | The subscription resource is used to define a push-based subscription from a server to another system. Once a subscription is registered with the server, the server checks every resource that is created or updated, and if the resource matches the given criteria, it sends a message on the defined "channel" so that another system can take an appropriate action.

Substance | http://hl7.org/fhir/resource-types | Substance | A homogeneous material with a definite composition.

SubstanceNucleicAcid | http://hl7.org/fhir/resource-types | SubstanceNucleicAcid | Nucleic acids are defined by three distinct elements: the base, sugar and linkage. Individual substance/moiety IDs will be created for each of these elements. The nucleotide sequence will be always entered in the 5’-3’ direction.

SubstancePolymer | http://hl7.org/fhir/resource-types | SubstancePolymer | Todo.

SubstanceProtein | http://hl7.org/fhir/resource-types | SubstanceProtein | A SubstanceProtein is defined as a single unit of a linear amino acid sequence, or a combination of subunits that are either covalently linked or have a defined invariant stoichiometric relationship. This includes all synthetic, recombinant and purified SubstanceProteins of defined sequence, whether the use is therapeutic or prophylactic. This set of elements will be used to describe albumins, coagulation factors, cytokines, growth factors, peptide/SubstanceProtein hormones, enzymes, toxins, toxoids, recombinant vaccines, and immunomodulators.

SubstanceReferenceInformation | http://hl7.org/fhir/resource-types | SubstanceReferenceInformation | Todo.

SubstanceSourceMaterial | http://hl7.org/fhir/resource-types | SubstanceSourceMaterial | Source material shall capture information on the taxonomic and anatomical origins as well as the fraction of a material that can result in or can be modified to form a substance. This set of data elements shall be used to define polymer substances isolated from biological matrices. Taxonomic and anatomical origins shall be described using a controlled vocabulary as required. This information is captured for naturally derived polymers (. starch) and structurally diverse substances. For Organisms belonging to the Kingdom Plantae the Substance level defines the fresh material of a single species or infraspecies, the Herbal Drug and the Herbal preparation. For Herbal preparations, the fraction information will be captured at the Substance information level and additional information for herbal extracts will be captured at the Specified Substance Group 1 information level. See for further explanation the Substance Class: Structurally Diverse and the herbal annex.

SubstanceSpecification | http://hl7.org/fhir/resource-types | SubstanceSpecification | The detailed description of a substance, typically at a level beyond what is used for prescribing.

SupplyDelivery | http://hl7.org/fhir/resource-types | SupplyDelivery | Record of delivery of what is supplied.

SupplyRequest | http://hl7.org/fhir/resource-types | SupplyRequest | A record of a request for a medication, substance or device used in the healthcare setting.

Task | http://hl7.org/fhir/resource-types | Task | A task to be performed.

TerminologyCapabilities | http://hl7.org/fhir/resource-types | TerminologyCapabilities | A TerminologyCapabilities resource documents a set of capabilities (behaviors) of a FHIR Terminology Server that may be used as a statement of actual server functionality or a statement of required or desired server implementation.

TestReport | http://hl7.org/fhir/resource-types | TestReport | A summary of information based on the results of executing a TestScript.
TestScript | http://hl7.org/fhir/resource-types | TestScript | A structured set of tests against a FHIR server or client implementation to determine compliance against the FHIR specification.
ValueSet | http://hl7.org/fhir/resource-types | ValueSet | A ValueSet resource instance specifies a set of codes drawn from one or more code systems, intended for use in a particular context. Value sets link between [[[CodeSystem]]] definitions and their use in [coded elements](terminologies.html).
VerificationResult | http://hl7.org/fhir/resource-types | VerificationResult | Describes validation requirements, source(s), status and dates for one or more elements.
VisionPrescription | http://hl7.org/fhir/resource-types | VisionPrescription | An authorization for the provision of glasses and/or contact lenses to a patient.
http://hl7.org/fhir/StructureDefinition/lipidprofile | urn:ietf:rfc:3986 | Lipid Lab Report
application/hl7-cda+xml | urn:ietf:bcp:13 | CDA Documents

Additional Language Displays

Code | English (English, en) | Spanish (es) | French (fr) | Italian (it) | □□ (Chinese, zh)
urn:ihe:pcc:xphr:2007
urn:ihe:pcc:aps:2007
urn:ihe:pcc:xds-ms:2007
urn:ihe:pcc:edr:2007
urn:ihe:pcc:edes:2007
urn:ihe:pcc:apr:handp:2008
urn:ihe:pcc:apr:lab:2008
urn:ihe:pcc:apr:edu:2008
urn:ihe:pcc:crc:2008
urn:ihe:pcc:cm:2008
urn:ihe:pcc:ic:2008
urn:ihe:pcc:tn:2007
urn:ihe:pcc:nn:2007
urn:ihe:pcc:ctn:2007
urn:ihe:pcc:edpn:2007
urn:ihe:pcc:hp:2008
urn:ihe:pcc:ldhp:2009
urn:ihe:pcc:lds:2009
urn:ihe:pcc:mds:2009
urn:ihe:pcc:nds:2010
urn:ihe:pcc:ppvs:2010
urn:ihe:pcc:trs:2011
urn:ihe:pcc:ets:2011
urn:ihe:pcc:its:2011
urn:ihe:pcc:ript:2017
urn:ihe:iti:bppc:2007
urn:ihe:iti:bppc-sd:2007
urn:ihe:iti:xds-sd:pdf:2008
urn:ihe:iti:xds-sd:text:2008
urn:ihe:iti:xdw:2011:workflowDoc
urn:ihe:iti:dsg:detached:2014
urn:ihe:iti:dsg:enveloping:2014
urn:ihe:iti:appc:2016:consent
urn:ihe:iti:xds:2017:mimeTypeSufficient
urn:ihe:lab:xd-lab:2008
urn:ihe:rad:TEXT
urn:ihe:rad:PDF
urn:ihe:rad:CDA:ImagingReportStructuredHeadings:2013
urn:ihe:card:imaging:2011
urn:ihe:card:CRC:2012
urn:ihe:card:EPRC-IE:2014
urn:ihe:dent:TEXT
urn:ihe:dent:PDF
urn:ihe:dent:CDA:ImagingReportStructuredHeadings:2013
urn:ihe:pat:apsr:all:2010
urn:ihe:pat:apsr:cancer:all:2010
urn:ihe:pat:apsr:cancer:breast:2010
urn:ihe:pat:apsr:cancer:colon:2010
urn:ihe:pat:apsr:cancer:prostate:2010
urn:ihe:pat:apsr:cancer:thyroid:2010
urn:ihe:pat:apsr:cancer:lung:2010
urn:ihe:pat:apsr:cancer:skin:2010
urn:ihe:pat:apsr:cancer:kidney:2010
urn:ihe:pat:apsr:cancer:cervix:2010
urn:ihe:pat:apsr:cancer:endometrium:2010
urn:ihe:pat:apsr:cancer:ovary:2010
urn:ihe:pat:apsr:cancer:esophagus:2010

urn:ihe:pat:apsr:cancer:stomach:2010
urn:ihe:pat:apsr:cancer:liver:2010
urn:ihe:pat:apsr:cancer:pancreas:2010
urn:ihe:pat:apsr:cancer:testis:2010
urn:ihe:pat:apsr:cancer:urinary_bladder:2010
urn:ihe:pat:apsr:cancer:lip_oral_cavity:2010
urn:ihe:pat:apsr:cancer:pharynx:2010
urn:ihe:pat:apsr:cancer:salivary_gland:2010
urn:ihe:pat:apsr:cancer:larynx:2010
urn:ihe:pharm:pre:2010
urn:ihe:pharm:padv:2010
urn:ihe:pharm:dis:2010
urn:ihe:pharm:pml:2013
urn:hl7-org:sdwg:ccda-structuredBody:1.1
urn:hl7-org:sdwg:ccda-nonXMLBody:1.1
urn:hl7-org:sdwg:ccda-structuredBody:2.1
urn:hl7-org:sdwg:ccda-nonXMLBody:2.1
Account | Account | Cuenta | | | □□
ActivityDefinition | ActivityDefinition | DefinicionDeActividad | | DefinizioneAttivita | □□□□
AdverseEvent | AdverseEvent | EventoAdverso | | EventoAvverso | □□□□
AllergyIntolerance | AllergyIntolerance | AllergiaIntolerancia | IntoléranceAllergique | AllergiaIntolleranza | □□□□□□□□
Appointment | Appointment | Cita | RendezVous | Appuntamento | □□
AppointmentResponse | AppointmentResponse | CitaRespuesta | RéponseRendezVous | RispostaAppuntamento | □□□□
AuditEvent | AuditEvent | EventoSeguridad | ÉvènementSécurité | | □□□□
Basic | Basic | Basico | Basique | | □□□□
Binary | Binary | Binario | Binaire | Binario | □□□□□
BiologicallyDerivedProduct | BiologicallyDerivedProduct
BodyStructure | BodyStructure | EstructuraDelCuerpo | MorphologieDeCorps | StrutturaDelCorpo | □□□□
Bundle | Bundle | Paquete | Paquet | | □□
CapabilityStatement | CapabilityStatement | DeclaracionDeCapacidad | | | □□□□
CarePlan | CarePlan | PlanDeCuidado | PlanDeSoins | PianoDiCura | □□□□
CareTeam | CareTeam | EquipoDeCuidado | | | □□□□
CatalogEntry | CatalogEntry | EntradaDeCatalogo | | | □□□□
ChargeItem | ChargeItem | CargoDeItem | | | □□□□
ChargeItemDefinition | ChargeItemDefinition
Claim | Claim | Reclamación / Factura | Réclamation | | □□
ClaimResponse | ClaimResponse | | RéponseARéclamation | | □□□□
ClinicalImpression | ClinicalImpression | HallazgoClinico | ImpressionClinique | ImpressioneClinica | □□□□
CodeSystem | CodeSystem | SistemaDeCodigos | | SistemaDiCodifica | □□□□
Communication | Communication | Comunicación | Communication | Comunicazione | □□
CommunicationRequest | CommunicationRequest | ComunicaciónRequerimiento | DemandeDeCommunication | RichiestaDiComunicazione | □□□□
CompartmentDefinition | CompartmentDefinition | DefinicionDeCompartimento | | | □□□□□□
Composition | Composition | Composición | Composition | Composizione | □□□□□
ConceptMap | ConceptMap | MapaDeConceptos | CarteDeConcepts | MappaDiConcetti | □□□□
Condition | Condition | Condición | Condition | Condizione | □□
Consent | Consent | Consentimiento | | Consenso | □□□
Contract | Contract | Contato | Contrat | Contratto | □□
Coverage | Coverage | Cobertura | Couverture | Copertura | □□□□
CoverageEligibilityRequest | CoverageEligibilityRequest | | CouvertureDemandeEligibilité | RichiestaEleggibilitaCopertura | □□□□
CoverageEligibilityResponse | CoverageEligibilityResponse | | RéponseEligibilitéCouverture | RispostaEleggibilitaCopertura | □□□□
DetectedIssue | DetectedIssue | Problema-Detectado /ProblemaDetectado | Problème Détecté | ProblemaRilevato | □□□□□
Device | Device | Dispositivo | Dispositif | Dispositivo | □□
DeviceDefinition | DeviceDefinition | DefiniciónDeDispositivo | DéfinitionDeDispositif | | □□□□
DeviceMetric | DeviceMetric | MetricaDeDispositivo | MétriqueDispositif | | □□□□
DeviceRequest | DeviceRequest | SolicitudDeDispositivo | DemandeUtilisationDispositif | RichiestaDispositivo | □□□□
DeviceUseStatement | DeviceUseStatement | | | | □□□□□□
DiagnosticReport | DiagnosticReport | InformeDiagnostico | RapportDiagnostique | RefertoDiagnostico | □□□□
DocumentManifest | DocumentManifest | ManifestoDocumento | Manifeste | | □□□□
DocumentReference | DocumentReference | ReferenciaDocumento | RéférenceDocument | RiferimentoDocumento | □□□□
DomainResource | DomainResource | RecursoDeDominio | | | □□□□
EffectEvidenceSynthesis | EffectEvidenceSynthesis
Encounter | Encounter | Encuentro | Venue | | □□□□
Endpoint | Endpoint | Endpoint | | | □□
EnrollmentRequest | EnrollmentRequest | SolicitudDeEnrolamiento | DemandeInscription | RichiestaIscrizione | □□□□□□
EnrollmentResponse | EnrollmentResponse | RespuestaDeEnrolamiento | RéponseInscription | RispostaIscrizione | □□□□□□
EpisodeOfCare | EpisodeOfCare | EpisodioDeCuidado | ÉpisodeDeSoins | EpisodioDiCura | □□□□□□
EventDefinition | EventDefinition | DefinitionDeEvento | | DefinizioneEvento | □□□□
Evidence | Evidence
EvidenceVariable | EvidenceVariable
ExampleScenario | ExampleScenario | EjemploDeEscenario | | ScenarioDiEsempio | □□□□
ExplanationOfBenefit | ExplanationOfBenefit | | ExplicationDuBénéfice | | □□□□

FamilyMemberHistory | FamilyMemberHistory | HistorialMiembroFamiliar | HistoireMembreFamille | | □□□
Flag | Flag | Bandera | Drapeau | | □□
Goal | Goal | Objetivo | But | | □□
GraphDefinition | GraphDefinition | DefinitionGrafico | | | □□□□
Group | Group | Grupo | Groupe | Gruppo | □□
GuidanceResponse | GuidanceResponse | RespuestaDeOrientacion | | | □□□□□□
HealthcareService | HealthcareService | ServicioDeCuidado | ServiceDeSanté | ServizioSanitario | □□□□□□□□
ImagingStudy | ImagingStudy | EstudioImagen / EstudioImagen | EtudeImagerie | | □□□□
Immunization | Immunization | Inmunización | Immunisation | Immunizzazione | □□□□
ImmunizationEvaluation | ImmunizationEvaluation
ImmunizationRecommendation | ImmunizationRecommendation | RecomendaciónInmunización / | RecommendationImmunisation | | □□□□□□
ImplementationGuide | ImplementationGuide | GuiaDeImplementacion | | | □□□□
InsurancePlan | InsurancePlan
Invoice | Invoice
Library | Library | Librería | | | □
Linkage | Linkage | Enlace / Conexión / Vinculo / Acoplamiento | | | □□□□
List | List | Lista | Liste | Lista | □□
Location | Location | Locacion | Localisation | | □□
Measure | Measure | Medida | | Misura | □□
MeasureReport | MeasureReport | ReporteMedida | | | □□□□
Media | Media | Medio | Média | Media | □□
Medication | Medication | Medicación /Medicamento | Médication | | □□
MedicationAdministration | MedicationAdministration | AdministraciónMedicación / AdministracionMedicamento | AdministrationMédicaments | | □□□□
MedicationDispense | MedicationDispense | DispensaciónMedicación /DispensacionMedicamento | DispensationMédicaments | | □□□□
MedicationKnowledge | MedicationKnowledge
MedicationRequest | MedicationRequest | PrescripciónMedicaciónTODO /PrescripcionMedicamento | PrescriptionMédicamenteuseTODO | | □□□□
MedicationStatement | MedicationStatement | ResumenMedicación /ResumenMedicamento | ÉtatMédication | | □□□□
MedicinalProduct | MedicinalProduct | | | ProdottoMedicinale
MedicinalProductAuthorization | MedicinalProductAuthorization | | | AutorizzazioneProdottoMedicinale
MedicinalProductContraindication | MedicinalProductContraindication
MedicinalProductIndication | MedicinalProductInteraction
MedicinalProductIngredient | MedicinalProductIngredient | | | IngredienteProdottoMedicinale
MedicinalProductInteraction | MedicinalProductInteraction
MedicinalProductManufactured | MedicinalProductManufactured
MedicinalProductPackaged | MedicinalProductPackaged
MedicinalProductPharmaceutical | MedicinalProductPharmaceutical
MedicinalProductUndesirableEffect | MedicinalProductUndesirableEffect
MessageDefinition | MessageDefinition | DefinicionMensaje | | DefinizioneMessaggio | □□□□
MessageHeader | MessageHeader | CabeceraMensaje | EntêteMessage | | □□□□
MolecularSequence | MolecularSequence | SecuenciaMolecular | | | □□□□
NamingSystem | NamingSystem | SistemaDeNombres | SystèmeDeNommage | | □□□□
NutritionOrder | NutritionOrder | OrdenNutrición | OrdreNutrition | | □□□□
Observation | Observation | Observación | Observation | Osservazione | □□
ObservationDefinition | ObservationDefinition | DefinicionDeEspecimen | | DefinizioneOsservazione | □□□□
OperationDefinition | OperationDefinition | DefinicionDeOperacion | DéfinitionOpération | DefinizioneOperazione | □□□□
OperationOutcome | OperationOutcome | ResultadoOperación | RésultatOpération | RisultatoOperazione | □□□□
Organization | Organization | Organización | Organisation | Organizzazione | □□□□
OrganizationAffiliation | OrganizationAffiliation
Parameters | Parameters | Parametros | | | □□
Patient | Patient | Paciente | Patient | Paziente | □□
PaymentNotice | PaymentNotice | AvisoDePago | AvisPaiement | AvvisoDiPagamento | □□□□
PaymentReconciliation | PaymentReconciliation | ConciliacionDePago | RéconciliationPaiement | RiconciliazionePagamento | □□□□
Person | Person | Persona | Personne | Persona | □□
PlanDefinition | PlanDefinition | DefinicionDePlan | | | □□□□
Practitioner | Practitioner | Practicante / Profesional | Praticien | | □□□□
PractitionerRole | PractitionerRole | RolProfesional | | | □□□□□□
Procedure | Procedure | Procedimiento | Procédure | Procedura | □□□□
Provenance | Provenance | Procedencia | Provenance | Provenienza | □□
Questionnaire | Questionnaire | Cuestionario | Questionnaire | Questionario | □□□□
QuestionnaireResponse | QuestionnaireResponse | RespuestaAlCuestionario | RéponseQuestionnaire | RispostaQuestionario | □□□□□□
RelatedPerson | RelatedPerson | PersonaRelacionada | PersonneEnRelation | PersonaCorrelata | □□□□
RequestGroup | RequestGroup | GrupoDeSolicitudes | | GruppoDiRichieste | □□□□
ResearchDefinition | ResearchDefinition
ResearchElementDefinition | ResearchElementDefinition
ResearchStudy | ResearchStudy | EstudioDeInvestigacion | | | □□□□
ResearchSubject | ResearchSubject | SujetoDeInvestigacion | | | □□□□
Resource | Resource | Recurso | | | □□
RiskAssessment | RiskAssessment | EvaluacionDeRiesgo | ÉvaluationRisques | | □□□□

RiskEvidenceSynthesis | RiskEvidenceSynthesis
Schedule | Schedule | Agenda | | | □□□□
SearchParameter | SearchParameter | ParametroDeBusqueda | ParamètreRecherche | ParametroDiRicerca | □□□□
ServiceRequest | ServiceRequest | PeticiónServicio | DemandeService | RichiestaDiServizio | □□□□□□
Slot | Slot | Hueco / Zocalo / Espacio | Slot | | □□
Specimen | Specimen | Especimen | Spécimen | Campione | □□
SpecimenDefinition | SpecimenDefinition | DefinicionDeEspecimen | | DefinizioneCampione | □□□□
StructureDefinition | StructureDefinition | DefinicionDeEstructura | DéfinitionStructure | DefinizioneStruttura | □□□□
StructureMap | StructureMap | MapaDeEstructura | | | □□□□
Subscription | Subscription | Suscripción | Souscription | Sottoscrizione | □□
Substance | Substance | Sustancia | Substance | Sostanza | □□
SubstanceNucleicAcid | SubstanceNucleicAcid
SubstancePolymer | SubstancePolymer
SubstanceProtein | SubstanceProtein
SubstanceReferenceInformation | SubstanceReferenceInformation
SubstanceSourceMaterial | SubstanceSourceMaterial
SubstanceSpecification | SubstanceSpecification
SupplyDelivery | SupplyDelivery | Entrega de Suministro | Supply Livraison | | □□□□
SupplyRequest | SupplyRequest | Solicitud de Suministro | Demande d'approvisionnement | | □□□□
Task | Task | Tarea | | | □□
TerminologyCapabilities | TerminologyCapabilities | CapacidadTerminologica | | | □□□□□□
TestReport | TestReport | ReporteDePrueba | RapportTest | | □□□□
TestScript | TestScript | ScriptDePrueba | ScriptTest | | □□□□
ValueSet | ValueSet | ConjuntoValores / ConjuntoDeValores | EnsembleValeurs | | □□□□
VerificationResult | VerificationResult
VisionPrescription | VisionPrescription | PrescripcionDeVision | PrescriptionVision | | □□□□
http://hl7.org/fhir/StructureDefinition/lipidprofile
application/hl7-cda+xml

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.342 Value Set http://hl7.org/fhir/ValueSet/body-site

URL: https://hl7.org/fhir/R4/valueset-body-site.html
Orders and Observations Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/body-site
Version: | 4.0.1
Name: | SNOMEDCTBodyStructures
Title: | SNOMED CT Body Structures
Definition: | This value set includes all codes from SNOMED CT where concept is-a 442083009 (Anatomical or acquired body site (body structure)).
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.141 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

- Resource: ServiceRequest.bodySite (CodeableConcept / Example)
- Profile: ServiceRequest-Genetics: ServiceRequest.bodySite (CodeableConcept / Example)
- Resource: BodyStructure.location (CodeableConcept / Example)
- Resource: ImagingStudy.series.bodySite (Coding / Example)
- Resource: ChargeItem.bodysite (CodeableConcept / Example)
- Resource: ActivityDefinition.bodySite (CodeableConcept / Example)
- Profile: ShareableActivityDefinition: ActivityDefinition.bodySite (CodeableConcept / Example)

• Resource: DeviceUseStatement.bodySite (CodeableConcept / Example)
• Resource: Specimen.collection.bodySite (CodeableConcept / Example)
• Resource: Procedure.bodySite (CodeableConcept / Example)
• Resource: Media.bodySite (CodeableConcept / Example)
• Resource: Observation.bodySite (CodeableConcept / Example)
• Profile: DeviceMetricObservation: Observation.bodySite (CodeableConcept / Example)
• Profile: Observation-Genetics: Observation.bodySite (CodeableConcept / Example)
• Profile: VitalSigns: Observation.bodySite (CodeableConcept / Example)
• Profile: BodyWeight: Observation.bodySite (CodeableConcept / Example)
• Profile: VitalsPanel: Observation.bodySite (CodeableConcept / Example)
• Profile: BodyHeight: Observation.bodySite (CodeableConcept / Example)
• Profile: RespRate: Observation.bodySite (CodeableConcept / Example)
• Profile: HeartRate: Observation.bodySite (CodeableConcept / Example)
• Profile: BodyTemp: Observation.bodySite (CodeableConcept / Example)
• Profile: HeadCircum: Observation.bodySite (CodeableConcept / Example)
• Profile: OxygenSat: Observation.bodySite (CodeableConcept / Example)
• Profile: BMI: Observation.bodySite (CodeableConcept / Example)
• Profile: BP: Observation.bodySite (CodeableConcept / Example)
• Profile: Cholesterol: Observation.bodySite (CodeableConcept / Example)
• Profile: Triglyceride: Observation.bodySite (CodeableConcept / Example)
• Profile: HDLCholesterol: Observation.bodySite (CodeableConcept / Example)
• Profile: LDLCholesterol: Observation.bodySite (CodeableConcept / Example)
• Resource: Condition.bodySite (CodeableConcept / Example)
• Extension: http://hl7.org/fhir/StructureDefinition/openEHR-location: location (CodeableConcept / Extensible)

4.4.1.342.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://snomed.info/sct where concept is-a 442083009 (Anatomical or acquired body structure)

4.4.1.342.2 Expansion

This expansion generated 01 Nov 2019

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code | Display | Definition
106004 | Posterior carpal region
107008 | Fetal part of placenta
108003 | Condylar emissary vein
110001 | Visceral layer of Bowman's capsule
111002 | Parathyroid gland
116007 | Subcutaneous tissue of medial surface of index finger
124002 | Coronoid process of mandible
149003 | Central pair of microtubules, cilium or flagellum, not bacterial
155008 | Deep circumflex artery of ilium
167005 | Supraclavicular part of brachial plexus
202009 | Anterior division of renal artery
205006 | Left commissure of aortic valve
206007 | Gluteus maximus muscle
221001 | Articular surface, phalanges, of fourth metacarpal bone
227002 | Canal of Hering
233006 | Hepatocolic ligament
235004 | Superior labial artery
246001 | Lateral vestibular nucleus
247005 | Mesotympanum
251007 | Pectoral region
256002 | Kupffer cell
263002 | Thoracic nerve
266005 | Right lower lobe of lung
272005 | Superior articular process of lumbar vertebra
273000 | Lateral myocardium

283001 | Central axillary lymph node
284007 | Flexor tendon and tendon sheath of fourth toe
289002 | Metacarpophalangeal joint of index finger
301000 | Fifth metatarsal bone
311007 | Plantar surface of great toe
315003 | Skin of umbilicus
318001 | Cardiac impression of liver
344001 | Ankle
345000 | Penetrating atrioventricular bundle
356000 | Reticular corium
393006 | Wall of urinary bladder
402006 | Dental branches of inferior alveolar artery
405008 | Posterior temporal diploic vein
414003 | Gastric fundus
420002 | Anastomosis, heterocladic
422005 | Inferior surface of tongue
446003 | Trochanteric bursa
457008 | Collateral ligament
461002 | Lateral corticospinal tract
464005 | Basophilic normoblast
465006 | Ascending frontal gyrus
471000 | Flexor hallucis longus in leg
480000 | Cardiopulmonary circulatory system
485005 | TC - Transverse colon
528006 | Costal surface of lung
552004 | Vagus nerve parasympathetic fibers to cardiac plexus
565008 | Intervertebral disc space of fifth lumbar vertebra
582005 | Head of phalanx of great toe
587004 | Capsule of proximal interphalangeal joint of third toe
589001 | Interventricular septum
595000 | Palpebral fissure
608002 | Subcutaneous tissue of philtrum
621009 | Multivesicular body, internal vesicles
635006 | Tuberosity of distal phalanx of little toe
650002 | Superior articular process of seventh thoracic vertebra
660006 | Tracheal mucous membrane
661005 | Jaw region
667009 | Embryological structure
688000 | Fetal hyaloid artery
691000 | Small intestine submucosa
692007 | Body of ischium
723004 | Dense intermediate filament bundles
774007 | Head and neck
790007 | Visceral surface of liver
798000 | Deep temporal veins
808000 | Posterior intercostal artery
809008 | Fetal chondrocranium
823005 | Posterior cervical spinal cord nerve root
830004 | Spinous process of fifth thoracic vertebra
836005 | Oral region of face
885000 | Lamina muscularis of colonic mucous membrane
895007 | Anterior cruciate ligament of knee joint
917004 | Superior laryngeal aperture
921006 | Thyrohyoid branch of ansa cervicalis
947002 | Crus of diaphragm
955009 | Bronchus
976004 | Ovarian vein
996007 | Meningeal branch of occipital artery
1005009 | Entire diaphragmatic lymph node
1012000 | Structure of fibrous portion of pericardium
1015003 | Structure of peritonsillar tissue
1028005 | Sebaceous gland structure
1030007 | Structure of vesicular bursa of sternohyoid muscle
1063000 | Frontozygomatic suture of skull
1075005 | Promonocyte
1076006 | Subcutaneous prepatellar bursa
1086007 | Female
1087003 | Sternothyroid muscle
1092001 | Superior occipital gyrus
1099005 | Thymic cortex
1101003 | Cranial cavity
1106008 | Major calyx

1110006 | Tarsal gland
1122009 | Inferior longitudinal muscle of tongue
1136004 | Aortopulmonary septum
1159005 | Frenulum linguae
1172006 | Odontoid process of axis
1173001 | Mandibular nerve
1174007 | Chromosomes, group E
1193009 | Teres major muscle
1216008 | Synostosis
1231004 | Central nervous system meninges
1236009 | Duodenal serosa
1243003 | Inferior articular process of sixth cervical vertebra
1246006 | Dorsal digital nerves of radial nerve
1263005 | Distinctive arrangement of microtubules
1277008 | Vertebral nerve
1307006 | Glottis
1311000 | Telogen hair
1350001 | Deep flexor tendon of index finger
1353004 | Gastric serosa
1403006 | Vastus lateralis muscle
1425000 | Posterior limb of stapes
1439000 | Paravesicular lymph node
1441004 | Laryngeal saccule
1456008 | Yellow fibrocartilage
1467009 | Parietal branch of superficial temporal artery
1484003 | Structure of metatarsal region of foot
1490004 | Soft tissues of trunk
1502004 | Anterior cecal artery
1511004 | Ejaculatory duct
1516009 | Frontomental diameter of head
1527006 | Lamina of fourth thoracic vertebra
1537001 | Intervertebral disc of eleventh thoracic vertebra
1541002 | Coccygeal plexus
1562001 | Nucleus pulposus of intervertebral disc of third lumbar vertebra
1569005 | Nail of third toe
1580005 | Nucleus ventralis lateralis
1581009 | Ileal artery
1584001 | Symphysis
1600003 | Splenius capitis muscle
1605008 | Histioblast
1610007 | Otoconia
1611006 | Paramammary lymph node
1617005 | Intrinsic larynx
1620002 | Metaphase nucleus
1626008 | Third thoracic vertebra
1627004 | Medial collateral ligament of knee joint
1630006 | Supraorbital vein
1631005 | Foregut
1650005 | Hilum of left lung
1655000 | Transverse peduncular tract nucleus
1659006 | Nucleus medialis dorsalis
1684009 | Ligamentum teres of liver
1706004 | Thymic lobule
1707008 | Ventral nuclear group of thalamus
1711002 | Periorbital region
1716007 | Cupula ampullaris
1721005 | Right tonsil
1729007 | Central tegmental tract
1732005 | TD - Thoracic duct
1765002 | Structure of lymphatic vessel of thorax
1780008 | Premelanosome
1781007 | Sacroiliac region
1797002 | Naris
1818002 | Greater circulus arteriosus of iris
1825009 | Root of nose
1832000 | Scleral conjunctiva
1840006 | Arrector pili muscle
1849007 | Pharyngeal recess
1853009 | Structure of suprahyoid muscle
1874005 | Promontory lymph node
1893007 | Joint of upper extremity
1895000 | Musculophrenic vein

1902009 | Skin of external ear
1910005 | Ear
1918003 | Suprarenal aorta
1927002 | Left elbow
1992003 | Porus acusticus internus
1997009 | Cingulum dentis
2010005 | Clavicular facet of scapula
2020000 | Superior thoracic artery
2031008 | Structure of anterior median fissure of spinal cord
2033006 | Right fallopian tube
2044003 | Vaginal nerves
2048000 | Lingual tonsil
2049008 | Chorionic villi
2059009 | Skin of ear lobule
2071003 | Reticular formation of spinal cord
2076008 | Head of phalanx of hand
2083001 | Nucleus ambiguus
2095001 | Accessory sinus
2123001 | Mammilloinfundibular nucleus
2150006 | Urinary tract transitional epithelial cell
2156000 | Glial cell
2160002 | Ligamentum arteriosum
2175005 | Pharyngeal cavity
2182009 | Endometrial zona basalis
2192001 | Clavicular part of pectoralis major muscle
2205003 | Lamina of fifth thoracic vertebra
2209009 | Cerebral basal surface
2236006 | Lesser osseous pelvis
2246008 | Type I hair cell
2255006 | Subserosa
2285001 | Structure of torcular Herophili
2292006 | Structure of nasopharyngeal gland
2302002 | Vein of the knee
2305000 | Structure of spinous process of cervical vertebra
2306004 | Structure of base of third metacarpal bone
2327009 | Salivary seromucous gland
2330002 | Structure of segmental bronchial branches
2332005 | Metencephalon of foetus
2334006 | Renal calyx
2349003 | Structure of nasal suture of skull
2372001 | Structure of medial surface of toe
2383005 | Structure of papillary muscles of right ventricle
2389009 | Structure of superior margin of adrenal gland
2395005 | Structure of transverse facial artery
2397002 | Structure of first metatarsal facet of medial cuneiform bone
2400006 | Universal designation 21
2402003 | Structure of dorsum of foot
2421006 | Structure of submaxillary ganglion
2433001 | Structure of digital tendon and tendon sheath of foot
2436009 | Tunica intima of vein
2453002 | Subcutaneous tissue structure of posterior surface of forearm
2454008 | Structure of articular surface, third metacarpal, of second metacarpal bone
2484000 | Skin structure of frenulum of clitoris
2489005 | Structure of medial check ligament of eye
2499000 | Entire cisterna pontis
2502001 | Membrane of lysosome
2504000 | Structure of pancreatic plexus
2510000 | Femoral triangle structure
2539000 | Structure of superior rectal artery
2543001 | Structure of cuboid articular facet of fourth metatarsal bone
2550002 | Bone structure of phalanx of thumb
2577006 | Structure of gracilis muscle
2579009 | Plasmablast
2592007 | All extremities
2600000 | Structure of flexor pollicis longus muscle tendon
2620004 | Intervertebral disc structure of third thoracic vertebra
2639009 | Neuroendocrine tissue
2653009 | Structure of posterior thalamic radiation of internal capsule
2666009 | Structure of semispinalis capitis muscle
2672009 | Structure of anterior cutaneous branch of lumbosacral plexus
2675006 | Structure of anterior ethmoidal artery
2681003 | Structure of dorsal nerve of penis

2682005 | Bladder mucosa
2686008 | Structure of medial olfactory gyrus
2687004 | Structure of Bowman space
2695000 | Left maxillary sinus structure
2703009 | Entire calcarine artery
2712006 | Structure of capsule of ankle joint
2718005 | Structure of apical foramen of tooth
2726002 | Structure of fold for stapes
2730004 | Entire vitelline vein of placenta
2739003 | Endometrial structure
2741002 | Structure of medial occipitotemporal gyrus
2746007 | Circular layer of gastric muscularis
2748008 | Spinal cord structure
2759004 | Eccrine gland structure
2771005 | Lamina propria of ureter
2789006 | Apocrine gland structure
2792005 | Structure of pars tensa of tympanic membrane
2803000 | Structure of tendon sheath of popliteus muscle
2810006 | Structure of cremasteric fascia
2812003 | Structure of head of femur
2824005 | Structure of spinous process of fourth thoracic vertebra
2826007 | Structure of lamina of fourth lumbar vertebra
2830005 | Structure of dorsal digital nerves of lateral hallux and medial second toe
2839006 | Structure of perivesicular tissues of seminal vesicles
2841007 | Renal artery structure
2845003 | Structure of respiratory epithelium
2848001 | Structure of superficial epigastric artery
2855004 | Structure of accessory cephalic vein
2861001 | Entire gland (organ)
2894003 | Structure of posterior epiglottis
2905008 | Structure of anterior ligament of uterus
2909002 | Structure of posterior portion of diaphragmatic aspect of liver
2920002 | Structure of facial nerve motor branch
2922005 | Structure of posterior papillary muscle of left ventricle
2923000 | Subcutaneous tissue structure of supraorbital area
2954001 | Supernumerary deciduous tooth
2969000 | Anatomical space structure
2979003 | Bone structure of medial cuneiform
2986006 | Structure of talar facet of navicular bone of foot
2998001 | Entire right margin of uterus
3003007 | Internal capsule anterior limb structure
3008003 | White fibrocartilage
3028004 | Transitional epithelial cell
3039001 | Subcutaneous tissue structure of thigh
3042007 | Structure of glomerular urinary pole
3054007 | Structure of articular surface, metacarpal, of phalanx of thumb
3055008 | Structure of bone marrow of vertebral body
3056009 | Structure of anteroventral nucleus of thalamus
3057000 | Nerve structure
3058005 | PNS - Peripheral nervous system
3062004 | Spinal arachnoid
3068000 | Structure of seminal vesicle lumen
3081007 | Mitochondrion in division
3093003 | Structure of tendinous arch of pelvic fascia
3100007 | Clinical crown of tooth
3113001 | Structure of suprachoroidal space
3117000 | Structure of dorsal surface of index finger
3118005 | Structure of trabecula carnea of left ventricle
3120008 | Pleural membrane structure
3134008 | Structure of head of fourth metatarsal bone
3138006 | Bone tissue
3153003 | Structure of tractus olivocochlearis
3156006 | Structure of obturator artery
3159004 | Structure of costocervical trunk
3169005 | Spinal nerve structure
3178004 | Structure of raphe of soft palate
3194006 | Endocardium of right atrium
3198009 | Monostomatic sublingual gland
3215002 | Subcutaneous tissue structure of nuchal region
3222005 | All large arteries
3227004 | Left coronary artery main stem
3236000 | Structure of posterior segment of right upper lobe of lung

3243006 | Structure of parametrial lymph node
3255000 | Papillary area
3262009 | Structure of root canal of tooth
3279003 | Structure of pedicle of third cervical vertebra
3295003 | Structure of ventral anterior nucleus of thalamus
3301002 | Tectopontine fibers
3302009 | Splenic branch of splenic artery
3315000 | Structure of vestibulospinal tract
3332001 | Occipitofrontal diameter of head
3336003 | Haversian canal
3341006 | Right lung structure
3350008 | Entire right commissure of pulmonic valve
3362007 | Intertragal incisure structure
3366005 | Structure of anterior papillary muscle of left ventricle
3370002 | Structure of supporting tissue of rectum
3374006 | Secondary spermatocyte
3377004 | Structure of agger nasi
3382006 | Structure of rima oris
3383001 | Nonsegmented basophil
3394002 | Suboccipitobregmatic diameter of head
3395001 | Structure of superior palpebral arch
3396000 | Structure of mesogastrium
3400000 | Cell of bone
3409004 | Structure of lateral margin of forearm
3417007 | Structure of rotator muscle
3438001 | Deep lymphatic of upper extremity
3444002 | Thalamostriate vein
3447009 | Penetrated oocyte
3460003 | Structure of anterodorsal nucleus of thalamus
3462006 | Structure of commissure of tricuspid valve
3471002 | Posterior midline of trunk
3478008 | Structure of vastus medialis muscle
3481003 | Structure of embryonic testis
3488009 | Annulate lamella, cisternal lumen
3490005 | Subcutaneous tissue structure of suboccipital region
3524005 | Structure of lateral wall of mastoid antrum
3538003 | Structure of capsule of proximal tibiofibular joint
3541007 | Structure of dorsal metatarsal artery
3553006 | Structure of thyroid capsule
3556003 | Structure of dorsal nucleus of trapezoid body
3563003 | Muscularis of ureter
3572006 | Vertebral body
3578005 | Structure of body of gallbladder
3582007 | Structure of gastrophrenic ligament
3584008 | T10 dorsal arch
3594003 | Structure of straight part of longus colli muscle
3608004 | Ischiococcygeus muscle
3609007 | Structure of occipital branch of posterior auricular artery
3646006 | Lamellipodium
3663005 | Structure of tympanic ostium of Eustachian tube
3665003 | Pelvic wall structure
3670005 | Entire subpyloric lymph node
3711007 | Great vessel
3743007 | Structure of lateral thoracic artery
3761003 | Structure of nucleus pulposus of intervertebral disc of first thoracic vertebra
3766008 | Subcutaneous tissue structure of lower extremity
3785006 | Entire dorsal metacarpal ligament
3788008 | Structure of apical segment of right lower lobe of lung
3789000 | Enteroendocrine cell
3810000 | Septal cartilage structure
3838008 | Structure of apex of coccyx
3860006 | Structure of transplanted liver
3865001 | Structure of interscapular region of back
3867009 | Structure of dorsal surface of great toe
3876002 | Subcutaneous tissue structure of femoral region
3877006 | Structure of common carotid plexus
3910004 | Subcutaneous tissue structure of lateral surface of fourth toe
3916005 | Structure of occipital lymph node
3924000 | Structure of pericardiophrenic artery
3931001 | OW - Oval window
3935005 | Head of tenth rib structure
3937002 | Structure of entorhinal cortex

3954005 | Lacrimal sac structure
3956007 | Structure of fifth metatarsal articular facet of fourth metatarsal bone
3959000 | Structure of rectus capitis muscle
3960005 | Olfactory tract structure
3964001 | Structure of gyrus of brain
3966004 | Entire parietal branch of anterior cerebral artery
3977005 | Subcutaneous tissue structure of concha
3984002 | Deep vein of clitoris
3989007 | Structure of medial globus pallidus
4015004 | Chromosomes, group A
4019005 | Posterior commissure of labium majorum
4029003 | Eosinophilic progranulocyte
4061004 | Lateral orbital wall
4066009 | Structure of capsule of proximal interphalangeal joint of index finger
4072009 | Structure of fourth coccygeal vertebra
4081003 | Entire dorsal lingual vein
4093007 | Structure of vagus nerve bronchial branch
4111006 | Macula of the saccule
4117005 | Lumbosacral spinal cord central canal structure
4121003 | Structure of superior frontal sulcus
4146003 | Structure of artery of extremity
4148002 | Structure of palmar surface of little finger
4150005 | Celiac nervous plexus structure
4158003 | Abdominal aortic plexus structure
4159006 | Hyparterial bronchus
4180000 | Both lower extremities
4193005 | Entire extensor tendon and tendon sheath of fifth toe
4205002 | Türk cell
4212006 | Epithelial cells
4215008 | Head of second rib structure
4247003 | Bone structure of first metacarpal
4258007 | Posterior tibial vein
4268002 | Lateral spinorubral tract
4276000 | Structure of inferior articular process of seventh cervical vertebra
4281009 | Structure of middle portion of ileum
4295007 | Structure of paracortical area of lymph node
4303006 | Cartilage canal
4312008 | Anterior midline of abdomen
4317002 | Structure of spinalis muscle
4328003 | Protoplasmic astrocyte
4335006 | Upper jaw region
4352005 | Structure of subchorionic space
4358009 | Structure of lateral surface of little finger
4360006 | Stratum spinosum structure
4369007 | Small intestine mucous membrane structure
4371007 | Structure of fourth metatarsal facet of lateral cuneiform bone
4375003 | Structure of incisure of cartilaginous portion of auditory canal
4377006 | Structure of parafascicular nucleus of thalamus
4394008 | Scala vestibuli structure
4402002 | Structure of anterior articular surface for talus
4419000 | Tracheal submucosa
4421005 | Cellular structures
4430002 | Structure of clivus ossis sphenoidalis
4432005 | Structure of ductus arteriosus
4442007 | Dental arch structure
4486002 | Structure of accessory sinus gland
4524000 | Structure of subclavian plexus
4527007 | Joint structure of lower extremity
4537002 | Structure of internal medullary lamina of thalamus
4548009 | Lamellated granule, as in surfactant-secreting cell
4549001 | Entire vagus nerve parasympathetic fibers to liver, gallbladder, bile ducts and pancreas
4566004 | Structure of tentorium cerebelli
4573009 | Desmosome
4578000 | Skin structure of posterior surface of thigh
4583008 | Structure of splenius muscle of trunk
4588004 | Structure of middle trunk of brachial plexus
4596009 | Larynx structure
4603002 | Structure of base of phalanx of foot
4606005 | Tubercle of eighth rib structure
4621004 | Structure of lesser tuberosity of humerus
4624007 | Structure of lymphatic cord
4647008 | Lipid droplet, homogeneous

4651005 | Structure of tunica albuginea of corpus spongiosum
4658004 | Skin structure of nuchal region
4677002 | Basal lamina, inclusion in subepithelial location
4703008 | Cardinal vein structure
4717004 | Neutrophilic myelocyte
4718009 | Entire venous plexus of the foramen ovale basis cranii
4743003 | Structure of ventral sacrococcygeal ligament
4755009 | Structure of medial surface of great toe
4759003 | Structure of gemellus muscle
4766002 | Structure of supracardinal vein
4768001 | Structure of perineal nerve
4774001 | Structure of phrenic nerve pericardial branch
4775000 | Structure of ventral posterior inferior nucleus
4799000 | Deiter cell
4810005 | Structure of uterine venous plexus
4812002 | Anterior tibial compartment structure
4828007 | Femoral canal structure
4840007 | Subcutaneous tissue structure of ring finger
4843009 | Ampulla of semicircular duct
4861000 | Structure of tuberculum impar
4866005 | Constrictor muscle of pharynx structure
4870002 | Structure of dorsal tegmental nuclei of midbrain
4871003 | Lamina of modiolus of cochlea
4881004 | Entire sublingual vein
4888005 | Entire interlobular vein of kidney
4897009 | Cell membrane, prokaryotic
4905007 | Structure of uterovaginal plexus
4906008 | Mastoid antrum structure
4924005 | Cerebellar gracile lobule
4942000 | Lower limb lymph node structure
4954000 | Structure of radial notch of ulna
4956003 | Subcutaneous tissue structure of back
4958002 | Amygdaloid structure
5001007 | Structure of superior temporal sulcus
5023006 | Structure of yellow bone marrow
5026003 | Structure of posterior surface of prostate
5046008 | Structure of superficial dorsal veins of clitoris
5068003 | Structure of obturator internus muscle ischial bursa
5069006 | Structure of rugal column
5076001 | Structure of infrasternal angle
5115006 | Structure of posterior auricular vein
5122003 | Entire angle of first rib
5128004 | Lens zonules
5140004 | Permanent upper right 6 tooth
5192008 | Structure of intervertebral foramen of twelfth thoracic vertebra
5194009 | Structure of epithelium of lens
5195005 | Structure of right external carotid artery
5204005 | Superior ileocecal recess
5213007 | Frontal vein
5225005 | Structure of uterine ostium of fallopian tube
5228007 | Right cerebral hemisphere structure
5229004 | Structure of mucosa of gallbladder
5261000 | Structure of thoracic intervertebral disc
5272005 | Skin structure of lateral portion of neck
5279001 | Structure of foramen singulare
5296000 | Structure of anterior mediastinal lymph node
5324007 | Structure of superior pole of kidney
5329002 | Bone structure of C4
5336001 | Structure of inferior frontal gyrus
5347008 | Synaptic specialization, cytoplasmic
5362005 | Structure of median arcuate ligament of diaphragm
5366008 | Hippocampal structure
5379004 | Small intestine muscularis propria
5382009 | Superior fascia of perineum
5394000 | Uterine paracervical lymph node
5398002 | Normal fat pad
5403001 | Articular process of third lumbar vertebra
5421003 | Sex chromosome Y
5427004 | Apocrine intraepidermal duct
5458003 | Deep artery of clitoris
5459006 | Cardiac incisure of stomach
5491007 | Lacrimal part of orbicularis oculi muscle

5493005 | Metacarpophalangeal joint of little finger
5498001 | Superior aberrant ductule of epididymis
5501001 | Hyaloid artery
5520004 | Subcutaneous tissue of chin
5538001 | Tegmental portion of pons
5542003 | Crista marginalis of tooth
5544002 | Longitudinal layer of duodenal muscularis propria
5560003 | Alveolar ridge mucous membrane
5564007 | Singlet
5574005 | Seventh costal cartilage
5580002 | Tendon of supraspinatus muscle
5597008 | Retina of right eye
5611001 | Anulus fibrosus of intervertebral disc of fifth cervical vertebra
5625000 | Navicular facet of intermediate cuneiform bone
5627008 | Right visceral pleura
5633004 | Muscular portion of interventricular septum
5643001 | Canal of stomach
5644007 | Fractured membrane P face
5653000 | Inner surface of seventh rib
5665001 | Retina
5668004 | Lower digestive tract
5677006 | Lenticular fasciculus
5682004 | Subcutaneous tissue of upper extremity
5696005 | Articular part of tubercle of ninth rib
5697001 | Skin of lateral surface of finger
5709001 | Multifidus muscles
5713008 | Submandibular triangle
5717009 | Temporal fossa
5718004 | Tendon and tendon sheath of leg and ankle
5727003 | Anterior cervical lymph node
5742000 | Skin of forearm
5751008 | Subcutaneous tissue of anterior portion of neck
5769004 | Endocervical epithelium
5780004 | Paradidymis
5798000 | Diaphragm
5802004 | Medium sized neuron
5814007 | Angle of seventh rib
5815008 | Superior rectus muscle
5816009 | Duodenal fold
5825003 | Substantia propria of sclera
5828001 | Posterior cord of brachial plexus
5847003 | Superior articular process of seventh cervical vertebra
5854009 | Orbital plate of ethmoid bone
5868002 | Serosa of urinary bladder
5872003 | Subcutaneous tissue of lateral border of sole of foot
5881009 | Tuberosity of distal phalanx of hand
5882002 | Endothelial sieve plate
5889006 | Articular surface, third metacarpal, of fourth metacarpal bone
5890002 | Posterior cells of ethmoid sinus
5893000 | Superior recess of tympanic membrane
5898009 | Myotome
5923009 | Articular process of twelfth thoracic vertebra
5926001 | Bronchial lumen
5928000 | Great cardiac vein
5942008 | Tensor tympani muscle
5943003 | Vestibular vein
5944009 | Posterior palatine arch
5948007 | Capsule of distal interphalangeal joint of third toe
5951000 | Left wrist
5953002 | Eighth rib
5976004 | Subcutaneous tissue of eyelid
5979006 | Episcleral artery
5996007 | Chromosomes, group D
6001004 | Quadratus lumborum muscle
6004007 | Intervertebral disc of second thoracic vertebra
6006009 | Circular layer of duodenal muscularis propria
6009002 | Mesentery of ascending colon
6013009 | Reticuloendothelial system
6014003 | Penicilliary arteries
6023000 | Heterolysosome
6032003 | Columnar epithelial cell
6046003 | Outer surface of third rib

6050005 | Lacrimal vein
6059006 | Metacarpophalangeal joint of middle finger
6062009 | Deciduous mandibular right canine tooth
6073002 | Ligament of left superior vena cava
6074008 | Capsule of temporomandibular joint
6076005 | Gastrointestinal subserosa
6104005 | Subclavian nerve
6105006 | Body of fifth thoracic vertebra
6110005 | Facial nerve parasympathetic fibers
6194002 | Nail of fourth toe
6216007 | Postcapillary venule
6217003 | Piriform recess
6229007 | Os lacrimale
6253001 | Sulcus terminalis cordis
6268000 | Accessory phrenic nerves
6269008 | Subcutaneous tissue of scalp
6279005 | Skin of dorsal surface of finger
6317000 | Posterior basal branch of left pulmonary artery
6325003 | Aryepiglottic muscle
6326002 | Fetal atloid articulation
6335009 | Lymphoid follicle of stomach
6359004 | Hair medulla
6371005 | Lymphatics of thyroid gland
6375001 | Cavernous portion of urethra
6392005 | Coccygeal nerve
6404004 | Ligamentum nuchae
6413002 | Presymphysial lymph node
6417001 | Medial malleolus
6423006 | Supraspinatus muscle
6424000 | Structure of radiating portion of cortical lobule of kidney
6445007 | Mast cell
6448009 | Posterior vagal trunk
6450001 | Cytotrophoblast
6472004 | Medial aspect of ovary
6504002 | Glans clitoridis
6511003 | Distal portion of circumflex branch of left coronary artery
6530003 | Cardiac valve leaflet
6533001 | Colonic haustra
6538005 | Thyrocervical trunk
6541001 | Anterior commissure of mitral valve
6544009 | Gastrohepatic ligament
6550004 | Angular incisure of stomach
6551000 | Pollicis artery
6553002 | Inferior nasal turbinate
6564004 | Medial border of sole
6566002 | Cerebellar hemisphere
6572002 | Base of phalanx of middle finger
6598008 | Lingual nerve
6606008 | Structure of dorsal intercuneiform ligaments
6608009 | Sphenoparietal sinus
6620001 | Cuticle of nail
6623004 | Sternal muscle
6633007 | Right posterior cerebral artery
6643005 | Right anterior cerebral artery
6646002 | Anterior fossa of cranial cavity
6649009 | Uterine subserosa
6651008 | Central lobule of cerebellum
6684008 | Articular facet of head of fibula
6685009 | Right ankle
6711001 | Arch of second lumbar vertebra
6720005 | Femoral nerve lateral muscular branches
6731002 | Pleural recess
6739000 | Chorda tympani
6742006 | Callosomarginal branch of anterior cerebral artery
6750002 | Mitochondrial inclusion
6757004 | Right knee
6787005 | Tendon and tendon sheath of hand
6789008 | Spermatozoa
6799003 | Macula of utricle
6805009 | Interstitial tissue of spleen
6820003 | Obturator nerve anterior branch
6828005 | Ligament of lumbosacral joint

6829002 | Pars ciliaris of retina
6834003 | Axial skeleton
6841009 | Corticomedullary junction of kidney
6844001 | Spore crystal
6850006 | Secondary foot process
6864006 | Leaf of epiglottis
6866008 | Habenular commissure
6871001 | Visceral pericardium
6894000 | Medial surface of arm
6902008 | Popliteal region
6905005 | Subcutaneous tissue of medial surface of third toe
6912001 | Lower alveolar ridge mucosa
6914000 | Perivascular space
6921000 | Right upper extremity
6930008 | Jugular arch
6944002 | Anterior labial veins
6969002 | Lymphocytic tissue
6975006 | Anterior myocardium
6981003 | Posterior hypothalamic nucleus
6987004 | Collateral sulcus
6989001 | Thoracolumbar region of back
6991009 | Subcutaneous tissue of jaw
7035006 | Bile duct mucous membrane
7050002 | Subcutaneous tissue of external genitalia
7067009 | Right colic artery
7076002 | Interstitial tissue of myocardium
7083009 | Middle phalanx of index finger
7090004 | Supraaortic branches
7091000 | Ventral posterolateral nucleus of thalamus
7099003 | Attachment plaque of desmosome or hemidesmosome
7117004 | Fetal implantation site
7121006 | Maxillary right second molar tooth
7148007 | Anulus fibrosus of intervertebral disc of thoracic vertebra
7149004 | False rib
7154008 | Trigeminal ganglion sensory root
7160008 | Base of metacarpal bone
7167006 | Paraduodenal recess
7173007 | Cauda equina
7188002 | Gustatory pore
7192009 | Isthmus tympani posticus
7227003 | Hypoglossal nerve intrinsic tongue muscle branch
7234001 | Inferior choroid vein
7242000 | Appendiceal muscularis propria
7275008 | Lymphatics of appendix and large intestine
7295002 | Muscle of perineum
7296001 | Deep inguinal ring
7311008 | Anterior surface of arm
7344002 | Lingual gyrus
7345001 | Ciliary processes
7347009 | Infratendinous olecranon bursa
7362006 | Lymphatic of head
7376007 | Left margin of uterus
7378008 | Paraventricular nucleus of thalamus
7384006 | Plantar calcaneocuboidal ligament
7404008 | Anterior semicircular duct
7435002 | Ovarian ligament
7471001 | Lateral surface of sublingual gland
7477002 | Lipid, crystalline
7480001 | Iliotibial tract
7494000 | Cerebellar lenticular nucleus
7498002 | Plantar tarsal ligaments
7507003 | Anterior ligament of head of fibula
7524009 | Vasa vasorum
7532001 | Vagus nerve parasympathetic fibers
7554004 | Deep head of flexor pollicis brevis muscle
7566005 | Mitotic cell in anaphase
7569003 | Finger
7591005 | Intervertebral disc space of eleventh thoracic vertebra
7597009 | Subcutaneous tissue of vertex
7605000 | Connexon
7610001 | Tenth thoracic vertebra
7629007 | Thalamoolivary tract

7651004 | Intervenous tubercle of right atrium
7652006 | Frenulum labii
7657000 | Femoral artery
7658005 | Subtendinous bursa of triceps brachii muscle
7697002 | Pontine portion of medial longitudinal fasciculus
7712004 | Subdural space of spinal region
7726008 | Skin of medial surface of fifth toe
7736000 | Posterior choroidal artery
7742001 | Palatine duct
7748002 | Skin appendage
7755000 | Mesovarian margin of ovary
7756004 | Lamina of third thoracic vertebra
7764005 | Striate artery
7769000 | Right foot
7783003 | Sympathetic trunk spinal nerve branch
7820009 | Lateral posterior nucleus of thalamus
7829005 | Anterior surface of manubrium
7832008 | Abdominal aorta
7835005 | Posterior margin of nasal septum
7840002 | Subcutaneous tissue of submental area
7841003 | Macrocytic normochromic erythrocyte
7844006 | Sternoclavicular joint
7851002 | Intracranial subdural space
7854005 | Mandibular canal
7872004 | Myocardium of ventricle
7874003 | Scapular region of back
7880006 | Rhopheocytotic vesicle
7884002 | Corneal corpuscle
7885001 | Rotator cuff including muscles and tendons
7892006 | Submucosa of anal canal
7896009 | Occipital angle of parietal bone
7911004 | Olivocerebellar fibers
7925003 | Proximal phalanx of third toe
7936005 | Ligament of diaphragm
7944005 | Helper cell
7954009 | Lamina propria of ethmoid sinus
7967007 | First left aortic arch
7986004 | Abdominopelvic portion of sympathetic nervous system
7991003 | Skin of glans penis
7999001 | Articulations of auditory ossicles
8001006 | Mucous membrane of tongue
8012006 | Anterior communicating artery
8017000 | Inflow tract of right ventricle
8024004 | Limitans nucleus
8039003 | Subcutaneous acromial bursa
8040001 | Superficial flexor tendon of little finger
8045006 | Membrane-coating granule, amorphous
8057002 | Lateral nuclei of globus pallidus
8059004 | Pancreatic veins
8067007 | Superficial circumflex iliac vein
8068002 | Stratum lemnisci of corpora quadrigemina
8079007 | Radial nerve
8091003 | Intervertebral disc space of twelfth thoracic vertebra
8100009 | Infundibulum of Fallopian tube
8111001 | Intranuclear crystal
8112008 | Hindgut
8119004 | Delphian lymph node
8128003 | Supraaortic valve area
8133004 | Superior anastomotic vein
8157004 | Vein of head
8158009 | Interlobar duct of pancreas
8159001 | Superior colliculus of corpora quadrigemina
8160006 | Lateral striate arteries
8161005 | Infraorbital nerve
8165001 | Superior articular process of fifth thoracic vertebra
8205005 | Wrist
8225009 | Accessory atrioventricular bundle
8242003 | Apical branch of right pulmonary artery
8251006 | Osseous portion of Eustachian tube
8264007 | Tunica interna of eyeball
8265008 | Articular surface, metacarpal, of phalanx of hand
8266009 | Small intestine serosa

8279000 | Pelvic viscus
8289001 | Below knee region
8292002 | Interlobular arteries of liver
8314003 | Mastoid fontanel of skull
8334002 | Lumbar lymph node
8356004 | Colic lymph node
8361002 | Tunica intima
8369000 | Sphincter pupillae muscle
8373002 | Jugum of sphenoid bone
8387002 | Lamina of eighth thoracic vertebra
8389004 | Birth canal
8412003 | Iliac fossa
8415001 | Renal surface of adrenal gland
8454000 | Joint of lumbar vertebra
8464009 | Ligament of sacroiliac joint and pubic symphysis
8482007 | Sinoatrial node branch of right coronary artery
8483002 | Mesial surface of tooth
8496001 | Obliquus capitis muscle
8523001 | Inferior articular process of twelfth thoracic vertebra
8546004 | Posterior intercavernous sinus
8556000 | Lipid droplet
8559007 | Juxtaintestinal lymph node
8560002 | Interclavicular ligament
8568009 | Abdominal lymph nodes
8580001 | Both feet
8595004 | Meissner's plexus
8598002 | Acoustic nerve
8600008 | Cricoid cartilage
8603005 | Adductor hallucis muscle
8604004 | Medulla oblongata fasciculus cuneatus
8608001 | Right margin of heart
8617001 | Zygomatic region of face
8623006 | Transplanted ureter
8629005 | Superior right pulmonary vein
8640002 | Choroidal branches of posterior spinal artery
8668003 | Glycogen vacuole
8671006 | All toes
8677005 | Body of right atrium
8688004 | Lateral olfactory gyrus
8695008 | Intervertebral foramen of second lumbar vertebra
8710005 | Minor sublingual ducts
8711009 | Periodontal tissues
8714001 | Subcutaneous tissue of interdigital space of hand
8752000 | Cavernous portion of internal carotid artery
8770002 | Nail of second toe
8775007 | Tendinous arch
8784007 | Intranuclear body, granular with filamentous capsule
8810002 | Corticomedullary junction of adrenal gland
8814006 | Iliac tuberosity
8815007 | Thenar and hypothenar spaces
8820007 | Pedicle of eleventh thoracic vertebra
8821006 | Peroneal artery
8827005 | Shaft of phalanx of middle finger
8839002 | Agranular endoplasmic reticulum, connection with other organelle
8845005 | Subtendinous prepatellar bursa
8850004 | Proper fasciculus
8854008 | Crista galli
8862000 | Palmar surface of middle finger
8873007 | Mandibular right second premolar tooth
8887007 | Brachiocephalic vein
8892009 | Diaphragmatic surface of lung
8894005 | Gastric cardiac gland
8897003 | Lateral glossoepiglottic fold
8907008 | Left ulnar artery
8910001 | Inferior transverse scapular ligament
8911002 | Endocardium of right ventricle
8928004 | Inguinal lymph node
8931003 | Coracoid process of scapula
8935007 | Cerebral meninges
8942007 | Trapezoid ligament
8965002 | Stratum zonale of corpora quadrigemina
8966001 | Left eye

8983005 | Joint structure of vertebral column
8988001 | Marginal part of orbicularis oris muscle
8993003 | Hepatic vein
9000002 | Cerebellar peduncle
9003000 | Left parietal lobe
9018004 | Middle colic vein
9040008 | Ascending colon
9055004 | Both forearms
9073001 | White matter of insula
9081000 | Splenic sinusoids
9086005 | Superior laryngeal vein
9089003 | Arch of foot
9108007 | Vein of the scala tympani
9127001 | Transverse folds of palate
9156001 | Embryo stage 1
9181003 | Accessory carpal bone
9185007 | Capsule of metatarsophalangeal joint of fifth toe
9186008 | Filaments of contractile apparatus
9188009 | Intervertebral disc of eighth thoracic vertebra
9208002 | Centriole
9212008 | Shaft of fifth metatarsal bone
9229006 | Rotatores lumborum muscles
9231002 | External pudendal veins
9240003 | Niemann-Pick cell
9242006 | Posterior segment of right lobe of liver
9258009 | Gravid uterus
9261005 | Tendon and tendon sheath of second toe
9262003 | Fascia of pelvis
9284003 | Corpus cavernosum of penis
9290004 | Posterior intraoccipital synchondrosis
9305001 | Labial veins
9317004 | Merkel's tactile disc
9320007 | Subtendinous iliac bursa
9321006 | Tail of epididymis
9325002 | Interdental papilla of gingiva
9332006 | Lateral ligament of temporomandibular joint
9348007 | Skin of medial surface of middle finger
9379006 | Permanent teeth
9380009 | Pecten ani
9384000 | Lumbar vein
9390001 | Lymphatics of stomach
9432007 | Plantar surface of fourth toe
9438006 | Structure of deep cervical lymphatic vessel
9454009 | Subclavian vein
9455005 | Medial cartilaginous lamina of Eustachian tube
9475001 | Amacrine cells of retina
9481009 | Afferent glomerular arteriole
9490002 | Pulmonary ligament
9498009 | Head of metacarpal bone
9502002 | Coronal depression of tooth
9512009 | Calcaneocuboidal ligament
9535007 | Pyramid of medulla oblongata
9558005 | Facet for fifth costal cartilage of sternum
9566001 | Duodenal lumen
9568000 | Subcutaneous tissue of areola
9596006 | Deep branch of ulnar nerve
9609000 | Posterior process of nasal septal cartilage
9625005 | Lanugo hair
9642004 | Left superior vena cava
9646001 | Superior transverse scapular ligament
9654004 | Gastric mucous gland
9659009 | Infraclavicular lymph nodes
9662007 | Subcutaneous tissue of lower margin of nasal septum
9668006 | Ciliary muscle
9677004 | Head of second metatarsal bone
9683001 | Melanocyte
9684007 | Posterior scrotal branches of internal pudendal artery
9708001 | Iliac fascia
9732008 | Medial supraclavicular nerves
9736006 | Right wrist
9743000 | Tendon of index finger
9758008 | Submucosa of tonsil

9770007 | Genital tubercle
9775002 | Left carotid sinus
9779008 | Distinctive shape of mitochondrial cristae
9783008 | Superficial lymphatics of thorax
9791004 | Deep venous system of lower extremity
9796009 | Skeletal muscle fiber, type IIb
9813009 | Fascia of upper extremity
9825007 | Proximal phalanx of little toe
9837009 | Perforating branches of internal thoracic artery
9840009 | Biparietal diameter of head
9841008 | Interspinalis thoracis muscles
9846003 | Right kidney
9847007 | Hilum of adrenal gland
9849005 | Fornix of lacrimal sac
9870004 | Carunculae hymenales
9875009 | Thymus
9878006 | Appendicular vein
9880000 | Thyroid tubercle
9881001 | Peripheral nerve myelinated nerve fiber
9891007 | Transverse arytenoid muscle
9898001 | Paracentral lobule
9951005 | Posterior ethmoidal nerve
9968009 | Primary foot process
9970000 | Ileocecal ostium
9976006 | Rhomboideus cervicis muscle
9994000 | Superior articular process of sixth thoracic vertebra
9999005 | Duodenal ampulla
10013000 | Lateral meniscus of knee joint
10024003 | Base of lung
10025002 | Base of phalanx of index finger
10026001 | Ventral spinocerebellar tract of pons
10036009 | Nucleus pulposus of intervertebral disc of eighth thoracic vertebra
10042008 | Intervertebral foramen of fifth thoracic vertebra
10047002 | Transplanted lung
10052007 | Male
10056005 | Ophthalmic nerve
10062000 | Levator labii superioris muscle
10119003 | Deep volar arch of radial artery
10124000 | Deep dorsal sacrococcygeal ligament

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.343 Value Set http://hl7.org/fhir/ValueSet/condition-clinical

URL: https://hl7.org/fhir/R4/valueset-condition-clinical.html
Patient Care Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/condition-clinical
Version: | 4.0.1
Name: | ConditionClinicalStatusCodes
Title: | Condition Clinical Status Codes
Definition: | Preferred value set for Condition Clinical Status.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.164 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ConditionClinicalStatusCodes

• Resource: Condition.clinicalStatus (CodeableConcept / Required)

4.4.1.343.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/condition-clinical

4.4.1.343.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 6 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/condition-clinical version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/condition-clinical

Lvl | Code | Display | Definition
0 | active | Active | The subject is currently experiencing the symptoms of the condition or there is evidence of the condition.
1 | recurrence | Recurrence | The subject is experiencing a re-occurence or repeating of a previously resolved condition, e.g. urinary tract infection, pancreatitis, cholangitis, conjunctivitis.
1 | relapse | Relapse | The subject is experiencing a return of a condition, or signs and symptoms after a period of improvement or remission, e.g. relapse of cancer, multiple sclerosis, rheumatoid arthritis, systemic lupus erythematosus, bipolar disorder, [psychotic relapse of] schizophrenia, etc.
0 | inactive | Inactive | The subject is no longer experiencing the symptoms of the condition or there is no longer evidence of the condition.
1 | remission | Remission | The subject is no longer experiencing the symptoms of the condition, but there is a risk of the symptoms returning.
1 | resolved | Resolved | The subject is no longer experiencing the symptoms of the condition and there is a negligible perceived risk of the symptoms returning.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.344 Value Set http://hl7.org/fhir/ValueSet/bodystructure-code

URL: https://hl7.org/fhir/R4/valueset-bodystructure-code.html
Orders and Observations Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/bodystructure-code
Version: | 4.0.1
Name: | SNOMEDCTMorphologicAbnormalities
Title: | SNOMED CT Morphologic Abnormalities
Definition: | This value set includes all codes from SNOMED CT where concept is-a 442083009 (Anatomical or acquired body site (body structure)).
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.142 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: BodyStructure.morphology (CodeableConcept / Example)

4.4.1.344.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://snomed.info/sct where concept is-a 49755003 (Abnormal tissue appearance)

4.4.1.344.2 Expansion

This expansion generated 01 Nov 2019

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code	Display	Definition
145009	Colloid milium	
161006	Thermal injury	
182000	Canalization	
232001	Congenital fold	
255003	Calcified nodule	
259009	Fibrous body	
328005	Follicular papule	
339008	Blister	
354002	Triton tumor, malignant	
367004	Clubbing	
394000	Abnormal trabeculation	
419008	Functional dilatation	
420002	Anastomosis, heterocladic	
487002	Coil/whorled fibers	
511008	Fibrous meningioma	
575006	Cholesteatoma	
605004	Severe inflammatory atypia	
738003	Ball valve obstruction	
803009	Paraganglioma	
810003	Spindle cell nevus	
835009	Peripheral T-cell lymphoma, AILD (Angioimmunoblastic Lymphadenopathy with Dysproteinemia)	
856006	Actinic keratosis	
900006	Mucin-producing adenocarcinoma	
915007	Malignant melanoma in junctional nevus	
985004	Psammomatous schwannoma	
988002	Wet gangrene	
999000	Mixed ductal-endocrine carcinoma	
1040005	Anterior open dislocation	
1129000	Acidophilic body	
1138003	Moderate squamous cell atypia	
1188006	Superior open dislocation	
1338007	BCC - Basal cell carcinoma	
1443001	Chromophobe carcinoma	
1454006	Chronic fibrinous inflammation	
1513001	Melanotic neuroectodermal tumor	
1522000	Plaque	
1561008	Swollen sarcoplasmic reticulum	
1586004	Subependymal giant cell astrocytoma	
1623000	Myxopapillary ependymoma	
1736008	Anteversion	
1752006	Clear cell adenoma	
1791001	Radiation injury with fibrosis	
1806006	Eruption	
1929004	B-cell lymphoma, no ICD-O subtype	
1996000	Numeric atrophy	
2014001	Microlymphoblast	
2019006	Sarcoplasmic bodies	
2026006	Serous adenofibroma	
2052000	Acute necrosis	
2092003	MM - Malignant melanoma	
2097009	Dyskeratosis	
2099007	Hemangioma - morphology	
2122006	Pressure atrophy	
2142002	NM - Nodular melanoma	
2218006	Endothelial degeneration	
2221008	Malignant mesonephroma	
2227007	Adrenal cortical carcinoma	
2232008	Normal karyotype	
2289007	Dicentric chromosome	
2348006	Adenomatoid tumor	
2412005	Maculopapule	
2424003	Malignant mesenchymal tumor	
2464004	Moderate cytologic atypia	
2483006	Cavity	

2559001 | Claw-shaped deformity
2570008 | Traction diverticulum
2710003 | Fibrolipoma
2734008 | Major injury
2735009 | Papillary cystadenocarcinoma
2763006 | Comedo
2784001 | Traction injury
2881000 | Anisokaryosis
2952002 | Proliferative inflammation
2953007 | Microglandular hyperplasia
2954001 | Supernumerary deciduous tooth
2962009 | Adenofibroma, no ICD-O subtype
2985005 | Mammary Paget's disease
3102004 | Anaplastic oligodendroglioma
3139003 | Ballooning degeneration
3172003 | Lymphoepithelioid lymphoma
3313007 | Chronic superficial ulcer
3380003 | Superficial injury
3404009 | Bite
3416003 | Lengthening of short arm
3612005 | External spontaneous fistula
3645005 | Pregnancy luteoma
3679006 | Polycystic change
3821009 | Blunt injury
3833004 | Odontogenic tumor
3839000 | Lipid-rich carcinoma
3875003 | Urate tophus
3898006 | Benign tumor morphology
4000000 | Severe transitional cell atypia
4023002 | Recurrent closed dislocation
4079000 | Mucoepidermoid carcinoma
4118000 | Multilobular chondroma and osteoma
4125007 | Bursal cyst
4147007 | Mass
4196002 | Eversion
4205002 | Türk cell
4230004 | Pacinian neurofibroma
4305004 | Metastatic signet ring cell carcinoma
4392007 | Malignant mixed tumor, osteosarcomatous type
4476003 | Atypical glandular cells of undetermined significance
4484004 | Chromocenter alteration
4513002 | Obstruction by torsion and angulation, combined mechanism
4532008 | Acute inflammation
4538007 | Papulovesicular eruption
4541003 | Congenital failure of fusion
4553004 | Mixed subependymoma-ependymoma
4584002 | Scirrhous adenocarcinoma
4590003 | Metastatic adenocarcinoma
4618001 | Congenital dextrorotation
4631006 | Tubular adenocarcinoma
4684005 | Mesonephric duct hyperplasia
4686007 | Blister due to degeneration of basal cells
4720007 | Dystrophy
4797003 | Papillary adenocarcinoma
4830009 | Hyperpigmentation
4857006 | Sequestrum
4876008 | Acute obstruction
4916000 | Pleomorphism
4919007 | Congenital protrusion
4935000 | Adenocarcinoma in situ in villous adenoma
4947006 | Contraction bands
4950009 | Sezary syndrome
4977000 | Eccrine spiradenoma
5008001 | Pitting edema
5014008 | Benign interstitial cell tumor
5052009 | Primary cutaneous neuroendocrine carcinoma
5178002 | Benign synovioma
5183005 | Inferior closed dislocation
5188001 | Round calculus
5237007 | Pautrier microabscess
5242004 | Synechia
5244003 | Intraductal papilloma

5257006 | Follicular adenocarcinoma
5314004 | Acute dilatation
5356000 | Bowenoid papulosis
5399005 | Dissecting hemorrhage
5409002 | Traumatic eviscerated structure
5468008 | Fracture, multiple
5480000 | Canalized thrombus
5600009 | Schneiderian carcinoma
5640003 | Granular atrophy
5658009 | Adenocarcinoma in tubulovillous adenoma
5688000 | Squamous cell carcinoma in situ with questionable stromal invasion
5734001 | Pressure groove
5755004 | Cystic hyperplasia
5770003 | Decompression injury
5804003 | Congenital growth disproportion
5843004 | Basaloid carcinoma
5849000 | Glial cell reaction
5862001 | Mucous membrane eruption
5901005 | Multiple internal injuries
5909007 | Glandular-stromal asynchrony of endometrium
5958006 | Small cell carcinoma, intermediate cell
5960008 | Depressed structure
5974001 | Pressure cone
5978003 | Fracture, open, longitudinal
6078006 | Mucus retention
6081001 | Deformity
6120000 | Oncocytic metaplasia
6151007 | Amphophilic stain reaction
6219000 | Neoplasm, malignant, uncertain whether primary or metastatic
6223008 | Mild koilocytotic atypia
6250003 | Fibromyxosarcoma
6266001 | Granulomatous inflammation
6320008 | Collagenolysis
6379007 | Multiple adenomatous polyps
6381009 | Alpha heavy chain disease
6406002 | Membranous inflammation
6437002 | Dentinoma
6492006 | Klatskin's tumor
6574001 | Necrosis
6579006 | Sebum retention
6582001 | Intrinsic obstruction
6609001 | Spongiosis
6641007 | Metatypical carcinoma
6660000 | Atypical intraductal hyperplasia
6780007 | Hemoglobin cast
6842002 | Desmoplastic fibroma
6855001 | Macronucleus
6920004 | Defect
7003006 | Chronic hemorrhage
7010000 | Carcinomatosis
7055007 | Lupus erythematosus cell
7078001 | Hemosiderin pigmentation
7094008 | Dilated pore of Winer
7244004 | Decidual cast
7300000 | Lymphoepithelial carcinoma
7313006 | Open dislocation, incomplete
7372009 | Inflammatory atypia
7429002 | Glomangioma
7643002 | Calcified hematoma
7744000 | Congestive hypertrophy
7796002 | Lipogenic pigmentation
7828002 | Xanthine calculus
7841003 | Macrocytic normochromic erythrocyte
7894007 | Karyotype morphology
7905002 | Linear oblique
7906001 | Open dislocation
7939003 | Localized edema
8005002 | Incomplete transposition
8070006 | Secretory alteration of vagina
8097004 | Alveolar adenoma
8120005 | Acentric chromosome
8129006 | Deposition of oxalate crystals

8145008 | Malignant mixed salivary gland tumor
8210009 | Corpora amylacea
8241005 | Hemolymphangioma
8276007 | Balloon cell nevus
8309002 | Moderate transitional cell atypia
8360001 | Mixed salivary gland tumor
8566008 | Autosomal chromosome mosaicism
8573003 | Acute hemorrhage
8664001 | Fibromyxoma
8723003 | Segmental demyelination
8734000 | Choriocarcinoma combined with germ cell elements
8804002 | Passive congestion
8819001 | Congenital cystic dilatation with accumulation of fluid
8833001 | Open dislocation, complete
8855009 | Mosaicism
8934006 | Papillary syringadenoma
8978002 | Proliferative cyclic alteration of breast
9001003 | Chondroblastoma morphology
9088006 | Lobar atrophy
9098000 | Medullary adenoma
9138001 | Mild columnar cell atypia
9155002 | Squamous odontogenic tumor
9187004 | Leukokeratosis
9196004 | Staghorn calculus
9235006 | Eccentric hypertrophy
9240003 | Niemann-Pick cell
9266000 | Juxtacortical chondroma
9287005 | Colloid cyst
9294008 | Spermatocytic seminoma
9324003 | Inactive endometrium
9395006 | Sarcomatosis
9435009 | Senile hyperplasia
9436005 | Basophil adenoma
9499001 | Multiple polyps
9546005 | Shift
9550003 | Bronchogenic cyst
9618003 | Epithelial-myoepithelial carcinoma
9656002 | Consolidation
9671003 | Elastofibroma
9688005 | Deposition of carbon
9729005 | Blue edema
9751002 | Wire loop lesion
9767008 | Hyperchromatism
9795008 | Congenital lateral deviation
9801004 | Spindle cell sarcoma
9805008 | Rice body
9816001 | Leukedema
9831005 | Myxoid degeneration
9903002 | Malignant paraganglioma
9971001 | Congenital accumulation of fluid
10060008 | Eccrine papillary adenoma
10069009 | Malignant giant cell tumor of bone
10115009 | Congenital partial hypoplasia
10122001 | Accretion
10146008 | Chief cell adenocarcinoma
10219009 | Xanthosis
10288008 | Epidermoid carcinoma - spindle cell
10291008 | Congenital giant pigmented nevus
10376009 | Papillary carcinoma in situ
10403004 | Serous atrophy
10438002 | Glomus tumor
10445002 | Spontaneous fistula
10505008 | Retroversion
10636005 | Stomatocyte
10637001 | Basophilic stain reaction
10639003 | Plasmacytoma
10690002 | Atheromatous embolus
10705005 | Mucinous adenofibroma
10873006 | Micronodular regeneration
11063000 | Ameloblastic fibroma
11071001 | Racemose hemangioma
11073003 | Mixed liposarcoma

11080001 | Neuronal achromasia
11099005 | Epithelioid cell nevus
11108009 | Dehiscence
11117009 | Dyskaryosis
11182007 | Abnormally short growth
11211003 | Interstitial emphysema
11224003 | Chronic membranous inflammation
11284000 | Closed dislocation, incomplete
11467009 | Capillary lymphangioma
11506001 | Hilus cell tumor
11514007 | Algor mortis
11528001 | Mucinosis
11556006 | Arteriovenous aneurysm
11585000 | Bubo
11607000 | Gunpowder burn
11639007 | Puncture
11650005 | Giant hypertrophy
11671000 | Adenoid cystic carcinoma
11704001 | Chromosome mosaicism
11793003 | Mesoblastic nephroma
11854003 | Fibrous nodule
11858000 | Suture line of skin
11884006 | Congenital hyperrotation
11889001 | Abiotrophy
11904005 | Acquired valgus deformity
11908008 | Binucleated plasmablast
12060004 | Ganglioneuromatosis
12143007 | Embryonic cyst
12167004 | Lymphocyst
12169001 | Granular cell tumor
12170000 | Rosette
12191008 | Fracture, ununited, stellate
12205003 | Chief cell adenoma
12222001 | Erythrocyte abnormality
12302002 | Round cell osteosarcoma
12323008 | Malignant androblastoma
12354007 | Retinoblastoma - undifferentiated
12393003 | Purpura
12400006 | Papillary urothelial carcinoma
12402003 | Scar
12404002 | Trophic gangrene
12478003 | Microinvasive squamous cell carcinoma
12535006 | Acquired absence
12540003 | Muscle fiber atrophy, type II
12560006 | Primary sequestrum
12582004 | Internal fistula
12583009 | Lobular adenoma
12622007 | Clear cell sarcoma (except of Kidney M-89643)
12690005 | Fibroblastic osteosarcoma
12747003 | Microcalcification
12794006 | Nonsuppurative inflammation
12835000 | Multiple injuries
12856003 | Varix
12933008 | Sweat gland tumor
12943006 | Primitive polar spongioblastoma [obs]
12944000 | Acid chemical burn
12973002 | Dislocation, multiple, open
13018008 | Neovascularization
13062004 | Psammoma bodies
13071008 | Wolffian duct tumor
13129009 | Fracture, open, incomplete
13136005 | Injection site
13238004 | Malignant granular cell tumor
13321001 | Comminuted
13331008 | Atrophic
13467000 | Pseudocyst
13485007 | Pannus
13583002 | Mast cell sarcoma
13593009 | Congenital decrease in cellularity
13599008 | Gunshot wound, contact
13705009 | Partial obstruction
13713005 | Thromboembolus

13810000 | Congenital dislocation
13814009 | Hypertrophy of bone
13875003 | Glomangiosarcoma
13901007 | Fat-laden macrophage
13908001 | Congenital turning upward
13924000 | Wound
14093007 | Decalcified structure
14156004 | Racemose aneurysm
14166007 | Koplik spot
14212006 | Pseudopalisade formation
14217000 | Internal spontaneous fistula
14269005 | Embryonal rhabdomyosarcoma, pleomorphic
14317002 | M6B
14350002 | Angiomatosis
14391000 | Koilocytotic atypia
14442007 | Generalized keratoacanthoma
14494009 | Meningeal sarcomatosis
14537002 | Hodgkin lymphoma
14696003 | Cystic degeneration
14737000 | Jet lesion
14797003 | Fracture, delayed union, oblique
14799000 | Neoplasm, metastatic
14847005 | Triploidy
14889002 | Rasmussen's aneurysm
14912003 | Vesiculobullous rash
14962008 | Mutilating wound
14990007 | Chondrosarcoma morphology
15074003 | Neurogenic ulcer
15112009 | Inverted keratosis
15176003 | Adenocarcinoma with squamous metaplasia
15304008 | Factitial ulcer
15418000 | Spontaneous perforation
15486006 | Hypoploidy
15498001 | Superficial ulcer
15503003 | Molluscum bodies
15519005 | Combined abnormal curvature
15524008 | Obliteration
15556001 | Ball thrombus
15588009 | Microlithiasis
15619004 | Hepatocellular carcinoma, fibrolamellar
15674004 | Primary serous papillary carcinoma of peritoneum
15690004 | Tortuosity
15702005 | Benign fibrous mesothelioma
15897004 | Chromosomal translocation
15904002 | Bridging necrosis
15937000 | Congenital vascular proliferation
15949004 | Malignant thymoma
15960008 | Giant cell histiocytoma
15967006 | Hypersegmentation of nucleus
15988002 | Cemental dysplasia
16080000 | Fibrin deposition
16090008 | Myxoid leiomyosarcoma
16104005 | Segmental glomerulosclerosis
16107003 | Adult rhabdomyoma
16163002 | Ossified nodule
16189002 | Gastrin cell tumor
16190006 | Herring's bodies
16216007 | Gaucher cell
16255008 | Fenestration
16277007 | Collapse
16301006 | Congenital opacity
16479008 | Inappropriate lobular activity of breast
16483008 | Russell body
16566002 | Benign phyllodes tumor
16578003 | Posterior open dislocation
16640008 | Separation
16740003 | Anasarca
16741004 | Pleomorphic carcinoma
16759001 | Chronic eosinophilic inflammation
16822006 | Malignant carotid body tumor
16893006 | Classical Hodgkin lymphoma, lymphocyte depletion, diffuse fibrosis
16974005 | Acral lentiginous melanoma, malignant

16980002 | Foam cell
17015005 | Lateral open dislocation
17201003 | Spillage of feces
17264009 | Carcinoma in pleomorphic adenoma
17289003 | Fat embolus
17302008 | Cerebellar sarcoma
17307002 | Transudate
17351006 | Congenital non-rotation
17372009 | Capillary hemangioma of granulation tissue type
17474009 | Atypical glandular hyperplasia
17569003 | Emphysematous bleb
17665002 | Metaplasia
17672001 | Accumulation of fluid
17684004 | Protein cast
17734002 | Chédiak-Higashi cell
17781001 | Curvilinear bodies
17788007 | Acute non-lymphocytic leukemia
17815009 | Sudanophilic stain reaction
17930004 | Neuronevus
17941002 | Arteriolosclerosis
17968002 | Mucinous degeneration
18016009 | Phlebosclerosis
18021007 | Choroid plexus papilloma, no ICD-O subtype
18048008 | Keratinizing squamous cell carcinoma - large cell
18064000 | Achromasia
18072003 | Micronucleus
18105004 | Malignant endometrioid cystadenofibroma
18115005 | Pathologically calcified structure
18126004 | Diverticulitis
18130001 | Gunshot wound, exit
18174004 | Brown edema
18189008 | Gudden atrophy
18203003 | Non-communicating cerebrospinal fluid retention
18295000 | Double structure
18334002 | Stellate fracture
18348002 | Queyrat erythroplasia
18365006 | Adrenal cortical adenoma morphology
18450009 | Malignant melanoma in melanosis
18465005 | Anomalous origin of vein
18498000 | Acute membranous inflammation
18568009 | Anastomosis, end to end
18588008 | Synovial sarcoma - biphasic
18655006 | Depigmentation
18680006 | Intraductal carcinoma and lobular carcinoma in situ
18695008 | Hyaline body
18727002 | C cell tumor
18765009 | Sclerosing lipogranuloma
18799007 | Invasive hydatidiform mole
18802003 | External fistula
18854008 | Malignant struma ovarii
18861007 | Malignant granulosa cell tumor
18915006 | Dense tubules
18958005 | Councilman body
18977007 | Adrenal cortical adenoma - clear cell
19010006 | Hyaline degeneration
19071004 | Epithelioid leiomyoma
19104009 | Spontaneous closed dislocation
19128006 | Hyperorthokeratosis
19130008 | Traumatic abnormality
19134004 | Fascial fibrosarcoma
19137006 | Marantic thrombus
19227008 | FB - Foreign body
19316008 | Cytoid body
19329008 | Adrenal cortical adenoma - glomerulosa cell
19340000 | Malignant lymphoma, lymphoplasmacytic
19365003 | Acute empyema
19380009 | Sclerosing segmental glomerulosclerosis with hyalinosis
19436005 | Stain reaction
19438006 | Feathery degeneration
19453003 | MGM - Meningioma
19467007 | Malignant teratoblastoma
19504001 | Serofibrinous effusion

19561006 | Congenital levorotation
19571008 | Open wounds involving multiple body regions
19607003 | Endoreduplication
19614001 | Lightning burn
19633006 | Mucous cyst
19643009 | Pyogranuloma, granuloma with pus
19651007 | Micromyeloblast
19665009 | Tubular adenoma, no ICD-O subtype
19668006 | Predominance of parabasal cells
19669003 | Erythrocyte agglutination
19672005 | Condyloma
19685008 | Stasis
19756007 | Malignant G cell tumor
19795008 | Brain sand, calcified structure
19836000 | Deforming fibrosis
19897006 | MPNST - Malignant peripheral nerve sheath tumor
19906005 | Retinoblastoma - morphology
19909003 | Complement deposit
19921004 | Crushing injury (morphology)
19928005 | Fibromatosis
19929002 | Angiomyolipoma
19940005 | Lichenification
19952003 | Elastic vascular sclerosis
19988008 | Pseudoainhum
20012006 | Major open wound
20092005 | Congenital telangiectasis
20108002 | Intramural hemorrhage
20131002 | Chronic necrosis
20175003 | Postmortem fracture
20182004 | Myocytolysis
20194008 | Hyperplastic dystrophy
20256001 | Glandular proliferation
20351009 | Adnexal nevus
20365006 | Vulvar intraepithelial neoplasia, grade III
20369000 | Chronic mucous inflammation
20380000 | Ameloblastic fibrodentinosarcoma
20456003 | Loose body
20462008 | Adamantinoma
20464009 | Perforated diverticulum
20473001 | Stellate laceration
20589000 | Pappenheimer body
20601007 | Flattening deformity
20667008 | Myosarcoma
20700001 | Fracture, closed, oblique
20717008 | Atherosclerotic fibrous plaque
20741006 | Hydrops
20774006 | Re-epithelialization
20776008 | Adenolymphoma
20810002 | Myelolipoma
20829008 | Endometrioid adenofibroma
20893004 | Polypoid hyperplasia
20894005 | Mallory bodies
20946005 | Fracture, closed
20955008 | Malignant beta cell tumor
20985003 | Verrucous keratotic hemangioma
21008007 | Cystadenocarcinoma
21046000 | Dalen-Fuchs nodule
21103001 | Acute fibrosis
21109002 | Acidophil adenoma
21119008 | Pigmented nevus, no ICD-O subtype
21135001 | Multiple superficial injuries
21139007 | Organization
21181001 | Benign thymoma
21326004 | Mixed small cell carcinoma
21386001 | Foreign body giant cell
21390004 | Developmental abnormality
21396005 | Pleomorphic lipoma
21444008 | Microglial nodules
21453001 | Massive necrosis
21465002 | Abnormally short and broad growth
21589007 | Ependymoma, anaplastic
21708004 | Osteosarcoma, no ICD-O subtype

21718009 | Cast
21720007 | Electrical burn
21758006 | External blind congenital fistula
21912003 | Malignant teratoma - intermediate
21925006 | Neuroglial-lined cyst
21930005 | Trabecular adenoma
21947006 | Compression fracture
21964009 | Microglioma [obs]
21968007 | Papillary adenocarcinoma - follicular variant
21971004 | Plasma cell granuloma
21980004 | Prestenotic dilatation
21997005 | Massive disruption
22024005 | Lipoadenoma
22036004 | Pseudoaneurysm
22039006 | Ruptured aneurysm
22084008 | Postmortem blood clot
22116003 | Papillary serous cystadenoma
22197008 | FAB L3 [obs]
22217002 | Oligoastrocytoma
22222002 | Muscle fiber small group atrophy
22257004 | Fibrous hamartoma
22287005 | Eosinophilic stain reaction
22303008 | Version
22331004 | Acute monocytic leukemia, morphology
22333001 | Uric acid infarct
22341001 | Thrombosed varices
22427006 | Elastoid degeneration
22483007 | Radiation injury with inflammation
22517003 | Subependymal gliosis
22524002 | Warty dyskeratoma
22640007 | Pathologic fracture
22641006 | Serous effusion
22687000 | Large cell carcinoma
22694002 | Adenocarcinoma with apocrine metaplasia
22725004 | HSIL
22858003 | Connective tissue nevus
22984005 | Moderate columnar cell atypia
22995004 | Focal nodular hyperplasia
23041001 | Sinus histiocytosis
23048007 | Marinesco body
23108001 | Mild squamous cell atypia
23109009 | Sarcomatoid carcinoma
23255001 | Benign cementoblastoma
23280001 | Isochromosome for long arm
23286007 | Delayed union of incomplete fracture
23290009 | Glandular hyperplasia
23305007 | Macrocytic hyperchromic erythrocyte
23345003 | Ring chromosome
23382007 | Fatigue fracture
23444003 | Mixed acidophil-basophil carcinoma
23482006 | Avulsion fracture
23521003 | Glycogen deposition
23539007 | Organizing hematoma
23583003 | Inflammation
23596002 | Granulovacuolar degeneration of Simchowicz
23604003 | Cartilaginous hamartoma
23620008 | Acanthosis
23730008 | Papilloma, no ICD-O subtype (except papilloma of bladder M-81201)
23756001 | Congenital growth alteration
23839001 | Chylous effusion
23844008 | Fibrosiderotic nodule
23870009 | Hypersecretory gestational endometrium
23990004 | Fracture, ununited, comminuted
24007003 | Clear cell sarcoma of kidney
24016004 | Corrected transposition
24017008 | Meibomian adenoma
24018003 | Enterogenous cyst
24045002 | Intramuscular lipoma
24072005 | Stem cell leukemia
24183004 | Fibrinous polyp
24216005 | Congenital absence
24244006 | Brown atrophy

24253004 | Squamous intraepithelial lesion
24283008 | Serosanguineous effusion
24327009 | Struma ovarii
24373006 | Pregnancy alteration of vagina
24389009 | Injection site granuloma
24398007 | Nuclear/cytoplasmic ratio decreased
24421006 | Subcapsular hemorrhage
24481008 | Hypersegmented leukocyte
24482001 | Atypical adenoma
24505004 | Adenocarcinoma - diffuse type
24531002 | Complex caries
24551003 | Arteriovenous malformation
24582004 | Pseudohypertrophic dystrophy
24604009 | Medullomyoblastoma
24645001 | Guarnieri bodies
24653009 | Spindle cell melanoma - type A
24726002 | Internal traumatic fistula
24734008 | Insect bite
24762001 | Malignant pilomatrixoma
24804006 | Wolffian duct rest
24811005 | Serous inflammation
24815001 | Lipid-rich Sertoli cell tumor
24827003 | Abnormal white blood cell
24887001 | Maceration
25006003 | Navicular cell
25063008 | Involutional atrophy
25081006 | Nephroblastoma
25088000 | Dimpled structure
25154008 | Blister due to degeneration of the basement zone
25169009 | Neuroma, no ICD-O subtype
25190001 | Carcinoma - intestinal type
25201003 | Epidermal nevus
25239006 | Lymphangiomyoma
25283002 | Congenital dysplasia
25295002 | Phytobezoar
25322007 | Dilatation
25324008 | Insulinoma
25370001 | Hepatocellular carcinoma
25371002 | High level estrogen effect present
25393007 | Congenital deviation
25499005 | Seborrheic keratosis
25603007 | Ossifying fibroma, calcified structure
25624002 | Dysplastic platelet
25655008 | Spontaneous gangrene
25659002 | Narrowed structure
25672001 | Bilateral hyperplasia
25694009 | Papule
25723000 | Dysplasia
25733008 | Burn injury with charring
25751009 | Loss of fluid
25774008 | Anomalous arterial connection
25840002 | Deep caries
25845007 | Healing ulcer
25874003 | Endometrioid cystadenofibroma - borderline malignancy
25889007 | Benign fibrous histiocytoma
25910003 | Papillary carcinoma
25979007 | Acute mucous inflammation
26019009 | Retinoblastoma - differentiated
26036001 | Obstruction
26138003 | Gliomatosis cerebri
26209007 | Giant comedo
26211003 | Juxtacortical chondrosarcoma
26246006 | Plasma cell inflammation
26269009 | Poststenotic dilatation
26310004 | Fold
26317001 | Acute ulcer
26325004 | Melanocytoma
26344006 | Anomalous venous drainage
26372004 | Luteoma
26396009 | Dislocation, incomplete
26496005 | Atypical fibrous histiocytoma
26514007 | Draining wound

26545006 | Macrofollicular adenoma
26577009 | Spontaneous amputated structure
26638004 | Water-clear cell adenoma
26696002 | Chemical burn
26713004 | Non-occlusive thrombus
26727009 | Multiple thromboembolism
26735007 | Gynandroblastoma
26751004 | Organizing inflammation
26759002 | Embryonal rest
26810009 | Angiokeratoma
26819005 | Tart cell
26845001 | Dissecting aneurysm
26860003 | Secondary hypertrophy
26888009 | Malignant odontogenic tumor
26927002 | Minor disruption
26996000 | Hyperkeratosis
27006004 | Vasculitic eruption
27058005 | Necrotizing granulomatous inflammation
27078002 | Solid pseudopapillary tumor
27090000 | TCC - Transitional cell carcinoma
27092008 | Ameloblastic fibrosarcoma
27159004 | Haploidy
27230006 | Basal cell adenoma
27266007 | Pseudo-obstruction
27313007 | Spindle cell lipoma
27317008 | Complete transposition
27325005 | Atypical gastric metaplasia
27329004 | Basophilic degeneration
27367001 | Wrinkled structure
27391005 | Hamartomatous polyp
27461004 | Immunoproliferative small intestinal disease
27510006 | Fracture, open, stellate
27515001 | Avulsion
27551008 | Stricture
27580004 | Abnormal nuclear/cytoplasmic ratio
27605001 | Endometrial gestational alteration
27721004 | von Meyenburg complex
27799005 | Postinflammatory hypopigmentation
27809005 | Progressive obstruction
27849002 | Myxoid liposarcoma
27876002 | Multiple infarcts
27881006 | Bony callus
27890004 | Cervical mucous arborization
27925004 | Nodule
27952009 | Congenital multiseptation
28047004 | Embryonal carcinoma
28054005 | Cutaneous T-cell lymphoma
28087009 | Delayed union of fracture
28126000 | Severe koilocytotic atypia
28146005 | Lipochrome histiocytosis
28173006 | Follicular adenocarcinoma - well differentiated
28208008 | Edematous infarct
28218003 | Severe columnar cell atypia
28237007 | Melanotic neurofibroma
28307001 | Germinoma
28325008 | Embryonal carcinoma - polyembryonal type
28351005 | Myxosarcoma
28543008 | Visceromegaly
28558000 | Villous adenocarcinoma
28569002 | Muscle fiber change
28655007 | Liposarcoma - differentiated
28727003 | Odontogenic cyst
28733007 | Compound odontoma
28781000 | Internal hyperostosis
28789003 | Pancake cell
28831000 | Gunshot contusion ring
28836005 | Impacted fracture
28852008 | Internal blind congenital fistula
28878004 | Fibrin thrombus
28899001 | SCC - Squamous cell carcinoma
28941001 | Congenital adhesion
28950004 | Acute promyelocytic leukemia, t(15;17)(q22;q11-12)

28953002 | Angiomyosarcoma
28960008 | Arteriosclerosis
29020002 | Complex odontoma
29144003 | Central cores
29185008 | Fatty degeneration
29209006 | Alzheimer glial change
29370006 | Malignant pheochromocytoma
29463007 | Keratin plug
29483008 | Calcified atheroma
29696001 | Prolapse
29771007 | Wolffian body rest
29792007 | Trabecular adenocarcinoma
29856000 | Chromosome fragment
29996004 | Tetrasomy
30098003 | Hyperemia
30156004 | Ductal carcinoma, cribriform type
30213001 | Lymphatic edema
30217000 | Proliferation
30285000 | Verruca
30289006 | Endometrioid carcinoma
30301008 | Foetal adenoma
30321009 | Remyelination
30383009 | Malignant biphasic mesothelioma
30386001 | Radiation injury with necrosis
30419000 | Leukostasis
30425001 | Osteolysis
30469008 | Buhot cell
30494009 | Junctional melanocytic nevus
30543000 | Fracture, incomplete
30546008 | Mesonephroid clear cell adenocarcinoma
30566004 | Non-infiltrating intraductal papillary adenocarcinoma
30619009 | Antemortem injury
30649006 | Basal cell tumor, uncertain whether benign or malignant
30651005 | Menstrual alteration of vagina
30685006 | Atypical lymphoid hyperplasia
30691008 | Anomalous origin of artery
30695004 | Incomplete blind congenital fistula
30699005 | Carotid body tumor
30713000 | Hypernephroid tumor
30727005 | Capillary telangiectasia
30771009 | Heavy metal pigmentation
30812002 | Overriding structures
30867001 | Carnification
30891005 | Mummification
30902005 | Fracture, open, impacted
30924005 | Rhabdomyosarcoma, no subtype
30938003 | Langhans giant cell
30962008 | Acute myelomonocytic leukemia
31040001 | Linear circular atrophy of lower extremities
31069005 | Fibroepithelial polyp
31092005 | Zahn infarct
31098009 | Massive fibrosis
31104000 | Benign hemangioendothelioma
31113003 | Diverticulum
31131002 | Vipoma, malignant
31186001 | Chondroma
31279000 | Delayed union of stellate fracture
31296004 | Theca cell - granulosa cell tumor
31313009 | Bridging fibrosis
31390008 | Epithelial hyperplasia
31396002 | Mucocarcinoid tumor, malignant
31470003 | Adenosarcoma
31478005 | Rhagades
31511007 | Fibrous nonunion
31590009 | Ferrocalcinotic deposition
31593006 | Minimal lesion
31653004 | Fibromuscular dysplasia
31671006 | Transitional pineal tumor
31739005 | Lateral abnormal curvature
31765009 | Bilateral congenital failure of fusion
31794002 | Sympathetic paraganglioma
31807009 | Persistent embryonic structure

31830003 | Ruptured epithelial inclusion cyst
31883006 | Fused structure
31980008 | Necrotizing inflammation
31986002 | Animal bite
32008003 | Mild transitional cell atypia
32037004 | Jugulotympanic paraganglioma
32048006 | Adenoma, no subtype
32071008 | Strumal carcinoid
32140001 | Papillary cystadenoma
32224006 | Coagulative necrosis
32272007 | Sweat gland adenocarcinoma
32274008 | Stellate spontaneous pseudoscars
32280000 | Subacute lymphoid leukemia [obs]
32288007 | Serous cyst
32296002 | Intraductal papillomatosis
32322008 | Subchondral bone cyst
32408007 | Piecemeal necrosis
32416003 | Atypical hyperplasia
32434004 | Pulmonary adenomatosis
32456001 | Desmoplastic nodular medulloblastoma
32512003 | Malignant non-chromaffin paraganglioma
32525006 | Fatty nevus
32651000 | Arteriolosclerosis with fibrinoid necrosis
32693004 | Demyelination
32776006 | Congenital vascular anomaly
32837003 | Hemangioblastomatosis
32844007 | Mixed teratoma and seminoma
32884003 | Hematin pigmentation
32913002 | Medullary carcinoma
32915009 | Reed-Sternberg cell
32968003 | Inflammatory carcinoma
33059009 | Trichofolliculoma
33080003 | Fracture, ununited
33125008 | Hematoidin pigmentation
33170000 | Mucinous adenoma
33176006 | Malignant hemangioendothelioma
33178007 | Delayed union of longitudinal fracture
33196003 | Micromegakaryocyte
33288004 | Mild epithelial dysplasia
33359002 | Degeneration
33377007 | Cavernous hemangioma
33385003 | Generalized recession
33387006 | Intracystic hyperplasia
33408004 | Fracture, ununited, segmental
33429008 | Menstrual involution of breast
33475000 | Neuropil thread
33593002 | Vascular wall degeneration
33681003 | Osteosarcoma in Paget disease of bone
33851008 | Subacute necrosis
33872006 | Small non-cleaved cell
33873001 | Convoluted cell
33889003 | Atypical lobular hyperplasia
33929001 | Histiocytoid hemangioma
33940009 | Caseous necrosis
34058006 | Bowing deformity
34064004 | Nuclear degeneration
34081008 | Post-radiation cytologic changes with dysplasia
34087007 | Hemiatrophy
34110004 | Sertoli-Leydig cell tumor, well differentiated
34248003 | Rheumatic inflammation
34277002 | Traumatic dislocation of multiple joints
34305007 | Fracture, multiple, closed
34337008 | Prolactinoma
34344004 | Concentric hypertrophy
34360000 | Malignant fibrous histiocytoma
34418003 | Glandular necrotizing metaplasia
34419006 | Decidual alteration
34493008 | Osmiophilic stain reaction
34494002 | Communicating cerebrospinal fluid retention
34550005 | Glomangiomyoma
34603009 | Basal cell adenocarcinoma
34636005 | Regeneration

34717007 | Smudge cell
34720004 | Menstrual endometrium
34785007 | Lipolysis
34807008 | Congenital incomplete expansion
34823008 | Tumor necrosis
34882000 | Giant fibroadenoma
34941004 | Odontogenic myxoma
35013009 | Purulent discharge
35073002 | Inflammatory pseudotumor
35232005 | Infiltrating lobular carcinoma and ductal carcinoma in situ
35262004 | Gliosarcoma
35287006 | Myeloid sarcoma, morphology
35327006 | Intussusception
35336005 | Gunshot wound, entrance, close shot
35453004 | Autophagic bodies
35506000 | Sweat retention
35562000 | Waldenstrom macroglobulinemia
35566002 | Hematoma
35601003 | MGUS
35662008 | Congenital lymphangiomatosis
35696001 | Ruptured infarct
35701008 | Hemangioblastic meningioma
35712008 | Minor injury
35714009 | Postmortem change
35718007 | Non-keratinizing squamous cell carcinoma - small cell
35787005 | Postinflammatory atrophy
35813005 | Fibrocystic change, proliferative type with atypia
35828005 | Malacia
35851005 | Chronic empyema
35872008 | Secondary hyperplasia
35917007 | Adenocarcinoma, no subtype
35933005 | Tear - wound
35944002 | Radiation ulcer
35992002 | Predecidual alteration
36024000 | Gangrenous
36060005 | Hemangiopericytic meningioma [obs]
36087009 | Adenocarcinoma in villous adenoma
36161006 | Wallerian degeneration
36191001 | Perforation
36195005 | Nodular hyperplasia
36207003 | Air embolus
36223003 | Delayed union of intraarticular fracture
36279001 | Lipogranuloma
36310008 | Alveolar adenocarcinoma
36318001 | Apocrine cystadenoma
36373003 | Muscle fiber hypertrophy, type II
36390009 | Chronic suppurative inflammation
36468008 | Surgically constructed organ
36475009 | Low-output external fistula
36504009 | Ankylosis
36560003 | Cystic infarct
36639000 | Psoriasiform eruption
36721002 | Papillary mucinous cystadenoma
36731009 | Sacculation
36741007 | Seminoma, no ICD-O subtype
36818005 | Major multiple injuries
36839003 | Dislocation, multiple, closed and open
36850000 | Retention
36949004 | Focal epithelial hyperplasia
37039006 | Chromophobe adenoma
37058002 | Foreign body giant cell granuloma
37068007 | Lateral displacement
37095002 | Lipomatosis
37138001 | Epithelioid cell melanoma
37159008 | Glandular and muscular hyperplasia
37205004 | Superficial wound
37206003 | Synovial sarcoma - spindle cell
37257004 | Decreased melanin pigmentation
37258009 | Cementoma
37266000 | Secretory endometrium
37279009 | Amyloid tumor
37291000 | Eventration

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.345 Value Set http://hl7.org/fhir/ValueSet/sequence-referenceSeq

URL: https://hl7.org/fhir/R4/valueset-sequence-referenceSeq.html

This value set could not be expanded by the publication tooling: Error from server: Unable to provide support for code system http://www.ensembl.org

Clinical Genomics Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/sequence-referenceSeq
Version: | 4.0.1
Name: | ENSEMBL
Title: | E n s e m b l
Definition: | This value set includes all Reference codes
Committee: | Clinical Genomics Work Group
OID: | 2.16.840.1.113883.4.642.3.221 (for OID based terminology systems)
Copyright: | (ENSEMBL)Ensembl imposes no restrictions on access to, or use of, the data provided and the software used to analyse and present it. Ensembl data generated by members of the project are available without restriction (NCBI) NCBI itself places no restrictions on the use or distribution of the data contained therein. Nor do we accept data when the submitter has requested restrictions on reuse or redistribution. However, some submitters of the original data (or the country of origin of such data) may claim patent, copyright, or other intellectual property rights in all or a portion of the data (that has been submitted). NCBI is not in a position to assess the validity of such claims and since there is no transfer of rights from submitters to NCBI, NCBI has no rights to transfer to a third party. Therefore, NCBI cannot provide comment or unrestricted permission concerning the use, copying, or distribution of the information contained in the molecular databases.
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: MolecularSequence.referenceSeq.referenceSeqId (CodeableConcept / Example)

4.4.1.345.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://www.ensembl.org

• Include all codes defined in http://www.ncbi.nlm.nih.gov/nuccore

4.4.1.345.2 Expansion

This expansion generated 01 Nov 2019

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.346 Value Set http://hl7.org/fhir/ValueSet/adverse-event-outcome

URL: https://hl7.org/fhir/R4/valueset-adverse-event-outcome.html
Patient Care Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/adverse-event-outcome
Version: | 4.0.1
Name: | AdverseEventOutcome
Title: | AdverseEventOutcome
Definition: | TODO (and should this be required?).
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.836 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for AdverseEventOutcome
• Resource: AdverseEvent.outcome (CodeableConcept / Required)

4.4.1.346.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/adverse-event-outcome

4.4.1.346.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 6 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/adverse-event-outcome version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/adverse-event-outcome

Code | Display | Definition
resolved | Resolved
recovering | Recovering
ongoing | Ongoing
resolvedWithSequelae | Resolved with Sequelae
fatal | Fatal
unknown | Unknown

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.347 Value Set http://hl7.org/fhir/ValueSet/ex-benefitcategory

URL: https://hl7.org/fhir/R4/valueset-ex-benefitcategory.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/ex-benefitcategory
Version: | 4.0.1
Name: | BenefitCategoryCodes
Title: | Benefit Category Codes
Definition: | This value set includes examples of Benefit Category codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.1174 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for BenefitCategoryCodes
• Resource: CoverageEligibilityResponse.insurance.item.category (CodeableConcept / Example)
• Resource: ExplanationOfBenefit.item.category (CodeableConcept / Example)
• Resource: ExplanationOfBenefit.item.detail.category (CodeableConcept / Example)

• Resource: ExplanationOfBenefit.item.detail.subDetail.category (CodeableConcept / Example)
• Resource: ExplanationOfBenefit.benefitBalance.category (CodeableConcept / Example)
• Resource: CoverageEligibilityRequest.item.category (CodeableConcept / Example)
• Resource: Claim.item.category (CodeableConcept / Example)
• Resource: Claim.item.detail.category (CodeableConcept / Example)
• Resource: Claim.item.detail.subDetail.category (CodeableConcept / Example)

4.4.1.347.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/ex-benefitcategory

4.4.1.347.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 28 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/ex-benefitcategory version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/ex-benefitcategory

Code | Display | Definition
1 | Medical Care | Medical Care.
2 | Surgical | Surgical.
3 | Consultation | Consultation.
4 | Diagnostic XRay | Diagnostic XRay.
5 | Diagnostic Lab | Diagnostic Lab.
14 | Renal Supplies | Renal Supplies excluding Dialysis.
23 | Diagnostic Dental | Diagnostic Dental.
24 | Periodontics | Periodontics.
25 | Restorative | Restorative.
26 | Endodontics | Endodontics.
27 | Maxillofacial Prosthetics | Maxillofacial Prosthetics.
28 | Adjunctive Dental Services | Adjunctive Dental Services.
30 | Health Benefit Plan Coverage | Health Benefit Plan Coverage.
35 | Dental Care | Dental Care.
36 | Dental Crowns | Dental Crowns.
37 | Dental Accident | Dental Accident.
49 | Hospital Room and Board | Hospital Room and Board.
55 | Major Medical | Major Medical.
56 | Medically Related Transportation | Medically Related Transportation.
61 | In-vitro Fertilization | In-vitro Fertilization.
62 | MRI Scan | MRI Scan.
63 | Donor Procedures | Donor Procedures such as organ harvest.
69 | Maternity | Maternity.
76 | Renal Dialysis | Renal dialysis.
F1 | Medical Coverage | Medical Coverage.
F3 | Dental Coverage | Dental Coverage.
F4 | Hearing Coverage | Hearing Coverage.
F6 | Vision Coverage | Vision Coverage.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.348 Value Set http://hl7.org/fhir/ValueSet/condition-stage

URL: https://hl7.org/fhir/R4/valueset-condition-stage.html
Patient Care Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined at http://www.hl7.org/Special/committees/patientcare/ .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/condition-stage
Version: | 4.0.1
Name: | ConditionStage
Title: | Condition Stage
Definition: | Example value set for stages of cancer and other conditions.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.170 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Condition.stage.summary (CodeableConcept / Example)

4.4.1.348.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://snomed.info/sct where concept is-a 385356007 (Tumour stage finding)

4.4.1.348.2 Expansion

This expansion generated 01 Nov 2019

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code | Display | Definition
786005 | Clinical stage I B
1523005 | Clinical stage IV B
2640006 | Clinical stage 4
2786004 | Epithelial ovarian tumor, International Federation of Gynecology and Obstetrics stage III
5701003 | Lymphoma stage IIe
5856006 | N3 stage
6123003 | pT4 stage
6534007 | Epithelial ovarian tumor, FIGO stage IIA
13104003 | Clinical stage I
14410001 | Tumor stage T3
14926007 | pM1: Distant metastasis
14927003 | FIGO VC stage II
15076001 | pN2 category
15540006 | International Federation of Gynecology and Obstetrics cervical cancer (FIGO CC) stage I
15542003 | Clinical stage I C
17076002 | pMX: Distant metastasis cannot be assessed
17691001 | Clinical stage I S
17816005 | Clinical stage II B
19408000 | pM0: No distant metastasis
21917009 | pN0 category
22079002 | N4 category
22364004 | International Federation of Gynecology and Obstetrics vulvar carcinoma (FIGO VC) stage III
23351008 | Tumor stage T1
25654007 | International Federation of Gynecology and Obstetrics cervical cancer (FIGO CC) stage Ib
27167007 | Metastasis stage MX
30382004 | International Federation of Gynecology and Obstetrics endometrial cancer (FIGO EC) stage II
30440004 | Lymphoma stage I
30893008 | Metastasis stage M0
31747005 | Modified Dukes stage B1
33177002 | Clinical stage IV C
33907000 | Clinical stage III E
34537009 | International Federation of Gynecology and Obstetrics endometrial cancer (FIGO EC) stage IV
35440002 | Clinical stage I D
36018006 | Epithelial ovarian tumor, International Federation of Gynecology and Obstetrics stage IA
37415008 | Epithelial ovarian tumor, International Federation of Gynecology and Obstetrics stage IC
39617003 | Clinical stage II C
39880006 | pT0 category
43189003 | pTX category
44255004 | Lymphoma stage IIIe
44401000 | Tumor stage Tis
45552005 | pN1 category
46059003 | Node stage N2
46333007 | Clinical stage 1 A
46756001 | International Federation of Gynecology and Obstetrics endometrial cancer (FIGO EC) stage I A

48105005 | Clinical stage 3 C
49182004 | pN3 category
49219005 | International Federation of Gynecology and Obstetrics cervical cancer (FIGO CC) stage Ia
50237009 | International Federation of Gynecology and Obstetrics endometrial cancer (FIGO EC) stage I
50283003 | Clinical stage III
52708004 | International Federation of Gynecology and Obstetrics cervical cancer (FIGO CC) stage III
52774001 | Clinical stage 2 A
52865009 | Clinical stage IV D
53173007 | Modified Dukes stage B2
53623008 | Node stage N1
53786006 | pT1 category
54452005 | pNX category
54498006 | Modified Dukes stage C1
55336000 | Clinical stage III D
55440008 | Metastasis stage M1
56380009 | Clinical stage I E
56587006 | International Federation of Gynecology and Obstetrics vulvar carcinoma (FIGO VC) stage I
56769006 | Modified Dukes stage A
56944001 | Lymphoma stage III
57306005 | Modified Dukes stage C2
57605004 | Modified Dukes stage D
58790005 | Tumor stage T0
60275007 | FIGO EC stage I B
60333009 | Clinical stage II
62455006 | N0 stage
64062008 | Clinical stage III B
64202001 | Clinical stage IV E
64574000 | Epithelial ovarian tumor, FIGO stage IIB
64737002 | Epithelial ovarian tumor, FIGO stage IB
64877001 | Clinical stage III S
65235001 | Epithelial ovarian tumor, FIGO stage I
65306007 | FIGO VM stage II
65536004 | FIGO VM stage III
65565005 | T4 stage
66445009 | Lymphoma stage IV
67101007 | TX stage
67673008 | T2 stage
68240008 | FIGO CC stage II
69605008 | Clinical stage II E
70046009 | FIGO VM stage I
70664003 | Clinical stage IV S
71725004 | Clinical stage IV A
72780008 | FIGO VC stage IV
73055006 | FIGO VM stage V
73082003 | Clinical stage III A
73511008 | Epithelial ovarian tumor, FIGO stage IV
74053007 | Lymphoma stage IIIs
75339006 | Lymphoma stage III 2
76422004 | Lymphoma stage II
78199001 | Epithelial ovarian tumor, FIGO stage IIC
78607009 | Epithelial ovarian tumor, FIGO stage II
79420006 | Node stage NX
80588003 | FIGO VM stage IV
80663004 | pN4 stage
80898003 | pT2 stage
80975007 | FIGO EC stage III
81822003 | FIGO CC stage IV
84633001 | Lymphoma stage IIIse
84921008 | pTis stage
87977001 | International Federation of Gynecology and Obstetrics cervical cancer stage Ib occ
89487002 | Lymphoma stage Ie
90321006 | Clinical stage II S
90402004 | pT3 stage
112240001 | Clinical stage II D
112241002 | Lymphoma stage III 1
258297005 | Metastasis stage M2
258298000 | Metastasis stage M3
258299008 | Metastasis stage M4
261646003 | Tumor stage T1a
261647007 | Tumor stage T1a1
261648002 | Tumor stage T1a2
261649005 | Tumor stage T1b

261650005 | Tumor stage T1c
261651009 | Tumor stage T2a
261652002 | Tumor stage T2b
261653007 | Tumor stage T2c
261654001 | Tumor stage T3a
261655000 | Tumor stage T3b
261656004 | Tumor stage T3bi
261657008 | Tumor stage T3bii
261658003 | Tumor stage T3c
261659006 | Tumor stage T4a
261660001 | Tumor stage T4b
261661002 | Tumor stage T4c
261662009 | Tumor stage T4d
261927002 | Metastasis stage M1a
261928007 | Metastasis stage M1b
261929004 | Metastasis stage M1c
261967001 | Node stage N2a
261968006 | Node stage N2b
261969003 | Node stage N2c
277672002 | Node stage N1a
277674001 | Node stage N1b
277744001 | Metastasis stage pM1
277772008 | Node stage N1bi
277776006 | Node stage N1bii
277777002 | Node stage N1biii
277778007 | Node stage N1biv
313108002 | Tumor stage T1mic
313110000 | Tumor stage T1b1
313111001 | Tumor stage T1b2
313145008 | Tumor stage Tis pu
313146009 | Tumor stage Tis pd
369793000 | Tis (--): Carcinoma in situ (endometrium / uterine cervix)
369794006 | T1 (I): Cervical carcinoma confined to uterus
369795007 | T1a (IA): Invasive carcinoma of uterine cervix diagnosed by microscopy only
369796008 | T1a1 (IA1): Tumor of uterine cervix with stromal invasion < 3.0 mm in depth and horizontal spread < 7.0 mm
369797004 | T1a2 (IA2): Tumor of uterine cervix with stromal invasion > 3.0 mm but < 5.0 mm in depth and horizontal spread < 7.0 mm
369798009 | T1b (IB): Tumor of uterine cervix with clinically visible lesion confined to the cervix or microscopic lesion greater than T1a2/IA2
369799001 | T1b1 (IB1): Tumor of uterine cervix, clinically visible lesion < 4.0 mm in greatest dimension
369800002 | T1b2 (IB2): Tumor of uterine cervix, clinically visible lesion > 4.0 mm in greatest dimension
369801003 | T2 (II): Tumor of uterine cervix invades beyond the uterus but not to pelvic wall or to lower third of vagina
369802005 | T2a (IIA): Tumor of uterine cervix, T2 without parametrial invasion
369803000 | T2b (IIB): Tumor of uterine cervix, T2 with parametrial invasion
369804006 | T3 (III): Tumor of uterine cervix extends to the pelvic wall and/or involves the lower third of the vagina and/or causes hydronephrosis or nonfunctioning kidney
369805007 | T3a (IIIA): Tumor of uterine cervix involves lower third of vagina, but not pelvic wall
369806008 | T4 (IVA): Tumor of uterine cervix/vagina invades mucosa of bladder or rectum and/or extends beyond true pelvis
369807004 | T1 (I): Endometrial tumor confined to corpus uteri
369808009 | T1a (IA): Tumor limited to endometrium
369809001 | T1b (IB): Endometrial tumor invades up to or less than one half of the endometrium
369810006 | T1c (IC): Endometrial tumor invades to more than one half of the endometrium
369811005 | T2 (II): Endometrial tumor invades cervix, but does not extend beyond uterus
369812003 | T2a (IIA): Endometrial tumor with endocervical glandular involvement
369813008 | T2b (IIB): Endometrial tumor with cervical stromal invasion
369814002 | T3 (III): Endometrial tumor with local and/or regional spread as specified in T3a, b, N1 and FIGO IIIA, B, and C below or adnexa (direct extension or metastasis) and/or cancer cells in ascites or peritoneal washings
369815001 | T3b (IIIB): Endometrial tumor with vaginal involvement (direct extension or metastasis)
369816000 | T4 (IVA): Endometrial tumor invades bladder mucosa and/or bowel mucosa
369817009 | T1 (I): Tumor confined to vagina
369818004 | T2 (II): Vaginal tumor invades paravaginal tissues but not to pelvic wall
369819007 | T3 (III): Vaginal tumor extends to pelvic wall
369820001 | T1 (I): Tumor limited to fallopian tube(s)
369821002 | T1a (IA): Tumor limited to one fallopian tube without penetrating the serosal surface, no ascites
369822009 | T1b (IB): Tumor limited to both tubes without penetrating the serosal surface: no ascites
369823004 | T1c (IC): Tumor limited to one or both tube(s) with extension into or through the tubal serosa; or with malignant cells in ascites or peritoneal washings: FALLOPIAN TUBE: Salpingectomy
369824005 | T2 (II): Fallopian tube tumor involves one or both tube(s) with pelvic extension
369825006 | T2a (IIA): Fallopian tube tumor with extension and/or metastasis to the uterus and/or ovaries
369826007 | T2b (IIB): Fallopian tube/ovarian tumor with extension to other pelvic structures
369827003 | T2c (IIC): Fallopian tube/ovarian tumor with pelvic extension (T2a or b) with malignant cells in ascites or peritoneal washings

369828008 | T3 and/or N1 (III): Fallopian tube tumor involves one or both tube(s) with peritoneal implants outside the pelvis and/or regional lymph node metastasis
369829000 | T3a (IIIA): Fallopian tube/ovarian tumor with microscopic peritoneal metastasis beyond pelvis
369830005 | T3b (IIIB): Fallopian tube/ovarian tumor with macroscopic peritoneal metastasis beyond pelvis < 2 cm in greatest dimension
369831009 | T3c (IIIC): Fallopian tube/ovarian tumor with peritoneal metastasis beyond pelvis > 2 cm in greatest dimension and/or regional lymph node metastasis
369832002 | T1: Clinically inapparent prostate tumor not palpable or visible by imaging
369833007 | T1a: Prostate tumor incidental histologic finding in 5% or less of tissue resected
369834001 | T1b: Prostate tumor incidental histologic finding in > 5% of tissue resected
369835000 | T1c: Tumor identified by needle biopsy because of elevated prostate specific antigen: PROSTATE: Biopsy/transurethral resection: PROSTATE: Resection
369836004 | T2a: Prostate tumor involves one lobe
369837008 | T3: Prostate tumor extends through the prostatic capsule
369838003 | T3a: Prostate tumor with extracapsular extension (unilateral or bilateral)
369839006 | T3b: Prostate tumor invades the seminal vesicle(s)
369840008 | T2: Aerodigestive tract tumor causing bone erosion or destruction, except for the posterior antral wall, including extension into hard palate and/or middle nasal meatus
369841007 | T1: Aerodigestive tract tumor < 2 cm in greatest dimension
369842000 | T1: Aerodigestive tract tumor confined to ethmoid with or without bone erosion
369843005 | T1: Aerodigestive tract tumor confined to nasopharynx
369844004 | T1: Tumor limited to one subsite of hypo-pharynx and < 2 cm in greatest dimension
369845003 | T1: Tumor limited to one subsite of supraglottis with normal vocal cord mobility
369846002 | T1: Tumor limited to subglottis
369847006 | T1: Tumor limited to the antral mucosa with no erosion or destruction of bone
369848001 | T1: Tumor limited to vocal cord(s) (may involve anterior or posterior commissure) with normal mobility
369849009 | T1a: Tumor limited to one vocal cord
369850009 | T1b: Tumor involves both vocal cords
369851008 | T2: Aerodigestive tract tumor > 2 cm but < 4 cm in greatest dimension
369852001 | T2: Aerodigestive tract tumor > 2 cm but < 4 cm in greatest dimension without extraparenchymal extension
369853006 | T2: Aerodigestive tract tumor extends into nasal cavity
369854000 | T2: Aerodigestive tract tumor extends to soft tissue of oropharynx and/or nasal fossa
369855004 | T2: Aerodigestive tract tumor extends to supraglottis and/or subglottis, and/or with impaired vocal cord mobility
369856003 | T2: Aerodigestive tract tumor extends to vocal cord(s) with normal or impaired mobility
369857007 | T2: Aerodigestive tract tumor invades more than one subsite of hypopharynx or an adjacent site, or measures > 2 cm but < 4 cm in greatest dimension, without fixation of hemilarynx
369858002 | T2: Aerodigestive tract tumor invades mucosa of >1 adjacent subsite of supraglottis/glottis/region outside supraglottis, (mucosa of base of tongue/vallecula/medial wall of piriform sinus) without fixation of larynx
369859005 | T2a: Aerodigestive tract tumor without parapharyngeal extension
369860000 | T2b: Aerodigestive tract tumor with parapharyngeal extension
369861001 | T3: Aerodigestive tract tumor > 4 cm in greatest dimension
369862008 | T3: Aerodigestive tract tumor extends to anterior orbit and/or maxillary sinus
369863003 | T3: Aerodigestive tract tumor having extraparenchymal extension without seventh nerve involvement, and/or > 4 cm but < 6 cm in greatest dimension
369864009 | T3: Aerodigestive tract tumor invades any of the following: bone of posterior wall of maxillary sinus, subcutaneous tissues, skin of cheek, floor or medial wall of orbit, infratemporal fossa, pterygoid plates, ethmoid sinuses
369865005 | T3: Aerodigestive tumor invades bony structures and/or paranasal sinuses
369866006 | T3: Aerodigestive tract tumor limited to larynx with vocal cord fixation
369867002 | T3: Aerodigestive tract tumor limited to larynx with vocal cord fixation and/or invades any of the following: postcricoid area, pre-epiglottic tissues, deep base of tongue
369868007 | T3: Aerodigestive tract tumor measures > 4 cm in greatest dimension, or with fixation of hemilarynx
369869004 | T4: Lip: Tumor invades adjacent structures (cortical bone, inferior alveolar nerve, floor of mouth, skin of face)
369870003 | T4: Oral Cavity: Tumor invades adjacent structures (cortical bone, deep (extrinsic) muscle of tongue, maxillary sinus, skin)
369871004 | T4: Aerodigestive tract tumor invades adjacent structures (pterygoid muscles, mandible, hard palate, deep muscle of tongue, larynx)
369872006 | T4: Aerodigestive tract tumor invades adjacent structures (thyroid/cricoid cartilage, carotid artery, soft tissues of neck, prevertebral fascia/muscles, thyroid and/or esophagus)
369873001 | T4: Aerodigestive tumor invades base of skull, seventh nerve, and/or exceeds 6 cm in greatest dimension
369874007 | T4: Aerodigestive tract tumor invades orbital contents beyond the floor or medial wall including apex and/or any of the following: cribriform plate, base of skull, nasopharynx, sphenoid sinus, frontal sinus
369875008 | T4: Tumor invades through cricoid or thyroid cartilage and/or extends into other tissues beyond the larynx (trachea, soft tissues of neck, thyroid, esophagus)
369876009 | T4: Tumor invades through thyroid cartilage and/or extends to other tissues beyond the larynx (trachea, soft tissues of neck, pharynx)
369877000 | T4: Tumor invades through thyroid cartilage, and/or extends into soft tissues of the neck, thyroid, and/or esophagus
369878005 | T4: Aerodigestive tract tumor with intracranial extension and/or involvement of cranial nerves, infratemporal fossa, hypopharynx or orbit
369879002 | T4: Aerodigestive tract tumor with intracranial extension, orbital extension including apex, involving sphenoid and/or frontal sinus and/or skin of nose
369880004 | T1: Lung tumor 3 cm or less in greatest dimension, surrounded by lung or visceral pleura, without bronchoscopic evidence of invasion more proximal than the lobar bronchus
369881000 | T2:Lung tumor with any of these features:>3cm in greatest dimension, involves main bronchus >2cm distal to carina; invades visceral pleura; assoc with atelectasis/obstructive pneumonitis extends to hilar region, does not involve entire lung

369882007 | T3: Lung tumor of any size associated atelectasis or obstructive pneumonitis of the entire lung
369883002 | T3: Lung tumor of any size in the main bronchus < 2 cm distal to the carina but without involvement of the carina
369884008 | T3: Lung tumor of any size that directly invades any of the following: chest wall (including superior sulcus tumors); diaphragm; mediastinal pleura; parietal pericardium
369885009 | T4: Lung tumor of any size that invades any of the following: mediastinum; heart; great vessels; trachea; esophagus; vertebral body; carina
369886005 | T4: Lung tumor of any size with a malignant pleural effusion
369887001 | T4: Lung tumor of any size with separate tumor nodule(s) in same lobe
369888006 | T1: Kidney tumor < 7.0 cm in greatest dimension limited to the kidney
369889003 | T2: Renal tumor > 7.0 cm in greatest dimension limited to the kidney
369890007 | T3: Renal tumor extends into major veins or invades the adrenal gland or perinephric tissues but not beyond Gerota fascia
369891006 | T3a: Renal tumor invades the adrenal gland or perinephric tissues but not beyond Gerota fascia
369892004 | T3b: Renal tumor grossly extends into the renal vein(s) or vena cava below the diaphragm
369893009 | T3c: Renal tumor grossly extends into the vena cava above the diaphragm
369894003 | T4: Renal tumor invades beyond Gerota fascia
369895002 | T1: Breast tumor <= 2 cm in greatest dimension
369896001 | T1mic: Microinvasion <= 0.1 cm in greatest dimension: BREAST: Complete excision less than total mastectomy, total mastectomy, modified radical mastectomy, radical mastectomy
369897005 | T1a: Breast tumor >0.1 cm but <= 0.5 cm in greatest dimension
369898000 | T1b: Breast tumor >0.5 cm but <= 1 cm in greatest dimension
369899008 | T1c: >1 cm but <= 2 cm in greatest dimension: BREAST: Complete excision less than total mastectomy, total mastectomy, modified radical mastectomy, radical mastectomy
369900003 | T2: Breast tumor > 2 cm but <= 5 cm in greatest dimension
369901004 | T3: Breast tumor >5 cm in greatest dimension
369902006 | T4: Breast tumor of any size with direct extension to chest wall or skin
369903001 | T4a: Breast tumor with extension to chest wall
369904007 | T4b: Edema (including peau d'orange) or ulceration of the skin of the breast or satellite skin nodules confined to the same breast
369905008 | T4c: Breast tumor, both T4a and T4b
369906009 | T4d: Inflammatory carcinoma (breast)
369907000 | Tis: Carcinoma in situ, breast: Intraductal carcinoma, lobular carcinoma in situ, or Paget disease of the nipple with no tumor
369909002 | T1: Tumor invades lamina propria or submucosa
369910007 | T1a: Esophagus/stomach tumor invades lamina propria
369911006 | T1b: Esophagus/stomach tumor invades submucosa
369912004 | T2: Tumor invades muscularis propria
369913009 | T3: Esophageal tumor invades adventitia
369914003 | T4: Tumor directly invades adjacent structures
369915002 | T2: Stomach tumor invades muscularis propria or subserosa
369916001 | T2a: Stomach tumor invades muscularis propria
369917005 | T2b: Stomach tumor invades subserosa
369918000 | T3: Stomach tumor penetrates serosa without invasion of adjacent structures
369919008 | T4a: Colon/rectum tumor directly invades other organs or structures
369920002 | T1: Tumor invades submucosa (colon/rectum)
369921003 | T3: Colon/rectum tumor invades through the muscularis propria into the subserosa or the nonperitonealized pericolic or perirectal soft tissues
369922005 | T4b: Colon/rectum tumor penetrates the visceral peritoneum
369923000 | Tis (0): Carcinoma in situ (vagina)
369924006 | Tis (0): Carcinoma in situ (limited to fallopian tube mucosa)
369925007 | Tis: Epithelium only (carcinoma in situ, no invasion)
369926008 | T1: Tumor limited to ampulla of Vater or sphincter of Oddi
369927004 | T2: Ampulla tumor invades duodenal wall
369928009 | T3: Ampulla tumor invades 2 cm or less into pancreas
369929001 | T4: Ampulla tumor invades >2 cm into pancreas and/or into other adjacent organs
369930006 | T1: Tumor limited to pancreas and < 2 cm in greatest dimension
369931005 | T2: Tumor limited to pancreas and > 2 cm in greatest dimension
369932003 | T3: Pancreatic tumor extends directly to any of the following: duodenum; bile duct; peripancreatic tissues
369933008 | T4: Pancreas tumor extends directly to any of the following: stomach; spleen; colon; adjacent large vessels
369934002 | Tis: Carcinoma in situ ("flat tumor" of urinary bladder)
369935001 | T1: Urinary tract tumor invades subepithelial connective tissue
369936000 | T2: Urinary bladder tumor invades muscle
369937009 | T2: Renal pelvis/ureter tumor invades the muscularis
369938004 | T2a: Urinary bladder tumor invades superficial muscle (inner half)
369939007 | T2b: Urinary bladder tumor invades deep muscle (outer half)
369940009 | T3: Ureteral tumor invades beyond muscularis into periureteric fat
369941008 | T3: Renal pelvis tumor invades beyond muscularis peripelvic fat or the renal parenchyma
369942001 | T3: Urinary bladder tumor invades perivesical tissue
369943006 | T3a: Bladder tumor invades perivesical tissue microscopically
369944000 | T3b: Bladder tumor invades perivesical tissue macroscopically (extravesicular mass)
369945004 | T4: Urinary bladder tumor invades any of the following: prostate, uterus, vagina, pelvic wall abdominal wall
369946003 | T4: Renal pelvis/ureter tumor invades adjacent organs, or through the kidney into the perinephric fat
369947007 | T4a: Bladder tumor invades prostate or uterus or vagina

369948002 | T4b: Bladder tumor invades pelvic wall or abdominal wall
369949005 | Ta: Noninvasive papillary carcinoma (urinary tract)
369950005 | Tis: Intratubular germ cell neoplasia (carcinoma in situ, testis)
369951009 | T1: Testicular tumor limited to the testis and epididymis without vascular/lymphatic invasion (tumor may invade tunica albuginea but not tunica vaginalis)
369952002 | T2: Testicular tumor limited to the testis and epididymis with vascular/lymphatic invasion or tumor extending through tunica albuginea with involvement of tunica vaginalis
369953007 | T3: Testicular tumor invades spermatic cord with or without vascular/lymphatic invasion
369954001 | T4: Testicular tumor invades scrotum with or without vascular/lymphatic invasion
369955000 | T1 (I): Trophoblastic disease confined to uterus
369956004 | T1 (IA): Trophoblastic disease confined to uterus with no risk factors
369957008 | T1 (IB): Trophoblastic disease confined to uterus with one risk factor
369958003 | T1 (IC): Trophoblastic disease confined to uterus with two risk factors
369959006 | T2 (II): Trophoblast: gestational trophoblastic tumor extends outside of the uterus but is limited to the genital structures (adnexa, vagina, broad ligament)
369960001 | T2 (IIA): Trophoblast: GTT involving genital structure without risk factors
369961002 | T2 (IIB): Trophoblast: gestational trophoblastic tumor extends outside of the uterus but limited to genital structures with one risk factor
369962009 | T2 (IIC): Trophoblast: gestational trophoblastic tumor extends outside of the uterus but limited to genital structures with two risk factors
369963004 | T1: Tumor limited to ipsilateral parietal and/or visceral pleura
369964005 | T2: Pleural tumor invades any of the following: ipsilateral lung, endothoracic fascia, diaphragm, or pericardium
369965006 | T3: Pleural tumor invades any of the following: ipsilateral chest wall muscle, ribs, or media-stinal organs or tissues
369966007 | T4: Pleural tumor directly extends to any of the following: contralateral pleura, contralateral lung, peritoneum, intra-abdominal organs, cervical tissues
369967003 | T1: Tumor size < 1 cm, limited to thyroid
369968008 | T2: Tumor > 1 cm but < 4 cm, limited to thyroid
369969000 | T3: Thyroid tumor > 4 cm, limited to thyroid
369970004 | T4: Thyroid tumor of any size extending beyond the thyroid capsule
369971000 | T1a (IA): Tumor limited to one ovary, capsule intact, no tumor on ovarian surface
369972007 | T1b (IB): Tumor limited to both ovaries: capsule intact, no tumor on ovarian surface
369973002 | T1c (IC): Tumor limited to one or both ovaries with any of the following: capsule ruptured, tumor on ovarian surface, malignant cells in ascites or peritoneal washings: OVARY: Resection
369974008 | T2: Ovarian tumor involves one or both ovaries with pelvic extension
369975009 | T2a (IIA): Ovarian tumor with extension and/or implants on uterus and/or tube(s)
369976005 | T3 and/or N1 (III): Ovarian tumor involves one or both ovaries with microscopically confirmed peritoneal metastasis outside the pelvis and/or regional lymph node metastasis
369977001 | T3b (IIIB): Tumor of uterine cervix extends to pelvic wall and/or causes hydronephrosis or nonfunctioning kidney
369978006 | T2: Tumor confined within the prostate
369979003 | T1: Aerodigestive tract tumor < 2 cm in greatest dimension without extraparenchymal extension
369980000 | Tis: Tumor invades lamina propria (gastrointestinal tumor)
369981001 | Tis: Tumor invades muscularis mucosae (colon/rectum)
369982008 | T1: Solitary liver tumor < 2 cm; no vascular invasion
369983003 | N1: Metastasis to movable ipsilateral axillary lymph node(s)
369984009 | N1a: Only micrometastasis, none > 0.2 cm in greatest dimension
369985005 | N1b: Metastasis to lymph node(s), any > 0.2 cm in greatest dimension
369986006 | N1bi: Metastasis in 1 to 3 lymph nodes, any > 0.2 cm and all < 2 cm in greatest dimension
369987002 | N1bii: Metastasis in 4 or more lymph nodes, any > 0.2 cm and all < 2 cm in greatest dimension
369988007 | N1biii: Extension of tumor beyond the capsule of a lymph node metastasis, < 2 cm in greatest dimension
369989004 | N1biv: Metastasis to a lymph node > 2 cm in greatest dimension
369990008 | Clinical axillary lymph node metastases - matted
369991007 | N3: Metastasis to ipsilateral internal mammary lymph node(s)
369992000 | N1: Metastasis in 1-3 lymph nodes
369993005 | N2: Metastasis in 4 or more lymph nodes
369994004 | N1a: 1-3 nodes involved
369995003 | N1b: 4-7 nodes involved
369996002 | N1c: >7 nodes involved
369997006 | N1: Metastasis in 1-6 perigastric lymph nodes
369998001 | N2: Metastasis in 7-15 perigastric lymph nodes
369999009 | N3: Metastasis in >15 perigastric lymph nodes
370000006 | N1: Metastasis in a single lymph node, < 2 cm in greatest dimension
370001005 | N1: Metastasis in a single lymph node, <= 2 cm in greatest dimension
370002003 | N2: Metastasis in a single lymph node, > 2 cm but <= 5 cm in greatest dimension, or multiple lymph nodes, none > 5 cm in greatest dimension
370003008 | N3: Metastasis in a lymph node > 5 cm in greatest dimension
370004002 | N1: Metastasis in a single ipsilateral lymph node, < 3 cm in greatest dimension
370005001 | N1: Unilateral metastasis in lymph node(s) > 6 cm in greatest dimension, above supraclavicular fossa
370006000 | N2: Metastasis in a single ipsilat lymph node >3cm but <6cm in greatest dimension; or in multiple ipsilat lymph nodes, none >6cm in greatest dimension; or in bilat or contralat lymph nodes, none >6cm in greatest dimension
370007009 | N2: Bilateral metastasis in lymph node(s) > 6 cm in greatest dimension, above supraclavicular fossa
370008004 | N2a: Metastasis in a single ipsilateral lymph node, > 3 cm but < 6 cm in greatest dimension
370009007 | N2b: Metastasis in multiple ipsilateral lymph nodes, none > 6 cm in greatest dimension
370010002 | N2c: Metastasis in bilateral or contralateral lymph nodes, none > 6 cm in greatest dimension

370011003 | N3: Metastasis in lymph node(s)
370012005 | N3a: > 6 cm in dimension
370013000 | N3b: extension to supraclavicular fossa
370014006 | N3: Metastasis in a lymph node > 6 cm in greatest dimension
370015007 | N1: Metastasis in ipsilateral peribronchial and/or ipsilateral hilar lymph nodes, including intrapulmonary nodes involved by direct extension of the primary tumor
370016008 | N2: Metastasis in ipsilateral mediastinal and/or subcarinal lymph node(s)
370017004 | N3: Metastasis in contralateral mediastinal, contralateral hilar, ipsilateral or contralateral scalene or supraclavicular lymph node(s)
370018009 | N1: Metastasis in a single lymph node
370019001 | N2: Metastasis in more than one regional lymph node
370020007 | N1: Metastasis with a lymph node mass less than 2 cm in greatest dimension and 5 or fewer positive nodes, none larger than 2 cm in greatest dimension
370021006 | N2: Metastasis with a lymph node mass >2 cm but <= 5 cm in greatest dimension, or more than 5 nodes positive, none > 5 cm; or evidence of extranodal extension of tumor
370022004 | N3: Metastasis with a lymph node mass > 5 cm in greatest dimension
370023009 | N1: Metastasis in regional lymph node or nodes
370024003 | N1: Pelvic or inguinal lymph node metastasis
370025002 | N1a: Metastasis in ipsilateral cervical lymph node(s)
370026001 | N1b: Metastasis in bilateral, midline, or contralateral cervical or mediastinal lymph node(s)
370027005 | N1a: Metastasis in single regional lymph node
370028000 | N1b: Metastasis in multiple regional lymph nodes
370029008 | M1 (IV): Distant metastasis
370030003 | M1 (IVB): Distant metastasis
370031004 | M1: Distant metastasis [includes metastasis to ipsilateral supraclavicular lymph nodes]
370032006 | M1: Distant metastasis, includes separate tumor nodule(s) in a different lobe (ipsilateral or contralateral)
370033001 | M1a: Non-regional lymph node or pulmonary metastasis
370034007 | M1a: non-regional lymph node metastasis
370035008 | M1a (III): gestational trophoblastic tumor extends to the lungs with or without genital tract involvement
370036009 | M1a (IIIA): gestational trophoblastic tumor extends to the lungs with or without genital tract involvement without risk factors
370037000 | M1a (IIIB): gestational trophoblastic tumor extends to the lungs with or without genital tract involvement with one risk factor
370038005 | M1a (IIIC): gestational trophoblastic tumor extends to the lungs with or without genital tract involvement with two risk factors
370039002 | M1b (IV): All other metastatic sites
370040000 | M1b (IVA): All other metastatic sites without risk factors
370041001 | M1b (IVB): All other metastatic sites with one risk factor
370042008 | M1b (IVC): All other metastatic sites with two risk factors
370043003 | M1b: Bone(s)
370044009 | M1b: Distant metastasis other than to non-regional lymph nodes and lungs
370045005 | M1c: Other site(s)
370046006 | T3a,b: Colon/rectum tumor invades <=5 mm beyond the border of the muscularis propria
370047002 | T3c,d: Colon/rectum tumor invades >5 mm beyond the border of the muscularis propria
370072002 | Direct invasion of adrenal (T3a)
370123006 | N1: Regional lymph node metastasis
372436009 | N1: Metastasis in perirectal lymph node or nodes
372437000 | N2: Metastasis to unilateral internal iliac and/or inguinal lymph node(s)
373150000 | pNX: Regional lymph nodes cannot be assessed (e.g., previously removed, or not removed for pathologic study) (breast)
373151001 | pN0: No regional lymph node metastasis histologically (i.e., none greater than 0.2 mm), no additional examination for isolated tumor cells (breast)
373156006 | pN1: Metastasis in 1 to 3 axillary lymph nodes, and/or in internal mammary nodes with microscopic disease detected by sentinel lymph node dissection but not clinically apparent (breast)
373157002 | pN1mi: Micrometastasis (greater than 0.2 mm, none greater than 2.0 mm) (breast)
373158007 | pN1mi(i+): Micrometastasis detected only by IHC (breast)
373159004 | pN1a: Metastasis in 1 to 3 axillary lymph nodes (breast)
373160009 | pN1b: Metastasis in internal mammary lymph nodes with microscopic disease detected by sentinel lymph node dissection but not clinically apparent (breast)
373161008 | pN1c: Metastasis in 1 to 3 axillary lymph nodes and in internal mammary lymph nodes with microscopic disease detected by sentinel lymph node dissection but not clinically apparent (breast)
373162001 | pN2: Metastasis in 4 to 9 axillary lymph nodes, or in clinically apparent internal mammary lymph nodes in the absence of axillary lymph node metastasis (breast)
373163006 | pN2a: Metastasis in 4 to 9 axillary lymph nodes (at least one tumor deposit greater than 2.0 mm) (breast)
373164000 | pN2b: Metastasis in clinically apparent internal mammary lymph nodes in the absence of axillary lymph node metastasis (breast)
373165004 | pN3a: Metastasis in 10 or more axillary lymph nodes (at least one tumor deposit greater than 2.0 mm), or metastasis to infraclavicular lymph nodes (breast)
373166003 | pN3c: Metastasis in ipsilateral supraclavicular lymph nodes (breast)
373167007 | pN3b: Tumor of breast with metastasis as per AJCC 6th Edition definition (breast)
373169005 | pM0: No distant metastasis from breast tumor
373170006 | pMX: Distant metastasis cannot be assessed (breast)
373171005 | pM1: Distant metastasis (breast)
373172003 | pT1: Tumor 2 cm or less in greatest dimension (breast)

373173008 | pTX: Primary tumor cannot be assessed (breast)
373174002 | pT0: No evidence of primary tumor (breast)
373175001 | pTis: Carcinoma in situ (breast)
373176000 | pTis: Ductal carcinoma in situ (breast)
373177009 | pTis: Lobular carcinoma in situ (breast)
373178004 | pTis: Paget's disease of the nipple with no tumor
373179007 | pT1mic: Microinvasion <= 0.1 cm in greatest dimension (breast)
373180005 | pT1a: Tumor >0.1 cm but <= 0.5 cm in greatest dimension (breast)
373182002 | pT2: Tumor > 2 cm but <= 5 cm in greatest dimension (breast)
373183007 | pT1c: Tumor more than 1 cm but not more than 2 cm in greatest dimension (breast)
373184001 | pT3: Tumor >5 cm in greatest dimension (breast)
373185000 | pT4: Tumor of any size with direct extension to chest wall or skin (breast)
373186004 | pT4a: Tumor of any size with extension to chest wall, not including pectoralis muscle (breast)
373187008 | pT4b: Tumor of any size with edema (including peau d'orange) or ulceration of the skin of the breast or satellite skin nodules confined to the same breast
373189006 | pT4c: Tumor of any size with direct extension to chest wall (not including pectoralis muscle) and edema (including peau d'orange) or ulceration of the skin of the breast or satellite skin nodules confined to the same breast
373190002 | pT4d: Inflammatory carcinoma (breast)
373199001 | pTis: Tumor invades muscularis mucosae (colon/rectum)
373200003 | pT1: Tumor invades submucosa (colon/rectum)
373201004 | pTis: Tumor invades lamina propria (colon/rectum)
373204007 | pT1b: Tumor >0.5 cm but <= 1 cm in greatest dimension (breast)
384612007 | pT4a: Tumor directly invades other organs or structures (colon/rectum)
384613002 | pT4b: Tumor penetrates visceral peritoneum (colon/rectum)
384748000 | pM1: Distant metastasis, includes separate tumor nodule(s) in a different lobe (ipsilateral or contralateral) (lung)
384749008 | pN1: Metastasis in ipsilateral peribronchial and/or ipsilateral hilar lymph nodes, including intrapulmonary nodes involved by direct extension of the primary tumor (lung)
384750008 | pN2: Metastasis to ipsilateral mediastinal and/or subcarinal lymph nodes(s) (lung)
384751007 | pN3: Metastasis to contralateral mediastinal, contralateral hilar, ipsilateral or contralateral scalene, or supraclavicular lymph nodes(s) (lung)
384753005 | pT1: Tumor 3 cm or less in greatest dimension, surrounded by lung or visceral pleura, without bronchoscopic evidence of invasion more proximal than the lobar bronchus (i.e., not in the main bronchus) (lung)
384754004 | pT2: Tumor of lung as per AJCC 6th Edition definition (lung)
384755003 | pT3:Tumor directly invades any of following:chest wall,diaphragm,mediastinal pleura,parietal pericardium;or tumor in main bronchus<2 cm distal to carina(not involving it);or assoc atelectasis or obstructive pneumonitis of whole lung
384756002 | pT4: Tumor of lung as per AJCC 6th Edition definition (lung)
384757006 | pTX: Primary tumor cannot be assessed, or tumor proven by the presence of malignant cells in sputum or bronchial washings but not visualized by imaging or bronchoscopy (lung)
384983005 | pT2: Organ confined (prostate)
384984004 | pT2a: Unilateral, one-half of one lobe or less (prostate)
384985003 | pT2b: Unilateral, involving more than one-half of lobe but not both lobes (prostate)
384986002 | pT2c: Bilateral disease (prostate)
384987006 | pT3: Extraprostatic extension (prostate)
384988001 | pT3a: Extraprostatic extension (prostate)
384989009 | pT3b: Seminal vesicle invasion (prostate)
384990000 | pT4: Invasion of bladder AND/OR rectum (prostate)
385301007 | pT1: Tumor 2 cm or less in greatest dimension (anal canal)
385302000 | pT2: Tumor more than 2 cm but not more than 5 cm in greatest dimension (anal canal)
385303005 | pT3: Tumor more than 5 cm in greatest dimension (anal canal)
385304004 | pT4: Tumor of any size invades adjacent organ(s), e.g., vagina, urethra, bladder (anal canal)
385306002 | pN1: Metastasis in perirectal lymph node(s) (anal canal)
385307006 | pN2: Metastasis in unilateral internal iliac AND/OR inguinal lymph node(s) (anal canal)
385308001 | pN3: Metastasis in perirectal and inguinal lymph nodes AND/OR bilateral internal iliac AND/OR inguinal lymph nodes (anal canal)
385316005 | pT1: Tumor invades lamina propria or submucosa (stomach)
385317001 | pT1a: Tumor invades lamina propria (stomach)
385318006 | pT1b: Tumor invades submucosa (stomach)
385319003 | pT2: Tumor invades muscularis propria or subserosa (stomach)
385320009 | pT2a: Tumor invades muscularis propria (stomach)
385321008 | pT2b: Tumor invades subserosa (stomach)
385322001 | pT3: Tumor penetrates serosa (visceral peritoneum) without invasion of adjacent structures (stomach)
385323006 | pT4: Tumor invades adjacent structures (stomach)
385324000 | pN1: Metastasis in 1 to 6 regional (perigastric) lymph nodes (stomach)
385325004 | pN2: Metastasis in 7 to 15 regional (perigastric) lymph nodes (stomach)
385326003 | pN3: Metastasis in more than 15 regional (perigastric) lymph nodes (stomach)
385358008 | Dukes stage finding
385360005 | Modified Dukes stage finding
385362002 | FIGO stage finding for gynecological malignancy
385364001 | FIGO ovarian tumor stage finding
385366004 | FIGO stage finding for epithelial tumor of ovary
385368003 | FIGO stage finding for cervical carcinoma
385370007 | FIGO stage finding for vulvar carcinoma
385372004 | FIGO stage finding for vulvar melanoma

385374003 | FIGO uterine tumor stage finding
385376001 | FIGO stage finding for endometrial carcinoma
385378000 | pM category finding
385379008 | TNM tumor staging finding
385380006 | Metastasis stage finding
385381005 | pN category finding
385382003 | Node stage finding
385385001 | pT category finding
385389007 | Lymphoma stage finding
385392006 | Colon/rectum TNM finding
385415005 | Anal canal TNM finding
385416006 | Prostate TNM finding
385417002 | Breast TNM finding
385418007 | Lung TNM finding
394939004 | Dukes stage A
394940002 | Dukes stage B
394941003 | Dukes stage C1
394942005 | Dukes stage C2
394943000 | Dukes stage D
395705003 | pTis: Carcinoma in situ, intraepithelial (colon/rectum)
395706002 | pT2: Tumor invades muscularis propria (colon/rectum)
395707006 | pT3: Tumor invades through the muscularis propria into the subserosa or into non-peritonealized pericolic or perirectal tissues (colon/rectum)
395708001 | pT3a,b: Tumor invades through the muscularis propria into the subserosa or into non-peritonealized pericolic or perirectal tissues, invades 5 mm or less beyond the border of the muscularis propria (colon/rectum)
395709009 | pT3c,d: Tumor invades through the muscularis propria into the subserosa or into non-peritonealized pericolic or perirectal tissues, invades greater than 5 mm beyond the border of the muscularis propria (colon/rectum)
395710004 | pT4: Tumor directly invades other organs or structures and/or perforates visceral peritoneum (colon/rectum)
395711000 | pN1: Metastasis in 1 to 3 regional lymph nodes (colon/rectum)
395712007 | pN2: Metastasis in 4 or more regional lymph nodes (colon/rectum)
396082002 | pT1: Tumor 7 cm or less in greatest dimension, limited to the kidney (kidney)
396083007 | Kidney TNM finding
396084001 | pT1a: Tumor 4 cm or less in greatest dimension, limited to the kidney (kidney)
396085000 | pT1b: Tumor more than 4 cm but not more than 7 cm in greatest dimension, limited to the kidney (kidney)
396086004 | pT2: Tumor more than 7 cm in greatest dimension, limited to the kidney (kidney)
396087008 | pT3: Tumor extends into major veins or invades adrenal gland or perirenal and/or renal sinus fat but not beyond Gerota's fascia (kidney)
396088003 | pT3a: Tumor directly invades adrenal gland or perirenal and/or renal sinus fat but not beyond Gerota's fascia (kidney)
396089006 | pT3b: Tumor grossly extends into the renal vein or its segmental (muscle-containing) branches, or vena cava below the diaphragm (kidney)
396090002 | pT3c: Tumor grossly extends into vena cava above diaphragm or invades the wall of the vena cava (kidney)
396091003 | pT4: Tumor invades beyond Gerota's fascia (kidney)
396092005 | pN1: Metastasis in a single regional lymph node (kidney)
396093000 | pN2: Metastasis in more than one regional lymph node (kidney)
396094006 | Ampulla of Vater TNM finding
396095007 | pT1: Tumor limited to ampulla of Vater or sphincter of Oddi (ampulla of Vater)
396096008 | pT2: Tumor invades duodenal wall (ampulla of Vater)
396097004 | pT3: Tumor invades pancreas (ampulla of Vater)
396098009 | pT4: Tumor invades peripancreatic soft tissues or other adjacent organs or structures (ampulla of Vater)
396099001 | Liver TNM finding
396100009 | pT1: Solitary tumor without vascular invasion (liver, including intrahepatic bile ducts)
396101008 | pT2: Solitary tumor with vascular invasion or multiple tumors none more than 5 cm (liver, including intrahepatic bile ducts)
396102001 | pT3: Multiple tumors more than 5 cm or tumor involving a major branch of the portal or hepatic vein(s) (liver, including intrahepatic bile ducts)
396103006 | pT4: Tumor(s) with direct invasion of adjacent organs other than the gallbladder or with perforation of visceral peritoneum (liver, including intrahepatic bile ducts)
396282005 | Uterine cervix TNM finding
396283000 | pT1 (I): Cervical carcinoma confined to uterus (extension to corpus should be disregarded) (TNM category and FIGO stage) (uterine cervix)
396287004 | pT1a (IA): Invasive carcinoma diagnosed only by microscopy. All macroscopically visible lesions (even with superficial invasion) are pT1b/IB (TNM category and FIGO stage) (uterine cervix)
396288009 | pT1a1 (IA1): Measured stromal invasion 3.0 mm or less in depth and 7.0 mm or less in horizontal spread (TNM category and FIGO stage) (uterine cervix)
396289001 | pT1a2 (IA2): Measured stromal invasion more than 3.0 mm and not more than 5.0 mm in depth and 7.0 mm or less horizontal spread (TNM category and FIGO stage) (uterine cervix)
396290005 | pT1b (IB): Clinically visible lesion confined to the cervix or microscopic lesion greater than T1a2/IA2 (TNM category and FIGO stage) (uterine cervix)
396291009 | pT1b1 (IB1): Clinically visible lesion 4.0 cm or less in greatest dimension (TNM category and FIGO stage) (uterine cervix)
396292002 | pT1b2 (IB2): Clinically visible lesion more than 4.0 cm in greatest dimension (TNM category and FIGO stage) (uterine cervix)
396294001 | pT2 (II): Cervical carcinoma invades beyond uterus but not to pelvic wall or to lower third of vagina (TNM category and FIGO stage) (uterine cervix)

396297008 | pT2a (IIA): Tumor without parametrial invasion (TNM category and FIGO stage) (uterine cervix)
396298003 | pT2b (IIB): Tumor with parametrial invasion (TNM category and FIGO stage) (uterine cervix)
396299006 | pT3 (III): Tumor extends to pelvic wall and/or involves lower third of vagina and/or causes hydronephrosis or non-functioning kidney (TNM category and FIGO stage) (uterine cervix)
396300003 | pT3a (IIIA): Tumor involves lower third of vagina, no extension to pelvic wall (TNM category and FIGO stage) (uterine cervix)
396301004 | pT3b (IIIB): Tumor extends to pelvic wall and/or causes hydronephrosis or non-functioning kidney (TNM category and FIGO stage) (uterine cervix)
396302006 | pT4 (IVA): Tumor invades mucosa of bladder or rectum and/or extends beyond true pelvis (bullous edema is not sufficient evidence to classify a tumor as pT4) (TNM category and FIGO stage) (uterine cervix)
396303001 | pM1 (IVB): Distant metastasis (TNM category and FIGO stage) (corpus uteri)
396311006 | Corpus uteri TNM finding
396312004 | pT1 (I): Tumor confined to corpus uteri (TNM category and FIGO stage) (corpus uteri)
396313009 | pT1a (IA): Tumor limited to endometrium (TNM category and FIGO stage) (corpus uteri)
396314003 | pT1b (IB): Tumor invades less than one-half of the myometrium (TNM category and FIGO stage) (corpus uteri)
396315002 | pT1c (IC): Tumor invades one-half or more of the myometrium (TNM category and FIGO stage) (corpus uteri)
396316001 | pT2 (II): Tumor invades cervix but does not extend beyond uterus (TNM category and FIGO stage) (corpus uteri)
396317005 | pT2a (IIA): Tumor limited to the glandular epithelium of the endocervix. There is no evidence of connective tissue stromal invasion (TNM category and FIGO stage) (corpus uteri)
396318000 | pT2b (IIB): Invasion of the stromal connective tissue of the cervix (TNM category and FIGO stage) (corpus uteri)
396319008 | pT3 (III): Local and/or regional spread as specified in pT3a, pT3b, pN1, and FIGO IIIA, IIIB, and IIIC (TNM category and FIGO stage) (corpus uteri)
396320002 | pT3a (IIIA): Tumor involves serosa, AND/OR adnexa (direct extension or metastasis) AND/OR cancer cells in ascites or peritoneal washings (TNM category and FIGO stage) (corpus uteri)
396321003 | pT3b (IIIB): Involvement of vagina (direct extension or metastasis), rectal or bladder wall (without mucosal involvement), or pelvic wall(s) (frozen pelvis) (TNM category and FIGO stage) (corpus uteri)
396322005 | pT4 (IVA): Tumor invades bladder mucosa and/or bowel mucosa (TNM category and FIGO stage) (corpus uteri)
396323000 | pN1 (IIIC): Regional lymph node metastasis (TNM category and FIGO stage) (corpus uteri)
396368008 | Skin melanoma TNM finding
396369000 | pTis: Melanoma in situ (melanoma of the skin)
396370004 | pT1: Melanoma 1.0 mm or less in thickness, with or without ulceration (melanoma of the skin)
396371000 | pT1a: Melanoma 1.0 mm or less in thickness and level II or III, no ulceration (melanoma of the skin)
396372007 | pT1b: Melanoma 1.0 mm or less in thickness and level IV or V or with ulceration (melanoma of the skin)
396373002 | pT2: Melanoma 1.01 to 2.0 mm in thickness, with or without ulceration (melanoma of the skin)
396374008 | pT2a: Melanoma 1.01 to 2.0 mm in thickness, no ulceration (melanoma of the skin)
396375009 | pT2b: Melanoma 1.01 to 2.0 mm in thickness, with ulceration (melanoma of the skin)
396376005 | pT3: Melanoma 2.01 to 4.0 mm in thickness, with or without ulceration (melanoma of the skin)
396377001 | pT3a: Melanoma 2.01 to 4.0 mm in thickness, no ulceration (melanoma of the skin)
396378006 | pT3b: Melanoma 2.01 to 4.0 mm in thickness, with ulceration (melanoma of the skin)
396379003 | pT4: Melanoma greater than 4.0 mm in thickness, with or without ulceration (melanoma of the skin)
396380000 | pT4a: Melanoma greater than 4.0 mm in thickness, no ulceration (melanoma of the skin)
396381001 | pT4b: Melanoma greater than 4.0 mm in thickness, with ulceration (melanoma of the skin)
396382008 | pN1: Metastasis in one regional lymph node (melanoma of the skin)
396383003 | pN1a: Clinically occult (microscopic) metastasis (melanoma of the skin)
396384009 | pN1b: Clinically apparent (macroscopic) metastasis (melanoma of the skin)
396385005 | pN2: Metastasis in 2 to 3 regional nodes or intralymphatic regional metastasis without nodal metastasis (melanoma of the skin)
396386006 | pN2a: Clinically occult (microscopic) metastasis (melanoma of the skin)
396387002 | pN2b: Clinically apparent (macroscopic) metastasis (melanoma of the skin)
396388007 | pN2c: Satellite or in-transit metastasis without nodal metastasis (melanoma of the skin)
396389004 | pN3: Metastasis in four or more regional nodes, or matted metastatic nodes, or in-transit metastasis or satellite(s) with metastasis in regional node(s) (melanoma of the skin)
396390008 | pM1a: Metastasis to skin, subcutaneous tissues, or distant lymph nodes (melanoma of the skin)
396391007 | pM1b: Metastasis to lung (melanoma of the skin)
396392000 | pM1c: Metastasis to visceral site other than lung or distant metastasis at any site associated with an elevated serum lactic dehydrogenase (LDH) (melanoma of the skin)
396492004 | Carcinoma of skin (excluding eyelid, vulva, penis, and melanomas) TNM finding
396493009 | pT1: Tumor 2 cm or less in greatest dimension (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)
396494003 | pT1a: Tumor 2 cm or less in greatest dimension, limited to dermis or 2 mm or less in thickness (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)
396495002 | pT1b: Tumor 2 cm or less in greatest dimension, limited to dermis and greater than 2 mm in thickness, but not more than 6 mm in thickness (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)
396496001 | pT1c: Tumor 2 cm or less in greatest dimension, invading the subcutis and/or greater than 6 mm in thickness (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)
396497005 | pT2: Tumor more than 2 cm, but not more than 5 cm, in greatest dimension (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)
396498000 | pT2a: Tumor more than 2 cm, but not more than 5 cm, in greatest dimension, limited to dermis or greater than 2 mm in thickness (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)
396499008 | pT2b: Tumor more than 2 cm, but not more than 5 cm, in greatest dimension, limited to dermis and greater than 2 mm in thickness, but not more than 6 mm in thickness (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)
396500004 | pT2c: Tumor more than 2 cm, but not more than 5 cm, in greatest dimension, invading the subcutis and/or greater than 6 mm in thickness (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)
396501000 | pT3: Tumor more than 5 cm in greatest dimension (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)

396502007 | pT3a: Tumor more than 5 cm in greatest dimension, limited to dermis or not more than 2 mm in thickness (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)
396503002 | pT3b: Tumor more than 5 cm in greatest dimension, limited to dermis and greater than 2 mm in thickness, but not more than 6 mm in thickness (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)
396504008 | pT3c: Tumor more than 5 cm in greatest dimension, invading the subcutis and/or greater than 6 mm in thickness (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)
396506005 | pT4: Tumor invades deep extradermal structures (i.e. cartilage, skeletal muscle, or bone) (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)
396507001 | pT4b: Tumor invades deep extradermal structures (i.e. cartilage, skeletal muscle, or bone) greater than 6mm in thickness (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)
396508006 | pT4a: Tumor invades deep extradermal structures (i.e. cartilage, skeletal muscle, or bone) not more than 6mm in thickness (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)
396532004 | Stage I: Tumor confined to gland, 5 cm or less (adrenal cortical carcinoma)
396533009 | Stage II: Tumor confined to gland, greater than 5 cm (adrenal cortical carcinoma)
396534003 | Stage III: Extraglandular extension of tumor without other organ involvement (adrenal cortical carcinoma)
396535002 | Stage IV: Distant metastasis or extension into other organs (adrenal cortical carcinoma)
396566008 | Oropharynx TNM finding
396567004 | pT1: Tumor 2 cm or less in greatest dimension (oropharynx)
396568009 | Upper aerodigestive tract TNM finding
396569001 | pT2: Tumor more than 2 cm but not more than 4 cm in greatest dimension (oropharynx)
396570000 | pT3: Tumor more than 4 cm in greatest dimension (oropharynx)
396571001 | pT4a: Tumor invades the larynx, deep/extrinsic muscle of tongue, medial pterygoid muscle, hard palate, or mandible (oropharynx)
396572008 | pT4b: Tumor invades lateral pterygoid muscle, pterygoid plates, lateral nasopharynx, or skull base or encases carotid artery (oropharynx)
396573003 | Lip and oral cavity TNM finding
396574009 | pT2: Tumor more than 2 cm but not more than 4 cm in greatest dimension (lip and oral cavity)
396575005 | pT1: Tumor 2 cm or less in greatest dimension (lip and oral cavity)
396576006 | pT1: Tumor 2 cm or less in greatest dimension
396577002 | pT3: Tumor more than 4 cm in greatest dimension (lip and oral cavity)
396578007 | pT4a: Tumor invades through cortical bone, inferior alveolar nerve, floor of mouth, or skin of face, i.e., chin or nose (lip)
396579004 | pT4a: Tumor invades through cortical bone, into deep (extrinsic) muscle of tongue (genioglossus, hyoglossus, palatoglossus, and styloglossus), maxillary sinus, or skin of face (oral cavity)
396580001 | pT4b: Tumor involves masticator space, pterygoid plates, or skull base and/or encases internal carotid artery (lip and oral cavity)
396581002 | Hypopharyngeal TNM finding
396582009 | Nasopharynx TNM finding
396583004 | pT1: Tumor confined to the nasopharynx (nasopharynx)
396584005 | pT2a: Tumor extends to the soft tissues of the oropharnyx and/or nasal cavity without parapharyngeal extension (nasopharynx)
396585006 | pT2: Tumor extends to the soft tissues (nasopharynx)
396586007 | pT2b: Tumor extends to the soft tissues of the oropharnyx and/or nasal cavity with parapharyngeal extension (nasopharynx)
396587003 | pT3: Tumor involves bony structures and/or paranasal sinuses (nasopharynx)
396588008 | pT4: Tumor with intracranial extension, and/or involvement of cranial nerves, infratemporal fossa, hypopharynx, orbit, or masticator space (nasopharynx)
396589000 | pT1: Tumor limited to one subsite of hypopharynx and 2 cm or less in greatest dimension (hypopharynx)
396590009 | pT2: Tumor invades more than one subsite of hypopharynx or an adjacent site, or measures more than 2 cm but not more than 4 cm in greatest diameter without fixation of hemilarynx (hypopharynx)
396591008 | pT3: Tumor measures more than 4 cm in greatest dimension or with fixation of hemilarynx (hypopharynx)
396592001 | pT4a: Tumor invades thyroid/cricoid cartilage, hyoid bone, thyroid gland, esophagus or central compartment of soft tissue (hypopharynx)
396593006 | pT4b: Tumor invades prevertebral fascia, encases carotid artery, or involves mediastinal structures (hypopharynx)
396594000 | Supraglottis TNM finding
396595004 | pT1: Tumor limited to one subsite of supraglottis with normal vocal cord mobility (larynx, supraglottis)
396596003 | pT2: Tumor invades mucosa of more than one adjacent subsite of supraglottis or glottis or region outside the supraglottis (e.g., mucosa of base of tongue, vallecula, medial wall of pyriform sinus) without fixation of the larynx
396597007 | pT3: Tumor limited to the larynx with vocal cord fixation and/or invades any of the following: postcrocoid area, pre-epiglottic tissues, paraglottic space, and/or minor thyroid cartilage erosion (e.g., inner cortex) (larynx, supraglottis)
396598002 | pT4a: Tumor invades through the thyroid cartilage and/or invades tissues beyond the larynx (e.g., trachea, soft tissues of the neck including deep extrinsic muscle of the tongue, strap muscles, thyroid, or esophagus) (larynx, supraglottis)
396599005 | pT4b: Tumor invades prevertebral space, encases carotid artery, or invades mediastinal structures (larynx, supraglottis)
396600008 | Glottis TNM finding
396601007 | pT1: Tumor limited to the vocal cord(s) (may involve anterior or posterior commissure) with normal mobility (larynx, glottis)
396602000 | pT1a: Tumor limited to one vocal cord (may involve anterior or posterior commissure) with normal mobility (larynx, glottis)
396603005 | pT1b: Tumor involves both vocal cords (may involve anterior or posterior commissure) with normal mobility (larynx, glottis)
396604004 | pT2: Tumor extends to the supraglottis AND/OR subglottis, AND/OR with impaired vocal cord mobility (larynx, glottis)
396605003 | pT3: Tumor limited to the larynx with vocal cord fixation, and/or invades the paraglottic space, and/or minor thyroid cartilage erosion (larynx, glottis)

396606002 | pT4a: Tumor invades through thyroid cartilage and/or invades tissues beyond the larynx (e.g., trachea, soft tissues of the neck including deep intrinsic muscle of the tongue, strap muscles, thyroid, or esophagus) (larynx, glottis)
396607006 | pT4b: Tumor invades prevertebral space, encases carotid artery, or invades mediastinal structures (larynx, glottis)
396608001 | Subglottis TNM finding
396609009 | pT1: Tumor limited to the subglottis (larynx, subglottis)
396610004 | pT2: Tumor extends to vocal cord(s) with normal or impaired mobility (larynx, subglottis)
396611000 | pT3: Tumor limited to larynx with vocal cord fixation (larynx, subglottis)
396612007 | pT4a: Tumor invades cricoid or thyroid cartilage and/or invades tissues beyond the larynx (e.g., trachea, soft tissues of the neck including deep extrinsic muscle of the tongue, strap muscles, thyroid, or esophagus) (larynx, subglottis)
396613002 | pT4b: Tumor invades prevertebral space, encases carotid artery, or invades mediastinal structures (larynx, subglottis)
396614008 | Maxillary sinus TNM finding
396615009 | pT1: Tumor limited to the maxillary sinus mucosa with no erosion or destruction of bone (maxillary sinus)
396616005 | pT2: Tumor causing bone erosion or destruction including extension into the hard palate and/or middle nasal meatus, except extension to posterior wall of maxillary sinus and pterygoid plates (maxillary sinus)
396617001 | pT3: Tumor invades any of the following: bone of the posterior wall of maxillary sinus, subcutaneous tissues, floor or medial wall of orbit, pterygoid fossa, ethmoid sinuses (maxillary sinus)
396618006 | pT4a: Tumor invades anterior orbital contents, skin of cheek, pterygoid plates, infratemporal fossa, cribriform plate, sphenoid or frontal sinuses (maxillary sinus)
396619003 | pT4b: Tumor invades any of the following: orbital apex, dura, brain, middle cranial fossa, cranial nerves other than maxillary division of trigeminal nerve, nasopharynx, or clivus (maxillary sinus)
396621008 | Nasal cavity and ethmoid sinus TNM finding
396622001 | pT1: Tumor restricted to any one subsite, with or without bony invasion (nasal cavity and ethmoid sinus)
396623006 | pT2: Tumor invading two subsites in a single region or extending to involve an adjacent region within the nasoethmoidal complex, with or without bony invasion (nasal cavity and ethmoid sinus)
396624000 | pT3: Tumor extends to invade the medial wall or floor of the orbit, maxillary sinus, palate, or cribriform plate (nasal cavity and ethmoid sinus)
396625004 | pT4a: Tumor invades any of the following: anterior orbital contents, skin of nose or cheek, minimal extension to anterior cranial fossa, pterygoid plates, sphenoid or frontal sinuses (nasal cavity and ethmoid sinus)
396626003 | pT4b: Tumor invades any of the following: orbital apex, dura, brain, middle cranial fossa, cranial nerves other than maxillary division of trigeminal nerve, nasopharynx, or clivus (nasal cavity and ethmoid sinus)
396632008 | pN1: Metastasis in a single ipsilateral lymph node, 3 cm or less in greatest dimension (upper aerodigestive tract)
396633003 | pN2a: Metastasis in a single ipsilateral lymph node, more than 3 cm but not more than 6 cm in greatest dimension (upper aerodigestive tract)
396634009 | pN2c: Metastasis in bilateral or contralateral lymph nodes, none more than 6 cm in greatest dimension (upper aerodigestive tract)
396635005 | pN2b: Metastasis in multiple ipsilateral lymph nodes, none more than 6 cm in greatest dimension (upper aerodigestive tract)
396636006 | pN3: Metastasis in a lymph node, more than 6 cm in greatest dimension (upper aerodigestive tract)
396637002 | pN1: Unilateral metastasis in lymph node(s), 6 cm or less in greatest dimension, above the supraclavicular fossa (nasopharynx)
396638007 | pN2: Bilateral metastasis in lymph node(s), 6 cm or less in greatest dimension, above the supraclavicular fossa (nasopharynx)
396639004 | pN3: Metastasis in a lymph node(s), more than 6 cm in dimension, and/or to supraclavicular fossa (nasopharynx)
396640002 | pN3a: Metastasis in a lymph node(s), more than 6 cm in dimension (nasopharynx)
396641003 | pN3b: Metastasis in lymph node(s) residing wholly or in part in the supraclavicular fossa (nasopharynx)
396648009 | Major salivary gland TNM finding
396650001 | pT1: Tumor 2 cm or less in greatest dimension without extraparenchymal extension (major salivary glands)
396651002 | pT2: Tumor more than 2 cm but not more than 4 cm in greatest dimension without extraparenchymal extension (major salivary glands)
396653004 | pT3: Tumor more than 4 cm and/or tumor having extraparenchymal extension (major salivary glands)
396657003 | pT4a: Tumor invades skin, mandible, ear canal, and/or facial nerve (major salivary glands)
396658008 | pT4b: Tumor invades skull base and/or pterygoid plates and/or encases carotid artery (major salivary glands)
396666004 | Urinary bladder, ureter, or renal pelvis TNM finding
396667008 | pTa: Non-invasive papillary carcinoma (urinary bladder, ureter, renal pelvis)
396668003 | pTis: Flat carcinoma in situ (urinary bladder, ureter, renal pelvis)
396669006 | pT1: Tumor invades subepithelial connective tissue (urinary bladder, ureter, renal pelvis)
396670007 | pT2: Tumor invades muscularis propria (urinary bladder, ureter, renal pelvis)
396671006 | pT2a: Tumor invades superficial muscle (inner half) (urinary bladder)
396672004 | pT2b: Tumor invades deep muscle (outer half) (urinary bladder)
396673009 | pT3: Tumor invades perivesical tissue (urinary bladder)
396674003 | pT3a: Tumor invades perivesical tissue microscopically (urinary bladder)
396675002 | pT3b: Tumor invades perivesical tissue macroscopically (extravesical mass) (urinary bladder)
396676001 | pT4: Tumor invades any of the following: prostate, uterus, vagina, pelvic wall, abdominal wall (urinary bladder)
396677005 | pT4a: Tumor invades prostate or uterus or vagina (urinary bladder)
396678000 | pT4b: Tumor invades pelvic wall or abdominal wall (urinary bladder)
396679008 | pN1: Metastasis in a single lymph node, 2 cm or less in greatest dimension (urinary bladder, ureter, renal pelvis)
396680006 | pN2: Metastasis in a single lymph node, more than 2 cm but not more than 5 cm in greatest dimension; or multiple lymph nodes, none more than 5 cm in greatest dimension (urinary bladder, ureter, renal pelvis)
396681005 | pT3: Tumor invades beyond muscularis into periureteric fat or renal parenchyma (renal pelvis)
396682003 | pT4: Tumor invades adjacent organs, or through the kidney into the perinephric fat (renal pelvis and ureter)
396683008 | pT3: Tumor invades beyond muscularis into periureteric fat (ureter)
396684002 | pT2: Tumor invades muscularis (renal pelvis and ureter)
396726006 | Testis TNM finding

396727002 | pTis: Intratubular germ cell neoplasia (carcinoma in situ) (testis)
396728007 | pT1: Tumor limited to the testis and epididymis without vascular/lymphatic invasion; tumor may invade into the tunica albuginea but not the tunica vaginalis (testis)
396729004 | pT2: Tumor limited to the testis and epididymis with vascular/lymphatic invasion, or tumor extending through the tunica albuginea with involvement of the tunica vaginalis (testis)
396730009 | pT3: Tumor invades the spermatic cord with or without vascular/lymphatic invasion (testis)
396731008 | pT4: Tumor invades the scrotum with or without vascular/lymphatic invasion (testis)
396732001 | pN1: Metastasis with a lymph node mass 2 cm or less in greatest dimension and less than or equal to 5 nodes positive, none more than 2 cm in greatest dimension (testis)
396733006 | pN2: Metastasis with a lymph node mass more than 2 cm but not more than 5 cm in greatest dimension; or more than 5 nodes positive, none more than 5 cm; or evidence of extranodal extension of tumor (testis)
396734000 | pN3: Metastasis with a lymph node mass more than 5 cm in greatest dimension (testis)
396735004 | pM1a: Non-regional nodal or pulmonary metastasis (testis)
396736003 | pM1b: Distant metastasis other than to non-regional lymph nodes and lungs (testis)
396797009 | Exocrine pancreas TNM finding
396798004 | pT1: Tumor limited to the pancreas, 2 cm or less in greatest dimension (exocrine pancreas)
396799007 | pT2: Tumor limited to the pancreas, more than 2 cm in greatest dimension (exocrine pancreas)
396800006 | pT3: Tumor extends beyond the pancreas but without involvement of the celiac axis or the superior mesenteric artery (exocrine pancreas)
396801005 | pN1a: Metastasis in single regional lymph node (exocrine pancreas)
396802003 | pN1b: Metastasis in multiple regional lymph node(s) (exocrine pancreas)
396803008 | pT4: Tumor involves the celiac axis or the superior mesenteric artery (exocrine pancreas)
396907008 | Thymic epithelial neoplasm stage finding
396908003 | Stage I: Grossly and microscopically encapsulated (thymus gland)
396909006 | Stage IIa: Microscopic transcapsular invasion (thymus gland)
396910001 | Stage IIb: Macroscopic capsular invasion into thymic or surrounding fat, or grossly adherent to, but not breaking through, mediastinal pleura or pericardium (thymus gland)
396911002 | Stage III: Macroscopic invasion of neighboring organs (thymus gland)
396912009 | Stage IVa: Pleural or pericardial dissemination (thymus gland)
396913004 | Stage IVb: Hematogenous or lymphatic dissemination (thymus gland)
396960007 | Retinoblastoma TNM finding
396961006 | pT1: Tumor confined to the retina, vitreous, or subretinal space. No optic nerve or choroidal invasion (retinoblastoma)
396962004 | pT2: Minimal invasion of the optic nerve and/or optic coats (retinoblastoma)
396963009 | pT2a: Tumor invades optic nerve up to, but not through, the level of the lamina cribrosa (retinoblastoma)
396964003 | pT2b: Tumor invades choroid focally (retinoblastoma)
396965002 | pT2c: Tumor invades optic nerve up to, but not through, the level of the lamina cribrosa and invades the choroid focally (retinoblastoma)
396966001 | pT3: Significant invasion of the optic nerve and/or optic coats (retinoblastoma)
396967005 | pT3a: Tumor invades optic nerve through the level of the lamina cribrosa but not to the line of resection (retinoblastoma)
396968000 | pT3b: Tumor massively invades the choroid (retinoblastoma)
396969008 | pT3c: Tumor invades the optic nerve through the level of the lamina cribrosa but not to the line of resection and massively invades the choroid (retinoblastoma)
396970009 | pT4: Extraocular tumor extension which includes sites as per AJCC 6th Edition definition (retinoblastoma)
396971008 | pM1a: Distant metastasis to bone marrow (retinoblastoma)
396972001 | pM1b: Distant metastasis to sites other than bone marrow (retinoblastoma)
397025005 | Stomach TNM finding
397026006 | pT1: Tumor invades lamina propria or submucosa (esophagus)
397027002 | Esophagus TNM finding
397029004 | pT1a: Tumor invades lamina propria (esophagus)
397030009 | pT1b: Tumor invades submucosa (esophagus)
397031008 | pT2: Tumor invades muscularis propria (esophagus)
397032001 | pT3: Tumor invades adventitia (esophagus)
397033006 | pT4: Tumor invades adjacent structures (esophagus)
397036003 | pN1a: Metastasis in 1 to 3 regional lymph nodes (esophagus)
397037007 | pN1b: Metastasis in 4 to 7 regional lymph nodes (esophagus)
397038002 | pN1c: Metastasis in more than 7 regional lymph nodes (esophagus)
397039005 | pM1a: Metastasis in celiac lymph nodes (lower thoracic esophagus)
397040007 | pM1a: Distant metastasis not applicable (midthoracic esophagus)
397041006 | pM1a: Metastasis in cervical nodes (upper thoracic esophagus)
397042004 | pM1b: Distant metastasis to site other than celiac lymph nodes (lower thoracic esophagus)
397043009 | pM1b: Nonregional lymph nodes AND/OR other distant metastasis (midthoracic esophagus)
397044003 | pM1b: Distant metastasis to site other than cervical nodes (upper thoracic esophagus)
397058001 | Small intestine TNM finding
397059009 | pT1: Tumor invades lamina propria or submucosa (small intestine)
397088005 | pT2: Tumor invades muscularis propria (small intestine)
397089002 | pT3: Tumor invades through the muscularis propria into the subserosa or into the nonperitonealized perimuscular tissue (mesentery or retroperitoneum) with extension 2 cm or less (small intestine)
397090006 | pT4: Tumor perforates the visceral peritoneum or directly invades other organs or structures (small intestine)
397092003 | Gallbladder TNM finding
397093008 | pT1: Tumor invades lamina propria or muscle layer (gallbladder)
397094002 | pT1a: Tumor invades lamina propria (gallbladder)

397095001 | pT1b: Tumor invades muscle layer (gallbladder)
397096000 | pT2: Tumor invades perimuscular connective tissue; no extension beyond serosa or into liver (gallbladder)
397097009 | pT3: Tumor perforates the serosa (visceral peritoneum) and/or directly invades the liver and/or one other adjacent organ or structure, such as the stomach, duodenum, colon, pancreas, omentum, or extrahepatic bile ducts (gallbladder)
397098004 | pT4: Tumor invades main portal vein or hepatic artery or invades two or more extrahepatic organs or structures (gallbladder)
397101000 | Vagina TNM finding
397102007 | pT1 (I): Tumor confined to vagina (TNM category and FIGO stage) (vagina)
397103002 | pT2 (II): Tumor invades paravaginal tissues but not to pelvic wall (TNM category and FIGO stage) (vagina)
397104008 | pT3 (III): Tumor extends to pelvic wall (TNM category and FIGO stage) (vagina)
397105009 | pT4 (IVA): Tumor invades mucosa of the bladder or rectum and/or extends beyond the true pelvis (bullous edema is not sufficient evidence to classify a tumor as T4) (TNM category and FIGO stage) (vagina)
397106005 | pM1 (IVB): Distant metastasis (TNM category and FIGO stage) (vagina)
397107001 | pN1: Pelvic or inguinal lymph node metastasis (vagina)
397119009 | Vulva TNM finding
397120003 | pT1 (I): Tumor confined to the vulva or vulva and perineum, 2 cm or less in greatest dimension (TNM category and FIGO stage) (vulva)
397121004 | pT1a (IA): Tumor confined to the vulva or vulva and perineum, 2 cm or less in greatest dimension, and with stromal invasion no greater than 1 mm (TNM category and FIGO stage) (vulva)
397122006 | pT1b (IB): Tumor confined to the vulva or vulva and perineum, 2 cm or less in greatest dimension, and with stromal invasion greater than 1 mm (TNM category and FIGO stage) (vulva)
397123001 | pT2 (II): Tumor confined to the vulva or vulva and perineum, more than 2 cm in greatest dimension (TNM category and FIGO stage) (vulva)
397124007 | pT3 (III): Tumor of any size with contiguous spread to the lower urethra and/or vagina or anus (TNM category and FIGO stage) (vulva)
397125008 | pT4 (IVA): Tumor invades any of the following: upper urethra, bladder mucosa, rectal mucosa, or is fixed to the pubic bone (TNM category and FIGO stage) (vulva)
397126009 | pN1: Unilateral regional lymph node metastasis (vulva)
397127000 | pN2: Bilateral regional lymph node metastasis (vulva)
397146004 | Extrahepatic bile ducts TNM finding
397147008 | pT1: Tumor confined to the bile duct histologically (extrahepatic bile ducts)
397148003 | pT2: Tumor invades beyond the wall of bile duct (extrahepatic bile ducts)
397149006 | pT3: Tumor invades the liver, gallbladder, pancreas, and/or ipsilateral branches of the portal vein (right or left) or hepatic artery (right or left) (extrahepatic bile ducts)
397150006 | pT4: Tumor invades any of the following: main portal vein or its branches bilaterally, common hepatic artery, or other adjacent structures, such as the colon, stomach, duodenum, or abdominal wall (extrahepatic bile ducts)
397213002 | pM1a: Distant metastasis to non-regional lymph node(s) (prostate)
397214008 | pM1b: Distant metastasis to bone(s) (prostate)
397215009 | pM1c: Distant metastasis site other than bone or non-regional lymph node(s) (prostate)
397316007 | Ovary TNM finding
397317003 | pM1 (IV): Distant metastasis (TNM category and FIGO stage) (ovary)
397360007 | pT3a (IIIA): Tumor involves serosa, AND/OR adnexa (direct extension or metastasis) (TNM category and FIGO stage) (corpus uteri)
397367005 | pN1 (III): Pelvic or inguinal lymph node metastasis (pT1-pT3) (TNM category and FIGO stage) (vagina)
397368000 | pN1 (IVA): Pelvic or inguinal lymph node metastasis (pT4) (TNM category and FIGO stage) (vagina)
397369008 | pN1 (IVB): Pelvic or inguinal lymph node metastasis (pT1-pT4, pM1) (TNM category and FIGO stage) (vagina)
397370009 | pN1 (III): Unilateral regional lymph node metastasis (pT1-pT3) (TNM category and FIGO stage) (vulva)
397371008 | pN1 (IVA): Unilateral regional lymph node metastasis (pT4) (TNM category and FIGO stage) (vulva)
397372001 | pN1 (IVB): Unilateral regional lymph node metastasis (pT1-pT4, pM1) (TNM category and FIGO stage) (vulva)
397373006 | pN2 (IVA): Bilateral regional lymph node metastasis (pT1-pT4) (TNM category and FIGO stage) (vulva)
397374000 | pN2 (IVB): Bilateral regional lymph node metastasis (pT1-pT4, pM1) (TNM category and FIGO stage) (vulva)
397375004 | pM1 (IVB): Distant metastasis (including pelvic lymph node metastasis) (TNM category and FIGO stage) (vulva)
397385003 | Thoracic mesothelioma TNM finding
397386002 | pT1: Tumor involves ipsilateral parietal pleura, with or without focal involvement of visceral pleura (thoracic mesothelioma)
397387006 | pT1a: Tumor involves ipsilateral parietal (mediastinal, diaphragmatic) pleura. No involvement of the visceral pleura (thoracic mesothelioma)
397388001 | pT1b: Tumor involves ipsilateral parietal (mediastinal, diaphragmatic) pleura, with focal involvement of the visceral pleura (thoracic mesothelioma)
397389009 | pT2: Tumor involves any of the ipsilateral pleural surfaces with at least one of the following: confluent visceral pleural tumor (including fissure), invasion of diaphragmatic muscle, invasion of lung parenchyma (thoracic mesothelioma)
397390000 | pN1: Metastasis in the ipsilateral bronchopulmonary and/or hilar lymph node(s) (thoracic mesothelioma)
397391001 | pN2: Metastasis in the subcarinal lymph node(s) and/or the ipsilateral internal mammary or mediastinal lymph node(s) (thoracic mesothelioma)
397392008 | pN3: Metastasis in the contralateral mediastinal, internal mammary, or hilar lymph node(s), and/or the ipsilateral or contralateral supraclavicular or scalene lymph node(s) (thoracic mesothelioma)
397393003 | pT3: Tumor involves any of the ipsilateral pleural surfaces plus additional sites as by AJCC 6th Edition definition (thoracic mesothelioma)
397465003 | pT4: Tumor involves any of the ipsilateral pleural surfaces plus additional sites as by AJCC 6th Edition definition (thoracic mesothelioma)
397470005 | Gestational trophoblast TNM finding
397471009 | pT1 (I): Tumor confined to uterus (TNM category and FIGO stage) (gestational trophoblast)
397472002 | pT2 (II): Tumor extends outside of uterus but limited to genital structures (ovary, tube, vagina, broad ligaments) (TNM category and FIGO stage) (gestational trophoblast)

397473007 | pM1a (III): Tumor extends to the lungs with or without genital tract involvement (TNM category and FIGO stage) (gestational trophoblast)
397474001 | pM1b (IV): Distant metastasis other than lung (TNM category and FIGO stage) (gestational trophoblast)
397489005 | pT1 (I): Tumor limited to ovaries (one or both) (TNM category and FIGO stage) (ovary)
397490001 | pT1a (IA): Tumor limited to one ovary; capsule intact, no tumor on ovarian surface. No malignant cells in ascites or peritoneal washings (TNM category and FIGO stage) (ovary)
397491002 | pT1b (IB): Tumor limited to both ovaries; capsule intact, no tumor on ovarian surface. No malignant cells in ascites or peritoneal washings (TNM category and FIGO stage) (ovary)
397492009 | pT1c (IC): Tumor limited to one or both ovaries with any of the following: capsule ruptured, tumor on ovarian surface, malignant cells in ascites or peritoneal washings (TNM category and FIGO stage) (ovary)
397493004 | pT2 (II): Tumor involves one or both ovaries with pelvic extension AND/OR implants (TNM category and FIGO stage) (ovary)
397494005 | pT2a (IIA): Extension to AND/OR implants on uterus AND/OR tube(s). No malignant cells in ascites or peritoneal washings (TNM category and FIGO stage) (ovary)
397495006 | pT2b (IIB): Extension to AND/OR implants on other pelvic tissues. No malignant cells in ascites or peritoneal washings (TNM category and FIGO stage) (ovary)
397496007 | pT2c (IIC): Pelvic extension AND/OR implants (T2a or T2b/IIA or IIB) with malignant cells in ascites or peritoneal washings (TNM category and FIGO stage) (ovary)
397497003 | pT3 and/or N1 (III): Tumor involves one or both ovaries with microscopically confirmed peritoneal metastasis outside the pelvis (including liver capsule metastasis) and/or regional lymph node metastasis (TNM category and FIGO stage) (ovary)
397498008 | pT3a (IIIA): Microscopic peritoneal metastasis beyond pelvis (no macroscopic tumor) (TNM category and FIGO stage) (ovary)
397499000 | pT3b (IIIB): Macroscopic peritoneal metastasis beyond pelvis 2 cm or less in greatest dimension (TNM category and FIGO stage) (ovary)
397500009 | pT3c AND/OR N1 (IIIC): Peritoneal metastasis beyond pelvis more than 2 cm in greatest dimension AND/OR regional lymph node metastasis (TNM category and FIGO stage) (ovary)
397501008 | Any T/any N and M1 (IV): Growth involving one or both ovaries with distant metastasis. (TNM category and FIGO stage) (ovary)
399378007 | pT2a (IIA): Tumor involves one or both fallopian tubes with extension and/or metastasis to the uterus and/or ovaries (TNM category and FIGO stage) (fallopian tube)
399393006 | pT3: Tumor more than 4 cm in greatest dimension limited to the thyroid or any tumor with minimal extrathyroid extension (e.g., extension to sternothyroid muscle or perithyroid soft tissues) (thyroid)
399397007 | pT2: Tumor greater than 10 mm but not more than 16 mm in greatest basal diameter and between 2.5 and 10 mm in maximum height (thickness) (ciliary body and choroid) (uveal melanoma)
399400003 | pT3: Tumor having extraparenchymal extension, and/or more than 4 cm but not more than 6 cm in greatest dimension, without seventh nerve involvement (major salivary glands)
399401004 | Insufficient tissue to assess highest pT category
399404007 | pT3b (IIIB): Tumor involves one or both fallopian tubes, with macroscopic peritoneal metastasis outside the pelvis 2 cm or less in greatest dimension (TNM category and FIGO stage) (fallopian tube)
399410007 | pT3c (IIIC): Tumor involves one or both fallopian tubes, with peritoneal metastasis outside the pelvis more than 2 cm in diameter (TNM category and FIGO stage) (fallopian tube)
399413009 | Thyroid TNM finding
399425007 | pT1a (IA): Tumor limited to one fallopian tube, without penetrating the serosal surface; no ascites (TNM category and FIGO stage) (fallopian tube)
399439007 | pT1: Tumor 2 cm or less in greatest dimension limited to the thyroid (thyroid)
399446003 | pT4b: Tumor invades prevertebral fascia or encases carotid artery or mediastinal vessels (thyroid)
399448002 | pT1: Tumor 10 mm or less in greatest diameter and 2.5 mm or less in greatest height (thickness) (ciliary body and choroid) (uveal melanoma)
399452002 | pM1b: Distant metastasis (esophagus)
399453007 | No pT1 category, insufficient tissue (prostate)
399454001 | pT1c (IC): Tumor limited to one or both tubes with extension onto or through the tubal serosa, or with malignant cells in ascites or peritoneal washings (TNM category and FIGO stage) (fallopian tube)
399461002 | pT1b: Tumor 10 mm or less in greatest diameter and 2.5 mm or less in greatest height (thickness) with microscopic extraocular extension (ciliary body and choroid) (uveal melanoma)
399474008 | pT2a: Tumor confluent with or extending into the ciliary body and/or choroid with melanomalytic glaucoma (iris) (uveal melanoma)
399478006 | pT1 (I): Tumor limited to the fallopian tube(s) (TNM category and FIGO stage) (fallopian tube)
399481001 | pN1a: Metastasis to level VI (pretracheal, paratracheal, and prelaryngeal/Delphian lymph nodes) (thyroid)
399493005 | pT1c: Tumor 10 mm or less in greatest diameter and 2.5 mm or less in greatest height (thickness) with macroscopic extraocular extension (ciliary body and choroid) (uveal melanoma)
399501001 | pT1: Tumor limited to the iris (iris) (uveal melanoma)
399508007 | pT4b: Extrathyroidal anaplastic carcinoma - surgically unresectable (anaplastic carcinoma) (thyroid)
399511008 | pT1b: Tumor limited to the iris (more than 3 clock hours in size) (iris) (uveal melanoma)
399516003 | pT1a: Tumor 10 mm or less in greatest diameter and 2.5 mm or less in greatest height (thickness) without microscopic extraocular extension (ciliary body and choroid) (uveal melanoma)
399517007 | Tumor stage cannot be determined
399518002 | pT2: Tumor more than 2 cm but not more than 4 cm in greatest dimension limited to the thyroid (thyroid)
399519005 | pT2a: Tumor 10 mm to 16 mm in greatest basal diameter and between 2.5 and 10 mm in maximum height (thickness) without microscopic extraocular extension (ciliary body and choroid) (uveal melanoma)
399543008 | pT2c: Tumor 10 mm to 16 mm in greatest basal diameter and between 2.5 and 10 mm in maximum height (thickness) with macroscopic extraocular extension (ciliary body and choroid) (uveal melanoma)
399553009 | pN3: Metastasis in a lymph node, more than 5 cm in greatest dimension (urinary bladder, ureter, renal pelvis)
399557005 | pT3: Tumor confluent with or extending into the ciliary body and/or choroid with scleral extension (iris) (uveal melanoma)
399575006 | pT4a: Intrathyroidal anaplastic carcinoma - surgically resectable (anaplastic carcinoma) (thyroid)

399594001 | pM1a: Distant metastasis (esophagus)
399597008 | pT1a: Tumor limited to the iris (not more than 3 clock hours in size) (iris) (uveal melanoma)
399602001 | pT1c: Tumor limited to the iris with melanomalytic glaucoma (iris) (uveal melanoma)
399605004 | FIGO stage finding for fallopian tube tumor
399610000 | pT3: Tumor more than 16 mm in greatest diameter and/or greater than 10 mm in maximum height (thickness) without extraocular extension (ciliary body and choroid) (uveal melanoma)
399615005 | pT2: Tumor confluent with or extending into the ciliary body and/or choroid (iris) (uveal melanoma)
399616006 | pT2b: Tumor 10 mm to 16 mm in greatest basal diameter and between 2.5 and 10 mm in maximum height (thickness) with microscopic extraocular extension (ciliary body and choroid) (uveal melanoma)
399621009 | pT3a (IIIA): Tumor involves one or both fallopian tubes, with microscopic peritoneal metastasis outside the pelvis (TNM category and FIGO stage) (fallopian tube)
399623007 | pT4a: Tumor of any size extending beyond the thyroid capsule to invade subcutaneous soft tissues, larynx, trachea, esophagus, or recurrent laryngeal nerve (thyroid)
399630001 | pT category not identified
399636007 | pT3c and/or N1 (IIIC): Tumor involves one or both fallopian tubes, with peritoneal metastasis outside the pelvis more than 2 cm in diameter AND/OR regional lymph node metastasis (TNM category and FIGO stage) (fallopian tube)
399641004 | pT2 (II): Tumor involves one or both fallopian tubes with pelvic extension (TNM category and FIGO stage) (fallopian tube)
399674004 | pT3a: Tumor confluent with or extending into the ciliary body and/or choroid with scleral extension and melanomalytic glaucoma (iris) (uveal melanoma)
399678001 | pT3 (III): Tumor involves one or both fallopian tubes, with peritoneal implants outside the pelvis (TNM category and FIGO stage) (fallopian tube)
399679009 | pT4: Tumor with extraocular extension (iris) (uveal melanoma)
399688000 | Fallopian tube TNM finding
399690004 | pT2b (IIB): Tumor involves one or both fallopian tubes with extension to other pelvic structures (TNM category and FIGO stage) (fallopian tube)
399696005 | pT3 and/or N1 (III): Tumor involves one or both fallopian tubes, with peritoneal implants outside the pelvis AND/OR regional lymph node metastasis (TNM category and FIGO stage) (fallopian tube)
399697001 | pT2c (IIC): Tumor involves one or both fallopian tubes with pelvic extension with malignant cells in ascites or peritoneal washings (TNM category and FIGO stage) (fallopian tube)
399704006 | pN1b: Metastasis to unilateral, bilateral, or contralateral cervical or superior mediastinal lymph nodes (thyroid)
399705007 | Uveal melanoma TNM finding
399729000 | pT4: Tumor more than 16 mm in greatest diameter and/or greater than 10 mm in maximum height (thickness) with extraocular extension (ciliary body and choroid) (uveal melanoma)
399736004 | pT1b (IB): Tumor limited to both tubes, without penetrating the serosal surface; no ascites (TNM category and FIGO stage) (fallopian tube)
399749009 | Any T/Any N and M1 (IV): Distant metastasis including presence of malignant cells in pleural fluid or parenchymal hepatic metastasis (TNM category and FIGO stage) (fallopian tube)
404180008 | pT3: Tumor invades beyond muscularis into peripelvic fat or renal parenchyma (renal pelvis)
404181007 | pM1 (IV): Distant metastasis (TNM category and FIGO stage) (fallopian tube)
404182000 | pM1 (IVB): Distant metastasis (TNM category and FIGO stage) (uterine cervix)
405917009 | Intergroup rhabdomyosarcoma study post-surgical clinical group finding
405918004 | Intergroup rhabdomyosarcoma study post-surgical clinical group not applicable
405919007 | Intergroup rhabdomyosarcoma study post-surgical clinical group cannot be assessed
405957007 | Intergroup rhabdomyosarcoma study post-surgical clinical group IA: localized tumor, confined to site of origin, completely resected
405958002 | Intergroup rhabdomyosarcoma study post-surgical clinical group IB: localized tumor, infiltrating beyond site of origin, completely resected
405959005 | Intergroup rhabdomyosarcoma study post-surgical clinical group IIA: localized tumor, gross total resection, but with microscopic residual disease
405960000 | Intergroup rhabdomyosarcoma study post-surgical clinical group IIB: Locally extensive tumor (spread to regional lymph nodes), completely resected
405961001 | Intergroup rhabdomyosarcoma study post-surgical clinical group IIC: Locally extensive tumor (spread to regional lymph nodes), gross total resection, but microscopic residual disease
405962008 | Intergroup rhabdomyosarcoma study post-surgical clinical group IIIA: Localized or locally extensive tumor, gross residual disease after biopsy only
405963003 | Intergroup rhabdomyosarcoma study post-surgical clinical group IIIB: Localized or locally extensive tumor, gross residual disease after major resection (greater than 50% debulking)
405964009 | Intergroup rhabdomyosarcoma study post-surgical clinical group IV: Any size primary tumor, with or without regional lymph node involvement, with distant metastases, without respect to surgical approach to primary tumor
405992004 | pN1 (IIIC): Regional lymph node metastasis (TNM category and FIGO stage) (ovary)
406001009 | pT4b: Tumor invades lateral pterygoid muscle, pterygoid plates, lateral nasopharynx, or skull base or encases internal carotid artery (oropharynx)
406088001 | pN0(i-): No regional lymph node metastasis histologically, negative morphologic findings for isolated tumor cells (breast)
406089009 | pN0(i+): No regional lymph node metastasis histologically, positive morphologic findings for isolated tumor cells, no cluster greater than 0.2 mm (breast)
406090000 | pN0(mol-): No regional lymph node metastasis histologically, negative nonmorphologic (molecular) findings for isolated tumor cells (breast)
406091001 | pN0(mol+): No regional lymph node metastasis histologically, positive nonmorphologic (molecular) findings for isolated tumor cells (breast)
406092008 | pN1 (IIIC): Regional lymph node metastasis (TNM category and FIGO stage) (fallopian tube)
409721000 | International neuroblastoma staging system stage finding
409722007 | International neuroblastoma staging system stage 1
409723002 | International neuroblastoma staging system stage 2A

409724008 | International neuroblastoma staging system stage 2B
409725009 | International neuroblastoma staging system stage 3
409726005 | International neuroblastoma staging system stage 4
409727001 | International neuroblastoma staging system stage 4S
409747009 | pT1a: Tumor 5 cm or less in greatest dimension, superficial tumor (extraosseous primitive neuroectodermal tumor/Ewing's sarcoma)
409748004 | pT1: Tumor 5 cm or less in greatest dimension (extraosseous primitive neuroectodermal tumor/Ewing's sarcoma)
409749007 | pT1b: Tumor 5 cm or less in greatest dimension, deep tumor (extraosseous primitive neuroectodermal tumor/Ewing's sarcoma)
409750007 | pT2: Tumor more than 5 cm in greatest dimension (extraosseous primitive neuroectodermal tumor/Ewing's sarcoma)
409751006 | pT2a: Tumor more than 5 cm in greatest dimension, superficial tumor (extraosseous primitive neuroectodermal tumor/Ewing's sarcoma)
409752004 | pT2b: Tumor more than 5 cm in greatest dimension, deep tumor (extraosseous primitive neuroectodermal tumor/Ewing's sarcoma)
409753009 | pT1: Tumor 8 cm or less in greatest dimension (osseous primitive neuroectodermal tumor/Ewing's sarcoma)
409754003 | pT2: Tumor more than 8 cm in greatest dimension (osseous primitive neuroectodermal tumor/Ewing's sarcoma)
409755002 | pT3: Discontinuous tumors in the primary bone site (osseous primitive neuroectodermal tumor/Ewing's sarcoma)
409756001 | Primitive neuroectodermal tumor/Ewing's sarcoma TNM finding
409758000 | pM1a: Distant metastasis to lung (primitive neuroectodermal tumor/Ewing's sarcoma)
409759008 | pM1b: Distant metastasis to site other than lung (primitive neuroectodermal tumor/Ewing's sarcoma)
422375001 | Carcinoma of colon, stage III
422399001 | Infiltrating ductal carcinoma of breast, stage 1
422479008 | Infiltrating ductal carcinoma of breast, stage 2
422581008 | Carcinoma of colon, stage II
422679002 | Seminoma of testis, stage 3
422807001 | pT4: Tumor directly invades other organs or structures and/or perforates visceral peritoneum (appendix)
422901001 | pTis: Carcinoma in situ, intraepithelial (appendix)
422985007 | Carcinoma of colon, stage IV
423003009 | pT3: Tumor invades through the muscularis propria into the subserosa or into mesoappendix (appendix)
423055005 | pTis: Carcinoma in situ, invasion of lamina propria (appendix)
423114009 | Infiltrating ductal carcinoma of breast, stage 3
423274005 | Carcinoma of ovary, stage 4
423480004 | Carcinoma of ovary, stage 3
423645007 | Seminoma of testis, stage 2
423697000 | Seminoma of testis, stage 4
423816008 | Seminoma of testis, stage 1
424078005 | Adenocarcinoma of lung, stage I
424229006 | Infiltrating ductal carcinoma of breast, stage 4
424454009 | Adenocarcinoma of lung, stage III
424486004 | Carcinoma of ovary, stage 2
424600001 | Carcinoma of ovary, stage 1
424632001 | Adenocarcinoma of lung, stage II
424842001 | pT1: Tumor invades submucosa (appendix)
424993006 | Adenocarcinoma of lung, stage IV
425008003 | pT2: Tumor invades muscularis propria (appendix)
425037004 | Low grade lymphoma, stage 1
425213009 | Carcinoma of colon, stage I
425566006 | pT1b: Tumor 5 cm or less in greatest dimension, deep tumor (soft tissue)
426288003 | pM1b: Distant metastasis to site other than lung (bone)
426554005 | pT2b: Tumor more than 5 cm in greatest dimension, deep tumor (soft tissue)
426561009 | Bone TNM finding
426613005 | pT2a: Tumor more than 5 cm in greatest dimension, superficial tumor (soft tissue)
426616002 | pT2: Tumor more than 8 cm in greatest dimension (bone)
426897009 | pT1: Tumor 8 cm or less in greatest dimension (bone)
426917009 | pM1a: Distant metastasis to lung (bone)
427209003 | pT3: Discontinuous tumors in the primary bone site (bone)
427495001 | pT1a: Tumor 5 cm or less in greatest dimension, superficial tumor (soft tissue)
427535001 | Soft tissue TNM finding
443335006 | pN0(i-) category
443357004 | pT1a category
443452006 | pN2b category
443479005 | pT3d category
443486002 | pN0(i+) category
443505003 | pT4d category
443506002 | pT1b category
443599002 | pN1b category
443600004 | pT1mic category
443604008 | pT4a category
443606005 | pT3a category
443642002 | pT1c category
443674009 | pT3c category
443716008 | pN1a category
443721006 | pT4c category

443736009 | pT4b category
443743003 | pN1c category
443784000 | pT3c,d category
443812002 | pT2a category
443815000 | pT3a,b category
443817008 | pT3b category
443823003 | pN3c category
443824009 | pN1mi category
443839005 | pM1c category
443840007 | pM1b category
443841006 | pM1a category
443866005 | pN3a category
443867001 | pN2a category
443875007 | pN0(mol+) category
443893008 | pN2c category

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.349 Value Set http://hl7.org/fhir/ValueSet/formatcodes

URL: https://hl7.org/fhir/R4/valueset-formatcodes.html
Structured Documents Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/formatcodes
Version: | 4.0.1
Name: | DocumentReferenceFormatCodeSet
Title: | DocumentReference Format Code Set
Definition: | The value set is defined to be the set of format codes defined by the IHE Technical Framework, and also including additional format codes defined by the HL7. The value set is listed in HITSP C80 Table 2-153 Format Code Value Set Definition, with additions published later by IHE as published at http://wiki.ihe.net/index.php?title=IHE_Format_Codes and with additions published later by HL7 as published at https://confluence.hl7.org/display/SD/Format+Codes+for+IHE+XDS. This is the code specifying the technical format of the document. Along with the typeCode, it should provide sufficient information to allow any potential document consumer to know if it will be able to process the document. The code shall be sufficiently specific to ensure processing/display by identifying a document encoding, structure and template. The actual list of codes here is incomplete
Committee: | Structured Documents Work Group
OID: | 1.3.6.1.4.1.19376.1.2.7.1 (for OID based terminology systems)
Copyright: | Some content from IHE® Copyright © 2015 IHE International, Inc. This content is from the IHE Technical Frameworks and Supplements, available for free download and use at http://www.ihe.net/Technical_Frameworks/
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: DocumentReference.content.format (Coding / Preferred)

4.4.1.349.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem

4.4.1.349.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 74 concepts

All codes from system http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem

Code | Display | Definition
urn:ihe:pcc:xphr:2007 | Personal Health Records. Also known as HL7 CCD and HITSP C32
urn:ihe:pcc:aps:2007 | IHE Antepartum Summary
urn:ihe:pcc:xds-ms:2007 | XDS Medical Summaries
urn:ihe:pcc:edr:2007 | Emergency Department Referral (EDR)
urn:ihe:pcc:edes:2007 | Emergency Department Encounter Summary (EDES)
urn:ihe:pcc:apr:handp:2008 | Antepartum Record (APR) - History and Physical

urn:ihe:pcc:apr:lab:2008 | Antepartum Record (APR) - Laboratory
urn:ihe:pcc:apr:edu:2008 | Antepartum Record (APR) - Education
urn:ihe:pcc:crc:2008 | Cancer Registry Content (CRC)
urn:ihe:pcc:cm:2008 | Care Management (CM)
urn:ihe:pcc:ic:2008 | Immunization Content (IC)
urn:ihe:pcc:tn:2007 | PCC TN
urn:ihe:pcc:nn:2007 | PCC NN
urn:ihe:pcc:ctn:2007 | PCC CTN
urn:ihe:pcc:edpn:2007 | PCC EDPN
urn:ihe:pcc:hp:2008 | PCC HP
urn:ihe:pcc:ldhp:2009 | PCC LDHP
urn:ihe:pcc:lds:2009 | PCC LDS
urn:ihe:pcc:mds:2009 | PCC MDS
urn:ihe:pcc:nds:2010 | PCC NDS
urn:ihe:pcc:ppvs:2010 | PCC PPVS
urn:ihe:pcc:trs:2011 | PCC TRS
urn:ihe:pcc:ets:2011 | PCC ETS
urn:ihe:pcc:its:2011 | PCC ITS
urn:ihe:pcc:ript:2017 | Routine Interfacility Patient Transport (RIPT)
urn:ihe:iti:bppc:2007 | Basic Patient Privacy Consents
urn:ihe:iti:bppc-sd:2007 | Basic Patient Privacy Consents with Scanned Document
urn:ihe:iti:xds-sd:pdf:2008 | PDF embedded in CDA per XDS-SD profile
urn:ihe:iti:xds-sd:text:2008 | Text embedded in CDA per XDS-SD profile
urn:ihe:iti:xdw:2011:workflowDoc | XDW Workflow Document
urn:ihe:iti:dsg:detached:2014 | DSG Detached Document
urn:ihe:iti:dsg:enveloping:2014 | DSG Enveloping Document
urn:ihe:iti:appc:2016:consent | Advanced Patient Privacy Consents
urn:ihe:iti:xds:2017:mimeTypeSufficient | mimeType Sufficient | Code to be used when the mimeType is sufficient to understanding the technical format. May be used when no more specific FormatCode is available and the mimeType is sufficient to identify the technical format
urn:ihe:lab:xd-lab:2008 | CDA Laboratory Report
urn:ihe:rad:TEXT | Radiology XDS-I Text
urn:ihe:rad:PDF | Radiology XDS-I PDF
urn:ihe:rad:CDA:ImagingReportStructuredHeadings:2013 | Radiology XDS-I Structured CDA
urn:ihe:card:imaging:2011 | Cardiac Imaging Report
urn:ihe:card:CRC:2012 | Cardiology CRC
urn:ihe:card:EPRC-IE:2014 | Cardiology EPRC-IE
urn:ihe:dent:TEXT | Dental Text
urn:ihe:dent:PDF | Dental PDF
urn:ihe:dent:CDA:ImagingReportStructuredHeadings:2013 | Dental CDA
urn:ihe:pat:apsr:all:2010 | Anatomic Pathology Structured Report All
urn:ihe:pat:apsr:cancer:all:2010 | Anatomic Pathology Structured Report Cancer All
urn:ihe:pat:apsr:cancer:breast:2010 | Anatomic Pathology Structured Report Cancer Breast
urn:ihe:pat:apsr:cancer:colon:2010 | Anatomic Pathology Structured Report Cancer Colon
urn:ihe:pat:apsr:cancer:prostate:2010 | Anatomic Pathology Structured Report Cancer Prostate
urn:ihe:pat:apsr:cancer:thyroid:2010 | Anatomic Pathology Structured Report Cancer Thyroid
urn:ihe:pat:apsr:cancer:lung:2010 | Anatomic Pathology Structured Report Cancer Lung
urn:ihe:pat:apsr:cancer:skin:2010 | Anatomic Pathology Structured Report Cancer Skin
urn:ihe:pat:apsr:cancer:kidney:2010 | Anatomic Pathology Structured Report Cancer Kidney
urn:ihe:pat:apsr:cancer:cervix:2010 | Anatomic Pathology Structured Report Cancer Cervix
urn:ihe:pat:apsr:cancer:endometrium:2010 | Anatomic Pathology Structured Report Cancer Endometrium
urn:ihe:pat:apsr:cancer:ovary:2010 | Anatomic Pathology Structured Report Cancer Ovary
urn:ihe:pat:apsr:cancer:esophagus:2010 | Anatomic Pathology Structured Report Cancer Esophagus
urn:ihe:pat:apsr:cancer:stomach:2010 | Anatomic Pathology Structured Report Cancer Stomach
urn:ihe:pat:apsr:cancer:liver:2010 | Anatomic Pathology Structured Report Cancer Liver
urn:ihe:pat:apsr:cancer:pancreas:2010 | Anatomic Pathology Structured Report Cancer Pancreas
urn:ihe:pat:apsr:cancer:testis:2010 | Anatomic Pathology Structured Report Cancer Testis
urn:ihe:pat:apsr:cancer:urinary_bladder:2010 | Anatomic Pathology Structured Report Cancer Urinary Bladder
urn:ihe:pat:apsr:cancer:lip_oral_cavity:2010 | Anatomic Pathology Structured Report Cancer Lip Oral Cavity
urn:ihe:pat:apsr:cancer:pharynx:2010 | Anatomic Pathology Structured Report Cancer Pharynx
urn:ihe:pat:apsr:cancer:salivary_gland:2010 | Anatomic Pathology Structured Report Cancer Salivary Gland
urn:ihe:pat:apsr:cancer:larynx:2010 | Anatomic Pathology Structured Report Cancer Larynx
urn:ihe:pharm:pre:2010 | Pharmacy Pre
urn:ihe:pharm:padv:2010 | Pharmacy PADV
urn:ihe:pharm:dis:2010 | Pharmacy DIS
urn:ihe:pharm:pml:2013 | Pharmacy PML
urn:hl7-org:sdwg:ccda-structuredBody:1.1 | For documents following C-CDA 1.1 constraints using a structured body.
urn:hl7-org:sdwg:ccda-nonXMLBody:1.1 | For documents following C-CDA 1.1 constraints using a non structured body.
urn:hl7-org:sdwg:ccda-structuredBody:2.1 | For documents following C-CDA 2.1 constraints using a structured body.
urn:hl7-org:sdwg:ccda-nonXMLBody:2.1 | For documents following C-CDA 2.1 constraints using a non structured body.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.350 Value Set http://hl7.org/fhir/ValueSet/adverse-event-type

URL: https://hl7.org/fhir/R4/valueset-adverse-event-type.html
Patient Care Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/adverse-event-type
Version: | 4.0.1
Name: | SNOMEDCTClinicalFindings
Title: | SNOMED CT Clinical Findings
Definition: | This value set includes all SNOMED CT Clinical Findings.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.835 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: AdverseEvent.event (CodeableConcept / Example)

4.4.1.350.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://snomed.info/sct where concept is-a 404684003 (Clinical finding)

4.4.1.350.2 Expansion

This expansion generated 01 Nov 2019

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code | Display | Definition
109006 | Anxiety disorder of childhood OR adolescence
122003 | Choroidal hemorrhage
127009 | Spontaneous abortion with laceration of cervix
129007 | Homoiothermia
134006 | Decreased hair growth
140004 | Chronic pharyngitis
144008 | Normal peripheral vision
147001 | Superficial foreign body of scrotum without major open wound but with infection
150003 | Abnormal bladder continence
151004 | Meningitis due to gonococcus
162004 | Severe manic bipolar I disorder without psychotic features
165002 | Accident-prone
168000 | Typhlolithiasis
171008 | Injury of ascending right colon without open wound into abdominal cavity
172001 | Endometritis following molar AND/OR ectopic pregnancy
175004 | Supraorbital neuralgia
177007 | Poisoning by sawfly larvae
179005 | Apraxia of dressing
181007 | Hemorrhagic bronchopneumonia
183005 | Autoimmune pancytopenia
184004 | Withdrawal arrhythmia
188001 | Intercostal artery injury
192008 | Congenital syphilitic hepatomegaly
193003 | Benign hypertensive renal disease

195005 | Illegal abortion with endometritis
198007 | Disease due to Filoviridae
199004 | Decreased lactation
208008 | Neurocutaneous melanosis sequence
216004 | Delusion of persecution
219006 | Alcohol user
222008 | Acute epiglottitis with obstruction
223003 | Tumor of body of uterus affecting pregnancy
228007 | Lucio phenomenon
241006 | Motor simple partial status
242004 | Noninfectious jejunitis
253005 | Sycosis
257006 | Acne rosacea, erythematous telangiectatic type
258001 | Pseudoknuckle pad
264008 | Blind hypertensive eye
276008 | Oxytocin poisoning
279001 | Senile myocarditis
281004 | Alcoholic dementia
282006 | Acute myocardial infarction of basal-lateral wall
290006 | Melnick-Fraser syndrome
292003 | EEG finding
297009 | Acute myringitis
299007 | Paraffinoma of skin
303002 | Apoplectic pancreatitis
308006 | Pearly penile papules
310008 | Penile boil
313005 | Déjà vu
317006 | Reactive hypoglycemia
320003 | Cervical dilatation, 1cm
324007 | Plaster ulcer
330007 | Occipital headache
335002 | Pylorospasm
341009 | ABO incompatibility reaction
349006 | Absent tendon reflex
355001 | Hemorrhagic shock
357009 | Closed fracture trapezoid
358004 | Smallpox vaccine poisoning
359007 | Kernicterus due to isoimmunization
360002 | Acute radiation disease
364006 | Acute left-sided heart failure
366008 | Hidromeiosis
368009 | Heart valve disorder
369001 | Normal jugular venous pressure
378007 | Morquio syndrome
382009 | Legal history finding relating to child
383004 | Finding of passive range of hip extension
385006 | Secondary peripheral neuropathy
387003 | Melanuria
398002 | Left axis deviation greater than -90 degrees by EKG
407000 | Congenital hepatomegaly
408005 | Tooth chattering
409002 | Food allergy diet
426008 | Superficial injury of ankle without infection
431005 | Hypertrophy of scrotum
437009 | Abnormal composition of urine
440009 | Persistent hyperphenylalaninemia
442001 | Secondary hypopituitarism
443006 | Cystocele affecting pregnancy
447007 | Coach in sports activity accident
450005 | Ulcerative stomatitis
452002 | Blister of groin without infection
460001 | Squamous metaplasia of prostate gland
467003 | Old laceration of pelvic floor muscle
470004 | Vitreous touch syndrome
479003 | Graves' disease with pretibial myxedema AND with thyrotoxic crisis
486006 | Acute vascular insufficiency
488007 | Fibroid myocarditis
490008 | Upper respiratory tract hypersensitivity reaction
496002 | Closed traumatic dislocation of third cervical vertebra
504009 | Androgen-dependent hirsutism
517007 | Foreign body in hypopharynx
518002 | Multiple aggregation

520004 | Congenital bent nose
527001 | Spontaneous fetal evolution, Roederer's method
536002 | Glissonian cirrhosis
539009 | Conjunctival argyrosis
547009 | Hypersecretion of calcitonin
548004 | 13p partial trisomy syndrome
554003 | 2p partial trisomy syndrome
555002 | Dicentra species poisoning
563001 | Nystagmus
568005 | Habit disorder
586008 | Contact dermatitis due to primrose
590005 | Congenital aneurysm of anterior communicating artery
596004 | Premenstrual dysphoric disorder
599006 | Persistent pneumothorax
600009 | Pyromania
602001 | Ross river fever
607007 | Decreased vital capacity
610000 | Spastic aphonia
613003 | FRAXA - Fragile X syndrome
615005 | Obstruction due to foreign body accidentally left in operative wound AND/OR body cavity during a procedure
616006 | Sensorimotor disorder of eyelid
626004 | Hypercortisolism due to nonpituitary tumor
631002 | Transfusion reaction due to minor incompatibility
634005 | Saddle boil
640003 | Injury of pneumogastric nerve
643001 | Hypertrophy of lip
646009 | Idiopathic cyst of anterior chamber
649002 | Open fracture of distal end of ulna
651003 | Root work
652005 | Gangrenous tonsillitis
655007 | Abnormal fetal heart beat noted before labor in liveborn infant
658009 | Injury of colon without open wound into abdominal cavity
663008 | Pulmonary embolism following molar AND/OR ectopic pregnancy
664002 | Delayed ovulation
666000 | Poisoning by antivaricose drug AND/OR sclerosing agent
675003 | Torsion of intestine
682004 | Thrombosis complicating pregnancy AND/OR puerperium
685002 | Acquired telangiectasia of small AND/OR large intestines
701003 | Adult osteochondritis of spine
703000 | Congenital adhesion of tongue
714002 | Abrasion AND/OR friction burn of toe with infection
715001 | Nontraumatic rupture of urethra
718004 | Acute bronchiolitis with obstruction
733007 | Superficial foreign body of groin without major open wound but with infection
734001 | Opocephalus
736004 | Abscess of hip
750009 | Schistosoma mansoni infection
755004 | Postgastrectomy phytobezoar
756003 | Chronic rheumatic myopericarditis
758002 | Cyst of uterus
775008 | Open wound of head with complication
776009 | Partial arterial retinal occlusion
781000 | Cestrum diurnum poisoning
786005 | Clinical stage I B
787001 | Rheumatic mitral stenosis with regurgitation
788006 | Disease-related diet
792004 | CJD - Creutzfeldt-Jakob disease
799008 | Sigmoid colon ulcer
801006 | Insect bite, nonvenomous, of foot, infected
805002 | Pneumoconiosis due to silica
811004 | Flail motion
813001 | Ankle instability
815008 | Episcleritis
816009 | Genetic recombination
818005 | Third degree burn of multiple sites of lower limb
825003 | Superficial injury of axilla with infection
827006 | Late congenital syphilis, latent (+ sero., - C.S.F., 2 years OR more)
832007 | Moderate major depression
834008 | Chair-seated facing coital position
841002 | Congenital absence of skull bone
842009 | Consanguinity
843004 | Poliomyelomalacia

844005 | Finding relating to behavior
845006 | Inferior mesenteric artery injury
849000 | Total cataract
857002 | Erythema simplex
862001 | Anemia due to chlorate
865004 | Hyperalimentation formula for ileus
871005 | Contracted pelvis
874002 | Therapeutic diuresis
875001 | Chalcosis of eye
888003 | Foetal or neonatal effect of maternal blood loss
890002 | Deep third degree burn of elbow
899001 | Axis I diagnosis
903008 | Chorioretinal infarction
904002 | Pinard's sign
908004 | Superficial injury of interscapular region without infection
919001 | Pseudohomosexual state
928000 | Musculoskeletal disorder
931004 | Gestation period, 9 weeks
932006 | Flat affect
934007 | Thalassemia intermedia
943003 | Congenital retinal aneurysm
954008 | Renon-Delille syndrome
961007 | Erythema nodosum, acute form
962000 | Disability evaluation, disability 6%
964004 | Open wound of pharynx without complication
965003 | Toxic amblyopia
975000 | Anorectal agenesis
978003 | Chronic infantile eczema
981008 | Hemorrhagic proctitis
984000 | Perirectal cellulitis
987007 | Cellulitis of temple region
991002 | Wide QRS complex
998008 | Chagas' disease with heart involvement
1003002 | Religious discrimination
1020003 | Disease due to Nairovirus
1023001 | Apneic
1027000 | Biliary esophagitis
1031006 | Open wound of trachea without complication
1033009 | Thoracic arthritis
1034003 | Mesenteric-portal fistula
1038000 | Disaccharidurie
1045000 | Colonospasm
1046004 | Ureteritis glandularis
1051005 | Hyperplasia of islet alpha cells with gastrin excess
1055001 | Stenosis of precerebral artery
1059007 | Opisthorchiasis
1070000 | Facial myokymia
1073003 | Xeroderma pigmentosum group B
1074009 | Glucocorticoid-responsive primary hyperaldosteronism
1077002 | Septal infarction by EKG
1079004 | Macular retinal cyst
1085006 | Vulval candidiasis
1089000 | Congenital sepsis
1102005 | Intraerythrocytic parasitosis by Nuttallia
1107004 | Early latent syphilis, positive serology, negative cerebrospinal fluid, with relapse after treatment
1108009 | Female pattern alopecia
1111005 | Normal sebaceous gland activity
1112003 | Degenerative disorder of eyelid
1116000 | Chronic aggressive type B viral hepatitis
1124005 | Postpartum period, 6 days
1125006 | Septicemia during labor
1126007 | Knee locking
1131009 | Congenital valvular insufficiency
1134001 | Muehrcke lines
1135000 | Solar retinitis
1139006 | Confrontation (visual) test
1140008 | Thermal hypesthesia
1141007 | Circumoral paresthesia
1145003 | DSD - Developmental speech disorder
1150009 | Congenital microcheilia
1151008 | Constricted visual field
1152001 | Skin reaction negative

1155004 | Myocardial hypertrophy, determined by electrocardiogram
1156003 | Cavitary prostatitis
1168007 | Allotype
1184008 | Glasgow coma scale, 10
1192004 | Familial amyloid neuropathy, Finnish type
1194003 | Disease condition determination, well controlled
1196001 | Chronic bipolar II disorder, most recent episode major depressive
1197005 | Carbuncle of heel
1201005 | Benign essential hypertension
1203008 | Deep third degree burn of forehead AND/OR cheek with loss of body part
1207009 | Optic disc glaucomatous atrophy
1208004 | Gastroptosis
1212005 | Juvenile dermatomyositis
1214006 | Infection by Strongyloides
1230003 | No diagnosis on Axis 1
1232006 | Congenital articular rigidity with myopathy
1239002 | Congenital anteversion of femoral neck
1240000 | Lying prone
1259003 | Schistosis
1261007 | Multiple fractures of ribs
1264004 | Injury of descending left colon without open wound into abdominal cavity
1271009 | Knuckle pads, leuconychia and deafness
1280009 | Isologous chimera
1282001 | Laryngeal perichondritis
1283006 | Visual acuity less than .02 (1/60, count fingers 1 meter) or visual field less than 5 degrees, but better than 5.
1284000 | Abnormal jaw closure
1286003 | Vitamin K deficiency coagulation disorder
1287007 | Congenital absence of bile duct
1297003 | Infection by Cladosporium carrionii
1308001 | Complication of reimplant
1310004 | Impaired glucose tolerance associated with genetic syndrome
1317001 | Injury of ovary without open wound into abdominal cavity
1318006 | Post-translational genetic protein processing
1323006 | Kanamycin poisoning
1332008 | Conjugated visual deviation
1335005 | Peyronies disease
1343000 | DTA - Deep transverse arrest
1345007 | Hang nail
1351002 | Iliac artery injury
1356007 | Calculus of common duct with obstruction
1361009 | Leucocoria
1363007 | Fetal or neonatal effect of chronic maternal respiratory disease
1367008 | Injury of superior mesenteric artery
1370007 | Open fracture of metacarpal bone(s)
1372004 | Unicornate uterus
1376001 | Obsessive compulsive personality disorder
1378000 | Supination-eversion injury of ankle
1380006 | Agoraphobia without history of panic disorder with limited symptom attacks
1383008 | Hallucinogen induced mood disorder
1384002 | Diffuse cholesteatosis of middle ear
1386000 | Intracranial hemorrhage
1387009 | Solanum nigrum poisoning
1388004 | Metabolic alkalosis
1393001 | Lenz-Majewski dysplasia
1395008 | Complication of ultrasound therapy
1402001 | Frightened
1412008 | Anterior subcapsular polar cataract
1415005 | Inflammation of lymphatics
1418007 | Hypoplastic chondrodystrophy
1419004 | Injury of prostate without open wound into abdominal cavity
1426004 | Necrotizing glomerulonephritis
1427008 | Intraspinal abscess
1430001 | Intracranial hemorrhage following injury without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) without return to pre-existing level
1447000 | Icthyoparasitism
1469007 | Miscarriage with urinary tract infection
1474004 | Hypertensive heart AND renal disease complicating AND/OR reason for care during childbirth
1475003 | Herpes labialis
1478001 | Obliteration of lymphatic vessel
1479009 | 20q partial trisomy syndrome
1482004 | Chalazion
1486001 | Orbital congestion

1488000 | PONV - Postoperative nausea and vomiting
1489008 | External hordeolum
1492007 | Congenital anomaly of large intestine
1493002 | Acute endophthalmitis
1499003 | Bipolar I disorder, single manic episode with postpartum onset
1512006 | Congenital stricture of bile duct
1515008 | Gorham disease
1518005 | Splenitis
1519002 | Congenital phlebectasia
1521007 | Blister of buttock without infection
1523005 | Clinical stage IV B
1525003 | Blister of foot without infection
1531000 | Nitrofuran derivative poisoning
1532007 | Viral pharyngitis
1534008 | Palsy of conjugate gaze
1538006 | Central nervous system malformation in foetus affecting obstetrical care
1539003 | Nodular tendinous disease of finger
1542009 | Omphalocele with obstruction
1544005 | Open dislocation of knee
1551001 | Osteomyelitis of femur
1556006 | Clark melanoma level 4
1563006 | Protein S deficiency
1567007 | Chronic gastric ulcer without hemorrhage, without perforation AND without obstruction
1588003 | Heterosexual precocious puberty
1592005 | Failed attempted termination of pregnancy with uremia
1593000 | Infantile hemiplegia
1606009 | Infection caused by Macracanthorhynchus hirudinaceus
1608005 | Increased capillary permeability
1639007 | Abnormality of organs AND/OR soft tissues of pelvis affecting pregnancy
1647007 | Primaquine poisoning
1648002 | Lymphocytic pseudotumor of lung
1654001 | Steroid-induced glaucoma
1657008 | Toxic effect of phosdrin
1658003 | Closed fracture clavicle, lateral end
1663004 | Tumor grade G2
1667003 | Early fontanel closure
1670004 | Cerebral hemiparesis
1671000 | Sago spleen
1674008 | Meesman's epithelial corneal dystrophy
1679003 | Arthritis associated with another disorder
1682008 | Transitory amino acid metabolic disorder
1685005 | Rat-bite fever
1686006 | Sedative, hypnotic AND/OR anxiolytic-induced anxiety disorder
1694004 | Accessory lobe of lung
1698001 | Ulcer of bile duct
1703007 | Increased leg circumference
1705000 | Closed fracture of base of neck of femur
1708003 | Open dislocation of clavicle
1714005 | Photokeratitis
1717003 | Guttate hypomelanosis
1723008 | Urethral stricture due to schistosomiasis
1724002 | Infection caused by Crenosoma
1734006 | Fracture of vertebral column with spinal cord injury
1735007 | Thrill
1739001 | Occipital fracture
1742007 | Female hypererotism
1744008 | Connation of teeth
1748006 | Thrombophlebitis of deep femoral vein
1755008 | Healed coronary
1761006 | Biliary cirrhosis
1763009 | Stromal keratitis
1767005 | Fisher syndrome
1769008 | Thoracodidymus
1771008 | Insulin biosynthesis defect
1776003 | RTA - Renal tubular acidosis
1777007 | Increased molecular dissociation
1778002 | Malocclusion due to abnormal swallowing
1779005 | OFD II - Orofacial-digital syndrome II
1794009 | Idiopathic corneal edema
1816003 | Panic disorder with agoraphobia, severe agoraphobic avoidance AND mild panic attacks
1821000 | Chemoreceptor apnea
1822007 | Impaired glucose tolerance associated with pancreatic disease

1824008 | Allergic gastritis
1826005 | Granuloma of lip
1828006 | Infestation caused by Gasterophilus hemorrhoidalis
1829003 | Microcephalus
1833005 | Phacoanaphylactic endophthalmitis
1835003 | Necrosis of pancreas
1837006 | Orciprenaline poisoning
1845001 | Paraparesis
1847009 | Endophthalmitis
1848004 | Poisoning caused by gaseous anesthetic
1852004 | Traumatic injury of sixth cranial nerve
1855002 | Developmental academic disorder
1856001 | Accessory nose
1857005 | Congenital rubella syndrome
1858000 | Infection caused by Stilesia globipunctata
1860003 | Fluid volume disorder
1865008 | Impaired intestinal protein absorption
1869002 | Rupture of iris sphincter
1881003 | Increased nutritional requirement
1892002 | Star figure at the macula
1896004 | Ectopic breast tissue
1897008 | Amsinckia species poisoning
1899006 | Autosomal hereditary disorder
1903004 | Infestation caused by Psorergates ovis
1908008 | von Willebrand disease, type IIC
1909000 | Impairment level: better eye: severe impairment: lesser eye: near-total impairment
1922008 | Congenital absence of urethra
1926006 | Osteopetrosis
1938002 | Emotional AND/OR mental disease in mother complicating pregnancy, childbirth AND/OR puerperium
1939005 | Abnormal vascular flow
1943009 | Left-right confusion
1953005 | Congenital deficiency of pigment of skin
1954004 | Dilated cardiomyopathy secondary to toxic reaction
1955003 | Preauricular pit
1959009 | Encephalartos species poisoning
1961000 | Chronic polyarticular juvenile rheumatoid arthritis
1963002 | PNH - Paroxysmal nocturnal hemoglobinuria
1965009 | Normal skin pH
1967001 | Congenital absence of forearm only
1973000 | Sedative, hypnotic AND/OR anxiolytic-induced psychotic disorder with delusions
1977004 | Oxymetholone poisoning
1979001 | Focal choroiditis
1980003 | Seromucinous otitis media
1981004 | Urhidrosis
1988005 | Late effect of injury to nerve roots, spinal plexus AND/OR other nerves of trunk
1989002 | Burn of vagina AND/OR uterus
2004005 | Normotensive
2012002 | Fracture of lunate
2024009 | Dilated cardiomyopathy secondary to metazoal myocarditis
2028007 | Erythema induratum
2032001 | Cerebral edema
2036003 | Acquired factor VII deficiency disease
2040007 | Neurogenic thoracic outlet syndrome
2041006 | Eunuchoid gigantism
2043009 | Alcoholic gastritis
2053005 | Late effect of injury to blood vessels of thorax, abdomen AND/OR pelvis
2055003 | Recurrent erosion syndrome
2058001 | Bilateral loss of labyrinthine reactivity
2061000 | Conductive hearing loss of combined sites
2065009 | Autosomal dominant optic atrophy
2066005 | Gastric ulcer with hemorrhage AND perforation but without obstruction
2070002 | Burning sensation in eye
2073000 | Delusions
2087000 | Pulmonary nocardiosis
2089002 | Pagets disease of bone
2091005 | Pharyngeal diverticulitis
2094002 | Carbon disulfide causing toxic effect
2102007 | Deep corneal vascularization
2103002 | Reflex sympathetic dystrophy of upper extremity
2107001 | Anisomelia
2109003 | Isolated somatotropin deficiency
2114004 | Infection caused by Cysticercus pisiformis

2116002 | Intramembranous bone formation
2120003 | Weak cry
2121004 | Ethopropazine poisoning
2128005 | Disorder of adenoid
2129002 | Edema of pharynx
2132004 | Meconium in amniotic fluid noted before labor in liveborn infant
2134003 | Diffuse pain
2136001 | Open wound of jaw with complication
2138000 | LSP - Left sacroposterior position
2145000 | Anal intercourse
2149006 | Decreased hormone production
2158004 | Infection caused by Contracaecum
2167004 | Retinal hemangioblastomatosis
2169001 | Thoracic radiculitis
2170000 | Gallop rhythm
2176006 | Halogen acne
2177002 | PHN - Post-herpetic neuralgia
2186007 | Compensated metabolic alkalosis
2198002 | Visceral epilepsy
2202000 | Open posterior dislocation of distal end of femur
2204004 | Acquired deformity of pinna
2213002 | Congenital anomaly of vena cava
2216005 | Nocturnal emission
2217001 | Superficial injury of perineum without infection
2219003 | Disability evaluation, disability 100%
2224000 | Selenium poisoning
2228002 | Scintillating scotoma
2229005 | Chimera
2231001 | Nerve plexus disorder
2237002 | Painful breathing -pleurodynia
2239004 | Previous pregnancies 6
2241003 | X-linked absence of thyroxine-binding globulin
2243000 | Hypercalcemia due to hyperthyroidism
2245007 | Foreign body in nasopharynx
2251002 | Primary hypotony of eye
2256007 | Monovular twins
2261009 | Obstetrical pulmonary fat embolism
2268003 | Victim of homosexual aggression
2284002 | Pulsating exophthalmos
2295008 | Closed fracture of upper end of forearm
2296009 | Iron dextran toxicity
2298005 | Focal facial dermal dysplasia
2301009 | Psychosomatic factor in physical condition, psychological component of unknown degree
2303007 | Inguinal hernia with gangrene
2304001 | Intervertebral discitis
2307008 | Peripancreatic fat necrosis
2308003 | Silent alleles
2312009 | Reactive attachment disorder of infancy OR early childhood, inhibited type
2314005 | Unprotected intercourse
2326000 | Marriage annulment
2339001 | Sexual overexposure
2341000 | Infection caused by Moniliformis
2351004 | Genetic transduction
2355008 | Rud syndrome
2359002 | Hyper-beta-alaninemia
2365002 | Simple chronic pharyngitis
2366001 | Late effect of dislocation
2367005 | Acute hemorrhagic gastritis
2374000 | Monofascicular block
2385003 | Cellulitis of pectoral region
2388001 | Normal variation in translucency
2390000 | Acute gonococcal vulvovaginitis
2391001 | Achondrogenesis
2396006 | Malignant pyoderma
2398007 | Quinidine toxicity by electrocardiogram
2403008 | Dependence syndrome
2415007 | Lumbosacral root lesion
2418009 | Polyester fume causing toxic effect
2419001 | Open wound of forehead with complication
2420007 | Third degree burn of multiple sites of upper limb
2432006 | Cerebrospinal fluid circulation disorder
2435008 | Ascaridiasis

2437000 | Placenta circumvallata
2438005 | Iniencephaly
2439002 | Purulent endocarditis
2443003 | Hydrogen sulfide poisoning
2452007 | Fetal rotation
2463005 | Acquired heterochromia of iris
2469009 | Onychomalacia
2470005 | Brain damage
2471009 | Intra-abdominal abscess postprocedure
2472002 | Passes no urine
2473007 | Intermittent vertical squint
2477008 | Superficial phlebitis
2492009 | Disorder of nutrition
2495006 | Congenital cerebral arteriovenous aneurysm
2496007 | Acalculia
2506003 | Early onset dysthymia
2513003 | Tinea capitis caused by Trichophyton
2518007 | Cryptogenic sexual precocity
2521009 | Bone conduction better than air
2523007 | Salmonella pneumonia
2526004 | Noninflammatory disorder of the female genital organs
2528003 | Viremia
2532009 | Choroidal rupture
2534005 | Congenital absence of vena cava
2538008 | Ketosis
2541004 | Compulsive buying
2554006 | Acute purulent pericarditis
2556008 | Disease of supporting structures of teeth
2560006 | Complex syndactyly of fingers
2562003 | Athanasia trifurcata poisoning
2576002 | Trachoma
2581006 | Clasp knife rigidity
2582004 | Deep third degree burn of multiple sites of lower limb
2583009 | Filigreed network of venous valves
2584003 | Cerebral degeneration in childhood
2585002 | Pneumococcal pleurisy
2589008 | Acute dacryoadenitis
2591000 | Crush injury of shoulder region
2593002 | Dubowitz syndrome
2602008 | Hemarthrosis of shoulder
2606006 | Boil of perineum
2615004 | Graafian follicle cyst
2618002 | Chronic recurrent major depressive disorder
2622007 | Infected ulcer of skin
2624008 | Prepubertal periodontitis
2625009 | Senter syndrome
2630008 | Open wound of finger without complication
2634004 | Decreased blood erythrocyte volume
2638001 | Hypercalcemia caused by a drug
2640006 | Clinical stage 4
2651006 | Closed traumatic dislocation of elbow joint
2655002 | Invalidism
2657005 | Overflow proteinuria
2663001 | Palpatory proteinuria
2665008 | Coordinate convulsion
2683000 | Nonvenomous insect bite of axilla without infection
2689001 | Dominant dystrophic epidermolysis bullosa with absence of skin
2694001 | Myelophthisic anemia
2704003 | Acute disease
2707005 | Necrotizing enterocolitis
2713001 | Closed pneumothorax
2724004 | Auditory recruitment
2725003 | Previous abnormality of glucose tolerance
2733002 | Heel pain
2736005 | Honeycomb atrophy of face
2740001 | Gouty proteinuria
2749000 | Congenital deformity of hip
2751001 | Fibrocalculous pancreatic diabetes
2761008 | Decreased stool caliber
2764000 | Joint crackle
2770006 | Fetal or neonatal effect of antibiotic transmitted via placenta and/or breast milk
2772003 | Epidermolysis bullosa acquisita

2775001 | Intra-articular loose body
2776000 | Organic brain syndrome
2781009 | Miscarriage complicated by delayed and/or excessive hemorrhage
2782002 | Temporomandibular dysplasia
2783007 | Gastrojejunal ulcer without hemorrhage AND without perforation
2786004 | Epithelial ovarian tumor, International Federation of Gynecology and Obstetrics stage III
2790002 | Impairment level: one eye: total impairment: other eye: not specified
2805007 | Phosmet poisoning
2806008 | Impaired psychomotor development
2807004 | Chronic gastrojejunal ulcer with perforation
2808009 | Infection caused by Prosthenorchis elegans
2815001 | Sexual pyromania
2816000 | Dilated cardiomyopathy secondary to myotonic dystrophy
2818004 | Congenital vascular anomaly of eye
2819007 | Magnesium sulfate poisoning
2825006 | Abrasion and/or friction burn of gum without infection
2828008 | Congenital stenosis of nares
2829000 | Uhl disease
2831009 | Pyloric antral vascular ectasia
2835000 | Hemolytic anemia due to cardiac trauma
2836004 | Butane causing toxic effect
2838003 | Piblokto
2840008 | Open fracture of vault of skull with cerebral laceration AND/OR contusion
2850009 | Infection caused by Schistosoma incognitum
2853006 | Macular keratitis
2856003 | Vitamin A-responsive dermatosis
2858002 | Postpartum sepsis
2884008 | Spherophakia-brachymorphia syndrome
2893009 | Anomaly of chromosome pair 10
2897005 | Immune thrombocytopenia
2899008 | Thought blocking
2900003 | Fibromuscular dysplasia of renal artery
2901004 | Altered blood passed per rectum
2902006 | Decreased lymphocyte life span
2904007 | Male infertility
2910007 | Discharge from penis
2912004 | Cystic-bullous disease of the lung
2917005 | Transient hypothyroidism
2918000 | Infection caused by Bacteroides
2919008 | Nausea, vomiting and diarrhea
2929001 | Arterial occlusion
2935001 | Antiasthmatic poisoning
2940009 | Intrabasal vesicular dermatitis
2946003 | Osmotic diarrhea
2951009 | Atopic cataract
2955000 | Chronic ulcerative pulpitis
2965006 | Nevoid congenital alopecia
2967003 | Non-comitant strabismus
2972007 | Occlusion of anterior spinal artery
2973002 | Pelvic organ injury without open wound into abdominal cavity
2978006 | Aneurysm of conjunctiva
2981001 | Pulsatile mass of abdomen
2989004 | Complication following molar AND/OR ectopic pregnancy
2990008 | Lymphocytic leukemoid reaction
2992000 | Pigmentary pallidal degeneration
2994004 | Brain fag
2999009 | Injury of ear region
3002002 | Thyroid hemorrhage
3004001 | Congenital dilatation of esophagus
3006004 | Altered consciousness
3009006 | Solanum malacoxylon poisoning
3013004 | Open wound of ear drum without complication
3014005 | Autoeczematization
3018008 | Penetration of eyeball with magnetic foreign body
3019000 | Closed anterior dislocation of elbow
3021005 | Normal gastric acidity
3023008 | Acute peptic ulcer without hemorrhage, without perforation AND without obstruction
3032005 | Nonvenomous insect bite of cheek without infection
3033000 | Bone AND/OR joint disorder of pelvis in mother complicating pregnancy, childbirth AND/OR puerperium
3038009 | Acute lymphangitis of umbilicus
3044008 | Vitreous prolapse
3053001 | Poisoning caused by nitroglycerin

3059002 | Acute lymphangitis of thigh
3067005 | Weak C phenotype
3071008 | Widow
3072001 | Hormone-induced hypopituitarism
3073006 | Ruvalcaba syndrome
3084004 | Nonvenomous insect bite of gum without infection
3089009 | Disability evaluation, impairment, class 7
3094009 | Vomiting in infants AND/OR children
3095005 | Induced malaria
3097002 | Superficial injury of lip with infection
3098007 | Ventricular septal rupture
3105002 | Intron
3109008 | Secondary dysthymia early onset
3110003 | AOM - Acute otitis media
3119002 | Brain stem laceration with open intracranial wound AND loss of consciousness
3129009 | Infarction of ovary
3135009 | OE - Otitis externa
3140001 | Citrullinemia, subacute type
3144005 | Staphylococcal pleurisy
3158007 | Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND panic attacks in partial remission
3160009 | Infertility of cervical origin
3163006 | Acute adenoviral follicular conjunctivitis
3168002 | Thrombophlebitis of intracranial venous sinus
3185000 | Mood-congruent delusion
3199001 | Sprain of shoulder joint
3200003 | Sacrocoxalgia
3208005 | Open wound of ossicles without complication
3214003 | Invasive pulmonary aspergillosis
3217005 | Open dislocation of sixth cervical vertebra
3218000 | Mycotic disease
3219008 | Disease type AND/OR category unknown
3228009 | Closed fracture of the radial shaft
3229001 | Tracheal ulcer
3230006 | Illegal termination of pregnancy with afibrinogenemia
3238004 | Pericarditis
3239007 | Lymphocyte disorder
3253007 | Dyschromia
3254001 | Infection caused by Strongyloides westeri
3259006 | Homeria species poisoning
3261002 | Migratory osteolysis
3263004 | Verumontanitis
3272007 | Stomatocytosis
3274008 | Flat chest
3275009 | Behcet syndrome, vascular type
3276005 | Toad poisoning
3277001 | Terminal mood insomnia
3282008 | Arc eye
3283003 | Feeling of sand or foreign body in eye
3286006 | Patient status determination, greatly improved
3289004 | Anisometropia
3291007 | Closed fracture of two ribs
3298001 | Amnestic syndrome
3303004 | Disease caused by Arenavirus
3304005 | Bronchial compression
3305006 | Disorder of lymphatic vessel
3308008 | Atrophic-hyperplastic gastritis
3310005 | Foreign body granuloma of skin
3321001 | Renal abscess
3323003 | Leukoplakia of penis
3327002 | Acquired jerk nystagmus
3331008 | Open fracture of neck of metacarpal bone
3344003 | Toxic labyrinthitis
3345002 | Idiopathic osteoporosis
3355003 | Anti-common cold drug poisoning
3358001 | Lichen ruber moniliformis
3368006 | Dull chest pain
3376008 | Pseudoptyalism
3381004 | Open fracture of astragalus
3387000 | Auditory discrimination aphasia
3391005 | Negative for tumor cells
3393008 | Phlebitis following infusion, perfusion AND/OR transfusion
3398004 | Cadmium poisoning

3401001 | Cercopithecus herpesvirus 1 disease
3415004 | Cyanosis
3419005 | Faucial diphtheria
3421000 | Open blow-out fracture orbit
3424008 | Heart rate fast
3426005 | Retained magnetic intraocular foreign body
3427001 | Nonglucosuric melituria
3434004 | Myotonia
3439009 | Severe combined immunodeficiency (SCID) due to absent peripheral T cell maturation
3441005 | Disorder of sebaceous gland
3446000 | Open fracture of T7-T12 level with spinal cord injury
3449007 | Finger agnosia
3456001 | Chronic progressive non-hereditary chorea
3458000 | Myositis ossificans associated with dermato / polymyositis
3461004 | Deep third degree burn of thumb
3464007 | Infection caused by Oesophagostomum dentatum
3468005 | Neonatal infective mastitis
3469002 | Partial thickness burn of thumb
3472009 | Spondylolisthesis, grade 4
3474005 | Glycine max poisoning
3480002 | Burn of wrist
3482005 | Postoperative esophagitis
3483000 | Chronic peptic ulcer with perforation
3487004 | Pulmonary candidiasis
3500002 | Open wound of ossicles with complication
3502005 | Cervical lymphadenitis
3503000 | Gender identity disorder of adolescence, previously asexual
3505007 | Nonallopathic lesion of the arm
3506008 | Stenosis of retinal artery
3507004 | Abscess of thigh
3511005 | Infectious thyroiditis
3514002 | Peribronchial fibrosis of lung
3519007 | Disorder of synovium
3528008 | Restricted carbohydrate fat controlled diet
3529000 | Infection caused by Sanguinicola
3530005 | Bipolar 1 disorder, single manic episode, full remission
3531009 | Intrapsychic conflict
3533007 | Acute palmoplantar pustular psoriasis
3539006 | Enteromenia
3542000 | Laceration extending into parenchyma of spleen with open wound into abdominal cavity
3544004 | Hair-splitting
3545003 | Diastolic dysfunction
3548001 | Brachial plexus disorder
3549009 | Pancreatic acinar atrophy
3558002 | Mesenteric infarction
3560000 | Bilateral recurrent inguinal hernia
3570003 | Increased blood erythrocyte volume
3571004 | Megaloblastic anemia due to pancreatic insufficiency
3577000 | Lattice retinal degeneration
3585009 | Blinking
3586005 | Psychogenic fugue
3589003 | Syphilitic pericarditis
3590007 | Enteroenteric fistula
3591006 | Metabolic acidosis, normal anion gap, bicarbonate losses
3598000 | Partial recent retinal detachment with single defect
3611003 | Demeton poisoning
3633001 | Abscess of hand
3634007 | Legal termination of pregnancy complicated by metabolic disorder
3639002 | Glossoptosis
3640000 | Late effect of traumatic amputation
3641001 | Infection caused by Coenurosis serialis
3642008 | Steryl-sulfate sulfohydrolase deficiency
3644009 | Macerated skin
3649004 | Contusion, multiple sites of trunk
3650004 | Congenital absence of liver,total
3652007 | Overproduction of growth hormone
3657001 | Osteospermum species poisoning
3660008 | Lethal glossopharyngeal defect
3662000 | Rolling hiatus hernia
3677008 | Academic problem
3680009 | Monocephalus tripus dibrachius
3681008 | Thrombophlebitis of torcular Herophili

3696007 | Functional dyspepsia
3699000 | Transverse deficiency of arm
3703002 | Ischiatic hernia with gangrene
3704008 | Diffuse endocapillary proliferative glomerulonephritis
3705009 | Congenital malformation of anterior chamber of eye
3712000 | Degenerated eye
3716002 | Thyroid goiter
3720003 | Abnormal presence of hemoglobin
3723001 | Joint inflammation
3733009 | Congenital eventration of right crus of diaphragm
3736001 | Open wound of thumbnail with tendon involvement
3738000 | VH - Viral hepatitis
3744001 | Hyperlipoproteinemia
3745000 | Sleep rhythm problem
3747008 | EC - Ejection click
3750006 | Arteriospasm
3751005 | Contusion of labium
3752003 | Infection by Trichuris
3754002 | Dysplasia of vagina
3755001 | PRP - Pityriasis rubra pilaris
3756000 | Static ataxia
3759007 | Injury of heart with open wound into thorax
3760002 | Familial multiple factor deficiency syndrome, type V
3762005 | Bilateral recurrent femoral hernia with gangrene
3763000 | Expected bereavement due to life event
3783004 | Enamel pearls
3797007 | Periodontal cyst
3798002 | Premature birth of identical twins, both stillborn
3815005 | Crohn disease of rectum
3820005 | Inner ear conductive hearing loss
3827008 | Aneurysm of artery of neck
3830001 | Subcutaneous emphysema
3841004 | Blister of cheek with infection
3845008 | Duplication of intestine
3855007 | Disorder of pancreas
3859001 | Late effect of open wound of extremities without tendon injury
3873005 | Failed attempted termination of pregnancy with acute necrosis of liver
3885002 | ABO isoimmunization in pregnancy
3886001 | Congenital fecaliths
3899003 | Neutropenic typhlitis
3900008 | Mixed sensory-motor polyneuropathy
3902000 | Non dose-related drug-induced neutropenia
3903005 | Closed traumatic pneumothorax
3908001 | Infestation caused by Haematopinus
3909009 | Coeur en sabot
3913002 | Injury of gastrointestinal tract with open wound into abdominal cavity
3914008 | Mental disorder in childhood
3928002 | Zika virus disease
3939004 | Bacterial colony density, transparent
3944006 | X-linked placental steryl-sulfatase deficiency
3947004 | High oxygen affinity hemoglobin polycythemia
3950001 | Birth
3951002 | Proctitis
3972004 | Idiopathic insomnia
3975002 | Deep third degree burn of lower limb
3978000 | AIHA - Warm autoimmune hemolytic anemia
3987009 | Congenital absence of trachea
3993001 | Infection caused by Muellerius
3999002 | Acute pyelitis without renal medullary necrosis
4003003 | Alphavirus disease
4004009 | Monster with cranial anomalies
4006006 | Foetal tachycardia affecting management of mother
4009004 | Lower urinary tract infection
4016003 | Empyema of mastoid
4017007 | Increased stratum corneum adhesiveness
4022007 | Vulvitis circumscripta plasmacellularis
4026005 | Interstitial mastitis associated with childbirth
4030008 | Le Dantec virus disease
4038001 | Myrotheciotoxicosis
4039009 | Multiple vitamin deficiency disease
4040006 | Hassall-Henle bodies
4041005 | Congenital anomaly of macula

4046000 | Degenerative spondylolisthesis
4062006 | Lumbosacral plexus lesion
4063001 | Achillodynia
4069002 | Anoxic brain damage during AND/OR resulting from a procedure
4070001 | Palinphrasia
4075006 | Peganum harmala poisoning
4082005 | Syphilitic myocarditis
4088009 | Acquired hydrocephalus
4089001 | Meningococcemia
4092002 | Nonallopathic lesion of costovertebral region
4103001 | Complex partial seizure
4106009 | Rotator cuff rupture
4107000 | Infertile male syndrome
4113009 | Arrested hydrocephalus
4120002 | Bronchiolitis
4124006 | Insect bite, nonvenomous, of vagina, infected
4127004 | Prostatic obstruction
4129001 | Argyll-Robertson pupil
4135001 | 11p partial monosomy syndrome
4136000 | Macrodactylia of toes
4142001 | Muscular asthenopia
4152002 | Acquired hypoprothrombinemia
4160001 | Congenital anomaly of upper respiratory system
4168008 | Tibial plateau chondromalacia
4170004 | Ehlers-Danlos syndrome, procollagen proteinase resistant
4174008 | Tripartite placenta
4175009 | Infestation by Estrus
4178006 | Partial recent retinal detachment with multiple defects
4181001 | Normal peak expiratory flow rate
4183003 | Charcot-Marie-Tooth disease, type IC
4184009 | Congenital malformation of the endocrine glands
4191007 | Scaphoid head
4195003 | Duplication of anus
4197006 | Disability evaluation, impairment, class 5
4199009 | 18p partial trisomy syndrome
4208000 | Closed multiple fractures of both lower limbs
4210003 | OH - Ocular hypertension
4223005 | Parkinsonism caused by drug
4224004 | Complication of infusion
4225003 | Nasal tuberculosis
4229009 | Phthisical eye
4232007 | Chronic vulvitis
4237001 | Suppurative pulpitis
4240001 | Rupture of aorta
4241002 | Listeria infection
4242009 | 18q partial monosomy syndrome
4244005 | Urticaria neonatorum
4248008 | Synovitis AND/OR tenosynovitis associated with another disease
4249000 | Poor peripheral circulation
4251001 | Internal eye sign
4260009 | Sacral spinal cord injury without bone injury
4262001 | Phlebitis of superior sagittal sinus
4264000 | Chronic pericoronitis
4269005 | Chronic gastrojejunal ulcer without hemorrhage AND without perforation
4273008 | Closed posterior dislocation of elbow
4275001 | Conjugate gaze spasm
4278004 | Superficial foreign body of axilla without major open wound but with infection
4283007 | Mirizzi syndrome
4287008 | Chordee of penis
4294006 | Isosexual precocious puberty
4300009 | Deep third degree burn of forearm
4301008 | Autoimmune state
4306003 | Cluster B personality disorder
4307007 | Pregestational diabetes mellitus AND/OR impaired glucose tolerance, modified White class F
4308002 | RSIS - Repetitive strain injury syndrome
4310000 | Third degree burn of wrist AND/OR hand
4313003 | Acardiacus anceps
4316006 | Myometritis
4320005 | Factor V deficiency
4324001 | Subacute cystitis
4325000 | 11q partial monosomy syndrome
4332009 | Subarachnoid hemorrhage following injury without open intracranial wound AND with concussion

4338008 | Arnold nerve reflex cough syndrome
4340003 | Acrodermatitis chronica atrophicans
4349002 | Open fracture of multiple sites of metacarpus
4354006 | Open dislocation of scapula
4356008 | Gingival soft tissue recession
4359001 | Early congenital syphilis
4364002 | Structure of associations
4367009 | Hoover sign
4373005 | Clubbing of nail
4374004 | TV - Congenital tricuspid valve abnormality
4381006 | Verbal paraphasia
4386001 | Bronchospasm
4390004 | Chronic lithium nephrotoxicity
4397001 | Partial congenital duodenal obstruction
4399003 | Acute hemorrhagic pancreatitis
4403007 | Exclamation point hair
4406004 | Congenital anomaly of male genital system
4409006 | Combined methylmalonic acidemia and homocystinuria due to defects in adenosylcobalamin and methylcobalamin synthesis
4410001 | Retroperitoneal hernia with obstruction
4412009 | Digital nerve injury
4414005 | Infection caused by Setaria
4416007 | Heerfordt syndrome
4418008 | Gangrenous ergotism
4426000 | Ten previous induced terminations of pregnancy
4434006 | BS - Bloom syndrome
4439001 | Axenfeld-Schurenberg syndrome
4441000 | Severe bipolar disorder with psychotic features
4445009 | TB - Urogenital tuberculosis
4448006 | Allergic headache
4451004 | Illegal termination of pregnancy with renal tubular necrosis
4461006 | Complication of administrative procedure
4463009 | Indiana-Maryland type amyloid polyneuropathy
4464003 | Rocio virus disease
4465002 | Spherophakia
4468000 | Oppenheim gait
4470009 | Blanching of skin
4473006 | Migraine with aura
4477007 | Juvenile myopathy AND lactate acidosis
4478002 | Multiple fractures of upper AND lower limbs
4481007 | Abnormal gastric secretion regulation
4483005 | Syphilitic punched out ulcer

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.351 Value Set http://hl7.org/fhir/ValueSet/duration-units

URL: https://hl7.org/fhir/R4/valueset-duration-units.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/duration-units
Version: | 4.0.1
Name: | CommonUCUMCodesForDuration
Title: | Common UCUM Codes for Duration
Definition: | Unified Code for Units of Measure (UCUM). This value set includes all UCUM codes
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.61 (for OID based terminology systems)
Copyright: | The UCUM codes, UCUM table (regardless of format), and UCUM Specification are copyright © 1999-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures (UCUM) Organization. All rights reserved.
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Duration (Quantity / Extensible)

4.4.1.351.1 Content Logical Definition

This value set includes codes from the following code systems:

http://unitsofmeasure.org

Code | Display
ms | milliseconds
s | seconds
min | minutes
h | hours
d | days
wk | weeks
mo | months
a | years

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.352 Value Set http://hl7.org/fhir/ValueSet/medicationrequest-status

URL: https://hl7.org/fhir/R4/valueset-medicationrequest-status.html
Pharmacy Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medicationrequest-status
Version: | 4.0.1
Name: | medicationrequest Status
Title: | Medicationrequest status
Definition: | MedicationRequest Status Codes
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.1320 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for medicationrequest Status

• ConceptMap: Translation source in Canonical Mapping for "Medicationrequest status"

• Resource: MedicationRequest.status (code / Required)

4.4.1.352.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/CodeSystem/medicationrequest-status

4.4.1.352.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 8 concepts

Expansion based on http://hl7.org/fhir/CodeSystem/medicationrequest-status version 4.0.1

All codes from system http://hl7.org/fhir/CodeSystem/medicationrequest-status

Code | Display | Definition | Canonical Status
active | Active | The prescription is 'actionable', but not all actions that are implied by it have occurred yet. | ~active
on-hold | On Hold | Actions implied by the prescription are to be temporarily halted, but are expected to continue later. May also be called 'suspended'. | ~suspended
cancelled | Cancelled | The prescription has been withdrawn before any administrations have occurred | ~abandoned
completed | Completed | All actions that are implied by the prescription have occurred. | ~complete

entered-in-error | Entered in Error | Some of the actions that are implied by the medication request may have occurred. For example, the medication may have been dispensed and the patient may have taken some of the medication. Clinical decision support systems should take this status into account | ~error
stopped | Stopped | Actions implied by the prescription are to be permanently halted, before all of the administrations occurred. This should not be used if the original order was entered in error | ~failed
draft | Draft | The prescription is not yet 'actionable', e.g. it is a work in progress, requires sign-off, verification or needs to be run through decision support process. | ~draft
unknown | Unknown | The authoring/source system does not know which of the status values currently applies for this observation. Note: This concept is not to be used for 'other' - one of the listed statuses is presumed to apply, but the authoring/source system does not know which. | ~unknown

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.353 Value Set http://hl7.org/fhir/ValueSet/measure-improvement-notation

URL: https://hl7.org/fhir/R4/valueset-measure-improvement-notation.html
Clinical Quality Information Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/measure-improvement-notation
Version: | 4.0.1
Name: | MeasureImprovementNotation
Title: | MeasureImprovementNotation
Definition: | Observation values that indicate what change in a measurement value or score is indicative of an improvement in the measured item or scored issue.
Committee: | Clinical Quality Information Work Group
OID: | 2.16.840.1.113883.4.642.3.1236 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for MeasureImprovementNotation
• Resource: Measure.improvementNotation (CodeableConcept / Required)
• Resource: MeasureReport.improvementNotation (CodeableConcept / Required)

4.4.1.353.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/measure-improvement-notation

4.4.1.353.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/measure-improvement-notation version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/measure-improvement-notation

Code | Display | Definition
increase | Increased score indicates improvement | Improvement is indicated as an increase in the score or measurement (e.g. Higher score indicates better quality).
decrease | Decreased score indicates improvement | Improvement is indicated as a decrease in the score or measurement (e.g. Lower score indicates better quality).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.354 Value Set http://hl7.org/fhir/ValueSet/resource-aggregation-mode

URL: https://hl7.org/fhir/R4/valueset-resource-aggregation-mode.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/resource-aggregation-mode
Version: | 4.0.1
Name: | AggregationMode
Title: | AggregationMode
Definition: | How resource references can be aggregated.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.85 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for AggregationMode
• Resource: ElementDefinition.type.aggregation (code / Required)

4.4.1.354.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/resource-aggregation-mode

4.4.1.354.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/resource-aggregation-mode version 4.0.1

All codes from system http://hl7.org/fhir/resource-aggregation-mode

Lvl | Code | Display | Definition
0 | contained | Contained | The reference is a local reference to a contained resource.
0 | referenced | Referenced | The reference to a resource that has to be resolved externally to the resource that includes the reference.
1 | bundled | Bundled | The resource the reference points to will be found in the same bundle as the resource that includes the reference.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.355 Value Set http://hl7.org/fhir/ValueSet/animal-breeds

URL: https://hl7.org/fhir/R4/valueset-animal-breeds.html
Patient Administration Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/animal-breeds
Version: | 4.0.1
Name: | AnimalBreeds
Title: | Animal breeds
Definition: | This example value set defines a set of codes that can be used to indicate breeds of species.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.422 (for OID based terminology systems)

Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Extension: http://hl7.org/fhir/StructureDefinition/patient-animal: animal (CodeableConcept / Example)

4.4.1.355.1 Content Logical Definition

This value set includes codes from the following code systems:

http://snomed.info/sct

Code	Display
684003	Pygmy goat (organism)
2124007	Rambouillet sheep (organism)
3099004	Romney marsh sheep (organism)
3566006	Southdown sheep (organism)
4574003	Shropshire sheep (organism)
4880003	Piedmontese cattle breed (organism)
5164003	Montdale sheep (organism)
5345000	Santa Gertrudis cattle breed (organism)
5438004	French alpine goat (organism)
6431001	Leicester sheep (organism)
7843000	Horned Hereford (organism)
9230001	Camarron goat (organism)
9277006	Polled Hereford (organism)
11967001	Kerry Hill sheep (organism)
13934009	Panama sheep (organism)
16015002	Anglo nubian goat (organism)
16042001	Beefmaster cattle breed (organism)
23469003	Domestic goose (organism)
24438005	Pekin duck (organism)
25660007	Barbados sheep (organism)
28336001	Brangus cattle breed (organism)
28360002	Swiss alpine goat (organism)
30089001	Toggenburg goat (organism)
32145006	Romanov sheep (organism)
39855006	Wiltshire horn sheep (organism)
41706005	Perendale sheep (organism)
44835005	Debouillet sheep (organism)
45690005	Mouflon sheep (organism)
46392004	Delaine merino sheep (organism)
48697009	Clun Forest sheep (organism)
50717006	Cheviot sheep (organism)
53360003	Oxford Down sheep (organism)
55530007	La Mancha goat (organism)
59210004	Navajo sheep (organism)
64158000	Angora goat (organism)
64591001	Karakul sheep (organism)
65187008	Black faced Highland sheep (organism)
65492002	Lincoln sheep (organism)
67414001	Cotswold sheep (organism)
67515002	Corriedale sheep (organism)
70431006	Alpine goat (organism)
72329005	Finnish landrace sheep (organism)
72648002	Suffolk sheep (organism)
73191001	American merino sheep (organism)
74745008	Rock alpine goat (organism)
79603002	Romedale sheep (organism)
82440005	Hampshire Down sheep (organism)
83842004	Hungarian goose (organism)
86920006	Horned dorset sheep breed (organism)
87962009	North County cheviot sheep (organism)
89665001	Targhee sheep (organism)
89708009	Chamoisee goat (organism)
91460002	Chinese goose (organism)
112486002	No-tail sheep (organism)
112487006	Romnelet sheep (organism)
112496006	Pilgrim goose (organism)
131607005	Mixed Breed Goat (organism)
131608000	Australian Goat breed (organism)

131609008 | Arapawa Island goat breed (organism)
131610003 | Maltese goat breed (organism)
131611004 | Provençale goat breed (organism)
131612006 | Negra Serrana goat breed (organism)
131613001 | Orobica goat breed (organism)
131614007 | Roya-Vesubie goat breed (organism)
131615008 | Retinta Extremena goat breed (organism)
131616009 | Appenzell goat breed (organism)
131617000 | American Cashmere goat breed (organism)
131618005 | Altai Mountain goat breed (organism)
131619002 | Pyrenean goat breed (organism)
131620008 | Bagot goat breed (organism)
131621007 | Russian White goat breed (organism)
131622000 | Moxotó goat breed (organism)
131623005 | Myotonic goat breed (organism)
131624004 | Nachi goat breed (organism)
131625003 | Nigerian Dwarf goat breed (organism)
131626002 | Sarda goat breed (organism)
131627006 | Serpentina goat breed (organism)
131628001 | Serrana goat breed (organism)
131629009 | Verata goat breed (organism)
131630004 | Verzasca black goat breed (organism)
131631000 | Norwegian goat breed (organism)
131632007 | Oberhasli goat breed (organism)
131633002 | Peacock Goat breed (organism)
131634008 | Philippine goat breed (organism)
131635009 | Loashan goat breed (organism)
131636005 | San Clemente goat breed (organism)
131637001 | Somali goat breed (organism)
131638006 | Spanish goat breed (organism)
131639003 | Rove goat breed (organism)
131640001 | SRD goat breed (organism)
131641002 | Swedish Landrace goat breed (organism)
131642009 | Thuringian goat breed (organism)
131643004 | Uzbek Black goat breed (organism)
131644005 | Zhongwei goat breed (organism)
131645006 | Barbari goat breed (organism)
131646007 | Poitou goat breed (organism)
131647003 | Repartida goat breed (organism)
131648008 | Booted Goat breed (organism)
131649000 | Corsican goat breed (organism)
131650000 | Chapar goat breed (organism)
131651001 | Canindé goat breed (organism)
131652008 | Canary Island goat breed (organism)
131653003 | Daera Din Panah goat breed (organism)
131654009 | British Alpine goat breed (organism)
131655005 | Bhuj goat breed (organism)
131656006 | Boer goat breed (organism)
131657002 | Benadir goat breed (organism)
131658007 | Créole Antilles goat breed (organism)
131659004 | Beetal goat breed (organism)
131660009 | Golden Guernsey goat breed (organism)
131661008 | Danish Landrace goat breed (organism)
131662001 | Kaghani goat breed (organism)
131663006 | Irish Goat breed (organism)
131664000 | Grisons Striped goat breed (organism)
131665004 | Jining Gray goat breed (organism)
131666003 | Finnish Landrace goat breed (organism)
131667007 | Erzgebirg goat breed (organism)
131668002 | Kamori goat breed (organism)
131669005 | Don goat breed (organism)
131670006 | Kiko goat breed (organism)
131671005 | Kinder goat breed (organism)
131672003 | Pygora goat breed (organism)
131673008 | Wooden Leg goat breed (organism)
131674002 | Alpine Chamoisee goat breed (organism)
131675001 | Massif Central goat breed (organism)
131676000 | Malagueña goat breed (organism)
131677009 | Algarvia goat breed (organism)
131678004 | British Saanen goat breed (organism)
131679007 | British Toggenburg goat breed (organism)
131680005 | Bündner goat breed (organism)

131681009 | Blanca Andaluza goat breed (organism)
131682002 | Blanca Celtiberica goat breed (organism)
131683007 | Bravia goat breed (organism)
131684001 | Black Grisonne goat breed (organism)
131685000 | Chamois of the Alps goat breed (organism)
131686004 | Charnequeria goat breed (organism)
131687008 | Carpathe goat breed (organism)
131688003 | Col Noir du Valais goat breed (organism)
131689006 | Damani goat breed (organism)
131690002 | Des Fosses (Communes de l'Ouest) goat breed (organism)
131691003 | English goat breed (organism)
131692005 | English Guernsey goat breed (organism)
131693000 | German colored goat breed (organism)
131694006 | Guadarrama goat breed (organism)
131695007 | Garganica goat breed (organism)
131696008 | Girgentana goat breed (organism)
131697004 | Jonica goat breed (organism)
131698009 | Murciana-Granadina goat breed (organism)
131699001 | Bündner Oberland sheep breed (organism)
131700000 | British Milk Sheep breed (organism)
131701001 | Brillenschaf sheep breed (organism)
131702008 | Brecknock Hill Cheviot sheep breed (organism)
131703003 | Cholistani sheep breed (organism)
131704009 | Bibrik sheep breed (organism)
131705005 | Columbia sheep breed (organism)
131706006 | Black Welsh Mountain Sheep breed (organism)
131707002 | Blackhead Persian sheep breed (organism)
131708007 | Bleu du Maine sheep breed (organism)
131709004 | Bluefaced Leicester sheep breed (organism)
131710009 | Bond sheep breed (organism)
131711008 | Border Leicester sheep breed (organism)
131712001 | Boreray sheep breed (organism)
131713006 | Bovska sheep breed (organism)
131714000 | Braunes Bergschaf sheep breed (organism)
131715004 | Brazilian Somali sheep breed (organism)
131716003 | Beulah Speckled-Face sheep breed (organism)
131717007 | Dartmoor sheep breed (organism)
131718002 | Fabrianese sheep breed (organism)
131719005 | Exmoor Horn sheep breed (organism)
131720004 | Elliottdale sheep breed (organism)
131721000 | Drysdale sheep breed (organism)
131722007 | Dorset Down sheep breed (organism)
131723002 | German Blackheaded Mutton sheep breed (organism)
131724008 | Kooka sheep breed (organism)
131725009 | Friesian Milk Sheep breed (organism)
131726005 | Gansu Alpine Fine-wool sheep breed (organism)
131727001 | German Whiteheaded Mutton sheep breed (organism)
131728006 | Graue Gehoernte Heidschnucke sheep breed (organism)
131729003 | Han sheep breed (organism)
131730008 | Gromark sheep breed (organism)
131731007 | Gulf Coast Native sheep breed (organism)
131732000 | Dorper sheep breed (organism)
131733005 | Devon Closewool sheep breed (organism)
131734004 | Deutsches Blaukoepfiges Fleischschaf sheep breed (organism)
131735003 | Derbyshire Gritstone sheep breed (organism)
131736002 | Coburger Fuchsschaf sheep breed (organism)
131737006 | Danish Landrace sheep breed (organism)
131738001 | Gute sheep breed (organism)
131739009 | Hampshire sheep breed (organism)
131740006 | Gentile di Puglia sheep breed (organism)
131741005 | German Mountain sheep breed (organism)
131742003 | Luzein sheep breed (organism)
131743008 | Katahdin sheep breed (organism)
131744002 | Leineschaf sheep breed (organism)
131745001 | Lincoln Longwool sheep breed (organism)
131746000 | Llanwenog sheep breed (organism)
131747009 | Lleyn sheep breed (organism)
131748004 | Damara sheep breed (organism)
131749007 | Damani sheep breed (organism)
131750007 | Dalesbred sheep breed (organism)
131751006 | Dala sheep breed (organism)
131752004 | Criollo sheep breed (organism)

131753009 | Cormo sheep breed (organism)
131754003 | Lati sheep breed (organism)
131755002 | Lonk sheep breed (organism)
131756001 | Langhe sheep breed (organism)
131757005 | Manx Loaghtan sheep breed (organism)
131758000 | Masai sheep breed (organism)
131759008 | Merinolandschaf sheep breed (organism)
131760003 | Lohi sheep breed (organism)
131761004 | Ile-de-France sheep breed (organism)
131762006 | Hasht Nagri sheep breed (organism)
131763001 | Hazaragie sheep breed (organism)
131764007 | Coopworth sheep breed (organism)
131765008 | Comisana sheep breed (organism)
131766009 | Comeback sheep breed (organism)
131767000 | Sicilian Barbary sheep breed (organism)
131768005 | Africana sheep breed (organism)
131769002 | Welsh Mountain Badger Faced sheep breed (organism)
131770001 | Hebridean sheep breed (organism)
131771002 | Heidschnucke sheep breed (organism)
131772009 | Herdwick sheep breed (organism)
131773004 | Hill Radnor sheep breed (organism)
131774005 | Icelandic sheep breed (organism)
131775006 | Harnai sheep breed (organism)
131776007 | Istrian Pramenka sheep breed (organism)
131777003 | Jacob sheep breed (organism)
131778008 | Jezerskosolcavska sheep breed (organism)
131779000 | Kachhi sheep breed (organism)
131780002 | Wensleydale sheep breed (organism)
131781003 | West African Dwarf sheep breed (organism)
131782005 | White Suffolk sheep breed (organism)
131783000 | Whiteface Dartmoor sheep breed (organism)
131784006 | Whiteface Woodland sheep breed (organism)
131785007 | Xinjiang Finewool sheep breed (organism)
131786008 | Kajli sheep breed (organism)
131787004 | Hog Island Sheep breed (organism)
131788009 | Biellese sheep breed (organism)
131789001 | Chios sheep breed (organism)
131790005 | Santa Cruz sheep breed (organism)
131791009 | Charollais sheep breed (organism)
131792002 | Castlemilk Moorit sheep breed (organism)
131793007 | Campanian Barbary sheep breed (organism)
131794001 | California Variegated Mutant sheep breed (organism)
131795000 | California Red sheep breed (organism)
131796004 | Sopravissana sheep breed (organism)
131797008 | Somali sheep breed (organism)
131798003 | Welsh Hill Speckled Face sheep breed (organism)
131799006 | Skudde sheep breed (organism)
131800005 | Waziri sheep breed (organism)
131801009 | Shetland sheep breed (organism)
131802002 | Cambridge sheep breed (organism)
131803007 | Solognote sheep breed (organism)
131810001 | Cayuga breed duck (organism)
131811002 | Runner breed duck (organism)
131812009 | Call breed duck (organism)
131813004 | Orpington breed duck (organism)
131814005 | Crested breed duck (organism)
131815006 | Pommeranian breed duck (organism)
131816007 | Rough Fell sheep breed (organism)
131817003 | Blue Swedish breed duck (organism)
131818008 | Golden 300 hybrid breed duck (organism)
131820006 | Ancona breed duck (organism)
131821005 | Australian Spotted breed duck (organism)
131822003 | Swaledale sheep breed (organism)
131823008 | Polypay sheep breed (organism)
131824002 | Aylesbury breed duck (organism)
131825001 | Black East Indies breed duck (organism)
131826000 | Coast breed duck (organism)
131827009 | Kromsnaveleend breed duck (organism)
131829007 | Silver appleyard breed duck (organism)
131830002 | Pagliarola sheep breed (organism)
131831003 | Pomeranian Coarsewool sheep breed (organism)
131832005 | Sheep, Breed Undetermined sheep breed (organism)

131833000 | Orkney sheep breed (organism)
131834006 | Old Norwegian sheep breed (organism)
131835007 | Old Format Sheep breed (organism)
131836008 | Norwegian Fur sheep breed (organism)
131837004 | Norfolk Horn sheep breed (organism)
131838009 | Navajo-Churro sheep breed (organism)
131839001 | Swedish yellow breed duck (organism)
131840004 | Diepholz goose breed (organism)
131841000 | African goose breed (organism)
131843002 | Embden goose breed (organism)
131844008 | Chinese white goose breed (organism)
131845009 | Chinese brown goose breed (organism)
131847001 | American buff goose breed (organism)
131848006 | Pomeranian goose breed (organism)
131849003 | Roman goose breed (organism)
131850003 | Scania goose breed (organism)
131851004 | Racka sheep breed (organism)
131852006 | Rasa Aragonesa sheep breed (organism)
131853001 | Red Engadine sheep breed (organism)
131854007 | Rhoenschaf sheep breed (organism)
131855008 | Sebastopol goose breed (organism)
131856009 | Swedish Island goose breed (organism)
131914009 | Vendéen sheep breed (organism)
131918007 | Saxony breed duck (organism)
132681007 | Bergamasca sheep breed (organism)
132682000 | Portland sheep breed (organism)
132684004 | Weisse Hornlose Heidschnucke sheep breed (organism)
132685003 | Drents Heideschaap sheep breed (organism)
132686002 | Kameroen sheep breed (organism)
132687006 | Mergelland sheep breed (organism)
132688001 | Ouessant sheep breed (organism)
132689009 | Canadian Arcott sheep breed (organism)
132690000 | Noordhollander sheep breed (organism)
132697002 | Rijnlam-A sheep breed (organism)
132698007 | Schoonebeker sheep breed (organism)
132699004 | Wallis Blacknosed Sheep breed (organism)
132700003 | Khaki Campbell breed duck (organism)
132701004 | Newfoundland sheep breed (organism)
132702006 | Wallis Country Sheep breed (organism)
132703001 | Rideau Arcott sheep breed (organism)
132704007 | Tukidale sheep breed (organism)
132705008 | Polwarth sheep breed (organism)
132706009 | Ryeland sheep breed (organism)
132707000 | Thalli sheep breed (organism)
132708005 | Tong sheep breed (organism)
132709002 | Touabire sheep breed (organism)
132710007 | Tunis sheep breed (organism)
132711006 | Tyrol Mountain sheep breed (organism)
132712004 | Uda sheep breed (organism)
132716001 | German Mutton Merino sheep breed (organism)
132717005 | Medium-Wool Merino sheep breed (organism)
132718000 | Fonthill Merino sheep breed (organism)
132719008 | South African Mutton Merino sheep breed (organism)
132720002 | Strong Wool Merino sheep breed (organism)
132721003 | Poll Merino sheep breed (organism)
132722005 | Fine Merino sheep breed (organism)
132723000 | South African Merino sheep breed (organism)
132724006 | Superfine Merino sheep breed (organism)
132735001 | Booroola Merino sheep breed (organism)
132770004 | Miniature Hereford cattle breed (organism)
132783003 | Sar Planina sheep breed (organism)
132784009 | Santa Inês sheep breed (organism)
132785005 | Sahel-type sheep breed (organism)
132786006 | Rygja sheep breed (organism)
132787002 | Rya sheep breed (organism)
132788007 | Moghani sheep breed (organism)
132789004 | Rouge de l'Quest sheep breed (organism)
132790008 | Soay sheep breed (organism)
132791007 | South Suffolk sheep breed (organism)
132792000 | South Wales Mountain sheep breed (organism)
132793005 | Spælsau sheep breed (organism)
132794004 | Spiegel sheep breed (organism)

132795003 | St. Croix sheep breed (organism)
132796002 | Steigar sheep breed (organism)
132797006 | Steinschaf sheep breed (organism)
132798001 | Welsh Mountain sheep breed (organism)
132799009 | Swedish Fur Sheep breed (organism)
132800008 | Teeswater sheep breed (organism)
132801007 | Texel sheep breed (organism)
132802000 | Pelibüey sheep breed (organism)
132803005 | Morada Nova sheep breed (organism)
132804004 | Balkhi sheep breed (organism)
132805003 | Bavarian Forest sheep breed (organism)
132806002 | Barbados Blackbelly sheep breed (organism)
132807006 | Romney sheep breed (organism)
132808001 | Awassi sheep breed (organism)
132809009 | Arapawa Island sheep breed (organism)
132810004 | Arabi sheep breed (organism)
132811000 | Apennine sheep breed (organism)
132812007 | American Tunis sheep breed (organism)
132813002 | Balwen Welsh Mountain sheep breed (organism)
132814008 | Priangan sheep breed (organism)
132815009 | Rabo Largo sheep breed (organism)
132845007 | Altay sheep breed (organism)
132846008 | Faeroes sheep breed (organism)
132849001 | Pitt Island sheep breed (organism)
132851002 | Pinzirita sheep breed (organism)
132852009 | Sardinian sheep breed (organism)
132853004 | East Friesian sheep breed (organism)
132854005 | Ujumqin sheep breed (organism)
132855006 | DLS sheep breed (organism)
132856007 | Walachenschaf sheep breed (organism)
132857003 | Outaouais Arcott sheep breed (organism)
132858008 | Ossimi sheep breed (organism)
132859000 | Bentheimer Landschaf sheep breed (organism)
132860005 | Barbado sheep breed (organism)
132861009 | Baluchi sheep breed (organism)
132958007 | Poitou Donkey breed (organism)
132959004 | Mammoth Jack Stock Donkey breed (organism)
132987008 | Large standard donkey (organism)
132988003 | Standard donkey (organism)
132989006 | Miniature donkey (organism)
132990002 | Garrano tarpan horse X domestic horse breed (organism)
132991003 | Konink tarpan horse X domestic horse breed (organism)
132992005 | Asturian tarpan horse X domestic horse breed (organism)
132993000 | Pottok tarpan horse X domestic horse breed (organism)
133702003 | Gayal cattle breed (organism)
133703008 | American bison X cattle breed (organism)
133704002 | Australian Braford cattle breed (organism)
133715007 | Australian Friesian Sahiwal cattle breed (organism)
133716008 | Braford cattle breed (organism)
133717004 | Brahmousin cattle breed (organism)
133718009 | Canchim cattle breed (organism)
133719001 | Charbray cattle breed (organism)
133720007 | Droughtmaster cattle breed (organism)
133731004 | Gelbray cattle breed (organism)
133732006 | Jamaica Black cattle breed (organism)
133733001 | Jamaica Hope cattle breed (organism)
133734007 | Jamaica Red cattle breed (organism)
133735008 | Karan Fries cattle breed (organism)
133736009 | Karan Swiss cattle breed (organism)
133747002 | Mandalong cattle breed (organism)
133748007 | Australian Milking Zebu cattle breed (organism)
133749004 | Red Brangus cattle breed (organism)
133750004 | Santa Cruz cattle breed (organism)
133751000 | Siboney cattle breed (organism)
133752007 | Bambara cattle breed (organism)
133763005 | Bambey cattle breed (organism)
133764004 | Batanes Black cattle breed (organism)
133765003 | Borgou cattle breed (organism)
133766002 | Brahorn cattle breed (organism)
133767006 | Bralers cattle breed (organism)
133768001 | Bra-Maine cattle breed (organism)
133779006 | Bra-Swiss cattle breed (organism)

133780009 | Bravon cattle breed (organism)
133781008 | Brazilian Dairy hybrid cattle (organism)
133782001 | Burmese cattle breed (organism)
133783006 | Bushuev cattle breed (organism)
133784000 | Caiua cattle breed (organism)
133795006 | Carazebu cattle breed (organism)
133796007 | Central Asian Zebu cattle breed (organism)
133797003 | Charford cattle breed (organism)
133798008 | Cuban Criollo cattle breed (organism)
133799000 | Cuban Zebu cattle breed (organism)
133800001 | Dishty cattle breed (organism)
133801002 | Djakore cattle breed (organism)
133802009 | Gambian N'Dama cattle breed (organism)
133803004 | Ghana Sanga cattle breed (organism)
133804005 | Girolando cattle breed (organism)
133805006 | Guzerando cattle breed (organism)
133806007 | Hatton cattle breed (organism)
133807003 | Ibage cattle breed (organism)
133808008 | Iraqi cattle breed (organism)
133809000 | Jerdi cattle breed (organism)
133810005 | Jersind cattle breed (organism)
133811009 | Jotko cattle breed (organism)
133812002 | Kanem cattle breed (organism)
133813007 | Keteku cattle breed (organism)
133814001 | Lavinia cattle breed (organism)
133815000 | Local Indian Dairy cattle breed (organism)
133816004 | Mantiqueira cattle breed (organism)
133817008 | Ndagu cattle breed (organism)
133818003 | Normanzu cattle breed (organism)
133819006 | Nuba Mountain cattle breed (organism)
133820000 | Pabna cattle breed (organism)
133821001 | Mixed Perijanero cattle breed (organism)
133822008 | Pitangueiras cattle breed (organism)
133823003 | Quasah cattle breed (organism)
133824009 | Rana cattle (organism)
133825005 | Ranger cattle (organism)
133826006 | Renitelo cattle breed (organism)
133827002 | Riopardenze cattle breed (organism)
133828007 | Rustaqi cattle breed (organism)
133829004 | Sabre cattle breed (organism)
133830009 | Sahford cattle breed (organism)
133831008 | Schwyz-Zeboid cattle breed (organism)
133832001 | Suia cattle breed (organism)
133833006 | Suisbu cattle breed (organism)
133834000 | Sunandini cattle breed (organism)
133835004 | Taino cattle breed (organism)
133836003 | Thibar cattle breed (organism)
133837007 | Toubou cattle breed (organism)
133838002 | Tropical cattle breed (organism)
133839005 | TSSH-1 cattle breed (organism)
133840007 | Victoria cattle breed (organism)
133841006 | Wokalup cattle breed (organism)
133842004 | Madura cattle breed (organism)
406660008 | Galway sheep breed (organism)
406722006 | Mixed breed sheep (organism)
409911001 | Moulard duck breed (organism)
125097000 | Capra hircus (organism)
125099002 | Ovis aries (organism)
25327001 | Dorset sheep superbreed (organism)
125101009 | Merino sheep superbreed (organism)
21208000 | Saanen goat (organism)
424705003 | Bison bison X Simmental hybrid cattle breed (organism)
427136006 | Saddlebred horse superbreed (organism)
35354009 | Equus caballus (organism)
125086000 | Equus caballus gmelini X Equus caballus caballus (organism)
133068005 | Abtenauer horse breed (organism)
133069002 | Adaev horse breed (organism)
133070001 | Albanian horse breed (organism)
133071002 | Alter Real horse breed (organism)
133120002 | Altai horse breed (organism)
133121003 | Akhal-Teke horse breed (organism)
133122005 | Abyssinian horse breed (organism)

1247002 | Clydesdale horse (organism)
7623008 | American paint horse (organism)
22720009 | Belgian horse (organism)
26837006 | American cream horse (organism)
26973000 | American trotter horse (organism)
41092008 | Cleveland bay horse (organism)
45790002 | American Albino horse (organism)
46408008 | American pony (organism)
47842004 | Canadian horse (organism)
54098002 | Arabian horse (organism)
54699009 | American miniature horse (organism)
55167009 | Appaloosa horse (organism)
72394007 | American tunis horse (organism)
80777007 | Andalusian horse (organism)
90050009 | American Buckskin horse (organism)
131862004 | AraAppaloosa horse breed (organism)
131863009 | Argentine Criollo horse breed (organism)
131864003 | Argentine Polo Pony horse breed (organism)
131865002 | Australian Pony horse breed (organism)
131866001 | Auxois horse breed (organism)
131867005 | Avelignese horse breed (organism)
131868000 | Azerbaijan horse breed (organism)
131869008 | Azores horse breed (organism)
131870009 | Bali horse breed (organism)
131871008 | Balikun horse breed (organism)
131873006 | Banker Horse horse breed (organism)
131874000 | Bardigiano horse breed (organism)
131875004 | Batak horse breed (organism)
131877007 | Belgian Ardennais horse breed (organism)
131878002 | Belgian Halfblood horse breed (organism)
131880008 | Bhutia horse breed (organism)
131881007 | Black Sea Horse horse breed (organism)
131882000 | Bosnian horse breed (organism)
131883005 | Boulonnais horse breed (organism)
131884004 | Brandenburg horse breed (organism)
131885003 | Brazilian Sport Horse horse breed (organism)
131886002 | British Appaloosa horse breed (organism)
131887006 | British Riding Pony horse breed (organism)
131888001 | British Spotted Pony horse breed (organism)
131889009 | Buohai horse breed (organism)
131890000 | Buryat horse breed (organism)
131891001 | Calabrian horse breed (organism)
131892008 | Camargue horse breed (organism)
131893003 | Canadian Cutting Horse horse breed (organism)
131894009 | Canadian Rustic Pony horse breed (organism)
131895005 | Canadian Sport Horse horse breed (organism)
131896006 | Canik horse breed (organism)
131897002 | Cape Horse horse breed (organism)
131898007 | Cerbat horse breed (organism)
131899004 | Chakouyi horse breed (organism)
131900009 | Chara Horse horse breed (organism)
131901008 | Chickasaw horse breed (organism)
131902001 | Chilote horse breed (organism)
131903006 | Chinese Kazakh horse breed (organism)
131904000 | Chinese Mongolian horse breed (organism)
131905004 | Chumbivilcas horse breed (organism)
131906003 | Chumysh horse breed (organism)
131907007 | Cirit horse breed (organism)
132731005 | Baden Wurttemburg horse breed (organism)
132951001 | American Indian Horse horse breed (organism)
132952008 | American Mustang horse breed (organism)
132953003 | American Quarter Horse horse breed (organism)
132954009 | American Shetland pony horse breed (organism)
132955005 | Anadolu horse breed (organism)
132956006 | Andean horse breed (organism)
132957002 | Anglo-Kabarda horse breed (organism)
133044002 | Anglo-Arab horse breed (organism)
133072009 | American Bashkir Curly horse breed (organism)
133101004 | Chincoteague Pony horse breed (organism)
133116001 | Ardennes horse breed (organism)
133117005 | American Walking Pony horse breed (organism)
133118000 | Azteca horse breed (organism)

133119008 | American Cream Draft horse breed (organism)
133123000 | Bhirum Pony horse breed (organism)
133124006 | Cheju horse breed (organism)
133125007 | Cayuse horse breed (organism)
133126008 | Caspian horse breed (organism)
133127004 | Carthusian horse breed (organism)
133128009 | Campolina horse breed (organism)
133129001 | Byelorussian Harness horse breed (organism)
133130006 | Budyonny horse breed (organism)
133131005 | Australian Brumby horse breed (organism)
133132003 | Australian Stock Horse horse breed (organism)
133133008 | Basuto Pony horse breed (organism)
133134002 | Bashkir Curly horse breed (organism)
133135001 | Bashkir horse breed (organism)
133136000 | Barb horse breed (organism)
133137009 | Ban-ei horse breed (organism)
133138004 | Carpathian Pony horse breed (organism)
133139007 | Baluchi horse breed (organism)
133140009 | Balearic horse breed (organism)
133141008 | Chilean Corralero horse breed (organism)
133142001 | Breton horse breed (organism)
406711007 | Brabant horse (organism)
6220006 | Galiceno horse (organism)
19356005 | Hunter horse (organism)
25813002 | Holsteiner horse (organism)
41754002 | Lipizzaner horse (organism)
54447000 | Haflinger horse (organism)
66168008 | Hanoverian horse (organism)
70457009 | Icelandic horse (organism)
89648005 | Fjord horse (organism)
112488001 | Hackney horse (organism)
125084002 | Equus caballus gmelini (organism)
131804001 | Colombian Criollo horse breed (organism)
131805000 | Comtois horse breed (organism)
131806004 | Corsican horse breed (organism)
131807008 | Costa Rican Saddle Horse horse breed (organism)
131808003 | Costeno horse breed (organism)
131809006 | Cuban Paso horse breed (organism)
131861006 | Hucul horse breed (organism)
131908002 | Irish Draft horse breed (organism)
131909005 | Irish Hunter horse breed (organism)
131910000 | Cuban Trotter horse breed (organism)
131911001 | Italian Heavy Draft horse breed (organism)
131912008 | Jabe horse breed (organism)
131913003 | Java horse breed (organism)
131916006 | Jinhong horse breed (organism)
131917002 | Jinzhou horse breed (organism)
131919004 | Danubian horse breed (organism)
131920005 | Karachai horse breed (organism)
131921009 | Karakacan horse breed (organism)
131922002 | Kathiawari horse breed (organism)
131923007 | Ke-Er-Qin horse breed (organism)
131924001 | Kirgiz horse breed (organism)
131925000 | Kuznet horse breed (organism)
131926004 | Landais horse breed (organism)
131927008 | Lewitzer horse breed (organism)
131928003 | Lichuan horse breed (organism)
131929006 | Lijiang horse breed (organism)
131930001 | Llanero horse breed (organism)
131931002 | Lombok horse breed (organism)
131932009 | Lundy Pony horse breed (organism)
131933004 | Malakan horse breed (organism)
131934005 | Malopolski horse breed (organism)
131935006 | Datong horse breed (organism)
131936007 | Mangalarga Paulista horse breed (organism)
131937003 | Dulmen Pony horse breed (organism)
131947000 | Dutch Tuigpaard horse breed (organism)
131948005 | East and Southeast Anadolu horse breed (organism)
131964002 | English Hack horse breed (organism)
131972000 | German Riding Pony horse breed (organism)
131973005 | Guanzhong horse breed (organism)
131974004 | Guizhou horse breed (organism)

131975003 | Guoxia horse breed (organism)
131976002 | Erlunchun horse breed (organism)
131977006 | Half Saddlebred horse breed (organism)
131978001 | Flores horse breed (organism)
131979009 | Freiberg horse breed (organism)
131980007 | Hessen horse breed (organism)
131981006 | Hinis horse breed (organism)
131982004 | Hirzai horse breed (organism)
131983009 | Hungarian Coldblood horse breed (organism)
131984003 | Hungarian Dun horse breed (organism)
131985002 | Hungarian Sport Horse horse breed (organism)
131986001 | International Striped Horse horse breed (organism)
131987005 | Irish Cob horse breed (organism)
131990004 | French Cob horse breed (organism)
131991000 | French Saddle pony horse breed (organism)
131993002 | Finnhorse Draft horse breed (organism)
132733008 | Israeli horse breed (organism)
132734002 | French Ardennais horse breed (organism)
132736000 | Cukurova horse breed (organism)
132737009 | Czech Coldblood horse breed (organism)
132738004 | Czechoslovakian Small Riding Horse horse breed (organism)
132739007 | Jianchang horse breed (organism)
132740009 | Jielin horse breed (organism)
132742001 | Eleia horse breed (organism)
132743006 | English Cob horse breed (organism)
132746003 | English Hunter horse breed (organism)
132747007 | Eriskay Pony horse breed (organism)
132748002 | Hackney Pony horse breed (organism)
132749005 | Estonian Draft horse breed (organism)
132750005 | Heihe horse breed (organism)
132751009 | Heilongkaing horse breed (organism)
132757008 | Danish Sport Pony horse breed (organism)
132758003 | Kabarda horse breed (organism)
132759006 | Kalmyk horse breed (organism)
132760001 | Mangalarga Marchador horse breed (organism)
132761002 | Don horse breed (organism)
132765006 | East Bulgarian horse breed (organism)
132766007 | East Friesian (Old Type) horse breed (organism)
132774008 | French Trotter horse breed (organism)
132775009 | Furioso horse breed (organism)
132779003 | Danish Oldenborg horse breed (organism)
132996008 | Fell Pony horse breed (organism)
133016003 | Dutch Draft horse breed (organism)
133017007 | Egyptian horse breed (organism)
133018002 | Estonian Native horse breed (organism)
133019005 | Exmoor Pony horse breed (organism)
133020004 | Faeroes Island Horse horse breed (organism)
133021000 | Falabella horse breed (organism)
133023002 | Dongola horse breed (organism)
133024008 | Døle horse breed (organism)
133025009 | Djerma horse breed (organism)
133026005 | Deliboz horse breed (organism)
133027001 | Dartmoor Pony horse breed (organism)
133028006 | Crioulo horse breed (organism)
133029003 | Finnhorse horse breed (organism)
133034004 | M'Bayar horse breed (organism)
133035003 | Lusitano horse breed (organism)
133043008 | Kisber Felver horse breed (organism)
133047009 | Iomud horse breed (organism)
133048004 | Jutland horse breed (organism)
133049007 | Karabair horse breed (organism)
133050007 | Karabakh horse breed (organism)
133051006 | Kazakh horse breed (organism)
133052004 | Mangalarga horse breed (organism)
133053009 | Kirdi Pony horse breed (organism)
133054003 | Kiso horse breed (organism)
133055002 | Kladruby horse breed (organism)
133056001 | Knabstrup horse breed (organism)
133057005 | Kushum horse breed (organism)
133058000 | Kustanai horse breed (organism)
133059008 | Latvian horse breed (organism)
133060003 | Lithuanian Heavy Draft horse breed (organism)

133061004 | Lokai horse breed (organism)
133062006 | Kiger Mustang horse breed (organism)
133095000 | Criollo horse breed (organism)
133096004 | Hequ horse breed (organism)
133097008 | Connemara Pony horse breed (organism)
133098003 | Colorado Ranger horse breed (organism)
133099006 | Dales Pony horse breed (organism)
133100003 | Gotland horse breed (organism)
133102006 | Hokkaido horse breed (organism)
133103001 | Highland Pony horse breed (organism)
133104007 | Groningen horse breed (organism)
133105008 | Cuban Pinto horse breed (organism)
133106009 | Fleuve horse breed (organism)
133108005 | Gidran horse breed (organism)
133109002 | Gelderland horse breed (organism)
133110007 | Galician Pony horse breed (organism)
133111006 | Friesian horse breed (organism)
133112004 | Frederiksborg horse breed (organism)
133113009 | Fouta horse breed (organism)
133114003 | Florida Cracker horse breed (organism)
133115002 | Guangxi horse breed (organism)
406714004 | Gypsy Vanner horse (organism)
1006005 | Percheron horse (organism)
4288003 | Thoroughbred horse (organism)
4960000 | Peruvian Paso horse (organism)
12360007 | Missouri fox trotting horse (organism)
13487004 | Shire horse (organism)
21295007 | Morgan horse (organism)
26699009 | New Forest pony (organism)
34200004 | Standardbred horse (organism)
39532001 | Norman coach horse (organism)
41738000 | Palomino horse (organism)
51023000 | Tennessee walking horse (organism)
53567001 | Suffolk horse (organism)
56086005 | Paso Fino horse (organism)
58264006 | Pinto (organism)
69067004 | Shetland pony (organism)
76302002 | Spanish mustang horse (organism)
76467006 | Quarter horse (organism)
131938008 | Maremmana horse breed (organism)
131939000 | Marwari horse breed (organism)
131940003 | Megezh horse breed (organism)
131941004 | Megrel horse breed (organism)
131942006 | Merens horse breed (organism)
131943001 | Messara horse breed (organism)
131944007 | Sumba horse breed (organism)
131945008 | Sumbawa horse breed (organism)
131946009 | Swedish Ardennes horse breed (organism)
131949002 | Thai Pony horse breed (organism)
131950002 | Thessalonian horse breed (organism)
131951003 | Tibetan horse breed (organism)
131952005 | Tieling horse breed (organism)
131988000 | Mezen horse breed (organism)
131989008 | Mezohegyes Sport Horse horse breed (organism)
131992007 | Murakoz horse breed (organism)
131994008 | Mecklenburg horse breed (organism)
132762009 | Manipuri horse breed (organism)
132764005 | Tavda horse breed (organism)
132772007 | Minusin horse breed (organism)
132773002 | Morochuco horse breed (organism)
132776005 | Murghese horse breed (organism)
132777001 | Mytilene horse breed (organism)
132778006 | Namib Desert Horse horse breed (organism)
132960009 | Narym horse breed (organism)
132961008 | National Spotted Saddle Horse horse breed (organism)
132962001 | Nigerian horse breed (organism)
132963006 | North Swedish Trotter horse breed (organism)
132964000 | Oriental Horse horse breed (organism)
132965004 | Rhineland Heavy Draft horse breed (organism)
132966003 | Romanian Saddle Horse horse breed (organism)
132967007 | Rottal horse breed (organism)
132968002 | Royal Canadian Mounted Police Horse horse breed (organism)

132969005 | Russian Saddle Horse horse breed (organism)
132970006 | Sable Island Horse horse breed (organism)
132971005 | Panje horse breed (organism)
132972003 | Patibarcina horse breed (organism)
132973008 | Pechora horse breed (organism)
132974002 | Peneia horse breed (organism)
132975001 | Periangan horse breed (organism)
132976000 | Persian Arab horse breed (organism)
132977009 | Petiso Argentino horse breed (organism)
132978004 | Polish Draft horse breed (organism)
132979007 | Priob horse breed (organism)
132980005 | Rahvan horse breed (organism)
132981009 | Salerno horse breed (organism)
132982002 | Sandalwood horse breed (organism)
132983007 | Sandan horse breed (organism)
132984001 | Pindos horse breed (organism)
132985000 | Piquira Pony horse breed (organism)
132986004 | Pleven horse breed (organism)
132994006 | Russian Trotter horse breed (organism)
132997004 | National Show Horse horse breed (organism)
133001001 | Tawleed horse breed (organism)
133010009 | New Kirgiz horse breed (organism)
133011008 | Oldenburg horse breed (organism)
133012001 | Misaki horse breed (organism)
133013006 | Miyako horse breed (organism)
133014000 | Mongolian horse breed (organism)
133030008 | Sanfratello horse breed (organism)
133031007 | Morab horse breed (organism)
133032000 | Moyle horse breed (organism)
133033005 | Mustang horse breed (organism)
133036002 | Newfoundland Pony horse breed (organism)
133037006 | Noma horse breed (organism)
133038001 | Nooitgedacht Pony horse breed (organism)
133039009 | Nordland horse breed (organism)
133040006 | Noric horse breed (organism)
133041005 | North Swedish Horse horse breed (organism)
133042003 | Northeastern horse breed (organism)
133045001 | Nonius horse breed (organism)
133046000 | Nooitgedacht horse breed (organism)
133063001 | Pony of the Americas horse breed (organism)
133064007 | Pintabian horse breed (organism)
133065008 | Pantaneiro horse breed (organism)
133066009 | Orlov Trotter horse breed (organism)
133067000 | Northern Ardennais horse breed (organism)
133073004 | Poitou Mule Producer horse breed (organism)
133074005 | Polesian horse breed (organism)
133075006 | Sardinian Anglo-Arab horse breed (organism)
133076007 | Sardinian Pony horse breed (organism)
133077003 | Sarvar horse breed (organism)
133078008 | Schleswig horse breed (organism)
133079000 | Schwarzwalder Fuchse horse breed (organism)
133080002 | Senne horse breed (organism)
133081003 | Shan horse breed (organism)
133082005 | Silesian horse breed (organism)
133083000 | Sini horse breed (organism)
133084006 | Skyros horse breed (organism)
133086008 | Sokolka horse breed (organism)
133087004 | South African Miniature horse breed (organism)
133088009 | South German Coldblood horse breed (organism)
133089001 | Southwest Spanish Mustang horse breed (organism)
133090005 | Spanish-American Horse horse breed (organism)
133091009 | Spanish Anglo-Arab horse breed (organism)
133092002 | Spanish Colonial Horse horse breed (organism)
133093007 | Spiti horse breed (organism)
133094001 | Sulawesi horse breed (organism)
133143006 | Taishuh horse breed (organism)
133145004 | Sudan Country-Bred horse breed (organism)
133146003 | Spanish-Norman horse breed (organism)
133147007 | Spanish Barb horse breed (organism)
133148002 | Soviet Heavy Draft horse breed (organism)
133149005 | Sorraia horse breed (organism)
133150005 | Somali Pony horse breed (organism)

133151009 | Tersk horse breed (organism)
133152002 | Shagya horse breed (organism)
133153007 | Selle Francais horse breed (organism)
133154001 | Sanhe horse breed (organism)
133155000 | Russian Heavy Draft horse breed (organism)
133156004 | Rocky Mountain Horse horse breed (organism)
133157008 | Racking Horse horse breed (organism)
133158003 | Quarter Pony horse breed (organism)
133159006 | Quarab horse breed (organism)
133160001 | Single-Footing Horse horse breed (organism)
406715003 | Murgese horse (organism)
406721004 | Mixed breed horse (organism)
3997000 | Pony (organism)
1118004 | Viking horse (organism)
1789009 | Trakehner horse (organism)
8089006 | Welsh walking horse (organism)
25369002 | Westphalian horse (organism)
31633003 | Yorkshire coach horse (organism)
131872001 | Waziri horse breed (organism)
131953000 | Timor horse breed (organism)
131954006 | Trakya horse breed (organism)
131955007 | Trote en Gallope horse breed (organism)
131956008 | Turkoman horse breed (organism)
131957004 | Tushin horse breed (organism)
131958009 | Tuva horse breed (organism)
131959001 | Uzunyayla horse breed (organism)
131960006 | Voronezh Coach Horse horse breed (organism)
131962003 | Welsh Cob horse breed (organism)
131963008 | Welsh Mountain Pony horse breed (organism)
131965001 | Wurttemberg horse breed (organism)
131966000 | Xilingol horse breed (organism)
131967009 | Yanqi horse breed (organism)
131968004 | Yemeni Horses horse breed (organism)
131969007 | Yili horse breed (organism)
131970008 | Yiwu horse breed (organism)
131971007 | Yunnan horse breed (organism)
132741008 | Wielkopolski horse breed (organism)
132744000 | Welsh Pony horse breed (organism)
132745004 | Welsh Pony of Cob Type horse breed (organism)
132995007 | West African Barb horse breed (organism)
132998009 | Zhemaichu horse breed (organism)
132999001 | Yonaguni horse breed (organism)
133000000 | Yakut horse breed (organism)
133002008 | Western Sudan Pony horse breed (organism)
133003003 | Welera Pony horse breed (organism)
133004009 | Vyatka horse breed (organism)
133005005 | Vladimir Heavy Draft horse breed (organism)
133006006 | Vlaamperd horse breed (organism)
133007002 | Ukrainian Saddle Horse horse breed (organism)
133008007 | Tori horse breed (organism)
133009004 | Tokara horse breed (organism)
133015004 | Waler horse breed (organism)
42724005 | American saddlebred horse (organism)
133107000 | Golden American Saddlebred horse breed (organism)
396488006 | Ariégeois pony breed (organism)
131819000 | Danish Warmblood horse breed (organism)
131876003 | Bavarian Warmblood horse breed (organism)
131879005 | Belgian Warmblood horse breed (organism)
131915005 | Czech Warmblood horse breed (organism)
131961005 | Elegant Warmblood horse breed (organism)
132732003 | British Warmblood horse breed (organism)
132763004 | Swiss Warmblood horse breed (organism)
132767003 | East Friesian Warmblood (Modern Type) horse breed (organism)
133022007 | Dutch Warmblood horse breed (organism)
133085007 | Slovak Warmblood horse breed (organism)
133144000 | Swedish Warmblood horse breed (organism)
125092006 | Bos frontalis (organism)
131426006 | Africander cattle breed (organism)
131441006 | Aliab Dinka cattle breed (organism)
131442004 | Alur cattle breed (organism)
131540009 | Abigar cattle breed (organism)
131541008 | Africangus cattle breed (organism)

131542001 | Agerolese cattle breed (organism)
131543006 | Albese cattle breed (organism)
131555000 | Albères cattle breed (organism)
131556004 | Alentejana cattle breed (organism)
131557008 | American White Park cattle breed (organism)
131558003 | Amerifaxcattle breed (organism)
131559006 | Anatolian Black cattle breed (organism)
131560001 | Andalusian Black cattle breed (organism)
131561002 | Andalusian Gray cattle breed (organism)
133290002 | Alistana-Sanabresa cattle breed (organism)
133291003 | Andalusian Blond cattle breed (organism)
133551002 | Abondance cattle breed (organism)
133552009 | Ala-Tau cattle breed (organism)
133553004 | Albanian Illyrian cattle breed (organism)
133554005 | Albanian Dwarf cattle breed (organism)
133575002 | Aleppo cattle breed (organism)
133591004 | Almanzorena cattle breed (organism)
131427002 | Ankole cattle breed (organism)
131428007 | Ankole-Watusi cattle breed (organism)
131443009 | Ankina cattle breed (organism)
131444003 | Apulian Podolian cattle breed (organism)
131445002 | Arado cattle breed (organism)
131446001 | Aweil Dinka cattle breed (organism)
131447005 | Bahima cattle breed (organism)
131562009 | Angeln cattle breed (organism)
131563004 | Asturian Mountain cattle breed (organism)
131564005 | Asturian Valley cattle breed (organism)
131565006 | Aubrac cattle breed (organism)
131566007 | Aulie-Ata cattle breed (organism)
131567003 | Australian Lowline cattle breed (organism)
133292005 | Aosta Black Pied cattle breed (organism)
133293000 | Aosta Chestnut cattle breed (organism)
133294006 | Aosta Red Pied cattle breed (organism)
133295007 | Aracena cattle breed (organism)
133296008 | Argentine Friesian cattle breed (organism)
133297004 | Armorican cattle breed (organism)
133298009 | Arouquesa cattle breed (organism)
133299001 | Aure et Saint-Girons cattle breed (organism)
133300009 | Australian White cattle breed (organism)
133301008 | Austrian Simmental cattle breed (organism)
133302001 | Austrian Yellow cattle breed (organism)
133303006 | Avetonou cattle breed (organism)
133304000 | Avilena cattle breed (organism)
133305004 | Avilena-Black Iberian cattle breed (organism)
133472001 | Australian Shorthorn cattle breed (organism)
131429004 | Baladi cattle breed (organism)
131430009 | Belmont Red cattle breed (organism)
131431008 | Bonsmara cattle breed (organism)
131448000 | Bapedi cattle breed (organism)
131449008 | Baria (Vietnam/Madagascar) cattle breed (organism)
131450008 | Barotse cattle breed (organism)
131451007 | Barra do Cuanzo cattle breed (organism)
131452000 | Bashi cattle breed (organism)
131453005 | Basuto cattle breed (organism)
131454004 | Batangas cattle breed (organism)
131455003 | Bavenda cattle breed (organism)
131456002 | Beja cattle breed (organism)
131458001 | Blonde-du Cap Bon cattle breed (organism)
131568008 | Barzona cattle breed (organism)
131569000 | Bazadais cattle breed (organism)
131570004 | Beefmaker cattle breed (organism)
131571000 | Belarus Red cattle breed (organism)
131572007 | Belgian Blue cattle breed (organism)
131573002 | Belgian Red cattle breed (organism)
131574008 | Belmont Adaptaur cattle breed (organism)
131575009 | Berrendas cattle breed (organism)
131576005 | Blacksided Trondheim and Norland cattle breed (organism)
131577001 | Blanco Orejinegro cattle breed (organism)
133306003 | Bakosi cattle breed (organism)
133307007 | Bakwiri cattle breed (organism)
133308002 | Baltic Black Pied cattle breed (organism)
133309005 | Baoule cattle breed (organism)

133310000 | Barrosa cattle breed (organism)
133311001 | Barroso cattle breed (organism)
133312008 | Bearnais cattle breed (organism)
133313003 | Beef shorthorn cattle breed (organism)
133314009 | Beef synthetic cattle breed (organism)
133315005 | Beijing Black Pied cattle breed (organism)
133316006 | Beiroa cattle breed (organism)
133317002 | Belgian Black Pied Holsteincattle breed (organism)
133318007 | Belgian Red Pied cattle breed (organism)
133319004 | Belgian White and Red cattle breed (organism)
133320005 | Belted Welsh cattle breed (organism)
133321009 | Bestuzhev cattle breed (organism)
133322002 | Betizuak cattle breed (organism)
133323007 | Black Baldy cattle breed (organism)
133324001 | Black Forest cattle breed (organism)
133325000 | Black Iberian cattle breed (organism)
131457006 | Calabrian cattle breed (organism)
131459009 | Chan-Doc cattle breed (organism)
131460004 | Chernigov cattle breed (organism)
131578006 | Braunvieh cattle breed (organism)
131579003 | British White cattle breed (organism)
131580000 | Cachena cattle breed (organism)
131581001 | Canary Island cattle breed (organism)
131582008 | Carinthian Blond cattle breed (organism)
131583003 | Caucasian cattle breed (organism)
131584009 | Charolais cattle breed (organism)
133327008 | Bragado do Sorraia cattle breed (organism)
133328003 | Braganca cattle breed (organism)
133329006 | Brandrood Ijsselvee cattle breed (organism)
133330001 | Brazilian Polled cattle breed (organism)
133331002 | Breton Black Pied cattle breed (organism)
133332009 | Brown Atlas cattle breed (organism)
133333004 | Bulgarian Brown cattle breed (organism)
133334005 | Bulgarian Red cattle breed (organism)
133335006 | Burlina cattle breed (organism)
133336007 | Burwash cattle breed (organism)
133337003 | Byelorussian Red cattle breed (organism)
133338008 | Byelorussian Synthetic cattle breed (organism)
133339000 | Cabannina cattle breed (organism)
133340003 | Caldeano cattle breed (organism)
133341004 | Caldelana cattle breed (organism)
133342006 | Calvana cattle breed (organism)
133343001 | Camargue cattle breed (organism)
133344007 | Cambodian cattle breed (organism)
133345008 | Caracu cattle breed (organism)
133346009 | Carpathian Brown cattle breed (organism)
133347000 | Casanareno cattle breed (organism)
133348005 | Central Russian Black Pied cattle breed (organism)
133349002 | Chaouia cattle breed (organism)
133350002 | Charollandais cattle breed (organism)
133351003 | Char-swiss cattle breed (organism)
133353000 | Chesi cattle breed (organism)
133354006 | Cheurfa cattle breed (organism)
133577005 | Busa cattle breed (organism)
133578000 | Chiangus cattle breed (organism)
133593001 | Calasparrena cattle breed (organism)
131432001 | Damietta cattle breed (organism)
131461000 | Chino Santandereano cattle breed (organism)
131462007 | Cinisara cattle breed (organism)
131463002 | Cuprem Hybrid cattle breed (organism)
131464008 | Dabieshan cattle breed (organism)
131465009 | Damara cattle breed (organism)
131466005 | Danakil cattle breed (organism)
131467001 | Dnieper cattle breed (organism)
131468006 | Doayo cattle breed (organism)
131469003 | Eastern Nuer cattle breed (organism)
131470002 | Egyptian cattle breed (organism)
131471003 | Fogera cattle breed (organism)
131472005 | Garfagnina cattle breed (organism)
131473000 | Grati cattle breed (organism)
131474006 | Gaunling cattle breed (organism)
131551009 | Drakensberger cattle breed (organism)

131585005 | Chinese Black-and-White cattle breed (organism)
131586006 | Corriente cattle breed (organism)
131587002 | Costeño con Cuernos cattle breed (organism)
131588007 | Damascus cattle breed (organism)
131589004 | Danish Red cattle breed (organism)
131590008 | Devon cattle breed (organism)
131591007 | Dølafe cattle breed (organism)
131592000 | Dutch Belted cattle breed (organism)
131593005 | Dutch Friesian cattle breed (organism)
131594004 | English Longhorn cattle breed (organism)
131595003 | Estonian Red cattle breed (organism)
131596002 | Evolène cattle breed (organism)
131597006 | Fighting Bull cattle breed (organism)
131598001 | Fjall cattle breed (organism)
131599009 | Florida Cracker/Pineywoods cattle breed (organism)
131600007 | Galician Blond cattle breed (organism)
131601006 | Gascon cattle breed (organism)
131602004 | German Red Pied cattle breed (organism)
131603009 | Glan cattle breed (organism)
131604003 | Gloucester cattle breed (organism)
131605002 | Groningen Whiteheaded cattle breed (organism)
133355007 | Chiford cattle breed (organism)
133356008 | Chimaine cattle breed (organism)
133357004 | Chinampo cattle breed (organism)
133358009 | Cildir cattle breed (organism)
133359001 | COOPELSO 93 cattle breed (organism)
133361005 | Corsican cattle breed (organism)
133362003 | Cretan Lowland cattle breed (organism)
133363008 | Cretan Mountain cattle breed (organism)
133364002 | Croatian Red cattle breed (organism)
133365001 | Cukurova cattle breed (organism)
133366000 | Curraleiro cattle breed (organism)
133367009 | Cyprus cattle breed (organism)
133368004 | Czech Pied cattle breed (organism)
133369007 | Dagestan Mountain cattle breed (organism)
133370008 | Dairy Shorthorn cattle breed (organism)
133371007 | Dairy Synthetic cattle breed (organism)
133372000 | Danish Red Pied cattle breed (organism)
133373005 | Dengchuan cattle breed (organism)
133374004 | Dexter-Kerry cattle breed (organism)
133375003 | Doran cattle breed (organism)
133376002 | Dorna cattle breed (organism)
133377006 | Dortyol cattle breed (organism)
133378001 | East Anatolian Red cattle breed (organism)
133379009 | East Finnish cattle breed (organism)
133380007 | East Macedonian cattle breed (organism)
133381006 | Epirus cattle breed (organism)
133382004 | Estonian Black Pied cattle breed (organism)
133383009 | Ferrandais cattle breed (organism)
133384003 | Finnish Ayrshire cattle breed (organism)
133385002 | Flemish cattle breed (organism)
133387005 | Fort Cross cattle breed (organism)
133388000 | Frati cattle breed (organism)
133389008 | Estonian Native cattle breed (organism)
133390004 | Faeroes cattle breed (organism)
133391000 | French Brown cattle breed (organism)
133392007 | Frijolillo cattle breed (organism)
133393002 | FRS cattle breed (organism)
133394008 | Gacko cattle breed (organism)
133395009 | Gado da Terra cattle breed (organism)
133396005 | Georgian Mountain cattle breed (organism)
133397001 | German Black Pied cattle breed (organism)
133398006 | German Black Pied Dairy cattle breed (organism)
133405000 | German Brown cattle breed (organism)
133406004 | German Shorthorn cattle breed (organism)
133407008 | Ghana Shorthorn cattle breed (organism)
133408003 | Glan-Donnersberg cattle breed (organism)
133409006 | Gole cattle breed (organism)
133410001 | Golpayegani cattle breed (organism)
133411002 | Gorbatov Red cattle breed (organism)
133412009 | Goryn cattle breed (organism)
133413004 | Greater Caucasus cattle breed (organism)

133420006 | Greek Shorthorn cattle breed (organism)
133421005 | Greek Steppe cattle breed (organism)
133422003 | Gray Alpine cattle breed (organism)
133423008 | Guadiana Spotted cattle breed (organism)
133424002 | Guelma cattle breed (organism)
133580006 | Danish Jersey cattle breed (organism)
133581005 | Enderby Island cattle breed (organism)
133582003 | German Angus cattle breed (organism)
131433006 | Horro cattle breed (organism)
131434000 | Kuri cattle breed (organism)
131435004 | Nguni cattle breed (organism)
131475007 | Halhin Gol cattle breed (organism)
131476008 | Holmonger cattle breed (organism)
131477004 | Ilocos cattle breed (organism)
131478009 | Iloilo cattle breed (organism)
131479001 | Inkuku cattle breed (organism)
131480003 | Iskar cattle breed (organism)
131481004 | Istrian cattle breed (organism)
131482006 | Javanese Ongole cattle breed (organism)
131483001 | Javanese Zebu cattle breed (organism)
131484007 | Jinnan cattle breed (organism)
131485008 | Kalmyk cattle breed (organism)
131486009 | Kaokoveld cattle breed (organism)
131487000 | Kazakh Whitehead cattle breed (organism)
131488005 | Kedah-Kelantan cattle breed (organism)
131489002 | Kigezi cattle breed (organism)
131490006 | Kisantu cattle breed (organism)
131491005 | Kolubara cattle breed (organism)
131492003 | Kurgan cattle breed (organism)
131493008 | Kyoga cattle breed (organism)
131494002 | Lucanian cattle breed (organism)
131495001 | Maremmana cattle breed (organism)
131496000 | Marianas cattle breed (organism)
131497009 | Maryuti cattle breed (organism)
131498004 | Mauritius Créole cattle breed (organism)
131499007 | Menufi cattle breed (organism)
131500003 | Mezzalina cattle breed (organism)
131501004 | Modicana cattle breed (organism)
131502006 | Moi cattle breed (organism)
131503001 | Nama cattle breed (organism)
131504007 | Nanyang cattle breed (organism)
131505008 | N'Dama Sanga cattle breed (organism)
131506009 | Nganda cattle breed (organism)
131507000 | Nilotic Sanga cattle breed (organism)
131508005 | Nkone cattle breed (organism)
131509002 | North Malawi Angoni cattle breed (organism)
131510007 | Nuer cattle breed (organism)
131511006 | Nuras cattle breed (organism)
131512004 | Nyoro cattle breed (organism)
131513009 | Ovambo cattle breed (organism)
131552002 | Modicana lowland cattle breed (organism)
131554001 | Menggu cattle breed (organism)
131606001 | Hartón cattle breed (organism)
133231000 | Herens cattle breed (organism)
133232007 | Hinterwald cattle breed (organism)
133233002 | Hungarian Gray cattle breed (organism)
133234008 | Icelandic cattle breed (organism)
133235009 | Illawarra cattle breed (organism)
133236005 | Irish Moiled cattle breed (organism)
133237001 | Israeli Holstein cattle breed (organism)
133238006 | Istoben cattle breed (organism)
133239003 | Jaulan cattle breed (organism)
133240001 | Kazakh cattle breed (organism)
133241002 | Kerry cattle breed (organism)
133242009 | Kholmogory cattle breed (organism)
133243004 | Latvian Brown cattle breed (organism)
133244005 | Lincoln Red Shorthorn cattle breed (organism)
133245006 | Lithuanian Red cattle breed (organism)
133246007 | Mashona cattle breed (organism)
133247003 | Milking Devon cattle breed (organism)
133248008 | Mirandesa cattle breed (organism)
133249000 | Mixed dairy cattle breed (organism)

133250000 | Mongolian cattle breed (organism)
133251001 | Morucha cattle breed (organism)
133252008 | Kurdi cattle breed (organism)
133253003 | N'dama cattle breed (organism)
133254009 | Norwegian Red cattle breed (organism)
133268002 | Murboden cattle breed (organism)
133326004 | Northern Blue cattle breed (organism)
133352005 | Korean Black cattle breed (organism)
133425001 | Harz Red cattle breed (organism)
133426000 | Hawaiian wild cattle breed (organism)
133427009 | Hereland cattle breed (organism)
133428004 | Holgus cattle breed (organism)
133429007 | Hrbinecky cattle breed (organism)
133436008 | Huertana cattle breed (organism)
133437004 | Hungarian Pied cattle breed (organism)
133438009 | Hungarofries cattle breed (organism)
133439001 | Improved Rodopi cattle breed (organism)
133440004 | INRA 95 cattle breed (organism)
133441000 | Italian Brown cattle breed (organism)
133442007 | Italian Red Pied cattle breed (organism)
133443002 | Japanese Black cattle breed (organism)
133444008 | Japanese Brown cattle breed (organism)
133445009 | Japanese Poll cattle breed (organism)
133452006 | Japanese Shorthorn cattle breed (organism)
133453001 | Jarmelista cattle breed (organism)
133454007 | Kabyle cattle breed (organism)
133455008 | Kapsiki cattle breed (organism)
133456009 | Katerini cattle breed (organism)
133457000 | Kenran cattle breed (organism)
133458005 | Khevsurian cattle breed (organism)
133459002 | Kilis cattle breed (organism)
133460007 | Kochi cattle breed (organism)
133461006 | Korean Native cattle breed (organism)
133468000 | Kostroma cattle breed (organism)
133469008 | Kravarsky cattle breed (organism)
133470009 | Kuchinoshima cattle breed (organism)
133471008 | Murray Gray cattle breed (organism)
133473006 | Kumamoto cattle breed (organism)
133474000 | Lagune cattle breed (organism)
133475004 | Lakenvelder cattle breed (organism)
133476003 | Latvian Blue Roan cattle breed (organism)
133477007 | La Velasquez cattle breed (organism)
133484004 | Lebanese cattle breed (organism)
133485003 | Lebedin cattle breed (organism)
133486002 | Lesser Caucasus cattle breed (organism)
133487006 | Liberian Dwarf cattle breed (organism)
133488001 | Libyan cattle breed (organism)
133489009 | Lim cattle breed (organism)
133490000 | Limiana cattle breed (organism)
133491001 | Limpurger cattle breed (organism)
133492008 | Lobi cattle breed (organism)
133493003 | Lourdais cattle breed (organism)
133500008 | Lucerna cattle breed (organism)
133501007 | Luxi cattle breed (organism)
133502000 | Macedonian Busa cattle breed (organism)
133503005 | Makaweli cattle breed (organism)
133504004 | Marinhoa cattle breed (organism)
133505003 | Maronesa cattle breed (organism)
133506002 | Mazury cattle breed (organism)
133507006 | Messaoria cattle breed (organism)
133508001 | Metohija Red cattle breed (organism)
133509009 | Mingrelian Red cattle breed (organism)
133516005 | Minhota cattle breed (organism)
133517001 | Minorcan cattle breed (organism)
133518006 | Mishima cattle breed (organism)
133519003 | Modenese cattle breed (organism)
133520009 | Monchina cattle breed (organism)
133521008 | Montafon cattle breed (organism)
133522001 | Montbeliard cattle breed (organism)
133523006 | Morenas del Noroeste cattle breed (organism)
133524000 | Murcian cattle breed (organism)
133525004 | Murnau-Werdenfels cattle breed (organism)

133532008 | Nantais cattle breed (organism)
133533003 | Nejdi cattle breed (organism)
133534009 | N'Gabou cattle breed (organism)
133535005 | North Finncattle cattle breed (organism)
133536006 | Oropa cattle breed (organism)
133537002 | Oulmes Blond cattle breed (organism)
133538007 | Pajuna cattle breed (organism)
133539004 | Palmera cattle breed (organism)
133579008 | Hallingdal cattle breed (organism)
133583008 | Israeli Red cattle breed (organism)
133584002 | Lineback cattle breed (organism)
133585001 | Mertolenga cattle breed (organism)
133590003 | Montanara cattle breed (organism)
133592006 | Lorquina cattle breed (organism)
409906003 | Mixed breed cattle (organism)
409908002 | Masai cattle breed (organism)
125074003 | Hereford cattle superbreed (organism)
131436003 | Philippine Native cattle breed (organism)
131437007 | Romagnola cattle breed (organism)
131438002 | Sanhe cattle breed (organism)
131439005 | Tswana cattle breed (organism)
131440007 | Tuli cattle breed (organism)
131514003 | Pantelleria cattle breed (organism)
131515002 | Pinzhou cattle breed (organism)
131516001 | Porto Amboim cattle breed (organism)
131517005 | Posavina cattle breed (organism)
131518000 | Romanian Steppe cattle breed (organism)
131519008 | Saidi cattle breed (organism)
131520002 | Sardo-Modicana cattle breed (organism)
131521003 | Sengologa cattle breed (organism)
131522005 | Serere cattle breed (organism)
131523000 | Seshaga cattle breed (organism)
131524006 | Siberian Black Pied cattle breed (organism)
131525007 | Socotra cattle breed (organism)
131526008 | Southern Tswana cattle breed (organism)
131527004 | Spreca cattle breed (organism)
131528009 | Sunkuma cattle breed (organism)
131529001 | Taiwan Zebu cattle breed (organism)
131530006 | Thai cattle breed (organism)
131531005 | Thailand Fighting Zebu cattle breed (organism)
131532003 | Thanh-Hoa cattle breed (organism)
131533008 | Tibetan cattle breed (organism)
131534002 | Tonga cattle breed (organism)
131535001 | Toro cattle breed (organism)
131536000 | Tuni cattle breed (organism)
131537009 | Turkish Gray Steppe cattle breed (organism)
131538004 | Tuy-Hoa cattle breed (organism)
131539007 | Ujumqin cattle breed (organism)
131544000 | Ukrainian Gray cattle breed (organism)
131545004 | Vietnamese Yellow cattle breed (organism)
131546003 | Watusi (United States of America) cattle breed (organism)
131547007 | Wenshan cattle breed (organism)
131548002 | Yakut cattle breed (organism)
131553007 | Taiwan Yellow cattle breed (organism)
132780000 | Volynsk cattle breed (organism)
132781001 | Senepol cattle breed (organism)
132782008 | Shilluk cattle breed (organism)
133255005 | Parthenais cattle breed (organism)
133256006 | Polish Red cattle breed (organism)
133257002 | Rätien Gray cattle breed (organism)
133258007 | Red and White cattle breed (organism)
133260009 | Red Polled Østland cattle breed (organism)
133261008 | Red Steppe cattle breed (organism)
133262001 | Reggiana cattle breed (organism)
133263006 | Retinta cattle breed (organism)
133264000 | Romosinuano cattle breed (organism)
133265004 | Russian Black Pied cattle breed (organism)
133266003 | RX3 cattle breed (organism)
133267007 | Salorn cattle breed (organism)
133269005 | San Martinero cattle breed (organism)
133270006 | Sarabi cattle breed (organism)
133271005 | Sharabi cattle breed (organism)

133272003 | Shetland cattle breed (organism)
133273008 | Simbrah cattle breed (organism)
133274002 | South Devon cattle breed (organism)
133275001 | Suffolk cattle breed (organism)
133276000 | Sussex cattle breed (organism)
133277009 | Swedish Red Polled cattle breed (organism)
133278004 | Telemark cattle breed (organism)
133279007 | Texas Longhorn cattle breed (organism)
133280005 | Texon cattle breed (organism)
133281009 | Vestland Fjord cattle breed (organism)
133282002 | Vestland Red Polled cattle breed (organism)
133283007 | Wagyu cattle breed (organism)
133284001 | White Cáceres cattle breed (organism)
133285000 | Xinjiang Brown cattle breed (organism)
133360006 | Thrace cattle breed (organism)
133386001 | Red Flemish cattle breed (organism)
133399003 | Pechora cattle breed (organism)
133400005 | Pee Wee cattle breed (organism)
133401009 | Peloponnesus cattle breed (organism)
133402002 | Pester cattle breed (organism)
133403007 | Pie Rouge de l'Est cattle breed (organism)
133404001 | Pisana cattle breed (organism)
133414005 | Polish Black and White Lowland cattle breed (organism)
133415006 | Polish Simmental cattle breed (organism)
133416007 | Polled Jersey cattle breed (organism)
133417003 | Polled Lincoln Red cattle breed (organism)
133418008 | Polled Shorthorn (United States of America) cattle breed (organism)
133419000 | Polled Simmental cattle breed (organism)
133430002 | Polled Sussex cattle breed (organism)
133431003 | Polled Welsh Black cattle breed (organism)
133432005 | Pontremolese cattle breed (organism)
133433000 | Preta cattle breed (organism)
133434006 | Puerto Rican Criollo cattle breed (organism)
133435007 | Pyrenean cattle breed (organism)
133446005 | Qinchuan cattle breed (organism)
133447001 | Ramo Grande cattle breed (organism)
133448006 | Randall Lineback cattle breed (organism)
133449003 | Red Galloway cattle breed (organism)
133450003 | Regus cattle breed (organism)
133451004 | Rendena cattle breed (organism)
133462004 | Rhaetian Gray cattle breed (organism)
133463009 | Rio Limon Dairy Criollo cattle breed (organism)
133464003 | Rodopi cattle breed (organism)
133465002 | Romanian Red cattle breed (organism)
133466001 | Romanian Brown cattle breed (organism)
133467005 | Russian Brown cattle breed (organism)
133478002 | Sardinian cattle breed (organism)
133479005 | Sardinian brown cattle breed (organism)
133480008 | Savinja Gray cattle breed (organism)
133481007 | Sayaguesa cattle breed (organism)
133482000 | Seferihisar cattle breed (organism)
133483005 | Shkodra Red cattle breed (organism)
133494009 | Slovakian Pied cattle breed (organism)
133495005 | Slovakian Pinzgau cattle breed (organism)
133496006 | Slovenian Brown cattle breed (organism)
133497002 | Somba cattle breed (organism)
133498007 | South African Brown Swiss cattle breed (organism)
133499004 | South Anatolian Red cattle breed (organism)
133510004 | Southern Ukrainian cattle breed (organism)
133511000 | Spanish Brown Alpine cattle breed (organism)
133512007 | Suksun cattle breed (organism)
133513002 | Swiss Black Pied cattle breed (organism)
133514008 | Sychevka cattle breed (organism)
133515009 | Sykia cattle breed (organism)
133526003 | Tagil cattle breed (organism)
133527007 | Tajma cattle breed (organism)
133528002 | Tambov Red cattle breed (organism)
133529005 | Tarina cattle breed (organism)
133530000 | Thessaly cattle breed (organism)
133531001 | Tinima cattle breed (organism)
133540002 | Pankota Red cattle breed (organism)
133541003 | Paphos cattle breed (organism)

133542005 | Tinos cattle breed (organism)
133543000 | Transylvanian Pinzgau cattle breed (organism)
133544006 | Tropical Dairy Cattle cattle breed (organism)
133545007 | Tropicana cattle breed (organism)
133546008 | Tudanca cattle breed (organism)
133547004 | Turino cattle breed (organism)
133548009 | Turkish Brown cattle breed (organism)
133549001 | Tux-Zillertal cattle breed (organism)
133550001 | Tyrol Gray cattle breed (organism)
133555006 | Ukrainian Whiteheaded cattle breed (organism)
133556007 | Ural Black Pied cattle breed (organism)
133557003 | Valdres cattle breed (organism)
133558008 | Vaynol cattle breed (organism)
133559000 | Verinesa cattle breed (organism)
133560005 | Vianesa cattle breed (organism)
133561009 | Villard-de-Lans cattle breed (organism)
133562002 | Vogelsberg cattle breed (organism)
133563007 | Pie Rouge des Plaines cattle breed (organism)
133564001 | Vorderwald cattle breed (organism)
133565000 | West African Dwarf Shorthorn cattle breed (organism)
133566004 | West Finnish cattle breed (organism)
133567008 | West Macedonian cattle breed (organism)
133568003 | Whitebred Shorthorn cattle breed (organism)
133569006 | White Galloway cattle breed (organism)
133570007 | White Welsh cattle breed (organism)
133571006 | Witrik cattle breed (organism)
133572004 | Yacumento cattle breed (organism)
133576001 | Schwyz cattle breed (organism)
133586000 | Red Friesian cattle breed (organism)
133587009 | Senegus cattle breed (organism)
133588004 | Southern Crioulo cattle breed (organism)
133589007 | Vosges cattle breed (organism)
133673003 | Pantaneiro cattle breed (organism)
131549005 | Yunnan Zebu cattle breed (organism)
131550005 | Zambia Angoni cattle breed (organism)
133286004 | Yanbian cattle breed (organism)
133287008 | Zaobei cattle breed (organism)
133288003 | Zavot cattle breed (organism)
133289006 | Znamensk cattle breed (organism)
133573009 | Yaroslavl cattle breed (organism)
133574003 | Yurino cattle breed (organism)
22330003 | Commercial white egg layer type chicken (organism)
132004000 | Braekel chicken breed (organism)
132005004 | Cochin, Standard chicken breed (organism)
132007007 | Gotland chicken breed (organism)
132008002 | Groninger Meeuwen chicken breed (organism)
132691001 | Chocolate turkey breed (organism)
132692008 | Lilac turkey breed (organism)
132693003 | Silver Auburn turkey breed (organism)
132695005 | Wild cross turkey (organism)
132696006 | Matrouh chicken breed (organism)
132713009 | Gray chicken breed (organism)
132714003 | Hamburgs chicken breed (organism)
132715002 | Gimmizah chicken breed (organism)
132726008 | Silver Montazah chicken breed (organism)
132727004 | Swiss Hen chicken breed (organism)
132728009 | Styrian chicken breed (organism)
132729001 | Old English Game chicken breed (organism)
132730006 | Appenzell Bearded Hen chicken breed (organism)
132752002 | Sulmtaler chicken breed (organism)
132753007 | Svart Höna chicken breed (organism)
132754001 | Vorwerks chicken breed (organism)
132755000 | Westfalische Totleger chicken breed (organism)
132756004 | Yamato Gunkei chicken breed (organism)
132816005 | Frieslands chicken breed (organism)
132817001 | Ameraucana chicken breed (organism)
132818006 | Åsbos chicken breed (organism)
132819003 | Augsburger chicken breed (organism)
132820009 | Bielefelder chicken breed (organism)
132821008 | Norfolk Gray chicken breed (organism)
132822001 | Hedemora chicken breed (organism)
132823006 | Hungarian Yellow chicken breed (organism)

132824000 | Iowa blue chicken breed (organism)
132825004 | Red jungle fowl type chicken (organism)
132827007 | Kraienkoppe chicken breed (organism)
132828002 | Lincolnshire Buff chicken breed (organism)
132829005 | Tomaru chicken breed (organism)
132830000 | Onagadori chicken breed (organism)
132831001 | Manx Rumpies chicken breed (organism)
132832008 | Maline chicken breed (organism)
132833003 | Nankin chicken breed (organism)
132834009 | Øland chicken breed (organism)
132836006 | Orust chicken breed (organism)
132837002 | Penedesenca chicken breed (organism)
132838007 | Rhode Island White chicken breed (organism)
132840002 | Sablepoot chicken breed (organism)
132841003 | Saipan Jungle Fowl chicken breed (organism)
132842005 | Scots Dumpy chicken breed (organism)
132847004 | Green chicken breed (organism)
132848009 | Gallus Inauris chicken breed (organism)
132862002 | Shamo chicken breed (organism)
359839008 | Domestic fowl (organism)
406723001 | Mixed breed chicken (organism)
47290002 | Gallus gallus (organism)
20657003 | Meleagris gallopavo (organism)
2034000 | White turkey (organism)
2253004 | Marans chicken (organism)
2333000 | Japanese chicken (organism)
3872000 | Beltsville white turkey (organism)
5114005 | Fayoumi chicken (organism)
5350006 | Rhode Island red chicken (organism)
7598004 | Wyandotte chicken (organism)
7700003 | Nebraskan spotted turkey (organism)
7767003 | Lamona chicken (organism)
10643004 | Arucana chicken (organism)
11830008 | Delaware chicken (organism)
12419001 | Redcap chicken (organism)
12874007 | Crevecoeur chicken (organism)
13156006 | Spanish chicken (organism)
18299006 | Orpington chicken (organism)
23992007 | Black-winged bronze turkey (organism)
24886005 | Penna palm turkey (organism)
25854005 | Small white turkey (organism)
28138009 | Slate turkey (organism)
29546006 | Faverolle chicken (organism)
29615001 | La Fleche chicken (organism)
30432005 | Broad breasted bronze turkey (organism)
32509001 | Black turkey (organism)
32540008 | Commercial meat type chicken (organism)
33224000 | Phoenix chicken (organism)
33607002 | Buttercup chicken (organism)
35839008 | Leghorn chicken (organism)
37812004 | Broad breasted white turkey (organism)
39571003 | Buckeye chicken (organism)
41290008 | Plymouth Rock chicken (organism)
41437006 | Jungle fowl chicken (organism)
42602001 | Minorca chicken (organism)
42840001 | Jersey giant chicken (organism)
43223009 | Yokohama chicken (organism)
43869002 | Rouen duck breed (organism)
46830002 | Midget white turkey (organism)
47314009 | Dark brown turkey (organism)
47745005 | Java chicken (organism)
48255007 | Silkie chicken (organism)
49407004 | Lankenvelder chicken (organism)
50710008 | Blue slate turkey (organism)
52882006 | Dominique chicken (organism)
54218009 | New Hampshire chicken (organism)
54251000 | Australorp chicken (organism)
54604007 | Gray turkey (organism)
55074002 | Jersey buff turkey (organism)
56764001 | Holland chicken (organism)
57364006 | Brahma chicken (organism)
57950004 | Spitzhauben chicken (organism)

87530001 | Welsummer chicken (organism)
87833007 | Sumatra chicken (organism)
132003006 | Brabanter chicken breed (organism)
132826003 | Ko Shamo chicken breed (organism)
132850001 | Golden Montazah chicken breed (organism)
409910000 | Bantam (organism)
30221007 | Belgian bearded chicken (organism)
60786005 | Lilac buff turkey (organism)
61204004 | Dorking chicken (organism)
61839006 | Cornish chicken (organism)
61843005 | Polish chicken (organism)
62124009 | Royal palm turkey (organism)
63257005 | Chantecler chicken (organism)
65136005 | Light brown turkey (organism)
65873005 | Barnevelder chicken (organism)
67021006 | Sebright chicken (organism)
67209003 | Turken chicken (organism)
68412000 | Sultan chicken (organism)
69575001 | Ancona chicken (organism)
70210006 | Orloff chicken (organism)
70308007 | Langshan chicken (organism)
70326005 | Cubalaya chicken (organism)
70429002 | Game chicken (organism)
71238008 | Commercial brown egg layer type chicken (organism)
73012007 | Penna white turkey (organism)
76268003 | Campine chicken (organism)
77839002 | Thuringer chicken (organism)
78154009 | Malay chicken (organism)
78375007 | Andalusian chicken (organism)
80204002 | Hungarian chicken (organism)
80610007 | Narragansett turkey (organism)
80886008 | Rosecomb chicken (organism)
80993008 | Sussex chicken (organism)
82249009 | California chicken (organism)
82848009 | Houdan chicken (organism)
91401000 | Black Spanish turkey (organism)
91427000 | Frizzle chicken (organism)
112495005 | Rumpless chicken (organism)
131857000 | Bronze turkey breed (organism)
131858005 | Auburn turkey breed (organism)
131859002 | Bourbon Red turkey breed (organism)
131860007 | Buff turkey breed (organism)
131995009 | Baheij chicken breed (organism)
131996005 | Aseel chicken breed (organism)
131997001 | Bandara chicken breed (organism)
131998006 | Catalana chicken breed (organism)
131999003 | Australian Gamefowl chicken breed (organism)
132000009 | Ayam Cemani chicken breed (organism)
132001008 | Swedish Spotted Hen chicken breed (organism)
132002001 | Belgian Booted Bantam chicken breed (organism)
132006003 | Old English Bantam Game chicken breed (organism)
132725007 | Dutch Bantam chicken breed (organism)
132835005 | Ölansk Bantam chicken breed (organism)
132839004 | Rosecomb Bantam chicken breed (organism)
409909005 | Antwerp bearded bantam (organism)
132247006 | Mukota pig breed (organism)
132248001 | Minzhu pig breed (organism)
132249009 | Neijiang pig breed (organism)
132250009 | Mulefoot pig breed (organism)
132251008 | Normand pig breed (organism)
132252001 | Angeln Saddleback pig breed (organism)
132253006 | Greek Local pig breed (organism)
132254000 | Icelandic pig breed (organism)
132255004 | Casertana pig breed (organism)
132256003 | Madonie-Sicilian pig breed (organism)
132257007 | Sardinian pig breed (organism)
132258002 | Sicilian pig breed (organism)
132259005 | Zlotniki Spotted pig breed (organism)
132260000 | Zlotniki White pig breed (organism)
132262008 | Sumadija pig breed (organism)
132263003 | Froxfield Pygmy pig breed (organism)
132264009 | Danish Large White pig breed (organism)

132265005 | Danish Duroc pig breed (organism)
132266006 | Danish Hampshire pig breed (organism)
132267002 | Piggham pig breed (organism)
132268007 | New York Red pig breed (organism)
132269004 | Finnish Yorkshire pig breed (organism)
132270003 | Dutch Yorkshire pig breed (organism)
132271004 | Pulawy pig breed (organism)
132272006 | Pomeranian pig breed (organism)
132273001 | Polish Landrace pig breed (organism)
132274007 | Estonian Bacon pig breed (organism)
132275008 | Latvian White pig breed (organism)
132276009 | Lithuanian White pig breed (organism)
78678003 | Sus scrofa (organism)
132180009 | Cosentina pig breed (organism)
132181008 | Cuino pig breed (organism)
132182001 | Friuli Black pig breed (organism)
132183006 | Fumati pig breed (organism)
132184000 | Galician pig breed (organism)
132185004 | German Berkshire pig breed (organism)
132186003 | Ghori pig breed (organism)
132187007 | Jianli pig breed (organism)
132188002 | Lucanian pig breed (organism)
132189005 | Maremmana pig breed (organism)
132190001 | Miami pig breed (organism)
132191002 | Montmorillon pig breed (organism)
132192009 | Old Swedish Spotted pig breed (organism)
132193004 | Oliventina pig breed (organism)
132194005 | Parmense pig breed (organism)
132195006 | Romagnola pig breed (organism)
132196007 | Siberian pig breed (organism)
132197003 | Small White pig breed (organism)
132198008 | Baltaret pig breed (organism)
132199000 | Tunchang pig breed (organism)
132200002 | Sterling pig breed (organism)
132201003 | Vich pig breed (organism)
132202005 | Vietnamese pig breed (organism)
132203000 | Vitoria pig breed (organism)
132204006 | Wai Chow pig breed (organism)
132205007 | Yorkshire Blue and White pig breed (organism)
132206008 | Dalland 020 pig breed (organism)
132207004 | Wiltshire pig breed (organism)
132208009 | Hamroc pig breed (organism)
132209001 | DRU (TM) Terminals pig breed (organism)
132210006 | Camborough 22 pig breed (organism)
132211005 | Camborough 15 pig breed (organism)
132212003 | PR 1050 pig breed (organism)
132213008 | PR 1075 pig breed (organism)
132214002 | Chryak PIC pig breed (organism)
132215001 | Canadian Royal Blue pig breed (organism)
132216000 | Line 500 Duroc pig breed (organism)
132217009 | Bodmin 950 pig breed (organism)
132218004 | Canadian Duroc pig breed (organism)
132219007 | Canadian Hampshire pig breed (organism)
132220001 | Ba Xuyen pig breed (organism)
132221002 | Arapawa Island pig breed (organism)
132222009 | Wuzhishan pig breed (organism)
132223004 | Philippine Native pig breed (organism)
132224005 | Sinclair Miniature pig breed (organism)
132225006 | Saddleback pig breed (organism)
132226007 | Yucatan Miniature pig breed (organism)
132227003 | Bantu pig breed (organism)
132228008 | Tibetan pig breed (organism)
132229000 | Turopolje pig breed (organism)
132230005 | Vietnamese Pot-Bellied Pig pig breed (organism)
132231009 | American Landrace pig breed (organism)
132232002 | Swallow Belied Mangalitza pig breed (organism)
132233007 | Fengjing pig breed (organism)
132234001 | Finnish Landrace pig breed (organism)
132235000 | Guinea Hog pig breed (organism)
132236004 | Hezuo pig breed (organism)
132237008 | Ossabaw Island pig breed (organism)
132238003 | Kele pig breed (organism)

132239006 | Krskopolje pig breed (organism)
132240008 | Kunekune pig breed (organism)
132241007 | Large Black-White pig breed (organism)
132242000 | Lithuanian Native pig breed (organism)
132243005 | Meishan pig breed (organism)
132244004 | Jinhua pig breed (organism)
132245003 | Ningxiang pig breed (organism)
132246002 | Mora Romagnola pig breed (organism)
132261001 | Siska pig breed (organism)
132277000 | BKB-1 pig breed (organism)
132278005 | Belorus Black Pied pig breed (organism)
132279002 | Mirgorod pig breed (organism)
132280004 | Liang Guang Small Spotted, Luchuan pig breed (organism)
132281000 | Fujian Small pig breed (organism)
132282007 | North Fujian Black-and-White pig breed (organism)
132283002 | Fuan Spotted pig breed (organism)
132284008 | Putian pig breed (organism)
132285009 | Fuzhou Black pig breed (organism)
132286005 | Minbei Spotted pig breed (organism)
132287001 | Lantang pig breed (organism)
132288006 | Liang Guang Small Spotted, Guangdong Small Ear pig breed (organism)
132289003 | Longlin pig breed (organism)
132290007 | Yuedong Black pig breed (organism)
132291006 | Xiang pig breed (organism)
132292004 | Cantonese pig breed (organism)
132293009 | Jinhua, Dongyang pig breed (organism)
132294003 | Jinhua, Yongkang pig breed (organism)
132295002 | Daweizi pig breed (organism)
132296001 | Huazhong Two-End Black pig breed (organism)
132297005 | Huazhong Two-End Black, Jianli pig breed (organism)
132298000 | Huazhong Two-End Black, Tongcheng pig breed (organism)
132299008 | Huazhong Two-End Black, Satzeling pig breed (organism)
132300000 | Ganzhongnan Spotted pig breed (organism)
132301001 | Hang pig breed (organism)
132302008 | Leping pig breed (organism)
132303003 | Longyou Black pig breed (organism)
132304009 | Wuyi Black pig breed (organism)
132305005 | Lee-Sung pig breed (organism)
132306006 | Lan-Yu pig breed (organism)
132307002 | Vietnamese Yorkshire pig breed (organism)
132308007 | Yujiang pig breed (organism)
132309004 | Wanzhe Spotted pig breed (organism)
132310009 | Wanzhe Spotted, Chunan Spotted pig breed (organism)
132311008 | Wanzhe Spotted, Wannan Spotted pig breed (organism)
132312001 | Shengxian Spotted pig breed (organism)
133167003 | Chin pig breed (organism)
133168008 | Siamese pig breed (organism)
133169000 | Hailum pig breed (organism)
133170004 | Kwai pig breed (organism)
133171000 | Raad pig breed (organism)
133172007 | Akha pig breed (organism)
133173002 | South China pig breed (organism)
133174008 | South China Black pig breed (organism)
133175009 | Balinese pig breed (organism)
133176005 | Diani pig breed (organism)
133177001 | Kaman pig breed (organism)
133178006 | Ashanti Dwarf pig breed (organism)
133179003 | Koronadal pig breed (organism)
133180000 | Ohmini pig breed (organism)
133181001 | Clawn pig breed (organism)
133182008 | Sus scrofa domestic pig X Japanese wild boar intragenus hybrid (organism)
133183003 | Kangaroo Island pig breed (organism)
133184009 | Captain Cooker pig breed (organism)
133185005 | West African pig breed (organism)
133186006 | Nigerian pig breed (organism)
133187002 | Bakosi pig breed (organism)
133188007 | Windsnyer pig breed (organism)
133189004 | Kolbroek pig breed (organism)
133190008 | South African Landrace pig breed (organism)
133191007 | Bulgarian White pig breed (organism)
133192000 | Bulgarian Landrace pig breed (organism)
133193005 | Danube White pig breed (organism)

133194004 | Dermantsi Pied pig breed (organism)
133195003 | Romanian Native, Stocli pig breed (organism)
133196002 | Romanian Native, Baltaret pig breed (organism)
133197006 | Banat White pig breed (organism)
133198001 | Bazna pig breed (organism)
133199009 | Dobrogea Black pig breed (organism)
133200007 | Strei pig breed (organism)
133218005 | Slovhyb-1 pig breed (organism)
133219002 | Nitra Hybrid pig breed (organism)
133220008 | Synthetic SL98 pig breed (organism)
133221007 | SL96 pig breed (organism)
132021009 | High Conformation White pig breed (organism)
132022002 | Line 32 pig breed (organism)
132023007 | Line 21 pig breed (organism)
132024001 | Meatline pig breed (organism)
132025000 | Hampline pig breed (organism)
132026004 | Euroline pig breed (organism)
132027008 | Norline pig breed (organism)
132028003 | Premier pig breed (organism)
132029006 | Tribred pig breed (organism)
132030001 | American Essex pig breed (organism)
132031002 | Sino-Gascony pig breed (organism)
132032009 | Guadeloupe Créole pig breed (organism)
132033004 | Managra pig breed (organism)
132034005 | Canadian Landrace pig breed (organism)
132035006 | Canadian Yorkshire pig breed (organism)
132037003 | Pineywoods pig breed (organism)
132038008 | Catalina Island pig breed (organism)
132039000 | Ras-n-Lansa pig breed (organism)
132040003 | Pitman-Moore Miniature pig breed (organism)
132041004 | Vita Vet Lab Minipig pig breed (organism)
132043001 | Black Hampshire pig breed (organism)
132044007 | Red Hamprace pig breed (organism)
132045008 | American Yorkshire pig breed (organism)
132046009 | American Berkshire pig breed (organism)
132047000 | Camborough Blue pig breed (organism)
132048005 | Camborough 12 pig breed (organism)
132059001 | Canastrão, Junqueira pig breed (organism)
132060006 | Canastrão, Capitão Chico pig breed (organism)
132061005 | Canastrão, Zabumba pig breed (organism)
132062003 | Canastrão, Cabano pig breed (organism)
132063008 | Canastrão, Vermelho pig breed (organism)
132064002 | Piau, Caruncho Piau pig breed (organism)
132065001 | Canastrinho pig breed (organism)
132066000 | Honduras Switch-Tail pig breed (organism)
132067009 | Mastergilt pig breed (organism)
132068004 | Sovereign pig breed (organism)
132069007 | Poltava pig breed (organism)
132070008 | Lipetsk pig breed (organism)
132071007 | Soviet Meat pig breed (organism)
132179006 | Chianina pig breed (organism)
132313006 | Qingping pig breed (organism)
132314000 | Xiangxi Black pig breed (organism)
132315004 | Bamaxiang pig breed (organism)
132316003 | Taihu pig breed (organism)
132317007 | Erhulian pig breed (organism)
132318002 | Jiaxing Black pig breed (organism)
132319005 | Mi pig breed (organism)
132320004 | Shahutou pig breed (organism)
132321000 | Jiaoxi pig breed (organism)
132322007 | Shanghai White pig breed (organism)
132323002 | Hubei White pig breed (organism)
132324008 | Xinjin pig breed (organism)
132325009 | Xinjin, Jilin Black pig breed (organism)
132326005 | Xinjin, Ning-an pig breed (organism)
132327001 | Í pig breed (organism)
132328006 | DBI pig breed (organism)
132329003 | Xinjin, Xinjin pig breed (organism)
132330008 | Meixin pig breed (organism)
132331007 | North East China Spotted pig breed (organism)
132332000 | Fannong Spotted pig breed (organism)
132333005 | Laoshan pig breed (organism)

132334004 | Nanjing Black pig breed (organism)
132335003 | Shanxi Black pig breed (organism)
132336002 | Ganzhou White pig breed (organism)
132337006 | Guangxi White pig breed (organism)
132338001 | Hanzhong White pig breed (organism)
132339009 | Lutai White pig breed (organism)
132340006 | Yili White pig breed (organism)
132341005 | Xinjiang White pig breed (organism)
132342003 | BSI pig breed (organism)
132343008 | Mong Cai pig breed (organism)
132344002 | Lang Hong pig breed (organism)
132345001 | Muong Khuong pig breed (organism)
132346000 | Meo pig breed (organism)
132347009 | Tong Con pig breed (organism)
132348004 | Ha Bac pig breed (organism)
132349007 | Thai Binh pig breed (organism)
132350007 | Co pig breed (organism)
132351006 | Swiss Improved Landrace pig breed (organism)
132352004 | German Landrace B pig breed (organism)
132353009 | Edelschwein pig breed (organism)
132354003 | Swabian-Hall pig breed (organism)
132355002 | Bentheim Black Pied pig breed (organism)
132356001 | Baldinger Spotted pig breed (organism)
132357005 | German Red Pied pig breed (organism)
132358000 | German Cornwall pig breed (organism)
132359008 | Göttingen Miniature pig breed (organism)
132360003 | Munich Miniature pig breed (organism)
132361004 | Leicoma pig breed (organism)
132362006 | Schwerfurt Meat pig breed (organism)
132363001 | Hungarian White pig breed (organism)
132364007 | Hungahyb pig breed (organism)
132365008 | Bulgarian Native pig breed (organism)
132366009 | East Balkan pig breed (organism)
132367000 | Kula pig breed (organism)
132368005 | Nghia Binh pig breed (organism)
132768008 | Kakhetian pig breed (organism)
132769000 | West French White pig breed (organism)
132843000 | Muban pig breed (organism)
132844006 | Iban pig breed (organism)
133161002 | Tuy Hoa Hairless pig breed (organism)
133162009 | Hainan pig breed (organism)
133163004 | Sino-Vietnamese pig breed (organism)
133164005 | Bo Xu pig breed (organism)
133165006 | Thuoc Nhieu pig breed (organism)
133166007 | Burmese pig breed (organism)
133201006 | Romanian Large White pig breed (organism)
133202004 | Romanian Meat Pig pig breed (organism)
133203009 | Gurktal pig breed (organism)
133204003 | Black Slavonian pig breed (organism)
133205002 | Resava pig breed (organism)
133206001 | Morava pig breed (organism)
133207005 | Dzumalia pig breed (organism)
133208000 | Macedonian pig breed (organism)
133209008 | Albanian Native pig breed (organism)
133210003 | Shkodra pig breed (organism)
133211004 | Slovenian White pig breed (organism)
133212006 | Subotica White pig breed (organism)
133213001 | Prestice pig breed (organism)
133214007 | Slovakian Black Pied pig breed (organism)
133215008 | Czech Improved White pig breed (organism)
133216009 | Moravian Large Yorkshire pig breed (organism)
133217000 | Slovakian White pig breed (organism)
133222000 | Czech Meat pig breed (organism)
133223005 | Czech Miniature pig breed (organism)
133224004 | Small Polish Prick-Eared pig breed (organism)
133225003 | Polesian pig breed (organism)
133226002 | Nadbuzanska pig breed (organism)
133227006 | Sarny pig breed (organism)
133228001 | Krolevets pig breed (organism)
133229009 | Polish Marsh pig breed (organism)
133230004 | Large Polish Long-Eared pig breed (organism)
406663005 | Ukrainian steppe white pig (organism)

417012009 | Mixed breed pig (organism)
3260001 | Duroc pig (organism)
5227002 | Oxford sandy block pig (organism)
9135003 | OIC pig (organism)
15443006 | Yuca pig (organism)
15961007 | British saddleback pig (organism)
19770007 | Hereford pig (organism)
20044005 | Pietrain pig (organism)
20280002 | Hampshire pig (organism)
21021000 | Large black pig (organism)
22506004 | British lop pig (organism)
29881002 | Connor prairie pig (organism)
30448006 | Lacombe pig (organism)
30634003 | Tamworth pig (organism)
36187006 | Spotted pig (organism)
49240006 | Palouse pig (organism)
54232006 | Welsh pig (organism)
69461005 | Chester white pig (organism)
73648005 | Wessex saddleback pig (organism)
74568001 | Red wattle pig (organism)
77236002 | Large white pig (organism)
79814001 | Poland China pig (organism)
80084005 | Lucie pig (organism)
80979001 | San Pierre pig (organism)
82909008 | Middle white pig (organism)
85315007 | Yorkshire pig (organism)
86694007 | Hormel miniature pig (organism)
90885005 | Gloucester old spot pig (organism)
132009005 | Haiti Créole pig breed (organism)
132010000 | Manor Hybrid pig breed (organism)
132011001 | Hamline pig breed (organism)
132012008 | Manor Ranger pig breed (organism)
132013003 | Manor Meishan pig breed (organism)
132014009 | Cotswold Gold pig breed (organism)
132015005 | Cotswold Platinum pig breed (organism)
132016006 | Cotswold 16 pig breed (organism)
132017002 | Cotswold 29 pig breed (organism)
132018007 | Cotswold 90 pig breed (organism)
132019004 | Hampen pig breed (organism)
132020005 | SPM pig breed (organism)
132042006 | Hanford Miniature pig breed (organism)
132049002 | Westrain pig breed (organism)
132050002 | Dalland 030 pig breed (organism)
132051003 | Razor-Back pig breed (organism)
132052005 | Macau pig breed (organism)
132053000 | Moura pig breed (organism)
132054006 | Canastra pig breed (organism)
132055007 | Pirapetinga pig breed (organism)
132056008 | Piau pig breed (organism)
132057004 | Nilo-Canastra pig breed (organism)
132058009 | Canastrão pig breed (organism)
132072000 | Central Russian pig breed (organism)
132073005 | Steppe Meat pig breed (organism)
132125002 | Gascony pig breed (organism)
132126001 | Limousin pig breed (organism)
132127005 | Harbin White pig breed (organism)
132128000 | Heilongjiang Spotted pig breed (organism)
132129008 | Liaoning Black pig breed (organism)
132130003 | Huang-Huai-Hai Black, Shenxian pig breed (organism)
132131004 | Huang-Huai-Hai Black pig breed (organism)
132132006 | Bamei pig breed (organism)
132133001 | Hanjiang Black pig breed (organism)
132134007 | Ding pig breed (organism)
132135008 | Huai pig breed (organism)
132136009 | New Huai pig breed (organism)
132137000 | Mashen pig breed (organism)
132138005 | Yimeng Black pig breed (organism)
132139002 | Hetao Lop-Ear pig breed (organism)
132140000 | Korean Native pig breed (organism)
132141001 | Korean Improved pig breed (organism)
132142008 | Penbuk pig breed (organism)
132143003 | Beijing Black pig breed (organism)

132144009 | Chenghua pig breed (organism)
132145005 | Taoyuan pig breed (organism)
132146006 | Taiwan Small Black pig breed (organism)
132147002 | Taiwan Small Red pig breed (organism)
132148007 | Guanling pig breed (organism)
132149004 | Huchuan Mountain pig breed (organism)
132150004 | Rongchang pig breed (organism)
132151000 | Wujin pig breed (organism)
132152007 | Dahe pig breed (organism)
132153002 | Yanan pig breed (organism)
132154008 | South Yunnan Short-Eared pig breed (organism)
132155009 | Hainan, Lingao pig breed (organism)
132156005 | Hainan, Tunchang pig breed (organism)
132157001 | Hainan, Wenchang pig breed (organism)
132158006 | Liang Guang Small Spotted pig breed (organism)
132159003 | German Pasture pig breed (organism)
132160008 | Piau, Sorocaba pig breed (organism)
132161007 | Nilo pig breed (organism)
132162000 | Bahia pig breed (organism)
132163005 | Perna-Curta pig breed (organism)
132164004 | Carunchinho pig breed (organism)
132165003 | Mandi pig breed (organism)
132166002 | Orehla de Colher pig breed (organism)
132167006 | Venezuelan Black pig breed (organism)
132168001 | Bolivian pig breed (organism)
132170005 | Mexican Wattled pig breed (organism)
132171009 | Dalland 080 pig breed (organism)
132173007 | Monarch pig breed (organism)
132174001 | Bisaro pig breed (organism)
132175000 | Black Hairless pig breed (organism)
132176004 | Black Mangalitsa pig breed (organism)
74921000 | Dekalb hybrid pig line (organism)
80131009 | Landrace pig (organism)
89928000 | FHC pig (organism)
75709004 | Pic pig (organism)
74899005 | Boar power pig (organism)
112489009 | Berkshire pig (organism)
69602006 | Kleen leen pig (organism)
61083001 | Minnesota pig (organism)
6053007 | Dekalb hybrid pig line 33 (organism)
8516002 | Dekalb hybrid pig line 51 (organism)
8763002 | German landrace pig (organism)
8970009 | French landrace pig (organism)
10261003 | Belgium landrace pig (organism)
11161001 | Dekalb hybrid pig line 77 (organism)
12407009 | Swedish landrace pig (organism)
14063001 | FHC elite pig 9 (organism)
17717005 | Pic Cambourgh pig (organism)
18212001 | Boar power pig 72 (organism)
24111007 | FHC elite pig 3 (organism)
24319000 | Boar power pig 414 (organism)
25856007 | Boar power pig 929 (organism)
29223008 | Boar power pig 565 (organism)
29235007 | Pic line pig 26 (organism)
30720007 | Boar power pig 84 (organism)
32297006 | Boar power pig 48 (organism)
32683006 | FHC elite pig 7 (organism)
33212007 | Boar power pig 616 (organism)
33551003 | Kentucky red berkshire pig (organism)
34595003 | Boar power pig 828 (organism)
36111002 | Kleen leen black pig (organism)
36570001 | Dekalb hybrid pig line 31 (organism)
41561001 | Dekalb hybrid pig line 30 (organism)
42948007 | Norwegian landrace pig (organism)
43500007 | Boar power pig 454 (organism)
45635003 | FHC elite pig 1 (organism)
47795006 | FHC elite pig 4 (organism)
48470006 | Boar power pig 656 (organism)
49462008 | FHC elite pig 6 (organism)
53431006 | Boar power pig 59 (organism)
56084008 | Boar power pig 292 (organism)
57613003 | Kleen leen white pig (organism)

61973002 | Dekalb hybrid pig line 61 (organism)
67720004 | FHC elite pig 5 (organism)
68512002 | Boar power pig 141 (organism)
71923001 | Italian landrace pig (organism)
73005003 | FHC elite pig 8 (organism)
73944009 | Minnesota pig #1 (organism)
74970001 | Boar power pig 161 (organism)
76364003 | Boar power pig 27 (organism)
78994007 | British landrace pig (organism)
84081007 | Boar power pig 747 (organism)
84232003 | Kleen leen red pig (organism)
84315000 | Boar power pig 474 (organism)
84528008 | Danish landrace pig (organism)
86440008 | Pic line pig 24 (organism)
87061000 | Boar power pig 282 (organism)
132074004 | Kharkov pig breed (organism)
132075003 | Dnepropetrovsk pig breed (organism)
132076002 | Russian Large White pig breed (organism)
132077006 | Forest Mountain pig breed (organism)
132078001 | Dnieper pig breed (organism)
132079009 | Iberian pig breed (organism)
132080007 | Iberian, Extremadura Red pig breed (organism)
132081006 | Iberian, Jabugo Spotted pig breed (organism)
132082004 | Iberian, Black Iberian pig breed (organism)
132083009 | Philippine Native, Ilocos pig breed (organism)
132084003 | Philippine Native, Jalajala pig breed (organism)
132085002 | Mangalizta pig breed (organism)
132086001 | Alentejana pig breed (organism)
132087005 | Belgian Landrace, BN pig breed (organism)
132088000 | French Large White pig breed (organism)
132089008 | Hyper Large White pig breed (organism)
132090004 | Tia Meslan pig breed (organism)
132091000 | Pen ar Lan 77 pig breed (organism)
132092007 | Penshire pig breed (organism)
132093002 | Laconie pig breed (organism)
132094008 | Murcian pig breed (organism)
132095009 | Cavallino pig breed (organism)
132096005 | Calabrian pig breed (organism)
132097001 | Apulian pig breed (organism)
132098006 | Siena Belted pig breed (organism)
132099003 | Calascibetta pig breed (organism)
132100006 | Güssing Forest Pig pig breed (organism)
132101005 | Swiss Edelschwein pig breed (organism)
132102003 | North Caucasus pig breed (organism)
132103008 | Don pig breed (organism)
132104002 | Rostov pig breed (organism)
132105001 | Russian Long-Eared White pig breed (organism)
132106000 | Russian Short-Eared White pig breed (organism)
132107009 | Prisheksninsk pig breed (organism)
132108004 | Breitov pig breed (organism)
132109007 | Livny pig breed (organism)
132110002 | Tsivilsk pig breed (organism)
132111003 | Urzhum pig breed (organism)
132112005 | Minisib pig breed (organism)
132113000 | Sakhalin White pig breed (organism)
132114006 | North Siberian pig breed (organism)
132115007 | Siberian Black Pied pig breed (organism)
132116008 | Kemerovo pig breed (organism)
132117004 | KM-1 pig breed (organism)
132118009 | Aksaî Black Pied pig breed (organism)
132119001 | Semirechensk pig breed (organism)
132120007 | Min pig breed (organism)
132121006 | Sanjiang White pig breed (organism)
132122004 | Basque Black Pied pig breed (organism)
132123009 | Corsican pig breed (organism)
132124003 | Créole pig breed (organism)
132169009 | Pelón pig breed (organism)
132178003 | Borghigiana pig breed (organism)
58311005 | Dutch landrace pig (organism)
59667000 | FHC elite pig 2 (organism)
61036003 | Boar power pig 545 (organism)
112490000 | Dekalb hybrid pig line 63 (organism)

34618005 | Bos taurus (organism)
133259004 | Red Angus cattle breed (organism)
409905004 | Black Angus cattle breed (organism)
78541007 | Milking Shorthorn cattle breed (organism)
53031002 | Dexter cattle breed (organism)
62153005 | Blonde d'Aquitaine (organism)
65344003 | Marchigiana cattle breed (organism)
66314009 | Longhorn cattle breed (organism)
66911005 | Galloway cattle breed (organism)
67448000 | German Fleck-Vieh cattle breed (organism)
76497003 | Gelbveih cattle breed (organism)
81267004 | Normandie cattle breed (organism)
80835003 | Shorthorn cattle breed (organism)
400003 | Pinzgauer cattle breed (organism)
944009 | Brown Welsh cattle breed (organism)
3216001 | Lincoln red cattle breed (organism)
6112002 | Meusse-Rhine-Ijssel cattle breed (organism)
8989009 | Ayrshire cattle breed (organism)
13544004 | Belted Galloway cattle breed (organism)
21553004 | Luing cattle breed (organism)
21921002 | Canadian cattle breed (organism)
23629009 | Hays converter cattle breed (organism)
26105007 | Holstein-Friesian cattle breed (organism)
26525003 | White Park cattle breed (organism)
28483003 | Simmental cattle breed (organism)
28744004 | Black Welsh cattle breed (organism)
35229007 | Chianina cattle breed (organism)
44230005 | Brown Swiss cattle breed (organism)
45284002 | Maine Anjou cattle breed (organism)
48702000 | Limousin cattle breed (organism)
50959000 | Tarentaise cattle breed (organism)
51937006 | Jersey cattle breed (organism)
83173002 | Scottish Highland cattle breed (organism)
84839000 | Guernsey cattle breed (organism)
88807001 | Red Poll cattle breed (organism)
90612002 | Salers cattle breed (organism)
112485003 | Gujarati cattle breed (organism)
84923006 | Aberdeen Angus cattle breed (organism)
30384003 | Brahma cattle breed (organism)
32938007 | Gir cattle breed (organism)
132771000 | Jem-Jem Zebu cattle breed (organism)
133594007 | Amritmahal cattle breed (organism)
133595008 | Bachaur cattle breed (organism)
133596009 | Barka cattle breed (organism)
133597000 | Bengali cattle breed (organism)
133598005 | Bhagnari cattle breed (organism)
133599002 | Boran cattle breed (organism)
133600004 | Channi cattle breed (organism)
133601000 | Cholistani cattle breed (organism)
133602007 | Dajal cattle breed (organism)
133603002 | Dangi cattle breed (organism)
133604008 | Deoni cattle breed (organism)
133605009 | Dhanni cattle breed (organism)
133606005 | Gaolao cattle breed (organism)
133607001 | Hallikar cattle breed (organism)
133608006 | Hariana cattle breed (organism)
133609003 | Indo-Brazilian cattle breed (organism)
133610008 | Kangayam cattle breed (organism)
133611007 | Kankrej cattle breed (organism)
133612000 | Kenkatha cattle breed (organism)
133631006 | Arsi cattle breed (organism)
133632004 | Atpadi Mahal cattle breed (organism)
133633009 | Azaouak cattle breed (organism)
133634003 | Azerbaijan Zebu cattle breed (organism)
133635002 | Baggara cattle breed (organism)
133636001 | Bambawa cattle breed (organism)
133637005 | Bami cattle breed (organism)
133638000 | Banyo cattle breed (organism)
133639008 | Bargur cattle breed (organism)
133640005 | Bari cattle breed (organism)
133641009 | Bimal cattle breed (organism)
133642002 | Borneo Zebu cattle breed (organism)

133643007 | Butana cattle breed (organism)
133644001 | Chittagong Red cattle breed (organism)
133645000 | Cutchi cattle breed (organism)
133646004 | Dairy Zebu of Uberaba cattle breed (organism)
133647008 | Dashtiari cattle breed (organism)
133648003 | Diali cattle breed (organism)
133649006 | Didinga cattle breed (organism)
133650006 | Dongola cattle breed (organism)
133651005 | Fellata cattle breed (organism)
133653008 | Abyssinian Highland Zebu cattle breed (organism)
133654002 | Abyssinian Shorthorned Zebu cattle breed (organism)
133655001 | Aceh cattle breed (organism)
133656000 | Achham cattle breed (organism)
133657009 | Garre cattle breed (organism)
133658004 | Gasara cattle breed (organism)
133659007 | Gobra cattle breed (organism)
133660002 | Goomsur cattle breed (organism)
133661003 | Gujamavu cattle breed (organism)
133663000 | Hissar cattle breed (organism)
133664006 | Ingessana cattle breed (organism)
133665007 | Jamaica Brahman cattle breed (organism)
133666008 | Jellicut cattle breed (organism)
133667004 | Adamawa cattle breed (organism)
133668009 | Aden Zebu cattle breed (organism)
133669001 | Afghan cattle breed (organism)
133670000 | Alambadi cattle breed (organism)
133674009 | Jenubi cattle breed (organism)
133675005 | Jiddu cattle breed (organism)
133676006 | Jijjiga Zebu cattle breed (organism)
133677002 | Kabota cattle breed (organism)
133678007 | Kachcha Siri cattle breed (organism)
133679004 | Kalakheri cattle breed (organism)
133680001 | Kamdhino cattle breed (organism)
133681002 | Kandahari cattle breed (organism)
133682009 | Kaningan cattle breed (organism)
133686007 | Iranian Zebu cattle breed (organism)
133689000 | Kappiliyan cattle breed (organism)
133690009 | Karamajong cattle breed (organism)
133691008 | Kenana cattle breed (organism)
133699005 | Guzerat cattle breed (organism)
133701005 | Deogir cattle breed (organism)
76604009 | Nellore cattle breed (organism)
133613005 | Kherigarh cattle breed (organism)
133614004 | Khillari cattle breed (organism)
133615003 | Krishna Valley cattle breed (organism)
133616002 | Lohani cattle breed (organism)
133617006 | Malvi cattle breed (organism)
133618001 | Mewati cattle breed (organism)
133619009 | Nagori cattle breed (organism)
133620003 | Nelore cattle breed (organism)
133621004 | Nimari cattle breed (organism)
133622006 | Ponwar cattle breed (organism)
133623001 | Rath cattle breed (organism)
133624007 | Rathi cattle breed (organism)
133625008 | Red Sindhi cattle breed (organism)
133626009 | Rojhan cattle breed (organism)
133627000 | Sahiwal cattle breed (organism)
133628005 | Siri zebu cattle breed (organism)
133629002 | Tharparkar cattle breed (organism)
133630007 | Zanzibar Zebu cattle breed (organism)
133652003 | Turkmen zebu cattle breed (organism)
133662005 | Leiqiong cattle breed (organism)
133671001 | Umblachery cattle breed (organism)
133672008 | Venezuelan Zebu cattle breed (organism)
133683004 | Wakwa cattle breed (organism)
133684005 | White Fulani cattle breed (organism)
133685006 | Yemeni Zebu cattle breed (organism)
133687003 | Khorsan cattle breed (organism)
133688008 | Polled Gir cattle breed (organism)
133692001 | Kenya Boran cattle breed (organism)
133693006 | Kenya Zebu cattle breed (organism)
133694000 | Khamala cattle breed (organism)

133695004 | Khurasani zebu cattle breed (organism)
133696003 | Kilara cattle breed (organism)
133697007 | Kinniya cattle breed (organism)
133698002 | Konari cattle breed (organism)
133700006 | Tadzhik zebu cattle breed (organism)
133705001 | Krishnagari cattle breed (organism)
133706000 | Kumauni cattle breed (organism)
133707009 | Ladakhi cattle breed (organism)
133708004 | Latuka cattle breed (organism)
133709007 | Lugware cattle breed (organism)
133710002 | Madagascar Zebu cattle breed (organism)
133711003 | Madaripur cattle breed (organism)
133712005 | Magal cattle breed (organism)
133713000 | Malawi Zebu cattle breed (organism)
133714006 | Malnad Gidda cattle breed (organism)
133721006 | Mampati cattle breed (organism)
133722004 | Manapari cattle breed (organism)
133723009 | Maure cattle breed (organism)
133724003 | Mazandarani cattle breed (organism)
133725002 | Merauke cattle breed (organism)
133727005 | Mhaswad cattle breed (organism)
133728000 | Miniature Zebu cattle breed (organism)
133729008 | Mongalla cattle breed (organism)
133730003 | Morang cattle breed (organism)
133737000 | Mozambique Angoni cattle breed (organism)
133738005 | Mpwapwa cattle breed (organism)
133739002 | Murle cattle breed (organism)
133740000 | Nakali cattle breed (organism)
133741001 | Nepalese Hill Zebu cattle breed (organism)
133742008 | N'Gaoundere cattle breed (organism)
133743003 | Nkedi cattle breed (organism)
133744009 | North Bangladesh Gray cattle breed (organism)
133745005 | North Somali Zebu cattle breed (organism)
133746006 | Polled Guzerat cattle breed (organism)
133753002 | Polled Nelore cattle breed (organism)
133754008 | Prewakwa cattle breed (organism)
133755009 | Pul-M'bor cattle breed (organism)
133756005 | Punganur cattle breed (organism)
133757001 | Ramgarhi cattle breed (organism)
133758006 | Red Bororo cattle breed (organism)
133759003 | Red Desert cattle breed (organism)
133760008 | Red Kandhari cattle breed (organism)
133761007 | Shakhansurri cattle breed (organism)
133762000 | Sheko cattle breed (organism)
133769009 | Shendi cattle breed (organism)
133770005 | Shuwa cattle breed (organism)
133771009 | Sinhala cattle breed (organism)
133772002 | Sistani cattle breed (organism)
133773007 | Small East African Zebu cattle breed (organism)
133774001 | Sokoto Gudali cattle breed (organism)
133775000 | Somali cattle breed (organism)
133776004 | Sonkheri cattle breed (organism)
133777008 | Son Valley cattle breed (organism)
133778003 | South China Zebu cattle breed (organism)
133785004 | South Malawi Zebu cattle breed (organism)
133786003 | Sudanese Fulani cattle breed (organism)
133787007 | Tabapua cattle breed (organism)
133788002 | Tamankaduwa cattle breed (organism)
133789005 | Tanzanian Zebu cattle breed (organism)
133790001 | Tarai cattle breed (organism)
133791002 | Thillari cattle breed (organism)
133792009 | Toposa cattle breed (organism)
133793004 | Toronke cattle breed (organism)
133794005 | Toupouri cattle breed (organism)
440034003 | Polled dorset sheep breed (organism)
125102002 | Anas platyrhynchos (organism)
70881005 | Anser anser anser (organism)
125104001 | Anser anser (organism)
131828004 | Magpie breed duck (organism)
131846005 | Toulouse goose breed (organism)
425181009 | Bison bison X Bos taurus hybrid (organism)
83996001 | Criollo cattle breed (organism)

74517004 | Montana pig (organism)
60958006 | Maryland pig (organism)
24840008 | CPF pig (organism)
48394005 | Beltsville pig (organism)
85626006 | Equus asinus (organism)
445729005 | Tarpan horse breed (organism)
407402001 | Warmblood horse breed (organism)
441714000 | Rhinelander horse breed (organism)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.356 Value Set http://hl7.org/fhir/ValueSet/handling-condition

URL: https://hl7.org/fhir/R4/valueset-handling-condition.html
Orders and Observations Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/handling-condition
Version: | 4.0.1
Name: | HandlingConditionSet
Title: | HandlingConditionSet
Definition: | Set of handling instructions prior testing of the specimen.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.854 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for HandlingConditionSet
• Resource: SpecimenDefinition.typeTested.handling.temperatureQualifier (CodeableConcept / Example)

4.4.1.356.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/handling-condition

4.4.1.356.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/handling-condition version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/handling-condition

Code | Display | Definition
room | room temperature | room temperature.
refrigerated | refrigerated | refrigerated temperature.
frozen | frozen | frozen temperature.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.357 Value Set http://hl7.org/fhir/ValueSet/device-component-property

URL: https://hl7.org/fhir/R4/valueset-device-component-property.html
Orders and Observations Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/device-component-property
Version: | 4.0.1
Name: | DeviceDefinitionPropertyCode
Title: | DeviceDefinitionPropertyCode
Definition: | Codes for identifying device properties. This is based upon IEEE/HCD specified codes.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.634 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is not currently used

4.4.1.357.1 Content Logical Definition

This value set includes codes from the following code systems:

urn:iso:std:iso:11073:10101

Code | Display | Definition
68219 | MDC_TIME_CAP_STATE | Time capability
68220 | MDC_TIME_SYNC_PROTOCOL | Time synchronization method
68221 | MDC_TIME_SYNC_ACCURACY | The accuracy of the time synchronization
68222 | MDC_TIME_RES_ABS | The resolution of the absolute time clock
68223 | MDC_TIME_RES_REL | The resolution of the relative time clock
68224 | MDC_TIME_RES_REL_HI_RES | The resolution of the high resolution time clock
68226 | MDC_TIME_RES_BO | The resolution of the base offset time clock
532353 | MDC_REG_CERT_DATA_CONTINUA_CERT_DEV_LIST | The specializations this device is certified for
532354 | MDC_REG_CERT_DATA_CONTINUA_REG_STATUS | The regulation type and status this device has
532355 | MDC_REG_CERT_DATA_CONTINUA_PHG_CERT_LIST | The upload transactions this gateway has been certified for

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.358 Value Set http://hl7.org/fhir/ValueSet/standards-status

URL: https://hl7.org/fhir/R4/valueset-standards-status.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/standards-status
Version: | 4.0.1
Name: | StandardsStatus
Title: | StandardsStatus
Definition: | HL7 Ballot/Standards status of artifact.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.1365 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for StandardsStatus

4.4.1.358.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/standards-status

4.4.1.358.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 6 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/standards-status version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/standards-status

Code | Display | Definition

draft | Draft | This portion of the specification is not considered to be complete enough or sufficiently reviewed to be safe for implementation. It may have known issues or still be in the "in development" stage. It is included in the publication as a place-holder, to solicit feedback from the implementation community and/or to give implementers some insight as to functionality likely to be included in future versions of the specification. Content at this level should only be implemented by the brave or desperate and is very much "use at your own risk". The content that is Draft that will usually be elevated to Trial Use once review and correction is complete after it has been subjected to ballot.

normative | Normative | This content has been subject to review and production implementation in a wide variety of environments. The content is considered to be stable and has been 'locked', subjecting it to FHIR Inter-version Compatibility Rules. While changes are possible, they are expected to be infrequent and are tightly constrained. Compatibility Rules.

trial-use | Trial-Use | This content has been well reviewed and is considered by the authors to be ready for use in production systems. It has been subjected to ballot and approved as an official standard. However, it has not yet seen widespread use in production across the full spectrum of environments it is intended to be used in. In some cases, there may be documented known issues that require implementation experience to determine appropriate resolutions for. Future versions of FHIR may make significant changes to Trial Use content that are not compatible with previously published content.

informative | Informative | This portion of the specification is provided for implementer assistance, and does not make rules that implementers are required to follow. Typical examples of this content in the FHIR specification are tables of contents, registries, examples, and implementer advice.

deprecated | Deprecated | This portion of the specification is provided for implementer assistance, and does not make rules that implementers are required to follow. Typical examples of this content in the FHIR specification are tables of contents, registries, examples, and implementer advice.

external | External | This is content that is managed outside the FHIR Specification, but included for implementer convenience.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.4.1.359 Value Set http://hl7.org/fhir/ValueSet/signature-type

URL: https://hl7.org/fhir/R4/valueset-signature-type.html

FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined at http://www.astm.org/ .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/signature-type

Version: | 4.0.1

Name: | SignatureTypeCodes

Title: | Signature Type Codes

Definition: | The Digital Signature Purposes, an indication of the reason an entity signs a document. This is included in the signed information and can be used when determining accountability for various actions concerning the document. Examples include: author, transcriptionist/recorder, and witness.

Committee: | FHIR Infrastructure Work Group

OID: | 1.2.840.10065.1.12 (for OID based terminology systems)

Copyright: | These codes are excerpted from ASTM Standard, E1762-95(2013) - Standard Guide for Electronic Authentication of Health Care Information, Copyright by ASTM International, 100 Barr Harbor Drive, West Conshohocken, PA 19428. Copies of this standard are available through the ASTM Web Site at www.astm.org.

Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for SignatureTypeCodes

• Resource: Signature.type (Coding / Preferred)

• Extension: http://hl7.org/fhir/StructureDefinition/questionnaire-signatureRequired: signatureRequired (CodeableConcept / Preferred)

4.4.1.359.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in urn:iso-astm:E1762-95:2013

4.4.1.359.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 18 concepts

Expansion based on urn:iso-astm:E1762-95:2013 version 4.0.1

All codes from system urn:iso-astm:E1762-95:2013

Code | Display | Definition

1.2.840.10065.1.12.1.1 | Author's Signature | the signature of the primary or sole author of a health information document. There can be only one primary author of a health information document.

1.2.840.10065.1.12.1.2 | Coauthor's Signature | the signature of a health information document coauthor. There can be multiple coauthors of a health information document.

1.2.840.10065.1.12.1.3 | Co-participant's Signature | the signature of an individual who is a participant in the health information document but is not an author or coauthor. (Example a surgeon who is required by institutional, regulatory, or legal rules to sign an operative report, but who was not involved in the authorship of that report.)

1.2.840.10065.1.12.1.4 | Transcriptionist/Recorder Signature | the signature of an individual who has transcribed a dictated document or recorded written text into a digital machine readable format.

1.2.840.10065.1.12.1.5 | Verification Signature | a signature verifying the information contained in a document. (Example a physician is required to countersign a verbal order that has previously been recorded in the medical record by a registered nurse who has carried out the verbal order.)

1.2.840.10065.1.12.1.6 | Validation Signature | a signature validating a health information document for inclusion in the patient record. (Example a medical student or resident is credentialed to perform history or physical examinations and to write progress notes. The attending physician signs the history and physical examination to validate the entry for inclusion in the patient's medical record.)

1.2.840.10065.1.12.1.7 | Consent Signature | the signature of an individual consenting to what is described in a health information document.

1.2.840.10065.1.12.1.8 | Signature Witness Signature | the signature of a witness to any other signature.

1.2.840.10065.1.12.1.9 | Event Witness Signature | the signature of a witness to an event. (Example the witness has observed a procedure and is attesting to this fact.)

1.2.840.10065.1.12.1.10 | Identity Witness Signature | the signature of an individual who has witnessed another individual who is known to them signing a document. (Example the identity witness is a notary public.)

1.2.840.10065.1.12.1.11 | Consent Witness Signature | the signature of an individual who has witnessed the health care provider counselling a patient.

1.2.840.10065.1.12.1.12 | Interpreter Signature | the signature of an individual who has translated health care information during an event or the obtaining of consent to a treatment.

1.2.840.10065.1.12.1.13 | Review Signature | the signature of a person, device, or algorithm that has reviewed or filtered data for inclusion into the patient record. (Examples: (1) a medical records clerk who scans a document for inclusion in the medical record, enters header information, or catalogues and classifies the data, or a combination thereof; (2) a gateway that receives data from another computer system and interprets that data or changes its format, or both, before entering it into the patient record.)

1.2.840.10065.1.12.1.14 | Source Signature | the signature of an automated data source. (Examples: (1) the signature for an image that is generated by a device for inclusion in the patient record; (2) the signature for an ECG derived by an ECG system for inclusion in the patient record; (3) the data from a biomedical monitoring device or system that is for inclusion in the patient record.)

1.2.840.10065.1.12.1.15 | Addendum Signature | the signature on a new amended document of an individual who has corrected, edited, or amended an original health information document. An addendum signature can either be a signature type or a signature sub-type (see 8.1). Any document with an addendum signature shall have a companion document that is the original document with its original, unaltered content, and original signatures. The original document shall be referenced via an attribute in the new document, which contains, for example, the digest of the old document. Whether the original, unaltered, document is always displayed with the addended document is a local matter, but the original, unaltered, document must remain as part of the patient record and be retrievable on demand.

1.2.840.10065.1.12.1.16 | Modification Signature | the signature on an original document of an individual who has generated a new amended document. This (original) document shall reference the new document via an additional signature purpose. This is the inverse of an addendum signature and provides a pointer from the original to the amended document.

1.2.840.10065.1.12.1.17 | Administrative (Error/Edit) Signature | the signature of an individual who is certifying that the document is invalidated by an error(s), or is placed in the wrong chart. An administrative (error/edit) signature must include an addendum to the document and therefore shall have an addendum signature sub-type (see 8.1). This signature is reserved for the highest health information system administrative classification, since it is a statement that the entire document is invalidated by the error and that the document should no longer be used for patient care, although for legal reasons the document must remain part of the permanent patient record.

1.2.840.10065.1.12.1.18 | Timestamp Signature | the signature by an entity or device trusted to provide accurate timestamps. This timestamp might be provided, for example, in the signature time attribute.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.4.1.360 Value Set http://hl7.org/fhir/ValueSet/coverageeligibilityresponse-ex-auth-support

URL: https://hl7.org/fhir/R4/valueset-coverageeligibilityresponse-ex-auth-support.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/coverageeligibilityresponse-ex-auth-support
Version: | 4.0.1
Name: | CoverageEligibilityResponseAuthSupportCodes
Title: | CoverageEligibilityResponse Auth Support Codes
Definition: | This value set includes CoverageEligibilityResponse Auth Support codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.1393 (for OID based terminology systems)
Copyright: | HL7 Inc.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for CoverageEligibilityResponseAuthSupportCodes

• Resource: CoverageEligibilityResponse.insurance.item.authorizationSupporting (CodeableConcept / Example)

4.4.1.360.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/coverageeligibilityresponse-ex-auth-support

4.4.1.360.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 8 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/coverageeligibilityresponse-ex-auth-support version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/coverageeligibilityresponse-ex-auth-support

Code | Display | Definition
laborder | Lab Order | A request or authorization for laboratory diagnostic tests.
labreport | Lab Report | A report on laboratory diagnostic test(s).
diagnosticimageorder | Diagnostic Image Order | A request or authorization for diagnostic imaging.
diagnosticimagereport | Diagnostic Image Report | A report on diagnostic image(s).
professionalreport | Professional Report | A report from a licensed professional regarding the siutation, condition or proposed treatment.
accidentreport | Accident Report | A formal accident report as would be filed with police or a simlar official body.
model | Model | A physical model of the affected area.
picture | Picture | A photograph of the affected area.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.361 Value Set http://hl7.org/fhir/ValueSet/ucum-bodyweight

URL: https://hl7.org/fhir/R4/valueset-ucum-bodyweight.html
Orders and Observations Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/ucum-bodyweight

Version: | 4.0.1
Name: | BodyWeightUnits
Title: | Body Weight Units
Definition: | UCUM units for recording Body Weight
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.956 (for OID based terminology systems)
Copyright: | UCUM is Copyright © 1999-2013 Regenstrief Institute, Inc. and The UCUM Organization, Indianapolis, IN. All rights reserved. See http://unitsofmeasure.org/trac//wiki/TermsOfUse for details
Source Resource | XML / JSON

This value set is not currently used

4.4.1.361.1 Content Logical Definition

This value set includes codes from the following code systems:

http://unitsofmeasure.org

Code | Display
kg | kg
[lb_av] | lb_av
g | g

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.362 Value Set http://hl7.org/fhir/ValueSet/encounter-admit-source

URL: https://hl7.org/fhir/R4/valueset-encounter-admit-source.html
Patient Administration Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/encounter-admit-source
Version: | 4.0.1
Name: | AdmitSource
Title: | Admit source
Definition: | This value set defines a set of codes that can be used to indicate from where the patient came in.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.257 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for AdmitSource
• Resource: Encounter.hospitalization.admitSource (CodeableConcept / Preferred)

4.4.1.362.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/admit-source

4.4.1.362.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 10 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/admit-source version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/admit-source

Code | Display | Definition
hosp-trans | Transferred from other hospital | The Patient has been transferred from another hospital for this encounter.
emd | From accident/emergency department | The patient has been transferred from the emergency department within the hospital. This is typically used in the transition to an inpatient encounter
outp | From outpatient department | The patient has been transferred from an outpatient department within the hospital.

born | Born in hospital | The patient is a newborn and the encounter will track the baby related activities (as opposed to the Mothers encounter - that may be associated using the newborn encounters partof property)
gp | General Practitioner referral | The patient has been admitted due to a referred from a General Practitioner.
mp | Medical Practitioner/physician referral | The patient has been admitted due to a referred from a Specialist (as opposed to a General Practitioner).
nursing | From nursing home | The patient has been transferred from a nursing home.
psych | From psychiatric hospital | The patient has been transferred from a psychiatric facility.
rehab | From rehabilitation facility | The patient has been transferred from a rehabilitation facility or clinic.
other | Other | The patient has been admitted from a source otherwise not specified here.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.363 Value Set http://hl7.org/fhir/ValueSet/issue-type

URL: https://hl7.org/fhir/R4/valueset-issue-type.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Infrastructure Package for further details.

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/issue-type
Version: | 4.0.1
Name: | IssueType
Title: | IssueType
Definition: | A code that describes the type of issue.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.410 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for IssueType
• Resource: OperationOutcome.issue.code (code / Required)

4.4.1.363.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/issue-type

4.4.1.363.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 31 concepts

Expansion based on http://hl7.org/fhir/issue-type version 4.0.1

All codes from system http://hl7.org/fhir/issue-type

Lvl | Code | Display | Definition
0 | invalid | Invalid Content | Content invalid against the specification or a profile.
1 | structure | Structural Issue | A structural issue in the content such as wrong namespace, unable to parse the content completely, invalid syntax, etc.
1 | required | Required element missing | A required element is missing.
1 | value | Element value invalid | An element or header value is invalid.
1 | invariant | Validation rule failed | A content validation rule failed - e.g. a schematron rule.
0 | security | Security Problem | An authentication/authorization/permissions issue of some kind.
1 | login | Login Required | The client needs to initiate an authentication process.
1 | unknown | Unknown User | The user or system was not able to be authenticated (either there is no process, or the proferred token is unacceptable).
1 | expired | Session Expired | User session expired; a login may be required.
1 | forbidden | Forbidden | The user does not have the rights to perform this action.
1 | suppressed | Information Suppressed | Some information was not or might not have been returned due to business rules, consent or privacy rules, or access permission constraints. This information may be accessible through alternate processes.
0 | processing | Processing Failure | Processing issues. These are expected to be final e.g. there is no point resubmitting the same content unchanged.

1 | not-supported | Content not supported | The interaction, operation, resource or profile is not supported.
1 | duplicate | Duplicate | An attempt was made to create a duplicate record.
1 | multiple-matches | Multiple Matches | Multiple matching records were found when the operation required only one match.
1 | not-found | Not Found | The reference provided was not found. In a pure RESTful environment, this would be an HTTP 404 error, but this code may be used where the content is not found further into the application architecture.
2 | deleted | Deleted | The reference pointed to content (usually a resource) that has been deleted.
1 | too-long | Content Too Long | Provided content is too long (typically, this is a denial of service protection type of error).
1 | code-invalid | Invalid Code | The code or system could not be understood, or it was not valid in the context of a particular ValueSet.code.
1 | extension | Unacceptable Extension | An extension was found that was not acceptable, could not be resolved, or a modifierExtension was not recognized.
1 | too-costly | Operation Too Costly | The operation was stopped to protect server resources; e.g. a request for a value set expansion on all of SNOMED CT.
1 | business-rule | Business Rule Violation | The content/operation failed to pass some business rule and so could not proceed.
1 | conflict | Edit Version Conflict | Content could not be accepted because of an edit conflict (i.e. version aware updates). (In a pure RESTful environment, this would be an HTTP 409 error, but this code may be used where the conflict is discovered further into the application architecture.).
0 | transient | Transient Issue | Transient processing issues. The system receiving the message may be able to resubmit the same content once an underlying issue is resolved.
1 | lock-error | Lock Error | A resource/record locking failure (usually in an underlying database).
1 | no-store | No Store Available | The persistent store is unavailable; e.g. the database is down for maintenance or similar action, and the interaction or operation cannot be processed.
1 | exception | Exception | An unexpected internal error has occurred.
1 | timeout | Timeout | An internal timeout has occurred.
1 | incomplete | Incomplete Results | Not all data sources typically accessed could be reached or responded in time, so the returned information might not be complete (applies to search interactions and some operations).
1 | throttled | Throttled | The system is not prepared to handle this request due to load management.
0 | informational | Informational Note | A message unrelated to the processing success of the completed operation (examples of the latter include things like reminders of password expiry, system maintenance times, etc.).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.364 Value Set http://hl7.org/fhir/ValueSet/address-type

URL: https://hl7.org/fhir/R4/valueset-address-type.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/address-type
Version: | 4.0.1
Name: | AddressType
Title: | AddressType
Definition: | The type of an address (physical / postal).
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.69 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for AddressType
• ConceptMap: Translation source in v3 map for AddressType
• Resource: Address.type (code / Required)

4.4.1.364.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/address-type

4.4.1.364.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/address-type version 4.0.1

All codes from system http://hl7.org/fhir/address-type

Code | Display | Definition
postal | Postal | Mailing addresses - PO Boxes and care-of addresses.
physical | Physical | A physical address that can be visited.
both | Postal & Physical | An address that is both physical and postal.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.365 Value Set http://hl7.org/fhir/ValueSet/link-type

URL: https://hl7.org/fhir/R4/valueset-link-type.html
Patient Administration Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Patient Package for further details.

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/link-type
Version: | 4.0.1
Name: | LinkType
Title: | LinkType
Definition: | The type of link between this patient resource and another patient resource.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.423 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for LinkType

• Resource: Patient.link.type (code / Required)

4.4.1.365.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/link-type

4.4.1.365.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/link-type version 4.0.1

All codes from system http://hl7.org/fhir/link-type

Code | Display | Definition
replaced-by | Replaced-by | The patient resource containing this link must no longer be used. The link points forward to another patient resource that must be used in lieu of the patient resource that contains this link.
replaces | Replaces | The patient resource containing this link is the current active patient record. The link points back to an inactive patient resource that has been merged into this resource, and should be consulted to retrieve additional referenced information.
refer | Refer | The patient resource containing this link is in use and valid but not considered the main source of information about a patient. The link points forward to another patient resource that should be consulted to retrieve additional patient information.
seealso | See also | The patient resource containing this link is in use and valid, but points to another patient resource that is known to contain data about the same person. Data in this resource might overlap or contradict information found in the other patient resource. This link does not indicate any relative importance of the resources concerned, and both should be regarded as equally valid.

Additional Language Displays

Code | Nederlands (Dutch, nl)
replaced-by | Vervangen door
replaces | Vervangt
refer | Verwijzing
seealso | Zie ook

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.366 Value Set http://hl7.org/fhir/ValueSet/probability-distribution-type

URL: https://hl7.org/fhir/R4/valueset-probability-distribution-type.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/probability-distribution-type
Version: | 4.0.1
Name: | ProbabilityDistributionType
Title: | ProbabilityDistributionType
Definition: | Codes specifying the type of probability distribution.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.907 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is not currently used

4.4.1.366.1 Content Logical Definition

This value set includes codes from the following code systems:

http://terminology.hl7.org/CodeSystem/v3-ProbabilityDistributionType

Code | Display | Definition
B | beta | The beta-distribution is used for data that is bounded on both sides and might or might not be skewed (e.g., occurs when probabilities are estimated.) Two parameters a and b are available to adjust the curve. The mean m and variance s2 relate as follows: m = a/ (a + b) and s2 = ab/((a + b)2 (a + b + 1)).
E | exponential | Used for data that describes extinction. The exponential distribution is a special form of g-distribution where a = 1, hence, the relationship to mean m and variance s2 are m = b and s2 = b2.
F | F | Used to describe the quotient of two c2 random variables. The F-distribution has two parameters n1 and n2, which are the numbers of degrees of freedom of the numerator and denominator variable respectively. The relationship to mean m and variance s2 are: m = n2 / (n2 - 2) and s2 = (2 n2 (n2 + n1 - 2)) / (n1 (n2 - 2)2 (n2 - 4)).
G | (gamma) | The gamma-distribution used for data that is skewed and bounded to the right, i.e. where the maximum of the distribution curve is located near the origin. The g-distribution has a two parameters a and b. The relationship to mean m and variance s2 is m = a b and s2 = a b2.
LN | log-normal | The logarithmic normal distribution is used to transform skewed random variable X into a normally distributed random variable U = log X. The log-normal distribution can be specified with the properties mean m and standard deviation s. Note however that mean m and standard deviation s are the parameters of the raw value distribution, not the transformed parameters of the lognormal distribution that are conventionally referred to by the same letters. Those log-normal parameters mlog and slog relate to the mean m and standard deviation s of the data value through slog2 = log (s2/m2 + 1) and mlog = log m - slog2/2.
N | normal (Gaussian) | This is the well-known bell-shaped normal distribution. Because of the central limit theorem, the normal distribution is the distribution of choice for an unbounded random variable that is an outcome of a combination of many stochastic processes. Even for values bounded on a single side (i.e. greater than 0) the normal distribution may be accurate enough if the mean is "far away" from the bound of the scale measured in terms of standard deviations.
T | T | Used to describe the quotient of a normal random variable and the square root of a c2 random variable. The t-distribution has one parameter n, the number of degrees of freedom. The relationship to mean m and variance s2 are: m = 0 and s2 = n / (n - 2)
U | uniform | The uniform distribution assigns a constant probability over the entire interval of possible outcomes, while all outcomes outside this interval are assumed to have zero probability. The width of this interval is 2s sqrt(3). Thus, the uniform distribution assigns the probability densities f(x) = sqrt(2 s sqrt(3)) to values m - s sqrt(3) >= x <= m + s sqrt(3) and f(x) = 0 otherwise.
X2 | chi square | Used to describe the sum of squares of random variables which occurs when a variance is estimated (rather than presumed) from the sample. The only parameter of the c2-distribution is n, so called the number of degrees of freedom (which is the number of independent parts in the sum). The c2-distribution is a special type of g-distribution with parameter a = n /2 and b = 2. Hence, m = n and s2 = 2 n.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.367 Value Set http://hl7.org/fhir/ValueSet/service-uscls

URL: https://hl7.org/fhir/R4/valueset-service-uscls.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/service-uscls
Version: | 4.0.1
Name: | USCLSCodes
Title: | USCLS Codes
Definition: | This value set includes a smattering of USCLS codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.542 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

- CodeSystem: This value set is the designated 'entire code system' value set for USCLSCodes
- Resource: CoverageEligibilityResponse.insurance.item.productOrService (CodeableConcept / Example)
- Resource: ExplanationOfBenefit.item.productOrService (CodeableConcept / Example)
- Resource: ExplanationOfBenefit.item.detail.productOrService (CodeableConcept / Example)
- Resource: ExplanationOfBenefit.item.detail.subDetail.productOrService (CodeableConcept / Example)
- Resource: ExplanationOfBenefit.addItem.productOrService (CodeableConcept / Example)
- Resource: ExplanationOfBenefit.addItem.detail.productOrService (CodeableConcept / Example)
- Resource: ExplanationOfBenefit.addItem.detail.subDetail.productOrService (CodeableConcept / Example)
- Resource: ClaimResponse.addItem.productOrService (CodeableConcept / Example)
- Resource: ClaimResponse.addItem.detail.productOrService (CodeableConcept / Example)
- Resource: ClaimResponse.addItem.detail.subDetail.productOrService (CodeableConcept / Example)
- Resource: CoverageEligibilityRequest.item.productOrService (CodeableConcept / Example)
- Resource: Claim.item.productOrService (CodeableConcept / Example)
- Resource: Claim.item.detail.productOrService (CodeableConcept / Example)
- Resource: Claim.item.detail.subDetail.productOrService (CodeableConcept / Example)

4.4.1.367.1 Content Logical Definition

This value set includes codes from the following code systems:

- Include all codes defined in http://terminology.hl7.org/CodeSystem/ex-USCLS

4.4.1.367.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 20 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/ex-USCLS version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/ex-USCLS

Code | Display | Definition
1101 | Exam, comp, primary | Exam, comp, primary
1102 | Exam, comp, mixed | Exam, comp, mixed
1103 | Exam, comp, permanent | Exam, comp, permanent
1201 | Exam, recall | Exam, recall
1205 | Exam, emergency | Exam, emergency
2101 | Radiograph, series (12) | Radiograph, series (12)
2102 | Radiograph, series (16) | Radiograph, series (16)
2141 | Radiograph, bitewing | Radiograph, bitewing
2601 | Radiograph, panoramic | Radiograph, panoramic
11101 | Polishing, 1 unit | Polishing, 1 unit
11102 | Polishing, 2 unit | Polishing, 2 unit
11103 | Polishing, 3 unit | Polishing, 3 unit

11104 | Polishing, 4 unit | Polishing, 4 unit
21211 | Amalgam, 1 surface | Amalgam, 1 surface
21212 | Amalgam, 2 surface | Amalgam, 2 surface
27211 | Crown, PFM | Crown, PFM
67211 | Maryland Bridge | Maryland Bridge
99111 | Lab, commercial | Lab, commercial
99333 | Lab, in office | Lab, in office
99555 | Expense | Expense

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.368 Value Set http://hl7.org/fhir/ValueSet/concept-subsumption-outcome

URL: https://hl7.org/fhir/R4/valueset-concept-subsumption-outcome.html
Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/concept-subsumption-outcome
Version: | 4.0.1
Name: | ConceptSubsumptionOutcome
Title: | ConceptSubsumptionOutcome
Definition: | The subsumption relationship between code/Coding "A" and code/Coding "B". There are 4 possible codes to be returned: equivalent, subsumes, subsumed-by, and not-subsumed. If the server is unable to determine the relationship between the codes/Codings, then it returns an error (i.e. an OperationOutcome).
Committee: | Vocabulary Work Group
OID: | 2.16.840.1.113883.4.642.3.1238 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ConceptSubsumptionOutcome

• Operation: Parameter $subsumes.outcome (code /: (Required))

4.4.1.368.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/concept-subsumption-outcome

4.4.1.368.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/concept-subsumption-outcome version 4.0.1

All codes from system http://hl7.org/fhir/concept-subsumption-outcome

Code | Display | Definition
equivalent | Equivalent | The two concepts are equivalent (have the same properties).
subsumes | Subsumes | Coding/code "A" subsumes Coding/code "B" (e.g. B has all the properties A has, and some of it's own).
subsumed-by | Subsumed-By | Coding/code "A" is subsumed by Coding/code "B" (e.g. A has all the properties B has, and some of it's own).
not-subsumed | Not-Subsumed | Coding/code "A" and Coding/code "B" are disjoint (e.g. each has propeties that the other doesn't have).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.369 Value Set http://hl7.org/fhir/ValueSet/administrative-gender

URL: https://hl7.org/fhir/R4/valueset-administrative-gender.html
Patient Administration Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Patient Package for further details.

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/administrative-gender
Version: | 4.0.1
Name: | AdministrativeGender
Title: | AdministrativeGender
Definition: | The gender of a person used for administrative purposes.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.1 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

- CodeSystem: This value set is the designated 'entire code system' value set for AdministrativeGender
- ConceptMap: Translation source in v2 map for AdministrativeGender
- ConceptMap: Translation source in v3 map for AdministrativeGender
- Resource: RelatedPerson.gender (code / Required)
- Resource: Practitioner.gender (code / Required)
- Resource: Person.gender (code / Required)
- Resource: FamilyMemberHistory.sex (CodeableConcept / Extensible)
- Profile: FamilyMemberHistory-Genetic: FamilyMemberHistory.sex (CodeableConcept / Extensible)
- Resource: ObservationDefinition.qualifiedInterval.gender (code / Required)
- Resource: Patient.gender (code / Required)
- Resource: Patient.contact.gender (code / Required)

4.4.1.369.1 Content Logical Definition

This value set includes codes from the following code systems:

- Include all codes defined in http://hl7.org/fhir/administrative-gender

4.4.1.369.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/administrative-gender version 4.0.1

All codes from system http://hl7.org/fhir/administrative-gender

Code | Display | Definition
male | Male | Male.
female | Female | Female.
other | Other | Other.
unknown | Unknown | Unknown.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.370 Value Set http://hl7.org/fhir/ValueSet/graph-compartment-use

URL: https://hl7.org/fhir/R4/valueset-graph-compartment-use.html
FHIR Infrastructure Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/graph-compartment-use
Version: | 4.0.1
Name: | GraphCompartmentUse
Title: | GraphCompartmentUse
Definition: | Defines how a compartment rule is used.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.282 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for GraphCompartmentUse
• Resource: GraphDefinition.link.target.compartment.use (code / Required)

4.4.1.370.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/graph-compartment-use

4.4.1.370.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/graph-compartment-use version 4.0.1

All codes from system http://hl7.org/fhir/graph-compartment-use

Code | Display | Definition
condition | Condition | This compartment rule is a condition for whether the rule applies.
requirement | Requirement | This compartment rule is enforced on any relationships that meet the conditions.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.371 Value Set http://hl7.org/fhir/ValueSet/expansion-parameter-source

URL: https://hl7.org/fhir/R4/valueset-expansion-parameter-source.html
Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/expansion-parameter-source
Version: | 4.0.1
Name: | ExpansionParameterSource
Title: | ExpansionParameterSource
Definition: | Declares what the source of a parameter is.
Committee: | Vocabulary Work Group
OID: | 2.16.840.1.113883.4.642.3.1278 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ExpansionParameterSource

4.4.1.371.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/expansion-parameter-source

4.4.1.371.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/expansion-parameter-source version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/expansion-parameter-source

Code	Display	Definition
input	Client Input	The parameter was supplied by the client in the $expand request.
server	Server Engine	The parameter was added by the expansion engine on the server.
codesystem	Code System	The parameter was added from one the code systems used in the $expand operation.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl	A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.4.1.372 Value Set http://hl7.org/fhir/ValueSet/http-operations

URL:	https://hl7.org/fhir/R4/valueset-http-operations.html
FHIR Infrastructure Work Group | Maturity Level: 2 | Trial Use | Use Context: Any	

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/http-operations
Version:	4.0.1
Name:	TestScriptRequestMethodCode
Title:	TestScriptRequestMethodCode
Definition:	The allowable request method or HTTP operation codes.
Committee:	FHIR Infrastructure Work Group
OID:	2.16.840.1.113883.4.642.3.716 (for OID based terminology systems)
Source Resource | XML / JSON	

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for TestScriptRequestMethodCode

• Resource: TestScript.setup.action.operation.method (code / Required)

• Resource: TestScript.setup.action.assert.requestMethod (code / Required)

4.4.1.372.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/http-operations

4.4.1.372.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 7 concepts

Expansion based on http://hl7.org/fhir/http-operations version 4.0.1

All codes from system http://hl7.org/fhir/http-operations

Code	Display	Definition
delete	DELETE	HTTP DELETE operation.
get	GET	HTTP GET operation.
options	OPTIONS	HTTP OPTIONS operation.
patch	PATCH	HTTP PATCH operation.
post	POST	HTTP POST operation.
put	PUT	HTTP PUT operation.
head	HEAD	HTTP HEAD operation.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.373 Value Set http://hl7.org/fhir/ValueSet/provenance-history-record-activity

URL: https://hl7.org/fhir/R4/valueset-provenance-history-record-activity.html
Security Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/provenance-history-record-activity
Version: | 4.0.1
Name: | ProvenanceHistoryRecordActivityCodes
Title: | Provenance History Record Activity Codes
Definition: | Codes for Provenance activities that are relevant when capturing event history for resources.
Committee: | Security Work Group
OID: | 2.16.840.1.113883.4.642.3.926 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• Profile: provenance-relevant-history: Provenance.activity (CodeableConcept / Extensible)

4.4.1.373.1 Content Logical Definition

This value set includes codes from the following code systems:

http://terminology.hl7.org/CodeSystem/v3-DataOperation

Code | Display
CREATE | Created | Description:Fundamental operation in an Information System (IS) that results only in the act of bringing an object into existence. Note: The preceding definition is taken from the HL7 RBAC specification. There is no restriction on how the operation is invoked, e.g., via a user interface. For an HL7 Act, the state transitions per the HL7 Reference Information Model.
UPDATE | Updated | Definition:Fundamental operation in an Information System (IS) that results only in the revision or alteration of an object. Note: The preceding definition is taken from the HL7 RBAC specification. There is no restriction on how the operation is invoked, e.g., via a user interface.
DELETE | Deleted | Description:Fundamental operation in an Information System (IS) that results only in the removal of information about an object from memory or storage. Note: The preceding definition is taken from the HL7 RBAC specification. There is no restriction on how the operation is invoked, e.g., via a user interface.
ABORT | Stopped/Ended/Aborted | Description:Change the status of an object representing an Act to "aborted", i.e., terminated prior to the originally intended completion. For an HL7 Act, the state transitions per the HL7 Reference Information Model.
HOLD | Held | Description:Change the status of an object representing an Act to "held", i.e., put aside an Act that is still in preparatory stages. No action can occur until the Act is released. For an HL7 Act, the state transitions per the HL7 Reference Information Model.
RELEASE | Released | Description:Change the status of an object representing an Act so it is no longer "held", i.e., allow action to occur. For an HL7 Act, the state transitions per the HL7 Reference Information Model.
CANCEL | Cancelled | Description:Change the status of an object representing an Act to "cancelled", i.e., abandoned before activation. For an HL7 Act, the state transitions per the HL7 Reference Information Model.
ACTIVATE | Activated | Description:Change the status of an object representing an Act to "active", i.e., so it can be performed or is being performed, for the first time. (Contrast with REACTIVATE.) For an HL7 Act, the state transitions per the HL7 Reference Information Model.
SUSPEND | Suspended | Definition:Change the status of an object representing an Act to suspended, i.e., so it is temporarily not in service.
RESUME | resume | Description:Change the status of a suspended object representing an Act to "active", i.e., so it can be performed or is being performed. For an HL7 Act, the state transitions per the HL7 Reference Information Model.
COMPLETE | Completed | Description:Change the status of an object representing an Act to "completed", i.e., terminated normally after all of its constituents have been performed. For an HL7 Act, the state transitions per the HL7 Reference Information Model.
NULLIFY | Mark Entered-in-error | Description:Change the status of an object representing an Act to "nullified", i.e., treat as though it never existed. For an HL7 Act, the state transitions per the HL7 Reference Information Model.
OBSOLETE | Replaced | Description:Change the status of an object representing an Act to "obsolete" when it has been replaced by a new instance. For an HL7 Act, the state transitions per the HL7 Reference Information Model.
REACTIVATE | Reactivated | Description:Change the status of a formerly active object representing an Act to "active", i.e., so it can again be performed or is being performed. (Contrast with ACTIVATE.) For an HL7 Act, the state transitions per the HL7 Reference Information Model.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.374 Value Set http://hl7.org/fhir/ValueSet/eligibilityrequest-purpose

URL: https://hl7.org/fhir/R4/valueset-eligibilityrequest-purpose.html
Financial Management Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/eligibilityrequest-purpose
Version: | 4.0.1
Name: | EligibilityRequestPurpose
Title: | EligibilityRequestPurpose
Definition: | A code specifying the types of information being requested.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.1182 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for EligibilityRequestPurpose
• Resource: CoverageEligibilityRequest.purpose (code / Required)

4.4.1.374.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/eligibilityrequest-purpose

4.4.1.374.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/eligibilityrequest-purpose version 4.0.1

All codes from system http://hl7.org/fhir/eligibilityrequest-purpose

Code | Display | Definition
auth-requirements | Coverage auth-requirements | The prior authorization requirements for the listed, or discovered if specified, converages for the categories of service and/or specifed biling codes are requested.
benefits | Coverage benefits | The plan benefits and optionally benefits consumed for the listed, or discovered if specified, converages are requested.
discovery | Coverage Discovery | The insurer is requested to report on any coverages which they are aware of in addition to any specifed.
validation | Coverage Validation | A check that the specified coverages are in-force is requested.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.375 Value Set http://hl7.org/fhir/ValueSet/service-place

URL: https://hl7.org/fhir/R4/valueset-service-place.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/service-place
Version: | 4.0.1
Name: | ExampleServicePlaceCodes
Title: | Example Service Place Codes
Definition: | This value set includes a smattering of Service Place codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.564 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ExampleServicePlaceCodes

• Resource: ExplanationOfBenefit.item.location[x] (CodeableConcept|Address|Reference(Location) / Example)

• Resource: ExplanationOfBenefit.addItem.location[x] (CodeableConcept|Address|Reference(Location) / Example)

• Resource: ClaimResponse.addItem.location[x] (CodeableConcept|Address|Reference(Location) / Example)

• Resource: Claim.item.location[x] (CodeableConcept|Address|Reference(Location) / Example)

4.4.1.375.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/ex-serviceplace

4.4.1.375.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 17 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/ex-serviceplace version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/ex-serviceplace

Code | Display | Definition
01 | Pharmacy | A facility or location where drugs and other medically related items and services are sold, dispensed, or otherwise provided directly to patients.
03 | School | A facility whose primary purpose is education.
04 | Homeless Shelter | A facility or location whose primary purpose is to provide temporary housing to homeless individuals (e.g., emergency shelters, individual or family shelters).
05 | Indian Health Service Free-standing Facility | A facility or location, owned and operated by the Indian Health Service, which provides diagnostic, therapeutic (surgical and nonsurgical), and rehabilitation services to American Indians and Alaska Natives who do not require hospitalization.
06 | Indian Health Service Provider-based Facility | A facility or location, owned and operated by the Indian Health Service, which provides diagnostic, therapeutic (surgical and nonsurgical), and rehabilitation services rendered by, or under the supervision of, physicians to American Indians and Alaska Natives admitted as inpatients or outpatients.
07 | Tribal 638 Free-Standing Facility | A facility or location owned and operated by a federally recognized American Indian or Alaska Native tribe or tribal organization under a 638 agreement, which provides diagnostic, therapeutic (surgical and nonsurgical), and rehabilitation services to tribal members who do not require hospitalization.
08 | Tribal 638 Provider-Based Facility | A facility or location owned and operated by a federally recognized American Indian or Alaska Native tribe or tribal organization under a 638 agreement, which provides diagnostic, therapeutic (surgical and nonsurgical), and rehabilitation services to tribal members admitted as inpatients or outpatients.
09 | Prison/Correctional Facility | A prison, jail, reformatory, work farm, detention center, or any other similar facility maintained by either Federal, State or local authorities for the purpose of confinement or rehabilitation of adult or juvenile criminal offenders.
11 | Office | Location, other than a hospital, skilled nursing facility (SNF), military treatment facility, community health center, State or local public health clinic, or intermediate care facility (ICF), where the health professional routinely provides health examinations, diagnosis, and treatment of illness or injury on an ambulatory basis.
12 | Home | Location, other than a hospital or other facility, where the patient receives care in a private residence.
13 | Assisted Living Fa | Congregate residential facility with self-contained living units providing assessment of each resident's needs and on-site support 24 hours a day, 7 days a week, with the capacity to deliver or arrange for services including some health care and other services.
14 | Group Home | A residence, with shared living areas, where clients receive supervision and other services such as social and/or behavioral services, custodial service, and minimal services (e.g., medication administration).
15 | Mobile Unit | A facility/unit that moves from place-to-place equipped to provide preventive, screening, diagnostic, and/or treatment services.
19 | Off Campus-Outpatient Hospital | portion of an off-campus hospital provider-based department which provides diagnostic, therapeutic (both surgical and nonsurgical), and rehabilitation services to sick or injured persons who do not require hospitalization or institutionalization.
20 | Urgent Care Facility | Location, distinct from a hospital emergency room, an office, or a clinic, whose purpose is to diagnose and treat illness or injury for unscheduled, ambulatory patients seeking immediate medical attention.
21 | Inpatient Hospital | A facility, other than psychiatric, which primarily provides diagnostic, therapeutic (both surgical and nonsurgical), and rehabilitation services by, or under, the supervision of physicians to patients admitted for a variety of medical conditions.
41 | Ambulance—Land | A land vehicle specifically designed, equipped and staffed for lifesaving and transporting the sick or injured.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.376 Value Set http://hl7.org/fhir/ValueSet/medicationrequest-status-reason

URL: https://hl7.org/fhir/R4/valueset-medicationrequest-status-reason.html
Pharmacy Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medicationrequest-status-reason
Version: | 4.0.1
Name: | medicationRequest Status Reason Codes
Title: | Medication request status reason codes
Definition: | MedicationRequest Status Reason Codes
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.1324 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for medicationRequest Status Reason Codes

• Resource: MedicationRequest.statusReason (CodeableConcept / Example)

4.4.1.376.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/medicationrequest-status-reason

4.4.1.376.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 13 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/medicationrequest-status-reason version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/medicationrequest-status-reason

Code | Display | Definition
altchoice | Try another treatment first | This therapy has been ordered as a backup to a preferred therapy. This order will be released when and if the preferred therapy is unsuccessful.
clarif | Prescription requires clarification | Clarification is required before the order can be acted upon.
drughigh | Drug level too high | The current level of the medication in the patient's system is too high. The medication is suspended to allow the level to subside to a safer level.
hospadm | Admission to hospital | The patient has been admitted to a care facility and their community medications are suspended until hospital discharge.
labint | Lab interference issues | The therapy would interfere with a planned lab test and the therapy is being withdrawn until the test is completed.
non-avail | Patient not available | Patient not available for a period of time due to a scheduled therapy, leave of absence or other reason.
preg | Parent is pregnant/breast feeding | The patient is pregnant or breast feeding. The therapy will be resumed when the pregnancy is complete and the patient is no longer breastfeeding.
salg | Allergy | The patient is believed to be allergic to a substance that is part of the therapy and the therapy is being temporarily withdrawn to confirm.
sddi | Drug interacts with another drug | The drug interacts with a short-term treatment that is more urgently required. This order will be resumed when the short-term treatment is complete.
sdupther | Duplicate therapy | The drug interacts with a short-term treatment that is more urgently required. This order will be resumed when the short-term treatment is complete.
sintol | Suspected intolerance | The drug interacts with a short-term treatment that is more urgently required. This order will be resumed when the short-term treatment is complete.
surg | Patient scheduled for surgery. | The drug is contraindicated for patients receiving surgery and the patient is scheduled to be admitted for surgery in the near future. The drug will be resumed when the patient has sufficiently recovered from the surgery.
washout | Waiting for old drug to wash out | The patient was previously receiving a medication contraindicated with the current medication. The current medication will remain on hold until the prior medication has been cleansed from their system.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.377 Value Set http://hl7.org/fhir/ValueSet/message-transport

URL: https://hl7.org/fhir/R4/valueset-message-transport.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Conformance Package for further details.

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/message-transport
Version: | 4.0.1
Name: | MessageTransport
Title: | MessageTransport
Definition: | The protocol used for message transport.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.184 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for MessageTransport
• Resource: CapabilityStatement.messaging.endpoint.protocol (Coding / Extensible)

4.4.1.377.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/message-transport

4.4.1.377.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/message-transport version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/message-transport

Code | Display | Definition
http | HTTP | The application sends or receives messages using HTTP POST (may be over http: or https:).
ftp | FTP | The application sends or receives messages using File Transfer Protocol.
mllp | MLLP | The application sends or receives messages using HL7's Minimal Lower Level Protocol.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.378 Value Set http://hl7.org/fhir/ValueSet/list-item-flag

URL: https://hl7.org/fhir/R4/valueset-list-item-flag.html
FHIR Infrastructure Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined at http://www.nehta.gov.au .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/list-item-flag
Version: | 4.0.1
Name: | PatientMedicineChangeTypes
Title: | Patient Medicine Change Types
Definition: | Example Item Flags for the List Resource. In this case, these are the kind of flags that would be used on a medication list at the end of a consultation.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.320 (for OID based terminology systems)
Copyright: | Copyright © 2012-2013 National E-Health Transition Authority Ltd : This document contains information which is protected by copyright. All Rights Reserved. No part of this work may be reproduced or used in any form or by any means--graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems--without the permission of NEHTA. All copies of this document must include the copyright and other information contained on this page. Revision 1 Telephone: 1300 901 001 or email: servicedesk@nehta.gov.au Disclaimer: The National E-Health Transition Authority Ltd (NEHTA) makes the information and other material ('Information') in this document available in good faith but without any representation or warranty as to its accuracy or completeness. NEHTA cannot accept any responsibility for the consequences of any use of the Information. As the Information is of a general nature only, it is up to any person using or relying on the Information to ensure that it is accurate, complete and suitable for the circumstances of its use.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for PatientMedicineChangeTypes

• Resource: List.entry.flag (CodeableConcept / Example)

4.4.1.378.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in urn:oid:1.2.36.1.2001.1001.101.104.16592

4.4.1.378.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 6 concepts

Expansion based on urn:oid:1.2.36.1.2001.1001.101.104.16592 version 4.0.1

All codes from system urn:oid:1.2.36.1.2001.1001.101.104.16592

Code | Display | Definition
01 | Unchanged | No change has been made to the status of this medicine item.
02 | Changed | The medicine item has changed. The change may be described in an extension (not defined yet)
03 | Cancelled | The prescription for this medicine item was cancelled by an authorized health care provider. The patient may be advised to complete the course of the prescribed medicine. This advice is a clinical decision made based on assessment of the patient's clinical condition.
04 | Prescribed | A new medicine item has been prescribed
05 | Ceased | Administration of this medication item that the patient is currently taking is stopped or recommended to be stopped (i.e. instructed to be ceased by a health care provider). This cessation is anticipated to be permanent. The Change Description should describe the reason for cessation. Example uses: the medication in question is considered ineffective or has caused serious adverse effects. This value applies both to the cessation of a medication that is prescribed by another healthcare provider or patient self-administration of OTC medicines.
06 | Suspended | Administration of this medication item that the patient is currently taking is on hold, or instructed or recommended by a health care provider to be temporarily stopped, or subject to clinical review (i.e. the stop may be temporary or permanent depending on the outcome of clinical review), or temporarily suspended as a pre-requisite to certain surgical or diagnostic procedures.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.379 Value Set http://hl7.org/fhir/ValueSet/claim-subtype

URL: https://hl7.org/fhir/R4/valueset-claim-subtype.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/claim-subtype

Version: | 4.0.1
Name: | ExampleClaimSubTypeCodes
Title: | Example Claim SubType Codes
Definition: | This value set includes sample Claim SubType codes which are used to distinguish the claim types for example within type institutional there may be subtypes for emergency services, bed stay and transportation.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.566 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ExampleClaimSubTypeCodes

• Resource: ExplanationOfBenefit.subType (CodeableConcept / Example)

• Resource: ClaimResponse.subType (CodeableConcept / Example)

• Resource: Claim.subType (CodeableConcept / Example)

4.4.1.379.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/ex-claimsubtype

4.4.1.379.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/ex-claimsubtype version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/ex-claimsubtype

Code | Display | Definition
ortho | Orthodontic Claim | A claim for Orthodontic Services.
emergency | Emergency Claim | A claim for emergency services.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.380 Value Set http://hl7.org/fhir/ValueSet/supplydelivery-type

URL: https://hl7.org/fhir/R4/valueset-supplydelivery-type.html
Orders and Observations Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/supplydelivery-type
Version: | 4.0.1
Name: | SupplyItemType
Title: | Supply Item Type
Definition: | This value sets refers to a specific supply item.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.702 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for SupplyItemType

• Resource: SupplyDelivery.type (CodeableConcept / Required)

4.4.1.380.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/supply-item-type

4.4.1.380.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/supply-item-type version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/supply-item-type

Code | Display | Definition
medication | Medication | Supply is a kind of medication.
device | Device | What is supplied (or requested) is a device.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.381 Value Set http://hl7.org/fhir/ValueSet/slotstatus

URL: https://hl7.org/fhir/R4/valueset-slotstatus.html
Patient Administration Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/slotstatus
Version: | 4.0.1
Name: | SlotStatus
Title: | SlotStatus
Definition: | The free/busy status of the slot.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.482 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for SlotStatus
• ConceptMap: Translation source in Canonical Mapping for "SlotStatus"
• Resource: Slot.status (code / Required)

4.4.1.381.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/slotstatus

4.4.1.381.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/slotstatus version 4.0.1

All codes from system http://hl7.org/fhir/slotstatus

Code | Display | Definition | Canonical Status
busy | Busy | Indicates that the time interval is busy because one or more events have been scheduled for that interval. | ~accepted
free | Free | Indicates that the time interval is free for scheduling. | ~free
busy-unavailable | Busy (Unavailable) | Indicates that the time interval is busy and that the interval cannot be scheduled. | ~busy-unavailable
busy-tentative | Busy (Tentative) | Indicates that the time interval is busy because one or more events have been tentatively scheduled for that interval. | ~unconfirmed
entered-in-error | Entered in error | This instance should not have been part of this patient's medical record. | ~error

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.382 Value Set http://hl7.org/fhir/ValueSet/condition-ver-status

URL: https://hl7.org/fhir/R4/valueset-condition-ver-status.html
Patient Care Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/condition-ver-status
Version: | 4.0.1
Name: | ConditionVerificationStatus
Title: | ConditionVerificationStatus
Definition: | The verification status to support or decline the clinical status of the condition or diagnosis.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.166 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ConditionVerificationStatus
• ConceptMap: Translation source in Canonical Mapping for "ConditionVerificationStatus"
• Resource: Condition.verificationStatus (CodeableConcept / Required)

4.4.1.382.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/condition-ver-status

4.4.1.382.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 6 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/condition-ver-status version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/condition-ver-status

Lvl | Code | Display | Definition | Canonical Status
0 | unconfirmed | Unconfirmed | There is not sufficient diagnostic and/or clinical evidence to treat this as a confirmed condition.
1 | provisional | Provisional | This is a tentative diagnosis - still a candidate that is under consideration.
1 | differential | Differential | One of a set of potential (and typically mutually exclusive) diagnoses asserted to further guide the diagnostic process and preliminary treatment. | ~differential
0 | confirmed | Confirmed | There is sufficient diagnostic and/or clinical evidence to treat this as a confirmed condition. | ~confirmed
0 | refuted | Refuted | This condition has been ruled out by diagnostic and clinical evidence. | ~refuted
0 | entered-in-error | Entered in Error | The statement was entered in error and is not valid. | ~error

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.383 Value Set http://hl7.org/fhir/ValueSet/immunization-recommendation-target-disease

URL: https://hl7.org/fhir/R4/valueset-immunization-recommendation-target-disease.html
Public Health and Emergency Response Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/immunization-recommendation-target-disease
Version: | 4.0.1
Name: | ImmunizationRecommendationTargetDiseaseCodes
Title: | Immunization Recommendation Target Disease Codes
Definition: | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the disease targeted by a vaccination recommendation. This value set is provided as a suggestive example and includes the SNOMED CT concepts from the 64572001 (Disease) hierarchy.
Committee: | Public Health and Emergency Response Work Group
OID: | 2.16.840.1.113883.4.642.3.309 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: ImmunizationRecommendation.recommendation.targetDisease (CodeableConcept / Example)

4.4.1.383.1 Content Logical Definition

This value set includes codes from the following code systems:

http://snomed.info/sct

Code | Display
1857005 | Gestational rubella syndrome
397430003 | Diphtheria due to Corynebacterium diphtheriae
14189004 | Measles
36989005 | Mumps
36653000 | Rubella
76902006 | Tetanus
709410003 | Haemophilus influenzae type b infection
27836007 | Pertussis
398102009 | Acute poliomyelitis

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.384 Value Set http://hl7.org/fhir/ValueSet/cdshooks-indicator

URL: https://hl7.org/fhir/R4/valueset-cdshooks-indicator.html
Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/cdshooks-indicator
Version: | 4.0.1
Name: | Indicator
Title: | CDSHooksIndicator
Definition: | This value set captures the set of indicator codes defined by the CDS Hooks specification.
Committee: | Vocabulary Work Group
OID: | 2.16.840.1.113883.4.642.3.1065 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for Indicator

4.4.1.384.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://cds-hooks.hl7.org/CodeSystem/indicator

4.4.1.384.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://cds-hooks.hl7.org/CodeSystem/indicator version 4.0.1

All codes from system http://cds-hooks.hl7.org/CodeSystem/indicator

Code | Display | Definition
info | The response is informational
warning | The response is a warning
critical | The response is critical and indicates the workflow should not be allowed to proceed

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.385 Value Set http://hl7.org/fhir/ValueSet/system-restful-interaction

URL: https://hl7.org/fhir/R4/valueset-system-restful-interaction.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Conformance Package for further details.

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/system-restful-interaction
Version: | 4.0.1
Name: | SystemRestfulInteraction
Title: | SystemRestfulInteraction
Definition: | Operations supported by REST at the system level.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.181 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: CapabilityStatement.rest.interaction.code (code / Required)

4.4.1.385.1 Content Logical Definition

This value set includes codes from the following code systems:

http://hl7.org/fhir/restful-interaction

Code | Display
transaction | transaction | Update, create or delete a set of resources as a single transaction.
batch | batch | perform a set of a separate interactions in a single http operation
search-system | search-system | Search all resources based on some filter criteria.
history-system | history-system | Retrieve the change history for all resources on a system.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.386 Value Set http://hl7.org/fhir/ValueSet/adverse-event-seriousness

URL: https://hl7.org/fhir/R4/valueset-adverse-event-seriousness.html
Patient Care Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/adverse-event-seriousness
Version: | 4.0.1
Name: | AdverseEventSeriousness
Title: | AdverseEventSeriousness
Definition: | Overall seriousness of this event for the patient.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.838 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for AdverseEventSeriousness

• Resource: AdverseEvent.seriousness (CodeableConcept / Example)

4.4.1.386.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/adverse-event-seriousness

4.4.1.386.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 8 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/adverse-event-seriousness version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/adverse-event-seriousness

Lvl | Code | Display | Definition
0 | Non-serious | Non-serious | Non-serious.
0 | Serious | Serious | Serious.
1 | SeriousResultsInDeath | Results in death | Results in death.
1 | SeriousIsLifeThreatening | Is Life-threatening | Is Life-threatening.
1 | SeriousResultsInHospitalization | Requires or prolongs inpatient hospitalization | Requires inpatient hospitalization or causes prolongation of existing hospitalization.
1 | SeriousResultsInDisability | Results in persistent or significant disability/incapacity | Results in persistent or significant disability/incapacity.
1 | SeriousIsBirthDefect | Is a congenital anomaly/birth defect | Is a congenital anomaly/birth defect.
1 | SeriousRequiresPreventImpairment | Requires intervention to prevent permanent impairment | Requires intervention to prevent permanent impairment or damage (i.e., an important medical event that requires medical judgement).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.387 Value Set http://hl7.org/fhir/ValueSet/specimen-container-type

URL: https://hl7.org/fhir/R4/valueset-specimen-container-type.html
Orders and Observations Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/specimen-container-type
Version: | 4.0.1
Name: | SpecimenContainerType
Title: | Specimen Container Type
Definition: | Checks on the patient prior specimen collection. All SNOMED CT concepts descendants of 706041008 |Device for body fluid and tissue collection/transfer/processing (physical object)|
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.470 (for OID based terminology systems)

Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: SpecimenDefinition.typeTested.container.type (CodeableConcept / Example)

4.4.1.387.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://snomed.info/sct where concept is-a 706041008 (Device for body fluid and tissue collection/transfer/processing)

4.4.1.387.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 124 concepts

All codes from system http://snomed.info/sct

Code	Display	Definition
22566001	Cytology brush, device	
463568005	Pleural drainage system fluid collector	
464527005	Paediatric blood donor set	
464573007	Assisted reproduction needle, reprocessed	
464784003	Assisted reproduction catheter	
464946000	Assisted reproduction needle, single-use	
465046006	Assisted reproduction cryotube	
465091002	Tissue extraction bag	
465141003	Otological bone particle collector	
465487000	Rigid endotherapy cytology brush, reusable	
466164006	Rigid endotherapy cytology brush, single-use	
466421006	Viscerotome	
466447002	Blood-processing autotransfusion system container	
466623002	Blood gas syringe/needle, sodium heparin	
466637006	Blood donor set, quad-pack	
466704003	Blood collection/fat content reduction device	
466844004	Blood donor set, double-pack	
466898000	Blood donor set, quin-pack	
466930006	Blood donor set, triple-pack	
467030004	Blood gas syringe/needle, lithium heparin	
467131002	Blood autotransfusion system tubing	
467132009	Blood donor set, single-pack	
467141004	Blood donor set, many-pack	
467182004	Cervical cytology inflatable collector	
467330006	Adipose tissue stem cell recovery unit	
467431009	Abortion suction system collection bottle	
467499008	Chorionic villus sampling catheter	
467647004	Cryostat microtome	
467697000	Cytology scraper, single-use	
467743009	Bone marrow explant needle	
467967005	Cytology scraper, reusable	
467989009	Capillary blood collection tube, no-additive	
468076003	Bone marrow collection/transfusion set	
468131000	Cervical cytology brush	
468200003	Epididymal fluid aspiration catheter	
468981005	Dental bone particle collector	
468999002	Endometrial cytology brush	
469287008	Intrauterine secretion scoop	
469322002	Intravascular catheter endoluminal brush	
469454007	Intrauterine scoop	
469822008	Flexible endotherapy cytology brush, single-use	
470114007	Flexible endotherapy cytology brush, reusable	
470547006	General-purpose cytology brush	
470597005	Gastro-urological scoop	
700855008	Tissue/fluid collection bag, sterile	
700905004	Specimen container mailer, insulated	
700906003	Specimen container mailer, non-insulated	
700945008	Blood cell freeze/thaw system set	
700955007	Blood collection Luer-syringe adaptor	
700956008	Blood collection needle, basic	
700957004	Blood/tissue storage/culture container	

701394007 | General specimen receptacle transport container
701516009 | Evacuated blood collection tube transport container
701720006 | Tissue/fluid collection bag, non-sterile
702120003 | Blood collection Luer adaptor
702223006 | Sputum specimen container
702224000 | Midstream urine specimen container
702232008 | Sweat specimen container IVD
702244006 | Sterile urine specimen container
702256007 | Non-evacuated blood collection tube, no additive
702264001 | Non-sterile urine specimen container IVD
702268003 | General specimen container, no additive, non-sterile
702269006 | General specimen container, no additive, sterile
702275002 | Microcapillary blood collection tube, ammonium heparin
702276001 | Microcapillary blood collection tube, K2EDTA
702277005 | Microcapillary blood collection tube, no additive
702278000 | Evacuated blood collection tube, no additive/metal-free
702279008 | Evacuated blood collection tube, gel separator
702280006 | Evacuated blood collection tube, RNA stabilizer
702281005 | Evacuated blood collection tube, thrombin/clot activator/gel separator
702282003 | Non-evacuated blood collection tube, EDTA
702283008 | Non-evacuated blood collection tube, gel separator
702284002 | Non-evacuated blood collection tube, lithium heparin
702285001 | Non-evacuated blood collection tube, lithium heparin/gel separator, sterile
702286000 | Non-evacuated blood collection tube, NaEDTA/sodium fluoride
702287009 | Non-evacuated blood collection tube, potassium oxalate/sodium fluoride
702288004 | Evacuated urine specimen container, boric acid (H3BO3)/sodium formate
702289007 | Evacuated urine specimen container, ethyl paraben/sodium porpionate/chlorhexidine
702290003 | Cervical cytology microscopy slide
702292006 | Evacuated blood collection tube , K3EDTA/sodium fluoride
702293001 | Evacuated blood collection tube, K2EDTA/aprotinin
702294007 | Syringe-blood collection tube transfer
702295008 | Non-evacuated blood collection tube, clot activator/gel separator
702296009 | Non-evacuated blood collection tube, sodium citrate
702297000 | Non-evacuated blood collection tube, clot activator
702298005 | Non-evacuated blood collection tube, K3EDTA
702299002 | Non-evacuated blood collection tube, K2EDTA
702300005 | Non-evacuated blood collection tube, lithium heparin/gel separator, non-sterile
702301009 | Microcapillary blood collection funnel
702302002 | Evacuated urine specimen container, boric acid (H3BO3)
702303007 | Evacuated urine specimen container, multiple preservative
702304001 | Microcapillary blood transfer tube, clot activator
702305000 | Microcapillary blood transfer tube, sodium fluoride
702306004 | Microcapillary blood transfer tube, EDTA
702307008 | Microcapillary blood transfer tube IVD, heparin
702308003 | Evacuated urine specimen container IVD, no additive
702309006 | Saliva specimen container IVD, no additive
702310001 | Evacuated saliva specimen container IVD, sodium azide
704866005 | Orthopedic bone particle collector, reusable
704921002 | Hemoperfusion tubing set
706042001 | Clinical sampling brush
706044000 | Endotherapy cytology brush
706045004 | Bone particle collector
706046003 | Specimen receptacle
706047007 | Fecal specimen container
706048002 | Blood specimen receptacle
706049005 | Blood tube
706050005 | Microcapillary blood collection tube
706051009 | Non-evacuated blood collection tube
706052002 | Evacuated blood collection tube
706053007 | General specimen container
706054001 | Urine specimen container
706055000 | 24-hour urine specimen container
706056004 | Evacuated urine specimen container
706057008 | Cytology specimen container
706058003 | Secretory specimen container
706067003 | Blood collection/transfer device
706070004 | Blood donor set
706071000 | Specimen receptacle transport container
712485008 | Autologous blood collection tube
713951005 | Adipose tissue stem cell recovery unit, ultrasonic
714731008 | Blood component separator
718301008 | Urological fluid funnel, sterile

718302001 | Urological fluid funnel, non-sterile

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.388 Value Set http://hl7.org/fhir/ValueSet/provenance-history-agent-type

URL: https://hl7.org/fhir/R4/valueset-provenance-history-agent-type.html
Security Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/provenance-history-agent-type
Version: | 4.0.1
Name: | ProvenanceEventHistoryAgentRoleCodes
Title: | Provenance Event History Agent Role Codes
Definition: | Types of roles indicating how a particular agent was involved with the creation or modification of a resource for use when exposing event history
Committee: | Security Work Group
OID: | 2.16.840.1.113883.4.642.3.927 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• Profile: provenance-relevant-history: Provenance.agent.type (CodeableConcept / Extensible)

4.4.1.388.1 Content Logical Definition

This value set includes codes from the following code systems:

http://terminology.hl7.org/CodeSystem/v3-ParticipationType

Code | Display
AUT | Author | Definition: A party that originates the Act and therefore has responsibility for the information given in the Act and ownership of this Act. Example: the report writer, the person writing the act definition, the guideline author, the placer of an order, the EKG cart (device) creating a report etc. Every Act should have an author. Authorship is regardless of mood always actual authorship. Examples of such policies might include: The author and anyone they explicitly delegate may update the report; All administrators within the same clinic may cancel and reschedule appointments created by other administrators within that clinic; A party that is neither an author nor a party who is extended authorship maintenance rights by policy, may only amend, reverse, override, replace, or follow up in other ways on this Act, whereby the Act remains intact and is linked to another Act authored by that other party.
INF | Informant | A source of reported information (e.g., a next of kin who answers questions about the patient's history). For history questions, the patient is logically an informant, yet the informant of history questions is implicitly the subject.
VRF | Verifier | A person who verifies the correctness and appropriateness of the service (plan, order, event, etc.) and hence takes on accountability.
ENT | Data Enterer | A person entering the data into the originating system. The data entry person is collected optionally for internal quality control purposes. This includes the transcriptionist for dictated text.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.389 Value Set http://hl7.org/fhir/ValueSet/claim-modifiers

URL: https://hl7.org/fhir/R4/valueset-claim-modifiers.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/claim-modifiers
Version: | 4.0.1
Name: | ModifierTypeCodes
Title: | Modifier type Codes
Definition: | This value set includes sample Modifier type codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.536 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

- CodeSystem: This value set is the designated 'entire code system' value set for ModifierTypeCodes
- Resource: CoverageEligibilityResponse.insurance.item.modifier (CodeableConcept / Example)
- Resource: ExplanationOfBenefit.item.modifier (CodeableConcept / Example)
- Resource: ExplanationOfBenefit.item.detail.modifier (CodeableConcept / Example)
- Resource: ExplanationOfBenefit.item.detail.subDetail.modifier (CodeableConcept / Example)
- Resource: ExplanationOfBenefit.addItem.modifier (CodeableConcept / Example)
- Resource: ExplanationOfBenefit.addItem.detail.modifier (CodeableConcept / Example)
- Resource: ExplanationOfBenefit.addItem.detail.subDetail.modifier (CodeableConcept / Example)
- Resource: ClaimResponse.addItem.modifier (CodeableConcept / Example)
- Resource: ClaimResponse.addItem.detail.modifier (CodeableConcept / Example)
- Resource: ClaimResponse.addItem.detail.subDetail.modifier (CodeableConcept / Example)
- Resource: CoverageEligibilityRequest.item.modifier (CodeableConcept / Example)
- Resource: Claim.item.modifier (CodeableConcept / Example)
- Resource: Claim.item.detail.modifier (CodeableConcept / Example)
- Resource: Claim.item.detail.subDetail.modifier (CodeableConcept / Example)

4.4.1.389.1 Content Logical Definition

This value set includes codes from the following code systems:

- Include all codes defined in http://terminology.hl7.org/CodeSystem/modifiers

4.4.1.389.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 6 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/modifiers version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/modifiers

Code | Display | Definition
a | Repair of prior service or installation | Repair of prior service or installation.
b | Temporary service or installation | Temporary service or installation.
c | TMJ treatment | Treatment associated with TMJ.
e | Implant or associated with an implant | Implant or associated with an implant.
rooh | Rush or Outside of office hours | A Rush service or service performed outside of normal office hours.
x | None | None.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.390 Value Set http://hl7.org/fhir/ValueSet/diet-type

URL: https://hl7.org/fhir/R4/valueset-diet-type.html
Orders and Observations Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/diet-type
Version: | 4.0.1
Name: | DietCodes
Title: | Diet Codes
Definition: | Codes that can be used to indicate the type of food being ordered for a patient. This value set is provided as a suggestive example. It includes codes from SNOMED CT where concept is-a 182922004 (Dietary regime (regime/therapy))
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.385 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: NutritionOrder.oralDiet.type (CodeableConcept / Example)

4.4.1.390.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://snomed.info/sct where concept is-a 182922004 (Dietary regime)

4.4.1.390.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 30 concepts

All codes from system http://snomed.info/sct

Code	Display	Definition
38903004	Tube feeding by syringe method	
50712000	Tube feeding by Barron pump	
56948003	Tube feeding by drip method	
61420007	Tube feeding of patient	
182954008	Dietary prophylaxis	
182955009	Low carbohydrate diet - prophylaxis	
182956005	Low calorie diet - prophylaxis	
182957001	Low salt diet - prophylaxis	
182958006	Salt free diet - prophylaxis	
182959003	Low protein diet - prophylaxis	
182960008	Unsaturated fat diet - prophylaxis	
183028005	Enteral tube feeding	
223456000	Provision of a special diet	
225373002	PEG - Percutaneous endoscopic gastrostomy feeding	
225374008	Jejunostomy feeding	
229912004	Enteral tube feeding	
229913009	Oral tube feeding	
229914003	Nasogastric tube feeding	
229915002	Nasoduodenal feeding	
229916001	Esophagostomy feeding	
229917005	Gastrostomy feeding	
284071006	Dietary treatment for disorder	
289133003	Balloon gastrostomy feeding	
310244003	Nasojejunal feeding	
361231003	Prescribed dietary intake	
386261001	Diet staging	
404919001	Wheat-free diet	
422972009	Advance diet as tolerated	
425458000	Lactose-free diet	
1151000175103	Dietary Approaches to Stop Hypertension diet	

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.391 Value Set http://hl7.org/fhir/ValueSet/substance-category

URL: https://hl7.org/fhir/R4/valueset-substance-category.html
Orders and Observations Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined at http://www.hl7.org/Special/committees/orders/index.cfm .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/substance-category
Version: | 4.0.1
Name: | SubstanceCategoryCodes
Title: | Substance Category Codes
Definition: | Substance category codes
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.476 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for SubstanceCategoryCodes

• Resource: Substance.category (CodeableConcept / Extensible)

4.4.1.391.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/substance-category

4.4.1.391.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 7 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/substance-category version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/substance-category

Code	Display	Definition
allergen	Allergen	A substance that causes an allergic reaction.
biological	Biological Substance	A substance that is produced by or extracted from a biological source.
body	Body Substance	A substance that comes directly from a human or an animal (e.g. blood, urine, feces, tears, etc.).
chemical	Chemical	Any organic or inorganic substance of a particular molecular identity, including -- (i) any combination of such substances occurring in whole or in part as a result of a chemical reaction or occurring in nature and (ii) any element or uncombined radical (http://www.epa.gov/opptintr/import-export/pubs/importguide.pdf).
food	Dietary Substance	A food, dietary ingredient, or dietary supplement for human or animal.
drug	Drug or Medicament	A substance intended for use in the diagnosis, cure, mitigation, treatment, or prevention of disease in man or other animals (Federal Food Drug and Cosmetic Act).
material	Material	A finished product which is not normally ingested, absorbed or injected (e.g. steel, iron, wood, plastic and paper).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.392 Value Set http://hl7.org/fhir/ValueSet/contributor-type

URL: https://hl7.org/fhir/R4/valueset-contributor-type.html
FHIR Infrastructure Work Group | Maturity Level: 5 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contributor-type
Version: | 4.0.1
Name: | ContributorType

Title: | ContributorType
Definition: | The type of contributor.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.93 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ContributorType

• Resource: Contributor.type (code / Required)

4.4.1.392.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/contributor-type

4.4.1.392.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/contributor-type version 4.0.1

All codes from system http://hl7.org/fhir/contributor-type

Code | Display | Definition
author | Author | An author of the content of the module.
editor | Editor | An editor of the content of the module.
reviewer | Reviewer | A reviewer of the content of the module.
endorser | Endorser | An endorser of the content of the module.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.393 Value Set http://hl7.org/fhir/ValueSet/questionnaireresponse-mode

URL: https://hl7.org/fhir/R4/valueset-questionnaireresponse-mode.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined at http://www.hl7.org/Special/committees/fiwg .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/questionnaireresponse-mode
Version: | 4.0.1
Name: | QuestionnaireResponseMode
Title: | Questionnaire Response Mode
Definition: | Codes describing how the QuestionnaireResponse was populated
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.1290 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is not currently used

4.4.1.393.1 Content Logical Definition

This value set includes codes from the following code systems:

http://terminology.hl7.org/CodeSystem/v3-ParticipationMode

Code | Display
ELECTRONIC | electronic data | Participation by non-human-languaged based electronic signal
VERBAL | verbal | Participation by voice communication
WRITTEN | written | Participation by human language recorded on a physical material

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.394 Value Set http://hl7.org/fhir/ValueSet/discriminator-type

URL: https://hl7.org/fhir/R4/valueset-discriminator-type.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/discriminator-type
Version: | 4.0.1
Name: | DiscriminatorType
Title: | DiscriminatorType
Definition: | How an element value is interpreted when discrimination is evaluated.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.91 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for DiscriminatorType
• Resource: ElementDefinition.slicing.discriminator.type (code / Required)

4.4.1.394.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/discriminator-type

4.4.1.394.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/discriminator-type version 4.0.1

All codes from system http://hl7.org/fhir/discriminator-type

Code | Display | Definition
value | Value | The slices have different values in the nominated element.
exists | Exists | The slices are differentiated by the presence or absence of the nominated element.
pattern | Pattern | The slices have different values in the nominated element, as determined by testing them against the applicable ElementDefinition.pattern[x].
type | Type | The slices are differentiated by type of the nominated element.
profile | Profile | The slices are differentiated by conformance of the nominated element to a specified profile. Note that if the path specifies .resolve() then the profile is the target profile on the reference. In this case, validation by the possible profiles is required to differentiate the slices.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.395 Value Set http://hl7.org/fhir/ValueSet/medication-admin-status

URL: https://hl7.org/fhir/R4/valueset-medication-admin-status.html
Pharmacy Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medication-admin-status
Version: | 4.0.1
Name: | MedicationAdministration Status Codes
Title: | Medication administration status codes
Definition: | MedicationAdministration Status Codes
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.340 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for MedicationAdministration Status Codes

• ConceptMap: Translation source in Canonical Mapping for "Medication administration status codes"

• Resource: MedicationAdministration.status (code / Required)

4.4.1.395.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/medication-admin-status

4.4.1.395.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 7 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/medication-admin-status version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/medication-admin-status

Code | Display | Definition | Canonical Status
in-progress | In Progress | The administration has started but has not yet completed. | ~active
not-done | Not Done | The administration was terminated prior to any impact on the subject (though preparatory actions may have been taken) | ~not-done
on-hold | On Hold | Actions implied by the administration have been temporarily halted, but are expected to continue later. May also be called 'suspended'. | ~suspended
completed | Completed | All actions that are implied by the administration have occurred. | ~complete
entered-in-error | Entered in Error | The administration was entered in error and therefore nullified. | ~error
stopped | Stopped | Actions implied by the administration have been permanently halted, before all of them occurred. | ~failed
unknown | Unknown | The authoring system does not know which of the status values currently applies for this request. Note: This concept is not to be used for 'other' - one of the listed statuses is presumed to apply, it's just not known which one. | ~unknown

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.396 Value Set http://hl7.org/fhir/ValueSet/implantStatus

URL: https://hl7.org/fhir/R4/valueset-implantStatus.html
Orders and Observations Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/implantStatus
Version: | 4.0.1
Name: | Implant Status
Title: | Implant Status
Definition: | A set codes that define the functional status of an implanted device.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.1282 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for Implant Status

4.4.1.396.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/implantStatus

4.4.1.396.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/implantStatus version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/implantStatus

Code | Display | Definition
functional | Functional | The implanted device is working normally.
non-functional | Non-Functional | The implanted device is not working.
disabled | Disabled | The implanted device has been turned off.
unknown | Unknown | the functional status of the implant has not been determined.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.397 Value Set http://hl7.org/fhir/ValueSet/medicationdispense-category

URL: https://hl7.org/fhir/R4/valueset-medicationdispense-category.html
Pharmacy Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medicationdispense-category
Version: | 4.0.1
Name: | MedicationDispense Category Codes
Title: | Medication dispense category codes
Definition: | MedicationDispense Category Codes
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.1314 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for MedicationDispense Category Codes

• Resource: MedicationDispense.category (CodeableConcept / Preferred)

4.4.1.397.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/fhir/CodeSystem/medicationdispense-category

4.4.1.397.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://terminology.hl7.org/fhir/CodeSystem/medicationdispense-category version 4.0.1

All codes from system http://terminology.hl7.org/fhir/CodeSystem/medicationdispense-category

Code | Display | Definition
inpatient | Inpatient | Includes dispenses for medications to be administered or consumed in an inpatient or acute care setting.
outpatient | Outpatient | Includes dispenses for medications to be administered or consumed in an outpatient setting (for example, Emergency Department, Outpatient Clinic, Outpatient Surgery, Doctor's office).
community | Community | Includes dispenses for medications to be administered or consumed by the patient in their home (this would include long term care or nursing homes, hospices, etc.).
discharge | Discharge | Includes dispenses for medications created when the patient is being released from a facility.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.398 Value Set http://hl7.org/fhir/ValueSet/flag-priority

URL: https://hl7.org/fhir/R4/valueset-flag-priority.html
Patient Care Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/flag-priority
Version: | 4.0.1
Name: | FlagPriorityCodes
Title: | Flag Priority Codes
Definition: | This value set is provided as an exemplar. The value set is driven by IHE Table B.8-4: Abnormal Flags, Alert Priority.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.950 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for FlagPriorityCodes
• Extension: http://hl7.org/fhir/StructureDefinition/flag-priority: priority (CodeableConcept / Example)

4.4.1.398.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/flag-priority-code

4.4.1.398.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/flag-priority-code version 4.0.1

All codes from system http://hl7.org/fhir/flag-priority-code

Code | Display | Definition
PN | No alarm | No alarm.
PL | Low priority | Low priority.
PM | Medium priority | Medium priority.
PH | High priority | High priority.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.399 Value Set http://hl7.org/fhir/ValueSet/contract-legalstate

URL: https://hl7.org/fhir/R4/valueset-contract-legalstate.html
Financial Management Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contract-legalstate
Version: | 4.0.1

Name: | ContractResourceLegalStateCodes
Title: | Contract Resource Legal State codes
Definition: | This value set contract specific codes for status.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.1206 (for OID based terminology systems)
Copyright: | HL7 International.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ContractResourceLegalStateCodes

• Resource: Contract.legalState (CodeableConcept / Extensible)

4.4.1.399.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/contract-legalstate

4.4.1.399.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 15 concepts

Expansion based on http://hl7.org/fhir/contract-legalstate version 4.0.1

All codes from system http://hl7.org/fhir/contract-legalstate

Code | Display | Definition
amended | Amended | Contract is augmented with additional information to correct errors in a predecessor or to updated values in a predecessor. Usage: Contract altered within effective time. Precedence Order = 9. Comparable FHIR and v.3 status codes: revised; replaced.
appended | Appended | Contract is augmented with additional information that was missing from a predecessor Contract. Usage: Contract altered within effective time. Precedence Order = 9. Comparable FHIR and v.3 status codes: updated, replaced.
cancelled | Cancelled | Contract is terminated due to failure of the Grantor and/or the Grantee to fulfil one or more contract provisions. Usage: Abnormal contract termination. Precedence Order = 10. Comparable FHIR and v.3 status codes: stopped; failed; aborted.
disputed | Disputed | Contract is pended to rectify failure of the Grantor or the Grantee to fulfil contract provision(s). E.g., Grantee complaint about Grantor's failure to comply with contract provisions. Usage: Contract pended. Precedence Order = 7. Comparable FHIR and v.3 status codes: on hold; pended; suspended.
entered-in-error | Entered in Error | Contract was created in error. No Precedence Order. Status may be applied to a Contract with any status.
executable | Executable | Contract execution pending; may be executed when either the Grantor or the Grantee accepts the contract provisions by signing. I.e., where either the Grantor or the Grantee has signed, but not both. E.g., when an insurance applicant signs the insurers application, which references the policy. Usage: Optional first step of contract execution activity. May be skipped and contracting activity moves directly to executed state. Precedence Order = 3. Comparable FHIR and v.3 status codes: draft; preliminary; planned; intended; active.
executed | Executed | Contract is activated for period stipulated when both the Grantor and Grantee have signed it. Usage: Required state for normal completion of contracting activity. Precedence Order = 6. Comparable FHIR and v.3 status codes: accepted; completed.
negotiable | Negotiable | Contract execution is suspended while either or both the Grantor and Grantee propose and consider new or revised contract provisions. I.e., where the party which has not signed proposes changes to the terms. E .g., a life insurer declines to agree to the signed application because the life insurer has evidence that the applicant, who asserted to being younger or a non-smoker to get a lower premium rate - but offers instead to agree to a higher premium based on the applicants actual age or smoking status. Usage: Optional contract activity between executable and executed state. Precedence Order = 4. Comparable FHIR and v.3 status codes: in progress; review; held.
offered | Offered | Contract is a proposal by either the Grantor or the Grantee. Aka - A Contract hard copy or electronic 'template', 'form' or 'application'. E.g., health insurance application; consent directive form. Usage: Beginning of contract negotiation, which may have been completed as a precondition because used for 0..* contracts. Precedence Order = 2. Comparable FHIR and v.3 status codes: requested; new.
policy | Policy | Contract template is available as the basis for an application or offer by the Grantor or Grantee. E.g., health insurance policy; consent directive policy. Usage: Required initial contract activity, which may have been completed as a precondition because used for 0..* contracts. Precedence Order = 1. Comparable FHIR and v.3 status codes: proposed; intended.
rejected | Rejected | Execution of the Contract is not completed because either or both the Grantor and Grantee decline to accept some or all of the contract provisions. Usage: Optional contract activity between executable and abnormal termination. Precedence Order = 5. Comparable FHIR and v.3 status codes: stopped; cancelled.
renewed | Renewed | Beginning of a successor Contract at the termination of predecessor Contract lifecycle. Usage: Follows termination of a preceding Contract that has reached its expiry date. Precedence Order = 13. Comparable FHIR and v.3 status codes: superseded.
revoked | Revoked | A Contract that is rescinded. May be required prior to replacing with an updated Contract. Comparable FHIR and v.3 status codes: nullified.
resolved | Resolved | Contract is reactivated after being pended because of faulty execution. *E.g., competency of the signer(s), or where the policy is substantially different from and did not accompany the application/form so that the applicant could not compare them. Aka - ''reactivated''. Usage: Optional stage where a pended contract is reactivated. Precedence Order = 8. Comparable FHIR and v.3 status codes: reactivated.
terminated | Terminated | Contract reaches its expiry date. It might or might not be renewed or renegotiated. Usage: Normal end of contract period. Precedence Order = 12. Comparable FHIR and v.3 status codes: Obsoleted.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.400 Value Set http://hl7.org/fhir/ValueSet/parameter-group

URL: https://hl7.org/fhir/R4/valueset-parameter-group.html
Orders and Observations Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/parameter-group
Version: | 4.0.1
Name: | DeviceDefinitionParameterGroup
Title: | DeviceDefinitionParameterGroup
Definition: | Codes identifying groupings of parameters; e.g. Cardiovascular.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.632 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for DeviceDefinitionParameterGroup

4.4.1.400.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/parameter-group

4.4.1.400.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 9 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/parameter-group version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/parameter-group

Code | Display | Definition
haemodynamic | Haemodynamic Parameter Group | Haemodynamic Parameter Group - MDC_PGRP_HEMO.
ecg | ECG Parameter Group | ECG Parameter Group - MDC_PGRP_ECG.
respiratory | Respiratory Parameter Group | Respiratory Parameter Group - MDC_PGRP_RESP.
ventilation | Ventilation Parameter Group | Ventilation Parameter Group - MDC_PGRP_VENT.
neurological | Neurological Parameter Group | Neurological Parameter Group - MDC_PGRP_NEURO.
drug-delivery | Drug Delivery Parameter Group | Drug Delivery Parameter Group - MDC_PGRP_DRUG.
fluid-chemistry | Fluid Chemistry Parameter Group | Fluid Chemistry Parameter Group - MDC_PGRP_FLUID.
blood-chemistry | Blood Chemistry Parameter Group | Blood Chemistry Parameter Group - MDC_PGRP_BLOOD_CHEM.
miscellaneous | Miscellaneous Parameter Group | Miscellaneous Parameter Group - MDC_PGRP_MISC.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.401 Value Set http://hl7.org/fhir/ValueSet/fm-conditions

URL: https://hl7.org/fhir/R4/valueset-fm-conditions.html
Financial Management Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/fm-conditions
Version: | 4.0.1
Name: | FMConditionCodes
Title: | FM Condition Codes
Definition: | This value set includes sample Conditions codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.556 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for FMConditionCodes

4.4.1.401.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/fm-conditions

4.4.1.401.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 1 concepts

Expansion based on http://hl7.org/fhir/fm-conditions version 4.0.1

All codes from system http://hl7.org/fhir/fm-conditions

Code | Display | Definition
123987 | Headache | Headache

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.402 Value Set http://hl7.org/fhir/ValueSet/immunization-evaluation-dose-status-reason

URL: https://hl7.org/fhir/R4/valueset-immunization-evaluation-dose-status-reason.html
Public Health and Emergency Response Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/immunization-evaluation-dose-status-reason
Version: | 4.0.1
Name: | ImmunizationEvaluationDoseStatusReasonCodes
Title: | Immunization Evaluation Dose Status Reason codes
Definition: | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the reason why an administered dose has been assigned a particular status. Often, this reason describes why a dose is considered invalid. This value set is provided as a suggestive example.
Committee: | Public Health and Emergency Response Work Group
OID: | 2.16.840.1.113883.4.642.3.303 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ImmunizationEvaluationDoseStatusReasonCodes

• Resource: ImmunizationEvaluation.doseStatusReason (CodeableConcept / Example)

4.4.1.402.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/immunization-evaluation-dose-status-reason

4.4.1.402.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/immunization-evaluation-dose-status-reason version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/immunization-evaluation-dose-status-reason

Code | Display | Definition
advstorage | Adverse storage condition | The product was stored in a manner inconsistent with manufacturer guidelines potentially reducing the effectiveness of the product.
coldchbrk | Cold chain break | The product was stored at a temperature inconsistent with manufacturer guidelines potentially reducing the effectiveness of the product.
explot | Expired lot | The product was administered after the expiration date associated with lot of vaccine.
outsidesched | Administered outside recommended schedule | The product was administered at a time inconsistent with the documented schedule.
prodrecall | Product recall | The product administered has been recalled by the manufacturer.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.403 Value Set http://hl7.org/fhir/ValueSet/note-type

URL: https://hl7.org/fhir/R4/valueset-note-type.html
Financial Management Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/note-type
Version: | 4.0.1
Name: | NoteType
Title: | NoteType
Definition: | The presentation types of notes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.15 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for NoteType
• Resource: ExplanationOfBenefit.processNote.type (code / Required)
• Resource: ClaimResponse.processNote.type (code / Required)
• Resource: PaymentReconciliation.processNote.type (code / Required)

4.4.1.403.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/note-type

4.4.1.403.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/note-type version 4.0.1

All codes from system http://hl7.org/fhir/note-type

Code | Display | Definition
display | Display | Display the note.
print | Print (Form) | Print the note on the form.
printoper | Print (Operator) | Print the note for the operator.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.404 Value Set http://hl7.org/fhir/ValueSet/event-status

URL: https://hl7.org/fhir/R4/valueset-event-status.html
FHIR Infrastructure Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/event-status
Version: | 4.0.1
Name: | EventStatus
Title: | EventStatus
Definition: | Codes identifying the lifecycle stage of an event.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.109 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for EventStatus
• ConceptMap: Translation source in Canonical Mapping for "EventStatus"
• Resource: Communication.status (code / Required)
• Resource: Procedure.status (code / Required)
• Resource: Media.status (code / Required)

4.4.1.404.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/event-status

4.4.1.404.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 8 concepts

Expansion based on http://hl7.org/fhir/event-status version 4.0.1

All codes from system http://hl7.org/fhir/event-status

Code | Display | Definition | Canonical Status
preparation | Preparation | The core event has not started yet, but some staging activities have begun (e.g. surgical suite preparation). Preparation stages may be tracked for billing purposes. | ~planned
in-progress | In Progress | The event is currently occurring. | ~active
not-done | Not Done | The event was terminated prior to any activity beyond preparation. I.e. The 'main' activity has not yet begun. The boundary between preparatory and the 'main' activity is context-specific. | ~abandoned
on-hold | On Hold | The event has been temporarily stopped but is expected to resume in the future. | ~suspended
stopped | Stopped | The event was terminated prior to the full completion of the intended activity but after at least some of the 'main' activity (beyond preparation) has occurred. | ~failed
completed | Completed | The event has now concluded. | ~complete
entered-in-error | Entered in Error | This electronic record should never have existed, though it is possible that real-world decisions were based on it. (If real-world activity has occurred, the status should be "stopped" rather than "entered-in-error".). | ~error
unknown | Unknown | The authoring/source system does not know which of the status values currently applies for this event. Note: This concept is not to be used for "other" - one of the listed statuses is presumed to apply, but the authoring/source system does not know which. | ~unknown

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.405 Value Set http://hl7.org/fhir/ValueSet/practitioner-specialty

URL: https://hl7.org/fhir/R4/valueset-practitioner-specialty.html
Patient Administration Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/practitioner-specialty
Version: | 4.0.1
Name: | PractitionerSpecialty
Title: | Practitioner specialty
Definition: | This example value set defines a set of codes that can be used to indicate the specialty of a Practitioner.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.441 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for PractitionerSpecialty

4.4.1.405.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/practitioner-specialty

4.4.1.405.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/practitioner-specialty version 4.0.1

All codes from system http://hl7.org/fhir/practitioner-specialty

Code | Display | Definition
cardio | Cardiologist
dent | Dentist
dietary | Dietary consultant
midw | Midwife
sysarch | Systems architect

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.406 Value Set http://hl7.org/fhir/ValueSet/map-source-list-mode

URL: https://hl7.org/fhir/R4/valueset-map-source-list-mode.html
FHIR Infrastructure Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/map-source-list-mode
Version: | 4.0.1
Name: | StructureMapSourceListMode
Title: | StructureMapSourceListMode
Definition: | If field is a list, how to manage the source.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.683 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for StructureMapSourceListMode

• Resource: StructureMap.group.rule.source.listMode (code / Required)

4.4.1.406.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/map-source-list-mode

4.4.1.406.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/map-source-list-mode version 4.0.1

All codes from system http://hl7.org/fhir/map-source-list-mode

Code	Display	Definition
first	First	Only process this rule for the first in the list.
not_first	All but the first	Process this rule for all but the first.
last	Last	Only process this rule for the last in the list.
not_last	All but the last	Process this rule for all but the last.
only_one	Enforce only one	Only process this rule is there is only item.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl	A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.4.1.407 Value Set http://hl7.org/fhir/ValueSet/relation-type

URL: https://hl7.org/fhir/R4/valueset-relation-type.html
Orders and Observations Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/relation-type
Version:	4.0.1
Name:	CatalogEntryRelationType
Title:	CatalogEntryRelationType
Definition:	The type of relations between entries.
Committee:	Orders and Observations Work Group
OID:	2.16.840.1.113883.4.642.3.1028 (for OID based terminology systems)
Source Resource	XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for CatalogEntryRelationType

• Resource: CatalogEntry.relatedEntry.relationtype (code / Required)

4.4.1.407.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/relation-type

4.4.1.407.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/relation-type version 4.0.1

All codes from system http://hl7.org/fhir/relation-type

Code	Display	Definition
triggers	Triggers	the related entry represents an activity that may be triggered by the current item.
is-replaced-by	Replaced By	the related entry represents an item that replaces the current retired item.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.408 Value Set http://hl7.org/fhir/ValueSet/consent-content-code

URL: https://hl7.org/fhir/R4/valueset-consent-content-code.html
Community Based Collaborative Care Work Group | Maturity Level: 1 | Draft | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/consent-content-code
Version: | 4.0.1
Name: | ConsentContentCodes
Title: | Consent Content Codes
Definition: | This example value set contains all LOINC code
Committee: | Community Based Collaborative Care Work Group
OID: | 2.16.840.1.113883.4.642.3.748 (for OID based terminology systems)
Copyright: | This content LOINC® is copyright © 1995 Regenstrief Institute, Inc. and the LOINC Committee, and available at no cost under the license at http://loinc.org/terms-of-use
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Consent.provision.code (CodeableConcept / Example)

4.4.1.408.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://loinc.org

4.4.1.408.2 Expansion

This expansion generated 01 Nov 2019

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://loinc.org

Code | Display
1-8 | Acyclovir [Susceptibility]
10-9 | Amdinocillin [Susceptibility] by Serum bactericidal titer
100-8 | Cefoperazone [Susceptibility] by Minimum inhibitory concentration (MIC)
1000-9 | DBG Ab [Presence] in Serum or Plasma from Blood product unit
10000-8 | R wave duration in lead AVR
10001-6 | R wave duration in lead I
10002-4 | R wave duration in lead II
10003-2 | R wave duration in lead III
10004-0 | R wave duration in lead V1
10005-7 | R wave duration in lead V2
10006-5 | R wave duration in lead V3
10007-3 | R wave duration in lead V4
10008-1 | R wave duration in lead V5
10009-9 | R wave duration in lead V6
1001-7 | DBG Ab [Presence] in Serum or Plasma from Donor
10010-7 | R' wave amplitude in lead AVF
10011-5 | R' wave amplitude in lead AVL
10012-3 | R' wave amplitude in lead AVR
10013-1 | R' wave amplitude in lead I
10014-9 | R' wave amplitude in lead II
10015-6 | R' wave amplitude in lead III
10016-4 | R' wave amplitude in lead V1
10017-2 | R' wave amplitude in lead V2
10018-0 | R' wave amplitude in lead V3
10019-8 | R' wave amplitude in lead V4
1002-5 | DBG Ab [Presence] in Serum or Plasma

10020-6 | R' wave amplitude in lead V5
10021-4 | R' wave amplitude in lead V6
10022-2 | R' wave duration in lead AVF
10023-0 | R' wave duration in lead AVL
10024-8 | R' wave duration in lead AVR
10025-5 | R' wave duration in lead I
10026-3 | R' wave duration in lead II
10027-1 | R' wave duration in lead III
10028-9 | R' wave duration in lead V1
10029-7 | R' wave duration in lead V2
1003-3 | Indirect antiglobulin test.complement specific reagent [Presence] in Serum or Plasma
10030-5 | R' wave duration in lead V3
10031-3 | R' wave duration in lead V4
10032-1 | R' wave duration in lead V5
10033-9 | R' wave duration in lead V6
10034-7 | S wave amplitude in lead AVF
10035-4 | S wave amplitude in lead AVL
10036-2 | S wave amplitude in lead AVR
10037-0 | S wave amplitude in lead I
10038-8 | S wave amplitude in lead II
10039-6 | S wave amplitude in lead III
1004-1 | Direct antiglobulin test.complement specific reagent [Presence] on Red Blood Cells
10040-4 | S wave amplitude in lead V1
10041-2 | S wave amplitude in lead V2
10042-0 | S wave amplitude in lead V3
10043-8 | S wave amplitude in lead V4
10044-6 | S wave amplitude in lead V5
10045-3 | S wave amplitude in lead V6
10046-1 | S wave duration in lead AVF
10047-9 | S wave duration in lead AVL
10048-7 | S wave duration in lead AVR
10049-5 | S wave duration in lead I
1005-8 | Indirect antiglobulin test.IgG specific reagent [Presence] in Serum or Plasma
10050-3 | S wave duration in lead II
10051-1 | S wave duration in lead III
10052-9 | S wave duration in lead V1
10053-7 | S wave duration in lead V2
10054-5 | S wave duration in lead V3
10055-2 | S wave duration in lead V4
10056-0 | S wave duration in lead V5
10057-8 | S wave duration in lead V6
10058-6 | S' wave amplitude in lead AVF
10059-4 | S' wave amplitude in lead AVL
1006-6 | Direct antiglobulin test.IgG specific reagent [Interpretation] on Red Blood Cells
10060-2 | S' wave amplitude in lead AVR
10061-0 | S' wave amplitude in lead I
10062-8 | S' wave amplitude in lead II
10063-6 | S' wave amplitude in lead III
10064-4 | S' wave amplitude in lead V1
10065-1 | S' wave amplitude in lead V2
10066-9 | S' wave amplitude in lead V3
10067-7 | S' wave amplitude in lead V4
10068-5 | S' wave amplitude in lead V5
10069-3 | S' wave amplitude in lead V6
1007-4 | Direct antiglobulin test.poly specific reagent [Presence] on Red Blood Cells
10070-1 | S' wave duration in lead AVF
10071-9 | S' wave duration in lead AVL
10072-7 | S' wave duration in lead AVR
10073-5 | S' wave duration in lead I
10074-3 | S' wave duration in lead II
10075-0 | S' wave duration in lead III
10076-8 | S' wave duration in lead V1
10077-6 | S' wave duration in lead V2
10078-4 | S' wave duration in lead V3
10079-2 | S' wave duration in lead V4
1008-2 | Indirect antiglobulin test.poly specific reagent [Presence] in Serum or Plasma
10080-0 | S' wave duration in lead V5
10081-8 | S' wave duration in lead V6
10082-6 | ST initial amplitude 6 ms in lead AVF
10083-4 | ST initial amplitude 6 ms in lead AVL
10084-2 | ST initial amplitude 6 ms in lead AVR
10085-9 | ST initial amplitude 6 ms in lead I

10086-7 | ST initial amplitude 6 ms in lead II
10087-5 | ST initial amplitude 6 ms in lead III
10088-3 | ST initial amplitude 6 ms in lead V1
10089-1 | ST initial amplitude 6 ms in lead V2
1009-0 | Deprecated Direct antiglobulin test.poly specific reagent [Presence] on Red Blood Cells
10090-9 | ST initial amplitude 6 ms in lead V3
10091-7 | ST initial amplitude 6 ms in lead V4
10092-5 | ST initial amplitude 6 ms in lead V5
10093-3 | ST initial amplitude 6 ms in lead V6
10094-1 | ST slope in lead AVF
10095-8 | ST slope in lead AVL
10096-6 | ST slope in lead AVR
10097-4 | ST slope in lead I
10098-2 | ST slope in lead II
10099-0 | ST slope in lead III
101-6 | Cefoperazone [Susceptibility] by Disk diffusion (KB)
1010-8 | E sup(w) Ab [Presence] in Serum or Plasma from Blood product unit
10100-6 | ST slope in lead V1
10101-4 | ST slope in lead V2
10102-2 | ST slope in lead V3
10103-0 | ST slope in lead V4
10104-8 | ST slope in lead V5
10105-5 | ST slope in lead V6
10106-3 | ST wave end displacement in lead AVF
10107-1 | ST wave end displacement in lead AVL
10108-9 | ST wave end displacement in lead AVR
10109-7 | ST wave end displacement in lead I
1011-6 | E sup(w) Ab [Presence] in Serum or Plasma from Donor
10110-5 | ST wave end displacement in lead II
10111-3 | ST wave end displacement in lead III
10112-1 | ST wave end displacement in lead V1
10113-9 | ST wave end displacement in lead V2
10114-7 | ST wave end displacement in lead V3
10115-4 | ST wave end displacement in lead V4
10116-2 | ST wave end displacement in lead V5
10117-0 | ST wave end displacement in lead V6
10118-8 | ST wave mid displacement in lead AVF
10119-6 | ST wave mid displacement in lead AVL
1012-4 | E sup(w) Ab [Presence] in Serum or Plasma
10120-4 | ST wave mid displacement in lead AVR
10121-2 | ST wave mid displacement in lead I
10122-0 | ST wave mid displacement in lead II
10123-8 | ST wave mid displacement in lead III
10124-6 | ST wave mid displacement in lead V1
10125-3 | ST wave mid displacement in lead V2
10126-1 | ST wave mid displacement in lead V3
10127-9 | ST wave mid displacement in lead V4
10128-7 | ST wave mid displacement in lead V5
10129-5 | ST wave mid displacement in lead V6
1013-2 | E sup(w) Ag [Presence] on Red Blood Cells from Blood product unit
10130-3 | T' wave amplitude in lead AVF
10131-1 | T' wave amplitude in lead AVL
10132-9 | T' wave amplitude in lead AVR
10133-7 | T' wave amplitude in lead I
10134-5 | T' wave amplitude in lead II
10135-2 | T' wave amplitude in lead III
10136-0 | T' wave amplitude in lead V1
10137-8 | T' wave amplitude in lead V2
10138-6 | T' wave amplitude in lead V3
10139-4 | T' wave amplitude in lead V4
1014-0 | E sup(w) Ag [Presence] on Red Blood Cells from Donor
10140-2 | T' wave amplitude in lead V5
10141-0 | T' wave amplitude in lead V6
10142-8 | T wave amplitude in lead AVF
10143-6 | T wave amplitude in lead AVL
10144-4 | T wave amplitude in lead AVR
10145-1 | T wave amplitude in lead I
10146-9 | T wave amplitude in lead II
10147-7 | T wave amplitude in lead III
10148-5 | T wave amplitude in lead V1
10149-3 | T wave amplitude in lead V2
1015-7 | E sup(w) Ag [Presence] on Red Blood Cells

10150-1 | T wave amplitude in lead V3
10151-9 | T wave amplitude in lead V4
10152-7 | T wave amplitude in lead V5
10153-5 | T wave amplitude in lead V6
10154-3 | Chief complaint Narrative - Reported
10155-0 | History of allergies, reported
10156-8 | History of Childhood diseases Narrative
10157-6 | History of family member diseases Narrative
10158-4 | History of Functional status Narrative
10159-2 | History of Industrial exposure Narrative
1016-5 | E Ab [Presence] in Serum or Plasma from Blood product unit
10160-0 | History of Medication use Narrative
10161-8 | History of Occupational exposure Narrative
10162-6 | History of pregnancies Narrative
10163-4 | History of pregnancies
10164-2 | History of Present illness Narrative
10165-9 | Deprecated History of psychiatric symptoms and diseases Narrative
10166-7 | History of Social function Narrative
10167-5 | History of Surgical procedures Narrative
10168-3 | History of Cardiovascular system disorders Narrative
10169-1 | History of Ear disorders Narrative
1017-3 | E Ab [Presence] in Serum or Plasma from Donor
10170-9 | History of Endocrine system disorders Narrative
10171-7 | History of Eyes disorders Narrative
10172-5 | History of Hematologic system disorders Narrative
10173-3 | History of Musculoskeletal system disorders Narrative
10174-1 | History of Nose disorders Narrative
10175-8 | History of Oral cavity disorders Narrative
10176-6 | History of Reproductive system disorders Narrative
10177-4 | History of Respiratory system disorders Narrative
10178-2 | History of Skin disorders Narrative
10179-0 | History of Throat and Neck disorders Narrative
1018-1 | E Ab [Presence] in Serum or Plasma
10180-8 | History of Throat and Neck disorders
10181-6 | History of Urinary tract disorders Narrative
10182-4 | History of Travel Narrative
10183-2 | Hospital discharge medications Narrative
10184-0 | Hospital discharge physical findings Narrative
10185-7 | Hospital discharge procedures Narrative
10186-5 | Identifying information Narrative Observed
10187-3 | Review of systems Narrative - Reported
10188-1 | Review of systems overview Narrative - Reported
10189-9 | Review of systems overview - Reported
1019-9 | E Ag [Presence] on Red Blood Cells from Blood product unit
10190-7 | Mental status Narrative
10191-5 | Physical findings of Abdomen Narrative
10192-3 | Physical findings of Back Narrative
10193-1 | Physical findings of Breasts Narrative
10194-9 | Physical findings of Neurologic deep tendon reflexes Narrative
10195-6 | Physical findings of Ear Narrative
10196-4 | Physical findings of Extremities Narrative
10197-2 | Physical findings of Eye Narrative
10198-0 | Physical findings of Genitourinary tract Narrative
10199-8 | Physical findings of Head Narrative
102-4 | Cefoperazone [Susceptibility] by Serum bactericidal titer
1020-7 | E Ag [Presence] on Red Blood Cells from Donor
10200-4 | Physical findings of Heart Narrative
10201-2 | Physical findings of Mouth and Throat and Teeth Narrative
10202-0 | Physical findings of Nervous system Narrative
10203-8 | Physical findings of Nose Narrative
10204-6 | Physical findings of Pelvis Narrative
10205-3 | Physical findings of Rectum Narrative
10206-1 | Physical findings of Skin Narrative
10207-9 | Physical findings of Thorax and Lungs Narrative
10208-7 | Physical findings of Vessels Narrative
10209-5 | Physical findings of Neurologic balance and Coordination Narrative
1021-5 | E Ag [Presence] on Red Blood Cells
10210-3 | Physical findings of General status Narrative
10211-1 | Physical findings of Sense of touch Narrative
10212-9 | Physical findings of Strength Narrative
10213-7 | Surgical operation note anesthesia Narrative
10214-5 | Surgical operation note anesthesia duration

10215-2 | Surgical operation note findings Narrative
10216-0 | Surgical operation note fluids Narrative
10217-8 | Surgical operation note indications [Interpretation] Narrative
10218-6 | Surgical operation note postoperative diagnosis Narrative
10219-4 | Surgical operation note preoperative diagnosis Narrative
1022-3 | Fy sup(a) Ab [Presence] in Serum or Plasma from Blood product unit
10220-2 | Surgical operation note prep time duration
10221-0 | Surgical operation note specimens taken Narrative
10222-8 | Surgical operation note surgical complications [Interpretation] Narrative
10223-6 | Surgical operation note surgical procedure Narrative
10224-4 | Hemodynamic method special circumstances
10225-1 | Cardiac measurement device Institution inventory number
10226-9 | Oxygen content in Intravascular space
10227-7 | Cardiac measurement device Vendor model number
10228-5 | Cardiac measurement device Vendor serial number
10229-3 | Hemodynamic method Type of
1023-1 | Fy sup(a) Ab [Presence] in Serum or Plasma from Donor
10230-1 | Left ventricular Ejection fraction
10231-9 | Right ventricular Ejection fraction
10232-7 | Oxygen content in Aorta root
10233-5 | Oxygen content in Left atrium
10234-3 | Oxygen content in Right atrium
10235-0 | Oxygen content in High right atrium
10236-8 | Oxygen content in Low right atrium
10237-6 | Oxygen content in Mid right atrium
10238-4 | Oxygen content in Left ventricle
10239-2 | Oxygen content in Right ventricular outflow tract
1024-9 | Fy sup(a) Ab [Presence] in Serum or Plasma
10240-0 | Oxygen content in Right ventricle
10241-8 | Oxygen content in Coronary sinus
10242-6 | Oxygen content in Ductus arteriosus
10243-4 | Oxygen content in Inferior vena cava
10244-2 | Oxygen content in Left pulmonary artery
10245-9 | Oxygen content in Main pulmonary artery
10246-7 | Oxygen content in Right pulmonary artery
10247-5 | Oxygen content in Pulmonary wedge
10248-3 | Oxygen content in Superior vena cava
10249-1 | Heart rate device Institution inventory number
1025-6 | Fy sup(a) Ag [Presence] on Red Blood Cells from Blood product unit
10250-9 | Heart rate device Vendor model number
10251-7 | Heart rate device Vendor serial number
10252-5 | Biliary drain site
10253-3 | Type of Biliary drain
10254-1 | Type of Peritoneal drain
10255-8 | Type of Subarachnoid drain
10256-6 | Biliary drain Institution inventory number
10257-4 | Chest tube Institution inventory number
10258-2 | Enteral tube Institution inventory number
10259-0 | Gastrostomy tube Institution inventory number
1026-4 | Fy sup(a) Ag [Presence] on Red Blood Cells from Donor
10260-8 | GI tube Institution inventory number
10261-6 | Intravascular tube Institution inventory number
10262-4 | IO tube Institution inventory number
10263-2 | Nasogastric tube Institution inventory number
10264-0 | Oral tube Institution inventory number
10265-7 | Peritoneal drain Institution inventory number
10266-5 | Peritoneal tube Institution inventory number
10267-3 | Rate control device Institution inventory number
10268-1 | Stool collection device Institution inventory number
10269-9 | Subarachnoid drain Institution inventory number
1027-2 | Fy sup(a) Ag [Presence] on Red Blood Cells
10270-7 | Synovial drain Institution inventory number
10271-5 | Tube or drain Institution inventory number
10272-3 | Upper GI tube Institution inventory number
10273-1 | Bladder irrigation tube Institution inventory number
10274-9 | Urine tube Institution inventory number
10275-6 | Wound drain device Institution inventory number
10276-4 | Peritoneal drain site
10277-2 | Stool collection site
10278-0 | Subarachnoid drain site
10279-8 | Biliary drain Vendor model number
1028-0 | Fy sup(b) Ab [Presence] in Serum or Plasma from Blood product unit

10280-6 | Chest tube Vendor model number
10281-4 | Enteral tube Vendor model number
10282-2 | Gastrostomy tube Vendor model number
10283-0 | GI tube Vendor model number
10284-8 | Intravascular tube Vendor model number
10285-5 | IO tube Vendor model number
10286-3 | Nasogastric tube Vendor model number
10287-1 | Oral tube Vendor model number
10288-9 | Peritoneal drain Vendor model number
10289-7 | Peritoneal tube Vendor model number
1029-8 | Fy sup(b) Ab [Presence] in Serum or Plasma from Donor
10290-5 | Rate control device Vendor model number
10291-3 | Stool collection device Vendor model number
10292-1 | Subarachnoid drain Vendor model number
10293-9 | Synovial drain Vendor model number
10294-7 | Tube or drain Vendor model number
10295-4 | Upper GI tube Vendor model number
10296-2 | Bladder irrigation tube Vendor model number
10297-0 | Urine tube Vendor model number
10298-8 | Wound drain device Vendor model number
10299-6 | Biliary drain Vendor serial number
103-2 | Ceforanide [Susceptibility] by Minimum lethal concentration (MLC)
1030-6 | Fy sup(b) Ab [Presence] in Serum or Plasma
10300-2 | Chest tube Vendor serial number
10301-0 | Enteral tube Vendor serial number
10302-8 | Gastrostomy tube Vendor serial number
10303-6 | GI tube Vendor serial number
10304-4 | Intravascular tube Vendor serial number
10305-1 | IO tube Vendor serial number
10306-9 | Nasogastric tube Vendor serial number
10307-7 | Oral tube Vendor serial number
10308-5 | Peritoneal drain Vendor serial number
10309-3 | Peritoneal tube Vendor serial number
1031-4 | Fy sup(b) Ag [Presence] on Red Blood Cells from Blood product unit
10310-1 | Rate control device Vendor serial number
10311-9 | Stool collection device Vendor serial number
10312-7 | Subarachnoid drain Vendor serial number
10313-5 | Synovial drain Vendor serial number
10314-3 | Tube or drain Vendor serial number
10315-0 | Upper GI tube Vendor serial number
10316-8 | Bladder irrigation tube Vendor serial number
10317-6 | Urine tube Vendor serial number
10318-4 | Wound drain device Vendor serial number
10319-2 | Enema device Institution inventory number
1032-2 | Fy sup(b) Ag [Presence] on Red Blood Cells from Donor
10320-0 | Enema device Vendor model number
10321-8 | Enema device Vendor serial number
10322-6 | Potassium intake 24 hour
10323-4 | Wound drain fluid [Appearance] Lower GI tract
10324-2 | Breath rate device Institution inventory number
10325-9 | Breath rate device Vendor model number
10326-7 | Breath rate device Vendor serial number
10327-5 | Eosinophils/100 leukocytes in Sputum by Manual count
10328-3 | Lymphocytes/100 leukocytes in Cerebral spinal fluid by Manual count
10329-1 | Monocytes/100 leukocytes in Cerebral spinal fluid by Manual count
1033-0 | Fy sup(b) Ag [Presence] on Red Blood Cells
10330-9 | Monocytes/100 leukocytes in Body fluid by Manual count
10331-7 | Rh [Type] in Blood
10332-5 | Cortisol [Mass/volume] in Serum or Plasma --pre 250 ug corticotropin IM
10333-3 | Appearance of Cerebral spinal fluid
10334-1 | Cancer Ag 125 [Units/volume] in Serum or Plasma
10335-8 | Color of Cerebral spinal fluid
10336-6 | Gonadotropin peptide [Mass/volume] in Urine
10337-4 | Procollagen type I [Mass/volume] in Serum
10338-2 | Barbiturates [Mass/volume] in Serum or Plasma
10339-0 | Fluoxetine+Norfluoxetine [Mass/volume] in Serum or Plasma
1034-8 | Fetal cell screen [Interpretation] in Blood
10340-8 | Molindone [Mass/volume] in Serum or Plasma
10341-6 | Norpropoxyphene [Mass/volume] in Serum or Plasma
10342-4 | Sulfamethoxazole [Mass/volume] in Serum or Plasma
10343-2 | Temazepam [Mass/volume] in Serum or Plasma
10344-0 | Tranylcypromine [Mass/volume] in Serum or Plasma

10345-7 | Trihexyphenidyl [Mass/volume] in Urine
10346-5 | Hemoglobin A [Units/volume] in Blood by Electrophoresis
10347-3 | Babesia microti identified in Blood by Light microscopy
10348-1 | Bordetella parapertussis Ab [Presence] in Serum
10349-9 | Brucella sp Ab [Units/volume] in Serum
1035-5 | Fresh frozen plasma given [Volume]
10350-7 | Herpes simplex virus IgM Ab [Titer] in Serum by Immunoassay
10351-5 | HIV 1 RNA [Units/volume] (viral load) in Serum or Plasma by Probe with amplification
10352-3 | Bacteria identified in Genital specimen by Aerobe culture
10353-1 | Bacteria identified in Nose by Aerobe culture
10354-9 | Bacteria identified in Urethra by Culture
10355-6 | Microscopic observation [Identifier] in Bone marrow by Wright Giemsa stain
10356-4 | Deprecated Microscopic observation [Identifier] in Stool by Trichrome stain
10357-2 | Microscopic observation [Identifier] in Wound by Gram stain
10358-0 | Teichoate Ab [Titer] in Serum by Immune diffusion (ID)
10359-8 | Asialoganglioside GM1 IgM Ab [Titer] in Serum
1036-3 | G Ab [Presence] in Serum or Plasma from Blood product unit
10360-6 | DNA single strand IgG Ab [Units/volume] in Serum
10361-4 | DNA single strand IgM Ab [Units/volume] in Serum
10362-2 | Endomysium IgA Ab [Presence] in Serum
10363-0 | Barbiturates [Presence] in Unspecified specimen
10364-8 | Cotinine [Mass/mass] in Hair
10365-5 | Cotinine [Mass/volume] in Serum or Plasma
10366-3 | Cotinine [Mass/volume] in Urine
10367-1 | Ethanol [Mass/volume] in Gastric fluid
10368-9 | Lead [Mass/volume] in Capillary blood
10369-7 | Opiates [Mass/mass] in Hair
1037-1 | G Ab [Presence] in Serum or Plasma from Donor
10370-5 | Phencyclidine [Mass/mass] in Hair
10371-3 | Bite cells [Presence] in Blood by Light microscopy
10372-1 | Blister cells [Presence] in Blood by Light microscopy
10373-9 | Fragments [Presence] in Blood by Light microscopy
10374-7 | Helmet cells [Presence] in Blood by Light microscopy
10375-4 | Irregularly contracted cells [Presence] in Blood by Light microscopy
10376-2 | Oval macrocytes [Presence] in Blood by Light microscopy
10377-0 | Pencil cells [Presence] in Blood by Light microscopy
10378-8 | Polychromasia [Presence] in Blood by Light microscopy
10379-6 | Erythrocytes.dual population [Presence] in Blood by Light microscopy
1038-9 | G Ab [Presence] in Serum or Plasma
10380-4 | Stomatocytes [Presence] in Blood by Light microscopy
10381-2 | Target cells [Presence] in Blood by Light microscopy
10382-0 | A,B variant NOS Ag [Presence] on Red Blood Cells from Blood product unit
10383-8 | A,B variant NOS Ag [Presence] on Red Blood Cells from Donor
10384-6 | A,B variant NOS Ag [Presence] on Red Blood Cells
10385-3 | Albumin concentration given
10386-1 | Albumin given [Volume]
10387-9 | Autologous erythrocytes given [Volume]
10388-7 | Autologous whole blood given [Volume]
10389-5 | Blood product.other [Type]
1039-7 | G Ag [Presence] on Red Blood Cells from Blood product unit
10390-3 | Blood product special preparation [Type]
10391-1 | Cytomegalovirus immune globulin given [Volume]
10392-9 | Cryoprecipitate given [Volume]
10393-7 | Factor IX given [Type]
10394-5 | Factor IX given [Volume]
10395-2 | Factor VIII given [Type]
10396-0 | Factor VIII given [Volume]
10397-8 | Hepatitis B immune globulin given [Volume]
10398-6 | I Ag [Presence] on Red Blood Cells from Blood product unit
10399-4 | I Ag [Presence] on Red Blood Cells from Donor
104-0 | Ceforanide [Susceptibility] by Minimum inhibitory concentration (MIC)
1040-5 | G Ag [Presence] on Red Blood Cells from Donor
10400-0 | I Ag [Presence] on Red Blood Cells
10401-8 | Immune serum globulin given [Type]
10402-6 | Immune serum globulin given [Volume]
10403-4 | Inject immune serum globulin [Volume]
10404-2 | Inject Rh immune globulin [Volume]
10405-9 | Inject varicella zoster virus immune globulin [Volume]
10406-7 | little i Ag [Presence] on Red Blood Cells from Blood product unit
10407-5 | little i Ag [Presence] on Red Blood Cells from Donor
10408-3 | little i Ag [Presence] on Red Blood Cells
10409-1 | Pentaspan given [Volume]

1041-3 | G Ag [Presence] on Red Blood Cells
10410-9 | Plasma given [Type]
10411-7 | Plasma given [Volume]
10412-5 | Platelets given [Type]
10413-3 | Rh immune globulin given [Volume]
10414-1 | Transfuse albumin [Volume]
10415-8 | Transfuse blood exchange transfusion [Volume]
10416-6 | Transfuse blood product other [Volume]
10417-4 | Transfuse cryoprecipitate [Volume]
10418-2 | Transfuse factor IX [Volume]
10419-0 | Transfuse factor VIII [Volume]
1042-1 | H Ab [Presence] in Serum or Plasma from Blood product unit
10420-8 | Transfuse immune serum globulin [Volume]
10421-6 | Transfuse Pentaspan [Volume]
10422-4 | Transfuse plasma [Volume]
10423-2 | Transfuse platelets [Volume]
10424-0 | Transfuse erythrocytes [Volume]
10425-7 | Transfuse Rh immune globulin [Volume]
10426-5 | Transfuse whole blood [Volume]
10427-3 | Transfuse whole blood autologous [Volume]
10428-1 | Varicella zoster virus immune globulin given [Volume]
10429-9 | AE 1 Ag [Presence] in Tissue by Immune stain
1043-9 | H Ab [Presence] in Serum or Plasma from Donor
10430-7 | AE 3 Ag [Presence] in Tissue by Immune stain
10431-5 | B-cell Ag [Presence] in Tissue by Immune stain
10432-3 | CD30 Ag [Presence] in Tissue by Immune stain
10433-1 | BR-2 Ag [Presence] in Tissue by Immune stain
10434-9 | Complement C3 Ag [Presence] in Tissue by Immune stain
10435-6 | C5B-9 Ag [Presence] in Tissue by Immune stain
10436-4 | CD15 Ag [Presence] in Tissue by Immune stain
10437-2 | CD16 Ag [Presence] in Tissue by Immune stain
10438-0 | CD20 Ag [Presence] in Tissue by Immune stain
10439-8 | CD3 Ag [Presence] in Tissue by Immune stain
1044-7 | H Ab [Presence] in Serum
10440-6 | Deprecated CD30 Ag [Presence] in Tissue by Immune stain
10441-4 | CD34 Ag [Presence] in Tissue by Immune stain
10442-2 | CD56 Ag [Presence] in Tissue by Immune stain
10443-0 | CD43 T-cell monocyte+myeloid cell Ag [Presence] in Tissue by Immune stain
10444-8 | CD57 Ag [Presence] in Tissue by Immune stain
10445-5 | CD11c Ag [Presence] in Tissue by Immune stain
10446-3 | Leukocyte common Ag [Presence] in Tissue by Immune stain
10447-1 | M-5 Ag [Presence] in Tissue by Immune stain
10448-9 | T-cell Ag [Presence] in Tissue by Immune stain
10449-7 | Glucose [Mass/volume] in Serum or Plasma --1 hour post meal
1045-4 | H NOS Ab [Presence] in Serum or Plasma from Blood product unit
10450-5 | Glucose [Mass/volume] in Serum or Plasma --10 hours fasting
10451-3 | Proinsulin [Moles/volume] in Serum or Plasma --12 hours fasting
10452-1 | Xylose [Mass/volume] in Serum or Plasma --1 hour post 25 g xylose PO
10453-9 | Xylose [Mass/volume] in Serum or Plasma --1 hour post dose xylose PO
10454-7 | Xylose [Mass/volume] in Serum or Plasma --2 hours post 25 g xylose PO
10455-4 | Xylose [Mass/volume] in Serum or Plasma --30 minutes post 25 g xylose PO
10456-2 | Xylose [Mass/volume] in Serum or Plasma --6 hours fasting
10457-0 | Actin Ag [Presence] in Tissue by Immune stain
10458-8 | Alkaline phosphatase.placental Ag [Presence] in Tissue by Immune stain
10459-6 | Alpha-1-Fetoprotein Ag [Presence] in Tissue by Immune stain
1046-2 | H NOS Ab [Presence] in Serum or Plasma from Donor
10460-4 | Lactalbumin alpha Ag [Presence] in Tissue by Immune stain
10461-2 | Alpha-1-Antichymotrypsin Ag [Presence] in Tissue by Immune stain
10462-0 | Alpha 1 antitrypsin Ag [Presence] in Tissue by Immune stain
10463-8 | Amyloid A component Ag [Presence] in Tissue by Immune stain
10464-6 | Amyloid P component Ag [Presence] in Tissue by Immune stain
10465-3 | Amyloid.prealbumin Ag [Presence] in Tissue by Immune stain
10466-1 | Anion gap 3 in Serum or Plasma
10467-9 | Beta-2-Microglobulin amyloid Ag [Presence] in Tissue by Immune stain
10468-7 | Calcitonin Ag [Presence] in Tissue by Immune stain
10469-5 | Carcinoembryonic Ag [Presence] in Tissue by Immune stain
1047-0 | H NOS Ab [Presence] in Serum or Plasma
10470-3 | Choriogonadotropin Ag [Presence] in Tissue by Immune stain
10471-1 | Chromogranin A Ag [Presence] in Tissue by Immune stain
10472-9 | Chromogranin Ag [Presence] in Tissue by Immune stain
10473-7 | Chymotrypsin Ag [Presence] in Tissue by Immune stain
10474-5 | Collagen type 4 Ag [Presence] in Tissue by Immune stain

10475-2 | Corticotropin Ag [Presence] in Tissue by Immune stain
10476-0 | Desmin Ag [Presence] in Tissue by Immune stain
10477-8 | Enolase.neuron specific Ag [Presence] in Tissue by Immune stain
10478-6 | Eosinophil major basic protein Ag [Presence] in Tissue by Immune stain
10479-4 | CD227 Ag [Presence] in Tissue by Immune stain
1048-8 | H NOS Ag [Presence] on Red Blood Cells from Blood product unit
10480-2 | Estrogen+Progesterone receptor Ag [Presence] in Tissue by Immune stain
10481-0 | Follitropin.alpha subunit Ag [Presence] in Tissue by Immune stain
10482-8 | Follitropin.beta subunit Ag [Presence] in Tissue by Immune stain
10483-6 | Gastrin Ag [Presence] in Tissue by Immune stain
10484-4 | Glial fibrillary acidic protein Ag [Presence] in Tissue by Immune stain
10485-1 | Glucagon Ag [Presence] in Tissue by Immune stain
10486-9 | Hemoglobin Ag [Presence] in Tissue by Immune stain
10487-7 | HMB-45 Ag [Presence] in Tissue by Immune stain
10488-5 | IgA Ag [Presence] in Tissue by Immune stain
10489-3 | IgA.heavy chain Ag [Presence] in Tissue by Immune stain
1049-6 | H NOS Ag [Presence] on Red Blood Cells from Donor
10490-1 | IgE Ag [Presence] in Tissue by Immune stain
10491-9 | IgG Ag [Presence] in Tissue by Immune stain
10492-7 | IgG.heavy chain Ag [Presence] in Tissue by Immune stain
10493-5 | IgM Ag [Presence] in Tissue by Immune stain
10494-3 | IgM.heavy chain Ag [Presence] in Tissue by Immune stain
10495-0 | Insulin Ag [Presence] in Tissue by Immune stain
10496-8 | Kappa light chains Ag [Presence] in Tissue by Immune stain
10497-6 | Immunoglobulin light chains.kappa amyloid Ag [Presence] in Tissue by Immune stain
10498-4 | Keratin Ag [Presence] in Tissue by Immune stain
10499-2 | Lambda light chains Ag [Presence] in Tissue by Immune stain
105-7 | Ceforanide [Susceptibility] by Disk diffusion (KB)
1050-4 | H NOS Ag [Presence] on Red Blood Cells
10500-7 | Immunoglobulin light chains.lambda amyloid Ag [Presence] in Tissue by Immune stain
10501-5 | Lutropin [Units/volume] in Serum or Plasma
10502-3 | Lutropin Ag [Presence] in Tissue by Immune stain
10503-1 | Lysozyme Ag [Presence] in Tissue by Immune stain
10504-9 | Myelin basic protein Ag [Presence] in Tissue by Immune stain
10505-6 | Myoglobin Ag [Presence] in Tissue by Immune stain
10506-4 | Peanut agglutinin Ag [Presence] in Tissue by Immune stain
10507-2 | Prolactin Ag [Presence] in Tissue by Immune stain
10508-0 | Prostate specific Ag [Presence] in Tissue by Immune stain
10509-8 | Prostatic acid phosphatase Ag [Presence] in Tissue by Immune stain
1051-2 | Hemolytic disease of newborn screen [Interpretation] in Blood
10510-6 | S-100 Ag Ag [Presence] in Tissue by Immune stain
10511-4 | Serotonin Ag [Presence] in Tissue by Immune stain
10512-2 | Somatostatin Ag [Presence] in Tissue by Immune stain
10513-0 | Somatotropin Ag [Presence] in Tissue by Immune stain
10514-8 | Synaptophysin Ag [Presence] in Tissue by Immune stain
10515-5 | Thyroglobulin Ag [Presence] in Tissue by Immune stain
10516-3 | Thyrotropin Ag [Presence] in Tissue by Immune stain
10517-1 | Trypsin Ag [Presence] in Tissue by Immune stain
10518-9 | Ulex europaeus I lectin Ag [Presence] in Tissue by Immune stain
10519-7 | Vimentin Ag [Presence] in Tissue by Immune stain
1052-0 | Deprecated I (intermediate) subtype [Presence] in Serum or Plasma from Blood product unit
10520-5 | Coagulation factor VI Ag [Presence] in Tissue by Immune stain
10521-3 | Coagulation factor VIII Ag [Presence] in Tissue by Immune stain
10522-1 | Coagulation factor XIII Ag [Presence] in Tissue by Immune stain
10523-9 | Fibrinogen Ag [Presence] in Tissue by Immune stain
10524-7 | Microscopic observation [Identifier] in Cervix by Cyto stain
10525-4 | Microscopic observation [Identifier] in Unspecified specimen by Cyto stain
10526-2 | Microscopic observation [Identifier] in Sputum by Cyto stain
10527-0 | Microscopic observation [Identifier] in Tissue by Cyto stain
10528-8 | Acetophenazine [Mass/volume] in Serum or Plasma
10529-6 | Amoxapine metabolite [Mass/volume] in Serum or Plasma
1053-8 | Deprecated I (intermediate) subtype [Presence] in serum or plasma from donor
10530-4 | Aprobarbital [Mass/volume] in Serum or Plasma
10531-2 | Bretylium [Mass/volume] in Serum or Plasma
10532-0 | Deprecated Desethylamiodarone [Mass/volume] in Serum or Plasma
10533-8 | Propoxyphene+Acetaminophen [Mass/volume] in Serum or Plasma
10534-6 | Diazoxide [Mass/volume] in Serum or Plasma
10535-3 | Digoxin [Mass/volume] in Serum or Plasma
10536-1 | Dipyridamole [Mass/volume] in Serum or Plasma
10537-9 | Deprecated Doxepin+Nordoxepin [Mass/volume] in Serum or Plasma
10538-7 | Deprecated Fluoxetine+Norfluoxetine [Mass/volume] in Serum or Plasma
10539-5 | Glipizide [Mass/volume] in Serum or Plasma

1054-6 | Deprecated I (intermediate) subtype [Presence] in srum
10540-3 | Glyburide [Mass/volume] in Serum or Plasma
10541-1 | Mepivacaine [Mass/volume] in Serum or Plasma
10542-9 | Metharbital [Mass/volume] in Serum or Plasma
10543-7 | Methsuximide+Normethsuximide [Mass/volume] in Serum or Plasma
10544-5 | Normeperidine [Presence] in Serum or Plasma
10545-2 | Normephenytoin [Mass/volume] in Serum or Plasma
10546-0 | Normethsuximide [Mass/volume] in Serum or Plasma
10547-8 | Primidone+Phenobarbital [Mass/volume] in Serum or Plasma
10548-6 | Phenytoin Free/Phenytoin.total in Serum or Plasma
10549-4 | Pirmenol [Mass/volume] in Serum or Plasma
1055-3 | Deprecated I (intermediate) subtype [Presence] on Red Blood Cells from Blood product unit
10550-2 | Deprecated Temazepam [Mass/volume] in Serum or Plasma
10551-0 | Triamterene [Mass/volume] in Serum or Plasma
10552-8 | Tricyclic antidepressants [Mass/volume] in Serum or Plasma
10553-6 | Prostatic acid phosphatase [Enzymatic activity/volume] in Genital fluid
10554-4 | Deprecated Prostatic acid phosphatase [Enzymatic activity/volume] in Seminal plasma
10555-1 | Acrosin [Entitic Catalytic Activity] in Spermatozoa
10556-9 | Deprecated Adenosine triphosphatase [Enzymatic activity/volume] in Seminal plasma
10557-7 | Adenosine triphosphate [Moles/volume] in Semen
10558-5 | Albumin [Moles/volume] in Semen
10559-3 | Deprecated Calcium [Molecules/volume] in Semen
1056-1 | Deprecated I (intermediate) subtype [Presence] on Red Blood Cells from donor
10560-1 | Carcinoembryonic Ag [Units/volume] in Semen
10561-9 | Carnitine [Moles/volume] in Semen
10562-7 | Cells [#/volume] in Cervical mucus
10563-5 | Cells other than spermatozoa [#/volume] in Semen
10564-3 | Cervical mucus [Volume]
10565-0 | Choriogonadotropin [Units/volume] in Semen
10566-8 | Deprecated Choriogonadotropin [Molecules/volume] in Semen
10567-6 | Citrate [Moles/volume] in Semen
10568-4 | Clarity of Semen
10569-2 | Color of Semen
1057-9 | Deprecated I (intermediate) subtype [Presence] on Red Blood Cells
10570-0 | Consistency of Cervical mucus
10571-8 | Deprecated Consistency of Semen
10572-6 | Deprecated Duration^post ejaculation
10573-4 | Ferning [Type] in Cervical mucus
10574-2 | Fructose [Moles/volume] in Semen
10575-9 | Deprecated Gamma glutamyl transferase [Enzymatic activity/volume] in Semen
10576-7 | Germ cells.immature [#/volume] in Semen
10577-5 | Glucosidase [Enzymatic activity/volume] in Seminal plasma
10578-3 | Glycerophosphocholine [Moles/volume] in Seminal plasma
10579-1 | Leukocytes [#/volume] in Semen
1058-7 | I Ab [Presence] in Serum or Plasma from Blood product unit
10580-9 | Liquefaction [Time] in Semen
10581-7 | Deprecated Number of entities [#] in Spermatozoa
10582-5 | pH of Cervical mucus
10583-3 | Prostaglandin F1 alpha [Moles/volume] in Semen
10584-1 | Deprecated Protein [Mass/volume] in Semen
10585-8 | Round cells [#/volume] in Semen
10586-6 | Deprecated Volume of Semen
10587-4 | Sexual abstinence duration
10588-2 | Spermatogonia [#/volume] in Semen
10589-0 | Spermatids [#/volume] in Semen by Streptoavidin-biotin method (SAB)
1059-5 | I Ab [Presence] in Serum or Plasma from Donor
10590-8 | Spermatids [#/volume] in Semen by Sertoli cell barrier method (SCB)
10591-6 | Primary Spermatocytes [#/volume] in Semen
10592-4 | Secondary Spermatocytes [#/volume] in Semen
10593-2 | Spermatozoa Pyriform Head/100 spermatozoa in Semen
10594-0 | Spermatozoa Tapering Head/100 spermatozoa in Semen
10595-7 | Deprecated Spermatozoa [#/volume] in Semen
10596-5 | Deprecated Spermatozoa Ab in cervical mucosa
10597-3 | Deprecated Spermatozoa Ab in semen
10598-1 | Deprecated Spermatozoa Ab in serum
10599-9 | Spermatozoa penetration [Presence] in Seminal fluid and Cervical mucosa by Kremer test
106-5 | Ceforanide [Susceptibility] by Serum bactericidal titer
1060-3 | I Ab [Presence] in Serum or Plasma
10600-5 | Spermatozoa penetration [Presence] in Seminal fluid and Cervical mucosa
10601-3 | Spermatozoa penetration [Presence] in Seminal fluid and Cervical mucosa --post coitus
10602-1 | Spermatozoa Abnormal Head/100 spermatozoa in Semen
10603-9 | Spermatozoa Abnormal Midpiece/100 spermatozoa in Semen

10604-7 | Spermatozoa Abnormal Tail/100 spermatozoa in Semen
10605-4 | Spermatozoa Agglutinated/100 spermatozoa in Semen
10606-2 | Spermatozoa Amorphous Head/100 spermatozoa in Semen
10607-0 | Spermatozoa Coiled Tail/100 spermatozoa in Semen
10608-8 | Spermatozoa Cytoplasmic Droplet/100 spermatozoa in Semen
10609-6 | Spermatozoa Duplicate Head/100 spermatozoa in Semen
1061-1 | I NOS Ab [Presence] in Serum or Plasma from Blood product unit
10610-4 | Spermatozoa Duplicate Tail/100 spermatozoa in Semen
10611-2 | Spermatozoa Immotile/100 spermatozoa in Semen
10612-0 | Spermatozoa Large Oval Head/100 spermatozoa in Semen
10613-8 | Spermatozoa Viable/100 spermatozoa in Semen
10614-6 | Spermatozoa Motile w IgA/100 spermatozoa in Semen by Immunobead
10615-3 | Spermatozoa Motile w IgA/100 spermatozoa in Semen by Mixed antiglobulin reaction
10616-1 | Spermatozoa Motile w IgG/100 spermatozoa in Semen by Immunobead
10617-9 | Spermatozoa Motile w IgG/100 spermatozoa in Semen by Mixed antiglobulin reaction
10618-7 | Spermatozoa Motile w IgM/100 spermatozoa in Semen by Immunobead
10619-5 | Spermatozoa Motile w IgM/100 spermatozoa in Semen by Mixed antiglobulin reaction
1062-9 | I NOS Ab [Presence] in Serum or Plasma from Donor
10620-3 | Spermatozoa Nonprogressive/100 spermatozoa in Semen
10621-1 | Spermatozoa Normal Head/100 spermatozoa in Semen
10622-9 | Spermatozoa Normal/100 spermatozoa in Semen
10623-7 | Spermatozoa Pin Head/100 spermatozoa in Semen
10624-5 | Spermatozoa Rapid/100 spermatozoa in Semen
10625-2 | Spermatozoa Round Head/100 spermatozoa in Semen
10626-0 | Spermatozoa Slow/100 spermatozoa in Semen
10627-8 | Spermatozoa Small Oval Head/100 spermatozoa in Semen
10628-6 | Spermatozoa Tail Swelling/100 spermatozoa in Semen
10629-4 | Spermatozoa Vacuolated Head/100 spermatozoa in Semen
1063-7 | I NOS Ab [Presence] in Serum or Plasma
10630-2 | Spinnbarkeit [Length] in Cervical mucus
10631-0 | Testosterone [Moles/volume] in Semen
10632-8 | Time until next menstrual period
10633-6 | Zinc [Moles/volume] in Semen
10634-4 | Complement C1 esterase inhibitor.functional/Complement C1 esterase inhibitor.total in Serum or Plasma
10635-1 | Acanthamoeba sp identified in Eye by Organism specific culture
10636-9 | Acanthamoeba sp identified in Eye by Wet preparation
10637-7 | Microscopic observation [Identifier] in Tissue by Night blue stain
10638-5 | Thermophilic Actinomycetes colony count [#/volume] in Unspecified specimen by Organism specific culture
10639-3 | Thermophilic Actinomycetes identified in Unspecified specimen by Organism specific culture
1064-5 | I NOS Ag [Presence] on Red Blood Cells from Blood product unit
10640-1 | Deprecated Adenovirus 40+41 [Identifier] in Stool by Electron microscopy
10641-9 | Amoeba identified in Aspirate by Immune stain
10642-7 | Amoeba identified in Aspirate by Wet preparation
10643-5 | Amoeba identified in Stool by Organism specific culture
10644-3 | Arthropod identified in Unspecified specimen
10645-0 | Aspergillus fumigatus Ag [Presence] in Tissue by Immunofluorescence
10646-8 | Astrovirus [Identifier] in Stool by Electron microscopy
10647-6 | Babesia sp identified in Blood by Thick film
10648-4 | Babesia sp identified in Blood by Thin film
10649-2 | Calicivirus [Identifier] in Stool by Electron microscopy
1065-2 | I NOS Ag [Presence] on Red Blood Cells from Donor
10650-0 | Candida sp DNA [Presence] in Blood by Probe with amplification
10651-8 | Chlamydophila pneumoniae Ag [Presence] in Sputum or Bronchial
10652-6 | Chlamydophila pneumoniae DNA [Presence] in Sputum or Bronchial by Probe with amplification
10653-4 | Clotrimazole [Susceptibility] by Minimum inhibitory concentration (MIC)
10654-2 | Clotrimazole [Susceptibility] by Minimum lethal concentration (MLC)
10655-9 | Coccidia identified in Duodenal fluid by Acid fast stain
10656-7 | Coccidia identified in Stool by Acid fast stain
10657-5 | Deprecated Cryptococcus neoformans Ag [Presence] in Tissue by Immunofluorescence
10658-3 | Cyanobacterium identified in Water by Light microscopy
10659-1 | Cyclospora sp identified in Stool by Acid fast stain
1066-0 | I NOS Ag [Presence] on Red Blood Cells
10660-9 | Cytomegalovirus Ag [Presence] in Tissue by Immune stain
10661-7 | Dinoflagellate identified in Water by Light microscopy
10662-5 | Filaria identified in Blood by Concentration
10663-3 | Filaria identified in Blood by Thick film
10664-1 | Filaria identified in Blood by Thin film
10665-8 | Fungus colony count [#/volume] in Unspecified specimen by Environmental culture
10666-6 | Fungus identified in Tissue by Fontana-Masson stain
10667-4 | Fungus identified in Unspecified specimen by Animal inoculation
10668-2 | Fungus identified in Unspecified specimen by Environmental culture
10669-0 | Fungus identified in Unspecified specimen by Sticky tape for environmental fungus

1067-8 | Jk sup(a) Ab [Presence] in Serum or Plasma from Blood product unit
10670-8 | Giardia lamblia [Presence] in Stool by Organism specific culture
10671-6 | Helminth identified in Unspecified specimen
10672-4 | Helminth+Arthropod identified in Unspecified specimen
10673-2 | Hepatitis B virus core Ag [Presence] in Tissue by Immune stain
10674-0 | Hepatitis B virus surface Ag [Presence] in Tissue by Immune stain
10675-7 | Hepatitis B virus surface Ag [Presence] in Tissue by Orcein stain
10676-5 | Hepatitis C virus RNA [Units/volume] (viral load) in Serum or Plasma by Probe with amplification
10677-3 | Herpes simplex virus 1 Ag [Presence] in Tissue by Immune stain
10678-1 | Herpes simplex virus 1+2 Ag [Presence] in Tissue by Immune stain
10679-9 | Herpes simplex virus 2 Ag [Presence] in Tissue by Immune stain
1068-6 | Jk sup(a) Ab [Presence] in Serum or Plasma from Donor
10680-7 | Herpes simplex virus identified in Cerebral spinal fluid by Electron microscopy
10681-5 | Herpes simplex virus identified in Tissue by Electron microscopy
10682-3 | Deprecated HIV 1 RNA [Units/volume] in Serum or Plasma by Probe with amplification
10683-1 | Hydatid cyst identified in Aspirate by Immune stain
10684-9 | Hydatid cyst identified in Liver by Wet preparation
10685-6 | Hydatid cyst identified in Lung tissue by Wet preparation
10686-4 | Leishmania sp identified in Tissue by Giemsa stain
10687-2 | Leishmania sp identified in Tissue by Organism specific culture
10688-0 | Microscopic observation [Identifier] in Hair by KOH preparation
10689-8 | Microscopic observation [Identifier] in Nail by KOH preparation
1069-4 | Jk sup(a) Ab [Presence] in Serum or Plasma
10690-6 | Microsporidia identified in Duodenal fluid by Trichrome stain modified
10691-4 | Mushroom.toxic identified by Inspection
10692-2 | Mushroom.toxic identified in Food by Light microscopy
10693-0 | Mushroom.toxic identified in Vomitus by Light microscopy
10694-8 | Naegleria sp identified in Tissue by Organism specific culture
10695-5 | Naegleria sp identified in Tissue by Wet preparation
10696-3 | Norovirus [Identifier] in Stool by Electron microscopy
10697-1 | Nystatin [Susceptibility] by Minimum inhibitory concentration (MIC)
10698-9 | Nystatin [Susceptibility] by Minimum lethal concentration (MLC)
10699-7 | Onchocerca sp identified in Tissue by Wet preparation
107-3 | Cefotaxime [Susceptibility] by Minimum lethal concentration (MLC)
1070-2 | Jk sup(a) Ag [Presence] on Red Blood Cells from Blood product unit
10700-3 | Orthopoxvirus [Identifier] in Skin by Electron microscopy
10701-1 | Ova and parasites identified in Stool by Concentration
10702-9 | Ova and parasites identified in Stool by Immune stain
10703-7 | Ova and parasites identified in Stool by Kinyoun iron hematoxylin stain
10704-5 | Ova and parasites identified in Stool by Light microscopy
10705-2 | Human papilloma virus Ag [Presence] in Tissue by Immune stain
10706-0 | Picornavirus [Identifier] in Stool by Electron microscopy
10707-8 | Toxic Plant identified in Plant specimen by Inspection
10708-6 | Toxic Plant identified in Vomitus by Light microscopy
10709-4 | Plasmodium falciparum Ag [Units/volume] in Blood by Immunofluorescence
1071-0 | Jk sup(a) Ag [Presence] on Red Blood Cells from Donor
10710-2 | Plasmodium sp identified in Blood by Thin film
10711-0 | Plasmodium vivax Ag [Units/volume] in Blood by Immunofluorescence
10712-8 | Pneumocystis sp identified in Lung tissue
10713-6 | Prototheca identified in Unspecified specimen by Culture
10714-4 | Deprecated Rotavirus [Identifier] in Stool by Electron microscopy
10715-1 | Schistosoma sp identified in Urine sediment by Light microscopy
10716-9 | Schistosoma sp identified in Unspecified specimen by Organism specific culture
10717-7 | Streptococcus pneumoniae Ab [Units/volume] in Serum by Latex agglutination
10718-5 | Strongyloides sp Ab [Units/volume] in Serum by Immunoassay
10719-3 | Taenia solium adult Ab [Units/volume] in Serum by Immunoblot
1072-8 | Jk sup(a) Ag [Presence] on Red Blood Cells
10720-1 | Terbinafine [Susceptibility] by Minimum inhibitory concentration (MIC)
10721-9 | Terbinafine [Susceptibility] by Minimum lethal concentration (MLC)
10722-7 | Torovirus [Identifier] in Stool by Electron microscopy
10723-5 | Toxoplasma gondii IgA Ab [Units/volume] in Serum by Immunoassay
10724-3 | Toxoplasma gondii IgE Ab [Units/volume] in Serum by Immunoassay
10725-0 | Toxoplasma gondii DNA [Units/volume] in Body fluid by Probe with amplification
10726-8 | Toxoplasma gondii [Presence] in Tissue by Giemsa stain
10727-6 | Toxoplasma gondii identified in Tissue
10728-4 | Trichomonas sp identified in Genital specimen by Organism specific culture
10729-2 | Trypanosoma sp identified in Blood by Light microscopy
1073-6 | Jk sup(b) Ab [Presence] in Serum or Plasma from Blood product unit
10730-0 | Trypanosoma sp identified in Blood by Organism specific culture
10731-8 | Trypanosoma sp identified in Blood by Thick film
10732-6 | Trypanosoma sp identified in Blood by Thin film
10733-4 | Trypanosoma sp identified in Blood by Wet preparation

10734-2 | Varicella zoster virus identified in Skin by Electron microscopy
10735-9 | Viral sequencing [Identifier] in Serum by Sequencing
10736-7 | Virus identified in Cerebral spinal fluid by Electron microscopy
10737-5 | Virus identified in Stool by Electron microscopy
10738-3 | Virus identified in Tissue by Electron microscopy
10739-1 | Virus identified in Unspecified specimen by Electron microscopy
1074-4 | Jk sup(b) Ab [Presence] in Serum or Plasma from Donor
10740-9 | Aluminum.microscopic observation [Identifier] in Bone by Histomorphometry stain
10741-7 | Amyloid.microscopic observation [Identifier] in Brain by Thioflavine-S stain
10742-5 | Amyloid.microscopic observation [Identifier] in Tissue by Bennhold stain.Putchler modified
10743-3 | Amyloid.microscopic observation [Identifier] in Tissue by Highman stain
10744-1 | Amyloid.microscopic observation [Identifier] in Tissue by Vassar-culling stain
10745-8 | Bile.microscopic observation [Identifier] in Tissue by Fouchet stain
10746-6 | Calcium.microscopic observation [Identifier] in Tissue by Von Kossa stain
10747-4 | Collagen fibers+Elastic fibers.microscopic observation [Identifier] in Tissue by Lawson-Van Gieson stain
10748-2 | Collagen fibers+Elastic fibers.microscopic observation [Identifier] in Tissue by Verhoeff-Van Gieson stain
10749-0 | Collagen fibers.microscopic observation [Identifier] in Tissue by Van Gieson stain
1075-1 | Jk sup(b) Ab [Presence] in Serum or Plasma
10750-8 | Connective tissue.microscopic observation [Identifier] in Tissue by Trichrome stain.Masson
10751-6 | Copper.microscopic observation [Identifier] in Tissue by Rhodamine stain
10752-4 | Fat.microscopic observation [Identifier] in Milk by Sudan IV stain
10753-2 | Fat.microscopic observation [Identifier] in Stool by Sudan IV stain
10754-0 | Fat.microscopic observation [Identifier] in Tissue by Sudan IV stain
10755-7 | Fungus.microscopic observation [Identifier] in Tissue by Methenamine silver stain.Grocott
10756-5 | Glial fibers.microscopic observation [Identifier] in Tissue by Holzer stain
10757-3 | Hematologic+Nuclear elements.microscopic observation [Identifier] in Tissue by Giemsa stain.May-Grunwald
10758-1 | Iron.microscopic observation [Identifier] in Bone by Histomorphometry stain
10759-9 | Iron.microscopic observation [Identifier] in Sputum by Gomori stain
1076-9 | Jk sup(b) Ag [Presence] on Red Blood Cells from Blood product unit
10760-7 | Iron.microscopic observation [Identifier] in Tissue by Gomori stain
10761-5 | Iron.microscopic observation [Identifier] in Tissue by Other stain
10762-3 | Microscopic observation [Identifier] in Blood by Hemosiderin stain
10763-1 | Microscopic observation [Identifier] in Body fluid by Sudan black stain
10764-9 | Microscopic observation [Identifier] in Sputum by Silver stain
10765-6 | Microscopic observation [Identifier] in Tissue by Acetate esterase stain
10766-4 | Microscopic observation [Identifier] in Tissue by Alcian blue stain
10767-2 | Microscopic observation [Identifier] in Tissue by Alcian blue stain.sulfated
10768-0 | Microscopic observation [Identifier] in Tissue by Alcian blue stain.with periodic acid-Schiff
10769-8 | Microscopic observation [Identifier] in Tissue by Alizarin red S stain
1077-7 | Jk sup(b) Ag [Presence] on Red Blood Cells from Donor
10770-6 | Microscopic observation [Identifier] in Tissue by Argentaffin stain
10771-4 | Deprecated Microscopic observation [Identifier] in Tissue by Rhodamine-auramine fluorochrome stain
10772-2 | Microscopic observation [Identifier] in Tissue by Azure-eosin stain
10773-0 | Microscopic observation [Identifier] in Tissue by Basic fuchsin stain
10774-8 | Microscopic observation [Identifier] in Tissue by Bielschowsky stain
10775-5 | Microscopic observation [Identifier] in Tissue by Bleach stain
10776-3 | Microscopic observation [Identifier] in Tissue by Bodian stain
10777-1 | Microscopic observation [Identifier] in Tissue by Brown and Brenn stain
10778-9 | Microscopic observation [Identifier] in Tissue by Butyrate esterase stain
10779-7 | Microscopic observation [Identifier] in Tissue by Carmine stain.Best
1078-5 | Jk sup(b) Ag [Presence] on Red Blood Cells
10780-5 | Microscopic observation [Identifier] in Tissue by Chloracetate esterase stain
10781-3 | Microscopic observation [Identifier] in Tissue by Churukian-Schenk stain
10782-1 | Microscopic observation [Identifier] in Tissue by Congo red stain
10783-9 | Microscopic observation [Identifier] in Tissue by Crystal violet stain
10784-7 | Microscopic observation [Identifier] in Tissue by Esterase stain.non-specific
10785-4 | Microscopic observation [Identifier] in Tissue by Fite-Faraco stain
10786-2 | Deprecated Microscopic observation [Identifier] in Tissue by Giemsa stain.3 micron
10787-0 | Microscopic observation [Identifier] in Tissue by Gridley stain
10788-8 | Microscopic observation [Identifier] in Tissue by Hansel stain
10789-6 | Microscopic observation [Identifier] in Tissue by Hematoxylin-eosin-Harris regressive stain
1079-3 | Js sup(a) Ab [Presence] in Serum or Plasma from Blood product unit
10790-4 | Microscopic observation [Identifier] in Tissue by Hematoxylin-eosin-Mayers progressive stain
10791-2 | Microscopic observation [Identifier] in Tissue by Mallory-Heidenhain stain
10792-0 | Microscopic observation [Identifier] in Tissue by Methenamine silver stain.Jones
10793-8 | Microscopic observation [Identifier] in Tissue by Methyl green stain
10794-6 | Microscopic observation [Identifier] in Tissue by Methyl green-pyronine Y stain
10795-3 | Microscopic observation [Identifier] in Tissue by Methyl violet stain
10796-1 | Microscopic observation [Identifier] in Tissue by Mucicarmine stain
10797-9 | Microscopic observation [Identifier] in Tissue by Neutral red stain
10798-7 | Microscopic observation [Identifier] in Tissue by Oil red O stain
10799-5 | Microscopic observation [Identifier] in Tissue by Pentachrome stain.Movat

108-1 | Cefotaxime [Susceptibility] by Minimum inhibitory concentration (MIC)
1080-1 | Js sup(a) Ab [Presence] in Serum or Plasma from Donor
10800-1 | Microscopic observation [Identifier] in Tissue by Periodic acid-Schiff stain with diatase digestion
10801-9 | Microscopic observation [Identifier] in Tissue by Phosphotungstic acid Hematoxylin (PTAH) Stain
10802-7 | Microscopic observation [Identifier] in Tissue by Prussian blue stain
10803-5 | Microscopic observation [Identifier] in Tissue by Quinacrine fluorescent stain
10804-3 | Microscopic observation [Identifier] in Tissue by Reticulin stain
10805-0 | Microscopic observation [Identifier] in Tissue by Safranin stain
10806-8 | Microscopic observation [Identifier] in Tissue by Schmorl stain
10807-6 | Microscopic observation [Identifier] in Tissue by Sevier-Munger stain
10808-4 | Microscopic observation [Identifier] in Tissue by Silver impregnation stain.Dieterle
10809-2 | Microscopic observation [Identifier] in Tissue by Silver nitrate stain
1081-9 | Js sup(a) Ab [Presence] in Serum or Plasma
10810-0 | Microscopic observation [Identifier] in Tissue by Silver stain.Fontana-Masson
10811-8 | Microscopic observation [Identifier] in Tissue by Silver stain.Grimelius
10812-6 | Microscopic observation [Identifier] in Tissue by Steiner stain
10813-4 | Microscopic observation [Identifier] in Tissue by Sudan black stain
10814-2 | Microscopic observation [Identifier] in Tissue by Supravital stain
10815-9 | Microscopic observation [Identifier] in Tissue by Tetrachrome stain
10816-7 | Deprecated Microscopic observation [Identifier] in Tissue by Toluidine blue O stain
10817-5 | Microscopic observation [Identifier] in Tissue by Trichrome stain.Gomori-Wheatley
10818-3 | Microscopic observation [Identifier] in Tissue by Trichrome stain.Masson modified
10819-1 | Microscopic observation [Identifier] in Tissue by Wade stain
1082-7 | Js sup(a) Ag [Presence] on Red Blood Cells from Blood product unit
10820-9 | Deprecated Microscopic observation [Identifier] in Tissue by Warthin-Starry stain
10821-7 | Deprecated Microscopic observation [Identifier] in Tissue by Wright Giemsa stain
10822-5 | Mucin.microscopic observation [Identifier] in Tissue by Mucicarmine stain.Mayer
10823-3 | Mucopolysaccharides.microscopic observation [Identifier] in Tissue by Colloidal ferric oxide stain.Hale
10824-1 | Myelin+Myelin breakdown products.microscopic observation [Identifier] in Tissue by Luxol fast blue/Periodic acid-Schiff stain
10825-8 | Myelin+Nerve cells.microscopic observation [Identifier] in Tissue by Luxol fast blue/Cresyl violet stain
10826-6 | Nissel.microscopic observation [Identifier] in Tissue by Cresyl echt violet stain
10827-4 | Reticulum.microscopic observation [Identifier] in Tissue by Gomori stain
10828-2 | Urate crystals.microscopic observation [type] in Tissue by De Galantha stain
10829-0 | Silicon [Mass/volume] in Serum or Plasma
1083-5 | Js sup(a) Ag [Presence] on Red Blood Cells from Donor
10830-8 | Deprecated Surgical operation note complications
10831-6 | Surgical operation note complications [Interpretation]
10832-4 | Glucose [Mass/volume] in Serum or Plasma --15 minutes post 50 g lactose PO
10833-2 | Insulin [Mass/volume] in Serum or Plasma --7 hours post 75 g glucose PO
10834-0 | Globulin [Mass/volume] in Serum by calculation
10835-7 | Lipoprotein a [Mass/volume] in Serum or Plasma
10836-5 | Niacin [Mass/volume] in Blood
10837-3 | Organic acids [Presence] in Serum or Plasma
10838-1 | Phosphoserine [Mass/volume] in Serum or Plasma
10839-9 | Troponin I.cardiac [Mass/volume] in Serum or Plasma
1084-3 | Js sup(a) Ag [Presence] on Red Blood Cells
10840-7 | Atropine [Mass/volume] in Urine
10841-5 | Methazolamide [Mass/volume] in Serum or Plasma
10842-3 | Deprecated HLA-DQ1 [Presence]
10843-1 | Deprecated HLA-DQ2 [Presence]
10844-9 | Deprecated HLA-DQ3 [Presence]
10845-6 | Deprecated HLA-DQ4 [Presence]
10846-4 | Borrelia burgdorferi DNA [Presence] in Blood by Probe with amplification
10847-2 | Borrelia burgdorferi DNA [Presence] in Body fluid by Probe with amplification
10848-0 | Chlamydia sp IgG Ab [Titer] in Serum by Immunofluorescence
10849-8 | Chlamydia sp IgM Ab [Titer] in Serum by Immunofluorescence
1085-0 | Js sup(b) Ab [Presence] in Serum or Plasma from Blood product unit
10850-6 | Cyclospora cayetanensis [Presence] in Unspecified specimen
10851-4 | Escherichia coli O157:H7 [Presence] in Stool by Organism specific culture
10852-2 | Deprecated Fungus identified in Blood by Culture
10853-0 | Isospora belli [Presence] in Unspecified specimen by Acid fast stain.Kinyoun modified
10854-8 | Deprecated Midrofilaria identified in Blood by Concentration
10855-5 | Ova and parasites identified in Duodenal fluid or Gastric fluid by Light microscopy
10856-3 | Microscopic observation [Identifier] in Genital mucus by Gram stain
10857-1 | Microsporidia identified in Unspecified specimen by Light microscopy
10858-9 | Teichoate Ab [Presence] in Serum
10859-7 | Trypanosoma sp [Identifier] in Blood by Acridine Orange + Giemsa Stain
1086-8 | Js sup(b) Ab [Presence] in Serum or Plasma from Donor
10860-5 | Varicella zoster virus [Presence] in Unspecified specimen by Organism specific culture
10861-3 | Progesterone receptor [Mass/mass] in Tissue
10862-1 | Basement membrane Ab [Titer] in Serum

10863-9 | Endomysium IgA Ab [Titer] in Serum
10864-7 | Immune complex [Units/volume] in Serum or Plasma by Raji cell assay
10865-4 | Intercellular substance Ab [Presence] in Serum
10866-2 | Sulfatide IgG Ab [Titer] in Serum
10867-0 | Sulfatide IgM Ab [Titer] in Serum
10868-8 | Bacitracin [Susceptibility] by Disk diffusion (KB)
10869-6 | Xylose [Mass/volume] in Blood --3 hours post 25 g xylose PO
1087-6 | Js sup(b) Ab [Presence] in Serum or Plasma
10870-4 | Xylose [Mass/volume] in Blood --4 hours post 25 g xylose PO
10871-2 | Xylose [Mass/volume] in Blood --5 hours post 25 g xylose PO
10872-0 | Xylose [Mass/volume] in Blood --baseline
10873-8 | Beta-2-Microglobulin [Mass/time] in 24 hour Urine
10874-6 | Bombesin [Mass/volume] in Plasma
10875-3 | Carnitine esters [Mass/volume] in Urine
10876-1 | Carnitine esters [Mass/volume] in Serum or Plasma
10877-9 | Carnitine free (C0) [Mass/volume] in Urine
10878-7 | Iodine.protein bound [Mass/volume] in Serum or Plasma
10879-5 | Isovalerylglycine [Mass/volume] in Urine
1088-4 | Js sup(b) Ag [Presence] on Red Blood Cells from Blood product unit
10880-3 | Magnesium [Mass/mass] in Stool
10881-1 | Pentacarboxylporphyrins [Mass/volume] in Red Blood Cells
10882-9 | Pentacarboxylporphyrins [Mass/volume] in Serum or Plasma
10883-7 | Phenolphthalein [Mass/mass] in Stool
10884-5 | Phosphate [Mass/mass] in Stool
10885-2 | Porphyrins [Mass/time] in 24 hour Urine
10886-0 | Prostate Specific Ag Free [Mass/volume] in Serum or Plasma
10887-8 | Pyridinoline [Mass/time] in 24 hour Urine
10888-6 | Lipase [Enzymatic activity/volume] in Urine
10889-4 | Bisacodyl [Mass/mass] in Stool
1089-2 | Js sup(b) Ag [Presence] on Red Blood Cells from Donor
10890-2 | Deprecated Normethsuximide [Mass/volume] in Serum or Plasma
10891-0 | Oxyphenisatin [Mass/mass] in Stool
10892-8 | Pentoxifylline [Mass/volume] in Serum or Plasma
10893-6 | Trenbolone [Mass/volume] in Urine
10894-4 | Aspergillus niger Ab [Presence] in Serum by Immune diffusion (ID)
10895-1 | Clostridium difficile toxin B [Presence] in Stool
10896-9 | Eastern equine encephalitis virus IgG Ab [Titer] in Serum by Immunofluorescence
10897-7 | Eastern equine encephalitis virus IgG Ab [Titer] in Cerebral spinal fluid by Immunofluorescence
10898-5 | Eastern equine encephalitis virus IgM Ab [Titer] in Serum by Immunofluorescence

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.409 Value Set http://hl7.org/fhir/ValueSet/flag-code

URL: https://hl7.org/fhir/R4/valueset-flag-code.html
Patient Care Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined at http://www.hl7.org/Special/committees/patientcare .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/flag-code
Version: | 4.0.1
Name: | FlagCode
Title: | Flag Code
Definition: | Example list of detail codes for flagged issues. (Not complete or necessarily appropriate.)
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.124 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Flag.code (CodeableConcept / Example)

4.4.1.409.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://snomed.info/sct where concept is-a 404684003 (Clinical finding)

4.4.1.409.2 Expansion

This expansion generated 01 Nov 2019

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code	Display	Definition
109006	Anxiety disorder of childhood OR adolescence	
122003	Choroidal hemorrhage	
127009	Spontaneous abortion with laceration of cervix	
129007	Homoiothermia	
134006	Decreased hair growth	
140004	Chronic pharyngitis	
144008	Normal peripheral vision	
147001	Superficial foreign body of scrotum without major open wound but with infection	
150003	Abnormal bladder continence	
151004	Meningitis due to gonococcus	
162004	Severe manic bipolar I disorder without psychotic features	
165002	Accident-prone	
168000	Typhlolithiasis	
171008	Injury of ascending right colon without open wound into abdominal cavity	
172001	Endometritis following molar AND/OR ectopic pregnancy	
175004	Supraorbital neuralgia	
177007	Poisoning by sawfly larvae	
179005	Apraxia of dressing	
181007	Hemorrhagic bronchopneumonia	
183005	Autoimmune pancytopenia	
184004	Withdrawal arrhythmia	
188001	Intercostal artery injury	
192008	Congenital syphilitic hepatomegaly	
193003	Benign hypertensive renal disease	
195005	Illegal abortion with endometritis	
198007	Disease due to Filoviridae	
199004	Decreased lactation	
208008	Neurocutaneous melanosis sequence	
216004	Delusion of persecution	
219006	Alcohol user	
222008	Acute epiglottitis with obstruction	
223003	Tumor of body of uterus affecting pregnancy	
228007	Lucio phenomenon	
241006	Motor simple partial status	
242004	Noninfectious jejunitis	
253005	Sycosis	
257006	Acne rosacea, erythematous telangiectatic type	
258001	Pseudoknuckle pad	
264008	Blind hypertensive eye	
276008	Oxytocin poisoning	
279001	Senile myocarditis	
281004	Alcoholic dementia	
282006	Acute myocardial infarction of basal-lateral wall	
290006	Melnick-Fraser syndrome	
292003	EEG finding	
297009	Acute myringitis	
299007	Paraffinoma of skin	
303002	Apoplectic pancreatitis	
308006	Pearly penile papules	
310008	Penile boil	
313005	Déjà vu	
317006	Reactive hypoglycemia	
320003	Cervical dilatation, 1cm	
324007	Plaster ulcer	
330007	Occipital headache	
335002	Pylorospasm	
341009	ABO incompatibility reaction	

349006 | Absent tendon reflex
355001 | Hemorrhagic shock
357009 | Closed fracture trapezoid
358004 | Smallpox vaccine poisoning
359007 | Kernicterus due to isoimmunization
360002 | Acute radiation disease
364006 | Acute left-sided heart failure
366008 | Hidromeiosis
368009 | Heart valve disorder
369001 | Normal jugular venous pressure
378007 | Morquio syndrome
382009 | Legal history finding relating to child
383004 | Finding of passive range of hip extension
385006 | Secondary peripheral neuropathy
387003 | Melanuria
398002 | Left axis deviation greater than -90 degrees by EKG
407000 | Congenital hepatomegaly
408005 | Tooth chattering
409002 | Food allergy diet
426008 | Superficial injury of ankle without infection
431005 | Hypertrophy of scrotum
437009 | Abnormal composition of urine
440009 | Persistent hyperphenylalaninemia
442001 | Secondary hypopituitarism
443006 | Cystocele affecting pregnancy
447007 | Coach in sports activity accident
450005 | Ulcerative stomatitis
452002 | Blister of groin without infection
460001 | Squamous metaplasia of prostate gland
467003 | Old laceration of pelvic floor muscle
470004 | Vitreous touch syndrome
479003 | Graves' disease with pretibial myxedema AND with thyrotoxic crisis
486006 | Acute vascular insufficiency
488007 | Fibroid myocarditis
490008 | Upper respiratory tract hypersensitivity reaction
496002 | Closed traumatic dislocation of third cervical vertebra
504009 | Androgen-dependent hirsutism
517007 | Foreign body in hypopharynx
518002 | Multiple aggregation
520004 | Congenital bent nose
527001 | Spontaneous fetal evolution, Roederer's method
536002 | Glissonian cirrhosis
539009 | Conjunctival argyrosis
547009 | Hypersecretion of calcitonin
548004 | 13p partial trisomy syndrome
554003 | 2p partial trisomy syndrome
555002 | Dicentra species poisoning
563001 | Nystagmus
568005 | Habit disorder
586008 | Contact dermatitis due to primrose
590005 | Congenital aneurysm of anterior communicating artery
596004 | Premenstrual dysphoric disorder
599006 | Persistent pneumothorax
600009 | Pyromania
602001 | Ross river fever
607007 | Decreased vital capacity
610000 | Spastic aphonia
613003 | FRAXA - Fragile X syndrome
615005 | Obstruction due to foreign body accidentally left in operative wound AND/OR body cavity during a procedure
616006 | Sensorimotor disorder of eyelid
626004 | Hypercortisolism due to nonpituitary tumor
631002 | Transfusion reaction due to minor incompatibility
634005 | Saddle boil
640003 | Injury of pneumogastric nerve
643001 | Hypertrophy of lip
646009 | Idiopathic cyst of anterior chamber
649002 | Open fracture of distal end of ulna
651003 | Root work
652005 | Gangrenous tonsillitis
655007 | Abnormal fetal heart beat noted before labor in liveborn infant
658009 | Injury of colon without open wound into abdominal cavity
663008 | Pulmonary embolism following molar AND/OR ectopic pregnancy

664002 | Delayed ovulation
666000 | Poisoning by antivaricose drug AND/OR sclerosing agent
675003 | Torsion of intestine
682004 | Thrombosis complicating pregnancy AND/OR puerperium
685002 | Acquired telangiectasia of small AND/OR large intestines
701003 | Adult osteochondritis of spine
703000 | Congenital adhesion of tongue
714002 | Abrasion AND/OR friction burn of toe with infection
715001 | Nontraumatic rupture of urethra
718004 | Acute bronchiolitis with obstruction
733007 | Superficial foreign body of groin without major open wound but with infection
734001 | Opocephalus
736004 | Abscess of hip
750009 | Schistosoma mansoni infection
755004 | Postgastrectomy phytobezoar
756003 | Chronic rheumatic myopericarditis
758002 | Cyst of uterus
775008 | Open wound of head with complication
776009 | Partial arterial retinal occlusion
781000 | Cestrum diurnum poisoning
786005 | Clinical stage I B
787001 | Rheumatic mitral stenosis with regurgitation
788006 | Disease-related diet
792004 | CJD - Creutzfeldt-Jakob disease
799008 | Sigmoid colon ulcer
801006 | Insect bite, nonvenomous, of foot, infected
805002 | Pneumoconiosis due to silica
811004 | Flail motion
813001 | Ankle instability
815008 | Episcleritis
816009 | Genetic recombination
818005 | Third degree burn of multiple sites of lower limb
825003 | Superficial injury of axilla with infection
827006 | Late congenital syphilis, latent (+ sero., - C.S.F., 2 years OR more)
832007 | Moderate major depression
834008 | Chair-seated facing coital position
841002 | Congenital absence of skull bone
842009 | Consanguinity
843004 | Poliomyelomalacia
844005 | Finding relating to behavior
845006 | Inferior mesenteric artery injury
849000 | Total cataract
857002 | Erythema simplex
862001 | Anemia due to chlorate
865004 | Hyperalimentation formula for ileus
871005 | Contracted pelvis
874002 | Therapeutic diuresis
875001 | Chalcosis of eye
888003 | Foetal or neonatal effect of maternal blood loss
890002 | Deep third degree burn of elbow
899001 | Axis I diagnosis
903008 | Chorioretinal infarction
904002 | Pinard's sign
908004 | Superficial injury of interscapular region without infection
919001 | Pseudohomosexual state
928000 | Musculoskeletal disorder
931004 | Gestation period, 9 weeks
932006 | Flat affect
934007 | Thalassemia intermedia
943003 | Congenital retinal aneurysm
954008 | Renon-Delille syndrome
961007 | Erythema nodosum, acute form
962000 | Disability evaluation, disability 6%
964004 | Open wound of pharynx without complication
965003 | Toxic amblyopia
975000 | Anorectal agenesis
978003 | Chronic infantile eczema
981008 | Hemorrhagic proctitis
984000 | Perirectal cellulitis
987007 | Cellulitis of temple region
991002 | Wide QRS complex
998008 | Chagas' disease with heart involvement

1003002 | Religious discrimination
1020003 | Disease due to Nairovirus
1023001 | Apneic
1027000 | Biliary esophagitis
1031006 | Open wound of trachea without complication
1033009 | Thoracic arthritis
1034003 | Mesenteric-portal fistula
1038000 | Disaccharidurie
1045000 | Colonospasm
1046004 | Ureteritis glandularis
1051005 | Hyperplasia of islet alpha cells with gastrin excess
1055001 | Stenosis of precerebral artery
1059007 | Opisthorchiasis
1070000 | Facial myokymia
1073003 | Xeroderma pigmentosum group B
1074009 | Glucocorticoid-responsive primary hyperaldosteronism
1077002 | Septal infarction by EKG
1079004 | Macular retinal cyst
1085006 | Vulval candidiasis
1089000 | Congenital sepsis
1102005 | Intraerythrocytic parasitosis by Nuttallia
1107004 | Early latent syphilis, positive serology, negative cerebrospinal fluid, with relapse after treatment
1108009 | Female pattern alopecia
1111005 | Normal sebaceous gland activity
1112003 | Degenerative disorder of eyelid
1116000 | Chronic aggressive type B viral hepatitis
1124005 | Postpartum period, 6 days
1125006 | Septicemia during labor
1126007 | Knee locking
1131009 | Congenital valvular insufficiency
1134001 | Muehrcke lines
1135000 | Solar retinitis
1139006 | Confrontation (visual) test
1140008 | Thermal hypesthesia
1141007 | Circumoral paresthesia
1145003 | DSD - Developmental speech disorder
1150009 | Congenital microcheilia
1151008 | Constricted visual field
1152001 | Skin reaction negative
1155004 | Myocardial hypertrophy, determined by electrocardiogram
1156003 | Cavitary prostatitis
1168007 | Allotype
1184008 | Glasgow coma scale, 10
1192004 | Familial amyloid neuropathy, Finnish type
1194003 | Disease condition determination, well controlled
1196001 | Chronic bipolar II disorder, most recent episode major depressive
1197005 | Carbuncle of heel
1201005 | Benign essential hypertension
1203008 | Deep third degree burn of forehead AND/OR cheek with loss of body part
1207009 | Optic disc glaucomatous atrophy
1208004 | Gastroptosis
1212005 | Juvenile dermatomyositis
1214006 | Infection by Strongyloides
1230003 | No diagnosis on Axis 1
1232006 | Congenital articular rigidity with myopathy
1239002 | Congenital anteversion of femoral neck
1240000 | Lying prone
1259003 | Schistosis
1261007 | Multiple fractures of ribs
1264004 | Injury of descending left colon without open wound into abdominal cavity
1271009 | Knuckle pads, leuconychia and deafness
1280009 | Isologous chimera
1282001 | Laryngeal perichondritis
1283006 | Visual acuity less than .02 (1/60, count fingers 1 meter) or visual field less than 5 degrees, but better than 5.
1284000 | Abnormal jaw closure
1286003 | Vitamin K deficiency coagulation disorder
1287007 | Congenital absence of bile duct
1297003 | Infection by Cladosporium carrionii
1308001 | Complication of reimplant
1310004 | Impaired glucose tolerance associated with genetic syndrome
1317001 | Injury of ovary without open wound into abdominal cavity
1318006 | Post-translational genetic protein processing

1323006 | Kanamycin poisoning
1332008 | Conjugated visual deviation
1335005 | Peyronies disease
1343000 | DTA - Deep transverse arrest
1345007 | Hang nail
1351002 | Iliac artery injury
1356007 | Calculus of common duct with obstruction
1361009 | Leucocoria
1363007 | Fetal or neonatal effect of chronic maternal respiratory disease
1367008 | Injury of superior mesenteric artery
1370007 | Open fracture of metacarpal bone(s)
1372004 | Unicornate uterus
1376001 | Obsessive compulsive personality disorder
1378000 | Supination-eversion injury of ankle
1380006 | Agoraphobia without history of panic disorder with limited symptom attacks
1383008 | Hallucinogen induced mood disorder
1384002 | Diffuse cholesteatosis of middle ear
1386000 | Intracranial hemorrhage
1387009 | Solanum nigrum poisoning
1388004 | Metabolic alkalosis
1393001 | Lenz-Majewski dysplasia
1395008 | Complication of ultrasound therapy
1402001 | Frightened
1412008 | Anterior subcapsular polar cataract
1415005 | Inflammation of lymphatics
1418007 | Hypoplastic chondrodystrophy
1419004 | Injury of prostate without open wound into abdominal cavity
1426004 | Necrotizing glomerulonephritis
1427008 | Intraspinal abscess
1430001 | Intracranial hemorrhage following injury without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) without return to pre-existing level
1447000 | Icthyoparasitism
1469007 | Miscarriage with urinary tract infection
1474004 | Hypertensive heart AND renal disease complicating AND/OR reason for care during childbirth
1475003 | Herpes labialis
1478001 | Obliteration of lymphatic vessel
1479009 | 20q partial trisomy syndrome
1482004 | Chalazion
1486001 | Orbital congestion
1488000 | PONV - Postoperative nausea and vomiting
1489008 | External hordeolum
1492007 | Congenital anomaly of large intestine
1493002 | Acute endophthalmitis
1499003 | Bipolar I disorder, single manic episode with postpartum onset
1512006 | Congenital stricture of bile duct
1515008 | Gorham disease
1518005 | Splenitis
1519002 | Congenital phlebectasia
1521007 | Blister of buttock without infection
1523005 | Clinical stage IV B
1525003 | Blister of foot without infection
1531000 | Nitrofuran derivative poisoning
1532007 | Viral pharyngitis
1534008 | Palsy of conjugate gaze
1538006 | Central nervous system malformation in foetus affecting obstetrical care
1539003 | Nodular tendinous disease of finger
1542009 | Omphalocele with obstruction
1544005 | Open dislocation of knee
1551001 | Osteomyelitis of femur
1556006 | Clark melanoma level 4
1563006 | Protein S deficiency
1567007 | Chronic gastric ulcer without hemorrhage, without perforation AND without obstruction
1588003 | Heterosexual precocious puberty
1592005 | Failed attempted termination of pregnancy with uremia
1593000 | Infantile hemiplegia
1606009 | Infection caused by Macracanthorhynchus hirudinaceus
1608005 | Increased capillary permeability
1639007 | Abnormality of organs AND/OR soft tissues of pelvis affecting pregnancy
1647007 | Primaquine poisoning
1648002 | Lymphocytic pseudotumor of lung
1654001 | Steroid-induced glaucoma
1657008 | Toxic effect of phosdrin

1658003 | Closed fracture clavicle, lateral end
1663004 | Tumor grade G2
1667003 | Early fontanel closure
1670004 | Cerebral hemiparesis
1671000 | Sago spleen
1674008 | Meesman's epithelial corneal dystrophy
1679003 | Arthritis associated with another disorder
1682008 | Transitory amino acid metabolic disorder
1685005 | Rat-bite fever
1686006 | Sedative, hypnotic AND/OR anxiolytic-induced anxiety disorder
1694004 | Accessory lobe of lung
1698001 | Ulcer of bile duct
1703007 | Increased leg circumference
1705000 | Closed fracture of base of neck of femur
1708003 | Open dislocation of clavicle
1714005 | Photokeratitis
1717003 | Guttate hypomelanosis
1723008 | Urethral stricture due to schistosomiasis
1724002 | Infection caused by Crenosoma
1734006 | Fracture of vertebral column with spinal cord injury
1735007 | Thrill
1739001 | Occipital fracture
1742007 | Female hypererotism
1744008 | Connation of teeth
1748006 | Thrombophlebitis of deep femoral vein
1755008 | Healed coronary
1761006 | Biliary cirrhosis
1763009 | Stromal keratitis
1767005 | Fisher syndrome
1769008 | Thoracodidymus
1771008 | Insulin biosynthesis defect
1776003 | RTA - Renal tubular acidosis
1777007 | Increased molecular dissociation
1778002 | Malocclusion due to abnormal swallowing
1779005 | OFD II - Orofacial-digital syndrome II
1794009 | Idiopathic corneal edema
1816003 | Panic disorder with agoraphobia, severe agoraphobic avoidance AND mild panic attacks
1821000 | Chemoreceptor apnea
1822007 | Impaired glucose tolerance associated with pancreatic disease
1824008 | Allergic gastritis
1826005 | Granuloma of lip
1828006 | Infestation caused by Gasterophilus hemorrhoidalis
1829003 | Microcephalus
1833005 | Phacoanaphylactic endophthalmitis
1835003 | Necrosis of pancreas
1837006 | Orciprenaline poisoning
1845001 | Paraparesis
1847009 | Endophthalmitis
1848004 | Poisoning caused by gaseous anesthetic
1852004 | Traumatic injury of sixth cranial nerve
1855002 | Developmental academic disorder
1856001 | Accessory nose
1857005 | Congenital rubella syndrome
1858000 | Infection caused by Stilesia globipunctata
1860003 | Fluid volume disorder
1865008 | Impaired intestinal protein absorption
1869002 | Rupture of iris sphincter
1881003 | Increased nutritional requirement
1892002 | Star figure at the macula
1896004 | Ectopic breast tissue
1897008 | Amsinckia species poisoning
1899006 | Autosomal hereditary disorder
1903004 | Infestation caused by Psorergates ovis
1908008 | von Willebrand disease, type IIC
1909000 | Impairment level: better eye: severe impairment: lesser eye: near-total impairment
1922008 | Congenital absence of urethra
1926006 | Osteopetrosis
1938002 | Emotional AND/OR mental disease in mother complicating pregnancy, childbirth AND/OR puerperium
1939005 | Abnormal vascular flow
1943009 | Left-right confusion
1953005 | Congenital deficiency of pigment of skin
1954004 | Dilated cardiomyopathy secondary to toxic reaction

1955003 | Preauricular pit
1959009 | Encephalartos species poisoning
1961000 | Chronic polyarticular juvenile rheumatoid arthritis
1963002 | PNH - Paroxysmal nocturnal hemoglobinuria
1965009 | Normal skin pH
1967001 | Congenital absence of forearm only
1973000 | Sedative, hypnotic AND/OR anxiolytic-induced psychotic disorder with delusions
1977004 | Oxymetholone poisoning
1979001 | Focal choroiditis
1980003 | Seromucinous otitis media
1981004 | Urhidrosis
1988005 | Late effect of injury to nerve roots, spinal plexus AND/OR other nerves of trunk
1989002 | Burn of vagina AND/OR uterus
2004005 | Normotensive
2012002 | Fracture of lunate
2024009 | Dilated cardiomyopathy secondary to metazoal myocarditis
2028007 | Erythema induratum
2032001 | Cerebral edema
2036003 | Acquired factor VII deficiency disease
2040007 | Neurogenic thoracic outlet syndrome
2041006 | Eunuchoid gigantism
2043009 | Alcoholic gastritis
2053005 | Late effect of injury to blood vessels of thorax, abdomen AND/OR pelvis
2055003 | Recurrent erosion syndrome
2058001 | Bilateral loss of labyrinthine reactivity
2061000 | Conductive hearing loss of combined sites
2065009 | Autosomal dominant optic atrophy
2066005 | Gastric ulcer with hemorrhage AND perforation but without obstruction
2070002 | Burning sensation in eye
2073000 | Delusions
2087000 | Pulmonary nocardiosis
2089002 | Pagets disease of bone
2091005 | Pharyngeal diverticulitis
2094002 | Carbon disulfide causing toxic effect
2102007 | Deep corneal vascularization
2103002 | Reflex sympathetic dystrophy of upper extremity
2107001 | Anisomelia
2109003 | Isolated somatotropin deficiency
2114004 | Infection caused by Cysticercus pisiformis
2116002 | Intramembranous bone formation
2120003 | Weak cry
2121004 | Ethopropazine poisoning
2128005 | Disorder of adenoid
2129002 | Edema of pharynx
2132004 | Meconium in amniotic fluid noted before labor in liveborn infant
2134003 | Diffuse pain
2136001 | Open wound of jaw with complication
2138000 | LSP - Left sacroposterior position
2145000 | Anal intercourse
2149006 | Decreased hormone production
2158004 | Infection caused by Contracaecum
2167004 | Retinal hemangioblastomatosis
2169001 | Thoracic radiculitis
2170000 | Gallop rhythm
2176006 | Halogen acne
2177002 | PHN - Post-herpetic neuralgia
2186007 | Compensated metabolic alkalosis
2198002 | Visceral epilepsy
2202000 | Open posterior dislocation of distal end of femur
2204004 | Acquired deformity of pinna
2213002 | Congenital anomaly of vena cava
2216005 | Nocturnal emission
2217001 | Superficial injury of perineum without infection
2219003 | Disability evaluation, disability 100%
2224000 | Selenium poisoning
2228002 | Scintillating scotoma
2229005 | Chimera
2231001 | Nerve plexus disorder
2237002 | Painful breathing -pleurodynia
2239004 | Previous pregnancies 6
2241003 | X-linked absence of thyroxine-binding globulin
2243000 | Hypercalcemia due to hyperthyroidism

2245007 | Foreign body in nasopharynx
2251002 | Primary hypotony of eye
2256007 | Monovular twins
2261009 | Obstetrical pulmonary fat embolism
2268003 | Victim of homosexual aggression
2284002 | Pulsating exophthalmos
2295008 | Closed fracture of upper end of forearm
2296009 | Iron dextran toxicity
2298005 | Focal facial dermal dysplasia
2301009 | Psychosomatic factor in physical condition, psychological component of unknown degree
2303007 | Inguinal hernia with gangrene
2304001 | Intervertebral discitis
2307008 | Peripancreatic fat necrosis
2308003 | Silent alleles
2312009 | Reactive attachment disorder of infancy OR early childhood, inhibited type
2314005 | Unprotected intercourse
2326000 | Marriage annulment
2339001 | Sexual overexposure
2341000 | Infection caused by Moniliformis
2351004 | Genetic transduction
2355008 | Rud syndrome
2359002 | Hyper-beta-alaninemia
2365002 | Simple chronic pharyngitis
2366001 | Late effect of dislocation
2367005 | Acute hemorrhagic gastritis
2374000 | Monofascicular block
2385003 | Cellulitis of pectoral region
2388001 | Normal variation in translucency
2390000 | Acute gonococcal vulvovaginitis
2391001 | Achondrogenesis
2396006 | Malignant pyoderma
2398007 | Quinidine toxicity by electrocardiogram
2403008 | Dependence syndrome
2415007 | Lumbosacral root lesion
2418009 | Polyester fume causing toxic effect
2419001 | Open wound of forehead with complication
2420007 | Third degree burn of multiple sites of upper limb
2432006 | Cerebrospinal fluid circulation disorder
2435008 | Ascaridiasis
2437000 | Placenta circumvallata
2438005 | Iniencephaly
2439002 | Purulent endocarditis
2443003 | Hydrogen sulfide poisoning
2452007 | Fetal rotation
2463005 | Acquired heterochromia of iris
2469009 | Onychomalacia
2470005 | Brain damage
2471009 | Intra-abdominal abscess postprocedure
2472002 | Passes no urine
2473007 | Intermittent vertical squint
2477008 | Superficial phlebitis
2492009 | Disorder of nutrition
2495006 | Congenital cerebral arteriovenous aneurysm
2496007 | Acalculia
2506003 | Early onset dysthymia
2513003 | Tinea capitis caused by Trichophyton
2518007 | Cryptogenic sexual precocity
2521009 | Bone conduction better than air
2523007 | Salmonella pneumonia
2526004 | Noninflammatory disorder of the female genital organs
2528003 | Viremia
2532009 | Choroidal rupture
2534005 | Congenital absence of vena cava
2538008 | Ketosis
2541004 | Compulsive buying
2554006 | Acute purulent pericarditis
2556008 | Disease of supporting structures of teeth
2560006 | Complex syndactyly of fingers
2562003 | Athanasia trifurcata poisoning
2576002 | Trachoma
2581006 | Clasp knife rigidity
2582004 | Deep third degree burn of multiple sites of lower limb

2583009 | Filigreed network of venous valves
2584003 | Cerebral degeneration in childhood
2585002 | Pneumococcal pleurisy
2589008 | Acute dacryoadenitis
2591000 | Crush injury of shoulder region
2593002 | Dubowitz syndrome
2602008 | Hemarthrosis of shoulder
2606006 | Boil of perineum
2615004 | Graafian follicle cyst
2618002 | Chronic recurrent major depressive disorder
2622007 | Infected ulcer of skin
2624008 | Prepubertal periodontitis
2625009 | Senter syndrome
2630008 | Open wound of finger without complication
2634004 | Decreased blood erythrocyte volume
2638001 | Hypercalcemia caused by a drug
2640006 | Clinical stage 4
2651006 | Closed traumatic dislocation of elbow joint
2655002 | Invalidism
2657005 | Overflow proteinuria
2663001 | Palpatory proteinuria
2665008 | Coordinate convulsion
2683000 | Nonvenomous insect bite of axilla without infection
2689001 | Dominant dystrophic epidermolysis bullosa with absence of skin
2694001 | Myelophthisic anemia
2704003 | Acute disease
2707005 | Necrotizing enterocolitis
2713001 | Closed pneumothorax
2724004 | Auditory recruitment
2725003 | Previous abnormality of glucose tolerance
2733002 | Heel pain
2736005 | Honeycomb atrophy of face
2740001 | Gouty proteinuria
2749000 | Congenital deformity of hip
2751001 | Fibrocalculous pancreatic diabetes
2761008 | Decreased stool caliber
2764000 | Joint crackle
2770006 | Fetal or neonatal effect of antibiotic transmitted via placenta and/or breast milk
2772003 | Epidermolysis bullosa acquisita
2775001 | Intra-articular loose body
2776000 | Organic brain syndrome
2781009 | Miscarriage complicated by delayed and/or excessive hemorrhage
2782002 | Temporomandibular dysplasia
2783007 | Gastrojejunal ulcer without hemorrhage AND without perforation
2786004 | Epithelial ovarian tumor, International Federation of Gynecology and Obstetrics stage III
2790002 | Impairment level: one eye: total impairment: other eye: not specified
2805007 | Phosmet poisoning
2806008 | Impaired psychomotor development
2807004 | Chronic gastrojejunal ulcer with perforation
2808009 | Infection caused by Prosthenorchis elegans
2815001 | Sexual pyromania
2816000 | Dilated cardiomyopathy secondary to myotonic dystrophy
2818004 | Congenital vascular anomaly of eye
2819007 | Magnesium sulfate poisoning
2825006 | Abrasion and/or friction burn of gum without infection
2828008 | Congenital stenosis of nares
2829000 | Uhl disease
2831009 | Pyloric antral vascular ectasia
2835000 | Hemolytic anemia due to cardiac trauma
2836004 | Butane causing toxic effect
2838003 | Piblokto
2840008 | Open fracture of vault of skull with cerebral laceration AND/OR contusion
2850009 | Infection caused by Schistosoma incognitum
2853006 | Macular keratitis
2856003 | Vitamin A-responsive dermatosis
2858002 | Postpartum sepsis
2884008 | Spherophakia-brachymorphia syndrome
2893009 | Anomaly of chromosome pair 10
2897005 | Immune thrombocytopenia
2899008 | Thought blocking
2900003 | Fibromuscular dysplasia of renal artery
2901004 | Altered blood passed per rectum

2902006 | Decreased lymphocyte life span
2904007 | Male infertility
2910007 | Discharge from penis
2912004 | Cystic-bullous disease of the lung
2917005 | Transient hypothyroidism
2918000 | Infection caused by Bacteroides
2919008 | Nausea, vomiting and diarrhea
2929001 | Arterial occlusion
2935001 | Antiasthmatic poisoning
2940009 | Intrabasal vesicular dermatitis
2946003 | Osmotic diarrhea
2951009 | Atopic cataract
2955000 | Chronic ulcerative pulpitis
2965006 | Nevoid congenital alopecia
2967003 | Non-comitant strabismus
2972007 | Occlusion of anterior spinal artery
2973002 | Pelvic organ injury without open wound into abdominal cavity
2978006 | Aneurysm of conjunctiva
2981001 | Pulsatile mass of abdomen
2989004 | Complication following molar AND/OR ectopic pregnancy
2990008 | Lymphocytic leukemoid reaction
2992000 | Pigmentary pallidal degeneration
2994004 | Brain fag
2999009 | Injury of ear region
3002002 | Thyroid hemorrhage
3004001 | Congenital dilatation of esophagus
3006004 | Altered consciousness
3009006 | Solanum malacoxylon poisoning
3013004 | Open wound of ear drum without complication
3014005 | Autoeczematization
3018008 | Penetration of eyeball with magnetic foreign body
3019000 | Closed anterior dislocation of elbow
3021005 | Normal gastric acidity
3023008 | Acute peptic ulcer without hemorrhage, without perforation AND without obstruction
3032005 | Nonvenomous insect bite of cheek without infection
3033000 | Bone AND/OR joint disorder of pelvis in mother complicating pregnancy, childbirth AND/OR puerperium
3038009 | Acute lymphangitis of umbilicus
3044008 | Vitreous prolapse
3053001 | Poisoning caused by nitroglycerin
3059002 | Acute lymphangitis of thigh
3067005 | Weak C phenotype
3071008 | Widow
3072001 | Hormone-induced hypopituitarism
3073006 | Ruvalcaba syndrome
3084004 | Nonvenomous insect bite of gum without infection
3089009 | Disability evaluation, impairment, class 7
3094009 | Vomiting in infants AND/OR children
3095005 | Induced malaria
3097002 | Superficial injury of lip with infection
3098007 | Ventricular septal rupture
3105002 | Intron
3109008 | Secondary dysthymia early onset
3110003 | AOM - Acute otitis media
3119002 | Brain stem laceration with open intracranial wound AND loss of consciousness
3129009 | Infarction of ovary
3135009 | OE - Otitis externa
3140001 | Citrullinemia, subacute type
3144005 | Staphylococcal pleurisy
3158007 | Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND panic attacks in partial remission
3160009 | Infertility of cervical origin
3163006 | Acute adenoviral follicular conjunctivitis
3168002 | Thrombophlebitis of intracranial venous sinus
3185000 | Mood-congruent delusion
3199001 | Sprain of shoulder joint
3200003 | Sacrocoxalgia
3208005 | Open wound of ossicles without complication
3214003 | Invasive pulmonary aspergillosis
3217005 | Open dislocation of sixth cervical vertebra
3218000 | Mycotic disease
3219008 | Disease type AND/OR category unknown
3228009 | Closed fracture of the radial shaft
3229001 | Tracheal ulcer

3230006 | Illegal termination of pregnancy with afibrinogenemia
3238004 | Pericarditis
3239007 | Lymphocyte disorder
3253007 | Dyschromia
3254001 | Infection caused by Strongyloides westeri
3259006 | Homeria species poisoning
3261002 | Migratory osteolysis
3263004 | Verumontanitis
3272007 | Stomatocytosis
3274008 | Flat chest
3275009 | Behcet syndrome, vascular type
3276005 | Toad poisoning
3277001 | Terminal mood insomnia
3282008 | Arc eye
3283003 | Feeling of sand or foreign body in eye
3286006 | Patient status determination, greatly improved
3289004 | Anisometropia
3291007 | Closed fracture of two ribs
3298001 | Amnestic syndrome
3303004 | Disease caused by Arenavirus
3304005 | Bronchial compression
3305006 | Disorder of lymphatic vessel
3308008 | Atrophic-hyperplastic gastritis
3310005 | Foreign body granuloma of skin
3321001 | Renal abscess
3323003 | Leukoplakia of penis
3327002 | Acquired jerk nystagmus
3331008 | Open fracture of neck of metacarpal bone
3344003 | Toxic labyrinthitis
3345002 | Idiopathic osteoporosis
3355003 | Anti-common cold drug poisoning
3358001 | Lichen ruber moniliformis
3368006 | Dull chest pain
3376008 | Pseudoptyalism
3381004 | Open fracture of astragalus
3387000 | Auditory discrimination aphasia
3391005 | Negative for tumor cells
3393008 | Phlebitis following infusion, perfusion AND/OR transfusion
3398004 | Cadmium poisoning
3401001 | Cercopithecus herpesvirus 1 disease
3415004 | Cyanosis
3419005 | Faucial diphtheria
3421000 | Open blow-out fracture orbit
3424008 | Heart rate fast
3426005 | Retained magnetic intraocular foreign body
3427001 | Nonglucosuric melituria
3434004 | Myotonia
3439009 | Severe combined immunodeficiency (SCID) due to absent peripheral T cell maturation
3441005 | Disorder of sebaceous gland
3446000 | Open fracture of T7-T12 level with spinal cord injury
3449007 | Finger agnosia
3456001 | Chronic progressive non-hereditary chorea
3458000 | Myositis ossificans associated with dermato / polymyositis
3461004 | Deep third degree burn of thumb
3464007 | Infection caused by Oesophagostomum dentatum
3468005 | Neonatal infective mastitis
3469002 | Partial thickness burn of thumb
3472009 | Spondylolisthesis, grade 4
3474005 | Glycine max poisoning
3480002 | Burn of wrist
3482005 | Postoperative esophagitis
3483000 | Chronic peptic ulcer with perforation
3487004 | Pulmonary candidiasis
3500002 | Open wound of ossicles with complication
3502005 | Cervical lymphadenitis
3503000 | Gender identity disorder of adolescence, previously asexual
3505007 | Nonallopathic lesion of the arm
3506008 | Stenosis of retinal artery
3507004 | Abscess of thigh
3511005 | Infectious thyroiditis
3514002 | Peribronchial fibrosis of lung
3519007 | Disorder of synovium

3528008 | Restricted carbohydrate fat controlled diet
3529000 | Infection caused by Sanguinicola
3530005 | Bipolar 1 disorder, single manic episode, full remission
3531009 | Intrapsychic conflict
3533007 | Acute palmoplantar pustular psoriasis
3539006 | Enteromenia
3542000 | Laceration extending into parenchyma of spleen with open wound into abdominal cavity
3544004 | Hair-splitting
3545003 | Diastolic dysfunction
3548001 | Brachial plexus disorder
3549009 | Pancreatic acinar atrophy
3558002 | Mesenteric infarction
3560000 | Bilateral recurrent inguinal hernia
3570003 | Increased blood erythrocyte volume
3571004 | Megaloblastic anemia due to pancreatic insufficiency
3577000 | Lattice retinal degeneration
3585009 | Blinking
3586005 | Psychogenic fugue
3589003 | Syphilitic pericarditis
3590007 | Enteroenteric fistula
3591006 | Metabolic acidosis, normal anion gap, bicarbonate losses
3598000 | Partial recent retinal detachment with single defect
3611003 | Demeton poisoning
3633001 | Abscess of hand
3634007 | Legal termination of pregnancy complicated by metabolic disorder
3639002 | Glossoptosis
3640000 | Late effect of traumatic amputation
3641001 | Infection caused by Coenurosis serialis
3642008 | Steryl-sulfate sulfohydrolase deficiency
3644009 | Macerated skin
3649004 | Contusion, multiple sites of trunk
3650004 | Congenital absence of liver,total
3652007 | Overproduction of growth hormone
3657001 | Osteospermum species poisoning
3660008 | Lethal glossopharyngeal defect
3662000 | Rolling hiatus hernia
3677008 | Academic problem
3680009 | Monocephalus tripus dibrachius
3681008 | Thrombophlebitis of torcular Herophili
3696007 | Functional dyspepsia
3699000 | Transverse deficiency of arm
3703002 | Ischiatic hernia with gangrene
3704008 | Diffuse endocapillary proliferative glomerulonephritis
3705009 | Congenital malformation of anterior chamber of eye
3712000 | Degenerated eye
3716002 | Thyroid goiter
3720003 | Abnormal presence of hemoglobin
3723001 | Joint inflammation
3733009 | Congenital eventration of right crus of diaphragm
3736001 | Open wound of thumbnail with tendon involvement
3738000 | VH - Viral hepatitis
3744001 | Hyperlipoproteinemia
3745000 | Sleep rhythm problem
3747008 | EC - Ejection click
3750006 | Arteriospasm
3751005 | Contusion of labium
3752003 | Infection by Trichuris
3754002 | Dysplasia of vagina
3755001 | PRP - Pityriasis rubra pilaris
3756000 | Static ataxia
3759007 | Injury of heart with open wound into thorax
3760002 | Familial multiple factor deficiency syndrome, type V
3762005 | Bilateral recurrent femoral hernia with gangrene
3763000 | Expected bereavement due to life event
3783004 | Enamel pearls
3797007 | Periodontal cyst
3798002 | Premature birth of identical twins, both stillborn
3815005 | Crohn disease of rectum
3820005 | Inner ear conductive hearing loss
3827008 | Aneurysm of artery of neck
3830001 | Subcutaneous emphysema
3841004 | Blister of cheek with infection

3845008 | Duplication of intestine
3855007 | Disorder of pancreas
3859001 | Late effect of open wound of extremities without tendon injury
3873005 | Failed attempted termination of pregnancy with acute necrosis of liver
3885002 | ABO isoimmunization in pregnancy
3886001 | Congenital fecaliths
3899003 | Neutropenic typhlitis
3900008 | Mixed sensory-motor polyneuropathy
3902000 | Non dose-related drug-induced neutropenia
3903005 | Closed traumatic pneumothorax
3908001 | Infestation caused by Haematopinus
3909009 | Coeur en sabot
3913002 | Injury of gastrointestinal tract with open wound into abdominal cavity
3914008 | Mental disorder in childhood
3928002 | Zika virus disease
3939004 | Bacterial colony density, transparent
3944006 | X-linked placental steryl-sulfatase deficiency
3947004 | High oxygen affinity hemoglobin polycythemia
3950001 | Birth
3951002 | Proctitis
3972004 | Idiopathic insomnia
3975002 | Deep third degree burn of lower limb
3978000 | AIHA - Warm autoimmune hemolytic anemia
3987009 | Congenital absence of trachea
3993001 | Infection caused by Muellerius
3999002 | Acute pyelitis without renal medullary necrosis
4003003 | Alphavirus disease
4004009 | Monster with cranial anomalies
4006006 | Foetal tachycardia affecting management of mother
4009004 | Lower urinary tract infection
4016003 | Empyema of mastoid
4017007 | Increased stratum corneum adhesiveness
4022007 | Vulvitis circumscripta plasmacellularis
4026005 | Interstitial mastitis associated with childbirth
4030008 | Le Dantec virus disease
4038001 | Myrotheciotoxicosis
4039009 | Multiple vitamin deficiency disease
4040006 | Hassall-Henle bodies
4041005 | Congenital anomaly of macula
4046000 | Degenerative spondylolisthesis
4062006 | Lumbosacral plexus lesion
4063001 | Achillodynia
4069002 | Anoxic brain damage during AND/OR resulting from a procedure
4070001 | Palinphrasia
4075006 | Peganum harmala poisoning
4082005 | Syphilitic myocarditis
4088009 | Acquired hydrocephalus
4089001 | Meningococcemia
4092002 | Nonallopathic lesion of costovertebral region
4103001 | Complex partial seizure
4106009 | Rotator cuff rupture
4107000 | Infertile male syndrome
4113009 | Arrested hydrocephalus
4120002 | Bronchiolitis
4124006 | Insect bite, nonvenomous, of vagina, infected
4127004 | Prostatic obstruction
4129001 | Argyll-Robertson pupil
4135001 | 11p partial monosomy syndrome
4136000 | Macrodactylia of toes
4142001 | Muscular asthenopia
4152002 | Acquired hypoprothrombinemia
4160001 | Congenital anomaly of upper respiratory system
4168008 | Tibial plateau chondromalacia
4170004 | Ehlers-Danlos syndrome, procollagen proteinase resistant
4174008 | Tripartite placenta
4175009 | Infestation by Estrus
4178006 | Partial recent retinal detachment with multiple defects
4181001 | Normal peak expiratory flow rate
4183003 | Charcot-Marie-Tooth disease, type IC
4184009 | Congenital malformation of the endocrine glands
4191007 | Scaphoid head
4195003 | Duplication of anus

4197006 | Disability evaluation, impairment, class 5
4199009 | 18p partial trisomy syndrome
4208000 | Closed multiple fractures of both lower limbs
4210003 | OH - Ocular hypertension
4223005 | Parkinsonism caused by drug
4224004 | Complication of infusion
4225003 | Nasal tuberculosis
4229009 | Phthisical eye
4232007 | Chronic vulvitis
4237001 | Suppurative pulpitis
4240001 | Rupture of aorta
4241002 | Listeria infection
4242009 | 18q partial monosomy syndrome
4244005 | Urticaria neonatorum
4248008 | Synovitis AND/OR tenosynovitis associated with another disease
4249000 | Poor peripheral circulation
4251001 | Internal eye sign
4260009 | Sacral spinal cord injury without bone injury
4262001 | Phlebitis of superior sagittal sinus
4264000 | Chronic pericoronitis
4269005 | Chronic gastrojejunal ulcer without hemorrhage AND without perforation
4273008 | Closed posterior dislocation of elbow
4275001 | Conjugate gaze spasm
4278004 | Superficial foreign body of axilla without major open wound but with infection
4283007 | Mirizzi syndrome
4287008 | Chordee of penis
4294006 | Isosexual precocious puberty
4300009 | Deep third degree burn of forearm
4301008 | Autoimmune state
4306003 | Cluster B personality disorder
4307007 | Pregestational diabetes mellitus AND/OR impaired glucose tolerance, modified White class F
4308002 | RSIS - Repetitive strain injury syndrome
4310000 | Third degree burn of wrist AND/OR hand
4313003 | Acardiacus anceps
4316006 | Myometritis
4320005 | Factor V deficiency
4324001 | Subacute cystitis
4325000 | 11q partial monosomy syndrome
4332009 | Subarachnoid hemorrhage following injury without open intracranial wound AND with concussion
4338008 | Arnold nerve reflex cough syndrome
4340003 | Acrodermatitis chronica atrophicans
4349002 | Open fracture of multiple sites of metacarpus
4354006 | Open dislocation of scapula
4356008 | Gingival soft tissue recession
4359001 | Early congenital syphilis
4364002 | Structure of associations
4367009 | Hoover sign
4373005 | Clubbing of nail
4374004 | TV - Congenital tricuspid valve abnormality
4381006 | Verbal paraphasia
4386001 | Bronchospasm
4390004 | Chronic lithium nephrotoxicity
4397001 | Partial congenital duodenal obstruction
4399003 | Acute hemorrhagic pancreatitis
4403007 | Exclamation point hair
4406004 | Congenital anomaly of male genital system
4409006 | Combined methylmalonic acidemia and homocystinuria due to defects in adenosylcobalamin and methylcobalamin synthesis
4410001 | Retroperitoneal hernia with obstruction
4412009 | Digital nerve injury
4414005 | Infection caused by Setaria
4416007 | Heerfordt syndrome
4418008 | Gangrenous ergotism
4426000 | Ten previous induced terminations of pregnancy
4434006 | BS - Bloom syndrome
4439001 | Axenfeld-Schurenberg syndrome
4441000 | Severe bipolar disorder with psychotic features
4445009 | TB - Urogenital tuberculosis
4448006 | Allergic headache
4451004 | Illegal termination of pregnancy with renal tubular necrosis
4461006 | Complication of administrative procedure
4463009 | Indiana-Maryland type amyloid polyneuropathy

4464003 | Rocio virus disease
4465002 | Spherophakia
4468000 | Oppenheim gait
4470009 | Blanching of skin
4473006 | Migraine with aura
4477007 | Juvenile myopathy AND lactate acidosis
4478002 | Multiple fractures of upper AND lower limbs
4481007 | Abnormal gastric secretion regulation
4483005 | Syphilitic punched out ulcer

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.410 Value Set http://hl7.org/fhir/ValueSet/medicationdispense-performer-function

URL: https://hl7.org/fhir/R4/valueset-medicationdispense-performer-function.html
Pharmacy Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medicationdispense-performer-function
Version: | 4.0.1
Name: | MedicationDispense Performer Function Codes
Title: | Medication dispense performer function codes
Definition: | MedicationDispense Performer Function Codes
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.1318 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for MedicationDispense Performer Function Codes

• Resource: MedicationDispense.performer.function (CodeableConcept / Example)

4.4.1.410.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/medicationdispense-performer-function

4.4.1.410.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/medicationdispense-performer-function version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/medicationdispense-performer-function

Code | Display | Definition
dataenterer | Data Enterer | Recorded the details of the request
packager | Packager | Prepared the medication.
checker | Checker | Performed initial quality assurance on the prepared medication
finalchecker | Final Checker | Performed the final quality assurance on the prepared medication against the request. Typically, this is a pharmacist function.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.411 Value Set http://hl7.org/fhir/ValueSet/contract-expiration-type

URL: https://hl7.org/fhir/R4/valueset-contract-expiration-type.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contract-expiration-type
Version: | 4.0.1
Name: | ContractResourceExpirationTypeCodes
Title: | Contract Resource Expiration Type codes
Definition: | This value set contract specific codes for status.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.1214 (for OID based terminology systems)
Copyright: | HL7 International.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ContractResourceExpirationTypeCodes

• Resource: Contract.expirationType (CodeableConcept / Example)

4.4.1.411.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/contract-expiration-type

4.4.1.411.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 1 concepts

Expansion based on http://hl7.org/fhir/contract-expiration-type version 4.0.1

All codes from system http://hl7.org/fhir/contract-expiration-type

Code | Display | Definition
breach | Breach | To be completed

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.412 Value Set http://hl7.org/fhir/ValueSet/supplyrequest-kind

URL: https://hl7.org/fhir/R4/valueset-supplyrequest-kind.html
Orders and Observations Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/supplyrequest-kind
Version: | 4.0.1
Name: | SupplyType
Title: | Supply Type
Definition: | This value sets refers to a Category of supply.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.693 (for OID based terminology systems)

Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for SupplyType

• Resource: SupplyRequest.category (CodeableConcept / Example)

4.4.1.412.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/supply-kind

4.4.1.412.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/supply-kind version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/supply-kind

Code | Display | Definition
central | Central Supply | Supply is stored and requested from central supply.
nonstock | Non-Stock | Supply is not onsite and must be requested from an outside vendor using a non-stock requisition.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.413 Value Set http://hl7.org/fhir/ValueSet/security-role-type

URL: https://hl7.org/fhir/R4/valueset-security-role-type.html
Vocabulary Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/security-role-type
Version: | 4.0.1
Name: | SecurityRoleType
Title: | SecurityRoleType
Definition: | This example FHIR value set is comprised of example Actor Type codes, which can be used to value FHIR agents, actors, and other role elements such as those specified in financial transactions. The FHIR Actor value set is based on DICOM Audit Message, C402; ASTM Standard, E1762-95 [2013]; selected codes and derived actor roles from HL7 RoleClass OID 2.16.840.1.113883.5.110; HL7 Role Code 2.16.840.1.113883.5.111, including AgentRoleType; HL7 ParticipationType OID: 2.16.840.1.113883.5.90; and HL7 ParticipationFunction codes OID: 2.16.840.1.113883.5.88. This value set includes, by reference, role codes from external code systems: NUCC Health Care Provider Taxonomy OID: 2.16.840.1.113883.6.101; North American Industry Classification System [NAICS]OID: 2.16.840.1.113883.6.85; IndustryClassificationSystem 2.16.840.1.113883.1.11.16039; and US Census Occupation Code OID: 2.16.840.1.113883.6.243 for relevant recipient or custodian codes not included in this value set. If no source is indicated in the definition comments, then these are example FHIR codes. It can be extended with appropriate roles described by SNOMED as well as those described in the HL7 Role Based Access Control Catalog and the HL7 Healthcare (Security and Privacy) Access Control Catalog. In Role-Based Access Control (RBAC), permissions are operations on an object that a user wishes to access. Permissions are grouped into roles. A role characterizes the functions a user is allowed to perform. Roles are assigned to users. If the user's role has the appropriate permissions to access an object, then that user is granted access to the object. FHIR readily enables RBAC, as FHIR Resources are object types and the CRUDE events (the FHIR equivalent to permissions in the RBAC scheme) are operations on those objects. In Attribute-Based Access Control (ABAC), a user requests to perform operations on objects. That user's access request is granted or denied based on a set of access control policies that are specified in terms of attributes and conditions. FHIR readily enables ABAC, as instances of a Resource in FHIR (again, Resources are object types) can have attributes associated with them. These attributes include security tags, environment conditions, and a host of user and object characteristics, which are the same attributes as those used in ABAC. Attributes help define the access control policies that determine the operations a user may perform on a Resource (in FHIR) or object (in ABAC). For example, a tag (or attribute) may specify that the identified Resource (object) is not to be further disclosed without explicit consent from the patient.
Committee: | Vocabulary Work Group
OID: | 2.16.840.1.113883.4.642.3.978 (for OID based terminology systems)
Copyright: | This is an example FHIR value set based on ASTM Standard, E1762-95 (2013) HL7 RoleClass OID 2.16.840.1.113883.5.110, HL7 Role Code 2.16.840.1.113883.5.111, HL7 ParticipationType OID: 2.16.840.1.113883.5.90, HL7 ParticipationFunction codes at OID: 2.16.840.1.113883.5.88, and HL7 Security and Privacy Domain Analysis Model roles classes.

These codes are excerpted from Digital Imaging and Communications in Medicine (DICOM) Standard, Part 16: Content Mapping Resource, Copyright © 2011 by the National Electrical Manufacturers Association.
Source Resource | XML / JSON

This value set is used in the following places:

- Resource: Consent.provision.actor.role (CodeableConcept / Extensible)
- Resource: Provenance.agent.role (CodeableConcept / Example)
- Profile: provenance-relevant-history: Provenance.agent.role (CodeableConcept / Example)
- Resource: AuditEvent.agent.role (CodeableConcept / Example)

4.4.1.413.1 Content Logical Definition

This value set includes codes from the following code systems:

http://terminology.hl7.org/CodeSystem/contractsignertypecodes

Code | Display

AMENDER | Amender | A person who has corrected, edited, or amended pre-existing information.

COAUTH | Co-Author | The entity that co-authored content. There can be multiple co-authors of content, which may take such forms as a contract, a healthcare record entry or document, a policy, or a consent directive.

CONT | Contact | A person or an organization that provides or receives information regarding another entity. Examples; patient NOK and emergency contacts; guarantor contact; employer contact.

EVTWIT | Event Witness | A person who attests to observing an occurrence. For example, the witness has observed a procedure and is attesting to this fact.

PRIMAUTH | Primary Author | An entity that is the primary or sole author of information content. In the healthcare context, there can be only one primary author of health information content in a record entry or document.

REVIEWER | Reviewer | A person, device, or algorithm that has used approved criteria for filtered data for inclusion into the patient record. Examples: (1) a medical records clerk who scans a document for inclusion in the medical record, enters header information, or catalogues and classifies the data, or a combination thereof; (2) a gateway that receives data from another computer system and interprets that data or changes its format, or both, before entering it into the patient record.

SOURCE | Source | An automated data source that generates a signature along with content. Examples: (1) the signature for an image that is generated by a device for inclusion in the patient record; (2) the signature for an ECG derived by an ECG system for inclusion in the patient record; (3) the data from a biomedical monitoring device or system that is for inclusion in the patient record.

TRANS | Transcriber | An entity entering the data into the originating system. This includes the transcriptionist for dictated text transcribed into electronic form.

VALID | Validator | A person who validates a health information document for inclusion in the patient record. For example, a medical student or resident is credentialed to perform history or physical examinations and to write progress notes. The attending physician signs the history and physical examination to validate the entry for inclusion in the patient's medical record.

VERF | Verifier | A person who asserts the correctness and appropriateness of an act or the recording of the act, and is accountable for the assertion that the act or the recording of the act complies with jurisdictional or organizational policy. For example, a physician is required to countersign a verbal order that has previously been recorded in the medical record by a registered nurse who has carried out the verbal order.

http://terminology.hl7.org/CodeSystem/v3-RoleClass

Code | Display

AFFL | affiliate | Player of the Affiliate role has a business/professional relationship with scoper. Player and scoper may be persons or organization. The Affiliate relationship does not imply membership in a group, nor does it exist for resource scheduling purposes. Example: A healthcare provider is affiliated with another provider as a business associate.

AGNT | agent | An entity (player) that acts or is authorized to act on behalf of another entity (scoper).

ASSIGNED | assigned entity | An agent role in which the agent is an Entity acting in the employ of an organization. The focus is on functional role on behalf of the organization, unlike the Employee role where the focus is on the 'Human Resources' relationship between the employee and the organization.

CLAIM | claimant | Description: A role played by a party making a claim for coverage under a policy or program. A claimant must be either a person or organization, or a group of persons or organizations. A claimant is not a named insured or a program eligible. Discussion: With respect to liability insurance such as property and casualty insurance, a claimant must file a claim requesting indemnification for a loss that the claimant considers covered under the policy of a named insured. The claims adjuster for the policy underwriter will review the claim to determine whether the loss meets the benefit coverage criteria under a policy, and base any indemnification or coverage payment on that review. If a third party is liable in whole or part for the loss, the underwriter may pursue third party liability recovery. A claimant may be involved in civil or criminal legal proceedings involving claims against a defendant party that is indemnified by an insurance policy or to protest the finding of a claims adjustor. With respect to life insurance, a beneficiary designated by a named insured becomes a claimant of the proceeds of coverage, as in the case of a life insurance policy. However, a claimant for coverage under life insurance is not necessarily a designated beneficiary. Note: A claimant is not a named insured. However, a named insured may make a claim under a policy, e.g., an insured driver may make a claim for an injury under his or her comprehensive automobile insurance policy. Similarly, a program eligible may make a claim under program, e.g., an unemployed worker may claim benefits under an unemployment insurance program, but parties playing these covered party role classes are not, for purposes of this vocabulary and in an effort to clearly distinguish role classes, considered claimants. In the case of a named insured making a claim, a role type code INSCLM (insured claimant) subtypes the class to indicate that either a named insured or an individual insured has filed a claim for a loss. In the case of a program eligible, a role type code INJWKR (injured worker) subtypes the class to indicate that the covered party in a workers compensation program is an injured worker, and as such, has filed a "claim" under the program for benefits. Likewise, a covered role type code UNEMP (unemployed worker) subtypes the program eligible class to indicate that the covered party in an unemployment insurance program has filed a claim for unemployment benefits. Example: A claimant under automobile policy that is not the named insured.

COVPTY | covered party | A role class played by a person who receives benefit coverage under the terms of a particular insurance policy. The underwriter of that policy is the scoping entity. The covered party receives coverage because of some contractual or other relationship with the holder of that policy. Discussion:This reason for coverage is captured in 'Role.code' and a relationship link with type code of indirect authority should be included using the policy holder role as the source, and the covered party role as the target. Note that a particular policy may cover several individuals one of whom may be, but need not be, the policy holder.

Thus the notion of covered party is a role that is distinct from that of the policy holder.

DEPEN | dependent | Description: A role played by a person covered under a policy or program based on an association with a subscriber, which is recognized by the policy holder. Note: The party playing the role of a dependent is not a claimant in the sense conveyed by the RoleClassCoveredParty CLAIM (claimant). However, a dependent may make a claim under a policy, e.g., a dependent under a health insurance policy may become the claimant for coverage under that policy for wellness examines or if injured and there is no liable third party. In the case of a dependent making a claim, a role type code INSCLM (insured claimant) subtypes the class to indicate that the dependent has filed a claim for services covered under the health insurance policy. Example: The dependent has an association with the subscriber such as a financial dependency or personal relationship such as that of a spouse, or a natural or adopted child. The policy holder may be required by law to recognize certain associations or may have discretion about the associations. For example, a policy holder may dictate the criteria for the dependent status of adult children who are students, such as requiring full time enrollment, or may recognize domestic partners as dependents. Under certain circumstances, the dependent may be under the indirect authority of a responsible party acting as a surrogate for the subscriber, for example, if the subscriber is differently abled or deceased, a guardian ad Lidem or estate executor may be appointed to assume the subscriberaTMs legal standing in the relationship with the dependent.

ECON | emergency contact | An entity to be contacted in the event of an emergency.

EMP | employee | A relationship between a person or organization and a person or organization formed for the purpose of exchanging work for compensation. The purpose of the role is to identify the type of relationship the employee has to the employer, rather than the nature of the work actually performed. (Contrast with AssignedEntity.)

GUARD | guardian | Guardian of a ward

INVSBJ | Investigation Subject | An entity that is the subject of an investigation. This role is scoped by the party responsible for the investigation.

NAMED | named insured | Description: A role played by a party to an insurance policy to which the insurer agrees to indemnify for losses, provides benefits for, or renders services. A named insured may be either a person, non-person living subject, or an organization, or a group of persons, non-person living subjects, or organizations. Discussion: The coded concept NAMED should not be used where a more specific child concept in this Specializable value set applies. In some cases, the named insured may not be the policy holder, e.g., where a policy holder purchases life insurance policy in which another party is the named insured and the policy holder is the beneficiary of the policy. Note: The party playing the role of a named insured is not a claimant in the sense conveyed by the RoleClassCoveredParty CLAIM (claimant). However, a named insured may make a claim under a policy, e.g., e.g., a party that is the named insured and policy holder under a comprehensive automobile insurance policy may become the claimant for coverage under that policy e.g., if injured in an automobile accident and there is no liable third party. In the case of a named insured making a claim, a role type code INSCLM (insured claimant) subtypes the class to indicate that a named insured has filed a claim for a loss. Example: The named insured under a comprehensive automobile, disability, or property and casualty policy that is the named insured and may or may not be the policy holder.

NOK | next of kin | An individual designated for notification as the next of kin for a given entity.

PAT | patient | A Role of a LivingSubject (player) as an actual or potential recipient of health care services from a healthcare provider organization (scoper). Usage Note: Communication about relationships between patients and specific healthcare practitioners (people) is not done via scoper. Instead this is generally done using the CareProvision act. This allows linkage between patient and a particular healthcare practitioner role and also allows description of the type of care involved in the relationship.

PROV | healthcare provider | An Entity (player) that is authorized to provide health care services by some authorizing agency (scoper).

NOT | notary public | notary public

http://terminology.hl7.org/CodeSystem/v3-RoleCode

Code | Display

CLASSIFIER | classifier | An individual authorized to assign an original classification to information, including compilations of unclassified information, based on a determination that the information requires protection against unauthorized disclosure. The individual marks the information with immutable, computable, and human readable security labels in accordance with applicable security labeling policies. The labeling policies provide instructions on whether and if so how the security labels may be later reclassified [i.e., upgraded, downgraded, used in derivative classification, or declassified] in a manner that preserves the overridden original classification binding and provenance.

CONSENTER | consenter | An entity or an entity's delegatee who is the grantee in an agreement such as a consent for services, advanced directive, or a privacy consent directive in accordance with jurisdictional, organizational, or patient policy.

CONSWIT | consent witness | An entity which has witnessed and attests to observing another entity being counseled about an agreement such as a consent for services, advanced directive, or a privacy consent directive.

COPART | co-participant | An entity which participates in the generation of and attest to veracity of content, but is not an author or coauthor. For example a surgeon who is required by institutional, regulatory, or legal rules to sign an operative report, but who was not involved in the authorship of that report.

DECLASSIFIER | declassifier | An individual which is authorized to declassify information based on a determination that the information no longer requires protection against unauthorized disclosure. The individual marks the information being declassified using computable and human readable security labels indicating that this is copy of previously classified information is unclassified in accordance with applicable security labeling policies. The labeling policies provide instructions on whether and if so how the security labels may be later reclassified [i.e., upgraded or used in derivative classification] in a manner that preserves the overridden original classification binding and provenance.

DELEGATEE | delegatee | A party to whom some right or authority is granted by a delegator.

DELEGATOR | delegator | A party that grants all or some portion its right or authority to another party.

DOWNGRDER | downgrader | An individual authorized to lower the classification level of labeled content and provide rationale for doing so as directed by a classification guide.

DPOWATT | durable power of attorney | A relationship between two people in which one person authorizes another, usually a family member or relative, to act for him or her in a manner which is a legally binding upon the person giving such authority as if he or she personally were to do the acts that is often limited in the kinds of powers that can be assigned. Unlike ordinary powers of attorney, durable powers can survive for long periods of time, and again, unlike standard powers of attorney, durable powers can continue after incompetency.

EXCEST | executor of estate | The role played by a person acting as the estate executor for a deceased subscriber or policyholder who was the responsible party

GRANTEE | grantee | An entity which accepts certain rights or authority from a grantor.

GRANTOR | grantor | An entity which agrees to confer certain rights or authority to a grantee.

GT | Guarantor | An individual or organization that makes or gives a promise, assurance, pledge to pay or has paid the healthcare service provider.

GUADLTM | guardian ad lidem | The role played by a person appointed by the court to look out for the best interests of a minor child during the course of legal proceedings.

HPOWATT | healthcare power of attorney | A relationship between two people in which one person authorizes another to act for him or her in a manner which is a legally binding upon the person giving such authority as if he or she personally were to do the acts that continues (by its terms) to be effective even though the grantor has become mentally incompetent after signing the document.

INTPRTER | interpreter | An entity which converts spoken or written language into the language of key participants in an event such as when a provider is obtaining a patient's consent to treatment or permission to disclose information.

POWATT | power of attorney | A relationship between two people in which one person authorizes another to act for him in a manner which is a legally binding upon the person giving such authority as if he or she personally were to do the acts.

RESPRSN | responsible party | The role played by a party who has legal responsibility for another party.

SPOWATT | special power of attorney | A relationship between two people in which one person authorizes another to act for him or her in a manner which is a legally binding upon the person giving such authority as if he or she personally were to do the acts that is often limited in the kinds of powers that can be assigned.

• Include codes from http://terminology.hl7.org/CodeSystem/v3-RoleCode where concept is-a _CitizenRoleType

http://terminology.hl7.org/CodeSystem/v3-ParticipationFunction

Code | Display

AUCG | caregiver information receiver | Description:Caregiver authorized to receive patient health information.

AULR | legitimate relationship information receiver | Description:Provider with legitimate relationship authorized to receive patient health information.

AUTM | care team information receiver | Description:Member of care team authorized to receive patient health information.

AUWA | work area information receiver | Description:Entities within specified work area authorized to receive patient health information.

PROMSK | authorized provider masking author | Definition:Provider authorized to mask information to protect the patient, a third party, or to ensure that the provider has consulted with the patient prior to release of this information.

http://terminology.hl7.org/CodeSystem/v3-ParticipationType

Code | Display

AUT | author (originator) | Definition: A party that originates the Act and therefore has responsibility for the information given in the Act and ownership of this Act. Example: the report writer, the person writing the act definition, the guideline author, the placer of an order, the EKG cart (device) creating a report etc. Every Act should have an author. Authorship is regardless of mood always actual authorship. Examples of such policies might include: The author and anyone they explicitly delegate may update the report; All administrators within the same clinic may cancel and reschedule appointments created by other administrators within that clinic; A party that is neither an author nor a party who is extended authorship maintenance rights by policy, may only amend, reverse, override, replace, or follow up in other ways on this Act, whereby the Act remains intact and is linked to another Act authored by that other party.

CST | custodian | An entity (person, organization or device) that is in charge of maintaining the information of this act (e.g., who maintains the report or the master service catalog item, etc.).

INF | informant | A source of reported information (e.g., a next of kin who answers questions about the patient's history). For history questions, the patient is logically an informant, yet the informant of history questions is implicitly the subject.

IRCP | information recipient | A party, who may or should receive or who has recieved the Act or subsequent or derivative information of that Act. Information recipient is inert, i.e., independent of mood." Rationale: this is a generalization of a too diverse family that the definition can't be any more specific, and the concept is abstract so one of the specializations should be used.

LA | legal authenticator | A verifier who legally authenticates the accuracy of an act. An example would be a staff physician who sees a patient and dictates a note, then later signs it. Their signature constitutes a legal authentication.

IRCP | information recipient | A party, who may or should receive or who has recieved the Act or subsequent or derivative information of that Act. Information recipient is inert, i.e., independent of mood." Rationale: this is a generalization of a too diverse family that the definition can't be any more specific, and the concept is abstract so one of the specializations should be used.

TRC | tracker | A secondary information recipient, who receives copies (e.g., a primary care provider receiving copies of results as ordered by specialist).

WIT | witness | Only with service events. A person witnessing the action happening without doing anything. A witness is not necessarily aware, much less approves of anything stated in the service event. Example for a witness is students watching an operation or an advanced directive witness.

• Include all codes defined in http://terminology.hl7.org/CodeSystem/extra-security-role-type

http://dicom.nema.org/resources/ontology/DCM

Code | Display

110150 | Application | Audit participant role ID of software application

110151 | Application Launcher | Audit participant role ID of software application launcher, i.e., the entity that started or stopped an application

110152 | Destination Role ID | Audit participant role ID of the receiver of data

110153 | Source Role ID | Audit participant role ID of the sender of data

110154 | Destination Media | Audit participant role ID of media receiving data during an export

110155 | Source Media | Audit participant role ID of media providing data during an import

4.4.1.413.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 76 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/extra-security-role-type version 4.0.1, http://terminology.hl7.org/CodeSystem/v3-RoleCode version 2018-08-12, http://terminology.hl7.org/CodeSystem/v3-RoleClass version 2018-08-12, http://terminology.hl7.org/CodeSystem/v3-ParticipationFunction version 2018-08-12, http://terminology.hl7.org/CodeSystem/contractsignertypecodes version 4.0.1, http://terminology.hl7.org/CodeSystem/v3-ParticipationType version 2018-08-12, DICOM version 01

Code | System | Display | Definition

AMENDER | http://terminology.hl7.org/CodeSystem/contractsignertypecodes | Amender | A person who has corrected, edited, or amended pre-existing information.

COAUTH | http://terminology.hl7.org/CodeSystem/contractsignertypecodes | Co-Author | The entity that co-authored content. There can be multiple co-authors of content, which may take such forms as a contract, a healthcare record entry or document, a policy, or a consent directive.

CONT | http://terminology.hl7.org/CodeSystem/contractsignertypecodes | Contact | A person or an organization that provides or receives information regarding another entity. Examples; patient NOK and emergency contacts; guarantor contact; employer contact.

EVTWIT | http://terminology.hl7.org/CodeSystem/contractsignertypecodes | Event Witness | A person who attests to observing an occurrence. For example, the witness has observed a procedure and is attesting to this fact.

PRIMAUTH | http://terminology.hl7.org/CodeSystem/contractsignertypecodes | Primary Author | An entity that is the primary or sole author of information content. In the healthcare context, there can be only one primary author of health information content in a record entry or document.

REVIEWER | http://terminology.hl7.org/CodeSystem/contractsignertypecodes | Reviewer | A person, device, or algorithm that has used approved criteria for filtered data for inclusion into the patient record. Examples: (1) a medical records clerk who scans a document for inclusion in the medical record, enters header information, or catalogues and classifies the data, or a combination thereof; (2) a gateway that receives data from another computer system and interprets that data or changes its format, or both, before entering it into the patient record.

SOURCE | http://terminology.hl7.org/CodeSystem/contractsignertypecodes | Source | An automated data source that generates a signature along with content. Examples: (1) the signature for an image that is generated by a device for inclusion in the patient record; (2) the signature for an ECG derived by an ECG system for inclusion in the patient record; (3) the data from a biomedical monitoring device or system that is for inclusion in the patient record.

TRANS | http://terminology.hl7.org/CodeSystem/contractsignertypecodes | Transcriber | An entity entering the data into the originating system. This includes the transcriptionist for dictated text transcribed into electronic form.

VALID | http://terminology.hl7.org/CodeSystem/contractsignertypecodes | Validator | A person who validates a health information document for inclusion in the patient record. For example, a medical student or resident is credentialed to perform history or physical examinations and to write progress notes. The attending physician signs the history and physical examination to validate the entry for inclusion in the patient's medical record.

VERF | http://terminology.hl7.org/CodeSystem/contractsignertypecodes | Verifier | A person who asserts the correctness and appropriateness of an act or the recording of the act, and is accountable for the assertion that the act or the recording of the act complies with jurisdictional or organizational policy. For example, a physician is required to countersign a verbal order that has previously been recorded in the medical record by a registered nurse who has carried out the verbal order.

AFFL | http://terminology.hl7.org/CodeSystem/v3-RoleClass | affiliate | Player of the Affiliate role has a business/professional relationship with scoper. Player and scoper may be persons or organization. The Affiliate relationship does not imply membership in a group, nor does it exist for resource scheduling purposes. Example: A healthcare provider is affiliated with another provider as a business associate.

AGNT | http://terminology.hl7.org/CodeSystem/v3-RoleClass | agent | An entity (player) that acts or is authorized to act on behalf of another entity (scoper).

ASSIGNED | http://terminology.hl7.org/CodeSystem/v3-RoleClass | assigned entity | An agent role in which the agent is an Entity acting in the employ of an organization. The focus is on functional role on behalf of the organization, unlike the Employee role where the focus is on the 'Human Resources' relationship between the employee and the organization.

CLAIM | http://terminology.hl7.org/CodeSystem/v3-RoleClass | claimant | Description: A role played by a party making a claim for coverage under a policy or program. A claimant must be either a person or organization, or a group of persons or organizations. A claimant is not a named insured or a program eligible. Discussion: With respect to liability insurance such as property and casualty insurance, a claimant must file a claim requesting indemnification for a loss that the claimant considers covered under the policy of a named insured. The claims adjuster for the policy underwriter will review the claim to determine whether the loss meets the benefit coverage criteria under a policy, and base any indemnification or coverage payment on that review. If a third party is liable in whole or part for the loss, the underwriter may pursue third party liability recovery. A claimant may be involved in civil or criminal legal proceedings involving claims against a defendant party that is indemnified by an insurance policy or to protest the finding of a claims adjustor. With respect to life insurance, a beneficiary designated by a named insured becomes a claimant of the proceeds of coverage, as in the case of a life insurance policy. However, a claimant for coverage under life insurance is not necessarily a designated beneficiary. Note: A claimant is not a named insured. However, a named insured may make a claim under a policy, e.g., an insured driver may make a claim for an injury under his or her comprehensive automobile insurance policy. Similarly, a program eligible may make a claim under program, e.g., an unemployed worker may claim benefits under an unemployment insurance program, but parties playing these covered party role classes are not, for purposes of this vocabulary and in an effort to clearly distinguish role classes, considered claimants. In the case of a named insured making a claim, a role type code INSCLM (insured claimant) subtypes the class to indicate that either a named insured or an individual insured has filed a claim for a loss. In the case of a program eligible, a role type code INJWKR (injured worker) subtypes the class to indicate that the covered party in a workers compensation program is an injured worker, and as such, has filed a "claim" under the program for benefits. Likewise, a covered role type code UNEMP (unemployed worker) subtypes the program eligible class to indicate that the covered party in an unemployment insurance program has filed a claim for unemployment benefits. Example: A claimant under automobile policy that is not the named insured.

COVPTY | http://terminology.hl7.org/CodeSystem/v3-RoleClass | covered party | A role class played by a person who receives benefit coverage under the terms of a particular insurance policy. The underwriter of that policy is the scoping entity. The covered party receives coverage because of some contractual or other relationship with the holder of that policy. Discussion:This reason for coverage is captured in 'Role.code' and a relationship link with type code of indirect authority should be included using the policy holder role as the source, and the covered party role as the target. Note that a particular policy may cover several individuals one of whom may be, but need not be, the policy holder. Thus the notion of covered party is a role that is distinct from that of the policy holder.

DEPEN | http://terminology.hl7.org/CodeSystem/v3-RoleClass | dependent | Description: A role played by a person covered under a policy or program based on an association with a subscriber, which is recognized by the policy holder. Note: The party playing the role of a dependent is not a claimant in the sense conveyed by the RoleClassCoveredParty CLAIM (claimant). However, a dependent may make a claim under a policy, e.g., a dependent under a health insurance policy may become the claimant for coverage under that policy for wellness examines or if injured and there is no liable third party. In the case of a dependent making a claim, a role type code INSCLM (insured claimant) subtypes the class to indicate that the dependent has filed a claim for services covered under the health insurance policy. Example: The dependent has an association with the subscriber such as a financial dependency or personal relationship such as that of a spouse, or a natural or adopted child. The policy holder may be required by law to recognize certain associations or may have discretion about the associations. For example, a policy holder may dictate the criteria for the dependent status of adult children who are students, such as requiring full time enrollment, or may recognize domestic partners as dependents. Under certain circumstances, the dependent may be under the indirect authority of a responsible party acting as a surrogate for the subscriber, for example, if the subscriber is differently abled or deceased, a guardian ad Lidem or estate executor may be appointed to assume the subscriberaTMs legal standing in the relationship with the dependent.

ECON | http://terminology.hl7.org/CodeSystem/v3-RoleClass | emergency contact | An entity to be contacted in the event of an emergency.

EMP | http://terminology.hl7.org/CodeSystem/v3-RoleClass | employee | A relationship between a person or organization and a person or organization formed for the purpose of exchanging work for compensation. The purpose of the role is to identify the type of relationship the employee has to the employer, rather than the nature of the work actually performed. (Contrast with AssignedEntity.)

GUARD | http://terminology.hl7.org/CodeSystem/v3-RoleClass | guardian | Guardian of a ward

INVSBJ | http://terminology.hl7.org/CodeSystem/v3-RoleClass | Investigation Subject | An entity that is the subject of an investigation. This role is scoped by the party responsible for the investigation.

NAMED | http://terminology.hl7.org/CodeSystem/v3-RoleClass | named insured | Description: A role played by a party to an insurance policy to which the insurer agrees to indemnify for losses, provides benefits for, or renders services. A named insured may be either a person, non-person living subject, or an organization, or a group of persons, non-person living subjects, or organizations. Discussion: The coded concept NAMED should not be used where a more specific child concept in this Specializable value set applies. In some cases, the named insured may not be the policy holder, e.g., where a policy holder purchases life insurance policy in which another party is the named insured and the policy holder is the beneficiary of the policy. Note: The party playing the role of a named insured is not a claimant in the sense conveyed by the RoleClassCoveredParty CLAIM (claimant). However, a named insured may make a claim under a policy, e.g., e.g., a party that is the named insured and policy holder under a comprehensive automobile insurance policy may become the claimant for coverage under that policy e.g., if injured in an automobile accident and there is no liable third party. In the case of a named insured making a claim, a role type code INSCLM (insured claimant) subtypes the class to indicate that a named insured has filed a claim for a loss. Example: The named insured under a comprehensive automobile, disability, or property and casualty policy that is the named insured and may or may not be the policy holder.

NOK | http://terminology.hl7.org/CodeSystem/v3-RoleClass | next of kin | An individual designated for notification as the next of kin for a given entity.

PAT | http://terminology.hl7.org/CodeSystem/v3-RoleClass | patient | A Role of a LivingSubject (player) as an actual or potential recipient of health care services from a healthcare provider organization (scoper). Usage Note: Communication about relationships between patients and specific healthcare practitioners (people) is not done via scoper. Instead this is generally done using the CareProvision act. This allows linkage between patient and a particular healthcare practitioner role and also allows description of the type of care involved in the relationship.

PROV | http://terminology.hl7.org/CodeSystem/v3-RoleClass | healthcare provider | An Entity (player) that is authorized to provide health care services by some authorizing agency (scoper).

NOT | http://terminology.hl7.org/CodeSystem/v3-RoleClass | notary public | notary public

CLASSIFIER | http://terminology.hl7.org/CodeSystem/v3-RoleCode | classifier | An individual authorized to assign an original classification to information, including compilations of unclassified information, based on a determination that the information requires protection against unauthorized disclosure. The individual marks the information with immutable, computable, and human readable security labels in accordance with applicable security labeling policies. The labeling policies provide instructions on whether and if so how the security labels may be later reclassified [i.e., upgraded, downgraded, used in derivative classification, or declassified] in a manner that preserves the overridden original classification binding and provenance.

CONSENTER | http://terminology.hl7.org/CodeSystem/v3-RoleCode | consenter | An entity or an entity's delegatee who is the grantee in an agreement such as a consent for services, advanced directive, or a privacy consent directive in accordance with jurisdictional, organizational, or patient policy.

CONSWIT | http://terminology.hl7.org/CodeSystem/v3-RoleCode | consent witness | An entity which has witnessed and attests to observing another entity being counseled about an agreement such as a consent for services, advanced directive, or a privacy consent directive.

COPART | http://terminology.hl7.org/CodeSystem/v3-RoleCode | co-participant | An entity which participates in the generation of and attest to veracity of content, but is not an author or coauthor. For example a surgeon who is required by institutional, regulatory, or legal rules to sign an operative report, but who was not involved in the authorship of that report.

DECLASSIFIER | http://terminology.hl7.org/CodeSystem/v3-RoleCode | declassifier | An individual which is authorized to declassify information based on a determination that the information no longer requires protection against unauthorized disclosure. The individual marks the information being declassified using computable and human readable security labels indicating that this is copy of previously classified information is unclassified in accordance with applicable security labeling policies. The labeling policies provide instructions on whether and if so how the security labels may be later reclassified [i.e., upgraded or used in derivative classification] in a manner that preserves the overridden original classification binding and provenance.

DELEGATEE | http://terminology.hl7.org/CodeSystem/v3-RoleCode | delegatee | A party to whom some right or authority is granted by a delegator.

DELEGATOR | http://terminology.hl7.org/CodeSystem/v3-RoleCode | delegator | A party that grants all or some portion its right or authority to another party.

DOWNGRDER | http://terminology.hl7.org/CodeSystem/v3-RoleCode | downgrader | An individual authorized to lower the classification level of labeled content and provide rationale for doing so as directed by a classification guide.

DPOWATT | http://terminology.hl7.org/CodeSystem/v3-RoleCode | durable power of attorney | A relationship between two people in which one person authorizes another, usually a family member or relative, to act for him or her in a manner which is a legally binding upon the person giving such authority as if he or she personally were to do the acts that is often limited in the kinds of powers that can be assigned. Unlike ordinary powers of attorney, durable powers can survive for long periods of time, and again, unlike standard powers of attorney, durable powers can continue after incompetency.

EXCEST | http://terminology.hl7.org/CodeSystem/v3-RoleCode | executor of estate | The role played by a person acting as the estate executor for a deceased subscriber or policyholder who was the responsible party
GRANTEE | http://terminology.hl7.org/CodeSystem/v3-RoleCode | grantee | An entity which accepts certain rights or authority from a grantor.
GRANTOR | http://terminology.hl7.org/CodeSystem/v3-RoleCode | grantor | An entity which agrees to confer certain rights or authority to a grantee.
GT | http://terminology.hl7.org/CodeSystem/v3-RoleCode | Guarantor | An individual or organization that makes or gives a promise, assurance, pledge to pay or has paid the healthcare service provider.
GUADLTM | http://terminology.hl7.org/CodeSystem/v3-RoleCode | guardian ad lidem | The role played by a person appointed by the court to look out for the best interests of a minor child during the course of legal proceedings.
HPOWATT | http://terminology.hl7.org/CodeSystem/v3-RoleCode | healthcare power of attorney | A relationship between two people in which one person authorizes another to act for him or her in a manner which is a legally binding upon the person giving such authority as if he or she personally were to do the acts that continues (by its terms) to be effective even though the grantor has become mentally incompetent after signing the document.
INTPRTER | http://terminology.hl7.org/CodeSystem/v3-RoleCode | interpreter | An entity which converts spoken or written language into the language of key participants in an event such as when a provider is obtaining a patient's consent to treatment or permission to disclose information.
POWATT | http://terminology.hl7.org/CodeSystem/v3-RoleCode | power of attorney | A relationship between two people in which one person authorizes another to act for him in a manner which is a legally binding upon the person giving such authority as if he or she personally were to do the acts.
RESPRSN | http://terminology.hl7.org/CodeSystem/v3-RoleCode | responsible party | The role played by a party who has legal responsibility for another party.
SPOWATT | http://terminology.hl7.org/CodeSystem/v3-RoleCode | special power of attorney | A relationship between two people in which one person authorizes another to act for him or her in a manner which is a legally binding upon the person giving such authority as if he or she personally were to do the acts that is often limited in the kinds of powers that can be assigned.
_CitizenRoleType | http://terminology.hl7.org/CodeSystem/v3-RoleCode | CitizenRoleType | A role type used to qualify a person's legal status within a country or nation.
CAS | http://terminology.hl7.org/CodeSystem/v3-RoleCode | asylum seeker | A person who has fled his or her home country to find a safe place elsewhere.
CASM | http://terminology.hl7.org/CodeSystem/v3-RoleCode | single minor asylum seeker | A person who is someone of below legal age who has fled his or her home country, without his or her parents, to find a safe place elsewhere at time of categorization.
CN | http://terminology.hl7.org/CodeSystem/v3-RoleCode | national | A person who is legally recognized as a member of a nation or country, with associated rights and obligations.
CNRP | http://terminology.hl7.org/CodeSystem/v3-RoleCode | non-country member without residence permit | A foreigner who is present in a country (which is foreign to him/her) unlawfully or without the country's authorization (may be called an illegal alien).
CNRPM | http://terminology.hl7.org/CodeSystem/v3-RoleCode | non-country member minor without residence permit | A person who is below legal age present in a country, without his or her parents, (which is foreign to him/her) unlawfully or without the country's authorization.
CPCA | http://terminology.hl7.org/CodeSystem/v3-RoleCode | permit card applicant | A non-country member admitted to the territory of a nation or country as a non-resident for an explicit purpose.
CRP | http://terminology.hl7.org/CodeSystem/v3-RoleCode | non-country member with residence permit | A foreigner who is a resident of the country but does not have citizenship.
CRPM | http://terminology.hl7.org/CodeSystem/v3-RoleCode | non-country member minor with residence permit | A person who is a resident below legal age of the country without his or her parents and does not have citizenship.
AUCG | http://terminology.hl7.org/CodeSystem/v3-ParticipationFunction | caregiver information receiver | Description:Caregiver authorized to receive patient health information.
AULR | http://terminology.hl7.org/CodeSystem/v3-ParticipationFunction | legitimate relationship information receiver | Description:Provider with legitimate relationship authorized to receive patient health information.
AUTM | http://terminology.hl7.org/CodeSystem/v3-ParticipationFunction | care team information receiver | Description:Member of care team authorized to receive patient health information.
AUWA | http://terminology.hl7.org/CodeSystem/v3-ParticipationFunction | work area information receiver | Description:Entities within specified work area authorized to receive patient health information.
PROMSK | http://terminology.hl7.org/CodeSystem/v3-ParticipationFunction | authorized provider masking author | Definition:Provider authorized to mask information to protect the patient, a third party, or to ensure that the provider has consulted with the patient prior to release of this information.
AUT | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | author (originator) | Definition: A party that originates the Act and therefore has responsibility for the information given in the Act and ownership of this Act. Example: the report writer, the person writing the act definition, the guideline author, the placer of an order, the EKG cart (device) creating a report etc. Every Act should have an author. Authorship is regardless of mood always actual authorship. Examples of such policies might include: The author and anyone they explicitly delegate may update the report; All administrators within the same clinic may cancel and reschedule appointments created by other administrators within that clinic; A party that is neither an author nor a party who is extended authorship maintenance rights by policy, may only amend, reverse, override, replace, or follow up in other ways on this Act, whereby the Act remains intact and is linked to another Act authored by that other party.
CST | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | custodian | An entity (person, organization or device) that is in charge of maintaining the information of this act (e.g., who maintains the report or the master service catalog item, etc.).
INF | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | informant | A source of reported information (e.g., a next of kin who answers questions about the patient's history). For history questions, the patient is logically an informant, yet the informant of history questions is implicitly the subject.
IRCP | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | information recipient | A party, who may or should receive or who has recieved the Act or subsequent or derivative information of that Act. Information recipient is inert, i.e., independent of mood." Rationale: this is a generalization of a too diverse family that the definition can't be any more specific, and the concept is abstract so one of the specializations should be used.
LA | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | legal authenticator | A verifier who legally authenticates the accuracy of an act. An example would be a staff physician who sees a patient and dictates a note, then later signs it. Their signature constitutes a legal authentication.
TRC | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | tracker | A secondary information recipient, who receives copies (e.g., a primary care provider receiving copies of results as ordered by specialist).

WIT | http://terminology.hl7.org/CodeSystem/v3-ParticipationType | witness | Only with service events. A person witnessing the action happening without doing anything. A witness is not necessarily aware, much less approves of anything stated in the service event. Example for a witness is students watching an operation or an advanced directive witness.
authserver | http://terminology.hl7.org/CodeSystem/extra-security-role-type | authorization server | An entity providing authorization services to enable the electronic sharing of health-related information based on resource owner's preapproved permissions. For example, an UMA Authorization Server[UMA]
datacollector | http://terminology.hl7.org/CodeSystem/extra-security-role-type | data collector | An entity that collects information over which the data subject may have certain rights under policy or law to control that information's management and distribution by data collectors, including the right to access, retrieve, distribute, or delete that information.
dataprocessor | http://terminology.hl7.org/CodeSystem/extra-security-role-type | data processor | An entity that processes collected information over which the data subject may have certain rights under policy or law to control that information's management and distribution by data processors, including the right to access, retrieve, distribute, or delete that information.
datasubject | http://terminology.hl7.org/CodeSystem/extra-security-role-type | data subject | A person whose personal information is collected or processed, and who may have certain rights under policy or law to control that information's management and distribution by data collectors or processors, including the right to access, retrieve, distribute, or delete that information.
humanuser | http://terminology.hl7.org/CodeSystem/extra-security-role-type | human user | The human user that has participated.
110150 | http://dicom.nema.org/resources/ontology/DCM | Application | Audit participant role ID of software application
110151 | http://dicom.nema.org/resources/ontology/DCM | Application Launcher | Audit participant role ID of software application launcher, i.e., the entity that started or stopped an application
110152 | http://dicom.nema.org/resources/ontology/DCM | Destination Role ID | Audit participant role ID of the receiver of data
110153 | http://dicom.nema.org/resources/ontology/DCM | Source Role ID | Audit participant role ID of the sender of data
110154 | http://dicom.nema.org/resources/ontology/DCM | Destination Media | Audit participant role ID of media receiving data during an export
110155 | http://dicom.nema.org/resources/ontology/DCM | Source Media | Audit participant role ID of media providing data during an import

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.414 Value Set http://hl7.org/fhir/ValueSet/provider-taxonomy

URL: https://hl7.org/fhir/R4/valueset-provider-taxonomy.html
Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/provider-taxonomy
Version: | 4.0.1
Name: | Provider Taxonomy Codes
Title: | ProviderTaxonomy
Definition: | NUCC Healthcare Provider Taxonomy codes
Committee: | Vocabulary Work Group
OID: | 2.16.840.1.113883.4.642.3.51 (for OID based terminology systems)
Copyright: | This value set includes content from NUCC Health Care Provider Taxonomy Code Set for providers which is copyright © 2016+ American Medical Association. For commercial use, including sales or licensing, a license must be obtained
Source Resource | XML / JSON

This value set is not currently used

4.4.1.414.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://nucc.org/provider-taxonomy

4.4.1.414.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 878 concepts

All codes from system http://nucc.org/provider-taxonomy

Code | Display
base-1 | Behavioral Health & Social Service Providers
101Y00000X | Counselor
101YA0400X | Addiction (Substance Use Disorder)

101YM0800X | Mental Health
101YP1600X | Pastoral
101YP2500X | Professional
101YS0200X | School
102L00000X | Psychoanalyst
102X00000X | Poetry Therapist
103G00000X | Clinical Neuropsychologist
103GC0700X | Clinical
103K00000X | Behavioral Analyst
103T00000X | Psychologist
103TA0400X | Addiction (Substance Use Disorder)
103TA0700X | Adult Development & Aging
103TB0200X | Cognitive & Behavioral
103TC0700X | Clinical
103TC1900X | Counseling
103TC2200X | Clinical Child & Adolescent
103TE1000X | Educational
103TE1100X | Exercise & Sports
103TF0000X | Family
103TF0200X | Forensic
103TH0004X | Health
103TH0100X | Health Service
103TM1700X | Men & Masculinity
103TM1800X | Mental Retardation & Developmental Disabilities
103TP0016X | Prescribing (Medical)
103TP0814X | Psychoanalysis
103TP2700X | Psychotherapy
103TP2701X | Group Psychotherapy
103TR0400X | Rehabilitation
103TS0200X | School
103TW0100X | Women
104100000X | Social Worker
1041C0700X | Clinical
1041S0200X | School
106E00000X | Assistant Behavior Analyst
106H00000X | Marriage & Family Therapist
106S00000X | Behavior Technician
base-2 | Chiropractic Providers
111N00000X | Chiropractor
111NI0013X | Independent Medical Examiner
111NI0900X | Internist
111NN0400X | Neurology
111NN1001X | Nutrition
111NP0017X | Pediatric Chiropractor
111NR0200X | Radiology
111NR0400X | Rehabilitation
111NS0005X | Sports Physician
111NT0100X | Thermography
111NX0100X | Occupational Health
111NX0800X | Orthopedic
base-3 | Dental Providers
122300000X | Dentist
1223D0001X | Dental Public Health
1223D0004X | Dentist Anesthesiologist
1223E0200X | Endodontics
1223G0001X | General Practice
1223P0106X | Oral and Maxillofacial Pathology
1223P0221X | Pediatric Dentistry
1223P0300X | Periodontics
1223P0700X | Prosthodontics
1223S0112X | Oral and Maxillofacial Surgery
1223X0008X | Oral and Maxillofacial Radiology
1223X0400X | Orthodontics and Dentofacial Orthopedics
122400000X | Denturist
124Q00000X | Dental Hygienist
125J00000X | Dental Therapist
125K00000X | Advanced Practice Dental Therapist
125Q00000X | Oral Medicinist
126800000X | Dental Assistant
126900000X | Dental Laboratory Technician
base-4 | Dietary & Nutritional Service Providers
132700000X | Dietary Manager

133N00000X | Nutritionist
133NN1002X | Nutrition, Education
133V00000X | Dietitian, Registered
133VN1004X | Nutrition, Pediatric
133VN1005X | Nutrition, Renal
133VN1006X | Nutrition, Metabolic
136A00000X | Dietetic Technician, Registered
base-5 | Emergency Medical Service Providers
146D00000X | Personal Emergency Response Attendant
146L00000X | Emergency Medical Technician, Paramedic
146M00000X | Emergency Medical Technician, Intermediate
146N00000X | Emergency Medical Technician, Basic
base-6 | Eye and Vision Services Providers
152W00000X | Optometrist
152WC0802X | Corneal and Contact Management
152WL0500X | Low Vision Rehabilitation
152WP0200X | Pediatrics
152WS0006X | Sports Vision
152WV0400X | Vision Therapy
152WX0102X | Occupational Vision
156F00000X | Technician/Technologist
156FC0800X | Contact Lens
156FC0801X | Contact Lens Fitter
156FX1100X | Ophthalmic
156FX1101X | Ophthalmic Assistant
156FX1201X | Optometric Assistant
156FX1202X | Optometric Technician
156FX1700X | Ocularist
156FX1800X | Optician
156FX1900X | Orthoptist
base-7 | Nursing Service Providers
163W00000X | Registered Nurse
163WA0400X | Addiction (Substance Use Disorder)
163WA2000X | Administrator
163WC0200X | Critical Care Medicine
163WC0400X | Case Management
163WC1400X | College Health
163WC1500X | Community Health
163WC1600X | Continuing Education/Staff Development
163WC2100X | Continence Care
163WC3500X | Cardiac Rehabilitation
163WD0400X | Diabetes Educator
163WD1100X | Dialysis, Peritoneal
163WE0003X | Emergency
163WE0900X | Enterostomal Therapy
163WF0300X | Flight
163WG0000X | General Practice
163WG0100X | Gastroenterology
163WG0600X | Gerontology
163WH0200X | Home Health
163WH0500X | Hemodialysis
163WH1000X | Hospice
163WI0500X | Infusion Therapy
163WI0600X | Infection Control
163WL0100X | Lactation Consultant
163WM0102X | Maternal Newborn
163WM0705X | Medical-Surgical
163WM1400X | Nurse Massage Therapist (NMT)
163WN0002X | Neonatal Intensive Care
163WN0003X | Neonatal, Low-Risk
163WN0300X | Nephrology
163WN0800X | Neuroscience
163WN1003X | Nutrition Support
163WP0000X | Pain Management
163WP0200X | Pediatrics
163WP0218X | Pediatric Oncology
163WP0807X | Psych/Mental Health, Child & Adolescent
163WP0808X | Psych/Mental Health
163WP0809X | Psych/Mental Health, Adult
163WP1700X | Perinatal
163WP2201X | Ambulatory Care
163WR0006X | Registered Nurse First Assistant

163WR0400X | Rehabilitation
163WR1000X | Reproductive Endocrinology/Infertility
163WS0121X | Plastic Surgery
163WS0200X | School
163WU0100X | Urology
163WW0000X | Wound Care
163WW0101X | Women's Health Care, Ambulatory
163WX0002X | Obstetric, High-Risk
163WX0003X | Obstetric, Inpatient
163WX0106X | Occupational Health
163WX0200X | Oncology
163WX0601X | Otorhinolaryngology & Head-Neck
163WX0800X | Orthopedic
163WX1100X | Ophthalmic
163WX1500X | Ostomy Care
164W00000X | Licensed Practical Nurse
164X00000X | Licensed Vocational Nurse
167G00000X | Licensed Psychiatric Technician
base-8 | Other Service Providers
170100000X | Medical Genetics, Ph.D. Medical Genetics
170300000X | Genetic Counselor, MS
171000000X | Military Health Care Provider
1710I1002X | Independent Duty Corpsman
1710I1003X | Independent Duty Medical Technicians
171100000X | Acupuncturist
171M00000X | Case Manager/Care Coordinator
171R00000X | Interpreter
171W00000X | Contractor
171WH0202X | Home Modifications
171WV0202X | Vehicle Modifications
172A00000X | Driver
172M00000X | Mechanotherapist
172P00000X | Naprapath
172V00000X | Community Health Worker
173000000X | Legal Medicine
173C00000X | Reflexologist
173F00000X | Sleep Specialist, PhD
174200000X | Meals
174400000X | Specialist
1744G0900X | Graphics Designer
1744P3200X | Prosthetics Case Management
1744R1102X | Research Study
1744R1103X | Research Data Abstracter/Coder
174H00000X | Health Educator
174M00000X | Veterinarian
174MM1900X | Medical Research
174N00000X | Lactation Consultant, Non-RN
174V00000X | Clinical Ethicist
175F00000X | Naturopath
175L00000X | Homeopath
175M00000X | Midwife, Lay
175T00000X | Peer Specialist
176B00000X | Midwife
176P00000X | Funeral Director
177F00000X | Lodging
base-9 | Pharmacy Service Providers
183500000X | Pharmacist
1835C0205X | Critical Care
1835G0000X | General Practice
1835G0303X | Geriatric
1835N0905X | Nuclear
1835N1003X | Nutrition Support
1835P0018X | Pharmacist Clinician (PhC)/ Clinical Pharmacy Specialist
1835P0200X | Pediatrics
1835P1200X | Pharmacotherapy
1835P1300X | Psychiatric
1835P2201X | Ambulatory Care
1835X0200X | Oncology
183700000X | Pharmacy Technician
base-10 | Group
193200000X | Multi-Specialty
193400000X | Single Specialty

base-11 | Allopathic & Osteopathic Physicians
202C00000X | Independent Medical Examiner
202K00000X | Phlebology
204C00000X | Neuromusculoskeletal Medicine, Sports Medicine
204D00000X | Neuromusculoskeletal Medicine & OMM
204E00000X | Oral & Maxillofacial Surgery
204F00000X | Transplant Surgery
204R00000X | Electrodiagnostic Medicine
207K00000X | Allergy & Immunology
207KA0200X | Allergy
207KI0005X | Clinical & Laboratory Immunology
207L00000X | Anesthesiology
207LA0401X | Addiction Medicine
207LC0200X | Critical Care Medicine
207LH0002X | Hospice and Palliative Medicine
207LP2900X | Pain Medicine
207LP3000X | Pediatric Anesthesiology
207N00000X | Dermatology
207ND0101X | MOHS-Micrographic Surgery
207ND0900X | Dermatopathology
207NI0002X | Clinical & Laboratory Dermatological Immunology
207NP0225X | Pediatric Dermatology
207NS0135X | Procedural Dermatology
207P00000X | Emergency Medicine
207PE0004X | Emergency Medical Services
207PE0005X | Undersea and Hyperbaric Medicine
207PH0002X | Hospice and Palliative Medicine
207PP0204X | Pediatric Emergency Medicine
207PS0010X | Sports Medicine
207PT0002X | Medical Toxicology
207Q00000X | Family Medicine
207QA0000X | Adolescent Medicine
207QA0401X | Addiction Medicine
207QA0505X | Adult Medicine
207QB0002X | Obesity Medicine
207QG0300X | Geriatric Medicine
207QH0002X | Hospice and Palliative Medicine
207QS0010X | Sports Medicine
207QS1201X | Sleep Medicine
207R00000X | Internal Medicine
207RA0000X | Adolescent Medicine
207RA0001X | Advanced Heart Failure and Transplant Cardiology
207RA0201X | Allergy & Immunology
207RA0401X | Addiction Medicine
207RB0002X | Obesity Medicine
207RC0000X | Cardiovascular Disease
207RC0001X | Clinical Cardiac Electrophysiology
207RC0200X | Critical Care Medicine
207RE0101X | Endocrinology, Diabetes & Metabolism
207RG0100X | Gastroenterology
207RG0300X | Geriatric Medicine
207RH0000X | Hematology
207RH0002X | Hospice and Palliative Medicine
207RH0003X | Hematology & Oncology
207RH0005X | Hypertension Specialist
207RI0001X | Clinical & Laboratory Immunology
207RI0008X | Hepatology
207RI0011X | Interventional Cardiology
207RI0200X | Infectious Disease
207RM1200X | Magnetic Resonance Imaging (MRI)
207RN0300X | Nephrology
207RP1001X | Pulmonary Disease
207RR0500X | Rheumatology
207RS0010X | Sports Medicine
207RS0012X | Sleep Medicine
207RT0003X | Transplant Hepatology
207RX0202X | Medical Oncology
207SC0300X | Medical Genetics
207SG0201X | Clinical Genetics (M.D.)
207SG0202X | Clinical Biochemical Genetics
207SG0203X | Clinical Molecular Genetics
207SG0205X | Ph.D. Medical Genetics

207SM0001X | Molecular Genetic Pathology
207T00000X | Neurological Surgery
207U00000X | Nuclear Medicine
207UN0901X | Nuclear Cardiology
207UN0902X | Nuclear Imaging & Therapy
207UN0903X | In Vivo & In Vitro Nuclear Medicine
207V00000X | Obstetrics & Gynecology
207VB0002X | Obesity Medicine
207VC0200X | Critical Care Medicine
207VE0102X | Reproductive Endocrinology
207VF0040X | Female Pelvic Medicine and Reconstructive Surgery
207VG0400X | Gynecology
207VH0002X | Hospice and Palliative Medicine
207VM0101X | Maternal & Fetal Medicine
207VX0000X | Obstetrics
207VX0201X | Gynecologic Oncology
207W00000X | Ophthalmology
207WX0200X | Ophthalmic Plastic and Reconstructive Surgery
207X00000X | Orthopaedic Surgery
207XP3100X | Pediatric Orthopaedic Surgery
207XS0106X | Hand Surgery
207XS0114X | Adult Reconstructive Orthopaedic Surgery
207XS0117X | Orthopaedic Surgery of the Spine
207XX0004X | Foot and Ankle Surgery
207XX0005X | Sports Medicine
207XX0801X | Orthopaedic Trauma
207Y00000X | Otolaryngology
207YP0228X | Pediatric Otolaryngology
207YS0012X | Sleep Medicine
207YS0123X | Facial Plastic Surgery
207YX0007X | Plastic Surgery within the Head & Neck
207YX0602X | Otolaryngic Allergy
207YX0901X | Otology & Neurotology
207YX0905X | Otolaryngology/Facial Plastic Surgery
207ZB0001X | Pathology
207ZC0006X | Clinical Pathology
207ZC0008X | Clinical Informatics
207ZC0500X | Cytopathology
207ZD0900X | Dermatopathology
207ZF0201X | Forensic Pathology
207ZH0000X | Hematology
207ZI0100X | Immunopathology
207ZM0300X | Medical Microbiology
207ZN0500X | Neuropathology
207ZP0007X | Molecular Genetic Pathology
207ZP0101X | Anatomic Pathology
207ZP0102X | Anatomic Pathology & Clinical Pathology
207ZP0104X | Chemical Pathology
207ZP0105X | Clinical Pathology/Laboratory Medicine
207ZP0213X | Pediatric Pathology
208000000X | Pediatrics
2080A0000X | Adolescent Medicine
2080B0002X | Obesity Medicine
2080C0008X | Child Abuse Pediatrics
2080H0002X | Hospice and Palliative Medicine
2080I0007X | Clinical & Laboratory Immunology
2080N0001X | Neonatal-Perinatal Medicine
2080P0006X | Developmental Behavioral Pediatrics
2080P0008X | Neurodevelopmental Disabilities
2080P0201X | Pediatric Allergy/Immunology
2080P0202X | Pediatric Cardiology
2080P0203X | Pediatric Critical Care Medicine
2080P0204X | Pediatric Emergency Medicine
2080P0205X | Pediatric Endocrinology
2080P0206X | Pediatric Gastroenterology
2080P0207X | Pediatric Hematology-Oncology
2080P0208X | Pediatric Infectious Diseases
2080P0210X | Pediatric Nephrology
2080P0214X | Pediatric Pulmonology
2080P0216X | Pediatric Rheumatology
2080S0010X | Sports Medicine
2080S0012X | Sleep Medicine

2080T0002X | Medical Toxicology
2080T0004X | Pediatric Transplant Hepatology
208100000X | Physical Medicine & Rehabilitation
2081H0002X | Hospice and Palliative Medicine
2081N0008X | Neuromuscular Medicine
2081P0004X | Spinal Cord Injury Medicine
2081P0010X | Pediatric Rehabilitation Medicine
2081P0301X | Brain Injury Medicine
2081P2900X | Pain Medicine
2081S0010X | Sports Medicine
208200000X | Plastic Surgery
2082S0099X | Plastic Surgery Within the Head and Neck
2082S0105X | Surgery of the Hand
2083A0100X | Preventive Medicine
2083B0002X | Obesity Medicine
2083C0008X | Clinical Informatics
2083P0011X | Undersea and Hyperbaric Medicine
2083P0500X | Preventive Medicine/Occupational Environmental Medicine
2083P0901X | Public Health & General Preventive Medicine
2083S0010X | Sports Medicine
2083T0002X | Medical Toxicology
2083X0100X | Occupational Medicine
2084A0401X | Psychiatry & Neurology
2084A2900X | Neurocritical Care
2084B0002X | Obesity Medicine
2084B0040X | Behavioral Neurology & Neuropsychiatry
2084D0003X | Diagnostic Neuroimaging
2084F0202X | Forensic Psychiatry
2084H0002X | Hospice and Palliative Medicine
2084N0008X | Neuromuscular Medicine
2084N0400X | Neurology
2084N0402X | Neurology with Special Qualifications in Child Neurology
2084N0600X | Clinical Neurophysiology
2084P0005X | Neurodevelopmental Disabilities
2084P0015X | Psychosomatic Medicine
2084P0301X | Brain Injury Medicine
2084P0800X | Psychiatry
2084P0802X | Addiction Psychiatry
2084P0804X | Child & Adolescent Psychiatry
2084P0805X | Geriatric Psychiatry
2084P2900X | Pain Medicine
2084S0010X | Sports Medicine
2084S0012X | Sleep Medicine
2084V0102X | Vascular Neurology
2085B0100X | Radiology
2085D0003X | Diagnostic Neuroimaging
2085H0002X | Hospice and Palliative Medicine
2085N0700X | Neuroradiology
2085N0904X | Nuclear Radiology
2085P0229X | Pediatric Radiology
2085R0001X | Radiation Oncology
2085R0202X | Diagnostic Radiology
2085R0203X | Therapeutic Radiology
2085R0204X | Vascular & Interventional Radiology
2085R0205X | Radiological Physics
2085U0001X | Diagnostic Ultrasound
208600000X | Surgery
2086H0002X | Hospice and Palliative Medicine
2086S0102X | Surgical Critical Care
2086S0105X | Surgery of the Hand
2086S0120X | Pediatric Surgery
2086S0122X | Plastic and Reconstructive Surgery
2086S0127X | Trauma Surgery
2086S0129X | Vascular Surgery
2086X0206X | Surgical Oncology
208800000X | Urology
2088F0040X | Female Pelvic Medicine and Reconstructive Surgery
2088P0231X | Pediatric Urology
208C00000X | Colon & Rectal Surgery
208D00000X | General Practice
208G00000X | Thoracic Surgery (Cardiothoracic Vascular Surgery)
208M00000X | Hospitalist

208U00000X | Clinical Pharmacology
208VP0000X | Pain Medicine
208VP0014X | Interventional Pain Medicine
209800000X | Legal Medicine
base-12 | Podiatric Medicine & Surgery Service Providers
211D00000X | Assistant, Podiatric
213E00000X | Podiatrist
213EG0000X | General Practice
213EP0504X | Public Medicine
213EP1101X | Primary Podiatric Medicine
213ER0200X | Radiology
213ES0000X | Sports Medicine
213ES0103X | Foot & Ankle Surgery
213ES0131X | Foot Surgery
base-13 | Respiratory, Developmental, Rehabilitative and Restorative Service Providers
221700000X | Art Therapist
222Q00000X | Developmental Therapist
222Z00000X | Orthotist
224900000X | Mastectomy Fitter
224L00000X | Pedorthist
224P00000X | Prosthetist
224Y00000X | Clinical Exercise Physiologist
224Z00000X | Occupational Therapy Assistant
224ZE0001X | Environmental Modification
224ZF0002X | Feeding, Eating & Swallowing
224ZL0004X | Low Vision
224ZR0403X | Driving and Community Mobility
225000000X | Orthotic Fitter
225100000X | Physical Therapist
2251C2600X | Cardiopulmonary
2251E1200X | Ergonomics
2251E1300X | Electrophysiology, Clinical
2251G0304X | Geriatrics
2251H1200X | Hand
2251H1300X | Human Factors
2251N0400X | Neurology
2251P0200X | Pediatrics
2251S0007X | Sports
2251X0800X | Orthopedic
225200000X | Physical Therapy Assistant
225400000X | Rehabilitation Practitioner
225500000X | Specialist/Technologist
2255A2300X | Athletic Trainer
2255R0406X | Rehabilitation, Blind
225600000X | Dance Therapist
225700000X | Massage Therapist
225800000X | Recreation Therapist
225A00000X | Music Therapist
225B00000X | Pulmonary Function Technologist
225C00000X | Rehabilitation Counselor
225CA2400X | Assistive Technology Practitioner
225CA2500X | Assistive Technology Supplier
225CX0006X | Orientation and Mobility Training Provider
225X00000X | Occupational Therapist
225XE0001X | Environmental Modification
225XE1200X | Ergonomics
225XF0002X | Feeding, Eating & Swallowing
225XG0600X | Gerontology
225XH1200X | Hand
225XH1300X | Human Factors
225XL0004X | Low Vision
225XM0800X | Mental Health
225XN1300X | Neurorehabilitation
225XP0019X | Physical Rehabilitation
225XP0200X | Pediatrics
225XR0403X | Driving and Community Mobility
226000000X | Recreational Therapist Assistant
226300000X | Kinesiotherapist
227800000X | Respiratory Therapist, Certified
2278C0205X | Critical Care
2278E0002X | Emergency Care
2278E1000X | Educational

2278G0305X | Geriatric Care
2278G1100X | General Care
2278H0200X | Home Health
2278P1004X | Pulmonary Diagnostics
2278P1005X | Pulmonary Rehabilitation
2278P1006X | Pulmonary Function Technologist
2278P3800X | Palliative/Hospice
2278P3900X | Neonatal/Pediatrics
2278P4000X | Patient Transport
2278S1500X | SNF/Subacute Care
227900000X | Respiratory Therapist, Registered
2279C0205X | Critical Care
2279E0002X | Emergency Care
2279E1000X | Educational
2279G0305X | Geriatric Care
2279G1100X | General Care
2279H0200X | Home Health
2279P1004X | Pulmonary Diagnostics
2279P1005X | Pulmonary Rehabilitation
2279P1006X | Pulmonary Function Technologist
2279P3800X | Palliative/Hospice
2279P3900X | Neonatal/Pediatrics
2279P4000X | Patient Transport
2279S1500X | SNF/Subacute Care
229N00000X | Anaplastologist
base-14 | Speech, Language and Hearing Service Providers
231H00000X | Audiologist
231HA2400X | Assistive Technology Practitioner
231HA2500X | Assistive Technology Supplier
235500000X | Specialist/Technologist
2355A2700X | Audiology Assistant
2355S0801X | Speech-Language Assistant
235Z00000X | Speech-Language Pathologist
237600000X | Audiologist-Hearing Aid Fitter
237700000X | Hearing Instrument Specialist
base-15 | Technologists, Technicians & Other Technical Service Providers
242T00000X | Perfusionist
243U00000X | Radiology Practitioner Assistant
246Q00000X | Spec/Tech, Pathology
246QB0000X | Blood Banking
246QC1000X | Chemistry
246QC2700X | Cytotechnology
246QH0000X | Hematology
246QH0401X | Hemapheresis Practitioner
246QH0600X | Histology
246QI0000X | Immunology
246QL0900X | Laboratory Management
246QL0901X | Laboratory Management, Diplomate
246QM0706X | Medical Technologist
246QM0900X | Microbiology
246R00000X | Technician, Pathology
246RH0600X | Histology
246RM2200X | Medical Laboratory
246RP1900X | Phlebotomy
246W00000X | Technician, Cardiology
246X00000X | Spec/Tech, Cardiovascular
246XC2901X | Cardiovascular Invasive Specialist
246XC2903X | Vascular Specialist
246XS1301X | Sonography
246Y00000X | Spec/Tech, Health Info
246YC3301X | Coding Specialist, Hospital Based
246YC3302X | Coding Specialist, Physician Office Based
246YR1600X | Registered Record Administrator
246Z00000X | Specialist/Technologist, Other
246ZA2600X | Art, Medical
246ZB0301X | Biomedical Engineering
246ZB0302X | Biomedical Photographer
246ZB0500X | Biochemist
246ZB0600X | Biostatistician
246ZC0007X | Surgical Assistant
246ZE0500X | EEG
246ZE0600X | Electroneurodiagnostic

246ZG0701X | Graphics Methods
246ZG1000X | Geneticist, Medical (PhD)
246ZI1000X | Illustration, Medical
246ZN0300X | Nephrology
246ZS0410X | Surgical Technologist
246ZX2200X | Orthopedic Assistant
247000000X | Technician, Health Information
2470A2800X | Assistant Record Technician
247100000X | Radiologic Technologist
2471B0102X | Bone Densitometry
2471C1101X | Cardiovascular-Interventional Technology
2471C1106X | Cardiac-Interventional Technology
2471C3401X | Computed Tomography
2471C3402X | Radiography
2471M1202X | Magnetic Resonance Imaging
2471M2300X | Mammography
2471N0900X | Nuclear Medicine Technology
2471Q0001X | Quality Management
2471R0002X | Radiation Therapy
2471S1302X | Sonography
2471V0105X | Vascular Sonography
2471V0106X | Vascular-Interventional Technology
247200000X | Technician, Other
2472B0301X | Biomedical Engineering
2472D0500X | Darkroom
2472E0500X | EEG
2472R0900X | Renal Dialysis
2472V0600X | Veterinary
247ZC0005X | Pathology
base-16 | Agencies
251300000X | Local Education Agency (LEA)
251B00000X | Case Management
251C00000X | Day Training, Developmentally Disabled Services
251E00000X | Home Health
251F00000X | Home Infusion
251G00000X | Hospice Care, Community Based
251J00000X | Nursing Care
251K00000X | Public Health or Welfare
251S00000X | Community/Behavioral Health
251T00000X | PACE Provider Organization
251V00000X | Voluntary or Charitable
251X00000X | Supports Brokerage
252Y00000X | Early Intervention Provider Agency
253J00000X | Foster Care Agency
253Z00000X | In Home Supportive Care
base-17 | Ambulatory Health Care Facilities
261Q00000X | Clinic/Center
261QA0005X | Ambulatory Family Planning Facility
261QA0006X | Ambulatory Fertility Facility
261QA0600X | Adult Day Care
261QA0900X | Amputee
261QA1903X | Ambulatory Surgical
261QA3000X | Augmentative Communication
261QB0400X | Birthing
261QC0050X | Critical Access Hospital
261QC1500X | Community Health
261QC1800X | Corporate Health
261QD0000X | Dental
261QD1600X | Developmental Disabilities
261QE0002X | Emergency Care
261QE0700X | End-Stage Renal Disease (ESRD) Treatment
261QE0800X | Endoscopy
261QF0050X | Family Planning, Non-Surgical
261QF0400X | Federally Qualified Health Center (FQHC)
261QG0250X | Genetics
261QH0100X | Health Service
261QH0700X | Hearing and Speech
261QI0500X | Infusion Therapy
261QL0400X | Lithotripsy
261QM0801X | Mental Health (Including Community Mental Health Center)
261QM0850X | Adult Mental Health
261QM0855X | Adolescent and Children Mental Health

261QM1000X | Migrant Health
261QM1100X | Military/U.S. Coast Guard Outpatient
261QM1101X | Military and U.S. Coast Guard Ambulatory Procedure
261QM1102X | Military Outpatient Operational (Transportable) Component
261QM1103X | Military Ambulatory Procedure Visits Operational (Transportable)
261QM1200X | Magnetic Resonance Imaging (MRI)
261QM1300X | Multi-Specialty
261QM2500X | Medical Specialty
261QM2800X | Methadone Clinic
261QM3000X | Medically Fragile Intants and Children Day Care
261QP0904X | Public Health, Federal
261QP0905X | Public Health, State or Local
261QP1100X | Podiatric
261QP2000X | Physical Therapy
261QP2300X | Primary Care
261QP2400X | Prison Health
261QP3300X | Pain
261QR0200X | Radiology
261QR0206X | Radiology, Mammography
261QR0207X | Radiology, Mobile Mammography
261QR0208X | Radiology, Mobile
261QR0400X | Rehabilitation
261QR0401X | Rehabilitation, Comprehensive Outpatient Rehabilitation Facility (CORF)
261QR0404X | Rehabilitation, Cardiac Facilities
261QR0405X | Rehabilitation, Substance Use Disorder
261QR0800X | Recovery Care
261QR1100X | Research
261QR1300X | Rural Health
261QS0112X | Oral and Maxillofacial Surgery
261QS0132X | Ophthalmologic Surgery
261QS1000X | Student Health
261QS1200X | Sleep Disorder Diagnostic
261QU0200X | Urgent Care
261QV0200X | VA
261QX0100X | Occupational Medicine
261QX0200X | Oncology
261QX0203X | Oncology, Radiation
base-18 | Hospital Units
273100000X | Epilepsy Unit
273R00000X | Psychiatric Unit
273Y00000X | Rehabilitation Unit
275N00000X | Medicare Defined Swing Bed Unit
276400000X | Rehabilitation, Substance Use Disorder Unit
base-19 | Hospitals
281P00000X | Chronic Disease Hospital
281PC2000X | Children
282E00000X | Long Term Care Hospital
282J00000X | Religious Nonmedical Health Care Institution
282N00000X | General Acute Care Hospital
282NC0060X | Critical Access
282NC2000X | Children
282NR1301X | Rural
282NW0100X | Women
283Q00000X | Psychiatric Hospital
283X00000X | Rehabilitation Hospital
283XC2000X | Children
284300000X | Special Hospital
286500000X | Military Hospital
2865C1500X | Community Health
2865M2000X | Military General Acute Care Hospital
2865X1600X | Military General Acute Care Hospital. Operational (Transportable)
287300000X | Christian Science Sanitorium
base-20 | Laboratories
291900000X | Military Clinical Medical Laboratory
291U00000X | Clinical Medical Laboratory
292200000X | Dental Laboratory
293D00000X | Physiological Laboratory
base-21 | Managed Care Organizations
302F00000X | Exclusive Provider Organization
302R00000X | Health Maintenance Organization
305R00000X | Preferred Provider Organization
305S00000X | Point of Service

base-22 | Nursing & Custodial Care Facilities
310400000X | Assisted Living Facility
3104A0625X | Assisted Living, Mental Illness
3104A0630X | Assisted Living, Behavioral Disturbances
310500000X | Intermediate Care Facility, Mental Illness
311500000X | Alzheimer Center (Dementia Center)
311Z00000X | Custodial Care Facility
311ZA0620X | Adult Care Home
313M00000X | Nursing Facility/Intermediate Care Facility
314000000X | Skilled Nursing Facility
3140N1450X | Nursing Care, Pediatric
315D00000X | Hospice, Inpatient
315P00000X | Intermediate Care Facility, Mentally Retarded
317400000X | Christian Science Facility
base-23 | Residential Treatment Facilities
320600000X | Residential Treatment Facility, Mental Retardation and/or Developmental Disabilities
320700000X | Residential Treatment Facility, Physical Disabilities
320800000X | Community Based Residential Treatment Facility, Mental Illness
320900000X | Community Based Residential Treatment, Mental Retardation and/or Developmental Disabilities
322D00000X | Residential Treatment Facility, Emotionally Disturbed Children
323P00000X | Psychiatric Residential Treatment Facility
324500000X | Substance Abuse Rehabilitation Facility
3245S0500X | Substance Abuse Treatment, Children
base-24 | Suppliers
331L00000X | Blood Bank
332000000X | Military/U.S. Coast Guard Pharmacy
332100000X | Department of Veterans Affairs (VA) Pharmacy
332800000X | Indian Health Service/Tribal/Urban Indian Health (I/T/U) Pharmacy
332900000X | Non-Pharmacy Dispensing Site
332B00000X | Durable Medical Equipment & Medical Supplies
332BC3200X | Customized Equipment
332BD1200X | Dialysis Equipment & Supplies
332BN1400X | Nursing Facility Supplies
332BP3500X | Parenteral & Enteral Nutrition
332BX2000X | Oxygen Equipment & Supplies
332G00000X | Eye Bank
332H00000X | Eyewear Supplier (Equipment, not the service)
332S00000X | Hearing Aid Equipment
332U00000X | Home Delivered Meals
333300000X | Emergency Response System Companies
333600000X | Pharmacy
3336C0002X | Clinic Pharmacy
3336C0003X | Community/Retail Pharmacy
3336C0004X | Compounding Pharmacy
3336H0001X | Home Infusion Therapy Pharmacy
3336I0012X | Institutional Pharmacy
3336L0003X | Long Term Care Pharmacy
3336M0002X | Mail Order Pharmacy
3336M0003X | Managed Care Organization Pharmacy
3336N0007X | Nuclear Pharmacy
3336S0011X | Specialty Pharmacy
335E00000X | Prosthetic/Orthotic Supplier
335G00000X | Medical Foods Supplier
335U00000X | Organ Procurement Organization
335V00000X | Portable X-ray and/or Other Portable Diagnostic Imaging Supplier
base-25 | Transportation Services
341600000X | Ambulance
3416A0800X | Air Transport
3416L0300X | Land Transport
3416S0300X | Water Transport
341800000X | Military/U.S. Coast Guard Transport
3418M1110X | Military or U.S. Coast Guard Ambulance, Ground Transport
3418M1120X | Military or U.S. Coast Guard Ambulance, Air Transport
3418M1130X | Military or U.S. Coast Guard Ambulance, Water Transport
343800000X | Secured Medical Transport (VAN)
343900000X | Non-emergency Medical Transport (VAN)
344600000X | Taxi
344800000X | Air Carrier
347B00000X | Bus
347C00000X | Private Vehicle
347D00000X | Train
347E00000X | Transportation Broker

base-26 | Physician Assistants & Advanced Practice Nursing Providers
363A00000X | Physician Assistant
363AM0700X | Medical
363AS0400X | Surgical Technologist
363L00000X | Nurse Practitioner
363LA2100X | Acute Care
363LA2200X | Adult Health
363LC0200X | Critical Care Medicine
363LC1500X | Community Health
363LF0000X | Family
363LG0600X | Gerontology
363LN0000X | Neonatal
363LN0005X | Neonatal, Critical Care
363LP0200X | Pediatrics
363LP0222X | Pediatrics, Critical Care
363LP0808X | Psych/Mental Health
363LP1700X | Perinatal
363LP2300X | Primary Care
363LS0200X | School
363LW0102X | Women's Health
363LX0001X | Obstetrics & Gynecology
363LX0106X | Occupational Health
364S00000X | Clinical Nurse Specialist
364SA2100X | Acute Care
364SA2200X | Adult Health
364SC0200X | Critical Care Medicine
364SC1501X | Community Health/Public Health
364SC2300X | Chronic Care
364SE0003X | Emergency
364SE1400X | Ethics
364SF0001X | Family Health
364SG0600X | Gerontology
364SH0200X | Home Health
364SH1100X | Holistic
364SI0800X | Informatics
364SL0600X | Long-Term Care
364SM0705X | Medical-Surgical
364SN0000X | Neonatal
364SN0800X | Neuroscience
364SP0200X | Pediatrics
364SP0807X | Psych/Mental Health, Child & Adolescent
364SP0808X | Psych/Mental Health
364SP0809X | Psych/Mental Health, Adult
364SP0810X | Psych/Mental Health, Child & Family
364SP0811X | Psych/Mental Health, Chronically Ill
364SP0812X | Psych/Mental Health, Community
364SP0813X | Psych/Mental Health, Geropsychiatric
364SP1700X | Perinatal
364SP2800X | Perioperative
364SR0400X | Rehabilitation
364SS0200X | School
364ST0500X | Transplantation
364SW0102X | Women's Health
364SX0106X | Occupational Health
364SX0200X | Oncology
364SX0204X | Oncology, Pediatrics
367500000X | Nurse Anesthetist, Certified Registered
367A00000X | Advanced Practice Midwife
367H00000X | Anesthesiologist Assistant
base-27 | Nursing Service Related Providers
372500000X | Chore Provider
372600000X | Adult Companion
373H00000X | Day Training/Habilitation Specialist
374700000X | Technician
3747A0650X | Attendant Care Provider
3747P1801X | Personal Care Attendant
374J00000X | Doula
374K00000X | Religious Nonmedical Practitioner
374T00000X | Religious Nonmedical Nursing Personnel
374U00000X | Home Health Aide
376G00000X | Nursing Home Administrator
376J00000X | Homemaker

376K00000X | Nurse's Aide
base-28 | Respite Care Facility
385H00000X | Respite Care
385HR2050X | Respite Care Camp
385HR2055X | Respite Care, Mental Illness, Child
385HR2060X | Respite Care, Mental Retardation and/or Developmental Disabilities, Child
385HR2065X | Respite Care, Physical Disabilities, Child
base-29 | Student, Health Care
390200000X | Student in an Organized Health Care Education/Training Program
base-30 | Other Service Providers
405300000X | Prevention Professional

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.415 Value Set http://hl7.org/fhir/ValueSet/benefit-network

URL: https://hl7.org/fhir/R4/valueset-benefit-network.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/benefit-network
Version: | 4.0.1
Name: | NetworkTypeCodes
Title: | Network Type Codes
Definition: | This value set includes a smattering of Network type codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.608 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for NetworkTypeCodes
• Resource: CoverageEligibilityResponse.insurance.item.network (CodeableConcept / Example)
• Resource: ExplanationOfBenefit.benefitBalance.network (CodeableConcept / Example)

4.4.1.415.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/benefit-network

4.4.1.415.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/benefit-network version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/benefit-network

Code | Display | Definition
in | In Network | Services rendered by a Network provider
out | Out of Network | Services rendered by a provider who is not in the Network

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.416 Value Set http://hl7.org/fhir/ValueSet/enteral-route

URL: https://hl7.org/fhir/R4/valueset-enteral-route.html
Orders and Observations Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/enteral-route
Version: | 4.0.1
Name: | EnteralRouteCodes
Title: | Enteral Route Codes
Definition: | EnteralRouteOfAdministration: Codes specifying the route of administration of enteral formula. This value set is composed of HL7 V3 codes and is provided as a suggestive example.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.394 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: NutritionOrder.enteralFormula.routeofAdministration (CodeableConcept / Extensible)

4.4.1.416.1 Content Logical Definition

This value set includes codes from the following code systems:

http://terminology.hl7.org/CodeSystem/v3-RouteOfAdministration

Code | Display
PO | Swallow, oral | Swallow, oral
EFT | Instillation, enteral feeding tube | Instillation, enteral feeding tube
ENTINSTL | Instillation, enteral | Instillation, enteral
GT | Instillation, gastrostomy tube | Instillation, gastrostomy tube
NGT | Instillation, nasogastric tube | Instillation, nasogastric tube
OGT | Instillation, orogastric tube | Instillation, orogastric tube
GJT | Instillation, gastro-jejunostomy tube | Instillation, gastro-jejunostomy tube
JJTINSTL | Instillation, jejunostomy tube | Instillation, jejunostomy tube
OJJ | Instillation, orojejunum tube | Instillation, orojejunum tube

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.417 Value Set http://hl7.org/fhir/ValueSet/device-statement-status

URL: https://hl7.org/fhir/R4/valueset-device-statement-status.html
Orders and Observations Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/device-statement-status
Version: | 4.0.1
Name: | DeviceUseStatementStatus
Title: | DeviceUseStatementStatus
Definition: | A coded concept indicating the current status of the Device Usage.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.214 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for DeviceUseStatementStatus

• ConceptMap: Translation source in Canonical Mapping for "DeviceUseStatementStatus"
• Resource: DeviceUseStatement.status (code / Required)

4.4.1.417.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/device-statement-status

4.4.1.417.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/device-statement-status version 4.0.1

All codes from system http://hl7.org/fhir/device-statement-status

Code | Display | Definition | Canonical Status
active | Active | The device is still being used. | ~active
completed | Completed | The device is no longer being used. | ~complete
entered-in-error | Entered in Error | The statement was recorded incorrectly. | ~error
intended | Intended | The device may be used at some time in the future. | ~planned
stopped | Stopped | Actions implied by the statement have been permanently halted, before all of them occurred. | ~failed
on-hold | On Hold | Actions implied by the statement have been temporarily halted, but are expected to continue later. May also be called "suspended". | ~suspended

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.418 Value Set http://hl7.org/fhir/ValueSet/contract-signer-type

URL: https://hl7.org/fhir/R4/valueset-contract-signer-type.html
Financial Management Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contract-signer-type
Version: | 4.0.1
Name: | ContractSignerTypeCodes
Title: | Contract Signer Type Codes
Definition: | This value set includes sample Contract Signer Type codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.737 (for OID based terminology systems)
Copyright: | This is an example set based on ASTM Standard, E1762-95 (2013) HL7 RoleClass OID 2.16.840.1.113883.5.110, HL7 Role Code 2.16.840.1.113883.5.111, HL7 ParticipationType OID: 2.16.840.1.113883.5.90, HL7 ParticipationFunction codes at OID: 2.16.840.1.113883.5.88, and HL7 Security and Privacy Domain Analysis Model roles classes.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ContractSignerTypeCodes
• Resource: Contract.signer.type (Coding / Preferred)

4.4.1.418.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/contractsignertypecodes

4.4.1.418.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 48 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/contractsignertypecodes version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/contractsignertypecodes

Code | Display | Definition

AMENDER | Amender | A person who has corrected, edited, or amended pre-existing information.

AUTHN | Authenticator | A person in the role of verifier who attests to the accuracy of an act, but who does not have privileges to legally authenticate information content. An example would be a resident physician who sees a patient and dictates a note, then later signs it. The resident's signature constitutes an authentication.

AUT | Author | An entity that authored specific content. There can be multiple authors of content, which may take such forms as a contract, a healthcare record entry or document, a policy, or a consent directive.

AFFL | Affiliate | An entity that has a business or professional relationship with another entity in accordance with an agreement.

AGNT | Agent | An entity that acts or is authorized to act on behalf of another entity in accordance with an agreement.

ASSIGNED | Assigned Entity | An agent role in which the agent is an Entity acting in the employ of an organization. The focus is on functional role on behalf of the organization, unlike the Employee role where the focus is on the 'Human Resources' relationship between the employee and the organization.

CIT | Citizen | The member of a jurisdiction afforded certain rights and encumbered with certain obligation in accordance with jurisdictional policy.

CLAIMANT | Claimant | A party that makes a claim for coverage under a policy.

COAUTH | Co-Author | The entity that co-authored content. There can be multiple co-authors of content, which may take such forms as a contract, a healthcare record entry or document, a policy, or a consent directive.

CONSENTER | Consenter | A patient or patient representative who is the grantee in a healthcare related agreement such as a consent for healthcare services, advanced directive, or a privacy consent directive in accordance with jurisdictional, organizational, or patient policy.

CONSWIT | Consent Witness | A person who has witnessed and attests to observing a patient being counseled about a healthcare related agreement such as a consent for healthcare services, advanced directive, or a privacy consent directive.

CONT | Contact | A person or an organization that provides or receives information regarding another entity. Examples; patient NOK and emergency contacts; guarantor contact; employer contact.

COPART | Co-Participant | A person who participates in the generation of and attest to veracity of content but is not an author or co-author. For example, a surgeon who is required by institutional, regulatory, or legal rules to sign an operative report, but who was not involved in the authorship of that report.

COVPTY | Covered Party | An entity, which is the insured, that receives benefits such as healthcare services, reimbursement for out-of-pocket expenses, or compensation for losses through coverage under the terms of an insurance policy. The underwriter of that policy is the scoping entity. The covered party receives coverage because of some contractual or other relationship with the holder of that policy. Note that a particular policy may cover several individuals one of whom may be, but need not be, the policy holder. Thus the notion of covered party is a role that is distinct from that of the policy holder.

DELEGATEE | Delegatee | A party to whom some right or authority is delegated by a delegator.

delegator | Delegator | A party that delegates a right or authority to another party.

DEPEND | Dependent | A person covered under an insurance policy or program based on an association with a subscriber, which is recognized by the policy holder. The dependent has an association with the subscriber such as a financial dependency or personal relationship such as that of a spouse, or a natural or adopted child. The policy holder may be required by law to recognize certain associations or may have discretion about the associations. For example, a policy holder may dictate the criteria for the dependent status of adult children who are students, such as requiring full time enrollment, or may recognize domestic partners as dependents. Under certain circumstances, the dependent may be under the indirect authority of a responsible party acting as a surrogate for the subscriber, for example, if the subscriber is differently-abled or deceased, a guardian ad lidem or estate executor may be appointed to assume the subscriber's legal standing in the relationship with the dependent.

DPOWATT | Durable Power of Attorney | A person who has been granted the authority to represent or act on another's behalf generally in a manner which is a legally binding upon the person giving such authority as if he or she personally were to do the acts. Unlike ordinary powers of attorney, durable powers can survive for long periods of time, and again, unlike standard powers of attorney, durable powers can continue after incompetency.

EMGCON | Emergency Contact | An entity to be contacted in the event of an emergency

EVTWIT | Event Witness | A person who attests to observing an occurrence. For example, the witness has observed a procedure and is attesting to this fact.

EXCEST | Executor of Estate | A person who has been granted the authority to act as an estate executor for a deceased person who was the responsible party.

GRANTEE | Grantee | A person who grants to another person the authority to represent or act on that person's behalf. Examples include (1) exercising specific rights belonging to the grantee; (2) performing specific duties on behalf of a grantee; and (3) making specific decisions concerning a grantee.

GRANTOR | Grantor | A person who has been granted the authority to represent or act on another's behalf. Examples include (1) exercising specific rights belonging to the grantee; (2) performing specific duties on behalf of a grantee; and (3) making specific decisions concerning a grantee.

GUAR | Guarantor | A person or organization contractually recognized by the issuer as an entity that has assumed fiscal responsibility (e.g., by making or giving a promise, assurance, or pledge) for another entity's financial obligations by guaranteeing to pay for amounts owed to a particular account. In a healthcare context, the account may be a patient's billing account for services rendered by a provider or a health plan premium account.

GUARD | Guardian | A person or organization legally empowered with responsibility for the care of a ward.

GUADLTM | Guardian ad lidem | A person appointed by the court to look out for the best interests of a minor child during the course of legal proceedings.

INF | Informant | An entity that is the source of reported information (e.g., a next of kin who answers questions about the patient's history). For history questions, the patient is logically an informant, yet the informant of history questions is implicitly the subject.

INTPRT | Interpreter | A person who converts spoken or written language into the language of key participants in an event such as when a provider is obtaining a patient's consent to treatment or permission to disclose information.

INSBJ | Investigation Subject | An entity that is the subject of an investigation. This role is scoped by the party responsible for the investigation.

HPOWATT | Healthcare Power of Attorney | A person who has been granted the authority to represent or act on another's behalf for healthcare related matters in a manner which is a legally binding upon the person giving such authority as if he or she personally were to do the acts. Examples include (1) exercising specific healthcare legal rights belonging to the grantee such as signing a consent directive; (2) performing specific healthcare related legal duties on behalf of a grantee such as claims payment; and (3) making specific healthcare legal decisions concerning a grantee such as consenting to healthcare services.

HPROV | Healthcare Provider | An entity that is authorized to provide health care services by an authorizing organization or jurisdiction.
LEGAUTHN | Legal Authenticator | A person in the role of verifier who attests to the accuracy of information content, and who has privileges to certify the legal authenticity of that content with a signature that constitutes a legal authentication. For example, a licensed physician who signs a consult authored by a resident physician who authenticated it.
NMDINS | Named Insured | A party to an insurance policy under which the insurer agrees to indemnify for losses, provides benefits for, or renders services. A named insured may be either a person, non-person living subject, or an organization, or a group of persons, non-person living subject that is the named insured under a comprehensive automobile, disability, or property and casualty policy. The named insured and might or might not be the policy holder.
NOK | Next of Kin | A person, who is a type of contact, designated to receive notifications on behalf of another person who is a relative.
NOTARY | Notary | The party credentialed to legally attest to the contract binding by verifying the identity and capacity of the grantor and grantee, and witnessing their signing of the contract or agreement such as a real estate transaction, pre-nuptial agreement, or a will.
PAT | Patient | A person, animal, or other living subject that is the actual or potential recipient of health care services.
POWATT | Power of Attorney | A person who has been granted the authority to represent or act on another's behalf generally in a manner which is a legally binding upon the person giving such authority as if he or she personally were to do the acts. Examples include (1) exercising specific legal rights belonging to the grantee such as signing a contract; (2) performing specific legal duties on behalf of a grantee such as making loan payments; and (3) making specific legal decisions concerning a grantee such as financial investment decisions.
PRIMAUTH | Primary Author | An entity that is the primary or sole author of information content. In the healthcare context, there can be only one primary author of health information content in a record entry or document.
PRIRECIP | Primary Responsible Party | An entity that may, should receive, or has received information or an object to which it was primarily addressed.
RECIP | Recipient | An entity that may, should receive, or has received information or an object, which might not have been primarily addressed to it. For example, the staff of a provider, a clearinghouse, or other intermediary.
RESPRSN | Responsible Party | An entity that has legal responsibility for another party.
REVIEWER | Reviewer | A person, device, or algorithm that has used approved criteria for filtered data for inclusion into the patient record. Examples: (1) a medical records clerk who scans a document for inclusion in the medical record, enters header information, or catalogues and classifies the data, or a combination thereof; (2) a gateway that receives data from another computer system and interprets that data or changes its format, or both, before entering it into the patient record.
TRANS | Transcriber | An entity entering the data into the originating system. This includes the transcriptionist for dictated text transcribed into electronic form.
SOURCE | Source | An automated data source that generates a signature along with content. Examples: (1) the signature for an image that is generated by a device for inclusion in the patient record; (2) the signature for an ECG derived by an ECG system for inclusion in the patient record; (3) the data from a biomedical monitoring device or system that is for inclusion in the patient record.
SPOWATT | Special Power of Attorney | A person who has been granted the authority to represent or act on another's behalf for a limited set of specific matters in a manner which is a legally binding upon the person giving such authority as if he or she personally were to do the acts. Examples include (1) exercising specific legal rights belonging to the grantee such as drafting a will; (2) performing specific legal duties on behalf of a grantee such as making a reversible mortgage to pay for end of life expenses; and (3) making specific legal decisions concerning a grantee such as managing a trust.
VALID | Validator | A person who validates a health information document for inclusion in the patient record. For example, a medical student or resident is credentialed to perform history or physical examinations and to write progress notes. The attending physician signs the history and physical examination to validate the entry for inclusion in the patient's medical record.
VERF | Verifier | A person who asserts the correctness and appropriateness of an act or the recording of the act, and is accountable for the assertion that the act or the recording of the act complies with jurisdictional or organizational policy. For example, a physician is required to countersign a verbal order that has previously been recorded in the medical record by a registered nurse who has carried out the verbal order.
WIT | Witness | A person witnessing the signature of another party. A witness is not knowledgeable about the content being signed, much less approves of anything stated in the content. For example, an advanced directive witness or a witness that a party to a contract signed that certain demographic or financial information is truthful.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.419 Value Set http://hl7.org/fhir/ValueSet/condition-predecessor

URL: https://hl7.org/fhir/R4/valueset-condition-predecessor.html
Patient Care Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/condition-predecessor
Version: | 4.0.1

Name: | ConditionPredecessorCodes
Title: | Condition Predecessor Codes
Definition: | Example value set for condition predecessor codes.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.966 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Extension: http://hl7.org/fhir/StructureDefinition/condition-occurredFollowing: occurredFollowing (CodeableConcept, Reference / Example)

4.4.1.419.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://snomed.info/sct

4.4.1.419.2 Expansion

This expansion generated 01 Nov 2019

This value set cannot be expanded because of the way it is defined - it has an infinite number of members

Code | System | Display

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.420 Value Set http://hl7.org/fhir/ValueSet/repository-type

URL: https://hl7.org/fhir/R4/valueset-repository-type.html
Clinical Genomics Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/repository-type
Version: | 4.0.1
Name: | repositoryType
Title: | repositoryType
Definition: | Type for access of external URI.
Committee: | Clinical Genomics Work Group
OID: | 2.16.840.1.113883.4.642.3.230 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for repositoryType

• Resource: MolecularSequence.repository.type (code / Required)

4.4.1.420.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/repository-type

4.4.1.420.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/repository-type version 4.0.1

All codes from system http://hl7.org/fhir/repository-type

Code | Display | Definition
directlink | Click and see | When URL is clicked, the resource can be seen directly (by webpage or by download link format).
openapi | The URL is the RESTful or other kind of API that can access to the result. | When the API method (e.g. [base_url]/[parameter]) related with the URL of the website is executed, the resource can be seen directly (usually in JSON or XML format).
login | Result cannot be access unless an account is logged in | When logged into the website, the resource can be seen.
oauth | Result need to be fetched with API and need LOGIN(or cookies are required when visiting the link of resource) | When logged in and follow the API in the website related with URL, the resource can be seen.
other | Some other complicated or particular way to get resource from URL. | Some other complicated or particular way to get resource from URL.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.421 Value Set http://hl7.org/fhir/ValueSet/medication-status

URL: https://hl7.org/fhir/R4/valueset-medication-status.html
Pharmacy Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medication-status
Version: | 4.0.1
Name: | Medication Status Codes
Title: | Medication status codes
Definition: | Medication Status Codes
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.376 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for Medication Status Codes
• ConceptMap: Translation source in Canonical Mapping for "Medication status codes"
• Resource: Medication.status (code / Required)

4.4.1.421.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/CodeSystem/medication-status

4.4.1.421.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/CodeSystem/medication-status version 4.0.1

All codes from system http://hl7.org/fhir/CodeSystem/medication-status

Code | Display | Definition | Canonical Status
active | Active | The medication is available for use. | ~active
inactive | Inactive | The medication is not available for use. | ~inactive
entered-in-error | Entered in Error | The medication was entered in error. | ~error

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.422 Value Set http://hl7.org/fhir/ValueSet/contract-term-type

URL: https://hl7.org/fhir/R4/valueset-contract-term-type.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contract-term-type
Version: | 4.0.1
Name: | ContractTermTypeCodes
Title: | Contract Term Type Codes
Definition: | This value set includes sample Contract Term Type codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.733 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ContractTermTypeCodes
• Resource: Contract.term.type (CodeableConcept / Example)
• Resource: Contract.term.offer.type (CodeableConcept / Example)

4.4.1.422.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/contracttermtypecodes

4.4.1.422.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/contracttermtypecodes version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/contracttermtypecodes

Code | Display | Definition
statutory | Statutory | Based on specialized statutes that deal with particular subjects.
subject-to | Subject To | Execution of the term in the contract is conditional on the execution of other actions.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.423 Value Set http://hl7.org/fhir/ValueSet/common-tags

URL: https://hl7.org/fhir/R4/valueset-common-tags.html
FHIR Infrastructure Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/common-tags
Version: | 4.0.1
Name: | CommonTags
Title: | Common Tags
Definition: | Common Tag Codes defined by FHIR project
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.79 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for CommonTags
• Resource: Meta.tag (Coding / Example)

4.4.1.423.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/common-tags

4.4.1.423.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 1 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/common-tags version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/common-tags

Code | Display | Definition
actionable | Actionable | This request is intended to be acted upon, not merely stored

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.424 Value Set http://hl7.org/fhir/ValueSet/constraint-severity

URL: https://hl7.org/fhir/R4/valueset-constraint-severity.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/constraint-severity
Version: | 4.0.1
Name: | ConstraintSeverity
Title: | ConstraintSeverity
Definition: | SHALL applications comply with this constraint?
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.81 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ConstraintSeverity
• Resource: ElementDefinition.constraint.severity (code / Required)

4.4.1.424.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/constraint-severity

4.4.1.424.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/constraint-severity version 4.0.1

All codes from system http://hl7.org/fhir/constraint-severity

Code | Display | Definition
error | Error | If the constraint is violated, the resource is not conformant.
warning | Warning | If the constraint is violated, the resource is conformant, but it is not necessarily following best practice.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.425 Value Set http://hl7.org/fhir/ValueSet/supplydelivery-status

URL: https://hl7.org/fhir/R4/valueset-supplydelivery-status.html
Orders and Observations Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/supplydelivery-status
Version: | 4.0.1
Name: | SupplyDeliveryStatus
Title: | SupplyDeliveryStatus
Definition: | Status of the supply delivery.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.700 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for SupplyDeliveryStatus
• ConceptMap: Translation source in Canonical Mapping for "SupplyDeliveryStatus"
• Resource: SupplyDelivery.status (code / Required)

4.4.1.425.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/supplydelivery-status

4.4.1.425.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/supplydelivery-status version 4.0.1

All codes from system http://hl7.org/fhir/supplydelivery-status

Code | Display | Definition | Canonical Status
in-progress | In Progress | Supply has been requested, but not delivered. | ~active
completed | Delivered | Supply has been delivered ("completed"). | ~complete
abandoned | Abandoned | Delivery was not completed. | ~abandoned
entered-in-error | Entered In Error | This electronic record should never have existed, though it is possible that real-world decisions were based on it. (If real-world activity has occurred, the status should be "abandoned" rather than "entered-in-error".). | ~error

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.426 Value Set http://hl7.org/fhir/ValueSet/immunization-evaluation-target-disease

URL: https://hl7.org/fhir/R4/valueset-immunization-evaluation-target-disease.html
Public Health and Emergency Response Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/immunization-evaluation-target-disease

Version: | 4.0.1
Name: | ImmunizationEvaluationTargetDiseaseCodes
Title: | Immunization Evaluation Target Disease Codes
Definition: | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the disease that the evaluation is against. This value set is provided as a suggestive example and includes the SNOMED CT concepts from the 64572001 (Disease) hierarchy.
Committee: | Public Health and Emergency Response Work Group
OID: | 2.16.840.1.113883.4.642.3.300 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: ImmunizationEvaluation.targetDisease (CodeableConcept / Example)

4.4.1.426.1 Content Logical Definition

This value set includes codes from the following code systems:

http://snomed.info/sct

Code | Display
1857005 | Gestational rubella syndrome
397430003 | Diphtheria due to Corynebacterium diphtheriae
14189004 | Measles
36989005 | Mumps
36653000 | Rubella
76902006 | Tetanus
709410003 | Haemophilus influenzae type b infection
27836007 | Pertussis
398102009 | Acute poliomyelitis

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.427 Value Set http://hl7.org/fhir/ValueSet/location-physical-type

URL: https://hl7.org/fhir/R4/valueset-location-physical-type.html
Patient Administration Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/location-physical-type
Version: | 4.0.1
Name: | LocationType
Title: | Location type
Definition: | This example value set defines a set of codes that can be used to indicate the physical form of the Location.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.328 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for LocationType
• Resource: Encounter.location.physicalType (CodeableConcept / Example)
• Resource: Location.physicalType (CodeableConcept / Example)

4.4.1.427.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/location-physical-type

4.4.1.427.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 14 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/location-physical-type version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/location-physical-type

Code | Display | Definition
si | Site | A collection of buildings or other locations such as a site or a campus.
bu | Building | Any Building or structure. This may contain rooms, corridors, wings, etc. It might not have walls, or a roof, but is considered a defined/allocated space.
wi | Wing | A Wing within a Building, this often contains levels, rooms and corridors.
wa | Ward | A Ward is a section of a medical facility that may contain rooms and other types of location.
lvl | Level | A Level in a multi-level Building/Structure.
co | Corridor | Any corridor within a Building, that may connect rooms.
ro | Room | A space that is allocated as a room, it may have walls/roof etc., but does not require these.
bd | Bed | A space that is allocated for sleeping/laying on. This is not the physical bed/trolley that may be moved about, but the space it may occupy.
ve | Vehicle | A means of transportation.
ho | House | A residential dwelling. Usually used to reference a location that a person/patient may reside.
ca | Cabinet | A container that can store goods, equipment, medications or other items.
rd | Road | A defined path to travel between 2 points that has a known name.
area | Area | A defined physical boundary of something, such as a flood risk zone, region, postcode
jdn | Jurisdiction | A wide scope that covers a conceptual domain, such as a Nation (Country wide community or Federal Government - e.g. Ministry of Health), Province or State (community or Government), Business (throughout the enterprise), Nation with a business scope of an agency (e.g. CDC, FDA etc.) or a Business segment (UK Pharmacy), not just an physical boundary

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.428 Value Set http://hl7.org/fhir/ValueSet/activity-definition-category

URL: https://hl7.org/fhir/R4/valueset-activity-definition-category.html
Clinical Decision Support Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/activity-definition-category
Version: | 4.0.1
Name: | ActivityDefinitionCategory
Title: | ActivityDefinitionCategory
Definition: | High-level categorization of the type of activity.
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.792 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ActivityDefinitionCategory

4.4.1.428.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/activity-definition-category

4.4.1.428.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/activity-definition-category version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/activity-definition-category

Code | Display | Definition

treatment | Treatment | The activity is intended to provide or is related to treatment of the patient.
education | Education | The activity is intended to provide or is related to education of the patient.
assessment | Assessment | The activity is intended to perform or is related to assessment of the patient.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.429 Value Set http://hl7.org/fhir/ValueSet/account-type

URL: https://hl7.org/fhir/R4/valueset-account-type.html
Patient Administration Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/account-type
Version: | 4.0.1
Name: | AccountTypes
Title: | Account Types
Definition: | This examples value set defines the set of codes that can be used to represent the type of an account.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.728 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Account.type (CodeableConcept / Example)

4.4.1.429.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://terminology.hl7.org/CodeSystem/v3-ActCode where concept is-a _ActAccountCode

4.4.1.429.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 9 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v3-ActCode version 2018-08-12

All codes from system http://terminology.hl7.org/CodeSystem/v3-ActCode

Lvl | Code | Display | Definition
0 | _ActAccountCode | ActAccountCode | An account represents a grouping of financial transactions that are tracked and reported together with a single balance. Examples of account codes (types) are Patient billing accounts (collection of charges), Cost centers; Cash.
1 | ACCTRECEIVABLE | account receivable | An account for collecting charges, reversals, adjustments and payments, including deductibles, copayments, coinsurance (financial transactions) credited or debited to the account receivable account for a patient's encounter.
1 | CASH | Cash | Cash
1 | CC | credit card | Description: Types of advance payment to be made on a plastic card usually issued by a financial institution used of purchasing services and/or products.
2 | AE | American Express | American Express
2 | DN | Diner's Club | Diner's Club
2 | DV | Discover Card | Discover Card
2 | MC | Master Card | Master Card
2 | V | Visa | Visa
1 | PBILLACCT | patient billing account | An account representing charges and credits (financial transactions) for a patient's encounter.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.430 Value Set http://hl7.org/fhir/ValueSet/allergyintolerance-verification

URL: https://hl7.org/fhir/R4/valueset-allergyintolerance-verification.html
Patient Care Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/allergyintolerance-verification
Version: | 4.0.1
Name: | AllergyIntoleranceVerificationStatusCodes
Title: | AllergyIntolerance Verification Status Codes
Definition: | Preferred value set for AllergyIntolerance Verification Status.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.1370 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for AllergyIntoleranceVerificationStatusCodes

• ConceptMap: Translation source in Canonical Mapping for "AllergyIntolerance Verification Status Codes"

• Resource: AllergyIntolerance.verificationStatus (CodeableConcept / Required)

4.4.1.430.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/allergyintolerance-verification

4.4.1.430.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/allergyintolerance-verification version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/allergyintolerance-verification

Code | Display | Definition | Canonical Status
unconfirmed | Unconfirmed | A low level of certainty about the propensity for a reaction to the identified substance. | ~unconfirmed
confirmed | Confirmed | A high level of certainty about the propensity for a reaction to the identified substance, which may include clinical evidence by testing or rechallenge. | ~confirmed
refuted | Refuted | A propensity for a reaction to the identified substance has been disputed or disproven with a sufficient level of clinical certainty to justify invalidating the assertion. This might or might not include testing or rechallenge. | ~refuted
entered-in-error | Entered in Error | The statement was entered in error and is not valid. | ~error

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.431 Value Set http://hl7.org/fhir/ValueSet/action-grouping-behavior

URL: https://hl7.org/fhir/R4/valueset-action-grouping-behavior.html
Clinical Decision Support Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/action-grouping-behavior

Version: | 4.0.1
Name: | ActionGroupingBehavior
Title: | ActionGroupingBehavior
Definition: | Defines organization behavior of a group.
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.799 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ActionGroupingBehavior
• Resource: RequestGroup.action.groupingBehavior (code / Required)
• Resource: PlanDefinition.action.groupingBehavior (code / Required)

4.4.1.431.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/action-grouping-behavior

4.4.1.431.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/action-grouping-behavior version 4.0.1

All codes from system http://hl7.org/fhir/action-grouping-behavior

Code | Display | Definition
visual-group | Visual Group | Any group marked with this behavior should be displayed as a visual group to the end user.
logical-group | Logical Group | A group with this behavior logically groups its sub-elements, and may be shown as a visual group to the end user, but it is not required to do so.
sentence-group | Sentence Group | A group of related alternative actions is a sentence group if the target referenced by the action is the same in all the actions and each action simply constitutes a different variation on how to specify the details for the target. For example, two actions that could be in a SentenceGroup are "aspirin, 500 mg, 2 times per day" and "aspirin, 300 mg, 3 times per day". In both cases, aspirin is the target referenced by the action, and the two actions represent different options for how aspirin might be ordered for the patient. Note that a SentenceGroup would almost always have an associated selection behavior of "AtMostOne", unless it's a required action, in which case, it would be "ExactlyOne".

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.432 Value Set http://hl7.org/fhir/ValueSet/composition-status

URL: https://hl7.org/fhir/R4/valueset-composition-status.html
Structured Documents Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/composition-status
Version: | 4.0.1
Name: | CompositionStatus
Title: | CompositionStatus
Definition: | The workflow/clinical status of the composition.
Committee: | Structured Documents Work Group
OID: | 2.16.840.1.113883.4.642.3.241 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for CompositionStatus
• ConceptMap: Translation source in Canonical Mapping for "CompositionStatus"
• ConceptMap: Translation source in v3 map for CompositionStatus
• Resource: DocumentReference.docStatus (code / Required)

• Resource: Composition.status (code / Required)

4.4.1.432.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/composition-status

4.4.1.432.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/composition-status version 4.0.1

All codes from system http://hl7.org/fhir/composition-status

Code | Display | Definition | Canonical Status
preliminary | Preliminary | This is a preliminary composition or document (also known as initial or interim). The content may be incomplete or unverified. | ~draft
final | Final | This version of the composition is complete and verified by an appropriate person and no further work is planned. Any subsequent updates would be on a new version of the composition. | ~complete
amended | Amended | The composition content or the referenced resources have been modified (edited or added to) subsequent to being released as "final" and the composition is complete and verified by an authorized person. | ~replaced
entered-in-error | Entered in Error | The composition or document was originally created/issued in error, and this is an amendment that marks that the entire series should not be considered as valid. | ~error

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.433 Value Set http://hl7.org/fhir/ValueSet/device-action

URL: https://hl7.org/fhir/R4/valueset-device-action.html
Patient Care Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined at http://www.hl7.org/Special/committees/patientcare/ .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/device-action
Version: | 4.0.1
Name: | ProcedureDeviceActionCodes
Title: | Procedure Device Action Codes
Definition: | Example codes indicating the change that happened to the device during the procedure. Note that these are in no way complete and might not even be appropriate for some uses.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.425 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Procedure.focalDevice.action (CodeableConcept / Preferred)

4.4.1.433.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://snomed.info/sct where concept is-a 129264002 (Action)

4.4.1.433.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 444 concepts

All codes from system http://snomed.info/sct

Code | Display | Definition
129265001 | Patient evaluation - action

129266000 | Measurement - action
129267009 | Administrative action
129268004 | Observation - action
129269007 | Assisting - action
129271007 | Management - action
129272000 | Stimulation - action
129273005 | Admission - action
129274004 | Discharge - action
129275003 | Administrative transfer - action
129276002 | Referral - action
129277006 | Administrative disposition - action
129278001 | Audit - action
129279009 | Medicolegal action
129280007 | Medicolegal testimony - action
129283009 | Training - action
129284003 | Surgical action values
129286001 | Microsurgery - action
129287005 | Incision - action
129288000 | Exploratory incision - action
129289008 | Drainage - action
129291000 | Drilling - action
129292007 | Evacuation - action
129293002 | Dissection - action
129294008 | Discission - action
129295009 | Slitting - action
129296005 | Bisection - action
129297001 | Bifurcation - action
129298006 | Surgical division
129299003 | Release - action
129300006 | Puncture - action
129301005 | Scarification - action
129303008 | Removal - action
129304002 | Excision - action
129305001 | Wedge excision - action
129306000 | Surgical removal - action
129307009 | Expulsion - action
129308004 | Reexcision - action
129309007 | Amputation - action
129310002 | Transfixion - action
129311003 | Evisceration - action
129312005 | Enucleation - action
129313000 | Trephine - action
129314006 | BX - Biopsy
129315007 | Incision biopsy
129316008 | Aspiration - action
129317004 | Debridement - action
129318009 | Saucerization - action
129319001 | Curettage - action
129321006 | Trimming - action
129322004 | Shaving - action
129323009 | Scraping - action
129324003 | Filleting - action
129325002 | Introduction - action
129326001 | Injection
129327005 | Tattooing - action
129328000 | Inflation - action
129330003 | Infusion - action
129331004 | Perfusion - action
129332006 | Irrigation - action
129333001 | Insufflation - action
129334007 | Instillation - action
129335008 | Embolization - action
129337000 | Replantation
129339002 | Intubation - action
129340000 | Sounding - action
129344009 | Surgical recession - action
129345005 | Resection-recession - action
129346006 | Radial incision - action
129347002 | Transfer - action
129348007 | Z-plasty - action
129349004 | Lengthening procedure
129350004 | Shortening

129351000 | Augmentation
129352007 | Advancement
129353002 | Suspension and fixation - action
129354008 | Exteriorization - action
129355009 | Marsupialization - action
129356005 | Reinforcement - action
129357001 | Closure - action
129358006 | Layered closure - action
129360008 | Oversewing - action
129366002 | Closure by buckling - action
129368001 | Cerclage - action
129369009 | Ligation - action
129371009 | Fixation - action
129372002 | Cryopexy - action
129373007 | Plication - action
129374001 | Imbrication - action
129376004 | Creation
129377008 | Reconstruction - action
129378003 | Stabilization - action
129379006 | Fusion - action
129380009 | Anchoring - action
129381008 | Enlargement - action
129382001 | Destruction - action
129383006 | Avulsion - action
129384000 | Decortication - action
129385004 | Stripping - action
129386003 | Stripping and ligation - action
129387007 | Abrasion - action
129388002 | Salabrasion - action
129389005 | Grinding - action
129390001 | Coagulation - action
129391002 | Obliteration - action
129392009 | Cauterization - action
129393004 | Cryosurgery - action
129394005 | Thermocautery - action
129395006 | Fulguration - action
129396007 | Electrodesiccation - action
129397003 | Electrocoagulation - action
129398008 | Electrocautery
129399000 | Electrodestruction - action
129400007 | Crushing - action
129401006 | Fragmentation - action
129402004 | Emulsification - action
129403009 | Chemosurgery - action
129404003 | Chemical cautery
129405002 | Photocoagulation - action
129406001 | Transplantation - action
129407005 | Grafting
129408000 | Manipulative procedure
129409008 | Mobilization - action
129410003 | Remobilization - action
129411004 | Traction - action
129412006 | Manual reduction - action
129413001 | Elevation - action
129414007 | Instrumental elevation - action
129415008 | Extraction - action
129416009 | Surgical extraction - action
129418005 | Expression - action
129419002 | Dilatation - action
129420008 | Surgical stretching
129421007 | Dilation and stretching - action
129423005 | Bouginage
129424004 | Fitting - action
129425003 | Application actions
129426002 | Adjustment - action
129427006 | Reduction - action
129430004 | Consultation - action
129431000 | History taking - action
129433002 | Inspection
129434008 | Palpation - action
129435009 | Percussion - action
129436005 | Listening - action

129437001 | Optical transillumination - action
129438006 | Prescription - action
129441002 | Counseling - action
129442009 | Iontophoresis - action
129443004 | Electrolysis - action
129444005 | Surgical galvanism - action
129445006 | Administration - action
129449000 | Functional assessment - action
183648002 | Long-term assistance
245854003 | Proximal anastomosis
245855002 | Distal anastomosis
255595002 | Debulking - action
256644001 | Darning - action
257729003 | Ablation
257730008 | Chemical destruction
257739009 | Open adjustment
257741005 | Anastomosis
257742003 | Direct anastomosis - action
257743008 | Lecompte maneuver
257744002 | End-to-end anastomosis - action
257745001 | Double barrelled end-to-end anastomosis - action
257746000 | End-to-side anastomosis - action
257747009 | Roux-en-Y - action
257748004 | End-to-side anastomosis without tunnel
257749007 | End-to-side anastomosis with tunnel
257750007 | Side-to-side anastomosis
257751006 | Wallace "69" side-to-end anastomosis - action
257759008 | Fine needle aspiration biopsy - action
257768005 | Binding - action
257777003 | Chemical inactivation
257778008 | Chemodissolution
257780002 | Mass closure
257781003 | Interrupted mass closure
257782005 | Continuous mass closure
257783000 | Thermocoagulation
257784006 | Semm thermal coagulation
257785007 | Wolf thermal coagulation
257786008 | Cryotherapy - action
257788009 | Delamination
257789001 | Hydrodelamination
257791009 | Desiccation - action
257802002 | Anterior displacement
257803007 | Posterior displacement
257804001 | Lateral displacement
257805000 | Medial displacement
257806004 | Close rectal dissection
257808003 | Ultrasonic dissection
257811002 | External drainage
257817003 | Digital evacuation
257821005 | Manual expression
257822003 | Extracapsular extraction
257824002 | Intracapsular extraction
257825001 | Fenestration - action
257846005 | Ballistic fragmentation
257850003 | Mechanical fragmentation
257855008 | Electromagnetic pulse fragmentation
257857000 | Galvanism
257859002 | High intensity focused ultrasound
257863009 | Radioactive destruction
257867005 | Insertion - action
257878002 | Keeling - action
257880008 | Localization
257884004 | Immobilization - action
257885003 | Occlusion
257886002 | Operative ultrasound
257889009 | Padding
257890000 | Peeling - action
257893003 | Pressure
257894009 | One handed pressure
257895005 | Two handed pressure
257897002 | Realignment - action
257903006 | Surgical repair

257905004 | Keel repair
257906003 | Mayo repair
257907007 | Patching - action
257911001 | Repair of recurrence
257912008 | Rotation - action
257913003 | IR - Internal rotation
257914009 | External rotation
257915005 | Sampling
257916006 | Bilateral sampling
257917002 | Bilateral sequential sampling
257918007 | Bilateral simultaneous sampling
257923007 | Sampling without trap
257926004 | Unilateral sampling
257928003 | Segmentation
257933004 | Tamponade - action
257935006 | Tapering - action
257937003 | Soft tissue transfer
257938008 | Transfer of bone block
257940003 | Transposition - action
258061005 | Photic stimulation
260222006 | Single photon emission computed tomography - action
261027000 | Sequential anastomosis
261191006 | Open extraction - action
261197005 | Doppler color flow
261198000 | Doppler continuous wave
261199008 | Doppler pulsed
261391004 | Resurfacing - action
261398005 | Alloplastic grafting
261498006 | Bone-patellar tendon-bone reconstruction
261499003 | Braided prosthetic ligament reconstruction
261518005 | Cystodiathermy - action
261519002 | Diathermy excision
261520008 | Diathermy snare - action
261526002 | Electromagnetic fragmentation
261545006 | Loop diathermy excision
261553003 | REDY - Regeneration of dialysate
261569005 | Thermocompaction
261576000 | Ultrasound fragmentation - action
262143007 | Side-to-end anastomosis - action
263720003 | Compression
264592006 | Intravesical drug therapy
264594007 | Laser - action
264730003 | Lateral rotation - action
264739002 | Medial rotation - action
264947006 | Prescription of optical aid - action
272381008 | Microvascular anastomosis - action
274392008 | EUA - Examination under anesthetic
276734006 | Mechanical assistance
277261002 | Excision biopsy
277607009 | Digital removal
277763000 | Refashioning
277851003 | Conduit anastomosis
277852005 | Reservoir anastomosis
278110001 | Radiographic imaging - action
278292003 | Ultrasound imaging - action
278312000 | Reattachment - action
278313005 | Regeneration - action
278420002 | Sealing
281609006 | Cryoablation - action
281613004 | Decompression - action
281615006 | Exploration - action
281698007 | Cryocautery - action
281767003 | Manual dilatation
281838007 | Disarticulation - action
281839004 | Exenteration
282015008 | Shave biopsy - action
282089006 | Replacement - action
282722008 | Ultrasound destruction
286553006 | Plastic operation
286637000 | Block dissection
286792001 | Denervation
287682008 | Application of caustics

288324002 | Eversion - action
288466002 | Diathermy incision
288468001 | Disimpaction - action
289928003 | Surgical reduction
289930001 | Enzyme destruction
289936007 | Shave excision
289938008 | Microsurgical repair
290001001 | Recession - action
297179000 | Microsurgical anastomosis
297183000 | Revascularization
298053008 | Devascularization - action
298116000 | Application of substance
299712004 | Osteoclasis - action
299713009 | Osteotomy - action
299893001 | Interposition anastomosis - action
302193003 | Actions by modality
302196006 | Freeing - action
302199004 | Clinical examination - action
302204005 | Ultrasound - action
302205006 | Microwave - action
303893007 | Functional modification
303894001 | Structural modification
303955003 | Transfusion - action
303996000 | Terminalization
303998004 | Unused action values
304054006 | Structural support - action
304904003 | Manual evacuation
312236008 | Duplex ultrasound
312250003 | Magnetic resonance imaging - action
312251004 | Computed tomography imaging - action
312254007 | Plain film technique
312275004 | Fluoroscopic imaging - action
312336005 | Opening - action
312337001 | Thermography imaging - action
312421008 | Radionuclide imaging - action
312883004 | Desensitization - action
313029009 | Brachytherapy - action
360017003 | Clipping - action
360018008 | Stimulus dosing technique
360020006 | Extirpation - action
360021005 | Bypass - action
360025001 | Harvesting - action
360027009 | Interposition - action
360028004 | Surgical biopsy - action
360029007 | Nonsurgical biopsy - action
360032005 | Flap reconstruction - action
360037004 | Imaging method
360038009 | Gluing - action
360051004 | Surgical toilet - action
360060007 | Approximation - action
360082000 | Apposition - action
360084004 | Septation - action
360087006 | Indirect anastomosis - action
360146007 | Repositioning - action
360147003 | Attention - action
360148008 | Obstetric action
360149000 | Delivery - action
360150000 | Inlay replacement - action
360152008 | Monitoring - action
360153003 | Take impression - action
360154009 | Trial fit of device - action
360160009 | Checking - action
360161008 | Induction - action
360163006 | Infiltration - action
360165004 | Apheresis - action
360166003 | Filtration - action
360220002 | Mapping - action
360222005 | Massage - action
360223000 | Cine imaging - action
360226008 | Electrical discharge - action
360231005 | Video imaging - action
360232003 | Spectroscopy - action

360239007 | Termination - action
360240009 | Connection - action
360270004 | Therapy - action
360272007 | Discussion - action
360273002 | Provision - action
360314001 | Cutting - action
360315000 | Filing - action
360323003 | Restore - action
360324009 | Obturation - action
360325005 | Simple removal - action
360393008 | Disinsertion - action
362939006 | Dissolution - action
363659002 | Pacing - action
363678002 | Positron emission tomographic imaging - action
367529003 | Lending - action
367558000 | Contouring - action
367559008 | Preparation - action
367560003 | Buckling - action
367642006 | Inversion - action
367740008 | Suspension - action
369242005 | Hyfrecation - action
386746003 | Maintenance - action
399009009 | B mode ultrasound
399015009 | Tomographic imaging, plain radiologic - action
399035005 | Tomographic imaging - action
399064001 | 2D mode ultrasound
399155008 | M-mode ultrasound
410460000 | Illumination
410461001 | Dual diffuse direct illumination
410462008 | Fine slit beam direct illumination
410463003 | Broad tangential direct illumination
410464009 | Indirect sclerotic scatter illumination
410465005 | Indirect retroillumination from the iris
410466006 | Indirect retroillumination from the retina
410467002 | Indirect iris transillumination
410756002 | Surgical decompression - action
410757006 | Decompressive excision - action
410758001 | Decompressive incision - action
410759009 | Decompressive division - action
410769003 | Elevation reduction - action
410814006 | Surgical reduction - action
410817004 | Dilation repair - action
410820007 | Surgical transplantation - action
415186003 | Proximal illumination - action
416677001 | Internal drainage - action
419385000 | Use
419652001 | Take
419656003 | Examination AND/OR history taking - action
419988009 | Action of drug administration
424208002 | Shunt - action
424832003 | Surgical introduction - action
424900004 | Recommendation - action
425362007 | Surgical insertion - action
425689005 | Teaching - action
425704008 | Power doppler ultrasound
425764006 | Transection - action
426413004 | Closed reduction - action
426530000 | Open reduction - action
426865009 | 3D mode ultrasound
428010000 | Open embolization - action
428381003 | Diathermy - action
430975009 | Surgical piercing - action
439054007 | Surgical cataract aspiration - action
439237009 | Mechanical repair - action
439315000 | Wedge osteotomy - action
439417007 | Closed manual reduction - action
439513008 | Surgical size reduction - action
440338007 | Dispensing - action
440647007 | Mechanical construction - action
441504007 | Surgical manipulation - action
442837002 | Excision debridement - action
445103003 | Fixation by wedging - action

698788008 | Transmission illumination
698789000 | Reflection illumination
698790009 | Epifluorescence illumination
698792001 | Brightfield illumination
698793006 | Darkfield illumination
698794000 | Oblique illumination
698796003 | Phase contrast illumination
698797007 | Differential interference contrast
698798002 | Total internal reflection fluorescence
702569007 | Cone beam computed tomography imaging - action
713295009 | Surgical replacement - action

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.434 Value Set http://hl7.org/fhir/ValueSet/adverse-event-causality-method

URL: https://hl7.org/fhir/R4/valueset-adverse-event-causality-method.html
Patient Care Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/adverse-event-causality-method
Version: | 4.0.1
Name: | AdverseEventCausalityMethod
Title: | AdverseEventCausalityMethod
Definition: | TODO.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.842 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for AdverseEventCausalityMethod

• Resource: AdverseEvent.suspectEntity.causality.method (CodeableConcept / Example)

4.4.1.434.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/adverse-event-causality-method

4.4.1.434.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/adverse-event-causality-method version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/adverse-event-causality-method

Code | Display | Definition
ProbabilityScale | Probability Scale
Bayesian | Bayesian
Checklist | Checklist

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.435 Value Set http://hl7.org/fhir/ValueSet/consent-state-codes

URL: https://hl7.org/fhir/R4/valueset-consent-state-codes.html
Community Based Collaborative Care Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/consent-state-codes
Version: | 4.0.1
Name: | ConsentState
Title: | ConsentState
Definition: | Indicates the state of the consent.
Committee: | Community Based Collaborative Care Work Group
OID: | 2.16.840.1.113883.4.642.3.755 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ConsentState
• ConceptMap: Translation source in Canonical Mapping for "ConsentState"
• Resource: Consent.status (code / Required)

4.4.1.435.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/consent-state-codes

4.4.1.435.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/consent-state-codes version 4.0.1

All codes from system http://hl7.org/fhir/consent-state-codes

Code | Display | Definition | Canonical Status
draft | Pending | The consent is in development or awaiting use but is not yet intended to be acted upon. | ~draft
proposed | Proposed | The consent has been proposed but not yet agreed to by all parties. The negotiation stage. | ~proposed
active | Active | The consent is to be followed and enforced. | ~active
rejected | Rejected | The consent has been rejected by one or more of the parties. | ~declined
inactive | Inactive | The consent is terminated or replaced. | ~inactive
entered-in-error | Entered in Error | The consent was created wrongly (e.g. wrong patient) and should be ignored. | ~error

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.436 Value Set http://hl7.org/fhir/ValueSet/adverse-event-severity

URL: https://hl7.org/fhir/R4/valueset-adverse-event-severity.html
Patient Care Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/adverse-event-severity
Version: | 4.0.1
Name: | AdverseEventSeverity

Title: | AdverseEventSeverity
Definition: | The severity of the adverse event itself, in direct relation to the subject.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.844 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for AdverseEventSeverity

• Resource: AdverseEvent.severity (CodeableConcept / Required)

4.4.1.436.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/adverse-event-severity

4.4.1.436.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/adverse-event-severity version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/adverse-event-severity

Code | Display | Definition
mild | Mild
moderate | Moderate
severe | Severe

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.437 Value Set http://hl7.org/fhir/ValueSet/bodystructure-relative-location

URL: https://hl7.org/fhir/R4/valueset-bodystructure-relative-location.html
Orders and Observations Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/bodystructure-relative-location
Version: | 4.0.1
Name: | BodystructureLocationQualifier
Title: | Bodystructure Location Qualifier
Definition: | SNOMED-CT concepts modifying the anatomic location
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.140 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: BodyStructure.locationQualifier (CodeableConcept / Example)

4.4.1.437.1 Content Logical Definition

This value set includes codes from the following code systems:

http://snomed.info/sct

Code | Display
419161000 | Unilateral left
419465000 | Unilateral right
51440002 | Bilateral
261183002 | Upper

261122009 | Lower
255561001 | Medial
49370004 | Lateral
264217000 | Superior
261089000 | Inferior
255551008 | Posterior
351726001 | Below
352730000 | Above

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.438 Value Set http://hl7.org/fhir/ValueSet/verificationresult-validation-type

URL: https://hl7.org/fhir/R4/valueset-verificationresult-validation-type.html
Patient Administration Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/verificationresult-validation-type
Version: | 4.0.1
Name: | validation-type
Title: | Validation-type
Definition: | What the target is validated against
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.886 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for validation-type
• Resource: VerificationResult.validationType (CodeableConcept / Preferred)

4.4.1.438.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/validation-type

4.4.1.438.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/validation-type version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/validation-type

Code | Display | Definition
nothing | Nothing
primary | Primary Source
multiple | Multiple Sources

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.439 Value Set http://hl7.org/fhir/ValueSet/consent-policy

URL: https://hl7.org/fhir/R4/valueset-consent-policy.html
Community Based Collaborative Care Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/consent-policy
Version: | 4.0.1
Name: | ConsentPolicyRuleCodes
Title: | Consent PolicyRule Codes
Definition: | This value set includes sample Regulatory consent policy types from the US and other regions.
Committee: | Community Based Collaborative Care Work Group
OID: | 2.16.840.1.113883.4.642.3.1014 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ConsentPolicyRuleCodes

• Resource: Consent.policyRule (CodeableConcept / Extensible)

4.4.1.439.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/consentpolicycodes

4.4.1.439.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 26 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/consentpolicycodes version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/consentpolicycodes

Code | Display | Definition
cric | Common Rule Informed Consent | 45 CFR part 46 §46.116 General requirements for informed consent; and §46.117 Documentation of informed consent. https://www.gpo.gov/fdsys/pkg/FR-2017-01-19/pdf/2017-01058.pdf
illinois-minor-procedure | Illinois Consent by Minors to Medical Procedures | The consent to the performance of a medical or surgical procedure by a physician licensed to practice medicine and surgery, a licensed advanced practice nurse, or a licensed physician assistant executed by a married person who is a minor, by a parent who is a minor, by a pregnant woman who is a minor, or by any person 18 years of age or older, is not voidable because of such minority, and, for such purpose, a married person who is a minor, a parent who is a minor, a pregnant woman who is a minor, or any person 18 years of age or older, is deemed to have the same legal capacity to act and has the same powers and obligations as has a person of legal age. Consent by Minors to Medical Procedures Act. (410 ILCS 210/0.01) (from Ch. 111, par. 4500) Sec. 0.01. Short title. This Act may be cited as the Consent by Minors to Medical Procedures Act. (Source: P.A. 86-1324.) http://www.ilga.gov/legislation/ilcs/ilcs3.asp?ActID=1539&ChapterID=35
hipaa-auth | HIPAA Authorization | HIPAA 45 CFR Section 164.508 Uses and disclosures for which an authorization is required. (a) Standard: Authorizations for uses and disclosures. (1) Authorization required: General rule. Except as otherwise permitted or required by this subchapter, a covered entity SHALL not use or disclose protected health information without an authorization that is valid under this section. When a covered entity obtains or receives a valid authorization for its use or disclosure of protected health information, such use or disclosure must be consistent with such authorization. Usage Note: Authorizations governed under this regulation meet the definition of an opt in class of consent directive.
hipaa-npp | HIPAA Notice of Privacy Practices | 164.520 Notice of privacy practices for protected health information. (1) Right to notice. Except as provided by paragraph (a)(2) or (3) of this section, an individual has a right to adequate notice of the uses and disclosures of protected health information that may be made by the covered entity, and of the individual's rights and the covered entity's legal duties with respect to protected health information. Usage Note: Restrictions governed under this regulation meet the definition of an implied with an opportunity to dissent class of consent directive.
hipaa-restrictions | HIPAA Restrictions | HIPAA 45 CFR 164.510 - Uses and disclosures requiring an opportunity for the individual to agree or to object. A covered entity may use or disclose protected health information, provided that the individual is informed in advance of the use or disclosure and has the opportunity to agree to or prohibit or restrict the use or disclosure, in accordance with the applicable requirements of this section. The covered entity may orally inform the individual of and obtain the individual's oral agreement or objection to a use or disclosure permitted by this section. Usage Note: Restrictions governed under this regulation meet the definition of an opt out with exception class of consent directive.
hipaa-research | HIPAA Research Authorization | HIPAA 45 CFR 164.508 - Uses and disclosures for which an authorization is required. (a) Standard: Authorizations for uses and disclosures. (3) Compound authorizations. An authorization for use or disclosure of protected health information SHALL NOT be combined with any other document to create a compound authorization, except as follows: (i) An authorization for the use or disclosure of protected health information for a research study may be combined with any other type of written permission for the same or another research study. This exception includes combining an authorization for the use or disclosure of protected health information for a research study with another authorization for the same research study, with an authorization for the creation or maintenance of a research database or repository, or with a consent to participate in research. Where a covered health care provider has conditioned the provision of research-related treatment on the provision of one of the authorizations, as permitted under paragraph (b)(4)(i) of this section, any compound authorization created under this paragraph must clearly differentiate between the conditioned and unconditioned components and provide the individual with an opportunity to opt in to the research activities described in the unconditioned authorization. Usage Notes: See HHS http://www.hhs.gov/hipaa/for-professionals/special-topics/research/index.html and OCR http://www.hhs.gov/hipaa/for-professionals/special-topics/research/index.html

hipaa-self-pay | HIPAA Self-Pay Restriction | HIPAA 45 CFR 164.522(a) Right To Request a Restriction of Uses and Disclosures. (vi) A covered entity must agree to the request of an individual to restrict disclosure of protected health information about the individual to a health plan if: (A) The disclosure is for the purpose of carrying out payment or health care operations and is not otherwise required by law; and (B) The protected health information pertains solely to a health care item or service for which the individual, or person other than the health plan on behalf of the individual, has paid the covered entity in full. Usage Note: Restrictions governed under this regulation meet the definition of an opt out with exception class of consent directive. Opt out is limited to disclosures to a payer for payment and operations purpose of use. See HL7 HIPAA Self-Pay code in ActPrivacyLaw (2.16.840.1.113883.1.11.20426).

mdhhs-5515 | Michigan MDHHS-5515 Consent to Share Behavioral Health Information for Care Coordination Purposes | On January 1, 2015, the Michigan Department of Health and Human Services (MDHHS) released a standard consent form for the sharing of health information specific to behavioral health and substance use treatment in accordance with Public Act 129 of 2014. In Michigan, while providers are not required to use this new standard form (MDHHS-5515), they are required to accept it. Note: Form is available at http://www.michigan.gov/documents/mdhhs/Consent_to_Share_Behavioral_Health_Information_for_Care_Coordination_Purposes_548835_7.docx For more information see http://www.michigan.gov/documents/mdhhs/Behavioral_Health_Consent_Form_Background_Information_548864_7.pdf

nyssipp | New York State Surgical and Invasive Procedure Protocol | The New York State Surgical and Invasive Procedure Protocol (NYSSIPP) applies to all operative and invasive procedures including endoscopy, general surgery or interventional radiology. Other procedures that involve puncture or incision of the skin, or insertion of an instrument or foreign material into the body are within the scope of the protocol. This protocol also applies to those anesthesia procedures either prior to a surgical procedure or independent of a surgical procedure such as spinal facet blocks. Example: Certain 'minor' procedures such as venipuncture, peripheral IV placement, insertion of nasogastric tube and foley catheter insertion are not within the scope of the protocol. From http://www.health.ny.gov/professionals/protocols_and_guidelines/surgical_and_invasive_procedure/nyssipp_faq.htm Note: HHC 100B-1 Form is available at http://www.downstate.edu/emergency_medicine/documents/Consent_CT_with_contrast.pdf

va-10-0484 | VA Form 10-0484 | VA Form 10-0484 Revocation for Release of Individually-Identifiable Health Information enables a veteran to revoke authorization for the VA to release specified copies of individually-identifiable health information with the non-VA health care provider organizations participating in the eHealth Exchange and partnering with VA. Comment: Opt-in Consent Directive with status = rescinded (aka 'revoked'). Note: Form is available at http://www.va.gov/vaforms/medical/pdf/vha-10-0484-fill.pdf

va-10-0485 | VA Form 10-0485 | VA Form 10-0485 Request for and Authorization to Release Protected Health Information to eHealth Exchange enables a veteran to request and authorize a VA health care facility to release protected health information (PHI) for treatment purposes only to the communities that are participating in the eHealth Exchange, VLER Directive, and other Health Information Exchanges with who VA has an agreement. This information may consist of the diagnosis of Sickle Cell Anemia, the treatment of or referral for Drug Abuse, treatment of or referral for Alcohol Abuse or the treatment of or testing for infection with Human Immunodeficiency Virus. This authorization covers the diagnoses that I may have upon signing of the authorization and the diagnoses that I may acquire in the future including those protected by 38 U.S.C. 7332. Comment: Opt-in Consent Directive. Note: Form is available at http://www.va.gov/vaforms/medical/pdf/10-0485-fill.pdf

va-10-5345 | VA Form 10-5345 | VA Form 10-5345 Request for and Authorization to Release Medical Records or Health Information enables a veteran to request and authorize the VA to release specified copies of protected health information (PHI), such as hospital summary or outpatient treatment notes, which may include information about conditions governed under Title 38 Section 7332 (drug abuse, alcoholism or alcohol abuse, testing for or infection with HIV, and sickle cell anemia). Comment: Opt-in Consent Directive. Note: Form is available at http://www.va.gov/vaforms/medical/pdf/vha-10-5345-fill.pdf

va-10-5345a | VA Form 10-5345a | VA Form 10-5345a Individuals' Request for a Copy of Their Own Health Information enables a veteran to request and authorize the VA to release specified copies of protected health information (PHI), such as hospital summary or outpatient treatment notes. Note: Form is available at http://www.va.gov/vaforms/medical/pdf/vha-10-5345a-fill.pdf

va-10-5345a-mhv | VA Form 10-5345a-MHV | VA Form 10-5345a-MHV Individual's Request for a Copy of their own health information from MyHealtheVet enables a veteran to receive a copy of all available personal health information to be delivered through the veteran's My HealtheVet account. Note: Form is available at http://www.va.gov/vaforms/medical/pdf/vha-10-5345a-MHV-fill.pdf

va-10-10116 | VA Form 10-10-10116 | VA Form 10-10116 Revocation of Authorization for Use and Release of Individually Identifiable Health Information for Veterans Health Administration Research. Comment: Opt-in with Restriction Consent Directive with status = 'completed'. Note: Form is available at http://www.northerncalifornia.va.gov/northerncalifornia/services/rnd/docs/vha-10-10116.pdf

va-21-4142 | VA Form 21-4142 | VA Form 21-4142 (Authorization and Consent to Release Information to the Department of Veterans Affairs (VA) enables a veteran to authorize the US Veterans Administration [VA] to request veteran's health information from non-VA providers. Aka VA Compensation Application Note: Form is available at http://www.vba.va.gov/pubs/forms/VBA-21-4142-ARE.pdf . For additional information regarding VA Form 21-4142, refer to the following website: www.benefits.va.gov/compensation/consent_privateproviders

ssa-827 | SSA Authorization to Disclose | SA Form SSA-827 (Authorization to Disclose Information to the Social Security Administration (SSA)). Form is available at https://www.socialsecurity.gov/forms/ssa-827-inst-sp.pdf

dch-3927 | Michigan behavior and mental health consent | Michigan DCH-3927 Consent to Share Behavioral Health Information for Care Coordination Purposes, which combines 42 CFR Part 2 and Michigan Mental Health Code, Act 258 of 1974. Form is available at http://www.michigan.gov/documents/mdch/DCH-3927_Consent_to_Share_Health_Information_477005_7.docx

squaxin | Squaxin Indian behavioral health and HIPAA consent | Squaxin Indian HIPAA and 42 CFR Part 2 Consent for Release and Exchange of Confidential Information, which permits consenter to select healthcare record type and types of treatment purposes. This consent requires disclosers and recipients to comply with 42 C.F.R. Part 2, and HIPAA 45 C.F.R. parts 160 and 164. It includes patient notice of the refrain policy not to disclose without consent, and revocation rights. https://www.ncsacw.samhsa.gov/files/SI_ConsentForReleaseAndExchange.PDF

nl-lsp | NL LSP Permission | LSP (National Exchange Point) requires that providers, hospitals and pharmacy obtain explicit permission [opt-in] from healthcare consumers to submit and retrieve all or only some of a subject of care’s health information collected by the LSP for purpose of treatment, which can be revoked. Without permission, a provider cannot access LSP information even in an emergency. The LSP provides healthcare consumers with accountings of disclosures. https://www.vzvz.nl/uploaded/FILES/htmlcontent/Formulieren/TOESTEMMINGSFORMULIER.pdf, https://www.ikgeeftoestemming.nl/en, https://www.ikgeeftoestemming.nl/en/registration/find-healthcare-provider

at-elga | AT ELGA Opt-in Consent | Pursuant to Sec. 2 no. 9 Health Telematics Act 2012, ELGA Health Data (“ELGA-Gesundheitsdaten”) = Medical documents. Austria opted for an opt-out approach. This means that a person is by default ‘ELGA participant’ unless he/she objects. ELGA participants have the following options: General opt out: No participation in ELGA, Partial opt-out: No participation in a particular ELGA application, e.g. eMedication and Case-specific opt-out: No participation in ELGA only regarding a particular case/treatment. There is the possibility to opt-in again. ELGA participants can also exclude the

access of a particular ELGA healthcare provider to a particular piece of or all of their ELGA data. http://ec.europa.eu/health/ehealth/docs/laws_austria_en.pdf

nih-hipaa | HHS NIH HIPAA Research Authorization | Guidance and template form https://privacyruleandresearch.nih.gov/pdf/authorization.pdf

nci | NCI Cancer Clinical Trial consent | see http://ctep.cancer.gov/protocolDevelopment/docs/Informed_Consent_Template.docx

nih-grdr | NIH Global Rare Disease Patient Registry and Data Repository consent | Global Rare Disease Patient Registry and Data Repository (GRDR) consent is an agreement of a healthcare consumer to permit collection, access, use and disclosure of de-identified rare disease information and collection of bio-specimens, medical information, family history and other related information from patients to permit the registry collection of health and genetic information, and specimens for pseudonymized disclosure for research purpose of use. https://rarediseases.info.nih.gov/files/informed_consent_template.pdf

nih-527 | NIH Authorization for the Release of Medical Information | NIH Authorization for the Release of Medical Information is a patient's consent for the National Institutes of Health Clinical Center to release medical information to care providers, which can be revoked. Note: Consent Form available @ http://cc.nih.gov/participate/_pdf/NIH-527.pdf

ga4gh | Population origins and ancestry research consent | Global Alliance for Genomic Health Data Sharing Consent Form is an example of the GA4GH Population origins and ancestry research consent form. Consenters agree to permitting a specified research project to collect ancestry and genetic information in controlled-access databases, and to allow other researchers to use deidentified information from those databases. http://www.commonaccord.org/index.php?action=doc&file=Wx/org/genomicsandhealth/REWG/Demo/Roberta_Robinson_US

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.4.1.440 Value Set http://hl7.org/fhir/ValueSet/item-type

URL: https://hl7.org/fhir/R4/valueset-item-type.html

FHIR Infrastructure Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/item-type

Version: | 4.0.1

Name: | QuestionnaireItemType

Title: | QuestionnaireItemType

Definition: | Distinguishes groups from questions and display text and indicates data type for questions.

Committee: | FHIR Infrastructure Work Group

OID: | 2.16.840.1.113883.4.642.3.444 (for OID based terminology systems)

Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for QuestionnaireItemType

• Resource: Questionnaire.item.type (code / Required)

4.4.1.440.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/item-type

4.4.1.440.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 16 concepts

Expansion based on http://hl7.org/fhir/item-type version 4.0.1

All codes from system http://hl7.org/fhir/item-type

Lvl | Code | Display | Definition

0 | group | Group | An item with no direct answer but should have at least one child item.

0 | display | Display | Text for display that will not capture an answer or have child items.

0 | question | Question | An item that defines a specific answer to be captured, and which may have child items. (the answer provided in the QuestionnaireResponse should be of the defined datatype).

1 | boolean | Boolean | Question with a yes/no answer (valueBoolean).

1 | decimal | Decimal | Question with is a real number answer (valueDecimal).

1 | integer | Integer | Question with an integer answer (valueInteger).

1 | date | Date | Question with a date answer (valueDate).

1 | dateTime | Date Time | Question with a date and time answer (valueDateTime).

1 | time | Time | Question with a time (hour:minute:second) answer independent of date. (valueTime).
1 | string | String | Question with a short (few words to short sentence) free-text entry answer (valueString).
1 | text | Text | Question with a long (potentially multi-paragraph) free-text entry answer (valueString).
1 | url | Url | Question with a URL (website, FTP site, etc.) answer (valueUri).
1 | choice | Choice | Question with a Coding drawn from a list of possible answers (specified in either the answerOption property, or via the valueset referenced in the answerValueSet property) as an answer (valueCoding).
1 | open-choice | Open Choice | Answer is a Coding drawn from a list of possible answers (as with the choice type) or a free-text entry in a string (valueCoding or valueString).
1 | attachment | Attachment | Question with binary content such as an image, PDF, etc. as an answer (valueAttachment).
1 | reference | Reference | Question with a reference to another resource (practitioner, organization, etc.) as an answer (valueReference).
1 | quantity | Quantity | Question with a combination of a numeric value and unit, potentially with a comparator (<, >, etc.) as an answer. (valueQuantity) There is an extension 'http://hl7.org/fhir/StructureDefinition/questionnaire-unit' that can be used to define what unit should be captured (or the unit that has a ucum conversion from the provided unit).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.441 Value Set http://hl7.org/fhir/ValueSet/extension-context-type

URL: https://hl7.org/fhir/R4/valueset-extension-context-type.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Conformance Package for further details.

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/extension-context-type
Version: | 4.0.1
Name: | ExtensionContextType
Title: | ExtensionContextType
Definition: | How an extension context is interpreted.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.1012 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ExtensionContextType
• Resource: StructureDefinition.context.type (code / Required)

4.4.1.441.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/extension-context-type

4.4.1.441.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/extension-context-type version 4.0.1

All codes from system http://hl7.org/fhir/extension-context-type

Code | Display | Definition
fhirpath | FHIRPath | The context is all elements that match the FHIRPath query found in the expression.
element | Element ID | The context is any element that has an ElementDefinition.id that matches that found in the expression. This includes ElementDefinition Ids that have slicing identifiers. The full path for the element is [url]#[elementid]. If there is no #, the Element id is one defined in the base specification.
extension | Extension URL | The context is a particular extension from a particular StructureDefinition, and the expression is just a uri that identifies the extension.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.442 Value Set http://hl7.org/fhir/ValueSet/procedure-category

URL: https://hl7.org/fhir/R4/valueset-procedure-category.html
Patient Care Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/procedure-category
Version: | 4.0.1
Name: | ProcedureCategoryCodes(SNOMEDCT)
Title: | Procedure Category Codes (SNOMED CT)
Definition: | Procedure Category code: A selection of relevant SNOMED CT codes.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.430 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Procedure.category (CodeableConcept / Example)

4.4.1.442.1 Content Logical Definition

This value set includes codes from the following code systems:

http://snomed.info/sct

Code | Display
24642003 | Psychiatry procedure or service
409063005 | Counselling
409073007 | Education
387713003 | Surgical procedure
103693007 | Diagnostic procedure
46947000 | Chiropractic manipulation
410606002 | Social service procedure

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.443 Value Set http://hl7.org/fhir/ValueSet/action-required-behavior

URL: https://hl7.org/fhir/R4/valueset-action-required-behavior.html
Clinical Decision Support Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/action-required-behavior
Version: | 4.0.1
Name: | ActionRequiredBehavior
Title: | ActionRequiredBehavior

Definition: | Defines expectations around whether an action or action group is required.
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.803 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ActionRequiredBehavior

• Resource: RequestGroup.action.requiredBehavior (code / Required)

• Resource: PlanDefinition.action.requiredBehavior (code / Required)

4.4.1.443.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/action-required-behavior

4.4.1.443.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/action-required-behavior version 4.0.1

All codes from system http://hl7.org/fhir/action-required-behavior

Code | Display | Definition
must | Must | An action with this behavior must be included in the actions processed by the end user; the end user SHALL NOT choose not to include this action.
could | Could | An action with this behavior may be included in the set of actions processed by the end user.
must-unless-documented | Must Unless Documented | An action with this behavior must be included in the set of actions processed by the end user, unless the end user provides documentation as to why the action was not included.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.444 Value Set http://hl7.org/fhir/ValueSet/questionnaire-answers

URL: https://hl7.org/fhir/R4/valueset-questionnaire-answers.html
FHIR Infrastructure Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined at http://www.hl7.org/Special/committees/patientcare .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/questionnaire-answers
Version: | 4.0.1
Name: | QuestionnaireAnswerCodes
Title: | Questionnaire Answer Codes
Definition: | Example list of codes for answers to questions. (Not complete or necessarily appropriate.)
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.446 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Questionnaire.item.enableWhen.answer[x] (boolean|decimal|integer|date|dateTime|time|string|Coding|Quantity|Reference(Any) / Example)

• Profile: CQF-Questionnaire: Questionnaire.item.enableWhen.answer[x] (boolean, decimal, integer, date, dateTime, time, string, Coding, Quantity, Reference / Example)

• Profile: CQF-Questionnaire: Questionnaire.item.answerOption.value[x] (integer, date, time, string, Coding, Reference / Example)

• Profile: CQF-Questionnaire: Questionnaire.item.initial.value[x] (boolean, decimal, integer, date, dateTime, time, string, uri, Attachment, Coding, Quantity, Reference / Example)

• Resource: QuestionnaireResponse.item.answer.value[x] (boolean|decimal|integer|date|dateTime|time|string|uri|Attachment|Coding|Quantity|Reference(Any) / Example)

4.4.1.444.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://snomed.info/sct

4.4.1.444.2 Expansion

This expansion generated 01 Nov 2019

This value set cannot be expanded because of the way it is defined - it has an infinite number of members

Code | System | Display

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.445 Value Set http://hl7.org/fhir/ValueSet/metric-calibration-type

URL: https://hl7.org/fhir/R4/valueset-metric-calibration-type.html
Health Care Devices Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/metric-calibration-type
Version: | 4.0.1
Name: | DeviceMetricCalibrationType
Title: | DeviceMetricCalibrationType
Definition: | Describes the type of a metric calibration.
Committee: | Health Care Devices Work Group
OID: | 2.16.840.1.113883.4.642.3.650 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for DeviceMetricCalibrationType

• Resource: DeviceMetric.calibration.type (code / Required)

4.4.1.445.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/metric-calibration-type

4.4.1.445.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/metric-calibration-type version 4.0.1

All codes from system http://hl7.org/fhir/metric-calibration-type

Code | Display | Definition
unspecified | Unspecified | Metric calibration method has not been identified.
offset | Offset | Offset metric calibration method.
gain | Gain | Gain metric calibration method.
two-point | Two Point | Two-point metric calibration method.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.446 Value Set http://hl7.org/fhir/ValueSet/structure-definition-kind

URL: https://hl7.org/fhir/R4/valueset-structure-definition-kind.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Conformance Package for further details.

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/structure-definition-kind
Version: | 4.0.1
Name: | StructureDefinitionKind
Title: | StructureDefinitionKind
Definition: | Defines the type of structure that a definition is describing.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.668 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for StructureDefinitionKind
• Resource: StructureDefinition.kind (code / Required)

4.4.1.446.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/structure-definition-kind

4.4.1.446.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/structure-definition-kind version 4.0.1

All codes from system http://hl7.org/fhir/structure-definition-kind

Code | Display | Definition
primitive-type | Primitive Data Type | A primitive type that has a value and an extension. These can be used throughout complex datatype, Resource and extension definitions. Only the base specification can define primitive types.
complex-type | Complex Data Type | A complex structure that defines a set of data elements that is suitable for use in 'resources'. The base specification defines a number of complex types, and other specifications can define additional types. These structures do not have a maintained identity.
resource | Resource | A 'resource' - a directed acyclic graph of elements that aggregrates other types into an identifiable entity. The base FHIR resources are defined by the FHIR specification itself but other 'resources' can be defined in additional specifications (though these will not be recognised as 'resources' by the FHIR specification (i.e. they do not get end-points etc, or act as the targets of references in FHIR defined resources - though other specificatiosn can treat them this way).
logical | Logical | A pattern or a template that is not intended to be a real resource or complex type.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.447 Value Set http://hl7.org/fhir/ValueSet/contract-actorrole

URL: https://hl7.org/fhir/R4/valueset-contract-actorrole.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contract-actorrole
Version: | 4.0.1
Name: | ContractActorRoleCodes
Title: | Contract Actor Role Codes
Definition: | This value set includes sample Contract Actor Role codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.741 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ContractActorRoleCodes
• Resource: Contract.term.action.subject.role (CodeableConcept / Example)

4.4.1.447.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/contractactorrole

4.4.1.447.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/contractactorrole version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/contractactorrole

Code | Display | Definition
practitioner | Practitioner | Someone who provides health care related services to people or animals including both clinical and support services.
patient | Patient | A receiver, human or animal, of health care related goods and services.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.448 Value Set http://hl7.org/fhir/ValueSet/observation-status

URL: https://hl7.org/fhir/R4/valueset-observation-status.html
Orders and Observations Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Observation Package for further details.

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/observation-status
Version: | 4.0.1
Name: | ObservationStatus
Title: | ObservationStatus
Definition: | Codes providing the status of an observation.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.400 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ObservationStatus
• ConceptMap: Translation source in Canonical Mapping for "ObservationStatus"
• Resource: RiskAssessment.status (code / Required)

• Resource: Observation.status (code / Required)
• Resource: DetectedIssue.status (code / Required)

4.4.1.448.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/observation-status

4.4.1.448.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 8 concepts

Expansion based on http://hl7.org/fhir/observation-status version 4.0.1

All codes from system http://hl7.org/fhir/observation-status

Lvl | Code | Display | Definition | Canonical Status
0 | registered | Registered | The existence of the observation is registered, but there is no result yet available. | ~received
0 | preliminary | Preliminary | This is an initial or interim observation: data may be incomplete or unverified. | ~draft
0 | final | Final | The observation is complete and there are no further actions needed. Additional information such "released", "signed", etc would be represented using [Provenance](provenance.html) which provides not only the act but also the actors and dates and other related data. These act states would be associated with an observation status of `preliminary` until they are all completed and then a status of `final` would be applied. | ~complete
0 | amended | Amended | Subsequent to being Final, the observation has been modified subsequent. This includes updates/new information and corrections.
1 | corrected | Corrected | Subsequent to being Final, the observation has been modified to correct an error in the test result.
0 | cancelled | Cancelled | The observation is unavailable because the measurement was not started or not completed (also sometimes called "aborted"). | ~abandoned
0 | entered-in-error | Entered in Error | The observation has been withdrawn following previous final release. This electronic record should never have existed, though it is possible that real-world decisions were based on it. (If real-world activity has occurred, the status should be "cancelled" rather than "entered-in-error".). | ~error
0 | unknown | Unknown | The authoring/source system does not know which of the status values currently applies for this observation. Note: This concept is not to be used for "other" - one of the listed statuses is presumed to apply, but the authoring/source system does not know which. | ~unknown

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.449 Value Set http://hl7.org/fhir/ValueSet/testscript-profile-origin-types

URL: https://hl7.org/fhir/R4/valueset-testscript-profile-origin-types.html
FHIR Infrastructure Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/testscript-profile-origin-types
Version: | 4.0.1
Name: | TestScriptProfileOriginType
Title: | Test script profile origin type
Definition: | This value set defines a set of codes that are used to indicate the profile type of a test system when acting as the origin within a TestScript.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.712 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for TestScriptProfileOriginType
• Resource: TestScript.origin.profile (Coding / Extensible)

4.4.1.449.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/testscript-profile-origin-types

4.4.1.449.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/testscript-profile-origin-types version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/testscript-profile-origin-types

Code | Display | Definition
FHIR-Client | FHIR Client | General FHIR client used to initiate operations against a FHIR server.
FHIR-SDC-FormFiller | FHIR SDC FormFiller | A FHIR client acting as a Structured Data Capture Form Filler.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.450 Value Set http://hl7.org/fhir/ValueSet/research-element-type

URL: https://hl7.org/fhir/R4/valueset-research-element-type.html
Clinical Decision Support Work Group | Maturity Level: 0 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/research-element-type
Version: | 4.0.1
Name: | ResearchElementType
Title: | ResearchElementType
Definition: | The possible types of research elements (E.g. Population, Exposure, Outcome).
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.1341 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ResearchElementType
• Resource: ResearchElementDefinition.type (code / Required)

4.4.1.450.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/research-element-type

4.4.1.450.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/research-element-type version 4.0.1

All codes from system http://hl7.org/fhir/research-element-type

Code | Display | Definition
population | Population | The element defines the population that forms the basis for research.
exposure | Exposure | The element defines an exposure within the population that is being researched.
outcome | Outcome | The element defines an outcome within the population that is being researched.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.4.1.451 Value Set http://hl7.org/fhir/ValueSet/type-derivation-rule

URL: https://hl7.org/fhir/R4/valueset-type-derivation-rule.html
FHIR Infrastructure Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Conformance Package for further details.

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/type-derivation-rule
Version: | 4.0.1
Name: | TypeDerivationRule
Title: | TypeDerivationRule
Definition: | How a type relates to its baseDefinition.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.673 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for TypeDerivationRule

• Resource: StructureDefinition.derivation (code / Required)

4.4.1.451.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/type-derivation-rule

4.4.1.451.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/type-derivation-rule version 4.0.1

All codes from system http://hl7.org/fhir/type-derivation-rule

Code | Display | Definition
specialization | Specialization | This definition defines a new type that adds additional elements to the base type.
constraint | Constraint | This definition adds additional rules to an existing concrete type.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.452 Value Set http://hl7.org/fhir/ValueSet/dicm-405-mediatype

URL: https://hl7.org/fhir/R4/valueset-dicm-405-mediatype.html
Security Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/dicm-405-mediatype
Version: | 4.0.1
Name: | MediaTypeCode
Title: | Media Type Code
Definition: | Media Type Code
Committee: | Security Work Group
OID: | 1.2.840.10008.6.1.908 (for OID based terminology systems)
Copyright: | These codes are excerpted from Digital Imaging and Communications in Medicine (DICOM) Standard, Part 16: Content Mapping Resource, Copyright 2011 by the National Electrical Manufacturers Association.
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: AuditEvent.agent.media (Coding / Extensible)

4.4.1.452.1 Content Logical Definition

This value set includes codes from the following code systems:

http://dicom.nema.org/resources/ontology/DCM

Code | Display
110030 | USB Disk Emulation | A device that connects using the USB hard drive interface. These may be USB-Sticks, portable hard drives, and other technologies
110031 | Email | Email and email attachments used as a media for data transport
110032 | CD | CD-R, CD-ROM, and CD-RW media used for data transport
110033 | DVD | DVD, DVD-RAM, and other DVD formatted media used for data transport
110034 | Compact Flash | Media that comply with the Compact Flash standard
110035 | Multi-media Card | Media that comply with the Multi-media Card standard
110036 | Secure Digital Card | Media that comply with the Secure Digital Card standard
110037 | URI | URI Identifier for network or other resource, see RFC 3968
110010 | Film | Film type of output
110038 | Paper Document | Any paper or similar document

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.453 Value Set http://hl7.org/fhir/ValueSet/immunization-site

URL: https://hl7.org/fhir/R4/valueset-immunization-site.html
Public Health and Emergency Response Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/immunization-site
Version: | 4.0.1
Name: | CodesForImmunizationSiteOfAdministration
Title: | Codes for Immunization Site of Administration
Definition: | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the body site where the vaccination occurred. This value set is provided as a suggestive example.
Committee: | Public Health and Emergency Response Work Group
OID: | 2.16.840.1.113883.4.642.3.288 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Immunization.site (CodeableConcept / Example)

4.4.1.453.1 Content Logical Definition

This value set includes codes from the following code systems:

http://terminology.hl7.org/CodeSystem/v3-ActSite

Code | Display
LA | Left arm | left arm
RA | Right arm | right arm

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.454 Value Set http://hl7.org/fhir/ValueSet/dbsnp

URL: https://hl7.org/fhir/R4/valueset-dbsnp.html

This value set could not be expanded by the publication tooling: Error from server: Unable to provide support for code system http://www.ncbi.nlm.nih.gov/projects/SNP

Orders and Observations Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/dbsnp
Version: | 4.0.1
Name: | DBSNP
Title: | D b s n p
Definition: | DBSNP : Single Nucleotide Polymorphism database
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.6.284 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is not currently used

4.4.1.454.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://www.ncbi.nlm.nih.gov/projects/SNP

4.4.1.454.2 Expansion

This expansion generated 01 Nov 2019

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.455 Value Set http://hl7.org/fhir/ValueSet/observation-vitalsignresult

URL: https://hl7.org/fhir/R4/valueset-observation-vitalsignresult.html
Orders and Observations Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/observation-vitalsignresult
Version: | 4.0.1
Name: | VitalSigns
Title: | Vital Signs
Definition: | This value set indicates the allowed vital sign result types. The LOINC code for Vitals Signs panel (85353-1) is a grouping structure for a set of vital signs and includes related links (with type=has-member) to the Observations in this set (e.g. respiratory rate, heart rate, BP). The Blood pressure panel (85354-9) is used to group the component observations Systolic blood pressure (8480-6) and Diastolic blood pressure (8462-4).
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.3.88.12.80.62 (for OID based terminology systems)
Copyright: | This content from LOINC® is copyright © 1995 Regenstrief Institute, Inc. and the LOINC Committee, and available at no cost under the license at http://loinc.org/terms-of-use
Source Resource | XML / JSON

This value set is used in the following places:

• Profile: VitalSigns: Observation.code (CodeableConcept / Extensible)
• Profile: VitalSigns: Observation.component.code (CodeableConcept / Extensible)
• Profile: BodyWeight: Observation.code (CodeableConcept / Extensible)
• Profile: BodyWeight: Observation.component.code (CodeableConcept / Extensible)

- Profile: VitalsPanel: Observation.code (CodeableConcept / Extensible)
- Profile: VitalsPanel: Observation.component.code (CodeableConcept / Extensible)
- Profile: BodyHeight: Observation.code (CodeableConcept / Extensible)
- Profile: BodyHeight: Observation.component.code (CodeableConcept / Extensible)
- Profile: RespRate: Observation.code (CodeableConcept / Extensible)
- Profile: RespRate: Observation.component.code (CodeableConcept / Extensible)
- Profile: HeartRate: Observation.code (CodeableConcept / Extensible)
- Profile: HeartRate: Observation.component.code (CodeableConcept / Extensible)
- Profile: BodyTemp: Observation.code (CodeableConcept / Extensible)
- Profile: BodyTemp: Observation.component.code (CodeableConcept / Extensible)
- Profile: HeadCircum: Observation.code (CodeableConcept / Extensible)
- Profile: HeadCircum: Observation.component.code (CodeableConcept / Extensible)
- Profile: OxygenSat: Observation.code (CodeableConcept / Extensible)
- Profile: OxygenSat: Observation.component.code (CodeableConcept / Extensible)
- Profile: BMI: Observation.code (CodeableConcept / Extensible)
- Profile: BMI: Observation.component.code (CodeableConcept / Extensible)
- Profile: BP: Observation.code (CodeableConcept / Extensible)
- Profile: BP: Observation.component.code (CodeableConcept / Extensible)

4.4.1.455.1 Content Logical Definition

This value set includes codes from the following code systems:

http://loinc.org

Code | Display
85353-1 | Vital signs, weight, height, head circumference, oxygen saturation & BMI panel
9279-1 | Respiratory rate
8867-4 | Heart rate
2708-6 | Oxygen saturation in Arterial blood
8310-5 | Body temperature
8302-2 | Body height
9843-4 | Head Occipital-frontal circumference
29463-7 | Body weight
39156-5 | Body mass index (BMI) [Ratio]
85354-9 | Blood pressure panel with all children optional
8480-6 | Systolic blood pressure
8462-4 | Diastolic blood pressure
8478-0 | Mean blood pressure

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.456 Value Set http://hl7.org/fhir/ValueSet/animal-genderstatus

URL: https://hl7.org/fhir/R4/valueset-animal-genderstatus.html
Patient Administration Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/animal-genderstatus
Version: | 4.0.1
Name: | GenderStatus
Title: | Gender status
Definition: | This example value set defines a set of codes that can be used to indicate the current state of the animal's reproductive organs.
Committee: | Patient Administration Work Group

OID: | 2.16.840.1.113883.4.642.3.418 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for GenderStatus

• Extension: http://hl7.org/fhir/StructureDefinition/patient-animal: animal (CodeableConcept / Example)

4.4.1.456.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/animal-genderstatus

4.4.1.456.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/animal-genderstatus version 4.0.1

All codes from system http://hl7.org/fhir/animal-genderstatus

Code | Display | Definition
neutered | Neutered | The animal has been sterilized, castrated or otherwise made infertile.
intact | Intact | The animal's reproductive organs are intact.
unknown | Unknown | Unable to determine whether the animal has been neutered.

Additional Language Displays

Code | Nederlands (Dutch, nl)
neutered | gesteriliseerd
intact | intact
unknown | onbekend

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.457 Value Set http://hl7.org/fhir/ValueSet/catalogType

URL: https://hl7.org/fhir/R4/valueset-catalogType.html
Structured Documents Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/catalogType
Version: | 4.0.1
Name: | CatalogType
Title: | CatalogType
Definition: | The type of catalog.
Committee: | Structured Documents Work Group
OID: | 2.16.840.1.113883.4.642.3.968 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for CatalogType

• Profile: Catalog: Composition.category (CodeableConcept / Example)

4.4.1.457.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/catalogType

4.4.1.457.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/catalogType version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/catalogType

Code | Display | Definition
medication | Medication Catalog | Medication Catalog.
device | Device Catalog | Device Catalog.
protocol | Protocol List | Protocol List.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.458 Value Set http://hl7.org/fhir/ValueSet/goal-achievement

URL: https://hl7.org/fhir/R4/valueset-goal-achievement.html
Patient Care Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined at http://www.hl7.org/Special/committees/patientcare/ .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/goal-achievement
Version: | 4.0.1
Name: | GoalAchievementStatus
Title: | Goal achievement status
Definition: | Describes the progression, or lack thereof, towards the goal against the target.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.1374 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for GoalAchievementStatus
• ConceptMap: Translation source in Canonical Mapping for "Goal achievement status"
• Resource: Goal.achievementStatus (CodeableConcept / Preferred)

4.4.1.458.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/goal-achievement

4.4.1.458.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 9 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/goal-achievement version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/goal-achievement

Lvl | Code | Display | Definition | Canonical Status
0 | in-progress | In Progress | The goal is being sought but has not yet been reached. (Also applies if the goal was reached in the past but there has been regression and the goal is again being sought).
1 | improving | Improving | The goal is being sought, and is progressing.
1 | worsening | Worsening | The goal is being sought, but is regressing.
1 | no-change | No Change | The goal is being sought, but the trend is flat.
0 | achieved | Achieved | The goal has been met. | ~complete
1 | sustaining | Sustaining | The goal has been met, but ongoing activity is needed to sustain the goal objective.
0 | not-achieved | Not Achieved | The goal has not been met and there might or might not have been progress towards target.
1 | no-progress | No Progress | The goal has not been met and little to no progress towards target.
1 | not-attainable | Not Attainable | The goal is not possible to be met. | ~abandoned

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.459 Value Set http://hl7.org/fhir/ValueSet/subscription-tag

URL: https://hl7.org/fhir/R4/valueset-subscription-tag.html
FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/subscription-tag
Version: | 4.0.1
Name: | SubscriptionTag
Title: | SubscriptionTag
Definition: | Tags to put on a resource after subscriptions have been sent.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.504 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for SubscriptionTag

4.4.1.459.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/subscription-tag

4.4.1.459.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/subscription-tag version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/subscription-tag

Code | Display | Definition
queued | Queued | The message has been queued for processing on a destination systems.
delivered | Delivered | The message has been delivered to its intended recipient.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.460 Value Set http://hl7.org/fhir/ValueSet/resource-type-link

URL: https://hl7.org/fhir/R4/valueset-resource-type-link.html
Financial Management Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/resource-type-link
Version: | 4.0.1
Name: | PayeeResourceType
Title: | PayeeResourceType
Definition: | The type of payee Resource.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.614 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for PayeeResourceType

4.4.1.460.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/resource-type-link

4.4.1.460.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/resource-type-link version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/resource-type-link

Code | Display | Definition
organization | Organization | Organization resource.
patient | Patient | Patient resource.
practitioner | Practitioner | Practitioner resource.
relatedperson | RelatedPerson | RelatedPerson resource.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.461 Value Set http://hl7.org/fhir/ValueSet/contract-actionstatus

URL: https://hl7.org/fhir/R4/valueset-contract-actionstatus.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contract-actionstatus
Version: | 4.0.1
Name: | ContractResourceActionStatusCodes
Title: | Contract Resource Action Status codes
Definition: | This value set contract specific codes for action status.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.1303 (for OID based terminology systems)
Copyright: | HL7 International.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ContractResourceActionStatusCodes

• Resource: Contract.term.action.status (CodeableConcept / Example)

4.4.1.461.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/contract-action-status

4.4.1.461.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 1 concepts

Expansion based on http://hl7.org/fhir/contract-action-status version 4.0.1

All codes from system http://hl7.org/fhir/contract-action-status

Code | Display | Definition
complete | Complete | To be completed

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.462 Value Set http://hl7.org/fhir/ValueSet/task-code

URL: https://hl7.org/fhir/R4/valueset-task-code.html
Orders and Observations Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/task-code
Version: | 4.0.1
Name: | TaskCode
Title: | Task Codes
Definition: | Codes indicating the type of action that is expected to be performed
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.1396 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for TaskCode
• Resource: Task.code (CodeableConcept / Example)

4.4.1.462.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/CodeSystem/task-code

4.4.1.462.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 7 concepts

Expansion based on http://hl7.org/fhir/CodeSystem/task-code version 4.0.1

All codes from system http://hl7.org/fhir/CodeSystem/task-code

Code | Display | Definition
approve | Activate/approve the focal resource | Take what actions are needed to transition the focus resource from 'draft' to 'active' or 'in-progress', as appropriate for the resource type. This may involve additing additional content, approval, validation, etc.
fulfill | Fulfill the focal request | Act to perform the actions defined in the focus request. This might result in a 'more assertive' request (order for a plan or proposal, filler order for a placer order), but is intend to eventually result in events. The degree of fulfillment requested might be limited by Task.restriction.
abort | Mark the focal resource as no longer active | Abort, cancel or withdraw the focal resource, as appropriate for the type of resource.
replace | Replace the focal resource with the input resource | Replace the focal resource with the specified input resource
change | Change the focal resource | Update the focal resource of the owning system to reflect the content specified as the Task.focus
suspend | Suspend the focal resource | Transition the focal resource from 'active' or 'in-progress' to 'suspended'
resume | Re-activate the focal resource | Transition the focal resource from 'suspended' to 'active' or 'in-progress' as appropriate for the resource type.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.463 Value Set http://hl7.org/fhir/ValueSet/diagnosis-role

URL: https://hl7.org/fhir/R4/valueset-diagnosis-role.html
Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/diagnosis-role
Version: | 4.0.1
Name: | DiagnosisRole
Title: | DiagnosisRole
Definition: | This value set defines a set of codes that can be used to express the role of a diagnosis on the Encounter or EpisodeOfCare record.
Committee: | Vocabulary Work Group
OID: | 2.16.840.1.113883.4.642.3.49 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for DiagnosisRole
• Resource: Encounter.diagnosis.use (CodeableConcept / Preferred)
• Resource: EpisodeOfCare.diagnosis.role (CodeableConcept / Preferred)

4.4.1.463.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/diagnosis-role

4.4.1.463.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 7 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/diagnosis-role version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/diagnosis-role

Code | Display | Definition
AD | Admission diagnosis
DD | Discharge diagnosis
CC | Chief complaint
CM | Comorbidity diagnosis
pre-op | pre-op diagnosis
post-op | post-op diagnosis
billing | Billing

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.464 Value Set http://hl7.org/fhir/ValueSet/medicationdispense-status-reason

URL: https://hl7.org/fhir/R4/valueset-medicationdispense-status-reason.html
Pharmacy Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medicationdispense-status-reason
Version: | 4.0.1
Name: | MedicationDispense Status Reason Codes
Title: | Medication dispense status reason codes
Definition: | MedicationDispense Status Codes
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.1316 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for MedicationDispense Status Reason Codes

• Resource: MedicationDispense.statusReason[x] (CodeableConcept|Reference(DetectedIssue) / Example)

4.4.1.464.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/fhir/CodeSystem/medicationdispense-status-reason

4.4.1.464.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 21 concepts

Expansion based on http://terminology.hl7.org/fhir/CodeSystem/medicationdispense-status-reason version 4.0.1

All codes from system http://terminology.hl7.org/fhir/CodeSystem/medicationdispense-status-reason

Code | Display | Definition
frr01 | Order Stopped | The order has been stopped by the prescriber but this fact has not necessarily captured electronically. Example: A verbal stop, a fax, etc.
frr02 | Stale-dated Order | Order has not been fulfilled within a reasonable amount of time, and might not be current.
frr03 | Incomplete data | Data needed to safely act on the order which was expected to become available independent of the order is not yet available. Example: Lab results, diagnostic imaging, etc.
frr04 | Product unavailable | Product not available or manufactured. Cannot supply.
frr05 | Ethical/religious | The dispenser has ethical, religious or moral objections to fulfilling the order/dispensing the product.
frr06 | Unable to provide care | Fulfiller not able to provide appropriate care associated with fulfilling the order. Example: Therapy requires ongoing monitoring by fulfiller and fulfiller will be ending practice, leaving town, unable to schedule necessary time, etc.
altchoice | Try another treatment first | This therapy has been ordered as a backup to a preferred therapy. This order will be released when and if the preferred therapy is unsuccessful.
clarif | Prescription/Request requires clarification | Clarification is required before the order can be acted upon.
drughigh | Drug level too high | The current level of the medication in the patient's system is too high. The medication is suspended to allow the level to subside to a safer level.
hospadm | Admission to hospital | The patient has been admitted to a care facility and their community medications are suspended until hospital discharge.
labint | Lab interference issues | The therapy would interfere with a planned lab test and the therapy is being withdrawn until the test is completed.
non-avail | Patient not available | Patient not available for a period of time due to a scheduled therapy, leave of absence or other reason.
preg | Patient is pregnant or breastfeeding | The patient is pregnant or breast feeding. The therapy will be resumed when the pregnancy is complete and the patient is no longer breastfeeding.
saig | Allergy | The patient is believed to be allergic to a substance that is part of the therapy and the therapy is being temporarily withdrawn to confirm.
sddi | Drug interacts with another drug | The drug interacts with a short-term treatment that is more urgently required. This order will be resumed when the short-term treatment is complete.
sdupther | Duplicate therapy | Another short-term co-occurring therapy fulfills the same purpose as this therapy. This therapy will be resumed when the co-occuring therapy is complete.
sintol | Suspected intolerance | The patient is believed to have an intolerance to a substance that is part of the therapy and the therapy is being temporarily withdrawn to confirm.
surg | Patient scheduled for surgery | The drug is contraindicated for patients receiving surgery and the patient is scheduled to be admitted for surgery in the near future. The drug will be resumed when the patient has sufficiently recovered from the surgery.
washout | Washout | The patient was previously receiving a medication contraindicated with the current medication. The current medication will remain on hold until the prior medication has been cleansed from their system.
outofstock | Drug not available - out of stock | Drug out of stock. Cannot supply.
offmarket | Drug not available - off market | Drug no longer marketed Cannot supply.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.465 Value Set http://hl7.org/fhir/ValueSet/history-absent-reason

URL: https://hl7.org/fhir/R4/valueset-history-absent-reason.html
Patient Care Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/history-absent-reason
Version: | 4.0.1
Name: | FamilyHistoryAbsentReason
Title: | FamilyHistoryAbsentReason
Definition: | Codes describing the reason why a family member's history is not available.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.269 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for FamilyHistoryAbsentReason

• Resource: FamilyMemberHistory.dataAbsentReason (CodeableConcept / Example)

• Profile: FamilyMemberHistory-Genetic: FamilyMemberHistory.dataAbsentReason (CodeableConcept / Example)

4.4.1.465.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/history-absent-reason

4.4.1.465.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 4 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/history-absent-reason version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/history-absent-reason

Code | Display | Definition
subject-unknown | Subject Unknown | Patient does not know the subject, e.g. the biological parent of an adopted patient.
withheld | Information Withheld | The patient withheld or refused to share the information.
unable-to-obtain | Unable To Obtain | Information cannot be obtained; e.g. unconscious patient.
deferred | Deferred | Patient does not have the information now, but can provide the information at a later date.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.466 Value Set http://hl7.org/fhir/ValueSet/timezones

URL: https://hl7.org/fhir/R4/valueset-timezones.html

This value set could not be expanded by the publication tooling: Error from server: Unable to provide support for code system https://www.iana.org/time-zones

FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/timezones
Version: | 4.0.1
Name: | IANATimezones
Title: | I a n a timezones
Definition: | IANA Timezone Codes
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.1036 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is not currently used

4.4.1.466.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in https://www.iana.org/time-zones

4.4.1.466.2 Expansion

This expansion generated 01 Nov 2019

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.467 Value Set http://hl7.org/fhir/ValueSet/feeding-device

URL: https://hl7.org/fhir/R4/valueset-feeding-device.html
Orders and Observations Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/feeding-device
Version: | 4.0.1
Name: | FeedingDeviceCodes
Title: | Feeding Device Codes
Definition: | Materials used or needed to feed the patient.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.961 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Extension: http://hl7.org/fhir/StructureDefinition/nutritionorder-adaptiveFeedingDevice: adaptiveFeedingDevice (CodeableConcept / Example)

4.4.1.467.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/feeding-device

• Include codes from http://snomed.info/sct where concept is-a 705383004 (Eating/Drinking assistive device)

4.4.1.467.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 39 concepts

Expansion based on http://hl7.org/fhir/feeding-device version 4.0.1

Code | System | Display | Definition
standard-nipple | http://hl7.org/fhir/feeding-device | Standard nipple | Standard nipple definition:
preemie-nipple | http://hl7.org/fhir/feeding-device | Preemie nipple | Preemie nipple definition:
ortho-nipple | http://hl7.org/fhir/feeding-device | Orthodontic nipple | Orthodontic nipple definition:
sloflo-nipple | http://hl7.org/fhir/feeding-device | Slow flow nipple | Slow flow nipple definition:
midflo-nipple | http://hl7.org/fhir/feeding-device | Middle flow nipple | Middle flow nipple definition:
bigcut-nipple | http://hl7.org/fhir/feeding-device | Enlarged, cross-cut nipple | Enlarged, cross-cut nipple definition:
haberman-bottle | http://hl7.org/fhir/feeding-device | Haberman bottle | Haberman bottle definition:
sippy-valve | http://hl7.org/fhir/feeding-device | Sippy cup with valve | Sippy cup with valve definition:
sippy-no-valve | http://hl7.org/fhir/feeding-device | Sippy cup without valve | Sippy cup without valve definition:
provale-cup | http://hl7.org/fhir/feeding-device | Provale Cup | Provale Cup definition:
glass-lid | http://hl7.org/fhir/feeding-device | Glass with lid/sippy cup | Glass with lid/sippy cup definition:
handhold-cup | http://hl7.org/fhir/feeding-device | Double handhold on glass/cup | Double handhold on glass/cup definition:
rubber-mat | http://hl7.org/fhir/feeding-device | Rubber matting under tray | Rubber matting under tray definition:
straw | http://hl7.org/fhir/feeding-device | Straw | Straw definition:
nose-cup | http://hl7.org/fhir/feeding-device | Nose cup | Nose cup definition:
scoop-plate | http://hl7.org/fhir/feeding-device | Scoop plate | Scoop plate definition:

utensil-holder | http://hl7.org/fhir/feeding-device | Hand wrap utensil holder | Hand wrap utensil holder definition:
foam-handle | http://hl7.org/fhir/feeding-device | Foam handle utensils | Foam handle utensils definition:
angled-utensil | http://hl7.org/fhir/feeding-device | Angled utensils | Angled utensils definition:
spout-cup | http://hl7.org/fhir/feeding-device | Spout cup | Spout cup definition:
autofeeding-device | http://hl7.org/fhir/feeding-device | Automated feeding devices | Automated feeding devices definition:
rocker-knife | http://hl7.org/fhir/feeding-device | Rocker knife | Rocker knife definition:
464180003 | http://snomed.info/sct | Assistive cutlery
464409009 | http://snomed.info/sct | Assistive chopsticks
464653006 | http://snomed.info/sct | Assistive drinking cup
464663003 | http://snomed.info/sct | Assistive drinking straw
464677000 | http://snomed.info/sct | Assistive drinking mug
464709005 | http://snomed.info/sct | Assistive food/drink serving container
464756008 | http://snomed.info/sct | Assistive food dispenser
464867004 | http://snomed.info/sct | Assistive egg cup
464919005 | http://snomed.info/sct | Assistive liquid flow stopper
464934004 | http://snomed.info/sct | Assistive serving board
464985007 | http://snomed.info/sct | Assistive drinking glass
465039002 | http://snomed.info/sct | Assistive liquid funnel
466825006 | http://snomed.info/sct | Warm water dining plate
468191003 | http://snomed.info/sct | Adult drinking/feeding cup
468431007 | http://snomed.info/sct | Diet dish
470630003 | http://snomed.info/sct | Infant drinking/feeding cup
700701001 | http://snomed.info/sct | Food guard

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.468 Value Set http://hl7.org/fhir/ValueSet/forms

URL: https://hl7.org/fhir/R4/valueset-forms.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/forms
Version: | 4.0.1
Name: | Form Codes
Title: | Forms
Definition: | This value set includes a sample set of Forms codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.37 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for Form Codes
• Resource: CoverageEligibilityResponse.form (CodeableConcept / Example)
• Resource: ExplanationOfBenefit.formCode (CodeableConcept / Example)
• Resource: ClaimResponse.formCode (CodeableConcept / Example)
• Resource: PaymentReconciliation.formCode (CodeableConcept / Example)

4.4.1.468.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/forms-codes

4.4.1.468.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/forms-codes version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/forms-codes

Code | Display | Definition
1 | Form #1 | Example: The #1 form to be used when printing this information.
2 | Form #1 | Example: The #2 form to be used when printing this information.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.469 Value Set http://hl7.org/fhir/ValueSet/immunization-function

URL: https://hl7.org/fhir/R4/valueset-immunization-function.html
Public Health and Emergency Response Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined at http://www.hl7.org/Special/committees/pher/index.cfm .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/immunization-function
Version: | 4.0.1
Name: | ImmunizationFunctionCodes
Title: | Immunization Function Codes
Definition: | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the function a practitioner or organization may play in the immunization event. This value set is provided as a suggestive example.
Committee: | Public Health and Emergency Response Work Group
OID: | 2.16.840.1.113883.4.642.3.995 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: Immunization.performer.function (CodeableConcept / Extensible)

4.4.1.469.1 Content Logical Definition

This value set includes codes from the following code systems:

http://terminology.hl7.org/CodeSystem/v2-0443

Code | Display
OP | Ordering Provider
AP | Administering Provider

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.470 Value Set http://hl7.org/fhir/ValueSet/observation-interpretation

URL: https://hl7.org/fhir/R4/valueset-observation-interpretation.html
Orders and Observations Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

| This page has been approved as part of an ANSI standard. See the Observation Package for further details.

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/observation-interpretation
Version: | 4.0.1

Name: | ObservationInterpretationCodes
Title: | Observation Interpretation Codes
Definition: | A categorical assessment, providing a rough qualitative interpretation of the observation value, such as “normal”/ “abnormal”,”low” / “high”, “better” / “worse”, “susceptible” / “resistant”, “expected”/ “not expected”. The value set is intended to be for ANY use where coded representation of an interpretation is needed. Notes: This is being communicated in v2.x in OBX-8 (Observation Interpretation), in v3 in ObservationInterpretation (CWE) in R1 (Representative Realm) and in FHIR in Observation.interpretation. Historically these values come from the laboratory domain, and these codes are extensively used. The value set binding is extensible, so codes outside the value set that are needed for interpretation concepts (i.e. particular meanings) that are not included in the value set can be used, and these new codes may also be added to the value set and published in a future version.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.399 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

- Resource: Observation.interpretation (CodeableConcept / Extensible)
- Resource: Observation.component.interpretation (CodeableConcept / Extensible)
- Profile: DeviceMetricObservation: Observation.interpretation (CodeableConcept / Extensible)
- Profile: DeviceMetricObservation: Observation.component.interpretation (CodeableConcept / Extensible)
- Profile: Observation-Genetics: Observation.interpretation (CodeableConcept / Extensible)
- Profile: Observation-Genetics: Observation.component.interpretation (CodeableConcept / Extensible)
- Profile: VitalSigns: Observation.interpretation (CodeableConcept / Extensible)
- Profile: VitalSigns: Observation.component.interpretation (CodeableConcept / Extensible)
- Profile: BodyWeight: Observation.interpretation (CodeableConcept / Extensible)
- Profile: BodyWeight: Observation.component.interpretation (CodeableConcept / Extensible)
- Profile: VitalsPanel: Observation.interpretation (CodeableConcept / Extensible)
- Profile: VitalsPanel: Observation.component.interpretation (CodeableConcept / Extensible)
- Profile: BodyHeight: Observation.interpretation (CodeableConcept / Extensible)
- Profile: BodyHeight: Observation.component.interpretation (CodeableConcept / Extensible)
- Profile: RespRate: Observation.interpretation (CodeableConcept / Extensible)
- Profile: RespRate: Observation.component.interpretation (CodeableConcept / Extensible)
- Profile: HeartRate: Observation.interpretation (CodeableConcept / Extensible)
- Profile: HeartRate: Observation.component.interpretation (CodeableConcept / Extensible)
- Profile: BodyTemp: Observation.interpretation (CodeableConcept / Extensible)
- Profile: BodyTemp: Observation.component.interpretation (CodeableConcept / Extensible)
- Profile: HeadCircum: Observation.interpretation (CodeableConcept / Extensible)
- Profile: HeadCircum: Observation.component.interpretation (CodeableConcept / Extensible)
- Profile: OxygenSat: Observation.interpretation (CodeableConcept / Extensible)
- Profile: OxygenSat: Observation.component.interpretation (CodeableConcept / Extensible)
- Profile: BMI: Observation.interpretation (CodeableConcept / Extensible)
- Profile: BMI: Observation.component.interpretation (CodeableConcept / Extensible)
- Profile: BP: Observation.interpretation (CodeableConcept / Extensible)
- Profile: BP: Observation.component.interpretation (CodeableConcept / Extensible)
- Profile: Cholesterol: Observation.interpretation (CodeableConcept / Extensible)
- Profile: Cholesterol: Observation.component.interpretation (CodeableConcept / Extensible)
- Profile: Triglyceride: Observation.interpretation (CodeableConcept / Extensible)
- Profile: Triglyceride: Observation.component.interpretation (CodeableConcept / Extensible)
- Profile: HDLCholesterol: Observation.interpretation (CodeableConcept / Extensible)
- Profile: HDLCholesterol: Observation.component.interpretation (CodeableConcept / Extensible)
- Profile: LDLCholesterol: Observation.interpretation (CodeableConcept / Extensible)
- Profile: LDLCholesterol: Observation.component.interpretation (CodeableConcept / Extensible)

4.4.1.470.1 Content Logical Definition

This value set includes codes from the following code systems:

- Include all codes defined in http://terminology.hl7.org/CodeSystem/v3-ObservationInterpretation

4.4.1.470.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 39 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/v3-ObservationInterpretation version 2018-08-12

All codes from system http://terminology.hl7.org/CodeSystem/v3-ObservationInterpretation

Lvl | Code | Display | Definition

0 | _GeneticObservationInterpretation | GeneticObservationInterpretation | Codes that specify interpretation of genetic analysis, such as "positive", "negative", "carrier", "responsive", etc.

1 | CAR | Carrier | The patient is considered as carrier based on the testing results. A carrier is an individual who carries an altered form of a gene which can lead to having a child or offspring in future generations with a genetic disorder.

0 | _ObservationInterpretationChange | ObservationInterpretationChange | Interpretations of change of quantity and/or severity. At most one of B or W and one of U or D allowed.

1 | B | Better | The current result or observation value has improved compared to the previous result or observation value (the change is significant as defined in the respective test procedure). [Note: This can be applied to quantitative or qualitative observations.]

1 | D | Significant change down | The current result has decreased from the previous result for a quantitative observation (the change is significant as defined in the respective test procedure).

1 | U | Significant change up | The current result has increased from the previous result for a quantitative observation (the change is significant as defined in the respective test procedure).

1 | W | Worse | The current result or observation value has degraded compared to the previous result or observation value (the change is significant as defined in the respective test procedure). [Note: This can be applied to quantitative or qualitative observations.]

0 | _ObservationInterpretationExceptions | ObservationInterpretationExceptions | Technical exceptions resulting in the inability to provide an interpretation. At most one allowed. Does not imply normality or severity.

1 | < | Off scale low | The result is below the minimum detection limit (the test procedure or equipment is the limiting factor). Synonyms: Below analytical limit, low off scale.

1 | > | Off scale high | The result is above the maximum quantifiable limit (the test procedure or equipment is the limiting factor). Synonyms: Above analytical limit, high off scale.

1 | IE | Insufficient evidence | There is insufficient evidence that the species in question is a good target for therapy with the drug. A categorical interpretation is not possible. [Note: A MIC with "IE" and/or a comment may be reported (without an accompanying S, I or R-categorization).]

0 | _ObservationInterpretationNormality | ObservationInterpretationNormality | Interpretation of normality or degree of abnormality (including critical or "alert" level). Concepts in this category are mutually exclusive, i.e., at most one is allowed.

1 | A | Abnormal | The result or observation value is outside the reference range or expected norm (as defined for the respective test procedure). [Note: Typically applies to non-numeric results.]

2 | AA | Critical abnormal | The result or observation value is outside a reference range or expected norm at a level at which immediate action should be considered for patient safety (as defined for the respective test procedure). [Note: Typically applies to non-numeric results. Analogous to critical/panic limits for numeric results.]

3 | HH | Critical high | The result for a quantitative observation is above a reference level at which immediate action should be considered for patient safety (as defined for the respective test procedure). Synonym: Above upper panic limits.

3 | LL | Critical low | The result for a quantitative observation is below a reference level at which immediate action should be considered for patient safety (as defined for the respective test procedure). Synonym: Below lower panic limits.

2 | H | High | The result for a quantitative observation is above the upper limit of the reference range (as defined for the respective test procedure). Synonym: Above high normal

3 | HU | Significantly high | A test result that is significantly higher than the reference (normal) or therapeutic interval, but has not reached the critically high value and might need special attention, as defined by the laboratory or the clinician.

2 | L | Low | The result for a quantitative observation is below the lower limit of the reference range (as defined for the respective test procedure). Synonym: Below low normal

3 | LU | Significantly low | A test result that is significantly lower than the reference (normal) or therapeutic interval, but has not reached the critically low value and might need special attention, as defined by the laboratory or the clinician.

1 | N | Normal | The result or observation value is within the reference range or expected norm (as defined for the respective test procedure). [Note: Applies to numeric or non-numeric results.]

0 | _ObservationInterpretationSusceptibility | ObservationInterpretationSusceptibility | Interpretations of anti-microbial susceptibility testing results (microbiology). At most one allowed.

1 | I | Intermediate | Bacterial strain inhibited in vitro by a concentration of an antimicrobial agent that is associated with uncertain therapeutic effect. Reference: CLSI (http://www.clsi.org/Content/NavigationMenu/Resources/HarmonizedTerminologyDatabase/Harmonized_Terminolo.htm) Projects: ISO 20776-1, ISO 20776-2 [Note 1: Bacterial strains are categorized as intermediate by applying the appropriate breakpoints in a defined phenotypic test system.] [Note 2: This class of susceptibility implies that an infection due to the isolate can be appropriately treated in body sites where the drugs are physiologically concentrated or when a high dosage of drug can be used.] [Note 3: This class also indicates a "buffer zone," to prevent small, uncontrolled, technical factors from causing major discrepancies in interpretations.] [Note 4: These breakpoints can be altered due to changes in circumstances (e.g., changes in commonly used drug dosages, emergence of new resistance mechanisms).]

1 | NCL | No CLSI defined breakpoint | Use when not enough clinical trial data published by the Clinical and Laboratory Standards Institutes (CLSI) is available to establish the breakpoints for susceptible / intermediate and resistant.

1 | NS | Non-susceptible | A category used for isolates for which only a susceptible interpretive criterion has been designated because of the absence or rare occurrence of resistant strains. Isolates that have MICs above or zone diameters below the value indicated for the susceptible breakpoint should be reported as non-susceptible. NOTE 1: An isolate that is interpreted as non-susceptible does not necessarily mean that the isolate has a resistance mechanism. It is possible that isolates with MICs above the susceptible breakpoint that lack resistance mechanisms may be encountered within the wild-type distribution subsequent to the time the susceptible-only breakpoint is set. NOTE 2: For strains yielding results in the "nonsusceptible" category, organism identification and antimicrobial susceptibility test results should be confirmed. Synonym: decreased susceptibility.

1 | R | Resistant | Bacterial strain inhibited in vitro by a concentration of an antimicrobial agent that is associated with a high likelihood of therapeutic failure. Reference: CLSI (http://www.clsi.org/Content/NavigationMenu/Resources/HarmonizedTerminologyDatabase/Harmonized_Terminolo.htm) Projects: ISO 20776-1, ISO 20776-2 [Note 1: Bacterial strains are categorized as resistant by applying the appropriate breakpoints in a

defined phenotypic test system.] [Note 2: This breakpoint can be altered due to changes in circumstances (e.g., changes in commonly used drug dosages, emergence of new resistance mechanisms).]

2 | SYN-R | Synergy - resistant | A category for isolates where the bacteria (e.g. enterococci) are not susceptible in vitro to a combination therapy (e.g., high-level aminoglycoside and cell wall active agent). This is predictive that this combination therapy will not be effective. Usage Note: Since the use of penicillin or ampicillin alone often results in treatment failure of serious enterococcal or other bacterial infections, combination therapy is usually indicated to enhance bactericidal activity. The synergy between a cell wall active agent (such as penicillin, ampicillin, or vancomycin) and an aminoglycoside (such as gentamicin, kanamycin or streptomycin) is best predicted by screening for high-level bacterial resistance to the aminoglycoside. Open Issue: The print name of the code is very general and the description is very specific to a pair of classes of agents, which may lead to confusion of these concepts in the future should other synergies be found.

1 | S | Susceptible | Bacterial strain inhibited by in vitro concentration of an antimicrobial agent that is associated with a high likelihood of therapeutic success. Reference: CLSI (http://www.clsi.org/Content/NavigationMenu/Resources/HarmonizedTerminologyDatabase/Harmonized_Terminolo.htm) Synonym (earlier term): Sensitive Projects: ISO 20776-1, ISO 20776-2 [Note 1: Bacterial strains are categorized as susceptible by applying the appropriate breakpoints in a defined phenotypic system.] [Note 2: This breakpoint can be altered due to changes in circumstances (e.g., changes in commonly used drug dosages, emergence of new resistance mechanisms).]

2 | SDD | Susceptible-dose dependent | A category that includes isolates with antimicrobial agent minimum inhibitory concentrations (MICs) that approach usually attainable blood and tissue levels and for which response rates may be lower than for susceptible isolates. Reference: CLSI document M44-A2 2009 "Method for antifungal disk diffusion susceptibility testing of yeasts; approved guideline - second edition" - page 2.

2 | SYN-S | Synergy - susceptible | A category for isolates where the bacteria (e.g. enterococci) are susceptible in vitro to a combination therapy (e.g., high-level aminoglycoside and cell wall active agent). This is predictive that this combination therapy will be effective. Usage Note: Since the use of penicillin or ampicillin alone often results in treatment failure of serious enterococcal or other bacterial infections, combination therapy is usually indicated to enhance bactericidal activity. The synergy between a cell wall active agent (such as penicillin, ampicillin, or vancomycin) and an aminoglycoside (such as gentamicin, kanamycin or streptomycin) is best predicted by screening for high-level bacterial resistance to the aminoglycoside. Open Issue: The print name of the code is very general and the description is very specific to a pair of classes of agents, which may lead to confusion of these concepts in the future should other synergies be found.

0 | EX | outside threshold | The observation/test result is interpreted as being outside the inclusion range for a particular protocol within which the result is being reported. Example: A positive result on a Hepatitis screening test. Open Issue: EX, HX, LX: These three concepts do not seem to meet a clear need in the vocabulary, and their use in observation interpretation appears likely to be covered by other existing concepts (e.g., A, H, L). The only apparent significant difference is their reference to use in protocols for exclusion of study subjects. These concepts/codes were proposed by RCRIM for use in the CTLaboratory message. They were submitted and approved in the November 2005 Harmonization cycle in proposal "030103C_VOCAB_RCRIM_l_quade_RCRIM Obs Interp_20051028154455". However, this proposal was not fully implemented in the vocabulary. The proposal recommended creation of the x_ClinicalResearchExclusion domain in ObservationInterpretation with a value set including those three concepts/codes, but there is no subdomain of that name or equivalent with a binding to either of the value sets that contain these concepts/codes. Members of the OO WG have recently attempted to contact members of RCRIM regarding these concepts, both by email and at the recent WGM in Atlanta, without response. It is felt by OO that the best course of action to take at this time is to add this comprehensive Open Issue rather than deprecate these three concepts at this time, until further discussion is held.

1 | HX | above high threshold | The observation/test result is interpreted as being outside the inclusion range for a particular protocol within which the result is being reported. Example: A positive result on a Hepatitis screening test. Open Issue: EX, HX, LX: These three concepts do not seem to meet a clear need in the vocabulary, and their use in observation interpretation appears likely to be covered by other existing concepts (e.g., A, H, L). The only apparent significant difference is their reference to use in protocols for exclusion of study subjects. These concepts/codes were proposed by RCRIM for use in the CTLaboratory message. They were submitted and approved in the November 2005 Harmonization cycle in proposal "030103C_VOCAB_RCRIM_l_quade_RCRIM Obs Interp_20051028154455". However, this proposal was not fully implemented in the vocabulary. The proposal recommended creation of the x_ClinicalResearchExclusion domain in ObservationInterpretation with a value set including those three concepts/codes, but there is no subdomain of that name or equivalent with a binding to either of the value sets that contain these concepts/codes. Members of the OO WG have recently attempted to contact members of RCRIM regarding these concepts, both by email and at the recent WGM in Atlanta, without response. It is felt by OO that the best course of action to take at this time is to add this comprehensive Open Issue rather than deprecate these three concepts at this time, until further discussion is held.

1 | LX | below low threshold | The numeric observation/test result is interpreted as being below the low threshold value for a particular protocol within which the result is being reported. Example: A Total White Blood Cell Count falling below a protocol-defined threshold value of 3000/mm^3 Open Issue: EX, HX, LX: These three concepts do not seem to meet a clear need in the vocabulary, and their use in observation interpretation appears likely to be covered by other existing concepts (e.g., A, H, L). The only apparent significant difference is their reference to use in protocols for exclusion of study subjects. These concepts/codes were proposed by RCRIM for use in the CTLaboratory message. They were submitted and approved in the November 2005 Harmonization cycle in proposal "030103C_VOCAB_RCRIM_l_quade_RCRIM Obs Interp_20051028154455". However, this proposal was not fully implemented in the vocabulary. The proposal recommended creation of the x_ClinicalResearchExclusion domain in ObservationInterpretation with a value set including those three concepts/codes, but there is no subdomain of that name or equivalent with a binding to either of the value sets that contain these concepts/codes. Members of the OO WG have recently attempted to contact members of RCRIM regarding these concepts, both by email and at the recent WGM in Atlanta, without response. It is felt by OO that the best course of action to take at this time is to add this comprehensive Open Issue rather than deprecate these three concepts at this time, until further discussion is held.

0 | ObservationInterpretationDetection | ObservationInterpretationDetection | Interpretations of the presence or absence of a component / analyte or organism in a test or of a sign in a clinical observation. In keeping with laboratory data processing practice, these concepts provide a categorical interpretation of the "meaning" of the quantitative value for the same observation.

1 | IND | Indeterminate | The specified component / analyte, organism or clinical sign could neither be declared positive / negative nor detected / not detected by the performed test or procedure. Usage Note: For example, if the specimen was degraded, poorly processed, or was missing the required anatomic structures, then "indeterminate" (i.e. "cannot be determined") is the appropriate response, not "equivocal".

2 | E | Equivocal | The test or procedure was successfully performed, but the results are borderline and can neither be declared positive / negative nor detected / not detected according to the current established criteria.

1 | NEG | Negative | An absence finding of the specified component / analyte, organism or clinical sign based on the established threshold of the performed test or procedure. [Note: Negative does not necessarily imply the complete absence of the specified item.]

2 | ND | Not detected | The presence of the specified component / analyte, organism or clinical sign could not be determined within the limit of detection of the performed test or procedure.
1 | POS | Positive | A presence finding of the specified component / analyte, organism or clinical sign based on the established threshold of the performed test or procedure.
2 | DET | Detected | The measurement of the specified component / analyte, organism or clinical sign above the limit of detection of the performed test or procedure.
0 | ObservationInterpretationExpectation | ObservationInterpretationExpectation | Interpretation of the observed result taking into account additional information (contraindicators) about the patient's situation. Concepts in this category are mutually exclusive, i.e., at most one is allowed.
1 | EXP | Expected | This result has been evaluated in light of known contraindicators. Once those contraindicators have been taken into account the result is determined to be "Expected" (e.g., presence of drugs in a patient that is taking prescription medication for pain management).
1 | UNE | Unexpected | This result has been evaluated in light of known contraindicators. Once those contraindicators have been taken into account the result is determined to be "Unexpected" (e.g., presence of non-prescribed drugs in a patient that is taking prescription medication for pain management).
0 | ReactivityObservationInterpretation | ReactivityObservationInterpretation | Interpretations of the presence and level of reactivity of the specified component / analyte with the reagent in the performed laboratory test.
1 | NR | Non-reactive | An absence finding used to indicate that the specified component / analyte did not react measurably with the reagent.
1 | RR | Reactive | A presence finding used to indicate that the specified component / analyte reacted with the reagent above the reliably measurable limit of the performed test.
2 | WR | Weakly reactive | A weighted presence finding used to indicate that the specified component / analyte reacted with the reagent, but below the reliably measurable limit of the performed test.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.471 Value Set http://hl7.org/fhir/ValueSet/coverage-financial-exception

URL: https://hl7.org/fhir/R4/valueset-coverage-financial-exception.html
Financial Management Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/coverage-financial-exception
Version: | 4.0.1
Name: | ExampleCoverageFinancialExceptionCodes
Title: | Example Coverage Financial Exception Codes
Definition: | This value set includes Example Coverage Financial Exception Codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.1328 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ExampleCoverageFinancialExceptionCodes

• Resource: Coverage.costToBeneficiary.exception.type (CodeableConcept / Example)

4.4.1.471.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/ex-coverage-financial-exception

4.4.1.471.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/ex-coverage-financial-exception version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/ex-coverage-financial-exception

Code | Display | Definition

retired | Retired | Retired persons have all copays and deductibles reduced.
foster | Foster child | Children in the foster care have all copays and deductibles waived.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.472 Value Set http://hl7.org/fhir/ValueSet/performer-role

URL: https://hl7.org/fhir/R4/valueset-performer-role.html
Patient Care Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/performer-role
Version: | 4.0.1
Name: | ProcedurePerformerRoleCodes
Title: | Procedure Performer Role Codes
Definition: | This example value set defines the set of codes that can be used to indicate a role of a procedure performer.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.433 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: ChargeItem.performer.function (CodeableConcept / Example)
• Resource: Task.performerType (CodeableConcept / Preferred)
• Resource: Procedure.performer.function (CodeableConcept / Example)
• Resource: MedicationRequest.performerType (CodeableConcept / Example)

4.4.1.472.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include codes from http://snomed.info/sct where concept is-a 223366009 (Healthcare professional)

4.4.1.472.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 494 concepts

All codes from system http://snomed.info/sct

Code | Display | Definition
1421009 | Specialized surgeon
3430008 | Radiation therapist
3842006 | Chiropractor
4162009 | Dental assistant
5275007 | NA - Nursing auxiliary
6816002 | Specialized nurse
6868009 | Hospital administrator
8724009 | Plastic surgeon
11661002 | Neuropathologist
11911009 | Nephrologist
11935004 | Obstetrician
13580004 | School dental assistant
14698002 | Medical microbiologist
17561000 | Cardiologist
18803008 | Dermatologist
18850004 | Laboratory hematologist
19244007 | Gerodontist
20145008 | Removable prosthodontist
21365001 | Specialized dentist

21450003 | Neuropsychiatrist
22515006 | Medical assistant
22731001 | Orthopedic surgeon
22983004 | Thoracic surgeon
23278007 | Community health physician
24430003 | Physical medicine specialist
24590004 | Urologist
25961008 | Electroencephalography specialist
26042002 | Dental hygienist
26369006 | Public health nurse
28229004 | Optometrist
28411006 | Neonatologist
28544002 | Chemical pathologist
36682004 | PT - Physiotherapist
37154003 | Periodontist
37504001 | Orthodontist
39677007 | Internal medicine specialist
40127002 | Dietitian (general)
40204001 | Hematologist
40570005 | Interpreter
41672002 | Respiratory physician
41904004 | Medical X-ray technician
43702002 | Occupational health nurse
44652006 | Pharmaceutical assistant
45419001 | Masseur
45440000 | Rheumatologist
45544007 | Neurosurgeon
45956004 | Sanitarian
46255001 | Pharmacist
48740002 | Philologist
49203003 | Dispensing optometrist
49993003 | Maxillofacial surgeon
50149000 | Endodontist
54503009 | Faith healer
56397003 | Neurologist
56466003 | Community physician
56542007 | Medical record administrator
56545009 | Cardiovascular surgeon
57654006 | Fixed prosthodontist
59058001 | General physician
59169001 | Orthopedic technician
59944000 | Psychologist
60008001 | Community-based dietitian
61207006 | Medical pathologist
61246008 | Laboratory medicine specialist
61345009 | Otorhinolaryngologist
61894003 | Endocrinologist
62247001 | Family medicine specialist
63098009 | Clinical immunologist
66476003 | Oral pathologist
66862007 | Radiologist
68867008 | Public health dentist
68950000 | Prosthodontist
69280009 | Specialized physician
71838004 | Gastroenterologist
73265009 | Nursing aid
75271001 | MW - Midwife
76166008 | Practical aid (pharmacy)
76231001 | Osteopath
76899008 | Infectious diseases physician
78703002 | General surgeon
78729002 | Diagnostic radiologist
79898004 | Auxiliary midwife
80409005 | Translator
80546007 | OT - Occupational therapist
80584001 | Psychiatrist
80933006 | Nuclear medicine physician
81464008 | Clinical pathologist
82296001 | Pediatrician
83189004 | Other professional nurse
83273008 | Anatomic pathologist
83685006 | Gynecologist

85733003 | General pathologist
88189002 | Anesthesiologist
88475002 | Other dietitians and public health nutritionists
90201008 | Pediatric dentist
90655003 | Care of the elderly physician
106289002 | Dental surgeon
106291005 | Dietician AND/OR public health nutritionist
106292003 | Nurse
106293008 | Nursing personnel
106294002 | Midwifery personnel
106296000 | Physiotherapist AND/OR occupational therapist
106330007 | Philologist, translator AND/OR interpreter
112247003 | Medical doctor
158965000 | Medical practitioner
158966004 | Medical administrator - national
158967008 | Consultant physician
158968003 | Consultant surgeon
158969006 | Consultant gynecology and obstetrics
158970007 | Anesthetist
158971006 | Hospital registrar
158972004 | House officer
158973009 | Occupational physician
158974003 | Clinical medical officer
158975002 | Medical practitioner - teaching
158977005 | Dental administrator
158978000 | Dental consultant
158979008 | Dental general practitioner
158980006 | Dental practitioner - teaching
158983008 | Nurse administrator - national
158984002 | Nursing officer - region
158985001 | Nursing officer - district
158986000 | Nursing administrator - professional body
158987009 | Nursing officer - division
158988004 | Nurse education director
158989007 | Occupational health nursing officer
158990003 | Nursing officer
158992006 | Midwifery sister
158993001 | Nursing sister (theatre)
158994007 | Staff nurse
158995008 | Staff midwife
158996009 | State enrolled nurse
158997000 | District nurse
158998005 | Private nurse
158999002 | Community midwife
159001001 | Clinic nurse
159002008 | Practice nurse
159003003 | School nurse
159004009 | Nurse - teaching
159005005 | Student nurse
159006006 | Dental nurse
159007002 | Community pediatric nurse
159010009 | Hospital pharmacist
159011008 | Retail pharmacist
159012001 | Industrial pharmacist
159013006 | Pharmaceutical officer H.A.
159014000 | Trainee pharmacist
159016003 | Medical radiographer
159017007 | Diagnostic radiographer
159018002 | Therapeutic radiographer
159019005 | Trainee radiographer
159021000 | Ophthalmic optician
159022007 | Trainee optician
159025009 | Remedial gymnast
159026005 | Speech and language therapist
159027001 | Orthoptist
159028006 | Trainee remedial therapist
159033005 | Dietician
159034004 | Podiatrist
159035003 | Dental auxiliary
159036002 | ECG technician
159037006 | EEG technician
159038001 | Artificial limb fitter

159039009 | AT - Audiology technician
159040006 | Pharmacy technician
159041005 | Trainee medical technician
159141008 | Geneticist
159972006 | Surgical corset fitter
160008000 | Dental technician
224529009 | Clinical assistant
224530004 | Senior registrar
224531000 | Registrar
224532007 | Senior house officer
224533002 | MO - Medical officer
224534008 | Health visitor, nurse/midwife
224535009 | Registered nurse
224536005 | Midwifery tutor
224537001 | Accident and Emergency nurse
224538006 | Triage nurse
224540001 | Community nurse
224541002 | Nursing continence advisor
224542009 | Coronary care nurse
224543004 | Diabetic nurse
224544005 | Family planning nurse
224545006 | Care of the elderly nurse
224546007 | ICN - Infection control nurse
224547003 | Intensive therapy nurse
224548008 | Learning disabilities nurse
224549000 | Neonatal nurse
224550000 | Neurology nurse
224551001 | Industrial nurse
224552008 | Oncology nurse
224553003 | Macmillan nurse
224554009 | Marie Curie nurse
224555005 | Pain control nurse
224556006 | Palliative care nurse
224557002 | Chemotherapy nurse
224558007 | Radiotherapy nurse
224559004 | PACU nurse
224560009 | Stomatherapist
224561008 | Theatre nurse
224562001 | Pediatric nurse
224563006 | Psychiatric nurse
224564000 | Community mental health nurse
224565004 | Renal nurse
224566003 | Hemodialysis nurse
224567007 | Wound care nurse
224569005 | Nurse grade
224570006 | Clinical nurse specialist
224571005 | Nurse practitioner
224572003 | Nursing sister
224573008 | CN - Charge nurse
224574002 | Ward manager
224575001 | Nursing team leader
224576000 | Nursing assistant
224577009 | Healthcare assistant
224578004 | Nursery nurse
224579007 | Healthcare service manager
224580005 | Occupational health service manager
224581009 | Community nurse manager
224583007 | Behavior therapist
224584001 | Behavior therapy assistant
224585000 | Drama therapist
224586004 | Domiciliary occupational therapist
224587008 | Occupational therapy helper
224588003 | Psychotherapist
224589006 | Community-based physiotherapist
224590002 | Play therapist
224591003 | Play specialist
224592005 | Play leader
224593000 | Community-based speech/language therapist
224594006 | Speech/language assistant
224595007 | Professional counselor
224596008 | Marriage guidance counselor
224597004 | Trained nurse counselor

224598009 | Trained social worker counselor
224599001 | Trained personnel counselor
224600003 | Psychoanalyst
224601004 | Assistant psychologist
224602006 | Community-based podiatrist
224603001 | Foot care worker
224604007 | Audiometrician
224605008 | Audiometrist
224606009 | Technical healthcare occupation
224607000 | Occupational therapy technical instructor
224608005 | Administrative healthcare staff
224609002 | Complementary health worker
224610007 | Supporting services personnel
224614003 | Research associate
224615002 | Research nurse
224620002 | Human aid to communication
224621003 | Palantypist
224622005 | Note taker
224623000 | Cuer
224624006 | Lipspeaker
224625007 | Interpreter for British sign language
224626008 | Interpreter for Signs supporting English
224936003 | General practitioner locum
225726006 | Lactation consultant
225727002 | Midwife counselor
265937000 | Nursing occupation
265939002 | Medical/dental technicians
283875005 | Parkinson disease nurse
302211009 | Specialist registrar
303124005 | Member of mental health review tribunal
303129000 | Hospital manager
303133007 | Responsible medical officer
303134001 | Independent doctor
304291006 | Bereavement counselor
304292004 | Surgeon
307988006 | Medical technician
308002005 | Remedial therapist
309294001 | Accident and Emergency doctor
309295000 | Clinical oncologist
309296004 | Family planning doctor
309322005 | Associate general practitioner
309323000 | Partner of general practitioner
309324006 | Assistant GP
309326008 | Deputizing general practitioner
309327004 | General practitioner registrar
309328009 | Ambulatory pediatrician
309329001 | Community pediatrician
309330006 | Pediatric cardiologist
309331005 | Pediatric endocrinologist
309332003 | Pediatric gastroenterologist
309333008 | Pediatric nephrologist
309334002 | Pediatric neurologist
309335001 | Pediatric rheumatologist
309336000 | Pediatric oncologist
309337009 | Pain management specialist
309338004 | Intensive care specialist
309339007 | Adult intensive care specialist
309340009 | Pediatric intensive care specialist
309341008 | Blood transfusion doctor
309342001 | Histopathologist
309343006 | Physician
309345004 | Chest physician
309346003 | Thoracic physician
309347007 | Clinical hematologist
309348002 | Clinical neurophysiologist
309349005 | Clinical physiologist
309350005 | Diabetologist
309351009 | Andrologist
309352002 | Neuroendocrinologist
309353007 | Reproductive endocrinologist
309354001 | Thyroidologist
309355000 | Clinical geneticist

309356004 | Clinical cytogeneticist
309357008 | Clinical molecular geneticist
309358003 | Genitourinary medicine physician
309359006 | Palliative care physician
309360001 | Rehabilitation physician
309361002 | Child and adolescent psychiatrist
309362009 | Forensic psychiatrist
309363004 | Liaison psychiatrist
309364005 | Psychogeriatrician
309365006 | Psychiatrist for mental handicap
309366007 | Rehabilitation psychiatrist
309367003 | Obstetrician and gynecologist
309368008 | Breast surgeon
309369000 | Cardiothoracic surgeon
309371000 | Cardiac surgeon
309372007 | Ear, nose and throat surgeon
309373002 | Endocrine surgeon
309374008 | Thyroid surgeon
309375009 | Pituitary surgeon
309376005 | Gastrointestinal surgeon
309377001 | General gastrointestinal surgeon
309378006 | Upper gastrointestinal surgeon
309379003 | Colorectal surgeon
309380000 | Hand surgeon
309381001 | Hepatobiliary surgeon
309382008 | Ophthalmic surgeon
309383003 | Pediatric surgeon
309384009 | Pancreatic surgeon
309385005 | Transplant surgeon
309386006 | Trauma surgeon
309388007 | Vascular surgeon
309389004 | Medical practitioner grade
309390008 | Hospital consultant
309391007 | Visiting specialist registrar
309392000 | Research registrar
309393005 | General practitioner grade
309394004 | General practitioner principal
309395003 | Hospital specialist
309396002 | Associate specialist
309397006 | Research fellow
309398001 | Allied health professional
309399009 | Hospital dietitian
309400002 | Domiciliary physiotherapist
309401003 | General practitioner-based physiotherapist
309402005 | Hospital-based physiotherapist
309403000 | Private physiotherapist
309404006 | Physiotherapy assistant
309409001 | Hospital-based speech and language therapist
309410006 | Arts therapist
309411005 | Dance therapist
309412003 | Music therapist
309413008 | Renal dietitian
309414002 | Liver dietitian
309415001 | Oncology dietitian
309416000 | Pediatric dietitian
309417009 | Diabetes dietitian
309418004 | Audiologist
309419007 | Hearing therapist
309420001 | Audiological scientist
309421002 | Hearing aid dispenser
309422009 | Community-based occupational therapist
309423004 | Hospital occupational therapist
309427003 | Social services occupational therapist
309428008 | Orthotist
309429000 | Surgical fitter
309434001 | Hospital-based podiatrist
309435000 | Podiatry assistant
309436004 | Lymphedema nurse
309437008 | Community learning disabilities nurse
309439006 | Clinical nurse teacher
309440008 | Community practice nurse teacher
309441007 | Nurse tutor

309442000 | Nurse teacher practitioner
309443005 | Nurse lecturer practitioner
309444004 | Outreach nurse
309445003 | Anesthetic nurse
309446002 | Nurse manager
309450009 | Nurse administrator
309452001 | Midwifery grade
309453006 | Midwife
309454000 | Student midwife
309455004 | Parentcraft sister
309459005 | Healthcare professional grade
309460000 | Restorative dentist
310170009 | Pediatric audiologist
310171008 | Immunopathologist
310172001 | Audiological physician
310173006 | Clinical pharmacologist
310174000 | Private doctor
310175004 | Agency nurse
310176003 | Behavioral therapist nurse
310177007 | Cardiac rehabilitation nurse
310178002 | Genitourinary nurse
310179005 | Rheumatology nurse specialist
310180008 | Continence nurse
310181007 | Contact tracing nurse
310182000 | General nurse
310183005 | Nurse for the mentally handicapped
310184004 | Liaison nurse
310185003 | Diabetic liaison nurse
310186002 | Nurse psychotherapist
310187006 | Company nurse
310188001 | Hospital midwife
310189009 | Genetic counselor
310190000 | Mental health counselor
310191001 | Clinical psychologist
310192008 | Educational psychologist
310193003 | Coroner
310194009 | Appliance officer
310512001 | Medical oncologist
311441001 | School medical officer
312485001 | Integrated midwife
372102007 | RN First Assist
387619007 | Optician
394572006 | Medical secretary
394618009 | Hospital nurse
397824005 | Consultant anesthetist
397897005 | Paramedic
397903001 | Staff grade obstetrician
397908005 | Staff grade practitioner
398130009 | Medical student
398238009 | Acting obstetric registrar
404940000 | Physiotherapist technical instructor
405277009 | Resident physician
405278004 | Certified registered nurse anesthetist
405279007 | Attending physician
405623001 | Assigned practitioner
405684005 | Professional initiating surgical case
405685006 | Professional providing staff relief during surgical procedure
408798009 | Consultant pediatrician
408799001 | Consultant neonatologist
409974004 | Health educator
409975003 | Certified health education specialist
413854007 | Circulating nurse
415075003 | Perioperative nurse
415506007 | Scrub nurse
416160000 | Fellow of American Academy of Osteopathy
420409002 | Oculoplastic surgeon
420678001 | Retinal surgeon
421841007 | Admitting physician
422140007 | Medical ophthalmologist
422234006 | Ophthalmologist
432100008 | Health coach
442867008 | Respiratory therapist

443090005 | Podiatric surgeon
444912007 | Hypnotherapist
445313000 | Asthma nurse specialist
445451001 | Nurse case manager
446050000 | PCP - Primary care physician
446701002 | Addiction medicine specialist
449161006 | PA - physician assistant
471302004 | Government midwife
3981000175106 | Nurse complex case manager
231189271000087109 | Naturopath
236749831000087105 | Prosthetist
258508741000087105 | Hip and knee surgeon
260767431000087107 | Hepatologist
285631911000087106 | Shoulder surgeon
291705421000087106 | Interventional radiologist
341320851000087105 | Pediatric radiologist
368890881000087105 | Emergency medicine specialist
398480381000087106 | Family medicine specialist - palliative care
416186861000087101 | Surgical oncologist
450044741000087104 | Acupuncturist
465511991000087105 | Pediatric orthopedic surgeon
494782281000087101 | Pediatric hematologist
619197631000087102 | Neuroradiologist
623630151000087105 | Family medicine specialist - anesthetist
666997781000087107 | Doula
673825031000087109 | Traditional herbal medicine specialist
682131381000087105 | Occupational medicine specialist
724111801000087104 | Pediatric emergency medicine specialist
747936471000087102 | Family medicine specialist - care of the elderly
766788081000087100 | Travel medicine specialist
767205061000087108 | Spine surgeon
813758161000087106 | Maternal or fetal medicine specialist
822410621000087104 | Massage therapist
847240411000087102 | Hospitalist
853827051000087104 | Sports medicine specialist
926871431000087103 | Pediatric respirologist
954544641000087107 | Homeopath
956387501000087102 | Family medicine specialist - emergency medicine
969118571000087109 | Pediatric hematologist or oncologist
984095901000087105 | Foot and ankle surgeon
990928611000087105 | Invasive cardiologist
999480451000087102 | Case manager
999480461000087104 | Kinesthesiologist

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.473 Value Set http://hl7.org/fhir/ValueSet/questionnaire-enable-operator

URL: https://hl7.org/fhir/R4/valueset-questionnaire-enable-operator.html
FHIR Infrastructure Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/questionnaire-enable-operator
Version: | 4.0.1
Name: | QuestionnaireItemOperator
Title: | QuestionnaireItemOperator
Definition: | The criteria by which a question is enabled.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.1005 (for OID based terminology systems)

Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for QuestionnaireItemOperator

• Resource: Questionnaire.item.enableWhen.operator (code / Required)

4.4.1.473.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/questionnaire-enable-operator

4.4.1.473.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 7 concepts

Expansion based on http://hl7.org/fhir/questionnaire-enable-operator version 4.0.1

All codes from system http://hl7.org/fhir/questionnaire-enable-operator

Code	Display	Definition
exists	Exists	True if whether an answer exists is equal to the enableWhen answer (which must be a boolean).
=	Equals	True if whether at least one answer has a value that is equal to the enableWhen answer.
!=	Not Equals	True if whether at least no answer has a value that is equal to the enableWhen answer.
>	Greater Than	True if whether at least no answer has a value that is greater than the enableWhen answer.
<	Less Than	True if whether at least no answer has a value that is less than the enableWhen answer.
>=	Greater or Equals	True if whether at least no answer has a value that is greater or equal to the enableWhen answer.
<=	Less or Equals	True if whether at least no answer has a value that is less or equal to the enableWhen answer.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.474 Value Set http://hl7.org/fhir/ValueSet/task-status

URL: https://hl7.org/fhir/R4/valueset-task-status.html
Orders and Observations Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/task-status
Version: | 4.0.1
Name: | TaskStatus
Title: | TaskStatus
Definition: | The current status of the task.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.790 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for TaskStatus

• ConceptMap: Translation source in Canonical Mapping for "TaskStatus"

• Resource: Task.status (code / Required)

4.4.1.474.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/task-status

4.4.1.474.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 12 concepts

Expansion based on http://hl7.org/fhir/task-status version 4.0.1

All codes from system http://hl7.org/fhir/task-status

Code | Display | Definition | Canonical Status
draft | Draft | The task is not yet ready to be acted upon. | ~draft
requested | Requested | The task is ready to be acted upon and action is sought. | ~requested
received | Received | A potential performer has claimed ownership of the task and is evaluating whether to perform it. | ~received
accepted | Accepted | The potential performer has agreed to execute the task but has not yet started work. | ~accepted
rejected | Rejected | The potential performer who claimed ownership of the task has decided not to execute it prior to performing any action. | ~declined
ready | Ready | The task is ready to be performed, but no action has yet been taken. Used in place of requested/received/accepted/rejected when request assignment and acceptance is a given. | ~on-target
cancelled | Cancelled | The task was not completed. | ~abandoned
in-progress | In Progress | The task has been started but is not yet complete. | ~active
on-hold | On Hold | The task has been started but work has been paused. | ~suspended
failed | Failed | The task was attempted but could not be completed due to some error. | ~failed
completed | Completed | The task has been completed. | ~complete
entered-in-error | Entered in Error | The task should never have existed and is retained only because of the possibility it may have used. | ~error

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.475 Value Set http://hl7.org/fhir/ValueSet/quality-type

URL: https://hl7.org/fhir/R4/valueset-quality-type.html
Clinical Genomics Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/quality-type
Version: | 4.0.1
Name: | qualityType
Title: | qualityType
Definition: | Type for quality report.
Committee: | Clinical Genomics Work Group
OID: | 2.16.840.1.113883.4.642.3.228 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for qualityType
• Resource: MolecularSequence.quality.type (code / Required)

4.4.1.475.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/quality-type

4.4.1.475.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/quality-type version 4.0.1

All codes from system http://hl7.org/fhir/quality-type

Code | Display | Definition
indel | INDEL Comparison | INDEL Comparison.
snp | SNP Comparison | SNP Comparison.
unknown | UNKNOWN Comparison | UNKNOWN Comparison.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.476 Value Set http://hl7.org/fhir/ValueSet/identifier-type

URL: https://hl7.org/fhir/R4/valueset-identifier-type.html
Vocabulary Work Group | Maturity Level: N | Normative (from v4.0.0) | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/identifier-type
Version: | 4.0.1
Name: | Identifier Type Codes
Title: | IdentifierType
Definition: | A coded type for an identifier that can be used to determine which identifier to use for a specific purpose.
Committee: | Vocabulary Work Group
OID: | 2.16.840.1.113883.4.642.3.45 (for OID based terminology systems)
Source Resource | XML / JSON

Note for Implementer:

Types are for general categories of identifiers. See the identifier registry for a list of common identifier systems

This value set is used in the following places:

• Resource: NamingSystem.type (CodeableConcept / Extensible)
• Resource: Identifier.type (CodeableConcept / Extensible)

4.4.1.476.1 Content Logical Definition

This value set includes codes from the following code systems:

http://terminology.hl7.org/CodeSystem/v2-0203

Code | Display
DL | Driver's license number
PPN | Passport number
BRN | Breed Registry Number
MR | Medical record number
MCN | Microchip Number
EN | Employer number
TAX | Tax ID number
NIIP | National Insurance Payor Identifier (Payor)
PRN | Provider number
MD | Medical License number
DR | Donor Registration Number
ACSN | Accession ID
UDI | Universal Device Identifier
SNO | Serial Number
SB | Social Beneficiary Identifier
PLAC | Placer Identifier
FILL | Filler Identifier
JHN | Jurisdictional health number (Canada)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.477 Value Set http://hl7.org/fhir/ValueSet/texture-code

URL: https://hl7.org/fhir/R4/valueset-texture-code.html
Orders and Observations Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/texture-code
Version: | 4.0.1
Name: | TextureModifierCodes
Title: | Texture Modifier Codes
Definition: | TextureModifier: Codes for food consistency types or texture modifications to apply to foods. This value set is composed of SNOMED CT (US Extension and Core) Concepts from SCTID 229961002 Food consistency types (substance) hierarchy and is provided as a suggestive example.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.387 (for OID based terminology systems)
Copyright: | This resource includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these specifications must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/get-snomed-ct or info@snomed.org
Source Resource | XML / JSON

This value set is used in the following places:

• Resource: NutritionOrder.oralDiet.texture.modifier (CodeableConcept / Example)

4.4.1.477.1 Content Logical Definition

This value set includes codes from the following code systems:

http://snomed.info/sct

Code | Display
228053002 | Cut-up food
439091000124107 | Easy to chew food
228049004 | Chopped food
441881000124103 | Ground food
441761000124103 | Minced food
441751000124100 | Mashed food
228059003 | Soft food
441791000124106 | Strained food
228055009 | Liquidized food
228056005 | Lumpy food
441771000124105 | Moist food
228057001 | Semi-solid food
228058006 | Single texture food
228060008 | Solid food

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.478 Value Set http://hl7.org/fhir/ValueSet/action-precheck-behavior

URL: https://hl7.org/fhir/R4/valueset-action-precheck-behavior.html
Clinical Decision Support Work Group | Maturity Level: 2 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/action-precheck-behavior
Version: | 4.0.1
Name: | ActionPrecheckBehavior
Title: | ActionPrecheckBehavior
Definition: | Defines selection frequency behavior for an action or group.
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.805 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ActionPrecheckBehavior

• Resource: RequestGroup.action.precheckBehavior (code / Required)
• Resource: PlanDefinition.action.precheckBehavior (code / Required)

4.4.1.478.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/action-precheck-behavior

4.4.1.478.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/action-precheck-behavior version 4.0.1

All codes from system http://hl7.org/fhir/action-precheck-behavior

Code | Display | Definition
yes | Yes | An action with this behavior is one of the most frequent action that is, or should be, included by an end user, for the particular context in which the action occurs. The system displaying the action to the end user should consider "pre-checking" such an action as a convenience for the user.
no | No | An action with this behavior is one of the less frequent actions included by the end user, for the particular context in which the action occurs. The system displaying the actions to the end user would typically not "pre-check" such an action.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.479 Value Set http://hl7.org/fhir/ValueSet/consent-action

URL: https://hl7.org/fhir/R4/valueset-consent-action.html
Community Based Collaborative Care Work Group | Maturity Level: 1 | Draft | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/consent-action
Version: | 4.0.1
Name: | ConsentActionCodes
Title: | Consent Action Codes
Definition: | This value set includes sample Consent Action codes.
Committee: | Community Based Collaborative Care Work Group
OID: | 2.16.840.1.113883.4.642.3.753 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for ConsentActionCodes
• Resource: Consent.provision.action (CodeableConcept / Example)

4.4.1.479.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://terminology.hl7.org/CodeSystem/consentaction

4.4.1.479.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://terminology.hl7.org/CodeSystem/consentaction version 4.0.1

All codes from system http://terminology.hl7.org/CodeSystem/consentaction

Code | Display | Definition
collect | Collect | Gather retrieved information for storage
access | Access | Retrieval without permitting collection, use or disclosure. e.g., no screen-scraping for collection, use or disclosure (view-only access)
use | Use | Utilize the retrieved information

disclose | Disclose | Transfer retrieved information
correct | Access and Correct | Allow retrieval of a patient's information for the purpose of update or rectify

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.480 Value Set http://hl7.org/fhir/ValueSet/relationship

URL: https://hl7.org/fhir/R4/valueset-relationship.html
Financial Management Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/relationship
Version: | 4.0.1
Name: | Beneficiary Relationship Codes
Title: | Relationship
Definition: | This value set includes the Patient to subscriber relationship codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.35 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for Beneficiary Relationship Codes

4.4.1.480.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/relationship

4.4.1.480.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/relationship version 4.0.1

All codes from system http://hl7.org/fhir/relationship

Code | Display | Definition
1 | Self | The patient is the subscriber (policy holder)
2 | Spouse | The patient is the spouse or equivalent of the subscriber (policy holder)
3 | Child | The patient is the child of the subscriber (policy holder)
4 | Common Law Spouse | The patient is the common law spouse of the subscriber (policy holder)
5 | Other | The patient has some other relationship, such as parent, to the subscriber (policy holder)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.4.1.481 Value Set http://hl7.org/fhir/ValueSet/sequence-type

URL: https://hl7.org/fhir/R4/valueset-sequence-type.html
Clinical Genomics Work Group | Maturity Level: 1 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/sequence-type
Version: | 4.0.1
Name: | sequenceType
Title: | sequenceType
Definition: | Type if a sequence -- DNA, RNA, or amino acid sequence.
Committee: | Clinical Genomics Work Group
OID: | 2.16.840.1.113883.4.642.3.219 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

• CodeSystem: This value set is the designated 'entire code system' value set for sequenceType
• Resource: MolecularSequence.type (code / Required)

4.4.1.481.1 Content Logical Definition

This value set includes codes from the following code systems:

• Include all codes defined in http://hl7.org/fhir/sequence-type

4.4.1.481.2 Expansion

This expansion generated 01 Nov 2019

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/sequence-type version 4.0.1

All codes from system http://hl7.org/fhir/sequence-type

Code | Display | Definition
aa | AA Sequence | Amino acid sequence.
dna | DNA Sequence | DNA Sequence.
rna | RNA Sequence | RNA Sequence.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Lvl | A few code lists that FHIR defines are hierarchical - each code is assigned a level. For value sets, levels are mostly used to organize codes for user convenience, but may follow code system hierarchy - see Code System for further information
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code