HL7 FHIR R4 — Chapter 13: Financial Module (sections 13 – 13.11.15)

Source: HL7 FHIR R4 (v4.0.1) specification, https://hl7.org/fhir/R4/ — text-only rendition for AI ingestion; page order follows toc.html.

13 Financial Module

URL: https://hl7.org/fhir/R4/financial-module.html
Work Group Financial Management | Standards Status: Informative

13.0 Financial Module

13.0.1 Introduction

The Financial module covers the resources and services provided by FHIR to support the costing, financial transactions and billing which occur within a healthcare provider as well as the eligibility, enrollment, authorizations, claims and payments which occur between healthcare providers and insurers and the reporting and notification between insurers and subscribers and patients.

See also the Administration and WorkFlow modules.

13.0.2 Index

Account Contract Coverage CoverageEligibilityRequest CoverageEligibilityResponse | EnrollmentRequest EnrollmentResponse Claim ClaimResponse | PaymentNotice PaymentReconciliation ExplanationOfBenefit VisionPrescription

13.0.2.1 Support

Administrative

Name | Aliases | Description
Account | Cost center | A financial tool for tracking value accrued for a particular purpose. In the healthcare field, used to track charges for a patient, cost centers, etc.
Contract | | Legally enforceable, formally recorded unilateral or bilateral directive i.e., a policy or agreement.
Coverage | | Financial instrument which may be used to reimburse or pay for health care products and services. Includes both insurance and self-payment.
CoverageEligibilityRequest | | The CoverageEligibilityRequest provides patient and insurance coverage information to an insurer for them to respond, in the form of an CoverageEligibilityResponse, with information regarding whether the stated coverage is valid and in-force and optionally to provide the insurance details of the policy.
CoverageEligibilityResponse | | This resource provides eligibility and plan details from the processing of an CoverageEligibilityRequest resource.
EnrollmentRequest | | This resource provides the insurance enrollment details to the insurer regarding a specified coverage.
EnrollmentResponse | | This resource provides enrollment and plan details from the processing of an EnrollmentRequest resource.
VisionPrescription | | An authorization for the provision of glasses and/or contact lenses to a patient.

13.0.2.2 Billing

Claims, processing and responses

Name | Aliases | Description
Claim | Adjudication Request, Preauthorization Request | A provider issued list of professional services and products which have been provided, or are to be provided, to a patient which is sent to an insurer for reimbursement.
ClaimResponse | Remittance Advice | This resource provides the adjudication details from the processing of a Claim resource.

13.0.2.3 Payment

Used to support service payment processing and reporting

Name | Aliases | Description
PaymentNotice | | This resource provides the status of the payment for goods and services rendered, and the request and response resource references.
PaymentReconciliation | | This resource provides the details including amount of a payment and allocates the payment items being paid.

13.0.2.4 Other

Patient reporting and other purposes

Name | Aliases | Description
ExplanationOfBenefit | EOB | This resource provides: the claim details; adjudication details from the processing of a Claim; and optionally account balance information, for informing the subscriber of the benefits provided.

Additional Resources will be added in the future. A list of hypothesized resources can be found on the HL7 Confluence . Feel free to add any you think are missing or engage with one of the HL7 Work Groups to submit a proposal to define a resource of particular interest.

13.0.3 Security and Privacy

Financial information in general and in particular when related to or including health information, such as claims data, are typically considered Protected Health Information and as such must be afforded the same protection and safeguards as would be afforded to purely clinical identified health data.

The Security and Privacy measures associated with FHIR, such as the use of Security labels and tags in the resource.meta, are encouraged in addition to the use of whatever measures for authorization and encryption are supported by the chosen exchange model, e.g. FHIR REST, Web Services, Direct, MLLP, SMTP and others.

For more general considerations, see the Security and Privacy module.

13.0.4 Glossary

Financial information in general and in particular when related to or including health information, such as claims data, are typically considered Protected Health Information and as such must be afforded the same protection and safeguards as would be afforded to purely clinical identified health data.

Term | Alias | Resource Type | Description
Adjudication | Claim, Preauthorization or Predetermination Processing | ClaimResponse | The processing by an insurer of a claim, preauthorization or predetermination to determine under the insurance plan what if any benefits are or would be payable.
Assignment of Benefit | Assignment | n/a | When a Beneficiary directs that any benefits they receive from the adjudication of a claim may be paid to the service provider who issued the claim.
Attachment | | Communication | A collection of information objects sent to a party to support their understanding or processing of another resource such as a claim.
Beneficiary | Patient | Patient | The party whose health care expenses may be covered by a policy issued by an Insurer.
Benefit Amount | Benefit | n/a | The amount payable under an insurance policy for a given expense incurred by a patient.
Claim | Claim | Claim | A request to an Insurer to adjudicate the supplied charges for health care goods and services under the identified policy and to pay the determined Benefit amount, if any.
Coordination of Benefit | COB | n/a | The rules, usually regionally defined, which govern the order of application of multiple Insurance coverages or Self-Pay to a given suite of health care expenses.
Dependent | | Patient, RelatedPerson | A person who receives their coverage via a policy which is own or subscribed to by another. Typically, these include spouses, partners and minor children but may also include students, parents and disabled persons.
Insurer | Payer, Payor | Organization | A public or private insurer which will adjudicate Claims for health care goods and services to determine if the there is any benefit payable, amount due, under the policy which covers the patient.
Network | | n/a | An insurer defined grouping of Providers for which the Beneficiary's plan preferentially covers the costs of treatment, e.g. closed, rental, etc.
Payer | Payor, Insurer | Organization | A public or private insurer.
Payor | Payer, Insurer | Organization | A public or private insurer.
Policy | | Contract | A contract between an Insurer and an individual or other entity such as an employer to reimburse covered parties (Beneficiaries) for some or all of a prescribed suite of health-related goods and services.
Policy Holder | Policy owner | Patient, RelatedPerson, Organization | The party which owns the policy. It may be the employer for work-related policies or the individual for purchased or public policies.
Preauthorization | Prior Authorization, Pre-Auth | Claim | A request to an Insurer to adjudicate the supplied proposed future charges for health care goods and services under the identified policy and to approve the services and provide the expected benefit amounts and potentially to reserve funds to pay the benefits when Claims for the indicated services are later submitted.
Predetermination | Pre-Determination, PreD | Claim | A request to an Insurer to adjudicate the supplied 'what if' charges for health care goods and services under the identified policy and report back what the Benefit payable would be had the services actually been provided.
Solicited Attachment | | Communication | An attachment sent to provide supporting information in response to having received a request for additional information.
Subscriber | | Patient, RelatedPerson | The person who signs-up for the coverage. May be an employee or person with dependents.
Unsolicited Attachment | | Communication | An attachment sent to provide supporting information without first having received a request for additional information.

13.0.5 Common Use Cases

The table below details various common business activities which occur in the financial realm, and the focal resources which may be exchanged, along with supporting resources, to accomplish the business activities. Whether the resources specified are actually needed requires consideration of the business itself and the exchange methodology and transport being used.

For example: If a content model is not required to obtain the appropriate status element then a SEARCH (GET) may be used, however if a content model is required to support the request for information then the content model will need to be CREATEd (POST). Alternately, if FHIR Operations are being used then the specified focal resource may be employed as one of the Operation parameters or might not be required.

Business Activity | Request Resource | Response Resource
Eligibility Check | CoverageEligibilityRequest | CoverageEligibilityResponse
Enrollment Update | EnrollmentRequest | EnrollmentResponse
Claim | Claim (type={discipline}, use=claim) | ClaimResponse
Claim with attachments | Bundle containing Claim and the attachments | ClaimResponse
Predetermination | Claim (type={discipline}, use=predetermination) | ClaimResponse
Preauthorization | Claim (type={discipline}, use=preauthorization) | ClaimResponse
ReversalCancel | Task (code=cancel) | Task (optional output=ClaimResponse)
NullifyNullify | Task (code=nullify) | Task (output=error codes)
ReleaseRelease | Task (code=release) | Task (output=error codes)
Re-adjudicationReprocess | Task (code=reprocess) | Task (output=ClaimResponse)
Status CheckStatus | Task (code=status) | Task (output=status code)

Pended Check (Polling)Poll | Task (code=poll) | Task (output={Resource})
Payment Notice | Task (code=deliver, input=PaymentNotice) | Task (output=error codes)
Payment Reconciliation | Task (code=poll, input=PaymentReconciliation) | Task (output=PaymentReconciliation)
Send Attachments | Task (code=deliver, input=Communication) | Task (output=error codes)
Request Attachments | Task (code=poll, input=CommunicationRequest) | Task (output=CommunicationRequest)
Request an Explanation of Benefits | Task (code=poll, input=ExplanationOfBenefit) | Task (output=ExplanationOfBenefit)

{discipline} means the type of claim: OralHealth, Vision, Pharmacy, Professional or Institutional.

{Resource} means any pended or undelivered resource subject to the selection details specified in the request.

13.0.6 Tasks

See the Financial examples in Task.

In addition to supplying a reference to a focal resource in the .focus element, where appropriate an .input element of type 'origresponse' may also be provided with a reference to the resource which was the original response to the focal resource.

13.0.6.1 Cancel

The Cancel is the formal request to cease processing an incomplete prior request or to reverse a completed prior request or information submission. A copy of the original request may be retained. The Task will be updated to indicate whether the requested action was accepted and successful or whether errors were found in the request and may contain a reference to the ClaimResponse or such other resource as may be appropriate for expressing the outcome of the cancellation.

13.0.6.2 Nullify

The Nullify is the formal request to cease processing an incomplete prior request or to reverse a completed prior request or information submission. All copies of the original submission are to be purged, although audit logs may be retained. The Task will be updated to indicate whether the requested action was accepted and successful or whether errors were found in the request.

13.0.6.3 Poll

Poll provides supporting information for the poll request. The response to a Poll is a Task referring to: a previously undelivered response Resource; a Bundle containing one or more Resources; or, a Task which may contain errors.

A simple Poll request, one which doesn't specify additional .input parameters: origresponse, include, exclude, period or count; would return any single pended resource. Specific types of business behaviors may be supported by providing values for the filtering elements in the .input element, for example:

• Get any pended resource - no filters specified

• Get deferred response to a Claim - specify the Claim in the .focus and optionally the original response in 'origresponse'

• Get all supporting information - specify 'Communication' as an 'include'

• Get an Explanation of Benefit - specify 'ExplanationOfBenefit' as an 'include'

• Get any resource except Explanation of Benefit - specify 'ExplanationOfBenefit' as an 'exclude'

• Get a payment reconciliation - specify a 'period' which contains the expected reconciliation creation date, and specify 'PaymentReconciliation' as an 'include'

• Get a bundle containing more than one resource - specify the maximum number in 'count'

Upon processing of the request, the Task or Bundle may contain errors or a reference to the resource(s) found.

13.0.6.4 Release

Release is the formal request for the release of any allocation or reserved resources such as funds or products reserved, for example on a preauthorization, which have not been consumed, e.g. as indicated on claims, and which are no longer required. The preauthorization which request ed the reservation will be identified in the .focus element and the insurer's response confirming the reservation may be provided as a .input element.

13.0.6.5 Reprocess

Reprocess indicates the resource which is to be reprocessed in the .focus element, for example a claim to be re-adjudicated or a specimen or diagnostic image to be re-examined, and provides both supporting information for the reprocessing and the line items which are to be reprocessed in the .input element.

This is necessary for the limited supporters who require the ability to formally request the reprocessing of specified service sub-trees from an already processed resource such as a previously adjudicated Claim. Upon processing of the request the Task may contain errors or a reference to the ClaimResponse or such other resource as may be appropriate for expressing the outcome of the reprocessing.

13.0.6.6 Status

Status indicates the resource for which the processing status is requested in the .focus element and provides any supporting information for the status request. The

This is a formal request for systems which require requisition-level information or transports which don't support a 'Get Operation', for the processing status of a previously submitted processing request.

Upon processing of the status request the Task may contain errors or a .output parameter of 'status' containing the status of outcome code of the processing of the targeted resource.

13.0.7 Relative Order of Use

The table below details the relative order of events and use of financial resources for patient care during the care cycle. Not all steps or information exchanges may occur. Supporting information may be required more frequently than has been depicted below.

Business Activity | Focal Resource
Patient visits Provider
Provider checks for valid insurance coverage | CoverageEligibilityRequest
Insurer responds with coverage status and optional plan details | CoverageEligibilityResponse
Provider examines Patient and reviews treatment options
Provider submits Predetermination(s) for treatment options to determine potential reimbursement | Claim {use=predetermination}
Insurer responds with potential reimbursement | ClaimResponse
Provider and Patient determine treatment plan
Treatment plan submitted to Insurer to reserve funds | Claim {use=preauthorization}
Insurer acknowledges receipt of preauthorization | ClaimResponse
Insurer requests additional information | CommunicationRequest
Provider submits supporting information | Communication
Insurer provides adjudicated response to pre-authorization | ClaimResponse
Provider checks on status of pre-authorization processing | Task {code=status}
Insurer responds indicating adjudication is ready | Task
Provider retrieves pre-authorization adjudication | READ or Task {code=poll}
Provider provides treatment
Provider submits patient's claim for reimbursement | Claim {use=claim}
Insurer responds with claim adjudication | ClaimResponse
Patient leaves treatment setting
Patient requests an Explanation of Benefit for their Personal Health Record application | READ or Task {code=poll}
Insurer responds with Explanation of Benefit | ExplanationOfBenefit
Provider requests the payment details associated with a bulk payment | SEARCH or Task {code=poll}
Insurer responds with a Payment Reconciliation | PaymentReconciliation
Insurer notifies provider that payment has been issued | PaymentNotice
Insurer notifies parties that payment funds have been received | PaymentNotice

13.0.8 Resource Status Life-cycle

Financial resources, such as claim and eligibility resources, begin with the status 'draft' and continue with this status during the development of the resource. When a resource is exchanged with an external party, for example when a provider claim is sent or otherwise created on the insurer's system before the exchange the status of the claim shall be changed to 'active'. A resource with the 'active' status is immutable and cannot be edited except for further change to the status in the event the resource is subsequently canceled resulting in a status of 'cancel'.

In the event that a resource is determined to have been entered in error, for example a wrong date of service or billing code, while the status is 'draft' then the status may be changed to 'entered-in-error' and no further editing of the resource is permitted. If the resource status is 'active' when the error is noted, then the resource must be canceled and further interaction with whatever parties have been supplied the resource may be required to halt any processing or reverse any effects of the resource prior to creating an amended instance.

13.0.9 Secondary Uses

In addition to their primary use of conveying patient billing information to insurers for reimbursement either to the subscriber or the provider (assignment of benefit), many of the financial resources, such as Claim and ExplanationOfBenefit, may be used to export data to other agencies to support reporting and analytics. Consequently the cardinalities of many elements are set to optional, '0..', to support reporting, for example of partial adjudications, where the cardinality for a normal claim profile or claim response profile would expect the cardinality to required, '1..'.

Profiles will usually be necessary to set tight constraints on cardinalities, require jurisdictional terminologies, and eliminate or introduce elements require to support various business needs and discipline requirements.

13.0.10 Attachments - Supporting Information

There is often a need to provide supporting information, commonly referred to as attachments, to document the need for a service and/or to confirm that the good or service was authorized or rendered. This information may be in many forms, including: scanned documents, PDFs, word processing files, X-Rays, images, CDAs and

FHIR Resources.

Supporting information may be provided, as a reference or the actual material, to support the Claim (complete claim or Preauthorization) or ExplanationOfBenefit in a variety of manners:

• Included: in the {resource}.supportingInfo section;

• Unsolicited: in a Communication which refers to the Claim or Explanation of Benefit; or

• Solicited: in a Communication in response to a CommunicationRequest from the insurer requesting more information; or

• Input: in the input parameters of a FHIR operation or Task.input element if a Task resource is used.

13.0.11 Subrogation - Insurers recovering costs from other insurers

It is not always appropriate to send a Claim, or other eClaim requests such as eligibility or pre-authorizations, to some insurers. This may be due to jurisdictional rules, for example the national health program may pay for workplace accident claims then recover costs directly against that program, or there may be no direct relationship between the provider and the insurer, for example for injury caused by another party or covered under property or accident insurance, the patient's primary health insurer may pay for services then recover a portion of their costs from that other insurer.

To support the downstream recovery of costs from the appropriate insurer it is necessary to supply the insurance coverage information for all logically potentially applicable coverages and to flag those which are provided for subrogation so that both the provider and payor systems know whether to expect to submit eClaims requests to or expect eClaims responses from these insurers. In the specific case of the Claim resource (claim, predetermination, preauthorization) the provider would list all insurance coverages, including only work or accident related if appropriate, but send Claims only to non-subrogation coverages (Coverage.subrogation=false) and not include ClaimResponses, nor would payors expect ClaimResponses to be provided, for subrogated coverages.

13.0.12 Coordination of Benefit - Handling multiple insurance coverages

When a patient has multiple Coverages there will generally be agreement within the jurisdiction as to the order of application of claims recovery against the coverages which is referred to as the Coordination of Benefit (COB) order. This would also be the order used to request preauthorization and predeterminations. Coverage eligibility is typically independent of the COB order as it is coverage specific.

While the jurisdiction rules must be consulted for COB specifics, generally: risk specific polices apply before risk-general policies; national policies will apply before personal or top-up policies; coverage obtained with full-time employment applies before coverage obtained with part-time employment; policies where the patient is the subscriber apply before a spouse's policy; and, there will be some understanding as to the order of application for policies which apply to dependents, for example, birthday order of the subscribers.

When sending Claims down the COB order all logically applicable policies will be listed, so that insurers may confirm adherence to the COB order, and, aside from subrogated coverages, will include the ClaimResponses from any coverages appearing earlier in the COB order so that each insurer may correctly calculate their portion of the overall cost of products and services supplied. The claims work their way through the COB order until the order is exhausted or there is no further outstanding balance, whichever comes first.

While it is most common, it is not always the case that all claims originate with the provider. In some jurisdictions, in some or all cases, the primary health insurer takes or is assigned responsibility to obtain the ClaimResponses from downstream insurers and to return the suite of ClaimResponses to the provider. This is similar to subrogation in that it removes the claim-cycle work from the provider but unlike subrogation the individual insurers still make their payments to the provider, if Assignment of Benefit is agreed, and a reversal of the base claim often requires the provider to handle reversal of the downstream claims as well.

13.0.13 Batches - Handling multiple eClaim requests or responses within a single exchange

eClaims request and response resources may be exchanged between providers and payors individually or via batches. eClaim requests, individual and batches, may be created on a payor system via FHIR REST or sent to the payor, either synchronously via FHIR operations or another request-response protocol such as: WSI Web Services, a SOA exchange, MLLP, etc.

13.0.13.1 Individual eClaim Requests and Responses

An individual eClaim request or response, for example a Claim (use=claim), may be either a simple Claim resource which refers to or contains any supporting resources or Bundle resource containing a single request, e.g. a Claim, and any associated resources (Patient, Practitioner, Organization, Coverage, etc.).

13.0.13.2 eClaim Batches

A batch of eClaim requests or responses is a (FHIR Bundle) containing one or more eClaim requests or responses, as above. The batch is simply a 'bag' of request or responses, typically of a consistent type of request or response, for example: all eligibility, preauthorizations, claim, payment notifications, etc. There is no assurance provided that when receiving a batch of 100 claim responses that they relate to the 100 claims

just submitted.

13.0.14 Real-time eClaims Exchange

The eClaims resources are intended to support the real-time exchange of eClaim request and responses. While certain eligibility, claims, preauthorizations and predeterminations may be processed in real-time there are many cases where they cannot due to the complexity of the material submitted, the maturity of the jurisdictional styles and insurer processing systems, and the inclusion or requirements for supporting information which tends to require manual review. Therefore, in some cases the eClaim response will only indicate the receipt and typically validation that the request is processable (or that it contain errors which inhibit processing).

Deferred responses, those which could not be returned in real-time, and those returned asynchronously may be obtained either by FHIR REST (a GET or SEARCH) or via a Poll depending upon the style of information exchange supported.

13.0.15 Developmental Roadmap

The Financial Management Work Group (FM) is responsible for two subdomains:

Financial Accounts and Billing (FIAB) - resources for accounts, charges (internal costing transactions) and patient billing, and Financial Claims and Reimbursement (FICR) - insurance information, enrollment, eligibility, predetermination, preauthorization, claims, patient reporting and payments.

To date FM has been focusing on the resources required to support the exchange of claims and related information between health care providers and insurers. The first draft of this work is nearing completion with the release of the first Financial Standard for Trial Use in STU4 of FHIR. Over the next year further refinements will be expected as implementers begin developing regional profiles and begin live pilots with resources.

Once the above is well underway FM can then look to developing the Enrollment-related resources and the resources to support the FIAB functions.

13.0.16 Terminology

In many cases an example valueset has been provided in this release. Financial Management will be devoting effort in the preparation to Release 5 of FHIR to develop more representative example sets and to determine where global codesets exist such that some of the valuesets may be elevated in strength to extensible or required.

13.1 Resource Coverage - Content

URL: https://hl7.org/fhir/R4/coverage.html
Financial Management Work Group | Maturity Level: 2 | Trial Use | Security Category: Patient | Compartments: Patient, RelatedPerson

Financial instrument which may be used to reimburse or pay for health care products and services. Includes both insurance and self-payment.

13.1.1 Scope and Usage

The Coverage resource is intended to provide the high-level identifiers and descriptors of an insurance plan, typically the information which would appear on an insurance card, which may be used to pay, in part or in whole, for the provision of health care products and services.

This resource may also be used to register 'SelfPay' where an individual or organization other than an insurer is taking responsibility for payment for a portion of the health care costs. Selfpay should not be confused with being a guarantor of the patient's account.

The Coverage resource is a "event" resource from a FHIR workflow perspective - see Workflow Request.

13.1.2 Boundaries and Relationships

The eClaim domain includes a number of related insurance resources

Coverage | The Coverage resource is intended to provide the high-level identifiers and descriptors of a specific insurance plan for a specific individual - essentially the insurance card information. This may alternately provide the individual or organization, selfpay, which will pay for products and services rendered.
Contract | A Contract resource holds the references to parties who have entered into an agreement of some type, the parties who may sign or witness such an agreement, descriptors of the type of agreement and even the actual text or executable copy of the agreement. The agreement may be of a variety of types including service contracts, insurance contracts, directives, etc. The contract may be either definitional or actual instances.
InsurancePlan | The InsurancePlan resource holds the definition of an insurance plan which an insurer may offer to potential clients through insurance brokers or an online insurance marketplace. This is only the plan definition and does not contain or reference a list of individuals who have purchased the plan.

This resource is referenced by Account, Claim, ClaimResponse, CoverageEligibilityRequest, CoverageEligibilityResponse, DeviceRequest, EnrollmentRequest, ExplanationOfBenefit, MedicationRequest, ServiceRequest and Task

13.1.3 Resource Content

- Structure
- UML
- XML
- JSON
- Turtle
- R3 Diff
- All

Structure

Name | Flags | Card. | Type | Description & Constraints
Coverage | TU | | DomainResource | Insurance or medical plan or a payment agreement Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | Σ | 0..* | Identifier | Business Identifier for the coverage
status | ?!Σ | 1..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
type | Σ | 0..1 | CodeableConcept | Coverage category such as medical or accident Coverage Type and Self-Pay Codes (Preferred)
policyHolder | Σ | 0..1 | Reference(Patient | RelatedPerson | Organization) | Owner of the policy
subscriber | Σ | 0..1 | Reference(Patient | RelatedPerson) | Subscriber to the policy
subscriberId | Σ | 0..1 | string | ID assigned to the subscriber
beneficiary | Σ | 1..1 | Reference(Patient) | Plan beneficiary
dependent | Σ | 0..1 | string | Dependent number
relationship | | 0..1 | CodeableConcept | Beneficiary relationship to the subscriber SubscriberPolicyholder Relationship Codes (Extensible)
period | Σ | 0..1 | Period | Coverage start and end dates
payor | Σ | 1..* | Reference(Organization | Patient | RelatedPerson) | Issuer of the policy
class | | 0..* | BackboneElement | Additional coverage classifications
type | Σ | 1..1 | CodeableConcept | Type of class such as 'group' or 'plan' Coverage Class Codes (Extensible)
value | Σ | 1..1 | string | Value associated with the type
name | Σ | 0..1 | string | Human readable description of the type and value
order | Σ | 0..1 | positiveInt | Relative order of the coverage
network | Σ | 0..1 | string | Insurer network
costToBeneficiary | | 0..* | BackboneElement | Patient payments for services/products
type | Σ | 0..1 | CodeableConcept | Cost category Coverage Copay Type Codes (Extensible)
value[x] | Σ | 1..1 | | The amount or percentage due from the beneficiary
valueQuantity | | | SimpleQuantity
valueMoney | | | Money
exception | | 0..* | BackboneElement | Exceptions for patient payments
type | Σ | 1..1 | CodeableConcept | Exception category Example Coverage Financial Exception Codes (Example)
period | Σ | 0..1 | Period | The effective period of the exception
subrogation | | 0..1 | boolean | Reimbursement to insurer
contract | | 0..* | Reference(Contract) | Contract details
Documentation for this format

UML Diagram (Legend)

XML Template

```
<Coverage xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier for the coverage --></identifier>
 <status value="[code]"/><!-- 1..1 active | cancelled | draft | entered-in-error -->
 <type><!-- 0..1 CodeableConcept Coverage category such as medical or accident --></type>
 <policyHolder><!-- 0..1 Reference(Patient|RelatedPerson|Organization) Owner of the policy --></policyHolder>
 <subscriber><!-- 0..1 Reference(Patient|RelatedPerson) Subscriber to the policy --></subscriber>
 <subscriberId value="[string]"/><!-- 0..1 ID assigned to the subscriber -->
 <beneficiary><!-- 1..1 Reference(Patient) Plan beneficiary --></beneficiary>
 <dependent value="[string]"/><!-- 0..1 Dependent number -->
 <relationship><!-- 0..1 CodeableConcept Beneficiary relationship to the subscriber --></relationship>
 <period><!-- 0..1 Period Coverage start and end dates --></period>
 <payor><!-- 1..* Reference(Organization|Patient|RelatedPerson) Issuer of the policy --></payor>
 <class>  <!-- 0..* Additional coverage classifications -->
  <type><!-- 1..1 CodeableConcept Type of class such as 'group' or 'plan' --></type>
  <value value="[string]"/><!-- 1..1 Value associated with the type -->
  <name value="[string]"/><!-- 0..1 Human readable description of the type and value -->
 </class>
 <order value="[positiveInt]"/><!-- 0..1 Relative order of the coverage -->
 <network value="[string]"/><!-- 0..1 Insurer network -->
 <costToBeneficiary>  <!-- 0..* Patient payments for services/products -->
  <type><!-- 0..1 CodeableConcept Cost category --></type>
  <value[x]><!-- 1..1 Quantity(SimpleQuantity)|Money The amount or percentage due from the beneficiary --></value[x]>
  <exception>  <!-- 0..* Exceptions for patient payments -->
   <type><!-- 1..1 CodeableConcept Exception category --></type>
   <period><!-- 0..1 Period The effective period of the exception --></period>
  </exception>
 </costToBeneficiary>
 <subrogation value="[boolean]"/><!-- 0..1 Reimbursement to insurer -->
```

```
 <contract><!-- 0..* Reference(Contract) Contract details --></contract>
</Coverage>
```

JSON Template

```
{
  "resourceType" : "Coverage",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier for the coverage
  "status" : "<code>", // R!  active | cancelled | draft | entered-in-error
  "type" : { CodeableConcept }, // Coverage category such as medical or accident
  "policyHolder" : { Reference(Patient|RelatedPerson|Organization) }, // Owner of the policy
  "subscriber" : { Reference(Patient|RelatedPerson) }, // Subscriber to the policy
  "subscriberId" : "<string>", // ID assigned to the subscriber
  "beneficiary" : { Reference(Patient) }, // R!  Plan beneficiary
  "dependent" : "<string>", // Dependent number
  "relationship" : { CodeableConcept }, // Beneficiary relationship to the subscriber
  "period" : { Period }, // Coverage start and end dates
  "payor" : [{ Reference(Organization|Patient|RelatedPerson) }], // R!  Issuer of the policy
  "class" : [{ // Additional coverage classifications
    "type" : { CodeableConcept }, // R!  Type of class such as 'group' or 'plan'
    "value" : "<string>", // R!  Value associated with the type
    "name" : "<string>" // Human readable description of the type and value
  }],
  "order" : "<positiveInt>", // Relative order of the coverage
  "network" : "<string>", // Insurer network
  "costToBeneficiary" : [{ // Patient payments for services/products
    "type" : { CodeableConcept }, // Cost category
    // value[x]: The amount or percentage due from the beneficiary. One of these 2:
    "valueQuantity" : { Quantity(SimpleQuantity) },
    "valueMoney" : { Money },
    "exception" : [{ // Exceptions for patient payments
      "type" : { CodeableConcept }, // R!  Exception category
      "period" : { Period } // The effective period of the exception
    }]
  }],
  "subrogation" : <boolean>, // Reimbursement to insurer
  "contract" : [{ Reference(Contract) }] // Contract details
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:Coverage;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:Coverage.identifier [ Identifier ], ... ; # 0..* Business Identifier for the coverage
  fhir:Coverage.status [ code ]; # 1..1 active | cancelled | draft | entered-in-error
  fhir:Coverage.type [ CodeableConcept ]; # 0..1 Coverage category such as medical or accident
  fhir:Coverage.policyHolder [ Reference(Patient|RelatedPerson|Organization) ]; # 0..1 Owner of the policy
  fhir:Coverage.subscriber [ Reference(Patient|RelatedPerson) ]; # 0..1 Subscriber to the policy
  fhir:Coverage.subscriberId [ string ]; # 0..1 ID assigned to the subscriber
  fhir:Coverage.beneficiary [ Reference(Patient) ]; # 1..1 Plan beneficiary
  fhir:Coverage.dependent [ string ]; # 0..1 Dependent number
  fhir:Coverage.relationship [ CodeableConcept ]; # 0..1 Beneficiary relationship to the subscriber
  fhir:Coverage.period [ Period ]; # 0..1 Coverage start and end dates
  fhir:Coverage.payor [ Reference(Organization|Patient|RelatedPerson) ], ... ; # 1..* Issuer of the policy
  fhir:Coverage.class [ # 0..* Additional coverage classifications
    fhir:Coverage.class.type [ CodeableConcept ]; # 1..1 Type of class such as 'group' or 'plan'
    fhir:Coverage.class.value [ string ]; # 1..1 Value associated with the type
    fhir:Coverage.class.name [ string ]; # 0..1 Human readable description of the type and value
  ], ...;
  fhir:Coverage.order [ positiveInt ]; # 0..1 Relative order of the coverage
  fhir:Coverage.network [ string ]; # 0..1 Insurer network
  fhir:Coverage.costToBeneficiary [ # 0..* Patient payments for services/products
    fhir:Coverage.costToBeneficiary.type [ CodeableConcept ]; # 0..1 Cost category
    # Coverage.costToBeneficiary.value[x] : 1..1 The amount or percentage due from the beneficiary. One of these 2
      fhir:Coverage.costToBeneficiary.valueSimpleQuantity [ Quantity(SimpleQuantity) ]
      fhir:Coverage.costToBeneficiary.valueMoney [ Money ]
    fhir:Coverage.costToBeneficiary.exception [ # 0..* Exceptions for patient payments
      fhir:Coverage.costToBeneficiary.exception.type [ CodeableConcept ]; # 1..1 Exception category
      fhir:Coverage.costToBeneficiary.exception.period [ Period ]; # 0..1 The effective period of the exception
    ], ...;
  ], ...;
  fhir:Coverage.subrogation [ boolean ]; # 0..1 Reimbursement to insurer
  fhir:Coverage.contract [ Reference(Contract) ], ... ; # 0..* Contract details
]
```

Changes since R3

Coverage

Coverage.status | Min Cardinality changed from 0 to 1 Change value set from http://hl7.org/fhir/ValueSet/fm-status to http://hl7.org/fhir/ValueSet/fm-status|4.0.1

Coverage.beneficiary | Min Cardinality changed from 0 to 1

Coverage.relationship | Add Binding http://hl7.org/fhir/ValueSet/subscriber-relationship (extensible)

Coverage.payor | Min Cardinality changed from 0 to 1
Coverage.class | Renamed from grouping to class Max Cardinality changed from 1 to *
Coverage.class.type | Added Mandatory Element
Coverage.class.value | Added Mandatory Element
Coverage.class.name | Added Element
Coverage.costToBeneficiary | Added Element
Coverage.costToBeneficiary.type | Added Element
Coverage.costToBeneficiary.value[x] | Added Mandatory Element
Coverage.costToBeneficiary.exception | Added Element
Coverage.costToBeneficiary.exception.type | Added Mandatory Element
Coverage.costToBeneficiary.exception.period | Added Element
Coverage.subrogation | Added Element
Coverage.grouping.group | deleted
Coverage.grouping.groupDisplay | deleted
Coverage.grouping.subGroup | deleted
Coverage.grouping.subGroupDisplay | deleted
Coverage.grouping.plan | deleted
Coverage.grouping.planDisplay | deleted
Coverage.grouping.subPlan | deleted
Coverage.grouping.subPlanDisplay | deleted
Coverage.grouping.class | deleted
Coverage.grouping.classDisplay | deleted
Coverage.grouping.subClass | deleted
Coverage.grouping.subClassDisplay | deleted
Coverage.sequence | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R3 <--> R4 Conversion Maps (status = 4 tests that all execute ok. 1 fail round-trip testing and all r3 resources are valid.)

Structure

Name | Flags | Card. | Type | Description & Constraints
Coverage | TU | | DomainResource | Insurance or medical plan or a payment agreement Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | Σ | 0..* | Identifier | Business Identifier for the coverage
status | ?!Σ | 1..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
type | Σ | 0..1 | CodeableConcept | Coverage category such as medical or accident Coverage Type and Self-Pay Codes (Preferred)
policyHolder | Σ | 0..1 | Reference(Patient | RelatedPerson | Organization) | Owner of the policy
subscriber | Σ | 0..1 | Reference(Patient | RelatedPerson) | Subscriber to the policy
subscriberId | Σ | 0..1 | string | ID assigned to the subscriber
beneficiary | Σ | 1..1 | Reference(Patient) | Plan beneficiary
dependent | Σ | 0..1 | string | Dependent number
relationship | | 0..1 | CodeableConcept | Beneficiary relationship to the subscriber SubscriberPolicyholder Relationship Codes (Extensible)
period | Σ | 0..1 | Period | Coverage start and end dates
payor | Σ | 1..* | Reference(Organization | Patient | RelatedPerson) | Issuer of the policy
class | | 0..* | BackboneElement | Additional coverage classifications
type | Σ | 1..1 | CodeableConcept | Type of class such as 'group' or 'plan' Coverage Class Codes (Extensible)
value | Σ | 1..1 | string | Value associated with the type
name | Σ | 0..1 | string | Human readable description of the type and value
order | Σ | 0..1 | positiveInt | Relative order of the coverage
network | Σ | 0..1 | string | Insurer network
costToBeneficiary | | 0..* | BackboneElement | Patient payments for services/products
type | Σ | 0..1 | CodeableConcept | Cost category Coverage Copay Type Codes (Extensible)
value[x] | Σ | 1..1 | | The amount or percentage due from the beneficiary
valueQuantity | | | SimpleQuantity
valueMoney | | | Money
exception | | 0..* | BackboneElement | Exceptions for patient payments
type | Σ | 1..1 | CodeableConcept | Exception category Example Coverage Financial Exception Codes (Example)
period | Σ | 0..1 | Period | The effective period of the exception
subrogation | | 0..1 | boolean | Reimbursement to insurer
contract | | 0..* | Reference(Contract) | Contract details
Documentation for this format

UML Diagram (Legend)

XML Template

```
<Coverage xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier for the coverage --></identifier>
 <status value="[code]"/><!-- 1..1 active | cancelled | draft | entered-in-error -->
 <type><!-- 0..1 CodeableConcept Coverage category such as medical or accident --></type>
 <policyHolder><!-- 0..1 Reference(Patient|RelatedPerson|Organization) Owner of the policy --></policyHolder>
```

```
 <subscriber><!-- 0..1 Reference(Patient|RelatedPerson) Subscriber to the policy --></subscriber>
 <subscriberId value="[string]"/><!-- 0..1 ID assigned to the subscriber -->
 <beneficiary><!-- 1..1 Reference(Patient) Plan beneficiary --></beneficiary>
 <dependent value="[string]"/><!-- 0..1 Dependent number -->
 <relationship><!-- 0..1 CodeableConcept Beneficiary relationship to the subscriber --></relationship>
 <period><!-- 0..1 Period Coverage start and end dates --></period>
 <payor><!-- 1..* Reference(Organization|Patient|RelatedPerson) Issuer of the policy --></payor>
 <class>  <!-- 0..* Additional coverage classifications -->
  <type><!-- 1..1 CodeableConcept Type of class such as 'group' or 'plan' --></type>
  <value value="[string]"/><!-- 1..1 Value associated with the type -->
  <name value="[string]"/><!-- 0..1 Human readable description of the type and value -->
 </class>
 <order value="[positiveInt]"/><!-- 0..1 Relative order of the coverage -->
 <network value="[string]"/><!-- 0..1 Insurer network -->
 <costToBeneficiary>  <!-- 0..* Patient payments for services/products -->
  <type><!-- 0..1 CodeableConcept Cost category --></type>
  <value[x]><!-- 1..1 Quantity(SimpleQuantity)|Money The amount or percentage due from the beneficiary --></value[x]>
  <exception>  <!-- 0..* Exceptions for patient payments -->
   <type><!-- 1..1 CodeableConcept Exception category --></type>
   <period><!-- 0..1 Period The effective period of the exception --></period>
  </exception>
 </costToBeneficiary>
 <subrogation value="[boolean]"/><!-- 0..1 Reimbursement to insurer -->
 <contract><!-- 0..* Reference(Contract) Contract details --></contract>
</Coverage>
```

JSON Template

```
{
  "resourceType" : "Coverage",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier for the coverage
  "status" : "<code>", // R!  active | cancelled | draft | entered-in-error
  "type" : { CodeableConcept }, // Coverage category such as medical or accident
  "policyHolder" : { Reference(Patient|RelatedPerson|Organization) }, // Owner of the policy
  "subscriber" : { Reference(Patient|RelatedPerson) }, // Subscriber to the policy
  "subscriberId" : "<string>", // ID assigned to the subscriber
  "beneficiary" : { Reference(Patient) }, // R!  Plan beneficiary
  "dependent" : "<string>", // Dependent number
  "relationship" : { CodeableConcept }, // Beneficiary relationship to the subscriber
  "period" : { Period }, // Coverage start and end dates
  "payor" : [{ Reference(Organization|Patient|RelatedPerson) }], // R!  Issuer of the policy
  "class" : [{ // Additional coverage classifications
    "type" : { CodeableConcept }, // R!  Type of class such as 'group' or 'plan'
    "value" : "<string>", // R!  Value associated with the type
    "name" : "<string>" // Human readable description of the type and value
  }],
  "order" : "<positiveInt>", // Relative order of the coverage
  "network" : "<string>", // Insurer network
  "costToBeneficiary" : [{ // Patient payments for services/products
    "type" : { CodeableConcept }, // Cost category
    // value[x]: The amount or percentage due from the beneficiary. One of these 2:
    "valueQuantity" : { Quantity(SimpleQuantity) },
    "valueMoney" : { Money },
    "exception" : [{ // Exceptions for patient payments
      "type" : { CodeableConcept }, // R!  Exception category
      "period" : { Period } // The effective period of the exception
    }]
  }],
  "subrogation" : <boolean>, // Reimbursement to insurer
  "contract" : [{ Reference(Contract) }] // Contract details
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:Coverage;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:Coverage.identifier [ Identifier ], ... ; # 0..* Business Identifier for the coverage
  fhir:Coverage.status [ code ]; # 1..1 active | cancelled | draft | entered-in-error
  fhir:Coverage.type [ CodeableConcept ]; # 0..1 Coverage category such as medical or accident
  fhir:Coverage.policyHolder [ Reference(Patient|RelatedPerson|Organization) ]; # 0..1 Owner of the policy
  fhir:Coverage.subscriber [ Reference(Patient|RelatedPerson) ]; # 0..1 Subscriber to the policy
  fhir:Coverage.subscriberId [ string ]; # 0..1 ID assigned to the subscriber
  fhir:Coverage.beneficiary [ Reference(Patient) ]; # 1..1 Plan beneficiary
  fhir:Coverage.dependent [ string ]; # 0..1 Dependent number
  fhir:Coverage.relationship [ CodeableConcept ]; # 0..1 Beneficiary relationship to the subscriber
  fhir:Coverage.period [ Period ]; # 0..1 Coverage start and end dates
  fhir:Coverage.payor [ Reference(Organization|Patient|RelatedPerson) ], ... ; # 1..* Issuer of the policy
  fhir:Coverage.class [ # 0..* Additional coverage classifications
    fhir:Coverage.class.type [ CodeableConcept ]; # 1..1 Type of class such as 'group' or 'plan'
    fhir:Coverage.class.value [ string ]; # 1..1 Value associated with the type
    fhir:Coverage.class.name [ string ]; # 0..1 Human readable description of the type and value
  ], ...;
  fhir:Coverage.order [ positiveInt ]; # 0..1 Relative order of the coverage
```

```
  fhir:Coverage.network [ string ]; # 0..1 Insurer network
  fhir:Coverage.costToBeneficiary [ # 0..* Patient payments for services/products
    fhir:Coverage.costToBeneficiary.type [ CodeableConcept ]; # 0..1 Cost category
    # Coverage.costToBeneficiary.value[x] : 1..1 The amount or percentage due from the beneficiary. One of these 2
      fhir:Coverage.costToBeneficiary.valueSimpleQuantity [ Quantity(SimpleQuantity) ]
      fhir:Coverage.costToBeneficiary.valueMoney [ Money ]
    fhir:Coverage.costToBeneficiary.exception [ # 0..* Exceptions for patient payments
      fhir:Coverage.costToBeneficiary.exception.type [ CodeableConcept ]; # 1..1 Exception category
      fhir:Coverage.costToBeneficiary.exception.period [ Period ]; # 0..1 The effective period of the exception
    ], ...;
  ], ...;
  fhir:Coverage.subrogation [ boolean ]; # 0..1 Reimbursement to insurer
  fhir:Coverage.contract [ Reference(Contract) ], ... ; # 0..* Contract details
]
```

Changes since Release 3

Coverage
Coverage.status | Min Cardinality changed from 0 to 1 Change value set from http://hl7.org/fhir/ValueSet/fm-status to http://hl7.org/fhir/ValueSet/fm-status|4.0.1
Coverage.beneficiary | Min Cardinality changed from 0 to 1
Coverage.relationship | Add Binding http://hl7.org/fhir/ValueSet/subscriber-relationship (extensible)
Coverage.payor | Min Cardinality changed from 0 to 1
Coverage.class | Renamed from grouping to class Max Cardinality changed from 1 to *
Coverage.class.type | Added Mandatory Element
Coverage.class.value | Added Mandatory Element
Coverage.class.name | Added Element
Coverage.costToBeneficiary | Added Element
Coverage.costToBeneficiary.type | Added Element
Coverage.costToBeneficiary.value[x] | Added Mandatory Element
Coverage.costToBeneficiary.exception | Added Element
Coverage.costToBeneficiary.exception.type | Added Mandatory Element
Coverage.costToBeneficiary.exception.period | Added Element
Coverage.subrogation | Added Element
Coverage.grouping.group | deleted
Coverage.grouping.groupDisplay | deleted
Coverage.grouping.subGroup | deleted
Coverage.grouping.subGroupDisplay | deleted
Coverage.grouping.plan | deleted
Coverage.grouping.planDisplay | deleted
Coverage.grouping.subPlan | deleted
Coverage.grouping.subPlanDisplay | deleted
Coverage.grouping.class | deleted
Coverage.grouping.classDisplay | deleted
Coverage.grouping.subClass | deleted
Coverage.grouping.subClassDisplay | deleted
Coverage.sequence | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R3 <--> R4 Conversion Maps (status = 4 tests that all execute ok. 1 fail round-trip testing and all r3 resources are valid.)

See the Profiles & Extensions and the alternate definitions: Master Definition XML + JSON, XML Schema/Schematron + JSON Schema, ShEx (for Turtle) + see the extensions & the dependency analysis

13.1.3.1 Terminology Bindings

Path | Definition | Type | Reference
Coverage.status | A code specifying the state of the resource instance. | Required | FinancialResourceStatusCodes
Coverage.type | The type of insurance: public health, worker compensation; private accident, auto, private health, etc.) or a direct payment by an individual or organization. | Preferred | CoverageTypeAndSelf-PayCodes
Coverage.relationship | The relationship between the Subscriber and the Beneficiary (insured/covered party/patient). | Extensible | SubscriberRelationshipCodes
Coverage.class.type | The policy classifications, eg. Group, Plan, Class, etc. | Extensible | CoverageClassCodes
Coverage.costToBeneficiary.type | The types of services to which patient copayments are specified. | Extensible | CoverageCopayTypeCodes
Coverage.costToBeneficiary.exception.type | The types of exceptions from the part or full value of financial obligations such as copays. | Example | ExampleCoverageFinancialExceptionCodes

13.1.4 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common
beneficiary | reference | Covered party | Coverage.beneficiary (Patient)
class-type | token | Coverage class (eg. plan, group) | Coverage.class.type
class-value | string | Value of the class (eg. Plan number, group number) | Coverage.class.value

dependent | string | Dependent number | Coverage.dependent
identifier | token | The primary identifier of the insured and the coverage | Coverage.identifier
patient | reference | Retrieve coverages for a patient | Coverage.beneficiary (Patient)
payor | reference | The identity of the insurer or party paying for services | Coverage.payor (Organization, Patient, RelatedPerson)
policy-holder | reference | Reference to the policyholder | Coverage.policyHolder (Organization, Patient, RelatedPerson)
status | token | The status of the Coverage | Coverage.status
subscriber | reference | Reference to the subscriber | Coverage.subscriber (Patient, RelatedPerson)
type | token | The kind of coverage (health plan, auto, Workers Compensation) | Coverage.type

13.1.5 Resource Coverage - Examples

URL: https://hl7.org/fhir/R4/coverage-examples.html

13.1.5 Resource Coverage - Examples

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Patient, RelatedPerson

Example Name | id | Format
General Person Primary Coverage Example | 9876B1 | XML | JSON | Turtle
General Person Secondary Coverage Example | 7546D | XML | JSON | Turtle
European Health Insurance Card | 7547E | XML | JSON | Turtle
Self Payment Example | SP1234 | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

13.1.6 Resource Coverage - Detailed Descriptions

URL: https://hl7.org/fhir/R4/coverage-definitions.html

13.1.6 Resource Coverage - Detailed Descriptions

Financial Management Work Group | Maturity Level: 2 | Trial Use | Security Category: Patient | Compartments: Patient, RelatedPerson

Detailed Descriptions for the elements in the Coverage resource.

Coverage
Element Id | Coverage
Definition | Financial instrument which may be used to reimburse or pay for health care products and services. Includes both insurance and self-payment.
Cardinality | 0..*
Type | DomainResource
Requirements | Coverage provides a link between covered parties (patients) and the payors of their healthcare costs (both insurance and self-pay).
Comments | The Coverage resource contains the insurance card level information, which is customary to provide on claims and other communications between providers and insurers.
Coverage.identifier
Element Id | Coverage.identifier
Definition | A unique identifier assigned to this coverage.
Note | This is a business identifier, not a resource identifier (see discussion)
Cardinality | 0..*
Type | Identifier
Requirements | Allows coverages to be distinguished and referenced.
Summary | true
Comments | The main (and possibly only) identifier for the coverage - often referred to as a Member Id, Certificate number, Personal Health Number or Case ID. May be constructed as the concatenation of the Coverage.SubscriberID and the Coverage.dependant.
Coverage.status
Element Id | Coverage.status
Definition | The status of the resource instance.
Cardinality | 1..1
Terminology Binding | Financial Resource Status Codes (Required)
Type | code
Is Modifier | true (Reason: This element is labelled as a modifier because it is a status element that contains status entered-in-error which means that the resource should not be treated as valid)
Requirements | Need to track the status of the resource as 'draft' resources may undergo further edits while 'active' resources are immutable and may only have their status changed to 'cancelled'.
Summary | true
Comments | This element is labeled as a modifier because the status contains the code entered-in-error that marks the coverage as not currently valid.
Coverage.type
Element Id | Coverage.type
Definition | The type of coverage: social program, medical plan, accident coverage (workers compensation, auto), group health or payment by an individual or organization.

Cardinality | 0..1
Terminology Binding | Coverage Type and Self-Pay Codes (Preferred)
Type | CodeableConcept
Requirements | The order of application of coverages is dependent on the types of coverage.
Summary | true
Coverage.policyHolder
Element Id | Coverage.policyHolder
Definition | The party who 'owns' the insurance policy.
Cardinality | 0..1
Type | Reference(Patient | RelatedPerson | Organization)
Requirements | This provides employer information in the case of Worker's Compensation and other policies.
Summary | true
Comments | For example: may be an individual, corporation or the subscriber's employer.
Coverage.subscriber
Element Id | Coverage.subscriber
Definition | The party who has signed-up for or 'owns' the contractual relationship to the policy or to whom the benefit of the policy for services rendered to them or their family is due.
Cardinality | 0..1
Type | Reference(Patient | RelatedPerson)
Requirements | This is the party who is entitled to the benfits under the policy.
Summary | true
Comments | May be self or a parent in the case of dependants.
Coverage.subscriberId
Element Id | Coverage.subscriberId
Definition | The insurer assigned ID for the Subscriber.
Cardinality | 0..1
Type | string
Requirements | The insurer requires this identifier on correspondance and claims (digital and otherwise).
Summary | true
Coverage.beneficiary
Element Id | Coverage.beneficiary
Definition | The party who benefits from the insurance coverage; the patient when products and/or services are provided.
Cardinality | 1..1
Type | Reference(Patient)
Requirements | This is the party who receives treatment for which the costs are reimbursed under the coverage.
Summary | true
Coverage.dependent
Element Id | Coverage.dependent
Definition | A unique identifier for a dependent under the coverage.
Cardinality | 0..1
Type | string
Requirements | For some coverages a single identifier is issued to the Subscriber and then a unique dependent number is issued to each beneficiary.
Summary | true
Comments | Periodically the member number is constructed from the subscriberId and the dependant number.
Coverage.relationship
Element Id | Coverage.relationship
Definition | The relationship of beneficiary (patient) to the subscriber.
Cardinality | 0..1
Terminology Binding | SubscriberPolicyholder Relationship Codes (Extensible)
Type | CodeableConcept
Requirements | To determine relationship between the patient and the subscriber to determine coordination of benefits.
Comments | Typically, an individual uses policies which are theirs (relationship='self') before policies owned by others.
Coverage.period
Element Id | Coverage.period
Definition | Time period during which the coverage is in force. A missing start date indicates the start date isn't known, a missing end date means the coverage is continuing to be in force.
Cardinality | 0..1
Type | Period
Requirements | Some insurers require the submission of the coverage term.
Summary | true
Coverage.payor
Element Id | Coverage.payor
Definition | The program or plan underwriter or payor including both insurance and non-insurance agreements, such as patient-pay agreements.
Cardinality | 1..*
Type | Reference(Organization | Patient | RelatedPerson)
Requirements | Need to identify the issuer to target for claim processing and for coordination of benefit processing.
Summary | true
Comments | May provide multiple identifiers such as insurance company identifier or business identifier (BIN number). For selfpay it may provide multiple paying persons and/or organizations.
Coverage.class
Element Id | Coverage.class

Definition | A suite of underwriter specific classifiers.
Cardinality | 0..*
Requirements | The codes provided on the health card which identify or confirm the specific policy for the insurer.
Comments | For example may be used to identify a class of coverage or employer group, Policy, Plan.
Coverage.class.type
Element Id | Coverage.class.type
Definition | The type of classification for which an insurer-specific class label or number and optional name is provided, for example may be used to identify a class of coverage or employer group, Policy, Plan.
Cardinality | 1..1
Terminology Binding | Coverage Class Codes (Extensible)
Type | CodeableConcept
Requirements | The insurer issued label for a specific health card value.
Summary | true
Coverage.class.value
Element Id | Coverage.class.value
Definition | The alphanumeric string value associated with the insurer issued label.
Cardinality | 1..1
Type | string
Requirements | The insurer issued label and value are necessary to identify the specific policy.
Summary | true
Comments | For example, the Group or Plan number.
Coverage.class.name
Element Id | Coverage.class.name
Definition | A short description for the class.
Cardinality | 0..1
Type | string
Requirements | Used to provide a meaningful description in correspondence to the patient.
Summary | true
Coverage.order
Element Id | Coverage.order
Definition | The order of applicability of this coverage relative to other coverages which are currently in force. Note, there may be gaps in the numbering and this does not imply primary, secondary etc. as the specific positioning of coverages depends upon the episode of care.
Cardinality | 0..1
Type | positiveInt
Requirements | Used in managing the coordination of benefits.
Summary | true
Coverage.network
Element Id | Coverage.network
Definition | The insurer-specific identifier for the insurer-defined network of providers to which the beneficiary may seek treatment which will be covered at the 'in-network' rate, otherwise 'out of network' terms and conditions apply.
Cardinality | 0..1
Type | string
Requirements | Used in referral for treatment and in claims processing.
Summary | true
Coverage.costToBeneficiary
Element Id | Coverage.costToBeneficiary
Definition | A suite of codes indicating the cost category and associated amount which have been detailed in the policy and may have been included on the health card.
Cardinality | 0..*
Requirements | Required by providers to manage financial transaction with the patient.
Alternate Names | CoPay; Deductible; Exceptions
Comments | For example by knowing the patient visit co-pay, the provider can collect the amount prior to undertaking treatment.
Coverage.costToBeneficiary.type
Element Id | Coverage.costToBeneficiary.type
Definition | The category of patient centric costs associated with treatment.
Cardinality | 0..1
Terminology Binding | Coverage Copay Type Codes (Extensible)
Type | CodeableConcept
Requirements | Needed to identify the category associated with the amount for the patient.
Summary | true
Comments | For example visit, specialist visits, emergency, inpatient care, etc.
Coverage.costToBeneficiary.value[x]
Element Id | Coverage.costToBeneficiary.value[x]
Definition | The amount due from the patient for the cost category.
Cardinality | 1..1
Type | SimpleQuantity|Money
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | Needed to identify the amount for the patient associated with the category.
Summary | true
Comments | Amount may be expressed as a percentage of the service/product cost or a fixed amount of currency.
Coverage.costToBeneficiary.exception
Element Id | Coverage.costToBeneficiary.exception

Definition | A suite of codes indicating exceptions or reductions to patient costs and their effective periods.
Cardinality | 0..*
Requirements | Required by providers to manage financial transaction with the patient.
Coverage.costToBeneficiary.exception.type
Element Id | Coverage.costToBeneficiary.exception.type
Definition | The code for the specific exception.
Cardinality | 1..1
Terminology Binding | Example Coverage Financial Exception Codes (Example)
Type | CodeableConcept
Requirements | Needed to identify the exception associated with the amount for the patient.
Summary | true
Coverage.costToBeneficiary.exception.period
Element Id | Coverage.costToBeneficiary.exception.period
Definition | The timeframe during when the exception is in force.
Cardinality | 0..1
Type | Period
Requirements | Needed to identify the applicable timeframe for the exception for the correct calculation of patient costs.
Summary | true
Coverage.subrogation
Element Id | Coverage.subrogation
Definition | When 'subrogation=true' this insurance instance has been included not for adjudication but to provide insurers with the details to recover costs.
Cardinality | 0..1
Type | boolean
Requirements | See definition for when to be used.
Comments | Typically, automotive and worker's compensation policies would be flagged with 'subrogation=true' to enable healthcare payors to collect against accident claims.
Coverage.contract
Element Id | Coverage.contract
Definition | The policy(s) which constitute this insurance coverage.
Cardinality | 0..*
Type | Reference(Contract)
Requirements | To reference the legally binding contract between the policy holder and the insurer.

13.1.7 Resource Coverage - Mappings

URL: https://hl7.org/fhir/R4/coverage-mappings.html

13.1.7 Resource Coverage - Mappings

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Patient, RelatedPerson

Mappings:

FiveWs Pattern Mapping

Workflow Pattern

HL7 v2 Mapping

RIM Mapping

Canadian Dental Association eclaims standard

Canadian Pharmacy Associaiton eclaims standard

Mappings for the coverage resource (see Mappings to Other Standards for further information & status).

13.1.7.1 FiveWs Pattern Mapping (http://hl7.org/fhir/fivews)

Coverage
identifier | FiveWs.identifier
status | FiveWs.status
type | FiveWs.class
policyHolder | FiveWs.subject[x]
subscriber | FiveWs.subject[x]
subscriberId | FiveWs.subject[x]
beneficiary | FiveWs.subject[x]
period | FiveWs.done[x]
payor | FiveWs.author

13.1.7.2 Workflow Pattern (http://hl7.org/fhir/workflow)

Coverage | Event
identifier | Event.identifier
status | Event.status
beneficiary | Event.subject
period | Event.occurrence[x]

13.1.7.3 HL7 v2 Mapping (http://hl7.org/v2)

Coverage
identifier | IN1-2
status
type | IN1-15
policyHolder | IN1-16, 18, 19-name of insured, address, date of birth
subscriber | IN1-16, 18, 19-name of insured, address, date of birth
subscriberId | IN1-16, 18, 19-name of insured, address, date of birth
beneficiary | IN1-16, 18, 19-name of insured, address, date of birth
dependent | - No exact HL7 v2 equivalent concept seems to exist;
relationship
period | IN1-12 / IN1-13
payor | IN1-3
class
type
value | IN1-8
name | IN1-8
order | - No exact HL7 v2 equivalent concept seems to exist;
network
costToBeneficiary
type
value[x] | IN1-8
exception
type
period
subrogation
contract | IN1-16, 18, 19

13.1.7.4 RIM Mapping (http://hl7.org/v3)

Coverage | Coverage
identifier | .id
status | Act.status
period | Act.effectiveTime
contract | n/a

13.1.7.5 Canadian Dental Association eclaims standard (http://www.cda-adc.ca/en/services/cdanet/)

Coverage
identifier | C02
status
type
policyHolder | D01 through D09
subscriber | D01 through D09
subscriberId | D01 through D09
beneficiary | D01 through D09
dependent | C17
relationship | C03
period
payor | A05
class
type
value | C11 (Division,Section)
name | C11 (Division,Section)
order
network | D10
costToBeneficiary
type
value[x] | C11 (Division,Section)
exception
type
period
subrogation
contract | D01 through D09

13.1.7.6 Canadian Pharmacy Associaiton eclaims standard (http://www.pharmacists.ca/)

Coverage
identifier | C.32, C.33, C.39
status
type

policyHolder | C.35
subscriber | C.35
subscriberId | C.35
beneficiary | C.35
dependent
relationship
period
payor | C.30
class
type
value | C.31
name | C.31
order
network
costToBeneficiary
type
value[x] | C.31
exception
type
period
subrogation
contract | C.35

13.1.8 Resource Coverage - Extensions & Profiles

URL: https://hl7.org/fhir/R4/coverage-profiles.html

13.1.8 Resource Coverage - Extensions & Profiles

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Patient, RelatedPerson

This table lists profiles and extensions for the Coverage resource. For background information, see Profiling Resources and Extensibility. Additional profiles and extensions may be found in published Implementation Guides , or in the Conformance resource registry .

13.1.8.1 Profiles

No Profiles defined for this resource

13.1.8.2 Extensions

No Extensions defined for this resource
Extensions for all resources or elements
resource-pertainsToGoal | pertainsToGoal | for Resource HL7 Extensions

Extensions that reference this resource:

request-insurance | insurance | for Request Pattern HL7 Extensions
Extensions that refer to Any resource
cqf-relativeDateTime | relativeDateTime | for Clinical Reasoning Extensions
event-basedOn | basedOn | for Event Pattern HL7 Extensions
event-partOf | partOf | for Event Pattern HL7 Extensions
flag-detail | detail | for Flag HL7 Extensions
relative-date | Relative Date Criteria | for General Extensions for use by FHIR Implementers
replaces | replaces | for General Extensions for use by FHIR Implementers
request-replaces | replaces | for Request Pattern HL7 Extensions
workflow-supportingInfo | supportingInfo | for Workflow Pattern HL7 Extensions

13.1.8.3 Search Extensions

No Search Extensions defined for this resource

13.1.9 Resource Coverage - R3/R4 Conversions

URL: https://hl7.org/fhir/R4/coverage-version-maps.html

No validation errors - all conversions are clean

13.1.9 Resource Coverage - R3/R4 Conversions

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Patient, RelatedPerson

R3 : R4 Conversion maps for Coverage.

Functional status for this map: 4 tests that all execute ok. 1 fail round-trip testing and all r3 resources are valid. (see documentation)

13.1.9.1 R3 to R4

```
map "http://hl7.org/fhir/StructureMap/Coverage3to4" = "R3 to R4 Conversions for Coverage"

uses "http://hl7.org/fhir/3.0/StructureDefinition/Coverage" alias CoverageR3 as source
uses "http://hl7.org/fhir/StructureDefinition/Coverage" alias Coverage as target

imports "http://hl7.org/fhir/StructureMap/*3to4"

group Coverage(source src : CoverageR3, target tgt : Coverage) extends DomainResource <<type+>> {
  src.identifier -> tgt.identifier;
  src.status -> tgt.status;
  src.type -> tgt.type;
  src.policyHolder -> tgt.policyHolder;
  src.subscriber -> tgt.subscriber;
  src.subscriberId -> tgt.subscriberId;
  src.beneficiary -> tgt.beneficiary;
  src.dependent -> tgt.dependent;
  src.relationship -> tgt.relationship;
  src.period -> tgt.period;
  src.payor -> tgt.payor;
  src.grouping as g where src.grouping.group.exists() -> tgt.class as t then CoverageGroupingGroup(g, t);
  src.grouping as g where src.grouping.subGroup.exists() -> tgt.class as t then CoverageGroupingSubGroup(g, t);
  src.grouping as g where src.grouping.plan.exists() -> tgt.class as t then CoverageGroupingPlan(g, t);
  src.grouping as g where src.grouping.subPlan.exists() -> tgt.class as t then CoverageGroupingSubPlan(g, t);
  src.grouping as g where src.grouping.class.exists() -> tgt.class as t then CoverageGroupingClass(g, t);
  src.grouping as g where src.grouping.subClass.exists() -> tgt.class as t then CoverageGroupingSubClass(g, t);
  src.order -> tgt.order;
  src.network -> tgt.network;
  src.contract -> tgt.contract;
}

group CoverageGroupingGroup(source src, target tgt) extends BackboneElement {
  src ->  tgt.type as vt,  vt.coding as c,  c.system = 'http://terminology.hl7.org/CodeSystem/coverage-class',  c.code =
     'group' "group";
  src.group -> tgt.value;
  src.groupDisplay -> tgt.name;
}

group CoverageGroupingSubGroup(source src, target tgt) extends BackboneElement {
  src ->  tgt.type as vt,  vt.coding as c,  c.system = 'http://terminology.hl7.org/CodeSystem/coverage-class',  c.code =
     'subgroup' "subgroup";
  src.subGroup -> tgt.value;
  src.subGroupDisplay -> tgt.name;
}

group CoverageGroupingPlan(source src, target tgt) extends BackboneElement {
  src ->  tgt.type as vt,  vt.coding as c,  c.system = 'http://terminology.hl7.org/CodeSystem/coverage-class',  c.code =
     'plan' "plan";
  src.plan -> tgt.value;
  src.planDisplay -> tgt.name;
}

group CoverageGroupingSubPlan(source src, target tgt) extends BackboneElement {
  src ->  tgt.type as vt,  vt.coding as c,  c.system = 'http://terminology.hl7.org/CodeSystem/coverage-class',  c.code =
     'subplan' "subplan";
  src.subPlan -> tgt.value;
  src.subPlanDisplay -> tgt.name;
}

group CoverageGroupingClass(source src, target tgt) extends BackboneElement {
  src ->  tgt.type as vt,  vt.coding as c,  c.system = 'http://terminology.hl7.org/CodeSystem/coverage-class',  c.code =
     'class' "class";
  src.class -> tgt.value;
  src.classDisplay -> tgt.name;
}

group CoverageGroupingSubClass(source src, target tgt) extends BackboneElement {
  src ->  tgt.type as vt,  vt.coding as c,  c.system = 'http://terminology.hl7.org/CodeSystem/coverage-class',  c.code =
     'subclass' "subclass";
  src.subClass -> tgt.value;
  src.subClassDisplay -> tgt.name;
}
```

13.1.9.2 R4 to R3

```
map "http://hl7.org/fhir/StructureMap/Coverage4to3" = "R4 to R3 Conversion for Coverage"

uses "http://hl7.org/fhir/StructureDefinition/Coverage" alias Coverage as source
uses "http://hl7.org/fhir/3.0/StructureDefinition/Coverage" alias CoverageR3 as target

imports "http://hl7.org/fhir/StructureMap/*4to3"

group Coverage(source src : CoverageR3, target tgt : Coverage) extends DomainResource <<type+>> {
  src.identifier -> tgt.identifier;
  src.status -> tgt.status;
  src.type -> tgt.type;
  src.policyHolder -> tgt.policyHolder;
  src.subscriber -> tgt.subscriber;
  src.subscriberId -> tgt.subscriberId;
```

```
  src.beneficiary -> tgt.beneficiary;
  src.dependent -> tgt.dependent;
  src.relationship -> tgt.relationship;
  src.period -> tgt.period;
  src.payor -> tgt.payor;
  src.class as class -> tgt.grouping as t then {
    class.type as vs then {
      vs.coding as c where code = 'group' then {
        c then CoverageClassGroup(class, t) "CoverageClassGroup";
      };
    };
  };
  src.class as class -> tgt.grouping as t then {
    class.type as vs then {
      vs.coding as c where code = 'subgroup' then {
        c then CoverageClassSubGroup(class, t) "CoverageClassSubGroup";
      };
    };
  };
  src.class as class -> tgt.grouping as t then {
    class.type as vs then {
      vs.coding as c where code = 'plan' then {
        c then CoverageClassPlanGroup(class, t) "CoverageClassPlanGroup";
      };
    };
  };
  src.class as class -> tgt.grouping as t then {
    class.type as vs then {
      vs.coding as c where code = 'subplan' then {
        c then CoverageClassSubPlanGroup(class, t) "CoverageClassSubPlanGroup";
      };
    };
  };
  src.class as class -> tgt.grouping as t then {
    class.type as vs then {
      vs.coding as c where code = 'class' then {
        c then CoverageClassClassGroup(class, t) "CoverageClassClassGroup";
      };
    };
  };
  src.class as class -> tgt.grouping as t then {
    class.type as vs then {
      vs.coding as c where code = 'subclass' then {
        c then CoverageClassSubClassGroup(class, t) "CoverageClassSubClassGroup";
      };
    };
  };
  src.class as class then {
    class.type as vs then {
      vs.coding as c where code = 'sequence' then {
        c then CoverageClassSequenceGroup(class, tgt) "CoverageClassSequenceGroup";
      };
    };
  };
  src.order -> tgt.order;
  src.network -> tgt.network;
  src.contract -> tgt.contract;
}

group CoverageClassGroup(source src, target tgt) extends BackboneElement {
  src.value -> tgt.group;
  src.name -> tgt.groupDisplay;
}

group CoverageClassSubGroup(source src, target tgt) extends BackboneElement {
  src.value -> tgt.subGroup;
  src.name -> tgt.subGroupDisplay;
}

group CoverageClassPlanGroup(source src, target tgt) extends BackboneElement {
  src.value -> tgt.plan;
  src.name -> tgt.planDisplay;
}

group CoverageClassSubPlanGroup(source src, target tgt) extends BackboneElement {
  src.value -> tgt.subPlan;
  src.name -> tgt.subPlanDisplay;
}

group CoverageClassClassGroup(source src, target tgt) extends BackboneElement {
  src.value -> tgt.class;
  src.name -> tgt.classDisplay;
}

group CoverageClassSubClassGroup(source src, target tgt) extends BackboneElement {
  src.value -> tgt.subClass;
  src.name -> tgt.subClassDisplay;
}

group CoverageClassSequenceGroup(source src, target tgt) extends BackboneElement {
```

```
  src.value -> tgt.sequence;
}
```

13.1.9.3 R4 Validation Errors

13.1.10 JSON Schema for Coverage

URL: https://hl7.org/fhir/R4/coverage.schema.json.html

13.1.10 JSON Schema for Coverage

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Compartments: Patient, RelatedPerson

This is a representation of the json schema for Coverage, which is just a part of the full JSON Schema.


```
{
  "$schema": "http://json-schema.org/draft-06/schema#",
  "id": "http://hl7.org/fhir/json-schema/Coverage",
  "$ref": "#/definitions/Coverage",
  "description": "see http://hl7.org/fhir/json.html#schema for information about the FHIR Json Schemas",
  "definitions": {
    "Coverage": {
      "description": "Financial instrument which may be used to reimburse or pay for health care products and services.
    Includes both insurance and self-payment.",
      "properties": {
        "resourceType": {
          "description": "This is a Coverage resource",
          "const": "Coverage"
        },
        "id": {
          "description": "The logical id of the resource, as used in the URL for the resource. Once assigned, this value
     never changes.",
          "$ref": "id.schema.json#/definitions/id"
        },
        "meta": {
          "description": "The metadata about the resource. This is content that is maintained by the infrastructure.
    Changes to the content might not always be associated with version changes to the resource.",
          "$ref": "Meta.schema.json#/definitions/Meta"
        },
        "implicitRules": {
          "description": "A reference to a set of rules that were followed when the resource was constructed, and which
    must be understood when processing the content. Often, this is a reference to an implementation guide that defines
    the special rules along with other profiles etc.",
          "$ref": "#/definitions/uri"
        },
        "_implicitRules": {
          "description": "Extensions for implicitRules",
          "$ref": "Element.schema.json#/definitions/Element"
        },
        "language": {
          "description": "The base language in which the resource is written.",
          "$ref": "#/definitions/code"
        },
        "_language": {
          "description": "Extensions for language",
          "$ref": "Element.schema.json#/definitions/Element"
        },
        "text": {
          "description": "A human-readable narrative that contains a summary of the resource and can be used to
    represent the content of the resource to a human. The narrative need not encode all the structured data, but is
    required to contain sufficient detail to make it \"clinically safe\" for a human to just read the narrative.
    Resource definitions may define what content should be represented in the narrative to ensure clinical safety.",
          "$ref": "Narrative.schema.json#/definitions/Narrative"
        },
        "contained": {
          "description": "These resources do not have an independent existence apart from the resource that contains
    them - they cannot be identified independently, and nor can they have their own independent transaction scope.",
          "items": {
            "$ref": "ResourceList.schema.json#/definitions/ResourceList"
          },
          "type": "array"
        },
        "extension": {
          "description": "May be used to represent additional information that is not part of the basic definition of
    the resource. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
     definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
    that SHALL be met as part of the definition of the extension.",
          "items": {
            "$ref": "Extension.schema.json#/definitions/Extension"
          },
          "type": "array"
        },
        "modifierExtension": {
          "description": "May be used to represent additional information that is not part of the basic definition of
    the resource and that modifies the understanding of the element that contains it and/or the understanding of the
    containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the use
    of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
    extensions. Though any implementer is allowed to define an extension, there is a set of requirements that SHALL be
    met as part of the definition of the extension. Applications processing a resource are required to check for
```

```
modifier extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or
DomainResource (including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "identifier": {
      "description": "A unique identifier assigned to this coverage.",
      "items": {
        "$ref": "Identifier.schema.json#/definitions/Identifier"
      },
      "type": "array"
    },
    "status": {
      "description": "The status of the resource instance.",
      "$ref": "#/definitions/code"
    },
    "_status": {
      "description": "Extensions for status",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "type": {
      "description": "The type of coverage: social program, medical plan, accident coverage (workers compensation,
auto), group health or payment by an individual or organization.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "policyHolder": {
      "description": "The party who \u0027owns\u0027 the insurance policy.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "subscriber": {
      "description": "The party who has signed-up for or \u0027owns\u0027 the contractual relationship to the policy
 or to whom the benefit of the policy for services rendered to them or their family is due.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "subscriberId": {
      "description": "The insurer assigned ID for the Subscriber.",
      "$ref": "#/definitions/string"
    },
    "_subscriberId": {
      "description": "Extensions for subscriberId",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "beneficiary": {
      "description": "The party who benefits from the insurance coverage; the patient when products and/or services
are provided.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "dependent": {
      "description": "A unique identifier for a dependent under the coverage.",
      "$ref": "#/definitions/string"
    },
    "_dependent": {
      "description": "Extensions for dependent",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "relationship": {
      "description": "The relationship of beneficiary (patient) to the subscriber.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "period": {
      "description": "Time period during which the coverage is in force. A missing start date indicates the start
date isn\u0027t known, a missing end date means the coverage is continuing to be in force.",
      "$ref": "Period.schema.json#/definitions/Period"
    },
    "payor": {
      "description": "The program or plan underwriter or payor including both insurance and non-insurance
agreements, such as patient-pay agreements.",
      "items": {
        "$ref": "Reference.schema.json#/definitions/Reference"
      },
      "type": "array"
    },
    "class": {
      "description": "A suite of underwriter specific classifiers.",
      "items": {
        "$ref": "#/definitions/Coverage_Class"
      },
      "type": "array"
    },
    "order": {
      "description": "The order of applicability of this coverage relative to other coverages which are currently in
 force. Note, there may be gaps in the numbering and this does not imply primary, secondary etc. as the specific
positioning of coverages depends upon the episode of care.",
      "$ref": "#/definitions/positiveInt"
    },
    "_order": {
      "description": "Extensions for order",
```

```
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "network": {
      "description": "The insurer-specific identifier for the insurer-defined network of providers to which the
beneficiary may seek treatment which will be covered at the \u0027in-network\u0027 rate, otherwise \u0027out of
network\u0027 terms and conditions apply.",
      "$ref": "#/definitions/string"
    },
    "_network": {
      "description": "Extensions for network",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "costToBeneficiary": {
      "description": "A suite of codes indicating the cost category and associated amount which have been detailed
in the policy and may have been  included on the health card.",
      "items": {
        "$ref": "#/definitions/Coverage_CostToBeneficiary"
      },
      "type": "array"
    },
    "subrogation": {
      "description": "When \u0027subrogation\u003dtrue\u0027 this insurance instance has been included not for
adjudication but to provide insurers with the details to recover costs.",
      "$ref": "#/definitions/boolean"
    },
    "_subrogation": {
      "description": "Extensions for subrogation",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "contract": {
      "description": "The policy(s) which constitute this insurance coverage.",
      "items": {
        "$ref": "Reference.schema.json#/definitions/Reference"
      },
      "type": "array"
    }
  },
  "additionalProperties": false,
  "required": [
    "payor",
    "beneficiary",
    "resourceType"
  ]
},
"Coverage_Class": {
  "description": "Financial instrument which may be used to reimburse or pay for health care products and services.
Includes both insurance and self-payment.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "type": {
      "description": "The type of classification for which an insurer-specific class label or number and optional
name is provided, for example may be used to identify a class of coverage or employer group, Policy, Plan.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "value": {
      "description": "The alphanumeric string value associated with the insurer issued label.",
      "$ref": "#/definitions/string"
    },
    "_value": {
      "description": "Extensions for value",
      "$ref": "Element.schema.json#/definitions/Element"
```

```
    },
    "name": {
      "description": "A short description for the class.",
      "$ref": "#/definitions/string"
    },
    "_name": {
      "description": "Extensions for name",
      "$ref": "Element.schema.json#/definitions/Element"
    }
  },
  "additionalProperties": false,
  "required": [
    "type"
  ]
},
"Coverage_CostToBeneficiary": {
  "description": "Financial instrument which may be used to reimburse or pay for health care products and services.
Includes both insurance and self-payment.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "type": {
      "description": "The category of patient centric costs associated with treatment.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "valueQuantity": {
      "description": "The amount due from the patient for the cost category.",
      "$ref": "Quantity.schema.json#/definitions/Quantity"
    },
    "valueMoney": {
      "description": "The amount due from the patient for the cost category.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "exception": {
      "description": "A suite of codes indicating exceptions or reductions to patient costs and their effective
periods.",
      "items": {
        "$ref": "#/definitions/Coverage_Exception"
      },
      "type": "array"
    }
  },
  "additionalProperties": false
},
"Coverage_Exception": {
  "description": "Financial instrument which may be used to reimburse or pay for health care products and services.
Includes both insurance and self-payment.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
```

```
        },
        "modifierExtension": {
          "description": "May be used to represent additional information that is not part of the basic definition of
    the element and that modifies the understanding of the element in which it is contained and/or the understanding of
    the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
    use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
    extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
     of the definition of the extension. Applications processing a resource are required to check for modifier
    extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
    (including cannot change the meaning of modifierExtension itself).",
          "items": {
            "$ref": "Extension.schema.json#/definitions/Extension"
          },
          "type": "array"
        },
        "type": {
          "description": "The code for the specific exception.",
          "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
        },
        "period": {
          "description": "The timeframe during when the exception is in force.",
          "$ref": "Period.schema.json#/definitions/Period"
        }
      },
      "additionalProperties": false,
      "required": [
        "type"
      ]
    }
  }
}
```


13.1.11 Resource Coverage - Maturity Dependency View

URL: https://hl7.org/fhir/R4/coverage-dependencies.html

13.1.11 Resource Coverage - Maturity Dependency View

Financial Management Work Group | Maturity Level: 2 | Trial Use | Compartments: Patient, RelatedPerson

Dependency Graph for Coverage FMM level 2

Name | Card. | Type | Dependency Analysis
Coverage | | DomainResource
identifier | 0..* | Identifier
status | 1..1 | code
type | 0..1 | CodeableConcept
policyHolder | 0..1 | Reference(Patient | RelatedPerson | Organization)
subscriber | 0..1 | Reference(Patient | RelatedPerson)
subscriberId | 0..1 | string
beneficiary | 1..1 | Reference(Patient)
dependent | 0..1 | string
relationship | 0..1 | CodeableConcept
period | 0..1 | Period
payor | 1..* | Reference(Organization | Patient | RelatedPerson)
class | 0..* | BackboneElement
type | 1..1 | CodeableConcept
value | 1..1 | string
name | 0..1 | string
order | 0..1 | positiveInt
network | 0..1 | string
costToBeneficiary | 0..* | BackboneElement
type | 0..1 | CodeableConcept
value[x] | 1..1
valueQuantity | | SimpleQuantity
valueMoney | | Money
exception | 0..* | BackboneElement
type | 1..1 | CodeableConcept
period | 0..1 | Period
subrogation | 0..1 | boolean
contract | 0..* | Reference(Contract) | Type Warning: (Contract = FMM1-Trial Use vs. Element = FMM2-Trial Use)

13.2 Resource CoverageEligibilityRequest - Content

URL: https://hl7.org/fhir/R4/coverageeligibilityrequest.html
Financial Management Work Group | Maturity Level: 2 | Trial Use | Security Category: Patient | Compartments: Patient, Practitioner

The CoverageEligibilityRequest provides patient and insurance coverage information to an insurer for them to respond, in the form of an CoverageEligibilityResponse, with information regarding whether the stated

coverage is valid and in-force and optionally to provide the insurance details of the policy.

13.2.1 Scope and Usage

The CoverageEligibilityRequest makes a request of an insurer asking them to provide, in the form of an CoverageEligibilityResponse, information regarding: (validation) whether the specified coverage(s) is valid and in-force; (discovery) what coverages the insurer has for the specified patient; (benefits) the benefits provided under the coverage; whether benefits exist under the specified coverage(s) for specified classes of services and products; and (auth-requirements) whether preauthorization is required, and if so what information may be required in that preauthorization, for the specified service classes or services.

The CoverageEligibilityRequest resource is a "event" resource from a FHIR workflow perspective - see Workflow Event.

13.2.1.1 Additional Information

Additional information regarding electronic coverage eligibility content and usage may be found at:

• Financial Resource Status Lifecycle: how .status is used in the financial resources.

• Subrogation: how eClaims may handle patient insurance coverages when another insurer rather than the provider will settle the claim and potentially recover costs against specified coverages.

• Coordination of Benefit: how eClaims may handle multiple patient insurance coverages.

• Batches: how eClaims may handle batches of eligibility, claims and responses.

• Attachments and Supporting Information: how eClaims may handle the provision of supporting information, whether provided by content or reference, within the eClaim resource when submitted to the payor or later in a resource which refers to the subject eClaim resource. This includes how payors how request additional supporting information from providers.

13.2.2 Boundaries and Relationships

CoverageEligibilityRequest should be used when requesting whether the patient's coverage is inforce, whether it is valid at this or a specified date, or requesting the benefit details or preauthorization requirements associated with a coverage.

The Claim resource should be used to request the adjudication and/or authorization of a set of healthcare-related goods and services for a patient against the patient's insurance coverages, or to request what the adjudication would be for a supplied set of goods or services should they be actually supplied to the patient.

The Coverage resource contains the information typically found on the health insurance card for an individual used to identify the covered individual to the insurer and is referred to by the CoverageEligibilityRequest.

The eClaim domain includes a number of related resources

CoverageEligibilityRequest | Patient and insurance coverage information provided to an insurer for them to respond, in the form of an CoverageEligibilityResponse, with information regarding whether the stated coverage is valid and in-force and optionally to provide the insurance details of the policy.
Claim | A suite of goods and services and insurances coverages under which adjudication or authorization is requested.
Coverage | Provides the high-level identifiers and descriptors of an insurance plan, typically the information which would appear on an insurance card, which may be used to pay, in part or in whole, for the provision of health care products and services.

This resource is referenced by CoverageEligibilityResponse

13.2.3 Resource Content

• Structure
• UML
• XML
• JSON
• Turtle
• R3 Diff
• All

Structure

Name | Flags | Card. | Type | Description & Constraints
CoverageEligibilityRequest | TU | | DomainResource | CoverageEligibilityRequest resource Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Business Identifier for coverage eligiblity request
status | ?!Σ | 1..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
priority | | 0..1 | CodeableConcept | Desired processing priority Process Priority Codes (Example)
purpose | Σ | 1..* | code | auth-requirements | benefits | discovery | validation EligibilityRequestPurpose (Required)
patient | Σ | 1..1 | Reference(Patient) | Intended recipient of products and services
serviced[x] | | 0..1 | | Estimated date or dates of service
servicedDate | | | date

servicedPeriod | | | Period
created | Σ | 1..1 | dateTime | Creation date
enterer | | 0..1 | Reference(Practitioner | PractitionerRole) | Author
provider | | 0..1 | Reference(Practitioner | PractitionerRole | Organization) | Party responsible for the request
insurer | Σ | 1..1 | Reference(Organization) | Coverage issuer
facility | | 0..1 | Reference(Location) | Servicing facility
supportingInfo | | 0..* | BackboneElement | Supporting information
sequence | | 1..1 | positiveInt | Information instance identifier
information | | 1..1 | Reference(Any) | Data to be provided
appliesToAll | | 0..1 | boolean | Applies to all items
insurance | | 0..* | BackboneElement | Patient insurance information
focal | | 0..1 | boolean | Applicable coverage
coverage | | 1..1 | Reference(Coverage) | Insurance information
businessArrangement | | 0..1 | string | Additional provider contract number
item | | 0..* | BackboneElement | Item to be evaluated for eligibiity
supportingInfoSequence | | 0..* | positiveInt | Applicable exception or supporting information
category | | 0..1 | CodeableConcept | Benefit classification Benefit Category Codes (Example)
productOrService | | 0..1 | CodeableConcept | Billing, service, product, or drug code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Product or service billing modifiers Modifier type Codes (Example)
provider | | 0..1 | Reference(Practitioner | PractitionerRole) | Perfoming practitioner
quantity | | 0..1 | SimpleQuantity | Count of products or services
unitPrice | | 0..1 | Money | Fee, charge or cost per item
facility | | 0..1 | Reference(Location | Organization) | Servicing facility
diagnosis | | 0..* | BackboneElement | Applicable diagnosis
diagnosis[x] | | 0..1 | | Nature of illness or problem ICD-10 Codes (Example)
diagnosisCodeableConcept | | | CodeableConcept
diagnosisReference | | | Reference(Condition)
detail | | 0..* | Reference(Any) | Product or service details
Documentation for this format

UML Diagram (Legend)

XML Template

```
<CoverageEligibilityRequest xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier for coverage eligiblity request --></identifier>
 <status value="[code]"/><!-- 1..1 active | cancelled | draft | entered-in-error -->
 <priority><!-- 0..1 CodeableConcept Desired processing priority --></priority>
 <purpose value="[code]"/><!-- 1..* auth-requirements | benefits | discovery | validation -->
 <patient><!-- 1..1 Reference(Patient) Intended recipient of products and services --></patient>
 <serviced[x]><!-- 0..1 date|Period Estimated date or dates of service --></serviced[x]>
 <created value="[dateTime]"/><!-- 1..1 Creation date -->
 <enterer><!-- 0..1 Reference(Practitioner|PractitionerRole) Author --></enterer>
 <provider><!-- 0..1 Reference(Practitioner|PractitionerRole|Organization) Party responsible for the request
    --></provider>
 <insurer><!-- 1..1 Reference(Organization) Coverage issuer --></insurer>
 <facility><!-- 0..1 Reference(Location) Servicing facility --></facility>
 <supportingInfo>  <!-- 0..* Supporting information -->
  <sequence value="[positiveInt]"/><!-- 1..1 Information instance identifier -->
  <information><!-- 1..1 Reference(Any) Data to be provided --></information>
  <appliesToAll value="[boolean]"/><!-- 0..1 Applies to all items -->
 </supportingInfo>
 <insurance>  <!-- 0..* Patient insurance information -->
  <focal value="[boolean]"/><!-- 0..1 Applicable coverage -->
  <coverage><!-- 1..1 Reference(Coverage) Insurance information --></coverage>
  <businessArrangement value="[string]"/><!-- 0..1 Additional provider contract number -->
 </insurance>
 <item>  <!-- 0..* Item to be evaluated for eligibiity -->
  <supportingInfoSequence value="[positiveInt]"/><!-- 0..* Applicable exception or supporting information -->
  <category><!-- 0..1 CodeableConcept Benefit classification --></category>
  <productOrService><!-- 0..1 CodeableConcept Billing, service, product, or drug code --></productOrService>
  <modifier><!-- 0..* CodeableConcept Product or service billing modifiers --></modifier>
  <provider><!-- 0..1 Reference(Practitioner|PractitionerRole) Perfoming practitioner --></provider>
  <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of products or services --></quantity>
  <unitPrice><!-- 0..1 Money Fee, charge or cost per item --></unitPrice>
  <facility><!-- 0..1 Reference(Location|Organization) Servicing facility --></facility>
  <diagnosis>  <!-- 0..* Applicable diagnosis -->
   <diagnosis[x]><!-- 0..1 CodeableConcept|Reference(Condition) Nature of illness or problem --></diagnosis[x]>
  </diagnosis>
  <detail><!-- 0..* Reference(Any) Product or service details --></detail>
 </item>
</CoverageEligibilityRequest>
```

JSON Template

```
{
  "resourceType" : "CoverageEligibilityRequest",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier for coverage eligiblity request
  "status" : "<code>", // R!  active | cancelled | draft | entered-in-error
  "priority" : { CodeableConcept }, // Desired processing priority
```

```
  "purpose" : ["<code>"], // R!  auth-requirements | benefits | discovery | validation
  "patient" : { Reference(Patient) }, // R!  Intended recipient of products and services
  // serviced[x]: Estimated date or dates of service. One of these 2:
  "servicedDate" : "<date>",
  "servicedPeriod" : { Period },
  "created" : "<dateTime>", // R!  Creation date
  "enterer" : { Reference(Practitioner|PractitionerRole) }, // Author
  "provider" : { Reference(Practitioner|PractitionerRole|Organization) }, // Party responsible for the request
  "insurer" : { Reference(Organization) }, // R!  Coverage issuer
  "facility" : { Reference(Location) }, // Servicing facility
  "supportingInfo" : [{ // Supporting information
    "sequence" : "<positiveInt>", // R!  Information instance identifier
    "information" : { Reference(Any) }, // R!  Data to be provided
    "appliesToAll" : <boolean> // Applies to all items
  }],
  "insurance" : [{ // Patient insurance information
    "focal" : <boolean>, // Applicable coverage
    "coverage" : { Reference(Coverage) }, // R!  Insurance information
    "businessArrangement" : "<string>" // Additional provider contract number
  }],
  "item" : [{ // Item to be evaluated for eligibiity
    "supportingInfoSequence" : ["<positiveInt>"], // Applicable exception or supporting information
    "category" : { CodeableConcept }, // Benefit classification
    "productOrService" : { CodeableConcept }, // Billing, service, product, or drug code
    "modifier" : [{ CodeableConcept }], // Product or service billing modifiers
    "provider" : { Reference(Practitioner|PractitionerRole) }, // Perfoming practitioner
    "quantity" : { Quantity(SimpleQuantity) }, // Count of products or services
    "unitPrice" : { Money }, // Fee, charge or cost per item
    "facility" : { Reference(Location|Organization) }, // Servicing facility
    "diagnosis" : [{ // Applicable diagnosis
      // diagnosis[x]: Nature of illness or problem. One of these 2:
      "diagnosisCodeableConcept" : { CodeableConcept }
      "diagnosisReference" : { Reference(Condition) }
    }],
    "detail" : [{ Reference(Any) }] // Product or service details
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:CoverageEligibilityRequest;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:CoverageEligibilityRequest.identifier [ Identifier ], ... ; # 0..* Business Identifier for coverage eligiblity
    request
  fhir:CoverageEligibilityRequest.status [ code ]; # 1..1 active | cancelled | draft | entered-in-error
  fhir:CoverageEligibilityRequest.priority [ CodeableConcept ]; # 0..1 Desired processing priority
  fhir:CoverageEligibilityRequest.purpose [ code ], ... ; # 1..* auth-requirements | benefits | discovery | validation
  fhir:CoverageEligibilityRequest.patient [ Reference(Patient) ]; # 1..1 Intended recipient of products and services
  # CoverageEligibilityRequest.serviced[x] : 0..1 Estimated date or dates of service. One of these 2
    fhir:CoverageEligibilityRequest.servicedDate [ date ]
    fhir:CoverageEligibilityRequest.servicedPeriod [ Period ]
  fhir:CoverageEligibilityRequest.created [ dateTime ]; # 1..1 Creation date
  fhir:CoverageEligibilityRequest.enterer [ Reference(Practitioner|PractitionerRole) ]; # 0..1 Author
  fhir:CoverageEligibilityRequest.provider [ Reference(Practitioner|PractitionerRole|Organization) ]; # 0..1 Party
    responsible for the request
  fhir:CoverageEligibilityRequest.insurer [ Reference(Organization) ]; # 1..1 Coverage issuer
  fhir:CoverageEligibilityRequest.facility [ Reference(Location) ]; # 0..1 Servicing facility
  fhir:CoverageEligibilityRequest.supportingInfo [ # 0..* Supporting information
    fhir:CoverageEligibilityRequest.supportingInfo.sequence [ positiveInt ]; # 1..1 Information instance identifier
    fhir:CoverageEligibilityRequest.supportingInfo.information [ Reference(Any) ]; # 1..1 Data to be provided
    fhir:CoverageEligibilityRequest.supportingInfo.appliesToAll [ boolean ]; # 0..1 Applies to all items
  ], ...;
  fhir:CoverageEligibilityRequest.insurance [ # 0..* Patient insurance information
    fhir:CoverageEligibilityRequest.insurance.focal [ boolean ]; # 0..1 Applicable coverage
    fhir:CoverageEligibilityRequest.insurance.coverage [ Reference(Coverage) ]; # 1..1 Insurance information
    fhir:CoverageEligibilityRequest.insurance.businessArrangement [ string ]; # 0..1 Additional provider contract number
  ], ...;
  fhir:CoverageEligibilityRequest.item [ # 0..* Item to be evaluated for eligibiity
    fhir:CoverageEligibilityRequest.item.supportingInfoSequence [ positiveInt ], ... ; # 0..* Applicable exception or
    supporting information
    fhir:CoverageEligibilityRequest.item.category [ CodeableConcept ]; # 0..1 Benefit classification
    fhir:CoverageEligibilityRequest.item.productOrService [ CodeableConcept ]; # 0..1 Billing, service, product, or drug
     code
    fhir:CoverageEligibilityRequest.item.modifier [ CodeableConcept ], ... ; # 0..* Product or service billing modifiers
    fhir:CoverageEligibilityRequest.item.provider [ Reference(Practitioner|PractitionerRole) ]; # 0..1 Perfoming
    practitioner
    fhir:CoverageEligibilityRequest.item.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of products or services
    fhir:CoverageEligibilityRequest.item.unitPrice [ Money ]; # 0..1 Fee, charge or cost per item
    fhir:CoverageEligibilityRequest.item.facility [ Reference(Location|Organization) ]; # 0..1 Servicing facility
    fhir:CoverageEligibilityRequest.item.diagnosis [ # 0..* Applicable diagnosis
      # CoverageEligibilityRequest.item.diagnosis.diagnosis[x] : 0..1 Nature of illness or problem. One of these 2
        fhir:CoverageEligibilityRequest.item.diagnosis.diagnosisCodeableConcept [ CodeableConcept ]
        fhir:CoverageEligibilityRequest.item.diagnosis.diagnosisReference [ Reference(Condition) ]
    ], ...;
```

```
    fhir:CoverageEligibilityRequest.item.detail [ Reference(Any) ], ... ; # 0..* Product or service details
  ], ...;
]
```

Changes since R3

This resource did not exist in Release 2

This analysis is available as XML or JSON.

See R3 <--> R4 Conversion Maps (status = Not Mapped)

Structure

Name | Flags | Card. | Type | Description & Constraints
CoverageEligibilityRequest | TU | | DomainResource | CoverageEligibilityRequest resource Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Business Identifier for coverage eligiblity request
status | ?!Σ | 1..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
priority | | 0..1 | CodeableConcept | Desired processing priority Process Priority Codes (Example)
purpose | Σ | 1..* | code | auth-requirements | benefits | discovery | validation EligibilityRequestPurpose (Required)
patient | Σ | 1..1 | Reference(Patient) | Intended recipient of products and services
serviced[x] | | 0..1 | | Estimated date or dates of service
servicedDate | | | date
servicedPeriod | | | Period
created | Σ | 1..1 | dateTime | Creation date
enterer | | 0..1 | Reference(Practitioner | PractitionerRole) | Author
provider | | 0..1 | Reference(Practitioner | PractitionerRole | Organization) | Party responsible for the request
insurer | Σ | 1..1 | Reference(Organization) | Coverage issuer
facility | | 0..1 | Reference(Location) | Servicing facility
supportingInfo | | 0..* | BackboneElement | Supporting information
sequence | | 1..1 | positiveInt | Information instance identifier
information | | 1..1 | Reference(Any) | Data to be provided
appliesToAll | | 0..1 | boolean | Applies to all items
insurance | | 0..* | BackboneElement | Patient insurance information
focal | | 0..1 | boolean | Applicable coverage
coverage | | 1..1 | Reference(Coverage) | Insurance information
businessArrangement | | 0..1 | string | Additional provider contract number
item | | 0..* | BackboneElement | Item to be evaluated for eligibiity
supportingInfoSequence | | 0..* | positiveInt | Applicable exception or supporting information
category | | 0..1 | CodeableConcept | Benefit classification Benefit Category Codes (Example)
productOrService | | 0..1 | CodeableConcept | Billing, service, product, or drug code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Product or service billing modifiers Modifier type Codes (Example)
provider | | 0..1 | Reference(Practitioner | PractitionerRole) | Perfoming practitioner
quantity | | 0..1 | SimpleQuantity | Count of products or services
unitPrice | | 0..1 | Money | Fee, charge or cost per item
facility | | 0..1 | Reference(Location | Organization) | Servicing facility
diagnosis | | 0..* | BackboneElement | Applicable diagnosis
diagnosis[x] | | 0..1 | | Nature of illness or problem ICD-10 Codes (Example)
diagnosisCodeableConcept | | | CodeableConcept
diagnosisReference | | | Reference(Condition)
detail | | 0..* | Reference(Any) | Product or service details
Documentation for this format

UML Diagram (Legend)

XML Template

```
<CoverageEligibilityRequest xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier for coverage eligiblity request --></identifier>
 <status value="[code]"/><!-- 1..1 active | cancelled | draft | entered-in-error -->
 <priority><!-- 0..1 CodeableConcept Desired processing priority --></priority>
 <purpose value="[code]"/><!-- 1..* auth-requirements | benefits | discovery | validation -->
 <patient><!-- 1..1 Reference(Patient) Intended recipient of products and services --></patient>
 <serviced[x]><!-- 0..1 date|Period Estimated date or dates of service --></serviced[x]>
 <created value="[dateTime]"/><!-- 1..1 Creation date -->
 <enterer><!-- 0..1 Reference(Practitioner|PractitionerRole) Author --></enterer>
 <provider><!-- 0..1 Reference(Practitioner|PractitionerRole|Organization) Party responsible for the request
    --></provider>
 <insurer><!-- 1..1 Reference(Organization) Coverage issuer --></insurer>
 <facility><!-- 0..1 Reference(Location) Servicing facility --></facility>
 <supportingInfo>  <!-- 0..* Supporting information -->
  <sequence value="[positiveInt]"/><!-- 1..1 Information instance identifier -->
  <information><!-- 1..1 Reference(Any) Data to be provided --></information>
  <appliesToAll value="[boolean]"/><!-- 0..1 Applies to all items -->
 </supportingInfo>
 <insurance>  <!-- 0..* Patient insurance information -->
  <focal value="[boolean]"/><!-- 0..1 Applicable coverage -->
  <coverage><!-- 1..1 Reference(Coverage) Insurance information --></coverage>
  <businessArrangement value="[string]"/><!-- 0..1 Additional provider contract number -->
 </insurance>
```

```
 <item>  <!-- 0..* Item to be evaluated for eligibiity -->
  <supportingInfoSequence value="[positiveInt]"/><!-- 0..* Applicable exception or supporting information -->
  <category><!-- 0..1 CodeableConcept Benefit classification --></category>
  <productOrService><!-- 0..1 CodeableConcept Billing, service, product, or drug code --></productOrService>
  <modifier><!-- 0..* CodeableConcept Product or service billing modifiers --></modifier>
  <provider><!-- 0..1 Reference(Practitioner|PractitionerRole) Perfoming practitioner --></provider>
  <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of products or services --></quantity>
  <unitPrice><!-- 0..1 Money Fee, charge or cost per item --></unitPrice>
  <facility><!-- 0..1 Reference(Location|Organization) Servicing facility --></facility>
  <diagnosis>  <!-- 0..* Applicable diagnosis -->
   <diagnosis[x]><!-- 0..1 CodeableConcept|Reference(Condition) Nature of illness or problem --></diagnosis[x]>
  </diagnosis>
  <detail><!-- 0..* Reference(Any) Product or service details --></detail>
 </item>
</CoverageEligibilityRequest>
```

JSON Template

```
{
  "resourceType" : "CoverageEligibilityRequest",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier for coverage eligiblity request
  "status" : "<code>", // R!  active | cancelled | draft | entered-in-error
  "priority" : { CodeableConcept }, // Desired processing priority
  "purpose" : ["<code>"], // R!  auth-requirements | benefits | discovery | validation
  "patient" : { Reference(Patient) }, // R!  Intended recipient of products and services
  // serviced[x]: Estimated date or dates of service. One of these 2:
  "servicedDate" : "<date>",
  "servicedPeriod" : { Period },
  "created" : "<dateTime>", // R!  Creation date
  "enterer" : { Reference(Practitioner|PractitionerRole) }, // Author
  "provider" : { Reference(Practitioner|PractitionerRole|Organization) }, // Party responsible for the request
  "insurer" : { Reference(Organization) }, // R!  Coverage issuer
  "facility" : { Reference(Location) }, // Servicing facility
  "supportingInfo" : [{ // Supporting information
    "sequence" : "<positiveInt>", // R!  Information instance identifier
    "information" : { Reference(Any) }, // R!  Data to be provided
    "appliesToAll" : <boolean> // Applies to all items
  }],
  "insurance" : [{ // Patient insurance information
    "focal" : <boolean>, // Applicable coverage
    "coverage" : { Reference(Coverage) }, // R!  Insurance information
    "businessArrangement" : "<string>" // Additional provider contract number
  }],
  "item" : [{ // Item to be evaluated for eligibiity
    "supportingInfoSequence" : ["<positiveInt>"], // Applicable exception or supporting information
    "category" : { CodeableConcept }, // Benefit classification
    "productOrService" : { CodeableConcept }, // Billing, service, product, or drug code
    "modifier" : [{ CodeableConcept }], // Product or service billing modifiers
    "provider" : { Reference(Practitioner|PractitionerRole) }, // Perfoming practitioner
    "quantity" : { Quantity(SimpleQuantity) }, // Count of products or services
    "unitPrice" : { Money }, // Fee, charge or cost per item
    "facility" : { Reference(Location|Organization) }, // Servicing facility
    "diagnosis" : [{ // Applicable diagnosis
      // diagnosis[x]: Nature of illness or problem. One of these 2:
      "diagnosisCodeableConcept" : { CodeableConcept }
      "diagnosisReference" : { Reference(Condition) }
    }],
    "detail" : [{ Reference(Any) }] // Product or service details
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:CoverageEligibilityRequest;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:CoverageEligibilityRequest.identifier [ Identifier ], ... ; # 0..* Business Identifier for coverage eligiblity
    request
  fhir:CoverageEligibilityRequest.status [ code ]; # 1..1 active | cancelled | draft | entered-in-error
  fhir:CoverageEligibilityRequest.priority [ CodeableConcept ]; # 0..1 Desired processing priority
  fhir:CoverageEligibilityRequest.purpose [ code ], ... ; # 1..* auth-requirements | benefits | discovery | validation
  fhir:CoverageEligibilityRequest.patient [ Reference(Patient) ]; # 1..1 Intended recipient of products and services
  # CoverageEligibilityRequest.serviced[x] : 0..1 Estimated date or dates of service. One of these 2
    fhir:CoverageEligibilityRequest.servicedDate [ date ]
    fhir:CoverageEligibilityRequest.servicedPeriod [ Period ]
  fhir:CoverageEligibilityRequest.created [ dateTime ]; # 1..1 Creation date
  fhir:CoverageEligibilityRequest.enterer [ Reference(Practitioner|PractitionerRole) ]; # 0..1 Author
  fhir:CoverageEligibilityRequest.provider [ Reference(Practitioner|PractitionerRole|Organization) ]; # 0..1 Party
    responsible for the request
  fhir:CoverageEligibilityRequest.insurer [ Reference(Organization) ]; # 1..1 Coverage issuer
  fhir:CoverageEligibilityRequest.facility [ Reference(Location) ]; # 0..1 Servicing facility
  fhir:CoverageEligibilityRequest.supportingInfo [ # 0..* Supporting information
    fhir:CoverageEligibilityRequest.supportingInfo.sequence [ positiveInt ]; # 1..1 Information instance identifier
    fhir:CoverageEligibilityRequest.supportingInfo.information [ Reference(Any) ]; # 1..1 Data to be provided
```

```
    fhir:CoverageEligibilityRequest.supportingInfo.appliesToAll [ boolean ]; # 0..1 Applies to all items
  ], ...;
  fhir:CoverageEligibilityRequest.insurance [ # 0..* Patient insurance information
    fhir:CoverageEligibilityRequest.insurance.focal [ boolean ]; # 0..1 Applicable coverage
    fhir:CoverageEligibilityRequest.insurance.coverage [ Reference(Coverage) ]; # 1..1 Insurance information
    fhir:CoverageEligibilityRequest.insurance.businessArrangement [ string ]; # 0..1 Additional provider contract number
  ], ...;
  fhir:CoverageEligibilityRequest.item [ # 0..* Item to be evaluated for eligibiity
    fhir:CoverageEligibilityRequest.item.supportingInfoSequence [ positiveInt ], ... ; # 0..* Applicable exception or
    supporting information
    fhir:CoverageEligibilityRequest.item.category [ CodeableConcept ]; # 0..1 Benefit classification
    fhir:CoverageEligibilityRequest.item.productOrService [ CodeableConcept ]; # 0..1 Billing, service, product, or drug
     code
    fhir:CoverageEligibilityRequest.item.modifier [ CodeableConcept ], ... ; # 0..* Product or service billing modifiers
    fhir:CoverageEligibilityRequest.item.provider [ Reference(Practitioner|PractitionerRole) ]; # 0..1 Perfoming
    practitioner
    fhir:CoverageEligibilityRequest.item.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of products or services
    fhir:CoverageEligibilityRequest.item.unitPrice [ Money ]; # 0..1 Fee, charge or cost per item
    fhir:CoverageEligibilityRequest.item.facility [ Reference(Location|Organization) ]; # 0..1 Servicing facility
    fhir:CoverageEligibilityRequest.item.diagnosis [ # 0..* Applicable diagnosis
      # CoverageEligibilityRequest.item.diagnosis.diagnosis[x] : 0..1 Nature of illness or problem. One of these 2
        fhir:CoverageEligibilityRequest.item.diagnosis.diagnosisCodeableConcept [ CodeableConcept ]
        fhir:CoverageEligibilityRequest.item.diagnosis.diagnosisReference [ Reference(Condition) ]
    ], ...;
    fhir:CoverageEligibilityRequest.item.detail [ Reference(Any) ], ... ; # 0..* Product or service details
  ], ...;
]
```

Changes since Release 3

This resource did not exist in Release 2

This analysis is available as XML or JSON.

See R3 <--> R4 Conversion Maps (status = Not Mapped)

See the Profiles & Extensions and the alternate definitions: Master Definition XML + JSON, XML Schema/Schematron + JSON Schema, ShEx (for Turtle) + see the extensions & the dependency analysis

13.2.3.1 Terminology Bindings

Path | Definition | Type | Reference
CoverageEligibilityRequest.status | A code specifying the state of the resource instance. | Required | FinancialResourceStatusCodes
CoverageEligibilityRequest.priority | The timeliness with which processing is required: STAT, normal, Deferred. | Example | ProcessPriorityCodes
CoverageEligibilityRequest.purpose | A code specifying the types of information being requested. | Required | EligibilityRequestPurpose
CoverageEligibilityRequest.item.category | Benefit categories such as: oral, medical, vision etc. | Example | BenefitCategoryCodes
CoverageEligibilityRequest.item.productOrService | Allowable service and product codes. | Example | USCLSCodes
CoverageEligibilityRequest.item.modifier | Item type or modifiers codes, eg for Oral whether the treatment is cosmetic or associated with TMJ, or an appliance was lost or stolen. | Example | ModifierTypeCodes
CoverageEligibilityRequest.item.diagnosis.diagnosis[x] | ICD10 Diagnostic codes. | Example | ICD-10Codes

13.2.4 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common
created | date | The creation date for the EOB | CoverageEligibilityRequest.created
enterer | reference | The party who is responsible for the request | CoverageEligibilityRequest.enterer (Practitioner, PractitionerRole)
facility | reference | Facility responsible for the goods and services | CoverageEligibilityRequest.facility (Location)
identifier | token | The business identifier of the Eligibility | CoverageEligibilityRequest.identifier
patient | reference | The reference to the patient | CoverageEligibilityRequest.patient (Patient)
provider | reference | The reference to the provider | CoverageEligibilityRequest.provider (Practitioner, Organization, PractitionerRole)
status | token | The status of the EligibilityRequest | CoverageEligibilityRequest.status

13.2.5 Resource CoverageEligibilityRequest - Examples

URL: https://hl7.org/fhir/R4/coverageeligibilityrequest-examples.html

13.2.5 Resource CoverageEligibilityRequest - Examples

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Patient, Practitioner

Example Name | id | Format
General Person Primary Coverage Example | 52345 | XML | JSON | Turtle
Primary Coverage specifying Benefit Example | 52346 | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

13.2.6 Resource CoverageEligibilityRequest - Detailed Descriptions

URL: https://hl7.org/fhir/R4/coverageeligibilityrequest-definitions.html

13.2.6 Resource CoverageEligibilityRequest - Detailed Descriptions

Financial Management Work Group | Maturity Level: 2 | Trial Use | Security Category: Patient | Compartments: Patient, Practitioner

Detailed Descriptions for the elements in the CoverageEligibilityRequest resource.

CoverageEligibilityRequest
Element Id | CoverageEligibilityRequest
Definition | The CoverageEligibilityRequest provides patient and insurance coverage information to an insurer for them to respond, in the form of an CoverageEligibilityResponse, with information regarding whether the stated coverage is valid and in-force and optionally to provide the insurance details of the policy.
Cardinality | 0..*
Type | DomainResource
CoverageEligibilityRequest.identifier
Element Id | CoverageEligibilityRequest.identifier
Definition | A unique identifier assigned to this coverage eligiblity request.
Note | This is a business identifier, not a resource identifier (see discussion)
Cardinality | 0..*
Type | Identifier
Requirements | Allows coverage eligibility requests to be distinguished and referenced.
CoverageEligibilityRequest.status
Element Id | CoverageEligibilityRequest.status
Definition | The status of the resource instance.
Cardinality | 1..1
Terminology Binding | Financial Resource Status Codes (Required)
Type | code
Is Modifier | true (Reason: This element is labeled as a modifier because it is a status element that contains status entered-in-error which means that the resource should not be treated as valid)
Requirements | Need to track the status of the resource as 'draft' resources may undergo further edits while 'active' resources are immutable and may only have their status changed to 'cancelled'.
Summary | true
Comments | This element is labeled as a modifier because the status contains codes that mark the resource as not currently valid.
CoverageEligibilityRequest.priority
Element Id | CoverageEligibilityRequest.priority
Definition | When the requestor expects the processor to complete processing.
Cardinality | 0..1
Terminology Binding | Process Priority Codes (Example)
Type | CodeableConcept
Requirements | Needed to advise the prossesor on the urgency of the request.
CoverageEligibilityRequest.purpose
Element Id | CoverageEligibilityRequest.purpose
Definition | Code to specify whether requesting: prior authorization requirements for some service categories or billing codes; benefits for coverages specified or discovered; discovery and return of coverages for the patient; and/or validation that the specified coverage is in-force at the date/period specified or 'now' if not specified.
Cardinality | 1..*
Terminology Binding | EligibilityRequestPurpose (Required)
Type | code
Requirements | To indicate the processing actions requested.
Summary | true
CoverageEligibilityRequest.patient
Element Id | CoverageEligibilityRequest.patient
Definition | The party who is the beneficiary of the supplied coverage and for whom eligibility is sought.
Cardinality | 1..1
Type | Reference(Patient)
Requirements | Required to provide context and coverage validation.
Summary | true
Comments | 1..1.
CoverageEligibilityRequest.serviced[x]
Element Id | CoverageEligibilityRequest.serviced[x]
Definition | The date or dates when the enclosed suite of services were performed or completed.
Cardinality | 0..1
Type | date|Period
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | Required to provide time context for the request.
CoverageEligibilityRequest.created
Element Id | CoverageEligibilityRequest.created

Definition | The date when this resource was created.
Cardinality | 1..1
Type | dateTime
Requirements | Need to record a timestamp for use by both the recipient and the issuer.
Summary | true
CoverageEligibilityRequest.enterer
Element Id | CoverageEligibilityRequest.enterer
Definition | Person who created the request.
Cardinality | 0..1
Type | Reference(Practitioner | PractitionerRole)
Requirements | Some jurisdictions require the contact information for personnel completing eligibility requests.
CoverageEligibilityRequest.provider
Element Id | CoverageEligibilityRequest.provider
Definition | The provider which is responsible for the request.
Cardinality | 0..1
Type | Reference(Practitioner | PractitionerRole | Organization)
Requirements | Needed to identify the requestor.
Comments | Typically this field would be 1..1 where this party is responsible for the eligibility request but not necessarily professionally responsible for the provision of the individual products and services listed below.
CoverageEligibilityRequest.insurer
Element Id | CoverageEligibilityRequest.insurer
Definition | The Insurer who issued the coverage in question and is the recipient of the request.
Cardinality | 1..1
Type | Reference(Organization)
Requirements | Need to identify the recipient.
Summary | true
CoverageEligibilityRequest.facility
Element Id | CoverageEligibilityRequest.facility
Definition | Facility where the services are intended to be provided.
Cardinality | 0..1
Type | Reference(Location)
Requirements | Insurance adjudication can be dependant on where services were delivered.
CoverageEligibilityRequest.supportingInfo
Element Id | CoverageEligibilityRequest.supportingInfo
Definition | Additional information codes regarding exceptions, special considerations, the condition, situation, prior or concurrent issues.
Cardinality | 0..*
Requirements | Typically these information codes are required to support the services rendered or the adjudication of the services rendered.
Comments | Often there are multiple jurisdiction specific valuesets which are required.
CoverageEligibilityRequest.supportingInfo.sequence
Element Id | CoverageEligibilityRequest.supportingInfo.sequence
Definition | A number to uniquely identify supporting information entries.
Cardinality | 1..1
Type | positiveInt
Requirements | Necessary to maintain the order of the supporting information items and provide a mechanism to link to claim details.
CoverageEligibilityRequest.supportingInfo.information
Element Id | CoverageEligibilityRequest.supportingInfo.information
Definition | Additional data or information such as resources, documents, images etc. including references to the data or the actual inclusion of the data.
Cardinality | 1..1
Type | Reference(Any)
Requirements | To convey the data content to be provided when the information is more than a simple code or period.
Comments | Could be used to provide references to other resources, document. For example could contain a PDF in an Attachment of the Police Report for an Accident.
CoverageEligibilityRequest.supportingInfo.appliesToAll
Element Id | CoverageEligibilityRequest.supportingInfo.appliesToAll
Definition | The supporting materials are applicable for all detail items, product/servce categories and specific billing codes.
Cardinality | 0..1
Type | boolean
Requirements | Needed to convey that the information is universal to the request.
CoverageEligibilityRequest.insurance
Element Id | CoverageEligibilityRequest.insurance
Definition | Financial instruments for reimbursement for the health care products and services.
Cardinality | 0..*
Requirements | There must be at least one coverage for which eligibility is requested.
Comments | All insurance coverages for the patient which may be applicable for reimbursement, of the products and services listed in the claim, are typically provided in the claim to allow insurers to confirm the ordering of the insurance coverages relative to local 'coordination of benefit' rules. One coverage (and only one) with 'focal=true' is to be used in the adjudication of this claim. Coverages appearing before the focal Coverage in the list, and where 'subrogation=false', should provide a reference to the ClaimResponse containing the adjudication results of the prior claim.
CoverageEligibilityRequest.insurance.focal

Element Id | CoverageEligibilityRequest.insurance.focal
Definition | A flag to indicate that this Coverage is to be used for evaluation of this request when set to true.
Cardinality | 0..1
Type | boolean
Requirements | To identify which coverage in the list is being used to evaluate this request.
Comments | A patient may (will) have multiple insurance policies which provide reimburement for healthcare services and products. For example a person may also be covered by their spouse's policy and both appear in the list (and may be from the same insurer). This flag will be set to true for only one of the listed policies and that policy will be used for evaluating this request. Other requests would be created to request evaluation against the other listed policies.
CoverageEligibilityRequest.insurance.coverage
Element Id | CoverageEligibilityRequest.insurance.coverage
Definition | Reference to the insurance card level information contained in the Coverage resource. The coverage issuing insurer will use these details to locate the patient's actual coverage within the insurer's information system.
Cardinality | 1..1
Type | Reference(Coverage)
Requirements | Required to allow the adjudicator to locate the correct policy and history within their information system.
CoverageEligibilityRequest.insurance.businessArrangement
Element Id | CoverageEligibilityRequest.insurance.businessArrangement
Definition | A business agreement number established between the provider and the insurer for special business processing purposes.
Cardinality | 0..1
Type | string
Requirements | Providers may have multiple business arrangements with a given insurer and must supply the specific contract number for adjudication.
CoverageEligibilityRequest.item
Element Id | CoverageEligibilityRequest.item
Definition | Service categories or billable services for which benefit details and/or an authorization prior to service delivery may be required by the payor.
Cardinality | 0..*
Requirements | The items to be processed for the request.
CoverageEligibilityRequest.item.supportingInfoSequence
Element Id | CoverageEligibilityRequest.item.supportingInfoSequence
Definition | Exceptions, special conditions and supporting information applicable for this service or product line.
Cardinality | 0..*
Type | positiveInt
Requirements | Needed to support or inform the consideration for eligibility.
CoverageEligibilityRequest.item.category
Element Id | CoverageEligibilityRequest.item.category
Definition | Code to identify the general type of benefits under which products and services are provided.
Cardinality | 0..1
Terminology Binding | Benefit Category Codes (Example)
Type | CodeableConcept
Requirements | Needed to convey the category of service or product for which eligibility is sought.
Comments | Examples include Medical Care, Periodontics, Renal Dialysis, Vision Coverage.
CoverageEligibilityRequest.item.productOrService
Element Id | CoverageEligibilityRequest.item.productOrService
Definition | This contains the product, service, drug or other billing code for the item.
Cardinality | 0..1
Terminology Binding | USCLS Codes (Example)
Type | CodeableConcept
Requirements | Needed to convey the actual service or product for which eligibility is sought.
Comments | Code to indicate the Professional Service or Product supplied (e.g. CTP, HCPCS, USCLS, ICD10, NCPDP, DIN, RxNorm, ACHI, CCI).
CoverageEligibilityRequest.item.modifier
Element Id | CoverageEligibilityRequest.item.modifier
Definition | Item typification or modifiers codes to convey additional context for the product or service.
Cardinality | 0..*
Terminology Binding | Modifier type Codes (Example)
Type | CodeableConcept
Requirements | To support provision of the item or to charge an elevated fee.
Comments | For example in Oral whether the treatment is cosmetic or associated with TMJ, or for Medical whether the treatment was outside the clinic or out of office hours.
CoverageEligibilityRequest.item.provider
Element Id | CoverageEligibilityRequest.item.provider
Definition | The practitioner who is responsible for the product or service to be rendered to the patient.
Cardinality | 0..1
Type | Reference(Practitioner | PractitionerRole)
Requirements | Needed to support the evaluation of the eligibility.
CoverageEligibilityRequest.item.quantity
Element Id | CoverageEligibilityRequest.item.quantity
Definition | The number of repetitions of a service or product.
Cardinality | 0..1
Type | SimpleQuantity

Requirements | Required when the product or service code does not convey the quantity provided.
CoverageEligibilityRequest.item.unitPrice
Element Id | CoverageEligibilityRequest.item.unitPrice
Definition | The amount charged to the patient by the provider for a single unit.
Cardinality | 0..1
Type | Money
Requirements | Needed to support the evaluation of the eligibility.
CoverageEligibilityRequest.item.facility
Element Id | CoverageEligibilityRequest.item.facility
Definition | Facility where the services will be provided.
Cardinality | 0..1
Type | Reference(Location | Organization)
Requirements | Needed to support the evaluation of the eligibility.
CoverageEligibilityRequest.item.diagnosis
Element Id | CoverageEligibilityRequest.item.diagnosis
Definition | Patient diagnosis for which care is sought.
Cardinality | 0..*
Requirements | Needed to support the evaluation of the eligibility.
CoverageEligibilityRequest.item.diagnosis.diagnosis[x]
Element Id | CoverageEligibilityRequest.item.diagnosis.diagnosis[x]
Definition | The nature of illness or problem in a coded form or as a reference to an external defined Condition.
Cardinality | 0..1
Terminology Binding | ICD-10 Codes (Example)
Type | CodeableConcept|Reference(Condition)
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | Provides health context for the evaluation of the products and/or services.
CoverageEligibilityRequest.item.detail
Element Id | CoverageEligibilityRequest.item.detail
Definition | The plan/proposal/order describing the proposed service in detail.
Cardinality | 0..*
Type | Reference(Any)
Requirements | Needed to provide complex service proposal such as a Device or a plan.

13.2.7 Resource CoverageEligibilityRequest - Mappings

URL: https://hl7.org/fhir/R4/coverageeligibilityrequest-mappings.html

13.2.7 Resource CoverageEligibilityRequest - Mappings

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Patient, Practitioner

Mappings:

FiveWs Pattern Mapping

Workflow Pattern

HL7 v2 Mapping

Mappings for the coverageeligibilityrequest resource (see Mappings to Other Standards for further information & status).

13.2.7.1 FiveWs Pattern Mapping (http://hl7.org/fhir/fivews)

CoverageEligibilityRequest
identifier | FiveWs.identifier
status | FiveWs.status
priority | FiveWs.class
purpose | FiveWs.class
patient | FiveWs.subject[x]
serviced[x] | FiveWs.done[x]
created | FiveWs.recorded
enterer | FiveWs.author
provider | FiveWs.source
insurer | FiveWs.who
facility | FiveWs.where[x]
provider | FiveWs.source

13.2.7.2 Workflow Pattern (http://hl7.org/fhir/workflow)

CoverageEligibilityRequest | Request
identifier | Request.identifier
status | Request.status
priority | Request.priority
patient | Request.subject
created | Request.authoredOn

provider | Request.requester
insurer | Request.performer
provider | Request.requester

13.2.7.3 HL7 v2 Mapping (http://hl7.org/v2)

CoverageEligibilityRequest
identifier
status
priority
purpose
patient
serviced[x]
created
enterer
provider
insurer
facility
supportingInfo
sequence
information
appliesToAll
insurance
focal
coverage
businessArrangement
item
supportingInfoSequence
category
productOrService
modifier
provider
quantity
unitPrice
facility
diagnosis | Request.reasonReference
diagnosis[x]
detail

13.2.8 Resource CoverageEligibilityRequest - Extensions & Profiles

URL: https://hl7.org/fhir/R4/coverageeligibilityrequest-profiles.html

13.2.8 Resource CoverageEligibilityRequest - Extensions & Profiles

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Patient, Practitioner

This table lists profiles and extensions for the CoverageEligibilityRequest resource. For background information, see Profiling Resources and Extensibility. Additional profiles and extensions may be found in published Implementation Guides , or in the Conformance resource registry .

13.2.8.1 Profiles

No Profiles defined for this resource

13.2.8.2 Extensions

No Extensions defined for this resource
Extensions for all resources or elements
resource-pertainsToGoal | pertainsToGoal | for Resource HL7 Extensions

Extensions that reference this resource:

No Extensions refer to this resource
Extensions that refer to Any resource
cqf-relativeDateTime | relativeDateTime | for Clinical Reasoning Extensions
event-basedOn | basedOn | for Event Pattern HL7 Extensions
event-partOf | partOf | for Event Pattern HL7 Extensions
flag-detail | detail | for Flag HL7 Extensions
relative-date | Relative Date Criteria | for General Extensions for use by FHIR Implementers
replaces | replaces | for General Extensions for use by FHIR Implementers
request-replaces | replaces | for Request Pattern HL7 Extensions
workflow-supportingInfo | supportingInfo | for Workflow Pattern HL7 Extensions

13.2.8.3 Search Extensions

No Search Extensions defined for this resource

13.2.9 Resource CoverageEligibilityRequest - Operations

URL: https://hl7.org/fhir/R4/coverageeligibilityrequest-operations.html

13.2.9 Resource CoverageEligibilityRequest - Operations

Financial Management Work Group | Maturity Level: 2 | Trial Use | Security Category: Patient | Compartments: Patient, Practitioner

This resource has 1 operation operations associated with it:

$submit | Submit an EligibilityRequest resource for assessment

For more information about operations, including how they are invoked, see Operations.

13.2.9.1 Operation $submit on CoverageEligibilityRequest

URL: https://hl7.org/fhir/R4/coverageeligibilityrequest-operation-submit.html

13.2.9.1 Operation $submit on CoverageEligibilityRequest

Financial Management Work Group | Maturity Level: 2 | Trial Use | Compartments: N/A

This operation is used to submit an EligibilityRequest for assessment either as a single EligibilityRequest resource instance or as a Bundle containing the EligibilityRequest and other referenced resources, or Bundle containing a batch of EligibilityRequest resources, either as single EligibilityRequests resources or Bundle resources, for processing. The only input parameter is the single EligibilityRequest or Bundle resource and the only output is a single EligibilityResponse, Bundle of EligibilityResponses or an OperationOutcome resource.

The official URL for this operation definition is

`http://hl7.org/fhir/OperationDefinition/CoverageEligibilityRequest-submit`

Formal Definition (as a OperationDefinition).

URL: [base]/CoverageEligibilityRequest/$submit

This is not an idempotent operation

In Parameters:

Name | Cardinality | Type | Binding | Profile | Documentation

resource | 1..1 | Resource | | | An EligibilityRequest resource or Bundle of EligibilityRequests, either as individual EligibilityRequest resources or as Bundles each containing a single EligibilityRequest plus referenced resources.

Out Parameters:

Name | Cardinality | Type | Binding | Profile | Documentation

return | 1..1 | Resource | | | An EligibilityResponse resource or Bundle of EligibilityResponse responses, either as individual EligibilityResponse resources or as Bundles each containing a single EligibilityResponse plus referenced resources. Note: as this is the only out parameter, it is a resource, and it has the name 'return', the result of this operation is returned directly as a resource

13.2.9.1.1 Examples

Request:

```
POST [baseurl]/EligibilityRequest/$submit
[headers]

<?xml version="1.0" encoding="UTF-8"?>
<CoverageEligibilityRequest xmlns="http://hl7.org/fhir" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="http://hl7.org/fhir ../../schema/remittance.xsd">
  <id value="52345"/>

  <text>
    <status value="generated"/>
    <div xmlns="http://www.w3.org/1999/xhtml">A human-readable rendering of the CoverageEligibilityRequest</div>
  </text>

  <identifier>
    <system value="http://happyvalley.com/coverageelegibilityrequest"/>
    <value value="52345"/>
  </identifier>

  <status value="active"/>

  <priority>
    <coding>
      <code value="normal"/>
    </coding>
  </priority>

  <purpose value="validation"/>

  <patient>
    <reference value="Patient/pat1"/>
  </patient>
```

```
  <created value="2014-08-16"/>

  <organization>
    <reference value="Organization/1"/>
  </organization>

  <insurer>
    <reference value="Organization/2"/>
  </insurer>

  <coverage>
    <reference value="Coverage/9876B1"/>
  </coverage>

</CoverageEligibilityRequest>
```

Response:

```
HTTP/1.1 200 OK
[headers]

<?xml version="1.0" encoding="UTF-8"?>
<CoverageEligibilityResponse xmlns="http://hl7.org/fhir" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="http://hl7.org/fhir ../../schema/remittance.xsd">
  <id value="E2500"/>

  <text>
    <status value="generated"/>
    <div xmlns="http://www.w3.org/1999/xhtml">A human-readable rendering of the CoverageEligibilityResponse.</div>
  </text>

  <identifier>
    <system value="http://www.BenefitsInc.com/fhir/coverageeligibilityresponse"/>
    <value value="881234"/>
  </identifier>

  <status value="active"/>

  <purpose value="validation"/>

  <created value="2014-08-16"/>

  <request>
    <reference value="http://www.BenefitsInc.com/fhir/coverageeligibilityrequest/52345"/>
  </request>

  <outcome value="complete"/>

  <disposition value="Policy is currently in-force."/>

  <insurer>
    <reference value="Organization/2"/>
  </insurer>

  <inforce value="true"/>

</CoverageEligibilityResponse>
```

For more information about operations, including how they are invoked, see Operations.

13.2.10 Resource CoverageEligibilityRequest - R3/R4 Conversions

URL: https://hl7.org/fhir/R4/coverageeligibilityrequest-version-maps.html

n/a

13.2.10 Resource CoverageEligibilityRequest - R3/R4 Conversions

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Patient, Practitioner

R3 : R4 Conversion maps for CoverageEligibilityRequest.

Functional status for this map: Not Mapped (see documentation)

13.2.10.1 R3 to R4

```
map "http://hl7.org/fhir/StructureMap/EligibilityRequest3to4" = "R3 to R4 Conversions for (Coverage)EligibilityRequest"

uses "http://hl7.org/fhir/3.0/StructureDefinition/EligibilityRequest" alias EligibilityRequestR3 as source
uses "http://hl7.org/fhir/StructureDefinition/CoverageEligibilityRequest" alias CoverageEligibilityRequest as target

imports "http://hl7.org/fhir/StructureMap/*3to4"

group EligibilityRequest(source src : EligibilityRequestR3, target tgt : CoverageEligibilityRequest) extends
    DomainResource <<type+>> {
  src.identifier -> tgt.identifier;
  src.status -> tgt.status;
```

```
  src.priority -> tgt.priority;
  src.patient -> tgt.patient;
  src.serviced -> tgt.serviced;
  src.created -> tgt.created;
  src.enterer -> tgt.enterer;
  src.provider -> tgt.provider;
  src.insurer -> tgt.insurer;
  src.facility -> tgt.facility;
  src.coverage as coverage -> tgt.insurance as insurance then {
    src ->  insurance.focal = true,  insurance.coverage = coverage "focal";
    src.businessArrangement as ba -> insurance.businessArrangement = ba;
  };
  src.benefitCategory as bc -> tgt.item as item then {
    src -> item.category = bc "category";
  };
}
```

13.2.10.2 R4 to R3

```
map "http://hl7.org/fhir/StructureMap/CoverageEligibilityRequest4to3" = "R4 to R3 Conversion for
    (Coverage)EligibilityRequest"

uses "http://hl7.org/fhir/StructureDefinition/CoverageEligibilityRequest" alias CoverageEligibilityRequest as source
uses "http://hl7.org/fhir/3.0/StructureDefinition/EligibilityRequest" alias EligibilityRequestR3 as target

imports "http://hl7.org/fhir/StructureMap/*4to3"

group CoverageEligibilityRequest(source src : CoverageEligibilityRequestR3, target tgt : EligibilityRequest) extends
    DomainResource <<type+>> {
  src.identifier -> tgt.identifier;
  src.status -> tgt.status;
  src.priority -> tgt.priority;
  src.patient -> tgt.patient;
  src.serviced -> tgt.serviced;
  src.created -> tgt.created;
  src.enterer -> tgt.enterer;
  src.provider -> tgt.provider;
  src.insurer -> tgt.insurer;
  src.facility -> tgt.facility;
  src.insurance as s then {
    s.coverage where (s.focal = true) -> tgt.coverage;
    s.businessArrangement where (s.focal = true) -> tgt.businessArrangement;
  };
  src.item as i then {
    i.category -> tgt.benefitCategory;
  };
}
```

13.2.10.3 R4 Validation Errors

13.2.11 JSON Schema for CoverageEligibilityRequest

URL: https://hl7.org/fhir/R4/coverageeligibilityrequest.schema.json.html

13.2.11 JSON Schema for CoverageEligibilityRequest

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Compartments: Patient, Practitioner

This is a representation of the json schema for CoverageEligibilityRequest, which is just a part of the full JSON Schema.

```
{
  "$schema": "http://json-schema.org/draft-06/schema#",
  "id": "http://hl7.org/fhir/json-schema/CoverageEligibilityRequest",
  "$ref": "#/definitions/CoverageEligibilityRequest",
  "description": "see http://hl7.org/fhir/json.html#schema for information about the FHIR Json Schemas",
  "definitions": {
    "CoverageEligibilityRequest": {
      "description": "The CoverageEligibilityRequest provides patient and insurance coverage information to an insurer
    for them to respond, in the form of an CoverageEligibilityResponse, with information regarding whether the stated
    coverage is valid and in-force and optionally to provide the insurance details of the policy.",
      "properties": {
        "resourceType": {
          "description": "This is a CoverageEligibilityRequest resource",
          "const": "CoverageEligibilityRequest"
        },
        "id": {
          "description": "The logical id of the resource, as used in the URL for the resource. Once assigned, this value
     never changes.",
          "$ref": "id.schema.json#/definitions/id"
        },
        "meta": {
          "description": "The metadata about the resource. This is content that is maintained by the infrastructure.
    Changes to the content might not always be associated with version changes to the resource.",
          "$ref": "Meta.schema.json#/definitions/Meta"
        },
        "implicitRules": {
          "description": "A reference to a set of rules that were followed when the resource was constructed, and which
    must be understood when processing the content. Often, this is a reference to an implementation guide that defines
```

```
the special rules along with other profiles etc.",
      "$ref": "#/definitions/uri"
    },
    "_implicitRules": {
      "description": "Extensions for implicitRules",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "language": {
      "description": "The base language in which the resource is written.",
      "$ref": "#/definitions/code"
    },
    "_language": {
      "description": "Extensions for language",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "text": {
      "description": "A human-readable narrative that contains a summary of the resource and can be used to
represent the content of the resource to a human. The narrative need not encode all the structured data, but is
required to contain sufficient detail to make it \"clinically safe\" for a human to just read the narrative.
Resource definitions may define what content should be represented in the narrative to ensure clinical safety.",
      "$ref": "Narrative.schema.json#/definitions/Narrative"
    },
    "contained": {
      "description": "These resources do not have an independent existence apart from the resource that contains
them - they cannot be identified independently, and nor can they have their own independent transaction scope.",
      "items": {
        "$ref": "ResourceList.schema.json#/definitions/ResourceList"
      },
      "type": "array"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the resource. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
 definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the resource and that modifies the understanding of the element that contains it and/or the understanding of the
containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the use
of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer is allowed to define an extension, there is a set of requirements that SHALL be
met as part of the definition of the extension. Applications processing a resource are required to check for
modifier extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or
DomainResource (including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "identifier": {
      "description": "A unique identifier assigned to this coverage eligiblity request.",
      "items": {
        "$ref": "Identifier.schema.json#/definitions/Identifier"
      },
      "type": "array"
    },
    "status": {
      "description": "The status of the resource instance.",
      "$ref": "#/definitions/code"
    },
    "_status": {
      "description": "Extensions for status",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "priority": {
      "description": "When the requestor expects the processor to complete processing.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "purpose": {
      "description": "Code to specify whether requesting: prior authorization requirements for some service
categories or billing codes; benefits for coverages specified or discovered; discovery and return of coverages for
the patient; and/or validation that the specified coverage is in-force at the date/period specified or
\u0027now\u0027 if not specified.",
      "items": {
        "enum": [
          "auth-requirements",
          "benefits",
          "discovery",
          "validation"
        ]
      },
      "type": "array"
    },
    "_purpose": {
```

```
      "description": "Extensions for purpose",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "patient": {
      "description": "The party who is the beneficiary of the supplied coverage and for whom eligibility is
sought.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "servicedDate": {
      "description": "The date or dates when the enclosed suite of services were performed or completed.",
      "pattern":
"^([0-9]([0-9]([0-9][1-9]|[1-9]0)|[1-9]00)|[1-9]000)(-(0[1-9]|1[0-2])(-(0[1-9]|[1-2][0-9]|3[0-1]))?)?$",
      "type": "string"
    },
    "_servicedDate": {
      "description": "Extensions for servicedDate",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "servicedPeriod": {
      "description": "The date or dates when the enclosed suite of services were performed or completed.",
      "$ref": "Period.schema.json#/definitions/Period"
    },
    "created": {
      "description": "The date when this resource was created.",
      "$ref": "#/definitions/dateTime"
    },
    "_created": {
      "description": "Extensions for created",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "enterer": {
      "description": "Person who created the request.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "provider": {
      "description": "The provider which is responsible for the request.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "insurer": {
      "description": "The Insurer who issued the coverage in question and is the recipient of the request.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "facility": {
      "description": "Facility where the services are intended to be provided.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "supportingInfo": {
      "description": "Additional information codes regarding exceptions, special considerations, the condition,
situation, prior or concurrent issues.",
      "items": {
        "$ref": "#/definitions/CoverageEligibilityRequest_SupportingInfo"
      },
      "type": "array"
    },
    "insurance": {
      "description": "Financial instruments for reimbursement for the health care products and services.",
      "items": {
        "$ref": "#/definitions/CoverageEligibilityRequest_Insurance"
      },
      "type": "array"
    },
    "item": {
      "description": "Service categories or billable services for which benefit details and/or an authorization
prior to service delivery may be required by the payor.",
      "items": {
        "$ref": "#/definitions/CoverageEligibilityRequest_Item"
      },
      "type": "array"
    }
  },
  "additionalProperties": false,
  "required": [
    "patient",
    "insurer",
    "resourceType"
  ]
},
"CoverageEligibilityRequest_SupportingInfo": {
  "description": "The CoverageEligibilityRequest provides patient and insurance coverage information to an insurer
for them to respond, in the form of an CoverageEligibilityResponse, with information regarding whether the stated
coverage is valid and in-force and optionally to provide the insurance details of the policy.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
```

```
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "sequence": {
      "description": "A number to uniquely identify supporting information entries.",
      "$ref": "#/definitions/positiveInt"
    },
    "_sequence": {
      "description": "Extensions for sequence",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "information": {
      "description": "Additional data or information such as resources, documents, images etc. including references
to the data or the actual inclusion of the data.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "appliesToAll": {
      "description": "The supporting materials are applicable for all detail items, product/servce categories and
specific billing codes.",
      "$ref": "#/definitions/boolean"
    },
    "_appliesToAll": {
      "description": "Extensions for appliesToAll",
      "$ref": "Element.schema.json#/definitions/Element"
    }
  },
  "additionalProperties": false,
  "required": [
    "information"
  ]
},
"CoverageEligibilityRequest_Insurance": {
  "description": "The CoverageEligibilityRequest provides patient and insurance coverage information to an insurer
for them to respond, in the form of an CoverageEligibilityResponse, with information regarding whether the stated
coverage is valid and in-force and optionally to provide the insurance details of the policy.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "focal": {
      "description": "A flag to indicate that this Coverage is to be used for evaluation of this request when set to
```

```
 true.",
      "$ref": "#/definitions/boolean"
    },
    "_focal": {
      "description": "Extensions for focal",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "coverage": {
      "description": "Reference to the insurance card level information contained in the Coverage resource. The
coverage issuing insurer will use these details to locate the patient\u0027s actual coverage within the
insurer\u0027s information system.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "businessArrangement": {
      "description": "A business agreement number established between the provider and the insurer for special
business processing purposes.",
      "$ref": "#/definitions/string"
    },
    "_businessArrangement": {
      "description": "Extensions for businessArrangement",
      "$ref": "Element.schema.json#/definitions/Element"
    }
  },
  "additionalProperties": false,
  "required": [
    "coverage"
  ]
},
"CoverageEligibilityRequest_Item": {
  "description": "The CoverageEligibilityRequest provides patient and insurance coverage information to an insurer
for them to respond, in the form of an CoverageEligibilityResponse, with information regarding whether the stated
coverage is valid and in-force and optionally to provide the insurance details of the policy.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "supportingInfoSequence": {
      "description": "Exceptions, special conditions and supporting information applicable for this service or
product line.",
      "items": {
        "$ref": "#/definitions/positiveInt"
      },
      "type": "array"
    },
    "_supportingInfoSequence": {
      "description": "Extensions for supportingInfoSequence",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "category": {
      "description": "Code to identify the general type of benefits under which products and services are
provided.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "productOrService": {
      "description": "This contains the product, service, drug or other billing code for the item.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "modifier": {
      "description": "Item typification or modifiers codes to convey additional context for the product or
service.",
```

```
        "items": {
          "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
        },
        "type": "array"
      },
      "provider": {
        "description": "The practitioner who is responsible for the product or service to be rendered to the
    patient.",
        "$ref": "Reference.schema.json#/definitions/Reference"
      },
      "quantity": {
        "description": "The number of repetitions of a service or product.",
        "$ref": "Quantity.schema.json#/definitions/Quantity"
      },
      "unitPrice": {
        "description": "The amount charged to the patient by the provider for a single unit.",
        "$ref": "Money.schema.json#/definitions/Money"
      },
      "facility": {
        "description": "Facility where the services will be provided.",
        "$ref": "Reference.schema.json#/definitions/Reference"
      },
      "diagnosis": {
        "description": "Patient diagnosis for which care is sought.",
        "items": {
          "$ref": "#/definitions/CoverageEligibilityRequest_Diagnosis"
        },
        "type": "array"
      },
      "detail": {
        "description": "The plan/proposal/order describing the proposed service in detail.",
        "items": {
          "$ref": "Reference.schema.json#/definitions/Reference"
        },
        "type": "array"
      }
    },
    "additionalProperties": false
  },
  "CoverageEligibilityRequest_Diagnosis": {
    "description": "The CoverageEligibilityRequest provides patient and insurance coverage information to an insurer
    for them to respond, in the form of an CoverageEligibilityResponse, with information regarding whether the stated
    coverage is valid and in-force and optionally to provide the insurance details of the policy.",
    "properties": {
      "id": {
        "description": "Unique id for the element within a resource (for internal references). This may be any string
    value that does not contain spaces.",
        "$ref": "string.schema.json#/definitions/string"
      },
      "extension": {
        "description": "May be used to represent additional information that is not part of the basic definition of
    the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
    definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
    that SHALL be met as part of the definition of the extension.",
        "items": {
          "$ref": "Extension.schema.json#/definitions/Extension"
        },
        "type": "array"
      },
      "modifierExtension": {
        "description": "May be used to represent additional information that is not part of the basic definition of
    the element and that modifies the understanding of the element in which it is contained and/or the understanding of
    the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
    use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
    extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
     of the definition of the extension. Applications processing a resource are required to check for modifier
    extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
    (including cannot change the meaning of modifierExtension itself).",
        "items": {
          "$ref": "Extension.schema.json#/definitions/Extension"
        },
        "type": "array"
      },
      "diagnosisCodeableConcept": {
        "description": "The nature of illness or problem in a coded form or as a reference to an external defined
    Condition.",
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "diagnosisReference": {
        "description": "The nature of illness or problem in a coded form or as a reference to an external defined
    Condition.",
        "$ref": "Reference.schema.json#/definitions/Reference"
      }
    },
    "additionalProperties": false
  }
 }
}
```

13.2.12 Resource CoverageEligibilityRequest - Maturity Dependency View

URL: https://hl7.org/fhir/R4/coverageeligibilityrequest-dependencies.html

13.2.12 Resource CoverageEligibilityRequest - Maturity Dependency View

Financial Management Work Group | Maturity Level: 2 | Trial Use | Compartments: Patient, Practitioner

Dependency Graph for CoverageEligibilityRequest FMM level 2

Name | Card. | Type | Dependency Analysis
CoverageEligibilityRequest | | | DomainResource
identifier | 0..* | Identifier
status | 1..1 | code
priority | 0..1 | CodeableConcept
purpose | 1..* | code
patient | 1..1 | Reference(Patient)
serviced[x] | 0..1
servicedDate | | date
servicedPeriod | | Period
created | 1..1 | dateTime
enterer | 0..1 | Reference(Practitioner | PractitionerRole)
provider | 0..1 | Reference(Practitioner | PractitionerRole | Organization)
insurer | 1..1 | Reference(Organization)
facility | 0..1 | Reference(Location)
supportingInfo | 0..* | BackboneElement
sequence | 1..1 | positiveInt
information | 1..1 | Reference(Any) | Type Warning: (Any = FMM1-Trial Use vs. Element = FMM2-Trial Use)
appliesToAll | 0..1 | boolean
insurance | 0..* | BackboneElement
focal | 0..1 | boolean
coverage | 1..1 | Reference(Coverage)
businessArrangement | 0..1 | string
item | 0..* | BackboneElement
supportingInfoSequence | 0..* | positiveInt
category | 0..1 | CodeableConcept
productOrService | 0..1 | CodeableConcept
modifier | 0..* | CodeableConcept
provider | 0..1 | Reference(Practitioner | PractitionerRole)
quantity | 0..1 | SimpleQuantity
unitPrice | 0..1 | Money
facility | 0..1 | Reference(Location | Organization)
diagnosis | 0..* | BackboneElement
diagnosis[x] | 0..1
diagnosisCodeableConcept | | CodeableConcept
diagnosisReference | | Reference(Condition
detail | 0..* | Reference(Any) | Type Warning: (Any = FMM1-Trial Use vs. Element = FMM2-Trial Use)

13.3 Resource CoverageEligibilityResponse - Content

URL: https://hl7.org/fhir/R4/coverageeligibilityresponse.html
Financial Management Work Group | Maturity Level: 2 | Trial Use | Security Category: Patient | Compartments: Patient, Practitioner

This resource provides eligibility and plan details from the processing of an CoverageEligibilityRequest resource.

13.3.1 Scope and Usage

The CoverageEligibilityResponse resource provides eligibility and plan details from the processing of an CoverageEligibilityRequest resource. It combines key information from a payor as to whether a Coverage is in-force, and optionally the nature of the Policy benefit details as well as the ability for the insurer to indicate whether the insurance provides benefits for requested types of services or requires preauthorization and if so what supporting information may be required.

The CoverageEligibilityResponse resource is a "event" resource from a FHIR workflow perspective - see Workflow Event.

13.3.1.1 Additional Information

Additional information regarding electronic coverage eligibility content and usage may be found at:

• Financial Resource Status Lifecycle: how .status is used in the financial resources.

• Subrogation: how eClaims may handle patient insurance coverages when another insurer rather than the provider will settle the claim and potentially recover costs against specified coverages.

• Coordination of Benefit: how eClaims may handle multiple patient insurance coverages.

• Batches: how eClaims may handle batches of eligibility, claims and responses.

• Attachments and Supporting Information: how eClaims may handle the provision of supporting information, whether provided by content or reference, within the eClaim resource when submitted to the payor or later in a resource which refers to the subject eClaim resource. This includes how payors how request additional supporting information from providers.

13.3.2 Boundaries and Relationships

CoverageEligibilityResponse should be used to respond to a request on whether the patient's coverage is inforce, whether it is valid at this or a specified date, or to report the benefit details or preauthorization requirements associated with a coverage.

When requesting whether the patient's coverage is inforce, whether it is valid at this or a specified date, or requesting the benefit details or preauthorization requirements associated with a coverage CoverageEligibilityRequest should be used instead.

The ClaimResponse resource is an insurer's adjudication and/or authorization of a set of healthcare-related goods and services for a patient against the patient's insurance coverages.

For reporting out to patients or transferring data to patient centered applications, such as patient health Record (PHR) application, the ExplanationOfBenefit should be used .

The Coverage resource contains the information typically found on the health insurance card for an individual used to identify the covered individual to the insurer and is referred to by the CoverageEligibilityResponse.

The eClaim domain includes a number of related resources

CoverageEligibilityResponse | Patient and insurance coverage information provided to an insurer for them to respond, in the form of an CoverageEligibilityResponse, with information regarding whether the stated coverage is valid and in-force and optionally to provide the insurance details of the policy.
ClaimResponse | A payor's adjudication and/or authorization response to the suite of services provided in a Claim. Typically the ClaimResponse references the Claim but does not duplicate the clinical or financial information provided in the claim.
CoverageEligibilityRequest | Patient and insurance coverage information provided to an insurer for them to respond, in the form of an CoverageEligibilityResponse, with information regarding whether the stated coverage is valid and in-force and optionally to provide the insurance details of the policy.
Coverage | Provides the high-level identifiers and descriptors of an insurance plan, typically the information which would appear on an insurance card, which may be used to pay, in part or in whole, for the provision of health care products and services.
ExplanationOfBenefit | This resource combines the information from the Claim and the ClaimResponse, stripping out any provider or payor proprietary information, into a unified information model suitable for use for: patient reporting; transferring information to a Patient Health Record system; and, supporting complete claim and adjudication information exchange with regulatory and analytics organizations and other parts of the provider's organization.

13.3.3 Resource Content

• Structure

• UML

• XML

• JSON

• Turtle

• R3 Diff

• All

Structure

Name | Flags | Card. | Type | Description & Constraints
CoverageEligibilityResponse | TU | | DomainResource | CoverageEligibilityResponse resource Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Business Identifier for coverage eligiblity request
status | ?!Σ | 1..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
purpose | Σ | 1..* | code | auth-requirements | benefits | discovery | validation EligibilityResponsePurpose (Required)
patient | Σ | 1..1 | Reference(Patient) | Intended recipient of products and services
serviced[x] | | 0..1 | | Estimated date or dates of service
servicedDate | | | date
servicedPeriod | | | Period
created | Σ | 1..1 | dateTime | Response creation date
requestor | | 0..1 | Reference(Practitioner | PractitionerRole | Organization) | Party responsible for the request
request | Σ | 1..1 | Reference(CoverageEligibilityRequest) | Eligibility request reference
outcome | Σ | 1..1 | code | queued | complete | error | partial RemittanceOutcome (Required)
disposition | | 0..1 | string | Disposition Message
insurer | Σ | 1..1 | Reference(Organization) | Coverage issuer
insurance | | 0..* | BackboneElement | Patient insurance information
coverage | Σ | 1..1 | Reference(Coverage) | Insurance information
inforce | | 0..1 | boolean | Coverage inforce indicator
benefitPeriod | | 0..1 | Period | When the benefits are applicable

item | I | 0..* | BackboneElement | Benefits and authorization details + Rule: SHALL contain a category or a billcode but not both.
category | | 0..1 | CodeableConcept | Benefit classification Benefit Category Codes (Example)
productOrService | | 0..1 | CodeableConcept | Billing, service, product, or drug code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Product or service billing modifiers Modifier type Codes (Example)
provider | | 0..1 | Reference(Practitioner | PractitionerRole) | Performing practitioner
excluded | | 0..1 | boolean | Excluded from the plan
name | | 0..1 | string | Short name for the benefit
description | | 0..1 | string | Description of the benefit or services covered
network | | 0..1 | CodeableConcept | In or out of network Network Type Codes (Example)
unit | | 0..1 | CodeableConcept | Individual or family Unit Type Codes (Example)
term | | 0..1 | CodeableConcept | Annual or lifetime Benefit Term Codes (Example)
benefit | | 0..* | BackboneElement | Benefit Summary
type | | 1..1 | CodeableConcept | Benefit classification Benefit Type Codes (Example)
allowed[x] | | 0..1 | | Benefits allowed
allowedUnsignedInt | | | unsignedInt
allowedString | | | string
allowedMoney | | | Money
used[x] | | 0..1 | | Benefits used
usedUnsignedInt | | | unsignedInt
usedString | | | string
usedMoney | | | Money
authorizationRequired | | 0..1 | boolean | Authorization required flag
authorizationSupporting | | 0..* | CodeableConcept | Type of required supporting materials CoverageEligibilityResponse Auth Support Codes (Example)
authorizationUrl | | 0..1 | uri | Preauthorization requirements endpoint
preAuthRef | | 0..1 | string | Preauthorization reference
form | | 0..1 | CodeableConcept | Printed form identifier Forms (Example)
error | | 0..* | BackboneElement | Processing errors
code | | 1..1 | CodeableConcept | Error code detailing processing issues AdjudicationError (Example)
Documentation for this format

UML Diagram (Legend)

XML Template

```
<CoverageEligibilityResponse xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier for coverage eligiblity request --></identifier>
 <status value="[code]"/><!-- 1..1 active | cancelled | draft | entered-in-error -->
 <purpose value="[code]"/><!-- 1..* auth-requirements | benefits | discovery | validation -->
 <patient><!-- 1..1 Reference(Patient) Intended recipient of products and services --></patient>
 <serviced[x]><!-- 0..1 date|Period Estimated date or dates of service --></serviced[x]>
 <created value="[dateTime]"/><!-- 1..1 Response creation date -->
 <requestor><!-- 0..1 Reference(Practitioner|PractitionerRole|Organization) Party responsible for the request
    --></requestor>
 <request><!-- 1..1 Reference(CoverageEligibilityRequest) Eligibility request reference --></request>
 <outcome value="[code]"/><!-- 1..1 queued | complete | error | partial -->
 <disposition value="[string]"/><!-- 0..1 Disposition Message -->
 <insurer><!-- 1..1 Reference(Organization) Coverage issuer --></insurer>
 <insurance>  <!-- 0..* Patient insurance information -->
  <coverage><!-- 1..1 Reference(Coverage) Insurance information --></coverage>
  <inforce value="[boolean]"/><!-- 0..1 Coverage inforce indicator -->
  <benefitPeriod><!-- 0..1 Period When the benefits are applicable --></benefitPeriod>
  <item>  <!-- 0..* Benefits and authorization details -->
   <category><!-- 0..1 CodeableConcept Benefit classification --></category>
   <productOrService><!-- 0..1 CodeableConcept Billing, service, product, or drug code --></productOrService>
   <modifier><!-- 0..* CodeableConcept Product or service billing modifiers --></modifier>
   <provider><!-- 0..1 Reference(Practitioner|PractitionerRole) Performing practitioner --></provider>
   <excluded value="[boolean]"/><!-- 0..1 Excluded from the plan -->
   <name value="[string]"/><!-- 0..1 Short name for the benefit -->
   <description value="[string]"/><!-- 0..1 Description of the benefit or services covered -->
   <network><!-- 0..1 CodeableConcept In or out of network --></network>
   <unit><!-- 0..1 CodeableConcept Individual or family --></unit>
   <term><!-- 0..1 CodeableConcept Annual or lifetime --></term>
   <benefit>  <!-- 0..* Benefit Summary -->
    <type><!-- 1..1 CodeableConcept Benefit classification --></type>
    <allowed[x]><!-- 0..1 unsignedInt|string|Money Benefits allowed --></allowed[x]>
    <used[x]><!-- 0..1 unsignedInt|string|Money Benefits used --></used[x]>
   </benefit>
   <authorizationRequired value="[boolean]"/><!-- 0..1 Authorization required flag -->
   <authorizationSupporting><!-- 0..* CodeableConcept Type of required supporting materials
    --></authorizationSupporting>
   <authorizationUrl value="[uri]"/><!-- 0..1 Preauthorization requirements endpoint -->
  </item>
 </insurance>
 <preAuthRef value="[string]"/><!-- 0..1 Preauthorization reference -->
 <form><!-- 0..1 CodeableConcept Printed form identifier --></form>
 <error>  <!-- 0..* Processing errors -->
  <code><!-- 1..1 CodeableConcept Error code detailing processing issues --></code>
 </error>
</CoverageEligibilityResponse>
```

JSON Template

```
{
  "resourceType" : "CoverageEligibilityResponse",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier for coverage eligiblity request
  "status" : "<code>", // R!  active | cancelled | draft | entered-in-error
  "purpose" : ["<code>"], // R!  auth-requirements | benefits | discovery | validation
  "patient" : { Reference(Patient) }, // R!  Intended recipient of products and services
  // serviced[x]: Estimated date or dates of service. One of these 2:
  "servicedDate" : "<date>",
  "servicedPeriod" : { Period },
  "created" : "<dateTime>", // R!  Response creation date
  "requestor" : { Reference(Practitioner|PractitionerRole|Organization) }, // Party responsible for the request
  "request" : { Reference(CoverageEligibilityRequest) }, // R!  Eligibility request reference
  "outcome" : "<code>", // R!  queued | complete | error | partial
  "disposition" : "<string>", // Disposition Message
  "insurer" : { Reference(Organization) }, // R!  Coverage issuer
  "insurance" : [{ // Patient insurance information
    "coverage" : { Reference(Coverage) }, // R!  Insurance information
    "inforce" : <boolean>, // Coverage inforce indicator
    "benefitPeriod" : { Period }, // When the benefits are applicable
    "item" : [{ // Benefits and authorization details
      "category" : { CodeableConcept }, // Benefit classification
      "productOrService" : { CodeableConcept }, // Billing, service, product, or drug code
      "modifier" : [{ CodeableConcept }], // Product or service billing modifiers
      "provider" : { Reference(Practitioner|PractitionerRole) }, // Performing practitioner
      "excluded" : <boolean>, // Excluded from the plan
      "name" : "<string>", // Short name for the benefit
      "description" : "<string>", // Description of the benefit or services covered
      "network" : { CodeableConcept }, // In or out of network
      "unit" : { CodeableConcept }, // Individual or family
      "term" : { CodeableConcept }, // Annual or lifetime
      "benefit" : [{ // Benefit Summary
        "type" : { CodeableConcept }, // R!  Benefit classification
        // allowed[x]: Benefits allowed. One of these 3:
        "allowedUnsignedInt" : "<unsignedInt>",
        "allowedString" : "<string>",
        "allowedMoney" : { Money },
        // used[x]: Benefits used. One of these 3:
        "usedUnsignedInt" : "<unsignedInt>"
        "usedString" : "<string>"
        "usedMoney" : { Money }
      }],
      "authorizationRequired" : <boolean>, // Authorization required flag
      "authorizationSupporting" : [{ CodeableConcept }], // Type of required supporting materials
      "authorizationUrl" : "<uri>" // Preauthorization requirements endpoint
    }]
  }],
  "preAuthRef" : "<string>", // Preauthorization reference
  "form" : { CodeableConcept }, // Printed form identifier
  "error" : [{ // Processing errors
    "code" : { CodeableConcept } // R!  Error code detailing processing issues
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:CoverageEligibilityResponse;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:CoverageEligibilityResponse.identifier [ Identifier ], ... ; # 0..* Business Identifier for coverage eligiblity
    request
  fhir:CoverageEligibilityResponse.status [ code ]; # 1..1 active | cancelled | draft | entered-in-error
  fhir:CoverageEligibilityResponse.purpose [ code ], ... ; # 1..* auth-requirements | benefits | discovery | validation
  fhir:CoverageEligibilityResponse.patient [ Reference(Patient) ]; # 1..1 Intended recipient of products and services
  # CoverageEligibilityResponse.serviced[x] : 0..1 Estimated date or dates of service. One of these 2
    fhir:CoverageEligibilityResponse.servicedDate [ date ]
    fhir:CoverageEligibilityResponse.servicedPeriod [ Period ]
  fhir:CoverageEligibilityResponse.created [ dateTime ]; # 1..1 Response creation date
  fhir:CoverageEligibilityResponse.requestor [ Reference(Practitioner|PractitionerRole|Organization) ]; # 0..1 Party
    responsible for the request
  fhir:CoverageEligibilityResponse.request [ Reference(CoverageEligibilityRequest) ]; # 1..1 Eligibility request
    reference
  fhir:CoverageEligibilityResponse.outcome [ code ]; # 1..1 queued | complete | error | partial
  fhir:CoverageEligibilityResponse.disposition [ string ]; # 0..1 Disposition Message
  fhir:CoverageEligibilityResponse.insurer [ Reference(Organization) ]; # 1..1 Coverage issuer
  fhir:CoverageEligibilityResponse.insurance [ # 0..* Patient insurance information
    fhir:CoverageEligibilityResponse.insurance.coverage [ Reference(Coverage) ]; # 1..1 Insurance information
    fhir:CoverageEligibilityResponse.insurance.inforce [ boolean ]; # 0..1 Coverage inforce indicator
    fhir:CoverageEligibilityResponse.insurance.benefitPeriod [ Period ]; # 0..1 When the benefits are applicable
    fhir:CoverageEligibilityResponse.insurance.item [ # 0..* Benefits and authorization details
      fhir:CoverageEligibilityResponse.insurance.item.category [ CodeableConcept ]; # 0..1 Benefit classification
      fhir:CoverageEligibilityResponse.insurance.item.productOrService [ CodeableConcept ]; # 0..1 Billing, service,
    product, or drug code
      fhir:CoverageEligibilityResponse.insurance.item.modifier [ CodeableConcept ], ... ; # 0..* Product or service
```

```
    billing modifiers
      fhir:CoverageEligibilityResponse.insurance.item.provider [ Reference(Practitioner|PractitionerRole) ]; # 0..1
    Performing practitioner
      fhir:CoverageEligibilityResponse.insurance.item.excluded [ boolean ]; # 0..1 Excluded from the plan
      fhir:CoverageEligibilityResponse.insurance.item.name [ string ]; # 0..1 Short name for the benefit
      fhir:CoverageEligibilityResponse.insurance.item.description [ string ]; # 0..1 Description of the benefit or
    services covered
      fhir:CoverageEligibilityResponse.insurance.item.network [ CodeableConcept ]; # 0..1 In or out of network
      fhir:CoverageEligibilityResponse.insurance.item.unit [ CodeableConcept ]; # 0..1 Individual or family
      fhir:CoverageEligibilityResponse.insurance.item.term [ CodeableConcept ]; # 0..1 Annual or lifetime
      fhir:CoverageEligibilityResponse.insurance.item.benefit [ # 0..* Benefit Summary
        fhir:CoverageEligibilityResponse.insurance.item.benefit.type [ CodeableConcept ]; # 1..1 Benefit classification
        # CoverageEligibilityResponse.insurance.item.benefit.allowed[x] : 0..1 Benefits allowed. One of these 3
          fhir:CoverageEligibilityResponse.insurance.item.benefit.allowedUnsignedInt [ unsignedInt ]
          fhir:CoverageEligibilityResponse.insurance.item.benefit.allowedString [ string ]
          fhir:CoverageEligibilityResponse.insurance.item.benefit.allowedMoney [ Money ]
        # CoverageEligibilityResponse.insurance.item.benefit.used[x] : 0..1 Benefits used. One of these 3
          fhir:CoverageEligibilityResponse.insurance.item.benefit.usedUnsignedInt [ unsignedInt ]
          fhir:CoverageEligibilityResponse.insurance.item.benefit.usedString [ string ]
          fhir:CoverageEligibilityResponse.insurance.item.benefit.usedMoney [ Money ]
      ], ...;
      fhir:CoverageEligibilityResponse.insurance.item.authorizationRequired [ boolean ]; # 0..1 Authorization required
    flag
      fhir:CoverageEligibilityResponse.insurance.item.authorizationSupporting [ CodeableConcept ], ... ; # 0..* Type of
    required supporting materials
      fhir:CoverageEligibilityResponse.insurance.item.authorizationUrl [ uri ]; # 0..1 Preauthorization requirements
    endpoint
    ], ...;
  ], ...;
  fhir:CoverageEligibilityResponse.preAuthRef [ string ]; # 0..1 Preauthorization reference
  fhir:CoverageEligibilityResponse.form [ CodeableConcept ]; # 0..1 Printed form identifier
  fhir:CoverageEligibilityResponse.error [ # 0..* Processing errors
    fhir:CoverageEligibilityResponse.error.code [ CodeableConcept ]; # 1..1 Error code detailing processing issues
  ], ...;
]
```

Changes since R3

This resource did not exist in Release 2

This analysis is available as XML or JSON.

See R3 <--> R4 Conversion Maps (status = Not Mapped)

Structure

Name	Flags	Card.	Type	Description & Constraints
CoverageEligibilityResponse	TU		DomainResource	CoverageEligibilityResponse resource Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier		0..*	Identifier	Business Identifier for coverage eligiblity request
status	?!Σ	1..1	code	active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
purpose	Σ	1..*	code	auth-requirements | benefits | discovery | validation EligibilityResponsePurpose (Required)
patient	Σ	1..1	Reference(Patient)	Intended recipient of products and services
serviced[x]		0..1		Estimated date or dates of service
servicedDate			date	
servicedPeriod			Period	
created	Σ	1..1	dateTime	Response creation date
requestor		0..1	Reference(Practitioner | PractitionerRole | Organization)	Party responsible for the request
request	Σ	1..1	Reference(CoverageEligibilityRequest)	Eligibility request reference
outcome	Σ	1..1	code	queued | complete | error | partial RemittanceOutcome (Required)
disposition		0..1	string	Disposition Message
insurer	Σ	1..1	Reference(Organization)	Coverage issuer
insurance		0..*	BackboneElement	Patient insurance information
coverage	Σ	1..1	Reference(Coverage)	Insurance information
inforce		0..1	boolean	Coverage inforce indicator
benefitPeriod		0..1	Period	When the benefits are applicable
item	I	0..*	BackboneElement	Benefits and authorization details + Rule: SHALL contain a category or a billcode but not both.
category		0..1	CodeableConcept	Benefit classification Benefit Category Codes (Example)
productOrService		0..1	CodeableConcept	Billing, service, product, or drug code USCLS Codes (Example)
modifier		0..*	CodeableConcept	Product or service billing modifiers Modifier type Codes (Example)
provider		0..1	Reference(Practitioner | PractitionerRole)	Performing practitioner
excluded		0..1	boolean	Excluded from the plan
name		0..1	string	Short name for the benefit
description		0..1	string	Description of the benefit or services covered
network		0..1	CodeableConcept	In or out of network Network Type Codes (Example)
unit		0..1	CodeableConcept	Individual or family Unit Type Codes (Example)
term		0..1	CodeableConcept	Annual or lifetime Benefit Term Codes (Example)
benefit		0..*	BackboneElement	Benefit Summary
type		1..1	CodeableConcept	Benefit classification Benefit Type Codes (Example)
allowed[x]		0..1		Benefits allowed
allowedUnsignedInt			unsignedInt	
allowedString			string	
allowedMoney			Money	

used[x] | | 0..1 | | Benefits used
usedUnsignedInt | | | unsignedInt
usedString | | | string
usedMoney | | | Money
authorizationRequired | | 0..1 | boolean | Authorization required flag
authorizationSupporting | | 0..* | CodeableConcept | Type of required supporting materials CoverageEligibilityResponse Auth Support Codes (Example)
authorizationUrl | | 0..1 | uri | Preauthorization requirements endpoint
preAuthRef | | 0..1 | string | Preauthorization reference
form | | 0..1 | CodeableConcept | Printed form identifier Forms (Example)
error | | 0..* | BackboneElement | Processing errors
code | | 1..1 | CodeableConcept | Error code detailing processing issues AdjudicationError (Example)
Documentation for this format

UML Diagram (Legend)

XML Template

```
<CoverageEligibilityResponse xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier for coverage eligiblity request --></identifier>
 <status value="[code]"/><!-- 1..1 active | cancelled | draft | entered-in-error -->
 <purpose value="[code]"/><!-- 1..* auth-requirements | benefits | discovery | validation -->
 <patient><!-- 1..1 Reference(Patient) Intended recipient of products and services --></patient>
 <serviced[x]><!-- 0..1 date|Period Estimated date or dates of service --></serviced[x]>
 <created value="[dateTime]"/><!-- 1..1 Response creation date -->
 <requestor><!-- 0..1 Reference(Practitioner|PractitionerRole|Organization) Party responsible for the request
    --></requestor>
 <request><!-- 1..1 Reference(CoverageEligibilityRequest) Eligibility request reference --></request>
 <outcome value="[code]"/><!-- 1..1 queued | complete | error | partial -->
 <disposition value="[string]"/><!-- 0..1 Disposition Message -->
 <insurer><!-- 1..1 Reference(Organization) Coverage issuer --></insurer>
 <insurance>  <!-- 0..* Patient insurance information -->
  <coverage><!-- 1..1 Reference(Coverage) Insurance information --></coverage>
  <inforce value="[boolean]"/><!-- 0..1 Coverage inforce indicator -->
  <benefitPeriod><!-- 0..1 Period When the benefits are applicable --></benefitPeriod>
  <item>  <!-- 0..* Benefits and authorization details -->
   <category><!-- 0..1 CodeableConcept Benefit classification --></category>
   <productOrService><!-- 0..1 CodeableConcept Billing, service, product, or drug code --></productOrService>
   <modifier><!-- 0..* CodeableConcept Product or service billing modifiers --></modifier>
   <provider><!-- 0..1 Reference(Practitioner|PractitionerRole) Performing practitioner --></provider>
   <excluded value="[boolean]"/><!-- 0..1 Excluded from the plan -->
   <name value="[string]"/><!-- 0..1 Short name for the benefit -->
   <description value="[string]"/><!-- 0..1 Description of the benefit or services covered -->
   <network><!-- 0..1 CodeableConcept In or out of network --></network>
   <unit><!-- 0..1 CodeableConcept Individual or family --></unit>
   <term><!-- 0..1 CodeableConcept Annual or lifetime --></term>
   <benefit>  <!-- 0..* Benefit Summary -->
    <type><!-- 1..1 CodeableConcept Benefit classification --></type>
    <allowed[x]><!-- 0..1 unsignedInt|string|Money Benefits allowed --></allowed[x]>
    <used[x]><!-- 0..1 unsignedInt|string|Money Benefits used --></used[x]>
   </benefit>
   <authorizationRequired value="[boolean]"/><!-- 0..1 Authorization required flag -->
   <authorizationSupporting><!-- 0..* CodeableConcept Type of required supporting materials
    --></authorizationSupporting>
   <authorizationUrl value="[uri]"/><!-- 0..1 Preauthorization requirements endpoint -->
  </item>
 </insurance>
 <preAuthRef value="[string]"/><!-- 0..1 Preauthorization reference -->
 <form><!-- 0..1 CodeableConcept Printed form identifier --></form>
 <error>  <!-- 0..* Processing errors -->
  <code><!-- 1..1 CodeableConcept Error code detailing processing issues --></code>
 </error>
</CoverageEligibilityResponse>
```

JSON Template

```
{
  "resourceType" : "CoverageEligibilityResponse",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier for coverage eligiblity request
  "status" : "<code>", // R!  active | cancelled | draft | entered-in-error
  "purpose" : ["<code>"], // R!  auth-requirements | benefits | discovery | validation
  "patient" : { Reference(Patient) }, // R!  Intended recipient of products and services
  // serviced[x]: Estimated date or dates of service. One of these 2:
  "servicedDate" : "<date>",
  "servicedPeriod" : { Period },
  "created" : "<dateTime>", // R!  Response creation date
  "requestor" : { Reference(Practitioner|PractitionerRole|Organization) }, // Party responsible for the request
  "request" : { Reference(CoverageEligibilityRequest) }, // R!  Eligibility request reference
  "outcome" : "<code>", // R!  queued | complete | error | partial
  "disposition" : "<string>", // Disposition Message
  "insurer" : { Reference(Organization) }, // R!  Coverage issuer
  "insurance" : [{ // Patient insurance information
    "coverage" : { Reference(Coverage) }, // R!  Insurance information
    "inforce" : <boolean>, // Coverage inforce indicator
```

```
    "benefitPeriod" : { Period }, // When the benefits are applicable
    "item" : [{ // Benefits and authorization details
      "category" : { CodeableConcept }, // Benefit classification
      "productOrService" : { CodeableConcept }, // Billing, service, product, or drug code
      "modifier" : [{ CodeableConcept }], // Product or service billing modifiers
      "provider" : { Reference(Practitioner|PractitionerRole) }, // Performing practitioner
      "excluded" : <boolean>, // Excluded from the plan
      "name" : "<string>", // Short name for the benefit
      "description" : "<string>", // Description of the benefit or services covered
      "network" : { CodeableConcept }, // In or out of network
      "unit" : { CodeableConcept }, // Individual or family
      "term" : { CodeableConcept }, // Annual or lifetime
      "benefit" : [{ // Benefit Summary
        "type" : { CodeableConcept }, // R!  Benefit classification
        // allowed[x]: Benefits allowed. One of these 3:
        "allowedUnsignedInt" : "<unsignedInt>",
        "allowedString" : "<string>",
        "allowedMoney" : { Money },
        // used[x]: Benefits used. One of these 3:
        "usedUnsignedInt" : "<unsignedInt>"
        "usedString" : "<string>"
        "usedMoney" : { Money }
      }],
      "authorizationRequired" : <boolean>, // Authorization required flag
      "authorizationSupporting" : [{ CodeableConcept }], // Type of required supporting materials
      "authorizationUrl" : "<uri>" // Preauthorization requirements endpoint
    }]
  }],
  "preAuthRef" : "<string>", // Preauthorization reference
  "form" : { CodeableConcept }, // Printed form identifier
  "error" : [{ // Processing errors
    "code" : { CodeableConcept } // R!  Error code detailing processing issues
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:CoverageEligibilityResponse;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:CoverageEligibilityResponse.identifier [ Identifier ], ... ; # 0..* Business Identifier for coverage eligiblity
    request
  fhir:CoverageEligibilityResponse.status [ code ]; # 1..1 active | cancelled | draft | entered-in-error
  fhir:CoverageEligibilityResponse.purpose [ code ], ... ; # 1..* auth-requirements | benefits | discovery | validation
  fhir:CoverageEligibilityResponse.patient [ Reference(Patient) ]; # 1..1 Intended recipient of products and services
  # CoverageEligibilityResponse.serviced[x] : 0..1 Estimated date or dates of service. One of these 2
    fhir:CoverageEligibilityResponse.servicedDate [ date ]
    fhir:CoverageEligibilityResponse.servicedPeriod [ Period ]
  fhir:CoverageEligibilityResponse.created [ dateTime ]; # 1..1 Response creation date
  fhir:CoverageEligibilityResponse.requestor [ Reference(Practitioner|PractitionerRole|Organization) ]; # 0..1 Party
    responsible for the request
  fhir:CoverageEligibilityResponse.request [ Reference(CoverageEligibilityRequest) ]; # 1..1 Eligibility request
    reference
  fhir:CoverageEligibilityResponse.outcome [ code ]; # 1..1 queued | complete | error | partial
  fhir:CoverageEligibilityResponse.disposition [ string ]; # 0..1 Disposition Message
  fhir:CoverageEligibilityResponse.insurer [ Reference(Organization) ]; # 1..1 Coverage issuer
  fhir:CoverageEligibilityResponse.insurance [ # 0..* Patient insurance information
    fhir:CoverageEligibilityResponse.insurance.coverage [ Reference(Coverage) ]; # 1..1 Insurance information
    fhir:CoverageEligibilityResponse.insurance.inforce [ boolean ]; # 0..1 Coverage inforce indicator
    fhir:CoverageEligibilityResponse.insurance.benefitPeriod [ Period ]; # 0..1 When the benefits are applicable
    fhir:CoverageEligibilityResponse.insurance.item [ # 0..* Benefits and authorization details
      fhir:CoverageEligibilityResponse.insurance.item.category [ CodeableConcept ]; # 0..1 Benefit classification
      fhir:CoverageEligibilityResponse.insurance.item.productOrService [ CodeableConcept ]; # 0..1 Billing, service,
    product, or drug code
      fhir:CoverageEligibilityResponse.insurance.item.modifier [ CodeableConcept ], ... ; # 0..* Product or service
    billing modifiers
      fhir:CoverageEligibilityResponse.insurance.item.provider [ Reference(Practitioner|PractitionerRole) ]; # 0..1
    Performing practitioner
      fhir:CoverageEligibilityResponse.insurance.item.excluded [ boolean ]; # 0..1 Excluded from the plan
      fhir:CoverageEligibilityResponse.insurance.item.name [ string ]; # 0..1 Short name for the benefit
      fhir:CoverageEligibilityResponse.insurance.item.description [ string ]; # 0..1 Description of the benefit or
    services covered
      fhir:CoverageEligibilityResponse.insurance.item.network [ CodeableConcept ]; # 0..1 In or out of network
      fhir:CoverageEligibilityResponse.insurance.item.unit [ CodeableConcept ]; # 0..1 Individual or family
      fhir:CoverageEligibilityResponse.insurance.item.term [ CodeableConcept ]; # 0..1 Annual or lifetime
      fhir:CoverageEligibilityResponse.insurance.item.benefit [ # 0..* Benefit Summary
        fhir:CoverageEligibilityResponse.insurance.item.benefit.type [ CodeableConcept ]; # 1..1 Benefit classification
        # CoverageEligibilityResponse.insurance.item.benefit.allowed[x] : 0..1 Benefits allowed. One of these 3
          fhir:CoverageEligibilityResponse.insurance.item.benefit.allowedUnsignedInt [ unsignedInt ]
          fhir:CoverageEligibilityResponse.insurance.item.benefit.allowedString [ string ]
          fhir:CoverageEligibilityResponse.insurance.item.benefit.allowedMoney [ Money ]
        # CoverageEligibilityResponse.insurance.item.benefit.used[x] : 0..1 Benefits used. One of these 3
          fhir:CoverageEligibilityResponse.insurance.item.benefit.usedUnsignedInt [ unsignedInt ]
          fhir:CoverageEligibilityResponse.insurance.item.benefit.usedString [ string ]
          fhir:CoverageEligibilityResponse.insurance.item.benefit.usedMoney [ Money ]
```

```
    ], ...;
    fhir:CoverageEligibilityResponse.insurance.item.authorizationRequired [ boolean ]; # 0..1 Authorization required
   flag
    fhir:CoverageEligibilityResponse.insurance.item.authorizationSupporting [ CodeableConcept ], ... ; # 0..* Type of
   required supporting materials
    fhir:CoverageEligibilityResponse.insurance.item.authorizationUrl [ uri ]; # 0..1 Preauthorization requirements
   endpoint
   ], ...;
 ], ...;
 fhir:CoverageEligibilityResponse.preAuthRef [ string ]; # 0..1 Preauthorization reference
 fhir:CoverageEligibilityResponse.form [ CodeableConcept ]; # 0..1 Printed form identifier
 fhir:CoverageEligibilityResponse.error [ # 0..* Processing errors
   fhir:CoverageEligibilityResponse.error.code [ CodeableConcept ]; # 1..1 Error code detailing processing issues
 ], ...;
]
```

Changes since Release 3

This resource did not exist in Release 2

This analysis is available as XML or JSON.

See R3 <--> R4 Conversion Maps (status = Not Mapped)

See the Profiles & Extensions and the alternate definitions: Master Definition XML + JSON, XML Schema/Schematron + JSON Schema, ShEx (for Turtle) + see the extensions & the dependency analysis

13.3.3.1 Terminology Bindings

Path | Definition | Type | Reference
CoverageEligibilityResponse.status | A code specifying the state of the resource instance. | Required | FinancialResourceStatusCodes
CoverageEligibilityResponse.purpose | A code specifying the types of information being requested. | Required | EligibilityResponsePurpose
CoverageEligibilityResponse.outcome | The outcome of the processing. | Required | RemittanceOutcome
CoverageEligibilityResponse.insurance.item.category | Benefit categories such as: oral, medical, vision etc. | Example | BenefitCategoryCodes
CoverageEligibilityResponse.insurance.item.productOrService | Allowable service and product codes. | Example | USCLSCodes
CoverageEligibilityResponse.insurance.item.modifier | Item type or modifiers codes, eg for Oral whether the treatment is cosmetic or associated with TMJ, or an appliance was lost or stolen. | Example | ModifierTypeCodes
CoverageEligibilityResponse.insurance.item.network | Code to classify in or out of network services. | Example | NetworkTypeCodes
CoverageEligibilityResponse.insurance.item.unit | Unit covered/serviced - individual or family. | Example | UnitTypeCodes
CoverageEligibilityResponse.insurance.item.term | Coverage unit - annual, lifetime. | Example | BenefitTermCodes
CoverageEligibilityResponse.insurance.item.benefit.type | Deductable, visits, co-pay, etc. | Example | BenefitTypeCodes
CoverageEligibilityResponse.insurance.item.authorizationSupporting | Type of supporting information to provide with a preauthorization. | Example | CoverageEligibilityResponseAuthSupportCodes
CoverageEligibilityResponse.form | The forms codes. | Example | Form Codes
CoverageEligibilityResponse.error.code | The error codes for adjudication processing. | Example | Adjudication Error Codes

13.3.3.2 Constraints

id | Level | Location | Description | Expression
ces-1 | Rule | CoverageEligibilityResponse.insurance.item | SHALL contain a category or a billcode but not both. | category.exists() xor productOrService.exists()

13.3.4 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common
created | date | The creation date | CoverageEligibilityResponse.created
disposition | string | The contents of the disposition message | CoverageEligibilityResponse.disposition
identifier | token | The business identifier | CoverageEligibilityResponse.identifier
insurer | reference | The organization which generated this resource | CoverageEligibilityResponse.insurer (Organization)
outcome | token | The processing outcome | CoverageEligibilityResponse.outcome
patient | reference | The reference to the patient | CoverageEligibilityResponse.patient (Patient)
request | reference | The EligibilityRequest reference | CoverageEligibilityResponse.request (CoverageEligibilityRequest)
requestor | reference | The EligibilityRequest provider | CoverageEligibilityResponse.requestor (Practitioner, Organization, PractitionerRole)
status | token | The EligibilityRequest status | CoverageEligibilityResponse.status

13.3.5 Resource CoverageEligibilityResponse - Examples

URL: https://hl7.org/fhir/R4/coverageeligibilityresponse-examples.html

13.3.5 Resource CoverageEligibilityResponse - Examples

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Patient, Practitioner

Example Name | id | Format
General Person Primary Coverage Example | E2500 | XML | JSON | Turtle
General Person Primary Coverage with Benefit Details | E2501 | XML | JSON | Turtle
General Person Primary Coverage with Benefit Details and new insurance | E2502 | XML | JSON | Turtle
General Person Primary Coverage with error | E2503 | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

13.3.6 Resource CoverageEligibilityResponse - Detailed Descriptions

URL: https://hl7.org/fhir/R4/coverageeligibilityresponse-definitions.html

13.3.6 Resource CoverageEligibilityResponse - Detailed Descriptions

Financial Management Work Group | Maturity Level: 2 | Trial Use | Security Category: Patient | Compartments: Patient, Practitioner

Detailed Descriptions for the elements in the CoverageEligibilityResponse resource.

CoverageEligibilityResponse
Element Id | CoverageEligibilityResponse
Definition | This resource provides eligibility and plan details from the processing of an CoverageEligibilityRequest resource.
Cardinality | 0..*
Type | DomainResource
CoverageEligibilityResponse.identifier
Element Id | CoverageEligibilityResponse.identifier
Definition | A unique identifier assigned to this coverage eligiblity request.
Note | This is a business identifier, not a resource identifier (see discussion)
Cardinality | 0..*
Type | Identifier
Requirements | Allows coverage eligibility requests to be distinguished and referenced.
CoverageEligibilityResponse.status
Element Id | CoverageEligibilityResponse.status
Definition | The status of the resource instance.
Cardinality | 1..1
Terminology Binding | Financial Resource Status Codes (Required)
Type | code
Is Modifier | true (Reason: This element is labeled as a modifier because it is a status element that contains status entered-in-error which means that the resource should not be treated as valid)
Requirements | Need to track the status of the resource as 'draft' resources may undergo further edits while 'active' resources are immutable and may only have their status changed to 'cancelled'.
Summary | true
Comments | This element is labeled as a modifier because the status contains codes that mark the resource as not currently valid.
CoverageEligibilityResponse.purpose
Element Id | CoverageEligibilityResponse.purpose
Definition | Code to specify whether requesting: prior authorization requirements for some service categories or billing codes; benefits for coverages specified or discovered; discovery and return of coverages for the patient; and/or validation that the specified coverage is in-force at the date/period specified or 'now' if not specified.
Cardinality | 1..*
Terminology Binding | EligibilityResponsePurpose (Required)
Type | code
Requirements | To indicate the processing actions requested.
Summary | true
CoverageEligibilityResponse.patient
Element Id | CoverageEligibilityResponse.patient
Definition | The party who is the beneficiary of the supplied coverage and for whom eligibility is sought.
Cardinality | 1..1
Type | Reference(Patient)
Requirements | Required to provide context and coverage validation.
Summary | true
CoverageEligibilityResponse.serviced[x]
Element Id | CoverageEligibilityResponse.serviced[x]
Definition | The date or dates when the enclosed suite of services were performed or completed.
Cardinality | 0..1
Type | date|Period
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | Required to provide time context for the request.
CoverageEligibilityResponse.created
Element Id | CoverageEligibilityResponse.created
Definition | The date this resource was created.
Cardinality | 1..1
Type | dateTime
Requirements | Need to record a timestamp for use by both the recipient and the issuer.

Summary | true
CoverageEligibilityResponse.requestor
Element Id | CoverageEligibilityResponse.requestor
Definition | The provider which is responsible for the request.
Cardinality | 0..1
Type | Reference(Practitioner | PractitionerRole | Organization)
Comments | Typically this field would be 1..1 where this party is responsible for the claim but not necessarily professionally responsible for the provision of the individual products and services listed below.
CoverageEligibilityResponse.request
Element Id | CoverageEligibilityResponse.request
Definition | Reference to the original request resource.
Cardinality | 1..1
Type | Reference(CoverageEligibilityRequest)
Requirements | Needed to allow the response to be linked to the request.
Summary | true
CoverageEligibilityResponse.outcome
Element Id | CoverageEligibilityResponse.outcome
Definition | The outcome of the request processing.
Cardinality | 1..1
Terminology Binding | RemittanceOutcome (Required)
Type | code
Requirements | To advise the requestor of an overall processing outcome.
Summary | true
Comments | The resource may be used to indicate that: the request has been held (queued) for processing; that it has been processed and errors found (error); that no errors were found and that some of the adjudication has been undertaken (partial) or that all of the adjudication has been undertaken (complete).
CoverageEligibilityResponse.disposition
Element Id | CoverageEligibilityResponse.disposition
Definition | A human readable description of the status of the adjudication.
Cardinality | 0..1
Type | string
Requirements | Provided for user display.
CoverageEligibilityResponse.insurer
Element Id | CoverageEligibilityResponse.insurer
Definition | The Insurer who issued the coverage in question and is the author of the response.
Cardinality | 1..1
Type | Reference(Organization)
Requirements | Need to identify the author.
Summary | true
CoverageEligibilityResponse.insurance
Element Id | CoverageEligibilityResponse.insurance
Definition | Financial instruments for reimbursement for the health care products and services.
Cardinality | 0..*
Requirements | There must be at least one coverage for which eligibility is requested.
Comments | All insurance coverages for the patient which may be applicable for reimbursement, of the products and services listed in the claim, are typically provided in the claim to allow insurers to confirm the ordering of the insurance coverages relative to local 'coordination of benefit' rules. One coverage (and only one) with 'focal=true' is to be used in the adjudication of this claim. Coverages appearing before the focal Coverage in the list, and where 'subrogation=false', should provide a reference to the ClaimResponse containing the adjudication results of the prior claim.
CoverageEligibilityResponse.insurance.coverage
Element Id | CoverageEligibilityResponse.insurance.coverage
Definition | Reference to the insurance card level information contained in the Coverage resource. The coverage issuing insurer will use these details to locate the patient's actual coverage within the insurer's information system.
Cardinality | 1..1
Type | Reference(Coverage)
Requirements | Required to allow the adjudicator to locate the correct policy and history within their information system.
Summary | true
CoverageEligibilityResponse.insurance.inforce
Element Id | CoverageEligibilityResponse.insurance.inforce
Definition | Flag indicating if the coverage provided is inforce currently if no service date(s) specified or for the whole duration of the service dates.
Cardinality | 0..1
Type | boolean
Requirements | Needed to convey the answer to the eligibility validation request.
CoverageEligibilityResponse.insurance.benefitPeriod
Element Id | CoverageEligibilityResponse.insurance.benefitPeriod
Definition | The term of the benefits documented in this response.
Cardinality | 0..1
Type | Period
Requirements | Needed as coverages may be multi-year while benefits tend to be annual therefore a separate expression of the benefit period is needed.
CoverageEligibilityResponse.insurance.item
Element Id | CoverageEligibilityResponse.insurance.item

Definition | Benefits and optionally current balances, and authorization details by category or service.
Cardinality | 0..*
Invariants | Defined on this element ces-1 Rule SHALL contain a category or a billcode but not both. category.exists() xor productOrService.exists()
Defined on this element
ces-1 | Rule | SHALL contain a category or a billcode but not both. | category.exists() xor productOrService.exists()
CoverageEligibilityResponse.insurance.item.category
Element Id | CoverageEligibilityResponse.insurance.item.category
Definition | Code to identify the general type of benefits under which products and services are provided.
Cardinality | 0..1
Terminology Binding | Benefit Category Codes (Example)
Type | CodeableConcept
Requirements | Needed to convey the category of service or product for which eligibility is sought.
Comments | Examples include Medical Care, Periodontics, Renal Dialysis, Vision Coverage.
CoverageEligibilityResponse.insurance.item.productOrService
Element Id | CoverageEligibilityResponse.insurance.item.productOrService
Definition | This contains the product, service, drug or other billing code for the item.
Cardinality | 0..1
Terminology Binding | USCLS Codes (Example)
Type | CodeableConcept
Requirements | Needed to convey the actual service or product for which eligibility is sought.
Alternate Names | Drug Code; Bill Code; Service Code
Comments | Code to indicate the Professional Service or Product supplied (e.g. CTP, HCPCS, USCLS, ICD10, NCPDP, DIN, RxNorm, ACHI, CCI).
CoverageEligibilityResponse.insurance.item.modifier
Element Id | CoverageEligibilityResponse.insurance.item.modifier
Definition | Item typification or modifiers codes to convey additional context for the product or service.
Cardinality | 0..*
Terminology Binding | Modifier type Codes (Example)
Type | CodeableConcept
Requirements | To support provision of the item or to charge an elevated fee.
Comments | For example in Oral whether the treatment is cosmetic or associated with TMJ, or for Medical whether the treatment was outside the clinic or out of office hours.
CoverageEligibilityResponse.insurance.item.provider
Element Id | CoverageEligibilityResponse.insurance.item.provider
Definition | The practitioner who is eligible for the provision of the product or service.
Cardinality | 0..1
Type | Reference(Practitioner | PractitionerRole)
Requirements | Needed to convey the eligible provider.
CoverageEligibilityResponse.insurance.item.excluded
Element Id | CoverageEligibilityResponse.insurance.item.excluded
Definition | True if the indicated class of service is excluded from the plan, missing or False indicates the product or service is included in the coverage.
Cardinality | 0..1
Type | boolean
Requirements | Needed to identify items that are specifically excluded from the coverage.
CoverageEligibilityResponse.insurance.item.name
Element Id | CoverageEligibilityResponse.insurance.item.name
Definition | A short name or tag for the benefit.
Cardinality | 0..1
Type | string
Requirements | Required to align with other plan names.
Comments | For example: MED01, or DENT2.
CoverageEligibilityResponse.insurance.item.description
Element Id | CoverageEligibilityResponse.insurance.item.description
Definition | A richer description of the benefit or services covered.
Cardinality | 0..1
Type | string
Requirements | Needed for human readable reference.
Comments | For example 'DENT2 covers 100% of basic, 50% of major but excludes Ortho, Implants and Cosmetic services'.
CoverageEligibilityResponse.insurance.item.network
Element Id | CoverageEligibilityResponse.insurance.item.network
Definition | Is a flag to indicate whether the benefits refer to in-network providers or out-of-network providers.
Cardinality | 0..1
Terminology Binding | Network Type Codes (Example)
Type | CodeableConcept
Requirements | Needed as in or out of network providers are treated differently under the coverage.
CoverageEligibilityResponse.insurance.item.unit
Element Id | CoverageEligibilityResponse.insurance.item.unit
Definition | Indicates if the benefits apply to an individual or to the family.
Cardinality | 0..1
Terminology Binding | Unit Type Codes (Example)
Type | CodeableConcept

Requirements | Needed for the understanding of the benefits.
CoverageEligibilityResponse.insurance.item.term
Element Id | CoverageEligibilityResponse.insurance.item.term
Definition | The term or period of the values such as 'maximum lifetime benefit' or 'maximum annual visits'.
Cardinality | 0..1
Terminology Binding | Benefit Term Codes (Example)
Type | CodeableConcept
Requirements | Needed for the understanding of the benefits.
CoverageEligibilityResponse.insurance.item.benefit
Element Id | CoverageEligibilityResponse.insurance.item.benefit
Definition | Benefits used to date.
Cardinality | 0..*
CoverageEligibilityResponse.insurance.item.benefit.type
Element Id | CoverageEligibilityResponse.insurance.item.benefit.type
Definition | Classification of benefit being provided.
Cardinality | 1..1
Terminology Binding | Benefit Type Codes (Example)
Type | CodeableConcept
Requirements | Needed to convey the nature of the benefit.
Comments | For example: deductible, visits, benefit amount.
CoverageEligibilityResponse.insurance.item.benefit.allowed[x]
Element Id | CoverageEligibilityResponse.insurance.item.benefit.allowed[x]
Definition | The quantity of the benefit which is permitted under the coverage.
Cardinality | 0..1
Type | unsignedInt|string|Money
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | Needed to convey the benefits offered under the coverage.
CoverageEligibilityResponse.insurance.item.benefit.used[x]
Element Id | CoverageEligibilityResponse.insurance.item.benefit.used[x]
Definition | The quantity of the benefit which have been consumed to date.
Cardinality | 0..1
Type | unsignedInt|string|Money
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | Needed to convey the benefits consumed to date.
CoverageEligibilityResponse.insurance.item.authorizationRequired
Element Id | CoverageEligibilityResponse.insurance.item.authorizationRequired
Definition | A boolean flag indicating whether a preauthorization is required prior to actual service delivery.
Cardinality | 0..1
Type | boolean
Requirements | Needed to convey that preauthorization is required.
CoverageEligibilityResponse.insurance.item.authorizationSupporting
Element Id | CoverageEligibilityResponse.insurance.item.authorizationSupporting
Definition | Codes or comments regarding information or actions associated with the preauthorization.
Cardinality | 0..*
Terminology Binding | CoverageEligibilityResponse Auth Support Codes (Example)
Type | CodeableConcept
Requirements | Needed to inform the provider of collateral materials or actions needed for preauthorization.
CoverageEligibilityResponse.insurance.item.authorizationUrl
Element Id | CoverageEligibilityResponse.insurance.item.authorizationUrl
Definition | A web location for obtaining requirements or descriptive information regarding the preauthorization.
Cardinality | 0..1
Type | uri
Requirements | Needed to enable insurers to advise providers of informative information.
CoverageEligibilityResponse.preAuthRef
Element Id | CoverageEligibilityResponse.preAuthRef
Definition | A reference from the Insurer to which these services pertain to be used on further communication and as proof that the request occurred.
Cardinality | 0..1
Type | string
Requirements | To provide any preauthorization reference for provider use.
CoverageEligibilityResponse.form
Element Id | CoverageEligibilityResponse.form
Definition | A code for the form to be used for printing the content.
Cardinality | 0..1
Terminology Binding | Forms (Example)
Type | CodeableConcept
Requirements | Needed to specify the specific form used for producing output for this response.
Comments | May be needed to identify specific jurisdictional forms.
CoverageEligibilityResponse.error
Element Id | CoverageEligibilityResponse.error
Definition | Errors encountered during the processing of the request.
Cardinality | 0..*

Requirements | Need to communicate processing issues to the requestor.
CoverageEligibilityResponse.error.code
Element Id | CoverageEligibilityResponse.error.code
Definition | An error code,from a specified code system, which details why the eligibility check could not be performed.
Cardinality | 1..1
Terminology Binding | AdjudicationError (Example)
Type | CodeableConcept
Requirements | Required to convey processing errors.

13.3.7 Resource CoverageEligibilityResponse - Mappings

URL: https://hl7.org/fhir/R4/coverageeligibilityresponse-mappings.html

13.3.7 Resource CoverageEligibilityResponse - Mappings

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Patient, Practitioner

Mappings:

FiveWs Pattern Mapping

Workflow Pattern

RIM Mapping

Canadian Dental Association eclaims standard

Mappings for the coverageeligibilityresponse resource (see Mappings to Other Standards for further information & status).

13.3.7.1 FiveWs Pattern Mapping (http://hl7.org/fhir/fivews)

CoverageEligibilityResponse
identifier | FiveWs.identifier
status | FiveWs.status
purpose | FiveWs.class
patient | FiveWs.subject[x]
serviced[x] | FiveWs.done[x]
created | FiveWs.recorded
requestor | FiveWs.source
request | FiveWs.why[x]
provider | FiveWs.source

13.3.7.2 Workflow Pattern (http://hl7.org/fhir/workflow)

CoverageEligibilityResponse | Event
identifier | Event.identifier
status | Event.status
patient | Event.subject
request | Event.basedOn
disposition | Event.note

13.3.7.3 RIM Mapping (http://hl7.org/v3)

CoverageEligibilityResponse
preAuthRef | 23

13.3.7.4 Canadian Dental Association eclaims standard (http://www.cda-adc.ca/en/services/cdanet/)

CoverageEligibilityResponse
identifier
status
purpose
patient | C06,C07,C08, C05, C04
serviced[x] | F09
created
requestor | B01
request | A02|G01
outcome
disposition
insurer
insurance
coverage
inforce
benefitPeriod
item
category

productOrService
modifier
provider | B01
excluded
name
description
network
unit
term
benefit
type
allowed[x]
used[x]
authorizationRequired
authorizationSupporting
authorizationUrl
preAuthRef | F03
form | G42
error
code

13.3.8 Resource CoverageEligibilityResponse - Extensions & Profiles

URL: https://hl7.org/fhir/R4/coverageeligibilityresponse-profiles.html

13.3.8 Resource CoverageEligibilityResponse - Extensions & Profiles

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Patient, Practitioner

This table lists profiles and extensions for the CoverageEligibilityResponse resource. For background information, see Profiling Resources and Extensibility. Additional profiles and extensions may be found in published Implementation Guides , or in the Conformance resource registry .

13.3.8.1 Profiles

No Profiles defined for this resource

13.3.8.2 Extensions

No Extensions defined for this resource
Extensions for all resources or elements
resource-pertainsToGoal | pertainsToGoal | for Resource HL7 Extensions

Extensions that reference this resource:

No Extensions refer to this resource
Extensions that refer to Any resource
cqf-relativeDateTime | relativeDateTime | for Clinical Reasoning Extensions
event-basedOn | basedOn | for Event Pattern HL7 Extensions
event-partOf | partOf | for Event Pattern HL7 Extensions
flag-detail | detail | for Flag HL7 Extensions
relative-date | Relative Date Criteria | for General Extensions for use by FHIR Implementers
replaces | replaces | for General Extensions for use by FHIR Implementers
request-replaces | replaces | for Request Pattern HL7 Extensions
workflow-supportingInfo | supportingInfo | for Workflow Pattern HL7 Extensions

13.3.8.3 Search Extensions

No Search Extensions defined for this resource

13.3.9 Resource CoverageEligibilityResponse - R3/R4 Conversions

URL: https://hl7.org/fhir/R4/coverageeligibilityresponse-version-maps.html

n/a

13.3.9 Resource CoverageEligibilityResponse - R3/R4 Conversions

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Patient, Practitioner

R3 : R4 Conversion maps for CoverageEligibilityResponse.

Functional status for this map: Not Mapped (see documentation)

13.3.9.1 R3 to R4

```
map "http://hl7.org/fhir/StructureMap/EligibilityResponse3to4" = "R3 to R4 Conversions for
    (Coverage)EligibilityResponse"

uses "http://hl7.org/fhir/3.0/StructureDefinition/EligibilityResponse" alias EligibilityResponseR3 as source
uses "http://hl7.org/fhir/StructureDefinition/CoverageEligibilityResponse" alias EligibilityResponse as target

imports "http://hl7.org/fhir/StructureMap/*3to4"

group EligibilityResponse(source src : EligibilityResponseR3, target tgt : CoverageEligibilityResponse) extends
    DomainResource <<type+>> {
  src.identifier -> tgt.identifier;
  src.status -> tgt.status;
  src.patient -> tgt.patient;
  src.serviced -> tgt.serviced;
  src.created -> tgt.created;
  src.requestProvider -> tgt.requestor;
  src.request -> tgt.request;
  src.outcome as vs then {
    vs.coding as c where code in ('complete' | 'error' | 'partial') then {
      c.code -> tgt.outcome;
    };
  };
  src.disposition -> tgt.disposition;
  src.insurer -> tgt.insurer;
  src.insurance as s -> tgt.insurance as t then EligibilityResponseInsurance(s, t);
  src.preAuthRef -> tgt.preAuthRef;
  src.form -> tgt.form;
  src.error as s -> tgt.error as t then EligibilityResponseError(s, t);
}

group EligibilityResponseInsurance(source src, target tgt) extends BackboneElement {
  src.coverage -> tgt.coverage;
  src.contract -> tgt.contract;
  src where (src.inforce = true) -> tgt.inforce = true "inforce";
  src.detail as s -> tgt.detail as t then EligibilityResponseInsuranceDetail(s, t);
}

group EligibilityResponseInsuranceDetail(source src, target tgt) extends BackboneElement {
  src.category -> tgt.category;
  src.service -> tgt.service;
  src.modifier -> tgt.modifier;
  src.provider -> tgt.provider;
  src.excluded -> tgt.excluded;
  src.name -> tgt.name;
  src.description -> tgt.description;
  src.network -> tgt.network;
  src.unit -> tgt.unit;
  src.term -> tgt.term;
  src.benefit as s -> tgt.benefit as t then EligibilityResponseInsuranceDetailBenefit(s, t);
  src.authorizationRequired -> tgt.authorizationRequired;
  src.authorizationSupporting -> tgt.authorizationSupporting;
  src.authorizationUrl -> tgt.authorizationUrl;
}

group EligibilityResponseError(source src, target tgt) extends BackboneElement {
  src.code -> tgt.code;
}
```

13.3.9.2 R4 to R3

```
map "http://hl7.org/fhir/StructureMap/CoverageEligibilityResponse4to3" = "R4 to R3 Conversion for
    (Coverage)EligibilityResponse"

uses "http://hl7.org/fhir/StructureDefinition/CoverageEligibilityResponse" alias CoverageEligibilityResponse as source
uses "http://hl7.org/fhir/3.0/StructureDefinition/EligibilityResponse" alias EligibilityResponseR3 as target

imports "http://hl7.org/fhir/StructureMap/*4to3"

group CoverageEligibilityResponse(source src : CoverageEligibilityResponseR3, target tgt : EligibilityResponse) extends
    DomainResource <<type+>> {
  src.identifier -> tgt.identifier;
  src.status -> tgt.status;
  src.patient -> tgt.patient;
  src.serviced -> tgt.serviced;
  src.created -> tgt.created;
  src.requestor -> tgt.requestProvider;
  src.request -> tgt.request;
  src.outcome as vs where value in ('complete' | 'error' | 'partial') ->  tgt.outcome as vt,  vt.coding as c,  c.system
    = 'http://hl7.org/fhir/remittance-outcome',  c.code = vs;
  src.disposition -> tgt.disposition;
  src.insurer -> tgt.insurer;
  src.insurance as s -> tgt.insurance as t then CoverageEligibilityResponseInsurance(s, t);
  src.preAuthRef -> tgt.preAuthRef;
  src.form -> tgt.form;
  src.error as s -> tgt.error as t then CoverageEligibilityResponseError(s, t);
}

group CoverageEligibilityResponseInsurance(source src, target tgt) extends BackboneElement {
```

```
  src.coverage -> tgt.coverage;
  src.contract -> tgt.contract;
  src.item as s -> tgt.benefitBalance as t then CoverageEligibilityResponseInsuranceDetail(s, t);
}

group CoverageEligibilityResponseInsuranceDetail(source src, target tgt) extends BackboneElement {
  src.category -> tgt.category;
  src.service -> tgt.service;
  src.modifier -> tgt.modifier;
  src.provider -> tgt.provider;
  src.excluded -> tgt.excluded;
  src.name -> tgt.name;
  src.description -> tgt.description;
  src.network -> tgt.network;
  src.unit -> tgt.unit;
  src.term -> tgt.term;
  src.benefit as s -> tgt.benefit as t then CoverageEligibilityResponseInsuranceDetailBenefit(s, t);
  src.authorizationRequired -> tgt.authorizationRequired;
  src.authorizationSupporting -> tgt.authorizationSupporting;
  src.authorizationUrl -> tgt.authorizationUrl;
}

group CoverageEligibilityResponseInsuranceDetailBenefit(source src, target tgt) extends BackboneElement {
  src.type -> tgt.type;
  src.allowed -> tgt.allowed;
  src.used -> tgt.used;
}

group CoverageEligibilityResponseError(source src, target tgt) extends BackboneElement {
  src.code -> tgt.code;
}
```

13.3.9.3 R4 Validation Errors

13.3.10 JSON Schema for CoverageEligibilityResponse

URL: https://hl7.org/fhir/R4/coverageeligibilityresponse.schema.json.html

13.3.10 JSON Schema for CoverageEligibilityResponse

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Compartments: Patient, Practitioner

This is a representation of the json schema for CoverageEligibilityResponse, which is just a part of the full JSON Schema.

```
{
  "$schema": "http://json-schema.org/draft-06/schema#",
  "id": "http://hl7.org/fhir/json-schema/CoverageEligibilityResponse",
  "$ref": "#/definitions/CoverageEligibilityResponse",
  "description": "see http://hl7.org/fhir/json.html#schema for information about the FHIR Json Schemas",
  "definitions": {
    "CoverageEligibilityResponse": {
      "description": "This resource provides eligibility and plan details from the processing of an
    CoverageEligibilityRequest resource.",
      "properties": {
        "resourceType": {
          "description": "This is a CoverageEligibilityResponse resource",
          "const": "CoverageEligibilityResponse"
        },
        "id": {
          "description": "The logical id of the resource, as used in the URL for the resource. Once assigned, this value
     never changes.",
          "$ref": "id.schema.json#/definitions/id"
        },
        "meta": {
          "description": "The metadata about the resource. This is content that is maintained by the infrastructure.
    Changes to the content might not always be associated with version changes to the resource.",
          "$ref": "Meta.schema.json#/definitions/Meta"
        },
        "implicitRules": {
          "description": "A reference to a set of rules that were followed when the resource was constructed, and which
    must be understood when processing the content. Often, this is a reference to an implementation guide that defines
    the special rules along with other profiles etc.",
          "$ref": "#/definitions/uri"
        },
        "_implicitRules": {
          "description": "Extensions for implicitRules",
          "$ref": "Element.schema.json#/definitions/Element"
        },
        "language": {
          "description": "The base language in which the resource is written.",
          "$ref": "#/definitions/code"
        },
        "_language": {
          "description": "Extensions for language",
          "$ref": "Element.schema.json#/definitions/Element"
        },
        "text": {
```

```
      "description": "A human-readable narrative that contains a summary of the resource and can be used to
represent the content of the resource to a human. The narrative need not encode all the structured data, but is
required to contain sufficient detail to make it \"clinically safe\" for a human to just read the narrative.
Resource definitions may define what content should be represented in the narrative to ensure clinical safety.",
      "$ref": "Narrative.schema.json#/definitions/Narrative"
    },
    "contained": {
      "description": "These resources do not have an independent existence apart from the resource that contains
them - they cannot be identified independently, and nor can they have their own independent transaction scope.",
      "items": {
        "$ref": "ResourceList.schema.json#/definitions/ResourceList"
      },
      "type": "array"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the resource. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
 definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the resource and that modifies the understanding of the element that contains it and/or the understanding of the
containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the use
of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer is allowed to define an extension, there is a set of requirements that SHALL be
met as part of the definition of the extension. Applications processing a resource are required to check for
modifier extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or
DomainResource (including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "identifier": {
      "description": "A unique identifier assigned to this coverage eligiblity request.",
      "items": {
        "$ref": "Identifier.schema.json#/definitions/Identifier"
      },
      "type": "array"
    },
    "status": {
      "description": "The status of the resource instance.",
      "$ref": "#/definitions/code"
    },
    "_status": {
      "description": "Extensions for status",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "purpose": {
      "description": "Code to specify whether requesting: prior authorization requirements for some service
categories or billing codes; benefits for coverages specified or discovered; discovery and return of coverages for
the patient; and/or validation that the specified coverage is in-force at the date/period specified or
\u0027now\u0027 if not specified.",
      "items": {
        "enum": [
          "auth-requirements",
          "benefits",
          "discovery",
          "validation"
        ]
      },
      "type": "array"
    },
    "_purpose": {
      "description": "Extensions for purpose",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "patient": {
      "description": "The party who is the beneficiary of the supplied coverage and for whom eligibility is
sought.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "servicedDate": {
      "description": "The date or dates when the enclosed suite of services were performed or completed.",
      "pattern":
"^([0-9]([0-9]([0-9][1-9]|[1-9]0)|[1-9]00)|[1-9]000)(-(0[1-9]|1[0-2])(-(0[1-9]|[1-2][0-9]|3[0-1]))?)?$",
      "type": "string"
    },
    "_servicedDate": {
      "description": "Extensions for servicedDate",
      "$ref": "Element.schema.json#/definitions/Element"
```

```
    },
    "servicedPeriod": {
      "description": "The date or dates when the enclosed suite of services were performed or completed.",
      "$ref": "Period.schema.json#/definitions/Period"
    },
    "created": {
      "description": "The date this resource was created.",
      "$ref": "#/definitions/dateTime"
    },
    "_created": {
      "description": "Extensions for created",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "requestor": {
      "description": "The provider which is responsible for the request.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "request": {
      "description": "Reference to the original request resource.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "outcome": {
      "description": "The outcome of the request processing.",
      "enum": [
        "queued",
        "complete",
        "error",
        "partial"
      ]
    },
    "_outcome": {
      "description": "Extensions for outcome",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "disposition": {
      "description": "A human readable description of the status of the adjudication.",
      "$ref": "#/definitions/string"
    },
    "_disposition": {
      "description": "Extensions for disposition",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "insurer": {
      "description": "The Insurer who issued the coverage in question and is the author of the response.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "insurance": {
      "description": "Financial instruments for reimbursement for the health care products and services.",
      "items": {
        "$ref": "#/definitions/CoverageEligibilityResponse_Insurance"
      },
      "type": "array"
    },
    "preAuthRef": {
      "description": "A reference from the Insurer to which these services pertain to be used on further
communication and as proof that the request occurred.",
      "$ref": "#/definitions/string"
    },
    "_preAuthRef": {
      "description": "Extensions for preAuthRef",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "form": {
      "description": "A code for the form to be used for printing the content.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "error": {
      "description": "Errors encountered during the processing of the request.",
      "items": {
        "$ref": "#/definitions/CoverageEligibilityResponse_Error"
      },
      "type": "array"
    }
  },
  "additionalProperties": false,
  "required": [
    "request",
    "patient",
    "insurer",
    "resourceType"
  ]
},
"CoverageEligibilityResponse_Insurance": {
  "description": "This resource provides eligibility and plan details from the processing of an
CoverageEligibilityRequest resource.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
```

```
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "coverage": {
      "description": "Reference to the insurance card level information contained in the Coverage resource. The
coverage issuing insurer will use these details to locate the patient\u0027s actual coverage within the
insurer\u0027s information system.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "inforce": {
      "description": "Flag indicating if the coverage provided is inforce currently if no service date(s) specified
or for the whole duration of the service dates.",
      "$ref": "#/definitions/boolean"
    },
    "_inforce": {
      "description": "Extensions for inforce",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "benefitPeriod": {
      "description": "The term of the benefits documented in this response.",
      "$ref": "Period.schema.json#/definitions/Period"
    },
    "item": {
      "description": "Benefits and optionally current balances, and authorization details by category or service.",
      "items": {
        "$ref": "#/definitions/CoverageEligibilityResponse_Item"
      },
      "type": "array"
    }
  },
  "additionalProperties": false,
  "required": [
    "coverage"
  ]
},
"CoverageEligibilityResponse_Item": {
  "description": "This resource provides eligibility and plan details from the processing of an
CoverageEligibilityRequest resource.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
```

```
      "type": "array"
    },
    "category": {
      "description": "Code to identify the general type of benefits under which products and services are
provided.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "productOrService": {
      "description": "This contains the product, service, drug or other billing code for the item.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "modifier": {
      "description": "Item typification or modifiers codes to convey additional context for the product or
service.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "provider": {
      "description": "The practitioner who is eligible for the provision of the product or service.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "excluded": {
      "description": "True if the indicated class of service is excluded from the plan, missing or False indicates
the product or service is included in the coverage.",
      "$ref": "#/definitions/boolean"
    },
    "_excluded": {
      "description": "Extensions for excluded",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "name": {
      "description": "A short name or tag for the benefit.",
      "$ref": "#/definitions/string"
    },
    "_name": {
      "description": "Extensions for name",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "description": {
      "description": "A richer description of the benefit or services covered.",
      "$ref": "#/definitions/string"
    },
    "_description": {
      "description": "Extensions for description",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "network": {
      "description": "Is a flag to indicate whether the benefits refer to in-network providers or out-of-network
providers.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "unit": {
      "description": "Indicates if the benefits apply to an individual or to the family.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "term": {
      "description": "The term or period of the values such as \u0027maximum lifetime benefit\u0027 or \u0027maximum
 annual visits\u0027.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "benefit": {
      "description": "Benefits used to date.",
      "items": {
        "$ref": "#/definitions/CoverageEligibilityResponse_Benefit"
      },
      "type": "array"
    },
    "authorizationRequired": {
      "description": "A boolean flag indicating whether a preauthorization is required prior to actual service
delivery.",
      "$ref": "#/definitions/boolean"
    },
    "_authorizationRequired": {
      "description": "Extensions for authorizationRequired",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "authorizationSupporting": {
      "description": "Codes or comments regarding information or actions associated with the preauthorization.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "authorizationUrl": {
      "description": "A web location for obtaining requirements or descriptive information regarding the
preauthorization.",
      "$ref": "#/definitions/uri"
```

```
    },
    "_authorizationUrl": {
      "description": "Extensions for authorizationUrl",
      "$ref": "Element.schema.json#/definitions/Element"
    }
  },
  "additionalProperties": false
},
"CoverageEligibilityResponse_Benefit": {
  "description": "This resource provides eligibility and plan details from the processing of an
CoverageEligibilityRequest resource.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "type": {
      "description": "Classification of benefit being provided.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "allowedUnsignedInt": {
      "description": "The quantity of the benefit which is permitted under the coverage.",
      "pattern": "^[0]|([1-9][0-9]*)$",
      "type": "number"
    },
    "_allowedUnsignedInt": {
      "description": "Extensions for allowedUnsignedInt",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "allowedString": {
      "description": "The quantity of the benefit which is permitted under the coverage.",
      "pattern": "^[ \\r\\n\\t\\S]+$",
      "type": "string"
    },
    "_allowedString": {
      "description": "Extensions for allowedString",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "allowedMoney": {
      "description": "The quantity of the benefit which is permitted under the coverage.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "usedUnsignedInt": {
      "description": "The quantity of the benefit which have been consumed to date.",
      "pattern": "^[0]|([1-9][0-9]*)$",
      "type": "number"
    },
    "_usedUnsignedInt": {
      "description": "Extensions for usedUnsignedInt",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "usedString": {
      "description": "The quantity of the benefit which have been consumed to date.",
      "pattern": "^[ \\r\\n\\t\\S]+$",
      "type": "string"
    },
    "_usedString": {
      "description": "Extensions for usedString",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "usedMoney": {
      "description": "The quantity of the benefit which have been consumed to date.",
      "$ref": "Money.schema.json#/definitions/Money"
    }
```

```
      },
      "additionalProperties": false,
      "required": [
        "type"
      ]
    },
    "CoverageEligibilityResponse_Error": {
      "description": "This resource provides eligibility and plan details from the processing of an
    CoverageEligibilityRequest resource.",
      "properties": {
        "id": {
          "description": "Unique id for the element within a resource (for internal references). This may be any string
    value that does not contain spaces.",
          "$ref": "string.schema.json#/definitions/string"
        },
        "extension": {
          "description": "May be used to represent additional information that is not part of the basic definition of
    the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
    definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
    that SHALL be met as part of the definition of the extension.",
          "items": {
            "$ref": "Extension.schema.json#/definitions/Extension"
          },
          "type": "array"
        },
        "modifierExtension": {
          "description": "May be used to represent additional information that is not part of the basic definition of
    the element and that modifies the understanding of the element in which it is contained and/or the understanding of
    the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
    use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
    extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
     of the definition of the extension. Applications processing a resource are required to check for modifier
    extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
    (including cannot change the meaning of modifierExtension itself).",
          "items": {
            "$ref": "Extension.schema.json#/definitions/Extension"
          },
          "type": "array"
        },
        "code": {
          "description": "An error code,from a specified code system, which details why the eligibility check could not
    be performed.",
          "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
        }
      },
      "additionalProperties": false,
      "required": [
        "code"
      ]
    }
  }
}
```


13.3.11 Resource CoverageEligibilityResponse - Maturity Dependency View

URL: https://hl7.org/fhir/R4/coverageeligibilityresponse-dependencies.html

13.3.11 Resource CoverageEligibilityResponse - Maturity Dependency View

Financial Management Work Group | Maturity Level: 2 | Trial Use | Compartments: Patient, Practitioner

Dependency Graph for CoverageEligibilityResponse FMM level 2

Name | Card. | Type | Dependency Analysis
CoverageEligibilityResponse | | | DomainResource
identifier | 0..* | Identifier
status | 1..1 | code
purpose | 1..* | code
patient | 1..1 | Reference(Patient)
serviced[x] | 0..1
servicedDate | | date
servicedPeriod | | Period
created | 1..1 | dateTime
requestor | 0..1 | Reference(Practitioner | PractitionerRole | Organization)
request | 1..1 | Reference(CoverageEligibilityRequest)
outcome | 1..1 | code
disposition | 0..1 | string
insurer | 1..1 | Reference(Organization)
insurance | 0..* | BackboneElement
coverage | 1..1 | Reference(Coverage)
inforce | 0..1 | boolean
benefitPeriod | 0..1 | Period

item | 0..* | BackboneElement
category | 0..1 | CodeableConcept
productOrService | 0..1 | CodeableConcept
modifier | 0..* | CodeableConcept
provider | 0..1 | Reference(Practitioner | PractitionerRole)
excluded | 0..1 | boolean
name | 0..1 | string
description | 0..1 | string
network | 0..1 | CodeableConcept
unit | 0..1 | CodeableConcept
term | 0..1 | CodeableConcept
benefit | 0..* | BackboneElement
type | 1..1 | CodeableConcept
allowed[x] | 0..1
allowedUnsignedInt | | unsignedInt
allowedString | | string
allowedMoney | | Money
used[x] | 0..1
usedUnsignedInt | | unsignedInt
usedString | | string
usedMoney | | Money
authorizationRequired | 0..1 | boolean
authorizationSupporting | 0..* | CodeableConcept
authorizationUrl | 0..1 | uri
preAuthRef | 0..1 | string
form | 0..1 | CodeableConcept
error | 0..* | BackboneElement
code | 1..1 | CodeableConcept

13.4 Resource EnrollmentRequest - Content

URL: https://hl7.org/fhir/R4/enrollmentrequest.html
Financial Management Work Group | Maturity Level: 0 | Trial Use | Security Category: Patient | Compartments: Patient

This resource provides the insurance enrollment details to the insurer regarding a specified coverage.

13.4.1 Scope and Usage

This resource has not yet undergone proper review by FM. At this time it is a 'stub', is known to be incomplete, and is to be considered as a draft.

The EnrollmentRequest resource allows for the addition and removal of plan subscribers and their dependents to health insurance coverage.

Todo

This resource is referenced by EnrollmentResponse

13.4.2 Resource Content

- Structure
- UML
- XML
- JSON
- Turtle
- R3 Diff
- All

Structure

Name | Flags | Card. | Type | Description & Constraints
EnrollmentRequest | TU | | DomainResource | Enroll in coverage Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Business Identifier
status | ?!Σ | 0..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
created | | 0..1 | dateTime | Creation date
insurer | | 0..1 | Reference(Organization) | Target
provider | | 0..1 | Reference(Practitioner | PractitionerRole | Organization) | Responsible practitioner
candidate | | 0..1 | Reference(Patient) | The subject to be enrolled
coverage | | 0..1 | Reference(Coverage) | Insurance information
Documentation for this format

UML Diagram (Legend)

XML Template

```
<EnrollmentRequest xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier --></identifier>
 <status value="[code]"/><!-- 0..1 active | cancelled | draft | entered-in-error -->
 <created value="[dateTime]"/><!-- 0..1 Creation date -->
 <insurer><!-- 0..1 Reference(Organization) Target --></insurer>
 <provider><!-- 0..1 Reference(Practitioner|PractitionerRole|Organization) Responsible practitioner --></provider>
 <candidate><!-- 0..1 Reference(Patient) The subject to be enrolled --></candidate>
 <coverage><!-- 0..1 Reference(Coverage) Insurance information --></coverage>
</EnrollmentRequest>
```

JSON Template

```
{
  "resourceType" : "EnrollmentRequest",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier
  "status" : "<code>", // active | cancelled | draft | entered-in-error
  "created" : "<dateTime>", // Creation date
  "insurer" : { Reference(Organization) }, // Target
  "provider" : { Reference(Practitioner|PractitionerRole|Organization) }, // Responsible practitioner
  "candidate" : { Reference(Patient) }, // The subject to be enrolled
  "coverage" : { Reference(Coverage) } // Insurance information
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:EnrollmentRequest;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:EnrollmentRequest.identifier [ Identifier ], ... ; # 0..* Business Identifier
  fhir:EnrollmentRequest.status [ code ]; # 0..1 active | cancelled | draft | entered-in-error
  fhir:EnrollmentRequest.created [ dateTime ]; # 0..1 Creation date
  fhir:EnrollmentRequest.insurer [ Reference(Organization) ]; # 0..1 Target
  fhir:EnrollmentRequest.provider [ Reference(Practitioner|PractitionerRole|Organization) ]; # 0..1 Responsible
    practitioner
  fhir:EnrollmentRequest.candidate [ Reference(Patient) ]; # 0..1 The subject to be enrolled
  fhir:EnrollmentRequest.coverage [ Reference(Coverage) ]; # 0..1 Insurance information
]
```

Changes since R3

EnrollmentRequest

EnrollmentRequest.status | Change value set from http://hl7.org/fhir/ValueSet/fm-status to http://hl7.org/fhir/ValueSet/fm-status|4.0.1

EnrollmentRequest.provider | Type Reference: Added Target Types PractitionerRole, Organization

EnrollmentRequest.candidate | Renamed from subject to candidate

EnrollmentRequest.organization | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R3 <--> R4 Conversion Maps (status = 1 test that all execute ok. 1 fail round-trip testing and all r3 resources are valid.)

Structure

Name | Flags | Card. | Type | Description & Constraints

EnrollmentRequest | TU | | DomainResource | Enroll in coverage Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension

identifier | | 0..* | Identifier | Business Identifier

status | ?!Σ | 0..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)

created | | 0..1 | dateTime | Creation date

insurer | | 0..1 | Reference(Organization) | Target

provider | | 0..1 | Reference(Practitioner | PractitionerRole | Organization) | Responsible practitioner

candidate | | 0..1 | Reference(Patient) | The subject to be enrolled

coverage | | 0..1 | Reference(Coverage) | Insurance information

Documentation for this format

UML Diagram (Legend)

XML Template

```
<EnrollmentRequest xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier --></identifier>
 <status value="[code]"/><!-- 0..1 active | cancelled | draft | entered-in-error -->
 <created value="[dateTime]"/><!-- 0..1 Creation date -->
 <insurer><!-- 0..1 Reference(Organization) Target --></insurer>
 <provider><!-- 0..1 Reference(Practitioner|PractitionerRole|Organization) Responsible practitioner --></provider>
 <candidate><!-- 0..1 Reference(Patient) The subject to be enrolled --></candidate>
 <coverage><!-- 0..1 Reference(Coverage) Insurance information --></coverage>
```

```
</EnrollmentRequest>
```

JSON Template

```
{
  "resourceType" : "EnrollmentRequest",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier
  "status" : "<code>", // active | cancelled | draft | entered-in-error
  "created" : "<dateTime>", // Creation date
  "insurer" : { Reference(Organization) }, // Target
  "provider" : { Reference(Practitioner|PractitionerRole|Organization) }, // Responsible practitioner
  "candidate" : { Reference(Patient) }, // The subject to be enrolled
  "coverage" : { Reference(Coverage) } // Insurance information
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:EnrollmentRequest;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:EnrollmentRequest.identifier [ Identifier ], ... ; # 0..* Business Identifier
  fhir:EnrollmentRequest.status [ code ]; # 0..1 active | cancelled | draft | entered-in-error
  fhir:EnrollmentRequest.created [ dateTime ]; # 0..1 Creation date
  fhir:EnrollmentRequest.insurer [ Reference(Organization) ]; # 0..1 Target
  fhir:EnrollmentRequest.provider [ Reference(Practitioner|PractitionerRole|Organization) ]; # 0..1 Responsible
    practitioner
  fhir:EnrollmentRequest.candidate [ Reference(Patient) ]; # 0..1 The subject to be enrolled
  fhir:EnrollmentRequest.coverage [ Reference(Coverage) ]; # 0..1 Insurance information
]
```

Changes since Release 3

EnrollmentRequest
EnrollmentRequest.status | Change value set from http://hl7.org/fhir/ValueSet/fm-status to http://hl7.org/fhir/ValueSet/fm-status|4.0.1
EnrollmentRequest.provider | Type Reference: Added Target Types PractitionerRole, Organization
EnrollmentRequest.candidate | Renamed from subject to candidate
EnrollmentRequest.organization | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R3 <--> R4 Conversion Maps (status = 1 test that all execute ok. 1 fail round-trip testing and all r3 resources are valid.)

See the Profiles & Extensions and the alternate definitions: Master Definition XML + JSON, XML Schema/Schematron + JSON Schema, ShEx (for Turtle) + see the extensions & the dependency analysis

13.4.2.1 Terminology Bindings

Path | Definition | Type | Reference
EnrollmentRequest.status | A code specifying the state of the resource instance. | Required | FinancialResourceStatusCodes

13.4.3 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common
identifier | token | The business identifier of the Enrollment | EnrollmentRequest.identifier
patient | reference | The party to be enrolled | EnrollmentRequest.candidate (Patient)
status | token | The status of the enrollment | EnrollmentRequest.status
subject | reference | The party to be enrolled | EnrollmentRequest.candidate (Patient)

13.4.4 Resource EnrollmentRequest - Examples

URL: https://hl7.org/fhir/R4/enrollmentrequest-examples.html

13.4.4 Resource EnrollmentRequest - Examples

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Patient

Example Name | id | Format
General Simple Enrollment Example | 22345 | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

13.4.5 Resource EnrollmentRequest - Detailed Descriptions

URL: https://hl7.org/fhir/R4/enrollmentrequest-definitions.html

13.4.5 Resource EnrollmentRequest - Detailed Descriptions

Financial Management Work Group | Maturity Level: 0 | Trial Use | Security Category: Patient | Compartments: Patient

Detailed Descriptions for the elements in the EnrollmentRequest resource.

EnrollmentRequest
Element Id | EnrollmentRequest
Definition | This resource provides the insurance enrollment details to the insurer regarding a specified coverage.
Cardinality | 0..*
Type | DomainResource
EnrollmentRequest.identifier
Element Id | EnrollmentRequest.identifier
Definition | The Response business identifier.
Note | This is a business identifier, not a resource identifier (see discussion)
Cardinality | 0..*
Type | Identifier
EnrollmentRequest.status
Element Id | EnrollmentRequest.status
Definition | The status of the resource instance.
Cardinality | 0..1
Terminology Binding | Financial Resource Status Codes (Required)
Type | code
Is Modifier | true (Reason: This element is labelled as a modifier because it is a status element that contains status entered-in-error which means that the resource should not be treated as valid)
Summary | true
Comments | This element is labeled as a modifier because the status contains codes that mark the request as not currently valid.
EnrollmentRequest.created
Element Id | EnrollmentRequest.created
Definition | The date when this resource was created.
Cardinality | 0..1
Type | dateTime
EnrollmentRequest.insurer
Element Id | EnrollmentRequest.insurer
Definition | The Insurer who is target of the request.
Cardinality | 0..1
Type | Reference(Organization)
EnrollmentRequest.provider
Element Id | EnrollmentRequest.provider
Definition | The practitioner who is responsible for the services rendered to the patient.
Cardinality | 0..1
Type | Reference(Practitioner | PractitionerRole | Organization)
EnrollmentRequest.candidate
Element Id | EnrollmentRequest.candidate
Definition | Patient Resource.
Cardinality | 0..1
Type | Reference(Patient)
EnrollmentRequest.coverage
Element Id | EnrollmentRequest.coverage
Definition | Reference to the program or plan identification, underwriter or payor.
Cardinality | 0..1
Type | Reference(Coverage)
Requirements | Need to identify the issuer to target for processing and for coordination of benefit processing.

13.4.6 Resource EnrollmentRequest - Mappings

URL: https://hl7.org/fhir/R4/enrollmentrequest-mappings.html

13.4.6 Resource EnrollmentRequest - Mappings

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Patient

Mappings:

FiveWs Pattern Mapping

Workflow Pattern

Canadian Dental Association eclaims standard

Mappings for the enrollmentrequest resource (see Mappings to Other Standards for further information & status).

13.4.6.1 FiveWs Pattern Mapping (http://hl7.org/fhir/fivews)

EnrollmentRequest
provider | FiveWs.actor
candidate | FiveWs.actor

13.4.6.2 Workflow Pattern (http://hl7.org/fhir/workflow)

EnrollmentRequest | Request
identifier | Request.identifier
status | Request.status
created | Request.authoredOn
insurer | Request.performer
provider | Request.requester
candidate | Request.subject
coverage | Request.insurance

13.4.6.3 Canadian Dental Association eclaims standard (http://www.cda-adc.ca/en/services/cdanet/)

EnrollmentRequest
identifier
status
created
insurer
provider | B01
candidate | C06,C07,C08, C05, C04
coverage

13.4.7 Resource EnrollmentRequest - Extensions & Profiles

URL: https://hl7.org/fhir/R4/enrollmentrequest-profiles.html

13.4.7 Resource EnrollmentRequest - Extensions & Profiles

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Patient

This table lists profiles and extensions for the EnrollmentRequest resource. For background information, see Profiling Resources and Extensibility. Additional profiles and extensions may be found in published Implementation Guides , or in the Conformance resource registry .

13.4.7.1 Profiles

No Profiles defined for this resource

13.4.7.2 Extensions

No Extensions defined for this resource
Extensions for all resources or elements
resource-pertainsToGoal | pertainsToGoal | for Resource HL7 Extensions

Extensions that reference this resource:

No Extensions refer to this resource
Extensions that refer to Any resource
cqf-relativeDateTime | relativeDateTime | for Clinical Reasoning Extensions
event-basedOn | basedOn | for Event Pattern HL7 Extensions
event-partOf | partOf | for Event Pattern HL7 Extensions
flag-detail | detail | for Flag HL7 Extensions
relative-date | Relative Date Criteria | for General Extensions for use by FHIR Implementers
replaces | replaces | for General Extensions for use by FHIR Implementers
request-replaces | replaces | for Request Pattern HL7 Extensions
workflow-supportingInfo | supportingInfo | for Workflow Pattern HL7 Extensions

13.4.7.3 Search Extensions

No Search Extensions defined for this resource

13.4.8 Resource EnrollmentRequest - R3/R4 Conversions

URL: https://hl7.org/fhir/R4/enrollmentrequest-version-maps.html

No validation errors - all conversions are clean

13.4.8 Resource EnrollmentRequest - R3/R4 Conversions

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Patient

R3 : R4 Conversion maps for EnrollmentRequest.

Functional status for this map: 1 test that all execute ok. 1 fail round-trip testing and all r3 resources are valid. (see documentation)

13.4.8.1 R3 to R4

```
map "http://hl7.org/fhir/StructureMap/EnrollmentRequest3to4" = "R3 to R4 Conversions for EnrollmentRequest"

uses "http://hl7.org/fhir/3.0/StructureDefinition/EnrollmentRequest" alias EnrollmentRequestR3 as source
uses "http://hl7.org/fhir/StructureDefinition/EnrollmentRequest" alias EnrollmentRequest as target

imports "http://hl7.org/fhir/StructureMap/*3to4"

group EnrollmentRequest(source src : EnrollmentRequestR3, target tgt : EnrollmentRequest) extends DomainResource
    <<type+>> {
  src.identifier -> tgt.identifier;
  src.status -> tgt.status;
  src.created -> tgt.created;
  src.insurer -> tgt.insurer;
  src.provider -> tgt.provider;
  src.subject -> tgt.candidate;
  src.coverage -> tgt.coverage;
}
```

13.4.8.2 R4 to R3

```
map "http://hl7.org/fhir/StructureMap/EnrollmentRequest4to3" = "R4 to R3 Conversion for EnrollmentRequest"

uses "http://hl7.org/fhir/StructureDefinition/EnrollmentRequest" alias EnrollmentRequest as source
uses "http://hl7.org/fhir/3.0/StructureDefinition/EnrollmentRequest" alias EnrollmentRequestR3 as target

imports "http://hl7.org/fhir/StructureMap/*4to3"

group EnrollmentRequest(source src : EnrollmentRequestR3, target tgt : EnrollmentRequest) extends DomainResource
    <<type+>> {
  src.identifier -> tgt.identifier;
  src.status -> tgt.status;
  src.created -> tgt.created;
  src.insurer -> tgt.insurer;
  src.provider -> tgt.provider;
  src.candidate -> tgt.subject;
  src.coverage -> tgt.coverage;
}
```

13.4.8.3 R4 Validation Errors

13.4.9 JSON Schema for EnrollmentRequest

URL: https://hl7.org/fhir/R4/enrollmentrequest.schema.json.html

13.4.9 JSON Schema for EnrollmentRequest

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Compartments: Patient

This is a representation of the json schema for EnrollmentRequest, which is just a part of the full JSON Schema.


```
{
  "$schema": "http://json-schema.org/draft-06/schema#",
  "id": "http://hl7.org/fhir/json-schema/EnrollmentRequest",
  "$ref": "#/definitions/EnrollmentRequest",
  "description": "see http://hl7.org/fhir/json.html#schema for information about the FHIR Json Schemas",
  "definitions": {
    "EnrollmentRequest": {
      "description": "This resource provides the insurance enrollment details to the insurer regarding a specified
    coverage.",
      "properties": {
        "resourceType": {
          "description": "This is a EnrollmentRequest resource",
          "const": "EnrollmentRequest"
        },
        "id": {
          "description": "The logical id of the resource, as used in the URL for the resource. Once assigned, this value
     never changes.",
          "$ref": "id.schema.json#/definitions/id"
        },
        "meta": {
          "description": "The metadata about the resource. This is content that is maintained by the infrastructure.
    Changes to the content might not always be associated with version changes to the resource.",
          "$ref": "Meta.schema.json#/definitions/Meta"
        },
        "implicitRules": {
          "description": "A reference to a set of rules that were followed when the resource was constructed, and which
    must be understood when processing the content. Often, this is a reference to an implementation guide that defines
    the special rules along with other profiles etc.",
          "$ref": "#/definitions/uri"
        },
        "_implicitRules": {
```

```
      "description": "Extensions for implicitRules",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "language": {
      "description": "The base language in which the resource is written.",
      "$ref": "#/definitions/code"
    },
    "_language": {
      "description": "Extensions for language",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "text": {
      "description": "A human-readable narrative that contains a summary of the resource and can be used to
represent the content of the resource to a human. The narrative need not encode all the structured data, but is
required to contain sufficient detail to make it \"clinically safe\" for a human to just read the narrative.
Resource definitions may define what content should be represented in the narrative to ensure clinical safety.",
      "$ref": "Narrative.schema.json#/definitions/Narrative"
    },
    "contained": {
      "description": "These resources do not have an independent existence apart from the resource that contains
them - they cannot be identified independently, and nor can they have their own independent transaction scope.",
      "items": {
        "$ref": "ResourceList.schema.json#/definitions/ResourceList"
      },
      "type": "array"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the resource. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
 definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the resource and that modifies the understanding of the element that contains it and/or the understanding of the
containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the use
of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer is allowed to define an extension, there is a set of requirements that SHALL be
met as part of the definition of the extension. Applications processing a resource are required to check for
modifier extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or
DomainResource (including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "identifier": {
      "description": "The Response business identifier.",
      "items": {
        "$ref": "Identifier.schema.json#/definitions/Identifier"
      },
      "type": "array"
    },
    "status": {
      "description": "The status of the resource instance.",
      "$ref": "#/definitions/code"
    },
    "_status": {
      "description": "Extensions for status",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "created": {
      "description": "The date when this resource was created.",
      "$ref": "#/definitions/dateTime"
    },
    "_created": {
      "description": "Extensions for created",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "insurer": {
      "description": "The Insurer who is target  of the request.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "provider": {
      "description": "The practitioner who is responsible for the services rendered to the patient.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "candidate": {
      "description": "Patient Resource.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "coverage": {
      "description": "Reference to the program or plan identification, underwriter or payor.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    }
```

```
      },
      "additionalProperties": false,
      "required": [
        "resourceType"
      ]
    }
  }
}
```

13.4.10 Resource EnrollmentRequest - Maturity Dependency View

URL: https://hl7.org/fhir/R4/enrollmentrequest-dependencies.html

13.4.10 Resource EnrollmentRequest - Maturity Dependency View

Financial Management Work Group | Maturity Level: 0 | Trial Use | Compartments: Patient

Dependency Graph for EnrollmentRequest FMM level 0

Name | Card. | Type | Dependency Analysis
EnrollmentRequest | | DomainResource
identifier | 0..* | Identifier
status | 0..1 | code
created | 0..1 | dateTime
insurer | 0..1 | Reference(Organization)
provider | 0..1 | Reference(Practitioner | PractitionerRole | Organization)
candidate | 0..1 | Reference(Patient)
coverage | 0..1 | Reference(Coverage)

13.4.11 Value Set Sc-valueset-fm-status - Status Code Mapping

URL: https://hl7.org/fhir/R4/sc-valueset-fm-status.html

13.4.11 Value Set Sc-valueset-fm-status - Status Code Mapping

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Compartments: Patient

This is the narrative for the resource. See also the XML, JSON or Turtle format.

13.4.12 FinancialResourceStatusCodesCanonicalMap (http://hl7.org/fhir/ConceptMap/sc-fm-status)

Mapping from http://hl7.org/fhir/ValueSet/fm-status to http://hl7.org/fhir/ValueSet/resource-status

DRAFT. Published on 01/11/2019 9:29:23 AM by Financial Management (http://hl7.org/fhir).

Canonical Mapping for "This value set includes Status codes."

Source Code | Equivalence | Destination Code
entered-in-error | equivalent | error
draft | equivalent | draft
active | equivalent | active
cancelled | equivalent | abandoned

13.5 Resource EnrollmentResponse - Content

URL: https://hl7.org/fhir/R4/enrollmentresponse.html
Financial Management Work Group | Maturity Level: 0 | Trial Use | Security Category: Patient | Compartments: Not linked to any defined compartments

This resource provides enrollment and plan details from the processing of an EnrollmentRequest resource.

13.5.1 Scope and Usage

This resource has not yet undergone proper review by FM. At this time it is a 'stub', is known to be incomplete, and is to be considered as a draft.

The EnrollmentResponse resource provides enrollment and plan details from the processing of an Enrollment resource.

13.5.2 Resource Content

- Structure
- UML
- XML

- JSON
- Turtle
- R3 Diff
- All

Structure

Name | Flags | Card. | Type | Description & Constraints
EnrollmentResponse | TU | | DomainResource | EnrollmentResponse resource Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Business Identifier
status | ?!Σ | 0..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
request | | 0..1 | Reference(EnrollmentRequest) | Claim reference
outcome | | 0..1 | code | queued | complete | error | partial RemittanceOutcome (Required)
disposition | | 0..1 | string | Disposition Message
created | | 0..1 | dateTime | Creation date
organization | | 0..1 | Reference(Organization) | Insurer
requestProvider | | 0..1 | Reference(Practitioner | PractitionerRole | Organization) | Responsible practitioner
Documentation for this format

UML Diagram (Legend)

XML Template

```
<EnrollmentResponse xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier --></identifier>
 <status value="[code]"/><!-- 0..1 active | cancelled | draft | entered-in-error -->
 <request><!-- 0..1 Reference(EnrollmentRequest) Claim reference --></request>
 <outcome value="[code]"/><!-- 0..1 queued | complete | error | partial -->
 <disposition value="[string]"/><!-- 0..1 Disposition Message -->
 <created value="[dateTime]"/><!-- 0..1 Creation date -->
 <organization><!-- 0..1 Reference(Organization) Insurer --></organization>
 <requestProvider><!-- 0..1 Reference(Practitioner|PractitionerRole|Organization) Responsible practitioner
    --></requestProvider>
</EnrollmentResponse>
```

JSON Template

```
{
  "resourceType" : "EnrollmentResponse",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier
  "status" : "<code>", // active | cancelled | draft | entered-in-error
  "request" : { Reference(EnrollmentRequest) }, // Claim reference
  "outcome" : "<code>", // queued | complete | error | partial
  "disposition" : "<string>", // Disposition Message
  "created" : "<dateTime>", // Creation date
  "organization" : { Reference(Organization) }, // Insurer
  "requestProvider" : { Reference(Practitioner|PractitionerRole|Organization) } // Responsible practitioner
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:EnrollmentResponse;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:EnrollmentResponse.identifier [ Identifier ], ... ; # 0..* Business Identifier
  fhir:EnrollmentResponse.status [ code ]; # 0..1 active | cancelled | draft | entered-in-error
  fhir:EnrollmentResponse.request [ Reference(EnrollmentRequest) ]; # 0..1 Claim reference
  fhir:EnrollmentResponse.outcome [ code ]; # 0..1 queued | complete | error | partial
  fhir:EnrollmentResponse.disposition [ string ]; # 0..1 Disposition Message
  fhir:EnrollmentResponse.created [ dateTime ]; # 0..1 Creation date
  fhir:EnrollmentResponse.organization [ Reference(Organization) ]; # 0..1 Insurer
  fhir:EnrollmentResponse.requestProvider [ Reference(Practitioner|PractitionerRole|Organization) ]; # 0..1 Responsible
    practitioner
]
```

Changes since R3

EnrollmentResponse
EnrollmentResponse.status | Change value set from http://hl7.org/fhir/ValueSet/fm-status to http://hl7.org/fhir/ValueSet/fm-status|4.0.1
EnrollmentResponse.outcome | Type changed from CodeableConcept to code Change value set from http://hl7.org/fhir/ValueSet/remittance-outcome to http://hl7.org/fhir/ValueSet/remittance-outcome|4.0.1
EnrollmentResponse.requestProvider | Type Reference: Added Target Types PractitionerRole, Organization
EnrollmentResponse.requestOrganization | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R3 <--> R4 Conversion Maps (status = 1 test that all execute ok. All tests pass round-trip testing and all r3 resources are valid.)

Structure

Name | Flags | Card. | Type | Description & Constraints
EnrollmentResponse | TU | | DomainResource | EnrollmentResponse resource Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Business Identifier
status | ?!Σ | 0..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
request | | 0..1 | Reference(EnrollmentRequest) | Claim reference
outcome | | 0..1 | code | queued | complete | error | partial RemittanceOutcome (Required)
disposition | | 0..1 | string | Disposition Message
created | | 0..1 | dateTime | Creation date
organization | | 0..1 | Reference(Organization) | Insurer
requestProvider | | 0..1 | Reference(Practitioner | PractitionerRole | Organization) | Responsible practitioner
Documentation for this format

UML Diagram (Legend)

XML Template

```
<EnrollmentResponse xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier --></identifier>
 <status value="[code]"/><!-- 0..1 active | cancelled | draft | entered-in-error -->
 <request><!-- 0..1 Reference(EnrollmentRequest) Claim reference --></request>
 <outcome value="[code]"/><!-- 0..1 queued | complete | error | partial -->
 <disposition value="[string]"/><!-- 0..1 Disposition Message -->
 <created value="[dateTime]"/><!-- 0..1 Creation date -->
 <organization><!-- 0..1 Reference(Organization) Insurer --></organization>
 <requestProvider><!-- 0..1 Reference(Practitioner|PractitionerRole|Organization) Responsible practitioner
    --></requestProvider>
</EnrollmentResponse>
```

JSON Template

```
{
  "resourceType" : "EnrollmentResponse",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier
  "status" : "<code>", // active | cancelled | draft | entered-in-error
  "request" : { Reference(EnrollmentRequest) }, // Claim reference
  "outcome" : "<code>", // queued | complete | error | partial
  "disposition" : "<string>", // Disposition Message
  "created" : "<dateTime>", // Creation date
  "organization" : { Reference(Organization) }, // Insurer
  "requestProvider" : { Reference(Practitioner|PractitionerRole|Organization) } // Responsible practitioner
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:EnrollmentResponse;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:EnrollmentResponse.identifier [ Identifier ], ... ; # 0..* Business Identifier
  fhir:EnrollmentResponse.status [ code ]; # 0..1 active | cancelled | draft | entered-in-error
  fhir:EnrollmentResponse.request [ Reference(EnrollmentRequest) ]; # 0..1 Claim reference
  fhir:EnrollmentResponse.outcome [ code ]; # 0..1 queued | complete | error | partial
  fhir:EnrollmentResponse.disposition [ string ]; # 0..1 Disposition Message
  fhir:EnrollmentResponse.created [ dateTime ]; # 0..1 Creation date
  fhir:EnrollmentResponse.organization [ Reference(Organization) ]; # 0..1 Insurer
  fhir:EnrollmentResponse.requestProvider [ Reference(Practitioner|PractitionerRole|Organization) ]; # 0..1 Responsible
    practitioner
]
```

Changes since Release 3

EnrollmentResponse
EnrollmentResponse.status | Change value set from http://hl7.org/fhir/ValueSet/fm-status to http://hl7.org/fhir/ValueSet/fm-status|4.0.1
EnrollmentResponse.outcome | Type changed from CodeableConcept to code Change value set from http://hl7.org/fhir/ValueSet/remittance-outcome to http://hl7.org/fhir/ValueSet/remittance-outcome|4.0.1
EnrollmentResponse.requestProvider | Type Reference: Added Target Types PractitionerRole, Organization
EnrollmentResponse.requestOrganization | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R3 <--> R4 Conversion Maps (status = 1 test that all execute ok. All tests pass round-trip testing and all r3 resources are valid.)

See the Profiles & Extensions and the alternate definitions: Master Definition XML + JSON, XML Schema/Schematron + JSON Schema, ShEx (for Turtle) + see the extensions & the dependency analysis

13.5.2.1 Terminology Bindings

Path | Definition | Type | Reference
EnrollmentResponse.status | A code specifying the state of the resource instance. | Required | FinancialResourceStatusCodes
EnrollmentResponse.outcome | The outcome of the processing. | Required | RemittanceOutcome

13.5.3 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common
identifier | token | The business identifier of the EnrollmentResponse | EnrollmentResponse.identifier
request | reference | The reference to the claim | EnrollmentResponse.request (EnrollmentRequest)
status | token | The status of the enrollment response | EnrollmentResponse.status

13.5.4 Resource EnrollmentResponse - Examples

URL: https://hl7.org/fhir/R4/enrollmentresponse-examples.html

13.5.4 Resource EnrollmentResponse - Examples

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Not linked to any defined compartments

Example Name | id | Format
General Person Enrollment Response Example | ER2500 | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

13.5.5 Resource EnrollmentResponse - Detailed Descriptions

URL: https://hl7.org/fhir/R4/enrollmentresponse-definitions.html

13.5.5 Resource EnrollmentResponse - Detailed Descriptions

Financial Management Work Group | Maturity Level: 0 | Trial Use | Security Category: Patient | Compartments: Not linked to any defined compartments

Detailed Descriptions for the elements in the EnrollmentResponse resource.

EnrollmentResponse
Element Id | EnrollmentResponse
Definition | This resource provides enrollment and plan details from the processing of an EnrollmentRequest resource.
Cardinality | 0..*
Type | DomainResource
EnrollmentResponse.identifier
Element Id | EnrollmentResponse.identifier
Definition | The Response business identifier.
Note | This is a business identifier, not a resource identifier (see discussion)
Cardinality | 0..*
Type | Identifier
EnrollmentResponse.status
Element Id | EnrollmentResponse.status
Definition | The status of the resource instance.
Cardinality | 0..1
Terminology Binding | Financial Resource Status Codes (Required)
Type | code
Is Modifier | true (Reason: This element is labelled as a modifier because it is a status element that contains status entered-in-error which means that the resource should not be treated as valid)
Summary | true
Comments | This element is labeled as a modifier because the status contains codes that mark the response as not currently valid.
EnrollmentResponse.request
Element Id | EnrollmentResponse.request
Definition | Original request resource reference.
Cardinality | 0..1
Type | Reference(EnrollmentRequest)
EnrollmentResponse.outcome
Element Id | EnrollmentResponse.outcome
Definition | Processing status: error, complete.
Cardinality | 0..1
Terminology Binding | RemittanceOutcome (Required)
Type | code

EnrollmentResponse.disposition
Element Id | EnrollmentResponse.disposition
Definition | A description of the status of the adjudication.
Cardinality | 0..1
Type | string
EnrollmentResponse.created
Element Id | EnrollmentResponse.created
Definition | The date when the enclosed suite of services were performed or completed.
Cardinality | 0..1
Type | dateTime
EnrollmentResponse.organization
Element Id | EnrollmentResponse.organization
Definition | The Insurer who produced this adjudicated response.
Cardinality | 0..1
Type | Reference(Organization)
EnrollmentResponse.requestProvider
Element Id | EnrollmentResponse.requestProvider
Definition | The practitioner who is responsible for the services rendered to the patient.
Cardinality | 0..1
Type | Reference(Practitioner | PractitionerRole | Organization)

13.5.6 Resource EnrollmentResponse - Mappings

URL: https://hl7.org/fhir/R4/enrollmentresponse-mappings.html

13.5.6 Resource EnrollmentResponse - Mappings

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Not linked to any defined compartments

Mappings:

FiveWs Pattern Mapping

Workflow Pattern

Canadian Dental Association eclaims standard

Mappings for the enrollmentresponse resource (see Mappings to Other Standards for further information & status).

13.5.6.1 FiveWs Pattern Mapping (http://hl7.org/fhir/fivews)

EnrollmentResponse
organization | FiveWs.actor

13.5.6.2 Workflow Pattern (http://hl7.org/fhir/workflow)

EnrollmentResponse | Event
identifier | Event.identifier
status | Event.status
request | Event.basedOn
disposition | Event.code
created | Event.occurrence[x]
organization | Event.performer.actor

13.5.6.3 Canadian Dental Association eclaims standard (http://www.cda-adc.ca/en/services/cdanet/)

EnrollmentResponse
identifier
status
request | A02|G01
outcome
disposition
created
organization
requestProvider | B01

13.5.7 Resource EnrollmentResponse - Extensions & Profiles

URL: https://hl7.org/fhir/R4/enrollmentresponse-profiles.html

13.5.7 Resource EnrollmentResponse - Extensions & Profiles

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Not linked to any defined compartments

This table lists profiles and extensions for the EnrollmentResponse resource. For background information, see Profiling Resources and Extensibility. Additional profiles and extensions may be found in published Implementation Guides , or in the Conformance resource registry .

13.5.7.1 Profiles

No Profiles defined for this resource

13.5.7.2 Extensions

No Extensions defined for this resource
Extensions for all resources or elements
resource-pertainsToGoal | pertainsToGoal | for Resource HL7 Extensions

Extensions that reference this resource:

No Extensions refer to this resource
Extensions that refer to Any resource
cqf-relativeDateTime | relativeDateTime | for Clinical Reasoning Extensions
event-basedOn | basedOn | for Event Pattern HL7 Extensions
event-partOf | partOf | for Event Pattern HL7 Extensions
flag-detail | detail | for Flag HL7 Extensions
relative-date | Relative Date Criteria | for General Extensions for use by FHIR Implementers
replaces | replaces | for General Extensions for use by FHIR Implementers
request-replaces | replaces | for Request Pattern HL7 Extensions
workflow-supportingInfo | supportingInfo | for Workflow Pattern HL7 Extensions

13.5.7.3 Search Extensions

No Search Extensions defined for this resource

13.5.8 Resource EnrollmentResponse - R3/R4 Conversions

URL: https://hl7.org/fhir/R4/enrollmentresponse-version-maps.html
No validation errors - all conversions are clean

13.5.8 Resource EnrollmentResponse - R3/R4 Conversions

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Not linked to any defined compartments

R3 : R4 Conversion maps for EnrollmentResponse.

Functional status for this map: 1 test that all execute ok. All tests pass round-trip testing and all r3 resources are valid. (see documentation)

13.5.8.1 R3 to R4

```
map "http://hl7.org/fhir/StructureMap/EnrollmentResponse3to4" = "R3 to R4 Conversions for EnrollmentResponse"

uses "http://hl7.org/fhir/3.0/StructureDefinition/EnrollmentResponse" alias EnrollmentResponseR3 as source
uses "http://hl7.org/fhir/StructureDefinition/EnrollmentResponse" alias EnrollmentResponse as target

imports "http://hl7.org/fhir/StructureMap/*3to4"

group EnrollmentResponse(source src : EnrollmentResponseR3, target tgt : EnrollmentResponse) extends DomainResource
    <<type+>> {
  src.identifier -> tgt.identifier;
  src.status -> tgt.status;
  src.request -> tgt.request;
  src.outcome as vs then {
    vs.coding as c where code in ('complete' | 'error' | 'partial') then {
      c.code -> tgt.outcome;
    };
  };
  src.disposition -> tgt.disposition;
  src.created -> tgt.created;
  src.organization -> tgt.organization;
  src.requestProvider -> tgt.requestProvider;
}
```

13.5.8.2 R4 to R3

```
map "http://hl7.org/fhir/StructureMap/EnrollmentResponse4to3" = "R4 to R3 Conversion for EnrollmentResponse"

uses "http://hl7.org/fhir/StructureDefinition/EnrollmentResponse" alias EnrollmentResponse as source
uses "http://hl7.org/fhir/3.0/StructureDefinition/EnrollmentResponse" alias EnrollmentResponseR3 as target

imports "http://hl7.org/fhir/StructureMap/*4to3"

group EnrollmentResponse(source src : EnrollmentResponseR3, target tgt : EnrollmentResponse) extends DomainResource
    <<type+>> {
  src.identifier -> tgt.identifier;
  src.status -> tgt.status;
  src.request -> tgt.request;
```

```
  src.outcome as vs where value in ('complete' | 'error' | 'partial') ->  tgt.outcome as vt,  vt.coding as c,  c.system
    = 'http://hl7.org/fhir/remittance-outcome',  c.code = vs;
  src.disposition -> tgt.disposition;
  src.created -> tgt.created;
  src.organization -> tgt.organization;
  src.requestProvider -> tgt.requestProvider;
}
```

13.5.8.3 R4 Validation Errors

13.5.9 JSON Schema for EnrollmentResponse

URL: https://hl7.org/fhir/R4/enrollmentresponse.schema.json.html

13.5.9 JSON Schema for EnrollmentResponse

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Compartments: Not linked to any defined compartments

This is a representation of the json schema for EnrollmentResponse, which is just a part of the full JSON Schema.

```
{
  "$schema": "http://json-schema.org/draft-06/schema#",
  "id": "http://hl7.org/fhir/json-schema/EnrollmentResponse",
  "$ref": "#/definitions/EnrollmentResponse",
  "description": "see http://hl7.org/fhir/json.html#schema for information about the FHIR Json Schemas",
  "definitions": {
    "EnrollmentResponse": {
      "description": "This resource provides enrollment and plan details from the processing of an EnrollmentRequest
    resource.",
      "properties": {
        "resourceType": {
          "description": "This is a EnrollmentResponse resource",
          "const": "EnrollmentResponse"
        },
        "id": {
          "description": "The logical id of the resource, as used in the URL for the resource. Once assigned, this value
     never changes.",
          "$ref": "id.schema.json#/definitions/id"
        },
        "meta": {
          "description": "The metadata about the resource. This is content that is maintained by the infrastructure.
    Changes to the content might not always be associated with version changes to the resource.",
          "$ref": "Meta.schema.json#/definitions/Meta"
        },
        "implicitRules": {
          "description": "A reference to a set of rules that were followed when the resource was constructed, and which
    must be understood when processing the content. Often, this is a reference to an implementation guide that defines
    the special rules along with other profiles etc.",
          "$ref": "#/definitions/uri"
        },
        "_implicitRules": {
          "description": "Extensions for implicitRules",
          "$ref": "Element.schema.json#/definitions/Element"
        },
        "language": {
          "description": "The base language in which the resource is written.",
          "$ref": "#/definitions/code"
        },
        "_language": {
          "description": "Extensions for language",
          "$ref": "Element.schema.json#/definitions/Element"
        },
        "text": {
          "description": "A human-readable narrative that contains a summary of the resource and can be used to
    represent the content of the resource to a human. The narrative need not encode all the structured data, but is
    required to contain sufficient detail to make it \"clinically safe\" for a human to just read the narrative.
    Resource definitions may define what content should be represented in the narrative to ensure clinical safety.",
          "$ref": "Narrative.schema.json#/definitions/Narrative"
        },
        "contained": {
          "description": "These resources do not have an independent existence apart from the resource that contains
    them - they cannot be identified independently, and nor can they have their own independent transaction scope.",
          "items": {
            "$ref": "ResourceList.schema.json#/definitions/ResourceList"
          },
          "type": "array"
        },
        "extension": {
          "description": "May be used to represent additional information that is not part of the basic definition of
    the resource. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
     definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
    that SHALL be met as part of the definition of the extension.",
          "items": {
            "$ref": "Extension.schema.json#/definitions/Extension"
          },
          "type": "array"
```

```
        },
        "modifierExtension": {
          "description": "May be used to represent additional information that is not part of the basic definition of
    the resource and that modifies the understanding of the element that contains it and/or the understanding of the
    containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the use
    of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
    extensions. Though any implementer is allowed to define an extension, there is a set of requirements that SHALL be
    met as part of the definition of the extension. Applications processing a resource are required to check for
    modifier extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or
    DomainResource (including cannot change the meaning of modifierExtension itself).",
          "items": {
            "$ref": "Extension.schema.json#/definitions/Extension"
          },
          "type": "array"
        },
        "identifier": {
          "description": "The Response business identifier.",
          "items": {
            "$ref": "Identifier.schema.json#/definitions/Identifier"
          },
          "type": "array"
        },
        "status": {
          "description": "The status of the resource instance.",
          "$ref": "#/definitions/code"
        },
        "_status": {
          "description": "Extensions for status",
          "$ref": "Element.schema.json#/definitions/Element"
        },
        "request": {
          "description": "Original request resource reference.",
          "$ref": "Reference.schema.json#/definitions/Reference"
        },
        "outcome": {
          "description": "Processing status: error, complete.",
          "enum": [
            "queued",
            "complete",
            "error",
            "partial"
          ]
        },
        "_outcome": {
          "description": "Extensions for outcome",
          "$ref": "Element.schema.json#/definitions/Element"
        },
        "disposition": {
          "description": "A description of the status of the adjudication.",
          "$ref": "#/definitions/string"
        },
        "_disposition": {
          "description": "Extensions for disposition",
          "$ref": "Element.schema.json#/definitions/Element"
        },
        "created": {
          "description": "The date when the enclosed suite of services were performed or completed.",
          "$ref": "#/definitions/dateTime"
        },
        "_created": {
          "description": "Extensions for created",
          "$ref": "Element.schema.json#/definitions/Element"
        },
        "organization": {
          "description": "The Insurer who produced this adjudicated response.",
          "$ref": "Reference.schema.json#/definitions/Reference"
        },
        "requestProvider": {
          "description": "The practitioner who is responsible for the services rendered to the patient.",
          "$ref": "Reference.schema.json#/definitions/Reference"
        }
      },
      "additionalProperties": false,
      "required": [
        "resourceType"
      ]
    }
  }
}
```


13.5.10 Resource EnrollmentResponse - Maturity Dependency View

URL: https://hl7.org/fhir/R4/enrollmentresponse-dependencies.html

13.5.10 Resource EnrollmentResponse - Maturity Dependency View

Financial Management Work Group | Maturity Level: 0 | Trial Use | Compartments: Not linked to any defined compartments

Dependency Graph for EnrollmentResponse FMM level 0

Name | Card. | Type | Dependency Analysis
EnrollmentResponse | | DomainResource
identifier | 0..* | Identifier
status | 0..1 | code
request | 0..1 | Reference(EnrollmentRequest)
outcome | 0..1 | code
disposition | 0..1 | string
created | 0..1 | dateTime
organization | 0..1 | Reference(Organization)
requestProvider | 0..1 | Reference(Practitioner | PractitionerRole | Organization)

13.6 Resource Claim - Content

URL: https://hl7.org/fhir/R4/claim.html
Financial Management Work Group | Maturity Level: 2 | Trial Use | Security Category: Patient | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

A provider issued list of professional services and products which have been provided, or are to be provided, to a patient which is sent to an insurer for reimbursement.

13.6.1 Scope and Usage

The Claim is used by providers and payors, insurers, to exchange the financial information, and supporting clinical information, regarding the provision of health care services with payors and for reporting to regulatory bodies and firms which provide data analytics. The primary uses of this resource is to support eClaims, the exchange of information relating to the proposed or actual provision of healthcare-related goods and services for patients to their benefit payors, insurers and national health programs, for treatment payment planning and reimbursement.

The Claim resource is a "request" resource from a FHIR workflow perspective - see Workflow Request.

The Claim resource may be interpreted differently depending on its intended use (and the Claim.use element contains the code to indicate):

• claim - where the provision of goods and services is complete and adjudication under a plan and payment is sought.

• preauthorization - where the provision of goods and services is proposed and authorization and/or the reservation of funds is desired.

• predetermination - where the provision of goods and services is explored to determine what services may be covered and to what amount. Essentially a 'what if' claim.

The Claim also supports:

• Up to a 3-tier hierarchy of Goods, products, and Services, to support simple to complex billing.

• Multiple insurance programs arranged in a Coordination of Benefit sequence to enable exchange with primary, secondary, tertiary etc. insurance coverages.

• Assignment of benefit - the benefit may be requested to be directed to the subscriber, the provider or another party.

Mapping to other Claim specifications: Mappings are currently maintained by the Financial Management Work Group to UB04 and CMS1500 and are available at https://confluence.hl7.org/display/FM/FHIR+Resource+Development . Mappings to other specifications may be made available where IP restrictions permit.

13.6.1.1 Additional Information

Additional information regarding electronic claims content and usage may be found at:

• Financial Resource Status Lifecycle: how .status is used in the financial resources.

• Secondary Use of Resources: how resources such as Claim and ExplanationOfBenefit may used for reporting and data exchange for analytics, not just for eClaims exchange between providers and payors.

• Subrogation: how eClaims may handle patient insurance coverages when another insurer rather than the provider will settle the claim and potentially recover costs against specified coverages.

• Coordination of Benefit: how eClaims may handle multiple patient insurance coverages.

• Batches: how eClaims may handle batches of eligibility, claims and responses.

• Attachments and Supporting Information: how eClaims may handle the provision of supporting information, whether provided by content or reference, within the eClaim resource when submitted to the payor or later in a resource which refers to the subject eClaim resource. This also includes how payors may request additional supporting information from providers.

13.6.2 Boundaries and Relationships

The Claim resource is used to request the adjudication and/or authorization of a set of healthcare-related goods and services for a patient against the patient's insurance coverages, or to request what the adjudication would be for a supplied set of goods or services should they be actually supplied to the patient.

When requesting whether the patient's coverage is inforce, whether it is valid at this or a specified date, or requesting the benefit details or preauthorization requirements associated with a coverage, then CoverageEligibilityRequest should be used instead.

When using the resources for reporting and transferring claims data, which may have originated in some standard other than FHIR, the Claim resource is useful if only the request side of the information exchange is of interest. If, however, both the request and the adjudication information is to be reported then the ExplanationOfBenefit should be used instead.

For reporting out to patients or transferring data to patient centered applications, such as patient health Record (PHR) application, the ExplanationOfBenefit should be used instead of the Claim and ClaimResponse resources as those resources may contain provider and payer specific information which is not appropriate for sharing with the patient.

The eClaim domain includes a number of related resources

Claim | A suite of goods and services and insurances coverages under which adjudication or authorization is requested.
CoverageEligibilityRequest | A request to a payor to: ascertain whether a coverage is in-force at the current or at a specified time; list the table of benefits; determine whether coverage is provided for specified categories or specific services; and whether preauthorization is required, and if so what supporting information would be required.
ClaimResponse | A payor's adjudication and/or authorization response to the suite of services provided in a Claim. Typically the ClaimResponse references the Claim but does not duplicate the clinical or financial information provided in the claim.
ExplanationOfBenefit | This resource combines the information from the Claim and the ClaimResponse, stripping out any provider or payor proprietary information, into a unified information model suitable for use for: patient reporting; transferring information to a Patient Health Record system; and, supporting complete claim and adjudication information exchange with regulatory and analytics organizations and other parts of the provider's organization.

This resource is referenced by itself, ClaimResponse, DeviceUseStatement and ExplanationOfBenefit

13.6.3 Resource Content

- Structure
- UML
- XML
- JSON
- Turtle
- R3 Diff
- All

Structure

Name | Flags | Card. | Type | Description & Constraints
Claim | TU | | DomainResource | Claim, Pre-determination or Pre-authorization Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Business Identifier for claim
status | ?!Σ | 1..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
type | Σ | 1..1 | CodeableConcept | Category or discipline Claim Type Codes (Extensible)
subType | | 0..1 | CodeableConcept | More granular claim type Example Claim SubType Codes (Example)
use | Σ | 1..1 | code | claim | preauthorization | predetermination Use (Required)
patient | Σ | 1..1 | Reference(Patient) | The recipient of the products and services
billablePeriod | Σ | 0..1 | Period | Relevant time frame for the claim
created | Σ | 1..1 | dateTime | Resource creation date
enterer | | 0..1 | Reference(Practitioner | PractitionerRole) | Author of the claim
insurer | Σ | 0..1 | Reference(Organization) | Target
provider | Σ | 1..1 | Reference(Practitioner | PractitionerRole | Organization) | Party responsible for the claim
priority | Σ | 1..1 | CodeableConcept | Desired processing ugency Process Priority Codes (Example)
fundsReserve | | 0..1 | CodeableConcept | For whom to reserve funds FundsReserve (Example)
related | | 0..* | BackboneElement | Prior or corollary claims
claim | | 0..1 | Reference(Claim) | Reference to the related claim
relationship | | 0..1 | CodeableConcept | How the reference claim is related Example Related Claim Relationship Codes (Example)
reference | | 0..1 | Identifier | File or case reference
prescription | | 0..1 | Reference(DeviceRequest | MedicationRequest | VisionPrescription) | Prescription authorizing services and products
originalPrescription | | 0..1 | Reference(DeviceRequest | MedicationRequest | VisionPrescription) | Original prescription if superseded by fulfiller
payee | | 0..1 | BackboneElement | Recipient of benefits payable
type | | 1..1 | CodeableConcept | Category of recipient PayeeType (Example)
party | | 0..1 | Reference(Practitioner | PractitionerRole | Organization | Patient | RelatedPerson) | Recipient reference
referral | | 0..1 | Reference(ServiceRequest) | Treatment referral
facility | | 0..1 | Reference(Location) | Servicing facility

careTeam | | 0..* | BackboneElement | Members of the care team
sequence | | 1..1 | positiveInt | Order of care team
provider | | 1..1 | Reference(Practitioner | PractitionerRole | Organization) | Practitioner or organization
responsible | | 0..1 | boolean | Indicator of the lead practitioner
role | | 0..1 | CodeableConcept | Function within the team Claim Care Team Role Codes (Example)
qualification | | 0..1 | CodeableConcept | Practitioner credential or specialization Example Provider Qualification Codes (Example)
supportingInfo | | 0..* | BackboneElement | Supporting information
sequence | | 1..1 | positiveInt | Information instance identifier
category | | 1..1 | CodeableConcept | Classification of the supplied information Claim Information Category Codes (Example)
code | | 0..1 | CodeableConcept | Type of information Exception Codes (Example)
timing[x] | | 0..1 | | When it occurred
timingDate | | | date
timingPeriod | | | Period
value[x] | | 0..1 | | Data to be provided
valueBoolean | | | boolean
valueString | | | string
valueQuantity | | | Quantity
valueAttachment | | | Attachment
valueReference | | | Reference(Any)
reason | | 0..1 | CodeableConcept | Explanation for the information Missing Tooth Reason Codes (Example)
diagnosis | | 0..* | BackboneElement | Pertinent diagnosis information
sequence | | 1..1 | positiveInt | Diagnosis instance identifier
diagnosis[x] | | 1..1 | | Nature of illness or problem ICD-10 Codes (Example)
diagnosisCodeableConcept | | | CodeableConcept
diagnosisReference | | | Reference(Condition)
type | | 0..* | CodeableConcept | Timing or nature of the diagnosis Example Diagnosis Type Codes (Example)
onAdmission | | 0..1 | CodeableConcept | Present on admission Example Diagnosis on Admission Codes (Example)
packageCode | | 0..1 | CodeableConcept | Package billing code Example Diagnosis Related Group Codes (Example)
procedure | | 0..* | BackboneElement | Clinical procedures performed
sequence | | 1..1 | positiveInt | Procedure instance identifier
type | | 0..* | CodeableConcept | Category of Procedure Example Procedure Type Codes (Example)
date | | 0..1 | dateTime | When the procedure was performed
procedure[x] | | 1..1 | | Specific clinical procedure ICD-10 Procedure Codes (Example)
procedureCodeableConcept | | | CodeableConcept
procedureReference | | | Reference(Procedure)
udi | | 0..* | Reference(Device) | Unique device identifier
insurance | Σ | 1..* | BackboneElement | Patient insurance information
sequence | Σ | 1..1 | positiveInt | Insurance instance identifier
focal | Σ | 1..1 | boolean | Coverage to be used for adjudication
identifier | | 0..1 | Identifier | Pre-assigned Claim number
coverage | Σ | 1..1 | Reference(Coverage) | Insurance information
businessArrangement | | 0..1 | string | Additional provider contract number
preAuthRef | | 0..* | string | Prior authorization reference number
claimResponse | | 0..1 | Reference(ClaimResponse) | Adjudication results
accident | | 0..1 | BackboneElement | Details of the event
date | | 1..1 | date | When the incident occurred
type | | 0..1 | CodeableConcept | The nature of the accident V3 Value SetActIncidentCode (Extensible)
location[x] | | 0..1 | | Where the event occurred
locationAddress | | | Address
locationReference | | | Reference(Location)
item | | 0..* | BackboneElement | Product or service provided
sequence | | 1..1 | positiveInt | Item instance identifier
careTeamSequence | | 0..* | positiveInt | Applicable careTeam members
diagnosisSequence | | 0..* | positiveInt | Applicable diagnoses
procedureSequence | | 0..* | positiveInt | Applicable procedures
informationSequence | | 0..* | positiveInt | Applicable exception and supporting information
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Benefit classification Benefit Category Codes (Example)
productOrService | | 1..1 | CodeableConcept | Billing, service, product, or drug code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Product or service billing modifiers Modifier type Codes (Example)
programCode | | 0..* | CodeableConcept | Program the product or service is provided under Example Program Reason Codes (Example)
serviced[x] | | 0..1 | | Date or dates of service or product delivery
servicedDate | | | date
servicedPeriod | | | Period
location[x] | | 0..1 | | Place of service or where product was supplied Example Service Place Codes (Example)
locationCodeableConcept | | | CodeableConcept
locationAddress | | | Address
locationReference | | | Reference(Location)
quantity | | 0..1 | SimpleQuantity | Count of products or services
unitPrice | | 0..1 | Money | Fee, charge or cost per item
factor | | 0..1 | decimal | Price scaling factor

net | | 0..1 | Money | Total item cost
udi | | 0..* | Reference(Device) | Unique device identifier
bodySite | | 0..1 | CodeableConcept | Anatomical location Oral Site Codes (Example)
subSite | | 0..* | CodeableConcept | Anatomical sub-location Surface Codes (Example)
encounter | | 0..* | Reference(Encounter) | Encounters related to this billed item
detail | | 0..* | BackboneElement | Product or service provided
sequence | | 1..1 | positiveInt | Item instance identifier
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Benefit classification Benefit Category Codes (Example)
productOrService | | 1..1 | CodeableConcept | Billing, service, product, or drug code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
programCode | | 0..* | CodeableConcept | Program the product or service is provided under Example Program Reason Codes (Example)
quantity | | 0..1 | SimpleQuantity | Count of products or services
unitPrice | | 0..1 | Money | Fee, charge or cost per item
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total item cost
udi | | 0..* | Reference(Device) | Unique device identifier
subDetail | | 0..* | BackboneElement | Product or service provided
sequence | | 1..1 | positiveInt | Item instance identifier
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Benefit classification Benefit Category Codes (Example)
productOrService | | 1..1 | CodeableConcept | Billing, service, product, or drug code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
programCode | | 0..* | CodeableConcept | Program the product or service is provided under Example Program Reason Codes (Example)
quantity | | 0..1 | SimpleQuantity | Count of products or services
unitPrice | | 0..1 | Money | Fee, charge or cost per item
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total item cost
udi | | 0..* | Reference(Device) | Unique device identifier
total | | 0..1 | Money | Total claim cost
Documentation for this format

UML Diagram (Legend)

XML Template

```
<Claim xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier for claim --></identifier>
 <status value="[code]"/><!-- 1..1 active | cancelled | draft | entered-in-error -->
 <type><!-- 1..1 CodeableConcept Category or discipline --></type>
 <subType><!-- 0..1 CodeableConcept More granular claim type --></subType>
 <use value="[code]"/><!-- 1..1 claim | preauthorization | predetermination -->
 <patient><!-- 1..1 Reference(Patient) The recipient of the products and services --></patient>
 <billablePeriod><!-- 0..1 Period Relevant time frame for the claim --></billablePeriod>
 <created value="[dateTime]"/><!-- 1..1 Resource creation date -->
 <enterer><!-- 0..1 Reference(Practitioner|PractitionerRole) Author of the claim --></enterer>
 <insurer><!-- 0..1 Reference(Organization) Target --></insurer>
 <provider><!-- 1..1 Reference(Practitioner|PractitionerRole|Organization) Party responsible for the claim
    --></provider>
 <priority><!-- 1..1 CodeableConcept Desired processing ugency --></priority>
 <fundsReserve><!-- 0..1 CodeableConcept For whom to reserve funds --></fundsReserve>
 <related>  <!-- 0..* Prior or corollary claims -->
  <claim><!-- 0..1 Reference(Claim) Reference to the related claim --></claim>
  <relationship><!-- 0..1 CodeableConcept How the reference claim is related --></relationship>
  <reference><!-- 0..1 Identifier File or case reference --></reference>
 </related>
 <prescription><!-- 0..1 Reference(DeviceRequest|MedicationRequest|
   VisionPrescription) Prescription authorizing services and products --></prescription>
 <originalPrescription><!-- 0..1 Reference(DeviceRequest|MedicationRequest|
   VisionPrescription) Original prescription if superseded by fulfiller --></originalPrescription>
 <payee>  <!-- 0..1 Recipient of benefits payable -->
  <type><!-- 1..1 CodeableConcept Category of recipient --></type>
  <party><!-- 0..1 Reference(Practitioner|PractitionerRole|Organization|Patient|
    RelatedPerson) Recipient reference --></party>
 </payee>
 <referral><!-- 0..1 Reference(ServiceRequest) Treatment referral --></referral>
 <facility><!-- 0..1 Reference(Location) Servicing facility --></facility>
 <careTeam>  <!-- 0..* Members of the care team -->
  <sequence value="[positiveInt]"/><!-- 1..1 Order of care team -->
  <provider><!-- 1..1 Reference(Practitioner|PractitionerRole|Organization) Practitioner or organization --></provider>
  <responsible value="[boolean]"/><!-- 0..1 Indicator of the lead practitioner -->
  <role><!-- 0..1 CodeableConcept Function within the team --></role>
  <qualification><!-- 0..1 CodeableConcept Practitioner credential or specialization --></qualification>
 </careTeam>
 <supportingInfo>  <!-- 0..* Supporting information -->
  <sequence value="[positiveInt]"/><!-- 1..1 Information instance identifier -->
  <category><!-- 1..1 CodeableConcept Classification of the supplied information --></category>
  <code><!-- 0..1 CodeableConcept Type of information --></code>
  <timing[x]><!-- 0..1 date|Period When it occurred --></timing[x]>
```

```
 <value[x]><!-- 0..1 boolean|string|Quantity|Attachment|Reference(Any) Data to be provided --></value[x]>
 <reason><!-- 0..1 CodeableConcept Explanation for the information --></reason>
</supportingInfo>
<diagnosis>  <!-- 0..* Pertinent diagnosis information -->
 <sequence value="[positiveInt]"/><!-- 1..1 Diagnosis instance identifier -->
 <diagnosis[x]><!-- 1..1 CodeableConcept|Reference(Condition) Nature of illness or problem --></diagnosis[x]>
 <type><!-- 0..* CodeableConcept Timing or nature of the diagnosis --></type>
 <onAdmission><!-- 0..1 CodeableConcept Present on admission --></onAdmission>
 <packageCode><!-- 0..1 CodeableConcept Package billing code --></packageCode>
</diagnosis>
<procedure>  <!-- 0..* Clinical procedures performed -->
 <sequence value="[positiveInt]"/><!-- 1..1 Procedure instance identifier -->
 <type><!-- 0..* CodeableConcept Category of Procedure --></type>
 <date value="[dateTime]"/><!-- 0..1 When the procedure was performed -->
 <procedure[x]><!-- 1..1 CodeableConcept|Reference(Procedure) Specific clinical procedure --></procedure[x]>
 <udi><!-- 0..* Reference(Device) Unique device identifier --></udi>
</procedure>
<insurance>  <!-- 1..* Patient insurance information -->
 <sequence value="[positiveInt]"/><!-- 1..1 Insurance instance identifier -->
 <focal value="[boolean]"/><!-- 1..1 Coverage to be used for adjudication -->
 <identifier><!-- 0..1 Identifier Pre-assigned Claim number --></identifier>
 <coverage><!-- 1..1 Reference(Coverage) Insurance information --></coverage>
 <businessArrangement value="[string]"/><!-- 0..1 Additional provider contract number -->
 <preAuthRef value="[string]"/><!-- 0..* Prior authorization reference number -->
 <claimResponse><!-- 0..1 Reference(ClaimResponse) Adjudication results --></claimResponse>
</insurance>
<accident>  <!-- 0..1 Details of the event -->
 <date value="[date]"/><!-- 1..1 When the incident occurred -->
 <type><!-- 0..1 CodeableConcept The nature of the accident --></type>
 <location[x]><!-- 0..1 Address|Reference(Location) Where the event occurred --></location[x]>
</accident>
<item>  <!-- 0..* Product or service provided -->
 <sequence value="[positiveInt]"/><!-- 1..1 Item instance identifier -->
 <careTeamSequence value="[positiveInt]"/><!-- 0..* Applicable careTeam members -->
 <diagnosisSequence value="[positiveInt]"/><!-- 0..* Applicable diagnoses -->
 <procedureSequence value="[positiveInt]"/><!-- 0..* Applicable procedures -->
 <informationSequence value="[positiveInt]"/><!-- 0..* Applicable exception and supporting information -->
 <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
 <category><!-- 0..1 CodeableConcept Benefit classification --></category>
 <productOrService><!-- 1..1 CodeableConcept Billing, service, product, or drug code --></productOrService>
 <modifier><!-- 0..* CodeableConcept Product or service billing modifiers --></modifier>
 <programCode><!-- 0..* CodeableConcept Program the product or service is provided under --></programCode>
 <serviced[x]><!-- 0..1 date|Period Date or dates of service or product delivery --></serviced[x]>
 <location[x]><!-- 0..1 CodeableConcept|Address|Reference(Location) Place of service or where product was supplied
   --></location[x]>
 <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of products or services --></quantity>
 <unitPrice><!-- 0..1 Money Fee, charge or cost per item --></unitPrice>
 <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
 <net><!-- 0..1 Money Total item cost --></net>
 <udi><!-- 0..* Reference(Device) Unique device identifier --></udi>
 <bodySite><!-- 0..1 CodeableConcept Anatomical location --></bodySite>
 <subSite><!-- 0..* CodeableConcept Anatomical sub-location --></subSite>
 <encounter><!-- 0..* Reference(Encounter) Encounters related to this billed item --></encounter>
 <detail>  <!-- 0..* Product or service provided -->
  <sequence value="[positiveInt]"/><!-- 1..1 Item instance identifier -->
  <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
  <category><!-- 0..1 CodeableConcept Benefit classification --></category>
  <productOrService><!-- 1..1 CodeableConcept Billing, service, product, or drug code --></productOrService>
  <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
  <programCode><!-- 0..* CodeableConcept Program the product or service is provided under --></programCode>
  <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of products or services --></quantity>
  <unitPrice><!-- 0..1 Money Fee, charge or cost per item --></unitPrice>
  <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
  <net><!-- 0..1 Money Total item cost --></net>
  <udi><!-- 0..* Reference(Device) Unique device identifier --></udi>
  <subDetail>  <!-- 0..* Product or service provided -->
   <sequence value="[positiveInt]"/><!-- 1..1 Item instance identifier -->
   <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
   <category><!-- 0..1 CodeableConcept Benefit classification --></category>
   <productOrService><!-- 1..1 CodeableConcept Billing, service, product, or drug code --></productOrService>
   <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
   <programCode><!-- 0..* CodeableConcept Program the product or service is provided under --></programCode>
   <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of products or services --></quantity>
   <unitPrice><!-- 0..1 Money Fee, charge or cost per item --></unitPrice>
   <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
   <net><!-- 0..1 Money Total item cost --></net>
   <udi><!-- 0..* Reference(Device) Unique device identifier --></udi>
  </subDetail>
 </detail>
</item>
<total><!-- 0..1 Money Total claim cost --></total>
</Claim>
```

JSON Template

```
{
  "resourceType" : "Claim",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
```

```
"identifier" : [{ Identifier }], // Business Identifier for claim
"status" : "<code>", // R!  active | cancelled | draft | entered-in-error
"type" : { CodeableConcept }, // R!  Category or discipline
"subType" : { CodeableConcept }, // More granular claim type
"use" : "<code>", // R!  claim | preauthorization | predetermination
"patient" : { Reference(Patient) }, // R!  The recipient of the products and services
"billablePeriod" : { Period }, // Relevant time frame for the claim
"created" : "<dateTime>", // R!  Resource creation date
"enterer" : { Reference(Practitioner|PractitionerRole) }, // Author of the claim
"insurer" : { Reference(Organization) }, // Target
"provider" : { Reference(Practitioner|PractitionerRole|Organization) }, // R!  Party responsible for the claim
"priority" : { CodeableConcept }, // R!  Desired processing ugency
"fundsReserve" : { CodeableConcept }, // For whom to reserve funds
"related" : [{ // Prior or corollary claims
  "claim" : { Reference(Claim) }, // Reference to the related claim
  "relationship" : { CodeableConcept }, // How the reference claim is related
  "reference" : { Identifier } // File or case reference
}],
"prescription" : { Reference(DeviceRequest|MedicationRequest|
 VisionPrescription) }, // Prescription authorizing services and products
"originalPrescription" : { Reference(DeviceRequest|MedicationRequest|
 VisionPrescription) }, // Original prescription if superseded by fulfiller
"payee" : { // Recipient of benefits payable
  "type" : { CodeableConcept }, // R!  Category of recipient
  "party" : { Reference(Practitioner|PractitionerRole|Organization|Patient|
  RelatedPerson) } // Recipient reference
},
"referral" : { Reference(ServiceRequest) }, // Treatment referral
"facility" : { Reference(Location) }, // Servicing facility
"careTeam" : [{ // Members of the care team
  "sequence" : "<positiveInt>", // R!  Order of care team
  "provider" : { Reference(Practitioner|PractitionerRole|Organization) }, // R!  Practitioner or organization
  "responsible" : <boolean>, // Indicator of the lead practitioner
  "role" : { CodeableConcept }, // Function within the team
  "qualification" : { CodeableConcept } // Practitioner credential or specialization
}],
"supportingInfo" : [{ // Supporting information
  "sequence" : "<positiveInt>", // R!  Information instance identifier
  "category" : { CodeableConcept }, // R!  Classification of the supplied information
  "code" : { CodeableConcept }, // Type of information
  // timing[x]: When it occurred. One of these 2:
  "timingDate" : "<date>",
  "timingPeriod" : { Period },
  // value[x]: Data to be provided. One of these 5:
  "valueBoolean" : <boolean>,
  "valueString" : "<string>",
  "valueQuantity" : { Quantity },
  "valueAttachment" : { Attachment },
  "valueReference" : { Reference(Any) },
  "reason" : { CodeableConcept } // Explanation for the information
}],
"diagnosis" : [{ // Pertinent diagnosis information
  "sequence" : "<positiveInt>", // R!  Diagnosis instance identifier
  // diagnosis[x]: Nature of illness or problem. One of these 2:
  "diagnosisCodeableConcept" : { CodeableConcept },
  "diagnosisReference" : { Reference(Condition) },
  "type" : [{ CodeableConcept }], // Timing or nature of the diagnosis
  "onAdmission" : { CodeableConcept }, // Present on admission
  "packageCode" : { CodeableConcept } // Package billing code
}],
"procedure" : [{ // Clinical procedures performed
  "sequence" : "<positiveInt>", // R!  Procedure instance identifier
  "type" : [{ CodeableConcept }], // Category of Procedure
  "date" : "<dateTime>", // When the procedure was performed
  // procedure[x]: Specific clinical procedure. One of these 2:
  "procedureCodeableConcept" : { CodeableConcept },
  "procedureReference" : { Reference(Procedure) },
  "udi" : [{ Reference(Device) }] // Unique device identifier
}],
"insurance" : [{ // R!  Patient insurance information
  "sequence" : "<positiveInt>", // R!  Insurance instance identifier
  "focal" : <boolean>, // R!  Coverage to be used for adjudication
  "identifier" : { Identifier }, // Pre-assigned Claim number
  "coverage" : { Reference(Coverage) }, // R!  Insurance information
  "businessArrangement" : "<string>", // Additional provider contract number
  "preAuthRef" : ["<string>"], // Prior authorization reference number
  "claimResponse" : { Reference(ClaimResponse) } // Adjudication results
}],
"accident" : { // Details of the event
  "date" : "<date>", // R!  When the incident occurred
  "type" : { CodeableConcept }, // The nature of the accident
  // location[x]: Where the event occurred. One of these 2:
  "locationAddress" : { Address }
  "locationReference" : { Reference(Location) }
},
"item" : [{ // Product or service provided
  "sequence" : "<positiveInt>", // R!  Item instance identifier
  "careTeamSequence" : ["<positiveInt>"], // Applicable careTeam members
  "diagnosisSequence" : ["<positiveInt>"], // Applicable diagnoses
```

```
    "procedureSequence" : ["<positiveInt>"], // Applicable procedures
    "informationSequence" : ["<positiveInt>"], // Applicable exception and supporting information
    "revenue" : { CodeableConcept }, // Revenue or cost center code
    "category" : { CodeableConcept }, // Benefit classification
    "productOrService" : { CodeableConcept }, // R!  Billing, service, product, or drug code
    "modifier" : [{ CodeableConcept }], // Product or service billing modifiers
    "programCode" : [{ CodeableConcept }], // Program the product or service is provided under
    // serviced[x]: Date or dates of service or product delivery. One of these 2:
    "servicedDate" : "<date>",
    "servicedPeriod" : { Period },
    // location[x]: Place of service or where product was supplied. One of these 3:
    "locationCodeableConcept" : { CodeableConcept },
    "locationAddress" : { Address },
    "locationReference" : { Reference(Location) },
    "quantity" : { Quantity(SimpleQuantity) }, // Count of products or services
    "unitPrice" : { Money }, // Fee, charge or cost per item
    "factor" : <decimal>, // Price scaling factor
    "net" : { Money }, // Total item cost
    "udi" : [{ Reference(Device) }], // Unique device identifier
    "bodySite" : { CodeableConcept }, // Anatomical location
    "subSite" : [{ CodeableConcept }], // Anatomical sub-location
    "encounter" : [{ Reference(Encounter) }], // Encounters related to this billed item
    "detail" : [{ // Product or service provided
      "sequence" : "<positiveInt>", // R!  Item instance identifier
      "revenue" : { CodeableConcept }, // Revenue or cost center code
      "category" : { CodeableConcept }, // Benefit classification
      "productOrService" : { CodeableConcept }, // R!  Billing, service, product, or drug code
      "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
      "programCode" : [{ CodeableConcept }], // Program the product or service is provided under
      "quantity" : { Quantity(SimpleQuantity) }, // Count of products or services
      "unitPrice" : { Money }, // Fee, charge or cost per item
      "factor" : <decimal>, // Price scaling factor
      "net" : { Money }, // Total item cost
      "udi" : [{ Reference(Device) }], // Unique device identifier
      "subDetail" : [{ // Product or service provided
        "sequence" : "<positiveInt>", // R!  Item instance identifier
        "revenue" : { CodeableConcept }, // Revenue or cost center code
        "category" : { CodeableConcept }, // Benefit classification
        "productOrService" : { CodeableConcept }, // R!  Billing, service, product, or drug code
        "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
        "programCode" : [{ CodeableConcept }], // Program the product or service is provided under
        "quantity" : { Quantity(SimpleQuantity) }, // Count of products or services
        "unitPrice" : { Money }, // Fee, charge or cost per item
        "factor" : <decimal>, // Price scaling factor
        "net" : { Money }, // Total item cost
        "udi" : [{ Reference(Device) }] // Unique device identifier
      }]
    }]
  }],
  "total" : { Money } // Total claim cost
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:Claim;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:Claim.identifier [ Identifier ], ... ; # 0..* Business Identifier for claim
  fhir:Claim.status [ code ]; # 1..1 active | cancelled | draft | entered-in-error
  fhir:Claim.type [ CodeableConcept ]; # 1..1 Category or discipline
  fhir:Claim.subType [ CodeableConcept ]; # 0..1 More granular claim type
  fhir:Claim.use [ code ]; # 1..1 claim | preauthorization | predetermination
  fhir:Claim.patient [ Reference(Patient) ]; # 1..1 The recipient of the products and services
  fhir:Claim.billablePeriod [ Period ]; # 0..1 Relevant time frame for the claim
  fhir:Claim.created [ dateTime ]; # 1..1 Resource creation date
  fhir:Claim.enterer [ Reference(Practitioner|PractitionerRole) ]; # 0..1 Author of the claim
  fhir:Claim.insurer [ Reference(Organization) ]; # 0..1 Target
  fhir:Claim.provider [ Reference(Practitioner|PractitionerRole|Organization) ]; # 1..1 Party responsible for the claim
  fhir:Claim.priority [ CodeableConcept ]; # 1..1 Desired processing ugency
  fhir:Claim.fundsReserve [ CodeableConcept ]; # 0..1 For whom to reserve funds
  fhir:Claim.related [ # 0..* Prior or corollary claims
    fhir:Claim.related.claim [ Reference(Claim) ]; # 0..1 Reference to the related claim
    fhir:Claim.related.relationship [ CodeableConcept ]; # 0..1 How the reference claim is related
    fhir:Claim.related.reference [ Identifier ]; # 0..1 File or case reference
  ], ...;
  fhir:Claim.prescription [ Reference(DeviceRequest|MedicationRequest|VisionPrescription) ]; # 0..1 Prescription
    authorizing services and products
  fhir:Claim.originalPrescription [ Reference(DeviceRequest|MedicationRequest|VisionPrescription) ]; # 0..1 Original
    prescription if superseded by fulfiller
  fhir:Claim.payee [ # 0..1 Recipient of benefits payable
    fhir:Claim.payee.type [ CodeableConcept ]; # 1..1 Category of recipient
    fhir:Claim.payee.party [ Reference(Practitioner|PractitionerRole|Organization|Patient|RelatedPerson) ]; # 0..1
    Recipient reference
  ];
```

```
fhir:Claim.referral [ Reference(ServiceRequest) ]; # 0..1 Treatment referral
fhir:Claim.facility [ Reference(Location) ]; # 0..1 Servicing facility
fhir:Claim.careTeam [ # 0..* Members of the care team
  fhir:Claim.careTeam.sequence [ positiveInt ]; # 1..1 Order of care team
  fhir:Claim.careTeam.provider [ Reference(Practitioner|PractitionerRole|Organization) ]; # 1..1 Practitioner or
  organization
  fhir:Claim.careTeam.responsible [ boolean ]; # 0..1 Indicator of the lead practitioner
  fhir:Claim.careTeam.role [ CodeableConcept ]; # 0..1 Function within the team
  fhir:Claim.careTeam.qualification [ CodeableConcept ]; # 0..1 Practitioner credential or specialization
], ...;
fhir:Claim.supportingInfo [ # 0..* Supporting information
  fhir:Claim.supportingInfo.sequence [ positiveInt ]; # 1..1 Information instance identifier
  fhir:Claim.supportingInfo.category [ CodeableConcept ]; # 1..1 Classification of the supplied information
  fhir:Claim.supportingInfo.code [ CodeableConcept ]; # 0..1 Type of information
  # Claim.supportingInfo.timing[x] : 0..1 When it occurred. One of these 2
    fhir:Claim.supportingInfo.timingDate [ date ]
    fhir:Claim.supportingInfo.timingPeriod [ Period ]
  # Claim.supportingInfo.value[x] : 0..1 Data to be provided. One of these 5
    fhir:Claim.supportingInfo.valueBoolean [ boolean ]
    fhir:Claim.supportingInfo.valueString [ string ]
    fhir:Claim.supportingInfo.valueQuantity [ Quantity ]
    fhir:Claim.supportingInfo.valueAttachment [ Attachment ]
    fhir:Claim.supportingInfo.valueReference [ Reference(Any) ]
  fhir:Claim.supportingInfo.reason [ CodeableConcept ]; # 0..1 Explanation for the information
], ...;
fhir:Claim.diagnosis [ # 0..* Pertinent diagnosis information
  fhir:Claim.diagnosis.sequence [ positiveInt ]; # 1..1 Diagnosis instance identifier
  # Claim.diagnosis.diagnosis[x] : 1..1 Nature of illness or problem. One of these 2
    fhir:Claim.diagnosis.diagnosisCodeableConcept [ CodeableConcept ]
    fhir:Claim.diagnosis.diagnosisReference [ Reference(Condition) ]
  fhir:Claim.diagnosis.type [ CodeableConcept ], ... ; # 0..* Timing or nature of the diagnosis
  fhir:Claim.diagnosis.onAdmission [ CodeableConcept ]; # 0..1 Present on admission
  fhir:Claim.diagnosis.packageCode [ CodeableConcept ]; # 0..1 Package billing code
], ...;
fhir:Claim.procedure [ # 0..* Clinical procedures performed
  fhir:Claim.procedure.sequence [ positiveInt ]; # 1..1 Procedure instance identifier
  fhir:Claim.procedure.type [ CodeableConcept ], ... ; # 0..* Category of Procedure
  fhir:Claim.procedure.date [ dateTime ]; # 0..1 When the procedure was performed
  # Claim.procedure.procedure[x] : 1..1 Specific clinical procedure. One of these 2
    fhir:Claim.procedure.procedureCodeableConcept [ CodeableConcept ]
    fhir:Claim.procedure.procedureReference [ Reference(Procedure) ]
  fhir:Claim.procedure.udi [ Reference(Device) ], ... ; # 0..* Unique device identifier
], ...;
fhir:Claim.insurance [ # 1..* Patient insurance information
  fhir:Claim.insurance.sequence [ positiveInt ]; # 1..1 Insurance instance identifier
  fhir:Claim.insurance.focal [ boolean ]; # 1..1 Coverage to be used for adjudication
  fhir:Claim.insurance.identifier [ Identifier ]; # 0..1 Pre-assigned Claim number
  fhir:Claim.insurance.coverage [ Reference(Coverage) ]; # 1..1 Insurance information
  fhir:Claim.insurance.businessArrangement [ string ]; # 0..1 Additional provider contract number
  fhir:Claim.insurance.preAuthRef [ string ], ... ; # 0..* Prior authorization reference number
  fhir:Claim.insurance.claimResponse [ Reference(ClaimResponse) ]; # 0..1 Adjudication results
], ...;
fhir:Claim.accident [ # 0..1 Details of the event
  fhir:Claim.accident.date [ date ]; # 1..1 When the incident occurred
  fhir:Claim.accident.type [ CodeableConcept ]; # 0..1 The nature of the accident
  # Claim.accident.location[x] : 0..1 Where the event occurred. One of these 2
    fhir:Claim.accident.locationAddress [ Address ]
    fhir:Claim.accident.locationReference [ Reference(Location) ]
];
fhir:Claim.item [ # 0..* Product or service provided
  fhir:Claim.item.sequence [ positiveInt ]; # 1..1 Item instance identifier
  fhir:Claim.item.careTeamSequence [ positiveInt ], ... ; # 0..* Applicable careTeam members
  fhir:Claim.item.diagnosisSequence [ positiveInt ], ... ; # 0..* Applicable diagnoses
  fhir:Claim.item.procedureSequence [ positiveInt ], ... ; # 0..* Applicable procedures
  fhir:Claim.item.informationSequence [ positiveInt ], ... ; # 0..* Applicable exception and supporting information
  fhir:Claim.item.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
  fhir:Claim.item.category [ CodeableConcept ]; # 0..1 Benefit classification
  fhir:Claim.item.productOrService [ CodeableConcept ]; # 1..1 Billing, service, product, or drug code
  fhir:Claim.item.modifier [ CodeableConcept ], ... ; # 0..* Product or service billing modifiers
  fhir:Claim.item.programCode [ CodeableConcept ], ... ; # 0..* Program the product or service is provided under
  # Claim.item.serviced[x] : 0..1 Date or dates of service or product delivery. One of these 2
    fhir:Claim.item.servicedDate [ date ]
    fhir:Claim.item.servicedPeriod [ Period ]
  # Claim.item.location[x] : 0..1 Place of service or where product was supplied. One of these 3
    fhir:Claim.item.locationCodeableConcept [ CodeableConcept ]
    fhir:Claim.item.locationAddress [ Address ]
    fhir:Claim.item.locationReference [ Reference(Location) ]
  fhir:Claim.item.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of products or services
  fhir:Claim.item.unitPrice [ Money ]; # 0..1 Fee, charge or cost per item
  fhir:Claim.item.factor [ decimal ]; # 0..1 Price scaling factor
  fhir:Claim.item.net [ Money ]; # 0..1 Total item cost
  fhir:Claim.item.udi [ Reference(Device) ], ... ; # 0..* Unique device identifier
  fhir:Claim.item.bodySite [ CodeableConcept ]; # 0..1 Anatomical location
  fhir:Claim.item.subSite [ CodeableConcept ], ... ; # 0..* Anatomical sub-location
  fhir:Claim.item.encounter [ Reference(Encounter) ], ... ; # 0..* Encounters related to this billed item

  fhir:Claim.item.detail [ # 0..* Product or service provided
    fhir:Claim.item.detail.sequence [ positiveInt ]; # 1..1 Item instance identifier
    fhir:Claim.item.detail.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
    fhir:Claim.item.detail.category [ CodeableConcept ]; # 0..1 Benefit classification
```

```
      fhir:Claim.item.detail.productOrService [ CodeableConcept ]; # 1..1 Billing, service, product, or drug code
      fhir:Claim.item.detail.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing modifiers
      fhir:Claim.item.detail.programCode [ CodeableConcept ], ... ; # 0..* Program the product or service is provided
    under
      fhir:Claim.item.detail.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of products or services
      fhir:Claim.item.detail.unitPrice [ Money ]; # 0..1 Fee, charge or cost per item
      fhir:Claim.item.detail.factor [ decimal ]; # 0..1 Price scaling factor
      fhir:Claim.item.detail.net [ Money ]; # 0..1 Total item cost
      fhir:Claim.item.detail.udi [ Reference(Device) ], ... ; # 0..* Unique device identifier
      fhir:Claim.item.detail.subDetail [ # 0..* Product or service provided
        fhir:Claim.item.detail.subDetail.sequence [ positiveInt ]; # 1..1 Item instance identifier
        fhir:Claim.item.detail.subDetail.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
        fhir:Claim.item.detail.subDetail.category [ CodeableConcept ]; # 0..1 Benefit classification
        fhir:Claim.item.detail.subDetail.productOrService [ CodeableConcept ]; # 1..1 Billing, service, product, or drug
     code
        fhir:Claim.item.detail.subDetail.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing modifiers
        fhir:Claim.item.detail.subDetail.programCode [ CodeableConcept ], ... ; # 0..* Program the product or service is
     provided under
        fhir:Claim.item.detail.subDetail.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of products or services
        fhir:Claim.item.detail.subDetail.unitPrice [ Money ]; # 0..1 Fee, charge or cost per item
        fhir:Claim.item.detail.subDetail.factor [ decimal ]; # 0..1 Price scaling factor
        fhir:Claim.item.detail.subDetail.net [ Money ]; # 0..1 Total item cost
        fhir:Claim.item.detail.subDetail.udi [ Reference(Device) ], ... ; # 0..* Unique device identifier
      ], ...;
    ], ...;
  ], ...;
  fhir:Claim.total [ Money ]; # 0..1 Total claim cost
]
```

Changes since R3

Claim

Claim.status | Min Cardinality changed from 0 to 1 Change value set from http://hl7.org/fhir/ValueSet/fm-status to http://hl7.org/fhir/ValueSet/fm-status|4.0.1

Claim.type | Min Cardinality changed from 0 to 1 Change binding strength from required to extensible

Claim.subType | Max Cardinality changed from * to 1

Claim.use | Min Cardinality changed from 0 to 1 Change value set from http://hl7.org/fhir/ValueSet/claim-use to http://hl7.org/fhir/ValueSet/claim-use|4.0.1

Claim.patient | Min Cardinality changed from 0 to 1

Claim.created | Min Cardinality changed from 0 to 1

Claim.enterer | Type Reference: Added Target Type PractitionerRole

Claim.provider | Min Cardinality changed from 0 to 1 Type Reference: Added Target Types PractitionerRole, Organization

Claim.priority | Min Cardinality changed from 0 to 1

Claim.prescription | Type Reference: Added Target Type DeviceRequest

Claim.originalPrescription | Type Reference: Added Target Types DeviceRequest, VisionPrescription

Claim.payee.party | Type Reference: Added Target Type PractitionerRole

Claim.referral | Type Reference: Added Target Type ServiceRequest Type Reference: Removed Target Type ReferralRequest

Claim.careTeam.provider | Type Reference: Added Target Type PractitionerRole

Claim.supportingInfo | Renamed from information to supportingInfo

Claim.supportingInfo.sequence | Moved from Claim.information to Claim.supportingInfo

Claim.supportingInfo.category | Moved from Claim.information to Claim.supportingInfo

Claim.supportingInfo.code | Moved from Claim.information to Claim.supportingInfo

Claim.supportingInfo.timing[x] | Moved from Claim.information to Claim.supportingInfo

Claim.supportingInfo.value[x] | Moved from Claim.information to Claim.supportingInfo Add Type boolean

Claim.supportingInfo.reason | Moved from Claim.information to Claim.supportingInfo

Claim.diagnosis.onAdmission | Added Element

Claim.procedure.type | Added Element

Claim.procedure.udi | Added Element

Claim.insurance | Min Cardinality changed from 0 to 1

Claim.insurance.identifier | Added Element

Claim.accident.type | Change binding strength from required to extensible

Claim.item.careTeamSequence | Renamed from careTeamLinkId to careTeamSequence

Claim.item.diagnosisSequence | Renamed from diagnosisLinkId to diagnosisSequence

Claim.item.procedureSequence | Renamed from procedureLinkId to procedureSequence

Claim.item.informationSequence | Renamed from informationLinkId to informationSequence

Claim.item.productOrService | Renamed from service to productOrService Min Cardinality changed from 0 to 1

Claim.item.detail.productOrService | Renamed from service to productOrService Min Cardinality changed from 0 to 1

Claim.item.detail.subDetail.productOrService | Renamed from service to productOrService Min Cardinality changed from 0 to 1

Claim.organization | deleted

Claim.payee.resourceType | deleted

Claim.employmentImpacted | deleted

Claim.hospitalization | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R3 <--> R4 Conversion Maps (status = 16 tests of which 3 fail to execute. 13 fail round-trip testing and 3 r3 resources are invalid (0 errors).)

Structure

Name | Flags | Card. | Type | Description & Constraints
Claim | TU | | DomainResource | Claim, Pre-determination or Pre-authorization Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Business Identifier for claim
status | ?!Σ | 1..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
type | Σ | 1..1 | CodeableConcept | Category or discipline Claim Type Codes (Extensible)
subType | | 0..1 | CodeableConcept | More granular claim type Example Claim SubType Codes (Example)
use | Σ | 1..1 | code | claim | preauthorization | predetermination Use (Required)
patient | Σ | 1..1 | Reference(Patient) | The recipient of the products and services
billablePeriod | Σ | 0..1 | Period | Relevant time frame for the claim
created | Σ | 1..1 | dateTime | Resource creation date
enterer | | 0..1 | Reference(Practitioner | PractitionerRole) | Author of the claim
insurer | Σ | 0..1 | Reference(Organization) | Target
provider | Σ | 1..1 | Reference(Practitioner | PractitionerRole | Organization) | Party responsible for the claim
priority | Σ | 1..1 | CodeableConcept | Desired processing ugency Process Priority Codes (Example)
fundsReserve | | 0..1 | CodeableConcept | For whom to reserve funds FundsReserve (Example)
related | | 0..* | BackboneElement | Prior or corollary claims
claim | | 0..1 | Reference(Claim) | Reference to the related claim
relationship | | 0..1 | CodeableConcept | How the reference claim is related Example Related Claim Relationship Codes (Example)
reference | | 0..1 | Identifier | File or case reference
prescription | | 0..1 | Reference(DeviceRequest | MedicationRequest | VisionPrescription) | Prescription authorizing services and products
originalPrescription | | 0..1 | Reference(DeviceRequest | MedicationRequest | VisionPrescription) | Original prescription if superseded by fulfiller
payee | | 0..1 | BackboneElement | Recipient of benefits payable
type | | 1..1 | CodeableConcept | Category of recipient PayeeType (Example)
party | | 0..1 | Reference(Practitioner | PractitionerRole | Organization | Patient | RelatedPerson) | Recipient reference
referral | | 0..1 | Reference(ServiceRequest) | Treatment referral
facility | | 0..1 | Reference(Location) | Servicing facility
careTeam | | 0..* | BackboneElement | Members of the care team
sequence | | 1..1 | positiveInt | Order of care team
provider | | 1..1 | Reference(Practitioner | PractitionerRole | Organization) | Practitioner or organization
responsible | | 0..1 | boolean | Indicator of the lead practitioner
role | | 0..1 | CodeableConcept | Function within the team Claim Care Team Role Codes (Example)
qualification | | 0..1 | CodeableConcept | Practitioner credential or specialization Example Provider Qualification Codes (Example)
supportingInfo | | 0..* | BackboneElement | Supporting information
sequence | | 1..1 | positiveInt | Information instance identifier
category | | 1..1 | CodeableConcept | Classification of the supplied information Claim Information Category Codes (Example)
code | | 0..1 | CodeableConcept | Type of information Exception Codes (Example)
timing[x] | | 0..1 | | When it occurred
timingDate | | | date
timingPeriod | | | Period
value[x] | | 0..1 | | Data to be provided
valueBoolean | | | boolean
valueString | | | string
valueQuantity | | | Quantity
valueAttachment | | | Attachment
valueReference | | | Reference(Any)
reason | | 0..1 | CodeableConcept | Explanation for the information Missing Tooth Reason Codes (Example)
diagnosis | | 0..* | BackboneElement | Pertinent diagnosis information
sequence | | 1..1 | positiveInt | Diagnosis instance identifier
diagnosis[x] | | 1..1 | | Nature of illness or problem ICD-10 Codes (Example)
diagnosisCodeableConcept | | | CodeableConcept
diagnosisReference | | | Reference(Condition)
type | | 0..* | CodeableConcept | Timing or nature of the diagnosis Example Diagnosis Type Codes (Example)
onAdmission | | 0..1 | CodeableConcept | Present on admission Example Diagnosis on Admission Codes (Example)
packageCode | | 0..1 | CodeableConcept | Package billing code Example Diagnosis Related Group Codes (Example)
procedure | | 0..* | BackboneElement | Clinical procedures performed
sequence | | 1..1 | positiveInt | Procedure instance identifier
type | | 0..* | CodeableConcept | Category of Procedure Example Procedure Type Codes (Example)
date | | 0..1 | dateTime | When the procedure was performed
procedure[x] | | 1..1 | | Specific clinical procedure ICD-10 Procedure Codes (Example)
procedureCodeableConcept | | | CodeableConcept
procedureReference | | | Reference(Procedure)
udi | | 0..* | Reference(Device) | Unique device identifier
insurance | Σ | 1..* | BackboneElement | Patient insurance information
sequence | Σ | 1..1 | positiveInt | Insurance instance identifier
focal | Σ | 1..1 | boolean | Coverage to be used for adjudication
identifier | | 0..1 | Identifier | Pre-assigned Claim number
coverage | Σ | 1..1 | Reference(Coverage) | Insurance information
businessArrangement | | 0..1 | string | Additional provider contract number
preAuthRef | | 0..* | string | Prior authorization reference number

claimResponse | | 0..1 | Reference(ClaimResponse) | Adjudication results
accident | | 0..1 | BackboneElement | Details of the event
date | | 1..1 | date | When the incident occurred
type | | 0..1 | CodeableConcept | The nature of the accident V3 Value SetActIncidentCode (Extensible)
location[x] | | 0..1 | | Where the event occurred
locationAddress | | | Address
locationReference | | | Reference(Location)
item | | 0..* | BackboneElement | Product or service provided
sequence | | 1..1 | positiveInt | Item instance identifier
careTeamSequence | | 0..* | positiveInt | Applicable careTeam members
diagnosisSequence | | 0..* | positiveInt | Applicable diagnoses
procedureSequence | | 0..* | positiveInt | Applicable procedures
informationSequence | | 0..* | positiveInt | Applicable exception and supporting information
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Benefit classification Benefit Category Codes (Example)
productOrService | | 1..1 | CodeableConcept | Billing, service, product, or drug code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Product or service billing modifiers Modifier type Codes (Example)
programCode | | 0..* | CodeableConcept | Program the product or service is provided under Example Program Reason Codes (Example)
serviced[x] | | 0..1 | | Date or dates of service or product delivery
servicedDate | | | date
servicedPeriod | | | Period
location[x] | | 0..1 | | Place of service or where product was supplied Example Service Place Codes (Example)
locationCodeableConcept | | | CodeableConcept
locationAddress | | | Address
locationReference | | | Reference(Location)
quantity | | 0..1 | SimpleQuantity | Count of products or services
unitPrice | | 0..1 | Money | Fee, charge or cost per item
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total item cost
udi | | 0..* | Reference(Device) | Unique device identifier
bodySite | | 0..1 | CodeableConcept | Anatomical location Oral Site Codes (Example)
subSite | | 0..* | CodeableConcept | Anatomical sub-location Surface Codes (Example)
encounter | | 0..* | Reference(Encounter) | Encounters related to this billed item
detail | | 0..* | BackboneElement | Product or service provided
sequence | | 1..1 | positiveInt | Item instance identifier
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Benefit classification Benefit Category Codes (Example)
productOrService | | 1..1 | CodeableConcept | Billing, service, product, or drug code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
programCode | | 0..* | CodeableConcept | Program the product or service is provided under Example Program Reason Codes (Example)
quantity | | 0..1 | SimpleQuantity | Count of products or services
unitPrice | | 0..1 | Money | Fee, charge or cost per item
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total item cost
udi | | 0..* | Reference(Device) | Unique device identifier
subDetail | | 0..* | BackboneElement | Product or service provided
sequence | | 1..1 | positiveInt | Item instance identifier
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Benefit classification Benefit Category Codes (Example)
productOrService | | 1..1 | CodeableConcept | Billing, service, product, or drug code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
programCode | | 0..* | CodeableConcept | Program the product or service is provided under Example Program Reason Codes (Example)
quantity | | 0..1 | SimpleQuantity | Count of products or services
unitPrice | | 0..1 | Money | Fee, charge or cost per item
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total item cost
udi | | 0..* | Reference(Device) | Unique device identifier
total | | 0..1 | Money | Total claim cost
Documentation for this format

UML Diagram (Legend)

XML Template

```
<Claim xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier for claim --></identifier>
 <status value="[code]"/><!-- 1..1 active | cancelled | draft | entered-in-error -->
 <type><!-- 1..1 CodeableConcept Category or discipline --></type>
 <subType><!-- 0..1 CodeableConcept More granular claim type --></subType>
 <use value="[code]"/><!-- 1..1 claim | preauthorization | predetermination -->
 <patient><!-- 1..1 Reference(Patient) The recipient of the products and services --></patient>
```

```
<billablePeriod><!-- 0..1 Period Relevant time frame for the claim --></billablePeriod>
<created value="[dateTime]"/><!-- 1..1 Resource creation date -->
<enterer><!-- 0..1 Reference(Practitioner|PractitionerRole) Author of the claim --></enterer>
<insurer><!-- 0..1 Reference(Organization) Target --></insurer>
<provider><!-- 1..1 Reference(Practitioner|PractitionerRole|Organization) Party responsible for the claim
   --></provider>
<priority><!-- 1..1 CodeableConcept Desired processing ugency --></priority>
<fundsReserve><!-- 0..1 CodeableConcept For whom to reserve funds --></fundsReserve>
<related>  <!-- 0..* Prior or corollary claims -->
 <claim><!-- 0..1 Reference(Claim) Reference to the related claim --></claim>
 <relationship><!-- 0..1 CodeableConcept How the reference claim is related --></relationship>
 <reference><!-- 0..1 Identifier File or case reference --></reference>
</related>
<prescription><!-- 0..1 Reference(DeviceRequest|MedicationRequest|
  VisionPrescription) Prescription authorizing services and products --></prescription>
<originalPrescription><!-- 0..1 Reference(DeviceRequest|MedicationRequest|
  VisionPrescription) Original prescription if superseded by fulfiller --></originalPrescription>
<payee>  <!-- 0..1 Recipient of benefits payable -->
 <type><!-- 1..1 CodeableConcept Category of recipient --></type>
 <party><!-- 0..1 Reference(Practitioner|PractitionerRole|Organization|Patient|
   RelatedPerson) Recipient reference --></party>
</payee>
<referral><!-- 0..1 Reference(ServiceRequest) Treatment referral --></referral>
<facility><!-- 0..1 Reference(Location) Servicing facility --></facility>
<careTeam>  <!-- 0..* Members of the care team -->
 <sequence value="[positiveInt]"/><!-- 1..1 Order of care team -->
 <provider><!-- 1..1 Reference(Practitioner|PractitionerRole|Organization) Practitioner or organization --></provider>
 <responsible value="[boolean]"/><!-- 0..1 Indicator of the lead practitioner -->
 <role><!-- 0..1 CodeableConcept Function within the team --></role>
 <qualification><!-- 0..1 CodeableConcept Practitioner credential or specialization --></qualification>
</careTeam>
<supportingInfo>  <!-- 0..* Supporting information -->
 <sequence value="[positiveInt]"/><!-- 1..1 Information instance identifier -->
 <category><!-- 1..1 CodeableConcept Classification of the supplied information --></category>
 <code><!-- 0..1 CodeableConcept Type of information --></code>
 <timing[x]><!-- 0..1 date|Period When it occurred --></timing[x]>
 <value[x]><!-- 0..1 boolean|string|Quantity|Attachment|Reference(Any) Data to be provided --></value[x]>
 <reason><!-- 0..1 CodeableConcept Explanation for the information --></reason>
</supportingInfo>
<diagnosis>  <!-- 0..* Pertinent diagnosis information -->
 <sequence value="[positiveInt]"/><!-- 1..1 Diagnosis instance identifier -->
 <diagnosis[x]><!-- 1..1 CodeableConcept|Reference(Condition) Nature of illness or problem --></diagnosis[x]>
 <type><!-- 0..* CodeableConcept Timing or nature of the diagnosis --></type>
 <onAdmission><!-- 0..1 CodeableConcept Present on admission --></onAdmission>
 <packageCode><!-- 0..1 CodeableConcept Package billing code --></packageCode>
</diagnosis>
<procedure>  <!-- 0..* Clinical procedures performed -->
 <sequence value="[positiveInt]"/><!-- 1..1 Procedure instance identifier -->
 <type><!-- 0..* CodeableConcept Category of Procedure --></type>
 <date value="[dateTime]"/><!-- 0..1 When the procedure was performed -->
 <procedure[x]><!-- 1..1 CodeableConcept|Reference(Procedure) Specific clinical procedure --></procedure[x]>
 <udi><!-- 0..* Reference(Device) Unique device identifier --></udi>
</procedure>
<insurance>  <!-- 1..* Patient insurance information -->
 <sequence value="[positiveInt]"/><!-- 1..1 Insurance instance identifier -->
 <focal value="[boolean]"/><!-- 1..1 Coverage to be used for adjudication -->
 <identifier><!-- 0..1 Identifier Pre-assigned Claim number --></identifier>
 <coverage><!-- 1..1 Reference(Coverage) Insurance information --></coverage>
 <businessArrangement value="[string]"/><!-- 0..1 Additional provider contract number -->
 <preAuthRef value="[string]"/><!-- 0..* Prior authorization reference number -->
 <claimResponse><!-- 0..1 Reference(ClaimResponse) Adjudication results --></claimResponse>
</insurance>
<accident>  <!-- 0..1 Details of the event -->
 <date value="[date]"/><!-- 1..1 When the incident occurred -->
 <type><!-- 0..1 CodeableConcept The nature of the accident --></type>
 <location[x]><!-- 0..1 Address|Reference(Location) Where the event occurred --></location[x]>
</accident>
<item>  <!-- 0..* Product or service provided -->
 <sequence value="[positiveInt]"/><!-- 1..1 Item instance identifier -->
 <careTeamSequence value="[positiveInt]"/><!-- 0..* Applicable careTeam members -->
 <diagnosisSequence value="[positiveInt]"/><!-- 0..* Applicable diagnoses -->
 <procedureSequence value="[positiveInt]"/><!-- 0..* Applicable procedures -->
 <informationSequence value="[positiveInt]"/><!-- 0..* Applicable exception and supporting information -->
 <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
 <category><!-- 0..1 CodeableConcept Benefit classification --></category>
 <productOrService><!-- 1..1 CodeableConcept Billing, service, product, or drug code --></productOrService>
 <modifier><!-- 0..* CodeableConcept Product or service billing modifiers --></modifier>
 <programCode><!-- 0..* CodeableConcept Program the product or service is provided under --></programCode>
 <serviced[x]><!-- 0..1 date|Period Date or dates of service or product delivery --></serviced[x]>
 <location[x]><!-- 0..1 CodeableConcept|Address|Reference(Location) Place of service or where product was supplied
   --></location[x]>
 <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of products or services --></quantity>
 <unitPrice><!-- 0..1 Money Fee, charge or cost per item --></unitPrice>
 <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
 <net><!-- 0..1 Money Total item cost --></net>
 <udi><!-- 0..* Reference(Device) Unique device identifier --></udi>
 <bodySite><!-- 0..1 CodeableConcept Anatomical location --></bodySite>
 <subSite><!-- 0..* CodeableConcept Anatomical sub-location --></subSite>
 <encounter><!-- 0..* Reference(Encounter) Encounters related to this billed item --></encounter>
```

```
  <detail>  <!-- 0..* Product or service provided -->
   <sequence value="[positiveInt]"/><!-- 1..1 Item instance identifier -->
   <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
   <category><!-- 0..1 CodeableConcept Benefit classification --></category>
   <productOrService><!-- 1..1 CodeableConcept Billing, service, product, or drug code --></productOrService>
   <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
   <programCode><!-- 0..* CodeableConcept Program the product or service is provided under --></programCode>
   <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of products or services --></quantity>
   <unitPrice><!-- 0..1 Money Fee, charge or cost per item --></unitPrice>
   <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
   <net><!-- 0..1 Money Total item cost --></net>
   <udi><!-- 0..* Reference(Device) Unique device identifier --></udi>
   <subDetail>  <!-- 0..* Product or service provided -->
    <sequence value="[positiveInt]"/><!-- 1..1 Item instance identifier -->
    <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
    <category><!-- 0..1 CodeableConcept Benefit classification --></category>
    <productOrService><!-- 1..1 CodeableConcept Billing, service, product, or drug code --></productOrService>
    <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
    <programCode><!-- 0..* CodeableConcept Program the product or service is provided under --></programCode>
    <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of products or services --></quantity>
    <unitPrice><!-- 0..1 Money Fee, charge or cost per item --></unitPrice>
    <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
    <net><!-- 0..1 Money Total item cost --></net>
    <udi><!-- 0..* Reference(Device) Unique device identifier --></udi>
   </subDetail>
  </detail>
 </item>
 <total><!-- 0..1 Money Total claim cost --></total>
</Claim>
```

JSON Template

```
{
  "resourceType" : "Claim",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier for claim
  "status" : "<code>", // R!  active | cancelled | draft | entered-in-error
  "type" : { CodeableConcept }, // R!  Category or discipline
  "subType" : { CodeableConcept }, // More granular claim type
  "use" : "<code>", // R!  claim | preauthorization | predetermination
  "patient" : { Reference(Patient) }, // R!  The recipient of the products and services
  "billablePeriod" : { Period }, // Relevant time frame for the claim
  "created" : "<dateTime>", // R!  Resource creation date
  "enterer" : { Reference(Practitioner|PractitionerRole) }, // Author of the claim
  "insurer" : { Reference(Organization) }, // Target
  "provider" : { Reference(Practitioner|PractitionerRole|Organization) }, // R!  Party responsible for the claim
  "priority" : { CodeableConcept }, // R!  Desired processing ugency
  "fundsReserve" : { CodeableConcept }, // For whom to reserve funds
  "related" : [{ // Prior or corollary claims
    "claim" : { Reference(Claim) }, // Reference to the related claim
    "relationship" : { CodeableConcept }, // How the reference claim is related
    "reference" : { Identifier } // File or case reference
  }],
  "prescription" : { Reference(DeviceRequest|MedicationRequest|
   VisionPrescription) }, // Prescription authorizing services and products
  "originalPrescription" : { Reference(DeviceRequest|MedicationRequest|
   VisionPrescription) }, // Original prescription if superseded by fulfiller
  "payee" : { // Recipient of benefits payable
    "type" : { CodeableConcept }, // R!  Category of recipient
    "party" : { Reference(Practitioner|PractitionerRole|Organization|Patient|
    RelatedPerson) } // Recipient reference
  },
  "referral" : { Reference(ServiceRequest) }, // Treatment referral
  "facility" : { Reference(Location) }, // Servicing facility
  "careTeam" : [{ // Members of the care team
    "sequence" : "<positiveInt>", // R!  Order of care team
    "provider" : { Reference(Practitioner|PractitionerRole|Organization) }, // R!  Practitioner or organization
    "responsible" : <boolean>, // Indicator of the lead practitioner
    "role" : { CodeableConcept }, // Function within the team
    "qualification" : { CodeableConcept } // Practitioner credential or specialization
  }],
  "supportingInfo" : [{ // Supporting information
    "sequence" : "<positiveInt>", // R!  Information instance identifier
    "category" : { CodeableConcept }, // R!  Classification of the supplied information
    "code" : { CodeableConcept }, // Type of information
    // timing[x]: When it occurred. One of these 2:
    "timingDate" : "<date>",
    "timingPeriod" : { Period },
    // value[x]: Data to be provided. One of these 5:
    "valueBoolean" : <boolean>,
    "valueString" : "<string>",
    "valueQuantity" : { Quantity },
    "valueAttachment" : { Attachment },
    "valueReference" : { Reference(Any) },
    "reason" : { CodeableConcept } // Explanation for the information
  }],
  "diagnosis" : [{ // Pertinent diagnosis information
    "sequence" : "<positiveInt>", // R!  Diagnosis instance identifier
```

```
    // diagnosis[x]: Nature of illness or problem. One of these 2:
    "diagnosisCodeableConcept" : { CodeableConcept },
    "diagnosisReference" : { Reference(Condition) },
    "type" : [{ CodeableConcept }], // Timing or nature of the diagnosis
    "onAdmission" : { CodeableConcept }, // Present on admission
    "packageCode" : { CodeableConcept } // Package billing code
  }],
  "procedure" : [{ // Clinical procedures performed
    "sequence" : "<positiveInt>", // R!  Procedure instance identifier
    "type" : [{ CodeableConcept }], // Category of Procedure
    "date" : "<dateTime>", // When the procedure was performed
    // procedure[x]: Specific clinical procedure. One of these 2:
    "procedureCodeableConcept" : { CodeableConcept },
    "procedureReference" : { Reference(Procedure) },
    "udi" : [{ Reference(Device) }] // Unique device identifier
  }],
  "insurance" : [{ // R!  Patient insurance information
    "sequence" : "<positiveInt>", // R!  Insurance instance identifier
    "focal" : <boolean>, // R!  Coverage to be used for adjudication
    "identifier" : { Identifier }, // Pre-assigned Claim number
    "coverage" : { Reference(Coverage) }, // R!  Insurance information
    "businessArrangement" : "<string>", // Additional provider contract number
    "preAuthRef" : ["<string>"], // Prior authorization reference number
    "claimResponse" : { Reference(ClaimResponse) } // Adjudication results
  }],
  "accident" : { // Details of the event
    "date" : "<date>", // R!  When the incident occurred
    "type" : { CodeableConcept }, // The nature of the accident
    // location[x]: Where the event occurred. One of these 2:
    "locationAddress" : { Address }
    "locationReference" : { Reference(Location) }
  },
  "item" : [{ // Product or service provided
    "sequence" : "<positiveInt>", // R!  Item instance identifier
    "careTeamSequence" : ["<positiveInt>"], // Applicable careTeam members
    "diagnosisSequence" : ["<positiveInt>"], // Applicable diagnoses
    "procedureSequence" : ["<positiveInt>"], // Applicable procedures
    "informationSequence" : ["<positiveInt>"], // Applicable exception and supporting information
    "revenue" : { CodeableConcept }, // Revenue or cost center code
    "category" : { CodeableConcept }, // Benefit classification
    "productOrService" : { CodeableConcept }, // R!  Billing, service, product, or drug code
    "modifier" : [{ CodeableConcept }], // Product or service billing modifiers
    "programCode" : [{ CodeableConcept }], // Program the product or service is provided under
    // serviced[x]: Date or dates of service or product delivery. One of these 2:
    "servicedDate" : "<date>",
    "servicedPeriod" : { Period },
    // location[x]: Place of service or where product was supplied. One of these 3:
    "locationCodeableConcept" : { CodeableConcept },
    "locationAddress" : { Address },
    "locationReference" : { Reference(Location) },
    "quantity" : { Quantity(SimpleQuantity) }, // Count of products or services
    "unitPrice" : { Money }, // Fee, charge or cost per item
    "factor" : <decimal>, // Price scaling factor
    "net" : { Money }, // Total item cost
    "udi" : [{ Reference(Device) }], // Unique device identifier
    "bodySite" : { CodeableConcept }, // Anatomical location
    "subSite" : [{ CodeableConcept }], // Anatomical sub-location
    "encounter" : [{ Reference(Encounter) }], // Encounters related to this billed item
    "detail" : [{ // Product or service provided
      "sequence" : "<positiveInt>", // R!  Item instance identifier
      "revenue" : { CodeableConcept }, // Revenue or cost center code
      "category" : { CodeableConcept }, // Benefit classification
      "productOrService" : { CodeableConcept }, // R!  Billing, service, product, or drug code
      "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
      "programCode" : [{ CodeableConcept }], // Program the product or service is provided under
      "quantity" : { Quantity(SimpleQuantity) }, // Count of products or services
      "unitPrice" : { Money }, // Fee, charge or cost per item
      "factor" : <decimal>, // Price scaling factor
      "net" : { Money }, // Total item cost
      "udi" : [{ Reference(Device) }], // Unique device identifier
      "subDetail" : [{ // Product or service provided
        "sequence" : "<positiveInt>", // R!  Item instance identifier
        "revenue" : { CodeableConcept }, // Revenue or cost center code
        "category" : { CodeableConcept }, // Benefit classification
        "productOrService" : { CodeableConcept }, // R!  Billing, service, product, or drug code
        "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
        "programCode" : [{ CodeableConcept }], // Program the product or service is provided under
        "quantity" : { Quantity(SimpleQuantity) }, // Count of products or services
        "unitPrice" : { Money }, // Fee, charge or cost per item
        "factor" : <decimal>, // Price scaling factor
        "net" : { Money }, // Total item cost
        "udi" : [{ Reference(Device) }] // Unique device identifier
      }]
    }]
  }],
  "total" : { Money } // Total claim cost
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:Claim;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:Claim.identifier [ Identifier ], ... ; # 0..* Business Identifier for claim
  fhir:Claim.status [ code ]; # 1..1 active | cancelled | draft | entered-in-error
  fhir:Claim.type [ CodeableConcept ]; # 1..1 Category or discipline
  fhir:Claim.subType [ CodeableConcept ]; # 0..1 More granular claim type
  fhir:Claim.use [ code ]; # 1..1 claim | preauthorization | predetermination
  fhir:Claim.patient [ Reference(Patient) ]; # 1..1 The recipient of the products and services
  fhir:Claim.billablePeriod [ Period ]; # 0..1 Relevant time frame for the claim
  fhir:Claim.created [ dateTime ]; # 1..1 Resource creation date
  fhir:Claim.enterer [ Reference(Practitioner|PractitionerRole) ]; # 0..1 Author of the claim
  fhir:Claim.insurer [ Reference(Organization) ]; # 0..1 Target
  fhir:Claim.provider [ Reference(Practitioner|PractitionerRole|Organization) ]; # 1..1 Party responsible for the claim
  fhir:Claim.priority [ CodeableConcept ]; # 1..1 Desired processing ugency
  fhir:Claim.fundsReserve [ CodeableConcept ]; # 0..1 For whom to reserve funds
  fhir:Claim.related [ # 0..* Prior or corollary claims
    fhir:Claim.related.claim [ Reference(Claim) ]; # 0..1 Reference to the related claim
    fhir:Claim.related.relationship [ CodeableConcept ]; # 0..1 How the reference claim is related
    fhir:Claim.related.reference [ Identifier ]; # 0..1 File or case reference
  ], ...;
  fhir:Claim.prescription [ Reference(DeviceRequest|MedicationRequest|VisionPrescription) ]; # 0..1 Prescription
    authorizing services and products
  fhir:Claim.originalPrescription [ Reference(DeviceRequest|MedicationRequest|VisionPrescription) ]; # 0..1 Original
    prescription if superseded by fulfiller
  fhir:Claim.payee [ # 0..1 Recipient of benefits payable
    fhir:Claim.payee.type [ CodeableConcept ]; # 1..1 Category of recipient
    fhir:Claim.payee.party [ Reference(Practitioner|PractitionerRole|Organization|Patient|RelatedPerson) ]; # 0..1
    Recipient reference
  ];
  fhir:Claim.referral [ Reference(ServiceRequest) ]; # 0..1 Treatment referral
  fhir:Claim.facility [ Reference(Location) ]; # 0..1 Servicing facility
  fhir:Claim.careTeam [ # 0..* Members of the care team
    fhir:Claim.careTeam.sequence [ positiveInt ]; # 1..1 Order of care team
    fhir:Claim.careTeam.provider [ Reference(Practitioner|PractitionerRole|Organization) ]; # 1..1 Practitioner or
    organization
    fhir:Claim.careTeam.responsible [ boolean ]; # 0..1 Indicator of the lead practitioner
    fhir:Claim.careTeam.role [ CodeableConcept ]; # 0..1 Function within the team
    fhir:Claim.careTeam.qualification [ CodeableConcept ]; # 0..1 Practitioner credential or specialization
  ], ...;
  fhir:Claim.supportingInfo [ # 0..* Supporting information
    fhir:Claim.supportingInfo.sequence [ positiveInt ]; # 1..1 Information instance identifier
    fhir:Claim.supportingInfo.category [ CodeableConcept ]; # 1..1 Classification of the supplied information
    fhir:Claim.supportingInfo.code [ CodeableConcept ]; # 0..1 Type of information
    # Claim.supportingInfo.timing[x] : 0..1 When it occurred. One of these 2
      fhir:Claim.supportingInfo.timingDate [ date ]
      fhir:Claim.supportingInfo.timingPeriod [ Period ]
    # Claim.supportingInfo.value[x] : 0..1 Data to be provided. One of these 5
      fhir:Claim.supportingInfo.valueBoolean [ boolean ]
      fhir:Claim.supportingInfo.valueString [ string ]
      fhir:Claim.supportingInfo.valueQuantity [ Quantity ]
      fhir:Claim.supportingInfo.valueAttachment [ Attachment ]
      fhir:Claim.supportingInfo.valueReference [ Reference(Any) ]
    fhir:Claim.supportingInfo.reason [ CodeableConcept ]; # 0..1 Explanation for the information
  ], ...;
  fhir:Claim.diagnosis [ # 0..* Pertinent diagnosis information
    fhir:Claim.diagnosis.sequence [ positiveInt ]; # 1..1 Diagnosis instance identifier
    # Claim.diagnosis.diagnosis[x] : 1..1 Nature of illness or problem. One of these 2
      fhir:Claim.diagnosis.diagnosisCodeableConcept [ CodeableConcept ]
      fhir:Claim.diagnosis.diagnosisReference [ Reference(Condition) ]
    fhir:Claim.diagnosis.type [ CodeableConcept ], ... ; # 0..* Timing or nature of the diagnosis
    fhir:Claim.diagnosis.onAdmission [ CodeableConcept ]; # 0..1 Present on admission
    fhir:Claim.diagnosis.packageCode [ CodeableConcept ]; # 0..1 Package billing code
  ], ...;
  fhir:Claim.procedure [ # 0..* Clinical procedures performed
    fhir:Claim.procedure.sequence [ positiveInt ]; # 1..1 Procedure instance identifier
    fhir:Claim.procedure.type [ CodeableConcept ], ... ; # 0..* Category of Procedure
    fhir:Claim.procedure.date [ dateTime ]; # 0..1 When the procedure was performed
    # Claim.procedure.procedure[x] : 1..1 Specific clinical procedure. One of these 2
      fhir:Claim.procedure.procedureCodeableConcept [ CodeableConcept ]
      fhir:Claim.procedure.procedureReference [ Reference(Procedure) ]
    fhir:Claim.procedure.udi [ Reference(Device) ], ... ; # 0..* Unique device identifier
  ], ...;
  fhir:Claim.insurance [ # 1..* Patient insurance information
    fhir:Claim.insurance.sequence [ positiveInt ]; # 1..1 Insurance instance identifier
    fhir:Claim.insurance.focal [ boolean ]; # 1..1 Coverage to be used for adjudication
    fhir:Claim.insurance.identifier [ Identifier ]; # 0..1 Pre-assigned Claim number
    fhir:Claim.insurance.coverage [ Reference(Coverage) ]; # 1..1 Insurance information
    fhir:Claim.insurance.businessArrangement [ string ]; # 0..1 Additional provider contract number
    fhir:Claim.insurance.preAuthRef [ string ], ... ; # 0..* Prior authorization reference number
    fhir:Claim.insurance.claimResponse [ Reference(ClaimResponse) ]; # 0..1 Adjudication results
  ], ...;
  fhir:Claim.accident [ # 0..1 Details of the event
    fhir:Claim.accident.date [ date ]; # 1..1 When the incident occurred
```

```
    fhir:Claim.accident.type [ CodeableConcept ]; # 0..1 The nature of the accident
    # Claim.accident.location[x] : 0..1 Where the event occurred. One of these 2
      fhir:Claim.accident.locationAddress [ Address ]
      fhir:Claim.accident.locationReference [ Reference(Location) ]
  ];
  fhir:Claim.item [ # 0..* Product or service provided
    fhir:Claim.item.sequence [ positiveInt ]; # 1..1 Item instance identifier
    fhir:Claim.item.careTeamSequence [ positiveInt ], ... ; # 0..* Applicable careTeam members
    fhir:Claim.item.diagnosisSequence [ positiveInt ], ... ; # 0..* Applicable diagnoses
    fhir:Claim.item.procedureSequence [ positiveInt ], ... ; # 0..* Applicable procedures
    fhir:Claim.item.informationSequence [ positiveInt ], ... ; # 0..* Applicable exception and supporting information
    fhir:Claim.item.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
    fhir:Claim.item.category [ CodeableConcept ]; # 0..1 Benefit classification
    fhir:Claim.item.productOrService [ CodeableConcept ]; # 1..1 Billing, service, product, or drug code
    fhir:Claim.item.modifier [ CodeableConcept ], ... ; # 0..* Product or service billing modifiers
    fhir:Claim.item.programCode [ CodeableConcept ], ... ; # 0..* Program the product or service is provided under
    # Claim.item.serviced[x] : 0..1 Date or dates of service or product delivery. One of these 2
      fhir:Claim.item.servicedDate [ date ]
      fhir:Claim.item.servicedPeriod [ Period ]
    # Claim.item.location[x] : 0..1 Place of service or where product was supplied. One of these 3
      fhir:Claim.item.locationCodeableConcept [ CodeableConcept ]
      fhir:Claim.item.locationAddress [ Address ]
      fhir:Claim.item.locationReference [ Reference(Location) ]
    fhir:Claim.item.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of products or services
    fhir:Claim.item.unitPrice [ Money ]; # 0..1 Fee, charge or cost per item
    fhir:Claim.item.factor [ decimal ]; # 0..1 Price scaling factor
    fhir:Claim.item.net [ Money ]; # 0..1 Total item cost
    fhir:Claim.item.udi [ Reference(Device) ], ... ; # 0..* Unique device identifier
    fhir:Claim.item.bodySite [ CodeableConcept ]; # 0..1 Anatomical location
    fhir:Claim.item.subSite [ CodeableConcept ], ... ; # 0..* Anatomical sub-location
    fhir:Claim.item.encounter [ Reference(Encounter) ], ... ; # 0..* Encounters related to this billed item
    fhir:Claim.item.detail [ # 0..* Product or service provided
      fhir:Claim.item.detail.sequence [ positiveInt ]; # 1..1 Item instance identifier
      fhir:Claim.item.detail.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
      fhir:Claim.item.detail.category [ CodeableConcept ]; # 0..1 Benefit classification
      fhir:Claim.item.detail.productOrService [ CodeableConcept ]; # 1..1 Billing, service, product, or drug code
      fhir:Claim.item.detail.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing modifiers
      fhir:Claim.item.detail.programCode [ CodeableConcept ], ... ; # 0..* Program the product or service is provided
    under
      fhir:Claim.item.detail.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of products or services
      fhir:Claim.item.detail.unitPrice [ Money ]; # 0..1 Fee, charge or cost per item
      fhir:Claim.item.detail.factor [ decimal ]; # 0..1 Price scaling factor
      fhir:Claim.item.detail.net [ Money ]; # 0..1 Total item cost
      fhir:Claim.item.detail.udi [ Reference(Device) ], ... ; # 0..* Unique device identifier
      fhir:Claim.item.detail.subDetail [ # 0..* Product or service provided
        fhir:Claim.item.detail.subDetail.sequence [ positiveInt ]; # 1..1 Item instance identifier
        fhir:Claim.item.detail.subDetail.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
        fhir:Claim.item.detail.subDetail.category [ CodeableConcept ]; # 0..1 Benefit classification
        fhir:Claim.item.detail.subDetail.productOrService [ CodeableConcept ]; # 1..1 Billing, service, product, or drug
     code
        fhir:Claim.item.detail.subDetail.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing modifiers
        fhir:Claim.item.detail.subDetail.programCode [ CodeableConcept ], ... ; # 0..* Program the product or service is
     provided under
        fhir:Claim.item.detail.subDetail.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of products or services
        fhir:Claim.item.detail.subDetail.unitPrice [ Money ]; # 0..1 Fee, charge or cost per item
        fhir:Claim.item.detail.subDetail.factor [ decimal ]; # 0..1 Price scaling factor
        fhir:Claim.item.detail.subDetail.net [ Money ]; # 0..1 Total item cost
        fhir:Claim.item.detail.subDetail.udi [ Reference(Device) ], ... ; # 0..* Unique device identifier
      ], ...;
    ], ...;
  ], ...;
  fhir:Claim.total [ Money ]; # 0..1 Total claim cost
]
```

Changes since Release 3

Claim

Claim.status | Min Cardinality changed from 0 to 1 Change value set from http://hl7.org/fhir/ValueSet/fm-status to http://hl7.org/fhir/ValueSet/fm-status|4.0.1

Claim.type | Min Cardinality changed from 0 to 1 Change binding strength from required to extensible

Claim.subType | Max Cardinality changed from * to 1

Claim.use | Min Cardinality changed from 0 to 1 Change value set from http://hl7.org/fhir/ValueSet/claim-use to http://hl7.org/fhir/ValueSet/claim-use|4.0.1

Claim.patient | Min Cardinality changed from 0 to 1

Claim.created | Min Cardinality changed from 0 to 1

Claim.enterer | Type Reference: Added Target Type PractitionerRole

Claim.provider | Min Cardinality changed from 0 to 1 Type Reference: Added Target Types PractitionerRole, Organization

Claim.priority | Min Cardinality changed from 0 to 1

Claim.prescription | Type Reference: Added Target Type DeviceRequest

Claim.originalPrescription | Type Reference: Added Target Types DeviceRequest, VisionPrescription

Claim.payee.party | Type Reference: Added Target Type PractitionerRole

Claim.referral | Type Reference: Added Target Type ServiceRequest Type Reference: Removed Target Type ReferralRequest

Claim.careTeam.provider | Type Reference: Added Target Type PractitionerRole

Claim.supportingInfo | Renamed from information to supportingInfo

Claim.supportingInfo.sequence | Moved from Claim.information to Claim.supportingInfo

Claim.supportingInfo.category | Moved from Claim.information to Claim.supportingInfo
Claim.supportingInfo.code | Moved from Claim.information to Claim.supportingInfo
Claim.supportingInfo.timing[x] | Moved from Claim.information to Claim.supportingInfo
Claim.supportingInfo.value[x] | Moved from Claim.information to Claim.supportingInfo Add Type boolean
Claim.supportingInfo.reason | Moved from Claim.information to Claim.supportingInfo
Claim.diagnosis.onAdmission | Added Element
Claim.procedure.type | Added Element
Claim.procedure.udi | Added Element
Claim.insurance | Min Cardinality changed from 0 to 1
Claim.insurance.identifier | Added Element
Claim.accident.type | Change binding strength from required to extensible
Claim.item.careTeamSequence | Renamed from careTeamLinkId to careTeamSequence
Claim.item.diagnosisSequence | Renamed from diagnosisLinkId to diagnosisSequence
Claim.item.procedureSequence | Renamed from procedureLinkId to procedureSequence
Claim.item.informationSequence | Renamed from informationLinkId to informationSequence
Claim.item.productOrService | Renamed from service to productOrService Min Cardinality changed from 0 to 1
Claim.item.detail.productOrService | Renamed from service to productOrService Min Cardinality changed from 0 to 1
Claim.item.detail.subDetail.productOrService | Renamed from service to productOrService Min Cardinality changed from 0 to 1
Claim.organization | deleted
Claim.payee.resourceType | deleted
Claim.employmentImpacted | deleted
Claim.hospitalization | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R3 <--> R4 Conversion Maps (status = 16 tests of which 3 fail to execute. 13 fail round-trip testing and 3 r3 resources are invalid (0 errors).)

See the Profiles & Extensions and the alternate definitions: Master Definition XML + JSON, XML Schema/Schematron + JSON Schema, ShEx (for Turtle) + see the extensions & the dependency analysis

13.6.3.1 Terminology Bindings

Path | Definition | Type | Reference
Claim.status | A code specifying the state of the resource instance. | Required | FinancialResourceStatusCodes
Claim.type | The type or discipline-style of the claim. | Extensible | ClaimTypeCodes
Claim.subType | A more granular claim typecode. | Example | ExampleClaimSubTypeCodes
Claim.use | The purpose of the Claim: predetermination, preauthorization, claim. | Required | Use
Claim.priority | The timeliness with which processing is required: stat, normal, deferred. | Example | ProcessPriorityCodes
Claim.fundsReserve | For whom funds are to be reserved: (Patient, Provider, None). | Example | Funds Reservation Codes
Claim.related.relationship | Relationship of this claim to a related Claim. | Example | ExampleRelatedClaimRelationshipCodes
Claim.payee.type | A code for the party to be reimbursed. | Example | Claim Payee Type Codes
Claim.careTeam.role | The role codes for the care team members. | Example | ClaimCareTeamRoleCodes
Claim.careTeam.qualification | Provider professional qualifications. | Example | ExampleProviderQualificationCodes
Claim.supportingInfo.category | The valuset used for additional information category codes. | Example | ClaimInformationCategoryCodes
Claim.supportingInfo.code | The valuset used for additional information codes. | Example | ExceptionCodes
Claim.supportingInfo.reason | Reason codes for the missing teeth. | Example | MissingToothReasonCodes
Claim.diagnosis.diagnosis[x] | Example ICD10 Diagnostic codes. | Example | ICD-10Codes
Claim.diagnosis.type | The type of the diagnosis: admitting, principal, discharge. | Example | ExampleDiagnosisTypeCodes
Claim.diagnosis.onAdmission | Present on admission. | Example | ExampleDiagnosisOnAdmissionCodes
Claim.diagnosis.packageCode | The DRG codes associated with the diagnosis. | Example | ExampleDiagnosisRelatedGroupCodes
Claim.procedure.type | Example procedure type codes. | Example | ExampleProcedureTypeCodes
Claim.procedure.procedure[x] | Example ICD10 Procedure codes. | Example | ICD-10ProcedureCodes
Claim.accident.type | Type of accident: work place, auto, etc. | Extensible | v3.ActIncidentCode
Claim.item.revenue Claim.item.detail.revenue Claim.item.detail.subDetail.revenue | Codes for the revenue or cost centers supplying the service and/or products. | Example | ExampleRevenueCenterCodes
Claim.item.category Claim.item.detail.category Claim.item.detail.subDetail.category | Benefit categories such as: oral-basic, major, glasses. | Example | BenefitCategoryCodes
Claim.item.productOrService Claim.item.detail.productOrService Claim.item.detail.subDetail.productOrService | Allowable service and product codes. | Example | USCLSCodes
Claim.item.modifier Claim.item.detail.modifier Claim.item.detail.subDetail.modifier | Item type or modifiers codes, eg for Oral whether the treatment is cosmetic or associated with TMJ, or an appliance was lost or stolen. | Example | ModifierTypeCodes
Claim.item.programCode Claim.item.detail.programCode Claim.item.detail.subDetail.programCode | Program specific reason codes. | Example | ExampleProgramReasonCodes
Claim.item.location[x] | Place of service: pharmacy, school, prison, etc. | Example | ExampleServicePlaceCodes
Claim.item.bodySite | The code for the teeth, quadrant, sextant and arch. | Example | OralSiteCodes
Claim.item.subSite | The code for the tooth surface and surface combinations. | Example | SurfaceCodes

13.6.4 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common

care-team | reference | Member of the CareTeam | Claim.careTeam.provider (Practitioner, Organization, PractitionerRole)
created | date | The creation date for the Claim | Claim.created
detail-udi | reference | UDI associated with a line item, detail product or service | Claim.item.detail.udi (Device)
encounter | reference | Encounters associated with a billed line item | Claim.item.encounter (Encounter)
enterer | reference | The party responsible for the entry of the Claim | Claim.enterer (Practitioner, PractitionerRole)
facility | reference | Facility where the products or services have been or will be provided | Claim.facility (Location)
identifier | token | The primary identifier of the financial resource | Claim.identifier
insurer | reference | The target payor/insurer for the Claim | Claim.insurer (Organization)
item-udi | reference | UDI associated with a line item product or service | Claim.item.udi (Device)
patient | reference | Patient receiving the products or services | Claim.patient (Patient)
payee | reference | The party receiving any payment for the Claim | Claim.payee.party (Practitioner, Organization, Patient, PractitionerRole, RelatedPerson)
priority | token | Processing priority requested | Claim.priority
procedure-udi | reference | UDI associated with a procedure | Claim.procedure.udi (Device)
provider | reference | Provider responsible for the Claim | Claim.provider (Practitioner, Organization, PractitionerRole)
status | token | The status of the Claim instance. | Claim.status
subdetail-udi | reference | UDI associated with a line item, detail, subdetail product or service | Claim.item.detail.subDetail.udi (Device)
use | token | The kind of financial resource | Claim.use

13.6.5 Resource Claim - Examples

URL: https://hl7.org/fhir/R4/claim-examples.html

13.6.5 Resource Claim - Examples

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

Example Name | id | Format
Simple dental Claim | 100150 | XML | JSON | Turtle
Average dental Claim with Information (Missing Teeth and Student) | 100151 | XML | JSON | Turtle
SOA Dental Claim (Contained) | 100152 | XML | JSON | Turtle
SOA Dental Claim using identifiers | 100154 | XML | JSON | Turtle
SOA Dental Claim using identifiers and Contained | 100155 | XML | JSON | Turtle
PreAuthorization with Bridge and Crown | 100156 | XML | JSON | Turtle
PreAuthorization with Orthodontic Treatment Plan | 100153 | XML | JSON | Turtle
Simple Vision Claim | 660150 | XML | JSON | Turtle
Glasses Claim | 660151 | XML | JSON | Turtle
Glasses Claim, 3 Tier, Secondary Coverage | 660152 | XML | JSON | Turtle
Simple Institutional Service Claim | 960150 | XML | JSON | Turtle
Rich Institutional Service Claim | 960151 | XML | JSON | Turtle
Simple Professional Service Claim | 860150 | XML | JSON | Turtle
Simple Pharmacy Service Claim | 760150 | XML | JSON | Turtle
Simple Pharmacy Medication Claim | 760151 | XML | JSON | Turtle
Simple Pharmacy Compound Claim | 760152 | XML | JSON | Turtle
Simple US Medical Surgery Claim | MED-00050 | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

13.6.6 Resource Claim - Detailed Descriptions

URL: https://hl7.org/fhir/R4/claim-definitions.html

13.6.6 Resource Claim - Detailed Descriptions

Financial Management Work Group | Maturity Level: 2 | Trial Use | Security Category: Patient | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

Detailed Descriptions for the elements in the Claim resource.

Claim
Element Id | Claim
Definition | A provider issued list of professional services and products which have been provided, or are to be provided, to a patient which is sent to an insurer for reimbursement.
Cardinality | 0..*
Type | DomainResource
Requirements | The Claim resource is used by providers to exchange services and products rendered to patients or planned to be rendered with insurers for reimbuserment. It is also used by insurers to exchange claims information with statutory reporting and data analytics firms.
Alternate Names | Adjudication Request; Preauthorization Request; Predetermination Request
Comments | The Claim resource fulfills three information request requirements: Claim - a request for adjudication for reimbursement for products and/or services provided; Preauthorization - a request to authorize the future provision of products and/or services including an anticipated adjudication; and, Predetermination - a request for a non-bind adjudication of possible future products and/or services.

Claim.identifier
Element Id | Claim.identifier
Definition | A unique identifier assigned to this claim.
Note | This is a business identifier, not a resource identifier (see discussion)
Cardinality | 0..*
Type | Identifier
Requirements | Allows claims to be distinguished and referenced.
Alternate Names | Claim Number
Claim.status
Element Id | Claim.status
Definition | The status of the resource instance.
Cardinality | 1..1
Terminology Binding | Financial Resource Status Codes (Required)
Type | code
Is Modifier | true (Reason: This element is labeled as a modifier because it is a status element that contains status entered-in-error which means that the resource should not be treated as valid)
Requirements | Need to track the status of the resource as 'draft' resources may undergo further edits while 'active' resources are immutable and may only have their status changed to 'cancelled'.
Summary | true
Comments | This element is labeled as a modifier because the status contains codes that mark the resource as not currently valid.
Claim.type
Element Id | Claim.type
Definition | The category of claim, e.g. oral, pharmacy, vision, institutional, professional.
Cardinality | 1..1
Terminology Binding | Claim Type Codes (Extensible)
Type | CodeableConcept
Requirements | Claim type determine the general sets of business rules applied for information requirements and adjudication.
Summary | true
Comments | The majority of jurisdictions use: oral, pharmacy, vision, professional and institutional, or variants on those terms, as the general styles of claims. The valueset is extensible to accommodate other jurisdictional requirements.
Claim.subType
Element Id | Claim.subType
Definition | A finer grained suite of claim type codes which may convey additional information such as Inpatient vs Outpatient and/or a specialty service.
Cardinality | 0..1
Terminology Binding | Example Claim SubType Codes (Example)
Type | CodeableConcept
Requirements | Some jurisdictions need a finer grained claim type for routing and adjudication.
Comments | This may contain the local bill type codes, for example the US UB-04 bill type code or the CMS bill type.
Claim.use
Element Id | Claim.use
Definition | A code to indicate whether the nature of the request is: to request adjudication of products and services previously rendered; or requesting authorization and adjudication for provision in the future; or requesting the non-binding adjudication of the listed products and services which could be provided in the future.
Cardinality | 1..1
Terminology Binding | Use (Required)
Type | code
Requirements | This element is required to understand the nature of the request for adjudication.
Summary | true
Claim.patient
Element Id | Claim.patient
Definition | The party to whom the professional services and/or products have been supplied or are being considered and for whom actual or forecast reimbursement is sought.
Cardinality | 1..1
Type | Reference(Patient)
Requirements | The patient must be supplied to the insurer so that confirmation of coverage and service history may be considered as part of the authorization and/or adjudiction.
Summary | true
Claim.billablePeriod
Element Id | Claim.billablePeriod
Definition | The period for which charges are being submitted.
Cardinality | 0..1
Type | Period
Requirements | A number jurisdictions required the submission of the billing period when submitting claims for example for hospital stays or long-term care.
Summary | true
Comments | Typically this would be today or in the past for a claim, and today or in the future for preauthorizations and predeterminations. Typically line item dates of service should fall within the billing period if one is specified.
Claim.created
Element Id | Claim.created
Definition | The date this resource was created.
Cardinality | 1..1
Type | dateTime

Requirements | Need to record a timestamp for use by both the recipient and the issuer.
Summary | true
Comments | This field is independent of the date of creation of the resource as it may reflect the creation date of a source document prior to digitization. Typically for claims all services must be completed as of this date.
Claim.enterer
Element Id | Claim.enterer
Definition | Individual who created the claim, predetermination or preauthorization.
Cardinality | 0..1
Type | Reference(Practitioner | PractitionerRole)
Requirements | Some jurisdictions require the contact information for personnel completing claims.
Claim.insurer
Element Id | Claim.insurer
Definition | The Insurer who is target of the request.
Cardinality | 0..1
Type | Reference(Organization)
Summary | true
Claim.provider
Element Id | Claim.provider
Definition | The provider which is responsible for the claim, predetermination or preauthorization.
Cardinality | 1..1
Type | Reference(Practitioner | PractitionerRole | Organization)
Summary | true
Comments | Typically this field would be 1..1 where this party is responsible for the claim but not necessarily professionally responsible for the provision of the individual products and services listed below.
Claim.priority
Element Id | Claim.priority
Definition | The provider-required urgency of processing the request. Typical values include: stat, routine deferred.
Cardinality | 1..1
Terminology Binding | Process Priority Codes (Example)
Type | CodeableConcept
Requirements | The provider may need to indicate their processing requirements so that the processor can indicate if they are unable to comply.
Summary | true
Comments | If a claim processor is unable to complete the processing as per the priority then they should generate and error and not process the request.
Claim.fundsReserve
Element Id | Claim.fundsReserve
Definition | A code to indicate whether and for whom funds are to be reserved for future claims.
Cardinality | 0..1
Terminology Binding | FundsReserve (Example)
Type | CodeableConcept
Requirements | In the case of a Pre-Determination/Pre-Authorization the provider may request that funds in the amount of the expected Benefit be reserved ('Patient' or 'Provider') to pay for the Benefits determined on the subsequent claim(s). 'None' explicitly indicates no funds reserving is requested.
Alternate Names | Fund pre-allocation
Comments | This field is only used for preauthorizations.
Claim.related
Element Id | Claim.related
Definition | Other claims which are related to this claim such as prior submissions or claims for related services or for the same event.
Cardinality | 0..*
Requirements | For workplace or other accidents it is common to relate separate claims arising from the same event.
Comments | For example, for the original treatment and follow-up exams.
Claim.related.claim
Element Id | Claim.related.claim
Definition | Reference to a related claim.
Cardinality | 0..1
Type | Reference(Claim)
Requirements | For workplace or other accidents it is common to relate separate claims arising from the same event.
Claim.related.relationship
Element Id | Claim.related.relationship
Definition | A code to convey how the claims are related.
Cardinality | 0..1
Terminology Binding | Example Related Claim Relationship Codes (Example)
Type | CodeableConcept
Requirements | Some insurers need a declaration of the type of relationship.
Comments | For example, prior claim or umbrella.
Claim.related.reference
Element Id | Claim.related.reference
Definition | An alternate organizational reference to the case or file to which this particular claim pertains.
Cardinality | 0..1
Type | Identifier

Requirements | In cases where an event-triggered claim is being submitted to an insurer which requires a reference number to be specified on all exchanges.
Comments | For example, Property/Casualty insurer claim # or Workers Compensation case # .
Claim.prescription
Element Id | Claim.prescription
Definition | Prescription to support the dispensing of pharmacy, device or vision products.
Cardinality | 0..1
Type | Reference(DeviceRequest | MedicationRequest | VisionPrescription)
Requirements | Required to authorize the dispensing of controlled substances and devices.
Claim.originalPrescription
Element Id | Claim.originalPrescription
Definition | Original prescription which has been superseded by this prescription to support the dispensing of pharmacy services, medications or products.
Cardinality | 0..1
Type | Reference(DeviceRequest | MedicationRequest | VisionPrescription)
Requirements | Often required when a fulfiller varies what is fulfilled from that authorized on the original prescription.
Comments | For example, a physician may prescribe a medication which the pharmacy determines is contraindicated, or for which the patient has an intolerance, and therefore issues a new prescription for an alternate medication which has the same therapeutic intent. The prescription from the pharmacy becomes the 'prescription' and that from the physician becomes the 'original prescription'.
Claim.payee
Element Id | Claim.payee
Definition | The party to be reimbursed for cost of the products and services according to the terms of the policy.
Cardinality | 0..1
Requirements | The provider needs to specify who they wish to be reimbursed and the claims processor needs express who they will reimburse.
Comments | Often providers agree to receive the benefits payable to reduce the near-term costs to the patient. The insurer may decline to pay the provider and choose to pay the subscriber instead.
Claim.payee.type
Element Id | Claim.payee.type
Definition | Type of Party to be reimbursed: subscriber, provider, other.
Cardinality | 1..1
Terminology Binding | PayeeType (Example)
Type | CodeableConcept
Requirements | Need to know who should receive payment with the most common situations being the Provider (assignment of benefits) or the Subscriber.
Claim.payee.party
Element Id | Claim.payee.party
Definition | Reference to the individual or organization to whom any payment will be made.
Cardinality | 0..1
Type | Reference(Practitioner | PractitionerRole | Organization | Patient | RelatedPerson)
Requirements | Need to provide demographics if the payee is not 'subscriber' nor 'provider'.
Comments | Not required if the payee is 'subscriber' or 'provider'.
Claim.referral
Element Id | Claim.referral
Definition | A reference to a referral resource.
Cardinality | 0..1
Type | Reference(ServiceRequest)
Requirements | Some insurers require proof of referral to pay for services or to pay specialist rates for services.
Comments | The referral resource which lists the date, practitioner, reason and other supporting information.
Claim.facility
Element Id | Claim.facility
Definition | Facility where the services were provided.
Cardinality | 0..1
Type | Reference(Location)
Requirements | Insurance adjudication can be dependant on where services were delivered.
Claim.careTeam
Element Id | Claim.careTeam
Definition | The members of the team who provided the products and services.
Cardinality | 0..*
Requirements | Common to identify the responsible and supporting practitioners.
Claim.careTeam.sequence
Element Id | Claim.careTeam.sequence
Definition | A number to uniquely identify care team entries.
Cardinality | 1..1
Type | positiveInt
Requirements | Necessary to maintain the order of the care team and provide a mechanism to link individuals to claim details.
Claim.careTeam.provider
Element Id | Claim.careTeam.provider
Definition | Member of the team who provided the product or service.
Cardinality | 1..1
Type | Reference(Practitioner | PractitionerRole | Organization)
Requirements | Often a regulatory requirement to specify the responsible provider.

Claim.careTeam.responsible
Element Id | Claim.careTeam.responsible
Definition | The party who is billing and/or responsible for the claimed products or services.
Cardinality | 0..1
Type | boolean
Requirements | When multiple parties are present it is required to distinguish the lead or responsible individual.
Comments | Responsible might not be required when there is only a single provider listed.
Claim.careTeam.role
Element Id | Claim.careTeam.role
Definition | The lead, assisting or supervising practitioner and their discipline if a multidisciplinary team.
Cardinality | 0..1
Terminology Binding | Claim Care Team Role Codes (Example)
Type | CodeableConcept
Requirements | When multiple parties are present it is required to distinguish the roles performed by each member.
Comments | Role might not be required when there is only a single provider listed.
Claim.careTeam.qualification
Element Id | Claim.careTeam.qualification
Definition | The qualification of the practitioner which is applicable for this service.
Cardinality | 0..1
Terminology Binding | Example Provider Qualification Codes (Example)
Type | CodeableConcept
Requirements | Need to specify which qualification a provider is delivering the product or service under.
Claim.supportingInfo
Element Id | Claim.supportingInfo
Definition | Additional information codes regarding exceptions, special considerations, the condition, situation, prior or concurrent issues.
Cardinality | 0..*
Requirements | Typically these information codes are required to support the services rendered or the adjudication of the services rendered.
Alternate Names | Attachments Exception Codes Occurrence Codes Value codes
Comments | Often there are multiple jurisdiction specific valuesets which are required.
Claim.supportingInfo.sequence
Element Id | Claim.supportingInfo.sequence
Definition | A number to uniquely identify supporting information entries.
Cardinality | 1..1
Type | positiveInt
Requirements | Necessary to maintain the order of the supporting information items and provide a mechanism to link to claim details.
Claim.supportingInfo.category
Element Id | Claim.supportingInfo.category
Definition | The general class of the information supplied: information; exception; accident, employment; onset, etc.
Cardinality | 1..1
Terminology Binding | Claim Information Category Codes (Example)
Type | CodeableConcept
Requirements | Required to group or associate information items with common characteristics. For example: admission information or prior treatments.
Comments | This may contain a category for the local bill type codes.
Claim.supportingInfo.code
Element Id | Claim.supportingInfo.code
Definition | System and code pertaining to the specific information regarding special conditions relating to the setting, treatment or patient for which care is sought.
Cardinality | 0..1
Terminology Binding | Exception Codes (Example)
Type | CodeableConcept
Requirements | Required to identify the kind of additional information.
Claim.supportingInfo.timing[x]
Element Id | Claim.supportingInfo.timing[x]
Definition | The date when or period to which this information refers.
Cardinality | 0..1
Type | date|Period
[x] Note | See Choice of Data Types for further information about how to use [x]
Claim.supportingInfo.value[x]
Element Id | Claim.supportingInfo.value[x]
Definition | Additional data or information such as resources, documents, images etc. including references to the data or the actual inclusion of the data.
Cardinality | 0..1
Type | boolean|string|Quantity|Attachment|Reference(Any)
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | To convey the data content to be provided when the information is more than a simple code or period.
Comments | Could be used to provide references to other resources, document. For example could contain a PDF in an Attachment of the Police Report for an Accident.
Claim.supportingInfo.reason
Element Id | Claim.supportingInfo.reason

Definition | Provides the reason in the situation where a reason code is required in addition to the content.
Cardinality | 0..1
Terminology Binding | Missing Tooth Reason Codes (Example)
Type | CodeableConcept
Requirements | Needed when the supporting information has both a date and amount/value and requires explanation.
Comments | For example: the reason for the additional stay, or why a tooth is missing.
Claim.diagnosis
Element Id | Claim.diagnosis
Definition | Information about diagnoses relevant to the claim items.
Cardinality | 0..*
Requirements | Required for the adjudication by provided context for the services and product listed.
Claim.diagnosis.sequence
Element Id | Claim.diagnosis.sequence
Definition | A number to uniquely identify diagnosis entries.
Cardinality | 1..1
Type | positiveInt
Requirements | Necessary to maintain the order of the diagnosis items and provide a mechanism to link to claim details.
Comments | Diagnosis are presented in list order to their expected importance: primary, secondary, etc.
Claim.diagnosis.diagnosis[x]
Element Id | Claim.diagnosis.diagnosis[x]
Definition | The nature of illness or problem in a coded form or as a reference to an external defined Condition.
Cardinality | 1..1
Terminology Binding | ICD-10 Codes (Example)
Type | CodeableConcept|Reference(Condition)
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | Provides health context for the evaluation of the products and/or services.
Claim.diagnosis.type
Element Id | Claim.diagnosis.type
Definition | When the condition was observed or the relative ranking.
Cardinality | 0..*
Terminology Binding | Example Diagnosis Type Codes (Example)
Type | CodeableConcept
Requirements | Often required to capture a particular diagnosis, for example: primary or discharge.
Comments | For example: admitting, primary, secondary, discharge.
Claim.diagnosis.onAdmission
Element Id | Claim.diagnosis.onAdmission
Definition | Indication of whether the diagnosis was present on admission to a facility.
Cardinality | 0..1
Terminology Binding | Example Diagnosis on Admission Codes (Example)
Type | CodeableConcept
Requirements | Many systems need to understand for adjudication if the diagnosis was present a time of admission.
Claim.diagnosis.packageCode
Element Id | Claim.diagnosis.packageCode
Definition | A package billing code or bundle code used to group products and services to a particular health condition (such as heart attack) which is based on a predetermined grouping code system.
Cardinality | 0..1
Terminology Binding | Example Diagnosis Related Group Codes (Example)
Type | CodeableConcept
Requirements | Required to relate the current diagnosis to a package billing code that is then referenced on the individual claim items which are specific to the health condition covered by the package code.
Comments | For example DRG (Diagnosis Related Group) or a bundled billing code. A patient may have a diagnosis of a Myocardial Infarction and a DRG for HeartAttack would be assigned. The Claim item (and possible subsequent claims) would refer to the DRG for those line items that were for services related to the heart attack event.
Claim.procedure
Element Id | Claim.procedure
Definition | Procedures performed on the patient relevant to the billing items with the claim.
Cardinality | 0..*
Requirements | The specific clinical invention are sometimes required to be provided to justify billing a greater than customary amount for a service.
Claim.procedure.sequence
Element Id | Claim.procedure.sequence
Definition | A number to uniquely identify procedure entries.
Cardinality | 1..1
Type | positiveInt
Requirements | Necessary to provide a mechanism to link to claim details.
Claim.procedure.type
Element Id | Claim.procedure.type
Definition | When the condition was observed or the relative ranking.
Cardinality | 0..*
Terminology Binding | Example Procedure Type Codes (Example)
Type | CodeableConcept
Requirements | Often required to capture a particular diagnosis, for example: primary or discharge.
Comments | For example: primary, secondary.

Claim.procedure.date
Element Id | Claim.procedure.date
Definition | Date and optionally time the procedure was performed.
Cardinality | 0..1
Type | dateTime
Requirements | Required for auditing purposes.
Claim.procedure.procedure[x]
Element Id | Claim.procedure.procedure[x]
Definition | The code or reference to a Procedure resource which identifies the clinical intervention performed.
Cardinality | 1..1
Terminology Binding | ICD-10 Procedure Codes (Example)
Type | CodeableConcept|Reference(Procedure)
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | This identifies the actual clinical procedure.
Claim.procedure.udi
Element Id | Claim.procedure.udi
Definition | Unique Device Identifiers associated with this line item.
Cardinality | 0..*
Type | Reference(Device)
Requirements | The UDI code allows the insurer to obtain device level information on the product supplied.
Claim.insurance
Element Id | Claim.insurance
Definition | Financial instruments for reimbursement for the health care products and services specified on the claim.
Cardinality | 1..*
Requirements | At least one insurer is required for a claim to be a claim.
Summary | true
Comments | All insurance coverages for the patient which may be applicable for reimbursement, of the products and services listed in the claim, are typically provided in the claim to allow insurers to confirm the ordering of the insurance coverages relative to local 'coordination of benefit' rules. One coverage (and only one) with 'focal=true' is to be used in the adjudication of this claim. Coverages appearing before the focal Coverage in the list, and where 'Coverage.subrogation=false', should provide a reference to the ClaimResponse containing the adjudication results of the prior claim.
Claim.insurance.sequence
Element Id | Claim.insurance.sequence
Definition | A number to uniquely identify insurance entries and provide a sequence of coverages to convey coordination of benefit order.
Cardinality | 1..1
Type | positiveInt
Requirements | To maintain order of the coverages.
Summary | true
Claim.insurance.focal
Element Id | Claim.insurance.focal
Definition | A flag to indicate that this Coverage is to be used for adjudication of this claim when set to true.
Cardinality | 1..1
Type | boolean
Requirements | To identify which coverage in the list is being used to adjudicate this claim.
Summary | true
Comments | A patient may (will) have multiple insurance policies which provide reimbursement for healthcare services and products. For example a person may also be covered by their spouse's policy and both appear in the list (and may be from the same insurer). This flag will be set to true for only one of the listed policies and that policy will be used for adjudicating this claim. Other claims would be created to request adjudication against the other listed policies.
Claim.insurance.identifier
Element Id | Claim.insurance.identifier
Definition | The business identifier to be used when the claim is sent for adjudication against this insurance policy.
Note | This is a business identifier, not a resource identifier (see discussion)
Cardinality | 0..1
Type | Identifier
Requirements | This will be the claim number should it be necessary to create this claim in the future. This is provided so that payors may forward claims to other payors in the Coordination of Benefit for adjudication rather than the provider being required to initiate each adjudication.
Comments | Only required in jurisdictions where insurers, rather than the provider, are required to send claims to insurers that appear after them in the list. This element is not required when 'subrogation=true'.
Claim.insurance.coverage
Element Id | Claim.insurance.coverage
Definition | Reference to the insurance card level information contained in the Coverage resource. The coverage issuing insurer will use these details to locate the patient's actual coverage within the insurer's information system.
Cardinality | 1..1
Type | Reference(Coverage)
Requirements | Required to allow the adjudicator to locate the correct policy and history within their information system.
Summary | true
Claim.insurance.businessArrangement
Element Id | Claim.insurance.businessArrangement
Definition | A business agreement number established between the provider and the insurer for special business processing purposes.

Cardinality | 0..1
Type | string
Requirements | Providers may have multiple business arrangements with a given insurer and must supply the specific contract number for adjudication.
Claim.insurance.preAuthRef
Element Id | Claim.insurance.preAuthRef
Definition | Reference numbers previously provided by the insurer to the provider to be quoted on subsequent claims containing services or products related to the prior authorization.
Cardinality | 0..*
Type | string
Requirements | Providers must quote previously issued authorization reference numbers in order to obtain adjudication as previously advised on the Preauthorization.
Comments | This value is an alphanumeric string that may be provided over the phone, via text, via paper, or within a ClaimResponse resource and is not a FHIR Identifier.
Claim.insurance.claimResponse
Element Id | Claim.insurance.claimResponse
Definition | The result of the adjudication of the line items for the Coverage specified in this insurance.
Cardinality | 0..1
Type | Reference(ClaimResponse)
Requirements | An insurer need the adjudication results from prior insurers to determine the outstanding balance remaining by item for the items in the curent claim.
Comments | Must not be specified when 'focal=true' for this insurance.
Claim.accident
Element Id | Claim.accident
Definition | Details of an accident which resulted in injuries which required the products and services listed in the claim.
Cardinality | 0..1
Requirements | When healthcare products and services are accident related, benefits may be payable under accident provisions of policies, such as automotive, etc before they are payable under normal health insurance.
Claim.accident.date
Element Id | Claim.accident.date
Definition | Date of an accident event related to the products and services contained in the claim.
Cardinality | 1..1
Type | date
Requirements | Required for audit purposes and adjudication.
Comments | The date of the accident has to precede the dates of the products and services but within a reasonable timeframe.
Claim.accident.type
Element Id | Claim.accident.type
Definition | The type or context of the accident event for the purposes of selection of potential insurance coverages and determination of coordination between insurers.
Cardinality | 0..1
Terminology Binding | V3 Value SetActIncidentCode (Extensible)
Type | CodeableConcept
Requirements | Coverage may be dependant on the type of accident.
Claim.accident.location[x]
Element Id | Claim.accident.location[x]
Definition | The physical location of the accident event.
Cardinality | 0..1
Type | Address|Reference(Location)
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | Required for audit purposes and determination of applicable insurance liability.
Claim.item
Element Id | Claim.item
Definition | A claim line. Either a simple product or service or a 'group' of details which can each be a simple items or groups of sub-details.
Cardinality | 0..*
Requirements | The items to be processed for adjudication.
Claim.item.sequence
Element Id | Claim.item.sequence
Definition | A number to uniquely identify item entries.
Cardinality | 1..1
Type | positiveInt
Requirements | Necessary to provide a mechanism to link to items from within the claim and within the adjudication details of the ClaimResponse.
Claim.item.careTeamSequence
Element Id | Claim.item.careTeamSequence
Definition | CareTeam members related to this service or product.
Cardinality | 0..*
Type | positiveInt
Requirements | Need to identify the individuals and their roles in the provision of the product or service.
Claim.item.diagnosisSequence
Element Id | Claim.item.diagnosisSequence
Definition | Diagnosis applicable for this service or product.
Cardinality | 0..*

Type | positiveInt
Requirements | Need to related the product or service to the associated diagnoses.
Claim.item.procedureSequence
Element Id | Claim.item.procedureSequence
Definition | Procedures applicable for this service or product.
Cardinality | 0..*
Type | positiveInt
Requirements | Need to provide any listed specific procedures to support the product or service being claimed.
Claim.item.informationSequence
Element Id | Claim.item.informationSequence
Definition | Exceptions, special conditions and supporting information applicable for this service or product.
Cardinality | 0..*
Type | positiveInt
Requirements | Need to reference the supporting information items that relate directly to this product or service.
Claim.item.revenue
Element Id | Claim.item.revenue
Definition | The type of revenue or cost center providing the product and/or service.
Cardinality | 0..1
Terminology Binding | Example Revenue Center Codes (Example)
Type | CodeableConcept
Requirements | Needed in the processing of institutional claims.
Claim.item.category
Element Id | Claim.item.category
Definition | Code to identify the general type of benefits under which products and services are provided.
Cardinality | 0..1
Terminology Binding | Benefit Category Codes (Example)
Type | CodeableConcept
Requirements | Needed in the processing of institutional claims as this allows the insurer to determine whether a facial X-Ray is for dental, orthopedic, or facial surgery purposes.
Comments | Examples include Medical Care, Periodontics, Renal Dialysis, Vision Coverage.
Claim.item.productOrService
Element Id | Claim.item.productOrService
Definition | When the value is a group code then this item collects a set of related claim details, otherwise this contains the product, service, drug or other billing code for the item.
Cardinality | 1..1
Terminology Binding | USCLS Codes (Example)
Type | CodeableConcept
Requirements | Necessary to state what was provided or done.
Alternate Names | Drug Code; Bill Code; Service Code
Comments | If this is an actual service or product line, i.e. not a Group, then use code to indicate the Professional Service or Product supplied (e.g. CTP, HCPCS, USCLS, ICD10, NCPDP, DIN, RxNorm, ACHI, CCI). If a grouping item then use a group code to indicate the type of thing being grouped e.g. 'glasses' or 'compound'.
Claim.item.modifier
Element Id | Claim.item.modifier
Definition | Item typification or modifiers codes to convey additional context for the product or service.
Cardinality | 0..*
Terminology Binding | Modifier type Codes (Example)
Type | CodeableConcept
Requirements | To support inclusion of the item for adjudication or to charge an elevated fee.
Comments | For example in Oral whether the treatment is cosmetic or associated with TMJ, or for Medical whether the treatment was outside the clinic or outside of office hours.
Claim.item.programCode
Element Id | Claim.item.programCode
Definition | Identifies the program under which this may be recovered.
Cardinality | 0..*
Terminology Binding | Example Program Reason Codes (Example)
Type | CodeableConcept
Requirements | Commonly used in in the identification of publicly provided program focused on population segments or disease classifications.
Comments | For example: Neonatal program, child dental program or drug users recovery program.
Claim.item.serviced[x]
Element Id | Claim.item.serviced[x]
Definition | The date or dates when the service or product was supplied, performed or completed.
Cardinality | 0..1
Type | date|Period
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | Needed to determine whether the service or product was provided during the term of the insurance coverage.
Claim.item.location[x]
Element Id | Claim.item.location[x]
Definition | Where the product or service was provided.
Cardinality | 0..1
Terminology Binding | Example Service Place Codes (Example)
Type | CodeableConcept|Address|Reference(Location)

[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | The location can alter whether the item was acceptable for insurance purposes or impact the determination of the benefit amount.
Claim.item.quantity
Element Id | Claim.item.quantity
Definition | The number of repetitions of a service or product.
Cardinality | 0..1
Type | SimpleQuantity
Requirements | Required when the product or service code does not convey the quantity provided.
Claim.item.unitPrice
Element Id | Claim.item.unitPrice
Definition | If the item is not a group then this is the fee for the product or service, otherwise this is the total of the fees for the details of the group.
Cardinality | 0..1
Type | Money
Requirements | The amount charged to the patient by the provider for a single unit.
Claim.item.factor
Element Id | Claim.item.factor
Definition | A real number that represents a multiplier used in determining the overall value of services delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied to a monetary amount.
Cardinality | 0..1
Type | decimal
Requirements | When discounts are provided to a patient (example: Senior's discount) then this must be documented for adjudication.
Comments | To show a 10% senior's discount, the value entered is: 0.90 (1.00 - 0.10).
Claim.item.net
Element Id | Claim.item.net
Definition | The quantity times the unit price for an additional service or product or charge.
Cardinality | 0..1
Type | Money
Requirements | Provides the total amount claimed for the group (if a grouper) or the line item.
Comments | For example, the formula: quantity * unitPrice * factor = net. Quantity and factor are assumed to be 1 if not supplied.
Claim.item.udi
Element Id | Claim.item.udi
Definition | Unique Device Identifiers associated with this line item.
Cardinality | 0..*
Type | Reference(Device)
Requirements | The UDI code allows the insurer to obtain device level information on the product supplied.
Claim.item.bodySite
Element Id | Claim.item.bodySite
Definition | Physical service site on the patient (limb, tooth, etc.).
Cardinality | 0..1
Terminology Binding | Oral Site Codes (Example)
Type | CodeableConcept
Requirements | Allows insurer to validate specific procedures.
Comments | For example: Providing a tooth code, allows an insurer to identify a provider performing a filling on a tooth that was previously removed.
Claim.item.subSite
Element Id | Claim.item.subSite
Definition | A region or surface of the bodySite, e.g. limb region or tooth surface(s).
Cardinality | 0..*
Terminology Binding | Surface Codes (Example)
Type | CodeableConcept
Requirements | Allows insurer to validate specific procedures.
Claim.item.encounter
Element Id | Claim.item.encounter
Definition | The Encounters during which this Claim was created or to which the creation of this record is tightly associated.
Cardinality | 0..*
Type | Reference(Encounter)
Requirements | Used in some jurisdictions to link clinical events to claim items.
Comments | This will typically be the encounter the event occurred within, but some activities may be initiated prior to or after the official completion of an encounter but still be tied to the context of the encounter.
Claim.item.detail
Element Id | Claim.item.detail
Definition | A claim detail line. Either a simple (a product or service) or a 'group' of sub-details which are simple items.
Cardinality | 0..*
Requirements | The items to be processed for adjudication.
Claim.item.detail.sequence
Element Id | Claim.item.detail.sequence
Definition | A number to uniquely identify item entries.
Cardinality | 1..1
Type | positiveInt

Requirements | Necessary to provide a mechanism to link to items from within the claim and within the adjudication details of the ClaimResponse.
Claim.item.detail.revenue
Element Id | Claim.item.detail.revenue
Definition | The type of revenue or cost center providing the product and/or service.
Cardinality | 0..1
Terminology Binding | Example Revenue Center Codes (Example)
Type | CodeableConcept
Requirements | Needed in the processing of institutional claims.
Claim.item.detail.category
Element Id | Claim.item.detail.category
Definition | Code to identify the general type of benefits under which products and services are provided.
Cardinality | 0..1
Terminology Binding | Benefit Category Codes (Example)
Type | CodeableConcept
Requirements | Needed in the processing of institutional claims as this allows the insurer to determine whether a facial X-Ray is for dental, orthopedic, or facial surgery purposes.
Comments | Examples include Medical Care, Periodontics, Renal Dialysis, Vision Coverage.
Claim.item.detail.productOrService
Element Id | Claim.item.detail.productOrService
Definition | When the value is a group code then this item collects a set of related claim details, otherwise this contains the product, service, drug or other billing code for the item.
Cardinality | 1..1
Terminology Binding | USCLS Codes (Example)
Type | CodeableConcept
Requirements | Necessary to state what was provided or done.
Alternate Names | Drug Code; Bill Code; Service Code
Comments | If this is an actual service or product line, i.e. not a Group, then use code to indicate the Professional Service or Product supplied (e.g. CTP, HCPCS, USCLS, ICD10, NCPDP, DIN, RxNorm, ACHI, CCI). If a grouping item then use a group code to indicate the type of thing being grouped e.g. 'glasses' or 'compound'.
Claim.item.detail.modifier
Element Id | Claim.item.detail.modifier
Definition | Item typification or modifiers codes to convey additional context for the product or service.
Cardinality | 0..*
Terminology Binding | Modifier type Codes (Example)
Type | CodeableConcept
Requirements | To support inclusion of the item for adjudication or to charge an elevated fee.
Comments | For example in Oral whether the treatment is cosmetic or associated with TMJ, or for Medical whether the treatment was outside the clinic or out of office hours.
Claim.item.detail.programCode
Element Id | Claim.item.detail.programCode
Definition | Identifies the program under which this may be recovered.
Cardinality | 0..*
Terminology Binding | Example Program Reason Codes (Example)
Type | CodeableConcept
Requirements | Commonly used in in the identification of publicly provided program focused on population segments or disease classifications.
Comments | For example: Neonatal program, child dental program or drug users recovery program.
Claim.item.detail.quantity
Element Id | Claim.item.detail.quantity
Definition | The number of repetitions of a service or product.
Cardinality | 0..1
Type | SimpleQuantity
Requirements | Required when the product or service code does not convey the quantity provided.
Claim.item.detail.unitPrice
Element Id | Claim.item.detail.unitPrice
Definition | If the item is not a group then this is the fee for the product or service, otherwise this is the total of the fees for the details of the group.
Cardinality | 0..1
Type | Money
Requirements | The amount charged to the patient by the provider for a single unit.
Claim.item.detail.factor
Element Id | Claim.item.detail.factor
Definition | A real number that represents a multiplier used in determining the overall value of services delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied to a monetary amount.
Cardinality | 0..1
Type | decimal
Requirements | When discounts are provided to a patient (example: Senior's discount) then this must be documented for adjudication.
Comments | To show a 10% senior's discount, the value entered is: 0.90 (1.00 - 0.10).
Claim.item.detail.net
Element Id | Claim.item.detail.net
Definition | The quantity times the unit price for an additional service or product or charge.

Cardinality | 0..1
Type | Money
Requirements | Provides the total amount claimed for the group (if a grouper) or the line item.
Comments | For example, the formula: quantity * unitPrice * factor = net. Quantity and factor are assumed to be 1 if not supplied.
Claim.item.detail.udi
Element Id | Claim.item.detail.udi
Definition | Unique Device Identifiers associated with this line item.
Cardinality | 0..*
Type | Reference(Device)
Requirements | The UDI code allows the insurer to obtain device level information on the product supplied.
Claim.item.detail.subDetail
Element Id | Claim.item.detail.subDetail
Definition | A claim detail line. Either a simple (a product or service) or a 'group' of sub-details which are simple items.
Cardinality | 0..*
Requirements | The items to be processed for adjudication.
Claim.item.detail.subDetail.sequence
Element Id | Claim.item.detail.subDetail.sequence
Definition | A number to uniquely identify item entries.
Cardinality | 1..1
Type | positiveInt
Requirements | Necessary to provide a mechanism to link to items from within the claim and within the adjudication details of the ClaimResponse.
Claim.item.detail.subDetail.revenue
Element Id | Claim.item.detail.subDetail.revenue
Definition | The type of revenue or cost center providing the product and/or service.
Cardinality | 0..1
Terminology Binding | Example Revenue Center Codes (Example)
Type | CodeableConcept
Requirements | Needed in the processing of institutional claims.
Claim.item.detail.subDetail.category
Element Id | Claim.item.detail.subDetail.category
Definition | Code to identify the general type of benefits under which products and services are provided.
Cardinality | 0..1
Terminology Binding | Benefit Category Codes (Example)
Type | CodeableConcept
Requirements | Needed in the processing of institutional claims as this allows the insurer to determine whether a facial X-Ray is for dental, orthopedic, or facial surgery purposes.
Comments | Examples include Medical Care, Periodontics, Renal Dialysis, Vision Coverage.
Claim.item.detail.subDetail.productOrService
Element Id | Claim.item.detail.subDetail.productOrService
Definition | When the value is a group code then this item collects a set of related claim details, otherwise this contains the product, service, drug or other billing code for the item.
Cardinality | 1..1
Terminology Binding | USCLS Codes (Example)
Type | CodeableConcept
Requirements | Necessary to state what was provided or done.
Comments | If this is an actual service or product line, i.e. not a Group, then use code to indicate the Professional Service or Product supplied (e.g. CTP, HCPCS, USCLS, ICD10, NCPDP, DIN, RxNorm, ACHI, CCI). If a grouping item then use a group code to indicate the type of thing being grouped e.g. 'glasses' or 'compound'.
Claim.item.detail.subDetail.modifier
Element Id | Claim.item.detail.subDetail.modifier
Definition | Item typification or modifiers codes to convey additional context for the product or service.
Cardinality | 0..*
Terminology Binding | Modifier type Codes (Example)
Type | CodeableConcept
Requirements | To support inclusion of the item for adjudication or to charge an elevated fee.
Comments | For example in Oral whether the treatment is cosmetic or associated with TMJ, or for Medical whether the treatment was outside the clinic or out of office hours.
Claim.item.detail.subDetail.programCode
Element Id | Claim.item.detail.subDetail.programCode
Definition | Identifies the program under which this may be recovered.
Cardinality | 0..*
Terminology Binding | Example Program Reason Codes (Example)
Type | CodeableConcept
Requirements | Commonly used in in the identification of publicly provided program focused on population segments or disease classifications.
Comments | For example: Neonatal program, child dental program or drug users recovery program.
Claim.item.detail.subDetail.quantity
Element Id | Claim.item.detail.subDetail.quantity
Definition | The number of repetitions of a service or product.
Cardinality | 0..1
Type | SimpleQuantity
Requirements | Required when the product or service code does not convey the quantity provided.

Claim.item.detail.subDetail.unitPrice
Element Id | Claim.item.detail.subDetail.unitPrice
Definition | If the item is not a group then this is the fee for the product or service, otherwise this is the total of the fees for the details of the group.
Cardinality | 0..1
Type | Money
Requirements | The amount charged to the patient by the provider for a single unit.
Claim.item.detail.subDetail.factor
Element Id | Claim.item.detail.subDetail.factor
Definition | A real number that represents a multiplier used in determining the overall value of services delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied to a monetary amount.
Cardinality | 0..1
Type | decimal
Requirements | When discounts are provided to a patient (example: Senior's discount) then this must be documented for adjudication.
Comments | To show a 10% senior's discount, the value entered is: 0.90 (1.00 - 0.10).
Claim.item.detail.subDetail.net
Element Id | Claim.item.detail.subDetail.net
Definition | The quantity times the unit price for an additional service or product or charge.
Cardinality | 0..1
Type | Money
Requirements | Provides the total amount claimed for the group (if a grouper) or the line item.
Comments | For example, the formula: quantity * unitPrice * factor = net. Quantity and factor are assumed to be 1 if not supplied.
Claim.item.detail.subDetail.udi
Element Id | Claim.item.detail.subDetail.udi
Definition | Unique Device Identifiers associated with this line item.
Cardinality | 0..*
Type | Reference(Device)
Requirements | The UDI code allows the insurer to obtain device level information on the product supplied.
Claim.total
Element Id | Claim.total
Definition | The total value of the all the items in the claim.
Cardinality | 0..1
Type | Money
Requirements | Used for control total purposes.

13.6.7 Resource Claim - Mappings

URL: https://hl7.org/fhir/R4/claim-mappings.html

13.6.7 Resource Claim - Mappings

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

Mappings:

FiveWs Pattern Mapping

Workflow Pattern

RIM Mapping

Mappings for the claim resource (see Mappings to Other Standards for further information & status).

13.6.7.1 FiveWs Pattern Mapping (http://hl7.org/fhir/fivews)

Claim
identifier | FiveWs.identifier
status | FiveWs.status
type | FiveWs.class
subType | FiveWs.class
use | FiveWs.class
patient | FiveWs.subject[x]
billablePeriod | FiveWs.done[x]
created | FiveWs.recorded
enterer | FiveWs.author
provider | FiveWs.source
referral | FiveWs.cause
facility | FiveWs.where[x]
provider | FiveWs.actor
identifier | FiveWs.identifier
serviced[x] | FiveWs.done[x]
location[x] | FiveWs.where[x]

13.6.7.2 Workflow Pattern (http://hl7.org/fhir/workflow)

Claim | Request
identifier | Request.identifier
status | Request.status
patient | Request.subject
created | Request.authoredOn
insurer | Request.performer
provider | Request.requester
priority | Request.priority
claim | Request.replaces
supportingInfo | Request.supportingInfo
diagnosis | Request.reasonReference
identifier | Request.identifier
encounter | Request.context

13.6.7.3 RIM Mapping (http://hl7.org/v3)

Claim
insurance | Coverage

13.6.8 Resource Claim - Extensions & Profiles

URL: https://hl7.org/fhir/R4/claim-profiles.html

13.6.8 Resource Claim - Extensions & Profiles

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

This table lists profiles and extensions for the Claim resource. For background information, see Profiling Resources and Extensibility. Additional profiles and extensions may be found in published Implementation Guides , or in the Conformance resource registry .

13.6.8.1 Profiles

No Profiles defined for this resource

13.6.8.2 Extensions

No Extensions defined for this resource
Extensions for all resources or elements
resource-pertainsToGoal | pertainsToGoal | for Resource HL7 Extensions

Extensions that reference this resource:

No Extensions refer to this resource
Extensions that refer to Any resource
cqf-relativeDateTime | relativeDateTime | for Clinical Reasoning Extensions
event-basedOn | basedOn | for Event Pattern HL7 Extensions
event-partOf | partOf | for Event Pattern HL7 Extensions
flag-detail | detail | for Flag HL7 Extensions
relative-date | Relative Date Criteria | for General Extensions for use by FHIR Implementers
replaces | replaces | for General Extensions for use by FHIR Implementers
request-replaces | replaces | for Request Pattern HL7 Extensions
workflow-supportingInfo | supportingInfo | for Workflow Pattern HL7 Extensions

13.6.8.3 Search Extensions

No Search Extensions defined for this resource

13.6.9 Resource Claim - Operations

URL: https://hl7.org/fhir/R4/claim-operations.html

13.6.9 Resource Claim - Operations

Financial Management Work Group | Maturity Level: 2 | Trial Use | Security Category: Patient | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

This resource has 1 operation operations associated with it:

$submit | Submit a Claim resource for adjudication

For more information about operations, including how they are invoked, see Operations.

13.6.9.1 Operation $submit on Claim

URL: https://hl7.org/fhir/R4/claim-operation-submit.html

13.6.9.1 Operation $submit on Claim

This operation is used to submit a Claim, Pre-Authorization or Pre-Determination (all instances of Claim resources) for adjudication either as a single Claim resource instance or as a Bundle containing the Claim and other referenced resources, or Bundle containing a batch of Claim resources, either as single Claims resources or Bundle resources, for processing. The only input parameter is the single Claim or Bundle resource and the only output is a single ClaimResponse, Bundle of ClaimResponses or an OperationOutcome resource.

The official URL for this operation definition is

`http://hl7.org/fhir/OperationDefinition/Claim-submit`

Formal Definition (as a OperationDefinition).

URL: [base]/Claim/$submit

This is not an idempotent operation

In Parameters:

Name | Cardinality | Type | Binding | Profile | Documentation

resource | 1..1 | Resource | | | A Claim resource or Bundle of claims, either as individual Claim resources or as Bundles each containing a single Claim plus referenced resources.

Out Parameters:

Name | Cardinality | Type | Binding | Profile | Documentation

return | 1..1 | Resource | | | A ClaimResponse resource or Bundle of claim responses, either as individual ClaimResponse resources or as Bundles each containing a single ClaimResponse plus referenced resources. Note: as this is the only out parameter, it is a resource, and it has the name 'return', the result of this operation is returned directly as a resource

13.6.9.1.1 Examples

Request:

```
POST [baseurl]/Claim/$submit
[headers]

<?xml version="1.0" encoding="UTF-8"?>
<Claim xmlns="http://hl7.org/fhir" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="http://hl7.org/fhir ../../schema/coverage.xsd">
  <id value="100150"/>

  <text>
    <status value="generated"/>
    <div xmlns="http://www.w3.org/1999/xhtml">A human-readable rendering of the Oral Health Claim</div>
  </text>

  <identifier>
    <system value="http://happyvalley.com/claim"/>
    <value value="12345"/>
  </identifier>

  <status value = "active"/>

  <type>
    <coding>
      <system value="http://hl7.org/fhir/claim-type"/>
      <code value="oral"/>
    </coding>
  </type>

  <use value="claim"/>

  <patient>
    <reference value="Patient/1"/>
  </patient>

  <created value="2014-08-16"/>

  <insurer>
    <reference value="Organization/2"/>
  </insurer>

  <organization>
    <reference value="Organization/1"/>
  </organization>

  <priority>
    <coding>
      <code value="normal"/>
    </coding>
  </priority>

  <payee>
    <type>
      <coding>
        <code value="provider"/>
      </coding>
    </type>
  </payee>
```

```
  <careTeam>
    <sequence value="1"/>
    <provider>
      <reference value="Practitioner/example"/>
    </provider>
  </careTeam>

  <diagnosis>
    <sequence value="1"/>
    <diagnosisCodeableConcept>
      <coding>
        <code value="123456"/>
      </coding>
    </diagnosisCodeableConcept>
  </diagnosis>

  <insurance>
    <sequence value="1"/>
    <focal value="true"/>
    <identifier>
      <system value="http://happyvalley.com/claim"/>
      <value value="12345"/>
    </identifier>
    <coverage>
      <reference value="Coverage/9876B1"/>
    </coverage>
  </insurance>

  <item>
    <sequence value="1"/>
    <careTeamLinkId value="1"/>
    <billcode>
      <coding>
        <code value="1200"/>
      </coding>
    </billcode>
    <servicedDate value="2014-08-16"/>
    <unitPrice>
      <value value="135.57"/>
      <code value="USD"/>
    </unitPrice>
    <net>
      <value value="135.57"/>
      <code value="USD"/>
    </net>
  </item>

</Claim>
```

Response:

```
HTTP/1.1 200 OK
[headers]

<?xml version="1.0" encoding="UTF-8"?>
<ClaimResponse xmlns="http://hl7.org/fhir" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="http://hl7.org/fhir ../../schema/claimresponse.xsd">

  <id value="R3500"/>

  <text>
    <status value="generated"/>
    <div xmlns="http://www.w3.org/1999/xhtml">A human-readable rendering of the ClaimResponse</div>
  </text>

  <identifier>
    <system value="http://www.BenefitsInc.com/fhir/remittance"/>
    <value value="R3500"/>
  </identifier>

  <status value="active"/>

  <type>
    <coding>
      <system value="http://hl7.org/fhir/claim-type"/>
      <code value="oral"/>
    </coding>
  </type>

  <use value="claim"/>

  <patient>
    <reference value="Patient/1"/>
  </patient>

  <created value="2014-08-16"/>

  <insurer>
    <identifier>
      <system value="http://www.jurisdiction.org/insurers"/>
```

```
    <value value="555123"/>
  </identifier>
</insurer>

<requestProvider>
  <reference value="Practitioner/1"/>
</requestProvider>

<requestOrganization>
  <reference value="Organization/1"/>
</requestOrganization>

<request>
  <reference value="http://www.BenefitsInc.com/fhir/oralhealthclaim/15476332402"/>
</request>

<outcome value="complete" />

<disposition value="Claim settled as per contract."/>

<payeeType>
  <coding>
    <system value="http://hl7.org/fhir/payeetype"/>
    <code value="provider"/>
  </coding>
</payeeType>

<!-- Adjudication details -->

<item>

  <sequenceLinkId value="1"/>

  <adjudication>
    <category>
      <coding>
        <code value="eligible"/>
      </coding>
    </category>
    <amount>
      <value value="135.57"/>
      <code value="USD"/>
    </amount>
  </adjudication>

  <adjudication>
    <category>
      <coding>
        <code value="copay"/>
      </coding>
    </category>
    <amount>
      <value value="10.00"/>
      <code value="USD"/>
    </amount>
  </adjudication>

  <adjudication>
    <category>
      <coding>
        <code value="eligpercent"/>
      </coding>
    </category>
    <value value="80.00"/>
  </adjudication>
  <adjudication>
    <category>
      <coding>
        <code value="benefit"/>
      </coding>
    </category>
    <reason>
      <coding>
        <system value="http://hl7.org/fhir/adjudication-reason"/>
        <code value="ar002"/>
        <display value="Plan Limit Reached"/>
        <!-- should have paid 100.47 -->
      </coding>
    </reason>
    <amount>
      <value value="90.47"/>
      <code value="USD"/>
    </amount>
  </adjudication>

</item>

<totalCost>
  <value value="135.57"/>
```

```
    <code value="USD"/>
  </totalCost>

  <totalBenefit>
    <value value="90.47"/>
    <code value="USD"/>
  </totalBenefit>

  <!-- Payment details -->
  <payment>
    <type>
      <coding>
        <system value="http://hl7.org/fhir/ex-paymenttype"/>
        <code value="complete"/>
      </coding>
    </type>

    <date value="2014-08-31"/>

    <amount>
      <value value="100.47"/>
      <code value="USD"/>
    </amount>

    <identifier>
      <system value="http://www.BenefitsInc.com/fhir/paymentidentifier"/>
      <value value="201408-2-1569478"/>
    </identifier>
  </payment>
</ClaimResponse>
```

For more information about operations, including how they are invoked, see Operations.

13.6.10 Resource Claim - R3/R4 Conversions

URL: https://hl7.org/fhir/R4/claim-version-maps.html

No validation errors - all conversions are clean

13.6.10 Resource Claim - R3/R4 Conversions

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

R3 : R4 Conversion maps for Claim.

Functional status for this map: 16 tests of which 3 fail to execute. 13 fail round-trip testing and 3 r3 resources are invalid (0 errors). (see documentation)

13.6.10.1 R3 to R4

```
map "http://hl7.org/fhir/StructureMap/Claim3to4" = "R3 to R4 Conversions for Claim"

conceptmap "Use" {
  prefix s = "http://hl7.org/fhir/claim-use"
  prefix t = "http://hl7.org/fhir/claim-use"

  s:complete - t:claim
  s:proposed - t:preauthorization
  s:exploratory - t:predetermination
}

uses "http://hl7.org/fhir/3.0/StructureDefinition/Claim" alias ClaimR3 as source
uses "http://hl7.org/fhir/StructureDefinition/Claim" alias Claim as target

imports "http://hl7.org/fhir/StructureMap/*3to4"

group Claim(source src : ClaimR3, target tgt : Claim) extends DomainResource <<type+>> {
  src.identifier -> tgt.identifier;
  src.status -> tgt.status;
  src.type -> tgt.type;
  src.subType -> tgt.subType;
  src.use as v -> tgt.use = translate(v, '#Use', 'code');
  src.patient -> tgt.patient;
  src.billablePeriod -> tgt.billablePeriod;
  src.created -> tgt.created;
  src.enterer -> tgt.enterer;
  src.insurer -> tgt.insurer;
  src.provider -> tgt.provider;
  src.priority -> tgt.priority;
  src.organization where src.provider.exists().not() -> tgt.provider;
  src.fundsReserve -> tgt.fundsReserve;
  src.prescription -> tgt.prescription;
  src.originalPrescription -> tgt.originalPrescription;
  src.payee as vs -> tgt.payee as vt then {
    vs.type -> vt.type;
    vs.party -> vt.party;
  };
  src.referral -> tgt.referral;
```

```
src.facility -> tgt.facility;
src.careTeam as vs -> tgt.careTeam as vt then {
  vs.sequence -> vt.sequence;
  vs.provider -> vt.provider;
  vs.responsible -> vt.responsible;
  vs.role -> vt.role;
  vs.qualification -> vt.qualification;
};
src.information as vs -> tgt.supportingInfo as vt then {
  vs.sequence -> vt.sequence;
  vs.category -> vt.category;
  vs.code -> vt.code;
  vs.timing : date as vs0 -> vt.timing = create('date') as vt0 then date(vs0, vt0);
  vs.timing : Period as vs0 -> vt.timing as vt0 then Period(vs0, vt0);
  vs.value : boolean as vs0 -> vt.value = create('boolean') as vt0 then boolean(vs0, vt0);
  vs.value : string as vs0 -> vt.value = create('string') as vt0 then string(vs0, vt0);
  vs.value : Quantity as vs0 -> vt.value = create('Quantity') as vt0 then Quantity(vs0, vt0);
  vs.value : Attachment as vs0 -> vt.value = create('Attachment') as vt0 then Attachment(vs0, vt0);
  vs.value : Reference as vs0 -> vt.value = create('Reference') as vt0 then Reference(vs0, vt0);
  vs.reason -> vt.reason;
};
src.diagnosis as vs -> tgt.diagnosis as vt then {
  vs.sequence -> vt.sequence;
  vs.diagnosis : Reference as vs0 -> vt.diagnosis = create('Reference') as vt0 then Reference(vs0, vt0);
  vs.diagnosis : CodeableConcept as vs0 -> vt.diagnosis = create('CodeableConcept') as vt0 then CodeableConcept(vs0,
  vt0);
  vs.type -> vt.type;
  vs.packageCode -> vt.packageCode;
};
src.insurance as vs -> tgt.insurance as vt then {
  vs.sequence -> vt.sequence;
  vs.focal -> vt.focal;
  vs.coverage -> vt.coverage;
  vs.businessArrangement -> vt.businessArrangement;
  vs.preAuthRef -> vt.preAuthRef;
  vs.claimResponse -> vt.claimResponse;
};
src.accident as vs -> tgt.accident as vt then {
  vs.date -> vt.date;
  vs.type -> vt.type;
  vs.location : Address as vs0 -> vt.location = create('Address') as vt0 then Address(vs0, vt0);
  vs.location : Reference as vs0 -> vt.location = create('Reference') as vt0 then Reference(vs0, vt0);
};
src.item as vs -> tgt.item as vt then {
  vs.sequence -> vt.sequence;
  vs.careTeamLinkId -> vt.careTeamSequence;
  vs.diagnosisLinkId -> vt.diagnosisSequence;
  vs.procedureLinkId -> vt.procedureSequence;
  vs.informationLinkId -> vt.informationSequence;
  vs.revenue -> vt.revenue;
  vs.category -> vt.category;
  vs.service -> vt.productOrService;
  vs.modifier -> vt.modifier;
  vs.programCode -> vt.programCode;
  vs.serviced : date as vs0 -> vt.serviced = create('date') as vt0 then date(vs0, vt0);
  vs.serviced : Period as vs0 -> vt.serviced as vt0 then Period(vs0, vt0);
  vs.location : CodeableConcept as vs0 -> vt.diagnosis = create('CodeableConcept') as vt0 then CodeableConcept(vs0,
  vt0);
  vs.location : Address as vs0 -> vt.location = create('Address') as vt0 then Address(vs0, vt0);
  vs.location : Reference as vs0 -> vt.location = create('Reference') as vt0 then Reference(vs0, vt0);
  vs.quantity -> vt.quantity;
  vs.unitPrice -> vt.unitPrice;
  vs.factor -> vt.factor;
  vs.net -> vt.net;
  vs.udi -> vt.udi;
  vs.bodySite -> vt.bodySite;
  vs.subSite -> vt.subSite;
  vs.encounter -> vt.encounter;
  vs.detail as vsd -> vt.detail as vst then {
    vsd.sequence -> vst.sequence;
    vsd.revenue -> vst.revenue;
    vsd.category -> vst.category;
    vsd.service -> vst.productOrService;
    vsd.modifier -> vst.modifier;
    vsd.programCode -> vst.programCode;
    vsd.quantity -> vst.quantity;
    vsd.unitPrice -> vst.unitPrice;
    vsd.factor -> vst.factor;
    vsd.net -> vst.net;
    vsd.udi -> vst.udi;
    vsd.subDetail as vsds -> vst.subDetail as vsts then {
      vsds.sequence -> vsts.sequence;

      vsds.revenue -> vsts.revenue;
      vsds.category -> vsts.category;
      vsds.service -> vsts.productOrService;
      vsds.modifier -> vsts.modifier;
      vsds.programCode -> vsts.programCode;
      vsds.quantity -> vsts.quantity;
      vsds.unitPrice -> vsts.unitPrice;
```

```
        vsds.factor -> vsts.factor;
        vsds.net -> vsts.net;
        vsds.udi -> vsts.udi;
      };
    };
  };
  src.total -> tgt.total;
}
```

13.6.10.2 R4 to R3

```
map "http://hl7.org/fhir/StructureMap/Claim4to3" = "R4 to R3 Conversion for Claim"

conceptmap "Use" {
  prefix s = "http://hl7.org/fhir/claim-use"
  prefix t = "http://hl7.org/fhir/claim-use"

  s:claim - t:complete
  s:preauthorization - t:proposed
  s:predetermination - t:exploratory
}

uses "http://hl7.org/fhir/StructureDefinition/Claim" alias Claim as source
uses "http://hl7.org/fhir/3.0/StructureDefinition/Claim" alias ClaimR3 as target

imports "http://hl7.org/fhir/StructureMap/*4to3"

group Claim(source src : Claim, target tgt : ClaimR3) extends DomainResource <<type+>> {
  src.identifier -> tgt.identifier;
  src.status -> tgt.status;
  src.type -> tgt.type;
  src.subType -> tgt.subType;
  src.use as v -> tgt.use = translate(v, '#Use', 'code');
  src.patient -> tgt.patient;
  src.billablePeriod -> tgt.billablePeriod;
  src.created -> tgt.created;
  src.enterer -> tgt.enterer;
  src.insurer -> tgt.insurer;
  src.provider -> tgt.provider;
  src.priority -> tgt.priority;
  src.fundsReserve -> tgt.fundsReserve;
  src.prescription -> tgt.prescription;
  src.originalPrescription -> tgt.originalPrescription;
  src.payee as vs -> tgt.payee as vt then {
    vs.type -> vt.type;
    vs.party -> vt.party;
  };
  src.referral -> tgt.referral;
  src.facility -> tgt.facility;
  src.careTeam as vs -> tgt.careTeam as vt then {
    vs.sequence -> vt.sequence;
    vs.provider -> vt.provider;
    vs.responsible -> vt.responsible;
    vs.role -> vt.role;
    vs.qualification -> vt.qualification;
  };
  src.supportingInfo as vs -> tgt.information as vt then {
    vs.sequence -> vt.sequence;
    vs.category -> vt.category;
    vs.code -> vt.code;
    vs.timing : date as vs0 -> vt.timing = create('date') as vt0 then date(vs0, vt0);
    vs.timing : Period as vs0 -> vt.timing as vt0 then Period(vs0, vt0);
    vs.value : boolean as vs0 -> vt.value = create('boolean') as vt0 then boolean(vs0, vt0);
    vs.value : string as vs0 -> vt.value = create('string') as vt0 then string(vs0, vt0);
    vs.value : Quantity as vs0 -> vt.value = create('Quantity') as vt0 then Quantity(vs0, vt0);
    vs.value : Attachment as vs0 -> vt.value = create('Attachment') as vt0 then Attachment(vs0, vt0);
    vs.value : Reference as vs0 -> vt.value = create('Reference') as vt0 then Reference(vs0, vt0);
    vs.reason -> vt.reason;
  };
  src.diagnosis as vs -> tgt.diagnosis as vt then {
    vs.sequence -> vt.sequence;
    vs.diagnosis : Reference as vs0 -> vt.diagnosis = create('Reference') as vt0 then Reference(vs0, vt0);
    vs.diagnosis : CodeableConcept as vs0 -> vt.diagnosis = create('CodeableConcept') as vt0 then CodeableConcept(vs0,
    vt0);
    vs.type -> vt.type;
    vs.packageCode -> vt.packageCode;
  };
  src.insurance as vs -> tgt.insurance as vt then {
    vs.sequence -> vt.sequence;
    vs.focal -> vt.focal;
    vs.coverage -> vt.coverage;
    vs.businessArrangement -> vt.businessArrangement;
    vs.preAuthRef -> vt.preAuthRef;
    vs.claimResponse -> vt.claimResponse;
  };
  src.accident as vs -> tgt.accident as vt then {
    vs.date -> vt.date;
    vs.type -> vt.type;
    vs.location : Address as vs0 -> vt.location = create('Address') as vt0 then Address(vs0, vt0);
    vs.location : Reference as vs0 -> vt.location = create('Reference') as vt0 then Reference(vs0, vt0);
```

```
  };
  src.item as vs -> tgt.item as vt then {
    vs.sequence -> vt.sequence;
    vs.careTeamSequence -> vt.careTeamLinkId;
    vs.diagnosisSequence -> vt.diagnosisLinkId;
    vs.procedureSequence -> vt.procedureLinkId;
    vs.informationSequence -> vt.informationLinkId;
    vs.revenue -> vt.revenue;
    vs.category -> vt.category;
    vs.productOrService -> vt.service;
    vs.modifier -> vt.modifier;
    vs.programCode -> vt.programCode;
    vs.serviced : date as vs0 -> vt.serviced = create('date') as vt0 then date(vs0, vt0);
    vs.serviced : Period as vs0 -> vt.serviced as vt0 then Period(vs0, vt0);
    vs.location : CodeableConcept as vs0 -> vt.diagnosis = create('CodeableConcept') as vt0 then CodeableConcept(vs0,
    vt0);
    vs.location : Address as vs0 -> vt.location = create('Address') as vt0 then Address(vs0, vt0);
    vs.location : Reference as vs0 -> vt.location = create('Reference') as vt0 then Reference(vs0, vt0);
    vs.quantity -> vt.quantity;
    vs.unitPrice -> vt.unitPrice;
    vs.factor -> vt.factor;
    vs.net -> vt.net;
    vs.udi -> vt.udi;
    vs.bodySite -> vt.bodySite;
    vs.subSite -> vt.subSite;
    vs.encounter -> vt.encounter;
    vs.detail as vsd -> vt.detail as vst then {
      vsd.sequence -> vst.sequence;
      vsd.revenue -> vst.revenue;
      vsd.category -> vst.category;
      vsd.productOrService -> vst.service;
      vsd.modifier -> vst.modifier;
      vsd.programCode -> vst.programCode;
      vsd.quantity -> vst.quantity;
      vsd.unitPrice -> vst.unitPrice;
      vsd.factor -> vst.factor;
      vsd.net -> vst.net;
      vsd.udi -> vst.udi;
      vsd.subDetail as vsds -> vst.subDetail as vsts then {
        vsds.sequence -> vsts.sequence;
        vsds.revenue -> vsts.revenue;
        vsds.category -> vsts.category;
        vsds.productOrService -> vsts.service;
        vsds.modifier -> vsts.modifier;
        vsds.programCode -> vsts.programCode;
        vsds.quantity -> vsts.quantity;
        vsds.unitPrice -> vsts.unitPrice;
        vsds.factor -> vsts.factor;
        vsds.net -> vsts.net;
        vsds.udi -> vsts.udi;
      };
    };
  };
  src.total -> tgt.total;
}
```

13.6.10.3 R4 Validation Errors

13.6.11 JSON Schema for Claim

URL: https://hl7.org/fhir/R4/claim.schema.json.html

13.6.11 JSON Schema for Claim

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

This is a representation of the json schema for Claim, which is just a part of the full JSON Schema.

```
{
  "$schema": "http://json-schema.org/draft-06/schema#",
  "id": "http://hl7.org/fhir/json-schema/Claim",
  "$ref": "#/definitions/Claim",
  "description": "see http://hl7.org/fhir/json.html#schema for information about the FHIR Json Schemas",
  "definitions": {
    "Claim": {
      "description": "A provider issued list of professional services and products which have been provided, or are to
    be provided, to a patient which is sent to an insurer for reimbursement.",
      "properties": {
        "resourceType": {
          "description": "This is a Claim resource",
          "const": "Claim"
        },
        "id": {
          "description": "The logical id of the resource, as used in the URL for the resource. Once assigned, this value
     never changes.",
          "$ref": "id.schema.json#/definitions/id"
        },
```

```
    "meta": {
      "description": "The metadata about the resource. This is content that is maintained by the infrastructure.
Changes to the content might not always be associated with version changes to the resource.",
      "$ref": "Meta.schema.json#/definitions/Meta"
    },
    "implicitRules": {
      "description": "A reference to a set of rules that were followed when the resource was constructed, and which
must be understood when processing the content. Often, this is a reference to an implementation guide that defines
the special rules along with other profiles etc.",
      "$ref": "#/definitions/uri"
    },
    "_implicitRules": {
      "description": "Extensions for implicitRules",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "language": {
      "description": "The base language in which the resource is written.",
      "$ref": "#/definitions/code"
    },
    "_language": {
      "description": "Extensions for language",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "text": {
      "description": "A human-readable narrative that contains a summary of the resource and can be used to
represent the content of the resource to a human. The narrative need not encode all the structured data, but is
required to contain sufficient detail to make it \"clinically safe\" for a human to just read the narrative.
Resource definitions may define what content should be represented in the narrative to ensure clinical safety.",
      "$ref": "Narrative.schema.json#/definitions/Narrative"
    },
    "contained": {
      "description": "These resources do not have an independent existence apart from the resource that contains
them - they cannot be identified independently, and nor can they have their own independent transaction scope.",
      "items": {
        "$ref": "ResourceList.schema.json#/definitions/ResourceList"
      },
      "type": "array"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the resource. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
 definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the resource and that modifies the understanding of the element that contains it and/or the understanding of the
containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the use
of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer is allowed to define an extension, there is a set of requirements that SHALL be
met as part of the definition of the extension. Applications processing a resource are required to check for
modifier extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or
DomainResource (including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "identifier": {
      "description": "A unique identifier assigned to this claim.",
      "items": {
        "$ref": "Identifier.schema.json#/definitions/Identifier"
      },
      "type": "array"
    },
    "status": {
      "description": "The status of the resource instance.",
      "$ref": "#/definitions/code"
    },
    "_status": {
      "description": "Extensions for status",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "type": {
      "description": "The category of claim, e.g. oral, pharmacy, vision, institutional, professional.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "subType": {
      "description": "A finer grained suite of claim type codes which may convey additional information such as
Inpatient vs Outpatient and/or a specialty service.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "use": {
      "description": "A code to indicate whether the nature of the request is: to request adjudication of products
and services previously rendered; or requesting authorization and adjudication for provision in the future; or
```

```
requesting the non-binding adjudication of the listed products and services which could be provided in the future.",
      "enum": [
        "claim",
        "preauthorization",
        "predetermination"
      ]
    },
    "_use": {
      "description": "Extensions for use",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "patient": {
      "description": "The party to whom the professional services and/or products have been supplied or are being
considered and for whom actual or forecast reimbursement is sought.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "billablePeriod": {
      "description": "The period for which charges are being submitted.",
      "$ref": "Period.schema.json#/definitions/Period"
    },
    "created": {
      "description": "The date this resource was created.",
      "$ref": "#/definitions/dateTime"
    },
    "_created": {
      "description": "Extensions for created",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "enterer": {
      "description": "Individual who created the claim, predetermination or preauthorization.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "insurer": {
      "description": "The Insurer who is target of the request.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "provider": {
      "description": "The provider which is responsible for the claim, predetermination or preauthorization.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "priority": {
      "description": "The provider-required urgency of processing the request. Typical values include: stat, routine
 deferred.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "fundsReserve": {
      "description": "A code to indicate whether and for whom funds are to be reserved for future claims.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "related": {
      "description": "Other claims which are related to this claim such as prior submissions or claims for related
services or for the same event.",
      "items": {
        "$ref": "#/definitions/Claim_Related"
      },
      "type": "array"
    },
    "prescription": {
      "description": "Prescription to support the dispensing of pharmacy, device or vision products.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "originalPrescription": {
      "description": "Original prescription which has been superseded by this prescription to support the dispensing
 of pharmacy services, medications or products.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "payee": {
      "description": "The party to be reimbursed for cost of the products and services according to the terms of the
 policy.",
      "$ref": "#/definitions/Claim_Payee"
    },
    "referral": {
      "description": "A reference to a referral resource.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "facility": {
      "description": "Facility where the services were provided.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "careTeam": {
      "description": "The members of the team who provided the products and services.",
      "items": {
        "$ref": "#/definitions/Claim_CareTeam"
      },
      "type": "array"
    },
    "supportingInfo": {
      "description": "Additional information codes regarding exceptions, special considerations, the condition,
situation, prior or concurrent issues.",
```

```
      "items": {
        "$ref": "#/definitions/Claim_SupportingInfo"
      },
      "type": "array"
    },
    "diagnosis": {
      "description": "Information about diagnoses relevant to the claim items.",
      "items": {
        "$ref": "#/definitions/Claim_Diagnosis"
      },
      "type": "array"
    },
    "procedure": {
      "description": "Procedures performed on the patient relevant to the billing items with the claim.",
      "items": {
        "$ref": "#/definitions/Claim_Procedure"
      },
      "type": "array"
    },
    "insurance": {
      "description": "Financial instruments for reimbursement for the health care products and services specified on
 the claim.",
      "items": {
        "$ref": "#/definitions/Claim_Insurance"
      },
      "type": "array"
    },
    "accident": {
      "description": "Details of an accident which resulted in injuries which required the products and services
listed in the claim.",
      "$ref": "#/definitions/Claim_Accident"
    },
    "item": {
      "description": "A claim line. Either a simple  product or service or a \u0027group\u0027 of details which can
each be a simple items or groups of sub-details.",
      "items": {
        "$ref": "#/definitions/Claim_Item"
      },
      "type": "array"
    },
    "total": {
      "description": "The total value of the all the items in the claim.",
      "$ref": "Money.schema.json#/definitions/Money"
    }
  },
  "additionalProperties": false,
  "required": [
    "insurance",
    "provider",
    "patient",
    "type",
    "priority",
    "resourceType"
  ]
},
"Claim_Related": {
  "description": "A provider issued list of professional services and products which have been provided, or are to
be provided, to a patient which is sent to an insurer for reimbursement.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "claim": {
```

```
      "description": "Reference to a related claim.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "relationship": {
      "description": "A code to convey how the claims are related.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "reference": {
      "description": "An alternate organizational reference to the case or file to which this particular claim
pertains.",
      "$ref": "Identifier.schema.json#/definitions/Identifier"
    }
  },
  "additionalProperties": false
},
"Claim_Payee": {
  "description": "A provider issued list of professional services and products which have been provided, or are to
be provided, to a patient which is sent to an insurer for reimbursement.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "type": {
      "description": "Type of Party to be reimbursed: subscriber, provider, other.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "party": {
      "description": "Reference to the individual or organization to whom any payment will be made.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    }
  },
  "additionalProperties": false,
  "required": [
    "type"
  ]
},
"Claim_CareTeam": {
  "description": "A provider issued list of professional services and products which have been provided, or are to
be provided, to a patient which is sent to an insurer for reimbursement.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
```

```
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "sequence": {
      "description": "A number to uniquely identify care team entries.",
      "$ref": "#/definitions/positiveInt"
    },
    "_sequence": {
      "description": "Extensions for sequence",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "provider": {
      "description": "Member of the team who provided the product or service.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "responsible": {
      "description": "The party who is billing and/or responsible for the claimed products or services.",
      "$ref": "#/definitions/boolean"
    },
    "_responsible": {
      "description": "Extensions for responsible",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "role": {
      "description": "The lead, assisting or supervising practitioner and their discipline if a multidisciplinary
team.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "qualification": {
      "description": "The qualification of the practitioner which is applicable for this service.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    }
  },
  "additionalProperties": false,
  "required": [
    "provider"
  ]
},
"Claim_SupportingInfo": {
  "description": "A provider issued list of professional services and products which have been provided, or are to
be provided, to a patient which is sent to an insurer for reimbursement.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "sequence": {
      "description": "A number to uniquely identify supporting information entries.",
      "$ref": "#/definitions/positiveInt"
    },
    "_sequence": {
      "description": "Extensions for sequence",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "category": {
      "description": "The general class of the information supplied: information; exception; accident, employment;
onset, etc.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "code": {
      "description": "System and code pertaining to the specific information regarding special conditions relating
```

```
to the setting, treatment or patient  for which care is sought.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "timingDate": {
      "description": "The date when or period to which this information refers.",
      "pattern":
"^([0-9]([0-9]([0-9][1-9]|[1-9]0)|[1-9]00)|[1-9]000)(-(0[1-9]|1[0-2])(-(0[1-9]|[1-2][0-9]|3[0-1]))?)?$",
      "type": "string"
    },
    "_timingDate": {
      "description": "Extensions for timingDate",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "timingPeriod": {
      "description": "The date when or period to which this information refers.",
      "$ref": "Period.schema.json#/definitions/Period"
    },
    "valueBoolean": {
      "description": "Additional data or information such as resources, documents, images etc. including references
to the data or the actual inclusion of the data.",
      "pattern": "^true|false$",
      "type": "boolean"
    },
    "_valueBoolean": {
      "description": "Extensions for valueBoolean",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "valueString": {
      "description": "Additional data or information such as resources, documents, images etc. including references
to the data or the actual inclusion of the data.",
      "pattern": "^[ \\r\\n\\t\\S]+$",
      "type": "string"
    },
    "_valueString": {
      "description": "Extensions for valueString",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "valueQuantity": {
      "description": "Additional data or information such as resources, documents, images etc. including references
to the data or the actual inclusion of the data.",
      "$ref": "Quantity.schema.json#/definitions/Quantity"
    },
    "valueAttachment": {
      "description": "Additional data or information such as resources, documents, images etc. including references
to the data or the actual inclusion of the data.",
      "$ref": "Attachment.schema.json#/definitions/Attachment"
    },
    "valueReference": {
      "description": "Additional data or information such as resources, documents, images etc. including references
to the data or the actual inclusion of the data.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "reason": {
      "description": "Provides the reason in the situation where a reason code is required in addition to the
content.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    }
  },
  "additionalProperties": false,
  "required": [
    "category"
  ]
},
"Claim_Diagnosis": {
  "description": "A provider issued list of professional services and products which have been provided, or are to
be provided, to a patient which is sent to an insurer for reimbursement.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
```

```
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "sequence": {
      "description": "A number to uniquely identify diagnosis entries.",
      "$ref": "#/definitions/positiveInt"
    },
    "_sequence": {
      "description": "Extensions for sequence",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "diagnosisCodeableConcept": {
      "description": "The nature of illness or problem in a coded form or as a reference to an external defined
Condition.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "diagnosisReference": {
      "description": "The nature of illness or problem in a coded form or as a reference to an external defined
Condition.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "type": {
      "description": "When the condition was observed or the relative ranking.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "onAdmission": {
      "description": "Indication of whether the diagnosis was present on admission to a facility.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "packageCode": {
      "description": "A package billing code or bundle code used to group products and services to a particular
health condition (such as heart attack) which is based on a predetermined grouping code system.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    }
  },
  "additionalProperties": false
},
"Claim_Procedure": {
  "description": "A provider issued list of professional services and products which have been provided, or are to
be provided, to a patient which is sent to an insurer for reimbursement.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "sequence": {
      "description": "A number to uniquely identify procedure entries.",
      "$ref": "#/definitions/positiveInt"
    },
    "_sequence": {
      "description": "Extensions for sequence",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "type": {
      "description": "When the condition was observed or the relative ranking.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
```

```
      },
      "type": "array"
    },
    "date": {
      "description": "Date and optionally time the procedure was performed.",
      "$ref": "#/definitions/dateTime"
    },
    "_date": {
      "description": "Extensions for date",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "procedureCodeableConcept": {
      "description": "The code or reference to a Procedure resource which identifies the clinical intervention
performed.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "procedureReference": {
      "description": "The code or reference to a Procedure resource which identifies the clinical intervention
performed.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "udi": {
      "description": "Unique Device Identifiers associated with this line item.",
      "items": {
        "$ref": "Reference.schema.json#/definitions/Reference"
      },
      "type": "array"
    }
  },
  "additionalProperties": false
},
"Claim_Insurance": {
  "description": "A provider issued list of professional services and products which have been provided, or are to
be provided, to a patient which is sent to an insurer for reimbursement.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "sequence": {
      "description": "A number to uniquely identify insurance entries and provide a sequence of coverages to convey
coordination of benefit order.",
      "$ref": "#/definitions/positiveInt"
    },
    "_sequence": {
      "description": "Extensions for sequence",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "focal": {
      "description": "A flag to indicate that this Coverage is to be used for adjudication of this claim when set to
 true.",
      "$ref": "#/definitions/boolean"
    },
    "_focal": {
      "description": "Extensions for focal",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "identifier": {
      "description": "The business identifier to be used when the claim is sent for adjudication against this
insurance policy.",
      "$ref": "Identifier.schema.json#/definitions/Identifier"
    },
    "coverage": {
      "description": "Reference to the insurance card level information contained in the Coverage resource. The
```

```
coverage issuing insurer will use these details to locate the patient\u0027s actual coverage within the
insurer\u0027s information system.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "businessArrangement": {
      "description": "A business agreement number established between the provider and the insurer for special
business processing purposes.",
      "$ref": "#/definitions/string"
    },
    "_businessArrangement": {
      "description": "Extensions for businessArrangement",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "preAuthRef": {
      "description": "Reference numbers previously provided by the insurer to the provider to be quoted on
subsequent claims containing services or products related to the prior authorization.",
      "items": {
        "$ref": "#/definitions/string"
      },
      "type": "array"
    },
    "_preAuthRef": {
      "description": "Extensions for preAuthRef",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "claimResponse": {
      "description": "The result of the adjudication of the line items for the Coverage specified in this
insurance.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    }
  },
  "additionalProperties": false,
  "required": [
    "coverage"
  ]
},
"Claim_Accident": {
  "description": "A provider issued list of professional services and products which have been provided, or are to
be provided, to a patient which is sent to an insurer for reimbursement.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "date": {
      "description": "Date of an accident event  related to the products and services contained in the claim.",
      "$ref": "#/definitions/date"
    },
    "_date": {
      "description": "Extensions for date",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "type": {
      "description": "The type or context of the accident event for the purposes of selection of potential insurance
 coverages and determination of coordination between insurers.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "locationAddress": {
      "description": "The physical location of the accident event.",
      "$ref": "Address.schema.json#/definitions/Address"
    },
```

```
    "locationReference": {
      "description": "The physical location of the accident event.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    }
  },
  "additionalProperties": false
},
"Claim_Item": {
  "description": "A provider issued list of professional services and products which have been provided, or are to
be provided, to a patient which is sent to an insurer for reimbursement.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "sequence": {
      "description": "A number to uniquely identify item entries.",
      "$ref": "#/definitions/positiveInt"
    },
    "_sequence": {
      "description": "Extensions for sequence",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "careTeamSequence": {
      "description": "CareTeam members related to this service or product.",
      "items": {
        "$ref": "#/definitions/positiveInt"
      },
      "type": "array"
    },
    "_careTeamSequence": {
      "description": "Extensions for careTeamSequence",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "diagnosisSequence": {
      "description": "Diagnosis applicable for this service or product.",
      "items": {
        "$ref": "#/definitions/positiveInt"
      },
      "type": "array"
    },
    "_diagnosisSequence": {
      "description": "Extensions for diagnosisSequence",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "procedureSequence": {
      "description": "Procedures applicable for this service or product.",
      "items": {
        "$ref": "#/definitions/positiveInt"
      },
      "type": "array"
    },
    "_procedureSequence": {
      "description": "Extensions for procedureSequence",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
```

```
    },
    "informationSequence": {
      "description": "Exceptions, special conditions and supporting information applicable for this service or
product.",
      "items": {
        "$ref": "#/definitions/positiveInt"
      },
      "type": "array"
    },
    "_informationSequence": {
      "description": "Extensions for informationSequence",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "revenue": {
      "description": "The type of revenue or cost center providing the product and/or service.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "category": {
      "description": "Code to identify the general type of benefits under which products and services are
provided.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "productOrService": {
      "description": "When the value is a group code then this item collects a set of related claim details,
otherwise this contains the product, service, drug or other billing code for the item.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "modifier": {
      "description": "Item typification or modifiers codes to convey additional context for the product or
service.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "programCode": {
      "description": "Identifies the program under which this may be recovered.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "servicedDate": {
      "description": "The date or dates when the service or product was supplied, performed or completed.",
      "pattern":
"^([0-9]([0-9]([0-9][1-9]|[1-9]0)|[1-9]00)|[1-9]000)(-(0[1-9]|1[0-2])(-(0[1-9]|[1-2][0-9]|3[0-1]))?)?$",
      "type": "string"
    },
    "_servicedDate": {
      "description": "Extensions for servicedDate",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "servicedPeriod": {
      "description": "The date or dates when the service or product was supplied, performed or completed.",
      "$ref": "Period.schema.json#/definitions/Period"
    },
    "locationCodeableConcept": {
      "description": "Where the product or service was provided.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "locationAddress": {
      "description": "Where the product or service was provided.",
      "$ref": "Address.schema.json#/definitions/Address"
    },
    "locationReference": {
      "description": "Where the product or service was provided.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "quantity": {
      "description": "The number of repetitions of a service or product.",
      "$ref": "Quantity.schema.json#/definitions/Quantity"
    },
    "unitPrice": {
      "description": "If the item is not a group then this is the fee for the product or service, otherwise this is
the total of the fees for the details of the group.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "factor": {
      "description": "A real number that represents a multiplier used in determining the overall value of services
delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied
 to a monetary amount.",
      "$ref": "#/definitions/decimal"
    },
    "_factor": {
      "description": "Extensions for factor",
      "$ref": "Element.schema.json#/definitions/Element"
```

```
    },
    "net": {
      "description": "The quantity times the unit price for an additional service or product or charge.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "udi": {
      "description": "Unique Device Identifiers associated with this line item.",
      "items": {
        "$ref": "Reference.schema.json#/definitions/Reference"
      },
      "type": "array"
    },
    "bodySite": {
      "description": "Physical service site on the patient (limb, tooth, etc.).",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "subSite": {
      "description": "A region or surface of the bodySite, e.g. limb region or tooth surface(s).",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "encounter": {
      "description": "The Encounters during which this Claim was created or to which the creation of this record is
tightly associated.",
      "items": {
        "$ref": "Reference.schema.json#/definitions/Reference"
      },
      "type": "array"
    },
    "detail": {
      "description": "A claim detail line. Either a simple (a product or service) or a \u0027group\u0027 of sub-
details which are simple items.",
      "items": {
        "$ref": "#/definitions/Claim_Detail"
      },
      "type": "array"
    }
  },
  "additionalProperties": false,
  "required": [
    "productOrService"
  ]
},
"Claim_Detail": {
  "description": "A provider issued list of professional services and products which have been provided, or are to
be provided, to a patient which is sent to an insurer for reimbursement.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "sequence": {
      "description": "A number to uniquely identify item entries.",
      "$ref": "#/definitions/positiveInt"
    },
    "_sequence": {
      "description": "Extensions for sequence",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "revenue": {
      "description": "The type of revenue or cost center providing the product and/or service.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
```

```
    },
    "category": {
      "description": "Code to identify the general type of benefits under which products and services are
provided.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "productOrService": {
      "description": "When the value is a group code then this item collects a set of related claim details,
otherwise this contains the product, service, drug or other billing code for the item.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "modifier": {
      "description": "Item typification or modifiers codes to convey additional context for the product or
service.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "programCode": {
      "description": "Identifies the program under which this may be recovered.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "quantity": {
      "description": "The number of repetitions of a service or product.",
      "$ref": "Quantity.schema.json#/definitions/Quantity"
    },
    "unitPrice": {
      "description": "If the item is not a group then this is the fee for the product or service, otherwise this is
the total of the fees for the details of the group.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "factor": {
      "description": "A real number that represents a multiplier used in determining the overall value of services
delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied
 to a monetary amount.",
      "$ref": "#/definitions/decimal"
    },
    "_factor": {
      "description": "Extensions for factor",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "net": {
      "description": "The quantity times the unit price for an additional service or product or charge.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "udi": {
      "description": "Unique Device Identifiers associated with this line item.",
      "items": {
        "$ref": "Reference.schema.json#/definitions/Reference"
      },
      "type": "array"
    },
    "subDetail": {
      "description": "A claim detail line. Either a simple (a product or service) or a \u0027group\u0027 of sub-
details which are simple items.",
      "items": {
        "$ref": "#/definitions/Claim_SubDetail"
      },
      "type": "array"
    }
  },
  "additionalProperties": false,
  "required": [
    "productOrService"
  ]
},
"Claim_SubDetail": {
  "description": "A provider issued list of professional services and products which have been provided, or are to
be provided, to a patient which is sent to an insurer for reimbursement.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
```

```
      "modifierExtension": {
        "description": "May be used to represent additional information that is not part of the basic definition of
    the element and that modifies the understanding of the element in which it is contained and/or the understanding of
    the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
    use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
    extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
     of the definition of the extension. Applications processing a resource are required to check for modifier
    extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
    (including cannot change the meaning of modifierExtension itself).",
        "items": {
          "$ref": "Extension.schema.json#/definitions/Extension"
        },
        "type": "array"
      },
      "sequence": {
        "description": "A number to uniquely identify item entries.",
        "$ref": "#/definitions/positiveInt"
      },
      "_sequence": {
        "description": "Extensions for sequence",
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "revenue": {
        "description": "The type of revenue or cost center providing the product and/or service.",
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "category": {
        "description": "Code to identify the general type of benefits under which products and services are
    provided.",
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "productOrService": {
        "description": "When the value is a group code then this item collects a set of related claim details,
    otherwise this contains the product, service, drug or other billing code for the item.",
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "modifier": {
        "description": "Item typification or modifiers codes to convey additional context for the product or
    service.",
        "items": {
          "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
        },
        "type": "array"
      },
      "programCode": {
        "description": "Identifies the program under which this may be recovered.",
        "items": {
          "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
        },
        "type": "array"
      },
      "quantity": {
        "description": "The number of repetitions of a service or product.",
        "$ref": "Quantity.schema.json#/definitions/Quantity"
      },
      "unitPrice": {
        "description": "If the item is not a group then this is the fee for the product or service, otherwise this is
    the total of the fees for the details of the group.",
        "$ref": "Money.schema.json#/definitions/Money"
      },
      "factor": {
        "description": "A real number that represents a multiplier used in determining the overall value of services
    delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied
     to a monetary amount.",
        "$ref": "#/definitions/decimal"
      },
      "_factor": {
        "description": "Extensions for factor",
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "net": {
        "description": "The quantity times the unit price for an additional service or product or charge.",
        "$ref": "Money.schema.json#/definitions/Money"
      },
      "udi": {
        "description": "Unique Device Identifiers associated with this line item.",
        "items": {
          "$ref": "Reference.schema.json#/definitions/Reference"
        },
        "type": "array"
      }
    },
    "additionalProperties": false,
    "required": [
      "productOrService"
    ]
  }
 }
}
```

13.6.12 Resource Claim - Maturity Dependency View

URL: https://hl7.org/fhir/R4/claim-dependencies.html

13.6.12 Resource Claim - Maturity Dependency View

Financial Management Work Group | Maturity Level: 2 | Trial Use | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

Dependency Graph for Claim FMM level 2

Name | Card. | Type | Dependency Analysis
Claim | | DomainResource
identifier | 0..* | Identifier
status | 1..1 | code
type | 1..1 | CodeableConcept
subType | 0..1 | CodeableConcept
use | 1..1 | code
patient | 1..1 | Reference(Patient)
billablePeriod | 0..1 | Period
created | 1..1 | dateTime
enterer | 0..1 | Reference(Practitioner | PractitionerRole)
insurer | 0..1 | Reference(Organization)
provider | 1..1 | Reference(Practitioner | PractitionerRole | Organization)
priority | 1..1 | CodeableConcept
fundsReserve | 0..1 | CodeableConcept
related | 0..* | BackboneElement
claim | 0..1 | Reference(Claim)
relationship | 0..1 | CodeableConcept
reference | 0..1 | Identifier
prescription | 0..1 | Reference(DeviceRequest | MedicationRequest | VisionPrescription) | Type Warning: (DeviceRequest = FMM1-Trial Use vs. Element = FMM2-Trial Use)
originalPrescription | 0..1 | Reference(DeviceRequest | MedicationRequest | VisionPrescription) | Type Warning: (DeviceRequest = FMM1-Trial Use vs. Element = FMM2-Trial Use)
payee | 0..1 | BackboneElement
type | 1..1 | CodeableConcept
party | 0..1 | Reference(Practitioner | PractitionerRole | Organization | Patient | RelatedPerson)
referral | 0..1 | Reference(ServiceRequest)
facility | 0..1 | Reference(Location)
careTeam | 0..* | BackboneElement
sequence | 1..1 | positiveInt
provider | 1..1 | Reference(Practitioner | PractitionerRole | Organization)
responsible | 0..1 | boolean
role | 0..1 | CodeableConcept
qualification | 0..1 | CodeableConcept
supportingInfo | 0..* | BackboneElement
sequence | 1..1 | positiveInt
category | 1..1 | CodeableConcept
code | 0..1 | CodeableConcept
timing[x] | 0..1
timingDate | | date
timingPeriod | | Period
value[x] | 0..1
valueBoolean | | boolean
valueString | | string
valueQuantity | | Quantity
valueAttachment | | Attachment
valueReference | | Reference(Any
reason | 0..1 | CodeableConcept
diagnosis | 0..* | BackboneElement
sequence | 1..1 | positiveInt
diagnosis[x] | 1..1
diagnosisCodeableConcept | | CodeableConcept
diagnosisReference | | Reference(Condition
type | 0..* | CodeableConcept
onAdmission | 0..1 | CodeableConcept
packageCode | 0..1 | CodeableConcept
procedure | 0..* | BackboneElement
sequence | 1..1 | positiveInt
type | 0..* | CodeableConcept
date | 0..1 | dateTime
procedure[x] | 1..1
procedureCodeableConcept | | CodeableConcept
procedureReference | | Reference(Procedure

udi | 0..* | Reference(Device)
insurance | 1..* | BackboneElement
sequence | 1..1 | positiveInt
focal | 1..1 | boolean
identifier | 0..1 | Identifier
coverage | 1..1 | Reference(Coverage)
businessArrangement | 0..1 | string
preAuthRef | 0..* | string
claimResponse | 0..1 | Reference(ClaimResponse)
accident | 0..1 | BackboneElement
date | 1..1 | date
type | 0..1 | CodeableConcept
location[x] | 0..1
locationAddress | | Address
locationReference | | Reference(Location
item | 0..* | BackboneElement
sequence | 1..1 | positiveInt
careTeamSequence | 0..* | positiveInt
diagnosisSequence | 0..* | positiveInt
procedureSequence | 0..* | positiveInt
informationSequence | 0..* | positiveInt
revenue | 0..1 | CodeableConcept
category | 0..1 | CodeableConcept
productOrService | 1..1 | CodeableConcept
modifier | 0..* | CodeableConcept
programCode | 0..* | CodeableConcept
serviced[x] | 0..1
servicedDate | | date
servicedPeriod | | Period
location[x] | 0..1
locationCodeableConcept | | CodeableConcept
locationAddress | | Address
locationReference | | Reference(Location
quantity | 0..1 | SimpleQuantity
unitPrice | 0..1 | Money
factor | 0..1 | decimal
net | 0..1 | Money
udi | 0..* | Reference(Device)
bodySite | 0..1 | CodeableConcept
subSite | 0..* | CodeableConcept
encounter | 0..* | Reference(Encounter)
detail | 0..* | BackboneElement
sequence | 1..1 | positiveInt
revenue | 0..1 | CodeableConcept
category | 0..1 | CodeableConcept
productOrService | 1..1 | CodeableConcept
modifier | 0..* | CodeableConcept
programCode | 0..* | CodeableConcept
quantity | 0..1 | SimpleQuantity
unitPrice | 0..1 | Money
factor | 0..1 | decimal
net | 0..1 | Money
udi | 0..* | Reference(Device)
subDetail | 0..* | BackboneElement
sequence | 1..1 | positiveInt
revenue | 0..1 | CodeableConcept
category | 0..1 | CodeableConcept
productOrService | 1..1 | CodeableConcept
modifier | 0..* | CodeableConcept
programCode | 0..* | CodeableConcept
quantity | 0..1 | SimpleQuantity
unitPrice | 0..1 | Money
factor | 0..1 | decimal
net | 0..1 | Money
udi | 0..* | Reference(Device)
total | 0..1 | Money

13.7 Resource ClaimResponse - Content

URL: https://hl7.org/fhir/R4/claimresponse.html
Financial Management Work Group | Maturity Level: 2 | Trial Use | Security Category: Patient | Compartments: Patient, Practitioner

This resource provides the adjudication details from the processing of a Claim resource.

13.7.1 Scope and Usage

The ClaimResponse resource provides application level adjudication results, or an application level error, which are the result of processing a submitted Claim resource where that Claim may be the functional corollary of a Claim, Predetermination or a Preauthorization.This resource is the only appropriate response to a Claim which a processing system recognizes as a Claim resource.

This is the adjudicated response to a Claim, Predetermination or Preauthorization. The strength of the payment aspect of the response is matching to the strength of the original request. For a Claim the adjudication indicates payment which is intended to be made. For Preauthorization no payment will actually be made however funds may be reserved to settle a claim submitted later. For Predetermination no payment will actually be made and no assurance is given that the adjudication of a claim submitted later will match the adjudication provided, for example funds may have been exhausted in the interim. Only an actual claim may be expected to result in actual payment.

The ClaimResponse resource may also be returned with the response for the submission of: Re-adjudication and Reversals.

The ClaimResponse resource is an "event" resource from a FHIR workflow perspective - see Workflow Event.

13.7.1.1 Additional Information

Additional information regarding electronic claims content and usage may be found at:

• Financial Resource Status Lifecycle: how .status is used in the financial resources.

• Secondary Use of Resources: how resources such as Claim, ClaimResponse and ExplanationOfBenefit may be used for reporting and data exchange for analytics, not just for eClaims exchange between providers and payors.

• Subrogation: how eClaims may handle patient insurance coverages when another insurer rather than the provider will settle the claim and potentially recover costs against specified coverages.

• Coordination of Benefit: how eClaims may handle multiple patient insurance coverages.

• RealTime Exchange and Obtaining Deferred Responsess: ClaimResponses may be obtained using Polling or FHIR REST (SEARCH).

• Attachments and Supporting Information: how eClaims may handle the provision of supporting information, whether provided by content or reference, within the eClaim resource when submitted to the payor or later in a resource which refers to the subject eClaim resource. This also includes how payors may request additional supporting information from providers.

13.7.2 Boundaries and Relationships

The ClaimResponse resource is used to provide the results of the adjudication and/or authorization of a set of healthcare-related products and services for a patient against the patient's insurance coverages, or to respond with what the adjudication would be for a supplied set of products or services should they be actually supplied to the patient.

The ExplanationOfBenefit resource is for reporting out to patients or transferring data to patient centered applications, such as patient health Record (PHR) application, the ExplanationOfBenefit should be used instead of the Claim and ClaimResponse resources as those resources may contain provider and payer specific information which is not appropriate for sharing with the patient.

When using the resources for reporting and transferring claims data, which may have originated in some standard other than FHIR, the Claim resource is useful if only the request side of the information exchange is of interest. If, however, both the request and the adjudication information is to be reported then the ExplanationOfBenefit should be used instead.

When responding whether the patient's coverage is inforce, whether it is valid at this or a specified date, or returning the benefit details or preauthorization requirements associated with a coverage CoverageEligibilityResponse should be used instead and be the response to a CoverageEligibilityRequest.

The eClaim domain includes a number of related resources

ClaimResponse | A payor's adjudication and/or authorization response to the suite of services provided in a Claim. Typically the ClaimResponse references the Claim but does not duplicate the clinical or financial information provided in the claim.

ExplanationOfBenefit | This resource combines the information from the Claim and the ClaimResponse, stripping out any provider or payor proprietary information, into a unified information model suitable for use for: patient reporting; transferring information to a Patient Health Record system; and, supporting complete claim and adjudication information exchange with regulatory and analytics organizations and other parts of the provider's organization.

Claim | A suite of goods and services and insurances coverages under which adjudication or authorization is requested.

CoverageEligibilityResponse | The response to a request to a payor, a CoverageEligibilityRequest, to: ascertain whether a coverage is in-force at the current or at a specified time; list the table of benefits; determine whether coverage is provided for specified categories or specific services; and whether preauthorization is required, and if so what supporting information would be required.

This resource is referenced by Claim, itself, DeviceRequest, ExplanationOfBenefit, MedicationRequest, ServiceRequest and Task

13.7.3 Resource Content

- Structure
- UML
- XML
- JSON
- Turtle
- R3 Diff
- All

Structure

Name | Flags | Card. | Type | Description & Constraints
ClaimResponse | TU | | DomainResource | Response to a claim predetermination or preauthorization Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Business Identifier for a claim response
status | ?!Σ | 1..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
type | Σ | 1..1 | CodeableConcept | More granular claim type Claim Type Codes (Extensible)
subType | | 0..1 | CodeableConcept | More granular claim type Example Claim SubType Codes (Example)
use | Σ | 1..1 | code | claim | preauthorization | predetermination Use (Required)
patient | Σ | 1..1 | Reference(Patient) | The recipient of the products and services
created | Σ | 1..1 | dateTime | Response creation date
insurer | Σ | 1..1 | Reference(Organization) | Party responsible for reimbursement
requestor | | 0..1 | Reference(Practitioner | PractitionerRole | Organization) | Party responsible for the claim
request | Σ | 0..1 | Reference(Claim) | Id of resource triggering adjudication
outcome | Σ | 1..1 | code | queued | complete | error | partial Claim Processing Codes (Required)
disposition | | 0..1 | string | Disposition Message
preAuthRef | | 0..1 | string | Preauthorization reference
preAuthPeriod | | 0..1 | Period | Preauthorization reference effective period
payeeType | | 0..1 | CodeableConcept | Party to be paid any benefits payable PayeeType (Example)
item | | 0..* | BackboneElement | Adjudication for claim line items
itemSequence | | 1..1 | positiveInt | Claim item instance identifier
noteNumber | | 0..* | positiveInt | Applicable note numbers
adjudication | | 1..* | BackboneElement | Adjudication details
category | | 1..1 | CodeableConcept | Type of adjudication information Adjudication Value Codes (Example)
reason | | 0..1 | CodeableConcept | Explanation of adjudication outcome Adjudication Reason Codes (Example)
amount | | 0..1 | Money | Monetary amount
value | | 0..1 | decimal | Non-monetary value
detail | | 0..* | BackboneElement | Adjudication for claim details
detailSequence | | 1..1 | positiveInt | Claim detail instance identifier
noteNumber | | 0..* | positiveInt | Applicable note numbers
adjudication | | 1..* | see adjudication | Detail level adjudication details
subDetail | | 0..* | BackboneElement | Adjudication for claim sub-details
subDetailSequence | | 1..1 | positiveInt | Claim sub-detail instance identifier
noteNumber | | 0..* | positiveInt | Applicable note numbers
adjudication | | 0..* | see adjudication | Subdetail level adjudication details
addItem | | 0..* | BackboneElement | Insurer added line items
itemSequence | | 0..* | positiveInt | Item sequence number
detailSequence | | 0..* | positiveInt | Detail sequence number
subdetailSequence | | 0..* | positiveInt | Subdetail sequence number
provider | | 0..* | Reference(Practitioner | PractitionerRole | Organization) | Authorized providers
productOrService | | 1..1 | CodeableConcept | Billing, service, product, or drug code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
programCode | | 0..* | CodeableConcept | Program the product or service is provided under Example Program Reason Codes (Example)
serviced[x] | | 0..1 | | Date or dates of service or product delivery
servicedDate | | | date
servicedPeriod | | | Period
location[x] | | 0..1 | | Place of service or where product was supplied Example Service Place Codes (Example)
locationCodeableConcept | | | CodeableConcept
locationAddress | | | Address
locationReference | | | Reference(Location)
quantity | | 0..1 | SimpleQuantity | Count of products or services
unitPrice | | 0..1 | Money | Fee, charge or cost per item
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total item cost
bodySite | | 0..1 | CodeableConcept | Anatomical location Oral Site Codes (Example)
subSite | | 0..* | CodeableConcept | Anatomical sub-location Surface Codes (Example)
noteNumber | | 0..* | positiveInt | Applicable note numbers

adjudication | | 1..* | see adjudication | Added items adjudication
detail | | 0..* | BackboneElement | Insurer added line details
productOrService | | 1..1 | CodeableConcept | Billing, service, product, or drug code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
quantity | | 0..1 | SimpleQuantity | Count of products or services
unitPrice | | 0..1 | Money | Fee, charge or cost per item
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total item cost
noteNumber | | 0..* | positiveInt | Applicable note numbers
adjudication | | 1..* | see adjudication | Added items detail adjudication
subDetail | | 0..* | BackboneElement | Insurer added line items
productOrService | | 1..1 | CodeableConcept | Billing, service, product, or drug code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
quantity | | 0..1 | SimpleQuantity | Count of products or services
unitPrice | | 0..1 | Money | Fee, charge or cost per item
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total item cost
noteNumber | | 0..* | positiveInt | Applicable note numbers
adjudication | | 1..* | see adjudication | Added items detail adjudication
adjudication | | 0..* | see adjudication | Header-level adjudication
total | Σ | 0..* | BackboneElement | Adjudication totals
category | Σ | 1..1 | CodeableConcept | Type of adjudication information Adjudication Value Codes (Example)
amount | Σ | 1..1 | Money | Financial total for the category
payment | | 0..1 | BackboneElement | Payment Details
type | | 1..1 | CodeableConcept | Partial or complete payment Example Payment Type Codes (Example)
adjustment | | 0..1 | Money | Payment adjustment for non-claim issues
adjustmentReason | | 0..1 | CodeableConcept | Explanation for the adjustment Payment Adjustment Reason Codes (Example)
date | | 0..1 | date | Expected date of payment
amount | | 1..1 | Money | Payable amount after adjustment
identifier | | 0..1 | Identifier | Business identifier for the payment
fundsReserve | | 0..1 | CodeableConcept | Funds reserved status FundsReserve (Example)
formCode | | 0..1 | CodeableConcept | Printed form identifier Forms (Example)
form | | 0..1 | Attachment | Printed reference or actual form
processNote | | 0..* | BackboneElement | Note concerning adjudication
number | | 0..1 | positiveInt | Note instance identifier
type | | 0..1 | code | display | print | printoper NoteType (Required)
text | | 1..1 | string | Note explanatory text
language | | 0..1 | CodeableConcept | Language of the text Common Languages (Preferred but limited to AllLanguages)
communicationRequest | | 0..* | Reference(CommunicationRequest) | Request for additional information
insurance | | 0..* | BackboneElement | Patient insurance information
sequence | | 1..1 | positiveInt | Insurance instance identifier
focal | | 1..1 | boolean | Coverage to be used for adjudication
coverage | | 1..1 | Reference(Coverage) | Insurance information
businessArrangement | | 0..1 | string | Additional provider contract number
claimResponse | | 0..1 | Reference(ClaimResponse) | Adjudication results
error | | 0..* | BackboneElement | Processing errors
itemSequence | | 0..1 | positiveInt | Item sequence number
detailSequence | | 0..1 | positiveInt | Detail sequence number
subDetailSequence | | 0..1 | positiveInt | Subdetail sequence number
code | | 1..1 | CodeableConcept | Error code detailing processing issues AdjudicationError (Example)
Documentation for this format

UML Diagram (Legend)

XML Template

```
<ClaimResponse xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier for a claim response --></identifier>
 <status value="[code]"/><!-- 1..1 active | cancelled | draft | entered-in-error -->
 <type><!-- 1..1 CodeableConcept More granular claim type --></type>
 <subType><!-- 0..1 CodeableConcept More granular claim type --></subType>
 <use value="[code]"/><!-- 1..1 claim | preauthorization | predetermination -->
 <patient><!-- 1..1 Reference(Patient) The recipient of the products and services --></patient>
 <created value="[dateTime]"/><!-- 1..1 Response creation date -->
 <insurer><!-- 1..1 Reference(Organization) Party responsible for reimbursement --></insurer>
 <requestor><!-- 0..1 Reference(Practitioner|PractitionerRole|Organization) Party responsible for the claim
    --></requestor>
 <request><!-- 0..1 Reference(Claim) Id of resource triggering adjudication --></request>
 <outcome value="[code]"/><!-- 1..1 queued | complete | error | partial -->
 <disposition value="[string]"/><!-- 0..1 Disposition Message -->
 <preAuthRef value="[string]"/><!-- 0..1 Preauthorization reference -->
 <preAuthPeriod><!-- 0..1 Period Preauthorization reference effective period --></preAuthPeriod>
 <payeeType><!-- 0..1 CodeableConcept Party to be paid any benefits payable --></payeeType>
 <item>  <!-- 0..* Adjudication for claim line items -->
  <itemSequence value="[positiveInt]"/><!-- 1..1 Claim item instance identifier -->
  <noteNumber value="[positiveInt]"/><!-- 0..* Applicable note numbers -->
```

```
 <adjudication>  <!-- 1..* Adjudication details -->
  <category><!-- 1..1 CodeableConcept Type of adjudication information --></category>
  <reason><!-- 0..1 CodeableConcept Explanation of adjudication outcome --></reason>
  <amount><!-- 0..1 Money Monetary amount --></amount>
  <value value="[decimal]"/><!-- 0..1 Non-monetary value -->
 </adjudication>
 <detail>  <!-- 0..* Adjudication for claim details -->
  <detailSequence value="[positiveInt]"/><!-- 1..1 Claim detail instance identifier -->
  <noteNumber value="[positiveInt]"/><!-- 0..* Applicable note numbers -->
  <adjudication><!-- 1..* Content as for ClaimResponse.item.adjudication Detail level adjudication details
   --></adjudication>
  <subDetail>  <!-- 0..* Adjudication for claim sub-details -->
   <subDetailSequence value="[positiveInt]"/><!-- 1..1 Claim sub-detail instance identifier -->
   <noteNumber value="[positiveInt]"/><!-- 0..* Applicable note numbers -->
   <adjudication><!-- 0..* Content as for ClaimResponse.item.adjudication Subdetail level adjudication details
   --></adjudication>
  </subDetail>
 </detail>
</item>
<addItem>  <!-- 0..* Insurer added line items -->
 <itemSequence value="[positiveInt]"/><!-- 0..* Item sequence number -->
 <detailSequence value="[positiveInt]"/><!-- 0..* Detail sequence number -->
 <subdetailSequence value="[positiveInt]"/><!-- 0..* Subdetail sequence number -->
 <provider><!-- 0..* Reference(Practitioner|PractitionerRole|Organization) Authorized providers --></provider>
 <productOrService><!-- 1..1 CodeableConcept Billing, service, product, or drug code --></productOrService>
 <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
 <programCode><!-- 0..* CodeableConcept Program the product or service is provided under --></programCode>
 <serviced[x]><!-- 0..1 date|Period Date or dates of service or product delivery --></serviced[x]>
 <location[x]><!-- 0..1 CodeableConcept|Address|Reference(Location) Place of service or where product was supplied
   --></location[x]>
 <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of products or services --></quantity>
 <unitPrice><!-- 0..1 Money Fee, charge or cost per item --></unitPrice>
 <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
 <net><!-- 0..1 Money Total item cost --></net>
 <bodySite><!-- 0..1 CodeableConcept Anatomical location --></bodySite>
 <subSite><!-- 0..* CodeableConcept Anatomical sub-location --></subSite>
 <noteNumber value="[positiveInt]"/><!-- 0..* Applicable note numbers -->
 <adjudication><!-- 1..* Content as for ClaimResponse.item.adjudication Added items adjudication --></adjudication>
 <detail>  <!-- 0..* Insurer added line details -->
  <productOrService><!-- 1..1 CodeableConcept Billing, service, product, or drug code --></productOrService>
  <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
  <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of products or services --></quantity>
  <unitPrice><!-- 0..1 Money Fee, charge or cost per item --></unitPrice>
  <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
  <net><!-- 0..1 Money Total item cost --></net>
  <noteNumber value="[positiveInt]"/><!-- 0..* Applicable note numbers -->
  <adjudication><!-- 1..* Content as for ClaimResponse.item.adjudication Added items detail adjudication
   --></adjudication>
  <subDetail>  <!-- 0..* Insurer added line items -->
   <productOrService><!-- 1..1 CodeableConcept Billing, service, product, or drug code --></productOrService>
   <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
   <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of products or services --></quantity>
   <unitPrice><!-- 0..1 Money Fee, charge or cost per item --></unitPrice>
   <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
   <net><!-- 0..1 Money Total item cost --></net>
   <noteNumber value="[positiveInt]"/><!-- 0..* Applicable note numbers -->
   <adjudication><!-- 1..* Content as for ClaimResponse.item.adjudication Added items detail adjudication
   --></adjudication>
  </subDetail>
 </detail>
</addItem>
<adjudication><!-- 0..* Content as for ClaimResponse.item.adjudication Header-level adjudication --></adjudication>
<total>  <!-- 0..* Adjudication totals -->
 <category><!-- 1..1 CodeableConcept Type of adjudication information --></category>
 <amount><!-- 1..1 Money Financial total for the category --></amount>
</total>
<payment>  <!-- 0..1 Payment Details -->
 <type><!-- 1..1 CodeableConcept Partial or complete payment --></type>
 <adjustment><!-- 0..1 Money Payment adjustment for non-claim issues --></adjustment>
 <adjustmentReason><!-- 0..1 CodeableConcept Explanation for the adjustment --></adjustmentReason>
 <date value="[date]"/><!-- 0..1 Expected date of payment -->
 <amount><!-- 1..1 Money Payable amount after adjustment --></amount>
 <identifier><!-- 0..1 Identifier Business identifier for the payment --></identifier>
</payment>
<fundsReserve><!-- 0..1 CodeableConcept Funds reserved status --></fundsReserve>
<formCode><!-- 0..1 CodeableConcept Printed form identifier --></formCode>
<form><!-- 0..1 Attachment Printed reference or actual form --></form>
<processNote>  <!-- 0..* Note concerning adjudication -->
 <number value="[positiveInt]"/><!-- 0..1 Note instance identifier -->
 <type value="[code]"/><!-- 0..1 display | print | printoper -->
 <text value="[string]"/><!-- 1..1 Note explanatory text -->
 <language><!-- 0..1 CodeableConcept Language of the text --></language>
</processNote>
<communicationRequest><!-- 0..* Reference(CommunicationRequest) Request for additional information
   --></communicationRequest>
<insurance>  <!-- 0..* Patient insurance information -->
 <sequence value="[positiveInt]"/><!-- 1..1 Insurance instance identifier -->
 <focal value="[boolean]"/><!-- 1..1 Coverage to be used for adjudication -->
 <coverage><!-- 1..1 Reference(Coverage) Insurance information --></coverage>
```

```
  <businessArrangement value="[string]"/><!-- 0..1 Additional provider contract number -->
  <claimResponse><!-- 0..1 Reference(ClaimResponse) Adjudication results --></claimResponse>
 </insurance>
 <error>  <!-- 0..* Processing errors -->
  <itemSequence value="[positiveInt]"/><!-- 0..1 Item sequence number -->
  <detailSequence value="[positiveInt]"/><!-- 0..1 Detail sequence number -->
  <subDetailSequence value="[positiveInt]"/><!-- 0..1 Subdetail sequence number -->
  <code><!-- 1..1 CodeableConcept Error code detailing processing issues --></code>
 </error>
</ClaimResponse>
```

JSON Template

```
{
  "resourceType" : "ClaimResponse",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier for a claim response
  "status" : "<code>", // R!  active | cancelled | draft | entered-in-error
  "type" : { CodeableConcept }, // R!  More granular claim type
  "subType" : { CodeableConcept }, // More granular claim type
  "use" : "<code>", // R!  claim | preauthorization | predetermination
  "patient" : { Reference(Patient) }, // R!  The recipient of the products and services
  "created" : "<dateTime>", // R!  Response creation date
  "insurer" : { Reference(Organization) }, // R!  Party responsible for reimbursement
  "requestor" : { Reference(Practitioner|PractitionerRole|Organization) }, // Party responsible for the claim
  "request" : { Reference(Claim) }, // Id of resource triggering adjudication
  "outcome" : "<code>", // R!  queued | complete | error | partial
  "disposition" : "<string>", // Disposition Message
  "preAuthRef" : "<string>", // Preauthorization reference
  "preAuthPeriod" : { Period }, // Preauthorization reference effective period
  "payeeType" : { CodeableConcept }, // Party to be paid any benefits payable
  "item" : [{ // Adjudication for claim line items
    "itemSequence" : "<positiveInt>", // R!  Claim item instance identifier
    "noteNumber" : ["<positiveInt>"], // Applicable note numbers
    "adjudication" : [{ // R!  Adjudication details
      "category" : { CodeableConcept }, // R!  Type of adjudication information
      "reason" : { CodeableConcept }, // Explanation of adjudication outcome
      "amount" : { Money }, // Monetary amount
      "value" : <decimal> // Non-monetary value
    }],
    "detail" : [{ // Adjudication for claim details
      "detailSequence" : "<positiveInt>", // R!  Claim detail instance identifier
      "noteNumber" : ["<positiveInt>"], // Applicable note numbers
      "adjudication" : [{ Content as for ClaimResponse.item.adjudication }], // R!  Detail level adjudication details
      "subDetail" : [{ // Adjudication for claim sub-details
        "subDetailSequence" : "<positiveInt>", // R!  Claim sub-detail instance identifier
        "noteNumber" : ["<positiveInt>"], // Applicable note numbers
        "adjudication" : [{ Content as for ClaimResponse.item.adjudication }] // Subdetail level adjudication details
      }]
    }]
  }],
  "addItem" : [{ // Insurer added line items
    "itemSequence" : ["<positiveInt>"], // Item sequence number
    "detailSequence" : ["<positiveInt>"], // Detail sequence number
    "subdetailSequence" : ["<positiveInt>"], // Subdetail sequence number
    "provider" : [{ Reference(Practitioner|PractitionerRole|Organization) }], // Authorized providers
    "productOrService" : { CodeableConcept }, // R!  Billing, service, product, or drug code
    "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
    "programCode" : [{ CodeableConcept }], // Program the product or service is provided under
    // serviced[x]: Date or dates of service or product delivery. One of these 2:
    "servicedDate" : "<date>",
    "servicedPeriod" : { Period },
    // location[x]: Place of service or where product was supplied. One of these 3:
    "locationCodeableConcept" : { CodeableConcept },
    "locationAddress" : { Address },
    "locationReference" : { Reference(Location) },
    "quantity" : { Quantity(SimpleQuantity) }, // Count of products or services
    "unitPrice" : { Money }, // Fee, charge or cost per item
    "factor" : <decimal>, // Price scaling factor
    "net" : { Money }, // Total item cost
    "bodySite" : { CodeableConcept }, // Anatomical location
    "subSite" : [{ CodeableConcept }], // Anatomical sub-location
    "noteNumber" : ["<positiveInt>"], // Applicable note numbers
    "adjudication" : [{ Content as for ClaimResponse.item.adjudication }], // R!  Added items adjudication
    "detail" : [{ // Insurer added line details
      "productOrService" : { CodeableConcept }, // R!  Billing, service, product, or drug code
      "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
      "quantity" : { Quantity(SimpleQuantity) }, // Count of products or services
      "unitPrice" : { Money }, // Fee, charge or cost per item
      "factor" : <decimal>, // Price scaling factor
      "net" : { Money }, // Total item cost
      "noteNumber" : ["<positiveInt>"], // Applicable note numbers
      "adjudication" : [{ Content as for ClaimResponse.item.adjudication }], // R!  Added items detail adjudication
      "subDetail" : [{ // Insurer added line items
        "productOrService" : { CodeableConcept }, // R!  Billing, service, product, or drug code
        "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
        "quantity" : { Quantity(SimpleQuantity) }, // Count of products or services
        "unitPrice" : { Money }, // Fee, charge or cost per item
```

```
      "factor" : <decimal>, // Price scaling factor
      "net" : { Money }, // Total item cost
      "noteNumber" : ["<positiveInt>"], // Applicable note numbers
      "adjudication" : [{ Content as for ClaimResponse.item.adjudication }] // R!  Added items detail adjudication
    }]
   }]
  }],
  "adjudication" : [{ Content as for ClaimResponse.item.adjudication }], // Header-level adjudication
  "total" : [{ // Adjudication totals
    "category" : { CodeableConcept }, // R!  Type of adjudication information
    "amount" : { Money } // R!  Financial total for the category
  }],
  "payment" : { // Payment Details
    "type" : { CodeableConcept }, // R!  Partial or complete payment
    "adjustment" : { Money }, // Payment adjustment for non-claim issues
    "adjustmentReason" : { CodeableConcept }, // Explanation for the adjustment
    "date" : "<date>", // Expected date of payment
    "amount" : { Money }, // R!  Payable amount after adjustment
    "identifier" : { Identifier } // Business identifier for the payment
  },
  "fundsReserve" : { CodeableConcept }, // Funds reserved status
  "formCode" : { CodeableConcept }, // Printed form identifier
  "form" : { Attachment }, // Printed reference or actual form
  "processNote" : [{ // Note concerning adjudication
    "number" : "<positiveInt>", // Note instance identifier
    "type" : "<code>", // display | print | printoper
    "text" : "<string>", // R!  Note explanatory text
    "language" : { CodeableConcept } // Language of the text
  }],
  "communicationRequest" : [{ Reference(CommunicationRequest) }], // Request for additional information
  "insurance" : [{ // Patient insurance information
    "sequence" : "<positiveInt>", // R!  Insurance instance identifier
    "focal" : <boolean>, // R!  Coverage to be used for adjudication
    "coverage" : { Reference(Coverage) }, // R!  Insurance information
    "businessArrangement" : "<string>", // Additional provider contract number
    "claimResponse" : { Reference(ClaimResponse) } // Adjudication results
  }],
  "error" : [{ // Processing errors
    "itemSequence" : "<positiveInt>", // Item sequence number
    "detailSequence" : "<positiveInt>", // Detail sequence number
    "subDetailSequence" : "<positiveInt>", // Subdetail sequence number
    "code" : { CodeableConcept } // R!  Error code detailing processing issues
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:ClaimResponse;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:ClaimResponse.identifier [ Identifier ], ... ; # 0..* Business Identifier for a claim response
  fhir:ClaimResponse.status [ code ]; # 1..1 active | cancelled | draft | entered-in-error
  fhir:ClaimResponse.type [ CodeableConcept ]; # 1..1 More granular claim type
  fhir:ClaimResponse.subType [ CodeableConcept ]; # 0..1 More granular claim type
  fhir:ClaimResponse.use [ code ]; # 1..1 claim | preauthorization | predetermination
  fhir:ClaimResponse.patient [ Reference(Patient) ]; # 1..1 The recipient of the products and services
  fhir:ClaimResponse.created [ dateTime ]; # 1..1 Response creation date
  fhir:ClaimResponse.insurer [ Reference(Organization) ]; # 1..1 Party responsible for reimbursement
  fhir:ClaimResponse.requestor [ Reference(Practitioner|PractitionerRole|Organization) ]; # 0..1 Party responsible for
    the claim
  fhir:ClaimResponse.request [ Reference(Claim) ]; # 0..1 Id of resource triggering adjudication
  fhir:ClaimResponse.outcome [ code ]; # 1..1 queued | complete | error | partial
  fhir:ClaimResponse.disposition [ string ]; # 0..1 Disposition Message
  fhir:ClaimResponse.preAuthRef [ string ]; # 0..1 Preauthorization reference
  fhir:ClaimResponse.preAuthPeriod [ Period ]; # 0..1 Preauthorization reference effective period
  fhir:ClaimResponse.payeeType [ CodeableConcept ]; # 0..1 Party to be paid any benefits payable
  fhir:ClaimResponse.item [ # 0..* Adjudication for claim line items
    fhir:ClaimResponse.item.itemSequence [ positiveInt ]; # 1..1 Claim item instance identifier
    fhir:ClaimResponse.item.noteNumber [ positiveInt ], ... ; # 0..* Applicable note numbers
    fhir:ClaimResponse.item.adjudication [ # 1..* Adjudication details
      fhir:ClaimResponse.item.adjudication.category [ CodeableConcept ]; # 1..1 Type of adjudication information
      fhir:ClaimResponse.item.adjudication.reason [ CodeableConcept ]; # 0..1 Explanation of adjudication outcome
      fhir:ClaimResponse.item.adjudication.amount [ Money ]; # 0..1 Monetary amount
      fhir:ClaimResponse.item.adjudication.value [ decimal ]; # 0..1 Non-monetary value
    ], ...;
    fhir:ClaimResponse.item.detail [ # 0..* Adjudication for claim details
      fhir:ClaimResponse.item.detail.detailSequence [ positiveInt ]; # 1..1 Claim detail instance identifier
      fhir:ClaimResponse.item.detail.noteNumber [ positiveInt ], ... ; # 0..* Applicable note numbers
      fhir:ClaimResponse.item.detail.adjudication [ See ClaimResponse.item.adjudication ], ... ; # 1..* Detail level
    adjudication details
      fhir:ClaimResponse.item.detail.subDetail [ # 0..* Adjudication for claim sub-details
        fhir:ClaimResponse.item.detail.subDetail.subDetailSequence [ positiveInt ]; # 1..1 Claim sub-detail instance
    identifier
        fhir:ClaimResponse.item.detail.subDetail.noteNumber [ positiveInt ], ... ; # 0..* Applicable note numbers
        fhir:ClaimResponse.item.detail.subDetail.adjudication [ See ClaimResponse.item.adjudication ], ... ; # 0..*
```

```
  Subdetail level adjudication details
    ], ...;
  ], ...;
], ...;
fhir:ClaimResponse.addItem [ # 0..* Insurer added line items
  fhir:ClaimResponse.addItem.itemSequence [ positiveInt ], ... ; # 0..* Item sequence number
  fhir:ClaimResponse.addItem.detailSequence [ positiveInt ], ... ; # 0..* Detail sequence number
  fhir:ClaimResponse.addItem.subdetailSequence [ positiveInt ], ... ; # 0..* Subdetail sequence number
  fhir:ClaimResponse.addItem.provider [ Reference(Practitioner|PractitionerRole|Organization) ], ... ; # 0..*
  Authorized providers
  fhir:ClaimResponse.addItem.productOrService [ CodeableConcept ]; # 1..1 Billing, service, product, or drug code
  fhir:ClaimResponse.addItem.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing modifiers
  fhir:ClaimResponse.addItem.programCode [ CodeableConcept ], ... ; # 0..* Program the product or service is provided
  under
  # ClaimResponse.addItem.serviced[x] : 0..1 Date or dates of service or product delivery. One of these 2
    fhir:ClaimResponse.addItem.servicedDate [ date ]
    fhir:ClaimResponse.addItem.servicedPeriod [ Period ]
  # ClaimResponse.addItem.location[x] : 0..1 Place of service or where product was supplied. One of these 3
    fhir:ClaimResponse.addItem.locationCodeableConcept [ CodeableConcept ]
    fhir:ClaimResponse.addItem.locationAddress [ Address ]
    fhir:ClaimResponse.addItem.locationReference [ Reference(Location) ]
  fhir:ClaimResponse.addItem.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of products or services
  fhir:ClaimResponse.addItem.unitPrice [ Money ]; # 0..1 Fee, charge or cost per item
  fhir:ClaimResponse.addItem.factor [ decimal ]; # 0..1 Price scaling factor
  fhir:ClaimResponse.addItem.net [ Money ]; # 0..1 Total item cost
  fhir:ClaimResponse.addItem.bodySite [ CodeableConcept ]; # 0..1 Anatomical location
  fhir:ClaimResponse.addItem.subSite [ CodeableConcept ], ... ; # 0..* Anatomical sub-location
  fhir:ClaimResponse.addItem.noteNumber [ positiveInt ], ... ; # 0..* Applicable note numbers
  fhir:ClaimResponse.addItem.adjudication [ See ClaimResponse.item.adjudication ], ... ; # 1..* Added items
  adjudication
  fhir:ClaimResponse.addItem.detail [ # 0..* Insurer added line details
    fhir:ClaimResponse.addItem.detail.productOrService [ CodeableConcept ]; # 1..1 Billing, service, product, or drug
  code
    fhir:ClaimResponse.addItem.detail.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing modifiers
    fhir:ClaimResponse.addItem.detail.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of products or services
    fhir:ClaimResponse.addItem.detail.unitPrice [ Money ]; # 0..1 Fee, charge or cost per item
    fhir:ClaimResponse.addItem.detail.factor [ decimal ]; # 0..1 Price scaling factor
    fhir:ClaimResponse.addItem.detail.net [ Money ]; # 0..1 Total item cost
    fhir:ClaimResponse.addItem.detail.noteNumber [ positiveInt ], ... ; # 0..* Applicable note numbers
    fhir:ClaimResponse.addItem.detail.adjudication [ See ClaimResponse.item.adjudication ], ... ; # 1..* Added items
  detail adjudication
    fhir:ClaimResponse.addItem.detail.subDetail [ # 0..* Insurer added line items
      fhir:ClaimResponse.addItem.detail.subDetail.productOrService [ CodeableConcept ]; # 1..1 Billing, service,
  product, or drug code
      fhir:ClaimResponse.addItem.detail.subDetail.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing
  modifiers
      fhir:ClaimResponse.addItem.detail.subDetail.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of products or
  services
      fhir:ClaimResponse.addItem.detail.subDetail.unitPrice [ Money ]; # 0..1 Fee, charge or cost per item
      fhir:ClaimResponse.addItem.detail.subDetail.factor [ decimal ]; # 0..1 Price scaling factor
      fhir:ClaimResponse.addItem.detail.subDetail.net [ Money ]; # 0..1 Total item cost
      fhir:ClaimResponse.addItem.detail.subDetail.noteNumber [ positiveInt ], ... ; # 0..* Applicable note numbers
      fhir:ClaimResponse.addItem.detail.subDetail.adjudication [ See ClaimResponse.item.adjudication ], ... ; # 1..*
  Added items detail adjudication
    ], ...;
  ], ...;
], ...;
fhir:ClaimResponse.adjudication [ See ClaimResponse.item.adjudication ], ... ; # 0..* Header-level adjudication
fhir:ClaimResponse.total [ # 0..* Adjudication totals
  fhir:ClaimResponse.total.category [ CodeableConcept ]; # 1..1 Type of adjudication information
  fhir:ClaimResponse.total.amount [ Money ]; # 1..1 Financial total for the category
], ...;
fhir:ClaimResponse.payment [ # 0..1 Payment Details
  fhir:ClaimResponse.payment.type [ CodeableConcept ]; # 1..1 Partial or complete payment
  fhir:ClaimResponse.payment.adjustment [ Money ]; # 0..1 Payment adjustment for non-claim issues
  fhir:ClaimResponse.payment.adjustmentReason [ CodeableConcept ]; # 0..1 Explanation for the adjustment
  fhir:ClaimResponse.payment.date [ date ]; # 0..1 Expected date of payment
  fhir:ClaimResponse.payment.amount [ Money ]; # 1..1 Payable amount after adjustment
  fhir:ClaimResponse.payment.identifier [ Identifier ]; # 0..1 Business identifier for the payment
];
fhir:ClaimResponse.fundsReserve [ CodeableConcept ]; # 0..1 Funds reserved status
fhir:ClaimResponse.formCode [ CodeableConcept ]; # 0..1 Printed form identifier
fhir:ClaimResponse.form [ Attachment ]; # 0..1 Printed reference or actual form
fhir:ClaimResponse.processNote [ # 0..* Note concerning adjudication
  fhir:ClaimResponse.processNote.number [ positiveInt ]; # 0..1 Note instance identifier
  fhir:ClaimResponse.processNote.type [ code ]; # 0..1 display | print | printoper
  fhir:ClaimResponse.processNote.text [ string ]; # 1..1 Note explanatory text
  fhir:ClaimResponse.processNote.language [ CodeableConcept ]; # 0..1 Language of the text
], ...;
fhir:ClaimResponse.communicationRequest [ Reference(CommunicationRequest) ], ... ; # 0..* Request for additional
  information
fhir:ClaimResponse.insurance [ # 0..* Patient insurance information
  fhir:ClaimResponse.insurance.sequence [ positiveInt ]; # 1..1 Insurance instance identifier
  fhir:ClaimResponse.insurance.focal [ boolean ]; # 1..1 Coverage to be used for adjudication
  fhir:ClaimResponse.insurance.coverage [ Reference(Coverage) ]; # 1..1 Insurance information
  fhir:ClaimResponse.insurance.businessArrangement [ string ]; # 0..1 Additional provider contract number
  fhir:ClaimResponse.insurance.claimResponse [ Reference(ClaimResponse) ]; # 0..1 Adjudication results
], ...;
fhir:ClaimResponse.error [ # 0..* Processing errors
```

```
    fhir:ClaimResponse.error.itemSequence [ positiveInt ]; # 0..1 Item sequence number
    fhir:ClaimResponse.error.detailSequence [ positiveInt ]; # 0..1 Detail sequence number
    fhir:ClaimResponse.error.subDetailSequence [ positiveInt ]; # 0..1 Subdetail sequence number
    fhir:ClaimResponse.error.code [ CodeableConcept ]; # 1..1 Error code detailing processing issues
  ], ...;
]
```

Changes since R3

ClaimResponse

ClaimResponse.status | Min Cardinality changed from 0 to 1 Change value set from http://hl7.org/fhir/ValueSet/fm-status to http://hl7.org/fhir/ValueSet/fm-status|4.0.1

ClaimResponse.type | Added Mandatory Element

ClaimResponse.subType | Added Element

ClaimResponse.use | Added Mandatory Element

ClaimResponse.patient | Min Cardinality changed from 0 to 1

ClaimResponse.created | Min Cardinality changed from 0 to 1

ClaimResponse.insurer | Min Cardinality changed from 0 to 1

ClaimResponse.requestor | Renamed from requestProvider to requestor Type Reference: Added Target Types PractitionerRole, Organization

ClaimResponse.outcome | Min Cardinality changed from 0 to 1 Type changed from CodeableConcept to code Add Binding http://hl7.org/fhir/ValueSet/remittance-outcome|4.0.1 (required)

ClaimResponse.preAuthRef | Moved from ClaimResponse.insurance to ClaimResponse Max Cardinality changed from * to 1

ClaimResponse.preAuthPeriod | Added Element

ClaimResponse.item.itemSequence | Renamed from sequenceLinkId to itemSequence

ClaimResponse.item.adjudication | Min Cardinality changed from 0 to 1

ClaimResponse.item.detail.detailSequence | Renamed from sequenceLinkId to detailSequence

ClaimResponse.item.detail.adjudication | Min Cardinality changed from 0 to 1

ClaimResponse.item.detail.subDetail.subDetailSequence | Renamed from sequenceLinkId to subDetailSequence

ClaimResponse.addItem.itemSequence | Renamed from sequenceLinkId to itemSequence

ClaimResponse.addItem.detailSequence | Added Element

ClaimResponse.addItem.subdetailSequence | Added Element

ClaimResponse.addItem.provider | Added Element

ClaimResponse.addItem.productOrService | Renamed from service to productOrService Min Cardinality changed from 0 to 1

ClaimResponse.addItem.programCode | Added Element

ClaimResponse.addItem.serviced[x] | Added Element

ClaimResponse.addItem.location[x] | Added Element

ClaimResponse.addItem.quantity | Added Element

ClaimResponse.addItem.unitPrice | Added Element

ClaimResponse.addItem.factor | Added Element

ClaimResponse.addItem.net | Added Element

ClaimResponse.addItem.bodySite | Added Element

ClaimResponse.addItem.subSite | Added Element

ClaimResponse.addItem.adjudication | Min Cardinality changed from 0 to 1

ClaimResponse.addItem.detail.productOrService | Renamed from service to productOrService Min Cardinality changed from 0 to 1

ClaimResponse.addItem.detail.quantity | Added Element

ClaimResponse.addItem.detail.unitPrice | Added Element

ClaimResponse.addItem.detail.factor | Added Element

ClaimResponse.addItem.detail.net | Added Element

ClaimResponse.addItem.detail.adjudication | Min Cardinality changed from 0 to 1

ClaimResponse.addItem.detail.subDetail | Added Element

ClaimResponse.addItem.detail.subDetail.productOrService | Added Mandatory Element

ClaimResponse.addItem.detail.subDetail.modifier | Added Element

ClaimResponse.addItem.detail.subDetail.quantity | Added Element

ClaimResponse.addItem.detail.subDetail.unitPrice | Added Element

ClaimResponse.addItem.detail.subDetail.factor | Added Element

ClaimResponse.addItem.detail.subDetail.net | Added Element

ClaimResponse.addItem.detail.subDetail.noteNumber | Added Element

ClaimResponse.addItem.detail.subDetail.adjudication | Added Mandatory Element

ClaimResponse.adjudication | Added Element

ClaimResponse.total | Added Element

ClaimResponse.total.category | Added Mandatory Element

ClaimResponse.total.amount | Added Mandatory Element

ClaimResponse.payment.type | Min Cardinality changed from 0 to 1

ClaimResponse.payment.amount | Min Cardinality changed from 0 to 1

ClaimResponse.fundsReserve | Renamed from reserved to fundsReserve Type changed from Coding to CodeableConcept

ClaimResponse.formCode | Added Element

ClaimResponse.form | Type changed from CodeableConcept to Attachment

ClaimResponse.processNote.type | Type changed from CodeableConcept to code Change value set from http://hl7.org/fhir/ValueSet/note-type to http://hl7.org/fhir/ValueSet/note-type|4.0.1

ClaimResponse.processNote.text | Min Cardinality changed from 0 to 1

ClaimResponse.processNote.language | Change binding strength from extensible to preferred

ClaimResponse.error.itemSequence | Renamed from sequenceLinkId to itemSequence

ClaimResponse.error.detailSequence | Renamed from detailSequenceLinkId to detailSequence

ClaimResponse.error.subDetailSequence | Renamed from subdetailSequenceLinkId to subDetailSequence

ClaimResponse.requestOrganization | deleted
ClaimResponse.addItem.revenue | deleted
ClaimResponse.addItem.category | deleted
ClaimResponse.addItem.fee | deleted
ClaimResponse.addItem.detail.revenue | deleted
ClaimResponse.addItem.detail.category | deleted
ClaimResponse.addItem.detail.fee | deleted
ClaimResponse.totalCost | deleted
ClaimResponse.unallocDeductable | deleted
ClaimResponse.totalBenefit | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R3 <--> R4 Conversion Maps (status = 1 test that all execute ok. 1 fail round-trip testing and 1 r3 resources are invalid (0 errors).)

Structure

Name | Flags | Card. | Type | Description & Constraints
ClaimResponse | TU | | DomainResource | Response to a claim predetermination or preauthorization Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Business Identifier for a claim response
status | ?!Σ | 1..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
type | Σ | 1..1 | CodeableConcept | More granular claim type Claim Type Codes (Extensible)
subType | | 0..1 | CodeableConcept | More granular claim type Example Claim SubType Codes (Example)
use | Σ | 1..1 | code | claim | preauthorization | predetermination Use (Required)
patient | Σ | 1..1 | Reference(Patient) | The recipient of the products and services
created | Σ | 1..1 | dateTime | Response creation date
insurer | Σ | 1..1 | Reference(Organization) | Party responsible for reimbursement
requestor | | 0..1 | Reference(Practitioner | PractitionerRole | Organization) | Party responsible for the claim
request | Σ | 0..1 | Reference(Claim) | Id of resource triggering adjudication
outcome | Σ | 1..1 | code | queued | complete | error | partial Claim Processing Codes (Required)
disposition | | 0..1 | string | Disposition Message
preAuthRef | | 0..1 | string | Preauthorization reference
preAuthPeriod | | 0..1 | Period | Preauthorization reference effective period
payeeType | | 0..1 | CodeableConcept | Party to be paid any benefits payable PayeeType (Example)
item | | 0..* | BackboneElement | Adjudication for claim line items
itemSequence | | 1..1 | positiveInt | Claim item instance identifier
noteNumber | | 0..* | positiveInt | Applicable note numbers
adjudication | | 1..* | BackboneElement | Adjudication details
category | | 1..1 | CodeableConcept | Type of adjudication information Adjudication Value Codes (Example)
reason | | 0..1 | CodeableConcept | Explanation of adjudication outcome Adjudication Reason Codes (Example)
amount | | 0..1 | Money | Monetary amount
value | | 0..1 | decimal | Non-monetary value
detail | | 0..* | BackboneElement | Adjudication for claim details
detailSequence | | 1..1 | positiveInt | Claim detail instance identifier
noteNumber | | 0..* | positiveInt | Applicable note numbers
adjudication | | 1..* | see adjudication | Detail level adjudication details
subDetail | | 0..* | BackboneElement | Adjudication for claim sub-details
subDetailSequence | | 1..1 | positiveInt | Claim sub-detail instance identifier
noteNumber | | 0..* | positiveInt | Applicable note numbers
adjudication | | 0..* | see adjudication | Subdetail level adjudication details
addItem | | 0..* | BackboneElement | Insurer added line items
itemSequence | | 0..* | positiveInt | Item sequence number
detailSequence | | 0..* | positiveInt | Detail sequence number
subdetailSequence | | 0..* | positiveInt | Subdetail sequence number
provider | | 0..* | Reference(Practitioner | PractitionerRole | Organization) | Authorized providers
productOrService | | 1..1 | CodeableConcept | Billing, service, product, or drug code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
programCode | | 0..* | CodeableConcept | Program the product or service is provided under Example Program Reason Codes (Example)
serviced[x] | | 0..1 | | Date or dates of service or product delivery
servicedDate | | | date
servicedPeriod | | | Period
location[x] | | 0..1 | | Place of service or where product was supplied Example Service Place Codes (Example)
locationCodeableConcept | | | CodeableConcept
locationAddress | | | Address
locationReference | | | Reference(Location)
quantity | | 0..1 | SimpleQuantity | Count of products or services
unitPrice | | 0..1 | Money | Fee, charge or cost per item
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total item cost
bodySite | | 0..1 | CodeableConcept | Anatomical location Oral Site Codes (Example)

subSite | | 0..* | CodeableConcept | Anatomical sub-location Surface Codes (Example)
noteNumber | | 0..* | positiveInt | Applicable note numbers
adjudication | | 1..* | see adjudication | Added items adjudication
detail | | 0..* | BackboneElement | Insurer added line details
productOrService | | 1..1 | CodeableConcept | Billing, service, product, or drug code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
quantity | | 0..1 | SimpleQuantity | Count of products or services
unitPrice | | 0..1 | Money | Fee, charge or cost per item
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total item cost
noteNumber | | 0..* | positiveInt | Applicable note numbers
adjudication | | 1..* | see adjudication | Added items detail adjudication
subDetail | | 0..* | BackboneElement | Insurer added line items
productOrService | | 1..1 | CodeableConcept | Billing, service, product, or drug code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
quantity | | 0..1 | SimpleQuantity | Count of products or services
unitPrice | | 0..1 | Money | Fee, charge or cost per item
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total item cost
noteNumber | | 0..* | positiveInt | Applicable note numbers
adjudication | | 1..* | see adjudication | Added items detail adjudication
adjudication | | 0..* | see adjudication | Header-level adjudication
total | Σ | 0..* | BackboneElement | Adjudication totals
category | Σ | 1..1 | CodeableConcept | Type of adjudication information Adjudication Value Codes (Example)
amount | Σ | 1..1 | Money | Financial total for the category
payment | | 0..1 | BackboneElement | Payment Details
type | | 1..1 | CodeableConcept | Partial or complete payment Example Payment Type Codes (Example)
adjustment | | 0..1 | Money | Payment adjustment for non-claim issues
adjustmentReason | | 0..1 | CodeableConcept | Explanation for the adjustment Payment Adjustment Reason Codes (Example)
date | | 0..1 | date | Expected date of payment
amount | | 1..1 | Money | Payable amount after adjustment
identifier | | 0..1 | Identifier | Business identifier for the payment
fundsReserve | | 0..1 | CodeableConcept | Funds reserved status FundsReserve (Example)
formCode | | 0..1 | CodeableConcept | Printed form identifier Forms (Example)
form | | 0..1 | Attachment | Printed reference or actual form
processNote | | 0..* | BackboneElement | Note concerning adjudication
number | | 0..1 | positiveInt | Note instance identifier
type | | 0..1 | code | display | print | printoper NoteType (Required)
text | | 1..1 | string | Note explanatory text
language | | 0..1 | CodeableConcept | Language of the text Common Languages (Preferred but limited to AllLanguages)
communicationRequest | | 0..* | Reference(CommunicationRequest) | Request for additional information
insurance | | 0..* | BackboneElement | Patient insurance information
sequence | | 1..1 | positiveInt | Insurance instance identifier
focal | | 1..1 | boolean | Coverage to be used for adjudication
coverage | | 1..1 | Reference(Coverage) | Insurance information
businessArrangement | | 0..1 | string | Additional provider contract number
claimResponse | | 0..1 | Reference(ClaimResponse) | Adjudication results
error | | 0..* | BackboneElement | Processing errors
itemSequence | | 0..1 | positiveInt | Item sequence number
detailSequence | | 0..1 | positiveInt | Detail sequence number
subDetailSequence | | 0..1 | positiveInt | Subdetail sequence number
code | | 1..1 | CodeableConcept | Error code detailing processing issues AdjudicationError (Example)
Documentation for this format

UML Diagram (Legend)

XML Template

```
<ClaimResponse xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier for a claim response --></identifier>
 <status value="[code]"/><!-- 1..1 active | cancelled | draft | entered-in-error -->
 <type><!-- 1..1 CodeableConcept More granular claim type --></type>
 <subType><!-- 0..1 CodeableConcept More granular claim type --></subType>
 <use value="[code]"/><!-- 1..1 claim | preauthorization | predetermination -->
 <patient><!-- 1..1 Reference(Patient) The recipient of the products and services --></patient>
 <created value="[dateTime]"/><!-- 1..1 Response creation date -->
 <insurer><!-- 1..1 Reference(Organization) Party responsible for reimbursement --></insurer>
 <requestor><!-- 0..1 Reference(Practitioner|PractitionerRole|Organization) Party responsible for the claim
    --></requestor>
 <request><!-- 0..1 Reference(Claim) Id of resource triggering adjudication --></request>
 <outcome value="[code]"/><!-- 1..1 queued | complete | error | partial -->
 <disposition value="[string]"/><!-- 0..1 Disposition Message -->
 <preAuthRef value="[string]"/><!-- 0..1 Preauthorization reference -->
 <preAuthPeriod><!-- 0..1 Period Preauthorization reference effective period --></preAuthPeriod>
 <payeeType><!-- 0..1 CodeableConcept Party to be paid any benefits payable --></payeeType>
 <item>  <!-- 0..* Adjudication for claim line items -->
```

```
 <itemSequence value="[positiveInt]"/><!-- 1..1 Claim item instance identifier -->
 <noteNumber value="[positiveInt]"/><!-- 0..* Applicable note numbers -->
 <adjudication>  <!-- 1..* Adjudication details -->
  <category><!-- 1..1 CodeableConcept Type of adjudication information --></category>
  <reason><!-- 0..1 CodeableConcept Explanation of adjudication outcome --></reason>
  <amount><!-- 0..1 Money Monetary amount --></amount>
  <value value="[decimal]"/><!-- 0..1 Non-monetary value -->
 </adjudication>
 <detail>  <!-- 0..* Adjudication for claim details -->
  <detailSequence value="[positiveInt]"/><!-- 1..1 Claim detail instance identifier -->
  <noteNumber value="[positiveInt]"/><!-- 0..* Applicable note numbers -->
  <adjudication><!-- 1..* Content as for ClaimResponse.item.adjudication Detail level adjudication details
   --></adjudication>
  <subDetail>  <!-- 0..* Adjudication for claim sub-details -->
   <subDetailSequence value="[positiveInt]"/><!-- 1..1 Claim sub-detail instance identifier -->
   <noteNumber value="[positiveInt]"/><!-- 0..* Applicable note numbers -->
   <adjudication><!-- 0..* Content as for ClaimResponse.item.adjudication Subdetail level adjudication details
   --></adjudication>
  </subDetail>
 </detail>
</item>
<addItem>  <!-- 0..* Insurer added line items -->
 <itemSequence value="[positiveInt]"/><!-- 0..* Item sequence number -->
 <detailSequence value="[positiveInt]"/><!-- 0..* Detail sequence number -->
 <subdetailSequence value="[positiveInt]"/><!-- 0..* Subdetail sequence number -->
 <provider><!-- 0..* Reference(Practitioner|PractitionerRole|Organization) Authorized providers --></provider>
 <productOrService><!-- 1..1 CodeableConcept Billing, service, product, or drug code --></productOrService>
 <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
 <programCode><!-- 0..* CodeableConcept Program the product or service is provided under --></programCode>
 <serviced[x]><!-- 0..1 date|Period Date or dates of service or product delivery --></serviced[x]>
 <location[x]><!-- 0..1 CodeableConcept|Address|Reference(Location) Place of service or where product was supplied
   --></location[x]>
 <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of products or services --></quantity>
 <unitPrice><!-- 0..1 Money Fee, charge or cost per item --></unitPrice>
 <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
 <net><!-- 0..1 Money Total item cost --></net>
 <bodySite><!-- 0..1 CodeableConcept Anatomical location --></bodySite>
 <subSite><!-- 0..* CodeableConcept Anatomical sub-location --></subSite>
 <noteNumber value="[positiveInt]"/><!-- 0..* Applicable note numbers -->
 <adjudication><!-- 1..* Content as for ClaimResponse.item.adjudication Added items adjudication --></adjudication>
 <detail>  <!-- 0..* Insurer added line details -->
  <productOrService><!-- 1..1 CodeableConcept Billing, service, product, or drug code --></productOrService>
  <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
  <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of products or services --></quantity>
  <unitPrice><!-- 0..1 Money Fee, charge or cost per item --></unitPrice>
  <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
  <net><!-- 0..1 Money Total item cost --></net>
  <noteNumber value="[positiveInt]"/><!-- 0..* Applicable note numbers -->
  <adjudication><!-- 1..* Content as for ClaimResponse.item.adjudication Added items detail adjudication
   --></adjudication>
  <subDetail>  <!-- 0..* Insurer added line items -->
   <productOrService><!-- 1..1 CodeableConcept Billing, service, product, or drug code --></productOrService>
   <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
   <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of products or services --></quantity>
   <unitPrice><!-- 0..1 Money Fee, charge or cost per item --></unitPrice>
   <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
   <net><!-- 0..1 Money Total item cost --></net>
   <noteNumber value="[positiveInt]"/><!-- 0..* Applicable note numbers -->
   <adjudication><!-- 1..* Content as for ClaimResponse.item.adjudication Added items detail adjudication
   --></adjudication>
  </subDetail>
 </detail>
</addItem>
<adjudication><!-- 0..* Content as for ClaimResponse.item.adjudication Header-level adjudication --></adjudication>
<total>  <!-- 0..* Adjudication totals -->
 <category><!-- 1..1 CodeableConcept Type of adjudication information --></category>
 <amount><!-- 1..1 Money Financial total for the category --></amount>
</total>
<payment>  <!-- 0..1 Payment Details -->
 <type><!-- 1..1 CodeableConcept Partial or complete payment --></type>
 <adjustment><!-- 0..1 Money Payment adjustment for non-claim issues --></adjustment>
 <adjustmentReason><!-- 0..1 CodeableConcept Explanation for the adjustment --></adjustmentReason>
 <date value="[date]"/><!-- 0..1 Expected date of payment -->
 <amount><!-- 1..1 Money Payable amount after adjustment --></amount>
 <identifier><!-- 0..1 Identifier Business identifier for the payment --></identifier>
</payment>
<fundsReserve><!-- 0..1 CodeableConcept Funds reserved status --></fundsReserve>
<formCode><!-- 0..1 CodeableConcept Printed form identifier --></formCode>
<form><!-- 0..1 Attachment Printed reference or actual form --></form>
<processNote>  <!-- 0..* Note concerning adjudication -->
 <number value="[positiveInt]"/><!-- 0..1 Note instance identifier -->
 <type value="[code]"/><!-- 0..1 display | print | printoper -->
 <text value="[string]"/><!-- 1..1 Note explanatory text -->
 <language><!-- 0..1 CodeableConcept Language of the text --></language>
</processNote>
<communicationRequest><!-- 0..* Reference(CommunicationRequest) Request for additional information
   --></communicationRequest>
<insurance>  <!-- 0..* Patient insurance information -->
 <sequence value="[positiveInt]"/><!-- 1..1 Insurance instance identifier -->
```

```
  <focal value="[boolean]"/><!-- 1..1 Coverage to be used for adjudication -->
  <coverage><!-- 1..1 Reference(Coverage) Insurance information --></coverage>
  <businessArrangement value="[string]"/><!-- 0..1 Additional provider contract number -->
  <claimResponse><!-- 0..1 Reference(ClaimResponse) Adjudication results --></claimResponse>
 </insurance>
 <error>  <!-- 0..* Processing errors -->
  <itemSequence value="[positiveInt]"/><!-- 0..1 Item sequence number -->
  <detailSequence value="[positiveInt]"/><!-- 0..1 Detail sequence number -->
  <subDetailSequence value="[positiveInt]"/><!-- 0..1 Subdetail sequence number -->
  <code><!-- 1..1 CodeableConcept Error code detailing processing issues --></code>
 </error>

</ClaimResponse>
```

JSON Template

```
{
  "resourceType" : "ClaimResponse",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier for a claim response
  "status" : "<code>", // R!  active | cancelled | draft | entered-in-error
  "type" : { CodeableConcept }, // R!  More granular claim type
  "subType" : { CodeableConcept }, // More granular claim type
  "use" : "<code>", // R!  claim | preauthorization | predetermination
  "patient" : { Reference(Patient) }, // R!  The recipient of the products and services
  "created" : "<dateTime>", // R!  Response creation date
  "insurer" : { Reference(Organization) }, // R!  Party responsible for reimbursement
  "requestor" : { Reference(Practitioner|PractitionerRole|Organization) }, // Party responsible for the claim
  "request" : { Reference(Claim) }, // Id of resource triggering adjudication
  "outcome" : "<code>", // R!  queued | complete | error | partial
  "disposition" : "<string>", // Disposition Message
  "preAuthRef" : "<string>", // Preauthorization reference
  "preAuthPeriod" : { Period }, // Preauthorization reference effective period
  "payeeType" : { CodeableConcept }, // Party to be paid any benefits payable
  "item" : [{ // Adjudication for claim line items
    "itemSequence" : "<positiveInt>", // R!  Claim item instance identifier
    "noteNumber" : ["<positiveInt>"], // Applicable note numbers
    "adjudication" : [{ // R!  Adjudication details
      "category" : { CodeableConcept }, // R!  Type of adjudication information
      "reason" : { CodeableConcept }, // Explanation of adjudication outcome
      "amount" : { Money }, // Monetary amount
      "value" : <decimal> // Non-monetary value
    }],
    "detail" : [{ // Adjudication for claim details
      "detailSequence" : "<positiveInt>", // R!  Claim detail instance identifier
      "noteNumber" : ["<positiveInt>"], // Applicable note numbers
      "adjudication" : [{ Content as for ClaimResponse.item.adjudication }], // R!  Detail level adjudication details
      "subDetail" : [{ // Adjudication for claim sub-details
        "subDetailSequence" : "<positiveInt>", // R!  Claim sub-detail instance identifier
        "noteNumber" : ["<positiveInt>"], // Applicable note numbers
        "adjudication" : [{ Content as for ClaimResponse.item.adjudication }] // Subdetail level adjudication details
      }]
    }]
  }],
  "addItem" : [{ // Insurer added line items
    "itemSequence" : ["<positiveInt>"], // Item sequence number
    "detailSequence" : ["<positiveInt>"], // Detail sequence number
    "subdetailSequence" : ["<positiveInt>"], // Subdetail sequence number
    "provider" : [{ Reference(Practitioner|PractitionerRole|Organization) }], // Authorized providers
    "productOrService" : { CodeableConcept }, // R!  Billing, service, product, or drug code
    "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
    "programCode" : [{ CodeableConcept }], // Program the product or service is provided under
    // serviced[x]: Date or dates of service or product delivery. One of these 2:
    "servicedDate" : "<date>",
    "servicedPeriod" : { Period },
    // location[x]: Place of service or where product was supplied. One of these 3:
    "locationCodeableConcept" : { CodeableConcept },
    "locationAddress" : { Address },
    "locationReference" : { Reference(Location) },
    "quantity" : { Quantity(SimpleQuantity) }, // Count of products or services
    "unitPrice" : { Money }, // Fee, charge or cost per item
    "factor" : <decimal>, // Price scaling factor
    "net" : { Money }, // Total item cost
    "bodySite" : { CodeableConcept }, // Anatomical location
    "subSite" : [{ CodeableConcept }], // Anatomical sub-location
    "noteNumber" : ["<positiveInt>"], // Applicable note numbers
    "adjudication" : [{ Content as for ClaimResponse.item.adjudication }], // R!  Added items adjudication
    "detail" : [{ // Insurer added line details
      "productOrService" : { CodeableConcept }, // R!  Billing, service, product, or drug code
      "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
      "quantity" : { Quantity(SimpleQuantity) }, // Count of products or services
      "unitPrice" : { Money }, // Fee, charge or cost per item
      "factor" : <decimal>, // Price scaling factor
      "net" : { Money }, // Total item cost
      "noteNumber" : ["<positiveInt>"], // Applicable note numbers
      "adjudication" : [{ Content as for ClaimResponse.item.adjudication }], // R!  Added items detail adjudication
      "subDetail" : [{ // Insurer added line items
        "productOrService" : { CodeableConcept }, // R!  Billing, service, product, or drug code
        "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
```

```
        "quantity" : { Quantity(SimpleQuantity) }, // Count of products or services
        "unitPrice" : { Money }, // Fee, charge or cost per item
        "factor" : <decimal>, // Price scaling factor
        "net" : { Money }, // Total item cost
        "noteNumber" : ["<positiveInt>"], // Applicable note numbers
        "adjudication" : [{ Content as for ClaimResponse.item.adjudication }] // R!  Added items detail adjudication
      }]
    }]
  }],
  "adjudication" : [{ Content as for ClaimResponse.item.adjudication }], // Header-level adjudication
  "total" : [{ // Adjudication totals
    "category" : { CodeableConcept }, // R!  Type of adjudication information
    "amount" : { Money } // R!  Financial total for the category
  }],
  "payment" : { // Payment Details
    "type" : { CodeableConcept }, // R!  Partial or complete payment
    "adjustment" : { Money }, // Payment adjustment for non-claim issues
    "adjustmentReason" : { CodeableConcept }, // Explanation for the adjustment
    "date" : "<date>", // Expected date of payment
    "amount" : { Money }, // R!  Payable amount after adjustment
    "identifier" : { Identifier } // Business identifier for the payment
  },
  "fundsReserve" : { CodeableConcept }, // Funds reserved status
  "formCode" : { CodeableConcept }, // Printed form identifier
  "form" : { Attachment }, // Printed reference or actual form
  "processNote" : [{ // Note concerning adjudication
    "number" : "<positiveInt>", // Note instance identifier
    "type" : "<code>", // display | print | printoper
    "text" : "<string>", // R!  Note explanatory text
    "language" : { CodeableConcept } // Language of the text
  }],
  "communicationRequest" : [{ Reference(CommunicationRequest) }], // Request for additional information
  "insurance" : [{ // Patient insurance information
    "sequence" : "<positiveInt>", // R!  Insurance instance identifier
    "focal" : <boolean>, // R!  Coverage to be used for adjudication
    "coverage" : { Reference(Coverage) }, // R!  Insurance information
    "businessArrangement" : "<string>", // Additional provider contract number
    "claimResponse" : { Reference(ClaimResponse) } // Adjudication results
  }],
  "error" : [{ // Processing errors
    "itemSequence" : "<positiveInt>", // Item sequence number
    "detailSequence" : "<positiveInt>", // Detail sequence number
    "subDetailSequence" : "<positiveInt>", // Subdetail sequence number
    "code" : { CodeableConcept } // R!  Error code detailing processing issues
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:ClaimResponse;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:ClaimResponse.identifier [ Identifier ], ... ; # 0..* Business Identifier for a claim response
  fhir:ClaimResponse.status [ code ]; # 1..1 active | cancelled | draft | entered-in-error
  fhir:ClaimResponse.type [ CodeableConcept ]; # 1..1 More granular claim type
  fhir:ClaimResponse.subType [ CodeableConcept ]; # 0..1 More granular claim type
  fhir:ClaimResponse.use [ code ]; # 1..1 claim | preauthorization | predetermination
  fhir:ClaimResponse.patient [ Reference(Patient) ]; # 1..1 The recipient of the products and services
  fhir:ClaimResponse.created [ dateTime ]; # 1..1 Response creation date
  fhir:ClaimResponse.insurer [ Reference(Organization) ]; # 1..1 Party responsible for reimbursement
  fhir:ClaimResponse.requestor [ Reference(Practitioner|PractitionerRole|Organization) ]; # 0..1 Party responsible for
    the claim
  fhir:ClaimResponse.request [ Reference(Claim) ]; # 0..1 Id of resource triggering adjudication
  fhir:ClaimResponse.outcome [ code ]; # 1..1 queued | complete | error | partial
  fhir:ClaimResponse.disposition [ string ]; # 0..1 Disposition Message
  fhir:ClaimResponse.preAuthRef [ string ]; # 0..1 Preauthorization reference
  fhir:ClaimResponse.preAuthPeriod [ Period ]; # 0..1 Preauthorization reference effective period
  fhir:ClaimResponse.payeeType [ CodeableConcept ]; # 0..1 Party to be paid any benefits payable
  fhir:ClaimResponse.item [ # 0..* Adjudication for claim line items
    fhir:ClaimResponse.item.itemSequence [ positiveInt ]; # 1..1 Claim item instance identifier
    fhir:ClaimResponse.item.noteNumber [ positiveInt ], ... ; # 0..* Applicable note numbers
    fhir:ClaimResponse.item.adjudication [ # 1..* Adjudication details
      fhir:ClaimResponse.item.adjudication.category [ CodeableConcept ]; # 1..1 Type of adjudication information
      fhir:ClaimResponse.item.adjudication.reason [ CodeableConcept ]; # 0..1 Explanation of adjudication outcome
      fhir:ClaimResponse.item.adjudication.amount [ Money ]; # 0..1 Monetary amount
      fhir:ClaimResponse.item.adjudication.value [ decimal ]; # 0..1 Non-monetary value
    ], ...;
    fhir:ClaimResponse.item.detail [ # 0..* Adjudication for claim details
      fhir:ClaimResponse.item.detail.detailSequence [ positiveInt ]; # 1..1 Claim detail instance identifier
      fhir:ClaimResponse.item.detail.noteNumber [ positiveInt ], ... ; # 0..* Applicable note numbers
      fhir:ClaimResponse.item.detail.adjudication [ See ClaimResponse.item.adjudication ], ... ; # 1..* Detail level
    adjudication details
      fhir:ClaimResponse.item.detail.subDetail [ # 0..* Adjudication for claim sub-details
        fhir:ClaimResponse.item.detail.subDetail.subDetailSequence [ positiveInt ]; # 1..1 Claim sub-detail instance
    identifier
```

```
      fhir:ClaimResponse.item.detail.subDetail.noteNumber [ positiveInt ], ... ; # 0..* Applicable note numbers
      fhir:ClaimResponse.item.detail.subDetail.adjudication [ See ClaimResponse.item.adjudication ], ... ; # 0..*
  Subdetail level adjudication details
    ], ...;
  ], ...;
], ...;
fhir:ClaimResponse.addItem [ # 0..* Insurer added line items
  fhir:ClaimResponse.addItem.itemSequence [ positiveInt ], ... ; # 0..* Item sequence number
  fhir:ClaimResponse.addItem.detailSequence [ positiveInt ], ... ; # 0..* Detail sequence number
  fhir:ClaimResponse.addItem.subdetailSequence [ positiveInt ], ... ; # 0..* Subdetail sequence number
  fhir:ClaimResponse.addItem.provider [ Reference(Practitioner|PractitionerRole|Organization) ], ... ; # 0..*
  Authorized providers
  fhir:ClaimResponse.addItem.productOrService [ CodeableConcept ]; # 1..1 Billing, service, product, or drug code
  fhir:ClaimResponse.addItem.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing modifiers
  fhir:ClaimResponse.addItem.programCode [ CodeableConcept ], ... ; # 0..* Program the product or service is provided
  under
  # ClaimResponse.addItem.serviced[x] : 0..1 Date or dates of service or product delivery. One of these 2
    fhir:ClaimResponse.addItem.servicedDate [ date ]
    fhir:ClaimResponse.addItem.servicedPeriod [ Period ]
  # ClaimResponse.addItem.location[x] : 0..1 Place of service or where product was supplied. One of these 3
    fhir:ClaimResponse.addItem.locationCodeableConcept [ CodeableConcept ]
    fhir:ClaimResponse.addItem.locationAddress [ Address ]
    fhir:ClaimResponse.addItem.locationReference [ Reference(Location) ]
  fhir:ClaimResponse.addItem.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of products or services
  fhir:ClaimResponse.addItem.unitPrice [ Money ]; # 0..1 Fee, charge or cost per item
  fhir:ClaimResponse.addItem.factor [ decimal ]; # 0..1 Price scaling factor
  fhir:ClaimResponse.addItem.net [ Money ]; # 0..1 Total item cost
  fhir:ClaimResponse.addItem.bodySite [ CodeableConcept ]; # 0..1 Anatomical location
  fhir:ClaimResponse.addItem.subSite [ CodeableConcept ], ... ; # 0..* Anatomical sub-location
  fhir:ClaimResponse.addItem.noteNumber [ positiveInt ], ... ; # 0..* Applicable note numbers
  fhir:ClaimResponse.addItem.adjudication [ See ClaimResponse.item.adjudication ], ... ; # 1..* Added items
  adjudication
  fhir:ClaimResponse.addItem.detail [ # 0..* Insurer added line details
    fhir:ClaimResponse.addItem.detail.productOrService [ CodeableConcept ]; # 1..1 Billing, service, product, or drug
  code
    fhir:ClaimResponse.addItem.detail.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing modifiers
    fhir:ClaimResponse.addItem.detail.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of products or services
    fhir:ClaimResponse.addItem.detail.unitPrice [ Money ]; # 0..1 Fee, charge or cost per item
    fhir:ClaimResponse.addItem.detail.factor [ decimal ]; # 0..1 Price scaling factor
    fhir:ClaimResponse.addItem.detail.net [ Money ]; # 0..1 Total item cost
    fhir:ClaimResponse.addItem.detail.noteNumber [ positiveInt ], ... ; # 0..* Applicable note numbers
    fhir:ClaimResponse.addItem.detail.adjudication [ See ClaimResponse.item.adjudication ], ... ; # 1..* Added items
  detail adjudication
    fhir:ClaimResponse.addItem.detail.subDetail [ # 0..* Insurer added line items
      fhir:ClaimResponse.addItem.detail.subDetail.productOrService [ CodeableConcept ]; # 1..1 Billing, service,
  product, or drug code
      fhir:ClaimResponse.addItem.detail.subDetail.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing
  modifiers
      fhir:ClaimResponse.addItem.detail.subDetail.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of products or
  services
      fhir:ClaimResponse.addItem.detail.subDetail.unitPrice [ Money ]; # 0..1 Fee, charge or cost per item
      fhir:ClaimResponse.addItem.detail.subDetail.factor [ decimal ]; # 0..1 Price scaling factor
      fhir:ClaimResponse.addItem.detail.subDetail.net [ Money ]; # 0..1 Total item cost
      fhir:ClaimResponse.addItem.detail.subDetail.noteNumber [ positiveInt ], ... ; # 0..* Applicable note numbers
      fhir:ClaimResponse.addItem.detail.subDetail.adjudication [ See ClaimResponse.item.adjudication ], ... ; # 1..*
  Added items detail adjudication
    ], ...;
  ], ...;
], ...;
fhir:ClaimResponse.adjudication [ See ClaimResponse.item.adjudication ], ... ; # 0..* Header-level adjudication
fhir:ClaimResponse.total [ # 0..* Adjudication totals
  fhir:ClaimResponse.total.category [ CodeableConcept ]; # 1..1 Type of adjudication information
  fhir:ClaimResponse.total.amount [ Money ]; # 1..1 Financial total for the category
], ...;
fhir:ClaimResponse.payment [ # 0..1 Payment Details
  fhir:ClaimResponse.payment.type [ CodeableConcept ]; # 1..1 Partial or complete payment
  fhir:ClaimResponse.payment.adjustment [ Money ]; # 0..1 Payment adjustment for non-claim issues
  fhir:ClaimResponse.payment.adjustmentReason [ CodeableConcept ]; # 0..1 Explanation for the adjustment
  fhir:ClaimResponse.payment.date [ date ]; # 0..1 Expected date of payment
  fhir:ClaimResponse.payment.amount [ Money ]; # 1..1 Payable amount after adjustment
  fhir:ClaimResponse.payment.identifier [ Identifier ]; # 0..1 Business identifier for the payment
];
fhir:ClaimResponse.fundsReserve [ CodeableConcept ]; # 0..1 Funds reserved status
fhir:ClaimResponse.formCode [ CodeableConcept ]; # 0..1 Printed form identifier
fhir:ClaimResponse.form [ Attachment ]; # 0..1 Printed reference or actual form
fhir:ClaimResponse.processNote [ # 0..* Note concerning adjudication
  fhir:ClaimResponse.processNote.number [ positiveInt ]; # 0..1 Note instance identifier
  fhir:ClaimResponse.processNote.type [ code ]; # 0..1 display | print | printoper
  fhir:ClaimResponse.processNote.text [ string ]; # 1..1 Note explanatory text
  fhir:ClaimResponse.processNote.language [ CodeableConcept ]; # 0..1 Language of the text
], ...;
fhir:ClaimResponse.communicationRequest [ Reference(CommunicationRequest) ], ... ; # 0..* Request for additional
  information
fhir:ClaimResponse.insurance [ # 0..* Patient insurance information
  fhir:ClaimResponse.insurance.sequence [ positiveInt ]; # 1..1 Insurance instance identifier
  fhir:ClaimResponse.insurance.focal [ boolean ]; # 1..1 Coverage to be used for adjudication
  fhir:ClaimResponse.insurance.coverage [ Reference(Coverage) ]; # 1..1 Insurance information
  fhir:ClaimResponse.insurance.businessArrangement [ string ]; # 0..1 Additional provider contract number
  fhir:ClaimResponse.insurance.claimResponse [ Reference(ClaimResponse) ]; # 0..1 Adjudication results
```

```
  ], ...;
  fhir:ClaimResponse.error [ # 0..* Processing errors
    fhir:ClaimResponse.error.itemSequence [ positiveInt ]; # 0..1 Item sequence number
    fhir:ClaimResponse.error.detailSequence [ positiveInt ]; # 0..1 Detail sequence number
    fhir:ClaimResponse.error.subDetailSequence [ positiveInt ]; # 0..1 Subdetail sequence number
    fhir:ClaimResponse.error.code [ CodeableConcept ]; # 1..1 Error code detailing processing issues
  ], ...;
]
```

Changes since Release 3

ClaimResponse
ClaimResponse.status | Min Cardinality changed from 0 to 1 Change value set from http://hl7.org/fhir/ValueSet/fm-status to http://hl7.org/fhir/ValueSet/fm-status|4.0.1
ClaimResponse.type | Added Mandatory Element
ClaimResponse.subType | Added Element
ClaimResponse.use | Added Mandatory Element
ClaimResponse.patient | Min Cardinality changed from 0 to 1
ClaimResponse.created | Min Cardinality changed from 0 to 1
ClaimResponse.insurer | Min Cardinality changed from 0 to 1
ClaimResponse.requestor | Renamed from requestProvider to requestor Type Reference: Added Target Types PractitionerRole, Organization
ClaimResponse.outcome | Min Cardinality changed from 0 to 1 Type changed from CodeableConcept to code Add Binding http://hl7.org/fhir/ValueSet/remittance-outcome|4.0.1 (required)
ClaimResponse.preAuthRef | Moved from ClaimResponse.insurance to ClaimResponse Max Cardinality changed from * to 1
ClaimResponse.preAuthPeriod | Added Element
ClaimResponse.item.itemSequence | Renamed from sequenceLinkId to itemSequence
ClaimResponse.item.adjudication | Min Cardinality changed from 0 to 1
ClaimResponse.item.detail.detailSequence | Renamed from sequenceLinkId to detailSequence
ClaimResponse.item.detail.adjudication | Min Cardinality changed from 0 to 1
ClaimResponse.item.detail.subDetail.subDetailSequence | Renamed from sequenceLinkId to subDetailSequence
ClaimResponse.addItem.itemSequence | Renamed from sequenceLinkId to itemSequence
ClaimResponse.addItem.detailSequence | Added Element
ClaimResponse.addItem.subdetailSequence | Added Element
ClaimResponse.addItem.provider | Added Element
ClaimResponse.addItem.productOrService | Renamed from service to productOrService Min Cardinality changed from 0 to 1
ClaimResponse.addItem.programCode | Added Element
ClaimResponse.addItem.serviced[x] | Added Element
ClaimResponse.addItem.location[x] | Added Element
ClaimResponse.addItem.quantity | Added Element
ClaimResponse.addItem.unitPrice | Added Element
ClaimResponse.addItem.factor | Added Element
ClaimResponse.addItem.net | Added Element
ClaimResponse.addItem.bodySite | Added Element
ClaimResponse.addItem.subSite | Added Element
ClaimResponse.addItem.adjudication | Min Cardinality changed from 0 to 1
ClaimResponse.addItem.detail.productOrService | Renamed from service to productOrService Min Cardinality changed from 0 to 1
ClaimResponse.addItem.detail.quantity | Added Element
ClaimResponse.addItem.detail.unitPrice | Added Element
ClaimResponse.addItem.detail.factor | Added Element
ClaimResponse.addItem.detail.net | Added Element
ClaimResponse.addItem.detail.adjudication | Min Cardinality changed from 0 to 1
ClaimResponse.addItem.detail.subDetail | Added Element
ClaimResponse.addItem.detail.subDetail.productOrService | Added Mandatory Element
ClaimResponse.addItem.detail.subDetail.modifier | Added Element
ClaimResponse.addItem.detail.subDetail.quantity | Added Element
ClaimResponse.addItem.detail.subDetail.unitPrice | Added Element
ClaimResponse.addItem.detail.subDetail.factor | Added Element
ClaimResponse.addItem.detail.subDetail.net | Added Element
ClaimResponse.addItem.detail.subDetail.noteNumber | Added Element
ClaimResponse.addItem.detail.subDetail.adjudication | Added Mandatory Element
ClaimResponse.adjudication | Added Element
ClaimResponse.total | Added Element
ClaimResponse.total.category | Added Mandatory Element
ClaimResponse.total.amount | Added Mandatory Element
ClaimResponse.payment.type | Min Cardinality changed from 0 to 1
ClaimResponse.payment.amount | Min Cardinality changed from 0 to 1
ClaimResponse.fundsReserve | Renamed from reserved to fundsReserve Type changed from Coding to CodeableConcept
ClaimResponse.formCode | Added Element
ClaimResponse.form | Type changed from CodeableConcept to Attachment
ClaimResponse.processNote.type | Type changed from CodeableConcept to code Change value set from http://hl7.org/fhir/ValueSet/note-type to http://hl7.org/fhir/ValueSet/note-type|4.0.1
ClaimResponse.processNote.text | Min Cardinality changed from 0 to 1
ClaimResponse.processNote.language | Change binding strength from extensible to preferred
ClaimResponse.error.itemSequence | Renamed from sequenceLinkId to itemSequence

ClaimResponse.error.detailSequence | Renamed from detailSequenceLinkId to detailSequence
ClaimResponse.error.subDetailSequence | Renamed from subdetailSequenceLinkId to subDetailSequence
ClaimResponse.requestOrganization | deleted
ClaimResponse.addItem.revenue | deleted
ClaimResponse.addItem.category | deleted
ClaimResponse.addItem.fee | deleted
ClaimResponse.addItem.detail.revenue | deleted
ClaimResponse.addItem.detail.category | deleted
ClaimResponse.addItem.detail.fee | deleted
ClaimResponse.totalCost | deleted
ClaimResponse.unallocDeductable | deleted
ClaimResponse.totalBenefit | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R3 <--> R4 Conversion Maps (status = 1 test that all execute ok. 1 fail round-trip testing and 1 r3 resources are invalid (0 errors).)

See the Profiles & Extensions and the alternate definitions: Master Definition XML + JSON, XML Schema/Schematron + JSON Schema, ShEx (for Turtle) + see the extensions & the dependency analysis

13.7.3.1 Terminology Bindings

Path | Definition | Type | Reference
ClaimResponse.status | A code specifying the state of the resource instance. | Required | FinancialResourceStatusCodes
ClaimResponse.type | The type or discipline-style of the claim. | Extensible | ClaimTypeCodes
ClaimResponse.subType | A more granular claim typecode. | Example | ExampleClaimSubTypeCodes
ClaimResponse.use | Claim, preauthorization, predetermination. | Required | Use
ClaimResponse.outcome | The result of the claim processing. | Required | ClaimProcessingCodes
ClaimResponse.payeeType | A code for the party to be reimbursed. | Example | Claim Payee Type Codes
ClaimResponse.item.adjudication.category ClaimResponse.total.category | The adjudication codes. | Example | AdjudicationValueCodes
ClaimResponse.item.adjudication.reason | The adjudication reason codes. | Example | AdjudicationReasonCodes
ClaimResponse.addItem.productOrService ClaimResponse.addItem.detail.productOrService
ClaimResponse.addItem.detail.subDetail.productOrService | Allowable service and product codes. | Example | USCLSCodes
ClaimResponse.addItem.modifier ClaimResponse.addItem.detail.modifier ClaimResponse.addItem.detail.subDetail.modifier | Item type or modifiers codes, eg for Oral whether the treatment is cosmetic or associated with TMJ, or an appliance was lost or stolen. | Example | ModifierTypeCodes
ClaimResponse.addItem.programCode | Program specific reason codes. | Example | ExampleProgramReasonCodes
ClaimResponse.addItem.location[x] | Place of service: pharmacy, school, prison, etc. | Example | ExampleServicePlaceCodes
ClaimResponse.addItem.bodySite | The code for the teeth, quadrant, sextant and arch. | Example | OralSiteCodes
ClaimResponse.addItem.subSite | The code for the tooth surface and surface combinations. | Example | SurfaceCodes
ClaimResponse.payment.type | The type (partial, complete) of the payment. | Example | ExamplePaymentTypeCodes
ClaimResponse.payment.adjustmentReason | Payment Adjustment reason codes. | Example | PaymentAdjustmentReasonCodes
ClaimResponse.fundsReserve | For whom funds are to be reserved: (Patient, Provider, None). | Example | Funds Reservation Codes
ClaimResponse.formCode | The forms codes. | Example | Form Codes
ClaimResponse.processNote.type | The presentation types of notes. | Required | NoteType
ClaimResponse.processNote.language | A human language. | Preferred, but limited to AllLanguages | CommonLanguages
ClaimResponse.error.code | The adjudication error codes. | Example | Adjudication Error Codes

13.7.4 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common
created | date | The creation date | ClaimResponse.created
disposition | string | The contents of the disposition message | ClaimResponse.disposition
identifier | token | The identity of the ClaimResponse | ClaimResponse.identifier
insurer | reference | The organization which generated this resource | ClaimResponse.insurer (Organization)
outcome | token | The processing outcome | ClaimResponse.outcome
patient | reference | The subject of care | ClaimResponse.patient (Patient)
payment-date | date | The expected payment date | ClaimResponse.payment.date
request | reference | The claim reference | ClaimResponse.request (Claim)
requestor | reference | The Provider of the claim | ClaimResponse.requestor (Practitioner, Organization, PractitionerRole)
status | token | The status of the ClaimResponse | ClaimResponse.status
use | token | The type of claim | ClaimResponse.use

13.7.5 Resource ClaimResponse - Examples

URL: https://hl7.org/fhir/R4/claimresponse-examples.html

13.7.5 Resource ClaimResponse - Examples

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Patient, Practitioner

Example Name | id | Format
General Person Primary Coverage Example | R3500 | XML | JSON | Turtle
A ClaimResponse for a Claim that contains processing errors | R3501 | XML | JSON | Turtle
Primary insurance response to a 3Tier Vision Claim | R3502 | XML | JSON | Turtle
A ClaimResponse demonstrating Payor service code substitutions | R3503 | XML | JSON | Turtle
Unsolicited Pre-Authorization for social Dental Services | UR3503 | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

13.7.6 Resource ClaimResponse - Detailed Descriptions

URL: https://hl7.org/fhir/R4/claimresponse-definitions.html

13.7.6 Resource ClaimResponse - Detailed Descriptions

Financial Management Work Group | Maturity Level: 2 | Trial Use | Security Category: Patient | Compartments: Patient, Practitioner

Detailed Descriptions for the elements in the ClaimResponse resource.

ClaimResponse
Element Id | ClaimResponse
Definition | This resource provides the adjudication details from the processing of a Claim resource.
Cardinality | 0..*
Type | DomainResource
Alternate Names | Remittance Advice
ClaimResponse.identifier
Element Id | ClaimResponse.identifier
Definition | A unique identifier assigned to this claim response.
Note | This is a business identifier, not a resource identifier (see discussion)
Cardinality | 0..*
Type | Identifier
Requirements | Allows claim responses to be distinguished and referenced.
ClaimResponse.status
Element Id | ClaimResponse.status
Definition | The status of the resource instance.
Cardinality | 1..1
Terminology Binding | Financial Resource Status Codes (Required)
Type | code
Is Modifier | true (Reason: This element is labeled as a modifier because it is a status element that contains status entered-in-error which means that the resource should not be treated as valid)
Requirements | Need to track the status of the resource as 'draft' resources may undergo further edits while 'active' resources are immutable and may only have their status changed to 'cancelled'.
Summary | true
Comments | This element is labeled as a modifier because the status contains codes that mark the resource as not currently valid.
ClaimResponse.type
Element Id | ClaimResponse.type
Definition | A finer grained suite of claim type codes which may convey additional information such as Inpatient vs Outpatient and/or a specialty service.
Cardinality | 1..1
Terminology Binding | Claim Type Codes (Extensible)
Type | CodeableConcept
Requirements | Some jurisdictions need a finer grained claim type for routing and adjudication.
Summary | true
Comments | This may contain the local bill type codes, for example the US UB-04 bill type code or the CMS bill type.
ClaimResponse.subType
Element Id | ClaimResponse.subType
Definition | A finer grained suite of claim type codes which may convey additional information such as Inpatient vs Outpatient and/or a specialty service.
Cardinality | 0..1
Terminology Binding | Example Claim SubType Codes (Example)
Type | CodeableConcept
Requirements | Some jurisdictions need a finer grained claim type for routing and adjudication.
Comments | This may contain the local bill type codes, for example the US UB-04 bill type code or the CMS bill type.
ClaimResponse.use
Element Id | ClaimResponse.use
Definition | A code to indicate whether the nature of the request is: to request adjudication of products and services previously rendered; or requesting authorization and adjudication for provision in the future; or requesting the non-binding adjudication of the listed products and services which could be provided in the future.
Cardinality | 1..1
Terminology Binding | Use (Required)
Type | code
Requirements | This element is required to understand the nature of the request for adjudication.

Summary | true
ClaimResponse.patient
Element Id | ClaimResponse.patient
Definition | The party to whom the professional services and/or products have been supplied or are being considered and for whom actual for facast reimbursement is sought.
Cardinality | 1..1
Type | Reference(Patient)
Requirements | The patient must be supplied to the insurer so that confirmation of coverage and service hstory may be considered as part of the authorization and/or adjudiction.
Summary | true
ClaimResponse.created
Element Id | ClaimResponse.created
Definition | The date this resource was created.
Cardinality | 1..1
Type | dateTime
Requirements | Need to record a timestamp for use by both the recipient and the issuer.
Summary | true
ClaimResponse.insurer
Element Id | ClaimResponse.insurer
Definition | The party responsible for authorization, adjudication and reimbursement.
Cardinality | 1..1
Type | Reference(Organization)
Requirements | To be a valid claim, preauthorization or predetermination there must be a party who is responsible for adjudicating the contents against a policy which provides benefits for the patient.
Summary | true
ClaimResponse.requestor
Element Id | ClaimResponse.requestor
Definition | The provider which is responsible for the claim, predetermination or preauthorization.
Cardinality | 0..1
Type | Reference(Practitioner | PractitionerRole | Organization)
Comments | Typically this field would be 1..1 where this party is responsible for the claim but not necessarily professionally responsible for the provision of the individual products and services listed below.
ClaimResponse.request
Element Id | ClaimResponse.request
Definition | Original request resource reference.
Cardinality | 0..1
Type | Reference(Claim)
Summary | true
ClaimResponse.outcome
Element Id | ClaimResponse.outcome
Definition | The outcome of the claim, predetermination, or preauthorization processing.
Cardinality | 1..1
Terminology Binding | Claim Processing Codes (Required)
Type | code
Requirements | To advise the requestor of an overall processing outcome.
Summary | true
Comments | The resource may be used to indicate that: the request has been held (queued) for processing; that it has been processed and errors found (error); that no errors were found and that some of the adjudication has been undertaken (partial) or that all of the adjudication has been undertaken (complete).
ClaimResponse.disposition
Element Id | ClaimResponse.disposition
Definition | A human readable description of the status of the adjudication.
Cardinality | 0..1
Type | string
Requirements | Provided for user display.
ClaimResponse.preAuthRef
Element Id | ClaimResponse.preAuthRef
Definition | Reference from the Insurer which is used in later communications which refers to this adjudication.
Cardinality | 0..1
Type | string
Requirements | On subsequent claims, the insurer may require the provider to quote this value.
Comments | This value is only present on preauthorization adjudications.
ClaimResponse.preAuthPeriod
Element Id | ClaimResponse.preAuthPeriod
Definition | The time frame during which this authorization is effective.
Cardinality | 0..1
Type | Period
Requirements | To convey to the provider when the authorized products and services must be supplied for the authorized adjudication to apply.
ClaimResponse.payeeType
Element Id | ClaimResponse.payeeType
Definition | Type of Party to be reimbursed: subscriber, provider, other.
Cardinality | 0..1

Terminology Binding | PayeeType (Example)
Type | CodeableConcept
Requirements | Need to know who should receive payment with the most common situations being the Provider (assignment of benefits) or the Subscriber.
ClaimResponse.item
Element Id | ClaimResponse.item
Definition | A claim line. Either a simple (a product or service) or a 'group' of details which can also be a simple items or groups of sub-details.
Cardinality | 0..*
Requirements | The adjudication for items provided on the claim.
ClaimResponse.item.itemSequence
Element Id | ClaimResponse.item.itemSequence
Definition | A number to uniquely reference the claim item entries.
Cardinality | 1..1
Type | positiveInt
Requirements | Necessary to provide a mechanism to link the adjudication result to the submitted claim item.
ClaimResponse.item.noteNumber
Element Id | ClaimResponse.item.noteNumber
Definition | The numbers associated with notes below which apply to the adjudication of this item.
Cardinality | 0..*
Type | positiveInt
Requirements | Provides a condensed manner for associating human readable descriptive explanations for adjudications on the line item.
ClaimResponse.item.adjudication
Element Id | ClaimResponse.item.adjudication
Definition | If this item is a group then the values here are a summary of the adjudication of the detail items. If this item is a simple product or service then this is the result of the adjudication of this item.
Cardinality | 1..*
Requirements | The adjudication results conveys the insurer's assessment of the item provided in the claim under the terms of the patient's insurance coverage.
ClaimResponse.item.adjudication.category
Element Id | ClaimResponse.item.adjudication.category
Definition | A code to indicate the information type of this adjudication record. Information types may include the value submitted, maximum values or percentages allowed or payable under the plan, amounts that: the patient is responsible for in aggregate or pertaining to this item; amounts paid by other coverages; and, the benefit payable for this item.
Cardinality | 1..1
Terminology Binding | Adjudication Value Codes (Example)
Type | CodeableConcept
Requirements | Needed to enable understanding of the context of the other information in the adjudication.
Comments | For example codes indicating: Co-Pay, deductible, eligible, benefit, tax, etc.
ClaimResponse.item.adjudication.reason
Element Id | ClaimResponse.item.adjudication.reason
Definition | A code supporting the understanding of the adjudication result and explaining variance from expected amount.
Cardinality | 0..1
Terminology Binding | Adjudication Reason Codes (Example)
Type | CodeableConcept
Requirements | To support understanding of variance from adjudication expectations.
Comments | For example may indicate that the funds for this benefit type have been exhausted.
ClaimResponse.item.adjudication.amount
Element Id | ClaimResponse.item.adjudication.amount
Definition | Monetary amount associated with the category.
Cardinality | 0..1
Type | Money
Requirements | Most adjuciation categories convey a monetary amount.
Comments | For example: amount submitted, eligible amount, co-payment, and benefit payable.
ClaimResponse.item.adjudication.value
Element Id | ClaimResponse.item.adjudication.value
Definition | A non-monetary value associated with the category. Mutually exclusive to the amount element above.
Cardinality | 0..1
Type | decimal
Requirements | Some adjudication categories convey a percentage or a fixed value.
Comments | For example: eligible percentage or co-payment percentage.
ClaimResponse.item.detail
Element Id | ClaimResponse.item.detail
Definition | A claim detail. Either a simple (a product or service) or a 'group' of sub-details which are simple items.
Cardinality | 0..*
Requirements | The adjudication for details provided on the claim.
ClaimResponse.item.detail.detailSequence
Element Id | ClaimResponse.item.detail.detailSequence
Definition | A number to uniquely reference the claim detail entry.
Cardinality | 1..1
Type | positiveInt
Requirements | Necessary to provide a mechanism to link the adjudication result to the submitted claim detail.

ClaimResponse.item.detail.noteNumber
Element Id | ClaimResponse.item.detail.noteNumber
Definition | The numbers associated with notes below which apply to the adjudication of this item.
Cardinality | 0..*
Type | positiveInt
Requirements | Provides a condensed manner for associating human readable descriptive explanations for adjudications on the line item.
ClaimResponse.item.detail.adjudication
Element Id | ClaimResponse.item.detail.adjudication
Definition | The adjudication results.
Cardinality | 1..*
Type | See ClaimResponse.item.adjudication
ClaimResponse.item.detail.subDetail
Element Id | ClaimResponse.item.detail.subDetail
Definition | A sub-detail adjudication of a simple product or service.
Cardinality | 0..*
Requirements | The adjudication for sub-details provided on the claim.
ClaimResponse.item.detail.subDetail.subDetailSequence
Element Id | ClaimResponse.item.detail.subDetail.subDetailSequence
Definition | A number to uniquely reference the claim sub-detail entry.
Cardinality | 1..1
Type | positiveInt
Requirements | Necessary to provide a mechanism to link the adjudication result to the submitted claim sub-detail.
ClaimResponse.item.detail.subDetail.noteNumber
Element Id | ClaimResponse.item.detail.subDetail.noteNumber
Definition | The numbers associated with notes below which apply to the adjudication of this item.
Cardinality | 0..*
Type | positiveInt
Requirements | Provides a condensed manner for associating human readable descriptive explanations for adjudications on the line item.
ClaimResponse.item.detail.subDetail.adjudication
Element Id | ClaimResponse.item.detail.subDetail.adjudication
Definition | The adjudication results.
Cardinality | 0..*
Type | See ClaimResponse.item.adjudication
ClaimResponse.addItem
Element Id | ClaimResponse.addItem
Definition | The first-tier service adjudications for payor added product or service lines.
Cardinality | 0..*
Requirements | Insurers may redefine the provided product or service or may package and/or decompose groups of products and services. The addItems allows the insurer to provide their line item list with linkage to the submitted items/details/sub-details. In a preauthorization the insurer may use the addItem structure to provide additional information on authorized products and services.
ClaimResponse.addItem.itemSequence
Element Id | ClaimResponse.addItem.itemSequence
Definition | Claim items which this service line is intended to replace.
Cardinality | 0..*
Type | positiveInt
Requirements | Provides references to the claim items.
ClaimResponse.addItem.detailSequence
Element Id | ClaimResponse.addItem.detailSequence
Definition | The sequence number of the details within the claim item which this line is intended to replace.
Cardinality | 0..*
Type | positiveInt
Requirements | Provides references to the claim details within the claim item.
ClaimResponse.addItem.subdetailSequence
Element Id | ClaimResponse.addItem.subdetailSequence
Definition | The sequence number of the sub-details within the details within the claim item which this line is intended to replace.
Cardinality | 0..*
Type | positiveInt
Requirements | Provides references to the claim sub-details within the claim detail.
ClaimResponse.addItem.provider
Element Id | ClaimResponse.addItem.provider
Definition | The providers who are authorized for the services rendered to the patient.
Cardinality | 0..*
Type | Reference(Practitioner | PractitionerRole | Organization)
Requirements | Insurer may provide authorization specifically to a restricted set of providers rather than an open authorization.
ClaimResponse.addItem.productOrService
Element Id | ClaimResponse.addItem.productOrService
Definition | When the value is a group code then this item collects a set of related claim details, otherwise this contains the product, service, drug or other billing code for the item.
Cardinality | 1..1
Terminology Binding | USCLS Codes (Example)
Type | CodeableConcept

Requirements | Necessary to state what was provided or done.
Comments | If this is an actual service or product line, i.e. not a Group, then use code to indicate the Professional Service or Product supplied (e.g. CTP, HCPCS, USCLS, ICD10, NCPDP, DIN, RxNorm, ACHI, CCI). If a grouping item then use a group code to indicate the type of thing being grouped e.g. 'glasses' or 'compound'.
ClaimResponse.addItem.modifier
Element Id | ClaimResponse.addItem.modifier
Definition | Item typification or modifiers codes to convey additional context for the product or service.
Cardinality | 0..*
Terminology Binding | Modifier type Codes (Example)
Type | CodeableConcept
Requirements | To support inclusion of the item for adjudication or to charge an elevated fee.
Comments | For example in Oral whether the treatment is cosmetic or associated with TMJ, or for Medical whether the treatment was outside the clinic or outside of office hours.
ClaimResponse.addItem.programCode
Element Id | ClaimResponse.addItem.programCode
Definition | Identifies the program under which this may be recovered.
Cardinality | 0..*
Terminology Binding | Example Program Reason Codes (Example)
Type | CodeableConcept
Requirements | Commonly used in in the identification of publicly provided program focused on population segments or disease classifications.
Comments | For example: Neonatal program, child dental program or drug users recovery program.
ClaimResponse.addItem.serviced[x]
Element Id | ClaimResponse.addItem.serviced[x]
Definition | The date or dates when the service or product was supplied, performed or completed.
Cardinality | 0..1
Type | date|Period
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | Needed to determine whether the service or product was provided during the term of the insurance coverage.
ClaimResponse.addItem.location[x]
Element Id | ClaimResponse.addItem.location[x]
Definition | Where the product or service was provided.
Cardinality | 0..1
Terminology Binding | Example Service Place Codes (Example)
Type | CodeableConcept|Address|Reference(Location)
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | The location can alter whether the item was acceptable for insurance purposes or impact the determination of the benefit amount.
ClaimResponse.addItem.quantity
Element Id | ClaimResponse.addItem.quantity
Definition | The number of repetitions of a service or product.
Cardinality | 0..1
Type | SimpleQuantity
Requirements | Required when the product or service code does not convey the quantity provided.
ClaimResponse.addItem.unitPrice
Element Id | ClaimResponse.addItem.unitPrice
Definition | If the item is not a group then this is the fee for the product or service, otherwise this is the total of the fees for the details of the group.
Cardinality | 0..1
Type | Money
Requirements | The amount charged to the patient by the provider for a single unit.
ClaimResponse.addItem.factor
Element Id | ClaimResponse.addItem.factor
Definition | A real number that represents a multiplier used in determining the overall value of services delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied to a monetary amount.
Cardinality | 0..1
Type | decimal
Requirements | When discounts are provided to a patient (example: Senior's discount) then this must be documented for adjudication.
Comments | To show a 10% senior's discount, the value entered is: 0.90 (1.00 - 0.10).
ClaimResponse.addItem.net
Element Id | ClaimResponse.addItem.net
Definition | The quantity times the unit price for an additional service or product or charge.
Cardinality | 0..1
Type | Money
Requirements | Provides the total amount claimed for the group (if a grouper) or the line item.
Comments | For example, the formula: quantity * unitPrice * factor = net. Quantity and factor are assumed to be 1 if not supplied.
ClaimResponse.addItem.bodySite
Element Id | ClaimResponse.addItem.bodySite
Definition | Physical service site on the patient (limb, tooth, etc.).
Cardinality | 0..1
Terminology Binding | Oral Site Codes (Example)
Type | CodeableConcept

Requirements | Allows insurer to validate specific procedures.
Comments | For example: Providing a tooth code allows an insurer to identify a provider performing a filling on a tooth that was previously removed.
ClaimResponse.addItem.subSite
Element Id | ClaimResponse.addItem.subSite
Definition | A region or surface of the bodySite, e.g. limb region or tooth surface(s).
Cardinality | 0..*
Terminology Binding | Surface Codes (Example)
Type | CodeableConcept
Requirements | Allows insurer to validate specific procedures.
ClaimResponse.addItem.noteNumber
Element Id | ClaimResponse.addItem.noteNumber
Definition | The numbers associated with notes below which apply to the adjudication of this item.
Cardinality | 0..*
Type | positiveInt
Requirements | Provides a condensed manner for associating human readable descriptive explanations for adjudications on the line item.
ClaimResponse.addItem.adjudication
Element Id | ClaimResponse.addItem.adjudication
Definition | The adjudication results.
Cardinality | 1..*
Type | See ClaimResponse.item.adjudication
ClaimResponse.addItem.detail
Element Id | ClaimResponse.addItem.detail
Definition | The second-tier service adjudications for payor added services.
Cardinality | 0..*
ClaimResponse.addItem.detail.productOrService
Element Id | ClaimResponse.addItem.detail.productOrService
Definition | When the value is a group code then this item collects a set of related claim details, otherwise this contains the product, service, drug or other billing code for the item.
Cardinality | 1..1
Terminology Binding | USCLS Codes (Example)
Type | CodeableConcept
Requirements | Necessary to state what was provided or done.
Comments | If this is an actual service or product line, i.e. not a Group, then use code to indicate the Professional Service or Product supplied (e.g. CTP, HCPCS, USCLS, ICD10, NCPDP, DIN, RxNorm, ACHI, CCI). If a grouping item then use a group code to indicate the type of thing being grouped e.g. 'glasses' or 'compound'.
ClaimResponse.addItem.detail.modifier
Element Id | ClaimResponse.addItem.detail.modifier
Definition | Item typification or modifiers codes to convey additional context for the product or service.
Cardinality | 0..*
Terminology Binding | Modifier type Codes (Example)
Type | CodeableConcept
Requirements | To support inclusion of the item for adjudication or to charge an elevated fee.
Comments | For example in Oral whether the treatment is cosmetic or associated with TMJ, or for Medical whether the treatment was outside the clinic or outside of office hours.
ClaimResponse.addItem.detail.quantity
Element Id | ClaimResponse.addItem.detail.quantity
Definition | The number of repetitions of a service or product.
Cardinality | 0..1
Type | SimpleQuantity
Requirements | Required when the product or service code does not convey the quantity provided.
ClaimResponse.addItem.detail.unitPrice
Element Id | ClaimResponse.addItem.detail.unitPrice
Definition | If the item is not a group then this is the fee for the product or service, otherwise this is the total of the fees for the details of the group.
Cardinality | 0..1
Type | Money
Requirements | The amount charged to the patient by the provider for a single unit.
ClaimResponse.addItem.detail.factor
Element Id | ClaimResponse.addItem.detail.factor
Definition | A real number that represents a multiplier used in determining the overall value of services delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied to a monetary amount.
Cardinality | 0..1
Type | decimal
Requirements | When discounts are provided to a patient (example: Senior's discount) then this must be documented for adjudication.
Comments | To show a 10% senior's discount, the value entered is: 0.90 (1.00 - 0.10).
ClaimResponse.addItem.detail.net
Element Id | ClaimResponse.addItem.detail.net
Definition | The quantity times the unit price for an additional service or product or charge.
Cardinality | 0..1
Type | Money

Requirements | Provides the total amount claimed for the group (if a grouper) or the line item.
Comments | For example, the formula: quantity * unitPrice * factor = net. Quantity and factor are assumed to be 1 if not supplied.
ClaimResponse.addItem.detail.noteNumber
Element Id | ClaimResponse.addItem.detail.noteNumber
Definition | The numbers associated with notes below which apply to the adjudication of this item.
Cardinality | 0..*
Type | positiveInt
Requirements | Provides a condensed manner for associating human readable descriptive explanations for adjudications on the line item.
ClaimResponse.addItem.detail.adjudication
Element Id | ClaimResponse.addItem.detail.adjudication
Definition | The adjudication results.
Cardinality | 1..*
Type | See ClaimResponse.item.adjudication
ClaimResponse.addItem.detail.subDetail
Element Id | ClaimResponse.addItem.detail.subDetail
Definition | The third-tier service adjudications for payor added services.
Cardinality | 0..*
ClaimResponse.addItem.detail.subDetail.productOrService
Element Id | ClaimResponse.addItem.detail.subDetail.productOrService
Definition | When the value is a group code then this item collects a set of related claim details, otherwise this contains the product, service, drug or other billing code for the item.
Cardinality | 1..1
Terminology Binding | USCLS Codes (Example)
Type | CodeableConcept
Requirements | Necessary to state what was provided or done.
Comments | If this is an actual service or product line, i.e. not a Group, then use code to indicate the Professional Service or Product supplied (e.g. CTP, HCPCS, USCLS, ICD10, NCPDP, DIN, RxNorm, ACHI, CCI). If a grouping item then use a group code to indicate the type of thing being grouped e.g. 'glasses' or 'compound'.
ClaimResponse.addItem.detail.subDetail.modifier
Element Id | ClaimResponse.addItem.detail.subDetail.modifier
Definition | Item typification or modifiers codes to convey additional context for the product or service.
Cardinality | 0..*
Terminology Binding | Modifier type Codes (Example)
Type | CodeableConcept
Requirements | To support inclusion of the item for adjudication or to charge an elevated fee.
Comments | For example in Oral whether the treatment is cosmetic or associated with TMJ, or for Medical whether the treatment was outside the clinic or outside of office hours.
ClaimResponse.addItem.detail.subDetail.quantity
Element Id | ClaimResponse.addItem.detail.subDetail.quantity
Definition | The number of repetitions of a service or product.
Cardinality | 0..1
Type | SimpleQuantity
Requirements | Required when the product or service code does not convey the quantity provided.
ClaimResponse.addItem.detail.subDetail.unitPrice
Element Id | ClaimResponse.addItem.detail.subDetail.unitPrice
Definition | If the item is not a group then this is the fee for the product or service, otherwise this is the total of the fees for the details of the group.
Cardinality | 0..1
Type | Money
Requirements | The amount charged to the patient by the provider for a single unit.
ClaimResponse.addItem.detail.subDetail.factor
Element Id | ClaimResponse.addItem.detail.subDetail.factor
Definition | A real number that represents a multiplier used in determining the overall value of services delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied to a monetary amount.
Cardinality | 0..1
Type | decimal
Requirements | When discounts are provided to a patient (example: Senior's discount) then this must be documented for adjudication.
Comments | To show a 10% senior's discount, the value entered is: 0.90 (1.00 - 0.10).
ClaimResponse.addItem.detail.subDetail.net
Element Id | ClaimResponse.addItem.detail.subDetail.net
Definition | The quantity times the unit price for an additional service or product or charge.
Cardinality | 0..1
Type | Money
Requirements | Provides the total amount claimed for the group (if a grouper) or the line item.
Comments | For example, the formula: quantity * unitPrice * factor = net. Quantity and factor are assumed to be 1 if not supplied.
ClaimResponse.addItem.detail.subDetail.noteNumber
Element Id | ClaimResponse.addItem.detail.subDetail.noteNumber
Definition | The numbers associated with notes below which apply to the adjudication of this item.
Cardinality | 0..*
Type | positiveInt

Requirements | Provides a condensed manner for associating human readable descriptive explanations for adjudications on the line item.
ClaimResponse.addItem.detail.subDetail.adjudication
Element Id | ClaimResponse.addItem.detail.subDetail.adjudication
Definition | The adjudication results.
Cardinality | 1..*
Type | See ClaimResponse.item.adjudication
ClaimResponse.adjudication
Element Id | ClaimResponse.adjudication
Definition | The adjudication results which are presented at the header level rather than at the line-item or add-item levels.
Cardinality | 0..*
Type | See ClaimResponse.item.adjudication
Requirements | Some insurers will receive line-items but provide the adjudication only at a summary or header-level.
ClaimResponse.total
Element Id | ClaimResponse.total
Definition | Categorized monetary totals for the adjudication.
Cardinality | 0..*
Requirements | To provide the requestor with financial totals by category for the adjudication.
Summary | true
Comments | Totals for amounts submitted, co-pays, benefits payable etc.
ClaimResponse.total.category
Element Id | ClaimResponse.total.category
Definition | A code to indicate the information type of this adjudication record. Information types may include: the value submitted, maximum values or percentages allowed or payable under the plan, amounts that the patient is responsible for in aggregate or pertaining to this item, amounts paid by other coverages, and the benefit payable for this item.
Cardinality | 1..1
Terminology Binding | Adjudication Value Codes (Example)
Type | CodeableConcept
Requirements | Needed to convey the type of total provided.
Summary | true
Comments | For example codes indicating: Co-Pay, deductible, eligible, benefit, tax, etc.
ClaimResponse.total.amount
Element Id | ClaimResponse.total.amount
Definition | Monetary total amount associated with the category.
Cardinality | 1..1
Type | Money
Requirements | Needed to convey the total monetary amount.
Summary | true
ClaimResponse.payment
Element Id | ClaimResponse.payment
Definition | Payment details for the adjudication of the claim.
Cardinality | 0..1
Requirements | Needed to convey references to the financial instrument that has been used if payment has been made.
ClaimResponse.payment.type
Element Id | ClaimResponse.payment.type
Definition | Whether this represents partial or complete payment of the benefits payable.
Cardinality | 1..1
Terminology Binding | Example Payment Type Codes (Example)
Type | CodeableConcept
Requirements | To advise the requestor when the insurer believes all payments to have been completed.
ClaimResponse.payment.adjustment
Element Id | ClaimResponse.payment.adjustment
Definition | Total amount of all adjustments to this payment included in this transaction which are not related to this claim's adjudication.
Cardinality | 0..1
Type | Money
Requirements | To advise the requestor of adjustments applied to the payment.
Comments | Insurers will deduct amounts owing from the provider (adjustment), such as a prior overpayment, from the amount owing to the provider (benefits payable) when payment is made to the provider.
ClaimResponse.payment.adjustmentReason
Element Id | ClaimResponse.payment.adjustmentReason
Definition | Reason for the payment adjustment.
Cardinality | 0..1
Terminology Binding | Payment Adjustment Reason Codes (Example)
Type | CodeableConcept
Requirements | Needed to clarify the monetary adjustment.
ClaimResponse.payment.date
Element Id | ClaimResponse.payment.date
Definition | Estimated date the payment will be issued or the actual issue date of payment.
Cardinality | 0..1
Type | date
Requirements | To advise the payee when payment can be expected.
ClaimResponse.payment.amount

Element Id | ClaimResponse.payment.amount
Definition | Benefits payable less any payment adjustment.
Cardinality | 1..1
Type | Money
Requirements | Needed to provide the actual payment amount.
ClaimResponse.payment.identifier
Element Id | ClaimResponse.payment.identifier
Definition | Issuer's unique identifier for the payment instrument.
Note | This is a business identifier, not a resource identifier (see discussion)
Cardinality | 0..1
Type | Identifier
Requirements | Enable the receiver to reconcile when payment received.
Comments | For example: EFT number or check number.
ClaimResponse.fundsReserve
Element Id | ClaimResponse.fundsReserve
Definition | A code, used only on a response to a preauthorization, to indicate whether the benefits payable have been reserved and for whom.
Cardinality | 0..1
Terminology Binding | FundsReserve (Example)
Type | CodeableConcept
Requirements | Needed to advise the submitting provider on whether the rquest for reservation of funds has been honored.
Comments | Fund would be release by a future claim quoting the preAuthRef of this response. Examples of values include: provider, patient, none.
ClaimResponse.formCode
Element Id | ClaimResponse.formCode
Definition | A code for the form to be used for printing the content.
Cardinality | 0..1
Terminology Binding | Forms (Example)
Type | CodeableConcept
Requirements | Needed to specify the specific form used for producing output for this response.
Comments | May be needed to identify specific jurisdictional forms.
ClaimResponse.form
Element Id | ClaimResponse.form
Definition | The actual form, by reference or inclusion, for printing the content or an EOB.
Cardinality | 0..1
Type | Attachment
Requirements | Needed to include the specific form used for producing output for this response.
Comments | Needed to permit insurers to include the actual form.
ClaimResponse.processNote
Element Id | ClaimResponse.processNote
Definition | A note that describes or explains adjudication results in a human readable form.
Cardinality | 0..*
Requirements | Provides the insurer specific textual explanations associated with the processing.
ClaimResponse.processNote.number
Element Id | ClaimResponse.processNote.number
Definition | A number to uniquely identify a note entry.
Cardinality | 0..1
Type | positiveInt
Requirements | Necessary to provide a mechanism to link from adjudications.
ClaimResponse.processNote.type
Element Id | ClaimResponse.processNote.type
Definition | The business purpose of the note text.
Cardinality | 0..1
Terminology Binding | NoteType (Required)
Type | code
Requirements | To convey the expectation for when the text is used.
ClaimResponse.processNote.text
Element Id | ClaimResponse.processNote.text
Definition | The explanation or description associated with the processing.
Cardinality | 1..1
Type | string
Requirements | Required to provide human readable explanation.
ClaimResponse.processNote.language
Element Id | ClaimResponse.processNote.language
Definition | A code to define the language used in the text of the note.
Cardinality | 0..1
Terminology Binding | Common Languages (Preferred but limited to All Languages)
Type | CodeableConcept
Requirements | Note text may vary from the resource defined language.
Comments | Only required if the language is different from the resource language.
ClaimResponse.communicationRequest
Element Id | ClaimResponse.communicationRequest

Definition | Request for additional supporting or authorizing information.
Cardinality | 0..*
Type | Reference(CommunicationRequest)
Requirements | Need to communicate insurer request for additional information required to support the adjudication.
Comments | For example: professional reports, documents, images, clinical resources, or accident reports.
ClaimResponse.insurance
Element Id | ClaimResponse.insurance
Definition | Financial instruments for reimbursement for the health care products and services specified on the claim.
Cardinality | 0..*
Requirements | At least one insurer is required for a claim to be a claim.
Comments | All insurance coverages for the patient which may be applicable for reimbursement, of the products and services listed in the claim, are typically provided in the claim to allow insurers to confirm the ordering of the insurance coverages relative to local 'coordination of benefit' rules. One coverage (and only one) with 'focal=true' is to be used in the adjudication of this claim. Coverages appearing before the focal Coverage in the list, and where 'subrogation=false', should provide a reference to the ClaimResponse containing the adjudication results of the prior claim.
ClaimResponse.insurance.sequence
Element Id | ClaimResponse.insurance.sequence
Definition | A number to uniquely identify insurance entries and provide a sequence of coverages to convey coordination of benefit order.
Cardinality | 1..1
Type | positiveInt
Requirements | To maintain order of the coverages.
ClaimResponse.insurance.focal
Element Id | ClaimResponse.insurance.focal
Definition | A flag to indicate that this Coverage is to be used for adjudication of this claim when set to true.
Cardinality | 1..1
Type | boolean
Requirements | To identify which coverage in the list is being used to adjudicate this claim.
Comments | A patient may (will) have multiple insurance policies which provide reimbursement for healthcare services and products. For example a person may also be covered by their spouse's policy and both appear in the list (and may be from the same insurer). This flag will be set to true for only one of the listed policies and that policy will be used for adjudicating this claim. Other claims would be created to request adjudication against the other listed policies.
ClaimResponse.insurance.coverage
Element Id | ClaimResponse.insurance.coverage
Definition | Reference to the insurance card level information contained in the Coverage resource. The coverage issuing insurer will use these details to locate the patient's actual coverage within the insurer's information system.
Cardinality | 1..1
Type | Reference(Coverage)
Requirements | Required to allow the adjudicator to locate the correct policy and history within their information system.
ClaimResponse.insurance.businessArrangement
Element Id | ClaimResponse.insurance.businessArrangement
Definition | A business agreement number established between the provider and the insurer for special business processing purposes.
Cardinality | 0..1
Type | string
Requirements | Providers may have multiple business arrangements with a given insurer and must supply the specific contract number for adjudication.
ClaimResponse.insurance.claimResponse
Element Id | ClaimResponse.insurance.claimResponse
Definition | The result of the adjudication of the line items for the Coverage specified in this insurance.
Cardinality | 0..1
Type | Reference(ClaimResponse)
Requirements | An insurer need the adjudication results from prior insurers to determine the outstanding balance remaining by item for the items in the curent claim.
Comments | Must not be specified when 'focal=true' for this insurance.
ClaimResponse.error
Element Id | ClaimResponse.error
Definition | Errors encountered during the processing of the adjudication.
Cardinality | 0..*
Requirements | Need to communicate processing issues to the requestor.
Comments | If the request contains errors then an error element should be provided and no adjudication related sections (item, addItem, or payment) should be present.
ClaimResponse.error.itemSequence
Element Id | ClaimResponse.error.itemSequence
Definition | The sequence number of the line item submitted which contains the error. This value is omitted when the error occurs outside of the item structure.
Cardinality | 0..1
Type | positiveInt
Requirements | Provides references to the claim items.
ClaimResponse.error.detailSequence
Element Id | ClaimResponse.error.detailSequence
Definition | The sequence number of the detail within the line item submitted which contains the error. This value is omitted when the error occurs outside of the item structure.
Cardinality | 0..1

Type | positiveInt
Requirements | Provides references to the claim details within the claim item.
ClaimResponse.error.subDetailSequence
Element Id | ClaimResponse.error.subDetailSequence
Definition | The sequence number of the sub-detail within the detail within the line item submitted which contains the error. This value is omitted when the error occurs outside of the item structure.
Cardinality | 0..1
Type | positiveInt
Requirements | Provides references to the claim sub-details within the claim detail.
ClaimResponse.error.code
Element Id | ClaimResponse.error.code
Definition | An error code, from a specified code system, which details why the claim could not be adjudicated.
Cardinality | 1..1
Terminology Binding | AdjudicationError (Example)
Type | CodeableConcept
Requirements | Required to convey processing errors.

13.7.7 Resource ClaimResponse - Mappings

URL: https://hl7.org/fhir/R4/claimresponse-mappings.html

13.7.7 Resource ClaimResponse - Mappings

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Patient, Practitioner

Mappings:

FiveWs Pattern Mapping

Workflow Pattern

RIM Mapping

Mappings for the claimresponse resource (see Mappings to Other Standards for further information & status).

13.7.7.1 FiveWs Pattern Mapping (http://hl7.org/fhir/fivews)

ClaimResponse
identifier | FiveWs.identifier
status | FiveWs.status
type | FiveWs.class
subType | FiveWs.class
use | FiveWs.class
patient | FiveWs.subject[x]
created | FiveWs.recorded
requestor | FiveWs.source
request | FiveWs.why[x]
provider | FiveWs.source
serviced[x] | FiveWs.done[x]
location[x] | FiveWs.where[x]

13.7.7.2 Workflow Pattern (http://hl7.org/fhir/workflow)

ClaimResponse | Event
identifier | Event.identifier
status | Event.status
created | Event.occurrence[x]
insurer | Event.performer
request | Event.basedOn
disposition | Event.note

13.7.7.3 RIM Mapping (http://hl7.org/v3)

ClaimResponse
modifier | 24.C, 24.D mods
programCode | 24.H
serviced[x] | 24.A
location[x] | 24.B
quantity | 24.G
net | 24.F
modifier | 24.C, 24.D mods
quantity | 24.G
net | 24.F
modifier | 24.C, 24.D mods
quantity | 24.G
net | 24.F
insurance | Coverage

13.7.8 Resource ClaimResponse - Extensions & Profiles

URL: https://hl7.org/fhir/R4/claimresponse-profiles.html

13.7.8 Resource ClaimResponse - Extensions & Profiles

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Patient, Practitioner

This table lists profiles and extensions for the ClaimResponse resource. For background information, see Profiling Resources and Extensibility. Additional profiles and extensions may be found in published Implementation Guides , or in the Conformance resource registry .

13.7.8.1 Profiles

No Profiles defined for this resource

13.7.8.2 Extensions

No Extensions defined for this resource
Extensions for all resources or elements
resource-pertainsToGoal | pertainsToGoal | for Resource HL7 Extensions

Extensions that reference this resource:

request-insurance | insurance | for Request Pattern HL7 Extensions
Extensions that refer to Any resource
cqf-relativeDateTime | relativeDateTime | for Clinical Reasoning Extensions
event-basedOn | basedOn | for Event Pattern HL7 Extensions
event-partOf | partOf | for Event Pattern HL7 Extensions
flag-detail | detail | for Flag HL7 Extensions
relative-date | Relative Date Criteria | for General Extensions for use by FHIR Implementers
replaces | replaces | for General Extensions for use by FHIR Implementers
request-replaces | replaces | for Request Pattern HL7 Extensions
workflow-supportingInfo | supportingInfo | for Workflow Pattern HL7 Extensions

13.7.8.3 Search Extensions

No Search Extensions defined for this resource

13.7.9 Resource ClaimResponse - R3/R4 Conversions

URL: https://hl7.org/fhir/R4/claimresponse-version-maps.html

No validation errors - all conversions are clean

13.7.9 Resource ClaimResponse - R3/R4 Conversions

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Patient, Practitioner

R3 : R4 Conversion maps for ClaimResponse.

Functional status for this map: 1 test that all execute ok. 1 fail round-trip testing and 1 r3 resources are invalid (0 errors). (see documentation)

13.7.9.1 R3 to R4

```
map "http://hl7.org/fhir/StructureMap/ClaimResponse3to4" = "R3 to R4 Conversions for ClaimResponse"

uses "http://hl7.org/fhir/3.0/StructureDefinition/ClaimResponse" alias ClaimResponseR3 as source
uses "http://hl7.org/fhir/StructureDefinition/ClaimResponse" alias ClaimResponse as target

imports "http://hl7.org/fhir/StructureMap/*3to4"

group ClaimResponse(source src : ClaimResponseR3, target tgt : ClaimResponse) extends DomainResource <<type+>> {
  src.identifier -> tgt.identifier;
  src.status -> tgt.status;
  src.type -> tgt.type;
  src.subType -> tgt.subType;
  src.use -> tgt.use;
  src.patient -> tgt.patient;
  src.created -> tgt.created;
  src.insurer -> tgt.insurer;
  src.requestProvider -> tgt.requestor;
  src.request -> tgt.request;
  src.outcome as vs then {
    vs.coding as c then {
      c.code where value in ('queued' | 'complete' | 'error' | 'partial') -> tgt.outcome;
    };
  };
  src.disposition -> tgt.disposition;
  src.payeeType -> tgt.payeeType;
  src.item as s -> tgt.item as t then ClaimResponseItem(s, t);
  src.addItem as s -> tgt.addItem as t then ClaimResponseAddItem(s, t);
```

```
  src.error as s -> tgt.error as t then ClaimResponseError(s, t);
  src.totalCost as s -> tgt.total as t then ClaimResponseTotalCost(s, t);
  src.totalBenefit as s -> tgt.total as t then ClaimResponseTotalBenefit(s, t);
  src.payment as s -> tgt.payment as t then ClaimResponsePayment(s, t);
  src.reserved as vs ->  tgt.fundsReserve as vt,  vt.coding = vs;
  src.form -> tgt.form;
  src.processNote as s -> tgt.processNote as t then ClaimResponseProcessNote(s, t);
  src.communicationRequest -> tgt.communicationRequest;
  src.insurance as s -> tgt.insurance as t then ClaimResponseInsurance(s, t);
}

group ClaimResponseItem(source src, target tgt) extends BackboneElement {
  src.sequenceLinkId -> tgt.itemSequence;
  src.noteNumber -> tgt.noteNumber;
  src.adjudication as s -> tgt.adjudication as t then ClaimResponseItemAdjudication(s, t);
  src.detail as s -> tgt.detail as t then ClaimResponseItemDetail(s, t);
}

group ClaimResponseItemAdjudication(source src, target tgt) extends BackboneElement {
  src.category -> tgt.category;
  src.reason -> tgt.reason;
  src.amount -> tgt.amount;
  src.value -> tgt.value;
}

group ClaimResponseItemDetail(source src, target tgt) extends BackboneElement {
  src.detailSequence -> tgt.detailSequence;
  src.noteNumber -> tgt.noteNumber;
  src.adjudication -> tgt.adjudication;
  src.subDetail as s -> tgt.subDetail as t then ClaimResponseItemDetailSubDetail(s, t);
}

group ClaimResponseItemDetailSubDetail(source src, target tgt) extends BackboneElement {
  src.subDetailSequence -> tgt.subDetailSequence;
  src.noteNumber -> tgt.noteNumber;
  src.adjudication -> tgt.adjudication;
}

group ClaimResponseAddItem(source src, target tgt) extends BackboneElement {
  src.itemSequence -> tgt.itemSequence;
  src.detailSequence -> tgt.detailSequence;
  src.subdetailSequence -> tgt.subdetailSequence;
  src.service -> tgt.service;
  src.modifier -> tgt.modifier;
  src.programCode -> tgt.programCode;
  src.serviced -> tgt.serviced;
  src.location -> tgt.location;
  src.quantity -> tgt.quantity;
  src.unitPrice -> tgt.unitPrice;
  src.factor -> tgt.factor;
  src.net -> tgt.net;
  src.bodySite -> tgt.bodySite;
  src.subSite -> tgt.subSite;
  src.noteNumber -> tgt.noteNumber;
  src.adjudication -> tgt.adjudication;
  src.detail as s -> tgt.detail as t then ClaimResponseAddItemDetail(s, t);
}

group ClaimResponseAddItemDetail(source src, target tgt) extends BackboneElement {
  src.service -> tgt.service;
  src.modifier -> tgt.modifier;
  src.programCode -> tgt.programCode;
  src.quantity -> tgt.quantity;
  src.unitPrice -> tgt.unitPrice;
  src.factor -> tgt.factor;
  src.net -> tgt.net;
  src.noteNumber -> tgt.noteNumber;
  src.adjudication -> tgt.adjudication;
  src.subDetail as s -> tgt.subDetail as t then ClaimResponseAddItemDetailSubDetail(s, t);
}

group ClaimResponseAddItemDetailSubDetail(source src, target tgt) extends BackboneElement {
  src.service -> tgt.service;
  src.modifier -> tgt.modifier;
  src.programCode -> tgt.programCode;
  src.quantity -> tgt.quantity;
  src.unitPrice -> tgt.unitPrice;
  src.factor -> tgt.factor;
  src.net -> tgt.net;
  src.noteNumber -> tgt.noteNumber;
  src.adjudication -> tgt.adjudication;
}

group ClaimResponseError(source src, target tgt) extends BackboneElement {
  src.itemSequence -> tgt.itemSequence;
  src.detailSequence -> tgt.detailSequence;
  src.subDetailSequence -> tgt.subDetailSequence;
  src.code -> tgt.code;
}
```

```
group ClaimResponsePayment(source src, target tgt) extends BackboneElement {
  src.type -> tgt.type;
  src.adjustment -> tgt.adjustment;
  src.adjustmentReason -> tgt.adjustmentReason;
  src.date -> tgt.date;
  src.amount -> tgt.amount;
  src.identifier -> tgt.identifier;
}

group ClaimResponseProcessNote(source src, target tgt) extends BackboneElement {
  src.number -> tgt.number;
  src.type -> tgt.type;
  src.text -> tgt.text;
  src.language -> tgt.language;
}

group ClaimResponseInsurance(source src, target tgt) extends BackboneElement {
  src.sequence -> tgt.sequence;
  src.focal -> tgt.focal;
  src.coverage -> tgt.coverage;
  src.businessArrangement -> tgt.businessArrangement;
  src.preAuthRef -> tgt.preAuthRef;
  src.claimResponse -> tgt.claimResponse;
}

group ClaimResponseTotalCost(source src, target tgt) extends BackboneElement {
  src ->  tgt.category as cc,  cc.text = 'Submitted Amount',  cc.coding as coding,  coding.code = 'submitted',
    coding.system = 'http://terminology.hl7.org/CodeSystem/adjudication' "category";
  src as vs -> tgt.amount as vt then Money(vs, vt) "amount";
}

group ClaimResponseTotalBenefit(source src, target tgt) extends BackboneElement {
  src ->  tgt.category as cc,  cc.text = 'Benefit Amount',  cc.coding as coding,  coding.code = 'benefit',
    coding.system = 'http://terminology.hl7.org/CodeSystem/adjudication' "amount";
  src as vs -> tgt.amount as vt then Money(vs, vt) "amount";
}
```

13.7.9.2 R4 to R3

```
map "http://hl7.org/fhir/StructureMap/ClaimResponse4to3" = "R4 to R3 Conversion for ClaimResponse"

uses "http://hl7.org/fhir/StructureDefinition/ClaimResponse" alias ClaimResponse as source
uses "http://hl7.org/fhir/3.0/StructureDefinition/ClaimResponse" alias ClaimResponseR3 as target

imports "http://hl7.org/fhir/StructureMap/*4to3"

group ClaimResponse(source src : ClaimResponseR3, target tgt : ClaimResponse) extends DomainResource <<type+>> {
  src.identifier -> tgt.identifier;
  src.status -> tgt.status;
  src.type -> tgt.type;
  src.subType -> tgt.subType;
  src.use -> tgt.use;
  src.patient -> tgt.patient;
  src.created -> tgt.created;
  src.insurer -> tgt.insurer;
  src.requestor -> tgt.requestProvider;
  src.request -> tgt.request;
  src.outcome as vs where value in ('complete' | 'error' | 'partial') ->  tgt.outcome as vt,  vt.coding as c,  c.system
    = 'http://hl7.org/fhir/remittance-outcome',  c.code = vs;
  src.disposition -> tgt.disposition;
  src.payeeType -> tgt.payeeType;
  src.item as s -> tgt.item as t then ClaimResponseItem(s, t);
  src.addItem as s -> tgt.addItem as t then ClaimResponseAddItem(s, t);
  src.error as s -> tgt.error as t then ClaimResponseError(s, t);
  src.total as total then {
    total.category as vs then {
      total.amount as va then {
        vs.coding as c where code = 'submitted' then {
          c -> tgt.totalCost as cost then Money(va, cost) "cost";
        };
      };
    };
  };
  src.total as total then {
    total.category as vs then {
      total.amount as va then {
        vs.coding as c where code = 'benefit' then {
          c -> tgt.totalBenefit as cost then Money(va, cost) "totalBenefit";
        };
      };
    };
  };
  src.payment as s -> tgt.payment as t then ClaimResponsePayment(s, t);
  src.fundsReserve as vs then {
    vs.coding -> tgt.reserved;
  };
  src.form -> tgt.form;
  src.processNote as s -> tgt.processNote as t then ClaimResponseProcessNote(s, t);
  src.communicationRequest -> tgt.communicationRequest;
```

```
  src.insurance as s -> tgt.insurance as t then ClaimResponseInsurance(s, t);
}

group ClaimResponseItem(source src, target tgt) extends BackboneElement {
  src.itemSequence -> tgt.sequenceLinkId;
  src.noteNumber -> tgt.noteNumber;
  src.adjudication as s -> tgt.adjudication as t then ClaimResponseItemAdjudication(s, t);
  src.detail as s -> tgt.detail as t then ClaimResponseItemDetail(s, t);
}

group ClaimResponseItemAdjudication(source src, target tgt) extends BackboneElement {
  src.category -> tgt.category;
  src.reason -> tgt.reason;
  src.amount -> tgt.amount;
  src.value -> tgt.value;
}

group ClaimResponseItemDetail(source src, target tgt) extends BackboneElement {
  src.detailSequence -> tgt.detailSequence;
  src.noteNumber -> tgt.noteNumber;
  src.adjudication -> tgt.adjudication;
  src.subDetail as s -> tgt.subDetail as t then ClaimResponseItemDetailSubDetail(s, t);
}

group ClaimResponseItemDetailSubDetail(source src, target tgt) extends BackboneElement {
  src.subDetailSequence -> tgt.subDetailSequence;
  src.noteNumber -> tgt.noteNumber;
  src.adjudication -> tgt.adjudication;
}

group ClaimResponseAddItem(source src, target tgt) extends BackboneElement {
  src.itemSequence -> tgt.itemSequence;
  src.detailSequence -> tgt.detailSequence;
  src.subdetailSequence -> tgt.subdetailSequence;
  src.service -> tgt.service;
  src.modifier -> tgt.modifier;
  src.programCode -> tgt.programCode;
  src.serviced -> tgt.serviced;
  src.location -> tgt.location;
  src.quantity -> tgt.quantity;
  src.unitPrice -> tgt.unitPrice;
  src.factor -> tgt.factor;
  src.net -> tgt.net;
  src.bodySite -> tgt.bodySite;
  src.subSite -> tgt.subSite;
  src.noteNumber -> tgt.noteNumber;
  src.adjudication -> tgt.adjudication;
  src.detail as s -> tgt.detail as t then ClaimResponseAddItemDetail(s, t);
}

group ClaimResponseAddItemDetail(source src, target tgt) extends BackboneElement {
  src.service -> tgt.service;
  src.modifier -> tgt.modifier;
  src.programCode -> tgt.programCode;
  src.quantity -> tgt.quantity;
  src.unitPrice -> tgt.unitPrice;
  src.factor -> tgt.factor;
  src.net -> tgt.net;
  src.noteNumber -> tgt.noteNumber;
  src.adjudication -> tgt.adjudication;
  src.subDetail as s -> tgt.subDetail as t then ClaimResponseAddItemDetailSubDetail(s, t);
}

group ClaimResponseAddItemDetailSubDetail(source src, target tgt) extends BackboneElement {
  src.service -> tgt.service;
  src.modifier -> tgt.modifier;
  src.programCode -> tgt.programCode;
  src.quantity -> tgt.quantity;
  src.unitPrice -> tgt.unitPrice;
  src.factor -> tgt.factor;
  src.net -> tgt.net;
  src.noteNumber -> tgt.noteNumber;
  src.adjudication -> tgt.adjudication;
}

group ClaimResponseError(source src, target tgt) extends BackboneElement {
  src.itemSequence -> tgt.itemSequence;
  src.detailSequence -> tgt.detailSequence;
  src.subDetailSequence -> tgt.subDetailSequence;
  src.code -> tgt.code;
}

group ClaimResponsePayment(source src, target tgt) extends BackboneElement {
  src.type -> tgt.type;
  src.adjustment -> tgt.adjustment;
  src.adjustmentReason -> tgt.adjustmentReason;
  src.date -> tgt.date;
  src.amount -> tgt.amount;
  src.identifier -> tgt.identifier;
```

```
}

group ClaimResponseProcessNote(source src, target tgt) extends BackboneElement {
  src.number -> tgt.number;
  src.type -> tgt.type;
  src.text -> tgt.text;
  src.language -> tgt.language;
}

group ClaimResponseInsurance(source src, target tgt) extends BackboneElement {
  src.sequence -> tgt.sequence;
  src.focal -> tgt.focal;
  src.coverage -> tgt.coverage;
  src.businessArrangement -> tgt.businessArrangement;
  src.preAuthRef -> tgt.preAuthRef;
  src.claimResponse -> tgt.claimResponse;
}
```

13.7.9.3 R4 Validation Errors

13.7.10 JSON Schema for ClaimResponse

URL: https://hl7.org/fhir/R4/claimresponse.schema.json.html

13.7.10 JSON Schema for ClaimResponse

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Compartments: Patient, Practitioner

This is a representation of the json schema for ClaimResponse, which is just a part of the full JSON Schema.


```
{
  "$schema": "http://json-schema.org/draft-06/schema#",
  "id": "http://hl7.org/fhir/json-schema/ClaimResponse",
  "$ref": "#/definitions/ClaimResponse",
  "description": "see http://hl7.org/fhir/json.html#schema for information about the FHIR Json Schemas",
  "definitions": {
    "ClaimResponse": {
      "description": "This resource provides the adjudication details from the processing of a Claim resource.",
      "properties": {
        "resourceType": {
          "description": "This is a ClaimResponse resource",
          "const": "ClaimResponse"
        },
        "id": {
          "description": "The logical id of the resource, as used in the URL for the resource. Once assigned, this value
     never changes.",
          "$ref": "id.schema.json#/definitions/id"
        },
        "meta": {
          "description": "The metadata about the resource. This is content that is maintained by the infrastructure.
    Changes to the content might not always be associated with version changes to the resource.",
          "$ref": "Meta.schema.json#/definitions/Meta"
        },
        "implicitRules": {
          "description": "A reference to a set of rules that were followed when the resource was constructed, and which
    must be understood when processing the content. Often, this is a reference to an implementation guide that defines
    the special rules along with other profiles etc.",
          "$ref": "#/definitions/uri"
        },
        "_implicitRules": {
          "description": "Extensions for implicitRules",
          "$ref": "Element.schema.json#/definitions/Element"
        },
        "language": {
          "description": "The base language in which the resource is written.",
          "$ref": "#/definitions/code"
        },
        "_language": {
          "description": "Extensions for language",
          "$ref": "Element.schema.json#/definitions/Element"
        },
        "text": {
          "description": "A human-readable narrative that contains a summary of the resource and can be used to
    represent the content of the resource to a human. The narrative need not encode all the structured data, but is
    required to contain sufficient detail to make it \"clinically safe\" for a human to just read the narrative.
    Resource definitions may define what content should be represented in the narrative to ensure clinical safety.",
          "$ref": "Narrative.schema.json#/definitions/Narrative"
        },
        "contained": {
          "description": "These resources do not have an independent existence apart from the resource that contains
    them - they cannot be identified independently, and nor can they have their own independent transaction scope.",
          "items": {
            "$ref": "ResourceList.schema.json#/definitions/ResourceList"
          },
          "type": "array"
        },
        "extension": {
          "description": "May be used to represent additional information that is not part of the basic definition of
    the resource. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
```

```
 definition and use of extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of the resource and that modifies the understanding of the element that contains it and/or the understanding of the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of extensions. Though any implementer is allowed to define an extension, there is a set of requirements that SHALL be met as part of the definition of the extension. Applications processing a resource are required to check for modifier extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource (including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "identifier": {
      "description": "A unique identifier assigned to this claim response.",
      "items": {
        "$ref": "Identifier.schema.json#/definitions/Identifier"
      },
      "type": "array"
    },
    "status": {
      "description": "The status of the resource instance.",
      "$ref": "#/definitions/code"
    },
    "_status": {
      "description": "Extensions for status",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "type": {
      "description": "A finer grained suite of claim type codes which may convey additional information such as Inpatient vs Outpatient and/or a specialty service.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "subType": {
      "description": "A finer grained suite of claim type codes which may convey additional information such as Inpatient vs Outpatient and/or a specialty service.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "use": {
      "description": "A code to indicate whether the nature of the request is: to request adjudication of products and services previously rendered; or requesting authorization and adjudication for provision in the future; or requesting the non-binding adjudication of the listed products and services which could be provided in the future.",
      "$ref": "#/definitions/code"
    },
    "_use": {
      "description": "Extensions for use",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "patient": {
      "description": "The party to whom the professional services and/or products have been supplied or are being considered and for whom actual for facast reimbursement is sought.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "created": {
      "description": "The date this resource was created.",
      "$ref": "#/definitions/dateTime"
    },
    "_created": {
      "description": "Extensions for created",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "insurer": {
      "description": "The party responsible for authorization, adjudication and reimbursement.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "requestor": {
      "description": "The provider which is responsible for the claim, predetermination or preauthorization.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "request": {
      "description": "Original request resource reference.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "outcome": {
      "description": "The outcome of the claim, predetermination, or preauthorization processing.",
      "$ref": "#/definitions/code"
    },
    "_outcome": {
      "description": "Extensions for outcome",
      "$ref": "Element.schema.json#/definitions/Element"
    },
```

```
    "disposition": {
      "description": "A human readable description of the status of the adjudication.",
      "$ref": "#/definitions/string"
    },
    "_disposition": {
      "description": "Extensions for disposition",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "preAuthRef": {
      "description": "Reference from the Insurer which is used in later communications which refers to this
adjudication.",
      "$ref": "#/definitions/string"
    },
    "_preAuthRef": {
      "description": "Extensions for preAuthRef",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "preAuthPeriod": {
      "description": "The time frame during which this authorization is effective.",
      "$ref": "Period.schema.json#/definitions/Period"
    },
    "payeeType": {
      "description": "Type of Party to be reimbursed: subscriber, provider, other.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "item": {
      "description": "A claim line. Either a simple (a product or service) or a \u0027group\u0027 of details which
can also be a simple items or groups of sub-details.",
      "items": {
        "$ref": "#/definitions/ClaimResponse_Item"
      },
      "type": "array"
    },
    "addItem": {
      "description": "The first-tier service adjudications for payor added product or service lines.",
      "items": {
        "$ref": "#/definitions/ClaimResponse_AddItem"
      },
      "type": "array"
    },
    "adjudication": {
      "description": "The adjudication results which are presented at the header level rather than at the line-item
or add-item levels.",
      "items": {
        "$ref": "#/definitions/ClaimResponse_Adjudication"
      },
      "type": "array"
    },
    "total": {
      "description": "Categorized monetary totals for the adjudication.",
      "items": {
        "$ref": "#/definitions/ClaimResponse_Total"
      },
      "type": "array"
    },
    "payment": {
      "description": "Payment details for the adjudication of the claim.",
      "$ref": "#/definitions/ClaimResponse_Payment"
    },
    "fundsReserve": {
      "description": "A code, used only on a response to a preauthorization, to indicate whether the benefits
payable have been reserved and for whom.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "formCode": {
      "description": "A code for the form to be used for printing the content.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "form": {
      "description": "The actual form, by reference or inclusion, for printing the content or an EOB.",
      "$ref": "Attachment.schema.json#/definitions/Attachment"
    },
    "processNote": {
      "description": "A note that describes or explains adjudication results in a human readable form.",
      "items": {
        "$ref": "#/definitions/ClaimResponse_ProcessNote"
      },
      "type": "array"
    },
    "communicationRequest": {
      "description": "Request for additional supporting or authorizing information.",
      "items": {
        "$ref": "Reference.schema.json#/definitions/Reference"
      },
      "type": "array"
    },
    "insurance": {
      "description": "Financial instruments for reimbursement for the health care products and services specified on
 the claim.",
```

```
      "items": {
        "$ref": "#/definitions/ClaimResponse_Insurance"
      },
      "type": "array"
    },
    "error": {
      "description": "Errors encountered during the processing of the adjudication.",
      "items": {
        "$ref": "#/definitions/ClaimResponse_Error"
      },
      "type": "array"
    }
  },
  "additionalProperties": false,
  "required": [
    "patient",
    "insurer",
    "type",
    "resourceType"
  ]
},
"ClaimResponse_Item": {
  "description": "This resource provides the adjudication details from the processing of a Claim resource.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "itemSequence": {
      "description": "A number to uniquely reference the claim item entries.",
      "$ref": "#/definitions/positiveInt"
    },
    "_itemSequence": {
      "description": "Extensions for itemSequence",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "noteNumber": {
      "description": "The numbers associated with notes below which apply to the adjudication of this item.",
      "items": {
        "$ref": "#/definitions/positiveInt"
      },
      "type": "array"
    },
    "_noteNumber": {
      "description": "Extensions for noteNumber",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "adjudication": {
      "description": "If this item is a group then the values here are a summary of the adjudication of the detail
items. If this item is a simple product or service then this is the result of the adjudication of this item.",
      "items": {
        "$ref": "#/definitions/ClaimResponse_Adjudication"
      },
      "type": "array"
    },
    "detail": {
      "description": "A claim detail. Either a simple (a product or service) or a \u0027group\u0027 of sub-details
which are simple items.",
      "items": {
        "$ref": "#/definitions/ClaimResponse_Detail"
      },
```

```
      "type": "array"
    }
  },
  "additionalProperties": false,
  "required": [
    "adjudication"
  ]
},
"ClaimResponse_Adjudication": {
  "description": "This resource provides the adjudication details from the processing of a Claim resource.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "category": {
      "description": "A code to indicate the information type of this adjudication record. Information types may
include the value submitted, maximum values or percentages allowed or payable under the plan, amounts that: the
patient is responsible for in aggregate or pertaining to this item; amounts paid by other coverages; and, the
benefit payable for this item.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "reason": {
      "description": "A code supporting the understanding of the adjudication result and explaining variance from
expected amount.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "amount": {
      "description": "Monetary amount associated with the category.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "value": {
      "description": "A non-monetary value associated with the category. Mutually exclusive to the amount element
above.",
      "$ref": "#/definitions/decimal"
    },
    "_value": {
      "description": "Extensions for value",
      "$ref": "Element.schema.json#/definitions/Element"
    }
  },
  "additionalProperties": false,
  "required": [
    "category"
  ]
},
"ClaimResponse_Detail": {
  "description": "This resource provides the adjudication details from the processing of a Claim resource.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
```

```
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "detailSequence": {
      "description": "A number to uniquely reference the claim detail entry.",
      "$ref": "#/definitions/positiveInt"
    },
    "_detailSequence": {
      "description": "Extensions for detailSequence",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "noteNumber": {
      "description": "The numbers associated with notes below which apply to the adjudication of this item.",
      "items": {
        "$ref": "#/definitions/positiveInt"
      },
      "type": "array"
    },
    "_noteNumber": {
      "description": "Extensions for noteNumber",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "adjudication": {
      "description": "The adjudication results.",
      "items": {
        "$ref": "#/definitions/ClaimResponse_Adjudication"
      },
      "type": "array"
    },
    "subDetail": {
      "description": "A sub-detail adjudication of a simple product or service.",
      "items": {
        "$ref": "#/definitions/ClaimResponse_SubDetail"
      },
      "type": "array"
    }
  },
  "additionalProperties": false,
  "required": [
    "adjudication"
  ]
},
"ClaimResponse_SubDetail": {
  "description": "This resource provides the adjudication details from the processing of a Claim resource.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "subDetailSequence": {
```

```
      "description": "A number to uniquely reference the claim sub-detail entry.",
      "$ref": "#/definitions/positiveInt"
    },
    "_subDetailSequence": {
      "description": "Extensions for subDetailSequence",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "noteNumber": {
      "description": "The numbers associated with notes below which apply to the adjudication of this item.",
      "items": {
        "$ref": "#/definitions/positiveInt"
      },
      "type": "array"
    },
    "_noteNumber": {
      "description": "Extensions for noteNumber",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "adjudication": {
      "description": "The adjudication results.",
      "items": {
        "$ref": "#/definitions/ClaimResponse_Adjudication"
      },
      "type": "array"
    }
  },
  "additionalProperties": false
},
"ClaimResponse_AddItem": {
  "description": "This resource provides the adjudication details from the processing of a Claim resource.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "itemSequence": {
      "description": "Claim items which this service line is intended to replace.",
      "items": {
        "$ref": "#/definitions/positiveInt"
      },
      "type": "array"
    },
    "_itemSequence": {
      "description": "Extensions for itemSequence",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "detailSequence": {
      "description": "The sequence number of the details within the claim item which this line is intended to
replace.",
      "items": {
        "$ref": "#/definitions/positiveInt"
      },
      "type": "array"
    },
    "_detailSequence": {
      "description": "Extensions for detailSequence",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
```

```
      },
      "type": "array"
    },
    "subdetailSequence": {
      "description": "The sequence number of the sub-details within the details within the claim item which this
line is intended to replace.",
      "items": {
        "$ref": "#/definitions/positiveInt"
      },
      "type": "array"
    },
    "_subdetailSequence": {
      "description": "Extensions for subdetailSequence",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "provider": {
      "description": "The providers who are authorized for the services rendered to the patient.",
      "items": {
        "$ref": "Reference.schema.json#/definitions/Reference"
      },
      "type": "array"
    },
    "productOrService": {
      "description": "When the value is a group code then this item collects a set of related claim details,
otherwise this contains the product, service, drug or other billing code for the item.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "modifier": {
      "description": "Item typification or modifiers codes to convey additional context for the product or
service.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "programCode": {
      "description": "Identifies the program under which this may be recovered.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "servicedDate": {
      "description": "The date or dates when the service or product was supplied, performed or completed.",
      "pattern":
"^([0-9]([0-9]([0-9][1-9]|[1-9]0)|[1-9]00)|[1-9]000)(-(0[1-9]|1[0-2])(-(0[1-9]|[1-2][0-9]|3[0-1]))?)?$",
      "type": "string"
    },
    "_servicedDate": {
      "description": "Extensions for servicedDate",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "servicedPeriod": {
      "description": "The date or dates when the service or product was supplied, performed or completed.",
      "$ref": "Period.schema.json#/definitions/Period"
    },
    "locationCodeableConcept": {
      "description": "Where the product or service was provided.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "locationAddress": {
      "description": "Where the product or service was provided.",
      "$ref": "Address.schema.json#/definitions/Address"
    },
    "locationReference": {
      "description": "Where the product or service was provided.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "quantity": {
      "description": "The number of repetitions of a service or product.",
      "$ref": "Quantity.schema.json#/definitions/Quantity"
    },
    "unitPrice": {
      "description": "If the item is not a group then this is the fee for the product or service, otherwise this is
the total of the fees for the details of the group.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "factor": {
      "description": "A real number that represents a multiplier used in determining the overall value of services
delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied
 to a monetary amount.",
      "$ref": "#/definitions/decimal"
    },
    "_factor": {
      "description": "Extensions for factor",
      "$ref": "Element.schema.json#/definitions/Element"
```

```
    },
    "net": {
      "description": "The quantity times the unit price for an additional service or product or charge.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "bodySite": {
      "description": "Physical service site on the patient (limb, tooth, etc.).",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "subSite": {
      "description": "A region or surface of the bodySite, e.g. limb region or tooth surface(s).",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "noteNumber": {
      "description": "The numbers associated with notes below which apply to the adjudication of this item.",
      "items": {
        "$ref": "#/definitions/positiveInt"
      },
      "type": "array"
    },
    "_noteNumber": {
      "description": "Extensions for noteNumber",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "adjudication": {
      "description": "The adjudication results.",
      "items": {
        "$ref": "#/definitions/ClaimResponse_Adjudication"
      },
      "type": "array"
    },
    "detail": {
      "description": "The second-tier service adjudications for payor added services.",
      "items": {
        "$ref": "#/definitions/ClaimResponse_Detail1"
      },
      "type": "array"
    }
  },
  "additionalProperties": false,
  "required": [
    "adjudication",
    "productOrService"
  ]
},
"ClaimResponse_Detail1": {
  "description": "This resource provides the adjudication details from the processing of a Claim resource.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "productOrService": {
      "description": "When the value is a group code then this item collects a set of related claim details,
otherwise this contains the product, service, drug or other billing code for the item.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "modifier": {
```

```
      "description": "Item typification or modifiers codes to convey additional context for the product or
service.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "quantity": {
      "description": "The number of repetitions of a service or product.",
      "$ref": "Quantity.schema.json#/definitions/Quantity"
    },
    "unitPrice": {
      "description": "If the item is not a group then this is the fee for the product or service, otherwise this is
the total of the fees for the details of the group.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "factor": {
      "description": "A real number that represents a multiplier used in determining the overall value of services
delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied
 to a monetary amount.",
      "$ref": "#/definitions/decimal"
    },
    "_factor": {
      "description": "Extensions for factor",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "net": {
      "description": "The quantity times the unit price for an additional service or product or charge.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "noteNumber": {
      "description": "The numbers associated with notes below which apply to the adjudication of this item.",
      "items": {
        "$ref": "#/definitions/positiveInt"
      },
      "type": "array"
    },
    "_noteNumber": {
      "description": "Extensions for noteNumber",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "adjudication": {
      "description": "The adjudication results.",
      "items": {
        "$ref": "#/definitions/ClaimResponse_Adjudication"
      },
      "type": "array"
    },
    "subDetail": {
      "description": "The third-tier service adjudications for payor added services.",
      "items": {
        "$ref": "#/definitions/ClaimResponse_SubDetail1"
      },
      "type": "array"
    }
  },
  "additionalProperties": false,
  "required": [
    "adjudication",
    "productOrService"
  ]
},
"ClaimResponse_SubDetail1": {
  "description": "This resource provides the adjudication details from the processing of a Claim resource.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
```

```
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "productOrService": {
      "description": "When the value is a group code then this item collects a set of related claim details,
otherwise this contains the product, service, drug or other billing code for the item.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "modifier": {
      "description": "Item typification or modifiers codes to convey additional context for the product or
service.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "quantity": {
      "description": "The number of repetitions of a service or product.",
      "$ref": "Quantity.schema.json#/definitions/Quantity"
    },
    "unitPrice": {
      "description": "If the item is not a group then this is the fee for the product or service, otherwise this is
the total of the fees for the details of the group.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "factor": {
      "description": "A real number that represents a multiplier used in determining the overall value of services
delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied
 to a monetary amount.",
      "$ref": "#/definitions/decimal"
    },
    "_factor": {
      "description": "Extensions for factor",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "net": {
      "description": "The quantity times the unit price for an additional service or product or charge.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "noteNumber": {
      "description": "The numbers associated with notes below which apply to the adjudication of this item.",
      "items": {
        "$ref": "#/definitions/positiveInt"
      },
      "type": "array"
    },
    "_noteNumber": {
      "description": "Extensions for noteNumber",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "adjudication": {
      "description": "The adjudication results.",
      "items": {
        "$ref": "#/definitions/ClaimResponse_Adjudication"
      },
      "type": "array"
    }
  },
  "additionalProperties": false,
  "required": [
    "adjudication",
    "productOrService"
  ]
},
"ClaimResponse_Total": {
  "description": "This resource provides the adjudication details from the processing of a Claim resource.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
```

```
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "category": {
      "description": "A code to indicate the information type of this adjudication record. Information types may
include: the value submitted, maximum values or percentages allowed or payable under the plan, amounts that the
patient is responsible for in aggregate or pertaining to this item, amounts paid by other coverages, and the benefit
 payable for this item.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "amount": {
      "description": "Monetary total amount associated with the category.",
      "$ref": "Money.schema.json#/definitions/Money"
    }
  },
  "additionalProperties": false,
  "required": [
    "amount",
    "category"
  ]
},
"ClaimResponse_Payment": {
  "description": "This resource provides the adjudication details from the processing of a Claim resource.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "type": {
      "description": "Whether this represents partial or complete payment of the benefits payable.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "adjustment": {
      "description": "Total amount of all adjustments to this payment included in this transaction which are not
related to this claim\u0027s adjudication.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "adjustmentReason": {
      "description": "Reason for the payment adjustment.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "date": {
      "description": "Estimated date the payment will be issued or the actual issue date of payment.",
      "$ref": "#/definitions/date"
    },
    "_date": {
      "description": "Extensions for date",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "amount": {
      "description": "Benefits payable less any payment adjustment.",
      "$ref": "Money.schema.json#/definitions/Money"
```

```
    },
    "identifier": {
      "description": "Issuer\u0027s unique identifier for the payment instrument.",
      "$ref": "Identifier.schema.json#/definitions/Identifier"
    }
  },
  "additionalProperties": false,
  "required": [
    "amount",
    "type"
  ]
},
"ClaimResponse_ProcessNote": {
  "description": "This resource provides the adjudication details from the processing of a Claim resource.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "number": {
      "description": "A number to uniquely identify a note entry.",
      "$ref": "#/definitions/positiveInt"
    },
    "_number": {
      "description": "Extensions for number",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "type": {
      "description": "The business purpose of the note text.",
      "enum": [
        "display",
        "print",
        "printoper"
      ]
    },
    "_type": {
      "description": "Extensions for type",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "text": {
      "description": "The explanation or description associated with the processing.",
      "$ref": "#/definitions/string"
    },
    "_text": {
      "description": "Extensions for text",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "language": {
      "description": "A code to define the language used in the text of the note.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    }
  },
  "additionalProperties": false
},
"ClaimResponse_Insurance": {
  "description": "This resource provides the adjudication details from the processing of a Claim resource.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
```

```
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the definition and use of extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of the element and that modifies the understanding of the element in which it is contained and/or the understanding of the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part of the definition of the extension. Applications processing a resource are required to check for modifier extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource (including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "sequence": {
      "description": "A number to uniquely identify insurance entries and provide a sequence of coverages to convey coordination of benefit order.",
      "$ref": "#/definitions/positiveInt"
    },
    "_sequence": {
      "description": "Extensions for sequence",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "focal": {
      "description": "A flag to indicate that this Coverage is to be used for adjudication of this claim when set to true.",
      "$ref": "#/definitions/boolean"
    },
    "_focal": {
      "description": "Extensions for focal",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "coverage": {
      "description": "Reference to the insurance card level information contained in the Coverage resource. The coverage issuing insurer will use these details to locate the patient\u0027s actual coverage within the insurer\u0027s information system.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "businessArrangement": {
      "description": "A business agreement number established between the provider and the insurer for special business processing purposes.",
      "$ref": "#/definitions/string"
    },
    "_businessArrangement": {
      "description": "Extensions for businessArrangement",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "claimResponse": {
      "description": "The result of the adjudication of the line items for the Coverage specified in this insurance.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    }
  },
  "additionalProperties": false,
  "required": [
    "coverage"
  ]
},
"ClaimResponse_Error": {
  "description": "This resource provides the adjudication details from the processing of a Claim resource.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the definition and use of extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of the element and that modifies the understanding of the element in which it is contained and/or the understanding of the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
```

```
    extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
     of the definition of the extension. Applications processing a resource are required to check for modifier
    extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
    (including cannot change the meaning of modifierExtension itself).",
          "items": {
            "$ref": "Extension.schema.json#/definitions/Extension"
          },
          "type": "array"
        },
        "itemSequence": {
          "description": "The sequence number of the line item submitted which contains the error. This value is omitted
     when the error occurs outside of the item structure.",
          "$ref": "#/definitions/positiveInt"
        },
        "_itemSequence": {
          "description": "Extensions for itemSequence",
          "$ref": "Element.schema.json#/definitions/Element"
        },
        "detailSequence": {
          "description": "The sequence number of the detail within the line item submitted which contains the error.
    This value is omitted when the error occurs outside of the item structure.",
          "$ref": "#/definitions/positiveInt"
        },
        "_detailSequence": {
          "description": "Extensions for detailSequence",
          "$ref": "Element.schema.json#/definitions/Element"
        },
        "subDetailSequence": {
          "description": "The sequence number of the sub-detail within the detail within the line item submitted which
    contains the error. This value is omitted when the error occurs outside of the item structure.",
          "$ref": "#/definitions/positiveInt"
        },
        "_subDetailSequence": {
          "description": "Extensions for subDetailSequence",
          "$ref": "Element.schema.json#/definitions/Element"
        },
        "code": {
          "description": "An error code, from a specified code system, which details why the claim could not be
    adjudicated.",
          "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
        }
      },
      "additionalProperties": false,
      "required": [
        "code"
      ]
    }
  }
}
```


13.7.11 Resource ClaimResponse - Maturity Dependency View

URL: https://hl7.org/fhir/R4/claimresponse-dependencies.html

13.7.11 Resource ClaimResponse - Maturity Dependency View

Financial Management Work Group | Maturity Level: 2 | Trial Use | Compartments: Patient, Practitioner

Dependency Graph for ClaimResponse FMM level 2

Name | Card. | Type | Dependency Analysis
ClaimResponse | | DomainResource
identifier | 0..* | Identifier
status | 1..1 | code
type | 1..1 | CodeableConcept
subType | 0..1 | CodeableConcept
use | 1..1 | code
patient | 1..1 | Reference(Patient)
created | 1..1 | dateTime
insurer | 1..1 | Reference(Organization)
requestor | 0..1 | Reference(Practitioner | PractitionerRole | Organization)
request | 0..1 | Reference(Claim)
outcome | 1..1 | code
disposition | 0..1 | string
preAuthRef | 0..1 | string
preAuthPeriod | 0..1 | Period
payeeType | 0..1 | CodeableConcept
item | 0..* | BackboneElement
itemSequence | 1..1 | positiveInt
noteNumber | 0..* | positiveInt
adjudication | 1..* | BackboneElement
category | 1..1 | CodeableConcept
reason | 0..1 | CodeableConcept

amount | 0..1 | Money
value | 0..1 | decimal
detail | 0..* | BackboneElement
detailSequence | 1..1 | positiveInt
noteNumber | 0..* | positiveInt
adjudication | 1..* | see adjudication
subDetail | 0..* | BackboneElement
subDetailSequence | 1..1 | positiveInt
noteNumber | 0..* | positiveInt
adjudication | 0..* | see adjudication
addItem | 0..* | BackboneElement
itemSequence | 0..* | positiveInt
detailSequence | 0..* | positiveInt
subdetailSequence | 0..* | positiveInt
provider | 0..* | Reference(Practitioner | PractitionerRole | Organization)
productOrService | 1..1 | CodeableConcept
modifier | 0..* | CodeableConcept
programCode | 0..* | CodeableConcept
serviced[x] | 0..1
servicedDate | | date
servicedPeriod | | Period
location[x] | 0..1
locationCodeableConcept | | CodeableConcept
locationAddress | | Address
locationReference | | Reference(Location
quantity | 0..1 | SimpleQuantity
unitPrice | 0..1 | Money
factor | 0..1 | decimal
net | 0..1 | Money
bodySite | 0..1 | CodeableConcept
subSite | 0..* | CodeableConcept
noteNumber | 0..* | positiveInt
adjudication | 1..* | see adjudication
detail | 0..* | BackboneElement
productOrService | 1..1 | CodeableConcept
modifier | 0..* | CodeableConcept
quantity | 0..1 | SimpleQuantity
unitPrice | 0..1 | Money
factor | 0..1 | decimal
net | 0..1 | Money
noteNumber | 0..* | positiveInt
adjudication | 1..* | see adjudication
subDetail | 0..* | BackboneElement
productOrService | 1..1 | CodeableConcept
modifier | 0..* | CodeableConcept
quantity | 0..1 | SimpleQuantity
unitPrice | 0..1 | Money
factor | 0..1 | decimal
net | 0..1 | Money
noteNumber | 0..* | positiveInt
adjudication | 1..* | see adjudication
adjudication | 0..* | see adjudication
total | 0..* | BackboneElement
category | 1..1 | CodeableConcept
amount | 1..1 | Money
payment | 0..1 | BackboneElement
type | 1..1 | CodeableConcept
adjustment | 0..1 | Money
adjustmentReason | 0..1 | CodeableConcept
date | 0..1 | date
amount | 1..1 | Money
identifier | 0..1 | Identifier
fundsReserve | 0..1 | CodeableConcept
formCode | 0..1 | CodeableConcept
form | 0..1 | Attachment
processNote | 0..* | BackboneElement
number | 0..1 | positiveInt
type | 0..1 | code
text | 1..1 | string
language | 0..1 | CodeableConcept
communicationRequest | 0..* | Reference(CommunicationRequest)
insurance | 0..* | BackboneElement

sequence | 1..1 | positiveInt
focal | 1..1 | boolean
coverage | 1..1 | Reference(Coverage)
businessArrangement | 0..1 | string
claimResponse | 0..1 | Reference(ClaimResponse)
error | 0..* | BackboneElement
itemSequence | 0..1 | positiveInt
detailSequence | 0..1 | positiveInt
subDetailSequence | 0..1 | positiveInt
code | 1..1 | CodeableConcept

13.8 Resource PaymentNotice - Content

URL: https://hl7.org/fhir/R4/paymentnotice.html
Financial Management Work Group | Maturity Level: 2 | Trial Use | Security Category: Patient | Compartments: Practitioner

This resource provides the status of the payment for goods and services rendered, and the request and response resource references.

13.8.1 Scope and Usage

The PaymentNotice resource indicates the resource for which the payment has been indicated and reports the current status information of that payment. The payment notice may be used by providers and payers to advise the provider or regulatory bodies of the state of a payment (check in the mail/EFT sent, payment cashed, payment canceled). Employers or Insurance Exchanges may use this to advise payers of premium payment.

Payers and/or providers may have the need to advise providers and/or regulators of the status of claim settlement and payment completion. This same resource may be used by employers and insurance exchanges to advise payers that premium payments have been issued and settled.

The PaymentNotice resource is a "event" resource from a FHIR workflow perspective - see Workflow Event.

13.8.1.1 Additional Information

Additional information regarding electronic payment notice content and usage may be found at:

• Financial Resource Status Lifecycle: how .status is used in the financial resources.

• Batches: how eClaims may handle batches of eligibility, claims, payments and responses.

13.8.2 Boundaries and Relationships

The PaymentNotice resource is used to indicate that a payment is, or is about to occur. The resource is used commonly when tracking of payment occurences is required for regulatory or business purposes, such as ensuring that payment of claim adjudications occurs within a specific timeframe. The PaymentNotice is not used to report adjudicated amounts (see ClaimResponse) or to reconcile adjudicated amounts against actual payment (see PaymentReconciliation)

The ClaimResponse resource is an insurer's adjudication and/or authorization of a set of healthcare-related goods and services for a patient against the patient's insurance coverages and does not indicate that payment has occured.

The PaymentReconciliation resource serves to correlate payment amounts to the adjudicated claim amounts appearing on one or more ClaimResponses.

The eClaim domain includes a number of related resources

PaymentNotice | An indication that a payment has occured, is about to occur, or has been cancelled.
ClaimResponse | A payor's adjudication and/or authorization response to the suite of services provided in a Claim. Typically the ClaimResponse references the Claim but does not duplicate the clinical or financial information provided in the claim.
PaymentReconciliation | Provides the bulk payment details associated with a payment by the payor for goods and services rendered by a provider to patients covered by insurance plans offered by that payor.

13.8.3 Resource Content

• Structure

• UML

• XML

• JSON

• Turtle

• R3 Diff

• All

Structure

Name | Flags | Card. | Type | Description & Constraints

PaymentNotice | TU | | DomainResource | PaymentNotice request Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Business Identifier for the payment noctice
status | ?!Σ | 1..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
request | | 0..1 | Reference(Any) | Request reference
response | | 0..1 | Reference(Any) | Response reference
created | Σ | 1..1 | dateTime | Creation date
provider | | 0..1 | Reference(Practitioner | PractitionerRole | Organization) | Responsible practitioner
payment | Σ | 1..1 | Reference(PaymentReconciliation) | Payment reference
paymentDate | | 0..1 | date | Payment or clearing date
payee | | 0..1 | Reference(Practitioner | PractitionerRole | Organization) | Party being paid
recipient | Σ | 1..1 | Reference(Organization) | Party being notified
amount | Σ | 1..1 | Money | Monetary amount of the payment
paymentStatus | | 0..1 | CodeableConcept | Issued or cleared Status of the payment Payment Status Codes (Example)
Documentation for this format

UML Diagram (Legend)

XML Template

```
<PaymentNotice xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier for the payment noctice --></identifier>
 <status value="[code]"/><!-- 1..1 active | cancelled | draft | entered-in-error -->
 <request><!-- 0..1 Reference(Any) Request reference --></request>
 <response><!-- 0..1 Reference(Any) Response reference --></response>
 <created value="[dateTime]"/><!-- 1..1 Creation date -->
 <provider><!-- 0..1 Reference(Practitioner|PractitionerRole|Organization) Responsible practitioner --></provider>
 <payment><!-- 1..1 Reference(PaymentReconciliation) Payment reference --></payment>
 <paymentDate value="[date]"/><!-- 0..1 Payment or clearing date -->
 <payee><!-- 0..1 Reference(Practitioner|PractitionerRole|Organization) Party being paid --></payee>
 <recipient><!-- 1..1 Reference(Organization) Party being notified --></recipient>
 <amount><!-- 1..1 Money Monetary amount of the payment --></amount>
 <paymentStatus><!-- 0..1 CodeableConcept Issued or cleared Status of the payment --></paymentStatus>
</PaymentNotice>
```

JSON Template

```
{
  "resourceType" : "PaymentNotice",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier for the payment noctice
  "status" : "<code>", // R!  active | cancelled | draft | entered-in-error
  "request" : { Reference(Any) }, // Request reference
  "response" : { Reference(Any) }, // Response reference
  "created" : "<dateTime>", // R!  Creation date
  "provider" : { Reference(Practitioner|PractitionerRole|Organization) }, // Responsible practitioner
  "payment" : { Reference(PaymentReconciliation) }, // R!  Payment reference
  "paymentDate" : "<date>", // Payment or clearing date
  "payee" : { Reference(Practitioner|PractitionerRole|Organization) }, // Party being paid
  "recipient" : { Reference(Organization) }, // R!  Party being notified
  "amount" : { Money }, // R!  Monetary amount of the payment
  "paymentStatus" : { CodeableConcept } // Issued or cleared Status of the payment
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:PaymentNotice;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:PaymentNotice.identifier [ Identifier ], ... ; # 0..* Business Identifier for the payment noctice
  fhir:PaymentNotice.status [ code ]; # 1..1 active | cancelled | draft | entered-in-error
  fhir:PaymentNotice.request [ Reference(Any) ]; # 0..1 Request reference
  fhir:PaymentNotice.response [ Reference(Any) ]; # 0..1 Response reference
  fhir:PaymentNotice.created [ dateTime ]; # 1..1 Creation date
  fhir:PaymentNotice.provider [ Reference(Practitioner|PractitionerRole|Organization) ]; # 0..1 Responsible practitioner
  fhir:PaymentNotice.payment [ Reference(PaymentReconciliation) ]; # 1..1 Payment reference
  fhir:PaymentNotice.paymentDate [ date ]; # 0..1 Payment or clearing date
  fhir:PaymentNotice.payee [ Reference(Practitioner|PractitionerRole|Organization) ]; # 0..1 Party being paid
  fhir:PaymentNotice.recipient [ Reference(Organization) ]; # 1..1 Party being notified
  fhir:PaymentNotice.amount [ Money ]; # 1..1 Monetary amount of the payment
  fhir:PaymentNotice.paymentStatus [ CodeableConcept ]; # 0..1 Issued or cleared Status of the payment
]
```

Changes since R3

PaymentNotice
PaymentNotice.status | Min Cardinality changed from 0 to 1 Change value set from http://hl7.org/fhir/ValueSet/fm-status to http://hl7.org/fhir/ValueSet/fm-status|4.0.1
PaymentNotice.created | Min Cardinality changed from 0 to 1

PaymentNotice.provider | Renamed from organization to provider Type Reference: Added Target Types Practitioner, PractitionerRole
PaymentNotice.payment | Added Mandatory Element
PaymentNotice.paymentDate | Renamed from statusDate to paymentDate
PaymentNotice.payee | Added Element
PaymentNotice.recipient | Renamed from target to recipient Min Cardinality changed from 0 to 1
PaymentNotice.amount | Added Mandatory Element
PaymentNotice.provider | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R3 <--> R4 Conversion Maps (status = 1 test that all execute ok. 1 fail round-trip testing and 1 r3 resources are invalid (0 errors).)

Structure

Name | Flags | Card. | Type | Description & Constraints
PaymentNotice | TU | | DomainResource | PaymentNotice request Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Business Identifier for the payment noctice
status | ?!Σ | 1..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
request | | 0..1 | Reference(Any) | Request reference
response | | 0..1 | Reference(Any) | Response reference
created | Σ | 1..1 | dateTime | Creation date
provider | | 0..1 | Reference(Practitioner | PractitionerRole | Organization) | Responsible practitioner
payment | Σ | 1..1 | Reference(PaymentReconciliation) | Payment reference
paymentDate | | 0..1 | date | Payment or clearing date
payee | | 0..1 | Reference(Practitioner | PractitionerRole | Organization) | Party being paid
recipient | Σ | 1..1 | Reference(Organization) | Party being notified
amount | Σ | 1..1 | Money | Monetary amount of the payment
paymentStatus | | 0..1 | CodeableConcept | Issued or cleared Status of the payment Payment Status Codes (Example)
Documentation for this format

UML Diagram (Legend)

XML Template

```
<PaymentNotice xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier for the payment noctice --></identifier>
 <status value="[code]"/><!-- 1..1 active | cancelled | draft | entered-in-error -->
 <request><!-- 0..1 Reference(Any) Request reference --></request>
 <response><!-- 0..1 Reference(Any) Response reference --></response>
 <created value="[dateTime]"/><!-- 1..1 Creation date -->
 <provider><!-- 0..1 Reference(Practitioner|PractitionerRole|Organization) Responsible practitioner --></provider>
 <payment><!-- 1..1 Reference(PaymentReconciliation) Payment reference --></payment>
 <paymentDate value="[date]"/><!-- 0..1 Payment or clearing date -->
 <payee><!-- 0..1 Reference(Practitioner|PractitionerRole|Organization) Party being paid --></payee>
 <recipient><!-- 1..1 Reference(Organization) Party being notified --></recipient>
 <amount><!-- 1..1 Money Monetary amount of the payment --></amount>
 <paymentStatus><!-- 0..1 CodeableConcept Issued or cleared Status of the payment --></paymentStatus>
</PaymentNotice>
```

JSON Template

```
{
  "resourceType" : "PaymentNotice",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier for the payment noctice
  "status" : "<code>", // R!  active | cancelled | draft | entered-in-error
  "request" : { Reference(Any) }, // Request reference
  "response" : { Reference(Any) }, // Response reference
  "created" : "<dateTime>", // R!  Creation date
  "provider" : { Reference(Practitioner|PractitionerRole|Organization) }, // Responsible practitioner
  "payment" : { Reference(PaymentReconciliation) }, // R!  Payment reference
  "paymentDate" : "<date>", // Payment or clearing date
  "payee" : { Reference(Practitioner|PractitionerRole|Organization) }, // Party being paid
  "recipient" : { Reference(Organization) }, // R!  Party being notified
  "amount" : { Money }, // R!  Monetary amount of the payment
  "paymentStatus" : { CodeableConcept } // Issued or cleared Status of the payment
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:PaymentNotice;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:PaymentNotice.identifier [ Identifier ], ... ; # 0..* Business Identifier for the payment noctice
  fhir:PaymentNotice.status [ code ]; # 1..1 active | cancelled | draft | entered-in-error
```

```
  fhir:PaymentNotice.request [ Reference(Any) ]; # 0..1 Request reference
  fhir:PaymentNotice.response [ Reference(Any) ]; # 0..1 Response reference
  fhir:PaymentNotice.created [ dateTime ]; # 1..1 Creation date
  fhir:PaymentNotice.provider [ Reference(Practitioner|PractitionerRole|Organization) ]; # 0..1 Responsible practitioner
  fhir:PaymentNotice.payment [ Reference(PaymentReconciliation) ]; # 1..1 Payment reference
  fhir:PaymentNotice.paymentDate [ date ]; # 0..1 Payment or clearing date
  fhir:PaymentNotice.payee [ Reference(Practitioner|PractitionerRole|Organization) ]; # 0..1 Party being paid
  fhir:PaymentNotice.recipient [ Reference(Organization) ]; # 1..1 Party being notified
  fhir:PaymentNotice.amount [ Money ]; # 1..1 Monetary amount of the payment
  fhir:PaymentNotice.paymentStatus [ CodeableConcept ]; # 0..1 Issued or cleared Status of the payment
]
```

Changes since Release 3

PaymentNotice
PaymentNotice.status | Min Cardinality changed from 0 to 1 Change value set from http://hl7.org/fhir/ValueSet/fm-status to http://hl7.org/fhir/ValueSet/fm-status|4.0.1
PaymentNotice.created | Min Cardinality changed from 0 to 1
PaymentNotice.provider | Renamed from organization to provider Type Reference: Added Target Types Practitioner, PractitionerRole
PaymentNotice.payment | Added Mandatory Element
PaymentNotice.paymentDate | Renamed from statusDate to paymentDate
PaymentNotice.payee | Added Element
PaymentNotice.recipient | Renamed from target to recipient Min Cardinality changed from 0 to 1
PaymentNotice.amount | Added Mandatory Element
PaymentNotice.provider | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R3 <--> R4 Conversion Maps (status = 1 test that all execute ok. 1 fail round-trip testing and 1 r3 resources are invalid (0 errors).)

See the Profiles & Extensions and the alternate definitions: Master Definition XML + JSON, XML Schema/Schematron + JSON Schema, ShEx (for Turtle) + see the extensions & the dependency analysis

13.8.3.1 Terminology Bindings

Path | Definition | Type | Reference
PaymentNotice.status | A code specifying the state of the resource instance. | Required | FinancialResourceStatusCodes
PaymentNotice.paymentStatus | The payment conveyance status codes. | Example | PaymentStatusCodes

13.8.4 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common
created | date | Creation date fro the notice | PaymentNotice.created
identifier | token | The business identifier of the notice | PaymentNotice.identifier
payment-status | token | The type of payment notice | PaymentNotice.paymentStatus
provider | reference | The reference to the provider | PaymentNotice.provider (Practitioner, Organization, PractitionerRole)
request | reference | The Claim | PaymentNotice.request (Any)
response | reference | The ClaimResponse | PaymentNotice.response (Any)
status | token | The status of the payment notice | PaymentNotice.status

13.8.5 Resource PaymentNotice - Examples

URL: https://hl7.org/fhir/R4/paymentnotice-examples.html

13.8.5 Resource PaymentNotice - Examples

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Practitioner

Example Name | id | Format
Claim PaymentNotice Example | 77654 | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

13.8.6 Resource PaymentNotice - Detailed Descriptions

URL: https://hl7.org/fhir/R4/paymentnotice-definitions.html

13.8.6 Resource PaymentNotice - Detailed Descriptions

Financial Management Work Group | Maturity Level: 2 | Trial Use | Security Category: Patient | Compartments: Practitioner

Detailed Descriptions for the elements in the PaymentNotice resource.

PaymentNotice

Element Id | PaymentNotice
Definition | This resource provides the status of the payment for goods and services rendered, and the request and response resource references.
Cardinality | 0..*
Type | DomainResource
PaymentNotice.identifier
Element Id | PaymentNotice.identifier
Definition | A unique identifier assigned to this payment notice.
Note | This is a business identifier, not a resource identifier (see discussion)
Cardinality | 0..*
Type | Identifier
Requirements | Allows payment notices to be distinguished and referenced.
PaymentNotice.status
Element Id | PaymentNotice.status
Definition | The status of the resource instance.
Cardinality | 1..1
Terminology Binding | Financial Resource Status Codes (Required)
Type | code
Is Modifier | true (Reason: This element is labelled as a modifier because it is a status element that contains status entered-in-error which means that the resource should not be treated as valid)
Requirements | Need to track the status of the resource as 'draft' resources may undergo further edits while 'active' resources are immutable and may only have their status changed to 'cancelled'.
Summary | true
Comments | This element is labeled as a modifier because the status contains codes that mark the resource as not currently valid.
PaymentNotice.request
Element Id | PaymentNotice.request
Definition | Reference of resource for which payment is being made.
Cardinality | 0..1
Type | Reference(Any)
PaymentNotice.response
Element Id | PaymentNotice.response
Definition | Reference of response to resource for which payment is being made.
Cardinality | 0..1
Type | Reference(Any)
PaymentNotice.created
Element Id | PaymentNotice.created
Definition | The date when this resource was created.
Cardinality | 1..1
Type | dateTime
Requirements | Need to record a timestamp for use by both the recipient and the issuer.
Summary | true
PaymentNotice.provider
Element Id | PaymentNotice.provider
Definition | The practitioner who is responsible for the services rendered to the patient.
Cardinality | 0..1
Type | Reference(Practitioner | PractitionerRole | Organization)
PaymentNotice.payment
Element Id | PaymentNotice.payment
Definition | A reference to the payment which is the subject of this notice.
Cardinality | 1..1
Type | Reference(PaymentReconciliation)
Requirements | Need to identify the actual payment.
Summary | true
PaymentNotice.paymentDate
Element Id | PaymentNotice.paymentDate
Definition | The date when the above payment action occurred.
Cardinality | 0..1
Type | date
Requirements | Need to convey the date when the action being notified occurred.
PaymentNotice.payee
Element Id | PaymentNotice.payee
Definition | The party who will receive or has received payment that is the subject of this notification.
Cardinality | 0..1
Type | Reference(Practitioner | PractitionerRole | Organization)
PaymentNotice.recipient
Element Id | PaymentNotice.recipient
Definition | The party who is notified of the payment status.
Cardinality | 1..1
Type | Reference(Organization)
Requirements | Need to identified the recipient of the notification.
Summary | true
PaymentNotice.amount

Element Id | PaymentNotice.amount
Definition | The amount sent to the payee.
Cardinality | 1..1
Type | Money
Requirements | Provided for validation purposes.
Summary | true
PaymentNotice.paymentStatus
Element Id | PaymentNotice.paymentStatus
Definition | A code indicating whether payment has been sent or cleared.
Cardinality | 0..1
Terminology Binding | Payment Status Codes (Example)
Type | CodeableConcept
Requirements | The purpose of the notification.
Comments | Typically paid: payment sent, cleared: payment received.

13.8.7 Resource PaymentNotice - Mappings

URL: https://hl7.org/fhir/R4/paymentnotice-mappings.html

13.8.7 Resource PaymentNotice - Mappings

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Practitioner

Mappings:

FiveWs Pattern Mapping

Workflow Pattern

HL7 v2 Mapping

RIM Mapping

Canadian Dental Association eclaims standard

Mappings for the paymentnotice resource (see Mappings to Other Standards for further information & status).

13.8.7.1 FiveWs Pattern Mapping (http://hl7.org/fhir/fivews)

PaymentNotice
identifier | FiveWs.identifier
status | FiveWs.status
request | FiveWs.subject[x]
response | FiveWs.subject[x]
created | FiveWs.recorded
provider | FiveWs.source

13.8.7.2 Workflow Pattern (http://hl7.org/fhir/workflow)

PaymentNotice | Event
identifier | Event.identifier
status | Event.status
request | Event.basedOn
created | Event.occurrence[x]
provider | Event.performer

13.8.7.3 HL7 v2 Mapping (http://hl7.org/v2)

PaymentNotice
identifier
status
request
response
created
provider | B01
payment
paymentDate
payee
recipient
amount
paymentStatus

13.8.7.4 RIM Mapping (http://hl7.org/v3)

PaymentNotice | n/a

13.8.7.5 Canadian Dental Association eclaims standard (http://www.cda-adc.ca/en/services/cdanet/)

PaymentNotice
identifier
status
request
response
created
provider | B01
payment
paymentDate
payee
recipient
amount
paymentStatus

13.8.8 Resource PaymentNotice - Extensions & Profiles

URL: https://hl7.org/fhir/R4/paymentnotice-profiles.html

13.8.8 Resource PaymentNotice - Extensions & Profiles

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Practitioner

This table lists profiles and extensions for the PaymentNotice resource. For background information, see Profiling Resources and Extensibility. Additional profiles and extensions may be found in published Implementation Guides , or in the Conformance resource registry .

13.8.8.1 Profiles

No Profiles defined for this resource

13.8.8.2 Extensions

No Extensions defined for this resource
Extensions for all resources or elements
resource-pertainsToGoal | pertainsToGoal | for Resource HL7 Extensions

Extensions that reference this resource:

No Extensions refer to this resource
Extensions that refer to Any resource
cqf-relativeDateTime | relativeDateTime | for Clinical Reasoning Extensions
event-basedOn | basedOn | for Event Pattern HL7 Extensions
event-partOf | partOf | for Event Pattern HL7 Extensions
flag-detail | detail | for Flag HL7 Extensions
relative-date | Relative Date Criteria | for General Extensions for use by FHIR Implementers
replaces | replaces | for General Extensions for use by FHIR Implementers
request-replaces | replaces | for Request Pattern HL7 Extensions
workflow-supportingInfo | supportingInfo | for Workflow Pattern HL7 Extensions

13.8.8.3 Search Extensions

No Search Extensions defined for this resource

13.8.9 Resource PaymentNotice - R3/R4 Conversions

URL: https://hl7.org/fhir/R4/paymentnotice-version-maps.html

No validation errors - all conversions are clean

13.8.9 Resource PaymentNotice - R3/R4 Conversions

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Practitioner

R3 : R4 Conversion maps for PaymentNotice.

Functional status for this map: 1 test that all execute ok. 1 fail round-trip testing and 1 r3 resources are invalid (0 errors). (see documentation)

13.8.9.1 R3 to R4

```
map "http://hl7.org/fhir/StructureMap/PaymentNotice3to4" = "R3 to R4 Conversions for PaymentNotice"

uses "http://hl7.org/fhir/3.0/StructureDefinition/PaymentNotice" alias PaymentNoticeR3 as source
uses "http://hl7.org/fhir/StructureDefinition/PaymentNotice" alias PaymentNotice as target

imports "http://hl7.org/fhir/StructureMap/*3to4"

group PaymentNotice(source src : PaymentNoticeR3, target tgt : PaymentNotice) extends DomainResource <<type+>> {
  src.identifier -> tgt.identifier;
  src.status -> tgt.status;
```

```
  src.request -> tgt.request;
  src.response -> tgt.response;
  src.statusDate -> tgt.paymentDate;
  src.created -> tgt.created;
  src.target -> tgt.recipient;
  src.provider -> tgt.provider;
  src.paymentStatus -> tgt.paymentStatus;
}
```

13.8.9.2 R4 to R3

```
map "http://hl7.org/fhir/StructureMap/PaymentNotice4to3" = "R4 to R3 Conversion for PaymentNotice"

uses "http://hl7.org/fhir/StructureDefinition/PaymentNotice" alias PaymentNotice as source
uses "http://hl7.org/fhir/3.0/StructureDefinition/PaymentNotice" alias PaymentNoticeR3 as target

imports "http://hl7.org/fhir/StructureMap/*4to3"

group PaymentNotice(source src : PaymentNotice, target tgt : PaymentNoticeR3) extends DomainResource <<type+>> {
  src.identifier -> tgt.identifier;
  src.status -> tgt.status;
  src.request -> tgt.request;
  src.response -> tgt.response;
  src.paymentDate -> tgt.statusDate;
  src.created -> tgt.created;
  src.recipient -> tgt.target;
  src.provider -> tgt.provider;
  src.paymentStatus -> tgt.paymentStatus;
}
```

13.8.9.3 R4 Validation Errors

13.8.10 JSON Schema for PaymentNotice

URL: https://hl7.org/fhir/R4/paymentnotice.schema.json.html

13.8.10 JSON Schema for PaymentNotice

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Compartments: Practitioner

This is a representation of the json schema for PaymentNotice, which is just a part of the full JSON Schema.


```
{
  "$schema": "http://json-schema.org/draft-06/schema#",
  "id": "http://hl7.org/fhir/json-schema/PaymentNotice",
  "$ref": "#/definitions/PaymentNotice",
  "description": "see http://hl7.org/fhir/json.html#schema for information about the FHIR Json Schemas",
  "definitions": {
    "PaymentNotice": {
      "description": "This resource provides the status of the payment for goods and services rendered, and the request
    and response resource references.",
      "properties": {
        "resourceType": {
          "description": "This is a PaymentNotice resource",
          "const": "PaymentNotice"
        },
        "id": {
          "description": "The logical id of the resource, as used in the URL for the resource. Once assigned, this value
     never changes.",
          "$ref": "id.schema.json#/definitions/id"
        },
        "meta": {
          "description": "The metadata about the resource. This is content that is maintained by the infrastructure.
    Changes to the content might not always be associated with version changes to the resource.",
          "$ref": "Meta.schema.json#/definitions/Meta"
        },
        "implicitRules": {
          "description": "A reference to a set of rules that were followed when the resource was constructed, and which
    must be understood when processing the content. Often, this is a reference to an implementation guide that defines
    the special rules along with other profiles etc.",
          "$ref": "#/definitions/uri"
        },
        "_implicitRules": {
          "description": "Extensions for implicitRules",
          "$ref": "Element.schema.json#/definitions/Element"
        },
        "language": {
          "description": "The base language in which the resource is written.",
          "$ref": "#/definitions/code"
        },
        "_language": {
          "description": "Extensions for language",
          "$ref": "Element.schema.json#/definitions/Element"
        },
        "text": {
          "description": "A human-readable narrative that contains a summary of the resource and can be used to
    represent the content of the resource to a human. The narrative need not encode all the structured data, but is
    required to contain sufficient detail to make it \"clinically safe\" for a human to just read the narrative.
    Resource definitions may define what content should be represented in the narrative to ensure clinical safety.",
```

```
      "$ref": "Narrative.schema.json#/definitions/Narrative"
    },
    "contained": {
      "description": "These resources do not have an independent existence apart from the resource that contains
them - they cannot be identified independently, and nor can they have their own independent transaction scope.",
      "items": {
        "$ref": "ResourceList.schema.json#/definitions/ResourceList"
      },
      "type": "array"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the resource. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
 definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the resource and that modifies the understanding of the element that contains it and/or the understanding of the
containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the use
of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer is allowed to define an extension, there is a set of requirements that SHALL be
met as part of the definition of the extension. Applications processing a resource are required to check for
modifier extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or
DomainResource (including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "identifier": {
      "description": "A unique identifier assigned to this payment notice.",
      "items": {
        "$ref": "Identifier.schema.json#/definitions/Identifier"
      },
      "type": "array"
    },
    "status": {
      "description": "The status of the resource instance.",
      "$ref": "#/definitions/code"
    },
    "_status": {
      "description": "Extensions for status",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "request": {
      "description": "Reference of resource for which payment is being made.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "response": {
      "description": "Reference of response to resource for which payment is being made.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "created": {
      "description": "The date when this resource was created.",
      "$ref": "#/definitions/dateTime"
    },
    "_created": {
      "description": "Extensions for created",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "provider": {
      "description": "The practitioner who is responsible for the services rendered to the patient.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "payment": {
      "description": "A reference to the payment which is the subject of this notice.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "paymentDate": {
      "description": "The date when the above payment action occurred.",
      "$ref": "#/definitions/date"
    },
    "_paymentDate": {
      "description": "Extensions for paymentDate",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "payee": {
      "description": "The party who will receive or has received payment that is the subject of this notification.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "recipient": {
      "description": "The party who is notified of the payment status.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
```

```
        "amount": {
          "description": "The amount sent to the payee.",
          "$ref": "Money.schema.json#/definitions/Money"
        },
        "paymentStatus": {
          "description": "A code indicating whether payment has been sent or cleared.",
          "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
        }
      },
      "additionalProperties": false,
      "required": [
        "amount",
        "recipient",
        "payment",
        "resourceType"
      ]
    }
  }
}
```

13.8.11 Resource PaymentNotice - Maturity Dependency View

URL: https://hl7.org/fhir/R4/paymentnotice-dependencies.html

13.8.11 Resource PaymentNotice - Maturity Dependency View

Financial Management Work Group | Maturity Level: 2 | Trial Use | Compartments: Practitioner

Dependency Graph for PaymentNotice FMM level 2

Name | Card. | Type | Dependency Analysis
PaymentNotice | | DomainResource
identifier | 0..* | Identifier
status | 1..1 | code
request | 0..1 | Reference(Any) | Type Warning: (Any = FMM1-Trial Use vs. Element = FMM2-Trial Use)
response | 0..1 | Reference(Any) | Type Warning: (Any = FMM1-Trial Use vs. Element = FMM2-Trial Use)
created | 1..1 | dateTime
provider | 0..1 | Reference(Practitioner | PractitionerRole | Organization)
payment | 1..1 | Reference(PaymentReconciliation)
paymentDate | 0..1 | date
payee | 0..1 | Reference(Practitioner | PractitionerRole | Organization)
recipient | 1..1 | Reference(Organization)
amount | 1..1 | Money
paymentStatus | 0..1 | CodeableConcept

13.9 Resource PaymentReconciliation - Content

URL: https://hl7.org/fhir/R4/paymentreconciliation.html
Financial Management Work Group | Maturity Level: 2 | Trial Use | Security Category: Patient | Compartments: Practitioner

This resource provides the details including amount of a payment and allocates the payment items being paid.

13.9.1 Scope and Usage

The PaymentReconciliation resource provides the bulk payment details associated with a payment by the payor for receivable amounts, such as for goods and services rendered by a provider to patients covered by insurance plans offered by that payor. These are the payment reconciliation details which may align to the individual payment amounts indicated on discrete ClaimResponses or Invoices for example.

Bulk payments need to provide a means to associate the amounts paid against specific Claims, Invoices, and other financial exchanges and adjustments, to the bulk payment itself in order to reconcile accounts receivable.

The PaymentReconciliation resource is a "event" resource from a FHIR workflow perspective - see Workflow Event.

13.9.1.1 Additional Information

Additional information regarding electronic payment notice content and usage may be found at:

• Financial Resource Status Lifecycle: how .status is used in the financial resources.

13.9.2 Boundaries and Relationships

The PaymentReconciliation resource serves to correlate a payment amount to the adjudicated claim amounts appearing on one or more ClaimResponses. PaymentReconciliation provides the bulk payment details associated with a payment by the payor for goods and services rendered by a provider to patients covered by insurance plans offered by that payor.

The PaymentNotice resource is used to indicate that a payment has, or is about to occur. The resource is used commonly when tracking of payment occurences is required for regulatory or business purposes.

The ClaimResponse resource is an insurer's adjudication and/or authorization of a set of healthcare-related goods and services for a patient against the patient's insurance coverages and does not indicate that payment has occured.

For reporting out to patients or transferring data to patient centered applications, such as patient health Record (PHR) application, the ExplanationOfBenefit should be used instead.

The eClaim domain includes a number of related resources

PaymentReconciliation | Provides the bulk payment details associated with a payment by the payor for goods and services rendered by a provider to patients covered by insurance plans offered by that payor.
ClaimResponse | A payor's adjudication and/or authorization response to the suite of services provided in a Claim. Typically the ClaimResponse references the Claim but does not duplicate the clinical or financial information provided in the claim.
ExplanationOfBenefit | This resource combines the information from the Claim and the ClaimResponse, stripping out any provider or payor proprietary information, into a unified information model suitable for use for: patient reporting; transferring information to a Patient Health Record system; and, supporting complete claim and adjudication information exchange with regulatory and analytics organizations and other parts of the provider's organization.
PaymentNotice | An indication that a payment has occured, is about to occur, or has been cancelled.

This resource is referenced by PaymentNotice

13.9.3 Resource Content

- Structure
- UML
- XML
- JSON
- Turtle
- R3 Diff
- All

Structure

Name | Flags | Card. | Type | Description & Constraints
PaymentReconciliation | TU | | DomainResource | PaymentReconciliation resource Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Business Identifier for a payment reconciliation
status | ?!Σ | 1..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
period | Σ | 0..1 | Period | Period covered
created | Σ | 1..1 | dateTime | Creation date
paymentIssuer | Σ | 0..1 | Reference(Organization) | Party generating payment
request | | 0..1 | Reference(Task) | Reference to requesting resource
requestor | | 0..1 | Reference(Practitioner | PractitionerRole | Organization) | Responsible practitioner
outcome | | 0..1 | code | queued | complete | error | partial RemittanceOutcome (Required)
disposition | | 0..1 | string | Disposition message
paymentDate | Σ | 1..1 | date | When payment issued
paymentAmount | Σ | 1..1 | Money | Total amount of Payment
paymentIdentifier | | 0..1 | Identifier | Business identifier for the payment
detail | | 0..* | BackboneElement | Settlement particulars
identifier | | 0..1 | Identifier | Business identifier of the payment detail
predecessor | | 0..1 | Identifier | Business identifier of the prior payment detail
type | | 1..1 | CodeableConcept | Category of payment Payment Type Codes (Example)
request | | 0..1 | Reference(Any) | Request giving rise to the payment
submitter | | 0..1 | Reference(Practitioner | PractitionerRole | Organization) | Submitter of the request
response | | 0..1 | Reference(Any) | Response committing to a payment
date | | 0..1 | date | Date of commitment to pay
responsible | | 0..1 | Reference(PractitionerRole) | Contact for the response
payee | | 0..1 | Reference(Practitioner | PractitionerRole | Organization) | Recipient of the payment
amount | | 0..1 | Money | Amount allocated to this payable
formCode | | 0..1 | CodeableConcept | Printed form identifier Forms (Example)
processNote | | 0..* | BackboneElement | Note concerning processing
type | | 0..1 | code | display | print | printoper NoteType (Required)
text | | 0..1 | string | Note explanatory text
Documentation for this format

UML Diagram (Legend)

XML Template

```
<PaymentReconciliation xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier for a payment reconciliation --></identifier>
 <status value="[code]"/><!-- 1..1 active | cancelled | draft | entered-in-error -->
 <period><!-- 0..1 Period Period covered --></period>
```

```
 <created value="[dateTime]"/><!-- 1..1 Creation date -->
 <paymentIssuer><!-- 0..1 Reference(Organization) Party generating payment --></paymentIssuer>
 <request><!-- 0..1 Reference(Task) Reference to requesting resource --></request>
 <requestor><!-- 0..1 Reference(Practitioner|PractitionerRole|Organization) Responsible practitioner --></requestor>
 <outcome value="[code]"/><!-- 0..1 queued | complete | error | partial -->
 <disposition value="[string]"/><!-- 0..1 Disposition message -->
 <paymentDate value="[date]"/><!-- 1..1 When payment issued -->
 <paymentAmount><!-- 1..1 Money Total amount of Payment --></paymentAmount>
 <paymentIdentifier><!-- 0..1 Identifier Business identifier for the payment --></paymentIdentifier>
 <detail>  <!-- 0..* Settlement particulars -->
  <identifier><!-- 0..1 Identifier Business identifier of the payment detail --></identifier>
  <predecessor><!-- 0..1 Identifier Business identifier of the prior payment detail --></predecessor>
  <type><!-- 1..1 CodeableConcept Category of payment --></type>
  <request><!-- 0..1 Reference(Any) Request giving rise to the payment --></request>
  <submitter><!-- 0..1 Reference(Practitioner|PractitionerRole|Organization) Submitter of the request --></submitter>
  <response><!-- 0..1 Reference(Any) Response committing to a payment --></response>
  <date value="[date]"/><!-- 0..1 Date of commitment to pay -->
  <responsible><!-- 0..1 Reference(PractitionerRole) Contact for the response --></responsible>
  <payee><!-- 0..1 Reference(Practitioner|PractitionerRole|Organization) Recipient of the payment --></payee>
  <amount><!-- 0..1 Money Amount allocated to this payable --></amount>
 </detail>
 <formCode><!-- 0..1 CodeableConcept Printed form identifier --></formCode>
 <processNote>  <!-- 0..* Note concerning processing -->
  <type value="[code]"/><!-- 0..1 display | print | printoper -->
  <text value="[string]"/><!-- 0..1 Note explanatory text -->
 </processNote>
</PaymentReconciliation>
```

JSON Template

```
{
  "resourceType" : "PaymentReconciliation",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier for a payment reconciliation
  "status" : "<code>", // R!  active | cancelled | draft | entered-in-error
  "period" : { Period }, // Period covered
  "created" : "<dateTime>", // R!  Creation date
  "paymentIssuer" : { Reference(Organization) }, // Party generating payment
  "request" : { Reference(Task) }, // Reference to requesting resource
  "requestor" : { Reference(Practitioner|PractitionerRole|Organization) }, // Responsible practitioner
  "outcome" : "<code>", // queued | complete | error | partial
  "disposition" : "<string>", // Disposition message
  "paymentDate" : "<date>", // R!  When payment issued
  "paymentAmount" : { Money }, // R!  Total amount of Payment
  "paymentIdentifier" : { Identifier }, // Business identifier for the payment
  "detail" : [{ // Settlement particulars
    "identifier" : { Identifier }, // Business identifier of the payment detail
    "predecessor" : { Identifier }, // Business identifier of the prior payment detail
    "type" : { CodeableConcept }, // R!  Category of payment
    "request" : { Reference(Any) }, // Request giving rise to the payment
    "submitter" : { Reference(Practitioner|PractitionerRole|Organization) }, // Submitter of the request
    "response" : { Reference(Any) }, // Response committing to a payment
    "date" : "<date>", // Date of commitment to pay
    "responsible" : { Reference(PractitionerRole) }, // Contact for the response
    "payee" : { Reference(Practitioner|PractitionerRole|Organization) }, // Recipient of the payment
    "amount" : { Money } // Amount allocated to this payable
  }],
  "formCode" : { CodeableConcept }, // Printed form identifier
  "processNote" : [{ // Note concerning processing
    "type" : "<code>", // display | print | printoper
    "text" : "<string>" // Note explanatory text
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:PaymentReconciliation;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:PaymentReconciliation.identifier [ Identifier ], ... ; # 0..* Business Identifier for a payment reconciliation
  fhir:PaymentReconciliation.status [ code ]; # 1..1 active | cancelled | draft | entered-in-error
  fhir:PaymentReconciliation.period [ Period ]; # 0..1 Period covered
  fhir:PaymentReconciliation.created [ dateTime ]; # 1..1 Creation date
  fhir:PaymentReconciliation.paymentIssuer [ Reference(Organization) ]; # 0..1 Party generating payment
  fhir:PaymentReconciliation.request [ Reference(Task) ]; # 0..1 Reference to requesting resource
  fhir:PaymentReconciliation.requestor [ Reference(Practitioner|PractitionerRole|Organization) ]; # 0..1 Responsible
    practitioner
  fhir:PaymentReconciliation.outcome [ code ]; # 0..1 queued | complete | error | partial
  fhir:PaymentReconciliation.disposition [ string ]; # 0..1 Disposition message
  fhir:PaymentReconciliation.paymentDate [ date ]; # 1..1 When payment issued
  fhir:PaymentReconciliation.paymentAmount [ Money ]; # 1..1 Total amount of Payment
  fhir:PaymentReconciliation.paymentIdentifier [ Identifier ]; # 0..1 Business identifier for the payment
  fhir:PaymentReconciliation.detail [ # 0..* Settlement particulars
    fhir:PaymentReconciliation.detail.identifier [ Identifier ]; # 0..1 Business identifier of the payment detail
    fhir:PaymentReconciliation.detail.predecessor [ Identifier ]; # 0..1 Business identifier of the prior payment detail
```

```
    fhir:PaymentReconciliation.detail.type [ CodeableConcept ]; # 1..1 Category of payment
    fhir:PaymentReconciliation.detail.request [ Reference(Any) ]; # 0..1 Request giving rise to the payment
    fhir:PaymentReconciliation.detail.submitter [ Reference(Practitioner|PractitionerRole|Organization) ]; # 0..1
    Submitter of the request
    fhir:PaymentReconciliation.detail.response [ Reference(Any) ]; # 0..1 Response committing to a payment
    fhir:PaymentReconciliation.detail.date [ date ]; # 0..1 Date of commitment to pay
    fhir:PaymentReconciliation.detail.responsible [ Reference(PractitionerRole) ]; # 0..1 Contact for the response
    fhir:PaymentReconciliation.detail.payee [ Reference(Practitioner|PractitionerRole|Organization) ]; # 0..1 Recipient
    of the payment
    fhir:PaymentReconciliation.detail.amount [ Money ]; # 0..1 Amount allocated to this payable
  ], ...;
  fhir:PaymentReconciliation.formCode [ CodeableConcept ]; # 0..1 Printed form identifier
  fhir:PaymentReconciliation.processNote [ # 0..* Note concerning processing
    fhir:PaymentReconciliation.processNote.type [ code ]; # 0..1 display | print | printoper
    fhir:PaymentReconciliation.processNote.text [ string ]; # 0..1 Note explanatory text
  ], ...;
]
```

Changes since R3

PaymentReconciliation

PaymentReconciliation.status | Min Cardinality changed from 0 to 1 Change value set from http://hl7.org/fhir/ValueSet/fm-status to http://hl7.org/fhir/ValueSet/fm-status|4.0.1

PaymentReconciliation.created | Min Cardinality changed from 0 to 1

PaymentReconciliation.paymentIssuer | Renamed from organization to paymentIssuer

PaymentReconciliation.request | Type Reference: Added Target Type Task Type Reference: Removed Target Type ProcessRequest

PaymentReconciliation.requestor | Renamed from requestOrganization to requestor Type Reference: Added Target Types Practitioner, PractitionerRole

PaymentReconciliation.outcome | Type changed from CodeableConcept to code Change value set from http://hl7.org/fhir/ValueSet/remittance-outcome to http://hl7.org/fhir/ValueSet/remittance-outcome|4.0.1

PaymentReconciliation.paymentDate | Added Mandatory Element

PaymentReconciliation.paymentAmount | Renamed from total to paymentAmount Min Cardinality changed from 0 to 1

PaymentReconciliation.paymentIdentifier | Added Element

PaymentReconciliation.detail.identifier | Added Element

PaymentReconciliation.detail.predecessor | Added Element

PaymentReconciliation.detail.submitter | Type Reference: Added Target Types Practitioner, PractitionerRole

PaymentReconciliation.detail.responsible | Added Element

PaymentReconciliation.detail.payee | Type Reference: Added Target Types Practitioner, PractitionerRole

PaymentReconciliation.formCode | Renamed from form to formCode

PaymentReconciliation.processNote.type | Type changed from CodeableConcept to code Change value set from http://hl7.org/fhir/ValueSet/note-type to http://hl7.org/fhir/ValueSet/note-type|4.0.1

PaymentReconciliation.requestProvider | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R3 <--> R4 Conversion Maps (status = 1 test that all execute ok. 1 fail round-trip testing and 1 r3 resources are invalid (0 errors).)

Structure

Name | Flags | Card. | Type | Description & Constraints

PaymentReconciliation | TU | | DomainResource | PaymentReconciliation resource Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension

identifier | | 0..* | Identifier | Business Identifier for a payment reconciliation

status | ?!Σ | 1..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)

period | Σ | 0..1 | Period | Period covered

created | Σ | 1..1 | dateTime | Creation date

paymentIssuer | Σ | 0..1 | Reference(Organization) | Party generating payment

request | | 0..1 | Reference(Task) | Reference to requesting resource

requestor | | 0..1 | Reference(Practitioner | PractitionerRole | Organization) | Responsible practitioner

outcome | | 0..1 | code | queued | complete | error | partial RemittanceOutcome (Required)

disposition | | 0..1 | string | Disposition message

paymentDate | Σ | 1..1 | date | When payment issued

paymentAmount | Σ | 1..1 | Money | Total amount of Payment

paymentIdentifier | | 0..1 | Identifier | Business identifier for the payment

detail | | 0..* | BackboneElement | Settlement particulars

identifier | | 0..1 | Identifier | Business identifier of the payment detail

predecessor | | 0..1 | Identifier | Business identifier of the prior payment detail

type | | 1..1 | CodeableConcept | Category of payment Payment Type Codes (Example)

request | | 0..1 | Reference(Any) | Request giving rise to the payment

submitter | | 0..1 | Reference(Practitioner | PractitionerRole | Organization) | Submitter of the request

response | | 0..1 | Reference(Any) | Response committing to a payment

date | | 0..1 | date | Date of commitment to pay

responsible | | 0..1 | Reference(PractitionerRole) | Contact for the response

payee | | 0..1 | Reference(Practitioner | PractitionerRole | Organization) | Recipient of the payment

amount | | 0..1 | Money | Amount allocated to this payable

formCode | | 0..1 | CodeableConcept | Printed form identifier Forms (Example)

processNote | | 0..* | BackboneElement | Note concerning processing

type | | 0..1 | code | display | print | printoper NoteType (Required)
text | | 0..1 | string | Note explanatory text
Documentation for this format

UML Diagram (Legend)

XML Template

```
<PaymentReconciliation xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier for a payment reconciliation --></identifier>
 <status value="[code]"/><!-- 1..1 active | cancelled | draft | entered-in-error -->
 <period><!-- 0..1 Period Period covered --></period>
 <created value="[dateTime]"/><!-- 1..1 Creation date -->
 <paymentIssuer><!-- 0..1 Reference(Organization) Party generating payment --></paymentIssuer>
 <request><!-- 0..1 Reference(Task) Reference to requesting resource --></request>
 <requestor><!-- 0..1 Reference(Practitioner|PractitionerRole|Organization) Responsible practitioner --></requestor>
 <outcome value="[code]"/><!-- 0..1 queued | complete | error | partial -->
 <disposition value="[string]"/><!-- 0..1 Disposition message -->
 <paymentDate value="[date]"/><!-- 1..1 When payment issued -->
 <paymentAmount><!-- 1..1 Money Total amount of Payment --></paymentAmount>
 <paymentIdentifier><!-- 0..1 Identifier Business identifier for the payment --></paymentIdentifier>
 <detail>  <!-- 0..* Settlement particulars -->
  <identifier><!-- 0..1 Identifier Business identifier of the payment detail --></identifier>
  <predecessor><!-- 0..1 Identifier Business identifier of the prior payment detail --></predecessor>
  <type><!-- 1..1 CodeableConcept Category of payment --></type>
  <request><!-- 0..1 Reference(Any) Request giving rise to the payment --></request>
  <submitter><!-- 0..1 Reference(Practitioner|PractitionerRole|Organization) Submitter of the request --></submitter>
  <response><!-- 0..1 Reference(Any) Response committing to a payment --></response>
  <date value="[date]"/><!-- 0..1 Date of commitment to pay -->
  <responsible><!-- 0..1 Reference(PractitionerRole) Contact for the response --></responsible>
  <payee><!-- 0..1 Reference(Practitioner|PractitionerRole|Organization) Recipient of the payment --></payee>
  <amount><!-- 0..1 Money Amount allocated to this payable --></amount>
 </detail>
 <formCode><!-- 0..1 CodeableConcept Printed form identifier --></formCode>
 <processNote>  <!-- 0..* Note concerning processing -->
  <type value="[code]"/><!-- 0..1 display | print | printoper -->
  <text value="[string]"/><!-- 0..1 Note explanatory text -->
 </processNote>
</PaymentReconciliation>
```

JSON Template

```
{
  "resourceType" : "PaymentReconciliation",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier for a payment reconciliation
  "status" : "<code>", // R!  active | cancelled | draft | entered-in-error
  "period" : { Period }, // Period covered
  "created" : "<dateTime>", // R!  Creation date
  "paymentIssuer" : { Reference(Organization) }, // Party generating payment
  "request" : { Reference(Task) }, // Reference to requesting resource
  "requestor" : { Reference(Practitioner|PractitionerRole|Organization) }, // Responsible practitioner
  "outcome" : "<code>", // queued | complete | error | partial
  "disposition" : "<string>", // Disposition message
  "paymentDate" : "<date>", // R!  When payment issued
  "paymentAmount" : { Money }, // R!  Total amount of Payment
  "paymentIdentifier" : { Identifier }, // Business identifier for the payment
  "detail" : [{ // Settlement particulars
    "identifier" : { Identifier }, // Business identifier of the payment detail
    "predecessor" : { Identifier }, // Business identifier of the prior payment detail
    "type" : { CodeableConcept }, // R!  Category of payment
    "request" : { Reference(Any) }, // Request giving rise to the payment
    "submitter" : { Reference(Practitioner|PractitionerRole|Organization) }, // Submitter of the request
    "response" : { Reference(Any) }, // Response committing to a payment
    "date" : "<date>", // Date of commitment to pay
    "responsible" : { Reference(PractitionerRole) }, // Contact for the response
    "payee" : { Reference(Practitioner|PractitionerRole|Organization) }, // Recipient of the payment
    "amount" : { Money } // Amount allocated to this payable
  }],
  "formCode" : { CodeableConcept }, // Printed form identifier
  "processNote" : [{ // Note concerning processing
    "type" : "<code>", // display | print | printoper
    "text" : "<string>" // Note explanatory text
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:PaymentReconciliation;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:PaymentReconciliation.identifier [ Identifier ], ... ; # 0..* Business Identifier for a payment reconciliation
  fhir:PaymentReconciliation.status [ code ]; # 1..1 active | cancelled | draft | entered-in-error
```

```
  fhir:PaymentReconciliation.period [ Period ]; # 0..1 Period covered
  fhir:PaymentReconciliation.created [ dateTime ]; # 1..1 Creation date
  fhir:PaymentReconciliation.paymentIssuer [ Reference(Organization) ]; # 0..1 Party generating payment
  fhir:PaymentReconciliation.request [ Reference(Task) ]; # 0..1 Reference to requesting resource
  fhir:PaymentReconciliation.requestor [ Reference(Practitioner|PractitionerRole|Organization) ]; # 0..1 Responsible
    practitioner
  fhir:PaymentReconciliation.outcome [ code ]; # 0..1 queued | complete | error | partial
  fhir:PaymentReconciliation.disposition [ string ]; # 0..1 Disposition message
  fhir:PaymentReconciliation.paymentDate [ date ]; # 1..1 When payment issued
  fhir:PaymentReconciliation.paymentAmount [ Money ]; # 1..1 Total amount of Payment
  fhir:PaymentReconciliation.paymentIdentifier [ Identifier ]; # 0..1 Business identifier for the payment
  fhir:PaymentReconciliation.detail [ # 0..* Settlement particulars
    fhir:PaymentReconciliation.detail.identifier [ Identifier ]; # 0..1 Business identifier of the payment detail
    fhir:PaymentReconciliation.detail.predecessor [ Identifier ]; # 0..1 Business identifier of the prior payment detail
    fhir:PaymentReconciliation.detail.type [ CodeableConcept ]; # 1..1 Category of payment
    fhir:PaymentReconciliation.detail.request [ Reference(Any) ]; # 0..1 Request giving rise to the payment
    fhir:PaymentReconciliation.detail.submitter [ Reference(Practitioner|PractitionerRole|Organization) ]; # 0..1
    Submitter of the request
    fhir:PaymentReconciliation.detail.response [ Reference(Any) ]; # 0..1 Response committing to a payment
    fhir:PaymentReconciliation.detail.date [ date ]; # 0..1 Date of commitment to pay
    fhir:PaymentReconciliation.detail.responsible [ Reference(PractitionerRole) ]; # 0..1 Contact for the response
    fhir:PaymentReconciliation.detail.payee [ Reference(Practitioner|PractitionerRole|Organization) ]; # 0..1 Recipient
    of the payment
    fhir:PaymentReconciliation.detail.amount [ Money ]; # 0..1 Amount allocated to this payable
  ], ...;
  fhir:PaymentReconciliation.formCode [ CodeableConcept ]; # 0..1 Printed form identifier
  fhir:PaymentReconciliation.processNote [ # 0..* Note concerning processing
    fhir:PaymentReconciliation.processNote.type [ code ]; # 0..1 display | print | printoper
    fhir:PaymentReconciliation.processNote.text [ string ]; # 0..1 Note explanatory text
  ], ...;
]
```

Changes since Release 3

PaymentReconciliation

PaymentReconciliation.status | Min Cardinality changed from 0 to 1 Change value set from http://hl7.org/fhir/ValueSet/fm-status to http://hl7.org/fhir/ValueSet/fm-status|4.0.1

PaymentReconciliation.created | Min Cardinality changed from 0 to 1

PaymentReconciliation.paymentIssuer | Renamed from organization to paymentIssuer

PaymentReconciliation.request | Type Reference: Added Target Type Task Type Reference: Removed Target Type ProcessRequest

PaymentReconciliation.requestor | Renamed from requestOrganization to requestor Type Reference: Added Target Types Practitioner, PractitionerRole

PaymentReconciliation.outcome | Type changed from CodeableConcept to code Change value set from http://hl7.org/fhir/ValueSet/remittance-outcome to http://hl7.org/fhir/ValueSet/remittance-outcome|4.0.1

PaymentReconciliation.paymentDate | Added Mandatory Element

PaymentReconciliation.paymentAmount | Renamed from total to paymentAmount Min Cardinality changed from 0 to 1

PaymentReconciliation.paymentIdentifier | Added Element

PaymentReconciliation.detail.identifier | Added Element

PaymentReconciliation.detail.predecessor | Added Element

PaymentReconciliation.detail.submitter | Type Reference: Added Target Types Practitioner, PractitionerRole

PaymentReconciliation.detail.responsible | Added Element

PaymentReconciliation.detail.payee | Type Reference: Added Target Types Practitioner, PractitionerRole

PaymentReconciliation.formCode | Renamed from form to formCode

PaymentReconciliation.processNote.type | Type changed from CodeableConcept to code Change value set from http://hl7.org/fhir/ValueSet/note-type to http://hl7.org/fhir/ValueSet/note-type|4.0.1

PaymentReconciliation.requestProvider | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R3 <--> R4 Conversion Maps (status = 1 test that all execute ok. 1 fail round-trip testing and 1 r3 resources are invalid (0 errors).)

See the Profiles & Extensions and the alternate definitions: Master Definition XML + JSON, XML Schema/Schematron + JSON Schema, ShEx (for Turtle) + see the extensions & the dependency analysis

13.9.3.1 Terminology Bindings

Path | Definition | Type | Reference

PaymentReconciliation.status | A code specifying the state of the resource instance. | Required | FinancialResourceStatusCodes

PaymentReconciliation.outcome | The outcome of the processing. | Required | RemittanceOutcome

PaymentReconciliation.detail.type | The reason for the amount: payment, adjustment, advance. | Example | PaymentTypeCodes

PaymentReconciliation.formCode | The forms codes. | Example | Form Codes

PaymentReconciliation.processNote.type | The presentation types of notes. | Required | NoteType

13.9.4 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common

created | date | The creation date | PaymentReconciliation.created

disposition | string | The contents of the disposition message | PaymentReconciliation.disposition

identifier | token | The business identifier of the ExplanationOfBenefit | PaymentReconciliation.identifier
outcome | token | The processing outcome | PaymentReconciliation.outcome
payment-issuer | reference | The organization which generated this resource | PaymentReconciliation.paymentIssuer (Organization)
request | reference | The reference to the claim | PaymentReconciliation.request (Task)
requestor | reference | The reference to the provider who submitted the claim | PaymentReconciliation.requestor (Practitioner, Organization, PractitionerRole)
status | token | The status of the payment reconciliation | PaymentReconciliation.status

13.9.5 Resource PaymentReconciliation - Examples

URL: https://hl7.org/fhir/R4/paymentreconciliation-examples.html

13.9.5 Resource PaymentReconciliation - Examples

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Practitioner

Example Name | id | Format
General Payment Reconciliation Example | ER2500 | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

13.9.6 Resource PaymentReconciliation - Detailed Descriptions

URL: https://hl7.org/fhir/R4/paymentreconciliation-definitions.html

13.9.6 Resource PaymentReconciliation - Detailed Descriptions

Financial Management Work Group | Maturity Level: 2 | Trial Use | Security Category: Patient | Compartments: Practitioner

Detailed Descriptions for the elements in the PaymentReconciliation resource.

PaymentReconciliation
Element Id | PaymentReconciliation
Definition | This resource provides the details including amount of a payment and allocates the payment items being paid.
Cardinality | 0..*
Type | DomainResource
PaymentReconciliation.identifier
Element Id | PaymentReconciliation.identifier
Definition | A unique identifier assigned to this payment reconciliation.
Note | This is a business identifier, not a resource identifier (see discussion)
Cardinality | 0..*
Type | Identifier
Requirements | Allows payment reconciliations to be distinguished and referenced.
PaymentReconciliation.status
Element Id | PaymentReconciliation.status
Definition | The status of the resource instance.
Cardinality | 1..1
Terminology Binding | Financial Resource Status Codes (Required)
Type | code
Is Modifier | true (Reason: This element is labelled as a modifier because it is a status element that contains status entered-in-error which means that the resource should not be treated as valid)
Requirements | Need to track the status of the resource as 'draft' resources may undergo further edits while 'active' resources are immutable and may only have their status changed to 'cancelled'.
Summary | true
Comments | This element is labeled as a modifier because the status contains codes that mark the resource as not currently valid.
PaymentReconciliation.period
Element Id | PaymentReconciliation.period
Definition | The period of time for which payments have been gathered into this bulk payment for settlement.
Cardinality | 0..1
Type | Period
Requirements | Needed to allow receivers to monitor and reconcile payment issuer schedules.
Summary | true
PaymentReconciliation.created
Element Id | PaymentReconciliation.created
Definition | The date when the resource was created.
Cardinality | 1..1
Type | dateTime
Requirements | Need to record a timestamp for use by both the recipient and the issuer.
Summary | true
PaymentReconciliation.paymentIssuer
Element Id | PaymentReconciliation.paymentIssuer
Definition | The party who generated the payment.
Cardinality | 0..1

Type | Reference(Organization)
Requirements | Need to identify the party resonsible for the payment and this resource.
Summary | true
Comments | This party is also responsible for the reconciliation.
PaymentReconciliation.request
Element Id | PaymentReconciliation.request
Definition | Original request resource reference.
Cardinality | 0..1
Type | Reference(Task)
Requirements | Needed to allow the response to be linked to the request.
PaymentReconciliation.requestor
Element Id | PaymentReconciliation.requestor
Definition | The practitioner who is responsible for the services rendered to the patient.
Cardinality | 0..1
Type | Reference(Practitioner | PractitionerRole | Organization)
Requirements | Need to identify the party responsible for the request.
PaymentReconciliation.outcome
Element Id | PaymentReconciliation.outcome
Definition | The outcome of a request for a reconciliation.
Cardinality | 0..1
Terminology Binding | RemittanceOutcome (Required)
Type | code
Requirements | To advise the requestor of an overall processing outcome.
Comments | The resource may be used to indicate that: the request has been held (queued) for processing; that it has been processed and errors found (error); that no errors were found and that some of the adjudication has been undertaken (partial) or that all of the adjudication has been undertaken (complete).
PaymentReconciliation.disposition
Element Id | PaymentReconciliation.disposition
Definition | A human readable description of the status of the request for the reconciliation.
Cardinality | 0..1
Type | string
Requirements | Provided for user display.
PaymentReconciliation.paymentDate
Element Id | PaymentReconciliation.paymentDate
Definition | The date of payment as indicated on the financial instrument.
Cardinality | 1..1
Type | date
Requirements | To advise the payee when payment can be expected.
Summary | true
PaymentReconciliation.paymentAmount
Element Id | PaymentReconciliation.paymentAmount
Definition | Total payment amount as indicated on the financial instrument.
Cardinality | 1..1
Type | Money
Requirements | Needed to provide the actual payment amount.
Summary | true
PaymentReconciliation.paymentIdentifier
Element Id | PaymentReconciliation.paymentIdentifier
Definition | Issuer's unique identifier for the payment instrument.
Cardinality | 0..1
Type | Identifier
Requirements | Enable the receiver to reconcile when payment is received.
Comments | For example: EFT number or check number.
PaymentReconciliation.detail
Element Id | PaymentReconciliation.detail
Definition | Distribution of the payment amount for a previously acknowledged payable.
Cardinality | 0..*
Requirements | Needed to show how the payment amount is distributed across the payables.
PaymentReconciliation.detail.identifier
Element Id | PaymentReconciliation.detail.identifier
Definition | Unique identifier for the current payment item for the referenced payable.
Note | This is a business identifier, not a resource identifier (see discussion)
Cardinality | 0..1
Type | Identifier
Requirements | Needed for reconciliation of payments.
PaymentReconciliation.detail.predecessor
Element Id | PaymentReconciliation.detail.predecessor
Definition | Unique identifier for the prior payment item for the referenced payable.
Cardinality | 0..1
Type | Identifier
Requirements | Needed for reconciliation of payments.
PaymentReconciliation.detail.type

Element Id | PaymentReconciliation.detail.type
Definition | Code to indicate the nature of the payment.
Cardinality | 1..1
Terminology Binding | Payment Type Codes (Example)
Type | CodeableConcept
Requirements | Needed to provide context for the amount.
Comments | For example: payment, adjustment, funds advance, etc.
PaymentReconciliation.detail.request
Element Id | PaymentReconciliation.detail.request
Definition | A resource, such as a Claim, the evaluation of which could lead to payment.
Cardinality | 0..1
Type | Reference(Any)
Requirements | Needed to provide a linkage to the original request.
PaymentReconciliation.detail.submitter
Element Id | PaymentReconciliation.detail.submitter
Definition | The party which submitted the claim or financial transaction.
Cardinality | 0..1
Type | Reference(Practitioner | PractitionerRole | Organization)
Requirements | Needed for audit and validation.
PaymentReconciliation.detail.response
Element Id | PaymentReconciliation.detail.response
Definition | A resource, such as a ClaimResponse, which contains a commitment to payment.
Cardinality | 0..1
Type | Reference(Any)
Requirements | Needed to provide a linkage to the payment commitment.
PaymentReconciliation.detail.date
Element Id | PaymentReconciliation.detail.date
Definition | The date from the response resource containing a commitment to pay.
Cardinality | 0..1
Type | date
Requirements | Needed for audit and validation.
PaymentReconciliation.detail.responsible
Element Id | PaymentReconciliation.detail.responsible
Definition | A reference to the individual who is responsible for inquiries regarding the response and its payment.
Cardinality | 0..1
Type | Reference(PractitionerRole)
Requirements | To provide contact information.
PaymentReconciliation.detail.payee
Element Id | PaymentReconciliation.detail.payee
Definition | The party which is receiving the payment.
Cardinality | 0..1
Type | Reference(Practitioner | PractitionerRole | Organization)
Requirements | Needed for audit and validation.
PaymentReconciliation.detail.amount
Element Id | PaymentReconciliation.detail.amount
Definition | The monetary amount allocated from the total payment to the payable.
Cardinality | 0..1
Type | Money
Requirements | Needed to explain the distribution of the payment to the payables.
PaymentReconciliation.formCode
Element Id | PaymentReconciliation.formCode
Definition | A code for the form to be used for printing the content.
Cardinality | 0..1
Terminology Binding | Forms (Example)
Type | CodeableConcept
Requirements | Needed to specify the specific form used for producing output for this response.
Comments | May be needed to identify specific jurisdictional forms.
PaymentReconciliation.processNote
Element Id | PaymentReconciliation.processNote
Definition | A note that describes or explains the processing in a human readable form.
Cardinality | 0..*
Requirements | Provides the specific textual explanations associated with the processing.
PaymentReconciliation.processNote.type
Element Id | PaymentReconciliation.processNote.type
Definition | The business purpose of the note text.
Cardinality | 0..1
Terminology Binding | NoteType (Required)
Type | code
Requirements | To convey the expectation for when the text is used.
PaymentReconciliation.processNote.text
Element Id | PaymentReconciliation.processNote.text
Definition | The explanation or description associated with the processing.

Cardinality | 0..1
Type | string
Requirements | Required to provide human readable explanation.

13.9.7 Resource PaymentReconciliation - Mappings

URL: https://hl7.org/fhir/R4/paymentreconciliation-mappings.html

13.9.7 Resource PaymentReconciliation - Mappings

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Practitioner

Mappings:

FiveWs Pattern Mapping

Workflow Pattern

Canadian Dental Association eclaims standard

Mappings for the paymentreconciliation resource (see Mappings to Other Standards for further information & status).

13.9.7.1 FiveWs Pattern Mapping (http://hl7.org/fhir/fivews)

PaymentReconciliation
identifier | FiveWs.identifier
status | FiveWs.status
period | FiveWs.done[x]
created | FiveWs.recorded
paymentIssuer | FiveWs.source
request | FiveWs.why[x]

13.9.7.2 Workflow Pattern (http://hl7.org/fhir/workflow)

PaymentReconciliation | Event
identifier | Event.identifier
status | Event.status
created | Event.occurrence[x]
paymentIssuer | Event.performer.actor
disposition | Event.note

13.9.7.3 Canadian Dental Association eclaims standard (http://www.cda-adc.ca/en/services/cdanet/)

PaymentReconciliation
identifier
status
period
created
paymentIssuer
request | A02|G01
requestor | B01
outcome
disposition
paymentDate
paymentAmount
paymentIdentifier
detail
identifier
predecessor
type
request
submitter
response
date
responsible
payee
amount
formCode
processNote
type
text | G32

13.9.8 Resource PaymentReconciliation - Extensions & Profiles

URL: https://hl7.org/fhir/R4/paymentreconciliation-profiles.html

13.9.8 Resource PaymentReconciliation - Extensions & Profiles

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Practitioner

This table lists profiles and extensions for the PaymentReconciliation resource. For background information, see Profiling Resources and Extensibility. Additional profiles and extensions may be found in published Implementation Guides , or in the Conformance resource registry .

13.9.8.1 Profiles

No Profiles defined for this resource

13.9.8.2 Extensions

No Extensions defined for this resource
Extensions for all resources or elements
resource-pertainsToGoal | pertainsToGoal | for Resource HL7 Extensions

Extensions that reference this resource:

No Extensions refer to this resource
Extensions that refer to Any resource
cqf-relativeDateTime | relativeDateTime | for Clinical Reasoning Extensions
event-basedOn | basedOn | for Event Pattern HL7 Extensions
event-partOf | partOf | for Event Pattern HL7 Extensions
flag-detail | detail | for Flag HL7 Extensions
relative-date | Relative Date Criteria | for General Extensions for use by FHIR Implementers
replaces | replaces | for General Extensions for use by FHIR Implementers
request-replaces | replaces | for Request Pattern HL7 Extensions
workflow-supportingInfo | supportingInfo | for Workflow Pattern HL7 Extensions

13.9.8.3 Search Extensions

No Search Extensions defined for this resource

13.9.9 Resource PaymentReconciliation - R3/R4 Conversions

URL: https://hl7.org/fhir/R4/paymentreconciliation-version-maps.html

No validation errors - all conversions are clean

13.9.9 Resource PaymentReconciliation - R3/R4 Conversions

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Practitioner

R3 : R4 Conversion maps for PaymentReconciliation.

Functional status for this map: 1 test that all execute ok. 1 fail round-trip testing and 1 r3 resources are invalid (0 errors). (see documentation)

13.9.9.1 R3 to R4

```
map "http://hl7.org/fhir/StructureMap/PaymentReconciliation3to4" = "R3 to R4 Conversions for PaymentReconciliation"

uses "http://hl7.org/fhir/3.0/StructureDefinition/PaymentReconciliation" alias PaymentReconciliationR3 as source
uses "http://hl7.org/fhir/StructureDefinition/PaymentReconciliation" alias PaymentReconciliation as target

imports "http://hl7.org/fhir/StructureMap/*3to4"

group PaymentReconciliation(source src : PaymentReconciliationR3, target tgt : PaymentReconciliation) extends
    DomainResource <<type+>> {
  src.identifier -> tgt.identifier;
  src.status -> tgt.status;
  src.period -> tgt.period;
  src.created -> tgt.created;
  src.organization -> tgt.paymentIssuer;
  src.request -> tgt.request;
  src.outcome as vs then {
    vs.coding as c where code in ('complete' | 'error' | 'partial') then {
      c.code -> tgt.outcome;
    };
  };
  src.disposition -> tgt.disposition;
  src.requestProvider -> tgt.requestor;
  src.detail as s -> tgt.detail as t then PaymentReconciliationDetail(s, t);
  src.form -> tgt.formCode;
  src.total -> tgt.paymentAmount;
  src.processNote as s -> tgt.processNote as t then PaymentReconciliationProcessNote(s, t);
}

group PaymentReconciliationDetail(source src, target tgt) extends BackboneElement {
  src.type -> tgt.type;
```

```
  src.request -> tgt.request;
  src.response -> tgt.response;
  src.submitter -> tgt.submitter;
  src.payee -> tgt.payee;
  src.date -> tgt.date;
  src.amount -> tgt.amount;
}

group PaymentReconciliationProcessNote(source src, target tgt) extends BackboneElement {
  src.type as vs then {
    vs.coding as c then {
      c.code -> tgt.type;
    };
  };
  src.text -> tgt.text;
}
```

13.9.9.2 R4 to R3

```
map "http://hl7.org/fhir/StructureMap/PaymentReconciliation4to3" = "R4 to R3 Conversion for PaymentReconciliation"

uses "http://hl7.org/fhir/StructureDefinition/PaymentReconciliation" alias PaymentReconciliation as source
uses "http://hl7.org/fhir/3.0/StructureDefinition/PaymentReconciliation" alias PaymentReconciliationR3 as target

imports "http://hl7.org/fhir/StructureMap/*4to3"

group PaymentReconciliation(source src : PaymentReconciliationR3, target tgt : PaymentReconciliation) extends
    DomainResource <<type+>> {
  src.identifier -> tgt.identifier;
  src.status -> tgt.status;
  src.period -> tgt.period;
  src.created -> tgt.created;
  src.paymentIssuer -> tgt.organization;
  src.request -> tgt.request;
  src.outcome as vs where value in ('complete' | 'error' | 'partial') ->  tgt.outcome as vt,  vt.coding as c,  c.system
    = 'http://hl7.org/fhir/remittance-outcome',  c.code = vs;
  src.disposition -> tgt.disposition;
  src.requestor -> tgt.requestProvider;
  src.detail as s -> tgt.detail as t then PaymentReconciliationDetail(s, t);
  src.formCode -> tgt.form;
  src.paymentAmount -> tgt.total;
  src.processNote as s -> tgt.processNote as t then PaymentReconciliationProcessNote(s, t);
}

group PaymentReconciliationDetail(source src, target tgt) extends BackboneElement {
  src.type -> tgt.type;
  src.request -> tgt.request;
  src.response -> tgt.response;
  src.submitter -> tgt.submitter;
  src.payee -> tgt.payee;
  src.date -> tgt.date;
  src.amount -> tgt.amount;
}

group PaymentReconciliationProcessNote(source src, target tgt) extends BackboneElement {
  src.type as vs ->  tgt.type as vt,  vt.coding as c,  c.system = 'http://hl7.org/fhir/note-type',  c.code = vs;
  src.text -> tgt.text;
}
```

13.9.9.3 R4 Validation Errors

13.9.10 JSON Schema for PaymentReconciliation

URL: https://hl7.org/fhir/R4/paymentreconciliation.schema.json.html

13.9.10 JSON Schema for PaymentReconciliation

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Compartments: Practitioner

This is a representation of the json schema for PaymentReconciliation, which is just a part of the full JSON Schema.

```
{
  "$schema": "http://json-schema.org/draft-06/schema#",
  "id": "http://hl7.org/fhir/json-schema/PaymentReconciliation",
  "$ref": "#/definitions/PaymentReconciliation",
  "description": "see http://hl7.org/fhir/json.html#schema for information about the FHIR Json Schemas",
  "definitions": {
    "PaymentReconciliation": {
      "description": "This resource provides the details including amount of a payment and allocates the payment items
    being paid.",
      "properties": {
        "resourceType": {
          "description": "This is a PaymentReconciliation resource",
          "const": "PaymentReconciliation"
        },
        "id": {
          "description": "The logical id of the resource, as used in the URL for the resource. Once assigned, this value
     never changes.",
```

```
      "$ref": "id.schema.json#/definitions/id"
    },
    "meta": {
      "description": "The metadata about the resource. This is content that is maintained by the infrastructure. Changes to the content might not always be associated with version changes to the resource.",
      "$ref": "Meta.schema.json#/definitions/Meta"
    },
    "implicitRules": {
      "description": "A reference to a set of rules that were followed when the resource was constructed, and which must be understood when processing the content. Often, this is a reference to an implementation guide that defines the special rules along with other profiles etc.",
      "$ref": "#/definitions/uri"
    },
    "_implicitRules": {
      "description": "Extensions for implicitRules",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "language": {
      "description": "The base language in which the resource is written.",
      "$ref": "#/definitions/code"
    },
    "_language": {
      "description": "Extensions for language",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "text": {
      "description": "A human-readable narrative that contains a summary of the resource and can be used to represent the content of the resource to a human. The narrative need not encode all the structured data, but is required to contain sufficient detail to make it \"clinically safe\" for a human to just read the narrative. Resource definitions may define what content should be represented in the narrative to ensure clinical safety.",
      "$ref": "Narrative.schema.json#/definitions/Narrative"
    },
    "contained": {
      "description": "These resources do not have an independent existence apart from the resource that contains them - they cannot be identified independently, and nor can they have their own independent transaction scope.",
      "items": {
        "$ref": "ResourceList.schema.json#/definitions/ResourceList"
      },
      "type": "array"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of the resource. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the definition and use of extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of the resource and that modifies the understanding of the element that contains it and/or the understanding of the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of extensions. Though any implementer is allowed to define an extension, there is a set of requirements that SHALL be met as part of the definition of the extension. Applications processing a resource are required to check for modifier extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource (including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "identifier": {
      "description": "A unique identifier assigned to this payment reconciliation.",
      "items": {
        "$ref": "Identifier.schema.json#/definitions/Identifier"
      },
      "type": "array"
    },
    "status": {
      "description": "The status of the resource instance.",
      "$ref": "#/definitions/code"
    },
    "_status": {
      "description": "Extensions for status",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "period": {
      "description": "The period of time for which payments have been gathered into this bulk payment for settlement.",
      "$ref": "Period.schema.json#/definitions/Period"
    },
    "created": {
      "description": "The date when the resource was created.",
      "$ref": "#/definitions/dateTime"
    },
    "_created": {
```

```
      "description": "Extensions for created",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "paymentIssuer": {
      "description": "The party who generated the payment.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "request": {
      "description": "Original request resource reference.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "requestor": {
      "description": "The practitioner who is responsible for the services rendered to the patient.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "outcome": {
      "description": "The outcome of a request for a reconciliation.",
      "enum": [
        "queued",
        "complete",
        "error",
        "partial"
      ]
    },
    "_outcome": {
      "description": "Extensions for outcome",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "disposition": {
      "description": "A human readable description of the status of the request for the reconciliation.",
      "$ref": "#/definitions/string"
    },
    "_disposition": {
      "description": "Extensions for disposition",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "paymentDate": {
      "description": "The date of payment as indicated on the financial instrument.",
      "$ref": "#/definitions/date"
    },
    "_paymentDate": {
      "description": "Extensions for paymentDate",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "paymentAmount": {
      "description": "Total payment amount as indicated on the financial instrument.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "paymentIdentifier": {
      "description": "Issuer\u0027s unique identifier for the payment instrument.",
      "$ref": "Identifier.schema.json#/definitions/Identifier"
    },
    "detail": {
      "description": "Distribution of the payment amount for a previously acknowledged payable.",
      "items": {
        "$ref": "#/definitions/PaymentReconciliation_Detail"
      },
      "type": "array"
    },
    "formCode": {
      "description": "A code for the form to be used for printing the content.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "processNote": {
      "description": "A note that describes or explains the processing in a human readable form.",
      "items": {
        "$ref": "#/definitions/PaymentReconciliation_ProcessNote"
      },
      "type": "array"
    }
  },
  "additionalProperties": false,
  "required": [
    "paymentAmount",
    "resourceType"
  ]
},
"PaymentReconciliation_Detail": {
  "description": "This resource provides the details including amount of a payment and allocates the payment items
being paid.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
```

```
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "identifier": {
      "description": "Unique identifier for the current payment item for the referenced payable.",
      "$ref": "Identifier.schema.json#/definitions/Identifier"
    },
    "predecessor": {
      "description": "Unique identifier for the prior payment item for the referenced payable.",
      "$ref": "Identifier.schema.json#/definitions/Identifier"
    },
    "type": {
      "description": "Code to indicate the nature of the payment.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "request": {
      "description": "A resource, such as a Claim, the evaluation of which could lead to payment.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "submitter": {
      "description": "The party which submitted the claim or financial transaction.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "response": {
      "description": "A resource, such as a ClaimResponse, which contains a commitment to payment.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "date": {
      "description": "The date from the response resource containing a commitment to pay.",
      "$ref": "#/definitions/date"
    },
    "_date": {
      "description": "Extensions for date",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "responsible": {
      "description": "A reference to the individual who is responsible for inquiries regarding the response and its
payment.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "payee": {
      "description": "The party which is receiving the payment.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "amount": {
      "description": "The monetary amount allocated from the total payment to the payable.",
      "$ref": "Money.schema.json#/definitions/Money"
    }
  },
  "additionalProperties": false,
  "required": [
    "type"
  ]
},
"PaymentReconciliation_ProcessNote": {
  "description": "This resource provides the details including amount of a payment and allocates the payment items
being paid.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
```

```
        "type": "array"
      },
      "modifierExtension": {
        "description": "May be used to represent additional information that is not part of the basic definition of
    the element and that modifies the understanding of the element in which it is contained and/or the understanding of
    the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
    use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
    extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
     of the definition of the extension. Applications processing a resource are required to check for modifier
    extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
    (including cannot change the meaning of modifierExtension itself).",
        "items": {
          "$ref": "Extension.schema.json#/definitions/Extension"
        },
        "type": "array"
      },
      "type": {
        "description": "The business purpose of the note text.",
        "enum": [
          "display",
          "print",
          "printoper"
        ]
      },
      "_type": {
        "description": "Extensions for type",
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "text": {
        "description": "The explanation or description associated with the processing.",
        "$ref": "#/definitions/string"
      },
      "_text": {
        "description": "Extensions for text",
        "$ref": "Element.schema.json#/definitions/Element"
      }
    },
    "additionalProperties": false
  }
 }
}
```


13.9.11 Resource PaymentReconciliation - Maturity Dependency View

URL: https://hl7.org/fhir/R4/paymentreconciliation-dependencies.html

13.9.11 Resource PaymentReconciliation - Maturity Dependency View

Financial Management Work Group | Maturity Level: 2 | Trial Use | Compartments: Practitioner

Dependency Graph for PaymentReconciliation FMM level 2

Name | Card. | Type | Dependency Analysis
PaymentReconciliation | | DomainResource
identifier | 0..* | Identifier
status | 1..1 | code
period | 0..1 | Period
created | 1..1 | dateTime
paymentIssuer | 0..1 | Reference(Organization)
request | 0..1 | Reference(Task)
requestor | 0..1 | Reference(Practitioner | PractitionerRole | Organization)
outcome | 0..1 | code
disposition | 0..1 | string
paymentDate | 1..1 | date
paymentAmount | 1..1 | Money
paymentIdentifier | 0..1 | Identifier
detail | 0..* | BackboneElement
identifier | 0..1 | Identifier
predecessor | 0..1 | Identifier
type | 1..1 | CodeableConcept
request | 0..1 | Reference(Any) | Type Warning: (Any = FMM1-Trial Use vs. Element = FMM2-Trial Use)
submitter | 0..1 | Reference(Practitioner | PractitionerRole | Organization)
response | 0..1 | Reference(Any) | Type Warning: (Any = FMM1-Trial Use vs. Element = FMM2-Trial Use)
date | 0..1 | date
responsible | 0..1 | Reference(PractitionerRole)
payee | 0..1 | Reference(Practitioner | PractitionerRole | Organization)
amount | 0..1 | Money
formCode | 0..1 | CodeableConcept
processNote | 0..* | BackboneElement
type | 0..1 | code

text | 0..1 | string

13.10 Resource ExplanationOfBenefit - Content

URL: https://hl7.org/fhir/R4/explanationofbenefit.html
Financial Management Work Group | Maturity Level: 2 | Trial Use | Security Category: Patient | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

This resource provides: the claim details; adjudication details from the processing of a Claim; and optionally account balance information, for informing the subscriber of the benefits provided.

13.10.1 Scope and Usage

The ExplanationOfBenefit (EOB) resource combines key information from a Claim, a ClaimResponse and optional Account information to inform a patient of the goods and services rendered by a provider and the settlement made under the patient's coverage in respect of that Claim. The ExplanationOfBenefit resource may also be used as a resource for data exchange for bulk data analysis, as the resource encompasses Claim, ClaimResponse and Coverage/Eligibility information.

This is the logical combination of the Claim, ClaimResponse and some Coverage accounting information in respect of a single payor prepared for consumption by the subscriber and/or patient. It is not simply a series of pointers to referred-to content models, is a physical subset scoped to the adjudication by a single payor which details the services rendered, the amounts to be settled and to whom, and optionally the coverage allowed under the policy and the amounts used to date.

Typically the EOB is only used to convey Claim (use=claim) and the associated ClaimResponse information to patients or subscribers. It may also be used to convey consolidated predetermination and preauthorization request and response information to patients or subscribers. An EOB will never be created for patient or subscriber information exchange if an error was detected in the Claim.

It is also recognized that "EOB" is a term that carries additional meaning in certain areas of the industry. When the resource was originally being developed there was substantial discussion about the adoption of an alternative name for the resource but after much discussion it was resolved that the ExplanationOfBenefit name has the advantage of familiarity that has been proven through the early adoption of the resource for multiple purposes.

Note: when creating profiles for EOB as a patient focused information exchange the payment details, other than date, should be excluded if the payee is the provider as that would leak business confidential information.

Note: the EOB SHALL NOT be used as a replacement for a ClaimResponse when responding to Claims. Only the ClaimResponse contains the appropriate adjudication information for a payor response to a Claim.

The ExplanationOfBenefit resource is an "event" resource from a FHIR workflow perspective - see Workflow Event.

13.10.1.1 Additional Information

Additional information regarding electronic claims content and usage may be found at:

• Financial Resource Status Lifecycle: how .status is used in the financial resources.

• Secondary Use of Resources: how resources such as Claim and ExplanationOfBenefit may used for reporting and data exchange for analytics, not just for eClaims exchange between providers and payors.

• Subrogation: how eClaims may handle patient insurance coverages when another insurer rather than the provider will settle the claim and potentially recover costs against specified coverages.

• Coordination of Benefit: how eClaims may handle multiple patient insurance coverages.

• RealTime Exchange and Obtaining EOBs: EOBs may be obtained using Polling or FHIR REST (SEARCH).

• Attachments and Supporting Information: how eClaims may handle the provision of supporting information, whether provided by content or reference, within the eClaim resource when submitted to the payor or later in a resource which refers to the subject eClaim resource. This also includes how payors may request additional supporting information from providers.

13.10.2 Boundaries and Relationships

The ExplanationOfBenefit resource is for reporting out to patients or transferring data to patient centered applications, such as patient health Record (PHR) application, the ExplanationOfBenefit should be used instead of the Claim and ClaimResponse resources as those resources may contain provider and payer specific information which is not appropriate for sharing with the patient.

When using the resources for reporting and transferring claims data, which may have originated in some standard other than FHIR, the Claim resource is useful if only the request side of the information exchange is of interest. If, however, both the request and the adjudication information is to be reported then the ExplanationOfBenefit should be used instead.

The Claim resource is used to request the adjudication and/or authorization of a set of healthcare-related goods and services for a patient against the patient's insurance coverages, or to request what the adjudication would be for a supplied set of goods or services should they be actually supplied to the patient.

When requesting whether the patient's coverage is inforce, whether it is valid at this or a specified date, or requesting the benefit details or preauthorization requirements associated with a coverage CoverageEligibilityRequest should be used instead.

The eClaim domain includes a number of related resources

ExplanationOfBenefit | This resource combines the information from the Claim and the ClaimResponse, stripping out any provider or payor proprietary information, into a unified information model suitable for use for: patient reporting; transferring information to a Patient Health Record system; and, supporting complete claim and adjudication information exchange with regulatory and analytics organizations and other parts of the provider's organization.
Claim | A suite of goods and services and insurances coverages under which adjudication or authorization is requested.
ClaimResponse | A payor's adjudication and/or authorization response to the suite of services provided in a Claim. Typically the ClaimResponse references the Claim but does not duplicate the clinical or financial information provided in the claim.
CoverageEligibilityRequest | A request to a payor to: ascertain whether a coverage is in-force at the current or at a specified time; list the table of benefits; determine whether coverage is provided for specified categories or specific services; and whether preauthorization is required, and if so what supporting information would be required.

13.10.3 Resource Content

- Structure
- UML
- XML
- JSON
- Turtle
- R3 Diff
- All

Structure

Name | Flags | Card. | Type | Description & Constraints
ExplanationOfBenefit | TU | | DomainResource | Explanation of Benefit resource Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Business Identifier for the resource
status | ?!Σ | 1..1 | code | active | cancelled | draft | entered-in-error ExplanationOfBenefitStatus (Required)
type | Σ | 1..1 | CodeableConcept | Category or discipline Claim Type Codes (Extensible)
subType | | 0..1 | CodeableConcept | More granular claim type Example Claim SubType Codes (Example)
use | Σ | 1..1 | code | claim | preauthorization | predetermination Use (Required)
patient | Σ | 1..1 | Reference(Patient) | The recipient of the products and services
billablePeriod | Σ | 0..1 | Period | Relevant time frame for the claim
created | Σ | 1..1 | dateTime | Response creation date
enterer | | 0..1 | Reference(Practitioner | PractitionerRole) | Author of the claim
insurer | Σ | 1..1 | Reference(Organization) | Party responsible for reimbursement
provider | Σ | 1..1 | Reference(Practitioner | PractitionerRole | Organization) | Party responsible for the claim
priority | | 0..1 | CodeableConcept | Desired processing urgency ProcessPriority (Example)
fundsReserveRequested | | 0..1 | CodeableConcept | For whom to reserve funds FundsReserve (Example)
fundsReserve | | 0..1 | CodeableConcept | Funds reserved status FundsReserve (Example)
related | | 0..* | BackboneElement | Prior or corollary claims
claim | | 0..1 | Reference(Claim) | Reference to the related claim
relationship | | 0..1 | CodeableConcept | How the reference claim is related Example Related Claim Relationship Codes (Example)
reference | | 0..1 | Identifier | File or case reference
prescription | | 0..1 | Reference(MedicationRequest | VisionPrescription) | Prescription authorizing services or products
originalPrescription | | 0..1 | Reference(MedicationRequest) | Original prescription if superceded by fulfiller
payee | | 0..1 | BackboneElement | Recipient of benefits payable
type | | 0..1 | CodeableConcept | Category of recipient PayeeType (Example)
party | | 0..1 | Reference(Practitioner | PractitionerRole | Organization | Patient | RelatedPerson) | Recipient reference
referral | | 0..1 | Reference(ServiceRequest) | Treatment Referral
facility | | 0..1 | Reference(Location) | Servicing Facility
claim | | 0..1 | Reference(Claim) | Claim reference
claimResponse | | 0..1 | Reference(ClaimResponse) | Claim response reference
outcome | Σ | 1..1 | code | queued | complete | error | partial Claim Processing Codes (Required)
disposition | | 0..1 | string | Disposition Message
preAuthRef | | 0..* | string | Preauthorization reference
preAuthRefPeriod | | 0..* | Period | Preauthorization in-effect period
careTeam | | 0..* | BackboneElement | Care Team members
sequence | | 1..1 | positiveInt | Order of care team
provider | | 1..1 | Reference(Practitioner | PractitionerRole | Organization) | Practitioner or organization
responsible | | 0..1 | boolean | Indicator of the lead practitioner
role | | 0..1 | CodeableConcept | Function within the team Claim Care Team Role Codes (Example)
qualification | | 0..1 | CodeableConcept | Practitioner credential or specialization Example Provider Qualification Codes (Example)

supportingInfo | | 0..* | BackboneElement | Supporting information
sequence | | 1..1 | positiveInt | Information instance identifier
category | | 1..1 | CodeableConcept | Classification of the supplied information Claim Information Category Codes (Example)
code | | 0..1 | CodeableConcept | Type of information Exception Codes (Example)
timing[x] | | 0..1 | | When it occurred
timingDate | | | date
timingPeriod | | | Period
value[x] | | 0..1 | | Data to be provided
valueBoolean | | | boolean
valueString | | | string
valueQuantity | | | Quantity
valueAttachment | | | Attachment
valueReference | | | Reference(Any)
reason | | 0..1 | Coding | Explanation for the information Missing Tooth Reason Codes (Example)
diagnosis | | 0..* | BackboneElement | Pertinent diagnosis information
sequence | | 1..1 | positiveInt | Diagnosis instance identifier
diagnosis[x] | | 1..1 | | Nature of illness or problem ICD-10 Codes (Example)
diagnosisCodeableConcept | | | CodeableConcept
diagnosisReference | | | Reference(Condition)
type | | 0..* | CodeableConcept | Timing or nature of the diagnosis Example Diagnosis Type Codes (Example)
onAdmission | | 0..1 | CodeableConcept | Present on admission Example Diagnosis on Admission Codes (Example)
packageCode | | 0..1 | CodeableConcept | Package billing code Example Diagnosis Related Group Codes (Example)
procedure | | 0..* | BackboneElement | Clinical procedures performed
sequence | | 1..1 | positiveInt | Procedure instance identifier
type | | 0..* | CodeableConcept | Category of Procedure Example Procedure Type Codes (Example)
date | | 0..1 | dateTime | When the procedure was performed
procedure[x] | | 1..1 | | Specific clinical procedure ICD-10 Procedure Codes (Example)
procedureCodeableConcept | | | CodeableConcept
procedureReference | | | Reference(Procedure)
udi | | 0..* | Reference(Device) | Unique device identifier
precedence | | 0..1 | positiveInt | Precedence (primary, secondary, etc.)
insurance | Σ | 1..* | BackboneElement | Patient insurance information
focal | Σ | 1..1 | boolean | Coverage to be used for adjudication
coverage | Σ | 1..1 | Reference(Coverage) | Insurance information
preAuthRef | | 0..* | string | Prior authorization reference number
accident | | 0..1 | BackboneElement | Details of the event
date | | 0..1 | date | When the incident occurred
type | | 0..1 | CodeableConcept | The nature of the accident V3 Value SetActIncidentCode (Extensible)
location[x] | | 0..1 | | Where the event occurred
locationAddress | | | Address
locationReference | | | Reference(Location)
item | | 0..* | BackboneElement | Product or service provided
sequence | | 1..1 | positiveInt | Item instance identifier
careTeamSequence | | 0..* | positiveInt | Applicable care team members
diagnosisSequence | | 0..* | positiveInt | Applicable diagnoses
procedureSequence | | 0..* | positiveInt | Applicable procedures
informationSequence | | 0..* | positiveInt | Applicable exception and supporting information
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Benefit classification Benefit Category Codes (Example)
productOrService | | 1..1 | CodeableConcept | Billing, service, product, or drug code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Product or service billing modifiers Modifier type Codes (Example)
programCode | | 0..* | CodeableConcept | Program the product or service is provided under Example Program Reason Codes (Example)
serviced[x] | | 0..1 | | Date or dates of service or product delivery
servicedDate | | | date
servicedPeriod | | | Period
location[x] | | 0..1 | | Place of service or where product was supplied Example Service Place Codes (Example)
locationCodeableConcept | | | CodeableConcept
locationAddress | | | Address
locationReference | | | Reference(Location)
quantity | | 0..1 | SimpleQuantity | Count of products or services
unitPrice | | 0..1 | Money | Fee, charge or cost per item
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total item cost
udi | | 0..* | Reference(Device) | Unique device identifier
bodySite | | 0..1 | CodeableConcept | Anatomical location Oral Site Codes (Example)
subSite | | 0..* | CodeableConcept | Anatomical sub-location Surface Codes (Example)
encounter | | 0..* | Reference(Encounter) | Encounters related to this billed item
noteNumber | | 0..* | positiveInt | Applicable note numbers
adjudication | | 0..* | BackboneElement | Adjudication details
category | | 1..1 | CodeableConcept | Type of adjudication information Adjudication Value Codes (Example)
reason | | 0..1 | CodeableConcept | Explanation of adjudication outcome Adjudication Reason Codes (Example)

amount | | 0..1 | Money | Monetary amount
value | | 0..1 | decimal | Non-monitary value
detail | | 0..* | BackboneElement | Additional items
sequence | | 1..1 | positiveInt | Product or service provided
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Benefit classification Benefit Category Codes (Example)
productOrService | | 1..1 | CodeableConcept | Billing, service, product, or drug code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
programCode | | 0..* | CodeableConcept | Program the product or service is provided under Example Program Reason Codes (Example)
quantity | | 0..1 | SimpleQuantity | Count of products or services
unitPrice | | 0..1 | Money | Fee, charge or cost per item
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total item cost
udi | | 0..* | Reference(Device) | Unique device identifier
noteNumber | | 0..* | positiveInt | Applicable note numbers
adjudication | | 0..* | see adjudication | Detail level adjudication details
subDetail | | 0..* | BackboneElement | Additional items
sequence | | 1..1 | positiveInt | Product or service provided
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Benefit classification Benefit Category Codes (Example)
productOrService | | 1..1 | CodeableConcept | Billing, service, product, or drug code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
programCode | | 0..* | CodeableConcept | Program the product or service is provided under Example Program Reason Codes (Example)
quantity | | 0..1 | SimpleQuantity | Count of products or services
unitPrice | | 0..1 | Money | Fee, charge or cost per item
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total item cost
udi | | 0..* | Reference(Device) | Unique device identifier
noteNumber | | 0..* | positiveInt | Applicable note numbers
adjudication | | 0..* | see adjudication | Subdetail level adjudication details
addItem | | 0..* | BackboneElement | Insurer added line items
itemSequence | | 0..* | positiveInt | Item sequence number
detailSequence | | 0..* | positiveInt | Detail sequence number
subDetailSequence | | 0..* | positiveInt | Subdetail sequence number
provider | | 0..* | Reference(Practitioner | PractitionerRole | Organization) | Authorized providers
productOrService | | 1..1 | CodeableConcept | Billing, service, product, or drug code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
programCode | | 0..* | CodeableConcept | Program the product or service is provided under Example Program Reason Codes (Example)
serviced[x] | | 0..1 | | Date or dates of service or product delivery
servicedDate | | | date
servicedPeriod | | | Period
location[x] | | 0..1 | | Place of service or where product was supplied Example Service Place Codes (Example)
locationCodeableConcept | | | CodeableConcept
locationAddress | | | Address
locationReference | | | Reference(Location)
quantity | | 0..1 | SimpleQuantity | Count of products or services
unitPrice | | 0..1 | Money | Fee, charge or cost per item
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total item cost
bodySite | | 0..1 | CodeableConcept | Anatomical location Oral Site Codes (Example)
subSite | | 0..* | CodeableConcept | Anatomical sub-location Surface Codes (Example)
noteNumber | | 0..* | positiveInt | Applicable note numbers
adjudication | | 0..* | see adjudication | Added items adjudication
detail | | 0..* | BackboneElement | Insurer added line items
productOrService | | 1..1 | CodeableConcept | Billing, service, product, or drug code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
quantity | | 0..1 | SimpleQuantity | Count of products or services
unitPrice | | 0..1 | Money | Fee, charge or cost per item
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total item cost
noteNumber | | 0..* | positiveInt | Applicable note numbers
adjudication | | 0..* | see adjudication | Added items adjudication
subDetail | | 0..* | BackboneElement | Insurer added line items
productOrService | | 1..1 | CodeableConcept | Billing, service, product, or drug code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
quantity | | 0..1 | SimpleQuantity | Count of products or services
unitPrice | | 0..1 | Money | Fee, charge or cost per item
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total item cost

noteNumber | | 0..* | positiveInt | Applicable note numbers
adjudication | | 0..* | see adjudication | Added items adjudication
adjudication | | 0..* | see adjudication | Header-level adjudication
total | Σ | 0..* | BackboneElement | Adjudication totals
category | Σ | 1..1 | CodeableConcept | Type of adjudication information Adjudication Value Codes (Example)
amount | Σ | 1..1 | Money | Financial total for the category
payment | | 0..1 | BackboneElement | Payment Details
type | | 0..1 | CodeableConcept | Partial or complete payment Example Payment Type Codes (Example)
adjustment | | 0..1 | Money | Payment adjustment for non-claim issues
adjustmentReason | | 0..1 | CodeableConcept | Explanation for the variance Payment Adjustment Reason Codes (Example)
date | | 0..1 | date | Expected date of payment
amount | | 0..1 | Money | Payable amount after adjustment
identifier | | 0..1 | Identifier | Business identifier for the payment
formCode | | 0..1 | CodeableConcept | Printed form identifier Forms (Example)
form | | 0..1 | Attachment | Printed reference or actual form
processNote | | 0..* | BackboneElement | Note concerning adjudication
number | | 0..1 | positiveInt | Note instance identifier
type | | 0..1 | code | display | print | printoper NoteType (Required)
text | | 0..1 | string | Note explanatory text
language | | 0..1 | CodeableConcept | Language of the text Common Languages (Preferred but limited to AllLanguages)
benefitPeriod | | 0..1 | Period | When the benefits are applicable
benefitBalance | | 0..* | BackboneElement | Balance by Benefit Category
category | | 1..1 | CodeableConcept | Benefit classification Benefit Category Codes (Example)
excluded | | 0..1 | boolean | Excluded from the plan
name | | 0..1 | string | Short name for the benefit
description | | 0..1 | string | Description of the benefit or services covered
network | | 0..1 | CodeableConcept | In or out of network Network Type Codes (Example)
unit | | 0..1 | CodeableConcept | Individual or family Unit Type Codes (Example)
term | | 0..1 | CodeableConcept | Annual or lifetime Benefit Term Codes (Example)
financial | | 0..* | BackboneElement | Benefit Summary
type | | 1..1 | CodeableConcept | Benefit classification Benefit Type Codes (Example)
allowed[x] | | 0..1 | | Benefits allowed
allowedUnsignedInt | | | unsignedInt
allowedString | | | string
allowedMoney | | | Money
used[x] | | 0..1 | | Benefits used
usedUnsignedInt | | | unsignedInt
usedMoney | | | Money
Documentation for this format

UML Diagram (Legend)

XML Template

```
<ExplanationOfBenefit xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier for the resource --></identifier>
 <status value="[code]"/><!-- 1..1 active | cancelled | draft | entered-in-error -->
 <type><!-- 1..1 CodeableConcept Category or discipline --></type>
 <subType><!-- 0..1 CodeableConcept More granular claim type --></subType>
 <use value="[code]"/><!-- 1..1 claim | preauthorization | predetermination -->
 <patient><!-- 1..1 Reference(Patient) The recipient of the products and services --></patient>
 <billablePeriod><!-- 0..1 Period Relevant time frame for the claim --></billablePeriod>
 <created value="[dateTime]"/><!-- 1..1 Response creation date -->
 <enterer><!-- 0..1 Reference(Practitioner|PractitionerRole) Author of the claim --></enterer>
 <insurer><!-- 1..1 Reference(Organization) Party responsible for reimbursement --></insurer>
 <provider><!-- 1..1 Reference(Practitioner|PractitionerRole|Organization) Party responsible for the claim
    --></provider>
 <priority><!-- 0..1 CodeableConcept Desired processing urgency  --></priority>
 <fundsReserveRequested><!-- 0..1 CodeableConcept For whom to reserve funds --></fundsReserveRequested>
 <fundsReserve><!-- 0..1 CodeableConcept Funds reserved status --></fundsReserve>
 <related>  <!-- 0..* Prior or corollary claims -->
  <claim><!-- 0..1 Reference(Claim) Reference to the related claim --></claim>
  <relationship><!-- 0..1 CodeableConcept How the reference claim is related --></relationship>
  <reference><!-- 0..1 Identifier File or case reference --></reference>
 </related>
 <prescription><!-- 0..1 Reference(MedicationRequest|VisionPrescription) Prescription authorizing services or products
    --></prescription>
 <originalPrescription><!-- 0..1 Reference(MedicationRequest) Original prescription if superceded by fulfiller
    --></originalPrescription>
 <payee>  <!-- 0..1 Recipient of benefits payable -->
  <type><!-- 0..1 CodeableConcept Category of recipient --></type>
  <party><!-- 0..1 Reference(Practitioner|PractitionerRole|Organization|Patient|
    RelatedPerson) Recipient reference --></party>
 </payee>
 <referral><!-- 0..1 Reference(ServiceRequest) Treatment Referral --></referral>
 <facility><!-- 0..1 Reference(Location) Servicing Facility --></facility>
 <claim><!-- 0..1 Reference(Claim) Claim reference --></claim>
 <claimResponse><!-- 0..1 Reference(ClaimResponse) Claim response reference --></claimResponse>
 <outcome value="[code]"/><!-- 1..1 queued | complete | error | partial -->
```

```
<disposition value="[string]"/><!-- 0..1 Disposition Message -->
<preAuthRef value="[string]"/><!-- 0..* Preauthorization reference -->
<preAuthRefPeriod><!-- 0..* Period Preauthorization in-effect period --></preAuthRefPeriod>
<careTeam>  <!-- 0..* Care Team members -->
 <sequence value="[positiveInt]"/><!-- 1..1 Order of care team -->
 <provider><!-- 1..1 Reference(Practitioner|PractitionerRole|Organization) Practitioner or organization --></provider>
 <responsible value="[boolean]"/><!-- 0..1 Indicator of the lead practitioner -->
 <role><!-- 0..1 CodeableConcept Function within the team --></role>
 <qualification><!-- 0..1 CodeableConcept Practitioner credential or specialization --></qualification>
</careTeam>
<supportingInfo>  <!-- 0..* Supporting information -->
 <sequence value="[positiveInt]"/><!-- 1..1 Information instance identifier -->
 <category><!-- 1..1 CodeableConcept Classification of the supplied information --></category>
 <code><!-- 0..1 CodeableConcept Type of information --></code>
 <timing[x]><!-- 0..1 date|Period When it occurred --></timing[x]>
 <value[x]><!-- 0..1 boolean|string|Quantity|Attachment|Reference(Any) Data to be provided --></value[x]>
 <reason><!-- 0..1 Coding Explanation for the information --></reason>
</supportingInfo>
<diagnosis>  <!-- 0..* Pertinent diagnosis information -->
 <sequence value="[positiveInt]"/><!-- 1..1 Diagnosis instance identifier -->
 <diagnosis[x]><!-- 1..1 CodeableConcept|Reference(Condition) Nature of illness or problem --></diagnosis[x]>
 <type><!-- 0..* CodeableConcept Timing or nature of the diagnosis --></type>
 <onAdmission><!-- 0..1 CodeableConcept Present on admission --></onAdmission>
 <packageCode><!-- 0..1 CodeableConcept Package billing code --></packageCode>
</diagnosis>
<procedure>  <!-- 0..* Clinical procedures performed -->
 <sequence value="[positiveInt]"/><!-- 1..1 Procedure instance identifier -->
 <type><!-- 0..* CodeableConcept Category of Procedure --></type>
 <date value="[dateTime]"/><!-- 0..1 When the procedure was performed -->
 <procedure[x]><!-- 1..1 CodeableConcept|Reference(Procedure) Specific clinical procedure --></procedure[x]>
 <udi><!-- 0..* Reference(Device) Unique device identifier --></udi>
</procedure>
<precedence value="[positiveInt]"/><!-- 0..1 Precedence (primary, secondary, etc.) -->
<insurance>  <!-- 1..* Patient insurance information -->
 <focal value="[boolean]"/><!-- 1..1 Coverage to be used for adjudication -->
 <coverage><!-- 1..1 Reference(Coverage) Insurance information --></coverage>
 <preAuthRef value="[string]"/><!-- 0..* Prior authorization reference number -->
</insurance>
<accident>  <!-- 0..1 Details of the event -->
 <date value="[date]"/><!-- 0..1 When the incident occurred -->
 <type><!-- 0..1 CodeableConcept The nature of the accident --></type>
 <location[x]><!-- 0..1 Address|Reference(Location) Where the event occurred --></location[x]>
</accident>
<item>  <!-- 0..* Product or service provided -->
 <sequence value="[positiveInt]"/><!-- 1..1 Item instance identifier -->
 <careTeamSequence value="[positiveInt]"/><!-- 0..* Applicable care team members -->
 <diagnosisSequence value="[positiveInt]"/><!-- 0..* Applicable diagnoses -->
 <procedureSequence value="[positiveInt]"/><!-- 0..* Applicable procedures -->
 <informationSequence value="[positiveInt]"/><!-- 0..* Applicable exception and supporting information -->
 <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
 <category><!-- 0..1 CodeableConcept Benefit classification --></category>
 <productOrService><!-- 1..1 CodeableConcept Billing, service, product, or drug code --></productOrService>
 <modifier><!-- 0..* CodeableConcept Product or service billing modifiers --></modifier>
 <programCode><!-- 0..* CodeableConcept Program the product or service is provided under --></programCode>
 <serviced[x]><!-- 0..1 date|Period Date or dates of service or product delivery --></serviced[x]>
 <location[x]><!-- 0..1 CodeableConcept|Address|Reference(Location) Place of service or where product was supplied
   --></location[x]>
 <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of products or services --></quantity>
 <unitPrice><!-- 0..1 Money Fee, charge or cost per item --></unitPrice>
 <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
 <net><!-- 0..1 Money Total item cost --></net>
 <udi><!-- 0..* Reference(Device) Unique device identifier --></udi>
 <bodySite><!-- 0..1 CodeableConcept Anatomical location --></bodySite>
 <subSite><!-- 0..* CodeableConcept Anatomical sub-location --></subSite>
 <encounter><!-- 0..* Reference(Encounter) Encounters related to this billed item --></encounter>
 <noteNumber value="[positiveInt]"/><!-- 0..* Applicable note numbers -->
 <adjudication>  <!-- 0..* Adjudication details -->
  <category><!-- 1..1 CodeableConcept Type of adjudication information --></category>
  <reason><!-- 0..1 CodeableConcept Explanation of adjudication outcome --></reason>
  <amount><!-- 0..1 Money Monetary amount --></amount>
  <value value="[decimal]"/><!-- 0..1 Non-monitary value -->
 </adjudication>
 <detail>  <!-- 0..* Additional items -->
  <sequence value="[positiveInt]"/><!-- 1..1 Product or service provided -->
  <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
  <category><!-- 0..1 CodeableConcept Benefit classification --></category>
  <productOrService><!-- 1..1 CodeableConcept Billing, service, product, or drug code --></productOrService>
  <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
  <programCode><!-- 0..* CodeableConcept Program the product or service is provided under --></programCode>
  <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of products or services --></quantity>
  <unitPrice><!-- 0..1 Money Fee, charge or cost per item --></unitPrice>
  <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
  <net><!-- 0..1 Money Total item cost --></net>
  <udi><!-- 0..* Reference(Device) Unique device identifier --></udi>
  <noteNumber value="[positiveInt]"/><!-- 0..* Applicable note numbers -->
  <adjudication><!-- 0..* Content as for ExplanationOfBenefit.item.adjudication Detail level adjudication details
   --></adjudication>
  <subDetail>  <!-- 0..* Additional items -->
   <sequence value="[positiveInt]"/><!-- 1..1 Product or service provided -->
```

```
    <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
    <category><!-- 0..1 CodeableConcept Benefit classification --></category>
    <productOrService><!-- 1..1 CodeableConcept Billing, service, product, or drug code --></productOrService>
    <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
    <programCode><!-- 0..* CodeableConcept Program the product or service is provided under --></programCode>
    <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of products or services --></quantity>
    <unitPrice><!-- 0..1 Money Fee, charge or cost per item --></unitPrice>
    <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
    <net><!-- 0..1 Money Total item cost --></net>
    <udi><!-- 0..* Reference(Device) Unique device identifier --></udi>
    <noteNumber value="[positiveInt]"/><!-- 0..* Applicable note numbers -->
    <adjudication><!-- 0..* Content as for ExplanationOfBenefit.item.adjudication Subdetail level adjudication details
    --></adjudication>
   </subDetail>
  </detail>
 </item>
 <addItem>  <!-- 0..* Insurer added line items -->
  <itemSequence value="[positiveInt]"/><!-- 0..* Item sequence number -->
  <detailSequence value="[positiveInt]"/><!-- 0..* Detail sequence number -->
  <subDetailSequence value="[positiveInt]"/><!-- 0..* Subdetail sequence number -->
  <provider><!-- 0..* Reference(Practitioner|PractitionerRole|Organization) Authorized providers --></provider>
  <productOrService><!-- 1..1 CodeableConcept Billing, service, product, or drug code --></productOrService>
  <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
  <programCode><!-- 0..* CodeableConcept Program the product or service is provided under --></programCode>
  <serviced[x]><!-- 0..1 date|Period Date or dates of service or product delivery --></serviced[x]>
  <location[x]><!-- 0..1 CodeableConcept|Address|Reference(Location) Place of service or where product was supplied
    --></location[x]>
  <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of products or services --></quantity>
  <unitPrice><!-- 0..1 Money Fee, charge or cost per item --></unitPrice>
  <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
  <net><!-- 0..1 Money Total item cost --></net>
  <bodySite><!-- 0..1 CodeableConcept Anatomical location --></bodySite>
  <subSite><!-- 0..* CodeableConcept Anatomical sub-location --></subSite>
  <noteNumber value="[positiveInt]"/><!-- 0..* Applicable note numbers -->
  <adjudication><!-- 0..* Content as for ExplanationOfBenefit.item.adjudication Added items adjudication
    --></adjudication>
  <detail>  <!-- 0..* Insurer added line items -->
   <productOrService><!-- 1..1 CodeableConcept Billing, service, product, or drug code --></productOrService>
   <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
   <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of products or services --></quantity>
   <unitPrice><!-- 0..1 Money Fee, charge or cost per item --></unitPrice>
   <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
   <net><!-- 0..1 Money Total item cost --></net>
   <noteNumber value="[positiveInt]"/><!-- 0..* Applicable note numbers -->
   <adjudication><!-- 0..* Content as for ExplanationOfBenefit.item.adjudication Added items adjudication
    --></adjudication>
   <subDetail>  <!-- 0..* Insurer added line items -->
    <productOrService><!-- 1..1 CodeableConcept Billing, service, product, or drug code --></productOrService>
    <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
    <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of products or services --></quantity>
    <unitPrice><!-- 0..1 Money Fee, charge or cost per item --></unitPrice>
    <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
    <net><!-- 0..1 Money Total item cost --></net>
    <noteNumber value="[positiveInt]"/><!-- 0..* Applicable note numbers -->
    <adjudication><!-- 0..* Content as for ExplanationOfBenefit.item.adjudication Added items adjudication
    --></adjudication>
   </subDetail>
  </detail>
 </addItem>
 <adjudication><!-- 0..* Content as for ExplanationOfBenefit.item.adjudication Header-level adjudication
    --></adjudication>
 <total>  <!-- 0..* Adjudication totals -->
  <category><!-- 1..1 CodeableConcept Type of adjudication information --></category>
  <amount><!-- 1..1 Money Financial total for the category --></amount>
 </total>
 <payment>  <!-- 0..1 Payment Details -->
  <type><!-- 0..1 CodeableConcept Partial or complete payment --></type>
  <adjustment><!-- 0..1 Money Payment adjustment for non-claim issues --></adjustment>
  <adjustmentReason><!-- 0..1 CodeableConcept Explanation for the variance --></adjustmentReason>
  <date value="[date]"/><!-- 0..1 Expected date of payment -->
  <amount><!-- 0..1 Money Payable amount after adjustment --></amount>
  <identifier><!-- 0..1 Identifier Business identifier for the payment --></identifier>
 </payment>
 <formCode><!-- 0..1 CodeableConcept Printed form identifier --></formCode>
 <form><!-- 0..1 Attachment Printed reference or actual form --></form>
 <processNote>  <!-- 0..* Note concerning adjudication -->
  <number value="[positiveInt]"/><!-- 0..1 Note instance identifier -->
  <type value="[code]"/><!-- 0..1 display | print | printoper -->
  <text value="[string]"/><!-- 0..1 Note explanatory text -->
  <language><!-- 0..1 CodeableConcept Language of the text --></language>
 </processNote>
 <benefitPeriod><!-- 0..1 Period When the benefits are applicable --></benefitPeriod>
 <benefitBalance>  <!-- 0..* Balance by Benefit Category -->
  <category><!-- 1..1 CodeableConcept Benefit classification --></category>
  <excluded value="[boolean]"/><!-- 0..1 Excluded from the plan -->
  <name value="[string]"/><!-- 0..1 Short name for the benefit -->
  <description value="[string]"/><!-- 0..1 Description of the benefit or services covered -->
  <network><!-- 0..1 CodeableConcept In or out of network --></network>
  <unit><!-- 0..1 CodeableConcept Individual or family --></unit>
```

```
  <term><!-- 0..1 CodeableConcept Annual or lifetime --></term>
  <financial>  <!-- 0..* Benefit Summary -->
   <type><!-- 1..1 CodeableConcept Benefit classification --></type>
   <allowed[x]><!-- 0..1 unsignedInt|string|Money Benefits allowed --></allowed[x]>
   <used[x]><!-- 0..1 unsignedInt|Money Benefits used --></used[x]>
  </financial>
 </benefitBalance>
</ExplanationOfBenefit>
```

JSON Template

```
{
  "resourceType" : "ExplanationOfBenefit",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier for the resource
  "status" : "<code>", // R!  active | cancelled | draft | entered-in-error
  "type" : { CodeableConcept }, // R!  Category or discipline
  "subType" : { CodeableConcept }, // More granular claim type
  "use" : "<code>", // R!  claim | preauthorization | predetermination
  "patient" : { Reference(Patient) }, // R!  The recipient of the products and services
  "billablePeriod" : { Period }, // Relevant time frame for the claim
  "created" : "<dateTime>", // R!  Response creation date
  "enterer" : { Reference(Practitioner|PractitionerRole) }, // Author of the claim
  "insurer" : { Reference(Organization) }, // R!  Party responsible for reimbursement
  "provider" : { Reference(Practitioner|PractitionerRole|Organization) }, // R!  Party responsible for the claim
  "priority" : { CodeableConcept }, // Desired processing urgency
  "fundsReserveRequested" : { CodeableConcept }, // For whom to reserve funds
  "fundsReserve" : { CodeableConcept }, // Funds reserved status
  "related" : [{ // Prior or corollary claims
    "claim" : { Reference(Claim) }, // Reference to the related claim
    "relationship" : { CodeableConcept }, // How the reference claim is related
    "reference" : { Identifier } // File or case reference
  }],
  "prescription" : { Reference(MedicationRequest|VisionPrescription) }, // Prescription authorizing services or products
  "originalPrescription" : { Reference(MedicationRequest) }, // Original prescription if superceded by fulfiller
  "payee" : { // Recipient of benefits payable
    "type" : { CodeableConcept }, // Category of recipient
    "party" : { Reference(Practitioner|PractitionerRole|Organization|Patient|
    RelatedPerson) } // Recipient reference
  },
  "referral" : { Reference(ServiceRequest) }, // Treatment Referral
  "facility" : { Reference(Location) }, // Servicing Facility
  "claim" : { Reference(Claim) }, // Claim reference
  "claimResponse" : { Reference(ClaimResponse) }, // Claim response reference
  "outcome" : "<code>", // R!  queued | complete | error | partial
  "disposition" : "<string>", // Disposition Message
  "preAuthRef" : ["<string>"], // Preauthorization reference
  "preAuthRefPeriod" : [{ Period }], // Preauthorization in-effect period
  "careTeam" : [{ // Care Team members
    "sequence" : "<positiveInt>", // R!  Order of care team
    "provider" : { Reference(Practitioner|PractitionerRole|Organization) }, // R!  Practitioner or organization
    "responsible" : <boolean>, // Indicator of the lead practitioner
    "role" : { CodeableConcept }, // Function within the team
    "qualification" : { CodeableConcept } // Practitioner credential or specialization
  }],
  "supportingInfo" : [{ // Supporting information
    "sequence" : "<positiveInt>", // R!  Information instance identifier
    "category" : { CodeableConcept }, // R!  Classification of the supplied information
    "code" : { CodeableConcept }, // Type of information
    // timing[x]: When it occurred. One of these 2:
    "timingDate" : "<date>",
    "timingPeriod" : { Period },
    // value[x]: Data to be provided. One of these 5:
    "valueBoolean" : <boolean>,
    "valueString" : "<string>",
    "valueQuantity" : { Quantity },
    "valueAttachment" : { Attachment },
    "valueReference" : { Reference(Any) },
    "reason" : { Coding } // Explanation for the information
  }],
  "diagnosis" : [{ // Pertinent diagnosis information
    "sequence" : "<positiveInt>", // R!  Diagnosis instance identifier
    // diagnosis[x]: Nature of illness or problem. One of these 2:
    "diagnosisCodeableConcept" : { CodeableConcept },
    "diagnosisReference" : { Reference(Condition) },
    "type" : [{ CodeableConcept }], // Timing or nature of the diagnosis
    "onAdmission" : { CodeableConcept }, // Present on admission
    "packageCode" : { CodeableConcept } // Package billing code
  }],
  "procedure" : [{ // Clinical procedures performed
    "sequence" : "<positiveInt>", // R!  Procedure instance identifier
    "type" : [{ CodeableConcept }], // Category of Procedure
    "date" : "<dateTime>", // When the procedure was performed
    // procedure[x]: Specific clinical procedure. One of these 2:
    "procedureCodeableConcept" : { CodeableConcept },
    "procedureReference" : { Reference(Procedure) },
    "udi" : [{ Reference(Device) }] // Unique device identifier
  }],
  "precedence" : "<positiveInt>", // Precedence (primary, secondary, etc.)
```

```
"insurance" : [{ // R!  Patient insurance information
  "focal" : <boolean>, // R!  Coverage to be used for adjudication
  "coverage" : { Reference(Coverage) }, // R!  Insurance information
  "preAuthRef" : ["<string>"] // Prior authorization reference number
}],
"accident" : { // Details of the event
  "date" : "<date>", // When the incident occurred
  "type" : { CodeableConcept }, // The nature of the accident
  // location[x]: Where the event occurred. One of these 2:
  "locationAddress" : { Address }
  "locationReference" : { Reference(Location) }
},
"item" : [{ // Product or service provided
  "sequence" : "<positiveInt>", // R!  Item instance identifier
  "careTeamSequence" : ["<positiveInt>"], // Applicable care team members
  "diagnosisSequence" : ["<positiveInt>"], // Applicable diagnoses
  "procedureSequence" : ["<positiveInt>"], // Applicable procedures
  "informationSequence" : ["<positiveInt>"], // Applicable exception and supporting information
  "revenue" : { CodeableConcept }, // Revenue or cost center code
  "category" : { CodeableConcept }, // Benefit classification
  "productOrService" : { CodeableConcept }, // R!  Billing, service, product, or drug code
  "modifier" : [{ CodeableConcept }], // Product or service billing modifiers
  "programCode" : [{ CodeableConcept }], // Program the product or service is provided under
  // serviced[x]: Date or dates of service or product delivery. One of these 2:
  "servicedDate" : "<date>",
  "servicedPeriod" : { Period },
  // location[x]: Place of service or where product was supplied. One of these 3:
  "locationCodeableConcept" : { CodeableConcept },
  "locationAddress" : { Address },
  "locationReference" : { Reference(Location) },
  "quantity" : { Quantity(SimpleQuantity) }, // Count of products or services
  "unitPrice" : { Money }, // Fee, charge or cost per item
  "factor" : <decimal>, // Price scaling factor
  "net" : { Money }, // Total item cost
  "udi" : [{ Reference(Device) }], // Unique device identifier
  "bodySite" : { CodeableConcept }, // Anatomical location
  "subSite" : [{ CodeableConcept }], // Anatomical sub-location
  "encounter" : [{ Reference(Encounter) }], // Encounters related to this billed item
  "noteNumber" : ["<positiveInt>"], // Applicable note numbers
  "adjudication" : [{ // Adjudication details
    "category" : { CodeableConcept }, // R!  Type of adjudication information
    "reason" : { CodeableConcept }, // Explanation of adjudication outcome
    "amount" : { Money }, // Monetary amount
    "value" : <decimal> // Non-monitary value
  }],
  "detail" : [{ // Additional items
    "sequence" : "<positiveInt>", // R!  Product or service provided
    "revenue" : { CodeableConcept }, // Revenue or cost center code
    "category" : { CodeableConcept }, // Benefit classification
    "productOrService" : { CodeableConcept }, // R!  Billing, service, product, or drug code
    "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
    "programCode" : [{ CodeableConcept }], // Program the product or service is provided under
    "quantity" : { Quantity(SimpleQuantity) }, // Count of products or services
    "unitPrice" : { Money }, // Fee, charge or cost per item
    "factor" : <decimal>, // Price scaling factor
    "net" : { Money }, // Total item cost
    "udi" : [{ Reference(Device) }], // Unique device identifier
    "noteNumber" : ["<positiveInt>"], // Applicable note numbers
    "adjudication" : [{ Content as for ExplanationOfBenefit.item.adjudication }], // Detail level adjudication details
    "subDetail" : [{ // Additional items
      "sequence" : "<positiveInt>", // R!  Product or service provided
      "revenue" : { CodeableConcept }, // Revenue or cost center code
      "category" : { CodeableConcept }, // Benefit classification
      "productOrService" : { CodeableConcept }, // R!  Billing, service, product, or drug code
      "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
      "programCode" : [{ CodeableConcept }], // Program the product or service is provided under
      "quantity" : { Quantity(SimpleQuantity) }, // Count of products or services
      "unitPrice" : { Money }, // Fee, charge or cost per item
      "factor" : <decimal>, // Price scaling factor
      "net" : { Money }, // Total item cost
      "udi" : [{ Reference(Device) }], // Unique device identifier
      "noteNumber" : ["<positiveInt>"], // Applicable note numbers
      "adjudication" : [{ Content as for ExplanationOfBenefit.item.adjudication }] // Subdetail level adjudication
  details
    }]
  }]
}],
"addItem" : [{ // Insurer added line items
  "itemSequence" : ["<positiveInt>"], // Item sequence number
  "detailSequence" : ["<positiveInt>"], // Detail sequence number
  "subDetailSequence" : ["<positiveInt>"], // Subdetail sequence number
  "provider" : [{ Reference(Practitioner|PractitionerRole|Organization) }], // Authorized providers
  "productOrService" : { CodeableConcept }, // R!  Billing, service, product, or drug code
  "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
  "programCode" : [{ CodeableConcept }], // Program the product or service is provided under
  // serviced[x]: Date or dates of service or product delivery. One of these 2:
  "servicedDate" : "<date>",
  "servicedPeriod" : { Period },
  // location[x]: Place of service or where product was supplied. One of these 3:
```

```
    "locationCodeableConcept" : { CodeableConcept },
    "locationAddress" : { Address },
    "locationReference" : { Reference(Location) },
    "quantity" : { Quantity(SimpleQuantity) }, // Count of products or services
    "unitPrice" : { Money }, // Fee, charge or cost per item
    "factor" : <decimal>, // Price scaling factor
    "net" : { Money }, // Total item cost
    "bodySite" : { CodeableConcept }, // Anatomical location
    "subSite" : [{ CodeableConcept }], // Anatomical sub-location
    "noteNumber" : ["<positiveInt>"], // Applicable note numbers
    "adjudication" : [{ Content as for ExplanationOfBenefit.item.adjudication }], // Added items adjudication
    "detail" : [{ // Insurer added line items
      "productOrService" : { CodeableConcept }, // R!  Billing, service, product, or drug code
      "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
      "quantity" : { Quantity(SimpleQuantity) }, // Count of products or services
      "unitPrice" : { Money }, // Fee, charge or cost per item
      "factor" : <decimal>, // Price scaling factor
      "net" : { Money }, // Total item cost
      "noteNumber" : ["<positiveInt>"], // Applicable note numbers
      "adjudication" : [{ Content as for ExplanationOfBenefit.item.adjudication }], // Added items adjudication
      "subDetail" : [{ // Insurer added line items
        "productOrService" : { CodeableConcept }, // R!  Billing, service, product, or drug code
        "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
        "quantity" : { Quantity(SimpleQuantity) }, // Count of products or services
        "unitPrice" : { Money }, // Fee, charge or cost per item
        "factor" : <decimal>, // Price scaling factor
        "net" : { Money }, // Total item cost
        "noteNumber" : ["<positiveInt>"], // Applicable note numbers
        "adjudication" : [{ Content as for ExplanationOfBenefit.item.adjudication }] // Added items adjudication
      }]
    }]
  }],
  "adjudication" : [{ Content as for ExplanationOfBenefit.item.adjudication }], // Header-level adjudication
  "total" : [{ // Adjudication totals
    "category" : { CodeableConcept }, // R!  Type of adjudication information
    "amount" : { Money } // R!  Financial total for the category
  }],
  "payment" : { // Payment Details
    "type" : { CodeableConcept }, // Partial or complete payment
    "adjustment" : { Money }, // Payment adjustment for non-claim issues
    "adjustmentReason" : { CodeableConcept }, // Explanation for the variance
    "date" : "<date>", // Expected date of payment
    "amount" : { Money }, // Payable amount after adjustment
    "identifier" : { Identifier } // Business identifier for the payment
  },
  "formCode" : { CodeableConcept }, // Printed form identifier
  "form" : { Attachment }, // Printed reference or actual form
  "processNote" : [{ // Note concerning adjudication
    "number" : "<positiveInt>", // Note instance identifier
    "type" : "<code>", // display | print | printoper
    "text" : "<string>", // Note explanatory text
    "language" : { CodeableConcept } // Language of the text
  }],
  "benefitPeriod" : { Period }, // When the benefits are applicable
  "benefitBalance" : [{ // Balance by Benefit Category
    "category" : { CodeableConcept }, // R!  Benefit classification
    "excluded" : <boolean>, // Excluded from the plan
    "name" : "<string>", // Short name for the benefit
    "description" : "<string>", // Description of the benefit or services covered
    "network" : { CodeableConcept }, // In or out of network
    "unit" : { CodeableConcept }, // Individual or family
    "term" : { CodeableConcept }, // Annual or lifetime
    "financial" : [{ // Benefit Summary
      "type" : { CodeableConcept }, // R!  Benefit classification
      // allowed[x]: Benefits allowed. One of these 3:
      "allowedUnsignedInt" : "<unsignedInt>",
      "allowedString" : "<string>",
      "allowedMoney" : { Money },
      // used[x]: Benefits used. One of these 2:
      "usedUnsignedInt" : "<unsignedInt>"
      "usedMoney" : { Money }
    }]

  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:ExplanationOfBenefit;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:ExplanationOfBenefit.identifier [ Identifier ], ... ; # 0..* Business Identifier for the resource
  fhir:ExplanationOfBenefit.status [ code ]; # 1..1 active | cancelled | draft | entered-in-error
  fhir:ExplanationOfBenefit.type [ CodeableConcept ]; # 1..1 Category or discipline
  fhir:ExplanationOfBenefit.subType [ CodeableConcept ]; # 0..1 More granular claim type
```

```
fhir:ExplanationOfBenefit.use [ code ]; # 1..1 claim | preauthorization | predetermination
fhir:ExplanationOfBenefit.patient [ Reference(Patient) ]; # 1..1 The recipient of the products and services
fhir:ExplanationOfBenefit.billablePeriod [ Period ]; # 0..1 Relevant time frame for the claim
fhir:ExplanationOfBenefit.created [ dateTime ]; # 1..1 Response creation date
fhir:ExplanationOfBenefit.enterer [ Reference(Practitioner|PractitionerRole) ]; # 0..1 Author of the claim
fhir:ExplanationOfBenefit.insurer [ Reference(Organization) ]; # 1..1 Party responsible for reimbursement
fhir:ExplanationOfBenefit.provider [ Reference(Practitioner|PractitionerRole|Organization) ]; # 1..1 Party responsible
   for the claim
fhir:ExplanationOfBenefit.priority [ CodeableConcept ]; # 0..1 Desired processing urgency
fhir:ExplanationOfBenefit.fundsReserveRequested [ CodeableConcept ]; # 0..1 For whom to reserve funds
fhir:ExplanationOfBenefit.fundsReserve [ CodeableConcept ]; # 0..1 Funds reserved status
fhir:ExplanationOfBenefit.related [ # 0..* Prior or corollary claims
  fhir:ExplanationOfBenefit.related.claim [ Reference(Claim) ]; # 0..1 Reference to the related claim
  fhir:ExplanationOfBenefit.related.relationship [ CodeableConcept ]; # 0..1 How the reference claim is related
  fhir:ExplanationOfBenefit.related.reference [ Identifier ]; # 0..1 File or case reference
], ...;
fhir:ExplanationOfBenefit.prescription [ Reference(MedicationRequest|VisionPrescription) ]; # 0..1 Prescription
  authorizing services or products
fhir:ExplanationOfBenefit.originalPrescription [ Reference(MedicationRequest) ]; # 0..1 Original prescription if
  superceded by fulfiller
fhir:ExplanationOfBenefit.payee [ # 0..1 Recipient of benefits payable
  fhir:ExplanationOfBenefit.payee.type [ CodeableConcept ]; # 0..1 Category of recipient
  fhir:ExplanationOfBenefit.payee.party [ Reference(Practitioner|PractitionerRole|Organization|Patient|RelatedPerson)
  ]; # 0..1 Recipient reference
];
fhir:ExplanationOfBenefit.referral [ Reference(ServiceRequest) ]; # 0..1 Treatment Referral
fhir:ExplanationOfBenefit.facility [ Reference(Location) ]; # 0..1 Servicing Facility
fhir:ExplanationOfBenefit.claim [ Reference(Claim) ]; # 0..1 Claim reference
fhir:ExplanationOfBenefit.claimResponse [ Reference(ClaimResponse) ]; # 0..1 Claim response reference
fhir:ExplanationOfBenefit.outcome [ code ]; # 1..1 queued | complete | error | partial
fhir:ExplanationOfBenefit.disposition [ string ]; # 0..1 Disposition Message
fhir:ExplanationOfBenefit.preAuthRef [ string ], ... ; # 0..* Preauthorization reference
fhir:ExplanationOfBenefit.preAuthRefPeriod [ Period ], ... ; # 0..* Preauthorization in-effect period
fhir:ExplanationOfBenefit.careTeam [ # 0..* Care Team members
  fhir:ExplanationOfBenefit.careTeam.sequence [ positiveInt ]; # 1..1 Order of care team
  fhir:ExplanationOfBenefit.careTeam.provider [ Reference(Practitioner|PractitionerRole|Organization) ]; # 1..1
  Practitioner or organization
  fhir:ExplanationOfBenefit.careTeam.responsible [ boolean ]; # 0..1 Indicator of the lead practitioner
  fhir:ExplanationOfBenefit.careTeam.role [ CodeableConcept ]; # 0..1 Function within the team
  fhir:ExplanationOfBenefit.careTeam.qualification [ CodeableConcept ]; # 0..1 Practitioner credential or
  specialization
], ...;
fhir:ExplanationOfBenefit.supportingInfo [ # 0..* Supporting information
  fhir:ExplanationOfBenefit.supportingInfo.sequence [ positiveInt ]; # 1..1 Information instance identifier
  fhir:ExplanationOfBenefit.supportingInfo.category [ CodeableConcept ]; # 1..1 Classification of the supplied
  information
  fhir:ExplanationOfBenefit.supportingInfo.code [ CodeableConcept ]; # 0..1 Type of information
  # ExplanationOfBenefit.supportingInfo.timing[x] : 0..1 When it occurred. One of these 2
    fhir:ExplanationOfBenefit.supportingInfo.timingDate [ date ]
    fhir:ExplanationOfBenefit.supportingInfo.timingPeriod [ Period ]
  # ExplanationOfBenefit.supportingInfo.value[x] : 0..1 Data to be provided. One of these 5
    fhir:ExplanationOfBenefit.supportingInfo.valueBoolean [ boolean ]
    fhir:ExplanationOfBenefit.supportingInfo.valueString [ string ]
    fhir:ExplanationOfBenefit.supportingInfo.valueQuantity [ Quantity ]
    fhir:ExplanationOfBenefit.supportingInfo.valueAttachment [ Attachment ]
    fhir:ExplanationOfBenefit.supportingInfo.valueReference [ Reference(Any) ]
  fhir:ExplanationOfBenefit.supportingInfo.reason [ Coding ]; # 0..1 Explanation for the information
], ...;
fhir:ExplanationOfBenefit.diagnosis [ # 0..* Pertinent diagnosis information
  fhir:ExplanationOfBenefit.diagnosis.sequence [ positiveInt ]; # 1..1 Diagnosis instance identifier
  # ExplanationOfBenefit.diagnosis.diagnosis[x] : 1..1 Nature of illness or problem. One of these 2
    fhir:ExplanationOfBenefit.diagnosis.diagnosisCodeableConcept [ CodeableConcept ]
    fhir:ExplanationOfBenefit.diagnosis.diagnosisReference [ Reference(Condition) ]
  fhir:ExplanationOfBenefit.diagnosis.type [ CodeableConcept ], ... ; # 0..* Timing or nature of the diagnosis
  fhir:ExplanationOfBenefit.diagnosis.onAdmission [ CodeableConcept ]; # 0..1 Present on admission
  fhir:ExplanationOfBenefit.diagnosis.packageCode [ CodeableConcept ]; # 0..1 Package billing code
], ...;
fhir:ExplanationOfBenefit.procedure [ # 0..* Clinical procedures performed
  fhir:ExplanationOfBenefit.procedure.sequence [ positiveInt ]; # 1..1 Procedure instance identifier
  fhir:ExplanationOfBenefit.procedure.type [ CodeableConcept ], ... ; # 0..* Category of Procedure
  fhir:ExplanationOfBenefit.procedure.date [ dateTime ]; # 0..1 When the procedure was performed
  # ExplanationOfBenefit.procedure.procedure[x] : 1..1 Specific clinical procedure. One of these 2
    fhir:ExplanationOfBenefit.procedure.procedureCodeableConcept [ CodeableConcept ]
    fhir:ExplanationOfBenefit.procedure.procedureReference [ Reference(Procedure) ]
  fhir:ExplanationOfBenefit.procedure.udi [ Reference(Device) ], ... ; # 0..* Unique device identifier
], ...;
fhir:ExplanationOfBenefit.precedence [ positiveInt ]; # 0..1 Precedence (primary, secondary, etc.)
fhir:ExplanationOfBenefit.insurance [ # 1..* Patient insurance information
  fhir:ExplanationOfBenefit.insurance.focal [ boolean ]; # 1..1 Coverage to be used for adjudication
  fhir:ExplanationOfBenefit.insurance.coverage [ Reference(Coverage) ]; # 1..1 Insurance information
  fhir:ExplanationOfBenefit.insurance.preAuthRef [ string ], ... ; # 0..* Prior authorization reference number
], ...;
fhir:ExplanationOfBenefit.accident [ # 0..1 Details of the event
  fhir:ExplanationOfBenefit.accident.date [ date ]; # 0..1 When the incident occurred
  fhir:ExplanationOfBenefit.accident.type [ CodeableConcept ]; # 0..1 The nature of the accident
  # ExplanationOfBenefit.accident.location[x] : 0..1 Where the event occurred. One of these 2
    fhir:ExplanationOfBenefit.accident.locationAddress [ Address ]
    fhir:ExplanationOfBenefit.accident.locationReference [ Reference(Location) ]
];
```

```
fhir:ExplanationOfBenefit.item [ # 0..* Product or service provided
  fhir:ExplanationOfBenefit.item.sequence [ positiveInt ]; # 1..1 Item instance identifier
  fhir:ExplanationOfBenefit.item.careTeamSequence [ positiveInt ], ... ; # 0..* Applicable care team members
  fhir:ExplanationOfBenefit.item.diagnosisSequence [ positiveInt ], ... ; # 0..* Applicable diagnoses
  fhir:ExplanationOfBenefit.item.procedureSequence [ positiveInt ], ... ; # 0..* Applicable procedures
  fhir:ExplanationOfBenefit.item.informationSequence [ positiveInt ], ... ; # 0..* Applicable exception and supporting
   information
  fhir:ExplanationOfBenefit.item.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
  fhir:ExplanationOfBenefit.item.category [ CodeableConcept ]; # 0..1 Benefit classification
  fhir:ExplanationOfBenefit.item.productOrService [ CodeableConcept ]; # 1..1 Billing, service, product, or drug code
  fhir:ExplanationOfBenefit.item.modifier [ CodeableConcept ], ... ; # 0..* Product or service billing modifiers
  fhir:ExplanationOfBenefit.item.programCode [ CodeableConcept ], ... ; # 0..* Program the product or service is
  provided under
  # ExplanationOfBenefit.item.serviced[x] : 0..1 Date or dates of service or product delivery. One of these 2
    fhir:ExplanationOfBenefit.item.servicedDate [ date ]
    fhir:ExplanationOfBenefit.item.servicedPeriod [ Period ]
  # ExplanationOfBenefit.item.location[x] : 0..1 Place of service or where product was supplied. One of these 3
    fhir:ExplanationOfBenefit.item.locationCodeableConcept [ CodeableConcept ]
    fhir:ExplanationOfBenefit.item.locationAddress [ Address ]
    fhir:ExplanationOfBenefit.item.locationReference [ Reference(Location) ]
  fhir:ExplanationOfBenefit.item.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of products or services
  fhir:ExplanationOfBenefit.item.unitPrice [ Money ]; # 0..1 Fee, charge or cost per item
  fhir:ExplanationOfBenefit.item.factor [ decimal ]; # 0..1 Price scaling factor
  fhir:ExplanationOfBenefit.item.net [ Money ]; # 0..1 Total item cost
  fhir:ExplanationOfBenefit.item.udi [ Reference(Device) ], ... ; # 0..* Unique device identifier
  fhir:ExplanationOfBenefit.item.bodySite [ CodeableConcept ]; # 0..1 Anatomical location
  fhir:ExplanationOfBenefit.item.subSite [ CodeableConcept ], ... ; # 0..* Anatomical sub-location
  fhir:ExplanationOfBenefit.item.encounter [ Reference(Encounter) ], ... ; # 0..* Encounters related to this billed
  item
  fhir:ExplanationOfBenefit.item.noteNumber [ positiveInt ], ... ; # 0..* Applicable note numbers
  fhir:ExplanationOfBenefit.item.adjudication [ # 0..* Adjudication details
    fhir:ExplanationOfBenefit.item.adjudication.category [ CodeableConcept ]; # 1..1 Type of adjudication information
    fhir:ExplanationOfBenefit.item.adjudication.reason [ CodeableConcept ]; # 0..1 Explanation of adjudication outcome
    fhir:ExplanationOfBenefit.item.adjudication.amount [ Money ]; # 0..1 Monetary amount
    fhir:ExplanationOfBenefit.item.adjudication.value [ decimal ]; # 0..1 Non-monitary value
  ], ...;
  fhir:ExplanationOfBenefit.item.detail [ # 0..* Additional items
    fhir:ExplanationOfBenefit.item.detail.sequence [ positiveInt ]; # 1..1 Product or service provided
    fhir:ExplanationOfBenefit.item.detail.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
    fhir:ExplanationOfBenefit.item.detail.category [ CodeableConcept ]; # 0..1 Benefit classification
    fhir:ExplanationOfBenefit.item.detail.productOrService [ CodeableConcept ]; # 1..1 Billing, service, product, or
  drug code
    fhir:ExplanationOfBenefit.item.detail.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing modifiers
    fhir:ExplanationOfBenefit.item.detail.programCode [ CodeableConcept ], ... ; # 0..* Program the product or service
   is provided under
    fhir:ExplanationOfBenefit.item.detail.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of products or services
    fhir:ExplanationOfBenefit.item.detail.unitPrice [ Money ]; # 0..1 Fee, charge or cost per item
    fhir:ExplanationOfBenefit.item.detail.factor [ decimal ]; # 0..1 Price scaling factor
    fhir:ExplanationOfBenefit.item.detail.net [ Money ]; # 0..1 Total item cost
    fhir:ExplanationOfBenefit.item.detail.udi [ Reference(Device) ], ... ; # 0..* Unique device identifier
    fhir:ExplanationOfBenefit.item.detail.noteNumber [ positiveInt ], ... ; # 0..* Applicable note numbers
    fhir:ExplanationOfBenefit.item.detail.adjudication [ See ExplanationOfBenefit.item.adjudication ], ... ; # 0..*
  Detail level adjudication details
    fhir:ExplanationOfBenefit.item.detail.subDetail [ # 0..* Additional items
      fhir:ExplanationOfBenefit.item.detail.subDetail.sequence [ positiveInt ]; # 1..1 Product or service provided
      fhir:ExplanationOfBenefit.item.detail.subDetail.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
      fhir:ExplanationOfBenefit.item.detail.subDetail.category [ CodeableConcept ]; # 0..1 Benefit classification
      fhir:ExplanationOfBenefit.item.detail.subDetail.productOrService [ CodeableConcept ]; # 1..1 Billing, service,
  product, or drug code
      fhir:ExplanationOfBenefit.item.detail.subDetail.modifier [ CodeableConcept ], ... ; # 0..* Service/Product
  billing modifiers
      fhir:ExplanationOfBenefit.item.detail.subDetail.programCode [ CodeableConcept ], ... ; # 0..* Program the
  product or service is provided under
      fhir:ExplanationOfBenefit.item.detail.subDetail.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of products
  or services
      fhir:ExplanationOfBenefit.item.detail.subDetail.unitPrice [ Money ]; # 0..1 Fee, charge or cost per item
      fhir:ExplanationOfBenefit.item.detail.subDetail.factor [ decimal ]; # 0..1 Price scaling factor
      fhir:ExplanationOfBenefit.item.detail.subDetail.net [ Money ]; # 0..1 Total item cost
      fhir:ExplanationOfBenefit.item.detail.subDetail.udi [ Reference(Device) ], ... ; # 0..* Unique device identifier
      fhir:ExplanationOfBenefit.item.detail.subDetail.noteNumber [ positiveInt ], ... ; # 0..* Applicable note numbers
      fhir:ExplanationOfBenefit.item.detail.subDetail.adjudication [ See ExplanationOfBenefit.item.adjudication ], ...
   ; # 0..* Subdetail level adjudication details
    ], ...;
  ], ...;
], ...;
fhir:ExplanationOfBenefit.addItem [ # 0..* Insurer added line items
  fhir:ExplanationOfBenefit.addItem.itemSequence [ positiveInt ], ... ; # 0..* Item sequence number
  fhir:ExplanationOfBenefit.addItem.detailSequence [ positiveInt ], ... ; # 0..* Detail sequence number
  fhir:ExplanationOfBenefit.addItem.subDetailSequence [ positiveInt ], ... ; # 0..* Subdetail sequence number
  fhir:ExplanationOfBenefit.addItem.provider [ Reference(Practitioner|PractitionerRole|Organization) ], ... ; # 0..*
  Authorized providers
  fhir:ExplanationOfBenefit.addItem.productOrService [ CodeableConcept ]; # 1..1 Billing, service, product, or drug
  code
  fhir:ExplanationOfBenefit.addItem.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing modifiers
  fhir:ExplanationOfBenefit.addItem.programCode [ CodeableConcept ], ... ; # 0..* Program the product or service is
  provided under
  # ExplanationOfBenefit.addItem.serviced[x] : 0..1 Date or dates of service or product delivery. One of these 2
    fhir:ExplanationOfBenefit.addItem.servicedDate [ date ]
    fhir:ExplanationOfBenefit.addItem.servicedPeriod [ Period ]
```

```
    # ExplanationOfBenefit.addItem.location[x] : 0..1 Place of service or where product was supplied. One of these 3
      fhir:ExplanationOfBenefit.addItem.locationCodeableConcept [ CodeableConcept ]
      fhir:ExplanationOfBenefit.addItem.locationAddress [ Address ]
      fhir:ExplanationOfBenefit.addItem.locationReference [ Reference(Location) ]
    fhir:ExplanationOfBenefit.addItem.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of products or services
    fhir:ExplanationOfBenefit.addItem.unitPrice [ Money ]; # 0..1 Fee, charge or cost per item
    fhir:ExplanationOfBenefit.addItem.factor [ decimal ]; # 0..1 Price scaling factor
    fhir:ExplanationOfBenefit.addItem.net [ Money ]; # 0..1 Total item cost
    fhir:ExplanationOfBenefit.addItem.bodySite [ CodeableConcept ]; # 0..1 Anatomical location
    fhir:ExplanationOfBenefit.addItem.subSite [ CodeableConcept ], ... ; # 0..* Anatomical sub-location
    fhir:ExplanationOfBenefit.addItem.noteNumber [ positiveInt ], ... ; # 0..* Applicable note numbers
    fhir:ExplanationOfBenefit.addItem.adjudication [ See ExplanationOfBenefit.item.adjudication ], ... ; # 0..* Added
    items adjudication
    fhir:ExplanationOfBenefit.addItem.detail [ # 0..* Insurer added line items
      fhir:ExplanationOfBenefit.addItem.detail.productOrService [ CodeableConcept ]; # 1..1 Billing, service, product,
    or drug code
      fhir:ExplanationOfBenefit.addItem.detail.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing
    modifiers
      fhir:ExplanationOfBenefit.addItem.detail.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of products or
    services
      fhir:ExplanationOfBenefit.addItem.detail.unitPrice [ Money ]; # 0..1 Fee, charge or cost per item
      fhir:ExplanationOfBenefit.addItem.detail.factor [ decimal ]; # 0..1 Price scaling factor
      fhir:ExplanationOfBenefit.addItem.detail.net [ Money ]; # 0..1 Total item cost
      fhir:ExplanationOfBenefit.addItem.detail.noteNumber [ positiveInt ], ... ; # 0..* Applicable note numbers
      fhir:ExplanationOfBenefit.addItem.detail.adjudication [ See ExplanationOfBenefit.item.adjudication ], ... ; # 0..*
     Added items adjudication
      fhir:ExplanationOfBenefit.addItem.detail.subDetail [ # 0..* Insurer added line items
        fhir:ExplanationOfBenefit.addItem.detail.subDetail.productOrService [ CodeableConcept ]; # 1..1 Billing,
    service, product, or drug code
        fhir:ExplanationOfBenefit.addItem.detail.subDetail.modifier [ CodeableConcept ], ... ; # 0..* Service/Product
    billing modifiers
        fhir:ExplanationOfBenefit.addItem.detail.subDetail.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of
    products or services
        fhir:ExplanationOfBenefit.addItem.detail.subDetail.unitPrice [ Money ]; # 0..1 Fee, charge or cost per item
        fhir:ExplanationOfBenefit.addItem.detail.subDetail.factor [ decimal ]; # 0..1 Price scaling factor
        fhir:ExplanationOfBenefit.addItem.detail.subDetail.net [ Money ]; # 0..1 Total item cost
        fhir:ExplanationOfBenefit.addItem.detail.subDetail.noteNumber [ positiveInt ], ... ; # 0..* Applicable note
    numbers
        fhir:ExplanationOfBenefit.addItem.detail.subDetail.adjudication [ See ExplanationOfBenefit.item.adjudication ],
    ... ; # 0..* Added items adjudication
      ], ...;
    ], ...;
  ], ...;
  fhir:ExplanationOfBenefit.adjudication [ See ExplanationOfBenefit.item.adjudication ], ... ; # 0..* Header-level
    adjudication
  fhir:ExplanationOfBenefit.total [ # 0..* Adjudication totals
    fhir:ExplanationOfBenefit.total.category [ CodeableConcept ]; # 1..1 Type of adjudication information
    fhir:ExplanationOfBenefit.total.amount [ Money ]; # 1..1 Financial total for the category
  ], ...;
  fhir:ExplanationOfBenefit.payment [ # 0..1 Payment Details
    fhir:ExplanationOfBenefit.payment.type [ CodeableConcept ]; # 0..1 Partial or complete payment
    fhir:ExplanationOfBenefit.payment.adjustment [ Money ]; # 0..1 Payment adjustment for non-claim issues
    fhir:ExplanationOfBenefit.payment.adjustmentReason [ CodeableConcept ]; # 0..1 Explanation for the variance
    fhir:ExplanationOfBenefit.payment.date [ date ]; # 0..1 Expected date of payment
    fhir:ExplanationOfBenefit.payment.amount [ Money ]; # 0..1 Payable amount after adjustment
    fhir:ExplanationOfBenefit.payment.identifier [ Identifier ]; # 0..1 Business identifier for the payment
  ];
  fhir:ExplanationOfBenefit.formCode [ CodeableConcept ]; # 0..1 Printed form identifier
  fhir:ExplanationOfBenefit.form [ Attachment ]; # 0..1 Printed reference or actual form
  fhir:ExplanationOfBenefit.processNote [ # 0..* Note concerning adjudication
    fhir:ExplanationOfBenefit.processNote.number [ positiveInt ]; # 0..1 Note instance identifier
    fhir:ExplanationOfBenefit.processNote.type [ code ]; # 0..1 display | print | printoper
    fhir:ExplanationOfBenefit.processNote.text [ string ]; # 0..1 Note explanatory text
    fhir:ExplanationOfBenefit.processNote.language [ CodeableConcept ]; # 0..1 Language of the text
  ], ...;
  fhir:ExplanationOfBenefit.benefitPeriod [ Period ]; # 0..1 When the benefits are applicable
  fhir:ExplanationOfBenefit.benefitBalance [ # 0..* Balance by Benefit Category
    fhir:ExplanationOfBenefit.benefitBalance.category [ CodeableConcept ]; # 1..1 Benefit classification
    fhir:ExplanationOfBenefit.benefitBalance.excluded [ boolean ]; # 0..1 Excluded from the plan
    fhir:ExplanationOfBenefit.benefitBalance.name [ string ]; # 0..1 Short name for the benefit
    fhir:ExplanationOfBenefit.benefitBalance.description [ string ]; # 0..1 Description of the benefit or services
    covered
    fhir:ExplanationOfBenefit.benefitBalance.network [ CodeableConcept ]; # 0..1 In or out of network
    fhir:ExplanationOfBenefit.benefitBalance.unit [ CodeableConcept ]; # 0..1 Individual or family
    fhir:ExplanationOfBenefit.benefitBalance.term [ CodeableConcept ]; # 0..1 Annual or lifetime
    fhir:ExplanationOfBenefit.benefitBalance.financial [ # 0..* Benefit Summary
      fhir:ExplanationOfBenefit.benefitBalance.financial.type [ CodeableConcept ]; # 1..1 Benefit classification
      # ExplanationOfBenefit.benefitBalance.financial.allowed[x] : 0..1 Benefits allowed. One of these 3
        fhir:ExplanationOfBenefit.benefitBalance.financial.allowedUnsignedInt [ unsignedInt ]
        fhir:ExplanationOfBenefit.benefitBalance.financial.allowedString [ string ]
        fhir:ExplanationOfBenefit.benefitBalance.financial.allowedMoney [ Money ]
      # ExplanationOfBenefit.benefitBalance.financial.used[x] : 0..1 Benefits used. One of these 2
        fhir:ExplanationOfBenefit.benefitBalance.financial.usedUnsignedInt [ unsignedInt ]
        fhir:ExplanationOfBenefit.benefitBalance.financial.usedMoney [ Money ]
    ], ...;
  ], ...;
]
```

Changes since R3

ExplanationOfBenefit
ExplanationOfBenefit.status | Min Cardinality changed from 0 to 1 Change value set from http://hl7.org/fhir/ValueSet/explanationofbenefit-status to http://hl7.org/fhir/ValueSet/explanationofbenefit-status|4.0.1
ExplanationOfBenefit.type | Min Cardinality changed from 0 to 1 Change binding strength from required to extensible
ExplanationOfBenefit.subType | Max Cardinality changed from * to 1
ExplanationOfBenefit.use | Added Mandatory Element
ExplanationOfBenefit.patient | Min Cardinality changed from 0 to 1
ExplanationOfBenefit.created | Min Cardinality changed from 0 to 1
ExplanationOfBenefit.enterer | Type Reference: Added Target Type PractitionerRole
ExplanationOfBenefit.insurer | Min Cardinality changed from 0 to 1
ExplanationOfBenefit.provider | Min Cardinality changed from 0 to 1 Type Reference: Added Target Types PractitionerRole, Organization
ExplanationOfBenefit.priority | Added Element
ExplanationOfBenefit.fundsReserveRequested | Added Element
ExplanationOfBenefit.fundsReserve | Added Element
ExplanationOfBenefit.payee.party | Type Reference: Added Target Type PractitionerRole
ExplanationOfBenefit.referral | Type Reference: Added Target Type ServiceRequest Type Reference: Removed Target Type ReferralRequest
ExplanationOfBenefit.outcome | Min Cardinality changed from 0 to 1 Type changed from CodeableConcept to code Add Binding http://hl7.org/fhir/ValueSet/remittance-outcome|4.0.1 (required)
ExplanationOfBenefit.preAuthRef | Added Element
ExplanationOfBenefit.preAuthRefPeriod | Added Element
ExplanationOfBenefit.careTeam.provider | Type Reference: Added Target Type PractitionerRole
ExplanationOfBenefit.supportingInfo | Renamed from information to supportingInfo
ExplanationOfBenefit.supportingInfo.sequence | Moved from ExplanationOfBenefit.information to ExplanationOfBenefit.supportingInfo
ExplanationOfBenefit.supportingInfo.category | Moved from ExplanationOfBenefit.information to ExplanationOfBenefit.supportingInfo
ExplanationOfBenefit.supportingInfo.code | Moved from ExplanationOfBenefit.information to ExplanationOfBenefit.supportingInfo
ExplanationOfBenefit.supportingInfo.timing[x] | Moved from ExplanationOfBenefit.information to ExplanationOfBenefit.supportingInfo
ExplanationOfBenefit.supportingInfo.value[x] | Moved from ExplanationOfBenefit.information to ExplanationOfBenefit.supportingInfo Add Type boolean
ExplanationOfBenefit.supportingInfo.reason | Moved from ExplanationOfBenefit.information to ExplanationOfBenefit.supportingInfo
ExplanationOfBenefit.diagnosis.onAdmission | Added Element
ExplanationOfBenefit.procedure.type | Added Element
ExplanationOfBenefit.procedure.udi | Added Element
ExplanationOfBenefit.insurance | Min Cardinality changed from 0 to 1 Max Cardinality changed from 1 to *
ExplanationOfBenefit.insurance.focal | Added Mandatory Element
ExplanationOfBenefit.insurance.coverage | Min Cardinality changed from 0 to 1
ExplanationOfBenefit.accident.type | Change binding strength from required to extensible
ExplanationOfBenefit.item.careTeamSequence | Renamed from careTeamLinkId to careTeamSequence
ExplanationOfBenefit.item.diagnosisSequence | Renamed from diagnosisLinkId to diagnosisSequence
ExplanationOfBenefit.item.procedureSequence | Renamed from procedureLinkId to procedureSequence
ExplanationOfBenefit.item.informationSequence | Renamed from informationLinkId to informationSequence
ExplanationOfBenefit.item.productOrService | Renamed from service to productOrService Min Cardinality changed from 0 to 1
ExplanationOfBenefit.item.detail.productOrService | Renamed from service to productOrService Min Cardinality changed from 0 to 1
ExplanationOfBenefit.item.detail.subDetail.productOrService | Renamed from service to productOrService Min Cardinality changed from 0 to 1
ExplanationOfBenefit.addItem.itemSequence | Renamed from sequenceLinkId to itemSequence
ExplanationOfBenefit.addItem.detailSequence | Added Element
ExplanationOfBenefit.addItem.subDetailSequence | Added Element
ExplanationOfBenefit.addItem.provider | Added Element
ExplanationOfBenefit.addItem.productOrService | Renamed from service to productOrService Min Cardinality changed from 0 to 1
ExplanationOfBenefit.addItem.programCode | Added Element
ExplanationOfBenefit.addItem.serviced[x] | Added Element
ExplanationOfBenefit.addItem.location[x] | Added Element
ExplanationOfBenefit.addItem.quantity | Added Element
ExplanationOfBenefit.addItem.unitPrice | Added Element
ExplanationOfBenefit.addItem.factor | Added Element
ExplanationOfBenefit.addItem.net | Renamed from fee to net
ExplanationOfBenefit.addItem.bodySite | Added Element
ExplanationOfBenefit.addItem.subSite | Added Element
ExplanationOfBenefit.addItem.detail.productOrService | Renamed from service to productOrService Min Cardinality changed from 0 to 1
ExplanationOfBenefit.addItem.detail.quantity | Added Element
ExplanationOfBenefit.addItem.detail.unitPrice | Added Element
ExplanationOfBenefit.addItem.detail.factor | Added Element
ExplanationOfBenefit.addItem.detail.net | Renamed from fee to net
ExplanationOfBenefit.addItem.detail.subDetail | Added Element
ExplanationOfBenefit.addItem.detail.subDetail.productOrService | Added Mandatory Element

ExplanationOfBenefit.addItem.detail.subDetail.modifier | Added Element
ExplanationOfBenefit.addItem.detail.subDetail.quantity | Added Element
ExplanationOfBenefit.addItem.detail.subDetail.unitPrice | Added Element
ExplanationOfBenefit.addItem.detail.subDetail.factor | Added Element
ExplanationOfBenefit.addItem.detail.subDetail.net | Added Element
ExplanationOfBenefit.addItem.detail.subDetail.noteNumber | Added Element
ExplanationOfBenefit.addItem.detail.subDetail.adjudication | Added Element
ExplanationOfBenefit.adjudication | Added Element
ExplanationOfBenefit.total | Added Element
ExplanationOfBenefit.total.category | Added Mandatory Element
ExplanationOfBenefit.total.amount | Added Mandatory Element
ExplanationOfBenefit.formCode | Added Element
ExplanationOfBenefit.form | Type changed from CodeableConcept to Attachment
ExplanationOfBenefit.processNote.type | Type changed from CodeableConcept to code Change value set from http://hl7.org/fhir/ValueSet/note-type to http://hl7.org/fhir/ValueSet/note-type|4.0.1
ExplanationOfBenefit.processNote.language | Change binding strength from extensible to preferred
ExplanationOfBenefit.benefitPeriod | Added Element
ExplanationOfBenefit.organization | deleted
ExplanationOfBenefit.payee.resourceType | deleted
ExplanationOfBenefit.employmentImpacted | deleted
ExplanationOfBenefit.hospitalization | deleted
ExplanationOfBenefit.item.detail.type | deleted
ExplanationOfBenefit.item.detail.subDetail.type | deleted
ExplanationOfBenefit.addItem.revenue | deleted
ExplanationOfBenefit.addItem.category | deleted
ExplanationOfBenefit.addItem.detail.revenue | deleted
ExplanationOfBenefit.addItem.detail.category | deleted
ExplanationOfBenefit.totalCost | deleted
ExplanationOfBenefit.unallocDeductable | deleted
ExplanationOfBenefit.totalBenefit | deleted
ExplanationOfBenefit.benefitBalance.subCategory | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R3 <--> R4 Conversion Maps (status = 1 test that all execute ok. 1 fail round-trip testing and 1 r3 resources are invalid (0 errors).)

Structure

Name | Flags | Card. | Type | Description & Constraints
ExplanationOfBenefit | TU | | DomainResource | Explanation of Benefit resource Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Business Identifier for the resource
status | ?!Σ | 1..1 | code | active | cancelled | draft | entered-in-error ExplanationOfBenefitStatus (Required)
type | Σ | 1..1 | CodeableConcept | Category or discipline Claim Type Codes (Extensible)
subType | | 0..1 | CodeableConcept | More granular claim type Example Claim SubType Codes (Example)
use | Σ | 1..1 | code | claim | preauthorization | predetermination Use (Required)
patient | Σ | 1..1 | Reference(Patient) | The recipient of the products and services
billablePeriod | Σ | 0..1 | Period | Relevant time frame for the claim
created | Σ | 1..1 | dateTime | Response creation date
enterer | | 0..1 | Reference(Practitioner | PractitionerRole) | Author of the claim
insurer | Σ | 1..1 | Reference(Organization) | Party responsible for reimbursement
provider | Σ | 1..1 | Reference(Practitioner | PractitionerRole | Organization) | Party responsible for the claim
priority | | 0..1 | CodeableConcept | Desired processing urgency ProcessPriority (Example)
fundsReserveRequested | | 0..1 | CodeableConcept | For whom to reserve funds FundsReserve (Example)
fundsReserve | | 0..1 | CodeableConcept | Funds reserved status FundsReserve (Example)
related | | 0..* | BackboneElement | Prior or corollary claims
claim | | 0..1 | Reference(Claim) | Reference to the related claim
relationship | | 0..1 | CodeableConcept | How the reference claim is related Example Related Claim Relationship Codes (Example)
reference | | 0..1 | Identifier | File or case reference
prescription | | 0..1 | Reference(MedicationRequest | VisionPrescription) | Prescription authorizing services or products
originalPrescription | | 0..1 | Reference(MedicationRequest) | Original prescription if superceded by fulfiller
payee | | 0..1 | BackboneElement | Recipient of benefits payable
type | | 0..1 | CodeableConcept | Category of recipient PayeeType (Example)
party | | 0..1 | Reference(Practitioner | PractitionerRole | Organization | Patient | RelatedPerson) | Recipient reference
referral | | 0..1 | Reference(ServiceRequest) | Treatment Referral
facility | | 0..1 | Reference(Location) | Servicing Facility
claim | | 0..1 | Reference(Claim) | Claim reference
claimResponse | | 0..1 | Reference(ClaimResponse) | Claim response reference
outcome | Σ | 1..1 | code | queued | complete | error | partial Claim Processing Codes (Required)
disposition | | 0..1 | string | Disposition Message
preAuthRef | | 0..* | string | Preauthorization reference
preAuthRefPeriod | | 0..* | Period | Preauthorization in-effect period

careTeam | | 0..* | BackboneElement | Care Team members
sequence | | 1..1 | positiveInt | Order of care team
provider | | 1..1 | Reference(Practitioner | PractitionerRole | Organization) | Practitioner or organization
responsible | | 0..1 | boolean | Indicator of the lead practitioner
role | | 0..1 | CodeableConcept | Function within the team Claim Care Team Role Codes (Example)
qualification | | 0..1 | CodeableConcept | Practitioner credential or specialization Example Provider Qualification Codes (Example)
supportingInfo | | 0..* | BackboneElement | Supporting information
sequence | | 1..1 | positiveInt | Information instance identifier
category | | 1..1 | CodeableConcept | Classification of the supplied information Claim Information Category Codes (Example)
code | | 0..1 | CodeableConcept | Type of information Exception Codes (Example)
timing[x] | | 0..1 | | When it occurred
timingDate | | | date
timingPeriod | | | Period
value[x] | | 0..1 | | Data to be provided
valueBoolean | | | boolean
valueString | | | string
valueQuantity | | | Quantity
valueAttachment | | | Attachment
valueReference | | | Reference(Any)
reason | | 0..1 | Coding | Explanation for the information Missing Tooth Reason Codes (Example)
diagnosis | | 0..* | BackboneElement | Pertinent diagnosis information
sequence | | 1..1 | positiveInt | Diagnosis instance identifier
diagnosis[x] | | 1..1 | | Nature of illness or problem ICD-10 Codes (Example)
diagnosisCodeableConcept | | | CodeableConcept
diagnosisReference | | | Reference(Condition)
type | | 0..* | CodeableConcept | Timing or nature of the diagnosis Example Diagnosis Type Codes (Example)
onAdmission | | 0..1 | CodeableConcept | Present on admission Example Diagnosis on Admission Codes (Example)
packageCode | | 0..1 | CodeableConcept | Package billing code Example Diagnosis Related Group Codes (Example)
procedure | | 0..* | BackboneElement | Clinical procedures performed
sequence | | 1..1 | positiveInt | Procedure instance identifier
type | | 0..* | CodeableConcept | Category of Procedure Example Procedure Type Codes (Example)
date | | 0..1 | dateTime | When the procedure was performed
procedure[x] | | 1..1 | | Specific clinical procedure ICD-10 Procedure Codes (Example)
procedureCodeableConcept | | | CodeableConcept
procedureReference | | | Reference(Procedure)
udi | | 0..* | Reference(Device) | Unique device identifier
precedence | | 0..1 | positiveInt | Precedence (primary, secondary, etc.)
insurance | Σ | 1..* | BackboneElement | Patient insurance information
focal | Σ | 1..1 | boolean | Coverage to be used for adjudication
coverage | Σ | 1..1 | Reference(Coverage) | Insurance information
preAuthRef | | 0..* | string | Prior authorization reference number
accident | | 0..1 | BackboneElement | Details of the event
date | | 0..1 | date | When the incident occurred
type | | 0..1 | CodeableConcept | The nature of the accident V3 Value SetActIncidentCode (Extensible)
location[x] | | 0..1 | | Where the event occurred
locationAddress | | | Address
locationReference | | | Reference(Location)
item | | 0..* | BackboneElement | Product or service provided
sequence | | 1..1 | positiveInt | Item instance identifier
careTeamSequence | | 0..* | positiveInt | Applicable care team members
diagnosisSequence | | 0..* | positiveInt | Applicable diagnoses
procedureSequence | | 0..* | positiveInt | Applicable procedures
informationSequence | | 0..* | positiveInt | Applicable exception and supporting information
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Benefit classification Benefit Category Codes (Example)
productOrService | | 1..1 | CodeableConcept | Billing, service, product, or drug code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Product or service billing modifiers Modifier type Codes (Example)
programCode | | 0..* | CodeableConcept | Program the product or service is provided under Example Program Reason Codes (Example)
serviced[x] | | 0..1 | | Date or dates of service or product delivery
servicedDate | | | date
servicedPeriod | | | Period
location[x] | | 0..1 | | Place of service or where product was supplied Example Service Place Codes (Example)
locationCodeableConcept | | | CodeableConcept
locationAddress | | | Address
locationReference | | | Reference(Location)
quantity | | 0..1 | SimpleQuantity | Count of products or services
unitPrice | | 0..1 | Money | Fee, charge or cost per item
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total item cost
udi | | 0..* | Reference(Device) | Unique device identifier
bodySite | | 0..1 | CodeableConcept | Anatomical location Oral Site Codes (Example)

subSite | | 0..* | CodeableConcept | Anatomical sub-location Surface Codes (Example)
encounter | | 0..* | Reference(Encounter) | Encounters related to this billed item
noteNumber | | 0..* | positiveInt | Applicable note numbers
adjudication | | 0..* | BackboneElement | Adjudication details
category | | 1..1 | CodeableConcept | Type of adjudication information Adjudication Value Codes (Example)
reason | | 0..1 | CodeableConcept | Explanation of adjudication outcome Adjudication Reason Codes (Example)
amount | | 0..1 | Money | Monetary amount
value | | 0..1 | decimal | Non-monitary value
detail | | 0..* | BackboneElement | Additional items
sequence | | 1..1 | positiveInt | Product or service provided
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Benefit classification Benefit Category Codes (Example)
productOrService | | 1..1 | CodeableConcept | Billing, service, product, or drug code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
programCode | | 0..* | CodeableConcept | Program the product or service is provided under Example Program Reason Codes (Example)
quantity | | 0..1 | SimpleQuantity | Count of products or services
unitPrice | | 0..1 | Money | Fee, charge or cost per item
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total item cost
udi | | 0..* | Reference(Device) | Unique device identifier
noteNumber | | 0..* | positiveInt | Applicable note numbers
adjudication | | 0..* | see adjudication | Detail level adjudication details
subDetail | | 0..* | BackboneElement | Additional items
sequence | | 1..1 | positiveInt | Product or service provided
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Benefit classification Benefit Category Codes (Example)
productOrService | | 1..1 | CodeableConcept | Billing, service, product, or drug code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
programCode | | 0..* | CodeableConcept | Program the product or service is provided under Example Program Reason Codes (Example)
quantity | | 0..1 | SimpleQuantity | Count of products or services
unitPrice | | 0..1 | Money | Fee, charge or cost per item
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total item cost
udi | | 0..* | Reference(Device) | Unique device identifier
noteNumber | | 0..* | positiveInt | Applicable note numbers
adjudication | | 0..* | see adjudication | Subdetail level adjudication details
addItem | | 0..* | BackboneElement | Insurer added line items
itemSequence | | 0..* | positiveInt | Item sequence number
detailSequence | | 0..* | positiveInt | Detail sequence number
subDetailSequence | | 0..* | positiveInt | Subdetail sequence number
provider | | 0..* | Reference(Practitioner | PractitionerRole | Organization) | Authorized providers
productOrService | | 1..1 | CodeableConcept | Billing, service, product, or drug code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
programCode | | 0..* | CodeableConcept | Program the product or service is provided under Example Program Reason Codes (Example)
serviced[x] | | 0..1 | | Date or dates of service or product delivery
servicedDate | | | date
servicedPeriod | | | Period
location[x] | | 0..1 | | Place of service or where product was supplied Example Service Place Codes (Example)
locationCodeableConcept | | | CodeableConcept
locationAddress | | | Address
locationReference | | | Reference(Location)
quantity | | 0..1 | SimpleQuantity | Count of products or services
unitPrice | | 0..1 | Money | Fee, charge or cost per item
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total item cost
bodySite | | 0..1 | CodeableConcept | Anatomical location Oral Site Codes (Example)
subSite | | 0..* | CodeableConcept | Anatomical sub-location Surface Codes (Example)
noteNumber | | 0..* | positiveInt | Applicable note numbers
adjudication | | 0..* | see adjudication | Added items adjudication
detail | | 0..* | BackboneElement | Insurer added line items
productOrService | | 1..1 | CodeableConcept | Billing, service, product, or drug code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
quantity | | 0..1 | SimpleQuantity | Count of products or services
unitPrice | | 0..1 | Money | Fee, charge or cost per item
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total item cost
noteNumber | | 0..* | positiveInt | Applicable note numbers
adjudication | | 0..* | see adjudication | Added items adjudication
subDetail | | 0..* | BackboneElement | Insurer added line items

productOrService | | 1..1 | CodeableConcept | Billing, service, product, or drug code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
quantity | | 0..1 | SimpleQuantity | Count of products or services
unitPrice | | 0..1 | Money | Fee, charge or cost per item
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total item cost
noteNumber | | 0..* | positiveInt | Applicable note numbers
adjudication | | 0..* | see adjudication | Added items adjudication
adjudication | | 0..* | see adjudication | Header-level adjudication
total | Σ | 0..* | BackboneElement | Adjudication totals
category | Σ | 1..1 | CodeableConcept | Type of adjudication information Adjudication Value Codes (Example)
amount | Σ | 1..1 | Money | Financial total for the category
payment | | 0..1 | BackboneElement | Payment Details
type | | 0..1 | CodeableConcept | Partial or complete payment Example Payment Type Codes (Example)
adjustment | | 0..1 | Money | Payment adjustment for non-claim issues
adjustmentReason | | 0..1 | CodeableConcept | Explanation for the variance Payment Adjustment Reason Codes (Example)
date | | 0..1 | date | Expected date of payment
amount | | 0..1 | Money | Payable amount after adjustment
identifier | | 0..1 | Identifier | Business identifier for the payment
formCode | | 0..1 | CodeableConcept | Printed form identifier Forms (Example)
form | | 0..1 | Attachment | Printed reference or actual form
processNote | | 0..* | BackboneElement | Note concerning adjudication
number | | 0..1 | positiveInt | Note instance identifier
type | | 0..1 | code | display | print | printoper NoteType (Required)
text | | 0..1 | string | Note explanatory text
language | | 0..1 | CodeableConcept | Language of the text Common Languages (Preferred but limited to AllLanguages)
benefitPeriod | | 0..1 | Period | When the benefits are applicable
benefitBalance | | 0..* | BackboneElement | Balance by Benefit Category
category | | 1..1 | CodeableConcept | Benefit classification Benefit Category Codes (Example)
excluded | | 0..1 | boolean | Excluded from the plan
name | | 0..1 | string | Short name for the benefit
description | | 0..1 | string | Description of the benefit or services covered
network | | 0..1 | CodeableConcept | In or out of network Network Type Codes (Example)
unit | | 0..1 | CodeableConcept | Individual or family Unit Type Codes (Example)
term | | 0..1 | CodeableConcept | Annual or lifetime Benefit Term Codes (Example)
financial | | 0..* | BackboneElement | Benefit Summary
type | | 1..1 | CodeableConcept | Benefit classification Benefit Type Codes (Example)
allowed[x] | | 0..1 | | Benefits allowed
allowedUnsignedInt | | | unsignedInt
allowedString | | | string
allowedMoney | | | Money
used[x] | | 0..1 | | Benefits used
usedUnsignedInt | | | unsignedInt
usedMoney | | | Money
Documentation for this format

UML Diagram (Legend)

XML Template

```
<ExplanationOfBenefit xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier for the resource --></identifier>
 <status value="[code]"/><!-- 1..1 active | cancelled | draft | entered-in-error -->
 <type><!-- 1..1 CodeableConcept Category or discipline --></type>
 <subType><!-- 0..1 CodeableConcept More granular claim type --></subType>
 <use value="[code]"/><!-- 1..1 claim | preauthorization | predetermination -->
 <patient><!-- 1..1 Reference(Patient) The recipient of the products and services --></patient>
 <billablePeriod><!-- 0..1 Period Relevant time frame for the claim --></billablePeriod>
 <created value="[dateTime]"/><!-- 1..1 Response creation date -->
 <enterer><!-- 0..1 Reference(Practitioner|PractitionerRole) Author of the claim --></enterer>
 <insurer><!-- 1..1 Reference(Organization) Party responsible for reimbursement --></insurer>
 <provider><!-- 1..1 Reference(Practitioner|PractitionerRole|Organization) Party responsible for the claim
    --></provider>
 <priority><!-- 0..1 CodeableConcept Desired processing urgency  --></priority>
 <fundsReserveRequested><!-- 0..1 CodeableConcept For whom to reserve funds --></fundsReserveRequested>
 <fundsReserve><!-- 0..1 CodeableConcept Funds reserved status --></fundsReserve>
 <related>  <!-- 0..* Prior or corollary claims -->
  <claim><!-- 0..1 Reference(Claim) Reference to the related claim --></claim>
  <relationship><!-- 0..1 CodeableConcept How the reference claim is related --></relationship>
  <reference><!-- 0..1 Identifier File or case reference --></reference>
 </related>
 <prescription><!-- 0..1 Reference(MedicationRequest|VisionPrescription) Prescription authorizing services or products
    --></prescription>
 <originalPrescription><!-- 0..1 Reference(MedicationRequest) Original prescription if superceded by fulfiller
    --></originalPrescription>
 <payee>  <!-- 0..1 Recipient of benefits payable -->
  <type><!-- 0..1 CodeableConcept Category of recipient --></type>
  <party><!-- 0..1 Reference(Practitioner|PractitionerRole|Organization|Patient|
```

```
   RelatedPerson) Recipient reference --></party>
</payee>
<referral><!-- 0..1 Reference(ServiceRequest) Treatment Referral --></referral>
<facility><!-- 0..1 Reference(Location) Servicing Facility --></facility>
<claim><!-- 0..1 Reference(Claim) Claim reference --></claim>
<claimResponse><!-- 0..1 Reference(ClaimResponse) Claim response reference --></claimResponse>
<outcome value="[code]"/><!-- 1..1 queued | complete | error | partial -->
<disposition value="[string]"/><!-- 0..1 Disposition Message -->
<preAuthRef value="[string]"/><!-- 0..* Preauthorization reference -->
<preAuthRefPeriod><!-- 0..* Period Preauthorization in-effect period --></preAuthRefPeriod>
<careTeam>  <!-- 0..* Care Team members -->
 <sequence value="[positiveInt]"/><!-- 1..1 Order of care team -->
 <provider><!-- 1..1 Reference(Practitioner|PractitionerRole|Organization) Practitioner or organization --></provider>
 <responsible value="[boolean]"/><!-- 0..1 Indicator of the lead practitioner -->
 <role><!-- 0..1 CodeableConcept Function within the team --></role>
 <qualification><!-- 0..1 CodeableConcept Practitioner credential or specialization --></qualification>
</careTeam>
<supportingInfo>  <!-- 0..* Supporting information -->
 <sequence value="[positiveInt]"/><!-- 1..1 Information instance identifier -->
 <category><!-- 1..1 CodeableConcept Classification of the supplied information --></category>
 <code><!-- 0..1 CodeableConcept Type of information --></code>
 <timing[x]><!-- 0..1 date|Period When it occurred --></timing[x]>
 <value[x]><!-- 0..1 boolean|string|Quantity|Attachment|Reference(Any) Data to be provided --></value[x]>
 <reason><!-- 0..1 Coding Explanation for the information --></reason>
</supportingInfo>
<diagnosis>  <!-- 0..* Pertinent diagnosis information -->
 <sequence value="[positiveInt]"/><!-- 1..1 Diagnosis instance identifier -->
 <diagnosis[x]><!-- 1..1 CodeableConcept|Reference(Condition) Nature of illness or problem --></diagnosis[x]>
 <type><!-- 0..* CodeableConcept Timing or nature of the diagnosis --></type>
 <onAdmission><!-- 0..1 CodeableConcept Present on admission --></onAdmission>
 <packageCode><!-- 0..1 CodeableConcept Package billing code --></packageCode>
</diagnosis>
<procedure>  <!-- 0..* Clinical procedures performed -->
 <sequence value="[positiveInt]"/><!-- 1..1 Procedure instance identifier -->
 <type><!-- 0..* CodeableConcept Category of Procedure --></type>
 <date value="[dateTime]"/><!-- 0..1 When the procedure was performed -->
 <procedure[x]><!-- 1..1 CodeableConcept|Reference(Procedure) Specific clinical procedure --></procedure[x]>
 <udi><!-- 0..* Reference(Device) Unique device identifier --></udi>
</procedure>
<precedence value="[positiveInt]"/><!-- 0..1 Precedence (primary, secondary, etc.) -->
<insurance>  <!-- 1..* Patient insurance information -->
 <focal value="[boolean]"/><!-- 1..1 Coverage to be used for adjudication -->
 <coverage><!-- 1..1 Reference(Coverage) Insurance information --></coverage>
 <preAuthRef value="[string]"/><!-- 0..* Prior authorization reference number -->
</insurance>
<accident>  <!-- 0..1 Details of the event -->
 <date value="[date]"/><!-- 0..1 When the incident occurred -->
 <type><!-- 0..1 CodeableConcept The nature of the accident --></type>
 <location[x]><!-- 0..1 Address|Reference(Location) Where the event occurred --></location[x]>
</accident>
<item>  <!-- 0..* Product or service provided -->
 <sequence value="[positiveInt]"/><!-- 1..1 Item instance identifier -->
 <careTeamSequence value="[positiveInt]"/><!-- 0..* Applicable care team members -->
 <diagnosisSequence value="[positiveInt]"/><!-- 0..* Applicable diagnoses -->
 <procedureSequence value="[positiveInt]"/><!-- 0..* Applicable procedures -->
 <informationSequence value="[positiveInt]"/><!-- 0..* Applicable exception and supporting information -->
 <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
 <category><!-- 0..1 CodeableConcept Benefit classification --></category>
 <productOrService><!-- 1..1 CodeableConcept Billing, service, product, or drug code --></productOrService>
 <modifier><!-- 0..* CodeableConcept Product or service billing modifiers --></modifier>
 <programCode><!-- 0..* CodeableConcept Program the product or service is provided under --></programCode>
 <serviced[x]><!-- 0..1 date|Period Date or dates of service or product delivery --></serviced[x]>
 <location[x]><!-- 0..1 CodeableConcept|Address|Reference(Location) Place of service or where product was supplied
   --></location[x]>
 <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of products or services --></quantity>
 <unitPrice><!-- 0..1 Money Fee, charge or cost per item --></unitPrice>
 <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
 <net><!-- 0..1 Money Total item cost --></net>
 <udi><!-- 0..* Reference(Device) Unique device identifier --></udi>
 <bodySite><!-- 0..1 CodeableConcept Anatomical location --></bodySite>
 <subSite><!-- 0..* CodeableConcept Anatomical sub-location --></subSite>
 <encounter><!-- 0..* Reference(Encounter) Encounters related to this billed item --></encounter>
 <noteNumber value="[positiveInt]"/><!-- 0..* Applicable note numbers -->
 <adjudication>  <!-- 0..* Adjudication details -->
  <category><!-- 1..1 CodeableConcept Type of adjudication information --></category>
  <reason><!-- 0..1 CodeableConcept Explanation of adjudication outcome --></reason>
  <amount><!-- 0..1 Money Monetary amount --></amount>
  <value value="[decimal]"/><!-- 0..1 Non-monitary value -->
 </adjudication>
 <detail>  <!-- 0..* Additional items -->
  <sequence value="[positiveInt]"/><!-- 1..1 Product or service provided -->
  <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
  <category><!-- 0..1 CodeableConcept Benefit classification --></category>
  <productOrService><!-- 1..1 CodeableConcept Billing, service, product, or drug code --></productOrService>
  <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
  <programCode><!-- 0..* CodeableConcept Program the product or service is provided under --></programCode>
  <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of products or services --></quantity>
  <unitPrice><!-- 0..1 Money Fee, charge or cost per item --></unitPrice>
  <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
```

```
  <net><!-- 0..1 Money Total item cost --></net>
  <udi><!-- 0..* Reference(Device) Unique device identifier --></udi>
  <noteNumber value="[positiveInt]"/><!-- 0..* Applicable note numbers -->
  <adjudication><!-- 0..* Content as for ExplanationOfBenefit.item.adjudication Detail level adjudication details
   --></adjudication>
  <subDetail>  <!-- 0..* Additional items -->
   <sequence value="[positiveInt]"/><!-- 1..1 Product or service provided -->
   <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
   <category><!-- 0..1 CodeableConcept Benefit classification --></category>
   <productOrService><!-- 1..1 CodeableConcept Billing, service, product, or drug code --></productOrService>
   <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
   <programCode><!-- 0..* CodeableConcept Program the product or service is provided under --></programCode>
   <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of products or services --></quantity>
   <unitPrice><!-- 0..1 Money Fee, charge or cost per item --></unitPrice>
   <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
   <net><!-- 0..1 Money Total item cost --></net>
   <udi><!-- 0..* Reference(Device) Unique device identifier --></udi>
   <noteNumber value="[positiveInt]"/><!-- 0..* Applicable note numbers -->
   <adjudication><!-- 0..* Content as for ExplanationOfBenefit.item.adjudication Subdetail level adjudication details
   --></adjudication>
  </subDetail>
 </detail>
</item>
<addItem>  <!-- 0..* Insurer added line items -->
 <itemSequence value="[positiveInt]"/><!-- 0..* Item sequence number -->
 <detailSequence value="[positiveInt]"/><!-- 0..* Detail sequence number -->
 <subDetailSequence value="[positiveInt]"/><!-- 0..* Subdetail sequence number -->
 <provider><!-- 0..* Reference(Practitioner|PractitionerRole|Organization) Authorized providers --></provider>
 <productOrService><!-- 1..1 CodeableConcept Billing, service, product, or drug code --></productOrService>
 <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
 <programCode><!-- 0..* CodeableConcept Program the product or service is provided under --></programCode>
 <serviced[x]><!-- 0..1 date|Period Date or dates of service or product delivery --></serviced[x]>
 <location[x]><!-- 0..1 CodeableConcept|Address|Reference(Location) Place of service or where product was supplied
   --></location[x]>
 <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of products or services --></quantity>
 <unitPrice><!-- 0..1 Money Fee, charge or cost per item --></unitPrice>
 <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
 <net><!-- 0..1 Money Total item cost --></net>
 <bodySite><!-- 0..1 CodeableConcept Anatomical location --></bodySite>
 <subSite><!-- 0..* CodeableConcept Anatomical sub-location --></subSite>
 <noteNumber value="[positiveInt]"/><!-- 0..* Applicable note numbers -->
 <adjudication><!-- 0..* Content as for ExplanationOfBenefit.item.adjudication Added items adjudication
   --></adjudication>
 <detail>  <!-- 0..* Insurer added line items -->
  <productOrService><!-- 1..1 CodeableConcept Billing, service, product, or drug code --></productOrService>
  <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
  <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of products or services --></quantity>
  <unitPrice><!-- 0..1 Money Fee, charge or cost per item --></unitPrice>
  <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
  <net><!-- 0..1 Money Total item cost --></net>
  <noteNumber value="[positiveInt]"/><!-- 0..* Applicable note numbers -->
  <adjudication><!-- 0..* Content as for ExplanationOfBenefit.item.adjudication Added items adjudication
   --></adjudication>
  <subDetail>  <!-- 0..* Insurer added line items -->
   <productOrService><!-- 1..1 CodeableConcept Billing, service, product, or drug code --></productOrService>
   <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
   <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of products or services --></quantity>
   <unitPrice><!-- 0..1 Money Fee, charge or cost per item --></unitPrice>
   <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
   <net><!-- 0..1 Money Total item cost --></net>
   <noteNumber value="[positiveInt]"/><!-- 0..* Applicable note numbers -->
   <adjudication><!-- 0..* Content as for ExplanationOfBenefit.item.adjudication Added items adjudication
   --></adjudication>
  </subDetail>
 </detail>
</addItem>
<adjudication><!-- 0..* Content as for ExplanationOfBenefit.item.adjudication Header-level adjudication
   --></adjudication>
<total>  <!-- 0..* Adjudication totals -->
 <category><!-- 1..1 CodeableConcept Type of adjudication information --></category>
 <amount><!-- 1..1 Money Financial total for the category --></amount>
</total>
<payment>  <!-- 0..1 Payment Details -->
 <type><!-- 0..1 CodeableConcept Partial or complete payment --></type>
 <adjustment><!-- 0..1 Money Payment adjustment for non-claim issues --></adjustment>
 <adjustmentReason><!-- 0..1 CodeableConcept Explanation for the variance --></adjustmentReason>
 <date value="[date]"/><!-- 0..1 Expected date of payment -->
 <amount><!-- 0..1 Money Payable amount after adjustment --></amount>
 <identifier><!-- 0..1 Identifier Business identifier for the payment --></identifier>
</payment>
<formCode><!-- 0..1 CodeableConcept Printed form identifier --></formCode>
<form><!-- 0..1 Attachment Printed reference or actual form --></form>
<processNote>  <!-- 0..* Note concerning adjudication -->
 <number value="[positiveInt]"/><!-- 0..1 Note instance identifier -->
 <type value="[code]"/><!-- 0..1 display | print | printoper -->
 <text value="[string]"/><!-- 0..1 Note explanatory text -->
 <language><!-- 0..1 CodeableConcept Language of the text --></language>
</processNote>
<benefitPeriod><!-- 0..1 Period When the benefits are applicable --></benefitPeriod>
```

```
 <benefitBalance>  <!-- 0..* Balance by Benefit Category -->
  <category><!-- 1..1 CodeableConcept Benefit classification --></category>
  <excluded value="[boolean]"/><!-- 0..1 Excluded from the plan -->
  <name value="[string]"/><!-- 0..1 Short name for the benefit -->
  <description value="[string]"/><!-- 0..1 Description of the benefit or services covered -->
  <network><!-- 0..1 CodeableConcept In or out of network --></network>
  <unit><!-- 0..1 CodeableConcept Individual or family --></unit>
  <term><!-- 0..1 CodeableConcept Annual or lifetime --></term>
  <financial>  <!-- 0..* Benefit Summary -->
   <type><!-- 1..1 CodeableConcept Benefit classification --></type>
   <allowed[x]><!-- 0..1 unsignedInt|string|Money Benefits allowed --></allowed[x]>
   <used[x]><!-- 0..1 unsignedInt|Money Benefits used --></used[x]>
  </financial>
 </benefitBalance>
</ExplanationOfBenefit>
```

JSON Template

```
{
  "resourceType" : "ExplanationOfBenefit",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier for the resource
  "status" : "<code>", // R!  active | cancelled | draft | entered-in-error
  "type" : { CodeableConcept }, // R!  Category or discipline
  "subType" : { CodeableConcept }, // More granular claim type
  "use" : "<code>", // R!  claim | preauthorization | predetermination
  "patient" : { Reference(Patient) }, // R!  The recipient of the products and services
  "billablePeriod" : { Period }, // Relevant time frame for the claim
  "created" : "<dateTime>", // R!  Response creation date
  "enterer" : { Reference(Practitioner|PractitionerRole) }, // Author of the claim
  "insurer" : { Reference(Organization) }, // R!  Party responsible for reimbursement
  "provider" : { Reference(Practitioner|PractitionerRole|Organization) }, // R!  Party responsible for the claim
  "priority" : { CodeableConcept }, // Desired processing urgency
  "fundsReserveRequested" : { CodeableConcept }, // For whom to reserve funds
  "fundsReserve" : { CodeableConcept }, // Funds reserved status
  "related" : [{ // Prior or corollary claims
    "claim" : { Reference(Claim) }, // Reference to the related claim
    "relationship" : { CodeableConcept }, // How the reference claim is related
    "reference" : { Identifier } // File or case reference
  }],
  "prescription" : { Reference(MedicationRequest|VisionPrescription) }, // Prescription authorizing services or products
  "originalPrescription" : { Reference(MedicationRequest) }, // Original prescription if superceded by fulfiller
  "payee" : { // Recipient of benefits payable
    "type" : { CodeableConcept }, // Category of recipient
    "party" : { Reference(Practitioner|PractitionerRole|Organization|Patient|
    RelatedPerson) } // Recipient reference
  },
  "referral" : { Reference(ServiceRequest) }, // Treatment Referral
  "facility" : { Reference(Location) }, // Servicing Facility
  "claim" : { Reference(Claim) }, // Claim reference
  "claimResponse" : { Reference(ClaimResponse) }, // Claim response reference
  "outcome" : "<code>", // R!  queued | complete | error | partial
  "disposition" : "<string>", // Disposition Message
  "preAuthRef" : ["<string>"], // Preauthorization reference
  "preAuthRefPeriod" : [{ Period }], // Preauthorization in-effect period
  "careTeam" : [{ // Care Team members
    "sequence" : "<positiveInt>", // R!  Order of care team
    "provider" : { Reference(Practitioner|PractitionerRole|Organization) }, // R!  Practitioner or organization
    "responsible" : <boolean>, // Indicator of the lead practitioner
    "role" : { CodeableConcept }, // Function within the team
    "qualification" : { CodeableConcept } // Practitioner credential or specialization
  }],
  "supportingInfo" : [{ // Supporting information
    "sequence" : "<positiveInt>", // R!  Information instance identifier
    "category" : { CodeableConcept }, // R!  Classification of the supplied information
    "code" : { CodeableConcept }, // Type of information
    // timing[x]: When it occurred. One of these 2:
    "timingDate" : "<date>",
    "timingPeriod" : { Period },
    // value[x]: Data to be provided. One of these 5:
    "valueBoolean" : <boolean>,
    "valueString" : "<string>",
    "valueQuantity" : { Quantity },
    "valueAttachment" : { Attachment },
    "valueReference" : { Reference(Any) },
    "reason" : { Coding } // Explanation for the information
  }],
  "diagnosis" : [{ // Pertinent diagnosis information
    "sequence" : "<positiveInt>", // R!  Diagnosis instance identifier
    // diagnosis[x]: Nature of illness or problem. One of these 2:
    "diagnosisCodeableConcept" : { CodeableConcept },
    "diagnosisReference" : { Reference(Condition) },
    "type" : [{ CodeableConcept }], // Timing or nature of the diagnosis
    "onAdmission" : { CodeableConcept }, // Present on admission
    "packageCode" : { CodeableConcept } // Package billing code
  }],
  "procedure" : [{ // Clinical procedures performed
    "sequence" : "<positiveInt>", // R!  Procedure instance identifier
    "type" : [{ CodeableConcept }], // Category of Procedure
```

```
  "date" : "<dateTime>", // When the procedure was performed
  // procedure[x]: Specific clinical procedure. One of these 2:
  "procedureCodeableConcept" : { CodeableConcept },
  "procedureReference" : { Reference(Procedure) },
  "udi" : [{ Reference(Device) }] // Unique device identifier
}],
"precedence" : "<positiveInt>", // Precedence (primary, secondary, etc.)
"insurance" : [{ // R!  Patient insurance information
  "focal" : <boolean>, // R!  Coverage to be used for adjudication
  "coverage" : { Reference(Coverage) }, // R!  Insurance information
  "preAuthRef" : ["<string>"] // Prior authorization reference number
}],
"accident" : { // Details of the event
  "date" : "<date>", // When the incident occurred
  "type" : { CodeableConcept }, // The nature of the accident
  // location[x]: Where the event occurred. One of these 2:
  "locationAddress" : { Address }
  "locationReference" : { Reference(Location) }
},
"item" : [{ // Product or service provided
  "sequence" : "<positiveInt>", // R!  Item instance identifier
  "careTeamSequence" : ["<positiveInt>"], // Applicable care team members
  "diagnosisSequence" : ["<positiveInt>"], // Applicable diagnoses
  "procedureSequence" : ["<positiveInt>"], // Applicable procedures
  "informationSequence" : ["<positiveInt>"], // Applicable exception and supporting information
  "revenue" : { CodeableConcept }, // Revenue or cost center code
  "category" : { CodeableConcept }, // Benefit classification
  "productOrService" : { CodeableConcept }, // R!  Billing, service, product, or drug code
  "modifier" : [{ CodeableConcept }], // Product or service billing modifiers
  "programCode" : [{ CodeableConcept }], // Program the product or service is provided under
  // serviced[x]: Date or dates of service or product delivery. One of these 2:
  "servicedDate" : "<date>",
  "servicedPeriod" : { Period },
  // location[x]: Place of service or where product was supplied. One of these 3:
  "locationCodeableConcept" : { CodeableConcept },
  "locationAddress" : { Address },
  "locationReference" : { Reference(Location) },
  "quantity" : { Quantity(SimpleQuantity) }, // Count of products or services
  "unitPrice" : { Money }, // Fee, charge or cost per item
  "factor" : <decimal>, // Price scaling factor
  "net" : { Money }, // Total item cost
  "udi" : [{ Reference(Device) }], // Unique device identifier
  "bodySite" : { CodeableConcept }, // Anatomical location
  "subSite" : [{ CodeableConcept }], // Anatomical sub-location
  "encounter" : [{ Reference(Encounter) }], // Encounters related to this billed item
  "noteNumber" : ["<positiveInt>"], // Applicable note numbers
  "adjudication" : [{ // Adjudication details
    "category" : { CodeableConcept }, // R!  Type of adjudication information

    "reason" : { CodeableConcept }, // Explanation of adjudication outcome
    "amount" : { Money }, // Monetary amount
    "value" : <decimal> // Non-monitary value
  }],
  "detail" : [{ // Additional items
    "sequence" : "<positiveInt>", // R!  Product or service provided
    "revenue" : { CodeableConcept }, // Revenue or cost center code
    "category" : { CodeableConcept }, // Benefit classification
    "productOrService" : { CodeableConcept }, // R!  Billing, service, product, or drug code
    "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
    "programCode" : [{ CodeableConcept }], // Program the product or service is provided under
    "quantity" : { Quantity(SimpleQuantity) }, // Count of products or services
    "unitPrice" : { Money }, // Fee, charge or cost per item
    "factor" : <decimal>, // Price scaling factor
    "net" : { Money }, // Total item cost
    "udi" : [{ Reference(Device) }], // Unique device identifier
    "noteNumber" : ["<positiveInt>"], // Applicable note numbers
    "adjudication" : [{ Content as for ExplanationOfBenefit.item.adjudication }], // Detail level adjudication details
    "subDetail" : [{ // Additional items
      "sequence" : "<positiveInt>", // R!  Product or service provided
      "revenue" : { CodeableConcept }, // Revenue or cost center code
      "category" : { CodeableConcept }, // Benefit classification
      "productOrService" : { CodeableConcept }, // R!  Billing, service, product, or drug code
      "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
      "programCode" : [{ CodeableConcept }], // Program the product or service is provided under
      "quantity" : { Quantity(SimpleQuantity) }, // Count of products or services
      "unitPrice" : { Money }, // Fee, charge or cost per item
      "factor" : <decimal>, // Price scaling factor
      "net" : { Money }, // Total item cost
      "udi" : [{ Reference(Device) }], // Unique device identifier
      "noteNumber" : ["<positiveInt>"], // Applicable note numbers
      "adjudication" : [{ Content as for ExplanationOfBenefit.item.adjudication }] // Subdetail level adjudication
  details
    }]
  }]
}],
"addItem" : [{ // Insurer added line items
  "itemSequence" : ["<positiveInt>"], // Item sequence number
  "detailSequence" : ["<positiveInt>"], // Detail sequence number
  "subDetailSequence" : ["<positiveInt>"], // Subdetail sequence number
  "provider" : [{ Reference(Practitioner|PractitionerRole|Organization) }], // Authorized providers
```

```
    "productOrService" : { CodeableConcept }, // R!  Billing, service, product, or drug code
    "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
    "programCode" : [{ CodeableConcept }], // Program the product or service is provided under
    // serviced[x]: Date or dates of service or product delivery. One of these 2:
    "servicedDate" : "<date>",
    "servicedPeriod" : { Period },
    // location[x]: Place of service or where product was supplied. One of these 3:
    "locationCodeableConcept" : { CodeableConcept },
    "locationAddress" : { Address },
    "locationReference" : { Reference(Location) },
    "quantity" : { Quantity(SimpleQuantity) }, // Count of products or services
    "unitPrice" : { Money }, // Fee, charge or cost per item
    "factor" : <decimal>, // Price scaling factor
    "net" : { Money }, // Total item cost
    "bodySite" : { CodeableConcept }, // Anatomical location
    "subSite" : [{ CodeableConcept }], // Anatomical sub-location
    "noteNumber" : ["<positiveInt>"], // Applicable note numbers
    "adjudication" : [{ Content as for ExplanationOfBenefit.item.adjudication }], // Added items adjudication
    "detail" : [{ // Insurer added line items
      "productOrService" : { CodeableConcept }, // R!  Billing, service, product, or drug code
      "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
      "quantity" : { Quantity(SimpleQuantity) }, // Count of products or services
      "unitPrice" : { Money }, // Fee, charge or cost per item
      "factor" : <decimal>, // Price scaling factor
      "net" : { Money }, // Total item cost
      "noteNumber" : ["<positiveInt>"], // Applicable note numbers
      "adjudication" : [{ Content as for ExplanationOfBenefit.item.adjudication }], // Added items adjudication
      "subDetail" : [{ // Insurer added line items
        "productOrService" : { CodeableConcept }, // R!  Billing, service, product, or drug code
        "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
        "quantity" : { Quantity(SimpleQuantity) }, // Count of products or services
        "unitPrice" : { Money }, // Fee, charge or cost per item
        "factor" : <decimal>, // Price scaling factor
        "net" : { Money }, // Total item cost
        "noteNumber" : ["<positiveInt>"], // Applicable note numbers
        "adjudication" : [{ Content as for ExplanationOfBenefit.item.adjudication }] // Added items adjudication
      }]
    }]
  }],
  "adjudication" : [{ Content as for ExplanationOfBenefit.item.adjudication }], // Header-level adjudication
  "total" : [{ // Adjudication totals
    "category" : { CodeableConcept }, // R!  Type of adjudication information
    "amount" : { Money } // R!  Financial total for the category
  }],
  "payment" : { // Payment Details
    "type" : { CodeableConcept }, // Partial or complete payment
    "adjustment" : { Money }, // Payment adjustment for non-claim issues
    "adjustmentReason" : { CodeableConcept }, // Explanation for the variance
    "date" : "<date>", // Expected date of payment
    "amount" : { Money }, // Payable amount after adjustment
    "identifier" : { Identifier } // Business identifier for the payment
  },
  "formCode" : { CodeableConcept }, // Printed form identifier
  "form" : { Attachment }, // Printed reference or actual form
  "processNote" : [{ // Note concerning adjudication
    "number" : "<positiveInt>", // Note instance identifier
    "type" : "<code>", // display | print | printoper
    "text" : "<string>", // Note explanatory text
    "language" : { CodeableConcept } // Language of the text
  }],
  "benefitPeriod" : { Period }, // When the benefits are applicable
  "benefitBalance" : [{ // Balance by Benefit Category
    "category" : { CodeableConcept }, // R!  Benefit classification
    "excluded" : <boolean>, // Excluded from the plan
    "name" : "<string>", // Short name for the benefit
    "description" : "<string>", // Description of the benefit or services covered
    "network" : { CodeableConcept }, // In or out of network
    "unit" : { CodeableConcept }, // Individual or family
    "term" : { CodeableConcept }, // Annual or lifetime
    "financial" : [{ // Benefit Summary
      "type" : { CodeableConcept }, // R!  Benefit classification
      // allowed[x]: Benefits allowed. One of these 3:
      "allowedUnsignedInt" : "<unsignedInt>",
      "allowedString" : "<string>",
      "allowedMoney" : { Money },
      // used[x]: Benefits used. One of these 2:
      "usedUnsignedInt" : "<unsignedInt>"
      "usedMoney" : { Money }
    }]

  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:ExplanationOfBenefit;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root
```

```
# from Resource: .id, .meta, .implicitRules, and .language
# from DomainResource: .text, .contained, .extension, and .modifierExtension
fhir:ExplanationOfBenefit.identifier [ Identifier ], ... ; # 0..* Business Identifier for the resource
fhir:ExplanationOfBenefit.status [ code ]; # 1..1 active | cancelled | draft | entered-in-error
fhir:ExplanationOfBenefit.type [ CodeableConcept ]; # 1..1 Category or discipline
fhir:ExplanationOfBenefit.subType [ CodeableConcept ]; # 0..1 More granular claim type
fhir:ExplanationOfBenefit.use [ code ]; # 1..1 claim | preauthorization | predetermination
fhir:ExplanationOfBenefit.patient [ Reference(Patient) ]; # 1..1 The recipient of the products and services
fhir:ExplanationOfBenefit.billablePeriod [ Period ]; # 0..1 Relevant time frame for the claim
fhir:ExplanationOfBenefit.created [ dateTime ]; # 1..1 Response creation date
fhir:ExplanationOfBenefit.enterer [ Reference(Practitioner|PractitionerRole) ]; # 0..1 Author of the claim
fhir:ExplanationOfBenefit.insurer [ Reference(Organization) ]; # 1..1 Party responsible for reimbursement
fhir:ExplanationOfBenefit.provider [ Reference(Practitioner|PractitionerRole|Organization) ]; # 1..1 Party responsible
   for the claim
fhir:ExplanationOfBenefit.priority [ CodeableConcept ]; # 0..1 Desired processing urgency
fhir:ExplanationOfBenefit.fundsReserveRequested [ CodeableConcept ]; # 0..1 For whom to reserve funds
fhir:ExplanationOfBenefit.fundsReserve [ CodeableConcept ]; # 0..1 Funds reserved status
fhir:ExplanationOfBenefit.related [ # 0..* Prior or corollary claims
  fhir:ExplanationOfBenefit.related.claim [ Reference(Claim) ]; # 0..1 Reference to the related claim
  fhir:ExplanationOfBenefit.related.relationship [ CodeableConcept ]; # 0..1 How the reference claim is related
  fhir:ExplanationOfBenefit.related.reference [ Identifier ]; # 0..1 File or case reference
], ...;
fhir:ExplanationOfBenefit.prescription [ Reference(MedicationRequest|VisionPrescription) ]; # 0..1 Prescription
  authorizing services or products
fhir:ExplanationOfBenefit.originalPrescription [ Reference(MedicationRequest) ]; # 0..1 Original prescription if
  superceded by fulfiller
fhir:ExplanationOfBenefit.payee [ # 0..1 Recipient of benefits payable
  fhir:ExplanationOfBenefit.payee.type [ CodeableConcept ]; # 0..1 Category of recipient
  fhir:ExplanationOfBenefit.payee.party [ Reference(Practitioner|PractitionerRole|Organization|Patient|RelatedPerson)
  ]; # 0..1 Recipient reference
];
fhir:ExplanationOfBenefit.referral [ Reference(ServiceRequest) ]; # 0..1 Treatment Referral
fhir:ExplanationOfBenefit.facility [ Reference(Location) ]; # 0..1 Servicing Facility
fhir:ExplanationOfBenefit.claim [ Reference(Claim) ]; # 0..1 Claim reference
fhir:ExplanationOfBenefit.claimResponse [ Reference(ClaimResponse) ]; # 0..1 Claim response reference
fhir:ExplanationOfBenefit.outcome [ code ]; # 1..1 queued | complete | error | partial
fhir:ExplanationOfBenefit.disposition [ string ]; # 0..1 Disposition Message
fhir:ExplanationOfBenefit.preAuthRef [ string ], ... ; # 0..* Preauthorization reference
fhir:ExplanationOfBenefit.preAuthRefPeriod [ Period ], ... ; # 0..* Preauthorization in-effect period
fhir:ExplanationOfBenefit.careTeam [ # 0..* Care Team members
  fhir:ExplanationOfBenefit.careTeam.sequence [ positiveInt ]; # 1..1 Order of care team
  fhir:ExplanationOfBenefit.careTeam.provider [ Reference(Practitioner|PractitionerRole|Organization) ]; # 1..1
  Practitioner or organization
  fhir:ExplanationOfBenefit.careTeam.responsible [ boolean ]; # 0..1 Indicator of the lead practitioner
  fhir:ExplanationOfBenefit.careTeam.role [ CodeableConcept ]; # 0..1 Function within the team
  fhir:ExplanationOfBenefit.careTeam.qualification [ CodeableConcept ]; # 0..1 Practitioner credential or
  specialization
], ...;
fhir:ExplanationOfBenefit.supportingInfo [ # 0..* Supporting information
  fhir:ExplanationOfBenefit.supportingInfo.sequence [ positiveInt ]; # 1..1 Information instance identifier
  fhir:ExplanationOfBenefit.supportingInfo.category [ CodeableConcept ]; # 1..1 Classification of the supplied
  information
  fhir:ExplanationOfBenefit.supportingInfo.code [ CodeableConcept ]; # 0..1 Type of information
  # ExplanationOfBenefit.supportingInfo.timing[x] : 0..1 When it occurred. One of these 2
    fhir:ExplanationOfBenefit.supportingInfo.timingDate [ date ]
    fhir:ExplanationOfBenefit.supportingInfo.timingPeriod [ Period ]
  # ExplanationOfBenefit.supportingInfo.value[x] : 0..1 Data to be provided. One of these 5
    fhir:ExplanationOfBenefit.supportingInfo.valueBoolean [ boolean ]
    fhir:ExplanationOfBenefit.supportingInfo.valueString [ string ]
    fhir:ExplanationOfBenefit.supportingInfo.valueQuantity [ Quantity ]
    fhir:ExplanationOfBenefit.supportingInfo.valueAttachment [ Attachment ]
    fhir:ExplanationOfBenefit.supportingInfo.valueReference [ Reference(Any) ]
  fhir:ExplanationOfBenefit.supportingInfo.reason [ Coding ]; # 0..1 Explanation for the information
], ...;
fhir:ExplanationOfBenefit.diagnosis [ # 0..* Pertinent diagnosis information
  fhir:ExplanationOfBenefit.diagnosis.sequence [ positiveInt ]; # 1..1 Diagnosis instance identifier
  # ExplanationOfBenefit.diagnosis.diagnosis[x] : 1..1 Nature of illness or problem. One of these 2
    fhir:ExplanationOfBenefit.diagnosis.diagnosisCodeableConcept [ CodeableConcept ]
    fhir:ExplanationOfBenefit.diagnosis.diagnosisReference [ Reference(Condition) ]
  fhir:ExplanationOfBenefit.diagnosis.type [ CodeableConcept ], ... ; # 0..* Timing or nature of the diagnosis
  fhir:ExplanationOfBenefit.diagnosis.onAdmission [ CodeableConcept ]; # 0..1 Present on admission
  fhir:ExplanationOfBenefit.diagnosis.packageCode [ CodeableConcept ]; # 0..1 Package billing code
], ...;
fhir:ExplanationOfBenefit.procedure [ # 0..* Clinical procedures performed
  fhir:ExplanationOfBenefit.procedure.sequence [ positiveInt ]; # 1..1 Procedure instance identifier
  fhir:ExplanationOfBenefit.procedure.type [ CodeableConcept ], ... ; # 0..* Category of Procedure
  fhir:ExplanationOfBenefit.procedure.date [ dateTime ]; # 0..1 When the procedure was performed
  # ExplanationOfBenefit.procedure.procedure[x] : 1..1 Specific clinical procedure. One of these 2
    fhir:ExplanationOfBenefit.procedure.procedureCodeableConcept [ CodeableConcept ]
    fhir:ExplanationOfBenefit.procedure.procedureReference [ Reference(Procedure) ]
  fhir:ExplanationOfBenefit.procedure.udi [ Reference(Device) ], ... ; # 0..* Unique device identifier
], ...;
fhir:ExplanationOfBenefit.precedence [ positiveInt ]; # 0..1 Precedence (primary, secondary, etc.)
fhir:ExplanationOfBenefit.insurance [ # 1..* Patient insurance information
  fhir:ExplanationOfBenefit.insurance.focal [ boolean ]; # 1..1 Coverage to be used for adjudication
  fhir:ExplanationOfBenefit.insurance.coverage [ Reference(Coverage) ]; # 1..1 Insurance information
  fhir:ExplanationOfBenefit.insurance.preAuthRef [ string ], ... ; # 0..* Prior authorization reference number
], ...;
fhir:ExplanationOfBenefit.accident [ # 0..1 Details of the event
```

```
  fhir:ExplanationOfBenefit.accident.date [ date ]; # 0..1 When the incident occurred
  fhir:ExplanationOfBenefit.accident.type [ CodeableConcept ]; # 0..1 The nature of the accident
  # ExplanationOfBenefit.accident.location[x] : 0..1 Where the event occurred. One of these 2
    fhir:ExplanationOfBenefit.accident.locationAddress [ Address ]
    fhir:ExplanationOfBenefit.accident.locationReference [ Reference(Location) ]
];
fhir:ExplanationOfBenefit.item [ # 0..* Product or service provided
  fhir:ExplanationOfBenefit.item.sequence [ positiveInt ]; # 1..1 Item instance identifier
  fhir:ExplanationOfBenefit.item.careTeamSequence [ positiveInt ], ... ; # 0..* Applicable care team members
  fhir:ExplanationOfBenefit.item.diagnosisSequence [ positiveInt ], ... ; # 0..* Applicable diagnoses
  fhir:ExplanationOfBenefit.item.procedureSequence [ positiveInt ], ... ; # 0..* Applicable procedures
  fhir:ExplanationOfBenefit.item.informationSequence [ positiveInt ], ... ; # 0..* Applicable exception and supporting
   information
  fhir:ExplanationOfBenefit.item.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
  fhir:ExplanationOfBenefit.item.category [ CodeableConcept ]; # 0..1 Benefit classification
  fhir:ExplanationOfBenefit.item.productOrService [ CodeableConcept ]; # 1..1 Billing, service, product, or drug code
  fhir:ExplanationOfBenefit.item.modifier [ CodeableConcept ], ... ; # 0..* Product or service billing modifiers
  fhir:ExplanationOfBenefit.item.programCode [ CodeableConcept ], ... ; # 0..* Program the product or service is
  provided under
  # ExplanationOfBenefit.item.serviced[x] : 0..1 Date or dates of service or product delivery. One of these 2
    fhir:ExplanationOfBenefit.item.servicedDate [ date ]
    fhir:ExplanationOfBenefit.item.servicedPeriod [ Period ]
  # ExplanationOfBenefit.item.location[x] : 0..1 Place of service or where product was supplied. One of these 3
    fhir:ExplanationOfBenefit.item.locationCodeableConcept [ CodeableConcept ]
    fhir:ExplanationOfBenefit.item.locationAddress [ Address ]
    fhir:ExplanationOfBenefit.item.locationReference [ Reference(Location) ]
  fhir:ExplanationOfBenefit.item.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of products or services
  fhir:ExplanationOfBenefit.item.unitPrice [ Money ]; # 0..1 Fee, charge or cost per item
  fhir:ExplanationOfBenefit.item.factor [ decimal ]; # 0..1 Price scaling factor
  fhir:ExplanationOfBenefit.item.net [ Money ]; # 0..1 Total item cost
  fhir:ExplanationOfBenefit.item.udi [ Reference(Device) ], ... ; # 0..* Unique device identifier
  fhir:ExplanationOfBenefit.item.bodySite [ CodeableConcept ]; # 0..1 Anatomical location
  fhir:ExplanationOfBenefit.item.subSite [ CodeableConcept ], ... ; # 0..* Anatomical sub-location
  fhir:ExplanationOfBenefit.item.encounter [ Reference(Encounter) ], ... ; # 0..* Encounters related to this billed
  item
  fhir:ExplanationOfBenefit.item.noteNumber [ positiveInt ], ... ; # 0..* Applicable note numbers
  fhir:ExplanationOfBenefit.item.adjudication [ # 0..* Adjudication details
    fhir:ExplanationOfBenefit.item.adjudication.category [ CodeableConcept ]; # 1..1 Type of adjudication information
    fhir:ExplanationOfBenefit.item.adjudication.reason [ CodeableConcept ]; # 0..1 Explanation of adjudication outcome
    fhir:ExplanationOfBenefit.item.adjudication.amount [ Money ]; # 0..1 Monetary amount
    fhir:ExplanationOfBenefit.item.adjudication.value [ decimal ]; # 0..1 Non-monitary value
  ], ...;
  fhir:ExplanationOfBenefit.item.detail [ # 0..* Additional items
    fhir:ExplanationOfBenefit.item.detail.sequence [ positiveInt ]; # 1..1 Product or service provided
    fhir:ExplanationOfBenefit.item.detail.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
    fhir:ExplanationOfBenefit.item.detail.category [ CodeableConcept ]; # 0..1 Benefit classification
    fhir:ExplanationOfBenefit.item.detail.productOrService [ CodeableConcept ]; # 1..1 Billing, service, product, or
  drug code
    fhir:ExplanationOfBenefit.item.detail.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing modifiers
    fhir:ExplanationOfBenefit.item.detail.programCode [ CodeableConcept ], ... ; # 0..* Program the product or service
   is provided under
    fhir:ExplanationOfBenefit.item.detail.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of products or services
    fhir:ExplanationOfBenefit.item.detail.unitPrice [ Money ]; # 0..1 Fee, charge or cost per item
    fhir:ExplanationOfBenefit.item.detail.factor [ decimal ]; # 0..1 Price scaling factor
    fhir:ExplanationOfBenefit.item.detail.net [ Money ]; # 0..1 Total item cost
    fhir:ExplanationOfBenefit.item.detail.udi [ Reference(Device) ], ... ; # 0..* Unique device identifier
    fhir:ExplanationOfBenefit.item.detail.noteNumber [ positiveInt ], ... ; # 0..* Applicable note numbers
    fhir:ExplanationOfBenefit.item.detail.adjudication [ See ExplanationOfBenefit.item.adjudication ], ... ; # 0..*
  Detail level adjudication details
    fhir:ExplanationOfBenefit.item.detail.subDetail [ # 0..* Additional items
      fhir:ExplanationOfBenefit.item.detail.subDetail.sequence [ positiveInt ]; # 1..1 Product or service provided
      fhir:ExplanationOfBenefit.item.detail.subDetail.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
      fhir:ExplanationOfBenefit.item.detail.subDetail.category [ CodeableConcept ]; # 0..1 Benefit classification
      fhir:ExplanationOfBenefit.item.detail.subDetail.productOrService [ CodeableConcept ]; # 1..1 Billing, service,
  product, or drug code
      fhir:ExplanationOfBenefit.item.detail.subDetail.modifier [ CodeableConcept ], ... ; # 0..* Service/Product
  billing modifiers
      fhir:ExplanationOfBenefit.item.detail.subDetail.programCode [ CodeableConcept ], ... ; # 0..* Program the
  product or service is provided under
      fhir:ExplanationOfBenefit.item.detail.subDetail.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of products
  or services
      fhir:ExplanationOfBenefit.item.detail.subDetail.unitPrice [ Money ]; # 0..1 Fee, charge or cost per item
      fhir:ExplanationOfBenefit.item.detail.subDetail.factor [ decimal ]; # 0..1 Price scaling factor
      fhir:ExplanationOfBenefit.item.detail.subDetail.net [ Money ]; # 0..1 Total item cost
      fhir:ExplanationOfBenefit.item.detail.subDetail.udi [ Reference(Device) ], ... ; # 0..* Unique device identifier
      fhir:ExplanationOfBenefit.item.detail.subDetail.noteNumber [ positiveInt ], ... ; # 0..* Applicable note numbers
      fhir:ExplanationOfBenefit.item.detail.subDetail.adjudication [ See ExplanationOfBenefit.item.adjudication ], ...
   ; # 0..* Subdetail level adjudication details
    ], ...;
  ], ...;
], ...;
fhir:ExplanationOfBenefit.addItem [ # 0..* Insurer added line items
  fhir:ExplanationOfBenefit.addItem.itemSequence [ positiveInt ], ... ; # 0..* Item sequence number
  fhir:ExplanationOfBenefit.addItem.detailSequence [ positiveInt ], ... ; # 0..* Detail sequence number
  fhir:ExplanationOfBenefit.addItem.subDetailSequence [ positiveInt ], ... ; # 0..* Subdetail sequence number
  fhir:ExplanationOfBenefit.addItem.provider [ Reference(Practitioner|PractitionerRole|Organization) ], ... ; # 0..*
  Authorized providers
  fhir:ExplanationOfBenefit.addItem.productOrService [ CodeableConcept ]; # 1..1 Billing, service, product, or drug
  code
```

```
  fhir:ExplanationOfBenefit.addItem.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing modifiers
  fhir:ExplanationOfBenefit.addItem.programCode [ CodeableConcept ], ... ; # 0..* Program the product or service is
  provided under
  # ExplanationOfBenefit.addItem.serviced[x] : 0..1 Date or dates of service or product delivery. One of these 2
    fhir:ExplanationOfBenefit.addItem.servicedDate [ date ]
    fhir:ExplanationOfBenefit.addItem.servicedPeriod [ Period ]
  # ExplanationOfBenefit.addItem.location[x] : 0..1 Place of service or where product was supplied. One of these 3
    fhir:ExplanationOfBenefit.addItem.locationCodeableConcept [ CodeableConcept ]
    fhir:ExplanationOfBenefit.addItem.locationAddress [ Address ]
    fhir:ExplanationOfBenefit.addItem.locationReference [ Reference(Location) ]
  fhir:ExplanationOfBenefit.addItem.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of products or services
  fhir:ExplanationOfBenefit.addItem.unitPrice [ Money ]; # 0..1 Fee, charge or cost per item
  fhir:ExplanationOfBenefit.addItem.factor [ decimal ]; # 0..1 Price scaling factor
  fhir:ExplanationOfBenefit.addItem.net [ Money ]; # 0..1 Total item cost
  fhir:ExplanationOfBenefit.addItem.bodySite [ CodeableConcept ]; # 0..1 Anatomical location
  fhir:ExplanationOfBenefit.addItem.subSite [ CodeableConcept ], ... ; # 0..* Anatomical sub-location
  fhir:ExplanationOfBenefit.addItem.noteNumber [ positiveInt ], ... ; # 0..* Applicable note numbers
  fhir:ExplanationOfBenefit.addItem.adjudication [ See ExplanationOfBenefit.item.adjudication ], ... ; # 0..* Added
  items adjudication
  fhir:ExplanationOfBenefit.addItem.detail [ # 0..* Insurer added line items
    fhir:ExplanationOfBenefit.addItem.detail.productOrService [ CodeableConcept ]; # 1..1 Billing, service, product,
  or drug code
    fhir:ExplanationOfBenefit.addItem.detail.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing
  modifiers
    fhir:ExplanationOfBenefit.addItem.detail.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of products or
  services
    fhir:ExplanationOfBenefit.addItem.detail.unitPrice [ Money ]; # 0..1 Fee, charge or cost per item
    fhir:ExplanationOfBenefit.addItem.detail.factor [ decimal ]; # 0..1 Price scaling factor
    fhir:ExplanationOfBenefit.addItem.detail.net [ Money ]; # 0..1 Total item cost
    fhir:ExplanationOfBenefit.addItem.detail.noteNumber [ positiveInt ], ... ; # 0..* Applicable note numbers
    fhir:ExplanationOfBenefit.addItem.detail.adjudication [ See ExplanationOfBenefit.item.adjudication ], ... ; # 0..*
   Added items adjudication
    fhir:ExplanationOfBenefit.addItem.detail.subDetail [ # 0..* Insurer added line items
      fhir:ExplanationOfBenefit.addItem.detail.subDetail.productOrService [ CodeableConcept ]; # 1..1 Billing,
  service, product, or drug code
      fhir:ExplanationOfBenefit.addItem.detail.subDetail.modifier [ CodeableConcept ], ... ; # 0..* Service/Product
  billing modifiers
      fhir:ExplanationOfBenefit.addItem.detail.subDetail.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of
  products or services
      fhir:ExplanationOfBenefit.addItem.detail.subDetail.unitPrice [ Money ]; # 0..1 Fee, charge or cost per item
      fhir:ExplanationOfBenefit.addItem.detail.subDetail.factor [ decimal ]; # 0..1 Price scaling factor
      fhir:ExplanationOfBenefit.addItem.detail.subDetail.net [ Money ]; # 0..1 Total item cost
      fhir:ExplanationOfBenefit.addItem.detail.subDetail.noteNumber [ positiveInt ], ... ; # 0..* Applicable note
  numbers
      fhir:ExplanationOfBenefit.addItem.detail.subDetail.adjudication [ See ExplanationOfBenefit.item.adjudication ],
  ... ; # 0..* Added items adjudication
    ], ...;
  ], ...;
], ...;
fhir:ExplanationOfBenefit.adjudication [ See ExplanationOfBenefit.item.adjudication ], ... ; # 0..* Header-level
  adjudication
fhir:ExplanationOfBenefit.total [ # 0..* Adjudication totals
  fhir:ExplanationOfBenefit.total.category [ CodeableConcept ]; # 1..1 Type of adjudication information
  fhir:ExplanationOfBenefit.total.amount [ Money ]; # 1..1 Financial total for the category
], ...;
fhir:ExplanationOfBenefit.payment [ # 0..1 Payment Details
  fhir:ExplanationOfBenefit.payment.type [ CodeableConcept ]; # 0..1 Partial or complete payment
  fhir:ExplanationOfBenefit.payment.adjustment [ Money ]; # 0..1 Payment adjustment for non-claim issues
  fhir:ExplanationOfBenefit.payment.adjustmentReason [ CodeableConcept ]; # 0..1 Explanation for the variance
  fhir:ExplanationOfBenefit.payment.date [ date ]; # 0..1 Expected date of payment
  fhir:ExplanationOfBenefit.payment.amount [ Money ]; # 0..1 Payable amount after adjustment
  fhir:ExplanationOfBenefit.payment.identifier [ Identifier ]; # 0..1 Business identifier for the payment
];
fhir:ExplanationOfBenefit.formCode [ CodeableConcept ]; # 0..1 Printed form identifier
fhir:ExplanationOfBenefit.form [ Attachment ]; # 0..1 Printed reference or actual form
fhir:ExplanationOfBenefit.processNote [ # 0..* Note concerning adjudication
  fhir:ExplanationOfBenefit.processNote.number [ positiveInt ]; # 0..1 Note instance identifier
  fhir:ExplanationOfBenefit.processNote.type [ code ]; # 0..1 display | print | printoper
  fhir:ExplanationOfBenefit.processNote.text [ string ]; # 0..1 Note explanatory text
  fhir:ExplanationOfBenefit.processNote.language [ CodeableConcept ]; # 0..1 Language of the text
], ...;
fhir:ExplanationOfBenefit.benefitPeriod [ Period ]; # 0..1 When the benefits are applicable
fhir:ExplanationOfBenefit.benefitBalance [ # 0..* Balance by Benefit Category
  fhir:ExplanationOfBenefit.benefitBalance.category [ CodeableConcept ]; # 1..1 Benefit classification
  fhir:ExplanationOfBenefit.benefitBalance.excluded [ boolean ]; # 0..1 Excluded from the plan
  fhir:ExplanationOfBenefit.benefitBalance.name [ string ]; # 0..1 Short name for the benefit
  fhir:ExplanationOfBenefit.benefitBalance.description [ string ]; # 0..1 Description of the benefit or services
  covered
  fhir:ExplanationOfBenefit.benefitBalance.network [ CodeableConcept ]; # 0..1 In or out of network
  fhir:ExplanationOfBenefit.benefitBalance.unit [ CodeableConcept ]; # 0..1 Individual or family
  fhir:ExplanationOfBenefit.benefitBalance.term [ CodeableConcept ]; # 0..1 Annual or lifetime
  fhir:ExplanationOfBenefit.benefitBalance.financial [ # 0..* Benefit Summary
    fhir:ExplanationOfBenefit.benefitBalance.financial.type [ CodeableConcept ]; # 1..1 Benefit classification
    # ExplanationOfBenefit.benefitBalance.financial.allowed[x] : 0..1 Benefits allowed. One of these 3
      fhir:ExplanationOfBenefit.benefitBalance.financial.allowedUnsignedInt [ unsignedInt ]
      fhir:ExplanationOfBenefit.benefitBalance.financial.allowedString [ string ]
      fhir:ExplanationOfBenefit.benefitBalance.financial.allowedMoney [ Money ]
    # ExplanationOfBenefit.benefitBalance.financial.used[x] : 0..1 Benefits used. One of these 2
      fhir:ExplanationOfBenefit.benefitBalance.financial.usedUnsignedInt [ unsignedInt ]
```

```
        fhir:ExplanationOfBenefit.benefitBalance.financial.usedMoney [ Money ]
    ], ...;
  ], ...;
]
```

Changes since Release 3

ExplanationOfBenefit

ExplanationOfBenefit.status | Min Cardinality changed from 0 to 1 Change value set from http://hl7.org/fhir/ValueSet/explanationofbenefit-status to http://hl7.org/fhir/ValueSet/explanationofbenefit-status|4.0.1

ExplanationOfBenefit.type | Min Cardinality changed from 0 to 1 Change binding strength from required to extensible

ExplanationOfBenefit.subType | Max Cardinality changed from * to 1

ExplanationOfBenefit.use | Added Mandatory Element

ExplanationOfBenefit.patient | Min Cardinality changed from 0 to 1

ExplanationOfBenefit.created | Min Cardinality changed from 0 to 1

ExplanationOfBenefit.enterer | Type Reference: Added Target Type PractitionerRole

ExplanationOfBenefit.insurer | Min Cardinality changed from 0 to 1

ExplanationOfBenefit.provider | Min Cardinality changed from 0 to 1 Type Reference: Added Target Types PractitionerRole, Organization

ExplanationOfBenefit.priority | Added Element

ExplanationOfBenefit.fundsReserveRequested | Added Element

ExplanationOfBenefit.fundsReserve | Added Element

ExplanationOfBenefit.payee.party | Type Reference: Added Target Type PractitionerRole

ExplanationOfBenefit.referral | Type Reference: Added Target Type ServiceRequest Type Reference: Removed Target Type ReferralRequest

ExplanationOfBenefit.outcome | Min Cardinality changed from 0 to 1 Type changed from CodeableConcept to code Add Binding http://hl7.org/fhir/ValueSet/remittance-outcome|4.0.1 (required)

ExplanationOfBenefit.preAuthRef | Added Element

ExplanationOfBenefit.preAuthRefPeriod | Added Element

ExplanationOfBenefit.careTeam.provider | Type Reference: Added Target Type PractitionerRole

ExplanationOfBenefit.supportingInfo | Renamed from information to supportingInfo

ExplanationOfBenefit.supportingInfo.sequence | Moved from ExplanationOfBenefit.information to ExplanationOfBenefit.supportingInfo

ExplanationOfBenefit.supportingInfo.category | Moved from ExplanationOfBenefit.information to ExplanationOfBenefit.supportingInfo

ExplanationOfBenefit.supportingInfo.code | Moved from ExplanationOfBenefit.information to ExplanationOfBenefit.supportingInfo

ExplanationOfBenefit.supportingInfo.timing[x] | Moved from ExplanationOfBenefit.information to ExplanationOfBenefit.supportingInfo

ExplanationOfBenefit.supportingInfo.value[x] | Moved from ExplanationOfBenefit.information to ExplanationOfBenefit.supportingInfo Add Type boolean

ExplanationOfBenefit.supportingInfo.reason | Moved from ExplanationOfBenefit.information to ExplanationOfBenefit.supportingInfo

ExplanationOfBenefit.diagnosis.onAdmission | Added Element

ExplanationOfBenefit.procedure.type | Added Element

ExplanationOfBenefit.procedure.udi | Added Element

ExplanationOfBenefit.insurance | Min Cardinality changed from 0 to 1 Max Cardinality changed from 1 to *

ExplanationOfBenefit.insurance.focal | Added Mandatory Element

ExplanationOfBenefit.insurance.coverage | Min Cardinality changed from 0 to 1

ExplanationOfBenefit.accident.type | Change binding strength from required to extensible

ExplanationOfBenefit.item.careTeamSequence | Renamed from careTeamLinkId to careTeamSequence

ExplanationOfBenefit.item.diagnosisSequence | Renamed from diagnosisLinkId to diagnosisSequence

ExplanationOfBenefit.item.procedureSequence | Renamed from procedureLinkId to procedureSequence

ExplanationOfBenefit.item.informationSequence | Renamed from informationLinkId to informationSequence

ExplanationOfBenefit.item.productOrService | Renamed from service to productOrService Min Cardinality changed from 0 to 1

ExplanationOfBenefit.item.detail.productOrService | Renamed from service to productOrService Min Cardinality changed from 0 to 1

ExplanationOfBenefit.item.detail.subDetail.productOrService | Renamed from service to productOrService Min Cardinality changed from 0 to 1

ExplanationOfBenefit.addItem.itemSequence | Renamed from sequenceLinkId to itemSequence

ExplanationOfBenefit.addItem.detailSequence | Added Element

ExplanationOfBenefit.addItem.subDetailSequence | Added Element

ExplanationOfBenefit.addItem.provider | Added Element

ExplanationOfBenefit.addItem.productOrService | Renamed from service to productOrService Min Cardinality changed from 0 to 1

ExplanationOfBenefit.addItem.programCode | Added Element

ExplanationOfBenefit.addItem.serviced[x] | Added Element

ExplanationOfBenefit.addItem.location[x] | Added Element

ExplanationOfBenefit.addItem.quantity | Added Element

ExplanationOfBenefit.addItem.unitPrice | Added Element

ExplanationOfBenefit.addItem.factor | Added Element

ExplanationOfBenefit.addItem.net | Renamed from fee to net

ExplanationOfBenefit.addItem.bodySite | Added Element

ExplanationOfBenefit.addItem.subSite | Added Element

ExplanationOfBenefit.addItem.detail.productOrService | Renamed from service to productOrService Min Cardinality changed from 0 to 1

ExplanationOfBenefit.addItem.detail.quantity | Added Element

ExplanationOfBenefit.addItem.detail.unitPrice | Added Element
ExplanationOfBenefit.addItem.detail.factor | Added Element
ExplanationOfBenefit.addItem.detail.net | Renamed from fee to net
ExplanationOfBenefit.addItem.detail.subDetail | Added Element
ExplanationOfBenefit.addItem.detail.subDetail.productOrService | Added Mandatory Element
ExplanationOfBenefit.addItem.detail.subDetail.modifier | Added Element
ExplanationOfBenefit.addItem.detail.subDetail.quantity | Added Element
ExplanationOfBenefit.addItem.detail.subDetail.unitPrice | Added Element
ExplanationOfBenefit.addItem.detail.subDetail.factor | Added Element
ExplanationOfBenefit.addItem.detail.subDetail.net | Added Element
ExplanationOfBenefit.addItem.detail.subDetail.noteNumber | Added Element
ExplanationOfBenefit.addItem.detail.subDetail.adjudication | Added Element
ExplanationOfBenefit.adjudication | Added Element
ExplanationOfBenefit.total | Added Element
ExplanationOfBenefit.total.category | Added Mandatory Element
ExplanationOfBenefit.total.amount | Added Mandatory Element
ExplanationOfBenefit.formCode | Added Element
ExplanationOfBenefit.form | Type changed from CodeableConcept to Attachment
ExplanationOfBenefit.processNote.type | Type changed from CodeableConcept to code Change value set from http://hl7.org/fhir/ValueSet/note-type to http://hl7.org/fhir/ValueSet/note-type|4.0.1
ExplanationOfBenefit.processNote.language | Change binding strength from extensible to preferred
ExplanationOfBenefit.benefitPeriod | Added Element
ExplanationOfBenefit.organization | deleted
ExplanationOfBenefit.payee.resourceType | deleted
ExplanationOfBenefit.employmentImpacted | deleted
ExplanationOfBenefit.hospitalization | deleted
ExplanationOfBenefit.item.detail.type | deleted
ExplanationOfBenefit.item.detail.subDetail.type | deleted
ExplanationOfBenefit.addItem.revenue | deleted
ExplanationOfBenefit.addItem.category | deleted
ExplanationOfBenefit.addItem.detail.revenue | deleted
ExplanationOfBenefit.addItem.detail.category | deleted
ExplanationOfBenefit.totalCost | deleted
ExplanationOfBenefit.unallocDeductable | deleted
ExplanationOfBenefit.totalBenefit | deleted
ExplanationOfBenefit.benefitBalance.subCategory | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R3 <--> R4 Conversion Maps (status = 1 test that all execute ok. 1 fail round-trip testing and 1 r3 resources are invalid (0 errors).)

See the Profiles & Extensions and the alternate definitions: Master Definition XML + JSON, XML Schema/Schematron + JSON Schema, ShEx (for Turtle) + see the extensions & the dependency analysis

13.10.3.1 Terminology Bindings

Path | Definition | Type | Reference
ExplanationOfBenefit.status | A code specifying the state of the resource instance. | Required | ExplanationOfBenefitStatus
ExplanationOfBenefit.type | The type or discipline-style of the claim. | Extensible | ClaimTypeCodes
ExplanationOfBenefit.subType | A more granular claim typecode. | Example | ExampleClaimSubTypeCodes
ExplanationOfBenefit.use | Complete, proposed, exploratory, other. | Required | Use
ExplanationOfBenefit.priority | The timeliness with which processing is required: stat, normal, deferred. | Example | http://terminology.hl7.org/CodeSystem/processpriority
ExplanationOfBenefit.fundsReserveRequested ExplanationOfBenefit.fundsReserve | For whom funds are to be reserved: (Patient, Provider, None). | Example | Funds Reservation Codes
ExplanationOfBenefit.related.relationship | Relationship of this claim to a related Claim. | Example | ExampleRelatedClaimRelationshipCodes
ExplanationOfBenefit.payee.type | A code for the party to be reimbursed. | Example | Claim Payee Type Codes
ExplanationOfBenefit.outcome | The result of the claim processing. | Required | ClaimProcessingCodes
ExplanationOfBenefit.careTeam.role | The role codes for the care team members. | Example | ClaimCareTeamRoleCodes
ExplanationOfBenefit.careTeam.qualification | Provider professional qualifications. | Example | ExampleProviderQualificationCodes
ExplanationOfBenefit.supportingInfo.category | The valuset used for additional information category codes. | Example | ClaimInformationCategoryCodes
ExplanationOfBenefit.supportingInfo.code | The valuset used for additional information codes. | Example | ExceptionCodes
ExplanationOfBenefit.supportingInfo.reason | Reason codes for the missing teeth. | Example | MissingToothReasonCodes
ExplanationOfBenefit.diagnosis.diagnosis[x] | ICD10 Diagnostic codes. | Example | ICD-10Codes
ExplanationOfBenefit.diagnosis.type | The type of the diagnosis: admitting, principal, discharge. | Example | ExampleDiagnosisTypeCodes
ExplanationOfBenefit.diagnosis.onAdmission | Present on admission. | Example | ExampleDiagnosisOnAdmissionCodes
ExplanationOfBenefit.diagnosis.packageCode | The DRG codes associated with the diagnosis. | Example | ExampleDiagnosisRelatedGroupCodes
ExplanationOfBenefit.procedure.type | Example procedure type codes. | Example | ExampleProcedureTypeCodes
ExplanationOfBenefit.procedure.procedure[x] | ICD10 Procedure codes. | Example | ICD-10ProcedureCodes

ExplanationOfBenefit.accident.type | Type of accident: work place, auto, etc. | Extensible | v3.ActIncidentCode
ExplanationOfBenefit.item.revenue ExplanationOfBenefit.item.detail.revenue ExplanationOfBenefit.item.detail.subDetail.revenue | Codes for the revenue or cost centers supplying the service and/or products. | Example | ExampleRevenueCenterCodes
ExplanationOfBenefit.item.category ExplanationOfBenefit.item.detail.category
ExplanationOfBenefit.item.detail.subDetail.category ExplanationOfBenefit.benefitBalance.category | Benefit categories such as: oral, medical, vision, oral-basic etc. | Example | BenefitCategoryCodes
ExplanationOfBenefit.item.productOrService ExplanationOfBenefit.item.detail.productOrService
ExplanationOfBenefit.item.detail.subDetail.productOrService ExplanationOfBenefit.addItem.productOrService
ExplanationOfBenefit.addItem.detail.productOrService ExplanationOfBenefit.addItem.detail.subDetail.productOrService | Allowable service and product codes. | Example | USCLSCodes
ExplanationOfBenefit.item.modifier ExplanationOfBenefit.item.detail.modifier ExplanationOfBenefit.item.detail.subDetail.modifier
ExplanationOfBenefit.addItem.modifier ExplanationOfBenefit.addItem.detail.modifier
ExplanationOfBenefit.addItem.detail.subDetail.modifier | Item type or modifiers codes, eg for Oral whether the treatment is cosmetic or associated with TMJ, or an appliance was lost or stolen. | Example | ModifierTypeCodes
ExplanationOfBenefit.item.programCode ExplanationOfBenefit.item.detail.programCode
ExplanationOfBenefit.item.detail.subDetail.programCode ExplanationOfBenefit.addItem.programCode | Program specific reason codes. | Example | ExampleProgramReasonCodes
ExplanationOfBenefit.item.location[x] ExplanationOfBenefit.addItem.location[x] | Place where the service is rendered. | Example | ExampleServicePlaceCodes
ExplanationOfBenefit.item.bodySite ExplanationOfBenefit.addItem.bodySite | The code for the teeth, quadrant, sextant and arch. | Example | OralSiteCodes
ExplanationOfBenefit.item.subSite ExplanationOfBenefit.addItem.subSite | The code for the tooth surface and surface combinations. | Example | SurfaceCodes
ExplanationOfBenefit.item.adjudication.category ExplanationOfBenefit.total.category | The adjudication codes. | Example | AdjudicationValueCodes
ExplanationOfBenefit.item.adjudication.reason | Adjudication reason codes. | Example | AdjudicationReasonCodes
ExplanationOfBenefit.payment.type | The type (partial, complete) of the payment. | Example | ExamplePaymentTypeCodes
ExplanationOfBenefit.payment.adjustmentReason | Payment Adjustment reason codes. | Example | PaymentAdjustmentReasonCodes
ExplanationOfBenefit.formCode | The forms codes. | Example | Form Codes
ExplanationOfBenefit.processNote.type | The presentation types of notes. | Required | NoteType
ExplanationOfBenefit.processNote.language | A human language. | Preferred, but limited to AllLanguages | CommonLanguages
ExplanationOfBenefit.benefitBalance.network | Code to classify in or out of network services. | Example | NetworkTypeCodes
ExplanationOfBenefit.benefitBalance.unit | Unit covered/serviced - individual or family. | Example | UnitTypeCodes
ExplanationOfBenefit.benefitBalance.term | Coverage unit - annual, lifetime. | Example | BenefitTermCodes
ExplanationOfBenefit.benefitBalance.financial.type | Deductable, visits, co-pay, etc. | Example | BenefitTypeCodes

13.10.4 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common
care-team | reference | Member of the CareTeam | ExplanationOfBenefit.careTeam.provider (Practitioner, Organization, PractitionerRole)
claim | reference | The reference to the claim | ExplanationOfBenefit.claim (Claim)
coverage | reference | The plan under which the claim was adjudicated | ExplanationOfBenefit.insurance.coverage (Coverage)
created | date | The creation date for the EOB | ExplanationOfBenefit.created
detail-udi | reference | UDI associated with a line item detail product or service | ExplanationOfBenefit.item.detail.udi (Device)
disposition | string | The contents of the disposition message | ExplanationOfBenefit.disposition
encounter | reference | Encounters associated with a billed line item | ExplanationOfBenefit.item.encounter (Encounter)
enterer | reference | The party responsible for the entry of the Claim | ExplanationOfBenefit.enterer (Practitioner, PractitionerRole)
facility | reference | Facility responsible for the goods and services | ExplanationOfBenefit.facility (Location)
identifier | token | The business identifier of the Explanation of Benefit | ExplanationOfBenefit.identifier
item-udi | reference | UDI associated with a line item product or service | ExplanationOfBenefit.item.udi (Device)
patient | reference | The reference to the patient | ExplanationOfBenefit.patient (Patient)
payee | reference | The party receiving any payment for the Claim | ExplanationOfBenefit.payee.party (Practitioner, Organization, Patient, PractitionerRole, RelatedPerson)
procedure-udi | reference | UDI associated with a procedure | ExplanationOfBenefit.procedure.udi (Device)
provider | reference | The reference to the provider | ExplanationOfBenefit.provider (Practitioner, Organization, PractitionerRole)
status | token | Status of the instance | ExplanationOfBenefit.status
subdetail-udi | reference | UDI associated with a line item detail subdetail product or service | ExplanationOfBenefit.item.detail.subDetail.udi (Device)

13.10.5 Resource ExplanationOfBenefit - Examples

URL: https://hl7.org/fhir/R4/explanationofbenefit-examples.html

13.10.5 Resource ExplanationOfBenefit - Examples

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

Example Name | id | Format
General Person Primary Coverage EOB Example | EB3500 | XML | JSON | Turtle
EOB for an Claim that had errors | EB3501 | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

13.10.6 Resource ExplanationOfBenefit - Detailed Descriptions

URL: https://hl7.org/fhir/R4/explanationofbenefit-definitions.html

13.10.6 Resource ExplanationOfBenefit - Detailed Descriptions

Financial Management Work Group | Maturity Level: 2 | Trial Use | Security Category: Patient | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

Detailed Descriptions for the elements in the ExplanationOfBenefit resource.

ExplanationOfBenefit
Element Id | ExplanationOfBenefit
Definition | This resource provides: the claim details; adjudication details from the processing of a Claim; and optionally account balance information, for informing the subscriber of the benefits provided.
Cardinality | 0..*
Type | DomainResource
Alternate Names | EOB
ExplanationOfBenefit.identifier
Element Id | ExplanationOfBenefit.identifier
Definition | A unique identifier assigned to this explanation of benefit.
Note | This is a business identifier, not a resource identifier (see discussion)
Cardinality | 0..*
Type | Identifier
Requirements | Allows EOBs to be distinguished and referenced.
ExplanationOfBenefit.status
Element Id | ExplanationOfBenefit.status
Definition | The status of the resource instance.
Cardinality | 1..1
Terminology Binding | ExplanationOfBenefitStatus (Required)
Type | code
Is Modifier | true (Reason: This element is labeled as a modifier because it is a status element that contains status entered-in-error which means that the resource should not be treated as valid)
Requirements | Need to track the status of the resource as 'draft' resources may undergo further edits while 'active' resources are immutable and may only have their status changed to 'cancelled'.
Summary | true
Comments | This element is labeled as a modifier because the status contains codes that mark the resource as not currently valid.
ExplanationOfBenefit.type
Element Id | ExplanationOfBenefit.type
Definition | The category of claim, e.g. oral, pharmacy, vision, institutional, professional.
Cardinality | 1..1
Terminology Binding | Claim Type Codes (Extensible)
Type | CodeableConcept
Requirements | Claim type determine the general sets of business rules applied for information requirements and adjudication.
Summary | true
Comments | The majority of jurisdictions use: oral, pharmacy, vision, professional and institutional, or variants on those terms, as the general styles of claims. The valueset is extensible to accommodate other jurisdictional requirements.
ExplanationOfBenefit.subType
Element Id | ExplanationOfBenefit.subType
Definition | A finer grained suite of claim type codes which may convey additional information such as Inpatient vs Outpatient and/or a specialty service.
Cardinality | 0..1
Terminology Binding | Example Claim SubType Codes (Example)
Type | CodeableConcept
Requirements | Some jurisdictions need a finer grained claim type for routing and adjudication.
Comments | This may contain the local bill type codes such as the US UB-04 bill type code.
ExplanationOfBenefit.use
Element Id | ExplanationOfBenefit.use
Definition | A code to indicate whether the nature of the request is: to request adjudication of products and services previously rendered; or requesting authorization and adjudication for provision in the future; or requesting the non-binding adjudication of the listed products and services which could be provided in the future.
Cardinality | 1..1
Terminology Binding | Use (Required)
Type | code
Requirements | This element is required to understand the nature of the request for adjudication.
Summary | true
ExplanationOfBenefit.patient
Element Id | ExplanationOfBenefit.patient
Definition | The party to whom the professional services and/or products have been supplied or are being considered and for whom actual for forecast reimbursement is sought.
Cardinality | 1..1

Type | Reference(Patient)
Requirements | The patient must be supplied to the insurer so that confirmation of coverage and service history may be considered as part of the authorization and/or adjudiction.
Summary | true
ExplanationOfBenefit.billablePeriod
Element Id | ExplanationOfBenefit.billablePeriod
Definition | The period for which charges are being submitted.
Cardinality | 0..1
Type | Period
Requirements | A number jurisdictions required the submission of the billing period when submitting claims for example for hospital stays or long-term care.
Summary | true
Comments | Typically this would be today or in the past for a claim, and today or in the future for preauthorizations and prodeterminations. Typically line item dates of service should fall within the billing period if one is specified.
ExplanationOfBenefit.created
Element Id | ExplanationOfBenefit.created
Definition | The date this resource was created.
Cardinality | 1..1
Type | dateTime
Requirements | Need to record a timestamp for use by both the recipient and the issuer.
Summary | true
Comments | This field is independent of the date of creation of the resource as it may reflect the creation date of a source document prior to digitization. Typically for claims all services must be completed as of this date.
ExplanationOfBenefit.enterer
Element Id | ExplanationOfBenefit.enterer
Definition | Individual who created the claim, predetermination or preauthorization.
Cardinality | 0..1
Type | Reference(Practitioner | PractitionerRole)
Requirements | Some jurisdictions require the contact information for personnel completing claims.
ExplanationOfBenefit.insurer
Element Id | ExplanationOfBenefit.insurer
Definition | The party responsible for authorization, adjudication and reimbursement.
Cardinality | 1..1
Type | Reference(Organization)
Requirements | To be a valid claim, preauthorization or predetermination there must be a party who is responsible for adjudicating the contents against a policy which provides benefits for the patient.
Summary | true
ExplanationOfBenefit.provider
Element Id | ExplanationOfBenefit.provider
Definition | The provider which is responsible for the claim, predetermination or preauthorization.
Cardinality | 1..1
Type | Reference(Practitioner | PractitionerRole | Organization)
Summary | true
Comments | Typically this field would be 1..1 where this party is responsible for the claim but not necessarily professionally responsible for the provision of the individual products and services listed below.
ExplanationOfBenefit.priority
Element Id | ExplanationOfBenefit.priority
Definition | The provider-required urgency of processing the request. Typical values include: stat, routine deferred.
Cardinality | 0..1
Terminology Binding | ProcessPriority :
Type | CodeableConcept
Requirements | The provider may need to indicate their processing requirements so that the processor can indicate if they are unable to comply.
Comments | If a claim processor is unable to complete the processing as per the priority then they should generate and error and not process the request.
ExplanationOfBenefit.fundsReserveRequested
Element Id | ExplanationOfBenefit.fundsReserveRequested
Definition | A code to indicate whether and for whom funds are to be reserved for future claims.
Cardinality | 0..1
Terminology Binding | FundsReserve (Example)
Type | CodeableConcept
Requirements | In the case of a Pre-Determination/Pre-Authorization the provider may request that funds in the amount of the expected Benefit be reserved ('Patient' or 'Provider') to pay for the Benefits determined on the subsequent claim(s). 'None' explicitly indicates no funds reserving is requested.
Alternate Names | Fund pre-allocation
Comments | This field is only used for preauthorizations.
ExplanationOfBenefit.fundsReserve
Element Id | ExplanationOfBenefit.fundsReserve
Definition | A code, used only on a response to a preauthorization, to indicate whether the benefits payable have been reserved and for whom.
Cardinality | 0..1
Terminology Binding | FundsReserve (Example)
Type | CodeableConcept

Requirements | Needed to advise the submitting provider on whether the rquest for reservation of funds has been honored.
Comments | Fund would be release by a future claim quoting the preAuthRef of this response. Examples of values include: provider, patient, none.
ExplanationOfBenefit.related
Element Id | ExplanationOfBenefit.related
Definition | Other claims which are related to this claim such as prior submissions or claims for related services or for the same event.
Cardinality | 0..*
Requirements | For workplace or other accidents it is common to relate separate claims arising from the same event.
Comments | For example, for the original treatment and follow-up exams.
ExplanationOfBenefit.related.claim
Element Id | ExplanationOfBenefit.related.claim
Definition | Reference to a related claim.
Cardinality | 0..1
Type | Reference(Claim)
Requirements | For workplace or other accidents it is common to relate separate claims arising from the same event.
ExplanationOfBenefit.related.relationship
Element Id | ExplanationOfBenefit.related.relationship
Definition | A code to convey how the claims are related.
Cardinality | 0..1
Terminology Binding | Example Related Claim Relationship Codes (Example)
Type | CodeableConcept
Requirements | Some insurers need a declaration of the type of relationship.
Comments | For example, prior claim or umbrella.
ExplanationOfBenefit.related.reference
Element Id | ExplanationOfBenefit.related.reference
Definition | An alternate organizational reference to the case or file to which this particular claim pertains.
Cardinality | 0..1
Type | Identifier
Requirements | In cases where an event-triggered claim is being submitted to an insurer which requires a reference number to be specified on all exchanges.
Comments | For example, Property/Casualty insurer claim number or Workers Compensation case number.
ExplanationOfBenefit.prescription
Element Id | ExplanationOfBenefit.prescription
Definition | Prescription to support the dispensing of pharmacy, device or vision products.
Cardinality | 0..1
Type | Reference(MedicationRequest | VisionPrescription)
Requirements | Required to authorize the dispensing of controlled substances and devices.
ExplanationOfBenefit.originalPrescription
Element Id | ExplanationOfBenefit.originalPrescription
Definition | Original prescription which has been superseded by this prescription to support the dispensing of pharmacy services, medications or products.
Cardinality | 0..1
Type | Reference(MedicationRequest)
Requirements | Often required when a fulfiller varies what is fulfilled from that authorized on the original prescription.
Comments | For example, a physician may prescribe a medication which the pharmacy determines is contraindicated, or for which the patient has an intolerance, and therefor issues a new prescription for an alternate medication which has the same therapeutic intent. The prescription from the pharmacy becomes the 'prescription' and that from the physician becomes the 'original prescription'.
ExplanationOfBenefit.payee
Element Id | ExplanationOfBenefit.payee
Definition | The party to be reimbursed for cost of the products and services according to the terms of the policy.
Cardinality | 0..1
Requirements | The provider needs to specify who they wish to be reimbursed and the claims processor needs express who they will reimburse.
Comments | Often providers agree to receive the benefits payable to reduce the near-term costs to the patient. The insurer may decline to pay the provider and may choose to pay the subscriber instead.
ExplanationOfBenefit.payee.type
Element Id | ExplanationOfBenefit.payee.type
Definition | Type of Party to be reimbursed: Subscriber, provider, other.
Cardinality | 0..1
Terminology Binding | PayeeType (Example)
Type | CodeableConcept
Requirements | Need to know who should receive payment with the most common situations being the Provider (assignment of benefits) or the Subscriber.
ExplanationOfBenefit.payee.party
Element Id | ExplanationOfBenefit.payee.party
Definition | Reference to the individual or organization to whom any payment will be made.
Cardinality | 0..1
Type | Reference(Practitioner | PractitionerRole | Organization | Patient | RelatedPerson)
Requirements | Need to provide demographics if the payee is not 'subscriber' nor 'provider'.
Comments | Not required if the payee is 'subscriber' or 'provider'.
ExplanationOfBenefit.referral

Element Id | ExplanationOfBenefit.referral
Definition | A reference to a referral resource.
Cardinality | 0..1
Type | Reference(ServiceRequest)
Requirements | Some insurers require proof of referral to pay for services or to pay specialist rates for services.
Comments | The referral resource which lists the date, practitioner, reason and other supporting information.
ExplanationOfBenefit.facility
Element Id | ExplanationOfBenefit.facility
Definition | Facility where the services were provided.
Cardinality | 0..1
Type | Reference(Location)
Requirements | Insurance adjudication can be dependant on where services were delivered.
ExplanationOfBenefit.claim
Element Id | ExplanationOfBenefit.claim
Definition | The business identifier for the instance of the adjudication request: claim predetermination or preauthorization.
Cardinality | 0..1
Type | Reference(Claim)
Requirements | To provide a link to the original adjudication request.
ExplanationOfBenefit.claimResponse
Element Id | ExplanationOfBenefit.claimResponse
Definition | The business identifier for the instance of the adjudication response: claim, predetermination or preauthorization response.
Cardinality | 0..1
Type | Reference(ClaimResponse)
Requirements | To provide a link to the original adjudication response.
ExplanationOfBenefit.outcome
Element Id | ExplanationOfBenefit.outcome
Definition | The outcome of the claim, predetermination, or preauthorization processing.
Cardinality | 1..1
Terminology Binding | Claim Processing Codes (Required)
Type | code
Requirements | To advise the requestor of an overall processing outcome.
Summary | true
Comments | The resource may be used to indicate that: the request has been held (queued) for processing; that it has been processed and errors found (error); that no errors were found and that some of the adjudication has been undertaken (partial) or that all of the adjudication has been undertaken (complete).
ExplanationOfBenefit.disposition
Element Id | ExplanationOfBenefit.disposition
Definition | A human readable description of the status of the adjudication.
Cardinality | 0..1
Type | string
Requirements | Provided for user display.
ExplanationOfBenefit.preAuthRef
Element Id | ExplanationOfBenefit.preAuthRef
Definition | Reference from the Insurer which is used in later communications which refers to this adjudication.
Cardinality | 0..*
Type | string
Requirements | On subsequent claims, the insurer may require the provider to quote this value.
Comments | This value is only present on preauthorization adjudications.
ExplanationOfBenefit.preAuthRefPeriod
Element Id | ExplanationOfBenefit.preAuthRefPeriod
Definition | The timeframe during which the supplied preauthorization reference may be quoted on claims to obtain the adjudication as provided.
Cardinality | 0..*
Type | Period
Requirements | On subsequent claims, the insurer may require the provider to quote this value.
Comments | This value is only present on preauthorization adjudications.
ExplanationOfBenefit.careTeam
Element Id | ExplanationOfBenefit.careTeam
Definition | The members of the team who provided the products and services.
Cardinality | 0..*
Requirements | Common to identify the responsible and supporting practitioners.
ExplanationOfBenefit.careTeam.sequence
Element Id | ExplanationOfBenefit.careTeam.sequence
Definition | A number to uniquely identify care team entries.
Cardinality | 1..1
Type | positiveInt
Requirements | Necessary to maintain the order of the care team and provide a mechanism to link individuals to claim details.
ExplanationOfBenefit.careTeam.provider
Element Id | ExplanationOfBenefit.careTeam.provider
Definition | Member of the team who provided the product or service.
Cardinality | 1..1
Type | Reference(Practitioner | PractitionerRole | Organization)

Requirements | Often a regulatory requirement to specify the responsible provider.
ExplanationOfBenefit.careTeam.responsible
Element Id | ExplanationOfBenefit.careTeam.responsible
Definition | The party who is billing and/or responsible for the claimed products or services.
Cardinality | 0..1
Type | boolean
Requirements | When multiple parties are present it is required to distinguish the lead or responsible individual.
Comments | Responsible might not be required when there is only a single provider listed.
ExplanationOfBenefit.careTeam.role
Element Id | ExplanationOfBenefit.careTeam.role
Definition | The lead, assisting or supervising practitioner and their discipline if a multidisciplinary team.
Cardinality | 0..1
Terminology Binding | Claim Care Team Role Codes (Example)
Type | CodeableConcept
Requirements | When multiple parties are present it is required to distinguish the roles performed by each member.
Comments | Role might not be required when there is only a single provider listed.
ExplanationOfBenefit.careTeam.qualification
Element Id | ExplanationOfBenefit.careTeam.qualification
Definition | The qualification of the practitioner which is applicable for this service.
Cardinality | 0..1
Terminology Binding | Example Provider Qualification Codes (Example)
Type | CodeableConcept
Requirements | Need to specify which qualification a provider is delivering the product or service under.
ExplanationOfBenefit.supportingInfo
Element Id | ExplanationOfBenefit.supportingInfo
Definition | Additional information codes regarding exceptions, special considerations, the condition, situation, prior or concurrent issues.
Cardinality | 0..*
Requirements | Typically these information codes are required to support the services rendered or the adjudication of the services rendered.
Comments | Often there are multiple jurisdiction specific valuesets which are required.
ExplanationOfBenefit.supportingInfo.sequence
Element Id | ExplanationOfBenefit.supportingInfo.sequence
Definition | A number to uniquely identify supporting information entries.
Cardinality | 1..1
Type | positiveInt
Requirements | Necessary to maintain the order of the supporting information items and provide a mechanism to link to claim details.
ExplanationOfBenefit.supportingInfo.category
Element Id | ExplanationOfBenefit.supportingInfo.category
Definition | The general class of the information supplied: information; exception; accident, employment; onset, etc.
Cardinality | 1..1
Terminology Binding | Claim Information Category Codes (Example)
Type | CodeableConcept
Requirements | Required to group or associate information items with common characteristics. For example: admission information or prior treatments.
Comments | This may contain a category for the local bill type codes.
ExplanationOfBenefit.supportingInfo.code
Element Id | ExplanationOfBenefit.supportingInfo.code
Definition | System and code pertaining to the specific information regarding special conditions relating to the setting, treatment or patient for which care is sought.
Cardinality | 0..1
Terminology Binding | Exception Codes (Example)
Type | CodeableConcept
Requirements | Required to identify the kind of additional information.
Comments | This may contain the local bill type codes such as the US UB-04 bill type code.
ExplanationOfBenefit.supportingInfo.timing[x]
Element Id | ExplanationOfBenefit.supportingInfo.timing[x]
Definition | The date when or period to which this information refers.
Cardinality | 0..1
Type | date|Period
[x] Note | See Choice of Data Types for further information about how to use [x]
ExplanationOfBenefit.supportingInfo.value[x]
Element Id | ExplanationOfBenefit.supportingInfo.value[x]
Definition | Additional data or information such as resources, documents, images etc. including references to the data or the actual inclusion of the data.
Cardinality | 0..1
Type | boolean|string|Quantity|Attachment|Reference(Any)
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | To convey the data content to be provided when the information is more than a simple code or period.
Comments | Could be used to provide references to other resources, document. For example, could contain a PDF in an Attachment of the Police Report for an Accident.
ExplanationOfBenefit.supportingInfo.reason

Element Id | ExplanationOfBenefit.supportingInfo.reason
Definition | Provides the reason in the situation where a reason code is required in addition to the content.
Cardinality | 0..1
Terminology Binding | Missing Tooth Reason Codes (Example)
Type | Coding
Requirements | Needed when the supporting information has both a date and amount/value and requires explanation.
Comments | For example: the reason for the additional stay, or why a tooth is missing.
ExplanationOfBenefit.diagnosis
Element Id | ExplanationOfBenefit.diagnosis
Definition | Information about diagnoses relevant to the claim items.
Cardinality | 0..*
Requirements | Required for the adjudication by provided context for the services and product listed.
ExplanationOfBenefit.diagnosis.sequence
Element Id | ExplanationOfBenefit.diagnosis.sequence
Definition | A number to uniquely identify diagnosis entries.
Cardinality | 1..1
Type | positiveInt
Requirements | Necessary to maintain the order of the diagnosis items and provide a mechanism to link to claim details.
Comments | Diagnosis are presented in list order to their expected importance: primary, secondary, etc.
ExplanationOfBenefit.diagnosis.diagnosis[x]
Element Id | ExplanationOfBenefit.diagnosis.diagnosis[x]
Definition | The nature of illness or problem in a coded form or as a reference to an external defined Condition.
Cardinality | 1..1
Terminology Binding | ICD-10 Codes (Example)
Type | CodeableConcept|Reference(Condition)
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | Provides health context for the evaluation of the products and/or services.
ExplanationOfBenefit.diagnosis.type
Element Id | ExplanationOfBenefit.diagnosis.type
Definition | When the condition was observed or the relative ranking.
Cardinality | 0..*
Terminology Binding | Example Diagnosis Type Codes (Example)
Type | CodeableConcept
Requirements | Often required to capture a particular diagnosis, for example: primary or discharge.
Comments | For example: admitting, primary, secondary, discharge.
ExplanationOfBenefit.diagnosis.onAdmission
Element Id | ExplanationOfBenefit.diagnosis.onAdmission
Definition | Indication of whether the diagnosis was present on admission to a facility.
Cardinality | 0..1
Terminology Binding | Example Diagnosis on Admission Codes (Example)
Type | CodeableConcept
Requirements | Many systems need to understand for adjudication if the diagnosis was present a time of admission.
ExplanationOfBenefit.diagnosis.packageCode
Element Id | ExplanationOfBenefit.diagnosis.packageCode
Definition | A package billing code or bundle code used to group products and services to a particular health condition (such as heart attack) which is based on a predetermined grouping code system.
Cardinality | 0..1
Terminology Binding | Example Diagnosis Related Group Codes (Example)
Type | CodeableConcept
Requirements | Required to relate the current diagnosis to a package billing code that is then referenced on the individual claim items which are specific to the health condition covered by the package code.
Comments | For example, DRG (Diagnosis Related Group) or a bundled billing code. A patient may have a diagnosis of a Myocardio-infarction and a DRG for HeartAttack would assigned. The Claim item (and possible subsequent claims) would refer to the DRG for those line items that were for services related to the heart attack event.
ExplanationOfBenefit.procedure
Element Id | ExplanationOfBenefit.procedure
Definition | Procedures performed on the patient relevant to the billing items with the claim.
Cardinality | 0..*
Requirements | The specific clinical invention are sometimes required to be provided to justify billing a greater than customary amount for a service.
ExplanationOfBenefit.procedure.sequence
Element Id | ExplanationOfBenefit.procedure.sequence
Definition | A number to uniquely identify procedure entries.
Cardinality | 1..1
Type | positiveInt
Requirements | Necessary to provide a mechanism to link to claim details.
ExplanationOfBenefit.procedure.type
Element Id | ExplanationOfBenefit.procedure.type
Definition | When the condition was observed or the relative ranking.
Cardinality | 0..*
Terminology Binding | Example Procedure Type Codes (Example)
Type | CodeableConcept
Requirements | Often required to capture a particular diagnosis, for example: primary or discharge.

ExplanationOfBenefit.procedure.date
Element Id | ExplanationOfBenefit.procedure.date
Definition | Date and optionally time the procedure was performed.
Cardinality | 0..1
Type | dateTime
Requirements | Required for auditing purposes.
ExplanationOfBenefit.procedure.procedure[x]
Element Id | ExplanationOfBenefit.procedure.procedure[x]
Definition | The code or reference to a Procedure resource which identifies the clinical intervention performed.
Cardinality | 1..1
Terminology Binding | ICD-10 Procedure Codes (Example)
Type | CodeableConcept|Reference(Procedure)
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | This identifies the actual clinical procedure.
ExplanationOfBenefit.procedure.udi
Element Id | ExplanationOfBenefit.procedure.udi
Definition | Unique Device Identifiers associated with this line item.
Cardinality | 0..*
Type | Reference(Device)
Requirements | The UDI code allows the insurer to obtain device level information on the product supplied.
ExplanationOfBenefit.precedence
Element Id | ExplanationOfBenefit.precedence
Definition | This indicates the relative order of a series of EOBs related to different coverages for the same suite of services.
Cardinality | 0..1
Type | positiveInt
Requirements | Needed to coordinate between multiple EOBs for the same suite of services.
ExplanationOfBenefit.insurance
Element Id | ExplanationOfBenefit.insurance
Definition | Financial instruments for reimbursement for the health care products and services specified on the claim.
Cardinality | 1..*
Requirements | At least one insurer is required for a claim to be a claim.
Summary | true
Comments | All insurance coverages for the patient which may be applicable for reimbursement, of the products and services listed in the claim, are typically provided in the claim to allow insurers to confirm the ordering of the insurance coverages relative to local 'coordination of benefit' rules. One coverage (and only one) with 'focal=true' is to be used in the adjudication of this claim. Coverages appearing before the focal Coverage in the list, and where 'Coverage.subrogation=false', should provide a reference to the ClaimResponse containing the adjudication results of the prior claim.
ExplanationOfBenefit.insurance.focal
Element Id | ExplanationOfBenefit.insurance.focal
Definition | A flag to indicate that this Coverage is to be used for adjudication of this claim when set to true.
Cardinality | 1..1
Type | boolean
Requirements | To identify which coverage in the list is being used to adjudicate this claim.
Summary | true
Comments | A patient may (will) have multiple insurance policies which provide reimbursement for healthcare services and products. For example, a person may also be covered by their spouse's policy and both appear in the list (and may be from the same insurer). This flag will be set to true for only one of the listed policies and that policy will be used for adjudicating this claim. Other claims would be created to request adjudication against the other listed policies.
ExplanationOfBenefit.insurance.coverage
Element Id | ExplanationOfBenefit.insurance.coverage
Definition | Reference to the insurance card level information contained in the Coverage resource. The coverage issuing insurer will use these details to locate the patient's actual coverage within the insurer's information system.
Cardinality | 1..1
Type | Reference(Coverage)
Requirements | Required to allow the adjudicator to locate the correct policy and history within their information system.
Summary | true
ExplanationOfBenefit.insurance.preAuthRef
Element Id | ExplanationOfBenefit.insurance.preAuthRef
Definition | Reference numbers previously provided by the insurer to the provider to be quoted on subsequent claims containing services or products related to the prior authorization.
Cardinality | 0..*
Type | string
Requirements | Providers must quote previously issued authorization reference numbers in order to obtain adjudication as previously advised on the Preauthorization.
Comments | This value is an alphanumeric string that may be provided over the phone, via text, via paper, or within a ClaimResponse resource and is not a FHIR Identifier.
ExplanationOfBenefit.accident
Element Id | ExplanationOfBenefit.accident
Definition | Details of a accident which resulted in injuries which required the products and services listed in the claim.
Cardinality | 0..1
Requirements | When healthcare products and services are accident related, benefits may be payable under accident provisions of policies, such as automotive, etc before they are payable under normal health insurance.
ExplanationOfBenefit.accident.date

Element Id | ExplanationOfBenefit.accident.date
Definition | Date of an accident event related to the products and services contained in the claim.
Cardinality | 0..1
Type | date
Requirements | Required for audit purposes and adjudication.
Comments | The date of the accident has to precede the dates of the products and services but within a reasonable timeframe.
ExplanationOfBenefit.accident.type
Element Id | ExplanationOfBenefit.accident.type
Definition | The type or context of the accident event for the purposes of selection of potential insurance coverages and determination of coordination between insurers.
Cardinality | 0..1
Terminology Binding | V3 Value SetActIncidentCode (Extensible)
Type | CodeableConcept
Requirements | Coverage may be dependant on the type of accident.
ExplanationOfBenefit.accident.location[x]
Element Id | ExplanationOfBenefit.accident.location[x]
Definition | The physical location of the accident event.
Cardinality | 0..1
Type | Address|Reference(Location)
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | Required for audit purposes and determination of applicable insurance liability.
ExplanationOfBenefit.item
Element Id | ExplanationOfBenefit.item
Definition | A claim line. Either a simple (a product or service) or a 'group' of details which can also be a simple items or groups of sub-details.
Cardinality | 0..*
Requirements | The items to be processed for adjudication.
ExplanationOfBenefit.item.sequence
Element Id | ExplanationOfBenefit.item.sequence
Definition | A number to uniquely identify item entries.
Cardinality | 1..1
Type | positiveInt
Requirements | Necessary to provide a mechanism to link to items from within the claim and within the adjudication details of the ClaimResponse.
ExplanationOfBenefit.item.careTeamSequence
Element Id | ExplanationOfBenefit.item.careTeamSequence
Definition | Care team members related to this service or product.
Cardinality | 0..*
Type | positiveInt
Requirements | Need to identify the individuals and their roles in the provision of the product or service.
ExplanationOfBenefit.item.diagnosisSequence
Element Id | ExplanationOfBenefit.item.diagnosisSequence
Definition | Diagnoses applicable for this service or product.
Cardinality | 0..*
Type | positiveInt
Requirements | Need to related the product or service to the associated diagnoses.
ExplanationOfBenefit.item.procedureSequence
Element Id | ExplanationOfBenefit.item.procedureSequence
Definition | Procedures applicable for this service or product.
Cardinality | 0..*
Type | positiveInt
Requirements | Need to provide any listed specific procedures to support the product or service being claimed.
ExplanationOfBenefit.item.informationSequence
Element Id | ExplanationOfBenefit.item.informationSequence
Definition | Exceptions, special conditions and supporting information applicable for this service or product.
Cardinality | 0..*
Type | positiveInt
Requirements | Need to reference the supporting information items that relate directly to this product or service.
ExplanationOfBenefit.item.revenue
Element Id | ExplanationOfBenefit.item.revenue
Definition | The type of revenue or cost center providing the product and/or service.
Cardinality | 0..1
Terminology Binding | Example Revenue Center Codes (Example)
Type | CodeableConcept
Requirements | Needed in the processing of institutional claims.
ExplanationOfBenefit.item.category
Element Id | ExplanationOfBenefit.item.category
Definition | Code to identify the general type of benefits under which products and services are provided.
Cardinality | 0..1
Terminology Binding | Benefit Category Codes (Example)
Type | CodeableConcept
Requirements | Needed in the processing of institutional claims as this allows the insurer to determine whether a facial X-Ray is for dental, orthopedic, or facial surgery purposes.

Comments | Examples include Medical Care, Periodontics, Renal Dialysis, Vision Coverage.
ExplanationOfBenefit.item.productOrService
Element Id | ExplanationOfBenefit.item.productOrService
Definition | When the value is a group code then this item collects a set of related claim details, otherwise this contains the product, service, drug or other billing code for the item.
Cardinality | 1..1
Terminology Binding | USCLS Codes (Example)
Type | CodeableConcept
Requirements | Necessary to state what was provided or done.
Alternate Names | Drug Code; Bill Code; Service Code
Comments | If this is an actual service or product line, i.e. not a Group, then use code to indicate the Professional Service or Product supplied (e.g. CTP, HCPCS, USCLS, ICD10, NCPDP, DIN, RxNorm, ACHI, CCI). If a grouping item then use a group code to indicate the type of thing being grouped e.g. 'glasses' or 'compound'.
ExplanationOfBenefit.item.modifier
Element Id | ExplanationOfBenefit.item.modifier
Definition | Item typification or modifiers codes to convey additional context for the product or service.
Cardinality | 0..*
Terminology Binding | Modifier type Codes (Example)
Type | CodeableConcept
Requirements | To support inclusion of the item for adjudication or to charge an elevated fee.
Comments | For example, in Oral whether the treatment is cosmetic or associated with TMJ, or for Medical whether the treatment was outside the clinic or out of office hours.
ExplanationOfBenefit.item.programCode
Element Id | ExplanationOfBenefit.item.programCode
Definition | Identifies the program under which this may be recovered.
Cardinality | 0..*
Terminology Binding | Example Program Reason Codes (Example)
Type | CodeableConcept
Requirements | Commonly used in in the identification of publicly provided program focused on population segments or disease classifications.
Comments | For example: Neonatal program, child dental program or drug users recovery program.
ExplanationOfBenefit.item.serviced[x]
Element Id | ExplanationOfBenefit.item.serviced[x]
Definition | The date or dates when the service or product was supplied, performed or completed.
Cardinality | 0..1
Type | date|Period
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | Needed to determine whether the service or product was provided during the term of the insurance coverage.
ExplanationOfBenefit.item.location[x]
Element Id | ExplanationOfBenefit.item.location[x]
Definition | Where the product or service was provided.
Cardinality | 0..1
Terminology Binding | Example Service Place Codes (Example)
Type | CodeableConcept|Address|Reference(Location)
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | The location can alter whether the item was acceptable for insurance purposes or impact the determination of the benefit amount.
ExplanationOfBenefit.item.quantity
Element Id | ExplanationOfBenefit.item.quantity
Definition | The number of repetitions of a service or product.
Cardinality | 0..1
Type | SimpleQuantity
Requirements | Required when the product or service code does not convey the quantity provided.
ExplanationOfBenefit.item.unitPrice
Element Id | ExplanationOfBenefit.item.unitPrice
Definition | If the item is not a group then this is the fee for the product or service, otherwise this is the total of the fees for the details of the group.
Cardinality | 0..1
Type | Money
Requirements | The amount charged to the patient by the provider for a single unit.
ExplanationOfBenefit.item.factor
Element Id | ExplanationOfBenefit.item.factor
Definition | A real number that represents a multiplier used in determining the overall value of services delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied to a monetary amount.
Cardinality | 0..1
Type | decimal
Requirements | When discounts are provided to a patient (example: Senior's discount) then this must be documented for adjudication.
Comments | To show a 10% senior's discount, the value entered is: 0.90 (1.00 - 0.10).
ExplanationOfBenefit.item.net
Element Id | ExplanationOfBenefit.item.net
Definition | The quantity times the unit price for an additional service or product or charge.
Cardinality | 0..1

Type | Money
Requirements | Provides the total amount claimed for the group (if a grouper) or the line item.
Comments | For example, the formula: quantity * unitPrice * factor = net. Quantity and factor are assumed to be 1 if not supplied.
ExplanationOfBenefit.item.udi
Element Id | ExplanationOfBenefit.item.udi
Definition | Unique Device Identifiers associated with this line item.
Cardinality | 0..*
Type | Reference(Device)
Requirements | The UDI code allows the insurer to obtain device level information on the product supplied.
ExplanationOfBenefit.item.bodySite
Element Id | ExplanationOfBenefit.item.bodySite
Definition | Physical service site on the patient (limb, tooth, etc.).
Cardinality | 0..1
Terminology Binding | Oral Site Codes (Example)
Type | CodeableConcept
Requirements | Allows insurer to validate specific procedures.
Comments | For example: Providing a tooth code, allows an insurer to identify a provider performing a filling on a tooth that was previously removed.
ExplanationOfBenefit.item.subSite
Element Id | ExplanationOfBenefit.item.subSite
Definition | A region or surface of the bodySite, e.g. limb region or tooth surface(s).
Cardinality | 0..*
Terminology Binding | Surface Codes (Example)
Type | CodeableConcept
Requirements | Allows insurer to validate specific procedures.
ExplanationOfBenefit.item.encounter
Element Id | ExplanationOfBenefit.item.encounter
Definition | A billed item may include goods or services provided in multiple encounters.
Cardinality | 0..*
Type | Reference(Encounter)
Requirements | Used in some jurisdictions to link clinical events to claim items.
ExplanationOfBenefit.item.noteNumber
Element Id | ExplanationOfBenefit.item.noteNumber
Definition | The numbers associated with notes below which apply to the adjudication of this item.
Cardinality | 0..*
Type | positiveInt
Requirements | Provides a condensed manner for associating human readable descriptive explanations for adjudications on the line item.
ExplanationOfBenefit.item.adjudication
Element Id | ExplanationOfBenefit.item.adjudication
Definition | If this item is a group then the values here are a summary of the adjudication of the detail items. If this item is a simple product or service then this is the result of the adjudication of this item.
Cardinality | 0..*
Requirements | The adjudication results conveys the insurer's assessment of the item provided in the claim under the terms of the patient's insurance coverage.
ExplanationOfBenefit.item.adjudication.category
Element Id | ExplanationOfBenefit.item.adjudication.category
Definition | A code to indicate the information type of this adjudication record. Information types may include: the value submitted, maximum values or percentages allowed or payable under the plan, amounts that the patient is responsible for in-aggregate or pertaining to this item, amounts paid by other coverages, and the benefit payable for this item.
Cardinality | 1..1
Terminology Binding | Adjudication Value Codes (Example)
Type | CodeableConcept
Requirements | Needed to enable understanding of the context of the other information in the adjudication.
Comments | For example, codes indicating: Co-Pay, deductible, eligible, benefit, tax, etc.
ExplanationOfBenefit.item.adjudication.reason
Element Id | ExplanationOfBenefit.item.adjudication.reason
Definition | A code supporting the understanding of the adjudication result and explaining variance from expected amount.
Cardinality | 0..1
Terminology Binding | Adjudication Reason Codes (Example)
Type | CodeableConcept
Requirements | To support understanding of variance from adjudication expectations.
Comments | For example, may indicate that the funds for this benefit type have been exhausted.
ExplanationOfBenefit.item.adjudication.amount
Element Id | ExplanationOfBenefit.item.adjudication.amount
Definition | Monetary amount associated with the category.
Cardinality | 0..1
Type | Money
Requirements | Most adjuciation categories convey a monetary amount.
Comments | For example, amount submitted, eligible amount, co-payment, and benefit payable.
ExplanationOfBenefit.item.adjudication.value
Element Id | ExplanationOfBenefit.item.adjudication.value
Definition | A non-monetary value associated with the category. Mutually exclusive to the amount element above.

Cardinality | 0..1
Type | decimal
Requirements | Some adjudication categories convey a percentage or a fixed value.
Comments | For example: eligible percentage or co-payment percentage.
ExplanationOfBenefit.item.detail
Element Id | ExplanationOfBenefit.item.detail
Definition | Second-tier of goods and services.
Cardinality | 0..*
ExplanationOfBenefit.item.detail.sequence
Element Id | ExplanationOfBenefit.item.detail.sequence
Definition | A claim detail line. Either a simple (a product or service) or a 'group' of sub-details which are simple items.
Cardinality | 1..1
Type | positiveInt
Requirements | The items to be processed for adjudication.
ExplanationOfBenefit.item.detail.revenue
Element Id | ExplanationOfBenefit.item.detail.revenue
Definition | The type of revenue or cost center providing the product and/or service.
Cardinality | 0..1
Terminology Binding | Example Revenue Center Codes (Example)
Type | CodeableConcept
Requirements | Needed in the processing of institutional claims.
ExplanationOfBenefit.item.detail.category
Element Id | ExplanationOfBenefit.item.detail.category
Definition | Code to identify the general type of benefits under which products and services are provided.
Cardinality | 0..1
Terminology Binding | Benefit Category Codes (Example)
Type | CodeableConcept
Requirements | Needed in the processing of institutional claims as this allows the insurer to determine whether a facial X-Ray is for dental, orthopedic, or facial surgery purposes.
Comments | Examples include: Medical Care, Periodontics, Renal Dialysis, Vision Coverage.
ExplanationOfBenefit.item.detail.productOrService
Element Id | ExplanationOfBenefit.item.detail.productOrService
Definition | When the value is a group code then this item collects a set of related claim details, otherwise this contains the product, service, drug or other billing code for the item.
Cardinality | 1..1
Terminology Binding | USCLS Codes (Example)
Type | CodeableConcept
Requirements | Necessary to state what was provided or done.
Alternate Names | Drug Code; Bill Code; Service Code
Comments | If this is an actual service or product line, i.e. not a Group, then use code to indicate the Professional Service or Product supplied (e.g. CTP, HCPCS, USCLS, ICD10, NCPDP, DIN, RxNorm, ACHI, CCI). If a grouping item then use a group code to indicate the type of thing being grouped e.g. 'glasses' or 'compound'.
ExplanationOfBenefit.item.detail.modifier
Element Id | ExplanationOfBenefit.item.detail.modifier
Definition | Item typification or modifiers codes to convey additional context for the product or service.
Cardinality | 0..*
Terminology Binding | Modifier type Codes (Example)
Type | CodeableConcept
Requirements | To support inclusion of the item for adjudication or to charge an elevated fee.
Comments | For example, in Oral whether the treatment is cosmetic or associated with TMJ, or for Medical whether the treatment was outside the clinic or out of office hours.
ExplanationOfBenefit.item.detail.programCode
Element Id | ExplanationOfBenefit.item.detail.programCode
Definition | Identifies the program under which this may be recovered.
Cardinality | 0..*
Terminology Binding | Example Program Reason Codes (Example)
Type | CodeableConcept
Requirements | Commonly used in in the identification of publicly provided program focused on population segments or disease classifications.
Comments | For example: Neonatal program, child dental program or drug users recovery program.
ExplanationOfBenefit.item.detail.quantity
Element Id | ExplanationOfBenefit.item.detail.quantity
Definition | The number of repetitions of a service or product.
Cardinality | 0..1
Type | SimpleQuantity
Requirements | Required when the product or service code does not convey the quantity provided.
ExplanationOfBenefit.item.detail.unitPrice
Element Id | ExplanationOfBenefit.item.detail.unitPrice
Definition | If the item is not a group then this is the fee for the product or service, otherwise this is the total of the fees for the details of the group.
Cardinality | 0..1
Type | Money
Requirements | The amount charged to the patient by the provider for a single unit.

ExplanationOfBenefit.item.detail.factor
Element Id | ExplanationOfBenefit.item.detail.factor
Definition | A real number that represents a multiplier used in determining the overall value of services delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied to a monetary amount.
Cardinality | 0..1
Type | decimal
Requirements | When discounts are provided to a patient (example: Senior's discount) then this must be documented for adjudication.
Comments | To show a 10% senior's discount, the value entered is: 0.90 (1.00 - 0.10).
ExplanationOfBenefit.item.detail.net
Element Id | ExplanationOfBenefit.item.detail.net
Definition | The quantity times the unit price for an additional service or product or charge.
Cardinality | 0..1
Type | Money
Requirements | Provides the total amount claimed for the group (if a grouper) or the line item.
Comments | For example, the formula: quantity * unitPrice * factor = net. Quantity and factor are assumed to be 1 if not supplied.
ExplanationOfBenefit.item.detail.udi
Element Id | ExplanationOfBenefit.item.detail.udi
Definition | Unique Device Identifiers associated with this line item.
Cardinality | 0..*
Type | Reference(Device)
Requirements | The UDI code allows the insurer to obtain device level information on the product supplied.
ExplanationOfBenefit.item.detail.noteNumber
Element Id | ExplanationOfBenefit.item.detail.noteNumber
Definition | The numbers associated with notes below which apply to the adjudication of this item.
Cardinality | 0..*
Type | positiveInt
Requirements | Provides a condensed manner for associating human readable descriptive explanations for adjudications on the line item.
ExplanationOfBenefit.item.detail.adjudication
Element Id | ExplanationOfBenefit.item.detail.adjudication
Definition | The adjudication results.
Cardinality | 0..*
Type | See ExplanationOfBenefit.item.adjudication
ExplanationOfBenefit.item.detail.subDetail
Element Id | ExplanationOfBenefit.item.detail.subDetail
Definition | Third-tier of goods and services.
Cardinality | 0..*
ExplanationOfBenefit.item.detail.subDetail.sequence
Element Id | ExplanationOfBenefit.item.detail.subDetail.sequence
Definition | A claim detail line. Either a simple (a product or service) or a 'group' of sub-details which are simple items.
Cardinality | 1..1
Type | positiveInt
Requirements | The items to be processed for adjudication.
ExplanationOfBenefit.item.detail.subDetail.revenue
Element Id | ExplanationOfBenefit.item.detail.subDetail.revenue
Definition | The type of revenue or cost center providing the product and/or service.
Cardinality | 0..1
Terminology Binding | Example Revenue Center Codes (Example)
Type | CodeableConcept
Requirements | Needed in the processing of institutional claims.
ExplanationOfBenefit.item.detail.subDetail.category
Element Id | ExplanationOfBenefit.item.detail.subDetail.category
Definition | Code to identify the general type of benefits under which products and services are provided.
Cardinality | 0..1
Terminology Binding | Benefit Category Codes (Example)
Type | CodeableConcept
Requirements | Needed in the processing of institutional claims as this allows the insurer to determine whether a facial X-Ray is for dental, orthopedic, or facial surgery purposes.
Comments | Examples include Medical Care, Periodontics, Renal Dialysis, Vision Coverage.
ExplanationOfBenefit.item.detail.subDetail.productOrService
Element Id | ExplanationOfBenefit.item.detail.subDetail.productOrService
Definition | When the value is a group code then this item collects a set of related claim details, otherwise this contains the product, service, drug or other billing code for the item.
Cardinality | 1..1
Terminology Binding | USCLS Codes (Example)
Type | CodeableConcept
Requirements | Necessary to state what was provided or done.
Alternate Names | Drug Code; Bill Code; Service Code
Comments | If this is an actual service or product line, i.e. not a Group, then use code to indicate the Professional Service or Product supplied (e.g. CTP, HCPCS, USCLS, ICD10, NCPDP, DIN, RxNorm, ACHI, CCI). If a grouping item then use a group code to indicate the type of thing being grouped e.g. 'glasses' or 'compound'.
ExplanationOfBenefit.item.detail.subDetail.modifier

Element Id | ExplanationOfBenefit.item.detail.subDetail.modifier
Definition | Item typification or modifiers codes to convey additional context for the product or service.
Cardinality | 0..*
Terminology Binding | Modifier type Codes (Example)
Type | CodeableConcept
Requirements | To support inclusion of the item for adjudication or to charge an elevated fee.
Comments | For example, in Oral whether the treatment is cosmetic or associated with TMJ, or for Medical whether the treatment was outside the clinic or outside of office hours.
ExplanationOfBenefit.item.detail.subDetail.programCode
Element Id | ExplanationOfBenefit.item.detail.subDetail.programCode
Definition | Identifies the program under which this may be recovered.
Cardinality | 0..*
Terminology Binding | Example Program Reason Codes (Example)
Type | CodeableConcept
Requirements | Commonly used in in the identification of publicly provided program focused on population segments or disease classifications.
Comments | For example: Neonatal program, child dental program or drug users recovery program.
ExplanationOfBenefit.item.detail.subDetail.quantity
Element Id | ExplanationOfBenefit.item.detail.subDetail.quantity
Definition | The number of repetitions of a service or product.
Cardinality | 0..1
Type | SimpleQuantity
Requirements | Required when the product or service code does not convey the quantity provided.
ExplanationOfBenefit.item.detail.subDetail.unitPrice
Element Id | ExplanationOfBenefit.item.detail.subDetail.unitPrice
Definition | If the item is not a group then this is the fee for the product or service, otherwise this is the total of the fees for the details of the group.
Cardinality | 0..1
Type | Money
Requirements | The amount charged to the patient by the provider for a single unit.
ExplanationOfBenefit.item.detail.subDetail.factor
Element Id | ExplanationOfBenefit.item.detail.subDetail.factor
Definition | A real number that represents a multiplier used in determining the overall value of services delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied to a monetary amount.
Cardinality | 0..1
Type | decimal
Requirements | When discounts are provided to a patient (example: Senior's discount) then this must be documented for adjudication.
Comments | To show a 10% senior's discount, the value entered is: 0.90 (1.00 - 0.10).
ExplanationOfBenefit.item.detail.subDetail.net
Element Id | ExplanationOfBenefit.item.detail.subDetail.net
Definition | The quantity times the unit price for an additional service or product or charge.
Cardinality | 0..1
Type | Money
Requirements | Provides the total amount claimed for the group (if a grouper) or the line item.
Comments | For example, the formula: quantity * unitPrice * factor = net. Quantity and factor are assumed to be 1 if not supplied.
ExplanationOfBenefit.item.detail.subDetail.udi
Element Id | ExplanationOfBenefit.item.detail.subDetail.udi
Definition | Unique Device Identifiers associated with this line item.
Cardinality | 0..*
Type | Reference(Device)
Requirements | The UDI code allows the insurer to obtain device level information on the product supplied.
ExplanationOfBenefit.item.detail.subDetail.noteNumber
Element Id | ExplanationOfBenefit.item.detail.subDetail.noteNumber
Definition | The numbers associated with notes below which apply to the adjudication of this item.
Cardinality | 0..*
Type | positiveInt
Requirements | Provides a condensed manner for associating human readable descriptive explanations for adjudications on the line item.
ExplanationOfBenefit.item.detail.subDetail.adjudication
Element Id | ExplanationOfBenefit.item.detail.subDetail.adjudication
Definition | The adjudication results.
Cardinality | 0..*
Type | See ExplanationOfBenefit.item.adjudication
ExplanationOfBenefit.addItem
Element Id | ExplanationOfBenefit.addItem
Definition | The first-tier service adjudications for payor added product or service lines.
Cardinality | 0..*
Requirements | Insurers may redefine the provided product or service or may package and/or decompose groups of products and services. The addItems allows the insurer to provide their line item list with linkage to the submitted items/details/sub-details. In a preauthorization the insurer may use the addItem structure to provide additional information on authorized products and services.
ExplanationOfBenefit.addItem.itemSequence
Element Id | ExplanationOfBenefit.addItem.itemSequence

Definition | Claim items which this service line is intended to replace.
Cardinality | 0..*
Type | positiveInt
Requirements | Provides references to the claim items.
ExplanationOfBenefit.addItem.detailSequence
Element Id | ExplanationOfBenefit.addItem.detailSequence
Definition | The sequence number of the details within the claim item which this line is intended to replace.
Cardinality | 0..*
Type | positiveInt
Requirements | Provides references to the claim details within the claim item.
ExplanationOfBenefit.addItem.subDetailSequence
Element Id | ExplanationOfBenefit.addItem.subDetailSequence
Definition | The sequence number of the sub-details woithin the details within the claim item which this line is intended to replace.
Cardinality | 0..*
Type | positiveInt
Requirements | Provides references to the claim sub-details within the claim detail.
ExplanationOfBenefit.addItem.provider
Element Id | ExplanationOfBenefit.addItem.provider
Definition | The providers who are authorized for the services rendered to the patient.
Cardinality | 0..*
Type | Reference(Practitioner | PractitionerRole | Organization)
Requirements | Insurer may provide authorization specifically to a restricted set of providers rather than an open authorization.
ExplanationOfBenefit.addItem.productOrService
Element Id | ExplanationOfBenefit.addItem.productOrService
Definition | When the value is a group code then this item collects a set of related claim details, otherwise this contains the product, service, drug or other billing code for the item.
Cardinality | 1..1
Terminology Binding | USCLS Codes (Example)
Type | CodeableConcept
Requirements | Necessary to state what was provided or done.
Alternate Names | Drug Code; Bill Code; Service Code
Comments | If this is an actual service or product line, i.e. not a Group, then use code to indicate the Professional Service or Product supplied (e.g. CTP, HCPCS, USCLS, ICD10, NCPDP, DIN, RxNorm, ACHI, CCI). If a grouping item then use a group code to indicate the type of thing being grouped e.g. 'glasses' or 'compound'.
ExplanationOfBenefit.addItem.modifier
Element Id | ExplanationOfBenefit.addItem.modifier
Definition | Item typification or modifiers codes to convey additional context for the product or service.
Cardinality | 0..*
Terminology Binding | Modifier type Codes (Example)
Type | CodeableConcept
Requirements | To support inclusion of the item for adjudication or to charge an elevated fee.
Comments | For example, in Oral whether the treatment is cosmetic or associated with TMJ, or for Medical whether the treatment was outside the clinic or out of office hours.
ExplanationOfBenefit.addItem.programCode
Element Id | ExplanationOfBenefit.addItem.programCode
Definition | Identifies the program under which this may be recovered.
Cardinality | 0..*
Terminology Binding | Example Program Reason Codes (Example)
Type | CodeableConcept
Requirements | Commonly used in in the identification of publicly provided program focused on population segments or disease classifications.
Comments | For example: Neonatal program, child dental program or drug users recovery program.
ExplanationOfBenefit.addItem.serviced[x]
Element Id | ExplanationOfBenefit.addItem.serviced[x]
Definition | The date or dates when the service or product was supplied, performed or completed.
Cardinality | 0..1
Type | date|Period
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | Needed to determine whether the service or product was provided during the term of the insurance coverage.
ExplanationOfBenefit.addItem.location[x]
Element Id | ExplanationOfBenefit.addItem.location[x]
Definition | Where the product or service was provided.
Cardinality | 0..1
Terminology Binding | Example Service Place Codes (Example)
Type | CodeableConcept|Address|Reference(Location)
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | The location can alter whether the item was acceptable for insurance purposes or impact the determination of the benefit amount.
ExplanationOfBenefit.addItem.quantity
Element Id | ExplanationOfBenefit.addItem.quantity
Definition | The number of repetitions of a service or product.
Cardinality | 0..1
Type | SimpleQuantity

Requirements | Required when the product or service code does not convey the quantity provided.
ExplanationOfBenefit.addItem.unitPrice
Element Id | ExplanationOfBenefit.addItem.unitPrice
Definition | If the item is not a group then this is the fee for the product or service, otherwise this is the total of the fees for the details of the group.
Cardinality | 0..1
Type | Money
Requirements | The amount charged to the patient by the provider for a single unit.
ExplanationOfBenefit.addItem.factor
Element Id | ExplanationOfBenefit.addItem.factor
Definition | A real number that represents a multiplier used in determining the overall value of services delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied to a monetary amount.
Cardinality | 0..1
Type | decimal
Requirements | When discounts are provided to a patient (example: Senior's discount) then this must be documented for adjudication.
Comments | To show a 10% senior's discount, the value entered is: 0.90 (1.00 - 0.10).
ExplanationOfBenefit.addItem.net
Element Id | ExplanationOfBenefit.addItem.net
Definition | The quantity times the unit price for an additional service or product or charge.
Cardinality | 0..1
Type | Money
Requirements | Provides the total amount claimed for the group (if a grouper) or the line item.
Comments | For example, the formula: quantity * unitPrice * factor = net. Quantity and factor are assumed to be 1 if not supplied.
ExplanationOfBenefit.addItem.bodySite
Element Id | ExplanationOfBenefit.addItem.bodySite
Definition | Physical service site on the patient (limb, tooth, etc.).
Cardinality | 0..1
Terminology Binding | Oral Site Codes (Example)
Type | CodeableConcept
Requirements | Allows insurer to validate specific procedures.
Comments | For example, providing a tooth code allows an insurer to identify a provider performing a filling on a tooth that was previously removed.
ExplanationOfBenefit.addItem.subSite
Element Id | ExplanationOfBenefit.addItem.subSite
Definition | A region or surface of the bodySite, e.g. limb region or tooth surface(s).
Cardinality | 0..*
Terminology Binding | Surface Codes (Example)
Type | CodeableConcept
Requirements | Allows insurer to validate specific procedures.
ExplanationOfBenefit.addItem.noteNumber
Element Id | ExplanationOfBenefit.addItem.noteNumber
Definition | The numbers associated with notes below which apply to the adjudication of this item.
Cardinality | 0..*
Type | positiveInt
Requirements | Provides a condensed manner for associating human readable descriptive explanations for adjudications on the line item.
ExplanationOfBenefit.addItem.adjudication
Element Id | ExplanationOfBenefit.addItem.adjudication
Definition | The adjudication results.
Cardinality | 0..*
Type | See ExplanationOfBenefit.item.adjudication
ExplanationOfBenefit.addItem.detail
Element Id | ExplanationOfBenefit.addItem.detail
Definition | The second-tier service adjudications for payor added services.
Cardinality | 0..*
ExplanationOfBenefit.addItem.detail.productOrService
Element Id | ExplanationOfBenefit.addItem.detail.productOrService
Definition | When the value is a group code then this item collects a set of related claim details, otherwise this contains the product, service, drug or other billing code for the item.
Cardinality | 1..1
Terminology Binding | USCLS Codes (Example)
Type | CodeableConcept
Requirements | Necessary to state what was provided or done.
Alternate Names | Drug Code; Bill Code; Service Code
Comments | If this is an actual service or product line, i.e. not a Group, then use code to indicate the Professional Service or Product supplied (e.g. CTP, HCPCS, USCLS, ICD10, NCPDP, DIN, RxNorm, ACHI, CCI). If a grouping item then use a group code to indicate the type of thing being grouped e.g. 'glasses' or 'compound'.
ExplanationOfBenefit.addItem.detail.modifier
Element Id | ExplanationOfBenefit.addItem.detail.modifier
Definition | Item typification or modifiers codes to convey additional context for the product or service.
Cardinality | 0..*
Terminology Binding | Modifier type Codes (Example)

Type | CodeableConcept
Requirements | To support inclusion of the item for adjudication or to charge an elevated fee.
Comments | For example, in Oral whether the treatment is cosmetic or associated with TMJ, or for Medical whether the treatment was outside the clinic or out of office hours.
ExplanationOfBenefit.addItem.detail.quantity
Element Id | ExplanationOfBenefit.addItem.detail.quantity
Definition | The number of repetitions of a service or product.
Cardinality | 0..1
Type | SimpleQuantity
Requirements | Required when the product or service code does not convey the quantity provided.
ExplanationOfBenefit.addItem.detail.unitPrice
Element Id | ExplanationOfBenefit.addItem.detail.unitPrice
Definition | If the item is not a group then this is the fee for the product or service, otherwise this is the total of the fees for the details of the group.
Cardinality | 0..1
Type | Money
Requirements | The amount charged to the patient by the provider for a single unit.
ExplanationOfBenefit.addItem.detail.factor
Element Id | ExplanationOfBenefit.addItem.detail.factor
Definition | A real number that represents a multiplier used in determining the overall value of services delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied to a monetary amount.
Cardinality | 0..1
Type | decimal
Requirements | When discounts are provided to a patient (example: Senior's discount) then this must be documented for adjudication.
Comments | To show a 10% senior's discount, the value entered is: 0.90 (1.00 - 0.10).
ExplanationOfBenefit.addItem.detail.net
Element Id | ExplanationOfBenefit.addItem.detail.net
Definition | The quantity times the unit price for an additional service or product or charge.
Cardinality | 0..1
Type | Money
Requirements | Provides the total amount claimed for the group (if a grouper) or the line item.
Comments | For example, the formula: quantity * unitPrice * factor = net. Quantity and factor are assumed to be 1 if not supplied.
ExplanationOfBenefit.addItem.detail.noteNumber
Element Id | ExplanationOfBenefit.addItem.detail.noteNumber
Definition | The numbers associated with notes below which apply to the adjudication of this item.
Cardinality | 0..*
Type | positiveInt
Requirements | Provides a condensed manner for associating human readable descriptive explanations for adjudications on the line item.
ExplanationOfBenefit.addItem.detail.adjudication
Element Id | ExplanationOfBenefit.addItem.detail.adjudication
Definition | The adjudication results.
Cardinality | 0..*
Type | See ExplanationOfBenefit.item.adjudication
ExplanationOfBenefit.addItem.detail.subDetail
Element Id | ExplanationOfBenefit.addItem.detail.subDetail
Definition | The third-tier service adjudications for payor added services.
Cardinality | 0..*
ExplanationOfBenefit.addItem.detail.subDetail.productOrService
Element Id | ExplanationOfBenefit.addItem.detail.subDetail.productOrService
Definition | When the value is a group code then this item collects a set of related claim details, otherwise this contains the product, service, drug or other billing code for the item.
Cardinality | 1..1
Terminology Binding | USCLS Codes (Example)
Type | CodeableConcept
Requirements | Necessary to state what was provided or done.
Alternate Names | Drug Code; Bill Code; Service Code
Comments | If this is an actual service or product line, i.e. not a Group, then use code to indicate the Professional Service or Product supplied (e.g. CTP, HCPCS, USCLS, ICD10, NCPDP, DIN, RxNorm, ACHI, CCI). If a grouping item then use a group code to indicate the type of thing being grouped e.g. 'glasses' or 'compound'.
ExplanationOfBenefit.addItem.detail.subDetail.modifier
Element Id | ExplanationOfBenefit.addItem.detail.subDetail.modifier
Definition | Item typification or modifiers codes to convey additional context for the product or service.
Cardinality | 0..*
Terminology Binding | Modifier type Codes (Example)
Type | CodeableConcept
Requirements | To support inclusion of the item for adjudication or to charge an elevated fee.
Comments | For example, in Oral whether the treatment is cosmetic or associated with TMJ, or for Medical whether the treatment was outside the clinic or out of office hours.
ExplanationOfBenefit.addItem.detail.subDetail.quantity
Element Id | ExplanationOfBenefit.addItem.detail.subDetail.quantity
Definition | The number of repetitions of a service or product.

Cardinality | 0..1
Type | SimpleQuantity
Requirements | Required when the product or service code does not convey the quantity provided.
ExplanationOfBenefit.addItem.detail.subDetail.unitPrice
Element Id | ExplanationOfBenefit.addItem.detail.subDetail.unitPrice
Definition | If the item is not a group then this is the fee for the product or service, otherwise this is the total of the fees for the details of the group.
Cardinality | 0..1
Type | Money
Requirements | The amount charged to the patient by the provider for a single unit.
ExplanationOfBenefit.addItem.detail.subDetail.factor
Element Id | ExplanationOfBenefit.addItem.detail.subDetail.factor
Definition | A real number that represents a multiplier used in determining the overall value of services delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied to a monetary amount.
Cardinality | 0..1
Type | decimal
Requirements | When discounts are provided to a patient (example: Senior's discount) then this must be documented for adjudication.
Comments | To show a 10% senior's discount, the value entered is: 0.90 (1.00 - 0.10).
ExplanationOfBenefit.addItem.detail.subDetail.net
Element Id | ExplanationOfBenefit.addItem.detail.subDetail.net
Definition | The quantity times the unit price for an additional service or product or charge.
Cardinality | 0..1
Type | Money
Requirements | Provides the total amount claimed for the group (if a grouper) or the line item.
Comments | For example, the formula: quantity * unitPrice * factor = net. Quantity and factor are assumed to be 1 if not supplied.
ExplanationOfBenefit.addItem.detail.subDetail.noteNumber
Element Id | ExplanationOfBenefit.addItem.detail.subDetail.noteNumber
Definition | The numbers associated with notes below which apply to the adjudication of this item.
Cardinality | 0..*
Type | positiveInt
Requirements | Provides a condensed manner for associating human readable descriptive explanations for adjudications on the line item.
ExplanationOfBenefit.addItem.detail.subDetail.adjudication
Element Id | ExplanationOfBenefit.addItem.detail.subDetail.adjudication
Definition | The adjudication results.
Cardinality | 0..*
Type | See ExplanationOfBenefit.item.adjudication
ExplanationOfBenefit.adjudication
Element Id | ExplanationOfBenefit.adjudication
Definition | The adjudication results which are presented at the header level rather than at the line-item or add-item levels.
Cardinality | 0..*
Type | See ExplanationOfBenefit.item.adjudication
Requirements | Some insurers will receive line-items but provide the adjudication only at a summary or header-level.
ExplanationOfBenefit.total
Element Id | ExplanationOfBenefit.total
Definition | Categorized monetary totals for the adjudication.
Cardinality | 0..*
Requirements | To provide the requestor with financial totals by category for the adjudication.
Summary | true
Comments | Totals for amounts submitted, co-pays, benefits payable etc.
ExplanationOfBenefit.total.category
Element Id | ExplanationOfBenefit.total.category
Definition | A code to indicate the information type of this adjudication record. Information types may include: the value submitted, maximum values or percentages allowed or payable under the plan, amounts that the patient is responsible for in aggregate or pertaining to this item, amounts paid by other coverages, and the benefit payable for this item.
Cardinality | 1..1
Terminology Binding | Adjudication Value Codes (Example)
Type | CodeableConcept
Requirements | Needed to convey the type of total provided.
Summary | true
Comments | For example, codes indicating: Co-Pay, deductible, eligible, benefit, tax, etc.
ExplanationOfBenefit.total.amount
Element Id | ExplanationOfBenefit.total.amount
Definition | Monetary total amount associated with the category.
Cardinality | 1..1
Type | Money
Requirements | Needed to convey the total monetary amount.
Summary | true
ExplanationOfBenefit.payment
Element Id | ExplanationOfBenefit.payment
Definition | Payment details for the adjudication of the claim.
Cardinality | 0..1

Requirements | Needed to convey references to the financial instrument that has been used if payment has been made.
ExplanationOfBenefit.payment.type
Element Id | ExplanationOfBenefit.payment.type
Definition | Whether this represents partial or complete payment of the benefits payable.
Cardinality | 0..1
Terminology Binding | Example Payment Type Codes (Example)
Type | CodeableConcept
Requirements | To advise the requestor when the insurer believes all payments to have been completed.
ExplanationOfBenefit.payment.adjustment
Element Id | ExplanationOfBenefit.payment.adjustment
Definition | Total amount of all adjustments to this payment included in this transaction which are not related to this claim's adjudication.
Cardinality | 0..1
Type | Money
Requirements | To advise the requestor of adjustments applied to the payment.
Comments | Insurers will deduct amounts owing from the provider (adjustment), such as a prior overpayment, from the amount owing to the provider (benefits payable) when payment is made to the provider.
ExplanationOfBenefit.payment.adjustmentReason
Element Id | ExplanationOfBenefit.payment.adjustmentReason
Definition | Reason for the payment adjustment.
Cardinality | 0..1
Terminology Binding | Payment Adjustment Reason Codes (Example)
Type | CodeableConcept
Requirements | Needed to clarify the monetary adjustment.
ExplanationOfBenefit.payment.date
Element Id | ExplanationOfBenefit.payment.date
Definition | Estimated date the payment will be issued or the actual issue date of payment.
Cardinality | 0..1
Type | date
Requirements | To advise the payee when payment can be expected.
ExplanationOfBenefit.payment.amount
Element Id | ExplanationOfBenefit.payment.amount
Definition | Benefits payable less any payment adjustment.
Cardinality | 0..1
Type | Money
Requirements | Needed to provide the actual payment amount.
ExplanationOfBenefit.payment.identifier
Element Id | ExplanationOfBenefit.payment.identifier
Definition | Issuer's unique identifier for the payment instrument.
Note | This is a business identifier, not a resource identifier (see discussion)
Cardinality | 0..1
Type | Identifier
Requirements | Enable the receiver to reconcile when payment received.
Comments | For example: EFT number or check number.
ExplanationOfBenefit.formCode
Element Id | ExplanationOfBenefit.formCode
Definition | A code for the form to be used for printing the content.
Cardinality | 0..1
Terminology Binding | Forms (Example)
Type | CodeableConcept
Requirements | Needed to specify the specific form used for producing output for this response.
Comments | May be needed to identify specific jurisdictional forms.
ExplanationOfBenefit.form
Element Id | ExplanationOfBenefit.form
Definition | The actual form, by reference or inclusion, for printing the content or an EOB.
Cardinality | 0..1
Type | Attachment
Requirements | Needed to include the specific form used for producing output for this response.
Comments | Needed to permit insurers to include the actual form.
ExplanationOfBenefit.processNote
Element Id | ExplanationOfBenefit.processNote
Definition | A note that describes or explains adjudication results in a human readable form.
Cardinality | 0..*
Requirements | Provides the insurer specific textual explanations associated with the processing.
ExplanationOfBenefit.processNote.number
Element Id | ExplanationOfBenefit.processNote.number
Definition | A number to uniquely identify a note entry.
Cardinality | 0..1
Type | positiveInt
Requirements | Necessary to provide a mechanism to link from adjudications.
ExplanationOfBenefit.processNote.type
Element Id | ExplanationOfBenefit.processNote.type

Definition | The business purpose of the note text.
Cardinality | 0..1
Terminology Binding | NoteType (Required)
Type | code
Requirements | To convey the expectation for when the text is used.
ExplanationOfBenefit.processNote.text
Element Id | ExplanationOfBenefit.processNote.text
Definition | The explanation or description associated with the processing.
Cardinality | 0..1
Type | string
Requirements | Required to provide human readable explanation.
ExplanationOfBenefit.processNote.language
Element Id | ExplanationOfBenefit.processNote.language
Definition | A code to define the language used in the text of the note.
Cardinality | 0..1
Terminology Binding | Common Languages (Preferred but limited to All Languages)
Type | CodeableConcept
Requirements | Note text may vary from the resource defined language.
Comments | Only required if the language is different from the resource language.
ExplanationOfBenefit.benefitPeriod
Element Id | ExplanationOfBenefit.benefitPeriod
Definition | The term of the benefits documented in this response.
Cardinality | 0..1
Type | Period
Requirements | Needed as coverages may be multi-year while benefits tend to be annual therefore a separate expression of the benefit period is needed.
Comments | Not applicable when use=claim.
ExplanationOfBenefit.benefitBalance
Element Id | ExplanationOfBenefit.benefitBalance
Definition | Balance by Benefit Category.
Cardinality | 0..*
ExplanationOfBenefit.benefitBalance.category
Element Id | ExplanationOfBenefit.benefitBalance.category
Definition | Code to identify the general type of benefits under which products and services are provided.
Cardinality | 1..1
Terminology Binding | Benefit Category Codes (Example)
Type | CodeableConcept
Requirements | Needed to convey the category of service or product for which eligibility is sought.
Comments | Examples include Medical Care, Periodontics, Renal Dialysis, Vision Coverage.
ExplanationOfBenefit.benefitBalance.excluded
Element Id | ExplanationOfBenefit.benefitBalance.excluded
Definition | True if the indicated class of service is excluded from the plan, missing or False indicates the product or service is included in the coverage.
Cardinality | 0..1
Type | boolean
Requirements | Needed to identify items that are specifically excluded from the coverage.
ExplanationOfBenefit.benefitBalance.name
Element Id | ExplanationOfBenefit.benefitBalance.name
Definition | A short name or tag for the benefit.
Cardinality | 0..1
Type | string
Requirements | Required to align with other plan names.
Comments | For example: MED01, or DENT2.
ExplanationOfBenefit.benefitBalance.description
Element Id | ExplanationOfBenefit.benefitBalance.description
Definition | A richer description of the benefit or services covered.
Cardinality | 0..1
Type | string
Requirements | Needed for human readable reference.
Comments | For example, 'DENT2 covers 100% of basic, 50% of major but excludes Ortho, Implants and Cosmetic services'.
ExplanationOfBenefit.benefitBalance.network
Element Id | ExplanationOfBenefit.benefitBalance.network
Definition | Is a flag to indicate whether the benefits refer to in-network providers or out-of-network providers.
Cardinality | 0..1
Terminology Binding | Network Type Codes (Example)
Type | CodeableConcept
Requirements | Needed as in or out of network providers are treated differently under the coverage.
ExplanationOfBenefit.benefitBalance.unit
Element Id | ExplanationOfBenefit.benefitBalance.unit
Definition | Indicates if the benefits apply to an individual or to the family.
Cardinality | 0..1
Terminology Binding | Unit Type Codes (Example)

Type | CodeableConcept
Requirements | Needed for the understanding of the benefits.
ExplanationOfBenefit.benefitBalance.term
Element Id | ExplanationOfBenefit.benefitBalance.term
Definition | The term or period of the values such as 'maximum lifetime benefit' or 'maximum annual visits'.
Cardinality | 0..1
Terminology Binding | Benefit Term Codes (Example)
Type | CodeableConcept
Requirements | Needed for the understanding of the benefits.
ExplanationOfBenefit.benefitBalance.financial
Element Id | ExplanationOfBenefit.benefitBalance.financial
Definition | Benefits Used to date.
Cardinality | 0..*
ExplanationOfBenefit.benefitBalance.financial.type
Element Id | ExplanationOfBenefit.benefitBalance.financial.type
Definition | Classification of benefit being provided.
Cardinality | 1..1
Terminology Binding | Benefit Type Codes (Example)
Type | CodeableConcept
Requirements | Needed to convey the nature of the benefit.
Comments | For example: deductible, visits, benefit amount.
ExplanationOfBenefit.benefitBalance.financial.allowed[x]
Element Id | ExplanationOfBenefit.benefitBalance.financial.allowed[x]
Definition | The quantity of the benefit which is permitted under the coverage.
Cardinality | 0..1
Type | unsignedInt|string|Money
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | Needed to convey the benefits offered under the coverage.
ExplanationOfBenefit.benefitBalance.financial.used[x]
Element Id | ExplanationOfBenefit.benefitBalance.financial.used[x]
Definition | The quantity of the benefit which have been consumed to date.
Cardinality | 0..1
Type | unsignedInt|Money
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | Needed to convey the benefits consumed to date.

13.10.7 Resource ExplanationOfBenefit - Mappings

URL: https://hl7.org/fhir/R4/explanationofbenefit-mappings.html

13.10.7 Resource ExplanationOfBenefit - Mappings

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

Mappings:

FiveWs Pattern Mapping

Workflow Pattern

HL7 v2 Mapping

Mappings for the explanationofbenefit resource (see Mappings to Other Standards for further information & status).

13.10.7.1 FiveWs Pattern Mapping (http://hl7.org/fhir/fivews)

ExplanationOfBenefit
identifier | FiveWs.identifier
status | FiveWs.status
type | FiveWs.class
subType | FiveWs.class
use | FiveWs.class
patient | FiveWs.subject[x]
billablePeriod | FiveWs.done[x]
created | FiveWs.recorded
enterer | FiveWs.author
insurer | FiveWs.author
provider | FiveWs.source
referral | FiveWs.cause
facility | FiveWs.where[x]
claim | FiveWs.why[x]
provider | FiveWs.actor
serviced[x] | FiveWs.done[x]
location[x] | FiveWs.where[x]

provider | FiveWs.source
serviced[x] | FiveWs.done[x]
location[x] | FiveWs.where[x]

13.10.7.2 Workflow Pattern (http://hl7.org/fhir/workflow)

ExplanationOfBenefit | Event
identifier | Event.identifier
status | Event.status
type | Event.code
patient | Event.subject
created | Event.occurrence[x]
enterer | Event.performer.agent
insurer | Event.performer.agent
facility | Event.performer.location

13.10.7.3 HL7 v2 Mapping (http://hl7.org/v2)

ExplanationOfBenefit
identifier
status
type
subType
use
patient
billablePeriod
created
enterer
insurer
provider
priority | Request.priority
fundsReserveRequested
fundsReserve
related
claim
relationship
reference
prescription
originalPrescription
payee
type
party
referral
facility
claim
claimResponse
outcome
disposition
preAuthRef
preAuthRefPeriod
careTeam
sequence
provider
responsible
role
qualification
supportingInfo
sequence
category
code
timing[x]
value[x]
reason
diagnosis
sequence
diagnosis[x]
type
onAdmission
packageCode
procedure
sequence
type
date

procedure[x]
udi
precedence
insurance | Coverage
focal
coverage
preAuthRef
accident
date
type
location[x]
item
sequence
careTeamSequence
diagnosisSequence
procedureSequence
informationSequence
revenue
category
productOrService
modifier
programCode
serviced[x]
location[x]
quantity
unitPrice
factor
net
udi
bodySite
subSite
encounter
noteNumber
adjudication
category
reason
amount
value
detail
sequence
revenue
category
productOrService
modifier
programCode
quantity
unitPrice
factor
net
udi
noteNumber
adjudication
subDetail
sequence
revenue
category
productOrService
modifier
programCode
quantity
unitPrice
factor
net
udi
noteNumber
adjudication
addItem
itemSequence
detailSequence
subDetailSequence
provider
productOrService

modifier
programCode
serviced[x]
location[x]
quantity
unitPrice
factor
net
bodySite
subSite
noteNumber
adjudication
detail
productOrService
modifier
quantity
unitPrice
factor
net
noteNumber
adjudication
subDetail
productOrService
modifier
quantity
unitPrice
factor
net
noteNumber
adjudication
adjudication
total
category
amount
payment
type
adjustment
adjustmentReason
date
amount
identifier
formCode
form
processNote
number
type
text
language
benefitPeriod
benefitBalance
category
excluded
name
description
network
unit
term
financial
type
allowed[x]
used[x]

13.10.8 Resource ExplanationOfBenefit - Extensions & Profiles

URL: https://hl7.org/fhir/R4/explanationofbenefit-profiles.html

13.10.8 Resource ExplanationOfBenefit - Extensions & Profiles

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

This table lists profiles and extensions for the ExplanationOfBenefit resource. For background information, see Profiling Resources and Extensibility. Additional profiles and extensions may be found in published

Implementation Guides , or in the Conformance resource registry .

13.10.8.1 Profiles

No Profiles defined for this resource

13.10.8.2 Extensions

No Extensions defined for this resource
Extensions for all resources or elements
resource-pertainsToGoal | pertainsToGoal | for Resource HL7 Extensions

Extensions that reference this resource:

No Extensions refer to this resource
Extensions that refer to Any resource
cqf-relativeDateTime | relativeDateTime | for Clinical Reasoning Extensions
event-basedOn | basedOn | for Event Pattern HL7 Extensions
event-partOf | partOf | for Event Pattern HL7 Extensions
flag-detail | detail | for Flag HL7 Extensions
relative-date | Relative Date Criteria | for General Extensions for use by FHIR Implementers
replaces | replaces | for General Extensions for use by FHIR Implementers
request-replaces | replaces | for Request Pattern HL7 Extensions
workflow-supportingInfo | supportingInfo | for Workflow Pattern HL7 Extensions

13.10.8.3 Search Extensions

No Search Extensions defined for this resource

13.10.9 Resource ExplanationOfBenefit - R3/R4 Conversions

URL: https://hl7.org/fhir/R4/explanationofbenefit-version-maps.html

No validation errors - all conversions are clean

13.10.9 Resource ExplanationOfBenefit - R3/R4 Conversions

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

R3 : R4 Conversion maps for ExplanationOfBenefit.

Functional status for this map: 1 test that all execute ok. 1 fail round-trip testing and 1 r3 resources are invalid (0 errors). (see documentation)

13.10.9.1 R3 to R4

```
map "http://hl7.org/fhir/StructureMap/ExplanationOfBenefit3to4" = "R3 to R4 Conversions for ExplanationOfBenefit"

uses "http://hl7.org/fhir/3.0/StructureDefinition/ExplanationOfBenefit" alias ExplanationOfBenefitR3 as source
uses "http://hl7.org/fhir/StructureDefinition/ExplanationOfBenefit" alias ExplanationOfBenefit as target

imports "http://hl7.org/fhir/StructureMap/*3to4"

group ExplanationOfBenefit(source src : ExplanationOfBenefitR3, target tgt : ExplanationOfBenefit) extends
    DomainResource <<type+>> {
  src.identifier -> tgt.identifier;
  src.status -> tgt.status;
  src.type -> tgt.type;
  src.subType -> tgt.subType;
  src.use -> tgt.use;
  src.patient -> tgt.patient;
  src.billablePeriod -> tgt.billablePeriod;
  src.created -> tgt.created;
  src.enterer -> tgt.enterer;
  src.insurer -> tgt.insurer;
  src.provider -> tgt.provider;
  src.referral -> tgt.referral;
  src.facility -> tgt.facility;
  src.claim -> tgt.claim;
  src.claimResponse -> tgt.claimResponse;
  src.outcome as vs then {
    vs.coding as c where code in ('complete' | 'error' | 'partial') then {
      c.code -> tgt.outcome;
    };
  };
  src.disposition -> tgt.disposition;
  src.related as s -> tgt.related as t then ExplanationOfBenefitRelated(s, t);
  src.prescription -> tgt.prescription;
  src.originalPrescription -> tgt.originalPrescription;
  src.payee as s -> tgt.payee as t then ExplanationOfBenefitPayee(s, t);
  src.information as s -> tgt.supportingInfo as t then ExplanationOfBenefitInformation(s, t);
  src.careTeam as s -> tgt.careTeam as t then ExplanationOfBenefitCareTeam(s, t);
  src.diagnosis as s -> tgt.diagnosis as t then ExplanationOfBenefitDiagnosis(s, t);
  src.procedure as s -> tgt.procedure as t then ExplanationOfBenefitProcedure(s, t);
  src.precedence -> tgt.precedence;
  src.insurance as s -> tgt.insurance as t then ExplanationOfBenefitInsurance(s, t);
```

```
  src.accident as s -> tgt.accident as t then ExplanationOfBenefitAccident(s, t);
  src.item as s -> tgt.item as t then ExplanationOfBenefitItem(s, t);
  src.addItem as s -> tgt.addItem as t then ExplanationOfBenefitAddItem(s, t);
  src.totalCost as s -> tgt.total as t then ExplanationOfBenefitTotalCost(s, t);
  src.totalBenefit as s -> tgt.total as t then ExplanationOfBenefitTotalBenefit(s, t);
  src.payment as s -> tgt.payment as t then ExplanationOfBenefitPayment(s, t);
  src.form -> tgt.form;
  src.processNote as s -> tgt.processNote as t then ExplanationOfBenefitProcessNote(s, t);
  src.benefitBalance as s -> tgt.benefitBalance as t then ExplanationOfBenefitBenefitBalance(s, t);
}

group ExplanationOfBenefitRelated(source src, target tgt) extends BackboneElement {
  src.claim -> tgt.claim;
  src.relationship -> tgt.relationship;
  src.reference -> tgt.reference;
}

group ExplanationOfBenefitPayee(source src, target tgt) extends BackboneElement {
  src.type -> tgt.type;
  src.party -> tgt.party;
}

group ExplanationOfBenefitInformation(source src, target tgt) extends BackboneElement {
  src.sequence -> tgt.sequence;
  src.category -> tgt.category;
  src.code -> tgt.code;
  src.timing -> tgt.timing;
  src.value -> tgt.value;
  src.reason -> tgt.reason;
}

group ExplanationOfBenefitCareTeam(source src, target tgt) extends BackboneElement {
  src.sequence -> tgt.sequence;
  src.provider -> tgt.provider;
  src.responsible -> tgt.responsible;
  src.role -> tgt.role;
  src.qualification -> tgt.qualification;
}

group ExplanationOfBenefitDiagnosis(source src, target tgt) extends BackboneElement {
  src.sequence -> tgt.sequence;
  src.diagnosis -> tgt.diagnosis;
  src.type -> tgt.type;
  src.packageCode -> tgt.packageCode;
}

group ExplanationOfBenefitProcedure(source src, target tgt) extends BackboneElement {
  src.sequence -> tgt.sequence;
  src.date -> tgt.date;
  src.procedure -> tgt.procedure;
}

group ExplanationOfBenefitInsurance(source src, target tgt) extends BackboneElement {
  src.coverage -> tgt.coverage;
  src.preAuthRef -> tgt.preAuthRef;
}

group ExplanationOfBenefitAccident(source src, target tgt) extends BackboneElement {
  src.date -> tgt.date;
  src.type -> tgt.type;
  src.location -> tgt.location;
}

group ExplanationOfBenefitItem(source src, target tgt) extends BackboneElement {
  src.sequence -> tgt.sequence;
  src.careTeamLinkId -> tgt.careTeamSequence;
  src.diagnosisLinkId -> tgt.diagnosisSequence;
  src.procedureLinkId -> tgt.procedureSequence;
  src.informationLinkId -> tgt.informationSequence;
  src.revenue -> tgt.revenue;
  src.category -> tgt.category;
  src.service -> tgt.productOrService;
  src.modifier -> tgt.modifier;
  src.programCode -> tgt.programCode;
  src.serviced -> tgt.serviced;
  src.location -> tgt.location;
  src.quantity -> tgt.quantity;
  src.unitPrice -> tgt.unitPrice;
  src.factor -> tgt.factor;
  src.net -> tgt.net;
  src.udi -> tgt.udi;
  src.bodySite -> tgt.bodySite;
  src.subSite -> tgt.subSite;
  src.encounter -> tgt.encounter;
  src.noteNumber -> tgt.noteNumber;
  src.adjudication as s -> tgt.adjudication as t then ExplanationOfBenefitItemAdjudication(s, t);
  src.detail as s -> tgt.detail as t then ExplanationOfBenefitItemDetail(s, t);
}
```

```
group ExplanationOfBenefitItemAdjudication(source src, target tgt) extends BackboneElement {
  src.category -> tgt.category;
  src.reason -> tgt.reason;
  src.amount -> tgt.amount;
  src.value -> tgt.value;
}

group ExplanationOfBenefitItemDetail(source src, target tgt) extends BackboneElement {
  src.sequence -> tgt.sequence;
  src.revenue -> tgt.revenue;
  src.category -> tgt.category;
  src.service -> tgt.service;
  src.modifier -> tgt.modifier;
  src.programCode -> tgt.programCode;
  src.quantity -> tgt.quantity;
  src.unitPrice -> tgt.unitPrice;
  src.factor -> tgt.factor;
  src.net -> tgt.net;
  src.udi -> tgt.udi;
  src.noteNumber -> tgt.noteNumber;
  src.adjudication -> tgt.adjudication;
  src.subDetail as s -> tgt.subDetail as t then ExplanationOfBenefitItemDetailSubDetail(s, t);
}

group ExplanationOfBenefitItemDetailSubDetail(source src, target tgt) extends BackboneElement {
  src.sequence -> tgt.sequence;
  src.revenue -> tgt.revenue;
  src.category -> tgt.category;
  src.service -> tgt.service;
  src.modifier -> tgt.modifier;
  src.programCode -> tgt.programCode;
  src.quantity -> tgt.quantity;
  src.unitPrice -> tgt.unitPrice;
  src.factor -> tgt.factor;
  src.net -> tgt.net;
  src.udi -> tgt.udi;
  src.noteNumber -> tgt.noteNumber;
  src.adjudication -> tgt.adjudication;
}

group ExplanationOfBenefitAddItem(source src, target tgt) extends BackboneElement {
  src.itemSequence -> tgt.itemSequence;
  src.detailSequence -> tgt.detailSequence;
  src.subDetailSequence -> tgt.subDetailSequence;
  src.service -> tgt.service;
  src.modifier -> tgt.modifier;
  src.programCode -> tgt.programCode;
  src.serviced -> tgt.serviced;
  src.location -> tgt.location;
  src.quantity -> tgt.quantity;
  src.unitPrice -> tgt.unitPrice;
  src.factor -> tgt.factor;
  src.net -> tgt.net;
  src.bodySite -> tgt.bodySite;
  src.subSite -> tgt.subSite;
  src.noteNumber -> tgt.noteNumber;
  src.adjudication -> tgt.adjudication;
  src.detail as s -> tgt.detail as t then ExplanationOfBenefitAddItemDetail(s, t);
}

group ExplanationOfBenefitAddItemDetail(source src, target tgt) extends BackboneElement {
  src.service -> tgt.service;
  src.modifier -> tgt.modifier;
  src.programCode -> tgt.programCode;
  src.quantity -> tgt.quantity;
  src.unitPrice -> tgt.unitPrice;
  src.factor -> tgt.factor;
  src.net -> tgt.net;
  src.noteNumber -> tgt.noteNumber;
  src.adjudication -> tgt.adjudication;
  src.subDetail as s -> tgt.subDetail as t then ExplanationOfBenefitAddItemDetailSubDetail(s, t);
}

group ExplanationOfBenefitAddItemDetailSubDetail(source src, target tgt) extends BackboneElement {
  src.service -> tgt.service;
  src.modifier -> tgt.modifier;
  src.programCode -> tgt.programCode;
  src.quantity -> tgt.quantity;
  src.unitPrice -> tgt.unitPrice;
  src.factor -> tgt.factor;
  src.net -> tgt.net;
  src.noteNumber -> tgt.noteNumber;
  src.adjudication -> tgt.adjudication;
}

group ExplanationOfBenefitTotalCost(source src, target tgt) extends BackboneElement {
  src ->  tgt.category as cc,  cc.text = 'Submitted Amount',  cc.coding as coding,  coding.code = 'submitted',
    coding.system = 'http://terminology.hl7.org/CodeSystem/adjudication' "category";
  src as vs -> tgt.amount as vt then Money(vs, vt) "amount";
```

```
}

group ExplanationOfBenefitTotalBenefit(source src, target tgt) extends BackboneElement {
  src ->  tgt.category as cc,  cc.text = 'Benefit Amount',  cc.coding as coding,  coding.code = 'benefit',
    coding.system = 'http://terminology.hl7.org/CodeSystem/adjudication' "category";
  src as vs -> tgt.amount as vt then Money(vs, vt) "amount";
}

group ExplanationOfBenefitPayment(source src, target tgt) extends BackboneElement {
  src.type -> tgt.type;
  src.adjustment -> tgt.adjustment;
  src.adjustmentReason -> tgt.adjustmentReason;
  src.date -> tgt.date;
  src.amount -> tgt.amount;
  src.identifier -> tgt.identifier;
}

group ExplanationOfBenefitProcessNote(source src, target tgt) extends BackboneElement {
  src.number -> tgt.number;
  src.type -> tgt.type;
  src.text -> tgt.text;
  src.language -> tgt.language;
}

group ExplanationOfBenefitBenefitBalance(source src, target tgt) extends BackboneElement {
  src.category -> tgt.category;
  src.excluded -> tgt.excluded;
  src.name -> tgt.name;
  src.description -> tgt.description;
  src.network -> tgt.network;
  src.unit -> tgt.unit;
  src.term -> tgt.term;
  src.financial as s -> tgt.financial as t then ExplanationOfBenefitBenefitBalanceFinancial(s, t);
}

group ExplanationOfBenefitBenefitBalanceFinancial(source src, target tgt) extends BackboneElement {
  src.type -> tgt.type;
  src.allowed -> tgt.allowed;
  src.used -> tgt.used;
}
```

13.10.9.2 R4 to R3

```
map "http://hl7.org/fhir/StructureMap/ExplanationOfBenefit4to3" = "R4 to R3 Conversion for ExplanationOfBenefit"

uses "http://hl7.org/fhir/StructureDefinition/ExplanationOfBenefit" alias ExplanationOfBenefit as source
uses "http://hl7.org/fhir/3.0/StructureDefinition/ExplanationOfBenefit" alias ExplanationOfBenefitR3 as target

imports "http://hl7.org/fhir/StructureMap/*4to3"

group ExplanationOfBenefit(source src : ExplanationOfBenefitR3, target tgt : ExplanationOfBenefit) extends
    DomainResource <<type+>> {
  src.identifier -> tgt.identifier;
  src.status -> tgt.status;
  src.type -> tgt.type;
  src.subType -> tgt.subType;
  src.use -> tgt.use;
  src.patient -> tgt.patient;
  src.billablePeriod -> tgt.billablePeriod;
  src.created -> tgt.created;
  src.enterer -> tgt.enterer;
  src.insurer -> tgt.insurer;
  src.provider -> tgt.provider;
  src.referral -> tgt.referral;
  src.facility -> tgt.facility;
  src.claim -> tgt.claim;
  src.claimResponse -> tgt.claimResponse;
  src.outcome as vs where value in ('complete' | 'error' | 'partial') ->  tgt.outcome as vt,  vt.coding as c,  c.system
    = 'http://hl7.org/fhir/remittance-outcome',  c.code = vs;
  src.disposition -> tgt.disposition;
  src.related as s -> tgt.related as t then ExplanationOfBenefitRelated(s, t);
  src.prescription -> tgt.prescription;
  src.originalPrescription -> tgt.originalPrescription;
  src.payee as s -> tgt.payee as t then ExplanationOfBenefitPayee(s, t);
  src.supportingInfo as s -> tgt.information as t then ExplanationOfBenefitInformation(s, t);
  src.careTeam as s -> tgt.careTeam as t then ExplanationOfBenefitCareTeam(s, t);
  src.diagnosis as s -> tgt.diagnosis as t then ExplanationOfBenefitDiagnosis(s, t);
  src.procedure as s -> tgt.procedure as t then ExplanationOfBenefitProcedure(s, t);
  src.precedence -> tgt.precedence;
  src.insurance as s -> tgt.insurance as t then ExplanationOfBenefitInsurance(s, t);
  src.accident as s -> tgt.accident as t then ExplanationOfBenefitAccident(s, t);
  src.item as s -> tgt.item as t then ExplanationOfBenefitItem(s, t);
  src.addItem as s -> tgt.addItem as t then ExplanationOfBenefitAddItem(s, t);
  src.total as total then {
    total.category as vs then {
      total.amount as va then {
        vs.coding as c where code = 'submitted' then {
          c -> tgt.totalCost as cost then Money(va, cost) "total";
        };
```

```
      };
    };
  };
  src.total as total then {
    total.category as vs then {
      total.amount as va then {
        vs.coding as c where code = 'benefit' then {
          c -> tgt.totalBenefit as cost then Money(va, cost) "total";
        };
      };
    };
  };
  src.payment as s -> tgt.payment as t then ExplanationOfBenefitPayment(s, t);
  src.form -> tgt.form;
  src.processNote as s -> tgt.processNote as t then ExplanationOfBenefitProcessNote(s, t);
  src.benefitBalance as s -> tgt.benefitBalance as t then ExplanationOfBenefitBenefitBalance(s, t);
}

group ExplanationOfBenefitRelated(source src, target tgt) extends BackboneElement {
  src.claim -> tgt.claim;
  src.relationship -> tgt.relationship;
  src.reference -> tgt.reference;
}

group ExplanationOfBenefitPayee(source src, target tgt) extends BackboneElement {
  src.type -> tgt.type;
  src.party -> tgt.party;
}

group ExplanationOfBenefitInformation(source src, target tgt) extends BackboneElement {
  src.sequence -> tgt.sequence;
  src.category -> tgt.category;
  src.code -> tgt.code;
  src.timing -> tgt.timing;
  src.value -> tgt.value;
  src.reason -> tgt.reason;
}

group ExplanationOfBenefitCareTeam(source src, target tgt) extends BackboneElement {
  src.sequence -> tgt.sequence;
  src.provider -> tgt.provider;
  src.responsible -> tgt.responsible;
  src.role -> tgt.role;
  src.qualification -> tgt.qualification;
}

group ExplanationOfBenefitDiagnosis(source src, target tgt) extends BackboneElement {
  src.sequence -> tgt.sequence;
  src.diagnosis -> tgt.diagnosis;
  src.type -> tgt.type;
  src.packageCode -> tgt.packageCode;
}

group ExplanationOfBenefitProcedure(source src, target tgt) extends BackboneElement {
  src.sequence -> tgt.sequence;
  src.date -> tgt.date;
  src.procedure -> tgt.procedure;
}

group ExplanationOfBenefitInsurance(source src, target tgt) extends BackboneElement {
  src.coverage -> tgt.coverage;
  src.preAuthRef -> tgt.preAuthRef;
}

group ExplanationOfBenefitAccident(source src, target tgt) extends BackboneElement {
  src.date -> tgt.date;
  src.type -> tgt.type;
  src.location -> tgt.location;
}

group ExplanationOfBenefitItem(source src, target tgt) extends BackboneElement {
  src.sequence -> tgt.sequence;
  src.careTeamSequence -> tgt.careTeamLinkId;
  src.diagnosisSequence -> tgt.diagnosisLinkId;
  src.procedureSequence -> tgt.procedureLinkId;
  src.informationSequence -> tgt.informationLinkId;
  src.revenue -> tgt.revenue;
  src.category -> tgt.category;
  src.productOrService -> tgt.service;
  src.modifier -> tgt.modifier;
  src.programCode -> tgt.programCode;
  src.serviced -> tgt.serviced;
  src.location -> tgt.location;
  src.quantity -> tgt.quantity;
  src.unitPrice -> tgt.unitPrice;
  src.factor -> tgt.factor;
  src.net -> tgt.net;
  src.udi -> tgt.udi;
  src.bodySite -> tgt.bodySite;
```

```
  src.subSite -> tgt.subSite;
  src.encounter -> tgt.encounter;
  src.noteNumber -> tgt.noteNumber;
  src.adjudication as s -> tgt.adjudication as t then ExplanationOfBenefitItemAdjudication(s, t);
  src.detail as s -> tgt.detail as t then ExplanationOfBenefitItemDetail(s, t);
}

group ExplanationOfBenefitItemAdjudication(source src, target tgt) extends BackboneElement {
  src.category -> tgt.category;
  src.reason -> tgt.reason;
  src.amount -> tgt.amount;
  src.value -> tgt.value;
}

group ExplanationOfBenefitItemDetail(source src, target tgt) extends BackboneElement {
  src.sequence -> tgt.sequence;
  src.revenue -> tgt.revenue;
  src.category -> tgt.category;
  src.service -> tgt.service;
  src.modifier -> tgt.modifier;
  src.programCode -> tgt.programCode;
  src.quantity -> tgt.quantity;
  src.unitPrice -> tgt.unitPrice;
  src.factor -> tgt.factor;
  src.net -> tgt.net;
  src.udi -> tgt.udi;
  src.noteNumber -> tgt.noteNumber;
  src.adjudication -> tgt.adjudication;
  src.subDetail as s -> tgt.subDetail as t then ExplanationOfBenefitItemDetailSubDetail(s, t);
}

group ExplanationOfBenefitItemDetailSubDetail(source src, target tgt) extends BackboneElement {
  src.sequence -> tgt.sequence;
  src.revenue -> tgt.revenue;
  src.category -> tgt.category;
  src.service -> tgt.service;
  src.modifier -> tgt.modifier;
  src.programCode -> tgt.programCode;
  src.quantity -> tgt.quantity;
  src.unitPrice -> tgt.unitPrice;
  src.factor -> tgt.factor;
  src.net -> tgt.net;
  src.udi -> tgt.udi;
  src.noteNumber -> tgt.noteNumber;
  src.adjudication -> tgt.adjudication;
}

group ExplanationOfBenefitAddItem(source src, target tgt) extends BackboneElement {
  src.itemSequence -> tgt.itemSequence;
  src.detailSequence -> tgt.detailSequence;
  src.subDetailSequence -> tgt.subDetailSequence;
  src.service -> tgt.service;
  src.modifier -> tgt.modifier;
  src.programCode -> tgt.programCode;
  src.serviced -> tgt.serviced;
  src.location -> tgt.location;
  src.quantity -> tgt.quantity;
  src.unitPrice -> tgt.unitPrice;
  src.factor -> tgt.factor;
  src.net -> tgt.net;
  src.bodySite -> tgt.bodySite;
  src.subSite -> tgt.subSite;
  src.noteNumber -> tgt.noteNumber;
  src.adjudication -> tgt.adjudication;
  src.detail as s -> tgt.detail as t then ExplanationOfBenefitAddItemDetail(s, t);
}

group ExplanationOfBenefitAddItemDetail(source src, target tgt) extends BackboneElement {
  src.service -> tgt.service;
  src.modifier -> tgt.modifier;
  src.programCode -> tgt.programCode;
  src.quantity -> tgt.quantity;
  src.unitPrice -> tgt.unitPrice;
  src.factor -> tgt.factor;
  src.net -> tgt.net;
  src.noteNumber -> tgt.noteNumber;
  src.adjudication -> tgt.adjudication;
  src.subDetail as s -> tgt.subDetail as t then ExplanationOfBenefitAddItemDetailSubDetail(s, t);
}

group ExplanationOfBenefitAddItemDetailSubDetail(source src, target tgt) extends BackboneElement {
  src.service -> tgt.service;
  src.modifier -> tgt.modifier;
  src.programCode -> tgt.programCode;
  src.quantity -> tgt.quantity;
  src.unitPrice -> tgt.unitPrice;
  src.factor -> tgt.factor;
  src.net -> tgt.net;
  src.noteNumber -> tgt.noteNumber;
```

```
  src.adjudication -> tgt.adjudication;
}

group ExplanationOfBenefitPayment(source src, target tgt) extends BackboneElement {
  src.type -> tgt.type;
  src.adjustment -> tgt.adjustment;
  src.adjustmentReason -> tgt.adjustmentReason;
  src.date -> tgt.date;
  src.amount -> tgt.amount;
  src.identifier -> tgt.identifier;
}

group ExplanationOfBenefitProcessNote(source src, target tgt) extends BackboneElement {
  src.number -> tgt.number;
  src.type -> tgt.type;
  src.text -> tgt.text;
  src.language -> tgt.language;
}

group ExplanationOfBenefitBenefitBalance(source src, target tgt) extends BackboneElement {
  src.category -> tgt.category;
  src.excluded -> tgt.excluded;
  src.name -> tgt.name;
  src.description -> tgt.description;
  src.network -> tgt.network;
  src.unit -> tgt.unit;
  src.term -> tgt.term;
  src.financial as s -> tgt.financial as t then ExplanationOfBenefitBenefitBalanceFinancial(s, t);
}

group ExplanationOfBenefitBenefitBalanceFinancial(source src, target tgt) extends BackboneElement {
  src.type -> tgt.type;
  src.allowed -> tgt.allowed;
  src.used -> tgt.used;
}
```

13.10.9.3 R4 Validation Errors

13.10.10 JSON Schema for ExplanationOfBenefit

URL: https://hl7.org/fhir/R4/explanationofbenefit.schema.json.html

13.10.10 JSON Schema for ExplanationOfBenefit

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

This is a representation of the json schema for ExplanationOfBenefit, which is just a part of the full JSON Schema.

```
{
  "$schema": "http://json-schema.org/draft-06/schema#",
  "id": "http://hl7.org/fhir/json-schema/ExplanationOfBenefit",
  "$ref": "#/definitions/ExplanationOfBenefit",
  "description": "see http://hl7.org/fhir/json.html#schema for information about the FHIR Json Schemas",
  "definitions": {
    "ExplanationOfBenefit": {
      "description": "This resource provides: the claim details; adjudication details from the processing of a Claim;
    and optionally account balance information, for informing the subscriber of the benefits provided.",
      "properties": {
        "resourceType": {
          "description": "This is a ExplanationOfBenefit resource",
          "const": "ExplanationOfBenefit"
        },
        "id": {
          "description": "The logical id of the resource, as used in the URL for the resource. Once assigned, this value
     never changes.",
          "$ref": "id.schema.json#/definitions/id"
        },
        "meta": {
          "description": "The metadata about the resource. This is content that is maintained by the infrastructure.
    Changes to the content might not always be associated with version changes to the resource.",
          "$ref": "Meta.schema.json#/definitions/Meta"
        },
        "implicitRules": {
          "description": "A reference to a set of rules that were followed when the resource was constructed, and which
    must be understood when processing the content. Often, this is a reference to an implementation guide that defines
    the special rules along with other profiles etc.",
          "$ref": "#/definitions/uri"
        },
        "_implicitRules": {
          "description": "Extensions for implicitRules",
          "$ref": "Element.schema.json#/definitions/Element"
        },
        "language": {
          "description": "The base language in which the resource is written.",
          "$ref": "#/definitions/code"
        },
```

```
    "_language": {
      "description": "Extensions for language",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "text": {
      "description": "A human-readable narrative that contains a summary of the resource and can be used to represent the content of the resource to a human. The narrative need not encode all the structured data, but is required to contain sufficient detail to make it \"clinically safe\" for a human to just read the narrative. Resource definitions may define what content should be represented in the narrative to ensure clinical safety.",
      "$ref": "Narrative.schema.json#/definitions/Narrative"
    },
    "contained": {
      "description": "These resources do not have an independent existence apart from the resource that contains them - they cannot be identified independently, and nor can they have their own independent transaction scope.",
      "items": {
        "$ref": "ResourceList.schema.json#/definitions/ResourceList"
      },
      "type": "array"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of the resource. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the definition and use of extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of the resource and that modifies the understanding of the element that contains it and/or the understanding of the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of extensions. Though any implementer is allowed to define an extension, there is a set of requirements that SHALL be met as part of the definition of the extension. Applications processing a resource are required to check for modifier extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource (including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "identifier": {
      "description": "A unique identifier assigned to this explanation of benefit.",
      "items": {
        "$ref": "Identifier.schema.json#/definitions/Identifier"
      },
      "type": "array"
    },
    "status": {
      "description": "The status of the resource instance.",
      "enum": [
        "active",
        "cancelled",
        "draft",
        "entered-in-error"
      ]
    },
    "_status": {
      "description": "Extensions for status",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "type": {
      "description": "The category of claim, e.g. oral, pharmacy, vision, institutional, professional.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "subType": {
      "description": "A finer grained suite of claim type codes which may convey additional information such as Inpatient vs Outpatient and/or a specialty service.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "use": {
      "description": "A code to indicate whether the nature of the request is: to request adjudication of products and services previously rendered; or requesting authorization and adjudication for provision in the future; or requesting the non-binding adjudication of the listed products and services which could be provided in the future.",
      "$ref": "#/definitions/code"
    },
    "_use": {
      "description": "Extensions for use",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "patient": {
      "description": "The party to whom the professional services and/or products have been supplied or are being considered and for whom actual for forecast reimbursement is sought.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "billablePeriod": {
      "description": "The period for which charges are being submitted.",
```

```
      "$ref": "Period.schema.json#/definitions/Period"
    },
    "created": {
      "description": "The date this resource was created.",
      "$ref": "#/definitions/dateTime"
    },
    "_created": {
      "description": "Extensions for created",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "enterer": {
      "description": "Individual who created the claim, predetermination or preauthorization.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "insurer": {
      "description": "The party responsible for authorization, adjudication and reimbursement.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "provider": {
      "description": "The provider which is responsible for the claim, predetermination or preauthorization.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "priority": {
      "description": "The provider-required urgency of processing the request. Typical values include: stat, routine
 deferred.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "fundsReserveRequested": {
      "description": "A code to indicate whether and for whom funds are to be reserved for future claims.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "fundsReserve": {
      "description": "A code, used only on a response to a preauthorization, to indicate whether the benefits
payable have been reserved and for whom.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "related": {
      "description": "Other claims which are related to this claim such as prior submissions or claims for related
services or for the same event.",
      "items": {
        "$ref": "#/definitions/ExplanationOfBenefit_Related"
      },
      "type": "array"
    },
    "prescription": {
      "description": "Prescription to support the dispensing of pharmacy, device or vision products.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "originalPrescription": {
      "description": "Original prescription which has been superseded by this prescription to support the dispensing
 of pharmacy services, medications or products.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "payee": {
      "description": "The party to be reimbursed for cost of the products and services according to the terms of the
 policy.",
      "$ref": "#/definitions/ExplanationOfBenefit_Payee"
    },
    "referral": {
      "description": "A reference to a referral resource.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "facility": {
      "description": "Facility where the services were provided.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "claim": {
      "description": "The business identifier for the instance of the adjudication request: claim predetermination
or preauthorization.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "claimResponse": {
      "description": "The business identifier for the instance of the adjudication response: claim, predetermination
 or preauthorization response.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "outcome": {
      "description": "The outcome of the claim, predetermination, or preauthorization processing.",
      "$ref": "#/definitions/code"
    },
    "_outcome": {
      "description": "Extensions for outcome",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "disposition": {
      "description": "A human readable description of the status of the adjudication.",
      "$ref": "#/definitions/string"
    },
    "_disposition": {
```

```
      "description": "Extensions for disposition",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "preAuthRef": {
      "description": "Reference from the Insurer which is used in later communications which refers to this
adjudication.",
      "items": {
        "$ref": "#/definitions/string"
      },
      "type": "array"
    },
    "_preAuthRef": {
      "description": "Extensions for preAuthRef",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "preAuthRefPeriod": {
      "description": "The timeframe during which the supplied preauthorization reference may be quoted on claims to
obtain the adjudication as provided.",
      "items": {
        "$ref": "Period.schema.json#/definitions/Period"
      },
      "type": "array"
    },
    "careTeam": {
      "description": "The members of the team who provided the products and services.",
      "items": {
        "$ref": "#/definitions/ExplanationOfBenefit_CareTeam"
      },
      "type": "array"
    },
    "supportingInfo": {
      "description": "Additional information codes regarding exceptions, special considerations, the condition,
situation, prior or concurrent issues.",
      "items": {
        "$ref": "#/definitions/ExplanationOfBenefit_SupportingInfo"
      },
      "type": "array"
    },
    "diagnosis": {
      "description": "Information about diagnoses relevant to the claim items.",
      "items": {
        "$ref": "#/definitions/ExplanationOfBenefit_Diagnosis"
      },
      "type": "array"
    },
    "procedure": {
      "description": "Procedures performed on the patient relevant to the billing items with the claim.",
      "items": {
        "$ref": "#/definitions/ExplanationOfBenefit_Procedure"
      },
      "type": "array"
    },
    "precedence": {
      "description": "This indicates the relative order of a series of EOBs related to different coverages for the
same suite of services.",
      "$ref": "#/definitions/positiveInt"
    },
    "_precedence": {
      "description": "Extensions for precedence",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "insurance": {
      "description": "Financial instruments for reimbursement for the health care products and services specified on
 the claim.",
      "items": {
        "$ref": "#/definitions/ExplanationOfBenefit_Insurance"
      },
      "type": "array"
    },
    "accident": {
      "description": "Details of a accident which resulted in injuries which required the products and services
listed in the claim.",
      "$ref": "#/definitions/ExplanationOfBenefit_Accident"
    },
    "item": {
      "description": "A claim line. Either a simple (a product or service) or a \u0027group\u0027 of details which
can also be a simple items or groups of sub-details.",
      "items": {
        "$ref": "#/definitions/ExplanationOfBenefit_Item"
      },
      "type": "array"
    },
    "addItem": {
      "description": "The first-tier service adjudications for payor added product or service lines.",
      "items": {
        "$ref": "#/definitions/ExplanationOfBenefit_AddItem"
```

```
      },
      "type": "array"
    },
    "adjudication": {
      "description": "The adjudication results which are presented at the header level rather than at the line-item
or add-item levels.",
      "items": {
        "$ref": "#/definitions/ExplanationOfBenefit_Adjudication"
      },
      "type": "array"
    },
    "total": {
      "description": "Categorized monetary totals for the adjudication.",
      "items": {
        "$ref": "#/definitions/ExplanationOfBenefit_Total"
      },
      "type": "array"
    },
    "payment": {
      "description": "Payment details for the adjudication of the claim.",
      "$ref": "#/definitions/ExplanationOfBenefit_Payment"
    },
    "formCode": {
      "description": "A code for the form to be used for printing the content.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "form": {
      "description": "The actual form, by reference or inclusion, for printing the content or an EOB.",
      "$ref": "Attachment.schema.json#/definitions/Attachment"
    },
    "processNote": {
      "description": "A note that describes or explains adjudication results in a human readable form.",
      "items": {
        "$ref": "#/definitions/ExplanationOfBenefit_ProcessNote"
      },
      "type": "array"
    },
    "benefitPeriod": {
      "description": "The term of the benefits documented in this response.",
      "$ref": "Period.schema.json#/definitions/Period"
    },
    "benefitBalance": {
      "description": "Balance by Benefit Category.",
      "items": {
        "$ref": "#/definitions/ExplanationOfBenefit_BenefitBalance"
      },
      "type": "array"
    }
  },
  "additionalProperties": false,
  "required": [
    "insurance",
    "provider",
    "patient",
    "insurer",
    "type",
    "resourceType"
  ]
},
"ExplanationOfBenefit_Related": {
  "description": "This resource provides: the claim details; adjudication details from the processing of a Claim;
and optionally account balance information, for informing the subscriber of the benefits provided.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
```

```
      },
      "type": "array"
    },
    "claim": {
      "description": "Reference to a related claim.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "relationship": {
      "description": "A code to convey how the claims are related.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "reference": {
      "description": "An alternate organizational reference to the case or file to which this particular claim
pertains.",
      "$ref": "Identifier.schema.json#/definitions/Identifier"
    }
  },
  "additionalProperties": false
},
"ExplanationOfBenefit_Payee": {
  "description": "This resource provides: the claim details; adjudication details from the processing of a Claim;
and optionally account balance information, for informing the subscriber of the benefits provided.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "type": {
      "description": "Type of Party to be reimbursed: Subscriber, provider, other.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "party": {
      "description": "Reference to the individual or organization to whom any payment will be made.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    }
  },
  "additionalProperties": false
},
"ExplanationOfBenefit_CareTeam": {
  "description": "This resource provides: the claim details; adjudication details from the processing of a Claim;
and optionally account balance information, for informing the subscriber of the benefits provided.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
```

```
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "sequence": {
      "description": "A number to uniquely identify care team entries.",
      "$ref": "#/definitions/positiveInt"
    },
    "_sequence": {
      "description": "Extensions for sequence",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "provider": {
      "description": "Member of the team who provided the product or service.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "responsible": {
      "description": "The party who is billing and/or responsible for the claimed products or services.",
      "$ref": "#/definitions/boolean"
    },
    "_responsible": {
      "description": "Extensions for responsible",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "role": {
      "description": "The lead, assisting or supervising practitioner and their discipline if a multidisciplinary
team.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "qualification": {
      "description": "The qualification of the practitioner which is applicable for this service.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    }
  },
  "additionalProperties": false,
  "required": [
    "provider"
  ]
},
"ExplanationOfBenefit_SupportingInfo": {
  "description": "This resource provides: the claim details; adjudication details from the processing of a Claim;
and optionally account balance information, for informing the subscriber of the benefits provided.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "sequence": {
      "description": "A number to uniquely identify supporting information entries.",
      "$ref": "#/definitions/positiveInt"
    },
    "_sequence": {
      "description": "Extensions for sequence",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "category": {
      "description": "The general class of the information supplied: information; exception; accident, employment;
onset, etc.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "code": {
```

```
      "description": "System and code pertaining to the specific information regarding special conditions relating
to the setting, treatment or patient  for which care is sought.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "timingDate": {
      "description": "The date when or period to which this information refers.",
      "pattern":
"^([0-9]([0-9]([0-9][1-9]|[1-9]0)|[1-9]00)|[1-9]000)(-(0[1-9]|1[0-2])(-(0[1-9]|[1-2][0-9]|3[0-1]))?)?$",
      "type": "string"
    },
    "_timingDate": {
      "description": "Extensions for timingDate",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "timingPeriod": {
      "description": "The date when or period to which this information refers.",
      "$ref": "Period.schema.json#/definitions/Period"
    },
    "valueBoolean": {
      "description": "Additional data or information such as resources, documents, images etc. including references
to the data or the actual inclusion of the data.",
      "pattern": "^true|false$",
      "type": "boolean"
    },
    "_valueBoolean": {
      "description": "Extensions for valueBoolean",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "valueString": {
      "description": "Additional data or information such as resources, documents, images etc. including references
to the data or the actual inclusion of the data.",
      "pattern": "^[ \\r\\n\\t\\S]+$",
      "type": "string"
    },
    "_valueString": {
      "description": "Extensions for valueString",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "valueQuantity": {
      "description": "Additional data or information such as resources, documents, images etc. including references
to the data or the actual inclusion of the data.",
      "$ref": "Quantity.schema.json#/definitions/Quantity"
    },
    "valueAttachment": {
      "description": "Additional data or information such as resources, documents, images etc. including references
to the data or the actual inclusion of the data.",
      "$ref": "Attachment.schema.json#/definitions/Attachment"
    },
    "valueReference": {
      "description": "Additional data or information such as resources, documents, images etc. including references
to the data or the actual inclusion of the data.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "reason": {
      "description": "Provides the reason in the situation where a reason code is required in addition to the
content.",
      "$ref": "Coding.schema.json#/definitions/Coding"
    }
  },
  "additionalProperties": false,
  "required": [
    "category"
  ]
},
"ExplanationOfBenefit_Diagnosis": {
  "description": "This resource provides: the claim details; adjudication details from the processing of a Claim;
and optionally account balance information, for informing the subscriber of the benefits provided.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
```

```
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "sequence": {
      "description": "A number to uniquely identify diagnosis entries.",
      "$ref": "#/definitions/positiveInt"
    },
    "_sequence": {
      "description": "Extensions for sequence",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "diagnosisCodeableConcept": {
      "description": "The nature of illness or problem in a coded form or as a reference to an external defined
Condition.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "diagnosisReference": {
      "description": "The nature of illness or problem in a coded form or as a reference to an external defined
Condition.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "type": {
      "description": "When the condition was observed or the relative ranking.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "onAdmission": {
      "description": "Indication of whether the diagnosis was present on admission to a facility.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "packageCode": {
      "description": "A package billing code or bundle code used to group products and services to a particular
health condition (such as heart attack) which is based on a predetermined grouping code system.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    }
  },
  "additionalProperties": false
},
"ExplanationOfBenefit_Procedure": {
  "description": "This resource provides: the claim details; adjudication details from the processing of a Claim;
and optionally account balance information, for informing the subscriber of the benefits provided.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "sequence": {
      "description": "A number to uniquely identify procedure entries.",
      "$ref": "#/definitions/positiveInt"
    },
    "_sequence": {
      "description": "Extensions for sequence",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "type": {
      "description": "When the condition was observed or the relative ranking.",
      "items": {
```

```
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "date": {
      "description": "Date and optionally time the procedure was performed.",
      "$ref": "#/definitions/dateTime"
    },
    "_date": {
      "description": "Extensions for date",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "procedureCodeableConcept": {
      "description": "The code or reference to a Procedure resource which identifies the clinical intervention
performed.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "procedureReference": {
      "description": "The code or reference to a Procedure resource which identifies the clinical intervention
performed.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "udi": {
      "description": "Unique Device Identifiers associated with this line item.",
      "items": {
        "$ref": "Reference.schema.json#/definitions/Reference"
      },
      "type": "array"
    }
  },
  "additionalProperties": false
},
"ExplanationOfBenefit_Insurance": {
  "description": "This resource provides: the claim details; adjudication details from the processing of a Claim;
and optionally account balance information, for informing the subscriber of the benefits provided.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "focal": {
      "description": "A flag to indicate that this Coverage is to be used for adjudication of this claim when set to
 true.",
      "$ref": "#/definitions/boolean"
    },
    "_focal": {
      "description": "Extensions for focal",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "coverage": {
      "description": "Reference to the insurance card level information contained in the Coverage resource. The
coverage issuing insurer will use these details to locate the patient\u0027s actual coverage within the
insurer\u0027s information system.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "preAuthRef": {
      "description": "Reference numbers previously provided by the insurer to the provider to be quoted on
subsequent claims containing services or products related to the prior authorization.",
      "items": {
        "$ref": "#/definitions/string"
      },
      "type": "array"
    },
    "_preAuthRef": {
```

```
      "description": "Extensions for preAuthRef",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    }
  },
  "additionalProperties": false,
  "required": [
    "coverage"
  ]
},
"ExplanationOfBenefit_Accident": {
  "description": "This resource provides: the claim details; adjudication details from the processing of a Claim;
and optionally account balance information, for informing the subscriber of the benefits provided.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "date": {
      "description": "Date of an accident event  related to the products and services contained in the claim.",
      "$ref": "#/definitions/date"
    },
    "_date": {
      "description": "Extensions for date",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "type": {
      "description": "The type or context of the accident event for the purposes of selection of potential insurance
 coverages and determination of coordination between insurers.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "locationAddress": {
      "description": "The physical location of the accident event.",
      "$ref": "Address.schema.json#/definitions/Address"
    },
    "locationReference": {
      "description": "The physical location of the accident event.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    }
  },
  "additionalProperties": false
},
"ExplanationOfBenefit_Item": {
  "description": "This resource provides: the claim details; adjudication details from the processing of a Claim;
and optionally account balance information, for informing the subscriber of the benefits provided.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
```

```
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "sequence": {
      "description": "A number to uniquely identify item entries.",
      "$ref": "#/definitions/positiveInt"
    },
    "_sequence": {
      "description": "Extensions for sequence",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "careTeamSequence": {
      "description": "Care team members related to this service or product.",
      "items": {
        "$ref": "#/definitions/positiveInt"
      },
      "type": "array"
    },
    "_careTeamSequence": {
      "description": "Extensions for careTeamSequence",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "diagnosisSequence": {
      "description": "Diagnoses applicable for this service or product.",
      "items": {
        "$ref": "#/definitions/positiveInt"
      },
      "type": "array"
    },
    "_diagnosisSequence": {
      "description": "Extensions for diagnosisSequence",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "procedureSequence": {
      "description": "Procedures applicable for this service or product.",
      "items": {
        "$ref": "#/definitions/positiveInt"
      },
      "type": "array"
    },
    "_procedureSequence": {
      "description": "Extensions for procedureSequence",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "informationSequence": {
      "description": "Exceptions, special conditions and supporting information applicable for this service or
product.",
      "items": {
        "$ref": "#/definitions/positiveInt"
      },
      "type": "array"
    },
    "_informationSequence": {
      "description": "Extensions for informationSequence",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "revenue": {
      "description": "The type of revenue or cost center providing the product and/or service.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "category": {
      "description": "Code to identify the general type of benefits under which products and services are
provided.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "productOrService": {
      "description": "When the value is a group code then this item collects a set of related claim details,
```

```
otherwise this contains the product, service, drug or other billing code for the item.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "modifier": {
      "description": "Item typification or modifiers codes to convey additional context for the product or
service.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "programCode": {
      "description": "Identifies the program under which this may be recovered.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "servicedDate": {
      "description": "The date or dates when the service or product was supplied, performed or completed.",
      "pattern":
"^([0-9]([0-9]([0-9][1-9]|[1-9]0)|[1-9]00)|[1-9]000)(-(0[1-9]|1[0-2])(-(0[1-9]|[1-2][0-9]|3[0-1]))?)?$",
      "type": "string"
    },
    "_servicedDate": {
      "description": "Extensions for servicedDate",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "servicedPeriod": {
      "description": "The date or dates when the service or product was supplied, performed or completed.",
      "$ref": "Period.schema.json#/definitions/Period"
    },
    "locationCodeableConcept": {
      "description": "Where the product or service was provided.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "locationAddress": {
      "description": "Where the product or service was provided.",
      "$ref": "Address.schema.json#/definitions/Address"
    },
    "locationReference": {
      "description": "Where the product or service was provided.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "quantity": {
      "description": "The number of repetitions of a service or product.",
      "$ref": "Quantity.schema.json#/definitions/Quantity"
    },
    "unitPrice": {
      "description": "If the item is not a group then this is the fee for the product or service, otherwise this is
the total of the fees for the details of the group.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "factor": {
      "description": "A real number that represents a multiplier used in determining the overall value of services
delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied
 to a monetary amount.",
      "$ref": "#/definitions/decimal"
    },
    "_factor": {
      "description": "Extensions for factor",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "net": {
      "description": "The quantity times the unit price for an additional service or product or charge.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "udi": {
      "description": "Unique Device Identifiers associated with this line item.",
      "items": {
        "$ref": "Reference.schema.json#/definitions/Reference"
      },
      "type": "array"
    },
    "bodySite": {
      "description": "Physical service site on the patient (limb, tooth, etc.).",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "subSite": {
      "description": "A region or surface of the bodySite, e.g. limb region or tooth surface(s).",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "encounter": {
      "description": "A billed item may include goods or services provided in multiple encounters.",
      "items": {
        "$ref": "Reference.schema.json#/definitions/Reference"
```

```
      },
      "type": "array"
    },
    "noteNumber": {
      "description": "The numbers associated with notes below which apply to the adjudication of this item.",
      "items": {
        "$ref": "#/definitions/positiveInt"
      },
      "type": "array"
    },
    "_noteNumber": {
      "description": "Extensions for noteNumber",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "adjudication": {
      "description": "If this item is a group then the values here are a summary of the adjudication of the detail
items. If this item is a simple product or service then this is the result of the adjudication of this item.",
      "items": {
        "$ref": "#/definitions/ExplanationOfBenefit_Adjudication"
      },
      "type": "array"
    },
    "detail": {
      "description": "Second-tier of goods and services.",
      "items": {
        "$ref": "#/definitions/ExplanationOfBenefit_Detail"
      },
      "type": "array"
    }
  },
  "additionalProperties": false,
  "required": [
    "productOrService"
  ]
},
"ExplanationOfBenefit_Adjudication": {
  "description": "This resource provides: the claim details; adjudication details from the processing of a Claim;
and optionally account balance information, for informing the subscriber of the benefits provided.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "category": {
      "description": "A code to indicate the information type of this adjudication record. Information types may
include: the value submitted, maximum values or percentages allowed or payable under the plan, amounts that the
patient is responsible for in-aggregate or pertaining to this item, amounts paid by other coverages, and the benefit
 payable for this item.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "reason": {
      "description": "A code supporting the understanding of the adjudication result and explaining variance from
expected amount.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "amount": {
      "description": "Monetary amount associated with the category.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "value": {
      "description": "A non-monetary value associated with the category. Mutually exclusive to the amount element
```

```
above.",
      "$ref": "#/definitions/decimal"
    },
    "_value": {
      "description": "Extensions for value",
      "$ref": "Element.schema.json#/definitions/Element"
    }
  },
  "additionalProperties": false,
  "required": [
    "category"
  ]
},
"ExplanationOfBenefit_Detail": {
  "description": "This resource provides: the claim details; adjudication details from the processing of a Claim;
and optionally account balance information, for informing the subscriber of the benefits provided.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "sequence": {
      "description": "A claim detail line. Either a simple (a product or service) or a \u0027group\u0027 of sub-
details which are simple items.",
      "$ref": "#/definitions/positiveInt"
    },
    "_sequence": {
      "description": "Extensions for sequence",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "revenue": {
      "description": "The type of revenue or cost center providing the product and/or service.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "category": {
      "description": "Code to identify the general type of benefits under which products and services are
provided.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "productOrService": {
      "description": "When the value is a group code then this item collects a set of related claim details,
otherwise this contains the product, service, drug or other billing code for the item.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "modifier": {
      "description": "Item typification or modifiers codes to convey additional context for the product or
service.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "programCode": {
      "description": "Identifies the program under which this may be recovered.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "quantity": {
      "description": "The number of repetitions of a service or product.",
      "$ref": "Quantity.schema.json#/definitions/Quantity"
    },
    "unitPrice": {
```

```
      "description": "If the item is not a group then this is the fee for the product or service, otherwise this is the total of the fees for the details of the group.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "factor": {
      "description": "A real number that represents a multiplier used in determining the overall value of services delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied to a monetary amount.",
      "$ref": "#/definitions/decimal"
    },
    "_factor": {
      "description": "Extensions for factor",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "net": {
      "description": "The quantity times the unit price for an additional service or product or charge.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "udi": {
      "description": "Unique Device Identifiers associated with this line item.",
      "items": {
        "$ref": "Reference.schema.json#/definitions/Reference"
      },
      "type": "array"
    },
    "noteNumber": {
      "description": "The numbers associated with notes below which apply to the adjudication of this item.",
      "items": {
        "$ref": "#/definitions/positiveInt"
      },
      "type": "array"
    },
    "_noteNumber": {
      "description": "Extensions for noteNumber",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "adjudication": {
      "description": "The adjudication results.",
      "items": {
        "$ref": "#/definitions/ExplanationOfBenefit_Adjudication"
      },
      "type": "array"
    },
    "subDetail": {
      "description": "Third-tier of goods and services.",
      "items": {
        "$ref": "#/definitions/ExplanationOfBenefit_SubDetail"
      },
      "type": "array"
    }
  },
  "additionalProperties": false,
  "required": [
    "productOrService"
  ]
},
"ExplanationOfBenefit_SubDetail": {
  "description": "This resource provides: the claim details; adjudication details from the processing of a Claim; and optionally account balance information, for informing the subscriber of the benefits provided.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the definition and use of extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of the element and that modifies the understanding of the element in which it is contained and/or the understanding of the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part of the definition of the extension. Applications processing a resource are required to check for modifier extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource (including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
```

```
      },
      "type": "array"
    },
    "sequence": {
      "description": "A claim detail line. Either a simple (a product or service) or a \u0027group\u0027 of sub-
details which are simple items.",
      "$ref": "#/definitions/positiveInt"
    },
    "_sequence": {
      "description": "Extensions for sequence",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "revenue": {
      "description": "The type of revenue or cost center providing the product and/or service.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "category": {
      "description": "Code to identify the general type of benefits under which products and services are
provided.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "productOrService": {
      "description": "When the value is a group code then this item collects a set of related claim details,
otherwise this contains the product, service, drug or other billing code for the item.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "modifier": {
      "description": "Item typification or modifiers codes to convey additional context for the product or
service.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "programCode": {
      "description": "Identifies the program under which this may be recovered.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "quantity": {
      "description": "The number of repetitions of a service or product.",
      "$ref": "Quantity.schema.json#/definitions/Quantity"
    },
    "unitPrice": {
      "description": "If the item is not a group then this is the fee for the product or service, otherwise this is
the total of the fees for the details of the group.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "factor": {
      "description": "A real number that represents a multiplier used in determining the overall value of services
delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied
 to a monetary amount.",
      "$ref": "#/definitions/decimal"
    },
    "_factor": {
      "description": "Extensions for factor",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "net": {
      "description": "The quantity times the unit price for an additional service or product or charge.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "udi": {
      "description": "Unique Device Identifiers associated with this line item.",
      "items": {
        "$ref": "Reference.schema.json#/definitions/Reference"
      },
      "type": "array"
    },
    "noteNumber": {
      "description": "The numbers associated with notes below which apply to the adjudication of this item.",
      "items": {
        "$ref": "#/definitions/positiveInt"
      },
      "type": "array"
    },
    "_noteNumber": {
      "description": "Extensions for noteNumber",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "adjudication": {
      "description": "The adjudication results.",
      "items": {
        "$ref": "#/definitions/ExplanationOfBenefit_Adjudication"
```

```
      },
      "type": "array"
    }
  },
  "additionalProperties": false,
  "required": [
    "productOrService"
  ]
},
"ExplanationOfBenefit_AddItem": {
  "description": "This resource provides: the claim details; adjudication details from the processing of a Claim;
and optionally account balance information, for informing the subscriber of the benefits provided.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "itemSequence": {
      "description": "Claim items which this service line is intended to replace.",
      "items": {
        "$ref": "#/definitions/positiveInt"
      },
      "type": "array"
    },
    "_itemSequence": {
      "description": "Extensions for itemSequence",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "detailSequence": {
      "description": "The sequence number of the details within the claim item which this line is intended to
replace.",
      "items": {
        "$ref": "#/definitions/positiveInt"
      },
      "type": "array"
    },
    "_detailSequence": {
      "description": "Extensions for detailSequence",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "subDetailSequence": {
      "description": "The sequence number of the sub-details woithin the details within the claim item which this
line is intended to replace.",
      "items": {
        "$ref": "#/definitions/positiveInt"
      },
      "type": "array"
    },
    "_subDetailSequence": {
      "description": "Extensions for subDetailSequence",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "provider": {
      "description": "The providers who are authorized for the services rendered to the patient.",
      "items": {
```

```
        "$ref": "Reference.schema.json#/definitions/Reference"
      },
      "type": "array"
    },
    "productOrService": {
      "description": "When the value is a group code then this item collects a set of related claim details,
otherwise this contains the product, service, drug or other billing code for the item.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "modifier": {
      "description": "Item typification or modifiers codes to convey additional context for the product or
service.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "programCode": {
      "description": "Identifies the program under which this may be recovered.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "servicedDate": {
      "description": "The date or dates when the service or product was supplied, performed or completed.",
      "pattern":
"^([0-9]([0-9]([0-9][1-9]|[1-9]0)|[1-9]00)|[1-9]000)(-(0[1-9]|1[0-2])(-(0[1-9]|[1-2][0-9]|3[0-1]))?)?$",
      "type": "string"
    },
    "_servicedDate": {
      "description": "Extensions for servicedDate",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "servicedPeriod": {
      "description": "The date or dates when the service or product was supplied, performed or completed.",
      "$ref": "Period.schema.json#/definitions/Period"
    },
    "locationCodeableConcept": {
      "description": "Where the product or service was provided.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "locationAddress": {
      "description": "Where the product or service was provided.",
      "$ref": "Address.schema.json#/definitions/Address"
    },
    "locationReference": {
      "description": "Where the product or service was provided.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "quantity": {
      "description": "The number of repetitions of a service or product.",
      "$ref": "Quantity.schema.json#/definitions/Quantity"
    },
    "unitPrice": {
      "description": "If the item is not a group then this is the fee for the product or service, otherwise this is
the total of the fees for the details of the group.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "factor": {
      "description": "A real number that represents a multiplier used in determining the overall value of services
delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied
 to a monetary amount.",
      "$ref": "#/definitions/decimal"
    },
    "_factor": {
      "description": "Extensions for factor",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "net": {
      "description": "The quantity times the unit price for an additional service or product or charge.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "bodySite": {
      "description": "Physical service site on the patient (limb, tooth, etc.).",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "subSite": {
      "description": "A region or surface of the bodySite, e.g. limb region or tooth surface(s).",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "noteNumber": {
      "description": "The numbers associated with notes below which apply to the adjudication of this item.",
      "items": {
        "$ref": "#/definitions/positiveInt"
      },
```

```
      "type": "array"
    },
    "_noteNumber": {
      "description": "Extensions for noteNumber",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "adjudication": {
      "description": "The adjudication results.",
      "items": {
        "$ref": "#/definitions/ExplanationOfBenefit_Adjudication"
      },
      "type": "array"
    },
    "detail": {
      "description": "The second-tier service adjudications for payor added services.",
      "items": {
        "$ref": "#/definitions/ExplanationOfBenefit_Detail1"
      },
      "type": "array"
    }
  },
  "additionalProperties": false,
  "required": [
    "productOrService"
  ]
},
"ExplanationOfBenefit_Detail1": {
  "description": "This resource provides: the claim details; adjudication details from the processing of a Claim;
and optionally account balance information, for informing the subscriber of the benefits provided.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "productOrService": {
      "description": "When the value is a group code then this item collects a set of related claim details,
otherwise this contains the product, service, drug or other billing code for the item.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "modifier": {
      "description": "Item typification or modifiers codes to convey additional context for the product or
service.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "quantity": {
      "description": "The number of repetitions of a service or product.",
      "$ref": "Quantity.schema.json#/definitions/Quantity"
    },
    "unitPrice": {
      "description": "If the item is not a group then this is the fee for the product or service, otherwise this is
the total of the fees for the details of the group.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "factor": {
      "description": "A real number that represents a multiplier used in determining the overall value of services
delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied
 to a monetary amount.",
      "$ref": "#/definitions/decimal"
```

```
    },
    "_factor": {
      "description": "Extensions for factor",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "net": {
      "description": "The quantity times the unit price for an additional service or product or charge.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "noteNumber": {
      "description": "The numbers associated with notes below which apply to the adjudication of this item.",
      "items": {
        "$ref": "#/definitions/positiveInt"
      },
      "type": "array"
    },
    "_noteNumber": {
      "description": "Extensions for noteNumber",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "adjudication": {
      "description": "The adjudication results.",
      "items": {
        "$ref": "#/definitions/ExplanationOfBenefit_Adjudication"
      },
      "type": "array"
    },
    "subDetail": {
      "description": "The third-tier service adjudications for payor added services.",
      "items": {
        "$ref": "#/definitions/ExplanationOfBenefit_SubDetail1"
      },
      "type": "array"
    }
  },
  "additionalProperties": false,
  "required": [
    "productOrService"
  ]
},
"ExplanationOfBenefit_SubDetail1": {
  "description": "This resource provides: the claim details; adjudication details from the processing of a Claim;
and optionally account balance information, for informing the subscriber of the benefits provided.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "productOrService": {
      "description": "When the value is a group code then this item collects a set of related claim details,
otherwise this contains the product, service, drug or other billing code for the item.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "modifier": {
      "description": "Item typification or modifiers codes to convey additional context for the product or
service.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
```

```
    "quantity": {
      "description": "The number of repetitions of a service or product.",
      "$ref": "Quantity.schema.json#/definitions/Quantity"
    },
    "unitPrice": {
      "description": "If the item is not a group then this is the fee for the product or service, otherwise this is
the total of the fees for the details of the group.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "factor": {
      "description": "A real number that represents a multiplier used in determining the overall value of services
delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied
 to a monetary amount.",
      "$ref": "#/definitions/decimal"
    },
    "_factor": {
      "description": "Extensions for factor",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "net": {
      "description": "The quantity times the unit price for an additional service or product or charge.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "noteNumber": {
      "description": "The numbers associated with notes below which apply to the adjudication of this item.",
      "items": {
        "$ref": "#/definitions/positiveInt"
      },
      "type": "array"
    },
    "_noteNumber": {
      "description": "Extensions for noteNumber",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "adjudication": {
      "description": "The adjudication results.",
      "items": {
        "$ref": "#/definitions/ExplanationOfBenefit_Adjudication"
      },
      "type": "array"
    }
  },
  "additionalProperties": false,
  "required": [
    "productOrService"
  ]
},
"ExplanationOfBenefit_Total": {
  "description": "This resource provides: the claim details; adjudication details from the processing of a Claim;
and optionally account balance information, for informing the subscriber of the benefits provided.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "category": {
      "description": "A code to indicate the information type of this adjudication record. Information types may
include: the value submitted, maximum values or percentages allowed or payable under the plan, amounts that the
patient is responsible for in aggregate or pertaining to this item, amounts paid by other coverages, and the benefit
 payable for this item.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
```

```
    },
    "amount": {
      "description": "Monetary total amount associated with the category.",
      "$ref": "Money.schema.json#/definitions/Money"
    }
  },
  "additionalProperties": false,
  "required": [
    "amount",
    "category"
  ]
},
"ExplanationOfBenefit_Payment": {
  "description": "This resource provides: the claim details; adjudication details from the processing of a Claim;
and optionally account balance information, for informing the subscriber of the benefits provided.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "type": {
      "description": "Whether this represents partial or complete payment of the benefits payable.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "adjustment": {
      "description": "Total amount of all adjustments to this payment included in this transaction which are not
related to this claim\u0027s adjudication.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "adjustmentReason": {
      "description": "Reason for the payment adjustment.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "date": {
      "description": "Estimated date the payment will be issued or the actual issue date of payment.",
      "$ref": "#/definitions/date"
    },
    "_date": {
      "description": "Extensions for date",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "amount": {
      "description": "Benefits payable less any payment adjustment.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "identifier": {
      "description": "Issuer\u0027s unique identifier for the payment instrument.",
      "$ref": "Identifier.schema.json#/definitions/Identifier"
    }
  },
  "additionalProperties": false
},
"ExplanationOfBenefit_ProcessNote": {
  "description": "This resource provides: the claim details; adjudication details from the processing of a Claim;
and optionally account balance information, for informing the subscriber of the benefits provided.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
```

```
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "number": {
      "description": "A number to uniquely identify a note entry.",
      "$ref": "#/definitions/positiveInt"
    },
    "_number": {
      "description": "Extensions for number",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "type": {
      "description": "The business purpose of the note text.",
      "enum": [
        "display",
        "print",
        "printoper"
      ]
    },
    "_type": {
      "description": "Extensions for type",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "text": {
      "description": "The explanation or description associated with the processing.",
      "$ref": "#/definitions/string"
    },
    "_text": {
      "description": "Extensions for text",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "language": {
      "description": "A code to define the language used in the text of the note.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    }
  },
  "additionalProperties": false
},
"ExplanationOfBenefit_BenefitBalance": {
  "description": "This resource provides: the claim details; adjudication details from the processing of a Claim;
and optionally account balance information, for informing the subscriber of the benefits provided.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
```

```
    "category": {
      "description": "Code to identify the general type of benefits under which products and services are
provided.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "excluded": {
      "description": "True if the indicated class of service is excluded from the plan, missing or False indicates
the product or service is included in the coverage.",
      "$ref": "#/definitions/boolean"
    },
    "_excluded": {
      "description": "Extensions for excluded",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "name": {
      "description": "A short name or tag for the benefit.",
      "$ref": "#/definitions/string"
    },
    "_name": {
      "description": "Extensions for name",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "description": {
      "description": "A richer description of the benefit or services covered.",
      "$ref": "#/definitions/string"
    },
    "_description": {
      "description": "Extensions for description",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "network": {
      "description": "Is a flag to indicate whether the benefits refer to in-network providers or out-of-network
providers.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "unit": {
      "description": "Indicates if the benefits apply to an individual or to the family.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "term": {
      "description": "The term or period of the values such as \u0027maximum lifetime benefit\u0027 or \u0027maximum
 annual visits\u0027.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "financial": {
      "description": "Benefits Used to date.",
      "items": {
        "$ref": "#/definitions/ExplanationOfBenefit_Financial"
      },
      "type": "array"
    }
  },
  "additionalProperties": false,
  "required": [
    "category"
  ]
},
"ExplanationOfBenefit_Financial": {
  "description": "This resource provides: the claim details; adjudication details from the processing of a Claim;
and optionally account balance information, for informing the subscriber of the benefits provided.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
```

```
        },
        "type": {
          "description": "Classification of benefit being provided.",
          "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
        },
        "allowedUnsignedInt": {
          "description": "The quantity of the benefit which is permitted under the coverage.",
          "pattern": "^[0]|([1-9][0-9]*)$",
          "type": "number"
        },
        "_allowedUnsignedInt": {
          "description": "Extensions for allowedUnsignedInt",
          "$ref": "Element.schema.json#/definitions/Element"
        },
        "allowedString": {
          "description": "The quantity of the benefit which is permitted under the coverage.",
          "pattern": "^[ \\r\\n\\t\\S]+$",
          "type": "string"
        },
        "_allowedString": {
          "description": "Extensions for allowedString",
          "$ref": "Element.schema.json#/definitions/Element"
        },
        "allowedMoney": {
          "description": "The quantity of the benefit which is permitted under the coverage.",
          "$ref": "Money.schema.json#/definitions/Money"
        },
        "usedUnsignedInt": {
          "description": "The quantity of the benefit which have been consumed to date.",
          "pattern": "^[0]|([1-9][0-9]*)$",
          "type": "number"
        },
        "_usedUnsignedInt": {
          "description": "Extensions for usedUnsignedInt",
          "$ref": "Element.schema.json#/definitions/Element"
        },
        "usedMoney": {
          "description": "The quantity of the benefit which have been consumed to date.",
          "$ref": "Money.schema.json#/definitions/Money"
        }
      },
      "additionalProperties": false,
      "required": [
        "type"
      ]
    }
  }
}
```


13.10.11 Resource ExplanationOfBenefit - Maturity Dependency View

URL: https://hl7.org/fhir/R4/explanationofbenefit-dependencies.html

13.10.11 Resource ExplanationOfBenefit - Maturity Dependency View

Financial Management Work Group | Maturity Level: 2 | Trial Use | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

Dependency Graph for ExplanationOfBenefit FMM level 2

Name | Card. | Type | Dependency Analysis
ExplanationOfBenefit | | DomainResource
identifier | 0..* | Identifier
status | 1..1 | code
type | 1..1 | CodeableConcept
subType | 0..1 | CodeableConcept
use | 1..1 | code
patient | 1..1 | Reference(Patient)
billablePeriod | 0..1 | Period
created | 1..1 | dateTime
enterer | 0..1 | Reference(Practitioner | PractitionerRole)
insurer | 1..1 | Reference(Organization)
provider | 1..1 | Reference(Practitioner | PractitionerRole | Organization)
priority | 0..1 | CodeableConcept
fundsReserveRequested | 0..1 | CodeableConcept
fundsReserve | 0..1 | CodeableConcept
related | 0..* | BackboneElement
claim | 0..1 | Reference(Claim)
relationship | 0..1 | CodeableConcept
reference | 0..1 | Identifier
prescription | 0..1 | Reference(MedicationRequest | VisionPrescription)
originalPrescription | 0..1 | Reference(MedicationRequest)

payee | 0..1 | BackboneElement
type | 0..1 | CodeableConcept
party | 0..1 | Reference(Practitioner | PractitionerRole | Organization | Patient | RelatedPerson)
referral | 0..1 | Reference(ServiceRequest)
facility | 0..1 | Reference(Location)
claim | 0..1 | Reference(Claim)
claimResponse | 0..1 | Reference(ClaimResponse)
outcome | 1..1 | code
disposition | 0..1 | string
preAuthRef | 0..* | string
preAuthRefPeriod | 0..* | Period
careTeam | 0..* | BackboneElement
sequence | 1..1 | positiveInt
provider | 1..1 | Reference(Practitioner | PractitionerRole | Organization)
responsible | 0..1 | boolean
role | 0..1 | CodeableConcept
qualification | 0..1 | CodeableConcept
supportingInfo | 0..* | BackboneElement
sequence | 1..1 | positiveInt
category | 1..1 | CodeableConcept
code | 0..1 | CodeableConcept
timing[x] | 0..1
timingDate | | date
timingPeriod | | Period
value[x] | 0..1
valueBoolean | | boolean
valueString | | string
valueQuantity | | Quantity
valueAttachment | | Attachment
valueReference | | Reference(Any
reason | 0..1 | Coding
diagnosis | 0..* | BackboneElement
sequence | 1..1 | positiveInt
diagnosis[x] | 1..1
diagnosisCodeableConcept | | CodeableConcept
diagnosisReference | | Reference(Condition
type | 0..* | CodeableConcept
onAdmission | 0..1 | CodeableConcept
packageCode | 0..1 | CodeableConcept
procedure | 0..* | BackboneElement
sequence | 1..1 | positiveInt
type | 0..* | CodeableConcept
date | 0..1 | dateTime
procedure[x] | 1..1
procedureCodeableConcept | | CodeableConcept
procedureReference | | Reference(Procedure
udi | 0..* | Reference(Device)
precedence | 0..1 | positiveInt
insurance | 1..* | BackboneElement
focal | 1..1 | boolean
coverage | 1..1 | Reference(Coverage)
preAuthRef | 0..* | string
accident | 0..1 | BackboneElement
date | 0..1 | date
type | 0..1 | CodeableConcept
location[x] | 0..1
locationAddress | | Address
locationReference | | Reference(Location
item | 0..* | BackboneElement
sequence | 1..1 | positiveInt
careTeamSequence | 0..* | positiveInt
diagnosisSequence | 0..* | positiveInt
procedureSequence | 0..* | positiveInt
informationSequence | 0..* | positiveInt
revenue | 0..1 | CodeableConcept
category | 0..1 | CodeableConcept
productOrService | 1..1 | CodeableConcept
modifier | 0..* | CodeableConcept
programCode | 0..* | CodeableConcept
serviced[x] | 0..1
servicedDate | | date
servicedPeriod | | Period

location[x] | 0..1
locationCodeableConcept | | CodeableConcept
locationAddress | | Address
locationReference | | Reference(Location
quantity | 0..1 | SimpleQuantity
unitPrice | 0..1 | Money
factor | 0..1 | decimal
net | 0..1 | Money
udi | 0..* | Reference(Device)
bodySite | 0..1 | CodeableConcept
subSite | 0..* | CodeableConcept
encounter | 0..* | Reference(Encounter)
noteNumber | 0..* | positiveInt
adjudication | 0..* | BackboneElement
category | 1..1 | CodeableConcept
reason | 0..1 | CodeableConcept
amount | 0..1 | Money
value | 0..1 | decimal
detail | 0..* | BackboneElement
sequence | 1..1 | positiveInt
revenue | 0..1 | CodeableConcept
category | 0..1 | CodeableConcept
productOrService | 1..1 | CodeableConcept
modifier | 0..* | CodeableConcept
programCode | 0..* | CodeableConcept
quantity | 0..1 | SimpleQuantity
unitPrice | 0..1 | Money
factor | 0..1 | decimal
net | 0..1 | Money
udi | 0..* | Reference(Device)
noteNumber | 0..* | positiveInt
adjudication | 0..* | see adjudication
subDetail | 0..* | BackboneElement
sequence | 1..1 | positiveInt
revenue | 0..1 | CodeableConcept
category | 0..1 | CodeableConcept
productOrService | 1..1 | CodeableConcept
modifier | 0..* | CodeableConcept
programCode | 0..* | CodeableConcept
quantity | 0..1 | SimpleQuantity
unitPrice | 0..1 | Money
factor | 0..1 | decimal
net | 0..1 | Money
udi | 0..* | Reference(Device)
noteNumber | 0..* | positiveInt
adjudication | 0..* | see adjudication
addItem | 0..* | BackboneElement
itemSequence | 0..* | positiveInt
detailSequence | 0..* | positiveInt
subDetailSequence | 0..* | positiveInt
provider | 0..* | Reference(Practitioner | PractitionerRole | Organization)
productOrService | 1..1 | CodeableConcept
modifier | 0..* | CodeableConcept
programCode | 0..* | CodeableConcept
serviced[x] | 0..1
servicedDate | | date
servicedPeriod | | Period
location[x] | 0..1
locationCodeableConcept | | CodeableConcept
locationAddress | | Address
locationReference | | Reference(Location
quantity | 0..1 | SimpleQuantity
unitPrice | 0..1 | Money
factor | 0..1 | decimal
net | 0..1 | Money
bodySite | 0..1 | CodeableConcept
subSite | 0..* | CodeableConcept
noteNumber | 0..* | positiveInt
adjudication | 0..* | see adjudication
detail | 0..* | BackboneElement
productOrService | 1..1 | CodeableConcept
modifier | 0..* | CodeableConcept

quantity | 0..1 | SimpleQuantity
unitPrice | 0..1 | Money
factor | 0..1 | decimal
net | 0..1 | Money
noteNumber | 0..* | positiveInt
adjudication | 0..* | see adjudication
subDetail | 0..* | BackboneElement
productOrService | 1..1 | CodeableConcept
modifier | 0..* | CodeableConcept
quantity | 0..1 | SimpleQuantity
unitPrice | 0..1 | Money
factor | 0..1 | decimal
net | 0..1 | Money
noteNumber | 0..* | positiveInt
adjudication | 0..* | see adjudication
adjudication | 0..* | see adjudication
total | 0..* | BackboneElement
category | 1..1 | CodeableConcept
amount | 1..1 | Money
payment | 0..1 | BackboneElement
type | 0..1 | CodeableConcept
adjustment | 0..1 | Money
adjustmentReason | 0..1 | CodeableConcept
date | 0..1 | date
amount | 0..1 | Money
identifier | 0..1 | Identifier
formCode | 0..1 | CodeableConcept
form | 0..1 | Attachment
processNote | 0..* | BackboneElement
number | 0..1 | positiveInt
type | 0..1 | code
text | 0..1 | string
language | 0..1 | CodeableConcept
benefitPeriod | 0..1 | Period
benefitBalance | 0..* | BackboneElement
category | 1..1 | CodeableConcept
excluded | 0..1 | boolean
name | 0..1 | string
description | 0..1 | string
network | 0..1 | CodeableConcept
unit | 0..1 | CodeableConcept
term | 0..1 | CodeableConcept
financial | 0..* | BackboneElement
type | 1..1 | CodeableConcept
allowed[x] | 0..1
allowedUnsignedInt | | unsignedInt
allowedString | | string
allowedMoney | | Money
used[x] | 0..1
usedUnsignedInt | | unsignedInt
usedMoney | | Money

13.10.12 Value Set Sc-valueset-explanationofbenefit-status - Status Code Mapping

URL: https://hl7.org/fhir/R4/sc-valueset-explanationofbenefit-status.html

13.10.12 Value Set Sc-valueset-explanationofbenefit-status - Status Code Mapping

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

This is the narrative for the resource. See also the XML, JSON or Turtle format.

13.10.13 ExplanationOfBenefitStatusCanonicalMap (http://hl7.org/fhir/ConceptMap/sc-explanationofbenefit-status)

Mapping from http://hl7.org/fhir/ValueSet/explanationofbenefit-status to http://hl7.org/fhir/ValueSet/resource-status

DRAFT. Published on 01/11/2019 9:29:23 AM by HL7 (FHIR Project) (http://hl7.org/fhir , fhir@lists.hl7.org).

Canonical Mapping for "A code specifying the state of the resource instance."

Source Code	Equivalence	Destination Code
entered-in-error	equivalent	error
draft	equivalent	draft
active	equivalent	active
cancelled	equivalent	abandoned

13.11 Resource Contract - Content

URL: https://hl7.org/fhir/R4/contract.html
Financial Management Work Group | Maturity Level: 1 | Trial Use | Security Category: Patient | Compartments: Not linked to any defined compartments

Legally enforceable, formally recorded unilateral or bilateral directive i.e., a policy or agreement.

13.11.1 Scope and Usage

This resource allows for the instantiation of various types of legally enforceable agreements or policies as shareable, consumable, and executable artifacts as well as precursory content upon which instances may be based or derivative artifacts supporting management of their basal instance. The resource is general enough to encode broad range of legal artifacts such as:

• A Contract instance, which may undergo legal state transitions during its formation.

• Templates for or agreed upon instances of rules, obligations, and prohibitions.

• An organizational or jurisdictional policy, for example, for establishing rules of conduct or obligations necessary to achieve societal goods. Or it may encode a contract instance, which may be accepted by one party in exchange of considerations offered by another party.

• A derivative of a contract instance for purposes of workflow management of the agreement, e.g., for retrieval or indication of agreed upon terms, such as entities allowed to exchange governed assets.

Contracts are promises or understandings that are enforceable by law in case of any violation or breech by any involved party or organization. A Contract instance may be a unilateral mandate such as a policy, or a unilateral, bilateral, or multilateral agreement, which impacts the influence of the parties over the terms of the agreement, and the burdens and risks incurred.

Contract Resource may be typed to support multiple types of domain policies and contractual agreements, and specializations of those types.

A Contract instance must include at least one term with an offer, which obligates the offerer to or not to do, perform, or effectuate some action in exchange for some consideration in return from the offeree, e.g., another obligatory action or non-action, or an asset.

The Contract action element follows the Request Pattern to describe the proposal, plan, or order to effectuate the obligatory service or activity specified in a term’s offer. The Contract action may reference and specify the roles for one or more target entities, the requesters, and performers. By following the Request Pattern, the Contract provides the criteria needed to assess whether the contract obligations have been enforced, for example, in the case of a privacy policy, by an access control system.

The Contract asset element supports detailed description of the consideration being exchanged in a Contract instance or the satisfaction of a policy imperative such as the obligation to render aid as required by local law.

The Contract valuedItem element supports detailed description of the monetary worth of a Contract asset being marketed, the price of products being sold, or the property taxes required under a jurisdictional tax law.

A Contract may be used as a content derivative, which contains the minimal content derived from the basal information source at a specific stage in its lifecycle, which is needed for management and communications about the basal information source. For example, the metadata used to register a Contract’s characteristics and retrieval address in a federated registry/repository exchange ecosystem.

In addition to other uses of derivatives, the Contract Resource may function simply as the computable representation of the executed contract, which may be the attached to the Contract Resource as the 'legally binding' scanned paper contract attachment or referenced location, or as the 'friendly' electronic form such as an html page or a QuestionnaireResponse.

By using the Contract linkID elements, which are associated with key Contract elements, a Contract Resource may be automatically populated with the values expressed in a related QuestionnaireResponse.

Note that the Contract Resource may be considered the legally binding contract only if it is intended to be the sole 'executed' encoding of this contract, and includes the legally binding signatures. I.e., even if the Contract Resource is populated based on content in a hard-copy contract or an electronic contract form intended to collect both the content and the signature of relevant parties to the contract, if contracting parties have agreed or acknowledged that the Contract Resource conveys the binding and enforceable legal contract and that it is fully traceable to the forms used to collect its content, meeting the legal concept of being within the 'four corners of a contract', i.e., that the meaning of the contract, will, or deed is represented solely by this instance of the Contract Resource. This usage could be implemented with digital ledger technology to form a

'smart contract' to the extent that an instance supports elements critical to computable algorithms intended to achieve some output.

Where the Consent resource applies, the Consent resource should be used. Where a Contract exists for a consent directive then if a Consent for this also exists the Consent shall reference the Contract.

13.11.2 Boundaries and Relationships

• Contracts are used to record in machine processible form a legal agreement between parties

13.11.3 Background and Context

Implementers should be familiar with legal concepts, Ricardian Contracts and have a general knowledge of recording agreements.

13.11.3.1 Legal State Machine

This Resource supports tracking of the progress of a Contract instance during its lifecycle as a 'legal instrument' from inception as a draft, possibly based on a definitional contract template to negotiations and the various permutation on term elements that may occur, on to execution. Then it follows the Contract as enforceable obligations, which may be breached, disputed, or modified, until the Contract reaches renewal, termination, or revocation. This is flow is orthogonal to the Contract.status, which tracks the progress of the documentation of the Contract whether it is definitional, a derivative, or an instance. The legal state value set specifies the characteristics of these states based on legal definitions.

This resource is referenced by Consent, itself, Coverage and SupplyDelivery

13.11.4 Resource Content

• Structure
• UML
• XML
• JSON
• Turtle
• R3 Diff
• All

Structure

Name | Flags | Card. | Type | Description & Constraints
Contract | TU | | DomainResource | Legal Agreement Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | Σ | 0..* | Identifier | Contract number
url | | 0..1 | uri | Basal definition
version | Σ | 0..1 | string | Business edition
status | ?!Σ | 0..1 | code | amended | appended | cancelled | disputed | entered-in-error | executable | executed | negotiable | offered | policy | rejected | renewed | revoked | resolved | terminated Contract Resource Status Codes (Required)
legalState | | 0..1 | CodeableConcept | Negotiation status Contract Resource Legal State codes (Extensible)
instantiatesCanonical | | 0..1 | Reference(Contract) | Source Contract Definition
instantiatesUri | | 0..1 | uri | External Contract Definition
contentDerivative | | 0..1 | CodeableConcept | Content derived from the basal information Contract Content Derivation Codes (Example)
issued | Σ | 0..1 | dateTime | When this Contract was issued
applies | Σ | 0..1 | Period | Effective time
expirationType | | 0..1 | CodeableConcept | Contract cessation cause Contract Resource Expiration Type codes (Example)
subject | Σ | 0..* | Reference(Any) | Contract Target Entity
authority | | 0..* | Reference(Organization) | Authority under which this Contract has standing
domain | | 0..* | Reference(Location) | A sphere of control governed by an authoritative jurisdiction, organization, or person
site | | 0..* | Reference(Location) | Specific Location
name | Σ | 0..1 | string | Computer friendly designation
title | Σ | 0..1 | string | Human Friendly name
subtitle | | 0..1 | string | Subordinate Friendly name
alias | | 0..* | string | Acronym or short name
author | | 0..1 | Reference(Patient | Practitioner | PractitionerRole | Organization) | Source of Contract
scope | | 0..1 | CodeableConcept | Range of Legal Concerns Contract Resource Scope codes (Example)
topic[x] | | 0..1 | | Focus of contract interest
topicCodeableConcept | | | CodeableConcept
topicReference | | | Reference(Any)
type | Σ | 0..1 | CodeableConcept | Legal instrument category Contract Type Codes (Example)
subType | Σ | 0..* | CodeableConcept | Subtype within the context of type Contract Subtype Codes (Example)
contentDefinition | | 0..1 | BackboneElement | Contract precursor content
type | | 1..1 | CodeableConcept | Content structure and use Contract Resource Definition Type codes (Example)
subType | | 0..1 | CodeableConcept | Detailed Content Type Definition Contract Resource Definition Subtype codes (Example)
publisher | | 0..1 | Reference(Practitioner | PractitionerRole | Organization) | Publisher Entity

publicationDate | | 0..1 | dateTime | When published
publicationStatus | | 1..1 | code | amended | appended | cancelled | disputed | entered-in-error | executable | executed | negotiable | offered | policy | rejected | renewed | revoked | resolved | terminated Contract Resource Publication Status codes (Required)
copyright | | 0..1 | markdown | Publication Ownership
term | | 0..* | BackboneElement | Contract Term List
identifier | Σ | 0..1 | Identifier | Contract Term Number
issued | Σ | 0..1 | dateTime | Contract Term Issue Date Time
applies | Σ | 0..1 | Period | Contract Term Effective Time
topic[x] | | 0..1 | | Term Concern
topicCodeableConcept | | | CodeableConcept
topicReference | | | Reference(Any)
type | | 0..1 | CodeableConcept | Contract Term Type or Form Contract Term Type Codes (Example)
subType | | 0..1 | CodeableConcept | Contract Term Type specific classification Contract Term Subtype Codes (Example)
text | Σ | 0..1 | string | Term Statement
securityLabel | | 0..* | BackboneElement | Protection for the Term
number | | 0..* | unsignedInt | Link to Security Labels
classification | | 1..1 | Coding | Confidentiality Protection Contract Resource Scope codes (Example)
category | | 0..* | Coding | Applicable Policy Contract Resource Scope codes (Example)
control | | 0..* | Coding | Handling Instructions Contract Resource Security Control codes (Example)
offer | | 1..1 | BackboneElement | Context of the Contract term
identifier | | 0..* | Identifier | Offer business ID
party | | 0..* | BackboneElement | Offer Recipient
reference | | 1..* | Reference(Patient | RelatedPerson | Practitioner | PractitionerRole | Device | Group | Organization) | Referenced entity
role | | 1..1 | CodeableConcept | Participant engagement type Contract Resource Party Role codes (Example)
topic | Σ | 0..1 | Reference(Any) | Negotiable offer asset
type | | 0..1 | CodeableConcept | Contract Offer Type or Form Contract Term Type Codes (Example)
decision | | 0..1 | CodeableConcept | Accepting party choice V3 Value SetActConsentDirective (Extensible)
decisionMode | | 0..* | CodeableConcept | How decision is conveyed Contract Resource Decision Mode codes (Example)
answer | | 0..* | BackboneElement | Response to offer text
value[x] | | 1..1 | | The actual answer response
valueBoolean | | | boolean
valueDecimal | | | decimal
valueInteger | | | integer
valueDate | | | date
valueDateTime | | | dateTime
valueTime | | | time
valueString | | | string
valueUri | | | uri
valueAttachment | | | Attachment
valueCoding | | | Coding
valueQuantity | | | Quantity
valueReference | | | Reference(Any)
text | | 0..1 | string | Human readable offer text
linkId | | 0..* | string | Pointer to text
securityLabelNumber | | 0..* | unsignedInt | Offer restriction numbers
asset | | 0..* | BackboneElement | Contract Term Asset List
scope | | 0..1 | CodeableConcept | Range of asset Contract Resource Asset Scope codes (Example)
type | | 0..* | CodeableConcept | Asset category Contract Resource Asset Type codes (Example)
typeReference | | 0..* | Reference(Any) | Associated entities
subtype | | 0..* | CodeableConcept | Asset sub-category Contract Resource Asset Sub-Type codes (Example)
relationship | | 0..1 | Coding | Kinship of the asset Consent Content Class (Extensible)
context | | 0..* | BackboneElement | Circumstance of the asset
reference | | 0..1 | Reference(Any) | Creator,custodian or owner
code | | 0..* | CodeableConcept | Codeable asset context Contract Resource Asset Context codes (Example)
text | | 0..1 | string | Context description
condition | | 0..1 | string | Quality desctiption of asset
periodType | | 0..* | CodeableConcept | Asset availability types Contract Resource Asset Availiability codes (Example)
period | | 0..* | Period | Time period of the asset
usePeriod | | 0..* | Period | Time period
text | | 0..1 | string | Asset clause or question text
linkId | | 0..* | string | Pointer to asset text
answer | | 0..* | see answer | Response to assets
securityLabelNumber | | 0..* | unsignedInt | Asset restriction numbers
valuedItem | | 0..* | BackboneElement | Contract Valued Item List
entity[x] | | 0..1 | | Contract Valued Item Type
entityCodeableConcept | | | CodeableConcept
entityReference | | | Reference(Any)
identifier | | 0..1 | Identifier | Contract Valued Item Number
effectiveTime | | 0..1 | dateTime | Contract Valued Item Effective Tiem
quantity | | 0..1 | SimpleQuantity | Count of Contract Valued Items
unitPrice | | 0..1 | Money | Contract Valued Item fee, charge, or cost

factor | | 0..1 | decimal | Contract Valued Item Price Scaling Factor
points | | 0..1 | decimal | Contract Valued Item Difficulty Scaling Factor
net | | 0..1 | Money | Total Contract Valued Item Value
payment | | 0..1 | string | Terms of valuation
paymentDate | | 0..1 | dateTime | When payment is due
responsible | | 0..1 | Reference(Organization | Patient | Practitioner | PractitionerRole | RelatedPerson) | Who will make payment
recipient | | 0..1 | Reference(Organization | Patient | Practitioner | PractitionerRole | RelatedPerson) | Who will receive payment
linkId | | 0..* | string | Pointer to specific item
securityLabelNumber | | 0..* | unsignedInt | Security Labels that define affected terms
action | | 0..* | BackboneElement | Entity being ascribed responsibility
doNotPerform | ?! | 0..1 | boolean | True if the term prohibits the action
type | | 1..1 | CodeableConcept | Type or form of the action Contract Action Codes (Example)
subject | | 0..* | BackboneElement | Entity of the action
reference | | 1..* | Reference(Patient | RelatedPerson | Practitioner | PractitionerRole | Device | Group | Organization) | Entity of the action
role | | 0..1 | CodeableConcept | Role type of the agent Contract Actor Role Codes (Example)
intent | | 1..1 | CodeableConcept | Purpose for the Contract Term Action V3 Value SetPurposeOfUse (Example)
linkId | | 0..* | string | Pointer to specific item
status | | 1..1 | CodeableConcept | State of the action Contract Resource Action Status codes (Example)
context | | 0..1 | Reference(Encounter | EpisodeOfCare) | Episode associated with action
contextLinkId | | 0..* | string | Pointer to specific item
occurrence[x] | | 0..1 | | When action happens
occurrenceDateTime | | | dateTime
occurrencePeriod | | | Period
occurrenceTiming | | | Timing
requester | | 0..* | Reference(Patient | RelatedPerson | Practitioner | PractitionerRole | Device | Group | Organization) | Who asked for action
requesterLinkId | | 0..* | string | Pointer to specific item
performerType | | 0..* | CodeableConcept | Kind of service performer Provenance participant type (Example)
performerRole | | 0..1 | CodeableConcept | Competency of the performer Provenance participant role (Example)
performer | | 0..1 | Reference(RelatedPerson | Patient | Practitioner | PractitionerRole | CareTeam | Device | Substance | Organization | Location) | Actor that wil execute (or not) the action
performerLinkId | | 0..* | string | Pointer to specific item
reasonCode | | 0..* | CodeableConcept | Why is action (not) needed? V3 Value SetPurposeOfUse (Example)
reasonReference | | 0..* | Reference(Condition | Observation | DiagnosticReport | DocumentReference | Questionnaire | QuestionnaireResponse) | Why is action (not) needed?
reason | | 0..* | string | Why action is to be performed
reasonLinkId | | 0..* | string | Pointer to specific item
note | | 0..* | Annotation | Comments about the action
securityLabelNumber | | 0..* | unsignedInt | Action restriction numbers
group | | 0..* | see term | Nested Contract Term Group
supportingInfo | | 0..* | Reference(Any) | Extra Information
relevantHistory | | 0..* | Reference(Provenance) | Key event in Contract History
signer | | 0..* | BackboneElement | Contract Signatory
type | | 1..1 | Coding | Contract Signatory Role Contract Signer Type Codes (Preferred)
party | | 1..1 | Reference(Organization | Patient | Practitioner | PractitionerRole | RelatedPerson) | Contract Signatory Party
signature | | 1..* | Signature | Contract Documentation Signature
friendly | | 0..* | BackboneElement | Contract Friendly Language
content[x] | | 1..1 | | Easily comprehended representation of this Contract
contentAttachment | | | Attachment
contentReference | | | Reference(Composition | DocumentReference | QuestionnaireResponse)
legal | | 0..* | BackboneElement | Contract Legal Language
content[x] | | 1..1 | | Contract Legal Text
contentAttachment | | | Attachment
contentReference | | | Reference(Composition | DocumentReference | QuestionnaireResponse)
rule | | 0..* | BackboneElement | Computable Contract Language
content[x] | | 1..1 | | Computable Contract Rules
contentAttachment | | | Attachment
contentReference | | | Reference(DocumentReference)
legallyBinding[x] | | 0..1 | | Binding Contract
legallyBindingAttachment | | | Attachment
legallyBindingReference | | | Reference(Composition | DocumentReference | QuestionnaireResponse | Contract)
Documentation for this format

UML Diagram (Legend)

XML Template

```
<Contract xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Contract number --></identifier>
 <url value="[uri]"/><!-- 0..1 Basal definition -->
 <version value="[string]"/><!-- 0..1 Business edition -->
 <status value="[code]"/><!-- 0..1 amended | appended | cancelled | disputed | entered-in-error | executable | executed
    | negotiable | offered | policy | rejected | renewed | revoked | resolved | terminated -->
```

```
<legalState><!-- 0..1 CodeableConcept Negotiation status --></legalState>
<instantiatesCanonical><!-- 0..1 Reference(Contract) Source Contract Definition --></instantiatesCanonical>
<instantiatesUri value="[uri]"/><!-- 0..1 External Contract Definition -->
<contentDerivative><!-- 0..1 CodeableConcept Content derived from the basal information --></contentDerivative>
<issued value="[dateTime]"/><!-- 0..1 When this Contract was issued -->
<applies><!-- 0..1 Period Effective time --></applies>
<expirationType><!-- 0..1 CodeableConcept Contract cessation cause --></expirationType>
<subject><!-- 0..* Reference(Any) Contract Target Entity --></subject>
<authority><!-- 0..* Reference(Organization) Authority under which this Contract has standing --></authority>
<domain><!-- 0..* Reference(Location) A sphere of control governed by an authoritative jurisdiction, organization, or
   person --></domain>
<site><!-- 0..* Reference(Location) Specific Location --></site>
<name value="[string]"/><!-- 0..1 Computer friendly designation -->
<title value="[string]"/><!-- 0..1 Human Friendly name -->
<subtitle value="[string]"/><!-- 0..1 Subordinate Friendly name -->
<alias value="[string]"/><!-- 0..* Acronym or short name -->
<author><!-- 0..1 Reference(Patient|Practitioner|PractitionerRole|Organization) Source of Contract --></author>
<scope><!-- 0..1 CodeableConcept Range of Legal Concerns --></scope>
<topic[x]><!-- 0..1 CodeableConcept|Reference(Any) Focus of contract interest --></topic[x]>
<type><!-- 0..1 CodeableConcept Legal instrument category --></type>
<subType><!-- 0..* CodeableConcept Subtype within the context of type --></subType>
<contentDefinition>  <!-- 0..1 Contract precursor content -->
 <type><!-- 1..1 CodeableConcept Content structure and use --></type>
 <subType><!-- 0..1 CodeableConcept Detailed Content Type Definition --></subType>
 <publisher><!-- 0..1 Reference(Practitioner|PractitionerRole|Organization) Publisher Entity --></publisher>
 <publicationDate value="[dateTime]"/><!-- 0..1 When published -->
 <publicationStatus value="[code]"/><!-- 1..1 amended | appended | cancelled | disputed | entered-in-error | executable
    | executed | negotiable | offered | policy | rejected | renewed | revoked | resolved | terminated -->
 <copyright value="[markdown]"/><!-- 0..1 Publication Ownership -->
</contentDefinition>
<term>  <!-- 0..* Contract Term List -->
 <identifier><!-- 0..1 Identifier Contract Term Number --></identifier>
 <issued value="[dateTime]"/><!-- 0..1 Contract Term Issue Date Time -->
 <applies><!-- 0..1 Period Contract Term Effective Time --></applies>
 <topic[x]><!-- 0..1 CodeableConcept|Reference(Any) Term Concern --></topic[x]>
 <type><!-- 0..1 CodeableConcept Contract Term Type or Form --></type>
 <subType><!-- 0..1 CodeableConcept Contract Term Type specific classification --></subType>
 <text value="[string]"/><!-- 0..1 Term Statement -->
 <securityLabel>  <!-- 0..* Protection for the Term -->
  <number value="[unsignedInt]"/><!-- 0..* Link to Security Labels -->
  <classification><!-- 1..1 Coding Confidentiality Protection --></classification>
  <category><!-- 0..* Coding Applicable Policy --></category>
  <control><!-- 0..* Coding Handling Instructions --></control>
 </securityLabel>
 <offer>  <!-- 1..1 Context of the Contract term -->
  <identifier><!-- 0..* Identifier Offer business ID --></identifier>
  <party>  <!-- 0..* Offer Recipient -->
   <reference><!-- 1..* Reference(Patient|RelatedPerson|Practitioner|
     PractitionerRole|Device|Group|Organization) Referenced entity --></reference>
   <role><!-- 1..1 CodeableConcept Participant engagement type --></role>
  </party>
  <topic><!-- 0..1 Reference(Any) Negotiable offer asset --></topic>
  <type><!-- 0..1 CodeableConcept Contract Offer Type or Form --></type>
  <decision><!-- 0..1 CodeableConcept Accepting party choice --></decision>
  <decisionMode><!-- 0..* CodeableConcept How decision is conveyed --></decisionMode>
  <answer>  <!-- 0..* Response to offer text -->
   <value[x]><!-- 1..1 boolean|decimal|integer|date|dateTime|time|string|uri|
     Attachment|Coding|Quantity|Reference(Any) The actual answer response --></value[x]>
  </answer>
  <text value="[string]"/><!-- 0..1 Human readable offer text -->
  <linkId value="[string]"/><!-- 0..* Pointer to text -->
  <securityLabelNumber value="[unsignedInt]"/><!-- 0..* Offer restriction numbers -->
 </offer>
 <asset>  <!-- 0..* Contract Term Asset List -->
  <scope><!-- 0..1 CodeableConcept Range of asset --></scope>
  <type><!-- 0..* CodeableConcept Asset category --></type>
  <typeReference><!-- 0..* Reference(Any) Associated entities --></typeReference>
  <subtype><!-- 0..* CodeableConcept Asset sub-category --></subtype>
  <relationship><!-- 0..1 Coding Kinship of the asset --></relationship>
  <context>  <!-- 0..* Circumstance of the asset -->
   <reference><!-- 0..1 Reference(Any) Creator,custodian or owner --></reference>
   <code><!-- 0..* CodeableConcept Codeable asset context --></code>
   <text value="[string]"/><!-- 0..1 Context description -->
  </context>
  <condition value="[string]"/><!-- 0..1 Quality desctiption of asset -->
  <periodType><!-- 0..* CodeableConcept Asset availability types --></periodType>
  <period><!-- 0..* Period Time period of the asset --></period>
  <usePeriod><!-- 0..* Period Time period --></usePeriod>
  <text value="[string]"/><!-- 0..1 Asset clause or question text -->
  <linkId value="[string]"/><!-- 0..* Pointer to asset text -->
  <answer><!-- 0..* Content as for Contract.term.offer.answer Response to assets --></answer>
  <securityLabelNumber value="[unsignedInt]"/><!-- 0..* Asset restriction numbers -->
  <valuedItem>  <!-- 0..* Contract Valued Item List -->
   <entity[x]><!-- 0..1 CodeableConcept|Reference(Any) Contract Valued Item Type --></entity[x]>
   <identifier><!-- 0..1 Identifier Contract Valued Item Number --></identifier>
   <effectiveTime value="[dateTime]"/><!-- 0..1 Contract Valued Item Effective Tiem -->
   <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of Contract Valued Items --></quantity>
   <unitPrice><!-- 0..1 Money Contract Valued Item fee, charge, or cost --></unitPrice>
   <factor value="[decimal]"/><!-- 0..1 Contract Valued Item Price Scaling Factor -->
```

```
    <points value="[decimal]"/><!-- 0..1 Contract Valued Item Difficulty Scaling Factor -->
    <net><!-- 0..1 Money Total Contract Valued Item Value --></net>
    <payment value="[string]"/><!-- 0..1 Terms of valuation -->
    <paymentDate value="[dateTime]"/><!-- 0..1 When payment is due -->
    <responsible><!-- 0..1 Reference(Organization|Patient|Practitioner|
      PractitionerRole|RelatedPerson) Who will make payment --></responsible>
    <recipient><!-- 0..1 Reference(Organization|Patient|Practitioner|
      PractitionerRole|RelatedPerson) Who will receive payment --></recipient>
    <linkId value="[string]"/><!-- 0..* Pointer to specific item -->
    <securityLabelNumber value="[unsignedInt]"/><!-- 0..* Security Labels that define affected terms -->
   </valuedItem>
  </asset>
  <action>  <!-- 0..* Entity being ascribed responsibility -->
   <doNotPerform value="[boolean]"/><!-- 0..1 True if the term prohibits the  action -->
   <type><!-- 1..1 CodeableConcept Type or form of the action --></type>
   <subject>  <!-- 0..* Entity of the action -->
    <reference><!-- 1..* Reference(Patient|RelatedPerson|Practitioner|
      PractitionerRole|Device|Group|Organization) Entity of the action --></reference>
    <role><!-- 0..1 CodeableConcept Role type of the agent --></role>
   </subject>
   <intent><!-- 1..1 CodeableConcept Purpose for the Contract Term Action --></intent>
   <linkId value="[string]"/><!-- 0..* Pointer to specific item -->
   <status><!-- 1..1 CodeableConcept State of the action --></status>
   <context><!-- 0..1 Reference(Encounter|EpisodeOfCare) Episode associated with action --></context>
   <contextLinkId value="[string]"/><!-- 0..* Pointer to specific item -->
   <occurrence[x]><!-- 0..1 dateTime|Period|Timing When action happens --></occurrence[x]>
   <requester><!-- 0..* Reference(Patient|RelatedPerson|Practitioner|
     PractitionerRole|Device|Group|Organization) Who asked for action --></requester>
   <requesterLinkId value="[string]"/><!-- 0..* Pointer to specific item -->
   <performerType><!-- 0..* CodeableConcept Kind of service performer --></performerType>
   <performerRole><!-- 0..1 CodeableConcept Competency of the performer --></performerRole>
   <performer><!-- 0..1 Reference(RelatedPerson|Patient|Practitioner|
     PractitionerRole|CareTeam|Device|Substance|Organization|Location) Actor that wil execute (or not) the action
    --></performer>
   <performerLinkId value="[string]"/><!-- 0..* Pointer to specific item -->
   <reasonCode><!-- 0..* CodeableConcept Why is action (not) needed? --></reasonCode>
   <reasonReference><!-- 0..* Reference(Condition|Observation|DiagnosticReport|
     DocumentReference|Questionnaire|QuestionnaireResponse) Why is action (not) needed? --></reasonReference>
   <reason value="[string]"/><!-- 0..* Why action is to be performed -->
   <reasonLinkId value="[string]"/><!-- 0..* Pointer to specific item -->
   <note><!-- 0..* Annotation Comments about the action --></note>
   <securityLabelNumber value="[unsignedInt]"/><!-- 0..* Action restriction numbers -->
  </action>
  <group><!-- 0..* Content as for Contract.term Nested Contract Term Group --></group>
 </term>
 <supportingInfo><!-- 0..* Reference(Any) Extra Information --></supportingInfo>
 <relevantHistory><!-- 0..* Reference(Provenance) Key event in Contract History --></relevantHistory>
 <signer>  <!-- 0..* Contract Signatory -->
  <type><!-- 1..1 Coding Contract Signatory Role --></type>
  <party><!-- 1..1 Reference(Organization|Patient|Practitioner|PractitionerRole|
    RelatedPerson) Contract Signatory Party --></party>
  <signature><!-- 1..* Signature Contract Documentation Signature --></signature>
 </signer>
 <friendly>  <!-- 0..* Contract Friendly Language -->
  <content[x]><!-- 1..1 Attachment|Reference(Composition|DocumentReference|
    QuestionnaireResponse) Easily comprehended representation of this Contract --></content[x]>
 </friendly>
 <legal>  <!-- 0..* Contract Legal Language -->
  <content[x]><!-- 1..1 Attachment|Reference(Composition|DocumentReference|
    QuestionnaireResponse) Contract Legal Text --></content[x]>
 </legal>
 <rule>  <!-- 0..* Computable Contract Language -->
  <content[x]><!-- 1..1 Attachment|Reference(DocumentReference) Computable Contract Rules --></content[x]>
 </rule>
 <legallyBinding[x]><!-- 0..1 Attachment|Reference(Composition|DocumentReference|
   QuestionnaireResponse|Contract) Binding Contract --></legallyBinding[x]>
</Contract>
```

JSON Template

```
{
  "resourceType" : "Contract",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Contract number
  "url" : "<uri>", // Basal definition
  "version" : "<string>", // Business edition
  "status" : "<code>", // amended | appended | cancelled | disputed | entered-in-error | executable | executed |
    negotiable | offered | policy | rejected | renewed | revoked | resolved | terminated
  "legalState" : { CodeableConcept }, // Negotiation status
  "instantiatesCanonical" : { Reference(Contract) }, // Source Contract Definition
  "instantiatesUri" : "<uri>", // External Contract Definition
  "contentDerivative" : { CodeableConcept }, // Content derived from the basal information
  "issued" : "<dateTime>", // When this Contract was issued
  "applies" : { Period }, // Effective time
  "expirationType" : { CodeableConcept }, // Contract cessation cause
  "subject" : [{ Reference(Any) }], // Contract Target Entity
  "authority" : [{ Reference(Organization) }], // Authority under which this Contract has standing
  "domain" : [{ Reference(Location) }], // A sphere of control governed by an authoritative jurisdiction, organization,
```

```
  or person
"site" : [{ Reference(Location) }], // Specific Location
"name" : "<string>", // Computer friendly designation
"title" : "<string>", // Human Friendly name
"subtitle" : "<string>", // Subordinate Friendly name
"alias" : ["<string>"], // Acronym or short name
"author" : { Reference(Patient|Practitioner|PractitionerRole|Organization) }, // Source of Contract
"scope" : { CodeableConcept }, // Range of Legal Concerns
// topic[x]: Focus of contract interest. One of these 2:
"topicCodeableConcept" : { CodeableConcept },
"topicReference" : { Reference(Any) },
"type" : { CodeableConcept }, // Legal instrument category
"subType" : [{ CodeableConcept }], // Subtype within the context of type
"contentDefinition" : { // Contract precursor content
  "type" : { CodeableConcept }, // R!  Content structure and use
  "subType" : { CodeableConcept }, // Detailed Content Type Definition
  "publisher" : { Reference(Practitioner|PractitionerRole|Organization) }, // Publisher Entity
  "publicationDate" : "<dateTime>", // When published
  "publicationStatus" : "<code>", // R!  amended | appended | cancelled | disputed | entered-in-error | executable |
  executed | negotiable | offered | policy | rejected | renewed | revoked | resolved | terminated
  "copyright" : "<markdown>" // Publication Ownership
},
"term" : [{ // Contract Term List
  "identifier" : { Identifier }, // Contract Term Number
  "issued" : "<dateTime>", // Contract Term Issue Date Time
  "applies" : { Period }, // Contract Term Effective Time
  // topic[x]: Term Concern. One of these 2:
  "topicCodeableConcept" : { CodeableConcept },
  "topicReference" : { Reference(Any) },
  "type" : { CodeableConcept }, // Contract Term Type or Form
  "subType" : { CodeableConcept }, // Contract Term Type specific classification
  "text" : "<string>", // Term Statement
  "securityLabel" : [{ // Protection for the Term
    "number" : ["<unsignedInt>"], // Link to Security Labels
    "classification" : { Coding }, // R!  Confidentiality Protection
    "category" : [{ Coding }], // Applicable Policy
    "control" : [{ Coding }] // Handling Instructions
  }],
  "offer" : { // R!  Context of the Contract term
    "identifier" : [{ Identifier }], // Offer business ID
    "party" : [{ // Offer Recipient
      "reference" : [{ Reference(Patient|RelatedPerson|Practitioner|
    PractitionerRole|Device|Group|Organization) }], // R!  Referenced entity
      "role" : { CodeableConcept } // R!  Participant engagement type
    }],
    "topic" : { Reference(Any) }, // Negotiable offer asset
    "type" : { CodeableConcept }, // Contract Offer Type or Form
    "decision" : { CodeableConcept }, // Accepting party choice
    "decisionMode" : [{ CodeableConcept }], // How decision is conveyed
    "answer" : [{ // Response to offer text
      // value[x]: The actual answer response. One of these 12:
      "valueBoolean" : <boolean>
      "valueDecimal" : <decimal>
      "valueInteger" : <integer>
      "valueDate" : "<date>"
      "valueDateTime" : "<dateTime>"
      "valueTime" : "<time>"
      "valueString" : "<string>"
      "valueUri" : "<uri>"
      "valueAttachment" : { Attachment }
      "valueCoding" : { Coding }
      "valueQuantity" : { Quantity }
      "valueReference" : { Reference(Any) }
    }],
    "text" : "<string>", // Human readable offer text
    "linkId" : ["<string>"], // Pointer to text
    "securityLabelNumber" : ["<unsignedInt>"] // Offer restriction numbers
  },
  "asset" : [{ // Contract Term Asset List
    "scope" : { CodeableConcept }, // Range of asset
    "type" : [{ CodeableConcept }], // Asset category
    "typeReference" : [{ Reference(Any) }], // Associated entities
    "subtype" : [{ CodeableConcept }], // Asset sub-category
    "relationship" : { Coding }, // Kinship of the asset
    "context" : [{ // Circumstance of the asset
      "reference" : { Reference(Any) }, // Creator,custodian or owner
      "code" : [{ CodeableConcept }], // Codeable asset context
      "text" : "<string>" // Context description
    }],
    "condition" : "<string>", // Quality desctiption of asset
    "periodType" : [{ CodeableConcept }], // Asset availability types
    "period" : [{ Period }], // Time period of the asset
    "usePeriod" : [{ Period }], // Time period
    "text" : "<string>", // Asset clause or question text
    "linkId" : ["<string>"], // Pointer to asset text
    "answer" : [{ Content as for Contract.term.offer.answer }], // Response to assets
    "securityLabelNumber" : ["<unsignedInt>"], // Asset restriction numbers
    "valuedItem" : [{ // Contract Valued Item List
      // entity[x]: Contract Valued Item Type. One of these 2:
```

```
      "entityCodeableConcept" : { CodeableConcept },
      "entityReference" : { Reference(Any) },
      "identifier" : { Identifier }, // Contract Valued Item Number
      "effectiveTime" : "<dateTime>", // Contract Valued Item Effective Tiem
      "quantity" : { Quantity(SimpleQuantity) }, // Count of Contract Valued Items
      "unitPrice" : { Money }, // Contract Valued Item fee, charge, or cost
      "factor" : <decimal>, // Contract Valued Item Price Scaling Factor
      "points" : <decimal>, // Contract Valued Item Difficulty Scaling Factor
      "net" : { Money }, // Total Contract Valued Item Value
      "payment" : "<string>", // Terms of valuation
      "paymentDate" : "<dateTime>", // When payment is due
      "responsible" : { Reference(Organization|Patient|Practitioner|
    PractitionerRole|RelatedPerson) }, // Who will make payment
      "recipient" : { Reference(Organization|Patient|Practitioner|
    PractitionerRole|RelatedPerson) }, // Who will receive payment
      "linkId" : ["<string>"], // Pointer to specific item
      "securityLabelNumber" : ["<unsignedInt>"] // Security Labels that define affected terms
    }]
  }],
  "action" : [{ // Entity being ascribed responsibility
    "doNotPerform" : <boolean>, // True if the term prohibits the  action
    "type" : { CodeableConcept }, // R!  Type or form of the action
    "subject" : [{ // Entity of the action
      "reference" : [{ Reference(Patient|RelatedPerson|Practitioner|
    PractitionerRole|Device|Group|Organization) }], // R!  Entity of the action
      "role" : { CodeableConcept } // Role type of the agent
    }],
    "intent" : { CodeableConcept }, // R!  Purpose for the Contract Term Action
    "linkId" : ["<string>"], // Pointer to specific item
    "status" : { CodeableConcept }, // R!  State of the action
    "context" : { Reference(Encounter|EpisodeOfCare) }, // Episode associated with action
    "contextLinkId" : ["<string>"], // Pointer to specific item
    // occurrence[x]: When action happens. One of these 3:
    "occurrenceDateTime" : "<dateTime>",
    "occurrencePeriod" : { Period },
    "occurrenceTiming" : { Timing },
    "requester" : [{ Reference(Patient|RelatedPerson|Practitioner|
   PractitionerRole|Device|Group|Organization) }], // Who asked for action
    "requesterLinkId" : ["<string>"], // Pointer to specific item
    "performerType" : [{ CodeableConcept }], // Kind of service performer
    "performerRole" : { CodeableConcept }, // Competency of the performer
    "performer" : { Reference(RelatedPerson|Patient|Practitioner|
   PractitionerRole|CareTeam|Device|Substance|Organization|Location) }, // Actor that wil execute (or not) the action
    "performerLinkId" : ["<string>"], // Pointer to specific item
    "reasonCode" : [{ CodeableConcept }], // Why is action (not) needed?
    "reasonReference" : [{ Reference(Condition|Observation|DiagnosticReport|
   DocumentReference|Questionnaire|QuestionnaireResponse) }], // Why is action (not) needed?
    "reason" : ["<string>"], // Why action is to be performed
    "reasonLinkId" : ["<string>"], // Pointer to specific item
    "note" : [{ Annotation }], // Comments about the action
    "securityLabelNumber" : ["<unsignedInt>"] // Action restriction numbers
  }],
  "group" : [{ Content as for Contract.term }] // Nested Contract Term Group
}],
"supportingInfo" : [{ Reference(Any) }], // Extra Information
"relevantHistory" : [{ Reference(Provenance) }], // Key event in Contract History
"signer" : [{ // Contract Signatory
  "type" : { Coding }, // R!  Contract Signatory Role
  "party" : { Reference(Organization|Patient|Practitioner|PractitionerRole|
  RelatedPerson) }, // R!  Contract Signatory Party
  "signature" : [{ Signature }] // R!  Contract Documentation Signature
}],
"friendly" : [{ // Contract Friendly Language
  // content[x]: Easily comprehended representation of this Contract. One of these 2:
  "contentAttachment" : { Attachment }
  "contentReference" : { Reference(Composition|DocumentReference|
  QuestionnaireResponse) }
}],
"legal" : [{ // Contract Legal Language
  // content[x]: Contract Legal Text. One of these 2:
  "contentAttachment" : { Attachment }
  "contentReference" : { Reference(Composition|DocumentReference|
  QuestionnaireResponse) }
}],
"rule" : [{ // Computable Contract Language
  // content[x]: Computable Contract Rules. One of these 2:
  "contentAttachment" : { Attachment }
  "contentReference" : { Reference(DocumentReference) }
}],
// legallyBinding[x]: Binding Contract. One of these 2:
"legallyBindingAttachment" : { Attachment }
"legallyBindingReference" : { Reference(Composition|DocumentReference|
 QuestionnaireResponse|Contract) }
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .

[ a fhir:Contract;
```

```
fhir:nodeRole fhir:treeRoot; # if this is the parser root

# from Resource: .id, .meta, .implicitRules, and .language
# from DomainResource: .text, .contained, .extension, and .modifierExtension
fhir:Contract.identifier [ Identifier ], ... ; # 0..* Contract number
fhir:Contract.url [ uri ]; # 0..1 Basal definition
fhir:Contract.version [ string ]; # 0..1 Business edition
fhir:Contract.status [ code ]; # 0..1 amended | appended | cancelled | disputed | entered-in-error | executable |
  executed | negotiable | offered | policy | rejected | renewed | revoked | resolved | terminated
fhir:Contract.legalState [ CodeableConcept ]; # 0..1 Negotiation status
fhir:Contract.instantiatesCanonical [ Reference(Contract) ]; # 0..1 Source Contract Definition
fhir:Contract.instantiatesUri [ uri ]; # 0..1 External Contract Definition
fhir:Contract.contentDerivative [ CodeableConcept ]; # 0..1 Content derived from the basal information
fhir:Contract.issued [ dateTime ]; # 0..1 When this Contract was issued
fhir:Contract.applies [ Period ]; # 0..1 Effective time
fhir:Contract.expirationType [ CodeableConcept ]; # 0..1 Contract cessation cause
fhir:Contract.subject [ Reference(Any) ], ... ; # 0..* Contract Target Entity
fhir:Contract.authority [ Reference(Organization) ], ... ; # 0..* Authority under which this Contract has standing
fhir:Contract.domain [ Reference(Location) ], ... ; # 0..* A sphere of control governed by an authoritative
  jurisdiction, organization, or person
fhir:Contract.site [ Reference(Location) ], ... ; # 0..* Specific Location
fhir:Contract.name [ string ]; # 0..1 Computer friendly designation
fhir:Contract.title [ string ]; # 0..1 Human Friendly name
fhir:Contract.subtitle [ string ]; # 0..1 Subordinate Friendly name
fhir:Contract.alias [ string ], ... ; # 0..* Acronym or short name
fhir:Contract.author [ Reference(Patient|Practitioner|PractitionerRole|Organization) ]; # 0..1 Source of Contract
fhir:Contract.scope [ CodeableConcept ]; # 0..1 Range of Legal Concerns
# Contract.topic[x] : 0..1 Focus of contract interest. One of these 2
  fhir:Contract.topicCodeableConcept [ CodeableConcept ]
  fhir:Contract.topicReference [ Reference(Any) ]
fhir:Contract.type [ CodeableConcept ]; # 0..1 Legal instrument category
fhir:Contract.subType [ CodeableConcept ], ... ; # 0..* Subtype within the context of type
fhir:Contract.contentDefinition [ # 0..1 Contract precursor content
  fhir:Contract.contentDefinition.type [ CodeableConcept ]; # 1..1 Content structure and use
  fhir:Contract.contentDefinition.subType [ CodeableConcept ]; # 0..1 Detailed Content Type Definition
  fhir:Contract.contentDefinition.publisher [ Reference(Practitioner|PractitionerRole|Organization) ]; # 0..1
  Publisher Entity
  fhir:Contract.contentDefinition.publicationDate [ dateTime ]; # 0..1 When published
  fhir:Contract.contentDefinition.publicationStatus [ code ]; # 1..1 amended | appended | cancelled | disputed |
  entered-in-error | executable | executed | negotiable | offered | policy | rejected | renewed | revoked | resolved |
   terminated
  fhir:Contract.contentDefinition.copyright [ markdown ]; # 0..1 Publication Ownership
];
fhir:Contract.term [ # 0..* Contract Term List
  fhir:Contract.term.identifier [ Identifier ]; # 0..1 Contract Term Number
  fhir:Contract.term.issued [ dateTime ]; # 0..1 Contract Term Issue Date Time
  fhir:Contract.term.applies [ Period ]; # 0..1 Contract Term Effective Time
  # Contract.term.topic[x] : 0..1 Term Concern. One of these 2
    fhir:Contract.term.topicCodeableConcept [ CodeableConcept ]
    fhir:Contract.term.topicReference [ Reference(Any) ]
  fhir:Contract.term.type [ CodeableConcept ]; # 0..1 Contract Term Type or Form
  fhir:Contract.term.subType [ CodeableConcept ]; # 0..1 Contract Term Type specific classification
  fhir:Contract.term.text [ string ]; # 0..1 Term Statement
  fhir:Contract.term.securityLabel [ # 0..* Protection for the Term
    fhir:Contract.term.securityLabel.number [ unsignedInt ], ... ; # 0..* Link to Security Labels
    fhir:Contract.term.securityLabel.classification [ Coding ]; # 1..1 Confidentiality Protection
    fhir:Contract.term.securityLabel.category [ Coding ], ... ; # 0..* Applicable Policy
    fhir:Contract.term.securityLabel.control [ Coding ], ... ; # 0..* Handling Instructions
  ], ...;
  fhir:Contract.term.offer [ # 1..1 Context of the Contract term
    fhir:Contract.term.offer.identifier [ Identifier ], ... ; # 0..* Offer business ID
    fhir:Contract.term.offer.party [ # 0..* Offer Recipient
      fhir:Contract.term.offer.party.reference [
  Reference(Patient|RelatedPerson|Practitioner|PractitionerRole|Device|Group|Organization) ], ... ; # 1..* Referenced
  entity
        fhir:Contract.term.offer.party.role [ CodeableConcept ]; # 1..1 Participant engagement type
    ], ...;
    fhir:Contract.term.offer.topic [ Reference(Any) ]; # 0..1 Negotiable offer asset
    fhir:Contract.term.offer.type [ CodeableConcept ]; # 0..1 Contract Offer Type or Form
    fhir:Contract.term.offer.decision [ CodeableConcept ]; # 0..1 Accepting party choice
    fhir:Contract.term.offer.decisionMode [ CodeableConcept ], ... ; # 0..* How decision is conveyed
    fhir:Contract.term.offer.answer [ # 0..* Response to offer text
      # Contract.term.offer.answer.value[x] : 1..1 The actual answer response. One of these 12
        fhir:Contract.term.offer.answer.valueBoolean [ boolean ]
        fhir:Contract.term.offer.answer.valueDecimal [ decimal ]
        fhir:Contract.term.offer.answer.valueInteger [ integer ]
        fhir:Contract.term.offer.answer.valueDate [ date ]
        fhir:Contract.term.offer.answer.valueDateTime [ dateTime ]
        fhir:Contract.term.offer.answer.valueTime [ time ]
        fhir:Contract.term.offer.answer.valueString [ string ]
        fhir:Contract.term.offer.answer.valueUri [ uri ]
        fhir:Contract.term.offer.answer.valueAttachment [ Attachment ]
        fhir:Contract.term.offer.answer.valueCoding [ Coding ]
        fhir:Contract.term.offer.answer.valueQuantity [ Quantity ]
        fhir:Contract.term.offer.answer.valueReference [ Reference(Any) ]
    ], ...;
    fhir:Contract.term.offer.text [ string ]; # 0..1 Human readable offer text
    fhir:Contract.term.offer.linkId [ string ], ... ; # 0..* Pointer to text
    fhir:Contract.term.offer.securityLabelNumber [ unsignedInt ], ... ; # 0..* Offer restriction numbers
```

```
  ];
  fhir:Contract.term.asset [ # 0..* Contract Term Asset List
    fhir:Contract.term.asset.scope [ CodeableConcept ]; # 0..1 Range of asset
    fhir:Contract.term.asset.type [ CodeableConcept ], ... ; # 0..* Asset category
    fhir:Contract.term.asset.typeReference [ Reference(Any) ], ... ; # 0..* Associated entities
    fhir:Contract.term.asset.subtype [ CodeableConcept ], ... ; # 0..* Asset sub-category
    fhir:Contract.term.asset.relationship [ Coding ]; # 0..1 Kinship of the asset
    fhir:Contract.term.asset.context [ # 0..* Circumstance of the asset
      fhir:Contract.term.asset.context.reference [ Reference(Any) ]; # 0..1 Creator,custodian or owner
      fhir:Contract.term.asset.context.code [ CodeableConcept ], ... ; # 0..* Codeable asset context
      fhir:Contract.term.asset.context.text [ string ]; # 0..1 Context description
    ], ...;
    fhir:Contract.term.asset.condition [ string ]; # 0..1 Quality desctiption of asset
    fhir:Contract.term.asset.periodType [ CodeableConcept ], ... ; # 0..* Asset availability types
    fhir:Contract.term.asset.period [ Period ], ... ; # 0..* Time period of the asset
    fhir:Contract.term.asset.usePeriod [ Period ], ... ; # 0..* Time period
    fhir:Contract.term.asset.text [ string ]; # 0..1 Asset clause or question text
    fhir:Contract.term.asset.linkId [ string ], ... ; # 0..* Pointer to asset text
    fhir:Contract.term.asset.answer [ See Contract.term.offer.answer ], ... ; # 0..* Response to assets
    fhir:Contract.term.asset.securityLabelNumber [ unsignedInt ], ... ; # 0..* Asset restriction numbers
    fhir:Contract.term.asset.valuedItem [ # 0..* Contract Valued Item List
      # Contract.term.asset.valuedItem.entity[x] : 0..1 Contract Valued Item Type. One of these 2
        fhir:Contract.term.asset.valuedItem.entityCodeableConcept [ CodeableConcept ]
        fhir:Contract.term.asset.valuedItem.entityReference [ Reference(Any) ]
      fhir:Contract.term.asset.valuedItem.identifier [ Identifier ]; # 0..1 Contract Valued Item Number
      fhir:Contract.term.asset.valuedItem.effectiveTime [ dateTime ]; # 0..1 Contract Valued Item Effective Tiem
      fhir:Contract.term.asset.valuedItem.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of Contract Valued Items
      fhir:Contract.term.asset.valuedItem.unitPrice [ Money ]; # 0..1 Contract Valued Item fee, charge, or cost
      fhir:Contract.term.asset.valuedItem.factor [ decimal ]; # 0..1 Contract Valued Item Price Scaling Factor
      fhir:Contract.term.asset.valuedItem.points [ decimal ]; # 0..1 Contract Valued Item Difficulty Scaling Factor
      fhir:Contract.term.asset.valuedItem.net [ Money ]; # 0..1 Total Contract Valued Item Value
      fhir:Contract.term.asset.valuedItem.payment [ string ]; # 0..1 Terms of valuation
      fhir:Contract.term.asset.valuedItem.paymentDate [ dateTime ]; # 0..1 When payment is due
      fhir:Contract.term.asset.valuedItem.responsible [
  Reference(Organization|Patient|Practitioner|PractitionerRole|RelatedPerson) ]; # 0..1 Who will make payment
      fhir:Contract.term.asset.valuedItem.recipient [
  Reference(Organization|Patient|Practitioner|PractitionerRole|RelatedPerson) ]; # 0..1 Who will receive payment
      fhir:Contract.term.asset.valuedItem.linkId [ string ], ... ; # 0..* Pointer to specific item
      fhir:Contract.term.asset.valuedItem.securityLabelNumber [ unsignedInt ], ... ; # 0..* Security Labels that
  define affected terms
    ], ...;
  ], ...;
  fhir:Contract.term.action [ # 0..* Entity being ascribed responsibility
    fhir:Contract.term.action.doNotPerform [ boolean ]; # 0..1 True if the term prohibits the  action
    fhir:Contract.term.action.type [ CodeableConcept ]; # 1..1 Type or form of the action
    fhir:Contract.term.action.subject [ # 0..* Entity of the action
      fhir:Contract.term.action.subject.reference [
  Reference(Patient|RelatedPerson|Practitioner|PractitionerRole|Device|Group|Organization) ], ... ; # 1..* Entity of
  the action
      fhir:Contract.term.action.subject.role [ CodeableConcept ]; # 0..1 Role type of the agent
    ], ...;
    fhir:Contract.term.action.intent [ CodeableConcept ]; # 1..1 Purpose for the Contract Term Action
    fhir:Contract.term.action.linkId [ string ], ... ; # 0..* Pointer to specific item
    fhir:Contract.term.action.status [ CodeableConcept ]; # 1..1 State of the action
    fhir:Contract.term.action.context [ Reference(Encounter|EpisodeOfCare) ]; # 0..1 Episode associated with action
    fhir:Contract.term.action.contextLinkId [ string ], ... ; # 0..* Pointer to specific item
    # Contract.term.action.occurrence[x] : 0..1 When action happens. One of these 3
      fhir:Contract.term.action.occurrenceDateTime [ dateTime ]
      fhir:Contract.term.action.occurrencePeriod [ Period ]
      fhir:Contract.term.action.occurrenceTiming [ Timing ]
    fhir:Contract.term.action.requester [
  Reference(Patient|RelatedPerson|Practitioner|PractitionerRole|Device|Group|Organization) ], ... ; # 0..* Who asked
  for action
    fhir:Contract.term.action.requesterLinkId [ string ], ... ; # 0..* Pointer to specific item
    fhir:Contract.term.action.performerType [ CodeableConcept ], ... ; # 0..* Kind of service performer
    fhir:Contract.term.action.performerRole [ CodeableConcept ]; # 0..1 Competency of the performer
    fhir:Contract.term.action.performer [
  Reference(RelatedPerson|Patient|Practitioner|PractitionerRole|CareTeam|Device|Substance|
Organization|Location) ]; # 0..1 Actor that wil execute (or not) the action
    fhir:Contract.term.action.performerLinkId [ string ], ... ; # 0..* Pointer to specific item
    fhir:Contract.term.action.reasonCode [ CodeableConcept ], ... ; # 0..* Why is action (not) needed?
    fhir:Contract.term.action.reasonReference [
  Reference(Condition|Observation|DiagnosticReport|DocumentReference|Questionnaire|
QuestionnaireResponse) ], ... ; # 0..* Why is action (not) needed?
    fhir:Contract.term.action.reason [ string ], ... ; # 0..* Why action is to be performed
    fhir:Contract.term.action.reasonLinkId [ string ], ... ; # 0..* Pointer to specific item
    fhir:Contract.term.action.note [ Annotation ], ... ; # 0..* Comments about the action
    fhir:Contract.term.action.securityLabelNumber [ unsignedInt ], ... ; # 0..* Action restriction numbers
  ], ...;
  fhir:Contract.term.group [ See Contract.term ], ... ; # 0..* Nested Contract Term Group
], ...;
fhir:Contract.supportingInfo [ Reference(Any) ], ... ; # 0..* Extra Information
fhir:Contract.relevantHistory [ Reference(Provenance) ], ... ; # 0..* Key event in Contract History
fhir:Contract.signer [ # 0..* Contract Signatory
  fhir:Contract.signer.type [ Coding ]; # 1..1 Contract Signatory Role
  fhir:Contract.signer.party [ Reference(Organization|Patient|Practitioner|PractitionerRole|RelatedPerson) ]; # 1..1
  Contract Signatory Party
  fhir:Contract.signer.signature [ Signature ], ... ; # 1..* Contract Documentation Signature
], ...;
```

```
  fhir:Contract.friendly [ # 0..* Contract Friendly Language
    # Contract.friendly.content[x] : 1..1 Easily comprehended representation of this Contract. One of these 2
      fhir:Contract.friendly.contentAttachment [ Attachment ]
      fhir:Contract.friendly.contentReference [ Reference(Composition|DocumentReference|QuestionnaireResponse) ]
  ], ...;
  fhir:Contract.legal [ # 0..* Contract Legal Language
    # Contract.legal.content[x] : 1..1 Contract Legal Text. One of these 2
      fhir:Contract.legal.contentAttachment [ Attachment ]
      fhir:Contract.legal.contentReference [ Reference(Composition|DocumentReference|QuestionnaireResponse) ]
  ], ...;
  fhir:Contract.rule [ # 0..* Computable Contract Language
    # Contract.rule.content[x] : 1..1 Computable Contract Rules. One of these 2
      fhir:Contract.rule.contentAttachment [ Attachment ]
      fhir:Contract.rule.contentReference [ Reference(DocumentReference) ]
  ], ...;
  # Contract.legallyBinding[x] : 0..1 Binding Contract. One of these 2
    fhir:Contract.legallyBindingAttachment [ Attachment ]
    fhir:Contract.legallyBindingReference [ Reference(Composition|DocumentReference|QuestionnaireResponse|Contract) ]
]
```

Changes since R3

Contract
Contract.identifier | Max Cardinality changed from 1 to *
Contract.url | Added Element
Contract.version | Added Element
Contract.status | Change value set from http://hl7.org/fhir/ValueSet/contract-status to http://hl7.org/fhir/ValueSet/contract-status|4.0.1
Contract.legalState | Added Element
Contract.instantiatesCanonical | Added Element
Contract.instantiatesUri | Added Element
Contract.expirationType | Added Element
Contract.site | Added Element
Contract.name | Added Element
Contract.title | Added Element
Contract.subtitle | Added Element
Contract.alias | Added Element
Contract.author | Added Element
Contract.scope | Added Element
Contract.topic[x] | Renamed from topic to topic[x] Max Cardinality changed from * to 1 Add Type CodeableConcept
Contract.contentDefinition | Added Element
Contract.contentDefinition.type | Added Mandatory Element
Contract.contentDefinition.subType | Added Element
Contract.contentDefinition.publisher | Added Element
Contract.contentDefinition.publicationDate | Added Element
Contract.contentDefinition.publicationStatus | Added Mandatory Element
Contract.contentDefinition.copyright | Added Element
Contract.term.topic[x] | Renamed from topic to topic[x] Max Cardinality changed from * to 1 Add Type CodeableConcept
Contract.term.securityLabel | Type changed from Coding to BackboneElement Remove Binding http://hl7.org/fhir/ValueSet/security-labels (extensible)
Contract.term.securityLabel.number | Added Element
Contract.term.securityLabel.classification | Added Mandatory Element
Contract.term.securityLabel.category | Added Element
Contract.term.securityLabel.control | Added Element
Contract.term.offer | Added Mandatory Element
Contract.term.offer.identifier | Added Element
Contract.term.offer.party | Added Element
Contract.term.offer.party.reference | Added Mandatory Element
Contract.term.offer.party.role | Added Mandatory Element
Contract.term.offer.topic | Added Element
Contract.term.offer.type | Added Element
Contract.term.offer.decision | Added Element
Contract.term.offer.decisionMode | Added Element
Contract.term.offer.answer | Added Element
Contract.term.offer.answer.value[x] | Added Mandatory Element
Contract.term.offer.text | Added Element
Contract.term.offer.linkId | Added Element
Contract.term.offer.securityLabelNumber | Added Element
Contract.term.asset | Added Element
Contract.term.asset.scope | Added Element
Contract.term.asset.type | Added Element
Contract.term.asset.typeReference | Added Element
Contract.term.asset.subtype | Added Element
Contract.term.asset.relationship | Added Element
Contract.term.asset.context | Added Element
Contract.term.asset.context.reference | Added Element
Contract.term.asset.context.code | Added Element

Contract.term.asset.context.text | Added Element
Contract.term.asset.condition | Added Element
Contract.term.asset.periodType | Added Element
Contract.term.asset.period | Added Element
Contract.term.asset.usePeriod | Added Element
Contract.term.asset.text | Added Element
Contract.term.asset.linkId | Added Element
Contract.term.asset.answer | Added Element
Contract.term.asset.securityLabelNumber | Added Element
Contract.term.asset.valuedItem | Added Element
Contract.term.asset.valuedItem.entity[x] | Added Element
Contract.term.asset.valuedItem.identifier | Added Element
Contract.term.asset.valuedItem.effectiveTime | Added Element
Contract.term.asset.valuedItem.quantity | Added Element
Contract.term.asset.valuedItem.unitPrice | Added Element
Contract.term.asset.valuedItem.factor | Added Element
Contract.term.asset.valuedItem.points | Added Element
Contract.term.asset.valuedItem.net | Added Element
Contract.term.asset.valuedItem.payment | Added Element
Contract.term.asset.valuedItem.paymentDate | Added Element
Contract.term.asset.valuedItem.responsible | Added Element
Contract.term.asset.valuedItem.recipient | Added Element
Contract.term.asset.valuedItem.linkId | Added Element
Contract.term.asset.valuedItem.securityLabelNumber | Added Element
Contract.term.action | Type changed from CodeableConcept to BackboneElement
Contract.term.action.doNotPerform | Added Element
Contract.term.action.type | Added Mandatory Element
Contract.term.action.subject | Added Element
Contract.term.action.subject.reference | Added Mandatory Element
Contract.term.action.subject.role | Added Element
Contract.term.action.intent | Added Mandatory Element
Contract.term.action.linkId | Added Element
Contract.term.action.status | Added Mandatory Element
Contract.term.action.context | Added Element
Contract.term.action.contextLinkId | Added Element
Contract.term.action.occurrence[x] | Added Element
Contract.term.action.requester | Added Element
Contract.term.action.requesterLinkId | Added Element
Contract.term.action.performerType | Added Element
Contract.term.action.performerRole | Added Element
Contract.term.action.performer | Added Element
Contract.term.action.performerLinkId | Added Element
Contract.term.action.reasonCode | Added Element
Contract.term.action.reasonReference | Added Element
Contract.term.action.reason | Added Element
Contract.term.action.reasonLinkId | Added Element
Contract.term.action.note | Added Element
Contract.term.action.securityLabelNumber | Added Element
Contract.supportingInfo | Added Element
Contract.relevantHistory | Added Element
Contract.signer.party | Type Reference: Added Target Type PractitionerRole
Contract.legallyBinding[x] | Added Element
Contract.action | deleted
Contract.actionReason | deleted
Contract.decisionType | deleted
Contract.securityLabel | deleted
Contract.agent | deleted
Contract.valuedItem | deleted
Contract.term.actionReason | deleted
Contract.term.agent | deleted
Contract.term.valuedItem | deleted
Contract.binding[x] | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R3 <--> R4 Conversion Maps (status = 7 tests of which 5 fail to execute. 1 fail round-trip testing and 5 r3 resources are invalid (0 errors).)

Structure

Name | Flags | Card. | Type | Description & Constraints
Contract | TU | | DomainResource | Legal Agreement Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension

identifier | Σ | 0..* | Identifier | Contract number
url | | 0..1 | uri | Basal definition
version | Σ | 0..1 | string | Business edition
status | ?!Σ | 0..1 | code | amended | appended | cancelled | disputed | entered-in-error | executable | executed | negotiable | offered | policy | rejected | renewed | revoked | resolved | terminated Contract Resource Status Codes (Required)
legalState | | 0..1 | CodeableConcept | Negotiation status Contract Resource Legal State codes (Extensible)
instantiatesCanonical | | 0..1 | Reference(Contract) | Source Contract Definition
instantiatesUri | | 0..1 | uri | External Contract Definition
contentDerivative | | 0..1 | CodeableConcept | Content derived from the basal information Contract Content Derivation Codes (Example)
issued | Σ | 0..1 | dateTime | When this Contract was issued
applies | Σ | 0..1 | Period | Effective time
expirationType | | 0..1 | CodeableConcept | Contract cessation cause Contract Resource Expiration Type codes (Example)
subject | Σ | 0..* | Reference(Any) | Contract Target Entity
authority | | 0..* | Reference(Organization) | Authority under which this Contract has standing
domain | | 0..* | Reference(Location) | A sphere of control governed by an authoritative jurisdiction, organization, or person
site | | 0..* | Reference(Location) | Specific Location
name | Σ | 0..1 | string | Computer friendly designation
title | Σ | 0..1 | string | Human Friendly name
subtitle | | 0..1 | string | Subordinate Friendly name
alias | | 0..* | string | Acronym or short name
author | | 0..1 | Reference(Patient | Practitioner | PractitionerRole | Organization) | Source of Contract
scope | | 0..1 | CodeableConcept | Range of Legal Concerns Contract Resource Scope codes (Example)
topic[x] | | 0..1 | | Focus of contract interest
topicCodeableConcept | | | CodeableConcept
topicReference | | | Reference(Any)
type | Σ | 0..1 | CodeableConcept | Legal instrument category Contract Type Codes (Example)
subType | Σ | 0..* | CodeableConcept | Subtype within the context of type Contract Subtype Codes (Example)
contentDefinition | | 0..1 | BackboneElement | Contract precursor content
type | | 1..1 | CodeableConcept | Content structure and use Contract Resource Definition Type codes (Example)
subType | | 0..1 | CodeableConcept | Detailed Content Type Definition Contract Resource Definition Subtype codes (Example)
publisher | | 0..1 | Reference(Practitioner | PractitionerRole | Organization) | Publisher Entity
publicationDate | | 0..1 | dateTime | When published
publicationStatus | | 1..1 | code | amended | appended | cancelled | disputed | entered-in-error | executable | executed | negotiable | offered | policy | rejected | renewed | revoked | resolved | terminated Contract Resource Publication Status codes (Required)
copyright | | 0..1 | markdown | Publication Ownership
term | | 0..* | BackboneElement | Contract Term List
identifier | Σ | 0..1 | Identifier | Contract Term Number
issued | Σ | 0..1 | dateTime | Contract Term Issue Date Time
applies | Σ | 0..1 | Period | Contract Term Effective Time
topic[x] | | 0..1 | | Term Concern
topicCodeableConcept | | | CodeableConcept
topicReference | | | Reference(Any)
type | | 0..1 | CodeableConcept | Contract Term Type or Form Contract Term Type Codes (Example)
subType | | 0..1 | CodeableConcept | Contract Term Type specific classification Contract Term Subtype Codes (Example)
text | Σ | 0..1 | string | Term Statement
securityLabel | | 0..* | BackboneElement | Protection for the Term
number | | 0..* | unsignedInt | Link to Security Labels
classification | | 1..1 | Coding | Confidentiality Protection Contract Resource Scope codes (Example)
category | | 0..* | Coding | Applicable Policy Contract Resource Scope codes (Example)
control | | 0..* | Coding | Handling Instructions Contract Resource Security Control codes (Example)
offer | | 1..1 | BackboneElement | Context of the Contract term
identifier | | 0..* | Identifier | Offer business ID
party | | 0..* | BackboneElement | Offer Recipient
reference | | 1..* | Reference(Patient | RelatedPerson | Practitioner | PractitionerRole | Device | Group | Organization) | Referenced entity
role | | 1..1 | CodeableConcept | Participant engagement type Contract Resource Party Role codes (Example)
topic | Σ | 0..1 | Reference(Any) | Negotiable offer asset
type | | 0..1 | CodeableConcept | Contract Offer Type or Form Contract Term Type Codes (Example)
decision | | 0..1 | CodeableConcept | Accepting party choice V3 Value SetActConsentDirective (Extensible)
decisionMode | | 0..* | CodeableConcept | How decision is conveyed Contract Resource Decision Mode codes (Example)
answer | | 0..* | BackboneElement | Response to offer text
value[x] | | 1..1 | | The actual answer response
valueBoolean | | | boolean
valueDecimal | | | decimal
valueInteger | | | integer
valueDate | | | date
valueDateTime | | | dateTime
valueTime | | | time
valueString | | | string
valueUri | | | uri
valueAttachment | | | Attachment
valueCoding | | | Coding

valueQuantity | | | Quantity
valueReference | | | Reference(Any)
text | | 0..1 | string | Human readable offer text
linkId | | 0..* | string | Pointer to text
securityLabelNumber | | 0..* | unsignedInt | Offer restriction numbers
asset | | 0..* | BackboneElement | Contract Term Asset List
scope | | 0..1 | CodeableConcept | Range of asset Contract Resource Asset Scope codes (Example)
type | | 0..* | CodeableConcept | Asset category Contract Resource Asset Type codes (Example)
typeReference | | 0..* | Reference(Any) | Associated entities
subtype | | 0..* | CodeableConcept | Asset sub-category Contract Resource Asset Sub-Type codes (Example)
relationship | | 0..1 | Coding | Kinship of the asset Consent Content Class (Extensible)
context | | 0..* | BackboneElement | Circumstance of the asset
reference | | 0..1 | Reference(Any) | Creator,custodian or owner
code | | 0..* | CodeableConcept | Codeable asset context Contract Resource Asset Context codes (Example)
text | | 0..1 | string | Context description
condition | | 0..1 | string | Quality desctiption of asset
periodType | | 0..* | CodeableConcept | Asset availability types Contract Resource Asset Availiability codes (Example)
period | | 0..* | Period | Time period of the asset
usePeriod | | 0..* | Period | Time period
text | | 0..1 | string | Asset clause or question text
linkId | | 0..* | string | Pointer to asset text
answer | | 0..* | see answer | Response to assets
securityLabelNumber | | 0..* | unsignedInt | Asset restriction numbers
valuedItem | | 0..* | BackboneElement | Contract Valued Item List
entity[x] | | 0..1 | | Contract Valued Item Type
entityCodeableConcept | | | CodeableConcept
entityReference | | | Reference(Any)
identifier | | 0..1 | Identifier | Contract Valued Item Number
effectiveTime | | 0..1 | dateTime | Contract Valued Item Effective Tiem
quantity | | 0..1 | SimpleQuantity | Count of Contract Valued Items
unitPrice | | 0..1 | Money | Contract Valued Item fee, charge, or cost
factor | | 0..1 | decimal | Contract Valued Item Price Scaling Factor
points | | 0..1 | decimal | Contract Valued Item Difficulty Scaling Factor
net | | 0..1 | Money | Total Contract Valued Item Value
payment | | 0..1 | string | Terms of valuation
paymentDate | | 0..1 | dateTime | When payment is due
responsible | | 0..1 | Reference(Organization | Patient | Practitioner | PractitionerRole | RelatedPerson) | Who will make payment
recipient | | 0..1 | Reference(Organization | Patient | Practitioner | PractitionerRole | RelatedPerson) | Who will receive payment
linkId | | 0..* | string | Pointer to specific item
securityLabelNumber | | 0..* | unsignedInt | Security Labels that define affected terms
action | | 0..* | BackboneElement | Entity being ascribed responsibility
doNotPerform | ?! | 0..1 | boolean | True if the term prohibits the action
type | | 1..1 | CodeableConcept | Type or form of the action Contract Action Codes (Example)
subject | | 0..* | BackboneElement | Entity of the action
reference | | 1..* | Reference(Patient | RelatedPerson | Practitioner | PractitionerRole | Device | Group | Organization) | Entity of the action
role | | 0..1 | CodeableConcept | Role type of the agent Contract Actor Role Codes (Example)
intent | | 1..1 | CodeableConcept | Purpose for the Contract Term Action V3 Value SetPurposeOfUse (Example)
linkId | | 0..* | string | Pointer to specific item
status | | 1..1 | CodeableConcept | State of the action Contract Resource Action Status codes (Example)
context | | 0..1 | Reference(Encounter | EpisodeOfCare) | Episode associated with action
contextLinkId | | 0..* | string | Pointer to specific item
occurrence[x] | | 0..1 | | When action happens
occurrenceDateTime | | | dateTime
occurrencePeriod | | | Period
occurrenceTiming | | | Timing
requester | | 0..* | Reference(Patient | RelatedPerson | Practitioner | PractitionerRole | Device | Group | Organization) | Who asked for action
requesterLinkId | | 0..* | string | Pointer to specific item
performerType | | 0..* | CodeableConcept | Kind of service performer Provenance participant type (Example)
performerRole | | 0..1 | CodeableConcept | Competency of the performer Provenance participant role (Example)
performer | | 0..1 | Reference(RelatedPerson | Patient | Practitioner | PractitionerRole | CareTeam | Device | Substance | Organization | Location) | Actor that wil execute (or not) the action
performerLinkId | | 0..* | string | Pointer to specific item
reasonCode | | 0..* | CodeableConcept | Why is action (not) needed? V3 Value SetPurposeOfUse (Example)
reasonReference | | 0..* | Reference(Condition | Observation | DiagnosticReport | DocumentReference | Questionnaire | QuestionnaireResponse) | Why is action (not) needed?
reason | | 0..* | string | Why action is to be performed
reasonLinkId | | 0..* | string | Pointer to specific item
note | | 0..* | Annotation | Comments about the action
securityLabelNumber | | 0..* | unsignedInt | Action restriction numbers
group | | 0..* | see term | Nested Contract Term Group
supportingInfo | | 0..* | Reference(Any) | Extra Information

relevantHistory | | 0..* | Reference(Provenance) | Key event in Contract History
signer | | 0..* | BackboneElement | Contract Signatory
type | | 1..1 | Coding | Contract Signatory Role Contract Signer Type Codes (Preferred)
party | | 1..1 | Reference(Organization | Patient | Practitioner | PractitionerRole | RelatedPerson) | Contract Signatory Party
signature | | 1..* | Signature | Contract Documentation Signature
friendly | | 0..* | BackboneElement | Contract Friendly Language
content[x] | | 1..1 | | Easily comprehended representation of this Contract
contentAttachment | | | Attachment
contentReference | | | Reference(Composition | DocumentReference | QuestionnaireResponse)
legal | | 0..* | BackboneElement | Contract Legal Language
content[x] | | 1..1 | | Contract Legal Text
contentAttachment | | | Attachment
contentReference | | | Reference(Composition | DocumentReference | QuestionnaireResponse)
rule | | 0..* | BackboneElement | Computable Contract Language
content[x] | | 1..1 | | Computable Contract Rules
contentAttachment | | | Attachment
contentReference | | | Reference(DocumentReference)
legallyBinding[x] | | 0..1 | | Binding Contract
legallyBindingAttachment | | | Attachment
legallyBindingReference | | | Reference(Composition | DocumentReference | QuestionnaireResponse | Contract)
Documentation for this format

UML Diagram (Legend)

XML Template

```
<Contract xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Contract number --></identifier>
 <url value="[uri]"/><!-- 0..1 Basal definition -->
 <version value="[string]"/><!-- 0..1 Business edition -->
 <status value="[code]"/><!-- 0..1 amended | appended | cancelled | disputed | entered-in-error | executable | executed
    | negotiable | offered | policy | rejected | renewed | revoked | resolved | terminated -->
 <legalState><!-- 0..1 CodeableConcept Negotiation status --></legalState>
 <instantiatesCanonical><!-- 0..1 Reference(Contract) Source Contract Definition --></instantiatesCanonical>
 <instantiatesUri value="[uri]"/><!-- 0..1 External Contract Definition -->
 <contentDerivative><!-- 0..1 CodeableConcept Content derived from the basal information --></contentDerivative>
 <issued value="[dateTime]"/><!-- 0..1 When this Contract was issued -->
 <applies><!-- 0..1 Period Effective time --></applies>
 <expirationType><!-- 0..1 CodeableConcept Contract cessation cause --></expirationType>
 <subject><!-- 0..* Reference(Any) Contract Target Entity --></subject>
 <authority><!-- 0..* Reference(Organization) Authority under which this Contract has standing --></authority>
 <domain><!-- 0..* Reference(Location) A sphere of control governed by an authoritative jurisdiction, organization, or
    person --></domain>
 <site><!-- 0..* Reference(Location) Specific Location --></site>
 <name value="[string]"/><!-- 0..1 Computer friendly designation -->
 <title value="[string]"/><!-- 0..1 Human Friendly name -->
 <subtitle value="[string]"/><!-- 0..1 Subordinate Friendly name -->
 <alias value="[string]"/><!-- 0..* Acronym or short name -->
 <author><!-- 0..1 Reference(Patient|Practitioner|PractitionerRole|Organization) Source of Contract --></author>
 <scope><!-- 0..1 CodeableConcept Range of Legal Concerns --></scope>
 <topic[x]><!-- 0..1 CodeableConcept|Reference(Any) Focus of contract interest --></topic[x]>
 <type><!-- 0..1 CodeableConcept Legal instrument category --></type>
 <subType><!-- 0..* CodeableConcept Subtype within the context of type --></subType>
 <contentDefinition>  <!-- 0..1 Contract precursor content -->
  <type><!-- 1..1 CodeableConcept Content structure and use --></type>
  <subType><!-- 0..1 CodeableConcept Detailed Content Type Definition --></subType>
  <publisher><!-- 0..1 Reference(Practitioner|PractitionerRole|Organization) Publisher Entity --></publisher>
  <publicationDate value="[dateTime]"/><!-- 0..1 When published -->
  <publicationStatus value="[code]"/><!-- 1..1 amended | appended | cancelled | disputed | entered-in-error | executable
     | executed | negotiable | offered | policy | rejected | renewed | revoked | resolved | terminated -->
  <copyright value="[markdown]"/><!-- 0..1 Publication Ownership -->
 </contentDefinition>
 <term>  <!-- 0..* Contract Term List -->
  <identifier><!-- 0..1 Identifier Contract Term Number --></identifier>
  <issued value="[dateTime]"/><!-- 0..1 Contract Term Issue Date Time -->
  <applies><!-- 0..1 Period Contract Term Effective Time --></applies>
  <topic[x]><!-- 0..1 CodeableConcept|Reference(Any) Term Concern --></topic[x]>
  <type><!-- 0..1 CodeableConcept Contract Term Type or Form --></type>
  <subType><!-- 0..1 CodeableConcept Contract Term Type specific classification --></subType>
  <text value="[string]"/><!-- 0..1 Term Statement -->
  <securityLabel>  <!-- 0..* Protection for the Term -->
   <number value="[unsignedInt]"/><!-- 0..* Link to Security Labels -->
   <classification><!-- 1..1 Coding Confidentiality Protection --></classification>
   <category><!-- 0..* Coding Applicable Policy --></category>
   <control><!-- 0..* Coding Handling Instructions --></control>
  </securityLabel>
  <offer>  <!-- 1..1 Context of the Contract term -->
   <identifier><!-- 0..* Identifier Offer business ID --></identifier>
   <party>  <!-- 0..* Offer Recipient -->
    <reference><!-- 1..* Reference(Patient|RelatedPerson|Practitioner|
      PractitionerRole|Device|Group|Organization) Referenced entity --></reference>
    <role><!-- 1..1 CodeableConcept Participant engagement type --></role>
   </party>
```

```
  <topic><!-- 0..1 Reference(Any) Negotiable offer asset --></topic>
  <type><!-- 0..1 CodeableConcept Contract Offer Type or Form --></type>
  <decision><!-- 0..1 CodeableConcept Accepting party choice --></decision>
  <decisionMode><!-- 0..* CodeableConcept How decision is conveyed --></decisionMode>
  <answer>  <!-- 0..* Response to offer text -->
   <value[x]><!-- 1..1 boolean|decimal|integer|date|dateTime|time|string|uri|
     Attachment|Coding|Quantity|Reference(Any) The actual answer response --></value[x]>
  </answer>
  <text value="[string]"/><!-- 0..1 Human readable offer text -->
  <linkId value="[string]"/><!-- 0..* Pointer to text -->
  <securityLabelNumber value="[unsignedInt]"/><!-- 0..* Offer restriction numbers -->
 </offer>
 <asset>  <!-- 0..* Contract Term Asset List -->
  <scope><!-- 0..1 CodeableConcept Range of asset --></scope>
  <type><!-- 0..* CodeableConcept Asset category --></type>
  <typeReference><!-- 0..* Reference(Any) Associated entities --></typeReference>
  <subtype><!-- 0..* CodeableConcept Asset sub-category --></subtype>
  <relationship><!-- 0..1 Coding Kinship of the asset --></relationship>
  <context>  <!-- 0..* Circumstance of the asset -->
   <reference><!-- 0..1 Reference(Any) Creator,custodian or owner --></reference>
   <code><!-- 0..* CodeableConcept Codeable asset context --></code>
   <text value="[string]"/><!-- 0..1 Context description -->
  </context>
  <condition value="[string]"/><!-- 0..1 Quality desctiption of asset -->
  <periodType><!-- 0..* CodeableConcept Asset availability types --></periodType>
  <period><!-- 0..* Period Time period of the asset --></period>
  <usePeriod><!-- 0..* Period Time period --></usePeriod>
  <text value="[string]"/><!-- 0..1 Asset clause or question text -->
  <linkId value="[string]"/><!-- 0..* Pointer to asset text -->
  <answer><!-- 0..* Content as for Contract.term.offer.answer Response to assets --></answer>
  <securityLabelNumber value="[unsignedInt]"/><!-- 0..* Asset restriction numbers -->
  <valuedItem>  <!-- 0..* Contract Valued Item List -->
   <entity[x]><!-- 0..1 CodeableConcept|Reference(Any) Contract Valued Item Type --></entity[x]>
   <identifier><!-- 0..1 Identifier Contract Valued Item Number --></identifier>
   <effectiveTime value="[dateTime]"/><!-- 0..1 Contract Valued Item Effective Tiem -->
   <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of Contract Valued Items --></quantity>
   <unitPrice><!-- 0..1 Money Contract Valued Item fee, charge, or cost --></unitPrice>
   <factor value="[decimal]"/><!-- 0..1 Contract Valued Item Price Scaling Factor -->
   <points value="[decimal]"/><!-- 0..1 Contract Valued Item Difficulty Scaling Factor -->
   <net><!-- 0..1 Money Total Contract Valued Item Value --></net>
   <payment value="[string]"/><!-- 0..1 Terms of valuation -->
   <paymentDate value="[dateTime]"/><!-- 0..1 When payment is due -->
   <responsible><!-- 0..1 Reference(Organization|Patient|Practitioner|
     PractitionerRole|RelatedPerson) Who will make payment --></responsible>
   <recipient><!-- 0..1 Reference(Organization|Patient|Practitioner|
     PractitionerRole|RelatedPerson) Who will receive payment --></recipient>
   <linkId value="[string]"/><!-- 0..* Pointer to specific item -->
   <securityLabelNumber value="[unsignedInt]"/><!-- 0..* Security Labels that define affected terms -->
  </valuedItem>
 </asset>
 <action>  <!-- 0..* Entity being ascribed responsibility -->
  <doNotPerform value="[boolean]"/><!-- 0..1 True if the term prohibits the  action -->
  <type><!-- 1..1 CodeableConcept Type or form of the action --></type>
  <subject>  <!-- 0..* Entity of the action -->
   <reference><!-- 1..* Reference(Patient|RelatedPerson|Practitioner|
     PractitionerRole|Device|Group|Organization) Entity of the action --></reference>
   <role><!-- 0..1 CodeableConcept Role type of the agent --></role>
  </subject>
  <intent><!-- 1..1 CodeableConcept Purpose for the Contract Term Action --></intent>
  <linkId value="[string]"/><!-- 0..* Pointer to specific item -->
  <status><!-- 1..1 CodeableConcept State of the action --></status>
  <context><!-- 0..1 Reference(Encounter|EpisodeOfCare) Episode associated with action --></context>
  <contextLinkId value="[string]"/><!-- 0..* Pointer to specific item -->
  <occurrence[x]><!-- 0..1 dateTime|Period|Timing When action happens --></occurrence[x]>
  <requester><!-- 0..* Reference(Patient|RelatedPerson|Practitioner|
    PractitionerRole|Device|Group|Organization) Who asked for action --></requester>
  <requesterLinkId value="[string]"/><!-- 0..* Pointer to specific item -->
  <performerType><!-- 0..* CodeableConcept Kind of service performer --></performerType>
  <performerRole><!-- 0..1 CodeableConcept Competency of the performer --></performerRole>
  <performer><!-- 0..1 Reference(RelatedPerson|Patient|Practitioner|
    PractitionerRole|CareTeam|Device|Substance|Organization|Location) Actor that wil execute (or not) the action
   --></performer>
  <performerLinkId value="[string]"/><!-- 0..* Pointer to specific item -->
  <reasonCode><!-- 0..* CodeableConcept Why is action (not) needed? --></reasonCode>
  <reasonReference><!-- 0..* Reference(Condition|Observation|DiagnosticReport|
    DocumentReference|Questionnaire|QuestionnaireResponse) Why is action (not) needed? --></reasonReference>
  <reason value="[string]"/><!-- 0..* Why action is to be performed -->
  <reasonLinkId value="[string]"/><!-- 0..* Pointer to specific item -->
  <note><!-- 0..* Annotation Comments about the action --></note>
  <securityLabelNumber value="[unsignedInt]"/><!-- 0..* Action restriction numbers -->
 </action>
 <group><!-- 0..* Content as for Contract.term Nested Contract Term Group --></group>
</term>
<supportingInfo><!-- 0..* Reference(Any) Extra Information --></supportingInfo>
<relevantHistory><!-- 0..* Reference(Provenance) Key event in Contract History --></relevantHistory>
<signer>  <!-- 0..* Contract Signatory -->
 <type><!-- 1..1 Coding Contract Signatory Role --></type>
 <party><!-- 1..1 Reference(Organization|Patient|Practitioner|PractitionerRole|
   RelatedPerson) Contract Signatory Party --></party>
```

```
  <signature><!-- 1..* Signature Contract Documentation Signature --></signature>
 </signer>
 <friendly>  <!-- 0..* Contract Friendly Language -->
  <content[x]><!-- 1..1 Attachment|Reference(Composition|DocumentReference|
    QuestionnaireResponse) Easily comprehended representation of this Contract --></content[x]>
 </friendly>
 <legal>  <!-- 0..* Contract Legal Language -->
  <content[x]><!-- 1..1 Attachment|Reference(Composition|DocumentReference|
    QuestionnaireResponse) Contract Legal Text --></content[x]>
 </legal>
 <rule>  <!-- 0..* Computable Contract Language -->
  <content[x]><!-- 1..1 Attachment|Reference(DocumentReference) Computable Contract Rules --></content[x]>
 </rule>
 <legallyBinding[x]><!-- 0..1 Attachment|Reference(Composition|DocumentReference|
   QuestionnaireResponse|Contract) Binding Contract --></legallyBinding[x]>
</Contract>
```

JSON Template

```
{
  "resourceType" : "Contract",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Contract number
  "url" : "<uri>", // Basal definition
  "version" : "<string>", // Business edition
  "status" : "<code>", // amended | appended | cancelled | disputed | entered-in-error | executable | executed |
    negotiable | offered | policy | rejected | renewed | revoked | resolved | terminated
  "legalState" : { CodeableConcept }, // Negotiation status
  "instantiatesCanonical" : { Reference(Contract) }, // Source Contract Definition
  "instantiatesUri" : "<uri>", // External Contract Definition
  "contentDerivative" : { CodeableConcept }, // Content derived from the basal information
  "issued" : "<dateTime>", // When this Contract was issued
  "applies" : { Period }, // Effective time
  "expirationType" : { CodeableConcept }, // Contract cessation cause
  "subject" : [{ Reference(Any) }], // Contract Target Entity
  "authority" : [{ Reference(Organization) }], // Authority under which this Contract has standing
  "domain" : [{ Reference(Location) }], // A sphere of control governed by an authoritative jurisdiction, organization,
    or person
  "site" : [{ Reference(Location) }], // Specific Location
  "name" : "<string>", // Computer friendly designation
  "title" : "<string>", // Human Friendly name
  "subtitle" : "<string>", // Subordinate Friendly name
  "alias" : ["<string>"], // Acronym or short name
  "author" : { Reference(Patient|Practitioner|PractitionerRole|Organization) }, // Source of Contract
  "scope" : { CodeableConcept }, // Range of Legal Concerns
  // topic[x]: Focus of contract interest. One of these 2:
  "topicCodeableConcept" : { CodeableConcept },
  "topicReference" : { Reference(Any) },
  "type" : { CodeableConcept }, // Legal instrument category
  "subType" : [{ CodeableConcept }], // Subtype within the context of type
  "contentDefinition" : { // Contract precursor content
    "type" : { CodeableConcept }, // R!  Content structure and use
    "subType" : { CodeableConcept }, // Detailed Content Type Definition
    "publisher" : { Reference(Practitioner|PractitionerRole|Organization) }, // Publisher Entity
    "publicationDate" : "<dateTime>", // When published
    "publicationStatus" : "<code>", // R!  amended | appended | cancelled | disputed | entered-in-error | executable |
    executed | negotiable | offered | policy | rejected | renewed | revoked | resolved | terminated
    "copyright" : "<markdown>" // Publication Ownership
  },
  "term" : [{ // Contract Term List
    "identifier" : { Identifier }, // Contract Term Number
    "issued" : "<dateTime>", // Contract Term Issue Date Time
    "applies" : { Period }, // Contract Term Effective Time
    // topic[x]: Term Concern. One of these 2:
    "topicCodeableConcept" : { CodeableConcept },
    "topicReference" : { Reference(Any) },
    "type" : { CodeableConcept }, // Contract Term Type or Form
    "subType" : { CodeableConcept }, // Contract Term Type specific classification
    "text" : "<string>", // Term Statement
    "securityLabel" : [{ // Protection for the Term
      "number" : ["<unsignedInt>"], // Link to Security Labels
      "classification" : { Coding }, // R!  Confidentiality Protection
      "category" : [{ Coding }], // Applicable Policy
      "control" : [{ Coding }] // Handling Instructions
    }],
    "offer" : { // R!  Context of the Contract term
      "identifier" : [{ Identifier }], // Offer business ID
      "party" : [{ // Offer Recipient
        "reference" : [{ Reference(Patient|RelatedPerson|Practitioner|
      PractitionerRole|Device|Group|Organization) }], // R!  Referenced entity
        "role" : { CodeableConcept } // R!  Participant engagement type
      }],
      "topic" : { Reference(Any) }, // Negotiable offer asset
      "type" : { CodeableConcept }, // Contract Offer Type or Form
      "decision" : { CodeableConcept }, // Accepting party choice
      "decisionMode" : [{ CodeableConcept }], // How decision is conveyed
      "answer" : [{ // Response to offer text
        // value[x]: The actual answer response. One of these 12:
        "valueBoolean" : <boolean>
```

```
    "valueDecimal" : <decimal>
    "valueInteger" : <integer>
    "valueDate" : "<date>"
    "valueDateTime" : "<dateTime>"
    "valueTime" : "<time>"
    "valueString" : "<string>"
    "valueUri" : "<uri>"
    "valueAttachment" : { Attachment }
    "valueCoding" : { Coding }
    "valueQuantity" : { Quantity }
    "valueReference" : { Reference(Any) }
  }],
  "text" : "<string>", // Human readable offer text
  "linkId" : ["<string>"], // Pointer to text
  "securityLabelNumber" : ["<unsignedInt>"] // Offer restriction numbers
},
"asset" : [{ // Contract Term Asset List
  "scope" : { CodeableConcept }, // Range of asset
  "type" : [{ CodeableConcept }], // Asset category
  "typeReference" : [{ Reference(Any) }], // Associated entities
  "subtype" : [{ CodeableConcept }], // Asset sub-category
  "relationship" : { Coding }, // Kinship of the asset
  "context" : [{ // Circumstance of the asset
    "reference" : { Reference(Any) }, // Creator,custodian or owner
    "code" : [{ CodeableConcept }], // Codeable asset context
    "text" : "<string>" // Context description
  }],
  "condition" : "<string>", // Quality desctiption of asset
  "periodType" : [{ CodeableConcept }], // Asset availability types
  "period" : [{ Period }], // Time period of the asset
  "usePeriod" : [{ Period }], // Time period
  "text" : "<string>", // Asset clause or question text
  "linkId" : ["<string>"], // Pointer to asset text
  "answer" : [{ Content as for Contract.term.offer.answer }], // Response to assets
  "securityLabelNumber" : ["<unsignedInt>"], // Asset restriction numbers
  "valuedItem" : [{ // Contract Valued Item List
    // entity[x]: Contract Valued Item Type. One of these 2:
    "entityCodeableConcept" : { CodeableConcept },
    "entityReference" : { Reference(Any) },
    "identifier" : { Identifier }, // Contract Valued Item Number
    "effectiveTime" : "<dateTime>", // Contract Valued Item Effective Tiem
    "quantity" : { Quantity(SimpleQuantity) }, // Count of Contract Valued Items
    "unitPrice" : { Money }, // Contract Valued Item fee, charge, or cost
    "factor" : <decimal>, // Contract Valued Item Price Scaling Factor
    "points" : <decimal>, // Contract Valued Item Difficulty Scaling Factor
    "net" : { Money }, // Total Contract Valued Item Value
    "payment" : "<string>", // Terms of valuation
    "paymentDate" : "<dateTime>", // When payment is due
    "responsible" : { Reference(Organization|Patient|Practitioner|
  PractitionerRole|RelatedPerson) }, // Who will make payment
    "recipient" : { Reference(Organization|Patient|Practitioner|
  PractitionerRole|RelatedPerson) }, // Who will receive payment
    "linkId" : ["<string>"], // Pointer to specific item
    "securityLabelNumber" : ["<unsignedInt>"] // Security Labels that define affected terms
  }]
}],
"action" : [{ // Entity being ascribed responsibility
  "doNotPerform" : <boolean>, // True if the term prohibits the  action
  "type" : { CodeableConcept }, // R!  Type or form of the action
  "subject" : [{ // Entity of the action
    "reference" : [{ Reference(Patient|RelatedPerson|Practitioner|
  PractitionerRole|Device|Group|Organization) }], // R!  Entity of the action
    "role" : { CodeableConcept } // Role type of the agent
  }],
  "intent" : { CodeableConcept }, // R!  Purpose for the Contract Term Action
  "linkId" : ["<string>"], // Pointer to specific item
  "status" : { CodeableConcept }, // R!  State of the action
  "context" : { Reference(Encounter|EpisodeOfCare) }, // Episode associated with action
  "contextLinkId" : ["<string>"], // Pointer to specific item
  // occurrence[x]: When action happens. One of these 3:
  "occurrenceDateTime" : "<dateTime>",
  "occurrencePeriod" : { Period },
  "occurrenceTiming" : { Timing },
  "requester" : [{ Reference(Patient|RelatedPerson|Practitioner|
 PractitionerRole|Device|Group|Organization) }], // Who asked for action
  "requesterLinkId" : ["<string>"], // Pointer to specific item
  "performerType" : [{ CodeableConcept }], // Kind of service performer
  "performerRole" : { CodeableConcept }, // Competency of the performer
  "performer" : { Reference(RelatedPerson|Patient|Practitioner|
 PractitionerRole|CareTeam|Device|Substance|Organization|Location) }, // Actor that wil execute (or not) the action
  "performerLinkId" : ["<string>"], // Pointer to specific item
  "reasonCode" : [{ CodeableConcept }], // Why is action (not) needed?
  "reasonReference" : [{ Reference(Condition|Observation|DiagnosticReport|
 DocumentReference|Questionnaire|QuestionnaireResponse) }], // Why is action (not) needed?
  "reason" : ["<string>"], // Why action is to be performed
  "reasonLinkId" : ["<string>"], // Pointer to specific item
  "note" : [{ Annotation }], // Comments about the action
  "securityLabelNumber" : ["<unsignedInt>"] // Action restriction numbers
}],
```

```
    "group" : [{ Content as for Contract.term }] // Nested Contract Term Group
  }],
  "supportingInfo" : [{ Reference(Any) }], // Extra Information
  "relevantHistory" : [{ Reference(Provenance) }], // Key event in Contract History
  "signer" : [{ // Contract Signatory
    "type" : { Coding }, // R!  Contract Signatory Role
    "party" : { Reference(Organization|Patient|Practitioner|PractitionerRole|
    RelatedPerson) }, // R!  Contract Signatory Party
    "signature" : [{ Signature }] // R!  Contract Documentation Signature
  }],
  "friendly" : [{ // Contract Friendly Language
    // content[x]: Easily comprehended representation of this Contract. One of these 2:
    "contentAttachment" : { Attachment }
    "contentReference" : { Reference(Composition|DocumentReference|
    QuestionnaireResponse) }
  }],
  "legal" : [{ // Contract Legal Language
    // content[x]: Contract Legal Text. One of these 2:
    "contentAttachment" : { Attachment }
    "contentReference" : { Reference(Composition|DocumentReference|
    QuestionnaireResponse) }
  }],
  "rule" : [{ // Computable Contract Language
    // content[x]: Computable Contract Rules. One of these 2:
    "contentAttachment" : { Attachment }
    "contentReference" : { Reference(DocumentReference) }
  }],
  // legallyBinding[x]: Binding Contract. One of these 2:
  "legallyBindingAttachment" : { Attachment }
  "legallyBindingReference" : { Reference(Composition|DocumentReference|
   QuestionnaireResponse|Contract) }
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:Contract;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:Contract.identifier [ Identifier ], ... ; # 0..* Contract number
  fhir:Contract.url [ uri ]; # 0..1 Basal definition
  fhir:Contract.version [ string ]; # 0..1 Business edition
  fhir:Contract.status [ code ]; # 0..1 amended | appended | cancelled | disputed | entered-in-error | executable |
    executed | negotiable | offered | policy | rejected | renewed | revoked | resolved | terminated
  fhir:Contract.legalState [ CodeableConcept ]; # 0..1 Negotiation status
  fhir:Contract.instantiatesCanonical [ Reference(Contract) ]; # 0..1 Source Contract Definition
  fhir:Contract.instantiatesUri [ uri ]; # 0..1 External Contract Definition
  fhir:Contract.contentDerivative [ CodeableConcept ]; # 0..1 Content derived from the basal information
  fhir:Contract.issued [ dateTime ]; # 0..1 When this Contract was issued
  fhir:Contract.applies [ Period ]; # 0..1 Effective time
  fhir:Contract.expirationType [ CodeableConcept ]; # 0..1 Contract cessation cause
  fhir:Contract.subject [ Reference(Any) ], ... ; # 0..* Contract Target Entity
  fhir:Contract.authority [ Reference(Organization) ], ... ; # 0..* Authority under which this Contract has standing
  fhir:Contract.domain [ Reference(Location) ], ... ; # 0..* A sphere of control governed by an authoritative
    jurisdiction, organization, or person
  fhir:Contract.site [ Reference(Location) ], ... ; # 0..* Specific Location
  fhir:Contract.name [ string ]; # 0..1 Computer friendly designation
  fhir:Contract.title [ string ]; # 0..1 Human Friendly name
  fhir:Contract.subtitle [ string ]; # 0..1 Subordinate Friendly name
  fhir:Contract.alias [ string ], ... ; # 0..* Acronym or short name
  fhir:Contract.author [ Reference(Patient|Practitioner|PractitionerRole|Organization) ]; # 0..1 Source of Contract
  fhir:Contract.scope [ CodeableConcept ]; # 0..1 Range of Legal Concerns
  # Contract.topic[x] : 0..1 Focus of contract interest. One of these 2
    fhir:Contract.topicCodeableConcept [ CodeableConcept ]
    fhir:Contract.topicReference [ Reference(Any) ]
  fhir:Contract.type [ CodeableConcept ]; # 0..1 Legal instrument category
  fhir:Contract.subType [ CodeableConcept ], ... ; # 0..* Subtype within the context of type
  fhir:Contract.contentDefinition [ # 0..1 Contract precursor content
    fhir:Contract.contentDefinition.type [ CodeableConcept ]; # 1..1 Content structure and use
    fhir:Contract.contentDefinition.subType [ CodeableConcept ]; # 0..1 Detailed Content Type Definition
    fhir:Contract.contentDefinition.publisher [ Reference(Practitioner|PractitionerRole|Organization) ]; # 0..1
    Publisher Entity
    fhir:Contract.contentDefinition.publicationDate [ dateTime ]; # 0..1 When published
    fhir:Contract.contentDefinition.publicationStatus [ code ]; # 1..1 amended | appended | cancelled | disputed |
    entered-in-error | executable | executed | negotiable | offered | policy | rejected | renewed | revoked | resolved |
     terminated
    fhir:Contract.contentDefinition.copyright [ markdown ]; # 0..1 Publication Ownership
  ];
  fhir:Contract.term [ # 0..* Contract Term List
    fhir:Contract.term.identifier [ Identifier ]; # 0..1 Contract Term Number
    fhir:Contract.term.issued [ dateTime ]; # 0..1 Contract Term Issue Date Time
    fhir:Contract.term.applies [ Period ]; # 0..1 Contract Term Effective Time
    # Contract.term.topic[x] : 0..1 Term Concern. One of these 2
      fhir:Contract.term.topicCodeableConcept [ CodeableConcept ]
      fhir:Contract.term.topicReference [ Reference(Any) ]
    fhir:Contract.term.type [ CodeableConcept ]; # 0..1 Contract Term Type or Form
```

```
fhir:Contract.term.subType [ CodeableConcept ]; # 0..1 Contract Term Type specific classification
fhir:Contract.term.text [ string ]; # 0..1 Term Statement
fhir:Contract.term.securityLabel [ # 0..* Protection for the Term
  fhir:Contract.term.securityLabel.number [ unsignedInt ], ... ; # 0..* Link to Security Labels
  fhir:Contract.term.securityLabel.classification [ Coding ]; # 1..1 Confidentiality Protection
  fhir:Contract.term.securityLabel.category [ Coding ], ... ; # 0..* Applicable Policy
  fhir:Contract.term.securityLabel.control [ Coding ], ... ; # 0..* Handling Instructions
], ...;
fhir:Contract.term.offer [ # 1..1 Context of the Contract term
  fhir:Contract.term.offer.identifier [ Identifier ], ... ; # 0..* Offer business ID
  fhir:Contract.term.offer.party [ # 0..* Offer Recipient
    fhir:Contract.term.offer.party.reference [
Reference(Patient|RelatedPerson|Practitioner|PractitionerRole|Device|Group|Organization) ], ... ; # 1..* Referenced
entity
    fhir:Contract.term.offer.party.role [ CodeableConcept ]; # 1..1 Participant engagement type
  ], ...;
  fhir:Contract.term.offer.topic [ Reference(Any) ]; # 0..1 Negotiable offer asset
  fhir:Contract.term.offer.type [ CodeableConcept ]; # 0..1 Contract Offer Type or Form
  fhir:Contract.term.offer.decision [ CodeableConcept ]; # 0..1 Accepting party choice
  fhir:Contract.term.offer.decisionMode [ CodeableConcept ], ... ; # 0..* How decision is conveyed
  fhir:Contract.term.offer.answer [ # 0..* Response to offer text
    # Contract.term.offer.answer.value[x] : 1..1 The actual answer response. One of these 12
      fhir:Contract.term.offer.answer.valueBoolean [ boolean ]
      fhir:Contract.term.offer.answer.valueDecimal [ decimal ]
      fhir:Contract.term.offer.answer.valueInteger [ integer ]
      fhir:Contract.term.offer.answer.valueDate [ date ]
      fhir:Contract.term.offer.answer.valueDateTime [ dateTime ]
      fhir:Contract.term.offer.answer.valueTime [ time ]
      fhir:Contract.term.offer.answer.valueString [ string ]
      fhir:Contract.term.offer.answer.valueUri [ uri ]
      fhir:Contract.term.offer.answer.valueAttachment [ Attachment ]
      fhir:Contract.term.offer.answer.valueCoding [ Coding ]
      fhir:Contract.term.offer.answer.valueQuantity [ Quantity ]
      fhir:Contract.term.offer.answer.valueReference [ Reference(Any) ]
  ], ...;
  fhir:Contract.term.offer.text [ string ]; # 0..1 Human readable offer text
  fhir:Contract.term.offer.linkId [ string ], ... ; # 0..* Pointer to text
  fhir:Contract.term.offer.securityLabelNumber [ unsignedInt ], ... ; # 0..* Offer restriction numbers
];
fhir:Contract.term.asset [ # 0..* Contract Term Asset List
  fhir:Contract.term.asset.scope [ CodeableConcept ]; # 0..1 Range of asset
  fhir:Contract.term.asset.type [ CodeableConcept ], ... ; # 0..* Asset category
  fhir:Contract.term.asset.typeReference [ Reference(Any) ], ... ; # 0..* Associated entities
  fhir:Contract.term.asset.subtype [ CodeableConcept ], ... ; # 0..* Asset sub-category
  fhir:Contract.term.asset.relationship [ Coding ]; # 0..1 Kinship of the asset
  fhir:Contract.term.asset.context [ # 0..* Circumstance of the asset
    fhir:Contract.term.asset.context.reference [ Reference(Any) ]; # 0..1 Creator,custodian or owner
    fhir:Contract.term.asset.context.code [ CodeableConcept ], ... ; # 0..* Codeable asset context
    fhir:Contract.term.asset.context.text [ string ]; # 0..1 Context description
  ], ...;
  fhir:Contract.term.asset.condition [ string ]; # 0..1 Quality desctiption of asset
  fhir:Contract.term.asset.periodType [ CodeableConcept ], ... ; # 0..* Asset availability types
  fhir:Contract.term.asset.period [ Period ], ... ; # 0..* Time period of the asset
  fhir:Contract.term.asset.usePeriod [ Period ], ... ; # 0..* Time period
  fhir:Contract.term.asset.text [ string ]; # 0..1 Asset clause or question text
  fhir:Contract.term.asset.linkId [ string ], ... ; # 0..* Pointer to asset text
  fhir:Contract.term.asset.answer [ See Contract.term.offer.answer ], ... ; # 0..* Response to assets
  fhir:Contract.term.asset.securityLabelNumber [ unsignedInt ], ... ; # 0..* Asset restriction numbers
  fhir:Contract.term.asset.valuedItem [ # 0..* Contract Valued Item List
    # Contract.term.asset.valuedItem.entity[x] : 0..1 Contract Valued Item Type. One of these 2
      fhir:Contract.term.asset.valuedItem.entityCodeableConcept [ CodeableConcept ]
      fhir:Contract.term.asset.valuedItem.entityReference [ Reference(Any) ]
    fhir:Contract.term.asset.valuedItem.identifier [ Identifier ]; # 0..1 Contract Valued Item Number
    fhir:Contract.term.asset.valuedItem.effectiveTime [ dateTime ]; # 0..1 Contract Valued Item Effective Tiem
    fhir:Contract.term.asset.valuedItem.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of Contract Valued Items
    fhir:Contract.term.asset.valuedItem.unitPrice [ Money ]; # 0..1 Contract Valued Item fee, charge, or cost
    fhir:Contract.term.asset.valuedItem.factor [ decimal ]; # 0..1 Contract Valued Item Price Scaling Factor
    fhir:Contract.term.asset.valuedItem.points [ decimal ]; # 0..1 Contract Valued Item Difficulty Scaling Factor
    fhir:Contract.term.asset.valuedItem.net [ Money ]; # 0..1 Total Contract Valued Item Value
    fhir:Contract.term.asset.valuedItem.payment [ string ]; # 0..1 Terms of valuation
    fhir:Contract.term.asset.valuedItem.paymentDate [ dateTime ]; # 0..1 When payment is due
    fhir:Contract.term.asset.valuedItem.responsible [
Reference(Organization|Patient|Practitioner|PractitionerRole|RelatedPerson) ]; # 0..1 Who will make payment
    fhir:Contract.term.asset.valuedItem.recipient [
Reference(Organization|Patient|Practitioner|PractitionerRole|RelatedPerson) ]; # 0..1 Who will receive payment
    fhir:Contract.term.asset.valuedItem.linkId [ string ], ... ; # 0..* Pointer to specific item
    fhir:Contract.term.asset.valuedItem.securityLabelNumber [ unsignedInt ], ... ; # 0..* Security Labels that
define affected terms
  ], ...;
], ...;
fhir:Contract.term.action [ # 0..* Entity being ascribed responsibility
  fhir:Contract.term.action.doNotPerform [ boolean ]; # 0..1 True if the term prohibits the  action
  fhir:Contract.term.action.type [ CodeableConcept ]; # 1..1 Type or form of the action
  fhir:Contract.term.action.subject [ # 0..* Entity of the action
    fhir:Contract.term.action.subject.reference [
Reference(Patient|RelatedPerson|Practitioner|PractitionerRole|Device|Group|Organization) ], ... ; # 1..* Entity of
the action
    fhir:Contract.term.action.subject.role [ CodeableConcept ]; # 0..1 Role type of the agent
  ], ...;
```

```
      fhir:Contract.term.action.intent [ CodeableConcept ]; # 1..1 Purpose for the Contract Term Action
      fhir:Contract.term.action.linkId [ string ], ... ; # 0..* Pointer to specific item
      fhir:Contract.term.action.status [ CodeableConcept ]; # 1..1 State of the action
      fhir:Contract.term.action.context [ Reference(Encounter|EpisodeOfCare) ]; # 0..1 Episode associated with action
      fhir:Contract.term.action.contextLinkId [ string ], ... ; # 0..* Pointer to specific item
      # Contract.term.action.occurrence[x] : 0..1 When action happens. One of these 3
        fhir:Contract.term.action.occurrenceDateTime [ dateTime ]
        fhir:Contract.term.action.occurrencePeriod [ Period ]
        fhir:Contract.term.action.occurrenceTiming [ Timing ]
      fhir:Contract.term.action.requester [
    Reference(Patient|RelatedPerson|Practitioner|PractitionerRole|Device|Group|Organization) ], ... ; # 0..* Who asked
    for action
      fhir:Contract.term.action.requesterLinkId [ string ], ... ; # 0..* Pointer to specific item
      fhir:Contract.term.action.performerType [ CodeableConcept ], ... ; # 0..* Kind of service performer
      fhir:Contract.term.action.performerRole [ CodeableConcept ]; # 0..1 Competency of the performer
      fhir:Contract.term.action.performer [
    Reference(RelatedPerson|Patient|Practitioner|PractitionerRole|CareTeam|Device|Substance|
  Organization|Location) ]; # 0..1 Actor that wil execute (or not) the action
      fhir:Contract.term.action.performerLinkId [ string ], ... ; # 0..* Pointer to specific item
      fhir:Contract.term.action.reasonCode [ CodeableConcept ], ... ; # 0..* Why is action (not) needed?
      fhir:Contract.term.action.reasonReference [
    Reference(Condition|Observation|DiagnosticReport|DocumentReference|Questionnaire|
  QuestionnaireResponse) ], ... ; # 0..* Why is action (not) needed?
      fhir:Contract.term.action.reason [ string ], ... ; # 0..* Why action is to be performed
      fhir:Contract.term.action.reasonLinkId [ string ], ... ; # 0..* Pointer to specific item
      fhir:Contract.term.action.note [ Annotation ], ... ; # 0..* Comments about the action
      fhir:Contract.term.action.securityLabelNumber [ unsignedInt ], ... ; # 0..* Action restriction numbers
    ], ...;
    fhir:Contract.term.group [ See Contract.term ], ... ; # 0..* Nested Contract Term Group
  ], ...;
  fhir:Contract.supportingInfo [ Reference(Any) ], ... ; # 0..* Extra Information
  fhir:Contract.relevantHistory [ Reference(Provenance) ], ... ; # 0..* Key event in Contract History
  fhir:Contract.signer [ # 0..* Contract Signatory
    fhir:Contract.signer.type [ Coding ]; # 1..1 Contract Signatory Role
    fhir:Contract.signer.party [ Reference(Organization|Patient|Practitioner|PractitionerRole|RelatedPerson) ]; # 1..1
    Contract Signatory Party
    fhir:Contract.signer.signature [ Signature ], ... ; # 1..* Contract Documentation Signature
  ], ...;
  fhir:Contract.friendly [ # 0..* Contract Friendly Language
    # Contract.friendly.content[x] : 1..1 Easily comprehended representation of this Contract. One of these 2
      fhir:Contract.friendly.contentAttachment [ Attachment ]
      fhir:Contract.friendly.contentReference [ Reference(Composition|DocumentReference|QuestionnaireResponse) ]
  ], ...;
  fhir:Contract.legal [ # 0..* Contract Legal Language
    # Contract.legal.content[x] : 1..1 Contract Legal Text. One of these 2
      fhir:Contract.legal.contentAttachment [ Attachment ]
      fhir:Contract.legal.contentReference [ Reference(Composition|DocumentReference|QuestionnaireResponse) ]
  ], ...;
  fhir:Contract.rule [ # 0..* Computable Contract Language
    # Contract.rule.content[x] : 1..1 Computable Contract Rules. One of these 2
      fhir:Contract.rule.contentAttachment [ Attachment ]
      fhir:Contract.rule.contentReference [ Reference(DocumentReference) ]
  ], ...;
  # Contract.legallyBinding[x] : 0..1 Binding Contract. One of these 2
    fhir:Contract.legallyBindingAttachment [ Attachment ]
    fhir:Contract.legallyBindingReference [ Reference(Composition|DocumentReference|QuestionnaireResponse|Contract) ]
]
```

Changes since Release 3

Contract
Contract.identifier | Max Cardinality changed from 1 to *
Contract.url | Added Element
Contract.version | Added Element
Contract.status | Change value set from http://hl7.org/fhir/ValueSet/contract-status to http://hl7.org/fhir/ValueSet/contract-status|4.0.1
Contract.legalState | Added Element
Contract.instantiatesCanonical | Added Element
Contract.instantiatesUri | Added Element
Contract.expirationType | Added Element
Contract.site | Added Element
Contract.name | Added Element
Contract.title | Added Element
Contract.subtitle | Added Element
Contract.alias | Added Element
Contract.author | Added Element
Contract.scope | Added Element
Contract.topic[x] | Renamed from topic to topic[x] Max Cardinality changed from * to 1 Add Type CodeableConcept
Contract.contentDefinition | Added Element
Contract.contentDefinition.type | Added Mandatory Element
Contract.contentDefinition.subType | Added Element
Contract.contentDefinition.publisher | Added Element
Contract.contentDefinition.publicationDate | Added Element
Contract.contentDefinition.publicationStatus | Added Mandatory Element

Contract.contentDefinition.copyright | Added Element
Contract.term.topic[x] | Renamed from topic to topic[x] Max Cardinality changed from * to 1 Add Type CodeableConcept
Contract.term.securityLabel | Type changed from Coding to BackboneElement Remove Binding http://hl7.org/fhir/ValueSet/security-labels (extensible)
Contract.term.securityLabel.number | Added Element
Contract.term.securityLabel.classification | Added Mandatory Element
Contract.term.securityLabel.category | Added Element
Contract.term.securityLabel.control | Added Element
Contract.term.offer | Added Mandatory Element
Contract.term.offer.identifier | Added Element
Contract.term.offer.party | Added Element
Contract.term.offer.party.reference | Added Mandatory Element
Contract.term.offer.party.role | Added Mandatory Element
Contract.term.offer.topic | Added Element
Contract.term.offer.type | Added Element
Contract.term.offer.decision | Added Element
Contract.term.offer.decisionMode | Added Element
Contract.term.offer.answer | Added Element
Contract.term.offer.answer.value[x] | Added Mandatory Element
Contract.term.offer.text | Added Element
Contract.term.offer.linkId | Added Element
Contract.term.offer.securityLabelNumber | Added Element
Contract.term.asset | Added Element
Contract.term.asset.scope | Added Element
Contract.term.asset.type | Added Element
Contract.term.asset.typeReference | Added Element
Contract.term.asset.subtype | Added Element
Contract.term.asset.relationship | Added Element
Contract.term.asset.context | Added Element
Contract.term.asset.context.reference | Added Element
Contract.term.asset.context.code | Added Element
Contract.term.asset.context.text | Added Element
Contract.term.asset.condition | Added Element
Contract.term.asset.periodType | Added Element
Contract.term.asset.period | Added Element
Contract.term.asset.usePeriod | Added Element
Contract.term.asset.text | Added Element
Contract.term.asset.linkId | Added Element
Contract.term.asset.answer | Added Element
Contract.term.asset.securityLabelNumber | Added Element
Contract.term.asset.valuedItem | Added Element
Contract.term.asset.valuedItem.entity[x] | Added Element
Contract.term.asset.valuedItem.identifier | Added Element
Contract.term.asset.valuedItem.effectiveTime | Added Element
Contract.term.asset.valuedItem.quantity | Added Element
Contract.term.asset.valuedItem.unitPrice | Added Element
Contract.term.asset.valuedItem.factor | Added Element
Contract.term.asset.valuedItem.points | Added Element
Contract.term.asset.valuedItem.net | Added Element
Contract.term.asset.valuedItem.payment | Added Element
Contract.term.asset.valuedItem.paymentDate | Added Element
Contract.term.asset.valuedItem.responsible | Added Element
Contract.term.asset.valuedItem.recipient | Added Element
Contract.term.asset.valuedItem.linkId | Added Element
Contract.term.asset.valuedItem.securityLabelNumber | Added Element
Contract.term.action | Type changed from CodeableConcept to BackboneElement
Contract.term.action.doNotPerform | Added Element
Contract.term.action.type | Added Mandatory Element
Contract.term.action.subject | Added Element
Contract.term.action.subject.reference | Added Mandatory Element
Contract.term.action.subject.role | Added Element
Contract.term.action.intent | Added Mandatory Element
Contract.term.action.linkId | Added Element
Contract.term.action.status | Added Mandatory Element
Contract.term.action.context | Added Element
Contract.term.action.contextLinkId | Added Element
Contract.term.action.occurrence[x] | Added Element
Contract.term.action.requester | Added Element
Contract.term.action.requesterLinkId | Added Element
Contract.term.action.performerType | Added Element
Contract.term.action.performerRole | Added Element
Contract.term.action.performer | Added Element

Contract.term.action.performerLinkId | Added Element
Contract.term.action.reasonCode | Added Element
Contract.term.action.reasonReference | Added Element
Contract.term.action.reason | Added Element
Contract.term.action.reasonLinkId | Added Element
Contract.term.action.note | Added Element
Contract.term.action.securityLabelNumber | Added Element
Contract.supportingInfo | Added Element
Contract.relevantHistory | Added Element
Contract.signer.party | Type Reference: Added Target Type PractitionerRole
Contract.legallyBinding[x] | Added Element
Contract.action | deleted
Contract.actionReason | deleted
Contract.decisionType | deleted
Contract.securityLabel | deleted
Contract.agent | deleted
Contract.valuedItem | deleted
Contract.term.actionReason | deleted
Contract.term.agent | deleted
Contract.term.valuedItem | deleted
Contract.binding[x] | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R3 <--> R4 Conversion Maps (status = 7 tests of which 5 fail to execute. 1 fail round-trip testing and 5 r3 resources are invalid (0 errors).)

See the Profiles & Extensions and the alternate definitions: Master Definition XML + JSON, XML Schema/Schematron + JSON Schema, ShEx (for Turtle) + see the extensions & the dependency analysis

13.11.4.1 Terminology Bindings

Path | Definition | Type | Reference
Contract.status | A code specifying the state of the resource instance. | Required | ContractResourceStatusCodes
Contract.legalState | Detailed codes for the legal state of a contract. | Extensible | ContractResourceLegalStateCodes
Contract.contentDerivative | This is an example set of Content Derivative type codes, which represent the minimal content derived from the basal information source. | Example | ContractContentDerivationCodes
Contract.expirationType | Codes for the Cessation of Contracts. | Example | ContractResourceExpirationTypeCodes
Contract.scope | Codes for the range of legal concerns. | Example | ContractResourceScopeCodes
Contract.type | List of overall contract codes. | Example | ContractTypeCodes
Contract.subType | Detailed codes within the above. | Example | ContractSubtypeCodes
Contract.contentDefinition.type | Detailed codes for the definition of contracts. | Example | ContractResourceDefinitionTypeCodes
Contract.contentDefinition.subType | Detailed codes for the additional definition of contracts. | Example | ContractResourceDefinitionSubtypeCodes
Contract.contentDefinition.publicationStatus | Status of the publication of contract content. | Required | ContractResourcePublicationStatusCodes
Contract.term.type Contract.term.offer.type | Detailed codes for the types of contract provisions. | Example | ContractTermTypeCodes
Contract.term.subType | Detailed codes for the subtypes of contract provisions. | Example | ContractTermSubtypeCodes
Contract.term.securityLabel.classification | Codes for confidentiality protection. | Example | ContractResourceScopeCodes
Contract.term.securityLabel.category | Codes for policy category. | Example | ContractResourceScopeCodes
Contract.term.securityLabel.control | Codes for handling instructions. | Example | ContractResourceSecurityControlCodes
Contract.term.offer.party.role | Codes for offer participant roles. | Example | ContractResourcePartyRoleCodes
Contract.term.offer.decision | The type of decision made by a grantor with respect to an offer made by a grantee. | Extensible | v3.ActConsentDirective
Contract.term.offer.decisionMode | Codes for conveying a decision. | Example | ContractResourceDecisionModeCodes
Contract.term.asset.scope | Codes for scoping an asset. | Example | ContractResourceAssetScopeCodes
Contract.term.asset.type | Condes for the type of an asset. | Example | ContractResourceAssetTypeCodes
Contract.term.asset.subtype | Condes for the sub-type of an asset. | Example | ContractResourceAssetSub-TypeCodes
Contract.term.asset.relationship | The class (type) of information a consent rule covers. | Extensible | ConsentContentClass
Contract.term.asset.context.code | Codes for the context of the asset. | Example | ContractResourceAssetContextCodes
Contract.term.asset.periodType | Codes for asset availability. | Example | ContractResourceAssetAvailiabilityCodes
Contract.term.action.type | Detailed codes for the contract action. | Example | ContractActionCodes
Contract.term.action.subject.role | Detailed codes for the contract actor role. | Example | ContractActorRoleCodes
Contract.term.action.intent Contract.term.action.reasonCode | Detailed codes for the contract action reason. | Example | v3.PurposeOfUse
Contract.term.action.status | Codes for the status of an term action. | Example | ContractResourceActionStatusCodes
Contract.term.action.performerType | Codes for the types of action perfomer. | Example | ProvenanceParticipantType
Contract.term.action.performerRole | Codes for the role of the action performer. | Example | ProvenanceParticipantRole
Contract.signer.type | List of parties who may be signing. | Preferred | ContractSignerTypeCodes

13.11.5 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common
authority | reference | The authority of the contract | Contract.authority (Organization)
domain | reference | The domain of the contract | Contract.domain (Location)
identifier | token | The identity of the contract | Contract.identifier
instantiates | uri | A source definition of the contract | Contract.instantiatesUri
issued | date | The date/time the contract was issued | Contract.issued
patient | reference | The identity of the subject of the contract (if a patient) | Contract.subject.where(resolve() is Patient) (Patient)
signer | reference | Contract Signatory Party | Contract.signer.party (Practitioner, Organization, Patient, PractitionerRole, RelatedPerson)
status | token | The status of the contract | Contract.status
subject | reference | The identity of the subject of the contract | Contract.subject (Any)
url | uri | The basal contract definition | Contract.url

13.11.6 Resource Contract - Examples

URL: https://hl7.org/fhir/R4/contract-examples.html

13.11.6 Resource Contract - Examples

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Not linked to any defined compartments

Example Name | id | Format
General Contract Example | C-123 | XML | JSON | Turtle
ConsentDirective Example | pcd-example-notOrg | XML | JSON | Turtle
ConsentDirective Example | pcd-example-notThem | XML | JSON | Turtle
ConsentDirective Example | pcd-example-notThis | XML | JSON | Turtle
ConsentDirective Example | pcd-example-notAuthor | XML | JSON | Turtle
ConsentDirective Example | pcd-example-notLabs | XML | JSON | Turtle
42 CFR Part 2 Consent Directive | C-2121 | XML | JSON | Turtle
Health Insurance Policy | INS-101 | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

13.11.7 Resource Contract - Detailed Descriptions

URL: https://hl7.org/fhir/R4/contract-definitions.html

13.11.7 Resource Contract - Detailed Descriptions

Financial Management Work Group | Maturity Level: 1 | Trial Use | Security Category: Patient | Compartments: Not linked to any defined compartments

Detailed Descriptions for the elements in the Contract resource.

Contract
Element Id | Contract
Definition | Legally enforceable, formally recorded unilateral or bilateral directive i.e., a policy or agreement.
Cardinality | 0..*
Type | DomainResource
Contract.identifier
Element Id | Contract.identifier
Definition | Unique identifier for this Contract or a derivative that references a Source Contract.
Note | This is a business identifier, not a resource identifier (see discussion)
Cardinality | 0..*
Type | Identifier
Requirements | This is the business identifier of the contract content conveyed. It may be a derivative of the legally binding contract, in which case, the identifier of the basal contract is contained in the Contract.binding referenced Contract.
Summary | true
Contract.url
Element Id | Contract.url
Definition | Canonical identifier for this contract, represented as a URI (globally unique).
Cardinality | 0..1
Type | uri
Requirements | An absolute URI that is used to identify this contract when it is referenced in a specification, model, design, instance or a contract derivative; also called its canonical identifier. This SHOULD be globally unique and SHOULD be a literal address at which this plan definition is (or will be) published.
Comments | Used in a domain that uses a supplied contract repository.
Contract.version
Element Id | Contract.version
Definition | An edition identifier used for business purposes to label business significant variants.
Note | This is a business versionId, not a resource version id (see discussion)

Cardinality | 0..1
Type | string
Requirements | The identifier that is used to identify this version of the contract when it is referenced in a specification, model, design, instance, or contract derivative. This is an arbitrary value managed by the contract author and is not expected to be globally unique. For example, it might be a timestamp (e.g. yyyymmdd) if a managed version is not available. There is also no expectation that versions can be placed in a lexicographical sequence.
Summary | true
Comments | Note - This is a business versionId, not a resource version id (see discussion http://build.fhir.org/resource.html#versions) Comments - There may be different contract instances that have the same identifier but different versions. The version can be appended to the url in a reference to allow a reference to a particular business version of the plan definition with the format [url]|[version].
Contract.status
Element Id | Contract.status
Definition | The status of the resource instance.
Cardinality | 0..1
Terminology Binding | Contract Resource Status Codes (Required)
Type | code
Is Modifier | true (Reason: This element is labeled as a modifier because it is a status element that contains status entered-in-error which means that the resource should not be treated as valid)
Requirements | This is the Contract Business Workflow Status.
Summary | true
Comments | This element is labeled as a modifier because the status contains codes that mark the contract as not currently valid or active.
Contract.legalState
Element Id | Contract.legalState
Definition | Legal states of the formation of a legal instrument, which is a formally executed written document that can be formally attributed to its author, records and formally expresses a legally enforceable act, process, or contractual duty, obligation, or right, and therefore evidences that act, process, or agreement.
Cardinality | 0..1
Terminology Binding | Contract Resource Legal State codes (Extensible)
Type | CodeableConcept
Requirements | The legal state of a contract follows a prescribed flow as defined by the legal community and these state may be indepenedent of the workflow state.
Contract.instantiatesCanonical
Element Id | Contract.instantiatesCanonical
Definition | The URL pointing to a FHIR-defined Contract Definition that is adhered to in whole or part by this Contract.
Cardinality | 0..1
Type | Reference(Contract)
Contract.instantiatesUri
Element Id | Contract.instantiatesUri
Definition | The URL pointing to an externally maintained definition that is adhered to in whole or in part by this Contract.
Cardinality | 0..1
Type | uri
Contract.contentDerivative
Element Id | Contract.contentDerivative
Definition | The minimal content derived from the basal information source at a specific stage in its lifecycle.
Cardinality | 0..1
Terminology Binding | Contract Content Derivation Codes (Example)
Type | CodeableConcept
Requirements | In the context of a contract, the information source of the content derivative shall be the information referenced by the contract.binding. The Contract Resource may function simply as the computable representation of the executed contract, which may be the attached to the Contract Resource as the “binding” or as the “friendly” electronic form. For example, a Contract Resource may be automatically populated with the values expressed in a related QuestionnaireResponse. However, the Contract Resource may be considered the legally binding contract if it is the only “executed” form of this contract, and includes the signatures as *The Contract Resource may function as the computable representation of an application or offer in a pre-executed Contract if the grantor has not entered any values. In this case, it is populated with values in a “legal” form of the application or offer or by the values in an associated Questionnaire. If the grantor has filled in the legal form or the associated Questionnaire Response, then these values are used to populate a pre-executed Contract Resource. If the Contract.topic is considered an application or offer, then the policy is often required to be attached as the “legal” basis for the application to ensure “informed consent” to the contract, and that any discrepancy between the application and the policy are interpreted against the policy. Implementers should check organizational and jurisdictional policies to determine the relationship among multiple representations of a contract pre- and post-execution.
Contract.issued
Element Id | Contract.issued
Definition | When this Contract was issued.
Cardinality | 0..1
Type | dateTime
Requirements | The Contract issuance dateTime often precedes the Contract effective dateTime.
Summary | true
Contract.applies
Element Id | Contract.applies
Definition | Relevant time or time-period when this Contract is applicable.
Cardinality | 0..1
Type | Period

Requirements | The dateTime upon which the Contract is binding.
Summary | true
Contract.expirationType
Element Id | Contract.expirationType
Definition | Event resulting in discontinuation or termination of this Contract instance by one or more parties to the contract.
Cardinality | 0..1
Terminology Binding | Contract Resource Expiration Type codes (Example)
Type | CodeableConcept
Contract.subject
Element Id | Contract.subject
Definition | The target entity impacted by or of interest to parties to the agreement.
Cardinality | 0..*
Type | Reference(Any)
Requirements | The Contract.subject is an entity that has some role with respect to the Contract.topic and Contract.topic.term, which is of focal interest to the parties to the contract and likely impacted in a significant way by the Contract.action/Contract.action.reason and the Contract.term.action/Contract.action.reason. In many cases, the Contract.subject is a Contract.signer if the subject is an adult; has a legal interest in the contract; and incompetent to participate in the contract agreement.
Alternate Names | Patient
Summary | true
Comments | The Contract.subject is an entity that has some role with respect to the Contract.topic and Contract.topic.term, which is of focal interest to the parties to the contract and likely impacted in a significant way by the Contract.action/Contract.action.reason and the Contract.term.action/Contract.action.reason. In many cases, the Contract.subject is a Contract.signer if the subject is an adult; has a legal interest in the contract; and incompetent to participate in the contract agreement.
Contract.authority
Element Id | Contract.authority
Definition | A formally or informally recognized grouping of people, principals, organizations, or jurisdictions formed for the purpose of achieving some form of collective action such as the promulgation, administration and enforcement of contracts and policies.
Cardinality | 0..*
Type | Reference(Organization)
Requirements | The governance framework responsible for ensuring compliance with or enforcement of the contract or policy.
Contract.domain
Element Id | Contract.domain
Definition | Recognized governance framework or system operating with a circumscribed scope in accordance with specified principles, policies, processes or procedures for managing rights, actions, or behaviors of parties or principals relative to resources.
Cardinality | 0..*
Type | Reference(Location)
Requirements | The entities bound by governance to comply with the enforcement of contracts or policies by a recognized authority.
Alternate Names | scope of governance jurisdiction
Contract.site
Element Id | Contract.site
Definition | Sites in which the contract is complied with, exercised, or in force.
Cardinality | 0..*
Type | Reference(Location)
Contract.name
Element Id | Contract.name
Definition | A natural language name identifying this Contract definition, derivative, or instance in any legal state. Provides additional information about its content. This name should be usable as an identifier for the module by machine processing applications such as code generation.
Cardinality | 0..1
Type | string
Requirements | Support human navigation and code generation.
Summary | true
Comments | The name is not expected to be globally unique. The name should be a simple alphanumeric type name to ensure that it is machine-processing friendly.
Contract.title
Element Id | Contract.title
Definition | A short, descriptive, user-friendly title for this Contract definition, derivative, or instance in any legal state.t giving additional information about its content.
Cardinality | 0..1
Type | string
Summary | true
Contract.subtitle
Element Id | Contract.subtitle
Definition | An explanatory or alternate user-friendly title for this Contract definition, derivative, or instance in any legal state.t giving additional information about its content.
Cardinality | 0..1
Type | string
Contract.alias
Element Id | Contract.alias

Definition | Alternative representation of the title for this Contract definition, derivative, or instance in any legal state., e.g., a domain specific contract number related to legislation.
Cardinality | 0..*
Type | string
Contract.author
Element Id | Contract.author
Definition | The individual or organization that authored the Contract definition, derivative, or instance in any legal state.
Cardinality | 0..1
Type | Reference(Patient | Practitioner | PractitionerRole | Organization)
Contract.scope
Element Id | Contract.scope
Definition | A selector of legal concerns for this Contract definition, derivative, or instance in any legal state.
Cardinality | 0..1
Terminology Binding | Contract Resource Scope codes (Example)
Type | CodeableConcept
Contract.topic[x]
Element Id | Contract.topic[x]
Definition | Narrows the range of legal concerns to focus on the achievement of specific contractual objectives.
Cardinality | 0..1
Type | CodeableConcept|Reference(Any)
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | Requirement: May be used to focus the topic of a Contract definition, derivative, or instance in any legal state. Comment: Contractual areas of concern are very broad. This element supports narrowing the area of concern to more specific term topics within this Contract. Given the wide range of contract topics, implementers need to be cognizant of the business use case for which they are designing a FHIR Contract, and narrowly specify the topic being represented with respect to the Contract.type and any specializing Contract.subtype. The same topic, e.g., an asset such as a good or service, such as a real property, medical supply, insurance, information, a procedure or employment, or a manner of conduct, such adherence to a privacy, trust, or security policy, may be the topic of multiple types of contracts. One way to determine the Contract.topic is to answer the question: “What is the overall objective of this legal instrument. The Contract.topic is described with more detail by the terms of the Contract.
Contract.type
Element Id | Contract.type
Definition | A high-level category for the legal instrument, whether constructed as a Contract definition, derivative, or instance in any legal state. Provides additional information about its content within the context of the Contract's scope to distinguish the kinds of systems that would be interested in the contract.
Cardinality | 0..1
Terminology Binding | Contract Type Codes (Example)
Type | CodeableConcept
Summary | true
Contract.subType
Element Id | Contract.subType
Definition | Sub-category for the Contract that distinguishes the kinds of systems that would be interested in the Contract within the context of the Contract's scope.
Cardinality | 0..*
Terminology Binding | Contract Subtype Codes (Example)
Type | CodeableConcept
Summary | true
Contract.contentDefinition
Element Id | Contract.contentDefinition
Definition | Precusory content developed with a focus and intent of supporting the formation a Contract instance, which may be associated with and transformable into a Contract.
Cardinality | 0..1
Contract.contentDefinition.type
Element Id | Contract.contentDefinition.type
Definition | Precusory content structure and use, i.e., a boilerplate, template, application for a contract such as an insurance policy or benefits under a program, e.g., workers compensation.
Cardinality | 1..1
Terminology Binding | Contract Resource Definition Type codes (Example)
Type | CodeableConcept
Contract.contentDefinition.subType
Element Id | Contract.contentDefinition.subType
Definition | Detailed Precusory content type.
Cardinality | 0..1
Terminology Binding | Contract Resource Definition Subtype codes (Example)
Type | CodeableConcept
Contract.contentDefinition.publisher
Element Id | Contract.contentDefinition.publisher
Definition | The individual or organization that published the Contract precursor content.
Cardinality | 0..1
Type | Reference(Practitioner | PractitionerRole | Organization)
Contract.contentDefinition.publicationDate
Element Id | Contract.contentDefinition.publicationDate
Definition | The date (and optionally time) when the contract was published. The date must change when the business version changes and it must change if the status code changes. In addition, it should change when the substantive content of the contract

changes.
Cardinality | 0..1
Type | dateTime
Contract.contentDefinition.publicationStatus
Element Id | Contract.contentDefinition.publicationStatus
Definition | amended | appended | cancelled | disputed | entered-in-error | executable | executed | negotiable | offered | policy | rejected | renewed | revoked | resolved | terminated.
Cardinality | 1..1
Terminology Binding | Contract Resource Publication Status codes (Required)
Type | code
Contract.contentDefinition.copyright
Element Id | Contract.contentDefinition.copyright
Definition | A copyright statement relating to Contract precursor content. Copyright statements are generally legal restrictions on the use and publishing of the Contract precursor content.
Cardinality | 0..1
Type | markdown
Contract.term
Element Id | Contract.term
Definition | One or more Contract Provisions, which may be related and conveyed as a group, and may contain nested groups.
Cardinality | 0..*
Contract.term.identifier
Element Id | Contract.term.identifier
Definition | Unique identifier for this particular Contract Provision.
Note | This is a business identifier, not a resource identifier (see discussion)
Cardinality | 0..1
Type | Identifier
Summary | true
Contract.term.issued
Element Id | Contract.term.issued
Definition | When this Contract Provision was issued.
Cardinality | 0..1
Type | dateTime
Summary | true
Contract.term.applies
Element Id | Contract.term.applies
Definition | Relevant time or time-period when this Contract Provision is applicable.
Cardinality | 0..1
Type | Period
Summary | true
Contract.term.topic[x]
Element Id | Contract.term.topic[x]
Definition | The entity that the term applies to.
Cardinality | 0..1
Type | CodeableConcept|Reference(Any)
[x] Note | See Choice of Data Types for further information about how to use [x]
Contract.term.type
Element Id | Contract.term.type
Definition | A legal clause or condition contained within a contract that requires one or both parties to perform a particular requirement by some specified time or prevents one or both parties from performing a particular requirement by some specified time.
Cardinality | 0..1
Terminology Binding | Contract Term Type Codes (Example)
Type | CodeableConcept
Contract.term.subType
Element Id | Contract.term.subType
Definition | A specialized legal clause or condition based on overarching contract type.
Cardinality | 0..1
Terminology Binding | Contract Term Subtype Codes (Example)
Type | CodeableConcept
Contract.term.text
Element Id | Contract.term.text
Definition | Statement of a provision in a policy or a contract.
Cardinality | 0..1
Type | string
Summary | true
Contract.term.securityLabel
Element Id | Contract.term.securityLabel
Definition | Security labels that protect the handling of information about the term and its elements, which may be specifically identified..
Cardinality | 0..*
Requirements | Requirement - Within a Contract, a security label may apply to the one to many nested group of terms or to a term, whether inside a group or a singleton. This security label protects the term and its contained provision elements. The security label on the entire set of term provision elements may be different from the security labels on a contained offer, asset,

valuedItem, or data such as sensitive information, and must be the high water mark of all security labels within the term. Rationale is that a labelled term, which may be disaggregated from the Contract, and must persist the label on the term and on contained elements within other contexts. Requirement - If more than one policy dictates a level of confidentiality of the term, then each applicable policy may be represented by a security label specific to its requirements. Comment - A Security Label is comprised of 1..1 confidentiality code and 0..* other security label codes (aka "privacy tags". A Security Label is metadata assigned (aka "tagged") to Resources and Resource elements, which specify the confidentiality and sensitivity of the Resource or element and their related attributes, the purposes for which tagged items may be collected, access, used or disclosed, any limitation on the type of entities authorized to engage in permitted purposes, and handling instructions that obligate or prohibit certain actions on the tagged items.
Contract.term.securityLabel.number
Element Id | Contract.term.securityLabel.number
Definition | Number used to link this term or term element to the applicable Security Label.
Cardinality | 0..*
Type | unsignedInt
Contract.term.securityLabel.classification
Element Id | Contract.term.securityLabel.classification
Definition | Security label privacy tag that species the level of confidentiality protection required for this term and/or term elements.
Cardinality | 1..1
Terminology Binding | Contract Resource Scope codes (Example)
Type | Coding
Contract.term.securityLabel.category
Element Id | Contract.term.securityLabel.category
Definition | Security label privacy tag that species the applicable privacy and security policies governing this term and/or term elements.
Cardinality | 0..*
Terminology Binding | Contract Resource Scope codes (Example)
Type | Coding
Contract.term.securityLabel.control
Element Id | Contract.term.securityLabel.control
Definition | Security label privacy tag that species the manner in which term and/or term elements are to be protected.
Cardinality | 0..*
Terminology Binding | Contract Resource Security Control codes (Example)
Type | Coding
Contract.term.offer
Element Id | Contract.term.offer
Definition | The matter of concern in the context of this provision of the agrement.
Cardinality | 1..1
Contract.term.offer.identifier
Element Id | Contract.term.offer.identifier
Definition | Unique identifier for this particular Contract Provision.
Note | This is a business identifier, not a resource identifier (see discussion)
Cardinality | 0..*
Type | Identifier
Contract.term.offer.party
Element Id | Contract.term.offer.party
Definition | Offer Recipient.
Cardinality | 0..*
Contract.term.offer.party.reference
Element Id | Contract.term.offer.party.reference
Definition | Participant in the offer.
Cardinality | 1..*
Type | Reference(Patient | RelatedPerson | Practitioner | PractitionerRole | Device | Group | Organization)
Contract.term.offer.party.role
Element Id | Contract.term.offer.party.role
Definition | How the party participates in the offer.
Cardinality | 1..1
Terminology Binding | Contract Resource Party Role codes (Example)
Type | CodeableConcept
Contract.term.offer.topic
Element Id | Contract.term.offer.topic
Definition | The owner of an asset has the residual control rights over the asset: the right to decide all usages of the asset in any way not inconsistent with a prior contract, custom, or law (Hart, 1995, p. 30).
Cardinality | 0..1
Type | Reference(Any)
Requirements | In the context of a contract, the topic is the matter under consideration in regards to which specific rights, privileges, obligations, restrictions, and prohibitions are binding on any grantor and grantee parties upon the execution of the contract. Given the wide range of contract topics, implementers need to be cognizant of the business use case for which they are designing a FHIR Contract, and narrowly specify the topic being represented with respect to the Contract.type and any specializing Contract.subtype. The same topic, e.g., an asset such as a good or service, such as a real property, medical supply, insurance, information, a procedure or employment, or a manner of conduct, such adherence to a privacy, trust, or security policy, may be the topic of multiple types of contracts. One way to determine the Contract.topic is to answer the question: “What is the object of negotiation?” Answer: The Contract.topic, which may be described with more detail in the [0..*]Contract.valuedItem @ [0..1] Contract.valuedItem.entity[x] Definition: Specific type of Contract Valued Item that may be priced.

CodeableConcept|Reference(Any) Contract.topic is “the what” that a grantor is exchanging with a grantee in return for some benefit. Contract.topic is “the what” to which any Contract.action is being applied for any stipulated Contract.action.reason. AContract.topic is “the what” governed by the execution of the contract to which any party’s rights, privileges, obligations, restrictions, and prohibitions apply.
Summary | true
Comments | The Contract.topic may be an application for or offer of a policy or service (e.g., uri to a consent directive form or a health insurance policy), which becomes the Contract once accepted by both the grantor and grantee. The Contract Resource may function simply as the computable representation of the executed contract, which may be the attached to the Contract Resource as the “binding” or as the “friendly” electronic form. For example, a Contract Resource may be automatically populated with the values expressed in a related QuestionnaireResponse. However, the Contract Resource may be considered the legally binding contract if it is the only “executed” form of this contract, and includes the signatures as *The Contract Resource may function as the computable representation of an application or offer in a pre-executed Contract if the grantor has not entered any values. In this case, it is populated with values in a “legal” form of the application or offer or by the values in an associated Questionnaire. If the grantor has filled in the legal form or the associated Questionnaire Response, then these values are used to populate a pre-executed Contract Resource. If the Contract.topic is considered an application or offer, then the policy is often required to be attached as the “legal” basis for the application to ensure “informed consent” to the contract, and that any discrepancy between the application and the policy are interpreted against the policy. Implementers should check organizational and jurisdictional policies to determine the relationship among multiple representations of a contract pre- and post-execution.
Contract.term.offer.type
Element Id | Contract.term.offer.type
Definition | Type of Contract Provision such as specific requirements, purposes for actions, obligations, prohibitions, e.g. life time maximum benefit.
Cardinality | 0..1
Terminology Binding | Contract Term Type Codes (Example)
Type | CodeableConcept
Contract.term.offer.decision
Element Id | Contract.term.offer.decision
Definition | Type of choice made by accepting party with respect to an offer made by an offeror/ grantee.
Cardinality | 0..1
Terminology Binding | V3 Value SetActConsentDirective (Extensible)
Type | CodeableConcept
Requirements | In some policy or contract contexts, the "offer" is made by an offeror wishing to be the "grantee" of the offer topic by the grantor. From this perspective, the grantor is the "offeree".
Contract.term.offer.decisionMode
Element Id | Contract.term.offer.decisionMode
Definition | How the decision about a Contract was conveyed.
Cardinality | 0..*
Terminology Binding | Contract Resource Decision Mode codes (Example)
Type | CodeableConcept
Contract.term.offer.answer
Element Id | Contract.term.offer.answer
Definition | Response to offer text.
Cardinality | 0..*
Contract.term.offer.answer.value[x]
Element Id | Contract.term.offer.answer.value[x]
Definition | Response to an offer clause or question text, which enables selection of values to be agreed to, e.g., the period of participation, the date of occupancy of a rental, warrently duration, or whether biospecimen may be used for further research.
Cardinality | 1..1
Type | boolean|decimal|integer|date|dateTime|time|string|uri|Attachment|Coding|Quantity|Reference(Any)
[x] Note | See Choice of Data Types for further information about how to use [x]
Contract.term.offer.text
Element Id | Contract.term.offer.text
Definition | Human readable form of this Contract Offer.
Cardinality | 0..1
Type | string
Contract.term.offer.linkId
Element Id | Contract.term.offer.linkId
Definition | The id of the clause or question text of the offer in the referenced questionnaire/response.
Cardinality | 0..*
Type | string
Contract.term.offer.securityLabelNumber
Element Id | Contract.term.offer.securityLabelNumber
Definition | Security labels that protects the offer.
Cardinality | 0..*
Type | unsignedInt
Contract.term.asset
Element Id | Contract.term.asset
Definition | Contract Term Asset List.
Cardinality | 0..*
Contract.term.asset.scope
Element Id | Contract.term.asset.scope
Definition | Differentiates the kind of the asset .
Cardinality | 0..1
Terminology Binding | Contract Resource Asset Scope codes (Example)

Type | CodeableConcept
Contract.term.asset.type
Element Id | Contract.term.asset.type
Definition | Target entity type about which the term may be concerned.
Cardinality | 0..*
Terminology Binding | Contract Resource Asset Type codes (Example)
Type | CodeableConcept
Contract.term.asset.typeReference
Element Id | Contract.term.asset.typeReference
Definition | Associated entities.
Cardinality | 0..*
Type | Reference(Any)
Contract.term.asset.subtype
Element Id | Contract.term.asset.subtype
Definition | May be a subtype or part of an offered asset.
Cardinality | 0..*
Terminology Binding | Contract Resource Asset Sub-Type codes (Example)
Type | CodeableConcept
Contract.term.asset.relationship
Element Id | Contract.term.asset.relationship
Definition | Specifies the applicability of the term to an asset resource instance, and instances it refers to orinstances that refer to it, and/or are owned by the offeree.
Cardinality | 0..1
Terminology Binding | Consent Content Class (Extensible)
Type | Coding
Contract.term.asset.context
Element Id | Contract.term.asset.context
Definition | Circumstance of the asset.
Cardinality | 0..*
Contract.term.asset.context.reference
Element Id | Contract.term.asset.context.reference
Definition | Asset context reference may include the creator, custodian, or owning Person or Organization (e.g., bank, repository), location held, e.g., building, jurisdiction.
Cardinality | 0..1
Type | Reference(Any)
Contract.term.asset.context.code
Element Id | Contract.term.asset.context.code
Definition | Coded representation of the context generally or of the Referenced entity, such as the asset holder type or location.
Cardinality | 0..*
Terminology Binding | Contract Resource Asset Context codes (Example)
Type | CodeableConcept
Contract.term.asset.context.text
Element Id | Contract.term.asset.context.text
Definition | Context description.
Cardinality | 0..1
Type | string
Contract.term.asset.condition
Element Id | Contract.term.asset.condition
Definition | Description of the quality and completeness of the asset that imay be a factor in its valuation.
Cardinality | 0..1
Type | string
Contract.term.asset.periodType
Element Id | Contract.term.asset.periodType
Definition | Type of Asset availability for use or ownership.
Cardinality | 0..*
Terminology Binding | Contract Resource Asset Availiability codes (Example)
Type | CodeableConcept
Contract.term.asset.period
Element Id | Contract.term.asset.period
Definition | Asset relevant contractual time period.
Cardinality | 0..*
Type | Period
Contract.term.asset.usePeriod
Element Id | Contract.term.asset.usePeriod
Definition | Time period of asset use.
Cardinality | 0..*
Type | Period
Contract.term.asset.text
Element Id | Contract.term.asset.text
Definition | Clause or question text (Prose Object) concerning the asset in a linked form, such as a QuestionnaireResponse used in the formation of the contract.
Cardinality | 0..1

Type | string
Contract.term.asset.linkId
Element Id | Contract.term.asset.linkId
Definition | Id [identifier??] of the clause or question text about the asset in the referenced form or QuestionnaireResponse.
Cardinality | 0..*
Type | string
Contract.term.asset.answer
Element Id | Contract.term.asset.answer
Definition | Response to assets.
Cardinality | 0..*
Type | See Contract.term.offer.answer
Contract.term.asset.securityLabelNumber
Element Id | Contract.term.asset.securityLabelNumber
Definition | Security labels that protects the asset.
Cardinality | 0..*
Type | unsignedInt
Contract.term.asset.valuedItem
Element Id | Contract.term.asset.valuedItem
Definition | Contract Valued Item List.
Cardinality | 0..*
Contract.term.asset.valuedItem.entity[x]
Element Id | Contract.term.asset.valuedItem.entity[x]
Definition | Specific type of Contract Valued Item that may be priced.
Cardinality | 0..1
Type | CodeableConcept|Reference(Any)
[x] Note | See Choice of Data Types for further information about how to use [x]
Contract.term.asset.valuedItem.identifier
Element Id | Contract.term.asset.valuedItem.identifier
Definition | Identifies a Contract Valued Item instance.
Note | This is a business identifier, not a resource identifier (see discussion)
Cardinality | 0..1
Type | Identifier
Contract.term.asset.valuedItem.effectiveTime
Element Id | Contract.term.asset.valuedItem.effectiveTime
Definition | Indicates the time during which this Contract ValuedItem information is effective.
Cardinality | 0..1
Type | dateTime
Contract.term.asset.valuedItem.quantity
Element Id | Contract.term.asset.valuedItem.quantity
Definition | Specifies the units by which the Contract Valued Item is measured or counted, and quantifies the countable or measurable Contract Valued Item instances.
Cardinality | 0..1
Type | SimpleQuantity
Contract.term.asset.valuedItem.unitPrice
Element Id | Contract.term.asset.valuedItem.unitPrice
Definition | A Contract Valued Item unit valuation measure.
Cardinality | 0..1
Type | Money
Contract.term.asset.valuedItem.factor
Element Id | Contract.term.asset.valuedItem.factor
Definition | A real number that represents a multiplier used in determining the overall value of the Contract Valued Item delivered. The concept of a Factor allows for a discount or surcharge multiplier to be applied to a monetary amount.
Cardinality | 0..1
Type | decimal
Contract.term.asset.valuedItem.points
Element Id | Contract.term.asset.valuedItem.points
Definition | An amount that expresses the weighting (based on difficulty, cost and/or resource intensiveness) associated with the Contract Valued Item delivered. The concept of Points allows for assignment of point values for a Contract Valued Item, such that a monetary amount can be assigned to each point.
Cardinality | 0..1
Type | decimal
Contract.term.asset.valuedItem.net
Element Id | Contract.term.asset.valuedItem.net
Definition | Expresses the product of the Contract Valued Item unitQuantity and the unitPriceAmt. For example, the formula: unit Quantity * unit Price (Cost per Point) * factor Number * points = net Amount. Quantity, factor and points are assumed to be 1 if not supplied.
Cardinality | 0..1
Type | Money
Contract.term.asset.valuedItem.payment
Element Id | Contract.term.asset.valuedItem.payment
Definition | Terms of valuation.
Cardinality | 0..1
Type | string

Contract.term.asset.valuedItem.paymentDate
Element Id | Contract.term.asset.valuedItem.paymentDate
Definition | When payment is due.
Cardinality | 0..1
Type | dateTime
Contract.term.asset.valuedItem.responsible
Element Id | Contract.term.asset.valuedItem.responsible
Definition | Who will make payment.
Cardinality | 0..1
Type | Reference(Organization | Patient | Practitioner | PractitionerRole | RelatedPerson)
Contract.term.asset.valuedItem.recipient
Element Id | Contract.term.asset.valuedItem.recipient
Definition | Who will receive payment.
Cardinality | 0..1
Type | Reference(Organization | Patient | Practitioner | PractitionerRole | RelatedPerson)
Contract.term.asset.valuedItem.linkId
Element Id | Contract.term.asset.valuedItem.linkId
Definition | Id of the clause or question text related to the context of this valuedItem in the referenced form or QuestionnaireResponse.
Cardinality | 0..*
Type | string
Contract.term.asset.valuedItem.securityLabelNumber
Element Id | Contract.term.asset.valuedItem.securityLabelNumber
Definition | A set of security labels that define which terms are controlled by this condition.
Cardinality | 0..*
Type | unsignedInt
Contract.term.action
Element Id | Contract.term.action
Definition | An actor taking a role in an activity for which it can be assigned some degree of responsibility for the activity taking place.
Cardinality | 0..*
Requirements | An agent can be a person, an organization, software, device, or other entities that may be ascribed responsibility.
Comments | Several agents may be associated (i.e. has some responsibility for an activity) with an activity and vice-versa. For example, in cases of actions initiated by one user for other users, or in events that involve more than one user, hardware device, software, or system process. However, only one user may be the initiator/requestor for the event.
Contract.term.action.doNotPerform
Element Id | Contract.term.action.doNotPerform
Definition | True if the term prohibits the action.
Cardinality | 0..1
Type | boolean
Is Modifier | true (Reason: If true this element negates the specified action. For Example, instead of a dictate to perform an action, it is a dictate not to perform the action.)
Contract.term.action.type
Element Id | Contract.term.action.type
Definition | Activity or service obligation to be done or not done, performed or not performed, effectuated or not by this Contract term.
Cardinality | 1..1
Terminology Binding | Contract Action Codes (Example)
Type | CodeableConcept
Contract.term.action.subject
Element Id | Contract.term.action.subject
Definition | Entity of the action.
Cardinality | 0..*
Contract.term.action.subject.reference
Element Id | Contract.term.action.subject.reference
Definition | The entity the action is performed or not performed on or for.
Cardinality | 1..*
Type | Reference(Patient | RelatedPerson | Practitioner | PractitionerRole | Device | Group | Organization)
Contract.term.action.subject.role
Element Id | Contract.term.action.subject.role
Definition | Role type of agent assigned roles in this Contract.
Cardinality | 0..1
Terminology Binding | Contract Actor Role Codes (Example)
Type | CodeableConcept
Contract.term.action.intent
Element Id | Contract.term.action.intent
Definition | Reason or purpose for the action stipulated by this Contract Provision.
Cardinality | 1..1
Terminology Binding | V3 Value SetPurposeOfUse (Example)
Type | CodeableConcept
Contract.term.action.linkId
Element Id | Contract.term.action.linkId
Definition | Id [identifier??] of the clause or question text related to this action in the referenced form or QuestionnaireResponse.

Cardinality | 0..*
Type | string
Contract.term.action.status
Element Id | Contract.term.action.status
Definition | Current state of the term action.
Cardinality | 1..1
Terminology Binding | Contract Resource Action Status codes (Example)
Type | CodeableConcept
Contract.term.action.context
Element Id | Contract.term.action.context
Definition | Encounter or Episode with primary association to specified term activity.
Cardinality | 0..1
Type | Reference(Encounter | EpisodeOfCare)
Contract.term.action.contextLinkId
Element Id | Contract.term.action.contextLinkId
Definition | Id [identifier??] of the clause or question text related to the requester of this action in the referenced form or QuestionnaireResponse.
Cardinality | 0..*
Type | string
Contract.term.action.occurrence[x]
Element Id | Contract.term.action.occurrence[x]
Definition | When action happens.
Cardinality | 0..1
Type | dateTime|Period|Timing
[x] Note | See Choice of Data Types for further information about how to use [x]
Contract.term.action.requester
Element Id | Contract.term.action.requester
Definition | Who or what initiated the action and has responsibility for its activation.
Cardinality | 0..*
Type | Reference(Patient | RelatedPerson | Practitioner | PractitionerRole | Device | Group | Organization)
Contract.term.action.requesterLinkId
Element Id | Contract.term.action.requesterLinkId
Definition | Id [identifier??] of the clause or question text related to the requester of this action in the referenced form or QuestionnaireResponse.
Cardinality | 0..*
Type | string
Contract.term.action.performerType
Element Id | Contract.term.action.performerType
Definition | The type of individual that is desired or required to perform or not perform the action.
Cardinality | 0..*
Terminology Binding | Provenance participant type (Example)
Type | CodeableConcept
Contract.term.action.performerRole
Element Id | Contract.term.action.performerRole
Definition | The type of role or competency of an individual desired or required to perform or not perform the action.
Cardinality | 0..1
Terminology Binding | Provenance participant role (Example)
Type | CodeableConcept
Contract.term.action.performer
Element Id | Contract.term.action.performer
Definition | Indicates who or what is being asked to perform (or not perform) the ction.
Cardinality | 0..1
Type | Reference(RelatedPerson | Patient | Practitioner | PractitionerRole | CareTeam | Device | Substance | Organization | Location)
Contract.term.action.performerLinkId
Element Id | Contract.term.action.performerLinkId
Definition | Id [identifier??] of the clause or question text related to the reason type or reference of this action in the referenced form or QuestionnaireResponse.
Cardinality | 0..*
Type | string
Contract.term.action.reasonCode
Element Id | Contract.term.action.reasonCode
Definition | Rationale for the action to be performed or not performed. Describes why the action is permitted or prohibited.
Cardinality | 0..*
Terminology Binding | V3 Value SetPurposeOfUse (Example)
Type | CodeableConcept
Contract.term.action.reasonReference
Element Id | Contract.term.action.reasonReference
Definition | Indicates another resource whose existence justifies permitting or not permitting this action.
Cardinality | 0..*
Type | Reference(Condition | Observation | DiagnosticReport | DocumentReference | Questionnaire | QuestionnaireResponse)
Contract.term.action.reason
Element Id | Contract.term.action.reason

Definition | Describes why the action is to be performed or not performed in textual form.
Cardinality | 0..*
Type | string
Contract.term.action.reasonLinkId
Element Id | Contract.term.action.reasonLinkId
Definition | Id [identifier??] of the clause or question text related to the reason type or reference of this action in the referenced form or QuestionnaireResponse.
Cardinality | 0..*
Type | string
Contract.term.action.note
Element Id | Contract.term.action.note
Definition | Comments made about the term action made by the requester, performer, subject or other participants.
Cardinality | 0..*
Type | Annotation
Contract.term.action.securityLabelNumber
Element Id | Contract.term.action.securityLabelNumber
Definition | Security labels that protects the action.
Cardinality | 0..*
Type | unsignedInt
Contract.term.group
Element Id | Contract.term.group
Definition | Nested group of Contract Provisions.
Cardinality | 0..*
Type | See Contract.term
Contract.supportingInfo
Element Id | Contract.supportingInfo
Definition | Information that may be needed by/relevant to the performer in their execution of this term action.
Cardinality | 0..*
Type | Reference(Any)
Contract.relevantHistory
Element Id | Contract.relevantHistory
Definition | Links to Provenance records for past versions of this Contract definition, derivative, or instance, which identify key state transitions or updates that are likely to be relevant to a user looking at the current version of the Contract. The Provence.entity indicates the target that was changed in the update. http://build.fhir.org/provenance-definitions.html#Provenance.entity.
Cardinality | 0..*
Type | Reference(Provenance)
Contract.signer
Element Id | Contract.signer
Definition | Parties with legal standing in the Contract, including the principal parties, the grantor(s) and grantee(s), which are any person or organization bound by the contract, and any ancillary parties, which facilitate the execution of the contract such as a notary or witness.
Cardinality | 0..*
Requirements | The Contract.signer applies a signature to the Contract.binding referenced resource, which is the documentation that is the legal "source of truth". The Contract.signer may delegate, such as a legally recognized personal representative, or have a delegate assigned e.g., by a court of law, to actually sign the Contract, such as a trustee in the case of incompetence.
Comments | Signers who are principal parties to the contract are bound by the Contract.activity related to the Contract.topic, and the Contract.term(s), which either extend or restrict the overall action on the topic by, for example, stipulating specific policies or obligations constraining actions, action reason, or agents with respect to some or all of the topic. For example, specifying how policies or obligations shall constrain actions and action reasons permitted or denied on all or a subset of the Contract.topic (e.g., all or a portion of property being transferred by the contract), agents (e.g., who can resell, assign interests, or alter the property being transferred by the contract), actions, and action reasons; or with respect to Contract.terms, stipulating, extending, or limiting the Contract.period of applicability or valuation of items under consideration.
Contract.signer.type
Element Id | Contract.signer.type
Definition | Role of this Contract signer, e.g. notary, grantee.
Cardinality | 1..1
Terminology Binding | Contract Signer Type Codes (Preferred)
Type | Coding
Contract.signer.party
Element Id | Contract.signer.party
Definition | Party which is a signator to this Contract.
Cardinality | 1..1
Type | Reference(Organization | Patient | Practitioner | PractitionerRole | RelatedPerson)
Contract.signer.signature
Element Id | Contract.signer.signature
Definition | Legally binding Contract DSIG signature contents in Base64.
Cardinality | 1..*
Type | Signature
Contract.friendly
Element Id | Contract.friendly
Definition | The "patient friendly language" versionof the Contract in whole or in parts. "Patient friendly language" means the representation of the Contract and Contract Provisions in a manner that is readily accessible and understandable by a layperson in accordance with best practices for communication styles that ensure that those agreeing to or signing the Contract understand

the roles, actions, obligations, responsibilities, and implication of the agreement.
Cardinality | 0..*
Contract.friendly.content[x]
Element Id | Contract.friendly.content[x]
Definition | Human readable rendering of this Contract in a format and representation intended to enhance comprehension and ensure understandability.
Cardinality | 1..1
Type | Attachment|Reference(Composition | DocumentReference | QuestionnaireResponse)
[x] Note | See Choice of Data Types for further information about how to use [x]
Contract.legal
Element Id | Contract.legal
Definition | List of Legal expressions or representations of this Contract.
Cardinality | 0..*
Contract.legal.content[x]
Element Id | Contract.legal.content[x]
Definition | Contract legal text in human renderable form.
Cardinality | 1..1
Type | Attachment|Reference(Composition | DocumentReference | QuestionnaireResponse)
[x] Note | See Choice of Data Types for further information about how to use [x]
Contract.rule
Element Id | Contract.rule
Definition | List of Computable Policy Rule Language Representations of this Contract.
Cardinality | 0..*
Contract.rule.content[x]
Element Id | Contract.rule.content[x]
Definition | Computable Contract conveyed using a policy rule language (e.g. XACML, DKAL, SecPal).
Cardinality | 1..1
Type | Attachment|Reference(DocumentReference)
[x] Note | See Choice of Data Types for further information about how to use [x]
Contract.legallyBinding[x]
Element Id | Contract.legallyBinding[x]
Definition | Legally binding Contract: This is the signed and legally recognized representation of the Contract, which is considered the "source of truth" and which would be the basis for legal action related to enforcement of this Contract.
Cardinality | 0..1
Type | Attachment|Reference(Composition | DocumentReference | QuestionnaireResponse | Contract)
[x] Note | See Choice of Data Types for further information about how to use [x]

13.11.8 Resource Contract - Mappings

URL: https://hl7.org/fhir/R4/contract-mappings.html

13.11.8 Resource Contract - Mappings

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Not linked to any defined compartments

Mappings:

FiveWs Pattern Mapping

Workflow Pattern

RIM Mapping

Mappings for the contract resource (see Mappings to Other Standards for further information & status).

13.11.8.1 FiveWs Pattern Mapping (http://hl7.org/fhir/fivews)

Contract
status | FiveWs.status
contentDerivative | FiveWs.what[x]
type | FiveWs.what[x]
subType | FiveWs.what[x]
term | FiveWs.what[x]
issued | FiveWs.recorded
applies | FiveWs.done[x]
type | FiveWs.what[x]
subType | FiveWs.what[x]
type | FiveWs.what[x]
decision | FiveWs.what[x]
entity[x] | FiveWs.what[x]
effectiveTime | FiveWs.done[x]
quantity | FiveWs.what[x]
unitPrice | FiveWs.what[x]
factor | FiveWs.what[x]
points | FiveWs.what[x]
net | FiveWs.what[x]

intent | FiveWs.why[x]
group | FiveWs.what[x]
type | FiveWs.actor
party | FiveWs.author
signature | FiveWs.author
friendly | FiveWs.what[x]
content[x] | FiveWs.what[x]
legal | FiveWs.what[x]
content[x] | FiveWs.what[x]
rule | FiveWs.what[x]
content[x] | FiveWs.what[x]

13.11.8.2 Workflow Pattern (http://hl7.org/fhir/workflow)

Contract | Request
identifier | Request.identifier
status | Request.status
issued | Request.authoredOn
applies | Request.occurrence[x]
subject | Request.subject
type | Request.code
identifier | Request.identifier
issued | Request.authoredOn
applies | Request.occurrence[x]
type | Request.code
topic | Event.context
type | Request.performer
intent | Request.reasonCode
party | Request.requester

13.11.8.3 RIM Mapping (http://hl7.org/v3)

Contract | FinancialContract
identifier | FinancialContract id
status | Act.status
contentDerivative | Maps partially to several v3 codes: ActClass: REG (registration) Description: Represents the act of maintaining information about the registration of its associated registered subject. The subject can be either an Act or a Role, and includes subjects such as lab exam definitions, drug protocol definitions, prescriptions, persons, patients, practitioners, and equipment. The registration may have a unique identifier - separate from the unique identification of the subject - as well as a core set of related participations and act relationships that characterize the registration event and aid in the disposition of the subject information by a receiving system. Observation: VERIF (Verification) Description: An act which describes the process whereby a 'verifying party' validates either the existence of the Role attested to by some Credential or the actual Vetting act and its details. TRFR (transfer) Description: The act of transferring information without the intent of imparting understanding about a topic to the subject that is the recipient or holder of the transferred information where the participation association must be RCV or HLD. _ActDetectedIssueManagementCode [abstract term] Description: Codes dealing with the management of Detected Issue observations. _ActInformationAccessContextCode [abstract term] Description: Concepts conveying the context in which authorization given under jurisdictional law, by organizational policy, or by a patient consent directive permits the collection, access, use or disclosure of specified patient health information. _ActListCode [abstract term]vDescription: Provides codes associated with ActClass value of LIST (working list). RefusalReasonCode [abstract term] Description: Description: Identifies why a request to add (or activate) a record is being refused. Examples include the receiving system not able to match the identifier and find that record in the receiving system, having no permission, or a detected issue exists which precludes the requested action.
issued | Act.availabilityTime. Definition: A time expression specifying when an Observation, Procedure, or other Act occurs, or, depending on the mood, is supposed to occur, scheduled to occur, etc. The activityTime includes the times of component actions (such as preparation and clean-up). For Procedures and SubstanceAdministrations, the activityTime can provide a needed administrative function by providing a more inclusive time to be anticipated in scheduling. UsageNotes:The activityTime is primarily of administrative rather than clinical use. The clinically relevant time is the effectiveTime. When an observation of a prior symptom is made, the activityTime describes the time the observation is made, as opposed to effectiveTime which is the time the symptom is reported to have occurred. Thus the activityTime may be entirely different from the effectiveTime of the same Act. However, even apart from clinical use cases, designers should first consider effectiveTime as the primary relevant time for an Act. ActivityTime indicates when an Act occurs, not when it is recorded.
applies | Act.effectiveTime Definition: The clinically or operationally relevant time of an act, exclusive of administrative activity.
subject | RoleClass, RoleCode
authority | Organization Role. CONCEPT DOMAIN: OrganizationEntityType Description: Further classifies entities of EntityClass ORG.
domain | TERR (territory of authority) Description: Relates a place entity (player) as the region over which the scoper (typically an Organization) has certain authority (jurisdiction). For example, the Calgary Regional Health Authority (scoper) has authority over the territory "Region 4 of Alberta" (player) in matters of health. Entity Class = Place? A physical place or site with its containing structure. May be natural or man-made. The geographic position of a place might or might not be constant. CONCEPT DOMAIN: TerritoryEntityType Description: A territorial entity that may be cited as the body over which an agency exercises jurisdiction, or which defines a sphere in which a party has a particular responsibility. CONCEPT DOMAIN: OrganizationEntityType Description: Further classifies entities of EntityClass ORG.
type | Maps to multiple ActClass and ActCode Concept Domains and Code Systems such as the following: In the ActClass Concept Domain: ActClassPolicy. In the ActCode Concept Domain: ActContractType, which generalizes ActFinancialContractType, ActCoverageType, ActBillingArrangementType. ActConsentType, which generalizes ActDataConsentType; ActFinancialParticipationConsentType; ActInformationAccessCode; AdvanceBeneficiaryNoticeType. ActPolicyType, which generalizes: ActPrivacyPolicyType, ActSensitivityPrivacyPolicyType, ActSecurityPolicyType. In the ActClass Code System: CNTRCT (contract) Description: An agreement of obligation between two or more parties that is subject to contractual law and

enforcement, lwhich generalizes FCNTRCT (financial contract) and COV (coverage). POLICY (policy) - Description: A mandate, regulation, obligation, requirement, rule, or expectation unilaterally imposed by one party on: The activity of another party; the behavior of another party; or the manner in which an act is executed. LEAF CONCEPTS: JURISPOL (jurisdictional policy) Description:A mandate, regulation, obligation, requirement, rule, or expectation unilaterally imposed by a jurisdiction on: The activity of another party; the behavior of another party; or the manner in which an act is executed.Examples:A jurisdictional mandate regarding the prescribing and dispensing of a particular medication. A jurisdictional privacy or security regulation dictating the manner in which personal health information is disclosed. A jurisdictional requirement that certain services or health conditions are reported to a monitoring program, e.g., immunizations, methadone treatment, or cancer registries.ORGPOL (organizational policy)Examples:A clinical or research protocols imposed by a payer, a malpractice insurer, or an institution to which a provider must adhere. A mandate imposed by a denominational institution for a provider to provide or withhold certain information from the patient about treatment options.SCOPOL (scope of practice policy)Description:An ethical or clinical obligation, requirement, rule, or expectation imposed or strongly encouraged by organizations that oversee particular clinical domains or provider certification which define the boundaries within which a provider may practice and which may have legal basis or ramifications.Examples:An ethical obligation for a provider to fully inform a patient about all treatment options. An ethical obligation for a provider not to disclose personal health information that meets certain criteria, e.g., where disclosure might result in harm to the patient or another person. The set of health care services which a provider is credentialed or privileged to provide. STDPOL (standard of practice policy) Examples:A payer may require a prescribing provider to adhere to formulary guidelines. An institution may adopt clinical guidelines and protocols and implement these within its electronic health record and decision support systems. CONS (consent)Description: The Consent class represents informed consents and all similar medico-legal transactions between the patient (or his legal guardian) and the provider. Examples are informed consent for surgical procedures, informed consent for clinical trials, advanced beneficiary notice, against medical advice decline from service, release of information agreement, etc. The details of consents vary. Often an institution has a number of different consent forms for various purposes, including reminding the physician about the topics to mention. Such forms also include patient education material. In electronic medical record communication, consents thus are information-generating acts on their own and need to be managed similar to medical activities. Thus, Consent is modeled as a special class of Act. The "signatures" to the consent document are represented electronically through Participation instances to the consent object. Typically an informed consent has Participation.typeCode of "performer", the healthcare provider informing the patient, and "consenter", the patient or legal guardian. Some consent may associate a witness or a notary public (e.g., living wills, advanced directives). In consents where a healthcare provider is not required (e.g. living will), the performer may be the patient himself or a notary public.

subType | Examples of Contract or Policy subtypes in ActCodes:_ActCoverageTypeCode Definition: Set of codes indicating the type of insurance policy or program that pays for the cost of benefits provided to covered parties. Generalizes: _ActInsurancePolicyCode; _ActInsuranceTypeCode; ActProgramTypeCode. _ActPolicyType Description:Types of policies that further specify the ActClassPolicy value set. Generalizes: _ActPrivacyPolicy; _ActPrivacyLaw; _InformationSensitivityPolicy; ActTrustPolicyType; SecurityPolicy. _ActInvoiceAdjudicationPaymentGroupCode Description: Codes representing adjustments to a Payment Advice such as retroactive, clawback, garnishee, etc., e.g. RECOV (recovery) Description: Retroactive adjustment such as fee rate adjustment due to contract negotiations.

term | RIM mechanism for grouping or nesting rules, which are likely Acts and Observations.

identifier | Act or Observation identifier.

issued | Act availabilityTime

applies | Act effectiveTime

type | See Contract.term mapping.

subType | See Contract.topic mapping.

offer | Document

topic | Includes many ActClass, ActCode, RoleClass, RoleCode, EntityClass, EntityCode, ParticipationType codes from HL7 concept domains and code systems. For example, RoleCode: HLD (held entity) Description: Entity that is currently in the possession of a holder (scoper), who holds, or uses it, usually based on some agreement with the owner. MANU (manufactured product) Description: Scoped by the manufacturer. OWN (owned entity) Description: An Entity (player) for which someone (scoper) is granted by law the right to call the material (player) his own. This entitles the scoper to make decisions about the disposition of that material. WRTE (warranted product) Description: A role a product plays when a guarantee is given to the purchaser by the seller (scoping entity) stating that the product is reliable and free from known defects and that the seller will repair or replace defective parts within a given time limit and under certain conditions.

type | See Contract.term mapping.

decision | ActCode: _ActConsentDirective [abstract term] Description: Specifies the type of agreement between one or more grantor and grantee in which rights and obligations related to one or more shared items of interest are allocated. Usage Note: Such agreements may be considered "consent directives" or "contracts" depending on the context, and are considered closely related or synonymous from a legal perspective.

text | Document.text

linkId | .outboundRelationship[typeCode=DEFN].target[classCode=OBS, moodCode=DEFN].id

asset | FinancialContract.paymentTermsCode

relationship | FinancialContract.code

periodType | FinancialContract.code

period | FinancialContract.activityTime

usePeriod | FinancialContract.effectiveTime

valuedItem | COCT_RM440000UV09 ValuedItem classCode INVE

entity[x] | COCT_RM440000UV09 ValuedItem code

identifier | COCT_RM440000UV09 ValuedItem id

effectiveTime | COCT_RM440000UV09 ValuedItem effectiveTime

quantity | COCT_RM440000UV09 ValuedItem unitQuantity

unitPrice | COCT_RM440000UV09 ValuedItem unitPriceAmt

factor | COCT_RM440000UV09 ValuedItem factorNumber

points | COCT_RM440000UV09 ValuedItem pointNumber

net | COCT_RM440000UV09 ValuedItem netAmt

action | Participation

type | RIM Role, Participation Type classes

role | RoleClass, RoleCode, ParticipationType, ParticipationFunction codes

intent | Examples from ActReason Concept Domains: ActCoverageReason Description:Codes used to specify reasons or criteria relating to coverage provided under a policy or program. May be used to convey reasons pertaining to coverage contractual provisions, including criteria for eligibility, coverage limitations, coverage maximums, or financial participation required of covered parties. ActInformationPrivacyReason Description: The rationale or purpose for an act relating to the management of personal information, such as disclosing personal tax information for the purpose of complying with a court order. ClinicalResearchObservationReason Definition: Specifies the reason that a test was performed or observation collected in a clinical research study. SafetyInvestigationReportReasonType Description: Possible reasons generating a report providing information developed during the investigation of an adverse event or a product problem. ControlActReason Description: Indicates the motivation, cause or rationale of an Act which results in a trigger event. NonPerformanceReasonCode Description: The reason the action was not performed, e.g. why the medication was not taken. If an action was not performed, it is often clinically important to know why the action was not taken. RefusalReasonCode Description: Identifies why a request to add (or activate) a record is being refused. Examples include the receiving system not able to match the identifier and find that record in the receiving system, having no permission, or a detected issue exists which precludes the requested action. Examples from HL7 ActReason Code System: QUALIMP (quality improvement) Description:Operational activities conducted for the purposes of improving the quality of an activity, product, or service. _PatientProfileQueryReasonCode Description: A collection of concepts identifying why the patient's profile is being queried. _ActInformationManagementReason Description:The rationale or purpose for an act relating to information management, such as archiving information for the purpose of complying with an enterprise data retention policy. _ActInvalidReason (ActInvalidReason) Description: Types of reasons why a substance is invalid for use. _NonPerformanceReasonCode Description: The reason the action wasn't performed, e.g. why the medication was not taken. If an action wasn"t performed, it is often clinically important to know why the action wasn"t taken.

group | RIM Grouping or Nesting mechanisms

signer | Participation

type | RoleClass, RoleCode, ParticipationType, ParticipationFunction class codes.

party | Role Class

signature | Participation.signatureCode :: CD (0..1) Definition: Whether the participant has attested participation through a signature, or whether such a signature is needed. Examples: A surgical Procedure act object (representing a procedure report) requires a signature of the performing and responsible surgeon, and possibly other participants; The participant intends to provide a signature. Participation.signatureText :: ED (0..1) Definition: A textual or multimedia depiction of the signature by which the participant endorses and accepts responsibility for his or her participation in the Act as specified in the Participation.typeCode. UsageNotes: The signature can be represented either inline or by reference according to the ED data type. Typical cases are 1) Paper-based signatures: the ED data type may refer to a document or other resource that can be retrieved through an electronic interface to a hardcopy archive. 2) Electronic signature: this attribute can represent virtually any electronic signature scheme. 3) Digital signature: this attribute can represent digital signatures by reference to a signature data block that is constructed in accordance to a digital signature standard, such as XML-DSIG, PKCS#7, PGP, etc. Examples: 1) An "author" participant assumes accountability for the truth of the Act statement to the best of his knowledge. 2) An information recipient only attests to the fact that he or she has received the information.

friendly | LanguageCommunication

content[x] | Act.text Definition: A renderable textual or multimedia description (or reference to a description) of the complete information which would reasonably be expected to be displayed to a human reader conveyed by the Act.

legal | LanguageCommunication

content[x] | Example: Act.text of an Act coded as with ActPrivacyLaw, ActPolicy code

rule | LanguageCommunication

content[x] | Computable Policy Consent [Observation: templateId 2.16.840.1.113883.3.445.16] This template is used to represent an alternative representation of the Privacy Consent Directive (e.g.,ODRL, XrML, XACML) as a computer-readable set of rules. An implementation may use any appropriate representations of the privacy consent in addition to the "ConsentDirectiveStructuredDefinition" which uses the Clinical Template structure to express the elements of a consent directive in an interoperable way. 1. SHALL contain exactly one [1..1] templateId (CONF-CD-16) such that it a. SHALL contain exactly one [1..1] @root="2.16.840.1.113883.3.445.16" 2. SHALL contain exactly one [1..1] @moodCode="DEF" (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:14912) 3. SHALL contain exactly one [1..1] code (CONF:9139)/@code="57016-8" Privacy Policy Acknowledgement Document (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:9138) It specifies the LOINC code corresponding to "Privacy Policy Acknowledgement Document", it is fixed at this value. 4. SHOULD contain zero or more [0..*] value with @xsi:type="ANY" (CONF:9140) The value contains the computable representation of the policy. This may be a standard-based access control or attribute control based policy (See "References"). Computable Policy Consent example <!-- Sample computable policy language representation --> <entryRelationship typeCode="COMP"> <templateId root="2.16.840.1.113883.3.445.16" /> <observationMedia classCode="OBS" moodCode="EVN"> <value mediaType="text/xml" representation="TXT"> ... </value> </observationMedia> </entryRelationship>

legallyBinding[x] | DocumentCompletion code system AU (authenticated) Description: A completion status in which a document has been signed manually or electronically by one or more individuals who attest to its accuracy. No explicit determination is made that the assigned individual has performed the authentication. While the standard allows multiple instances of authentication, it would be typical to have a single instance of authentication, usually by the assigned individual.

13.11.9 Resource Contract - Extensions & Profiles

URL: https://hl7.org/fhir/R4/contract-profiles.html

13.11.9 Resource Contract - Extensions & Profiles

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Not linked to any defined compartments

This table lists profiles and extensions for the Contract resource. For background information, see Profiling Resources and Extensibility. Additional profiles and extensions may be found in published Implementation Guides , or in the Conformance resource registry .

13.11.9.1 Profiles

No Profiles defined for this resource

13.11.9.2 Extensions

No Extensions defined for this resource
Extensions for all resources or elements
resource-pertainsToGoal | pertainsToGoal | for Resource HL7 Extensions

Extensions that reference this resource:

No Extensions refer to this resource
Extensions that refer to Any resource
cqf-relativeDateTime | relativeDateTime | for Clinical Reasoning Extensions
event-basedOn | basedOn | for Event Pattern HL7 Extensions
event-partOf | partOf | for Event Pattern HL7 Extensions
flag-detail | detail | for Flag HL7 Extensions
relative-date | Relative Date Criteria | for General Extensions for use by FHIR Implementers
replaces | replaces | for General Extensions for use by FHIR Implementers
request-replaces | replaces | for Request Pattern HL7 Extensions
workflow-supportingInfo | supportingInfo | for Workflow Pattern HL7 Extensions

13.11.9.3 Search Extensions

No Search Extensions defined for this resource

13.11.10 Resource Contract - R3/R4 Conversions

URL: https://hl7.org/fhir/R4/contract-version-maps.html
No validation errors - all conversions are clean

13.11.10 Resource Contract - R3/R4 Conversions

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Security Category: Patient | Compartments: Not linked to any defined compartments

R3 : R4 Conversion maps for Contract.

Functional status for this map: 7 tests of which 5 fail to execute. 1 fail round-trip testing and 5 r3 resources are invalid (0 errors). (see documentation)

13.11.10.1 R3 to R4

```
map "http://hl7.org/fhir/StructureMap/Contract3to4" = "R3 to R4 Conversions for Contract"

uses "http://hl7.org/fhir/3.0/StructureDefinition/Contract" alias ContractR3 as source
uses "http://hl7.org/fhir/StructureDefinition/Contract" alias Contract as target

imports "http://hl7.org/fhir/StructureMap/*3to4"

group Contract(source src : ContractR3, target tgt : Contract) extends DomainResource <<type+>> {
  src.identifier -> tgt.identifier;
  src.status -> tgt.status;
  src.contentDerivative -> tgt.contentDerivative;
  src.issued -> tgt.issued;
  src.applies -> tgt.applies;
  src.subject -> tgt.subject;
  src.authority -> tgt.authority;
  src.domain -> tgt.domain;
  src.type -> tgt.type;
  src.subType -> tgt.subType;
  src.term as s -> tgt.term as t then ContractTerm(s, t);
  src.signer as s -> tgt.signer as t then ContractSigner(s, t);
  src.friendly as s -> tgt.friendly as t then ContractFriendly(s, t);
  src.legal as s -> tgt.legal as t then ContractLegal(s, t);
  src.rule as s -> tgt.rule as t then ContractRule(s, t);
  src.legallyBinding -> tgt.legallyBinding;
}

group ContractTerm(source src, target tgt) extends BackboneElement {
  src.identifier -> tgt.identifier;
  src.issued -> tgt.issued;
  src.applies -> tgt.applies;
  src.type -> tgt.type;
  src.subType -> tgt.subType;
  src.offer as s -> tgt.offer as t then ContractTermOffer(s, t);
  src.asset as s -> tgt.asset as t then ContractTermAsset(s, t);
  src.agent as s -> tgt.agent as t then ContractTermAgent(s, t);
  src.action -> tgt.action;
  src.actionReason -> tgt.actionReason;
  src.group -> tgt.group;
}

group ContractTermOffer(source src, target tgt) extends BackboneElement {
  src.topic -> tgt.topic;
  src.type -> tgt.type;
  src.decision -> tgt.decision;
  src.text -> tgt.text;
  src.linkId -> tgt.linkId;
```

```
}

group ContractTermAsset(source src, target tgt) extends BackboneElement {
  src.class -> tgt.class;
  src.code -> tgt.code;
  src.period -> tgt.period;
  src.dataPeriod -> tgt.dataPeriod;
  src.data as s -> tgt.data as t then ContractTermAssetData(s, t);
  src.valuedItem as s -> tgt.valuedItem as t then ContractTermAssetValuedItem(s, t);
  src.securityLabel -> tgt.securityLabel;
}

group ContractTermAssetData(source src, target tgt) extends BackboneElement {
  src.meaning -> tgt.meaning;
  src.reference -> tgt.reference;
}

group ContractTermAssetValuedItem(source src, target tgt) extends BackboneElement {
  src.entity -> tgt.entity;
  src.identifier -> tgt.identifier;
  src.effectiveTime -> tgt.effectiveTime;
  src.quantity -> tgt.quantity;
  src.unitPrice -> tgt.unitPrice;
  src.factor -> tgt.factor;
  src.points -> tgt.points;
  src.net -> tgt.net;
}

group ContractTermAgent(source src, target tgt) extends BackboneElement {
  src.actor -> tgt.actor;
  src.role -> tgt.role;
}

group ContractSigner(source src, target tgt) extends BackboneElement {
  src.type -> tgt.type;
  src.party -> tgt.party;
  src.signature -> tgt.signature;
}

group ContractFriendly(source src, target tgt) extends BackboneElement {
  src.content -> tgt.content;
}

group ContractLegal(source src, target tgt) extends BackboneElement {
  src.content -> tgt.content;
}

group ContractRule(source src, target tgt) extends BackboneElement {
  src.content -> tgt.content;
}
```

13.11.10.2 R4 to R3

```
map "http://hl7.org/fhir/StructureMap/Contract4to3" = "R4 to R3 Conversion for Contract"

uses "http://hl7.org/fhir/StructureDefinition/Contract" alias Contract as source
uses "http://hl7.org/fhir/3.0/StructureDefinition/Contract" alias ContractR3 as target

imports "http://hl7.org/fhir/StructureMap/*4to3"

group Contract(source src : ContractR3, target tgt : Contract) extends DomainResource <<type+>> {
  src.identifier -> tgt.identifier;
  src.status -> tgt.status;
  src.contentDerivative -> tgt.contentDerivative;
  src.issued -> tgt.issued;
  src.applies -> tgt.applies;
  src.subject -> tgt.subject;
  src.authority -> tgt.authority;
  src.domain -> tgt.domain;
  src.type -> tgt.type;
  src.subType -> tgt.subType;
  src.term as s -> tgt.term as t then ContractTerm(s, t);
  src.signer as s -> tgt.signer as t then ContractSigner(s, t);
  src.friendly as s -> tgt.friendly as t then ContractFriendly(s, t);
  src.legal as s -> tgt.legal as t then ContractLegal(s, t);
  src.rule as s -> tgt.rule as t then ContractRule(s, t);
  src.legallyBinding -> tgt.legallyBinding;
}

group ContractTerm(source src, target tgt) extends BackboneElement {
  src.identifier -> tgt.identifier;
  src.issued -> tgt.issued;
  src.applies -> tgt.applies;
  src.type -> tgt.type;
  src.subType -> tgt.subType;
  src.offer as s -> tgt.offer as t then ContractTermOffer(s, t);
  src.asset as s -> tgt.asset as t then ContractTermAsset(s, t);
  src.agent as s -> tgt.agent as t then ContractTermAgent(s, t);
  src.action -> tgt.action;
  src.actionReason -> tgt.actionReason;
```

```
  src.group -> tgt.group;
}

group ContractTermOffer(source src, target tgt) extends BackboneElement {
  src.topic -> tgt.topic;
  src.type -> tgt.type;
  src.decision -> tgt.decision;
  src.text -> tgt.text;
  src.linkId -> tgt.linkId;
}

group ContractTermAsset(source src, target tgt) extends BackboneElement {
  src.class -> tgt.class;
  src.code -> tgt.code;
  src.period -> tgt.period;
  src.dataPeriod -> tgt.dataPeriod;
  src.data as s -> tgt.data as t then ContractTermAssetData(s, t);
  src.valuedItem as s -> tgt.valuedItem as t then ContractTermAssetValuedItem(s, t);
  src.securityLabel -> tgt.securityLabel;
}

group ContractTermAssetData(source src, target tgt) extends BackboneElement {
  src.meaning -> tgt.meaning;
  src.reference -> tgt.reference;
}

group ContractTermAssetValuedItem(source src, target tgt) extends BackboneElement {
  src.entity -> tgt.entity;
  src.identifier -> tgt.identifier;
  src.effectiveTime -> tgt.effectiveTime;
  src.quantity -> tgt.quantity;
  src.unitPrice -> tgt.unitPrice;
  src.factor -> tgt.factor;
  src.points -> tgt.points;
  src.net -> tgt.net;
}

group ContractTermAgent(source src, target tgt) extends BackboneElement {
  src.actor -> tgt.actor;
  src.role -> tgt.role;
}

group ContractSigner(source src, target tgt) extends BackboneElement {
  src.type -> tgt.type;
  src.party -> tgt.party;
  src.signature -> tgt.signature;
}

group ContractFriendly(source src, target tgt) extends BackboneElement {
  src.content -> tgt.content;
}

group ContractLegal(source src, target tgt) extends BackboneElement {
  src.content -> tgt.content;
}

group ContractRule(source src, target tgt) extends BackboneElement {
  src.content -> tgt.content;
}
```

13.11.10.3 R4 Validation Errors

13.11.11 JSON Schema for Contract

URL: https://hl7.org/fhir/R4/contract.schema.json.html

13.11.11 JSON Schema for Contract

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Compartments: Not linked to any defined compartments

This is a representation of the json schema for Contract, which is just a part of the full JSON Schema.

```
{
  "$schema": "http://json-schema.org/draft-06/schema#",
  "id": "http://hl7.org/fhir/json-schema/Contract",
  "$ref": "#/definitions/Contract",
  "description": "see http://hl7.org/fhir/json.html#schema for information about the FHIR Json Schemas",
  "definitions": {
    "Contract": {
      "description": "Legally enforceable, formally recorded unilateral or bilateral directive i.e., a policy or
    agreement.",
      "properties": {
        "resourceType": {
          "description": "This is a Contract resource",
          "const": "Contract"
        },
        "id": {
```

```
      "description": "The logical id of the resource, as used in the URL for the resource. Once assigned, this value
 never changes.",
      "$ref": "id.schema.json#/definitions/id"
    },
    "meta": {
      "description": "The metadata about the resource. This is content that is maintained by the infrastructure.
Changes to the content might not always be associated with version changes to the resource.",
      "$ref": "Meta.schema.json#/definitions/Meta"
    },
    "implicitRules": {
      "description": "A reference to a set of rules that were followed when the resource was constructed, and which
must be understood when processing the content. Often, this is a reference to an implementation guide that defines
the special rules along with other profiles etc.",
      "$ref": "#/definitions/uri"
    },
    "_implicitRules": {
      "description": "Extensions for implicitRules",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "language": {
      "description": "The base language in which the resource is written.",
      "$ref": "#/definitions/code"
    },
    "_language": {
      "description": "Extensions for language",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "text": {
      "description": "A human-readable narrative that contains a summary of the resource and can be used to
represent the content of the resource to a human. The narrative need not encode all the structured data, but is
required to contain sufficient detail to make it \"clinically safe\" for a human to just read the narrative.
Resource definitions may define what content should be represented in the narrative to ensure clinical safety.",
      "$ref": "Narrative.schema.json#/definitions/Narrative"
    },
    "contained": {
      "description": "These resources do not have an independent existence apart from the resource that contains
them - they cannot be identified independently, and nor can they have their own independent transaction scope.",
      "items": {
        "$ref": "ResourceList.schema.json#/definitions/ResourceList"
      },
      "type": "array"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the resource. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
 definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the resource and that modifies the understanding of the element that contains it and/or the understanding of the
containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the use
of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer is allowed to define an extension, there is a set of requirements that SHALL be
met as part of the definition of the extension. Applications processing a resource are required to check for
modifier extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or
DomainResource (including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "identifier": {
      "description": "Unique identifier for this Contract or a derivative that references a Source Contract.",
      "items": {
        "$ref": "Identifier.schema.json#/definitions/Identifier"
      },
      "type": "array"
    },
    "url": {
      "description": "Canonical identifier for this contract, represented as a URI (globally unique).",
      "$ref": "#/definitions/uri"
    },
    "_url": {
      "description": "Extensions for url",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "version": {
      "description": "An edition identifier used for business purposes to label business significant variants.",
      "$ref": "#/definitions/string"
    },
    "_version": {
      "description": "Extensions for version",
      "$ref": "Element.schema.json#/definitions/Element"
    },
```

```
    "status": {
      "description": "The status of the resource instance.",
      "$ref": "#/definitions/code"
    },
    "_status": {
      "description": "Extensions for status",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "legalState": {
      "description": "Legal states of the formation of a legal instrument, which is a formally executed written
document that can be formally attributed to its author, records and formally expresses a legally enforceable act,
process, or contractual duty, obligation, or right, and therefore evidences that act, process, or agreement.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "instantiatesCanonical": {
      "description": "The URL pointing to a FHIR-defined Contract Definition that is adhered to in whole or part by
this Contract.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "instantiatesUri": {
      "description": "The URL pointing to an externally maintained definition that is adhered to in whole or in part
 by this Contract.",
      "$ref": "#/definitions/uri"
    },
    "_instantiatesUri": {
      "description": "Extensions for instantiatesUri",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "contentDerivative": {
      "description": "The minimal content derived from the basal information source at a specific stage in its
lifecycle.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "issued": {
      "description": "When this  Contract was issued.",
      "$ref": "#/definitions/dateTime"
    },
    "_issued": {
      "description": "Extensions for issued",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "applies": {
      "description": "Relevant time or time-period when this Contract is applicable.",
      "$ref": "Period.schema.json#/definitions/Period"
    },
    "expirationType": {
      "description": "Event resulting in discontinuation or termination of this Contract instance by one or more
parties to the contract.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "subject": {
      "description": "The target entity impacted by or of interest to parties to the agreement.",
      "items": {
        "$ref": "Reference.schema.json#/definitions/Reference"
      },
      "type": "array"
    },
    "authority": {
      "description": "A formally or informally recognized grouping of people, principals, organizations, or
jurisdictions formed for the purpose of achieving some form of collective action such as the promulgation,
administration and enforcement of contracts and policies.",
      "items": {
        "$ref": "Reference.schema.json#/definitions/Reference"
      },
      "type": "array"
    },
    "domain": {
      "description": "Recognized governance framework or system operating with a circumscribed scope in accordance
with specified principles, policies, processes or procedures for managing rights, actions, or behaviors of parties
or principals relative to resources.",
      "items": {
        "$ref": "Reference.schema.json#/definitions/Reference"
      },
      "type": "array"
    },
    "site": {
      "description": "Sites in which the contract is complied with,  exercised, or in force.",
      "items": {
        "$ref": "Reference.schema.json#/definitions/Reference"
      },
      "type": "array"
    },
    "name": {
      "description": "A natural language name identifying this Contract definition, derivative, or instance in any
legal state. Provides additional information about its content. This name should be usable as an identifier for the
module by machine processing applications such as code generation.",
      "$ref": "#/definitions/string"
    },
    "_name": {
```

```
      "description": "Extensions for name",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "title": {
      "description": "A short, descriptive, user-friendly title for this Contract definition, derivative, or
instance in any legal state.t giving additional information about its content.",
      "$ref": "#/definitions/string"
    },
    "_title": {
      "description": "Extensions for title",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "subtitle": {
      "description": "An explanatory or alternate user-friendly title for this Contract definition, derivative, or
instance in any legal state.t giving additional information about its content.",
      "$ref": "#/definitions/string"
    },
    "_subtitle": {
      "description": "Extensions for subtitle",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "alias": {
      "description": "Alternative representation of the title for this Contract definition, derivative, or instance
in any legal state., e.g., a domain specific contract number related to legislation.",
      "items": {
        "$ref": "#/definitions/string"
      },
      "type": "array"
    },
    "_alias": {
      "description": "Extensions for alias",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "author": {
      "description": "The individual or organization that authored the Contract definition, derivative, or instance
in any legal state.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "scope": {
      "description": "A selector of legal concerns for this Contract definition, derivative, or instance in any
legal state.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "topicCodeableConcept": {
      "description": "Narrows the range of legal concerns to focus on the achievement of specific contractual
objectives.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "topicReference": {
      "description": "Narrows the range of legal concerns to focus on the achievement of specific contractual
objectives.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "type": {
      "description": "A high-level category for the legal instrument, whether constructed as a Contract definition,
derivative, or instance in any legal state.  Provides additional information about its content within the context of
 the Contract\u0027s scope to distinguish the kinds of systems that would be interested in the contract.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "subType": {
      "description": "Sub-category for the Contract that distinguishes the kinds of systems that would be interested
 in the Contract within the context of the Contract\u0027s scope.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "contentDefinition": {
      "description": "Precusory content developed with a focus and intent of supporting the formation a Contract
instance, which may be associated with and transformable into a Contract.",
      "$ref": "#/definitions/Contract_ContentDefinition"
    },
    "term": {
      "description": "One or more Contract Provisions, which may be related and conveyed as a group, and may contain
 nested groups.",
      "items": {
        "$ref": "#/definitions/Contract_Term"
      },
      "type": "array"
    },
    "supportingInfo": {
      "description": "Information that may be needed by/relevant to the performer in their execution of this term
action.",
      "items": {
        "$ref": "Reference.schema.json#/definitions/Reference"
      },
```

```
      "type": "array"
    },
    "relevantHistory": {
      "description": "Links to Provenance records for past versions of this Contract definition, derivative, or
instance, which identify key state transitions or updates that are likely to be relevant to a user looking at the
current version of the Contract.  The Provence.entity indicates the target that was changed in the update.
http://build.fhir.org/provenance-definitions.html#Provenance.entity.",
      "items": {
        "$ref": "Reference.schema.json#/definitions/Reference"
      },
      "type": "array"
    },
    "signer": {
      "description": "Parties with legal standing in the Contract, including the principal parties, the grantor(s)
and grantee(s), which are any person or organization bound by the contract, and any ancillary parties, which
facilitate the execution of the contract such as a notary or witness.",
      "items": {
        "$ref": "#/definitions/Contract_Signer"
      },
      "type": "array"
    },
    "friendly": {
      "description": "The \"patient friendly language\" versionof the Contract in whole or in parts. \"Patient
friendly language\" means the representation of the Contract and Contract Provisions in a manner that is readily
accessible and understandable by a layperson in accordance with best practices for communication styles that ensure
that those agreeing to or signing the Contract understand the roles, actions, obligations, responsibilities, and
implication of the agreement.",
      "items": {
        "$ref": "#/definitions/Contract_Friendly"
      },
      "type": "array"
    },
    "legal": {
      "description": "List of Legal expressions or representations of this Contract.",
      "items": {
        "$ref": "#/definitions/Contract_Legal"
      },
      "type": "array"
    },
    "rule": {
      "description": "List of Computable Policy Rule Language Representations of this Contract.",
      "items": {
        "$ref": "#/definitions/Contract_Rule"
      },
      "type": "array"
    },
    "legallyBindingAttachment": {
      "description": "Legally binding Contract: This is the signed and legally recognized representation of the
Contract, which is considered the \"source of truth\" and which would be the basis for legal action related to
enforcement of this Contract.",
      "$ref": "Attachment.schema.json#/definitions/Attachment"
    },
    "legallyBindingReference": {
      "description": "Legally binding Contract: This is the signed and legally recognized representation of the
Contract, which is considered the \"source of truth\" and which would be the basis for legal action related to
enforcement of this Contract.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    }
  },
  "additionalProperties": false,
  "required": [
    "resourceType"
  ]
},
"Contract_ContentDefinition": {
  "description": "Legally enforceable, formally recorded unilateral or bilateral directive i.e., a policy or
agreement.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
```

```
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "type": {
      "description": "Precusory content structure and use, i.e., a boilerplate, template, application for a contract
 such as an insurance policy or benefits under a program, e.g., workers compensation.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "subType": {
      "description": "Detailed Precusory content type.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "publisher": {
      "description": "The  individual or organization that published the Contract precursor content.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "publicationDate": {
      "description": "The date (and optionally time) when the contract was published. The date must change when the
business version changes and it must change if the status code changes. In addition, it should change when the
substantive content of the contract changes.",
      "$ref": "#/definitions/dateTime"
    },
    "_publicationDate": {
      "description": "Extensions for publicationDate",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "publicationStatus": {
      "description": "amended | appended | cancelled | disputed | entered-in-error | executable | executed |
negotiable | offered | policy | rejected | renewed | revoked | resolved | terminated.",
      "$ref": "#/definitions/code"
    },
    "_publicationStatus": {
      "description": "Extensions for publicationStatus",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "copyright": {
      "description": "A copyright statement relating to Contract precursor content. Copyright statements are
generally legal restrictions on the use and publishing of the Contract precursor content.",
      "$ref": "#/definitions/markdown"
    },
    "_copyright": {
      "description": "Extensions for copyright",
      "$ref": "Element.schema.json#/definitions/Element"
    }
  },
  "additionalProperties": false,
  "required": [
    "type"
  ]
},
"Contract_Term": {
  "description": "Legally enforceable, formally recorded unilateral or bilateral directive i.e., a policy or
agreement.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "identifier": {
```

```
      "description": "Unique identifier for this particular Contract Provision.",
      "$ref": "Identifier.schema.json#/definitions/Identifier"
    },
    "issued": {
      "description": "When this Contract Provision was issued.",
      "$ref": "#/definitions/dateTime"
    },
    "_issued": {
      "description": "Extensions for issued",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "applies": {
      "description": "Relevant time or time-period when this Contract Provision is applicable.",
      "$ref": "Period.schema.json#/definitions/Period"
    },
    "topicCodeableConcept": {
      "description": "The entity that the term applies to.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "topicReference": {
      "description": "The entity that the term applies to.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "type": {
      "description": "A legal clause or condition contained within a contract that requires one or both parties to
perform a particular requirement by some specified time or prevents one or both parties from performing a particular
 requirement by some specified time.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "subType": {
      "description": "A specialized legal clause or condition based on overarching contract type.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "text": {
      "description": "Statement of a provision in a policy or a contract.",
      "$ref": "#/definitions/string"
    },
    "_text": {
      "description": "Extensions for text",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "securityLabel": {
      "description": "Security labels that protect the handling of information about the term and its elements,
which may be specifically identified..",
      "items": {
        "$ref": "#/definitions/Contract_SecurityLabel"
      },
      "type": "array"
    },
    "offer": {
      "description": "The matter of concern in the context of this provision of the agrement.",
      "$ref": "#/definitions/Contract_Offer"
    },
    "asset": {
      "description": "Contract Term Asset List.",
      "items": {
        "$ref": "#/definitions/Contract_Asset"
      },
      "type": "array"
    },
    "action": {
      "description": "An actor taking a role in an activity for which it can be assigned some degree of
responsibility for the activity taking place.",
      "items": {
        "$ref": "#/definitions/Contract_Action"
      },
      "type": "array"
    },
    "group": {
      "description": "Nested group of Contract Provisions.",
      "items": {
        "$ref": "#/definitions/Contract_Term"
      },
      "type": "array"
    }
  },
  "additionalProperties": false,
  "required": [
    "offer"
  ]
},
"Contract_SecurityLabel": {
  "description": "Legally enforceable, formally recorded unilateral or bilateral directive i.e., a policy or
agreement.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
```

```
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "number": {
      "description": "Number used to link this term or term element to the applicable Security Label.",
      "items": {
        "$ref": "#/definitions/unsignedInt"
      },
      "type": "array"
    },
    "_number": {
      "description": "Extensions for number",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "classification": {
      "description": "Security label privacy tag that species the level of confidentiality protection required for
this term and/or term elements.",
      "$ref": "Coding.schema.json#/definitions/Coding"
    },
    "category": {
      "description": "Security label privacy tag that species the applicable privacy and security policies governing
 this term and/or term elements.",
      "items": {
        "$ref": "Coding.schema.json#/definitions/Coding"
      },
      "type": "array"
    },
    "control": {
      "description": "Security label privacy tag that species the manner in which term and/or term elements are to
be protected.",
      "items": {
        "$ref": "Coding.schema.json#/definitions/Coding"
      },
      "type": "array"
    }
  },
  "additionalProperties": false,
  "required": [
    "classification"
  ]
},
"Contract_Offer": {
  "description": "Legally enforceable, formally recorded unilateral or bilateral directive i.e., a policy or
agreement.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
```

```
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "identifier": {
      "description": "Unique identifier for this particular Contract Provision.",
      "items": {
        "$ref": "Identifier.schema.json#/definitions/Identifier"
      },
      "type": "array"
    },
    "party": {
      "description": "Offer Recipient.",
      "items": {
        "$ref": "#/definitions/Contract_Party"
      },
      "type": "array"
    },
    "topic": {
      "description": "The owner of an asset has the residual control rights over the asset: the right to decide all
usages of the asset in any way not inconsistent with a prior contract, custom, or law (Hart, 1995, p. 30).",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "type": {
      "description": "Type of Contract Provision such as specific requirements, purposes for actions, obligations,
prohibitions, e.g. life time maximum benefit.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "decision": {
      "description": "Type of choice made by accepting party with respect to an offer made by an offeror/ grantee.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "decisionMode": {
      "description": "How the decision about a Contract was conveyed.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "answer": {
      "description": "Response to offer text.",
      "items": {
        "$ref": "#/definitions/Contract_Answer"
      },
      "type": "array"
    },
    "text": {
      "description": "Human readable form of this Contract Offer.",
      "$ref": "#/definitions/string"
    },
    "_text": {
      "description": "Extensions for text",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "linkId": {
      "description": "The id of the clause or question text of the offer in the referenced questionnaire/response.",
      "items": {
        "$ref": "#/definitions/string"
      },
      "type": "array"
    },
    "_linkId": {
      "description": "Extensions for linkId",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "securityLabelNumber": {
      "description": "Security labels that protects the offer.",
      "items": {
        "$ref": "#/definitions/unsignedInt"
      },
      "type": "array"
    },
    "_securityLabelNumber": {
      "description": "Extensions for securityLabelNumber",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    }
  },
```

```
  "additionalProperties": false
},
"Contract_Party": {
  "description": "Legally enforceable, formally recorded unilateral or bilateral directive i.e., a policy or
agreement.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "reference": {
      "description": "Participant in the offer.",
      "items": {
        "$ref": "Reference.schema.json#/definitions/Reference"
      },
      "type": "array"
    },
    "role": {
      "description": "How the party participates in the offer.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    }
  },
  "additionalProperties": false,
  "required": [
    "reference",
    "role"
  ]
},
"Contract_Answer": {
  "description": "Legally enforceable, formally recorded unilateral or bilateral directive i.e., a policy or
agreement.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "valueBoolean": {
      "description": "Response to an offer clause or question text,  which enables selection of values to be agreed
to, e.g., the period of participation, the date of occupancy of a rental, warrently duration, or whether biospecimen
```

```
 may be used for further research.",
      "pattern": "^true|false$",
      "type": "boolean"
    },
    "_valueBoolean": {
      "description": "Extensions for valueBoolean",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "valueDecimal": {
      "description": "Response to an offer clause or question text,  which enables selection of values to be agreed
to, e.g., the period of participation, the date of occupancy of a rental, warrently duration, or whether biospecimen
 may be used for further research.",
      "pattern": "^-?(0|[1-9][0-9]*)(\\.[0-9]+)?([eE][+-]?[0-9]+)?$",
      "type": "number"
    },
    "_valueDecimal": {
      "description": "Extensions for valueDecimal",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "valueInteger": {
      "description": "Response to an offer clause or question text,  which enables selection of values to be agreed
to, e.g., the period of participation, the date of occupancy of a rental, warrently duration, or whether biospecimen
 may be used for further research.",
      "pattern": "^-?([0]|([1-9][0-9]*))$",
      "type": "number"
    },
    "_valueInteger": {
      "description": "Extensions for valueInteger",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "valueDate": {
      "description": "Response to an offer clause or question text,  which enables selection of values to be agreed
to, e.g., the period of participation, the date of occupancy of a rental, warrently duration, or whether biospecimen
 may be used for further research.",
      "pattern":
"^([0-9]([0-9]([0-9][1-9]|[1-9]0)|[1-9]00)|[1-9]000)(-(0[1-9]|1[0-2])(-(0[1-9]|[1-2][0-9]|3[0-1]))?)?$",
      "type": "string"
    },
    "_valueDate": {
      "description": "Extensions for valueDate",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "valueDateTime": {
      "description": "Response to an offer clause or question text,  which enables selection of values to be agreed
to, e.g., the period of participation, the date of occupancy of a rental, warrently duration, or whether biospecimen
 may be used for further research.",
      "pattern": "^([0-9]([0-9]([0-9][1-9]|[1-9]0)|[1-9]00)|[1-9]000)(-(0[1-9]|1[0-2])(-(0[1-9]|[1-2][0-9]|3[0-
1])(T([01][0-9]|2[0-3]):[0-5][0-9]:([0-5][0-9]|60)(\\.[0-9]+)?(Z|(\\+|-)((0[0-9]|1[0-3]):[0-5][0-9]|14:00)))?)?)?$",
      "type": "string"
    },
    "_valueDateTime": {
      "description": "Extensions for valueDateTime",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "valueTime": {
      "description": "Response to an offer clause or question text,  which enables selection of values to be agreed
to, e.g., the period of participation, the date of occupancy of a rental, warrently duration, or whether biospecimen
 may be used for further research.",
      "pattern": "^([01][0-9]|2[0-3]):[0-5][0-9]:([0-5][0-9]|60)(\\.[0-9]+)?$",
      "type": "string"
    },
    "_valueTime": {
      "description": "Extensions for valueTime",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "valueString": {
      "description": "Response to an offer clause or question text,  which enables selection of values to be agreed
to, e.g., the period of participation, the date of occupancy of a rental, warrently duration, or whether biospecimen
 may be used for further research.",
      "pattern": "^[ \\r\\n\\t\\S]+$",
      "type": "string"
    },
    "_valueString": {
      "description": "Extensions for valueString",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "valueUri": {
      "description": "Response to an offer clause or question text,  which enables selection of values to be agreed
to, e.g., the period of participation, the date of occupancy of a rental, warrently duration, or whether biospecimen
 may be used for further research.",
      "pattern": "^\\S*$",
      "type": "string"
    },
    "_valueUri": {
      "description": "Extensions for valueUri",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "valueAttachment": {
      "description": "Response to an offer clause or question text,  which enables selection of values to be agreed
```

```
to, e.g., the period of participation, the date of occupancy of a rental, warrently duration, or whether biospecimen
 may be used for further research.",
      "$ref": "Attachment.schema.json#/definitions/Attachment"
    },
    "valueCoding": {
      "description": "Response to an offer clause or question text,  which enables selection of values to be agreed
to, e.g., the period of participation, the date of occupancy of a rental, warrently duration, or whether biospecimen
 may be used for further research.",
      "$ref": "Coding.schema.json#/definitions/Coding"
    },
    "valueQuantity": {
      "description": "Response to an offer clause or question text,  which enables selection of values to be agreed
to, e.g., the period of participation, the date of occupancy of a rental, warrently duration, or whether biospecimen
 may be used for further research.",
      "$ref": "Quantity.schema.json#/definitions/Quantity"
    },
    "valueReference": {
      "description": "Response to an offer clause or question text,  which enables selection of values to be agreed
to, e.g., the period of participation, the date of occupancy of a rental, warrently duration, or whether biospecimen
 may be used for further research.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    }
  },
  "additionalProperties": false
},
"Contract_Asset": {
  "description": "Legally enforceable, formally recorded unilateral or bilateral directive i.e., a policy or
agreement.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "scope": {
      "description": "Differentiates the kind of the asset .",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "type": {
      "description": "Target entity type about which the term may be concerned.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "typeReference": {
      "description": "Associated entities.",
      "items": {
        "$ref": "Reference.schema.json#/definitions/Reference"
      },
      "type": "array"
    },
    "subtype": {
      "description": "May be a subtype or part of an offered asset.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "relationship": {
      "description": "Specifies the applicability of the term to an asset resource instance, and instances it refers
 to orinstances that refer to it, and/or are owned by the offeree.",
      "$ref": "Coding.schema.json#/definitions/Coding"
    },
    "context": {
```

```
      "description": "Circumstance of the asset.",
      "items": {
        "$ref": "#/definitions/Contract_Context"
      },
      "type": "array"
    },
    "condition": {
      "description": "Description of the quality and completeness of the asset that imay be a factor in its
valuation.",
      "$ref": "#/definitions/string"
    },
    "_condition": {
      "description": "Extensions for condition",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "periodType": {
      "description": "Type of Asset availability for use or ownership.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "period": {
      "description": "Asset relevant contractual time period.",
      "items": {
        "$ref": "Period.schema.json#/definitions/Period"
      },
      "type": "array"
    },
    "usePeriod": {
      "description": "Time period of asset use.",
      "items": {
        "$ref": "Period.schema.json#/definitions/Period"
      },
      "type": "array"
    },
    "text": {
      "description": "Clause or question text (Prose Object) concerning the asset in a linked form, such as a
QuestionnaireResponse used in the formation of the contract.",
      "$ref": "#/definitions/string"
    },
    "_text": {
      "description": "Extensions for text",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "linkId": {
      "description": "Id [identifier??] of the clause or question text about the asset in the referenced form or
QuestionnaireResponse.",
      "items": {
        "$ref": "#/definitions/string"
      },
      "type": "array"
    },
    "_linkId": {
      "description": "Extensions for linkId",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "answer": {
      "description": "Response to assets.",
      "items": {
        "$ref": "#/definitions/Contract_Answer"
      },
      "type": "array"
    },
    "securityLabelNumber": {
      "description": "Security labels that protects the asset.",
      "items": {
        "$ref": "#/definitions/unsignedInt"
      },
      "type": "array"
    },
    "_securityLabelNumber": {
      "description": "Extensions for securityLabelNumber",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "valuedItem": {
      "description": "Contract Valued Item List.",
      "items": {
        "$ref": "#/definitions/Contract_ValuedItem"
      },
      "type": "array"
    }
  },
```

```
  "additionalProperties": false
},
"Contract_Context": {
  "description": "Legally enforceable, formally recorded unilateral or bilateral directive i.e., a policy or
agreement.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "reference": {
      "description": "Asset context reference may include the creator, custodian, or owning Person or Organization
(e.g., bank, repository),  location held, e.g., building,  jurisdiction.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "code": {
      "description": "Coded representation of the context generally or of the Referenced entity, such as the asset
holder type or location.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "text": {
      "description": "Context description.",
      "$ref": "#/definitions/string"
    },
    "_text": {
      "description": "Extensions for text",
      "$ref": "Element.schema.json#/definitions/Element"
    }
  },
  "additionalProperties": false
},
"Contract_ValuedItem": {
  "description": "Legally enforceable, formally recorded unilateral or bilateral directive i.e., a policy or
agreement.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
```

```
      },
      "type": "array"
    },
    "entityCodeableConcept": {
      "description": "Specific type of Contract Valued Item that may be priced.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "entityReference": {
      "description": "Specific type of Contract Valued Item that may be priced.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "identifier": {
      "description": "Identifies a Contract Valued Item instance.",
      "$ref": "Identifier.schema.json#/definitions/Identifier"
    },
    "effectiveTime": {
      "description": "Indicates the time during which this Contract ValuedItem information is effective.",
      "$ref": "#/definitions/dateTime"
    },
    "_effectiveTime": {
      "description": "Extensions for effectiveTime",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "quantity": {
      "description": "Specifies the units by which the Contract Valued Item is measured or counted, and quantifies
the countable or measurable Contract Valued Item instances.",
      "$ref": "Quantity.schema.json#/definitions/Quantity"
    },
    "unitPrice": {
      "description": "A Contract Valued Item unit valuation measure.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "factor": {
      "description": "A real number that represents a multiplier used in determining the overall value of the
Contract Valued Item delivered. The concept of a Factor allows for a discount or surcharge multiplier to be applied
to a monetary amount.",
      "$ref": "#/definitions/decimal"
    },
    "_factor": {
      "description": "Extensions for factor",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "points": {
      "description": "An amount that expresses the weighting (based on difficulty, cost and/or resource
intensiveness) associated with the Contract Valued Item delivered. The concept of Points allows for assignment of
point values for a Contract Valued Item, such that a monetary amount can be assigned to each point.",
      "$ref": "#/definitions/decimal"
    },
    "_points": {
      "description": "Extensions for points",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "net": {
      "description": "Expresses the product of the Contract Valued Item unitQuantity and the unitPriceAmt. For
example, the formula: unit Quantity * unit Price (Cost per Point) * factor Number  * points \u003d net Amount.
Quantity, factor and points are assumed to be 1 if not supplied.",
      "$ref": "Money.schema.json#/definitions/Money"
    },
    "payment": {
      "description": "Terms of valuation.",
      "$ref": "#/definitions/string"
    },
    "_payment": {
      "description": "Extensions for payment",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "paymentDate": {
      "description": "When payment is due.",
      "$ref": "#/definitions/dateTime"
    },
    "_paymentDate": {
      "description": "Extensions for paymentDate",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "responsible": {
      "description": "Who will make payment.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "recipient": {
      "description": "Who will receive payment.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "linkId": {
      "description": "Id  of the clause or question text related to the context of this valuedItem in the referenced
 form or QuestionnaireResponse.",
      "items": {
        "$ref": "#/definitions/string"
      },
      "type": "array"
```

```
    },
    "_linkId": {
      "description": "Extensions for linkId",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "securityLabelNumber": {
      "description": "A set of security labels that define which terms are controlled by this condition.",
      "items": {
        "$ref": "#/definitions/unsignedInt"
      },
      "type": "array"
    },
    "_securityLabelNumber": {
      "description": "Extensions for securityLabelNumber",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    }
  },
  "additionalProperties": false
},
"Contract_Action": {
  "description": "Legally enforceable, formally recorded unilateral or bilateral directive i.e., a policy or
agreement.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "doNotPerform": {
      "description": "True if the term prohibits the  action.",
      "$ref": "#/definitions/boolean"
    },
    "_doNotPerform": {
      "description": "Extensions for doNotPerform",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "type": {
      "description": "Activity or service obligation to be done or not done, performed or not performed, effectuated
 or not by this Contract term.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "subject": {
      "description": "Entity of the action.",
      "items": {
        "$ref": "#/definitions/Contract_Subject"
      },
      "type": "array"
    },
    "intent": {
      "description": "Reason or purpose for the action stipulated by this Contract Provision.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "linkId": {
      "description": "Id [identifier??] of the clause or question text related to this action in the referenced form
 or QuestionnaireResponse.",
      "items": {
        "$ref": "#/definitions/string"
      },
      "type": "array"
```

```
    },
    "_linkId": {
      "description": "Extensions for linkId",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "status": {
      "description": "Current state of the term action.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "context": {
      "description": "Encounter or Episode with primary association to specified term activity.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "contextLinkId": {
      "description": "Id [identifier??] of the clause or question text related to the requester of this action in
the referenced form or QuestionnaireResponse.",
      "items": {
        "$ref": "#/definitions/string"
      },
      "type": "array"
    },
    "_contextLinkId": {
      "description": "Extensions for contextLinkId",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "occurrenceDateTime": {
      "description": "When action happens.",
      "pattern": "^([0-9]([0-9]([0-9][1-9]|[1-9]0)|[1-9]00)|[1-9]000)(-(0[1-9]|1[0-2])(-(0[1-9]|[1-2][0-9]|3[0-
1])(T([01][0-9]|2[0-3]):[0-5][0-9]:([0-5][0-9]|60)(\\.[0-9]+)?(Z|(\\+|-)((0[0-9]|1[0-3]):[0-5][0-9]|14:00)))?)?)?$",
      "type": "string"
    },
    "_occurrenceDateTime": {
      "description": "Extensions for occurrenceDateTime",
      "$ref": "Element.schema.json#/definitions/Element"
    },
    "occurrencePeriod": {
      "description": "When action happens.",
      "$ref": "Period.schema.json#/definitions/Period"
    },
    "occurrenceTiming": {
      "description": "When action happens.",
      "$ref": "Timing.schema.json#/definitions/Timing"
    },
    "requester": {
      "description": "Who or what initiated the action and has responsibility for its activation.",
      "items": {
        "$ref": "Reference.schema.json#/definitions/Reference"
      },
      "type": "array"
    },
    "requesterLinkId": {
      "description": "Id [identifier??] of the clause or question text related to the requester of this action in
the referenced form or QuestionnaireResponse.",
      "items": {
        "$ref": "#/definitions/string"
      },
      "type": "array"
    },
    "_requesterLinkId": {
      "description": "Extensions for requesterLinkId",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "performerType": {
      "description": "The type of individual that is desired or required to perform or not perform the action.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "performerRole": {
      "description": "The type of role or competency of an individual desired or required to perform or not perform
the action.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    },
    "performer": {
      "description": "Indicates who or what is being asked to perform (or not perform) the ction.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    },
    "performerLinkId": {
      "description": "Id [identifier??] of the clause or question text related to the reason type or reference of
```

```
this  action in the referenced form or QuestionnaireResponse.",
      "items": {
        "$ref": "#/definitions/string"
      },
      "type": "array"
    },
    "_performerLinkId": {
      "description": "Extensions for performerLinkId",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "reasonCode": {
      "description": "Rationale for the action to be performed or not performed. Describes why the action is
permitted or prohibited.",
      "items": {
        "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
      },
      "type": "array"
    },
    "reasonReference": {
      "description": "Indicates another resource whose existence justifies permitting or not permitting this
action.",
      "items": {
        "$ref": "Reference.schema.json#/definitions/Reference"
      },
      "type": "array"
    },
    "reason": {
      "description": "Describes why the action is to be performed or not performed in textual form.",
      "items": {
        "$ref": "#/definitions/string"
      },
      "type": "array"
    },
    "_reason": {
      "description": "Extensions for reason",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "reasonLinkId": {
      "description": "Id [identifier??] of the clause or question text related to the reason type or reference of
this  action in the referenced form or QuestionnaireResponse.",
      "items": {
        "$ref": "#/definitions/string"
      },
      "type": "array"
    },
    "_reasonLinkId": {
      "description": "Extensions for reasonLinkId",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    },
    "note": {
      "description": "Comments made about the term action made by the requester, performer, subject or other
participants.",
      "items": {
        "$ref": "Annotation.schema.json#/definitions/Annotation"
      },
      "type": "array"
    },
    "securityLabelNumber": {
      "description": "Security labels that protects the action.",
      "items": {
        "$ref": "#/definitions/unsignedInt"
      },
      "type": "array"
    },
    "_securityLabelNumber": {
      "description": "Extensions for securityLabelNumber",
      "items": {
        "$ref": "Element.schema.json#/definitions/Element"
      },
      "type": "array"
    }
  },
  "additionalProperties": false,
  "required": [
    "type",
    "intent",
    "status"
  ]
},
"Contract_Subject": {
```

```
  "description": "Legally enforceable, formally recorded unilateral or bilateral directive i.e., a policy or
agreement.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "reference": {
      "description": "The entity the action is performed or not performed on or for.",
      "items": {
        "$ref": "Reference.schema.json#/definitions/Reference"
      },
      "type": "array"
    },
    "role": {
      "description": "Role type of agent assigned roles in this Contract.",
      "$ref": "CodeableConcept.schema.json#/definitions/CodeableConcept"
    }
  },
  "additionalProperties": false,
  "required": [
    "reference"
  ]
},
"Contract_Signer": {
  "description": "Legally enforceable, formally recorded unilateral or bilateral directive i.e., a policy or
agreement.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "type": {
      "description": "Role of this Contract signer, e.g. notary, grantee.",
      "$ref": "Coding.schema.json#/definitions/Coding"
    },
    "party": {
      "description": "Party which is a signator to this Contract.",
      "$ref": "Reference.schema.json#/definitions/Reference"
```

```
    },
    "signature": {
      "description": "Legally binding Contract DSIG signature contents in Base64.",
      "items": {
        "$ref": "Signature.schema.json#/definitions/Signature"
      },
      "type": "array"
    }
  },
  "additionalProperties": false,
  "required": [
    "signature",
    "type",
    "party"
  ]
},
"Contract_Friendly": {
  "description": "Legally enforceable, formally recorded unilateral or bilateral directive i.e., a policy or
agreement.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
(including cannot change the meaning of modifierExtension itself).",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "contentAttachment": {
      "description": "Human readable rendering of this Contract in a format and representation intended to enhance
comprehension and ensure understandability.",
      "$ref": "Attachment.schema.json#/definitions/Attachment"
    },
    "contentReference": {
      "description": "Human readable rendering of this Contract in a format and representation intended to enhance
comprehension and ensure understandability.",
      "$ref": "Reference.schema.json#/definitions/Reference"
    }
  },
  "additionalProperties": false
},
"Contract_Legal": {
  "description": "Legally enforceable, formally recorded unilateral or bilateral directive i.e., a policy or
agreement.",
  "properties": {
    "id": {
      "description": "Unique id for the element within a resource (for internal references). This may be any string
value that does not contain spaces.",
      "$ref": "string.schema.json#/definitions/string"
    },
    "extension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
that SHALL be met as part of the definition of the extension.",
      "items": {
        "$ref": "Extension.schema.json#/definitions/Extension"
      },
      "type": "array"
    },
    "modifierExtension": {
      "description": "May be used to represent additional information that is not part of the basic definition of
the element and that modifies the understanding of the element in which it is contained and/or the understanding of
the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
 of the definition of the extension. Applications processing a resource are required to check for modifier
extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
```

```
    (including cannot change the meaning of modifierExtension itself).",
          "items": {
            "$ref": "Extension.schema.json#/definitions/Extension"
          },
          "type": "array"
        },
        "contentAttachment": {
          "description": "Contract legal text in human renderable form.",
          "$ref": "Attachment.schema.json#/definitions/Attachment"
        },
        "contentReference": {
          "description": "Contract legal text in human renderable form.",
          "$ref": "Reference.schema.json#/definitions/Reference"
        }
      },
      "additionalProperties": false
    },
    "Contract_Rule": {
      "description": "Legally enforceable, formally recorded unilateral or bilateral directive i.e., a policy or
    agreement.",
      "properties": {
        "id": {
          "description": "Unique id for the element within a resource (for internal references). This may be any string
    value that does not contain spaces.",
          "$ref": "string.schema.json#/definitions/string"
        },
        "extension": {
          "description": "May be used to represent additional information that is not part of the basic definition of
    the element. To make the use of extensions safe and manageable, there is a strict set of governance  applied to the
    definition and use of extensions. Though any implementer can define an extension, there is a set of requirements
    that SHALL be met as part of the definition of the extension.",
          "items": {
            "$ref": "Extension.schema.json#/definitions/Extension"
          },
          "type": "array"
        },
        "modifierExtension": {
          "description": "May be used to represent additional information that is not part of the basic definition of
    the element and that modifies the understanding of the element in which it is contained and/or the understanding of
    the containing element\u0027s descendants. Usually modifier elements provide negation or qualification. To make the
    use of extensions safe and manageable, there is a strict set of governance applied to the definition and use of
    extensions. Though any implementer can define an extension, there is a set of requirements that SHALL be met as part
     of the definition of the extension. Applications processing a resource are required to check for modifier
    extensions.\n\nModifier extensions SHALL NOT change the meaning of any elements on Resource or DomainResource
    (including cannot change the meaning of modifierExtension itself).",
          "items": {
            "$ref": "Extension.schema.json#/definitions/Extension"
          },
          "type": "array"
        },
        "contentAttachment": {
          "description": "Computable Contract conveyed using a policy rule language (e.g. XACML, DKAL, SecPal).",
          "$ref": "Attachment.schema.json#/definitions/Attachment"
        },
        "contentReference": {
          "description": "Computable Contract conveyed using a policy rule language (e.g. XACML, DKAL, SecPal).",
          "$ref": "Reference.schema.json#/definitions/Reference"
        }
      },
      "additionalProperties": false
    }
  }
}
```


13.11.12 Resource Contract - Maturity Dependency View

URL: https://hl7.org/fhir/R4/contract-dependencies.html

13.11.12 Resource Contract - Maturity Dependency View

Financial Management Work Group | Maturity Level: 1 | Trial Use | Compartments: Not linked to any defined compartments

Dependency Graph for Contract FMM level 1

Name | Card. | Type | Dependency Analysis
Contract | | DomainResource
identifier | 0..* | Identifier
url | 0..1 | uri
version | 0..1 | string
status | 0..1 | code
legalState | 0..1 | CodeableConcept
instantiatesCanonical | 0..1 | Reference(Contract)
instantiatesUri | 0..1 | uri
contentDerivative | 0..1 | CodeableConcept
issued | 0..1 | dateTime
applies | 0..1 | Period

expirationType | 0..1 | CodeableConcept
subject | 0..* | Reference(Any)
authority | 0..* | Reference(Organization)
domain | 0..* | Reference(Location)
site | 0..* | Reference(Location)
name | 0..1 | string
title | 0..1 | string
subtitle | 0..1 | string
alias | 0..* | string
author | 0..1 | Reference(Patient | Practitioner | PractitionerRole | Organization)
scope | 0..1 | CodeableConcept
topic[x] | 0..1
topicCodeableConcept | | CodeableConcept
topicReference | | Reference(Any
type | 0..1 | CodeableConcept
subType | 0..* | CodeableConcept
contentDefinition | 0..1 | BackboneElement
type | 1..1 | CodeableConcept
subType | 0..1 | CodeableConcept
publisher | 0..1 | Reference(Practitioner | PractitionerRole | Organization)
publicationDate | 0..1 | dateTime
publicationStatus | 1..1 | code
copyright | 0..1 | markdown
term | 0..* | BackboneElement
identifier | 0..1 | Identifier
issued | 0..1 | dateTime
applies | 0..1 | Period
topic[x] | 0..1
topicCodeableConcept | | CodeableConcept
topicReference | | Reference(Any
type | 0..1 | CodeableConcept
subType | 0..1 | CodeableConcept
text | 0..1 | string
securityLabel | 0..* | BackboneElement
number | 0..* | unsignedInt
classification | 1..1 | Coding
category | 0..* | Coding
control | 0..* | Coding
offer | 1..1 | BackboneElement
identifier | 0..* | Identifier
party | 0..* | BackboneElement
reference | 1..* | Reference(Patient | RelatedPerson | Practitioner | PractitionerRole | Device | Group | Organization)
role | 1..1 | CodeableConcept
topic | 0..1 | Reference(Any)
type | 0..1 | CodeableConcept
decision | 0..1 | CodeableConcept
decisionMode | 0..* | CodeableConcept
answer | 0..* | BackboneElement
value[x] | 1..1
valueBoolean | | boolean
valueDecimal | | decimal
valueInteger | | integer
valueDate | | date
valueDateTime | | dateTime
valueTime | | time
valueString | | string
valueUri | | uri
valueAttachment | | Attachment
valueCoding | | Coding
valueQuantity | | Quantity
valueReference | | Reference(Any
text | 0..1 | string
linkId | 0..* | string
securityLabelNumber | 0..* | unsignedInt
asset | 0..* | BackboneElement
scope | 0..1 | CodeableConcept
type | 0..* | CodeableConcept
typeReference | 0..* | Reference(Any)
subtype | 0..* | CodeableConcept
relationship | 0..1 | Coding
context | 0..* | BackboneElement
reference | 0..1 | Reference(Any)

code | 0..* | CodeableConcept
text | 0..1 | string
condition | 0..1 | string
periodType | 0..* | CodeableConcept
period | 0..* | Period
usePeriod | 0..* | Period
text | 0..1 | string
linkId | 0..* | string
answer | 0..* | see answer
securityLabelNumber | 0..* | unsignedInt
valuedItem | 0..* | BackboneElement
entity[x] | 0..1
entityCodeableConcept | | CodeableConcept
entityReference | | Reference(Any
identifier | 0..1 | Identifier
effectiveTime | 0..1 | dateTime
quantity | 0..1 | SimpleQuantity
unitPrice | 0..1 | Money
factor | 0..1 | decimal
points | 0..1 | decimal
net | 0..1 | Money
payment | 0..1 | string
paymentDate | 0..1 | dateTime
responsible | 0..1 | Reference(Organization | Patient | Practitioner | PractitionerRole | RelatedPerson)
recipient | 0..1 | Reference(Organization | Patient | Practitioner | PractitionerRole | RelatedPerson)
linkId | 0..* | string
securityLabelNumber | 0..* | unsignedInt
action | 0..* | BackboneElement
doNotPerform | 0..1 | boolean
type | 1..1 | CodeableConcept
subject | 0..* | BackboneElement
reference | 1..* | Reference(Patient | RelatedPerson | Practitioner | PractitionerRole | Device | Group | Organization)
role | 0..1 | CodeableConcept
intent | 1..1 | CodeableConcept
linkId | 0..* | string
status | 1..1 | CodeableConcept
context | 0..1 | Reference(Encounter | EpisodeOfCare)
contextLinkId | 0..* | string
occurrence[x] | 0..1
occurrenceDateTime | | dateTime
occurrencePeriod | | Period
occurrenceTiming | | Timing
requester | 0..* | Reference(Patient | RelatedPerson | Practitioner | PractitionerRole | Device | Group | Organization)
requesterLinkId | 0..* | string
performerType | 0..* | CodeableConcept
performerRole | 0..1 | CodeableConcept
performer | 0..1 | Reference(RelatedPerson | Patient | Practitioner | PractitionerRole | CareTeam | Device | Substance | Organization | Location)
performerLinkId | 0..* | string
reasonCode | 0..* | CodeableConcept
reasonReference | 0..* | Reference(Condition | Observation | DiagnosticReport | DocumentReference | Questionnaire | QuestionnaireResponse)
reason | 0..* | string
reasonLinkId | 0..* | string
note | 0..* | Annotation
securityLabelNumber | 0..* | unsignedInt
group | 0..* | see term
supportingInfo | 0..* | Reference(Any)
relevantHistory | 0..* | Reference(Provenance)
signer | 0..* | BackboneElement
type | 1..1 | Coding
party | 1..1 | Reference(Organization | Patient | Practitioner | PractitionerRole | RelatedPerson)
signature | 1..* | Signature
friendly | 0..* | BackboneElement
content[x] | 1..1
contentAttachment | | Attachment
contentReference | | Reference(Composition | DocumentReference | QuestionnaireResponse
legal | 0..* | BackboneElement
content[x] | 1..1
contentAttachment | | Attachment
contentReference | | Reference(Composition | DocumentReference | QuestionnaireResponse
rule | 0..* | BackboneElement

content[x] | 1..1
contentAttachment | | Attachment
contentReference | | Reference(DocumentReference
legallyBinding[x] | 0..1
legallyBindingAttachment | | Attachment
legallyBindingReference | | Reference(Composition | DocumentReference | QuestionnaireResponse | Contract

13.11.13 Value Set Sc-valueset-contract-status - Status Code Mapping

URL: https://hl7.org/fhir/R4/sc-valueset-contract-status.html

13.11.13 Value Set Sc-valueset-contract-status - Status Code Mapping

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Compartments: Not linked to any defined compartments

This is the narrative for the resource. See also the XML, JSON or Turtle format.

13.11.14 ContractResourceStatusCodesCanonicalMap (http://hl7.org/fhir/ConceptMap/sc-contract-status)

Mapping from http://hl7.org/fhir/ValueSet/contract-status to http://hl7.org/fhir/ValueSet/resource-status

DRAFT. Published on 01/11/2019 9:29:23 AM by Financial Management (http://hl7.org/fhir).

Canonical Mapping for "This value set contract specific codes for status."

Source Code | Equivalence | Destination Code
entered-in-error | equivalent | error
offered | equivalent | proposed
negotiable,policy | equivalent | draft
executable,resolved | equivalent | active
disputed | equivalent | suspended
revoked | equivalent | failed
amended,appended,renewed | equivalent | replaced
executed | equivalent | complete
cancelled,rejected,terminated | equivalent | abandoned

13.11.15 Value Set Sc-valueset-contract-publicationstatus - Status Code Mapping

URL: https://hl7.org/fhir/R4/sc-valueset-contract-publicationstatus.html

13.11.15 Value Set Sc-valueset-contract-publicationstatus - Status Code Mapping

Financial Management Work Group | Maturity Level: N/A | Standards Status: Informative | Compartments: Not linked to any defined compartments

This is the narrative for the resource. See also the XML, JSON or Turtle format.

13.11.16 ContractResourcePublicationStatusCodesCanonicalMap (http://hl7.org/fhir/ConceptMap/sc-contract-publicationstatus)

Mapping from http://hl7.org/fhir/ValueSet/contract-publicationstatus to http://hl7.org/fhir/ValueSet/resource-status

DRAFT. Published on 01/11/2019 9:29:23 AM by Financial Management (http://hl7.org/fhir).

Canonical Mapping for "This value set contract specific codes for status."

Source Code | Equivalence | Destination Code
entered-in-error | equivalent | error
offered | equivalent | proposed
negotiable,policy | equivalent | draft
executable,resolved | equivalent | active
disputed | equivalent | suspended
revoked | equivalent | failed
amended,appended,renewed | equivalent | replaced
executed | equivalent | complete
cancelled,rejected,terminated | equivalent | abandoned