Epic-FHIR — API category: Billing Accounts (sections 4 – 4.2.4)

Source: Epic on FHIR (fhir.epic.com) documentation, mirrored 2026-11. Text-only edition for AI ingestion (NotebookLM); pages follow the source order (its table of contents when one exists).

4 API category: Billing Accounts

File: site/apis/04-Billing-Accounts/index.html

R4 (8)

API | Method | URL template | Type
Account.Read (Premium Billing) (R4) | GET | /api/FHIR/R4/Account/{ID} | Industry-Standard
Account.Search (Premium Billing) (R4) | GET | /api/FHIR/R4/Account?_id={_id} | Industry-Standard
Contract.Read (Healthcare Services Reimbursement) (R4) | GET | /api/FHIR/R4/Contract/{ID} | Epic Public
Contract.Search (Healthcare Services Reimbursement) (R4) | GET | /api/FHIR/R4/Contract?_id={_id} | Epic Public
Coverage.Read (Patient Insurance Information) (R4) | GET | api/FHIR/R4/Coverage/{ID} | USCDI
Coverage.Search (Patient Insurance Information) (R4) | GET | api/FHIR/R4/Coverage?patient={patient}&beneficiary={beneficiary} | USCDI
Flag.Read (Patient FYI) (R4) | GET | /api/FHIR/R4/Flag/{ID} | Industry-Standard
Flag.Search (Patient FYI) (R4) | GET;POST | /api/FHIR/R4/Flag?category={category}&patient={patient}&status={status}&subject={subject} | Industry-Standard

STU3 (4)

API | Method | URL template | Type
Coverage.Read (Patient Insurance Information) (STU3) | GET | api/FHIR/STU3/Coverage/{ID} | USCDI
Coverage.Search (Patient Insurance Information) (STU3) | GET | api/FHIR/STU3/Coverage?beneficiary={beneficiary}&patient={patient} | USCDI
Flag.Read (Patient FYI) (STU3) | GET | /api/FHIR/STU3/Flag/{ID} | Industry-Standard
Flag.Search (Patient FYI) (STU3) | GET;POST | /api/FHIR/STU3/Flag?patient={patient}&status={status}&subject={subject} | Industry-Standard

4.1 Billing Accounts: R4

File: site/apis/04-Billing-Accounts/1-R4/index.html

* Account.Read (Premium Billing) (R4)
* Account.Search (Premium Billing) (R4)
* Contract.Read (Healthcare Services Reimbursement) (R4)
* Contract.Search (Healthcare Services Reimbursement) (R4)
* Coverage.Read (Patient Insurance Information) (R4)
* Coverage.Search (Patient Insurance Information) (R4)
* Flag.Read (Patient FYI) (R4)
* Flag.Search (Patient FYI) (R4)

4.1.1 Account.Read (Premium Billing) (R4)

File: site/apis/04-Billing-Accounts/1-R4/10505-Account-Read-Premium-Billing-R4.html
Epic API ID | 10505
FHIR version | R4
Categories | Billing Accounts
API type | Industry-Standard
API group | Non-Patient Document Information Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Account/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10505

Description

The Account resource acts as a central record against which charges, payments, and adjustments are applied. It contains information about which parties are responsible for payment of the account. A premium billing account is an account that tracks charges, payments, and adjustments for either individual members' or group's insurance premiums.

The results returned by the Account (Premium Billing) resource are records created in Epic to define the account details for either an individual member's or group of members' insurance premiums and balance. Results are available in this API only after the relevant records have been built in Epic.

Account.PremiumBilling.Read allows a client to look up premium billing account details by providing a specific premium billing account ID. The ID is typically returned as part of the response to a different FHIR resource request. Specifically, this ID is currently returned only as part of DocumentReference.Read for document records that are linked to a premium billing account.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Account | Account | False
Account.identifier | Identifier | True | Yes | | The Epic premium billing account ID. Returns the Epic premium billing external and internal Account ID (always).
Account.name | String | True | | | The name of the Epic premium billing account.
Account.status | String | False | | | The status of the account. Returns "active" or "inactive".
Account.type | CodeableConcept | True | | | "Individual Billing" or "Group Billing". This populates only the text element for the CodeableConcept. "Individual Billing" and "Group Billing" are the only types supported for the premium billing sub-resource.

Sample request

```
https://hostname/instance/api/FHIR/R4/Account/eaQa1KcZVdi2T9YYsfu6tFw3
```

Sample response


```
{
  "resourceType": "Account",
  "id": "frAT0crzaE6wVOdhrZAa-RA4",
  "identifier": [
    {
      "use": "official",
      "type": {
        "text": "INTERNAL"
      },
      "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.806665",
      "value": "5851"
    },
    {
      "use": "usual",
      "type": {
        "text": "EXTERNAL"
      },
      "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.3.806665.40",
      "value": "I536574969487-59699"
    }
  ],
  "status": "active",
  "type": {
    "text": "Individual Billing"
  },
  "name": "lpc, aq One"
}
```


4.1.2 Account.Search (Premium Billing) (R4)

File: site/apis/04-Billing-Accounts/1-R4/10508-Account-Search-Premium-Billing-R4.html
Epic API ID | 10508
FHIR version | R4
Categories | Billing Accounts
API type | Industry-Standard
API group | Non-Patient Document Information Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Account?_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10508

Description

The Account resource acts as a central record against which charges, payments, and adjustments are applied. It contains information about which parties are responsible for payment of the account. A premium billing account is an account that tracks charges, payments and adjustments for either individual members' or group's insurance premiums.

The results returned by the Account (Premium Billing) resource are records created in Epic to define the account details for either an individual member's or group of members' insurance premiums and balance. Results are available in this API only after the relevant records have been built in Epic.

Account.Search (Premium Billing) allows a client to lookup premium billing account details by providing a specific premium billing account ID. The ID is typically returned as part of the response to a different FHIR resource request. Specifically, this

ID is currently returned only as part of DocumentReference.Read for document records that are linked to a premium billing account.

This API currently supports only the _id search parameter. As a result, it functions similarly to Account.Read (Premium Billing) (R4).

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.Account | Account | False | | | An instance of the R4 Account resource.
Bundle.entry.resource.Account.id | String | False | | | The Account FHIR ID.
Bundle.entry.resource.Account.identifier | Identifier | True | Yes | | The Epic premium billing account ID. Returns the Epic premium billing internal and external account ID (always).
Bundle.entry.resource.Account.name | String | True | | | The name of the Epic premium billing account.
Bundle.entry.resource.Account.status | String | False | | | The status of the account. Returns “active” or “inactive”.
Bundle.entry.resource.Account.type | CodeableConcept | True | | | “Individual Billing” or “Group Billing”. This populates only the text element for the CodeableConcept. “Individual Billing” and “Group Billing” are the only types supported for the premium billing sub-resource.

Sample request

```
https://hostname/instance/api/FHIR/R4/Account?_id= eAYf7QIMQBmXU-2KXgT9UcQ3
```

Sample response


```
{
    "resourceType": "Bundle",
    "type": "searchset",
    "total": 1,
    "link": [
        {
            "relation": "self",
            "url": " https://hostname/instance/api/FHIR/R4/Account?_id= frAT0crzaE6wVOdhrZAa-RA4 "
        }
    ],
    "entry": [
        {
            "link": [
                {
                    "relation": "self",
                    "url": " https://hostname/instance/api/FHIR/R4/Account?_id= frAT0crzaE6wVOdhrZAa-RA4 "
                }
            ],
            "fullUrl": " https://hostname/instance/api/FHIR/R4/Account?_id= frAT0crzaE6wVOdhrZAa-RA4 ",
            "resource": {
                "resourceType": "Account",
                "id": " frAT0crzaE6wVOdhrZAa-RA4 ",
                "identifier": [
                    {
                        "use": "official",
                        "type": {
                            "text": "INTERNAL"
                        },
                        "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.806665",
                        "value": "5851"
                    },
                    {
                        "use": "usual",
                        "type": {
                            "text": "EXTERNAL"
                        },
                        "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.3.806665.40",
                        "value": " I536574969487-59699 "
                    }
                ],
                "status": "active",
                "type": {
                    "text": "Individual Billing"
                },
                "name": "lpc, aq One
            },
            "search": {
                "mode": "match"
            }
        }
    ]
}
```


4.1.3 Contract.Read (Healthcare Services Reimbursement) (R4)

File: site/apis/04-Billing-Accounts/1-R4/10994-Contract-Read-Healthcare-Services-Reimbursement-R4.html
Epic API ID | 10994

FHIR version | R4
Categories | Billing Accounts
API type | Epic Public
API group | Document and Image Management Group
USCDI | No
HTTP method | GET
URL template | /api/FHIR/R4/Contract/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10994

Description

This web service is designed for third-party scanning integrations to request information about a contract record in the Epic system.

The Contract (Healthcare Services Reimbursement) resource response does not contain any information about which vendors or payers the contract is associated with, or any actual rate information. It contains only metadata about the record that is necessary to complete the scanning workflow.

Sample request

```
https://hostname/instance/api/FHIR/R4/Contract/fH-4DSny9MM6vL7n0Q9M6jg4
```

Sample response

```
<Contract xmlns="http://hl7.org/fhir">
  <id value="fH-4DSny9MM6vL7n0Q9M6jg4"/>
  <identifier>
    <system value="urn:oid:1.2.840.114350.1.13.861.1.7.2.786767"/>
    <value value="2334"/>
  </identifier>
  <name value=""/>
  <type>
    <coding>
      <code value="1"/>
      <display value="Vendor Contract"/>
    </coding>
    <text value="Vendor Contract"/>
  </type>
</Contract>
```

4.1.4 Contract.Search (Healthcare Services Reimbursement) (R4)

File: site/apis/04-Billing-Accounts/1-R4/10995-Contract-Search-Healthcare-Services-Reimbursement-R4.html
Epic API ID | 10995
FHIR version | R4
Categories | Billing Accounts
API type | Epic Public
API group | Document and Image Management Group
USCDI | No
HTTP method | GET
URL template | /api/FHIR/R4/Contract?_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10995

Description

This web service retrieves metadata related to different types of contracts in the Epic system.

The Contract (Healthcare Services Reimbursement) response includes only metadata about the contract itself. It does not contain any information about which vendors or payers the contract is associated with, or any actual rate information.

This Search interaction supports only the _id search parameter, making it similar to a Contract.Read request.

Sample request

```
https://hostname/instance/api/FHIR/R4/Contract?_id=fH-4DSny9MM6vL7n0Q9M6jg4
```

Sample response

```
<Bundle xmlns="http://hl7.org/fhir">
  <type value="searchset"/>
  <total value="1"/>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/R4/Contract?_id=fH-4DSny9MM6vL7n0Q9M6jg4"/>
```

```
  </link>
  <entry>
    <link>
      <relation value="self"/>
      <url value="https://hostname/instance/api/FHIR/R4/Contract/fH-4DSny9MM6vL7n0Q9M6jg4"/>
    </link>
    <fullUrl value="https://hostname/instance/api/FHIR/R4/Contract/fH-4DSny9MM6vL7n0Q9M6jg4"/>
    <resource>
      <Contract>
        <id value="fH-4DSny9MM6vL7n0Q9M6jg4"/>
        <identifier>
          <system value="urn:oid:1.2.840.114350.1.13.861.1.7.2.786767"/>
          <value value="2334"/>
        </identifier>
        <name value="MC "/>
        <type>
          <coding>
            <code value="1"/>
            <display value="Vendor Contract"/>
          </coding>
          <text value="Vendor Contract"/>
        </type>
      </Contract>
    </resource>
    <search>
      <mode value="match"/>
    </search>
  </entry>
</Bundle>
```

4.1.5 Coverage.Read (Patient Insurance Information) (R4)

File: site/apis/04-Billing-Accounts/1-R4/1076-Coverage-Read-Patient-Insurance-Information-R4.html
Epic API ID | 1076
FHIR version | R4
Categories | Billing Accounts
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | November 2020
HTTP method | GET
URL template | api/FHIR/R4/Coverage/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=1076

Description

Retrieves a Coverage resource by its FHIR ID. Epic coverage records linked to multiple patients have one Coverage resource per patient-coverage combination. The patient in the resource is called the beneficiary; in Epic, they are referred to as either the subscriber or the member.

In Epic, coverage records exhibit the following characteristics:

* The patient-level coverage list represents all possible insurances that could be billed for services. A patient might have a long list of possible coverages that are applicable only for specific services. Examples include third party liability, workers' comp, black lung insurance, Medicaid for ESRD, Medicare, commercial, and others.

* For any specific visit, an account record indicates which coverages are used for that visit.

* A single visit-level account can have multiple coverages attached. Coverage filing order indicates which is billed first.

* Coverages can be specific to one service area. For this reason, if you are searching across multiple service areas, a patient might have what appears to be duplicate coverages.

This resource respects patient-level break-the-glass checks as configured in Epic. Audit events are logged to the patient audit trail when a coverage is accessed by this resource.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | Required | | | The Coverage FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Coverage (R4) | Resource
Coverage (R4).beneficiary | Reference | | | 1..1 | The beneficiary (also known as the member) on the coverage. Contains the FHIR ID of the Patient resource and the name of the patient.

Coverage (R4).class | BackboneElement | | Yes | 1..* | Classification for the coverage. Can include information about the group or plan.

Coverage (R4).class.extension (alternate-id) (also: extension (alternate-id)) | Extension | | Yes | 0..1 | Alternate ID of the group associated with this class. URL: http://open.epic.com/FHIR/StructureDefinition/extension/alternate-id

Coverage (R4).class.extension (epic-id) (also: extension (epic-id)) | Extension | | Yes | 1..1 | Epic ID of the plan or group associated with this class. URL: http://open.epic.com/FHIR/StructureDefinition/extension/epic-id

Coverage (R4).class.name | string | | | 1..1 | Human-readable description of the type and value.

Coverage (R4).class.type | CodeableConcept | | | 1..1 | Type of class, such as 'group' or 'plan.'

Coverage (R4).class.value | string | | | 1..1 | Epic ID of the plan or group associated with the class.

Coverage (R4).contained | ResourceContainer | | Yes | | A container for a single FHIR resource.

Coverage (R4).contained.Organization | Resource | | | 0..1 | Information about the billing organization. Only populated if there is a valid billing address linked to the coverage.

Coverage (R4).contained.Organization.contact | BackboneElement | | Yes | 1..1 | Contact information for the billing organization.

Coverage (R4).contained.Organization.id | id | | | 1..1 | ID like 'org1' that is referenced from other elements but has no meaning outside the response.

Coverage (R4).contained.Organization.name | string | | | 1..1 | Name of the billing organization.

Coverage (R4).contained.Organization.type | CodeableConcept | | Yes | 1..1 | Type of billing organization. Can be one of the following: Insurance Payer Guarantor Account Insurance Plan Coverage

Coverage (R4).dependent | string | | | 0..1 | Member ID of the beneficiary on the coverage if they are not the subscriber.

Coverage (R4).extension (billing-organization) (also: extension (billing-organization)) | Extension | | Yes | 0..1 | Reference to the Organization FHIR resource representing the billing organization for the coverage, if that organization has a valid billing address on file. The reference takes the form '#org1' and links to an Organization resource contained within this response. The ID has no meaning outside this response. See the contained.Organization element for more information. URL: http://open.epic.com/FHIR/StructureDefinition/extension/billing-organization

Coverage (R4).extension (carrier) (also: extension (carrier)) | Extension | | Yes | 0..1 | The carrier. Only sent for managed care coverages. System: http://open.epic.com/FHIR/StructureDefinition/extension/carrier

Coverage (R4).extension (qualifying-patient-access) (also: extension (qualifying-patient-access)) | Extension | | Yes | 0..1 | Boolean indicating if coverage is a qualifying coverage based on Patient Access API configuration in the Tapestry Profile. Not returned in the patient context. URL: http://open.epic.com/FHIR/StructureDefinition/extension/qualifying-patient-access

Coverage (R4).id | id | | | 1..1 | The FHIR coverage ID. Epic coverage records linked to multiple patients have one FHIR coverage ID per patient-coverage combination.

Coverage (R4).identifier (epic-id) (also: identifier (epic-id)) | Identifier | | Yes | 1..1 | Epic coverage ID. System: urn:oid:1.2.840.114350.1.13.861.1.7.2.678671

Coverage (R4).identifier (member-number) (also: identifier (member-number)) | Identifier | | Yes | 1..1 | Member ID. System: http://terminology.hl7.org/CodeSystem/v2-0203 Code: MB

Coverage (R4).identifier (uzovi) (also: identifier (uzovi)) | Identifier | | Yes | 0..1 | UZOVI code. This is only returned for organizations in the Netherlands. System: http://fhir.nl/fhir/NamingSystem/uzovi

Coverage (R4).order | positiveInt | | | 0..1 | Position of this coverage within the patient-level filing order for the patient. This is different than the visit-level filing order for a patient's visit and might not match.

Coverage (R4).payor | Reference | | Yes | 1..1 | Payer on the coverage.

Coverage (R4).payor.identifier | Identifier | | | 1..1 | Epic payer ID.

Coverage (R4).payor.identifier.extension (alternate-id) (also: extension (alternate-id)) | Extension | | Yes | 0..1 | Epic ID of the alternate payer, if one exists. URL: http://open.epic.com/FHIR/StructureDefinition/extension/alternate-id

Coverage (R4).payor.reference | String | | | 1..1 | Reference to the Organization resource representing the payer.

Coverage (R4).period | Period | | | 0..1 | Effective dates of the coverage.

Coverage (R4).period.end | String | | | 0..1 | Effective end date of the coverage.

Coverage (R4).period.start | String | | | 0..1 | Effective start date of the coverage.

Coverage (R4).relationship | CodeableConcept | | | 1..1 | Patient (beneficiary) relationship to subscriber. These values can be customized if the Epic organization has defined custom values for Patient Relationship to Subscriber. Otherwise, the following default values are used: self spouse child employee unknown

Coverage (R4).status | code | | | 1..1 | Financial Resource Status Code. The following values are supported: active - the coverage is active and the patient is currently covered. cancelled - the coverage is inactive or invalid, or the patient is not currently covered. draft - the coverage is pending or in question. entered-in-error - the member never had any effective dates under the coverage.

Coverage (R4).subscriber | Reference | | | 1..1 | The subscriber. Contains the FHIR ID of the Patient resource and the name of the patient.

Coverage (R4).subscriber.identifier | Identifier | | | 0..1 | Medicaid number of the subscriber, if applicable.

Coverage (R4).subscriberId | string | | | 1..1 | Subscriber ID.

Coverage (R4).type | CodeableConcept | | | 0..1 | Payer type, such as PPO, HMO, or POST. If the coverage is Medicare or Medicaid, the corresponding coding appears in the list. Additionally, the US Public Health Data Consortium Source of Payment code listed on the plan or payer are included.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/Coverage/eBKb33.fOcCDzcOKBh7WZaKxS2HH337-B1pwn5q3jR4vbXvgv61Zub4BN2LmXP7Qv3
```

Sample response


```
{
 "resourceType": "Coverage",
 "id": "eBKb33.fOcCDzcOKBh7WZaKxS2HH337-B1pwn5q3jR4vbXvgv61Zub4BN2LmXP7Qv3",
 "extension": [
  {
   "valueReference": {
    "identifier": {
     "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.776782",
     "value": "136"
    },
    "display": "TAPESTRY CARRIER"
   },
   "url": "http://open.epic.com/FHIR/StructureDefinition/extension/carrier"
  },
  {
```

```
  "valueBoolean": true,
  "url": "http://open.epic.com/FHIR/StructureDefinition/extension/qualifying-patient-access"
 }
],
"identifier": [
 {
  "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.678671",
  "value": "131018"
 },
 {
  "type": {
   "coding": [
    {
     "system": "http://terminology.hl7.org/CodeSystem/v2-0203",
     "code": "MB",
     "display": "Member Number"
    }
   ]
  },
  "_value": {
   "extension": [
    {
     "valueString": "xxxx4958",
     "url": "http://hl7.org/fhir/StructureDefinition/rendered-value"
    }
   ]
  }
 }
],
"status": "active",
"type": {
 "coding": [
  {
   "system": "https://nahdo.org/sopt",
   "code": "5",
   "display": "PRIVATE HEALTH INSURANCE"
  }
 ],
 "text": "PRIVATE HEALTH INSURANCE"
},
"subscriber": {
 "reference": "Patient/e0jRZBpdruRTXMNFJnowPmA3",
 "display": "Smith, John"
},
"subscriberId": "16601301",
"beneficiary": {
 "reference": "Patient/eDfAD2JQzIh.HxyJNMVp3xQ3",
 "display": "Smith, Jane"
},
"dependent": "1660130102",
"relationship": {
 "coding": [
  {
   "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.678671.305",
   "code": "02",
   "display": "Spouse"
  },
  {
   "system": "http://terminology.hl7.org/CodeSystem/subscriber-relationship",
   "code": "spouse",
   "display": "Spouse"
  }
 ],
 "text": "Spouse"
},
"period": {
 "start": "2010-01-01"
},
"payor": [
 {
  "reference": "Organization/eDrmk3Jxoi4bxfFob.1Ejng3",
  "identifier": {
   "extension": [
    {
     "valueIdentifier": {
      "use": "usual",
      "system": "http://open.epic.com/FHIR/StructureDefinition/payer-id",
      "value": "7443"
     },
     "url": "http://open.epic.com/FHIR/StructureDefinition/extension/alternate-id"
    }
   ],
   "use": "official",
   "system": "http://open.epic.com/FHIR/StructureDefinition/payer-id",
   "value": "7443"
  },
  "display": "TAPESTRY PAYOR"
 }
],
```

```
 "class": [
  {
   "extension": [
    {
     "valueIdentifier": {
      "use": "usual",
      "value": "ADSFAS"
     },
     "url": "http://open.epic.com/FHIR/StructureDefinition/extension/alternate-id"
    }
   ],
   "type": {
    "coding": [
     {
      "system": "https://www.hl7.org/fhir/codesystem-coverage-class.html",
      "code": "group",
      "display": "Group"
     }
    ]
   },
   "value": "475",
   "name": "TAPESTRY EMPLOYER GROUP"
  },
  {
   "type": {
    "coding": [
     {
      "system": "https://www.hl7.org/fhir/codesystem-coverage-class.html",
      "code": "plan",
      "display": "Plan"
     }
    ]
   },
   "value": "1571",
   "name": "TAPESTRY BENEFIT PLAN"
  }
 ],
 "order": 1
 }
}
```


4.1.6 Coverage.Search (Patient Insurance Information) (R4)

File: site/apis/04-Billing-Accounts/1-R4/1078-Coverage-Search-Patient-Insurance-Information-R4.html
Epic API ID | 1078
FHIR version | R4
Categories | Billing Accounts
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | November 2020
HTTP method | GET
URL template | api/FHIR/R4/Coverage?patient={patient}&beneficiary={beneficiary}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=1078

Description

Searches for Coverage resources. Epic coverage records linked to multiple patients have one Coverage resource per patient-coverage combination. The patient in the resource is called the beneficiary; in Epic, they are referred to as either the subscriber or the member.

In Epic, coverage records exhibit the following characteristics:

* The patient-level coverage list represents all possible insurances that could be billed for services. A patient might have a long list of possible coverages that are applicable only for specific services. Examples include third party liability, workers' comp, black lung insurance, Medicaid for ESRD, Medicare, commercial, and others.

* For any specific visit, an account record indicates which coverages are used for that visit.

* A single visit-level account can have multiple coverages attached. Coverage filing order indicates which is billed first.

* Coverages can be specific to one service area. For this reason, if you are searching across multiple service areas, a patient might have what appears to be duplicate coverages.

This resource typically should not be used to determine which coverages are relevant for recent or upcoming visits and services. Instead, it returns all coverages that are potentially applicable to a patient.

This resource respects patient-level break-the-glass checks as configured in Epic. Audit events are logged to the patient audit trail when a coverage is accessed by this resource.

Request parameters

Name | Type | Optional | Array | Cardinality | Description

_count | number | Optional | Yes | | Number of results per page.

_id | token | Optional | Yes | | FHIR resource IDs for the desired resources. Can be used in combination with _count, _include, and _revInclude. All others will be ignored.

_include | string | Optional | Yes | | Used to indicate which referenced resources to include in the search bundle.

_revinclude | string | Optional | Yes | | Used to include Provenance or AuditEvent resources that refer to search results, when available.

beneficiary | reference | Conditional | Yes | | FHIR ID of the Patient resource that represents the beneficiary (either subscriber or member) on the coverage. Either the beneficiary or the patient must be specified in the search request. If both are specified, they must match.

patient | reference | Conditional | Yes | | FHIR ID of the Patient resource that represents the patient linked to the coverage. Either the beneficiary or the patient must be specified in the search request. If both are specified, they must match.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description

class-type | token | Optional | Yes | | Type of class such as 'group' or 'plan.'

class-value | string | Optional | Yes | | Epic ID of the plan or group associated with the class.

dependent | string | Optional | Yes | | Member ID of the beneficiary on the coverage if they are not the subscriber.

identifier | token | Optional | Yes | | Epic coverage ID. UZOVI code is also accepted for organizations in the Netherlands.

payor | reference | Optional | Yes | | FHIR ID of the billing organization on the coverage. See the contained.Organization element on the response for more information.

status | token | Optional | Yes | | Financial Resource Status Code. The following values are supported: active - the coverage is active and the patient is currently covered. cancelled - the coverage is inactive or invalid, or the patient is not currently covered. draft - the coverage is pending or in question. entered-in-error - the member never had any effective dates under the coverage.

subscriber | reference | Optional | Yes | | FHIR ID of the Patient resource that represents the subscriber on the coverage.

type | token | Optional | Yes | | Payer type, such as PPO, HMO, or POST. If the coverage is Medicare or Medicaid, the corresponding coding appears in the list. Additionally, the US Public Health Data Consortium Source of Payment code listed on the plan or payer are included.

Response elements

Name | Type | Optional | Array | Cardinality | Description

Coverage (R4) | Resource

Coverage (R4).beneficiary | Reference | | | 1..1 | The beneficiary (also known as the member) on the coverage. Contains the FHIR ID of the Patient resource and the name of the patient.

Coverage (R4).class | BackboneElement | | Yes | 1..* | Classification for the coverage. Can include information about the group or plan.

Coverage (R4).class.extension (alternate-id) (also: extension (alternate-id)) | Extension | | Yes | 0..1 | Alternate ID of the group associated with this class. URL: http://open.epic.com/FHIR/StructureDefinition/extension/alternate-id

Coverage (R4).class.extension (epic-id) (also: extension (epic-id)) | Extension | | Yes | 1..1 | Epic ID of the plan or group associated with this class. URL: http://open.epic.com/FHIR/StructureDefinition/extension/epic-id

Coverage (R4).class.name | string | | | 1..1 | Human-readable description of the type and value.

Coverage (R4).class.type | CodeableConcept | | | 1..1 | Type of class, such as 'group' or 'plan.'

Coverage (R4).class.value | string | | | 1..1 | Epic ID of the plan or group associated with the class.

Coverage (R4).contained | ResourceContainer | | Yes | | A container for a single FHIR resource.

Coverage (R4).contained.Organization | Resource | | | 0..1 | Information about the billing organization. Only populated if there is a valid billing address linked to the coverage.

Coverage (R4).contained.Organization.contact | BackboneElement | | Yes | 1..1 | Contact information for the billing organization.

Coverage (R4).contained.Organization.id | id | | | 1..1 | ID like 'org1' that is referenced from other elements but has no meaning outside the response.

Coverage (R4).contained.Organization.name | string | | | 1..1 | Name of the billing organization.

Coverage (R4).contained.Organization.type | CodeableConcept | | Yes | 1..1 | Type of billing organization. Can be one of the following: Insurance Payer Guarantor Account Insurance Plan Coverage

Coverage (R4).dependent | string | | | 0..1 | Member ID of the beneficiary on the coverage if they are not the subscriber.

Coverage (R4).extension (billing-organization) (also: extension (billing-organization)) | Extension | | Yes | 0..1 | Reference to the Organization FHIR resource representing the billing organization for the coverage, if that organization has a valid billing address on file. The reference takes the form '#org1' and links to an Organization resource contained within this response. The ID has no meaning outside this response. See the contained.Organization element for more information. URL: http://open.epic.com/FHIR/StructureDefinition/extension/billing-organization

Coverage (R4).extension (carrier) (also: extension (carrier)) | Extension | | Yes | 0..1 | The carrier. Only sent for managed care coverages. System: http://open.epic.com/FHIR/StructureDefinition/extension/carrier

Coverage (R4).extension (qualifying-patient-access) (also: extension (qualifying-patient-access)) | Extension | | Yes | 0..1 | Boolean indicating if coverage is a qualifying coverage based on Patient Access API configuration in the Tapestry Profile. Not returned in the patient context. URL: http://open.epic.com/FHIR/StructureDefinition/extension/qualifying-patient-access

Coverage (R4).id | id | | | 1..1 | The FHIR coverage ID. Epic coverage records linked to multiple patients have one FHIR coverage ID per patient-coverage combination.

Coverage (R4).identifier (epic-id) (also: identifier (epic-id)) | Identifier | | Yes | 1..1 | Epic coverage ID. System: urn:oid:1.2.840.114350.1.13.861.1.7.2.678671

Coverage (R4).identifier (member-number) (also: identifier (member-number)) | Identifier | | Yes | 1..1 | Member ID. System: http://terminology.hl7.org/CodeSystem/v2-0203 Code: MB

Coverage (R4).identifier (uzovi) (also: identifier (uzovi)) | Identifier | | Yes | 0..1 | UZOVI code. This is only returned for organizations in the Netherlands. System: http://fhir.nl/fhir/NamingSystem/uzovi

Coverage (R4).order | positiveInt | | | 0..1 | Position of this coverage within the patient-level filing order for the patient. This is different than the visit-level filing order for a patient's visit and might not match.

Coverage (R4).payor | Reference | | Yes | 1..1 | Payer on the coverage.

Coverage (R4).payor.identifier | Identifier | | | 1..1 | Epic payer ID.

Coverage (R4).payor.identifier.extension (alternate-id) (also: extension (alternate-id)) | Extension | | Yes | 0..1 | Epic ID of the alternate payer, if one exists. URL: http://open.epic.com/FHIR/StructureDefinition/extension/alternate-id

Coverage (R4).payor.reference | String | | | 1..1 | Reference to the Organization resource representing the payer.

Coverage (R4).period | Period | | | 0..1 | Effective dates of the coverage.

Coverage (R4).period.end | String | | | 0..1 | Effective end date of the coverage.

Coverage (R4).period.start | String | | | 0..1 | Effective start date of the coverage.

Coverage (R4).relationship | CodeableConcept | | | 1..1 | Patient (beneficiary) relationship to subscriber. These values can be customized if the Epic organization has defined custom values for Patient Relationship to Subscriber. Otherwise, the following default values are used: self spouse child employee unknown

Coverage (R4).status | code | | | 1..1 | Financial Resource Status Code. The following values are supported: active - the coverage is active and the patient is currently covered. cancelled - the coverage is inactive or invalid, or the patient is not currently covered. draft - the coverage is pending or in question. entered-in-error - the member never had any effective dates under the coverage.

Coverage (R4).subscriber | Reference | | | 1..1 | The subscriber. Contains the FHIR ID of the Patient resource and the name of the patient.

Coverage (R4).subscriber.identifier | Identifier | | | 0..1 | Medicaid number of the subscriber, if applicable.

Coverage (R4).subscriberId | string | | | 1..1 | Subscriber ID.

Coverage (R4).type | CodeableConcept | | | 0..1 | Payer type, such as PPO, HMO, or POST. If the coverage is Medicare or Medicaid, the corresponding coding appears in the list. Additionally, the US Public Health Data Consortium Source of Payment code listed on the plan or payer are included.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/coverage?patient=ee7NTBargpnWU-MaI95A5fA3
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 2,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/Coverage?patient=ee7NTBargpnWU-MaI95A5fA3"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/Coverage/eMsKYb2ct19HejaYSojl-IAj9Prv.CmuooUxYpvnJzOk3"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/R4/Coverage/eMsKYb2ct19HejaYSojl-IAj9Prv.CmuooUxYpvnJzOk3",
      "resource": {
        "resourceType": "Coverage",
        "id": "eMsKYb2ct19HejaYSojl-IAj9Prv.CmuooUxYpvnJzOk3",
        "extension": [
          {
            "valueReference": {
              "identifier": {
                "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.776782",
                "value": "136"
              },
              "display": "TAPESTRY CARRIER"
            },
            "url": "http://open.epic.com/FHIR/StructureDefinition/extension/carrier"
          },
          {
            "valueBoolean": true,
            "url": "http://open.epic.com/FHIR/StructureDefinition/extension/qualifying-patient-access"
          }
        ],
        "identifier": [
          {
            "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.678671",
            "value": "19280"
          },
          {
            "type": {
              "coding": [
                {
                  "system": "http://terminology.hl7.org/CodeSystem/v2-0203",
                  "code": "MB",
                  "display": "Member Number"
                }
              ]
            },
            "_value": {
              "extension": [
                {
                  "valueString": "xxxx4958",
                  "url": "http://hl7.org/fhir/StructureDefinition/rendered-value"
                }
```

```
      ]
    }
  }
],
"status": "active",
"type": {
  "coding": [
    {
      "system": "https://nahdo.org/sopt",
      "code": "5",
      "display": "PRIVATE HEALTH INSURANCE"
    }
  ],
  "text": "PRIVATE HEALTH INSURANCE"
},
"subscriber": {
  "reference": "Patient/ee7NTBargpnWU-MaI95A5fA3",
  "display": "Smith, John"
},
"subscriberId": "11933501",
"beneficiary": {
  "reference": "Patient/ee7NTBargpnWU-MaI95A5fA3",
  "display": "Smith, John"
},
"relationship": {
  "coding": [
    {
      "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.678671.305",
      "code": "01",
      "display": "Self"
    },
    {
      "system": "http://terminology.hl7.org/CodeSystem/subscriber-relationship",
      "code": "self",
      "display": "Self"
    }
  ],
  "text": "Self"
},
"period": {
  "start": "2010-01-01"
},
"payor": [
  {
    "reference": "Organization/eDrmk3Jxoi4bxfFob.1Ejng3",
    "identifier": {
      "extension": [
        {
          "valueIdentifier": {
            "use": "usual",
            "system": "http://open.epic.com/FHIR/StructureDefinition/payer-id",
            "value": "7443"
          },
          "url": "http://open.epic.com/FHIR/StructureDefinition/extension/alternate-id"
        }
      ],
      "use": "official",
      "system": "http://open.epic.com/FHIR/StructureDefinition/payer-id",
      "value": "7443"
    },
    "display": "TAPESTRY PAYOR"
  }
],
"class": [
  {
    "extension": [
      {
        "valueIdentifier": {
          "use": "usual",
          "value": "ADSFAS"
        },
        "url": "http://open.epic.com/FHIR/StructureDefinition/extension/alternate-id"
      }
    ],
    "type": {
      "coding": [
        {
          "system": "https://www.hl7.org/fhir/codesystem-coverage-class.html",
          "code": "group",
          "display": "Group"
        }
      ]
    },
    "value": "475",
    "name": "TAPESTRY EMPLOYER GROUP"
  },
  {
    "type": {
      "coding": [
```

```
            {
              "system": "https://www.hl7.org/fhir/codesystem-coverage-class.html",
              "code": "plan",
              "display": "Plan"
            }
          ]
        },
        "value": "1571",
        "name": "TAPESTRY BENEFIT PLAN"
      }
    ],
    "order": 1
  },
  "search": {
    "mode": "match"
  }
},
{
  "link": [
    {
      "relation": "self",
      "url":
"https://hostname/instance/api/FHIR/R4/Coverage/eBKb33.fOcCDzcOKBh7WZaKxS2HH337-B1pwn5q3jR4vbXvgv61Zub4BN2LmXP7Qv3"
    }
  ],
  "fullUrl":
"https://hostname/instance/api/FHIR/R4/Coverage/eBKb33.fOcCDzcOKBh7WZaKxS2HH337-B1pwn5q3jR4vbXvgv61Zub4BN2LmXP7Qv3",
  "resource": {
    "resourceType": "Coverage",
    "id": "eBKb33.fOcCDzcOKBh7WZaKxS2HH337-B1pwn5q3jR4vbXvgv61Zub4BN2LmXP7Qv3",
    "extension": [
      {
        "valueReference": {
          "identifier": {
            "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.776782",
            "value": "136"
          },
          "display": "TAPESTRY CARRIER"
        },
        "url": "http://open.epic.com/FHIR/StructureDefinition/extension/carrier"
      },
      {
        "valueBoolean": true,
        "url": "http://open.epic.com/FHIR/StructureDefinition/extension/qualifying-patient-access"
      }
    ],
    "identifier": [
      {
        "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.678671",
        "value": "131018"
      }
    ],
    "status": "active",
    "subscriber": {
      "reference": "Patient/e0jRZBpdruRTXMNFJnowPmA3",
      "display": "Smith, Jane"
    },
    "subscriberId": "16601301",
    "beneficiary": {
      "reference": "Patient/ee7NTBargpnWU-MaI95A5fA3",
      "display": "Smith, John"
    },
    "dependent": "1660130102",
    "relationship": {
      "coding": [
        {
          "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.678671.305",
          "code": "02",
          "display": "Spouse"
        },
        {
          "system": "http://terminology.hl7.org/CodeSystem/subscriber-relationship",
          "code": "spouse",
          "display": "Spouse"
        }
      ],
      "text": "Spouse"
    },
    "period": {
      "start": "2010-01-01"
    },
    "payor": [
      {
        "identifier": {
          "extension": [
            {
              "valueIdentifier": {
                "use": "usual",
                "system": "http://open.epic.com/FHIR/StructureDefinition/payer-id",
```

```
                  "value": "7443"
                },
                "url": "http://open.epic.com/FHIR/StructureDefinition/extension/alternate-id"
              }
            ],
            "use": "official",
            "system": "http://open.epic.com/FHIR/StructureDefinition/payer-id",
            "value": "7443"
          },
          "display": "TAPESTRY PAYOR"
        }
      ],
      "class": [
        {
          "extension": [
            {
              "valueIdentifier": {
                "use": "usual",
                "value": "ADSFAS"
              },
              "url": "http://open.epic.com/FHIR/StructureDefinition/extension/alternate-id"
            }
          ],
          "type": {
            "coding": [
              {
                "system": "https://www.hl7.org/fhir/codesystem-coverage-class.html",
                "code": "group",
                "display": "Group"
              }
            ]
          },
          "value": "475",
          "name": "TAPESTRY EMPLOYER GROUP"
        },
        {
          "type": {
            "coding": [
              {
                "system": "https://www.hl7.org/fhir/codesystem-coverage-class.html",
                "code": "plan",
                "display": "Plan"
              }
            ]
          },
          "value": "1571",
          "name": "TAPESTRY BENEFIT PLAN"
        }
      ],
      "order": 2
    },
    "search": {
      "mode": "match"
    }
  }
 ]
}
```


4.1.7 Flag.Read (Patient FYI) (R4)

File: site/apis/04-Billing-Accounts/1-R4/10165-Flag-Read-Patient-FYI-R4.html
Epic API ID | 10165
FHIR version | R4
Categories | Billing Accounts
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2021
HTTP method | GET
URL template | /api/FHIR/R4/Flag/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10165

Description

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | The Flag FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Flag | Flag | False | | | A single instance of a Flag resource.
Flag.category | CodeableConcept | True | Yes | | For patient FYIs, this is set to "patient-fyi" and LOINC code 74018-3 – Alert.
Flag.code | CodeableConcept | False | | | The type and content of the FYI.
Flag.code.coding | Coding | False | Yes | | The type of FYI, as specified in the note record, and optionally an external mapping for that type.
Flag.code.text | String | True | | | The content of the FYI.
Flag.id | String | False | | | The Flag FHIR ID.
Flag.period | Period | True | | | The most recent period when the flag was active. If the flag is currently active, only period.start is populated.
Flag.period.end | String | True | | | Date when the flag was inactivated.
Flag.period.start | String | False | | | Date when the flag was created/activated.
Flag.status | String | False | | | The status of the FYI.
Flag.subject | Reference | False | | | The patient associated with the flag.

Sample request

```
https://hostname/instance/api/FHIR/R4/Flag/eNKB8jKjP1zEk-FRpiajqnWp7beLw0YTA5ksNWTEnwQk3
```

Sample response

```
<Flag xmlns="http://hl7.org/fhir">
  <id value="eNKB8jKjP1zEk-FRpiajqnWp7beLw0YTA5ksNWTEnwQk3"/>
  <status value="active"/>
  <category>
    <coding>
      <system value="http://open.epic.com/FHIR/StructureDefinition/flag-category"/>
      <code value="patient-fyi"/>
      <display value="Patient FYI Flag"/>
    </coding>
    <coding>
      <system value="http://loinc.org"/>
      <code value="74018-3"/>
      <display value="alert"/>
    </coding>
  </category>
  <code>
    <coding>
      <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.10.727879.560"/>
      <code value="1"/>
      <display value="General"/>
    </coding>
    <text value="Jennifer enjoys hiking."/>
  </code>
  <subject>
    <reference value="Patient/ezHbeFCm6Ih8kgxuHUAdvJQ3"/>
    <display value="Smith, Jennifer"/>
  </subject>
  <period>
    <start value="2021-05-03T18:40:48Z"/>
  </period>
</Flag>
```

4.1.8 Flag.Search (Patient FYI) (R4)

File: site/apis/04-Billing-Accounts/1-R4/10166-Flag-Search-Patient-FYI-R4.html
Epic API ID | 10166
FHIR version | R4
Categories | Billing Accounts
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2021
HTTP method | GET;POST
URL template | /api/FHIR/R4/Flag?category={category}&patient={patient}&status={status}&subject={subject}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10166

Description

Request parameters

Name | Type | Optional | Array | Cardinality | Description
category | String | True | | | Always "patient-fyi" for this web service.
patient | String | Either patient or subject must be specified. If both are specified, they must match. | | | Reference to a Patient resource the Flag is for.
status | String | True | | | Status of the patient FYI. If no status is specified, all FYIs are returned.

subject | String | Either patient or subject must be specified. If both are specified, they must match. | | | Reference to a Patient resource the Flag is for.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
author | String | True | | | Unsupported
date | String | True | | | The most recent period when the flag was active. If the flag is currently active, only period.start is populated.
identifier | String | True | | | Unsupported

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.Flag | Flag | False | | | A single instance of a Flag resource.
Bundle.entry.resource.Flag.category | CodeableConcept | True | Yes | | For patient FYIs, this is set to "patient-fyi" and LOINC code 74018-3 – Alert.
Bundle.entry.resource.Flag.code | CodeableConcept | False | | | The type and content of the FYI.
Bundle.entry.resource.Flag.code.coding | Coding | False | Yes | | The type of FYI, as specified in the note record, and optionally an external mapping for that type.
Bundle.entry.resource.Flag.code.text | String | False | | | The content of the FYI.
Bundle.entry.resource.Flag.id | String | False | | | The Flag FHIR ID.
Bundle.entry.resource.Flag.period | Period | True | | | The most recent period when the flag was active. If the flag is currently active, only period.start is populated.
Bundle.entry.resource.Flag.period.end | String | True | | | Date when the flag was inactivated.
Bundle.entry.resource.Flag.period.start | String | False | | | Date when the flag was created/activated.
Bundle.entry.resource.Flag.status | String | False | | | The status of the FYI.
Bundle.entry.resource.Flag.subject | Reference | False | | | The patient associated with the flag.

Sample request

```
https://hostname/instance/api/FHIR/R4/Flag?patient=ezHbeFCm6Ih8kgxuHUAdvJQ3&category=patient-fyi
```

Sample response

```
<Bundle xmlns="http://hl7.org/fhir">
  <type value="searchset"/>
  <total value="2"/>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/R4/Flag?patient=ezHbeFCm6Ih8kgxuHUAdvJQ3"/>
  </link>
  <entry>
    <link>
      <relation value="self"/>
      <url value="https://hostname/instance/api/FHIR/R4/Flag/eNKB8jKjP1zEk-FRpiajqnWp7beLw0YTA5ksNWTEnwQk3"/>
    </link>
    <fullUrl value="https://hostname/instance/api/FHIR/R4/Flag/eNKB8jKjP1zEk-FRpiajqnWp7beLw0YTA5ksNWTEnwQk3"/>
    <resource>
      <Flag>
        <id value="eNKB8jKjP1zEk-FRpiajqnWp7beLw0YTA5ksNWTEnwQk3"/>
        <status value="active"/>
        <category>
          <coding>
            <system value="http://open.epic.com/FHIR/StructureDefinition/flag-category"/>
            <code value="patient-fyi"/>
            <display value="Patient FYI Flag"/>
          </coding>
          <coding>
            <system value="http://loinc.org"/>
            <code value="74018-3"/>
            <display value="alert"/>
          </coding>
        </category>
        <code>
          <coding>
            <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.10.727879.560"/>
            <code value="1"/>
            <display value="General"/>
          </coding>
          <text value="Jennifer enjoys hiking."/>
        </code>
        <subject>
          <reference value="Patient/ezHbeFCm6Ih8kgxuHUAdvJQ3"/>
          <display value="Smith, Jennifer"/>
        </subject>
        <period>
          <start value="2021-05-03T18:40:48Z"/>
        </period>
      </Flag>
    </resource>
    <search>
```

```
      <mode value="match"/>
    </search>
  </entry>
  <entry>
    <link>
      <relation value="self"/>
      <url value="https://hostname/instance/api/FHIR/R4/Flag/eNKB8jKjP1zEk-FRpiAHajqnsdfWp7beLw0YTA5ksNWT3"/>
    </link>
    <fullUrl value="https://hostname/instance/api/FHIR/R4/Flag/eNKB8jKjP1zEk-FRpiAHajqnsdfWp7beLw0YTA5ksNWT3"/>
    <resource>
      <Flag>
        <id value="eNKB8jKjP1zEk-FRpiAHajqnsdfWp7beLw0YTA5ksNWT3"/>
        <status value="inactive"/>
        <category>
          <coding>
            <system value="http://open.epic.com/FHIR/StructureDefinition/flag-category"/>
            <code value="patient-fyi"/>
            <display value="Patient FYI Flag"/>
          </coding>
          <coding>
            <system value="http://loinc.org"/>
            <code value="74018-3"/>
            <display value="alert"/>
          </coding>
        </category>
        <code>
          <coding>
            <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.10.727879.560"/>
            <code value="1"/>
            <display value="General"/>
          </coding>
          <text value="Patient is temporarily living with sister. Double check appointment and pharmacy locations during
     visits."/>
        </code>
        <subject>
          <reference value="Patient/ezHbeFCm6Ih8kgxuHUAdvJQ3"/>
          <display value="Smith, Jennifer"/>
        </subject>
        <period>
          <start value="2018-04-03T16:12:37Z"/>
          <end value="2018-11-15T18:42:15Z"/>
        </period>
      </Flag>
    </resource>
    <search>
      <mode value="match"/>
    </search>
  </entry>
</Bundle>
```


4.2 Billing Accounts: STU3

File: site/apis/04-Billing-Accounts/2-STU3/index.html

* Coverage.Read (Patient Insurance Information) (STU3)
* Coverage.Search (Patient Insurance Information) (STU3)
* Flag.Read (Patient FYI) (STU3)
* Flag.Search (Patient FYI) (STU3)

4.2.1 Coverage.Read (Patient Insurance Information) (STU3)

File: site/apis/04-Billing-Accounts/2-STU3/1077-Coverage-Read-Patient-Insurance-Information-STU3.html
Epic API ID | 1077
FHIR version | STU3
Categories | Billing Accounts
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | November 2020
HTTP method | GET
URL template | api/FHIR/STU3/Coverage/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=1077

Description

Retrieves a Coverage resource by its FHIR ID. Coverage resources correspond to coverage records in Epic.

In Epic, coverage records exhibit the following characteristics:

* The patient-level coverage list represents all possible insurances that could be billed for services. A patient might have a long list of possible coverages that are applicable only for specific services. Examples include third party liability, worker's comp, black lung insurance, Medicaid for ESRD, Medicare, commercial, etc.

* For any specific visit, an account record will indicate which coverages will be used for that visit.

* A single visit-level account may have multiple coverages attached. Coverage filing order indicates which is billed first.

* Coverages are specific to service area. For this reason, if you are searching across multiple service areas, a patient might have what appears to be duplicate coverages.

This resource typically should not be used to determine which coverages are relevant for recent or upcoming visits and services. Instead, it returns all coverages that are potentially applicable to a patient.

This resource respects patient-level break-the-glass checks as configured in Epic. Audit events are logged to the patient audit trail when a coverage is accessed by this resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Coverage | Coverage | False
Coverage.beneficiary | Reference | False | | | The beneficiary
Coverage.extension (also: carrier) | Extension | True | Yes | | The carrier.
Coverage.dependent | String | False | | | The dependent.
Coverage.identifier | Identifier | False | Yes | | Coverage ID. This element also includes the UZOVI code for Dutch organizations.
Coverage.extension (also: line-of-business) | Extension | True | Yes | | The line of business for the coverage.
Coverage.meta | Meta | True | | | The document metadata.
Coverage.meta.profile | String | True | | | Available in Netherlands environments only. This environment shows that this API conforms to the profile connected to the following canonical url: http://nictiz.nl/fhir/StructureDefinition/zib-Payer
Coverage.payor | Reference | False | Yes | | The payer name. Starting in the November 2021 version of Epic, this is a reference to the Organization resource.
Coverage.period | Period | False | | | Effective dates
Coverage.extension (also: qualifying-patient-access) | Extension | False | Yes | | Boolean indicating if coverage is a qualifying coverage based on Patient Access API.
Coverage.relationship | CodeableConcept | False | | | Patient (beneficiary) relationship to subscriber. self spouse child employee unknown
Coverage.status | String | False | | | Financial Resource Status Code. The following values are supported: active cancelled draft
Coverage.subscriber | Reference | False | | | The subscriber
Coverage.subscriberId | String | False | | | Subscriber ID

Sample request

```
https://hostname/instance/api/FHIR/STU3/Coverage/elXVYEmbHxp3PH1L1zLolcd1pAKhctEHtzauwKkOcdrQ3
```

Sample response


```
{
  "resourceType": "Coverage",
  "id": "elXVYEmbHxp3PH1L1zLolcd1pAKhctEHtzauwKkOcdrQ3",
  "identifier": [
    {
      "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.678671",
      "value": "11104"
    }
  ],
  "status": "active",
  "subscriber": {
    "reference": "https://server/instance/api/FHIR/STU3/Patient/ee7NTBargpnWU-MaI95A5fA3",
    "display": "Washington, Janae"
  },
  "subscriberId": "xxx053B",
  "beneficiary": {
    "reference": "https://server/instance/api/FHIR/STU3/Patient/ee7NTBargpnWU-MaI95A5fA3",
    "display": "Washington, Janae"
  },
  "relationship": {
    "coding": [
      {
        "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.678671.305",
        "code": "01",
        "display": "Self"
      },
      {
        "system": "http://terminology.hl7.org/CodeSystem/subscriber-relationship",
        "code": "self",
        "display": "Self"
      }
    ],
    "text": "Self"
  },
  "period": {
    "start": "2018-11-15",
    "end": "2034-11-15"
```

```
  },
  "payor": [
    {
      "reference": "https://server/instance/api/FHIR/STU3/Organization/eDrmk3Jxoi4bxfFob.1Ejng3",
      "display": "HOMETOWN PAYOR"
    }
  ]
}
```

4.2.2 Coverage.Search (Patient Insurance Information) (STU3)

File: site/apis/04-Billing-Accounts/2-STU3/1079-Coverage-Search-Patient-Insurance-Information-STU3.html
Epic API ID | 1079
FHIR version | STU3
Categories | Billing Accounts
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | November 2020
HTTP method | GET
URL template | api/FHIR/STU3/Coverage?beneficiary={beneficiary}&patient={patient}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=1079

Description

Searches for Coverage resources. Coverage resources correspond to coverage records in Epic.

In Epic, coverage records exhibit the following characteristics:

* The patient-level coverage list represents all possible insurances that could be billed for services. A patient might have a long list of possible coverages that are applicable only for specific services. Examples include third party liability, worker's comp, black lung insurance, Medicaid for ESRD, Medicare, commercial, etc.

* For any specific visit, an account record will indicate which coverages will be used for that visit.

* A single visit-level account may have multiple coverages attached. Coverage filing order indicates which is billed first.

* Coverages are specific to service area. For this reason, if you are searching across multiple service areas, a patient might have what appears to be duplicate coverages.

This resource typically should not be used to determine which coverages are relevant for recent or upcoming visits and services. Instead, it returns all coverages that are potentially applicable to a patient.

This resource respects patient-level break-the-glass checks as configured in Epic. Audit events are logged to the patient audit trail when a coverage is accessed by this resource.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
beneficiary | String | False | | | Either the beneficiary or the patient must be specified in the search request. If both are specified, they must match.
patient | String | False | | | Either the beneficiary or the patient must be specified in the search request. If both are specified, they must match.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | Entry | False | Yes | | A single entry in the resource bundle.
Bundle.entry.resource | ResourceContainer | False | | | A single resource returned as part of this bundle.
Bundle.entry.resource.Coverage | Coverage | False
Bundle.entry.resource.Coverage.beneficiary | Reference | False | | | The beneficiary
Bundle.entry.resource.Coverage.extension (also: carrier) | Extension | False | Yes | | The carrier.
Bundle.entry.resource.Coverage.dependent | String | False | | | The dependent.
Bundle.entry.resource.Coverage.identifier | Identifier | False | Yes | | Coverage ID. This element also includes the UZOVI code for Dutch organizations.
Bundle.entry.resource.Coverage.extension (also: line-of-business) | Extension | True | Yes | | The line of business for the coverage.
Bundle.entry.resource.Coverage.meta | Meta | True | | | The document metadata.
Bundle.entry.resource.Coverage.meta.profile | String | True | | | Available in Netherlands environments only. This environment shows that this API conforms to the profile connected to the following canonical url: http://nictiz.nl/fhir/StructureDefinition/zib-Payer
Bundle.entry.resource.Coverage.payor | Reference | False | Yes | | The payer name. Starting in the November 2021 version of Epic, this is a reference to the Organization resource.
Bundle.entry.resource.Coverage.period | Period | False | | | Effective dates
Bundle.entry.resource.Coverage.extension (also: qualifying-patient-access) | Extension | False | Yes | | Boolean indicating if coverage is a qualifying coverage based on Patient Access API configuration in the Tapestry Profile.

Bundle.entry.resource.Coverage.relationship | CodeableConcept | False | | | Patient (beneficiary) relationship to subscriber. self spouse child employee unknown

Bundle.entry.resource.Coverage.status | String | False | | | Financial Resource Status Code. The following values are supported: active cancelled draft

Bundle.entry.resource.Coverage.subscriber | Reference | False | | | The subscriber

Bundle.entry.resource.Coverage.subscriberId | String | False | | | Subscriber ID

Sample request

```
https://hostname/instance/api/FHIR/STU3/coverage?patient=ee7NTBargpnWU-MaI95A5fA3
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://server/instance/api/FHIR/STU3/Coverage?patient=ee7NTBargpnWU-MaI95A5fA3"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/STU3/Coverage/elXVYEmbHxp3PH1L1zLolcd1pAKhctEHtzauwKkOcdrQ3"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/STU3/Coverage/elXVYEmbHxp3PH1L1zLolcd1pAKhctEHtzauwKkOcdrQ3",
      "resource": {
        "resourceType": "Coverage",
        "id": "elXVYEmbHxp3PH1L1zLolcd1pAKhctEHtzauwKkOcdrQ3",
        "identifier": [
          {
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.678671",
            "value": "11104"
          }
        ],
        "status": "active",
        "subscriber": {
          "reference": "https://hostname/instance/api/FHIR/STU3/Patient/ee7NTBargpnWU-MaI95A5fA3",
          "display": "Washington, Janae"
        },
        "subscriberId": "xxx053B",
        "beneficiary": {
          "reference": "https://hostname/instance/api/FHIR/STU3/Patient/ee7NTBargpnWU-MaI95A5fA3",
          "display": "Washington, Janae"
        },
        "relationship": {
          "coding": [
            {
              "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.678671.305",
              "code": "01",
              "display": "Self"
            },
            {
              "system": "http://terminology.hl7.org/CodeSystem/subscriber-relationship",
              "code": "self",
              "display": "Self"
            }
          ],
          "text": "Self"
        },
        "period": {
          "start": "2018-11-15",
          "end": "2034-11-15"
        },
        "payor": [
          {
            "reference": "https://hostname/instance/api/FHIR/STU3/Organization/eDrmk3Jxoi4bxfFob.1Ejng3",
            "display": "HOMETOWN PAYOR"
          }
        ]
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


4.2.3 Flag.Read (Patient FYI) (STU3)

File: site/apis/04-Billing-Accounts/2-STU3/10167-Flag-Read-Patient-FYI-STU3.html
Epic API ID | 10167
FHIR version | STU3
Categories | Billing Accounts
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2021
HTTP method | GET
URL template | /api/FHIR/STU3/Flag/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10167

Description

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | The Flag FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Flag | Flag | False | | | A single instance of a Flag resource.
Flag.category | CodeableConcept | True | | | For patient FYIs, this is set to "patient-fyi" and LOINC code 74018-3 – Alert.
Flag.code | CodeableConcept | False | | | Code.coding is set to the type of FYI, as specified in the note record, and optionally an external mapping for that type. Code.text is set to the content of the FYI.
Flag.code.coding | Coding | False | Yes | | The type of FYI, as specified in the note record, and optionally an external mapping for that type.
Flag.code.text | String | True | | | The content of the FYI.
Flag.id | String | False | | | The Flag FHIR ID.
Flag.period | Period | True | | | The most recent period when the flag was active. If the flag is currently active, only period.start is populated.
Flag.period.end | String | True | | | Date when the flag was inactivated.
Flag.period.start | String | False | | | Date when the flag was created/activated.
Flag.status | String | False | | | The status of the FYI.
Flag.subject | Reference | False | | | The patient associated with the flag.

Sample request

```
https://hostname/instance/api/FHIR/STU3/Flag/eNKB8jKjP1zEk-FRpiajqnWp7beLw0YTA5ksNWTEnwQk3
```

Sample response

```
<Flag xmlns="http://hl7.org/fhir">
  <id value="eNKB8jKjP1zEk-FRpiajqnWp7beLw0YTA5ksNWTEnwQk3"/>
  <status value="active"/>
  <category>
    <coding>
      <system value="http://open.epic.com/FHIR/StructureDefinition/flag-category"/>
      <code value="patient-fyi"/>
      <display value="Patient FYI Flag"/>
    </coding>
    <coding>
      <system value="http://loinc.org"/>
      <code value="74018-3"/>
      <display value="alert"/>
    </coding>
  </category>
  <code>
    <coding>
      <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.10.727879.560"/>
      <code value="1"/>
      <display value="General"/>
    </coding>
    <text value="Jennifer enjoys hiking."/>
  </code>
  <subject>
    <reference value="https://hostname/instance/api/FHIR/STU3/Patient/ezHbeFCm6Ih8kgxuHUAdvJQ3"/>
    <display value="Smith, Jennifer"/>
  </subject>
  <period>
    <start value="2021-05-03T18:40:48Z"/>
  </period>
</Flag>
```

4.2.4 Flag.Search (Patient FYI) (STU3)

File: site/apis/04-Billing-Accounts/2-STU3/10168-Flag-Search-Patient-FYI-STU3.html
Epic API ID | 10168
FHIR version | STU3
Categories | Billing Accounts
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2021
HTTP method | GET;POST
URL template | /api/FHIR/STU3/Flag?patient={patient}&status={status}&subject={subject}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10168

Description

Request parameters

Name | Type | Optional | Array | Cardinality | Description
category | String | True | | | Always "patient-fyi" for this web service.
patient | String | Either patient or subject must be specified. If both are specified, they must match. | | | Reference to the Patient for whom the Flag was created.
status | String | False | | | Status of the patient FYI.
subject | String | Either patient or subject must be specified. If both are specified, they must match. | | | Reference to the Patient for whom the Flag was created.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | Entry | False | Yes | | A single entry in the resource bundle.
Bundle.entry.resource | ResourceContainer | False | | | A single resource returned as part of this bundle.
Bundle.entry.resource.Flag | Flag | False | | | A single instance of a Flag resource.
Bundle.entry.resource.Flag.category | CodeableConcept | False | | | For patient FYIs, this is set to "patient-fyi" and LOINC code 74018-3 - Alert.
Bundle.entry.resource.Flag.code | CodeableConcept | False | | | The type and content of the FYI.
Bundle.entry.resource.Flag.code.coding | Coding | False | Yes | | The type of FYI, as specified in the note record, and optionally an external mapping for that type.
Bundle.entry.resource.Flag.code.text | String | False | | | The content of the FYI.
Bundle.entry.resource.Flag.id | String | False | | | The Flag FHIR ID.
Bundle.entry.resource.Flag.period | Period | False | | | The most recent period when the flag was active. If the flag is currently active, only period.start is populated.
Bundle.entry.resource.Flag.period.end | String | False | | | Date when the flag was inactivated.
Bundle.entry.resource.Flag.period.start | String | False | | | Date when the flag was created/activated.
Bundle.entry.resource.Flag.status | String | False | | | The status of the FYI.
Bundle.entry.resource.Flag.subject | Reference | False | | | The patient associated with the flag.

Sample request

```
https://hostname/instance/api/FHIR/STU3/Flag?patient=ezHbeFCm6Ih8kgxuHUAdvJQ3
```

Sample response

```
<Bundle xmlns="http://hl7.org/fhir">
  <type value="searchset"/>
  <total value="2"/>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/STU3/Flag?patient=ezHbeFCm6Ih8kgxuHUAdvJQ3"/>
  </link>
  <entry>
    <link>
      <relation value="self"/>
      <url value="https://hostname/instance/api/FHIR/STU3/Flag/eNKB8jKjP1zEk-FRpiajqnWp7beLw0YTA5ksNWTEnwQk3"/>
    </link>
    <fullUrl value="https://hostname/instance/api/FHIR/STU3/Flag/eNKB8jKjP1zEk-FRpiajqnWp7beLw0YTA5ksNWTEnwQk3"/>
    <resource>
      <Flag>
        <id value="eNKB8jKjP1zEk-FRpiajqnWp7beLw0YTA5ksNWTEnwQk3"/>
        <status value="active"/>
        <category>
          <coding>
            <system value="http://open.epic.com/FHIR/StructureDefinition/flag-category"/>
            <code value="patient-fyi"/>
            <display value="Patient FYI Flag"/>
          </coding>
          <coding>
            <system value="http://loinc.org"/>
```

```
            <code value="74018-3"/>
            <display value="alert"/>
          </coding>
        </category>
        <code>
          <coding>
            <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.10.727879.560"/>
            <code value="1"/>
            <display value="General"/>
          </coding>
          <text value="Jennifer enjoys hiking."/>
        </code>
        <subject>
          <reference value=" https://hostname/instance/api/FHIR/STU3/Patient/ezHbeFCm6Ih8kgxuHUAdvJQ3"/>
          <display value="Smith, Jennifer"/>
        </subject>
        <period>
          <start value="2021-05-03T18:40:48Z"/>
        </period>
      </Flag>
    </resource>
    <search>
      <mode value="match"/>
    </search>
  </entry>
  <entry>
    <link>
      <relation value="self"/>
      <url value="https://hostname/instance/api/FHIR/STU3/Flag/eNKB8jKjP1zEk-FRpiAHajqnsdfWp7beLw0YTA5ksNWT3"/>
    </link>
    <fullUrl value="https://hostname/instance/api/FHIR/STU3/Flag/eNKB8jKjP1zEk-FRpiAHajqnsdfWp7beLw0YTA5ksNWT3"/>
    <resource>
      <Flag>
        <id value="eNKB8jKjP1zEk-FRpiAHajqnsdfWp7beLw0YTA5ksNWT3"/>
        <status value="inactive"/>
        <category>
          <coding>
            <system value="http://open.epic.com/FHIR/StructureDefinition/flag-category"/>
            <code value="patient-fyi"/>
            <display value="Patient FYI Flag"/>
          </coding>
          <coding>
            <system value="http://loinc.org"/>
            <code value="74018-3"/>
            <display value="alert"/>
          </coding>
        </category>
        <code>
          <coding>
            <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.10.727879.560"/>
            <code value="1"/>
            <display value="General"/>
          </coding>
          <text value="Patient is temporarily living with sister. Double check appointment and pharmacy locations during
     visits."/>
        </code>
        <subject>
          <reference value=" https://hostname/instance/api/FHIR/STU3/Patient/ezHbeFCm6Ih8kgxuHUAdvJQ3"/>
          <display value="Smith, Jennifer"/>
        </subject>
        <period>
          <start value="2018-04-03T16:12:37Z"/>
          <end value="2018-11-15T18:42:15Z"/>
        </period>
      </Flag>
    </resource>
    <search>
      <mode value="match"/>
    </search>
  </entry>
</Bundle>
```