Epic-FHIR — API category: Bulk FHIR (sections 6 – 6.2.3)

Source: Epic on FHIR (fhir.epic.com) documentation, mirrored 2026-11. Text-only edition for AI ingestion (NotebookLM); pages follow the source order (its table of contents when one exists).

6 API category: Bulk FHIR

File: site/apis/06-Bulk-FHIR/index.html

R4 (1)

API | Method | URL template | Type
Bulk Data Kick-off | GET | api/FHIR/R4/Group/{GroupID}/$export?_type={resourceType}&includeAssociatedData=LatestProvenanceResources&_typeFilter={resource query strings} | Industry-Standard

FHIR (unversioned) (3)

API | Method | URL template | Type
Bulk Data Delete Request | DELETE | api/FHIR/BulkRequest/{BulkRequestID} | Industry-Standard
Bulk Data File Request | GET | api/FHIR/BulkRequest/{BulkRequestID}/{outputID} | Industry-Standard
Bulk Data Status Request | GET | api/FHIR/BulkRequest/{BulkRequestID} | Industry-Standard

6.1 Bulk FHIR: R4

File: site/apis/06-Bulk-FHIR/1-R4/index.html
* Bulk Data Kick-off

6.1.1 Bulk Data Kick-off

File: site/apis/06-Bulk-FHIR/1-R4/10169-Bulk-Data-Kick-off.html
Epic API ID | 10169
FHIR version | R4
Categories | Bulk FHIR
API type | Industry-Standard
API group | Bulk Data Group
USCDI | No
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2021
HTTP method | GET
URL template | api/FHIR/R4/Group/{GroupID}/$export?_type={resourceType}&includeAssociatedData=LatestProvenanceResources&_typeFilter={resource query strings}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10169

Description

The Bulk Data Kick-off Request service initiates the FHIR bulk data workflow, which allows a client to request bulk clinical data for a "group" that consists of a set of patients. For example, the requestor can ask for a group of members for a particular insurance company or all patients using Medicaid. Other services associated with the workflow are: Bulk Data Status Request, Bulk Data File Request, and Bulk Data Delete Request. Refer to the FHIR Bulk Data Access Tutorial for more detailed information about the workflow and required setup.

To kick off the workflow, execute a bulk data kick-off request for either all resources available to the client, except Binary, or narrow to a subset by using the “_type” parameter. Note that headers “Accept” with value “application/fhir+json” and “Prefer” with value “respond-async” are required. If the kick-off request is accepted, the response is returned with a status of “202 Accepted” and a “Content-Location” HTTP header containing the URL of an endpoint for bulk data status or bulk data delete requests. The URL contains a unique ID referred to as the bulk request ID.

Request Elements

Parameter | Description | Is Optional | Is Array
_type | Filter results by comma delimited list of FHIR resource types. | true | true
includeAssociatedData | Return the most recent provenance data for all resource types included in the bulk data kick-off request. The only supported value is “LatestProvenanceResources.” There is no way to selectively specify returning provenance for a subset of requested resources. | true | false
_typefilter | Filter results using resource search parameters. Refer to the FHIR Bulk Data Access Tutorial for more details on how to use this parameter. Available starting in the November 2023 Epic version. This parameter is not available for Payer-to-Payer API clients. | true | true

Sample request

```
https://hostname/instance/api/FHIR/R4/Group/eIscQb2HmqkT.aPxBKDR1mIj3721CpVk1suC7rlu3yX83/$export
Accept:application/fhir+json
Prefer:respond-async
```

Sample response

```
HTTP/1.1 202 Accepted
Cache-Control: no-cache,no-store
Pragma: no-cache
Content-Type: text/plain; charset=utf-8
Content-Location: https://hostname/instance/api/FHIR/
BulkRequest/ 00000000000176E6DC7DB51C0082DA988
```

Change log

* November 2023: added support for the _typeFilter parameter.

6.2 Bulk FHIR: FHIR (unversioned)

File: site/apis/06-Bulk-FHIR/2-FHIR-unversioned/index.html

* Bulk Data Delete Request
* Bulk Data File Request
* Bulk Data Status Request

6.2.1 Bulk Data Delete Request

File: site/apis/06-Bulk-FHIR/2-FHIR-unversioned/10172-Bulk-Data-Delete-Request.html
Epic API ID | 10172
FHIR version | FHIR (unversioned)
Categories | Bulk FHIR
API type | Industry-Standard
API group | Bulk Data Group
USCDI | No
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2021
HTTP method | DELETE
URL template | api/FHIR/BulkRequest/{BulkRequestID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10172

Description

The Bulk Data Delete Request service is used to cancel requests or remove files as part of the FHIR bulk data workflow. This workflow allows a client to request bulk clinical data for a "group" that consists of a set of patients. For example, the requestor can ask for a group of members for a particular insurance company or all patients using Medicaid. Refer to the FHIR Bulk Data Access Tutorial for more detailed information about the workflow and required set-up.

When a bulk data kick-off request is in progress, the client can cancel the request by sending an HTTP DELETE request to the status URL returned in the “Content-Location” header of the kick-off response. This delete request is also permitted after the request status is complete to trigger file clean-up post-download. Epic recommends running the delete API once you finish retrieving the data files.

Request Elements

Parameter | Description | Is Optional | Is Array
BulkRequestID | The FHIR ID for the bulk request. | false | false

Sample request

```
https://hostname/instance/api/FHIR/BulkRequest/00000000000176E6DC7DB51C0082DA988
```

Sample response

```
HTTP/1.1 202 Accepted
Cache-Control: no-cache,no-store
Pragma: no-cache
Expires: -1
Date: Fri, 18 Jun 2021 19:08:31 GMT
Content-Length: 0
```

6.2.2 Bulk Data File Request

File: site/apis/06-Bulk-FHIR/2-FHIR-unversioned/10171-Bulk-Data-File-Request.html
Epic API ID | 10171
FHIR version | FHIR (unversioned)

Categories | Bulk FHIR
API type | Industry-Standard
API group | Bulk Data Group
USCDI | No
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2021
HTTP method | GET
URL template | api/FHIR/BulkRequest/{BulkRequestID}/{outputID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10171

Description

The Bulk Data File Request service is one API used as part of the larger FHIR bulk data download workflow, which allows a client to request bulk clinical data for a "group" consisting of a set of patients. For example, the requestor can ask for a group of members for a particular insurance company or all patients using Medicaid. Refer to the FHIR Bulk Data Access Tutorial for more detailed information about the workflow and required set-up.

Within the context of the FHIR bulk data workflow, the Bulk Data File Request service allows the client to download the files listed in the bulk data file manifest returned by the bulk data status request. Each file contains resources of a given type in a newline delimited JSON (ndjson) format. Contents are resource specific. Refer to a given resource's discrete Epic on FHIR documentation for details on what data is returned.

Request Elements

Parameter | Description | Is Optional | Is Array
BulkRequestID | The FHIR ID for the bulk request | false | false
outputID | The ID associated with a generated file. | false | false

Sample request

```
https://hostname/instance/api/FHIR/BulkRequest/00000000001755C1C7DB51C0082DA988/e1rS.x2sBAZmy8Mn8WyKk7Q3
```

Sample response


```
{
    "resourceType": "ImagingStudy",
    "id": "eppu5-mCs4aXfc5tk4rD5mBYbSdFnfo3-ejVwsZKgOlk3",
    "status": "available",
    "subject": {
        "reference": "Patient/eJ3eyRAcJAipK43HdmMeOnQ3",
        "display": "Knees, Beese”
    }
}
{
    "resourceType": "ImagingStudy",
    "id": "eQDEQmVPdohHGIpWaApJjO-waXaKP7CdGxzjErpVoRHQ3",
    "status": "available",
    "subject": {
        "reference": "Patient/eJ3eyRAcJAipK43HdmMeOnQ3",
        "display": "Knees, Beese”
    }
}
{
    "resourceType": "ImagingStudy",
    "id": "e0zOzaQHTzvI10K.593VLwwbeHZ2PeRhaN-U1l9ID1BY3",
    "status": "available",
    "subject": {
        "reference": "Patient/eJ3eyRAcJAipK43HdmMeOnQ3",
        "display": "Knees, Beese”
    }
}
{
    "resourceType": "ImagingStudy",
    "id": "e0zOzaQHTzvI10K.593VLw8p9PyLeu91r8bc5QqOGHpI3",
    "status": "available",
    "subject": {
        "reference": "Patient/eJ3eyRAcJAipK43HdmMeOnQ3",
        "display": "Knees, Beese”
    }
}
{
    "resourceType": "ImagingStudy",
    "id": "e0zOzaQHTzvI10K.593VLwzSr-BGALBgosvFPq8CfkQU3",
    "status": "available",
    "subject": {
        "reference": "Patient/eJ3eyRAcJAipK43HdmMeOnQ3",
        "display": "Knees, Beese”
    }
}
{
```

```
    "resourceType": "ImagingStudy",
    "id": "e0zOzaQHTzvI10K.593VLwyC2aB6MsCD3tlSmAimUQ5g3",
    "status": "available",
    "subject": {
        "reference": "Patient/eJ3eyRAcJAipK43HdmMeOnQ3",
        "display": "Knees, Beese”
    }
}
{
    "resourceType": "ImagingStudy",
    "id": "e0zOzaQHTzvI10K.593VLw.QX4tLXhbnNiMKOUbpUbgk3",
    "status": "available",
    "subject": {
        "reference": "Patient/eJ3eyRAcJAipK43HdmMeOnQ3",
        "display": "Knees, Beese”
    }
}
{
    "resourceType": "ImagingStudy",
    "id": "e0zOzaQHTzvI10K.593VLw7napwHF5NGS7cAdKqbTnPY3",
    "status": "available",
    "subject": {
        "reference": "Patient/eJ3eyRAcJAipK43HdmMeOnQ3",
        "display": "Knees, Beese”
    }
}
{
    "resourceType": "ImagingStudy",
    "id": "efcdbTLLKNO6lvmBhMFQ.HQniBKF4ded7Yv-.dUwWaWk3",
    "status": "available",
    "subject": {
        "reference": "Patient/eJ3eyRAcJAipK43HdmMeOnQ3",
        "display": "Knees, Beese”
    }
}
{
    "resourceType": "ImagingStudy",
    "id": "eXGjS9OON2z2b0E79jz-9Tc3Y8ids3Z5JrP9QJpmP2Ls3",
    "status": "available",
    "subject": {
        "reference": "Patient/eJ3eyRAcJAipK43HdmMeOnQ3",
        "display": "Knees,Beese"
    }
}
```


6.2.3 Bulk Data Status Request

File: site/apis/06-Bulk-FHIR/2-FHIR-unversioned/10170-Bulk-Data-Status-Request.html
Epic API ID | 10170
FHIR version | FHIR (unversioned)
Categories | Bulk FHIR
API type | Industry-Standard
API group | Bulk Data Group
USCDI | No
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2021
HTTP method | GET
URL template | api/FHIR/BulkRequest/{BulkRequestID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10170

Description

The Bulk Data Status Request service allows the FHIR bulk data client to check the status of an existing bulk FHIR request that was previously initiated using the Bulk Data Kickoff Request service through the status URL provided in the Content-Location header. This workflow allows a client to request bulk clinical data for a "group" that consists of a set of patients. For example, the requestor can ask for a group of members for a particular insurance company or all patients using Medicaid. Refer to the FHIR Bulk Data Access Tutorial for more detailed information about the workflow and required setup.

If the request isn’t completed, the Bulk Data Status Request service returns an in-progress response type with status 202 accepted and custom HTTP header “X-Progress.” Starting in the November 2026 version of Epic, this is set to a value made up of the stage of the request, if processing is actively happening, and the approximate percentage of work complete for the current stage. For example, “X-Progress:Processing - patient data, 15% complete.” In earlier Epic versions, this is set to the number of patients searched out of the total number requested. For example, “X-Progress:Searched 10 of 20 patients.” If an error occurs causing the search to abort, Epic returns an error status. When the request is completed, the response contains metadata and links to the bulk data files.

X-Progress Header Values

Header Value (Epic versions November 2026 and later) | Meaning | Header Value (Epic versions August 2026 and earlier)
Pending | The request has successfully kicked off on the server, but no patient data has been processed. | Searched 0 patients
Processing - patient data, X% complete | Patient data is actively being processed. | Searched A of B patients
Waiting - patient data, X% complete | Processing of patient data has started but is temporarily paused. | Searched A of B patients
Processing - references depth N, X% complete | Resource references gathered in earlier stages of the request are actively being processed. N represents the depth of references currently being processed, up to five. | Searched B of B patients
Waiting - references depth N, X% complete | Processing of resource references gathered in earlier stages of the request has started but is temporarily paused. N represents the depth of references currently being processed, up to five. | Searched B of B patients
Processing - finalizing and saving files, X% complete | All resources have been processed for the request. Result files are actively being saved. | Searched B of B patients
Waiting - finalizing and saving files, X% complete | All resources have been processed for the request. Saving files has started but is temporarily paused. | Searched B of B patients
Complete - waiting for files to sync | All files have been saved, but there is information that must finish syncing before they can be retrieved. | Searched B of B patients

Note that:

* When a request is complete, the X-Progress header is not returned. Instead, the response has an HTTP status code of 200 OK and the list of files is returned.

* Percentages are approximate and represent the progress within the current stage of the request, not the progress of the overall request.

* Temporary pauses can happen when all available system resources are being used on earlier or higher priority requests. When system resources are available, processing will automatically resume. A request might go from processing to waiting and back again multiple times during a request.

Request Elements

Parameter | Description | Is Optional | Is Array
BulkRequestID | The FHIR ID for the bulk request. | false | false

Response Elements

Parameter | Description | Is Optional | Is Array
transactionTime | The server's time when the query is run. | false | false
request | The full URL of the original bulk data kick-off request. | false | false
requiresAccessToken | Indicates whether downloading the generated files requires a bearer access token. Starting in the February 2026 version of Epic, this is a boolean value. In previous versions, it was a string value. | false | false
output | An array of file items with one entry for each generated file. If no resources are returned from the kick-off request, the server returns an empty array. | false | true
output.type | The FHIR resource type that is contained in the file. | false | false
output.url | The path to the file. | false | false
error | Array of error file items following the same structure as the output array. | false | true

Sample request

```
https://hostname/instance/api/FHIR/BulkRequest/00000000001755C1C7DB51C0082DA988
```

Sample response

```
X-Progress: Processing - patient data, 79% complete (Epic November 2026 and later)
X-Progress: Searched 0 of 2 patients (Epic August 2026 and earlier)
{
    "transactionTime": "2021-06-18T17:46:48Z",
    "request": "https://hostname/instance/api/FHIR/r4/group/eK33625FpEX2HcV6nEGdHqdTeCkY1QCJ.81zzQqHDLmE3/$export",
    "requiresAccessToken": true,
    "output": [
        {
            "type": "ImagingStudy",
            "url":
    "https://hostname/instance/api/FHIR/BulkRequest/10777542D05D11EB89CD6D045785C67F/e1pvyleJ0NztMM4PA1YDVdg3"
        },
        {
            "type": "List",
            "url":
    "https://hostname/instance/api/FHIR/BulkRequest/10777542D05D11EB89CD6D045785C67F/e5jN74CQQ1fGusGOFwJVezA3"
        },
        {
            "type": "Location",
            "url":
    "https://hostname/instance/api/FHIR/BulkRequest/10777542D05D11EB89CD6D045785C67F/e79-6-iPihDniYzmry.zPpg3"
        },
        {
            "type": "RequestGroup",
            "url":
    "https://hostname/instance/api/FHIR/BulkRequest/10777542D05D11EB89CD6D045785C67F/eAdwSFa8TR.bXUZrG.nD9fA3"
        },
        {
            "type": "Practitioner",
            "url":
    "https://hostname/instance/api/FHIR/BulkRequest/10777542D05D11EB89CD6D045785C67F/eC0CVmiyf.k0-TNjcGHNTwg3"
        },
        {
```

```
        "type": "DiagnosticReport",
        "url": "https://hostname/instance/api/FHIR/BulkRequest/10777542D05D11EB89CD6D045785C67F/eF5hWLcmU-
WSBvOTMBaRvYQ3"
    },
    {
        "type": "AllergyIntolerance",
        "url":
"https://hostname/instance/api/FHIR/BulkRequest/10777542D05D11EB89CD6D045785C67F/eFbW3bq2TXRjuDm4.WkMbvQ3"
    },
    {
        "type": "ServiceRequest",
        "url":
"https://hostname/instance/api/FHIR/BulkRequest/10777542D05D11EB89CD6D045785C67F/eGRht0LE5A34bk8kSqpRhJg3"
    },
    {
        "type": "Device",
        "url":
"https://hostname/instance/api/FHIR/BulkRequest/10777542D05D11EB89CD6D045785C67F/eGepFATqcLlWwdx4DxmZxnA3"
    },
    {
        "type": "DocumentReference",
        "url":
"https://hostname/instance/api/FHIR/BulkRequest/10777542D05D11EB89CD6D045785C67F/eICboFx8dNhKANtvx7UBa9A3"
    },
    {
        "type": "Coverage",
        "url":
"https://hostname/instance/api/FHIR/BulkRequest/10777542D05D11EB89CD6D045785C67F/eJ4FoyrJAbCZupmuYl5rRUA3"
    },
    {
        "type": "Observation",
        "url":
"https://hostname/instance/api/FHIR/BulkRequest/10777542D05D11EB89CD6D045785C67F/eOghaxFx49w2E8YmbUIBD5Q3"
    },
    {
        "type": "Medication",
        "url":
"https://hostname/instance/api/FHIR/BulkRequest/10777542D05D11EB89CD6D045785C67F/eRnS3FHQSwnLeokq3Z4g7rQ3"
    },
    {
        "type": "Condition",
        "url":
"https://hostname/instance/api/FHIR/BulkRequest/10777542D05D11EB89CD6D045785C67F/eUxJlEInckpalXFg5-9jvsg3"
    },
    {
        "type": "Encounter",
        "url":
"https://hostname/instance/api/FHIR/BulkRequest/10777542D05D11EB89CD6D045785C67F/eXnUByVf6AlRoEE.LbaDarQ3"
    },
    {
        "type": "Immunization",
        "url":
"https://hostname/instance/api/FHIR/BulkRequest/10777542D05D11EB89CD6D045785C67F/eabiPckPn7UBVwzcneGevJg3"
    },
    {
        "type": "Patient",
        "url":
"https://hostname/instance/api/FHIR/BulkRequest/10777542D05D11EB89CD6D045785C67F/echvPfT5KlPJXLpeScmPW0w3"
    },
    {
        "type": "Organization",
        "url":
"https://hostname/instance/api/FHIR/BulkRequest/10777542D05D11EB89CD6D045785C67F/ehCgaoyDZePF93zTHL6Hq2Q3"
    },
    {
        "type": "CarePlan",
        "url":
"https://hostname/instance/api/FHIR/BulkRequest/10777542D05D11EB89CD6D045785C67F/elR3VhkbmFuKWvq6rute3Nw3"
    },
    {
        "type": "CareTeam",
        "url":
"https://hostname/instance/api/FHIR/BulkRequest/10777542D05D11EB89CD6D045785C67F/en9rceYLW0Dydk9NPoHbJDg3"
    },
    {
        "type": "Procedure",
        "url":
"https://hostname/instance/api/FHIR/BulkRequest/10777542D05D11EB89CD6D045785C67F/eoOLSy2lNRRPwV6v4vMhzUQ3"
    },
    {
        "type": "MedicationRequest",
        "url":
"https://hostname/instance/api/FHIR/BulkRequest/10777542D05D11EB89CD6D045785C67F/eoR.pXFHgJN4BU9Rl7RL2SQ3"
    },
    {
        "type": "Goal",
        "url":
"https://hostname/instance/api/FHIR/BulkRequest/10777542D05D11EB89CD6D045785C67F/esbPYn8MPrjxOuVRDphn4fQ3"
    },
```

```
        {
            "type": "Specimen",
            "url":
    "https://hostname/instance/api/FHIR/BulkRequest/10777542D05D11EB89CD6D045785C67F/etMnbdLTa1e1XWP.STt08dQ3"
        }
    ],
    "error": []
}
```


Change log

Epic Version	Description	Type
February 2026	The requiresAccessToken parameter is now a Boolean value instead of a string value.	Breaking Change
November 2026	Changed the format of the X-Progress header.	Breaking Change