Epic-FHIR — API category: Clinical Care Provision (sections 8 – 8.3.6)

Source: Epic on FHIR (fhir.epic.com) documentation, mirrored 2026-11. Text-only edition for AI ingestion (NotebookLM); pages follow the source order (its table of contents when one exists).

8 API category: Clinical Care Provision

File: site/apis/08-Clinical-Care-Provision/index.html

R4 (58)

API | Method | URL template | Type
CarePlan.Read (Care Path) (R4) | GET | /api/FHIR/R4/CarePlan/{ID} | Industry-Standard
CarePlan.Read (Dental) (R4) | GET | /api/FHIR/R4/CarePlan/{ID} | Industry-Standard
CarePlan.Read (Encounter) (R4) | | api/FHIR/R4/CarePlan/{ID} | USCDI
CarePlan.Read (Inpatient Pathway) (R4) | GET | /api/FHIR/R4/CarePlan/{ID} | Industry-Standard
CarePlan.Read (Inpatient) (R4) | GET | /api/FHIR/R4/CarePlan/{ID} | Industry-Standard
CarePlan.Read (Longitudinal) (R4) | | api/FHIR/R4/CarePlan/{ID} | USCDI
CarePlan.Read (Oncology) (R4) | GET | /api/FHIR/R4/CarePlan/{ID} | Industry-Standard
CarePlan.Read (Outpatient) (R4) | GET | /api/FHIR/R4/CarePlan/{ID} | Industry-Standard
CarePlan.Read (Patient Education) (R4) | GET | /api/FHIR/R4/CarePlan/{ID} | Industry-Standard
CarePlan.Read (Questionnaires Due) (R4) | GET | /api/FHIR/R4/CarePlan/{ID} | Industry-Standard
CarePlan.Search (Care Path) (R4) | GET | api/FHIR/R4/CarePlan?category={category}&patient={patient}&status={status} | Industry-Standard
CarePlan.Search (Dental) (R4) | GET | /api/FHIR/R4/CarePlan?category={category}&patient={patient}&subject={subject} | Industry-Standard
CarePlan.Search (Encounter) (R4) | GET | api/FHIR/R4/CarePlan?category={category}&patient={patient}&subject={subject}&encounter={encounter} | USCDI
CarePlan.Search (Inpatient Pathway) (R4) | GET | /api/FHIR/R4/CarePlan?category={category}&patient={patient} | Industry-Standard
CarePlan.Search (Inpatient) (R4) | GET | /api/FHIR/R4/CarePlan?category={category}&patient={patient} | Industry-Standard
CarePlan.Search (Longitudinal) (R4) | GET | api/FHIR/R4/CarePlan?category={category}&patient={patient}&subject={subject} | USCDI
CarePlan.Search (Oncology) (R4) | GET | /api/FHIR/R4/CarePlan?category={category}&patient={patient}&status={status} | Industry-Standard
CarePlan.Search (Outpatient) (R4) | GET | /api/FHIR/R4/CarePlan?category={category}&patient={patient}&status={status}&subject={subject} | Industry-Standard
CarePlan.Search (Patient Education) (R4) | GET | /api/FHIR/R4/CarePlan?category={category}&encounter={encounter}&part-of={part-of}&patient={patient}&status={status}&subject={subject} | Industry-Standard
CarePlan.Search (Questionnaires Due) (R4) | GET | /api/FHIR/R4/CarePlan?activity-date={activity-date}&category={category}&patient={patient} | Industry-Standard
CareTeam.Read (Episode) (R4) | GET | /api/FHIR/R4/CareTeam/{ID} | Industry-Standard
CareTeam.Read (Longitudinal CareTeam) (R4) | | api/FHIR/R4/CareTeam/{ID} | USCDI
CareTeam.Search (Episode) (R4) | GET;POST | /api/FHIR/R4/CareTeam?_id={_id} | Industry-Standard
CareTeam.Search (Longitudinal CareTeam) (R4) | GET | api/FHIR/R4/CareTeam?patient={patient}&subject={subject}&status={status} | USCDI
Communication.Create (Community Resource Communication) (R4) | POST | /api/FHIR/R4/Communication | Industry-Standard
Communication.Read (Community Resource Communication) (R4) | GET | /api/FHIR/R4/Communication/{ID} | Industry-Standard
Communication.Read (Patient Education) (R4) | GET | /api/FHIR/R4/Communication/{ID} | Industry-Standard
Communication.Search (Community Resource Communication) (R4) | GET | /api/FHIR/R4/Communication?part-of={part-of}&patient={patient}&subject={subject}&_id={_id} | Industry-Standard
Communication.Search (Patient Education) (R4) | GET | /api/FHIR/R4/Communication?based-on={based-on}&category={category}&encounter={encounter}&patient={patient}&subject={subject} | Industry-Standard
DiagnosticReport.Read (Care Plan Goal) (R4) | GET | /api/FHIR/R4/DiagnosticReport/{ID} | Industry-Standard
DiagnosticReport.Search (Care Plan Goal) (R4) | GET | /api/FHIR/R4/DiagnosticReport?category={category}&code={code}&date={date}&identifier={identifier}&patient={patient}&subject={subject}&_id={_id} | Industry-Standard
EpisodeOfCare.Read (R4) | GET | /api/FHIR/R4/EpisodeOfCare/{ID} | Industry-Standard
EpisodeOfCare.Search (R4) | GET;POST | /api/FHIR/R4/EpisodeOfCare?patient={patient}&status={status}&type={type} | Industry-Standard
Goal.Read (Care Path) (R4) | GET | /api/FHIR/R4/Goal/{ID} | Industry-Standard
Goal.Read (Care Plan Goal) (R4) | GET | /api/FHIR/R4/Goal/{ID} | USCDI
Goal.Read (Pathway Step) (R4) | GET | /api/FHIR/R4/Goal/{ID} | Industry-Standard
Goal.Read (Patient) (R4) | GET | api/FHIR/R4/Goal/{ID} | USCDI
Goal.Search (Care Path) (R4) | GET | api/FHIR/R4/Goal?_id={_id} | Industry-Standard
Goal.Search (Care Plan Goal) (R4) | GET | /api/FHIR/R4/Goal?category={category}&patient={patient}&subject={subject} | USCDI
Goal.Search (Pathway Step) (R4) | GET | /api/FHIR/R4/Goal?_id={_id} | Industry-Standard
Goal.Search (Patient) (R4) | GET | api/FHIR/R4/Goal?category={category}&lifecycle-status={lifecycle-status}&patient={patient}&subject={subject} | USCDI
Observation.Read (Advance Directive) (R4) | GET | /api/FHIR/R4/Observation/{ID} | USCDI
Observation.Search (Advance Directive) (R4) | GET | /api/FHIR/R4/Observation?based-on={based-on}&category={category}&code={code}&date={date}&focus={focus}&issued={issued}&patient={patient}&subject={subject}&_count={_count}&_id={_id}&_include={_include}&_lastupdated={_lastupdated}&_revinclude={_revinclude} | USCDI
RequestGroup.Read (Dental Visit) (R4) | GET | /api/FHIR/R4/RequestGroup/{ID} | Industry-Standard
ServiceRequest.Read (Community Resource ServiceRequest) (R4) | GET | /api/FHIR/R4/ServiceRequest/{ID} | USCDI
ServiceRequest.Read (Dental Procedure) (R4) | | api/FHIR/R4/ServiceRequest/{ID} | Industry-Standard

ServiceRequest.Read (Order Template Procedure) (R4) | GET | /api/FHIR/R4/ServiceRequest/{ID} | Industry-Standard
ServiceRequest.Read (Orders) (R4) | | api/FHIR/R4/ServiceRequest/{ID} | USCDI
ServiceRequest.Read (Referral) (R4) | GET | /api/FHIR/R4/ServiceRequest/{ID} | Industry-Standard
ServiceRequest.Search (Community Resource ServiceRequest) (R4) | GET | /api/FHIR/R4/ServiceRequest?category={category}&encounter={encounter}&patient={patient}&subject={subject}&authored={authoredOn} | USCDI
ServiceRequest.Search (Dental Procedure) (R4) | GET | /api/FHIR/R4/ServiceRequest?category={category}&onlyscannable={onlyscannable}&patient={patient}&status={status} | Industry-Standard
ServiceRequest.Search (Order Template Procedure) (R4) | GET | /api/FHIR/R4/ServiceRequest?_id={_id} | Industry-Standard
ServiceRequest.Search (Orders) (R4) | GET | api/FHIR/R4/ServiceRequest?encounter={encounter}&onlyscannable={onlyscannable}&patient={patient}&requester={requester}&status={status}&subject={subject}&category={category}&identifier={identifier} | USCDI
Task.Read (Community Resource) (R4) | GET | /api/FHIR/R4/Task/{ID} | Industry-Standard
Task.Read (Episode Checklist) (R4) | GET | /api/FHIR/R4/Task/{ID} | Industry-Standard
Task.Search (Community Resource) (R4) | GET | /api/FHIR/R4/Task?code={code}&encounter={encounter}&patient={patient}&subject={subject} | Industry-Standard
Task.Search (Episode Checklist) (R4) | GET | /api/FHIR/R4/Task?code={code}&encounter={encounter}&focus={focus}&patient={patient}&status={status}&subject={subject} | Industry-Standard
Task.Update (Community Resource) (R4) | PUT | /api/FHIR/R4/Task/{ID} | Industry-Standard

STU3 (9)

API | Method | URL template | Type
DiagnosticReport.Read (Care Plan Goal) (STU3) | GET | /api/FHIR/STU3/DiagnosticReport/{ID} | Industry-Standard
DiagnosticReport.Search (Care Plan Goal) (STU3) | GET | /api/FHIR/STU3/DiagnosticReport?category={category}&code={code}&date={date}&patient={patient}&subject={subject}&_id={_id} | Industry-Standard
Goal.Create (Patient) (STU3) | POST | /api/FHIR/STU3/Goal | Industry-Standard
Goal.Read (Care Plan) (STU3) | GET | /api/FHIR/STU3/Goal/{ID} | USCDI
Goal.Read (Patient) (STU3) | GET | api/FHIR/STU3/Goal/{ID} | USCDI
Goal.Search (Care Plan) (STU3) | GET | /api/FHIR/STU3/Goal?category={category}&patient={patient}&subject={subject} | USCDI
Goal.Search (Patient) (STU3) | GET | api/FHIR/STU3/Goal?patient={patient}&subject={subject}&category={category}&status={status} | USCDI
ProcedureRequest.Read (Orders) (STU3) | GET | /api/FHIR/STU3/ProcedureRequest/{ID} | USCDI
ProcedureRequest.Search (Orders) (STU3) | GET | /api/FHIR/STU3/ProcedureRequest?patient={patient}&subject={subject}&encounter={encounter}&requester={requester}&status={status} | USCDI

DSTU2 (6)

API | Method | URL template | Type
CarePlan.Read (Encounter-Level) (DSTU2) | GET | api/FHIR/DSTU2/CarePlan/{ID} | USCDI
CarePlan.Read (Longitudinal) (DSTU2) | GET | /api/FHIR/DSTU2/CarePlan/{ID} | USCDI
CarePlan.Search (Encounter-Level) (DSTU2) | GET | api/FHIR/DSTU2/CarePlan?category={category}&patient={patient}&subject={subject} | USCDI
CarePlan.Search (Longitudinal) (DSTU2) | GET | /api/FHIR/DSTU2/CarePlan?patient={patient}&subject={subject}&category={category} | USCDI
Goal.Read (Patient) (DSTU2) | GET | api/FHIR/DSTU2/Goal/{ID} | USCDI
Goal.Search (Patient) (DSTU2) | GET | api/FHIR/DSTU2/Goal?category={category}&patient={patient}&status={status}&subject={subject} | USCDI

8.1 Clinical Care Provision: R4

File: site/apis/08-Clinical-Care-Provision/1-R4/index.html

* CarePlan.Read (Care Path) (R4)
* CarePlan.Read (Dental) (R4)
* CarePlan.Read (Encounter) (R4)
* CarePlan.Read (Inpatient Pathway) (R4)
* CarePlan.Read (Inpatient) (R4)
* CarePlan.Read (Longitudinal) (R4)
* CarePlan.Read (Oncology) (R4)
* CarePlan.Read (Outpatient) (R4)
* CarePlan.Read (Patient Education) (R4)
* CarePlan.Read (Questionnaires Due) (R4)
* CarePlan.Search (Care Path) (R4)
* CarePlan.Search (Dental) (R4)
* CarePlan.Search (Encounter) (R4)
* CarePlan.Search (Inpatient Pathway) (R4)
* CarePlan.Search (Inpatient) (R4)
* CarePlan.Search (Longitudinal) (R4)
* CarePlan.Search (Oncology) (R4)
* CarePlan.Search (Outpatient) (R4)
* CarePlan.Search (Patient Education) (R4)

* CarePlan.Search (Questionnaires Due) (R4)
* CareTeam.Read (Episode) (R4)
* CareTeam.Read (Longitudinal CareTeam) (R4)
* CareTeam.Search (Episode) (R4)
* CareTeam.Search (Longitudinal CareTeam) (R4)
* Communication.Create (Community Resource Communication) (R4)
* Communication.Read (Community Resource Communication) (R4)
* Communication.Read (Patient Education) (R4)
* Communication.Search (Community Resource Communication) (R4)
* Communication.Search (Patient Education) (R4)
* DiagnosticReport.Read (Care Plan Goal) (R4)
* DiagnosticReport.Search (Care Plan Goal) (R4)
* EpisodeOfCare.Read (R4)
* EpisodeOfCare.Search (R4)
* Goal.Read (Care Path) (R4)
* Goal.Read (Care Plan Goal) (R4)
* Goal.Read (Pathway Step) (R4)
* Goal.Read (Patient) (R4)
* Goal.Search (Care Path) (R4)
* Goal.Search (Care Plan Goal) (R4)
* Goal.Search (Pathway Step) (R4)
* Goal.Search (Patient) (R4)
* Observation.Read (Advance Directive) (R4)
* Observation.Search (Advance Directive) (R4)
* RequestGroup.Read (Dental Visit) (R4)
* ServiceRequest.Read (Community Resource ServiceRequest) (R4)
* ServiceRequest.Read (Dental Procedure) (R4)
* ServiceRequest.Read (Order Template Procedure) (R4)
* ServiceRequest.Read (Orders) (R4)
* ServiceRequest.Read (Referral) (R4)
* ServiceRequest.Search (Community Resource ServiceRequest) (R4)
* ServiceRequest.Search (Dental Procedure) (R4)
* ServiceRequest.Search (Order Template Procedure) (R4)
* ServiceRequest.Search (Orders) (R4)
* Task.Read (Community Resource) (R4)
* Task.Read (Episode Checklist) (R4)
* Task.Search (Community Resource) (R4)
* Task.Search (Episode Checklist) (R4)
* Task.Update (Community Resource) (R4)

8.1.1 CarePlan.Read (Care Path) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10305-CarePlan-Read-Care-Path-R4.html
Epic API ID | 10305
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
API group | Care Path Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/CarePlan/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10305

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | The Care Plan FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
CarePlan | CarePlan | False | | | An instance of the R4 CarePlan resource.
CarePlan.category | CodeableConcept | False | Yes | | Hard-coded to “care-path” for all care paths.
CarePlan.goal | Reference | False | Yes | | References the step of the care path episode the patient is on, which is stored in the Goal resource.
CarePlan.intent | String | False | | | Hard-coded to “plan” for all care paths.
CarePlan.period | Period | False | | | Returns start date and end date for the care path episode.
CarePlan.period.end | String | True | | | Returns end date for the care path episode.
CarePlan.period.start | String | False | | | Returns start date for the care path episode.
CarePlan.replaces | Reference | True | Yes | | References the ID of the initiating care path episode.
CarePlan.status | String | False | | | The status of the care path (active, resolved, or deleted).
CarePlan.subject | Reference | False | | | The FHIR Patient ID.
CarePlan.title | String | False | | | The name of the care path episode.

Sample request

```
https://hostname/instance/api/FHIR/R4/CarePlan/eBgLNzvN1a-3bC3arQA6g.A3
```

Sample response

```
<CarePlan xmlns="http://hl7.org/fhir">
  <id value="eBgLNzvN1a-3bC3arQA6g.A3"/>
  <status value="active"/>
  <intent value="plan"/>
  <category>
    <coding>
      <system value="http://open.epic.com/FHIR/StructureDefinition/careplan-category"/>
      <code value="care-path"/>
      <display value="Care Path"/>
    </coding>
    <text value="Care Path"/>
  </category>
  <title value="COPD"/>
  <subject>
    <reference value="Patient/euM7MTws9r2c0Ck-PEdZJKQ3"/>
    <display value="Westerfield, Charles"/>
  </subject>
  <period>
    <start value="2021-03-18"/>
  </period>
  <goal>
    <reference value="Goal/ezLesOT4TxwekGrfQscocSnmJKurvDCSRTOiUtjDndZY3"/>
    <display value="New diagnosis of COPD, prescribe bronchodilator"/>
  </goal>
  <goal>
    <reference value="Goal/ezLesOT4TxwekGrfQscocSnTTLcTBLNfY-Gek56Wa--03"/>
    <display value="Assess effectiveness of bronchodilator"/>
  </goal>
</CarePlan>
```

8.1.2 CarePlan.Read (Dental) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10016-CarePlan-Read-Dental-R4.html
Epic API ID | 10016
FHIR version | R4
Categories | Clinical Care Provision, Clinical Specialty
API type | Industry-Standard
API group | Dental Care Plan Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | February 2021
HTTP method | GET
URL template | /api/FHIR/R4/CarePlan/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10016

Description

Enables the lookup of a patient's dental treatment plans or options. Dental treatment plans outline the care for one or more of a patient's dental issues. These can include one or more visits and a Pending section, each of which can contain multiple

procedures. Dental options represent alternative ways a treatment plan can be carried out, and each option can have its own visits and procedures, though only a single option is selected for a given treatment plan. This resource can return a specific treatment plan or option by ID or a list of the patient's treatment plans (which point to their options) if you search by patient.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | FHIR identifier for a CarePlan resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
CarePlan | CarePlan | False | | | An instance of the R4 CarePlan resource.
CarePlan.activity | Activity | True | Yes | | For an option, reference to child visits.
CarePlan.activity.reference | Reference | True | | | Reference to child visits (RequestGroup).
CarePlan.addresses | Reference | True | Yes | | Reference link to the dental finding addressed in this treatment.
CarePlan.author | Reference | True | | | The treatment owner.
CarePlan.category | CodeableConcept | True | Yes | | Type of plan. 738906000 should be used to search for dental treatment plans.
CarePlan.contributor | Reference | True | Yes | | The user who approved the treatment.
CarePlan.created | String | True | | | The instant the treatment or option was created.
CarePlan.intent | String | False | | | Either "plan" or "proposal," depending on the treatment plan status. Treatment plans with a status of “draft” have an intent of “proposal.” Treatment plans with all other statuses have intents of “plan.”
CarePlan.note | Annotation | True | Yes | | The treatment's comment.
CarePlan.partOf | Reference | True | Yes | | Reference to a parent treatment.
CarePlan.period | Period | True | | | The time that the treatment was completed.
CarePlan.status | String | False | | | The status of the treatment or option. Can be "active," "completed," "draft," or "revoked."
CarePlan.subject | Reference | False | | | The patient or subject of this treatment plan.
CarePlan.supportingInfo | Reference | True | Yes | | For a treatment, reference to child treatment plan options.
CarePlan.title | String | True | | | The title of the treatment plan or name of the option.

Sample request

```
https://hostname/instance/api/FHIR/R4/CarePlan/ezv8muakDf.OWIZFA0VeHykcwagO7gUw-
    Qo7tjhIjW7qyR.Sb9PDuVIqsXy8702ujMTksxNKECrRrtU361qN4fg3
```

Sample response

```
<CarePlan xmlns="http://hl7.org/fhir">
  <id value="ezv8muakDf.OWIZFA0VeHykcwagO7gUw-Qo7tjhIjW7qyR.Sb9PDuVIqsXy8702ujMTksxNKECrRrtU361qN4fg3"/>
  <status value="completed"/>
  <intent value="plan"/>
  <category>
    <coding>
      <system value="http://snomed.info/sct"/>
      <code value="738906000"/>
      <display value="Dental"/>
    </coding>
    <text value="Dental"/>
  </category>
  <category>
    <coding>
      <system value="urn:oid:1.2.840.114350.1.72.1.7.7.10.848076.94000"/>
      <code value="0"/>
      <display value="Treatment"/>
    </coding>
    <text value="Treatment"/>
  </category>
  <title value="Restoration"/>
  <subject>
    <reference value="Patient/e-NoAZ0ctgfeTYD.aaecWQQ3"/>
    <type value="Patient"/>
    <display value="Sutter, Craig"/>
  </subject>
  <period>
    <end value="2020-12-04T15:40:17Z"/>
  </period>
  <created value="2020-07-08T20:42:50Z"/>
  <author>
    <reference value="Practitioner/e8n7AlpC.GL.-W4xPxlUYoQ3"/>
    <type value="Practitioner"/>
    <display value="Carla Maple"/>
  </author>
  <contributor>
    <reference value="Practitioner/eGUg0Ag0gEO9CWgt7RBwVQw3"/>
    <type value="Practitioner"/>
    <display value="Fred Jenkins, D.D.S."/>
  </contributor>
  <supportingInfo>
    <reference value="CarePlan/ev5wa4XvmHcOpqPL93bxQ2rXS1hy-Ktdyjq3POcWh6jX5LKdo8Jm5y8Vcb.ffh12m3"/>
    <type value="CarePlan"/>
    <display value="Option 1"/>
  </supportingInfo>
  <supportingInfo>
```

```
    <reference value="CarePlan/eSTqKFLdUYDKtTWb3K0iDMquO9DqNqV3iWcLFhOB6kEeX7YsdDmgQsZM.0HJP3Iqe3"/>
    <type value="CarePlan"/>
    <display value="Option 2"/>
  </supportingInfo>
  <note>
    <time value="2020-12-04T15:39:36Z"/>
    <text value="Crowns and fillings"/>
  </note>
</CarePlan>
```

8.1.3 CarePlan.Read (Encounter) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/1066-CarePlan-Read-Encounter-R4.html
Epic API ID | 1066
FHIR version | R4
Categories | Clinical Care Provision
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2020
URL template | api/FHIR/R4/CarePlan/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=1066

Description

The FHIR CarePlan resource is a broad container for summarizing the plan of treatment for a patient. This resource is designed for stating specific activities related to a single patient, rather than generic protocols for condition treatment.

This read interaction enables the lookup of a specific encounter-level CarePlan resource by FHIR ID.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | FHIR identifier for a CarePlan resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
CarePlan | CarePlan | False | | | An instance of the R4 CarePlan resource.
CarePlan._created | primitiveExtension | False
CarePlan._description | primitiveExtension | False
CarePlan._id | primitiveExtension | False
CarePlan._implicitRules | primitiveExtension | False
CarePlan._instantiatesCanonical | primitiveExtension | False | Yes
CarePlan._instantiatesUri | primitiveExtension | False | Yes
CarePlan._intent | primitiveExtension | False
CarePlan._language | primitiveExtension | False
CarePlan._status | primitiveExtension | False
CarePlan._title | primitiveExtension | False
CarePlan.activity | Activity | False | Yes | | Actions to occur as part of the care plan.
CarePlan.addresses | Reference | False | Yes | | A FHIR reference.
CarePlan.author | Reference | False | | | A FHIR reference.
CarePlan.basedOn | Reference | False | Yes | | A FHIR reference.
CarePlan.careTeam | Reference | False | Yes | | A FHIR reference.
CarePlan.category | CodeableConcept | False | Yes | | CodeableConcept value.
CarePlan.contained | ResourceContainer | False | Yes | | A container for a single FHIR resource.
CarePlan.contributor | Reference | True | Yes | | This element is available starting in the August 2026 version of Epic. Reference to the practitioners who last made updates relevant to the encounter care plan.
CarePlan.created | String | False
CarePlan.description | String | False
CarePlan.encounter | Reference | False | | | A FHIR reference.
CarePlan.extension | Extension | False | Yes
CarePlan.goal | Reference | False | Yes | | A FHIR reference.
CarePlan.id | String | False
CarePlan.identifier | Identifier | False | Yes | | Generic identifier.
CarePlan.implicitRules | String | False
CarePlan.instantiatesCanonical | String | False | Yes
CarePlan.instantiatesUri | String | False | Yes
CarePlan.intent | String | False
CarePlan.language | String | False

CarePlan.meta | Meta | False
CarePlan.modifierExtension | Extension | False | Yes
CarePlan.note | Annotation | False | Yes | | Note or annotation details.
CarePlan.partOf | Reference | False | Yes | | A FHIR reference.
CarePlan.period | Period | False
CarePlan.replaces | Reference | False | Yes | | A FHIR reference.
CarePlan.status | String | False
CarePlan.subject | Reference | False | | | A FHIR reference.
CarePlan.supportingInfo | Reference | False | Yes | | A FHIR reference.
CarePlan.text | Narrative | False
CarePlan.title | String | False
OperationOutcome | OperationOutcome | False
OperationOutcome._id | primitiveExtension | False
OperationOutcome._implicitRules | primitiveExtension | False
OperationOutcome._language | primitiveExtension | False
OperationOutcome.contained | ResourceContainer | False | Yes | | A container for a single FHIR resource.
OperationOutcome.extension | Extension | False | Yes
OperationOutcome.id | String | False
OperationOutcome.implicitRules | String | False
OperationOutcome.issue | Issue | False | Yes
OperationOutcome.language | String | False
OperationOutcome.meta | Meta | False
OperationOutcome.modifierExtension | Extension | False | Yes
OperationOutcome.text | Narrative | False

Sample request

```
https://hostname/instance/api/FHIR/R4/CarePlan/el6Q1sKg9RrZBWdUk9X-naQiXYPas6o3F23yfoGV6eas3
```

Sample response


```
{
  "resourceType": "CarePlan",
  "id": "el6Q1sKg9RrZBWdUk9X-naQiXYPas6o3F23yfoGV6eas3",
  "text": {
    "status": "generated",
    "div": "<div xmlns=\"http://www.w3.org/1999/xhtml\"><h1>Patient Instructions</h1><div><pre>Patient Instructions:
    Come back at least once a year.</pre></div><h1>A&amp;P Notes</h1><h2>Note:</h2><div><pre>Patient has foot pain when
    standing. Referred patient to orthopedics.</pre></div></div>"
  },
  "status": "active",
  "intent": "proposal",
  "category": [
    {
      "coding": [
        {
          "system": "http://hl7.org/fhir/us/core/CodeSystem/careplan-category",
          "code": "assess-plan",
          "display": "Assessment and Plan of Treatment"
        }
      ],
      "text": "Assessment and Plan of Treatment"
    },
    {
      "coding": [
        {
          "system": "http://snomed.info/sct",
          "code": "734163000",
          "display": "Encounter Level"
        }
      ],
      "text": "Encounter Level"
    }
  ],
  "subject": {
    "reference": "Patient/exkr5BRhovpIY4hqjnmTPNQ3",
    "display": "Argonaut, Jason"
  },
  "encounter": {
    "reference": "Encounter/e.12qt.AQ6RbFrXDDLRUMMhnSXkBmVmgz0
  },
  "contributor": {
    "reference": "Practitioner/ey1ANM0bRoKhAoOy8fh4l.g3",
    "display": "Grace Practitioner, MD"
  },
  "note": [
    {
      "text": "Assessment and Plan Note: Patient has foot painent to orthopedics."
    },
    {
      "text": "Patient Instructions: Come back at least once a year."
    }
  ]
```

}

8.1.4 CarePlan.Read (Inpatient Pathway) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10101-CarePlan-Read-Inpatient-Pathway-R4.html
Epic API ID | 10101
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
API group | Inpatient Pathway Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | May 2021
HTTP method | GET
URL template | /api/FHIR/R4/CarePlan/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10101

Description

The CarePlan (Inpatient Pathway) resource returns the details of a patient's clinical pathway.

In Epic, pathways are diagnosis- or surgery-specific protocols that are organized into sequential steps. These steps contain orders, patient outcomes, and clinical documentation elements that represent the care that will be provided and goals for the patient for that stage of care or day of the admission.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | FHIR identifier for a CarePlan resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
CarePlan | CarePlan | False | | | An instance of the R4 CarePlan resource.
CarePlan.activity | Activity | True | Yes | | The items that make up the pathway content.
CarePlan.activity.detail | Detail | True | | | Detailed information about the pathway item.
CarePlan.activity.detail.code | CodeableConcept | True | | | The name of the pathway item.
CarePlan.activity.detail.description | String | True | | | The name of the section this item belongs to.
CarePlan.activity.detail.goal | Reference | True | Yes | | The Pathway Step this item belongs to.
CarePlan.activity.detail.performer | Reference | True | Yes | | The provider who applied the item.
CarePlan.activity.detail.reasonCode | CodeableConcept | True | Yes | | The name of the SmartGroup this item belongs to.
CarePlan.activity.detail.scheduledPeriod | Period | True | | | The instant the item was applied.
CarePlan.activity.detail.status | String | False | | | The status of the item: In-progress Not started Scheduled
CarePlan.activity.detail.statusReason | CodeableConcept | True | | | The reason entered if this item is overridden.
CarePlan.activity.progress | Annotation | True | Yes | | The comment entered if this item is overridden.
CarePlan.author | Reference | True | | | The provider who initiated the pathway.
CarePlan.category | CodeableConcept | True | Yes | | Type of plan. "inpatient-pathway" should be used to search for inpatient pathway CarePlan resource.
CarePlan.contributor | Reference | True | Yes | | The provider who completed or discontinued the pathway.
CarePlan.created | String | True | | | The start date and time of the pathway.
CarePlan.encounter | Reference | True | | | The encounter in which the pathway was started.
CarePlan.goal | Reference | True | Yes | | The steps associated with the pathway.
CarePlan.intent | String | False | | | For Inpatient Pathways this always equals "plan".
CarePlan.note | Annotation | True | Yes | | The comment entered at pathway discontinuation or completion.
CarePlan.period | Period | True | | | The start date and time of the pathway and the end date and time if completed or discontinued.
CarePlan.status | String | False | | | The status of the pathway: Active Completed Revoked
CarePlan.subject | Reference | False | | | The patient or subject of this pathway.
CarePlan.supportingInfo | Reference | True | Yes | | The reason entered for pathway discontinuation.
CarePlan.title | String | True | | | The display name of the Pathway.

Sample request

```
https://hostname/instance/api/FHIR/R4/CarePlan/eG-cBvoTWaHT6XH6JPYNvhn8JwYPCBcHlE41V45Wl1Ow3
```

Sample response


```
{
  "resourceType": "CarePlan",
  "id": "eG-cBvoTWaHT6XH6JPYNvhn8JwYPCBcHlE41V45Wl1Ow3",
  "status": "active",
  "intent": "plan",
  "category": [
```

```
  {
    "coding": [
      {
        "system": "http://open.epic.com/FHIR/StructureDefinition/CarePlan-category",
        "code": "inpatient-pathway",
        "display": "Inpatient Pathway"
      }
    ],
    "text": "Inpatient Pathway"
  }
],
"title": "Example Pathway",
"subject": {
  "reference": "Patient/e-r6PuLiIah1VEuNp-AkSGg3",
  "display": "Johnson, David I"
},
"encounter": {
  "reference": "Encounter/ehO8R3UvyrVmXG-lRFkLu.Mz475ZKMjFoo15.accqf6Y3"
},
"period": {
  "start": "2021-01-06T18:11:40Z"
},
"created": "2021-01-06T18:11:40Z",
"author": {
  "reference": "Practitioner/eQFXqHUcCpqHdCWFFkAtlbg3",
  "display": "Chris Marshall, MD"
},
"goal": [
  {
    "reference": "Goal/etHyRoo06cLuDBn8oKisHqA3",
    "display": "Pathway Step 1"
  },
  {
    "reference": "Goal/er.-xtOxU.8LxS2ViTLM8uw3",
    "display": "Pathway Step 2"
  }
],
"activity": [
  {
    "detail": {
      "code": {
        "coding": [
          {
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.798268",
            "code": "6000573263",
            "display": "Ondansetron (Zofran)"
          }
        ],
        "text": "Ondansetron (Zofran)"
      },
      "reasonCode": [
        {
          "coding": [
            {
              "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.798381",
              "code": "89852",
              "display": "Step 1 Medications"
            }
          ],
          "text": "Step 1 Medications"
        }
      ],
      "goal": [
        {
          "reference": "Goal/etHyRoo06cLuDBn8oKisHqA3",
          "display": "Pathway Step 1"
        }
      ],
      "status": "in-progress",
      "scheduledPeriod": {
        "start": "2021-01-06T18:11:39Z"
      },
      "description": "Section 1"
    }
  },
  {
    "detail": {
      "code": {
        "coding": [
          {
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.798476",
            "code": "456161",
            "display": " Ondansetron (Zofran)"
          }
        ],
        "text": " Ondansetron (Zofran)"
      },
      "reasonCode": [
        {
```

```
            "coding": [
              {
                "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.798381",
                "code": "89855",
                "display": "Step 1 Medications"
              }
            ],
            "text": "OSTPR OM SG 1"
          }
        ],
        "goal": [
          {
            "reference": "Goal/er.-xtOxU.8LxS2ViTLM8uw3",
            "display": "Pathway Step 2"
          }
        ],
        "status": "scheduled",
        "description": "Section 2"
      }
    }
  ]
}
```


8.1.5 CarePlan.Read (Inpatient) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10043-CarePlan-Read-Inpatient-R4.html
Epic API ID | 10043
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | February 2021
HTTP method | GET
URL template | /api/FHIR/R4/CarePlan/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10043

Description

The FHIR CarePlan resource is a broad container for summarizing the plan of treatment for a patient. It includes links to the Condition Resource (the patient's long term problem list) and the Goal Resource (the patient's longitudinal goals) as well as in-line detail about upcoming appointments and upcoming orders.

This resource is designed for inpatient-related care plan data.

This read interaction enables the lookup of a specific inpatient CarePlan resource by FHIR ID.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | FHIR identifier for a CarePlan resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
CarePlan | CarePlan | False | | | An instance of the R4 CarePlan resource.
CarePlan.activity | Activity | True | Yes | | Actions to occur as part of the care plan.
CarePlan.activity.extension (also: activity-progress-notes-omitted) | Extension | True | Yes | | Error message indicating some notes were omitted from the progress element if it took more than a minute to load notes.
CarePlan.activity.detail | Detail | False | | | A simple summary of a planned activity.
CarePlan.activity.detail.code | CodeableConcept | False | | | Detailed description of the type of planned activity.
CarePlan.activity.detail.description | String | True | | | This provides a textual description of constraints on the intended activity occurrence, including relation to other activities. It can also include objectives, pre-conditions and end-conditions. Finally, it can convey specifics about the activity such as body site, method, and route.
CarePlan.activity.detail.goal | Reference | True | Yes | | Identifies goals that this activity is intended to contribute towards meeting. Reference to a Goal resource.
CarePlan.activity.detail.instantiatesUri | String | True | Yes | | The URL pointing to an externally maintained protocol, guideline, questionnaire or other definition that is adhered to in whole or in part by this CarePlan activity.
CarePlan.activity.detail.performer | Reference | False | Yes | | Identifies who's expected to be involved in the activity. This is a display-only reference.
CarePlan.activity.detail.reasonReference | Reference | True | Yes | | Reference to a Condition resource that justifies the inclusion of this activity as part of the care plan.
CarePlan.activity.detail.scheduledTiming | Timing | False | | | The period, timing or frequency upon which the described activity is to occur.
CarePlan.activity.detail.status | String | False | | | Identifies what progress is being made for the specific activity.
CarePlan.activity.detail.statusReason | CodeableConcept | True | | | Reason for the current activity status.
CarePlan.activity.outcomeReference | Reference | True | Yes | | Reference to an Observation resource for linked flowsheet documentation.

CarePlan.activity.progress | Annotation | True | Yes | | Notes about the progress of the activity.
CarePlan.addresses | Reference | True | Yes | | The list of health issues this CarePlan addresses. Reference to a Condition resource or resources.
CarePlan.category | CodeableConcept | False | Yes | | What "kind" of plan this is to support differentiation between multiple co-existing plans, such as "Home health", "psychiatric", "asthma", "disease management", or "wellness plan". SNOMED 736353004 should be used.
CarePlan.created | String | False | | | When this CarePlan was created.
CarePlan.encounter | Reference | False | | | The Encounter during which this CarePlan was created or to which the creation of this record is tightly associated.
CarePlan.goal | Reference | True | Yes | | Reference to a Goal resource associated with this CarePlan.
CarePlan.intent | String | False | | | The level of authority/intentionality associated with the CarePlan.
CarePlan.period | Period | False | | | Indicates when the plan came into effect and ended, or when it is intended to come into effect and end.
CarePlan.status | String | False | | | Whether the plan is currently being acted upon, represents future intentions, or is now a historical record.
CarePlan.subject | Reference | False | | | The patient or subject of this care plan.

Sample request

```
https://hostname/instance/api/FHIR/R4/CarePlan/euPz4Gt7e7EQzAOWtokEj9RaVxPEK0dF--1d8qJeqVeYobWHY.bIU6YbHvTG39FyU3
```

Sample response


```
{
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/CarePlan/euPz4Gt7e7EQzAOWtokEj9RaVxPEK0dF--
    1d8qJeqVeYobWHY.bIU6YbHvTG39FyU3"
    }
  ],
  "fullUrl": "https://hostname/instance/api/FHIR/R4/CarePlan/euPz4Gt7e7EQzAOWtokEj9RaVxPEK0dF--
    1d8qJeqVeYobWHY.bIU6YbHvTG39FyU3",
  "resource": {
    "resourceType": "CarePlan",
    "id": "euPz4Gt7e7EQzAOWtokEj9RaVxPEK0dF--1d8qJeqVeYobWHY.bIU6YbHvTG39FyU3",
    "status": "active",
    "intent": "plan",
    "category": [
      {
        "coding": [
          {
            "system": "http://snomed.info/sct",
            "code": "736353004",
            "display": "Inpatient care plan (record artifact)"
          }
        ],
        "text": "Inpatient care plan (record artifact)"
      },
      {
        "coding": [
          {
            "system": "http://hl7.org/fhir/us/core/CodeSystem/careplan-category",
            "code": "assess-plan",
            "display": "Assessment and Plan of Treatment"
          }
        ],
        "text": "Assessment and Plan of Treatment"
      }
    ],
    "subject": {
      "reference": "Patient/ec1rE2FurJlr.s2dHyJ9Jpg3",
      "display": "TestPatient, New"
    },
    "encounter": {
      "reference": "Encounter/eUhfvKMAIuYz9iyCy6wlf3w3"
    },
    "period": {
      "start": "2020-09-22"
    },
    "created": "2020-09-22"
  },
  "search": {
    "mode": "match"
  }
}
```


8.1.6 CarePlan.Read (Longitudinal) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/1064-CarePlan-Read-Longitudinal-R4.html
Epic API ID | 1064
FHIR version | R4
Categories | Clinical Care Provision
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes

ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2020
URL template | api/FHIR/R4/CarePlan/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=1064

Description

The FHIR CarePlan resource is a broad container for summarizing the plan of treatment for a patient. It includes links to the Condition Resource (the patient's long term Problem List) and the Goal Resource (the patient's longitudinal goals) as well as in-line detail about upcoming appointments and upcoming orders.

This resource is designed for stating specific activities related to a single patient, rather than generic protocols for condition treatment. This is implemented as a patient-level resource, so a patient will always have exactly 1 longitudinal CarePlan, which contains the most up-to-date information regarding their care.

This read interaction enables the lookup of a specific longitudinal CarePlan resource by FHIR ID.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | FHIR identifier for a CarePlan resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
CarePlan | CarePlan | False | | | An instance of the R4 CarePlan resource.
CarePlan._created | primitiveExtension | False
CarePlan._description | primitiveExtension | False
CarePlan._id | primitiveExtension | False
CarePlan._implicitRules | primitiveExtension | False
CarePlan._instantiatesCanonical | primitiveExtension | False | Yes
CarePlan._instantiatesUri | primitiveExtension | False | Yes
CarePlan._intent | primitiveExtension | False
CarePlan._language | primitiveExtension | False
CarePlan._status | primitiveExtension | False
CarePlan._title | primitiveExtension | False
CarePlan.activity | Activity | True | Yes | | Actions to occur as part of the care plan.
CarePlan.addresses | Reference | True | Yes | | A FHIR reference.
CarePlan.author | Reference | False | | | A FHIR reference.
CarePlan.basedOn | Reference | False | Yes | | A FHIR reference.
CarePlan.careTeam | Reference | False | Yes | | A FHIR reference.
CarePlan.category | CodeableConcept | True | Yes | | CodeableConcept value.
CarePlan.contained | ResourceContainer | False | Yes | | A container for a single FHIR resource.
CarePlan.contributor | Reference | True | Yes | | This element is available starting in the August 2026 version of Epic. Reference to the practitioners who last made updates relevant to the longitudinal care plan.
CarePlan.created | String | False
CarePlan.description | String | False
CarePlan.encounter | Reference | False | | | A FHIR reference.
CarePlan.extension | Extension | False | Yes
CarePlan.goal | Reference | False | Yes | | A FHIR reference.
CarePlan.id | String | False
CarePlan.identifier | Identifier | False | Yes | | Generic identifier.
CarePlan.implicitRules | String | False
CarePlan.instantiatesCanonical | String | False | Yes
CarePlan.instantiatesUri | String | False | Yes
CarePlan.intent | String | False
CarePlan.language | String | False
CarePlan.meta | Meta | False
CarePlan.modifierExtension | Extension | False | Yes
CarePlan.note | Annotation | False | Yes | | Note or annotation details.
CarePlan.partOf | Reference | False | Yes | | A FHIR reference.
CarePlan.period | Period | False
CarePlan.replaces | Reference | False | Yes | | A FHIR reference.
CarePlan.status | String | False
CarePlan.subject | Reference | False | | | A FHIR reference.
CarePlan.supportingInfo | Reference | False | Yes | | A FHIR reference.
CarePlan.text | Narrative | False
CarePlan.title | String | False
OperationOutcome | OperationOutcome | False
OperationOutcome._id | primitiveExtension | False
OperationOutcome._implicitRules | primitiveExtension | False

OperationOutcome._language | primitiveExtension | False
OperationOutcome.contained | ResourceContainer | False | Yes | | A container for a single FHIR resource.
OperationOutcome.extension | Extension | False | Yes
OperationOutcome.id | String | False
OperationOutcome.implicitRules | String | False
OperationOutcome.issue | Issue | False | Yes
OperationOutcome.language | String | False
OperationOutcome.meta | Meta | False
OperationOutcome.modifierExtension | Extension | False | Yes
OperationOutcome.text | Narrative | False

Sample request

```
https://hostname/instance/api/FHIR/R4/CarePlan/ebOCg1uG759-qC5tMRYro0NL9EWqPcmUcTBRuekI6fIk3
```

Sample response


```
{
    "resourceType": "CarePlan",
    "id": "ebOCg1uG759-qC5tMRYro0NL9EWqPcmUcTBRuekI6fIk3",
    "text": {
        "status": "generated",
        "div": "<div xmlns=\"http://www.w3.org/1999/xhtml\"><h1>Active Problems</h1><ul><li>Type 1 diabetes
    mellitus</li><li>Chronic back pain</li></ul><h1>Goals</h1><ul><li>Weight (lb) &lt; 200 lb</li></ul><h1>Upcoming
    Procedure Orders</h1><table><tr><th>Procedure Order</th><th>Start</th><th>End</th><th>Status</th></tr><tr><td>X-RAY
    ABDOMEN 2 VW</td><td>N/A</td><td>N/A</td><td>Not Started</td></tr></table></div>"
    },
    "status": "active",
    "intent": "plan",
    "category": [
        {
            "coding": [
                {
                    "system": "http://hl7.org/fhir/us/core/CodeSystem/careplan-category",
                    "code": "assess-plan",
                    "display": "Assessment and Plan of Treatment"
                }
            ],
            "text": "Assessment and Plan of Treatment"
        },
        {
            "coding": [
                {
                    "system": "http://snomed.info/sct",
                    "code": "38717003",
                    "display": "Longitudinal"
                }
            ],
            "text": "Longitudinal"
        }
    ],
    "subject": {
        "reference": "Patient/eeIncfrCBjMQ5elSQx.I0zw3",
        "display": "Test, Patient"
    },
                "contributor": {
                    "reference": "Practitioner/eIcc-1qocznupqW
                    "display": "Grace Practitioner, MD"
                },
    "addresses": [
        {
            "reference": "Condition/eGPLML1iXAk9RjEcE.SJ80gBxuNRI9.YnRHlOxDzGryw3",
            "display": "Type 1 diabetes mellitus"
        },
        {
            "reference": "Condition/eL35aP.iBX7duRU41HjXvZM49E0L2NeP8eH9LiCtVR.Q3",
            "display": "Chronic back pain"
        }
    ],
    "goal": [
        {
            "reference": "Goal/em9zZhdUaugZOu.ptOJUhKg3",
            "display": "Weight (lb) < 200 lb"
        }
    ],
    "activity": [
        {
            "detail": {
                "kind": "ServiceRequest",
                "code": {
                    "text": "X-RAY ABDOMEN 2 VW"
                },
                "status": "not-started",
                "doNotPerform": false
            }
        }
```

```
    ]
}
```

8.1.7 CarePlan.Read (Oncology) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10073-CarePlan-Read-Oncology-R4.html
Epic API ID | 10073
FHIR version | R4
Categories | Clinical Care Provision, Clinical Specialty
API type | Industry-Standard
API group | Oncology Plan Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | May 2021
HTTP method | GET
URL template | /api/FHIR/R4/CarePlan/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10073

Description

The FHIR CarePlan resource is a broad container for summarizing the plan of treatment for a patient. This resource is designed to return specific activities related to a single patient, rather than generic protocols for condition treatment.

The CarePlan (Oncology) sub-resource returns episode-level CarePlan data, such as a patient's treatment plans and therapy plans, and their cycles.

This read interaction enables the lookup of a specific oncology CarePlan resource by FHIR ID.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | FHIR identifier for a CarePlan resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
CarePlan | CarePlan | False | | | An instance of the R4 CarePlan resource.
CarePlan.activity | Activity | True | Yes | | Actions to occur as part of the care plan.
CarePlan.activity.extension (also: cycle) | Extension | True | Yes
CarePlan.activity.detail | Detail | True | | | Details for this activity.
CarePlan.activity.detail.location | Reference | True | | | Reference to the treatment department resource.
CarePlan.activity.detail.status | String | False | | | Plan's status.
CarePlan.activity.reference | Reference | True | | | Reference to RequestGroup resource for day-level information (applicable to cycle-level CarePlan only).
CarePlan.addresses | Reference | True | Yes | | Conditions associated with this plan.
CarePlan.author | Reference | True | | | Reference to the plan provider.
CarePlan.category | CodeableConcept | True | Yes | | Plan type (applicable to plan-level CarePlan only).
CarePlan.created | String | True | | | Creation date and time.
CarePlan.goal | Reference | True | Yes | | Treatment goal (treatment plan only).
CarePlan.intent | String | False | | | For oncology CarePlans, this always equals "plan"
CarePlan.note | Annotation | True | Yes | | Treatment note (treatment plan only).
CarePlan.partOf | Reference | True | Yes | | Refers to the plan-level CarePlan resource (applicable to cycle-level CarePlan only)
CarePlan.status | String | False | | | Plan/cycle status
CarePlan.subject | Reference | False | | | The patient or subject of this care plan.
CarePlan.title | String | False | | | Plan/cycle name

Sample request

```
https://hostname/instance/api/FHIR/R4/CarePlan/erc0aT3OW236-2W7zrwsgxKYNHXD2l48.aAIjjRTuuRM3
```

Sample response

```
<CarePlan xmlns="http://hl7.org/fhir">
  <id value="erc0aT3OW236-2W7zrwsgxKYNHXD2l48.aAIjjRTuuRM3"/>
  <status value="completed"/>
  <intent value="plan"/>
  <category>
    <coding>
      <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.848076.32"/>
      <code value="1"/>
      <display value="Treatment Plan"/>
    </coding>
    <text value="Treatment Plan"/>
  </category>
```

```
  <category>
    <coding>
      <system value="urn:oid:2.16.840.1.113883.6.96"/>
      <code value="736378000"/>
      <display value="Medication Management Plan"/>
    </coding>
    <text value="Medication Management Plan"/>
  </category>
  <category>
    <coding>
      <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.726668.11"/>
      <code value="11"/>
      <display value="THERAPY PLAN"/>
    </coding>
    <text value="THERAPY PLAN"/>
  </category>
  <title value="BEACON OP BREAST AC"/>
  <subject>
    <reference value="Patient/eaT.kS0nFEll7C71DHMcvQA3"/>
    <display value="Morrissey, Harmonia"/>
  </subject>
  <period>
    <start value="2020-08-17"/>
    <end value="2020-09-10T02:53:52Z"/>
  </period>
  <created value="2020-07-06T18:05:30Z"/>
  <author>
    <reference value="Practitioner/eCyz.so04-01YXg7oJzstgQ3"/>
    <display value="Brent Bledsoe, MD"/>
  </author>
  <addresses>
    <reference value="Condition/epjsZEORRi7O172yD7STnOUPFXp0bPMGnHt3.kXxRrrw3"/>
    <display value="Melanoma of skin"/>
  </addresses>
  <activity>
    <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/cycle">
      <valueReference>
        <reference value="CarePlan/erc0aT3OW236-2W7zrwsgxF4jmtcDMT0EgUCLpSzs8aGUuQvRn5exb6utiv60234e3"/>
        <display value="Cycle 1"/>
      </valueReference>
    </extension>
  </activity>
  <activity>
    <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/cycle">
      <valueReference>
        <reference value="CarePlan/erc0aT3OW236-2W7zrwsgxF4jmtcDMT0EgUCLpSzs8aGQ2vabhXpPwcAsjjrSMdAY3"/>
        <display value="Cycle 2"/>
      </valueReference>
    </extension>
  </activity>
  <activity>
    <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/cycle">
      <valueReference>
        <reference value="CarePlan/erc0aT3OW236-2W7zrwsgxF4jmtcDMT0EgUCLpSzs8aHrt34qZNtQU6slrzvP2nbM3"/>
        <display value="Cycle 3"/>
      </valueReference>
    </extension>
  </activity>
  <activity>
    <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/cycle">
      <valueReference>
        <reference value="CarePlan/erc0aT3OW236-2W7zrwsgxF4jmtcDMT0EgUCLpSzs8aFAXLzY-3eyY5oqAnrQiamh3"/>
        <display value="Cycle 4"/>
      </valueReference>
    </extension>
  </activity>
</CarePlan>
```

8.1.8 CarePlan.Read (Outpatient) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10045-CarePlan-Read-Outpatient-R4.html
Epic API ID | 10045
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | February 2021
HTTP method | GET
URL template | /api/FHIR/R4/CarePlan/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10045

Description

The FHIR CarePlan resource is a broad container for summarizing the plan of treatment for a patient. It includes links to the Condition Resource (the patient's long term problem list) and the Goal Resource (the patient's longitudinal goals) as well as in-line detail about upcoming appointments and upcoming orders.

This resource is designed for outpatient-related care plan data.

This read interaction enables the lookup of a specific outpatient CarePlan resource by FHIR ID.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | FHIR identifier for a CarePlan resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
CarePlan | CarePlan | False | | | An instance of the R4 CarePlan resource.
CarePlan.activity | Activity | True | Yes | | Actions to occur as part of the care plan.
CarePlan.activity.detail | Detail | True | | | A simple summary of the planned activity.
CarePlan.activity.detail.code | CodeableConcept | False | | | The display name for a given activity.
CarePlan.activity.detail.description | String | True | | | This is the note associated with the task. It typically contains a user's notes and a brief summary of what needs to happen.
CarePlan.activity.detail.goal | Reference | True | Yes | | Identifies goals that this activity is intended to contribute towards meeting. Reference to a Goal resource. This will never be more than 1 Goal resource.
CarePlan.activity.detail.kind | String | False | | | A description of the kind of resource the care plan activity is representing. We always use the "Task" value.
CarePlan.activity.detail.extension (also: Next due date) | Extension | True | Yes | | The next date the patient task is due. Only used by Patient tasks.
CarePlan.activity.detail.performer | Reference | True | Yes | | Identifies who's expected to be involved in the activity. Reference to a Practitioner or Patient resource. This is the user that is currently responsible for the activity. For patient tasks the patient is the performer.
CarePlan.activity.detail.reasonReference | Reference | True | Yes | | Reference to a Condition resource that justifies the inclusion of this activity as part of the care plan.
CarePlan.activity.detail.scheduledPeriod | Period | True | | | The period upon which the described activity is to occur.
CarePlan.activity.detail.scheduledTiming | Timing | False | | | The timing upon which the described activity is to occur.
CarePlan.activity.detail.status | String | False | | | Identifies what progress is being made for the specific activity.
CarePlan.activity.detail.extension (also: Task type) | Extension | False | Yes | | For patient tasks this is the specific task documentation type which determines the task completion buttons that can be used.
CarePlan.activity.extension (also: Priority) | Extension | True | Yes | | The priority for a given activity. This value is mapped from a list uniquely defined by each Epic community member.
CarePlan.activity.progress | Annotation | True | Yes | | Notes about the progress of the activity.
CarePlan.addresses | Reference | True | Yes | | The list of health issues this CarePlan addresses. Reference to a Condition resource or resources.
CarePlan.author | Reference | False | | | Reference to a Practitioner resource that represents the user who created the care plan.
CarePlan.category | CodeableConcept | True | Yes | | What "kind" of plan this is to support differentiation between multiple co-existing plans; e.g. "Home health", "psychiatric", "asthma", "disease management", "wellness plan", etc. SNOMED 736271009 should be used.
CarePlan.contributor | Reference | False | Yes | | The list of users who have modified data on the care plan. Reference to a Practitioner resource or resources.
CarePlan.created | String | True | | | When this CarePlan was created.
CarePlan.extension (also: Episode) | Extension | True | Yes | | The name of the episode if the care plan is linked to one.
CarePlan.goal | Reference | True | Yes | | Reference to a Goal resource or resources associated with this CarePlan.
CarePlan.intent | String | False | | | The level of authority/intentionality associated with the CarePlan. Always "Plan."
CarePlan.period | Period | False | | | The timeframe where the care plan was in use.
CarePlan.status | String | False | | | Whether the plan is currently being acted upon, represents future intentions, or is now a historical record. Epic supports the following statuses: active completed revoked
CarePlan.subject | Reference | False | | | The patient or subject of this care plan.
CarePlan.title | String | False | | | The display name given to the care plan.

Sample request

```
https://hostname/instance/api/FHIR/R4/CarePlan/eYgVmD7Y2jz5YnygLIp5Z0CsQzZfl8fsmHvnYcIRtFo-lRKJH.Rh4IawqZaFacxK93
```

Sample response

```
<CarePlan xmlns="http://hl7.org/fhir">
  <id value="eYgVmD7Y2jz5YnygLIp5Z0CsQzZfl8fsmHvnYcIRtFo-lRKJH.Rh4IawqZaFacxK93"/>
  <text>
    <extension url="http://hl7.org/fhir/StructureDefinition/data-absent-reason">
      <valueCode value="unsupported"/>
    </extension>
    <status value="additional"/>
  </text>
  <status value="active"/>
  <intent value="plan"/>
  <category>
    <coding>
      <system value="http://hl7.org/fhir/us/core/CodeSystem/careplan-category"/>
      <code value="assess-plan"/>
      <display value="Assessment and Plan of Treatment"/>
```

```
  </coding>
  <text value="Assessment and Plan of Treatment"/>
</category>
<category>
  <coding>
    <system value="http://snomed.info/sct"/>
    <code value="Outpatient care plan"/>
    <display value="Outpatient care plan"/>
  </coding>
  <text value="Outpatient care plan"/>
</category>
<title value="EHZ Care Plan"/>
<subject>
  <reference value="Patient/eS.3bWuX-xYAfV7T5h12w5Q3"/>
  <display value="Ctv, Calvin"/>
</subject>
<period>
  <start value="2020-06-26T16:52:08Z"/>
</period>
<created value="2020-06-26T16:52:08Z"/>
<author>
  <reference value="Practitioner/etgK7TEYmpXBluVvFVNOlvA3"/>
  <display value="C Ccc"/>
</author>
<goal>
  <reference value="Goal/eWPM3.90EXgEa30Z8JugwmA3"/>
  <display value="EHZ Goal"/>
</goal>
<goal>
  <reference value="Goal/e0M4fmPN9nMOEnJ1SCL1kEg3"/>
  <display value="Alleviate depressive symptoms and return to previous level of effective functioning"/>
</goal>
<goal>
  <reference value="Goal/ehwtn4Y2Ha83yoA.WULVm5A3"/>
  <display value="Verbalize an understanding of the causes for, symptoms of, and treatment of depressive episodes"/>
</goal>
<goal>
  <reference value="Goal/e2H0sb8huWu6ECKVKMmdd-Q3"/>
  <display value="Identify and replace thoughts and behaviors that trigger depressive symptoms"/>
</goal>
<goal>
  <reference value="Goal/ea5Vnoe2DB6DCEFoiUWkRtw3"/>
  <display value="State no longer having thoughts of self-harm"/>
</goal>
<goal>
  <reference value="Goal/exADBwpXdhV6dqpsbnkgs5w3"/>
  <display value="Describe mood state, energy level, amount of control over thoughts, and sleeping pattern"/>
</goal>
<goal>
  <reference value="Goal/eKiH69itjR.wES00nqpuf7g3"/>
  <display value="Cooperate with a medical/psychiatric evaluation for medication needs to stabilize symptoms"/>
</goal>
<activity>
  <progress>
    <text value="Negative"/>
  </progress>
  <detail>
    <kind value="Task"/>
    <code>
      <text value="EHZ TASK"/>
    </code>
    <goal>
      <reference value="Goal/eWPM3.90EXgEa30Z8JugwmA3"/>
      <display value="EHZ Goal"/>
    </goal>
    <status value="completed"/>
    <doNotPerform value="false"/>
    <scheduledPeriod>
      <start value="2020-06-26T21:52:08Z"/>
      <end value="2020-07-21T18:09:51Z"/>
    </scheduledPeriod>
    <performer>
      <reference value="Practitioner/etgK7TEYmpXBluVvFVNOlvA3"/>
      <display value="C Ccc"/>
    </performer>
    <description value="This is a task note. I will now save this "/>
  </detail>
</activity>
<activity>
  <detail>
    <kind value="Task"/>
    <code>
      <text value="EHZ TASK"/>
    </code>
    <goal>
      <reference value="Goal/eWPM3.90EXgEa30Z8JugwmA3"/>
      <display value="EHZ Goal"/>
    </goal>
    <status value="completed"/>
```

```
    <doNotPerform value="false"/>
    <scheduledPeriod>
      <start value="2020-07-21T18:12:53Z"/>
      <end value="2020-07-22T17:28:17Z"/>
    </scheduledPeriod>
    <performer>
      <reference value="Practitioner/etgK7TEYmpXBluVvFVNOlvA3"/>
      <display value="C Ccc"/>
    </performer>
  </detail>
</activity>
<activity>
  <detail>
    <kind value="Task"/>
    <code>
      <text value="Conduct or refer the client to a group psychoeducation program that teaches clients the
  psychological, biological, and social influences in development of depression, and its biological and psychological
  treatment"/>
    </code>
    <goal>
      <reference value="Goal/ehwtn4Y2Ha83yoA.WULVm5A3"/>
      <display value="Verbalize an understanding of the causes for, symptoms of, and treatment of depressive
  episodes"/>
    </goal>
    <status value="in-progress"/>
    <doNotPerform value="false"/>
    <scheduledPeriod>
      <start value="2020-07-20T18:10:55Z"/>
    </scheduledPeriod>
  </detail>
</activity>
<activity>
  <detail>
    <kind value="Task"/>
    <code>
      <text value="BTR Task 1"/>
    </code>
    <goal>
      <reference value="Goal/ea5Vnoe2DB6DCEFoiUWkRtw3"/>
      <display value="State no longer having thoughts of self-harm"/>
    </goal>
    <status value="in-progress"/>
    <doNotPerform value="false"/>
    <scheduledPeriod>
      <start value="2020-07-21T18:13:02Z"/>
    </scheduledPeriod>
  </detail>
</activity>
<activity>
  <detail>
    <kind value="Task"/>
    <code>
      <text value="BTR Task 2"/>
    </code>
    <goal>
      <reference value="Goal/ea5Vnoe2DB6DCEFoiUWkRtw3"/>
      <display value="State no longer having thoughts of self-harm"/>
    </goal>
    <status value="in-progress"/>
    <doNotPerform value="false"/>
    <scheduledPeriod>
      <start value="2020-07-21T18:13:02Z"/>
    </scheduledPeriod>
  </detail>
</activity>
<activity>
  <detail>
    <kind value="Task"/>
    <code>
      <text value="BTR Task 3"/>
    </code>
    <goal>
      <reference value="Goal/ea5Vnoe2DB6DCEFoiUWkRtw3"/>
      <display value="State no longer having thoughts of self-harm"/>
    </goal>
    <status value="in-progress"/>
    <doNotPerform value="false"/>
    <scheduledPeriod>
      <start value="2020-07-21T18:13:02Z"/>
    </scheduledPeriod>
  </detail>
</activity>
<activity>
  <detail>
    <kind value="Task"/>
    <code>
      <text value="BTR Task 4"/>
    </code>
    <goal>
```

```
        <reference value="Goal/ea5Vnoe2DB6DCEFoiUWkRtw3"/>
        <display value="State no longer having thoughts of self-harm"/>
      </goal>
      <status value="in-progress"/>
      <doNotPerform value="false"/>
      <scheduledPeriod>
        <start value="2020-07-21T18:13:02Z"/>
      </scheduledPeriod>
    </detail>
  </activity>
</CarePlan>
```

8.1.9 CarePlan.Read (Patient Education) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10321-CarePlan-Read-Patient-Education-R4.html
Epic API ID | 10321
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
API group | Patient Education Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/CarePlan/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10321

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | FHIR identifier for a CarePlan resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
CarePlan | CarePlan | False | | | An instance of the R4 CarePlan resource.
CarePlan.author | Reference | True | | | Caregiver who added the element. Omitted for encounter-title-list elements.
CarePlan.category | CodeableConcept | True | Yes | | Type of plan. Always SNOMED code 409073007.
CarePlan.created | String | True | | | Date / time record was first recorded. Omitted for encounter-title-list elements.
CarePlan.description | String | True | | | Summary of the plan. Omitted for encounter-title-list, title, and topic elements.
CarePlan.extension (also: education-patient-handout) | Extension | True | Yes | | Patient handouts. Omitted for encounter-title-list elements.
CarePlan.extension (also: education-provider-reference) | Extension | True | Yes | | Provider reference links. Omitted in patient context. Omitted for encounter-title-list elements.
CarePlan.extension (also: education-subcategory) | Extension | False | Yes | | Differentiates between the overall tree level, titles, topics, and points encounter-title-list, title, topic, and point.
CarePlan.encounter | Reference | True | | | Encounter created as part of.
CarePlan.intent | String | False | | | Always "plan".
CarePlan.note | Annotation | True | Yes | | Comments about the plan. Omitted for title, topic, and point elements.
CarePlan.partOf | Reference | True | Yes | | Refers to parent encounter-title-list, title, or topic. Omitted for encounter-title-list elements.
CarePlan.status | String | False | | | Status of the care plan element. Possible values include: active, on-hold, revoked, and completed.
CarePlan.subject | Reference | False | | | Who the care plan is for.
CarePlan.title | String | True | | | Caregiver- or patient-friendly name for the care plan. Omitted for encounter-title-list elements.

Sample request

```
https://hostname/instance/api/FHIR/R4/CarePlan/eHAqVVApVSdEcF6a73Fzx1U1sYGijq2OMQDPABCRvlpg3
```

Sample response

```
{
  "resourceType": "CarePlan",
  "id": "eHAqVVApVSdEcF6a73Fzx1U1sYGijq2OMQDPABCRvlpg3",
  "extension": [
    {
      "valueString": "encounter-title-list",
      "url": "http://open.epic.com/FHIR/StructureDefinition/extension/education-subcategory"
    }
  ],
  "intent": "plan",
  "category": [
    {
      "coding": [
        {
          "system": "http://snomed.info/sct",
          "code": "409073007",
          "display": "Education"
        }
```

```
      ],
      "text": "Education"
    }
  ],
  "subject": {
    "reference": "Patient/e6sq42KWFiE7jDOx0WZl0M4IaDQBGJakQZGNgTv38VP43",
    "display": "Caldwell, Jackson"
  },
  "encounter": {
    "reference": "Encounter/e2TBendpedC7j.2X.Tf5kkBKqU.2y4fSm7TYWbkWMnOg3",
    "identifier": {
      "use": "usual",
      "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.3.698084.8",
      "value": "10003910675"
    },
    "display": "Hospital Encounter"
  }
}
```


8.1.10 CarePlan.Read (Questionnaires Due) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10022-CarePlan-Read-Questionnaires-Due-R4.html
Epic API ID | 10022
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
API group | Questionnaires Due Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | February 2021
HTTP method | GET
URL template | /api/FHIR/R4/CarePlan/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10022

Description

This web service returns a list of outstanding patient-entered questionnaires associated with upcoming appointments or series questionnaires due by a certain date. This web service does not return history questionnaires, always available questionnaires, series questionnaires that would be throttled due to existing valid answers, or series questionnaires that are event-based. Reference CarePlan.Search (Questionnaires Due) to define the due date value.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | FHIR identifier for a CarePlan resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
CarePlan | CarePlan | False | | | An instance of the R4 CarePlan resource.
CarePlan.activity | Activity | True | Yes | | Actions to occur as part of the care plan.
CarePlan.activity.detail | Detail | True | | | Details for this activity.
CarePlan.activity.detail.code | CodeableConcept | True | | | Detail type of activity. Set to SNOMED 719091000000102.
CarePlan.activity.detail.instantiatesCanonical | String | True | | | This contains all the questionnaires associated with the encounter.
CarePlan.activity.detail.scheduledPeriod | Period | True | | | Use scheduled.scheduledPeriod to go from today to activity-date.
CarePlan.activity.detail.status | String | False | | | Set to In-progress, unless all questionnaires are answered. If all questionnaires are answered, set to Completed.
CarePlan.activity.outcomeReference | Reference | True | Yes | | Starting in the November 2022 version of Epic, this element is not returned. In May 2022 and earlier: The identifier values of the questionnaire series in reference to the assigned questionnaire.
CarePlan.activity.extension (also: questionnairesDue-context) | Extension | False | Yes | | Available starting in the November 2022 version of Epic. The identifier values of either the appointment encounter or the questionnaire series in reference to the assigned questionnaire. The system value determines whether the questionnaire was assigned in an appointment or a questionnaire series.
CarePlan.activity.reference | Reference | True | | | Starting in the November 2022 version of Epic, references are no longer returned in this element. They are returned in the questionnairesDue-context extension instead. In May 2022 and earlier, the identifier values of the appointment encounter in reference to the assigned questionnaire.
CarePlan.category | CodeableConcept | True | Yes | | Always set to SNOMED 719091000000102.
CarePlan.intent | String | False | | | Always "order."
CarePlan.status | String | False | | | Always "active."
CarePlan.subject | Reference | False | | | Patient the questionnaires correspond to.

Sample request

```
https://hostname/instance/api/FHIR/R4/CarePlan/eiicpumkOOKezRwYIPWvslaUGoNFggfx1R-ibdzHIYYg3
```

Sample response


```
{
  "resourceType": "CarePlan",
  "id": "eyVZXThNXl1ns5EqSQXK58HQRn6rawd971sry5FGbEovLyOlKCa3SliZTO511VWGv3",
  "status": "active",
  "intent": "order",
  "category": [
    {
      "coding": [
        {
          "system": "http://snomed.info/sct",
          "code": "719091000000102",
          "display": "Questionnaire"
        }
      ],
      "text": "Questionnaire"
    }
  ],
  "subject": {
    "reference": "Patient/ezcGsWBVB2DPVcVol8-Pleg3",
    "display": "Peterson, Alice"
  },
  "activity": [
    {
      "extension": [
        {
          "valueIdentifier": {
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.3.698084.8",
            "value": "10000921569"
          },
          "url": "http://open.epic.com/FHIR/StructureDefinition/extension/questionnairesdue-context"
        }
      ],
      "detail": {
        "instantiatesCanonical": [
          "Questionnaire/eLmasiW7nIL4F3Yc8fglE0tscFW3zKdlmDdZ19sZtTNs3",
          "Questionnaire/ej4KpBLD8lYDNGSNYhRDwSwz2ubcD9s1m-uNGPiyX4zk3"
        ],
        "code": {
          "coding": [
            {
              "system": "http://snomed.info/sct",
              "code": "719091000000102",
              "display": "Questionnaire"
            }
          ],
          "text": "Questionnaire"
        },
        "status": "in-progress",
        "scheduledPeriod": {
          "start": "2022-08-12",
          "end": "2022-08-16"
        }
      }
    },
    {
      "extension": [
        {
          "valueIdentifier": {
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.728187",
            "value": "2039"
          },
          "url": "http://open.epic.com/FHIR/StructureDefinition/extension/questionnairesdue-context"
        }
      ],
      "detail": {
        "instantiatesCanonical": [
          "Questionnaire/eML6EPU2SV7Uw-S4cnCO7DSzLz49hTph8vFQ0BnmD15c3",
          "Questionnaire/etvNYDoXhB94vnVdHh9R0gUyRtqOCEcKusauXH9.ofDc3",
          "Questionnaire/ej4KpBLD8lYDNGSNYhRDwSwz2ubcD9s1m-uNGPiyX4zk3"
        ],
        "code": {
          "coding": [
            {
              "system": "http://snomed.info/sct",
              "code": "719091000000102",
              "display": "Questionnaire"
            }
          ],
          "text": "Questionnaire"
        },
        "status": "in-progress",
        "scheduledPeriod": {
          "start": "2022-08-12",
          "end": "2022-08-16"
        }
      }
    }
```

```
  ]
}
```

Change log

Epic Version | Description | Type
November 2022 | A new activity.extension called “questionnairesDue-context” will be used to identify the system value for appointment or questionnaire series and the context identifier value for the questionnaire. | Breaking change

8.1.11 CarePlan.Search (Care Path) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10309-CarePlan-Search-Care-Path-R4.html
Epic API ID | 10309
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
API group | Care Path Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | api/FHIR/R4/CarePlan?category={category}&patient={patient}&status={status}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10309

Request parameters

Name | Type | Optional | Array | Cardinality | Description
category | String | False | | | Category value for identifying that the caller specifically only wants care paths to be returned. The value for care paths is “care-path”.
status | String | True | | | If provided, only care path Care Plans with the specified status are returned. If not provided, then all care path Care Plans for the patient (active, resolved, and deleted) are returned

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
activity-code | String | True | | | Unsupported
activity-date | String | True | | | Unsupported
activity-reference | String | True | | | Unsupported
based-on | String | True | | | Unsupported
care-team | String | True | | | Unsupported
condition | String | True | | | Unsupported
date | String | True | | | Start date and end date for the care path episode.
encounter | String | True | | | Unsupported
goal | String | True | | | References the step of the care path episode the patient is on, which is stored in the Goal resource.
identifier | String | True | | | Unsupported
instantiates-canonical | String | True | | | Unsupported
intent | String | True | | | Always “plan” for all care paths.
part-of | String | True | | | Unsupported
patient | String | False | | | The FHIR patient ID for the patient for whom to return all of the care path Care Plans.
performer | String | True | | | Unsupported
replaces | String | True | | | References the ID of the initiating care path episode.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.CarePlan | CarePlan | False | | | An instance of the R4 CarePlan resource.
Bundle.entry.resource.CarePlan.category | CodeableConcept | False | Yes | | Hard-coded to “care-path” for all care paths.
Bundle.entry.resource.CarePlan.goal | Reference | False | Yes | | References the step of the care path episode the patient is on, which is stored in the Goal resource.
Bundle.entry.resource.CarePlan.intent | String | False | | | Hard-coded to “plan” for all care paths.
Bundle.entry.resource.CarePlan.period | Period | False | | | Returns start date and end date for the care path episode.
Bundle.entry.resource.CarePlan.period.end | String | True | | | Returns end date for the care path episode.
Bundle.entry.resource.CarePlan.period.start | String | False | | | Returns start date for the care path episode.
Bundle.entry.resource.CarePlan.replaces | Reference | True | Yes | | References the ID of the initiating care path episode.
Bundle.entry.resource.CarePlan.status | String | False | | | The status of the care path (active, resolved, or deleted).
Bundle.entry.resource.CarePlan.subject | Reference | False | | | The FHIR Patient ID.
Bundle.entry.resource.CarePlan.title | String | False | | | The name of the care path episode.

Sample request

```
https://hostname/instance/api/FHIR/R4/CarePlan?category=care-path&patient=euM7MTws9r2c0Ck-PEdZJKQ3&status=active
```

Sample response

```
<CarePlan xmlns="http://hl7.org/fhir">
  <id value="eBgLNzvN1a-3bC3arQA6g.A3"/>
  <status value="active"/>
  <intent value="plan"/>
  <category>
    <coding>
      <system value="http://open.epic.com/FHIR/StructureDefinition/careplan-category"/>
      <code value="care-path"/>
      <display value="Care Path"/>
    </coding>
    <text value="Care Path"/>
  </category>
  <title value="COPD"/>
  <subject>
    <reference value="Patient/euM7MTws9r2c0Ck-PEdZJKQ3"/>
    <display value="Westerfield, Charles"/>
  </subject>
  <period>
    <start value="2021-03-18"/>
  </period>
  <goal>
    <reference value="Goal/ezLesOT4TxwekGrfQscocSnmJKurvDCSRTOiUtjDndZY3"/>
    <display value="New diagnosis of COPD, prescribe bronchodilator"/>
  </goal>
  <goal>
    <reference value="Goal/ezLesOT4TxwekGrfQscocSnTTLcTBLNfY-Gek56Wa--03"/>
    <display value="Assess effectiveness of bronchodilator"/>
  </goal>
</CarePlan>
```

8.1.12 CarePlan.Search (Dental) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10017-CarePlan-Search-Dental-R4.html
Epic API ID | 10017
FHIR version | R4
Categories | Clinical Care Provision, Clinical Specialty
API type | Industry-Standard
API group | Dental Care Plan Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | February 2021
HTTP method | GET
URL template | /api/FHIR/R4/CarePlan?category={category}&patient={patient}&subject={subject}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10017

Description

The CarePlan (Dental CarePlan) resource returns a patient's dental treatment plans or options. Dental treatment plans outline the care for one or more of a patient's dental issues. These can include one or more visits and a Pending section, each of which can contain multiple procedures. Dental options represent alternative ways a treatment plan can be carried out, and each option can have its own visits and procedures, though only a single option is selected for a given treatment plan. This resource can return a specific treatment plan or option by ID or a list of the patient's treatment plans (which point to their options) if you search by patient.

The search interaction enables the lookup of one or more CarePlan resources, filtered by the specified parameters.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
category | String | False | | | Type of plan. 738906000 should be used to search for dental treatment plans.
status | String | True | | | Treatment plan status. If provided, only treatments in the specified subset of statuses are returned.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
activity-code | String | True | | | Unsupported
activity-date | String | True | | | Unsupported
activity-reference | String | True | | | Reference to child visits (RequestGroup).
based-on | String | True | | | Unsupported
care-team | String | True | | | Unsupported

condition | String | True | | | Reference link to the dental finding addressed in this treatment.
date | String | True | | | The time that the treatment was completed.
encounter | String | True | | | Unsupported
goal | String | True | | | Unsupported
identifier | String | True | | | Unsupported
instantiates-canonical | String | True | | | Unsupported
intent | String | True | | | Either "plan" or "proposal," depending on whether the treatment or option is active or has been completed.
part-of | String | True | | | Reference to a parent treatment.
patient | String | False | | | Patient FHIR resource ID for the patient associated with the care plan. If provided, all treatments associated with the patient are returned.
performer | String | True | | | Unsupported
replaces | String | True | | | Unsupported

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.CarePlan | CarePlan | False | | | An instance of the R4 CarePlan resource.
Bundle.entry.resource.CarePlan.activity | Activity | True | Yes | | For an option, reference to child visits.
Bundle.entry.resource.CarePlan.activity.reference | Reference | True | | | Reference to child visits (RequestGroup).
Bundle.entry.resource.CarePlan.addresses | Reference | True | Yes | | Reference link to the dental finding addressed in this treatment.
Bundle.entry.resource.CarePlan.author | Reference | True | | | The treatment owner.
Bundle.entry.resource.CarePlan.category | CodeableConcept | True | Yes | | Type of plan. 738906000 should be used to search for dental treatment plans.
Bundle.entry.resource.CarePlan.contributor | Reference | True | Yes | | The user who approved the treatment.
Bundle.entry.resource.CarePlan.created | String | True | | | The instant the treatment or option was created.
Bundle.entry.resource.CarePlan.intent | String | False | | | Either "plan" or "proposal," depending on the treatment plan status. Treatment plans with a status of “draft” have an intent of “proposal.” Treatment plans with all other statuses have intents of “plan.”
Bundle.entry.resource.CarePlan.note | Annotation | True | Yes | | The treatment's comment.
Bundle.entry.resource.CarePlan.partOf | Reference | True | Yes | | Reference to a parent treatment.
Bundle.entry.resource.CarePlan.period | Period | True | | | The time that the treatment was completed.
Bundle.entry.resource.CarePlan.status | String | False | | | The status of the treatment or option. Can be "active," "completed," "draft," or "revoked."
Bundle.entry.resource.CarePlan.subject | Reference | False | | | The patient or subject of this treatment plan.
Bundle.entry.resource.CarePlan.supportingInfo | Reference | True | Yes | | For a treatment, reference to child treatment plan options.
Bundle.entry.resource.CarePlan.title | String | True | | | The title of the treatment plan or name of the option.

Sample request

```
https://hostname/instance/api/FHIR/R4/CarePlan?patient=e-NoAZ0ctgfeTYD.aaecWQQ3&category=738906000&status=completed
```

Sample response

```
<Bundle xmlns="http://hl7.org/fhir">
  <type value="searchset"/>
  <total value="1"/>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/R4/CarePlan?patient=e-
    NoAZ0ctgfeTYD.aaecWQQ3&amp;category=738906000&amp;status=completed"/>
  </link>
  <entry>
    <link>
      <relation value="self"/>
      <url value="https://hostname/instance/api/FHIR/R4/CarePlan/ezv8muakDf.OWIZFA0VeHykcwagO7gUw-
    Qo7tjhIjW7qyR.Sb9PDuVIqsXy8702ujMTksxNKECrRrtU361qN4fg3"/>
    </link>
    <fullUrl value="https://hostname/instance/api/FHIR/R4/CarePlan/ezv8muakDf.OWIZFA0VeHykcwagO7gUw-
    Qo7tjhIjW7qyR.Sb9PDuVIqsXy8702ujMTksxNKECrRrtU361qN4fg3"/>
    <resource>
      <CarePlan>
        <id value="ezv8muakDf.OWIZFA0VeHykcwagO7gUw-Qo7tjhIjW7qyR.Sb9PDuVIqsXy8702ujMTksxNKECrRrtU361qN4fg3"/>
        <status value="completed"/>
        <intent value="plan"/>
        <category>
          <coding>
            <system value="http://snomed.info/sct"/>
            <code value="738906000"/>
            <display value="Dental"/>
          </coding>
          <text value="Dental"/>
        </category>
        <category>
          <coding>
            <system value="urn:oid:1.2.840.114350.1.72.1.7.7.10.848076.94000"/>
            <code value="0"/>
            <display value="Treatment"/>
          </coding>
          <text value="Treatment"/>
        </category>
```

```
        <title value="Restoration"/>
        <subject>
          <reference value="Patient/e-NoAZ0ctgfeTYD.aaecWQQ3"/>
          <type value="Patient"/>
          <display value="Sutter, Craig"/>
        </subject>
        <period>
          <end value="2020-12-04T15:40:17Z"/>
        </period>
        <created value="2020-07-08T20:42:50Z"/>
        <author>
          <reference value="Practitioner/e8n7AlpC.GL.-W4xPxlUYoQ3"/>
          <type value="Practitioner"/>
          <display value="Carla Maple"/>
        </author>
        <contributor>
          <reference value="Practitioner/eGUg0Ag0gEO9CWgt7RBwVQw3"/>
          <type value="Practitioner"/>
          <display value="Fred Jenkins, D.D.S."/>
        </contributor>
        <supportingInfo>
          <reference value="CarePlan/ev5wa4XvmHcOpqPL93bxQ2rXS1hy-Ktdyjq3POcWh6jX5LKdo8Jm5y8Vcb.ffh12m3"/>
          <type value="CarePlan"/>
          <display value="Option 1"/>
        </supportingInfo>
        <supportingInfo>
          <reference value="CarePlan/eSTqKFLdUYDKtTWb3K0iDMquO9DqNqV3iWcLFhOB6kEeX7YsdDmgQsZM.0HJP3Iqe3"/>
          <type value="CarePlan"/>
          <display value="Option 2"/>
        </supportingInfo>
        <note>
          <time value="2020-12-04T15:39:36Z"/>
          <text value="Crowns and fillings"/>
        </note>
      </CarePlan>
    </resource>
    <search>
      <mode value="match"/>
    </search>
  </entry>
</Bundle>
```


8.1.13 CarePlan.Search (Encounter) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/1067-CarePlan-Search-Encounter-R4.html
Epic API ID | 1067
FHIR version | R4
Categories | Clinical Care Provision
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2020
HTTP method | GET
URL template | api/FHIR/R4/CarePlan?category={category}&patient={patient}&subject={subject}&encounter={encounter}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=1067

Description

The FHIR CarePlan resource is a broad container for summarizing the plan of treatment for a patient. This resource is designed for stating specific activities related to a single patient, rather than generic protocols for condition treatment.

The CarePlan (Encounter CarePlan) sub-resource returns encounter-level CarePlan data, such as notes.

The search interaction enables the lookup of one or more CarePlan resources, filtered by the specified parameters.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
category | String | False | | | Type of plan. 734163000 should be used to search for encounter-level CarePlans. In addition, category type "assess-plan" is always included in search results.
encounter | String | True | | | Specific encounters to search for encounter-level CarePlans.
subject | String | False | | | Subject of the care plan. May be used instead of the patient parameter. If both are populated but do not match, no results will be returned.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description

activity-code | String | True | | | Unsupported
activity-date | String | True | | | Unsupported
activity-reference | String | True | | | Unsupported
based-on | String | True | | | Unsupported
care-team | String | True | | | Unsupported
condition | String | True | | | Unsupported
date | String | True | | | Unsupported
goal | String | True | | | Unsupported
identifier | String | True | | | Unsupported
instantiates-canonical | String | True | | | Unsupported
intent | String | False | | | For encounter CarePlans, this always equals "proposal."
part-of | String | True | | | Unsupported
patient | String | False | | | Patient FHIR resource ID for the patient associated with the care plan.
performer | String | True | | | Unsupported
replaces | String | True | | | Unsupported
status | String | True | | | Always "active."

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.CarePlan | CarePlan | False | | | An instance of the R4 CarePlan resource.
Bundle.entry.resource.CarePlan.category | CodeableConcept | True | Yes | | Type of plan. 734163000 is always returned for encounter-level CarePlans. In addition, category type "assess-plan" is always included in search results.
Bundle.entry.resource.CarePlan.contributor | Reference | True | Yes | | This element is available starting in the August 2026 version of Epic. Reference to the practitioners who last made updates relevant to the encounter care plan.
Bundle.entry.resource.CarePlan.extension (also: data-conversion-warning) | Extension | False | Yes | | Starting in the May 2025 version of Epic, depending on the rich to plain text conversion, one or more of the following warnings can be returned: Reason for warning Warning text Formatting was lost due to unicode characters or tables being present in the original note. Formatting of this note is different from the original. The original note had rich text formatting. Formatting of this note might be different from the original. There were one or more images in the original note. Images from the original note were not included. There were one or more media attachments in the original note. Attached media from the original note were not included.
Reason for warning | Warning text
Formatting was lost due to unicode characters or tables being present in the original note. | Formatting of this note is different from the original.
The original note had rich text formatting. | Formatting of this note might be different from the original.
There were one or more images in the original note. | Images from the original note were not included.
There were one or more media attachments in the original note. | Attached media from the original note were not included.
Bundle.entry.resource.CarePlan.encounter | Reference | True | | | The encounter or episode of care associated with this CarePlan.
Bundle.entry.resource.CarePlan.intent | String | False | | | For encounter CarePlans, this always equals "proposal."
Bundle.entry.resource.CarePlan.note | Annotation | True | Yes | | The note(s) associated with this encounter-level CarePlan.
Bundle.entry.resource.CarePlan.status | String | False | | | Always "active."
Bundle.entry.resource.CarePlan.subject | Reference | False | | | The patient or subject of this care plan.
Bundle.entry.resource.CarePlan.text | Narrative | True | | | The note(s) associated with this encounter-level CarePlan formatted as an XHTML fragment.

Sample request

```
https://hostname/instance/api/FHIR/R4/CarePlan?Patient=exkr5BRhovpIY4hqjnmTPNQ3&category=734163000
```

Sample response

```
<Bundle xmlns="http://hl7.org/fhir">
  <type value="searchset"/>
  <total value="1"/>
  <link>
    <relation value="self"/>
    <url
    value="https://hostname/instance/api/FHIR/R4/CarePlan?Patient=exkr5BRhovpIY4hqjnmTPNQ3&amp;category=734163000"/>
  </link>
  <entry>
    <link>
      <relation value="self"/>
      <url value="https://hostname/instance/api/FHIR/R4/CarePlan/el6Q1sKg9RrZBWdUk9X-naQiXYPas6o3F23yfoGV6eas3"/>
    </link>
    <fullUrl value="https://hostname/instance/api/FHIR/R4/CarePlan/el6Q1sKg9RrZBWdUk9X-naQiXYPas6o3F23yfoGV6eas3"/>
    <resource>
      <CarePlan>
        <id value="el6Q1sKg9RrZBWdUk9X-naQiXYPas6o3F23yfoGV6eas3"/>
        <text>
          <status value="generated"/>
          <div xmlns="http://www.w3.org/1999/xhtml">
            <h1>Patient Instructions</h1>
            <div>
              <pre>Patient Instructions: Come back at least once a year.</pre>
            </div>
            <h1>A&amp;P Notes</h1>
            <h2>Note:</h2>
```

```
            <div>
              <pre>Patient has foot pain when standing. Referred patient to orthopedics.</pre>
            </div>
          </div>
        </text>
        <status value="active"/>
        <intent value="proposal"/>
        <category>
          <coding>
            <system value="http://hl7.org/fhir/us/core/CodeSystem/careplan-category"/>
            <code value="assess-plan"/>
            <display value="Assessment and Plan of Treatment"/>
          </coding>
          <text value="Assessment and Plan of Treatment"/>
        </category>
        <category>
          <coding>
            <system value="http://snomed.info/sct"/>
            <code value="734163000"/>
            <display value="Encounter Level"/>
          </coding>
          <text value="Encounter Level"/>
        </category>
        <subject>
          <reference value="Patient/exkr5BRhovpIY4hqjnmTPNQ3"/>
          <display value="Argonaut, Jason"/>
        </subject>
        <encounter>
          <reference value="Encounter/e.12qt.AQ6RbFrXDDLRUMMhnSXkBmVmgz0e2o2tX42WU3"/>
        </encounter>
        <note>
          <text value="Assessment and Plan Note: Patient has foot pain when standing. Referred patient to
    orthopedics."/>
        </note>
        <note>
          <text value="Patient Instructions: Come back at least once per year."/>
        </note>
      </CarePlan>
    </resource>
    <search>
      <mode value="match"/>
    </search>
  </entry>
</Bundle>
```


8.1.14 CarePlan.Search (Inpatient Pathway) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10102-CarePlan-Search-Inpatient-Pathway-R4.html
Epic API ID | 10102
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
API group | Inpatient Pathway Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | May 2021
HTTP method | GET
URL template | /api/FHIR/R4/CarePlan?category={category}&patient={patient}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10102

Description

The CarePlan (Inpatient Pathway) resource returns the details of a patient's clinical pathway.

In Epic, pathways are diagnosis- or surgery-specific protocols that are organized into sequential steps. These steps contain orders, patient outcomes, and clinical documentation elements that represent the care that will be provided and goals for the patient for that stage of care or day of the admission.

Remarks

This resource also can return additional data when using the _reverseInclude parameter to include AuditEvent data. Additional details about how AuditEvent works for this resource are included below. For more information about AuditEvent, refer to the FHIR Search Parameters documentation.

AuditEvent – Pathway Review History

Name | Description | Optional? | Unbounded?
type | Type of "Review History". | false | false

recorded | The time the event was recorded. | false | false
agent | An actor taking an active role in the event or activity that is logged. | false | true
agent.who | The provider who reviewed the pathway. | true | false
agent.requestor | Always “True”. | false | false
source | The system that is reporting the event. | false | false
source.observer | The user making the FHIR request. | false | false
entity | Specific instances of data or objects that have been accessed. | true | true
entity.what | A link to the pathway resource. | true | false
entity.detail | Tagged value pairs for conveying additional data about the entity. | true | true
entity.detail.type | Always “note”. | false | false
entity.detail.valueString | The Mark As Reviewed comment. | false | false

AuditEvent – Pathway Item Outcome Documentation History

Name | Description | Optional? | Unbounded?
type | Type of “Outcome Documentation History”. | false | false
recorded | The time the outcome was documented. | false | false
agent | An actor taking an active role in the event or activity that is logged. | false | true
agent.who | The provider who documented the outcome. | true | false
agent.requestor | Always “True”. | false | false
source | The system that is reporting the event. | false | false
source.observer | The user making the FHIR request. | false | false
entity | Specific instances of data or objects that have been accessed. | true | true
entity.what | A link to the pathway resource. | true | false
entity.detail | Tagged value pairs for conveying additional data about the entity. | true | true
entity.detail.type | Goal name -> "activity.detail.code", documentation status -> "activity.outcomeCodeableConcept", documentation variance -> "activity.outcomeReference", documentation variance comment -> "activity.progress". | false | false
entity.detail.valueString | Goal display name, documentation status, documentation variance display name, or documentation variance comment. | false | false

Request parameters

Name | Type | Optional | Array | Cardinality | Description
category | String | False | | | Type of plan.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
activity-code | String | True | | | The name of the pathway item.
activity-date | String | True | | | The instant the item was applied.
activity-reference | String | True | | | Unsupported
based-on | String | True | | | Unsupported
care-team | String | True | | | Unsupported
condition | String | True | | | Unsupported
date | String | True | | | The start date and time of the pathway and the end date and time if completed or discontinued.
encounter | String | True | | | The encounter in which the pathway was started.
goal | String | True | | | The steps associated with the pathway.
identifier | String | True | | | Unsupported
instantiates-canonical | String | True | | | Unsupported
intent | String | True | | | For Inpatient Pathways this always equals "plan".
part-of | String | True | | | Unsupported
patient | String | False | | | Patient associated with the care plan.
performer | String | True | | | The provider who applied the item.
replaces | String | True | | | Unsupported
status | String | True | | | The status of the item: In-progress Not started Scheduled

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.CarePlan | CarePlan | False | | | An instance of the R4 CarePlan resource.
Bundle.entry.resource.CarePlan.activity | Activity | True | Yes | | The items that make up the pathway content.
Bundle.entry.resource.CarePlan.activity.detail | Detail | False | | | Detailed information about the pathway item.
Bundle.entry.resource.CarePlan.activity.detail.code | CodeableConcept | True | | | The name of the pathway item.
Bundle.entry.resource.CarePlan.activity.detail.description | String | True | | | The name of the section this item belongs to.
Bundle.entry.resource.CarePlan.activity.detail.goal | Reference | True | Yes | | The Pathway Step this item belongs to.
Bundle.entry.resource.CarePlan.activity.detail.performer | Reference | True | Yes | | The provider who applied the item.
Bundle.entry.resource.CarePlan.activity.detail.reasonCode | CodeableConcept | True | Yes | | The name of the SmartGroup this item belongs to.
Bundle.entry.resource.CarePlan.activity.detail.scheduledPeriod | Period | True | | | The instant the item was applied.
Bundle.entry.resource.CarePlan.activity.detail.status | String | False | | | The status of the item: In-progress Not started Scheduled
Bundle.entry.resource.CarePlan.activity.detail.statusReason | CodeableConcept | False | | | The reason entered if this item is overridden.
Bundle.entry.resource.CarePlan.activity.progress | Annotation | True | Yes | | The comment entered if this item is overridden.

Bundle.entry.resource.CarePlan.author | Reference | True | | | The provider who initiated the pathway.
Bundle.entry.resource.CarePlan.category | CodeableConcept | True | Yes | | Type of plan. “inpatient-pathway” should be used to search for inpatient pathway CarePlan resource.
Bundle.entry.resource.CarePlan.contributor | Reference | True | Yes | | The provider who completed or discontinued the pathway.
Bundle.entry.resource.CarePlan.created | String | True | | | The start date and time of the pathway.
Bundle.entry.resource.CarePlan.encounter | Reference | True | | | The encounter in which the pathway was started.
Bundle.entry.resource.CarePlan.goal | Reference | True | Yes | | The steps associated with the pathway.
Bundle.entry.resource.CarePlan.intent | String | False | | | For Inpatient Pathways this always equals "plan".
Bundle.entry.resource.CarePlan.note | Annotation | True | Yes | | The comment entered at pathway discontinuation or completion.
Bundle.entry.resource.CarePlan.period | Period | True | | | The start date and time of the pathway and the end date and time if completed or discontinued.
Bundle.entry.resource.CarePlan.status | String | False | | | The status of the pathway: Active Completed Revoked
Bundle.entry.resource.CarePlan.subject | Reference | False | | | The patient or subject of this pathway.
Bundle.entry.resource.CarePlan.supportingInfo | Reference | True | Yes | | The reason entered for pathway discontinuation.
Bundle.entry.resource.CarePlan.title | String | True | | | The display name of the Pathway.

Sample request

```
https://hostname/instance/api/FHIR/R4/CarePlan?_id=eG-cBvoTWaHT6XH6JPYNvhn8JwYPCBcHlE41V45Wl1Ow3
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/CarePlan?_id=eG-cBvoTWaHT6XH6JPYNvhn8JwYPCBcHlE41V45Wl1Ow3"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/CarePlan/eG-cBvoTWaHT6XH6JPYNvhn8JwYPCBcHlE41V45Wl1Ow3"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/R4/CarePlan/eG-cBvoTWaHT6XH6JPYNvhn8JwYPCBcHlE41V45Wl1Ow3",
      "resource": {
        "resourceType": "CarePlan",
        "id": "eG-cBvoTWaHT6XH6JPYNvhn8JwYPCBcHlE41V45Wl1Ow3",
        "status": "active",
        "intent": "plan",
        "category": [
          {
            "coding": [
              {
                "system": "http://open.epic.com/FHIR/StructureDefinition/CarePlan-category",
                "code": "inpatient-pathway",
                "display": "Inpatient Pathway"
              }
            ],
            "text": "Inpatient Pathway"
          }
        ],
        "title": "Example Pathway",
        "subject": {
          "reference": "Patient/e-r6PuLiIah1VEuNp-AkSGg3",
          "display": "Johnson, David I"
        },
        "encounter": {
          "reference": "Encounter/ehO8R3UvyrVmXG-lRFkLu.Mz475ZKMjFoo15.accqf6Y3"
        },
        "period": {
          "start": "2021-01-06T18:11:40Z"
        },
        "created": "2021-01-06T18:11:40Z",
        "author": {
          "reference": "Practitioner/eQFXqHUcCpqHdCWFFkAtlbg3",
          "display": "Chris Marshall MD"
        },
        "goal": [
          {
            "reference": "Goal/etHyRoo06cLuDBn8oKisHqA3",
            "display": "Pathway Step 1"
          },
          {
            "reference": "Goal/er.-xtOxU.8LxS2ViTLM8uw3",
            "display": "Pathway Step 2"
          }
        ],
        "activity": [
```

```
          {
            "detail": {
              "code": {
                "coding": [
                  {
                    "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.798268",
                    "code": "6000573263",
                    "display": "Ondansetron (Zofran)"
                  }
                ],
                "text": "Ondansetron (Zofran)"
              },
              "reasonCode": [
                {
                  "coding": [
                    {
                      "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.798381",
                      "code": "89852",
                      "display": "Step 1 Medications"
                    }
                  ],
                  "text": "Step 1 Medications"
                }
              ],
              "goal": [
                {
                  "reference": "Goal/etHyRoo06cLuDBn8oKisHqA3",
                  "display": "Pathway Step 1"
                }
              ],
              "status": "in-progress",
              "scheduledPeriod": {
                "start": "2021-01-06T18:11:39Z"
              },
              "description": "Section 1"
            }
          },
          {
            "detail": {
              "code": {
                "coding": [
                  {
                    "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.798476",
                    "code": "456161",
                    "display": "Ondansetron (Zofran)"
                  }
                ],
                "text": "Ondansetron (Zofran)"
              },
              "reasonCode": [
                {
                  "coding": [
                    {
                      "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.798381",
                      "code": "89855",
                      "display": "Step 1 Medications"
                    }
                  ],
                  "text": "Step 1 Medications"
                }
              ],
              "goal": [
                {
                  "reference": "Goal/er.-xtOxU.8LxS2ViTLM8uw3",
                  "display": "Pathway Step 2"
                }
              ],
              "status": "scheduled",
              "description": "Section 2"
            }
          }
        ]
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


8.1.15 CarePlan.Search (Inpatient) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10044-CarePlan-Search-Inpatient-R4.html
Epic API ID | 10044
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard

USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | February 2021
HTTP method | GET
URL template | /api/FHIR/R4/CarePlan?category={category}&patient={patient}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10044

Description

The FHIR CarePlan resource is a broad container for summarizing the plan of treatment for a patient. It includes links to the Condition Resource (the patient's long term problem list) and the Goal Resource (the patient's longitudinal goals) as well as in-line detail about upcoming appointments and upcoming orders.

This resource is designed for inpatient-related care plan data.

The search interaction enables the lookup of one or more CarePlan resources, filtered by the specified parameters.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
category | String | False | Yes | | Type of plan.
patient | String | False | Yes | | Patient associated with the care plan.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
activity-code | String | True | Yes | | Detailed description of the type of planned activity.
activity-date | String | True | Yes | | The period, timing or frequency upon which the described activity is to occur.
activity-reference | String | True | Yes | | Unsupported
based-on | String | True | Yes | | Unsupported
care-team | String | True | Yes | | Unsupported
condition | String | True | Yes | | The list of health issues this CarePlan addresses. Reference to a Condition resource or resources.
date | String | True | Yes | | Indicates when the plan came into effect and ended or when it is intended to come into effect and end.
encounter | String | True | Yes | | The Encounter during which this CarePlan was created or to which the creation of this record is tightly associated.
goal | String | True | Yes | | Identifies goals that this activity is intended to contribute towards meeting. Reference to a Goal resource.
identifier | String | True | Yes | | Unsupported
instantiates-canonical | String | True | Yes | | Unsupported
intent | String | True | Yes | | The level of authority/intentionality associated with the CarePlan.
part-of | String | True | Yes | | Unsupported
performer | String | True | Yes | | Unsupported
replaces | String | True | Yes | | Unsupported
status | String | True | Yes | | Identifies what progress is being made for the specific activity.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.CarePlan | CarePlan | False | | | An instance of the R4 CarePlan resource.
Bundle.entry.resource.CarePlan.activity | Activity | True | Yes | | Actions to occur as part of the care plan.
Bundle.entry.resource.CarePlan.activity.extension (also: activity-progress-notes-omitted) | Extension | True | Yes | | Error message indicating some notes were omitted from the progress element if it took more than a minute to load notes.
Bundle.entry.resource.CarePlan.activity.detail | Detail | False | | | A simple summary of a planned activity.
Bundle.entry.resource.CarePlan.activity.detail.code | CodeableConcept | False | | | Detailed description of the type of planned activity.
Bundle.entry.resource.CarePlan.activity.detail.description | String | True | | | This provides a textual description of constraints on the intended activity occurrence, including relation to other activities. It can also include objectives, pre-conditions, and end-conditions. Finally, it can convey specifics about the activity such as body site, method and route.
Bundle.entry.resource.CarePlan.activity.detail.goal | Reference | True | Yes | | Identifies goals that this activity is intended to contribute towards meeting. Reference to a Goal resource.
Bundle.entry.resource.CarePlan.activity.detail.instantiatesUri | String | True | Yes | | The URL pointing to an externally maintained protocol, guideline, questionnaire, or other definition that is adhered to in whole or in part by this CarePlan activity.
Bundle.entry.resource.CarePlan.activity.detail.performer | Reference | False | Yes | | Identifies who's expected to be involved in the activity. This is a display-only reference.
Bundle.entry.resource.CarePlan.activity.detail.reasonReference | Reference | True | Yes | | Reference to a Condition resource that justifies the inclusion of this activity as part of the care plan.
Bundle.entry.resource.CarePlan.activity.detail.scheduledTiming | Timing | False | | | The period, timing or frequency upon which the described activity is to occur.
Bundle.entry.resource.CarePlan.activity.detail.status | String | False | | | Identifies what progress is being made for the specific activity.
Bundle.entry.resource.CarePlan.activity.detail.statusReason | CodeableConcept | True | | | Reason for the current activity status.

Bundle.entry.resource.CarePlan.activity.outcomeReference | Reference | True | Yes | | Reference to an Observation resource for linked flowsheet documentation.

Bundle.entry.resource.CarePlan.activity.progress | Annotation | True | Yes | | Notes about the progress of the activity.

Bundle.entry.resource.CarePlan.addresses | Reference | True | Yes | | The list of health issues this CarePlan addresses. Reference to a Condition resource or resources.

Bundle.entry.resource.CarePlan.category | CodeableConcept | False | Yes | | What "kind" of plan this is to support differentiation between multiple co-existing plans such as "Home health", "psychiatric", "asthma", "disease management", or "wellness plan". SNOMED 736353004 should be used.

Bundle.entry.resource.CarePlan.created | String | False | | | When this CarePlan was created.

Bundle.entry.resource.CarePlan.encounter | Reference | False | | | The Encounter during which this CarePlan was created or to which the creation of this record is tightly associated.

Bundle.entry.resource.CarePlan.goal | Reference | True | Yes | | Reference to a Goal resource associated with this CarePlan.

Bundle.entry.resource.CarePlan.intent | String | False | | | The level of authority/intentionality associated with the CarePlan.

Bundle.entry.resource.CarePlan.period | Period | False | | | Indicates when the plan came into effect and ended or when it is intended to come into effect and end.

Bundle.entry.resource.CarePlan.status | String | False | | | Whether the plan is currently being acted upon, represents future intentions, or is now a historical record.

Bundle.entry.resource.CarePlan.subject | Reference | False | | | The patient or subject of this care plan.

Sample request

```
https://hostname/instance/api/FHIR/R4/CarePlan?patient=ec1rE2FurJlr.s2dHyJ9Jpg3&category=736353004
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/CarePlan?patient=ec1rE2FurJlr.s2dHyJ9Jpg3&category=736353004"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/CarePlan/euPz4Gt7e7EQzAOWtokEj9RaVxPEK0dF--
    1d8qJeqVeYobWHY.bIU6YbHvTG39FyU3"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/R4/CarePlan/euPz4Gt7e7EQzAOWtokEj9RaVxPEK0dF--
    1d8qJeqVeYobWHY.bIU6YbHvTG39FyU3",
      "resource": {
        "resourceType": "CarePlan",
        "id": "euPz4Gt7e7EQzAOWtokEj9RaVxPEK0dF--1d8qJeqVeYobWHY.bIU6YbHvTG39FyU3",
        "status": "active",
        "intent": "plan",
        "category": [
          {
            "coding": [
              {
                "system": "http://snomed.info/sct",
                "code": "736353004",
                "display": "Inpatient care plan (record artifact)"
              }
            ],
            "text": "Inpatient care plan (record artifact)"
          },
          {
            "coding": [
              {
                "system": "http://hl7.org/fhir/us/core/CodeSystem/careplan-category",
                "code": "assess-plan",
                "display": "Assessment and Plan of Treatment"
              }
            ],
            "text": "Assessment and Plan of Treatment"
          }
        ],
        "subject": {
          "reference": "Patient/ec1rE2FurJlr.s2dHyJ9Jpg3",
          "display": "TestPatient, New"
        },
        "encounter": {
          "reference": "Encounter/eUhfvKMAIuYz9iyCy6wlf3w3"
        },
        "period": {
          "start": "2020-09-22"
        },
        "created": "2020-09-22"
      },
      "search": {
```

```
        "mode": "match"
      }
    }
  ]
}
```

8.1.16 CarePlan.Search (Longitudinal) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/1065-CarePlan-Search-Longitudinal-R4.html
Epic API ID | 1065
FHIR version | R4
Categories | Clinical Care Provision
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2020
HTTP method | GET
URL template | api/FHIR/R4/CarePlan?category={category}&patient={patient}&subject={subject}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=1065

Description

The FHIR CarePlan resource is a broad container for summarizing the plan of treatment for a patient. It includes links to the Condition Resource (the patient's long term Problem List) and the Goal Resource (the patient's longitudinal goals) as well as in-line detail about upcoming appointments and upcoming orders.

This resource is designed for stating specific activities related to a single patient, rather than generic protocols for condition treatment. This is implemented as a patient-level resource, so a patient will always have exactly 1 longitudinal CarePlan, which contains the most up-to-date information regarding their care.

The search interaction enables the lookup of one or more CarePlan resources, filtered by the specified parameters.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
category | String | False | | | Type of plan. 38717003 should be used to search for longitudinal care plans. In addition, category type "assess-plan" is always included in search results.
subject | String | False | | | Patient FHIR resource ID for the patient associated with the care plan.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
activity-code | String | True | | | Order or procedure code.
activity-date | String | True | | | Specified date occurs within period
activity-reference | String | True | | | Unsupported
based-on | String | True | | | Unsupported
care-team | String | True | | | Unsupported
condition | String | True | | | The list of health issues this longitudinal care plan addresses.
date | String | True | | | Unsupported
encounter | String | True | | | Unsupported
goal | String | True | | | Goals for this longitudinal care plan.
identifier | String | True | | | Unsupported
instantiates-canonical | String | True | | | Unsupported
intent | String | True | | | For longitudinal care plans, this always equals "plan".
part-of | String | True | | | Unsupported
patient | String | False | | | Patient FHIR resource ID for the patient associated with the care plan.
performer | String | True | | | Unsupported
replaces | String | True | | | Unsupported
status | String | True | | | Always "active."

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.CarePlan | CarePlan | False | | | An instance of the R4 CarePlan resource.
Bundle.entry.resource.CarePlan.activity | Activity | True | Yes | | Actions to occur as part of the care plan.
Bundle.entry.resource.CarePlan.activity.detail | Detail | False | | | Details for this activity.

Bundle.entry.resource.CarePlan.activity.detail.code | CodeableConcept | False | | | Order or procedure code. This element is only returned for activities with a detail kind of "ServiceRequest".

Bundle.entry.resource.CarePlan.activity.detail.doNotPerform | Boolean | True | | | Always "false."

Bundle.entry.resource.CarePlan.activity.detail.kind | String | True | | | Always one of the following values: Appointment: when this activity is a scheduled appointment ServiceRequest: when this activity is an upcoming order.

Bundle.entry.resource.CarePlan.activity.detail.scheduledPeriod | Period | True | | | Appointment period (uses the linked appointment for orders).

Bundle.entry.resource.CarePlan.activity.detail.status | String | False | | | Appointment status or order request status. Appointment status will always be one of the following values: scheduled completed in-progress Order status will always be one of the following values: not-started scheduled completed cancelled unknown

Bundle.entry.resource.CarePlan.addresses | Reference | False | Yes | | The list of health issues this longitudinal care plan addresses.

Bundle.entry.resource.CarePlan.category | CodeableConcept | True | Yes | | Type of plan. 38717003 should be used to search for longitudinal care plans. In addition, category type "assess-plan" is always included in search results.

Bundle.entry.resource.CarePlan.contributor | Reference | True | Yes | | This element is available starting in the August 2026 version of Epic. Reference to the practitioners who last made updates relevant to the longitudinal care plan.

Bundle.entry.resource.CarePlan.goal | Reference | True | Yes | | Goals for this longitudinal care plan.

Bundle.entry.resource.CarePlan.intent | String | False | | | For longitudinal care plans, this always equals "plan".

Bundle.entry.resource.CarePlan.status | String | False | | | Always "active."

Bundle.entry.resource.CarePlan.subject | Reference | False | | | The patient or subject of this care plan.

Bundle.entry.resource.CarePlan.text | Narrative | False | | | This element is available starting in the August 2021 version of Epic. The patient's longitudinal care plan formatted as an XHTML fragment.

Sample request

```
https://hostname/instance/api/FHIR/R4/CarePlan?Patient=eeIncfrCBjMQ5elSQx.I0zw3&category=38717003
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/CarePlan?patient=eeIncfrCBjMQ5elSQx.I0zw3&category=38717003"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/CarePlan/ebOCg1uG759-qC5tMRYro0NL9EWqPcmUcTBRuekI6fIk3"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/R4/CarePlan/ebOCg1uG759-qC5tMRYro0NL9EWqPcmUcTBRuekI6fIk3",
      "resource": {
        "resourceType": "CarePlan",
        "id": "ebOCg1uG759-qC5tMRYro0NL9EWqPcmUcTBRuekI6fIk3",
        "text": {
          "status": "generated",
          "div": "<div xmlns=\"http://www.w3.org/1999/xhtml\"><h1>Active Problems</h1><ul><li>Type 1 diabetes
    mellitus</li><li>Chronic back pain</li></ul><h1>Goals</h1><ul><li>Weight (lb) &lt; 200 lb</li></ul><h1>Upcoming
    Procedure Orders</h1><table><tr><th>Procedure Order</th><th>Start</th><th>End</th><th>Status</th></tr><tr><td>X-RAY
    ABDOMEN 2 VW</td><td>N/A</td><td>N/A</td><td>Not Started</td></tr></table></div>"
        },
        "status": "active",
        "intent": "plan",
        "category": [
          {
            "coding": [
              {
                "system": "http://hl7.org/fhir/us/core/CodeSystem/careplan-category",
                "code": "assess-plan",
                "display": "Assessment and Plan of Treatment"
              }
            ],
            "text": "Assessment and Plan of Treatment"
          },
          {
            "coding": [
              {
                "system": "http://snomed.info/sct",
                "code": "38717003",
                "display": "Longitudinal"
              }
            ],
            "text": "Longitudinal"
          }
        ],
        "subject": {
          "reference": "Patient/eeIncfrCBjMQ5elSQx.I0zw3",
          "display": "Test, Patient"
        },
        "contributor": {
```

```
          "reference": "Practitioner/eIcc-1qocznupqWapPcDz2g3",
          "display": "Grace Practitioner, MD"
        },
        "addresses": [
          {
            "reference": "Condition/eGPLML1iXAk9RjEcE.SJ80gBxuNRI9.YnRHlOxDzGryw3",
            "display": "Type 1 diabetes mellitus"
          },
          {
            "reference": "Condition/eL35aP.iBX7duRU41HjXvZM49E0L2NeP8eH9LiCtVR.Q3",
            "display": "Chronic back pain"
          }
        ],
        "goal": [
          {
            "reference": "Goal/em9zZhdUaugZOu.ptOJUhKg3",
            "display": "Weight (lb) < 200 lb"
          }
        ],
        "activity": [
          {
            "detail": {
              "kind": "ServiceRequest",
              "code": {
                "text": "X-RAY ABDOMEN 2 VW"
              },
              "status": "not-started",
              "doNotPerform": false
            }
          }
        ]
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
<style>
.json-viewer {
  background: #f5f5f5;
  border: 1px solid #ddd;
  border-radius: 6px;
  padding: 0;
  overflow: hidden;
}
.json-viewer__pre {
  margin: 0;
  padding: 16px 20px;
  overflow-x: auto;
  white-space: pre;
  font-family: "SF Mono", Menlo, Consolas, Monaco, monospace;
  font-size: 13px;
  line-height: 1.6;
  color: #333;
}
</style>
```


8.1.17 CarePlan.Search (Oncology) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10074-CarePlan-Search-Oncology-R4.html
Epic API ID | 10074
FHIR version | R4
Categories | Clinical Care Provision, Clinical Specialty
API type | Industry-Standard
API group | Oncology Plan Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | May 2021
HTTP method | GET
URL template | /api/FHIR/R4/CarePlan?category={category}&patient={patient}&status={status}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10074

Description

The FHIR CarePlan resource is a broad container for summarizing the plan of treatment for a patient. This resource is designed to return specific activities related to a single patient, rather than generic protocols for condition treatment.

The CarePlan (Oncology) sub-resource returns episode-level CarePlan data, such as a patient's treatment plans and therapy plans, and their cycles.

This search interaction enables the lookup of one or more oncology CarePlan resources filtered by the specified parameters.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
category | String | False | | | Type of plan. 736378000 should be used to search for oncology CarePlans.
status | String | True | | | The status of the care plan.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
activity-code | String | True | | | Unsupported
activity-date | String | True | | | Unsupported
activity-reference | String | True | | | Reference to RequestGroup resource for day-level information (applicable to cycle-level CarePlan only).
based-on | String | True | | | Unsupported
care-team | String | False
condition | String | True | | | Conditions associated with this plan
date | String | True | | | Unsupported
encounter | String | True | | | Unsupported
goal | String | True | | | Treatment goal (treatment plan only).
identifier | String | True | | | Unsupported
instantiates-canonical | String | True | | | Unsupported
intent | String | True | | | For oncology CarePlans, this always equals "plan".
part-of | String | True | | | Refers to the plan-level CarePlan resource (applicable to cycle-level CarePlan only).
patient | String | False | | | Patient FHIR resource ID for the patient associated with the care plan.
performer | String | True | | | Unsupported
replaces | String | True | | | Unsupported

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.CarePlan | CarePlan | False | | | An instance of the R4 CarePlan resource.
Bundle.entry.resource.CarePlan.activity | Activity | True | Yes | | Actions to occur as part of the care plan.
Bundle.entry.resource.CarePlan.activity.extension (also: cycle) | Extension | True | Yes | | Reference to cycle-level CarePlan resource.
Bundle.entry.resource.CarePlan.activity.detail | Detail | True | | | Details for this activity.
Bundle.entry.resource.CarePlan.activity.detail.location | Reference | True | | | Reference to the treatment department resource
Bundle.entry.resource.CarePlan.activity.detail.status | String | False | | | Plan's status.
Bundle.entry.resource.CarePlan.activity.reference | Reference | True | | | Reference to RequestGroup resource for day-level information (applicable to cycle-level CarePlan only).
Bundle.entry.resource.CarePlan.addresses | Reference | True | Yes | | Conditions associated with this plan
Bundle.entry.resource.CarePlan.author | Reference | True | | | Reference to the plan provider.
Bundle.entry.resource.CarePlan.category | CodeableConcept | True | Yes | | Plan type and episode type (applicable to plan-level CarePlan only).
Bundle.entry.resource.CarePlan.created | String | True | | | Creation date and time.
Bundle.entry.resource.CarePlan.goal | Reference | True | Yes | | Treatment goal (treatment plan only).
Bundle.entry.resource.CarePlan.intent | String | False | | | For oncology CarePlans, this always equals "plan".
Bundle.entry.resource.CarePlan.note | Annotation | True | Yes | | Treatment note (treatment plan only).
Bundle.entry.resource.CarePlan.partOf | Reference | True | Yes | | Refers to the plan-level CarePlan resource (applicable to cycle-level CarePlan only).
Bundle.entry.resource.CarePlan.status | String | False | | | Plan/cycle status.
Bundle.entry.resource.CarePlan.subject | Reference | False | | | The patient or subject of this care plan.
Bundle.entry.resource.CarePlan.title | String | False | | | Plan/cycle name.

Sample request

```
https://hostname/instance/api/FHIR/R4/CarePlan?_id=eCb1pvgOfH.SiAqe4Z0zeub8jeRoHEDTMPWFs4IrYtq43
```

Sample response

```
<Bundle xmlns="http://hl7.org/fhir">
  <type value="searchset"/>
  <total value="1"/>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/R4/CarePlan?_id=eCb1pvgOfH.SiAqe4Z0zeub8jeRoHEDTMPWFs4IrYtq43"/>
  </link>
  <entry>
    <link>
      <relation value="self"/>
      <url value="https://hostname/instance/api/FHIR/R4/CarePlan/eCb1pvgOfH.SiAqe4Z0zeub8jeRoHEDTMPWFs4IrYtq43"/>
    </link>
    <fullUrl value="https://hostname/instance/api/FHIR/R4/CarePlan/eCb1pvgOfH.SiAqe4Z0zeub8jeRoHEDTMPWFs4IrYtq43"/>
```

```
    <resource>
      <CarePlan>
        <id value="eCb1pvgOfH.SiAqe4Z0zeub8jeRoHEDTMPWFs4IrYtq43"/>
        <status value="active"/>
        <intent value="plan"/>
        <category>
          <coding>
            <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.848076.32"/>
            <code value="6"/>
            <display value="Therapy Plan"/>
          </coding>
          <text value="Therapy Plan"/>
        </category>
        <category>
          <coding>
            <system value="urn:oid:2.16.840.1.113883.6.96"/>
            <code value="736378000"/>
            <display value="Medication Management Plan"/>
          </coding>
          <text value="Medication Management Plan"/>
        </category>
        <category>
          <coding>
            <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.726668.11"/>
            <code value="11"/>
            <display value="THERAPY PLAN"/>
          </coding>
          <text value="THERAPY PLAN"/>
        </category>
        <title value="ZOMETA (ZOLEDRONIC ACID) BONE CARE W/ SCHEDULING"/>
        <subject>
          <reference value="Patient/eaT.kS0nFEll7C71DHMcvQA3"/>
          <display value="Patient, Name"/>
        </subject>
        <period>
          <start value="2021-03-05"/>
        </period>
        <created value="2021-03-05T17:33:17Z"/>
        <author>
          <reference value="Practitioner/eCyz.so04-01YXg7oJzstgQ3"/>
          <display value="Doctor Name, MD"/>
        </author>
        <addresses>
          <reference value="Condition/epjsZEORRi7O172yD7STnOUPFXp0bPMGnHt3.kXxRrrw3"/>
          <display value="Melanoma of skin"/>
        </addresses>
        <activity>
          <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/cycle">
            <valueReference>
              <reference value="CarePlan/eCb1pvgOfH.SiAqe4Z0zeubrye.qxQhGdjnvJvsQM0OdFjrlldWlGGjrI1QuUMolE3"/>
              <display value="Cycle 1"/>
            </valueReference>
          </extension>
        </activity>
      </CarePlan>
    </resource>
    <search>
      <mode value="match"/>
    </search>
  </entry>
</Bundle>
```

8.1.18 CarePlan.Search (Outpatient) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10046-CarePlan-Search-Outpatient-R4.html
Epic API ID | 10046
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | February 2021
HTTP method | GET
URL template | /api/FHIR/R4/CarePlan?category={category}&patient={patient}&status={status}&subject={subject}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10046

Description

The FHIR CarePlan resource is a broad container for summarizing the plan of treatment for a patient. It includes links to the Condition Resource (the patient's long term problem list) and the Goal Resource (the patient's longitudinal goals) as well as

in-line detail about upcoming appointments and upcoming orders.

This resource is designed for outpatient-related care plan data.

The search interaction enables the lookup of one or more CarePlan resources, filtered by the specified parameters.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
category | String | False | | | Type of plan. 736271009 should be used to search for outpatient care plans.
status | String | True | | | The status of the care plan. If searching for multiple statuses, use a comma delimiter. Epic supports the following statuses: active completed revoked If not provided, all statuses are returned.
subject | String | Either patient or subject must be specified. If both are specified, they must match. | | | Subject of the care plan.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
activity-code | String | True | | | The display name for a given activity.
activity-date | String | True | | | The timing upon which the described activity is to occur.
activity-reference | String | True | | | Unsupported
based-on | String | True | | | Unsupported
care-team | String | True | | | Unsupported
condition | String | True | | | The list of health issues this CarePlan addresses. Reference to a Condition resource or resources.
date | String | True | | | The timeframe where the care plan was in use.
encounter | String | True | | | Unsupported
goal | String | True | | | Reference to a Goal resource or resources associated with this CarePlan.
identifier | String | True | | | Unsupported
instantiates-canonical | String | True | | | Unsupported
intent | String | True | | | The level of authority/intentionality associated with the CarePlan. Always "Plan."
part-of | String | True | | | Unsupported
patient | String | Either patient or subject must be specified. If both are specified, they must match. | | | Patient FHIR ID for the patient associated with the care plan.
performer | String | False | | | Identifies who's expected to be involved in the activity. Reference to a Practitioner or Patient resource. This is the user that is currently responsible for the activity. For patient tasks the patient is the performer.
replaces | String | True | | | Unsupported

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.CarePlan | CarePlan | False | | | An instance of the R4 CarePlan resource.
Bundle.entry.resource.CarePlan.activity | Activity | True | Yes | | Actions to occur as part of the care plan.
Bundle.entry.resource.CarePlan.activity.detail | Detail | True | | | A simple summary of the planned activity.
Bundle.entry.resource.CarePlan.activity.detail.code | CodeableConcept | False | | | The display name for a given activity.
Bundle.entry.resource.CarePlan.activity.detail.description | String | True | | | This is the note associated with the task. It typically contains a user's notes and a brief summary of what needs to happen.
Bundle.entry.resource.CarePlan.activity.detail.goal | Reference | True | Yes | | Identifies goals that this activity is intended to contribute towards meeting. Reference to a Goal resource. This will never be more than 1 Goal resource.
Bundle.entry.resource.CarePlan.activity.detail.kind | String | False | | | A description of the kind of resource the care plan activity is representing. We always use the "Task" value.
Bundle.entry.resource.CarePlan.activity.detail.extension (also: Next due date) | Extension | True | Yes | | The next date the patient task is due. Only used by Patient tasks.
Bundle.entry.resource.CarePlan.activity.detail.performer | Reference | True | Yes | | Identifies who's expected to be involved in the activity. Reference to a Practitioner or Patient resource. This is the user that is currently responsible for the activity. For patient tasks the patient is the performer.
Bundle.entry.resource.CarePlan.activity.detail.reasonReference | Reference | True | Yes | | Reference to a Condition resource that justifies the inclusion of this activity as part of the care plan.
Bundle.entry.resource.CarePlan.activity.detail.scheduledPeriod | Period | True | | | The period upon which the described activity is to occur.
Bundle.entry.resource.CarePlan.activity.detail.scheduledTiming | Timing | False | | | The timing upon which the described activity is to occur.
Bundle.entry.resource.CarePlan.activity.detail.status | String | False | | | Identifies what progress is being made for the specific activity.
Bundle.entry.resource.CarePlan.activity.detail.extension (also: Task type) | Extension | False | Yes | | For patient tasks this is the specific task documentation type which determines the task completion buttons that can be used.
Bundle.entry.resource.CarePlan.activity.extension (also: Priority) | Extension | True | Yes | | The priority for a given activity. This value is mapped from a list uniquely defined by each Epic community member.
Bundle.entry.resource.CarePlan.activity.progress | Annotation | True | Yes | | Notes about the progress of the activity.
Bundle.entry.resource.CarePlan.addresses | Reference | True | Yes | | The list of health issues this CarePlan addresses. Reference to a Condition resource or resources.
Bundle.entry.resource.CarePlan.author | Reference | False | | | Reference to a Practitioner resource that represents the user who created the care plan.
Bundle.entry.resource.CarePlan.category | CodeableConcept | True | Yes | | What "kind" of plan this is to support differentiation between multiple co-existing plans; e.g. "Home health", "psychiatric", "asthma", "disease management", "wellness plan", etc. SNOMED 736271009 should be used.
Bundle.entry.resource.CarePlan.contributor | Reference | False | Yes | | The list of users who have modified data on the care plan. Reference to a Practitioner resource or resources.
Bundle.entry.resource.CarePlan.created | String | True | | | When this CarePlan was created.
Bundle.entry.resource.CarePlan.extension (also: Episode) | Extension | True | Yes | | The name of the episode if the care plan is linked to one.

Bundle.entry.resource.CarePlan.goal | Reference | True | Yes | | Reference to a Goal resource or resources associated with this CarePlan.
Bundle.entry.resource.CarePlan.intent | String | False | | | The level of authority/intentionality associated with the CarePlan. Always "Plan."
Bundle.entry.resource.CarePlan.period | Period | False | | | The timeframe where the care plan was in use.
Bundle.entry.resource.CarePlan.status | String | False | | | Whether the plan is currently being acted upon, represents future intentions, or is now a historical record. Epic supports the following statuses: active completed revoked
Bundle.entry.resource.CarePlan.subject | Reference | False | | | The patient or subject of this care plan.
Bundle.entry.resource.CarePlan.extension (also: Tasktype) | Extension | False | Yes | | For patient tasks this is the specific task documentation type which determines the task completion buttons that can be used.
Bundle.entry.resource.CarePlan.title | String | False | | | The display name given to the care plan.

Sample request

```
https://hostname/instance/api/FHIR/R4/CarePlan?patient=eS.3bWuX-xYAfV7T5h12w5Q3&category=736271009&status=completed
```

Sample response

```
<Bundle xmlns="http://hl7.org/fhir">
  <type value="searchset"/>
  <total value="2"/>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/R4/CarePlan?patient=eS.3bWuX-
    xYAfV7T5h12w5Q3&amp;category=736271009&amp;status=completed"/>
  </link>
  <entry>
    <link>
      <relation value="self"/>
      <url value="https://hostname/instance/api/FHIR/R4/CarePlan/e9fXp22PNJq-Q8K5g8gEhqA3"/>
    </link>
    <fullUrl value="https://hostname/instance/api/FHIR/R4/CarePlan/e9fXp22PNJq-Q8K5g8gEhqA3"/>
    <resource>
      <CarePlan>
        <id value="e9fXp22PNJq-Q8K5g8gEhqA3"/>
        <text>
          <extension url="http://hl7.org/fhir/StructureDefinition/data-absent-reason">
            <valueCode value="unsupported"/>
          </extension>
          <status value="additional"/>
        </text>
        <status value="completed"/>
        <intent value="plan"/>
        <category>
          <coding>
            <system value="http://hl7.org/fhir/us/core/CodeSystem/careplan-category"/>
            <code value="assess-plan"/>
            <display value="Assessment and Plan of Treatment"/>
          </coding>
          <text value="Assessment and Plan of Treatment"/>
        </category>
        <category>
          <coding>
            <system value="http://snomed.info/sct"/>
            <code value="Outpatient care plan"/>
            <display value="Outpatient care plan"/>
          </coding>
          <text value="Outpatient care plan"/>
        </category>
        <title value="BTR Care Plan 1"/>
        <subject>
          <reference value="Patient/eS.3bWuX-xYAfV7T5h12w5Q3"/>
          <display value="Ctv, Calvin"/>
        </subject>
        <period>
          <start value="2020-07-15T13:23:26Z"/>
          <end value="2020-07-15T13:23:42Z"/>
        </period>
        <created value="2020-07-15T13:23:26Z"/>
        <author>
          <reference value="Practitioner/etgK7TEYmpXBluVvFVNOlvA3"/>
          <display value="C Ccc"/>
        </author>
        <goal>
          <reference value="Goal/eouV.HbzvipJjTv1-Rw3OSw3"/>
          <display value="BTR Goal 1"/>
        </goal>
        <activity>
          <detail>
            <kind value="Task"/>
            <code>
              <text value="BTR Task 1"/>
            </code>
            <goal>
              <reference value="Goal/eouV.HbzvipJjTv1-Rw3OSw3"/>
              <display value="BTR Goal 1"/>
            </goal>
            <status value="completed"/>
            <doNotPerform value="false"/>
```

```
          <scheduledPeriod>
            <start value="2020-07-15T18:23:26Z"/>
            <end value="2020-07-15T18:23:42Z"/>
          </scheduledPeriod>
        </detail>
      </activity>
      <activity>
        <detail>
          <kind value="Task"/>
          <code>
            <text value="BTR Task 2"/>
          </code>
          <goal>
            <reference value="Goal/eouV.HbzvipJjTv1-Rw3OSw3"/>
            <display value="BTR Goal 1"/>
          </goal>
          <status value="completed"/>
          <doNotPerform value="false"/>
          <scheduledPeriod>
            <start value="2020-07-15T18:23:26Z"/>
            <end value="2020-07-15T18:23:42Z"/>
          </scheduledPeriod>
        </detail>
      </activity>
      <activity>
        <detail>
          <kind value="Task"/>
          <code>
            <text value="BTR Task 3"/>
          </code>
          <goal>
            <reference value="Goal/eouV.HbzvipJjTv1-Rw3OSw3"/>
            <display value="BTR Goal 1"/>
          </goal>
          <status value="completed"/>
          <doNotPerform value="false"/>
          <scheduledPeriod>
            <start value="2020-07-15T18:23:26Z"/>
            <end value="2020-07-15T18:23:42Z"/>
          </scheduledPeriod>
        </detail>
      </activity>
      <activity>
        <detail>
          <kind value="Task"/>
          <code>
            <text value="BTR Task 4"/>
          </code>
          <goal>
            <reference value="Goal/eouV.HbzvipJjTv1-Rw3OSw3"/>
            <display value="BTR Goal 1"/>
          </goal>
          <status value="completed"/>
          <doNotPerform value="false"/>
          <scheduledPeriod>
            <start value="2020-07-15T18:23:26Z"/>
            <end value="2020-07-15T18:23:42Z"/>
          </scheduledPeriod>
        </detail>
      </activity>
    </CarePlan>
  </resource>
  <search>
    <mode value="match"/>
  </search>
</entry>
<entry>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/R4/CarePlan/e3Q4G89qc25x5bCACCWoR9Q3"/>
  </link>
  <fullUrl value="https://hostname/instance/api/FHIR/R4/CarePlan/e3Q4G89qc25x5bCACCWoR9Q3"/>
  <resource>
    <CarePlan>
      <id value="e3Q4G89qc25x5bCACCWoR9Q3"/>
      <text>
        <extension url="http://hl7.org/fhir/StructureDefinition/data-absent-reason">
          <valueCode value="unsupported"/>
        </extension>
        <status value="additional"/>
      </text>
      <status value="completed"/>
      <intent value="plan"/>
      <category>
        <coding>
          <system value="http://hl7.org/fhir/us/core/CodeSystem/careplan-category"/>
          <code value="assess-plan"/>
          <display value="Assessment and Plan of Treatment"/>
        </coding>
```

```
          <text value="Assessment and Plan of Treatment"/>
        </category>
        <category>
          <coding>
            <system value="http://snomed.info/sct"/>
            <code value="Outpatient care plan"/>
            <display value="Outpatient care plan"/>
          </coding>
          <text value="Outpatient care plan"/>
        </category>
        <title value="JRS Care Plan"/>
        <subject>
          <reference value="Patient/eS.3bWuX-xYAfV7T5h12w5Q3"/>
          <display value="Ctv, Calvin"/>
        </subject>
        <period>
          <start value="2020-07-16T14:05:47Z"/>
          <end value="2020-07-22T12:29:53Z"/>
        </period>
        <created value="2020-07-16T14:05:47Z"/>
        <author>
          <reference value="Practitioner/etgK7TEYmpXBluVvFVNOlvA3"/>
          <display value="C Ccc"/>
        </author>
        <goal>
          <reference value="Goal/eWX1k5wUEi7WfbqLy3hRBsQ3"/>
          <display value="JRS Two Task Goal"/>
        </goal>
        <activity>
          <detail>
            <kind value="Task"/>
            <code>
              <text value="JRS 29 ASSIGN TO CURRENT USER"/>
            </code>
            <goal>
              <reference value="Goal/eWX1k5wUEi7WfbqLy3hRBsQ3"/>
              <display value="JRS Two Task Goal"/>
            </goal>
            <status value="completed"/>
            <doNotPerform value="false"/>
            <scheduledPeriod>
              <start value="2020-07-16T19:05:47Z"/>
              <end value="2020-07-20T22:56:23Z"/>
            </scheduledPeriod>
            <performer>
              <reference value="Practitioner/etgK7TEYmpXBluVvFVNOlvA3"/>
              <display value="C Ccc"/>
            </performer>
            <description value="Placeholder for Task Comments "/>
          </detail>
        </activity>
        <activity>
          <detail>
            <kind value="Task"/>
            <code>
              <text value="JRS 29 ASSIGN TO CARE MANAGER"/>
            </code>
            <goal>
              <reference value="Goal/eWX1k5wUEi7WfbqLy3hRBsQ3"/>
              <display value="JRS Two Task Goal"/>
            </goal>
            <status value="completed"/>
            <doNotPerform value="false"/>
            <scheduledPeriod>
              <start value="2020-07-16T19:05:47Z"/>
              <end value="2020-07-22T17:29:53Z"/>
            </scheduledPeriod>
            <description value="Placeholder for Task Comments "/>
          </detail>
        </activity>
      </CarePlan>
    </resource>
    <search>
      <mode value="match"/>
    </search>
  </entry>
</Bundle>
```


8.1.19 CarePlan.Search (Patient Education) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10322-CarePlan-Search-Patient-Education-R4.html
Epic API ID | 10322
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
API group | Patient Education Group
USCDI | No

Available in inpatient and other contexts | Yes
HTTP method | GET
URL template |
/api/FHIR/R4/CarePlan?category={category}&encounter={encounter}&part-of={part-of}&patient={patient}&status={status}&subject={subject}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10322

Request parameters

Name | Type | Optional | Array | Cardinality | Description
category | String | False | | | Type of plan. Always SNOMED code 409073007.
encounter | String | True | | | Encounter created as part of.
part-of | String | True | | | Limits results to the children of a specified record.
status | String | True | | | Status of the care plan element. Possible values include: active, on-hold, revoked, and completed.
subject | String | Either patient or subject must be specified. If both are specified, they must match. | | | Who the care plan is for.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
activity-code | String | True | | | Unsupported
activity-date | String | True | | | Unsupported
activity-reference | String | True | | | Unsupported
based-on | String | True | | | Unsupported
care-team | String | True | | | Unsupported
condition | String | True | | | Unsupported
date | String | False | | | Unsupported
goal | String | True | | | Unsupported
identifier | String | True | | | Unsupported
instantiates-canonical | String | True | | | Unsupported
intent | String | True | | | Always "plan".
patient | String | Either patient or subject must be specified. If both are specified, they must match. | | | Who the care plan is for.
performer | String | True | | | Unsupported
replaces | String | True | | | Unsupported

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.CarePlan | CarePlan | False | | | An instance of the R4 CarePlan resource.
Bundle.entry.resource.CarePlan.author | Reference | True | | | Caregiver who added the element. Omitted for encounter-title-list elements.
Bundle.entry.resource.CarePlan.category | CodeableConcept | True | Yes | | Type of plan. Always SNOMED code 409073007.
Bundle.entry.resource.CarePlan.created | String | True | | | Date / time record was first recorded. Omitted for encounter-title-list elements.
Bundle.entry.resource.CarePlan.description | String | True | | | Summary of the plan. Omitted for encounter-title-list, title, and topic elements.
Bundle.entry.resource.CarePlan.extension (also: education-patient-handout) | Extension | False | Yes | | Patient handouts. Omitted for encounter-title-list elements.
Bundle.entry.resource.CarePlan.extension (also: education-provider-reference) | Extension | True | Yes | | Provider reference links. Omitted in patient context. Omitted for encounter-title-list elements.
Bundle.entry.resource.CarePlan.extension (also: education-subcategory) | Extension | True | Yes | | Differentiates between the overall tree level, titles, topics, and points encounter-title-list, title, topic, and point.
Bundle.entry.resource.CarePlan.encounter | Reference | True | | | Encounter created as part of.
Bundle.entry.resource.CarePlan.intent | String | False | | | Always "plan".
Bundle.entry.resource.CarePlan.note | Annotation | True | Yes | | Comments about the plan. Omitted for title, topic, and point elements.
Bundle.entry.resource.CarePlan.partOf | Reference | True | Yes | | Refers to parent encounter-title-list, title, or topic. Omitted for encounter-title-list elements.
Bundle.entry.resource.CarePlan.status | String | False | | | Status of the care plan element. Possible values include: active, on-hold, revoked, and completed.
Bundle.entry.resource.CarePlan.subject | Reference | False | | | Who the care plan is for.
Bundle.entry.resource.CarePlan.title | String | True | | | Caregiver- or patient-friendly name for the care plan. Omitted for encounter-title-list elements.

Sample request

```
https://hostname/instance/api/FHIR/R4/CarePlan?patient=e6sq42KWFiE7jDOx0WZl0M4IaDQBGJakQZGNgTv38VP43&category=409073007
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 2,
  "link": [
    {
      "relation": "self",
```

```
    "url": "https://hostname/instance/api/FHIR/R4/CarePlan?patient=e6sq42KWFiE7jDOx0WZl0M4IaDQBGJakQZGNgTv38VP43&categ
  ory=409073007"
  }
],
"entry": [
  {
    "link": [
      {
        "relation": "self",
        "url": "https://hostname/instance/api/FHIR/R4/CarePlan/eHAqVVApVSdEcF6a73Fzx1U1sYGijq2OMQDPABCRvlpg3"
      }
    ],
    "fullUrl": "https://hostname/instance/api/FHIR/R4/CarePlan/eHAqVVApVSdEcF6a73Fzx1U1sYGijq2OMQDPABCRvlpg3",
    "resource": {
      "resourceType": "CarePlan",
      "id": "eHAqVVApVSdEcF6a73Fzx1U1sYGijq2OMQDPABCRvlpg3",
      "extension": [
        {
          "valueString": "encounter-title-list",
          "url": "http://open.epic.com/FHIR/StructureDefinition/extension/education-subcategory"
        }
      ],
      "intent": "plan",
      "category": [
        {
          "coding": [
            {
              "system": "http://snomed.info/sct",
              "code": "409073007",
              "display": "Education"
            }
          ],
          "text": "Education"
        }
      ],
      "subject": {
        "reference": "Patient/e6sq42KWFiE7jDOx0WZl0M4IaDQBGJakQZGNgTv38VP43",
        "display": "Caldwell, Jackson"
      },
      "encounter": {
        "reference": "Encounter/e2TBendpedC7j.2X.Tf5kkBKqU.2y4fSm7TYWbkWMnOg3",
        "identifier": {
          "use": "usual",
          "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.3.698084.8",
          "value": "10003910675"
        },
        "display": "Hospital Encounter"
      }
    },
    "search": {
      "mode": "match"
    }
  },
  {
    "link": [
      {
        "relation": "self",
        "url":
  "https://hostname/instance/api/FHIR/R4/CarePlan/eHAqVVApVSdEcF6a73Fzx1fUEN0iQHetu2ET9CQXwvKBlz4I16LwZkDs-7K9mRFvw3"
      }
    ],
    "fullUrl":
  "https://hostname/instance/api/FHIR/R4/CarePlan/eHAqVVApVSdEcF6a73Fzx1fUEN0iQHetu2ET9CQXwvKBlz4I16LwZkDs-7K9mRFvw3",
    "resource": {
      "resourceType": "CarePlan",
      "id": "eHAqVVApVSdEcF6a73Fzx1fUEN0iQHetu2ET9CQXwvKBlz4I16LwZkDs-7K9mRFvw3",
      "extension": [
        {
          "valueString": "title",
          "url": "http://open.epic.com/FHIR/StructureDefinition/extension/education-subcategory"
        }
      ],
      "partOf": [
        {
          "reference": "CarePlan/eHAqVVApVSdEcF6a73Fzx1U1sYGijq2OMQDPABCRvlpg3"
        }
      ],
      "status": "active",
      "intent": "plan",
      "category": [
        {
          "coding": [
            {
              "system": "http://snomed.info/sct",
              "code": "409073007",
              "display": "Education"
            }
          ],
          "text": "Education"
```

```
          }
        ],
        "title": "Pneumonia Education (Adult,Obstetrics)",
        "subject": {
          "reference": "Patient/e6sq42KWFiE7jDOx0WZl0M4IaDQBGJakQZGNgTv38VP43",
          "display": "Caldwell, Jackson"
        },
        "encounter": {
          "reference": "Encounter/e2TBendpedC7j.2X.Tf5kkBKqU.2y4fSm7TYWbkWMnOg3",
          "identifier": {
            "use": "usual",
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.3.698084.8",
            "value": "10003910675"
          },
          "display": "Hospital Encounter"
        },
        "created": "2022-01-03T18:57:39Z",
        "author": {
          "reference": "Practitioner/eG.PjScss4I30rG0TQi.icg3",
          "display": "Brian Rood, MD"
        }
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


8.1.20 CarePlan.Search (Questionnaires Due) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10028-CarePlan-Search-Questionnaires-Due-R4.html
Epic API ID | 10028
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
API group | Questionnaires Due Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | February 2021
HTTP method | GET
URL template | /api/FHIR/R4/CarePlan?activity-date={activity-date}&category={category}&patient={patient}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10028

Description

This web service returns a list of outstanding patient-entered questionnaires associated with upcoming appointments or series questionnaires due by a certain date. This web service does not return questionnaires assigned to patient messages, history questionnaires, always available questionnaires, series questionnaires that would be throttled due to existing valid answers, or series questionnaires that are event-based.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
activity-date | String | False | | | Date when the questionnaires are due before.
category | String | False | | | Always set to SNOMED 719091000000102.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
activity-code | String | True | | | Detail type of activity. Always SNOMED 719091000000102.
activity-reference | String | True | | | Starting in the November 2022 version of Epic, this element is not supported. The identifier values of either the appointment encounter or the questionnaire series in reference to the assigned questionnaire. In May 2022 and earlier versions, this element is the appointment where a questionnaire is to be answered or series of questionnaires was assigned.
based-on | String | True | | | Unsupported
care-team | String | True | | | Unsupported
condition | String | True | | | Unsupported
date | String | True | | | Unsupported
encounter | String | True | | | Unsupported
goal | String | True | | | Unsupported
identifier | String | True | | | Unsupported
instantiates-canonical | String | True | | | Unsupported
intent | String | True | | | Always "order."
part-of | String | True | | | Unsupported

patient | String | False | | | Patient FHIR resource ID for the patient associated with the care plan.
performer | String | True | | | Unsupported
replaces | String | True | | | Unsupported
status | String | True | | | Set to In-progress, unless all questionnaires are answered. If all questionnaires are answered, set to Completed.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.CarePlan | CarePlan | False | | | An instance of the R4 CarePlan resource.
Bundle.entry.resource.CarePlan.activity | Activity | True | Yes | | Actions to occur as part of the care plan.
Bundle.entry.resource.CarePlan.activity.detail | Detail | True | | | Details for this activity.
Bundle.entry.resource.CarePlan.activity.detail.code | CodeableConcept | True | | | Detail type of activity. Set to SNOMED 719091000000102.
Bundle.entry.resource.CarePlan.activity.detail.instantiatesCanonical | String | True | | | This contains all the questionnaires associated with the encounter.
Bundle.entry.resource.CarePlan.activity.detail.scheduledPeriod | Period | True | | | Use scheduled.scheduledPeriod to go from today to activity-date.
Bundle.entry.resource.CarePlan.activity.detail.status | String | False | | | Set to In-progress, unless all questionnaires are answered. If all questionnaires are answered, set to Completed.
Bundle.entry.resource.CarePlan.activity.outcomeReference | Reference | True | Yes | | Starting in the November 2022 version of Epic, references are no longer returned in this element. They are returned in the questionnairesDue-context extension instead. In May 2022 and earlier, the identifier values of the questionnaire series in reference to the assigned questionnaire.
Bundle.entry.resource.CarePlan.activity.extension (also: questionnairesDue-context) | Extension | False | Yes | | Available starting in the November 2022 version of Epic. The identifier values of either the appointment encounter or the questionnaire series in reference to the assigned questionnaire. The system value determines whether the questionnaire was assigned in an appointment or a questionnaire series.
Bundle.entry.resource.CarePlan.activity.reference | Reference | True | | | Starting in the November 2022 version of Epic, this element is not returned. The identifier values of either the appointment encounter or the questionnaire series in reference to the assigned questionnaire. In May 2022 and earlier versions, this element is the appointment where a questionnaire is to be answered or series of questionnaires was assigned.
Bundle.entry.resource.CarePlan.category | CodeableConcept | False | Yes | | Always set to SNOMED 719091000000102.
Bundle.entry.resource.CarePlan.intent | String | False | | | Always "order."
Bundle.entry.resource.CarePlan.status | String | False | | | Always "active."
Bundle.entry.resource.CarePlan.subject | Reference | False | | | Patient the questionnaires correspond to.

Sample request

```
https://hostname/instance/api/FHIR/R4/CarePlan?patient=eodhpcYOftSHnVua82pdEjQ3&activity-
    date=2020-12-12&category=719091000000102
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/CarePlan?ACTIVITY-
    DATE=2022-08-16&amp;PATIENT=ezcGsWBVB2DPVcVol8-Pleg3&category=719091000000102"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url":
    "https://hostname/instance/api/FHIR/R4/CarePlan/eyVZXThNXl1ns5EqSQXK58HQRn6rawd971sry5FGbEovLyOlKCa3SliZTO511VWGv3"
        }
      ],
      "fullUrl":
    "https://hostname/instance/api/FHIR/R4/CarePlan/eyVZXThNXl1ns5EqSQXK58HQRn6rawd971sry5FGbEovLyOlKCa3SliZTO511VWGv3",
      "resource": {
        "resourceType": "CarePlan",
        "id": "eyVZXThNXl1ns5EqSQXK58HQRn6rawd971sry5FGbEovLyOlKCa3SliZTO511VWGv3",
        "status": "active",
        "intent": "order",
        "category": [
          {
            "coding": [
              {
                "system": "http://snomed.info/sct",
                "code": "719091000000102",
                "display": "Questionnaire"
              }
            ],
            "text": "Questionnaire"
          }
        ],
        "subject": {
          "reference": "Patient/ezcGsWBVB2DPVcVol8-Pleg3",
```

```
          "display": "Peterson, Alice"
        },
        "activity": [
          {
            "extension": [
              {
                "valueIdentifier": {
                  "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.3.698084.8",
                  "value": "10000921569"
                },
                "url": "http://open.epic.com/FHIR/StructureDefinition/extension/questionnairesdue-context"
              }
            ],
            "detail": {
              "instantiatesCanonical": [
                "Questionnaire/eLmasiW7nIL4F3Yc8fglE0tscFW3zKdlmDdZ19sZtTNs3",
                "Questionnaire/ej4KpBLD8lYDNGSNYhRDwSwz2ubcD9s1m-uNGPiyX4zk3"
              ],
              "code": {
                "coding": [
                  {
                    "system": "http://snomed.info/sct",
                    "code": "719091000000102",
                    "display": "Questionnaire"
                  }
                ],
                "text": "Questionnaire"
              },
              "status": "in-progress",
              "scheduledPeriod": {
                "start": "2022-08-12",
                "end": "2022-08-16"
              }
            }
          },
          {
            "extension": [
              {
                "valueIdentifier": {
                  "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.728187",
                  "value": "2039"
                },
                "url": "http://open.epic.com/FHIR/StructureDefinition/extension/questionnairesdue-context"
              }
            ],
            "detail": {
              "instantiatesCanonical": [
                "Questionnaire/eML6EPU2SV7Uw-S4cnCO7DSzLz49hTph8vFQ0BnmD15c3",
                "Questionnaire/etvNYDoXhB94vnVdHh9R0gUyRtqOCEcKusauXH9.ofDc3",
                "Questionnaire/ej4KpBLD8lYDNGSNYhRDwSwz2ubcD9s1m-uNGPiyX4zk3"
              ],
              "code": {
                "coding": [
                  {
                    "system": "http://snomed.info/sct",
                    "code": "719091000000102",
                    "display": "Questionnaire"
                  }
                ],
                "text": "Questionnaire"
              },
              "status": "in-progress",
              "scheduledPeriod": {
                "start": "2022-08-12",
                "end": "2022-08-16"
              }
            }
          }
        ]
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


Change log

Epic Version | Description | Type

November 2022 | A new activity.extension called “questionnairesDue-context” will be used to identify the system value for appointment or questionnaire series and the context identifier value for the questionnaire. | Breaking change

8.1.21 CareTeam.Read (Episode) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10154-CareTeam-Read-Episode-R4.html

Epic API ID | 10154

FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2021
HTTP method | GET
URL template | /api/FHIR/R4/CareTeam/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10154

Description

Returns information about an episode's care team.

The patient's inpatient treatment team and longitudinal care team are not included in this resource. Inpatient treatment team members are instead included as participants in the relevant Encounter resource. Longitudinal care team members are included in the CareTeam (Longitudinal CareTeam) (R4) API response.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | FHIR ID for this CareTeam instance

Response elements

Name | Type | Optional | Array | Cardinality | Description
CareTeam | CareTeam | False
CareTeam.extension (also: ancillary-provider-poc-update) | Extension | False | Yes | | A string indicating whether each ancillary provider receives updates to the Plan of Care.
CareTeam.category | CodeableConcept | False | Yes | | Always "Episode of care-focused care team".
CareTeam.id | id | False | | | CareTeam FHIR ID
CareTeam.name | String | False | | | The name of the care team.
CareTeam.participant | BackboneElement | False | Yes | | A participant in the care team. In scenarios where a provider on the care team has multiple specialties, this service returns one participant element for each unique combination of provider and specialty. For example, if a provider is listed on the care team twice, once with a specialty of "Radiology" and once with a specialty of "Behavioral Health", there will be two participant elements returned by this resource. They will have the same member reference but will have different roles.
CareTeam.participant.member | Reference | False | | | Reference to a care team member
CareTeam.participant.period | Period | False | | | The start date and end date of the participant's care team assignment.
CareTeam.participant.role | CodeableConcept | False | Yes | | Provider type or specialty
CareTeam.extension (also: participant-note) | Extension | True | Yes | | A string note that includes the number of visits with the participant each week and whether the participant receives Plan of Care updates.
CareTeam.period | Period | True | | | The times the care team is active, from the earliest start date to the latest end date for any participant in the care team.
CareTeam.status | code | False | | | The status of the episode for which the care team is defined.
CareTeam.subject | Reference | False | | | Patient identifier

Sample request

```
https://hostname/instance/api/FHIR/R4/CareTeam/eKDCE-jKkMA4JxZ3pJbu.ww3
```

Sample response


```
"resourceType": "CareTeam",
"id": "eKDCE-jKkMA4JxZ3pJbu.ww3",
"status": "active",
"category": [
{
"coding": [
{
"system": "http://loinc.org",
"code": "LA27977-0",
"display": "Episode of care-focused care team"
}
],
"text": "Episode of care-focused care team"
}
],
"subject": {
"reference": "Patient/ee7NTBargpnWU-MaI95A5fA3",
"display": ""
},
"participant": [
{
"role": [
{
```

```
"coding": [
{
"system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.836982.1050",
"code": "9",
"display": "Family Practice"
},
{
"system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.698084.5655",
"code": "1",
"display": "General"
}
],
"text": "Family Practice"
}
],
"member": {
"reference": "Practitioner/eF6GO8p1qW-YKCvYtvJ3P5w3",
"display": "Shayna Washington, MD"
},
"period": {
"start": "2018-11-15"
}
},
{
"role": [
{
"coding": [
{
"system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.836982.1050",
"code": "3",
"display": "Audiology"
},
{
"system": "http://nucc.org",
"code": "231H00000X",
"display": "Audiology"
}
],
"text": "Audiology"
}
],
"member": {
"reference": "Practitioner/ezWCnkVxIP.UJG8lklPITMw3",
"display": "Daphne Healy, MD"
},
"period": {
"start": "2019-10-15"
}
}
]
}
```


8.1.22 CareTeam.Read (Longitudinal CareTeam) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/1068-CareTeam-Read-Longitudinal-CareTeam-R4.html
Epic API ID | 1068
FHIR version | R4
Categories | Clinical Care Provision
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2020
URL template | api/FHIR/R4/CareTeam/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=1068

Description

The CareTeam.Read (Longitudinal) web service returns information about a patient's care team and care team members.

The patient's care team includes longitudinal care team assignments such as PCPs. This resource also returns providers on the patient’s care team brought in from other organizations with Care Everywhere.

The patient's inpatient treatment team is not included in this resource. Inpatient treatment team members are instead included as participants in the relevant Encounter resource.

Remarks

This CareTeam API can return a Practitioner reference in the participant.member element to represent a provider who is part of the patient's care team. If your application needs to access location and contact details for this provider, you can make a subsequent request to the PractitionerRole.Search API. In that request, set the practitioner search parameter equal to the Practitioner FHIR ID and use _include to include the related Location reference. For example:

https://hostname/instance/api/FHIR/R4/PractitionerRole?practitioner={Practitioner_FHIR_ID}&_include=PractitionerRole:location

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | Required | | | The CareTeam FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
CareTeam (R4) | CareTeam
CareTeam (R4).category | CodeableConcept | | Yes | 0..* | Always "longitudinal".
CareTeam (R4).id | id | | | 1..1 | The CareTeam FHIR ID.
CareTeam (R4).participant | BackboneElement | | Yes | 1..* | A participant in the care team. In scenarios where a provider on the care team has multiple specialties, this service returns one participant element for each unique combination of provider and specialty. For example if a provider is listed on the care team twice, once with a specialty of "Radiology" and once with a specialty of "Behavioral Health", two participant elements are returned by this resource, each with a different role. A participant can also be a RelatedPerson, which is typically an entity with a personal or professional relationship to the patient.
CareTeam (R4).participant.member | Reference | | | 1..1 | Reference to a care team member.
CareTeam (R4).participant.onBehalfOf | Reference | | | 0..1 | Reference to the last organization that updated an external care team member.
CareTeam (R4).participant.period | Period | | | 0..1 | Time period.
CareTeam (R4).participant.role | CodeableConcept | | Yes | 1..* | Provider type or specialty, or related person type.
CareTeam (R4).status | code | | | 1..1 | Always "active".
CareTeam (R4).subject | Reference | | | 1..1 | Patient identifier.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/CareTeam/eKDCE-jKkMA4JxZ3pJbu.ww3
```

Sample response


```
{
  "resourceType": "CareTeam",
  "id": "eKDCE-jKkMA4JxZ3pJbu.ww3",
  "status": "active",
  "category": [
    {
      "coding": [
        {
          "system": "http://loinc.org",
          "code": "LA28865-6",
          "display": "Longitudinal care-coordination focused care team"
        }
      ],
      "text": "Longitudinal care-coordination focused care team"
    }
  ],
  "subject": {
    "reference": "Patient/ee7NTBargpnWU-MaI95A5fA3",
    "display": "Johnson, Test Patient"
  },
  "participant": [
    {
      "role": [
        {
          "coding": [
            {
              "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.836982.1050",
              "code": "9",
              "display": "Family Practice"
            },
            {
              "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.698084.5655",
              "code": "1",
              "display": "General"
            }
          ],
          "text": "Family Practice"
        }
      ],
      "member": {
        "reference": "Practitioner/eF6GO8p1qW-YKCvYtvJ3P5w3",
        "display": "Shayna Test Provider, MD"
      },
      "period": {
        "start": "2018-11-15"
      }
```

```
    },
    {
      "role": [
        {
          "coding": [
            {
              "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.836982.1050",
              "code": "3",
              "display": "Audiology"
            },
            {
              "system": "http://nucc.org",
              "code": "231H00000X",
              "display": "Audiology"
            }
          ],
          "text": "Audiology"
        }
      ],
      "member": {
        "reference": "Practitioner/ezWCnkVxIP.UJG8lklPITMw3",
        "display": "Daphne Test Provider, MD"
      },
      "period": {
        "start": "2019-10-15"
      }
    }
  ]
}
```


8.1.23 CareTeam.Search (Episode) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10155-CareTeam-Search-Episode-R4.html
Epic API ID | 10155
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2021
HTTP method | GET;POST
URL template | /api/FHIR/R4/CareTeam?_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10155

Description

Returns information about an episode's care team.

The patient's inpatient treatment team and longitudinal care team are not included in this resource. Inpatient treatment team members are instead included as participants in the relevant Encounter resource. Longitudinal care team members are included in the CareTeam (Longitudinal Care Team) (R4) API response.

This API currently supports only the _id search parameter. As a result, it functions similarly to CareTeam.Read (Episode Care Team) (R4).

Remarks

AuditEvent

The following details are returned as part of the AuditEvent structure if AuditEvent data is included with this resource. For more information about AuditEvent, refer to the FHIR Search Parameters article in the Documentation section of this site.

Name | Description | Is Optional | Is Array
type (coding) | The type of event, either Ancillary Provider Update, Care Team Member Update, or Team Assignment Update. | false | false
recorded (instant) | The time and date the audit event happened. | false | false
agent (agent) | A user or system process that created the audit event. The agent and source elements return the same user. | false | true
agent.Requestor (Boolean) | Always "True". | false | false
agent.Who (reference) | The user who caused the event. | false | false
source (source) | A user or system process that created the audit event. The agent and source elements return the same user. | false | true
source.Observer (reference) | The user who caused the event. | false | false
entity (entity) | A user or system process that created the audit event. | false | true
entity.detail.valueString (true) | Details of what data was changed in the audit event. The is a sentence that identifies the item that changed, the row in the list of ancillary providers or care team members, and what value the item was set to. | false | true

Response elements

Name | Type | Optional | Array | Cardinality | Description

Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.CareTeam | CareTeam | False
Bundle.entry.resource.CareTeam.extension (also: ancillary-provider-poc-update) | Extension | False | Yes | | A string that indicates whether each ancillary provider receives updates to the Plan of Care.
Bundle.entry.resource.CareTeam.category | CodeableConcept | False | Yes | | Always "Episode of care-focused care team".
Bundle.entry.resource.CareTeam.id | id | False | | | CareTeam FHIR ID
Bundle.entry.resource.CareTeam.name | String | False | | | The name of the care team.
Bundle.entry.resource.CareTeam.participant | BackboneElement | False | Yes | | A participant in the care team. In scenarios where a provider on the care team has multiple specialties, this service returns one participant element for each unique combination of provider and specialty. For example, if a provider is listed on the care team twice, once with a specialty of "Radiology" and once with a specialty of "Behavioral Health", there will be two participant elements returned by this resource. They will have the same member reference but will have different roles.
Bundle.entry.resource.CareTeam.participant.member | Reference | False | | | Reference to a care team member
Bundle.entry.resource.CareTeam.participant.period | Period | False | | | The start date and end date of the participant's care team assignment.
Bundle.entry.resource.CareTeam.participant.role | CodeableConcept | False | Yes | | Provider type or specialty
Bundle.entry.resource.CareTeam.extension (also: participant-note) | Extension | True | Yes | | A string note that includes the number of visits with the participant each week and whether the participant receives Plan of Care updates.
Bundle.entry.resource.CareTeam.period | Period | True | | | The times the care team is active, from the earliest start date to the latest end date for any participant in the care team.
Bundle.entry.resource.CareTeam.status | code | False | | | The status of the episode for which the care team is defined.
Bundle.entry.resource.CareTeam.subject | Reference | False | | | Patient identifier

Sample request

```
https://hostname/instance/api/FHIR/R4/CareTeam?_id=eKDCE-jKkMA4JxZ3pJbu.ww3
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/CareTeam?_id=eKDCE-jKkMA4JxZ3pJbu.ww3"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/CareTeam/eKDCE-jKkMA4JxZ3pJbu.ww3"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/R4/CareTeam/eKDCE-jKkMA4JxZ3pJbu.ww3",
      "resource": {
        "resourceType": "CareTeam",
        "id": "eKDCE-jKkMA4JxZ3pJbu.ww3",
        "status": "active",
        "category": [
          {
            "coding": [
              {
                "system": "http://loinc.org",
                "code": "LA27977-0",
                "display": "Episode of care-focused care team"
              }
            ],
            "text": "Episode of care-focused care team"
          }
        ],
        "subject": {
          "reference": "Patient/ee7NTBargpnWU-MaI95A5fA3",
          "display": "Johnson, Daniel"
        },
        "participant": [
          {
            "role": [
              {
                "coding": [
                  {
                    "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.836982.1050",
                    "code": "9",
                    "display": "Family Practice"
                  },
                  {
                    "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.698084.5655",
                    "code": "1",
                    "display": "General"
                  }
                ],
```

```
              "text": "Family Practice"
            }
          ],
          "member": {
            "reference": "Practitioner/eF6GO8p1qW-YKCvYtvJ3P5w3",
            "display": "Shayna Washington, MD"
          },
          "period": {
            "start": "2018-11-15"
          }
        },
        {
          "role": [
            {
              "coding": [
                {
                  "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.836982.1050",
                  "code": "3",
                  "display": "Audiology"
                },
                {
                  "system": "http://nucc.org",
                  "code": "231H00000X",
                  "display": "Audiology"
                }
              ],
              "text": "Audiology"
            }
          ],
          "member": {
            "reference": "Practitioner/ezWCnkVxIP.UJG8lklPITMw3",
            "display": "Daphne Healy, MD"
          },
          "period": {
            "start": "2019-10-15"
          }
        }
      ]
    },
    "search": {
      "mode": "match"
    }
  }
 ]
}
```


8.1.24 CareTeam.Search (Longitudinal CareTeam) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/1069-CareTeam-Search-Longitudinal-CareTeam-R4.html
Epic API ID | 1069
FHIR version | R4
Categories | Clinical Care Provision
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2020
HTTP method | GET
URL template | api/FHIR/R4/CareTeam?patient={patient}&subject={subject}&status={status}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=1069

Description

The CareTeam.Search (Longitudinal) web service returns information about a patient's care team and care team members.

The patient's care team includes longitudinal care team assignments such as PCPs. This resource also returns providers on the patient’s care team brought in from other organizations with Care Everywhere.

The patient's inpatient treatment team is not included in this resource. Inpatient treatment team members are instead included as participants in the relevant Encounter resource.

Remarks

This CareTeam API can return a Practitioner reference in the participant.member element to represent a provider who is part of the patient’s care team. If your application needs to access location and contact details for this provider, you can make a subsequent request to the PractitionerRole.Search API. In that request, set the practitioner search parameter equal to the Practitioner FHIR ID and use _include to include the related Location reference. For example:

https://hostname/instance/api/FHIR/R4/PractitionerRole?practitioner={Practitioner_FHIR_ID}&_include=PractitionerRole:location

Request parameters

Name | Type | Optional | Array | Cardinality | Description
_count | number | Optional | Yes | | Number of results per page.
_id | token | Optional | Yes | | FHIR resource IDs for the desired resources. Can be used in combination with _count, _include, and _revInclude. All others are ignored.
_include | string | Optional | Yes | | Used to indicate which referenced resources to include in the search bundle.
_revinclude | string | Optional | Yes | | Used to include Provenance or AuditEvent resources that refer to search results, when available.
patient | reference | Conditional | Yes | | Patient FHIR resource ID. Either a patient or subject parameter must be provided. If both are provided, they must match exactly.
status | token | Optional | Yes | | CareTeam status. The only supported value is "active".
subject | reference | Conditional | Yes | | Patient FHIR resource ID. Either a patient or subject parameter must be provided. If both are provided, they must match exactly.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
category | token | Optional | Yes | | Type of team. Always "longitudinal."
date | date | Optional | Yes | | Time period.
participant | reference | Optional | Yes | | A participant in the care team.

Response elements

Name | Type | Optional | Array | Cardinality | Description
CareTeam (R4) | CareTeam
CareTeam (R4).category | CodeableConcept | | Yes | 0..* | Always "longitudinal".
CareTeam (R4).id | id | | | 1..1 | The CareTeam FHIR ID.
CareTeam (R4).participant | BackboneElement | | Yes | 1..* | A participant in the care team. In scenarios where a provider on the care team has multiple specialties, this service returns one participant element for each unique combination of provider and specialty. For example if a provider is listed on the care team twice, once with a specialty of "Radiology" and once with a specialty of "Behavioral Health", two participant elements are returned by this resource, each with a different role. A participant can also be a RelatedPerson, which is typically an entity with a personal or professional relationship to the patient.
CareTeam (R4).participant.member | Reference | | | 1..1 | Reference to a care team member.
CareTeam (R4).participant.onBehalfOf | Reference | | | 0..1 | Reference to the last organization that updated an external care team member.
CareTeam (R4).participant.period | Period | | | 0..1 | Time period.
CareTeam (R4).participant.role | CodeableConcept | | Yes | 1..* | Provider type or specialty, or related person type.
CareTeam (R4).status | code | | | 1..1 | Always "active".
CareTeam (R4).subject | Reference | | | 1..1 | Patient identifier.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/CareTeam?patient=ee7NTBargpnWU-MaI95A5fA3
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/CareTeam?patient=ee7NTBargpnWU-MaI95A5fA3"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/CareTeam/eKDCE-jKkMA4JxZ3pJbu.ww3"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/R4/CareTeam/eKDCE-jKkMA4JxZ3pJbu.ww3",
      "resource": {
        "resourceType": "CareTeam",
        "id": "eKDCE-jKkMA4JxZ3pJbu.ww3",
        "status": "active",
        "category": [
          {
            "coding": [
              {
                "system": "http://loinc.org",
                "code": "LA28865-6",
                "display": "Longitudinal care-coordination focused care team"
              }
            ],
            "text": "Longitudinal care-coordination focused care team"
```

```
        }
      ],
      "subject": {
        "reference": "Patient/ee7NTBargpnWU-MaI95A5fA3",
        "display": "Johnson, Test Patient"
      },
      "participant": [
        {
          "role": [
            {
              "coding": [
                {
                  "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.836982.1050",
                  "code": "9",
                  "display": "Family Practice"
                },
                {
                  "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.698084.5655",
                  "code": "1",
                  "display": "General"
                }
              ],
              "text": "Family Practice"
            }
          ],
          "member": {
            "reference": "Practitioner/eF6GO8p1qW-YKCvYtvJ3P5w3",
            "display": "Shayna Test Provider, MD"
          },
          "period": {
            "start": "2018-11-15"
          }
        },
        {
          "role": [
            {
              "coding": [
                {
                  "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.836982.1050",
                  "code": "3",
                  "display": "Audiology"
                },
                {
                  "system": "http://nucc.org",
                  "code": "231H00000X",
                  "display": "Audiology"
                }
              ],
              "text": "Audiology"
            }
          ],
          "member": {
            "reference": "Practitioner/ezWCnkVxIP.UJG8lklPITMw3",
            "display": "Daphne Test Provider, MD"
          },
          "period": {
            "start": "2019-10-15"
          }
        }
      ]
    },
    "search": {
      "mode": "match"
    }
  }
 ]
}
```


8.1.25 Communication.Create (Community Resource Communication) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10090-Communication-Create-Community-Resource-Communication-R4.html
Epic API ID | 10090
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
API group | Community Resource Group
USCDI | No
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | May 2021
HTTP method | POST
URL template | /api/FHIR/R4/Communication
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10090

Description

Communication.Create allows a client to create a message between health systems and community-based organizations about a referral request made through Continued Care & Services Coordination (CCSC) workflows in Epic, such as a post-discharge service request for durable medical equipment (DME) or social services.

This resource includes general information about the message, including the sender and recipient, the date and time it was sent, and the patient to whom it applies.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
Communication | Communication | False | | | An instance of the R4 Communication FHIR resource.
Communication.basedOn | Reference | False | Yes | | Reference to a ServiceRequest that represents the CCSC referral request metadata. Each communication can be based on only one ServiceRequest.
Communication.encounter | Reference | False | | | Reference to an encounter resource.
Communication.inResponseTo | Reference | True | Yes | | The message this communication is in response to, if applicable. At most, each communication is “in response to” only one message.
Communication.partOf | Reference | True | Yes | | Reference to a Task that represents the CCSC referral request status. Each communication can be a part of only one Task.
Communication.payload | Payload | False | Yes | | Message or Attachment (PDF) payload.
Communication.payload.contentReference | Reference | False | | | Contains a reference to a DocumentReference resource that justifies the CCSC referral request. This links to a .PDF document that can be retrieved on demand.
Communication.payload.contentString | String | False | | | Contains the content. Append all payload.contentString elements together to form the entire message body.
Communication.recipient | Reference | False | Yes | | The recipient of the communication, using one of the following: A reference to practitioner resource from the Health System. OR A reference to an organization resource representing the CBO, where the following information is stored: identifier (identifier): Contains the external CBO ID that was given when the CBO was imported into the Epic system. name (string): CBO name
Communication.sender | Reference | False | | | This is the sender of the communication, and it is the reverse of the recipient field. Either the Health System is the sender and the CBO is the recipient, or vice-versa.
Communication.sent | String | False | | | The date and time when the communication was sent.
Communication.status | String | False | | | The FHIR status code (EventStatus). Only a value of "in-progress" is supported. We do not support creating stopped or completed communications.
Communication.subject | Reference | False | | | Focus of the communication, reference to a patient resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Communication | Communication | False | | | An instance of the R4 Communication FHIR resource.

Sample request

```
https://hostname/instance/api/FHIR/R4/Communication
```

Sample response


```
{
  "resourceType": "Communication",
  "basedOn": [
    {
      "reference": "ServiceRequest/eSprfuvuIyU9A7VjKbKM.L13mribs7tEoDKpZZzpsBasLJClVbaMyq.hi3ubqFv8Q3"
    }
  ],
  "partOf": [
    {
      "reference": "Task/enjJqmy5LKwJIsUw5zywBrsbjpzi1vyHfn63eeP2a8r0LPffAsvByIeq8vz90l7SU3"
    }
  ],
  "inResponseTo": [
    {
      "reference": "Communication/eqZ8XvdawXf7MPgc0KWAnoaUeeHUpeRb8X6Pr9xlzcLM3"
    }
  ],
  "status": "in-progress",
  "subject": {
    "reference": "Patient/eZT9bBV1IxoeuM8jMI8MaQw3",
    "display": "Janisko, Cindy"
  },
  "encounter": {
    "reference": "Encounter/e5F3-e2bVpzG0IpBi5S5y4gzQ5w0ZjASrwroV.5D0YK03"
  },
  "sent": "2020-11-02T21:31:30Z",
  "sender": {
    "reference": "Organization/eCRht0iEj9hRDtHLSaFXsBQ3",
    "display": "Joj Alternative Medicine (Fhir)"
  },
  "recipient": [
    {
      "reference": "Practitioner/eeLsHlvm0KvPn-y4wW-AuzQ3",
      "display": "Social Worker Janisko, MSW"
    }
```

```
  ],
  "payload": [
    {
      "contentString": "Can you send us more information?\r\n"
    }
  ]
}
```

Change log

Epic Version | Description | Type
November 2022 | Epic has updated the behavior of certain modifier elements in FHIR write APIs to ensure the data in the incoming request body matches the data filed to the database and to comply with the HL7 FHIR specification. Previously, the modifier element was ignored in certain situations, and an undocumented default value was saved in its place. Now, if the modifier element is included and is set to an unaccepted value, a fatal error logs, preventing the request from filing to the database. The FHIR request returns an OperationOutcome with the invalid element and what value is accepted for that element. Element Accepted Incoming Value Default Value status in-progress in-progress | Substantive change
Element | Accepted Incoming Value | Default Value
status | in-progress | in-progress

8.1.26 Communication.Read (Community Resource Communication) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10088-Communication-Read-Community-Resource-Communication-R4.html
Epic API ID | 10088
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
API group | Community Resource Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | May 2021
HTTP method | GET
URL template | /api/FHIR/R4/Communication/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10088

Description

Communication.Read allows a client to look up a message between health systems and community-based organizations about a referral request made through Continued Care & Services Coordination (CCSC) workflows in Epic, such as a post-discharge service request for durable medical equipment (DME) or social services.

This resource includes general information about the message, including the sender and recipient, the date and time it was sent, and the patient to whom it applies.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | The FHIR identifier for the target Communication resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Communication | Communication | False | | | An instance of the R4 Communication FHIR resource.
Communication.basedOn | Reference | False | Yes | | Reference to a ServiceRequest that represents the CCSC referral request metadata. Each communication can be based on only one ServiceRequest.
Communication.encounter | Reference | False | | | Reference to an encounter resource.
Communication.inResponseTo | Reference | True | Yes | | The message this communication is in response to, if applicable. At most, each communication is “in response to” only one message.
Communication.partOf | Reference | True | Yes | | Reference to a Task that represents the CCSC referral request status. Each communication can be a part of only one Task.
Communication.payload | Payload | False | Yes | | Message or Attachment (PDF) payload.
Communication.payload.contentReference | Reference | False | | | Contains a reference to a DocumentReference resource that justifies the CCSC referral request. This links to a .PDF document that can be retrieved on demand.
Communication.payload.contentString | String | False | | | Contains the content. Append all payload.contentString elements together to form the entire message body.
Communication.recipient | Reference | False | Yes | | The recipient of the communication, using one of the following: A reference to practitioner resource from the Health System. OR A reference to an organization resource representing the CBO, where the following information is stored: identifier (identifier): Contains the external CBO ID that was given when the CBO was imported into the Epic system. name (string): CBO name
Communication.sender | Reference | False | | | This is the sender of the communication, and it is the reverse of the recipient field. Either the Health System is the sender and the CBO is the recipient, or vice-versa.
Communication.sent | String | False | | | The date and time when the communication was sent.
Communication.status | String | False | | | The FHIR status code (EventStatus).
Communication.subject | Reference | False | | | Focus of the communication, reference to a patient resource.

Sample request

```
https://hostname/instance/api/FHIR/R4/Communication/eQtjP5dExSGL8QY3jIixZo0TrO52tQfNEGkoWTOJdWCU3
```

Sample response


```
{
  "resourceType": "Communication",
  "id": "eQtjP5dExSGL8QY3jIixZo0TrO52tQfNEGkoWTOJdWCU3",
  "basedOn": [
    {
      "reference": "ServiceRequest/eZykr93PG.4eADHuIA7x31kTgnBtaXdav57aDWVlvDWvi-TiVRQGvTBsmjwpvM8n73"
    }
  ],
  "partOf": [
    {
      "reference": "Task/ebvg8Qy8tsSAz7oLPJgZXUN3gKXtUQEDEo-3.OI.uuPcHc7JRfVOphJCVs.wEo4DF3"
    }
  ],
  "status": "in-progress",
  "subject": {
    "reference": "Patient/e5CmvJNKQAN-kUr-XDKfXSQ3",
    "display": "Patient, Bravo"
  },
  "encounter": {
    "reference": "Encounter/ePsDBvsehVaICEzX4yNBTGig.9WVSJYHW-td1KddCl1k3"
  },
  "sent": "2021-01-25T06:16:23Z",
  "recipient": [
    {
      "reference": "Organization/eXn64I93.1fbFG3bFDGaXbA3",
      "display": "Ven B Cbo Transport 5 (Fhir)"
    }
  ],
  "sender": {
    "reference": "Practitioner/ectBdL9yLwfiRop1f5LsU6A3",
    "display": "Susanna Sammer, MSW"
  },
  "payload": [
    {
      "contentReference": {
        "reference": "DocumentReference/eYC5z2-B66rJsA2PDib86.Q3"
      }
    }
  ]
}
```


8.1.27 Communication.Read (Patient Education) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10319-Communication-Read-Patient-Education-R4.html
Epic API ID | 10319
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
API group | Patient Education Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Communication/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10319

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | The FHIR identifier for the target Communication resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Communication | Communication | False | | | An instance of the R4 Communication FHIR resource.
Communication.basedOn | Reference | True | Yes | | Reference to the related CarePlan resource, if applicable.
Communication.category | CodeableConcept | True | Yes | | Message category. Always SNOMED code 409073007.
Communication.encounter | Reference | True | | | Encounter created as part of.
Communication.extension (also: learner-readiness) | Extension | False | Yes | | Readiness value associated with the documentation.
Communication.extension (also: learner-response) | Extension | False | Yes | | Response values associated with the documentation.
Communication.medium | CodeableConcept | True | Yes | | method of instruction associated with the documentation.
Communication.note | Annotation | True | Yes | | Comments made about the communication.
Communication.received | String | True | | | Date and time when teaching was performed.

Communication.extension (also: received-by) | Extension | False | Yes | | Learner associated with the documentation.
Communication.sender | Reference | True | | | Person who performed teaching.
Communication.sent | String | True | | | Date and time when teaching was performed.
Communication.status | String | False | | | Status of the documentation event. Possible values include "completed" and "entered-in-error".
Communication.subject | Reference | True | | | Reference to the patient.

Sample request

```
https://hostname/instance/api/FHIR/R4/Communication/e64UNswPaqKcx62eKeOVWyWuZ5ArlOBM76lCU-uOxfAA01INJuURt-
    eCJ1L9eyJOs0tPihdSfYxURfTkWzX8izKLxzYNPi.hhEzV8oAcTw9U3
```

Sample response


```
{
  "resourceType": "Communication",
  "id": "e64UNswPaqKcx62eKeOVWyWuZ5ArlOBM76lCU-uOxfAA01INJuURt-eCJ1L9eyJOs0tPihdSfYxURfTkWzX8izKLxzYNPi.hhEzV8oAcTw9U3",
  "extension": [
    {
      "valueCodeableConcept": {
        "coding": [
          {
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.806968.6010",
            "code": "0",
            "display": "Patient"
          }
        ],
        "text": "Patient"
      },
      "url": "http://open.epic.com/FHIR/StructureDefinition/extension/received-by"
    },
    {
      "valueCodeableConcept": {
        "coding": [
          {
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.806968.6020",
            "code": "0",
            "display": "Eager"
          }
        ],
        "text": "Eager"
      },
      "url": "http://open.epic.com/FHIR/StructureDefinition/extension/learner-readiness"
    },
    {
      "valueCodeableConcept": {
        "coding": [
          {
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.806968.6045",
            "code": "1",
            "display": "Verbalizes Understanding"
          }
        ],
        "text": "Verbalizes Understanding"
      },
      "url": "http://open.epic.com/FHIR/StructureDefinition/extension/learner-response"
    }
  ],
  "basedOn": [
    {
      "reference": "CarePlan/eHAqVVApVSdEcF6a73Fzx1cqGkhZ8fxBFMDeLK1rFmbfNQgA4dvvj2nzj.HIHgSOm3",
      "display": "Sample Education Point"
    }
  ],
  "status": "completed",
  "category": [
    {
      "coding": [
        {
          "system": "http://snomed.info/sct",
          "code": "409073007",
          "display": "Education"
        }
      ],
      "text": "Education"
    }
  ],
  "medium": [
    {
      "coding": [
        {
          "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.806968.6035",
          "code": "3",
          "display": "Explanation"
        }
      ],
      "text": "Explanation"
    }
```

```
  ],
  "subject": {
    "reference": "Patient/e6sq42KWFiE7jDOx0WZl0M4IaDQBGJakQZGNgTv38VP43",
    "display": "Caldwell, Jackson"
  },
  "encounter": {
    "reference": "Encounter/e2TBendpedC7j.2X.Tf5kkBKqU.2y4fSm7TYWbkWMnOg3",
    "identifier": {
      "use": "usual",
      "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.3.698084.8",
      "value": "10003910675"
    },
    "display": "Hospital Encounter"
  },
  "sent": "2022-01-03T19:10:00Z",
  "received": "2022-01-03T19:10:00Z",
  "sender": {
    "reference": "Practitioner/eG.PjScss4I30rG0TQi.icg3",
    "display": "Brian Burns, MD"
  }
}
```


8.1.28 Communication.Search (Community Resource Communication) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10089-Communication-Search-Community-Resource-Communication-R4.html
Epic API ID | 10089
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
API group | Community Resource Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | May 2021
HTTP method | GET
URL template | /api/FHIR/R4/Communication?part-of={part-of}&patient={patient}&subject={subject}&_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10089

Description

Communication.Search allows a client to search for messages between health systems and community-based organizations about referral requests made through Continued Care & Services Coordination (CCSC) workflows in Epic, such as a post-discharge service request for durable medical equipment (DME) or social services.

This resource includes general information about the message, including the sender and recipient, the date and time it was sent, and the patient to whom it applies.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
based-on | String | True | | | Reference to a ServiceRequest that represents the CCSC referral request metadata. Each communication can be based on only one ServiceRequest.
category | String | True | | | Unsupported
encounter | String | True | | | Encounter created as part of
part-of | String | True | | | Reference to the Task resource this Communication belongs to.
patient | String | Either patient or subject must be provided | | | Search for Communication resources for a specified patient ID. You can use both "patient" and "subject" equivalently, but if you use both they must look to the same value.
subject | String | Either patient or subject must be provided | | | Search for Communication resources for a specified subject. You can use both "patient" and "subject" equivalently, but if you use both they must look to the same value.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
identifier | String | True | | | Unsupported
instantiates-canonical | String | True | | | Unsupported
medium | String | True | | | Unsupported
received | String | True | | | Unsupported
recipient | String | True | | | The recipient of the communication, using one of the following: A reference to practitioner resource from the Health System.
sender | String | True | | | This is the sender of the communication, and it is the reverse of the recipient field. Either the Health System is the sender and the CBO is the recipient, or vice-versa.
sent | String | True | | | The date and time when the communication was sent.
status | String | True | | | The FHIR status code (EventStatus).

Response elements

Name | Type | Optional | Array | Cardinality | Description

Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.

Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.

Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.

Bundle.entry.resource.Communication | Communication | False | | | An instance of the R4 Communication FHIR resource.

Bundle.entry.resource.Communication.basedOn | Reference | False | Yes | | Reference to a ServiceRequest that represents the CCSC referral request metadata. Each communication can be based on only one ServiceRequest.

Bundle.entry.resource.Communication.encounter | Reference | False | | | Reference to an encounter resource.

Bundle.entry.resource.Communication.inResponseTo | Reference | True | Yes | | The message this communication is in response to, if applicable. At most, each communication is “in response to” only one message.

Bundle.entry.resource.Communication.partOf | Reference | True | Yes | | Reference to a Task that represents the CCSC referral request status. Each communication can be a part of only one Task.

Bundle.entry.resource.Communication.payload | Payload | False | Yes | | Message or Attachment (PDF) payload.

Bundle.entry.resource.Communication.payload.contentReference | Reference | False | | | Contains a reference to a DocumentReference resource that justifies the CCSC referral request. This links to a .PDF document that can be retrieved on demand.

Bundle.entry.resource.Communication.payload.contentString | String | False | | | Contains the content. Append all payload.contentString elements together to form the entire message body.

Bundle.entry.resource.Communication.recipient | Reference | False | Yes | | The recipient of the communication, using one of the following: A reference to practitioner resource from the Health System. OR A reference to an organization resource representing the CBO, where the following information is stored: identifier (identifier): Contains the external CBO ID that was given when the CBO was imported into the Epic system. name (string): CBO name

Bundle.entry.resource.Communication.sender | Reference | False | | | This is the sender of the communication, and it is the reverse of the recipient field. Either the Health System is the sender and the CBO is the recipient, or vice-versa.

Bundle.entry.resource.Communication.sent | String | False | | | The date and time when the communication was sent.

Bundle.entry.resource.Communication.status | String | False | | | The FHIR status code (EventStatus).

Bundle.entry.resource.Communication.subject | Reference | False | | | Focus of the communication, reference to a patient resource.

Sample request

```
https://hostname/instance/api/FHIR/R4/Communication?part-
    of=enjJqmy5LKwJIsUw5zywBrsbjpzi1vyHfn63eeP2a8r0LPffAsvByIeq8vz90l7SU3
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/Communication?part-
    of=enjJqmy5LKwJIsUw5zywBrsbjpzi1vyHfn63eeP2a8r0LPffAsvByIeq8vz90l7SU3"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/Communication/eqZ8XvdawXf7MPgc0KWAnoaUeeHUpeRb8X6Pr9xlzcLM3"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/R4/Communication/eqZ8XvdawXf7MPgc0KWAnoaUeeHUpeRb8X6Pr9xlzcLM3",
      "resource": {
        "resourceType": "Communication",
        "id": "eqZ8XvdawXf7MPgc0KWAnoaUeeHUpeRb8X6Pr9xlzcLM3",
        "basedOn": [
          {
            "reference": "ServiceRequest/eSprfuvuIyU9A7VjKbKM.L13mribs7tEoDKpZZzpsBasLJClVbaMyq.hi3ubqFv8Q3"
          }
        ],
        "partOf": [
          {
            "reference": "Task/enjJqmy5LKwJIsUw5zywBrsbjpzi1vyHfn63eeP2a8r0LPffAsvByIeq8vz90l7SU3"
          }
        ],
        "status": "in-progress",
        "subject": {
          "reference": "Patient/eZT9bBV1IxoeuM8jMI8MaQw3",
          "display": "Janisko, Cindy"
        },
        "encounter": {
          "reference": "Encounter/e5F3-e2bVpzG0IpBi5S5y4gzQ5w0ZjASrwroV.5D0YK03"
        },
        "sent": "2021-02-10T18:46:06Z",
        "recipient": [
          {
            "reference": "Organization/eCRht0iEj9hRDtHLSaFXsBQ3",
            "display": "Joj Alternative Medicine (Fhir)"
          }
```

```
        ],
        "sender": {
          "reference": "Practitioner/eeLsHlvm0KvPn-y4wW-AuzQ3",
          "display": "Social Worker Janisko, MSW"
        },
        "payload": [
          {
            "contentReference": {
              "reference": "DocumentReference/eD8rvlA5oEHp-45sAzhssqw3"
            }
          }
        ]
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


8.1.29 Communication.Search (Patient Education) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10320-Communication-Search-Patient-Education-R4.html
Epic API ID | 10320
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
API group | Patient Education Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template |
/api/FHIR/R4/Communication?based-on={based-on}&category={category}&encounter={encounter}&patient={patient}&subject={subject}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10320

Request parameters

Name | Type | Optional | Array | Cardinality | Description
based-on | String | False | | | Reference to the related CarePlan resource.
category | String | True | | | The message category. SNOMED code 409073007 should be used if this parameter is specified.
encounter | String | False | | | Encounter created as part of.
part-of | String | True | | | Unsupported
patient | String | Either patient or subject must be provided. | | | The patient who is the focus of the communication.
subject | String | Either patient or subject must be provided. | | | The patient who is the focus of the communication.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
identifier | String | True | | | Unsupported
instantiates-canonical | String | True | | | Unsupported
medium | String | True | | | method of instruction associated with the documentation.
received | String | True | | | Date and time when teaching was performed.
recipient | String | True | | | Unsupported
sender | String | True | | | Person who performed teaching.
sent | String | True | | | Date and time when teaching was performed.
status | String | True | | | Status of the documentation event. Possible values include "completed" and "entered-in-error".

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.Communication | Communication | False | | | An instance of the R4 Communication FHIR resource.
Bundle.entry.resource.Communication.basedOn | Reference | True | Yes | | Reference to the related CarePlan resource, if applicable.
Bundle.entry.resource.Communication.category | CodeableConcept | True | Yes | | Message category. Always SNOMED code 409073007.
Bundle.entry.resource.Communication.encounter | Reference | True | | | Encounter created as part of.
Bundle.entry.resource.Communication.extension (also: learner-readiness) | Extension | False | Yes | | Readiness value associated with the documentation.
Bundle.entry.resource.Communication.extension (also: learner-response) | Extension | False | Yes | | Response values associated with the documentation.
Bundle.entry.resource.Communication.medium | CodeableConcept | True | Yes | | method of instruction associated with the documentation.
Bundle.entry.resource.Communication.note | Annotation | True | Yes | | Comments made about the communication.
Bundle.entry.resource.Communication.received | String | True | | | Date and time when teaching was performed.

Bundle.entry.resource.Communication.extension (also: received-by) | Extension | False | Yes | | Learner associated with the documentation.
Bundle.entry.resource.Communication.sender | Reference | True | | | Person who performed teaching.
Bundle.entry.resource.Communication.sent | String | True | | | Date and time when teaching was performed.
Bundle.entry.resource.Communication.status | String | False | | | Status of the documentation event. Possible values include "completed" and "entered-in-error".
Bundle.entry.resource.Communication.subject | Reference | True | | | Reference to the patient.

Sample request

```
https://hostname/instance/api/FHIR/R4/Communication?patient=ec1rE2FurJlr.s2dHyJ9Jpg3&category=409073007
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 2,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/Communication?patient=e6sq42KWFiE7jDOx0WZl0M4IaDQBGJakQZGNgTv38VP43&
    category=409073007"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/Communication/e64UNswPaqKcx62eKeOVWyWuZ5ArlOBM76lCU-
    uOxfAA01INJuURt-eCJ1L9eyJOs0tPihdSfYxURfTkWzX8izKLxzYNPi.hhEzV8oAcTw9U3"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/R4/Communication/e64UNswPaqKcx62eKeOVWyWuZ5ArlOBM76lCU-
    uOxfAA01INJuURt-eCJ1L9eyJOs0tPihdSfYxURfTkWzX8izKLxzYNPi.hhEzV8oAcTw9U3",
      "resource": {
        "resourceType": "Communication",
        "id": "e64UNswPaqKcx62eKeOVWyWuZ5ArlOBM76lCU-uOxfAA01INJuURt-
    eCJ1L9eyJOs0tPihdSfYxURfTkWzX8izKLxzYNPi.hhEzV8oAcTw9U3",
        "extension": [
          {
            "valueCodeableConcept": {
              "coding": [
                {
                  "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.806968.6010",
                  "code": "0",
                  "display": "Patient"
                }
              ],
              "text": "Patient"
            },
            "url": "http://open.epic.com/FHIR/StructureDefinition/extension/received-by"
          },
          {
            "valueCodeableConcept": {
              "coding": [
                {
                  "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.806968.6020",
                  "code": "0",
                  "display": "Eager"
                }
              ],
              "text": "Eager"
            },
            "url": "http://open.epic.com/FHIR/StructureDefinition/extension/learner-readiness"
          },
          {
            "valueCodeableConcept": {
              "coding": [
                {
                  "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.806968.6045",
                  "code": "1",
                  "display": "Verbalizes Understanding"
                }
              ],
              "text": "Verbalizes Understanding"
            },
            "url": "http://open.epic.com/FHIR/StructureDefinition/extension/learner-response"
          }
        ],
        "basedOn": [
          {
            "reference": "CarePlan/eHAqVVApVSdEcF6a73Fzx1cqGkhZ8fxBFMDeLK1rFmbfNQgA4dvvj2nzj.HIHgSOm3",
            "display": "IPQA ED POINT 1"
          }
        ],
        "status": "entered-in-error",
```

```
    "category": [
      {
        "coding": [
          {
            "system": "http://snomed.info/sct",
            "code": "409073007",
            "display": "Education"
          }
        ],
        "text": "Education"
      }
    ],
    "medium": [
      {
        "coding": [
          {
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.806968.6035",
            "code": "3",
            "display": "Explanation"
          }
        ],
        "text": "Explanation"
      }
    ],
    "subject": {
      "reference": "Patient/e6sq42KWFiE7jDOx0WZl0M4IaDQBGJakQZGNgTv38VP43",
      "display": "Caldwell, Jackson"
    },
    "encounter": {
      "reference": "Encounter/e2TBendpedC7j.2X.Tf5kkBKqU.2y4fSm7TYWbkWMnOg3",
      "identifier": {
        "use": "usual",
        "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.3.698084.8",
        "value": "10003910675"
      },
      "display": "Hospital Encounter"
    },
    "sent": "2022-01-03T19:10:00Z",
    "received": "2022-01-03T19:10:00Z",
    "sender": {
      "reference": "Practitioner/eG.PjScss4I30rG0TQi.icg3",
      "display": "Brian Rood, MD"
    }
  },
  "search": {
    "mode": "match"
  }
},
{
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/Communication/e64UNswPaqKcx62eKeOVWyWuZ5ArlOBM76lCU-
uOxfAA01INJuURt-eCJ1L9eyJOs2DpHD7EkLzaxlG94j36vti1iHAsx5yiOfpMzX6R8jvs3"
    }
  ],
  "fullUrl": "https://hostname/instance/api/FHIR/R4/Communication/e64UNswPaqKcx62eKeOVWyWuZ5ArlOBM76lCU-
uOxfAA01INJuURt-eCJ1L9eyJOs2DpHD7EkLzaxlG94j36vti1iHAsx5yiOfpMzX6R8jvs3",
  "resource": {
    "resourceType": "Communication",
    "id": "e64UNswPaqKcx62eKeOVWyWuZ5ArlOBM76lCU-uOxfAA01INJuURt-
eCJ1L9eyJOs2DpHD7EkLzaxlG94j36vti1iHAsx5yiOfpMzX6R8jvs3",
    "extension": [
      {
        "valueCodeableConcept": {
          "coding": [
            {
              "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.806968.6010",
              "code": "0",
              "display": "Patient"
            }
          ],
          "text": "Patient"
        },
        "url": "http://open.epic.com/FHIR/StructureDefinition/extension/received-by"
      },
      {
        "valueCodeableConcept": {
          "coding": [
            {
              "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.806968.6020",
              "code": "0",
              "display": "Eager"
            }
          ],
          "text": "Eager"
        },
        "url": "http://open.epic.com/FHIR/StructureDefinition/extension/learner-readiness"
      },
```

```
          {
            "valueCodeableConcept": {
              "coding": [
                {
                  "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.806968.6045",
                  "code": "1",
                  "display": "Verbalizes Understanding"
                }
              ],
              "text": "Verbalizes Understanding"
            },
            "url": "http://open.epic.com/FHIR/StructureDefinition/extension/learner-response"
          }
        ],
        "basedOn": [
          {
            "reference": "CarePlan/eHAqVVApVSdEcF6a73Fzx1cqGkhZ8fxBFMDeLK1rFmbfNQgA4dvvj2nzj.HIHgSOm3",
            "display": "IPQA ED POINT 1"
          }
        ],
        "status": "completed",
        "category": [
          {
            "coding": [
              {
                "system": "http://snomed.info/sct",
                "code": "409073007",
                "display": "Education"
              }
            ],
            "text": "Education"
          }
        ],
        "medium": [
          {
            "coding": [
              {
                "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.806968.6035",
                "code": "3",
                "display": "Explanation"
              }
            ],
            "text": "Explanation"
          }
        ],
        "subject": {
          "reference": "Patient/e6sq42KWFiE7jDOx0WZl0M4IaDQBGJakQZGNgTv38VP43",
          "display": "Caldwell, Jackson"
        },
        "encounter": {
          "reference": "Encounter/e2TBendpedC7j.2X.Tf5kkBKqU.2y4fSm7TYWbkWMnOg3",
          "identifier": {
            "use": "usual",
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.3.698084.8",
            "value": "10003910675"
          },
          "display": "Hospital Encounter"
        },
        "sent": "2022-01-03T20:03:00Z",
        "received": "2022-01-03T20:03:00Z",
        "sender": {
          "reference": "Practitioner/eG.PjScss4I30rG0TQi.icg3",
          "display": "Brian Rood, MD"
        },
        "note": [
          {
            "text": "learner comment\r\n"
          }
        ]
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


8.1.30 DiagnosticReport.Read (Care Plan Goal) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10439-DiagnosticReport-Read-Care-Plan-Goal-R4.html
Epic API ID | 10439
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes

HTTP method | GET
URL template | /api/FHIR/R4/DiagnosticReport/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10439

Description

This resource can be used only with healthcare organizations in the Netherlands. This resource cannot be used in any other locales at this time.

The DiagnosticReport (Care Plan Goal) resource records the status of a patient in relation to a particular care plan goal.

The read interaction enables the look up of a DiagnosticReport resource by a constant server ID. Read interactions typically begin with a client having previously established a relationship, often through querying for diagnostic reports through the search interaction.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The DiagnosticReport FHIR ID. Supersedes other criteria if provided.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DiagnosticReport | DiagnosticReport | False | | | An instance of the STU3 DiagnosticReport resource.
DiagnosticReport.category | CodeableConcept | True | Yes | | The service category. Always “outcome-of-care.”
DiagnosticReport.code | CodeableConcept | False | | | The Name/Code for this diagnostic report. Hard coded to LOINC code 27574-3 for care plans.
DiagnosticReport.conclusion | String | True | | | The latest evaluation note.
DiagnosticReport.issued | instant | True | | | DateTime this version was released to providers.
DiagnosticReport.extension (also: PertainsToGoal) | Extension | True | Yes | | Reference to the Goal resource related to this report.
DiagnosticReport.result | Reference | True | Yes | | Reference to the Observation (Actives of Daily Living) resource, which describes the observed state of the patient.
DiagnosticReport.status | code | False | | | Hard coded to a value of “final.”
DiagnosticReport.subject | Reference | False | | | The subject of the report.

Sample request

```
https://hostname/instance/api/fhir/r4/DiagnosticReport/f8yoKgo63EByr59lOvXT.YQ4
```

Sample response


```
{
  "resourceType": "DiagnosticReport",
  "id": "f594liZecm9LvIpQLI.QS9Q4",
  "extension": [
    {
      "valueReference": {
        "reference": "Goal/eXQUql1qP4cpgw3BRrVg5rQ3",
        "display": "Signs and Symptoms of listed potential physiological problem will be absent or manageable."
      },
      "url": "http://hl7.org/fhir/StructureDefinition/resource-pertainsToGoal"
    }
  ],
  "status": "final",
  "category": [
    {
      "coding": [
        {
          "system": "http://open.epic.com/FHIR/StructureDefinition/DiagnosticReport-category",
          "code": "outcome-of-care",
          "display": "Outcome Of Care"
        }
      ],
      "text": "Outcome Of Care"
    }
  ],
  "code": {
    "coding": [
      {
        "system": "http://loinc.org",
        "code": "27574-3",
        "display": "Skilled nursing treatment plan Progress note and attainment of goals (narrative)"
      }
    ],
    "text": "Skilled nursing treatment plan Progress note and attainment of goals (narrative)"
  },
  "subject": {
    "reference": "Patient/e2DaRk-pQU1lH3NEISq-wrA3",
    "display": "Yeralizard, Larry"
  },
  "issued": "2022-05-10T20:31:49Z",
```

```
  "result": [
    {
      "reference": "Observation/eOgJAZt7sN76-7cHZmEnk1DHTxDGt5R7rauE9hrCSQy03",
      "display": "Signs and Symptoms of listed potential physiological problem will be absent or manageable."
    }
  ],
  "conclusion": "Alright here is the care plan that has an INO not specified in the grouper\r\n"
}
```


8.1.31 DiagnosticReport.Search (Care Plan Goal) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10440-DiagnosticReport-Search-Care-Plan-Goal-R4.html
Epic API ID | 10440
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template |
/api/FHIR/R4/DiagnosticReport?category={category}&code={code}&date={date}&identifier={identifier}&patient={patient}&subject={subject}&_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10440

Description

This resource can be used only with healthcare organizations in the Netherlands. This resource cannot be used in any other locales at this time.

The DiagnosticReport (Care Plan Goal) resource records the status of a patient in relation to a particular care plan goal.

The Search interaction enables the client to query for all diagnostic reports that have been filed for a given patient. The client, having established the patient in question, now wishes to retrieve all care plan goal reports for the patient, and can further refine the search to specify a date or a LOINC code for the DiagnosticReport resources in question.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
date | date | True | | | Unsupported
identifier | token | True | | | Unsupported

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
based-on | reference | True | | | Unsupported
conclusion | token | True | | | The latest evaluation note.
encounter | reference | True | | | Unsupported
issued | date | True | | | DateTime this version was released to providers.
media | reference | True | | | Unsupported
performer | reference | True | | | Unsupported
result | reference | True | | | Reference to the Observation (Actives of Daily Living) resource, which describes the observed state of the patient.
results-interpreter | reference | True | | | Unsupported
specimen | reference | True | | | Unsupported
status | token | True | | | Hard coded to a value of “final.”

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | A single DiagnosticReport returned from the search.
Bundle.entry.resource | ResourceContainer | False | | | A single resource returned as part of this bundle.
Bundle.entry.resource.DiagnosticReport | DiagnosticReport | False | | | An instance of the R4 DiagnosticReport resource.
Bundle.entry.resource.DiagnosticReport.category | CodeableConcept | True | Yes | | The service category. Always “outcome-of-care.”
Bundle.entry.resource.DiagnosticReport.code | CodeableConcept | False | | | The name/code for this diagnostic report. Hard coded to LOINC code 27574-3 for care plans.
Bundle.entry.resource.DiagnosticReport.conclusion | String | True | | | The latest evaluation note.
Bundle.entry.resource.DiagnosticReport.issued | instant | True | | | DateTime this version was released to providers.
Bundle.entry.resource.DiagnosticReport.result | Reference | True | Yes | | Reference to the Observation (Actives of Daily Living) resource, which describes the observed state of the patient.
Bundle.entry.resource.DiagnosticReport.status | code | False | | | Hard coded to a value of “final.”
Bundle.entry.resource.DiagnosticReport.subject | Reference | False | | | The subject of the report.

Sample request

https://hostname/instance/api/fhir/r4/diagnosticReport?patient=eLJugwU.-oBZNRRFuT4II5g3&code=27574-3

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 3,
  "link": [
    {
      "relation": "self",
      "url": "https://vs-icx.epic.com/Interconnect-Current-Stage1-Primary/api/FHIR/R4/DiagnosticReport?patient=e2DaRk-
    pQU1lH3NEISq-wrA3&category=outcome-of-care"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://vs-icx.epic.com/Interconnect-Current-
    Stage1-Primary/api/FHIR/R4/DiagnosticReport/f594liZecm9LvIpQLI.QS9Q4"
        }
      ],
      "fullUrl": "https://vs-icx.epic.com/Interconnect-Current-
    Stage1-Primary/api/FHIR/R4/DiagnosticReport/f594liZecm9LvIpQLI.QS9Q4",
      "resource": {
        "resourceType": "DiagnosticReport",
        "id": "f594liZecm9LvIpQLI.QS9Q4",
        "extension": [
          {
            "valueReference": {
              "reference": "Goal/eXQUql1qP4cpgw3BRrVg5rQ3",
              "display": "Signs and Symptoms of listed potential physiological problem will be absent or manageable."
            },
            "url": "http://hl7.org/fhir/StructureDefinition/resource-pertainsToGoal"
          }
        ],
        "status": "final",
        "category": [
          {
            "coding": [
              {
                "system": "http://open.epic.com/FHIR/StructureDefinition/DiagnosticReport-category",
                "code": "outcome-of-care",
                "display": "Outcome Of Care"
              }
            ],
            "text": "Outcome Of Care"
          }
        ],
        "code": {
          "coding": [
            {
              "system": "http://loinc.org",
              "code": "27574-3",
              "display": "Skilled nursing treatment plan Progress note and attainment of goals (narrative)"
            }
          ],
          "text": "Skilled nursing treatment plan Progress note and attainment of goals (narrative)"
        },
        "subject": {
          "reference": "Patient/e2DaRk-pQU1lH3NEISq-wrA3",
          "display": "Yeralizard, Larry"
        },
        "issued": "2022-05-10T20:31:49Z",
        "result": [
          {
            "reference": "Observation/eOgJAZt7sN76-7cHZmEnk1DHTxDGt5R7rauE9hrCSQy03",
            "display": "Signs and Symptoms of listed potential physiological problem will be absent or manageable."
          }
        ],
        "conclusion": "Alright here is the care plan that has an INO not specified in the grouper\r\n"
      },
      "search": {
        "mode": "match"
      }
    },
    {
      "link": [
        {
          "relation": "self",
          "url": "https://vs-icx.epic.com/Interconnect-Current-
    Stage1-Primary/api/FHIR/R4/DiagnosticReport/fVz2CzUTusJqTj4Bc8F0HlQ4"
        }
      ],
      "fullUrl": "https://vs-icx.epic.com/Interconnect-Current-
    Stage1-Primary/api/FHIR/R4/DiagnosticReport/fVz2CzUTusJqTj4Bc8F0HlQ4",
      "resource": {
```

```
    "resourceType": "DiagnosticReport",
    "id": "fVz2CzUTusJqTj4Bc8F0HlQ4",
    "extension": [
      {
        "valueReference": {
          "reference": "Goal/e6yENCDMvbWtLEtN5trJiPA3",
          "display": "Signs and Symptoms of listed potential physiological problem will be absent or manageable."
        },
        "url": "http://hl7.org/fhir/StructureDefinition/resource-pertainsToGoal"
      }
    ],
    "status": "final",
    "category": [
      {
        "coding": [
          {
            "system": "http://open.epic.com/FHIR/StructureDefinition/DiagnosticReport-category",
            "code": "outcome-of-care",
            "display": "Outcome Of Care"
          }
        ],
        "text": "Outcome Of Care"
      }
    ],
    "code": {
      "coding": [
        {
          "system": "http://loinc.org",
          "code": "27574-3",
          "display": "Skilled nursing treatment plan Progress note and attainment of goals (narrative)"
        }
      ],
      "text": "Skilled nursing treatment plan Progress note and attainment of goals (narrative)"
    },
    "subject": {
      "reference": "Patient/e2DaRk-pQU1lH3NEISq-wrA3",
      "display": "Yeralizard, Larry"
    },
    "result": [
      {
        "reference": "Observation/eOgJAZt7sN76-7cHZmEnk1FYuRW9bdtA4P7y-vrGhgic3",
        "display": "Signs and Symptoms of listed potential physiological problem will be absent or manageable."
      }
    ]
  },
  "search": {
    "mode": "match"
  }
},
{
  "link": [
    {
      "relation": "self",
      "url": "https://vs-icx.epic.com/Interconnect-Current-Stage1-Primary/api/FHIR/R4/DiagnosticReport/f-qoQ4RC-
fP1DPgYaOLo-IA4"
    }
  ],
  "fullUrl": "https://vs-icx.epic.com/Interconnect-Current-Stage1-Primary/api/FHIR/R4/DiagnosticReport/f-qoQ4RC-
fP1DPgYaOLo-IA4",
  "resource": {
    "resourceType": "DiagnosticReport",
    "id": "f-qoQ4RC-fP1DPgYaOLo-IA4",
    "extension": [
      {
        "valueReference": {
          "reference": "Goal/ekod6brGWggPSysitJFj63w3",
          "display": "ipqa mini flo goal"
        },
        "url": "http://hl7.org/fhir/StructureDefinition/resource-pertainsToGoal"
      }
    ],
    "status": "final",
    "category": [
      {
        "coding": [
          {
            "system": "http://open.epic.com/FHIR/StructureDefinition/DiagnosticReport-category",
            "code": "outcome-of-care",
            "display": "Outcome Of Care"
          }
        ],
        "text": "Outcome Of Care"
      }
    ],
    "code": {
      "coding": [
        {
          "system": "http://loinc.org",
          "code": "27574-3",
```

```
              "display": "Skilled nursing treatment plan Progress note and attainment of goals (narrative)"
            }
          ],
          "text": "Skilled nursing treatment plan Progress note and attainment of goals (narrative)"
        },
        "subject": {
          "reference": "Patient/e2DaRk-pQU1lH3NEISq-wrA3",
          "display": "Yeralizard, Larry"
        },
        "result": [
          {
            "reference": "Observation/eOgJAZt7sN76-7cHZmEnk1CfUFAdDnuPP.oTLhULJIw83",
            "display": "ipqa mini flo goal"
          }
        ]
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


8.1.32 EpisodeOfCare.Read (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10156-EpisodeOfCare-Read-R4.html
Epic API ID | 10156
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2021
HTTP method | GET
URL template | /api/FHIR/R4/EpisodeOfCare/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10156

Description

Returns information about an episode of care, including the episode type, care team, diagnosis, and start and end date. Supported episode types vary by Epic organization. Examples of some commonly supported types include Transplant, Dialysis, and Cardiac. Work with the Epic organization to determine a full list of which episode types are supported.

Transplant-related extensions included in the response of this resource are available only starting in the February 2022 version of Epic.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | FHIR ID for this EpisodeOfCare instance.

Response elements

Name | Type | Optional | Array | Cardinality | Description
EpisodeOfCare | EpisodeOfCare | False
EpisodeOfCare.diagnosis | Diagnosis | True | Yes | | Returns the list of diagnoses associated with the episode. Deleted episodes are not included.
EpisodeOfCare.diagnosis.condition | Reference | False | | | Conditions/problems/diagnoses this episode of care is for
EpisodeOfCare.extension (also: episode-comments) | Extension | True | Yes | | Comments for the episode.
EpisodeOfCare.extension (also: episode-name) | Extension | False | Yes | | The episode name. If there is no episode name, the episode type is used as the episode name.
EpisodeOfCare.id | String | False | | | EpisodeOfCare FHIR ID
EpisodeOfCare.identifier | Identifier | False | Yes | | The encoded ID for the episode.
EpisodeOfCare.patient | Reference | False | | | The name of the patient associated with the episode.
EpisodeOfCare.period | Period | False | | | The episode’s start date (for all episodes) and end date (for resolved episodes).
EpisodeOfCare.status | String | False | | | The episode status of active, finished, or cancelled. These correspond to the Epic episode statuses of active, resolved, and deleted, respectively.
EpisodeOfCare.team | Reference | False | Yes | | The care team for the episode, as a CareTeam reference. This is distinct from the patient’s longitudinal care team.
EpisodeOfCare.extension (also: transplant-center) | Extension | True | Yes | | Applies only to transplant episodes. The transplant center managing the episode.
EpisodeOfCare.extension (also: transplant-donor-or-recipient) | Extension | True | Yes | | Applies only to and is required for transplant episodes. Whether the episode is for a donor or recipient.
EpisodeOfCare.extension (also: transplant-event-admission-date) | Extension | True | Yes | | Applies only to transplant episodes. The date the patient is admitted for transplant.

EpisodeOfCare.extension (also: transplant-event-center-waitlist-date) | Extension | True | Yes | | Applies only to transplant episodes. The date the patient is waitlisted at the center.

EpisodeOfCare.extension (also: transplant-event-committee-review-date) | Extension | True | Yes | | Applies only to transplant episodes. The committee review date.

EpisodeOfCare.extension (also: transplant-event-discharge-date) | Extension | True | Yes | | Applies only to transplant episodes. The date the patient is discharged after their transplant surgery.

EpisodeOfCare.extension (also: transplant-event-donated-date) | Extension | True | Yes | | Applies only to transplant episodes. The date the donor donates the organ.

EpisodeOfCare.extension (also: transplant-event-evaluation) | Extension | True | Yes | | Applies only to transplant episodes. The dates evaluation begins and ends.

EpisodeOfCare.extension (also: transplant-event-referral-date) | Extension | True | Yes | | Applies only to transplant episodes. The date the patient is referred.

EpisodeOfCare.extension (also: transplant-event-transplanted-date) | Extension | True | Yes | | Applies only to transplant episodes. The date the recipient's transplant occurs.

EpisodeOfCare.extension (also: transplant-organ) | Extension | True | Yes | | The organ for the episode, as a reference to the BodyStructure resource.

EpisodeOfCare.extension (also: transplant-organ-coordinator) | Extension | True | Yes | | Applies only to and is required for transplant episodes. The transplant coordinator for each organ class on the episode.

EpisodeOfCare.extension (also: transplant-phase-status) | Extension | True | Yes | | Applies only to and is required for transplant episodes. The phase, status, reason, and effective date for the episode.

EpisodeOfCare.extension (also: transplant-waitlist-date) | Extension | True | Yes | | Applies only to transplant episodes. The date the patient is waitlisted.

EpisodeOfCare.extension (also: transplant-waitlist-score) | Extension | True | Yes | | Applies only to transplant episodes. Transplant waitlist score, effective date of the score, expiration date of the score, description of the score, and exceptions associated with the score.

EpisodeOfCare.type | CodeableConcept | False | Yes | | Returns both the ID and the episode class for the episode type associated with the episode.

Sample request

```
https://hostname/instance/api/FHIR/R4/EpisodeOfCare/eslgTidkfSzWEOVbapDgaMg3
```

Sample response


```
{
  "resourceType": "EpisodeOfCare",
  "id": "eM7jDeamnanl6unEst8pl0g3",
  "extension": [
    {
      "valueString": "Kidney Transplant - 10/1/2021 (#1) - WIUW",
      "url": "http://open.epic.com/FHIR/StructureDefinition/extension/episode-name"
    },
    {
      "valueString": "This is a transplant episode.",
      "url": "http://open.epic.com/FHIR/StructureDefinition/extension/episode-comments"
    },
    {
      "valueCodeableConcept": {
        "coding": [
          {
            "system": "urn:oid:1.2.840.114350.1.72.1.7.7.10.728366.30035",
            "code": "2",
            "display": "Recipient"
          }
        ],
        "text": "Recipient"
      },
      "url": "http://open.epic.com/FHIR/StructureDefinition/extension/transplant-donor-or-recipient"
    },
    {
      "extension": [
        {
          "valueCodeableConcept": {
            "coding": [
              {
                "system": "urn:oid:1.2.840.114350.1.72.1.7.7.10.728366.30030",
                "code": "16",
                "display": "Kidney"
              }
            ],
            "text": "Kidney"
          },
          "url": "organ-class"
        },
        {
          "valueReference": {
            "reference": "Practitioner/eP7dQ9r30P.urAjxNGSIkOg3",
            "type": "Practitioner",
            "display": "Ryne, Cori, MD"
          },
          "url": "coordinator"
        }
      ],
      "url": "http://open.epic.com/FHIR/StructureDefinition/extension/transplant-organ-coordinator"
    },
    {
```

```
  "extension": [
    {
      "valueCodeableConcept": {
        "coding": [
          {
            "system": "urn:oid:1.2.840.114350.1.72.1.7.7.10.728366.30105",
            "code": "50",
            "display": "Transplanted"
          }
        ],
        "text": "Transplanted"
      },
      "url": "phase"
    },
    {
      "valueString": "Active Follow-up",
      "url": "status"
    },
    {
      "valueString": "Active",
      "url": "reason"
    },
    {
      "valueDate": "2021-10-01",
      "url": "effective"
    }
  ],
  "url": "http://open.epic.com/FHIR/StructureDefinition/extension/transplant-phase-status"
},
{
  "valueDate": "2021-08-16",
  "url": "http://open.epic.com/FHIR/StructureDefinition/extension/transplant-event-referral-date"
},
{
  "valuePeriod": {
    "start": "2021-08-16",
    "end": "2021-09-06"
  },
  "url": "http://open.epic.com/FHIR/StructureDefinition/extension/transplant-event-evaluation"
},
{
  "valueDate": "2021-09-06",
  "url": "http://open.epic.com/FHIR/StructureDefinition/extension/transplant-event-committee-review-date"
},
{
  "valueDate": "2021-09-10",
  "url": "http://open.epic.com/FHIR/StructureDefinition/extension/transplant-event-center-waitlist-date"
},
{
  "valueDate": "2021-06-09",
  "url": "http://open.epic.com/FHIR/StructureDefinition/extension/transplant-event-waitlist-date"
},
{
  "valueDate": "2021-10-01",
  "url": "http://open.epic.com/FHIR/StructureDefinition/extension/transplant-event-admission-date"
},
{
  "valueDate": "2021-10-01",
  "url": "http://open.epic.com/FHIR/StructureDefinition/extension/transplant-event-transplanted-date"
},
{
  "valueDate": "2021-10-04",
  "url": "http://open.epic.com/FHIR/StructureDefinition/extension/transplant-event-discharge-date"
},
{
  "valueString": "University of Wisconsin Hospital and Clinics (Madison, WI)",
  "url": "http://open.epic.com/FHIR/StructureDefinition/extension/transplant-center"
},
{
  "extension": [
    {
      "valueString": "CPRA",
      "url": "description"
    },
    {
      "valueString": "82",
      "url": "score"
    },
    {
      "valuePeriod": {
        "start": "2021-09-01"
      },
      "url": "effective"
    }
  ],
  "url": "http://open.epic.com/FHIR/StructureDefinition/extension/transplant-waitlist-score"
},
{
  "valueReference": {
```

```
        "reference": "BodyStructure/ebwivG2ya444l2LwJBd4uO-UJKjIaBoFEXZNZmncfYtdNeq52OtzMTs2InVXIEDQA3",
        "type": "BodyStructure",
        "display": "Kidneys En Bloc"
      },
      "url": "http://open.epic.com/FHIR/StructureDefinition/extension/transplant-organ"
    }
  ],
  "status": "active",
  "type": [
    {
      "coding": [
        {
          "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.726668",
          "code": "49",
          "display": "TRANSPLANT"
        },
        {
          "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.726668.130",
          "code": "4",
          "display": "Transplant"
        }
      ],
      "text": "TRANSPLANT"
    }
  ],
  "diagnosis": [
    {
      "condition": {
        "reference": "Condition/etFZvqJBzKd7DOWDJ0LtjLtHWYZxW1eF1bDqoMVW6aR03",
        "type": "Condition",
        "display": "Acute rejection of kidney transplant"
      }
    }
  ],
  "patient": {
    "reference": "Patient/eRKAMfSfGUZ1HFGl2QGrHlQ3",
    "type": "Patient",
    "display": "Vanburen, Albert"
  },
  "period": {
    "start": "2021-09-16"
  },
  "team": [
    {
      "reference": "CareTeam/e.iF2BGKXLTYbcpjm0U0zvg71dd.kcWA3KRSav91cg943",
      "type": "CareTeam"
    }
  ]
}
```


8.1.33 EpisodeOfCare.Search (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10157-EpisodeOfCare-Search-R4.html
Epic API ID | 10157
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2021
HTTP method | GET;POST
URL template | /api/FHIR/R4/EpisodeOfCare?patient={patient}&status={status}&type={type}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10157

Description

Returns information about episode of care, including the episode type, care team, diagnosis, and start and end date. Supported episode types vary by Epic organization. Examples of some commonly supported types include Transplant, Dialysis, and Cardiac. Work with the Epic organization to determine a full list of which episode types are supported.

Transplant-related extensions included in the response of this resource are available only starting in the February 2022 version of Epic.

Remarks

AuditEvent

The following details are returned as part of the AuditEvent structure if AuditEvent data is included with this resource. For more information about AuditEvent, refer to the FHIR Search Parameters article in the Documentation section of this site.

Name | Description | Is Optional | Is Array
type (coding) | The type of event, either Ancillary Provider Update, Care Team Member Update, or Team Assignment Update. | false | false
recorded (instant) | The time and date the audit event happened. | false | false
agent (agent) | A user or system process that created the audit event. The agent and source elements return the same user. | false | true
agent.Requestor (Boolean) | Always “True”. | false | false
agent.Who (reference) | The user who caused the event. | false | false
source (source) | A user or system process that created the audit event. The agent and source elements return the same user. | false | true
source.Observer (reference) | The user who caused the event. | false | false
entity (entity) | A user or system process that created the audit event. | false | true
entity.detail.valueString (true) | Details of what data was changed in the audit event, in the form of a sentence that identifies the item that changed, the line number of the event, and what value the item was set to. | false | true

Request parameters

Name | Type | Optional | Array | Cardinality | Description
patient | String | False | | | Patient FHIR resource ID
status | String | True | | | Episode statuses of active, finished, or cancelled. These correspond to the Epic episode statuses of active, resolved, and deleted, respectively. If you don’t specify statuses, the search includes all statuses by default.
type | String | False | | | The numeric ID for the episode type (I HBD .1) or the episode class (I HBD 130) for the episode type associated with the episode. Use the ValueSet API to determine the system and value for this token. Example search string for an episode type: urn:oid:1.2.840.114350.1.13.5325.1.7.2.726668|<episode type ID> Example search string for an episode class: urn:oid:1.2.840.114350.1.13.5325.1.7.4.726668.130|<episode class ID>

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
care-manager | String | True | | | Unsupported
condition | String | True | | | FHIR ID reference for Conditions/problems/diagnoses this episode of care is for
date | String | True | | | The episode’s start date (for all episodes) and end date (for resolved episodes).
identifier | String | True | | | The encoded ID for the episode.
incoming-referral | String | True | | | Unsupported
organization | String | True | | | Unsupported

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.EpisodeOfCare | EpisodeOfCare | False
Bundle.entry.resource.EpisodeOfCare.diagnosis | Diagnosis | True | Yes | | Returns the list of diagnoses associated with the episode. Deleted episodes are not included.
Bundle.entry.resource.EpisodeOfCare.diagnosis.condition | Reference | False | | | Conditions/problems/diagnoses this episode of care is for
Bundle.entry.resource.EpisodeOfCare.extension (also: episode-comments) | Extension | True | Yes | | Comments for the episode.
Bundle.entry.resource.EpisodeOfCare.extension (also: episode-name) | Extension | False | Yes | | The episode name. If there is no episode name, the episode type is used as the episode name.
Bundle.entry.resource.EpisodeOfCare.id | String | False | | | EpisodeOfCare FHIR ID
Bundle.entry.resource.EpisodeOfCare.identifier | Identifier | False | Yes | | The encoded ID for the episode.
Bundle.entry.resource.EpisodeOfCare.patient | Reference | False | | | The Patient associated with the episode.
Bundle.entry.resource.EpisodeOfCare.period | Period | False | | | The episode’s start date (for all episodes) and end date (for resolved episodes).
Bundle.entry.resource.EpisodeOfCare.period.end | String | True | | | The episode's end date. Only populated if the episode is resolved.
Bundle.entry.resource.EpisodeOfCare.period.start | String | False | | | The episode's start date.
Bundle.entry.resource.EpisodeOfCare.status | String | False | | | The episode status of active, finished, or cancelled. These correspond to the Epic episode statuses of active, resolved, and deleted, respectively.
Bundle.entry.resource.EpisodeOfCare.team | Reference | False | Yes | | The care team for the episode, as a CareTeam reference. This is distinct from the patient’s longitudinal care team.
Bundle.entry.resource.EpisodeOfCare.extension (also: transplant-center) | Extension | True | Yes | | Applies only to transplant episodes. The transplant center managing the episode.
Bundle.entry.resource.EpisodeOfCare.extension (also: transplant-donor-or-recipient) | Extension | True | Yes | | Applies only to and is required for transplant episodes. Whether the episode is for a donor or recipient.
Bundle.entry.resource.EpisodeOfCare.extension (also: transplant-event-admission-date) | Extension | True | Yes | | Applies only to transplant episodes. The date the patient is admitted for transplant.
Bundle.entry.resource.EpisodeOfCare.extension (also: transplant-event-center-waitlist-date) | Extension | True | Yes | | Applies only to transplant episodes. The date the patient is waitlisted at the center.
Bundle.entry.resource.EpisodeOfCare.extension (also: transplant-event-committee-review-date) | Extension | True | Yes | | Applies only to transplant episodes. The committee review date.
Bundle.entry.resource.EpisodeOfCare.extension (also: transplant-event-discharge-date) | Extension | True | Yes | | Applies only to transplant episodes. The date the patient is discharged after their transplant surgery.
Bundle.entry.resource.EpisodeOfCare.extension (also: transplant-event-donated-date) | Extension | True | Yes | | Applies only to transplant episodes. The date the donor donates the organ.
Bundle.entry.resource.EpisodeOfCare.extension (also: transplant-event-evaluation) | Extension | True | Yes | | Applies only to transplant episodes. The dates evaluation begins and ends.
Bundle.entry.resource.EpisodeOfCare.extension (also: transplant-event-referral-date) | Extension | True | Yes | | Applies only to transplant episodes. The date the patient is referred.

Bundle.entry.resource.EpisodeOfCare.extension (also: transplant-event-transplanted-date) | Extension | True | Yes | | Applies only to transplant episodes. The date the recipient's transplant occurs.

Bundle.entry.resource.EpisodeOfCare.extension (also: transplant-organ) | Extension | True | Yes | | Applies only to transplant episodes. The organ for the episode, as a reference to the BodyStructure resource.

Bundle.entry.resource.EpisodeOfCare.extension (also: transplant-organ-coordinator) | Extension | True | Yes | | Applies only to and is required for transplant episodes. The transplant coordinator for each organ class on the episode.

Bundle.entry.resource.EpisodeOfCare.extension (also: transplant-phase-status) | Extension | True | Yes | | Applies only to and is required for transplant episodes. The phase, status, reason, and effective date for the episode.

Bundle.entry.resource.EpisodeOfCare.extension (also: transplant-waitlist-date) | Extension | True | Yes | | Applies only to transplant episodes. The date the patient is waitlisted.

Bundle.entry.resource.EpisodeOfCare.extension (also: transplant-waitlist-score) | Extension | True | Yes | | Applies only to transplant episodes. Transplant waitlist score; effective date of the score, expiration date of the score, description of the score, and exceptions associated with the score.

Bundle.entry.resource.EpisodeOfCare.type | CodeableConcept | False | Yes | | Returns both the ID and the episode class for the episode type associated with the episode.

Sample request

```
https://hostname/instance/api/FHIR/R4/EpisodeOfCare?patient=e8edCg0sKXmvqLUCZeh1b.g3&status=active,finished,cancelled&ty
    pe=urn:oid:1.2.840.114350.1.13.5325.1.7.2.726668|49
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/EpisodeOfCare?type=urn:oid:1.2.840.114350.1.13.5325.1.7.2.726668%7C4
    9&patient=eRKAMfSfGUZ1HFGl2QGrHlQ3&status=active"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/EpisodeOfCare/eM7jDeamnanl6unEst8pl0g3"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/R4/EpisodeOfCare/eM7jDeamnanl6unEst8pl0g3",
      "resource": {
        "resourceType": "EpisodeOfCare",
        "id": "eM7jDeamnanl6unEst8pl0g3",
        "extension": [
          {
            "valueString": "Kidney Transplant - 10/1/2021 (#1) - WIUW",
            "url": "http://open.epic.com/FHIR/StructureDefinition/extension/episode-name"
          },
          {
            "valueString": "This is a transplant episode.",
            "url": "http://open.epic.com/FHIR/StructureDefinition/extension/episode-comments"
          },
          {
            "valueCodeableConcept": {
              "coding": [
                {
                  "system": "urn:oid:1.2.840.114350.1.72.1.7.7.10.728366.30035",
                  "code": "2",
                  "display": "Recipient"
                }
              ],
              "text": "Recipient"
            },
            "url": "http://open.epic.com/FHIR/StructureDefinition/extension/transplant-donor-or-recipient"
          },
          {
            "extension": [
              {
                "valueCodeableConcept": {
                  "coding": [
                    {
                      "system": "urn:oid:1.2.840.114350.1.72.1.7.7.10.728366.30030",
                      "code": "16",
                      "display": "Kidney"
                    }
                  ],
                  "text": "Kidney"
                },
                "url": "organ-class"
              },
              {
                "valueReference": {
                  "reference": "Practitioner/eP7dQ9r30P.urAjxNGSIkOg3",
                  "type": "Practitioner",
```

```
        "display": "Ryne, Cori, MD"
      },
      "url": "coordinator"
    }
  ],
  "url": "http://open.epic.com/FHIR/StructureDefinition/extension/transplant-organ-coordinator"
},
{
  "extension": [
    {
      "valueCodeableConcept": {
        "coding": [
          {
            "system": "urn:oid:1.2.840.114350.1.72.1.7.7.10.728366.30105",
            "code": "50",
            "display": "Transplanted"
          }
        ],
        "text": "Transplanted"
      },
      "url": "phase"
    },
    {
      "valueString": "Active Follow-up",
      "url": "status"
    },
    {
      "valueString": "Active",
      "url": "reason"
    },
    {
      "valueDate": "2021-10-01",
      "url": "effective"
    }
  ],
  "url": "http://open.epic.com/FHIR/StructureDefinition/extension/transplant-phase-status"
},
{
  "valueDate": "2021-08-16",
  "url": "http://open.epic.com/FHIR/StructureDefinition/extension/transplant-event-referral-date"
},
{
  "valuePeriod": {
    "start": "2021-08-16",
    "end": "2021-09-06"
  },
  "url": "http://open.epic.com/FHIR/StructureDefinition/extension/transplant-event-evaluation"
},
{
  "valueDate": "2021-09-06",
  "url": "http://open.epic.com/FHIR/StructureDefinition/extension/transplant-event-committee-review-date"
},
{
  "valueDate": "2021-09-10",
  "url": "http://open.epic.com/FHIR/StructureDefinition/extension/transplant-event-center-waitlist-date"
},
{
  "valueDate": "2021-06-09",
  "url": "http://open.epic.com/FHIR/StructureDefinition/extension/transplant-event-waitlist-date"
},
{
  "valueDate": "2021-10-01",
  "url": "http://open.epic.com/FHIR/StructureDefinition/extension/transplant-event-admission-date"
},
{
  "valueDate": "2021-10-01",
  "url": "http://open.epic.com/FHIR/StructureDefinition/extension/transplant-event-transplanted-date"
},
{
  "valueDate": "2021-10-04",
  "url": "http://open.epic.com/FHIR/StructureDefinition/extension/transplant-event-discharge-date"
},
{
  "valueString": "University of Wisconsin Hospital and Clinics (Madison, WI)",
  "url": "http://open.epic.com/FHIR/StructureDefinition/extension/transplant-center"
},
{
  "extension": [
    {
      "valueString": "CPRA",
      "url": "description"
    },
    {
      "valueString": "82",
      "url": "score"
    },
    {
      "valuePeriod": {
        "start": "2021-09-01"
```

```
              },
              "url": "effective"
            }
          ],
          "url": "http://open.epic.com/FHIR/StructureDefinition/extension/transplant-waitlist-score"
        },
        {
          "valueReference": {
            "reference": "BodyStructure/ebwivG2ya444l2LwJBd4uO-UJKjIaBoFEXZNZmncfYtdNeq52OtzMTs2InVXIEDQA3",
            "type": "BodyStructure",
            "display": "Kidneys En Bloc"
          },
          "url": "http://open.epic.com/FHIR/StructureDefinition/extension/transplant-organ"
        }
      ],
      "status": "active",
      "type": [
        {
          "coding": [
            {
              "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.726668",
              "code": "49",
              "display": "TRANSPLANT"
            },
            {
              "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.726668.130",
              "code": "4",
              "display": "Transplant"
            }
          ],
          "text": "TRANSPLANT"
        }
      ],
      "diagnosis": [
        {
          "condition": {
            "reference": "Condition/etFZvqJBzKd7DOWDJ0LtjLtHWYZxW1eF1bDqoMVW6aR03",
            "type": "Condition",
            "display": "Acute rejection of kidney transplant"
          }
        }
      ],
      "patient": {
        "reference": "Patient/eRKAMfSfGUZ1HFGl2QGrHlQ3",
        "type": "Patient",
        "display": "Vanburen, Albert"
      },
      "period": {
        "start": "2021-09-16"
      },
      "team": [
        {
          "reference": "CareTeam/e.iF2BGKXLTYbcpjm0U0zvg71dd.kcWA3KRSav91cg943",
          "type": "CareTeam"
        }
      ]
    },
    "search": {
      "mode": "match"
    }
  }
 ]
}
```


8.1.34 Goal.Read (Care Path) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10311-Goal-Read-Care-Path-R4.html
Epic API ID | 10311
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
API group | Care Path Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Goal/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10311

Request parameters

Name | Type | Optional | Array | Cardinality | Description

ID | token | False | | | The Goal FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Goal | Goal | False | | | An instance of the R4 Goal resource.
Goal.description | CodeableConcept | False | | | The display text of the current step the patient is on for the associated care path episode.
Goal.lifecycleStatus | code | False | | | A goal's status is either active or completed for care paths. Only the last goal is considered active, and only if the associated care path Care Plan status is also active.
Goal.note | Annotation | True | Yes | | This note is applicable only for BMT (Blood and Marrow Transplant) care paths. The note details what phase was active at the time of the care path step.
Goal.startDate | date | False | | | Returns the start date on which the patient entered the related step on the associated care path.
Goal.statusReason | String | True | | | Returns the reason the step of the care path was completed, which is indicated by the text of the element linking them to the following text.
Goal.subject | Reference | False | | | The FHIR patient ID.

Sample request

```
https://hostname/instance/api/FHIR/R4/Goal/erCvOEj.kBMdzVdk-ttLeab.Tfr0zFYgn118gsRN8OQo3
```

Sample response

```
<Goal xmlns="http://hl7.org/fhir">
  <id value="erCvOEj.kBMdzVdk-ttLeab.Tfr0zFYgn118gsRN8OQo3"/>
  <lifecycleStatus value="completed"/>
  <description>
    <text value="Assess effectiveness of bronchodilator"/>
  </description>
  <subject>
    <reference value="Patient/euM7MTws9r2c0Ck-PEdZJKQ3"/>
    <display value="Westerfield, Charles"/>
  </subject>
  <startDate value="2020-12-10"/>
</Goal>
```

8.1.35 Goal.Read (Care Plan Goal) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10052-Goal-Read-Care-Plan-Goal-R4.html
Epic API ID | 10052
FHIR version | R4
Categories | Clinical Care Provision
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | February 2021
HTTP method | GET
URL template | /api/FHIR/R4/Goal/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10052

Description

The FHIR Goal (Care Plan) resource defines patient goals from both outpatient and inpatient contexts.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | FHIR identifier for the target Goal resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Goal | Goal | False | | | A single Goal resource.
Goal.achievementStatus | CodeableConcept | True | | | CodeableConcept value.
Goal.addresses | Reference | False | Yes | | A FHIR reference.
Goal.category | CodeableConcept | False | Yes | | The type of goal (inpatient-care-plan-goal or outpatient-care-plan-goal)
Goal.contained | ResourceContainer | False | Yes | | A container for a single FHIR resource.
Goal.description | CodeableConcept | False | | | CodeableConcept value.
Goal.expressedBy | Reference | False | | | A FHIR reference.
Goal.id | id | False
Goal.identifier | Identifier | False | Yes | | Generic identifier.
Goal.implicitRules | String | False
Goal.language | String | False

Goal.lifecycleStatus | code | False
Goal.meta | Meta | False
Goal.modifierExtension | Extension | False | Yes
Goal.note | Annotation | False | Yes | | Note or annotation details.
Goal.outcomeCode | CodeableConcept | False | Yes | | CodeableConcept value.
Goal.outcomeReference | Reference | False | Yes | | A FHIR reference.
Goal.priority | CodeableConcept | False | | | CodeableConcept value.
Goal.startCodeableConcept | CodeableConcept | False | | | CodeableConcept value.
Goal.startDate | date | False
Goal.statusDate | String | False
Goal.statusReason | String | False
Goal.subject | Reference | False | | | A FHIR reference.
Goal.target | Target | False | Yes | | Goal target information.
Goal.text | Narrative | False

Sample request

```
https://hostname/instance/api/FHIR/R4/Goal/eEColOE8Lt5d4OuRi9Flbgg3
```

Sample response

```
<Goal xmlns="http://hl7.org/fhir">
  <id value="eEColOE8Lt5d4OuRi9Flbgg3"/>
  <lifecycleStatus value="active"/>
  <achievementStatus>
    <coding>
      <system value="http://terminology.hl7.org/CodeSystem/goal-achievement"/>
      <code value="in-progress"/>
      <display value="In Progress"/>
    </coding>
    <text value="In Progress"/>
  </achievementStatus>
  <category>
    <coding>
      <system value="http://open.epic.com/FHIR/StructureDefinition/goal-category"/>
      <code value="outpatient-care-plan-goal"/>
      <display value="Outpatient Care Plan Goal"/>
    </coding>
    <text value="Outpatient Care Plan Goal"/>
  </category>
  <priority>
    <coding>
      <system value="urn:oid:1.2.840.114350.1.13.861.1.7.4.737179.20060"/>
      <code value="Low"/>
    </coding>
  </priority>
  <description>
    <text value="Test Simple Goal"/>
  </description>
  <subject>
    <reference value="Patient/eS.3bWuX-xYAfV7T5h12w5Q3"/>
    <display value="Test, Patient"/>
  </subject>
  <startDate value="2020-10-21"/>
  <target>
    <dueDate value="2020-11-27"/>
  </target>
  <statusDate value="2020-10-21"/>
  <expressedBy>
    <reference value="Practitioner/etgK7TEYmpXBluVvFVNOlvA3"/>
    <display value="Test, Phys, PHARMD"/>
  </expressedBy>
  <addresses>
    <reference value="Condition/e2kykRsqKSVH2XAqTXJjcNw3"/>
    <display value="Test Problem 1"/>
  </addresses>
</Goal>
```

8.1.36 Goal.Read (Pathway Step) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10099-Goal-Read-Pathway-Step-R4.html
Epic API ID | 10099
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
API group | Inpatient Pathway Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | May 2021
HTTP method | GET
URL template | /api/FHIR/R4/Goal/{ID}

Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10099

Description

The Goal (Pathway Step) resource returns details about a specific step in a clinical pathway, including duration and status.

In Epic, clinical pathways are diagnosis- or surgery-specific protocols that are organized into sequential steps. These steps contain orders, patient outcomes, and clinical documentation elements that represent the care that will be provided and goals for the patient for that stage of care or day of the admission. More detail about clinical pathways can be retrieved using the CarePlan (Inpatient Pathway) resource.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | FHIR identifier for the target Goal resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Goal | Goal | False | | | A single Goal resource.
Goal.achievementStatus | CodeableConcept | True | | | The outcome status of the step: No-progress In-progress Achieved No-change
Goal.description | CodeableConcept | False | | | The name of the pathway step.
Goal.expressedBy | Reference | True | | | The provider who started the step.
Goal.lifecycleStatus | code | False | | | The relative status of the pathway step: Completed Active Planned
Goal.startDate | date | True | | | The start date and time of the step.
Goal.subject | Reference | False | | | The patient or subject of this pathway.
Goal.target | Target | True | Yes | | Goal target information.
Goal.target.dueDate | String | True | | | The end date and time of the step.

Sample request

```
https://hostname/instance/api/FHIR/R4/Goal/eDHeAyxgJ89-XbrhCZVn4ZQ3
```

Sample response


```
{
  "resourceType": "Goal",
  "id": "eDHeAyxgJ89-XbrhCZVn4ZQ3",
  "extension": [
    {
      "valueDateTime": "2021-01-05T13:17:00Z",
      "url": "http://open.epic.com/FHIR/StructureDefinition/extension/startdatetime"
    }
  ],
  "lifecycleStatus": "active",
  "achievementStatus": {
    "coding": [
      {
        "system": "http://terminology.hl7.org/CodeSystem/goal-achievement",
        "code": "achieved",
        "display": "Achieved"
      }
    ]
  },
  "description": {
    "text": "Pathway Step 2"
  },
  "subject": {
    "reference": "Patient/egj.QUwzqzBRgeTRu3qS9qg3",
    "display": "Luke Johnson"
  },
  "target": [
    {
      "extension": [
        {
          "valueDateTime": "2021-01-06T13:17:00Z",
          "url": "http://open.epic.com/FHIR/StructureDefinition/extension/duedatetime"
        }
      ]
    }
  ],
  "expressedBy": {
    "reference": "Practitioner/eG.PjScss4I30rG0TQi.icg3",
    "display": "Chris Marshall, MD"
  }
}
```


8.1.37 Goal.Read (Patient) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/959-Goal-Read-Patient-R4.html
Epic API ID | 959
FHIR version | R4
Categories | Clinical Care Provision
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Keywords | Goals;Patient goals
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | November 2019
HTTP method | GET
URL template | api/FHIR/R4/Goal/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=959

Description

The FHIR Goal resource defines desired health outcomes to be achieved by a patient over a period of time such as "lower blood pressure in the next three months" or "Lose 10 lbs by X date".

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The Goal FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Goal | Goal | False | | | A single Goal resource.
Goal.achievementStatus | CodeableConcept | True | | | CodeableConcept value.
Goal.addresses | Reference | True | Yes | | Issues addressed by this goal. Reference to a Problems resource that this goal addresses.
Goal.category | CodeableConcept | True | Yes | | Based on the category number by default, with Title and then Synonym as backups. Can use SNOMED if OID is specified and a mapping table has been built by the Epic community member. Ex: treatment, dietary, or behavioral.
Goal.extension (also: data-conversion-warning) | Extension | False | Yes | | Starting in the May 2025 version of Epic, depending on the rich to plain text conversion, one or more of the following warnings can be returned: Reason for warning Warning text Formatting was lost due to unicode characters or tables being present in the original note. Formatting of this note is different from the original. The original note had rich text formatting. Formatting of this note might be different from the original. There were one or more images in the original note. Images from the original note were not included. There were one or more media attachments in the original note. Attached media from the original note were not included.
Reason for warning | Warning text
Formatting was lost due to unicode characters or tables being present in the original note. | Formatting of this note is different from the original.
The original note had rich text formatting. | Formatting of this note might be different from the original.
There were one or more images in the original note. | Images from the original note were not included.
There were one or more media attachments in the original note. | Attached media from the original note were not included.
Goal.description | CodeableConcept | False | | | What the goal entails. SNOMED code or other text describing the goal.
Goal.expressedBy | Reference | True | | | Who is responsible for creating the goal.
Goal.id | id | False | | | The Goal FHIR ID.
Goal.lifecycleStatus | code | False | | | Status of the goal. Previously "class" in STU3. Possible values are: active complete cancelled
Goal.note | Annotation | True | Yes | | Comments about the goal.
Goal.startDate | date | True | | | When goal pursuit begins.
Goal.subject | Reference | True | | | Who the goal is intended for.

Sample request

```
https://hostname/instance/api/FHIR/R4/Goal/epU--eyp5pog1-iSXvHf-Gg3
```

Sample response


```
{
  "resourceType": "Goal",
  "id": "epU--eyp5pog1-iSXvHf-Gg3",
  "lifecycleStatus": "active",
  "category": [
    {
      "coding": [
        {
          "system": "urn:oid:1.2.840.114350.1.13.861.1.7.4.737184.20005",
          "code": "8",
          "display": "General"
        }
      ],
      "text": "General"
    }
  ],
  "description": {
    "text": "Better Balance"
```

```
  },
  "subject": {
    "reference": "https://example.org/interconnect/api/FHIR/R4/Patient/ecfCE.KpaQpPtHuipuBpYVg3",
    "display": "April Smith"
  },
  "startDate": "2019-01-16",
  "expressedBy": {
    "reference": "https://example.org/interconnect/api/FHIR/R4/Practitioner/e1iKCKct1N3beTTPAUSJN7A3",
    "display": "Marty Seegar"
  }
}
```

8.1.38 Goal.Search (Care Path) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10312-Goal-Search-Care-Path-R4.html
Epic API ID | 10312
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
API group | Care Path Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | api/FHIR/R4/Goal?_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10312

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.Goal | Goal | False | | | An instance of the R4 Goal resource.
Bundle.entry.resource.Goal.description | CodeableConcept | False | | | The display text of the current step the patient is on for the associated care path episode.
Bundle.entry.resource.Goal.lifecycleStatus | code | False | | | A goal's status is either active or completed for care paths. Only the last goal is considered active, and only if the associated care path Care Plan status is also active.
Bundle.entry.resource.Goal.note | Annotation | True | Yes | | This note is applicable only for BMT (Blood and Marrow Transplant) care paths. The note details what phase was active at the time of the care path step.
Bundle.entry.resource.Goal.startDate | date | False | | | Returns the start date on which the patient entered the related step on the associated care path.
Bundle.entry.resource.Goal.statusReason | String | True | | | Returns the reason the step of the care path was completed, which is indicated by the text of the element linking them to the following text.
Bundle.entry.resource.Goal.subject | Reference | False | | | The FHIR patient ID.

Sample request

```
https://hostname/instance/api/FHIR/R4/Goal?id_=erCvOEj.kBMdzVdk-ttLeab.Tfr0zFYgn118gsRN8OQo3
```

Sample response

```
<Goal xmlns="http://hl7.org/fhir">
  <id value="erCvOEj.kBMdzVdk-ttLeab.Tfr0zFYgn118gsRN8OQo3"/>
  <lifecycleStatus value="completed"/>
  <description>
    <text value="Assess effectiveness of bronchodilator"/>
  </description>
  <subject>
    <reference value="Patient/euM7MTws9r2c0Ck-PEdZJKQ3"/>
    <display value="Westerfield, Charles"/>
  </subject>
  <startDate value="2020-12-10"/>
</Goal>
```

8.1.39 Goal.Search (Care Plan Goal) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10053-Goal-Search-Care-Plan-Goal-R4.html
Epic API ID | 10053
FHIR version | R4
Categories | Clinical Care Provision
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base

ONC certification versions | February 2021
HTTP method | GET
URL template | /api/FHIR/R4/Goal?category={category}&patient={patient}&subject={subject}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10053

Description

The FHIR Goal (Care Plan) resource defines patient goals from both outpatient and inpatient contexts.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
category | String | True | | | Omit to return all goals. Based on the category number by default, with Title and then Synonym as backups. Can use SNOMED if OID is specified and a mapping table has been built by the Epic community member. Ex: treatment, dietary, or behavioral.
lifecycle-status | token | True
patient | reference | Either patient or subject must be provided. If both are provided, they must match. | | | Reference to a patient resource.
subject | reference | Either patient or subject must be provided. If both are provided, they must match. | | | Reference to a patient resource.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
achievement-status | String | True
identifier | String | True
start-date | date | True
target-date | String | True | | | Reach goal on or before

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.Goal | Goal | False | | | A single Goal resource.
Bundle.entry.resource.Goal.achievementStatus | CodeableConcept | False | | | CodeableConcept value.
Bundle.entry.resource.Goal.addresses | Reference | False | Yes | | Reference to another resource.
Bundle.entry.resource.Goal.category | CodeableConcept | False | Yes | | The type of goal (inpatient-care-plan-goal or outpatient-care-plan-goal)
Bundle.entry.resource.Goal.description | CodeableConcept | False | | | goal description
Bundle.entry.resource.Goal.expressedBy | Reference | False | | | A FHIR reference.
Bundle.entry.resource.Goal.id | id | False
Bundle.entry.resource.Goal.identifier | Identifier | False | Yes | | Generic identifier.
Bundle.entry.resource.Goal.implicitRules | String | False
Bundle.entry.resource.Goal.language | String | False
Bundle.entry.resource.Goal.lifecycleStatus | code | False
Bundle.entry.resource.Goal.meta | Meta | False
Bundle.entry.resource.Goal.note | Annotation | False | Yes | | Note or annotation details.
Bundle.entry.resource.Goal.outcomeCode | CodeableConcept | False | Yes | | CodeableConcept value.
Bundle.entry.resource.Goal.outcomeReference | Reference | False | Yes | | A FHIR reference.
Bundle.entry.resource.Goal.priority | CodeableConcept | False | | | CodeableConcept value.
Bundle.entry.resource.Goal.startCodeableConcept | CodeableConcept | False | | | CodeableConcept value.
Bundle.entry.resource.Goal.startDate | date | False
Bundle.entry.resource.Goal.statusDate | String | False
Bundle.entry.resource.Goal.statusReason | String | False
Bundle.entry.resource.Goal.subject | Reference | False | | | A FHIR reference.
Bundle.entry.resource.Goal.target | Target | False | Yes | | Goal target information.
Bundle.entry.resource.Goal.text | Narrative | False

Sample request

```
https://hostname/instance/api/FHIR/R4/Goal?patient=ecfCE.KpaQpPtHuipuBpYVg3&category=outpatient-care-plan-goal
```

Sample response

```
<Bundle xmlns="http://hl7.org/fhir">
  <type value="searchset"/>
  <total value="1"/>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/R4/Goal?_id=eEColOE8Lt5d4OuRi9Flbgg3&amp;ehiExport=1"/>
  </link>
  <entry>
    <link>
      <relation value="self"/>
      <url value="https://hostname/instance/api/FHIR/R4/Goal/eEColOE8Lt5d4OuRi9Flbgg3"/>
    </link>
```

```
    <fullUrl value="https://hostname/instance/api/FHIR/R4/Goal/eEColOE8Lt5d4OuRi9Flbgg3"/>
    <resource>
      <Goal>
        <id value="eEColOE8Lt5d4OuRi9Flbgg3"/>
        <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/is-long-range">
          <valueBoolean value="false"/>
        </extension>
        <lifecycleStatus value="active"/>
        <achievementStatus>
          <coding>
            <system value="http://terminology.hl7.org/CodeSystem/goal-achievement"/>
            <code value="in-progress"/>
            <display value="In Progress"/>
          </coding>
          <text value="In Progress"/>
        </achievementStatus>
        <category>
          <coding>
            <system value="http://open.epic.com/FHIR/StructureDefinition/goal-category"/>
            <code value="outpatient-care-plan-goal"/>
            <display value="Outpatient Care Plan Goal"/>
          </coding>
          <text value="Outpatient Care Plan Goal"/>
        </category>
        <priority>
          <coding>
            <system value="urn:oid:1.2.840.114350.1.13.861.1.7.4.737179.20060"/>
            <code value="Low"/>
          </coding>
        </priority>
        <description>
          <text value="PMW Simple Goal"/>
        </description>
        <subject>
          <reference value="Patient/eS.3bWuX-xYAfV7T5h12w5Q3"/>
          <display value="Ctv, Calvin"/>
        </subject>
        <startDate value="2020-10-21"/>
        <target>
          <dueDate value="2020-11-27"/>
        </target>
        <statusDate value="2020-10-21"/>
        <expressedBy>
          <reference value="Practitioner/etgK7TEYmpXBluVvFVNOlvA3"/>
          <display value="Vanorio, Caleb, PHARMD"/>
        </expressedBy>
        <addresses>
          <reference value="Condition/e2kykRsqKSVH2XAqTXJjcNw3"/>
          <display value="KNC Problem 1"/>
        </addresses>
      </Goal>
    </resource>
    <search>
      <mode value="match"/>
    </search>
  </entry>
</Bundle>
```

8.1.40 Goal.Search (Pathway Step) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10100-Goal-Search-Pathway-Step-R4.html
Epic API ID | 10100
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
API group | Inpatient Pathway Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | May 2021
HTTP method | GET
URL template | /api/FHIR/R4/Goal?_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10100

Description

The Goal (Pathway Step) resource returns details about a specific step in a clinical pathway, including duration and status.

In Epic, clinical pathways are diagnosis- or surgery-specific protocols that are organized into sequential steps. These steps contain orders, patient outcomes, and clinical documentation elements that represent the care that will be provided and goals

for the patient for that stage of care or day of the admission. More detail about clinical pathways can be retrieved using the CarePlan (Inpatient Pathway) resource.

This search interaction currently supports only the _id search parameter. As a result, it functions similarly to a read request with the Goal.Read (Pathway Step) (R4) web service.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.Goal | Goal | False | | | A single Goal resource.
Bundle.entry.resource.Goal.achievementStatus | CodeableConcept | True | | | The outcome status of the step: No-progress In-progress Achieved No-change
Bundle.entry.resource.Goal.description | CodeableConcept | False | | | The name of the pathway step.
Bundle.entry.resource.Goal.expressedBy | Reference | True | | | The provider who started the step.
Bundle.entry.resource.Goal.lifecycleStatus | code | False | | | The relative status of the pathway step: Completed Active Planned
Bundle.entry.resource.Goal.startDate | date | True | | | The start date and time of the step.
Bundle.entry.resource.Goal.subject | Reference | False | | | The patient or subject of this pathway.
Bundle.entry.resource.Goal.target | Target | True | Yes | | Goal target information.
Bundle.entry.resource.Goal.target.dueDate | String | True | | | The end date and time of the step.

Sample request

```
https://hostname/instance/api/FHIR/R4/Goal?_id=eDHeAyxgJ89-XbrhCZVn4ZQ3
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/Goal?_id=eDHeAyxgJ89-XbrhCZVn4ZQ3"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/Goal/eDHeAyxgJ89-XbrhCZVn4ZQ3"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/R4/Goal/eDHeAyxgJ89-XbrhCZVn4ZQ3",
      "resource": {
        "resourceType": "Goal",
        "id": "eDHeAyxgJ89-XbrhCZVn4ZQ3",
        "extension": [
          {
            "valueDateTime": "2021-01-05T13:17:00Z",
            "url": "http://open.epic.com/FHIR/StructureDefinition/extension/startdatetime"
          }
        ],
        "lifecycleStatus": "active",
        "achievementStatus": {
          "coding": [
            {
              "system": "http://terminology.hl7.org/CodeSystem/goal-achievement",
              "code": "achieved",
              "display": "Achieved"
            }
          ]
        },
        "description": {
          "text": "Pathway Step 2"
        },
        "subject": {
          "reference": "Patient/egj.QUwzqzBRgeTRu3qS9qg3",
          "display": "Luke Johnson"
        },
        "target": [
          {
            "extension": [
              {
                "valueDateTime": "2021-01-06T13:17:00Z",
                "url": "http://open.epic.com/FHIR/StructureDefinition/extension/duedatetime"
              }
            ]
          }
        ],
        "expressedBy": {
```

```
          "reference": "Practitioner/eG.PjScss4I30rG0TQi.icg3",
          "display": "Chris Marshall MD"
        }
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```

8.1.41 Goal.Search (Patient) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/960-Goal-Search-Patient-R4.html
Epic API ID | 960
FHIR version | R4
Categories | Clinical Care Provision
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Keywords | Goals;Patient goals
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | November 2019
HTTP method | GET
URL template | api/FHIR/R4/Goal?category={category}&lifecycle-status={lifecycle-status}&patient={patient}&subject={subject}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=960

Description

The FHIR Goal resource defines objectives for a patient based on a current condition or recent procedure. The goal can be long-term, such as targeting a specific HgbA1c level after a diabetes diagnosis, or shorter term such as changing wound dressings routinely following a procedure.

The search interaction enables the client to query for goals based on status or goal category. The search endpoint requires a patient ID. Goals are not filterable by active date.

A user or staff member accessing this FHIR resource must have security to access care plans.

Additionally, a provider must have security to see problems/conditions related to a goal.

A MyChart user accessing this FHIR resource must have security to access goals.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
category | String | True | | | Omit to return all goals. Based on the category number by default, with Title and then Synonym as backups. Can use SNOMED if OID is specified and a mapping table has been built by the Epic community member. Ex: treatment, dietary, or behavioral.
lifecycle-status | token | True | | | The current status of the goal. Previously called "status" in STU3. The following values are supported: active completed cancelled
patient | reference | Either patient or subject must be provided. If both are provided, they must match. | | | Associated Patient FHIR Resource ID.
subject | reference | Either patient or subject must be provided. If both are provided, they must match. | | | Associated Patient FHIR Resource ID.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
achievement-status | String | True
identifier | String | True | | | Unsupported
start-date | date | True | | | When pursuit of the goal begins.
target-date | String | True | | | Unsupported

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.Goal | Goal | False | | | A single Goal resource.
Bundle.entry.resource.Goal.achievementStatus | CodeableConcept | True | | | CodeableConcept value.
Bundle.entry.resource.Goal.addresses | Reference | True | Yes | | Issues addressed by this goal. Reference to a Problems resource that this goal addresses.
Bundle.entry.resource.Goal.category | CodeableConcept | True | Yes | | Based on the category number by default, with Title and then Synonym as backups. Can use SNOMED if OID is specified and a mapping table has been built by the Epic community member.
Bundle.entry.resource.Goal.extension (also: data-conversion-warning) | Extension | False | Yes | | Starting in the May 2025 version of Epic, depending on the rich to plain text conversion, one or more of the following warnings can be returned: Reason for warning Warning text Formatting

was lost due to unicode characters or tables being present in the original note. Formatting of this note is different from the original. The original note had rich text formatting. Formatting of this note might be different from the original. There were one or more images in the original note. Images from the original note were not included. There were one or more media attachments in the original note. Attached media from the original note were not included.

Reason for warning | Warning text

Formatting was lost due to unicode characters or tables being present in the original note. | Formatting of this note is different from the original.

The original note had rich text formatting. | Formatting of this note might be different from the original.

There were one or more images in the original note. | Images from the original note were not included.

There were one or more media attachments in the original note. | Attached media from the original note were not included.

Bundle.entry.resource.Goal.description | CodeableConcept | False | | | What the goal entails. SNOMED code or other text describing the goal.

Bundle.entry.resource.Goal.expressedBy | Reference | True | | | Who is responsible for creating the goal.

Bundle.entry.resource.Goal.id | id | False | | | The Goal FHIR ID.

Bundle.entry.resource.Goal.lifecycleStatus | code | False | | | The current status of the goal. Previously called "status" in STU3. The following values are supported: active completed cancelled

Bundle.entry.resource.Goal.note | Annotation | True | Yes | | Comments about the goal.

Bundle.entry.resource.Goal.startDate | date | True | | | When pursuit of the goal begins.

Bundle.entry.resource.Goal.subject | Reference | False | | | Who the goal is intended for. Patient FHIR Resource ID.

Bundle.total | Int64 | True | | | Total number of resources that matched the search criteria.

Sample request

```
https://hostname/instance/api/FHIR/R4/Goal?patient=ecfCE.KpaQpPtHuipuBpYVg3&lifecycle-status=completed
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 5,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/Goal?patient=ecfCE.KpaQpPtHuipuBpYVg3&lifecycle-
    status=active,completed,cancelled"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/Goal/eoV07yXCuXhSHF7FpDeUSKg3"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/R4/Goal/eoV07yXCuXhSHF7FpDeUSKg3",
      "resource": {
        "resourceType": "Goal",
        "id": "eoV07yXCuXhSHF7FpDeUSKg3",
        "lifecycleStatus": "completed",
        "category": [
          {
            "coding": [
              {
                "system": "urn:oid:1.2.840.114350.1.13.861.1.7.4.737184.20005",
                "code": "4",
                "display": "Blood Pressure"
              }
            ],
            "text": "Blood Pressure"
          }
        ],
        "description": {
          "text": "Blood Pressure < 140/95"
        },
        "subject": {
          "reference": "https://hostname/instance/api/FHIR/R4/Patient/ecfCE.KpaQpPtHuipuBpYVg3",
          "display": "April Smith"
        },
        "startDate": "2018-10-02",
        "expressedBy": {
          "reference": "https://hostname/instance/api/FHIR/R4/Practitioner/e1iKCKct1N3beTTPAUSJN7A3",
          "display": "Marty Seeger"
        },
        "addresses": [
          {
            "reference": "https://hostname/instance/api/FHIR/R4/Condition/esBSAM5ZDtc5pJkXUubhaMA3",
            "display": "Disturbance of skin sensation"
          }
        ],
        "note": [
          {
            "text": "Lower my bp - today\r\n"
          }
        ]
      },
```

```
  "search": {
    "mode": "match"
  }
},
{
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/Goal/epU--eyp5pog1-iSXvHf-Gg3"
    }
  ],
  "fullUrl": "https://hostname/instance/api/FHIR/R4/Goal/epU--eyp5pog1-iSXvHf-Gg3",
  "resource": {
    "resourceType": "Goal",
    "id": "epU--eyp5pog1-iSXvHf-Gg3",
    "lifecycleStatus": "active",
    "category": [
      {
        "coding": [
          {
            "system": "urn:oid:1.2.840.114350.1.13.861.1.7.4.737184.20005",
            "code": "8",
            "display": "General"
          }
        ],
        "text": "General"
      }
    ],
    "description": {
      "text": "Better Balance"
    },
    "subject": {
      "reference": "https://hostname/instance/api/FHIR/R4/Patient/ecfCE.KpaQpPtHuipuBpYVg3",
      "display": "April Smith"
    },
    "startDate": "2019-01-16",
    "expressedBy": {
      "reference": "https://hostname/instance/api/FHIR/R4/Practitioner/e1iKCKct1N3beTTPAUSJN7A3",
      "display": "Marty Seeger"
    }
  },
  "search": {
    "mode": "match"
  }
},
{
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/Goal/eUV2tJMGpQ4jnopXJRa4EtQ3"
    }
  ],
  "fullUrl": "https://hostname/instance/api/FHIR/R4/Goal/eUV2tJMGpQ4jnopXJRa4EtQ3",
  "resource": {
    "resourceType": "Goal",
    "id": "eUV2tJMGpQ4jnopXJRa4EtQ3",
    "lifecycleStatus": "active",
    "category": [
      {
        "coding": [
          {
            "system": "urn:oid:1.2.840.114350.1.13.861.1.7.4.737184.20005",
            "code": "3",
            "display": "Weight"
          }
        ],
        "text": "Weight"
      }
    ],
    "description": {
      "text": "Weight (lb) < 200 lb"
    },
    "subject": {
      "reference": "https://hostname/instance/api/FHIR/R4/Patient/ecfCE.KpaQpPtHuipuBpYVg3",
      "display": "April Smith"
    },
    "startDate": "2019-01-16",
    "expressedBy": {
      "reference": "https://hostname/instance/api/FHIR/R4/Practitioner/e1iKCKct1N3beTTPAUSJN7A3",
      "display": "Marty Seeger"
    }
  },
  "search": {
    "mode": "match"
  }
},
{
  "link": [
    {
```

```
        "relation": "self",
        "url": "https://hostname/instance/api/FHIR/R4/Goal/eQO4-BxTbj0zIJvUqDIF17g3"
      }
    ],
    "fullUrl": "https://hostname/instance/api/FHIR/R4/Goal/eQO4-BxTbj0zIJvUqDIF17g3",
    "resource": {
      "resourceType": "Goal",
      "id": "eQO4-BxTbj0zIJvUqDIF17g3",
      "lifecycleStatus": "active",
      "category": [
        {
          "coding": [
            {
              "system": "urn:oid:1.2.840.114350.1.13.861.1.7.4.737184.20005",
              "code": "8",
              "display": "General"
            }
          ],
          "text": "General"
        }
      ],
      "description": {
        "text": "Walk at least 5,000 steps per day. "
      },
      "subject": {
        "reference": "https://hostname/instance/api/FHIR/R4/Patient/ecfCE.KpaQpPtHuipuBpYVg3",
        "display": "April Smith"
      },
      "startDate": "2019-01-16",
      "expressedBy": {
        "reference": "https://hostname/instance/api/FHIR/R4/Practitioner/e1iKCKct1N3beTTPAUSJN7A3",
        "display": "Marty Seeger"
      }
    },
    "search": {
      "mode": "match"
    }
  },
  {
    "link": [
      {
        "relation": "self",
        "url": "https://hostname/instance/api/FHIR/R4/Goal/eGQtYMA0OVKR8iufXS8cwpg3"
      }
    ],
    "fullUrl": "https://hostname/instance/api/FHIR/R4/Goal/eGQtYMA0OVKR8iufXS8cwpg3",
    "resource": {
      "resourceType": "Goal",
      "id": "eGQtYMA0OVKR8iufXS8cwpg3",
      "lifecycleStatus": "active",
      "category": [
        {
          "coding": [
            {
              "system": "urn:oid:1.2.840.114350.1.13.861.1.7.4.737184.20005",
              "code": "1",
              "display": "Diet"
            }
          ],
          "text": "Diet"
        }
      ],
      "description": {
        "text": "Improve diet"
      },
      "subject": {
        "reference": "https://hostname/instance/api/FHIR/R4/Patient/ecfCE.KpaQpPtHuipuBpYVg3",
        "display": "April Smith"
      },
      "startDate": "2019-02-21",
      "expressedBy": {
        "reference": "https://hostname/instance/api/FHIR/R4/Practitioner/e1iKCKct1N3beTTPAUSJN7A3",
        "display": "Marty Seeger"
      },
      "addresses": [
        {
          "reference": "https://hostname/instance/api/FHIR/R4/Condition/eVUjnFFa3kB51eA8Ka0qSQA3",
          "display": "Bitten by duck"
        }
      ]
    },
    "search": {
      "mode": "match"
    }
  }
]
}
```

8.1.42 Observation.Read (Advance Directive) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/40287-Observation-Read-Advance-Directive-R4.html
Epic API ID | 40287
FHIR version | R4
Categories | Clinical Care Provision
API type | USCDI
API group | Advance Directive Document Group
A la carte | Industry-Standard Level 2 Group
USCDI | Yes
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Observation/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=40287

Description

Observation.Read (Advance Directive) can be used to find information about whether advance directive documentation has been completed for the patient.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | Required | | | The Observation FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Observation (R4) | Observation
Observation (R4).category | CodeableConcept | | Yes | 0..1 | The category of the observation. For Observation (Advance Directive) resources, this is always "observation-adi-documentation".
Observation (R4).code | CodeableConcept | | | 1..1 | The observation name and codes. For Observation (Advance Directive) resources, this is always the LOINC code "45473-6" for "Advance healthcare directive completed".
Observation (R4).extension (workflow-supportingInfo) (also: extension (workflow-supportingInfo)) | Extension | | Yes | 0..* | This extension references supporting ADI documents and information that were used to determine the value of this observation. URL: http://hl7.org/fhir/StructureDefinition/workflow-supportingInfo
Observation (R4).issued | instant | | | 0..1 | The Date/Time the observation was made.
Observation (R4).performer | Reference | | Yes | 0..* | Who is responsible for the observation
Observation (R4).status | code | | | 1..1 | The status of this observation. For Observation (Advance Directive), this is always "final".
Observation (R4).subject | Reference | | | 1..1 | The patient who is the subject of the observation.
Observation (R4).valueCodeableConcept | CodeableConcept | | | 0..1 | The value of the observation. This is "Yes" if the patient has any advance healthcare directives completed. Otherwise, it is "No".

Sample request

```
GET https://hostname/instance/api/FHIR/R4/Observation/froQ9hVi3tNnUrvq7wIDzSQ4
```

Sample response


```
{
  "resourceType": "Observation",
  "id": "froQ9hVi3tNnUrvq7wIDzSQ4",
  "extension": [
    {
      "valueReference": {
        "reference": "DocumentReference/ftynsNs9Z5dNFdJJzWEwvdg4"
      },
      "url": "http://hl7.org/fhir/StructureDefinition/workflow-supportingInfo"
    }
  ],
  "status": "final",
  "category": [
    {
      "coding": [
        {
          "system": "http://hl7.org/fhir/us/core/CodeSystem/us-core-category",
          "code": "observation-adi-documentation",
          "display": "Advance Directive Documentation"
        }
      ],
      "text": "Advance Directive Documentation"
    }
  ],
  "code": {
    "coding": [
      {
```

```
        "system": "http://loinc.org",
        "code": "45473-6",
        "display": "Advance healthcare directive completed"
      }
    ],
    "text": "Advance healthcare directive completed"
  },
  "subject": {
    "reference": "Patient/eabcdecd1hijklmnop88883",
    "display": "FHIR, Test Patient"
  },
  "issued": "2026-05-08T19:01:46Z",
  "performer": [
    {
      "reference": "Practitioner/ejb8.EbaQ8UyziPoyHy.J3A3",
      "display": "FHIR Test Physician, MD"
    }
  ],
  "valueCodeableConcept": {
    "coding": [
      {
        "system": "http://snomed.info/sct",
        "code": "373066001",
        "display": "Yes"
      }
    ],
    "text": "Yes"
  }
}
```


8.1.43 Observation.Search (Advance Directive) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/40288-Observation-Search-Advance-Directive-R4.html
Epic API ID | 40288
FHIR version | R4
Categories | Clinical Care Provision
API type | USCDI
API group | Advance Directive Document Group
A la carte | Industry-Standard Level 2 Group
USCDI | Yes
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Observation?based-on={based-on}&category={category}&code={code}&date={date}&focus={focus}&issued={issued}&patient={patient}&subject={subject}&_count={_count}&_id={_id}&_include={_include}&_lastupdated={_lastupdated}&_revinclude={_revinclude}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=40288

Description

Observation.Search (Advance Directive) can be used to find information about whether advance directive documentation has been completed for the patient.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
_count | number | Optional | Yes | | Number of results per page.
_id | token | Optional | Yes | | FHIR resource IDs for the desired resources. Can be used in combination with _count, _include, and _revinclude. All others are ignored.
_include | string | Optional | Yes | | Used to indicate which referenced resources to include in the search bundle.
_revinclude | string | Optional | Yes | | Used to include Provenance or AuditEvent resources that refer to search results, when available.
category | token | Required | Yes | | This should be set to "observation-adi-documentation" to restrict the search results to only include the Advance Directive sub-resource.
code | token | Optional | Yes | | All Observation (Advance Directive) sub-resources return code 45473-6 from http://loinc.org.
patient | reference | Required | Yes | | The patient who the observation is about.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
combo-code | token | Optional | Yes | | The code of the observation type or component type
identifier | token | Optional | Yes | | The unique id for a particular observation
issued | date | Optional | Yes | | Date/Time this version was made available
performer | reference | Optional | Yes | | Who performed the observation
status | token | Optional | Yes | | The status of the observation
subject | reference | Optional | Yes | | The patient who is the subject of the observation.

Response elements

Name | Type | Optional | Array | Cardinality | Description

Observation (R4) | Observation

Observation (R4).category | CodeableConcept | | Yes | 0..1 | The category of the observation. For Observation (Advance Directive) resources, this is always "observation-adi-documentation".

Observation (R4).code | CodeableConcept | | | 1..1 | The observation name and codes. For Observation (Advance Directive) resources, this is always the LOINC code "45473-6" for "Advance healthcare directive completed".

Observation (R4).extension (workflow-supportingInfo) (also: extension (workflow-supportingInfo)) | Extension | | Yes | 0..* | This extension references supporting ADI documents and information that were used to determine the value of this observation. URL: http://hl7.org/fhir/StructureDefinition/workflow-supportingInfo

Observation (R4).issued | instant | | | 0..1 | The Date/Time the observation was made.

Observation (R4).performer | Reference | | Yes | 0..* | Who is responsible for the observation

Observation (R4).status | code | | | 1..1 | The status of this observation. For Observation (Advance Directive), this is always "final".

Observation (R4).subject | Reference | | | 1..1 | The patient who is the subject of the observation.

Observation (R4).valueCodeableConcept | CodeableConcept | | | 0..1 | The value of the observation. This is "Yes" if the patient has any advance healthcare directives completed. Otherwise, it is "No".

Sample request

```
GET https://hostname/instance/api/FHIR/R4/Observation?patient=eabcdecd1hijklmnop88883&category=observation-adi-
    documentation
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/Observation?category=observation-adi-
    documentation&patient=eabcdecd1hijklmnop88883"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/Observation/froQ9hVi3tNnUrvq7wIDzSQ4"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/R4/Observation/froQ9hVi3tNnUrvq7wIDzSQ4",
      "resource": {
        "resourceType": "Observation",
        "id": "froQ9hVi3tNnUrvq7wIDzSQ4",
        "extension": [
          {
            "valueReference": {
              "reference": "DocumentReference/ftynsNs9Z5dNFdJJzWEwvdg4"
            },
            "url": "http://hl7.org/fhir/StructureDefinition/workflow-supportingInfo"
          }
        ],
        "status": "final",
        "category": [
          {
            "coding": [
              {
                "system": "http://hl7.org/fhir/us/core/CodeSystem/us-core-category",
                "code": "observation-adi-documentation",
                "display": "Advance Directive Documentation"
              }
            ],
            "text": "Advance Directive Documentation"
          }
        ],
        "code": {
          "coding": [
            {
              "system": "http://loinc.org",
              "code": "45473-6",
              "display": "Advance healthcare directive completed"
            }
          ],
          "text": "Advance healthcare directive completed"
        },
        "subject": {
          "reference": "Patient/eabcdecd1hijklmnop88883",
          "display": "FHIR, Test Patient"
        },
        "issued": "2026-05-08T19:01:46Z",
        "performer": [
          {
            "reference": "Practitioner/ejb8.EbaQ8UyziPoyHy.J3A3",
            "display": "FHIR Test Physician, MD"
```

```
          }
        ],
        "valueCodeableConcept": {
          "coding": [
            {
              "system": "http://snomed.info/sct",
              "code": "373066001",
              "display": "Yes"
            }
          ],
          "text": "Yes"
        }
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


8.1.44 RequestGroup.Read (Dental Visit) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10020-RequestGroup-Read-Dental-Visit-R4.html
Epic API ID | 10020
FHIR version | R4
Categories | Clinical Care Provision, Clinical Specialty
API type | Industry-Standard
API group | Dental Care Plan Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | February 2021
HTTP method | GET
URL template | /api/FHIR/R4/RequestGroup/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10020

Description

This web service retrieves information about a patient's dental visits, such as the visit's status and scheduling information.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | FHIR identifier for a RequestGroup resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
RequestGroup | RequestGroup | False | | | An instance of the R4 RequestGroup FHIR resource.
RequestGroup.action | Action | False | Yes
RequestGroup.action.resource | Reference | True | | | The procedure for the visit.
RequestGroup.author | Reference | True | | | The user who created the dental visit.
RequestGroup.authoredOn | String | True | | | The instant the dental visit was created.
RequestGroup.extension (also: dental-visit-name) | Extension | True | Yes | | The name of the visit.
RequestGroup.extension (also: dental-visit-number) | Extension | True | Yes | | The relative order of the visit within the treatment.
RequestGroup.extension (also: dental-visit-requested-date) | Extension | True | Yes | | The date on which the provider requested that the appointment be scheduled.
RequestGroup.extension (also: dental-visit-requested-department) | Extension | True | Yes | | The requested department for scheduling.
RequestGroup.extension (also: dental-visit-requested-length) | Extension | True | Yes | | The requested appointment length for the visit.
RequestGroup.extension (also: dental-visit-requested-provider) | Extension | True | Yes | | The requested visit provider for scheduling.
RequestGroup.extension (also: dental-visit-requested-providerType) | Extension | True | Yes | | The requested provider type for scheduling.
RequestGroup.extension (also: dental-visit-requested-spacing-days) | Extension | True | Yes | | The requested number of spacing, in days, between scheduled visits.
RequestGroup.extension (also: dental-visit-requested-type) | Extension | True | Yes | | The requested visit type for scheduling.
RequestGroup.extension (also: dental-visit-scheduling-instructions) | Extension | True | Yes | | The scheduling instructions for the visit.
RequestGroup.extension (also: dental-visit-scheduling-status) | Extension | True | Yes | | The scheduling status of the visit.
RequestGroup.encounter | Reference | True | | | The encounter for the dental visit.
RequestGroup.intent | String | False | | | The intention for the dental visit. Can either be "plan", "order", or "proposal". An intention of "plan" or "order" indicate a visit's scheduling status. An intention of "proposal" indicates a potential treatment that does not yet have a corresponding visit.
RequestGroup.extension (also: ready-for-scheduling) | Extension | True | Yes | | Whether the visit is ready for scheduling
RequestGroup.status | String | False | | | The status of the dental visit.
RequestGroup.subject | Reference | False | | | The patient for the dental visit.

Sample request

```
https://hostname/instance/api/FHIR/R4/RequestGroup/ecCjsC8tcjA8qBSWDjtOYvA3
```

Sample response

```
<RequestGroup xmlns="http://hl7.org/fhir">
  <id value="ecCjsC8tcjA8qBSWDjtOYvA3"/>
  <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/dental-visit-number">
    <valueInteger value="2"/>
  </extension>
  <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/dental-visit-name">
    <valueString value="follow-up"/>
  </extension>
  <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/dental-visit-scheduling-status">
    <valueCodeableConcept>
      <coding>
        <system value="urn:oid:1.2.840.114350.1.13.861.1.7.4.798381.94111"/>
        <code value="5"/>
        <display value="Completed"/>
      </coding>
      <text value="Completed"/>
    </valueCodeableConcept>
  </extension>
  <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/dental-visit-requested-length">
    <valueTiming>
      <repeat>
        <duration value="30"/>
        <durationUnit value="min"/>
      </repeat>
    </valueTiming>
  </extension>
  <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/dental-visit-requested-spacing-days">
    <valueQuantity>
      <value value="5"/>
      <unit value="day"/>
      <system value="http://unitsofmeasure.org"/>
      <code value="d"/>
    </valueQuantity>
  </extension>
  <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/dental-visit-scheduling-instructions">
    <valueString value="Follow-up"/>
  </extension>
  <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/dental-visit-requested-date">
    <valueDate value="2020-08-22"/>
  </extension>
  <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/dental-visit-requested-type">
    <valueCodeableConcept>
      <coding>
        <system value="urn:oid:1.2.840.114350.1.13.861.1.7.2.808267"/>
        <code value="1667"/>
        <display value=""/>
      </coding>
      <text value="DENTAL TREATMENT"/>
    </valueCodeableConcept>
  </extension>
  <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/dental-visit-requested-department">
    <valueReference>
      <reference value="Location/e-iz4EXUrNFfCKJwdsZPd9Q3"/>
      <display value="Dentistry West"/>
    </valueReference>
  </extension>
  <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/dental-visit-requested-provider-type">
    <valueCodeableConcept>
      <coding>
        <system value="urn:oid:1.2.840.114350.1.13.861.1.7.4.836982.1040"/>
        <code value="115"/>
        <display value="Elizabeth Robinson"/>
      </coding>
      <text value="Elizabeth Robinson"/>
    </valueCodeableConcept>
  </extension>
  <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/ready-for-scheduling">
    <valueBoolean value="true"/>
  </extension>
  <status value="revoked"/>
  <intent value="order"/>
  <subject>
    <reference value="Patient/eoEDZ-Hn2iFRy8GU04AZo1w3"/>
    <display value="Robishaw, Jeff"/>
  </subject>
  <authoredOn value="2020-08-17T22:36:07Z"/>
  <author>
    <reference value="Practitioner/e0NUFReEifX1FloybAssaXg3"/>
    <display value="Fred Jenkins, MD"/>
  </author>
</RequestGroup>
```

8.1.45 ServiceRequest.Read (Community Resource ServiceRequest) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10091-ServiceRequest-Read-Community-Resource-ServiceRequest-R4.html
Epic API ID | 10091
FHIR version | R4
Categories | Clinical Care Provision
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | May 2021
HTTP method | GET
URL template | /api/FHIR/R4/ServiceRequest/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10091

Description

ServiceRequest.Read (Community Resource ServiceRequest) allows a client to look up a specific referral request made through Continued Care & Services Coordination (CCSC) workflows in Epic, such as a post-discharge service request for durable medical equipment (DME) or a request for social services.

This resource includes general information about the referral request, including the patient to whom it applies, who made the request, where it was requested, and other pertinent information that helps the referral recipient determine whether to accept or decline the request.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | FHIR ServiceRequest ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
ServiceRequest | Resource | False | | | An instance of the R4 ServiceRequest resource.
ServiceRequest.authoredOn | dateTime | False | | | The date and time when the ServiceRequest was created.
ServiceRequest.category | CodeableConcept | False | Yes | | Always returns “Referral to service” for this sub-resource as well as either “sdoh” for requests addressing a Social Driver of Health domain or “Social service procedure” for requests that don’t address a domain.
ServiceRequest.code | CodeableConcept | False | | | Always returns “Referral to service” for this sub-resource.
ServiceRequest.encounter | Reference | False | | | Reference to an encounter resource.
ServiceRequest.intent | code | False | | | The FHIR intent code (RequestIntent). Hardcoded to “plan”.
ServiceRequest.occurrencePeriod | Period | False | | | The date and time when the ServiceRequest was created.
ServiceRequest.orderDetail | CodeableConcept | True | Yes | | The orderDetail contains a list of services requested or selected to be provided for the patient.
ServiceRequest.performer | Reference | True | Yes | | Reference to requested performer (service line / facility)
ServiceRequest.priority | String | False | | | The FHIR priority code (RequestPriority). Hardcoded to “routine”.
ServiceRequest.requester | Reference | False | | | Reference to a practitioner resource. Returns only one requestor.
ServiceRequest.status | code | False | | | The status of the request. Supported values include: active completed revoked
ServiceRequest.subject | Reference | False | | | Reference to a patient resource.
ServiceRequest.supportingInfo | Reference | True | Yes | | Information about the ServiceRequest. Can contain a reference to a DocumentReference resource that justifies the request. This links to a .PDF document that can be retrieved on demand. Note: There can be 0 to many of such DocumentReferences. It is up to the referrer to either send a single collated PDF document, or send multiple PDF documents. Is it also up to the referrer in how often they might send new/updated documentation to each new or ongoing ServiceRequest.

Sample request

```
https://hostname/instance/api/FHIR/R4/ServiceRequest/esjJKVK4hkeyQo1QJTcnC3TKBu.cjo7TRLt2CG74WX2rDxhiWBALwSXMhWD0ub8QS3
```

Sample response


```
{
  "resourceType": "ServiceRequest",
  "id": "esjJKVK4hkeyQo1QJTcnC3TKBu.cjo7TRLt2CG74WX2rDxhiWBALwSXMhWD0ub8QS3",
  "status": "active",
  "intent": "plan",
  "category": [
    {
      "coding": [
        {
          "system": "http://snomed.info/sct",
          "code": "307835004",
          "display": "Referral by service"
        }
      ],
```

```
      "text": "Referral by service"
    }
  ],
  "priority": "routine",
  "orderDetail": [
     {
       "coding": [
         {
           "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.698084.34040
           "code": "280"
           "display": "Substance Use Counseling"
         }
       ],
       "text": "Substance Use Counseling"
     }
  ],
  "subject": {
    "reference": "Patient/eyXF44q.dXLpUJcB9cVOjLg3",
    "display": "Janisko, Corrina"
  },
  "encounter": {
    "reference": "Encounter/ekQohY9mDGXJ6wB4kJ71YDigVWw72CAiGxIbb2ZXJWms3"
  },
  "authoredOn": "2021-01-19T22:39:08Z",
  "requester": {
    "reference": "Practitioner/eeLsHlvm0KvPn-y4wW-AuzQ3",
    "display": "Social Worker Janiko, MSW"
  }
}
```


Change log

Epic Version | Description | Type
May 2024 | The category for Community Resource ServiceRequests is now 306206005 instead of 307835004. | Breaking change
November 2022 | Code systems for the following code sets now return a URL in place of an OID: ActCode, ICD-10-CM, ICD-10-CA, ICD-10-NL, SNOMED System URL OID ActCode STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode 2.16.840.1.113883.5.4 ICD-10-CM http://hl7.org/fhir/sid/icd-10-cm 2.16.840.1.113883.6.90 ICD-10-CA http://hl7.org/fhir/sid/icd-10-ca 2.16.840.1.113883.6.94 ICD-10-NL http://hl7.org/fhir/sid/icd-10-nl 2.16.840.1.113883.6.3.2 SNOMED http://snomed.info/sct 2.16.840.1.113883.6.96 | Breaking change
System | URL | OID
ActCode | STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode | 2.16.840.1.113883.5.4
ICD-10-CM | http://hl7.org/fhir/sid/icd-10-cm | 2.16.840.1.113883.6.90
ICD-10-CA | http://hl7.org/fhir/sid/icd-10-ca | 2.16.840.1.113883.6.94
ICD-10-NL | http://hl7.org/fhir/sid/icd-10-nl | 2.16.840.1.113883.6.3.2
SNOMED | http://snomed.info/sct | 2.16.840.1.113883.6.96

8.1.46 ServiceRequest.Read (Dental Procedure) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10018-ServiceRequest-Read-Dental-Procedure-R4.html
Epic API ID | 10018
FHIR version | R4
Categories | Clinical Care Provision, Clinical Specialty
API type | Industry-Standard
API group | Dental Care Plan Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | February 2021
URL template | api/FHIR/R4/ServiceRequest/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10018

Description

ServiceRequest.Read (Dental Procedure) allows a client to look up dental procedure details by providing a specific ServiceRequest ID. Dental procedures are individual actions (fillings, extractions, crowns, root canals, and so on) performed on a patient. They exist as part of a normal visit or an ad hoc visit. This resource can only return procedures by ID. If you need to query at the patient level, use the CarePlan (Dental CarePlan) resource.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | FHIR ServiceRequest ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description

ServiceRequest | Resource | False | | | An instance of the R4 ServiceRequest resource.
ServiceRequest.authoredOn | dateTime | True | | | The date of creation of the associated request.
ServiceRequest.bodySite | CodeableConcept | True | Yes | | The tooth, surface, and area of the mouth.
ServiceRequest.category | CodeableConcept | True | Yes | | Always returns "dental-procedure" for this sub-resource.
ServiceRequest.code | CodeableConcept | True | | | Procedure display name, code (D-code or other code), and code system.
ServiceRequest.encounter | Reference | True | | | The encounter resource associated with this ServiceRequest.
ServiceRequest.extension | Extension | True | Yes | | If true, this order or procedure is scannable.
ServiceRequest.id | id | False | | | The ServiceRequest FHIR ID.
ServiceRequest.intent | code | False | | | The intent code. Epic supported values include: order plan
ServiceRequest.note | Annotation | True | Yes | | Comments on the procedure.
ServiceRequest.occurrenceDateTime | String | True | | | The request's completion date.
ServiceRequest.performer | Reference | False | Yes | | Reference to the Practitioner that who placed the request.
ServiceRequest.reasonReference | Reference | True | Yes | | Reference to a Condition resource for the request the request was made.
ServiceRequest.status | code | False | | | The status of the request. Supported values include: draft active completed revoked
ServiceRequest.subject | Reference | False | | | Reference to a patient resource for whom the ServiceRequest was made.
ServiceRequest.supportingInfo | Reference | True | Yes | | Procedure reference to the associated dental order. Populated only if the Epic organization has configured the Condition resource to show the relevant dental data.

Sample request

```
https://hostname/instance/api/FHIR/R4/ServiceRequest/eaitOw1S.0NGI-U7UcRr2EU1wwQfVf3C.G3FMwGa00EU3
```

Sample response

```
<ServiceRequest xmlns="http://hl7.org/fhir">
  <id value="eaitOw1S.0NGI-U7UcRr2EU1wwQfVf3C.G3FMwGa00EU3"/>
  <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/dental-procedure-modifiers">
    <valueString value="DIS 10"/>
  </extension>
  <status value="completed"/>
  <intent value="order"/>
  <code>
    <coding>
      <system value="urn:oid:2.16.840.1.113883.6.13"/>
      <code value="D2140"/>
      <display value="AMALGAM - 1 SURFACE, PRIMARY OR PERMANENT"/>
    </coding>
    <text value="AMALGAM - 1 SURFACE, PRIMARY OR PERMANENT"/>
  </code>
  <subject>
    <reference value="Patient/eIWiuZBd1RJ82qy8gh2B92Q3"/>
    <type value="Patient"/>
    <display value="Planty, Danielle"/>
  </subject>
  <occurrenceDateTime value="2020-08-15T14:00:00Z"/>
  <authoredOn value="2020-07-12T18:53:42Z"/>
  <performer>
    <reference value="Practitioner/e5zUnJwkQ6M64nk7G4LUFPg3"/>
    <type value="Practitioner"/>
    <display value="Fred Jenkins, D.D.S."/>
  </performer>
  <reasonReference>
    <reference
    value="Condition/e0sP8nrKpwmgGuLAZXoTW7OiTzaaU4KdAzj5QGyTQqoW2s-UNhSlt3.RLU.CMCv6JXv1NyA9IIV7y9o-PSh75cg3"/>
    <type value="Condition"/>
    <display value="Caries of dentin"/>
  </reasonReference>
  <supportingInfo>
    <reference value="Procedure/ekE7cAYMZgd3lqp2IkJTCOyoFIYLBJRcb9Parf4E.irM3"/>
    <type value="Procedure"/>
  </supportingInfo>
  <bodySite>
    <coding>
      <system value="urn:oid:1.2.840.114350.1.13.861.1.7.3.866976.94010"/>
      <code value="2"/>
    </coding>
    <text value="Teeth (Universal): 2"/>
  </bodySite>
  <bodySite>
    <coding>
      <system value="urn:oid:1.2.840.114350.1.72.1.7.7.10.866976.94030"/>
      <code value="5"/>
      <display value="Occlusal"/>
    </coding>
    <text value="Surfaces: Occlusal"/>
  </bodySite>
  <note>
    <text value="An example procedure comment."/>
  </note>
</ServiceRequest>
```

8.1.47 ServiceRequest.Read (Order Template Procedure) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10093-ServiceRequest-Read-Order-Template-Procedure-R4.html

Epic API ID | 10093
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
API group | Oncology Plan Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/ServiceRequest/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10093

Description

ServiceRequest.Read allows a client to look up ServiceRequest details by providing a specific ServiceRequest ID. The ID is typically returned as part of the response of a different FHIR resource request.

The ServiceRequest (Order Template Procedure) resource returns procedure order templates from treatment plans and therapy plans.

This read interaction enables the lookup of a specific oncology ServiceRequest resource by FHIR ID.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | FHIR ServiceRequest ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
ServiceRequest | Resource | False | | | An instance of the R4 ServiceRequest resource.
ServiceRequest.authoredOn | dateTime | True | | | The time that the order was signed.
ServiceRequest.category | CodeableConcept | True | Yes | | Order mode.
ServiceRequest.code | CodeableConcept | True | | | Procedure code.
ServiceRequest.encounter | Reference | True | | | Reference to the order template's linked encounter.
ServiceRequest.intent | code | False | | | The FHIR intent code (RequestIntent) for this ServiceRequest.
ServiceRequest.note | Annotation | True | Yes | | Order comments.
ServiceRequest.occurrenceTiming | Timing | True | | | Order frequency and timing information.
ServiceRequest.occurrenceTiming.event | String | True | | | Interval selected dates.
ServiceRequest.occurrenceTiming.repeat | BackboneElement | True | | | Repeat occurrence information.
ServiceRequest.occurrenceTiming.repeat.boundsPeriod | Period | True
ServiceRequest.occurrenceTiming.repeat.boundsPeriod.end | String | True | | | Duration.
ServiceRequest.occurrenceTiming.repeat.count | Int64 | True | | | Number of treatments.
ServiceRequest.occurrenceTiming.repeat.dayOfWeek | String | True | | | Interval days.
ServiceRequest.occurrenceTiming.repeat.period | decimal | True | | | Interval period.
ServiceRequest.occurrenceTiming.repeat.periodUnit | code | True | | | Interval period unit.
ServiceRequest.requester | Reference | True | | | Reference to order signing user.
ServiceRequest.status | code | False | | | The status of the order. Supported values include: draft active completed revoked unknown
ServiceRequest.subject | Reference | True | | | The patient or subject of this care plan.

Sample request

```
/api/FHIR/R4/ServiceRequest/e3xzsUXXUiOi2zonMirIc8bkTjhYLdgSyo--mQsVm5Tk3
```

Sample response


```
<ServiceRequest xmlns="http://hl7.org/fhir">
  <id value="erS8hzvGX4tluXheH6t38k26K2f98kQBN28MzMbhIWwZkNIBuDNJ1EOXHoIuLn1qQ3"/>
  <status value="active"/>
  <intent value="plan"/>
  <category>
    <coding>
      <system value="http://snomed.info/sct"/>
      <code value="410606002"/>
      <display value="Social service procedure (procedure)"/>
    </coding>
    <text value="Social service procedure (procedure)"/>
  </category>
  <category>
    <coding>
      <system value="http://snomed.info/sct"/>
      <code value="306206005"/>
      <display value="Referral to service"/>
    </coding>
    <text value="Referral to service"/>
  </category>
  <priority value="routine"/>
```

```
  <code>
    <coding>
      <system value="http://snomed.info/sct"/>
      <code value="306206005"/>
      <display value="Referral to service"/>
    </coding>
    <text value="Referral to service"/>
  </code>
  <orderDetail>
    <coding>
      <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.698084.34040"/>
      <code value="4"/>
      <display value="Adoption and Foster Care"/>
    </coding>
    <text value="Adoption and Foster Care"/>
  </orderDetail>
  <subject>
    <reference value="Patient/ej.Naw5mp-03NPbjHMvNPMg3"/>
    <display value="Janisko, Scyther"/>
  </subject>
  <encounter>
    <reference value="Encounter/eHsNl6tu-LlwSLWuWCApHkNjGHzYlgMJLBYFhliMKxfM3"/>
    <identifier>
      <use value="usual"/>
      <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.3.698084.8"/>
      <value value="10003165684"/>
    </identifier>
    <display value="Office Visit"/>
  </encounter>
  <occurrencePeriod>
    <start value="2023-12-28T19:08:31Z"/>
  </occurrencePeriod>
  <authoredOn value="2023-12-28T19:08:31Z"/>
  <requester>
    <reference value="Practitioner/eeLsHlvm0KvPn-y4wW-AuzQ3"/>
    <display value="Social Worker Janisko, MSW"/>
  </requester>
  <reasonCode>
    <coding>
      <system value="http://snomed.info/sct"/>
      <code value="404684003"/>
      <display value="Clinical finding (finding)"/>
    </coding>
    <text value="Clinical finding (finding)"/>
  </reasonCode>
  <supportingInfo>
    <reference value="DocumentReference/eP4qyevdAJZQtZCG2jZoEIcL1HJUAyJE20-UGC4ElTmo3"/>
  </supportingInfo>
</ServiceRequest>
```

Change log

Epic Version | Description | Type
November 2022 | Code systems for the following code sets now return a URL in place of an OID: ActCode, ICD-10-CM, ICD-10-CA, ICD-10-NL, SNOMED System URL OID ActCode STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode 2.16.840.1.113883.5.4 ICD-10-CM http://hl7.org/fhir/sid/icd-10-cm 2.16.840.1.113883.6.90 ICD-10-CA http://hl7.org/fhir/sid/icd-10-ca 2.16.840.1.113883.6.94 ICD-10-NL http://hl7.org/fhir/sid/icd-10-nl 2.16.840.1.113883.6.3.2 SNOMED http://snomed.info/sct 2.16.840.1.113883.6.96 | Breaking change
System | URL | OID
ActCode | STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode | 2.16.840.1.113883.5.4
ICD-10-CM | http://hl7.org/fhir/sid/icd-10-cm | 2.16.840.1.113883.6.90
ICD-10-CA | http://hl7.org/fhir/sid/icd-10-ca | 2.16.840.1.113883.6.94
ICD-10-NL | http://hl7.org/fhir/sid/icd-10-nl | 2.16.840.1.113883.6.3.2
SNOMED | http://snomed.info/sct | 2.16.840.1.113883.6.96

8.1.48 ServiceRequest.Read (Orders) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/1053-ServiceRequest-Read-Orders-R4.html
Epic API ID | 1053
FHIR version | R4
Categories | Clinical Care Provision
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2020
URL template | api/FHIR/R4/ServiceRequest/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=1053

Description

The ServiceRequest (Orders) resource returns information about non-medication orders for a patient, such as procedures, audiology, cultures, ECGs, EKGs, imaging orders, lab orders, microbiology orders, pathology, or radiology orders.

What is considered a procedure, audiology, culture, ECG, EKG, imaging, lab, microbiology, pathology, or radiology order varies between organizations and might need coordination between the third party system and the Epic organization.

Note: The STU3 version of this API is called ProcedureRequest.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | Required | | | FHIR ServiceRequest ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
ServiceRequest (R4) | Resource | | | | An instance of the R4 ServiceRequest resource.
ServiceRequest (R4).asNeededBoolean | Boolean | | | 0..1 | If set to true, indicates that the order is only performed as needed, PRN, within the specified schedule.
ServiceRequest (R4).authoredOn | dateTime | | | 1..1 | The order instant. This is the date and time of when an order is signed or signed and held.
ServiceRequest (R4).basedOn | Reference | | Yes | 1..* | Reference to one or more of the following: A ServiceRequest (Orders) resource corresponding to the parent order. Included if the order is a child order. A CarePlan (Oncology) resource corresponding to the treatment plan or therapy plan from which the procedure was ordered. Included if the order was placed from a treatment plan or therapy plan. A ServiceRequest (Order Template Procedure) resource corresponding to the order template. Included if the order is from a treatment or therapy plan.
ServiceRequest (R4).category | CodeableConcept | | Yes | 1..* | The order type for the ServiceRequest. Always includes the Epic order type identifier. Starting in the February 2024 release of Epic, can also include US Core ServiceRequest Category codes if the Epic organization has completed additional configuration.
ServiceRequest (R4).code | CodeableConcept | | | 1..1 | The standard terminology codes mapped to the procedure, which can include LOINC, SNOMED, CPT, CBV, THL, or Kuntalitto codes.
ServiceRequest (R4).doNotPerform | boolean | | | 0..1 | Returns whether the ServiceRequest should not be performed. This is set to true if the status is draft, revoked, or unknown.
ServiceRequest (R4).encounter | Reference | | | 0..1 | The Encounter resource associated with this ServiceRequest.
ServiceRequest (R4).encounter.display | String | | | 1..1 | The display name of the Encounter resource.
ServiceRequest (R4).encounter.identifier | Identifier | | | 1..1 | The visit identifier for the referenced Encounter resource.
ServiceRequest (R4).encounter.reference | String | | | 0..1 | A reference to the associated Encounter resource, if available. In some cases, there is only a display text value for the encounter.
ServiceRequest (R4).extension (is-scannable-encounter) (also: extension (is-scannable-encounter)) | Extension | | Yes | 1..* | If true, this order or procedure is scannable. URL: http://open.epic.com/FHIR/StructureDefinition/extension/is-scannable-encounter
ServiceRequest (R4).id | id | | | 1..1 | FHIR ServiceRequest ID.
ServiceRequest (R4).identifier | Identifier | | Yes | 1..* | The system-specific identifiers for the ServiceRequest resource.
ServiceRequest (R4).intent | code | | | 1..1 | The purpose behind the ServiceRequest. Epic supported values include: filler-order order original-order plan proposal reflex-order
ServiceRequest (R4).note | Annotation | | Yes | 1..* | Ordering comments for the ServiceRequest, typically free text.
ServiceRequest (R4).occurrencePeriod | Period | | | 0..1 | This element returns the start and end time for the procedure. Available starting in the February 2024 version of Epic.
ServiceRequest (R4).occurrenceTiming | Timing | | | 0..1 | This event element is populated for auto-released orders. This element is used in November 2023 and earlier. Starting February 2024 and later, occurenceTiming will only be returned if there is no start and end time for the order. Otherwise, see occurrencePeriod.
ServiceRequest (R4).occurrenceTiming.code | CodeableConcept | | | 0..1 | The frequency name and description. This element can be configured to use a custom mapping configuration completed by the Epic organization. This field returns the interval for Outpatient procedures orders.
ServiceRequest (R4).occurrenceTiming.event | String | | Yes | 0..* | The event element is populated for auto-released orders. Includes an array of the times that each occurrence of the order was released. If the order has child orders with release dates, those are returned. If not, the parent order's scheduled instants are returned.
ServiceRequest (R4).occurrenceTiming.repeat | BackboneElement | | | 1..1 | When the order is to occur.
ServiceRequest (R4).occurrenceTiming.repeat.boundsPeriod | Period | | | 1..1 | Includes a start and an end element that hold the start and end times for the order.
ServiceRequest (R4).occurrenceTiming.repeat.count | Int64 | | | 0..1 | The number of occurrences of the order. For PRN orders, the count is returned as 1.
ServiceRequest (R4).occurrenceTiming.repeat.countMax | Int64 | | | 0..1 | The maximum number of occurrences of the order for a PRN order.
ServiceRequest (R4).occurrenceTiming.repeat.frequency | Int64 | | | 0..1 | How many times the order occurs in the given period.
ServiceRequest (R4).occurrenceTiming.repeat.period | decimal | | | 0..1 | The period of time used to define the cycle length of a frequency. For example, an order that occurs once every 6 hours has a period of 6 hours.
ServiceRequest (R4).occurrenceTiming.repeat.periodUnit | code | | | 0..1 | The time unit for the period, in UCUM representation where: Minutes="min" Hour="h" Day="d" Week="wk" Month="mo"
ServiceRequest (R4).occurrenceTiming.repeat.when | String | | Yes | 1..* | The time of day the occurrence happens.
ServiceRequest (R4).patientInstruction | String | | | 0..1 | Returns patient instructions related to order timing for a ServiceRequest.
ServiceRequest (R4).priority | String | | | 0..1 | The priority of the ServiceRequest.
ServiceRequest (R4).quantityQuantity | Quantity | | | 0..1 | Returns a value of the quantity of the service requested.
ServiceRequest (R4).reasonCode | CodeableConcept | | Yes | 0..* | The standard terminology codes mapped to the diagnosis, which can include LOINC, SNOMED, CPT, CBV, THL, or Kuntalitto codes. Starting in November 2024, each code also sends its display name. In patient context, this element is not returned if they are hidden from the patient at the diagnosis or system level.
ServiceRequest (R4).requester | Reference | | | 1..1 | Who or what is requesting the service. Reference to a Practitioner resource.
ServiceRequest (R4).specimen | Reference | | Yes | 1..* | Reference to a Specimen resource. The Specimen resource returns information about specimens used in diagnostic testing relating to the ServiceRequest.

ServiceRequest (R4).status | code | | | 1..1 | The status of the request. Supported values include: draft active completed revoked unknown
ServiceRequest (R4).subject | Reference | | | 1..1 | Reference to a Patient resource for whom the ServiceRequest was made.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/ServiceRequest/e214EEAa7RY8csEhIEJW-qOpDYFRKCusulwMwwzo333g3
```

Sample response


```
{
  "resourceType": "ServiceRequest",
  "id": "e214EEAa7RY8csEhIEJW-qOpDYFRKCusulwMwwzo333g3",
  "identifier": [
    {
      "use": "usual",
      "type": {
        "coding": [
          {
            "system": "http://terminology.hl7.org/CodeSystem/v2-0203",
            "code": "PLAC",
            "display": "Placer Identifier"
          }
        ],
        "text": "Placer Identifier"
      },
      "system": "urn:oid:1.2.840.114350.1.13.0.1.7.2.798268",
      "value": "795508"
    }
  ],
  "status": "active",
  "intent": "filler-order",
  "category": [
    {
      "coding": [
        {
          "system": "urn:oid:1.2.840.114350.1.13.0.1.7.10.798268.30",
          "code": "1",
          "display": "Procedures"
        }
      ],
      "text": "Procedures"
    }
  ],
  "priority": "routine",
  "code": {
    "coding": [
      {
        "system": "urn:oid:1.2.840.114350.1.13.0.1.7.2.696580",
        "code": "39334",
        "display": "BRONCHOSCOPY"
      }
    ],
    "text": "BRONCHOSCOPY"
  },
  "quantityQuantity": {
    "value": 1
  },
  "subject": {
    "reference": "Patient/enh2Q1c0oNRtWzXArnG4tKw3",
    "display": "Test, Sample"
  },
  "encounter": {
    "reference": "Encounter/eGBa8bqzKut7a4J4.Qf4V9A3",
    "identifier": {
      "use": "usual",
      "system": "urn:oid:1.2.840.114350.1.13.0.1.7.3.698084.8",
      "value": "1838"
    },
    "display": "Office Visit"
  },
  "occurrencePeriod": {
    "start": "2012-10-28T05:00:00Z"
  },
  "authoredOn": "2012-10-28T20:54:57Z",
  "requester": {
    "reference": "Practitioner/eM5CWtq15N0WJeuCet5bJlQ3",
    "type": "Practitioner",
    "display": "Amber Hxl, MD"
  },
  "reasonCode": [
    {
      "coding": [
        {
          "system": "http://snomed.info/sct",
          "code": "25479004",
          "display": "Foreign body in pharynx (disorder)"
        },
        {
```

```
          "system": "http://hl7.org/fhir/sid/icd-9-cm",
          "code": "933.0",
          "display": "Foreign body in pharynx"
        },
        {
          "system": "http://hl7.org/fhir/sid/icd-10-cm",
          "code": "T17.208A",
          "display": "Unspecified foreign body in pharynx causing other injury, initial encounter"
        }
      ],
      "text": "Foreign body in throat"
    }
  ]
}
```


Change log

Epic Version | Description | Type
November 2022 | Code systems for the following code sets now return a URL in place of an OID: ActCode, ICD-10-CM, ICD-10-CA, ICD-10-NL, SNOMED System URL OID ActCode STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode 2.16.840.1.113883.5.4 ICD-10-CM http://hl7.org/fhir/sid/icd-10-cm 2.16.840.1.113883.6.90 ICD-10-CA http://hl7.org/fhir/sid/icd-10-ca 2.16.840.1.113883.6.94 ICD-10-NL http://hl7.org/fhir/sid/icd-10-nl 2.16.840.1.113883.6.3.2 SNOMED http://snomed.info/sct 2.16.840.1.113883.6.96 | Breaking change
System | URL | OID
ActCode | STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode | 2.16.840.1.113883.5.4
ICD-10-CM | http://hl7.org/fhir/sid/icd-10-cm | 2.16.840.1.113883.6.90
ICD-10-CA | http://hl7.org/fhir/sid/icd-10-ca | 2.16.840.1.113883.6.94
ICD-10-NL | http://hl7.org/fhir/sid/icd-10-nl | 2.16.840.1.113883.6.3.2
SNOMED | http://snomed.info/sct | 2.16.840.1.113883.6.96

8.1.49 ServiceRequest.Read (Referral) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10164-ServiceRequest-Read-Referral-R4.html
Epic API ID | 10164
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2021
HTTP method | GET
URL template | /api/FHIR/R4/ServiceRequest/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10164

Description

ServiceRequest.Read (Referral) allows a client to look up Referral details by providing a specific ServiceRequest ID. The ID is typically returned as part of the response of a different FHIR resource request, such as in the context.related element of a DocumentReference.Read. The ID can also be provided as part of the launch context for a SMART on FHIR launch in a scanning acquisition workflow.

With a referral FHIR ID, this web service returns information about the referral and the documents which have been scanned to the referral.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | FHIR ServiceRequest ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
ServiceRequest | Resource | False | | | An instance of the R4 ServiceRequest resource.
ServiceRequest.id | id | False | | | FHIR ID for this ServiceRequest instance.
ServiceRequest.identifier | Identifier | False | Yes | | The referral identifiers from the Epic system
ServiceRequest.intent | code | False | | | Request intent. Always "proposal".
ServiceRequest.status | code | False | | | Request status. Always "unknown".
ServiceRequest.subject | Reference | False | | | Reference to a Patient resource
ServiceRequest.supportingInfo | Reference | True | Yes | | Reference to each attached DocumentReference

Sample request

```
https://hostname/instance/api/FHIR/R4/ServiceRequest/e2g3f-h5GhPk-gdY3ct3u6mSQZ36YTfZgAAtHflLEbuI3
```

Sample response


```
{
  "resourceType": "ServiceRequest",
  "id": "e2g3f-h5GhPk-gdY3ct3u6mSQZ36YTfZgAAtHflLEbuI3",
  "identifier": [
    {
      "use": "usual",
      "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.827076",
      "value": "1000098855"
    }
  ],
  "status": "unknown",
  "intent": "proposal",
  "subject": {
    "reference": "Patient/ehazbFWnKtjoOVNFWidSwJw3",
    "display": "Olson, Allegra"
  },
  "supportingInfo": [
    {
      "reference": "DocumentReference/eNtnr9K49sQb7qoka18NZaA3"
    },
    {
      "reference": "DocumentReference/ebnovScmLjfCQe0EDaKp49g3"
    }
  ]
}
```


Change log

Epic Version | Description | Type
November 2022 | Code systems for the following code sets now return a URL in place of an OID: ActCode, ICD-10-CM, ICD-10-CA, ICD-10-NL, SNOMED System URL OID ActCode STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode 2.16.840.1.113883.5.4 ICD-10-CM http://hl7.org/fhir/sid/icd-10-cm 2.16.840.1.113883.6.90 ICD-10-CA http://hl7.org/fhir/sid/icd-10-ca 2.16.840.1.113883.6.94 ICD-10-NL http://hl7.org/fhir/sid/icd-10-nl 2.16.840.1.113883.6.3.2 SNOMED http://snomed.info/sct 2.16.840.1.113883.6.96 | Breaking change
System | URL | OID
ActCode | STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode | 2.16.840.1.113883.5.4
ICD-10-CM | http://hl7.org/fhir/sid/icd-10-cm | 2.16.840.1.113883.6.90
ICD-10-CA | http://hl7.org/fhir/sid/icd-10-ca | 2.16.840.1.113883.6.94
ICD-10-NL | http://hl7.org/fhir/sid/icd-10-nl | 2.16.840.1.113883.6.3.2
SNOMED | http://snomed.info/sct | 2.16.840.1.113883.6.96

8.1.50 ServiceRequest.Search (Community Resource ServiceRequest) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10092-ServiceRequest-Search-Community-Resource-ServiceRequest-R4.html
Epic API ID | 10092
FHIR version | R4
Categories | Clinical Care Provision
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | May 2021
HTTP method | GET
URL template |
/api/FHIR/R4/ServiceRequest?category={category}&encounter={encounter}&patient={patient}&subject={subject}&authored={authoredOn}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10092

Description

ServiceRequest.Search (Community Resource ServiceRequest) allows a client to search for referral requests made through Continued Care & Services Coordination (CCSC) workflows in Epic, such as a post-discharge service request for durable medical equipment (DME) or a request for social services.

This resource includes general information about the referral request, including the patient to whom it applies, who made the request, where it was requested, and other pertinent information that helps the referral recipient determine whether to accept or decline the request.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
authored | String | True | | | Search for ServiceRequest resources authored before or after a specified instant.
category | String | True | | | To find all CRN type of Service Requests, use: system: “http://snomed.info/sct” code: “306206005” To find all CRN type of Service Requests that do not address Social Driver of Health domains, use: System: “http://snomed.info/sct” Code: “410606002” To find CRN type of

ServiceRequests for request that do address Social Drivers of Health domains, use: System: “http://hl7.org/fhir/us/core/CodeSystem/us-core-category” Code: “sdoh” Either the patient, subject, or encounter must be provided.

encounter | String | True | | | Reference to the Encounter that the ServiceRequest belongs to.

patient | String | True | | | Search for ServiceRequest resources for a specified patient ID. You can use both "patient" and "subject" equivalently, but if you use both they must look to the same value.

requester | String | True | | | Reference to a practitioner resource.

status | String | True | | | The status of the request. Supported values include: active completed revoked

subject | String | True | | | Search for ServiceRequest resources for a specified subject. You can use both "patient" and "subject" equivalently, but if you use both they must look to the same value.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description

based-on | String | True | | | Unsupported

body-site | String | True | | | Unsupported

instantiates-canonical | String | True | | | Unsupported

intent | String | True | | | Always returns "plan"

occurrence | String | True | | | Unsupported

performer | String | True | | | Requested performer.

performer-type | String | True | | | Unsupported

priority | String | True | | | Always returns "routine"

replaces | String | True | | | Unsupported

requisition | String | True | | | Unsupported

specimen | String | True | | | Unsupported

Response elements

Name | Type | Optional | Array | Cardinality | Description

Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.

Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.

Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.

Bundle.entry.resource.ServiceRequest | Resource | False | | | An instance of the R4 ServiceRequest resource.

Bundle.entry.resource.ServiceRequest.authoredOn | dateTime | False | | | The date and time when the ServiceRequest was created.

Bundle.entry.resource.ServiceRequest.category | CodeableConcept | False | Yes | | Always returns “Referral to service” for this sub-resource as well as either “sdoh” for requests addressing a Social Driver of Health domain or “Social service procedure” for requests that don’t address a domain.

Bundle.entry.resource.ServiceRequest.code | CodeableConcept | False | | | Always returns “Referral to service” for this sub-resource.

Bundle.entry.resource.ServiceRequest.encounter | Reference | False | | | Reference to an encounter resource.

Bundle.entry.resource.ServiceRequest.intent | code | False | | | The FHIR intent code (RequestIntent). Hardcoded to “plan”.

Bundle.entry.resource.ServiceRequest.occurrencePeriod | Period | False | | | The date and time when the ServiceRequest was created.

Bundle.entry.resource.ServiceRequest.orderDetail | CodeableConcept | True | Yes | | The orderDetail contains a list of services requested or selected to be provided for the patient.

Bundle.entry.resource.ServiceRequest.performer | Reference | True | Yes | | Reference to requested performer (service line / facility)

Bundle.entry.resource.ServiceRequest.priority | String | False | | | The FHIR priority code (RequestPriority). Hardcoded to “routine”.

Bundle.entry.resource.ServiceRequest.reasonCode | CodeableConcept | False | Yes | | The FHIR codeable concept: hardcoded to SNOMED code – SCTID: 404684003: Clinical finding (finding).

Bundle.entry.resource.ServiceRequest.requester | Reference | False | | | Reference to a practitioner resource. Returns only one requestor.

Bundle.entry.resource.ServiceRequest.status | code | False | | | The status of the request. Supported values include: active completed revoked

Bundle.entry.resource.ServiceRequest.subject | Reference | False | | | Reference to a patient resource.

Bundle.entry.resource.ServiceRequest.supportingInfo | Reference | True | Yes | | Information about the ServiceRequest. Can contain a reference to a DocumentReference resource that justifies the request. This links to a .PDF document that can be retrieved on demand. Note: There can be 0 to many of such DocumentReferences. It is up to the referrer to either send a single collated PDF document, or send multiple PDF documents. Is it also up to the referrer in how often they might send new/updated documentation to each new or ongoing ServiceRequest.

Sample request

```
https://hostname/instance/api/FHIR/R4/ServiceRequest?patient=e2AveBQUoFNSZ6S1gdeWTqg3
```

Sample response

```
<Bundle xmlns="http://hl7.org/fhir">
  <type value="searchset"/>
  <total value="5"/>
  <link>
    <relation value="self"/>
    <url value="https://eccp-internal.epic.com/Interconnect-Current-
    Stage1-Primary/api/FHIR/R4/ServiceRequest?patient=ej.Naw5mp-03NPbjHMvNPMg3"/>
  </link>
  <entry>
    <link>
      <relation value="self"/>
      <url value="https://eccp-internal.epic.com/Interconnect-Current-
    Stage1-Primary/api/FHIR/R4/ServiceRequest/erS8hzvGX4tluXheH6t38k26K2f98kQBN28MzMbhIWwZkNIBuDNJ1EOXHoIuLn1qQ3"/>
    </link>
    <fullUrl value="https://eccp-internal.epic.com/Interconnect-Current-
    Stage1-Primary/api/FHIR/R4/ServiceRequest/erS8hzvGX4tluXheH6t38k26K2f98kQBN28MzMbhIWwZkNIBuDNJ1EOXHoIuLn1qQ3"/>
    <resource>
      <ServiceRequest>
        <id value="erS8hzvGX4tluXheH6t38k26K2f98kQBN28MzMbhIWwZkNIBuDNJ1EOXHoIuLn1qQ3"/>
```

```
      <status value="active"/>
      <intent value="plan"/>
      <category>
        <coding>
          <system value="http://snomed.info/sct"/>
          <code value="410606002"/>
          <display value="Social service procedure (procedure)"/>
        </coding>
        <text value="Social service procedure (procedure)"/>
      </category>
      <category>
        <coding>
          <system value="http://snomed.info/sct"/>
          <code value="306206005"/>
          <display value="Referral to service"/>
        </coding>
        <text value="Referral to service"/>
      </category>
      <priority value="routine"/>
      <code>
        <coding>
          <system value="http://snomed.info/sct"/>
          <code value="306206005"/>
          <display value="Referral to service"/>
        </coding>
        <text value="Referral to service"/>
      </code>
      <orderDetail>
        <coding>
          <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.698084.34040"/>
          <code value="4"/>
          <display value="Adoption and Foster Care"/>
        </coding>
        <text value="Adoption and Foster Care"/>
      </orderDetail>
      <subject>
        <reference value="Patient/ej.Naw5mp-03NPbjHMvNPMg3"/>
        <display value="Janisko, Scyther"/>
      </subject>
      <encounter>
        <reference value="Encounter/eHsNl6tu-LlwSLWuWCApHkNjGHzYlgMJLBYFhliMKxfM3"/>
        <identifier>
          <use value="usual"/>
          <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.3.698084.8"/>
          <value value="10003165684"/>
        </identifier>
        <display value="Office Visit"/>
      </encounter>
      <occurrencePeriod>
        <start value="2023-12-28T19:08:31Z"/>
      </occurrencePeriod>
      <authoredOn value="2023-12-28T19:08:31Z"/>
      <requester>
        <reference value="Practitioner/eeLsHlvm0KvPn-y4wW-AuzQ3"/>
        <display value="Social Worker Janisko, MSW"/>
      </requester>
      <reasonCode>
        <coding>
          <system value="http://snomed.info/sct"/>
          <code value="404684003"/>
          <display value="Clinical finding (finding)"/>
        </coding>
        <text value="Clinical finding (finding)"/>
      </reasonCode>
      <supportingInfo>
        <reference value="DocumentReference/eP4qyevdAJZQtZCG2jZoEIcL1HJUAyJE20-UGC4ElTmo3"/>
      </supportingInfo>
    </ServiceRequest>
  </resource>
  <search>
    <mode value="match"/>
  </search>
</entry>
<entry>
  <link>
    <relation value="self"/>
    <url value="https://eccp-internal.epic.com/Interconnect-Current-
  Stage1-Primary/api/FHIR/R4/ServiceRequest/erS8hzvGX4tluXheH6t38kye5.LW8Knq7x77pAjKUe2ZBQShInws9liq4lvy-qf5X3"/>
  </link>
  <fullUrl value="https://eccp-internal.epic.com/Interconnect-Current-
  Stage1-Primary/api/FHIR/R4/ServiceRequest/erS8hzvGX4tluXheH6t38kye5.LW8Knq7x77pAjKUe2ZBQShInws9liq4lvy-qf5X3"/>
  <resource>
    <ServiceRequest>
      <id value="erS8hzvGX4tluXheH6t38kye5.LW8Knq7x77pAjKUe2ZBQShInws9liq4lvy-qf5X3"/>
      <status value="active"/>
      <intent value="plan"/>
      <category>
        <coding>
          <system value="http://snomed.info/sct"/>
```

```
          <code value="410606002"/>
          <display value="Social service procedure (procedure)"/>
        </coding>
        <text value="Social service procedure (procedure)"/>
      </category>
      <category>
        <coding>
          <system value="http://snomed.info/sct"/>
          <code value="306206005"/>
          <display value="Referral to service"/>
        </coding>
        <text value="Referral to service"/>
      </category>
      <priority value="routine"/>
      <code>
        <coding>
          <system value="http://snomed.info/sct"/>
          <code value="306206005"/>
          <display value="Referral to service"/>
        </coding>
        <text value="Referral to service"/>
      </code>
      <subject>
        <reference value="Patient/ej.Naw5mp-03NPbjHMvNPMg3"/>
        <display value="Janisko, Scyther"/>
      </subject>
      <encounter>
        <reference value="Encounter/ejLIsjw0YP.kD4gIjFqqzRBFA4kNMicRXvj0NVCttKms3"/>
        <identifier>
          <use value="usual"/>
          <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.3.698084.8"/>
          <value value="10003121078"/>
        </identifier>
        <display value="Enrollment"/>
      </encounter>
      <occurrencePeriod>
        <start value="2023-12-11T19:16:50Z"/>
      </occurrencePeriod>
      <authoredOn value="2023-12-11T19:16:50Z"/>
      <requester>
        <reference value="Practitioner/eeLsHlvm0KvPn-y4wW-AuzQ3"/>
        <display value="Social Worker Janisko, MSW"/>
      </requester>
      <reasonCode>
        <coding>
          <system value="http://snomed.info/sct"/>
          <code value="404684003"/>
          <display value="Clinical finding (finding)"/>
        </coding>
        <text value="Clinical finding (finding)"/>
      </reasonCode>
      <supportingInfo>
        <reference value="DocumentReference/euni9kKnrHKEUmXThF76cD22y5Cr2zf3evFiwS.C6Wwg3"/>
      </supportingInfo>
    </ServiceRequest>
  </resource>
  <search>
    <mode value="match"/>
  </search>
</entry>
<entry>
  <link>
    <relation value="self"/>
    <url value="https://eccp-internal.epic.com/Interconnect-Current-
  Stage1-Primary/api/FHIR/R4/ServiceRequest/erS8hzvGX4tluXheH6t38k3CMxc1-JXP-OJEGoZ3QVt5Dc8f4BbgbijJL321hbR.S3"/>
  </link>
  <fullUrl value="https://eccp-internal.epic.com/Interconnect-Current-
  Stage1-Primary/api/FHIR/R4/ServiceRequest/erS8hzvGX4tluXheH6t38k3CMxc1-JXP-OJEGoZ3QVt5Dc8f4BbgbijJL321hbR.S3"/>
  <resource>
    <ServiceRequest>
      <id value="erS8hzvGX4tluXheH6t38k3CMxc1-JXP-OJEGoZ3QVt5Dc8f4BbgbijJL321hbR.S3"/>
      <status value="active"/>
      <intent value="plan"/>
      <category>
        <coding>
          <system value="http://hl7.org/fhir/us/core/CodeSystem/us-core-category"/>
          <code value="sdoh"/>
          <display value="SDOH"/>
        </coding>
        <text value="SDOH"/>
      </category>
      <category>
        <coding>
          <system value="http://snomed.info/sct"/>
          <code value="306206005"/>
          <display value="Referral to service"/>
        </coding>
        <text value="Referral to service"/>
      </category>
```

```
      <priority value="routine"/>
      <code>
        <coding>
          <system value="http://snomed.info/sct"/>
          <code value="306206005"/>
          <display value="Referral to service"/>
        </coding>
        <text value="Referral to service"/>
      </code>
      <orderDetail>
        <coding>
          <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.698084.34040"/>
          <code value="4"/>
          <display value="Adoption and Foster Care"/>
        </coding>
        <text value="Adoption and Foster Care"/>
      </orderDetail>
      <orderDetail>
        <coding>
          <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.698084.34040"/>
          <code value="6"/>
          <display value="Adoption and Foster Placement"/>
        </coding>
        <text value="Adoption and Foster Placement"/>
      </orderDetail>
      <subject>
        <reference value="Patient/ej.Naw5mp-03NPbjHMvNPMg3"/>
        <display value="Janisko, Scyther"/>
      </subject>
      <encounter>
        <reference value="Encounter/eT.WCkOJ0h7IQky.TSLbtGyRGTN1K60iZO4ZYqTm9p0A3"/>
        <identifier>
          <use value="usual"/>
          <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.3.698084.8"/>
          <value value="10003117327"/>
        </identifier>
        <display value="Office Visit"/>
      </encounter>
      <occurrencePeriod>
        <start value="2023-12-11T18:31:39Z"/>
      </occurrencePeriod>
      <authoredOn value="2023-12-11T18:31:39Z"/>
      <reasonCode>
        <coding>
          <system value="http://snomed.info/sct"/>
          <code value="404684003"/>
          <display value="Clinical finding (finding)"/>
        </coding>
        <text value="Clinical finding (finding)"/>
      </reasonCode>
      <supportingInfo>
        <reference value="DocumentReference/e1NWx1mTN.nP0U2YMOdd6vgFxPfIGmKOrqtufLaU5FiQ3"/>
      </supportingInfo>
    </ServiceRequest>
  </resource>
  <search>
    <mode value="match"/>
  </search>
</entry>
<entry>
  <link>
    <relation value="self"/>
    <url value="https://eccp-internal.epic.com/Interconnect-Current-
  Stage1-Primary/api/FHIR/R4/ServiceRequest/erS8hzvGX4tluXheH6t38k3CMxc1-JXP-OJEGoZ3QVt60Lb4JQA88BCAc.BlXvnWj3"/>
  </link>
  <fullUrl value="https://eccp-internal.epic.com/Interconnect-Current-
  Stage1-Primary/api/FHIR/R4/ServiceRequest/erS8hzvGX4tluXheH6t38k3CMxc1-JXP-OJEGoZ3QVt60Lb4JQA88BCAc.BlXvnWj3"/>
  <resource>
    <ServiceRequest>
      <id value="erS8hzvGX4tluXheH6t38k3CMxc1-JXP-OJEGoZ3QVt60Lb4JQA88BCAc.BlXvnWj3"/>
      <status value="revoked"/>
      <intent value="plan"/>
      <category>
        <coding>
          <system value="http://snomed.info/sct"/>
          <code value="410606002"/>
          <display value="Social service procedure (procedure)"/>
        </coding>
        <text value="Social service procedure (procedure)"/>
      </category>
      <category>
        <coding>
          <system value="http://snomed.info/sct"/>
          <code value="306206005"/>
          <display value="Referral to service"/>
        </coding>
        <text value="Referral to service"/>
      </category>
      <priority value="routine"/>
```

```
      <code>
        <coding>
          <system value="http://snomed.info/sct"/>
          <code value="306206005"/>
          <display value="Referral to service"/>
        </coding>
        <text value="Referral to service"/>
      </code>
      <orderDetail>
        <coding>
          <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.698084.34040"/>
          <code value="300"/>
          <display value="Tutoring"/>
        </coding>
        <text value="Tutoring"/>
      </orderDetail>
      <orderDetail>
        <coding>
          <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.698084.34040"/>
          <code value="24"/>
          <display value="Before School Programs"/>
        </coding>
        <text value="Before School Programs"/>
      </orderDetail>
      <subject>
        <reference value="Patient/ej.Naw5mp-03NPbjHMvNPMg3"/>
        <display value="Janisko, Scyther"/>
      </subject>
      <encounter>
        <reference value="Encounter/eT.WCkOJ0h7IQky.TSLbtGyRGTN1K60iZO4ZYqTm9p0A3"/>
        <identifier>
          <use value="usual"/>
          <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.3.698084.8"/>
          <value value="10003117327"/>
        </identifier>
        <display value="Office Visit"/>
      </encounter>
      <occurrencePeriod>
        <start value="2023-12-11T18:31:39Z"/>
      </occurrencePeriod>
      <authoredOn value="2023-12-11T18:31:39Z"/>
      <reasonCode>
        <coding>
          <system value="http://snomed.info/sct"/>
          <code value="404684003"/>
          <display value="Clinical finding (finding)"/>
        </coding>
        <text value="Clinical finding (finding)"/>
      </reasonCode>
      <supportingInfo>
        <reference value="DocumentReference/eBFkNg3iD56vgpVzBa0TBWct8WKdE52bdfUJHVXdN7zA3"/>
      </supportingInfo>
    </ServiceRequest>
  </resource>
  <search>
    <mode value="match"/>
  </search>
</entry>
<entry>
  <link>
    <relation value="self"/>
    <url value="https://eccp-internal.epic.com/Interconnect-Current-
  Stage1-Primary/api/FHIR/R4/ServiceRequest/erS8hzvGX4tluXheH6t38k3CMxc1-JXP-OJEGoZ3QVt4Zh4eEJyTaPNoVkrg8ZFVY3"/>
  </link>
  <fullUrl value="https://eccp-internal.epic.com/Interconnect-Current-
  Stage1-Primary/api/FHIR/R4/ServiceRequest/erS8hzvGX4tluXheH6t38k3CMxc1-JXP-OJEGoZ3QVt4Zh4eEJyTaPNoVkrg8ZFVY3"/>
  <resource>
    <ServiceRequest>
      <id value="erS8hzvGX4tluXheH6t38k3CMxc1-JXP-OJEGoZ3QVt4Zh4eEJyTaPNoVkrg8ZFVY3"/>
      <status value="completed"/>
      <intent value="plan"/>
      <category>
        <coding>
          <system value="http://snomed.info/sct"/>
          <code value="410606002"/>
          <display value="Social service procedure (procedure)"/>
        </coding>
        <text value="Social service procedure (procedure)"/>
      </category>
      <category>
        <coding>
          <system value="http://snomed.info/sct"/>
          <code value="306206005"/>
          <display value="Referral to service"/>
        </coding>
        <text value="Referral to service"/>
      </category>
      <priority value="routine"/>
      <code>
```

```
          <coding>
            <system value="http://snomed.info/sct"/>
            <code value="306206005"/>
            <display value="Referral to service"/>
          </coding>
          <text value="Referral to service"/>
        </code>
        <orderDetail>
          <coding>
            <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.698084.34040"/>
            <code value="264"/>
            <display value="Skills and Training"/>
          </coding>
          <text value="Skills and Training"/>
        </orderDetail>
        <orderDetail>
          <coding>
            <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.698084.34040"/>
            <code value="285"/>
            <display value="Supplies for Work"/>
          </coding>
          <text value="Supplies for Work"/>
        </orderDetail>
        <subject>
          <reference value="Patient/ej.Naw5mp-03NPbjHMvNPMg3"/>
          <display value="Janisko, Scyther"/>
        </subject>
        <encounter>
          <reference value="Encounter/eT.WCkOJ0h7IQky.TSLbtGyRGTN1K60iZO4ZYqTm9p0A3"/>
          <identifier>
            <use value="usual"/>
            <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.3.698084.8"/>
            <value value="10003117327"/>
          </identifier>
          <display value="Office Visit"/>
        </encounter>
        <occurrencePeriod>
          <start value="2023-12-11T19:36:00Z"/>
        </occurrencePeriod>
        <authoredOn value="2023-12-11T19:36:00Z"/>
        <requester>
          <reference value="Practitioner/eeLsHlvm0KvPn-y4wW-AuzQ3"/>
          <display value="Social Worker Janisko, MSW"/>
        </requester>
        <reasonCode>
          <coding>
            <system value="http://snomed.info/sct"/>
            <code value="404684003"/>
            <display value="Clinical finding (finding)"/>
          </coding>
          <text value="Clinical finding (finding)"/>
        </reasonCode>
        <supportingInfo>
          <reference value="DocumentReference/e0g3JaoP-77ap3UyveupVHeN4Spj1EmZqVkYnpo0nNFc3"/>
        </supportingInfo>
      </ServiceRequest>
    </resource>
    <search>
      <mode value="match"/>
    </search>
  </entry>
</Bundle>
```


Change log

Epic Version | Description | Type

May 2024 | The category for Community Resource ServiceRequests is now 306206005 instead of 307835004. | Breaking change

November 2022 | Code systems for the following code sets now return a URL in place of an OID: ActCode, ICD-10-CM, ICD-10-CA, ICD-10-NL, SNOMED System URL OID ActCode STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode 2.16.840.1.113883.5.4 ICD-10-CM http://hl7.org/fhir/sid/icd-10-cm 2.16.840.1.113883.6.90 ICD-10-CA http://hl7.org/fhir/sid/icd-10-ca 2.16.840.1.113883.6.94 ICD-10-NL http://hl7.org/fhir/sid/icd-10-nl 2.16.840.1.113883.6.3.2 SNOMED http://snomed.info/sct 2.16.840.1.113883.6.96 | Breaking change

System | URL | OID

ActCode | STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode | 2.16.840.1.113883.5.4

ICD-10-CM | http://hl7.org/fhir/sid/icd-10-cm | 2.16.840.1.113883.6.90

ICD-10-CA | http://hl7.org/fhir/sid/icd-10-ca | 2.16.840.1.113883.6.94

ICD-10-NL | http://hl7.org/fhir/sid/icd-10-nl | 2.16.840.1.113883.6.3.2

SNOMED | http://snomed.info/sct | 2.16.840.1.113883.6.96

8.1.51 ServiceRequest.Search (Dental Procedure) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10019-ServiceRequest-Search-Dental-Procedure-R4.html

Epic API ID | 10019

FHIR version | R4

Categories | Clinical Care Provision, Clinical Specialty
API type | Industry-Standard
API group | Dental Care Plan Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | May 2021
HTTP method | GET
URL template | /api/FHIR/R4/ServiceRequest?category={category}&onlyscannable={onlyscannable}&patient={patient}&status={status}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10019

Description

ServiceRequest.Search (Dental Procedure) allows a client to search for dental procedure details by patient, category, and status. Dental procedures are individual actions (fillings, extractions, crowns, root canals, and so on) performed on a patient. They exist as part of a normal visit or an ad hoc visit.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
_count | String | False | Yes
_id | String | False | Yes
_include | String | False | Yes
_revinclude | String | False | Yes
authored | String | False | Yes
based-on | String | False | Yes
body-site | String | False | Yes
category | String | False | Yes | | Set category to the following token construction: system | code, where: system: “http://snomed.info/sct” code: “307835004” The code SCTID: 307835004 represents the ‘Referral by service’, in order to find CRRN type of ServiceRequests.
code | String | False | Yes
encounter | String | True | Yes | | The encounter resource associated with this ServiceRequest.
identifier | String | False | Yes
instantiates-canonical | String | False | Yes
intent | String | False | Yes
occurrence | String | False | Yes
onlyscannable | String | False | Yes | | If “true”, only scannable orders and procedures are returned in the response. This feature requires a user to have login department context as part of the API request, otherwise error code 59100 is returned.
patient | String | False | Yes | | Search for ServiceRequest resources for a specified patient ID. You can use both "patient" and "subject" equivalently, but if you use both they must look to the same value.
performer | String | False | Yes
performer-type | String | False | Yes
priority | String | False | Yes
replaces | String | False | Yes
requester | String | False | Yes
requisition | String | False | Yes
specimen | String | False | Yes
status | String | False | Yes | | The status of the request. Supported values include: draft active completed revoked unknown This service returns all statuses if this element is not specified.
subject | String | False | Yes | | Search for ServiceRequest resources for a specified subject. You can use both "patient" and "subject" equivalently, but if you use both they must look to the same value.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle._id | primitiveExtension | False
Bundle._implicitRules | primitiveExtension | False
Bundle._language | primitiveExtension | False
Bundle._timestamp | primitiveExtension | False
Bundle._total | primitiveExtension | False
Bundle._type | primitiveExtension | False
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.id | id | False | | | The resource's FHIR ID.
Bundle.identifier | Identifier | False | | | Generic identifier.
Bundle.implicitRules | String | False
Bundle.language | String | False
Bundle.link | BackboneElement | False | Yes
Bundle.meta | Meta | False
Bundle.signature | Signature | False
Bundle.timestamp | instant | False | | | The time the bundle was created.

Bundle.total | Int64 | True | | | Total number of resources that matched the search criteria.
Bundle.type | code | False | | | The resource type returned. Always "searchset".
OperationOutcome | OperationOutcome | False
OperationOutcome._id | primitiveExtension | False
OperationOutcome._implicitRules | primitiveExtension | False
OperationOutcome._language | primitiveExtension | False
OperationOutcome.contained | ResourceContainer | False | Yes | | A container for a single FHIR resource.
OperationOutcome.extension | Extension | False | Yes
OperationOutcome.id | String | False
OperationOutcome.implicitRules | String | False
OperationOutcome.issue | Issue | False | Yes
OperationOutcome.language | String | False
OperationOutcome.meta | Meta | False
OperationOutcome.modifierExtension | Extension | False | Yes
OperationOutcome.text | Narrative | False

Sample request

```
https://hostname/instance/api/FHIR/R4/ServiceRequest?category=http://snomed.info/sct%7C738906000&subject=ebEqel85360m8ad
    Q4yUP1Ng3
```

Sample response

```
<ServiceRequest>
  <id value="ejaIqn1jwpnBZqcJ4D2zUXyhUUkMgCGxVGMwf98XO0743"/>
  <status value="completed"/>
  <intent value="order"/>
  <category>
    <coding>
      <system value="http://snomed.info/sct"/>
      <code value="738906000"/>
      <display value="Dental"/>
    </coding>
    <text value="Dental"/>
  </category>
  <code>
    <coding>
      <system value="urn:oid:2.16.840.1.113883.6.13"/>
      <code value="D2782"/>
      <display value="CROWN - 3/4 CAST NOBLE METAL"/>
    </coding>
    <text value="CROWN - 3/4 CAST NOBLE METAL"/>
  </code>
  <subject>
    <reference value="Patient/erOOucv8EeF9xNKxjL..kSQ3"/>
    <type value="Patient"/>
    <display value="Johnson, Robert"/>
  </subject>
  <occurrenceDateTime value="2020-06-24T15:45:00Z"/>
  <authoredOn value="2020-07-06T13:52:58Z"/>
  <performer>
    <reference value="Practitioner/e8vLLdcxWSwHw80L.vmV80Q3"/>
    <type value="Practitioner"/>
    <display value="Robert Wilson, DDS"/>
  </performer>
  <reasonReference>
    <reference
    value="Condition/e0sP8nrKpwmgGuLAZXoTW7OiTzaaU4KdAzj5QGyTQqoW2s-UNhSlt3.RLU.CMCv6JXv1NyA9IIV7y9o-PSh75cg3"/>
    <type value="Condition"/>
    <display value="Caries of dentin"/>
  </reasonReference>
  <supportingInfo>
    <reference value="Procedure/ekE7cAYMZgd3lqp2IkJTCOyoFIYLBJRcb9Parf4E.irM3"/>
    <type value="Procedure"/>
  </supportingInfo>
  <bodySite>
    <coding>
      <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.3.866976.94010"/>
      <code value="3"/>
    </coding>
    <text value="Teeth (Universal): 3"/>
  </bodySite>
  <note>
    <text value="An example procedure comment."/>
  </note>
</ServiceRequest>
```

8.1.52 ServiceRequest.Search (Order Template Procedure) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10094-ServiceRequest-Search-Order-Template-Procedure-R4.html
Epic API ID | 10094
FHIR version | R4
Categories | Clinical Care Provision

API type | Industry-Standard
API group | Oncology Plan Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/ServiceRequest?_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10094

Description

ServiceRequest.Search allows a client to search for ServiceRequest resources based on the specified parameters. Currently, the Order Template sub-resource supports only the _id search parameter. As a result, this resource functions similarly to a read request.

The ServiceRequest (Order Template) resource returns procedure order templates from treatment plans and therapy plans.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | True | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | True | | | A container for a single FHIR resource.
Bundle.entry.resource.ServiceRequest | Resource | False | | | An instance of the R4 ServiceRequest resource.
Bundle.entry.resource.ServiceRequest.authoredOn | dateTime | True | | | The time that the order was signed.
Bundle.entry.resource.ServiceRequest.category | CodeableConcept | True | Yes | | Order mode.
Bundle.entry.resource.ServiceRequest.code | CodeableConcept | True | | | Procedure code.
Bundle.entry.resource.ServiceRequest.encounter | Reference | True | | | Reference to the order template's linked encounter.
Bundle.entry.resource.ServiceRequest.intent | code | False | | | The FHIR intent code (RequestIntent) for this ServiceRequest.
Bundle.entry.resource.ServiceRequest.note | Annotation | True | Yes | | Order comments.
Bundle.entry.resource.ServiceRequest.occurrenceTiming | Timing | True | | | Order frequency and timing information.
Bundle.entry.resource.ServiceRequest.occurrenceTiming.event | String | True | | | Interval selected dates.
Bundle.entry.resource.ServiceRequest.occurrenceTiming.repeat | BackboneElement | True | | | Repeat occurrence information.
Bundle.entry.resource.ServiceRequest.occurrenceTiming.repeat.boundsPeriod | Period | True
Bundle.entry.resource.ServiceRequest.occurrenceTiming.repeat.boundsPeriod.end | String | True | | | Duration.
Bundle.entry.resource.ServiceRequest.occurrenceTiming.repeat.count | Int64 | True | | | Number of treatments.
Bundle.entry.resource.ServiceRequest.occurrenceTiming.repeat.dayOfWeek | String | True | | | Interval days.
Bundle.entry.resource.ServiceRequest.occurrenceTiming.repeat.period | decimal | True | | | Interval period.
Bundle.entry.resource.ServiceRequest.occurrenceTiming.repeat.periodUnit | code | True | | | Interval period unit.
Bundle.entry.resource.ServiceRequest.requester | Reference | True | | | Reference to order signing user.
Bundle.entry.resource.ServiceRequest.status | code | False | | | The status of the order. Supported values include: draft active completed revoked unknown
Bundle.entry.resource.ServiceRequest.subject | Reference | True | | | The patient or subject of this care plan.

Sample request

```
/api/FHIR/R4/ServiceRequest?_id=e5jTDC5BDG0N.1E3ydi59pS9Q5KntzCS1gQhienmabxA3
```

Sample response

```
<Bundle xmlns="http://hl7.org/fhir">
<type value="searchset" />
<total value="1" />
<link>
<relation value="self" />
<url value="https://vs-icx.epic.com/Interconnect-Current-
    Stage1-Primary/api/FHIR/R4/ServiceRequest?_id=e5jTDC5BDG0N.1E3ydi59pS9Q5KntzCS1gQhienmabxA3" />
</link>
<entry>
<relation value="self" />
<url value="https://vs-icx.epic.com/Interconnect-Current-
    Stage1-Primary/api/FHIR/R4/ServiceRequest/e5jTDC5BDG0N.1E3ydi59pS9Q5KntzCS1gQhienmabxA3" />
</link>
<fullUrl value="https://vs-icx.epic.com/Interconnect-Current-
    Stage1-Primary/api/FHIR/R4/ServiceRequest/e5jTDC5BDG0N.1E3ydi59pS9Q5KntzCS1gQhienmabxA3" />
<resource>
<ServiceRequest>
<id value="e5jTDC5BDG0N.1E3ydi59pS9Q5KntzCS1gQhienmabxA3" />
<identifier>
<use value="usual" />
<type>
<coding>
<system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
<code value="PLAC" />
<display value="Placer Identifier" />
</coding>
<text value="Placer Identifier" />
</type>
```

```
<system value="urn:oid:1.2.840.114350.1.13.5325.1.7.2.798268" />
<value value="6000492596" />
</identifier>
<basedOn>
<reference value="CarePlan/eektJt4j-.z3chXwLVK-T5qUvdt3w9d-d3SjtJgFeKcM3" />
<type value="CarePlan" />
<display value="Cancer Treatment Plan Name" />
</basedOn>
<status value="revoked" />
<intent value="order" />
<category>
<coding>
<system value="urn:oid:1.2.840.114350.1.13.5325.1.7.10.798268.30" />
<code value="50" />
<display value="Scheduling Request" />
</coding>
<text value="Scheduling Request" />
</category>
<priority value="Routine" />
<doNotPerform value="true" />
<code>
<coding>
<system value="http://www.ama-assn.org/go/cpt" />
<code value="44484" />
<display value="MD APPOINTMENT" />
</coding>
<text value="MD APPOINTMENT" />
</code>
<quantityQuantity>
<value value="1" />
</quantityQuantity>
<subject>
<reference value="Patient/eTmU89m-kW.NJ07u3KVtwiw3" />
<display value="Name, Patient" />
</subject>
<encounter>
<reference value="Encounter/eUDiLY3wqI13sVd-s.77o-QbFIsreNwzOdMLvgagkmv03" />
</encounter>
<occurrenceTiming>
<repeat>
<boundsPeriod>
<start value="2020-12-08T06:00:00Z" />
</boundsPeriod>
<count value="1" />
</repeat>
</occurrenceTiming>
<authoredOn value="2020-12-08T20:22:14Z" />
<requester>
<reference value="Practitioner/eCyz.so04-01YXg7oJzstgQ3" />
<display value="Doctor Name, MD" />
</requester>
<reasonCode>
<coding>
<system value="http://snomed.info/sct" />
<code value="363408006" />
<display value="Malignant tumor of transverse colon (disorder)" />
</coding>
<coding>
<system value="http://hl7.org/fhir/sid/icd-9-cm/diagnosis" />
<code value="153.1" />
<display value="Malignant neoplasm of transverse colon" />
</coding>
<coding>
<system value="urn:oid:2.16.840.1.113883.6.90" />
<code value="C18.4" />
<display value="Malignant neoplasm of transverse colon" />
</coding>
<text value="Malignant neoplasm of transverse colon" />
</reasonCode>
</ServiceRequest>
</resource>
<mode value="match" />
</search>
</entry>
</Bundle>
```


Change log

Epic Version | Description | Type

November 2022 | Code systems for the following code sets now return a URL in place of an OID: ActCode, ICD-10-CM, ICD-10-CA, ICD-10-NL, SNOMED System URL OID ActCode STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode 2.16.840.1.113883.5.4 ICD-10-CM http://hl7.org/fhir/sid/icd-10-cm 2.16.840.1.113883.6.90 ICD-10-CA http://hl7.org/fhir/sid/icd-10-ca 2.16.840.1.113883.6.94 ICD-10-NL http://hl7.org/fhir/sid/icd-10-nl 2.16.840.1.113883.6.3.2 SNOMED http://snomed.info/sct 2.16.840.1.113883.6.96 | Breaking change

System | URL | OID

ActCode | STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode | 2.16.840.1.113883.5.4

ICD-10-CM | http://hl7.org/fhir/sid/icd-10-cm | 2.16.840.1.113883.6.90

ICD-10-CA | http://hl7.org/fhir/sid/icd-10-ca | 2.16.840.1.113883.6.94
ICD-10-NL | http://hl7.org/fhir/sid/icd-10-nl | 2.16.840.1.113883.6.3.2
SNOMED | http://snomed.info/sct | 2.16.840.1.113883.6.96

8.1.53 ServiceRequest.Search (Orders) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/1054-ServiceRequest-Search-Orders-R4.html
Epic API ID | 1054
FHIR version | R4
Categories | Clinical Care Provision
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2020
HTTP method | GET
URL template | api/FHIR/R4/ServiceRequest?encounter={encounter}&onlyscannable={onlyscannable}&patient={patient}&requester={requester}&status={status}&subject={subject}&category={category}&identifier={identifier}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=1054

Description

ServiceRequest.Search (Orders) allows searching for non-medication orders for a patient, such as procedures,
audiology,
cultures, ECGs, EKGs, imaging orders, lab orders, microbiology orders,
pathology, or radiology
orders.
What is considered a procedure,
audiology,
culture, ECG, EKG, imaging, lab, microbiology,
pathology
, or
radiology
order varies between organizations and might need coordination between the third party system and the Epic organization.
To improve performance, we recommend using category, code, authored, and status search parameters when possible.
Note: The STU3 version of this API is called ProcedureRequest.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
_count | String | Optional | Yes | | Number of results per page.
_id | String | Optional | Yes | | FHIR resource IDs for the desired resources. Can be used in combination with _count, _include, and _revInclude. All others will be ignored.
_include | String | Optional | Yes | | Used to indicate which referenced resources to include in the search bundle.
_revinclude | String | Optional | Yes | | Used to include Provenance or AuditEvent resources that refer to search results, when available.
authored | String | Optional | Yes | | The order instant. This is the date and time when the order is signed or signed and held. Available starting in the February 2024 version of Epic. Refer to this document on how to format a date or dateTime range in a query.
category | String | Optional | Yes | | Category for the order in theformat <system>|<category>, where: system: OID or URN unique to the environment, like 1.2.840.114350.1.13.0.1.7.10.798268.30 or urn:oid:1.2.840.114350.1.13.0.1.7.10.798268.30 code: Epic category value for Order Type Note the "system" string for the above codes will be unique for each organization. Use the system above for the Sandbox. When working with any other environment, the organization you integrate with might need to provide the system OID value for their system. Starting in February 2024, the US Core ServiceRequest Category Codes can also be used in searches if the organization has performed mapping build, with system of http://snomed.info/sct for SNOMED codes and http://hl7.org/fhir/us/core/CodeSystem/us-core-category for concepts with codes that are not SNOMED codes. Searching with category=<system>|<category> is recommended. A search where category=<category> is more likely to return results from other sub-resources.
code | String | Optional | Yes | | The standard terminology codes mapped to the procedure. Available starting in February 2024. If no system is provided, the code is used to check against all codes in potential orders to return. If providing a system, the system and code must be in <system>|<code> format. Supported coding systems: CPT: http://www.ama-assn.org/go/cpt SNOMED: http://snomed.info/sct LOINC: http://loinc.org THL: 1.2.246.537.6.2.2007 Kuntalliitto: 1.2.246.537.6.3.2006
encounter | String | Conditional | Yes | | Reference to an Encounter resource the ServiceRequest is in. Either the encounter, patient, or subject must be provided.
onlyscannable | String | Optional | Yes | | If set to the string “true”, only orders and procedures that the user can scan to are returned in the response. This parameter can only be used as part of a user facing SMART on FHIR EHR Launch with a login department context.
patient | String | Conditional | Yes | | Reference to a Patient resource for which the request is ordered. Either the encounter, patient, or subject must be provided.

requester | String | Optional | Yes | | Reference to a Practitioner resource who is the authorizing provider for the ServiceRequest.
status | String | Optional | Yes | | The status of the request. Supported values include: draft active completed revoked unknown This service returns all statuses if this element is not specified.
subject | String | Conditional | Yes | | Reference to a Patient resource for which the request is ordered. Either the encounter, patient, or subject must be provided.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
identifier | String | Optional | Yes | | The system-specific identifier for the ServiceRequest resource. Available starting in the August 2024 version of Epic.
intent | String | Optional | Yes | | The purpose behind the ServiceRequest. Epic supported values include: filler-order order original-order plan proposal reflex-order
priority | String | Optional | Yes | | The priority of the ServiceRequest. The value to search with depends on custom mapping configuration completed by the Epic organization.

Response elements

Name | Type | Optional | Array | Cardinality | Description
ServiceRequest (R4) | Resource | | | | An instance of the R4 ServiceRequest resource.
ServiceRequest (R4).asNeededBoolean | Boolean | | | 0..1 | If set to true, indicates that the order is only performed as needed, PRN, within the specified schedule.
ServiceRequest (R4).authoredOn | dateTime | | | 1..1 | The order instant. This is the date and time of when an order is signed or signed and held.
ServiceRequest (R4).basedOn | Reference | | Yes | 1..* | Reference to one or more of the following: A ServiceRequest (Orders) resource corresponding to the parent order. Included if the order is a child order. A CarePlan (Oncology) resource corresponding to the treatment plan or therapy plan from which the procedure was ordered. Included if the order was placed from a treatment plan or therapy plan. A ServiceRequest (Order Template Procedure) resource corresponding to the order template. Included if the order is from a treatment or therapy plan.
ServiceRequest (R4).category | CodeableConcept | | Yes | 1..* | The order type for the ServiceRequest. Always includes the Epic order type identifier. Starting in the February 2024 release of Epic, can also include US Core ServiceRequest Category codes if the Epic organization has completed additional configuration.
ServiceRequest (R4).code | CodeableConcept | | | 1..1 | The standard terminology codes mapped to the procedure, which can include LOINC, SNOMED, CPT, CBV, THL, or Kuntalitto codes.
ServiceRequest (R4).doNotPerform | boolean | | | 0..1 | Returns whether the ServiceRequest should not be performed. This is set to true if the status is draft, revoked, or unknown.
ServiceRequest (R4).encounter | Reference | | | 0..1 | The Encounter resource associated with this ServiceRequest.
ServiceRequest (R4).encounter.display | String | | | 1..1 | The display name of the Encounter resource.
ServiceRequest (R4).encounter.identifier | Identifier | | | 1..1 | The visit identifier for the referenced Encounter resource.
ServiceRequest (R4).encounter.reference | String | | | 0..1 | A reference to the associated Encounter resource, if available. In some cases, there is only a display text value for the encounter.
ServiceRequest (R4).extension (is-scannable-encounter) (also: extension (is-scannable-encounter)) | Extension | | Yes | 1..* | If true, this order or procedure is scannable. URL: http://open.epic.com/FHIR/StructureDefinition/extension/is-scannable-encounter
ServiceRequest (R4).id | id | | | 1..1 | FHIR ServiceRequest ID.
ServiceRequest (R4).identifier | Identifier | | Yes | 1..* | The system-specific identifiers for the ServiceRequest resource.
ServiceRequest (R4).intent | code | | | 1..1 | The purpose behind the ServiceRequest. Epic supported values include: filler-order order original-order plan proposal reflex-order
ServiceRequest (R4).note | Annotation | | Yes | 1..* | Ordering comments for the ServiceRequest, typically free text.
ServiceRequest (R4).occurrencePeriod | Period | | | 0..1 | This element returns the start and end time for the procedure. Available starting in the February 2024 version of Epic.
ServiceRequest (R4).occurrenceTiming | Timing | | | 0..1 | This event element is populated for auto-released orders. This element is used in November 2023 and earlier. Starting February 2024 and later, occurenceTiming will only be returned if there is no start and end time for the order. Otherwise, see occurrencePeriod.
ServiceRequest (R4).occurrenceTiming.code | CodeableConcept | | | 0..1 | The frequency name and description. This element can be configured to use a custom mapping configuration completed by the Epic organization. This field returns the interval for Outpatient procedures orders.
ServiceRequest (R4).occurrenceTiming.event | String | | Yes | 0..* | The event element is populated for auto-released orders. Includes an array of the times that each occurrence of the order was released. If the order has child orders with release dates, those are returned. If not, the parent order's scheduled instants are returned.
ServiceRequest (R4).occurrenceTiming.repeat | BackboneElement | | | 1..1 | When the order is to occur.
ServiceRequest (R4).occurrenceTiming.repeat.boundsPeriod | Period | | | 1..1 | Includes a start and an end element that hold the start and end times for the order.
ServiceRequest (R4).occurrenceTiming.repeat.count | Int64 | | | 0..1 | The number of occurrences of the order. For PRN orders, the count is returned as 1.
ServiceRequest (R4).occurrenceTiming.repeat.countMax | Int64 | | | 0..1 | The maximum number of occurrences of the order for a PRN order.
ServiceRequest (R4).occurrenceTiming.repeat.frequency | Int64 | | | 0..1 | How many times the order occurs in the given period.
ServiceRequest (R4).occurrenceTiming.repeat.period | decimal | | | 0..1 | The period of time used to define the cycle length of a frequency. For example, an order that occurs once every 6 hours has a period of 6 hours.
ServiceRequest (R4).occurrenceTiming.repeat.periodUnit | code | | | 0..1 | The time unit for the period, in UCUM representation where: Minutes="min" Hour="h" Day="d" Week="wk" Month="mo"
ServiceRequest (R4).occurrenceTiming.repeat.when | String | | Yes | 1..* | The time of day the occurrence happens.
ServiceRequest (R4).patientInstruction | String | | | 0..1 | Returns patient instructions related to order timing for a ServiceRequest.
ServiceRequest (R4).priority | String | | | 0..1 | The priority of the ServiceRequest.
ServiceRequest (R4).quantityQuantity | Quantity | | | 0..1 | Returns a value of the quantity of the service requested.
ServiceRequest (R4).reasonCode | CodeableConcept | | Yes | 0..* | The standard terminology codes mapped to the diagnosis, which can include LOINC, SNOMED, CPT, CBV, THL, or Kuntalitto codes. Starting in November 2024, each code also sends its display name. In patient context, this element is not returned if they are hidden from the patient at the diagnosis or system level.
ServiceRequest (R4).requester | Reference | | | 1..1 | Who or what is requesting the service. Reference to a Practitioner resource.

ServiceRequest (R4).specimen | Reference | | Yes | 1..* | Reference to a Specimen resource. The Specimen resource returns information about specimens used in diagnostic testing relating to the ServiceRequest.
ServiceRequest (R4).status | code | | | 1..1 | The status of the request. Supported values include: draft active completed revoked unknown
ServiceRequest (R4).subject | Reference | | | 1..1 | Reference to a Patient resource for whom the ServiceRequest was made.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/ServiceRequest?encounter=eqdxzjc43imrea1ykea5uaw3&category=1.2.840.114350.1.13
    .861.1.7.10.798268.30|1&status=active,completed&authored=gt2021-02-01
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 2,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/ServiceRequest?authored=ge2021-02-
    02T06%3A00%3A00Z&category=urn%3Aoid%3A1.2.840.114350.1.13.0.1.7.10.798268.30|1&patient=enh2Q1c0oNRtWzXArnG4tKw3"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/ServiceRequest/e5PHNjkfbS6dZsbdqOEof7QmKhEjoN3yixyjQMlKF.543"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/R4/ServiceRequest/e5PHNjkfbS6dZsbdqOEof7QmKhEjoN3yixyjQMlKF.543",
      "resource": {
        "resourceType": "ServiceRequest",
        "id": "e5PHNjkfbS6dZsbdqOEof7QmKhEjoN3yixyjQMlKF.543",
        "identifier": [
          {
            "use": "usual",
            "type": {
              "coding": [
                {
                  "system": "http://terminology.hl7.org/CodeSystem/v2-0203",
                  "code": "PLAC",
                  "display": "Placer Identifier"
                }
              ],
              "text": "Placer Identifier"
            },
            "system": "urn:oid:1.2.840.114350.1.13.0.1.7.2.798268",
            "value": "1109719"
          }
        ],
        "status": "active",
        "intent": "original-order",
        "category": [
          {
            "coding": [
              {
                "system": "urn:oid:1.2.840.114350.1.13.0.1.7.10.798268.30",
                "code": "1",
                "display": "Procedures"
              }
            ],
            "text": "Procedures"
          }
        ],
        "priority": "routine",
        "code": {
          "coding": [
            {
              "system": "http://www.ama-assn.org/go/cpt",
              "code": "109379",
              "display": "IHEALTH PEF ORDER"
            }
          ],
          "text": "IHEALTH PEF ORDER"
        },
        "quantityQuantity": {
          "value": 1
        },
        "subject": {
          "reference": "Patient/enh2Q1c0oNRtWzXArnG4tKw3",
          "display": "Test, Sample"
        },
        "encounter": {
          "reference": "Encounter/elZFhgGsZz2hME25Qkgb0SQ3",
          "identifier": {
            "use": "usual",
```

```
        "system": "urn:oid:1.2.840.114350.1.13.0.1.7.3.698084.8",
        "value": "1833"
      },
      "display": "Hospital Encounter"
    },
    "occurrencePeriod": {
      "start": "2021-02-19T06:00:00Z"
    },
    "authoredOn": "2021-02-20T01:41:36Z",
    "requester": {
      "reference": "Practitioner/eM5CWtq15N0WJeuCet5bJlQ3",
      "type": "Practitioner",
      "display": "Physician Family Medicine, MD"
    },
    "reasonCode": [
      {
        "coding": [
          {
            "system": "http://snomed.info/sct",
            "code": "426232007",
            "display": "Environmental allergy (finding)"
          },
          {
            "system": "http://hl7.org/fhir/sid/icd-9-cm",
            "code": "V15.09",
            "display": "Other allergy, other than to medicinal agents"
          },
          {
            "system": "http://hl7.org/fhir/sid/icd-10-cm",
            "code": "Z91.09",
            "display": "Other allergy status, other than to drugs and biological substances"
          }
        ],
        "text": "Environmental allergies"
      }
    ],
    "note": [
      {
        "text": "Complete these items with the assistance of your iHealth device.\r\n "
      }
    ]
  },
  "search": {
    "mode": "match"
  }
},
{
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/ServiceRequest/eDAF1FKeb5lmxBA68nE0cJTL8bVFQXMvqOM4MntiN6Mw3"
    }
  ],
  "fullUrl": "https://hostname/instance/api/FHIR/R4/ServiceRequest/eDAF1FKeb5lmxBA68nE0cJTL8bVFQXMvqOM4MntiN6Mw3",
  "resource": {
    "resourceType": "ServiceRequest",
    "id": "eDAF1FKeb5lmxBA68nE0cJTL8bVFQXMvqOM4MntiN6Mw3",
    "identifier": [
      {
        "use": "usual",
        "type": {
          "coding": [
            {
              "system": "http://terminology.hl7.org/CodeSystem/v2-0203",
              "code": "PLAC",
              "display": "Placer Identifier"
            }
          ],
          "text": "Placer Identifier"
        },
        "system": "urn:oid:1.2.840.114350.1.13.0.1.7.2.798268",
        "value": "1109720"
      }
    ],
    "status": "active",
    "intent": "original-order",
    "category": [
      {
        "coding": [
          {
            "system": "urn:oid:1.2.840.114350.1.13.0.1.7.10.798268.30",
            "code": "1",
            "display": "Procedures"
          }
        ],
        "text": "Procedures"
      }
    ],
    "priority": "routine",
```

```
        "code": {
          "coding": [
            {
              "system": "http://www.ama-assn.org/go/cpt",
              "code": "109380",
              "display": "VOLUMETRIX NIVA ORDER"
            }
          ],
          "text": "VOLUMETRIX NIVA ORDER"
        },
        "quantityQuantity": {
          "value": 1
        },
        "subject": {
          "reference": "Patient/enh2Q1c0oNRtWzXArnG4tKw3",
          "display": "Test, Sample"
        },
        "encounter": {
          "reference": "Encounter/eYWExOnM9wfSn4pRqourt6Q3",
          "identifier": {
            "use": "usual",
            "system": "urn:oid:1.2.840.114350.1.13.0.1.7.3.698084.8",
            "value": "27445"
          },
          "display": "Office Visit"
        },
        "occurrencePeriod": {
          "start": "2021-03-12T06:00:00Z"
        },
        "authoredOn": "2021-03-12T18:06:45Z",
        "requester": {
          "reference": "Practitioner/eM5CWtq15N0WJeuCet5bJlQ3",
          "type": "Practitioner",
          "display": "Physician Family Medicine, MD"
        },
        "reasonCode": [
          {
            "coding": [
              {
                "system": "http://snomed.info/sct",
                "code": "426232007",
                "display": "Environmental allergy (finding)"
              },
              {
                "system": "http://hl7.org/fhir/sid/icd-9-cm",
                "code": "V15.09",
                "display": "Other allergy, other than to medicinal agents"
              },
              {
                "system": "http://hl7.org/fhir/sid/icd-10-cm",
                "code": "Z91.09",
                "display": "Other allergy status, other than to drugs and biological substances"
              }
            ],
            "text": "Environmental allergies"
          }
        ],
        "note": [
          {
            "text": "Complete these items with the assistance of your Volumetrix device.\r\n "
          }
        ]
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


Change log

Epic Version | Description | Type
November 2022 | Code systems for the following code sets now return a URL in place of an OID: ActCode, ICD-10-CM, ICD-10-CA, ICD-10-NL, SNOMED System URL OID ActCode STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode 2.16.840.1.113883.5.4 ICD-10-CM http://hl7.org/fhir/sid/icd-10-cm 2.16.840.1.113883.6.90 ICD-10-CA http://hl7.org/fhir/sid/icd-10-ca 2.16.840.1.113883.6.94 ICD-10-NL http://hl7.org/fhir/sid/icd-10-nl 2.16.840.1.113883.6.3.2 SNOMED http://snomed.info/sct 2.16.840.1.113883.6.96 | Breaking change
System | URL | OID
ActCode | STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode | 2.16.840.1.113883.5.4
ICD-10-CM | http://hl7.org/fhir/sid/icd-10-cm | 2.16.840.1.113883.6.90
ICD-10-CA | http://hl7.org/fhir/sid/icd-10-ca | 2.16.840.1.113883.6.94
ICD-10-NL | http://hl7.org/fhir/sid/icd-10-nl | 2.16.840.1.113883.6.3.2
SNOMED | http://snomed.info/sct | 2.16.840.1.113883.6.96

8.1.54 Task.Read (Community Resource) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10085-Task-Read-Community-Resource-R4.html
Epic API ID | 10085
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
API group | Community Resource Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | May 2021
HTTP method | GET
URL template | /api/FHIR/R4/Task/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10085

Description

Task.Read (Community Resource) allows a client to look up a task associated with referral requests made through Continued Care & Services Coordination (CCSC) workflows in Epic, such as a post-discharge service request for durable medical equipment (DME) or social services.

This resource includes general information about the task, including the description of the task, the patient to whom it applies, who is expected to perform the task, and the task's status.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | FHIR identifier for a Task resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Task | Resource | False | | | A single instance of an R4 Task FHIR resource.
Task.authoredOn | String | False | | | The date and time when the task was created.
Task.basedOn | Reference | False | Yes | | Reference to a ServiceRequest resource that is fulfilled by this task. Each task can be “based on” only one ServiceRequest.
Task.code | CodeableConcept | False | | | The FHIR codeable concept: hardcoded to a code for “community-resource” tasks. Used as a Search parameter to differentiate between this and other tasks.
Task.encounter | Reference | False | | | Reference to an encounter resource. This matches the Encounter ID used from the Epic FHIR notification Web Service.
Task.for | Reference | False | | | Beneficiary of the Task. Reference to a patient resource.
Task.intent | code | False | | | The FHIR intent code: TaskIntent.
Task.lastModified | String | False | | | The date and time when the task was last modified.
Task.extension (also: multiple-statusReason) | Extension | True | Yes | | Reasons for the current status. If Task.status = declined, then multiple-statusReason might contain multiple decline reasons. This field is an extension of Task. If there is only one decline reason, statusReason is used instead and multiple-statusReason remains blank. If Task status = received, then multiple-statusReason might contain multiple follow-up actions. This field is an extension of Task. If there is only one follow-up action, statusReason is used instead and multiple-statusReason remains blank. Each such extension contains the following. url (uri) defines the custom field type: http://open.epic.com/FHIR/StructureDefinition/extension/multiple-statusReason valueCodeableConcept (valueCodeableConcept) contains the decline reason and has the same structure as statusReason valueCodeableConcept (valueCodeableConcept) contains the follow-up action and has the same structure as statusReason
Task.owner | Reference | False | | | Requested owner. The reference to an Organization, where the referral request is going, for example the CBO. In the Organization resource, the following information is stored: identifier (identifier): contains the external CBO ID that was given when the record was imported into the Epic system. There is always at least one CBO identifier. name (string): CBO name
Task.priority | code | False | | | The FHIR priority code: RequestPriority.
Task.requester | Reference | False | | | Reference to a practitioner resource. Returns only one requestor.
Task.status | code | False | | | The FHIR status code: TaskStatus.
Task.statusReason | CodeableConcept | True | | | Reason for the current status. If Task.status = declined, then statusReason might contain a decline reason. If there are multiple decline reasons, then the multiple-statusReason extension field is used instead and statusReason remains blank. If Task.status = received, then statusReason might contain a follow-up action. If there are multiple follow-up actions, then the multiple-statusReason extension field is used instead and statusReason remains blank. If Task.status = completed, then statusReason might contain a completed outcome.

Sample request

```
https://hostname/instance/api/FHIR/R4/Task/ekCjSHEWVMUgFHwfCb9zs2jpPVEWAsc4xQDpe4mkfGv1ojxW3FacvNEgAk9rCQnaA3
```

Sample response


```
{
  "resourceType": "Task",
  "id": "ekCjSHEWVMUgFHwfCb9zs2jpPVEWAsc4xQDpe4mkfGv1ojxW3FacvNEgAk9rCQnaA3",
  "basedOn": [
```

```
    {
      "reference": "ServiceRequest/ei8heRU43B1l2-9C0oLEBqQ5AYtviSuQfYqa88JOuDSfzs0MqCge2SbTopiAFHyvc3"
    }
  ],
  "status": "in-progress",
  "intent": "plan",
  "priority": "routine",
  "code": {
    "coding": [
      {
        "system": "http://open.epic.com/FHIR/StructureDefinition/task-code",
        "code": "community-resource",
        "display": "Community Resource"
      }
    ],
    "text": "Community Resource"
  },
  "for": {
    "reference": "Patient/e3bocG4WUmYs-4EEpDMu6Zg3",
    "display": "Patient, Alpha"
  },
  "encounter": {
    "reference": "Encounter/e6hm4IfEYx2R.i5Q82n7ngBF66MtWOQH2TJCmwiDSuAU3"
  },
  "authoredOn": "2021-01-22T05:46:23Z",
  "lastModified": "2021-01-22T05:46:31Z",
  "requester": {
    "reference": "Practitioner/ectBdL9yLwfiRop1f5LsU6A3",
    "display": "Susanna Sammer, MSW"
  },
  "owner": {
    "reference": "Organization/eCRht0iEj9hRDtHLSaFXsBQ3",
    "display": "Alternative Medicine (Fhir)"
  }
}
```


8.1.55 Task.Read (Episode Checklist) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10292-Task-Read-Episode-Checklist-R4.html
Epic API ID | 10292
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Task/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10292

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | FHIR identifier for a Task resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Task | Resource | False | | | A single instance of an R4 Task FHIR resource.
Task.authoredOn | String | False | | | The date the task is added.
Task.businessStatus | CodeableConcept | True | | | The task step.
Task.description | String | False | | | The name of the task.
Task.executionPeriod | Period | True
Task.executionPeriod.end | String | True | | | The task completion date.
Task.groupIdentifier | Identifier | True | | | Applies to transplant and pregnancy episode tasks. For transplant tasks, the phase of the episode during which the task is added or, if the task is completed, the phase during which it is completed. For pregnancy tasks, the Gestational Age Range group the task is in.
Task.input | Input | True | Yes | | Includes the type of documentation used to complete the task and a reference to it.
Task.input.type | CodeableConcept | False | | | The type of documentation used to auto complete the task.
Task.input.valueReference | Reference | False | | | Reference to the documentation used to auto complete the task
Task.intent | code | False | | | This always returns “plan” for episode checklist tasks.
Task.note | Annotation | True | Yes | | The task comments.
Task.output | Output | True | Yes | | The outcome of the task.
Task.output.type | CodeableConcept | False | | | This always returns “Outcome” for episode checklist tasks.
Task.output.valueCodeableConcept | CodeableConcept | False | | | The outcome of the task.
Task.owner | Reference | True | | | The responsible user or pool of users when the task is incomplete. The user who completed the task when the task is completed.

Task.priority | code | True | | | The task priority. Possible values are routine, urgent, asap, and stat.
Task.restriction | Restriction | False | | | The task period.
Task.restriction.period | Period | True
Task.status | code | False | | | The status of the task. Possible values are cancelled, in-progress, and completed.

Sample request

```
https://hostname/instance/api/FHIR/R4/Task/eEUOM0Y6soxikgoZlz4uC2IUK5WmVILuMELF8uDBHpe43
```

Sample response


```
{
  "resourceType": "Task",
  "id": "eEUOM0Y6soxikgoZlz4uC2IUK5WmVILuMELF8uDBHpe43",
  "groupIdentifier": {
    "system": "urn:oid:1.2.840.114350.1.72.1.7.7.10.728366.30105",
    "value": "Evaluation"
  },
  "status": "completed",
  "businessStatus": {
    "coding": [
      {
        "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.768475.53106",
        "code": "2",
        "display": "Reviewed"
      }
    ]
  },
  "intent": "plan",
  "priority": "routine",
  "code": {
    "coding": [
      {
        "system": "http://open.epic.com/FHIR/StructureDefinition/task-code",
        "code": "episode-checklist",
        "display": "Episode Checklist Task"
      }
    ],
    "text": "Episode Checklist Task"
  },
  "description": "ABO #1",
  "focus": {
    "reference": "EpisodeOfCare/eM7jDeamnanl6unEst8pl0g3",
    "type": "EpisodeOfCare",
    "display": "Kidney Transplant Evaluation - 8/16/2021 - WIUW"
  },
  "encounter": {
    "reference": "Encounter/ep7tFI27cOdov8Dh1HRxGGJHMQuBNoDK27sk7BA4gi4s3",
    "type": "Encounter"
  },
  "executionPeriod": {
    "end": "2021-10-14T05:00:00Z"
  },
  "authoredOn": "2021-10-14",
  "owner": {
    "reference": "Practitioner/e2nnNsnSzL89ArJbPl2EY-w3",
    "display": "Cori Ryne, MD"
  },
  "note": [
    {
      "text": "This is the patient's 1st ABO result.\r\n\r\n"
    }
  ],
  "restriction": {
    "period": {
      "end": "2021-09-15T05:00:00Z"
    }
  },
  "input": [
    {
      "type": {
        "text": "Procedure Auto-completing Task"
      },
      "valueReference": {
        "reference": "DiagnosticReport/ei4JbBx7hY73QeQQ-tPVdv1RIAG2J1nf8S.ynJ3uyLgg3",
        "type": "DiagnosticReport"
      }
    }
  ],
  "output": [
    {
      "type": {
        "text": "Outcome"
      },
      "valueCodeableConcept": {
        "coding": [
          {
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.768475.53107",
```

```
          "code": "1001",
          "display": "Done"
        }
      ]
    }
  }
 ]
}
```


8.1.56 Task.Search (Community Resource) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10086-Task-Search-Community-Resource-R4.html
Epic API ID | 10086
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
API group | Community Resource Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | May 2021
HTTP method | GET
URL template | /api/FHIR/R4/Task?code={code}&encounter={encounter}&patient={patient}&subject={subject}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10086

Description

Task.Search (Community Resource) allows a client to search for tasks associated with referral requests made through Continued Care & Services Coordination (CCSC) workflows in Epic, such as a post-discharge service request for durable medical equipment (DME) or social services.

This resource includes general information about the tasks, including the description of the task, the patient to whom it applies, who is expected to perform the task, and the task's status.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
code | String | True | | | Search for “community-resource” type of tasks only. This corresponds to Community Resource Tasks and is used to refine to only such Tasks. If not specified, all valid Task resources/subresources are returned.
encounter | String | Either the patient, subject, or encounter must be provided. | | | Reference to the encounter that the Task belongs to.
patient | String | Either the patient, subject, or encounter must be provided. | | | Search for Task resources for a specified patient ID. You can use both "patient" and "subject", but if you use both they must look to the same value.
subject | String | Either the patient, subject, or encounter must be provided. | | | Search for Task resources for a specified subject. You can use both "patient" and "subject", but if you use both they must look to the same value.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | True | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | True | | | A container for a single FHIR resource.
Bundle.entry.resource.Task | Resource | False | | | A single instance of an R4 Task FHIR resource.
Bundle.entry.resource.Task.authoredOn | String | False | | | The date and time when the task was created.
Bundle.entry.resource.Task.basedOn | Reference | False | Yes | | Reference to a ServiceRequest resource that is fulfilled by this task. Each task can be “based on” only one ServiceRequest.
Bundle.entry.resource.Task.code | CodeableConcept | False | | | The FHIR codeable concept: hardcoded to a code for “community-resource” tasks. Used as a Search parameter to differentiate between this and other tasks.
Bundle.entry.resource.Task.encounter | Reference | False | | | Reference to an encounter resource. This matches the Encounter ID used from the Epic FHIR notification Web Service.
Bundle.entry.resource.Task.for | Reference | False | | | Beneficiary of the Task. Reference to a patient resource.
Bundle.entry.resource.Task.intent | code | False | | | The FHIR intent code: TaskIntent.
Bundle.entry.resource.Task.lastModified | String | False | | | The date and time when the task was last modified.
Bundle.entry.resource.Task.extension (also: multiple-statusReason) | Extension | True | Yes | | Reasons for the current status. If Task.status = declined, then multiple-statusReason might contain multiple decline reasons. This field is an extension of Task. If there is only one decline reason, statusReason is used instead and multiple-statusReason remains blank. Each such extension contains the following. url (uri) defines the custom field type: http://open.epic.com/FHIR/StructureDefinition/extension/multiple-statusReason valueCodeableConcept (valueCodeableConcept) contains the decline reason and has the same structure as statusReason
Bundle.entry.resource.Task.owner | Reference | False | | | Requested owner. The reference to an Organization, where the referral request is going, for example the CBO. In the Organization resource, the following information is stored: identifier (identifier): contains the external CBO ID that was given when the record was imported into the Epic system. There is always at least one CBO identifier. name (string): CBO name
Bundle.entry.resource.Task.priority | code | False | | | The FHIR priority code: RequestPriority.
Bundle.entry.resource.Task.requester | Reference | False | | | Reference to a practitioner resource. Returns only one requestor.
Bundle.entry.resource.Task.status | code | False | | | The FHIR status code: TaskStatus.

Bundle.entry.resource.Task.statusReason | CodeableConcept | True | | | Reason for the current status. If Task.status = declined, then statusReason might contain a decline reason. If there are multiple decline reasons, then the multiple-statusReason extension field is used instead and statusReason remains blank. If Task.status = completed, then statusReason might contain a completed outcome.

Sample request

```
https://hostname/instance/api/FHIR/R4/Task?encounter=enA3gZUApQ1sTHm8lJ7Fvwgzv.nNjaULUDo1F7qlXrIE3&_include=Task:basedOn
```

Sample response

```
<Bundle xmlns="http://hl7.org/fhir">
  <type value="searchset"/>
  <total value="3"/>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/R4/Task?encounter=enA3gZUApQ1sTHm8lJ7Fvwgzv.nNjaULUDo1F7qlXrIE3&amp;_
    include=Task:basedOn"/>
  </link>
  <entry>
    <link>
      <relation value="self"/>
      <url
    value="https://hostname/instance/api/FHIR/R4/Task/e9RvDDVWbQBaOmXEvKaGyb.fH04NmOiP1EKnnKvHvCvczSy1alEsEFnVPYdhI4ywc3
    "/>
    </link>
    <fullUrl
    value="https://hostname/instance/api/FHIR/R4/Task/e9RvDDVWbQBaOmXEvKaGyb.fH04NmOiP1EKnnKvHvCvczSy1alEsEFnVPYdhI4ywc3
    "/>
    <resource>
      <Task>
        <id value="e9RvDDVWbQBaOmXEvKaGyb.fH04NmOiP1EKnnKvHvCvczSy1alEsEFnVPYdhI4ywc3"/>
        <basedOn>
          <reference value="ServiceRequest/e3lKhherkk5SKYTHIaLwU.r8NqxlvTECuALw3ejVg4zEQebZNOyzfJN.oBhmBC57d3"/>
        </basedOn>
        <status value="requested"/>
        <intent value="plan"/>
        <priority value="routine"/>
        <code>
          <coding>
            <system value="http://open.epic.com/FHIR/StructureDefinition/task-code"/>
            <code value="community-resource"/>
            <display value="Community Resource"/>
          </coding>
          <text value="Community Resource"/>
        </code>
        <for>
          <reference value="Patient/e2AveBQUoFNSZ6S1gdeWTqg3"/>
          <display value="Patient, Alpha"/>
        </for>
        <encounter>
          <reference value="Encounter/enA3gZUApQ1sTHm8lJ7Fvwgzv.nNjaULUDo1F7qlXrIE3"/>
        </encounter>
        <authoredOn value="2020-11-03T05:11:30Z"/>
        <lastModified value="2020-11-03T05:11:30Z"/>
        <requester>
          <reference value="Practitioner/eYfgeG--O.NMBuI8Sg5vbKA3"/>
          <display value="Social Worker Tyler"/>
        </requester>
        <owner>
          <reference value="Organization/een72QhAZF8VWLFAFEgC6sQ3"/>
          <display value="Ven A Cbo Foodbank 1 (Fhir)"/>
        </owner>
      </Task>
    </resource>
    <search>
      <mode value="match"/>
    </search>
  </entry>
  <entry>
    <link>
      <relation value="self"/>
      <url
    value="https://hostname/instance/api/FHIR/R4/Task/e9RvDDVWbQBaOmXEvKaGyb.fH04NmOiP1EKnnKvHvCvdb14OpwDpqBxa5aXREBqcz3
    "/>
    </link>
    <fullUrl
    value="https://hostname/instance/api/FHIR/R4/Task/e9RvDDVWbQBaOmXEvKaGyb.fH04NmOiP1EKnnKvHvCvdb14OpwDpqBxa5aXREBqcz3
    "/>
    <resource>
      <Task>
        <id value="e9RvDDVWbQBaOmXEvKaGyb.fH04NmOiP1EKnnKvHvCvdb14OpwDpqBxa5aXREBqcz3"/>
        <basedOn>
          <reference value="ServiceRequest/e3lKhherkk5SKYTHIaLwU.r8NqxlvTECuALw3ejVg4zE-eG-v4wdqu94feMpCUI.G3"/>
        </basedOn>
        <status value="requested"/>
        <intent value="plan"/>
        <priority value="routine"/>
        <code>
```

```
        <coding>
          <system value="http://open.epic.com/FHIR/StructureDefinition/task-code"/>
          <code value="community-resource"/>
          <display value="Community Resource"/>
        </coding>
        <text value="Community Resource"/>
      </code>
      <for>
        <reference value="Patient/e2AveBQUoFNSZ6S1gdeWTqg3"/>
        <display value="Patient, Alpha"/>
      </for>
      <encounter>
        <reference value="Encounter/enA3gZUApQ1sTHm8lJ7Fvwgzv.nNjaULUDo1F7qlXrIE3"/>
      </encounter>
      <authoredOn value="2020-11-03T05:11:30Z"/>
      <lastModified value="2020-11-03T05:11:30Z"/>
      <requester>
        <reference value="Practitioner/eYfgeG--O.NMBuI8Sg5vbKA3"/>
        <display value="Social Worker Tyler"/>
      </requester>
      <owner>
        <reference value="Organization/eEmsjK476dx2PnYrRhNUv3w3"/>
        <display value="Ven A Cbo Transport 4 (Fhir)"/>
      </owner>
    </Task>
  </resource>
  <search>
    <mode value="match"/>
  </search>
 </entry>
 <entry>
  <link>
    <relation value="self"/>
    <url
  value="https://hostname/instance/api/FHIR/R4/Task/e9RvDDVWbQBaOmXEvKaGyb.fH04NmOiP1EKnnKvHvCvep1ABBo2hZ7fb5LA9tNoQt3
  "/>
  </link>
  <fullUrl
  value="https://hostname/instance/api/FHIR/R4/Task/e9RvDDVWbQBaOmXEvKaGyb.fH04NmOiP1EKnnKvHvCvep1ABBo2hZ7fb5LA9tNoQt3
  "/>
  <resource>
    <Task>
      <id value="e9RvDDVWbQBaOmXEvKaGyb.fH04NmOiP1EKnnKvHvCvep1ABBo2hZ7fb5LA9tNoQt3"/>
      <basedOn>
        <reference value="ServiceRequest/e3lKhherkk5SKYTHIaLwU.r8NqxlvTECuALw3ejVg4zEJJvqhgsumkECCvW2NCpsL3"/>
      </basedOn>
      <status value="rejected"/>
      <intent value="plan"/>
      <priority value="routine"/>
      <code>
        <coding>
          <system value="http://open.epic.com/FHIR/StructureDefinition/task-code"/>
          <code value="community-resource"/>
          <display value="Community Resource"/>
        </coding>
        <text value="Community Resource"/>
      </code>
      <for>
        <reference value="Patient/e2AveBQUoFNSZ6S1gdeWTqg3"/>
        <display value="Patient, Alpha"/>
      </for>
      <encounter>
        <reference value="Encounter/enA3gZUApQ1sTHm8lJ7Fvwgzv.nNjaULUDo1F7qlXrIE3"/>
      </encounter>
      <authoredOn value="2020-11-03T05:11:30Z"/>
      <lastModified value="2021-01-13T20:42:22Z"/>
      <requester>
        <reference value="Practitioner/eYfgeG--O.NMBuI8Sg5vbKA3"/>
        <display value="Social Worker Tyler"/>
      </requester>
      <owner>
        <reference value="Organization/eSfOIkar.tvfNdVBvOPDOGA3"/>
        <display value="Ven A Cbo Transport 5 (Fhir)"/>
      </owner>
    </Task>
  </resource>
  <search>
    <mode value="match"/>
  </search>
 </entry>
</Bundle>
```


8.1.57 Task.Search (Episode Checklist) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10296-Task-Search-Episode-Checklist-R4.html
Epic API ID | 10296
FHIR version | R4

Categories | Clinical Care Provision
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Task?code={code}&encounter={encounter}&focus={focus}&patient={patient}&status={status}&subject={subject}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10296

Request parameters

Name | Type | Optional | Array | Cardinality | Description
code | String | True | | | Limits the search to a certain type of task. Enter “episode-checklist” for episode checklist tasks.
encounter | String | Either patient, subject, or encounter is required | | | The encounter for which to perform the search.
focus | String | False | | | The episode for which to perform the search.
patient | String | Either patient, subject, or encounter is required | | | The patient FHIR ID for which to perform the search.
status | String | True | | | Limits the search to tasks of certain statuses. Values include “in-progress”, “completed”, and “cancelled”. If not used, in-progress and completed tasks are returned.
subject | String | Either patient, subject, or encounter is required | | | The patient for which to perform the search.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.Task | Resource | False | | | A single instance of an R4 Task FHIR resource.
Bundle.entry.resource.Task.authoredOn | String | False | | | The date the task is added.
Bundle.entry.resource.Task.businessStatus | CodeableConcept | True | | | The task step.
Bundle.entry.resource.Task.description | String | False | | | The name of the task.
Bundle.entry.resource.Task.executionPeriod | Period | True | | | The task completion period.
Bundle.entry.resource.Task.executionPeriod.end | String | True | | | The task completion date.
Bundle.entry.resource.Task.groupIdentifier | Identifier | True | | | Applies to transplant and pregnancy episode tasks. For transplant tasks, the phase of the episode during which the task is added or, if the task is completed, the phase during which it is completed. For pregnancy tasks, the Gestational Age Range group the task is in.
Bundle.entry.resource.Task.input | Input | True | Yes | | Includes the type of documentation used to complete the task and a reference to it.
Bundle.entry.resource.Task.input.type | CodeableConcept | False | | | The type of documentation used to auto complete the task.
Bundle.entry.resource.Task.input.valueReference | Reference | False | | | Reference to the documentation used to auto complete the task.
Bundle.entry.resource.Task.intent | code | False | | | This always returns “plan” for episode checklist tasks.
Bundle.entry.resource.Task.note | Annotation | True | Yes | | The task comments.
Bundle.entry.resource.Task.output | Output | True | Yes | | The outcome of the task.
Bundle.entry.resource.Task.output.type | CodeableConcept | False | | | This always returns “Outcome” for episode checklist tasks.
Bundle.entry.resource.Task.output.valueCodeableConcept | CodeableConcept | False | | | The outcome of the task.
Bundle.entry.resource.Task.owner | Reference | True | | | The responsible user or pool of users when the task is incomplete. The user who completed the task when the task is completed.
Bundle.entry.resource.Task.priority | code | True | | | The task priority. Possible values are routine, urgent, asap, and stat.
Bundle.entry.resource.Task.restriction | Restriction | True | | | The task period.
Bundle.entry.resource.Task.restriction.period | Period | True | | | The task period.
Bundle.entry.resource.Task.restriction.period.end | String | True | | | The task due date.
Bundle.entry.resource.Task.status | code | False | | | The status of the task. Possible values are cancelled, in-progress, and completed.

Sample request

```
https://hostname/instance/api/FHIR/R4/Task?encounter=ep7tFI27cOdov8Dh1HRxGGJHMQuBNoDK27sk7BA4gi4s3&patient=eRKAMfSfGUZ1H
    FGl2QGrHlQ3&code=episode-checklist&status=completed&focus=eM7jDeamnanl6unEst8pl0g3
```

Sample response

```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url":
    "https://hostname/instance/api/FHIR/R4/Task?encounter=ep7tFI27cOdov8Dh1HRxGGJHMQuBNoDK27sk7BA4gi4s3&code=episode-
    checklist&status=completed&focus=eM7jDeamnanl6unEst8pl0g3&patient=eRKAMfSfGUZ1HFGl2QGrHlQ3"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
```

```
    "url": "https://hostname/instance/api/FHIR/R4/Task/eEUOM0Y6soxikgoZlz4uC2IUK5WmVILuMELF8uDBHpe43"
  }
],
"fullUrl": "https://hostname/instance/api/FHIR/R4/Task/eEUOM0Y6soxikgoZlz4uC2IUK5WmVILuMELF8uDBHpe43",
"resource": {
  "resourceType": "Task",
  "id": "eEUOM0Y6soxikgoZlz4uC2IUK5WmVILuMELF8uDBHpe43",
  "groupIdentifier": {
    "system": "urn:oid:1.2.840.114350.1.72.1.7.7.10.728366.30105",
    "value": "Evaluation"
  },
  "status": "completed",
  "businessStatus": {
    "coding": [
      {
        "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.768475.53106",
        "code": "2",
        "display": "Reviewed"
      }
    ]
  },
  "intent": "plan",
  "priority": "routine",
  "code": {
    "coding": [
      {
        "system": "http://open.epic.com/FHIR/StructureDefinition/task-code",
        "code": "episode-checklist",
        "display": "Episode Checklist Task"
      }
    ],
    "text": "Episode Checklist Task"
  },
  "description": "ABO #1",
  "focus": {
    "reference": "EpisodeOfCare/eM7jDeamnanl6unEst8pl0g3",
    "type": "EpisodeOfCare",
    "display": "Kidney Transplant Evaluation - 8/16/2021 - WIUW"
  },
  "encounter": {
    "reference": "Encounter/ep7tFI27cOdov8Dh1HRxGGJHMQuBNoDK27sk7BA4gi4s3",
    "type": "Encounter"
  },
  "executionPeriod": {
    "end": "2021-10-14T05:00:00Z"
  },
  "authoredOn": "2021-10-14",
  "owner": {
    "reference": "Practitioner/e2nnNsnSzL89ArJbPl2EY-w3",
    "display": "Cori Ryne, MD"
  },
  "note": [
    {
      "text": "This is the patient's 1st ABO result.\r\n\r\n"
    }
  ],
  "restriction": {
    "period": {
      "end": "2021-09-15T05:00:00Z"
    }
  },
  "input": [
    {
      "type": {
        "text": "Procedure Auto-completing Task"
      },
      "valueReference": {
        "reference": "DiagnosticReport/ei4JbBx7hY73QeQQ-tPVdv1RIAG2J1nf8S.ynJ3uyLgg3",
        "type": "DiagnosticReport"
      }
    }
  ],
  "output": [
    {
      "type": {
        "text": "Outcome"
      },
      "valueCodeableConcept": {
        "coding": [
          {
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.768475.53107",
            "code": "1001",
            "display": "Done"
          }
        ]
      }
    }
  ]
},
```

```
      "search": {
        "mode": "match"
      }
    }
  ]
}
```

8.1.58 Task.Update (Community Resource) (R4)

File: site/apis/08-Clinical-Care-Provision/1-R4/10087-Task-Update-Community-Resource-R4.html
Epic API ID | 10087
FHIR version | R4
Categories | Clinical Care Provision
API type | Industry-Standard
API group | Community Resource Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | May 2021
HTTP method | PUT
URL template | /api/FHIR/R4/Task/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10087

Description

Task.Update (Community Resource) allows a client to update a task associated with a referral request made through Continued Care & Services Coordination (CCSC) workflows in Epic, such as a post-discharge service request for durable medical equipment (DME) or social services.

This resource includes general information about the task, including the description of the task, the patient to whom it applies, who is expected to perform the task, and the task's status.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
Task | Resource | False | | | A single instance of an R4 Task FHIR resource.
Task.authoredOn | String | False | | | The date and time when the task was created.
Task.basedOn | Reference | False | Yes | | Reference to a ServiceRequest resource that is fulfilled by this task. Each task can be “based on” only one ServiceRequest.
Task.code | CodeableConcept | False | | | The FHIR codeable concept: hardcoded to a code for “community-resource” tasks. Used as a Search parameter to differentiate between this and other tasks.
Task.encounter | Reference | False | | | Reference to an encounter resource. This matches the Encounter ID used from the Epic FHIR notification Web Service.
Task.for | Reference | False | | | Beneficiary of the Task. Reference to a patient resource.
Task.intent | code | False | | | The FHIR intent code: TaskIntent. Always “plan”.
Task.lastModified | String | False | | | The date and time when the task was last modified.
Task.extension (also: multiple-statusReason) | Extension | True | Yes | | Reasons for the current status. If Task.status = declined, then multiple-statusReason might contain multiple decline reasons. This field is an extension of Task. If there is only one decline reason, statusReason is used instead and multiple-statusReason remains blank. If Task status = received, then multiple-statusReason might contain multiple follow-up actions. This field is an extension of Task. If there is only one follow-up action, statusReason is used instead and multiple-statusReason remains blank. Each such extension contains the following. url (uri) defines the custom field type: http://open.epic.com/FHIR/StructureDefinition/extension/multiple-statusReason valueCodeableConcept (valueCodeableConcept) contains the decline reason and has the same structure as statusReason valueCodeableConcept (valueCodeableConcept) contains the follow-up action and has the same structure as statusReason
Task.owner | Reference | False | | | Requested owner. The reference to an Organization, where the referral request is going, for example the CBO. In the Organization resource, the following information is stored: identifier (identifier): contains the external CBO ID that was given when the record was imported into the Epic system. There is always at least one CBO identifier. name (string): CBO name
Task.priority | code | False | | | The FHIR priority code: RequestPriority. Always “routine”.
Task.requester | Reference | False | | | Reference to a practitioner resource. Returns only one requestor.
Task.status | code | False | | | The FHIR status code: TaskStatus.
Task.statusReason | CodeableConcept | True | | | Reason for the current status. If Task.status = declined, then statusReason might contain a decline reason. If there are multiple decline reasons, then the multiple-statusReason extension field is used instead and statusReason remains blank. If Task.status = received, then statusReason might contain a follow-up action. If there are multiple follow-up actions, then the multiple-statusReason extension field is used instead and statusReason remains blank.

Sample request

```
https://hostname/instance/api/FHIR/R4/Task/ebvg8Qy8tsSAz7oLPJgZXUN3gKXtUQEDEo-3.OI.uuPc4PNk82OtWR.VkFa35DGbh3
```

Sample response

```
{
  "resourceType": "Task",
  "id": "ebvg8Qy8tsSAz7oLPJgZXUN3gKXtUQEDEo-3.OI.uuPc4PNk82OtWR.VkFa35DGbh3",
```

```
  "basedOn": [
    {
      "reference": "ServiceRequest/eZykr93PG.4eADHuIA7x31kTgnBtaXdav57aDWVlvDWuIdJoeLBPpgPCHhxWOvVJA3"
    }
  ],
  "status": "rejected",
  "intent": "plan",
  "priority": "routine",
  "code": {
    "coding": [
      {
        "system": "http://open.epic.com/FHIR/StructureDefinition/task-code",
        "code": "community-resource",
        "display": "Community Resource"
      }
    ],
    "text": "Community Resource"
  },
  "for": {
    "reference": "Patient/e5CmvJNKQAN-kUr-XDKfXSQ3",
    "display": "Patient, Bravo"
  },
  "encounter": {
    "reference": "Encounter/ePsDBvsehVaICEzX4yNBTGig.9WVSJYHW-td1KddCl1k3"
  },
  "authoredOn": "2021-01-23T07:13:38Z",
  "lastModified": "2021-01-23T07:45:11Z",
  "requester": {
    "reference": "Practitioner/ectBdL9yLwfiRop1f5LsU6A3",
    "display": "Susanna Sammer, MSW"
  },
  "owner": {
    "reference": "Organization/eSfOIkar.tvfNdVBvOPDOGA3",
    "display": "Ven A Cbo Transport 5 (Fhir)"
  }
}
```


8.2 Clinical Care Provision: STU3

File: site/apis/08-Clinical-Care-Provision/2-STU3/index.html

* DiagnosticReport.Read (Care Plan Goal) (STU3)
* DiagnosticReport.Search (Care Plan Goal) (STU3)
* Goal.Create (Patient) (STU3)
* Goal.Read (Care Plan) (STU3)
* Goal.Read (Patient) (STU3)
* Goal.Search (Care Plan) (STU3)
* Goal.Search (Patient) (STU3)
* ProcedureRequest.Read (Orders) (STU3)
* ProcedureRequest.Search (Orders) (STU3)

8.2.1 DiagnosticReport.Read (Care Plan Goal) (STU3)

File: site/apis/08-Clinical-Care-Provision/2-STU3/10441-DiagnosticReport-Read-Care-Plan-Goal-STU3.html
Epic API ID | 10441
FHIR version | STU3
Categories | Clinical Care Provision
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/STU3/DiagnosticReport/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10441

Description

This resource can be used only with healthcare organizations in the Netherlands. This resource cannot be used in any other locales at this time.

The DiagnosticReport (Care Plan Goal) resource records the status of a patient in relation to a particular care plan goal.

The read interaction enables the look up of a DiagnosticReport resource by a constant server ID. Read interactions typically begin with a client having previously established a relationship, often through querying for dreports through the search interaction.

Sample request

```
https://hostname/instance/api/fhir/STU3/DiagnosticReport/f8yoKgo63EByr59lOvXT.YQ4
```

Sample response


```
{
  "resourceType": "DiagnosticReport",
  "id": "f594liZecm9LvIpQLI.QS9Q4",
  "extension": [
    {
      "valueReference": {
        "reference": "https://vs-icx.epic.com/Interconnect-Current-
    Stage1-Primary/api/FHIR/STU3/Goal/eXQUql1qP4cpgw3BRrVg5rQ3",
        "display": "Signs and Symptoms of listed potential physiological problem will be absent or manageable."
      },
      "url": "http://hl7.org/fhir/StructureDefinition/goal-pertainsToGoal"
    }
  ],
  "status": "final",
  "category": {
    "coding": [
      {
        "system": "http://open.epic.com/FHIR/StructureDefinition/DiagnosticReport-category",
        "code": "outcome-of-care",
        "display": "Outcome Of Care"
      }
    ],
    "text": "Outcome Of Care"
  },
  "code": {
    "coding": [
      {
        "system": "http://loinc.org",
        "code": "27574-3",
        "display": "Skilled nursing treatment plan Progress note and attainment of goals (narrative)"
      }
    ],
    "text": "Skilled nursing treatment plan Progress note and attainment of goals (narrative)"
  },
  "subject": {
    "reference": "https://vs-icx.epic.com/Interconnect-Current-Stage1-Primary/api/FHIR/STU3/Patient/e2DaRk-pQU1lH3NEISq-
    wrA3",
    "display": "Yeralizard, Larry"
  },
  "issued": "2022-05-10T20:31:49Z",
  "result": [
    {
      "reference": "https://vs-icx.epic.com/Interconnect-Current-
    Stage1-Primary/api/FHIR/STU3/Observation/eOgJAZt7sN76-7cHZmEnk1DHTxDGt5R7rauE9hrCSQy03",
      "display": "Signs and Symptoms of listed potential physiological problem will be absent or manageable."
    }
  ],
  "conclusion": "Alright here is the care plan that has an INO not specified in the grouper\r\n"
}
```


8.2.2 DiagnosticReport.Search (Care Plan Goal) (STU3)

File: site/apis/08-Clinical-Care-Provision/2-STU3/10442-DiagnosticReport-Search-Care-Plan-Goal-STU3.html
Epic API ID | 10442
FHIR version | STU3
Categories | Clinical Care Provision
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/STU3/DiagnosticReport?category={category}&code={code}&date={date}&patient={patient}&subject={subject}&_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10442

Description

This resource can be used only with healthcare organizations in the Netherlands. This resource cannot be used in any other locales at this time.

The DiagnosticReport (Care Plan Goal) resource records the status of a patient in relation to a particular care plan goal.

enables the client to query for all diagnostic reports that have been filed for a given patient. The client, having established the patient in question, now wants to retrieve all documented for the patient, and can further refine the search to specify a date or a LOINC code for the DiagnosticReport resources in question.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | Entry | False | Yes | | A single DiagnosticReport returned from the search.
Bundle.entry.resource | ResourceContainer | False | | | A single resource returned as part of this bundle.
Bundle.entry.resource.DiagnosticReport | DiagnosticReport | False | | | An instance of the STU3 DiagnosticReport resource.
Bundle.entry.resource.DiagnosticReport.category | CodeableConcept | True | | | The service category. Always “outcome-of-care.”
Bundle.entry.resource.DiagnosticReport.code | CodeableConcept | False | | | The name/code for this diagnostic report. Hard coded to LOINC code 27574-3 for care plans.
Bundle.entry.resource.DiagnosticReport.conclusion | String | True | | | The latest evaluation note.
Bundle.entry.resource.DiagnosticReport.issued | String | True | | | DateTime this version was released to providers.
Bundle.entry.resource.DiagnosticReport.extension (also: pertainsToGoal) | Extension | True | Yes | | Reference to the Goal resource related to this report.
Bundle.entry.resource.DiagnosticReport.result | Reference | True | Yes | | Reference to the Observation (Actives of Daily Living) resource, which describes the observed state of the patient.
Bundle.entry.resource.DiagnosticReport.status | String | False | | | Hard coded to a value of “final.”
Bundle.entry.resource.DiagnosticReport.subject | Reference | False | | | The subject of the report.

Sample request

```
https://hostname/instance/api/fhir/stu3/diagnosticReport?patient=eLJugwU.-oBZNRRFuT4II5g3&code=27574-3
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 3,
  "link": [
    {
      "relation": "self",
      "url": "https://vs-icx.epic.com/Interconnect-Current-Stage1-Primary/api/FHIR/STU3/DiagnosticReport?patient=e2DaRk-
    pQU1lH3NEISq-wrA3&category=outcome-of-care"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://vs-icx.epic.com/Interconnect-Current-
    Stage1-Primary/api/FHIR/STU3/DiagnosticReport/f594liZecm9LvIpQLI.QS9Q4"
        }
      ],
      "fullUrl": "https://vs-icx.epic.com/Interconnect-Current-
    Stage1-Primary/api/FHIR/STU3/DiagnosticReport/f594liZecm9LvIpQLI.QS9Q4",
      "resource": {
        "resourceType": "DiagnosticReport",
        "id": "f594liZecm9LvIpQLI.QS9Q4",
        "extension": [
          {
            "valueReference": {
              "reference": "https://vs-icx.epic.com/Interconnect-Current-
    Stage1-Primary/api/FHIR/STU3/Goal/eXQUql1qP4cpgw3BRrVg5rQ3",
              "display": "Signs and Symptoms of listed potential physiological problem will be absent or manageable."
            },
            "url": "http://hl7.org/fhir/StructureDefinition/goal-pertainsToGoal"
          }
        ],
        "status": "final",
        "category": {
          "coding": [
            {
              "system": "http://open.epic.com/FHIR/StructureDefinition/DiagnosticReport-category",
              "code": "outcome-of-care",
              "display": "Outcome Of Care"
            }
          ],
          "text": "Outcome Of Care"
        },
        "code": {
          "coding": [
            {
              "system": "http://loinc.org",
              "code": "27574-3",
              "display": "Skilled nursing treatment plan Progress note and attainment of goals (narrative)"
            }
          ],
          "text": "Skilled nursing treatment plan Progress note and attainment of goals (narrative)"
        },
        "subject": {
          "reference": "https://vs-icx.epic.com/Interconnect-Current-Stage1-Primary/api/FHIR/STU3/Patient/e2DaRk-
    pQU1lH3NEISq-wrA3",
          "display": "Yeralizard, Larry"
```

```
    },
    "issued": "2022-05-10T20:31:49Z",
    "result": [
      {
        "reference": "https://vs-icx.epic.com/Interconnect-Current-
Stage1-Primary/api/FHIR/STU3/Observation/eOgJAZt7sN76-7cHZmEnk1DHTxDGt5R7rauE9hrCSQy03",
        "display": "Signs and Symptoms of listed potential physiological problem will be absent or manageable."
      }
    ],
    "conclusion": "Alright here is the care plan that has an INO not specified in the grouper\r\n"
  },
  "search": {
    "mode": "match"
  }
},
{
  "link": [
    {
      "relation": "self",
      "url": "https://vs-icx.epic.com/Interconnect-Current-
Stage1-Primary/api/FHIR/STU3/DiagnosticReport/fVz2CzUTusJqTj4Bc8F0HlQ4"
    }
  ],
  "fullUrl": "https://vs-icx.epic.com/Interconnect-Current-
Stage1-Primary/api/FHIR/STU3/DiagnosticReport/fVz2CzUTusJqTj4Bc8F0HlQ4",
  "resource": {
    "resourceType": "DiagnosticReport",
    "id": "fVz2CzUTusJqTj4Bc8F0HlQ4",
    "extension": [
      {
        "valueReference": {
          "reference": "https://vs-icx.epic.com/Interconnect-Current-
Stage1-Primary/api/FHIR/STU3/Goal/e6yENCDMvbWtLEtN5trJiPA3",
          "display": "Signs and Symptoms of listed potential physiological problem will be absent or manageable."
        },
        "url": "http://hl7.org/fhir/StructureDefinition/goal-pertainsToGoal"
      }
    ],
    "status": "final",
    "category": {
      "coding": [
        {
          "system": "http://open.epic.com/FHIR/StructureDefinition/DiagnosticReport-category",
          "code": "outcome-of-care",
          "display": "Outcome Of Care"
        }
      ],
      "text": "Outcome Of Care"
    },
    "code": {
      "coding": [
        {
          "system": "http://loinc.org",
          "code": "27574-3",
          "display": "Skilled nursing treatment plan Progress note and attainment of goals (narrative)"
        }
      ],
      "text": "Skilled nursing treatment plan Progress note and attainment of goals (narrative)"
    },
    "subject": {
      "reference": "https://vs-icx.epic.com/Interconnect-Current-Stage1-Primary/api/FHIR/STU3/Patient/e2DaRk-
pQU1lH3NEISq-wrA3",
      "display": "Yeralizard, Larry"
    },
    "result": [
      {
        "reference": "https://vs-icx.epic.com/Interconnect-Current-
Stage1-Primary/api/FHIR/STU3/Observation/eOgJAZt7sN76-7cHZmEnk1FYuRW9bdtA4P7y-vrGhgic3",
        "display": "Signs and Symptoms of listed potential physiological problem will be absent or manageable."
      }
    ]
  },
  "search": {
    "mode": "match"
  }
},
{
  "link": [
    {
      "relation": "self",
      "url": "https://vs-icx.epic.com/Interconnect-Current-Stage1-Primary/api/FHIR/STU3/DiagnosticReport/f-qoQ4RC-
fP1DPgYaOLo-IA4"
    }
  ],
  "fullUrl": "https://vs-icx.epic.com/Interconnect-Current-Stage1-Primary/api/FHIR/STU3/DiagnosticReport/f-qoQ4RC-
fP1DPgYaOLo-IA4",
  "resource": {
    "resourceType": "DiagnosticReport",
    "id": "f-qoQ4RC-fP1DPgYaOLo-IA4",
```

```
        "extension": [
          {
            "valueReference": {
              "reference": "https://vs-icx.epic.com/Interconnect-Current-
    Stage1-Primary/api/FHIR/STU3/Goal/ekod6brGWggPSysitJFj63w3",
              "display": "ipqa mini flo goal"
            },
            "url": "http://hl7.org/fhir/StructureDefinition/goal-pertainsToGoal"
          }
        ],
        "status": "final",
        "category": {
          "coding": [
            {
              "system": "http://open.epic.com/FHIR/StructureDefinition/DiagnosticReport-category",
              "code": "outcome-of-care",
              "display": "Outcome Of Care"
            }
          ],
          "text": "Outcome Of Care"
        },
        "code": {
          "coding": [
            {
              "system": "http://loinc.org",
              "code": "27574-3",
              "display": "Skilled nursing treatment plan Progress note and attainment of goals (narrative)"
            }
          ],
          "text": "Skilled nursing treatment plan Progress note and attainment of goals (narrative)"
        },
        "subject": {
          "reference": "https://vs-icx.epic.com/Interconnect-Current-Stage1-Primary/api/FHIR/STU3/Patient/e2DaRk-
    pQU1lH3NEISq-wrA3",
          "display": "Yeralizard, Larry"
        },
        "result": [
          {
            "reference": "https://vs-icx.epic.com/Interconnect-Current-
    Stage1-Primary/api/FHIR/STU3/Observation/eOgJAZt7sN76-7cHZmEnk1CfUFAdDnuPP.oTLhULJIw83",
            "display": "ipqa mini flo goal"
          }
        ]
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


8.2.3 Goal.Create (Patient) (STU3)

File: site/apis/08-Clinical-Care-Provision/2-STU3/878-Goal-Create-Patient-STU3.html
Epic API ID | 878
FHIR version | STU3
Categories | Clinical Care Provision
API type | Industry-Standard
USCDI | No
Keywords | Goals;Patient goals
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | February 2019
HTTP method | POST
URL template | /api/FHIR/STU3/Goal
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=878

Description

The FHIR Goal resource defines desired health outcomes to be achieved by a patient over a period of time such as "lower blood pressure in the next three months" or "Lose 10 lbs by X date".

The create interaction stores goal information as a received document.

Try It: An error will be returned if the reading already exists. In this case, change the description to create a new request.

Remarks

Prefer header

Request parameters

Name | Type | Optional | Array | Cardinality | Description

Goal | Goal | False | | | A single Goal resource.

Goal.category | CodeableConcept | True | Yes | | Based on the category number by default, with Title and then Synonym as backups. Can use SNOMED if OID is specified and a mapping table has been built by the Epic community member. Ex: treatment, dietary, or behavioral.

Goal.description | CodeableConcept | False | | | What the goal entails. SNOMED code or other text describing the goal.

Goal.expressedBy | Reference | True | | | Who is responsible for creating the goal. "Author" in DSTU2. The author name, author type, and contributor.

Goal.note | Annotation | True | Yes | | Description of the goal.

Goal.subject | Reference | False | | | Who the goal is intended for. Patient FHIR Resource ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description

Goal | Goal | False | | | A single Goal resource.

Goal.category | CodeableConcept | True | Yes | | Based on the category number by default, with Title and then Synonym as backups. Can use SNOMED if OID is specified and a mapping table has been built by the Epic community member. Ex: treatment, dietary, or behavioral.

Goal.description | CodeableConcept | True | | | What the goal entails. SNOMED code or other text describing the goal.

Goal.expressedBy | Reference | True | | | Who is responsible for creating the goal. "Author" in DSTU2.

Goal.id | id | True | | | The FHIR ID for the created Goal resource.

Goal.note | Annotation | True | Yes | | Description of the goal.

Goal.status | code | True | | | The current status of the goal. Only a value of "in-progress" is supported. We do not support creating goals that aren't considered in progress.

Goal.subject | Reference | True | | | Who the goal is intended for. Patient FHIR Resource ID.

Sample request

```
<Goal xmlns="http://hl7.org/fhir">
  <status value="in-progress"/>
  <category>
    <coding>
      <system value="urn:oid:1.2.840.114350.1.13.861.1.7.4.737184.20005"/>
      <code value="3"/>
      <display value="Weight"/>
    </coding>
    <text value="Weight"/>
  </category>
  <description>
    <text value="Weight &lt; 2890 lb 7.5 oz (42 kg)"/>
  </description>
  <subject>
    <reference value="https://hostname/instance/api/FHIR/STU3/Patient/elBaYlo9AE3qgt1RhzEy4Bw3"/>
    <display value="Akshat Kumar"/>
  </subject>
  <note>
    <text value="Text12lhbpib&amp;#13;&amp;#10;"/>
  </note>
</Goal>
```

Sample response

```
<Goal xmlns="http://hl7.org/fhir">
  <id value="eE-3euSagEVWGUVHCPruchDq7RnWiBe1MnoqrsIrS.X-
    4AMBrE8AQasYNual5iMFQAaMxyWyfBANL3QKgYzHupajLspJkolCif8ZAO.9ChPu.h6GkIOFQTm2c8rnjQBsd3"/>
  <status value="in-progress"/>
  <category>
    <coding>
      <system value="urn:oid:1.2.840.114350.1.13.861.1.7.4.737184.20005"/>
      <code value="3"/>
      <display value="Weight"/>
    </coding>
    <text value="Weight"/>
  </category>
  <description>
    <text value="Weight &lt; 2890 lb 7.5 oz (42 kg)"/>
  </description>
  <subject>
    <reference value="https://hostname/instance/api/FHIR/STU3/Patient/elBaYlo9AE3qgt1RhzEy4Bw3"/>
    <display value="Akshat Kumar"/>
  </subject>
  <note>
    <text value="Text12lhbpib&amp;#13;&amp;#10;"/>
  </note>
</Goal>
```

Change log

Epic Version | Description | Type

November 2022 | Epic has updated the behavior of certain modifier elements in FHIR write APIs to ensure the data in the incoming request body matches the data filed to the database and to comply with the HL7 FHIR specification. Previously, the modifier element was ignored in certain situations, and an undocumented default value was saved in its place. Now, if the modifier element is included and is set to an unaccepted value, a fatal error logs, preventing the request from filing to the database. The FHIR request returns an OperationOutcome with the invalid element and what

value is accepted for that element. Element Accepted Incoming Value Default Value status in-progress in-progress | Substantive change
Element | Accepted Incoming Value | Default Value
status | in-progress | in-progress

8.2.4 Goal.Read (Care Plan) (STU3)

File: site/apis/08-Clinical-Care-Provision/2-STU3/10459-Goal-Read-Care-Plan-STU3.html
Epic API ID | 10459
FHIR version | STU3
Categories | Clinical Care Provision
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/STU3/Goal/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10459

Description

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | FHIR identifier for the target Goal resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Goal | Goal | False | | | A single Goal resource.
Goal.addresses | Reference | True | Yes | | Reference to another resource which describes the problem the goal is addressing. Returns the display name. Not supported in Netherlands environments.
Goal.category | CodeableConcept | True | Yes | | The type of goal (inpatient-care-plan-goal only).
Goal.description | CodeableConcept | False | | | Goal description.
Goal.id | id | False
Goal.implicitRules | String | False
Goal.meta | Meta | True | | | The document metadata. For Netherlands environments only.
Goal.note | Annotation | True | Yes | | Note or annotation details.
Goal.outcomeReference | Reference | True | Yes | | A FHIR reference to the outcome of the goal, an Observation resource. Supported in provider contexts only.
Goal.priority | CodeableConcept | True | | | Displays the status priority for a patient's goal.
Goal.status | code | False | | | The status of the goal. Can be canceled, achieved, or in-progress.
Goal.statusDate | String | True | | | When goal status took effect.
Goal.statusReason | String | True | | | Reason for current status. Only supported in a provider context. Used if there is a single status reason.
Goal.subject | Reference | True | | | A FHIR reference to the Patient resource.
Goal.target | Target | True | | | Goal target information.
Goal.target.dueDate | String | True | | | Expected end date for a goal.

Sample request

```
https://hostname/instance/api/FHIR/STU3/Goal/edOh6V1XAOJsIJu07wqTEwA3
```

Sample response


```
{
  "resourceType": "Goal",
  "id": "edOh6V1XAOJsIJu07wqTEwA3",
  "extension": [
    {
      "valueString": "Alice reports the following symptoms due to her depression: difficultly focusing on required and
    recreational activities, low mood, lack of interest in hobbies.\r\nBeing able to enjoy her hobbies is of especially
    high priority for her.",
      "url": "http://open.epic.com/FHIR/StructureDefinition/extension/detailed-description"
    }
  ],
  "status": "in-process",
  "category": [
    {
      "coding": [
        {
          "system": "http://open.epic.com/FHIR/StructureDefinition/goal-category",
          "code": "inpatient-care-plan-goal",
          "display": "Inpatient Care Plan Goal"
        }
      ],
```

```
      "text": "Inpatient Care Plan Goal"
    }
  ],
  "priority": {
    "text": "High"
  },
  "description": {
    "text": "LTG: Alleviate depressive symptoms and return to previous level of effective functioning"
  },
  "subject": {
    "reference": "https://hostname/instance/api/FHIR/STU3/Patient/efmOH6ghpsJDh0NDQXIpasg3",
    "display": "Williams, Alice"
  },
  "startDate": "2022-05-05",
  "target": {
    "dueDate": "2022-06-04"
  },
  "addresses": [
    {
      "display": "Depression"
    }
  ],
  "note": [
    {
      "authorReference": {
        "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/eMqwQScPw6FOlWzs-BLtrZg3",
        "display": "Helen Smith, MD"
      },
      "time": "2022-05-05T14:56:37Z",
      "text": "Alice reported that having a diagnosis and knowing that there are steps to take to help her return to her
     previous level of effective functioning has given her a boost in mood today.  She is looking forward to her first
    therapy appointment.\r\n"
    }
  ]
}
```


8.2.5 Goal.Read (Patient) (STU3)

File: site/apis/08-Clinical-Care-Provision/2-STU3/877-Goal-Read-Patient-STU3.html
Epic API ID | 877
FHIR version | STU3
Categories | Clinical Care Provision
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Keywords | Goals;Patient goals
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | November 2018
HTTP method | GET
URL template | api/FHIR/STU3/Goal/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=877

Description

The FHIR Goal (Patient) sub-resource defines desired health outcomes to be achieved by a patient over a period of time such as "Lower blood pressure in the next three months" or "Lose 10 lbs by X date."

Completed goals are not returned in a patient-facing context.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | Required | | | The Goal FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Goal (STU3) | Goal | | | | A single Goal resource.
Goal (STU3).addresses | Reference | | Yes | 0..* | Issues addressed by this Goal. Reference to a Condition (Problems) resource that this Goal addresses.
Goal (STU3).category | CodeableConcept | | Yes | 0..1 | The type of the Goal. For example: Diet, Exercise, or Weight.
Goal (STU3).description | CodeableConcept | | | 1..1 | Display name for the Goal.
Goal (STU3).expressedBy | Reference | | | 1..1 | Who is responsible for creating the Goal. Reference to a Patient or Practitioner resource.
Goal (STU3).id | id | | | 1..1 | The Goal FHIR ID.
Goal (STU3).note | Annotation | | Yes | 0..* | Comments about the Goal.

Goal (STU3).note.extension (data-conversion-warning) (also: extension (data-conversion-warning)) | Extension | | Yes | 0..* | Starting in the May 2025 version of Epic, depending on the rich to plain text conversion, one or more of the following warnings can be returned: Reason for warning Warning text Formatting was lost due to unicode characters or tables being present in the original note. Formatting of this note is different from the original. The original note had rich text formatting. Formatting of this note might be different from the original. There were one or more images in the original note. Images from the original note were not included. There were one or more media attachments in the original note. Attached media from the original note were not included. URL: http://open.epic.com/FHIR/StructureDefinition/extension/data-conversion-warning
Reason for warning | Warning text
Formatting was lost due to unicode characters or tables being present in the original note. | Formatting of this note is different from the original.
The original note had rich text formatting. | Formatting of this note might be different from the original.
There were one or more images in the original note. | Images from the original note were not included.
There were one or more media attachments in the original note. | Attached media from the original note were not included.
Goal (STU3).startDate | date | | | 0..1 | When pursuit of the Goal begins.
Goal (STU3).status | code | | | 1..1 | The current status of the Goal. The following values are supported: * in-progress * achieved * cancelled The status for received document records is always "in-progress."
Goal (STU3).subject | Reference | | | 1..1 | Who the Goal is intended for. Patient FHIR Resource ID.

Sample request

```
GET https://hostname/instance/api/FHIR/STU3/Goal/ervZVkNKvLIwj3Xp4b3-bmA3
```

Sample response


```
{
  "resourceType": "Goal",
  "status": "achieved",
  "category": [
    {
      "coding": [
        {
          "system": "urn:oid:1.2.840.114350.1.13.861.1.7.4.737184.20005",
          "code": "3",
          "display": "Weight"
        }
      ],
      "text": "Weight"
    }
  ],
  "description": {
    "text": "Weight < 220 lb 7.4 oz (100 kg)"
  },
  "subject": {
    "reference": "https://hostname/instance/api/FHIR/STU3/Patient/eorzzexPpUZy7OnwQyr9d9-c3VznSBm2hoRThZpECFoc3",
    "display": "Aks Fhir"
  },
  "startDate": "2018-04-10",
  "addresses": [
    {
      "reference": "https://hostname/instance/api/FHIR/STU3/Condition/eApFf4P9A8IhBX6yz6aXOZQ3",
      "display": "Abnormal Weight Gain"
    }
  ],
  "note": [
    {
      "text": "Patient's weight is 232 lb, continue working towards goal with 30 minute exercise daily."
    }
  ]
}
```


8.2.6 Goal.Search (Care Plan) (STU3)

File: site/apis/08-Clinical-Care-Provision/2-STU3/10458-Goal-Search-Care-Plan-STU3.html
Epic API ID | 10458
FHIR version | STU3
Categories | Clinical Care Provision
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/STU3/Goal?category={category}&patient={patient}&subject={subject}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10458

Description

Request parameters

Name | Type | Optional | Array | Cardinality | Description

category | token | True | | | Set to inpatient-care-plan-goal to return inpatient goals
patient | reference | True | | | Reference to a patient resource.
subject | reference | True | | | Reference to a patient resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | Entry | False | Yes | | A single entry in the resource bundle.
Bundle.entry.resource | ResourceContainer | False | | | A single resource returned as part of this bundle.
Bundle.entry.resource.Goal | Goal | False | | | A single Goal resource.
Bundle.entry.resource.Goal.addresses | Reference | True | Yes | | Reference to another resource which describes the problem the goal is addressing. Returns the display name. Not supported in Netherlands environments.
Bundle.entry.resource.Goal.category | CodeableConcept | True | Yes | | The type of goal (inpatient-care-plan-goal only)
Bundle.entry.resource.Goal.description | CodeableConcept | False | | | Goal description.
Bundle.entry.resource.Goal.extension (also: Detailed Description) | Extension | True | Yes | | A more detailed description of the goal.
Bundle.entry.resource.Goal.meta | Meta | True | | | The document metadata. For Netherlands environments only.
Bundle.entry.resource.Goal.extension (also: multiple-statusReason) | Extension | True | Yes | | Reason for current status. Only supported in a provider context. Used if there are multiple reasons.
Bundle.entry.resource.Goal.note | Annotation | True | Yes | | Note or annotation details. Supported in provider contexts only.
Bundle.entry.resource.Goal.outcomeReference | Reference | True | Yes | | A FHIR reference to the outcome of the goal, an Observation resource. Supported in provider contexts only.
Bundle.entry.resource.Goal.priority | CodeableConcept | True | | | Displays the status priority for a patient's goal.
Bundle.entry.resource.Goal.startDate | date | True | | | The date or event after which the goal should begin being pursued.
Bundle.entry.resource.Goal.status | code | False | | | The status of the goal. Can be canceled, achieved, or in-progress.
Bundle.entry.resource.Goal.statusDate | String | True | | | When goal status took effect.
Bundle.entry.resource.Goal.statusReason | String | True | | | Reason for current status. Only supported in a provider context. Used if there is a single status reason.
Bundle.entry.resource.Goal.subject | Reference | True | | | A FHIR reference to the Patient resource.
Bundle.entry.resource.Goal.target | Target | True | | | Goal target information.
Bundle.entry.resource.Goal.target.dueDate | String | True | | | Expected end date for a goal.

Sample request

```
http://hostname/instance/api/FHIR/STU3/Goal?patient=efmOH6ghpsJDh0NDQXIpasg3&category=inpatient-care-plan-goal
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 3,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/STU3/Goal?patient=efmOH6ghpsJDh0NDQXIpasg3&amp;category=inpatient-care-
    plan-goal"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/STU3/Goal/edOh6V1XAOJsIJu07wqTEwA3"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/STU3/Goal/edOh6V1XAOJsIJu07wqTEwA3",
      "resource": {
        "resourceType": "Goal",
        "id": "edOh6V1XAOJsIJu07wqTEwA3",
        "extension": [
          {
            "valueString": "Alice reports the following symptoms due to her depression: difficultly focusing on required
     and recreational activities, low mood, lack of interest in hobbies.\r\nBeing able to enjoy her hobbies is of
    especially high priority for her.",
            "url": "http://open.epic.com/FHIR/StructureDefinition/extension/detailed-description"
          }
        ],
        "status": "in-process",
        "category": [
          {
            "coding": [
              {
                "system": "http://open.epic.com/FHIR/StructureDefinition/goal-category",
                "code": "inpatient-care-plan-goal",
                "display": "Inpatient Care Plan Goal"
              }
            ],
            "text": "Inpatient Care Plan Goal"
          }
        ],
```

```
    "priority": {
      "text": "High"
    },
    "description": {
      "text": "LTG: Alleviate depressive symptoms and return to previous level of effective functioning"
    },
    "subject": {
      "reference": "https://hostname/instance/api/FHIR/STU3/Patient/efmOH6ghpsJDh0NDQXIpasg3",
      "display": "Williams, Alice"
    },
    "startDate": "2022-05-05",
    "target": {
      "dueDate": "2022-06-04"
    },
    "addresses": [
      {
        "display": "Depression"
      }
    ],
    "note": [
      {
        "authorReference": {
          "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/eMqwQScPw6FOlWzs-BLtrZg3",
          "display": "Helen Smith, MD"
        },
        "time": "2022-05-05T14:56:37Z",
        "text": "Alice reported that having a diagnosis and knowing that there are steps to take to help her return
to her previous level of effective functioning has given her a boost in mood today.  She is looking forward to her
first therapy appointment.\r\n"
      }
    ]
  },
  "search": {
    "mode": "match"
  }
},
{
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/STU3/Goal/ezco2TSW7xxeY13JsP08L-Q3"
    }
  ],
  "fullUrl": "https://hostname/instance/api/FHIR/STU3/Goal/ezco2TSW7xxeY13JsP08L-Q3",
  "resource": {
    "resourceType": "Goal",
    "id": "ezco2TSW7xxeY13JsP08L-Q3",
    "status": "achieved",
    "category": [
      {
        "coding": [
          {
            "system": "http://open.epic.com/FHIR/StructureDefinition/goal-category",
            "code": "inpatient-care-plan-goal",
            "display": "Inpatient Care Plan Goal"
          }
        ],
        "text": "Inpatient Care Plan Goal"
      }
    ],
    "priority": {
      "text": "Medium"
    },
    "description": {
      "text": "STG: Verbalize an understanding of the rationale for treatment of depression"
    },
    "subject": {
      "reference": "https://hostname/instance/api/FHIR/STU3/Patient/efmOH6ghpsJDh0NDQXIpasg3",
      "display": "Williams, Alice"
    },
    "startDate": "2022-05-05",
    "target": {
      "dueDate": "2022-05-09"
    },
    "statusDate": "2022-05-05",
    "addresses": [
      {
        "display": "Depression"
      }
    ]
  },
  "search": {
    "mode": "match"
  }
},
{
  "link": [
    {
      "relation": "self",
```

```
          "url": "https://hostname/instance/api/FHIR/STU3/Goal/elsY989iGbkoiCLKUKvWbwQ3"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/STU3/Goal/elsY989iGbkoiCLKUKvWbwQ3",
      "resource": {
        "resourceType": "Goal",
        "id": "elsY989iGbkoiCLKUKvWbwQ3",
        "status": "in-process",
        "category": [
          {
            "coding": [
              {
                "system": "http://open.epic.com/FHIR/StructureDefinition/goal-category",
                "code": "inpatient-care-plan-goal",
                "display": "Inpatient Care Plan Goal"
              }
            ],
            "text": "Inpatient Care Plan Goal"
          }
        ],
        "priority": {
          "text": "Medium"
        },
        "description": {
          "text": "STG: Cooperate with a medication evaluation by a physician"
        },
        "subject": {
          "reference": "https://hostname/instance/api/FHIR/STU3/Patient/efmOH6ghpsJDh0NDQXIpasg3",
          "display": "Williams, Alice"
        },
        "startDate": "2022-05-05",
        "target": {
          "dueDate": "2022-05-12"
        },
        "statusReason": "Postponed",
        "addresses": [
          {
            "display": "Depression"
          }
        ],
        "note": [
          {
            "authorReference": {
              "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/eMqwQScPw6FOlWzs-BLtrZg3",
              "display": "Helen Smith, MD"
            },
            "time": "2022-05-05T14:47:35Z",
            "text": "Discussion around possible medication will be postponed until after patient's first therapy
    appointment.\r\n"
          }
        ]
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


8.2.7 Goal.Search (Patient) (STU3)

File: site/apis/08-Clinical-Care-Provision/2-STU3/924-Goal-Search-Patient-STU3.html
Epic API ID | 924
FHIR version | STU3
Categories | Clinical Care Provision
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Keywords | Goals;Patient goals
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2019
HTTP method | GET
URL template | api/FHIR/STU3/Goal?patient={patient}&subject={subject}&category={category}&status={status}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=924

Description

The FHIR Goal (Patient) sub-resource defines desired health outcomes to be achieved by a patient over a period of time such as "Lower blood pressure in the next three months" or "Lose 10 lbs by X date."

Completed goals are not returned in a patient-facing context.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
_count | number | Optional | Yes | | Number of results per page.
_id | token | Optional | Yes | | FHIR resource IDs for the desired resources. Can be used in combination with _count and _include. All others are ignored.
_include | string | Optional | Yes | | Used to indicate which referenced resources to include in the search bundle.
category | token | Optional | Yes | | The Goal type. For example: Diet, Exercise, or Weight.
patient | reference | Conditional | Yes | | Associated Patient FHIR resource ID. Either patient or subject must be provided. If both are provided, they must match.
status | token | Optional | Yes | | The current status of the Goal. The following values are supported: * in-progress * achieved * cancelled
subject | reference | Conditional | Yes | | Associated Patient FHIR resource ID. Either patient or subject must be provided. If both are provided, they must match.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Goal (STU3) | Goal | | | | A single Goal resource.
Goal (STU3).addresses | Reference | | Yes | 0..* | Issues addressed by this Goal. Reference to a Condition (Problems) resource that this Goal addresses.
Goal (STU3).category | CodeableConcept | | Yes | 0..1 | The type of the Goal. For example: Diet, Exercise, or Weight.
Goal (STU3).description | CodeableConcept | | | 1..1 | Display name for the Goal.
Goal (STU3).expressedBy | Reference | | | 1..1 | Who is responsible for creating the Goal. Reference to a Patient or Practitioner resource.
Goal (STU3).id | id | | | 1..1 | The Goal FHIR ID.
Goal (STU3).note | Annotation | | Yes | 0..* | Comments about the Goal.
Goal (STU3).note.extension (data-conversion-warning) (also: extension (data-conversion-warning)) | Extension | | Yes | 0..* | Starting in the May 2025 version of Epic, depending on the rich to plain text conversion, one or more of the following warnings can be returned: Reason for warning Warning text Formatting was lost due to unicode characters or tables being present in the original note. Formatting of this note is different from the original. The original note had rich text formatting. Formatting of this note might be different from the original. There were one or more images in the original note. Images from the original note were not included. There were one or more media attachments in the original note. Attached media from the original note were not included. URL: http://open.epic.com/FHIR/StructureDefinition/extension/data-conversion-warning
Reason for warning | Warning text
Formatting was lost due to unicode characters or tables being present in the original note. | Formatting of this note is different from the original.
The original note had rich text formatting. | Formatting of this note might be different from the original.
There were one or more images in the original note. | Images from the original note were not included.
There were one or more media attachments in the original note. | Attached media from the original note were not included.
Goal (STU3).startDate | date | | | 0..1 | When pursuit of the Goal begins.
Goal (STU3).status | code | | | 1..1 | The current status of the Goal. The following values are supported: * in-progress * achieved * cancelled The status for received document records is always "in-progress."
Goal (STU3).subject | Reference | | | 1..1 | Who the Goal is intended for. Patient FHIR Resource ID.

Sample request

```
GET https://hostname/instance/api/FHIR/STU3/Goal?patient=eWfit4DGdxoeI9USFmWhOqQ3
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 2,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/STU3/Goal?patient=eWfit4DGdxoeI9USFmWhOqQ3"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/STU3/Goal/ehgUnZzKU5mDFmmXw8NOcPQ3"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/STU3/Goal/ehgUnZzKU5mDFmmXw8NOcPQ3",
      "resource": {
        "resourceType": "Goal",
        "id": "ehgUnZzKU5mDFmmXw8NOcPQ3",
        "status": "achieved",
        "category": [
          {
            "coding": [
              {
                "system": "urn:oid:1.2.840.114350.1.13.861.1.7.4.737184.20005",
                "code": "8",
                "display": "General"
              }
            ],
```

```
            "text": "General"
          }
        ],
        "description": {
          "text": "Better Balance"
        },
        "subject": {
          "reference": "https://hostname/instance/api/FHIR/STU3/Patient/eWfit4DGdxoeI9USFmWhOqQ3",
          "display": "Aks Fhir"
        },
        "startDate": "2018-12-24",
        "expressedBy": {
          "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/e1iKCKct1N3beTTPAUSJN7A3",
          "display": "User, Epic, MD"
        },
        "note": [
          {
            "text": "Patient should continue balance excerises twice weekly to improve balance."
          }
        ]
      },
      "search": {
        "mode": "match"
      }
    },
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/STU3/Goal/emkKO305R5IZqliMmwY4opw3"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/STU3/Goal/emkKO305R5IZqliMmwY4opw3",
      "resource": {
        "resourceType": "Goal",
        "id": "emkKO305R5IZqliMmwY4opw3",
        "status": "in-progress",
        "category": [
          {
            "coding": [
              {
                "system": "urn:oid:1.2.840.114350.1.13.861.1.7.4.737184.20005",
                "code": "3",
                "display": "Weight"
              }
            ],
            "text": "Weight"
          }
        ],
        "description": {
          "text": "Patient's weight is 232 lb, continue working towards goal with 30 minute exercise daily."
        },
        "subject": {
          "reference": "https://hostname/instance/api/FHIR/STU3/Patient/eWfit4DGdxoeI9USFmWhOqQ3",
          "display": "Aks Fhir"
        },
        "startDate": "2019-01-16",
        "expressedBy": {
          "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/e1iKCKct1N3beTTPAUSJN7A3",
          "display": "User, Epic, MD"
        }
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


8.2.8 ProcedureRequest.Read (Orders) (STU3)

File: site/apis/08-Clinical-Care-Provision/2-STU3/886-ProcedureRequest-Read-Orders-STU3.html
Epic API ID | 886
FHIR version | STU3
Categories | Clinical Care Provision
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | February 2019
HTTP method | GET
URL template | /api/FHIR/STU3/ProcedureRequest/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients

Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=886

Description

The FHIR ProcedureRequest resource defines a request for a procedure to be planned, proposed, or performed. This includes diagnostic investigations, counseling, therapies, surgeries or procedures, exercises, and other clinical interventions. The results of this procedure are available in the Procedure resource or the DiagnosticReport resource.

An example workflow is a clinical system orders a diagnostic test for a patient and sends it to a diagnostic service. The diagnostic service accepts the request, performs the test, marks the request as complete, and finally issues a diagnostic report with details of the test.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | FHIR ProcedureRequest ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
ProcedureRequest | ProcedureRequest | False
ProcedureRequest._status | primitiveExtension | True | | | In Netherlands environments, this extension maps an order’s status to OrderStatusCodelijst, if possible
ProcedureRequest.asNeededBoolean | Boolean | True | | | If set to true, indicates that the order is only performed when needed within the specified schedule.
ProcedureRequest.authoredOn | String | False | | | The order instant. This is the date and time when the status is not draft or unknown.
ProcedureRequest.basedOn | Reference | False | Yes | | Reference to a child order's parent ProcedureRequest resource.
ProcedureRequest.code | CodeableConcept | False | | | External codings for procedures linked to the order.
ProcedureRequest.context | Reference | False | | | Reference to the encounter resource in which the ProcedureRequest was placed.
ProcedureRequest.doNotPerform | Boolean | True | | | This is set to true if the status is draft, cancelled, or unknown.
ProcedureRequest.id | String | False | | | FHIR ProcedureRequest ID.
ProcedureRequest.identifier | Identifier | False | Yes | | The system-specific identifier for the ProcedureRequest resource.
ProcedureRequest.intent | String | False | | | The intent code. The full list of potential values can be found here.
ProcedureRequest.meta | Meta | True | | | The document metadata.
ProcedureRequest.meta.profile | String | True | | | Available in Netherlands environments only. This environment shows that this API conforms to the profile connected to the following canonical url: http://nictiz.nl/fhir/StructureDefinition/zib-ProcedureRequest
ProcedureRequest.note | Annotation | False | Yes | | Comments on the ProcedureRequest.
ProcedureRequest.occurrenceTiming | Timing | False | | | This event element is populated for auto-released orders.
ProcedureRequest.priority | String | False | | | The priority. The full list of potential values can be found here.
ProcedureRequest.reasonCode | CodeableConcept | False | Yes | | External codings for diagnosis records associated with this order.
ProcedureRequest.requester | Requester | False | | | Reference to a practitioner resource who is the authorizing provider for the procedure request.
ProcedureRequest.requester.agent | Reference | False | | | Reference to another resource.
ProcedureRequest.status | String | False | | | The status code. The full list of potential values can be found here.
ProcedureRequest.subject | Reference | False | | | Reference to a patient resource for whom the ProcedureRequest was made.

Sample request

```
https://hostname/instance/api/FHIR/STU3/ProcedureRequest/eKvJcyMO0SQY1eS9QjwIjC61MzP-1e4o1JtORut8DJJM3
```

Sample response

```
<Bundle xmlns="http://hl7.org/fhir">
  <type value="searchset"/>
  <total value="3"/>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/STU3/ProcedureRequest?patient=ej4nFxzySJAysjMuv4rTBNA3&amp;status=com
    pleted,active&amp;requester=e89p8GCwg7wvke-vxglQ0WA3"/>
  </link>
  <entry>
    <link>
      <relation value="self"/>
      <url
    value="https://hostname/instance/api/FHIR/STU3/ProcedureRequest/eolHqGPOghjY9N3EAOO8M35YY.2IcD8.Ur4rEMJTcqwo3"/>
    </link>
    <fullUrl
    value="https://hostname/instance/api/FHIR/STU3/ProcedureRequest/eolHqGPOghjY9N3EAOO8M35YY.2IcD8.Ur4rEMJTcqwo3"/>
    <resource>
      <ProcedureRequest>
        <id value="eolHqGPOghjY9N3EAOO8M35YY.2IcD8.Ur4rEMJTcqwo3"/>
        <status value="active"/>
        <intent value="filler-order"/>
        <code>
          <coding>
            <system value="http://www.ama-assn.org/go/cpt"/>
            <code value="11730"/>
            <display value="REMOVAL OF NAIL PLATE"/>
          </coding>
          <text value="REMOVAL OF NAIL PLATE"/>
```

```
      </code>
      <subject>
        <reference value="https://hostname/instance/api/FHIR/STU3/Patient/ej4nFxzySJAysjMuv4rTBNA3"/>
        <display value="Meiko Lufhir"/>
      </subject>
      <context>
        <reference
  value="https://hostname/instance/api/FHIR/STU3/Encounter/eKzsYGMB9rxAHlrtpROR1iBa2CWjmdcgpdgv8cDE4ZCQ3"/>
      </context>
      <occurrenceTiming>
        <repeat>
          <boundsPeriod>
            <start value="2018-09-17"/>
          </boundsPeriod>
        </repeat>
      </occurrenceTiming>
      <authoredOn value="2018-09-17T19:20:03Z"/>
      <requester>
        <agent>
          <reference value="https://hostname/instance/api/FHIR/STU3/Practitioner/e89p8GCwg7wvke-vxglQ0WA3"/>
          <display value="Amber Hxl, MD"/>
        </agent>
      </requester>
      <reasonCode>
        <coding>
          <system value="http://snomed.info/sct"/>
          <code value="400097005"/>
          <display value="Ingrowing nail (disorder)"/>
        </coding>
        <coding>
          <system value="http://hl7.org/fhir/sid/icd-9-cm"/>
          <code value="703.0"/>
          <display value="Ingrowing nail"/>
        </coding>
        <coding>
          <system value="urn:oid:2.16.840.1.113883.6.90"/>
          <code value="L60.0"/>
          <display value="Ingrowing nail"/>
        </coding>
        <text value="Ingrowing nail"/>
      </reasonCode>
    </ProcedureRequest>
  </resource>
  <search>
    <mode value="match"/>
  </search>
</entry>
<entry>
  <link>
    <relation value="self"/>
    <url
  value="https://hostname/instance/api/FHIR/STU3/ProcedureRequest/eKvJcyMO0SQY1eS9QjwIjC61MzP-1e4o1JtORut8DJJM3"/>
  </link>
  <fullUrl
  value="https://hostname/instance/api/FHIR/STU3/ProcedureRequest/eKvJcyMO0SQY1eS9QjwIjC61MzP-1e4o1JtORut8DJJM3"/>
  <resource>
    <ProcedureRequest>
      <id value="eKvJcyMO0SQY1eS9QjwIjC61MzP-1e4o1JtORut8DJJM3"/>
      <identifier>
        <use value="usual"/>
        <type>
          <coding>
            <system value="http://hl7.org/fhir/identifier-type"/>
            <code value="FILL"/>
            <display value="Filler Identifier"/>
          </coding>
          <text value="Filler Identifier"/>
        </type>
        <system value="urn:oid:1.2.840.114350.1.13.861.1.7.3.798268.800"/>
        <value value="fhirord01"/>
      </identifier>
      <status value="active"/>
      <intent value="order"/>
      <code>
        <coding>
          <system value="http://loinc.org"/>
          <code value="6463-4"/>
          <display value="Bacteria identified in Unspecified specimen by Culture"/>
        </coding>
        <coding>
          <system value="http://www.ama-assn.org/go/cpt"/>
          <code value="4139"/>
          <display value="QA CULTURE/GENERAL"/>
        </coding>
        <text value="QA Culture/General"/>
      </code>
      <subject>
        <reference value="https://hostname/instance/api/FHIR/STU3/Patient/ej4nFxzySJAysjMuv4rTBNA3"/>
        <display value="Meiko Lufhir"/>
```

```
      </subject>
      <context>
        <reference
  value="https://hostname/instance/api/FHIR/STU3/Encounter/evQYgwCHTNTud9Wf12dnn5IgyZto4wRhgqhK6DMeCPPY3"/>
      </context>
      <occurrenceTiming>
        <repeat>
          <boundsPeriod>
            <start value="2018-09-17"/>
          </boundsPeriod>
        </repeat>
      </occurrenceTiming>
      <authoredOn value="2018-09-17T19:34:37Z"/>
      <requester>
        <agent>
          <reference value="https://hostname/instance/api/FHIR/STU3/Practitioner/e89p8GCwg7wvke-vxglQ0WA3"/>
          <display value="Amber Hxl, MD"/>
        </agent>
      </requester>
      <reasonCode>
        <coding>
          <system value="http://snomed.info/sct"/>
          <code value="398057008"/>
          <display value="Tension-type headache (disorder)"/>
        </coding>
        <coding>
          <system value="http://hl7.org/fhir/sid/icd-9-cm"/>
          <code value="307.81"/>
          <display value="Tension headache"/>
        </coding>
        <coding>
          <system value="urn:oid:2.16.840.1.113883.6.90"/>
          <code value="G44.209"/>
          <display value="Tension headache"/>
        </coding>
        <text value="Tension headache"/>
      </reasonCode>
    </ProcedureRequest>
  </resource>
  <search>
    <mode value="match"/>
  </search>
</entry>
<entry>
  <link>
    <relation value="self"/>
    <url
  value="https://hostname/instance/api/FHIR/STU3/ProcedureRequest/eivAG9hQiN0VonyGt2lDJBwmKwj.HoNJTEdmnqbOcFSw3"/>
  </link>
  <fullUrl
  value="https://hostname/instance/api/FHIR/STU3/ProcedureRequest/eivAG9hQiN0VonyGt2lDJBwmKwj.HoNJTEdmnqbOcFSw3"/>
  <resource>
    <ProcedureRequest>
      <id value="eivAG9hQiN0VonyGt2lDJBwmKwj.HoNJTEdmnqbOcFSw3"/>
      <status value="completed"/>
      <intent value="order"/>
      <code>
        <coding>
          <system value="http://www.ama-assn.org/go/cpt"/>
          <code value="86900"/>
          <display value="BLOOD TYPING, ABO"/>
        </coding>
        <text value="BLOOD TYPING, ABO"/>
      </code>
      <subject>
        <reference value="https://hostname/instance/api/FHIR/STU3/Patient/ej4nFxzySJAysjMuv4rTBNA3"/>
        <display value="Meiko Lufhir"/>
      </subject>
      <context>
        <reference
  value="https://hostname/instance/api/FHIR/STU3/Encounter/eKzsYGMB9rxAHlrtpROR1iBa2CWjmdcgpdgv8cDE4ZCQ3"/>
      </context>
      <occurrenceTiming>
        <repeat>
          <boundsPeriod>
            <start value="2018-09-17"/>
          </boundsPeriod>
        </repeat>
      </occurrenceTiming>
      <authoredOn value="2018-09-17T19:21:49Z"/>
      <requester>
        <agent>
          <reference value="https://hostname/instance/api/FHIR/STU3/Practitioner/e89p8GCwg7wvke-vxglQ0WA3"/>
          <display value="Amber Hxl, MD"/>
        </agent>
      </requester>
      <reasonCode>
        <coding>
          <system value="http://snomed.info/sct"/>
```

```
            <code value="400097005"/>
            <display value="Ingrowing nail (disorder)"/>
          </coding>
          <coding>
            <system value="http://hl7.org/fhir/sid/icd-9-cm"/>
            <code value="703.0"/>
            <display value="Ingrowing nail"/>
          </coding>
          <coding>
            <system value="urn:oid:2.16.840.1.113883.6.90"/>
            <code value="L60.0"/>
            <display value="Ingrowing nail"/>
          </coding>
          <text value="Ingrowing nail"/>
        </reasonCode>
      </ProcedureRequest>
    </resource>
    <search>
      <mode value="match"/>
    </search>
  </entry>
</Bundle>
```

Change log

Epic Version | Description | Type
November 2022 | Code systems for the following code sets now return a URL in place of an OID: ActCode, ICD-10-CM, ICD-10-CA, ICD-10-NL, SNOMED System URL OID ActCode STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode 2.16.840.1.113883.5.4 ICD-10-CM http://hl7.org/fhir/sid/icd-10-cm 2.16.840.1.113883.6.90 ICD-10-CA http://hl7.org/fhir/sid/icd-10-ca 2.16.840.1.113883.6.94 ICD-10-NL http://hl7.org/fhir/sid/icd-10-nl 2.16.840.1.113883.6.3.2 SNOMED http://snomed.info/sct 2.16.840.1.113883.6.96 | Breaking change
System | URL | OID
ActCode | STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode | 2.16.840.1.113883.5.4
ICD-10-CM | http://hl7.org/fhir/sid/icd-10-cm | 2.16.840.1.113883.6.90
ICD-10-CA | http://hl7.org/fhir/sid/icd-10-ca | 2.16.840.1.113883.6.94
ICD-10-NL | http://hl7.org/fhir/sid/icd-10-nl | 2.16.840.1.113883.6.3.2
SNOMED | http://snomed.info/sct | 2.16.840.1.113883.6.96
February 2025 | The basedOn.reference element now returns an absolute URL. Previously only the FHIR ID was returned, which was inconsistent with other reference elements and not compliant with the HL7 FHIR specification. Applications that relied on the previous behavior might no longer work as expected. New Format "basedOn": [{ "reference": "https://hostname/instance/api/FHIR/STU3/ProcedureRequest/ex1PNsHZL5IGvoC0Aw0OpQaPWz71d8L8.lxzwmGyHun03", "display": "HEMOGLOBIN A1C" }] Previous Format "basedOn": [{ "reference": "ex1PNsHZL5IGvoC0Aw0OpQaPWz71d8L8.lxzwmGyHun03", "display": "HEMOGLOBIN A1C" }] | Breaking Change

8.2.9 ProcedureRequest.Search (Orders) (STU3)

File: site/apis/08-Clinical-Care-Provision/2-STU3/887-ProcedureRequest-Search-Orders-STU3.html
Epic API ID | 887
FHIR version | STU3
Categories | Clinical Care Provision
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | February 2019
HTTP method | GET
URL template |
/api/FHIR/STU3/ProcedureRequest?patient={patient}&subject={subject}&encounter={encounter}&requester={requester}&status={status}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=887

Description

The FHIR ProcedureRequest resource defines a request for a procedure to be planned, proposed, or performed. This includes diagnostic investigations, counseling, therapies, surgeries or procedures, exercises, and other clinical interventions. The results of this procedure are available in the Procedure resource or the DiagnosticReport resource.

An example workflow is a clinical system orders a diagnostic test for a patient and sends it to a diagnostic service. The diagnostic service accepts the request, performs the test, marks the request as complete, and finally issues a diagnostic report with details of the test.

The R4 version of this API is called ServiceRequest

Request parameters

Name | Type | Optional | Array | Cardinality | Description

encounter | String | Either this or patient/subject must be provided. | | | The patient's encounter FHIR ID.
patient | String | Either this or subject or encounter must be provided. | | | The patient FHIR ID.
requester | String | False | | | Reference to a practitioner resource who is the authorizing provider for the procedure request. Default is all.
status | String | False | | | The status code to filter the search. The full list of potential values can be found here. The default is to return active ProcedureRequests.
subject | String | Either this or patient or encounter must be provided. | | | The patient FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | Entry | False | Yes | | A single entry in the resource bundle.
Bundle.entry.resource | ResourceContainer | False | | | A single resource returned as part of this bundle.
Bundle.entry.resource.ProcedureRequest | ProcedureRequest | False
Bundle.entry.resource.ProcedureRequest._status | primitiveExtension | True | | | In Netherlands environments, this extension maps an order’s status to OrderStatusCodelijst, if possible
Bundle.entry.resource.ProcedureRequest.asNeededBoolean | Boolean | True | | | If set to true, indicates that the order is only performed when needed within the specified schedule.
Bundle.entry.resource.ProcedureRequest.authoredOn | String | False | | | The order instant. This is the date and time when the status is not draft or unknown.
Bundle.entry.resource.ProcedureRequest.basedOn | Reference | False | Yes | | Reference to a child order's parent ProcedureRequest resource.
Bundle.entry.resource.ProcedureRequest.code | CodeableConcept | False | | | External codings for procedures linked to the order.
Bundle.entry.resource.ProcedureRequest.context | Reference | False | | | Reference to the encounter resource in which the ProcedureRequest was placed.
Bundle.entry.resource.ProcedureRequest.doNotPerform | Boolean | True | | | This is set to true if the status is draft, cancelled, or unknown.
Bundle.entry.resource.ProcedureRequest.id | String | False | | | The ProcedureRequest ID.
Bundle.entry.resource.ProcedureRequest.identifier | Identifier | False | Yes | | The system-specific identifier for the ProcedureRequest resource.
Bundle.entry.resource.ProcedureRequest.intent | String | False | | | The intent code. The full list of potential values can be found here.
Bundle.entry.resource.ProcedureRequest.meta | Meta | True | | | The document metadata.
Bundle.entry.resource.ProcedureRequest.meta.profile | String | True | | | Available in Netherlands environments only. This environment shows that this API conforms to the profile connected to the following canonical url: http://nictiz.nl/fhir/StructureDefinition/zib-ProcedureRequest
Bundle.entry.resource.ProcedureRequest.note | Annotation | False | Yes | | Comments on the ProcedureRequest.
Bundle.entry.resource.ProcedureRequest.occurrenceTiming | Timing | False | | | This event element is populated for auto-released orders.
Bundle.entry.resource.ProcedureRequest.priority | String | False | | | The priority. The full list of potential values can be found here.
Bundle.entry.resource.ProcedureRequest.reasonCode | CodeableConcept | False | Yes | | External codings for diagnosis records associated with this order.
Bundle.entry.resource.ProcedureRequest.requester | Requester | False | | | Reference to the Practitioner resource for the practitioner that placed the ProcedureRequest.
Bundle.entry.resource.ProcedureRequest.requester.agent | Reference | False | | | Reference to a practitioner resource.
Bundle.entry.resource.ProcedureRequest.status | String | False | | | The status code. The full list of potential values can be found here.
Bundle.entry.resource.ProcedureRequest.subject | Reference | False | | | Reference to a patient resource for whom the ProcedureRequest was made.

Sample request

```
https://hostname/instance/api/FHIR/STU3/ProcedureRequest?patient=ej4nFxzySJAysjMuv4rTBNA3&status=completed,active&reques
    ter=e89p8GCwg7wvke-vxglQ0WA3
```

Sample response

```
<Bundle xmlns="http://hl7.org/fhir">
    <type value="searchset"/>
    <total value="3"/>
    <link>
        <relation value="self"/>
        <url value="https://hostname/instance/api/FHIR/STU3/ProcedureRequest?patient=ej4nFxzySJAysjMuv4rTBNA3&status=com
    pleted,active&requester=e89p8GCwg7wvke-vxglQ0WA3"/>
    </link>
    <entry>
        <link>
            <relation value="self"/>
            <url
    value="https://hostname/instance/api/FHIR/STU3/ProcedureRequest/eolHqGPOghjY9N3EAOO8M35YY.2IcD8.Ur4rEMJTcqwo3"/>
        </link>
        <fullUrl
    value="https://hostname/instance/api/FHIR/STU3/ProcedureRequest/eolHqGPOghjY9N3EAOO8M35YY.2IcD8.Ur4rEMJTcqwo3"/>
        <resource>
            <ProcedureRequest>
                <id value="eolHqGPOghjY9N3EAOO8M35YY.2IcD8.Ur4rEMJTcqwo3"/>
                <status value="active"/>
                <intent value="filler-order"/>
                <code>
                    <coding>
                        <system value="http://www.ama-assn.org/go/cpt"/>
                        <code value="11730"/>
                        <display value="REMOVAL OF NAIL PLATE"/>
                    </coding>
                    <text value="REMOVAL OF NAIL PLATE"/>
                </code>
                <subject>
```

```
                <reference value="https://hostname/instance/api/FHIR/STU3/Patient/ej4nFxzySJAysjMuv4rTBNA3"/>
                <display value="Meiko Lufhir"/>
            </subject>
            <context>
                <reference
value="https://hostname/instance/api/FHIR/STU3/Encounter/eKzsYGMB9rxAHlrtpROR1iBa2CWjmdcgpdgv8cDE4ZCQ3"/>
            </context>
            <occurrenceTiming>
                <repeat>
                    <boundsPeriod>
                        <start value="2018-09-17"/>
                    </boundsPeriod>
                </repeat>
            </occurrenceTiming>
            <authoredOn value="2018-09-17T19:20:03Z"/>
            <requester>
                <agent>
                    <reference value="https://hostname/instance/api/FHIR/STU3/Practitioner/e89p8GCwg7wvke-
vxglQ0WA3"/>
                    <display value="Amber Hxl, MD"/>
                </agent>
            </requester>
            <reasonCode>
                <coding>
                    <system value="http://snomed.info/sct"/>
                    <code value="400097005"/>
                    <display value="Ingrowing nail (disorder)"/>
                </coding>
                <coding>
                    <system value="http://hl7.org/fhir/sid/icd-9-cm"/>
                    <code value="703.0"/>
                    <display value="Ingrowing nail"/>
                </coding>
                <coding>
                    <system value="urn:oid:2.16.840.1.113883.6.90"/>
                    <code value="L60.0"/>
                    <display value="Ingrowing nail"/>
                </coding>
                <text value="Ingrowing nail"/>
            </reasonCode>
        </ProcedureRequest>
    </resource>
    <search>
        <mode value="match"/>
    </search>
</entry>
<entry>
    <link>
        <relation value="self"/>
        <url
value="https://hostname/instance/api/FHIR/STU3/ProcedureRequest/eKvJcyMO0SQY1eS9QjwIjC61MzP-1e4o1JtORut8DJJM3"/>
    </link>
    <fullUrl
value="https://hostname/instance/api/FHIR/STU3/ProcedureRequest/eKvJcyMO0SQY1eS9QjwIjC61MzP-1e4o1JtORut8DJJM3"/>
    <resource>
        <ProcedureRequest>
            <id value="eKvJcyMO0SQY1eS9QjwIjC61MzP-1e4o1JtORut8DJJM3"/>
            <identifier>
                <use value="usual"/>
                <type>
                    <coding>
                        <system value="http://hl7.org/fhir/identifier-type"/>
                        <code value="FILL"/>
                        <display value="Filler Identifier"/>
                    </coding>
                    <text value="Filler Identifier"/>
                </type>
                <system value="urn:oid:1.2.840.114350.1.13.861.1.7.3.798268.800"/>
                <value value="fhirord01"/>
            </identifier>
            <status value="active"/>
            <intent value="order"/>
            <code>
                <coding>
                    <system value="http://loinc.org"/>
                    <code value="6463-4"/>
                    <display value="Bacteria identified in Unspecified specimen by Culture"/>
                </coding>
                <coding>
                    <system value="http://www.ama-assn.org/go/cpt"/>
                    <code value="4139"/>
                    <display value="QA CULTURE/GENERAL"/>
                </coding>
                <text value="QA Culture/General"/>
            </code>
            <subject>
                <reference value="https://hostname/instance/api/FHIR/STU3/Patient/ej4nFxzySJAysjMuv4rTBNA3"/>
                <display value="Meiko Lufhir"/>
            </subject>
```

```
            <context>
                <reference
value="https://hostname/instance/api/FHIR/STU3/Encounter/evQYgwCHTNTud9Wf12dnn5IgyZto4wRhgqhK6DMeCPPY3"/>
            </context>
            <occurrenceTiming>
                <repeat>
                    <boundsPeriod>
                        <start value="2018-09-17"/>
                    </boundsPeriod>
                </repeat>
            </occurrenceTiming>
            <authoredOn value="2018-09-17T19:34:37Z"/>
            <requester>
                <agent>
                    <reference value="https://hostname/instance/api/FHIR/STU3/Practitioner/e89p8GCwg7wvke-
vxglQ0WA3"/>
                    <display value="Amber Hxl, MD"/>
                </agent>
            </requester>
            <reasonCode>
                <coding>
                    <system value="http://snomed.info/sct"/>
                    <code value="398057008"/>
                    <display value="Tension-type headache (disorder)"/>
                </coding>
                <coding>
                    <system value="http://hl7.org/fhir/sid/icd-9-cm"/>
                    <code value="307.81"/>
                    <display value="Tension headache"/>
                </coding>
                <coding>
                    <system value="urn:oid:2.16.840.1.113883.6.90"/>
                    <code value="G44.209"/>
                    <display value="Tension headache"/>
                </coding>
                <text value="Tension headache"/>
            </reasonCode>
        </ProcedureRequest>
    </resource>
    <search>
        <mode value="match"/>
    </search>
</entry>
<entry>
    <link>
        <relation value="self"/>
        <url
value="https://hostname/instance/api/FHIR/STU3/ProcedureRequest/eivAG9hQiN0VonyGt2lDJBwmKwj.HoNJTEdmnqbOcFSw3"/>
    </link>
    <fullUrl
value="https://hostname/instance/api/FHIR/STU3/ProcedureRequest/eivAG9hQiN0VonyGt2lDJBwmKwj.HoNJTEdmnqbOcFSw3"/>
    <resource>
        <ProcedureRequest>
            <id value="eivAG9hQiN0VonyGt2lDJBwmKwj.HoNJTEdmnqbOcFSw3"/>
            <status value="completed"/>
            <intent value="order"/>
            <code>
                <coding>
                    <system value="http://www.ama-assn.org/go/cpt"/>
                    <code value="86900"/>
                    <display value="BLOOD TYPING, ABO"/>
                </coding>
                <text value="BLOOD TYPING, ABO"/>
            </code>
            <subject>
                <reference value="https://hostname/instance/api/FHIR/STU3/Patient/ej4nFxzySJAysjMuv4rTBNA3"/>
                <display value="Meiko Lufhir"/>
            </subject>
            <context>
                <reference
value="https://hostname/instance/api/FHIR/STU3/Encounter/eKzsYGMB9rxAHlrtpROR1iBa2CWjmdcgpdgv8cDE4ZCQ3"/>
            </context>
            <occurrenceTiming>
                <repeat>
                    <boundsPeriod>
                        <start value="2018-09-17"/>
                    </boundsPeriod>
                </repeat>
            </occurrenceTiming>
            <authoredOn value="2018-09-17T19:21:49Z"/>
            <requester>
                <agent>
                    <reference value="https://hostname/instance/api/FHIR/STU3/Practitioner/e89p8GCwg7wvke-
vxglQ0WA3"/>
                    <display value="Amber Hxl, MD"/>
                </agent>
            </requester>
            <reasonCode>
                <coding>
```

```
                        <system value="http://snomed.info/sct"/>
                        <code value="400097005"/>
                        <display value="Ingrowing nail (disorder)"/>
                    </coding>
                    <coding>
                        <system value="http://hl7.org/fhir/sid/icd-9-cm"/>
                        <code value="703.0"/>
                        <display value="Ingrowing nail"/>
                    </coding>
                    <coding>
                        <system value="urn:oid:2.16.840.1.113883.6.90"/>
                        <code value="L60.0"/>
                        <display value="Ingrowing nail"/>
                    </coding>
                    <text value="Ingrowing nail"/>
                </reasonCode>
            </ProcedureRequest>
        </resource>
        <search>
            <mode value="match"/>
        </search>
    </entry>
</Bundle>
```

Change log

Epic Version | Description | Type

November 2022 | Code systems for the following code sets now return a URL in place of an OID: ActCode, ICD-10-CM, ICD-10-CA, ICD-10-NL, SNOMED System URL OID ActCode STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode 2.16.840.1.113883.5.4 ICD-10-CM http://hl7.org/fhir/sid/icd-10-cm 2.16.840.1.113883.6.90 ICD-10-CA http://hl7.org/fhir/sid/icd-10-ca 2.16.840.1.113883.6.94 ICD-10-NL http://hl7.org/fhir/sid/icd-10-nl 2.16.840.1.113883.6.3.2 SNOMED http://snomed.info/sct 2.16.840.1.113883.6.96 | Breaking change

System | URL | OID

ActCode | STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode | 2.16.840.1.113883.5.4

ICD-10-CM | http://hl7.org/fhir/sid/icd-10-cm | 2.16.840.1.113883.6.90

ICD-10-CA | http://hl7.org/fhir/sid/icd-10-ca | 2.16.840.1.113883.6.94

ICD-10-NL | http://hl7.org/fhir/sid/icd-10-nl | 2.16.840.1.113883.6.3.2

SNOMED | http://snomed.info/sct | 2.16.840.1.113883.6.96

February 2025 | The basedOn.reference element now returns an absolute URL. Previously only the FHIR ID was returned, which was inconsistent with other reference elements and not compliant with the HL7 FHIR specification. Applications that relied on the previous behavior might no longer work as expected. New Format "basedOn": [{ "reference": "https://hostname/instance/api/FHIR/STU3/ProcedureRequest/ex1PNsHZL5IGvoC0Aw0OpQaPWz71d8L8.lxzwmGyHun03", "display": "HEMOGLOBIN A1C" }] Previous Format "basedOn": [{ "reference": "ex1PNsHZL5IGvoC0Aw0OpQaPWz71d8L8.lxzwmGyHun03", "display": "HEMOGLOBIN A1C" }] | Breaking Change

8.3 Clinical Care Provision: DSTU2

File: site/apis/08-Clinical-Care-Provision/3-DSTU2/index.html

* CarePlan.Read (Encounter-Level) (DSTU2)
* CarePlan.Read (Longitudinal) (DSTU2)
* CarePlan.Search (Encounter-Level) (DSTU2)
* CarePlan.Search (Longitudinal) (DSTU2)
* Goal.Read (Patient) (DSTU2)
* Goal.Search (Patient) (DSTU2)

8.3.1 CarePlan.Read (Encounter-Level) (DSTU2)

File: site/apis/08-Clinical-Care-Provision/3-DSTU2/4-CarePlan-Read-Encounter-Level-DSTU2.html

Epic API ID | 4

FHIR version | DSTU2

Categories | Clinical Care Provision

API type | USCDI

A la carte | Industry-Standard Level 1 API

USCDI | Yes

Keywords | Assessment Plan of Treatment

Available in inpatient and other contexts | Yes

ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base

ONC certification versions | Epic 2017

HTTP method | GET

URL template | api/FHIR/DSTU2/CarePlan/{ID}

Supports OAuth 2.0 | True

Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients

Performs scope validation | False

Source | https://fhir.epic.com/Specifications?api=4

Description

The FHIR CarePlan resource is a broad container for summarizing the plan of treatment for a patient. It includes links to the Condition resource (the patient's long term Problem List) and the Goal resource (the patient's longitudinal goals) as well as in-line detail about upcoming appointments, referral orders, and upcoming orders. The CarePlan resource is designed for provider planning and documentation, not patient interaction. This resource is also designed for stating specific activities related to a single patient, rather than generic protocols for condition treatment (a Protocol resource will be defined in a later version of FHIR). By default, only the patient's longitudinal CarePlan is returned. However, encounter-level CarePlans can also be requested. These encounter-level CarePlans include narrative content, such as patient instructions, and assessment and plan of treatment notes that are not associated with any particular condition.

The CarePlan resource corresponds to the following Common Clinical Data Set (CCDS) Elements: Assessment and Plan of Treatment.

The read interaction enables the lookup of a CarePlan resource by a constant server ID. The read interaction allows clients to store only the server ID, and with a single request, retrieve the most up-to-date information about a procedure. Read interactions typically begin with a client having previously established a relationship, often through querying for CarePlan through the search interaction.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | The CarePlan FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
CarePlan | CarePlan | False | | | A single CarePlan resource.
CarePlan.activity | activity | False | Yes | | Action to occur as part of the plan.
CarePlan.activity.detail | detail | False | | | Description of the activity.
CarePlan.activity.detail.category | CodeableConcept | False | | | The type of activity. May be 'encounter' or 'procedure'.
CarePlan.activity.detail.code | CodeableConcept | False | | | Codes corresponding to the procedure. This may include SNOMED codes, external IDs, and procedure names.
CarePlan.activity.detail.prohibited | Boolean | False | | | Flag indicating the activity should NOT be performed. Always 'false'.
CarePlan.activity.detail.scheduledPeriod | Period | True | | | When this activity is scheduled to occur.
CarePlan.addresses | ReferencedResource | True | Yes | | The condition that the CarePlan addresses. Reference to a Condition resource.
CarePlan.goal | ReferencedResource | True | Yes | | The goal that the CarePlan is meant to achieve. Reference to a Goal resource.
CarePlan.id | String | False | | | The CarePlan FHIR ID.
CarePlan.status | String | False | | | Status of the CarePlan. Always returns "Active".
CarePlan.subject | ReferencedResource | False | | | Subject of the CarePlan. Reference to a Patient resource.

Sample request

```
https://hostname/instance/api/FHIR/DSTU2/CarePlan/TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB
```

Sample response

```
<CarePlan xmlns="http://hl7.org/fhir">
  <id value="TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB"/>
  <subject>
    <display value="Fhir A Szitta"/>
    <reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB"/>
  </subject>
  <addresses>
    <display value="Accident caused by a hypodermic needle"/>
    <reference value="https://hostname/instance/api/FHIR/DSTU2/Condition/TXxz.Vy8p6WP.GswNN9p0hgB"/>
  </addresses>
  <addresses>
    <display value="Thalassemia-hemoglobin E disease"/>
    <reference value="https://hostname/instance/api/FHIR/DSTU2/Condition/TnGb-TNBPS8vDZqCh2pzfpQB"/>
  </addresses>
  <addresses>
    <display value="Fabry disease"/>
    <reference value="https://hostname/instance/api/FHIR/DSTU2/Condition/TaREX5Mn41apJYQE4ZSLI3QB"/>
  </addresses>
  <addresses>
    <display value="Hypertension"/>
    <reference value="https://hostname/instance/api/FHIR/DSTU2/Condition/TYvkTGqSpTsiKXJ6ubSrWuwB"/>
  </addresses>
  <addresses>
    <display value="Anxiety"/>
    <reference value="https://hostname/instance/api/FHIR/DSTU2/Condition/TwzE0drZah1wfVRK.VehJqQB"/>
  </addresses>
  <goal>
    <display value="Weight (lb) &lt; 72.6 kg"/>
    <reference value="https://hostname/instance/api/FHIR/DSTU2/Goal/TsAFp7YTvFPY-.xQTSNH2LAB"/>
  </goal>
  <goal>
    <display value="Blood Pressure &lt; 120/80"/>
    <reference value="https://hostname/instance/api/FHIR/DSTU2/Goal/T02q1MgA4yhd83CsNr4HJfwB"/>
  </goal>
```

```
  <goal>
    <display value="Exercise 3x per week (30 min per time)"/>
    <reference value="https://hostname/instance/api/FHIR/DSTU2/Goal/TbTyIhidjA.4YdHp1G9xVAQB"/>
  </goal>
  <goal>
    <display value="Reduce calorie intake to 2000 calories per day"/>
    <reference value="https://hostname/instance/api/FHIR/DSTU2/Goal/TFbH0CKUCgWA6xXjqXq2PuAB"/>
  </goal>
  <activity>
    <detail>
      <prohibited value="false"/>
      <category>
        <text value="encounter"/>
        <coding>
          <system value="2.16.840.1.113883.4.642.1.63"/>
          <code value="encounter"/>
          <display value="encounter"/>
        </coding>
        <coding>
          <system value="FHIRCarePlanDetailCategory"/>
          <code value="encounter"/>
          <display value="encounter"/>
        </coding>
      </category>
      <scheduledPeriod>
        <start value="2016-03-21T14:00:00"/>
        <end value="2016-03-21T14:15:00"/>
      </scheduledPeriod>
    </detail>
  </activity>
  <activity>
    <detail>
      <prohibited value="false"/>
      <category>
        <text value="procedure"/>
        <coding>
          <system value="2.16.840.1.113883.4.642.1.63"/>
          <code value="procedure"/>
          <display value="procedure"/>
        </coding>
        <coding>
          <system value="FHIRCarePlanDetailCategory"/>
          <code value="referralorder"/>
          <display value="procedure"/>
        </coding>
      </category>
      <code>
        <text value="AW REFERRAL"/>
      </code>
    </detail>
  </activity>
  <activity>
    <detail>
      <prohibited value="false"/>
      <category>
        <text value="procedure"/>
        <coding>
          <system value="2.16.840.1.113883.4.642.1.63"/>
          <code value="procedure"/>
          <display value="procedure"/>
        </coding>
        <coding>
          <system value="FHIRCarePlanDetailCategory"/>
          <code value="referralorder"/>
          <display value="procedure"/>
        </coding>
      </category>
      <code>
        <text value="AMK REFERRAL TO CARDIOLOGY"/>
      </code>
    </detail>
  </activity>
  <category>
    <text value="Longitudinal"/>
    <coding>
      <system value="2.16.840.1.113883.6.96"/>
      <code value="38717003"/>
      <display value="Longitudinal"/>
    </coding>
  </category>
</CarePlan>
```

8.3.2 CarePlan.Read (Longitudinal) (DSTU2)

File: site/apis/08-Clinical-Care-Provision/3-DSTU2/10572-CarePlan-Read-Longitudinal-DSTU2.html
Epic API ID | 10572
FHIR version | DSTU2

Categories | Clinical Care Provision
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | Epic 2017
HTTP method | GET
URL template | /api/FHIR/DSTU2/CarePlan/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10572

Description

The FHIR CarePlan resource is a broad container for summarizing the plan of treatment for a patient. It includes links to the Condition resource (the patient's long term Problem List) and the Goal resource (the patient's longitudinal goals) as well as in-line detail about upcoming appointments, referral orders, and upcoming orders. The CarePlan resource is designed for provider planning and documentation, not patient interaction. This resource is also designed for stating specific activities related to a single patient, rather than generic protocols for condition treatment (a Protocol resource will be defined in a later version of FHIR). By default, only the patient's longitudinal CarePlan is returned. However, encounter-level CarePlans can also be requested. These encounter-level CarePlans include narrative content, such as patient instructions, and assessment and plan of treatment notes that are not associated with any particular condition.

The CarePlan resource corresponds to the following Common Clinical Data Set (CCDS) Elements: Assessment and Plan of Treatment.

The read interaction enables the lookup of a CarePlan resource by a constant server ID. The read interaction allows clients to store only the server ID, and with a single request, retrieve the most up-to-date information about a procedure. Read interactions typically begin with a client having previously established a relationship, often through querying for CarePlan through the search interaction.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | The CarePlan FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
CarePlan | CarePlan | False | | | A single CarePlan resource.
CarePlan.activity | activity | False | Yes
CarePlan.addresses | ReferencedResource | False | Yes | | A reference to another resource.
CarePlan.goal | ReferencedResource | False | Yes | | A reference to another resource.
CarePlan.id | String | False | | | The CarePlan FHIR ID.
CarePlan.status | String | False
CarePlan.subject | ReferencedResource | False | | | A reference to another resource.

Sample request

```
https://hostname/instance/api/FHIR/DSTU2/CarePlan/TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB
```

Sample response

```
<CarePlan xmlns="http://hl7.org/fhir">
  <id value="TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB"/>
  <subject>
    <display value="Fhir A Szitta"/>
    <reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB"/>
  </subject>
  <addresses>
    <display value="Accident caused by a hypodermic needle"/>
    <reference value="https://hostname/instance/api/FHIR/DSTU2/Condition/TXxz.Vy8p6WP.GswNN9p0hgB"/>
  </addresses>
  <addresses>
    <display value="Thalassemia-hemoglobin E disease"/>
    <reference value="https://hostname/instance/api/FHIR/DSTU2/Condition/TnGb-TNBPS8vDZqCh2pzfpQB"/>
  </addresses>
  <addresses>
    <display value="Fabry disease"/>
    <reference value="https://hostname/instance/api/FHIR/DSTU2/Condition/TaREX5Mn41apJYQE4ZSLI3QB"/>
  </addresses>
  <addresses>
    <display value="Hypertension"/>
    <reference value="https://hostname/instance/api/FHIR/DSTU2/Condition/TYvkTGqSpTsiKXJ6ubSrWuwB"/>
  </addresses>
  <addresses>
    <display value="Anxiety"/>
```

```
  <reference value="https://hostname/instance/api/FHIR/DSTU2/Condition/TwzE0drZah1wfVRK.VehJqQB"/>
</addresses>
<goal>
  <display value="Weight (lb) &lt; 72.6 kg"/>
  <reference value="https://hostname/instance/api/FHIR/DSTU2/Goal/TsAFp7YTvFPY-.xQTSNH2LAB"/>
</goal>
<goal>
  <display value="Blood Pressure &lt; 120/80"/>
  <reference value="https://hostname/instance/api/FHIR/DSTU2/Goal/T02q1MgA4yhd83CsNr4HJfwB"/>
</goal>
<goal>
  <display value="Exercise 3x per week (30 min per time)"/>
  <reference value="https://hostname/instance/api/FHIR/DSTU2/Goal/TbTyIhidjA.4YdHp1G9xVAQB"/>
</goal>
<goal>
  <display value="Reduce calorie intake to 2000 calories per day"/>
  <reference value="https://hostname/instance/api/FHIR/DSTU2/Goal/TFbH0CKUCgWA6xXjqXq2PuAB"/>
</goal>
<activity>
  <detail>
    <prohibited value="false"/>
    <category>
      <text value="encounter"/>
      <coding>
        <system value="2.16.840.1.113883.4.642.1.63"/>
        <code value="encounter"/>
        <display value="encounter"/>
      </coding>
      <coding>
        <system value="FHIRCarePlanDetailCategory"/>
        <code value="encounter"/>
        <display value="encounter"/>
      </coding>
    </category>
    <scheduledPeriod>
      <start value="2016-03-21T14:00:00"/>
      <end value="2016-03-21T14:15:00"/>
    </scheduledPeriod>
  </detail>
</activity>
<activity>
  <detail>
    <prohibited value="false"/>
    <category>
      <text value="procedure"/>
      <coding>
        <system value="2.16.840.1.113883.4.642.1.63"/>
        <code value="procedure"/>
        <display value="procedure"/>
      </coding>
      <coding>
        <system value="FHIRCarePlanDetailCategory"/>
        <code value="referralorder"/>
        <display value="procedure"/>
      </coding>
    </category>
    <code>
      <text value="AW REFERRAL"/>
    </code>
  </detail>
</activity>
<activity>
  <detail>
    <prohibited value="false"/>
    <category>
      <text value="procedure"/>
      <coding>
        <system value="2.16.840.1.113883.4.642.1.63"/>
        <code value="procedure"/>
        <display value="procedure"/>
      </coding>
      <coding>
        <system value="FHIRCarePlanDetailCategory"/>
        <code value="referralorder"/>
        <display value="procedure"/>
      </coding>
    </category>
    <code>
      <text value="AMK REFERRAL TO CARDIOLOGY"/>
    </code>
  </detail>
</activity>
<category>
  <text value="Longitudinal"/>
  <coding>
    <system value="2.16.840.1.113883.6.96"/>
    <code value="38717003"/>
    <display value="Longitudinal"/>
  </coding>
```

```
  </category>
</CarePlan>
```

8.3.3 CarePlan.Search (Encounter-Level) (DSTU2)

File: site/apis/08-Clinical-Care-Provision/3-DSTU2/5-CarePlan-Search-Encounter-Level-DSTU2.html
Epic API ID | 5
FHIR version | DSTU2
Categories | Clinical Care Provision
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Keywords | Assessment Plan of Treatment
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | Epic 2017
HTTP method | GET
URL template | api/FHIR/DSTU2/CarePlan?category={category}&patient={patient}&subject={subject}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=5

Description

The FHIR CarePlan resource is a broad container for summarizing the plan of treatment for a patient. It includes links to the Condition resource (the patient's long term Problem List) and the Goal resource (the patient's longitudinal goals) as well as in-line detail about upcoming appointments, referral orders, and upcoming orders. The CarePlan resource is designed for provider planning and documentation, not patient interaction. This resource is also designed for stating specific activities related to a single patient, rather than generic protocols for condition treatment (a Protocol resource will be defined in a later version of FHIR). By default, only the patient's longitudinal CarePlan is returned. However, encounter-level CarePlans can also be requested. These encounter-level CarePlans include narrative content, such as patient instructions, and assessment and plan of treatment notes that are not associated with any particular condition.

The CarePlan resource corresponds to the following Common Clinical Data Set (CCDS) Elements: Assessment and Plan of Treatment.

The Search interaction enables the client to query for the care plan for a given patient. The client, having established the patient in question, now wishes to retrieve the plan of treatment for the patient.

To ensure clinical safety for a patient, searches filtered with a search parameter will return all active and future activities in addition to other data returned in the search.

Note:

date

Request parameters

Name | Type | Optional | Array | Cardinality | Description
category | String | True | | | Further refine which CarePlan resources are returned by category. There are two supported categories: 38717003 returns only the Longitudinal care plan. 734163000 returns encounter-level care plans. If no category is specified, the web service returns only the Longitudinal care plan.
patient | String | Either patient or subject must be provided. If both are provided, they must reference the same patient. | | | The reference to a patient resource.
subject | String | Either patient or subject must be provided. If both are provided, they must reference the same patient. | | | The reference to a patient resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | Entry | False | Yes | | A single entry in the resource bundle.
Bundle.entry.resource | Resource | False | | | A single resource returned as part of this bundle.
Bundle.entry.resource.CarePlan | CarePlan | False | | | A single CarePlan resource.
Bundle.entry.resource.CarePlan.activity | activity | False | Yes | | Action to occur as part of the plan.
Bundle.entry.resource.CarePlan.activity.detail | detail | False | | | Description of the activity.
Bundle.entry.resource.CarePlan.activity.detail.category | CodeableConcept | False | | | The type of activity. May be 'encounter' or 'procedure'.
Bundle.entry.resource.CarePlan.activity.detail.code | CodeableConcept | False | | | Codes corresponding to the procedure. This may include SNOMED codes, external IDs, and procedure names.
Bundle.entry.resource.CarePlan.activity.detail.prohibited | Boolean | False | | | Flag indicating the activity should NOT be performed. Always 'false'.
Bundle.entry.resource.CarePlan.activity.detail.scheduledPeriod | Period | True | | | When this activity is scheduled to occur.
Bundle.entry.resource.CarePlan.addresses | ReferencedResource | True | Yes | | The condition that the CarePlan addresses. Reference to a Condition resource.
Bundle.entry.resource.CarePlan.goal | ReferencedResource | True | Yes | | The goal that the CarePlan is meant to achieve. Reference to a Goal resource.

Bundle.entry.resource.CarePlan.id | String | False | | | The CarePlan FHIR ID.
Bundle.entry.resource.CarePlan.status | String | False | | | Status of the CarePlan. Always returns "Active".
Bundle.entry.resource.CarePlan.subject | ReferencedResource | False | | | Subject of the CarePlan. Reference to a Patient resource.

Sample request

```
https://hostname/instance/api/FHIR/DSTU2/CarePlan?patient=TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB
```

Sample response

```
<Bundle xmlns="http://hl7.org/fhir">
  <type value="searchset"/>
  <total value="1"/>
  <link>
    <relation value="self"/>
    <url
    value="https://hostname/instance/api/FHIR/DSTU2/CarePlan?patient=TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB"/>
  </link>
  <entry>
    <fullUrl value="https://hostname/instance/api/FHIR/DSTU2/CarePlan/TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB"/>
    <link>
      <relation value="self"/>
      <url value="https://hostname/instance/api/FHIR/DSTU2/CarePlan/TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB"/>
    </link>
    <resource>
      <CarePlan>
        <id value="TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB"/>
        <subject>
          <display value="Fhir A Szitta"/>
          <reference
    value="https://hostname/instance/api/FHIR/DSTU2/Patient/TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB"/>
        </subject>
        <addresses>
          <display value="Accident caused by a hypodermic needle"/>
          <reference value="https://hostname/instance/api/FHIR/DSTU2/Condition/TXxz.Vy8p6WP.GswNN9p0hgB"/>
        </addresses>
        <addresses>
          <display value="Thalassemia-hemoglobin E disease"/>
          <reference value="https://hostname/instance/api/FHIR/DSTU2/Condition/TnGb-TNBPS8vDZqCh2pzfpQB"/>
        </addresses>
        <addresses>
          <display value="Fabry disease"/>
          <reference value="https://hostname/instance/api/FHIR/DSTU2/Condition/TaREX5Mn41apJYQE4ZSLI3QB"/>
        </addresses>
        <addresses>
          <display value="Hypertension"/>
          <reference value="https://hostname/instance/api/FHIR/DSTU2/Condition/TYvkTGqSpTsiKXJ6ubSrWuwB"/>
        </addresses>
        <addresses>
          <display value="Anxiety"/>
          <reference value="https://hostname/instance/api/FHIR/DSTU2/Condition/TwzE0drZah1wfVRK.VehJqQB"/>
        </addresses>
        <goal>
          <display value="Weight (lb) &lt; 72.6 kg"/>
          <reference value="https://hostname/instance/api/FHIR/DSTU2/Goal/TsAFp7YTvFPY-.xQTSNH2LAB"/>
        </goal>
        <goal>
          <display value="Blood Pressure &lt; 120/80"/>
          <reference value="https://hostname/instance/api/FHIR/DSTU2/Goal/T02q1MgA4yhd83CsNr4HJfwB"/>
        </goal>
        <goal>
          <display value="Exercise 3x per week (30 min per time)"/>
          <reference value="https://hostname/instance/api/FHIR/DSTU2/Goal/TbTyIhidjA.4YdHp1G9xVAQB"/>
        </goal>
        <goal>
          <display value="Reduce calorie intake to 2000 calories per day"/>
          <reference value="https://hostname/instance/api/FHIR/DSTU2/Goal/TFbH0CKUCgWA6xXjqXq2PuAB"/>
        </goal>
        <activity>
          <detail>
            <prohibited value="false"/>
            <category>
              <text value="encounter"/>
              <coding>
                <system value="2.16.840.1.113883.4.642.1.63"/>
                <code value="encounter"/>
                <display value="encounter"/>
              </coding>
              <coding>
                <system value="FHIRCarePlanDetailCategory"/>
                <code value="encounter"/>
                <display value="encounter"/>
              </coding>
            </category>
            <scheduledPeriod>
              <start value="2016-03-21T14:00:00"/>
              <end value="2016-03-21T14:15:00"/>
            </scheduledPeriod>
```

```
          </detail>
        </activity>
        <activity>
          <detail>
            <prohibited value="false"/>
            <category>
              <text value="procedure"/>
              <coding>
                <system value="2.16.840.1.113883.4.642.1.63"/>
                <code value="procedure"/>
                <display value="procedure"/>
              </coding>
              <coding>
                <system value="FHIRCarePlanDetailCategory"/>
                <code value="referralorder"/>
                <display value="procedure"/>
              </coding>
            </category>
            <code>
              <text value="AW REFERRAL"/>
            </code>
          </detail>
        </activity>
        <activity>
          <detail>
            <prohibited value="false"/>
            <category>
              <text value="procedure"/>
              <coding>
                <system value="2.16.840.1.113883.4.642.1.63"/>
                <code value="procedure"/>
                <display value="procedure"/>
              </coding>
              <coding>
                <system value="FHIRCarePlanDetailCategory"/>
                <code value="referralorder"/>
                <display value="procedure"/>
              </coding>
            </category>
            <code>
              <text value="AMK REFERRAL TO CARDIOLOGY"/>
            </code>
          </detail>
        </activity>
        <category>
          <text value="Longitudinal"/>
          <coding>
            <system value="2.16.840.1.113883.6.96"/>
            <code value="38717003"/>
            <display value="Longitudinal"/>
          </coding>
        </category>
      </CarePlan>
    </resource>
    <search>
      <mode value="match"/>
    </search>
  </entry>
</Bundle>
```

8.3.4 CarePlan.Search (Longitudinal) (DSTU2)

File: site/apis/08-Clinical-Care-Provision/3-DSTU2/10573-CarePlan-Search-Longitudinal-DSTU2.html
Epic API ID | 10573
FHIR version | DSTU2
Categories | Clinical Care Provision
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Keywords | Assessment Plan of Treatment
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | Epic 2017
HTTP method | GET
URL template | /api/FHIR/DSTU2/CarePlan?patient={patient}&subject={subject}&category={category}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10573

Description

The FHIR CarePlan resource is a broad container for summarizing the plan of treatment for a patient. It includes links to the Condition resource (the patient's long term Problem List) and the Goal resource (the patient's longitudinal goals) as well as in-line detail about upcoming appointments, referral orders, and upcoming orders. The CarePlan resource is designed for provider planning and documentation, not patient interaction. This resource is also designed for stating specific activities related to a single patient, rather than generic protocols for condition treatment (a Protocol resource will be defined in a later version of FHIR). By default, only the patient's longitudinal CarePlan is returned. However, encounter-level CarePlans can also be requested. These encounter-level CarePlans include narrative content, such as patient instructions, and assessment and plan of treatment notes that are not associated with any particular condition.

The CarePlan resource corresponds to the following Common Clinical Data Set (CCDS) Elements: Assessment and Plan of Treatment.

The Search interaction enables the client to query for the care plan for a given patient. The client, having established the patient in question, now wishes to retrieve the plan of treatment for the patient.

To ensure clinical safety for a patient, searches filtered with a search parameter will return all active and future activities in addition to other data returned in the search.

Note:

date

Request parameters

Name | Type | Optional | Array | Cardinality | Description
category | String | False
patient | String | False
subject | String | False

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | Entry | False | Yes | | A single entry in the resource bundle.
Bundle.entry.resource | Resource | False | | | A single resource returned as part of this bundle.
Bundle.entry.resource.CarePlan | CarePlan | False | | | A single CarePlan resource.
Bundle.entry.resource.CarePlan.activity | activity | False | Yes
Bundle.entry.resource.CarePlan.addresses | ReferencedResource | False | Yes | | A reference to another resource.
Bundle.entry.resource.CarePlan.goal | ReferencedResource | False | Yes | | A reference to another resource.
Bundle.entry.resource.CarePlan.id | String | False | | | The CarePlan FHIR ID.
Bundle.entry.resource.CarePlan.status | String | False
Bundle.entry.resource.CarePlan.subject | ReferencedResource | False | | | A reference to another resource.

Sample request

```
https://hostname/instance/api/FHIR/DSTU2/CarePlan?patient=TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB
```

Sample response

```
<Bundle xmlns="http://hl7.org/fhir">
  <type value="searchset"/>
  <total value="1"/>
  <link>
    <relation value="self"/>
    <url
    value="https://hostname/instance/api/FHIR/DSTU2/CarePlan?patient=TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB"/>
  </link>
  <entry>
    <fullUrl value="https://hostname/instance/api/FHIR/DSTU2/CarePlan/TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB"/>
    <link>
      <relation value="self"/>
      <url value="https://hostname/instance/api/FHIR/DSTU2/CarePlan/TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB"/>
    </link>
    <resource>
      <CarePlan>
        <id value="TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB"/>
        <subject>
          <display value="Fhir A Szitta"/>
          <reference
    value="https://hostname/instance/api/FHIR/DSTU2/Patient/TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB"/>
        </subject>
        <addresses>
          <display value="Accident caused by a hypodermic needle"/>
          <reference value="https://hostname/instance/api/FHIR/DSTU2/Condition/TXxz.Vy8p6WP.GswNN9p0hgB"/>
        </addresses>
        <addresses>
          <display value="Thalassemia-hemoglobin E disease"/>
          <reference value="https://hostname/instance/api/FHIR/DSTU2/Condition/TnGb-TNBPS8vDZqCh2pzfpQB"/>
        </addresses>
        <addresses>
          <display value="Fabry disease"/>
          <reference value="https://hostname/instance/api/FHIR/DSTU2/Condition/TaREX5Mn41apJYQE4ZSLI3QB"/>
```

```
</addresses>
<addresses>
  <display value="Hypertension"/>
  <reference value="https://hostname/instance/api/FHIR/DSTU2/Condition/TYvkTGqSpTsiKXJ6ubSrWuwB"/>
</addresses>
<addresses>
  <display value="Anxiety"/>
  <reference value="https://hostname/instance/api/FHIR/DSTU2/Condition/TwzE0drZah1wfVRK.VehJqQB"/>
</addresses>
<goal>
  <display value="Weight (lb) &lt; 72.6 kg"/>
  <reference value="https://hostname/instance/api/FHIR/DSTU2/Goal/TsAFp7YTvFPY-.xQTSNH2LAB"/>
</goal>
<goal>
  <display value="Blood Pressure &lt; 120/80"/>
  <reference value="https://hostname/instance/api/FHIR/DSTU2/Goal/T02q1MgA4yhd83CsNr4HJfwB"/>
</goal>
<goal>
  <display value="Exercise 3x per week (30 min per time)"/>
  <reference value="https://hostname/instance/api/FHIR/DSTU2/Goal/TbTyIhidjA.4YdHp1G9xVAQB"/>
</goal>
<goal>
  <display value="Reduce calorie intake to 2000 calories per day"/>
  <reference value="https://hostname/instance/api/FHIR/DSTU2/Goal/TFbH0CKUCgWA6xXjqXq2PuAB"/>
</goal>
<activity>
  <detail>
    <prohibited value="false"/>
    <category>
      <text value="encounter"/>
      <coding>
        <system value="2.16.840.1.113883.4.642.1.63"/>
        <code value="encounter"/>
        <display value="encounter"/>
      </coding>
      <coding>
        <system value="FHIRCarePlanDetailCategory"/>
        <code value="encounter"/>
        <display value="encounter"/>
      </coding>
    </category>
    <scheduledPeriod>
      <start value="2016-03-21T14:00:00"/>
      <end value="2016-03-21T14:15:00"/>
    </scheduledPeriod>
  </detail>
</activity>
<activity>
  <detail>
    <prohibited value="false"/>
    <category>
      <text value="procedure"/>
      <coding>
        <system value="2.16.840.1.113883.4.642.1.63"/>
        <code value="procedure"/>
        <display value="procedure"/>
      </coding>
      <coding>
        <system value="FHIRCarePlanDetailCategory"/>
        <code value="referralorder"/>
        <display value="procedure"/>
      </coding>
    </category>
    <code>
      <text value="AW REFERRAL"/>
    </code>
  </detail>
</activity>
<activity>
  <detail>
    <prohibited value="false"/>
    <category>
      <text value="procedure"/>
      <coding>
        <system value="2.16.840.1.113883.4.642.1.63"/>
        <code value="procedure"/>
        <display value="procedure"/>
      </coding>
      <coding>
        <system value="FHIRCarePlanDetailCategory"/>
        <code value="referralorder"/>
        <display value="procedure"/>
      </coding>
    </category>
    <code>
      <text value="AMK REFERRAL TO CARDIOLOGY"/>
    </code>
  </detail>
</activity>
```

```
        <category>
          <text value="Longitudinal"/>
          <coding>
            <system value="2.16.840.1.113883.6.96"/>
            <code value="38717003"/>
            <display value="Longitudinal"/>
          </coding>
        </category>
      </CarePlan>
    </resource>
    <search>
      <mode value="match"/>
    </search>
  </entry>
</Bundle>
```

8.3.5 Goal.Read (Patient) (DSTU2)

File: site/apis/08-Clinical-Care-Provision/3-DSTU2/19-Goal-Read-Patient-DSTU2.html
Epic API ID | 19
FHIR version | DSTU2
Categories | Clinical Care Provision
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Keywords | Goals;Patient goals
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | Epic 2017
HTTP method | GET
URL template | api/FHIR/DSTU2/Goal/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=19

Description

The FHIR Goal resource defines objectives for a patient based on a current condition or recent procedure. The goal may be long term, such as targeting a specific HgbA1c level after a diabetes diagnosis, or shorter term such as changing wound dressings routinely following a procedure. The Goal resource does not include inpatient care goals, and is designed for provider documentation rather than patient interaction.

The Goal resource corresponds to the following Common Clinical Data Set (CCDS) Elements: Goals.

The read interaction enables the lookup of a Goal resource by a constant server ID. The read interaction allows clients to store only the server ID, and with a single request, retrieve the most up-to-date information about a procedure. Read interactions typically begin with a client having previously established a relationship, often through querying for Goal through the search interaction.

Remarks

This does not include goals that exist as part of the Inpatient Care Plan. These goals are more for provider documentation and are not patient goals, and so they are not included within this resource.

This also does not include goals that exist as part of a Clinical Pathway (an inpatient Order Set-like concept for providers that gets documented on in a way similar to Care Plan goals). Like Inpatient Care Plan Goals, these goals are more for provider documentation and are not included within this resource.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | The Goal FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Goal | Goal | False | | | A single Goal resource.
Goal.addresses | ReferencedResource | True | Yes | | Reference to a Problems resource that this goal addresses.
Goal.author | ReferencedResource | True | | | Reference to the Patient or Provider that created the goal.
Goal.category | CodeableConcept | True | Yes | | Based on the category number by default, with Title and then Synonym as backups. Can use SNOMED if OID is specified and a mapping table has been built by the Epic community member.
Goal.description | String | False | | | What the goal entails. SNOMED code or other text describing the goal.
Goal.id | String | False | | | The Goal FHIR ID.
Goal.startDate | DateTime | True | | | When pursuit of the goal begins.
Goal.status | String | False | | | The current status of the goal. The following values are supported: in-progress, achieved cancelled
Goal.subject | ReferencedResource | True | | | Who the goal is intended for. Patient FHIR Resource ID.

Sample request

```
https://hostname/instance/api/FHIR/DSTU2/Goal/TsAFp7YTvFPY-.xQTSNH2LAB
```

Sample response

```
<Goal xmlns="http://hl7.org/fhir">
  <startDate value="2016-01-15T00:00:00"/>
  <description value="Weight (lb) &lt; 72.6 kg"/>
  <status value="in-progress"/>
  <id value="TsAFp7YTvFPY-.xQTSNH2LAB"/>
  <subject>
    <display value="Fhir A Szitta"/>
    <reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB"/>
  </subject>
  <category>
    <text value="Weight"/>
    <coding>
      <system value="1.2.840.114350.1.13.5552.1.7.4.737184.20005"/>
      <code value="3"/>
      <display value="Weight"/>
    </coding>
    <coding>
      <system value="2.16.840.1.113883.6.96"/>
      <code value="TZ3"/>
      <display value="Weight"/>
    </coding>
  </category>
  <author>
    <display value="John Doe, MD"/>
    <reference value="https://hostname/instance/api/FHIR/DSTU2/Practitioner/T261TVJilfMxfUGfuXuDQpQB"/>
  </author>
  <addresses>
    <display value="Accident Caused By A Hypodermic Needle"/>
    <reference value="https://hostname/instance/api/FHIR/DSTU2/Condition/TXxz.Vy8p6WP.GswNN9p0hgB"/>
  </addresses>
  <note>
    <text value="Lose weight now"/>
  </note>
</Goal>
```

8.3.6 Goal.Search (Patient) (DSTU2)

File: site/apis/08-Clinical-Care-Provision/3-DSTU2/20-Goal-Search-Patient-DSTU2.html
Epic API ID | 20
FHIR version | DSTU2
Categories | Clinical Care Provision
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Keywords | Goals;Patient goals
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | Epic 2017
HTTP method | GET
URL template | api/FHIR/DSTU2/Goal?category={category}&patient={patient}&status={status}&subject={subject}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=20

Description

The FHIR Goal resource defines objectives for a patient based on a current condition or recent procedure. The goal may be long term, such as targeting a specific HgbA1c level after a diabetes diagnosis, or shorter term such as changing wound dressings routinely following a procedure. The Goal resource does not include inpatient care goals, and is designed for provider documentation rather than patient interaction.

The Goal resource corresponds to the following Common Clinical Data Set (CCDS) Elements: Goals.

The Search interaction enables the client to query for the goals of a given patient. The client, having established the patient in question, now wishes to retrieve the documented goals for the patient.

To ensure clinical safety for a patient, searches filtered with a search parameter will return all active goals in addition to other data returned in the search.

Note:

_lastUpdated

Remarks

This does not include goals that exist as part of the Inpatient Care Plan. These goals are more for provider documentation and are not patient goals, and so they are not included within this resource.

This also does not include goals that exist as part of a Clinical Pathway (an inpatient Order Set-like concept for providers that gets documented on in a way similar to Care Plan goals). Like Inpatient Care Plan Goals, these goals are more for provider documentation and are not included within this resource.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
category | String | True | | | Based on the category number by default, with Title and then Synonym as backups. Can use SNOMED if OID is specified and a mapping table has been built by the Epic community member.
patient | String | Either patient or subject must be provided. If both are provided, they must match. | | | Associated Patient FHIR Resource ID.
status | String | True | | | The current status of the goal. The following values are supported: in-progress, achieved cancelled
subject | String | Either patient or subject must be provided. If both are provided, they must match. | | | Associated Patient FHIR Resource ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | Entry | False | Yes | | A single entry in the resource bundle.
Bundle.entry.resource | Resource | False | | | A single resource returned as part of this bundle.
Bundle.entry.resource.Goal | Goal | False | | | A single Goal resource.
Bundle.entry.resource.Goal.addresses | ReferencedResource | True | Yes | | Reference to a Problems resource that this goal addresses.
Bundle.entry.resource.Goal.author | ReferencedResource | True | | | Reference to the Patient or Provider that created the goal.
Bundle.entry.resource.Goal.category | CodeableConcept | True | Yes | | Based on the category number by default, with Title and then Synonym as backups. Can use SNOMED if OID is specified and a mapping table has been built by the Epic community member.
Bundle.entry.resource.Goal.description | String | False | | | What the goal entails. SNOMED code or other text describing the goal.
Bundle.entry.resource.Goal.id | String | False | | | The Goal FHIR ID.
Bundle.entry.resource.Goal.startDate | DateTime | True | | | When pursuit of the goal begins.
Bundle.entry.resource.Goal.status | String | False | | | The current status of the goal. The following values are supported: in-progress, achieved cancelled
Bundle.entry.resource.Goal.subject | ReferencedResource | False | | | Who the goal is intended for. Patient FHIR Resource ID.
Bundle.total | Int32 | True

Sample request

```
https://hostname/instance/api/FHIR/DSTU2/Goal?patient=TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB
```

Sample response

```
<Bundle xmlns="http://hl7.org/fhir">
  <type value="searchset"/>
  <total value="4"/>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/DSTU2/Goal?patient=TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB"/>
  </link>
  <entry>
    <fullUrl value="https://hostname/instance/api/FHIR/DSTU2/Goal/TsAFp7YTvFPY-.xQTSNH2LAB"/>
    <link>
      <relation value="self"/>
      <url value="https://hostname/instance/api/FHIR/DSTU2/Goal/TsAFp7YTvFPY-.xQTSNH2LAB"/>
    </link>
    <resource>
      <Goal>
        <startDate value="2016-01-15T00:00:00"/>
        <description value="Weight (lb) &lt; 72.6 kg"/>
        <status value="in-progress"/>
        <id value="TsAFp7YTvFPY-.xQTSNH2LAB"/>
        <subject>
          <display value="Fhir A Szitta"/>
          <reference
    value="https://hostname/instance/api/FHIR/DSTU2/Patient/TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB"/>
        </subject>
        <category>
          <text value="Weight"/>
          <coding>
            <system value="1.2.840.114350.1.13.5552.1.7.4.737184.20005"/>
            <code value="3"/>
            <display value="Weight"/>
          </coding>
          <coding>
            <system value="2.16.840.1.113883.6.96"/>
            <code value="TZ3"/>
            <display value="Weight"/>
          </coding>
        </category>
        <author>
          <display value="Tim Szitta, MD"/>
          <reference value="https://hostname/instance/api/FHIR/DSTU2/Practitioner/T261TVJilfMxfUGfuXuDQpQB"/>
        </author>
```

```
      <addresses>
        <display value="Accident Caused By A Hypodermic Needle"/>
        <reference value="https://hostname/instance/api/FHIR/DSTU2/Condition/TXxz.Vy8p6WP.GswNN9p0hgB"/>
      </addresses>
      <note>
        <text value="Lose weight now"/>
      </note>
    </Goal>
  </resource>
  <search>
    <mode value="match"/>
  </search>
</entry>
<entry>
  <fullUrl value="https://hostname/instance/api/FHIR/DSTU2/Goal/T02q1MgA4yhd83CsNr4HJfwB"/>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/DSTU2/Goal/T02q1MgA4yhd83CsNr4HJfwB"/>
  </link>
  <resource>
    <Goal>
      <startDate value="2016-01-15T00:00:00"/>
      <description value="Blood Pressure &lt; 120/80"/>
      <status value="in-progress"/>
      <id value="T02q1MgA4yhd83CsNr4HJfwB"/>
      <subject>
        <display value="Fhir A Szitta"/>
        <reference
  value="https://hostname/instance/api/FHIR/DSTU2/Patient/TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB"/>
      </subject>
      <category>
        <text value="Blood Pressure"/>
        <coding>
          <system value="1.2.840.114350.1.13.5552.1.7.4.737184.20005"/>
          <code value="4"/>
          <display value="Blood Pressure"/>
        </coding>
        <coding>
          <system value="2.16.840.1.113883.6.96"/>
          <code value="TZ4"/>
          <display value="Blood Pressure"/>
        </coding>
      </category>
      <author>
        <display value="Tim Szitta, MD"/>
        <reference value="https://hostname/instance/api/FHIR/DSTU2/Practitioner/T261TVJilfMxfUGfuXuDQpQB"/>
      </author>
    </Goal>
  </resource>
  <search>
    <mode value="match"/>
  </search>
</entry>
<entry>
  <fullUrl value="https://hostname/instance/api/FHIR/DSTU2/Goal/TbTyIhidjA.4YdHp1G9xVAQB"/>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/DSTU2/Goal/TbTyIhidjA.4YdHp1G9xVAQB"/>
  </link>
  <resource>
    <Goal>
      <startDate value="2016-01-21T00:00:00"/>
      <description value="Exercise 3x per week (30 min per time)"/>
      <status value="achieved"/>
      <id value="TbTyIhidjA.4YdHp1G9xVAQB"/>
      <subject>
        <display value="Fhir A Szitta"/>
        <reference
  value="https://hostname/instance/api/FHIR/DSTU2/Patient/TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB"/>
      </subject>
      <category>
        <text value="Exercise"/>
        <coding>
          <system value="1.2.840.114350.1.13.5552.1.7.4.737184.20005"/>
          <code value="2"/>
          <display value="Exercise"/>
        </coding>
        <coding>
          <system value="2.16.840.1.113883.6.96"/>
          <code value="TZ2"/>
          <display value="Exercise"/>
        </coding>
      </category>
      <author>
        <display value="Tim Szitta, MD"/>
        <reference value="https://hostname/instance/api/FHIR/DSTU2/Practitioner/T261TVJilfMxfUGfuXuDQpQB"/>
      </author>
    </Goal>
  </resource>
```

```
    <search>
      <mode value="match"/>
    </search>
  </entry>
  <entry>
    <fullUrl value="https://hostname/instance/api/FHIR/DSTU2/Goal/TFbH0CKUCgWA6xXjqXq2PuAB"/>
    <link>
      <relation value="self"/>
      <url value="https://hostname/instance/api/FHIR/DSTU2/Goal/TFbH0CKUCgWA6xXjqXq2PuAB"/>
    </link>
    <resource>
      <Goal>
        <startDate value="2016-01-21T00:00:00"/>
        <description value="Reduce calorie intake to 2000 calories per day"/>
        <status value="cancelled"/>
        <id value="TFbH0CKUCgWA6xXjqXq2PuAB"/>
        <subject>
          <display value="Fhir A Szitta"/>
          <reference
    value="https://hostname/instance/api/FHIR/DSTU2/Patient/TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB"/>
        </subject>
        <category>
          <text value="Diet"/>
          <coding>
            <system value="1.2.840.114350.1.13.5552.1.7.4.737184.20005"/>
            <code value="1"/>
            <display value="Diet"/>
          </coding>
          <coding>
            <system value="2.16.840.1.113883.6.96"/>
            <code value="TZ1"/>
            <display value="Diet"/>
          </coding>
        </category>
        <author>
          <display value="Tim Szitta, MD"/>
          <reference value="https://hostname/instance/api/FHIR/DSTU2/Practitioner/T261TVJilfMxfUGfuXuDQpQB"/>
        </author>
      </Goal>
    </resource>
    <search>
      <mode value="match"/>
    </search>
  </entry>
</Bundle>
```